LWG
LOWER WILLAMETTE GROUP

PORTLAND HARBOR RI/FS

FINAL REMEDIAL INVESTIGATION REPORT

APPENDIX F

BASELINE HUMAN HEALTH RISK ASSESSMENT

FINAL

March 28, 2013

Produced for The Lower Willamette Group and
United States Environmental Protection Agency

Produced by Kennedy/Jenks Consultants

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE OF CONTENTS

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

LIST OF ATTACHMENTS

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

LIST OF TABLES

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

LIST OF FIGURES

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

LIST OF MAPS

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

LIST OF ACRONYMS

ACG	analytical concentration goal
ADAF	age-dependent adjustment factor
ALM	Adult Lead Methodology
AOPC	Area of Potential Concern
ATSDR	Agency for Toxic Substances and Disease Registry
AWQC	Ambient Water Quality Criteria
BEHP	bis(2-ethylhexyl)phthalate
BERA	baseline ecological risk assessment
BHHRA	baseline human health risk assessment
Cal EPA	California Environmental Protection Agency
CDC	Centers for Disease Control
CDI	chronic daily intake
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
cm	centimeter
cm/hr	centimeters per hour
CNS	central nervous system
COI	contaminant[1] of interest
COPC	contaminant[1] of potential concern
cPAH	carcinogenic polycyclic aromatic hydrocarbon
CRITFC	Columbia River Inter-tribal Fish Commission
CSM	conceptual site model
CT	central tendency
DA_{event}	absorbed dose per event
DDD	dichlorodiphenyldichloroethane
DDE	dichlorodiphenyldichloroethylene
DDT	dichlorodiphenyltrichloroethane
DDx	DDD, DDE, and DDT
delta-HCH	delta-hexachlorocyclohexane
DEQ	Oregon Department of Environmental Quality
DL	detection limit
DQO	data quality objective
E	east
EPA	United States Environmental Protection Agency
EPC	exposure point concentration
EPD	effective predictive domain
FS	feasibility study
g/day	grams per day
GI	gastrointestinal
GSI	Groundwater Solutions, Inc.

---

[1] Prior deliverables and some of the tables and figures attached to this document may use the term "Chemical of Interest" or "Chemical of Potential Concern", which as the same meaning as "Contaminant of Interest" or "Contaminant of Potential Concern", respectively, and refers to "contaminants" as defined in 42 USC 9601(33).

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

HEAST	Health Effects Assessment Summary Table
HHRA	human health risk assessment
HI	hazard index
HQ	hazard quotient
IEUBK	Integrated Exposure Uptake Biokinetic model3
IRAF	Infant Risk Adjustment Factor
IRIS	Integrated Risk Information System
ISA	initial study area
K_p	dermal permeability coefficient
L/day	liters per day
LADI	lifetime average daily intake
LOAEL	lowest observed adverse effects level
LWG	Lower Willamette Group
LWR	Lower Willamette River
µg/dL	microgram per deciliter
µg/kg	microgram per kilogram
µg/L	microgram per liter
MCL	Maximum Contaminant Level
MCPP	2-(4-Chloro-2-methylphenoxy)propanoic acid
mg/kg	milligram per kilogram
ml/day	milliliters per day
ml/hr	milliliters per hour
MRL	method reporting limit
NHANES	National Health and Nutrition Evaluation Survey
NLM	National Library of Medicine
OAR	Oregon Administrative Rules
ODFW	Oregon Department of Fish and Wildlife
ODHS	Oregon Department of Human Services
pg/g	picograms per gram
PAH	polycyclic aromatic hydrocarbon
PBDE	polybrominated diphenyl ether
PCB	polychlorinated biphenyl
PEF	potency equivalency factor
PPRTV	Provisional Peer Reviewed Toxicity Value
PRG	preliminary remediation goal
RBC	risk-based concentration
RfD	reference dose
RG	remediation goal
RI/FS	remedial investigation/feasibility study
RM	river mile
RME	reasonable maximum exposure
RSL	Regional Screening Level
SCRA	site characterization and risk assessment
SF	slope factor
STSC	Superfund Health Risk Technical Support Center

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

SVOC	semi-volatile organic compound
TCDD	tetrachlorodibenzo-p-dioxin
TEF	toxic equivalency factor
TEQ	toxic equivalent
TZW	transition zone water
UCL	upper confidence limit
USDA	United States Department of Agriculture
VOC	volatile organic compound
W	west
WHO	World Health Organization
XAD	XAD-2 Infiltrex™ 300 system

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

GLOSSARY

Term	Definition
bioaccumulation	the accumulation of a substance in an organism
bioconcentration factor	the concentration of a chemical in the tissues of an organism divided by the concentration in water
carcinogenic polycyclic aromatic hydrocarbons	cPAHs represent the cumulative risks from benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, dibenzo(a,h)anthracene, and indeno(1,2,3-cd)pyrene
central tendency	a measure of the middle or expected value of a dataset
contaminant of concern	the subset of contaminants[2] of potential concern with exposure concentrations that exceed EPA target risk levels
contaminant of interest	contaminant[2] detected in the Study Area for all exposure media (i.e., surface water, transition zone water, sediment, and tissue)
contaminant of potential concern	the subset of contaminants[2] of interest with maximum detected concentrations that are greater than screening levels
composite sample	an analytical sample created by mixing together two or more individual samples; tissue composite samples are composed of two or more individual organisms, and sediment composite samples are composed of two or more individual sediment grab samples
conceptual site model	a description of the links and relationships between chemical sources, routes of release or transport, exposure pathways, and the human receptors at a site
congener	a specific chemical within a group of structurally related chemicals (e.g., PCB congeners)
human health risk assessment	a process to evaluate the likelihood that adverse effects to human health might occur or are occurring as a result of exposure to one or more contaminants
dose	the quantity of a contaminant taken in or absorbed at any one time, expressed on a body weight-specific basis; units are generally expressed as mg/kg bw/day

---

[2] Prior deliverables and some of the tables and figures attached to this document may use the terms "chemical of concern", "chemical of interest", or "chemical of potential concern", which has the same meaning as "contaminant of concern", "contaminant of interest", or "contaminant of potential concern", respectively, and refers to "contaminants" as defined in 42 USC 9601(33).

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Term	Definition
empirical data	data quantified in a laboratory
exposure assessment	the part of a risk assessment that characterizes the chemical exposure of a receptor
exposure pathway	physical route by which a contaminant moves from a source to a human receptor
exposure point	the location or circumstances in which a human receptor is assumed to contact a contaminant
exposure point concentration	the value that represents the estimated concentration of a contaminant at the exposure point
exposure area	size of the area through which a receptor might come in contact with a contaminant as determined by human uses
hazard quotient	the quotient of the exposure level of a chemical divided by the toxicity value based on noncarcinogenic effects (i.e., reference dose)
predicted data	data not quantified in a laboratory but estimated using a model
reasonable maximum exposure	the maximum exposure reasonably expected to occur in a population
receptor	The exposed individual relative to the exposure pathway considered
risk	the likelihood that a specific human receptor experiences a particular adverse effect from exposure to contaminants from a hazardous waste site; the severity of risk increases if the severity of the adverse effect increases or if the chance of the adverse effect occurring increases. Specifically for carcinogenic effects, risk is estimated as the incremental probability of an individual developing cancer over a lifetime as a result of exposure to a potential carcinogen. Specifically for noncarcinogenic (systemic) effects, risk is not expressed as a probability but rather is evaluated by comparing an exposure level over a period of time to a reference dose derived for a similar exposure period.
risk characterization	a part of the risk assessment process in which exposure and effects data are integrated in order to evaluate the likelihood of associated adverse effects

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Term	Definition
slope factor	toxicity value for evaluating the <u>probability</u> of an individual developing <u>cancer</u> from <u>exposure</u> to contaminant levels over a lifetime
Study Area	the portion of the Lower Willamette River that extends from River Mile 1.9 to River Mile 11.8
toxic equivalency factor	numerical values developed by the World Health Organization that quantify the toxicity of dioxin, furan, and dioxin-like PCB congeners relative to 2,3,7,8-tetrachlorodibenzodioxin
transition zone water	Pore water associated with the upper layer of the sediment column; may contain both groundwater and surface water
uncertainty	a component of risk resulting from imperfect knowledge of the degree of hazard or of its spatial and temporal distribution
upper confidence limit on the mean	a high-end statistical measure of central tendency
variability	a component of risk resulting from true heterogeneity in exposure variables or responses, such as dose-response differences within a population or differences in contaminant levels in the environment

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

EXECUTIVE SUMMARY

This document presents the baseline human health risk assessment (BHHRA) for the Portland Harbor Superfund Site (Site). The BHHRA, which was conducted as part of the Remedial Investigation Report (RI Report) being conducted under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA, or Superfund), presents an analysis of potential for adverse health effects associated with both current or potential future human exposures to hazardous substance releases at Portland Harbor in the absence of any actions to control or mitigate these releases. Portland Harbor generally refers to a heavily industrialized reach of the Lower Willamette River (LWR) between river mile (RM) 0 and RM 11.8, the extent of the navigation channel. The approximate 10-mile portion of Portland Harbor from RM 1.9 to 11.8 is referred to as the Study Area, which is the focus of the BHHRA. The results of the BHHRA are used to assist in determining the need for remedial action, provide a basis for determining concentrations of chemicals that can remain in place and still be protective of public health, and to provide a basis for comparing the effectiveness of various remedial alternatives.

The overall process used for the BHHRA is based on EPA guidance and followed the approach documented in the Programmatic Work Plan and subsequent interim deliverables as well as numerous discussions, directives, and agreements with EPA, Oregon Department of Environmental Quality (DEQ), Oregon Department of Human Services (ODHS), and Native American Tribes.

As noted above, the Superfund program uses risk assessment as a tool to evaluate the likelihood and degree of exposure to hazardous substance released at Portland Harbor, and the adverse health effect associated with those exposures. The Superfund risk assessment process is comprised of the following four basic steps: 1) Data collection and analysis; 2) Exposure assessment; 3) Toxicity assessment, and 4) Risk characterization. Although the Portland Harbor BHHRA contains a separate assessment of uncertainties, this discussion should be considered an integral part of each of the four steps.

ES.1 DATA COLLECTION AND ANALYSIS

The dataset used in the BHHRA consists of surface sediment (defined as 0 to 30.5 centimeters in depth), surface water, groundwater seep water, clam and crayfish tissue, and fish tissue. Although the BHHRA focused on the Study Area, data from outside the Study Area, from downstream to RM 1.0, including Multnomah Channel, and upstream to RM 12.2, were also used to assess risk.

ES.2 EXPOSURE ASSESSMENT

Currently or potentially exposed populations were identified based on consideration of both current and potential future uses of the Study Area, and include populations

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

who may be exposed to contamination though a variety of activities. The specific populations and exposure pathways evaluated were:

- Dockside workers — direct exposure via incidental ingestion and dermal contact with beach sediments.

- In-water workers — direct exposures to in-water sediment.

- Transients — direct exposure to beach sediment, surface water for bathing and drinking water scenarios, and groundwater seeps.

- Recreational beach users — direct exposure to beach sediment and surface water while for swimming.

- Tribal fishers — direct exposure to beach or in-water sediments, and consumption of migratory and resident fish.

- Recreational and subsistence fishers — direct exposure to beach or in-water sediments, consumption of resident fish, and consumption of shellfish.

- Divers — direct exposure to in-water sediment and surface water.

- Domestic water user — direct exposure to untreated surface water potentially used as a drinking water source in the future.

- Infant consumption of human breast milk — exposure to certain persistent and bioaccumulative contaminants (polychlorinated biphenyls [PCBs], dichlorodiphenyldichloroethane, dichlorodiphenyldichloroethylene, and dichlorodiphenyltrichloroethane [DDx] compounds, dioxins and furans, and polybrominated diphenyl ethers [PBDEs]) via nursing infants of dockside and in-water workers, divers, and recreational, subsistence, and tribal fishers

Exposure to beach sediment was assessed per beach, and exposure to groundwater seeps were assessed per seep. Exposure to in-water sediment, surface water, and fish and shellfish tissue were assessed on both localized and Study Area-wide scales.

As required by EPA policy, the exposure assessment evaluated a reasonable maximum exposure (RME), which is defined as the maximum exposure that is reasonably expected to occur. In addition, estimates of central tendency (CT), which are intended to represent average exposures, were also evaluated. Assumptions about each population were used to select exposure parameters to calculate the pathway-specific chemical intakes. As site-specific values are not available to describe potential exposures for each populations and pathways, default values representative of the larger U.S. population were used. Where default values are not available, best professional judgment was used based on likely activity patterns.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

ES.3   TOXICITY ASSESSMENT

The toxicity assessment is an evaluation of both the type of adverse effects resulting from exposure to a chemical, as well as a quantitative estimate of the specific exposure, or dose at which adverse effects might occur. In the Superfund program, two types of health effects are evaluated; the incremental risk of developing cancer, and non-cancer health effects, such as developmental disorders and learning problems, or other health effects specific to certain organs. Cancer and noncancer toxicity values are used to assess the likelihood of a specific adverse health outcome. Cancer risk is expressed as a probability, and the cancer potency is known as the cancer slope factor. The non-cancer health hazard is expressed as the ratio of the estimated chemical intake, or dose, to a reference dose (RfD). The chronic RfD is an exposure representing an estimate (with uncertainty spanning perhaps an order of magnitude or greater) of a daily exposure, including sensitive subgroups, that is likely to be without appreciable health risks over a lifetime.

ES.4   RISK CHARACTERIZATION

Both cancer risks and noncancer hazards were evaluated in the BHHRA. To characterize potential noncancer hazard, the hazard quotient (HQ) was calculated as ratio of the estimated chemical intake, or dose, as described in the exposure assessment, to the chemical-specific RfD. The HQs were then summed to yield cumulative hazard indices (HIs). When the HI is less than 1, the estimated exposure is unlikely to result in adverse health effects. Where the HI is greater than 1, endpoint-specific HIs were calculated. This is done because the additive effects of exposure to more than one chemical are most appropriately considered when they cause similar health effects. Cancer risks are calculated as the product of the estimated dose and the cancer slope factor, resulting in an estimate of the incremental probability that an individual will develop cancer over a lifetime due to exposure to the chemical.

CERCLA actions are generally warranted where the baseline risk assessment indicates that a cumulative site risk to an individual using RME assumptions for either current or future land use is greater than a 1×10^{-4} lifetime excess cancer risk, or the HI is greater than 1.

ES.5   MAJOR FINDINGS

The following presents the major findings of the BHHRA:

- Risks resulting from the consumption of fish or shellfish are generally orders of magnitude higher than risk resulting from direct contact with sediment, surface water, or seeps. Risks and hazards from fish and shellfish consumption exceed the EPA point of departure for cancer risk of 1×10^{-4} and target HI of 1 when evaluated on a harbor-wide basis, and when evaluated on the smaller spatial scale by river mile.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

- Consumption of resident fish species consistently results in the greatest risk estimates. Evaluated harbor-wide, the estimated RME cancer risks are 4×10^{-3} and 1×10^{-2} for recreational and subsistence fishers, respectively. Evaluated on a river mile scale, it is only at RM 5, where the estimated RME risk for recreational fishers is 9×10^{-5}, that the risk from consumption of resident fish is less than 1×10^{-4}. River miles associated with the highest estimated risk estimates are RM 4, RM 7, RM 11, and in Swan Island Lagoon. Evaluated harbor-wide and assuming a diet that consisted of migratory fish in addition to resident fish species, the estimated RME cancer risk for tribal consumers is 1×10^{-2} assuming fillet-only consumption, and 2×10^{-2} assuming whole-body consumption.

- Noncancer hazard estimates for consumption of resident fish species are greater than 1 at all river miles. Evaluated harbor wide, the estimated RME HI is 300 and 1,000 for recreational and subsistence fisher, respectively. The highest hazard estimates are at RM 4, RM 7, RM 11, and in Swan Island Lagoon. The highest noncancer hazards are associated with nursing infants of mothers who consume resident fish from Portland Harbor. When fish consumption is evaluated on a harbor-wide basis, the estimated RME HI is 4,000 and 10,000 for infants of recreational and subsistence fishers, respectively. Evaluated on a harbor-wide scale, the estimated RME HI for tribal consumers of migratory and resident fish is 600 assuming fillet-only consumption, and 800 assuming whole-body consumption. The corresponding HI estimates for nursing infants of mothers who consume fish are 8,000 and 9,000 respectively, assuming maternal consumption of fillet or whole-body fish.

- PCBs are the primary contributor to risk from fish consumption harbor wide. When evaluated on a river mile scale, dioxins/furans are a secondary contributor to the overall risk and hazard estimates. PCBs are the primary contributors to the noncancer hazard to nursing infants, primarily because of the bioaccumulative properties of PCBs and the susceptibility of infants to the developmental effects associated with exposure to PCBs.

- The greatest source of uncertainty in the risk and hazard estimates includes the lack of good site-specific information about consumption of resident fish from Portland Harbor. Because tribal fish consumption practices were evaluated assuming a combined diet consisting of both resident and migratory fish, it is not clear to what degree contamination in Portland Harbor contributes to those estimated risks. In addition, it is important to remember that the noncancer hazard estimates presented in the BHHRA are not predictions of specific disease, and the cancer estimates represent upper-bound values, and the EPA is reasonably confident that the actual cancer risks will not exceed the estimated risks presented in the BHHRA.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

1.0   INTRODUCTION

This Baseline Human Health Risk Assessment (BHHRA) presents an evaluation of risks to human health at the Portland Harbor Superfund Site (Site) in Portland, Oregon. This BHHRA is intended to provide an analysis of baseline risks and help determine the need for action at the Site, and to provide risk managers with an understanding of the actual and potential risks to human health posed by the site and any uncertainties associated with the assessment.

Portland Harbor encompasses the Lower Willamette River (LWR) in Portland, Oregon, from the confluence with the Columbia to about River Mile (RM) 12. It has been the focus of numerous environmental investigations completed by the LWG and various other governmental and private entities. Major LWG data collection efforts occurred during four sampling rounds in the LWR from RM 0.8 to 12.2 to characterize the physical system of the river and to assess the nature and extent of contamination in sediment, surface water, transition zone water, storm water, and biota.

The LWG has worked with the United States Environmental Protection Agency (EPA) to develop the methods and assumptions used in this BHHRA. Consistent with EPA guidance (1989), this BHHRA incorporates assumptions to provide a health protective assessment of risks associated with contaminants present at the Site. The risk assessment for Portland Harbor is a baseline risk assessment in that it evaluates human health risks and hazards associated with contamination in the absence of remedial actions or institutional controls.

This BHHRA is being conducted as part of the Remedial Investigation Report (RI Report) to evaluate potential adverse health effects caused by hazardous substance releases at the Site, consistent with the requirements of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). The BHHRA will be used to support the development of contaminant thresholds to be used as preliminary remediation goals (PRGs) for sediment. The PRGs will provide preliminary estimates of the long-terms goals to be achieved by any cleanup actions in Portland Harbor. During the feasibility study (FS) process, the PRGs will be refined based on background sediment quality, technical feasibility, and other risk management considerations. EPA will identify the final remediation goals (RGs) for the site in the Record of Decision, following completion of the FS.

1.1   OBJECTIVES

The general objective of a human health risk assessment in the CERCLA process is to provide an analysis of potential baseline risks to human health from site-related contaminants and help determine the need for remedial actions, provide a basis for determining contaminant concentrations that can remain onsite and still be protective

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

of public health, and provide a basis for comparing the effectiveness of various remedial alternatives. To achieve the overall objectives, the general process of BHHRA is:

- Identify contaminants of potential concern (COPCs)[3]

- Identify potentially exposed populations and pathways of exposure to COPCs

- Characterize potentially exposed populations and estimate the extent of their exposure to COPCs

- Quantitatively characterize the noncarcinogenic and carcinogenic risks to the populations resulting from potential exposure to COPCs and identify contaminants potentially posing unacceptable risks

- Characterize uncertainties associated with this risk assessment

- Identify the contaminants and pathways that contribute the majority of the risk.

1.2   APPROACH

This BHHRA generally follows the approach that was documented in the Programmatic Work Plan (Integral et al. 2004) and subsequent interim deliverables. It also reflects numerous discussions and agreements on appropriate risk assessment techniques for the Site among interested parties, including the EPA, Oregon Department of Environmental Quality (DEQ), Oregon Department of Human Services (ODHS), and Native American Tribes.

Potential exposure pathways, populations, and exposure assumptions were originally identified in the Programmatic Work Plan and in subsequent direction from EPA. Additional assumptions for estimating the extent of exposure were provided in the Exposure Point Concentration Calculation Approach and Summary of Exposure Factors Technical Memorandum (Kennedy/Jenks Consultants 2006) and the Human Health Toxicity Values Interim Deliverable (Kennedy/Jenks Consultants 2004a). Specific documents related to the approach for this BHHRA are presented in Attachment F1. The BHHRA is based on EPA (1989, 1991b, 2001a, 2004, 2005a) and EPA Region 10 (2000a) guidance, and is also consistent with DEQ guidance (DEQ 2000a, 2010).

1.3   SITE BACKGROUND

The LWR extends from the Willamette's convergence with the Columbia River at river mile (RM) 0 upstream to the Willamette Falls at RM 26. Portland Harbor

---

[3] Prior deliverables and some of the tables and figures attached to this document may use the term "Chemicals of potential concern," which has the same meaning as "Contaminants of potential concern" and refers to "contaminants" as defined in 42 USC 9601(33).

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

generally refers to a heavily industrialized reach of the LWR between RM 0 and RM 12, the extent of the navigation channel. Additional information on the environmental setting of Portland Harbor, including historical and current land use, regional geology and hydrogeology, surface water hydrology, the in-water physical system, habitat, and human access and use is provided in Section 3 of the RI Report. The approximate 10-mile portion of Portland Harbor from RM 1.9 to 11.8 is referred to as the Study Area (Map 1-1). Because the Site boundaries have not yet been defined[4], this BHHRA focused on the Study Area, while also including data collected within the portion of the LWR that encompasses RMs 0.8 to 12.2.

Portland Harbor and the Willamette River have served as a major industrial water corridor for more than a century. Industrial use of the Study Area and adjacent areas has been extensive. The majority of the Study Area is currently zoned for industrial land use and is designated as an "Industrial Sanctuary" (City of Portland 2006a). Much of the shoreline in the Study Area includes steeply sloped banks covered with riprap or constructed bulkheads, with human-made structures such as piers and wharves over the water in various locations. A comprehensive update of Portland's Willamette Greenway Plan and related land use policies and zoning (The River Plan) is underway, addressing all of the Willamette riverfront in Portland (City of Portland 2006b). The Willamette Greenway Plan addresses the quality of the natural and human environment along the Willamette River and generally includes all land adjacent to the river, public lands near the river, and land necessary for conservation of significant riparian habitat. (The Willamette Greenway Plan, adopted by the City Council November 5, 1987, Ordinance 160237). The Greenway Plan is intended to "protect, conserve, enhance, and maintain the natural, scenic, historical, economic, and recreational qualities of lands along Portland's rivers." (Portland City Code Chapter 33.440). The Plan supports industrial uses within Portland Harbor while at the same time looks to increase public access to the river. As a result, recreational use within the Study Area may increase at certain locations in the future.

There are numerous potential human uses of Portland Harbor. Worker activities occur at the industrial and commercial facilities in the Study Area. However, due to the sparse beach areas and high docks associated with most of the facilities, worker exposure to the in-water portion of the Study Area may be limited in shoreline areas. Commercial diving activities also occur in the LWR. In addition, the LWR provides many natural areas and recreational opportunities, both within the river itself and along the riverbanks. Within the Study Area, Cathedral Park, located adjacent to the St. Johns Bridge, includes a sandy beach area and a public boat ramp and is used for water skiing, occasional swimming, and waterfront recreation. Recreational beach use also may occur within Willamette Cove, Swan Island Lagoon, and on the southern end of Sauvie Island. Swan Island Lagoon includes a public boat ramp. Additional LWR recreational beach areas exist on the northern end of Sauvie Island and in Kelley Point Park, both of which are outside of the Study Area.

---

[4] The Site boundaries will be defined by EPA in the Record of Decision for the Site.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Fishing is conducted throughout the LWR basin and within the Study Area, both by boaters and from locations along the banks. The LWR also provides a ceremonial and subsistence fishery for Pacific lamprey (particularly at Willamette Falls) and spring Chinook salmon for Native American Tribes. Many areas in the LWR are also important currently for cultural and spiritual uses by local Native Americans.

Transients have been observed along the LWR, including some locations within the Study Area. The observation of tents and makeshift dwellings during RI sampling events confirms that transients were living along some riverbank areas. Transients are expected to continue to utilize this area in the future.

The RI/FS being completed for the Site is designed to be an iterative process that addresses the relationships among the factors that may affect chemical distribution, risk estimates, and remedy selection. Four rounds of field investigations have been completed as part of the RI/FS. A preliminary sampling effort was conducted in 2001 and 2002 prior to the RI/FS work plan. Round 1 was conducted in 2002 and focused primarily on chemical concentrations in fish and shellfish tissue and in beach sediment. Round 2 was conducted in 2004 and 2005 and focused on chemical concentrations in sediment cores, in-water surface sediment, surface water, transition zone water, and additional shellfish tissue and beach sediment. Round 3 was conducted in 2006 and 2007 and focused on chemical concentrations in additional surface water, sediment, and fish and shellfish tissue. These Round 1, Round 2, and Round 3 sampling efforts, while initially focused on RM 3.5 to 9.2, which is the Administrative Order on Consent-defined initial study area (ISA), extended well beyond the ISA to RM 0 downstream and to RM 28.4 upstream.

1.4   ORGANIZATION

In accordance with guidance from EPA (1989), which is consistent with DEQ guidance (2000a, 2010), the BHHRA incorporates the four steps of the baseline risk assessment process: data collection and evaluation, exposure assessment, toxicity assessment, risk characterization, as well as a discussion of overall uncertainties.

This BHHRA is organized as follows:

- Section 2, Data Evaluation – This section evaluates the available data for the Study Area and identifies the COPCs for further evaluation in the BHHRA.

- Section 3, Exposure Assessment – This section presents potentially complete routes of exposure and potentially exposed populations for further evaluation in the BHHRA, which are summarized in the conceptual site model (CSM).

- Section 4, Toxicity Assessment – This section evaluates the potential hazard and toxicity of the COPCs selected for quantitative evaluation in this BHHRA.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

- Section 5, Risk Characterization – This section presents the cancer risks and noncancer hazards and identifies the contaminants potentially posing unacceptable risks to human health.

- Section 6, Uncertainty Analysis – This section discusses the uncertainties that are inherent in performing a HHRA, and the uncertainties specific to this BHHRA.

- Section 7, Summary – This section summarizes the findings of this BHHRA and identifies chemicals and pathways that contribute the majority of the risk within the Study Area.

- Section 8, References – This section lists the references used in this BHHRA.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

2.0   DATA EVALUATION

This section presents the data that were used in this BHHRA and the results of the selection of COPCs in sediment, water, and tissue. The LWG and non-LWG sampling events included in the site characterization and risk assessment (SCRA) dataset are described in detail in Appendix A of the RI Report. The dataset used in this BHHRA represents a subset of data from the sampling events that comprised the SCRA dataset as of September 2008. Data needs for the BHHRA were identified through the data quality objective (DQO) process described in Section 7 of the Programmatic Work Plan (Integral et al. 2004). Only data that met Category 1/QA2 data quality objectives was used in the BHHRA. A risk evaluation of exposures to polybrominated diphenyl ethers (PBDEs) detected in in-water sediment, fish and shellfish tissue was conducted using a subset of data from the sampling events that comprised the SCRA dataset as of February 2011. The data for the PBDE analysis are discussed in Attachment F3, and the PBDE risk assessment used the general data evaluation methodology discussed in this section.

2.1   AVAILABLE DATA

The BHHRA dataset includes only those matrices relevant for direct human exposure pathways: surface sediment, clam and crayfish tissue, fish tissue, surface water and groundwater seeps. Other matrices included in the SCRA dataset (such as subsurface sediment) were not evaluated in the BHHRA because human exposure was considered unlikely. Data from RM 1.0, including Multnomah Channel, and upstream to RM 12.2, were included in the risk assessment. The BHHRA dataset is summarized by matrix from within and outside of the Study Area, respectively in Tables 2-1 and 2-2. The dataset is described briefly in the following subsections, and described in more detail in Section 2.0 of the RI Report.

2.1.1   Beach Sediment

Areas where potential exposure to beach sediment could occur were based only on current conditions, as identified in the Programmatic Work Plan. Because beaches are relatively dynamic environments, specific beach conditions may change in the future, and the evaluation presented in the BHHRA may no longer be appropriately descriptive of potential risks.

Composite sediment samples were collected during Round 1 from each beach that had been designated as a potential human use area within the Initial Study Area (ISA). Additional human use areas within the Study Area but downstream of the ISA were sampled during Round 2 as part of the sampling of shorebird habitat were also included in the BHHRA dataset. The designated potential human use areas and

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

associated beach sediment samples are shown in Map 2-1, and Table 2-3 presents a summary of the composite sediment samples included in the BHHRA dataset.

2.1.2   In-Water Sediment

The in-water sediment BHHRA dataset includes samples collected outside of the navigation channel of the river and from less than 30.5 cm in depth. Beach sediment samples are excluded, as well as natural attenuation core samples, radioisotope samples, and samples collected from areas that were subsequently dredged. The in-water sediment dataset is comprised of samples from river mile (RM) 1 to RM 12.2, including Swan Island Lagoon, as well as samples from the mouth of Multnomah Channel. As described in Appendix A of the RI, samples collected from areas that have subsequently been capped or dredged were not included in the BHHRA dataset. Per an agreement with EPA, the screening of contaminants of potential concern (COPCs) used only the subset of data collected from RM 1.9 to RM 11.8 (and including Swan Island Lagoon and the mouth of Multnomah Channel), whereas the exposure assessment and risk characterization used both subsets of data containing samples from RM 1 to RM 12.2. A summary of in-water sediment samples included in the BHHRA dataset is presented in Tables 2-3 and 2-4 from within and outside of the Study Area, respectively.

2.1.3   Surface Water

Surface water samples were collected by the LWG in seven separate events during Rounds 2 and 3 between 2004 and 2007, and are representative of various seasonal water flow conditions. Surface water samples were collected between RM 1.9 and RM 11.8 from 32 single point stations and 5 transect locations (at RM 2.0, Multnomah Channel, RM 3.9, RM 6.3, and RM 11). One additional surface water sample was collected from RM 16, outside the boundaries of the Study Area. Surface water samples were collected using either a peristaltic pump or an XAD-2 Infiltrex™ 300 system (XAD). Single point samples included near-bottom and near-surface samples, as well as vertically integrated water column samples. Transect samples included horizontally integrated near-bottom and near-surface samples, cross-sectional equal discharge increment samples horizontally integrated across the entire width of the river, and vertically integrated samples from the east, west, and middle sections of a transect on the river. Additional information on the surface water sampling methods is available in Section 5.3 of the RI Report. Tables 2-5 and 2-6 present a summary of the surface water samples included in the BHHRA dataset from within and outside of the Study Area, respectively.

2.1.4   Groundwater Seeps

A seep reconnaissance survey was conducted during Round 1 to document readily identifiable groundwater seeps along both sides of the river from RM 2 to 10.5 (GSI

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

2003). Twelve potential groundwater seeps were observed at or near potential human use beach areas. Of these, only three sites were identified in the survey where it was considered likely for upland contaminants of interest (COIs)[5] to reach groundwater seeps or other surface expressions of groundwater discharging to human use beaches: the City of Portland storm sewer Outfall 22B, Willbridge, and McCormick and Baxter at Willamette Cove. Of these locations, only the Outfall 22B discharge was evaluated in the BHHRA. Groundwater infiltrates into the outfall pipe, which subsequently discharges to a beach that has been identified as a potential transient use area. The groundwater seep at Willbridge is at a beach restricted to industrial use, the seep at Willamette Cove, located downgradient of the McCormick and Baxter Superfund Site, was capped during remedial activities in 2004.

The stormwater pipeline that discharges at Outfall 22B provides a conduit for surface discharge of groundwater containing COIs that infiltrates into the pipe upland of the beach. The sampling events at Outfall 22B are described in Appendix A of the RI Report. Although samples have periodically been collected for analysis of the discharge at Outfall 22B both during and outside of stormwater events, samples taken during stormwater events were not included in the BHHRA dataset because they were not considered representative of typical exposures. Samples collected since 2002 were used in the BHHRA, and Table 2-5 presents a summary of the samples that were included in the BHHRA dataset.

2.1.5   Fish Tissue

The target fish species to be evaluated for human consumption were identified in the Programmatic Work Plan (Integral et al. 2004), and consisted of both resident and non-resident species. Samples of resident fish species were collected by the LWG during Rounds 1 and 3. Samples of non-resident fish species were collected in the summer of 2003 through a cooperative effort of the ODHS, Agency for Toxic Substances and Disease Registry (ATSDR), Oregon Department of Fish and Wildlife (ODFW), the City of Portland and EPA Region 10. Table 2-7 presents a summary of the fish tissue samples included in the BHHRA dataset.

2.1.5.1   Resident Fish Tissue

Resident fish species evaluated in the BHHRA are smallmouth bass (*Micropterus dolomieui*), black crappie (*Pomoxis nigromaculatus)*, common carp (*Cyprinus carpio carpio)*, and brown bullhead (*Ameiurus nebulosus*). The sampling protocol for each species differed based on the reported home ranges of species sampled. The tissue compositing scheme for the Round 1 data collection effort was reviewed and approved by EPA in November and December 2002. The Round 3 data collection, the tissue compositing scheme was approved by EPA in October 2007. Smallmouth bass

---

[5] Prior deliverables and some of the tables and figures attached to this document may use the term "Chemicals of interest," which has the same meaning as "Contaminants of interest" and refers to "contaminants" as defined in 42 USC 9601(33).

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

and carp collected during Round 3 were analyzed separately as fillet and the remaining body-without-fillet tissue, and whole body concentrations were calculated using the individual fillet and body-without-fillet results. Thus, for the risk assessment, the Round 3 smallmouth bass samples were reported both as fillet and whole body results.

Smallmouth bass samples were collected in Round 1 from eight locations between RM 2 and 9, and corresponding to their small home range (ODFW 2005), and composited based on each river mile. Three whole body replicate composite samples were collected at three of the eight locations, one whole body composite sample and one fillet composite sample were collected at the 5 remaining sample locations. Round 3 samples were collected from 18 stations between RM 2 and 12, each corresponding to approximately one river mile, either the west or east side of the river, or both. One composite sample was collected from each station, typically consisting of five individual fish.

Black crappie, common carp, and brown bullhead samples were collected during Round 1 and composited from two three-mile long fishing zones, RM 3-6 and RM 6-9. Three common carp and brown bullhead whole body and fillet replicate composite samples were collected from each zone. Two black crappie whole body and fillet replicate composite samples were collected within each zone. All results from within the Study Area were included in the BHHRA dataset.

During Round 3, common carp samples were collected from three fishing zones, each approximately four river miles in length (RM 0-4, RM 4-8, and RM 8-12). Three common carp composite samples were collected from each fishing zone and analyzed separately as fillet tissue and body-without-fillet tissue. All Round 3 results were included in the BHHRA dataset.

Smallmouth bass, black crappie, and common carp fillet samples were analyzed as fillet with skin, except for the analysis of mercury, which was performed using fillet without skin. Brown bullhead fillet samples were analyzed as fillet without skin.

2.1.5.2   Salmon, Lamprey, and Sturgeon

Adult white sturgeon (*Acipenser transmontanus*), adult spring Chinook salmon (*Oncorhynchus tshawytscha*), and adult Pacific lamprey (*Lampetra tridentate*) were collected during ODHS Study. Although these data were not collected as part of the RI, the data met Category 1/QA2 data quality requirement s and were evaluated by the LWG and used in this BHHRA.

Adult Chinook salmon samples were collected at the Clackamas fish hatchery. Each composite sample consisted of three individual fish. Five whole-body (including one split), three fillet with skin, and three fillet without skin composite samples were analyzed. The fillet without skin composite samples were only analyzed for dioxin, furan, and polychlorinated biphenyl (PCB) congeners and mercury.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Adult Pacific lamprey samples were collected at the Willamette Falls. Four whole body composite samples, each consisting of 30 individual fish, were analyzed.

Adult sturgeon samples were collected between RM 3.5 and 9.2. Six fillet samples were analyzed without skin (including one split), each sample consisting of a single fish.

2.1.6   Shellfish Tissue

Crayfish samples were collected from 24 stations during Round 1 based on habitat areas and from 9 stations during Round 3 based on habitat areas and data needs identified by the EPA. Commensurate with their limited home range, crayfish were collected and analyzed as whole body composite samples from each individual station. During Round 1, two replicate composite samples were collected at three of the 24 stations; a single composite sample was collected at the remaining stations. During Round 3, a single composite sample was collected at each station.

Clams (*Corbicula* sp.) were collected from three stations during Round 1, 33 stations during Round 2, and 10 stations during Round 3, sampling locations were based on habitat areas and biomass availability. A single composite sample was collected at each station in Rounds 1 and 2. In Round 3, two composite samples were collected from each of five stations, and a single composite sample was collected from each of the remaining five stations. Round 1 and Round 2 samples were analyzed undepurated. As previously noted, two samples were collected from five of the sampling stations in Round 3, one sample from each station was depurated prior to analysis, the other was analyzed undepurated. At the remaining stations, only undepurated samples were analyzed. Depuration is a common method for cleansing shellfish that is often done prior to their consumption by humans to eliminate the sediment present in the gastrointestinal tract of the shellfish. Although data from laboratory bioaccumulation samples were also available from Round 2, these data were not used because field-collected tissue samples provide for a more direct evaluation of potential human exposure than laboratory bioaccumulation samples. Tables 2-7 and 2-8 present a summary of the shellfish tissue samples included in the BHHRA dataset, from both inside and outside the Study Area, respectively.

2.2   DATA EVALUATION

Prior to using the data in the BHHRA, the data were evaluated for inclusion in the BHHRA consistent with the Guidelines for Data Reporting, Data Averaging, and Treatment of Non-Detected Values for the Round 1 Database (Kennedy/Jenks Consultants et al. 2004), the Exposure Point Concentration Calculation Approach and Summary of Exposure Factors (Kennedy/Jenks Consultants 2006), and Proposed Data Use Rules and Data Integration for Baseline Human Health Risk

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Assessment (BHHRA), submitted to EPA in a May 28, 2008 email. Data use rules applied to the combining of surface water data collected by different methods, the handling of non-detects, the summing of chemical groups, and the calculation of exposure point concentrations (EPCs).

2.2.1   Excluded Data

The data used BHHRA meet Category 1/QA2 data quality objectives, as described in Section 2.2 of the RI Report. Data that were not of this quality were removed from the BHHRA dataset. General reductions of the SCRA dataset to create the BHHRA dataset included removal of rejected analytical results ("R" qualified results), and removal of analytical results of samples collected from locations that have been capped, dredged, or remediated. This included all samples flagged as capped, dredged or remediated, including data from task WLCMBI02: the McCormick & Baxter September 2002 Sampling.

2.2.2   Field Replicates

Field replicates within the BHHRA dataset were handled per agreements with EPA. When calculating a mean or an upper confidence limit (UCL), and when reporting data in general, replicates were included in the dataset as discrete samples. Replicates with unique coordinates were included as separate samples when mapping or spatially weighting data. Where replicates have the same coordinates, data associated with the first sample were used and data from the second or third replicates were excluded.

2.2.3   Co-elution of PAHs

Benzo(b+k)fluoranthenes and benzo(k+j)fluoranthenes co-eluted in certain surface water and in-water sediment samples. For the purposes of the BHHRA, benzo(b+k)fluoranthenes results were assumed to be completely benzo(b)fluoranthene, and benzo(k+j)fluoranthenes results were assumed to be completely benzo(k)fluoranthene. Analytical results for these samples were not presented as co-elutions in the BHHRA, but rather, were presented as results for their assumed analyte.

2.2.4   Treatment of PCB Surface Water Data

Polychlorinated biphenyls (PCBs) were analyzed as Aroclors in samples collected using a peristaltic pump, and as congeners in high-volume samples collected using the XAD-2 sampling method. Because detection limits for the peristaltic pump samples were higher than those using high-volume samples, the results for PCBs from the high-volume samples were used. Aroclor concentrations in the high-volume samples were estimated from the PCB congener data by the

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

analytical laboratory. Therefore, Aroclor data were not used, and only PCB congener data were used to assess PCBs in the BHHRA surface water dataset.

2.2.5 Combining XAD Column and Filtered Surface Water Data

The XAD water quality samples consisted of two components: chemicals retained on the column that are representative of the dissolved concentration, and chemicals retained on the filter that are representative of the concentration of the suspended particulate fraction. In order to create a whole water sample from the XAD results, the analytical results for column and filter fractions for a given chemical were combined to give a total concentration. The following rules were used to calculate a whole water concentration for individual samples:

- If an analyte was detected in both the filter and the column, the detected concentrations were summed.

- If an analyte was detected in either the filter or the column but not in both portions of the sample, only the detected concentration was used.

- If an analyte was not detected in both the filter and the column, the highest detection limit reported for either the filter or the column was used.

Surface water samples collected using the high-volume XAD-2 sampling method are identified with the letters "XAD." The results of the combined XAD-2 column and filter data were renamed "WSXAD-Combo," and are presented as such in the BHHRA.

2.2.6 Combining Horizontal and Vertical Surface Water Data

The surface water data described in Section 2.1.3 were vertically integrated prior to use in the BHHRA. Transect samples are presented as a vertically and horizontally integrated transect. Non-integrated samples were collected from both near-bottom and near-surface (NB/NS) depths within the water column at single-point sampling locations. Vertically-integrated transect samples were collected from the east, west, and middle (E/W/M) sections of the river, horizontally integrated samples were collected from NB or NS water depths. NB/NS and/or E/W/M samples from the same location and date were combined to provide an integrated value for the water column or transect. In these cases, single-point data from NB and NS were vertically combined, vertically-integrated data from E/W/M were horizontally combined; and horizontally-integrated data from NB/NS were vertically combined using the following rules:

- If an analyte was detected in each sample, the detected concentrations were averaged.

- If an analyte was detected in at least one sample, the mean concentration was calculated using one-half the detection limit for non-detect results.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

- If all results were non-detect, the mean of the detection limits was calculated and used as the non-detected concentration ("U" qualified).

- In some instances, a field replicate sample was collected from the middle of the river without corresponding replicate samples from the east or west side of the river, indicated by "M2" in the Sample ID. The results from these samples were included in the dataset at their reported concentrations, without combining them with other results.

Sample IDs for the results of the horizontally or vertically combined integrated data were renamed to include "-Int" at the end of the ID name, and are presented as such in the BHHRA.

2.2.7   Combining Fillet and Body-Without-Fillet Tissue Data

Fillet and whole-body data for smallmouth bass and carp were collected using the same fish for the LWG Round 3 sampling event. Fillet and remaining body-without-fillet tissue were composited and analyzed separately. Whole-body concentrations were calculated by weighting the concentration in the fillets and remaining-bodies according to the fractional weight of each tissue relative to the whole fish, and summing the weighted concentrations, as follows. The average fillet weight and remaining-body weight were calculated for each composite sample and added together to obtain the average whole-body weight. The proportion of each was then obtained by dividing the average fillet and remaining-body weights by the average whole-body weight. These values were multiplied by the respective chemical concentration and then added together to obtain the chemical concentration in the whole body, according to the following rules:

- If the analyte was detected in both the fillet tissue and the body without fillet tissue, a weighted average was calculated using the detected values

- If the analyte was not detected in either of the tissue types, a weighted average was calculated using the full detection limits

- If the analyte was detected either the fillet or body-without-fillet sample, one-half the detection limit for the non-detect result was used to calculate the weighted average.

The combined fillet and body without fillet tissue data were considered whole body tissue results for carp and smallmouth bass and were used in the BHHRA as such.

2.2.8   Summation Rules for Analytes Evaluated as Summed Values

Certain contaminants were evaluated as the sum of similar individual congeners, isomers, and closely related degradation products of the parent compound rather than as individual chemicals. The chemicals evaluated as mixtures and for which analytes evaluated as sums in the BHHRA are as follows:

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

- Total PCBs were calculated as either the sum of nine Aroclor mixtures (1016, 1221,1232, 1242, 1248, 1254, 1260, 1262, 1268) or the sum of individual PCB congeners.

- Total endosulfan was calculated as the sum of α-endosulfan, β-endosulfan, and endosulfan sulfate.

- Total chlordane was calculated as the sum of *cis*- and *trans*-chlordane, oxychlordane, and *cis*- and *trans*-nonachlor.

- Total DDD was calculated as the sum of 2,4'-DDD and 4,4'-DDD.

- Total DDE was calculated as the sum of 2,4'-DDE and 4,4'-DDE

- Total DDT was calculated as the sum of 2,4'-DDT and 4,4'-DDT

- Total dioxin-like PCB congeners were calculated as the sum of PCBs 77, 81, 105, 114, 123, 126, 156, 157, 167, 169, and 189.

- Total PCBs-adjusted were calculated as the sum of total PCB congeners minus dioxin-like PCB congeners.

- Total xylenes were calculated as the sum of *m*-, *o*-, and *p*-xylene.

The individual components of each chemical mixture used in the BHHRA are presented in Table F2-2.

If an individual analyte of a chemical mixture was detected at least once within the Study Area in a given medium, it was considered present in that medium. The presence of an analyte in biota samples was assessed separately for each individual species and tissue. The presence of individual analytes in sediment, and surface water were also assessed separately based on the specific exposure scenario. Individual analytes that were a part of a chemical mixture but were determined not to be present are summarized in Table F2-3 by medium and species. Additionally, a minimum number of individual analytical results in the mixture was required for the summed analytical result to be calculated. For example, if a sample was only analyzed for a limited number of individual PCB congeners, or if a large number of individual congener results for a sample were rejected, a total PCB congener sum may not have been calculated. In addition, chemical mixtures for samples meeting the criterion for the minimum number of individual analytical results required to calculate a sum, but with a limited number of individual analytical results, were qualified with an "A." Mixture sums that did not have a limited number of individual analytical results were qualified with a "T," indicating a calculated total. Table F2-4 shows the minimum number of individual analytical results required to calculate a sum for each mixture, and the maximum number of individual analytical results that would result in an "A" qualifier, indicating a limited number of individual analytical results were available for a sample. Table F2-4 also lists the number of samples for each medium for which a summed total was calculated, and the number of samples for which a summed total was not calculated because of lack of individual analytical

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

results for the mixture. Sample IDs of samples for which a summed analytical result was not calculated are presented in Table F2-5.

Concentrations of the individual analytes that comprise a mixture were summed for each sample according to the following rules:

- If an analyte was detected in the sample, the detected concentration was used to calculate the sum

- If an analyte was not detected in a sample but was assumed to be present in the sample medium, one-half the detection limit was used to calculate the sum

- If all results were non-detect, the highest detection limit of the analytes assumed to be present in the medium was used as the detection limit for the sample, and the sample was flagged as a non-detect.

2.2.9   Total Dioxin/Furan and PCB TEQs

A toxicity equivalence procedure was used to assess the cumulative toxicity of complex mixtures of PCDD, PCDF, and PCB congeners. The procedure involves assigning individual toxicity equivalency factors (TEFs) to the PCDD, PCDF, and PCB congeners in terms of their relative toxicity to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (2,3,7,8-TCDD). The reported concentration of each congener in a sample is multiplied by its respective TEF to give the TEF-equivalent concentration. The resulting concentrations are then summed to give a TEQ. The World Health Organization (WHO) TEFs (Van den Berg et al. 2006), shown in Table 4-3, were used to calculate the total dioxin/furan and PCB TEQs. Dioxin/furan and PCB-TEQs were calculated according to the following rules

- Congeners reported as not detected in a given sample but determined to be present in the medium, one-half the detection limit multiplied by the TEF was used in the sum

- If all results in a sample were non-detect, the maximum toxicity-weighted detection limit was used for the TEQ, and the result was flagged as non-detect (U-qualified). The maximum toxicity-weighted detection limit was obtained by multiplying each detection limit by its respective TEF and selecting the maximum value.

- Dioxin/furan TEQs were not calculated for those samples where analytical results for all 12 dioxin/furan congeners were not available.

Values were not presented for total TEQ in the BHHRA. Rather, risks from total TEQ were estimated by summing the risks from the total PCB TEQ and the total dioxin/furan TEQ.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

2.3   CHEMICAL SCREENING CRITERIA AND SELECTION OF CONTAMINANTS OF POTENTIAL CONCERN

Because of the large number of chemicals detected in environmental media, a risk-based screening approach was used to focus the risk assessment on those contaminants most likely to significantly contribute to the overall risk. COPCs were selected for quantitative evaluation in the BHHRA by comparing the SCRA analytical data to risk-based screening values. The specific risk-based concentrations used to select COPCs are described below for the each media.

2.3.1   Sediment

EPA's Regional Screening Levels (RSLs) for soil (EPA 2010a) were used as the screening values for beach and in-water sediments. RSLs are risk-based concentrations in soil, air and water, and have been developed for both residential and industrial exposure scenarios. Using default exposure assumptions, RSLs represent concentrations that equate to a target cancer risk of 1×10^{-6} or a hazard quotient of 1. As described in Region 10 guidance (2007a), RSLs based on a noncancer endpoint were divided by 10 to give a value equivalent to using a hazard quotient of 0.1. This was done to account for the additive nature of noncancer effects. RSLs based on noncancer endpoints were divided by 10 to account for potential cumulative effects from multiple chemicals, and these modified RSLs were used as the screening values. Consistent with the then current EPA Region 10 recommendations (EPA, 2008a), RSLs of 7.7 mg/kg in soil for residential land use and 14 mg/kg for occupational land use were calculated for trichloroethylene (TCE) using a cancer slope factor of 0.089 per mg/kg-day, which represents the geometric mid-point of the slope factor range from EPA 2001. EPA finalized its risk assessment for TCE in 2011 and the revised RSL is 0.9 mg/kg. Because TCE does not contribute substantially to the cumulative risk estimates for the in-water portion of Portland Harbor, the screening process was not re-evaluated. Chemicals for which no RSL was available were screened using RSLs for chemicals with a similar chemical structure.

Because uses of Portland Harbor include both recreational and industrial activities, COPCs were selected using both residential and industrial RSLs, consistent with the EPA comments on the Round 2 Comprehensive Report (EPA 2008b). Residential RSLs were used to select COPCs in beach sediment for those areas where exposures could occur during recreational, transient, or fishing activities in those areas considered reasonably accessible from contiguous upland areas or by boat. In-water sediment data collected within the navigation channel were not used in the COPC screen. In areas where occupational exposures could occur, and for in-water sediment, COPCs were selected using industrial RSLs.

If the maximum detected concentration of a contaminant at a specific use area was greater than its respective screening level, that contaminant was selected as a

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

COPC. The designated potential uses for beaches in the Study Area are presented in Map 2-1. COPCs for beach sediment and the rationale for selection are presented in Tables 2-9 and 2-10. COPCs for in-water sediment are presented in Table 2-11. Sample locations used to select COPCs for in-water sediment are shown on Map 2-2.

2.3.2   Surface Water

Surface water COPCs were selected for divers and transient/beach user exposures using EPA residential tapwater RSLs (EPA 2010a), COPCs for the potential use of surface water as a drinking water source were selected using the lower of either the tapwater RSLs or MCLs (EPA 2003a). TCE was evaluated using the EPA Region 6 Human Health Medium-Specific Screening Level (EPA 2008c). COPCs for evaluating exposure to divers and for drinking water were selected from the combined surface water data set described in Section 2.2.6. COPCs for transient and beach use scenarios were selected from surface water samples taken from areas where direct contact could occur. A summary of samples used for screening surface water for COPCs is provided in Table 2-12. Sample locations of surface water data evaluated for diver exposures are shown on Map 2-4 and in Table 2-13; sample locations for transient and recreational beach uses are shown on Map 2-3 and Table 2-14; sample locations for the use of surface water as a drinking water source are shown on Map 2-8 and in Table 2-16.

2.3.3   Groundwater Seep

Chemicals concentrations detected in the groundwater seep at Outfall 22B were compared to the residential tapwater RSLs. As with the soil RSLs, the tapwater RSLs based on a noncancer endpoint were divided by 10 to give values equivalent to a HQ of 0.1. The location of Outfall 22B is shown on Map 2-5, and COPCs are presented in Table 2-15.

2.3.4   Fish and Shellfish Tissue

No appropriate risk-based screening values for fish tissue were available. Although EPA Region 3 has published fish tissue screening levels, the consumption rate of 54 g/day used to derive those values is not considered representative of the range of consumption rates relevant to Portland Harbor. Accordingly, all chemicals detected in fish and shellfish tissue in the BHHRA dataset were considered to be COPCs and evaluated further in the BHHRA. The general locations of fish in a particular composite of smallmouth bass and common carp are shown on Map 2-6. Brown bullhead and black crappie were composited over RM 3-6 and RM 6-9. Shellfish were composited over areas representing their assumed home range, and sample locations on Map 2-7 represent the general spatial distribution of composited samples.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

3.0   EXPOSURE ASSESSMENT

Exposure assessment is the determination of the magnitude, frequency, duration, and route of exposure (EPA, 1989). Populations that currently, or may in the future, come into contact with site contaminants are identified along with potential routes of exposure that define the mechanism by which the exposure may occur. Magnitude is determined by estimating the amount, or concentration, of the chemical at the point of contact over an exposure duration, as well as the actual intake, or dose, of the chemical.

According to EPA (1989), an exposure assessment includes three primary tasks:

- Characterization of the exposure setting. This step includes identifying the characteristics of populations that can influence their potential for exposure, including their location and activity patterns, current and future land use considerations, and the possible presence of any sensitive subpopulations.

- Identification of exposure pathways. Exposure pathways are identified for each population by which they may be exposed to chemicals originating from the site.

- Quantification of exposure. The magnitude, frequency, and duration of exposure for each pathway is determined. This step consists of the estimating of exposure point concentrations and calculation of chemical intakes.

3.1   CONCEPTUAL SITE MODEL

The conceptual site model (CSM) describes potential contaminant sources, transport mechanisms, potentially exposed populations, exposures pathways and routes of exposure. As discussed in Sections 4, 5, and 6 of the RI Report, contaminated media within the Study Area are sediment, water, and biota. Current and historical industrial activities and processes within the Study Area have led to chemical releases from either point or nonpoint sources, including discharges to the river from direct releases or via outfalls and groundwater within the Study Area. In addition, releases that occur upstream of the Study Area and atmospheric deposition from global, regional, and local emissions may also represent potential contaminant sources to the Study Area. Chemicals in sediment and water may be accumulated by organisms living in the water column or by benthic organisms in sediments. Fish and shellfish within the Study Area feeding on these organisms can accumulate chemicals in their tissues through dietary and direct exposure to sediment and water. Additional information on potential contaminant sources is provided in Section 4 of the RI Report, and a more detailed CSM is presented in Section 10. A graphical representation of the exposure CSM is presented on Figure 3-1.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

3.2   IDENTIFICATION OF POTENTIALLY EXPOSED HUMAN POPULATIONS

Potentially exposed populations were identified based on consideration of current and potential future uses of the Study Area. An analysis of potential exposure pathways for the Study Area was detailed in the Portland Harbor RI/FS Programmatic Work Plan (Integral 2004), including those directed by EPA. Consumption of shellfish by subsistence fishers, in-water exposures by recreational and commercial divers, and potential future domestic water use were subsequently evaluated after direction by EPA (see Attachment F1). The exposure scenarios identified below represent those populations that are anticipated to have the greatest potential for exposure to contaminants within the Study Area for both current and potential future conditions. For this reason, this risk assessment is likely to be protective of other potentially exposed populations that are not evaluated quantitatively in this BHHRA. The receptors evaluated for current and future uses of the Study Area are:

- Dockside workers

- In-water workers

- Transients

- Divers

- Recreational beach users

- Recreational/Subsistence fishers

- Tribal fishers

- Potential future domestic water users

The above populations were identified based on human activities known to occur within the Study Area, with the exception of the use of surface water as a domestic water source. However, public and private use of surface water is a beneficial use of the LWR, and as described in Section 1, this baseline risk assessment evaluates exposures assuming no institutional controls, such as obtaining a permit for use of surface water. Each of these receptors is described in greater detail in the following sections.

3.2.1   Dockside Workers

Portland Harbor supports a large number of water-dependent commercial uses, and many of the facilities adjacent to the LWR rely on ship and barge traffic. Dockside workers were evaluated to be representative of industrial and commercial workers at many of the facilities adjacent to the river. Specific activities are assumed to occur only within natural river beach areas, and include unloading ships or barges, or conducting occasional maintenance activities at specific locations near or at the water's edge. Exposures for dockside workers are evaluated as occurring only within defined areas considered to be industrial sites, rather than on a Study Area or harbor-wide basis. The specific areas evaluated are shown on Map 2-1.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

3.2.2   In-Water Workers

In-water workers were evaluated as representative of individuals who conduct activities that typically occur in or over-water, rather than on shore as assumed for dockside workers. Specific activities may include the repair of in-water structures such as docks or pilings, maintenance dredging of private slips or berths, or maintenance and cleaning of equipment. While such activities would not necessarily be restricted to a given area, exposure would most likely be localized to specific facilities, and between the shore and the navigation channel.

3.2.3   Divers

Several different groups of people dive in the Portland Harbor area, including the public for recreation (which may include gathering of biota for consumption), the sheriff's office for investigations and emergency activities, and commercial divers for a variety of purposes including marine construction, underwater inspections, routine operation and maintenance, and activities related to environmental work. The majority of divers are expected to be commercial divers who typically use either wet or dry suits, wet or dry gloves, and a full face mask or a regulator held in the mouth with the diver's teeth. Although dry suits provide greater protection, wetsuits are occasionally used because of the higher cost of dry suits and higher water temperature (Sheldrake et. al, 2009). The Willamette River is 303d listed as a temperature impacted area, with the Lower Willamette reaching average temperatures of over 70 degrees F in the summer months. Based on communications with commercial diving companies in the Portland area (Hutton 2008, Johns 2008, and Burch 2008), the standard of practice for commercial divers is the use of dry suits and helmets when diving in the LWR. However, the use of wet suits by commercial divers may still occur (EPA 2008d). Accordingly, two different diver exposure scenarios are included in this BHHRA, and are differentiated by considering the use of either a wet suit or dry suit. Each scenario assumes that divers are exposed to sediment and surface water through inadvertent ingestion and dermal contact throughout the Study Area.

3.2.4   Transients

Transient encampments are known to exist within the Study Area along the Lower Willamette River. While tents and makeshift dwellings are typically observed above actual beach areas, transients are likely to have direct contact with beach sediment and surface water (including groundwater seeps) during swimming, bathing or other activities, such as washing of clothing or equipment, and may also use surface water as a drinking water source. Although individuals are anticipated to move within or outside the Study Area, some individuals may spend a majority of their time at relatively few areas. Thus, exposure was evaluated as occurring at individual beaches rather than averaged over a larger area. Specific locations where exposure by transients was evaluated in the risk assessment are shown on Map 2-1.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

3.2.5   Recreational Beach Users

Adults and children participate in recreational activities at beaches within the Study Area, and the LWR is also used for boating, water skiing, swimming, and other activities. The areas currently used for recreational activities as well as other areas in the Study Area where sporadic beach use may occur were identified as recreational use areas. While certain individuals may frequent a specific area almost exclusively, others users may regularly use various areas throughout the Study Area. Recreational activities are likely to result in exposure to beach sediment and surface water.

3.2.6   Recreational and Subsistence Fishers

A year-round recreational fishery exists within the Study Area. Current information indicates that spring Chinook salmon, steelhead, Coho salmon, shad, crappie, bass, and white sturgeon are the fish species preferred by local recreational fishers (DEQ 2000b, Hartman 2002, and Steele 2002). In addition to recreational fishing, an investigation by the Oregonian newspaper and limited surveys conducted on other portions of the Willamette River indicate that immigrants from Eastern Europe and Asia, African-Americans, and Hispanics are most likely to use fish from the lower Willamette either as a supplemental or primary dietary source (ATSDR 2002). These surveys also indicate that the most commonly consumed species are carp, bullhead catfish, and smallmouth bass, although other species may also be consumed. In conversations that were conducted as part of a project by the Linnton Community Center (Wagner 2004) about consumption of fish or shellfish from the Willamette River, transients reported consuming a large variety of fish, and several said they ate whatever they could catch themselves or obtain from other fishers.

Direct exposures to beach sediments by individuals engaged in recreational or subsistence fishing was evaluated at specific areas designated as transient and recreational use areas, exposures to in-water sediments were evaluated per half mile along each side of the river as well as on a Study Area-wide basis. Fish consumption was evaluated assuming a multi-species diet comprised of equal proportions of the four resident fish species (smallmouth bass, black crappie, brown bullhead, and common carp) for which tissue data are available and generally assuming consumption of fillets with skin. Because only smallmouth bass data are available on a river-mile basis, those data are used as representative of tissue concentrations in the other fish species when evaluating risk associated with fish consumption on a per river mile basis.

3.2.7   Tribal Fishers

The LWR provides a ceremonial and subsistence fishery for Native American tribes. Four Native American tribes (Yakama, Umatilla, Nez Perce, and Warm Springs) participated in a fish consumption survey that was conducted on the reservations of the participating tribes and completed in 1994 [Columbia River Inter-tribal Fish Commission (CRITFC) 1994]. The results of the survey show that tribal members surveyed generally consume more fish than the general public. Certain species,

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

especially salmon and Pacific lamprey, are an important food source as well as an integral part of the tribes' cultural, economic, and spiritual heritage.

3.2.8   Potential Future Domestic Water User

According to the City of Portland, the primary domestic water source for the city is the Bull Run watershed, which is supplemented by a groundwater supply from the Columbia South Shore Well Field (City of Portland 2008). In addition, the Willamette River was determined not to be a viable water source for future water demands through 2030 (City of Portland 2008). Although there are currently no known uses of the Lower Willamette River as a source of drinking water, public and private use of the Willamette River as a domestic water source is a designated beneficial use by the State of Oregon. Hence, use of surface water as a source of household water was assessed as a potentially complete pathway. Additionally, although domestic water supply is a designated beneficial use of the Willamette River, OAR 340-041-0340 Table 340A defines the beneficial use only with adequate pretreatment and natural quality that meets drinking water standards. Exposure to surface water could occur via ingestion and dermal contact, as well as volatilization of chemicals to indoor air through household use.

3.3   IDENTIFICATION OF EXPOSURE PATHWAYS

Exposure pathways are defined as the physical ways in which chemicals may enter the human body. A complete exposure pathway consists of the following four elements:

- A source of chemical release

- A release or transport mechanism (or media in cases involving media transfer)

- An exposure point (a point of potential human contact with the contaminated exposure medium)

- An exposure route (e.g., ingestion, dermal contact) at the exposure point.

If any of the above elements is missing, the pathway is considered incomplete and exposure does not occur. The potential exposure pathways to human populations at the Study Area include:

- Incidental ingestion of and dermal contact with beach sediment

- Incidental ingestion and dermal contact with in-water sediment

- Incidental ingestion and dermal contact with surface water

- Incidental ingestion and dermal contact with surface water from seeps

- Consumption of fish and shellfish

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

- Infant consumption of human milk.

A more detailed discussion of potential exposures in the Study Area under current and future conditions and the rationale for including or eliminating pathways from quantitative evaluation are presented in the following sections. The identified receptors, exposure routes, and exposure pathways, and the rationale for selection are also summarized in Table 3-1.

Exposure pathways are designated in one of the following four ways:

Potentially Complete: There is a source or release from a source, an exposure point where contact can occur, and an exposure route by which contact can occur. Pathways considered potentially complete are quantitatively evaluated in this BHHRA.

Potentially Complete but Insignificant: There is a source or release from a source, an exposure point where contact can occur, and an exposure route by which contact can occur. However, exposure via the pathway is likely to be negligible relative to the overall risk. Pathways considered potentially complete but insignificant were not evaluated further in this BHHRA.

Incomplete: There is no source or release from a source, no exposure point where contact can occur, or no exposure route by which contact can occur for the given receptor. Pathways considered potentially incomplete were not evaluated further in this BHHRA.

Potentially complete pathway, but evaluated for a different receptor: These pathways may be complete for some individuals, but are not evaluated for the identified receptor because the pathways are not considered typical for that receptor. These pathways are evaluated for different receptors where the pathways are considered potentially complete and significant. Overlapping exposures that may occur for the different receptors are discussed further in Section 3.3.8.

The following sections provide a more detailed discussion of the exposure pathways that are quantitatively evaluated in this BHHRA.

3.3.1 Direct Exposure to Beach Sediment

Based on current and future uses within the Study Area, incidental ingestion and dermal contact with beach sediment could occur within natural river beach areas identified as human use areas in the Programmatic Work Plan. These areas were further classified with respect to the type of exposures that could occur, including recreational, fishing, transient, or dockside worker use areas. Human use areas in the Study Area and their associated classifications are shown in Map 2-1. Direct exposure to beach sediments is considered to be a potentially complete pathway for dockside workers, transients, recreational beach users, and fishers.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

3.3.2　Direct Exposure to In-Water Sediment

Direct contact with in-water sediment could occur during activities conducted from a boat or other vessel that result in bringing sediment to the surface, during diving, or when fishing as a result of handling anchors, hooks, or crayfish pots. Hence, direct exposure to in-water sediment is considered to be a potentially complete pathway for in-water workers, divers, and fishers. Although recreational beach users may contact in-water sediment while swimming, such exposures are not expected to be significant and were not quantitatively evaluated in the risk assessment. Exposure to in-water sediment was evaluated throughout the Study Area by half-mile river segments for each side of the river rather than at specific areas as was done with exposure to beach sediments.

3.3.3　Direct Exposure to Surface Water

Direct exposure to contaminants in surface water could occur during recreation or occupational activities that occur near or in the water, or from potential future use of the LWR as a domestic water source. Transients may also use surface water as a source of drinking water or for bathing. Accordingly, direct exposure via ingestion and dermal contact with surface water is considered to be a potentially complete pathway for transients, recreational beach users, divers, and potential future domestic water users.

Exposure to contaminants in surface water via dermal absorption and ingestion were considered potentially complete but insignificant pathways for dockside workers, in-water workers, tribal fishers, and fishers. It is unlikely that dockside and in-water workers would have direct contact with surface water on a regular basis, and the potential for significant exposure is considered low while fishing. Additionally, although contaminants may volatilize from water, it is unlikely to result in a significant exposure considering the amount of mixing with ambient air and the relatively low concentrations of VOCs in water. Hence, inhalation of volatiles to ambient air was considered a potentially complete but insignificant exposure pathway for all receptors.

3.3.4　Direct Exposure to Groundwater from Seeps

Direct contact with groundwater is assumed to occur only at seeps where groundwater comes to the surface on a beach above the water line. Direct exposure to groundwater via seeps is considered a potentially complete exposure pathway for transients and recreational beach users. As described in Section 2.1.4, a seep reconnaissance survey identified only Outfall 22B, which is located at approximately RM 7W in an area designated as a potentially used by transients. Therefore, exposure to surface water from the groundwater seep at Outfall 22B was evaluated only for transients.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

3.3.5   Consumption of Fish

Many of the contaminants found in Portland Harbor are persistent in the environment and accumulate in the food-chain. Local populations who consume fish caught in Portland Harbor may be exposed to COPCs that bioaccumulate in fish. While the populations evaluated in this BHHRA are described as "fishers," the fish consumption evaluation in this BHHRA includes people who consume fish caught within the Study Area, not just those who catch the fish. Consumption of locally-caught fish is evaluated as a potentially complete exposure pathway for dockside workers, in-water workers, recreational beach users, and divers. Consumption of fish by these populations is evaluated under the recreational and subsistence fisher receptor. By definition, ongoing long-term fish consumption by transients would not be expected to occur, and the evaluation of fish consumption for other receptors is considered to be protective of consumption of fish by transients.

3.3.6   Consumption of Shellfish

Certain contaminants can bioaccumulate in shellfish, and populations may be exposed to COPCs through consumption of shellfish that are collected within the Study Area. The actual extent shellfish harvesting and consumption is presently occurring is not known. The Linnton Community Center project (Wagner 2004) reported that some transients reported eating clams and crayfish, although many of the individuals indicated that they were in the area temporarily, move from location to location frequently, or have variable diets based on what is easily available. While the degree to which consumption of clams currently occurs in Portland Harbor is unknown, the Linnton Community Center project suggests that it does not occur on an ongoing basis within the Study Area. However, the predominant species found in the LWR during sampling events were Asian clams (*Corbicula*), which are an invasive, non-native species. Oregon law (OAR 635–056–0050) prohibits the possession, transportation, and sale of non-native wildlife, and the actual extent to which freshwater clams or other shellfish are currently harvested from Portland Harbor and consumed is not known. The Superfund Health Investigation and Education (SHINE) program in the Oregon Department of Human Services (DHS) stated that is unknown whether or not crayfish are harvested commercially within Portland Harbor (ATSDR 2006). ODFW has records for crayfish collection in the Columbia and Willamette Rivers, but these records do not indicate whether the collection actually occurs within the Study Area. Based on ODFW's data for 2005 to 2007, no commercial crayfish landings were reported for the Willamette River in Multnomah County. DHS had previously received information from ODFW indicating that an average of 4,300 pounds of crayfish were harvested commercially from the portion of the Willamette River within Multnomah County each of the five years from 1997-2001. In addition, DHS occasionally receives calls from citizens who are interested in harvesting crayfish from local waters and are interested in fish advisory information. According to a member of the Oregon Bass and Panfish club, traps are placed in the Portland Harbor Superfund Site boundaries and crayfish collected for bait and possibly for consumption (ATSDR 2006). Although consumption of shellfish was considered a

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

potentially complete pathway for dockside workers, in-water workers, recreational beach users, divers, and recreational fishers, it was quantitatively evaluated only for subsistence fishers, as they were considered the most likely population to regularly harvest and consume shellfish.

3.3.7 Infant Consumption of Human Milk

Lipid-soluble chemicals can accumulate in body fat, including lipids found in breast-milk. As a result, breast-feeding represents a potentially complete exposure pathway for nursing infants. Accordingly, infant exposures to PCBs, dioxins/furans, DDx, and PBDEs were evaluated as a potentially complete exposure pathway wherever maternal exposure to those compounds was evaluated.

3.3.8 Potentially Overlapping Exposure Scenarios

An estimate of reasonable maximum exposure should not only address exposure for individual pathways, but also exposures that may occur across multiple exposure routes. Examples of overlapping scenarios include in-water workers who fish recreationally, and may also be recreational beach users. Potentially overlapping scenarios are indicated on Figure 3-1, and risks from potentially overlapping scenarios are discussed in Section 5.

3.4 CALCULATION OF EXPOSURE POINT CONCENTRATIONS

The exposure point concentration (EPC) is defined as the average concentration contacted at the exposure point(s) over the duration of the exposure period (EPA, 1992a). EPA recommends using the average concentration to represent "a reasonable estimate of the concentration likely to be contacted over time" (EPA 1989). Use of the average concentration also coincides with EPA toxicity criteria, which are based on lifetime average exposures. Because of the uncertainty associated with estimating the true average concentration at a site, EPA guidance (EPA 1989, 1992) notes that the 95 percent upper confidence limit (UCL) of the arithmetic mean should be used for this variable. The UCL is defined as a value that, when calculated repeatedly for randomly drawn subsets of data, equals or exceeds the true population mean 95 percent of the time. Use of the UCL can also help account for uncertainties that can result from limited sampling data, and more accurately accounts for the uneven spatial distribution of contaminant concentrations. The process to calculate EPCs for tissue and beach sediment was previously described in the Programmatic Work Plan, and Round 1 tissue EPCs were previously presented in *Round 1 Tissue Exposure Point Concentrations* (Kennedy/Jenks Consultants 2004b) and *Salmon, Lamprey, and Sturgeon Tissue Exposure Point Concentrations for Oregon Department of Human Services* (Kennedy/Jenks Consultants 2004c), both of which were approved by EPA. The process for deriving EPCs for in-water sediment, surface water, and groundwater seeps was previously described in *Exposure Point Concentration Calculation Approach and Summary of Exposure Factors* (Kennedy/Jenks Consultants 2006), as approved by EPA.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

EPCs for RME evaluations represent either the 95 percent UCL, or the maximum detected value when either there was insufficient data to calculate a UCL or the calculated UCL was greater than the maximum reported value. Although inconsistent with EPA guidance (EPA 1992), EPCs for sediment and surface water CT evaluations were calculated as the simple arithmetic mean because such an evaluation is consistent with OAR 340-122-0084(1)(g) and the primary purpose of the CT evaluations is that they provide bounding information to evaluate uncertainties in the RME evaluation in this risk assessment. EPCs for fish/shellfish consumption scenarios are the lesser of the 95 percent UCL or the maximum detected concentration, central tendency evaluations were achieved by using mean or median consumption rates. For analytes with less than 5 detected concentrations, the maximum detected concentration for that exposure area was used as the EPC for the RME evaluation. The uncertainties associated with estimating EPCs from small datasets and with using the maximum detected concentration as the EPC are discussed in Section 6. The 95 percent UCLs were calculated for each dataset following EPA guidance (EPA 2002a and EPA 2007b). ProUCL version 4.00.02 (EPA 2007b) was used to test datasets for normal, lognormal, or gamma distributions and to calculate the 95 percent UCLs. If the data did not exhibit a discernible distribution, a non-parametric approach was used to generate a UCL. The 95 percent UCLs were calculated using the method recommended by ProUCL guidance (EPA 2007b).

Prior to calculating EPCs, the data were evaluated to address reporting of multiple results for the same analyte in the same sample and to reduce laboratory duplicates and field splits of samples to derive a single value for use. Data reductions performed within the SCRA database followed the rules described in *Guidelines for Data Reporting, Data Averaging, and Treatment of Non-Detected Values for the Round 1 Database Technical Memorandum* (Kennedy/Jenks Consultants et al. 2004). Sample results are reported as not detected when the concentration of the analyte in the sample is less than the detection limit. The actual concentration may be zero, or some value between zero and the detection limit. The following rules were applied to the dataset for tissue, sediment, surface water, and groundwater seep samples:

1. A chemical was assumed to not be present if was not detected in any sample for a given medium within the Study Area, an EPC was not calculated for that chemical in that medium

2. A chemical was presumed to be present if it was detected at least once within the Study Area in samples for a given medium. When calculating the 95 percent UCL, non-detects were used in the calculation as recommended by the ProUCL software. ProUCL software output for the 95 percent UCLs calculated in this BHHRA are provided in Attachment F4. When calculating the simple mean, non-detected values were replaced with one half their detection limit in the calculations.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

3. Non-detects for which the detection limit was greater than the maximum detected concentration in an exposure area were removed from the dataset prior to calculating EPCs.

Certain toxicity values are based on exposure to chemical mixtures rather than to individual chemicals, as identified in *Human Health Toxicity Values Interim Deliverable* (Kennedy/Jenks Consultants 2004a). Concentrations of the individual isomers or congeners that comprise the mixtures were summed as described in Section 2.2.8 to calculate the EPCs for the mixtures, and the risks from these chemicals were evaluated on the basis of the combined mixture rather than for individual chemicals.

3.4.1 Beach Sediment

EPCs for beach sediment were calculated using data collected during Rounds 1 and 2 from locations designated as human use areas. One composite sample was collected from each beach area, and the results from each composite sample were used as the EPC for the RME and CT evaluations. When evaluating exposure for dockside workers at industrial sites, the same EPC was used to represent adjacent sites in instances where the beach area extended across individual site boundaries. Otherwise, each designated beach area was evaluated as a single exposure area for transients, recreational beach users, and recreational, subsistence and tribal fishers. Beach sediment exposure areas are presented on Map 2-1, EPCs for dockside workers are presented in Table 3-2, EPCs for transient, recreational, and fishing uses are presented in Table 3-3.

3.4.2   In-Water Sediment

Direct contact with in-water sediment is most likely to occur in the near-shore areas outside of the navigation channel. Thus, only surface sediment data collected less than 30.5 cm in depth and outside of the navigation channel were used to exposure to in–water sediments. In–water sediment EPCs are calculated in one-half mile segments along both sides of the river from RM 1.0 to RM 12.2, and for samples within Multnomah Channel. Study Area-wide EPCs were calculated using the sediment data collected between RM 1.9 and 11.8. In-water sediment EPCs for exposures by in-water workers, divers, and recreational/subsistence/tribal fishers are presented in Table 3-4.

3.4.3   Surface Water

Exposure concentrations in surface water were calculated using data collected within the Study Area, as well as the transect data collected from the mouth of Multnomah Channel. Both integrated and non-integrated water column samples were included in the data set, the specific samples used were dependent upon the anticipated exposures

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

by the different receptors. A summary of the surface water samples used in calculating EPCs is presented in Table 3-5.

Surface water exposures by transients may occur throughout the year, EPCs were calculated using data from all seven seasonal sampling events. The data from each of the five transect locations were combined as described in Section 2.2.6. and EPCs were calculated for those five locations, at Willamette Cove using the discrete surface water samples, and on a Study Area-wide basis using the combined transect data from within the Study Area, excluding the transect location W027, which was collected at the mouth of Multnomah Channel. Surface water EPCs for exposures by transients are presented in Table 3-6.

Exposure to surface water by recreational beach users was assumed to occur primarily during summer months. Therefore, only data from the low-water sampling event conducted in July 2005 were used for calculating the surface water EPCs. These data were collected from recreational beaches in July 2005 included three transect locations and three single-point locations (Cathedral Park, Willamette Cove, and Swan Island Lagoon). Surface water EPCs for exposures by recreational beach users are presented in Table 3-7.

Exposures to surface water by divers were assumed to occur throughout the Study Area and were not considered seasonally dependent. EPCs were calculated in one-half mile intervals along each side of the river, and at each transect location. EPCs in surface water for exposures by divers are presented in Table 3-8.

Use of surface water as a domestic water source was assumed to have the potential to occur at any location through the Study Area on a year-round basis. Accordingly, data from all seven seasonal sampling events were used. EPCs were calculated for all individual transect stations and for single point stations with vertically integrated data. In addition, data from locations where co-located near-bottom and near-surface samples were collected were averaged and used in the domestic water dataset. Study Area-wide EPCs included all vertically integrated samples. EPCs for the use of surface water as a domestic water source are presented in Table 3-9.

3.4.4   Groundwater Seeps

As discussed Section 2.1.4, Outfall 22B, which is located on the west side of the river at RM 7, was the only seep identified where direct contact could occur within the Study Area. Data from two sampling events between 2002 and 2007 at times that did not involve stormwater influence were used to calculate the EPC, and the results are presented in Table 3-10.

3.4.5   Fish and Shellfish Tissue

EPCs for fish and shellfish tissue were calculated using data collected in the Round 1, Round 2, and Round 3 investigations, and the ODHS study. Study Area-

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

wide EPCs were calculated for recreational and subsistence fishers assuming a multi-species diet comprised of equal proportions of the four resident fish species for which data were collected. This was done by first calculating a harbor-wide concentration for each species, and then assigning a weighted fraction to each concentration corresponding to the portion of the total diet represented by each species to obtain a species-weighted EPC as follows:

$$Conc_{weighted} = \sum \left(C_{fish\,i} \times DF_{fish\,i} \right)$$

where:

$Conc_{weighted}$ =	weighted chemical concentration fish tissue (mg/kg-wet weight)
C_{fish} =	chemical concentration in fish tissue (mg/kg-wet weight)
DF_{fish} =	fraction of total fish consumption represented by each species

Because PBDE data in fish tissue was limited to carp and smallmouth bass collected during Round 3 sampling, it was not possible to calculate a true weighted EPC. Therefore, the concentrations detected in smallmouth bass samples were used as representative of PBDE concentrations in other resident fish species. The EPCs for PBDEs are presented in Attachment F3.

EPCs were also calculated on a river-mile basis using fillet data from smallmouth bass as representative of chemical concentrations in all resident fish that might be collected from the same area. This was done because smallmouth bass are the only fish species for which data were collected and evaluated on a river mile scale. However, because fillet-only data were not collected in Swan Island Lagoon, EPCs in fillet tissue were estimated by calculating the COPC-specific ratios of the mean fillet-to-whole body concentration and applying that ratio to the measured whole body concentrations in Swan Island Lagoon.

Because of the manner in which data were collected and analyzed for other resident fish species, it is not possible to reliably make direct comparisons of chemical concentrations in fillet of smallmouth bass to other resident fish species on these smaller spatial scales. Averaged over a harbor-wide scale, the highest concentrations of persistent chlorinated organic compounds (such as PCBs and dioxins/furans) were detected in common carp, with increasingly lower concentrations detected in brown bullhead, smallmouth bass, and black crappie. PCB concentrations detected in common carp were as much as an order of magnitude greater than detected in smallmouth bass.

Crayfish and clams were collected and composited at each sampling location. EPCs for crayfish were calculated for each individual location as well as for the entire Study Area. EPCs for clams were calculated for both depurated and undepurated samples per river mile on each side of the river, as well as for the entire Study Area. EPCs were also calculated for crayfish and clams collected

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

between RM 1.0 and 1.9 and between RM 11.8 and 12.2, per an agreement with EPA.

EPCs for fish tissue are presented in Tables 3-11 through 3-15. The weighted Study Area-wide EPCs for a multi-species diet are presented in Table 3-16. EPCs for shellfish tissue are presented in Tables 3-17 through 3-20.

3.5   ESTIMATION OF CHEMICAL INTAKES

The amount of each chemical incorporated into the body is defined as the dose and is expressed in units of milligrams per kilogram per day (mg/kg-day). The dose is calculated differently when evaluating carcinogenic effects than when evaluating noncarcinogenic effects. Each is described below:

Non-cancer effects: The dose is averaged over the estimated exposure period and is expressed as a chronic daily intake (CDI). Thus, the CDI is used to represent the potential for adverse health effects over the period of exposure.

Carcinogenic effects: The dose is based on the estimated exposure duration, extrapolated over an estimated 70-year lifetime, representing the lifetime average daily intake (LADI). This is consistent with the cancer slope factors, which are based on lifetime exposures, and on the assumptions that the risk of carcinogenic effects is cumulative and continues even after exposure has ceased.

For non-occupational scenarios where exposures to children are considered likely, both adult and child receptors were evaluated. Children often exhibit behavior such as outdoor play activities and greater hand-to-mouth contact that can result in greater exposure than for a typical adult. In addition, children also have a lower overall body weight relative to the predicted intake. Because cancer risks are averaged over a lifetime, they are directly proportional to the exposure duration as well as the dose and the potency of the chemical. Accordingly, cancer risks were also assessed for a combined exposure from childhood through adult years, to account for the increased relative exposure and susceptibility associated with childhood exposures.

Superfund exposure assessments should be conducted such that the intake variables for an exposure pathway should result in an estimate of the reasonable maximum exposure (RME) expected to occur under both current and future land use conditions (EPA, 1989). The RME is defined as the highest exposure that is reasonably expected to occur at a site. The intent is to estimate an exposure that is substantially greater than the average, yet is still within the range of possible exposures. In general, this is accomplished by using a combination of 90[th] or 95[th] percentile values for contact rate, exposure frequency and duration, and 50[th] percentile values for other variables. This BHHRA also evaluated central tendency (CT) exposures, which is intended to represent an average exposure by the affected population. Rationale and/or references for each of the RME and CT values for exposure pathways that were quantitatively

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

assessed for each exposure scenario for different populations are presented in exposure factor Tables 3-21 through 3-28 and discussed in the following sections.

3.5.1 Incidental Ingestion of Sediment

The following equation was used to calculate the intake (expressed as milligrams per kilogram per day [mg/kg-day]) associated with the incidental ingestion of contaminants in soil or sediment:

$$CDI\ /\ LADI = \frac{C_s \times IRS \times 10^{-6}\,kg/mg \times EF \times ED}{BW \times AT}$$

Age-weighted exposures for the combined child and adult receptors were calculated consistent with the following equations:

$$CDI\ /\ LADI = \frac{C_s \times IFS_{adj} \times EF \times 10^{-6}\,kg/mg}{AT}$$

where:

$$IFS_{adj} = \frac{ED_c \times IRS_c}{BW_c} + \frac{ED_a \times IRS_a}{BW_a}$$

where:

C_s = chemical concentration in soil or sediment (mg/kg)
IFS_{adj} = age-adjusted soil/sediment ingestion factor [(mg-year)/(kg-day)]
IRS_a = adult soil/sediment ingestion rate (mg/day)
IRS_c = child soil/sediment ingestion rate (mg/day)
EF = exposure frequency (days/year)
ED_a = adult exposure duration (years)
ED_c = child exposure duration (years)
BW_a = adult body weight (kg)
BW_c = child body weight (kg)
AT = averaging time (days)

The exposure assumptions for estimating chemical intake from the ingestion of chemicals in sediment are provided in Tables 3-21 and 3-22.

3.5.2 Dermal Contact with Sediment

The following equation was used to calculate exposure resulting from dermal contact with contaminants in soil or sediment:

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

$$CDI \: / \: LADI = \frac{C_S \times ABS \times SA \times AF \times EF \times ED \times 10^{-6} \: kg/mg}{BW \times AT}$$

Combined child and adult age-weighted exposures resulting from dermal contact with contaminants in sediment for the recreational beach user exposure scenarios were calculated consistent with the following equations:

$$CDI \: / \: LADI = \frac{C_S \times SFS_{adj} \times ABS \times EF \times 10^{-6} \: kg/mg}{AT}$$

where:

$$SFS_{adj} = \frac{ED_c \times AF_c \times SA_c}{BW_c} + \frac{ED_a \times AF_a \times SA_a}{BW_a}$$

where:

C_s = chemical concentration in soil or sediment (mg/kg)
SFS_{adj} = age-adjusted dermal contact factor [(mg-year)/(kg-day)]
ABS = absorption efficiency
SA_a = adult exposed skin surface area (square centimeters [cm^2])
SA_c = child exposed skin surface area (cm^2)
AF_a = adult soil-to-skin adherence factor (mg/cm^2)
AF_c = child soil-to-skin adherence factor (mg/cm^2)
EF = exposure frequency (days/year)
ED_a = adult exposure duration (years)
ED_c = child exposure duration (years)
BW_a = adult body weight (kg)
BW_c = child body weight (kg)
AT = averaging time (days)

The exposure assumptions for estimating exposure from dermal contact with soil or sediment are provided in Tables 3-21 and 3-22.

Dermal absorption of chemicals from soil or sediment adhered to the skin is dependent on a variety of factors, including the condition of the skin, the nature of adhered soil/sediment, and the chemical concentration. Dermal absorption factors, representing the fraction of a chemical absorbed from soil or sediment adhered to the skin, are presented in Table 3-26. Only those compounds or classes of compounds for which dermal absorption factors are presented were evaluated quantitatively via dermal contact, although assuming less than complete absorption may not fully describe risks associated with dermally active compound such as carcinogenic PAHs. The uncertainties associated with the exposure and risk estimates via dermal exposures with soil and sediments are presented in Section 6.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

3.5.3   Ingestion of Surface Water

Exposure resulting from ingestion of surface water was evaluated using the following equation:

$$CDI / LADI = \frac{C_w \times IR_w \times EF \times ED}{BW \times AT}$$

Combined child and adult age-weighted exposures due to ingestion of surface water were calculated consistent with the following equations:

$$CDI / LADI = \frac{C_w \times IFW_{adj} \times EF}{AT}$$

where:

$$IFW_{adj} = \frac{ED_c \times IRW_c}{BW_c} + \frac{ED_a \times IRW_a}{BW_a}$$

where:

C_W	=	chemical concentration in water (mg/L)
IFW_{adj}	=	age-adjusted water ingestion factor [(L-year)/(kg-day)]
IRW_a	=	adult groundwater ingestion rate (L/day)
IRW_c	=	child groundwater ingestion rate (L/day)
EF	=	exposure frequency (days/year)
ED_a	=	adult exposure duration (years)
ED_c	=	child exposure duration (years)
BW_a	=	adult body weight (kg)
BW_c	=	child body weight (kg)
AT	=	averaging time (days)

The exposure assumptions for estimating chemical intake from the ingestion of groundwater or surface water are provided in Tables 3-23 and 3-25.

3.5.4   Dermal Contact with Surface Water

Dermal absorption of contaminants due to direct contact with surface water was evaluated using the following equation:

$$CDI / LADI = \frac{DA_{event} \times EV \times EF \times ED \times SA}{AT \times BW}$$

The combined child and adult age-weight absorption of contaminants due to direct contact with surface water was evaluated using the following equation:

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

$$CDI \, / \, LADI = \frac{DA_{event} \times EF \times DFW_{adj}}{AT}$$

The dermally-absorbed dose (DA_{event}) is calculated for organic analytes as a function of the length of exposure and the permeability of the skin to the chemical being absorbed. The rate a chemical enters the skin surface can be greater than the rate by which the chemical is leaving the skin and entering the bloodstream. If exposure is long enough, the chemical enters the skin at the same rate that it exits; this is a condition known as steady-state, designated as t^*. When the exposure duration is less the t^*, the DA_{event} is calculated as:

$$DA_{event} = 2 \times FA \times K_p \times C_w \times CF \times \sqrt{\frac{6 \times \tau \times ET_{adj}}{\pi}}$$

When the exposure duration is greater than t^*, DA_{event} is calculated as:

$$DA_{event} = K_p \times C_{water} \times CF \times \left[\left(\frac{ET_{adj}}{1+B} \right) + 2\tau \left(\frac{1+3B+3B^2}{(1+B)^2} \right) \right]$$

The age-adjusted exposure time is calculated as:

$$ET_{adj} = \frac{(ET_c \times ED_c) + [ET_a \times (ED_a - ED_c)]}{ED_r}$$

and the age-adjusted dermal contact factor for water, DFW_{adj} is calculated using the following equation:

$$DFW_{adj} = \frac{EV_c \times ED_c \times SA_c}{BW_c} + \frac{EV_a \times ED_a \times SA_a}{BW_a}$$

Where:

C_w = chemical concentration in water (mg/L)
DA_{event} = dermally absorbed dose (mg/cm^2-event)
DFW_{adj} = age-adjusted dermal contact factor (cm^2-event-day/kg)
K_p = dermal permeability coefficient (cm/hour)
τ = lag time (hours)
EV = events per day
EF = exposure frequency (days/year)
ET = exposure time (hours)
FA = fraction of chemical absorbed
CF = conversion factor (10^{-3} L/cm^3)
ED_a = adult exposure duration (years)
ED_c = child exposure duration (years)
SA_a = adult exposed skin surface area (cm^2)

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

SA_c = child exposed skin surface area (cm^2)
BW_a = adult body weight (kg)
BW_c = child body weight (kg)
AT = averaging time (days)

Chemical-specific factors are presented in Tables 3-27 and 3-28. These values were obtained from Appendix B of EPA's Supplemental Guidance for Dermal Risk Assessment (2004). The uncertainties associated with calculating DA_{event} for chemicals with factors outside of the Effective Prediction Domain are discussed in Section 6.

3.5.5 Consumption of Fish/Shellfish

The following equation was used to estimate exposure associated with the consumption of fish and shellfish:

$$CDI \ / \ LADI = \frac{C_t \times IR \times 10^{-3} \, kg \ / \ g \times EF \times ED}{BW \times AT}$$

Combined child and adult exposure was evaluated consistent with the following equation:

$$CDI \ / \ LADI = \frac{C_t \times IR_{t-adj} \times 10^{-3} \, kg \ / \ g \times EF}{AT}$$

where:

$$IR_{t-adj} = \frac{ED_c \times IR_c}{BW_c} + \frac{ED_a \times IR_a}{BW_a}$$

where:

C_t = Contaminant concentration in fish tissue (mg/kg, wet-weight basis)
IR_c = Fish consumption rate - child (g/day, wet-weight basis)
IR_a = Fish consumption rate - adult (g/day, wet-weight basis)
EF = Exposure frequency (days/year)
ED_c = Exposure duration – child (years)
ED_a = Exposure duration – adult (years)
BW_c = Body weight – child (kg)
BW_a = Body weight – adult (kg)
AT = Averaging time (days)

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

The exposure assumptions used to estimate exposure from fish and shellfish consumption are presented in Table 3-24.

3.5.6 Calculation of Intake due to Infant Consumption of Human Milk

Exposure to breastfeeding infants due to consumption of human milk was evaluated using a methodology developed by ODEQ, OHA, and EPA Region 10, adapted from EPA's Methodology for Assessing Health Risks Associated with Multiple Pathways of Exposure to Combustor Emissions (EPA 1998a) and the Human Health Risk Assessment Protocol for Hazardous Waste Combustion Facilities (EPA 2005a), and is described in detail in Appendix D of the DEQ Human Health Risk Assessment Guidance (DEQ 2010). The evaluation for this pathway focuses on PCBs, dioxins/furans, DDx, and PBDEs because of the propensity of these chemicals to bioaccumulate. Because the concentration of lipophilic chemicals in human milk is most directly correlated with the steady-state body burden, which itself is directly related to the long-term intake of the chemical, the daily maternal absorbed intake is calculated from the average daily dose to the mother (as calculated in the preceding sections) using the following equation:

$$DAI_{maternal} = ADD_{maternal} \times AE$$

where:

$DAI_{maternal}$ = daily absorbed intake of the mother (mg/kg-day)
$ADD_{maternal}$ = age-adjusted soil/sediment ingestion factor (mg/kg-day)
AE = absorption efficiency of the chemical

The steady-state chemical concentration in milk fat is then calculated as:

$$C_{milkfat} = \frac{DAI_{maternal} \times h \times f_f}{ln(2) \times f_{fm}}$$

where:

$C_{milkfat}$ = chemical concentration in milk fat (mg/kg-lipid)
$DAI_{maternal}$ = daily absorbed intake of the mother (mg/kg-day)
h = half-life of chemical (days)
f_f = fraction of absorbed chemical stored in fat
f_{fm} = fraction of mother's weight that is fat

Intake for infants via breastfeeding is then calculated as:

$$Intake = \frac{C_{milkfat} \times f_{mbm} \times CR_{milk} \times ED_{inf}}{BW_{inf} \times AT}$$

where:

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

f_{mbm} = fraction of fat in breast milk
CR_{milk} = consumption rate of breast milk (kg/day)
ED_{inf} = exposure duration of breastfeeding infant (days)
BW_{inf} = average infant body weight (kg)
AT = averaging time (days)

Additional information regarding the evaluation of persistent, bioaccumulative COPCs is presented in Section 5.1.3.

3.5.7 Calculation of Intake for Mutagenic COPCs

Early-in-life susceptibility to carcinogens has long been recognized by the scientific community as a public health concern. In its revised Cancer Assessment Guidelines, EPA concluded that existing risk assessment approaches did not adequately address the possibility that exposures to a chemical in early life may can result in higher lifetime cancer risks than a comparable duration adult exposure (EPA 2005b). In order to address this increased risk, the agency recommends use of a potency adjustment to account for early-in-life exposures. When no chemical-specific data are available to assess directly cancer susceptibility from early-life exposure, the following default Age Dependent Adjustment Factors (ADAFs) are recommended to be used when evaluating a carcinogen known to cause cancer through a mutagenic mode of action:

- 10-fold adjustment for exposures during the first 2 years of life;
- 3-fold adjustment for exposures from ages 2 to <16 years of age; and
- No adjustment for exposures after turning 16 years of age.

Of the COPCs evaluated in this HHRA, EPA considers that there is sufficient weight-of-evidence to conclude the carcinogenic PAHs cause cancer through a mutagenic mode of action.

The equations used to calculate intake for mutagenic COPCs are presented in the following sections. The exposure parameters are presented in Tables 3-21 to 3-25.

3.5.7.1 Incidental Ingestion of Sediment

The following equation was used to calculate the intake in mg/kg-day for mutagenic COPCs associated with incidental ingestion of soil or sediment:

$$CDI/LADI = \frac{C_s \times \left(\begin{array}{c} \dfrac{(ED_{0-2} \times IRS_c) \times 10}{BW_c} + \dfrac{(ED_{2-6} \times IRS_c) \times 3}{BW_c} + \\ \dfrac{(ED_{6-16} \times IRS_a) \times 3}{BW_a} + \dfrac{(ED_{16-30} \times IRS_a) \times 1}{BW_a} \end{array} \right) \times EF}{AT}$$

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

where:

C$_s$	=	chemical concentration in soil or sediment (mg/kg)
IRS$_a$	=	adult soil/sediment ingestion rate (mg/day)
IRS$_c$	=	child soil/sediment ingestion rate (mg/day)
EF	=	exposure frequency (days/year)
ED$_{0-2}$	=	exposure duration ages 0-2 (years)
ED$_{2-6}$	=	exposure duration ages 2-6 (years)
ED$_{6-16}$	=	exposure duration ages 6-16 (years)
ED$_{16-30}$	=	exposure duration ages 16-30 (years)
BW$_a$	=	adult body weight (kg)
BW$_c$	=	child body weight (kg)
AT	=	averaging time (days)

3.5.7.2 Dermal Contact with Sediment

The following equation was used to calculate the intake from dermal contact with contaminants in soil or sediment:

$$CDI/LADI = \frac{C_S \times \left(\frac{ED_{0-2} \times AF_c \times SA_c \times 10}{BW_c} + \frac{ED_{2-6} \times AF_c \times SA_c \times 3}{BW_c} + \frac{ED_{6-16} \times AF_a \times SA_a \times 3}{BW_a} + \frac{(ED_{16-30} \times AF_a \times SA_a \times 1)}{BW_a} \right) \times ABS \times EF \times 10^{-6} kg/mg}{AT}$$

where:

C$_s$	=	chemical concentration in soil or sediment (mg/kg)
ABS	=	absorption efficiency
SA$_a$	=	adult exposed skin surface area (square centimeters [cm^2])
SA$_c$	=	child exposed skin surface area (cm^2)
AF$_a$	=	adult soil-to-skin adherence factor (mg/cm^2)
AF$_c$	=	child soil-to-skin adherence factor (mg/cm^2)
EF=	=	exposure frequency (days/year)
ED$_{0-2}$	=	exposure duration ages 0-2 (years)
ED$_{2-6}$	=	exposure duration ages 2-6 (years)
ED$_{6-16}$	=	exposure duration ages 6-16 (years)
ED$_{16-30}$	=	exposure duration ages 16-30 (years)
BW$_a$	=	adult body weight (kg)
BW$_c$	=	child body weight (kg)
AT	=	averaging time (days)

3.5.7.3 Ingestion of Surface Water

The following equation was used to calculate intake of chemicals associated with ingestion of surface water:

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

$$CDI/LADI = \dfrac{C_w \times \left(\dfrac{(ED_{0\text{-}2} \times IRW_c) \times 10}{BW_c} + \dfrac{(ED_{2\text{-}6} \times IRW_c) \times 3}{BW_c} + \dfrac{(ED_{6\text{-}16} \times IRW_a) \times 3}{BW_a} + \dfrac{(ED_{16\text{-}30} \times IRW_a) \times 1}{BW_a} \right) \times EF}{AT}$$

where:

C_w	=	chemical concentration in water (mg/L)
IFW_{adj}	=	age-adjusted water ingestion factor [(L-year)/(kg-day)]
IRW_a	=	adult groundwater ingestion rate (L/day)
IRW_c	=	child groundwater ingestion rate (L/day)
EF	=	exposure frequency (days/year)
$ED_{0\text{-}2}$	=	exposure duration ages 0-2 (years)
$ED_{2\text{-}6}$	=	exposure duration ages 2-6 (years)
$ED_{6\text{-}16}$	=	exposure duration ages 6-16 (years)
$ED_{16\text{-}30}$	=	exposure duration ages 16-30 (years)
BW_a	=	adult body weight (kg)
BW_c	=	child body weight (kg)
AT	=	averaging time (days)

The exposure parameters are presented in Tables 3-21 to 3-25.

3.5.8   Population-Specific Exposure Assumptions

Assumptions about each receptor population evaluated in this BHHRA were used to select exposure parameters used to calculate the pathway-specific chemical intakes. Site-specific values are not available for all populations and pathways. Therefore, default values representative of the general U.S. population (EPA 1991b) or values representing best professional judgment based on known human uses of the Study Area were used. The majority of the exposure parameters used in this BHHRA were previously described in the *Exposure Point Concentration Calculation Approach and Summary of Exposure Factors* (Kennedy/Jenks Consultants 2006), which was approved by EPA. Exposure parameters for divers were provided by EPA in its comments on the Round 2 Report. The exposure parameters are discussed below and presented in Tables 3-21 to 3-25. These values represent potential exposures for application at appropriate areas and/or areas agreed upon with EPA and its partners within the Study Area.

3.5.8.1   Dockside Workers

Exposure frequency for dockside workers was assumed to be 50 days/year for the RME evaluation, and 44 days/year the CT evaluation. The RME value assumes a dockside worker is exposed to beach sediment one day per week for 50 weeks per year (50 weeks/year is based on the average number of days worked by an outdoor

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

worker as being 225 days/year, according to the U.S. Census Bureau's *1990 Earnings by Occupation and Education Survey,* and assuming a 5-day work week). An exposure duration of 25 years was used, representing an EPA default value for the RME estimate of job tenure. This value is consistent with data from the U.S. Bureau of Labor Statistics showing that the 95[th] percentile job tenure for men in the manufacturing sector is 25 years. The CT estimate assumed duration of 9 years, representing approximately the 50[th] percentile of residence time estimates from the U.S. Census Bureau data (EPA, 1997).

A sediment ingestion rate of 200 mg/day was used for the RME evaluation, based on EPA Region 10 supplemental guidance on soil ingestion rates (EPA, 2000a), and is representative of approximately the midpoint between the recommended values of 100 mg/day for outdoor workers and 330 mg/day for construction workers. An ingestion rate of 50 mg/day was used to estimate CT exposure.

Dermal exposure was assessed assuming that the face, forearms and hands are exposed, representing an exposed skin surface area of 3,300 cm^2, which is representative of the median value (50[th] percentile) for adults. A body weight of 70 kg, representing the 50[th] percentile of mean body weights of men and women combined (EPA, 1997a) was used for all adult receptors. RME and CT exposure values for dockside workers are presented in Table 3-21.

3.5.8.2   In-Water Workers

According to the Army Corps of Engineers (Siipola 2004), the Port of Portland conducts the most frequent dredging within the Study Area, thus the exposure factors for workers at Terminal 4 are considered protective of in-water workers for potential in-water sediment exposures throughout the Study Area. Exposure factors for in-water workers were developed based on in-depth interviews with several workers at Terminal 4 who either conduct or oversee activities that could result in contact with in-water sediment. For the RME evaluation, in-water sediment exposures were assumed to occur for 10 of 25 years of employment at a given facility, with an exposure frequency of 10 days of sediment contact per year. For the CT evaluation, contact with in-water sediment is assumed for 4 of 9 years employment at a given facility, with an exposure frequency of 10 days of sediment contact per year. Intake rates for in-water sediment are the same as those used for the dockside worker, which are the default ingestion rate of soil for an industrial worker. RME and CT exposure values for the in-water worker are presented in Table 3-22.

3.5.8.3   Divers

Two different scenarios were evaluated, based on whether the divers wear wet or dry suits. Divers wearing wet suits are assumed to be working as commercial divers without a full face mask, and wearing either wet gloves or no gloves. An exposure frequency of 5 days/year for the RME evaluation and 2 days/year for the CT evaluation are based on best professional judgment and discussions between EPA,

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

LWG, and commercial divers, as well as the experience of EPA divers who work at the Portland Harbor Superfund site. Exposure durations of 25 years and 9 years were used for the RME and CT estimates, respectively, based on the labor statistics for job tenure described in Section 3.5.9.1.

Sediment ingestion rates were assumed to be 50 percent of the ingestion rate for dockside workers, corresponding to values of 50 mg/day and 25 mg/day, respectively for the RME and CT evaluations. Dermal exposure to sediment for divers wearing a wet suit was evaluated assuming the entire skin surface area was exposed. A value of 18,150 cm^2, representing the median skin surface area for men and women was used for both the RME and CT evaluations. Divers wearing a dry suit (with a neck dam) would likely have only their head, neck, and hands exposure, and a RME value of 2,510 cm^2 was used. Sediment dermal adherence factors for of 0.3 mg/cm^2-event and 0.07 mg/cm^2 event was used for the was used for the RME estimate and CT estimate, respectively. A CT evaluation was not done for divers wearing dry suits.

Incidental ingestion of surface water for both diver scenarios was assumed to be 50 mL/hour for both the RME and CT evaluations (EPA 1989). More recent data regarding estimates of the amount of water ingested by commercial divers indicates that on average, occupational divers ingested 6 mL/dive in freshwater and 10 mL/dive in marine water, with the maximum estimated ingestion ranging between 25 and 100/mL/dive (EPA 2011). Exposure via ingestion and dermal contact was assumed to occur for 4 hours/event for the RME estimate and 2 hours/event for the CT estimate.

Tables 3-22 and 3-23 summarize exposure assumptions for the wet suit and dry suit divers for in-water sediment and surface water, respectively.

3.5.8.4   Transients

Little information is available regarding how long individuals may remain at specific locations or within the Study Area itself. Based on professional judgment, an exposure duration of 2 years was assumed for the RME and 1 year for CT evaluations, exposure frequency was assumed to be daily (365 days/year). Incidental ingestion of sediment was evaluated at the same rates used for the dockside workers (200 mg/day). Dermal exposure was assessed assuming that the face, forearms and hands, and lower legs are exposed, representing an exposed skin surface area of 5,700 cm^2, which represents the median value for adults. A soil adherence factor of 0.3 mg/cm^2 was used based on the expectation that beach sediment would have a greater moisture content than dry soil. An ingestion rate of 2 L/day was used for consumption of surface water, which represents the default value for domestic water use. Tables 3-21 and 3-23 summarize RME and CT exposure values for the transient scenario for beach sediment and surface water, and the reference and rationale for each value.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

3.5.8.5   Recreational Beach User

In the absence of specific information regarding the frequency of recreational activities in Portland Harbor, potential exposures are based on best professional judgment, assuming that beach use is most frequent in the summer, with less frequent use in the spring/fall, and only intermittent use in the winter. An exposure frequency of 94 days/year (5 days/week during summer, 1 day/week during spring/fall, and 1 day/month during winter) was used for the RME estimate and 38 days/year (2 days/week during summer, 2 days/month during spring/fall) was used for the CT estimate. Exposure duration for recreational activities is based on the assumption that individuals are largely permanent residents of the Portland area. Accordingly, an exposure duration of 30 years, which represents approximately the 95[th] percentile of the length of continuous residence in a single location in the U.S. population (EPA 1997) was used for the RME estimate. More recent studies described in the 2011 edition of EPA's Exposure Factors Handbook show the 95[th] percentile value is closer to 33 years, data from the U.S. Census Bureau indicate that 32 years represents the best estimate of residence time at the 90[th] percentile. However, the value of 30 years is consistent with other Superfund risk assessments nationwide, and represents a reasonably conservative estimate of total residence time in the area. An exposure duration of 9 years was used for the CT estimate.

Sediment ingestion rates of 100 mg/day for adults and 200 mg/day for children were used, approximating the 95[th] percentile soil ingestion rates. CT estimates assumed sediment ingestion rates of 100 mg/day for children and 50 mg/day for adults. Dermal exposures were evaluated assuming that the face, forearms and hands, and lower legs are exposed. Median values of 5,700 cm^2 and 2,800 cm^2 were used for adults and children, respectively. A soil-skin adherence of 3.3 mg/cm^2-day was used for children to account for the greater moisture content of beach sediment.

Water temperatures in the Lower Willamette River would typically limit swimming to the summer months, thus the RME estimates for swimming were assumed to occur at a rate of 26 days per year for adults and 65 days per year for children. As discussed in Section 3.5.10.3, incidental ingestion of river water was assumed to occur at a rate of 50 mL/hour while swimming. Based on current recommendations, 50 mL/hr represents mean value, assuming 21mL/hr for adults and 49 mL/hr for children, upper-percentile recommended values are 71 mL/hr for adults and 121 mL/hr for children (EPA 2011). Tables 3-21 and 3-23 summarize RME and CT exposure values for beach sediment and surface water, respectively, for adult and child recreational beach users.

3.5.8.6   Recreational and Subsistence Fishers

Because there is limited information regarding the frequency of fishing activities within the Study Area, a range of possible exposures was evaluated for people who engage in recreational or subsistence fishing activities by considering both a high- and a low-frequency rate of fishing. RME estimates for high-frequency fishers assumed a fishing frequency of 156 days/year, approximating a rate of 3 days/week.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Low-frequency fishers were assumed to fish 104 days/year, approximating a rate of 2 days/week. CT estimates assumed a frequency of 52 days/year and 26 days/year for high- and low-frequency fishers, respectively, and are representative of assumed fishing frequencies of 1 day/week and 2 days/month. People engaged in recreational or subsistence fishing were also assumed to be residents of the greater Portland area, therefore exposure durations of 30 years and 9 years, were used for the RME and CT evaluations, respectively, based on the population statistics for residency discussed in Section 3.5.8.5.

Incidental ingestion of beach sediment was evaluated assuming 100 mg/day for the RME estimate and 50 mg/day for the CT estimate, representative of soil ingestion rates in a typical residential setting. Rates of 50 mg/day for the RME estimate and 25 mg/day for the CT estimate were used for incidental ingestion of in-water sediment, representing 50 percent of the rates used for beach sediment. An exposed surface area of 5,700 cm^2, representing the face, hands, forearms and lower legs was used to assess dermal exposure to beach sediments, exposures to in-water sediment was assumed to be limited to the hands and forearms, corresponding to a surface area of 1,980 cm^2. Sediment adherence to skin was evaluated using a weighted adherence factor based on exposure to the hands, forearms, and lower legs (EPA 2004). A factor of 25 percent was used to account for the time spent fishing in a single area within the Study Area. Exposure assumptions for beach and in-water sediment contact for recreational/subsistence fishers are presented in Tables 3-21 and 3-22

Information currently available indicates that spring Chinook salmon, steelhead, Coho salmon, shad, crappie, bass, and white sturgeon are the fish species preferred by local recreational fishers (DEQ 2000b, Hartman 2002, and Steele 2002). In addition to recreational fishing, an investigation by the Oregonian newspaper and limited surveys conducted on other portions of the Willamette River indicate that immigrants from Eastern Europe and Asia, African-Americans, and Hispanics are most likely to be catching and eating fish from the lower Willamette either as a supplemental or primary dietary source (ATSDR 2002). These surveys also indicate that the most commonly consumed species are carp, bullhead, catfish, and smallmouth bass, although other species may also be consumed. In conversations that were conducted as part of a project by the Linnton Community Center (Wagner 2004) about consumption of fish or shellfish from the Willamette River, transients reported consuming a large variety of fish, and several said they ate whatever they could catch themselves or obtain from other fishers.

No studies were located that document specific consumption rates of recreational or subsistence anglers in Portland Harbor prior to its listing as a Superfund site, and surveys conducted subsequent to the listing would not be representative of historical, baseline consumption patterns due to subsequent fish advisories and efforts to limit consumption of fish caught from the harbor. Therefore, fish consumption rates from published studies were used to describe the range of reasonably expected exposures relevant to the different populations known to occur in the Portland Harbor area.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Three different rates were evaluated: 17.5 grams per day (approximately 2 eight ounce meals per month), 49 g/ day (approximately 6 ½ eight ounce meals per month), and 142 g/day per day (19 eight ounce meals per month). The term "recreational fishers" is intended to encompass a range of the population while focusing on those who may fish on a more-or-less regular basis, and "subsistence fishers" to represent populations with high fish consumption rates, recognizing that fish are not an exclusive source of protein in their diet. Accordingly, 17.5 g/day is considered representative of a CT value for recreational fishers, and 49 g/day was selected as the RME value representing the higher-end consumption practices of recreational fishers. The consumption rate of 142 g/day represents a RME value for high levels of fish consuming, or subsistence, fishers. No CT value was selected because the evaluations based on 17.5 g/day and 49 g/day inform the risks associated with consumption rates less than 142 g/day. Consumption rates for children aged 6 years and younger were calculated by assuming that their rate of fish consumption is approximately 42 percent of an adult, based on the ratio of child-to-adult consumption rates presented in the CRITFC Fish Consumption Survey (CRITFC 1994). The corresponding rates that were used for children are 7 g/day, 20 g/day, and 60 g/day.

The rates of 17.5 g/day and 142 g/day represent the 90[th] and 99[th] percentiles, respectively, of per capita consumption of uncooked freshwater/estuarine finfish and shellfish by individuals (consumers and non-consumers) 18 or older, as reported in the Continuing Survey of Food Intakes by Individuals (CSFII) and described in EPA's Estimated Per Capita Fish Consumption in the United States (EPA 2002b). While the values are presented in terms of "uncooked weight," it should not be construed to imply that the fish are consumed raw, as the consumption rates represent adjusted values to account for the amount of uncooked fish needed to prepare specific meals. No adjustments were made to contaminant concentrations in raw fish tissue because of the uncertainties associated with accounting for specific preparation and cooking practices.

The CSFII surveys recorded food consumption for two non-consecutive days. "Consumers only" were defined as individuals who ate fish at least once during the 2-day reporting period, individuals who reported not consuming any fish during the reporting period were designated as "non-consumers." For comparison, the 90[th] and 99[th] percentile consumption rates for consumers-only are 200 g/day and 506 g/day, respectively (EPA 2002b). Because of the short time period over which the survey is conducted, the results characterize the empirical distribution of average daily per capita consumption rather than describe true long-term average daily intakes. Although 17.5 g/day represents a 90[th] percentile value, it is considered an average consumption rate for sport fishers (EPA 2000d). Similarly, 142 g/day is considered to be representative of average consumption estimates for subsistence fishers when compared to upper percentile values for consumers only. However, the use of values representative of both non-consumers and consumers is appropriate as it accounts for the fact that some portion of the total diet of fish consumed may come from sources other than Portland Harbor. The consumption rate of 49 g/day is from a creel study

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

conducted in the Columbia Slough (Adolfson 1996), and represents the 95 percent upper confidence limit on the mean, where 50 percent of the mass of the total fish is consumed (Adolfson 1996). Use of this rate accounts for the likelihood that at least some individuals may consume more than just fillets, and that the consumption rates from the Columbia Slough survey are presented as mean values rather than upper percentiles.

The Columbia Slough survey is subject to several deficiencies that limit its usefulness in describing fish consumption patterns in Portland Harbor. Factors that may lead to a positive bias (over predicting consumption) include that the survey was conducted only over one month during the summer (fishing may be less frequent in colder winter months), and that creel surveys tend to encounter anglers who fish more frequently and/or have greater success. Additionally, the consumption rates are reported as the 95 percent UCL on the mean rather than an upper bound percentile as recommended to describe intake in a RME assessment. Factors that may lead to a negative bias include current fish consumption advisories for Columbia Slough, and that individuals who fish more frequently (and/or consume more fish that recommended in the current advisory) may have been reluctant to participate. Other factors that may affect the overall accuracy include the fact that the interviewers often had to estimate the size of fish caught, actual preparation of the fish for consumption may have been someone other than the person interviewed, thus estimates of how much of the fish is actually consumed was not accurate, and not all known fishing locations were surveyed. However, the results of the study do provide some insight into local, non-tribal fishing and consumption patterns.

Consumption of shellfish was evaluated considering only consumption by adults, and assuming that consumption of shellfish is primarily a component of a subsistence diet. Site-specific information regarding consumption of shellfish is not available, thus a range of consumption rates were evaluated. Consumption rates of 3.3 g/day and 18 g/day were selected as representative of CT and RME estimates. These values represent the mean and 95th percentile consumption rates of shellfish from freshwater and estuarine systems for individuals of age 18 and older in the United States (EPA 2002b). Exposure assumptions for recreational/subsistence fish consumption are presented in Table 3-24, and the uncertainties associated with these consumption rates are discussed in Section 6.

3.5.8.7   Tribal Fishers

Specific information regarding population mobility on Native American populations is less readily available than for the general U.S. population. The evaluation of exposures to Native Americans was based on the premise that they spend their entire lives in the area (EPA 2005c), and a typical lifetime was evaluated as 70 years. Fishing frequency was assumed to be 260 days/yr (5 days/week) for the RME estimate and 104 days/year (2 days/week) for the CT estimate.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Incidental ingestion of beach sediment was evaluated assuming 100 mg/day for the RME estimate and 50 mg/day for the CT estimate. Rates of 50 mg/day for the RME estimate and 25 mg/day for the CT estimate were used for incidental ingestion of in-water sediment, representing 50 percent of the rates used for incidental soil ingestion in a typical residential setting. An exposed surface area of 5,700 cm^2, representing the face, hands, forearms and lower legs was used to assess dermal exposure to beach sediments, exposures to in-water sediment was assumed to be limited to the hands and forearms, corresponding to a surface area of 1,980 cm^2. Sediment adherence to skin was evaluated using a weighted adherence factor based on exposure to the hands, forearms, and lower legs (EPA 2004). A factor of 25 percent was used to account for the time spent fishing in a single area within the Study Area. Exposure assumptions for beach and in-water sediment contact for tribal fishers are presented in Tables 3-21 and 3-22.

Fish consumption by tribal members was evaluated assuming a multi-species diet that includes both resident and anadromous fish (salmon, lamprey, and sturgeon). An overall rate of 175 g/day (approximately 23 eight oz meals per month), representing the 95[th] percentile of consumption rates for consumers and non-consumers in the CRITFC Survey was used for adult tribal fish consumers. A consumption rate of 73 g/day, representing the 95[th] percentile of consumption for children from the CRITFC Survey was used for child tribal fish consumers. The CRITFC survey reported that none of the respondents fished the Willamette River for resident fish, and approximately 4 percent fished for anadromous fish. Overall fish consumption information from the CRITFC survey was used to determine the consumption rate for each fish species, as shown in the following table:

Species	Grams per day[a]	Percent of diet
Salmon	67	38.4
Lamprey	12.3	7.0
Sturgeon	8.6	4.9
Smelt	12.5	7.2
Whitefish	23.2	13.3
Trout	25.1	14.3
Walleye	9.9	5.7
Northern Pikeminnow	3.7	2.1
Sucker	7.3	4.2
Shad	5.2	3.0
Total Consumption Rate	175	100

(a) Rates are based on the weighted mean data in Table 18 of CRITFC 1994.

As shown, consumption rates of anadromous species account for approximately 50 percent of total intake. Consumption of salmon, lamprey and sturgeon were evaluated at rates of 67 g/day, 12.3 g/day, and 8.6 g/day, respectively. The remaining portion of the diet was evaluated assuming equal portions of the four resident fish (smallmouth bass, brown bullhead, common carp, and black crappie) for which tissue data were

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

available. Consumption rates for children were calculated using the same dietary percentages as the adult tribal fish consumers and a total intake of 73 g/day. Exposure assumptions for tribal fish consumption are presented in Table 3-24. Adult salmon, adult lamprey, and sturgeon have life histories such that significant contaminant loading can occur outside of the Study Area, making it problematic to associate tissue concentrations with site contamination. However, including consumption of anadromous fish in conjunction with resident fish provides useful information regarding risks to tribal members who may fish the Lower Willamette River.

3.5.8.8   Domestic/Household Water User

 Use of surface water as a household water source was evaluated assuming exposure occurs in a residential setting. Exposure frequency is assumed as 350 days per year (7 days/week for 50 weeks) for both the RME and CT evaluations. As discussed in Section 3.5.9.5, overall exposure duration for residential exposure was assessed as 30 years for the RME estimate and 9 years for the CT estimate. Water ingestion by adults was evaluated at a rate of 2 L/day for the RME estimate, representing the average of the 90[th] percentiles of two national studies (EPA 1997a). A value of 1.4 L/day was used for the CT estimate, representing the population-weighted means of the same studies. These values are representative of water consumed directly from the tap or used in the preparation of food and beverages for adults. Ingestion rates representing 50[th] percentile values of 1.4 L/day for RME and 0.9 L/day for CT were used for children aged 6 years and younger.

Dermal exposures during showering or bathing were evaluated assuming a rate of one event per day, with an event duration of 35 minutes (0.58 hr) for the RME and 15 minutes (0.15 hr) for the CT, representing the 95[th] and 50[th] percentile values from EPA 1997a. A total skin surface area of 18,000 cm^2, representing estimates of the 50[th] percentile of mean surface area for adult men and women (EPA 1997a), was used for both the RME and CT estimates. A corresponding mean surface area of 6,600 cm^2 was used for children aged 6 years and younger.

Table 3-25 summarizes the exposure assumptions used to evaluate domestic use of surface water.

3.5.9   Chemical-Specific Exposure Factors and Assumptions

In calculating chemical intakes, certain assumptions were made that were specific to a given chemical or class of chemicals. These chemical-specific assumptions had an effect on both EPCs and intake calculations, and are described below.

3.5.9.1   Arsenic

Although arsenic was analyzed as total arsenic, the toxicity values represent inorganic arsenic. In previous fish tissue studies in the lower Columbia and Willamette Rivers, the percent of inorganic arsenic relative to total arsenic ranged from 0.1 percent to

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

26.6 percent with an average of 5.3 percent inorganic arsenic in resident fish samples from the Willamette River (Tetra Tech 1995, EVS 2000). Shellfish may have a higher percentage of inorganic arsenic, as measured in studies on the Lower Duwamish River. The Columbia River Basin Fish Contaminant Survey (EPA 2002c) concluded that a "value of 10 percent is expected to result in a health protective estimate of the potential health effects from arsenic in fish." Therefore, 10 percent of total arsenic in tissue was assumed to be inorganic arsenic when calculating the EPCs in fish and shellfish tissue. Uncertainties associated with the assumption that 10 percent of the total arsenic is in the inorganic form in fish and shellfish are discussed further in Section 6.

3.5.9.2   PCBs

PCBs were analyzed as Aroclors and congeners in tissue. Where PCBs were analyzed as Aroclors, the summed concentration of individual Aroclors was used in calculating the EPCs. Where PCBs were analyzed as congeners, EPCs were calculated for an adjusted total PCB value. The adjusted total PCB value was calculated by subtracting the concentration of the coplanar PCB congeners from the total PCB concentration. This was done because the coplanar PCB congeners were evaluated separately (as TCDD toxic equivalents [TEQs]) for cancer risks. Further explanation of how PCB congeners were summed is provided in as described in Section 2.2.8.

3.5.9.3   Oral Bioavailability Factors for Sediment

Consistent with EPA guidance (1989), the chemical intake equations calculate the amount of chemical at the human exchange boundaries, not the amount of chemical available for absorption. Therefore, the estimated intakes calculated in this BHHRA are not the same as the absorbed dose of a chemical. However, the toxicity of an ingested chemical depends on the degree to which the chemical is absorbed from the gastrointestinal tract into the body. Per EPA guidance (1989, 2007c), if the exposure medium in the risk assessment differs from the exposure medium assumed by the toxicity value an adjustment for bioavailability may be appropriate. For purposes of this BHHRA, oral bioavailability factors were not used to adjust the estimated exposures from COPCs in sediment. The uncertainties associated with not considering bioavailability in this BHHRA are discussed in Section 6.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

4.0   TOXICITY ASSESSMENT

The toxicity assessment is composed of two steps: (1) hazard identification and (2) dose-response assessment. Hazard identification is the process of determining whether exposure to a chemical may result in a deleterious health effect in humans. It consists of characterizing the nature of the effect and the strength of the evidence that the chemical will cause the observed effect. Dose-response assessment characterizes the relationship between the dose and the incidence and/or severity of the adverse health effect in the exposed population. For risk assessment purposes, chemicals are generally separated into categories based on their toxicological endpoints. The primary basis of this categorization is whether a chemical exhibits potentially carcinogenic or noncarcinogenic health effects. Because chemicals that are suspected carcinogens may also give rise to noncarcinogenic effects, they must be evaluated separately for both effects.

4.1   TOXICITY VALUES FOR EVALUATING CARCINOGENIC EFFECTS

Cancer slope factors are used to estimate the risk of cancer associated with exposure to a chemical known or suspected to be carcinogenic. The slope factor is derived from either human epidemiological or animal studies, and represents an upper bound, generally approximating a 95 percent confidence limit, on the increased cancer risk from a lifetime exposure by ingestion. Slope factors are generally expressed in units of proportion (of a population) affected per mg of substance/kg body weight-day ($[(mg/kg\text{-}day)^{-1}]$.

In addition to the numerical estimates of carcinogenic potential, a cancer weight-of-evidence (WOE) descriptor is used to describe a substance's potential to cause cancer in humans and the conditions under which the carcinogenic effects may be expressed. This judgment is independent of consideration of the agent's carcinogenic potency. Under EPA's 1986 guidelines for carcinogen risk assessment, the WOE was described by categories "A through E"—Group A for known human carcinogens through Group E for agents with evidence of noncarcinogenicity. Under EPA's 2005 guidelines for carcinogen risk assessment, a narrative approach rather than the alphanumeric categories is used to characterize carcinogenicity. Five standard weight-of-evidence descriptors are used: *Carcinogenic to Humans, Likely to Be Carcinogenic to Humans, Suggestive Evidence of Carcinogenic Potential, Inadequate Information to Assess Carcinogenic Potential, and Not Likely to Be Carcinogenic to Humans).* Slope factors for assessing dermal exposure were derived as described in Section 4.7, and oral and dermal slope factors are presented in Table 4-1.

4.2   TOXICITY VALUES FOR EVALUATING NONCARCINOGENIC EFFECTS

The reference dose (RfD) provides quantitative information for use in risk assessments for health effects known or assumed to be produced through a nonlinear

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

(possibly threshold) mode of action. The RfD, expressed in units of mg of substance/kg body weight-day (mg/kg-day) is defined as an estimate (with uncertainty spanning perhaps an order of magnitude) of a daily exposure to the human population (including sensitive subgroups) that is likely to be without an appreciable risk of deleterious effects during a lifetime. The use of RfDs is based on the concept that there is range of exposures that exist up to a finite value, or threshold, that can be tolerated without producing a toxic effect. Reference doses are presented in Table 4-2.

4.3   SOURCES OF TOXICITY VALUES

The following hierarchy of sources of toxicity values is currently recommended for use at Superfund sites (EPA 2003b):

- Tier 1 – EPA's Integrated Risk Information System (IRIS) database (EPA 2010b) is the preferred source of information because it normally represents the official EPA scientific position regarding the toxicity of the chemicals based on the data available at the time of the review. IRIS contains RfDs and cancer slope factor (SFs) that have gone through a peer review and EPA consensus review.

- Tier 2 - EPA's Provisional Peer Reviewed Toxicity Values (PPRTVs) are toxicity values derived for use in the Superfund Program when such values are not available in IRIS. PPRTVs are derived after a review of the relevant scientific literature using the methods, sources of data and guidance for value derivation used by the EPA IRIS Program. The PPRTV database includes RfDs and SFs that have undergone internal and external peer review. The Office of Research and Development/National Center for Environmental Assessment/Superfund Health Risk Technical Support Center (STSC) develops PPRTVs on a chemical-specific basis when requested by EPA's Superfund program.

- Tier 3 - Tier 3 includes additional EPA and non-EPA sources of toxicity information. Priority is given to those sources of information that are the most current, the basis for which is transparent and publicly available, and which have been peer reviewed. Tier 3 sources may include, but need not be limited to, the following sources:

    - The California Environmental Protection Agency (Cal EPA) Toxicity Criteria Database (Cal EPA 2008) includes toxicity values that have been peer reviewed.

    - The ATSDR Minimal Risk Levels are similar to RfDs and are peer reviewed.

    - Health Effects Assessment Summary Table (HEAST) toxicity values are currently under review by the STSC to derive PPRTVs. The toxicity values remaining in HEAST are considered Tier 3 values.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Trichloroethene cancer potency was evaluated using the geometric mid-point of the slope factor range from EPA 2001b as recommended by EPA Region 10 (EPA 2007b). Recommendations were not provided for evaluating oral exposures for noncancer endpoints for trichloroethene.

4.4 CHEMICALS WITH SURROGATE TOXICITY VALUES

If a toxicity value was not available from the above hierarchy for a specific chemical, a structurally similar chemical was identified as a surrogate. The reference dose or slope factor for the surrogate chemical was selected as the toxicity value and the surrogate chemical was indicated in Tables 4-1 and 4-2. The following chemicals were evaluated using surrogate toxicity criteria:

- Butyltin. The toxicity of organotin compounds is somewhat determined by the nature and number of groups bound to tin. In general, toxicity decreases as the number of linear carbons increases and as the number of substitutions decrease. As a health protective approach, RfD for dibutyltin compounds was selected as a surrogate for butyltin.

- Acenaphthylene is classified as category D (not classifiable as to human carcinogenicity). The RfD for acenaphthene, which is the most structurally similar PAH, was selected as a surrogate for acenaphthylene.

- Benzo(e)pyrene. As a health protective approach, the RfD for pyrene was used as a surrogate for benzo(e)pyrene.

- Benzo(g,h,i)perylene is classified as category D (not classifiable as to human carcinogenicity). As with benzo(e)pyrene, the RfD for pyrene was used as a surrogate for benzo(g,h,i)perylene.

- Dibenzothiophene. Fluorene the most structurally similar PAH with available toxicity values. Hence, the RfD for fluorene was used as a surrogate for dibenzothiophene.

- Dibenzofuran. The RfD for flourene, which represents the most structurally similar compound for which an RfD was available was selected as a surrogate for dibenzofuran.

- Di-n-octyl phthalate. The RfD for dibutyl phthalate was selected as a surrogate for di-n-octyl phthalate.

- Perylene. The RfD for pyrene was selected as a surrogate for perylene.

- Phenanthrene. The RfD for pyrene was selected as a surrogate for phenanthrene.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

- Retene. The RfD for pyrene was selected as a surrogate for retene.

- Endrin aldehyde. Endrin aldehyde can occur as an impurity of endrin or as a degradation product (ATSDR 1996). The RfD for endrin was used as a surrogate for endrin aldehyde.

- Endrin ketone. Endrin ketone can occur as an impurity of endrin or as a degradation product (ATSDR 1996). The RfD for endrin was used as a surrogate for endrin ketone.

- 4-Nitrophenol. The RfD for 4-methylphenol was used as a surrogate for 4-nitrophenol.

4.5   CHEMICALS WITHOUT TOXICITY VALUES

No SF and RfD or other suitable surrogate values were obtained for titanium and delta-hexachlorocyclohexane (delta-HCH). Titanium is a naturally occurring element and has been characterized as having extremely low toxicity (Friberg et al. 1986). An STSC review concluded that the other hexachlorocyclohexane isomers could not be used as surrogates for delta-HCH due to differences in toxicity (EPA 2002d). Accordingly, the potential risks from titanium and delta-HCH are discussed qualitatively in the uncertainty assessment in Section 6.

SFs and RfDs were not identified for lead because lead was evaluated through comparison with benchmark concentrations that are based on blood lead levels. Benchmark concentrations for child exposure scenarios were predicted by the Integrated Exposure Uptake Biokinetic (IEUBK) model. Benchmark concentrations for adult exposure scenarios were predicted by the Adult Lead Methodology (ALM). Uncertainties associated with using these benchmark concentrations are discussed in Section 6.4.4.

4.6   TOXICITY VALUES FOR CHEMICAL CLASSES

Certain toxicity values are based on exposure to more than one isomer and not to individual chemicals. As a result, the risks were evaluated for the combined exposure rather than on an individual chemical basis. COPCs that were evaluated for toxicity as classes are indicated in Tables 4-1 and 4-2, and are discussed below.

- Chlordane: The chlordane toxicity values were derived for technical chlordane, which is composed of a mixture of chlordane isomers. The chlordane isomers analyzed in Round 1, Round 2, and Round 3 samples were alpha-chlordane, *trans*-chlordane, *cis*-nonachlor, *trans*-nonachlor, and oxychlordane. These isomers were summed in a total chlordane concentration. The SF and RfD for technical chlordane were used to evaluate total chlordane.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

- DDD, DDE, and DDT: Technical DDT includes 2,4'-DDT and 4,4'-DDT, as well as 2,4'-DDE, 4,4'-DDE, 2,4'-DDD, and 4,4'-DDD. Although individual slope factors are available for DDD, DDE, and DDT based on studies conducted using the 4,4' isomers, the potency of the 2,4' isomers was assumed to be equal to that of the 4,4' isomers, and cancer risks assessed as the sum of the 2,4' and 4,4' isomers. Additionally, the RfD for DDT was used as a surrogate to evaluate the noncancer effects of DDD and DDE.

- Endosulfan: The RfD for endosulfan was derived from studies using technical endosulfan, which includes alpha-endosulfan, beta-endosulfan, and endosulfan sulfate. The individual endosulfan results were summed to give a total endosulfan concentration, and the RfD for technical endosulfan was used to evaluate total endosulfan.

- PCBs: The cancer slope factor for PCBs is based on administered doses of Aroclors (Aroclor 1016, 1242, 1254, or 1260), and was used to assess the cancer risks for total PCBs measured either as congeners or Aroclors. As discussed in Section 2.2.8, total PCB concentrations were calculated as either the sum of Aroclors or individual congeners. Where PCBs were reported as individual congeners, an adjusted PCB concentration was calculated by subtracting the sum of total dioxin-like PCB congener concentrations from the sum of all congeners. Dioxin-like PCB congeners were evaluated separately using the slope factor for 2,3,7,8-tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD) as described below. This approach may double-count a portion of the toxicity of the dioxin-like PCBs, as discussed in Section 6.3.6. The RfD for Aroclor 1254 was used to evaluate the noncancer endpoint for total PCBs, measured either as total unadjusted congeners or as Aroclors.

- Dioxins and furans: Toxic Equivalency Factors (TEFs) from the World Health Organization (WHO) (Van den Berg 2006) were used to evaluate carcinogenic effects of dioxin and furan congeners and for dioxin-like PCB congeners (see Table 4-3). Concentrations of individual congeners are multiplied by their respective TEF to provide a 2,3,7,8-TCDD-equivalant concentration (TEQ), the resulting TEQs are then summed into a total 2,3,7,8-TCDD TEQ. Cancer risk were assessed using the slope factor for 2,3,7,8-TCDD was used to evaluate the cancer endpoint of the TEQ for dioxin and furan congeners, as well as for dioxin-like PCB congeners. The ATSDR MRL for 2,3,7,8-TCDD was used in conjunction with the TEQ approach for dioxin and furan congeners, and for dioxin-like PCB congeners.

- Carcinogenic PAHs: Individual carcinogenic PAHs were evaluated for toxicity based on their potency equivalency factor (PEF), which estimates cancer potency relative to benzo(a)pyrene (EPA 1993). The toxicity values for individual PAHs shown in Table 4-1 incorporate their respective PEFs. Risk

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

from both individual and total carcinogenic PAHs was assessed in this BHHRA.

4.7   DERMAL ASSESSMENT

Toxicity is a function of contaminant concentration at critical sites-of-action. However, most oral reference doses and slope factors are expressed as an administered dose, whereas exposure estimates for dermal exposures are based on the absorbed dose. Anatomical differences between the gastrointestinal tract and the skin can affect rate as well as the extent of absorption. Thus, the route of exposure may significantly affect the critical dose at the site-of-action. A further complication is that an orally administered dose experiences "hepatic first-pass" metabolism, which may significantly alter the toxicity of the administered chemical. Additionally, some chemicals can cause cancer or other effects through direct action at the point of application. For such locally active compounds, it may be inappropriate to evaluate risks based on oral response data.

As recommended by EPA guidance (EPA 2004), an adjustment to the oral toxicity factor to account for the estimated absorbed dose was applied when the toxicity value derived from the critical study was based on an oral dose and GI absorption of the chemical is less than 50 percent from a medium similar to the one used in the critical study.

Dermal RfDs for assessing dermal exposure were calculated using the following equation:

$$RfD_{dermal} = RfD_o \times ABS_{GI}$$

RfD_{dermal} = dermal reference dose (mg/kg-day)
RfD_o = oral reference dose (mg/kg-day)
ABS_{GI} = fraction of contaminant absorbed in gastrointestinal tract

Cancer slope factors for assessing dermal exposure were calculated as follows:

$$SF_{dermal} = \frac{SF_o}{ABS_{GI}}$$

SF_{dermal} = dermal cancer slope factor $(mg/kg\text{-}day)^{-1}$
SF_o = oral cancer slope factor $(mg/kg\text{-}day)^{-1}$
ABS_{GI} = fraction of contaminant absorbed in gastrointestinal tract

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

5.0   RISK CHARACTERIZATION

Risk characterization integrates the information from the exposure assessment and toxicity assessment, using a combination of qualitative and quantitative information to provide numerical estimates of potential adverse health effects. Risk characterization is performed separately for carcinogenic and noncarcinogenic effects. Carcinogenic risk is expressed as the probability that an individual will develop cancer over a lifetime as a result of exposure to a potential carcinogen. Noncarcinogenic hazards are evaluated by comparing an estimated exposure level or dose with a reference dose that is without appreciable risk of adverse health effects.

5.1   RISK CHARACTERIZATION METHODOLOGY

This section describes how noncancer hazards and cancer risks were estimated in this BHHRA.

5.1.1   Noncancer Hazard Estimates

The potential for adverse noncancer health effects is generally addressed by comparing the CDI to the corresponding RfD to yield a hazard quotient (HQ; EPA 1989):

$$HQ = \frac{CDI}{RfD}$$

The calculation of a HQ assumes that exposures less than the RfD are unlikely to result in adverse health effects, even for sensitive populations. By definition, when the HQ is less than 1, the estimated exposure is less than the RfD and adverse health effects are unlikely. Unlike cancer risks, the HQ does not represent a statistical probability, and the likelihood of adverse effects does not increase in a linear fashion relative to a HQ of 1. Rather, exposures greater than the RfD may result in adverse health effects, but all RfDs do not have equal precision and are not based on the same severity of effects. HQs for individual chemicals were summed to yield a cumulative hazard index (HI). Although a HI provides an overall indication of the potential for noncancer hazards, dose additivity is most appropriately applied to chemicals that induce the same effect via the same mechanism of action. When the HI is greater than 1 due the sum of several HQs of similar value, it is appropriate to segregate the chemical-specific HQs by effect and mechanism of action. In this BHHRA, when the calculated HI was greater than 1, HQs based on the same target organ system were calculated. The target organs or systems on which the RfDs are based are presented in Table 5-1.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

5.1.2   Cancer Risk Estimates

The cancer slope factor converts the estimated daily intakes averaged over a lifetime directly to an incremental cancer risk. Cancer risks are calculated by multiplying the estimated LADI of a carcinogen by the SF (EPA 1989):

$$Risk = LADI \times SF$$

The dose-response relationship is generally assumed to be linear through the low-dose portion of the dose-response curve. That is, the risk of developing cancer is assumed to be directly associated with the amount of exposure. However, this linear relationship is valid only when the estimated risk is less than 0.01 (1 x 10^{-2}). Where contaminant concentrations result in an estimated risk greater than 1 x 10^{-2}, the following equation should be used (EPA, 1989):

$$Risk = 1-e^{-LADI \, x \, SF}$$

Because the slope factor typically represents an upper confidence limit, carcinogenic risk estimates generally represent an upper-bound estimate, and EPA is confident that the true risk will not be greater than risk estimates obtained using this model, and they may be less than that predicted. Cancer risk estimates for individual chemicals and different exposure pathways were summed where exposure was assumed to be concurrent to obtain the cumulative excess lifetime cancer risk for each receptor and/or exposure scenario.

5.1.3   Infant Consumption of Human Milk

As discussed in Section 3.3.7, infant exposure to persistent, lipophilic contaminants via breastfeeding was quantitatively evaluated in the BHHRA. Using the methodology presented in Section 3.5.5, DEQ determined that the magnitude of the difference in the hazard estimates between the infant and the mother remain constant regardless of the maternal exposure pathway or dose, and can be expressed as infant risk adjustment factors (IRAFs, DEQ 2010):

$$HQ_{infant} = HQ_{mother} \times IRAF_{nc}$$

where:

HQ_{infant} = hazard quotient for breast-fed infant
HI_{mother} = hazard quotient for the mother
$IRAF_{nc}$ = infant risk adjustment factor for noncancer effects

The chemical-specific IRAFs are presented in the following table:

Chemical	$IRAF_{nc}$	Half Life (days)
PCBs	25	2550
Dioxins/Furans	2	2550
DDx	2	120
PBDEs	38	2550

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

5.1.4   Risk Characterization for Lead

Health effects associated with exposure to inorganic lead and compounds are well documented and include neurotoxicity, developmental delays, hypertension, impaired hearing acuity, impaired hemoglobin synthesis, and male reproductive impairment. Importantly, many of lead's health effects may occur without other overt signs of toxicity. Lead has particularly significant effects in children, and it appears that some of these effects, particularly changes in the levels of certain blood enzymes and in aspects of children's neurobehavioral development, may occur at blood lead levels so low as to be essentially without a threshold. Because of the difficulty in accounting for pre-existing body burdens of lead and the apparent lack of threshold, EPA determined that it was inappropriate to develop a RfD. The Centers for Disease Control (CDC) has identified a blood lead concentration of 10 micrograms per deciliter (μg/dL) as the level of concern above which significant health effects may occur (CDC 1991), and the concentration of lead in the blood is used as an index of the total dose of lead regardless of the route of exposure (EPA 1994). An acceptable risk is generally defined as a less than 5 percent probability of exceeding a blood lead concentration of 10 μg/dL (EPA 1998).

Using the ALM (EPA 2003c), acceptable lead concentrations in fish tissue that are unlikely to result in fetal blood lead concentrations greater than 10 μg/dL were calculated using the following equation:

$$PbF = \frac{\left(\left[PbB_f / R \times GSD^{1.645}\right] - PbB_o\right) \times AT}{BKSF \times \left(IR_F \times AF_F \times EF_F\right)}$$

Where:

PbB_a	=	Central tendency of adult blood lead level
PbB_o	=	Adult baseline blood lead level
PbB_f	=	Fetal blood lead level
R	=	Fetal/maternal blood lead ratio
GSD	=	Geometric standard deviation PbB
BKSF	=	Biokinetic slope factor
PbF	=	Lead fish tissue concentration
IR_F	=	Consumption rate of fish
AF_F	=	Gastrointestinal absorption of lead from fish
EF_F	=	Exposure frequency for fish consumption
AT	=	Averaging time

The values used in this analysis are presented in Attachment F5. Because the lead models calculate a central tendency or geometric mean blood lead concentration,

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

median values are typically used as inputs. The mean estimate of national per capita fish consumption of 7.5 g/day (EPA 2000b) was used as the consumption rate for recreational fishers, the median consumption rate of 39.2 g/day from the CRITFC study was used for tribal fishers. Using the equation presented above, the target lead concentrations in fish are 5.2 mg/kg for recreational fishers and 1 mg/kg for tribal fishers.

EPA's Integrated Exposure Uptake Biokinetic (IEUBK) model was used to calculate tissue lead concentrations unlikely to result in blood lead concentrations greater than 10 μg/dL in children. Because site-specific values for concentration of lead in soil, house dust, air and drinking water were not readily available, default values were used for those inputs. The ratio of child-to-adult consumption of 0.42 was applied to the median adult consumption rate of 7.5 g/day to obtain a childhood rate of 3.2 g/day for children of recreational fishers. The corresponding lead concentration in fish is 2.6 mg/kg. Assuming a consumption rate of 16.2 g/day for tribal children, representing the 65[th] percentile consumption rate from the CRITFC survey, the calculated lead concentration in fish is 0.5 mg/kg. Uncertainties associated with the evaluation of lead are discussed further in Section 6.

5.1.5   Cumulative Risk Estimates for Contaminants Analyzed by More Than One Method

In some instances specific contaminants were analyzed by more than one method, and thus more than one EPC calculated for that contaminant. Cumulative risks are presented using the EPC from only one method to avoid double-counting the risks from a given contaminant. When assessing risks associated with sediment exposures, Aroclor data were used because the data set was larger than for congeners. However, because the congener analysis provided lower detection limits, it was preferentially used when available for assessing risks associated with consumption of fish and shellfish. Where metals were analyzed as both total and dissolved fractions in surface water and groundwater seep samples, the EPCs based on total metals were used in the cumulative risk estimates because unfiltered data is generally more representative of typical human exposure.

5.2   RISK CHARACTERIZATION RESULTS

This section presents a summary of the risk characterization results the scenarios described in Section 3. EPA policy (EPA 1991a) states that CERCLA actions are generally warranted when where the baseline risk assessment indicates that a cumulative site risk to an individual using RME assumptions for either current or future land use is greater than the 1×10^{-4} lifetime excess cancer risk end of the cancer risk range of 1×10^{-4} to 1×10^{-6}, or the HI is greater than 1. Accordingly, risk and hazard estimates are generally presented in terms of whether they are greater than the upper end of the cancer risk range of 1×10^{-4} or the HI is greater than 1. Uncertainties associated with the assumptions in each exposure scenario are discussed

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

in detail in Section 6. Risks from exposures to PBDEs in in-water sediment and tissue were assessed separately, and are presented in Attachment F3.

A summary of risks by exposure medium are presented in Tables 5-18, 5-43, 5-57, 5-60, 5-65, 5-77, and 5-86.

5.2.1   Dockside Workers

Risks to dockside workers were estimated separately for each of the eight beaches designated as a potential dockside worker use areas, shown in Map 2-1.

The estimated CT and RME cancer risks are less than 1 x 10^{-4} at all beach areas, and the HI is less than 1 for adults and infants. These results are presented in Tables 5-2, 5-3, 5-16, and 5-17.

5.2.2   In-Water Workers

As discussed in Section 3.2.1.2, in-water workers are described as typically working around in-water structures such as docks, and primarily exposed to in-water sediments. In-water sediment exposure by in-water workers was evaluated in half-mile increments along each side of the river. The estimated CT and RME cancer risks are less than 1 x 10^{-4} at all RM segments, and the RME HIs for adults are less than 1 at any location. The HI for infants at RM 7W is 2 due to dioxins and furans. These results are presented in Tables 5-19, 5-20, 5-32 and 5-33.

5.2.3   Transients

Risks to transients were estimated separately for each beach designated as a potential transient use area, as well as the use of surface water as a source of drinking water and for bathing. Beaches where sediment exposure was evaluated are shown on Map 2-1. Year-round exposure to surface water for four individual transect stations, Willamette Cove, Multnomah Channel, and for the four transects grouped together to represent Study Area-wide exposure are shown on Map 2-3. The CT and RME risk estimates for beach sediment are less than 1 x 10^{-4} for all locations, and the HI is less than 1. The results of the RME and CT evaluations for exposure to beach sediments are presented in Tables 5-4 and 5-5, respectively.

Estimated CT and RME cancer risks associated with surface water exposures are less than 1 x 10^{-4} at all individual and transect locations, and the HI is less than 1. The results of the RME and CT evaluations are presented in Tables 5-44 and 5-45, respectively.

As noted in Section 3.3.4, exposure to surface water by transients was also evaluated at the groundwater seep at Outfall 22B. All risk and hazard estimates are less than 1 x 10^{-4} and 1, respectively, and the results are presented in Tables 5-58 and 5-59.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

5.2.4   Divers

Commercial divers were evaluated for exposure to surface water and in-water sediment, and assuming the diver was wearing either a wet or a dry suit. As described in Section 3.4.2, in-water sediment exposure by divers is evaluated in half-mile exposure areas for each side of the river, and on a Study Area-wide basis. Risks associated with exposure to surface water were evaluated for four individual transect stations, and at single-point sampling stations grouped together in one-half mile increments per side of river.

5.2.4.1   Diver in Wet Suit

The estimated CT and RME cancer risk associated with exposure to in-water sediments is less than 1×10^{-4} at all half-mile river segments and for Study Area-wide exposure, and the HI is also less than 1 for adults. The HI for infants is 2 at RM 8.5W for the RME evaluation due to PCBs. The RME and CT estimates for adults are presented in Tables 5-29 and 5-30, respectively. RME and CT risk and hazard estimates for infant exposures are presented in Tables 5-40 and 5-41, respectively.

The estimated CT and RME cancer risk associated with exposure to surface water is less than 1×10^{-4} for all half-mile river segments, and the HI is less than 1. These results are presented in Tables 5-50 and 5-51, respectively, for the RME and CT evaluations. Indirect exposure to contaminants in surface water by infants via breastfeeding was not evaluated.

5.2.4.2   Diver in Dry Suit

The estimated RME cancer risk associated with exposure to in-water sediments is less than 1×10^{-4} at all half-mile river segments and for Study Area-wide exposure, and the HI is also less than 1 for adults and indirect exposures to infants via breastfeeding. The results of the adult RME risk and hazard estimates are presented in Table 5-31, a CT evaluation was not done for a commercial diver in a dry suit. Noncancer hazard for infants is presented in Table 5-42.

The estimated RME cancer risk associated with exposure to surface water is less than 1×10^{-4} for all half-mile river segments, and the HI is less than 1. These results are presented in Tables 5-52. Indirect exposure to contaminants in surface water by infants via breastfeeding was not evaluated.

5.2.5   Recreational Beach Users

Risks associated with exposure to beach sediment were evaluated separately for each beach designated as a potential recreational use area, shown on Map 2-1. Exposure to surface water was evaluated using data collected from three transect locations and three single-point locations (Cathedral Park, Willamette Cove, and Swan Island Lagoon) shown on Map 2-3.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

The estimated CT and RME cancer risks associated with exposure to beach sediments are less than 1×10^{-4} at all recreational beach areas, and the HI is also less than 1. These results are presented in Tables 5-6 through 5-9. Indirect exposure to contaminants in beach sediment to infants via breastfeeding was not evaluated.

The estimated CT and RME cancer risks associated with exposure to surface water are less than 1×10^{-4} at all recreational beach areas, and the HI is also less than 1. These results are presented in Tables 5-46 through 5-49. Indirect exposure to contaminants in surface water to infants via breastfeeding was not evaluated.

5.2.6   Recreational/Subsistence Fishers

Recreational and subsistence fishers were evaluated assuming direct exposure to contaminants in sediment and via consumption of fish and shellfish. As discussed in Section 3.2.1.6, exposures associated with beach sediment were assessed at individual beaches designated as potential transient or recreational use areas, in-water sediment exposures were evaluated on a one-half river mile basis per side of the river and as an averaged, Study Area-wide evaluation. Sediment exposures were further assessed as CT and RME evaluations and assuming either a low- or a high-frequency rate of fishing.

5.2.6.1   Sediment - Direct Contact

The estimated CT and RME cancer risks associated with low-frequency fishing exposures to either beach or in-water sediments are less than 1×10^{-4} at all areas evaluated. Noncancer hazards associated with adult exposures to beach or in-water sediment are less than 1 at all locations evaluated, the RME noncancer hazard associated with indirect exposures to infants via breastfeeding is greater than 1 at two locations for in-water sediment: RM 7W (2) due to dioxin/furans and RM 8.5W (2) primarily due to PCBs, with a HQ of 1. These results are presented in Tables 5-14 and 5-15 for beach sediment exposures, and Tables 5-27, 5-28, 5-38, and 5-39 for in-water sediment exposures. Indirect exposure to contaminants in beach sediment to infants via breastfeeding was not evaluated.

The estimated CT and RME cancer risks associated with high-frequency fishing exposures to either beach or in-water sediments are less than 1×10^{-4} at all areas evaluated. For beach sediment, noncancer hazards associated with adult exposure are less than 1 at all locations evaluated. RME noncancer hazards associated with adult exposures to in-water sediment are greater than 1 at RM 7W (2) primarily due to dioxin/furans, with a HQ of 1. The RME noncancer hazard associated with indirect exposures to infants via breastfeeding is also greater than 1 at RM 7W (3) due to dioxin/furans and RM 8.5W (2) due to PCBs. These results are presented in Tables 5-12 and 5-13 for beach sediment exposures, and Tables 5-24, 5-25, 5-26, 5-36, and 5-37 for in-water sediment exposures. Indirect exposure to contaminants in beach sediment to infants via breastfeeding was not evaluated.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

5.2.6.2   Consumption Resident Fish

Consumption of resident fish species was evaluated on both a per river mile basis to account for localized fishing practices and heterogeneous contaminant distribution in sediments, as well as averaging consumption over the entire Study Area. Consumption of resident fish species on a river mile basis was evaluated only for recreational fishers, whereas consumption averaged over the entire Study Area was evaluated for both recreational and subsistence fishers. With the exception of RM 5, RME risk estimates for fillet-only consumption on a river mile basis are all greater than 1×10^{-4}, the estimated risk at RM 5 is 9×10^{-5}. CT estimates are greater than 1×10^{-4} at RM 7, Swan Island Lagoon, and RM 11. River miles with the highest estimated RME risks are: RM 2 (2×10^{-4}), RM 4 (3×10^{-4}), RM 7 (6×10^{-4}), Swan Island Lagoon (6×10^{-4}), RM 9 (2×10^{-4}), and RM 11 (1×10^{-3}). RME risk estimates for dioxins/furans are greater than 1×10^{-4} at RM 7. RME risk estimates for PCBs are greater than 1×10^{-4} at RM 2, RM 4, RM 7 and Swan Island Lagoon and are 1×10^{-3} at RM 11. These results are presented in Tables 5-73. Study Area-wide RME risks for recreational and subsistence fishers are 4×10^{-3} and 1×10^{-2}, respectively; the Study Area-wide CT estimate for recreational fishers is 1×10^{-3}. These results are presented in Tables 5-74.

RME and CT hazard estimates for fillet-only consumption are greater than 1 at all river miles. Values for river miles with the highest estimated RME hazard are as follows: RM 4 (20), RM 7 (20), Swan Island Lagoon (50), and RM 11 (100). Study Area-wide RME hazards for recreational and subsistence fishers are 300 and 1000, respectively, the CT estimate for recreational fishers is 100. PCBs and dioxin/furans result in the highest hazard estimates at RM 7, PCBs result in the highest hazard estimates at RM 11. These results are presented in Tables 5-66 through 5-72.

RME and CT noncancer hazard associated with indirect exposure to infants via breastfeeding was also assessed. When evaluated on a river mile scale, the RME hazard estimates associated with fillet-only consumption range from 30 to 1,000. CT estimates range from 10 to 500 when assessed on a river mile scale. Study Area-wide, the hazard estimates for recreational fishers are 2,000 and 4,000 for the CT and RME estimates, respectively, the RME estimate for subsistence fishers is 10,000. River miles with the greatest RME hazard estimates are: RM 2 (200), RM 4 (200), RM 7 (200), Swan Island Lagoon (600), and RM 11 (1,000). The majority of the hazard estimates is attributable to PCBs. These results are presented in Tables 5-75 and 5-76.

As detailed in Section 3.4.5, EPCs on a river mile scale use data from smallmouth bass only to represent contaminant concentrations in all resident fish species, while consumption was assumed to consist primarily of just the fillet, rather than other parts of the fish. However, an evaluation of the data collected from Portland Harbor indicates that PCB concentrations in whole body smallmouth bass are typically an order of magnitude greater than those measured in just the fillet. By contrast, in common carp and brown bullhead, the observed ratio of whole body-to-fillet PCB concentrations is less than noted in smallmouth bass, meaning that given the same

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

overall PCB concentration in whole body fish, the PCB concentration in smallmouth bass fillet tissue will be less than for carp and bullhead.

Differences among these species is reflected in the EPCs; specifically the use of fillet smallmouth bass data on a river mile scale resulted in a greater relative reduction of PCB concentration than would be seen if fillet data from common carp and brown bullhead were included. As such, a diet that consists of some portion of carp and bullhead could result in relatively greater intake of PCBs, and the associated risk and hazard would be correspondingly greater as well. In addition, as discussed in Section 3.5.10.6, the Columbia Slough survey results indicate that at least some of the fishers in the Portland Harbor area consume more than just the fillet. Consumption of other portions of the fish in addition to the fillet can result in greater relative exposure to PCBs and other persistent bioaccumulative chemicals and thus, greater relative risks.

Using smallmouth bass data as an example, the increased risk associated with consumption of the entire fish could be as much as an order of magnitude greater than associated with consumption of fillet only. However, since the relative increased exposure is directly related to the type of fish consumed, as well as any portions of the fish consumed in addition to just the fillet, it is not possible to assess the increased risks associated with consumption of more than just fillet with any degree of accuracy.

5.2.6.3   Consumption of Clams

The estimated RME cancer risks associated consumption of undepurated clams by subsistence fishers are greater than 1×10^{-4} at 10 of the 22 river mile sections evaluated. Values for river miles with the highest estimated risks are as follows: RM 5W (6×10^{-4}), RM 6E (7×10^{-4}), and RM 6W (7×10^{-4}). Other areas where the estimated risk is equal to or greater than 1×10^{-4} are RM 2E, RM 3E, RM 4E, RM 4W, RM 7W, RM 8W, Swan Island Lagoon, RM 9W, and RM 11E. The estimated risk Study Area-wide is 4×10^{-4}. Carcinogenic PAHs and PCBs pose the highest risks on a Study Area-wide basis. Risk estimates for cPAHs are greater than 1×10^{-4} at RM 5W and RM 6W. At RM 7W, dioxins/furans result in the highest risk estimates. PCBs result in the highest risk estimates in Swan Island Lagoon and at RM 11. No estimated CT cancer risks associated with consumption of undepurated clams are greater than 1×10^{-4}. Risks were also evaluated based on consumption of depurated clams at RM 1E, RM 2W, RM 10W, RM 11E, and RM 12E. None of the estimated CT or RME cancer risks are greater than 1×10^{-4}. These results are presented in Table 5-78.

The estimated RME noncancer hazards associated consumption of undepurated clams by subsistence fishers are greater than 1 at 20 of the 22 river mile sections evaluated. Values for river miles with the highest noncancer hazard are as follows: RM 3E (8), RM 6E (40), RM 9W (8), and RM 11E (10). The estimated noncancer hazard Study Area-wide is 9. PCBs result in the highest hazard estimates at RM 2E, RM 3E, RM 6E, RM 8W, Swan Island Lagoon, RM 9W, and RM 11E. The estimated CT

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

hazards associated with consumption of undepurated clams is greater than 1 at RM 6E, where the HI is 7, and at RM 11E, where the HI is 2; PCBs result in the highest hazard estimate at both river miles. The estimated RME hazard associated with consumption of depurated clams is 2 at four of the five river miles and is 7 at RM 11E. PCBs result in the highest estimated hazard. These results are presented in Tables 5-78 through 5-80.

RME noncancer hazard associated with indirect exposure to infants via breastfeeding was also assessed, and the estimated hazard is greater than 1 at each river mile evaluated. Values for river miles with the highest estimated hazard due to parental consumption of clams are as follows (for infant children of subsistence fishers): RM 2E (100), RM 3E (200), RM 6E (800), RM 8W (100), Swan Island Lagoon (100), RM 9W (100), and RM 11E (300). These results are presented in Table 5-84.

5.2.6.4   Consumption of Crayfish

The estimated RME cancer risks associated consumption of crayfish by subsistence fishers are greater than 1×10^{-4} at two of the 32 individual stations evaluated: 07R006 (3×10^{-4}) located at RM 7W, and CR11E (3×10^{-4}) located at RM 11E. When evaluated Study Area-wide, the estimated risk is 3×10^{-4}. Risk estimates for dioxins/furans are greater than 1×10^{-4} at 07R006 and risk estimates for PCBs are greater than 1×10^{-4} at CR11E. No estimated CT cancer risks associated with consumption of crayfish are greater than 1×10^{-4}. These results are presented in Table 5-81.

The estimated RME noncancer hazards associated consumption of crayfish by subsistence fishers are greater than 1 at seven of the 32 individual stations. Stations with the highest estimated hazard are 03R005 (4) located at the end of the International Slip, 07R006 (6), and CR11E (10). The estimated noncancer hazard Study Area-wide is 10. PCBs result in the highest noncancer hazard at 03R005 and CR11E, dioxins/furans result in the highest noncancer hazard at 07R006. These results are presented in Tables 5-81 through 5-83.

RME noncancer hazard associated with indirect exposure to infants via breastfeeding is greater than 1 at 23 of the 32 stations evaluated. Values at locations with the highest estimated hazard due to parental consumption of clams are as follows (for infant children of subsistence fishers): 03R003 (20) at RM 3E, 03R005 (60) at RM 3E, 07R006 (20) at RM 7W, 08R001 (20) at RM 8W, 09R001 (20) in Swan Island Lagoon, 09R002 (30) at RM 9W, and CR11E (400) at RM 11E. The hazard is 200 when evaluated Study Area-wide. These results are presented in Table 5-85.

5.2.7   Tribal Fishers

Tribal fishers were evaluated assuming direct exposure to contaminants in sediment and via consumption of fish. Exposures associated with beach sediment were assessed at individual beaches, in-water sediment exposures were evaluated on a one-half river

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

mile basis per side of the river and as an averaged, Study Area-wide evaluation. Fish consumption was evaluated assuming a multi-species diet consisting of anadromous and resident fish species, and fishing was evaluated on a Study Area-wide basis.

5.2.7.1 Sediment – Direct Contact

The estimated CT and RME cancer risks associated with direct contact to beach sediment is less than 1×10^{-4} at all beaches evaluated. The estimated RME cancer risk associated with exposure to in-water sediment is greater than 1×10^{-4} at two locations: RM 6W (2×10^{-4}) and RM 7W (3×10^{-4}). Risk estimates for cPAHs are greater than 1×10^{-4} at RM 6W, risk estimates for dioxins/furans are greater than 1×10^{-4} at RM 7W. These results are presented in Tables 5-10, 5-11, 5-21, and 5-22.

With the exception of in-water sediment exposure at RM 7W, the estimated non-cancer hazard is less than one at all beach and in-water locations evaluated. The estimated RME hazard is 3 at RM 7W, primarily due to dioxins/furans, with a HQ of 2. These results are presented in Tables 5-10, 5-11, and 5-21 through 5-23.

Noncancer CT and RME hazard estimates associated with indirect exposure to infants via breastfeeding was evaluated assuming maternal exposure to in-water sediment. The estimated RME hazard is greater than 1 at 3 locations, RM 7W (5), RM 8.5 (4), and RM 11E (2). These results are presented in Tables 5-34 and 5-35.

5.2.7.2 Fish Consumption

The estimated RME cancer risks for the combined child and adult exposure is 2×10^{-2} assuming whole body consumption, and 1×10^{-2} assuming consumption of fillets only. Risk estimates for PCBs, dioxins/furans, and arsenic are greater than 1×10^{-4}. These results are presented in Table 5-63.

The RME noncancer hazard associated with childhood consumption of whole body fish is 800, and is 600 assuming consumption of fillets only. PCBs, and to a lesser extent dioxins/furans, result in the highest noncancer hazard estimates. These results are presented in Tables 5-61 and 5-62.

The RME noncancer hazard associated with indirect exposure of tribal infants via breastfeeding assuming maternal consumption of whole body fish is 9,000, and is 8,000 assuming maternal fillet-only consumption. PCBs result in the highest hazard estimates. These results are presented Table 5-64.

5.2.8 Domestic Water Use

Use of surface water as a source of household water for drinking and other domestic uses was evaluated using data from five transect and 15 single point sampling locations, as well as averaged over a Study Area-wide basis. The estimated cancer risk for combined child and adult exposures is greater than 1×10^{-4} at W031 (9×10^{-4}), located at RM 6W. PAHs are the primary contributor to the estimated

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

cancer risk. However, dermal exposure is the primary pathway contributing to the risk estimate, and as described in EPA 2004, the physical-chemical properties of several PAHs, including benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, dibenzo(a,h)anthracene, and indeno(1,2,3-c,d)pyrene), place them outside of the Effective Prediction Domain used to estimate the absorbed dermal dose from water. Although PAHs are direct-acting carcinogens, the risk estimates associated with estimating dermal absorption from water have a greater degree of uncertainty than the other risk estimates presented in this BHHRA. These results are presented in Tables 5-55 and 5-56.

The estimated noncancer hazard based on childhood exposure is equal to or greater than 1 at several sampling locations: W005 (1) at RM 4, W023 (1) at RM 11, W027 (2) near the mouth of Multnomah Channel, and W035 (2) in Swan Island Lagoon. In all instances, MCPP is the primary contributor to the estimated hazard. These results are presented in Tables 5-53 and 5-54.

5.3   CUMULATIVE RISK ESTIMATES

Cumulative risk and hazard estimates were calculated for those populations where concurrent exposure to more than one media was assumed to be plausible. Recreational/subsistence and tribal fishers were further evaluated on the basis of whether they were assumed to fish predominately from the shore or from a boat. Populations for which concurrent exposure to more than one media was considered for are as follows:

- Transients: Beach sediment, surface water

- Divers: In-water sediment, surface water

- Recreational beach users: Beach sediment, surface water

- Recreational fishers (beach): Beach sediment, fish tissue (fillet)

- Recreational fishers (boat): In-water sediment, fish tissue (fillet)

- Subsistence fishers (beach): Beach sediment, fish tissue (fillet), shellfish tissue

- Subsistence fishers (boat): In-water sediment, fish tissue (fillet), shellfish tissue

- Tribal fishers (beach): Beach sediment, fish tissue (fillet and whole body)

- Tribal fishers (boat): In-water sediment, fish tissue (fillet and whole body)

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Cumulative risk estimates are generally presented for each one-half river mile per side of the river, and the risk estimates for specific media appropriate to each one-half mile segment were used to calculate the total risk or hazard. For example, cumulative risks for recreational fishers who fish from a boat and consume smallmouth bass would include the risks associated with exposure to in-water sediment at the specific half-mile, shellfish collected within same half-mile and side-of-river specific segment, and smallmouth bass from the larger river mile assessment. The results of the cumulative risk estimates are presented in Tables 5-87 through 5-111. Chemicals that resulted in a cancer risk greater than 1×10^{-6} or an HQ greater than 1 under any of the exposure scenarios for any of the exposure point concentrations evaluated in this BHHRA are presented in Table 5-112.

5.4   SUMMARY OF RISK CHARACTERIZATION

Cancer risk and noncancer hazard from site-related contamination was characterized based on current and potential future uses at Portland Harbor, and a large number of different exposures scenarios were evaluated. Exposure to bioaccumulative contaminants (PCBs, dioxins/furans, and organochlorine pesticides, primarily DDx compounds) via consumption of resident fish consistently poses the greatest potential for human exposure to in-water contamination. In general, the risks associated with consumption of resident fish are greater by an order of magnitude or more than risks associated with exposure to sediment or surface water. The greatest non-cancer hazard estimates are associated with bioaccumulation through the food chain and exposure to infants via breastfeeding. Because the smallest scale over which fish consumption was evaluated was per river mile, the resolution of cumulative risks on a smaller scale is not informative. The highest relative cumulative risk or hazard estimates are at RM 4, RM 7, Swan Island Lagoon, and RM 11. However, assuming exposure to sediment alone, the risk estimates are greater than 1×10^{-4} at RM 6W and 7W for the tribal fisher; the risk estimates for all other locations and scenarios are less than 1×10^{-4}. Assuming shellfish consumption alone, the highest relative cumulative risk or hazard estimates are at RM 3E, RM 5W, RM 6W, RM 6E, RM 7W and RM 11E.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

6.0   UNCERTAINTY ANALYSIS

The presence of uncertainty is inherent in the risk assessment process, from the sampling and analysis of chemicals in environmental media to the assessment of exposure and toxicity, and risk characterization. EPA policy calls for numerical risk estimates to always be accompanied by descriptive information regarding the uncertainties of each step in the risk assessment to ensure an objective and balanced characterization of the true risks and hazards.

The term "uncertainty" is often used in risk assessment to describe what are, in reality, two conceptually different terms: uncertainty and variability. Uncertainty can be described as the lack of a precise knowledge resulting in a fundamental data gap. Variability describes the natural heterogeneity of a population. Uncertainty can sometimes be reduced or eliminated through further measurements or study. By contrast, variability is inherent in what is being observed. Although variability can be better understood, it cannot be reduced through further measurement or study, although it may be more precisely defined. However, the additional cost of further data collection may become disproportional to the reduction in uncertainty.

The risks and hazards presented are consistent with EPA's stated goal of RME representing the high end of the possible risk distribution, which is generally considered to be greater than the 90[th] percentile. However, these estimates are based on numerous and often conservative assumptions and, in the absence of definitive information, assumptions are used to ensure that actual sites risks are not underestimated. The cumulative effect of these assumptions can result in an analysis with an overall conservativeness greater than the individual components. Accordingly, it is important to note that the risks presented here are based on numerous conservative assumptions in order to be protective of human health and to ensure that the risks presented here are more likely to be overestimated rather than underestimated.

6.1   DATA EVALUATION

As discussed in Section 2, sediment, surface water, groundwater seep, and biota data were collected during the RI. Data of confirmed quality that meet the DQOs for risk assessment were used in this BHHRA to estimate exposures. Although uncertainty is inherent in environmental sampling, the use of the EPA's DQO planning process (EPA 2000e) minimized the uncertainty associated with the data collected during the RI. A discussion of key data evaluation uncertainties is presented in the following sections.

6.1.1   Use of Target Species to Represent All Types of Biota Consumed

Because it is not practical to collect samples of every resident fish and shellfish species consumed by humans within the Study Area, as recommended by EPA

73

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

guidance (2000a), target resident species were selected to represent the diet of all types likely consumed by humans. Four target species were collected to represent a diet consisting of resident fish: smallmouth bass, black crappie, common carp, and brown bullhead. Crayfish and clam tissue samples were collected to represent a diet containing locally-harvested shellfish. Factors considered in selecting the target species included likely consumption by humans, home range, the potential for bioaccumulation of COPCs, the trophic level of species, and their abundance.

PCBs generally represent the greatest contributors to the estimated risks, and detected concentrations are highest in brown bullhead and common carp. Therefore, the use of target resident species as representative of all biota consumed is unlikely to underestimate potential risks. If non-resident species are consumed, the risks may be less, commensurate with the amount of non-resident species present in the diet.

6.1.2 Source of Chemicals for Anadromous and Wide-Ranging Fish Species

Salmon, lamprey, and sturgeon have traditionally represented a substantial portion of the fish diet of tribal members. These species likely spend a substantial portion of their lives outside of the Study Area, and thus contaminant concentrations in these species may bear little relationship to sediment concentrations in the Study Area.

The Washington Department of Ecology analyzed returning fall Chinook salmon, as fillet tissue with skin, collected from three coastal rivers (the Queets, Quinault, and Chehalis Rivers) in 2004 (Ecology 2007). PCBs as Aroclors were detected at concentrations ranging from 5.0 µg/kg to 6.3 µg/kg in the Ecology study, relative to the maximum detected concentration of 20 µg/kg for salmon fillet tissue with skin collected from the Lower Willamette. The dioxin TEQ concentrations ranged from 0.09 picograms per gram (pg/g) to 0.23 pg/g in the Washington coastal rivers relative to the maximum detected concentration of 2 pg/g for salmon fillet tissue with skin collected from the Lower Willamette. A comparison of the tissue concentrations from the Ecology study and the Lower Willamette indicates that the concentration of PCBs measured as Aroclors and congeners are noticeably greater in salmon collected from the Clackamas fish hatchery relative to concentrations detected in the Ecology study. The reported concentrations of total DDT and dioxins as TEQs are generally consistent between the Ecology study and results from Portland Harbor. These results are summarized in Table 6-2. While the Chehalis River passes through some developed areas and therefore may have localized sources, both the Queets and Quinault Rivers are located almost entirely within Olympic National Forest and wilderness areas, so the potential for contribution from localized sources should be minimal. The degree to which contaminant concentrations in anadromous fish are due to exposures that occur within the Study Area is unknown. However, approximately 95 percent of the cumulative tribal fish consumption risk is due to contaminants detected in resident species, even though they only account for 50 percent of the estimated diet. As a result, while sources of bioaccumulative chemicals other than

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Portland Harbor may contribute to tissue concentrations in anadromous fish species, the uncertainty associated with the source of chemicals to non-resident fish species should not affect the conclusions of this BHHRA for tribal fish consumption.

6.1.3 Use of Either Whole Body or Fillet Samples to Represent Fish Consumption

Different contaminants are preferentially accumulated in different parts of an organism. Organic compounds tend to accumulate to a greater degree in tissues with a higher fat content, while heavy metals accumulate more in muscle tissues. Thus, diets consisting of different parts of the fish would result in varying levels of exposure to the consumer. The COPCs with the greatest contribution to the cumulative risk and hazard are persistent chlorinated organic compounds (PCBs, DDx, and various PCDD/PCDF congeners) that preferentially accumulate in fatty tissue.

Smallmouth bass and common carp fillet-with-skin and the remainder-of-body samples were analyzed separately in Round 3B, and whole body concentrations were calculated from these results on a weighted average basis. This analysis provided the opportunity to compare concentrations of chemicals in fillet tissue with estimated concentrations in whole body tissue for the same fish. This analysis focused on PCBs, since they contribute to the majority of risks from tissue consumption in the BHHRA and preferentially accumulate in fatty tissue. Mercury was also evaluated because it preferentially accumulates in muscle tissue and would provide a range of the differences between concentrations in the two tissue types.

Total PCB concentrations in samples of smallmouth bass fillet ranged from 11 to 22 percent of the whole body concentration (approximately 4 to 10 times higher in whole body tissue); the concentration of total PCBs in fillet of common carp ranged from 50 to 80 percent of the whole body concentration (approximately 1 to 2 times higher in whole body tissue).

Mercury concentrations in smallmouth bass fillet tissue ranged from 100 to 220 percent of the whole body concentration (approximately 1 to 2 times lower in whole body tissue); mercury concentrations in carp fillet tissue ranged from 110 to 140 percent of the whole body concentration (approximately 1 to 1.5 times lower in whole body tissue). The results of this analysis are presented in Table F6-1.

Based on information presented in the Columbia Slough consumption survey (Adolfson 1996), the majority of fishers surveyed consume only the fillet, which may not include skin. According to the CRITFC Survey (CRITFC 1994), tribal fish consumers are also most likely to consume the fillet. However, some individuals or groups consume other portions of the fish. Assuming a diet of whole body or fillet tissue with skin represents a conservative assumption and provides a range of risks associated with different dietary habits. Because it is unlikely that a diet consists entirely of whole body tissue, the evaluation of risks associated with consumption of fish for recreational and subsistence fishers are based on fillet data. As noted in the

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Columbia Slough survey, perhaps as many as 25 percent of consumers "use the entire fish or make soup from the fish." To the extent that consumption is more than just the fillet, the intake of persistent chlorinated compounds, and the associated risks and hazards will be greater than estimated assuming fillet-only consumption.

6.1.4 Use of Undepurated Tissue to Represent Clam Consumption

Only a limited number clam tissue samples (five of 22) collected in the Study Area were depurated prior to analysis. Depuration is a common practice in the preparation of clams for human consumption, although they may also be consumed undepurated. With the exception of certain metals, average chemical concentrations detected in clam tissue in the Study Area were higher in undepurated than in depurated samples. However, depurated clam tissue samples were collected from edges of the site at the northern and southern stretches, and the concentrations are shown in Tables 3-24 and 3-25. Using the concentrations from undepurated samples provides a health-protective approach to assessing risk from consumption of clams. A comparison of exposure concentrations calculated using depurated and undepurated clam tissue is presented in Table F6-12.

6.1.5 Use of Different Tissue Sample Preparation to Assess the Same Chemical

Samples of resident fish tissue from Round 1 were analyzed for mercury in fillet tissue without skin, while during Round 3, smallmouth bass and common carp samples were analyzed in fillet tissue with skin. The Round 1 and Round 3 datasets were combined for Study Area analysis. For the reasons presented in Section 6.1.3, the comparability of analytical data from fillet tissue with skin and fillet tissue without skin creates uncertainty in the BHHRA. Because mercury preferentially accumulates in muscle tissue, concentrations would be expected to be higher in the fillet tissue samples without skin. However, for smallmouth bass, mercury concentrations were generally higher in fillet tissue with skin, while in common carp mercury concentrations were generally higher in fillet tissue without skin. A comparison of mercury tissue concentrations is provided in Table 6-3. The uncertainty associated with the use of different tissue types to assess risks from mercury should not affect the conclusions of this BHHRA.

6.1.6 Exclusion of Non-Detected Chemicals Where Detection Limits Exceeded Analytical Concentration Goals

Although site-specific Analytical Concentration Goals (ACGs) were established for each media, ACGs for some chemicals were not attainable in some instances with present laboratory methods. DLs for chemicals that were analyzed but never detected were compared to the appropriate ACG for each media, and the results of that analysis are presented in Tables 6-5 through 6-7.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Chemicals that were not detected were not quantitatively evaluated in the BHHRA. If chemicals were present at concentrations above the ACGs but below the DLs, those chemicals would contribute to the estimated risk and hazard. However, given the number of chemicals that were detected at concentrations above their respective ACGs and the magnitude of difference between detected concentrations and ACGs, it is unlikely that exclusion of chemicals that were not detected would affect the conclusions of this BHHRA.

6.1.7 Removal of Non-Detected Results Greater Than the Maximum Detected Concentration for a Given Exposure Area

As discussed in Section 3.4, if the DL for non-detected result was greater than the maximum detected concentration for an exposure area, that result not included when calculating the EPC. These results are presented in Tables F2-7 through F2-13. Inclusion of non-detected data greater than the maximum detected concentrations would likely have resulted in higher risk estimates in the risk characterization of the BHHRA.

6.1.8 Using N-Qualified Data

As discussed in Section 2.2.3 of the RI, data were qualified using the "N" qualifier, when the identity of the analyte is not definitive, generally a result of the presence of an analytical interference in the sample. Examples include samples analyzed for chlorinated pesticide by EPA Method 8081A, which were most commonly N-qualified as a result of analytical interference due to the presence of PCBs in the samples. These N-qualified data were used in the BHHRA for calculating EPCs in fish and/or clam tissue.

Chemicals identified as contaminants potentially posing unacceptable risks (i.e., resulting in cancer risks greater than 1×10^{-6} or HQs greater than 1) based solely on N-qualified data were evaluated further. These chemicals are:

- Heptachlor epoxide. The identification of heptachlor epoxide as a contaminant potentially posing unacceptable risks was based on one N-qualified result from an undepurated clam sample collected from RM 6 during Round 1. It was also detected in clam samples collected during Round 3, including samples from RM 6. The Round 3 data were not N-qualified and did not result in cancer risks greater than 1×10^{-6}.
- Alpha-hexachlorocyclohexane (alpha-HCH). The identification of alpha-HCH as a contaminant potentially posing unacceptable risks was based on a single N-qualified result in a black crappie whole body sample collected from RM 6 to 9. Alpha-HCH was also detected in smallmouth bass and common carp in the Round 3 samples (which did not include black crappie). The Round 3 data were not N-qualified and did not result in cancer risks greater than 1×10^{-6}.
- Beta-hexachlorocyclohexane (beta-HCH). The identification of beta-HCH as a contaminant potentially posing unacceptable risks was based on a single

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

N-qualified result in a smallmouth bass fillet sample collected from RM 3 in Round 1. Beta-HCH was not detected in the whole body sample collected from RM 3 in Round 1 or in the fillet samples collected from RM 3 in Round 3. Beta-HCH was detected in other smallmouth bass samples collected during Round 3. The Round 3 data were not N-qualified and did not result in cancer risks greater than 1 x 10^{-6}.

- Heptachlor. The identification of heptachlor as a contaminant potentially posing unacceptable risks was based on a single N-qualified result in a black crappie whole body sample collected from RM 3 to 6.

6.1.9   Using One-Half The Detection Limit for Non-Detect Results in Summed Analytes

When data are presented as summed values (e.g., total PCB congeners), one-half the detection limit was used as a surrogate concentration when calculating the summed value for those specific analytes reported as non-detect. Use of one-half the detection limit assumes that there is equal probability that the actual concentration in the sample may be greater or less than the surrogate value. In general, the detection limits for non-detect results were low relative to detected concentrations. In addition, by only including those contaminants that were determined to be present in a given medium, the uncertainty associated with the use of surrogate values for non-detect results was minimized.

6.1.10   Contaminants That Were Not Analyzed in Certain Samples

Not all fish tissue samples were analyzed for the same suite of analytes. For example, fillet samples collected in Round 1 were analyzed for PCB as Aroclors, but no analysis was done for dioxins and furans. Fillet samples of smallmouth bass and common carp collected in Round 3B were analyzed for PCB, dioxin, and furan congeners. In samples where congeners were analyzed, the risks from the total dioxin TEQ, which is not otherwise measured, comprise approximately 1 to 70 percent of the cumulative risks. Therefore, the use of black crappie and brown bullhead fillet tissue, which were only analyzed in Round 1, likely underestimate the actual risks particularly in those areas where PCBs and dioxin/furans are the predominant contaminants.

In addition, not all clam samples were analyzed for the same number of contaminants due to limited tissue mass of some composites collected during Round 2. Table 6-8 presents a listing of analyses not completed for specific samples. Additional samples were collected in Round 3B and analyzed for a greater number of specific contaminants. The Round 2 and Round 3B clam tissue data were combined and evaluated on a river-mile basis in the BHHRA. Therefore, EPCs were available for almost all COPCs in each exposure area.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

6.1.11   Chemicals That Were Not Included as Analytes

As it is not practical to analyze for every chemical, specific chemicals and chemical groups were chosen for analysis based on an investigation of known or probable sources at in the LWR. However, the chemicals expected to have the potential for significant contributions to risk are included in the risk assessment. The list of chemicals for analysis was determined in collaboration with EPA and its partners and presented in the approved sampling and analysis plan. Subsequently, there has been interest in two additional groups of chemicals: polybrominated diphenyl ethers (PBDEs) and volatile organic compounds (VOCs) in tissue. Risks have subsequently been assessed for exposures to PBDEs in in-water sediment and resident fish tissue, as presented in Attachment F3.

VOCs were not analyzed in tissue or surface water samples. Because of their nature, VOCs are not expected to accumulate in tissue to a sufficient degree to pose significant risk via consumption relative to the other chemicals detected in tissue. Given the magnitude of concentrations and toxicities of other chemicals that were detected in surface water and tissue, VOCs are unlikely to contribute significantly to the overall risks. Therefore, the lack of analysis for VOCs is unlikely to alter the conclusions of the BHHRA.

6.1.12   Chemicals That Were Analyzed But Not Included in BHHRA

Not all detected chemicals were included in the BHHRA. The following analytes were excluded from assessment are either because there are no suspected sources, or the analyte typically only present adverse health risks at high concentrations:

- Ammonia
- Calcium
- Calcium carbonate
- Carbon dioxide
- Chloride
- Ethane
- Ethylene
- Magnesium
- Methane
- Nitrate
- Nitrite
- Oxygen
- Phosphate
- Phosphorus
- Potassium
- Silica
- Sodium
- Sulfate
- Sulfide

6.1.13   Data Not Included in BHHRA due to Collection Date

Data collected after June 2008 were not included in the BHHRA due to the completion schedule of the RI/FS. These data sets are discussed in the Portland Harbor RI Report, and include a number of in-water sediment samples. However, due to the large spatial coverage of the existing in-water sediment BHHRA dataset, this uncertainty is not expected to affect the overall conclusions of the BHHRA.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

6.1.14   Compositing Methods for Biota and Beach Sediment Sampling

Compositing schemes were developed to be representative of the medium sampled and to be representative of each exposure unit. Fish were composited based on an estimate of the average home range for each species (ODFW 2005). The home ranges for common carp and brown bullhead may be as large or larger than the Study Area, the home range for bass may be larger or smaller than the one mile assumed in the BHHRA. For example, bass may only reside on one side of a river mile reach instead of throughout the one mile reach on both sides of the river. Smallmouth bass were composited on a river mile basis, while black crappie, brown bullhead, and carp were composited on a fishing zone basis. Fishing zones for brown bullhead and black crappie were from RM 3-6 and RM 6-9; fishing zones for common carp were from RM 0-4, RM 4-8 and RM 8-12. However, the compositing scheme represents only an approximation of the home ranges of the fish collected, and typically consisted of five individual fish. Replicate composite samples were collected, and risks were evaluated using both the composite samples as well as on a Study Area-wide basis. Where contaminants are evaluated on a harbor-wide basis and/or specific species are wide-ranging, this process is not likely to have an appreciable effect on the conclusions of the BHHRA. However, where samples are composited over an area larger than the actual home range of specific fish species, the result may either over- or underestimate risks, depending on the distribution of contaminant concentrations in the area over which samples are composited. For example, the highest DDx concentrations are located on the west side of the river at RM 7.5, while the EPC for smallmouth bass at that river mile combined data collected from both sides of the river.

Beach sediment was composited on a beach by beach basis, resulting in a single sample result for each exposure area. Uncertainty stems from this compositing scheme because the results of the risk evaluation are dependent on a single sample. Composite samples are generally assumed to represent the area from which the individual samples of the composite were taken, but an unrepresentative individual sample (e.g., one representing extremely localized or ephemeral contamination) used in the composite could significantly bias the composite results. The compositing scheme for beaches results in risk evaluation based on a single sample at a single point in time. If a beach was found to pose an unacceptable risk, additional samples at that beach might be warranted. However, all of the beach sediment exposure scenarios ranged from 8×10^{-9} to 9×10^{-5}, which are below or within the target risk range of 1×10^{-4} to 1×10^{-6}.

6.1.15   Mislabeling of Smallmouth Bass Fish Sample

One smallmouth bass sample collected from the west side of RM 11 (LW3-SB11W-11) during the Round 3 sampling event was incorrectly recorded as LW3-SB11E-01 (RM 11 east) at the field lab. This fish became part of the final LW3-SB11E-C00B and LW3-SB11E-C00F composite samples, which are the body and fillet composites from RM 11 east. Fish SB11E-01 (actually from SB11W) accounted for 15 percent of

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

both sample types on a mass basis. However, since smallmouth bass exposure areas were assessed on a river mile basis, the data from RM 11E and RM 11W were included in the same EPC calculations, and the effects of this uncertainty are not expected to affect the conclusions of this BHHRA.

6.2   EXPOSURE ASSESSMENT

Uncertainties that arise during the exposure assessment can typically have some of the greatest effect on risk estimates. The following subsections address uncertainties associated with exposure models, exposure scenarios, exposure factors, and EPCs used in the risk estimates.

6.2.1   Subsurface Sediment Exposure

A complete exposure pathway requires the presence of a retention or transport medium, an exposure point, and an exposure route. Subsurface sediment was not considered an exposure medium in the BHHRA because it was assumed that potential human contact with river sediment below 30 cm in depth was unlikely, or that if it does occur, the frequency and extent would be minimal. Situations which may result in human exposure to subsurface include: potential scouring, natural hydraulic events that are not well understood, future development of near-shore and upland properties, maintenance of the navigation channel, ports, and docks, placement and maintenance of cable and pipe crossings, pilings and dolphins, anchoring and spudding of vessels, and exposure to propeller wash from vessels. Due to the low potential of exposure to subsurface sediment, the estimates presented in the BHHRA are considered sufficiently representative of baseline exposures.

6.2.2   Potential Exposure Scenarios

Some of the key uncertainties associated with the exposure scenarios evaluated in the BHHRA are discussed in the following subsections.

6.2.2.1   Shellfish Consumption

A commercial crayfish fishery exists in the LWR, and crayfish landings must be reported to ODFW by water body and county. Per ODFW, the crayfish fishery in the LWR is not considered a large fishery (Grooms 2008), and no commercial crayfish landings were reported for the Willamette River in Multnomah County from 2005 to 2007. DHS had previously received information from ODFW indicating that an average of 4,300 pounds of crayfish were harvested commercially from the portion of the Willamette River within Multnomah County each of the five years from 1997-2001. In addition to this historical commercial crayfish harvesting, DHS occasionally receives calls from citizens who are interested in harvesting crayfish from local waters who are interested in fish advisory information. According to a member of the Oregon Bass and Panfish club, crayfish traps are placed in the Portland Harbor Superfund Site boundaries and collected for bait and possibly consumption (ATSDR

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

2006). It is not known to what extent non-commercial harvesting of crayfish occurs within the Study Area, if at all, or whether those crayfish are consumed and/or used for bait.

Evidence of current consumption of freshwater clams from Portland Harbor is limited. According to a project conducted by the Linnton Community Center (Wagner 2004), transients reportedly consume clams from the river on a limited and infrequent basis. As part of the project, conversations were conducted with transients about their consumption of fish or shellfish from the Willamette River. These conversations were not conducted by a trained individual and were not documented. Transients reported consuming various fish species, as well as crayfish and clams, and many indicated that they were in the area temporarily, move from location to location frequently, or have variable diets based on what is easily available. Assuming that clam consumption occurs, the Linnton Community Center project suggests that it does not occur on an ongoing basis within the Study Area. DEQ and EPA staff have occasionally received calls from individuals who claim to have harvested clams and are inquiring whether consumption is safe, and individuals have been observed harvesting clams from the shore in Portland.

6.2.2.2 Wet Suit Divers

Commercial diving companies in the Portland area were contacted to develop a better understanding of potential diver exposures within the Study Area. All of the diving companies that were contacted indicated that the standard of practice for commercial divers is the use of dry suits and helmets when diving in the LWR (Hutton 2008, Johns 2008, and Burch 2008). EPA Region 10 reported observing divers in wet suits and with regulators that are held with the diver's teeth within the Study Area. An evaluation was also performed of helmet diving with use of a neck dam, which allows can allow water to leak into the diving helmet. Commercial divers as recently as 2009 have been observed using techniques to don a diving helmet which increase exposure (Sheldrake personal communication with RSS, 2009, DEQ, 2008). The observed wet suit divers were performing environmental investigation and remedial activities, which are not activities evaluated as part of a commercial diver scenario. Also, it is not known whether the individuals who were observed diving in wet suits on specific occasions are diving within the Study Area on a regular basis, as they do not work for the commercial diving companies in the Portland area. Recreational diving also takes place in Portland Harbor (Oregon Public Broadcasting Think Out Loud, "Are you going to swim in that?" August 22, 2008). Therefore, including a wet suit diver scenario with associated ingestion from use of a recreational type regulator, rather than a full face mask or diving helmet, and full body dermal exposure in this BHHRA (in addition to a dry suit diver scenario) is a conservative approach.

6.2.2.3 Potential Future Domestic Water Use

The evaluation of surface water as a domestic water source is based on the assumption that surface water is drawn from the Study Area. Within the Study Area, the LWR is not currently used as a domestic water source. According to the City of

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Portland, the primary domestic water source for Portland is the Bull Run watershed, which is supplemented by a groundwater supply from the Columbia South Shore Well Field (City of Portland 2008). In addition, the Willamette River was determined not to be a viable water source for future water demands through 2030 (City of Portland 2008). Thus, it is unlikely that individuals at households receiving water from the city would be exposed to contaminants at concentrations greater than the MCL. As presented in Section 5.2.8, cPAHs and MCPP are the only COPCs that posed an estimated cancer risk greater than 1×10^{-4} (cPAHs) or a noncancer hazard greater than 1 (MCPP). The uncertainties associated with assessing dermal exposures to dissolved PAHs are discussed further in Section 6.2.4.2. Although there is no MCL established for MCPP, the associated HQ is greater than 1 at only one of the locations evaluated, W035, located at RM 8.5, where the estimated hazard is 2.

6.2.3   Potentially Complete and Insignificant Exposure Pathways

Exposure pathways that have been determined to be potentially complete and insignificant were not evaluated further in this BHHRA. As described in Section 3.2, these exposure pathways have a "source or release from a source, an exposure point where contact can occur, and an exposure route by which contact can occur; however, the pathway is considered a negligible contributor to the overall risk." The exposure pathways identified as potentially complete and insignificant were related to Willamette River surface water exposures to populations evaluated in this BHHRA. Ingestion and dermal absorption of chemicals from surface water were quantitatively evaluated for the populations that are expected to have the most frequent contact with surface water. Surface water exposures were not evaluated were for dockside workers, in-water workers, tribal fishers, and fishers.

The BHHRA identified and evaluated the exposure pathways that were expected to result in the most significant exposure to COPCs in the Study Area. The magnitude of exposures experienced by populations for these exposure pathways are typically expected to be much greater than that expected for the exposure pathways identified as "insignificant." Thus, the assessment of risk to populations from exposure pathways that were quantitatively evaluated in this BHHRA would be adequately protective of exposed populations in the Study Area. However, the uncertainty associated with not directly evaluating exposure pathways considered insignificant could underestimate risks for the Study Area. Due to the low potential of exposure for these pathways, this uncertainty is not expected to impact the conclusions of this BHHRA.

6.2.4   Exposure Factors

Assumptions about exposure factors typically result in uncertainty in any risk assessment. As discussed previously, the scenarios evaluated are representative of exposures that could occur in the Study Area under either current or future conditions. RME and CT values were used for the exposure scenarios to help assess the overall effect that variability in each of the exposure assumptions has on the risk estimates.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

The range of risk estimates between these two exposure scenarios provides a measure of the uncertainty surrounding these estimates.

A range of consumption rates for fish consumption were used to evaluate variability on the risk estimates, thus the resulting risks in this BHHRA represent a range of possible outcomes, including estimates that may be representative of the upper range of plausible exposures.

The following exposure factor uncertainties have been identified and analyzed further to determine the potential effects on the risk estimates:

6.2.4.1 Exposure Parameters for Sediment Exposure Scenarios

The parameters used in the BHHRA to evaluate beach and in-water sediment exposure used were intended to provide conservative estimates based on potential uses in the Study Area.

Beach areas that are accessible to the general public were identified as potential human use areas, even though it is not known whether recreational beach use actually occurs at these locations, and the extent to which the beach may be used and the nature of the contact with sediments is unknown. Future changes in land use may make some beach areas more- or less-accessible to the general public, which increases uncertainty about future exposure. When evaluating in-water sediment, each on-half mile river mile segment on each side of the navigation channel was considered a potential exposure area for all in-water sediment exposure scenarios, regardless of the feasibility or practicality of use of the area. Information from this approach can be used to inform the public about relative risks throughout the river and can help focus the feasibility study.

There are uncertainties associated in the selection of the exposure duration, frequency, and intake parameters used to evaluate both beach and in-water sediment exposures. These scenarios assume long-term repeated use of the same beach or one-half mile river mile segment, which may not accurately reflect actual use practices. The exposure frequencies evaluated range from 94 days/year up to 250 days/year. Default intake parameters for soil exposure were generally used; however, to account for an assumed greater moisture content of beach sediments, the dermal adherence factor used to evaluate child recreational beach exposure was 10-fold greater than the default for soil. Consistent with EPA guidance (2004), only those compounds or classes of compounds for which dermal absorption factors are available were quantitatively evaluated via dermal contact exposure. COPCs for which dermal absorption factors were not available were not quantitatively evaluated, as dermal absorption was essentially assumed to be zero. However, as the majority of COPCs were quantitatively evaluated, this uncertainty does not substantially change the conclusions of this BHHRA. Most of the uncertainties associated with the sediment exposure parameters are likely to overestimate the risks associated with direct exposure to sediment.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

6.2.4.2 Exposure Parameters for Surface Water and Groundwater Seep Exposure Scenarios

Although dermal absorption of PAHs from water was quantitatively evaluated in the BHHRA, the dermal permeability coefficient (K_p) falls outside of the effective predictive domain (EPD) for a number of the PAHs, including the following:

- Benzo(a)anthracene

- Benzo(a)pyrene

- Benzo(b)fluoranthene

- Indeno(1,2,3-cd)pyrene

- Dibenzo(a,h)anthracene

EPA dermal assessment guidance (EPA 2004) states that "although the methodology [for predicting the absorbed dose per event] can be used to predict dermal exposures and risk to contaminants in water outside the EPD, there appears to be greater uncertainty for these contaminants." The range of uncertainty associated with the Kp value can be several orders of magnitude. For instance, the predicted Kp value recommended by EPA (2004) for benzo(a)pyrene is 0.7 centimeters per hour (cm/hr), while the range of predicted Kp values presented by EPA (2004) is 0.024 cm/hr (95 percent lower confidence level) to 20 cm/hr (95 percent upper confidence level). This uncertainty could result in over-estimation or under-estimation of risk from exposure to surface water. With the exception of arsenic, the only exceedances of 1×10^{-6} risk from surface water scenarios are the result of dermal exposure to PAHs in surface water. However, all of the surface water exposure scenarios were below or within the target risk range of 1×10^{-4} to 1×10^{-6}.

6.2.4.3 Exposure Parameters for Fish/Shellfish Consumption Scenarios

Site-specific information regarding fish consumption is not available for Portland Harbor. In the absence of specific data, fish consumption data representative from several sources was considered and selected as being representative of the general population of the greater Portland area, as well as that portion of the population that actively fishes the Lower Willamette and utilizes fish from the river as a partial source of food. However, the rates presented in the CSFII study represent per capita consumption rates rather than true long-term averaged consumption rates. Further, the large range between the percentile values is indicative of substantial variability in the underlying data. For example, consumption rates consumers are 200 g/day at the 90[th] percentile and 506 g/day at the 99[th] percentile. The consumption rate for consumers and non-consumers is approximately 18 g/day at the 90[th] percentile and 142 g/day at the 99[th] percentile. As discussed in Section 3.5.9.6, the RME consumption rate selected for recreational fishers of 49 g/day is based on data from the Columbia Slough study. That study was a creel survey, and the representativeness of the rate is dependent on several factors, including but not limited to:

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

- Willingness of anglers to participate
- Communication. If a substantial number of anglers consist of 1st or 2nd generation ethnic minorities, then language may be a barrier.
- Discrepancy between individuals who catch fish and those who prepare meals. Men generally fish but women generally prepare seafood and are much more familiar with the mass of seafood consumed.
- Difficulty in translating from the items inspected in an angler's basket to portion sizes and amounts consumed, since this requires assumptions about edible portions and cleaning factors.
- Lack of a random or representative sample. Interviewers can only speak with who they encounter.
- Timing and seasonality of interviews.
- Weather conditions may bias the results of any day's interviews.

In addition to the consumption rates, uncertainty also exists with respect to the relative percentage of the diet of obtained from the Study Area or within individual exposure areas versus other nearby sources of fish, and the degree to which different methods of preparation and cooking may reduce concentrations of persistent lipophilic contaminants.

Uncertainties associated with tribal consumption rates largely relate to limitations inherent in the CRTFIC consumption survey on which the consumption rates used in the BHHRA are based. These consumption rates may be biased low for tribal members because:

- Tribal members who have a traditional lifestyle (and likely a higher consumption rate) would have been unlikely to travel to the tribal offices that were used for administering the CRITFC fish consumption interviews.
- The fish consumption rates for some tribal members that were perceived as being outliers (consumption rates were too high) were dropped from the CRITFC data before the consumption rates were calculated.
- Current fish consumption rates may be suppressed and, therefore, do not reflect the potential of the higher consumption rates if fishery resources improved or if contaminant concentrations in the water body decrease.

Conversely, conservative assumptions were used with respect to exposure frequency and duration, as well as the relative contribution of fish from the Lower Willamette to the overall tribal diet. According to the CRITFC survey, none of the respondents fished the Willamette River for resident fish and at most, approximately 4 percent fished the Willamette for anadromous fish. However, future use of the site by tribal members may change if fishery resources improved.

Information regarding consumption of shellfish from the Study Area relies in part from information obtained from a community project sponsored by the Linnton Community Center, as discussed in Section 3.3.6. However, it is not known to what

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

extent shellfish consumption actually occurs. Because site-specific shellfish consumption rates are not available, nationwide CSFII (USDA 1998) shellfish consumption data were used. As with the rates for fish consumption, these are based on per capita consumption rates from the general population. In the nationwide survey, shrimp accounted for more than 80 percent of the shellfish consumed, crayfish accounted for less than one percent of diet, and freshwater clams were not included in the nationwide survey. It is not known to what extent fishers substitute alternative local types of shellfish. However, the mean nationwide shellfish consumption rate from freshwater sources is 0.01 g/day; upper percentiles for freshwater shellfish consumption rates are not available (EPA 2002b).

6.2.4.4   Assumptions about a Multi-Species Diet

The non-tribal multi-species diet assumes equal proportions of all four resident fish species, the tribal multi-species diet assumed equal proportions of the four resident fish species, as well as dietary percentages of salmon, lamprey, and sturgeon derived from the CRITFC survey. Variations of these dietary assumptions would result in different risk estimates. The risks due to consumption of the individual species that make up the multi-species diet were evaluated separately, and the results are presented in Table F6-3. The range of risks from fish consumption scenarios encompasses the potential variations in the composition of a multi-species diet. The range of the magnitude of risks associated with a diet consisting solely of the individual species is generally less than an order of magnitude. The magnitude in the difference of risk estimates based on diet composition shows that an assumption of equal proportions of the four resident fish species could result in over or under-estimation of actual risks from a multi-species diet.

6.2.5   Exposure Point Concentrations

The following uncertainties related to calculation of EPCs for this risk assessment were analyzed further to determine the potential effects on the risk estimates.

6.2.5.1   Using 5-10 Samples to Calculate the 95 percent UCL on the Mean

Data sets with fewer than 10 samples generally provide poor estimates of the mean concentration, defined as a large difference between the sample mean and the 95 percent UCL. In general, the UCL approaches the true mean as more samples are included in the calculation of the EPC. Study Area-wide fish tissue EPCs that were calculated as the 95 percent UCL on the mean using less than 10 samples included EPCs for whole body brown bullhead and common carp fillet. The 95 percent UCLs calculated using less than 10 samples are presented in Appendix F2, and a comparison of maximum reported concentrations and Study Area-wide EPCs for PCBs and dioxins based on fewer than 10 samples is presented Table F6-4.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

6.2.5.2   Nondetects Greater than Maximum Detected Concentrations

Consistent with EPA guidance, analytical results reported as non-detect for which the detection limit was greater than the maximum detected concentration in a given exposure area were removed from the dataset prior to calculation of the 95 percent UCL. These sample identifications, detection limits, and associated maximum concentrations are listed by media and exposure area in the tables in Attachment F2. If the actual concentrations were closer to the detection limit for surface water and in-water sediment, the risk estimates would still be less than 1×10^{-6}.

6.2.5.3   Using the Maximum Concentration to Represent Exposure

The maximum concentration was used in instances where there were either less than five detected results or fives samples for a given analyte and exposure area, including EPCs calculated to represent Study Area-wide exposure. Use of the maximum concentration to represent exposure occurred for all media, and occurred most frequently for the fish and shellfish consumption scenarios. Contaminants and exposure points for which the maximum detected concentration was used instead of a 95 percent UCL on the mean are presented in the exposure point concentration tables in Section 3. In some cases, the maximum concentration for a contaminant was anomalously high, and may not be representative of tissue concentrations resulting from exposure to CERCLA-related contamination within the Study Area. However, EPA's UCL guidance (EPA 2002) notes that defaulting to the maximum observed concentration may not be protective when sample sizes are very small because the observed maximum may be smaller than the population mean.

Generally, the ratios between the maximum and minimum detected concentrations are less than 3. For in-water sediments, the ratios are less than 4. When comparisons are made within an exposure area for biota, the majority of the ratios of the 95 percent UCL/maximum EPCs to the mean are equal to or less than 2, and the remaining ratios are less than 4. An analysis of scenarios for which using the maximum concentration to represent exposure significantly affected the result of the risk estimate, and consequently which chemicals were designated as contaminants potentially posing unacceptable risks for a scenario, is presented in Tables F6-5 through F6-8 in Attachment F6.

6.2.5.4   Anomalous Antimony and Lead Results in Smallmouth Bass

A smallmouth bass sample collected during the Round 3 sampling effort at RM 10E (LW3-SB010E-C00B) had anomalously high detected concentrations of lead and antimony in the tissue analyzed as whole body-without-fillet. As described in the Round 3B Fish and Invertebrate Tissue and Collocated Sediment Data Report, Addendum 1 (Integral 2008), the sample was reanalyzed, and because of the consistently high detection of these compounds, the results of the lead and antimony re-analyses for this sample were averaged for use in the BHHRA. The resulting concentrations in body-without-fillet tissue from this sample are 1,640 mg/kg lead, and 8.41 mg/kg antimony, which are 160 times higher than the next highest lead and

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

antimony concentration detected in smallmouth bass within the Study Area. These concentrations are consistent with what would be expected from fish that swallowed fishing gear containing lead and antimony or other similar metal objects, and thus may not be representative of tissue concentrations resulting from exposure to contamination within the Study Area. However, these concentrations were used with the corresponding fillet concentrations to calculate a whole body concentration for use in the BHHRA, which was also anomalously high. The concentrations of lead and antimony for this sample (LW3-SB010E-C00WB) were the maximum concentrations for the RM 10E smallmouth bass exposure area, and due to the low number of smallmouth bass samples within the exposure area, they were used as the EPCs. The maximum concentrations of this sample are a conservative estimate of potential exposures from this river mile stretch. The concentrations from this sample were also used in the calculation of Study Area-wide EPCs for smallmouth bass, creating a high bias in the dataset.

6.2.5.5 Possible Effects of Preparation and Cooking Methods

Cooking and preparation methods of fish tissue can change the concentration of lipophilic contaminants in fish tissues; EPA (1997b) states that "cleaning and cooking techniques may reduce the levels of some chemical pollutants in the fish." PCBs tend to concentrate in fatty tissues. Trimming away fatty tissues, including the skin, may reduce the exposure to PCBs. Removing the skin can reduce PCB concentrations in raw fillet by 50 percent by (EPA 2000c). Cooking can also reduce the concentrations as much as 87 percent, depending on the method (Wilson et al. 1998). However, one study showed a net gain in PCB concentrations after cooking (EPA 2000c). The potential for reduction in PCB concentrations due to cooking is subject to a substantial degree of variability, and some consumption practices make use of whole fish, reductions in PCB concentrations were not considered quantitatively in the risk assessment. EPA's guidance on assessing contaminant concentrations for fish consumption advisories (EPA 2000) includes a summary of contaminant reductions observed in several studies due to skinning, trimming, and cooking. Depending on species and preparation/cooking method, observed PCB concentrations range from 16 to 80 percent of those found in whole body fish. This information is summarized in Table F6-9.

6.2.5.6 Assumptions about Arsenic Speciation

Tissue concentrations of arsenic were reported as total arsenic, while EPA toxicity criteria are based on inorganic arsenic. A study conducted on the middle Willamette River (EVS 2000) measured composites of resident fish (largescale sucker, carp, smallmouth bass, and northern pikeminnow) from a 45-mile section of the river extending from the Willamette (River Mile 26.5) to Wheatland Ferry (River Mile 72). Total arsenic and inorganic arsenic concentrations were determined in composites of whole body, fillet with skin, and composites of that portion of the fish remaining after removing fillets. Percent inorganic arsenic ranged from 2 percent (carp) to 13.3 percent (sucker). The average percent of inorganic arsenic was 4.2 percent for the

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

carp and 3.8 percent for the smallmouth bass. Consistent with the recommendation in the Columbia River Basin Fish Contaminant Survey (EPA 2002e), the EPC for inorganic arsenic was estimated as 10 percent of the total arsenic detected in tissue.

Inorganic arsenic in clams was found to range as high as 50 percent of total arsenic in data collected in the Lower Duwamish River. However, the Lower Duwamish is an estuarine system, while the Lower Willamette in Portland Harbor is freshwater system. Since the actual percent of arsenic that is inorganic in clam tissue from the Study Area is unknown, this results in uncertainty in the estimate of inorganic arsenic EPCs in shellfish. The clam tissue data collected from the Study Area was evaluated to determine whether a higher percentage of inorganic arsenic might have a significant effect on overall risk from the consumption of clam tissue:

- All of the arsenic concentrations in clam tissue are within a factor of 2. In addition, the arsenic concentrations in clams are normally distributed.
- Due to the narrow range of arsenic concentrations, the risks from consumption of clams are within a factor of 2 throughout the Study Area.
- If inorganic arsenic is assumed to be 50 percent of the total arsenic rather than the assumption of 10 percent used in the BHHRA, the cumulative risks from consumption of clams increase by a factor of 1.1 to 1.3. Arsenic is not the primary contributor to risks from consumption of clams.

Given all of the other uncertainties associated with risks from clam consumption, the inorganic arsenic assumption is a minor uncertainty with minimal effect on the overall risk estimates.

Although arsenic resulted in risks greater than 1 x 10^{-6} for some of the fish consumption scenarios, the contribution of arsenic to the cumulative risk was substantially less than that from PCBs. Therefore, the assumptions about inorganic arsenic are not likely to affect the overall conclusions of the BHHRA.

6.2.5.7   Polychlorinated Biphenyls

PCBs were analyzed as Aroclors in some media and as individual PCB congeners in others. This introduces some uncertainty when comparing cumulative risk across media. Congener analysis may provide a more accurate measure of PCBs in environmental samples than does the Aroclor analysis. Although most PCBs may have originally entered the environment as technical Aroclor mixtures, environmental processes, such as weathering and bioaccumulation, may have led to changes in the congener distributions in environmental media such that they no longer closely match the technical Aroclor mixtures used as standards in the laboratory analysis, leading to inaccuracies in quantitation.

The results for PCBs in whole body tissue samples analyzed for both PCBs as Aroclors and as individual PCB congeners were qualitatively compared to evaluate correlations associated with the use of Aroclor data. Windward (2005) analyzed fish

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

tissue from the Lower Duwamish Waterway as PCB Aroclors and as individual PCB congeners. The PCB Aroclor data and PCB congener data were significantly correlated for both fillet and whole body tissue. It should be noted that the Lower Duwamish Waterway is not freshwater, and different species were assessed in the Lower Duwamish study compared to Portland Harbor. These correlations suggest that PCB Aroclor data may be used in the place of congener data if congener data are not available.

When available, PCB congener data were included in cumulative risk sums for tissue because differences in bioaccumulation in addition to weathering results in greater uncertainty in the PCB Aroclor analysis for tissue. However, fillet tissue collected in Round 1 was analyzed for PCB Aroclors only, Round 3 smallmouth bass and common carp samples were analyzed for PCB congeners only. Because PCB congener data are available for smallmouth bass and common carp fillet tissue, cumulative risks for exposure to fillet tissue from consumption include only the most recent tissue data for these two species. This introduces uncertainty to the cumulative risk estimates for exposure to fillet tissue when comparing risks across all four resident species. A comparison of the results for PCBs as Aroclors and PCBs as individual congeners for tissue samples is provided in Table F6-11. This comparison is based on the whole body tissue data from Round 1, which is the only sampling event where Aroclors and congeners were analyzed in the same tissue samples. As shown in Table F6-10, sometimes the congener results are higher and other times the Aroclor results are higher.

PCB Aroclor data were included in cumulative risk sums for sediment because the PCB Aroclor dataset is larger than the congener dataset.

PCB congener data were included in the risk evaluation for surface water because the PCB Aroclor data was derived from the results of the congener analysis for the samples used in the risk characterization of this BHHRA. Total PCB congeners did not screen in as COPCs for any surface water scenarios. If PCB Aroclor data from the surface water dataset were used in the COPC screening, PCBs would still not be considered a COPC for any surface water scenarios.

When PCB congener data were used, the total PCB concentration was adjusted by subtracting the concentrations of coplanar PCBs from the total PCB concentration. This was done for purposes of estimating cancer risks because the coplanar PCBs were evaluated separately for the cancer endpoint.

6.2.5.8   Bioavailability of Chemicals

The toxicity values used in the risk assessment are often based on laboratory studies in which the chemical is administered in a controlled setting via food or water. Absorption from environmental media may be lower than that observed in the laboratory. Studies have shown that conditions in environmental media (e.g., pH, organic carbon content) can affect the bioavailability of a chemical (Ruby et al. 1999,

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Pu et al. 2003, Saghir et al. 2007). If the bioavailability of a chemical in a given environmental medium is less than that in the laboratory study used to derive the toxicity value, the risk assessment will overestimate the exposure to that chemical in that medium. The National Research Council has recommended that consideration of bioavailability be incorporated in decision-making at sites (National Academy of Sciences 2003). While site-specific information on the bioavailability of chemicals in sediment is not available, it is important to recognize that there is uncertainty associated with not incorporating bioavailability into the risk estimates, especially related to sediment-associated chemicals.

6.2.5.9   Exposure Areas for Consumption of Smallmouth Bass

Fish consumption on a river mile basis was assessed using data from smallmouth bass. Uncertainties associated with the home range of smallmouth bass are discussed in Section 6.1.13. In Round 1, samples were composited on a per river mile basis, Round 3, samples were composited on a per river mile basis for each side of river. The Round 1 and Round 3 results were combined, and the EPC thus represents an exposure area of one river mile. A study by ODFW (ODFW 2005) that included tracking the movement of smallmouth bass in the Lower Willamette indicated that their home range is typically between 0.1 and 1.2 km, and they are most frequently found in near-shore areas.

Figure 6-1 displays the ratios of concentrations of DDT, DDE, DDD, cPAH, dioxin/furan TEQ, and PCB congeners detected in composite smallmouth bass samples collected at the east side of the river mile compared to concentrations for those detected in composite samples collected at the west side of the river mile. At RM 8, 9, and 10, the ratios are all less than 1, indicating concentrations on the east side of the river are generally less than concentrations on the west side of the river. For the remaining river miles, some ratios exceed one. East to west side concentration ratios for PCBs at river mile 11 are highest of any river mile evaluated. As previously discussed in Section 6.1.14, that a fish from RM 11W was included in the composite for RM 11E due to a mislabeling of the sample. Due to the low number of samples for each exposure area, the maximum detected concentration from either side of the river was typically used as the RME EPC for the river mile exposure areas. In addition, the area over which fishing occurs should also be considered. Given an exposure duration of 30 to 70 years, it is possible that fish would be collected over an area greater than a single river mile. Therefore, use of an exposure area consisting of a single river mile for evaluating consumption of smallmouth bass is generally health protective and unlikely to underestimate risks.

6.2.5.10 EPCs in Surface Water for Recreational Beach Users

Only data collected from the low water sampling event was used to assess recreational exposures to surface water, in order to represent surface water conditions during the time of year when most frequent recreational use occurs. There is some

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

uncertainty in the representativeness of this dataset for surface water conditions for recreational users.

Because exposure to surface water by transients can occur throughout the year, data from sampling events during three seasons of the year were used for this scenario and can be used to assess the representativeness of the single low water sampling event. Arsenic was the only surface water COPC detected in recreational exposure areas. The Study Area-wide average total arsenic concentration for transient exposure to surface water, using year-round data, is 0.48 µg/l. The Study Area-wide average total arsenic concentration for recreational beach user exposure to surface water, using low flow data, is 0.51 µg/l. Given the similarity of these results, the uncertainty associated with the recreational beach user surface water dataset should not affect the conclusions of this BHHRA.

6.3   TOXICITY ASSESSMENT

The results of animal studies are often used to predict the potential human health effects of a chemical. Extrapolation of toxicological data from animal studies to humans is one of the largest sources of uncertainty in evaluating toxicity. Much of the toxicity information used in this BHHRA comes from EPA's Integrated Risk Information System (IRIS), which states the following on its website:

> In general IRIS values cannot be validly used to accurately predict the incidence of human disease or the type of effects that chemical exposures have on humans. This is due to the numerous uncertainties involved in risk assessment, including those associated with extrapolations from animal data to humans and from high experimental doses to lower environmental exposures. The organs affected and the type of adverse effect resulting from chemical exposure may differ between study animals and humans. In addition, many factors besides exposure to a chemical influence the occurrence and extent of human disease (EPA 2010b, http://www.epa.gov/iris/limits.htm).

EPA applies uncertainty factors, typically a factor 10, when deriving reference doses, to account for limitations in the data. These limitations include variation in susceptibility among the members of the human population, uncertainty in extrapolating animal data to humans, uncertainty in extrapolating from data obtained in a study with less-than-lifetime exposure, uncertainty in extrapolating from a LOAEL rather than from a NOAEL, and uncertainty associated with extrapolation when the database is incomplete. As a result, actual risks within the Study Area are likely to be lower than the estimates calculated in this BHHRA.

In addition, the following specific uncertainties have been identified.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

6.3.1 Early Life Exposure to Carcinogens

As discussed in Section 3.5.6, early-in-life susceptibility to carcinogens has long been recognized as a public health concern. EPA's Supplemental Guidance for Assessing Susceptibility from Early-Life Exposure to Carcinogens (EPA 2005b) provides a process to evaluate risks from early-life exposure to carcinogens known to act via a mutagenic mode of action. The only exposure scenarios for which early-life exposures are considered are recreational beach use, fish consumption, and household use of surface water. Of the COPCs identified in the risk assessment, only cPAHs have been identified as mutagenic.

6.3.2 Lack of Toxicity Values for Delta-hexachlorocyclohexane, Thallium, and Titanium

Delta-HCH was detected in tissue and in-water sediment. An SF or RfD toxicity value could not be identified for delta-HCH according to the hierarchy of sources of toxicity values recommended for use at Superfund sites (EPA 2003b). Also, an STSC review concluded that the other hexachlorocyclohexane isomers could not be used as surrogates for delta-HCH due to differences in toxicity (EPA 2002d). Potential risk from delta-HCH was not quantitatively evaluated because of the lack of availability of toxicity data.

Thallium was detected in in-water sediment and surface water, and titanium was detected in in-water sediment. Thallium and titanium are naturally occurring elements, and although thallium may have a wide spectrum of effects on humans and animals (EPA 2009a), titanium has been characterized as having extremely low toxicity (Friberg et al 1986). An SF or RfD toxicity value could not be identified for titanium according to the hierarchy of sources of toxicity values recommended for use at Superfund sites (EPA 2003b), and consultation with EPA indicated no surrogate toxicity value was available. Therefore potential risk from exposure to titanium was not quantitatively evaluated in this BHHRA.

6.3.3 Use of Toxicity Values From Surrogate Chemicals for Some Chemicals that Lack Toxicity Values

For some chemicals, if a RfD or SF toxicity value was not available from the recommended hierarchy, a structurally similar chemical was identified as a surrogate. The RfD or SF for the surrogate was selected as the toxicity value and the surrogate chemical was indicated in Section 4. Uncertainty exists in using surrogate chemicals to represent the toxicity of chemicals for which toxicity values are not available. Using surrogate toxicity values could over- or under-estimate risk for a specific chemical.

Based on the results of the BHHRA, the chemicals that exceeded the minimum target cancer risks of 1 x 10^{-6} or hazard quotient of 1 did not rely on surrogate toxicity

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

values. Therefore, the use of surrogate toxicity values should not affect the conclusions of this BHHRA.

6.3.4   Toxicity Values for Chromium

Chromium was analyzed as total chromium in all media. Although toxicity values exist for both trivalent and hexavalent chromium, hexavalent chromium exhibits greater toxicity that the trivalent form. The reference dose for hexavalent chromium is 0.003 mg/kg-day, versus 1.5 mg/kg-day for trivalent chromium. Hexavalent chromium can be reduced to trivalent chromium in an aqueous environmental medium if an appropriate reducing agent is available, and thus trivalent chromium is more prevalent in the environment (ATSDR 2008). Screening values for trivalent chromium were used in the selection of total chromium as a COPC for in-water sediment, beach sediment, the groundwater seep, and surface water. This is an uncertainty because the trivalent chromium screening level is for insoluble salts.

The highest HQ for chromium from fish consumption was 0.004. Even if a portion of the chromium were present as hexavalent chromium, the HQ would likely still be less than 1. Additionally, EPA currently considers the carcinogenic potential of hexavalent chromium via oral exposure as "cannot be determined." Toxicity criteria derived by the New Jersey Dept. of Environmental Protection was used as a Tier 3 source for evaluating the cancer risks associated with oral exposures to hexavalent chromium.

6.3.5   Toxicity Values for Polychlorinated Biphenyls and Applicability to Environmental Data

The toxicity values for PCBs were applied to both PCB congeners (not including coplanar congeners) and Aroclors. The RfD for PCBs is based on an immunotoxicity endpoint for Aroclor 1254 (EPA 2010b). Several other Aroclors have been detected in media within the Study Area, indicating the mixture of PCBs differs from that used in the study to develop the RfD. The cancer SF for PCBs was derived for PCB mixtures based on administered doses of Aroclors to rats. The PCB mixtures used in the studies included the coplanar PCB congeners (dioxin-like PCBs), and coplanar PCBs may have contributed to the carcinogenicity observed in the study. Because the cancer risk from coplanar PCB congeners was evaluated separately, including both the total PCB and coplanar PCB congener risks in the cumulative cancer risk may result in an overestimate of the cancer risks. Although the potential double counting of PCB mass was corrected for by using the PCB adjusted values, there was no correction for the potential double counting of toxicity of dioxin-like PCBs in the PCB TEQ cancer risk estimate.

PCBs are classified as probable human carcinogens based on adequate dose-response data from studies in rats. However, the human carcinogenicity data are inadequate. Several cohort studies have been conducted that analyzed cancer mortality in workers

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

exposed to PCBs. These studies did not find a conclusive association between PCB exposure and cancer; however they were limited by small sample sizes, brief follow-up periods, and confounding exposures to other potential carcinogens. Therefore, using a cancer SF based on the dose-response observed in rats adds further uncertainties to the cancer risk estimates from PCBs as a dose-response has not been observed in humans.

In addition to the uncertainties with toxicity values for total PCBs, there are uncertainties with the toxicity values for the PCB TEQ, which is evaluated using toxicity values for dioxin and dioxin-like compounds. In its 2001 evaluation of the dioxin reassessment, members of the EPA's Science Advisory Board (SAB) did not reach consensus on the classification of 2,3,7,8-TCDD as a carcinogen (EPA 2001d). The National Academy of Sciences (NAS 2006) discussed the primary uncertainties with the toxicity values for dioxin and dioxin-like compounds as follows:

- The estimation of risks at doses below the range of existing reliable data may result in an overestimate of risk. An estimate of risk for typical human exposures to dioxin and dioxin like compounds would be lower in a sub-linear extrapolation model than in the linear model that was used to derive the 2,3,7,8-TCDD SF.

- The issue of appropriately assessing the toxicity of various mixtures of these compounds in the environment. The relative concentrations may change over an exposure period, even though the potency of the individual congeners remains constant. The estimated risk in a given sample depends on both potency and concentration.

The above uncertainties apply to risks from dioxins and furans, as well as risks from dioxin-like PCBs.

6.3.6   Adjustment of Oral Toxicity Values for Dermal Absorption

As discussed in Section 4.7, an adjustment was applied to the oral toxicity factor to account for the estimated absorbed dose when evaluating dermal exposures when the following conditions were met:

- The toxicity value derived from the critical study is based on an administered dose (e.g., through diet or by gavage)

- A scientifically defensible database demonstrates the GI absorption of the chemical is less than 50 percent in a medium similar to the one used in the critical study.

EPA (2004) recommends the adjustment of oral toxicity values to reflect dermal absorption only when GI absorption was less than 50 percent, eliminating the need for small adjustments in the oral toxicity value that are not supported by the level of

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

accuracy in the critical studies that are the source of the toxicity values. Organic chemicals are generally well absorbed across the GI tract, absorption of inorganic chemicals is dependent on a number of factors, but is generally less than for organic chemicals. However, in the absence of a specific value for GI absorption, a default of 100 percent was used. EPA 2004 states that assuming 100 percent absorption may underestimate dermal risk for those chemicals that are poorly absorbed because it overestimates the dose at the site of action. The extent of underestimation is proportional to the actual GI absorption. Inorganic COPCs for which the default value of 100 percent GI absorption was used are aluminum, arsenic, boron, cobalt, copper, iron, molybdenum, selenium, thallium, and zinc.

6.4   RISK CHARACTERIZATION

Uncertainties arise during risk characterization due to the methods used in calculating, summing, and presenting risks. The following subsections address uncertainties associated with the risk characterization of this BHHRA.

6.4.1   Endpoint-specific Hazard Indices

In deriving endpoint-specific HIs, only one health endpoint is used for each chemical, even though some chemicals may have a myriad of health effects as exposures increase. As an example, a majority of the non-cancer affect from the site is from PCBs and total TEQ. The endpoint used for deriving the RfD for PCBs is immunotoxicity, while the endpoint used for deriving the RfD for dioxin/furan TEQ and PCB TEQs is reproductive effects. If the reproductive endpoint for PCBs based upon the lowest observed adverse effects level (LOAEL) of 0.02 mg/kg/day is used with the same Uncertainty Factor as the immunological endpoint to derive an RfD for a reproduction endpoint for PCBs, the RfD for reproductive effects would be a factor of 4 greater than the RfD for immunological effects. Using this ratio, the endpoint-specific HI for reproduction for this exposure scenario for PCBs would be 5,000/4 = 1,250. The total HI for reproduction effects, combining HIs for total TEQ (500) and non-dioxin-like PCBs (1,250), would increase from 500 to 1,750. For the chemicals that have the largest non-cancer contribution in the HHRA, there is a possibility of under-predicting non-cancer health effects by using only one endpoint per chemical.

6.4.2   Risks from Cumulative or Overlapping Scenarios

Where multiple exposure scenarios exist for a given population, the risks for each of the exposure scenarios that are considered potentially complete and significant for a given population were summed to estimate the cumulative risks for that population (Tables 5-87 through 5-111). In calculating the cumulative risks, the maximum cancer risk for each RME scenario was used. This provides a conservative approach, as the same individual may not experience the maximum exposure under more than one exposure scenario. However, due to the fact that risks from one scenario are usually orders of magnitude higher than any other scenario for a given receptor, risks

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

from potential cumulative scenarios should not affect the conclusions of this BHHRA.

In addition to cumulative exposure scenarios for a given population, an individual may be a member of multiple exposure populations, and thus overlapping exposure scenarios. Because there are numerous possible combinations of overlapping scenarios due to variations in exposure points and exposure assumptions, a model was not developed to quantitatively evaluate overlapping scenarios in this BHHRA. However, because the risk from fish and shellfish consumption is typically at least 10-fold greater than other exposure pathways, if an individual consumes fish, the relative contribution from other exposure scenarios is not likely to contribute significantly to the overall risks for that individual. This BHHRA presents the risks for all of the exposure scenarios, so the risks for a given overlapping scenario could be calculated simply by summing the risks for each of the exposure scenarios that make up the overlapping scenario.

This BHHRA assessed potential risks from exposure to media within the Study Area. Upland sites were not included in this BHHRA. If exposure to upland sites were incorporated with exposures to media within the study, the overall estimate of cumulative risk would likely be higher than the risk estimates in this BHHRA.

6.4.3 Risks from Background

Metals are naturally occurring and the concentrations present in tissue, water, or sediment may not be directly related to contamination. Reported concentrations of arsenic and mercury in samples collected within the Study Area result in estimated risks greater than 1×10^{-6} or an HQ of 1 for one or more of the exposure scenarios evaluated in the BHHRA. Exposure concentrations of arsenic in beach sediment ranged from 0.7 mg/kg to 9.9 mg/kg, within the general range of 7 mg/kg used as a background concentration of arsenic by DEQ (DEQ 2007). At the background concentration of 7 mg/kg, the calculated risk from arsenic would exceed 1×10^{-6} for several of the beach sediment and in-water sediment exposure scenarios evaluated in this BHHRA.

Neither background nor anthropogenic tissue concentrations of COPCs were established for the Study Area. Regional tissue concentrations were measured as part of the Columbia River Basin Fish Contaminant Survey in five anadromous species (Pacific lamprey, smelt, coho salmon, fall and spring Chinook salmon, steelhead) and six resident species (largescale sucker, bridgelip sucker, mountain whitefish, rainbow trout, white sturgeon, walleye). All samples were composites; the size of the individual fish varied with species. Concentrations of certain contaminants are higher in tissue collected within the Study Area than observed in the Columbia River study, and the sources of the regional tissue concentrations are unknown. Consistent with EPA policy, risk estimates were presented in this BHHRA without accounting for

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

contributions from background. However, it is important to recognize that background concentrations may result in unacceptable risk and hazard estimates.

6.4.4 Risks from Exposure to Lead

The maximum EPC calculated for lead are associated with a probability of exceeding protective blood lead levels in the fetus of a pregnant woman who consumes fish from the Study Area. This EPC may be attributable to lead in the gut of the fish rather than tissue concentrations. Protective lead concentrations in tissue were estimated using the EPA Adult Lead Methodology (ALM) (EPA 2003c), based on agreements with the EPA to follow the same methodology used in the CRITFC (1994) survey to assess tissue exposures from lead. The ALM as adapted for the Portland Harbor BHHRA focuses on potential affects to the fetus when considering fish consumption by pregnant women. However, the ALM was developed for evaluating exposure to lead in soil and may not be appropriate to use for fish consumption. Furthermore, the ALM is sensitive to the bioavailability of ingested lead. For purposes of calculating a tissue concentration of lead that is expected to be without adverse effects, the default bioavailability of lead in soil was used, and it is not known whether this is an appropriate assumption for lead in tissue.

6.4.5 Future Risks

This BHHRA estimated current and future risks for exposure within the Study Area, based on known and reasonably anticipated future uses of the Study Area. However, the LWR is a dynamic, industrialized waterway, and if the land uses in certain areas of the Study Area were to change in the future in a manner with the uses considered in the BHHRA, risk and hazard estimates presented here may not be representative of conditions in the future.

6.5 OVERALL ASSESSMENT OF UNCERTAINTY

A summary of the uncertainties and a qualitative classification of their magnitude, their impact on the health protectiveness of the assessment, and their significance to risk management decisions are presented in Table 6-1. For each of the uncertainties identified and discussed in this section, Table 6-1 provides a qualitative assessment (using High, Medium, and Low as descriptors) for each of these properties. In addition, the table presents whether an uncertainty is more likely to over-estimate or under-estimate actual risks from the Study Area. While there are numerous uncertainties identified for this BHHRA, and the cumulative effect of these uncertainties could be significant to the conclusions of the BHHRA, some of these uncertainties would be expected to have more of a significant effect on risk management decisions than other uncertainties. These are identified with a "High" descriptor under the "Significance to Risk Management" column in Table 6-1.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Risk assessments typically include conservative assumptions to minimize the chances of underestimating exposure and/or risks of adverse effects to human health, and therefore potentially underestimating the need for remedial actions. In this BHHRA, conservative assumptions were incorporated into the identification of exposure scenarios, the selection of exposure assumptions, the development of EPCs, and the use of toxicity values. Only a portion of the uncertainties in this BHHRA are quantifiable. Further analysis of the data and review of pertinent published literature provided a possible range of values for some of the uncertainties presented in this section. The magnitudes of these ranges are provided in Attachment F6.

While it is not probable that the maximum values of the uncertainties apply for every tissue consumption exposure scenario and contaminant, this magnitude of uncertainty indicates that risks may actually be less than 1×10^{-4} or HI of 1 for certain scenarios.

While conservative, the results of the BHHRA are intended to show the relative risks associated with the exposure scenarios, and which contaminants are contributing the highest percentage of the calculated risks.

LWG
LOWER WILLAMETTE GROUP

7.0   SUMMARY

The overall objective of this BHHRA is intended to provide an analysis of baseline risks and help determine the need for action at the Site, and to provide risk managers with an understanding of the actual and potential risks to human health posed by the site, and any uncertainties associated with the assessment.

The populations evaluated in the BHHRA were identified based on human activities currently known to occur within the Study Area or that could occur in the future, as described in the Programmatic Work Plan or in subsequent direction from EPA. Populations and associated exposure scenarios that were quantitatively evaluated in this BHHRA include:

- Dockside Workers – Direct exposure to beach sediment

- In-water Workers – Direct exposure to in-water sediment

- Recreational Beach Users – Direct exposure to beach sediment and surface water

- Transients – Direct exposure to beach sediment, surface water, and groundwater seep

- Divers – Direct exposure to in-water sediment and surface water

- Recreational and Subsistence Fishers – Direct exposure to beach or in-water sediment, consumption fish and shellfish

- Tribal Fishers – Direct exposure to beach and in-water sediment, consumption of fish

- Potential Future Domestic Water Use – Direct exposure to surface water used as a domestic water source

- Infants - Indirect exposure to bioaccumulative contaminants (PCBs, dioxin/furans, DDx, and PBDEs) in environmental media via indirect exposures due to breastfeeding.

7.1   SUMMARY OF RISKS

A comparison of the estimated risks by exposure media can help focus risk management decisions by identifying the media contributing most to the overall human health risks at the Study Area. As discussed in Sections 5, the magnitude of risk varies greatly across the different scenarios. Figures 7-1 and 7-2 display the

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

ranges of total cumulative cancer risk and noncancer HIs, respectively, for each media type, based on RME exposure assumptions for each media evaluated in the BHHRA. The estimated risks associated with consumption of fish and shellfish are orders of magnitude higher than risks from other scenarios, and exceed a cumulative cancer risk of 1 x 10^{-4} and a HI of 1. Scenarios for which the cumulative estimated cancer risk is greater than 1 x 10^{-4} or the HI is greater than 1 are consumption of fish and shellfish, and direct contact with in-water sediment by tribal and high frequency fishers.

7.2   CONTAMINANTS POTENTIALLY POSING UNACCEPTABLE RISKS

One role of the BHHRA is to identify those contaminants that pose the greatest risks to current and future receptors, along with the media and exposures routes associated with those risks. This information is used to inform response actions. This section presents the primary contributors to human health risk at the Site. The exposure scenarios and chemicals discussed here represent a subset of the scenarios and contaminants evaluated in this BHHRA.

Contaminants were identified as potentially posing unacceptable risks if the estimated cancer risk is greater than 1 x 10^{-6} or the HQ is greater than 1 for any of the exposure scenarios evaluated in this BHHRA, regardless of the uncertainties associated with the estimates. Given the uncertainties in the analytical data discussed in Section 6, the preliminary list was further refined to select the final listing of contaminants potentially posing unacceptable risks for this BHHRA. This can assist with the development of the FS by focusing on those scenarios and contaminants associated with the greatest overall risk in the Study Area. While these scenarios and contaminants may be the focus of the remedial analyses, other exposure scenarios and contaminants potentially posing unacceptable risks may still be considered in remedial decisions for the Site.

α-, β-, and γ-Hexachlorocyclohexane and heptachlor were detected in fish tissue only as N-qualified data. Due to retention time issues in the analytical methods used for the Round 1 tissue samples, some of the pesticide tissue data were N-qualified, indicating that the identity of the chemical could not be confirmed. In the subsequent Rounds 2 and 3 sampling events, different analytical methods were used so that the identification of pesticides was not an issue in tissue. EPA guidance (1989) recommends caution in the use of data where there are uncertainties in the identification of contaminants. Therefore, if a chemical was identified as potentially posing unacceptable risks based only on the use of N-qualified data, that chemical is not recommended for further evaluation for potential risks to human health.

The contaminants potentially posing unacceptable risks to human health based on the results of this BHHRA that are recommended for further evaluation for potential risks to human health are presented in Table 7-1.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Additional considerations in the evaluation of contaminants potentially posing unacceptable risk included:

- The relative percentage of each contaminant's contribution to the total human health risk consistent with assumptions on exposure areas.
- Uncertainties associated with the exposure scenarios, such as the likelihood of future site use, number of assumptions made in estimating exposure, or level of uncertainty in estimates of exposure variables.
- Frequency of detection, both on a localized basis and Study Area-wide.
- Comparison of risks within the Study Area to risks based on measured regional contaminant concentrations for similar exposure scenarios, indicating background or other anthropogenic sources of chemicals in the region.
- Magnitude of risk greater than EPA's target range for managing cancer risk of 1×10^{-4} to 1×10^{-6} and noncancer hazard of 1.

7.2.1   Fish Consumption Scenarios

Twenty four contaminants (PCBs, dioxins, four metals, bis(2-ethylhexyl)phthalate (BEHP), PAHs, hexachlorobenzene, and five pesticides) are identified as potentially posing unacceptable risks associated with consumption of fish:

- PCBs (PCBs and PCB TEQs): Based on the magnitude of the estimated risks greater than 1×10^{-4}, the overall spatial scale, and the relative contribution to cumulative risk estimates.

- Dioxins/furans: Based on localized and Study Area-wide exposures, the magnitude of the risk estimates greater than 1×10^{-4}, the overall spatial scale, and the relative contribution to cumulative risk estimates.

- Metals: Antimony, arsenic, and mercury were associated with one or more fish consumption scenarios that resulted in a risk estimate that exceeded a cancer risk of 1×10^{-6} or HQ of 1.
  - The overall estimated risk estimates for arsenic are greater than 1×10^{-4} based on Study Area-wide exposures.
  - The HQ associated with antimony is greater than 1 based on tribal consumption.
  - Lead, based on a measured tissue concentration greater than the protective tissue concentrations derived using blood lead models. However, this is due to only a single result of smallmouth bass whole body sample collected at RM 10 with an anomalously high result, as discussed in Section 6.1.14
  - Mercury, based on an HQ greater than 1 for both localized and Study Area-wide exposures.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

- BEHP, based on a cancer risk estimate greater than 1×10^{-6} for tribal consumption of whole body tissue.

- PAHs: Benzo(a)anthracene, benzo(a)pyrene, dibenzo(a)anthracene, and total cPAHs, based on cancer risk estimates greater than 1×10^{-6}. Cancer risk estimates for total carcinogenic PAH are greater than 1×10^{-6} at five river mile segments and Study Area-wide.

- Organochlorine Pesticides: Dieldrin, total chlordane, total DDD, total DDE, and total DDT are identified based on estimated cancer risks greater than 1×10^{-6} or an HQ of 1.
    - Dieldrin, based on estimated cancer risks greater than 1×10^{-6} for consumption of fish on a localized and Study Area-wide basis.
    - Total chlordane, based on estimated cancer risks greater than 1×10^{-6} for consumption of fish on a Study Area-wide basis.
    - DDx compounds, based on estimated cancer risks greater than 1×10^{-6} for consumption of fish on a localized and Study Area-wide basis.

- PBDEs: based on an HQ greater than 1 for consumption of fish on a localized basis.

Considering the magnitude and relative contribution to the overall risk estimates, as well as their frequency of detection, PCBs and dioxins/furans are the most significant contributors to risk from fish consumption scenarios. Estimated risks from PCBs and dioxins/furans are greater than 1×10^{-4} or an HQ of 1 for both the CT and RME evaluations at both localized and Study Area-wide exposures. Figure 7-3 illustrates the relative contribution of individual contaminants to cumulative risk estimates based on the Study Area-wide multi-species fish consumption by subsistence fishers. PCBs are the most significant contributor to the overall risk estimate, and taken together with dioxins/furans, account for the majority of the estimated risk on a Study Area-wide basis. On a river mile basis, PCBs pose the highest risks at all locations except RM 7, where dioxins/furans pose the highest risks. Figure 7-4 shows the relative contributions to the overall risk estimate based on tribal fish consumption.

PCBs and dioxins/furans have been detected in fish tissue collected outside of the Study Area in both the Willamette and Columbia Rivers. In a risk assessment for the mid-Willamette (EVS 2000), PCB concentrations were found to result in a HQ greater than 1 assuming both a 142 g/day and a 17.5 g/day consumption rate, and an estimated cancer risk greater than 1×10^{-4} for the 142 g/day consumption rate. Dioxins and furans were also found to result in an estimated cancer risk greater than 1×10^{-4} using a 142 g/day consumption rate (non-cancer endpoints were not evaluated for dioxins and furans). In the Columbia River Basin Fish Contaminant Survey (EPA 2002c), the estimated cancer risks associated with PCBs and dioxins/furans were greater than 1×10^{-4} assuming a consumption rate

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

of 142 g/day, and the estimated risk due to PCBs was greater than 1×10^{-4} assuming a consumption rate of 7.5 g/day. While ambient concentrations have not been established for fish tissue, as discussed in Section 6.4.2, regional tissue concentrations may be associated with unacceptable risks from fish consumption, especially at higher consumption rates. While the concentrations in the Study Area are higher than the regional tissue concentrations, the sources of PCBs and dioxins and furans in regional tissue data are unknown, and efforts are underway to reduce regional tissue concentrations.

7.2.2   Shellfish Consumption Scenarios

Seventeen contaminants (PCBs, dioxins, arsenic, PAHs, pentachlorophenol, and five pesticides) were identified as potentially posing unacceptable risks due to consumption of shellfish, based on estimated cancer risks greater than 1×10^{-6} or a HQ of 1:

- PCBs (Total PCBs and PCB TEQs): Based on cancer risk estimates greater than 1×10^{-4} and/or HQs greater than 1 for shellfish consumption in localized and Study Area-wide exposures, the magnitude and spatial scale of the risk estimates greater than 1×10^{-4}, their relative contribution to cumulative risk estimates, and their frequency of detection.

- Dioxins/furans: Based on cancer risk estimates greater than 1×10^{-4} and/or HQs greater than 1 for shellfish consumption in localized and Study Area-wide exposures, the magnitude and spatial scale of the risk estimates greater than 1×10^{-4}, their relative contribution to cumulative risk estimates, and their frequency of detection.

- Arsenic: Based on cancer risk estimates that greater than 1×10^{-6} from clams and crayfish at both consumption rates and on a localized and Study Area-wide scale. No cancer risk estimates exceeded 1×10^{-4}. Though arsenic is identified as a contaminant potentially posing unacceptable risk on both a localized and Study Area-wide spatial scale, concentrations in shellfish tissue are due in part to the contribution of background concentrations.

- cPAHs: Based on cancer risk estimates greater than 1×10^{-6} from both clams and crayfish at both consumption rates and on a localized and Study Area-wide scale. Cancer risk estimates greater than 1×10^{-4} from clams collected at locations RM 5W and RM 6W and assuming a consumption rate of 18 g/day. cPAHs are considered a primary contributor to risk for the shellfish consumption pathway at those locations because of the magnitude of the risk estimates and their relative contribution to the cumulative risk.

- Pentachlorophenol: Pentachlorophenol was detected only in a single crayfish composite sample collected near RM 8. It was not detected in the remaining

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

40 shellfish samples. This single detection of pentachlorophenol resulted in a cancer risk estimate within the range of 1×10^{-6} to 1×10^{-4}.

- Organochlorine pesticides (Aldrin, dieldrin, DDx): Based on an estimated cancer risk greater than 1×10^{-6} or a HQ of 1.
    - Aldrin, based on an estimated cancer risk greater than 1×10^{-6} for consumption of clams at RM 8W and on a Study Area-wide basis, assuming a consumption rate of 18 g/day.
    - Dieldrin, based on an estimated cancer risk greater than 1×10^{-6} for consumption of clams near RM 8W and Study Area-wide, assuming a consumption rate of 18 g/day.
    - DDx, based on an estimated cancer risk greater than 1×10^{-6} for consumption of clams near RM 6W, RM 7W, RM 8W and Study Area-wide, assuming a consumption rate of 18 g/day.

Considering the magnitude and relative contribution to the total risk estimates and their frequency of detection, PCBs, dioxins/furans, and cPAHs are the most significant contributors to the risk estimates associated with consumption of shellfish. On a Study Area-wide basis, PCBs and dioxins/furans combined contribute approximately 52 percent and 92 percent, respectively, of the cumulative cancer risk from consumption of clams and crayfish, cPAHs contribute approximately 41 percent and 4 percent, respectively, of the cumulative cancer risk from consumption of clams (undepurated samples) and crayfish. PCBs pose the highest risks from consumption of clams at all locations except RM 4W, RM 5W, and RM 6W, where cPAHs pose the highest risks, and RM 4E and RM 7W, where dioxins/furans pose the highest risks.

7.2.3   In-Water Sediment Scenarios

PAHs (primarily benzo[a]pyrene), arsenic, PCBs, and dioxins are identified as contaminants potentially posing unacceptable risk for in-water sediment. PAHs and dioxins are identified for all of the in-water sediment scenarios, arsenic and PCBs were identified for the tribal fisher and high frequency fisher scenarios only. The relative contribution of each contaminant to cumulative cancer risk estimates varied by river mile. On a Study Area-wide basis, estimated risks from cPAHs and dioxins/furans each contributed approximately 50 percent of the cumulative cancer risk estimate. As previously discussed, cumulative cancer risks associated with arsenic are due in part to naturally occurring concentrations in sediment. Cumulative cancer risks from PCBs are greater than 1×10^{-6} at four one-half mile river segments, and from dioxins at two one-half mile segments. Cumulative cancer risks from cPAHs are greater than 1×10^{-6} for at 22 one-half mile river segments. Carcinogenic PAHs contribute significantly to risks associated with in-water sediment exposures at many locations throughout the Study Area. PCBs and dioxins/furans contribute significantly to the risk estimates at RM 2E, RM 3.5E, RM 6.5E, RM 8.5W, RM 9W, RM 11E, and Swan Island Lagoon (PCBs) and RM 7W (dioxins/furans).

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

7.2.4   Beach Sediment Scenarios

PAHs (primarily benzo[a]pyrene) and arsenic were identified as potentially posing unacceptable risk in beach sediment. Risks greater than 1×10^{-6} associated with exposure to arsenic in beach sediment are due in part to naturally occurring concentrations of arsenic. Risks greater than 1×10^{-6} associated with exposure to benzo(a)pyrene was limited to a few locations, with the maximum cumulative cancer risk at beach location 06B025.

7.2.5   Surface Water Scenarios

PAHs contribute significantly to estimated cancer risks that are greater than 1×10^{-4} assuming use of river water as a domestic water source and greater than 1×10^{-6} for divers at RM 6W. However, as noted in Section 5.2.8, the estimated risks associated with dermal exposure to PAHs in water should be used with caution, as PAHs are not within the Effective Prediction Domain of the model used to estimate the dermally-absorbed dose. Additional risk management considerations during remedy selection should consider the limited spatial scale and degree of uncertainty associated with the diver exposure assumptions. HIs greater than 1 at Multnomah Channel and RM 8.5 were due to MCPP and associated with use of river water as a potential drinking water source.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

8.0   REFERENCES

Adolfson Associates, Inc. (Adolfson). 1996. Technical Memorandum on the Results of the 1995 Fish Consumption and Recreational Use Surveys, Amendment Number 1. April 19, 1996.

ATSDR. 1996. Toxicological Profile for Endrin. Accessed online October 2008 at http://www.atsdr.cdc.gov/toxprofiles/tp89.html.

ATSDR. 2002. Public Health Assessment, Initial Release: Portland Harbor, Portland, Multnomah County, Oregon. January 15, 2002.

ATSDR. 2006. Final Release: Public Health Assessment, Portland Harbor, Portland, Multnomah County, Oregon, EPA Facility ID: OR0001297969. March 22, 2006.

ATSDR. 2008. Toxicological Profile for Chromium. Accessed online November 2008 at http://www.atsdr.cdc.gov/toxprofiles/tp7.html.

Burch, Dee (President of Advanced American). 2008. Personal communication, telephone call, with Don Larson, Business Development Coordinator, Kennedy/Jenks Consultants, Portland, OR. July 14, 2008.

Cal EPA. 2008. Toxicity Criteria Database, September 2008. Office of Environmental Health Hazard Assessment. Accessed October 2008 at http://www.oehha.org/risk/pdf/TCDBalpha100108.pdf.

Centers for Disease Control (CDC). 1991. Preventing lead poisoning in young children: a statement by the Centers for Disease Control. Atlanta, Georgia: US Department of Health and Human Services, Public Health Service.

City of Portland. 2006a. Comprehensive Plan Goals and Policies. City of Portland Bureau of Planning, Portland, OR. July 2006.

City of Portland. 2006b. River Concept. City of Portland Bureau of Planning, Portland, OR. April 26, 2006.

City of Portland. 2008. Water Management and Conservation Plan, Final Draft Report. Portland Water Bureau. Portland, OR, March 2008.

Columbia River Inter-Tribal Fish Commission (CRITFC). 1994. A Fish Consumption Survey of the Umatilla, Nez Perce, Yakama, and Warm Springs Tribes of the Columbia River Basin, Technical Report 94-3. Columbia River Inter-Tribal Fish Commission, Portland, OR. October 1994.

DEQ. 2000a. Guidance for Conduct of Deterministic Human Health Risk Assessments. Oregon Department of Environmental Quality. May 2000.

DEQ. 2000b. Portland Harbor RI/FS Work Plan, DRAFT. Oregon Department of Environmental Quality. 31 March 2000.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

DEQ. 2003. Risk-Based Decision Making for the Remediation of Petroleum-Contaminated Sites. Land Quality Division, Environmental Tanks and Cleanup Program. Portland, OR. September 22, 2003.

DEQ. 2007. Guidance for Assessing Bioaccumulative Chemicals of Concern in Sediment. DEQ Environmental Cleanup Program. Portland, OR. April 2007.

DEQ. 2010. Human Health Risk Assessment Guidance. DEQ Environmental Cleanup Program. Portland, OR. October 2010.

EPA. 1989. Risk Assessment Guidance for Superfund, Volume 1, Human Health Evaluation Manual (Part A), Interim Final. Office of Solid Waste and Emergency Response, EPA/540/1-89/002. December 1989.

EPA. 1991a. Role of the Baseline Risk Assessment in Superfund Remedy Selection Decisions. Office of Solid Waste and Emergency Response. OSWER Directive 9355.0-30. April 1991.

EPA. 1991b. Risk Assessment Guidance for Superfund, Volume I. Human Health Evaluation Manual, Supplemental Guidance, Standard Default Exposure Factors, Interim Final. Office of Emergency and Remedial Response: OSWER Directive: 9285.6-03.

EPA. 1992. Supplemental Guidance to RAGS: Calculating the Concentration Term. OSWER Publication 9285.7-081.

EPA. 1993. Provisional Guidance for Quantitative Risk Assessment of Polycyclic Aromatic Hydrocarbons. Office of Health and Environmental Assessment, EPA/600/R-93/089. July 1993.

EPA. 1994. Memorandum: OSWER Directive: Revised Interim Soil Lead Guidance For CERCLA Sites and RCRA Corrective Action Facilities. Office of Solid Waste and Emergency Response. Washington, D.C.

EPA. 1997a. *Exposure Factors Handbook*. Office of Research and Development, Volumes I-III, EPA/600/P-95/002Fa-c, Office of Research and Development, Washington, DC 20460.

EPA. 1997b. Should I Eat the Fish I Catch? A guide to healthy eating of the fish you catch. EPA 823-B-97-009. Office of Science and Technology. September 1997.

EPA. 1998. Memorandum: OSWER Directive: Clarification to the 1994 Revised Interim Soil Lead (Pb) Guidance for CERCLA Sites and RCRA Corrective Action Facilities (August 1998). Office of Solid Waste and Emergency Response. EPA/540/F-98/030.

EPA. 1999. A Guide to Preparing Superfund Proposed Plans, Records of Decision, and Other Remedy Selection Decision Documents. EPA Office of Solid Waste and Emergency Response. EPA 540-R-98-031. July 1999.

EPA. 2000a. EPA Region 10 Supplemental Human Health Risk Assessment Guidance, Office of Environmental Assessment, Soil Ingestion Rates. January 25, 2000.

EPA. 2000b. Estimated Per Capita Fish Consumption in the United States. EPA-821-R-00-025.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

EPA. 2000c. Guidance for Assessing Chemical Contaminant Data for Use in Fish Advisories, Volume 1, Fish Sampling and Analysis, Third Edition. Office of Water. EPA 823-B-00-007. November 2000.

EPA. 2000d. Methodology for Deriving Ambient Water Quality Criteria for the Protection of Human Health. EPA-822-B-00-004. October 2000.

EPA. 2000e. Data Quality Objectives Process for Hazardous Waste Site Investigations. EPA QA/G-4HW. Final. EPA Office of Environmental Information. EPA/600/R-00/007. January 2000.

EPA. 2001a. Risk Assessment Guidance for Superfund, Volume 1, Human Health Evaluation Manual (Part D, Standardized Planning, Reporting, and Review of Superfund Risk Assessments), Final. Office of Emergency and Remedial Response, Publication 9285.7-47. December 2001.

EPA. 2001b. Trichloroethylene Health Risk Assessment: Synthesis and Characterization, August 2001, EPA/600/P-01/0002A – External Review Draft.

EPA. 2001c. Risk Assessment Guidance for Superfund, Volume 3, Part A: Process for Conducting Probabilistic Risk Assessment. Office of Emergency and Remedial Response. EPA 540-R-02-002. December 2001.

EPA. 2001d. Dioxin Reassessment-An SAB Review of the Office of Research and Development's Reassessment of Dioxin. Review of the Revised Sections (Dose Response Modeling, Integrated Summary, Risk Characterization, and Toxicity Equivalency Factors) of the EPA's Reassessment of Dioxin by the Dioxin Reassessment Review Subcommittee of the EPA Science Advisory Board (SAB). EPA-SAB-EC-01-006. Science Advisory Board, Washington, DC. May 2001.

EPA. 2002a. Calculating Upper Confidence Limits for Exposure Point Concentrations at Hazardous Waste Sites. Office of Emergency and Remedial Response. OSWER 9285.6-10. December 2002.

EPA. 2002b. Estimated Per Capita Fish Consumption in the United States. EPA 821-C-02-003. August 2002.

EPA. 2002c. Columbia River Basin Fish Contaminant Survey, 1996-1998. EPA 910-R-02-006. August 12, 2002.

EPA. 2002d. Feasibility for Derivation of Provisional Toxicity Values for delta-Hexachlorocyclohexane (CASRN 319-86-8). SRC SF 01-019a-c/10-17-02.

EPA. 2002e. Blood Lead Concentrations of U.S. Adult Females: Summary Statistics from Phases 1 and 2 of the National Health and Nutrition Evaluation Survey (NHANES III). EPA OSWER #9285.7-52 March 2002.

EPA. 2003a. National Primary Drinking Water Standards. Office of Water (4606M). Maximum Contaminant Levels. EPA 816-F-03-016. June 2003.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

EPA. 2003b. OSWER Directive 9285.7-53. Human Health Toxicity Values in Superfund Risk Assessments. December 5, 2003.

EPA. 2003c. Recommendations of the Technical Review Workgroup for Lead for an Approach to Assessing Risks Associated with Adult Exposures to Lead in Soil. EPA-540-R-03-001. January 2003.

EPA. 2004. Risk Assessment Guidance for Superfund, Volume 1, Human Health Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment), Final. Office of Emergency and Remedial Response. EPA/540/R/99/005. July 2004.

EPA, 2005a. Guidelines for Carcinogen Risk Assessment. Risk Assessment Forum. Washington, D.C. EPA/630/P-03/001F. March 2005.

EPA. 2005b. Supplemental Guidance for Assessing Susceptibility from Early-Life Exposure to Carcinogens. Risk Assessment Forum. Washington, D.C. EPA/630/R-03/003F. March 2005.

EPA, 2005c. Application of the draft framework for selecting and using tribal fish and shellfish consumption rates for risk-based decision making at CERCLA and RCRA cleanup sites in Puget Sound and the Strait of Georgia to the Lower Duwamish Waterway sediment cleanup action - June 16, 2005. US Environmental Protection Agency, Region 10, Seattle, WA.

EPA, Region 10. 2007a. Internal Memorandum from Michael Cox regarding Recommendations for Human Health Risk-based Chemical Screening and Related Issues at EPA Region 10 CERCLA and RCRA Sites. April 17, 2007.

EPA. 2007b. ProUCL Version 4.00.02 User Guide. EPA/600/R-07/038. April 2007.

EPA 2007c. Guidance for Evaluating the Oral Bioavailability of Metals in Soil for Use in Human Health Risk Assessment. OSWER 9285.7-80. May 2007.

EPA. 2007d. User's Guide for the Integrated Exposure Uptake Biokinetic Model for Lead in Children (IEUBK), Windows version 1.1. EPA 9285.7-42. May 2007.

EPA, 2008a. Interim Recommended Trichloroethylene (TCE) Toxicity Values to Assess Human Health Risk and Recommendations for the Vapor Intrusion Pathway Analysis. Memo from Joyce Kelly, Director, Office of Environmental Assessment, Region 10. October 2008.

EPA 2008b. Region 10 Memorandum regarding Portland Harbor Superfund Site; Administrative Order on Consent for Remedial Investigation and Feasibility Study; Docket No. CERCLA-10-2001-0240. Comprehensive Round 2 Site Characterization and Data Gaps Analysis Report. Dated January 15, 2008.

EPA. 2008c. Region 6 Human Health Medium-Specific Screening Levels. http://www.epa.gov/region6/6pd/rcra_c/pd-n/screen.htm. Screening Levels last updated on March 8, 2008.

EPA. 2008c. Region 10 Memorandum regarding Proposed Commercial Diver Exposure Scenario for the Portland Harbor Risk Assessment. September 15, 2008.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

EPA 2009a. Toxicological Review of Thallium and Compounds (CAS No. 7440-28-0) In Support of Summary Information on the Integrated Risk Information System (IRIS). EPA/635/R-08/001F.

EPA 2010a. Regional Screening Levels for Chemical Contaminants at Superfund Sites. Dated May 2010. http://www.epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm. Screening Levels last updated on April 19, 2009.

EPA. 2010b. Integrated Risk Information System (IRIS). Accessed November 2010 at http://www.epa.gov/iris/.

EPA. 2011. *Exposure Factors Handbook: 2011 Edition*. National Center for Environmental Assessment, Office of Research and Development, EPA/600/R-09/052F.

EVS Environment Consultants, Inc. (EVS). 2000. Human health risk assessment of chemical contaminants in four fish species from the Middle Willamette River, November 21, 2000. Salem, OR: Oregon Department of Environmental Quality. (Willamette River Basin Studies: Human Health Technical Study; EVS Project No. 2/839-01).

Friberg, L., Nordberg, G.F., Kessler, E. and Vouk, V.B. (eds). Handbook of the Toxicology of Metals. 2nd ed. Vols I, II.: Amsterdam: Elsevier Science Publishers B.V., 1986.

Grooms, M. 2008. Personal communication (email of February 12, 2008 to T. Pinit, Kennedy/Jenks Consultants, Portland, OR, regarding crayfish catch reports). Oregon Department of Fish and Wildlife, Portland, OR.

Groundwater Solutions, Inc. (GSI) 2003. Technical Memorandum: Results of Seep Reconnaissance Survey River Mile 2 – 10.5, Lower Willamette River. USEPA Docket No: CERCLA-10-2001-0240.

Hartman, Bud (President of Pan Fish Association, Portland, OR). 2002. Personal communications, telephone call with Bill Williams, Senior Scientist, Kennedy/Jenks Consultants, Portland, OR. March 19, 2002.

Hope, B. 2008. A Model for the Presence of Polychlorinated Biphenyls (PCBs) in the Willamette River Basin (Oregon). Environ. Sci. Technol. 2008, 42, 5998-6006.

Hutton, Jesse (President of Northwest Underwater Construction, LLC). 2008. Personal communication, telephone call with Taku Fuji, Senior Scientist, and Levi Fernandes, Engineer, Kennedy/Jenks Consultants, Portland, OR. July 11, 2008.

Integral Consulting, Inc. 2004. Round 2 Quality Assurance Project Plan Addendum 1: Surface Water. Prepared for The Lower Willamette Group. Portland, OR.

Integral Consulting, Inc., Kennedy/Jenks Consultants. 2004. Round 2 Quality Assurance Project Plan Addendum 3: Groundwater Pathway Assessment Pilot Study. Prepared for The Lower Willamette Group. Portland, OR.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Integral Consulting, Inc., Windward Environmental, LLC. 2004. Round 2 Quality Assurance Project Plan. Prepared for The Lower Willamette Group. Portland, OR.

Integral Consulting, Inc., Windward Environmental, LLC, Kennedy/Jenks Consultants, Anchor Environmental, LLC, Groundwater Solutions, Inc. 2004. Portland Harbor RI/FS Programmatic Work Plan. Prepared for The Lower Willamette Group. Portland, OR.

Integral Consulting, Inc. 2007. Round 2 Quality Assurance Project Plan Addendum 9: Fish and Invertebrate Tissue and Collocated Sediment Sampling for Round 3B. Prepared for The Lower Willamette Group. Integral Consulting, Inc., Portland, OR.

Integral Consulting, Inc., Windward Environmental, LLC, Kennedy/Jenks Consultants, Anchor Environmental, LLC. 2007. Portland Harbor RI/FS Comprehensive Round 2 Site Characterization Summary and Data Gaps Analysis Report. Prepared for The Lower Willamette Group. Portland, OR. February 22, 2007.

Integral Consulting, Inc., 2008. Round 3B Fish and Invertebrate Tissue And Collocated Sediment Data Report Addendum 1: Lead and Antimony Results For Smallmouth Bass Sample LW3-SB010E-C00B. Prepared for the Lower Willamette Group. Portland, OR. September 26, 2008.

Johns, Mike (Vice President of Operations for Advanced American Construction). 2008. Personal communication, telephone call, with Don Larson, Business Development Coordinator, Kennedy/Jenks Consultants, Portland, OR. July 16, 2008.

Kennedy/Jenks Consultants, Integral Consulting, Inc., Windward Environmental, LLC. 2004. Portland Harbor RI/FS Technical Memorandum Guidelines for Data Reporting, Data Averaging, and Treatment of Non-detected Values for the Round I Database. Prepared for The Lower Willamette Group. Kennedy/Jenks Consultants, Portland, OR; Integral Consulting, Inc., Mercer Island, WA; Windward Environmental, LLC, Seattle, WA.

Kennedy/Jenks Consultants. 2004a. Human Health Toxicity Values. Interim Deliverable. Prepared for The Lower Willamette Group. Kennedy/Jenks Consultants, Portland, OR.

Kennedy/Jenks Consultants. 2004b. Round I Tissue Exposure Point Concentrations. Interim Deliverable. Prepared for The Lower Willamette Group. Kennedy/Jenks Consultants, Portland, OR.

Kennedy/Jenks Consultants. 2004c. Salmon, Lamprey, and Sturgeon Tissue Exposure Point Concentrations for Oregon Department of Human Services. Prepared for The Lower Willamette Group. Kennedy/Jenks Consultants, Portland, OR.

Kennedy/Jenks Consultants. 2006. Portland Harbor RI/FS Technical Memorandum Human Health Risk Assessment: Exposure Point Concentration Calculation Approach and Summary of Exposure Factors. Prepared for The Lower Willamette Group. Kennedy/Jenks Consultants, Portland, OR.

National Academy of Sciences (NAS). 2003. Bioavailability of Contaminants in Soils and Sediments: Processes, Tools, and Applications. National Academies Press. Washington D.C.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

National Academy of Sciences (NAS). 2006. Health Risks from Dioxin and Related Compounds, Evaluation of the EPA Reassessment. National Academies Press. Washington D.C.

National Library of Medicine (NLM). 2004. Hazardous Substances Data Bank (HSDB).

Oregon Department of Human Services (ODHS). 2007. Environmental Toxicology Program. Fish Advisories: Consumption Guidelines. Accessed January, 2007. http://oregon.gov/DHS/ph/envtox/fishconsumption.shtml#table

Oregon Fish and Wildlife Department (ODFW). 2005. Biology, Behavior, and Resources of Resident and Anadromous Fish in the Lower Willamette River. Final Report of Research, 2000-2004 . Thomas A. Friesen, editor. March 2005.

Pu X; Carlson G; Lee L. 2003. Oral bioavailability of pentachlorophenol from soils of varying characteristics using a rat model. Journal of Toxicology and Environmental Health, Part A. 2003, Nov 14; 1966(21):2001-13.

Ruby, MV; R Schoof; W Brattin; M Goldade; G Post; M Harnois; DE Mosby; SW Casteel; W Berti; M Carpenter; D Edwards; D Cragin; W Chappell. 1999. Advances in evaluating the oral bioavailability of inorganics in soil for use in human health risk assessment. Environmental Science and Technology; 33 (21). 1999. 3697-3705.

Saghir SA; Bartels MJ; Budinsky RA; Harris EE; Clark AJ; Staley JL; Chai Y; Davis JW. 2007. Effect of organic carbon content, clay type, and aging on the oral bioavailability of hexachlorobenzene in rats. Environmental Toxicology and Chemistry. 2007, Nov; 26(11):2420-9.

Sheldrake S., D. Davoli, M. Poulsen, P. B. Duncan, E. R. Pedersen, 2009, Diver Exposure Scenario for the Portland Harbor Risk Assessment. Proceeding of the American Academy of Underwater Sciences 28th Symposium. pp. 7-13.

Siipola, M. Personal communication (telephone conversation on November 9, 2004 with Laura Kennedy, Kennedy/Jenks Consultants). U.S. Army Corps of Engineers, Portland, OR.

Steele, Ralph (Owner of Lure-em Tackle Shop, Portland, OR). 2002. Personal communication, telephone call with Bill Williams, Senior Scientist, Kennedy/Jenks Consultants, Portland, OR. April 8, 2002.

Striplin Environmental Associates, Inc. 2002. Round 1 Quality Assurance Project Plan Final Report. Prepared for The Lower Willamette Group. Striplin Environmental Associates, Inc., Olympia, WA.

Tetra Tech. 1995. Willamette River Basin Water Quality Study. Summary and Synthesis of Study Findings. Final Report 97-094. Prepared for Oregon Department of Environmental Quality, Portland, OR. Tetra Tech, Inc., Redmond, WA. 119 pp.

United States Department of Agriculture (USDA). 1998. Continuing Survey of Food Intake by Individuals, CSFII 1994-1996. Agricultural Research Service.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Van den Berg, M., et al. 2006. The 2005 World Health Organization Re-evaluation of Human and Mammalian Toxic Equivalency Factors for Dioxins and Dioxin-like Compounds. Toxicol Sci. 2006 Jul 7, 16829543. World Health Organization Collaborating Centre for Research on Environmental Health Risk Assessment and Institute for Risk Assessment Sciences, Faculties of Veterinary Medicine, Science and University Medical Center, Universiteit Utrecht, PO Box 80177, 3508 TD Utrecht, The Netherlands.

Wagner, P. 2004. Personal Communication: letter dated June 6, 2004 to Amanda Guay, Oregon Department of Human Services. Linnton Community Center.

Wallner-Kersanach, S. E. Lobo, E. M. da Silva. 1994. Depuration Effects on Trace Metals in *Anomalocardia brasiliana* (Gmelin, 1791). Bull. Environ. Contam. Toxicol. (1994) 52:840-847.

Washington Department of Ecology (Ecology). 2007. Washington State Toxics Monitoring Program: Contaminants in Fish Tissue from Freshwater Environments in 2004 and 2005. Publication No. 07-03-024. June 2007.

Washington Department of Health (WDOH). 2005. Analysis of Chemical Contaminant Levels in Store-Bought Fish from Washington State. *Proceedings of the 2005 National Forum on Contaminants in Fish*. Baltimore, MD. Powerpoint presentation accessed online at http://www.epa.gov/fishadvisories/forum/2005/index.htm.

Wilson et al. 1998. The effect of cooking practices on the concentration of DDT and PCB compounds in the edible tissue of fish. J. Expo. Anal. Environ. Epidemiol. Jul-Sep;8(3):423-40.

Windward. 2005. Lower Duwamish Waterway Remedial Investigation, Fish and Crab Data Report Addendum: PCB Congener Data, MS/MSD Analyses, and DDT Confirmation Final. Prepared for Lower Duwamish Waterway Group, Windward Environmental LLC, Seattle, WA. October 2005.

Windward. 2009. Portland Harbor RI/FS bioaccumulation modeling report. Draft. WW09-0003. Prepared for Lower Willamette Group. May 29, 2009. Windward Environmental LLC, Seattle, WA.

PORTLAND HARBOR RI/FS

FINAL REMEDIAL INVESTIGATION REPORT

APPENDIX F

BASELINE HUMAN HEALTH RISK ASSESSMENT

ATTACHMENT F1: DECISIONS INVOLVING THE EPA REGARDING THE BHHRA METHODS

March 28, 2013

Produced for
The Lower Willamette Group and
United States Environmental Protection Agency

Produced by
Kennedy/Jenks Consultants

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Attachment F1. Decisions Involving the EPA Regarding the BHHRA Methods

Issue	EPA Directive?	Decision	Date/Documentation Source
Data Use Rules			
Dataset	--	Only Category 1 QA2 data will be used in the BHHRA	Post SCRA Data Treatment Summary for the RI and BLRAs (submitted to EPA on May 28, 2008)
Duplicates (Field Splits)	--	Field splits will be averaged according to the following rules: If all results are detected, average detects If all results are not detected, report the minimum detection limit and flag result as not detected If results are a mix of detect and not detected, report the detected value	Guidelines for Data Averaging and Treatment of Nondetected Values for the Round 1 Database (June 10, 2004) and Proposed Data Use Rules and Data Integration for BHHRA (submitted to EPA on May 28, 2008)
Replicates - Data analysis and reporting	--	When calculating a mean or an upper confidence limit (UCL) and when reporting data in general, replicates will be included in the dataset as discrete samples.	Proposed Data Use Rules and Data Integration for BHHRA (submitted to EPA on May 28, 2008)
Replicates - Spatial analysis	--	When generating Thiessen polygons (or any other task which spatially weights data), replicates with unique coordinates will be included as separate samples. Data associated with the first sample will be used for replicates that have the same coordinates (the second or third replicate is excluded).	Proposed Data Use Rules and Data Integration for BHHRA (submitted to EPA on May 28, 2008)
Determining the presence of an analyte for inclusion in the BHHRA and for the purpose of calculating group sums	--	For all media, if an analyte is detected at least once in the study area for a given medium, it will be considered present in that medium (for biota, presence/absence will be assessed separately for each individual species and tissue type).	Proposed Data Use Rules and Data Integration for BHHRA (submitted to EPA on May 28, 2008)
Summing of analytes for chemical groups	--	If at least one group component for a given sample is detected, the following will be used for the sums: If an analyte is detected, the detected value will be used in the sum If an analyte is not detected, but determined to be present, ½ the detection limit will be used in the sum If an analyte is not detected and determined not to be present, 0 will be used in the sum If all the analytes for a group are non-detect, the maximum detection limit (or maximum toxicity-weight detection limit for TEQs) will be used and reported as not detected.	Proposed Data Use Rules and Data Integration for BHHRA (submitted to EPA on May 28, 2008)
Handling of surface water collected by different methods	--	XAD-column and XAD-filter results will be combined as follows: If both are detects, sum If one is detect and one is not detected, use detect value If both are not detected, use the maximum non-detect result XAD and peristaltic samples will be treated as separate samples.	Proposed Data Use Rules and Data Integration for BHHRA (submitted to EPA on May 28, 2008)
Minimum number of samples to calculate a 95% UCL with ProUCL Statistical Package	--	If less than 5 detected values, maximum detect will be used instead of 95% UCL for EPC. If between 6 and 10, 95% UCL will be used and discussed in uncertainty section. If more than 10, 95% UCL will be used.	Proposed Data Use Rules and Data Integration for BHHRA (submitted to EPA on May 28, 2008)
Data Assessment and COPC Screening			
PBDEs	Yes	Polybrominated diphenyl ethers (PBDEs) will be assessed quantitatively in the BHHRA consistent with the approach used for other chemicals. The assessment must include the breastmilk exposure pathway. The assessment of PBDEs could occur as an attachment.	EPA's response to non-directed RI/RA comment resolution dated December 8, 2010
Use of the upstream tissue data collected by the LWG during Round 1	Yes	Upstream fish tissue data should not be used in background assessments or risk assessment but could be presented in the RI Report for "informational purposes".	RI/RA Issue Resolution Table dated April 30, 2008

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Attachment F1. Decisions Involving the EPA Regarding the BHHRA Methods

Issue	EPA Directive?	Decision	Date/Documentation Source
Use of deep TZW results	Yes	LWG would screen deep TZW results in the RI to assess potential TZW loading impacts to surface water and surface sediment but would not include deep TZW results in development of EPCs for the baseline risk assessments.	Agreement between LWG and EPA on May 14, 2008, as documented in the Tech Issue Status Table
Evaluation of data collected outside of study area (i.e., from RM 1 to RM 2, Multnomah Channel, and from RM 11.8 to 12.2)	--	Site-wide risk scenarios would be developed for the Study Area from RM 2 to RM 11.8 and that separate EPCs and baseline risk evaluations would be prepared for the areas between RM1 and RM2, upper Multnomah Channel, and RM 11.8 to RM 12.2.	Agreement between LWG and EPA on June 11, 2008, as documented in the Tech Issue Status Table
Selection of COPCs - All media. Use of background.	--	Any chemical that exceeds that screening level for a given media must be carried through the quantitative risk assessment consistent with Superfund guidance on background.	EPA Comments on the Round 1 Work Plan (August 15, 2002)
Selection of COPCs - All media. Use of frequency of detection.	--	Because the site is hetergeneous in nature and the location of potential sources may result in relatively isolated "hot spots" of certain chemicals, frequency of detection should not be used in selecting COPCs.	EPA Comments on the Round 1 Work Plan (August 15, 2002) and Programmatic Work Plan, Appendix C (April 23, 2004)
Selection of COPCs - Sediment and water. Risk-based screening levels.	--	EPA's regional screening levels would be used as the risk-based screening levels for selection of COPCs in sediment and water.	Email communication from Dana Davoli on August 13, 2008
Selection of COPCs - Tissue. Risk-based screening levels.	--	Because there are no existing screening levels for tissue consumption that are accepted by Region 10, all analytes detected in tissue (per species and tissue type) within the study area were carried forward as COPCs.	Programmatic Work Plan, Appendix C (April 23, 2004)
Exposure Assessment			
Terminology - tribal fishers	--	EPA obtained the Tribes' input on the name to use for the Native American fishers, and requested "Tribal".	Email communication from Dana Davoli on August 21, 2008
Terminology - fishers that are not specifically Native American - terminology	Yes	The non-Native American fishers are described as Subsistence and Recreational fishers.	Formal Dispute on the EPA Notice of Non-Compliance and Directed Revisions to the Portland Harbor Draft Final Baseline Human Health Risk Assessment - Final Resolution (December 6, 2012)
Selection of resident fish species for evaluation in the BHHRA	--	Target resident fish species were selected based on common human consumption, limited home range, potential for bioaccumulation, different feeding guilds, and relatively abundant species. The selected target species are black crappie, brown bullhead, common carp, and smallmouth bass.	Programmatic Work Plan, Appendix C (April 23, 2004)
Exposure Pathways - Evaluation of surface water as a drinking water source	Yes	Risks from drinking surface water would be evaluated in the BHHRA. Only the vertically integrated and transect samples would be included in the dataset for this evaluation. Maximum detected concentrations would be screened against MCLs and Region 6 screening levels. For chemicals that screen in, EPCs would be calculated for individual transects and individual vertically integrated sample locations. Temporal averages would be included in the EPCs. Site-wide EPCs would also be calculated. Total metals concentration data would be used. XAD column and filter data would be summed. RME and CT EPCs would be calculated using the same approach as for biota (e.g., 5 or more detected samples are needed to calculate a 95% UCL). EPA and LWG BHHRA leads subsequently agreed to use the EPA Regional Screening Levels, which replaced the Region 6 screening levels. Per EPA's Directed Comments on the draft BHHRA, the averaged concentrations of near-bottom and near-surface surface water data where both samples were collected will also be included in the drinking water dataset.	RI/RA Issue Resolution Table dated April 30, 2008

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Attachment F1. Decisions Involving the EPA Regarding the BHHRA Methods

Issue	EPA Directive?	Decision	Date/Documentation Source
Exposure Pathways - Shellfish consumption		EPA concluded that crayfish consumption must be included along with fish consumption in the BHHRA.	EPA's Response to LWG's "Portland Harbor Human Health Issues: Status Update" (March 14, 2003)
Exposure Pathways - Clam consumption	Yes	EPA required that clam consumption be included as part of the shellfish consumption evaluated in the BHHRA. EPA and the LWG agreed to include the clam consumption scenario in the HHRA using 1-mile segments for calculating EPCs.	EPA's Identification of Round 3 Data Gaps dated December 2, 2005 and RI/RA Issue Resolution Table dated April 30, 2008
Exposure Pathways - Evaluation of subsurface sediment in BHHRA		EPA and LWG agreed that subsurface sediment would not be evaluated in the BHHRA due to the short term nature of erosion events.	RI/RA Issue Resolution Table dated April 30, 2008
Exposure Pathways - Breast milk scenario		EPA required that the evaluation of human milk by infants be included for all receptors where PCBs, DDx, and/or dioxins are COPCs.	General Responses to EPA's Non-Directive Comment Key Issues on the Baseline Human Health Risk Assessment dated November 18, 2010
Exposure Pathways - Combined Adult and Child Scenario		EPA required that adult and child scenarios be combined. The adult and child scenarios can be presented separately, and an additional scenario for combined adult/child exposures would be included as a separate table.	General Responses to EPA's Non-Directive Comment Key Issues on the Baseline Human Health Risk Assessment dated November 18, 2010
Exposure Pathways and Parameters - Diver scenarios	Yes	EPA directed that the commercial diver scenario be evaluated in the BHHRA. The exposure parameters used in the BHHRA for the diver scenario were provided by EPA.	Letter from EPA (September 15, 2008)
Exposure Areas - Sediment, non-divers	--	The in-water sediment EPCs would be calculated on a ½ -river mile basis for each side of the river.	EPA's Comments (February 24, 2005) and the final Exposure Point Concentration Calculation Approach and Summary of Exposure Factors Technical Memorandum (April 21, 2006)
Exposure Areas - Sediment, divers	--	The in-water sediment EPCs used for fishers would also be used for the diver scenario.	Agreement between LWG, DEQ and EPA on June 2, 2008, as documented in the Meeting Summary Memo dated June 9, 2008
Exposure areas - Clam consumption, adult fishers	--	EPCs for the clam consumption scenario would be calculated on a river mile basis. River mile designations would be used to delineate clam exposure areas. The river mile designation for specific clam sample locations was agreed upon between LWG, DEQ, and EPA.	RI/RA Issue Resolution Table dated April 30, 2008. Agreement between LWG, DEQ and EPA on June 2, 2008, as documented in the Meeting Summary Memo dated June 9, 2008
Exposure Areas - Smallmouth bass	--	EPCs will be calculated for smallmouth bass by river mile. EPA and LWG agreed that the LWG would calculate bass EPCs using 1-mile segments combining both sides of the river.	EPA's Comments on the Draft Programmatic Work Plan (February 11, 2004). Agreement between LWG, DEQ and EPA on May 14, 2008, as documented in the Tech Issue Status Table
EPCs - Smallmouth bass	--	In calculating the EPCs, 95% UCLs will be calculated for datasets with 5 or more samples using the latest version of ProUCL. Non-detects (NDs) will be incorporated per the latest ProUCL guidance (i.e., using the full detection limit with a non-detect flag). The 95% UCL will be used as the RME EPC. EPCs that are calculated using fewer than 10 samples will be identified and discussed in the uncertainty section. Where fewer than 5 samples are available or if ProUCL is unable to calculate a 95% UCL, the maximum concentration for the dataset will be used as the RME EPC. The arithmetic average, regardless of dataset size, will be used as the CT EPC.	EPA's Comments on the Draft Programmatic Work Plan (February 11, 2004). Agreement between LWG, DEQ and EPA on May 14, 2008, as documented in the Tech Issue Status Table

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Attachment F1. Decisions Involving the EPA Regarding the BHHRA Methods

Issue	EPA Directive?	Decision	Date/Documentation Source
EPCs - Tissue: lack of adjustments for cooking/preparation methods	--	Impacts from preparation and cooking should not be included in the risk characterization of the baseline risk assessment. However, a discussion of preparation and cooking could be included in the uncertainty section.	EPA's Response to LWG's "Portland Harbor Human Health Issues: Status Update" (March 14, 2003)
EPCs - Surface Water, divers	Yes	EPA directed the LWG to calculate surface water EPCs for divers on a 1/2 river mile basis for single point stations, and on a transect-by-transect basis for transect samples. Near bottom/near surface or East/Middle/West samples from Round 3 transects would be averaged to calculate an integrated result for each sampling location per sampling event. The averaged samples from Round 3 would then be combined to be consistent with Round 2 data, as described in Attachment F2 of the BHHRA.	Letter from EPA (September 15, 2008)
EPCs - Surface water, recreational beach users	--	The BHHRA recreational surface water EPCs would not change from the Round 2 Report BHHRA EPCs.	Agreement between LWG, DEQ and EPA on June 2, 2008, as documented in the Meeting Summary Memo dated June 9, 2008
EPCs - Surface water, transients	--	Near bottom/near surface or East/Middle/West samples from Round 3 transects would be averaged to calculate an integrated result for each sampling location per sampling event. The averaged samples from Round 3 would then be combined to be consistent with Round 2 data, as described in Attachment F2 of the BHHRA.	Agreement between LWG, DEQ and EPA on June 2, 2008, as documented in the Meeting Summary Memo dated June 9, 2008
EPCs - Shellfish (crayfish)	Yes	EPCs for crayfish would be calculated for each individual sample site as well as for the entire Site	EPA's Comments on the Draft Programmatic Work Plan (February 11, 2004)
Exposure Assumptions - Fish consumption. No site-specific data.	--	EPA will not accept data from fish consumption studies or surveys for use in the risk assessment nor for comparison with existing studies.	EPA's Comments on the Draft Programmatic Work Plan (July 25, 2003)
Exposure Assumptions - Fish consumption. Subsistence and Recreational fish consumption	Yes	EPA provided the exposure assumptions used to evaluate the Subsistence and Recreational fish consumption scenarios.	Formal Dispute on the EPA Notice of Non-Compliance and Directed Revisions to the Portland Harbor Draft Final Baseline Human Health Risk Assessment - Final Resolution (December 6, 2012)
Exposure Assumptions - Fish consumption. Tribal fish consumption.	Yes	A multiple species diet consisting of resident fish species as well as salmon, sturgeon, and lamprey would be evaluated in the BHHRA for tribal fish consumers.	EPA's Comments on the Draft Programmatic Work Plan (February 11, 2004)
Exposure Assumptions - Dockside worker, recreational beach user, transient, and fisher (beach sediment)	--	Exposure parameters for the dockside worker, recreational beach user, and transient and for the fishers for exposure to beach sediment were selected by EPA's risk assessors and EPA's partners.	EPA's Comments on the Draft Programmatic Work Plan (July 25, 2003)
Exposure Assumptions - All scenarios except divers and fish consumers.	--	Exposure parameters for receptors assessed in the Round 2 Report, other than non-tribal fish consumers, were agreed upon by the LWG and EPA prior to the Round 2 Report.	Programmatic Work Plan, Appendix C (April 23, 2004) and the Exposure Point Concentration Calculation Approach and Summary of Exposure Factors Technical Memorandum (April 21, 2006)

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Attachment F1. Decisions Involving the EPA Regarding the BHHRA Methods

Issue	EPA Directive?	Decision	Date/Documentation Source
Exposure Assumptions - Inorganic arsenic in fish tissue	--	Due to a limited database for the Willamette, a minimum of 10% inorganic arsenic should be assumed for resident fish species. EPA agreed to use an assumption of 10% inorganic arsenic for clam tissue if the effect of assuming a higher percentage was evaluated in the uncertainty section.	EPA Comments on the Round 1 Work Plan (August 15, 2002) and email communication from Eric Blischke on September 26, 2007
Exposure Assumptions - PCB concentrations		Total PCBs will be calculated as the sum of Aroclors and the sum of congeners. Noncarcinogenic risks will be estimated using total PCBs. The concentration of dioxin-like congeners will be subtracted from the total PCB concentration, and the adjusted total PCB concentration will be used for carcinogenic risk evaluations.	Programmatic Work Plan, Appendix C (April 23, 2004)
Toxicity Assessment			
Toxic Equivalency Factors (TEFs)	--	The World Health Organization (WHO) 2005 TEFs will be used in assessing the toxicity of dioxin, furan, and dioxin-like PCB congeners.	Proposed Data Use Rules and Data Integration for BHHRA (submitted to the EPA on May 28, 2008)
Use of Region 6 toxicity values for TCE	--	The Region 6 screening levels use the EPA 2001 toxicity values for TCE, including a cancer slope factor of 0.4 (mg/kg-day)-1 in inhalation and ingestion. This toxicity value is recommended by Region 10 for use in the BHHRA.	Email communication from Dana Davoli on June 23, 2008 (included Region 10 Human Health Screening Memo, 2007)
Risk Characterization			
RME risk for diver in dry suit	Yes	The diver in dry suit scenario would be assessed for RME exposure only. The diver in wet suit scenario would be assessed for both RME and CT exposures.	Letter from EPA (September 15, 2008)
Assessment of risks from ingestion of tissue containing lead	--	A probability function for the fetal blood lead level from the Adult Lead Model should be used to calculate the probabilities of fetal blood lead levels associated with ingestion of biota tissue containing lead.	EPA Comments on the Round 2 Report (January 15, 2008)
Additional Evaluation of Surface Water and Transition Zone Water			
Additional Evaluation of Surface Water and Transition Zone Water		EPA and the LWG agreed to move the additional evaluation of surface water and transition zone water data relative to screening criteria to the RI Report	General Responses to EPA's Non-Directive Comment Key Issues on the Baseline Human Health Risk Assessment dated November 18, 2010
Uncertainty Assessment			
Probabilistic risk assessment	--	EPA would not accept a probability assessment unless the methodologies to be used, parameters to be distributed, and sources of the distributions were provided in the Work Plan.	EPA Comments on the Programmatic Work Plan (July 25, 2003)
Smallmouth bass exposure areas	--	EPA and the LWG agreed that a discussion of variations in bass tissue concentrations on opposite sides of the river within a given segment would be included in the uncertainty section of the BHHRA.	Agreement between LWG, DEQ and EPA on May 14, 2008, as documented in the Tech Issue Status Table

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Attachment F1. Decisions Involving the EPA Regarding the BHHRA Methods

Issue	EPA Directive?	Decision	Date/Documentation Source
Discussion of assumptions and uncertainties	--	Statements about the conservative nature of the risk assessment should be removed from the text. Uncertainties should be discussed in the uncertainty section.	EPA Comments on the Round 2 Report (January 15, 2008)
Presentation of uncertainty analyses	--	Uncertainty and assumptions used would be discussed in a factual manner throughout the BHHRA consistent with EPA RAGS A guidance. The report would be organized to address uncertainties at the end of a report section rather than in an uncertainty section at the end of the report. For example, the uncertainty in the effects assessment would be presented at the end of effects assessment section. Judgmental and qualifying language would not be used in the uncertainty discussions.	RI/RA Issue Resolution Table dated April 30, 2008

Abbreviations:

95% UCL	95% Upper Confidence Limit on the Mean
BHHRA	Baseline Human Health Risk Assessment
BLRA	Baseline Risk Assessments
COC	Contaminant of Concern
COPC	Contaminant of Potential Concern
CT	Central Tendency
DEQ	Oregon Department of Environmental Quality
EPA	United States Environmental Protection Agency
EPC Tech Memo	*Portland Harbor RI/FS Technical Memorandum For Human Health Risk Assessment: Exposure Point Concentration Calculation Approach and Summary of*
EPCs	Exposure Point Concentration
LWG	Lower Willamette Group
MCLs	Maximum Contaminant Level
PBDE	Polybrominated Diphenyl Ethers
Programmatic Work Plan, Appendix C	*Portland Harbor RI/FS Programmatic Work Plan. Appendix C: Human Health Risk Assessment Approach.* Kennedy/Jenks Consultants, 23 April, 2004.
RAGS	Risk Assessment Guidance for Superfund
RI/RA	Remedial Investigation/Risk Assessment
RM	River Mile
RME	Reasonable Maximum Exposure
Round 2 Report	*Portland Harbor RI/FS Comprehensive Round 2 Site Characterization Summary and Data Gaps Analysis Report* . Integral Consulting, Inc. et. al. 2007
SCRA	Site Characterization and Risk Assessment (database)
TCE	Trichloroethylene
TEF	Toxic Equivalency Factor
TZW	Transition Zone Water
WQC	Water Quality Criteria

PORTLAND HARBOR RI/FS

FINAL REMEDIAL INVESTIGATION REPORT

APPENDIX F

BASELINE HUMAN HEALTH RISK ASSESSMENT

ATTACHMENT F2: SUMMARY OF DATA MANAGEMENT AND DATA USE IN THE BHHRA

March 28, 2013

Produced for
The Lower Willamette Group and
United States Environmental Protection Agency

Produced by
Kennedy/Jenks Consultants

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F2-1. BHHRA Exposure Areas for Clam Consumption and Corresponding Sample IDs

BHHRA Exposure Area	Clam SampleID	River Mile of Sample Collection	Sample Location Name
Undepurated Clams			
1 E	LW3-CA01E-C00	1.5	CA01E
2 E	LW2-BTFC001	1.9	FC001
	LW2-BTFC002	2.3	FC002
2 W	LW3-CA02W-C00	2.3	CA02W
	LW2-BTFC003	2.9	FC003
3 E	LW2-BTFC004	3.2	FC004
	LW2-BTFC005	3.7	FC005
	LW2-BTFC006 Rep 1	3.7	FC0061
3 W	LW3-CA03W-C00	3.4	CA03W
4 E	LW2-BTFC007	4.2	FC007
	LW2-BTFC008	4.4	FC008
	LW2-BTFC009	4.4	FC009
	LW2-BTFC010	4.7	FC010
4 W	LW3-CA04W-C00	4	CA04W
	LW2-BTFC011	4.6	FC011
	LW2-BTFC012	4.8	FC012
5 E	LW3-CA05E-C00	5.5	CA05E
	LW2-BTFC013	5.7	FC013
5 W	LW3-CA05W-C00	5.6	CA05W
	LW2-BTFC014	5.9	FC014
6 E	LW2-BTFC016	6.7	FC016
	LWG0106R002SDS015C10	6.7	06R002
6 W	LW2-BTFC015	6.4	FC015
	LW2-BTFC017	6.9	FC017
7 E	LW2-BTFC019	7.4	FC019
7 W	LW2-BTFC018	7.2	FC018
	LWG0107R006SDS015C00	7.3	07R006
	LW2-BTFC020	7.5	FC020
	LWG0107R003SDS015C00	7.5	07R003
	LW2-BTFC021	7.8	FC021
8 E	LW2-BTFC023	8.1	FC023
	LW2-BTFC027 Rep 1	8.7	FC0271
8 SIL	LW2-BTFC022	8	FC022
	LW2-BTFC026	8.5	FC026
	LW2-BTFC029	8.9	FC029
8 W	LW2-BTFC024	8.1	FC024
	LW2-BTFC025	8.5	FC025
	LW2-BTFC028	8.8	FC028
9 E	LW2-BTFC031	9.5	FC031
	LW2-BTFC033	9.9	FC033
9 W	LW2-BTFC030	9.3	FC030
	LW2-BTFC032	9.7	FC032
10 W	LW3-CA10W-C00	10.2	CA10W

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F2-1. BHHRA Exposure Areas for Clam Consumption and Corresponding Sample IDs

BHHRA Exposure Area	Clam SampleID	River Mile of Sample Collection	Sample Location Name
11 E	LW3-CA11E-C00	11.3	CA11E
11 W	LW3-CA12W-C00	11.9	CA12W
12 E	LW3-CA12E-C00	12.1	CA12E
Depurated Clams			
1 E	LW3-CA01E-C00D	1.5	CA01E
2 W	LW3-CA02W-C00D	2.3	CA02W
10 W	LW3-CA10W-C00D	10.2	CA10W
11 E	LW3-CA11E-C00D	11.3	CA11E
12 E	LW3-CA12E-C00D	12.1	CA12E

Abbreviations:

E   East
W   West
SIL   Swan Island Lagoon
BHHRA   Baseline Human Health Risk Assessment

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F2-2. BHHRA Summed Analytes and Components

Analyte Group	Name of Sum	cas_rn	Component Analytes
PCBs	Total Aroclors	12674-11-2	Aroclor 1016
		11104-28-2	Aroclor 1221
		11141-16-5	Aroclor 1232
		53469-21-9	Aroclor 1242
		12672-29-6	Aroclor 1248
		11097-69-1	Aroclor 1254
		11096-82-5	Aroclor 1260
		37324-23-5	Aroclor 1262
		11100-14-4	Aroclor 1268
	Total PCB Congeners	2051-60-7	PCB001
		2051-61-8	PCB002
		2051-62-9	PCB003
		13029-08-8	PCB004
		PCB004_010	PCB004 & 010
		16605-91-7	PCB005
		PCB005_008	PCB005 & 008
		25569-80-6	PCB006
		33284-50-3	PCB007
		PCB007_009	PCB007 & 009
		34883-43-7	PCB008
		34883-39-1	PCB009
		33146-45-1	PCB010
		2050-67-1	PCB011
		PCB012_013	PCB012 & 013
		34883-41-5	PCB014
		2050-68-2	PCB015
		38444-78-9	PCB016
		PCB016_032	PCB016 & 032
		37680-66-3	PCB017
		37680-65-2	PCB018
		PCB018_030	PCB018 & 030
		38444-73-4	PCB019
		PCB020_021_033	PCB020 & 021 & 033
		PCB020_028	PCB020 & 028
		PCB021_033	PCB021 & 033
		38444-85-8	PCB022
		55720-44-0	PCB023
		55702-45-9	PCB024
		PCB024_027	PCB024 & 027
		55712-37-3	PCB025
		38444-81-4	PCB026
		PCB026_029	PCB026 & 029
		38444-76-7	PCB027
		7012-37-5	PCB028
		15862-07-4	PCB029
		35693-92-6	PCB030
		16606-02-3	PCB031
		38444-77-8	PCB032
		38444-86-9	PCB033
		37680-68-5	PCB034
		37680-69-6	PCB035
		38444-87-0	PCB036
		38444-90-5	PCB037
		53555-66-1	PCB038
		38444-88-1	PCB039
		38444-93-8	PCB040
		PCB040_041_071	PCB040 & 041 & 071
		PCB041_064_071_	PCB041 & 064 & 071 & 072
		36559-22-5	PCB042
		PCB042_059	PCB042 & 059
		70362-46-8	PCB043
		PCB043_049	PCB043 & 049
		41464-39-5	PCB044
		PCB044_047_065	PCB044 & 047 & 065
		70362-45-7	PCB045
		PCB045_051	PCB045 & 051
		41464-47-5	PCB046
		2437-79-8	PCB047
		70362-47-9	PCB048
		PCB048_074	PCB048 & 074
		PCB048_075	PCB048 & 075
		41464-40-8	PCB049
		PCB049_069	PCB049 & 069
		62796-65-0	PCB050
		PCB050_053	PCB050 & 053
		68194-04-7	PCB051
		35693-99-3	PCB052
		PCB052_069	PCB052 & 069
		41464-41-9	PCB053

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F2-2. BHHRA Summed Analytes and Components

Analyte Group	Name of Sum	cas_rn	Component Analytes
		15968-05-5	PCB054
		74338-24-2	PCB055
		41464-43-1	PCB056
		PCB056_060	PCB056 & 060
		70424-67-8	PCB057
		41464-49-7	PCB058
		PCB059_062_075	PCB059 & 062 & 075
		33025-41-1	PCB060
		PCB061_070	PCB061 & 070
		PCB061_070_074_	PCB061 & 070 & 074 & 076
		54230-22-7	PCB062
		74472-34-7	PCB063
		52663-58-8	PCB064
		33284-54-7	PCB065
		32598-10-0	PCB066
		PCB066_076	PCB066 & 076
		73575-53-8	PCB067
		73575-52-7	PCB068
		32598-11-1	PCB070
		41464-42-0	PCB072
		74338-23-1	PCB073
		32690-93-0	PCB074
		32598-13-3	PCB077
		70362-49-1	PCB078
		41464-48-6	PCB079
		33284-52-5	PCB080
		70362-50-4	PCB081
		52663-62-4	PCB082
		60145-20-2	PCB083
		PCB083_099	PCB083 & 099
		52663-60-2	PCB084
		PCB084_092	PCB084 & 092
		PCB085_116	PCB085 & 116
		PCB085_116_117	PCB085 & 116 & 117
		55312-69-1	PCB086
		PCB086_087_097_	PCB086 & 087 & 097 & 108 & 119 & 1
		38380-02-8	PCB087
		PCB087_117_125	PCB087 & 117 & 125
		PCB088_091	PCB088 & 091
		73575-57-2	PCB089
		68194-07-0	PCB090
		PCB090_101	PCB090 & 101
		PCB090_101_113	PCB090 & 101 & 113
		52663-61-3	PCB092
		73575-56-1	PCB093
		PCB093_095_098_	PCB093 & 095 & 098 & 100 & 102
		73575-55-0	PCB094
		38379-99-6	PCB095
		PCB095_098_102	PCB095 & 098 & 102
		73575-54-9	PCB096
		41464-51-1	PCB097
		38380-01-7	PCB099
		39485-83-1	PCB100
		37680-73-2	PCB101
		60145-21-3	PCB103
		56558-16-8	PCB104
		32598-14-4	PCB105
		70424-69-0	PCB106
		PCB106_118	PCB106 & 118
		PCB107_109	PCB107 & 109
		PCB107_124	PCB107 & 124
		PCB108_112	PCB108 & 112
		74472-35-8	PCB109
		38380-03-9	PCB110
		PCB110_115	PCB110 & 115
		39635-32-0	PCB111
		PCB111_115	PCB111 & 115
		74472-36-9	PCB112
		68194-10-5	PCB113
		74472-37-0	PCB114
		31508-00-6	PCB118
		56558-17-9	PCB119
		68194-12-7	PCB120
		56558-18-0	PCB121
		76842-07-4	PCB122
		65510-44-3	PCB123
		70424-70-3	PCB124
		57465-28-8	PCB126
		39635-33-1	PCB127

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F2-2. BHHRA Summed Analytes and Components

Analyte Group	Name of Sum	cas_rn	Component Analytes
		38380-07-3	PCB128
		PCB128_162	PCB128 & 162
		PCB128_166	PCB128 & 166
		55215-18-4	PCB129
		PCB129_138_160_	PCB129 & 138 & 160 & 163
		52663-66-8	PCB130
		61798-70-7	PCB131
		38380-05-1	PCB132
		PCB132_161	PCB132 & 161
		35694-04-3	PCB133
		PCB133_142	PCB133 & 142
		PCB134_143	PCB134 & 143
		52744-13-5	PCB135
		PCB135_151_154	PCB135 & 151 & 154
		38411-22-2	PCB136
		35694-06-5	PCB137
		35065-28-2	PCB138
		PCB138_163_164	PCB138 & 163 & 164
		PCB139_140	PCB139 & 140
		PCB139_149	PCB139 & 149
		59291-64-4	PCB140
		52712-04-6	PCB141
		41411-61-4	PCB142
		68194-14-9	PCB144
		74472-40-5	PCB145
		51908-16-8	PCB146
		PCB146_165	PCB146 & 165
		68194-13-8	PCB147
		PCB147_149	PCB147 & 149
		74472-41-6	PCB148
		38380-04-0	PCB149
		68194-08-1	PCB150
		52663-63-5	PCB151
		68194-09-2	PCB152
		35065-27-1	PCB153
		PCB153_168	PCB153 & 168
		60145-22-4	PCB154
		33979-03-2	PCB155
		38380-08-4	PCB156
		PCB156_157	PCB156 & 157
		69782-90-7	PCB157
		74472-42-7	PCB158
		PCB158_160	PCB158 & 160
		39635-35-3	PCB159
		74472-43-8	PCB161
		39635-34-2	PCB162
		74472-45-0	PCB164
		74472-46-1	PCB165
		41411-63-6	PCB166
		52663-72-6	PCB167
		59291-65-5	PCB168
		32774-16-6	PCB169
		35065-30-6	PCB170
		52663-71-5	PCB171
		PCB171_173	PCB171 & 173
		52663-74-8	PCB172
		68194-16-1	PCB173
		38411-25-5	PCB174
		40186-70-7	PCB175
		52663-65-7	PCB176
		52663-70-4	PCB177
		52663-67-9	PCB178
		52663-64-6	PCB179
		35065-29-3	PCB180
		PCB180_193	PCB180 & 193
		74472-47-2	PCB181
		60145-23-5	PCB182
		PCB182_187	PCB182 & 187
		52663-69-1	PCB183
		PCB183_185	PCB183 & 185
		74472-48-3	PCB184
		52712-05-7	PCB185
		74472-49-4	PCB186
		52663-68-0	PCB187
		74487-85-7	PCB188
		39635-31-9	PCB189
		41411-64-7	PCB190
		74472-50-7	PCB191
		74472-51-8	PCB192

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F2-2. BHHRA Summed Analytes and Components

Analyte Group	Name of Sum	cas_rn	Component Analytes
		69782-91-8	PCB193
		35694-08-7	PCB194
		52663-78-2	PCB195
		42740-50-1	PCB196
		PCB196_203	PCB196 & 203
		33091-17-7	PCB197
		PCB197_200	PCB197 & 200
		68194-17-2	PCB198
		PCB198_199	PCB198 & 199
		52663-75-9	PCB199
		52663-73-7	PCB200
		40186-71-8	PCB201
		2136-99-4	PCB202
		52663-76-0	PCB203
		74472-52-9	PCB204
		74472-53-0	PCB205
		40186-72-9	PCB206
		52663-79-3	PCB207
		52663-77-1	PCB208
		2051-24-3	PCB209
	Total Dioxin-Like PCBs	colspan: = sum of PCBs 77, 81, 105, 114, 118, 123, 126, 156, 157, 167, 169, 189	
	Total PCBs, Adjusted	colspan: = Total PCB Congeners - Total Dioxin-Like PCBs	
Pesticides	Total DDD	53-19-0	2,4'-DDD
		72-54-8	4,4'-DDD
	Total DDE	3424-82-6	2,4'-DDE
		72-55-9	4,4'-DDE
	Total DDT	789-02-6	2,4'-DDT
		50-29-3	4,4'-DDT
	Total Chlordane	5103-71-9	cis-Chlordane
		5103-73-1	cis-Nonachlor
		27304-13-8	Oxychlordane
		5103-74-2	trans-Chlordane
		39765-80-5	trans-Nonachlor
	Total Endosulfan	959-98-8	alpha-Endosulfan
		33213-65-9	beta-Endosulfan
		1031-07-8	endosulfan sulfate
VOCs	Total Xylenes	95-47-6	o-Xylene
		1330-20-7	Xylene
		179601-23-1	m,p-Xylene

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F2-3.
Analytes Determined To Be Not Present and Excluded from Summed Analyte Totals

Exposure Medium	Chemical Group	Excluded Analytes
Black Crappie, Fillet	Total Aroclors	Aroclor 1016, Aroclor 1221, Aroclor 1232, Aroclor 1242, Arochlor 1254, Aroclor 1262, Aroclor 1268
	Total DDD	2,4'-DDD
	Total DDE	2,4'-DDE
	Total Endosulfans	alpha-Endosulfan, beta-Endosulfan, Endosulfan sulfate
	Total Chlordanes	cis-Chlordane, cis-Nonachlor, Oxychlordane, trans-Chlordane
Black Crappie, Whole Body	Total Aroclors	Aroclor 1016, Aroclor 1221, Aroclor 1232, Aroclor 1242, Arochlor 1254, Aroclor 1262, Aroclor 1268
	Total PCB Congeners[a]	PCB005, PCB014, PCB023, PCB055, PCB073, PCB080, PCB106, PCB112, PCB142, PCB161, PCB184, PCB186, PCB192, PCB204
	Total DDD	2,4'-DDD
	Total DDE	2,4'-DDE
	Total Endosulfans	alpha-Endosulfan, beta-Endosulfan
	Total Chlordanes	cis-Nonachlor
	Total Dioxin/Furan TEQ	Octachlorodibenzofuran
Brown Bullhead, Fillet	Total Aroclors	Aroclor 1016, Aroclor 1221, Aroclor 1232, Aroclor 1242, Arochlor 1254, Aroclor 1262, Aroclor 1268
	Total DDE	2,4'-DDE
	Total Endosulfans	alpha-Endosulfan, beta-Endosulfan, Endosulfan sulfate
	Total Chlordanes	cis-Chlordane, cis-Nonachlor, Oxychlordane, trans-Chlordane
Brown Bullhead, Whole Body	Total Aroclors	Aroclor 1016, Aroclor 1221, Aroclor 1232, Aroclor 1242, Arochlor 1254, Aroclor 1262, Aroclor 1268
	Total PCB Congeners	PCB002, PCB005, PCB007, PCB012 & 013, PCB014, PCB023, PCB038, PCB055, PCB080, PCB106, PCB112, PCB142, PCB145, PCB161, PCB186, PCB192, PCB204
	Total DDE	2,4'-DDE
	Total Endosulfans	alpha-Endosulfan, Endosulfan sulfate
	Total Chlordanes	cis-Nonachlor, Oxychlordane
Common Carp, Fillet	Total Aroclors	Aroclor 1016, Aroclor 1221, Aroclor 1232, Aroclor 1242, Arochlor 1254, Aroclor 1262, Aroclor 1268
	Total PCB Congeners	PCB080, PCB142, PCB169, PCB192
Common Carp, Whole Body	Total Aroclors	Aroclor 1016, Aroclor 1221, Aroclor 1232, Aroclor 1242, Arochlor 1254, Aroclor 1262, Aroclor 1268
	Total PCB Congeners	PCB080, PCB142, PCB192
Smallmouth Bass, Fillet	Total Aroclors	Aroclor 1016, Aroclor 1221, Aroclor 1232, Aroclor 1242, Arochlor 1254, Aroclor 1262, Aroclor 1268
	Total PCB Congeners	PCB014, PCB036, PCB080, PCB112, PCB142, PCB169, PCB192
	Total Endosulfans	alpha-Endosulfan, beta-Endosulfan
	Total Dioxin/Furan TEQ	1,2,3,4,6,7,8-Heptachlorodibenzofuran
Smallmouth Bass, Whole Body	Total Aroclors	Aroclor 1016, Aroclor 1221, Aroclor 1242, Arochlor 1254, Aroclor 1262, Aroclor 1268
	Total PCB Congeners	PCB014, PCB080, PCB142, PCB192
Clam, Undepurated	Total Aroclors	Aroclor 1016, Aroclor 1221, Aroclor 1232, Aroclor 1242, Arochlor 1254, Aroclor 1262, Aroclor 1268
	Total PCB Congeners	PCB014, PCB078, PCB161, PCB192
	Total Dioxin/Furan TEQ	1,2,3,7,8,9-Hexachlorodibenzofuran
Clam, Depurated	Total PCB Congeners	PCB014, PCB024, PCB055, PCB058, PCB078, PCB080, PCB081, PCB106, PCB112, PCB142, PCB161, PCB169, PCB186, PCB192, PCB204
	Total Dioxin/Furan TEQ	1,2,3,4,7,8,9-Heptachlorodibenzofuran, 1,2,3,7,8,9-Hexachlorodibenzofuran, 2,3,4,6,7,8-Hexachlorodibenzofuran, 2,3,7,8-Tetrachlorodibenzo-p-dioxin
Crayfish	Total Aroclors	Aroclor 1016, Aroclor 1221, Aroclor 1232, Aroclor 1242, Aroclor 1248, Arochlor 1254, Aroclor 1262, Aroclor 1268
	Total PCB Congeners	PCB005, PCB007, PCB014, PCB036, PCB038, PCB055, PCB078, PCB080, PCB106, PCB142, PCB145, PCB161, PCB182, PCB186, PCB192
	Total Endosulfans	alpha-Endosulfan, Endosulfan sulfate

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F2-3.
Analytes Determined To Be Not Present and Excluded from Summed Analyte Totals

Exposure Medium	Chemical Group	Excluded Analytes
Chinook, Fillet	Total Aroclors	Aroclor 1016, Aroclor 1221, Aroclor 1232, Aroclor 1242, Aroclor 1248, Arochlor 1260, Aroclor 1262, Aroclor 1268
	Total PCB Congeners	PCB005, PCB010, PCB014, PCB035, PCB078, PCB106, PCB112, PCB127, PCB142, PCB161
	Total DDD	2,4'-DDD, 4,4'-DDD
	Total DDE	2,4'-DDE
	Total DDT	2,4'-DDT
	Total Endosulfans	beta-Endosulfan, Endosulfan sulfate
	Total Chlordanes	cis-Chlordane, trans-Chlordane
	Total Dioxin/Furan TEQ	1,2,3,4,7,8,9-Heptachlorodibenzofuran, 1,2,3,4,7,8-Hexachlorodibenzofuran, 1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin, 1,2,3,6,7,8-Hexachlorodibenzofuran, 1,2,3,7,8,9-Hexachlorodibenzofuran, 1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin, 2,3,4,6,7,8-Hexachlorodibenzofuran
Chinook, Fillet Without Skin	Total PCB Congeners	PCB005, PCB007, PCB010, PCB012 & 13, PCB014, PCB035, PCB038, PCB055, PCB078, PCB080, PCB106, PCB112, PCB127, PCB142, PCB161
	Total Dioxin/Furan TEQ	Octachlorodibenzofuran, Octachlorodibenzo-p-dioxin, 1,2,3,4,6,7,8-Heptachlorodibenzofuran, 1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin, 1,2,3,4,7,8,9-Heptachlorodibenzofuran, 1,2,3,4,7,8-Hexachlorodibenzofuran, 1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin, 1,2,3,6,7,8-Hexachlorodibenzofuran, 1,2,3,7,8,9-Hexachlorodibenzofuran, 2,3,4,6,7,8-Hexachlorodibenzofuran
Chinook, Whole Body	Total Aroclors	Aroclor 1016, Aroclor 1221, Aroclor 1232, Aroclor 1242, Aroclor 1248, Arochlor 1260, Aroclor 1262, Aroclor 1268
	Total PCB Congeners	PCB106, PCB112, PCB142, PCB161
	Total DDD	2,4'-DDD, 4,4'-DDD
	Total DDE	2,4'-DDE
	Total DDT	2,4'-DDT
	Total Endosulfans	beta-Endosulfan, Endosulfan sulfate
	Total Chlordanes	trans-Chlordane
	Total Dioxin/Furan TEQ	1,2,3,4,7,8-Hexachlorodibenzofuran, 1,2,3,6,7,8-Hexachlorodibenzofuran, 1,2,3,7,8,9-Hexachlorodibenzofuran
Pacific Lamprey, Whole Body	Total Aroclors	Aroclor 1016, Aroclor 1221, Aroclor 1232, Aroclor 1242, Aroclor 1248, Arochlor 1260, Aroclor 1262, Aroclor 1268
	Total PCB Congeners	PCB055, PCB073, PCB078, PCB080, PCB106, PCB112, PCB142, PCB161
	Total DDD	2,4'-DDD, 4,4'-DDD
	Total DDE	2,4'-DDE, 4,4'-DDE
	Total DDT	2,4'-DDT, 4,4'-DDT
	Total Endosulfans	alpha-Endosulfan, beta-Endosulfan, Endosulfan sulfate
	Total Chlordanes	cis-Chlordane, trans-Chlordane
	Total Dioxin/Furan TEQ	Octachlorodibenzofuran, 1,2,3,4,7,8,9-Heptachlorodibenzofuran, 1,2,3,7,8,9-Hexachlorodibenzofuran
Sturgeon, Fillet Without Skin	Total Aroclors	Aroclor 1016, Aroclor 1221, Aroclor 1232, Aroclor 1242, Aroclor 1248, Arochlor 1254, Aroclor 1262, Aroclor 1268
	Total PCB Congeners	PCB014, PCB035, PCB036, PCB055, PCB078, PCB080, PCB106, PCB112, PCB142, PCB161, PCB186, PCB192
	Total DDD	2,4'-DDD, 4,4'-DDD
	Total DDE	2,4'-DDE
	Total DDT	2,4'-DDT
	Total Endosulfans	beta-Endosulfan, Endosulfan sulfate
	Total Chlordanes	trans-Chlordane
	Total Dioxin/Furan TEQ	1,2,3,7,8,9-Hexachlorodibenzofuran

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F2-3.
Analytes Determined To Be Not Present and Excluded from Summed Analyte Totals

Exposure Medium	Chemical Group	Excluded Analytes
Inwater Sediment	Total Aroclors	Aroclor 1232, Aroclor 1262
	Total PCB Congeners	PCB161
	Total Xylenes	Xylene
Industrial Beach Sediment	Total Aroclors	Aroclor 1016, Aroclor 1221, Aroclor 1232, Aroclor 1242, Aroclor 1262, Aroclor 1268
	Total DDD	2,4'-DDD
	Total DDE	2,4'-DDE, 4,4'-DDE
	Total Endosulfans	alpha-Endosulfan, beta-Endosulfan, Endosulfan sulfate
	Total Chlordanes	cis-Chlordane, cis-Nonachlor, Oxychlordane, trans-Chlordane, trans-Nonachlor
Non-Industrial Beach Sediment	Total Aroclors	Aroclor 1016, Aroclor 1221, Aroclor 1232, Aroclor 1242, Aroclor 1262, Aroclor 1268
	Total Endosulfans	alpha-Endosulfan, beta-Endosulfan, Endosulfan sulfate
	Total Chlordanes	cis-Nonachlor, Oxychlordane, trans-Nonachlor
Surface Water, Bioaccumulation	Total Aroclors	Aroclor 1016, Aroclor 1221, Aroclor 1232, Aroclor 1242, Aroclor 1262, Aroclor 1268
	Total PCB Congeners	PCB161
Surface Water, Direct Contact, Non-divers	Total Aroclors	Aroclor 1016, Aroclor 1221, Aroclor 1232, Aroclor 1242, Aroclor 1248, Aroclor 1262, Aroclor 1268
	Total PCB Congeners	PCB078, PCB142, PCB161, PCB186
Surface Water, Direct Contact, Divers	Total Aroclors	Aroclor 1016, Aroclor 1221, Aroclor 1232, Aroclor 1242, Aroclor 1262, Aroclor 1268
	Total PCB Congeners	PCB161
Surface Water, Drinking Water	Total Aroclors	Aroclor 1016, Aroclor 1221, Aroclor 1232, Aroclor 1242, Aroclor 1248, Aroclor 1262, Aroclor 1268
	Total PCB Congeners	PCB078, PCB142, PCB161, PCB186
Transition Zone Water	Total DDE	2,4'-DDE
	Total Dioxin/Furan TEQ	1,2,3,7,8,9-Hexachlorodibenzofuran, Octachlorodibenzo-p-dioxin, Octachlorodibenzofuran, 2,3,7,8-Tetrachlorodibenzo-p-dioxin, 1,2,3,4,6,7,8-Heptachlorodibenzofuran, 1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin, 1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin, 1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin, 1,2,3,7,8-Pentachlorodibenzo-p-dioxin, 2,3,4,6,7,8-Hexachlorodibenzofuran

Notes:
a List of PCB congeners determined to be not present also includes dioxin-like PCB congeners excluded in calculation of total PCB TEQ.

Abbreviations:
PCB Polychlorinated Biphenyls
DDD Dichlorodiphenyldichloroethane
DDE Dichlorodiphenyldichloroethylene
DDT Dichlorodiphenyltrichloroethane

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F2-4.

Number of Analyte Results Required To Calculate Each Summed Analyte, And Number of Samples With No Total Calculated

Calculated Total	Maximum Number of Analytes	Maximum Number of Analytes with Results For Total to be Calculated With "A" Qualifier[a]	Minimum Number of Analytes With Results Required To Calculate Total	Number of Samples with No Total Calculated[b]	Number of Samples with Total Calculated
Total Aroclors	9	7	2	In-Water Sediment - 1	In-Water Sediment - 821
Total PCB Congeners	209	150	100	In-Water Sediment - 85	In-Water Sediment - 208
Total PCB TEQ	12	12	12[c]	In-Water Sediment - 85	In-Water Sediment - 208
Total Dioxin TEQ	17	17	17	None.	--
Total DDD	2	2	0	None.	--
Total DDE	2	2	0	None.	--
Total DDT	2	2	0	None.	--
Total Chlordanes	5	5	0	None.	--
Total Endosulfans	3	3	0	None.	--
Total Xylenes	3	0	0	None.	--

Abbreviations:

PCB Polychlorinated Biphenyls
DDD Dichlorodiphenyldichloroethane
DDE Dichlorodiphenyldichloroethylene
DDT Dichlorodiphenyltrichloroethane
  -- Totals calculated for all samples within baseline human health risk assessment dataset with data for the given analyte group.

Notes:

a "A" qualification indicates a limited number of analytes contributed to the summed total, but the minimum number required was present. Number listed is the
    maximum number of analytical results that result in "A" qualification.

b Number of samples from each medium for which a sum was not calculated due to too few individual analyte results.

c If coelutions exist in a sample that include all individual congeners for the sum (ie. PCBs 156&157), the sum may be
    calculated with fewer than 12 analytes.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F2-5.

Samples for Which Summed Analytical Concentrations Were Not Calculated Due to Limited Number of Individual Analytical Results

Calculated Total	Medium (Samples Without Sums)	Sampling Task Description	Sample IDs With No Summed Total Calculated	
Total Aroclors	In-Water Sediment (1)	Portland Harbor Sediment Investigation	WR-WSI98SD0660	
Total PCB Congeners	Industrial Beach Sediment (2)	Round 2a beach sediment composites	LW2-B002 LW2-B004	
	In-Water Sediment (85)	City outfall sediment investigation	WLCOFJ02520352030	WLCOFJ02190119010
			WLCOFJ0252A0152A010	WLCOFJ02190219020
			WLCOFJ0252A0252A020	WLCOFJ02190319030
			WLCOFJ0252A0352A030	WLCOFJ0219A0119A010
			WLCOFJ0252A0452A040	WLCOFJ0219A0219A020
			WLCOFJ0252A0552A050	WLCOFJ0219A0319A030
			WLCOFJ0252C0152C010	WLCOFJ02220122010
			WLCOFJ0252C0252C020	WLCOFJ02220222020
			WLCOFJ0252C0352C030	WLCOFJ022203122031
			WLCOFJ0252C0452C040	WLCOFJ02220322030
			WLCOFJ0252C0552C050	WLCOFJ02220422040
			WLCOFJ02530153010	WLCOFJ02220522050
			WLCOFJ02530253020	WLCOFJ02220622060
			WLCOFJ02530353030	WLCOFJ0222B0122B010
			WLCOFJ02530453040	WLCOFJ0222B0222B020
			WLCOFJ02530553050	WLCOFJ0222B0322B030
			WLCOFJ02M0201M2010	WLCOFJ0222B0422B040
			WLCOFJ02M0202M2020	WLCOFJ0222C0122C010
			WLCOFJ02M02031M2031	WLCOFJ0222C0222C020
			WLCOFJ02M0203M2030	WLCOFJ0222C0322C030
			WLCOFJ02M0204M2040	WLCOFJ0222C0422C040
			WLCOFJ02M0205M2050	WLCOFJ02240124010
			WLCOFJ02M0301M3010	WLCOFJ02240224020
			WLCOFJ02M0302M3020	WLCOFJ02240324030
			WLCOFJ02M0303M3030	WLCOFJ02240424040
			WLCOFJ02M0304M3040	WLCOFJ02240524050
			WLCOFJ02M0305M3050	WLCOFJ02480148010
			WLCOFJ02S0201S2010	WLCOFJ02480248020
			WLCOFJ02S0202S2020	WLCOFJ02480348030
			WLCOFJ02S0203S2030	WLCOFJ02480548050
			WLCOFJ02S0204S2040	WLCOFJ02480648060

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F2-5.

Samples for Which Summed Analytical Concentrations Were Not Calculated Due to Limited Number of Individual Analytical Results

Calculated Total	Medium (Samples Without Sums)	Sampling Task Description	Sample IDs With No Summed Total Calculated	
			WLCOFJ02S0205S2050	WLCOFJ02490149010
			WLCOFJ02S0501S5010	WLCOFJ02490249020
			WLCOFJ02S0502S5020	WLCOFJ02490349030
			WLCOFJ02S0503S5030	WLCOFJ02490449040
			WLCOFJ02S0504S5040	WLCOFJ02490549050
			WLCOFJ02S0505S5050	WLCOFJ02490649060
			WLCOFJ02S0506S5060	WLCOFJ02500150010
			WLCOFJ02S0507S5070	WLCOFJ02500250020
			WLCOFJ02S0601S6010	WLCOFJ02500350030
			WLCOFJ02500650060	WLCOFJ02500450040
			WLCOFJ02520152010	WLCOFJ02500550050
			WLCOFJ02520252020	
Total PCB TEQ	In-Water Sediment (85)	City outfall sediment investigation	Same samples as for PCB Congeners	

Abbreviations:
PCB Polychlorinated Biphenyls
TEQ Toxic Equivalency

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F2-6:
PEFs Used to Calculate B(a)Eq For the Purposes of Mapping Total Carcinogenic PAHs

Analyte	PEF
Benzo(a)anthracene	0.1
Benzo(a)pyrene	1
Benzo(b)fluoranthene	0.1
Benzo(k)fluoranthene	0.01
Chrysene	0.001
Dibenzo(a,h)anthracene	1
Indeno(1,2,3-cd)pyrene	0.1
Benzo(b+k)fluoranthene	0.1
Benzo(j+k)fluoranthene	0.01

Source: U.S. EPA. 1993. Provisional Guidance for Quantitative Risk Assessment of Polycyclic Aromatic Hydrocarbons. U.S. Environmental Protection Agency, Office of Research and Development. EPA/600/R-93/089. July 1993.

Abbreviations:

PEF Potency equivalent factor
B(a)Eq Benzo(a)pyrene equivalence
PAHs Polycyclic aromatic hydrocarbons

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-7.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Brown Bullhead

Exposure Point[a]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration in Exposure Area	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
FZ: RM 6-9	F	**Metals**					
		Cadmium	LWG01FZ0609TSBBFLC30	mg/kg	1.0E-03	8.0E-03	No
		Pesticides					
		Total Chlordanes	LWG01FZ0609TSBBFLC20	ug/kg	1.6E+00	1.1E+01	No
		Total Chlordanes	LWG01FZ0609TSBBFLC30	ug/kg	1.6E+00	4.0E+00	No
		Total DDD	LWG01FZ0609TSBBFLC20	ug/kg	2.8E+00	8.6E+00	No
		Total DDD	LWG01FZ0609TSBBFLC30	ug/kg	2.8E+00	8.6E+00	No
FZ: RM 6-9	WB	**Metals**					
		Nickel	LWG01FZ0609TSBBWBC10	mg/kg	2.6E-01	3.3E-01	No
		Pesticides					
		gamma-Hexachlorocyclohexane	LWG01FZ0609TSBBWBC10	ug/kg	1.9E+00	9.6E+00	No
		gamma-Hexachlorocyclohexane	LWG01FZ0609TSBBWBC30	ug/kg	1.9E+00	4.0E+00	No
		Total Chlordanes	LWG01FZ0609TSBBWBC10	ug/kg	7.8E+00	2.0E+01	No
Study Area-wide	F	**Metals**					
		Cadmium	LWG01FZ0609TSBBFLC30	mg/kg	1.0E-03	8.0E-03	No
		Phthalates					
		Bis(2-ethylhexyl) phthalate	LWG01FZ0609TSBBFLC20	ug/kg	1.0E+02	2.2E+02	No
		Pesticides					
		Deildrin	LWG01FZ0609TSBBFLC20	ug/kg	2.1E+00	1.4E+01	No
		Deildrin	LWG01FZ0609TSBBFLC30	ug/kg		4.0E+00	Yes
		Total Chlordanes	LWG01FZ0609TSBBFLC20	ug/kg	1.6E+00	1.1E+01	No
		Total Chlordanes	LWG01FZ0609TSBBFLC30	ug/kg		4.0E+00	Yes
		Total DDD	LWG01FZ0609TSBBFLC20	ug/kg	4.3E+00	8.6	No
		Total DDD	LWG01FZ0609TSBBFLC30	ug/kg		8.6	Yes
Study Area-wide	WB	**Metals**					
		Nickel	LWG01FZ0609TSBBWBC10	mg/kg	3.2E-01	3.3E-01	No
		Pesticides					
		Dieldrin	LWG01FZ0609TSBBWBC30	ug/kg	2.6E+00	4.0E+00	No
		Dieldrin	LWG01FZ0609TSBBWBC10	ug/kg		1.4E+01	Yes
		gamma-Hexachlorocyclohexane	LWG01FZ0609TSBBWBC10	ug/kg	1.9E+00	9.6	No
		gamma-Hexachlorocyclohexane	LWG01FZ0609TSBBWBC30	ug/kg		4	Yes
		Methoxychlor	LWG01FZ0609TSBBWBC30	ug/kg	1.1E+00	4.0E+00	No
		Methoxychlor	LWG01FZ0609TSBBWBC10	ug/kg		4.8E+00	Yes
		Total Endosulfan	LWG01FZ0609TSBBWBC10	ug/kg	8.6E+00	15	No

Notes:

a Exposure areas not listed indicate there were no non-detected results with detection limits exceeding the maximum detected concentrations that were removed from the dataset prior to the calculation of exposure point concentrations.

Abbreviations:

F = Fillet tissue.
mg/kg = milligrams per kilogram.
ug/kg = micrograms per kilogram.
WB = Whole body.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-8.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Common Carp

Exposure Point[a]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
FZ: RM 0 to 4	F	**Butyltins**					
		Butyltin ion	LW3-CP0004-C20F	ug/kg	3.5E-01	5.5E-01	No
		Butyltin ion	LW3-CP0004-C30F	ug/kg	3.5E-01	5.5E-01	No
		Pesticides					
		Endrin	LW3-CP0004-C10F	ug/kg	2.1E-02	2.4E-02	No
		Endrin aldehyde	LW3-CP0004-C30F	ug/kg	3.4E-03	3.9E-03	No
FZ: RM 0 to 4	WB	**Polynuclear Aromatic Hydrocarbons**					
		Benzo(a)anthracene	LW3-CP0004-C20WB	ug/kg	3.2E-01	1.1E+00	No
		Benzo(b)fluoranthene	LW3-CP0004-C20WB	ug/kg	3.4E-01	1.1E+00	No
		Benzo(g,h,i)perylene	LW3-CP0004-C20WB	ug/kg	3.2E-01	1.1E+00	No
		Benzo(k)fluoranthene	LW3-CP0004-C20WB	ug/kg	2.6E-01	9.0E-01	No
		Dibenzo(a,h)anthracene	LW3-CP0004-C20WB	ug/kg	2.4E-01	9.0E-01	No
		Indeno(1,2,3-cd)pyrene	LW3-CP0004-C20WB	ug/kg	2.7E-01	9.8E-01	No
		Naphthalene	LW3-CP0004-C20WB	ug/kg	2.5E+00	6.5E+00	No
		Naphthalene	LW3-CP0004-C10WB	ug/kg	2.5E+00	3.5E+00	No
		Phenanthrene	LW3-CP0004-C20WB	ug/kg	7.9E+00	8.5E+00	No
		Semi-Volatile Organic Compounds					
		Benzyl alcohol	LW3-CP0004-C20WB	ug/kg	8.0E+01	1.6E+02	No
		Isophorone	LW3-CP0004-C10WB	ug/kg	5.9E+00	9.2E+00	No
		Isophorone	LW3-CP0004-C20WB	ug/kg	5.9E+00	9.2E+00	No
		Phenols					
		4-Nitrophenol	LW3-CP0004-C10WB	ug/kg	8.6E+00	9.9E+00	No
		Pesticides					
		delta-Hexachlorocyclohexane	LW3-CP0004-C30WB	ug/kg	2.3E-03	2.3E-03	No
		Endrin aldehyde	LW3-CP0004-C10WB	ug/kg	7.4E-03	9.6E-03	No
FZ: RM 4 to 8	F	**Pesticides**					
		Endrin	LW3-CP0408-C20F	ug/kg	2.2E-02	2.8E-02	No
		Endrin ketone	LW3-CP0408-C20F	ug/kg	1.1E-03	8.1E-02	No
		Endrin ketone	LW3-CP0408-C30F	ug/kg	1.1E-03	8.3E-02	No
FZ: RM 4 to 8	WB	**Semi-Volatile Organic Compounds**					
		Benzyl alcohol	LW3-CP0408-C10WB	ug/kg	3.1E+01	1.0E+02	No
		Benzyl alcohol	LW3-CP0408-C20WB	ug/kg	3.1E+01	1.3E+02	No
		Isophorone	LW3-CP0408-C10WB	ug/kg	5.9E+00	9.2E+00	No
		Pesticides					
		Endrin ketone	LW3-CP0408-C30WB	ug/kg	8.7E-04	3.6E-02	No
		Endrin ketone	LW3-CP0408-C20WB	ug/kg	8.7E-04	3.7E-02	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-8.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Common Carp

Exposure Point[a]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
FZ: RM 8 to 12	F	**Pesticides**					
		Endrin aldehyde	LW3-CP0812-C30F	ug/kg	1.6E-03	1.7E-03	No
		Methoxychlor	LW3-CP0812-C11F	ug/kg	6.9E-03	4.9E-02	No
		Methoxychlor	LW3-CP0812-C30F	ug/kg	6.9E-03	4.8E-02	No
FZ: RM 8 to 12	WB	**Semi-Volatile Organic Compounds**					
		Benzyl alcohol	LW3-CP0812-C20WB	ug/kg	3.1E+01	5.0E+01	No
		Phenols					
		Phenol	LW3-CP0812-C30WB	ug/kg	4.3E+01	4.5E+01	No
		Phenol	LW3-CP0812-C20WB	ug/kg	4.3E+01	4.5E+01	No
		Pesticides					
		delta-Hexachlorocyclohexane	LW3-CP0812-C30WB	ug/kg	2.5E-03	3.4E-03	No
		Endrin aldehyde	LW3-CP0812-C20WB	ug/kg	2.2E-03	1.5E-02	No
		Endrin aldehyde	LW3-CP0812-C30WB	ug/kg	2.2E-03	1.4E-02	No
		Endrin ketone	LW3-CP0812-C30WB	ug/kg	1.5E-02	3.6E-02	No
		Heptachlor	LW3-CP0812-C11WB	ug/kg	7.1E-03	2.5E-02	No
		Methoxychlor	LW3-CP0812-C30WB	ug/kg	6.2E-03	2.1E-02	No
		Methoxychlor	LW3-CP0812-C11WB	ug/kg	6.2E-03	2.3E-02	No
FZ: RM 3 to 6	F	**Pesticides**					
		Total Chlordanes	LWG01FZ0306TSCPFLC20	ug/kg	1.5E+01	1.7E+01	No
FZ: RM 3 to 6	WB	**Pesticides**					
		Methoxychlor	LWG01FZ0306TSCPWBC20	ug/kg	4.2E+00	4.8E+00	No
		Methoxychlor	LWG01FZ0306TSCPWBC30	ug/kg	4.2E+00	4.8E+00	No
FZ: RM 6 to 9	WB	**Pesticides**					
		Total Endosulfan	LWG01FZ0306TSCPWBC20	ug/kg	1.4E+01	2.0E+01	No
Study Area-wide	F	**Metals**					
		Selenium	LWG01FZ0609TSCPFLC10	mg/kg	3.0E-01	5.0E-01	No
		Selenium	LWG01FZ0609TSCPFLC30	mg/kg	3.0E-01	4.0E-01	No
		Butyltins					
		Butyltin ion	LW3-CP0812-C20F	ug/kg	1.2E+00	3.4E+00	No
		Semi-Volatile Organic Compounds					
		Hexachlorobutadiene	LWG01FZ0306TSCPFLC10	ug/kg	1.7E-01	4.0E+00	No
		Hexachlorobutadiene	LWG01FZ0306TSCPFLC20	ug/kg	1.7E-01	4.0E+00	No
		Hexachlorobutadiene	LWG01FZ0306TSCPFLC30	ug/kg	1.7E-01	4.0E+00	No
		Hexachlorobutadiene	LWG01FZ0609TSCPFLC10	ug/kg	1.7E-01	4.6E+00	No
		Hexachlorobutadiene	LWG01FZ0609TSCPFLC20	ug/kg	1.7E-01	4.0E+00	No
		Hexachlorobutadiene	LWG01FZ0609TSCPFLC30	ug/kg	1.7E-01	4.6E+00	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-8.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Common Carp

Exposure Point[a]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Pesticides					
		Aldrin	LWG01FZ0306TSCPFLC10	ug/kg	1.2E-01	4.0E+00	No
		Aldrin	LWG01FZ0306TSCPFLC20	ug/kg	1.2E-01	4.0E+00	No
		Aldrin	LWG01FZ0306TSCPFLC30	ug/kg	1.2E-01	4.0E+00	No
		Aldrin	LWG01FZ0609TSCPFLC10	ug/kg	1.2E-01	1.3E+01	Yes
		Aldrin	LWG01FZ0609TSCPFLC20	ug/kg	1.2E-01	4.0E+00	No
		Aldrin	LWG01FZ0609TSCPFLC30	ug/kg	1.2E-01	9.8E+00	No
		alpha-Hexachlorocyclohexane	LWG01FZ0306TSCPFLC10	ug/kg	4.0E-02	4.0E+00	No
		alpha-Hexachlorocyclohexane	LWG01FZ0306TSCPFLC20	ug/kg	4.0E-02	4.0E+00	No
		alpha-Hexachlorocyclohexane	LWG01FZ0306TSCPFLC30	ug/kg	4.0E-02	4.0E+00	No
		alpha-Hexachlorocyclohexane	LWG01FZ0609TSCPFLC10	ug/kg	4.0E-02	6.4E+00	Yes
		alpha-Hexachlorocyclohexane	LWG01FZ0609TSCPFLC20	ug/kg	4.0E-02	4.0E+00	No
		alpha-Hexachlorocyclohexane	LWG01FZ0609TSCPFLC30	ug/kg	4.0E-02	6.4E+00	Yes
		beta-Hexachlorocyclohexane	LWG01FZ0306TSCPFLC10	ug/kg	2.3E-02	4.0E+00	Yes
		beta-Hexachlorocyclohexane	LWG01FZ0306TSCPFLC20	ug/kg	2.3E-02	4.0E+00	Yes
		beta-Hexachlorocyclohexane	LWG01FZ0306TSCPFLC30	ug/kg	2.3E-02	5.9E+00	Yes
		beta-Hexachlorocyclohexane	LWG01FZ0609TSCPFLC10	ug/kg	2.3E-02	8.5E+00	Yes
		beta-Hexachlorocyclohexane	LWG01FZ0609TSCPFLC20	ug/kg	2.3E-02	4.0E+00	Yes
		beta-Hexachlorocyclohexane	LWG01FZ0609TSCPFLC30	ug/kg	2.3E-02	8.5E+00	Yes
		Dieldrin	LWG01FZ0306TSCPFLC10	ug/kg	2.3E+00	5.3E+00	No
		Dieldrin	LWG01FZ0306TSCPFLC20	ug/kg	2.3E+00	4.0E+00	No
		Dieldrin	LWG01FZ0306TSCPFLC30	ug/kg	2.3E+00	7.2E+00	No
		Dieldrin	LWG01FZ0609TSCPFLC10	ug/kg	2.3E+00	1.4E+01	No
		Dieldrin	LWG01FZ0609TSCPFLC20	ug/kg	2.3E+00	4.0E+00	No
		Dieldrin	LWG01FZ0609TSCPFLC30	ug/kg	2.3E+00	9.8E+00	No
		Endrin	LW3-CP0004-C10F	ug/kg	2.2E-02	2.4E-02	No
		Endrin	LW3-CP0408-C20F	ug/kg	2.2E-02	2.8E-02	No
		Endrin	LWG01FZ0306TSCPFLC10	ug/kg	2.2E-02	4.0E+00	Yes
		Endrin	LWG01FZ0306TSCPFLC20	ug/kg	2.2E-02	4.0E+00	Yes
		Endrin	LWG01FZ0306TSCPFLC30	ug/kg	2.2E-02	3.1E+01	Yes
		Endrin	LWG01FZ0609TSCPFLC10	ug/kg	2.2E-02	2.0E+01	Yes
		Endrin	LWG01FZ0609TSCPFLC20	ug/kg	2.2E-02	4.0E+00	Yes
		Endrin	LWG01FZ0609TSCPFLC30	ug/kg	2.2E-02	9.8E+00	Yes
		Endrin aldehyde	LW3-CP0004-C30F	ug/kg	3.4E-03	3.9E-03	No
		Endrin aldehyde	LW3-CP0408-C10F	ug/kg	3.4E-03	4.0E-03	No
		Endrin aldehyde	LWG01FZ0306TSCPFLC10	ug/kg	3.4E-03	4.0E+00	Yes
		Endrin aldehyde	LWG01FZ0306TSCPFLC20	ug/kg	3.4E-03	4.0E+00	Yes

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-8.
Nondetects Greater Than The Maximum Detection Per Exposure Area

| Scenario Timeframe: Current/Future |
| Medium: Fish Tissue |
| Exposure Medium: Common Carp |

Exposure Point[a]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Endrin aldehyde	LWG01FZ0306TSCPFLC30	ug/kg	3.4E-03	4.0E+00	Yes
		Endrin aldehyde	LWG01FZ0609TSCPFLC10	ug/kg	3.4E-03	8.5E+00	Yes
		Endrin aldehyde	LWG01FZ0609TSCPFLC20	ug/kg	3.4E-03	4.0E+00	Yes
		Endrin aldehyde	LWG01FZ0609TSCPFLC30	ug/kg	3.4E-03	8.5E+00	Yes
		Endrin ketone	LW3-CP0408-C20F	ug/kg	6.7E-03	8.1E-02	No
		Endrin ketone	LW3-CP0408-C30F	ug/kg	6.7E-03	8.3E-02	No
		Endrin ketone	LW3-CP0812-C11F	ug/kg	6.7E-03	8.3E-02	No
		Endrin ketone	LW3-CP0812-C30F	ug/kg	6.7E-03	8.1E-02	No
		Endrin ketone	LWG01FZ0306TSCPFLC10	ug/kg	6.7E-03	4.0E+00	Yes
		Endrin ketone	LWG01FZ0306TSCPFLC20	ug/kg	6.7E-03	4.0E+00	Yes
		Endrin ketone	LWG01FZ0306TSCPFLC30	ug/kg	6.7E-03	4.0E+00	Yes
		Endrin ketone	LWG01FZ0609TSCPFLC10	ug/kg	6.7E-03	7.5E+00	Yes
		Endrin ketone	LWG01FZ0609TSCPFLC20	ug/kg	6.7E-03	4.0E+00	Yes
		Endrin ketone	LWG01FZ0609TSCPFLC30	ug/kg	6.7E-03	7.5E+00	Yes
		gamma-Hexachlorocyclohexane	LWG01FZ0306TSCPFLC10	ug/kg	3.6E-02	4.0E+00	Yes
		gamma-Hexachlorocyclohexane	LWG01FZ0306TSCPFLC20	ug/kg	3.6E-02	4.0E+00	Yes
		gamma-Hexachlorocyclohexane	LWG01FZ0306TSCPFLC30	ug/kg	3.6E-02	4.0E+00	Yes
		gamma-Hexachlorocyclohexane	LWG01FZ0609TSCPFLC10	ug/kg	3.6E-02	9.6E+00	Yes
		gamma-Hexachlorocyclohexane	LWG01FZ0609TSCPFLC20	ug/kg	3.6E-02	4.0E+00	Yes
		gamma-Hexachlorocyclohexane	LWG01FZ0609TSCPFLC30	ug/kg	3.6E-02	9.6E+00	Yes
		Heptachlor epoxide	LWG01FZ0306TSCPFLC10	ug/kg	1.5E-01	4.0E+00	No
		Heptachlor epoxide	LWG01FZ0306TSCPFLC20	ug/kg	1.5E-01	4.0E+00	No
		Heptachlor epoxide	LWG01FZ0306TSCPFLC30	ug/kg	1.5E-01	4.0E+00	No
		Heptachlor epoxide	LWG01FZ0609TSCPFLC10	ug/kg	1.5E-01	8.0E+00	No
		Heptachlor epoxide	LWG01FZ0609TSCPFLC20	ug/kg	1.5E-01	4.0E+00	No
		Heptachlor epoxide	LWG01FZ0609TSCPFLC30	ug/kg	1.5E-01	8.0E+00	No
		Total Chlordanes	LWG01FZ0306TSCPFLC20	ug/kg	1.5E+01	1.7E+01	No
		Total Chlordanes	LWG01FZ0609TSCPFLC10	ug/kg	1.5E+01	2.0E+01	No
		Total Endosulfan	LWG01FZ0609TSCPFLC10	ug/kg	8.1E+00	2.0E+01	No
		Total Endosulfan	LWG01FZ0609TSCPFLC30	ug/kg	8.1E+00	9.8E+00	No
Study Area-wide	WB	**Polynuclear Aromatic Hydrocarbons**					
		Acenaphthylene	LWG01FZ0306TSCPWBC10	ug/kg	4.2E+00	3.2E+01	No
		Acenaphthylene	LWG01FZ0306TSCPWBC20	ug/kg	4.2E+00	3.3E+01	No
		Acenaphthylene	LWG01FZ0306TSCPWBC30	ug/kg	4.2E+00	3.2E+01	No
		Acenaphthylene	LWG01FZ0609TSCPWBC10	ug/kg	4.2E+00	3.1E+01	No
		Acenaphthylene	LWG01FZ0609TSCPWBC20	ug/kg	4.2E+00	3.2E+01	No
		Acenaphthylene	LWG01FZ0609TSCPWBC30	ug/kg	4.2E+00	3.3E+01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-8.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Common Carp

Exposure Point[a]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Anthracene	LWG01FZ0306TSCPWBC10	ug/kg	7.6E+00	3.2E+01	No
		Anthracene	LWG01FZ0306TSCPWBC20	ug/kg	7.6E+00	3.3E+01	No
		Anthracene	LWG01FZ0306TSCPWBC30	ug/kg	7.6E+00	3.2E+01	No
		Anthracene	LWG01FZ0609TSCPWBC10	ug/kg	7.6E+00	3.1E+01	No
		Anthracene	LWG01FZ0609TSCPWBC20	ug/kg	7.6E+00	3.2E+01	No
		Anthracene	LWG01FZ0609TSCPWBC30	ug/kg	7.6E+00	3.3E+01	No
		Benzo(a)anthracene	LW3-CP0004-C20WB	ug/kg	3.2E-01	1.1E+00	No
		Benzo(a)anthracene	LW3-CP0408-C30WB	ug/kg	3.2E-01	5.0E-01	No
		Benzo(a)anthracene	LW3-CP0408-C10WB	ug/kg	3.2E-01	5.0E-01	No
		Benzo(a)anthracene	LW3-CP0408-C20WB	ug/kg	3.2E-01	2.0E+00	No
		Benzo(a)anthracene	LWG01FZ0306TSCPWBC10	ug/kg	3.2E-01	3.2E+01	No
		Benzo(a)anthracene	LWG01FZ0306TSCPWBC20	ug/kg	3.2E-01	3.3E+01	Yes
		Benzo(a)anthracene	LWG01FZ0306TSCPWBC30	ug/kg	3.2E-01	3.2E+01	No
		Benzo(a)anthracene	LWG01FZ0609TSCPWBC10	ug/kg	3.2E-01	3.1E+01	No
		Benzo(a)anthracene	LWG01FZ0609TSCPWBC20	ug/kg	3.2E-01	3.2E+01	No
		Benzo(a)anthracene	LWG01FZ0609TSCPWBC30	ug/kg	3.2E-01	3.3E+01	Yes
		Benzo(a)pyrene	LW3-CP0004-C10WB	ug/kg	5.4E-01	6.3E-01	No
		Benzo(a)pyrene	LW3-CP0004-C20WB	ug/kg	5.4E-01	1.3E+00	No
		Benzo(a)pyrene	LW3-CP0408-C30WB	ug/kg	5.4E-01	6.1E-01	No
		Benzo(a)pyrene	LW3-CP0408-C10WB	ug/kg	5.4E-01	6.2E-01	No
		Benzo(a)pyrene	LW3-CP0408-C20WB	ug/kg	5.4E-01	2.4E+00	No
		Benzo(a)pyrene	LWG01FZ0306TSCPWBC10	ug/kg	5.4E-01	3.2E+01	No
		Benzo(a)pyrene	LWG01FZ0306TSCPWBC20	ug/kg	5.4E-01	3.3E+01	No
		Benzo(a)pyrene	LWG01FZ0306TSCPWBC30	ug/kg	5.4E-01	3.2E+01	No
		Benzo(a)pyrene	LWG01FZ0609TSCPWBC10	ug/kg	5.4E-01	3.1E+01	No
		Benzo(a)pyrene	LWG01FZ0609TSCPWBC20	ug/kg	5.4E-01	3.2E+01	No
		Benzo(a)pyrene	LWG01FZ0609TSCPWBC30	ug/kg	5.4E-01	3.3E+01	No
		Benzo(b)fluoranthene	LW3-CP0004-C20WB	ug/kg	1.0E+00	1.1E+00	No
		Benzo(b)fluoranthene	LW3-CP0408-C20WB	ug/kg	1.0E+00	2.0E+00	No
		Benzo(b)fluoranthene	LWG01FZ0306TSCPWBC10	ug/kg	1.0E+00	3.2E+01	No
		Benzo(b)fluoranthene	LWG01FZ0306TSCPWBC20	ug/kg	1.0E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG01FZ0306TSCPWBC30	ug/kg	1.0E+00	3.2E+01	No
		Benzo(b)fluoranthene	LWG01FZ0609TSCPWBC10	ug/kg	1.0E+00	3.1E+01	No
		Benzo(b)fluoranthene	LWG01FZ0609TSCPWBC20	ug/kg	1.0E+00	3.2E+01	No
		Benzo(b)fluoranthene	LWG01FZ0609TSCPWBC30	ug/kg	1.0E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LW3-CP0004-C20WB	ug/kg	5.6E-01	1.1E+00	No
		Benzo(g,h,i)perylene	LW3-CP0408-C20WB	ug/kg	5.6E-01	2.2E+00	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-8.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Common Carp

Exposure Point[a]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Benzo(g,h,i)perylene	LWG01FZ0306TSCPWBC10	ug/kg	5.6E-01	3.2E+01	No
		Benzo(g,h,i)perylene	LWG01FZ0306TSCPWBC20	ug/kg	5.6E-01	3.3E+01	No
		Benzo(g,h,i)perylene	LWG01FZ0306TSCPWBC30	ug/kg	5.6E-01	3.2E+01	No
		Benzo(g,h,i)perylene	LWG01FZ0609TSCPWBC10	ug/kg	5.6E-01	3.1E+01	No
		Benzo(g,h,i)perylene	LWG01FZ0609TSCPWBC20	ug/kg	5.6E-01	3.2E+01	No
		Benzo(g,h,i)perylene	LWG01FZ0609TSCPWBC30	ug/kg	5.6E-01	3.3E+01	No
		Benzo(k)fluoranthene	LW3-CP0004-C20WB	ug/kg	4.1E-01	9.0E-01	No
		Benzo(k)fluoranthene	LW3-CP0408-C30WB	ug/kg	4.1E-01	4.2E-01	No
		Benzo(k)fluoranthene	LW3-CP0408-C10WB	ug/kg	4.1E-01	4.3E-01	No
		Benzo(k)fluoranthene	LWG01FZ0306TSCPWBC10	ug/kg	4.1E-01	3.2E+01	No
		Benzo(k)fluoranthene	LWG01FZ0306TSCPWBC20	ug/kg	4.1E-01	3.3E+01	No
		Benzo(k)fluoranthene	LWG01FZ0306TSCPWBC30	ug/kg	4.1E-01	3.2E+01	No
		Benzo(k)fluoranthene	LWG01FZ0609TSCPWBC10	ug/kg	4.1E-01	3.1E+01	No
		Benzo(k)fluoranthene	LWG01FZ0609TSCPWBC20	ug/kg	4.1E-01	3.2E+01	No
		Benzo(k)fluoranthene	LWG01FZ0609TSCPWBC30	ug/kg	4.1E-01	3.3E+01	No
		Dibenzo(a,h)anthracene	LW3-CP0004-C20WB	ug/kg	2.5E-01	9.0E-01	No
		Dibenzo(a,h)anthracene	LW3-CP0408-C30WB	ug/kg	2.5E-01	4.5E-01	No
		Dibenzo(a,h)anthracene	LW3-CP0408-C10WB	ug/kg	2.5E-01	4.5E-01	No
		Dibenzo(a,h)anthracene	LW3-CP0408-C20WB	ug/kg	2.5E-01	1.7E+00	No
		Dibenzo(a,h)anthracene	LWG01FZ0306TSCPWBC10	ug/kg	2.5E-01	3.2E+01	Yes
		Dibenzo(a,h)anthracene	LWG01FZ0306TSCPWBC20	ug/kg	2.5E-01	3.3E+01	Yes
		Dibenzo(a,h)anthracene	LWG01FZ0306TSCPWBC30	ug/kg	2.5E-01	3.2E+01	Yes
		Dibenzo(a,h)anthracene	LWG01FZ0609TSCPWBC10	ug/kg	2.5E-01	3.1E+01	Yes
		Dibenzo(a,h)anthracene	LWG01FZ0609TSCPWBC20	ug/kg	2.5E-01	3.2E+01	Yes
		Dibenzo(a,h)anthracene	LWG01FZ0609TSCPWBC30	ug/kg	2.5E-01	3.3E+01	Yes
		Fluoranthene	LWG01FZ0306TSCPWBC10	ug/kg	2.4E+01	3.2E+01	No
		Fluoranthene	LWG01FZ0306TSCPWBC20	ug/kg	2.4E+01	3.3E+01	No
		Fluoranthene	LWG01FZ0306TSCPWBC30	ug/kg	2.4E+01	3.2E+01	No
		Fluoranthene	LWG01FZ0609TSCPWBC10	ug/kg	2.4E+01	3.1E+01	No
		Fluoranthene	LWG01FZ0609TSCPWBC20	ug/kg	2.4E+01	3.2E+01	No
		Fluoranthene	LWG01FZ0609TSCPWBC30	ug/kg	2.4E+01	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LW3-CP0004-C20WB	ug/kg	6.0E-01	9.8E-01	No
		Indeno(1,2,3-cd)pyrene	LW3-CP0408-C20WB	ug/kg	6.0E-01	1.9E+00	No
		Indeno(1,2,3-cd)pyrene	LWG01FZ0306TSCPWBC10	ug/kg	6.0E-01	3.2E+01	No
		Indeno(1,2,3-cd)pyrene	LWG01FZ0306TSCPWBC20	ug/kg	6.0E-01	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG01FZ0306TSCPWBC30	ug/kg	6.0E-01	3.2E+01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-8.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Common Carp

Exposure Point[a]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Indeno(1,2,3-cd)pyrene	LWG01FZ0609TSCPWBC10	ug/kg	6.0E-01	3.1E+01	No
		Indeno(1,2,3-cd)pyrene	LWG01FZ0609TSCPWBC20	ug/kg	6.0E-01	3.2E+01	No
		Indeno(1,2,3-cd)pyrene	LWG01FZ0609TSCPWBC30	ug/kg	6.0E-01	3.3E+01	No
		Phenanthrene	LWG01FZ0306TSCPWBC10	ug/kg	1.6E+01	3.2E+01	No
		Phenanthrene	LWG01FZ0306TSCPWBC20	ug/kg	1.6E+01	3.3E+01	No
		Phenanthrene	LWG01FZ0306TSCPWBC30	ug/kg	1.6E+01	3.2E+01	No
		Phenanthrene	LWG01FZ0609TSCPWBC10	ug/kg	1.6E+01	3.1E+01	No
		Phenanthrene	LWG01FZ0609TSCPWBC20	ug/kg	1.6E+01	3.2E+01	No
		Phenanthrene	LWG01FZ0609TSCPWBC30	ug/kg	1.6E+01	3.3E+01	No
		Pyrene	LWG01FZ0306TSCPWBC10	ug/kg	7.3E+00	3.2E+01	No
		Pyrene	LWG01FZ0306TSCPWBC20	ug/kg	7.3E+00	3.3E+01	No
		Pyrene	LWG01FZ0306TSCPWBC30	ug/kg	7.3E+00	3.2E+01	No
		Pyrene	LWG01FZ0609TSCPWBC10	ug/kg	7.3E+00	3.1E+01	No
		Pyrene	LWG01FZ0609TSCPWBC20	ug/kg	7.3E+00	3.2E+01	No
		Pyrene	LWG01FZ0609TSCPWBC30	ug/kg	7.3E+00	3.3E+01	No
		Semi-Volatile Organic Compounds					
		Benzoic acid	LWG01FZ0306TSCPWBC10	ug/kg	4.7E+02	8.3E+03	No
		Benzoic acid	LWG01FZ0306TSCPWBC20	ug/kg	4.7E+02	8.2E+03	No
		Benzoic acid	LWG01FZ0306TSCPWBC30	ug/kg	4.7E+02	8.3E+03	No
		Benzoic acid	LWG01FZ0609TSCPWBC10	ug/kg	4.7E+02	8.2E+03	No
		Benzoic acid	LWG01FZ0609TSCPWBC20	ug/kg	4.7E+02	8.3E+03	No
		Benzoic acid	LWG01FZ0609TSCPWBC30	ug/kg	4.7E+02	8.3E+03	No
		Benzyl alcohol	LW3-CP0004-C20WB	ug/kg	8.0E+01	1.6E+02	No
		Benzyl alcohol	LW3-CP0408-C10WB	ug/kg	8.0E+01	1.0E+02	No
		Benzyl alcohol	LW3-CP0408-C20WB	ug/kg	8.0E+01	1.3E+02	No
		Benzyl alcohol	LWG01FZ0306TSCPWBC10	ug/kg	8.0E+01	6.4E+02	No
		Benzyl alcohol	LWG01FZ0306TSCPWBC20	ug/kg	8.0E+01	6.6E+02	No
		Benzyl alcohol	LWG01FZ0306TSCPWBC30	ug/kg	8.0E+01	6.5E+02	No
		Benzyl alcohol	LWG01FZ0609TSCPWBC10	ug/kg	8.0E+01	6.2E+02	No
		Benzyl alcohol	LWG01FZ0609TSCPWBC20	ug/kg	8.0E+01	6.4E+02	No
		Benzyl alcohol	LWG01FZ0609TSCPWBC30	ug/kg	8.0E+01	6.5E+02	No
		Bis(2-chloroethoxy) methane	LWG01FZ0306TSCPWBC10	ug/kg	3.0E+01	3.2E+02	No
		Bis(2-chloroethoxy) methane	LWG01FZ0306TSCPWBC20	ug/kg	3.0E+01	3.3E+02	No
		Bis(2-chloroethoxy) methane	LWG01FZ0306TSCPWBC30	ug/kg	3.0E+01	3.2E+02	No
		Bis(2-chloroethoxy) methane	LWG01FZ0609TSCPWBC10	ug/kg	3.0E+01	3.1E+02	No
		Bis(2-chloroethoxy) methane	LWG01FZ0609TSCPWBC20	ug/kg	3.0E+01	3.2E+02	No
		Bis(2-chloroethoxy) methane	LWG01FZ0609TSCPWBC30	ug/kg	3.0E+01	3.3E+02	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-8.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Common Carp

Exposure Point[a]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Dibenzofuran	LWG01FZ0306TSCPWBC10	ug/kg	6.0E+00	3.2E+01	No
		Dibenzofuran	LWG01FZ0306TSCPWBC20	ug/kg	6.0E+00	3.3E+01	No
		Dibenzofuran	LWG01FZ0306TSCPWBC30	ug/kg	6.0E+00	3.2E+01	No
		Dibenzofuran	LWG01FZ0609TSCPWBC10	ug/kg	6.0E+00	3.1E+01	No
		Dibenzofuran	LWG01FZ0609TSCPWBC20	ug/kg	6.0E+00	3.2E+01	No
		Dibenzofuran	LWG01FZ0609TSCPWBC30	ug/kg	6.0E+00	3.3E+01	No
		Hexachlorobenzene	LWG01FZ0306TSCPWBC10	ug/kg	4.5E+00	3.2E+01	No
		Hexachlorobenzene	LWG01FZ0306TSCPWBC20	ug/kg	4.5E+00	6.4E+00	No
		Hexachlorobenzene	LWG01FZ0306TSCPWBC30	ug/kg	4.5E+00	6.4E+00	No
		Hexachlorobenzene	LWG01FZ0609TSCPWBC20	ug/kg	4.5E+00	6.4E+00	No
		Hexachlorobenzene	LWG01FZ0609TSCPWBC30	ug/kg	4.5E+00	6.4E+00	No
		Hexachlorobutadiene	LWG01FZ0306TSCPWBC10	ug/kg	2.6E-01	1.0E+00	No
		Hexachlorobutadiene	LWG01FZ0306TSCPWBC20	ug/kg	2.6E-01	4.6E+00	No
		Hexachlorobutadiene	LWG01FZ0306TSCPWBC30	ug/kg	2.6E-01	4.6E+00	No
		Hexachlorobutadiene	LWG01FZ0609TSCPWBC10	ug/kg	2.6E-01	4.6E+00	No
		Hexachlorobutadiene	LWG01FZ0609TSCPWBC20	ug/kg	2.6E-01	4.0E+00	No
		Hexachlorobutadiene	LWG01FZ0609TSCPWBC30	ug/kg	2.6E-01	4.6E+00	No
		Isophorone	LW3-CP0004-C10WB	ug/kg	5.9E+00	9.2E+00	No
		Isophorone	LW3-CP0004-C20WB	ug/kg	5.9E+00	9.2E+00	No
		Isophorone	LW3-CP0408-C10WB	ug/kg	5.9E+00	9.2E+00	No
		Isophorone	LW3-CP0812-C11WB	ug/kg	5.9E+00	9.2E+00	No
		Isophorone	LW3-CP0812-C20WB	ug/kg	5.9E+00	9.2E+00	No
		Isophorone	LW3-CP0812-C30WB	ug/kg	5.9E+00	9.2E+00	No
		Isophorone	LWG01FZ0306TSCPWBC10	ug/kg	5.9E+00	1.7E+03	Yes
		Isophorone	LWG01FZ0306TSCPWBC20	ug/kg	5.9E+00	1.6E+03	Yes
		Isophorone	LWG01FZ0306TSCPWBC30	ug/kg	5.9E+00	1.7E+03	Yes
		Isophorone	LWG01FZ0609TSCPWBC10	ug/kg	5.9E+00	1.6E+03	Yes
		Isophorone	LWG01FZ0609TSCPWBC20	ug/kg	5.9E+00	1.7E+03	Yes
		Isophorone	LWG01FZ0609TSCPWBC30	ug/kg	5.9E+00	1.7E+03	Yes
		Phenols					
		4-Nitrophenol	LW3-CP0004-C10WB	ug/kg	9.5E+00	9.9E+00	No
		4-Nitrophenol	LWG01FZ0306TSCPWBC10	ug/kg	9.5E+00	3.2E+03	Yes
		4-Nitrophenol	LWG01FZ0306TSCPWBC20	ug/kg	9.5E+00	3.3E+03	Yes
		4-Nitrophenol	LWG01FZ0306TSCPWBC30	ug/kg	9.5E+00	3.2E+03	Yes
		4-Nitrophenol	LWG01FZ0609TSCPWBC10	ug/kg	9.5E+00	3.1E+03	Yes
		4-Nitrophenol	LWG01FZ0609TSCPWBC20	ug/kg	9.5E+00	3.2E+03	Yes
		4-Nitrophenol	LWG01FZ0609TSCPWBC30	ug/kg	9.5E+00	3.3E+03	Yes

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-8.
Nondetects Greater Than The Maximum Detection Per Exposure Area

| Scenario Timeframe: Current/Future |
| Medium: Fish Tissue |
| Exposure Medium: Common Carp |

Exposure Point[a]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Phenol	LW3-CP0004-C20WB	ug/kg	4.3E+01	4.5E+01	No
		Phenol	LW3-CP0004-C30WB	ug/kg	4.3E+01	4.5E+01	No
		Phenol	LW3-CP0004-C10WB	ug/kg	4.3E+01	4.9E+01	No
		Phenol	LW3-CP0408-C30WB	ug/kg	4.3E+01	4.5E+01	No
		Phenol	LW3-CP0408-C20WB	ug/kg	4.3E+01	4.5E+01	No
		Phenol	LW3-CP0408-C10WB	ug/kg	4.3E+01	4.5E+01	No
		Phenol	LW3-CP0812-C30WB	ug/kg	4.3E+01	4.5E+01	No
		Phenol	LW3-CP0812-C20WB	ug/kg	4.3E+01	4.5E+01	No
		Phenol	LWG01FZ0306TSCPWBC10	ug/kg	4.3E+01	6.4E+02	No
		Phenol	LWG01FZ0306TSCPWBC20	ug/kg	4.3E+01	6.6E+02	No
		Phenol	LWG01FZ0306TSCPWBC30	ug/kg	4.3E+01	6.5E+02	No
		Phenol	LWG01FZ0609TSCPWBC10	ug/kg	4.3E+01	6.2E+02	No
		Phenol	LWG01FZ0609TSCPWBC20	ug/kg	4.3E+01	6.4E+02	No
		Phenol	LWG01FZ0609TSCPWBC30	ug/kg	4.3E+01	6.5E+02	No
		Pesticides					
		Aldrin	LWG01FZ0306TSCPWBC10	ug/kg	1.6E-01	1.0E+00	No
		Aldrin	LWG01FZ0306TSCPWBC20	ug/kg	1.6E-01	1.3E+01	No
		Aldrin	LWG01FZ0306TSCPWBC30	ug/kg	1.6E-01	1.0E+00	No
		Aldrin	LWG01FZ0609TSCPWBC10	ug/kg	1.6E-01	4.0E+00	No
		Aldrin	LWG01FZ0609TSCPWBC20	ug/kg	1.6E-01	4.0E+00	No
		Aldrin	LWG01FZ0609TSCPWBC30	ug/kg	1.6E-01	9.9E+00	No
		alpha-Hexachlorocyclohexane	LWG01FZ0306TSCPWBC10	ug/kg	5.0E-02	1.0E+00	No
		alpha-Hexachlorocyclohexane	LWG01FZ0306TSCPWBC20	ug/kg	5.0E-02	6.4E+00	Yes
		alpha-Hexachlorocyclohexane	LWG01FZ0306TSCPWBC30	ug/kg	5.0E-02	1.0E+00	No
		alpha-Hexachlorocyclohexane	LWG01FZ0609TSCPWBC10	ug/kg	5.0E-02	4.0E+00	No
		alpha-Hexachlorocyclohexane	LWG01FZ0609TSCPWBC20	ug/kg	5.0E-02	4.0E+00	No
		alpha-Hexachlorocyclohexane	LWG01FZ0609TSCPWBC30	ug/kg	5.0E-02	6.4E+00	Yes
		beta-Hexachlorocyclohexane	LWG01FZ0306TSCPWBC10	ug/kg	4.2E-02	1.5E+00	No
		beta-Hexachlorocyclohexane	LWG01FZ0306TSCPWBC20	ug/kg	4.2E-02	8.5E+00	Yes
		beta-Hexachlorocyclohexane	LWG01FZ0306TSCPWBC30	ug/kg	4.2E-02	3.0E+00	No
		beta-Hexachlorocyclohexane	LWG01FZ0609TSCPWBC10	ug/kg	4.2E-02	6.1E+00	Yes
		beta-Hexachlorocyclohexane	LWG01FZ0609TSCPWBC20	ug/kg	4.2E-02	4.0E+00	No
		beta-Hexachlorocyclohexane	LWG01FZ0609TSCPWBC30	ug/kg	4.2E-02	8.5E+00	Yes
		delta-Hexachlorocyclohexane	LWG01FZ0306TSCPWBC10	ug/kg	4.0E-03	1.0E+00	Yes
		delta-Hexachlorocyclohexane	LWG01FZ0306TSCPWBC20	ug/kg	4.0E-03	7.3E+00	Yes
		delta-Hexachlorocyclohexane	LWG01FZ0306TSCPWBC30	ug/kg	4.0E-03	1.0E+00	Yes
		delta-Hexachlorocyclohexane	LWG01FZ0609TSCPWBC10	ug/kg	4.0E-03	4.0E+00	Yes

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-8.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Common Carp

Exposure Point[a]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		delta-Hexachlorocyclohexane	LWG01FZ0609TSCPWBC20	ug/kg	4.0E-03	4.0E+00	Yes
		delta-Hexachlorocyclohexane	LWG01FZ0609TSCPWBC30	ug/kg	4.0E-03	7.3E+00	Yes
		Dieldrin	LWG01FZ0306TSCPWBC20	ug/kg	3.0E+00	1.4E+01	No
		Dieldrin	LWG01FZ0306TSCPWBC30	ug/kg	3.0E+00	6.2E+00	No
		Dieldrin	LWG01FZ0609TSCPWBC10	ug/kg	3.0E+00	5.2E+00	No
		Dieldrin	LWG01FZ0609TSCPWBC20	ug/kg	3.0E+00	4.0E+00	No
		Dieldrin	LWG01FZ0609TSCPWBC30	ug/kg	3.0E+00	9.9E+00	No
		Endrin	LWG01FZ0306TSCPWBC10	ug/kg	2.9E-02	1.0E+00	No
		Endrin	LWG01FZ0306TSCPWBC20	ug/kg	2.9E-02	2.0E+01	Yes
		Endrin	LWG01FZ0306TSCPWBC30	ug/kg	2.9E-02	1.0E+00	No
		Endrin	LWG01FZ0609TSCPWBC10	ug/kg	2.9E-02	4.0E+00	Yes
		Endrin	LWG01FZ0609TSCPWBC20	ug/kg	2.9E-02	4.0E+00	Yes
		Endrin	LWG01FZ0609TSCPWBC30	ug/kg	2.9E-02	9.9E+00	Yes
		Endrin aldehyde	LW3-CP0004-C10WB	ug/kg	7.4E-03	9.6E-03	No
		Endrin aldehyde	LW3-CP0408-C30WB	ug/kg	7.4E-03	1.4E-02	No
		Endrin aldehyde	LW3-CP0408-C20WB	ug/kg	7.4E-03	1.5E-02	No
		Endrin aldehyde	LW3-CP0812-C20WB	ug/kg	7.4E-03	1.5E-02	No
		Endrin aldehyde	LW3-CP0812-C30WB	ug/kg	7.4E-03	1.4E-02	No
		Endrin aldehyde	LWG01FZ0306TSCPWBC10	ug/kg	7.4E-03	2.0E+00	Yes
		Endrin aldehyde	LWG01FZ0306TSCPWBC20	ug/kg	7.4E-03	8.5E+00	Yes
		Endrin aldehyde	LWG01FZ0306TSCPWBC30	ug/kg	7.4E-03	1.8E+00	Yes
		Endrin aldehyde	LWG01FZ0609TSCPWBC10	ug/kg	7.4E-03	4.0E+00	Yes
		Endrin aldehyde	LWG01FZ0609TSCPWBC20	ug/kg	7.4E-03	4.0E+00	Yes
		Endrin aldehyde	LWG01FZ0609TSCPWBC30	ug/kg	7.4E-03	8.5E+00	Yes
		Endrin ketone	LW3-CP0408-C30WB	ug/kg	1.5E-02	3.6E-02	No
		Endrin ketone	LW3-CP0408-C20WB	ug/kg	1.5E-02	3.7E-02	No
		Endrin ketone	LW3-CP0812-C30WB	ug/kg	1.5E-02	3.6E-02	No
		Endrin ketone	LWG01FZ0306TSCPWBC10	ug/kg	1.5E-02	1.0E+00	No
		Endrin ketone	LWG01FZ0306TSCPWBC20	ug/kg	1.5E-02	7.5E+00	Yes
		Endrin ketone	LWG01FZ0306TSCPWBC30	ug/kg	1.5E-02	1.0E+00	No
		Endrin ketone	LWG01FZ0609TSCPWBC10	ug/kg	1.5E-02	4.0E+00	Yes
		Endrin ketone	LWG01FZ0609TSCPWBC20	ug/kg	1.5E-02	4.0E+00	Yes
		Endrin ketone	LWG01FZ0609TSCPWBC30	ug/kg	1.5E-02	7.5E+00	Yes
		gamma-Hexachlorocyclohexane	LWG01FZ0306TSCPWBC10	ug/kg	4.6E-02	1.0E+00	No
		gamma-Hexachlorocyclohexane	LWG01FZ0306TSCPWBC20	ug/kg	4.6E-02	9.6E+00	Yes
		gamma-Hexachlorocyclohexane	LWG01FZ0306TSCPWBC30	ug/kg	4.6E-02	1.7E+00	No
		gamma-Hexachlorocyclohexane	LWG01FZ0609TSCPWBC10	ug/kg	4.6E-02	4.0E+00	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-8.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Common Carp

Exposure Point[a]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		gamma-Hexachlorocyclohexane	LWG01FZ0609TSCPWBC20	ug/kg	4.6E-02	9.6E+00	Yes
		gamma-Hexachlorocyclohexane	LWG01FZ0609TSCPWBC30	ug/kg	4.6E-02	9.6E+00	Yes
		Heptachlor	LW3-CP0408-C20WB	ug/kg	7.1E-03	3.0E-02	No
		Heptachlor	LW3-CP0812-C11WB	ug/kg	7.1E-03	2.5E-02	No
		Heptachlor	LWG01FZ0306TSCPWBC10	ug/kg	7.1E-03	1.1E+00	Yes
		Heptachlor	LWG01FZ0306TSCPWBC20	ug/kg	7.1E-03	1.3E+01	Yes
		Heptachlor	LWG01FZ0306TSCPWBC30	ug/kg	7.1E-03	1.0E+00	Yes
		Heptachlor	LWG01FZ0609TSCPWBC10	ug/kg	7.1E-03	4.0E+00	Yes
		Heptachlor	LWG01FZ0609TSCPWBC20	ug/kg	7.1E-03	4.0E+00	Yes
		Heptachlor	LWG01FZ0609TSCPWBC30	ug/kg	7.1E-03	9.9E+00	Yes
		Heptachlor epoxide	LWG01FZ0306TSCPWBC10	ug/kg	2.1E-01	1.0E+00	No
		Heptachlor epoxide	LWG01FZ0306TSCPWBC20	ug/kg	2.1E-01	8.0E+00	No
		Heptachlor epoxide	LWG01FZ0306TSCPWBC30	ug/kg	2.1E-01	1.0E+00	No
		Heptachlor epoxide	LWG01FZ0609TSCPWBC10	ug/kg	2.1E-01	4.0E+00	No
		Heptachlor epoxide	LWG01FZ0609TSCPWBC20	ug/kg	2.1E-01	4.0E+00	No
		Heptachlor epoxide	LWG01FZ0609TSCPWBC30	ug/kg	2.1E-01	8.0E+00	No
		Methoxychlor	LWG01FZ0306TSCPWBC20	ug/kg	4.2E+00	4.8E+00	No
		Methoxychlor	LWG01FZ0306TSCPWBC30	ug/kg	4.2E+00	4.8E+00	No
		Methoxychlor	LWG01FZ0609TSCPWBC20	ug/kg	4.2E+00	4.8E+00	No
		Methoxychlor	LWG01FZ0609TSCPWBC30	ug/kg	4.2E+00	4.8E+00	No
		Total Endosulfan	LWG01FZ0306TSCPWBC20	ug/kg	1.4E+01	2.0E+01	No
		Total Endosulfan	LWG01FZ0609TSCPWBC20	ug/kg	1.4E+01	1.5E+01	No

Notes:
a Exposure areas not listed indicate there were no non-detected results with detection limits exceeding the maximum detected concentrations that were removed from

Abbreviations:
F = Fillet tissue.
mg/kg = milligrams per kilogram.
ug/kg = micrograms per kilogram.
WB = Whole body.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
RM 3	F	**Semi-Volatile Organic Compounds**					
		Hexachlorobenzene	LWG0103R014TSSBFLC00	ug/kg	4.3E-01	1.3E+00	No
		Hexachlorobutadiene	LWG0103R014TSSBFLC00	ug/kg	2.2E-02	1.0E+00	No
		Pesticides					
		Aldrin	LW3-SB03E-C00F	ug/kg	5.2E-03	6.7E-03	No
		Aldrin	LWG0103R014TSSBFLC00	ug/kg	5.2E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0103R014TSSBFLC00	ug/kg	4.3E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0103R014TSSBFLC00	ug/kg	2.4E-02	1.0E+00	No
RM 3	WB	**Metals**					
		Antimony	LW3-SB03E-C00WB	mg/kg	1.0E-03	5.7E-03	No
		Antimony	LW3-SB03W-C00WB	mg/kg	1.0E-03	5.8E-03	No
		Silver	LW3-SB03E-C00WB	mg/kg	1.6E-03	2.0E-03	No
		Butyltins					
		Tributyltin ion	LW3-SB03W-C00WB	ug/kg	8.1E-01	1.4E+00	No
		Polynuclear Aromatic Hydrocarbons					
		2-Methylnaphthalene	LWG0103R014TSSBWBC00	ug/kg	4.5E+00	3.1E+01	No
		Acenaphthene	LWG0103R014TSSBWBC00	ug/kg	6.8E+00	3.1E+01	No
		Acenaphthylene	LWG0103R014TSSBWBC00	ug/kg	6.9E-01	3.1E+01	No
		Anthracene	LWG0103R014TSSBWBC00	ug/kg	3.2E+00	3.1E+01	No
		Benzo(a)anthracene	LWG0103R014TSSBWBC00	ug/kg	4.8E-01	3.1E+01	No
		Chrysene	LWG0103R014TSSBWBC00	ug/kg	2.0E+00	3.1E+01	No
		Fluoranthene	LWG0103R014TSSBWBC00	ug/kg	9.5E+00	3.1E+01	No
		Fluorene	LWG0103R014TSSBWBC00	ug/kg	1.2E+01	3.1E+01	No
		Naphthalene	LWG0103R014TSSBWBC00	ug/kg	1.7E+00	3.1E+01	No
		Phenanthrene	LWG0103R014TSSBWBC00	ug/kg	1.7E+01	3.1E+01	No
		Pyrene	LWG0103R014TSSBWBC00	ug/kg	6.2E+00	3.1E+01	No
		Semi-Volatile Organic Compounds					
		Benzoic acid	LWG0103R014TSSBWBC00	ug/kg	5.9E+02	8.3E+03	No
		Benzyl alcohol	LWG0103R014TSSBWBC00	ug/kg	2.5E+01	3.1E+02	No
		Bis(2-chloroethoxy) methane	LWG0103R014TSSBWBC00	ug/kg	1.4E+01	1.5E+02	No
		Dibenzofuran	LWG0103R014TSSBWBC00	ug/kg	3.5E+00	3.1E+01	No
		Hexachlorobenzene	LWG0103R014TSSBWBC00	ug/kg	1.9E+00	6.4E+00	No
		Hexachlorobutadiene	LWG0103R014TSSBWBC00	ug/kg	2.3E-02	4.0E+00	Yes
		Pesticides					
		Aldrin	LWG0103R014TSSBWBC00	ug/kg	2.2E-02	4.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0103R014TSSBWBC00	ug/kg	2.4E-02	4.0E+00	Yes
		beta-Hexachlorocyclohexane	LW3-SB03E-C00WB	ug/kg	8.3E-03	2.3E-02	No
		beta-Hexachlorocyclohexane	LWG0103R014TSSBWBC00	ug/kg	8.3E-03	4.0E+00	Yes

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Dieldrin	LWG0103R014TSSBWBC00	ug/kg	2.9E+00	1.4E+01	No
		Endrin	LWG0103R014TSSBWBC00	ug/kg	3.0E-02	3.1E+01	Yes
		Endrin aldehyde	LW3-SB03E-C00WB	ug/kg	6.2E-03	1.5E-02	No
		Endrin aldehyde	LWG0103R014TSSBWBC00	ug/kg	6.2E-03	4.0E+00	Yes
		gamma-Hexachlorocyclohexane	LWG0103R014TSSBWBC00	ug/kg	2.7E-02	4.0E+00	Yes
		Heptachlor	LW3-SB03E-C00WB	ug/kg	2.7E-02	2.8E-02	No
		Heptachlor	LWG0103R014TSSBWBC00	ug/kg	2.7E-02	4.0E+00	Yes
		Heptachlor epoxide	LWG0103R014TSSBWBC00	ug/kg	1.5E-01	4.0E+00	No
		Total Endosulfan	LWG0103R014TSSBWBC00	ug/kg	7.6E-01	4.0E+00	No
RM 4	F	**Pesticides**					
		Total Endosulfan	LW3-SB04W-C00F	ug/kg	9.2E-02	9.8E-02	No
RM 4	WB	**Polynuclear Aromatic Hydrocarbons**					
		2-Methylnaphthalene	LWG0104R023TSSBWBC10	ug/kg	2.4E+00	3.1E+01	No
		2-Methylnaphthalene	LWG0104R023TSSBWBC20	ug/kg	2.4E+00	3.0E+01	No
		2-Methylnaphthalene	LWG0104R023TSSBWBC30	ug/kg	2.4E+00	3.0E+01	No
		Acenaphthylene	LWG0104R023TSSBWBC10	ug/kg	6.3E-01	3.1E+01	No
		Acenaphthylene	LWG0104R023TSSBWBC20	ug/kg	6.3E-01	3.0E+01	No
		Acenaphthylene	LWG0104R023TSSBWBC30	ug/kg	6.3E-01	3.0E+01	No
		Anthracene	LWG0104R023TSSBWBC10	ug/kg	1.3E+00	3.1E+01	No
		Anthracene	LWG0104R023TSSBWBC20	ug/kg	1.3E+00	3.0E+01	No
		Anthracene	LWG0104R023TSSBWBC30	ug/kg	1.3E+00	3.0E+01	No
		Benzo(a)anthracene	LWG0104R023TSSBWBC10	ug/kg	1.9E-01	3.1E+01	Yes
		Benzo(a)anthracene	LWG0104R023TSSBWBC20	ug/kg	1.9E-01	3.0E+01	Yes
		Benzo(a)anthracene	LWG0104R023TSSBWBC30	ug/kg	1.9E-01	3.0E+01	Yes
		Benzo(a)pyrene	LW3-SB04W-C00WB	ug/kg	1.8E-01	2.6E-01	No
		Benzo(a)pyrene	LWG0104R023TSSBWBC10	ug/kg	1.8E-01	3.1E+01	Yes
		Benzo(a)pyrene	LWG0104R023TSSBWBC20	ug/kg	1.8E-01	3.0E+01	Yes
		Benzo(a)pyrene	LWG0104R023TSSBWBC30	ug/kg	1.8E-01	3.0E+01	Yes
		Benzo(b)fluoranthene	LWG0104R023TSSBWBC10	ug/kg	3.5E-01	3.1E+01	No
		Benzo(b)fluoranthene	LWG0104R023TSSBWBC20	ug/kg	3.5E-01	3.0E+01	No
		Benzo(b)fluoranthene	LWG0104R023TSSBWBC30	ug/kg	3.5E-01	3.0E+01	No
		Benzo(g,h,i)perylene	LW3-SB04W-C00WB	ug/kg	2.0E-01	2.4E-01	No
		Benzo(g,h,i)perylene	LWG0104R023TSSBWBC10	ug/kg	2.0E-01	3.1E+01	Yes
		Benzo(g,h,i)perylene	LWG0104R023TSSBWBC20	ug/kg	2.0E-01	3.0E+01	Yes
		Benzo(g,h,i)perylene	LWG0104R023TSSBWBC30	ug/kg	2.0E-01	3.0E+01	Yes
		Benzo(k)fluoranthene	LWG0104R023TSSBWBC10	ug/kg	1.8E-01	3.1E+01	Yes
		Benzo(k)fluoranthene	LWG0104R023TSSBWBC20	ug/kg	1.8E-01	3.0E+01	Yes
		Benzo(k)fluoranthene	LWG0104R023TSSBWBC30	ug/kg	1.8E-01	3.0E+01	Yes

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Chrysene	LWG0104R023TSSBWBC10	ug/kg	2.7E-01	3.1E+01	Yes
		Chrysene	LWG0104R023TSSBWBC20	ug/kg	2.7E-01	3.0E+01	Yes
		Chrysene	LWG0104R023TSSBWBC30	ug/kg	2.7E-01	3.0E+01	Yes
		Dibenzo(a,h)anthracene	LW3-SB04W-C00WB	ug/kg	1.3E-01	1.9E-01	No
		Dibenzo(a,h)anthracene	LWG0104R023TSSBWBC10	ug/kg	1.3E-01	3.1E+01	Yes
		Dibenzo(a,h)anthracene	LWG0104R023TSSBWBC20	ug/kg	1.3E-01	3.0E+01	Yes
		Dibenzo(a,h)anthracene	LWG0104R023TSSBWBC30	ug/kg	1.3E-01	3.0E+01	Yes
		Fluorene	LWG0104R023TSSBWBC10	ug/kg	7.0E+00	3.1E+01	No
		Fluorene	LWG0104R023TSSBWBC20	ug/kg	7.0E+00	3.0E+01	No
		Fluorene	LWG0104R023TSSBWBC30	ug/kg	7.0E+00	3.0E+01	No
		Indeno(1,2,3-cd)pyrene	LW3-SB04W-C00WB	ug/kg	1.8E-01	2.1E-01	No
		Indeno(1,2,3-cd)pyrene	LWG0104R023TSSBWBC10	ug/kg	1.8E-01	3.1E+01	Yes
		Indeno(1,2,3-cd)pyrene	LWG0104R023TSSBWBC20	ug/kg	1.8E-01	3.0E+01	Yes
		Indeno(1,2,3-cd)pyrene	LWG0104R023TSSBWBC30	ug/kg	1.8E-01	3.0E+01	Yes
		Naphthalene	LWG0104R023TSSBWBC10	ug/kg	1.5E+00	3.1E+01	No
		Naphthalene	LWG0104R023TSSBWBC20	ug/kg	1.5E+00	3.0E+01	No
		Naphthalene	LWG0104R023TSSBWBC30	ug/kg	1.5E+00	3.0E+01	No
		Phenanthrene	LWG0104R023TSSBWBC10	ug/kg	2.4E+01	3.1E+01	No
		Phenanthrene	LWG0104R023TSSBWBC20	ug/kg	2.4E+01	3.0E+01	No
		Phenanthrene	LWG0104R023TSSBWBC30	ug/kg	2.4E+01	3.0E+01	No
		Phthalates					
		Dibutyl phthalate	LWG0104R023TSSBWBC10	ug/kg	2.7E+01	3.1E+02	No
		Dibutyl phthalate	LWG0104R023TSSBWBC20	ug/kg	2.7E+01	3.0E+02	No
		Dibutyl phthalate	LWG0104R023TSSBWBC30	ug/kg	2.7E+01	3.0E+02	No
		Diethyl phthalate	LW3-SB04E-C01WB	ug/kg	1.0E+01	1.3E+01	No
		Diethyl phthalate	LWG0104R023TSSBWBC10	ug/kg	1.0E+01	1.5E+02	No
		Diethyl phthalate	LWG0104R023TSSBWBC20	ug/kg	1.0E+01	1.5E+02	No
		Diethyl phthalate	LWG0104R023TSSBWBC30	ug/kg	1.0E+01	1.5E+02	No
		Semi-Volatile Organic Compounds					
		Benzoic acid	LWG0104R023TSSBWBC10	ug/kg	4.8E+02	8.3E+03	No
		Benzoic acid	LWG0104R023TSSBWBC20	ug/kg	4.8E+02	8.3E+03	No
		Benzoic acid	LWG0104R023TSSBWBC30	ug/kg	4.8E+02	8.3E+03	No
		Benzyl alcohol	LWG0104R023TSSBWBC10	ug/kg	3.2E+01	3.1E+02	No
		Benzyl alcohol	LWG0104R023TSSBWBC20	ug/kg	3.2E+01	3.0E+02	No
		Benzyl alcohol	LWG0104R023TSSBWBC30	ug/kg	3.2E+01	3.0E+02	No
		Bis(2-chloroethoxy) methane	LWG0104R023TSSBWBC10	ug/kg	1.3E+01	1.5E+02	No
		Bis(2-chloroethoxy) methane	LWG0104R023TSSBWBC20	ug/kg	1.3E+01	1.5E+02	No
		Bis(2-chloroethoxy) methane	LWG0104R023TSSBWBC30	ug/kg	1.3E+01	1.5E+02	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Dibenzofuran	LWG0104R023TSSBWBC10	ug/kg	2.8E+00	3.1E+01	No
		Dibenzofuran	LWG0104R023TSSBWBC20	ug/kg	2.8E+00	3.0E+01	No
		Dibenzofuran	LWG0104R023TSSBWBC30	ug/kg	2.8E+00	3.0E+01	No
		Hexachlorobenzene	LWG0104R023TSSBWBC10	ug/kg	2.3E+00	6.4E+00	No
		Hexachlorobenzene	LWG0104R023TSSBWBC20	ug/kg	2.3E+00	6.4E+00	No
		Hexachlorobenzene	LWG0104R023TSSBWBC30	ug/kg	2.3E+00	6.4E+00	No
		Hexachlorobutadiene	LWG0104R023TSSBWBC10	ug/kg	7.0E-02	4.0E+00	No
		Hexachlorobutadiene	LWG0104R023TSSBWBC20	ug/kg	7.0E-02	4.0E+00	No
		Hexachlorobutadiene	LWG0104R023TSSBWBC30	ug/kg	7.0E-02	4.6E+00	No
		Phenols					
		4-Nitrophenol	LWG0104R023TSSBWBC10	ug/kg	1.3E+01	1.5E+03	Yes
		4-Nitrophenol	LWG0104R023TSSBWBC20	ug/kg	1.3E+01	1.5E+03	Yes
		4-Nitrophenol	LWG0104R023TSSBWBC30	ug/kg	1.3E+01	1.5E+03	Yes
		Pesticides					
		Aldrin	LWG0104R023TSSBWBC10	ug/kg	1.8E-02	4.0E+00	Yes
		Aldrin	LWG0104R023TSSBWBC20	ug/kg	1.8E-02	4.0E+00	Yes
		Aldrin	LWG0104R023TSSBWBC30	ug/kg	1.8E-02	1.0E+00	No
		alpha-Hexachlorocyclohexane	LWG0104R023TSSBWBC10	ug/kg	3.5E-02	4.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0104R023TSSBWBC20	ug/kg	3.5E-02	4.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0104R023TSSBWBC30	ug/kg	3.5E-02	1.0E+00	No
		beta-Hexachlorocyclohexane	LWG0104R023TSSBWBC10	ug/kg	1.3E-02	4.0E+00	Yes
		beta-Hexachlorocyclohexane	LWG0104R023TSSBWBC20	ug/kg	1.3E-02	4.0E+00	Yes
		beta-Hexachlorocyclohexane	LWG0104R023TSSBWBC30	ug/kg	1.3E-02	1.2E+00	No
		Dieldrin	LWG0104R023TSSBWBC10	ug/kg	2.6E+00	1.4E+01	No
		Dieldrin	LWG0104R023TSSBWBC20	ug/kg	2.6E+00	1.4E+01	No
		Dieldrin	LWG0104R023TSSBWBC30	ug/kg	2.6E+00	1.4E+01	No
		Endrin	LWG0104R023TSSBWBC10	ug/kg	3.0E-02	3.1E+01	Yes
		Endrin	LWG0104R023TSSBWBC20	ug/kg	3.0E-02	4.0E+00	Yes
		Endrin	LWG0104R023TSSBWBC30	ug/kg	3.0E-02	1.8E+00	No
		gamma-Hexachlorocyclohexane	LW3-SB04W-C00WB	ug/kg	2.0E-02	2.8E-02	No
		gamma-Hexachlorocyclohexane	LWG0104R023TSSBWBC10	ug/kg	2.0E-02	9.6E+00	Yes
		gamma-Hexachlorocyclohexane	LWG0104R023TSSBWBC20	ug/kg	2.0E-02	4.0E+00	Yes
		gamma-Hexachlorocyclohexane	LWG0104R023TSSBWBC30	ug/kg	2.0E-02	1.0E+00	No
		Heptachlor	LWG0104R023TSSBWBC10	ug/kg	1.4E-02	4.0E+00	Yes
		Heptachlor	LWG0104R023TSSBWBC20	ug/kg	1.4E-02	4.0E+00	Yes
		Heptachlor	LWG0104R023TSSBWBC30	ug/kg	1.4E-02	1.1E+00	No
		Heptachlor epoxide	LWG0104R023TSSBWBC10	ug/kg	1.3E-01	4.0E+00	No
		Heptachlor epoxide	LWG0104R023TSSBWBC20	ug/kg	1.3E-01	4.0E+00	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Heptachlor epoxide	LWG0104R023TSSBWBC30	ug/kg	1.3E-01	1.0E+00	No
		Total Endosulfan	LWG0104R023TSSBWBC10	ug/kg	5.9E-01	4.0E+00	No
		Total Endosulfan	LWG0104R023TSSBWBC20	ug/kg	5.9E-01	4.0E+00	No
		Total Endosulfan	LWG0104R023TSSBWBC30	ug/kg	5.9E-01	1.5E+00	No
RM 5	F	**Semi-Volatile Organic Compounds**					
		Hexachlorobenzene	LWG0105R006TSSBFLC00	ug/kg	3.9E-01	1.0E+00	No
		Pesticides					
		Dieldrin	LWG0105R006TSSBFLC00	ug/kg	3.7E-01	1.0E+00	No
		gamma-Hexachlorocyclohexane	LWG0105R006TSSBFLC00	ug/kg	9.0E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0105R006TSSBFLC00	ug/kg	2.0E-02	1.0E+00	No
		Total Chlordanes	LWG0105R006TSSBFLC00	ug/kg	1.7E+00	2.9E+00	No
		Total Endosulfan	LWG0105R006TSSBFLC00	ug/kg	1.1E-01	1.0E+00	No
RM 5	WB	**Polynuclear Aromatic Hydrocarbons**					
		2-Methylnaphthalene	LWG0105R006TSSBWBC00	ug/kg	2.9E+00	3.1E+01	No
		Acenaphthene	LWG0105R006TSSBWBC00	ug/kg	1.0E+01	3.7E+01	No
		Acenaphthylene	LWG0105R006TSSBWBC00	ug/kg	9.8E-01	3.1E+01	No
		Anthracene	LWG0105R006TSSBWBC00	ug/kg	5.9E-01	3.1E+01	No
		Benzo(a)anthracene	LWG0105R006TSSBWBC00	ug/kg	5.7E-01	3.1E+01	No
		Benzo(a)pyrene	LWG0105R006TSSBWBC00	ug/kg	6.6E-01	3.1E+01	No
		Benzo(b)fluoranthene	LWG0105R006TSSBWBC00	ug/kg	4.5E-01	3.1E+01	No
		Benzo(g,h,i)perylene	LWG0105R006TSSBWBC00	ug/kg	6.0E-01	3.1E+01	No
		Benzo(k)fluoranthene	LWG0105R006TSSBWBC00	ug/kg	3.8E-01	3.1E+01	No
		Chrysene	LWG0105R006TSSBWBC00	ug/kg	6.8E-01	3.1E+01	No
		Dibenzo(a,h)anthracene	LWG0105R006TSSBWBC00	ug/kg	1.3E-01	3.1E+01	Yes
		Fluoranthene	LWG0105R006TSSBWBC00	ug/kg	2.1E+00	3.1E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0105R006TSSBWBC00	ug/kg	5.1E-01	3.1E+01	No
		Naphthalene	LWG0105R006TSSBWBC00	ug/kg	2.7E+00	3.1E+01	No
		Phenanthrene	LWG0105R006TSSBWBC00	ug/kg	2.9E+01	3.1E+01	No
		Pyrene	LWG0105R006TSSBWBC00	ug/kg	2.2E+00	3.1E+01	No
		Semi-Volatile Organic Compounds					
		Benzoic acid	LWG0105R006TSSBWBC00	ug/kg	4.1E+02	8.3E+03	No
		Benzyl alcohol	LWG0105R006TSSBWBC00	ug/kg	2.6E+01	3.1E+02	No
		Bis(2-chloroethoxy) methane	LWG0105R006TSSBWBC00	ug/kg	1.2E+01	1.5E+02	No
		Dibenzofuran	LWG0105R006TSSBWBC00	ug/kg	2.6E+00	3.1E+01	No
		Hexachlorobenzene	LWG0105R006TSSBWBC00	ug/kg	2.5E+00	6.4E+00	No
		Hexachlorobutadiene	LWG0105R006TSSBWBC00	ug/kg	8.0E-02	4.6E+00	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Pesticides					
		Aldrin	LWG0105R006TSSBWBC00	ug/kg	2.7E-02	1.0E+00	No
		alpha-Hexachlorocyclohexane	LWG0105R006TSSBWBC00	ug/kg	3.8E-02	1.0E+00	No
		Dieldrin	LWG0105R006TSSBWBC00	ug/kg	2.6E+00	5.8E+00	No
		Endrin	LWG0105R006TSSBWBC00	ug/kg	2.1E-02	1.4E+00	No
		gamma-Hexachlorocyclohexane	LWG0105R006TSSBWBC00	ug/kg	1.7E-02	1.0E+00	No
		Heptachlor epoxide	LWG0105R006TSSBWBC00	ug/kg	1.3E-01	1.0E+00	No
		Total Chlordanes	LWG0105R006TSSBWBC00	ug/kg	1.4E+01	3.2E+01	No
		Total Endosulfan	LWG0105R006TSSBWBC00	ug/kg	7.1E-01	1.2E+00	No
RM 6	F	**Metals**					
		Cadmium	LW3-SB06E-C00F	mg/kg	1.0E-03	2.0E-03	No
		Cadmium	LW3-SB06W-C00F	mg/kg	1.0E-03	2.0E-03	No
		Semi-Volatile Organic Compounds					
		Hexachlorobenzene	LWG0106R024TSSBFLC00	ug/kg	3.6E-01	1.0E+00	No
		Pesticides					
		Dieldrin	LWG0106R024TSSBFLC00	ug/kg	3.6E-01	1.0E+00	No
		Endrin	LWG0106R024TSSBFLC00	ug/kg	3.0E-03	1.0E+00	Yes
		gamma-Hexachlorocyclohexane	LW3-SB06E-C00F	ug/kg	4.0E-03	7.0E-03	No
		gamma-Hexachlorocyclohexane	LWG0106R024TSSBFLC00	ug/kg	4.0E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0106R024TSSBFLC00	ug/kg	1.8E-02	1.0E+00	No
		Total Endosulfan	LWG0106R024TSSBFLC00	ug/kg	8.5E-02	1.0E+00	No
RM 6	WB	**Metals**					
		Antimony	LW3-SB06E-C00WB	mg/kg	1.0E-03	5.8E-03	No
		Antimony	LW3-SB06W-C00WB	mg/kg	1.0E-03	5.0E-03	No
		Silver	LW3-SB06E-C00WB	mg/kg	1.6E-03	1.8E-03	No
		Butyltins					
		Tributyltin ion	LW3-SB06W-C00WB	ug/kg	8.6E-01	2.1E+00	No
		Polynuclear Aromatic Hydrocarbons					
		2-Methylnaphthalene	LWG0106R024TSSBWBC00	ug/kg	1.1E+01	3.2E+01	No
		Acenaphthylene	LWG0106R024TSSBWBC00	ug/kg	2.9E+00	3.2E+01	No
		Anthracene	LWG0106R024TSSBWBC00	ug/kg	6.8E+00	3.2E+01	No
		Benzo(a)anthracene	LW3-SB06W-C00WB	ug/kg	1.5E-01	2.2E-01	No
		Benzo(a)anthracene	LWG0106R024TSSBWBC00	ug/kg	1.5E-01	3.2E+01	Yes
		Benzo(a)pyrene	LW3-SB06W-C00WB	ug/kg	1.5E-01	2.7E-01	No
		Benzo(a)pyrene	LWG0106R024TSSBWBC00	ug/kg	1.5E-01	3.2E+01	Yes
		Benzo(b)fluoranthene	LW3-SB06W-C00WB	ug/kg	1.4E-01	2.3E-01	No
		Benzo(b)fluoranthene	LWG0106R024TSSBWBC00	ug/kg	1.4E-01	3.2E+01	Yes

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Benzo(g,h,i)perylene	LW3-SB06E-C00WB	ug/kg	1.3E-01	2.4E-01	No
		Benzo(g,h,i)perylene	LWG0106R024TSSBWBC00	ug/kg	1.3E-01	3.2E+01	Yes
		Benzo(k)fluoranthene	LW3-SB06W-C00WB	ug/kg	1.1E-01	1.9E-01	No
		Benzo(k)fluoranthene	LWG0106R024TSSBWBC00	ug/kg	1.1E-01	3.2E+01	Yes
		Chrysene	LWG0106R024TSSBWBC00	ug/kg	1.9E-01	3.2E+01	Yes
		Fluoranthene	LWG0106R024TSSBWBC00	ug/kg	1.3E+01	3.2E+01	No
		Fluorene	LWG0106R024TSSBWBC00	ug/kg	2.0E+01	3.2E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0106R024TSSBWBC00	ug/kg	1.2E-01	3.2E+01	Yes
		Naphthalene	LWG0106R024TSSBWBC00	ug/kg	2.1E+01	3.2E+01	No
		Pyrene	LWG0106R024TSSBWBC00	ug/kg	1.1E+01	3.2E+01	No
		Semi-Volatile Organic Compounds					
		Benzoic acid	LWG0106R024TSSBWBC00	ug/kg	4.5E+02	8.2E+03	No
		Benzyl alcohol	LWG0106R024TSSBWBC00	ug/kg	2.6E+01	3.2E+02	No
		Bis(2-chloroethoxy) methane	LWG0106R024TSSBWBC00	ug/kg	1.8E+01	1.6E+02	No
		Dibenzofuran	LWG0106R024TSSBWBC00	ug/kg	4.0E+00	3.2E+01	No
		Hexachlorobutadiene	LWG0106R024TSSBWBC00	ug/kg	1.5E-01	1.0E+00	No
		Phenols					
		4-Nitrophenol	LWG0106R024TSSBWBC00	ug/kg	1.4E+01	1.6E+03	Yes
		Pesticides					
		Aldrin	LWG0106R024TSSBWBC00	ug/kg	2.4E-02	1.0E+00	No
		alpha-Hexachlorocyclohexane	LWG0106R024TSSBWBC00	ug/kg	2.8E-02	1.0E+00	No
		beta-Hexachlorocyclohexane	LW3-SB06W-C00WB	ug/kg	2.4E-02	2.4E-02	No
		beta-Hexachlorocyclohexane	LWG0106R024TSSBWBC00	ug/kg	2.4E-02	8.5E+00	Yes
		Dieldrin	LWG0106R024TSSBWBC00	ug/kg	2.4E+00	1.4E+01	No
		Endrin	LWG0106R024TSSBWBC00	ug/kg	1.7E-02	1.0E+00	No
		gamma-Hexachlorocyclohexane	LWG0106R024TSSBWBC00	ug/kg	3.5E-02	1.0E+00	No
		Heptachlor	LWG0106R024TSSBWBC00	ug/kg	1.2E-02	1.0E+00	No
		Heptachlor epoxide	LWG0106R024TSSBWBC00	ug/kg	1.2E-01	1.0E+00	No
		Total Endosulfan	LWG0106R024TSSBWBC00	ug/kg	5.0E-01	1.0E+00	No
RM 7	F	**Pesticides**					
		beta-Hexachlorocyclohexane	LW3-SB07E-C00F	ug/kg	5.0E-03	2.4E-02	No
RM 7	WB	**Metals**					
		Cadmium	LW3-SB07W-C00WB	mg/kg	2.4E-03	3.0E-03	No
		Silver	LWG0107R009TSSBWBC10	mg/kg	2.3E-03	5.5E-03	No
		Silver	LWG0107R009TSSBWBC20	mg/kg	2.3E-03	3.0E-03	No
		Silver	LWG0107R009TSSBWBC30	mg/kg	2.3E-03	7.0E-03	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Butyltins					
		Tributyltin ion	LW3-SB07W-C00WB	ug/kg	7.8E-01	1.5E+00	No
		Polynuclear Aromatic Hydrocarbons					
		Acenaphthylene	LWG0107R009TSSBWBC10	ug/kg	1.4E+00	2.9E+01	No
		Acenaphthylene	LWG0107R009TSSBWBC20	ug/kg	1.4E+00	2.5E+01	No
		Acenaphthylene	LWG0107R009TSSBWBC30	ug/kg	1.4E+00	3.3E+01	No
		Anthracene	LWG0107R009TSSBWBC10	ug/kg	3.6E+00	2.9E+01	No
		Anthracene	LWG0107R009TSSBWBC20	ug/kg	3.6E+00	2.5E+01	No
		Anthracene	LWG0107R009TSSBWBC30	ug/kg	3.6E+00	3.3E+01	No
		Benzo(a)anthracene	LW3-SB07E-C00WB	ug/kg	1.5E-01	2.1E-01	No
		Benzo(a)anthracene	LWG0107R009TSSBWBC10	ug/kg	1.5E-01	2.9E+01	Yes
		Benzo(a)anthracene	LWG0107R009TSSBWBC20	ug/kg	1.5E-01	2.5E+01	Yes
		Benzo(a)anthracene	LWG0107R009TSSBWBC30	ug/kg	1.5E-01	3.3E+01	Yes
		Benzo(b)fluoranthene	LW3-SB07E-C00WB	ug/kg	1.4E-01	2.2E-01	No
		Benzo(b)fluoranthene	LWG0107R009TSSBWBC10	ug/kg	1.4E-01	2.9E+01	Yes
		Benzo(b)fluoranthene	LWG0107R009TSSBWBC20	ug/kg	1.4E-01	2.5E+01	Yes
		Benzo(b)fluoranthene	LWG0107R009TSSBWBC30	ug/kg	1.4E-01	3.3E+01	Yes
		Benzo(g,h,i)perylene	LW3-SB07E-C00WB	ug/kg	1.4E-01	2.4E-01	No
		Benzo(g,h,i)perylene	LWG0107R009TSSBWBC10	ug/kg	1.4E-01	2.9E+01	Yes
		Benzo(g,h,i)perylene	LWG0107R009TSSBWBC20	ug/kg	1.4E-01	2.5E+01	Yes
		Benzo(g,h,i)perylene	LWG0107R009TSSBWBC30	ug/kg	1.4E-01	3.3E+01	Yes
		Benzo(k)fluoranthene	LW3-SB07E-C00WB	ug/kg	1.1E-01	1.8E-01	No
		Benzo(k)fluoranthene	LWG0107R009TSSBWBC10	ug/kg	1.1E-01	2.9E+01	Yes
		Benzo(k)fluoranthene	LWG0107R009TSSBWBC20	ug/kg	1.1E-01	2.5E+01	Yes
		Benzo(k)fluoranthene	LWG0107R009TSSBWBC30	ug/kg	1.1E-01	3.3E+01	Yes
		Chrysene	LW3-SB07E-C00WB	ug/kg	1.8E-01	2.5E-01	No
		Chrysene	LWG0107R009TSSBWBC10	ug/kg	1.8E-01	2.9E+01	Yes
		Chrysene	LWG0107R009TSSBWBC20	ug/kg	1.8E-01	2.5E+01	Yes
		Chrysene	LWG0107R009TSSBWBC30	ug/kg	1.8E-01	3.3E+01	Yes
		Fluoranthene	LWG0107R009TSSBWBC10	ug/kg	1.1E+01	2.9E+01	No
		Fluoranthene	LWG0107R009TSSBWBC20	ug/kg	1.1E+01	2.5E+01	No
		Fluoranthene	LWG0107R009TSSBWBC30	ug/kg	1.1E+01	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LW3-SB07E-C00WB	ug/kg	1.3E-01	2.1E-01	No
		Indeno(1,2,3-cd)pyrene	LWG0107R009TSSBWBC10	ug/kg	1.3E-01	2.9E+01	Yes
		Indeno(1,2,3-cd)pyrene	LWG0107R009TSSBWBC20	ug/kg	1.3E-01	2.5E+01	Yes
		Indeno(1,2,3-cd)pyrene	LWG0107R009TSSBWBC30	ug/kg	1.3E-01	3.3E+01	Yes

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Pyrene	LWG0107R009TSSBWBC10	ug/kg	8.6E+00	2.9E+01	No
		Pyrene	LWG0107R009TSSBWBC20	ug/kg	8.6E+00	2.5E+01	No
		Pyrene	LWG0107R009TSSBWBC30	ug/kg	8.6E+00	3.3E+01	No
		Semi-Volatile Organic Compounds					
		Benzoic acid	LWG0107R009TSSBWBC10	ug/kg	5.3E+02	8.3E+03	No
		Benzoic acid	LWG0107R009TSSBWBC20	ug/kg	5.3E+02	8.2E+03	No
		Benzoic acid	LWG0107R009TSSBWBC30	ug/kg	5.3E+02	8.3E+03	No
		Benzyl alcohol	LWG0107R009TSSBWBC10	ug/kg	2.8E+01	2.9E+02	No
		Benzyl alcohol	LWG0107R009TSSBWBC20	ug/kg	2.8E+01	2.5E+02	No
		Benzyl alcohol	LWG0107R009TSSBWBC30	ug/kg	2.8E+01	3.3E+02	No
		Bis(2-chloroethoxy) methane	LWG0107R009TSSBWBC10	ug/kg	1.3E+01	1.4E+02	No
		Bis(2-chloroethoxy) methane	LWG0107R009TSSBWBC20	ug/kg	1.3E+01	1.3E+02	No
		Bis(2-chloroethoxy) methane	LWG0107R009TSSBWBC30	ug/kg	1.3E+01	1.6E+02	No
		Hexachlorobenzene	LWG0107R009TSSBWBC10	ug/kg	4.8E+00	6.4E+00	No
		Hexachlorobenzene	LWG0107R009TSSBWBC30	ug/kg	4.8E+00	6.4E+00	No
		Hexachlorobutadiene	LWG0107R009TSSBWBC10	ug/kg	1.4E+00	4.0E+00	No
		Hexachlorobutadiene	LWG0107R009TSSBWBC20	ug/kg	1.4E+00	4.0E+00	No
		Hexachlorobutadiene	LWG0107R009TSSBWBC30	ug/kg	1.4E+00	4.0E+00	No
		Phenols					
		4-Nitrophenol	LWG0107R009TSSBWBC10	ug/kg	1.2E+01	1.4E+03	Yes
		4-Nitrophenol	LWG0107R009TSSBWBC20	ug/kg	1.2E+01	1.3E+03	Yes
		4-Nitrophenol	LWG0107R009TSSBWBC30	ug/kg	1.2E+01	1.6E+03	Yes
		Pesticides					
		Aldrin	LWG0107R009TSSBWBC10	ug/kg	3.4E-02	4.0E+00	Yes
		Aldrin	LWG0107R009TSSBWBC20	ug/kg	3.4E-02	4.0E+00	Yes
		Aldrin	LWG0107R009TSSBWBC30	ug/kg	3.4E-02	4.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0107R009TSSBWBC10	ug/kg	4.2E-02	4.0E+00	No
		alpha-Hexachlorocyclohexane	LWG0107R009TSSBWBC20	ug/kg	4.2E-02	4.0E+00	No
		alpha-Hexachlorocyclohexane	LWG0107R009TSSBWBC30	ug/kg	4.2E-02	4.0E+00	No
		beta-Hexachlorocyclohexane	LWG0107R009TSSBWBC10	ug/kg	3.6E-02	4.0E+00	Yes
		beta-Hexachlorocyclohexane	LWG0107R009TSSBWBC20	ug/kg	3.6E-02	4.0E+00	Yes
		beta-Hexachlorocyclohexane	LWG0107R009TSSBWBC30	ug/kg	3.6E-02	8.5E+00	Yes
		Dieldrin	LWG0107R009TSSBWBC10	ug/kg	2.2E+00	1.4E+01	No
		Dieldrin	LWG0107R009TSSBWBC20	ug/kg	2.2E+00	4.0E+00	No
		Dieldrin	LWG0107R009TSSBWBC30	ug/kg	2.2E+00	5.5E+00	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Endrin	LWG0107R009TSSBWBC10	ug/kg	1.6E-02	4.0E+00	Yes
		Endrin	LWG0107R009TSSBWBC20	ug/kg	1.6E-02	4.0E+00	Yes
		Endrin	LWG0107R009TSSBWBC30	ug/kg	1.6E-02	4.0E+00	Yes
		gamma-Hexachlorocyclohexane	LWG0107R009TSSBWBC10	ug/kg	3.5E-02	4.0E+00	Yes
		gamma-Hexachlorocyclohexane	LWG0107R009TSSBWBC20	ug/kg	3.5E-02	4.0E+00	Yes
		gamma-Hexachlorocyclohexane	LWG0107R009TSSBWBC30	ug/kg	3.5E-02	4.0E+00	Yes
		Heptachlor	LW3-SB07E-C00WB	ug/kg	8.7E-03	1.2E-02	No
		Heptachlor	LWG0107R009TSSBWBC10	ug/kg	8.7E-03	4.9E+00	Yes
		Heptachlor	LWG0107R009TSSBWBC20	ug/kg	8.7E-03	4.0E+00	Yes
		Heptachlor	LWG0107R009TSSBWBC30	ug/kg	8.7E-03	4.0E+00	Yes
		Heptachlor epoxide	LWG0107R009TSSBWBC10	ug/kg	1.0E-01	4.1E+00	No
		Heptachlor epoxide	LWG0107R009TSSBWBC20	ug/kg	1.0E-01	4.0E+00	No
		Heptachlor epoxide	LWG0107R009TSSBWBC30	ug/kg	1.0E-01	4.0E+00	No
		Total Endosulfan	LWG0107R009TSSBWBC10	ug/kg	5.6E-01	4.0E+00	No
		Total Endosulfan	LWG0107R009TSSBWBC20	ug/kg	5.6E-01	4.0E+00	No
		Total Endosulfan	LWG0107R009TSSBWBC30	ug/kg	5.6E-01	4.0E+00	No
RM 8	F	**Metals**					
		Cadmium	LW3-SB08E-C00F	mg/kg	1.0E-03	2.0E-03	No
		Cadmium	LW3-SB08W-C00F	mg/kg	1.0E-03	2.0E-03	No
		Semi-Volatile Organic Compounds					
		Hexachlorobenzene	LWG0108R032TSSBFLC00	ug/kg	3.5E-01	1.0E+00	No
		Pesticides					
		Aldrin	LW3-SB08E-C00F	ug/kg	5.0E-03	4.1E-02	No
		Aldrin	LWG0108R032TSSBFLC00	ug/kg	5.0E-03	1.0E+00	Yes
		gamma-Hexachlorocyclohexane	LW3-SB08E-C00F	ug/kg	3.0E-03	7.0E-03	No
		gamma-Hexachlorocyclohexane	LWG0108R032TSSBFLC00	ug/kg	3.0E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0108R032TSSBFLC00	ug/kg	1.6E-02	1.0E+00	No
		Total Endosulfan	LWG0108R032TSSBFLC00	ug/kg	7.7E-02	1.0E+00	No
RM 8	WB	**Metals**					
		Silver	LWG0108R032TSSBWBC00	mg/kg	2.2E-03	4.0E-03	No
		Polynuclear Aromatic Hydrocarbons					
		2-Methylnaphthalene	LWG0108R032TSSBWBC00	ug/kg	3.1E+00	3.2E+01	No
		Acenaphthene	LWG0108R032TSSBWBC00	ug/kg	7.6E+00	3.2E+01	No
		Acenaphthylene	LWG0108R032TSSBWBC00	ug/kg	1.9E+00	3.2E+01	No
		Anthracene	LWG0108R032TSSBWBC00	ug/kg	1.3E+00	3.2E+01	No
		Benzo(a)anthracene	LWG0108R032TSSBWBC00	ug/kg	9.4E-01	3.2E+01	No
		Benzo(a)pyrene	LWG0108R032TSSBWBC00	ug/kg	9.3E-01	3.2E+01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Benzo(b)fluoranthene	LWG0108R032TSSBWBC00	ug/kg	6.5E-01	3.2E+01	No
		Benzo(g,h,i)perylene	LWG0108R032TSSBWBC00	ug/kg	2.5E+00	3.2E+01	No
		Benzo(k)fluoranthene	LWG0108R032TSSBWBC00	ug/kg	5.4E-01	3.2E+01	No
		Chrysene	LWG0108R032TSSBWBC00	ug/kg	1.1E+00	3.2E+01	No
		Dibenzo(a,h)anthracene	LW3-SB08E-C00WB	ug/kg	1.6E-01	2.0E-01	No
		Dibenzo(a,h)anthracene	LWG0108R032TSSBWBC00	ug/kg	1.6E-01	3.2E+01	Yes
		Fluoranthene	LWG0108R032TSSBWBC00	ug/kg	1.5E+01	3.2E+01	No
		Fluorene	LWG0108R032TSSBWBC00	ug/kg	6.7E+00	3.2E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0108R032TSSBWBC00	ug/kg	1.8E+00	3.2E+01	No
		Naphthalene	LWG0108R032TSSBWBC00	ug/kg	6.2E+00	3.2E+01	No
		Semi-Volatile Organic Compounds					
		Benzoic acid	LWG0108R032TSSBWBC00	ug/kg	5.1E+02	8.3E+03	No
		Benzyl alcohol	LWG0108R032TSSBWBC00	ug/kg	3.0E+01	3.2E+02	No
		Bis(2-chloroethoxy) methane	LWG0108R032TSSBWBC00	ug/kg	1.3E+01	1.6E+02	No
		Dibenzofuran	LWG0108R032TSSBWBC00	ug/kg	2.3E+00	3.2E+01	No
		Hexachlorobenzene	LWG0108R032TSSBWBC00	ug/kg	2.1E+00	6.4E+00	No
		Hexachlorobutadiene	LWG0108R032TSSBWBC00	ug/kg	2.5E-01	4.0E+00	No
		Phenols					
		4-Methylphenol	LWG0108R032TSSBWBC00	ug/kg	1.1E+01	3.2E+01	No
		4-Nitrophenol	LWG0108R032TSSBWBC00	ug/kg	1.2E+01	1.6E+03	Yes
		Pesticides					
		Aldrin	LW3-SB08E-C00WB	ug/kg	2.2E-02	2.3E-02	No
		Aldrin	LWG0108R032TSSBWBC00	ug/kg	2.2E-02	4.0E+00	Yes
		alpha-Hexachlorocyclohexane	LW3-SB08E-C00WB	ug/kg	2.4E-02	3.5E-02	No
		alpha-Hexachlorocyclohexane	LWG0108R032TSSBWBC00	ug/kg	2.4E-02	4.0E+00	Yes
		beta-Hexachlorocyclohexane	LW3-SB08E-C00WB	ug/kg	1.5E-02	2.7E-02	No
		beta-Hexachlorocyclohexane	LWG0108R032TSSBWBC00	ug/kg	1.5E-02	8.5E+00	Yes
		Endrin	LWG0108R032TSSBWBC00	ug/kg	1.5E-02	4.0E+00	Yes
		gamma-Hexachlorocyclohexane	LWG0108R032TSSBWBC00	ug/kg	2.5E-02	4.0E+00	Yes
		Heptachlor epoxide	LWG0108R032TSSBWBC00	ug/kg	9.8E-02	7.0E+00	No
		Total Endosulfan	LWG0108R032TSSBWBC00	ug/kg	4.2E-01	4.0E+00	No
RM 9	F	**Semi-Volatile Organic Compounds**					
		Hexachlorobenzene	LWG0109R006TSSBFLC00	ug/kg	5.2E-01	1.0E+00	No
		Pesticides					
		Aldrin	LWG0109R006TSSBFLC00	ug/kg	1.1E-02	1.0E+00	No
		alpha-Hexachlorocyclohexane	LWG0109R006TSSBFLC00	ug/kg	6.0E-03	1.0E+00	Yes
		Endrin	LWG0109R006TSSBFLC00	ug/kg	5.0E-03	1.0E+00	Yes

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		gamma-Hexachlorocyclohexane	LW3-SB09E-C00F	ug/kg	5.0E-03	6.0E-03	No
		gamma-Hexachlorocyclohexane	LWG0109R006TSSBFLC00	ug/kg	5.0E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0109R006TSSBFLC00	ug/kg	2.4E-02	1.0E+00	No
		Total Endosulfan	LWG0109R006TSSBFLC00	ug/kg	9.8E-02	1.0E+00	No
RM 9	WB	**Metals**					
		Silver	LWG0109R006TSSBWBC00	mg/kg	2.5E-03	3.0E-03	No
		Polynuclear Aromatic Hydrocarbons					
		1-Methylnaphthalene	LW3-SB09E-C00WB	ug/kg	2.3E+00	8.1E+00	No
		2-Methylnaphthalene	LWG0109R006TSSBWBC00	ug/kg	6.3E+00	3.2E+01	No
		Acenaphthene	LWG0109R006TSSBWBC00	ug/kg	4.3E+00	3.2E+01	No
		Acenaphthylene	LWG0109R006TSSBWBC00	ug/kg	1.1E+00	3.2E+01	No
		Anthracene	LWG0109R006TSSBWBC00	ug/kg	1.7E+00	3.2E+01	No
		Benzo(a)anthracene	LWG0109R006TSSBWBC00	ug/kg	1.1E+00	3.2E+01	No
		Benzo(a)pyrene	LWG0109R006TSSBWBC00	ug/kg	1.3E+00	3.2E+01	No
		Benzo(b)fluoranthene	LWG0109R006TSSBWBC00	ug/kg	1.0E+00	3.2E+01	No
		Benzo(g,h,i)perylene	LWG0109R006TSSBWBC00	ug/kg	1.2E+00	3.2E+01	No
		Benzo(k)fluoranthene	LWG0109R006TSSBWBC00	ug/kg	9.2E-01	3.2E+01	No
		Chrysene	LWG0109R006TSSBWBC00	ug/kg	1.3E+00	3.2E+01	No
		Dibenzothiophene	LW3-SB09E-C00WB	ug/kg	1.3E+00	2.0E+00	No
		Fluoranthene	LWG0109R006TSSBWBC00	ug/kg	5.1E+00	3.2E+01	No
		Fluorene	LW3-SB09E-C00WB	ug/kg	5.6E+00	4.3E+00	No
		Indeno(1,2,3-cd)pyrene	LWG0109R006TSSBWBC00	ug/kg	1.2E+00	3.2E+01	No
		Naphthalene	LWG0109R006TSSBWBC00	ug/kg	5.9E+00	3.2E+01	No
		Phenanthrene	LWG0109R006TSSBWBC00	ug/kg	1.3E+01	3.2E+01	No
		Pyrene	LWG0109R006TSSBWBC00	ug/kg	2.3E+00	3.2E+01	No
		Semi-Volatile Organic Compounds					
		Benzoic acid	LWG0109R006TSSBWBC00	ug/kg	4.8E+02	8.2E+03	No
		Benzyl alcohol	LWG0109R006TSSBWBC00	ug/kg	3.3E+01	3.2E+02	No
		Bis(2-chloroethoxy) methane	LWG0109R006TSSBWBC00	ug/kg	1.3E+01	1.6E+02	No
		Dibenzofuran	LW3-SB09E-C00WB	ug/kg	2.3E+00	3.6E+00	No
		Dibenzofuran	LWG0109R006TSSBWBC00	ug/kg	2.3E+00	3.2E+01	No
		Hexachlorobenzene	LWG0109R006TSSBWBC00	ug/kg	2.8E+00	6.4E+00	No
		Phenols					
		4-Methylphenol	LWG0109R006TSSBWBC00	ug/kg	1.3E+01	3.2E+01	No
		Pesticides					
		Aldrin	LWG0109R006TSSBWBC00	ug/kg	4.0E-02	4.0E+00	No
		alpha-Hexachlorocyclohexane	LWG0109R006TSSBWBC00	ug/kg	3.4E-02	4.0E+00	Yes

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		beta-Hexachlorocyclohexane	LW3-SB09W-C00WB	ug/kg	1.5E-02	2.1E-02	No
		beta-Hexachlorocyclohexane	LWG0109R006TSSBWBC00	ug/kg	1.5E-02	8.5E+00	Yes
		Dieldrin	LWG0109R006TSSBWBC00	ug/kg	2.9E+00	1.4E+01	No
		Endrin	LWG0109R006TSSBWBC00	ug/kg	3.0E-02	4.0E+00	Yes
		Endrin ketone	LW3-SB09W-C00WB	ug/kg	4.6E-03	2.0E-02	No
		Endrin ketone	LWG0109R006TSSBWBC00	ug/kg	4.6E-03	4.0E+00	Yes
		gamma-Hexachlorocyclohexane	LW3-SB09E-C00WB	ug/kg	2.4E-02	2.6E-02	No
		gamma-Hexachlorocyclohexane	LWG0109R006TSSBWBC00	ug/kg	2.4E-02	4.0E+00	Yes
		Heptachlor epoxide	LWG0109R006TSSBWBC00	ug/kg	1.5E-01	4.0E+00	No
		Total Endosulfan	LWG0109R006TSSBWBC00	ug/kg	6.0E-01	4.0E+00	No
RM 10	F	**Semi-Volatile Organic Compounds**					
		Hexachlorobutadiene	LW3-SB010W-C00F	ug/kg	6.0E-03	7.0E-03	No
		Pesticides					
		alpha-Hexachlorocyclohexane	LW3-SB010W-C00F	ug/kg	5.0E-03	5.5E-02	No
		Endrin ketone	LW3-SB010W-C00F	ug/kg	1.1E-02	1.9E-02	No
		gamma-Hexachlorocyclohexane	LW3-SB010W-C00F	ug/kg	1.1E-02	3.5E-02	No
RM 10	WB	**Semi-Volatile Organic Compounds**					
		Benzoic acid	LW3-SB010W-C00WB	ug/kg	3.5E+02	4.0E+02	No
		Hexachlorobutadiene	LW3-SB010W-C00WB	ug/kg	9.8E-03	1.7E-02	No
		Pesticides					
		Aldrin	LW3-SB010E-C00WB	ug/kg	2.0E-02	2.4E-02	No
		alpha-Hexachlorocyclohexane	LW3-SB010W-C00WB	ug/kg	2.5E-02	4.1E-02	No
		Endrin aldehyde	LW3-SB010E-C00WB	ug/kg	5.2E-03	7.7E-03	No
		Endrin ketone	LW3-SB010W-C00WB	ug/kg	1.0E-02	1.9E-02	No
		Heptachlor	LW3-SB010W-C00WB	ug/kg	1.1E-02	1.4E-02	No
RM 11	F	**Pesticides**					
		beta-Hexachlorocyclohexane	LW3-SB011E-C00F	ug/kg	5.0E-03	2.4E-02	No
		Heptachlor	LW3-SB011E-C00F	ug/kg	5.0E-03	3.1E-02	No
RM 11	WB	**Polynuclear Aromatic Hydrocarbons**					
		1-Methylnaphthalene	LW3-SB011E-C00WB	ug/kg	1.2E+00	2.4E+00	No
		2-Methylnaphthalene	LW3-SB011E-C00WB	ug/kg	1.9E+00	3.5E+00	No
		Acenaphthylene	LW3-SB011E-C00WB	ug/kg	1.4E-01	5.4E-01	No
		Semi-Volatile Organic Compounds					
		Benzyl alcohol	LW3-SB011E-C00WB	ug/kg	1.4E+01	2.2E+01	No
		Hexachlorobutadiene	LW3-SB011W-C00WB	ug/kg	5.2E-03	1.9E-02	No
		Pesticides					
		Endrin ketone	LW3-SB011W-C00WB	ug/kg	3.5E-03	6.7E-03	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
Study Area Wide	F	**Metals**					
		Cadmium	LW3-SB011E-C00F	mg/kg	1.0E-03	3.0E-03	No
		Cadmium	LW3-SB010W-C00F	mg/kg	1.0E-03	2.0E-03	No
		Cadmium	LW3-SB010E-C00F	mg/kg	1.0E-03	2.0E-03	No
		Cadmium	LW3-SB011W-C00F	mg/kg	1.0E-03	2.0E-03	No
		Cadmium	LW3-SB02E-C00F	mg/kg	1.0E-03	2.0E-03	No
		Cadmium	LW3-SB03E-C00F	mg/kg	1.0E-03	3.0E-03	No
		Cadmium	LW3-SB03W-C00F	mg/kg	1.0E-03	2.0E-03	No
		Cadmium	LW3-SB04E-C01F	mg/kg	1.0E-03	2.0E-03	No
		Cadmium	LW3-SB04W-C00F	mg/kg	1.0E-03	2.0E-03	No
		Cadmium	LW3-SB05W-C00F	mg/kg	1.0E-03	2.0E-03	No
		Cadmium	LW3-SB06E-C00F	mg/kg	1.0E-03	2.0E-03	No
		Cadmium	LW3-SB06W-C00F	mg/kg	1.0E-03	2.0E-03	No
		Cadmium	LW3-SB07E-C00F	mg/kg	1.0E-03	2.0E-03	No
		Cadmium	LW3-SB07W-C00F	mg/kg	1.0E-03	3.0E-03	No
		Cadmium	LW3-SB08E-C00F	mg/kg	1.0E-03	2.0E-03	No
		Cadmium	LW3-SB08W-C00F	mg/kg	1.0E-03	2.0E-03	No
		Cadmium	LW3-SB09E-C00F	mg/kg	1.0E-03	2.0E-03	No
		Cadmium	LW3-SB09W-C00F	mg/kg	1.0E-03	2.0E-03	No
		Phthalates					
		Dibutyl phthalate	LW3-SB010E-C00F	ug/kg	4.3E+01	4.8E+01	No
		Dibutyl phthalate	LW3-SB02E-C00F	ug/kg	4.3E+01	4.6E+01	No
		Dibutyl phthalate	LW3-SB03E-C00F	ug/kg	4.3E+01	5.1E+01	No
		Dibutyl phthalate	LW3-SB03W-C00F	ug/kg	4.3E+01	5.8E+01	No
		Dibutyl phthalate	LW3-SB05W-C00F	ug/kg	4.3E+01	8.4E+01	No
		Dibutyl phthalate	LW3-SB06E-C00F	ug/kg	4.3E+01	4.4E+01	No
		Dibutyl phthalate	LW3-SB06W-C00F	ug/kg	4.3E+01	7.0E+01	No
		Dibutyl phthalate	LW3-SB07E-C00F	ug/kg	4.3E+01	4.7E+01	No
		Dibutyl phthalate	LW3-SB07W-C00F	ug/kg	4.3E+01	6.4E+01	No
		Dibutyl phthalate	LW3-SB09E-C00F	ug/kg	4.3E+01	9.1E+01	No
		Dibutyl phthalate	LW3-SB09W-C00F	ug/kg	4.3E+01	5.5E+01	No
		Diethyl phthalate	LW3-SB010E-C00F	ug/kg	1.7E+01	2.0E+01	No
		Diethyl phthalate	LW3-SB011W-C00F	ug/kg	1.7E+01	3.6E+01	No
		Diethyl phthalate	LW3-SB05W-C00F	ug/kg	1.7E+01	2.1E+01	No
		Diethyl phthalate	LW3-SB08W-C00F	ug/kg	1.7E+01	2.5E+01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Semi-Volatile Organic Compounds					
		Hexachlorobenzene	LWG0103R014TSSBFLC00	ug/kg	8.8E-01	1.3E+00	No
		Hexachlorobenzene	LWG0105R006TSSBFLC00	ug/kg	8.8E-01	1.0E+00	No
		Hexachlorobenzene	LWG0106R024TSSBFLC00	ug/kg	8.8E-01	1.0E+00	No
		Hexachlorobenzene	LWG0108R032TSSBFLC00	ug/kg	8.8E-01	1.0E+00	No
		Hexachlorobenzene	LWG0109R006TSSBFLC00	ug/kg	8.8E-01	1.0E+00	No
		Hexachlorobutadiene	LWG0103R014TSSBFLC00	ug/kg	1.7E-01	1.0E+00	No
		Hexachlorobutadiene	LWG0105R006TSSBFLC00	ug/kg	1.7E-01	1.0E+00	No
		Hexachlorobutadiene	LWG0106R024TSSBFLC00	ug/kg	1.7E-01	1.0E+00	No
		Hexachlorobutadiene	LWG0108R032TSSBFLC00	ug/kg	1.7E-01	1.0E+00	No
		Hexachlorobutadiene	LWG0109R006TSSBFLC00	ug/kg	1.7E-01	1.0E+00	No
		Phenols					
		4-Nitrophenol	LW3-SB05W-C00F	ug/kg	1.3E+01	1.5E+01	No
		4-Nitrophenol	LW3-SB06E-C00F	ug/kg	1.3E+01	1.5E+01	No
		4-Nitrophenol	LW3-SB07E-C00F	ug/kg	1.3E+01	1.5E+01	No
		4-Nitrophenol	LW3-SB09E-C00F	ug/kg	1.3E+01	1.4E+01	No
		4-Nitrophenol	LW3-SB09W-C00F	ug/kg	1.3E+01	1.4E+01	No
		Pesticides					
		Aldrin	LW3-SB010W-C00F	ug/kg	1.1E-02	4.2E-02	No
		Aldrin	LW3-SB010E-C00F	ug/kg	1.1E-02	4.2E-02	No
		Aldrin	LW3-SB011E-C00F	ug/kg	1.1E-02	4.1E-02	No
		Aldrin	LW3-SB011W-C00F	ug/kg	1.1E-02	4.2E-02	No
		Aldrin	LW3-SB05W-C00F	ug/kg	1.1E-02	4.3E-02	No
		Aldrin	LW3-SB06E-C00F	ug/kg	1.1E-02	4.2E-02	No
		Aldrin	LW3-SB06W-C00F	ug/kg	1.1E-02	4.1E-02	No
		Aldrin	LWG0106R024TSSBFLC00	ug/kg	1.1E-02	1.0E+00	No
		Aldrin	LW3-SB07E-C00F	ug/kg	1.1E-02	4.1E-02	No
		Aldrin	LW3-SB07W-C00F	ug/kg	1.1E-02	4.2E-02	No
		Aldrin	LW3-SB08E-C00F	ug/kg	1.1E-02	4.1E-02	No
		Aldrin	LWG0109R006TSSBFLC00	ug/kg	1.1E-02	1.0E+00	No
		Aldrin	LWG0103R014TSSBFLC00	ug/kg	1.1E-02	1.0E+00	No
		Aldrin	LWG0105R006TSSBFLC00	ug/kg	1.1E-02	1.0E+00	No
		Aldrin	LWG0108R032TSSBFLC00	ug/kg	1.1E-02	1.0E+00	No
		alpha-Hexachlorocyclohexane	LW3-SB010W-C00F	ug/kg	6.0E-03	5.5E-02	No
		alpha-Hexachlorocyclohexane	LW3-SB011E-C00F	ug/kg	6.0E-03	9.0E-03	No
		alpha-Hexachlorocyclohexane	LW3-SB06W-C00F	ug/kg	6.0E-03	7.0E-03	No
		alpha-Hexachlorocyclohexane	LWG0106R024TSSBFLC00	ug/kg	6.0E-03	1.0E+00	Yes

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		alpha-Hexachlorocyclohexane	LW3-SB07W-C00F	ug/kg	6.0E-03	7.0E-03	No
		alpha-Hexachlorocyclohexane	LWG0109R006TSSBFLC00	ug/kg	6.0E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0103R014TSSBFLC00	ug/kg	6.0E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0105R006TSSBFLC00	ug/kg	6.0E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0108R032TSSBFLC00	ug/kg	6.0E-03	1.0E+00	Yes
		Endrin	LWG0106R024TSSBFLC00	ug/kg	1.1E-02	1.0E+00	No
		Endrin	LWG0109R006TSSBFLC00	ug/kg	1.1E-02	1.0E+00	No
		Endrin	LWG0103R014TSSBFLC00	ug/kg	1.1E-02	1.0E+00	No
		Endrin	LWG0105R006TSSBFLC00	ug/kg	1.1E-02	1.0E+00	No
		Endrin	LWG0108R032TSSBFLC00	ug/kg	1.1E-02	1.0E+00	No
		Endrin ketone	LW3-SB011E-C00F	ug/kg	1.1E-02	1.9E-02	No
		Endrin ketone	LW3-SB010W-C00F	ug/kg	1.1E-02	1.9E-02	No
		Endrin ketone	LW3-SB011W-C00F	ug/kg	1.1E-02	1.9E-02	No
		Endrin ketone	LW3-SB02E-C00F	ug/kg	1.1E-02	8.3E-02	No
		Endrin ketone	LW3-SB03E-C00F	ug/kg	1.1E-02	8.4E-02	No
		Endrin ketone	LW3-SB03W-C00F	ug/kg	1.1E-02	8.2E-02	No
		Endrin ketone	LW3-SB04W-C00F	ug/kg	1.1E-02	8.2E-02	No
		Endrin ketone	LW3-SB05W-C00F	ug/kg	1.1E-02	2.0E-02	No
		Endrin ketone	LW3-SB07E-C00F	ug/kg	1.1E-02	1.9E-02	No
		Endrin ketone	LW3-SB07W-C00F	ug/kg	1.1E-02	1.9E-02	No
		Endrin ketone	LW3-SB08E-C00F	ug/kg	1.1E-02	1.9E-02	No
		Endrin ketone	LW3-SB08W-C00F	ug/kg	1.1E-02	1.9E-02	No
		Endrin ketone	LWG0103R014TSSBFLC00	ug/kg	1.1E-02	1.0E+00	No
		Endrin ketone	LWG0105R006TSSBFLC00	ug/kg	1.1E-02	1.0E+00	No
		Endrin ketone	LW3-SB06E-C00F	ug/kg	1.1E-02	1.9E-02	No
		Endrin ketone	LW3-SB06W-C00F	ug/kg	1.1E-02	1.9E-02	No
		Endrin ketone	LWG0106R024TSSBFLC00	ug/kg	1.1E-02	1.0E+00	No
		Endrin ketone	LWG0108R032TSSBFLC00	ug/kg	1.1E-02	1.0E+00	No
		Endrin ketone	LW3-SB09E-C00F	ug/kg	1.1E-02	1.9E-02	No
		Endrin ketone	LW3-SB09W-C00F	ug/kg	1.1E-02	2.0E-02	No
		Endrin ketone	LWG0109R006TSSBFLC00	ug/kg	1.1E-02	1.0E+00	No
		gamma-Hexachlorocyclohexane	LW3-SB010W-C00F	ug/kg	1.1E-02	3.5E-02	No
		gamma-Hexachlorocyclohexane	LWG0103R014TSSBFLC00	ug/kg	1.1E-02	1.0E+00	No
		gamma-Hexachlorocyclohexane	LWG0105R006TSSBFLC00	ug/kg	1.1E-02	1.0E+00	No
		gamma-Hexachlorocyclohexane	LWG0106R024TSSBFLC00	ug/kg	1.1E-02	1.0E+00	No
		gamma-Hexachlorocyclohexane	LWG0108R032TSSBFLC00	ug/kg	1.1E-02	1.0E+00	No
		gamma-Hexachlorocyclohexane	LWG0109R006TSSBFLC00	ug/kg	1.1E-02	1.0E+00	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Heptachlor	LW3-SB011E-C00F	ug/kg	5.0E-03	3.1E-02	No
		Heptachlor	LW3-SB010W-C00F	ug/kg	5.0E-03	3.2E-02	No
		Heptachlor	LW3-SB010E-C00F	ug/kg	5.0E-03	3.2E-02	No
		Heptachlor	LW3-SB02E-C00F	ug/kg	5.0E-03	6.2E-03	No
		Heptachlor	LW3-SB03E-C00F	ug/kg	5.0E-03	6.4E-03	No
		Heptachlor	LW3-SB05W-C00F	ug/kg	5.0E-03	3.3E-02	No
		Heptachlor	LW3-SB07E-C00F	ug/kg	5.0E-03	3.1E-02	No
		Heptachlor	LW3-SB07W-C00F	ug/kg	5.0E-03	3.2E-02	No
		Heptachlor	LW3-SB08E-C00F	ug/kg	5.0E-03	3.2E-02	No
		Heptachlor	LWG0103R014TSSBFLC00	ug/kg	5.0E-03	1.0E+00	Yes
		Heptachlor	LWG0105R006TSSBFLC00	ug/kg	5.0E-03	1.0E+00	Yes
		Heptachlor	LW3-SB06E-C00F	ug/kg	5.0E-03	3.2E-02	No
		Heptachlor	LW3-SB06W-C00F	ug/kg	5.0E-03	3.1E-02	No
		Heptachlor	LWG0106R024TSSBFLC00	ug/kg	5.0E-03	1.0E+00	Yes
		Heptachlor	LWG0108R032TSSBFLC00	ug/kg	5.0E-03	1.0E+00	Yes
		Heptachlor	LWG0109R006TSSBFLC00	ug/kg	5.0E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0103R014TSSBFLC00	ug/kg	2.7E-02	1.0E+00	No
		Heptachlor epoxide	LWG0105R006TSSBFLC00	ug/kg	2.7E-02	1.0E+00	No
		Heptachlor epoxide	LWG0106R024TSSBFLC00	ug/kg	2.7E-02	1.0E+00	No
		Heptachlor epoxide	LWG0108R032TSSBFLC00	ug/kg	2.7E-02	1.0E+00	No
		Heptachlor epoxide	LWG0109R006TSSBFLC00	ug/kg	2.7E-02	1.0E+00	No
		Total Endosulfan	LW3-SB03E-C00F	ug/kg	1.1E-01	1.4E-01	No
		Total Endosulfan	LWG0103R014TSSBFLC00	ug/kg	1.1E-01	1.0E+00	No
		Total Endosulfan	LWG0105R006TSSBFLC00	ug/kg	1.1E-01	1.0E+00	No
		Total Endosulfan	LWG0106R024TSSBFLC00	ug/kg	1.1E-01	1.0E+00	No
		Total Endosulfan	LWG0108R032TSSBFLC00	ug/kg	1.1E-01	1.0E+00	No
		Total Endosulfan	LWG0109R006TSSBFLC00	ug/kg	1.1E-01	1.0E+00	No
Study Area-wide	WB	**Butyltins**					
		Tributyltin ion	LW3-SB06W-C00WB	ug/kg	1.6E+00	2.1E+00	No
		Tributyltin ion	LW3-SB08E-C00WB	ug/kg	1.6E+00	4.9E+00	No
		Polynuclear Aromatic Hydrocarbons					
		Acenaphthylene	LWG0106R024TSSBWBC00	ug/kg	2.9E+00	3.2E+01	No
		Acenaphthylene	LWG0107R009TSSBWBC10	ug/kg	2.9E+00	2.9E+01	No
		Acenaphthylene	LWG0107R009TSSBWBC20	ug/kg	2.9E+00	2.5E+01	No
		Acenaphthylene	LWG0107R009TSSBWBC30	ug/kg	2.9E+00	3.3E+01	No
		Acenaphthylene	LWG0108R032TSSBWBC00	ug/kg	2.9E+00	3.2E+01	No
		Acenaphthylene	LWG0109R006TSSBWBC00	ug/kg	2.9E+00	3.2E+01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Acenaphthylene	LWG0103R014TSSBWBC00	ug/kg	2.9E+00	3.1E+01	No
		Acenaphthylene	LWG0104R023TSSBWBC10	ug/kg	2.9E+00	3.1E+01	No
		Acenaphthylene	LWG0104R023TSSBWBC20	ug/kg	2.9E+00	3.0E+01	No
		Acenaphthylene	LWG0104R023TSSBWBC30	ug/kg	2.9E+00	3.0E+01	No
		Acenaphthylene	LWG0105R006TSSBWBC00	ug/kg	2.9E+00	3.1E+01	No
		Acenaphthylene	LWG0108R010TSSBWBC10	ug/kg	2.9E+00	3.3E+01	No
		Acenaphthylene	LWG0108R010TSSBWBC20	ug/kg	2.9E+00	3.2E+01	No
		Acenaphthylene	LWG0108R010TSSBWBC30	ug/kg	2.9E+00	3.1E+01	No
		Anthracene	LWG0106R024TSSBWBC00	ug/kg	6.8E+00	3.2E+01	No
		Anthracene	LWG0107R009TSSBWBC10	ug/kg	6.8E+00	2.9E+01	No
		Anthracene	LWG0107R009TSSBWBC20	ug/kg	6.8E+00	2.5E+01	No
		Anthracene	LWG0107R009TSSBWBC30	ug/kg	6.8E+00	3.3E+01	No
		Anthracene	LWG0108R032TSSBWBC00	ug/kg	6.8E+00	3.2E+01	No
		Anthracene	LWG0109R006TSSBWBC00	ug/kg	6.8E+00	3.2E+01	No
		Anthracene	LWG0103R014TSSBWBC00	ug/kg	6.8E+00	3.1E+01	No
		Anthracene	LWG0104R023TSSBWBC10	ug/kg	6.8E+00	3.1E+01	No
		Anthracene	LWG0104R023TSSBWBC20	ug/kg	6.8E+00	3.0E+01	No
		Anthracene	LWG0104R023TSSBWBC30	ug/kg	6.8E+00	3.0E+01	No
		Anthracene	LWG0105R006TSSBWBC00	ug/kg	6.8E+00	3.1E+01	No
		Anthracene	LWG0108R010TSSBWBC10	ug/kg	6.8E+00	3.3E+01	No
		Anthracene	LWG0108R010TSSBWBC20	ug/kg	6.8E+00	3.2E+01	No
		Anthracene	LWG0108R010TSSBWBC30	ug/kg	6.8E+00	3.1E+01	No
		Benzo(a)anthracene	LWG0106R024TSSBWBC00	ug/kg	1.1E+00	3.2E+01	No
		Benzo(a)anthracene	LWG0107R009TSSBWBC10	ug/kg	1.1E+00	2.9E+01	No
		Benzo(a)anthracene	LWG0107R009TSSBWBC20	ug/kg	1.1E+00	2.5E+01	No
		Benzo(a)anthracene	LWG0107R009TSSBWBC30	ug/kg	1.1E+00	3.3E+01	No
		Benzo(a)anthracene	LWG0108R032TSSBWBC00	ug/kg	1.1E+00	3.2E+01	No
		Benzo(a)anthracene	LWG0109R006TSSBWBC00	ug/kg	1.1E+00	3.2E+01	No
		Benzo(a)anthracene	LWG0103R014TSSBWBC00	ug/kg	1.1E+00	3.1E+01	No
		Benzo(a)anthracene	LWG0104R023TSSBWBC10	ug/kg	1.1E+00	3.1E+01	No
		Benzo(a)anthracene	LWG0104R023TSSBWBC20	ug/kg	1.1E+00	3.0E+01	No
		Benzo(a)anthracene	LWG0104R023TSSBWBC30	ug/kg	1.1E+00	3.0E+01	No
		Benzo(a)anthracene	LWG0105R006TSSBWBC00	ug/kg	1.1E+00	3.1E+01	No
		Benzo(a)anthracene	LWG0108R010TSSBWBC10	ug/kg	1.1E+00	3.3E+01	No
		Benzo(a)anthracene	LWG0108R010TSSBWBC20	ug/kg	1.1E+00	3.2E+01	No
		Benzo(a)anthracene	LWG0108R010TSSBWBC30	ug/kg	1.1E+00	3.1E+01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Benzo(a)pyrene	LWG0106R024TSSBWBC00	ug/kg	1.3E+00	3.2E+01	No
		Benzo(a)pyrene	LWG0108R032TSSBWBC00	ug/kg	1.3E+00	3.2E+01	No
		Benzo(a)pyrene	LWG0109R006TSSBWBC00	ug/kg	1.3E+00	3.2E+01	No
		Benzo(a)pyrene	LWG0103R014TSSBWBC00	ug/kg	1.3E+00	3.1E+01	No
		Benzo(a)pyrene	LWG0104R023TSSBWBC10	ug/kg	1.3E+00	3.1E+01	No
		Benzo(a)pyrene	LWG0104R023TSSBWBC20	ug/kg	1.3E+00	3.0E+01	No
		Benzo(a)pyrene	LWG0104R023TSSBWBC30	ug/kg	1.3E+00	3.0E+01	No
		Benzo(a)pyrene	LWG0105R006TSSBWBC00	ug/kg	1.3E+00	3.1E+01	No
		Benzo(a)pyrene	LWG0107R009TSSBWBC10	ug/kg	1.3E+00	2.9E+01	No
		Benzo(a)pyrene	LWG0107R009TSSBWBC20	ug/kg	1.3E+00	2.5E+01	No
		Benzo(a)pyrene	LWG0107R009TSSBWBC30	ug/kg	1.3E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0108R010TSSBWBC10	ug/kg	1.3E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0108R010TSSBWBC20	ug/kg	1.3E+00	3.2E+01	No
		Benzo(a)pyrene	LWG0108R010TSSBWBC30	ug/kg	1.3E+00	3.1E+01	No
		Benzo(b)fluoranthene	LWG0108R032TSSBWBC00	ug/kg	1.0E+00	3.2E+01	No
		Benzo(b)fluoranthene	LWG0109R006TSSBWBC00	ug/kg	1.0E+00	3.2E+01	No
		Benzo(b)fluoranthene	LWG0103R014TSSBWBC00	ug/kg	1.0E+00	3.1E+01	No
		Benzo(b)fluoranthene	LWG0104R023TSSBWBC10	ug/kg	1.0E+00	3.1E+01	No
		Benzo(b)fluoranthene	LWG0104R023TSSBWBC20	ug/kg	1.0E+00	3.0E+01	No
		Benzo(b)fluoranthene	LWG0104R023TSSBWBC30	ug/kg	1.0E+00	3.0E+01	No
		Benzo(b)fluoranthene	LWG0105R006TSSBWBC00	ug/kg	1.0E+00	3.1E+01	No
		Benzo(b)fluoranthene	LWG0106R024TSSBWBC00	ug/kg	1.0E+00	3.2E+01	No
		Benzo(b)fluoranthene	LWG0107R009TSSBWBC10	ug/kg	1.0E+00	2.9E+01	No
		Benzo(b)fluoranthene	LWG0107R009TSSBWBC20	ug/kg	1.0E+00	2.5E+01	No
		Benzo(b)fluoranthene	LWG0107R009TSSBWBC30	ug/kg	1.0E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0108R010TSSBWBC10	ug/kg	1.0E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0108R010TSSBWBC20	ug/kg	1.0E+00	3.2E+01	No
		Benzo(b)fluoranthene	LWG0108R010TSSBWBC30	ug/kg	1.0E+00	3.1E+01	No
		Benzo(g,h,i)perylene	LWG0109R006TSSBWBC00	ug/kg	2.5E+00	3.2E+01	No
		Benzo(g,h,i)perylene	LWG0103R014TSSBWBC00	ug/kg	2.5E+00	3.1E+01	No
		Benzo(g,h,i)perylene	LWG0104R023TSSBWBC10	ug/kg	2.5E+00	3.1E+01	No
		Benzo(g,h,i)perylene	LWG0104R023TSSBWBC20	ug/kg	2.5E+00	3.0E+01	No
		Benzo(g,h,i)perylene	LWG0104R023TSSBWBC30	ug/kg	2.5E+00	3.0E+01	No
		Benzo(g,h,i)perylene	LWG0105R006TSSBWBC00	ug/kg	2.5E+00	3.1E+01	No
		Benzo(g,h,i)perylene	LWG0106R024TSSBWBC00	ug/kg	2.5E+00	3.2E+01	No
		Benzo(g,h,i)perylene	LWG0107R009TSSBWBC10	ug/kg	2.5E+00	2.9E+01	No
		Benzo(g,h,i)perylene	LWG0107R009TSSBWBC20	ug/kg	2.5E+00	2.5E+01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Benzo(g,h,i)perylene	LWG0107R009TSSBWBC30	ug/kg	2.5E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0108R010TSSBWBC10	ug/kg	2.5E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0108R010TSSBWBC20	ug/kg	2.5E+00	3.2E+01	No
		Benzo(g,h,i)perylene	LWG0108R010TSSBWBC30	ug/kg	2.5E+00	3.1E+01	No
		Benzo(g,h,i)perylene	LWG0108R032TSSBWBC00	ug/kg	2.5E+00	3.2E+01	No
		Benzo(k)fluoranthene	LWG0103R014TSSBWBC00	ug/kg	9.2E-01	3.1E+01	No
		Benzo(k)fluoranthene	LWG0104R023TSSBWBC10	ug/kg	9.2E-01	3.1E+01	No
		Benzo(k)fluoranthene	LWG0104R023TSSBWBC20	ug/kg	9.2E-01	3.0E+01	No
		Benzo(k)fluoranthene	LWG0104R023TSSBWBC30	ug/kg	9.2E-01	3.0E+01	No
		Benzo(k)fluoranthene	LWG0105R006TSSBWBC00	ug/kg	9.2E-01	3.1E+01	No
		Benzo(k)fluoranthene	LWG0106R024TSSBWBC00	ug/kg	9.2E-01	3.2E+01	No
		Benzo(k)fluoranthene	LWG0107R009TSSBWBC10	ug/kg	9.2E-01	2.9E+01	No
		Benzo(k)fluoranthene	LWG0107R009TSSBWBC20	ug/kg	9.2E-01	2.5E+01	No
		Benzo(k)fluoranthene	LWG0107R009TSSBWBC30	ug/kg	9.2E-01	3.3E+01	No
		Benzo(k)fluoranthene	LWG0108R010TSSBWBC10	ug/kg	9.2E-01	3.3E+01	No
		Benzo(k)fluoranthene	LWG0108R010TSSBWBC20	ug/kg	9.2E-01	3.2E+01	No
		Benzo(k)fluoranthene	LWG0108R010TSSBWBC30	ug/kg	9.2E-01	3.1E+01	No
		Benzo(k)fluoranthene	LWG0108R032TSSBWBC00	ug/kg	9.2E-01	3.2E+01	No
		Benzo(k)fluoranthene	LWG0109R006TSSBWBC00	ug/kg	9.2E-01	3.2E+01	No
		Chrysene	LWG0103R014TSSBWBC00	ug/kg	2.0E+00	3.1E+01	No
		Chrysene	LWG0104R023TSSBWBC10	ug/kg	2.0E+00	3.1E+01	No
		Chrysene	LWG0104R023TSSBWBC20	ug/kg	2.0E+00	3.0E+01	No
		Chrysene	LWG0104R023TSSBWBC30	ug/kg	2.0E+00	3.0E+01	No
		Chrysene	LWG0105R006TSSBWBC00	ug/kg	2.0E+00	3.1E+01	No
		Chrysene	LWG0106R024TSSBWBC00	ug/kg	2.0E+00	3.2E+01	No
		Chrysene	LWG0107R009TSSBWBC10	ug/kg	2.0E+00	2.9E+01	No
		Chrysene	LWG0107R009TSSBWBC20	ug/kg	2.0E+00	2.5E+01	No
		Chrysene	LWG0107R009TSSBWBC30	ug/kg	2.0E+00	3.3E+01	No
		Chrysene	LWG0108R010TSSBWBC10	ug/kg	2.0E+00	3.3E+01	No
		Chrysene	LWG0108R010TSSBWBC20	ug/kg	2.0E+00	3.2E+01	No
		Chrysene	LWG0108R010TSSBWBC30	ug/kg	2.0E+00	3.1E+01	No
		Chrysene	LWG0108R032TSSBWBC00	ug/kg	2.0E+00	3.2E+01	No
		Chrysene	LWG0109R006TSSBWBC00	ug/kg	2.0E+00	3.2E+01	No
		Dibenzo(a,h)anthracene	LW3-SB010E-C00WB	ug/kg	1.6E-01	4.3E-01	No
		Dibenzo(a,h)anthracene	LW3-SB011E-C00WB	ug/kg	1.6E-01	4.7E-01	No
		Dibenzo(a,h)anthracene	LW3-SB011W-C00WB	ug/kg	1.6E-01	2.0E-01	No
		Dibenzo(a,h)anthracene	LW3-SB010W-C00WB	ug/kg	1.6E-01	1.8E-01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Dibenzo(a,h)anthracene	LW3-SB02E-C00WB	ug/kg	1.6E-01	1.8E-01	No
		Dibenzo(a,h)anthracene	LW3-SB03E-C00WB	ug/kg	1.6E-01	4.4E-01	No
		Dibenzo(a,h)anthracene	LW3-SB03W-C00WB	ug/kg	1.6E-01	2.0E-01	No
		Dibenzo(a,h)anthracene	LW3-SB04W-C00WB	ug/kg	1.6E-01	1.9E-01	No
		Dibenzo(a,h)anthracene	LWG0103R014TSSBWBC00	ug/kg	1.6E-01	3.1E+01	Yes
		Dibenzo(a,h)anthracene	LWG0104R023TSSBWBC10	ug/kg	1.6E-01	3.1E+01	Yes
		Dibenzo(a,h)anthracene	LWG0104R023TSSBWBC20	ug/kg	1.6E-01	3.0E+01	Yes
		Dibenzo(a,h)anthracene	LWG0104R023TSSBWBC30	ug/kg	1.6E-01	3.0E+01	Yes
		Dibenzo(a,h)anthracene	LWG0105R006TSSBWBC00	ug/kg	1.6E-01	3.1E+01	Yes
		Dibenzo(a,h)anthracene	LW3-SB06E-C00WB	ug/kg	1.6E-01	2.0E-01	No
		Dibenzo(a,h)anthracene	LW3-SB06W-C00WB	ug/kg	1.6E-01	2.0E-01	No
		Dibenzo(a,h)anthracene	LWG0106R024TSSBWBC00	ug/kg	1.6E-01	3.2E+01	Yes
		Dibenzo(a,h)anthracene	LW3-SB07E-C00WB	ug/kg	1.6E-01	1.9E-01	No
		Dibenzo(a,h)anthracene	LW3-SB07W-C00WB	ug/kg	1.6E-01	2.0E-01	No
		Dibenzo(a,h)anthracene	LWG0107R009TSSBWBC10	ug/kg	1.6E-01	2.9E+01	Yes
		Dibenzo(a,h)anthracene	LWG0107R009TSSBWBC20	ug/kg	1.6E-01	2.5E+01	Yes
		Dibenzo(a,h)anthracene	LWG0107R009TSSBWBC30	ug/kg	1.6E-01	3.3E+01	Yes
		Dibenzo(a,h)anthracene	LWG0108R010TSSBWBC10	ug/kg	1.6E-01	3.3E+01	Yes
		Dibenzo(a,h)anthracene	LWG0108R010TSSBWBC20	ug/kg	1.6E-01	3.2E+01	Yes
		Dibenzo(a,h)anthracene	LWG0108R010TSSBWBC30	ug/kg	1.6E-01	3.1E+01	Yes
		Dibenzo(a,h)anthracene	LW3-SB08E-C00WB	ug/kg	1.6E-01	2.0E-01	No
		Dibenzo(a,h)anthracene	LWG0108R032TSSBWBC00	ug/kg	1.6E-01	3.2E+01	Yes
		Dibenzo(a,h)anthracene	LW3-SB09E-C00WB	ug/kg	1.6E-01	1.6E+00	No
		Dibenzo(a,h)anthracene	LW3-SB09W-C00WB	ug/kg	1.6E-01	4.4E-01	No
		Dibenzo(a,h)anthracene	LWG0109R006TSSBWBC00	ug/kg	1.6E-01	3.2E+01	Yes
		Indeno(1,2,3-cd)pyrene	LWG0103R014TSSBWBC00	ug/kg	1.8E+00	3.1E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0104R023TSSBWBC10	ug/kg	1.8E+00	3.1E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0104R023TSSBWBC20	ug/kg	1.8E+00	3.0E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0104R023TSSBWBC30	ug/kg	1.8E+00	3.0E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0105R006TSSBWBC00	ug/kg	1.8E+00	3.1E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0106R024TSSBWBC00	ug/kg	1.8E+00	3.2E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0107R009TSSBWBC10	ug/kg	1.8E+00	2.9E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0107R009TSSBWBC20	ug/kg	1.8E+00	2.5E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0107R009TSSBWBC30	ug/kg	1.8E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0108R010TSSBWBC10	ug/kg	1.8E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0108R010TSSBWBC20	ug/kg	1.8E+00	3.2E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0108R010TSSBWBC30	ug/kg	1.8E+00	3.1E+01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Indeno(1,2,3-cd)pyrene	LWG0108R032TSSBWBC00	ug/kg	1.8E+00	3.2E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0109R006TSSBWBC00	ug/kg	1.8E+00	3.2E+01	No
		Phthalates					
		Dibutyl phthalate	LW3-SB02E-C00WB	ug/kg	3.7E+01	4.8E+01	No
		Dibutyl phthalate	LW3-SB06W-C00WB	ug/kg	3.7E+01	5.6E+01	No
		Dibutyl phthalate	LW3-SB08E-C00WB	ug/kg	3.7E+01	5.6E+01	No
		Dibutyl phthalate	LW3-SB08W-C00WB	ug/kg	3.7E+01	4.0E+01	No
		Dibutyl phthalate	LW3-SB09E-C00WB	ug/kg	3.7E+01	4.1E+01	No
		Dibutyl phthalate	LWG0103R014TSSBWBC00	ug/kg	3.7E+01	3.1E+02	No
		Dibutyl phthalate	LWG0104R023TSSBWBC10	ug/kg	3.7E+01	3.1E+02	No
		Dibutyl phthalate	LWG0104R023TSSBWBC20	ug/kg	3.7E+01	3.0E+02	No
		Dibutyl phthalate	LWG0104R023TSSBWBC30	ug/kg	3.7E+01	3.0E+02	No
		Dibutyl phthalate	LWG0105R006TSSBWBC00	ug/kg	3.7E+01	3.1E+02	No
		Dibutyl phthalate	LWG0106R024TSSBWBC00	ug/kg	3.7E+01	3.2E+02	No
		Dibutyl phthalate	LWG0107R009TSSBWBC10	ug/kg	3.7E+01	2.9E+02	No
		Dibutyl phthalate	LWG0107R009TSSBWBC20	ug/kg	3.7E+01	2.5E+02	No
		Dibutyl phthalate	LWG0107R009TSSBWBC30	ug/kg	3.7E+01	3.3E+02	No
		Dibutyl phthalate	LWG0108R010TSSBWBC10	ug/kg	3.7E+01	3.3E+02	No
		Dibutyl phthalate	LWG0108R010TSSBWBC20	ug/kg	3.7E+01	3.2E+02	No
		Dibutyl phthalate	LWG0108R010TSSBWBC30	ug/kg	3.7E+01	3.1E+02	No
		Dibutyl phthalate	LWG0108R032TSSBWBC00	ug/kg	3.7E+01	3.2E+02	No
		Dibutyl phthalate	LWG0109R006TSSBWBC00	ug/kg	3.7E+01	3.2E+02	No
		Diethyl phthalate	LW3-SB010E-C00WB	ug/kg	1.0E+01	1.4E+01	No
		Diethyl phthalate	LW3-SB011E-C00WB	ug/kg	1.0E+01	1.4E+01	No
		Diethyl phthalate	LW3-SB010W-C00WB	ug/kg	1.0E+01	1.1E+01	No
		Diethyl phthalate	LW3-SB011W-C00WB	ug/kg	1.0E+01	2.2E+01	No
		Diethyl phthalate	LW3-SB02E-C00WB	ug/kg	1.0E+01	1.1E+01	No
		Diethyl phthalate	LW3-SB03E-C00WB	ug/kg	1.0E+01	1.7E+01	No
		Diethyl phthalate	LW3-SB03W-C00WB	ug/kg	1.0E+01	1.3E+01	No
		Diethyl phthalate	LW3-SB04E-C01WB	ug/kg	1.0E+01	1.3E+01	No
		Diethyl phthalate	LW3-SB05W-C00WB	ug/kg	1.0E+01	1.9E+01	No
		Diethyl phthalate	LW3-SB06E-C00WB	ug/kg	1.0E+01	1.4E+01	No
		Diethyl phthalate	LW3-SB06W-C00WB	ug/kg	1.0E+01	1.2E+01	No
		Diethyl phthalate	LW3-SB07E-C00WB	ug/kg	1.0E+01	1.1E+01	No
		Diethyl phthalate	LW3-SB07W-C00WB	ug/kg	1.0E+01	1.4E+01	No
		Diethyl phthalate	LW3-SB08E-C00WB	ug/kg	1.0E+01	1.7E+01	No
		Diethyl phthalate	LW3-SB08W-C00WB	ug/kg	1.0E+01	1.6E+01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Diethyl phthalate	LW3-SB09E-C00WB	ug/kg	1.0E+01	1.6E+01	No
		Diethyl phthalate	LW3-SB09W-C00WB	ug/kg	1.0E+01	1.4E+01	No
		Diethyl phthalate	LWG0103R014TSSBWBC00	ug/kg	1.0E+01	1.5E+02	No
		Diethyl phthalate	LWG0104R023TSSBWBC10	ug/kg	1.0E+01	1.5E+02	No
		Diethyl phthalate	LWG0104R023TSSBWBC20	ug/kg	1.0E+01	1.5E+02	No
		Diethyl phthalate	LWG0104R023TSSBWBC30	ug/kg	1.0E+01	1.5E+02	No
		Diethyl phthalate	LWG0105R006TSSBWBC00	ug/kg	1.0E+01	1.5E+02	No
		Diethyl phthalate	LWG0106R024TSSBWBC00	ug/kg	1.0E+01	1.6E+02	No
		Diethyl phthalate	LWG0107R009TSSBWBC10	ug/kg	1.0E+01	1.4E+02	No
		Diethyl phthalate	LWG0107R009TSSBWBC20	ug/kg	1.0E+01	1.3E+02	No
		Diethyl phthalate	LWG0107R009TSSBWBC30	ug/kg	1.0E+01	1.6E+02	No
		Diethyl phthalate	LWG0108R010TSSBWBC10	ug/kg	1.0E+01	1.6E+02	No
		Diethyl phthalate	LWG0108R010TSSBWBC20	ug/kg	1.0E+01	1.6E+02	No
		Diethyl phthalate	LWG0108R010TSSBWBC30	ug/kg	1.0E+01	1.6E+02	No
		Diethyl phthalate	LWG0108R032TSSBWBC00	ug/kg	1.0E+01	1.6E+02	No
		Diethyl phthalate	LWG0109R006TSSBWBC00	ug/kg	1.0E+01	1.6E+02	No
		Semi-Volatile Organic Compounds					
		Benzoic acid	LWG0107R009TSSBWBC10	ug/kg	6.1E+02	8.3E+03	No
		Benzoic acid	LWG0107R009TSSBWBC20	ug/kg	6.1E+02	8.2E+03	No
		Benzoic acid	LWG0108R032TSSBWBC00	ug/kg	6.1E+02	8.3E+03	No
		Benzoic acid	LWG0109R006TSSBWBC00	ug/kg	6.1E+02	8.2E+03	No
		Benzoic acid	LWG0103R014TSSBWBC00	ug/kg	6.1E+02	8.3E+03	No
		Benzoic acid	LWG0104R023TSSBWBC10	ug/kg	6.1E+02	8.3E+03	No
		Benzoic acid	LWG0104R023TSSBWBC20	ug/kg	6.1E+02	8.3E+03	No
		Benzoic acid	LWG0104R023TSSBWBC30	ug/kg	6.1E+02	8.3E+03	No
		Benzoic acid	LWG0105R006TSSBWBC00	ug/kg	6.1E+02	8.3E+03	No
		Benzoic acid	LWG0106R024TSSBWBC00	ug/kg	6.1E+02	8.2E+03	No
		Benzoic acid	LWG0107R009TSSBWBC30	ug/kg	6.1E+02	8.3E+03	No
		Benzoic acid	LWG0108R010TSSBWBC10	ug/kg	6.1E+02	8.3E+03	No
		Benzoic acid	LWG0108R010TSSBWBC20	ug/kg	6.1E+02	8.3E+03	No
		Benzoic acid	LWG0108R010TSSBWBC30	ug/kg	6.1E+02	8.2E+03	No
		Benzyl alcohol	LWG0109R006TSSBWBC00	ug/kg	3.3E+01	3.2E+02	No
		Benzyl alcohol	LWG0103R014TSSBWBC00	ug/kg	3.3E+01	3.1E+02	No
		Benzyl alcohol	LWG0104R023TSSBWBC10	ug/kg	3.3E+01	3.1E+02	No
		Benzyl alcohol	LWG0104R023TSSBWBC20	ug/kg	3.3E+01	3.0E+02	No
		Benzyl alcohol	LWG0104R023TSSBWBC30	ug/kg	3.3E+01	3.0E+02	No
		Benzyl alcohol	LWG0105R006TSSBWBC00	ug/kg	3.3E+01	3.1E+02	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Benzyl alcohol	LWG0106R024TSSBWBC00	ug/kg	3.3E+01	3.2E+02	No
		Benzyl alcohol	LWG0107R009TSSBWBC10	ug/kg	3.3E+01	2.9E+02	No
		Benzyl alcohol	LWG0107R009TSSBWBC20	ug/kg	3.3E+01	2.5E+02	No
		Benzyl alcohol	LWG0107R009TSSBWBC30	ug/kg	3.3E+01	3.3E+02	No
		Benzyl alcohol	LWG0108R010TSSBWBC10	ug/kg	3.3E+01	3.3E+02	No
		Benzyl alcohol	LWG0108R010TSSBWBC20	ug/kg	3.3E+01	3.2E+02	No
		Benzyl alcohol	LWG0108R010TSSBWBC30	ug/kg	3.3E+01	3.1E+02	No
		Benzyl alcohol	LWG0108R032TSSBWBC00	ug/kg	3.3E+01	3.2E+02	No
		Bis(2-chloroethoxy) methane	LWG0109R006TSSBWBC00	ug/kg	2.2E+01	1.6E+02	No
		Bis(2-chloroethoxy) methane	LWG0103R014TSSBWBC00	ug/kg	2.2E+01	1.5E+02	No
		Bis(2-chloroethoxy) methane	LWG0104R023TSSBWBC10	ug/kg	2.2E+01	1.5E+02	No
		Bis(2-chloroethoxy) methane	LWG0104R023TSSBWBC20	ug/kg	2.2E+01	1.5E+02	No
		Bis(2-chloroethoxy) methane	LWG0104R023TSSBWBC30	ug/kg	2.2E+01	1.5E+02	No
		Bis(2-chloroethoxy) methane	LWG0105R006TSSBWBC00	ug/kg	2.2E+01	1.5E+02	No
		Bis(2-chloroethoxy) methane	LWG0106R024TSSBWBC00	ug/kg	2.2E+01	1.6E+02	No
		Bis(2-chloroethoxy) methane	LWG0107R009TSSBWBC10	ug/kg	2.2E+01	1.4E+02	No
		Bis(2-chloroethoxy) methane	LWG0107R009TSSBWBC20	ug/kg	2.2E+01	1.3E+02	No
		Bis(2-chloroethoxy) methane	LWG0107R009TSSBWBC30	ug/kg	2.2E+01	1.6E+02	No
		Bis(2-chloroethoxy) methane	LWG0108R010TSSBWBC10	ug/kg	2.2E+01	1.6E+02	No
		Bis(2-chloroethoxy) methane	LWG0108R010TSSBWBC20	ug/kg	2.2E+01	1.6E+02	No
		Bis(2-chloroethoxy) methane	LWG0108R010TSSBWBC30	ug/kg	2.2E+01	1.6E+02	No
		Bis(2-chloroethoxy) methane	LWG0108R032TSSBWBC00	ug/kg	2.2E+01	1.6E+02	No
		Hexachlorobenzene	LWG0103R014TSSBWBC00	ug/kg	4.8E+00	6.4E+00	No
		Hexachlorobenzene	LWG0104R023TSSBWBC10	ug/kg	4.8E+00	6.4E+00	No
		Hexachlorobenzene	LWG0104R023TSSBWBC20	ug/kg	4.8E+00	6.4E+00	No
		Hexachlorobenzene	LWG0104R023TSSBWBC30	ug/kg	4.8E+00	6.4E+00	No
		Hexachlorobenzene	LWG0105R006TSSBWBC00	ug/kg	4.8E+00	6.4E+00	No
		Hexachlorobenzene	LWG0107R009TSSBWBC10	ug/kg	4.8E+00	6.4E+00	No
		Hexachlorobenzene	LWG0107R009TSSBWBC30	ug/kg	4.8E+00	6.4E+00	No
		Hexachlorobenzene	LWG0108R010TSSBWBC10	ug/kg	4.8E+00	6.4E+00	No
		Hexachlorobenzene	LWG0108R010TSSBWBC20	ug/kg	4.8E+00	6.4E+00	No
		Hexachlorobenzene	LWG0108R010TSSBWBC30	ug/kg	4.8E+00	6.4E+00	No
		Hexachlorobenzene	LWG0108R032TSSBWBC00	ug/kg	4.8E+00	6.4E+00	No
		Hexachlorobenzene	LWG0109R006TSSBWBC00	ug/kg	4.8E+00	6.4E+00	No
		Hexachlorobutadiene	LWG0103R014TSSBWBC00	ug/kg	1.4E+00	4.0E+00	No
		Hexachlorobutadiene	LWG0104R023TSSBWBC10	ug/kg	1.4E+00	4.0E+00	No
		Hexachlorobutadiene	LWG0104R023TSSBWBC20	ug/kg	1.4E+00	4.0E+00	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Hexachlorobutadiene	LWG0104R023TSSBWBC30	ug/kg	1.4E+00	4.6E+00	No
		Hexachlorobutadiene	LWG0105R006TSSBWBC00	ug/kg	1.4E+00	4.6E+00	No
		Hexachlorobutadiene	LWG0107R009TSSBWBC10	ug/kg	1.4E+00	4.0E+00	No
		Hexachlorobutadiene	LWG0107R009TSSBWBC20	ug/kg	1.4E+00	4.0E+00	No
		Hexachlorobutadiene	LWG0107R009TSSBWBC30	ug/kg	1.4E+00	4.0E+00	No
		Hexachlorobutadiene	LWG0108R010TSSBWBC10	ug/kg	1.4E+00	4.6E+00	No
		Hexachlorobutadiene	LWG0108R010TSSBWBC20	ug/kg	1.4E+00	4.6E+00	No
		Hexachlorobutadiene	LWG0108R010TSSBWBC30	ug/kg	1.4E+00	4.6E+00	No
		Hexachlorobutadiene	LWG0108R032TSSBWBC00	ug/kg	1.4E+00	4.0E+00	No
		Hexachlorobutadiene	LWG0109R006TSSBWBC00	ug/kg	1.4E+00	4.0E+00	No
		Phenols					
		4-Methylphenol	LWG0103R014TSSBWBC00	ug/kg	1.3E+01	3.1E+01	No
		4-Methylphenol	LWG0104R023TSSBWBC10	ug/kg	1.3E+01	3.1E+01	No
		4-Methylphenol	LWG0104R023TSSBWBC20	ug/kg	1.3E+01	3.0E+01	No
		4-Methylphenol	LWG0104R023TSSBWBC30	ug/kg	1.3E+01	3.0E+01	No
		4-Methylphenol	LWG0105R006TSSBWBC00	ug/kg	1.3E+01	3.1E+01	No
		4-Methylphenol	LWG0106R024TSSBWBC00	ug/kg	1.3E+01	3.2E+01	No
		4-Methylphenol	LWG0107R009TSSBWBC10	ug/kg	1.3E+01	2.9E+01	No
		4-Methylphenol	LWG0107R009TSSBWBC20	ug/kg	1.3E+01	2.5E+01	No
		4-Methylphenol	LWG0107R009TSSBWBC30	ug/kg	1.3E+01	3.3E+01	No
		4-Methylphenol	LWG0108R010TSSBWBC10	ug/kg	1.3E+01	3.3E+01	No
		4-Methylphenol	LWG0108R010TSSBWBC20	ug/kg	1.3E+01	3.2E+01	No
		4-Methylphenol	LWG0108R010TSSBWBC30	ug/kg	1.3E+01	3.1E+01	No
		4-Methylphenol	LWG0108R032TSSBWBC00	ug/kg	1.3E+01	3.2E+01	No
		4-Methylphenol	LWG0109R006TSSBWBC00	ug/kg	1.3E+01	3.2E+01	No
		4-Nitrophenol	LWG0103R014TSSBWBC00	ug/kg	1.4E+01	1.5E+03	Yes
		4-Nitrophenol	LWG0104R023TSSBWBC10	ug/kg	1.4E+01	1.5E+03	Yes
		4-Nitrophenol	LWG0104R023TSSBWBC20	ug/kg	1.4E+01	1.5E+03	Yes
		4-Nitrophenol	LWG0104R023TSSBWBC30	ug/kg	1.4E+01	1.5E+03	Yes
		4-Nitrophenol	LWG0105R006TSSBWBC00	ug/kg	1.4E+01	1.5E+03	Yes
		4-Nitrophenol	LWG0106R024TSSBWBC00	ug/kg	1.4E+01	1.6E+03	Yes
		4-Nitrophenol	LWG0107R009TSSBWBC10	ug/kg	1.4E+01	1.4E+03	No
		4-Nitrophenol	LWG0107R009TSSBWBC20	ug/kg	1.4E+01	1.3E+03	No
		4-Nitrophenol	LWG0107R009TSSBWBC30	ug/kg	1.4E+01	1.6E+03	Yes
		4-Nitrophenol	LWG0108R010TSSBWBC10	ug/kg	1.4E+01	1.6E+03	Yes
		4-Nitrophenol	LWG0108R010TSSBWBC20	ug/kg	1.4E+01	1.6E+03	Yes
		4-Nitrophenol	LWG0108R010TSSBWBC30	ug/kg	1.4E+01	1.6E+03	Yes

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		4-Nitrophenol	LWG0108R032TSSBWBC00	ug/kg	1.4E+01	1.6E+03	Yes
		4-Nitrophenol	LWG0109R006TSSBWBC00	ug/kg	1.4E+01	1.6E+03	Yes
		Phenol	LWG0103R014TSSBWBC00	ug/kg	2.7E+02	3.1E+02	No
		Phenol	LWG0104R023TSSBWBC10	ug/kg	2.7E+02	3.1E+02	No
		Phenol	LWG0104R023TSSBWBC20	ug/kg	2.7E+02	3.0E+02	No
		Phenol	LWG0104R023TSSBWBC30	ug/kg	2.7E+02	3.0E+02	No
		Phenol	LWG0105R006TSSBWBC00	ug/kg	2.7E+02	3.1E+02	No
		Phenol	LWG0106R024TSSBWBC00	ug/kg	2.7E+02	3.2E+02	No
		Phenol	LWG0107R009TSSBWBC10	ug/kg	2.7E+02	2.9E+02	No
		Phenol	LWG0107R009TSSBWBC30	ug/kg	2.7E+02	3.3E+02	No
		Phenol	LWG0108R010TSSBWBC10	ug/kg	2.7E+02	3.3E+02	No
		Phenol	LWG0108R010TSSBWBC20	ug/kg	2.7E+02	3.2E+02	No
		Phenol	LWG0108R010TSSBWBC30	ug/kg	2.7E+02	3.1E+02	No
		Phenol	LWG0108R032TSSBWBC00	ug/kg	2.7E+02	3.2E+02	No
		Phenol	LWG0109R006TSSBWBC00	ug/kg	2.7E+02	3.2E+02	No
		Pesticides					
		Aldrin	LWG0105R006TSSBWBC00	ug/kg	4.0E-02	1.0E+00	No
		Aldrin	LWG0106R024TSSBWBC00	ug/kg	4.0E-02	1.0E+00	No
		Aldrin	LWG0107R009TSSBWBC10	ug/kg	4.0E-02	4.0E+00	No
		Aldrin	LWG0107R009TSSBWBC20	ug/kg	4.0E-02	4.0E+00	No
		Aldrin	LWG0107R009TSSBWBC30	ug/kg	4.0E-02	4.0E+00	No
		Aldrin	LWG0108R032TSSBWBC00	ug/kg	4.0E-02	4.0E+00	No
		Aldrin	LWG0109R006TSSBWBC00	ug/kg	4.0E-02	4.0E+00	No
		Aldrin	LWG0103R014TSSBWBC00	ug/kg	4.0E-02	4.0E+00	No
		Aldrin	LWG0104R023TSSBWBC10	ug/kg	4.0E-02	4.0E+00	No
		Aldrin	LWG0104R023TSSBWBC20	ug/kg	4.0E-02	4.0E+00	No
		Aldrin	LWG0104R023TSSBWBC30	ug/kg	4.0E-02	1.0E+00	No
		Aldrin	LWG0108R010TSSBWBC10	ug/kg	4.0E-02	1.3E+01	Yes
		Aldrin	LWG0108R010TSSBWBC20	ug/kg	4.0E-02	1.3E+01	Yes
		Aldrin	LWG0108R010TSSBWBC30	ug/kg	4.0E-02	1.0E+01	Yes
		alpha-Hexachlorocyclohexane	LWG0105R006TSSBWBC00	ug/kg	4.2E-02	1.0E+00	No
		alpha-Hexachlorocyclohexane	LWG0106R024TSSBWBC00	ug/kg	4.2E-02	1.0E+00	No
		alpha-Hexachlorocyclohexane	LWG0107R009TSSBWBC10	ug/kg	4.2E-02	4.0E+00	No
		alpha-Hexachlorocyclohexane	LWG0107R009TSSBWBC20	ug/kg	4.2E-02	4.0E+00	No
		alpha-Hexachlorocyclohexane	LWG0107R009TSSBWBC30	ug/kg	4.2E-02	4.0E+00	No
		alpha-Hexachlorocyclohexane	LWG0108R032TSSBWBC00	ug/kg	4.2E-02	4.0E+00	No
		alpha-Hexachlorocyclohexane	LWG0109R006TSSBWBC00	ug/kg	4.2E-02	4.0E+00	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		alpha-Hexachlorocyclohexane	LWG0103R014TSSBWBC00	ug/kg	4.2E-02	4.0E+00	No
		alpha-Hexachlorocyclohexane	LWG0104R023TSSBWBC10	ug/kg	4.2E-02	4.0E+00	No
		alpha-Hexachlorocyclohexane	LWG0104R023TSSBWBC20	ug/kg	4.2E-02	4.0E+00	No
		alpha-Hexachlorocyclohexane	LWG0104R023TSSBWBC30	ug/kg	4.2E-02	1.0E+00	No
		alpha-Hexachlorocyclohexane	LWG0108R010TSSBWBC10	ug/kg	4.2E-02	6.4E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0108R010TSSBWBC20	ug/kg	4.2E-02	6.4E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0108R010TSSBWBC30	ug/kg	4.2E-02	6.4E+00	Yes
		beta-Hexachlorocyclohexane	LW3-SB010E-C00WB	ug/kg	3.6E-02	3.8E-02	No
		beta-Hexachlorocyclohexane	LWG0105R006TSSBWBC00	ug/kg	3.6E-02	1.4E+00	No
		beta-Hexachlorocyclohexane	LWG0106R024TSSBWBC00	ug/kg	3.6E-02	8.5E+00	Yes
		beta-Hexachlorocyclohexane	LWG0108R032TSSBWBC00	ug/kg	3.6E-02	8.5E+00	Yes
		beta-Hexachlorocyclohexane	LWG0109R006TSSBWBC00	ug/kg	3.6E-02	8.5E+00	Yes
		beta-Hexachlorocyclohexane	LWG0103R014TSSBWBC00	ug/kg	3.6E-02	4.0E+00	Yes
		beta-Hexachlorocyclohexane	LWG0104R023TSSBWBC10	ug/kg	3.6E-02	4.0E+00	Yes
		beta-Hexachlorocyclohexane	LWG0104R023TSSBWBC20	ug/kg	3.6E-02	4.0E+00	Yes
		beta-Hexachlorocyclohexane	LWG0104R023TSSBWBC30	ug/kg	3.6E-02	1.2E+00	No
		beta-Hexachlorocyclohexane	LWG0107R009TSSBWBC10	ug/kg	3.6E-02	4.0E+00	Yes
		beta-Hexachlorocyclohexane	LWG0107R009TSSBWBC20	ug/kg	3.6E-02	4.0E+00	Yes
		beta-Hexachlorocyclohexane	LWG0107R009TSSBWBC30	ug/kg	3.6E-02	8.5E+00	Yes
		beta-Hexachlorocyclohexane	LWG0108R010TSSBWBC10	ug/kg	3.6E-02	8.5E+00	Yes
		beta-Hexachlorocyclohexane	LWG0108R010TSSBWBC20	ug/kg	3.6E-02	8.5E+00	Yes
		beta-Hexachlorocyclohexane	LWG0108R010TSSBWBC30	ug/kg	3.6E-02	8.5E+00	Yes
		Dieldrin	LWG0106R024TSSBWBC00	ug/kg	7.3E+00	1.4E+01	No
		Dieldrin	LWG0109R006TSSBWBC00	ug/kg	7.3E+00	1.4E+01	No
		Dieldrin	LWG0103R014TSSBWBC00	ug/kg	7.3E+00	1.4E+01	No
		Dieldrin	LWG0104R023TSSBWBC10	ug/kg	7.3E+00	1.4E+01	No
		Dieldrin	LWG0104R023TSSBWBC20	ug/kg	7.3E+00	1.4E+01	No
		Dieldrin	LWG0104R023TSSBWBC30	ug/kg	7.3E+00	1.4E+01	No
		Dieldrin	LWG0107R009TSSBWBC10	ug/kg	7.3E+00	1.4E+01	No
		Dieldrin	LWG0108R010TSSBWBC10	ug/kg	7.3E+00	2.0E+01	No
		Dieldrin	LWG0108R010TSSBWBC20	ug/kg	7.3E+00	2.0E+01	No
		Dieldrin	LWG0108R010TSSBWBC30	ug/kg	7.3E+00	1.0E+01	No
		Endrin	LWG0108R032TSSBWBC00	ug/kg	5.4E-02	4.0E+00	No
		Endrin	LWG0109R006TSSBWBC00	ug/kg	5.4E-02	4.0E+00	No
		Endrin	LWG0103R014TSSBWBC00	ug/kg	5.4E-02	3.1E+01	Yes
		Endrin	LWG0104R023TSSBWBC10	ug/kg	5.4E-02	3.1E+01	Yes
		Endrin	LWG0104R023TSSBWBC20	ug/kg	5.4E-02	4.0E+00	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Endrin	LWG0104R023TSSBWBC30	ug/kg	5.4E-02	1.8E+00	No
		Endrin	LWG0105R006TSSBWBC00	ug/kg	5.4E-02	1.4E+00	No
		Endrin	LWG0106R024TSSBWBC00	ug/kg	5.4E-02	1.0E+00	No
		Endrin	LWG0107R009TSSBWBC10	ug/kg	5.4E-02	4.0E+00	No
		Endrin	LWG0107R009TSSBWBC20	ug/kg	5.4E-02	4.0E+00	No
		Endrin	LWG0107R009TSSBWBC30	ug/kg	5.4E-02	4.0E+00	No
		Endrin	LWG0108R010TSSBWBC10	ug/kg	5.4E-02	2.0E+01	Yes
		Endrin	LWG0108R010TSSBWBC20	ug/kg	5.4E-02	2.0E+01	Yes
		Endrin	LWG0108R010TSSBWBC30	ug/kg	5.4E-02	1.0E+01	Yes
		Endrin aldehyde	LW3-SB011E-C00WB	ug/kg	6.2E-03	1.9E-02	No
		Endrin aldehyde	LW3-SB011W-C00WB	ug/kg	6.2E-03	1.3E-02	No
		Endrin aldehyde	LW3-SB010E-C00WB	ug/kg	6.2E-03	7.7E-03	No
		Endrin aldehyde	LW3-SB03E-C00WB	ug/kg	6.2E-03	1.5E-02	No
		Endrin aldehyde	LW3-SB04E-C01WB	ug/kg	6.2E-03	2.3E-02	No
		Endrin aldehyde	LW3-SB04W-C00WB	ug/kg	6.2E-03	1.5E-02	No
		Endrin aldehyde	LW3-SB08E-C00WB	ug/kg	6.2E-03	7.0E-03	No
		Endrin aldehyde	LW3-SB08W-C00WB	ug/kg	6.2E-03	8.2E-03	No
		Endrin aldehyde	LWG0108R032TSSBWBC00	ug/kg	6.2E-03	4.0E+00	Yes
		Endrin aldehyde	LW3-SB09E-C00WB	ug/kg	6.2E-03	1.9E-02	No
		Endrin aldehyde	LWG0103R014TSSBWBC00	ug/kg	6.2E-03	4.0E+00	Yes
		Endrin aldehyde	LWG0104R023TSSBWBC10	ug/kg	6.2E-03	4.3E+00	Yes
		Endrin aldehyde	LWG0104R023TSSBWBC20	ug/kg	6.2E-03	4.0E+00	Yes
		Endrin aldehyde	LWG0104R023TSSBWBC30	ug/kg	6.2E-03	1.5E+00	Yes
		Endrin aldehyde	LW3-SB05W-C00WB	ug/kg	6.2E-03	7.6E-03	No
		Endrin aldehyde	LWG0105R006TSSBWBC00	ug/kg	6.2E-03	2.2E+00	Yes
		Endrin aldehyde	LW3-SB06E-C00WB	ug/kg	6.2E-03	1.9E-02	No
		Endrin aldehyde	LW3-SB06W-C00WB	ug/kg	6.2E-03	2.0E-02	No
		Endrin aldehyde	LWG0106R024TSSBWBC00	ug/kg	6.2E-03	1.0E+00	Yes
		Endrin aldehyde	LW3-SB07E-C00WB	ug/kg	6.2E-03	1.9E-02	No
		Endrin aldehyde	LW3-SB07W-C00WB	ug/kg	6.2E-03	2.0E-02	No
		Endrin aldehyde	LWG0107R009TSSBWBC10	ug/kg	6.2E-03	4.0E+00	Yes
		Endrin aldehyde	LWG0107R009TSSBWBC20	ug/kg	6.2E-03	4.0E+00	Yes
		Endrin aldehyde	LWG0107R009TSSBWBC30	ug/kg	6.2E-03	4.0E+00	Yes
		Endrin aldehyde	LWG0108R010TSSBWBC10	ug/kg	6.2E-03	2.0E+01	Yes
		Endrin aldehyde	LWG0108R010TSSBWBC20	ug/kg	6.2E-03	2.0E+01	Yes
		Endrin aldehyde	LWG0108R010TSSBWBC30	ug/kg	6.2E-03	8.5E+00	Yes
		Endrin aldehyde	LW3-SB09W-C00WB	ug/kg	6.2E-03	2.0E-02	No
		Endrin aldehyde	LWG0109R006TSSBWBC00	ug/kg	6.2E-03	6.0E+00	Yes

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Endrin ketone	LW3-SB010W-C00WB	ug/kg	1.5E-02	1.9E-02	No
		Endrin ketone	LW3-SB03E-C00WB	ug/kg	1.5E-02	2.5E-02	No
		Endrin ketone	LW3-SB03W-C00WB	ug/kg	1.5E-02	2.2E-02	No
		Endrin ketone	LW3-SB04W-C00WB	ug/kg	1.5E-02	2.4E-02	No
		Endrin ketone	LWG0103R014TSSBWBC00	ug/kg	1.5E-02	4.0E+00	Yes
		Endrin ketone	LWG0104R023TSSBWBC10	ug/kg	1.5E-02	4.0E+00	Yes
		Endrin ketone	LWG0104R023TSSBWBC20	ug/kg	1.5E-02	4.0E+00	Yes
		Endrin ketone	LWG0104R023TSSBWBC30	ug/kg	1.5E-02	1.0E+00	No
		Endrin ketone	LWG0105R006TSSBWBC00	ug/kg	1.5E-02	1.0E+00	No
		Endrin ketone	LWG0106R024TSSBWBC00	ug/kg	1.5E-02	1.0E+00	No
		Endrin ketone	LWG0107R009TSSBWBC10	ug/kg	1.5E-02	4.0E+00	Yes
		Endrin ketone	LWG0107R009TSSBWBC20	ug/kg	1.5E-02	4.0E+00	Yes
		Endrin ketone	LWG0107R009TSSBWBC30	ug/kg	1.5E-02	4.0E+00	Yes
		Endrin ketone	LWG0108R010TSSBWBC10	ug/kg	1.5E-02	2.0E+01	Yes
		Endrin ketone	LWG0108R010TSSBWBC20	ug/kg	1.5E-02	2.0E+01	Yes
		Endrin ketone	LWG0108R010TSSBWBC30	ug/kg	1.5E-02	7.5E+00	Yes
		Endrin ketone	LWG0108R032TSSBWBC00	ug/kg	1.5E-02	4.0E+00	Yes
		Endrin ketone	LW3-SB09W-C00WB	ug/kg	1.5E-02	2.0E-02	No
		Endrin ketone	LWG0109R006TSSBWBC00	ug/kg	1.5E-02	4.0E+00	Yes
		gamma-Hexachlorocyclohexane	LWG0103R014TSSBWBC00	ug/kg	3.5E-02	4.0E+00	Yes
		gamma-Hexachlorocyclohexane	LWG0104R023TSSBWBC10	ug/kg	3.5E-02	9.6E+00	Yes
		gamma-Hexachlorocyclohexane	LWG0104R023TSSBWBC20	ug/kg	3.5E-02	4.0E+00	Yes
		gamma-Hexachlorocyclohexane	LWG0104R023TSSBWBC30	ug/kg	3.5E-02	1.0E+00	No
		gamma-Hexachlorocyclohexane	LWG0105R006TSSBWBC00	ug/kg	3.5E-02	1.0E+00	No
		gamma-Hexachlorocyclohexane	LWG0106R024TSSBWBC00	ug/kg	3.5E-02	1.0E+00	No
		gamma-Hexachlorocyclohexane	LWG0107R009TSSBWBC10	ug/kg	3.5E-02	4.0E+00	Yes
		gamma-Hexachlorocyclohexane	LWG0107R009TSSBWBC20	ug/kg	3.5E-02	4.0E+00	Yes
		gamma-Hexachlorocyclohexane	LWG0107R009TSSBWBC30	ug/kg	3.5E-02	4.0E+00	Yes
		gamma-Hexachlorocyclohexane	LWG0108R010TSSBWBC10	ug/kg	3.5E-02	9.6E+00	Yes
		gamma-Hexachlorocyclohexane	LWG0108R010TSSBWBC20	ug/kg	3.5E-02	9.6E+00	Yes
		gamma-Hexachlorocyclohexane	LWG0108R010TSSBWBC30	ug/kg	3.5E-02	9.6E+00	Yes
		gamma-Hexachlorocyclohexane	LWG0108R032TSSBWBC00	ug/kg	3.5E-02	4.0E+00	Yes
		gamma-Hexachlorocyclohexane	LWG0109R006TSSBWBC00	ug/kg	3.5E-02	4.0E+00	Yes
		Heptachlor	LW3-SB03E-C00WB	ug/kg	2.7E-02	2.8E-02	No
		Heptachlor	LWG0103R014TSSBWBC00	ug/kg	2.7E-02	4.0E+00	Yes
		Heptachlor	LWG0104R023TSSBWBC10	ug/kg	2.7E-02	4.0E+00	Yes
		Heptachlor	LWG0104R023TSSBWBC20	ug/kg	2.7E-02	4.0E+00	Yes

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-9.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a,b]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Result	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Heptachlor	LWG0104R023TSSBWBC30	ug/kg	2.7E-02	1.1E+00	No
		Heptachlor	LWG0105R006TSSBWBC00	ug/kg	2.7E-02	1.1E+00	No
		Heptachlor	LWG0106R024TSSBWBC00	ug/kg	2.7E-02	1.0E+00	No
		Heptachlor	LWG0107R009TSSBWBC10	ug/kg	2.7E-02	4.9E+00	Yes
		Heptachlor	LWG0107R009TSSBWBC20	ug/kg	2.7E-02	4.0E+00	Yes
		Heptachlor	LWG0107R009TSSBWBC30	ug/kg	2.7E-02	4.0E+00	Yes
		Heptachlor	LWG0108R010TSSBWBC10	ug/kg	2.7E-02	1.3E+01	Yes
		Heptachlor	LWG0108R010TSSBWBC20	ug/kg	2.7E-02	1.3E+01	Yes
		Heptachlor	LWG0108R010TSSBWBC30	ug/kg	2.7E-02	1.0E+01	Yes
		Heptachlor	LWG0108R032TSSBWBC00	ug/kg	2.7E-02	4.0E+00	Yes
		Heptachlor	LWG0109R006TSSBWBC00	ug/kg	2.7E-02	4.0E+00	Yes
		Heptachlor epoxide	LWG0103R014TSSBWBC00	ug/kg	1.8E-01	4.0E+00	No
		Heptachlor epoxide	LWG0104R023TSSBWBC10	ug/kg	1.8E-01	4.0E+00	No
		Heptachlor epoxide	LWG0104R023TSSBWBC20	ug/kg	1.8E-01	4.0E+00	No
		Heptachlor epoxide	LWG0104R023TSSBWBC30	ug/kg	1.8E-01	1.0E+00	No
		Heptachlor epoxide	LWG0105R006TSSBWBC00	ug/kg	1.8E-01	1.0E+00	No
		Heptachlor epoxide	LWG0106R024TSSBWBC00	ug/kg	1.8E-01	1.0E+00	No
		Heptachlor epoxide	LWG0107R009TSSBWBC10	ug/kg	1.8E-01	4.1E+00	No
		Heptachlor epoxide	LWG0107R009TSSBWBC20	ug/kg	1.8E-01	4.0E+00	No
		Heptachlor epoxide	LWG0107R009TSSBWBC30	ug/kg	1.8E-01	4.0E+00	No
		Heptachlor epoxide	LWG0108R010TSSBWBC10	ug/kg	1.8E-01	8.0E+00	No
		Heptachlor epoxide	LWG0108R010TSSBWBC20	ug/kg	1.8E-01	8.0E+00	No
		Heptachlor epoxide	LWG0108R010TSSBWBC30	ug/kg	1.8E-01	8.0E+00	No
		Heptachlor epoxide	LWG0108R032TSSBWBC00	ug/kg	1.8E-01	7.0E+00	No
		Heptachlor epoxide	LWG0109R006TSSBWBC00	ug/kg	1.8E-01	4.0E+00	No
		Total Chlordanes	LWG0105R006TSSBWBC00	ug/kg	2.2E+01	3.2E+01	No

Notes:

a Exposure areas for SMB are on a RM basis, such that samples collected from RM 1.5 - 2.5 are included in exposure area RM 2, samples collected from RM 2.5-3.5 are included in exposure area RM 3, etc. SIL is its own exposure area.

b Exposure areas not listed indicate there were no non-detected results with detection limits exceeding the maximum detected concentrations that were removed from the

Abbreviations:

F = Fillet tissue.
mg/kg = milligrams per kilogram.
ug/kg = micrograms per kilogram.
WB = Whole body.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-10.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam

Exposure Point[a]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
RM 2 West	UD	**Semivolatile Organic Compounds**					
		Benzyl alcohol	LW3-CA02W-C00	ug/kg	1.2E+01	2.2E+01	No
		Pesticides					
		Endrin	LW3-CA02W-C00	ug/kg	5.7E-03	2.6E-02	No
		Heptachlor	LW3-CA02W-C00	ug/kg	7.3E-03	1.0E-02	No
RM 3 East	UD	**Pesticides**					
		alpha-Hexachlorocyclohexane	LW2-BTFC004	ug/kg	5.7E-03	1.1E-02	No
		alpha-Hexachlorocyclohexane	LW2-BTFC005	ug/kg	5.7E-03	8.4E-03	No
		Endrin ketone	LW2-BTFC004	ug/kg	3.0E-03	3.5E-03	No
		gamma-Hexachlorocyclohexane	LW2-BTFC005	ug/kg	5.4E-02	6.2E-02	No
RM 4 East	UD	**Semivolatile Organic Compounds**					
		Benzyl alcohol	LW2-BTFC009	ug/kg	1.1E+01	1.4E+01	No
		Hexachlorobenzene	LW2-BTFC009	ug/kg	4.7E-01	1.2E+01	No
		Pesticides					
		alpha-Hexachlorocyclohexane	LW2-BTFC008	ug/kg	6.1E-03	9.1E-03	No
		alpha-Hexachlorocyclohexane	LW2-BTFC010	ug/kg	6.1E-03	6.0E-02	No
		Heptachlor epoxide	LW2-BTFC010	ug/kg	4.8E-02	5.0E-02	No
RM 4 West	UD	**Phthalates**					
		Bis(2-ethylhexyl) phthalate	LW2-BTFC011	ug/kg	8.5E+01	1.4E+02	No
		Pesticides					
		alpha-Hexachlorocyclohexane	LW2-BTFC012	ug/kg	1.4E-02	1.6E-02	No
		Heptachlor	LW2-BTFC012	ug/kg	1.4E-02	1.8E-02	No
RM 5 East	UD	**Phthalates**					
		Bis(2-ethylhexyl) phthalate	LW2-BTFC013	ug/kg	7.7E+01	1.1E+02	No
		Semivolatile Organic Compounds					
		Hexachlorobutadiene	LW2-BTFC013	ug/kg	5.3E-03	1.7E+01	Yes
RM 5 West	UD	**Semivolatile Organic Compounds**					
		Benzyl alcohol	LW3-CA05W-C00	ug/kg	9.4E+00	2.2E+01	No
		Hexachlorobutadiene	LW3-CA05W-C00	ug/kg	2.5E-02	2.5E-02	No
RM 6 East	UD	**Metals**					
		Antimony	LW2-BTFC016	mg/kg	1.0E-03	2.0E-03	No
		Polynuclear Aromatic Hydrocarbons					
		2-Methylnaphthalene	LWG0106R002TSCAWBC00	ug/kg	1.8E+00	3.3E+01	No
		Acenaphthene	LWG0106R002TSCAWBC00	ug/kg	9.7E-01	3.6E+01	No
		Acenaphthylene	LWG0106R002TSCAWBC00	ug/kg	1.2E+00	3.3E+01	No
		Anthracene	LWG0106R002TSCAWBC00	ug/kg	5.5E+00	3.3E+01	No
		Benzo(a)anthracene	LWG0106R002TSCAWBC00	ug/kg	1.8E+01	3.3E+01	No
		Benzo(a)pyrene	LWG0106R002TSCAWBC00	ug/kg	3.8E+00	3.3E+01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-10.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam

Exposure Point[a]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Benzo(b)fluoranthene	LWG0106R002TSCAWBC00	ug/kg	4.2E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0106R002TSCAWBC00	ug/kg	1.5E+00	3.3E+01	No
		Benzo(k)fluoranthene	LWG0106R002TSCAWBC00	ug/kg	2.8E+00	3.3E+01	No
		Chrysene	LWG0106R002TSCAWBC00	ug/kg	2.2E+01	3.3E+01	No
		Fluorene	LWG0106R002TSCAWBC00	ug/kg	2.4E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0106R002TSCAWBC00	ug/kg	1.2E+00	3.3E+01	No
		Phenanthrene	LWG0106R002TSCAWBC00	ug/kg	1.6E+01	3.3E+01	No
		Semivolatile Organic Compounds					
		Benzyl alcohol	LWG0106R002TSCAWBC00	ug/kg	2.7E+01	3.3E+02	No
		Dibenzofuran	LWG0106R002TSCAWBC00	ug/kg	1.1E+00	3.3E+01	No
		Hexachlorobenzene	LWG0106R002TSCAWBC00	ug/kg	5.5E-01	1.4E+00	No
		Pesticides					
		Aldrin	LWG0106R002TSCAWBC00	ug/kg	2.1E-01	1.0E+00	No
		alpha-Hexachlorocyclohexane	LWG0106R002TSCAWBC00	ug/kg	1.1E-02	1.0E+00	No
		Dieldrin	LWG0106R002TSCAWBC00	ug/kg	7.7E-01	1.0E+00	No
		gamma-Hexachlorocyclohexane	LWG0106R002TSCAWBC00	ug/kg	7.1E-02	1.0E+00	No
		Heptachlor	LWG0106R002TSCAWBC00	ug/kg	8.3E-03	1.0E+00	Yes
		Total DDT	LWG0106R002TSCAWBC00	ug/kg	1.6E+00	8.3E+00	No
RM 6 West	UD	**Pesticides**					
		alpha-Hexachlorocyclohexane	LW2-BTFC017	ug/kg	1.1E-02	2.0E-02	No
		Endrin	LW2-BTFC015	ug/kg	4.4E-02	5.3E-02	No
RM 7 West	UD	**Polynuclear Aromatic Hydrocarbons**					
		2-Methylnaphthalene	LWG0107R006TSCAWBC00	ug/kg	3.3E+00	3.1E+01	No
		2-Methylnaphthalene	LWG0107R003TSCAWBC00	ug/kg	3.3E+00	3.2E+01	No
		Acenaphthene	LWG0107R006TSCAWBC00	ug/kg	4.7E+00	3.1E+01	No
		Acenaphthene	LWG0107R003TSCAWBC00	ug/kg	4.7E+00	5.8E+01	No
		Acenaphthylene	LWG0107R006TSCAWBC00	ug/kg	2.4E+00	3.1E+01	No
		Acenaphthylene	LWG0107R003TSCAWBC00	ug/kg	2.4E+00	3.2E+01	No
		Anthracene	LWG0107R006TSCAWBC00	ug/kg	8.6E+00	3.1E+01	No
		Anthracene	LWG0107R003TSCAWBC00	ug/kg	8.6E+00	3.2E+01	No
		Benzo(a)pyrene	LWG0107R006TSCAWBC00	ug/kg	1.9E+01	3.4E+01	No
		Benzo(a)pyrene	LWG0107R003TSCAWBC00	ug/kg	1.9E+01	3.2E+01	No
		Benzo(b)fluoranthene	LWG0107R006TSCAWBC00	ug/kg	3.0E+01	3.1E+01	No
		Benzo(b)fluoranthene	LWG0107R003TSCAWBC00	ug/kg	3.0E+01	3.2E+01	No
		Benzo(g,h,i)perylene	LWG0107R006TSCAWBC00	ug/kg	7.3E+00	1.6E+02	No
		Benzo(g,h,i)perylene	LWG0107R003TSCAWBC00	ug/kg	7.3E+00	8.1E+01	No
		Benzo(k)fluoranthene	LWG0107R006TSCAWBC00	ug/kg	2.0E+01	3.1E+01	No
		Benzo(k)fluoranthene	LWG0107R003TSCAWBC00	ug/kg	2.0E+01	3.2E+01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-10.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam

Exposure Point[a]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Fluorene	LWG0107R006TSCAWBC00	ug/kg	5.2E+00	3.1E+01	No
		Fluorene	LWG0107R003TSCAWBC00	ug/kg	5.2E+00	3.2E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0107R006TSCAWBC00	ug/kg	6.8E+00	3.1E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0107R003TSCAWBC00	ug/kg	6.8E+00	3.2E+01	No
		Naphthalene	LWG0107R006TSCAWBC00	ug/kg	2.6E+00	3.1E+01	No
		Naphthalene	LWG0107R003TSCAWBC00	ug/kg	2.6E+00	3.2E+01	No
		Semivolatile Organic Compounds					
		Dibenzofuran	LWG0107R006TSCAWBC00	ug/kg	2.5E+00	3.1E+01	No
		Dibenzofuran	LWG0107R003TSCAWBC00	ug/kg	2.5E+00	3.2E+01	No
		Hexachlorobenzene	LWG0107R006TSCAWBC00	ug/kg	7.9E-01	6.4E+00	No
		Hexachlorobenzene	LWG0107R003TSCAWBC00	ug/kg	7.9E-01	1.0E+00	No
		Pesticides					
		Aldrin	LWG0107R006TSCAWBC00	ug/kg	4.0E-01	1.0E+00	No
		Aldrin	LWG0107R003TSCAWBC00	ug/kg	4.0E-01	1.1E+00	No
		Endrin	LWG0107R006TSCAWBC00	ug/kg	4.9E-02	2.4E+00	No
		Endrin	LWG0107R003TSCAWBC00	ug/kg	4.9E-02	1.0E+00	No
		Endrin aldehyde	LWG0107R006TSCAWBC00	ug/kg	3.9E-01	1.0E+00	No
		Endrin ketone	LWG0107R006TSCAWBC00	ug/kg	1.4E-02	1.0E+00	No
		Endrin ketone	LWG0107R003TSCAWBC00	ug/kg	1.4E-02	1.0E+00	No
		gamma-Hexachlorocyclohexane	LWG0107R006TSCAWBC00	ug/kg	6.4E-02	1.0E+00	No
		gamma-Hexachlorocyclohexane	LWG0107R003TSCAWBC00	ug/kg	6.4E-02	1.0E+00	No
		Heptachlor	LWG0107R006TSCAWBC00	ug/kg	2.4E-02	1.0E+00	No
		Heptachlor	LW2-BTFC020	ug/kg	2.4E-02	5.1E-02	No
		Heptachlor	LWG0107R003TSCAWBC00	ug/kg	2.4E-02	1.0E+00	No
		Heptachlor epoxide	LWG0107R006TSCAWBC00	ug/kg	1.3E+00	8.0E+00	No
		Total Endosulfan	LWG0107R006TSCAWBC00	ug/kg	1.4E+00	2.1E+00	No
RM 8 East	UD	**Metals**					
		Antimony	LW2-BTFC023	mg/kg	1.0E-03	3.0E-03	No
RM 8 West	UD	**Butyltins**					
		Tributyltin ion	LW2-BTFC025	ug/kg	3.1E+00	3.3E+00	No
RM 8 SIL	UD	**Metals**					
		Antimony	LW2-BTFC026	mg/kg	4.0E-03	6.0E-03	No
		Pesticides					
		Endrin	LW2-BTFC026	ug/kg	2.0E-02	2.0E-02	No
		Endrin ketone	LW2-BTFC026	ug/kg	3.9E-03	3.1E-02	No
RM 9 East	UD	**Pesticides**					
		alpha-Hexachlorocyclohexane	LW2-BTFC031	ug/kg	7.4E-03	7.9E-03	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-10.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam

Exposure Point[a]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
RM 9 West	UD	**Pesticides**					
		alpha-Hexachlorocyclohexane	LW2-BTFC032	ug/kg	1.5E-02	1.1E+00	No
		gamma-Hexachlorocyclohexane	LW2-BTFC032	ug/kg	6.6E-02	5.1E-01	No
		Heptachlor	LW2-BTFC032	ug/kg	1.6E-02	5.9E-02	No
Study Area-wide	D	**Butyltins**					
		Butyltin ion	LW3-CA02W-C00D	ug/kg	1.5E+00	4.4E+00	No
		Semivolatile Organic Compounds					
		Hexachlorobutadiene	LW3-CA10W-C00D	ug/kg	9.8E-03	9.9E-03	No
Study Area-wide	UD	**Metals**					
		Antimony	LW2-BTFC026	mg/kg	4.0E-03	6.0E-03	No
		Polynuclear Aromatic Hydrocarbons					
		2-Methylnaphthalene	LWG0106R002TSCAWBC00	ug/kg	2.2E+01	3.3E+01	No
		2-Methylnaphthalene	LWG0107R003TSCAWBC00	ug/kg	2.2E+01	3.2E+01	No
		2-Methylnaphthalene	LWG0107R006TSCAWBC00	ug/kg	2.2E+01	3.1E+01	No
		Acenaphthylene	LWG0106R002TSCAWBC00	ug/kg	1.4E+01	3.3E+01	No
		Acenaphthylene	LWG0107R003TSCAWBC00	ug/kg	1.4E+01	3.2E+01	No
		Acenaphthylene	LWG0107R006TSCAWBC00	ug/kg	1.4E+01	3.1E+01	No
		Phthalates					
		Bis(2-ethylhexyl) phthalate	LWG0107R003TSCAWBC00	ug/kg	1.5E+02	1.7E+02	No
		Bis(2-ethylhexyl) phthalate	LWG0107R006TSCAWBC00	ug/kg	1.5E+02	3.4E+02	No
		Semivolatile Organic Compounds					
		Bis(2-chloroethoxy) methane	LWG0106R002TSCAWBC00	ug/kg	4.6E+01	1.6E+02	No
		Bis(2-chloroethoxy) methane	LWG0107R006TSCAWBC00	ug/kg	4.6E+01	1.6E+02	No
		Bis(2-chloroethoxy) methane	LWG0107R003TSCAWBC00	ug/kg	4.6E+01	1.6E+02	No
		Dibenzofuran	LWG0106R002TSCAWBC00	ug/kg	1.7E+01	3.3E+01	No
		Dibenzofuran	LWG0107R006TSCAWBC00	ug/kg	1.7E+01	3.1E+01	No
		Dibenzofuran	LWG0107R003TSCAWBC00	ug/kg	1.7E+01	3.2E+01	No
		Hexachlorobenzene	LW2-BTFC009	ug/kg	1.1E+00	1.2E+01	No
		Hexachlorobenzene	LWG0106R002TSCAWBC00	ug/kg	1.1E+00	1.4E+00	No
		Hexachlorobenzene	LWG0107R006TSCAWBC00	ug/kg	1.1E+00	6.4E+00	No
		Hexachlorobutadiene	LW3-CA11E-C00	ug/kg	2.5E-02	1.0E+01	Yes
		Hexachlorobutadiene	LW2-BTFC001	ug/kg	2.5E-02	8.5E+00	Yes
		Hexachlorobutadiene	LW2-BTFC002	ug/kg	2.5E-02	8.5E+00	Yes
		Hexachlorobutadiene	LW2-BTFC003	ug/kg	2.5E-02	8.5E+00	Yes
		Hexachlorobutadiene	LW2-BTFC004	ug/kg	2.5E-02	8.5E+00	Yes
		Hexachlorobutadiene	LW2-BTFC005	ug/kg	2.5E-02	8.5E+00	Yes
		Hexachlorobutadiene	LW2-BTFC006 Rep 1	ug/kg	2.5E-02	8.5E+00	Yes
		Hexachlorobutadiene	LW2-BTFC007	ug/kg	2.5E-02	8.5E+00	Yes

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-10.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam

Exposure Point[a]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Hexachlorobutadiene	LW2-BTFC008	ug/kg	2.5E-02	8.5E+00	Yes
		Hexachlorobutadiene	LW2-BTFC009	ug/kg	2.5E-02	1.8E+01	Yes
		Hexachlorobutadiene	LW2-BTFC011	ug/kg	2.5E-02	2.3E+01	Yes
		Hexachlorobutadiene	LW2-BTFC010	ug/kg	2.5E-02	8.5E+00	Yes
		Hexachlorobutadiene	LW2-BTFC012	ug/kg	2.5E-02	8.5E+00	Yes
		Hexachlorobutadiene	LW3-CA05W-C00	ug/kg	2.5E-02	2.5E-02	No
		Hexachlorobutadiene	LW2-BTFC013	ug/kg	2.5E-02	1.7E+01	Yes
		Hexachlorobutadiene	LW2-BTFC015	ug/kg	2.5E-02	1.7E+01	Yes
		Hexachlorobutadiene	LW2-BTFC016	ug/kg	2.5E-02	1.7E+01	Yes
		Hexachlorobutadiene	LWG0106R002TSCAWBC00	ug/kg	2.5E-02	1.0E+00	No
		Hexachlorobutadiene	LW2-BTFC017	ug/kg	2.5E-02	8.5E+00	Yes
		Hexachlorobutadiene	LWG0107R006TSCAWBC00	ug/kg	2.5E-02	1.0E+00	No
		Hexachlorobutadiene	LW2-BTFC020	ug/kg	2.5E-02	8.5E+00	Yes
		Hexachlorobutadiene	LWG0107R003TSCAWBC00	ug/kg	2.5E-02	1.0E+00	No
		Hexachlorobutadiene	LW2-BTFC021	ug/kg	2.5E-02	8.5E+00	Yes
		Hexachlorobutadiene	LW2-BTFC022	ug/kg	2.5E-02	1.7E+01	Yes
		Hexachlorobutadiene	LW2-BTFC024	ug/kg	2.5E-02	8.5E+00	Yes
		Hexachlorobutadiene	LW2-BTFC026	ug/kg	2.5E-02	1.7E+01	Yes
		Hexachlorobutadiene	LW2-BTFC025	ug/kg	2.5E-02	1.7E+01	Yes
		Hexachlorobutadiene	LW2-BTFC028	ug/kg	2.5E-02	8.5E+00	Yes
		Hexachlorobutadiene	LW2-BTFC030	ug/kg	2.5E-02	9.0E+00	Yes
		Phenols					
		4-Nitrophenol	LWG0106R002TSCAWBC00	ug/kg	1.9E+01	1.6E+03	No
		4-Nitrophenol	LWG0107R006TSCAWBC00	ug/kg	1.9E+01	1.6E+03	No
		4-Nitrophenol	LWG0107R003TSCAWBC00	ug/kg	1.9E+01	1.6E+03	No
		Pesticides					
		alpha-Hexachlorocyclohexane	LW2-BTFC010	ug/kg	2.1E-02	6.0E-02	No
		alpha-Hexachlorocyclohexane	LW2-BTFC014	ug/kg	2.1E-02	6.3E-02	No
		alpha-Hexachlorocyclohexane	LWG0106R002TSCAWBC00	ug/kg	2.1E-02	1.0E+00	No
		alpha-Hexachlorocyclohexane	LWG0107R006TSCAWBC00	ug/kg	2.1E-02	1.0E+00	No
		alpha-Hexachlorocyclohexane	LW2-BTFC020	ug/kg	2.1E-02	6.4E-02	No
		alpha-Hexachlorocyclohexane	LWG0107R003TSCAWBC00	ug/kg	2.1E-02	1.0E+00	No
		alpha-Hexachlorocyclohexane	LW2-BTFC032	ug/kg	2.1E-02	1.1E+00	No
		beta-Hexachlorocyclohexane	LWG0107R006TSCAWBC00	ug/kg	1.2E+00	8.5E+00	No
		Endrin	LWG0106R002TSCAWBC00	ug/kg	6.4E-02	1.0E+00	No
		Endrin	LWG0107R006TSCAWBC00	ug/kg	6.4E-02	2.4E+00	No
		Endrin	LWG0107R003TSCAWBC00	ug/kg	6.4E-02	1.0E+00	No
		Endrin aldehyde	LWG0106R002TSCAWBC00	ug/kg	3.9E-01	1.0E+00	No
		Endrin aldehyde	LWG0107R006TSCAWBC00	ug/kg	3.9E-01	1.0E+00	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-10.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam

Exposure Point[a]	Tissue Type	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Endrin ketone	LW3-CA01E-C01	ug/kg	1.4E-02	1.1E-01	No
		Endrin ketone	LW3-CA10W-C00	ug/kg	1.4E-02	1.0E-01	No
		Endrin ketone	LW3-CA12W-C00	ug/kg	1.4E-02	1.1E-01	No
		Endrin ketone	LW3-CA12E-C00	ug/kg	1.4E-02	1.0E-01	No
		Endrin ketone	LW3-CA02W-C00	ug/kg	1.4E-02	1.1E-01	No
		Endrin ketone	LW3-CA03W-C00	ug/kg	1.4E-02	1.1E-01	No
		Endrin ketone	LW3-CA04W-C00	ug/kg	1.4E-02	1.1E-01	No
		Endrin ketone	LW2-BTFC011	ug/kg	1.4E-02	4.1E-02	No
		Endrin ketone	LW3-CA05E-C00	ug/kg	1.4E-02	1.1E-01	No
		Endrin ketone	LW3-CA05W-C00	ug/kg	1.4E-02	1.1E-01	No
		Endrin ketone	LW2-BTFC013	ug/kg	1.4E-02	4.2E-02	No
		Endrin ketone	LWG0106R002TSCAWBC00	ug/kg	1.4E-02	1.0E+00	No
		Endrin ketone	LWG0107R006TSCAWBC00	ug/kg	1.4E-02	1.0E+00	No
		Endrin ketone	LWG0107R003TSCAWBC00	ug/kg	1.4E-02	1.0E+00	No
		Endrin ketone	LW2-BTFC026	ug/kg	1.4E-02	3.1E-02	No
		Endrin ketone	LW2-BTFC032	ug/kg	1.4E-02	6.6E-01	No
		Endrin ketone	LW2-BTFC033	ug/kg	1.4E-02	4.2E-02	No
		gamma-Hexachlorocyclohexane	LWG0106R002TSCAWBC00	ug/kg	8.4E-02	1.0E+00	No
		gamma-Hexachlorocyclohexane	LWG0107R006TSCAWBC00	ug/kg	8.4E-02	1.0E+00	No
		gamma-Hexachlorocyclohexane	LWG0107R003TSCAWBC00	ug/kg	8.4E-02	1.0E+00	No
		gamma-Hexachlorocyclohexane	LW2-BTFC032	ug/kg	8.4E-02	5.1E-01	No
		Heptachlor	LWG0106R002TSCAWBC00	ug/kg	4.2E-01	1.0E+00	No
		Heptachlor	LWG0107R006TSCAWBC00	ug/kg	4.2E-01	1.0E+00	No
		Heptachlor	LWG0107R003TSCAWBC00	ug/kg	4.2E-01	1.0E+00	No
		Heptachlor epoxide	LWG0107R006TSCAWBC00	ug/kg	2.1E+00	8.0E+00	No
		Methoxychlor	LWG0106R002TSCAWBC00	ug/kg	3.2E-01	1.6E+00	No
		Methoxychlor	LWG0107R006TSCAWBC00	ug/kg	3.2E-01	1.0E+00	No
		Methoxychlor	LWG0107R003TSCAWBC00	ug/kg	3.2E-01	1.0E+00	No
		Total Endosulfan	LWG0107R006TSCAWBC00	ug/kg	1.5E+00	2.1E+00	No

Notes:
a Exposure areas not listed indicate there were no non-detected results with detection limits exceeding the maximum detected concentrations that were removed

Abbreviations:
F = Fillet tissue.
mg/kg = milligrams per kilogram.
ug/kg = micrograms per kilogram.
WB = Whole body.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-11.
Nondetects Greater Than The Maximum Detection Per Exposure Area

| Scenario Timeframe: Current/Future |
| Medium: Shellfish Tissue |
| Exposure Medium: Crayfish |

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Sample ID	Units	Maximum Detected Concentration	Nondect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
Study Area Wide	WB	**Polynuclear Aromatic Hydrocarbons**					
		2-Methylnaphthalene	LWG0102R001TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		2-Methylnaphthalene	LWG0102R015TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		2-Methylnaphthalene	LWG0103R001TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		2-Methylnaphthalene	LWG0103R002TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		2-Methylnaphthalene	LWG0103R003TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		2-Methylnaphthalene	LWG0103R004TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		2-Methylnaphthalene	LWG0103R005TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		2-Methylnaphthalene	LWG0103R032TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		2-Methylnaphthalene	LWG0104R002TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		2-Methylnaphthalene	LWG0104R003TSCRWBC00	ug/kg	1.1E+00	7.3E+01	No
		2-Methylnaphthalene	LWG0104R004TSCRWBC10	ug/kg	1.1E+00	3.3E+01	No
		2-Methylnaphthalene	LWG0104R004TSCRWBC20	ug/kg	1.1E+00	3.3E+01	No
		2-Methylnaphthalene	LWG0105R001TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		2-Methylnaphthalene	LWG0105R003TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		2-Methylnaphthalene	LWG0106R001TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		2-Methylnaphthalene	LWG0106R004TSCRWBC10	ug/kg	1.1E+00	3.3E+01	No
		2-Methylnaphthalene	LWG0106R004TSCRWBC20	ug/kg	1.1E+00	3.3E+01	No
		2-Methylnaphthalene	LWG0107R003TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		2-Methylnaphthalene	LWG0107R004TSCRWBC00	ug/kg	1.1E+00	3.7E+01	No
		2-Methylnaphthalene	LWG0107R006TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		2-Methylnaphthalene	LWG0108R001TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		2-Methylnaphthalene	LWG0108R002TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		2-Methylnaphthalene	LWG0108R003TSCRWBC00	ug/kg	1.1E+00	1.7E+01	No
		2-Methylnaphthalene	LWG0109R001TSCRWBC10	ug/kg	1.1E+00	3.3E+01	No
		2-Methylnaphthalene	LWG0109R001TSCRWBC20	ug/kg	1.1E+00	3.3E+01	No
		2-Methylnaphthalene	LWG0109R002TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		Acenaphthene	LWG0102R001TSCRWBC00	ug/kg	4.2E+00	3.3E+01	No
		Acenaphthene	LWG0102R015TSCRWBC00	ug/kg	4.2E+00	3.3E+01	No
		Acenaphthene	LWG0103R001TSCRWBC00	ug/kg	4.2E+00	3.3E+01	No
		Acenaphthene	LWG0103R002TSCRWBC00	ug/kg	4.2E+00	3.3E+01	No
		Acenaphthene	LWG0103R003TSCRWBC00	ug/kg	4.2E+00	3.3E+01	No
		Acenaphthene	LWG0103R004TSCRWBC00	ug/kg	4.2E+00	3.3E+01	No
		Acenaphthene	LWG0103R005TSCRWBC00	ug/kg	4.2E+00	8.3E+01	No
		Acenaphthene	LWG0103R032TSCRWBC00	ug/kg	4.2E+00	3.3E+01	No
		Acenaphthene	LWG0104R002TSCRWBC00	ug/kg	4.2E+00	3.3E+01	No
		Acenaphthene	LWG0104R003TSCRWBC00	ug/kg	4.2E+00	3.3E+01	No
		Acenaphthene	LWG0104R004TSCRWBC10	ug/kg	4.2E+00	3.3E+01	No
		Acenaphthene	LWG0104R004TSCRWBC20	ug/kg	4.2E+00	3.3E+01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-11.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Crayfish

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Sample ID	Units	Maximum Detected Concentration	Nondect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Acenaphthene	LWG0105R001TSCRWBC00	ug/kg	4.2E+00	3.3E+01	No
		Acenaphthene	LWG0105R003TSCRWBC00	ug/kg	4.2E+00	3.3E+01	No
		Acenaphthene	LWG0106R001TSCRWBC00	ug/kg	4.2E+00	3.3E+01	No
		Acenaphthene	LWG0106R004TSCRWBC10	ug/kg	4.2E+00	3.3E+01	No
		Acenaphthene	LWG0106R004TSCRWBC20	ug/kg	4.2E+00	3.3E+01	No
		Acenaphthene	LWG0107R003TSCRWBC00	ug/kg	4.2E+00	3.3E+01	No
		Acenaphthene	LWG0107R004TSCRWBC00	ug/kg	4.2E+00	3.7E+01	No
		Acenaphthene	LWG0107R006TSCRWBC00	ug/kg	4.2E+00	3.3E+01	No
		Acenaphthene	LWG0108R001TSCRWBC00	ug/kg	4.2E+00	3.3E+01	No
		Acenaphthene	LWG0108R002TSCRWBC00	ug/kg	4.2E+00	3.3E+01	No
		Acenaphthene	LWG0108R003TSCRWBC00	ug/kg	4.2E+00	5.3E+01	No
		Acenaphthene	LWG0109R001TSCRWBC10	ug/kg	4.2E+00	3.3E+01	No
		Acenaphthene	LWG0109R001TSCRWBC20	ug/kg	4.2E+00	3.3E+01	No
		Acenaphthene	LWG0109R002TSCRWBC00	ug/kg	4.2E+00	3.3E+01	No
		Acenaphthylene	LWG0102R001TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		Acenaphthylene	LWG0102R015TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		Acenaphthylene	LWG0103R001TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		Acenaphthylene	LWG0103R002TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		Acenaphthylene	LWG0103R003TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		Acenaphthylene	LWG0103R004TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		Acenaphthylene	LWG0103R005TSCRWBC00	ug/kg	1.1E+00	9.0E+01	No
		Acenaphthylene	LWG0103R032TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		Acenaphthylene	LWG0104R002TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		Acenaphthylene	LWG0104R003TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		Acenaphthylene	LWG0104R004TSCRWBC10	ug/kg	1.1E+00	3.3E+01	No
		Acenaphthylene	LWG0104R004TSCRWBC20	ug/kg	1.1E+00	3.3E+01	No
		Acenaphthylene	LWG0105R001TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		Acenaphthylene	LWG0105R003TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		Acenaphthylene	LWG0106R001TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		Acenaphthylene	LWG0106R004TSCRWBC10	ug/kg	1.1E+00	3.3E+01	No
		Acenaphthylene	LWG0106R004TSCRWBC20	ug/kg	1.1E+00	3.3E+01	No
		Acenaphthylene	LWG0107R003TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		Acenaphthylene	LWG0107R004TSCRWBC00	ug/kg	1.1E+00	3.7E+01	No
		Acenaphthylene	LWG0107R006TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		Acenaphthylene	LWG0108R001TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		Acenaphthylene	LWG0108R002TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No
		Acenaphthylene	LWG0108R003TSCRWBC00	ug/kg	1.1E+00	1.7E+01	No
		Acenaphthylene	LWG0109R001TSCRWBC10	ug/kg	1.1E+00	3.3E+01	No
		Acenaphthylene	LWG0109R001TSCRWBC20	ug/kg	1.1E+00	3.3E+01	No
		Acenaphthylene	LWG0109R002TSCRWBC00	ug/kg	1.1E+00	3.3E+01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-11.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Crayfish

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Sample ID	Units	Maximum Detected Concentration	Nondect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Anthracene	LWG0102R001TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Anthracene	LWG0102R015TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Anthracene	LWG0103R001TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Anthracene	LWG0103R002TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Anthracene	LWG0103R003TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Anthracene	LWG0103R004TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Anthracene	LWG0103R005TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Anthracene	LWG0103R032TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Anthracene	LWG0104R002TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Anthracene	LWG0104R003TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Anthracene	LWG0104R004TSCRWBC10	ug/kg	2.9E+00	3.3E+01	No
		Anthracene	LWG0104R004TSCRWBC20	ug/kg	2.9E+00	3.3E+01	No
		Anthracene	LWG0105R001TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Anthracene	LWG0105R003TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Anthracene	LWG0106R001TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Anthracene	LWG0106R004TSCRWBC10	ug/kg	2.9E+00	3.3E+01	No
		Anthracene	LWG0106R004TSCRWBC20	ug/kg	2.9E+00	3.3E+01	No
		Anthracene	LWG0107R003TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Anthracene	LWG0107R004TSCRWBC00	ug/kg	2.9E+00	3.7E+01	No
		Anthracene	LWG0107R006TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Anthracene	LWG0108R001TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Anthracene	LWG0108R002TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Anthracene	LWG0108R003TSCRWBC00	ug/kg	2.9E+00	1.7E+01	No
		Anthracene	LWG0109R001TSCRWBC10	ug/kg	2.9E+00	3.3E+01	No
		Anthracene	LWG0109R001TSCRWBC20	ug/kg	2.9E+00	3.3E+01	No
		Anthracene	LWG0109R002TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0102R001TSCRWBC00	ug/kg	7.5E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0102R015TSCRWBC00	ug/kg	7.5E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0103R001TSCRWBC00	ug/kg	7.5E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0103R002TSCRWBC00	ug/kg	7.5E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0103R003TSCRWBC00	ug/kg	7.5E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0103R004TSCRWBC00	ug/kg	7.5E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0103R005TSCRWBC00	ug/kg	7.5E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0103R032TSCRWBC00	ug/kg	7.5E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0104R002TSCRWBC00	ug/kg	7.5E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0104R003TSCRWBC00	ug/kg	7.5E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0104R004TSCRWBC10	ug/kg	7.5E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0104R004TSCRWBC20	ug/kg	7.5E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0105R001TSCRWBC00	ug/kg	7.5E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0105R003TSCRWBC00	ug/kg	7.5E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0106R001TSCRWBC00	ug/kg	7.5E+00	3.3E+01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-11.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Crayfish

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Sample ID	Units	Maximum Detected Concentration	Nondect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Benzo(a)pyrene	LWG0106R004TSCRWBC10	ug/kg	7.5E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0106R004TSCRWBC20	ug/kg	7.5E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0107R003TSCRWBC00	ug/kg	7.5E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0107R004TSCRWBC00	ug/kg	7.5E+00	3.7E+01	No
		Benzo(a)pyrene	LWG0107R006TSCRWBC00	ug/kg	7.5E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0108R001TSCRWBC00	ug/kg	7.5E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0108R002TSCRWBC00	ug/kg	7.5E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0108R003TSCRWBC00	ug/kg	7.5E+00	1.7E+01	No
		Benzo(a)pyrene	LWG0109R001TSCRWBC10	ug/kg	7.5E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0109R001TSCRWBC20	ug/kg	7.5E+00	3.3E+01	No
		Benzo(a)pyrene	LWG0109R002TSCRWBC00	ug/kg	7.5E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0102R001TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0102R015TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0103R001TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0103R002TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0103R003TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0103R004TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0103R005TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0103R032TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0104R002TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0104R003TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0104R004TSCRWBC10	ug/kg	5.3E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0104R004TSCRWBC20	ug/kg	5.3E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0105R001TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0105R003TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0106R001TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0106R004TSCRWBC10	ug/kg	5.3E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0106R004TSCRWBC20	ug/kg	5.3E+00	6.3E+01	No
		Benzo(b)fluoranthene	LWG0107R003TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0107R004TSCRWBC00	ug/kg	5.3E+00	3.7E+01	No
		Benzo(b)fluoranthene	LWG0107R006TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0108R001TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0108R002TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0108R003TSCRWBC00	ug/kg	5.3E+00	1.7E+01	No
		Benzo(b)fluoranthene	LWG0109R001TSCRWBC10	ug/kg	5.3E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0109R001TSCRWBC20	ug/kg	5.3E+00	3.3E+01	No
		Benzo(b)fluoranthene	LWG0109R002TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0102R001TSCRWBC00	ug/kg	5.6E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0102R015TSCRWBC00	ug/kg	5.6E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0103R001TSCRWBC00	ug/kg	5.6E+00	3.3E+01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-11.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Crayfish

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Sample ID	Units	Maximum Detected Concentration	Nondect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Benzo(g,h,i)perylene	LWG0103R002TSCRWBC00	ug/kg	5.6E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0103R003TSCRWBC00	ug/kg	5.6E+00	7.0E+01	No
		Benzo(g,h,i)perylene	LWG0103R004TSCRWBC00	ug/kg	5.6E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0103R005TSCRWBC00	ug/kg	5.6E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0103R032TSCRWBC00	ug/kg	5.6E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0104R002TSCRWBC00	ug/kg	5.6E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0104R003TSCRWBC00	ug/kg	5.6E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0104R004TSCRWBC10	ug/kg	5.6E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0104R004TSCRWBC20	ug/kg	5.6E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0105R001TSCRWBC00	ug/kg	5.6E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0105R003TSCRWBC00	ug/kg	5.6E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0106R001TSCRWBC00	ug/kg	5.6E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0106R004TSCRWBC10	ug/kg	5.6E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0106R004TSCRWBC20	ug/kg	5.6E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0107R003TSCRWBC00	ug/kg	5.6E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0107R004TSCRWBC00	ug/kg	5.6E+00	3.7E+01	No
		Benzo(g,h,i)perylene	LWG0107R006TSCRWBC00	ug/kg	5.6E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0108R001TSCRWBC00	ug/kg	5.6E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0108R002TSCRWBC00	ug/kg	5.6E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0108R003TSCRWBC00	ug/kg	5.6E+00	1.7E+01	No
		Benzo(g,h,i)perylene	LWG0109R001TSCRWBC10	ug/kg	5.6E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0109R001TSCRWBC20	ug/kg	5.6E+00	3.3E+01	No
		Benzo(g,h,i)perylene	LWG0109R002TSCRWBC00	ug/kg	5.6E+00	3.3E+01	No
		Benzo(k)fluoranthene	LWG0102R001TSCRWBC00	ug/kg	5.0E+00	3.3E+01	No
		Benzo(k)fluoranthene	LWG0102R015TSCRWBC00	ug/kg	5.0E+00	3.3E+01	No
		Benzo(k)fluoranthene	LWG0103R001TSCRWBC00	ug/kg	5.0E+00	3.3E+01	No
		Benzo(k)fluoranthene	LWG0103R002TSCRWBC00	ug/kg	5.0E+00	3.3E+01	No
		Benzo(k)fluoranthene	LWG0103R003TSCRWBC00	ug/kg	5.0E+00	3.3E+01	No
		Benzo(k)fluoranthene	LWG0103R004TSCRWBC00	ug/kg	5.0E+00	3.3E+01	No
		Benzo(k)fluoranthene	LWG0103R005TSCRWBC00	ug/kg	5.0E+00	3.3E+01	No
		Benzo(k)fluoranthene	LWG0103R032TSCRWBC00	ug/kg	5.0E+00	3.3E+01	No
		Benzo(k)fluoranthene	LWG0104R002TSCRWBC00	ug/kg	5.0E+00	3.3E+01	No
		Benzo(k)fluoranthene	LWG0104R003TSCRWBC00	ug/kg	5.0E+00	3.3E+01	No
		Benzo(k)fluoranthene	LWG0104R004TSCRWBC10	ug/kg	5.0E+00	3.3E+01	No
		Benzo(k)fluoranthene	LWG0104R004TSCRWBC20	ug/kg	5.0E+00	3.3E+01	No
		Benzo(k)fluoranthene	LWG0105R001TSCRWBC00	ug/kg	5.0E+00	3.3E+01	No
		Benzo(k)fluoranthene	LWG0105R003TSCRWBC00	ug/kg	5.0E+00	3.3E+01	No
		Benzo(k)fluoranthene	LWG0106R001TSCRWBC00	ug/kg	5.0E+00	3.3E+01	No
		Benzo(k)fluoranthene	LWG0106R004TSCRWBC10	ug/kg	5.0E+00	3.3E+01	No
		Benzo(k)fluoranthene	LWG0106R004TSCRWBC20	ug/kg	5.0E+00	7.7E+01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-11.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Crayfish

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Sample ID	Units	Maximum Detected Concentration	Nondect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Benzo(k)fluoranthene	LWG0107R003TSCRWBC00	ug/kg	5.0E+00	3.3E+01	No
		Benzo(k)fluoranthene	LWG0107R004TSCRWBC00	ug/kg	5.0E+00	3.7E+01	No
		Benzo(k)fluoranthene	LWG0107R006TSCRWBC00	ug/kg	5.0E+00	3.3E+01	No
		Benzo(k)fluoranthene	LWG0108R001TSCRWBC00	ug/kg	5.0E+00	3.3E+01	No
		Benzo(k)fluoranthene	LWG0108R002TSCRWBC00	ug/kg	5.0E+00	3.3E+01	No
		Benzo(k)fluoranthene	LWG0108R003TSCRWBC00	ug/kg	5.0E+00	1.7E+01	No
		Benzo(k)fluoranthene	LWG0109R001TSCRWBC10	ug/kg	5.0E+00	3.3E+01	No
		Benzo(k)fluoranthene	LWG0109R001TSCRWBC20	ug/kg	5.0E+00	3.3E+01	No
		Benzo(k)fluoranthene	LWG0109R002TSCRWBC00	ug/kg	5.0E+00	3.3E+01	No
		Dibenzo(a,h)anthracene	LWG0102R001TSCRWBC00	ug/kg	7.1E-01	3.3E+01	No
		Dibenzo(a,h)anthracene	LWG0102R015TSCRWBC00	ug/kg	7.1E-01	3.3E+01	No
		Dibenzo(a,h)anthracene	LWG0103R001TSCRWBC00	ug/kg	7.1E-01	3.3E+01	No
		Dibenzo(a,h)anthracene	LWG0103R002TSCRWBC00	ug/kg	7.1E-01	3.3E+01	No
		Dibenzo(a,h)anthracene	LWG0103R003TSCRWBC00	ug/kg	7.1E-01	3.3E+01	No
		Dibenzo(a,h)anthracene	LWG0103R004TSCRWBC00	ug/kg	7.1E-01	3.3E+01	No
		Dibenzo(a,h)anthracene	LWG0103R005TSCRWBC00	ug/kg	7.1E-01	3.3E+01	No
		Dibenzo(a,h)anthracene	LWG0103R032TSCRWBC00	ug/kg	7.1E-01	3.3E+01	No
		Dibenzo(a,h)anthracene	LWG0104R002TSCRWBC00	ug/kg	7.1E-01	3.3E+01	No
		Dibenzo(a,h)anthracene	LWG0104R003TSCRWBC00	ug/kg	7.1E-01	3.3E+01	No
		Dibenzo(a,h)anthracene	LWG0104R004TSCRWBC10	ug/kg	7.1E-01	3.3E+01	No
		Dibenzo(a,h)anthracene	LWG0104R004TSCRWBC20	ug/kg	7.1E-01	3.3E+01	No
		Dibenzo(a,h)anthracene	LWG0105R001TSCRWBC00	ug/kg	7.1E-01	3.3E+01	No
		Dibenzo(a,h)anthracene	LWG0105R003TSCRWBC00	ug/kg	7.1E-01	3.3E+01	No
		Dibenzo(a,h)anthracene	LWG0106R001TSCRWBC00	ug/kg	7.1E-01	3.3E+01	No
		Dibenzo(a,h)anthracene	LWG0106R004TSCRWBC10	ug/kg	7.1E-01	3.3E+01	No
		Dibenzo(a,h)anthracene	LWG0106R004TSCRWBC20	ug/kg	7.1E-01	3.3E+01	No
		Dibenzo(a,h)anthracene	LWG0107R003TSCRWBC00	ug/kg	7.1E-01	3.3E+01	No
		Dibenzo(a,h)anthracene	LWG0107R004TSCRWBC00	ug/kg	7.1E-01	3.7E+01	No
		Dibenzo(a,h)anthracene	LWG0107R006TSCRWBC00	ug/kg	7.1E-01	3.3E+01	No
		Dibenzo(a,h)anthracene	LWG0108R001TSCRWBC00	ug/kg	7.1E-01	3.3E+01	No
		Dibenzo(a,h)anthracene	LWG0108R002TSCRWBC00	ug/kg	7.1E-01	3.3E+01	No
		Dibenzo(a,h)anthracene	LWG0108R003TSCRWBC00	ug/kg	7.1E-01	1.7E+01	No
		Dibenzo(a,h)anthracene	LWG0109R001TSCRWBC10	ug/kg	7.1E-01	3.3E+01	No
		Dibenzo(a,h)anthracene	LWG0109R001TSCRWBC20	ug/kg	7.1E-01	3.3E+01	No
		Dibenzo(a,h)anthracene	LWG0109R002TSCRWBC00	ug/kg	7.1E-01	3.3E+01	No
		Fluorene	LWG0102R001TSCRWBC00	ug/kg	1.8E+00	3.3E+01	No
		Fluorene	LWG0102R015TSCRWBC00	ug/kg	1.8E+00	3.3E+01	No
		Fluorene	LWG0103R001TSCRWBC00	ug/kg	1.8E+00	3.3E+01	No
		Fluorene	LWG0103R002TSCRWBC00	ug/kg	1.8E+00	3.3E+01	No
		Fluorene	LWG0103R003TSCRWBC00	ug/kg	1.8E+00	3.3E+01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-11.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Crayfish

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Sample ID	Units	Maximum Detected Concentration	Nondect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Fluorene	LWG0103R004TSCRWBC00	ug/kg	1.8E+00	3.3E+01	No
		Fluorene	LWG0103R005TSCRWBC00	ug/kg	1.8E+00	7.0E+01	No
		Fluorene	LWG0103R032TSCRWBC00	ug/kg	1.8E+00	3.3E+01	No
		Fluorene	LWG0104R002TSCRWBC00	ug/kg	1.8E+00	3.3E+01	No
		Fluorene	LWG0104R003TSCRWBC00	ug/kg	1.8E+00	3.3E+01	No
		Fluorene	LWG0104R004TSCRWBC10	ug/kg	1.8E+00	3.3E+01	No
		Fluorene	LWG0104R004TSCRWBC20	ug/kg	1.8E+00	3.3E+01	No
		Fluorene	LWG0105R001TSCRWBC00	ug/kg	1.8E+00	3.3E+01	No
		Fluorene	LWG0105R003TSCRWBC00	ug/kg	1.8E+00	3.3E+01	No
		Fluorene	LWG0106R001TSCRWBC00	ug/kg	1.8E+00	3.3E+01	No
		Fluorene	LWG0106R004TSCRWBC10	ug/kg	1.8E+00	3.3E+01	No
		Fluorene	LWG0106R004TSCRWBC20	ug/kg	1.8E+00	3.3E+01	No
		Fluorene	LWG0107R003TSCRWBC00	ug/kg	1.8E+00	3.3E+01	No
		Fluorene	LWG0107R004TSCRWBC00	ug/kg	1.8E+00	3.7E+01	No
		Fluorene	LWG0107R006TSCRWBC00	ug/kg	1.8E+00	3.3E+01	No
		Fluorene	LWG0108R001TSCRWBC00	ug/kg	1.8E+00	3.3E+01	No
		Fluorene	LWG0108R002TSCRWBC00	ug/kg	1.8E+00	3.3E+01	No
		Fluorene	LWG0108R003TSCRWBC00	ug/kg	1.8E+00	1.7E+01	No
		Fluorene	LWG0109R001TSCRWBC10	ug/kg	1.8E+00	3.3E+01	No
		Fluorene	LWG0109R001TSCRWBC20	ug/kg	1.8E+00	3.3E+01	No
		Fluorene	LWG0109R002TSCRWBC00	ug/kg	1.8E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0102R001TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0102R015TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0103R001TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0103R002TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0103R003TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0103R004TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0103R005TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0103R032TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0104R002TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0104R003TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0104R004TSCRWBC10	ug/kg	5.3E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0104R004TSCRWBC20	ug/kg	5.3E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0105R001TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0105R003TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0106R001TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0106R004TSCRWBC10	ug/kg	5.3E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0106R004TSCRWBC20	ug/kg	5.3E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0107R003TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0107R004TSCRWBC00	ug/kg	5.3E+00	3.7E+01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-11.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Crayfish

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Sample ID	Units	Maximum Detected Concentration	Nondect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Indeno(1,2,3-cd)pyrene	LWG0107R006TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0108R001TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0108R002TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0108R003TSCRWBC00	ug/kg	5.3E+00	1.7E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0109R001TSCRWBC10	ug/kg	5.3E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0109R001TSCRWBC20	ug/kg	5.3E+00	3.3E+01	No
		Indeno(1,2,3-cd)pyrene	LWG0109R002TSCRWBC00	ug/kg	5.3E+00	3.3E+01	No
		Naphthalene	LWG0102R001TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Naphthalene	LWG0102R015TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Naphthalene	LWG0103R001TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Naphthalene	LWG0103R002TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Naphthalene	LWG0103R003TSCRWBC00	ug/kg	2.9E+00	7.0E+01	No
		Naphthalene	LWG0103R004TSCRWBC00	ug/kg	2.9E+00	7.0E+01	No
		Naphthalene	LWG0103R005TSCRWBC00	ug/kg	2.9E+00	7.0E+01	No
		Naphthalene	LWG0103R032TSCRWBC00	ug/kg	2.9E+00	7.0E+01	No
		Naphthalene	LWG0104R002TSCRWBC00	ug/kg	2.9E+00	7.0E+01	No
		Naphthalene	LWG0104R003TSCRWBC00	ug/kg	2.9E+00	7.0E+01	No
		Naphthalene	LWG0104R004TSCRWBC10	ug/kg	2.9E+00	7.0E+01	No
		Naphthalene	LWG0104R004TSCRWBC20	ug/kg	2.9E+00	6.6E+01	No
		Naphthalene	LWG0105R001TSCRWBC00	ug/kg	2.9E+00	6.9E+01	No
		Naphthalene	LWG0105R003TSCRWBC00	ug/kg	2.9E+00	7.0E+01	No
		Naphthalene	LWG0106R001TSCRWBC00	ug/kg	2.9E+00	7.0E+01	No
		Naphthalene	LWG0106R004TSCRWBC10	ug/kg	2.9E+00	7.0E+01	No
		Naphthalene	LWG0106R004TSCRWBC20	ug/kg	2.9E+00	7.0E+01	No
		Naphthalene	LWG0107R003TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Naphthalene	LWG0107R004TSCRWBC00	ug/kg	2.9E+00	8.2E+01	No
		Naphthalene	LWG0107R006TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Naphthalene	LWG0108R001TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Naphthalene	LWG0108R002TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Naphthalene	LWG0108R003TSCRWBC00	ug/kg	2.9E+00	1.7E+01	No
		Naphthalene	LWG0109R001TSCRWBC10	ug/kg	2.9E+00	3.3E+01	No
		Naphthalene	LWG0109R001TSCRWBC20	ug/kg	2.9E+00	3.3E+01	No
		Naphthalene	LWG0109R002TSCRWBC00	ug/kg	2.9E+00	3.3E+01	No
		Phthalates					
		Butylbenzyl phthalate	LWG0102R001TSCRWBC00	ug/kg	7.1E+01	3.3E+02	No
		Butylbenzyl phthalate	LWG0102R015TSCRWBC00	ug/kg	7.1E+01	3.3E+02	No
		Butylbenzyl phthalate	LWG0103R001TSCRWBC00	ug/kg	7.1E+01	3.3E+02	No
		Butylbenzyl phthalate	LWG0103R002TSCRWBC00	ug/kg	7.1E+01	3.3E+02	No
		Butylbenzyl phthalate	LWG0103R003TSCRWBC00	ug/kg	7.1E+01	3.3E+02	No
		Butylbenzyl phthalate	LWG0103R004TSCRWBC00	ug/kg	7.1E+01	3.3E+02	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-11.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Crayfish

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Sample ID	Units	Maximum Detected Concentration	Nondect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Butylbenzyl phthalate	LWG0103R005TSCRWBC00	ug/kg	7.1E+01	3.3E+02	No
		Butylbenzyl phthalate	LWG0103R032TSCRWBC00	ug/kg	7.1E+01	3.3E+02	No
		Butylbenzyl phthalate	LWG0104R002TSCRWBC00	ug/kg	7.1E+01	3.3E+02	No
		Butylbenzyl phthalate	LWG0104R003TSCRWBC00	ug/kg	7.1E+01	3.3E+02	No
		Butylbenzyl phthalate	LWG0104R004TSCRWBC10	ug/kg	7.1E+01	3.3E+02	No
		Butylbenzyl phthalate	LWG0104R004TSCRWBC20	ug/kg	7.1E+01	3.3E+02	No
		Butylbenzyl phthalate	LWG0105R001TSCRWBC00	ug/kg	7.1E+01	3.3E+02	No
		Butylbenzyl phthalate	LWG0105R003TSCRWBC00	ug/kg	7.1E+01	3.3E+02	No
		Butylbenzyl phthalate	LWG0106R001TSCRWBC00	ug/kg	7.1E+01	3.3E+02	No
		Butylbenzyl phthalate	LWG0106R004TSCRWBC10	ug/kg	7.1E+01	3.3E+02	No
		Butylbenzyl phthalate	LWG0106R004TSCRWBC20	ug/kg	7.1E+01	3.3E+02	No
		Butylbenzyl phthalate	LWG0107R003TSCRWBC00	ug/kg	7.1E+01	3.3E+02	No
		Butylbenzyl phthalate	LWG0107R004TSCRWBC00	ug/kg	7.1E+01	3.7E+02	No
		Butylbenzyl phthalate	LWG0107R006TSCRWBC00	ug/kg	7.1E+01	3.3E+02	No
		Butylbenzyl phthalate	LWG0108R001TSCRWBC00	ug/kg	7.1E+01	3.3E+02	No
		Butylbenzyl phthalate	LWG0108R002TSCRWBC00	ug/kg	7.1E+01	3.3E+02	No
		Butylbenzyl phthalate	LWG0108R003TSCRWBC00	ug/kg	7.1E+01	3.3E+02	No
		Butylbenzyl phthalate	LWG0109R001TSCRWBC10	ug/kg	7.1E+01	3.3E+02	No
		Butylbenzyl phthalate	LWG0109R001TSCRWBC20	ug/kg	7.1E+01	3.3E+02	No
		Butylbenzyl phthalate	LWG0109R002TSCRWBC00	ug/kg	7.1E+01	3.3E+02	No
		Semi-Volatile Organic Compounds					
		Dibenzofuran	LWG0102R001TSCRWBC00	ug/kg	4.8E-01	3.3E+01	No
		Dibenzofuran	LWG0102R015TSCRWBC00	ug/kg	4.8E-01	3.3E+01	No
		Dibenzofuran	LWG0103R001TSCRWBC00	ug/kg	4.8E-01	3.3E+01	No
		Dibenzofuran	LWG0103R002TSCRWBC00	ug/kg	4.8E-01	3.3E+01	No
		Dibenzofuran	LWG0103R003TSCRWBC00	ug/kg	4.8E-01	3.3E+01	No
		Dibenzofuran	LWG0103R004TSCRWBC00	ug/kg	4.8E-01	6.6E+01	Yes
		Dibenzofuran	LWG0103R005TSCRWBC00	ug/kg	4.8E-01	3.3E+01	No
		Dibenzofuran	LWG0103R032TSCRWBC00	ug/kg	4.8E-01	3.3E+01	No
		Dibenzofuran	LWG0104R002TSCRWBC00	ug/kg	4.8E-01	3.3E+01	No
		Dibenzofuran	LWG0104R003TSCRWBC00	ug/kg	4.8E-01	3.3E+01	No
		Dibenzofuran	LWG0104R004TSCRWBC10	ug/kg	4.8E-01	3.3E+01	No
		Dibenzofuran	LWG0104R004TSCRWBC20	ug/kg	4.8E-01	3.3E+01	No
		Dibenzofuran	LWG0105R001TSCRWBC00	ug/kg	4.8E-01	3.3E+01	No
		Dibenzofuran	LWG0105R003TSCRWBC00	ug/kg	4.8E-01	3.3E+01	No
		Dibenzofuran	LWG0106R001TSCRWBC00	ug/kg	4.8E-01	3.3E+01	No
		Dibenzofuran	LWG0106R004TSCRWBC10	ug/kg	4.8E-01	3.3E+01	No
		Dibenzofuran	LWG0106R004TSCRWBC20	ug/kg	4.8E-01	3.3E+01	No
		Dibenzofuran	LWG0107R003TSCRWBC00	ug/kg	4.8E-01	3.3E+01	No
		Dibenzofuran	LWG0107R004TSCRWBC00	ug/kg	4.8E-01	3.7E+01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-11.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Crayfish

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Sample ID	Units	Maximum Detected Concentration	Nondect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Dibenzofuran	LWG0107R006TSCRWBC00	ug/kg	4.8E-01	3.3E+01	No
		Dibenzofuran	LWG0108R001TSCRWBC00	ug/kg	4.8E-01	3.3E+01	No
		Dibenzofuran	LWG0108R002TSCRWBC00	ug/kg	4.8E-01	3.3E+01	No
		Dibenzofuran	LWG0108R003TSCRWBC00	ug/kg	4.8E-01	1.7E+01	No
		Dibenzofuran	LWG0109R001TSCRWBC10	ug/kg	4.8E-01	3.3E+01	No
		Dibenzofuran	LWG0109R001TSCRWBC20	ug/kg	4.8E-01	3.3E+01	No
		Dibenzofuran	LWG0109R002TSCRWBC00	ug/kg	4.8E-01	3.3E+01	No
		Hexachlorobenzene	LWG0102R001TSCRWBC00	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobenzene	LWG0102R015TSCRWBC00	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobenzene	LWG0103R001TSCRWBC00	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobenzene	LWG0103R002TSCRWBC00	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobenzene	LWG0103R003TSCRWBC00	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobenzene	LWG0103R004TSCRWBC00	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobenzene	LWG0103R005TSCRWBC00	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobenzene	LWG0103R032TSCRWBC00	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobenzene	LWG0104R002TSCRWBC00	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobenzene	LWG0104R003TSCRWBC00	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobenzene	LWG0104R004TSCRWBC10	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobenzene	LWG0104R004TSCRWBC20	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobenzene	LWG0105R001TSCRWBC00	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobenzene	LWG0105R003TSCRWBC00	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobenzene	LWG0106R001TSCRWBC00	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobenzene	LWG0106R004TSCRWBC10	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobenzene	LWG0106R004TSCRWBC20	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobenzene	LWG0107R003TSCRWBC00	ug/kg	6.6E-02	2.0E+00	No
		Hexachlorobenzene	LWG0107R004TSCRWBC00	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobenzene	LWG0107R006TSCRWBC00	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobenzene	LWG0108R001TSCRWBC00	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobenzene	LWG0108R002TSCRWBC00	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobenzene	LWG0108R003TSCRWBC00	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobenzene	LWG0109R001TSCRWBC10	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobenzene	LWG0109R001TSCRWBC20	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobenzene	LWG0109R002TSCRWBC00	ug/kg	6.6E-02	1.0E+00	No
		Hexachlorobutadiene	LW3-CR01W-C00	ug/kg	1.9E-03	1.0E+01	Yes
		Hexachlorobutadiene	LW3-CR05W-C00	ug/kg	1.9E-03	2.6E-03	No
		Hexachlorobutadiene	LW3-CR06W-C00	ug/kg	1.9E-03	1.0E+01	Yes
		Hexachlorobutadiene	LW3-CR08W-C00	ug/kg	1.9E-03	9.2E-03	No
		Hexachlorobutadiene	LW3-CR11E-C01	ug/kg	1.9E-03	2.0E-03	No
		Hexachlorobutadiene	LWG0102R001TSCRWBC00	ug/kg	1.9E-03	1.0E+00	Yes
		Hexachlorobutadiene	LWG0102R015TSCRWBC00	ug/kg	1.9E-03	1.0E+00	Yes

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-11.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Crayfish

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Sample ID	Units	Maximum Detected Concentration	Nondect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Hexachlorobutadiene	LWG0103R001TSCRWBC00	ug/kg	1.9E-03	1.0E+00	Yes
		Hexachlorobutadiene	LWG0103R002TSCRWBC00	ug/kg	1.9E-03	1.0E+00	Yes
		Hexachlorobutadiene	LWG0103R003TSCRWBC00	ug/kg	1.9E-03	1.2E+00	Yes
		Hexachlorobutadiene	LWG0103R004TSCRWBC00	ug/kg	1.9E-03	1.0E+00	Yes
		Hexachlorobutadiene	LWG0103R005TSCRWBC00	ug/kg	1.9E-03	1.0E+00	Yes
		Hexachlorobutadiene	LWG0103R032TSCRWBC00	ug/kg	1.9E-03	1.0E+00	Yes
		Hexachlorobutadiene	LWG0104R002TSCRWBC00	ug/kg	1.9E-03	1.0E+00	Yes
		Hexachlorobutadiene	LWG0104R003TSCRWBC00	ug/kg	1.9E-03	1.0E+00	Yes
		Hexachlorobutadiene	LWG0104R004TSCRWBC10	ug/kg	1.9E-03	1.0E+00	Yes
		Hexachlorobutadiene	LWG0104R004TSCRWBC20	ug/kg	1.9E-03	1.0E+00	Yes
		Hexachlorobutadiene	LWG0105R001TSCRWBC00	ug/kg	1.9E-03	1.0E+00	Yes
		Hexachlorobutadiene	LWG0105R003TSCRWBC00	ug/kg	1.9E-03	1.0E+00	Yes
		Hexachlorobutadiene	LWG0106R001TSCRWBC00	ug/kg	1.9E-03	1.0E+00	Yes
		Hexachlorobutadiene	LWG0106R004TSCRWBC10	ug/kg	1.9E-03	1.0E+00	Yes
		Hexachlorobutadiene	LWG0106R004TSCRWBC20	ug/kg	1.9E-03	1.0E+00	Yes
		Hexachlorobutadiene	LWG0107R003TSCRWBC00	ug/kg	1.9E-03	2.0E+00	Yes
		Hexachlorobutadiene	LWG0107R004TSCRWBC00	ug/kg	1.9E-03	1.0E+00	Yes
		Hexachlorobutadiene	LWG0107R006TSCRWBC00	ug/kg	1.9E-03	1.0E+00	Yes
		Hexachlorobutadiene	LWG0108R001TSCRWBC00	ug/kg	1.9E-03	1.0E+00	Yes
		Hexachlorobutadiene	LWG0108R002TSCRWBC00	ug/kg	1.9E-03	1.0E+00	Yes
		Hexachlorobutadiene	LWG0108R003TSCRWBC00	ug/kg	1.9E-03	1.0E+00	Yes
		Hexachlorobutadiene	LWG0109R001TSCRWBC10	ug/kg	1.9E-03	1.0E+00	Yes
		Hexachlorobutadiene	LWG0109R001TSCRWBC20	ug/kg	1.9E-03	1.0E+00	Yes
		Hexachlorobutadiene	LWG0109R002TSCRWBC00	ug/kg	1.9E-03	1.0E+00	Yes
		Phenols					
		Pentachlorophenol	LWG0102R001TSCRWBC00	ug/kg	1.3E+02	1.7E+02	No
		Pentachlorophenol	LWG0102R015TSCRWBC00	ug/kg	1.3E+02	1.7E+02	No
		Pentachlorophenol	LWG0103R001TSCRWBC00	ug/kg	1.3E+02	1.7E+02	No
		Pentachlorophenol	LWG0103R002TSCRWBC00	ug/kg	1.3E+02	1.7E+02	No
		Pentachlorophenol	LWG0103R003TSCRWBC00	ug/kg	1.3E+02	1.7E+02	No
		Pentachlorophenol	LWG0103R004TSCRWBC00	ug/kg	1.3E+02	1.7E+02	No
		Pentachlorophenol	LWG0103R005TSCRWBC00	ug/kg	1.3E+02	1.7E+02	No
		Pentachlorophenol	LWG0103R032TSCRWBC00	ug/kg	1.3E+02	1.7E+02	No
		Pentachlorophenol	LWG0104R002TSCRWBC00	ug/kg	1.3E+02	1.7E+02	No
		Pentachlorophenol	LWG0104R003TSCRWBC00	ug/kg	1.3E+02	1.7E+02	No
		Pentachlorophenol	LWG0104R004TSCRWBC10	ug/kg	1.3E+02	1.7E+02	No
		Pentachlorophenol	LWG0104R004TSCRWBC20	ug/kg	1.3E+02	1.7E+02	No
		Pentachlorophenol	LWG0105R001TSCRWBC00	ug/kg	1.3E+02	1.7E+02	No
		Pentachlorophenol	LWG0105R003TSCRWBC00	ug/kg	1.3E+02	1.7E+02	No
		Pentachlorophenol	LWG0106R001TSCRWBC00	ug/kg	1.3E+02	1.7E+02	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-11.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Crayfish

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Sample ID	Units	Maximum Detected Concentration	Nondect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Pentachlorophenol	LWG0106R004TSCRWBC10	ug/kg	1.3E+02	1.7E+02	No
		Pentachlorophenol	LWG0106R004TSCRWBC20	ug/kg	1.3E+02	1.7E+02	No
		Pentachlorophenol	LWG0107R003TSCRWBC00	ug/kg	1.3E+02	1.7E+02	No
		Pentachlorophenol	LWG0107R004TSCRWBC00	ug/kg	1.3E+02	1.9E+02	No
		Pentachlorophenol	LWG0107R006TSCRWBC00	ug/kg	1.3E+02	1.7E+02	No
		Pentachlorophenol	LWG0108R001TSCRWBC00	ug/kg	1.3E+02	1.7E+02	No
		Pentachlorophenol	LWG0108R002TSCRWBC00	ug/kg	1.3E+02	1.6E+02	No
		Pentachlorophenol	LWG0109R001TSCRWBC10	ug/kg	1.3E+02	1.7E+02	No
		Pentachlorophenol	LWG0109R001TSCRWBC20	ug/kg	1.3E+02	1.6E+02	No
		Pentachlorophenol	LWG0109R002TSCRWBC00	ug/kg	1.3E+02	1.6E+02	No
		Pesticides					
		Aldrin	LWG0102R001TSCRWBC00	ug/kg	3.7E-02	1.0E+00	No
		Aldrin	LWG0102R015TSCRWBC00	ug/kg	3.7E-02	1.0E+00	No
		Aldrin	LWG0103R001TSCRWBC00	ug/kg	3.7E-02	1.0E+00	No
		Aldrin	LWG0103R002TSCRWBC00	ug/kg	3.7E-02	1.0E+00	No
		Aldrin	LWG0103R003TSCRWBC00	ug/kg	3.7E-02	1.0E+00	No
		Aldrin	LWG0103R004TSCRWBC00	ug/kg	3.7E-02	1.0E+00	No
		Aldrin	LWG0103R005TSCRWBC00	ug/kg	3.7E-02	1.0E+00	No
		Aldrin	LWG0103R032TSCRWBC00	ug/kg	3.7E-02	1.0E+00	No
		Aldrin	LWG0104R002TSCRWBC00	ug/kg	3.7E-02	1.0E+00	No
		Aldrin	LWG0104R003TSCRWBC00	ug/kg	3.7E-02	1.0E+00	No
		Aldrin	LWG0104R004TSCRWBC10	ug/kg	3.7E-02	1.0E+00	No
		Aldrin	LWG0104R004TSCRWBC20	ug/kg	3.7E-02	1.0E+00	No
		Aldrin	LWG0105R001TSCRWBC00	ug/kg	3.7E-02	1.0E+00	No
		Aldrin	LWG0105R003TSCRWBC00	ug/kg	3.7E-02	1.0E+00	No
		Aldrin	LWG0106R001TSCRWBC00	ug/kg	3.7E-02	1.0E+00	No
		Aldrin	LWG0106R004TSCRWBC10	ug/kg	3.7E-02	1.0E+00	No
		Aldrin	LWG0106R004TSCRWBC20	ug/kg	3.7E-02	1.0E+00	No
		Aldrin	LWG0107R003TSCRWBC00	ug/kg	3.7E-02	2.0E+00	No
		Aldrin	LWG0107R004TSCRWBC00	ug/kg	3.7E-02	1.0E+00	No
		Aldrin	LWG0107R006TSCRWBC00	ug/kg	3.7E-02	1.0E+00	No
		Aldrin	LWG0108R001TSCRWBC00	ug/kg	3.7E-02	1.0E+00	No
		Aldrin	LWG0108R002TSCRWBC00	ug/kg	3.7E-02	1.0E+00	No
		Aldrin	LWG0108R003TSCRWBC00	ug/kg	3.7E-02	1.0E+00	No
		Aldrin	LWG0109R001TSCRWBC10	ug/kg	3.7E-02	1.0E+00	No
		Aldrin	LWG0109R001TSCRWBC20	ug/kg	3.7E-02	1.0E+00	No
		Aldrin	LWG0109R002TSCRWBC00	ug/kg	3.7E-02	1.0E+00	No
		alpha-Hexachlorocyclohexane	LW3-CR01E-ALT-C00	ug/kg	2.8E-03	1.6E-01	No
		alpha-Hexachlorocyclohexane	LW3-CR01W-C00	ug/kg	2.8E-03	1.6E-01	No
		alpha-Hexachlorocyclohexane	LW3-CR06W-C00	ug/kg	2.8E-03	1.6E-01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-11.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Crayfish

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Sample ID	Units	Maximum Detected Concentration	Nondect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		alpha-Hexachlorocyclohexane	LW3-CR12E-C00	ug/kg	2.8E-03	1.6E-01	No
		alpha-Hexachlorocyclohexane	LWG0102R001TSCRWBC00	ug/kg	2.8E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0102R015TSCRWBC00	ug/kg	2.8E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0103R001TSCRWBC00	ug/kg	2.8E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0103R002TSCRWBC00	ug/kg	2.8E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0103R003TSCRWBC00	ug/kg	2.8E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0103R004TSCRWBC00	ug/kg	2.8E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0103R005TSCRWBC00	ug/kg	2.8E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0103R032TSCRWBC00	ug/kg	2.8E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0104R002TSCRWBC00	ug/kg	2.8E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0104R003TSCRWBC00	ug/kg	2.8E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0104R004TSCRWBC10	ug/kg	2.8E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0104R004TSCRWBC20	ug/kg	2.8E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0105R001TSCRWBC00	ug/kg	2.8E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0105R003TSCRWBC00	ug/kg	2.8E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0106R001TSCRWBC00	ug/kg	2.8E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0106R004TSCRWBC10	ug/kg	2.8E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0106R004TSCRWBC20	ug/kg	2.8E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0107R003TSCRWBC00	ug/kg	2.8E-03	2.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0107R004TSCRWBC00	ug/kg	2.8E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0107R006TSCRWBC00	ug/kg	2.8E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0108R001TSCRWBC00	ug/kg	2.8E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0108R002TSCRWBC00	ug/kg	2.8E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0108R003TSCRWBC00	ug/kg	2.8E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0109R001TSCRWBC10	ug/kg	2.8E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0109R001TSCRWBC20	ug/kg	2.8E-03	1.0E+00	Yes
		alpha-Hexachlorocyclohexane	LWG0109R002TSCRWBC00	ug/kg	2.8E-03	1.0E+00	Yes
		Dieldrin	LWG0102R001TSCRWBC00	ug/kg	4.7E-02	1.0E+00	No
		Dieldrin	LWG0102R015TSCRWBC00	ug/kg	4.7E-02	1.0E+00	No
		Dieldrin	LWG0103R001TSCRWBC00	ug/kg	4.7E-02	1.0E+00	No
		Dieldrin	LWG0103R002TSCRWBC00	ug/kg	4.7E-02	1.0E+00	No
		Dieldrin	LWG0103R003TSCRWBC00	ug/kg	4.7E-02	1.0E+00	No
		Dieldrin	LWG0103R004TSCRWBC00	ug/kg	4.7E-02	1.0E+00	No
		Dieldrin	LWG0103R005TSCRWBC00	ug/kg	4.7E-02	1.0E+00	No
		Dieldrin	LWG0103R032TSCRWBC00	ug/kg	4.7E-02	1.0E+00	No
		Dieldrin	LWG0104R002TSCRWBC00	ug/kg	4.7E-02	1.0E+00	No
		Dieldrin	LWG0104R003TSCRWBC00	ug/kg	4.7E-02	1.0E+00	No
		Dieldrin	LWG0104R004TSCRWBC10	ug/kg	4.7E-02	1.0E+00	No
		Dieldrin	LWG0104R004TSCRWBC20	ug/kg	4.7E-02	1.0E+00	No
		Dieldrin	LWG0105R001TSCRWBC00	ug/kg	4.7E-02	1.0E+00	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-11.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Crayfish

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Sample ID	Units	Maximum Detected Concentration	Nondect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Dieldrin	LWG0105R003TSCRWBC00	ug/kg	4.7E-02	1.0E+00	No
		Dieldrin	LWG0106R001TSCRWBC00	ug/kg	4.7E-02	1.0E+00	No
		Dieldrin	LWG0106R004TSCRWBC10	ug/kg	4.7E-02	1.0E+00	No
		Dieldrin	LWG0106R004TSCRWBC20	ug/kg	4.7E-02	1.0E+00	No
		Dieldrin	LWG0107R003TSCRWBC00	ug/kg	4.7E-02	2.0E+00	No
		Dieldrin	LWG0107R004TSCRWBC00	ug/kg	4.7E-02	1.0E+00	No
		Dieldrin	LWG0107R006TSCRWBC00	ug/kg	4.7E-02	1.0E+00	No
		Dieldrin	LWG0108R001TSCRWBC00	ug/kg	4.7E-02	1.0E+00	No
		Dieldrin	LWG0108R002TSCRWBC00	ug/kg	4.7E-02	1.0E+00	No
		Dieldrin	LWG0108R003TSCRWBC00	ug/kg	4.7E-02	1.0E+00	No
		Dieldrin	LWG0109R001TSCRWBC10	ug/kg	4.7E-02	1.0E+00	No
		Dieldrin	LWG0109R001TSCRWBC20	ug/kg	4.7E-02	1.0E+00	No
		Dieldrin	LWG0109R002TSCRWBC00	ug/kg	4.7E-02	1.0E+00	No
		Heptachlor epoxide	LW3-CR01W-C00	ug/kg	1.8E-03	2.3E-03	No
		Heptachlor epoxide	LW3-CR06W-C00	ug/kg	1.8E-03	1.9E-03	No
		Heptachlor epoxide	LWG0102R001TSCRWBC00	ug/kg	1.8E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0102R015TSCRWBC00	ug/kg	1.8E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0103R001TSCRWBC00	ug/kg	1.8E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0103R002TSCRWBC00	ug/kg	1.8E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0103R003TSCRWBC00	ug/kg	1.8E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0103R004TSCRWBC00	ug/kg	1.8E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0103R005TSCRWBC00	ug/kg	1.8E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0103R032TSCRWBC00	ug/kg	1.8E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0104R002TSCRWBC00	ug/kg	1.8E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0104R003TSCRWBC00	ug/kg	1.8E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0104R004TSCRWBC10	ug/kg	1.8E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0104R004TSCRWBC20	ug/kg	1.8E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0105R001TSCRWBC00	ug/kg	1.8E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0105R003TSCRWBC00	ug/kg	1.8E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0106R001TSCRWBC00	ug/kg	1.8E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0106R004TSCRWBC10	ug/kg	1.8E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0106R004TSCRWBC20	ug/kg	1.8E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0107R003TSCRWBC00	ug/kg	1.8E-03	2.0E+00	Yes
		Heptachlor epoxide	LWG0107R004TSCRWBC00	ug/kg	1.8E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0107R006TSCRWBC00	ug/kg	1.8E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0108R001TSCRWBC00	ug/kg	1.8E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0108R002TSCRWBC00	ug/kg	1.8E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0108R003TSCRWBC00	ug/kg	1.8E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0109R001TSCRWBC10	ug/kg	1.8E-03	1.0E+00	Yes

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-11.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Crayfish

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Sample ID	Units	Maximum Detected Concentration	Nondect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
		Heptachlor epoxide	LWG0109R001TSCRWBC20	ug/kg	1.8E-03	1.0E+00	Yes
		Heptachlor epoxide	LWG0109R002TSCRWBC00	ug/kg	1.8E-03	1.0E+00	Yes

Notes:

a Exposure areas not listed indicate there were no non-detected results with detection limits exceeding the maximum detected concentrations that were removed from the

Abbreviations:

F = Fillet tissue.

mg/kg = milligrams per kilogram.

ug/kg = micrograms per kilogram.

WB = Whole body.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-12.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Surface Water
Exposure Medium: Surface Water, Direct Contact to Divers

Exposure Point[a]	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
Single Point Samples						
RM 2.0 E	**Polynuclear Aromatic Hydrocarbons**					
	Naphthalene	LW2-W001	ug/l	6.5E-03	1.3E-02	No
	Naphthalene	LW3-W3026-WS-Int	ug/l	6.5E-03	1.3E-02	No
	Naphthalene	LW3-W4026-WS-Int	ug/l	6.5E-03	1.3E-02	No
	Herbicides		ug/l			
	MCPP	LW2-W001	ug/l	5.2E+00	1.5E+01	No
	MCPP	LW2-W2001	ug/l	5.2E+00	1.1E+02	No
	MCPP	LW2-W3001	ug/l	5.2E+00	5.0E+01	No
	MCPP	LW3-W3026-WS-Int	ug/l	5.2E+00	6.5E+00	No
RM 3.0 W	**Polynuclear Aromatic Hydrocarbons**					
	Benzo(a)anthracene	LW2-W003	ug/l	3.0E-03	8.4E-03	No
	Benzo(a)anthracene	LW2-W2003	ug/l	3.0E-03	4.2E-03	No
	Benzo(a)pyrene	LW2-W003	ug/l	2.7E-03	6.4E-03	No
	Benzo(a)pyrene	LW2-W2003	ug/l	2.7E-03	3.2E-03	No
	Benzo(b)fluoranthene	LW2-W003	ug/l	2.8E-03	7.8E-03	No
	Benzo(b)fluoranthene	LW2-W2003	ug/l	2.8E-03	3.9E-03	No
RM 3.5 E	**Polynuclear Aromatic Hydrocarbons**					
	Benzo(b)fluoranthene	LW3-W3028-WS-Int	ug/l	9.0E-03	9.2E-03	No
	Benzo(b)fluoranthene	LW3-W4028-WS-Int	ug/l	9.0E-03	9.2E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W004	ug/l	5.5E-03	8.4E-03	No
	Indeno(1,2,3-cd)pyrene	LW3-W3028-WS-Int	ug/l	5.5E-03	6.6E-03	No
	Indeno(1,2,3-cd)pyrene	LW3-W4028-WS-Int	ug/l	5.5E-03	6.6E-03	No
RM 4.0 W	**Polynuclear Aromatic Hydrocarbons**		ug/l			
	Benzo(a)anthracene	LW3-W3029-WS-Int	ug/l	5.9E-03	7.8E-03	No
	Benzo(a)anthracene	LW3-W4029-WS-Int	ug/l	5.9E-03	7.8E-03	No
RM 6.0 W	**Pesticides**					
	Aldrin	LW2-W012	ug/l	2.1E-06	5.0E-04	Yes
	Aldrin	LW2-W2012	ug/l	2.1E-06	5.1E-04	Yes
	Aldrin	LW2-W3012	ug/l	2.1E-06	4.8E-04	Yes
RM 6.5 E	**Polynuclear Aromatic Hydrocarbons**					
	Benzo(a)anthracene	LW2-W013-1	ug/l	2.8E-03	8.4E-03	No
	Benzo(a)anthracene	LW2-W013-2	ug/l	2.8E-03	8.4E-03	No
	Benzo(a)anthracene	LW2-W014	ug/l	2.8E-03	4.2E-03	No
	Benzo(a)anthracene	LW2-W2014	ug/l	2.8E-03	4.2E-03	No
	Benzo(a)anthracene	LW2-W3014	ug/l	2.8E-03	4.2E-03	No
	Benzo(a)anthracene	LW3-W3032-WS-Int	ug/l	2.8E-03	7.8E-03	No
	Benzo(a)anthracene	LW3-W4032-WS-Int	ug/l	2.8E-03	5.9E-03	No
	Benzo(a)pyrene	LW2-W013-1	ug/l	2.4E-03	6.4E-03	No
	Benzo(a)pyrene	LW2-W013-2	ug/l	2.4E-03	6.4E-03	No
	Benzo(a)pyrene	LW2-W014	ug/l	2.4E-03	3.2E-03	No
	Benzo(a)pyrene	LW2-W2014	ug/l	2.4E-03	3.2E-03	No
	Benzo(a)pyrene	LW2-W3014	ug/l	2.4E-03	3.2E-03	No
	Benzo(a)pyrene	LW3-W3032-WS-Int	ug/l	2.4E-03	8.6E-03	No
	Benzo(a)pyrene	LW3-W4032-WS-Int	ug/l	2.4E-03	6.5E-03	No
	Benzo(b)fluoranthene	LW2-W013-1	ug/l	1.1E-03	7.8E-03	No
	Benzo(b)fluoranthene	LW2-W2013-1	ug/l	1.1E-03	2.0E-03	No
	Benzo(b)fluoranthene	LW2-W3013-1	ug/l	1.1E-03	2.0E-03	No
	Benzo(b)fluoranthene	LW2-W013-2	ug/l	1.1E-03	7.8E-03	No
	Benzo(b)fluoranthene	LW2-W2013-2	ug/l	1.1E-03	2.0E-03	No
	Benzo(b)fluoranthene	LW2-W014	ug/l	1.1E-03	3.9E-03	No
	Benzo(b)fluoranthene	LW2-W2014	ug/l	1.1E-03	3.9E-03	No
	Benzo(b)fluoranthene	LW2-W3014	ug/l	1.1E-03	3.9E-03	No
	Benzo(b)fluoranthene	LW3-W3032-WS-Int	ug/l	1.1E-03	9.2E-03	No
	Benzo(b)fluoranthene	LW3-W4032-WS-Int	ug/l	1.1E-03	6.9E-03	No
	Dibenzo(a,h)anthracene	LW2-W013-1	ug/l	8.8E-04	6.5E-03	No
	Dibenzo(a,h)anthracene	LW2-W2013-1	ug/l	8.8E-04	1.7E-03	No
	Dibenzo(a,h)anthracene	LW2-W3013-1	ug/l	8.8E-04	1.7E-03	No
	Dibenzo(a,h)anthracene	LW2-W013-2	ug/l	8.8E-04	6.5E-03	No
	Dibenzo(a,h)anthracene	LW2-W2013-2	ug/l	8.8E-04	1.7E-03	No
	Dibenzo(a,h)anthracene	LW2-W014	ug/l	8.8E-04	3.3E-03	No
	Dibenzo(a,h)anthracene	LW2-W2014	ug/l	8.8E-04	3.3E-03	No
	Dibenzo(a,h)anthracene	LW2-W3014	ug/l	8.8E-04	3.3E-03	No
	Dibenzo(a,h)anthracene	LW3-W3032-WS-Int	ug/l	8.8E-04	7.2E-03	No
	Dibenzo(a,h)anthracene	LW3-W4032-WS-Int	ug/l	8.8E-04	5.4E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W013-1	ug/l	6.3E-04	8.4E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W2013-1	ug/l	6.3E-04	2.1E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W3013-1	ug/l	6.3E-04	2.1E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W013-2	ug/l	6.3E-04	8.4E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W2013-2	ug/l	6.3E-04	2.1E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W014	ug/l	6.3E-04	4.2E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W2014	ug/l	6.3E-04	4.2E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W3014	ug/l	6.3E-04	4.2E-03	No
	Indeno(1,2,3-cd)pyrene	LW3-W3032-WS-Int	ug/l	6.3E-04	6.6E-03	No
	Indeno(1,2,3-cd)pyrene	LW3-W3032-WSXAD-Comb-Int	ug/l	6.3E-04	7.8E-04	No
	Indeno(1,2,3-cd)pyrene	LW3-W4032-WS-Int	ug/l	6.3E-04	5.0E-03	No
	Naphthalene	LW2-W2013-1-WSXAD-Combo	ug/l	1.7E-02	1.8E-02	No
	Naphthalene	LW3-W3032-WSXAD-Comb-Int	ug/l	1.7E-02	5.3E-02	No
	Naphthalene	LW3-W4032-WSXAD-Comb-Int	ug/l	1.7E-02	2.1E-02	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-12.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Surface Water
Exposure Medium: Surface Water, Direct Contact to Divers

Exposure Point[a]	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
	Pesticides					
	Aldrin	LW2-W013-1	ug/l	2.4E-06	4.7E-04	Yes
	Aldrin	LW2-W013-2	ug/l	2.4E-06	5.3E-04	Yes
	Aldrin	LW2-W014	ug/l	2.4E-06	4.9E-04	Yes
	Aldrin	LW2-W2014	ug/l	2.4E-06	4.8E-04	Yes
	Aldrin	LW2-W3014	ug/l	2.4E-06	4.9E-04	Yes
RM 6.5 W	**Polynuclear Aromatic Hydrocarbons**					
	Dibenzo(a,h)anthracene	LW2-W015	ug/l	8.7E-04	3.3E-03	No
	Dibenzo(a,h)anthracene	LW2-W2015	ug/l	8.7E-04	3.3E-03	No
	Dibenzo(a,h)anthracene	LW2-W3015	ug/l	8.7E-04	3.3E-03	No
RM 7.0 W	**Polynuclear Aromatic Hydrocarbons**					
	Benzo(a)anthracene	LW3-W3033-WS-Int	ug/l	7.0E-03	7.8E-03	No
	Benzo(a)anthracene	LW3-W4033-WS-Int	ug/l	7.0E-03	7.8E-03	No
	Benzo(a)pyrene	LW3-W3033-WS-Int	ug/l	6.6E-03	8.6E-03	No
	Benzo(a)pyrene	LW3-W4033-WS-Int	ug/l	6.6E-03	8.6E-03	No
	Benzo(b)fluoranthene	LW3-W3033-WS-Int	ug/l	4.9E-03	9.2E-03	No
	Benzo(b)fluoranthene	LW3-W4033-WS-Int	ug/l	4.9E-03	9.2E-03	No
	Dibenzo(a,h)anthracene	LW2-W016-1	ug/l	5.4E-04	3.3E-03	No
	Dibenzo(a,h)anthracene	LW2-W2016-1	ug/l	5.4E-04	3.3E-03	No
	Dibenzo(a,h)anthracene	LW2-W3016-1	ug/l	5.4E-04	3.3E-03	No
	Dibenzo(a,h)anthracene	LW2-W016-2	ug/l	5.4E-04	3.3E-03	No
	Dibenzo(a,h)anthracene	LW3-W3033-WS-Int	ug/l	5.4E-04	7.2E-03	No
	Dibenzo(a,h)anthracene	LW3-W4033-WS-Int	ug/l	5.4E-04	7.2E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W016-1	ug/l	2.8E-03	4.2E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W2016-1	ug/l	2.8E-03	4.2E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W3016-1	ug/l	2.8E-03	4.2E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W016-2	ug/l	2.8E-03	4.2E-03	No
	Indeno(1,2,3-cd)pyrene	LW3-W3033-WS-Int	ug/l	2.8E-03	6.6E-03	No
	Indeno(1,2,3-cd)pyrene	LW3-W4033-WS-Int	ug/l	2.8E-03	6.6E-03	No
	Naphthalene	LW2-W016-1	ug/l	7.4E-04	1.2E-02	No
	Naphthalene	LW2-W016-WSXAD-Combo	ug/l	7.4E-04	6.0E-03	No
	Naphthalene	LW2-W2016-1	ug/l	7.4E-04	6.4E-03	No
	Naphthalene	LW2-W2016-WSXAD-Combo	ug/l	7.4E-04	4.2E-03	No
	Naphthalene	LW2-W3016-1	ug/l	7.4E-04	9.6E-03	No
	Naphthalene	LW2-W016-2	ug/l	7.4E-04	7.1E-03	No
	Naphthalene	LW3-W3033-WS-Int	ug/l	7.4E-04	2.0E-02	No
	Naphthalene	LW3-W3033-WS-Int	ug/l	7.4E-04	2.3E-02	No
	Naphthalene	LW3-W3033-WSXAD-Comb-Int	ug/l	7.4E-04	8.5E-02	Yes
	Naphthalene	LW3-W3033-WSXAD-Comb-Int	ug/l	7.4E-04	8.6E-02	Yes
	Naphthalene	LW3-W4033-WS-Int	ug/l	7.4E-04	1.3E-02	No
	Naphthalene	LW3-W4033-WSXAD-Comb-Int	ug/l	7.4E-04	1.6E-02	No
	Herbicides					
	MCPP	LW2-W016-1	ug/l	6.2E+00	3.5E+01	No
	MCPP	LW2-W3016-1	ug/l	6.2E+00	9.8E+00	No
	MCPP	LW2-W016-2	ug/l	6.2E+00	1.6E+01	No
	MCPP	LW3-W3033-WS-Int	ug/l	6.2E+00	6.6E+00	No
	MCPP	LW3-W4033-WS-Int	ug/l	6.2E+00	8.3E+00	No
RM 7.5 W	**Pesticides**					
	Aldrin	LW2-W017	ug/l	8.7E-07	5.1E-04	Yes
	Aldrin	LW2-W2017	ug/l	8.7E-07	5.1E-04	Yes
	Aldrin	LW2-W3017	ug/l	8.7E-07	4.8E-04	Yes
	Aldrin	LW3-W3034-WSXAD-Comb-Int	ug/l	8.7E-07	3.6E-06	No
SIL	**Polynuclear Aromatic Hydrocarbons**					
	Benzo(a)pyrene	LW2-W018	ug/l	4.8E-03	6.4E-03	No
	Benzo(a)pyrene	LW3-W3035-WS-Int	ug/l	4.8E-03	8.6E-03	No
	Benzo(a)pyrene	LW3-W4035-WS-Int	ug/l	4.8E-03	8.6E-03	No
	Benzo(b)fluoranthene	LW2-W018	ug/l	3.8E-03	7.8E-03	No
	Benzo(b)fluoranthene	LW2-W3018	ug/l	3.8E-03	3.9E-03	No
	Benzo(b)fluoranthene	LW2-W020	ug/l	3.8E-03	3.9E-03	No
	Benzo(b)fluoranthene	LW2-W2020	ug/l	3.8E-03	3.9E-03	No
	Benzo(b)fluoranthene	LW2-W3020	ug/l	3.8E-03	3.9E-03	No
	Benzo(b)fluoranthene	LW2-W021	ug/l	3.8E-03	3.9E-03	No
	Benzo(b)fluoranthene	LW2-W2021	ug/l	3.8E-03	3.9E-03	No
	Benzo(b)fluoranthene	LW2-W3021	ug/l	3.8E-03	3.9E-03	No
	Benzo(b)fluoranthene	LW3-W3035-WS-Int	ug/l	3.8E-03	9.2E-03	No
	Benzo(b)fluoranthene	LW3-W4035-WS-Int	ug/l	3.8E-03	9.2E-03	No
	Dibenzo(a,h)anthracene	LW2-W018	ug/l	7.8E-04	6.5E-03	No
	Dibenzo(a,h)anthracene	LW2-W2018	ug/l	7.8E-04	1.7E-03	No
	Dibenzo(a,h)anthracene	LW2-W3018	ug/l	7.8E-04	3.3E-03	No
	Dibenzo(a,h)anthracene	LW2-W020	ug/l	7.8E-04	3.3E-03	No
	Dibenzo(a,h)anthracene	LW2-W2020	ug/l	7.8E-04	3.3E-03	No
	Dibenzo(a,h)anthracene	LW2-W3020	ug/l	7.8E-04	3.3E-03	No
	Dibenzo(a,h)anthracene	LW2-W021	ug/l	7.8E-04	3.3E-03	No
	Dibenzo(a,h)anthracene	LW2-W2021	ug/l	7.8E-04	3.3E-03	No
	Dibenzo(a,h)anthracene	LW2-W3021	ug/l	7.8E-04	3.3E-03	No
	Dibenzo(a,h)anthracene	LW3-W3035-WS-Int	ug/l	7.8E-04	7.2E-03	No
	Dibenzo(a,h)anthracene	LW3-W4035-WS-Int	ug/l	7.8E-04	7.2E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W018	ug/l	2.9E-03	8.4E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W3018	ug/l	2.9E-03	4.2E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W020	ug/l	2.9E-03	4.2E-03	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-12.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Surface Water
Exposure Medium: Surface Water, Direct Contact to Divers

Exposure Point[a]	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
	Indeno(1,2,3-cd)pyrene	LW2-W2020	ug/l	2.9E-03	4.2E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W3020	ug/l	2.9E-03	4.2E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W021	ug/l	2.9E-03	4.2E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W2021	ug/l	2.9E-03	4.2E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W3021	ug/l	2.9E-03	4.2E-03	No
	Indeno(1,2,3-cd)pyrene	LW3-W3035-WS-Int	ug/l	2.9E-03	6.6E-03	No
	Indeno(1,2,3-cd)pyrene	LW3-W4035-WS-Int	ug/l	2.9E-03	6.6E-03	No
	Naphthalene	LW2-W018	ug/l	6.9E-03	1.3E-02	No
	Naphthalene	LW2-W3018	ug/l	6.9E-03	2.8E-02	No
	Naphthalene	LW2-W3018-WSXAD-Combo	ug/l	6.9E-03	1.1E-02	No
	Naphthalene	LW3-W3035-WS-Int	ug/l	6.9E-03	1.3E-02	No
	Naphthalene	LW3-W3035-WSXAD-Comb-Int	ug/l	6.9E-03	5.6E-02	No
	Naphthalene	LW3-W4035-WS-Int	ug/l	6.9E-03	1.3E-02	No
	Naphthalene	LW3-W4035-WSXAD-Comb-Int	ug/l	6.9E-03	1.6E-02	No
	Pesticides					
	Aldrin	LW2-W018	ug/l	4.9E-06	4.8E-04	No
	Aldrin	LW2-W020	ug/l	4.9E-06	4.9E-04	Yes
	Aldrin	LW2-W2020	ug/l	4.9E-06	4.9E-04	Yes
	Aldrin	LW2-W3020	ug/l	4.9E-06	5.1E-04	Yes
	Aldrin	LW2-W021	ug/l	4.9E-06	4.8E-04	No
	Aldrin	LW2-W2021	ug/l	4.9E-06	4.8E-04	No
	Aldrin	LW2-W3021	ug/l	4.9E-06	4.9E-04	Yes
	Herbicides					
	MCPP	LW2-W2018	ug/l	1.9E+01	1.1E+02	No
	MCPP	LW2-W3018	ug/l	1.9E+01	2.4E+01	No
	MCPP	LW2-W2020	ug/l	1.9E+01	1.1E+02	No
	MCPP	LW2-W2021	ug/l	1.9E+01	1.1E+02	No
RM 8.5 W	**Polynuclear Aromatic Hydrocarbons**					
	Indeno(1,2,3-cd)pyrene		ug/l	5.1E-03		
Transect Samples						
Transect W025, RM 2	**Polynuclear Aromatic Hydrocarbons**					
	Benzo(a)anthracene	LW3-W2025-WS-Int	ug/l	6.2E-04	7.8E-03	No
	Benzo(a)anthracene	LW3-W3025-WS-Int	ug/l	6.2E-04	7.8E-03	No
	Benzo(a)anthracene	LW3-W4025-WS-Int	ug/l	6.2E-04	7.8E-03	No
	Benzo(a)anthracene	LW3-W4025-M2	ug/l	6.2E-04	7.8E-03	No
	Benzo(a)pyrene	LW3-W2025-WS-Int	ug/l	5.1E-04	8.6E-03	No
	Benzo(a)pyrene	LW3-W3025-WS-Int	ug/l	5.1E-04	8.6E-03	No
	Benzo(a)pyrene	LW3-W4025-WS-Int	ug/l	5.1E-04	8.6E-03	No
	Benzo(a)pyrene	LW3-W4025-M2	ug/l	5.1E-04	8.6E-03	No
	Benzo(b)fluoranthene	LW3-W2025-WS-Int	ug/l	6.2E-04	9.2E-03	No
	Benzo(b)fluoranthene	LW3-W3025-WS-Int	ug/l	6.2E-04	9.2E-03	No
	Benzo(b)fluoranthene	LW3-W4025-WS-Int	ug/l	6.2E-04	9.2E-03	No
	Benzo(b)fluoranthene	LW3-W4025-M2	ug/l	6.2E-04	9.2E-03	No
	Dibenzo(a,h)anthracene	LW3-W2025-WS-Int	ug/l	1.5E-04	7.2E-03	No
	Dibenzo(a,h)anthracene	LW3-W2025-WSXAD-Comb-Int	ug/l	1.5E-04	1.5E-04	No
	Dibenzo(a,h)anthracene	LW3-W3025-WS-Int	ug/l	1.5E-04	7.2E-03	No
	Dibenzo(a,h)anthracene	LW3-W3025-WSXAD-Comb-Int	ug/l	1.5E-04	2.8E-03	No
	Dibenzo(a,h)anthracene	LW3-W4025-WS-Int	ug/l	1.5E-04	7.2E-03	No
	Dibenzo(a,h)anthracene	LW3-W4025-M2	ug/l	1.5E-04	7.2E-03	No
	Dibenzo(a,h)anthracene	LW3-W4025-M2-WSXAD-Combo	ug/l	1.5E-04	2.8E-04	No
	Indeno(1,2,3-cd)pyrene	LW3-W2025-WS-Int	ug/l	1.9E-04	6.6E-03	No
	Indeno(1,2,3-cd)pyrene	LW3-W3025-WS-Int	ug/l	1.9E-04	6.6E-03	No
	Indeno(1,2,3-cd)pyrene	LW3-W3025-WSXAD-Comb-Int	ug/l	1.9E-04	2.0E-03	No
	Indeno(1,2,3-cd)pyrene	LW3-W4025-WS-Int	ug/l	1.9E-04	6.6E-03	No
	Indeno(1,2,3-cd)pyrene	LW3-W4025-M2	ug/l	1.9E-04	6.6E-03	No
Transect W005, RM 3.9	**Polynuclear Aromatic Hydrocarbons**					
	Benzo(a)anthracene	LW2-W005	ug/l	2.4E-03	4.2E-03	No
	Benzo(a)anthracene	LW2-W2005	ug/l	2.4E-03	4.2E-03	No
	Benzo(a)anthracene	LW2-W3005	ug/l	2.4E-03	4.2E-03	No
	Benzo(a)anthracene	LW3-W2005-WS-Int	ug/l	2.4E-03	7.8E-03	No
	Benzo(a)anthracene	LW3-W3005-WS-Int	ug/l	2.4E-03	5.9E-03	No
	Benzo(a)anthracene	LW3-W4005-WS-Int	ug/l	2.4E-03	7.8E-03	No
	Benzo(a)pyrene	LW2-W005	ug/l	2.1E-03	3.2E-03	No
	Benzo(a)pyrene	LW2-W2005	ug/l	2.1E-03	3.2E-03	No
	Benzo(a)pyrene	LW2-W3005	ug/l	2.1E-03	3.2E-03	No
	Benzo(a)pyrene	LW3-W2005-WS-Int	ug/l	2.1E-03	8.6E-03	No
	Benzo(a)pyrene	LW3-W3005-WS-Int	ug/l	2.1E-03	6.5E-03	No
	Benzo(a)pyrene	LW3-W4005-WS-Int	ug/l	2.1E-03	8.6E-03	No
	Benzo(b)fluoranthene	LW2-W005	ug/l	2.1E-03	3.9E-03	No
	Benzo(b)fluoranthene	LW2-W2005	ug/l	2.1E-03	3.9E-03	No
	Benzo(b)fluoranthene	LW2-W3005	ug/l	2.1E-03	3.9E-03	No
	Benzo(b)fluoranthene	LW3-W2005-WS-Int	ug/l	2.1E-03	9.2E-03	No
	Benzo(b)fluoranthene	LW3-W3005-WS-Int	ug/l	2.1E-03	6.9E-03	No
	Benzo(b)fluoranthene	LW3-W4005-WS-Int	ug/l	2.1E-03	9.2E-03	No
	Dibenzo(a,h)anthracene	LW2-W005	ug/l	3.3E-04	3.3E-03	No
	Dibenzo(a,h)anthracene	LW2-W2005	ug/l	3.3E-04	3.3E-03	No
	Dibenzo(a,h)anthracene	LW2-W3005	ug/l	3.3E-04	3.3E-03	No
	Dibenzo(a,h)anthracene	LW3-W1005	ug/l	3.3E-04	1.7E-03	No
	Dibenzo(a,h)anthracene	LW3-W2005-WS-Int	ug/l	3.3E-04	7.2E-03	No
	Dibenzo(a,h)anthracene	LW3-W3005-WS-Int	ug/l	3.3E-04	5.4E-03	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-12.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Surface Water
Exposure Medium: Surface Water, Direct Contact to Divers

Exposure Point[a]	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
	Dibenzo(a,h)anthracene	LW3-W3005-WSXAD-Comb-Int	ug/l	3.3E-04	1.6E-03	No
	Dibenzo(a,h)anthracene	LW3-W4005-WS-Int	ug/l	3.3E-04	7.2E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W005	ug/l	1.5E-03	4.2E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W2005	ug/l	1.5E-03	4.2E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W3005	ug/l	1.5E-03	4.2E-03	No
	Indeno(1,2,3-cd)pyrene	LW3-W1005	ug/l	1.5E-03	2.1E-03	No
	Indeno(1,2,3-cd)pyrene	LW3-W2005-WS-Int	ug/l	1.5E-03	6.6E-03	No
	Indeno(1,2,3-cd)pyrene	LW3-W3005-WS-Int	ug/l	1.5E-03	5.0E-03	No
	Indeno(1,2,3-cd)pyrene	LW3-W4005-WS-Int	ug/l	1.5E-03	6.6E-03	No
	Naphthalene	LW2-W3005	ug/l	2.4E-02	3.2E-02	No
	Naphthalene	LW3-W3005-WSXAD-Comb-Int	ug/l	2.4E-02	8.2E-02	No
	Naphthalene	LW3-W4005-WSXAD-Comb-Int	ug/l	2.4E-02	2.7E-02	No
	Herbicides					
	MCPP	LW2-W005	ug/l	9.1E+00	1.6E+01	No
	MCPP	LW2-W3005	ug/l	9.1E+00	1.8E+01	No
Transect W011, RM 6.3	**Polynuclear Aromatic Hydrocarbons**					
	Benzo(a)pyrene	LW2-W011	ug/l	1.8E-03	6.4E-03	No
	Benzo(a)pyrene	LW2-W2011B	ug/l	1.8E-03	3.2E-03	No
	Benzo(a)pyrene	LW2-W3011	ug/l	1.8E-03	3.2E-03	No
	Benzo(a)pyrene	LW3-W2011-WS-Int	ug/l	1.8E-03	8.6E-03	No
	Benzo(a)pyrene	LW3-W3011-WS-Int	ug/l	1.8E-03	8.6E-03	No
	Benzo(a)pyrene	LW3-W4011-WS-Int	ug/l	1.8E-03	8.6E-03	No
	Benzo(b)fluoranthene	LW2-W011	ug/l	1.5E-03	7.8E-03	No
	Benzo(b)fluoranthene	LW2-W2011B	ug/l	1.5E-03	3.9E-03	No
	Benzo(b)fluoranthene	LW2-W3011	ug/l	1.5E-03	3.9E-03	No
	Benzo(b)fluoranthene	LW3-W2011-WS-Int	ug/l	1.5E-03	9.2E-03	No
	Benzo(b)fluoranthene	LW3-W3011-WS-Int	ug/l	1.5E-03	9.2E-03	No
	Benzo(b)fluoranthene	LW3-W4011-WS-Int	ug/l	1.5E-03	9.2E-03	No
	Dibenzo(a,h)anthracene	LW2-W011	ug/l	2.1E-04	6.5E-03	No
	Dibenzo(a,h)anthracene	LW2-W2011B	ug/l	2.1E-04	3.3E-03	No
	Dibenzo(a,h)anthracene	LW2-W3011	ug/l	2.1E-04	3.3E-03	No
	Dibenzo(a,h)anthracene	LW3-W2011-WS-Int	ug/l	2.1E-04	7.2E-03	No
	Dibenzo(a,h)anthracene	LW3-W3011-WS-Int	ug/l	2.1E-04	7.2E-03	No
	Dibenzo(a,h)anthracene	LW3-W3011-WSXAD-Comb-Int	ug/l	2.1E-04	1.9E-03	No
	Dibenzo(a,h)anthracene	LW3-W4011-WS-Int	ug/l	2.1E-04	7.2E-03	No
	Dibenzo(a,h)anthracene	LW3-W4011-WSXAD-Comb-Int	ug/l	2.1E-04	2.7E-04	No
	Indeno(1,2,3-cd)pyrene	LW2-W011	ug/l	1.3E-03	8.4E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W2011B	ug/l	1.3E-03	4.2E-03	No
	Indeno(1,2,3-cd)pyrene	LW2-W3011	ug/l	1.3E-03	4.2E-03	No
	Indeno(1,2,3-cd)pyrene	LW3-W2011-WS-Int	ug/l	1.3E-03	6.6E-03	No
	Indeno(1,2,3-cd)pyrene	LW3-W3011-WS-Int	ug/l	1.3E-03	6.6E-03	No
	Indeno(1,2,3-cd)pyrene	LW3-W3011-WSXAD-Comb-Int	ug/l	1.3E-03	1.7E-03	No
	Indeno(1,2,3-cd)pyrene	LW3-W4011-WS-Int	ug/l	1.3E-03	6.6E-03	No
	Naphthalene	LW2-W3011	ug/l	1.5E-02	4.7E-02	No
	Naphthalene	LW3-W2011-WSXAD-Comb-Int	ug/l	1.5E-02	2.5E-02	No
	Naphthalene	LW3-W3011-WS-Int	ug/l	1.5E-02	2.0E-02	No
	Naphthalene	LW3-W3011-WSXAD-Comb-Int	ug/l	1.5E-02	9.1E-02	No
	Naphthalene	LW3-W4011-WSXAD-Comb-Int	ug/l	1.5E-02	2.0E-02	No
Transect W023, RM 11	**Polynuclear Aromatic Hydrocarbons**					
	Benzo(a)pyrene	LW2-W023	ug/l	6.3E-04	6.4E-03	No
	Benzo(a)pyrene	LW2-W2023	ug/l	6.3E-04	3.2E-03	No
	Benzo(a)pyrene	LW2-W3023	ug/l	6.3E-04	3.2E-03	No
	Benzo(a)pyrene	LW3-W1023-1	ug/l	6.3E-04	1.6E-03	No
	Benzo(a)pyrene	LW3-W1023-2	ug/l	6.3E-04	1.6E-03	No
	Benzo(a)pyrene	LW3-W2023-WS-Int	ug/l	6.3E-04	8.6E-03	No
	Benzo(a)pyrene	LW3-W3023-WS-Int	ug/l	6.3E-04	8.6E-03	No
	Benzo(a)pyrene	LW3-W4023-WS-Int	ug/l	6.3E-04	8.6E-03	No
	Benzo(a)pyrene	LW3-W4023-M2	ug/l	6.3E-04	8.6E-03	No
	Benzo(b)fluoranthene	LW2-W023	ug/l	8.2E-04	7.8E-03	No
	Benzo(b)fluoranthene	LW2-W2023	ug/l	8.2E-04	3.9E-03	No
	Benzo(b)fluoranthene	LW2-W3023	ug/l	8.2E-04	3.9E-03	No
	Benzo(b)fluoranthene	LW3-W1023-1	ug/l	8.2E-04	2.0E-03	No
	Benzo(b)fluoranthene	LW3-W1023-2	ug/l	8.2E-04	2.0E-03	No
	Benzo(b)fluoranthene	LW3-W2023-WS-Int	ug/l	8.2E-04	9.2E-03	No
	Benzo(b)fluoranthene	LW3-W3023-WS-Int	ug/l	8.2E-04	9.2E-03	No
	Benzo(b)fluoranthene	LW3-W4023-WS-Int	ug/l	8.2E-04	9.2E-03	No
	Benzo(b)fluoranthene	LW3-W4023-M2	ug/l	8.2E-04	9.2E-03	No
	Dibenzo(a,h)anthracene	LW2-W023	ug/l	4.5E-04	6.5E-03	No
	Dibenzo(a,h)anthracene	LW2-W2023	ug/l	4.5E-04	3.3E-03	No
	Dibenzo(a,h)anthracene	LW2-W3023	ug/l	4.5E-04	3.3E-03	No
	Dibenzo(a,h)anthracene	LW3-W1023-1	ug/l	4.5E-04	1.7E-03	No
	Dibenzo(a,h)anthracene	LW3-W1023-2	ug/l	4.5E-04	1.7E-03	No
	Dibenzo(a,h)anthracene	LW3-W2023-WS-Int	ug/l	4.5E-04	7.2E-03	No
	Dibenzo(a,h)anthracene	LW3-W3023-WS-Int	ug/l	4.5E-04	7.2E-03	No
	Dibenzo(a,h)anthracene	LW3-W4023-WS-Int	ug/l	4.5E-04	7.2E-03	No
	Dibenzo(a,h)anthracene	LW3-W4023-M2	ug/l	4.5E-04	7.2E-03	No
	Dibenzo(a,h)anthracene	LW3-W4023-M2-WSXAD-Combo	ug/l	4.5E-04	4.5E-04	No
	Naphthalene	LW2-W3023	ug/l	3.5E-02	4.3E-02	No
	Naphthalene	LW3-W3023-WSXAD-Comb-Int	ug/l	3.5E-02	6.7E-02	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-12.
Nondetects Greater Than The Maximum Detection Per Exposure Area

Scenario Timeframe: Current/Future
Medium: Surface Water
Exposure Medium: Surface Water, Direct Contact to Divers

Exposure Point[a]	Chemical of Potential Concern	Sample ID	Units	Maximum Detected Concentration	Nondetect Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
	Herbicides					
	MCPP	LW2-W023	ug/l	8.0E+00	1.6E+01	No
	MCPP	LW2-W3023	ug/l	8.0E+00	2.0E+01	No

Notes:

a Exposure areas not listed indicate there were no non-detected results with detection limits exceeding the maximum detected concentrations that were removed from the dataset prior to the calculation of exposure point concentrations.

Abbreviations:

mg/kg = milligrams per kilogram.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-13.
Exposure Point Concentration Summary

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Sample ID	Nondetect Concentration	Units	Maximum Detected Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
RM 1 East	**Phthalates**					
	Bis(2-ethylhexyl) phthalate	LW3-GSP01E	90	ug/kg	7.1E+01	No
RM 1.5 East	**Pesticides**					
	Dieldrin	LW3-DG07	0.79	ug/kg	6.9E-02	No
	Dieldrin	LW3-DG06	0.69	ug/kg	6.9E-02	No
	Dieldrin	LW3-DG05	5	ug/kg	6.9E-02	No
RM 2 East	**Pesticides**					
	Aldrin	LWG0102R015SDS015C00	9.6	ug/kg	2.6E+00	No
	Aldrin	LWG0102R001SDS015C00	10	ug/kg	2.6E+00	No
	Dieldrin	LWG0102R015SDS015C00	20	ug/kg	9.3E+00	No
	Dieldrin	LWG0102R001SDS015C00	14	ug/kg		Yes
	Total DDT	LWG0102R015SDS015C00	23	ug/kg	8.3E+00	No
RM 2.5 West	**Phthalates**					
	Bis(2-ethylhexyl) phthalate	LW2-G041	90	ug/kg	4.3E+01	No
	Bis(2-ethylhexyl) phthalate	WLCDRD05PG00404	54	ug/kg		Yes
	Pesticides					
	Aldrin	WLCDRD05PG00404	0.26	ug/kg	2.6E-01	No
	Dieldrin	WLCDRD05PG00404	1	ug/kg	3.5E-01	No
RM 2.5 East	**Pesticides**					
	Aldrin	LW3-G609	1.3	ug/kg	1.3E+00	No
	Dieldrin	LW3-G609	3.8	ug/kg	5.3E-01	No
	Dieldrin	WLCDRD05PG00303	1	ug/kg		Yes
	Total DDT	LW3-G609	41	ug/kg	2.6E+01	No
RM 3 West	**Polychlorinated Biphenyls**					
	Total Aroclors	WR-WSI98SD0010	39	ug/kg	3.0E+01	No
	Pesticides					
	Aldrin	LWG0103R040SDS015C00	2	ug/kg	1.1E+00	No
	Dieldrin	LWG0103R040SDS015C00	3.9	ug/kg	1.3E+00	No
	Dieldrin	WR-WSI98SD0010	2			Yes

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-13.
Exposure Point Concentration Summary

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Sample ID	Nondetect Concentration	Units	Maximum Detected Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
RM 3 East	**Polynuclear Aromatic Hydrocarbons**					
	Naphthalene	LWG0103R001SDS015C00	59	ug/kg	2.9E+01	No
	Naphthalene	LWG0103R003SDS015C10	58	ug/kg	2.9E+01	No
	Polychlorinated Biphenyls					
	Total Aroclors	WR-WSI98SD0040	37	ug/kg	3.4E+01	No
	Pesticides					
	Dieldrin	LWG0103R041SDS015C00	0.4	ug/kg	2.0E-01	No
	Dieldrin	LWG0103R001SDS015C00	0.39	ug/kg	2.0E-01	No
	Dieldrin	LW3-G613	0.26	ug/kg	2.0E-01	No
	Dieldrin	WR-WSI98SD0040	1.9	ug/kg	2.0E-01	No
	Dieldrin	LWG0103R003SDS015C10	0.38	ug/kg	2.0E-01	No
	Dieldrin	LWG0103R003SDS015C20	0.39	ug/kg	2.0E-01	No
	Dieldrin	LWG0103R003SDS015C31	0.39	ug/kg	2.0E-01	No
RM 3.5 West	**Phthalates**					
	Bis(2-ethylhexyl) phthalate	WR-WSI98SD0110	170	ug/kg	1.1E+02	No
	Bis(2-ethylhexyl) phthalate	WR-WSI98SD0150	120	ug/kg	1.1E+02	No
	Polychlorinated Biphenyls					
	Total Aroclors	WR-WSI98SD0110	40	ug/kg	3.8E+01	No
	Pesticides					
	Dieldrin	WR-WSI98SD0110	2	ug/kg	2.5E-01	No
	Dieldrin	WLCDRD05PG00606	1	ug/kg	2.5E-01	No
	Dieldrin	LWG0103R032SDS015C00	0.95	ug/kg	2.5E-01	No
	Dieldrin	WLCDRD05PG140140Dup	1	ug/kg	2.5E-01	No
RM 3.5 East	**Polynuclear Aromatic Hydrocarbons**					
	Naphthalene	LWG0103R005SDS015C00	120	ug/kg	6.4E+01	No
	Pesticides					
	Aldrin	LW2-C094-A	1.7	ug/kg	1.7E+00	No
	Dieldrin	WR-WSI98SD0120	1.9	ug/kg	1.2E+00	No
	Dieldrin	LW2-C094-A	1.4	ug/kg	1.2E+00	No
RM 4 West	**Phthalates**					
	Bis(2-ethylhexyl) phthalate	WR-WSI98SD0170	140	ug/kg	1.2E+02	No
	Bis(2-ethylhexyl) phthalate	WR-WSI98SD0240	140	ug/kg	1.2E+02	No
	Bis(2-ethylhexyl) phthalate	WLCOFJ02240224020	177	ug/kg	1.2E+02	No
	Bis(2-ethylhexyl) phthalate	WR-WSI98SD0260	140	ug/kg	1.2E+02	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-13.
Exposure Point Concentration Summary

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Sample ID	Nondetect Concentration	Units	Maximum Detected Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
	Pesticides					
	Dieldrin	WLCDRD05PG01212	1	ug/kg	2.8E-01	No
	Dieldrin	WR-WSI98SD0200	1.9	ug/kg	2.8E-01	No
	Dieldrin	WLCDRD05PG01414	1	ug/kg	2.8E-01	No
	Dieldrin	WLCDRD05PG01616	1	ug/kg	2.8E-01	No
	Dieldrin	WLCOFJ02240324030	0.959	ug/kg	2.8E-01	No
	Dieldrin	WLCOFJ02240424040	0.739	ug/kg	2.8E-01	No
	Dieldrin	WLCOFJ02240124010	0.656	ug/kg	2.8E-01	No
	Dieldrin	WLCOFJ02240224020	0.89	ug/kg	2.8E-01	No
	Dieldrin	WLCOFJ02240524050	0.977	ug/kg	2.8E-01	No
	Dieldrin	WLCDRD05PG01818	1	ug/kg	2.8E-01	No
	Dieldrin	LW3-G626	0.4	ug/kg	2.8E-01	No
	Dieldrin	LW2-G132	0.339	ug/kg	2.8E-01	No
RM 4 East	**Phthalates**					
	Bis(2-ethylhexyl) phthalate	LWG0103R004SDS015C30	19000	ug/kg	1.4E+04	No
	Pesticides					
	Aldrin	WLCOFJ0252C0552C050	9.96	ug/kg	3.2E+00	No
	Aldrin	WLCOFJ0252C0152C010	10	ug/kg	3.2E+00	No
	Dieldrin	LWG0103R004SDS015C30	1.7	ug/kg	1.6E-01	No
	Dieldrin	LWG0103R004SDS015C11	1.2	ug/kg	1.6E-01	No
	Dieldrin	LWG0103R004SDS015C20	2.8	ug/kg	1.6E-01	No
	Dieldrin	WR-WSI98SD0210000CC	2	ug/kg	1.6E-01	No
	Dieldrin	WLCDRD05PG00909	1	ug/kg	1.6E-01	No
	Dieldrin	WLCOFJ0252C0452C040	0.791	ug/kg	1.6E-01	No
	Dieldrin	WLCDRD05PG01111	1	ug/kg	1.6E-01	No
	Dieldrin	WLCOFJ0252C0352C030	0.818	ug/kg	1.6E-01	No
	Dieldrin	WLCOFJ0252C0552C050	7.57	ug/kg	1.6E-01	No
	Dieldrin	WLCOFJ0252C0152C010	7.6	ug/kg	1.6E-01	No
	Dieldrin	WLCOFJ0252C0252C020	0.814	ug/kg	1.6E-01	No
	Dieldrin	LWG0104R003SDS015C00	0.9	ug/kg	1.6E-01	No
RM 4.5 West	**Pesticides**					
	Dieldrin	WLCDRD05PG02222	1.1	ug/kg	3.9E-01	No
	Dieldrin	LW2-C138-A	0.87	ug/kg	3.9E-01	No
	Dieldrin	LWG0104R004SDS015C00	0.7	ug/kg	3.9E-01	No
	Dieldrin	WLCDRD05PG02424	1	ug/kg	3.9E-01	No
	Dieldrin	WR-WSI98SD0350	1.9	ug/kg	3.9E-01	No
	Dieldrin	LW2-C158-A	0.76	ug/kg	3.9E-01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-13.
Exposure Point Concentration Summary

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Sample ID	Nondetect Concentration	Units	Maximum Detected Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
RM 4.5 East	**Polychlorinated Biphenyls**					
	Total Aroclors	WLCT4C04UP14UP14	100	ug/kg	8.4E+01	No
	Pesticides					
	Aldrin	WR-WSI98SD0340	0.97	ug/kg	1.5E-01	No
	Aldrin	WLCDRD05PG01313	0.21	ug/kg	1.5E-01	No
	Dieldrin	WR-WSI98SD0340	1.9	ug/kg	8.4E-02	No
	Dieldrin	WLCDRD05PG01313	1	ug/kg	8.4E-02	No
RM 5 West	**Pesticides**					
	Dieldrin	WR-WSI98SD0480000CC	1.9	ug/kg	7.8E-01	No
	Dieldrin	LW2-C187-A	1	ug/kg	7.8E-01	No
RM 5 East	**Pesticides**					
	Aldrin	WLCOFJ02530453040	1.16	ug/kg	8.0E-01	No
	Aldrin	WLCOFJ02530553050	1.13	ug/kg	8.0E-01	No
	Aldrin	WLCOFJ02530153010	1.34	ug/kg	8.0E-01	No
	Aldrin	WLCOFJ02530353030	1.11	ug/kg	8.0E-01	No
	Aldrin	WLCOFJ02530253020	0.935	ug/kg	8.0E-01	No
	Aldrin	WR-WSI98SD0490	0.96	ug/kg	8.0E-01	No
	Dieldrin	WLCDRD05PG01515	1	ug/kg	7.9E-01	No
	Dieldrin	WLCOFJ02530453040	0.884	ug/kg	7.9E-01	No
	Dieldrin	WLCOFJ02530353030	0.842	ug/kg	7.9E-01	No
	Dieldrin	WLCOFJ02530553050	0.857	ug/kg	7.9E-01	No
	Dieldrin	WLCOFJ02530153010	1.02	ug/kg	7.9E-01	No
	Dieldrin	WR-WSI98SD0490	1.9	ug/kg	7.9E-01	No
	Dieldrin	WLCDRD05PG02121	1	ug/kg	7.9E-01	No
RM 5.5 West	**Metals**					
	Thallium	WR-WSI98SD0550	4	mg/kg	8.0E-02	No
	Thallium	WR-WSI98SD0570	5	mg/kg	8.0E-02	No
	Thallium	WR-WSI98SD0590	5	mg/kg	8.0E-02	No
	Pesticides					
	Dieldrin	WR-WSI98SD0550	2	ug/kg	1.5E+00	No
	Dieldrin	WR-WSI98SD0570	1.9	ug/kg	1.5E+00	No
	Dieldrin	LW3-G654	2	ug/kg	1.5E+00	No
	Dieldrin	WLCMRI02CS005CS005	2	ug/kg	1.5E+00	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-13.
Exposure Point Concentration Summary

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Sample ID	Nondetect Concentration	Units	Maximum Detected Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
RM 5.5 East	**Pesticides**					
	Aldrin	WLCOFJ0252A0352A030	2.83	ug/kg	2.6E+00	No
	Dieldrin	WLCOFJ0252A0352A030	5.67	ug/kg	5.3E+00	No
	Dieldrin	LWG0105R003SDS015C00	9.1	ug/kg	5.3E+00	No
RM 6 West	**Metals**					
	Arsenic	WLCMRI02CS004CS004	10	mg/kg	8.1E+00	No
	Arsenic	WR-WSI98SD0690	9	mg/kg	8.1E+00	No
	Thallium	WR-WSI98SD0690	9	mg/kg	6.0E+00	No
RM 6 East	**Pesticides**					
	Dieldrin	LW2-G247	0.319	ug/kg	1.0E-01	No
	Dieldrin	LW2-G244	0.313	ug/kg	1.0E-01	No
	Dieldrin	LW2-G249	0.285	ug/kg	1.0E-01	No
	Dieldrin	LW2-G255	0.32	ug/kg	1.0E-01	No
	Dieldrin	LW2-G254	0.621	ug/kg	1.0E-01	No
	Dieldrin	WLCOFJ02490349030	0.795	ug/kg	1.0E-01	No
	Dieldrin	WLCOFJ02490149010	0.637	ug/kg	1.0E-01	No
	Dieldrin	WLCOFJ02490249020	0.71	ug/kg	1.0E-01	No
	Dieldrin	WLCOFJ02490649060	0.646	ug/kg	1.0E-01	No
	Dieldrin	WLCOFJ02490449040	0.756	ug/kg	1.0E-01	No
	Dieldrin	WLCOFJ02490549050	0.839	ug/kg	1.0E-01	No
RM 6.5 West	**Metals**					
	Thallium	WR-WSI98SD0700000CC	8	mg/kg	1.3E-01	No
	Thallium	WR-WSI98SD0720	9	mg/kg	1.3E-01	No
	Thallium	WR-WSI98SD0750	9	mg/kg	1.3E-01	No
	Thallium	WR-WSI98SD0770	10	mg/kg	1.3E-01	No
	Thallium	WR-WSI98SD0800	5	mg/kg	1.3E-01	No
	Thallium	WR-WSI98SD0810	8	mg/kg	1.3E-01	No
	Thallium	WR-WSI98SD0780	8	mg/kg	1.3E-01	No
	Polychlorinated Biphenyls					
	Total Aroclors	WR-WSI98SD0770	760	ug/kg	3.3E+02	No
	Total Aroclors	WR-WSI98SD0810	2000	ug/kg	3.3E+02	No
	Pesticides					
	Aldrin	WR-WSI98SD0810	50	ug/kg	2.6E+01	No
	Aldrin	WR-WSI98SD0780	48	ug/kg	2.6E+01	No
	Aldrin	WR-WSI98SD0800	48	ug/kg	2.6E+01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-13.
Exposure Point Concentration Summary

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Sample ID	Nondetect Concentration	Units	Maximum Detected Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
	Dieldrin	LWG0106R004SDS015C00	8.4	ug/kg	3.9E+00	No
	Dieldrin	WR-WSI98SD0770	38	ug/kg	3.9E+00	No
	Dieldrin	WR-WSI98SD0800	96	ug/kg	3.9E+00	No
	Dieldrin	WR-WSI98SD0810	99	ug/kg	3.9E+00	No
	Dieldrin	WR-WSI98SD0780	95	ug/kg	3.9E+00	No
RM 6.5 East	**Pesticides**					
	Aldrin	LW2-C533-A	0.47	ug/kg	2.9E-01	No
	Aldrin	LW2-G282	0.31	ug/kg	2.9E-01	No
	Aldrin	LW2-C524-A	0.47	ug/kg	2.9E-01	No
	Aldrin	WR-WSI98SD0740	1	ug/kg	2.9E-01	No
	Dieldrin	LW2-C533-A	3.9	ug/kg	9.7E-01	No
	Dieldrin	WR-WSI98SD0740	2	ug/kg	9.7E-01	No
RM 7 West	**Polychlorinated Biphenyls**					
	Total Aroclors	WR-WSI98SD0840	2000	ug/kg	3.3E+02	No
	Total Aroclors	WR-WSI98SD0870	2000	ug/kg	3.3E+02	No
	Total Aroclors	WR-WSI98SD0900	4000	ug/kg	3.3E+02	No
	Total Aroclors	LW2-G355	1000	ug/kg	3.3E+02	No
	Total Aroclors	LWG0107R006SDS015C00	2200	ug/kg	3.3E+02	No
	Total Aroclors	WR-WSI98SD0920000CC	750	ug/kg	3.3E+02	No
	Pesticides					
	Dieldrin	WR-WSI98SD0840	98	ug/kg	1.3E+01	No
	Dieldrin	WR-WSI98SD0850	20	ug/kg	1.3E+01	No
	Dieldrin	WR-WSI98SD0830	97	ug/kg	1.3E+01	No
	Dieldrin	WR-WSI98SD0880	190	ug/kg	1.3E+01	No
	Dieldrin	WR-WSI98SD0870	100	ug/kg	1.3E+01	No
	Dieldrin	WR-WSI98SD0900	200	ug/kg	1.3E+01	No
	Dieldrin	LWG0107R006SDS015C00	270	ug/kg	1.3E+01	No
	Dieldrin	WR-WSI98SD0920000CC	38	ug/kg	1.3E+01	No
	Dieldrin	LWG2-PG-CP9A	15	ug/kg	1.3E+01	No
	Dieldrin	WR-WSI98SD0970	200	ug/kg	1.3E+01	No
RM 7 East	**Pesticides**					
	Aldrin	WLCOFJ02480648060	1.87	ug/kg	4.6E-01	No
	Aldrin	WLCOFJ02480548050	1.08	ug/kg	4.6E-01	No
	Aldrin	WLCOFJ02480148010	1.27	ug/kg	4.6E-01	No
	Aldrin	WLCOFJ02480248020	0.883	ug/kg	4.6E-01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-13.
Exposure Point Concentration Summary

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Sample ID	Nondetect Concentration	Units	Maximum Detected Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
	Aldrin	WLCOFJ02480348030	1.14	ug/kg	4.6E-01	No
	Aldrin	WR-WSI98SD0960	1.8	ug/kg	4.6E-01	No
	Dieldrin	WLCOFJ02480648060	1.42	ug/kg	3.5E-01	No
	Dieldrin	WLCOFJ02480548050	0.823	ug/kg	3.5E-01	No
	Dieldrin	LWG0107R004SDS015C00	0.39	ug/kg	3.5E-01	No
	Dieldrin	WLCOFJ02480148010	0.967	ug/kg	3.5E-01	No
	Dieldrin	WLCOFJ02480348030	0.866	ug/kg	3.5E-01	No
	Dieldrin	WLCOFJ02480248020	0.672	ug/kg	3.5E-01	No
	Dieldrin	WR-WSI98SD0960	2	ug/kg	3.5E-01	No
RM 7.5 West	**Metals**					
	Arsenic	WR-WSI98SD1100	6	mg/kg	5.4E+00	No
	Arsenic	WR-WSI98SD1050	6	mg/kg	5.4E+00	No
	Arsenic	WR-WSI98SD1070	6	mg/kg	5.4E+00	No
	Arsenic	WR-WSI98SD1130	6	mg/kg	5.4E+00	No
	Arsenic					
	Polychlorinated Biphenyls					
	Total Aroclors	LWG0107R003SDS015C00	2600	ug/kg	7.7E+02	No
	Pesticides					
	Aldrin	LWG0107R003SDS015C00	65	ug/kg	9.7E-01	No
	Aldrin	WLCOFJ022203122031	1.24	ug/kg	9.7E-01	No
	Aldrin	WLCOFJ02220322030	1.24	ug/kg	9.7E-01	No
	Aldrin	WLCOFJ02220122010	1.07	ug/kg	9.7E-01	No
	Aldrin	WLCOFJ02220222020	1.23	ug/kg	9.7E-01	No
	Aldrin	WLCOFJ02220522050	1.79	ug/kg	9.7E-01	No
	Aldrin	WLCOFJ02220622060	1.62	ug/kg	9.7E-01	No
	Aldrin	WLCOFJ02220422040	1.73	ug/kg	9.7E-01	No
	Aldrin	WR-WSI98SD1170000CC	0.98	ug/kg	9.7E-01	No
	Dieldrin	LWG0107R003SDS015C00	130	ug/kg	7.7E-01	Yes
	Dieldrin	WLCOFJ022203122031	0.942	ug/kg	7.7E-01	No
	Dieldrin	WLCOFJ02220122010	0.812	ug/kg	7.7E-01	No
	Dieldrin	WLCOFJ02220222020	0.932	ug/kg	7.7E-01	No
	Dieldrin	WLCOFJ02220522050	1.36	ug/kg	7.7E-01	No
	Dieldrin	WLCOFJ02220622060	1.23	ug/kg	7.7E-01	No
	Dieldrin	WLCOFJ02220322030	0.946	ug/kg	7.7E-01	No
	Dieldrin	WLCOFJ02220422040	1.31	ug/kg	7.7E-01	No
	Dieldrin	WR-WSI98SD1170000CC	2	ug/kg	7.7E-01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-13.
Exposure Point Concentration Summary

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Sample ID	Nondetect Concentration	Units	Maximum Detected Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
RM 7.5 East	**Polynuclear Aromatic Hydrocarbons**					
	Naphthalene	LW2-G354	12	ug/kg	1.1E+01	No
	Naphthalene	WR-WSI98SD1020	19	ug/kg	1.1E+01	No
	Naphthalene	WR-WSI98SD1030	20	ug/kg	1.1E+01	No
	Naphthalene	WR-WSI98SD1010	19	ug/kg	1.1E+01	No
	Naphthalene	WR-WSI98SD1080	20	ug/kg	1.1E+01	No
	Naphthalene	WR-WSI98SD1060	20	ug/kg	1.1E+01	No
	Naphthalene	WR-WSI98SD1110	20	ug/kg	1.1E+01	No
	Naphthalene	WR-WSI98SD1190	19	ug/kg	1.1E+01	No
	Pesticides					
	Dieldrin	LW2-G370	0.447	ug/kg	3.4E-01	No
RM 8 West	**Pesticides**					
	Aldrin	LWG0108R002SDS015C00	0.19	ug/kg	1.2E-01	No
	Aldrin	LW2-G434	0.177	ug/kg	1.2E-01	No
	Aldrin	LW2-G431	0.198	ug/kg	1.2E-01	No
	Aldrin	WLCOFJ02190319030	1.29	ug/kg	1.2E-01	No
	Aldrin	WLCOFJ02190119010	1.4	ug/kg	1.2E-01	No
	Aldrin	WLCOFJ02190219020	3.61	ug/kg	1.2E-01	No
	Aldrin	WLCOFJ0219A0319A030	1.42	ug/kg	1.2E-01	No
	Aldrin	WLCOFJ0219A0119A010	1.14	ug/kg	1.2E-01	No
	Aldrin	WLCOFJ0219A0219A020	1.27	ug/kg	1.2E-01	No
	Aldrin	WR-WSI98SD1370000CC	0.95	ug/kg	1.2E-01	No
	Aldrin	LW2-C436-A	0.36	ug/kg	1.2E-01	No
	Aldrin	LW2-G439	0.267	ug/kg	1.2E-01	No
RM 8 East	**Pesticides**					
	Aldrin	LW3-G706	0.5	ug/kg	4.4E-01	No
	Aldrin	PSYSEA98PSY27PSY27S	2	ug/kg	4.4E-01	No
	Aldrin	PSYSEA98PSY12PSY12S	2	ug/kg	4.4E-01	No
	Aldrin	WLCOFJ02S0601S6010	1.55	ug/kg	4.4E-01	No
RM 8 SIL	**Pesticides**					
	Aldrin	WLCOFJ02M0301M3010	26.6	ug/kg	6.0E+00	No
	Aldrin	WLCOFJ02M0303M3030	11.2	ug/kg	6.0E+00	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-13.
Exposure Point Concentration Summary

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Sample ID	Nondetect Concentration	Units	Maximum Detected Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
RM 8.5 East	**Polynuclear Aromatic Hydrocarbons**					
	Dibenzo(a,h)anthracene	WR-WSI98SD1450	24	ug/kg	2.2E+01	No
	Pesticides					
	Aldrin	LW2-G424	0.221	ug/kg	4.1E-02	No
	Aldrin	WR-WSI98SD1380	0.95	ug/kg	4.1E-02	No
	Aldrin	LW2-G408	0.0672	ug/kg	4.1E-02	No
	Aldrin	LW2-G429	0.201	ug/kg	4.1E-02	No
	Aldrin	LW2-G433-1	0.0518	ug/kg	4.1E-02	No
	Aldrin	LW2-G433-2	0.0514	ug/kg	4.1E-02	No
	Aldrin	PSYSEA98PSY49PSY49S	2	ug/kg	4.1E-02	No
	Dieldrin	WR-WSI98SD1380	1.9	ug/kg	4.4E-01	No
	Dieldrin	PSYSEA98PSY49PSY49S	2	ug/kg	4.4E-01	No
RM 9 West	**Pesticides**					
	Aldrin	WR-WSI98SD1510000CC	9.7	ug/kg	1.4E+00	No
	Dieldrin	WR-WSI98SD1510000CC	19	ug/kg	6.3E-01	No
RM 9 East	**Polynuclear Aromatic Hydrocarbons**					
	Benzo(a)anthracene	WLCOFJ02S0501S5010	132	ug/kg	2.2E+01	No
	Benzo(a)pyrene	WLCOFJ02S0501S5010	132	ug/kg	3.5E+01	No
	Benzo(b)fluoranthene	WLCOFJ02S0501S5010	264	ug/kg	3.9E+01	No
	Dibenzo(a,h)anthracene	WLCOFJ02S0506S5060	16.8	ug/kg	4.8E+00	No
	Dibenzo(a,h)anthracene	WLCOFJ02S0501S5010	132	ug/kg	4.8E+00	No
	Indeno(1,2,3-cd)pyrene	WLCOFJ02S0501S5010	132	ug/kg	2.6E+01	No
	Naphthalene	WLCOFJ02S0506S5060	16.8	ug/kg	8.9E+00	No
	Naphthalene	WLCOFJ02S0501S5010	132	ug/kg	8.9E+00	No
	Pesticides					
	Dieldrin	WLCOFJ02S0505S5050	0.713	ug/kg	2.6E-01	No
	Dieldrin	WLCOFJ02S0502S5020	1.24	ug/kg	2.6E-01	No
	Dieldrin	WLCOFJ02S0504S5040	0.767	ug/kg	2.6E-01	No
	Dieldrin	WLCOFJ02S0507S5070	0.952	ug/kg	2.6E-01	No
	Dieldrin	WLCOFJ02S0506S5060	0.822	ug/kg	2.6E-01	No
	Dieldrin	WLCOFJ02S0501S5010	0.751	ug/kg	2.6E-01	No
	Dieldrin	WLCOFJ02S0503S5030	0.706	ug/kg	2.6E-01	No
	Dieldrin	LW2-G454	0.275	ug/kg	2.6E-01	No
	Dieldrin	WLCDRD05PG03535	0.33	ug/kg	2.6E-01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-13.
Exposure Point Concentration Summary

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Sample ID	Nondetect Concentration	Units	Maximum Detected Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
RM 9.5 West	**Pesticides**					
	Aldrin	LWG0109R002SDS015C00	3.8	ug/kg	2.8E+00	No
	Total DDT	LW3-G740	12	ug/kg	9.2E+00	No
RM 9.5 East	**Polynuclear Aromatic Hydrocarbons**					
	Naphthalene	LWG0109R041SDS015C00	19	ug/kg	1.2E+01	No
	Pesticides					
	Aldrin	PSYSEA98PSY70PSY70S	6	ug/kg	4.7E-01	No
	Aldrin	PSYSEA98PSY71PSY71S	6	ug/kg	4.7E-01	No
	Dieldrin	LW2-G472	0.0574	ug/kg	4.3E-02	No
	Dieldrin	LW2-G470	0.072	ug/kg	4.3E-02	No
	Dieldrin	WLCDRD05PG03737	1	ug/kg	4.3E-02	No
	Dieldrin	LW2-G476	0.0646	ug/kg	4.3E-02	No
	Dieldrin	WLCDRD05PG136136Dup	0.2	ug/kg	4.3E-02	No
	Dieldrin	WLCDRD05PG03939	0.21	ug/kg	4.3E-02	No
	Dieldrin	PSYSEA98PSY70PSY70S	6	ug/kg	4.3E-02	Yes
	Dieldrin	LWG0109R041SDS015C00	0.53	ug/kg	4.3E-02	No
	Dieldrin	LW2-G481	0.068	ug/kg	4.3E-02	No
	Dieldrin	WLCDRD05PG04141	0.99	ug/kg	4.3E-02	No
	Dieldrin	PSYSEA98PSY71PSY71S	6	ug/kg	4.3E-02	Yes
	Dieldrin	WLCDRD05PG04343	0.3	ug/kg	4.3E-02	No
	Dieldrin	LW3-G743	0.13	ug/kg	4.3E-02	No
	Dieldrin	LW3-G742	0.22	ug/kg	4.3E-02	No
	Dieldrin	LW3-GSP10E	0.051	ug/kg	4.3E-02	No
	Dieldrin	LW2-G487	0.0513	ug/kg	4.3E-02	No
	Dieldrin	WLCDRD05PG135135Dup	0.19	ug/kg	4.3E-02	No
	Dieldrin	WLCDRD05PG04545	0.13	ug/kg	4.3E-02	No
	Total DDT	PSYSEA98PSY70PSY70S	6	ug/kg	2.8E+00	No
	Total DDT	LWG0109R041SDS015C00	5.2	ug/kg	2.8E+00	No
	Total DDT	PSYSEA98PSY71PSY71S	6	ug/kg	2.8E+00	No
RM 10 West	**Pesticides**					
	Aldrin	PSYSEA98PSY70PSY70S	6	ug/kg	5.0E-01	No
	Aldrin	PSYSEA98PSY71PSY71S	6	ug/kg	5.0E-01	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-13.
Exposure Point Concentration Summary

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Sample ID	Nondetect Concentration	Units	Maximum Detected Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
RM 10 East	**Phthalates**					
	Bis(2-ethylhexyl) phthalate	LW2-G505	1100	ug/kg	3.4E+02	No
	Pesticides					
	Aldrin	LW3-G750	0.41	ug/kg	8.3E-02	No
	Aldrin	WLCDRD05PG04747	0.21	ug/kg	8.3E-02	No
	Aldrin	LW2-G500	0.639	ug/kg	8.3E-02	No
	Aldrin	LW2-G502	0.492	ug/kg	8.3E-02	No
	Aldrin	LW2-G505	5.36	ug/kg	8.3E-02	No
	Dieldrin	LW2-G495	0.096	ug/kg	9.4E-02	No
	Dieldrin	WLCDRD05PG04747	0.23	ug/kg	9.4E-02	No
	Dieldrin	LW2-G500	0.639	ug/kg	9.4E-02	No
	Dieldrin	LW2-G502	0.492	ug/kg	9.4E-02	No
	Dieldrin	LW2-G505	5.36	ug/kg	9.4E-02	No
	Total DDT	WLCDRD05PG04747	1.2	ug/kg	7.7E-01	No
	Total DDT	LW3-G750	0.91	ug/kg	7.7E-01	No
	Total DDT	LW2-G500	1.65	ug/kg	7.7E-01	No
	Total DDT	LW2-G505	5.36	ug/kg	7.7E-01	No
RM 10.5 West	**Pesticides**					
	Aldrin	LW2-G518	1.29	ug/kg	9.3E-01	No
RM 10.5 East	**Polynuclear Aromatic Hydrocarbons**					
	Naphthalene	LW2-G507	11	ug/kg	5.2E+00	No
	Naphthalene	LW2-G509	18	ug/kg	5.2E+00	No
	Naphthalene	WLCDRD05PG06161	8.1	ug/kg	5.2E+00	No
	Naphthalene	WLCDRD05PG06363	14	ug/kg	5.2E+00	No
	Phthalates					
	Bis(2-ethylhexyl) phthalate	WLCDRD05PG06363	120	ug/kg	1.1E+02	No
RM 11 East	**Phthalates**					
	Bis(2-ethylhexyl) phthalate	LW2-G516	170	ug/kg	1.4E+02	No
	Bis(2-ethylhexyl) phthalate	LW3-G776	160			Yes
RM 11.5 West	**Metals**					
	Mercury	WLCDRD05PG134134	0.038	mg/kg	3.1E-02	No
	Pesticides					
	Dieldrin	WLCDRD05PG134134	0.68	ug/kg	9.0E-02	No
	Dieldrin	LW3-UG04-2	0.47	ug/kg	9.0E-02	No
	Dieldrin	LW3-UG04-1	0.49	ug/kg	9.0E-02	No

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-13.
Exposure Point Concentration Summary

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Sample ID	Nondetect Concentration	Units	Maximum Detected Concentration	Non-Detect two orders of magnitude greater than Maximum Detected Concentration
RM 12 West	**Phthalates**					
	Bis(2-ethylhexyl) phthalate	LW3-G780	200	ug/kg	1.9E+02	No
	Bis(2-ethylhexyl) phthalate	LW3-G783	560	ug/kg	1.9E+02	No
RM 12 East	**Pesticides**					
	Total DDT	LW3-GCA12E-C00-R	12	ug/kg	9.4E+00	No

Notes:

a Exposure areas not listed indicate there were no non-detected results with detection limits exceeding the maximum detected concentrations that were removed from the dataset prior to the calculation of exposure point concentrations.

Abbreviations:

mg/kg = milligrams per kilogram.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-14
Chemicals With Fewer Than 10 Samples Used In 95% UCL Calculations
Shellfish Tissue

Exposure Point[a]	Chemical of Potential Concern[b]	Number of samples used to calculate 95% UCLs, per species and tissue type	
		Crayfish, WB	Clam, UD
RM 7 West	**Polynuclear Aromatic Hydrocarbons**		
	Fluoranthene	--	5
	Pyrene	--	5
	Pesticides		
	Total Chlordanes	--	5
	Total DDD	--	5
	Total DDE	--	5
	Total DDT	--	5
Study Area-wide	**Butyltins**		
	Butyltin ion	5	--
	Polynuclear Aromatic Hydrocarbons		
	1-Methylnaphthalene	--	7
	Benzo(e)pyrene	--	7
	Perylene	--	7
	Semi-Volatile Organic Compounds		
	Benzoic acid	--	7

Notes:

a Table lists all exposure areas for which at least one 95% UCL was calculated using less than 10 samples.

b List includes all chemicals of potential concern for which at least one 95% UCL was calculated using less than 10 samples.

Abbreviations:

-- = Not applicable. A 95% UCL was not calculated with fewer than 10 samples for this species and exposure area.

95% UCL = 95% upper confidence limit on the mean.

DDD = Dichlorodiphenyldichloroethane.

DDE = Dichlorodiphenyldichloroethylene.

DDT = Dichlorodiphenyltrichloroethane.

RM = River mile.

UD = Undepurated.

WB= Whole body.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-15
Chemicals With Fewer Than 10 Samples Used In 95% UCL Calculations
In-Water Sediment

Chemical of Potential Concern[a]	Number of in-water samples used to calculate 95% UCLs, per exposure area[b]																																		
	RM 1 W	RM 1 E	RM 2 W	RM 2 E	RM 2.5 W	RM 2.5 E	MC	RM 3 W	RM 3 E	RM 3.5 E	RM 4 W	RM 4 E	RM 4.5 W	RM 4.5 E	RM 5 W	RM 5.5 E	RM 6 W	RM 6.5 W	RM 7 W	RM 7 E	RM 7.5 W	RM 7.5 E	RM 8 W	RM 8 E	SIL	RM 8.5 W	RM 9 W	RM 9 E	RM 9.5 W	RM 10 W	RM 10 E	RM 10.5 E	RM 11 W	RM 11 E	RM 12 W
Metals																																			
Arsenic	5	5	8	--	--	--	7	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9	9	6	7	5	8
Lead	5	5	8	--	--	--	7	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9	9	6	7	5	8
Mercury	5	5	8	--	--	--	7	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9	9	6	7	5	8
Thallium	--	--	--	--	--	--	--	--	--	6	9	5	--	6	9	5	--	--	--	9	--	7	6	6	9	7	--	--	--	--	--	--	--	--	--
Butyltins																																			
Tributyltin ion	--	--	--	--	--	--	--	--	--	--	--	9	--	--	--	--	8	5	--	--	--	--	9	--	--	--	--	9	--	--	--	--	--	--	--
Polynuclear Aromatic Hydrocarbons																																			
Benzo(a)anthracene	5	5	8	--	--	--	7	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9	9	6	7	5	8
Benzo(a)pyrene	5	5	8	--	--	--	7	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9	9	6	7	5	8
Benzo(b)fluoranthene	5	5	8	--	--	--	7	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9	9	6	7	5	8
Benzo(k)fluoranthene	5	5	8	--	--	--	7	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9	--	9	9	6	7	--	8
Dibenzo(a,h)anthracene	5	5	8	--	--	--	7	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9	9	6	7	5	8
Indeno(1,2,3-cd)pyrene	5	5	8	--	--	--	7	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9	9	6	7	5	8
Naphthalene	5	--	8	--	--	--	7	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9	9	--	--	--	8
Phthalates																																			
Bis(2-ethylhexyl) phthalate	--	--	8	--	--	--	7	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9	8	--	7	--	--
Polychlorinated Biphenyls																																			
Total Aroclors	--	--	8	--	--	--	7	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9	--	9	9	6	7	5	8
Total PCB Congeners	--	--	--	--	--	7	--	--	--	--	--	5	5	--	--	8	--	6	7	9	9	--	--	--	--	8	6	--	6	--	--	--	--	--	--
Total PCBs, Adjusted	--	--	--	--	--	7	--	--	--	--	--	5	5	--	--	8	--	6	7	9	9	--	--	--	--	8	6	--	6	--	--	--	--	--	--
Total Dioxin-like PCBs	--	--	--	--	--	7	--	--	--	--	--	5	5	--	--	8	--	6	7	9	9	--	--	--	--	8	6	--	6	--	--	--	--	--	--
Dioxin/Furan																																			
Total PCB TEQ	5	--	--	--	--	7	--	--	--	--	--	5	5	--	--	8	--	6	7	9	9	--	--	--	--	8	6	--	6	--	--	--	--	--	--
Total Dioxin/Furan TEQ	--	5	--	8	--	--	--	5	6	--	--	6	--	--	--	5	--	--	9	--	8	--	--	--	9	5	--	--	--	--	--	--	--	--	--
Pesticides																																			
Total DDT	5	5	8	--	--	--	7	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9	--	6	--	--	8

Notes:

a List includes all chemicals of potential concern for which at least one 95% UCL was calculated using less than 10 samples.

b In-water sediment exposure areas are per ½ river mile, per side of river. Table includes all exposure areas for which at least one 95% UCL was calculcated using less than 10 samples.

Abbreviations:

-- = Not applicable. A 95% UCL was not calculated with fewer than 10 samples for this medium and exposure area.

95% UCL = 95% upper confidence limit on the mean.

DDT = Dichlorodiphenyltrichloroethane.

E = East.

MC = Multnomah Channel.

PCB = Polychlorinated Biphenyls.

RM = River mile.

SIL = Swan Island Lagoon.

TEQ = Toxic equivalents.

W = West.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-16
Chemicals With Fewer Than 10 Samples Used In 95% UCL Calculations
Fish Tissue

	Number of samples used to calculate 95% UCLs, per tissue type, species, and exposure area[a]							
Tissue Type:	Whole Body Tissue				Fillet Tissue			Fillet Without Skin
COPC[b] *Species:*	**Smallmouth Bass**		**Carp**	**Brown Bullhead**	**Smallmouth Bass**	**Carp**	**Brown Bullhead**	**Sturgeon**
Exposure Area:	RM 4	RM 7	Study Area-wide	Study Area-wide	Study Area-wide	Study Area-wide	Study Area-wide	Study Area-wide
Metals								
Aluminum	5	5	--	6	--	--	6	--
Arsenic, inorganic	5	5	--	6	--	--	--	5
Cadmium	5	--	--	6	--	--	--	--
Chromium	--	--	--	6	--	--	--	5
Cobalt	--	--	--	--	--	--	--	5
Copper	5	5	--	6	--	--	6	5
Iron	--	--	--	--	--	--	--	5
Lead	5	5	--	6	--	--	--	--
Manganese	5	5	--	6	--	--	6	5
Mercury	5	5	--	6	--	--	6	5
Nickel	5	--	--	6	--	--	6	5
Selenium	--	--	--	--	--	--	--	5
Thallium	5	5	--	--	--	--	6	--
Zinc	5	5	--	6	--	--	6	5
Butyltins								
Butyltin ion	--	--	9	--	--	--	--	--
Dibutyltin ion	--	--	9	--	--	--	--	--
Tributyltin ion	--	--	9	--	--	9	--	--
Polynuclear Aromatic Hydrocarbons								
1-Methylnaphthalene	--	--	9	--	--	9	--	--
2-Methylnaphthalene	--	5	--	--	--	9	--	--
Acenaphthene	--	--	--	--	--	9	--	--
Acenaphthylene	--	--	--	--	--	9	--	--
Anthracene	--	--	--	--	--	9	--	--
Dibenzothiophene	--	--	9	--	--	9	--	--
Fluoranthene	--	--	--	--	--	9	--	--
Fluorene	--	--	--	--	--	9	--	--
Phenanthrene	--	--	--	--	--	9	--	--
Pyrene	--	--	--	--	--	9	--	--
Semi-Volatile Organic Compounds								
Benzyl alcohol	--	--	--	--	--	9	--	--
Dibenzofuran	--	--	--	--	--	9	--	--
Phenols								
4-Nitrophenol	--	--	8	--	--	9	--	--
Polychlorinated Biphenyls								
Total Aroclors	--	--	6	6	5	6	6	5
Total PCB Congeners	5	5	--	6	--	9	--	5
Total Dioxin-like PCBs	5	5	--	6	--	9	--	5
Total PCBs, Adjusted	5	5	--	6	--	9	--	5
Dioxin/Furans								
Total Dioxin/Furan TEQ	5	5	--	6	--	9	--	5
Total PCB TEQ	5	5	--	6	--	9	--	5
Pesticides								
Total DDD	5	5	--	6	--	--	--	--
Total DDE	5	5	--	6	--	--	6	5
Total DDT	--	5	--	6	--	--	--	5

Notes:

a Table lists all exposure areas for which at least one 95% UCL was calculcated using less than 10 samples.

b Table lists all COPCs for which at least one 95% UCL was calculated using less than 10 samples.

Abbreviations:

-- = Not applicable. A 95% UCL was not calculated with fewer than 10 samples for this species, tissue type, and exposure

95% UCL = 95% upper confidence limit on the mean.

COPC = Chemical of potential concern.

DDD = Dichlorodiphenyldichloroethane.

DDE = Dichlorodiphenyldichloroethylene.

DDT = Dichlorodiphenyltrichloroethane.

PCB = Polychlorinated Biphenyls.

RM = River mile.

TEQ = Toxic equivalents.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F2-17
Chemicals With Fewer Than 10 Samples Used In 95% UCL Calculations
Surface Water Scenarios

COPC[b]	Number of surface water samples used to calculate 95% UCLs, per exposure scenario and exposure area																		
Exposure Scenario:	Diver, Direct Contact													Transient, Direct Contact			Potential Future Drinking Water Use		
Exposure Area:	2E	2W	3.5E	5.5E	6.0W	6.5E	7.0W	7.5W	8.5W	9.5W	Trans, RM 3.9	Trans, RM 6.3	Trans, RM 11	Trans, RM 3.9	Trans, RM 6.3	Trans, RM 11	Trans, RM 3.9	Trans, RM 6.3	Trans, RM 11
Metals																			
Arsenic, total	5	5	5	5	5	--	8	5	5	5	7	6	9	7	6	9	7	6	9
Arsenic, dissolved	--	5	--	--	--	--	8	5	--	5	7	--	9	7	--	9	7	--	9
Pesticides																			
Aldrin	--	--	--	--	--	7	6	--	--	--	--	6	8	--	--	--	--	--	--
Conventionals																			
Perchlorate	--	--	--	--	--	--	9	--	--	--	--	--	--	--	--	--	--	--	--

Notes:
a Table lists all exposure areas for which at least one 95% UCL was calculcated using less than 10 samples.
b Tables lists all COPCs for which at least one 95% UCL was calculated using less than 10 samples.

Abbreviations:
-- = Not applicable. A 95% UCL was not calculated with fewer than 10 samples for this medium, receptor, and exposure area.
95% UCL = 95% upper confidence limit on the mean.
COPC = Chemical of potential concern.
Trans = Transect sampling location.
RM = River MIle.
W = West.
E = East.

PORTLAND HARBOR RI/FS

FINAL REMEDIAL INVESTIGATION REPORT

APPENDIX F

BASELINE HUMAN HEALTH RISK ASSESSMENT

ATTACHMENT F3: RISKS FROM EXPOSURES TO PBDES

March 28, 2013

Produced for
The Lower Willamette Group and
United States Environmental Protection Agency

Produced by
Kennedy/Jenks Consultants

i

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE OF CONTENTS

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

LIST OF TABLES

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

1.0   INTRODUCTION

This Attachment F3 presents an evaluation of risks to human health from polybrominated diphenyl ethers (PBDEs) in the Portland Harbor Superfund Site (Site) in Portland, Oregon. This Attachment is intended to supplement the Revised Baseline Human Health Risk Assessment (BHHRA) for the Site. The objectives and approach to assessing risks from exposures to PBDEs follows those outlined in the BHHRA.

2.0   PBDE DATA EVALUATION

The data included in the site characterization and risk assessment (SCRA) dataset are described in detail in Section 2 of the RI Report. The dataset used in this human health risk analysis for PBDEs is a subset of the data that comprised the SCRA dataset as of February 2011. All data included in the BHHRA PBDE dataset meets the data quality requirements for risk evaluation (Category 1/QA2), as agreed to between LWG, EPA, and EPA's partners in the Programmatic Work Plan (Integral et al. 2004). As directed by EPA, in-water sediment and fish tissue samples collected in 2004 and 2007 from the Portland Harbor that were analyzed for PBDE congeners and met the data criteria for inclusion in the BHHRA were used in this evaluation. Data management and reduction rules applied to the BHHRA PBDE dataset are the same as those described in Section 2 of Appendix F.

2.1   IN-WATER SEDIMENT

In-water surface sediment PBDE data used in the BHHRA includes LWG- collected data from sampling rounds 2 and 3. These sampling events include:

> Round 2A sediment grabs
> Round 3 sediment from upstream and downstream
> Round 3B Biota - Co-located sediments
> Round 3B sediment grabs

These sampling events comprise 59 samples used in the BHHRA PBDE dataset, 51 of which are within the Study Area. The BHHRA PBDE dataset for in-water sediment is consistent with the criteria described in the data evaluation section of the BHHRA (Section 2 of Appendix F).

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

2.2   FISH TISSUE

Common carp and smallmouth bass fish tissue were collected by the LWG from within Portland Harbor in 2007 and analyzed by the EPA in 2009. The fish tissue samples were analyzed as composite samples, fillets with skin included. The remainder tissue of the common carp and smallmouth bass samples were also analyzed. For each analytical result, whole body concentrations were calculated based on a weighted average of fillet tissue and remainder tissue concentrations, as described in Section 2 of Appendix F, and consistent with data handling for the rest of the BHHRA.

The BHHRA PBDE dataset consists of 18 smallmouth bass samples collected from RM 1.5 to 11.5, and 9 common carp tissue samples collected from RM 0 - 12.

2.3   SHELLFISH TISSUE

Shellfish tissue in the PBDE dataset included clam (*Corbicula* sp.) tissue collected during the Round 3B biota sampling event. All clam samples analyzed for PBDEs were undepurated. There were four samples collected within the Study Area (river mile (RM) 1.9 – 11.8), one sample collected from the downstream reach (RM 1.5), and one sample collected in the downtown reach (RM 12.1). All six of these sample results were included in the BHHRA PBDE dataset for clam tissue.

2.4   IDENTIFICATION OF CONTAMINANTS OF CONCERN

In-water sediment and tissue samples were analyzed for eight different PBDE congeners, as follows:

> BDE 028 (2,4,4'-Tribromodiphenyl ether)
> BDE 047 (2,2',4,4'-Tetrabromodiphenyl ether)
> BDE 099 (2,2',4,4',5-Pentabromodiphenyl ether)
> BDE 100 (2,2',4,4',6-Pentabromodiphenyl ether)
> BDE 153 (2,2',4,4',5,5'-Hexabromodiphenyl ether)
> BDE 154 (2,2',4,4',5,6'-Hexabromodiphenyl ether)
> BDE 183 (2,2',3,4,4',5',6-Heptabromodiphenyl ether)
> BDE 209 (2,2',3,3',4,4',5,5',6,6'-Decabromodiphenyl ether)

All detected PBDE congeners were retained as contaminants of potential concern (COPCs) for each medium and species. PBDE congeners analyzed and detected in in-water sediment are BDE 47, 99, 153, and 209. PBDE congeners analyzed and detected in carp tissue are BDE 28, 47, 100, 153, and 154. PBDE congeners analyzed and detected in smallmouth bass tissue are BDE 28, 47, 99, 100, 153, and 154, and 183. In

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

clam tissue, detected congeners are BDE 47, 99, 100, 153, and 154. BDE 209 was not detected in fish or shellfish tissue.

3.0   EXPOSURE ASSESSMENT

PBDE risk assessment was performed for potentially exposed human populations that may come in contact with PBDEs in in-water sediment or tissue.

The exposure assessment performed for PBDEs is consistent with the exposure assessment performed in Section 3 of the BHHRA. As described in Section 3 of Appendix F, potentially exposed human populations identified for further evaluation for exposure to PBDEs are:

- In-water workers

- Divers

- Recreational/Subsistence fishers

- Tribal fishers

- Infants exposed to human breast milk of the above populations

Exposure pathways were identified using the same methods described in Section 3 of the BHHRA. The potential exposure pathways to human populations at the Study Area include:

- Ingestion of and dermal contact with in-water sediment

- Consumption of fish and shellfish

- Infant consumption of human milk

The identified receptors, exposure routes, and exposure pathways, and the rationale for selection are also summarized in Table 3-1 of Appendix F.

3.1   CALCULATION OF EXPOSURE POINT CONCENTRATIONS

Exposure point concentrations (EPCs) were calculated for media and pathways that were evaluated quantitatively in this Attachment. The process to estimate EPCs for tissue and in-water sediment is the same as the process followed in Section 3 of the BHHRA. Individual PBDE congeners were evaluated for adult and child receptors. Risks to infants were evaluated as total PBDEs to be consistent with Oregon Department of Environmental Quality (DEQ) guidance (DEQ 2010). PBDE EPCs for exposure to in-water sediment are presented in Table F3-1.

Fish consumption was evaluated on a river mile basis and Study Area-wide assuming a multi-species diet consisting of fillet tissue. Because PBDE data in fish tissue was

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

limited to carp and smallmouth bass collected during Round 3 sampling, it was not possible to calculate a true weighted EPC for a multi-species diet. Smallmouth bass data were used as a surrogate for a multi-species diet on a river mile basis. Therefore, EPCs for fish consumption were calculated on a river mile basis using the smallmouth bass data. PBDE EPCs for exposure to tissue are presented in Tables F3-2 to F3-4.

3.2   PROCESS TO CALCULATE INTAKES

Intakes were calculated in the manner described in Section 3 of the BHHRA. The BHHRA presents population-specific assumptions for the evaluated receptors. Values used for intake parameters for the evaluation of risks from PBDEs are the same as those used in the BHHRA, and are presented in Table 3-22 (for receptors exposed to PBDEs in in-water sediment) and Table 3-24 (for receptors exposed to PBDEs in tissue) of Appendix F.

4.0   TOXICITY ASSESSMENT

This quantitative evaluation of noncancer hazards and cancer risks included the four PBDE congeners for which the EPA has established human health toxicity values in the Integrated Risk Information System (IRIS) database: BDE 47, BDE 99, BDE 153, and BDE 209. The EPA has established oral reference doses for the congeners BDE 47, BDE 99, BDE 153, and BDE 209. BDE 209 is the only congener analyzed that is classified as a carcinogen. PBDE congeners without carcinogenic toxicity values were not evaluated for cancer risk. Table F3-5 presents the toxicity values for the PBDE congeners that were quantitatively evaluated.

5.0   RISK CHARACTERIZATION

The risk characterization for exposure to PBDEs in in-water sediment and tissue was performed as described in Section 5 of Appendix F. Noncancer hazards and cancer risks to children and adults were calculated for individual congeners at each exposure point, and then summed to provide cumulative hazards and cancer risk estimates. Noncancer hazards to breast-feeding infants were calculated based on cumulative hazards to adult mothers by applying a PBDE-specific infant risk adjustment factor (IRAF), consistent with DEQ guidance (DEQ 2010).

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

5.1   RISK AND HAZARD RESULTS

5.1.1   Direct Contact with In-Water Sediment Risk Characterization Results

Potential risks from exposure to PBDEs in in-water sediment through incidental ingestion and dermal absorption were estimated for the in-water workers, tribal fishers, high- and low-frequency fishers, and divers, for both reasonable maximum exposure (RME) and central tendency (CT) scenarios. Risks and hazards from exposures to PBDEs in in-water sediment are presented in Tables F3-6 through F3-16.

Cancer risks from exposure to PBDEs in in-water sediment were orders of magnitude below the EPA target risk range of 1×10^{-6} to 1×10^{-4}. Hazards from exposure to PBDEs in in-water sediment were orders of magnitude below the EPA target hazard quotient (HQ) of 1.

5.1.2   Fish Tissue Consumption Risk Characterization Results

Potential risks from exposure to PBDEs through fish consumption were estimated for recreational child consumers of fish, using the methodology described in Section 5 of Appendix F. HQs from exposure to PBDEs through fish consumption are less than the EPA target HQ of 1. Noncancer hazards from exposures to PBDEs through fish consumption on a river mile basis are presented in Table F3-17.

Cancer risks were not calculated for fish consumption because the carcinogenic PBDE congener was not detected in the tissue samples evaluated.

5.1.3   Shellfish Tissue Risk Characterization Results

Potential risks from exposure to PBDEs through shellfish consumption were estimated for adult clam consumers, as described in Section 5 of Appendix F. HQs from exposure to PBDEs in clam tissue are less than the EPA target HQ of 1. Noncancer hazards from exposures to PBDEs in clam tissue are presented in Table F3-18.

Cancer risks were not calculated for consumption of shellfish because carcinogenic PBDE congeners were not detected in the tissue samples collected.

5.1.4   Infant Breastmilk Consumption Risk Characterization Results

The results of the infant breastmilk consumption pathway are presented for the breast-feeding infant of an adult receptor for each of the exposure scenarios previously discussed. Consistent with DEQ guidance (DEQ 2010) and based on an agreement with EPA, an IRAF was calculated for total PBDEs and applied to noncancer hazard estimates for each adult exposure scenario and exposure area.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

The noncancer IRAF for total PBDEs is 38. Noncancer hazards to an infant based on exposure to PBDEs from breastmilk consumption from the adult mothers described in the previous exposure scenarios are presented in Tables F3-19 through F3-31.

A noncancer IRAF of 38 for total PBDEs means that hazards to an infant from exposures to PBDEs in breast milk are 38 times greater than hazards to the mother from PBDE exposures. The highest estimated HQ for an infant from exposure to PBDEs in breastmilk is 2, due to exposures to a mother who is a consumer of fish from RM 4. The estimated HQ for an infant due to parental consumption of clams at RM 12E is also 2, but the sample location is outside the Study Area. For exposures within the Study Area, the estimated HQs are not greater than 1 for a breastfeeding infant whose mother is exposed to PBDEs through clam consumption. There are no hazards greater than a HQ of 1 for a breastfeeding infant whose mother is exposed to PBDEs in in-water sediment.

5.1.5   Summary of Risk Characterization

Hazards and cancer risks from exposures to PBDEs were evaluated for adult, child and infant receptors from exposures to in-water sediment and tissue.

This risk evaluation shows that all estimated cancer risks are less than 1×10^{-6} for all of the scenarios evaluated.

Hazards from exposures to PBDEs in in-water sediment are less than the EPA target HQ of 1. The noncancer hazards associated with indirect exposures to infants via breastfeeding are also less than 1.

Hazards from exposures to PBDEs through shellfish consumption are less than the EPA target HQ of 1. The noncancer hazards associated with indirect exposures to infants via breastfeeding are also less than 1 for locations within the Study Area.

Hazards from exposures to PBDEs through fish consumption are less than the EPA target HQ of 1. The noncancer hazard associated with indirect exposures to infants via breastfeeding is greater than 1 for fish consumption in RM 4.

6.0   UNCERTAINTY ANALYSIS

The uncertainties associated with this evaluation of risks from exposures to PBDEs are the same uncertainties associated with the BHHRA methods discussed in Section 6 of the RI/FS Appendix F. This section emphasizes the uncertainties specific to the PBDE dataset.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Limited number of PBDE congeners analyzed.
The PBDE analysis of both in-water sediment and tissue samples included eight of 209 congeners. The congeners analyzed are those typically found most frequently in the environment and should be representative of total PBDE concentrations, but lack of analysis for the full suite of chemicals presents uncertainty in total PBDE concentrations.

Evaluation of congeners with known toxicity values.
Only PBDE congeners with published, peer reviewed toxicity values were evaluated in this risk assessment. This limited the number of congeners included in the quantitative analysis to four (BDE 47, BDE 99, BDE 153, BDE 209). The uncertainty associated with lack of toxicity information for PBDE congeners could potentially impact the conclusions of this risk evaluation.

Selection of Tissue COPCs Based On Detection of An Analyte.

The selection of PBDE COPCs was based on whether an analyte was detected in each medium or tissue type, and not based on a comparison with health-protective screening levels. There is uncertainty associated with identification of tissue COPCs based on detections alone, and this could potentially impact the conclusions of this risk evaluation for PBDEs.

No Consideration of Background.
PBDEs leach from products with residential, commercial, and industrial uses and have wide-spread presence in the environment. The concentrations detected in sediment and tissue were generally similar throughout the Study Area, indicating the potential for a background contribution. Per EPA guidance (2002), the contribution of background, both natural and anthropogenic, to site concentrations should be distinguished if possible. However, anthropogenic background concentrations for PBDEs have not been established for the Study Area. While risks from PBDEs were evaluated without accounting for contributions from background, it is important to recognize that background concentrations may result in unacceptable risks based on the exposure assumptions used.

7.0   SUMMARY AND CONCLUSIONS

This attachment presents a risk evaluation of exposure to PBDEs measured in in-water sediment and fish and shellfish tissue collected during LWG sampling events from the Study Area, upstream reach, and downtown reach.

The methods and assumptions used in this evaluation are the same as those used in the BHHRA and are presented in the text of Appendix F.

This evaluation found that cancer risks associated with exposure to PBDEs in in-water sediment and tissue consumption are orders of magnitude below the EPA

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

target risk level of 1 x 10^{-6}. Noncancer hazards from exposures to PBDEs in in-water sediment and through fish and shellfish consumption are also below the EPA target HQ of 1.

Noncancer hazard associated with indirect exposure to infants via breastfeeding was also assessed. The noncancer hazard due to parental fish consumption is greater than 1. Indirect exposure to infants via breastfeeding for parental in-water sediment exposure and shellfish consumption within the Study Area results in hazards that are less than 1.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-1.
Exposure Point Concentration Summary for PBDEs - In-Water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[f] Mean	95% UCL/Max
RM 1 West	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	2	0	0	3.3E-01	3.6E-01	--	Fewer than 5 detects[g]	--	3.3E-01	3.6E-01
	PBDE # 99	ug/kg	2	0	0	3.2E-01	3.7E-01				3.2E-01	3.7E-01
	PBDE # 153	ug/kg	2	2	ND	ND	ND				ND	ND
	PBDE # 209	ug/kg	2	0	0	3.8E+00	4.0E+00				3.8E+00	4.0E+00
RM 1 East	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	1	0	0	7.6E-01	7.6E-01	--	Fewer than 5 detects	--	7.6E-01	7.6E-01
	PBDE # 99	ug/kg	1	0	0	6.3E-01	6.3E-01				6.3E-01	6.3E-01
	PBDE # 153	ug/kg	1	1	ND	ND	ND				ND	ND
	PBDE # 209	ug/kg	1	0	0	3.7E+00	3.7E+00				3.7E+00	3.7E+00
RM 1.5 West	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	1	0	0	1.2E-01	1.2E-01	--	Fewer than 5 detects	--	1.2E-01	1.2E-01
	PBDE # 99	ug/kg	1	1	ND	ND	ND				ND	ND
	PBDE # 153	ug/kg	1	1	ND	ND	ND				ND	ND
	PBDE # 209	ug/kg	1	1	ND	ND	ND				ND	ND
RM 1.5 East	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	1	0	0	1.4E+00	1.4E+00	--	Fewer than 5 detects	--	1.4E+00	1.4E+00
	PBDE # 99	ug/kg	1	0	0	1.4E+00	1.4E+00				1.4E+00	1.4E+00
	PBDE # 153	ug/kg	1	0	0	1.8E-01	1.8E-01				1.8E-01	1.8E-01
	PBDE # 209	ug/kg	1	0	0	4.5E+00	4.5E+00				4.5E+00	4.5E+00
RM 2 West	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	2	0	0	1.1E+00	1.8E+00	--	Fewer than 5 detects	--	1.1E+00	1.8E+00
	PBDE # 99	ug/kg	2	0	0	1.0E+00	1.7E+00				1.0E+00	1.7E+00
	PBDE # 153	ug/kg	2	1	1	4.2E-01	4.2E-01				4.2E-01	4.2E-01
	PBDE # 209	ug/kg	2	1	1	6.0E+00	6.0E+00				6.0E+00	6.0E+00
RM 2 East	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	3	0	0	1.8E+00	1.8E+00	--	Fewer than 5 detects	--	1.8E+00	1.8E+00
	PBDE # 99	ug/kg	3	0	0	2.0E+00	2.1E+00				2.0E+00	2.1E+00
	PBDE # 153	ug/kg	3	0	0	2.8E-01	2.9E-01				2.8E-01	2.9E-01
	PBDE # 209	ug/kg	3	0	0	6.9E+00	8.4E+00				6.9E+00	8.4E+00
RM 2.5 East	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	1	0	0	2.0E-01	2.0E-01	--	Fewer than 5 detects	--	2.0E-01	2.0E-01
	PBDE # 99	ug/kg	1	0	0	2.4E-01	2.4E-01				2.4E-01	2.4E-01
	PBDE # 153	ug/kg	1	1	ND	ND	ND				ND	ND
	PBDE # 209	ug/kg	1	1	ND	ND	ND				ND	ND
RM 2.5 MC	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	1	0	0	1.4E-01	1.4E-01	--	Fewer than 5 detects	--	1.4E-01	1.4E-01
	PBDE # 99	ug/kg	1	1	ND	ND	ND				ND	ND
	PBDE # 153	ug/kg	1	1	ND	ND	ND				ND	ND
	PBDE # 209	ug/kg	1	1	ND	ND	ND				ND	ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-1.
Exposure Point Concentration Summary for PBDEs - In-Water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[f] Mean	95% UCL/Max
RM 3 West	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	1	0	0	1.4E+00	1.4E+00	--	Fewer than 5 detects	--	1.4E+00	1.4E+00
	PBDE # 99	ug/kg	1	0	0	1.3E+00	1.3E+00				1.3E+00	1.3E+00
	PBDE # 153	ug/kg	1	0	0	2.9E-01	2.9E-01				2.9E-01	2.9E-01
	PBDE # 209	ug/kg	1	0	0	5.3E+00	5.3E+00				5.3E+00	5.3E+00
RM 3 East	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	2	0	0	1.3E+00	1.6E+00	--	Fewer than 5 detects	--	1.3E+00	1.6E+00
	PBDE # 99	ug/kg	2	0	0	1.4E+00	1.6E+00				1.4E+00	1.6E+00
	PBDE # 153	ug/kg	2	0	0	2.8E-01	3.3E-01				2.8E-01	3.3E-01
	PBDE # 209	ug/kg	2	0	0	6.4E+00	6.9E+00				6.4E+00	6.9E+00
RM 3.5 West	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	1	0	0	1.4E-01	1.4E-01	--	Fewer than 5 detects	--	1.4E-01	1.4E-01
	PBDE # 99	ug/kg	1	0	0	1.2E-01	1.2E-01				1.2E-01	1.2E-01
	PBDE # 153	ug/kg	1	1	ND	ND	ND				ND	ND
	PBDE # 209	ug/kg	1	1	ND	ND	ND				ND	ND
RM 3.5 East	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	3	0	0	4.0E+00	5.2E+00	--	Fewer than 5 detects	--	4.0E+00	5.2E+00
	PBDE # 99	ug/kg	3	0	0	5.8E+00	8.2E+00				5.8E+00	8.2E+00
	PBDE # 153	ug/kg	3	0	0	1.1E+00	1.5E+00				1.1E+00	1.5E+00
	PBDE # 209	ug/kg	3	0	0	3.2E+01	5.6E+01				3.2E+01	5.6E+01
RM 4 West	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	1	0	0	3.5E-01	3.5E-01	--	Fewer than 5 detects	--	3.5E-01	3.5E-01
	PBDE # 99	ug/kg	1	0	0	2.3E-01	2.3E-01				2.3E-01	2.3E-01
	PBDE # 153	ug/kg	1	1	ND	ND	ND				ND	ND
	PBDE # 209	ug/kg	1	1	ND	ND	ND				ND	ND
RM 5 West	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	1	0	0	3.7E-01	3.7E-01	--	Fewer than 5 detects	--	3.7E-01	3.7E-01
	PBDE # 99	ug/kg	1	0	0	3.7E-01	3.7E-01				3.7E-01	3.7E-01
	PBDE # 153	ug/kg	1	1	ND	ND	ND				ND	ND
	PBDE # 209	ug/kg	1	1	ND	ND	ND				ND	ND
RM 5.5 West	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	1	0	0	1.4E+00	1.4E+00	--	Fewer than 5 detects	--	1.4E+00	1.4E+00
	PBDE # 99	ug/kg	1	0	0	1.2E+00	1.2E+00				1.2E+00	1.2E+00
	PBDE # 153	ug/kg	1	0	0	2.3E-01	2.3E-01				2.3E-01	2.3E-01
	PBDE # 209	ug/kg	1	0	0	7.4E+00	7.4E+00				7.4E+00	7.4E+00
RM 5.5 East	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	2	0	0	1.0E+00	1.8E+00	--	Fewer than 5 detects	--	1.0E+00	1.8E+00
	PBDE # 99	ug/kg	2	1	0	1.2E+00	1.8E+00				1.2E+00	1.8E+00
	PBDE # 153	ug/kg	2	1	1	2.6E-01	2.6E-01				2.6E-01	2.6E-01
	PBDE # 209	ug/kg	2	1	1	2.8E+00	2.8E+00				2.8E+00	2.8E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-1.
Exposure Point Concentration Summary for PBDEs - In-Water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[f] Mean	95% UCL/Max
RM 6 West	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	2	1	1	1.3E-01	1.3E-01	--	Fewer than 5 detects	--	1.3E-01	1.3E-01
	PBDE # 99	ug/kg	2	1	1	1.3E-01	1.3E-01				1.3E-01	1.3E-01
	PBDE # 153	ug/kg	2	2	ND	ND	ND				ND	ND
	PBDE # 209	ug/kg	2	1	1	3.5E+00	3.5E+00				3.5E+00	3.5E+00
RM 6 East	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	1	0	0	2.7E-01	2.7E-01	--	Fewer than 5 detects	--	2.7E-01	2.7E-01
	PBDE # 99	ug/kg	1	0	0	1.7E-01	1.7E-01				1.7E-01	1.7E-01
	PBDE # 153	ug/kg	1	1	ND	ND	ND				ND	ND
	PBDE # 209	ug/kg	1	1	ND	ND	ND				ND	ND
RM 6.5 West	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	1	0	0	1.1E-01	1.1E-01	--	Fewer than 5 detects	--	1.1E-01	1.1E-01
	PBDE # 99	ug/kg	1	0	0	1.3E-01	1.3E-01				1.3E-01	1.3E-01
	PBDE # 153	ug/kg	1	1	ND	ND	ND				ND	ND
	PBDE # 209	ug/kg	1	1	ND	ND	ND				ND	ND
RM 6.5 East	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	2	0	0	1.2E+00	1.8E+00	--	Fewer than 5 detects	--	1.2E+00	1.8E+00
	PBDE # 99	ug/kg	2	0	0	1.3E+00	1.9E+00				1.3E+00	1.9E+00
	PBDE # 153	ug/kg	2	1	1	3.5E-01	3.5E-01				3.5E-01	3.5E-01
	PBDE # 209	ug/kg	2	0	0	1.7E+01	2.5E+01				1.7E+01	2.5E+01
RM 7 West	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	1	0	0	9.5E-01	9.5E-01	--	Fewer than 5 detects	--	9.5E-01	9.5E-01
	PBDE # 99	ug/kg	1	0	0	9.9E-01	9.9E-01				9.9E-01	9.9E-01
	PBDE # 153	ug/kg	1	0	0	2.9E-01	2.9E-01				2.9E-01	2.9E-01
	PBDE # 209	ug/kg	1	0	0	6.1E+00	6.1E+00				6.1E+00	6.1E+00
RM 7 East	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	3	0	0	1.2E+00	1.7E+00	--	Fewer than 5 detects	--	1.2E+00	1.7E+00
	PBDE # 99	ug/kg	3	0	0	1.0E+00	1.5E+00				1.0E+00	1.5E+00
	PBDE # 153	ug/kg	3	1	1	2.7E-01	3.1E-01				2.7E-01	3.1E-01
	PBDE # 209	ug/kg	3	0	0	4.3E+00	6.2E+00				4.3E+00	6.2E+00
RM 7.5 West	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	2	0	0	9.9E-01	1.7E+00	--	Fewer than 5 detects	--	9.9E-01	1.7E+00
	PBDE # 99	ug/kg	2	0	0	8.5E-01	1.5E+00				8.5E-01	1.5E+00
	PBDE # 153	ug/kg	2	1	1	3.1E-01	3.1E-01				3.1E-01	3.1E-01
	PBDE # 209	ug/kg	2	1	1	5.1E+00	5.1E+00				5.1E+00	5.1E+00
RM 7.5 East	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	2	0	0	1.9E+00	2.5E+00	--	Fewer than 5 detects	--	1.9E+00	2.5E+00
	PBDE # 99	ug/kg	2	0	0	2.2E+00	2.9E+00				2.2E+00	2.9E+00
	PBDE # 153	ug/kg	2	0	0	3.4E-01	4.5E-01				3.4E-01	4.5E-01
	PBDE # 209	ug/kg	2	0	0	8.9E+00	1.3E+01				8.9E+00	1.3E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-1.
Exposure Point Concentration Summary for PBDEs - In-Water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[f] Mean	95% UCL/Max
RM 8 West	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	1	0	0	8.3E-01	8.3E-01	--	Fewer than 5 detects	--	8.3E-01	8.3E-01
	PBDE # 99	ug/kg	1	0	0	1.2E+00	1.2E+00				1.2E+00	1.2E+00
	PBDE # 153	ug/kg	1	0	0	8.4E-01	8.4E-01				8.4E-01	8.4E-01
	PBDE # 209	ug/kg	1	0	0	4.4E+02	4.4E+02				4.4E+02	4.4E+02
RM 8 East	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	3	0	0	1.8E+00	2.1E+00	--	Fewer than 5 detects	--	1.8E+00	2.1E+00
	PBDE # 99	ug/kg	3	0	0	1.9E+00	2.2E+00				1.9E+00	2.2E+00
	PBDE # 153	ug/kg	3	0	0	4.2E-01	6.2E-01				4.2E-01	6.2E-01
	PBDE # 209	ug/kg	3	0	0	1.5E+01	2.4E+01				1.5E+01	2.4E+01
RM 8 SIL	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	6	0	0	1.6E+00	4.5E+00	Approx. Gamma	95% Approximate Gamma UCL	5.8E+00	1.6E+00	4.5E+00
	PBDE # 99	ug/kg	6	0	0	2.3E+00	6.2E+00	Normal	95% Student's-t UCL	4.3E+00	2.3E+00	4.3E+00
	PBDE # 153	ug/kg	6	4	0	7.1E-01	1.2E+00	--	Fewer than 5 detects	--	7.1E-01	1.2E+00
	PBDE # 209	ug/kg	6	1	0	1.9E+01	5.8E+01	Normal	95% KM (t) UCL	3.7E+01	1.9E+01	3.7E+01
RM 8.5 West	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	1	0	0	2.0E+00	2.0E+00	--	Fewer than 5 detects	--	2.0E+00	2.0E+00
	PBDE # 99	ug/kg	1	0	0	2.2E+00	2.2E+00				2.2E+00	2.2E+00
	PBDE # 153	ug/kg	1	0	0	4.1E-01	4.1E-01				4.1E-01	4.1E-01
	PBDE # 209	ug/kg	1	0	0	1.1E+01	1.1E+01				1.1E+01	1.1E+01
RM 8.5 East	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	1	0	0	4.1E+00	4.1E+00	--	Fewer than 5 detects	--	4.1E+00	4.1E+00
	PBDE # 99	ug/kg	1	0	0	5.6E+00	5.6E+00				5.6E+00	5.6E+00
	PBDE # 153	ug/kg	1	0	0	1.1E+00	1.1E+00				1.1E+00	1.1E+00
	PBDE # 209	ug/kg	1	0	0	9.0E+01	9.0E+01				9.0E+01	9.0E+01
RM 9 West	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	1	0	0	1.3E+00	1.3E+00	--	Fewer than 5 detects	--	1.3E+00	1.3E+00
	PBDE # 99	ug/kg	1	0	0	1.2E+00	1.2E+00				1.2E+00	1.2E+00
	PBDE # 153	ug/kg	1	0	0	1.9E-01	1.9E-01				1.9E-01	1.9E-01
	PBDE # 209	ug/kg	1	0	0	2.9E+00	2.9E+00				2.9E+00	2.9E+00
RM 9 East	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	1	0	0	3.3E-01	3.3E-01	--	Fewer than 5 detects	--	3.3E-01	3.3E-01
	PBDE # 99	ug/kg	1	0	0	1.8E-01	1.8E-01				1.8E-01	1.8E-01
	PBDE # 153	ug/kg	1	1	ND	ND	ND				ND	ND
	PBDE # 209	ug/kg	1	1	ND	ND	ND				ND	ND
RM 9.5 West	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	1	0	0	1.8E+00	1.8E+00	--	Fewer than 5 detects	--	1.8E+00	1.8E+00
	PBDE # 99	ug/kg	1	0	0	2.7E+00	2.7E+00				2.7E+00	2.7E+00
	PBDE # 153	ug/kg	1	0	0	5.2E-01	5.2E-01				5.2E-01	5.2E-01
	PBDE # 209	ug/kg	1	0	0	4.6E+01	4.6E+01				4.6E+01	4.6E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-1.

Exposure Point Concentration Summary for PBDEs - In-Water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[f]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
RM 9.5 East	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	1	0	0	9.9E-01	9.9E-01	--	Fewer than 5 detects	--	9.9E-01	9.9E-01
	PBDE # 99	ug/kg	1	0	0	7.9E-01	7.9E-01				7.9E-01	7.9E-01
	PBDE # 153	ug/kg	1	1	ND	ND	ND				ND	ND
	PBDE # 209	ug/kg	1	0	0	2.0E+00	2.0E+00				2.0E+00	2.0E+00
RM 11 West	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	1	0	0	2.9E+00	2.9E+00	--	Fewer than 5 detects	--	2.9E+00	2.9E+00
	PBDE # 99	ug/kg	1	0	0	3.7E+00	3.7E+00				3.7E+00	3.7E+00
	PBDE # 153	ug/kg	1	0	0	6.3E-01	6.3E-01				6.3E-01	6.3E-01
	PBDE # 209	ug/kg	1	0	0	5.7E+01	5.7E+01				5.7E+01	5.7E+01
RM 11 East	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	2	0	0	9.7E-01	1.5E+00	--	Fewer than 5 detects	--	9.7E-01	1.5E+00
	PBDE # 99	ug/kg	2	0	0	7.8E-01	1.2E+00				7.8E-01	1.2E+00
	PBDE # 153	ug/kg	2	2	ND	ND	ND				ND	ND
	PBDE # 209	ug/kg	2	2	ND	ND	ND				ND	ND
RM 12 West	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	1	0	0	3.1E-01	3.1E-01	--	Fewer than 5 detects	--	3.1E-01	3.1E-01
	PBDE # 99	ug/kg	1	0	0	3.0E-01	3.0E-01				3.0E-01	3.0E-01
	PBDE # 153	ug/kg	1	1	ND	ND	ND				ND	ND
	PBDE # 209	ug/kg	1	1	ND	ND	ND				ND	ND
RM 12 East	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	1	0	0	1.2E+00	1.2E+00	--	Fewer than 5 detects	--	1.2E+00	1.2E+00
	PBDE # 99	ug/kg	1	0	0	1.1E+00	1.1E+00				1.1E+00	1.1E+00
	PBDE # 153	ug/kg	1	1	ND	ND	ND				ND	ND
	PBDE # 209	ug/kg	1	1	ND	ND	ND				ND	ND
Study Area Wide[h]	**Polybrominated Diphenyl Ethers**											
	PBDE # 47	ug/kg	51	1	0	1.4E+00	5.2E+00	Gamma	95% KM (Chebyshev) UCL	2.2E+00	1.4E+00	2.2E+00
	PBDE # 99	ug/kg	51	2	0	1.7E+00	8.2E+00	Gamma	95% KM (Chebyshev) UCL	2.8E+00	1.7E+00	2.8E+00
	PBDE # 153	ug/kg	51	21	0	5.1E-01	1.5E+00	Nonparametric	95% KM (t) UCL	5.3E-01	5.1E-01	5.3E-01
	PBDE # 209	ug/kg	51	14	0	2.2E+01	4.4E+02	Nonparametric	95% KM (Chebyshev) UCL	6.0E+01	2.2E+01	6.0E+01

Notes:

a Exposure points for in-water sediment are per half river mile, per side of river. No samples within the human health data set were taken at exposure area of RM 11.5 East, and therefore it is not listed in the table. In-water sediment data set for human health includes in-water sediment samples taken from less than 30.5 centimeters in depth and outside of the navigation channel.

b Chemicals of potential concern include all PBDE congeners detected in the BHHRA in-water sediment dataset, which is described in Section 2.

c Total number of non-detects in the dataset.

d Number of non-detects with detection limit exceeding the maximum detected concentration for the given exposure area. These non-detects were removed from the dataset prior to calculation of EPCs.

e Non-detects less than the maximum detected concentration for a given exposure area are included in the arithmetic mean at half the detection limit.

f Mean exposure point concentrations were used for Central Tendency (CT) exposure and 95% UCL/Max exposure point concentrations were used for Reasonable Maximum Exposure (RME) in the BHHRA.

g 95% UCL not calculated for analytes with fewer than five detects.

h Study Area-wide data set includes samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable. A 95% UCL could not be computed for the given data set.   RM = River mile.   ND = Not detected. Chemical not detected in given exposure area.

95% UCL = 95% Upper confidence limit on the mean.   ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-2.
Exposure Point Concentration Summary for PBDEs - Resident Fish Species, by River Mile

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration
RM 2	F	**Polybrominated Diphenyl Ethers**										
		PBDE #028	ug/kg	1	1	0	ND	ND	--	Fewer than 5 detects[f]	--	ND
		PBDE #047	ug/kg	1	1	0	ND	ND				ND
		PBDE #099	ug/kg	1	1	0	ND	ND				ND
		PBDE #100	ug/kg	1	1	0	ND	ND				ND
		PBDE #153	ug/kg	1	1	0	ND	ND				ND
		PBDE #154	ug/kg	1	1	0	ND	ND				ND
		PBDE #183	ug/kg	1	1	0	ND	ND				ND
RM 3	F	**Polybrominated Diphenyl Ethers**										
		PBDE #028	ug/kg	2	2	0	ND	ND	--	Fewer than 5 detects	--	ND
		PBDE #047	ug/kg	2	2	0	ND	ND				ND
		PBDE #099	ug/kg	2	2	0	ND	ND				ND
		PBDE #100	ug/kg	2	2	0	ND	ND				ND
		PBDE #153	ug/kg	2	0	0	1.2E-01	1.3E-01				1.3E-01
		PBDE #154	ug/kg	2	0	0	4.0E-02	5.0E-02				5.0E-02
		PBDE #183	ug/kg	2	2	0	ND	ND				ND
RM 4	F	**Polybrominated Diphenyl Ethers**										
		PBDE #028	ug/kg	2	2	0	ND	ND	--	Fewer than 5 detects	--	ND
		PBDE #047	ug/kg	2	0	0	4.6E+00	6.0E+00				6.0E+00
		PBDE #099	ug/kg	2	2	0	ND	ND				ND
		PBDE #100	ug/kg	2	2	0	ND	ND				ND
		PBDE #153	ug/kg	2	0	0	3.4E-01	5.0E-01				5.0E-01
		PBDE #154	ug/kg	2	0	0	1.6E-01	2.5E-01				2.5E-01
		PBDE #183	ug/kg	2	2	0	ND	ND				ND
RM 5	F	**Polybrominated Diphenyl Ethers**										
		PBDE #028	ug/kg	1	1	0	ND	ND	--	Fewer than 5 detects	--	ND
		PBDE #047	ug/kg	1	0	0	3.4E+00	3.4E+00				3.4E+00
		PBDE #099	ug/kg	1	1	0	ND	ND				ND
		PBDE #100	ug/kg	1	1	0	ND	ND				ND
		PBDE #153	ug/kg	1	0	0	1.3E-01	1.3E-01				1.3E-01
		PBDE #154	ug/kg	1	0	0	9.0E-02	9.0E-02				9.0E-02
		PBDE #183	ug/kg	1	1	0	ND	ND				ND
RM 6	F	**Polybrominated Diphenyl Ethers**										
		PBDE #028	ug/kg	2	2	0	ND	ND	--	Fewer than 5 detects	--	ND
		PBDE #047	ug/kg	2	1	0	2.0E+00	3.0E+00				3.0E+00
		PBDE #099	ug/kg	2	2	0	ND	ND				ND
		PBDE #100	ug/kg	2	2	0	ND	ND				ND
		PBDE #153	ug/kg	2	0	0	1.4E-01	1.9E-01				1.9E-01
		PBDE #154	ug/kg	2	0	0	8.0E-02	9.0E-02				9.0E-02
		PBDE #183	ug/kg	2	2	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-2.
Exposure Point Concentration Summary for PBDEs - Resident Fish Species, by River Mile

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration
RM 7	F	**Polybrominated Diphenyl Ethers**										
		PBDE #028	ug/kg	2	2	0	ND	ND	--	Fewer than 5 detects	--	ND
		PBDE #047	ug/kg	2	2	0	ND	ND				ND
		PBDE #099	ug/kg	2	2	0	ND	ND				ND
		PBDE #100	ug/kg	2	2	0	ND	ND				ND
		PBDE #153	ug/kg	2	0	0	8.0E-02	1.0E-01				1.0E-01
		PBDE #154	ug/kg	2	0	0	5.0E-02	6.0E-02				6.0E-02
		PBDE #183	ug/kg	2	2	0	ND	ND				ND
RM 8	F	**Polybrominated Diphenyl Ethers**										
		PBDE #028	ug/kg	2	2	0	ND	ND	--	Fewer than 5 detects	--	ND
		PBDE #047	ug/kg	2	2	0	ND	ND				ND
		PBDE #099	ug/kg	2	2	0	ND	ND				ND
		PBDE #100	ug/kg	2	2	0	ND	ND				ND
		PBDE #153	ug/kg	2	1	1	1.3E-01	1.3E-01				1.3E-01
		PBDE #154	ug/kg	2	1	1	5.0E-02	5.0E-02				5.0E-02
		PBDE #183	ug/kg	2	2	0	ND	ND				ND
RM 9	F	**Polybrominated Diphenyl Ethers**										
		PBDE #028	ug/kg	2	2	0	ND	ND	--	Fewer than 5 detects	--	ND
		PBDE #047	ug/kg	2	2	0	ND	ND				ND
		PBDE #099	ug/kg	2	2	0	ND	ND				ND
		PBDE #100	ug/kg	2	2	0	ND	ND				ND
		PBDE #153	ug/kg	2	1	1	9.0E-02	9.0E-02				9.0E-02
		PBDE #154	ug/kg	2	1	1	3.0E-02	3.0E-02				3.0E-02
		PBDE #183	ug/kg	2	2	0	ND	ND				ND
RM 10	F	**Polybrominated Diphenyl Ethers**										
		PBDE #028	ug/kg	2	2	0	ND	ND	--	Fewer than 5 detects	--	ND
		PBDE #047	ug/kg	2	2	0	ND	ND				ND
		PBDE #099	ug/kg	2	2	0	ND	ND				ND
		PBDE #100	ug/kg	2	2	0	ND	ND				ND
		PBDE #153	ug/kg	2	1	1	1.3E-01	1.3E-01				1.3E-01
		PBDE #154	ug/kg	2	1	1	5.0E-02	5.0E-02				5.0E-02
		PBDE #183	ug/kg	2	2	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-2.

Exposure Point Concentration Summary for PBDEs - Resident Fish Species, by River Mile

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration
									Distribution	95% UCL Method	Value	
RM 11	F	**Polybrominated Diphenyl Ethers**										
		PBDE #028	ug/kg	2	2	0	ND	ND	--	Fewer than 5 detects	--	ND
		PBDE #047	ug/kg	2	1	0	2.3E+00	3.4E+00				3.4E+00
		PBDE #099	ug/kg	2	2	0	ND	ND				ND
		PBDE #100	ug/kg	2	2	0	ND	ND				ND
		PBDE #153	ug/kg	2	0	0	3.2E-01	4.4E-01				4.4E-01
		PBDE #154	ug/kg	2	0	0	1.8E-01	2.8E-01				2.8E-01
		PBDE #183	ug/kg	2	2	0	ND	ND				ND

Notes:

a Exposure areas for smallmouth bass tissue are on a RM basis, such that samples collected from RM 1.5 - 2.5 are included in exposure area RM 2, etc.

b Chemicals of potential concern are PBDE congeners analyzed and detected at least once in smallmouth bass tissue within the Study Area. Congener #209 was analyzed but not detected in smallmouth bass tissue.

c Total number of non-detects in the dataset.

d Number of non-detects with detection limit exceeding the maximum detected concentration for the exposure area. These non-detects were removed from the dataset prior to calculation of EPCs.

e Non-detects less than the maximum detected concentration for a given exposure area are included in the arithmetic mean at half the detection limit.

f 95% UCL not calculated for analytes with fewer than five detects.

Abbreviations:

-- = Not applicable. A 95% UCL could not be computed for the given data set.

95% UCL = 95% Upper confidence limit on the mean.

F = Fillet tissue. All smallmouth bass fillet tissue was analyzed as fillet with skin, except mercury, which was analyzed as fillet without skin.

ND = Not detected in the given exposure area.

PBDE = Polybrominated Diphenyl Ether

RM = River mile.

ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-3.

Exposure Point Concentration Summary for PBDEs - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration
									Distribution	95% UCL Method	Value	
RM 1 East	UD	**Polybrominated Diphenyl Ethers**										
		PBDE #047	ug/kg	1	0	0	7.9E+00	7.9E+00	--	Fewer than 5 detects[f]	--	7.9E+00
ND		PBDE #099	ug/kg	1	1	0	ND	ND				ND
		PBDE #100	ug/kg	1	0	0	3.2E+00	3.2E+00				3.2E+00
		PBDE #153	ug/kg	1	0	0	3.0E-01	3.0E-01				3.0E-01
		PBDE #154	ug/kg	1	0	0	2.8E-01	2.8E-01				2.8E-01
RM 2 West	UD	**Polybrominated Diphenyl Ethers**										
		PBDE #047	ug/kg	1	0	0	7.9E+00	7.9E+00	--	Fewer than 5 detects	--	7.9E+00
		PBDE #099	ug/kg	1	1	0	ND	ND				ND
3.1E+00		PBDE #100	ug/kg	1	0	0	3.1E+00	3.1E+00				3.1E+00
		PBDE #153	ug/kg	1	0	0	2.9E-01	2.9E-01				2.9E-01
		PBDE #154	ug/kg	1	0	0	2.6E-01	2.6E-01				2.6E-01
RM 5 East	UD	**Polybrominated Diphenyl Ethers**										
		PBDE #047	ug/kg	1	0	0	1.0E+01	1.0E+01	--	Fewer than 5 detects	--	1.0E+01
		PBDE #099	ug/kg	1	0	0	2.7E+00	2.7E+00				2.7E+00
		PBDE #100	ug/kg	1	0	0	3.8E+00	3.8E+00				3.8E+00
		PBDE #153	ug/kg	1	0	0	3.4E-01	3.4E-01				3.4E-01
		PBDE #154	ug/kg	1	0	0	3.4E-01	3.4E-01				3.4E-01
RM 10 West	UD	**Polybrominated Diphenyl Ethers**										
		PBDE #047	ug/kg	1	0	0	7.3E+00	7.3E+00	--	Fewer than 5 detects	--	7.3E+00
		PBDE #099	ug/kg	1	0	0	2.0E+00	2.0E+00				2.0E+00
		PBDE #100	ug/kg	1	0	0	2.8E+00	2.8E+00				2.8E+00
		PBDE #153	ug/kg	1	0	0	2.2E-01	2.2E-01				2.2E-01
		PBDE #154	ug/kg	1	0	0	2.3E-01	2.3E-01				2.3E-01
RM 11 East	UD	**Polybrominated Diphenyl Ethers**										
		PBDE #047	ug/kg	1	0	0	9.6E+00	9.6E+00	--	Fewer than 5 detects	--	9.6E+00
		PBDE #099	ug/kg	1	0	0	2.8E+00	2.8E+00				2.8E+00
		PBDE #100	ug/kg	1	0	0	3.9E+00	3.9E+00				3.9E+00
		PBDE #153	ug/kg	1	0	0	3.7E-01	3.7E-01				3.7E-01
		PBDE #154	ug/kg	1	0	0	3.5E-01	3.5E-01				3.5E-01
RM 12 East	UD	**Polybrominated Diphenyl Ethers**										
		PBDE #047	ug/kg	1	0	0	1.2E+01	1.2E+01	--	Fewer than 5 detects	--	1.2E+01
		PBDE #099	ug/kg	1	0	0	3.7E+00	3.7E+00				3.7E+00
		PBDE #100	ug/kg	1	0	0	4.6E+00	4.6E+00				4.6E+00
		PBDE #153	ug/kg	1	0	0	4.9E-01	4.9E-01				4.9E-01
		PBDE #154	ug/kg	1	0	0	4.1E-01	4.1E-01				4.1E-01

Notes:

a Exposure areas for clam tissue are on a RM basis per side of river, such that samples collected from RM 3.0 - 3.9 west of the navigation channel are included in exposure area RM 3 West, etc.

b Chemicals of potential concern are PBDE congeners analyzed and detected at least once in clam tissue within the Study Area. Congeners #28, #183, and #209 were analyzed but not detected in clam tissue.

c Total number of non-detects in the dataset.

d Number of non-detects with detection limit exceeding the maximum detected concentration for the exposure area. These non-detects were removed from the dataset prior to calculation of EPCs.

e Non-detects less than the maximum detected concentration for a given exposure area are included in the arithmetic mean at half the detection limit.

f 95% UCL not calculated for analytes with fewer than five detects.

Abbreviations:

-- = Not applicable. A 95% UCL could not be computed for the given data set.

95% UCL = 95% Upper confidence limit on the mean.

ND = Not detected in the given exposure area.

PBDE = Polybrominated Diphenyl Ether

RM = River mile.

UD = Undepurated tissue.

ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-4.

Exposure Point Concentration Summary for PBDEs - Clam, Study Area-Wide

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, Study Area-Wide

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration
									Distribution	95% UCL Method	Value	
Study Area-Wide	UD	**Polybrominated Diphenyl Ethers**										
		PBDE #047	ug/kg	4	0	0	8.7E+00	1.0E+01	--	Fewer than 5 detects[f]	--	1.0E+01
		PBDE #099	ug/kg	4	1	0	2.1E+00	2.8E+00	--	Fewer than 5 detects	--	2.8E+00
		PBDE #100	ug/kg	4	0	0	3.4E+00	3.9E+00	--	Fewer than 5 detects	--	3.9E+00
		PBDE #153	ug/kg	4	0	0	3.0E-01	3.7E-01	--	Fewer than 5 detects	--	3.7E-01
		PBDE #154	ug/kg	4	0	0	3.0E-01	3.5E-01	--	Fewer than 5 detects	--	3.5E-01

Notes:

a Chemicals of potential concern are PBDE congeners analyzed and detected at least once in clam tissue within the Study Area. Congeners #28, #183, and #209 were analyzed but not detected in clam tissue.

b Total number of non-detects in the Study Area-wide dataset.

c Number of non-detects with detection limit exceeding the maximum detected concentration for the exposure area. These non-detects were removed from the dataset prior to calculation of EPCs.

d Non-detects less than the maximum detected concentration for a given exposure area are included in the arithmetic mean at half the detection limit.

e 95% UCL not calculated for analytes with fewer than five detects.

Abbreviations:

-- = Not applicable. A 95% UCL could not be computed for the given data set.

95% UCL = 95% Upper confidence limit on the mean.

PBDE = Polybrominated Diphenyl Ether

RM = River mile.

UD = Undepurated tissue.

ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-5.
PBDE Toxicity Data

Noncancer Toxicity Data

CAS Number	COPC[a]	Oral RfD[b] mg/kg-day	Oral Absorption Efficiency for Dermal[c]	Absorbed RfD for Dermal mg/kg-day	Primary Target Organ(s)	Combined Uncertainty/Modifying Factors
41318-75-6	PBDE #028	NL	1	NL	NL	NL
5436-43-1	PBDE #047	1.0E-04	1	1.0E-05	neurobehavioral	3000
60348-60-9	PBDE #099	1.0E-04	1	1.0E-05	neurobehavioral	3000
189084-64-8	PBDE #100	NL	1	NL	NL	NL
68631-49-2	PBDE #153	2.0E-04	1	2.0E-05	neurobehavioral	3000
207122-15-4	PBDE #154	NL	1	NL	NL	NL
68928-80-3	PBDE #183	NL	1	NL	NL	NL
1163-19-5	PBDE #209	7.0E-03	1	NL	NL	3.0E+02

Toxicity Data for Carcinogens

CAS Number	COPC[a]	Oral Cancer Slope Factor[b] (mg/kg-day)-1	Oral Absorption Efficiency for Dermal[c]	Absorbed Cancer Slope Factor for Dermal (mg/kg-day)-1	Weight of Evidence for Carcinogenicity[b]
41318-75-6	PBDE #028	NL	1	NL	Inadequate information to assess carcinogenic potential
5436-43-1	PBDE #047	NL	1	NL	Inadequate information to assess carcinogenic potential
60348-60-9	PBDE #099	NL	1	NL	Inadequate information to assess carcinogenic potential
189084-64-8	PBDE #100	NL	1	NL	Inadequate information to assess carcinogenic potential
68631-49-2	PBDE #153	NL	1	NL	Inadequate information to assess carcinogenic potential
207122-15-4	PBDE #154	NL	1	NL	Inadequate information to assess carcinogenic potential
68928-80-3	PBDE #183	NL	1	NL	Inadequate information to assess carcinogenic potential
1163-19-5	PBDE #209	7.0E-04	1	7.0E-04	Suggestive evidence of carcinogenic potential

Notes

a COPCs listed in table are PBDE congeners analyzed and detected in the BHHRA dataset, as described in Attachment F3.

b Retrieved from the EPA's IRIS database (February 2011).

c The value presented for the PBDE oral absorption efficiency for dermal is consistent with Risk Assessment Guidance for Superfund. Volume I: Human Health Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment) Final, July 2004. EPA/540/R/99/005.

Abbreviations

-- Not applicable.
CAS Chemical Abstracts Service
COPC Chemical of Potential Concern
CSF Cancer slope factor
EPA United States Environmental Protection Agency
IRIS Integrated Risk Information System, Accessed online February 2011.
mg/kg-day milligram per kilogram per day
NL Not Listed
PBDE Polybrominated Diphenyl Ethers
RfD Reference Dose

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-6.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 1 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.6E-01	ug/kg	--	--	1E-12	4E-12	--	--	--	1E-04	1E-04	9E-12	3E-11	9E-08	3E-07	0.0000004
	PBDE # 99	3.7E-01	ug/kg	--	--	1E-12	4E-12	--	--	--	1E-04	1E-04	1E-11	3E-11	1E-07	3E-07	0.0000004
	PBDE # 209	4.0E+00	ug/kg	7E-04	7E-04	1E-11	4E-11	1E-14	3E-14	4E-14	7E-03	7E-03	1E-10	3E-10	1E-08	4E-08	0.0000001
Exposure Point Total[c]										4E-14							0.000001
RM 1 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	7.6E-01	ug/kg	--	--	3E-12	8E-12	--	--	--	1E-04	1E-04	2E-11	6E-11	2E-07	6E-07	0.000001
	PBDE # 99	6.3E-01	ug/kg	--	--	2E-12	7E-12	--	--	--	1E-04	1E-04	2E-11	5E-11	2E-07	5E-07	0.000001
	PBDE # 209	3.7E+00	ug/kg	7E-04	7E-04	1E-11	4E-11	1E-14	3E-14	4E-14	7E-03	7E-03	1E-10	3E-10	1E-08	4E-08	0.0000001
Exposure Point Total										4E-14							0.000002
RM 1.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E-01	ug/kg	--	--	4E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	9E-12	3E-08	9E-08	0.0000001
Exposure Point Total										--							0.0000001
RM 1.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	5E-12	2E-11	--	--	--	1E-04	1E-04	4E-11	1E-10	4E-07	1E-06	0.000001
	PBDE # 99	1.4E+00	ug/kg	--	--	5E-12	2E-11	--	--	--	1E-04	1E-04	4E-11	1E-10	4E-07	1E-06	0.000001
	PBDE # 153	1.8E-01	ug/kg	--	--	7E-13	2E-12	--	--	--	2E-04	2E-04	5E-12	1E-11	2E-08	7E-08	0.0000001
	PBDE # 209	4.5E+00	ug/kg	7E-04	7E-04	2E-11	5E-11	1E-14	4E-14	5E-14	7E-03	7E-03	1E-10	4E-10	2E-08	5E-08	0.0000001
Exposure Point Total										5E-14							0.000003
RM 2 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	7E-12	2E-11	--	--	--	1E-04	1E-04	5E-11	1E-10	5E-07	1E-06	0.000002
	PBDE # 99	1.7E+00	ug/kg	--	--	6E-12	2E-11	--	--	--	1E-04	1E-04	4E-11	1E-10	4E-07	1E-06	0.000002
	PBDE # 153	4.2E-01	ug/kg	--	--	2E-12	5E-12	--	--	--	2E-04	2E-04	1E-11	3E-11	5E-08	2E-07	0.0000002
	PBDE # 209	6.0E+00	ug/kg	7E-04	7E-04	2E-11	7E-11	2E-14	5E-14	6E-14	7E-03	7E-03	2E-10	5E-10	2E-08	7E-08	0.0000001
Exposure Point Total										6E-14							0.000004
RM 2 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	7E-12	2E-11	--	--	--	1E-04	1E-04	5E-11	1E-10	5E-07	1E-06	0.000002
	PBDE # 99	2.1E+00	ug/kg	--	--	8E-12	2E-11	--	--	--	1E-04	1E-04	5E-11	2E-10	5E-07	2E-06	0.000002
	PBDE # 153	2.9E-01	ug/kg	--	--	1E-12	3E-12	--	--	--	2E-04	2E-04	7E-12	2E-11	4E-08	1E-07	0.0000001
	PBDE # 209	8.4E+00	ug/kg	7E-04	7E-04	3E-11	9E-11	2E-14	7E-14	9E-14	7E-03	7E-03	2E-10	7E-10	3E-08	9E-08	0.0000001
Exposure Point Total										9E-14							0.000004
RM 2.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.0E-01	ug/kg	--	--	7E-13	2E-12	--	--	--	1E-04	1E-04	5E-12	2E-11	5E-08	2E-07	0.0000002
	PBDE # 99	2.4E-01	ug/kg	--	--	9E-13	3E-12	--	--	--	1E-04	1E-04	6E-12	2E-11	6E-08	2E-07	0.0000002
Exposure Point Total										--							0.0000005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-6.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
						Cancer Risk Calculations[a]							Noncancer Hazard Calculations[a]				
RM 2.5 MC	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E-01	ug/kg	--	--	5E-13	2E-12	--	--	--	1E-04	1E-04	4E-12	1E-11	4E-08	1E-07	0.0000001
Exposure Point Total										--							0.0000001
RM 3 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	5E-12	2E-11	--	--	--	1E-04	1E-04	4E-11	1E-10	4E-07	1E-06	0.000001
	PBDE # 99	1.3E+00	ug/kg	--	--	5E-12	1E-11	--	--	--	1E-04	1E-04	3E-11	1E-10	3E-07	1E-06	0.000001
	PBDE # 153	2.9E-01	ug/kg	--	--	1E-12	3E-12	--	--	--	2E-04	2E-04	7E-12	2E-11	4E-08	1E-07	0.0000002
	PBDE # 209	5.3E+00	ug/kg	7E-04	7E-04	2E-11	6E-11	1E-14	4E-14	6E-14	7E-03	7E-03	1E-10	4E-10	2E-08	6E-08	0.000001
Exposure Point Total										6E-14							0.000003
RM 3 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.6E+00	ug/kg	--	--	6E-12	2E-11	--	--	--	1E-04	1E-04	4E-11	1E-10	4E-07	1E-06	0.000002
	PBDE # 99	1.6E+00	ug/kg	--	--	6E-12	2E-11	--	--	--	1E-04	1E-04	4E-11	1E-10	4E-07	1E-06	0.000002
	PBDE # 153	3.3E-01	ug/kg	--	--	1E-12	4E-12	--	--	--	2E-04	2E-04	9E-12	3E-11	4E-08	1E-07	0.0000002
	PBDE # 209	6.9E+00	ug/kg	7E-04	7E-04	3E-11	8E-11	2E-14	5E-14	7E-14	7E-03	7E-03	2E-10	5E-10	3E-08	8E-08	0.0000001
Exposure Point Total										7E-14							0.000004
RM 3.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E-01	ug/kg	--	--	5E-13	2E-12	--	--	--	1E-04	1E-04	4E-12	1E-11	4E-08	1E-07	0.0000001
	PBDE # 99	1.2E-01	ug/kg	--	--	4E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	9E-12	3E-08	9E-08	0.0000001
Exposure Point Total										--							0.0000003
RM 3.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	5.2E+00	ug/kg	--	--	2E-11	6E-11	--	--	--	1E-04	1E-04	1E-10	4E-10	1E-06	4E-06	0.000005
	PBDE # 99	8.2E+00	ug/kg	--	--	3E-11	9E-11	--	--	--	1E-04	1E-04	2E-10	6E-10	2E-06	6E-06	0.000009
	PBDE # 153	1.5E+00	ug/kg	--	--	6E-12	2E-11	--	--	--	2E-04	2E-04	4E-11	1E-10	2E-07	6E-07	0.000001
	PBDE # 209	5.6E+01	ug/kg	7E-04	7E-04	2E-10	6E-10	1E-13	4E-13	6E-13	7E-03	7E-03	1E-09	4E-09	2E-07	6E-07	0.000001
Exposure Point Total										6E-13							0.00002
RM 4 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.5E-01	ug/kg	--	--	1E-12	4E-12	--	--	--	1E-04	1E-04	9E-12	3E-11	9E-08	3E-07	0.0000004
	PBDE # 99	2.3E-01	ug/kg	--	--	8E-13	3E-12	--	--	--	1E-04	1E-04	6E-12	2E-11	6E-08	2E-07	0.0000002
Exposure Point Total										--							0.000001
RM 5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.7E-01	ug/kg	--	--	1E-12	4E-12	--	--	--	1E-04	1E-04	1E-11	3E-11	1E-07	3E-07	0.0000004
	PBDE # 99	3.7E-01	ug/kg	--	--	1E-12	4E-12	--	--	--	1E-04	1E-04	1E-11	3E-11	1E-07	3E-07	0.0000004
Exposure Point Total										--							0.000001
RM 5.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	5E-12	2E-11	--	--	--	1E-04	1E-04	4E-11	1E-10	4E-07	1E-06	0.000001
	PBDE # 99	1.2E+00	ug/kg	--	--	4E-12	1E-11	--	--	--	1E-04	1E-04	3E-11	9E-11	3E-07	9E-07	0.000001
	PBDE # 153	2.3E-01	ug/kg	--	--	8E-13	3E-12	--	--	--	2E-04	2E-04	6E-12	2E-11	3E-08	9E-08	0.0000001
	PBDE # 209	7.4E+00	ug/kg	7E-04	7E-04	3E-11	8E-11	2E-14	6E-14	8E-14	7E-03	7E-03	2E-10	6E-10	3E-08	8E-08	0.0000001
Exposure Point Total										8E-14							0.000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-6.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 5.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	7E-12	2E-11	--	--	--	1E-04	1E-04	5E-11	1E-10	5E-07	1E-06	0.000002
	PBDE # 99	1.8E+00	ug/kg	--	--	7E-12	2E-11	--	--	--	1E-04	1E-04	5E-11	1E-10	5E-07	1E-06	0.000002
	PBDE # 153	2.6E-01	ug/kg	--	--	1E-12	3E-12	--	--	--	2E-04	2E-04	7E-12	2E-11	3E-08	1E-07	0.0000001
	PBDE # 209	2.8E+00	ug/kg	7E-04	7E-04	1E-11	3E-11	7E-15	2E-14	3E-14	7E-03	7E-03	7E-11	2E-10	1E-08	3E-08	0.00000004
Exposure Point Total										3E-14							0.000004
RM 6 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.3E-01	ug/kg	--	--	5E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	1E-11	3E-08	1E-07	0.0000001
	PBDE # 99	1.3E-01	ug/kg	--	--	5E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	1E-11	3E-08	1E-07	0.0000001
	PBDE # 209	3.5E+00	ug/kg	7E-04	7E-04	1E-11	4E-11	9E-15	3E-14	4E-14	7E-03	7E-03	9E-11	3E-10	1E-08	4E-08	0.0000001
Exposure Point Total										4E-14							0.0000003
RM 6 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.7E-01	ug/kg	--	--	1E-12	3E-12	--	--	--	1E-04	1E-04	7E-12	2E-11	7E-08	2E-07	0.0000003
	PBDE # 99	1.7E-01	ug/kg	--	--	6E-13	2E-12	--	--	--	1E-04	1E-04	4E-12	1E-11	4E-08	1E-07	0.0000002
Exposure Point Total										--							0.0000005
RM 6.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.1E-01	ug/kg	--	--	4E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	9E-12	3E-08	9E-08	0.0000001
	PBDE # 99	1.3E-01	ug/kg	--	--	5E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	1E-11	3E-08	1E-07	0.0000001
Exposure Point Total										--							0.0000002
RM 6.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	7E-12	2E-11	--	--	--	1E-04	1E-04	5E-11	1E-10	5E-07	1E-06	0.000002
	PBDE # 99	1.9E+00	ug/kg	--	--	7E-12	2E-11	--	--	--	1E-04	1E-04	5E-11	1E-10	5E-07	1E-06	0.000002
	PBDE # 153	3.5E-01	ug/kg	--	--	1E-12	4E-12	--	--	--	2E-04	2E-04	9E-12	3E-11	5E-08	1E-07	0.0000002
	PBDE # 209	2.5E+01	ug/kg	7E-04	7E-04	9E-11	3E-10	6E-14	2E-13	3E-13	7E-03	7E-03	6E-10	2E-09	9E-08	3E-07	0.0000004
Exposure Point Total										3E-13							0.000004
RM 7 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.5E-01	ug/kg	--	--	4E-12	1E-11	--	--	--	1E-04	1E-04	2E-11	7E-11	2E-07	7E-07	0.000001
	PBDE # 99	9.9E-01	ug/kg	--	--	4E-12	1E-11	--	--	--	1E-04	1E-04	3E-11	8E-11	3E-07	8E-07	0.000001
	PBDE # 153	2.9E-01	ug/kg	--	--	1E-12	3E-12	--	--	--	2E-04	2E-04	7E-12	2E-11	4E-08	1E-07	0.0000002
	PBDE # 209	6.1E+00	ug/kg	7E-04	7E-04	2E-11	7E-11	2E-14	5E-14	6E-14	7E-03	7E-03	2E-10	5E-10	2E-08	7E-08	0.0000001
Exposure Point Total										6E-14							0.000002
RM 7 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.7E+00	ug/kg	--	--	6E-12	2E-11	--	--	--	1E-04	1E-04	4E-11	1E-10	4E-07	1E-06	0.000002
	PBDE # 99	1.5E+00	ug/kg	--	--	6E-12	2E-11	--	--	--	1E-04	1E-04	4E-11	1E-10	4E-07	1E-06	0.000002
	PBDE # 153	3.1E-01	ug/kg	--	--	1E-12	3E-12	--	--	--	2E-04	2E-04	8E-12	2E-11	4E-08	1E-07	0.0000002
	PBDE # 209	6.2E+00	ug/kg	7E-04	7E-04	2E-11	7E-11	2E-14	5E-14	6E-14	7E-03	7E-03	2E-10	5E-10	2E-08	7E-08	0.0000001
Exposure Point Total										6E-14							0.000004
RM 7.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.7E+00	ug/kg	--	--	6E-12	2E-11	--	--	--	1E-04	1E-04	4E-11	1E-10	4E-07	1E-06	0.000002
	PBDE # 99	1.5E+00	ug/kg	--	--	6E-12	2E-11	--	--	--	1E-04	1E-04	4E-11	1E-10	4E-07	1E-06	0.000002
	PBDE # 153	3.1E-01	ug/kg	--	--	1E-12	3E-12	--	--	--	2E-04	2E-04	8E-12	2E-11	4E-08	1E-07	0.0000002
	PBDE # 209	5.1E+00	ug/kg	7E-04	7E-04	2E-11	6E-11	1E-14	4E-14	5E-14	7E-03	7E-03	1E-10	4E-10	2E-08	6E-08	0.0000001
Exposure Point Total										5E-14							0.000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-6.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: In-water Worker Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 7.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.5E+00	ug/kg	--	--	9E-12	3E-11	--	--	--	1E-04	1E-04	6E-11	2E-10	6E-07	2E-06	0.000003
	PBDE # 99	2.9E+00	ug/kg	--	--	1E-11	3E-11	--	--	--	1E-04	1E-04	7E-11	2E-10	7E-07	2E-06	0.00003
	PBDE # 153	4.5E-01	ug/kg	--	--	2E-12	5E-12	--	--	--	2E-04	2E-04	1E-11	4E-11	6E-08	2E-07	0.0000002
	PBDE # 209	1.3E+01	ug/kg	7E-04	7E-04	5E-11	1E-10	3E-14	1E-13	1E-13	7E-03	7E-03	3E-10	1E-09	5E-08	1E-07	0.0000002
Exposure Point Total										1E-13							0.000006
RM 8 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	8.3E-01	ug/kg	--	--	3E-12	9E-12	--	--	--	1E-04	1E-04	2E-11	6E-11	2E-07	6E-07	0.000001
	PBDE # 99	1.2E+00	ug/kg	--	--	4E-12	1E-11	--	--	--	1E-04	1E-04	3E-11	9E-11	3E-07	9E-07	0.000001
	PBDE # 153	8.4E-01	ug/kg	--	--	3E-12	9E-12	--	--	--	2E-04	2E-04	2E-11	7E-11	1E-07	3E-07	0.0000004
	PBDE # 209	4.4E+02	ug/kg	7E-04	7E-04	2E-09	5E-09	1E-12	3E-12	5E-12	7E-03	7E-03	1E-08	3E-08	2E-06	5E-06	0.000007
Exposure Point Total										5E-12							0.000009
RM 8 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.1E+00	ug/kg	--	--	8E-12	2E-11	--	--	--	1E-04	1E-04	5E-11	2E-10	5E-07	2E-06	0.000002
	PBDE # 99	2.2E+00	ug/kg	--	--	8E-12	2E-11	--	--	--	1E-04	1E-04	6E-11	2E-10	6E-07	2E-06	0.000002
	PBDE # 153	6.2E-01	ug/kg	--	--	2E-12	7E-12	--	--	--	2E-04	2E-04	2E-11	5E-11	8E-08	2E-07	0.0000003
	PBDE # 209	2.4E+01	ug/kg	7E-04	7E-04	9E-11	3E-10	6E-14	2E-13	2E-13	7E-03	7E-03	6E-10	2E-09	9E-08	3E-07	0.0000004
Exposure Point Total										2E-13							0.000005
RM 8 SIL	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	4.5E+00	ug/kg	--	--	2E-11	5E-11	--	--	--	1E-04	1E-04	1E-10	4E-10	1E-06	4E-06	0.000005
	PBDE # 99	4.3E+00	ug/kg	--	--	2E-11	5E-11	--	--	--	1E-04	1E-04	1E-10	3E-10	1E-06	3E-06	0.000004
	PBDE # 153	1.2E+00	ug/kg	--	--	4E-12	1E-11	--	--	--	2E-04	2E-04	3E-11	9E-11	2E-07	5E-07	0.000001
	PBDE # 209	3.7E+01	ug/kg	7E-04	7E-04	1E-10	4E-10	1E-13	3E-13	4E-13	7E-03	7E-03	1E-09	3E-09	1E-07	4E-07	0.000001
Exposure Point Total										4E-13							0.00001
RM 8.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.0E+00	ug/kg	--	--	7E-12	2E-11	--	--	--	1E-04	1E-04	5E-11	2E-10	5E-07	2E-06	0.000002
	PBDE # 99	2.2E+00	ug/kg	--	--	8E-12	2E-11	--	--	--	1E-04	1E-04	6E-11	2E-10	6E-07	2E-06	0.000002
	PBDE # 153	4.1E-01	ug/kg	--	--	2E-12	5E-12	--	--	--	2E-04	2E-04	1E-11	3E-11	5E-08	2E-07	0.0000002
	PBDE # 209	1.1E+01	ug/kg	7E-04	7E-04	4E-11	1E-10	3E-14	9E-14	1E-13	7E-03	7E-03	3E-10	9E-10	4E-08	1E-07	0.0000002
Exposure Point Total										1E-13							0.000005
RM 8.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	4.1E+00	ug/kg	--	--	2E-11	5E-11	--	--	--	1E-04	1E-04	1E-10	3E-10	1E-06	3E-06	0.000004
	PBDE # 99	5.6E+00	ug/kg	--	--	2E-11	6E-11	--	--	--	1E-04	1E-04	1E-10	4E-10	1E-06	4E-06	0.000006
	PBDE # 153	1.1E+00	ug/kg	--	--	4E-12	1E-11	--	--	--	2E-04	2E-04	3E-11	9E-11	1E-07	4E-07	0.000001
	PBDE # 209	9.0E+01	ug/kg	7E-04	7E-04	3E-10	1E-09	2E-13	7E-13	9E-13	7E-03	7E-03	2E-09	7E-09	3E-07	1E-06	0.000001
Exposure Point Total										9E-13							0.00001
RM 9 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.3E+00	ug/kg	--	--	5E-12	1E-11	--	--	--	1E-04	1E-04	3E-11	1E-10	3E-07	1E-06	0.000001
	PBDE # 99	1.2E+00	ug/kg	--	--	4E-12	1E-11	--	--	--	1E-04	1E-04	3E-11	9E-11	3E-07	9E-07	0.000001
	PBDE # 153	1.9E-01	ug/kg	--	--	7E-13	2E-12	--	--	--	2E-04	2E-04	5E-12	1E-11	2E-08	7E-08	0.0000001
	PBDE # 209	2.9E+00	ug/kg	7E-04	7E-04	1E-11	3E-11	7E-15	2E-14	3E-14	7E-03	7E-03	7E-11	2E-10	1E-08	3E-08	0.00000004
Exposure Point Total										3E-14							0.000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-6.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 9 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.3E-01	ug/kg	--	--	1E-12	4E-12	--	--	--	1E-04	1E-04	9E-12	3E-11	9E-08	3E-07	0.0000003
	PBDE # 99	1.8E-01	ug/kg	--	--	7E-13	2E-12	--	--	--	1E-04	1E-04	5E-12	1E-11	5E-08	1E-07	0.0000002
Exposure Point Total										--							0.000001
RM 9.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	7E-12	2E-11	--	--	--	1E-04	1E-04	5E-11	1E-10	5E-07	1E-06	0.000002
	PBDE # 99	2.7E+00	ug/kg	--	--	1E-11	3E-11	--	--	--	1E-04	1E-04	7E-11	2E-10	7E-07	2E-06	0.000003
	PBDE # 153	5.2E-01	ug/kg	--	--	2E-12	6E-12	--	--	--	2E-04	2E-04	1E-11	4E-11	7E-08	2E-07	0.0000003
	PBDE # 209	4.6E+01	ug/kg	7E-04	7E-04	2E-10	5E-10	1E-13	4E-13	5E-13	7E-03	7E-03	1E-09	4E-09	2E-07	5E-07	0.000001
Exposure Point Total										5E-13							0.000006
RM 9.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.9E-01	ug/kg	--	--	4E-12	1E-11	--	--	--	1E-04	1E-04	3E-11	8E-11	3E-07	8E-07	0.000001
	PBDE # 99	7.9E-01	ug/kg	--	--	3E-12	9E-12	--	--	--	1E-04	1E-04	2E-11	6E-11	2E-07	6E-07	0.000001
	PBDE # 209	2.0E+00	ug/kg	7E-04	7E-04	7E-12	2E-11	5E-15	2E-14	2E-14	7E-03	7E-03	5E-11	2E-10	7E-09	2E-08	0.00000003
Exposure Point Total										2E-14							0.000002
RM 11 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.9E+00	ug/kg	--	--	1E-11	3E-11	--	--	--	1E-04	1E-04	7E-11	2E-10	7E-07	2E-06	0.000003
	PBDE # 99	3.7E+00	ug/kg	--	--	1E-11	4E-11	--	--	--	1E-04	1E-04	1E-10	3E-10	1E-06	3E-06	0.000004
	PBDE # 153	6.3E-01	ug/kg	--	--	2E-12	7E-12	--	--	--	2E-04	2E-04	2E-11	5E-11	8E-08	2E-07	0.0000003
	PBDE # 209	5.7E+01	ug/kg	7E-04	7E-04	2E-10	6E-10	1E-13	4E-13	6E-13	7E-03	7E-03	1E-09	4E-09	2E-07	6E-07	0.000001
Exposure Point Total										6E-13							0.000008
RM 11 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.5E+00	ug/kg	--	--	6E-12	2E-11	--	--	--	1E-04	1E-04	4E-11	1E-10	4E-07	1E-06	0.000002
	PBDE # 99	1.2E+00	ug/kg	--	--	4E-12	1E-11	--	--	--	1E-04	1E-04	3E-11	9E-11	3E-07	9E-07	0.000001
Exposure Point Total										--							0.000003
RM 12 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.1E-01	ug/kg	--	--	1E-12	3E-12	--	--	--	1E-04	1E-04	8E-12	2E-11	8E-08	2E-07	0.0000003
	PBDE # 99	3.0E-01	ug/kg	--	--	1E-12	3E-12	--	--	--	1E-04	1E-04	8E-12	2E-11	8E-08	2E-07	0.0000003
Exposure Point Total										--							0.000001
RM 12 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E+00	ug/kg	--	--	4E-12	1E-11	--	--	--	1E-04	1E-04	3E-11	9E-11	3E-07	9E-07	0.000001
	PBDE # 99	1.1E+00	ug/kg	--	--	4E-12	1E-11	--	--	--	1E-04	1E-04	3E-11	9E-11	3E-07	9E-07	0.000001
Exposure Point Total										--							0.000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-6.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Cancer Risk Calculations[a]							Noncancer Hazard Calculations[a]						
		Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
Study Area-wide[b]	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.2E+00	ug/kg	--	--	8E-12	2E-11	--	--	--	1E-04	1E-04	6E-11	2E-10	6E-07	2E-06	0.000002
	PBDE # 99	2.8E+00	ug/kg	--	--	1E-11	3E-11	--	--	--	1E-04	1E-04	7E-11	2E-10	7E-07	2E-06	0.000003
	PBDE # 153	5.3E-01	ug/kg	--	--	2E-12	6E-12	--	--	--	2E-04	2E-04	1E-11	4E-11	7E-08	2E-07	0.0000003
	PBDE # 209	6.0E+01	ug/kg	7E-04	7E-04	2E-10	7E-10	2E-13	5E-13	6E-13	7E-03	7E-03	2E-09	5E-09	2E-07	7E-07	0.000001
Exposure Point Total										6E-13							0.000006

Notes:

a Numbers presented are rounded values. Sums calculated before rounding. Risks and hazards are calculated based on exposure parameters presented in Section 3 of Appendix F. For risks and hazards from dermal contact, a dermal absorption efficiency of 0.1 was used , which is the dermal absorption efficiency presented for semi-volatile organic compounds in Risk Assessment Guidance for Superfund. Volume I: Human Health Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment) Final, July 2004. EPA/540/R/99/005.

b Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
LADI = Lifetime Average Daily Intake.
mg/kg = milligrams per kilogram.

RfD = Reference dose.
RM = River mile.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-7.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg-day)^{-1}$	Oral Cancer Slope Factor $(mg/kg-day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 1 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.3E-01	ug/kg	--	--	5E-14	4E-13	--	--	--	1E-04	1E-04	8E-13	6E-12	8E-09	6E-08	0.00000007
	PBDE # 99	3.2E-01	ug/kg	--	--	5E-14	4E-13	--	--	--	1E-04	1E-04	8E-13	6E-12	8E-09	6E-08	0.00000007
	PBDE # 209	3.8E+00	ug/kg	7E-04	7E-04	6E-13	4E-12	4E-16	3E-15	3E-15	7E-03	7E-03	1E-11	7E-11	1E-09	1E-08	0.00000001
Exposure Point Total[e]										3E-15							0.0000002
RM 1 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	7.6E-01	ug/kg	--	--	1E-13	8E-13	--	--	--	1E-04	1E-04	2E-12	1E-11	2E-08	1E-07	0.0000002
	PBDE # 99	6.3E-01	ug/kg	--	--	9E-14	7E-13	--	--	--	1E-04	1E-04	2E-12	1E-11	2E-08	1E-07	0.0000001
	PBDE # 209	3.7E+00	ug/kg	7E-04	7E-04	5E-13	4E-12	4E-16	3E-15	3E-15	7E-03	7E-03	1E-11	7E-11	1E-09	1E-08	0.00000001
Exposure Point Total										3E-15							0.0000003
RM 1.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E-01	ug/kg	--	--	2E-14	1E-13	--	--	--	1E-04	1E-04	3E-13	2E-12	3E-09	2E-08	0.00000003
Exposure Point Total										--							0.00000003
RM 1.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	2E-13	2E-12	--	--	--	1E-04	1E-04	4E-12	3E-11	4E-08	3E-07	0.0000003
	PBDE # 99	1.4E+00	ug/kg	--	--	2E-13	2E-12	--	--	--	1E-04	1E-04	4E-12	3E-11	4E-08	3E-07	0.0000003
	PBDE # 153	1.8E-01	ug/kg	--	--	3E-14	2E-13	--	--	--	2E-04	2E-04	5E-13	4E-12	2E-09	2E-08	0.00000002
	PBDE # 209	4.5E+00	ug/kg	7E-04	7E-04	7E-13	5E-12	5E-16	4E-15	4E-15	7E-03	7E-03	1E-11	9E-11	2E-09	1E-08	0.00000001
Exposure Point Total										4E-15							0.0000007
RM 2 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.1E+00	ug/kg	--	--	2E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	2E-11	3E-08	2E-07	0.0000002
	PBDE # 99	1.0E+00	ug/kg	--	--	1E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	2E-11	3E-08	2E-07	0.0000002
	PBDE # 153	4.9E-01	ug/kg	--	--	7E-14	5E-13	--	--	--	2E-04	2E-04	1E-12	9E-12	6E-09	5E-08	0.00000005
	PBDE # 209	5.8E+00	ug/kg	7E-04	7E-04	8E-13	6E-12	6E-16	5E-15	5E-15	7E-03	7E-03	1E-11	1E-10	2E-09	2E-08	0.00000002
Exposure Point Total										5E-15							0.0000005
RM 2 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	3E-13	2E-12	--	--	--	1E-04	1E-04	5E-12	3E-11	5E-08	3E-07	0.0000004
	PBDE # 99	2.0E+00	ug/kg	--	--	3E-13	2E-12	--	--	--	1E-04	1E-04	5E-12	4E-11	5E-08	4E-07	0.0000004
	PBDE # 153	2.8E-01	ug/kg	--	--	4E-14	3E-13	--	--	--	2E-04	2E-04	7E-13	6E-12	4E-09	3E-08	0.00000003
	PBDE # 209	6.9E+00	ug/kg	7E-04	7E-04	1E-12	8E-12	7E-16	5E-15	6E-15	7E-03	7E-03	2E-11	1E-10	3E-09	2E-08	0.00000002
Exposure Point Total										6E-15							0.0000009
RM 2.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.0E-01	ug/kg	--	--	3E-14	2E-13	--	--	--	1E-04	1E-04	5E-13	4E-12	5E-09	4E-08	0.00000004
	PBDE # 99	2.4E-01	ug/kg	--	--	4E-14	3E-13	--	--	--	1E-04	1E-04	6E-13	5E-12	6E-09	5E-08	0.00000005
Exposure Point Total										--							0.0000001
RM 2.5 MC	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E-01	ug/kg	--	--	2E-14	2E-13	--	--	--	1E-04	1E-04	4E-13	3E-12	4E-09	3E-08	0.00000003
Exposure Point Total										--							0.00000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-7.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future　　　　　　　Medium: Sediment
Receptor Population: In-water Worker　　　　　　Exposure Medium: In-water Sediment
Population Age: Adult　　　　　　　　　　　　Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Cancer Risk Calculations[a]							Noncancer Hazard Calculations[a]						
				Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 3 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	2E-13	2E-12	--	--	--	1E-04	1E-04	4E-12	3E-11	4E-08	3E-07	0.0000003
	PBDE # 99	1.3E+00	ug/kg	--	--	2E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	3E-11	3E-08	3E-07	0.0000003
	PBDE # 153	2.9E-01	ug/kg	--	--	4E-14	3E-13	--	--	--	2E-04	2E-04	7E-13	6E-12	4E-09	3E-08	0.00000003
	PBDE # 209	5.3E+00	ug/kg	7E-04	7E-04	8E-13	6E-12	5E-16	4E-15	5E-15	7E-03	7E-03	1E-11	1E-10	2E-09	1E-08	0.00000002
Exposure Point Total										5E-15							0.0000006
RM 3 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.3E+00	ug/kg	--	--	2E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	3E-11	3E-08	3E-07	0.0000003
	PBDE # 99	1.4E+00	ug/kg	--	--	2E-13	2E-12	--	--	--	1E-04	1E-04	3E-12	3E-11	3E-08	3E-07	0.0000003
	PBDE # 153	2.8E-01	ug/kg	--	--	4E-14	3E-13	--	--	--	2E-04	2E-04	7E-13	5E-12	4E-09	3E-08	0.00000003
	PBDE # 209	6.4E+00	ug/kg	7E-04	7E-04	9E-13	7E-12	7E-16	5E-15	6E-15	7E-03	7E-03	2E-11	1E-10	2E-09	2E-08	0.00000002
Exposure Point Total										6E-15							0.0000006
RM 3.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E-01	ug/kg	--	--	2E-14	2E-13	--	--	--	1E-04	1E-04	4E-13	3E-12	4E-09	3E-08	0.00000003
	PBDE # 99	1.2E-01	ug/kg	--	--	2E-14	1E-13	--	--	--	1E-04	1E-04	3E-13	2E-12	3E-09	2E-08	0.00000003
Exposure Point Total										--							0.00000006
RM 3.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	4.0E+00	ug/kg	--	--	6E-13	4E-12	--	--	--	1E-04	1E-04	1E-11	8E-11	1E-07	8E-07	0.0000009
	PBDE # 99	5.8E+00	ug/kg	--	--	9E-13	7E-12	--	--	--	1E-04	1E-04	2E-11	1E-10	2E-07	1E-06	0.000001
	PBDE # 153	1.1E+00	ug/kg	--	--	2E-13	1E-12	--	--	--	2E-04	2E-04	3E-12	2E-11	1E-08	1E-07	0.0000001
	PBDE # 209	3.2E+01	ug/kg	7E-04	7E-04	5E-12	4E-11	3E-15	2E-14	3E-14	7E-03	7E-03	8E-11	6E-10	1E-08	9E-08	0.0000001
Exposure Point Total										3E-14							0.000002
RM 4 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.5E-01	ug/kg	--	--	5E-14	4E-13	--	--	--	1E-04	1E-04	9E-13	7E-12	9E-09	7E-08	0.00000008
	PBDE # 99	2.3E-01	ug/kg	--	--	3E-14	3E-13	--	--	--	1E-04	1E-04	6E-13	5E-12	6E-09	5E-08	0.00000005
Exposure Point Total										--							0.0000001
RM 5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.7E-01	ug/kg	--	--	5E-14	4E-13	--	--	--	1E-04	1E-04	1E-12	7E-12	1E-08	7E-08	0.00000008
	PBDE # 99	3.7E-01	ug/kg	--	--	5E-14	4E-13	--	--	--	1E-04	1E-04	1E-12	7E-12	1E-08	7E-08	0.00000008
Exposure Point Total										--							0.0000002
RM 5.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	2E-13	2E-12	--	--	--	1E-04	1E-04	4E-12	3E-11	4E-08	3E-07	0.0000003
	PBDE # 99	1.2E+00	ug/kg	--	--	2E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	2E-11	3E-08	2E-07	0.0000003
	PBDE # 153	2.3E-01	ug/kg	--	--	3E-14	3E-13	--	--	--	2E-04	2E-04	6E-13	5E-12	3E-09	2E-08	0.00000003
	PBDE # 209	7.4E+00	ug/kg	7E-04	7E-04	1E-12	8E-12	8E-16	6E-15	7E-15	7E-03	7E-03	2E-11	1E-10	3E-09	2E-08	0.00000002
Exposure Point Total										7E-15							0.0000006

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-7.

Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure

Central Tendency Exposure

Scenario Timeframe: Current/Future

Receptor Population: In-water Worker

Population Age: Adult

Medium: Sediment

Exposure Medium: In-water Sediment

Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Cancer Risk Calculations[a]							Noncancer Hazard Calculations[a]						
		Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 5.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.0E+00	ug/kg	--	--	1E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	2E-11	3E-08	2E-07	0.0000002
	PBDE # 99	1.2E+00	ug/kg	--	--	2E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	2E-11	3E-08	2E-07	0.0000003
	PBDE # 153	4.1E-01	ug/kg	--	--	6E-14	5E-13	--	--	--	2E-04	2E-04	1E-12	8E-12	5E-09	4E-08	0.00000004
	PBDE # 209	4.2E+00	ug/kg	7E-04	7E-04	6E-13	5E-12	4E-16	3E-15	4E-15	7E-03	7E-03	1E-11	8E-11	2E-09	1E-08	0.00000001
Exposure Point Total										4E-15							0.0000005
RM 6 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.7E-01	ug/kg	--	--	5E-14	4E-13	--	--	--	1E-04	1E-04	9E-13	7E-12	9E-09	7E-08	0.00000008
	PBDE # 99	3.7E-01	ug/kg	--	--	5E-14	4E-13	--	--	--	1E-04	1E-04	9E-13	7E-12	9E-09	7E-08	0.00000008
	PBDE # 209	4.8E+00	ug/kg	7E-04	7E-04	7E-13	5E-12	5E-16	4E-15	4E-15	7E-03	7E-03	1E-11	9E-11	2E-09	1E-08	0.00000002
Exposure Point Total										4E-15							0.0000002
RM 6 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.7E-01	ug/kg	--	--	4E-14	3E-13	--	--	--	1E-04	1E-04	7E-13	5E-12	7E-09	5E-08	0.00000006
	PBDE # 99	1.7E-01	ug/kg	--	--	3E-14	2E-13	--	--	--	1E-04	1E-04	4E-13	3E-12	4E-09	3E-08	0.00000004
Exposure Point Total										--							0.0000001
RM 6.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.1E-01	ug/kg	--	--	2E-14	1E-13	--	--	--	1E-04	1E-04	3E-13	2E-12	3E-09	2E-08	0.00000002
	PBDE # 99	1.3E-01	ug/kg	--	--	2E-14	1E-13	--	--	--	1E-04	1E-04	3E-13	3E-12	3E-09	3E-08	0.00000003
Exposure Point Total										--							0.00000005
RM 6.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E+00	ug/kg	--	--	2E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	2E-11	3E-08	2E-07	0.0000003
	PBDE # 99	1.3E+00	ug/kg	--	--	2E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	2E-11	3E-08	2E-07	0.0000003
	PBDE # 153	4.5E-01	ug/kg	--	--	7E-14	5E-13	--	--	--	2E-04	2E-04	1E-12	9E-12	6E-09	4E-08	0.00000005
	PBDE # 209	1.7E+01	ug/kg	7E-04	7E-04	3E-12	2E-11	2E-15	1E-14	2E-14	7E-03	7E-03	4E-11	3E-10	6E-09	5E-08	0.00000005
Exposure Point Total										2E-14							0.0000006
RM 7 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.5E-01	ug/kg	--	--	1E-13	1E-12	--	--	--	1E-04	1E-04	2E-12	2E-11	2E-08	2E-07	0.0000002
	PBDE # 99	9.9E-01	ug/kg	--	--	1E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	2E-11	3E-08	2E-07	0.0000002
	PBDE # 153	2.9E-01	ug/kg	--	--	4E-14	3E-13	--	--	--	2E-04	2E-04	7E-13	6E-12	4E-09	3E-08	0.00000003
	PBDE # 209	6.1E+00	ug/kg	7E-04	7E-04	9E-13	7E-12	6E-16	5E-15	5E-15	7E-03	7E-03	2E-11	1E-10	2E-09	2E-08	0.00000002
Exposure Point Total										5E-15							0.0000005
RM 7 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E+00	ug/kg	--	--	2E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	2E-11	3E-08	2E-07	0.0000003
	PBDE # 99	1.0E+00	ug/kg	--	--	2E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	2E-11	3E-08	2E-07	0.0000002
	PBDE # 153	3.6E-01	ug/kg	--	--	5E-14	4E-13	--	--	--	2E-04	2E-04	9E-13	7E-12	5E-09	4E-08	0.00000004
	PBDE # 209	4.3E+00	ug/kg	7E-04	7E-04	6E-13	5E-12	4E-16	3E-15	4E-15	7E-03	7E-03	1E-11	8E-11	2E-09	1E-08	0.00000001
Exposure Point Total										4E-15							0.0000005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-7.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: In-water Worker   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 7.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.9E-01	ug/kg	--	--	1E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	2E-11	3E-08	2E-07	0.0000002
	PBDE # 99	8.5E-01	ug/kg	--	--	1E-13	9E-13	--	--	--	1E-04	1E-04	2E-12	2E-11	2E-08	2E-07	0.0000002
	PBDE # 153	4.3E-01	ug/kg	--	--	6E-14	5E-13	--	--	--	2E-04	2E-04	1E-12	8E-12	6E-09	4E-08	0.00000005
	PBDE # 209	5.3E+00	ug/kg	7E-04	7E-04	8E-13	6E-12	5E-16	4E-15	5E-15	7E-03	7E-03	1E-11	1E-10	2E-09	1E-08	0.00000002
Exposure Point Total										5E-15							0.0000005
RM 7.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.9E+00	ug/kg	--	--	3E-13	2E-12	--	--	--	1E-04	1E-04	5E-12	4E-11	5E-08	4E-07	0.0000004
	PBDE # 99	2.2E+00	ug/kg	--	--	3E-13	2E-12	--	--	--	1E-04	1E-04	6E-12	4E-11	6E-08	4E-07	0.0000005
	PBDE # 153	3.4E-01	ug/kg	--	--	5E-14	4E-13	--	--	--	2E-04	2E-04	9E-13	7E-12	4E-09	3E-08	0.00000004
	PBDE # 209	8.9E+00	ug/kg	7E-04	7E-04	1E-12	1E-11	9E-16	7E-15	8E-15	7E-03	7E-03	2E-11	2E-10	3E-09	2E-08	0.00000003
Exposure Point Total										8E-15							0.000001
RM 8 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	8.3E-01	ug/kg	--	--	1E-13	9E-13	--	--	--	1E-04	1E-04	2E-12	2E-11	2E-08	2E-07	0.0000002
	PBDE # 99	1.2E+00	ug/kg	--	--	2E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	2E-11	3E-08	2E-07	0.0000003
	PBDE # 153	8.4E-01	ug/kg	--	--	1E-13	9E-13	--	--	--	2E-04	2E-04	2E-12	2E-11	1E-08	8E-08	0.00000009
	PBDE # 209	4.4E+02	ug/kg	7E-04	7E-04	6E-11	5E-10	5E-14	3E-13	4E-13	7E-03	7E-03	1E-09	9E-09	2E-07	1E-06	0.000001
Exposure Point Total										4E-13							0.000002
RM 8 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	3E-13	2E-12	--	--	--	1E-04	1E-04	5E-12	4E-11	5E-08	4E-07	0.0000004
	PBDE # 99	1.9E+00	ug/kg	--	--	3E-13	2E-12	--	--	--	1E-04	1E-04	5E-12	4E-11	5E-08	4E-07	0.0000004
	PBDE # 153	4.2E-01	ug/kg	--	--	6E-14	5E-13	--	--	--	2E-04	2E-04	1E-12	8E-12	5E-09	4E-08	0.00000005
	PBDE # 209	1.5E+01	ug/kg	7E-04	7E-04	2E-12	2E-11	2E-15	1E-14	1E-14	7E-03	7E-03	4E-11	3E-10	5E-09	4E-08	0.00000005
Exposure Point Total										1E-14							0.0000009
RM 8 SIL	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.6E+00	ug/kg	--	--	2E-13	2E-12	--	--	--	1E-04	1E-04	4E-12	3E-11	4E-08	3E-07	0.0000004
	PBDE # 99	2.3E+00	ug/kg	--	--	3E-13	3E-12	--	--	--	1E-04	1E-04	6E-12	4E-11	6E-08	4E-07	0.0000005
	PBDE # 153	7.1E-01	ug/kg	--	--	1E-13	8E-13	--	--	--	2E-04	2E-04	2E-12	1E-11	9E-09	7E-08	0.00000008
	PBDE # 209	1.9E+01	ug/kg	7E-04	7E-04	3E-12	2E-11	2E-15	1E-14	2E-14	7E-03	7E-03	5E-11	4E-10	7E-09	5E-08	0.00000006
Exposure Point Total										2E-14							0.000001
RM 8.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.0E+00	ug/kg	--	--	3E-13	2E-12	--	--	--	1E-04	1E-04	5E-12	4E-11	5E-08	4E-07	0.0000004
	PBDE # 99	2.2E+00	ug/kg	--	--	3E-13	2E-12	--	--	--	1E-04	1E-04	6E-12	4E-11	6E-08	4E-07	0.0000005
	PBDE # 153	4.1E-01	ug/kg	--	--	6E-14	5E-13	--	--	--	2E-04	2E-04	1E-12	8E-12	5E-09	4E-08	0.00000005
	PBDE # 209	1.1E+01	ug/kg	7E-04	7E-04	2E-12	1E-11	1E-15	9E-15	1E-14	7E-03	7E-03	3E-11	2E-10	4E-09	3E-08	0.00000003
Exposure Point Total										1E-14							0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-7.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: In-water Worker   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 8.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	4.1E+00	ug/kg	--	--	6E-13	5E-12	--	--	--	1E-04	1E-04	1E-11	8E-11	1E-07	8E-07	0.0000009
	PBDE # 99	5.6E+00	ug/kg	--	--	8E-13	6E-12	--	--	--	1E-04	1E-04	1E-11	1E-10	1E-07	1E-06	0.000001
	PBDE # 153	1.1E+00	ug/kg	--	--	2E-13	1E-12	--	--	--	2E-04	2E-04	3E-12	2E-11	1E-08	1E-07	0.0000001
	PBDE # 209	9.0E+01	ug/kg	7E-04	7E-04	1E-11	1E-10	9E-15	7E-14	8E-14	7E-03	7E-03	2E-10	2E-09	3E-08	3E-07	0.0000003
Exposure Point Total										8E-14							0.000003
RM 9 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.3E+00	ug/kg	--	--	2E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	3E-11	3E-08	3E-07	0.0000003
	PBDE # 99	1.2E+00	ug/kg	--	--	2E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	2E-11	3E-08	2E-07	0.0000003
	PBDE # 153	1.9E-01	ug/kg	--	--	3E-14	2E-13	--	--	--	2E-04	2E-04	5E-13	4E-12	2E-09	2E-08	0.00000002
	PBDE # 209	2.9E+00	ug/kg	7E-04	7E-04	4E-13	3E-12	3E-16	2E-15	3E-15	7E-03	7E-03	7E-12	6E-11	1E-09	8E-09	0.00000001
Exposure Point Total										3E-15							0.0000006
RM 9 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.3E-01	ug/kg	--	--	5E-14	4E-13	--	--	--	1E-04	1E-04	9E-13	6E-12	9E-09	6E-08	0.00000007
	PBDE # 99	1.8E-01	ug/kg	--	--	3E-14	2E-13	--	--	--	1E-04	1E-04	5E-13	4E-12	5E-09	4E-08	0.00000004
Exposure Point Total										--							0.0000001
RM 9.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	3E-13	2E-12	--	--	--	1E-04	1E-04	5E-12	4E-11	5E-08	4E-07	0.0000004
	PBDE # 99	2.7E+00	ug/kg	--	--	4E-13	3E-12	--	--	--	1E-04	1E-04	7E-12	5E-11	7E-08	5E-07	0.0000006
	PBDE # 153	5.2E-01	ug/kg	--	--	8E-14	6E-13	--	--	--	2E-04	2E-04	1E-12	1E-11	7E-09	5E-08	0.00000006
	PBDE # 209	4.6E+01	ug/kg	7E-04	7E-04	7E-12	5E-11	5E-15	4E-14	4E-14	7E-03	7E-03	1E-10	9E-10	2E-08	1E-07	0.0000001
Exposure Point Total										4E-14							0.000001
RM 9.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.9E-01	ug/kg	--	--	1E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	2E-11	3E-08	2E-07	0.0000002
	PBDE # 99	7.9E-01	ug/kg	--	--	1E-13	9E-13	--	--	--	1E-04	1E-04	2E-12	2E-11	2E-08	2E-07	0.0000002
	PBDE # 209	2.0E+00	ug/kg	7E-04	7E-04	3E-13	2E-12	2E-16	2E-15	2E-15	7E-03	7E-03	5E-12	4E-11	7E-10	6E-09	0.00000001
Exposure Point Total										2E-15							0.0000004
RM 11 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.9E+00	ug/kg	--	--	4E-13	3E-12	--	--	--	1E-04	1E-04	7E-12	6E-11	7E-08	6E-07	0.0000006
	PBDE # 99	3.7E+00	ug/kg	--	--	5E-13	4E-12	--	--	--	1E-04	1E-04	1E-11	7E-11	1E-07	7E-07	0.0000008
	PBDE # 153	6.3E-01	ug/kg	--	--	9E-14	7E-13	--	--	--	2E-04	2E-04	2E-12	1E-11	8E-09	6E-08	0.00000007
	PBDE # 209	5.7E+01	ug/kg	7E-04	7E-04	8E-12	6E-11	6E-15	4E-14	5E-14	7E-03	7E-03	1E-10	1E-09	2E-08	2E-07	0.0000002
Exposure Point Total										5E-14							0.000002
RM 11 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.7E-01	ug/kg	--	--	1E-13	1E-12	--	--	--	1E-04	1E-04	2E-12	2E-11	2E-08	2E-07	0.0000002
	PBDE # 99	7.8E-01	ug/kg	--	--	1E-13	9E-13	--	--	--	1E-04	1E-04	2E-12	2E-11	2E-08	2E-07	0.0000002
Exposure Point Total										--							0.0000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-7.

Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Cancer Risk Calculations[a]							Noncancer Hazard Calculations[a]						
		Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI $(mg/kg\text{-}day)$	Oral LADI $(mg/kg\text{-}day)$	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD $(mg/kg\text{-}day)$	Oral RfD $(mg/kg\text{-}day)$	Dermal CDI $(mg/kg\text{-}day)$	Oral CDI $(mg/kg\text{-}day)$	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 12 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.1E-01	ug/kg	--	--	5E-14	3E-13	--	--	--	1E-04	1E-04	8E-13	6E-12	8E-09	6E-08	0.00000007
	PBDE # 99	3.0E-01	ug/kg	--	--	4E-14	3E-13	--	--	--	1E-04	1E-04	8E-13	6E-12	8E-09	6E-08	0.00000007
Exposure Point Total										--							0.0000001
RM 12 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E+00	ug/kg	--	--	2E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	2E-11	3E-08	2E-07	0.0000003
	PBDE # 99	1.1E+00	ug/kg	--	--	2E-13	1E-12	--	--	--	1E-04	1E-04	3E-12	2E-11	3E-08	2E-07	0.0000002
Exposure Point Total										--							0.0000005
Study Area Wide[d]	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	2E-13	2E-12	--	--	--	1E-04	1E-04	4E-12	3E-11	4E-08	3E-07	0.0000003
	PBDE # 99	1.7E+00	ug/kg	--	--	2E-13	2E-12	--	--	--	1E-04	1E-04	4E-12	3E-11	4E-08	3E-07	0.0000004
	PBDE # 153	5.1E-01	ug/kg	--	--	7E-14	6E-13	--	--	--	2E-04	2E-04	1E-12	1E-11	7E-09	5E-08	0.00000006
	PBDE # 209	2.2E+01	ug/kg	7E-04	7E-04	3E-12	2E-11	2E-15	2E-14	2E-14	7E-03	7E-03	6E-11	4E-10	8E-09	6E-08	0.00000007
Exposure Point Total										2E-14							0.0000008

Notes:

a Numbers presented are rounded values. Sums calculated before rounding. Risks and hazards are calculated based on exposure parameters presented in Section 3 of Appendix F. For risks and hazards from dermal contact, a dermal absorption efficiency of 0.1 was used , which is the dermal absorption efficiency presented for semi-volatile organic compounds in Risk Assessment Guidance for Superfund. Volume I: Human Health Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment) Final, July 2004. EPA/540/R/99/005.

b Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
LADI = Lifetime Average Daily Intake.
mg/kg = milligrams per kilogram.

RfD = Reference dose.
RM = River mile.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-8.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 1 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.6E-01	ug/kg	--	--	5E-11	5E-11	--	--	--	1E-04	1E-04	5E-11	5E-11	5E-07	5E-07	0.000001
	PBDE # 99	3.7E-01	ug/kg	--	--	6E-11	5E-11	--	--	--	1E-04	1E-04	6E-11	5E-11	6E-07	5E-07	0.000001
	PBDE # 209	4.0E+00	ug/kg	7E-04	7E-04	6E-10	5E-10	4E-13	4E-13	8E-13	7E-03	7E-03	6E-10	5E-10	9E-08	7E-08	0.0000002
Exposure Point Total										8E-13							0.000002
RM 1 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	7.6E-01	ug/kg	--	--	1E-10	1E-10	--	--	--	1E-04	1E-04	1E-10	1E-10	1E-06	1E-06	0.000002
	PBDE # 99	6.3E-01	ug/kg	--	--	1E-10	8E-11	--	--	--	1E-04	1E-04	1E-10	8E-11	1E-06	8E-07	0.000002
	PBDE # 209	3.7E+00	ug/kg	7E-04	7E-04	6E-10	5E-10	4E-13	3E-13	7E-13	7E-03	7E-03	6E-10	5E-10	8E-08	7E-08	0.0000001
Exposure Point Total										7E-13							0.000004
RM 1.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E-01	ug/kg	--	--	2E-11	2E-11	--	--	--	1E-04	1E-04	2E-11	2E-11	2E-07	2E-07	0.0000003
Exposure Point Total										--							0.0000003
RM 1.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	2E-10	2E-10	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000004
	PBDE # 99	1.4E+00	ug/kg	--	--	2E-10	2E-10	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000004
	PBDE # 153	1.8E-01	ug/kg	--	--	3E-11	2E-11	--	--	--	2E-04	2E-04	3E-11	2E-11	1E-07	1E-07	0.0000003
	PBDE # 209	4.5E+00	ug/kg	7E-04	7E-04	7E-10	6E-10	5E-13	4E-13	9E-13	7E-03	7E-03	7E-10	6E-10	1E-07	8E-08	0.0000002
Exposure Point Total										9E-13							0.000008
RM 2 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	3E-10	2E-10	--	--	--	1E-04	1E-04	3E-10	2E-10	3E-06	2E-06	0.000005
	PBDE # 99	1.7E+00	ug/kg	--	--	3E-10	2E-10	--	--	--	1E-04	1E-04	3E-10	2E-10	3E-06	2E-06	0.000005
	PBDE # 153	4.2E-01	ug/kg	--	--	6E-11	5E-11	--	--	--	2E-04	2E-04	6E-11	5E-11	3E-07	3E-07	0.000001
	PBDE # 209	6.0E+00	ug/kg	7E-04	7E-04	9E-10	8E-10	6E-13	5E-13	1E-12	7E-03	7E-03	9E-10	8E-10	1E-07	1E-07	0.0000002
Exposure Point Total										1E-12							0.00001
RM 2 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	3E-10	2E-10	--	--	--	1E-04	1E-04	3E-10	2E-10	3E-06	2E-06	0.000005
	PBDE # 99	2.1E+00	ug/kg	--	--	3E-10	3E-10	--	--	--	1E-04	1E-04	3E-10	3E-10	3E-06	3E-06	0.000006
	PBDE # 153	2.9E-01	ug/kg	--	--	4E-11	4E-11	--	--	--	2E-04	2E-04	4E-11	4E-11	2E-07	2E-07	0.0000004
	PBDE # 209	8.4E+00	ug/kg	7E-04	7E-04	1E-09	1E-09	9E-13	7E-13	2E-12	7E-03	7E-03	1E-09	1E-09	2E-07	2E-07	0.0000003
Exposure Point Total										2E-12							0.00001
RM 2.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.0E-01	ug/kg	--	--	3E-11	3E-11	--	--	--	1E-04	1E-04	3E-11	3E-11	3E-07	3E-07	0.000001
	PBDE # 99	2.4E-01	ug/kg	--	--	4E-11	3E-11	--	--	--	1E-04	1E-04	4E-11	3E-11	4E-07	3E-07	0.000001
Exposure Point Total										--							0.000001
RM 2.5 MC	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E-01	ug/kg	--	--	2E-11	2E-11	--	--	--	1E-04	1E-04	2E-11	2E-11	2E-07	2E-07	0.0000004
Exposure Point Total										--							0.0000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-8.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 3 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	2E-10	2E-10	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000004
	PBDE # 99	1.3E+00	ug/kg	--	--	2E-10	2E-10	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000004
	PBDE # 153	2.9E-01	ug/kg	--	--	4E-11	4E-11	--	--	--	2E-04	2E-04	4E-11	4E-11	2E-07	2E-07	0.0000004
	PBDE # 209	5.3E+00	ug/kg	7E-04	7E-04	8E-10	7E-10	6E-13	5E-13	1E-12	7E-03	7E-03	8E-10	7E-10	1E-07	1E-07	0.0000002
Exposure Point Total										1E-12							0.000008
RM 3 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.6E+00	ug/kg	--	--	2E-10	2E-10	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000004
	PBDE # 99	1.6E+00	ug/kg	--	--	2E-10	2E-10	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000004
	PBDE # 153	3.3E-01	ug/kg	--	--	5E-11	4E-11	--	--	--	2E-04	2E-04	5E-11	4E-11	2E-07	2E-07	0.0000005
	PBDE # 209	6.9E+00	ug/kg	7E-04	7E-04	1E-09	9E-10	7E-13	6E-13	1E-12	7E-03	7E-03	1E-09	9E-10	1E-07	1E-07	0.000003
Exposure Point Total										1E-12							0.00001
RM 3.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E-01	ug/kg	--	--	2E-11	2E-11	--	--	--	1E-04	1E-04	2E-11	2E-11	2E-07	2E-07	0.0000004
	PBDE # 99	1.2E-01	ug/kg	--	--	2E-11	2E-11	--	--	--	1E-04	1E-04	2E-11	2E-11	2E-07	2E-07	0.0000003
Exposure Point Total										--							0.000001
RM 3.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	5.2E+00	ug/kg	--	--	8E-10	7E-10	--	--	--	1E-04	1E-04	8E-10	7E-10	8E-06	7E-06	0.00001
	PBDE # 99	8.2E+00	ug/kg	--	--	1E-09	1E-09	--	--	--	1E-04	1E-04	1E-09	1E-09	1E-05	1E-05	0.00002
	PBDE # 153	1.5E+00	ug/kg	--	--	2E-10	2E-10	--	--	--	2E-04	2E-04	2E-10	2E-10	1E-06	1E-06	0.000002
	PBDE # 209	5.6E+01	ug/kg	7E-04	7E-04	8E-09	7E-09	6E-12	5E-12	1E-11	7E-03	7E-03	8E-09	7E-09	1E-06	1E-06	0.000002
Exposure Point Total										1E-11							0.00004
RM 4 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.5E-01	ug/kg	--	--	5E-11	4E-11	--	--	--	1E-04	1E-04	5E-11	4E-11	5E-07	4E-07	0.000001
	PBDE # 99	2.3E-01	ug/kg	--	--	3E-11	3E-11	--	--	--	1E-04	1E-04	3E-11	3E-11	3E-07	3E-07	0.000001
Exposure Point Total										--							0.000002
RM 5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.7E-01	ug/kg	--	--	6E-11	5E-11	--	--	--	1E-04	1E-04	6E-11	5E-11	6E-07	5E-07	0.000001
	PBDE # 99	3.7E-01	ug/kg	--	--	6E-11	5E-11	--	--	--	1E-04	1E-04	6E-11	5E-11	6E-07	5E-07	0.000001
Exposure Point Total										--							0.000002
RM 5.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	2E-10	2E-10	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000004
	PBDE # 99	1.2E+00	ug/kg	--	--	2E-10	2E-10	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000003
	PBDE # 153	2.3E-01	ug/kg	--	--	3E-11	3E-11	--	--	--	2E-04	2E-04	3E-11	3E-11	2E-07	1E-07	0.0000003
	PBDE # 209	7.4E+00	ug/kg	7E-04	7E-04	1E-09	9E-10	8E-13	7E-13	1E-12	7E-03	7E-03	1E-09	9E-10	2E-07	1E-07	0.0000003
Exposure Point Total										1E-12							0.000008

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-8.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 5.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	3E-10	2E-10	--	--	--	1E-04	1E-04	3E-10	2E-10	3E-06	2E-06	0.000005
	PBDE # 99	1.8E+00	ug/kg	--	--	3E-10	2E-10	--	--	--	1E-04	1E-04	3E-10	2E-10	3E-06	2E-06	0.000005
	PBDE # 153	2.6E-01	ug/kg	--	--	4E-11	3E-11	--	--	--	2E-04	2E-04	4E-11	3E-11	2E-07	2E-07	0.0000004
	PBDE # 209	2.8E+00	ug/kg	7E-04	7E-04	4E-10	4E-10	3E-13	2E-13	5E-13	7E-03	7E-03	4E-10	4E-10	6E-08	5E-08	0.0000001
Exposure Point Total										5E-13							0.00001
RM 6 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.3E-01	ug/kg	--	--	2E-11	2E-11	--	--	--	1E-04	1E-04	2E-11	2E-11	2E-07	2E-07	0.0000004
	PBDE # 99	1.3E-01	ug/kg	--	--	2E-11	2E-11	--	--	--	1E-04	1E-04	2E-11	2E-11	2E-07	2E-07	0.0000004
	PBDE # 209	3.5E+00	ug/kg	7E-04	7E-04	5E-10	4E-10	4E-13	3E-13	7E-13	7E-03	7E-03	5E-10	4E-10	8E-08	6E-08	0.0000001
Exposure Point Total										7E-13							0.000001
RM 6 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.7E-01	ug/kg	--	--	4E-11	3E-11	--	--	--	1E-04	1E-04	4E-11	3E-11	4E-07	3E-07	0.000001
	PBDE # 99	1.7E-01	ug/kg	--	--	3E-11	2E-11	--	--	--	1E-04	1E-04	3E-11	2E-11	3E-07	2E-07	0.0000005
Exposure Point Total										--							0.000001
RM 6.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.1E-01	ug/kg	--	--	2E-11	1E-11	--	--	--	1E-04	1E-04	2E-11	1E-11	2E-07	1E-07	0.0000003
	PBDE # 99	1.3E-01	ug/kg	--	--	2E-11	2E-11	--	--	--	1E-04	1E-04	2E-11	2E-11	2E-07	2E-07	0.0000004
Exposure Point Total										--							0.000001
RM 6.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	3E-10	2E-10	--	--	--	1E-04	1E-04	3E-10	2E-10	3E-06	2E-06	0.000005
	PBDE # 99	1.9E+00	ug/kg	--	--	3E-10	2E-10	--	--	--	1E-04	1E-04	3E-10	2E-10	3E-06	2E-06	0.000005
	PBDE # 153	3.5E-01	ug/kg	--	--	5E-11	4E-11	--	--	--	2E-04	2E-04	5E-11	4E-11	3E-07	2E-07	0.0000005
	PBDE # 209	2.5E+01	ug/kg	7E-04	7E-04	4E-09	3E-09	3E-12	2E-12	5E-12	7E-03	7E-03	4E-09	3E-09	5E-07	5E-07	0.000001
Exposure Point Total										5E-12							0.00001
RM 7 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.5E-01	ug/kg	--	--	1E-10	1E-10	--	--	--	1E-04	1E-04	1E-10	1E-10	1E-06	1E-06	0.000003
	PBDE # 99	9.9E-01	ug/kg	--	--	1E-10	1E-10	--	--	--	1E-04	1E-04	1E-10	1E-10	1E-06	1E-06	0.000003
	PBDE # 153	2.9E-01	ug/kg	--	--	4E-11	4E-11	--	--	--	2E-04	2E-04	4E-11	4E-11	2E-07	2E-07	0.0000004
	PBDE # 209	6.1E+00	ug/kg	7E-04	7E-04	9E-10	8E-10	6E-13	5E-13	1E-12	7E-03	7E-03	9E-10	8E-10	1E-07	1E-07	0.0000002
Exposure Point Total										1E-12							0.000006
RM 7 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.7E+00	ug/kg	--	--	3E-10	2E-10	--	--	--	1E-04	1E-04	3E-10	2E-10	3E-06	2E-06	0.000005
	PBDE # 99	1.5E+00	ug/kg	--	--	2E-10	2E-10	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000004
	PBDE # 153	3.1E-01	ug/kg	--	--	5E-11	4E-11	--	--	--	2E-04	2E-04	5E-11	4E-11	2E-07	2E-07	0.0000004
	PBDE # 209	6.2E+00	ug/kg	7E-04	7E-04	9E-10	8E-10	7E-13	6E-13	1E-12	7E-03	7E-03	9E-10	8E-10	1E-07	1E-07	0.0000002
Exposure Point Total										1E-12							0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-8.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: Tribal Fisher Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 7.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.7E+00	ug/kg	--	--	3E-10	2E-10	--	--	--	1E-04	1E-04	3E-10	2E-10	3E-06	2E-06	0.000005
	PBDE # 99	1.5E+00	ug/kg	--	--	2E-10	2E-10	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000004
	PBDE # 153	3.1E-01	ug/kg	--	--	5E-11	4E-11	--	--	--	2E-04	2E-04	5E-11	4E-11	2E-07	2E-07	0.0000004
	PBDE # 209	5.1E+00	ug/kg	7E-04	7E-04	8E-10	6E-10	5E-13	5E-13	1E-12	7E-03	7E-03	8E-10	6E-10	1E-07	9E-08	0.0000002
Exposure Point Total										1E-12							0.00001
RM 7.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.5E+00	ug/kg	--	--	4E-10	3E-10	--	--	--	1E-04	1E-04	4E-10	3E-10	4E-06	3E-06	0.000007
	PBDE # 99	2.9E+00	ug/kg	--	--	4E-10	4E-10	--	--	--	1E-04	1E-04	4E-10	4E-10	4E-06	4E-06	0.000008
	PBDE # 153	4.5E-01	ug/kg	--	--	7E-11	6E-11	--	--	--	2E-04	2E-04	7E-11	6E-11	3E-07	3E-07	0.000001
	PBDE # 209	1.3E+01	ug/kg	7E-04	7E-04	2E-09	2E-09	1E-12	1E-12	3E-12	7E-03	7E-03	2E-09	2E-09	3E-07	2E-07	0.000001
Exposure Point Total										3E-12							0.00002
RM 8 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	8.3E-01	ug/kg	--	--	1E-10	1E-10	--	--	--	1E-04	1E-04	1E-10	1E-10	1E-06	1E-06	0.000002
	PBDE # 99	1.2E+00	ug/kg	--	--	2E-10	2E-10	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000003
	PBDE # 153	8.4E-01	ug/kg	--	--	1E-10	1E-10	--	--	--	2E-04	2E-04	1E-10	1E-10	6E-07	5E-07	0.000001
	PBDE # 209	4.4E+02	ug/kg	7E-04	7E-04	7E-08	6E-08	5E-11	4E-11	9E-11	7E-03	7E-03	7E-08	6E-08	9E-06	8E-06	0.00002
Exposure Point Total										9E-11							0.00002
RM 8 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.1E+00	ug/kg	--	--	3E-10	3E-10	--	--	--	1E-04	1E-04	3E-10	3E-10	3E-06	3E-06	0.000006
	PBDE # 99	2.2E+00	ug/kg	--	--	3E-10	3E-10	--	--	--	1E-04	1E-04	3E-10	3E-10	3E-06	3E-06	0.000006
	PBDE # 153	6.2E-01	ug/kg	--	--	9E-11	8E-11	--	--	--	2E-04	2E-04	9E-11	8E-11	5E-07	4E-07	0.000001
	PBDE # 209	2.4E+01	ug/kg	7E-04	7E-04	4E-09	3E-09	3E-12	2E-12	5E-12	7E-03	7E-03	4E-09	3E-09	5E-07	4E-07	0.000001
Exposure Point Total										5E-12							0.00001
RM 8 SIL	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	4.5E+00	ug/kg	--	--	7E-10	6E-10	--	--	--	1E-04	1E-04	7E-10	6E-10	7E-06	6E-06	0.00001
	PBDE # 99	4.3E+00	ug/kg	--	--	7E-10	5E-10	--	--	--	1E-04	1E-04	7E-10	5E-10	7E-06	5E-06	0.00001
	PBDE # 153	1.2E+00	ug/kg	--	--	2E-10	2E-10	--	--	--	2E-04	2E-04	2E-10	2E-10	9E-07	8E-07	0.000002
	PBDE # 209	3.7E+01	ug/kg	7E-04	7E-04	6E-09	5E-09	4E-12	3E-12	7E-12	7E-03	7E-03	6E-09	5E-09	8E-07	7E-07	0.000001
Exposure Point Total										7E-12							0.00003
RM 8.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.0E+00	ug/kg	--	--	3E-10	3E-10	--	--	--	1E-04	1E-04	3E-10	3E-10	3E-06	3E-06	0.000006
	PBDE # 99	2.2E+00	ug/kg	--	--	3E-10	3E-10	--	--	--	1E-04	1E-04	3E-10	3E-10	3E-06	3E-06	0.000006
	PBDE # 153	4.1E-01	ug/kg	--	--	6E-11	5E-11	--	--	--	2E-04	2E-04	6E-11	5E-11	3E-07	3E-07	0.000001
	PBDE # 209	1.1E+01	ug/kg	7E-04	7E-04	2E-09	1E-09	1E-12	1E-12	2E-12	7E-03	7E-03	2E-09	1E-09	2E-07	2E-07	0.000000
Exposure Point Total										2E-12							0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-8.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 8.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	4.1E+00	ug/kg	--	--	6E-10	5E-10	--	--	--	1E-04	1E-04	6E-10	5E-10	6E-06	5E-06	0.00001
	PBDE # 99	5.6E+00	ug/kg	--	--	8E-10	7E-10	--	--	--	1E-04	1E-04	8E-10	7E-10	8E-06	7E-06	0.00002
	PBDE # 153	1.1E+00	ug/kg	--	--	2E-10	1E-10	--	--	--	2E-04	2E-04	2E-10	1E-10	8E-07	7E-07	0.000002
	PBDE # 209	9.0E+01	ug/kg	7E-04	7E-04	1E-08	1E-08	1E-11	8E-12	2E-11	7E-03	7E-03	1E-08	1E-08	2E-06	2E-06	0.000004
Exposure Point Total										2E-11							0.00003
RM 9 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.3E+00	ug/kg	--	--	2E-10	2E-10	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000004
	PBDE # 99	1.2E+00	ug/kg	--	--	2E-10	2E-10	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000003
	PBDE # 153	1.9E-01	ug/kg	--	--	3E-11	2E-11	--	--	--	2E-04	2E-04	3E-11	2E-11	1E-07	1E-07	0.0000003
	PBDE # 209	2.9E+00	ug/kg	7E-04	7E-04	4E-10	4E-10	3E-13	3E-13	6E-13	7E-03	7E-03	4E-10	4E-10	6E-08	5E-08	0.0000001
Exposure Point Total										6E-13							0.000007
RM 9 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.3E-01	ug/kg	--	--	5E-11	4E-11	--	--	--	1E-04	1E-04	5E-11	4E-11	5E-07	4E-07	0.000001
	PBDE # 99	1.8E-01	ug/kg	--	--	3E-11	2E-11	--	--	--	1E-04	1E-04	3E-11	2E-11	3E-07	2E-07	0.000001
Exposure Point Total										--							0.000001
RM 9.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	3E-10	2E-10	--	--	--	1E-04	1E-04	3E-10	2E-10	3E-06	2E-06	0.000005
	PBDE # 99	2.7E+00	ug/kg	--	--	4E-10	3E-10	--	--	--	1E-04	1E-04	4E-10	3E-10	4E-06	3E-06	0.000008
	PBDE # 153	5.2E-01	ug/kg	--	--	8E-11	7E-11	--	--	--	2E-04	2E-04	8E-11	7E-11	4E-07	3E-07	0.000001
	PBDE # 209	4.6E+01	ug/kg	7E-04	7E-04	7E-09	6E-09	5E-12	4E-12	9E-12	7E-03	7E-03	7E-09	6E-09	1E-06	8E-07	0.000002
Exposure Point Total										9E-12							0.00002
RM 9.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.9E-01	ug/kg	--	--	1E-10	1E-10	--	--	--	1E-04	1E-04	1E-10	1E-10	1E-06	1E-06	0.000003
	PBDE # 99	7.9E-01	ug/kg	--	--	1E-10	1E-10	--	--	--	1E-04	1E-04	1E-10	1E-10	1E-06	1E-06	0.000002
	PBDE # 209	2.0E+00	ug/kg	7E-04	7E-04	3E-10	3E-10	2E-13	2E-13	4E-13	7E-03	7E-03	3E-10	3E-10	4E-08	4E-08	0.0000001
Exposure Point Total										4E-13							0.000005
RM 11 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.9E+00	ug/kg	--	--	4E-10	4E-10	--	--	--	1E-04	1E-04	4E-10	4E-10	4E-06	4E-06	0.000008
	PBDE # 99	3.7E+00	ug/kg	--	--	6E-10	5E-10	--	--	--	1E-04	1E-04	6E-10	5E-10	6E-06	5E-06	0.00001
	PBDE # 153	6.3E-01	ug/kg	--	--	1E-10	8E-11	--	--	--	2E-04	2E-04	1E-10	8E-11	5E-07	4E-07	0.000001
	PBDE # 209	5.7E+01	ug/kg	7E-04	7E-04	9E-09	7E-09	6E-12	5E-12	1E-11	7E-03	7E-03	9E-09	7E-09	1E-06	1E-06	0.000002
Exposure Point Total										1E-11							0.00002
RM 11 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.5E+00	ug/kg	--	--	2E-10	2E-10	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000004
	PBDE # 99	1.2E+00	ug/kg	--	--	2E-10	2E-10	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000003
Exposure Point Total										--							0.000008

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-8.

Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Tribal Fisher   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 12 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.1E-01	ug/kg	--	--	5E-11	4E-11	--	--	--	1E-04	1E-04	5E-11	4E-11	5E-07	4E-07	0.000001
	PBDE # 99	3.0E-01	ug/kg	--	--	5E-11	4E-11	--	--	--	1E-04	1E-04	5E-11	4E-11	5E-07	4E-07	0.000001
Exposure Point Total										--							0.000002
RM 12 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E+00	ug/kg	--	--	2E-10	2E-10	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000003
	PBDE # 99	1.1E+00	ug/kg	--	--	2E-10	1E-10	--	--	--	1E-04	1E-04	2E-10	1E-10	2E-06	1E-06	0.000003
Exposure Point Total										--							0.000006
Study Area Wide[b]	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.2E+00	ug/kg	--	--	3E-10	3E-10	--	--	--	1E-04	1E-04	3E-10	3E-10	3E-06	3E-06	0.000006
	PBDE # 99	2.8E+00	ug/kg	--	--	4E-10	4E-10	--	--	--	1E-04	1E-04	4E-10	4E-10	4E-06	4E-06	0.000008
	PBDE # 153	5.3E-01	ug/kg	--	--	8E-11	7E-11	--	--	--	2E-04	2E-04	8E-11	7E-11	4E-07	3E-07	0.000001
	PBDE # 209	6.0E+01	ug/kg	7E-04	7E-04	9E-09	8E-09	6E-12	5E-12	1E-11	7E-03	7E-03	9E-09	8E-09	1E-06	1E-06	0.000002
Exposure Point Total										1E-11							0.00002

Notes:

a Numbers presented are rounded values. Sums calculated before rounding. Risks and hazards are calculated based on exposure parameters presented in Section 3 of Appendix F. For risks and hazards from dermal contact, a dermal absorption efficiency of 0.1 was used , which is the dermal absorption efficiency presented for semi-volatile organic compounds in Risk Assessment Guidance for Superfund. Volume I: Human Health Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment) Final, July 2004. EPA/540/R/99/005.

b Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.   RfD = Reference dose.
HQ = Hazard Quotient.   RM = River mile.
LADI = Lifetime Average Daily Intake.   ug/kg = micrograms per kilogram.
mg/kg = milligrams per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-9.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 1 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.3E-01	ug/kg	--	--	2E-12	4E-12	--	--	--	1E-04	1E-04	5E-12	8E-12	5E-08	8E-08	0.0000001
	PBDE # 99	3.2E-01	ug/kg	--	--	2E-12	3E-12	--	--	--	1E-04	1E-04	4E-12	8E-12	4E-08	8E-08	0.0000001
	PBDE # 209	3.8E+00	ug/kg	7E-04	7E-04	2E-11	4E-11	2E-14	3E-14	5E-14	7E-03	7E-03	5E-11	1E-10	8E-09	1E-08	0.00000002
Exposure Point Total[c]										5E-14							0.0000003
RM 1 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	7.6E-01	ug/kg	--	--	5E-12	8E-12	--	--	--	1E-04	1E-04	1E-11	2E-11	1E-07	2E-07	0.0000003
	PBDE # 99	6.3E-01	ug/kg	--	--	4E-12	7E-12	--	--	--	1E-04	1E-04	9E-12	2E-11	9E-08	2E-07	0.0000002
	PBDE # 209	3.7E+00	ug/kg	7E-04	7E-04	2E-11	4E-11	2E-14	3E-14	4E-14	7E-03	7E-03	5E-11	9E-11	7E-09	1E-08	0.00000002
Exposure Point Total										4E-14							0.0000006
RM 1.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E-01	ug/kg	--	--	7E-13	1E-12	--	--	--	1E-04	1E-04	2E-12	3E-12	2E-08	3E-08	0.00000005
Exposure Point Total										--							0.00000005
RM 1.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	8E-12	2E-11	--	--	--	1E-04	1E-04	2E-11	4E-11	2E-07	4E-07	0.0000006
	PBDE # 99	1.4E+00	ug/kg	--	--	8E-12	2E-11	--	--	--	1E-04	1E-04	2E-11	4E-11	2E-07	4E-07	0.0000006
	PBDE # 153	1.8E-01	ug/kg	--	--	1E-12	2E-12	--	--	--	2E-04	2E-04	3E-12	5E-12	1E-08	2E-08	0.00000004
	PBDE # 209	4.5E+00	ug/kg	7E-04	7E-04	3E-11	5E-11	2E-14	3E-14	5E-14	7E-03	7E-03	6E-11	1E-10	9E-09	2E-08	0.00000003
Exposure Point Total										5E-14							0.000001
RM 2 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.1E+00	ug/kg	--	--	7E-12	1E-11	--	--	--	1E-04	1E-04	2E-11	3E-11	2E-07	3E-07	0.0000004
	PBDE # 99	1.0E+00	ug/kg	--	--	6E-12	1E-11	--	--	--	1E-04	1E-04	1E-11	3E-11	1E-07	3E-07	0.0000004
	PBDE # 153	4.9E-01	ug/kg	--	--	3E-12	5E-12	--	--	--	2E-04	2E-04	7E-12	1E-11	3E-08	6E-08	0.0000001
	PBDE # 209	5.8E+00	ug/kg	7E-04	7E-04	3E-11	6E-11	2E-14	4E-14	7E-14	7E-03	7E-03	8E-11	1E-10	1E-08	2E-08	0.00000003
Exposure Point Total										7E-14							0.000001
RM 2 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	1E-11	2E-11	--	--	--	1E-04	1E-04	2E-11	4E-11	2E-07	4E-07	0.0000007
	PBDE # 99	2.0E+00	ug/kg	--	--	1E-11	2E-11	--	--	--	1E-04	1E-04	3E-11	5E-11	3E-07	5E-07	0.0000008
	PBDE # 153	2.8E-01	ug/kg	--	--	2E-12	3E-12	--	--	--	2E-04	2E-04	4E-12	7E-12	2E-08	4E-08	0.0000001
	PBDE # 209	6.9E+00	ug/kg	7E-04	7E-04	4E-11	8E-11	3E-14	5E-14	8E-14	7E-03	7E-03	1E-10	2E-10	1E-08	3E-08	0.00000004
Exposure Point Total										8E-14							0.000002
RM 2.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.0E-01	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	3E-12	5E-12	3E-08	5E-08	0.0000001
	PBDE # 99	2.4E-01	ug/kg	--	--	1E-12	3E-12	--	--	--	1E-04	1E-04	3E-12	6E-12	3E-08	6E-08	0.0000001
Exposure Point Total										--							0.0000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-9.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 2.5 MC	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E-01	ug/kg	--	--	8E-13	2E-12	--	--	--	1E-04	1E-04	2E-12	4E-12	2E-08	4E-08	0.0000001
Exposure Point Total										--							0.0000001
RM 3 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	8E-12	2E-11	--	--	--	1E-04	1E-04	2E-11	4E-11	2E-07	4E-07	0.0000006
	PBDE # 99	1.3E+00	ug/kg	--	--	8E-12	1E-11	--	--	--	1E-04	1E-04	2E-11	3E-11	2E-07	3E-07	0.0000005
	PBDE # 153	2.9E-01	ug/kg	--	--	2E-12	3E-12	--	--	--	2E-04	2E-04	4E-12	7E-12	2E-08	4E-08	0.0000001
	PBDE # 209	5.3E+00	ug/kg	7E-04	7E-04	3E-11	6E-11	2E-14	4E-14	6E-14	7E-03	7E-03	7E-11	1E-10	1E-08	2E-08	0.00000003
Exposure Point Total										6E-14							0.000001
RM 3 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.3E+00	ug/kg	--	--	8E-12	1E-11	--	--	--	1E-04	1E-04	2E-11	3E-11	2E-07	3E-07	0.0000005
	PBDE # 99	1.4E+00	ug/kg	--	--	8E-12	1E-11	--	--	--	1E-04	1E-04	2E-11	3E-11	2E-07	3E-07	0.0000005
	PBDE # 153	2.8E-01	ug/kg	--	--	2E-12	3E-12	--	--	--	2E-04	2E-04	4E-12	7E-12	2E-08	4E-08	0.0000001
	PBDE # 209	6.4E+00	ug/kg	7E-04	7E-04	4E-11	7E-11	3E-14	5E-14	8E-14	7E-03	7E-03	9E-11	2E-10	1E-08	2E-08	0.00000004
Exposure Point Total										8E-14							0.000001
RM 3.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E-01	ug/kg	--	--	8E-13	2E-12	--	--	--	1E-04	1E-04	2E-12	4E-12	2E-08	4E-08	0.0000001
	PBDE # 99	1.2E-01	ug/kg	--	--	7E-13	1E-12	--	--	--	1E-04	1E-04	2E-12	3E-12	2E-08	3E-08	0.00000005
Exposure Point Total										--							0.0000001
RM 3.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	4.0E+00	ug/kg	--	--	2E-11	4E-11	--	--	--	1E-04	1E-04	6E-11	1E-10	6E-07	1E-06	0.000002
	PBDE # 99	5.8E+00	ug/kg	--	--	4E-11	6E-11	--	--	--	1E-04	1E-04	8E-11	1E-10	8E-07	1E-06	0.000002
	PBDE # 153	1.1E+00	ug/kg	--	--	6E-12	1E-11	--	--	--	2E-04	2E-04	1E-11	3E-11	7E-08	1E-07	0.0000002
	PBDE # 209	3.2E+01	ug/kg	7E-04	7E-04	2E-10	3E-10	1E-13	2E-13	4E-13	7E-03	7E-03	4E-10	8E-10	6E-08	1E-07	0.0000002
Exposure Point Total										4E-13							0.000004
RM 4 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.5E-01	ug/kg	--	--	2E-12	4E-12	--	--	--	1E-04	1E-04	5E-12	9E-12	5E-08	9E-08	0.0000001
	PBDE # 99	2.3E-01	ug/kg	--	--	1E-12	3E-12	--	--	--	1E-04	1E-04	3E-12	6E-12	3E-08	6E-08	0.0000001
Exposure Point Total										--							0.0000002
RM 5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.7E-01	ug/kg	--	--	2E-12	4E-12	--	--	--	1E-04	1E-04	5E-12	9E-12	5E-08	9E-08	0.0000001
	PBDE # 99	3.7E-01	ug/kg	--	--	2E-12	4E-12	--	--	--	1E-04	1E-04	5E-12	9E-12	5E-08	9E-08	0.0000001
Exposure Point Total										--							0.0000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-9.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 5.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	8E-12	2E-11	--	--	--	1E-04	1E-04	2E-11	4E-11	2E-07	4E-07	0.0000006
	PBDE # 99	1.2E+00	ug/kg	--	--	7E-12	1E-11	--	--	--	1E-04	1E-04	2E-11	3E-11	2E-07	3E-07	0.0000005
	PBDE # 153	2.3E-01	ug/kg	--	--	1E-12	3E-12	--	--	--	2E-04	2E-04	3E-12	6E-12	2E-08	3E-08	0.00000005
	PBDE # 209	7.4E+00	ug/kg	7E-04	7E-04	4E-11	8E-11	3E-14	6E-14	9E-14	7E-03	7E-03	1E-10	2E-10	1E-08	3E-08	0.00000004
Exposure Point Total										9E-14							0.000001
RM 5.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.0E+00	ug/kg	--	--	6E-12	1E-11	--	--	--	1E-04	1E-04	1E-11	3E-11	1E-07	3E-07	0.0000004
	PBDE # 99	1.2E+00	ug/kg	--	--	7E-12	1E-11	--	--	--	1E-04	1E-04	2E-11	3E-11	2E-07	3E-07	0.0000005
	PBDE # 153	4.1E-01	ug/kg	--	--	2E-12	4E-12	--	--	--	2E-04	2E-04	6E-12	1E-11	3E-08	5E-08	0.0000001
	PBDE # 209	4.2E+00	ug/kg	7E-04	7E-04	3E-11	5E-11	2E-14	3E-14	5E-14	7E-03	7E-03	6E-11	1E-10	8E-09	2E-08	0.00000002
Exposure Point Total										5E-14							0.000001
RM 6 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.7E-01	ug/kg	--	--	2E-12	4E-12	--	--	--	1E-04	1E-04	5E-12	9E-12	5E-08	9E-08	0.0000001
	PBDE # 99	3.7E-01	ug/kg	--	--	2E-12	4E-12	--	--	--	1E-04	1E-04	5E-12	9E-12	5E-08	9E-08	0.0000001
	PBDE # 209	4.8E+00	ug/kg	7E-04	7E-04	3E-11	5E-11	2E-14	4E-14	6E-14	7E-03	7E-03	7E-11	1E-10	1E-08	2E-08	0.00000003
Exposure Point Total										6E-14							0.0000003
RM 6 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.7E-01	ug/kg	--	--	2E-12	3E-12	--	--	--	1E-04	1E-04	4E-12	7E-12	4E-08	7E-08	0.0000001
	PBDE # 99	1.7E-01	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	2E-12	4E-12	2E-08	4E-08	0.0000001
Exposure Point Total										--							0.0000002
RM 6.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.1E-01	ug/kg	--	--	7E-13	1E-12	--	--	--	1E-04	1E-04	2E-12	3E-12	2E-08	3E-08	0.00000004
	PBDE # 99	1.3E-01	ug/kg	--	--	8E-13	1E-12	--	--	--	1E-04	1E-04	2E-12	3E-12	2E-08	3E-08	0.0000001
Exposure Point Total										--							0.0000001
RM 6.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E+00	ug/kg	--	--	7E-12	1E-11	--	--	--	1E-04	1E-04	2E-11	3E-11	2E-07	3E-07	0.0000005
	PBDE # 99	1.3E+00	ug/kg	--	--	8E-12	1E-11	--	--	--	1E-04	1E-04	2E-11	3E-11	2E-07	3E-07	0.0000005
	PBDE # 153	4.5E-01	ug/kg	--	--	3E-12	5E-12	--	--	--	2E-04	2E-04	6E-12	1E-11	3E-08	6E-08	0.0000001
	PBDE # 209	1.7E+01	ug/kg	7E-04	7E-04	1E-10	2E-10	7E-14	1E-13	2E-13	7E-03	7E-03	2E-10	4E-10	3E-08	6E-08	0.0000001
Exposure Point Total										2E-13							0.000001
RM 7 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.5E-01	ug/kg	--	--	6E-12	1E-11	--	--	--	1E-04	1E-04	1E-11	2E-11	1E-07	2E-07	0.0000004
	PBDE # 99	9.9E-01	ug/kg	--	--	6E-12	1E-11	--	--	--	1E-04	1E-04	1E-11	3E-11	1E-07	3E-07	0.0000004
	PBDE # 153	2.9E-01	ug/kg	--	--	2E-12	3E-12	--	--	--	2E-04	2E-04	4E-12	7E-12	2E-08	4E-08	0.0000001
	PBDE # 209	6.1E+00	ug/kg	7E-04	7E-04	4E-11	7E-11	3E-14	5E-14	7E-14	7E-03	7E-03	9E-11	2E-10	1E-08	2E-08	0.00000003
Exposure Point Total										7E-14							0.0000009

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-9.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Cancer Risk Calculations[a]							Noncancer Hazard Calculations[a]						
		Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 7 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E+00	ug/kg	--	--	7E-12	1E-11	--	--	--	1E-04	1E-04	2E-11	3E-11	2E-07	3E-07	0.0000005
	PBDE # 99	1.0E+00	ug/kg	--	--	6E-12	1E-11	--	--	--	1E-04	1E-04	1E-11	3E-11	1E-07	3E-07	0.0000004
	PBDE # 153	3.6E-01	ug/kg	--	--	2E-12	4E-12	--	--	--	2E-04	2E-04	5E-12	9E-12	3E-08	5E-08	0.0000001
	PBDE # 209	4.3E+00	ug/kg	7E-04	7E-04	3E-11	5E-11	2E-14	3E-14	5E-14	7E-03	7E-03	6E-11	1E-10	9E-09	2E-08	0.0000000
Exposure Point Total										5E-14							0.0000010
RM 7.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.9E-01	ug/kg	--	--	6E-12	1E-11	--	--	--	1E-04	1E-04	1E-11	3E-11	1E-07	3E-07	0.0000004
	PBDE # 99	8.5E-01	ug/kg	--	--	5E-12	9E-12	--	--	--	1E-04	1E-04	1E-11	2E-11	1E-07	2E-07	0.0000003
	PBDE # 153	4.3E-01	ug/kg	--	--	3E-12	5E-12	--	--	--	2E-04	2E-04	6E-12	1E-11	3E-08	5E-08	0.0000001
	PBDE # 209	5.3E+00	ug/kg	7E-04	7E-04	3E-11	6E-11	2E-14	4E-14	6E-14	7E-03	7E-03	7E-11	1E-10	1E-08	2E-08	0.00000003
Exposure Point Total										6E-14							0.0000008
RM 7.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.9E+00	ug/kg	--	--	1E-11	2E-11	--	--	--	1E-04	1E-04	3E-11	5E-11	3E-07	5E-07	0.0000008
	PBDE # 99	2.2E+00	ug/kg	--	--	1E-11	2E-11	--	--	--	1E-04	1E-04	3E-11	5E-11	3E-07	5E-07	0.0000009
	PBDE # 153	3.4E-01	ug/kg	--	--	2E-12	4E-12	--	--	--	2E-04	2E-04	5E-12	9E-12	2E-08	4E-08	0.0000001
	PBDE # 209	8.9E+00	ug/kg	7E-04	7E-04	5E-11	1E-10	4E-14	7E-14	1E-13	7E-03	7E-03	1E-10	2E-10	2E-08	3E-08	0.00000005
Exposure Point Total										1E-13							0.000002
RM 8 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	8.3E-01	ug/kg	--	--	5E-12	9E-12	--	--	--	1E-04	1E-04	1E-11	2E-11	1E-07	2E-07	0.0000003
	PBDE # 99	1.2E+00	ug/kg	--	--	7E-12	1E-11	--	--	--	1E-04	1E-04	2E-11	3E-11	2E-07	3E-07	0.0000005
	PBDE # 153	8.4E-01	ug/kg	--	--	5E-12	9E-12	--	--	--	2E-04	2E-04	1E-11	2E-11	6E-08	1E-07	0.0000002
	PBDE # 209	4.4E+02	ug/kg	7E-04	7E-04	3E-09	5E-09	2E-12	3E-12	5E-12	7E-03	7E-03	6E-09	1E-08	9E-07	2E-06	0.000002
Exposure Point Total										5E-12							0.000003
RM 8 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	1E-11	2E-11	--	--	--	1E-04	1E-04	3E-11	5E-11	3E-07	5E-07	0.0000007
	PBDE # 99	1.9E+00	ug/kg	--	--	1E-11	2E-11	--	--	--	1E-04	1E-04	3E-11	5E-11	3E-07	5E-07	0.0000008
	PBDE # 153	4.2E-01	ug/kg	--	--	3E-12	5E-12	--	--	--	2E-04	2E-04	6E-12	1E-11	3E-08	5E-08	0.0000001
	PBDE # 209	1.5E+01	ug/kg	7E-04	7E-04	9E-11	2E-10	6E-14	1E-13	2E-13	7E-03	7E-03	2E-10	4E-10	3E-08	5E-08	0.0000001
Exposure Point Total										2E-13							0.000002
RM 8 SIL	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.6E+00	ug/kg	--	--	1E-11	2E-11	--	--	--	1E-04	1E-04	2E-11	4E-11	2E-07	4E-07	0.0000006
	PBDE # 99	2.3E+00	ug/kg	--	--	1E-11	2E-11	--	--	--	1E-04	1E-04	3E-11	6E-11	3E-07	6E-07	0.0000009
	PBDE # 153	7.1E-01	ug/kg	--	--	4E-12	8E-12	--	--	--	2E-04	2E-04	1E-11	2E-11	5E-08	9E-08	0.0000001
	PBDE # 209	1.9E+01	ug/kg	7E-04	7E-04	1E-10	2E-10	8E-14	1E-13	2E-13	7E-03	7E-03	3E-10	5E-10	4E-08	7E-08	0.0000001
Exposure Point Total										2E-13							0.0000018

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-9.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 8.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.0E+00	ug/kg	--	--	1E-11	2E-11	--	--	--	1E-04	1E-04	3E-11	5E-11	3E-07	5E-07	0.0000008
	PBDE # 99	2.2E+00	ug/kg	--	--	1E-11	2E-11	--	--	--	1E-04	1E-04	3E-11	6E-11	3E-07	6E-07	0.0000009
	PBDE # 153	4.1E-01	ug/kg	--	--	2E-12	4E-12	--	--	--	2E-04	2E-04	6E-12	1E-11	3E-08	5E-08	0.0000001
	PBDE # 209	1.1E+01	ug/kg	7E-04	7E-04	7E-11	1E-10	5E-14	8E-14	1E-13	7E-03	7E-03	2E-10	3E-10	2E-08	4E-08	0.0000001
Exposure Point Total										1E-13							0.000002
RM 8.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	4.1E+00	ug/kg	--	--	2E-11	4E-11	--	--	--	1E-04	1E-04	6E-11	1E-10	6E-07	1E-06	0.000002
	PBDE # 99	5.6E+00	ug/kg	--	--	3E-11	6E-11	--	--	--	1E-04	1E-04	8E-11	1E-10	8E-07	1E-06	0.000002
	PBDE # 153	1.1E+00	ug/kg	--	--	7E-12	1E-11	--	--	--	2E-04	2E-04	2E-11	3E-11	8E-08	1E-07	0.0000002
	PBDE # 209	9.0E+01	ug/kg	7E-04	7E-04	5E-10	1E-09	4E-13	7E-13	1E-12	7E-03	7E-03	1E-09	2E-09	2E-07	3E-07	0.0000005
Exposure Point Total										1E-12							0.000005
RM 9 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.3E+00	ug/kg	--	--	8E-12	1E-11	--	--	--	1E-04	1E-04	2E-11	3E-11	2E-07	3E-07	0.0000005
	PBDE # 99	1.2E+00	ug/kg	--	--	7E-12	1E-11	--	--	--	1E-04	1E-04	2E-11	3E-11	2E-07	3E-07	0.0000005
	PBDE # 153	1.9E-01	ug/kg	--	--	1E-12	2E-12	--	--	--	2E-04	2E-04	3E-12	5E-12	1E-08	2E-08	0.00000004
	PBDE # 209	2.9E+00	ug/kg	7E-04	7E-04	2E-11	3E-11	1E-14	2E-14	3E-14	7E-03	7E-03	4E-11	7E-11	6E-09	1E-08	0.00000002
Exposure Point Total										3E-14							0.000001
RM 9 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.3E-01	ug/kg	--	--	2E-12	4E-12	--	--	--	1E-04	1E-04	5E-12	8E-12	5E-08	8E-08	0.0000001
	PBDE # 99	1.8E-01	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	3E-12	5E-12	3E-08	5E-08	0.0000001
Exposure Point Total										--							0.0000002
RM 9.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	1E-11	2E-11	--	--	--	1E-04	1E-04	3E-11	5E-11	3E-07	5E-07	0.0000007
	PBDE # 99	2.7E+00	ug/kg	--	--	2E-11	3E-11	--	--	--	1E-04	1E-04	4E-11	7E-11	4E-07	7E-07	0.000001
	PBDE # 153	5.2E-01	ug/kg	--	--	3E-12	6E-12	--	--	--	2E-04	2E-04	7E-12	1E-11	4E-08	7E-08	0.0000001
	PBDE # 209	4.6E+01	ug/kg	7E-04	7E-04	3E-10	5E-10	2E-13	4E-13	5E-13	7E-03	7E-03	6E-10	1E-09	9E-08	2E-07	0.0000003
Exposure Point Total										5E-13							0.000002
RM 9.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.9E-01	ug/kg	--	--	6E-12	1E-11	--	--	--	1E-04	1E-04	1E-11	3E-11	1E-07	3E-07	0.0000004
	PBDE # 99	7.9E-01	ug/kg	--	--	5E-12	9E-12	--	--	--	1E-04	1E-04	1E-11	2E-11	1E-07	2E-07	0.0000003
	PBDE # 209	2.0E+00	ug/kg	7E-04	7E-04	1E-11	2E-11	8E-15	2E-14	2E-14	7E-03	7E-03	3E-11	5E-11	4E-09	7E-09	0.00000001
Exposure Point Total										2E-14							0.0000007

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-9.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 11 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.9E+00	ug/kg	--	--	2E-11	3E-11	--	--	--	1E-04	1E-04	4E-11	7E-11	4E-07	7E-07	0.000001
	PBDE # 99	3.7E+00	ug/kg	--	--	2E-11	4E-11	--	--	--	1E-04	1E-04	5E-11	9E-11	5E-07	9E-07	0.000001
	PBDE # 153	6.3E-01	ug/kg	--	--	4E-12	7E-12	--	--	--	2E-04	2E-04	9E-12	2E-11	4E-08	8E-08	0.0000001
	PBDE # 209	5.7E+01	ug/kg	7E-04	7E-04	3E-10	6E-10	2E-13	4E-13	7E-13	7E-03	7E-03	8E-10	1E-09	1E-07	2E-07	0.0000003
Exposure Point Total										7E-13							0.000003
RM 11 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.7E-01	ug/kg	--	--	6E-12	1E-11	--	--	--	1E-04	1E-04	1E-11	2E-11	1E-07	2E-07	0.0000004
	PBDE # 99	7.8E-01	ug/kg	--	--	5E-12	8E-12	--	--	--	1E-04	1E-04	1E-11	2E-11	1E-07	2E-07	0.0000003
Exposure Point Total										--							0.0000007
RM 12 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.1E-01	ug/kg	--	--	2E-12	3E-12	--	--	--	1E-04	1E-04	4E-12	8E-12	4E-08	8E-08	0.0000001
	PBDE # 99	3.0E-01	ug/kg	--	--	2E-12	3E-12	--	--	--	1E-04	1E-04	4E-12	8E-12	4E-08	8E-08	0.0000001
Exposure Point Total										--							0.0000002
RM 12 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E+00	ug/kg	--	--	7E-12	1E-11	--	--	--	1E-04	1E-04	2E-11	3E-11	2E-07	3E-07	0.0000005
	PBDE # 99	1.1E+00	ug/kg	--	--	7E-12	1E-11	--	--	--	1E-04	1E-04	2E-11	3E-11	2E-07	3E-07	0.0000004
Exposure Point Total										--							0.0000009
Study Area Wide[d]	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	9E-12	2E-11	--	--	--	1E-04	1E-04	2E-11	4E-11	2E-07	4E-07	0.0000006
	PBDE # 99	1.7E+00	ug/kg	--	--	1E-11	2E-11	--	--	--	1E-04	1E-04	2E-11	4E-11	2E-07	4E-07	0.0000007
	PBDE # 153	5.1E-01	ug/kg	--	--	3E-12	6E-12	--	--	--	2E-04	2E-04	7E-12	1E-11	4E-08	6E-08	0.0000001
	PBDE # 209	2.2E+01	ug/kg	7E-04	7E-04	1E-10	2E-10	9E-14	2E-13	3E-13	7E-03	7E-03	3E-10	6E-10	4E-08	8E-08	0.0000001
Exposure Point Total										3E-13							0.000001

Notes:

a Numbers presented are rounded values. Sums calculated before rounding. Risks and hazards are calculated based on exposure parameters presented in Section 3 of Appendix F. For risks and hazards from dermal contact, a dermal absorption efficiency of 0.1 was used , which is the dermal absorption efficiency presented for semi-volatile organic compounds in Risk Assessment Guidance for Superfund. Volume I: Human Health Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment) Final, July 2004. EPA/540/R/99/005.

b Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
LADI = Lifetime Average Daily Intake.
mg/kg = milligrams per kilogram.

RfD = Reference dose.
RM = River mile.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-10.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High-frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 1 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.6E-01	ug/kg	--	--	1E-11	1E-11	--	--	--	1E-04	1E-04	3E-11	3E-11	3E-07	3E-07	0.0000006
	PBDE # 99	3.7E-01	ug/kg	--	--	1E-11	1E-11	--	--	--	1E-04	1E-04	3E-11	3E-11	3E-07	3E-07	0.0000006
	PBDE # 209	4.0E+00	ug/kg	7E-04	7E-04	2E-10	1E-10	1E-13	9E-14	2E-13	7E-03	7E-03	4E-10	3E-10	5E-08	4E-08	0.0000001
Exposure Point Total										2E-13							0.000001
RM 1 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	7.6E-01	ug/kg	--	--	3E-11	2E-11	--	--	--	1E-04	1E-04	7E-11	6E-11	7E-07	6E-07	0.000001
	PBDE # 99	6.3E-01	ug/kg	--	--	2E-11	2E-11	--	--	--	1E-04	1E-04	6E-11	5E-11	6E-07	5E-07	0.000001
	PBDE # 209	3.7E+00	ug/kg	7E-04	7E-04	1E-10	1E-10	1E-13	8E-14	2E-13	7E-03	7E-03	3E-10	3E-10	5E-08	4E-08	0.000001
Exposure Point Total										2E-13							0.000002
RM 1.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E-01	ug/kg	--	--	5E-12	4E-12	--	--	--	1E-04	1E-04	1E-11	9E-12	1E-07	9E-08	0.0000002
Exposure Point Total										--							0.0000002
RM 1.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	5E-11	5E-11	--	--	--	1E-04	1E-04	1E-10	1E-10	1E-06	1E-06	0.000002
	PBDE # 99	1.4E+00	ug/kg	--	--	5E-11	5E-11	--	--	--	1E-04	1E-04	1E-10	1E-10	1E-06	1E-06	0.000002
	PBDE # 153	1.8E-01	ug/kg	--	--	7E-12	6E-12	--	--	--	2E-04	2E-04	2E-11	1E-11	8E-08	7E-08	0.0000002
	PBDE # 209	4.5E+00	ug/kg	7E-04	7E-04	2E-10	1E-10	1E-13	1E-13	2E-13	7E-03	7E-03	4E-10	3E-10	6E-08	5E-08	0.0000001
Exposure Point Total										2E-13							0.000005
RM 2 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	7E-11	6E-11	--	--	--	1E-04	1E-04	2E-10	1E-10	2E-06	1E-06	0.000003
	PBDE # 99	1.7E+00	ug/kg	--	--	7E-11	6E-11	--	--	--	1E-04	1E-04	2E-10	1E-10	2E-06	1E-06	0.000003
	PBDE # 153	4.2E-01	ug/kg	--	--	2E-11	1E-11	--	--	--	2E-04	2E-04	4E-11	3E-11	2E-07	2E-07	0.0000004
	PBDE # 209	6.0E+00	ug/kg	7E-04	7E-04	2E-10	2E-10	2E-13	1E-13	3E-13	7E-03	7E-03	5E-10	5E-10	8E-08	7E-08	0.0000001
Exposure Point Total										3E-13							0.000006
RM 2 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	7E-11	6E-11	--	--	--	1E-04	1E-04	2E-10	1E-10	2E-06	1E-06	0.000003
	PBDE # 99	2.1E+00	ug/kg	--	--	8E-11	7E-11	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000004
	PBDE # 153	2.9E-01	ug/kg	--	--	1E-11	9E-12	--	--	--	2E-04	2E-04	3E-11	2E-11	1E-07	1E-07	0.0000002
	PBDE # 209	8.4E+00	ug/kg	7E-04	7E-04	3E-10	3E-10	2E-13	2E-13	4E-13	7E-03	7E-03	8E-10	6E-10	1E-07	9E-08	0.0000002
Exposure Point Total										4E-13							0.000007
RM 2.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.0E-01	ug/kg	--	--	8E-12	7E-12	--	--	--	1E-04	1E-04	2E-11	2E-11	2E-07	2E-07	0.0000003
	PBDE # 99	2.4E-01	ug/kg	--	--	9E-12	8E-12	--	--	--	1E-04	1E-04	2E-11	2E-11	2E-07	2E-07	0.0000004
Exposure Point Total										--							0.0000007

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-10.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High-frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 2.5 MC	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E-01	ug/kg	--	--	5E-12	5E-12	--	--	--	1E-04	1E-04	1E-11	1E-11	1E-07	1E-07	0.0000002
Exposure Point Total										--							0.0000002
RM 3 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	5E-11	5E-11	--	--	--	1E-04	1E-04	1E-10	1E-10	1E-06	1E-06	0.000002
	PBDE # 99	1.3E+00	ug/kg	--	--	5E-11	4E-11	--	--	--	1E-04	1E-04	1E-10	1E-10	1E-06	1E-06	0.000002
	PBDE # 153	2.9E-01	ug/kg	--	--	1E-11	9E-12	--	--	--	2E-04	2E-04	3E-11	2E-11	1E-07	1E-07	0.0000002
	PBDE # 209	5.3E+00	ug/kg	7E-04	7E-04	2E-10	2E-10	1E-13	1E-13	3E-13	7E-03	7E-03	5E-10	4E-10	7E-08	6E-08	0.0000001
Exposure Point Total										3E-13							0.000005
RM 3 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.6E+00	ug/kg	--	--	6E-11	5E-11	--	--	--	1E-04	1E-04	1E-10	1E-10	1E-06	1E-06	0.000003
	PBDE # 99	1.6E+00	ug/kg	--	--	6E-11	5E-11	--	--	--	1E-04	1E-04	1E-10	1E-10	1E-06	1E-06	0.000003
	PBDE # 153	3.3E-01	ug/kg	--	--	1E-11	1E-11	--	--	--	2E-04	2E-04	3E-11	3E-11	1E-07	1E-07	0.0000003
	PBDE # 209	6.9E+00	ug/kg	7E-04	7E-04	3E-10	2E-10	2E-13	2E-13	3E-13	7E-03	7E-03	6E-10	5E-10	9E-08	8E-08	0.0000002
Exposure Point Total										3E-13							0.000006
RM 3.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E-01	ug/kg	--	--	5E-12	5E-12	--	--	--	1E-04	1E-04	1E-11	1E-11	1E-07	1E-07	0.0000002
	PBDE # 99	1.2E-01	ug/kg	--	--	5E-12	4E-12	--	--	--	1E-04	1E-04	1E-11	9E-12	1E-07	9E-08	0.0000002
Exposure Point Total										--							0.0000004
RM 3.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	5.2E+00	ug/kg	--	--	2E-10	2E-10	--	--	--	1E-04	1E-04	5E-10	4E-10	5E-06	4E-06	0.000009
	PBDE # 99	8.2E+00	ug/kg	--	--	3E-10	3E-10	--	--	--	1E-04	1E-04	7E-10	6E-10	7E-06	6E-06	0.00001
	PBDE # 153	1.5E+00	ug/kg	--	--	6E-11	5E-11	--	--	--	2E-04	2E-04	1E-10	1E-10	7E-07	6E-07	0.000001
	PBDE # 209	5.6E+01	ug/kg	7E-04	7E-04	2E-09	2E-09	2E-12	1E-12	3E-12	7E-03	7E-03	5E-09	4E-09	7E-07	6E-07	0.000001
Exposure Point Total										3E-12							0.00002
RM 4 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.5E-01	ug/kg	--	--	1E-11	1E-11	--	--	--	1E-04	1E-04	3E-11	3E-11	3E-07	3E-07	0.0000006
	PBDE # 99	2.3E-01	ug/kg	--	--	9E-12	8E-12	--	--	--	1E-04	1E-04	2E-11	2E-11	2E-07	2E-07	0.0000004
Exposure Point Total										--							0.000001
RM 5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.7E-01	ug/kg	--	--	1E-11	1E-11	--	--	--	1E-04	1E-04	3E-11	3E-11	3E-07	3E-07	0.0000006
	PBDE # 99	3.7E-01	ug/kg	--	--	1E-11	1E-11	--	--	--	1E-04	1E-04	3E-11	3E-11	3E-07	3E-07	0.0000006
Exposure Point Total										--							0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-10.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High-frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 5.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	5E-11	5E-11	--	--	--	1E-04	1E-04	1E-10	1E-10	1E-06	1E-06	0.000002
	PBDE # 99	1.2E+00	ug/kg	--	--	5E-11	4E-11	--	--	--	1E-04	1E-04	1E-10	9E-11	1E-06	9E-07	0.000002
	PBDE # 153	2.3E-01	ug/kg	--	--	9E-12	8E-12	--	--	--	2E-04	2E-04	2E-11	2E-11	1E-07	9E-08	0.0000002
	PBDE # 209	7.4E+00	ug/kg	7E-04	7E-04	3E-10	2E-10	2E-13	2E-13	4E-13	7E-03	7E-03	7E-10	6E-10	1E-07	8E-08	0.0000002
Exposure Point Total										4E-13							0.000005
RM 5.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	7E-11	6E-11	--	--	--	1E-04	1E-04	2E-10	1E-10	2E-06	1E-06	0.000003
	PBDE # 99	1.8E+00	ug/kg	--	--	7E-11	6E-11	--	--	--	1E-04	1E-04	2E-10	1E-10	2E-06	1E-06	0.000003
	PBDE # 153	2.6E-01	ug/kg	--	--	1E-11	9E-12	--	--	--	2E-04	2E-04	2E-11	2E-11	1E-07	1E-07	0.0000002
	PBDE # 209	2.8E+00	ug/kg	7E-04	7E-04	1E-10	9E-11	8E-14	6E-14	1E-13	7E-03	7E-03	3E-10	2E-10	4E-08	3E-08	0.0000001
Exposure Point Total										1E-13							0.000006
RM 6 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.3E-01	ug/kg	--	--	5E-12	4E-12	--	--	--	1E-04	1E-04	1E-11	1E-11	1E-07	1E-07	0.0000002
	PBDE # 99	1.3E-01	ug/kg	--	--	5E-12	4E-12	--	--	--	1E-04	1E-04	1E-11	1E-11	1E-07	1E-07	0.0000002
	PBDE # 209	3.5E+00	ug/kg	7E-04	7E-04	1E-10	1E-10	1E-13	8E-14	2E-13	7E-03	7E-03	3E-10	3E-10	5E-08	4E-08	0.0000001
Exposure Point Total										2E-13							0.0000005
RM 6 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.7E-01	ug/kg	--	--	1E-11	9E-12	--	--	--	1E-04	1E-04	2E-11	2E-11	2E-07	2E-07	0.0000005
	PBDE # 99	1.7E-01	ug/kg	--	--	7E-12	6E-12	--	--	--	1E-04	1E-04	2E-11	1E-11	2E-07	1E-07	0.0000003
Exposure Point Total										--							0.0000007
RM 6.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.1E-01	ug/kg	--	--	4E-12	4E-12	--	--	--	1E-04	1E-04	1E-11	8E-12	1E-07	8E-08	0.0000002
	PBDE # 99	1.3E-01	ug/kg	--	--	5E-12	4E-12	--	--	--	1E-04	1E-04	1E-11	1E-11	1E-07	1E-07	0.0000002
Exposure Point Total										--							0.0000004
RM 6.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	7E-11	6E-11	--	--	--	1E-04	1E-04	2E-10	1E-10	2E-06	1E-06	0.000003
	PBDE # 99	1.9E+00	ug/kg	--	--	7E-11	6E-11	--	--	--	1E-04	1E-04	2E-10	1E-10	2E-06	1E-06	0.000003
	PBDE # 153	3.5E-01	ug/kg	--	--	1E-11	1E-11	--	--	--	2E-04	2E-04	3E-11	3E-11	2E-07	1E-07	0.0000003
	PBDE # 209	2.5E+01	ug/kg	7E-04	7E-04	1E-09	8E-10	7E-13	6E-13	1E-12	7E-03	7E-03	2E-09	2E-09	3E-07	3E-07	0.000006
Exposure Point Total										1E-12							0.000007
RM 7 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.5E-01	ug/kg	--	--	4E-11	3E-11	--	--	--	1E-04	1E-04	9E-11	7E-11	9E-07	7E-07	0.000002
	PBDE # 99	9.9E-01	ug/kg	--	--	4E-11	3E-11	--	--	--	1E-04	1E-04	9E-11	8E-11	9E-07	8E-07	0.000002
	PBDE # 153	2.9E-01	ug/kg	--	--	1E-11	9E-12	--	--	--	2E-04	2E-04	3E-11	2E-11	1E-07	1E-07	0.0000002
	PBDE # 209	6.1E+00	ug/kg	7E-04	7E-04	2E-10	2E-10	2E-13	1E-13	3E-13	7E-03	7E-03	6E-10	5E-10	8E-08	7E-08	0.0000001
Exposure Point Total										3E-13							0.000004

Cancer Risk Calculations[a]
Noncancer Hazard Calculations[a]

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-10.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High-frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 7 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.7E+00	ug/kg	--	--	7E-11	6E-11	--	--	--	1E-04	1E-04	2E-10	1E-10	2E-06	1E-06	0.000003
	PBDE # 99	1.5E+00	ug/kg	--	--	6E-11	5E-11	--	--	--	1E-04	1E-04	1E-10	1E-10	1E-06	1E-06	0.000003
	PBDE # 153	3.1E-01	ug/kg	--	--	1E-11	1E-11	--	--	--	2E-04	2E-04	3E-11	2E-11	1E-07	1E-07	0.0000003
	PBDE # 209	6.2E+00	ug/kg	7E-04	7E-04	2E-10	2E-10	2E-13	1E-13	3E-13	7E-03	7E-03	6E-10	5E-10	8E-08	7E-08	0.0000001
Exposure Point Total										3E-13							0.000006
RM 7.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.7E+00	ug/kg	--	--	7E-11	6E-11	--	--	--	1E-04	1E-04	2E-10	1E-10	2E-06	1E-06	0.000003
	PBDE # 99	1.5E+00	ug/kg	--	--	6E-11	5E-11	--	--	--	1E-04	1E-04	1E-10	1E-10	1E-06	1E-06	0.000003
	PBDE # 153	3.1E-01	ug/kg	--	--	1E-11	1E-11	--	--	--	2E-04	2E-04	3E-11	2E-11	1E-07	1E-07	0.0000003
	PBDE # 209	5.1E+00	ug/kg	7E-04	7E-04	2E-10	2E-10	1E-13	1E-13	3E-13	7E-03	7E-03	5E-10	4E-10	7E-08	6E-08	0.0000001
Exposure Point Total										3E-13							0.000006
RM 7.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.5E+00	ug/kg	--	--	1E-10	8E-11	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000004
	PBDE # 99	2.9E+00	ug/kg	--	--	1E-10	9E-11	--	--	--	1E-04	1E-04	3E-10	2E-10	3E-06	2E-06	0.000005
	PBDE # 153	4.5E-01	ug/kg	--	--	2E-11	1E-11	--	--	--	2E-04	2E-04	4E-11	3E-11	2E-07	2E-07	0.0000004
	PBDE # 209	1.3E+01	ug/kg	7E-04	7E-04	5E-10	4E-10	4E-13	3E-13	7E-13	7E-03	7E-03	1E-09	1E-09	2E-07	1E-07	0.0000003
Exposure Point Total										7E-13							0.00001
RM 8 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	8.3E-01	ug/kg	--	--	3E-11	3E-11	--	--	--	1E-04	1E-04	8E-11	6E-11	8E-07	6E-07	0.000001
	PBDE # 99	1.2E+00	ug/kg	--	--	5E-11	4E-11	--	--	--	1E-04	1E-04	1E-10	9E-11	1E-06	9E-07	0.000002
	PBDE # 153	8.4E-01	ug/kg	--	--	3E-11	3E-11	--	--	--	2E-04	2E-04	8E-11	6E-11	4E-07	3E-07	0.0000007
	PBDE # 209	4.4E+02	ug/kg	7E-04	7E-04	2E-08	1E-08	1E-11	1E-11	2E-11	7E-03	7E-03	4E-08	3E-08	6E-06	5E-06	0.00001
Exposure Point Total										2E-11							0.00001
RM 8 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.1E+00	ug/kg	--	--	8E-11	7E-11	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000004
	PBDE # 99	2.2E+00	ug/kg	--	--	9E-11	7E-11	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000004
	PBDE # 153	6.2E-01	ug/kg	--	--	2E-11	2E-11	--	--	--	2E-04	2E-04	6E-11	5E-11	3E-07	2E-07	0.0000005
	PBDE # 209	2.4E+01	ug/kg	7E-04	7E-04	9E-10	8E-10	7E-13	5E-13	1E-12	7E-03	7E-03	2E-09	2E-09	3E-07	3E-07	0.0000006
Exposure Point Total										1E-12							0.000008
RM 8 SIL	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	4.5E+00	ug/kg	--	--	2E-10	1E-10	--	--	--	1E-04	1E-04	4E-10	3E-10	4E-06	3E-06	0.000008
	PBDE # 99	4.3E+00	ug/kg	--	--	2E-10	1E-10	--	--	--	1E-04	1E-04	4E-10	3E-10	4E-06	3E-06	0.000007
	PBDE # 153	1.2E+00	ug/kg	--	--	5E-11	4E-11	--	--	--	2E-04	2E-04	1E-10	9E-11	5E-07	5E-07	0.000001
	PBDE # 209	3.7E+01	ug/kg	7E-04	7E-04	1E-09	1E-09	1E-12	9E-13	2E-12	7E-03	7E-03	3E-09	3E-09	5E-07	4E-07	0.0000009
Exposure Point Total										2E-12							0.00002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-10.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High-frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 8.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.0E+00	ug/kg	--	--	8E-11	7E-11	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000003
	PBDE # 99	2.2E+00	ug/kg	--	--	9E-11	7E-11	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000004
	PBDE # 153	4.1E-01	ug/kg	--	--	2E-11	1E-11	--	--	--	2E-04	2E-04	4E-11	3E-11	2E-07	2E-07	0.0000003
	PBDE # 209	1.1E+01	ug/kg	7E-04	7E-04	4E-10	4E-10	3E-13	3E-13	6E-13	7E-03	7E-03	1E-09	8E-10	1E-07	1E-07	0.0000003
Exposure Point Total										6E-13							0.000008
RM 8.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	4.1E+00	ug/kg	--	--	2E-10	1E-10	--	--	--	1E-04	1E-04	4E-10	3E-10	4E-06	3E-06	0.000007
	PBDE # 99	5.6E+00	ug/kg	--	--	2E-10	2E-10	--	--	--	1E-04	1E-04	5E-10	4E-10	5E-06	4E-06	0.000009
	PBDE # 153	1.1E+00	ug/kg	--	--	4E-11	4E-11	--	--	--	2E-04	2E-04	1E-10	8E-11	5E-07	4E-07	0.0000009
	PBDE # 209	9.0E+01	ug/kg	7E-04	7E-04	3E-09	3E-09	2E-12	2E-12	5E-12	7E-03	7E-03	8E-09	7E-09	1E-06	1E-06	0.000002
Exposure Point Total										5E-12							0.00002
RM 9 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.3E+00	ug/kg	--	--	5E-11	4E-11	--	--	--	1E-04	1E-04	1E-10	1E-10	1E-06	1E-06	0.000002
	PBDE # 99	1.2E+00	ug/kg	--	--	5E-11	4E-11	--	--	--	1E-04	1E-04	1E-10	9E-11	1E-06	9E-07	0.000002
	PBDE # 153	1.9E-01	ug/kg	--	--	7E-12	6E-12	--	--	--	2E-04	2E-04	2E-11	1E-11	9E-08	7E-08	0.0000002
	PBDE # 209	2.9E+00	ug/kg	7E-04	7E-04	1E-10	9E-11	8E-14	7E-14	1E-13	7E-03	7E-03	3E-10	2E-10	4E-08	3E-08	0.0000001
Exposure Point Total										1E-13							0.000004
RM 9 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.3E-01	ug/kg	--	--	1E-11	1E-11	--	--	--	1E-04	1E-04	3E-11	3E-11	3E-07	3E-07	0.0000006
	PBDE # 99	1.8E-01	ug/kg	--	--	7E-12	6E-12	--	--	--	1E-04	1E-04	2E-11	1E-11	2E-07	1E-07	0.0000003
Exposure Point Total										--							0.0000009
RM 9.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	7E-11	6E-11	--	--	--	1E-04	1E-04	2E-10	1E-10	2E-06	1E-06	0.000003
	PBDE # 99	2.7E+00	ug/kg	--	--	1E-10	9E-11	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000005
	PBDE # 153	5.2E-01	ug/kg	--	--	2E-11	2E-11	--	--	--	2E-04	2E-04	5E-11	4E-11	2E-07	2E-07	0.0000004
	PBDE # 209	4.6E+01	ug/kg	7E-04	7E-04	2E-09	2E-09	1E-12	1E-12	2E-12	7E-03	7E-03	4E-09	4E-09	6E-07	5E-07	0.000001
Exposure Point Total										2E-12							0.000009
RM 9.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.9E-01	ug/kg	--	--	4E-11	3E-11	--	--	--	1E-04	1E-04	9E-11	8E-11	9E-07	8E-07	0.000002
	PBDE # 99	7.9E-01	ug/kg	--	--	3E-11	3E-11	--	--	--	1E-04	1E-04	7E-11	6E-11	7E-07	6E-07	0.000001
	PBDE # 209	2.0E+00	ug/kg	7E-04	7E-04	8E-11	7E-11	5E-14	5E-14	1E-13	7E-03	7E-03	2E-10	2E-10	3E-08	2E-08	0.00000005
Exposure Point Total										1E-13							0.000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-10.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High-frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 11 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.9E+00	ug/kg	--	--	1E-10	9E-11	--	--	--	1E-04	1E-04	3E-10	2E-10	3E-06	2E-06	0.000005
	PBDE # 99	3.7E+00	ug/kg	--	--	1E-10	1E-10	--	--	--	1E-04	1E-04	3E-10	3E-10	3E-06	3E-06	0.000006
	PBDE # 153	6.3E-01	ug/kg	--	--	2E-11	2E-11	--	--	--	2E-04	2E-04	6E-11	5E-11	3E-07	2E-07	0.0000005
	PBDE # 209	5.7E+01	ug/kg	7E-04	7E-04	2E-09	2E-09	2E-12	1E-12	3E-12	7E-03	7E-03	5E-09	4E-09	7E-07	6E-07	0.000001
Exposure Point Total										3E-12							0.00001
RM 11 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.5E+00	ug/kg	--	--	6E-11	5E-11	--	--	--	1E-04	1E-04	1E-10	1E-10	1E-06	1E-06	0.000003
	PBDE # 99	1.2E+00	ug/kg	--	--	5E-11	4E-11	--	--	--	1E-04	1E-04	1E-10	9E-11	1E-06	9E-07	0.000002
Exposure Point Total										--							0.000005
RM 12 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.1E-01	ug/kg	--	--	1E-11	1E-11	--	--	--	1E-04	1E-04	3E-11	2E-11	3E-07	2E-07	0.0000005
	PBDE # 99	3.0E-01	ug/kg	--	--	1E-11	1E-11	--	--	--	1E-04	1E-04	3E-11	2E-11	3E-07	2E-07	0.0000005
Exposure Point Total										--							0.000001
RM 12 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E+00	ug/kg	--	--	5E-11	4E-11	--	--	--	1E-04	1E-04	1E-10	9E-11	1E-06	9E-07	0.000002
	PBDE # 99	1.1E+00	ug/kg	--	--	4E-11	4E-11	--	--	--	1E-04	1E-04	1E-10	8E-11	1E-06	8E-07	0.000002
Exposure Point Total										--							0.000004
Study Area Wide[b]	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.2E+00	ug/kg	--	--	8E-11	7E-11	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000004
	PBDE # 99	2.8E+00	ug/kg	--	--	1E-10	9E-11	--	--	--	1E-04	1E-04	3E-10	2E-10	3E-06	2E-06	0.000005
	PBDE # 153	5.3E-01	ug/kg	--	--	2E-11	2E-11	--	--	--	2E-04	2E-04	5E-11	4E-11	2E-07	2E-07	0.0000004
	PBDE # 209	6.0E+01	ug/kg	7E-04	7E-04	2E-09	2E-09	2E-12	1E-12	3E-12	7E-03	7E-03	5E-09	5E-09	8E-07	7E-07	0.000001
Exposure Point Total		3E-12															0.00001

Notes:

a Numbers presented are rounded values. Sums calculated before rounding. Risks and hazards are calculated based on exposure parameters presented in Section 3 of Appendix F. For risks and hazards from dermal contact, a dermal absorption efficiency of 0.1 was used , which is the dermal absorption efficiency presented for semi-volatile organic compounds in Risk Assessment Guidance for Superfund. Volume I: Human Health Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment) Final, July 2004. EPA/540/R/99/005.

b Study Area wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
LADI = Lifetime Average Daily Intake.
mg/kg = milligrams per kilogram.

RfD = Reference dose.
RM = River mile.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-11.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 1 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.3E-01	ug/kg	--	--	3E-13	5E-13	--	--	--	1E-04	1E-04	2E-12	4E-12	2E-08	4E-08	0.0000001
	PBDE # 99	3.2E-01	ug/kg	--	--	3E-13	5E-13	--	--	--	1E-04	1E-04	2E-12	4E-12	2E-08	4E-08	0.0000001
	PBDE # 209	3.8E+00	ug/kg	7E-04	7E-04	3E-12	6E-12	2E-15	4E-15	7E-15	7E-03	7E-03	3E-11	5E-11	4E-09	7E-09	0.00000001
Exposure Point Total[c]										7E-15							0.0000001
RM 1 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	7.6E-01	ug/kg	--	--	7E-13	1E-12	--	--	--	1E-04	1E-04	5E-12	1E-11	5E-08	1E-07	0.0000002
	PBDE # 99	6.3E-01	ug/kg	--	--	6E-13	1E-12	--	--	--	1E-04	1E-04	4E-12	8E-12	4E-08	8E-08	0.0000001
	PBDE # 209	3.7E+00	ug/kg	7E-04	7E-04	3E-12	6E-12	2E-15	4E-15	7E-15	7E-03	7E-03	3E-11	5E-11	4E-09	7E-09	0.00000001
Exposure Point Total										7E-15							0.0000003
RM 1.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E-01	ug/kg	--	--	1E-13	2E-13	--	--	--	1E-04	1E-04	8E-13	2E-12	8E-09	2E-08	0.00000002
Exposure Point Total										--							0.00000002
RM 1.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	1E-11	2E-11	1E-07	2E-07	0.0000003
	PBDE # 99	1.4E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	1E-11	2E-11	1E-07	2E-07	0.0000003
	PBDE # 153	1.8E-01	ug/kg	--	--	2E-13	3E-13	--	--	--	2E-04	2E-04	1E-12	2E-12	6E-09	1E-08	0.00000002
	PBDE # 209	4.5E+00	ug/kg	7E-04	7E-04	4E-12	7E-12	3E-15	5E-15	8E-15	7E-03	7E-03	3E-11	6E-11	5E-09	8E-09	0.00000001
Exposure Point Total										8E-15							0.0000006
RM 2 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.1E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	8E-12	1E-11	8E-08	1E-07	0.0000002
	PBDE # 99	1.0E+00	ug/kg	--	--	9E-13	2E-12	--	--	--	1E-04	1E-04	7E-12	1E-11	7E-08	1E-07	0.0000002
	PBDE # 153	4.9E-01	ug/kg	--	--	4E-13	8E-13	--	--	--	2E-04	2E-04	3E-12	6E-12	2E-08	3E-08	0.00000005
	PBDE # 209	5.8E+00	ug/kg	7E-04	7E-04	5E-12	9E-12	4E-15	7E-15	1E-14	7E-03	7E-03	4E-11	7E-11	6E-09	1E-08	0.00000002
Exposure Point Total										1E-14							0.0000005
RM 2 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	2E-12	3E-12	--	--	--	1E-04	1E-04	1E-11	2E-11	1E-07	2E-07	0.0000003
	PBDE # 99	2.0E+00	ug/kg	--	--	2E-12	3E-12	--	--	--	1E-04	1E-04	1E-11	3E-11	1E-07	3E-07	0.0000004
	PBDE # 153	2.8E-01	ug/kg	--	--	3E-13	5E-13	--	--	--	2E-04	2E-04	2E-12	4E-12	1E-08	2E-08	0.00000003
	PBDE # 209	6.9E+00	ug/kg	7E-04	7E-04	6E-12	1E-11	4E-15	8E-15	1E-14	7E-03	7E-03	5E-11	9E-11	7E-09	1E-08	0.00000002
Exposure Point Total										1E-14							0.0000008
RM 2.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.0E-01	ug/kg	--	--	2E-13	3E-13	--	--	--	1E-04	1E-04	1E-12	3E-12	1E-08	3E-08	0.00000004
	PBDE # 99	2.4E-01	ug/kg	--	--	2E-13	4E-13	--	--	--	1E-04	1E-04	2E-12	3E-12	2E-08	3E-08	0.00000005
Exposure Point Total										--							0.0000001
RM 2.5 MC	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E-01	ug/kg	--	--	1E-13	2E-13	--	--	--	1E-04	1E-04	1E-12	2E-12	1E-08	2E-08	0.00000003
Exposure Point Total										--							0.00000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-11.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
								Cancer Risk Calculations[a]						Noncancer Hazard Calculations[a]			
RM 3 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	1E-11	2E-11	1E-07	2E-07	0.0000003
	PBDE # 99	1.3E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	9E-12	2E-11	9E-08	2E-07	0.0000003
	PBDE # 153	2.9E-01	ug/kg	--	--	3E-13	5E-13	--	--	--	2E-04	2E-04	2E-12	4E-12	1E-08	2E-08	0.00000003
	PBDE # 209	5.3E+00	ug/kg	7E-04	7E-04	5E-12	9E-12	3E-15	6E-15	9E-15	7E-03	7E-03	4E-11	7E-11	5E-09	1E-08	0.00000001
Exposure Point Total										9E-15							0.0000006
RM 3 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.3E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	9E-12	2E-11	9E-08	2E-07	0.0000003
	PBDE # 99	1.4E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	1E-11	2E-11	1E-07	2E-07	0.0000003
	PBDE # 153	2.8E-01	ug/kg	--	--	3E-13	5E-13	--	--	--	2E-04	2E-04	2E-12	4E-12	1E-08	2E-08	0.00000003
	PBDE # 209	6.4E+00	ug/kg	7E-04	7E-04	6E-12	1E-11	4E-15	7E-15	1E-14	7E-03	7E-03	5E-11	8E-11	6E-09	1E-08	0.00000002
Exposure Point Total										1E-14							0.0000006
RM 3.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E-01	ug/kg	--	--	1E-13	2E-13	--	--	--	1E-04	1E-04	1E-12	2E-12	1E-08	2E-08	0.0000003
	PBDE # 99	1.2E-01	ug/kg	--	--	1E-13	2E-13	--	--	--	1E-04	1E-04	8E-13	2E-12	8E-09	2E-08	0.00000002
Exposure Point Total										--							0.0000001
RM 3.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	4.0E+00	ug/kg	--	--	4E-12	6E-12	--	--	--	1E-04	1E-04	3E-11	5E-11	3E-07	5E-07	0.0000008
	PBDE # 99	5.8E+00	ug/kg	--	--	5E-12	1E-11	--	--	--	1E-04	1E-04	4E-11	7E-11	4E-07	7E-07	0.000001
	PBDE # 153	1.1E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	2E-04	2E-04	7E-12	1E-11	4E-08	7E-08	0.0000001
	PBDE # 209	3.2E+01	ug/kg	7E-04	7E-04	3E-11	5E-11	2E-14	4E-14	6E-14	7E-03	7E-03	2E-10	4E-10	3E-08	6E-08	0.0000001
Exposure Point Total										6E-14							0.000002
RM 4 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.5E-01	ug/kg	--	--	3E-13	6E-13	--	--	--	1E-04	1E-04	2E-12	4E-12	2E-08	4E-08	0.0000001
	PBDE # 99	2.3E-01	ug/kg	--	--	2E-13	4E-13	--	--	--	1E-04	1E-04	2E-12	3E-12	2E-08	3E-08	0.00000005
Exposure Point Total										--							0.0000001
RM 5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.7E-01	ug/kg	--	--	3E-13	6E-13	--	--	--	1E-04	1E-04	3E-12	5E-12	3E-08	5E-08	0.0000001
	PBDE # 99	3.7E-01	ug/kg	--	--	3E-13	6E-13	--	--	--	1E-04	1E-04	3E-12	5E-12	3E-08	5E-08	0.0000001
Exposure Point Total										--							0.0000001
RM 5.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	1E-11	2E-11	1E-07	2E-07	0.0000003
	PBDE # 99	1.2E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	8E-12	2E-11	8E-08	2E-07	0.0000002
	PBDE # 153	2.3E-01	ug/kg	--	--	2E-13	4E-13	--	--	--	2E-04	2E-04	2E-12	3E-12	8E-09	1E-08	0.00000002
	PBDE # 209	7.4E+00	ug/kg	7E-04	7E-04	7E-12	1E-11	5E-15	8E-15	1E-14	7E-03	7E-03	5E-11	9E-11	7E-09	1E-08	0.00000002
Exposure Point Total										1E-14							0.0000006

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-11.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 5.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.0E+00	ug/kg	--	--	9E-13	2E-12	--	--	--	1E-04	1E-04	7E-12	1E-11	7E-08	1E-07	0.0000002
	PBDE # 99	1.2E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	8E-12	1E-11	8E-08	1E-07	0.0000002
	PBDE # 153	4.1E-01	ug/kg	--	--	4E-13	7E-13	--	--	--	2E-04	2E-04	3E-12	5E-12	1E-08	3E-08	0.00000004
	PBDE # 209	4.2E+00	ug/kg	7E-04	7E-04	4E-12	7E-12	3E-15	5E-15	7E-15	7E-03	7E-03	3E-11	5E-11	4E-09	8E-09	0.00000001
Exposure Point Total										7E-15							0.0000005
RM 6 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.7E-01	ug/kg	--	--	3E-13	6E-13	--	--	--	1E-04	1E-04	3E-12	5E-12	3E-08	5E-08	0.0000001
	PBDE # 99	3.7E-01	ug/kg	--	--	3E-13	6E-13	--	--	--	1E-04	1E-04	3E-12	5E-12	3E-08	5E-08	0.0000001
	PBDE # 209	4.8E+00	ug/kg	7E-04	7E-04	4E-12	8E-12	3E-15	5E-15	8E-15	7E-03	7E-03	3E-11	6E-11	5E-09	9E-09	0.00000001
Exposure Point Total										8E-15							0.0000002
RM 6 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.7E-01	ug/kg	--	--	2E-13	4E-13	--	--	--	1E-04	1E-04	2E-12	3E-12	2E-08	3E-08	0.0000001
	PBDE # 99	1.7E-01	ug/kg	--	--	2E-13	3E-13	--	--	--	1E-04	1E-04	1E-12	2E-12	1E-08	2E-08	0.00000003
Exposure Point Total										--							0.0000001
RM 6.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.1E-01	ug/kg	--	--	1E-13	2E-13	--	--	--	1E-04	1E-04	8E-13	1E-12	8E-09	1E-08	0.00000002
	PBDE # 99	1.3E-01	ug/kg	--	--	1E-13	2E-13	--	--	--	1E-04	1E-04	9E-13	2E-12	9E-09	2E-08	0.00000003
Exposure Point Total										--							0.00000005
RM 6.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	8E-12	2E-11	8E-08	2E-07	0.0000002
	PBDE # 99	1.3E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	9E-12	2E-11	9E-08	2E-07	0.0000002
	PBDE # 153	4.5E-01	ug/kg	--	--	4E-13	7E-13	--	--	--	2E-04	2E-04	3E-12	6E-12	2E-08	3E-08	0.00000004
	PBDE # 209	1.7E+01	ug/kg	7E-04	7E-04	2E-11	3E-11	1E-14	2E-14	3E-14	7E-03	7E-03	1E-10	2E-10	2E-08	3E-08	0.00000005
Exposure Point Total										3E-14							0.0000006
RM 7 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.5E-01	ug/kg	--	--	9E-13	2E-12	--	--	--	1E-04	1E-04	7E-12	1E-11	7E-08	1E-07	0.0000002
	PBDE # 99	9.9E-01	ug/kg	--	--	9E-13	2E-12	--	--	--	1E-04	1E-04	7E-12	1E-11	7E-08	1E-07	0.0000002
	PBDE # 153	2.9E-01	ug/kg	--	--	3E-13	5E-13	--	--	--	2E-04	2E-04	2E-12	4E-12	1E-08	2E-08	0.00000003
	PBDE # 209	6.1E+00	ug/kg	7E-04	7E-04	6E-12	1E-11	4E-15	7E-15	1E-14	7E-03	7E-03	4E-11	8E-11	6E-09	1E-08	0.00000002
Exposure Point Total										1E-14							0.0000004
RM 7 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	8E-12	2E-11	8E-08	2E-07	0.0000002
	PBDE # 99	1.0E+00	ug/kg	--	--	9E-13	2E-12	--	--	--	1E-04	1E-04	7E-12	1E-11	7E-08	1E-07	0.0000002
	PBDE # 153	3.6E-01	ug/kg	--	--	3E-13	6E-13	--	--	--	2E-04	2E-04	3E-12	5E-12	1E-08	2E-08	0.00000004
	PBDE # 209	4.3E+00	ug/kg	7E-04	7E-04	4E-12	7E-12	3E-15	5E-15	8E-15	7E-03	7E-03	3E-11	5E-11	4E-09	8E-09	0.00000001
Exposure Point Total										8E-15							0.0000005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-11.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 7.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.9E-01	ug/kg	--	--	9E-13	2E-12	--	--	--	1E-04	1E-04	7E-12	1E-11	7E-08	1E-07	0.0000002
	PBDE # 99	8.5E-01	ug/kg	--	--	8E-13	1E-12	--	--	--	1E-04	1E-04	6E-12	1E-11	6E-08	1E-07	0.0000002
	PBDE # 153	4.3E-01	ug/kg	--	--	4E-13	7E-13	--	--	--	2E-04	2E-04	3E-12	5E-12	2E-08	3E-08	0.00000004
	PBDE # 209	5.3E+00	ug/kg	7E-04	7E-04	5E-12	9E-12	3E-15	6E-15	9E-15	7E-03	7E-03	4E-11	7E-11	5E-09	1E-08	0.00000001
Exposure Point Total										9E-15							0.0000004
RM 7.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.9E+00	ug/kg	--	--	2E-12	3E-12	--	--	--	1E-04	1E-04	1E-11	2E-11	1E-07	2E-07	0.0000004
	PBDE # 99	2.2E+00	ug/kg	--	--	2E-12	4E-12	--	--	--	1E-04	1E-04	2E-11	3E-11	2E-07	3E-07	0.0000004
	PBDE # 153	3.4E-01	ug/kg	--	--	3E-13	6E-13	--	--	--	2E-04	2E-04	2E-12	4E-12	1E-08	2E-08	0.00000003
	PBDE # 209	8.9E+00	ug/kg	7E-04	7E-04	8E-12	1E-11	6E-15	1E-14	2E-14	7E-03	7E-03	6E-11	1E-10	9E-09	2E-08	0.00000002
Exposure Point Total										2E-14							0.0000009
RM 8 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	8.3E-01	ug/kg	--	--	8E-13	1E-12	--	--	--	1E-04	1E-04	6E-12	1E-11	6E-08	1E-07	0.0000002
	PBDE # 99	1.2E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	8E-12	2E-11	8E-08	2E-07	0.0000002
	PBDE # 153	8.4E-01	ug/kg	--	--	8E-13	1E-12	--	--	--	2E-04	2E-04	6E-12	1E-11	3E-08	5E-08	0.0000001
	PBDE # 209	4.4E+02	ug/kg	7E-04	7E-04	4E-10	7E-10	3E-13	5E-13	8E-13	7E-03	7E-03	3E-09	6E-09	4E-07	8E-07	0.000001
Exposure Point Total										8E-13							0.000002
RM 8 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	2E-12	3E-12	--	--	--	1E-04	1E-04	1E-11	2E-11	1E-07	2E-07	0.0000004
	PBDE # 99	1.9E+00	ug/kg	--	--	2E-12	3E-12	--	--	--	1E-04	1E-04	1E-11	2E-11	1E-07	2E-07	0.0000004
	PBDE # 153	4.2E-01	ug/kg	--	--	4E-13	7E-13	--	--	--	2E-04	2E-04	3E-12	5E-12	1E-08	3E-08	0.00000004
	PBDE # 209	1.5E+01	ug/kg	7E-04	7E-04	1E-11	2E-11	9E-15	2E-14	3E-14	7E-03	7E-03	1E-10	2E-10	1E-08	3E-08	0.00000004
Exposure Point Total										3E-14							0.0000008
RM 8 SIL	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.6E+00	ug/kg	--	--	1E-12	3E-12	--	--	--	1E-04	1E-04	1E-11	2E-11	1E-07	2E-07	0.0000003
	PBDE # 99	2.3E+00	ug/kg	--	--	2E-12	4E-12	--	--	--	1E-04	1E-04	2E-11	3E-11	2E-07	3E-07	0.0000005
	PBDE # 153	7.1E-01	ug/kg	--	--	6E-13	1E-12	--	--	--	2E-04	2E-04	5E-12	9E-12	2E-08	5E-08	0.0000001
	PBDE # 209	1.9E+01	ug/kg	7E-04	7E-04	2E-11	3E-11	1E-14	2E-14	3E-14	7E-03	7E-03	1E-10	2E-10	2E-08	3E-08	0.0000001
Exposure Point Total										3E-14							0.0000009
RM 8.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.0E+00	ug/kg	--	--	2E-12	3E-12	--	--	--	1E-04	1E-04	1E-11	3E-11	1E-07	3E-07	0.0000004
	PBDE # 99	2.2E+00	ug/kg	--	--	2E-12	4E-12	--	--	--	1E-04	1E-04	2E-11	3E-11	2E-07	3E-07	0.0000004
	PBDE # 153	4.1E-01	ug/kg	--	--	4E-13	7E-13	--	--	--	2E-04	2E-04	3E-12	5E-12	1E-08	3E-08	0.00000004
	PBDE # 209	1.1E+01	ug/kg	7E-04	7E-04	1E-11	2E-11	7E-15	1E-14	2E-14	7E-03	7E-03	8E-11	1E-10	1E-08	2E-08	0.00000003
Exposure Point Total										2E-14							0.0000009

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-11.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Cancer Risk Calculations[a] Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Noncancer Hazard Calculations[a] Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 8.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	4.1E+00	ug/kg	--	--	4E-12	7E-12	--	--	--	1E-04	1E-04	3E-11	5E-11	3E-07	5E-07	0.0000008
	PBDE # 99	5.6E+00	ug/kg	--	--	5E-12	9E-12	--	--	--	1E-04	1E-04	4E-11	7E-11	4E-07	7E-07	0.000001
	PBDE # 153	1.1E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	2E-04	2E-04	8E-12	1E-11	4E-08	7E-08	0.0000001
	PBDE # 209	9.0E+01	ug/kg	7E-04	7E-04	8E-11	1E-10	6E-14	1E-13	2E-13	7E-03	7E-03	6E-10	1E-09	9E-08	2E-07	0.0000003
Exposure Point Total										2E-13							0.000002
RM 9 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.3E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	9E-12	2E-11	9E-08	2E-07	0.0000003
	PBDE # 99	1.2E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	8E-12	2E-11	8E-08	2E-07	0.0000002
	PBDE # 153	1.9E-01	ug/kg	--	--	2E-13	3E-13	--	--	--	2E-04	2E-04	1E-12	2E-12	7E-09	1E-08	0.00000002
	PBDE # 209	2.9E+00	ug/kg	7E-04	7E-04	3E-12	5E-12	2E-15	3E-15	5E-15	7E-03	7E-03	2E-11	4E-11	3E-09	5E-09	0.00000001
Exposure Point Total										5E-15							0.0000005
RM 9 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.3E-01	ug/kg	--	--	3E-13	5E-13	--	--	--	1E-04	1E-04	2E-12	4E-12	2E-08	4E-08	0.0000001
	PBDE # 99	1.8E-01	ug/kg	--	--	2E-13	3E-13	--	--	--	1E-04	1E-04	1E-12	2E-12	1E-08	2E-08	0.00000004
Exposure Point Total										--							0.0000001
RM 9.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	2E-12	3E-12	--	--	--	1E-04	1E-04	1E-11	2E-11	1E-07	2E-07	0.0000004
	PBDE # 99	2.7E+00	ug/kg	--	--	2E-12	4E-12	--	--	--	1E-04	1E-04	2E-11	3E-11	2E-07	3E-07	0.0000005
	PBDE # 153	5.2E-01	ug/kg	--	--	5E-13	9E-13	--	--	--	2E-04	2E-04	4E-12	7E-12	2E-08	3E-08	0.0000001
	PBDE # 209	4.6E+01	ug/kg	7E-04	7E-04	4E-11	8E-11	3E-14	5E-14	8E-14	7E-03	7E-03	3E-10	6E-10	5E-08	8E-08	0.0000001
Exposure Point Total										8E-14							0.000001
RM 9.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.9E-01	ug/kg	--	--	9E-13	2E-12	--	--	--	1E-04	1E-04	7E-12	1E-11	7E-08	1E-07	0.0000002
	PBDE # 99	7.9E-01	ug/kg	--	--	7E-13	1E-12	--	--	--	1E-04	1E-04	6E-12	1E-11	6E-08	1E-07	0.0000002
	PBDE # 209	2.0E+00	ug/kg	7E-04	7E-04	2E-12	3E-12	1E-15	2E-15	4E-15	7E-03	7E-03	1E-11	3E-11	2E-09	4E-09	0.00000001
Exposure Point Total										4E-15							0.0000004
RM 11 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.9E+00	ug/kg	--	--	3E-12	5E-12	--	--	--	1E-04	1E-04	2E-11	4E-11	2E-07	4E-07	0.0000006
	PBDE # 99	3.7E+00	ug/kg	--	--	3E-12	6E-12	--	--	--	1E-04	1E-04	3E-11	5E-11	3E-07	5E-07	0.0000007
	PBDE # 153	6.3E-01	ug/kg	--	--	6E-13	1E-12	--	--	--	2E-04	2E-04	4E-12	8E-12	2E-08	4E-08	0.0000001
	PBDE # 209	5.7E+01	ug/kg	7E-04	7E-04	5E-11	9E-11	4E-14	7E-14	1E-13	7E-03	7E-03	4E-10	7E-10	6E-08	1E-07	0.0000002
Exposure Point Total										1E-13							0.000002
RM 11 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.7E-01	ug/kg	--	--	9E-13	2E-12	--	--	--	1E-04	1E-04	7E-12	1E-11	7E-08	1E-07	0.0000002
	PBDE # 99	7.8E-01	ug/kg	--	--	7E-13	1E-12	--	--	--	1E-04	1E-04	5E-12	1E-11	5E-08	1E-07	0.0000002
Exposure Point Total										--							0.0000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-11.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 12 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.1E-01	ug/kg	--	--	3E-13	5E-13	--	--	--	1E-04	1E-04	2E-12	4E-12	2E-08	4E-08	0.0000001
	PBDE # 99	3.0E-01	ug/kg	--	--	3E-13	5E-13	--	--	--	1E-04	1E-04	2E-12	4E-12	2E-08	4E-08	0.0000001
Exposure Point Total										--							0.0000001
RM 12 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	8E-12	2E-11	8E-08	2E-07	0.0000002
	PBDE # 99	1.1E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	8E-12	1E-11	8E-08	1E-07	0.0000002
Exposure Point Total										--							0.0000005
Study Area Wide[d]	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	1E-11	2E-11	1E-07	2E-07	0.0000003
	PBDE # 99	1.7E+00	ug/kg	--	--	2E-12	3E-12	--	--	--	1E-04	1E-04	1E-11	2E-11	1E-07	2E-07	0.0000003
	PBDE # 153	5.1E-01	ug/kg	--	--	5E-13	8E-13	--	--	--	2E-04	2E-04	4E-12	6E-12	2E-08	3E-08	0.0000001
	PBDE # 209	2.2E+01	ug/kg	7E-04	7E-04	2E-11	4E-11	1E-14	2E-14	4E-14	7E-03	7E-03	2E-10	3E-10	2E-08	4E-08	0.0000001
Exposure Point Total										4E-14							0.0000007

Notes:

a Numbers presented are rounded values. Sums calculated before rounding. Risks and hazards are calculated based on exposure parameters presented in Section 3 of Appendix F. For risks and hazards from dermal contact, a dermal absorption efficiency of 0.1 was used , which is the dermal absorption efficiency presented for semi-volatile organic compounds in Risk Assessment Guidance for Superfund. Volume I: Human Health Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment) Final, July 2004. EPA/540/R/99/005.

b Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
LADI = Lifetime Average Daily Intake.
mg/kg = milligrams per kilogram.

RfD = Reference dose.
RM = River mile.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-12.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low-frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 1 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.6E-01	ug/kg	--	--	9E-12	8E-12	--	--	--	1E-04	1E-04	2E-11	2E-11	2E-07	2E-07	0.0000004
	PBDE # 99	3.7E-01	ug/kg	--	--	1E-11	8E-12	--	--	--	1E-04	1E-04	2E-11	2E-11	2E-07	2E-07	0.0000004
	PBDE # 209	4.0E+00	ug/kg	7E-04	7E-04	1E-10	9E-11	7E-14	6E-14	1E-13	7E-03	7E-03	2E-10	2E-10	3E-08	3E-08	0.0000001
Exposure Point Total										1E-13							0.000001
RM 1 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	7.6E-01	ug/kg	--	--	2E-11	2E-11	--	--	--	1E-04	1E-04	5E-11	4E-11	5E-07	4E-07	0.000001
	PBDE # 99	6.3E-01	ug/kg	--	--	2E-11	1E-11	--	--	--	1E-04	1E-04	4E-11	3E-11	4E-07	3E-07	0.000001
	PBDE # 209	3.7E+00	ug/kg	7E-04	7E-04	1E-10	8E-11	7E-14	6E-14	1E-13	7E-03	7E-03	2E-10	2E-10	3E-08	3E-08	0.0000001
Exposure Point Total										1E-13							0.000002
RM 1.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E-01	ug/kg	--	--	3E-12	3E-12	--	--	--	1E-04	1E-04	7E-12	6E-12	7E-08	6E-08	0.0000001
Exposure Point Total										--							0.0000001
RM 1.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	4E-11	3E-11	--	--	--	1E-04	1E-04	8E-11	7E-11	8E-07	7E-07	0.000002
	PBDE # 99	1.4E+00	ug/kg	--	--	4E-11	3E-11	--	--	--	1E-04	1E-04	8E-11	7E-11	8E-07	7E-07	0.000002
	PBDE # 153	1.8E-01	ug/kg	--	--	5E-12	4E-12	--	--	--	2E-04	2E-04	1E-11	9E-12	5E-08	5E-08	0.0000001
	PBDE # 209	4.5E+00	ug/kg	7E-04	7E-04	1E-10	1E-10	8E-14	7E-14	2E-13	7E-03	7E-03	3E-10	2E-10	4E-08	3E-08	0.0000001
Exposure Point Total										2E-13							0.000003
RM 2 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	5E-11	4E-11	--	--	--	1E-04	1E-04	1E-10	9E-11	1E-06	9E-07	0.000002
	PBDE # 99	1.7E+00	ug/kg	--	--	4E-11	4E-11	--	--	--	1E-04	1E-04	1E-10	9E-11	1E-06	9E-07	0.000002
	PBDE # 153	4.2E-01	ug/kg	--	--	1E-11	9E-12	--	--	--	2E-04	2E-04	3E-11	2E-11	1E-07	1E-07	0.0000002
	PBDE # 209	6.0E+00	ug/kg	7E-04	7E-04	2E-10	1E-10	1E-13	9E-14	2E-13	7E-03	7E-03	4E-10	3E-10	5E-08	4E-08	0.0000001
Exposure Point Total										2E-13							0.000004
RM 2 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	5E-11	4E-11	--	--	--	1E-04	1E-04	1E-10	9E-11	1E-06	9E-07	0.000002
	PBDE # 99	2.1E+00	ug/kg	--	--	5E-11	5E-11	--	--	--	1E-04	1E-04	1E-10	1E-10	1E-06	1E-06	0.000002
	PBDE # 153	2.9E-01	ug/kg	--	--	8E-12	6E-12	--	--	--	2E-04	2E-04	2E-11	1E-11	9E-08	7E-08	0.0000002
	PBDE # 209	8.4E+00	ug/kg	7E-04	7E-04	2E-10	2E-10	2E-13	1E-13	3E-13	7E-03	7E-03	5E-10	4E-10	7E-08	6E-08	0.0000001
Exposure Point Total										3E-13							0.000005
RM 2.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.0E-01	ug/kg	--	--	5E-12	4E-12	--	--	--	1E-04	1E-04	1E-11	1E-11	1E-07	1E-07	0.0000002
	PBDE # 99	2.4E-01	ug/kg	--	--	6E-12	5E-12	--	--	--	1E-04	1E-04	1E-11	1E-11	1E-07	1E-07	0.0000003
Exposure Point Total										--							0.0000005
RM 2.5 MC	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E-01	ug/kg	--	--	4E-12	3E-12	--	--	--	1E-04	1E-04	8E-12	7E-12	8E-08	7E-08	0.0000002
Exposure Point Total										--							0.0000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-12.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Low-frequency Fisher   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 3 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	4E-11	3E-11	--	--	--	1E-04	1E-04	8E-11	7E-11	8E-07	7E-07	0.000002
	PBDE # 99	1.3E+00	ug/kg	--	--	3E-11	3E-11	--	--	--	1E-04	1E-04	8E-11	7E-11	8E-07	7E-07	0.000001
	PBDE # 153	2.9E-01	ug/kg	--	--	8E-12	6E-12	--	--	--	2E-04	2E-04	2E-11	1E-11	9E-08	7E-08	0.0000002
	PBDE # 209	5.3E+00	ug/kg	7E-04	7E-04	1E-10	1E-10	1E-13	8E-14	2E-13	7E-03	7E-03	3E-10	3E-10	5E-08	4E-08	0.0000001
Exposure Point Total										2E-13							0.000003
RM 3 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.6E+00	ug/kg	--	--	4E-11	3E-11	--	--	--	1E-04	1E-04	1E-10	8E-11	1E-06	8E-07	0.000002
	PBDE # 99	1.6E+00	ug/kg	--	--	4E-11	3E-11	--	--	--	1E-04	1E-04	1E-10	8E-11	1E-06	8E-07	0.000002
	PBDE # 153	3.3E-01	ug/kg	--	--	9E-12	7E-12	--	--	--	2E-04	2E-04	2E-11	2E-11	1E-07	8E-08	0.0000002
	PBDE # 209	6.9E+00	ug/kg	7E-04	7E-04	2E-10	2E-10	1E-13	1E-13	2E-13	7E-03	7E-03	4E-10	4E-10	6E-08	5E-08	0.0000001
Exposure Point Total										2E-13							0.000004
RM 3.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E-01	ug/kg	--	--	4E-12	3E-12	--	--	--	1E-04	1E-04	8E-12	7E-12	8E-08	7E-08	0.0000002
	PBDE # 99	1.2E-01	ug/kg	--	--	3E-12	3E-12	--	--	--	1E-04	1E-04	7E-12	6E-12	7E-08	6E-08	0.0000001
Exposure Point Total										--							0.0000003
RM 3.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	5.2E+00	ug/kg	--	--	1E-10	1E-10	--	--	--	1E-04	1E-04	3E-10	3E-10	3E-06	3E-06	0.000006
	PBDE # 99	8.2E+00	ug/kg	--	--	2E-10	2E-10	--	--	--	1E-04	1E-04	5E-10	4E-10	5E-06	4E-06	0.000009
	PBDE # 153	1.5E+00	ug/kg	--	--	4E-11	3E-11	--	--	--	2E-04	2E-04	9E-11	8E-11	5E-07	4E-07	0.000001
	PBDE # 209	5.6E+01	ug/kg	7E-04	7E-04	1E-09	1E-09	1E-12	9E-13	2E-12	7E-03	7E-03	3E-09	3E-09	5E-07	4E-07	0.000001
Exposure Point Total										2E-12							0.00002
RM 4 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.5E-01	ug/kg	--	--	9E-12	8E-12	--	--	--	1E-04	1E-04	2E-11	2E-11	2E-07	2E-07	0.0000004
	PBDE # 99	2.3E-01	ug/kg	--	--	6E-12	5E-12	--	--	--	1E-04	1E-04	1E-11	1E-11	1E-07	1E-07	0.0000003
Exposure Point Total										--							0.000001
RM 5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.7E-01	ug/kg	--	--	1E-11	8E-12	--	--	--	1E-04	1E-04	2E-11	2E-11	2E-07	2E-07	0.0000004
	PBDE # 99	3.7E-01	ug/kg	--	--	1E-11	8E-12	--	--	--	1E-04	1E-04	2E-11	2E-11	2E-07	2E-07	0.0000004
Exposure Point Total										--							0.000001
RM 5.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	4E-11	3E-11	--	--	--	1E-04	1E-04	8E-11	7E-11	8E-07	7E-07	0.000002
	PBDE # 99	1.2E+00	ug/kg	--	--	3E-11	3E-11	--	--	--	1E-04	1E-04	7E-11	6E-11	7E-07	6E-07	0.000001
	PBDE # 153	2.3E-01	ug/kg	--	--	6E-12	5E-12	--	--	--	2E-04	2E-04	1E-11	1E-11	7E-08	6E-08	0.0000001
	PBDE # 209	7.4E+00	ug/kg	7E-04	7E-04	2E-10	2E-10	1E-13	1E-13	2E-13	7E-03	7E-03	4E-10	4E-10	6E-08	5E-08	0.000001
Exposure Point Total										2E-13							0.000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-12.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low-frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 5.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	5E-11	4E-11	--	--	--	1E-04	1E-04	1E-10	9E-11	1E-06	9E-07	0.000002
	PBDE # 99	1.8E+00	ug/kg	--	--	5E-11	4E-11	--	--	--	1E-04	1E-04	1E-10	9E-11	1E-06	9E-07	0.000002
	PBDE # 153	2.6E-01	ug/kg	--	--	7E-12	6E-12	--	--	--	2E-04	2E-04	2E-11	1E-11	8E-08	7E-08	0.0000001
	PBDE # 209	2.8E+00	ug/kg	7E-04	7E-04	7E-11	6E-11	5E-14	4E-14	9E-14	7E-03	7E-03	2E-10	1E-10	2E-08	2E-08	0.00000004
Exposure Point Total										9E-14							0.000004
RM 6 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.3E-01	ug/kg	--	--	3E-12	3E-12	--	--	--	1E-04	1E-04	8E-12	7E-12	8E-08	7E-08	0.0000001
	PBDE # 99	1.3E-01	ug/kg	--	--	3E-12	3E-12	--	--	--	1E-04	1E-04	8E-12	7E-12	8E-08	7E-08	0.0000001
	PBDE # 209	3.5E+00	ug/kg	7E-04	7E-04	9E-11	8E-11	6E-14	5E-14	1E-13	7E-03	7E-03	2E-10	2E-10	3E-08	3E-08	0.0000001
Exposure Point Total										1E-13							0.0000003
RM 6 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.7E-01	ug/kg	--	--	7E-12	6E-12	--	--	--	1E-04	1E-04	2E-11	1E-11	2E-07	1E-07	0.0000003
	PBDE # 99	1.7E-01	ug/kg	--	--	4E-12	4E-12	--	--	--	1E-04	1E-04	1E-11	9E-12	1E-07	9E-08	0.0000002
Exposure Point Total										--							0.0000005
RM 6.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.1E-01	ug/kg	--	--	3E-12	2E-12	--	--	--	1E-04	1E-04	7E-12	6E-12	7E-08	6E-08	0.0000001
	PBDE # 99	1.3E-01	ug/kg	--	--	3E-12	3E-12	--	--	--	1E-04	1E-04	8E-12	7E-12	8E-08	7E-08	0.0000001
Exposure Point Total										--							0.0000003
RM 6.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	5E-11	4E-11	--	--	--	1E-04	1E-04	1E-10	9E-11	1E-06	9E-07	0.000002
	PBDE # 99	1.9E+00	ug/kg	--	--	5E-11	4E-11	--	--	--	1E-04	1E-04	1E-10	1E-10	1E-06	1E-06	0.000002
	PBDE # 153	3.5E-01	ug/kg	--	--	9E-12	8E-12	--	--	--	2E-04	2E-04	2E-11	2E-11	1E-07	9E-08	0.0000002
	PBDE # 209	2.5E+01	ug/kg	7E-04	7E-04	6E-10	5E-10	5E-13	4E-13	8E-13	7E-03	7E-03	2E-09	1E-09	2E-07	2E-07	0.0000004
Exposure Point Total										8E-13							0.000005
RM 7 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.5E-01	ug/kg	--	--	2E-11	2E-11	--	--	--	1E-04	1E-04	6E-11	5E-11	6E-07	5E-07	0.000001
	PBDE # 99	9.9E-01	ug/kg	--	--	3E-11	2E-11	--	--	--	1E-04	1E-04	6E-11	5E-11	6E-07	5E-07	0.000001
	PBDE # 153	2.9E-01	ug/kg	--	--	8E-12	6E-12	--	--	--	2E-04	2E-04	2E-11	1E-11	9E-08	7E-08	0.0000002
	PBDE # 209	6.1E+00	ug/kg	7E-04	7E-04	2E-10	1E-10	1E-13	9E-14	2E-13	7E-03	7E-03	4E-10	3E-10	5E-08	4E-08	0.0000001
Exposure Point Total										2E-13							0.000002
RM 7 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.7E+00	ug/kg	--	--	4E-11	4E-11	--	--	--	1E-04	1E-04	1E-10	9E-11	1E-06	9E-07	0.000002
	PBDE # 99	1.5E+00	ug/kg	--	--	4E-11	3E-11	--	--	--	1E-04	1E-04	9E-11	8E-11	9E-07	8E-07	0.000002
	PBDE # 153	3.1E-01	ug/kg	--	--	8E-12	7E-12	--	--	--	2E-04	2E-04	2E-11	2E-11	9E-08	8E-08	0.0000002
	PBDE # 209	6.2E+00	ug/kg	7E-04	7E-04	2E-10	1E-10	1E-13	9E-14	2E-13	7E-03	7E-03	4E-10	3E-10	5E-08	5E-08	0.0000001
Exposure Point Total										2E-13							0.000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-12.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low-frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 7.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.7E+00	ug/kg	--	--	4E-11	4E-11	--	--	--	1E-04	1E-04	1E-10	9E-11	1E-06	9E-07	0.000002
	PBDE # 99	1.5E+00	ug/kg	--	--	4E-11	3E-11	--	--	--	1E-04	1E-04	9E-11	8E-11	9E-07	8E-07	0.000002
	PBDE # 153	3.1E-01	ug/kg	--	--	8E-12	7E-12	--	--	--	2E-04	2E-04	2E-11	2E-11	9E-08	8E-08	0.0000002
	PBDE # 209	5.1E+00	ug/kg	7E-04	7E-04	1E-10	1E-10	9E-14	8E-14	2E-13	7E-03	7E-03	3E-10	3E-10	4E-08	4E-08	0.0000001
Exposure Point Total										2E-13							0.000004
RM 7.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.5E+00	ug/kg	--	--	6E-11	5E-11	--	--	--	1E-04	1E-04	2E-10	1E-10	2E-06	1E-06	0.000003
	PBDE # 99	2.9E+00	ug/kg	--	--	8E-11	6E-11	--	--	--	1E-04	1E-04	2E-10	1E-10	2E-06	1E-06	0.000003
	PBDE # 153	4.5E-01	ug/kg	--	--	1E-11	1E-11	--	--	--	2E-04	2E-04	3E-11	2E-11	1E-07	1E-07	0.0000003
	PBDE # 209	1.3E+01	ug/kg	7E-04	7E-04	3E-10	3E-10	2E-13	2E-13	4E-13	7E-03	7E-03	8E-10	7E-10	1E-07	9E-08	0.0000002
Exposure Point Total										4E-13							0.000006
RM 8 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	8.3E-01	ug/kg	--	--	2E-11	2E-11	--	--	--	1E-04	1E-04	5E-11	4E-11	5E-07	4E-07	0.000001
	PBDE # 99	1.2E+00	ug/kg	--	--	3E-11	3E-11	--	--	--	1E-04	1E-04	7E-11	6E-11	7E-07	6E-07	0.000001
	PBDE # 153	8.4E-01	ug/kg	--	--	2E-11	2E-11	--	--	--	2E-04	2E-04	5E-11	4E-11	3E-07	2E-07	0.000000
	PBDE # 209	4.4E+02	ug/kg	7E-04	7E-04	1E-08	1E-08	8E-12	7E-12	1E-11	7E-03	7E-03	3E-08	2E-08	4E-06	3E-06	0.000007
Exposure Point Total										1E-11							0.000010
RM 8 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.1E+00	ug/kg	--	--	5E-11	5E-11	--	--	--	1E-04	1E-04	1E-10	1E-10	1E-06	1E-06	0.000002
	PBDE # 99	2.2E+00	ug/kg	--	--	6E-11	5E-11	--	--	--	1E-04	1E-04	1E-10	1E-10	1E-06	1E-06	0.000002
	PBDE # 153	6.2E-01	ug/kg	--	--	2E-11	1E-11	--	--	--	2E-04	2E-04	4E-11	3E-11	2E-07	2E-07	0.0000003
	PBDE # 209	2.4E+01	ug/kg	7E-04	7E-04	6E-10	5E-10	4E-13	4E-13	8E-13	7E-03	7E-03	1E-09	1E-09	2E-07	2E-07	0.0000004
Exposure Point Total										8E-13							0.000006
RM 8 SIL	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	4.5E+00	ug/kg	--	--	1E-10	1E-10	--	--	--	1E-04	1E-04	3E-10	2E-10	3E-06	2E-06	0.000005
	PBDE # 99	4.3E+00	ug/kg	--	--	1E-10	9E-11	--	--	--	1E-04	1E-04	3E-10	2E-10	3E-06	2E-06	0.000005
	PBDE # 153	1.2E+00	ug/kg	--	--	3E-11	3E-11	--	--	--	2E-04	2E-04	7E-11	6E-11	4E-07	3E-07	0.000001
	PBDE # 209	3.7E+01	ug/kg	7E-04	7E-04	1E-09	8E-10	7E-13	6E-13	1E-12	7E-03	7E-03	2E-09	2E-09	3E-07	3E-07	0.000001
Exposure Point Total										1E-12							0.00001
RM 8.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.0E+00	ug/kg	--	--	5E-11	4E-11	--	--	--	1E-04	1E-04	1E-10	1E-10	1E-06	1E-06	0.000002
	PBDE # 99	2.2E+00	ug/kg	--	--	6E-11	5E-11	--	--	--	1E-04	1E-04	1E-10	1E-10	1E-06	1E-06	0.000002
	PBDE # 153	4.1E-01	ug/kg	--	--	1E-11	9E-12	--	--	--	2E-04	2E-04	2E-11	2E-11	1E-07	1E-07	0.0000002
	PBDE # 209	1.1E+01	ug/kg	7E-04	7E-04	3E-10	2E-10	2E-13	2E-13	4E-13	7E-03	7E-03	7E-10	6E-10	9E-08	8E-08	0.0000002
Exposure Point Total										4E-13							0.000005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-12.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low-frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 8.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	4.1E+00	ug/kg	--	--	1E-10	9E-11	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000005
	PBDE # 99	5.6E+00	ug/kg	--	--	1E-10	1E-10	--	--	--	1E-04	1E-04	3E-10	3E-10	3E-06	3E-06	0.000006
	PBDE # 153	1.1E+00	ug/kg	--	--	3E-11	2E-11	--	--	--	2E-04	2E-04	7E-11	6E-11	3E-07	3E-07	0.000001
	PBDE # 209	9.0E+01	ug/kg	7E-04	7E-04	2E-09	2E-09	2E-12	1E-12	3E-12	7E-03	7E-03	5E-09	5E-09	8E-07	7E-07	0.000001
Exposure Point Total										3E-12							0.00001
RM 9 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.3E+00	ug/kg	--	--	3E-11	3E-11	--	--	--	1E-04	1E-04	8E-11	7E-11	8E-07	7E-07	0.000001
	PBDE # 99	1.2E+00	ug/kg	--	--	3E-11	3E-11	--	--	--	1E-04	1E-04	7E-11	6E-11	7E-07	6E-07	0.000001
	PBDE # 153	1.9E-01	ug/kg	--	--	5E-12	4E-12	--	--	--	2E-04	2E-04	1E-11	1E-11	6E-08	5E-08	0.000000
	PBDE # 209	2.9E+00	ug/kg	7E-04	7E-04	8E-11	6E-11	5E-14	4E-14	1E-13	7E-03	7E-03	2E-10	1E-10	3E-08	2E-08	0.000000
Exposure Point Total										1E-13							0.000003
RM 9 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.3E-01	ug/kg	--	--	9E-12	7E-12	--	--	--	1E-04	1E-04	2E-11	2E-11	2E-07	2E-07	0.0000004
	PBDE # 99	1.8E-01	ug/kg	--	--	5E-12	4E-12	--	--	--	1E-04	1E-04	1E-11	9E-12	1E-07	9E-08	0.0000002
Exposure Point Total										--							0.000001
RM 9.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	5E-11	4E-11	--	--	--	1E-04	1E-04	1E-10	9E-11	1E-06	9E-07	0.000002
	PBDE # 99	2.7E+00	ug/kg	--	--	7E-11	6E-11	--	--	--	1E-04	1E-04	2E-10	1E-10	2E-06	1E-06	0.000003
	PBDE # 153	5.2E-01	ug/kg	--	--	1E-11	1E-11	--	--	--	2E-04	2E-04	3E-11	3E-11	2E-07	1E-07	0.0000003
	PBDE # 209	4.6E+01	ug/kg	7E-04	7E-04	1E-09	1E-09	8E-13	7E-13	2E-12	7E-03	7E-03	3E-09	2E-09	4E-07	3E-07	0.000001
Exposure Point Total										2E-12							0.000006
RM 9.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.9E-01	ug/kg	--	--	3E-11	2E-11	--	--	--	1E-04	1E-04	6E-11	5E-11	6E-07	5E-07	0.000001
	PBDE # 99	7.9E-01	ug/kg	--	--	2E-11	2E-11	--	--	--	1E-04	1E-04	5E-11	4E-11	5E-07	4E-07	0.000001
	PBDE # 209	2.0E+00	ug/kg	7E-04	7E-04	5E-11	4E-11	4E-14	3E-14	7E-14	7E-03	7E-03	1E-10	1E-10	2E-08	1E-08	0.00000003
Exposure Point Total										7E-14							0.000002
RM 11 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.9E+00	ug/kg	--	--	8E-11	6E-11	--	--	--	1E-04	1E-04	2E-10	1E-10	2E-06	1E-06	0.000003
	PBDE # 99	3.7E+00	ug/kg	--	--	1E-10	8E-11	--	--	--	1E-04	1E-04	2E-10	2E-10	2E-06	2E-06	0.000004
	PBDE # 153	6.3E-01	ug/kg	--	--	2E-11	1E-11	--	--	--	2E-04	2E-04	4E-11	3E-11	2E-07	2E-07	0.0000004
	PBDE # 209	5.7E+01	ug/kg	7E-04	7E-04	1E-09	1E-09	1E-12	9E-13	2E-12	7E-03	7E-03	3E-09	3E-09	5E-07	4E-07	0.000001
Exposure Point Total										2E-12							0.000009
RM 11 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.5E+00	ug/kg	--	--	4E-11	3E-11	--	--	--	1E-04	1E-04	9E-11	8E-11	9E-07	8E-07	0.000002
	PBDE # 99	1.2E+00	ug/kg	--	--	3E-11	3E-11	--	--	--	1E-04	1E-04	7E-11	6E-11	7E-07	6E-07	0.000001
Exposure Point Total										--							0.000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-12.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low-frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 12 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.1E-01	ug/kg	--	--	8E-12	7E-12	--	--	--	1E-04	1E-04	2E-11	2E-11	2E-07	2E-07	0.0000003
	PBDE # 99	3.0E-01	ug/kg	--	--	8E-12	7E-12	--	--	--	1E-04	1E-04	2E-11	2E-11	2E-07	2E-07	0.0000003
Exposure Point Total										--							0.000001
RM 12 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E+00	ug/kg	--	--	3E-11	3E-11	--	--	--	1E-04	1E-04	7E-11	6E-11	7E-07	6E-07	0.000001
	PBDE # 99	1.1E+00	ug/kg	--	--	3E-11	2E-11	--	--	--	1E-04	1E-04	7E-11	6E-11	7E-07	6E-07	0.000001
Exposure Point Total										--							0.000003
Study Area Wide[b]	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.2E+00	ug/kg	--	--	6E-11	5E-11	--	--	--	1E-04	1E-04	1E-10	1E-10	1E-06	1E-06	0.000002
	PBDE # 99	2.8E+00	ug/kg	--	--	7E-11	6E-11	--	--	--	1E-04	1E-04	2E-10	1E-10	2E-06	1E-06	0.000003
	PBDE # 153	5.3E-01	ug/kg	--	--	1E-11	1E-11	--	--	--	2E-04	2E-04	3E-11	3E-11	2E-07	1E-07	0.0000003
	PBDE # 209	6.0E+01	ug/kg	7E-04	7E-04	2E-09	1E-09	1E-12	9E-13	2E-12	7E-03	7E-03	4E-09	3E-09	5E-07	4E-07	0.000001
Exposure Point Total										2E-12							0.000007

Notes:

a Numbers presented are rounded values. Sums calculated before rounding. Risks and hazards are calculated based on exposure parameters presented in Section 3 of Appendix F. For risks and hazards from dermal contact, a dermal absorption efficiency of 0.1 was used , which is the dermal absorption efficiency presented for semi-volatile organic compounds in Risk Assessment Guidance for Superfund. Volume I: Human Health Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment) Final, July 2004. EPA/540/R/99/005.

b Study Area wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
LADI = Lifetime Average Daily Intake.
mg/kg = milligrams per kilogram.

RfD = Reference dose.
RM = River mile.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-13.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 1 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.3E-01	ug/kg	--	--	1E-13	3E-13	--	--	--	1E-04	1E-04	1E-12	2E-12	1E-08	2E-08	0.00000003
	PBDE # 99	3.2E-01	ug/kg	--	--	1E-13	3E-13	--	--	--	1E-04	1E-04	1E-12	2E-12	1E-08	2E-08	0.00000003
	PBDE # 209	3.8E+00	ug/kg	7E-04	7E-04	2E-12	3E-12	1E-15	2E-15	3E-15	7E-03	7E-03	1E-11	2E-11	2E-09	3E-09	0.00000001
Exposure Point Total[c]										3E-15							0.0000001
RM 1 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	7.6E-01	ug/kg	--	--	3E-13	6E-13	--	--	--	1E-04	1E-04	3E-12	5E-12	3E-08	5E-08	0.0000001
	PBDE # 99	6.3E-01	ug/kg	--	--	3E-13	5E-13	--	--	--	1E-04	1E-04	2E-12	4E-12	2E-08	4E-08	0.0000001
	PBDE # 209	3.7E+00	ug/kg	7E-04	7E-04	2E-12	3E-12	1E-15	2E-15	3E-15	7E-03	7E-03	1E-11	2E-11	2E-09	3E-09	0.00000001
Exposure Point Total										3E-15							0.0000001
RM 1.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E-01	ug/kg	--	--	5E-14	1E-13	--	--	--	1E-04	1E-04	4E-13	8E-13	4E-09	8E-09	0.00000001
Exposure Point Total										--							0.00000001
RM 1.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	6E-13	1E-12	--	--	--	1E-04	1E-04	5E-12	9E-12	5E-08	9E-08	0.0000001
	PBDE # 99	1.4E+00	ug/kg	--	--	6E-13	1E-12	--	--	--	1E-04	1E-04	5E-12	9E-12	5E-08	9E-08	0.0000001
	PBDE # 153	1.8E-01	ug/kg	--	--	8E-14	1E-13	--	--	--	2E-04	2E-04	6E-13	1E-12	3E-09	6E-09	0.00000001
	PBDE # 209	4.5E+00	ug/kg	7E-04	7E-04	2E-12	4E-12	1E-15	3E-15	4E-15	7E-03	7E-03	2E-11	3E-11	2E-09	4E-09	0.00000001
Exposure Point Total										4E-15							0.0000003
RM 2 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.1E+00	ug/kg	--	--	5E-13	9E-13	--	--	--	1E-04	1E-04	4E-12	7E-12	4E-08	7E-08	0.0000001
	PBDE # 99	1.0E+00	ug/kg	--	--	5E-13	8E-13	--	--	--	1E-04	1E-04	4E-12	6E-12	4E-08	6E-08	0.0000001
	PBDE # 153	4.9E-01	ug/kg	--	--	2E-13	4E-13	--	--	--	2E-04	2E-04	2E-12	3E-12	9E-09	2E-08	0.00000002
	PBDE # 209	5.8E+00	ug/kg	7E-04	7E-04	3E-12	5E-12	2E-15	3E-15	5E-15	7E-03	7E-03	2E-11	4E-11	3E-09	5E-09	0.00000001
Exposure Point Total										5E-15							0.0000002
RM 2 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	8E-13	1E-12	--	--	--	1E-04	1E-04	6E-12	1E-11	6E-08	1E-07	0.0000002
	PBDE # 99	2.0E+00	ug/kg	--	--	9E-13	2E-12	--	--	--	1E-04	1E-04	7E-12	1E-11	7E-08	1E-07	0.0000002
	PBDE # 153	2.8E-01	ug/kg	--	--	1E-13	2E-13	--	--	--	2E-04	2E-04	1E-12	2E-12	5E-09	9E-09	0.00000001
	PBDE # 209	6.9E+00	ug/kg	7E-04	7E-04	3E-12	6E-12	2E-15	4E-15	6E-15	7E-03	7E-03	2E-11	4E-11	3E-09	6E-09	0.00000001
Exposure Point Total										6E-15							0.0000004
RM 2.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.0E-01	ug/kg	--	--	9E-14	2E-13	--	--	--	1E-04	1E-04	7E-13	1E-12	7E-09	1E-08	0.00000002
	PBDE # 99	2.4E-01	ug/kg	--	--	1E-13	2E-13	--	--	--	1E-04	1E-04	8E-13	2E-12	8E-09	2E-08	0.00000002
Exposure Point Total										--							0.00000004
RM 2.5 MC	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E-01	ug/kg	--	--	6E-14	1E-13	--	--	--	1E-04	1E-04	5E-13	9E-13	5E-09	9E-09	0.00000001
Exposure Point Total										--							0.00000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-13.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(\text{mg/kg-day})^{-1}$	Oral Cancer Slope Factor $(\text{mg/kg-day})^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 3 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	6E-13	1E-12	--	--	--	1E-04	1E-04	5E-12	9E-12	5E-08	9E-08	0.0000001
	PBDE # 99	1.3E+00	ug/kg	--	--	6E-13	1E-12	--	--	--	1E-04	1E-04	5E-12	8E-12	5E-08	8E-08	0.0000001
	PBDE # 153	2.9E-01	ug/kg	--	--	1E-13	2E-13	--	--	--	2E-04	2E-04	1E-12	2E-12	5E-09	9E-09	0.00000001
	PBDE # 209	5.3E+00	ug/kg	7E-04	7E-04	2E-12	4E-12	2E-15	3E-15	5E-15	7E-03	7E-03	2E-11	3E-11	3E-09	5E-09	0.00000001
Exposure Point Total										5E-15							0.0000003
RM 3 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.3E+00	ug/kg	--	--	6E-13	1E-12	--	--	--	1E-04	1E-04	5E-12	8E-12	5E-08	8E-08	0.0000001
	PBDE # 99	1.4E+00	ug/kg	--	--	6E-13	1E-12	--	--	--	1E-04	1E-04	5E-12	9E-12	5E-08	9E-08	0.0000001
	PBDE # 153	2.8E-01	ug/kg	--	--	1E-13	2E-13	--	--	--	2E-04	2E-04	1E-12	2E-12	5E-09	9E-09	0.00000001
	PBDE # 209	6.4E+00	ug/kg	7E-04	7E-04	3E-12	5E-12	2E-15	4E-15	6E-15	7E-03	7E-03	2E-11	4E-11	3E-09	6E-09	0.00000001
Exposure Point Total										6E-15							0.0000003
RM 3.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E-01	ug/kg	--	--	6E-14	1E-13	--	--	--	1E-04	1E-04	5E-13	9E-13	5E-09	9E-09	0.00000001
	PBDE # 99	1.2E-01	ug/kg	--	--	5E-14	1E-13	--	--	--	1E-04	1E-04	4E-13	8E-13	4E-09	8E-09	0.00000001
Exposure Point Total										--							0.00000003
RM 3.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	4.0E+00	ug/kg	--	--	2E-12	3E-12	--	--	--	1E-04	1E-04	1E-11	3E-11	1E-07	3E-07	0.0000004
	PBDE # 99	5.8E+00	ug/kg	--	--	3E-12	5E-12	--	--	--	1E-04	1E-04	2E-11	4E-11	2E-07	4E-07	0.0000006
	PBDE # 153	1.1E+00	ug/kg	--	--	5E-13	9E-13	--	--	--	2E-04	2E-04	4E-12	7E-12	2E-08	3E-08	0.0000001
	PBDE # 209	3.2E+01	ug/kg	7E-04	7E-04	1E-11	3E-11	1E-14	2E-14	3E-14	7E-03	7E-03	1E-10	2E-10	2E-08	3E-08	0.00000004
Exposure Point Total										3E-14							0.000001
RM 4 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.5E-01	ug/kg	--	--	2E-13	3E-13	--	--	--	1E-04	1E-04	1E-12	2E-12	1E-08	2E-08	0.00000003
	PBDE # 99	2.3E-01	ug/kg	--	--	1E-13	2E-13	--	--	--	1E-04	1E-04	8E-13	1E-12	8E-09	1E-08	0.00000002
Exposure Point Total										--							0.0000001
RM 5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.7E-01	ug/kg	--	--	2E-13	3E-13	--	--	--	1E-04	1E-04	1E-12	2E-12	1E-08	2E-08	0.00000004
	PBDE # 99	3.7E-01	ug/kg	--	--	2E-13	3E-13	--	--	--	1E-04	1E-04	1E-12	2E-12	1E-08	2E-08	0.00000004
Exposure Point Total										--							0.0000001
RM 5.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	6E-13	1E-12	--	--	--	1E-04	1E-04	5E-12	9E-12	5E-08	9E-08	0.0000001
	PBDE # 99	1.2E+00	ug/kg	--	--	5E-13	1E-12	--	--	--	1E-04	1E-04	4E-12	8E-12	4E-08	8E-08	0.0000001
	PBDE # 153	2.3E-01	ug/kg	--	--	1E-13	2E-13	--	--	--	2E-04	2E-04	8E-13	1E-12	4E-09	7E-09	0.00000001
	PBDE # 209	7.4E+00	ug/kg	7E-04	7E-04	3E-12	6E-12	2E-15	4E-15	7E-15	7E-03	7E-03	3E-11	5E-11	4E-09	7E-09	0.00000001
Exposure Point Total										7E-15							0.0000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-13.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 5.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.0E+00	ug/kg	--	--	5E-13	8E-13	--	--	--	1E-04	1E-04	4E-12	6E-12	4E-08	6E-08	0.0000001
	PBDE # 99	1.2E+00	ug/kg	--	--	5E-13	1E-12	--	--	--	1E-04	1E-04	4E-12	7E-12	4E-08	7E-08	0.0000001
	PBDE # 153	4.1E-01	ug/kg	--	--	2E-13	3E-13	--	--	--	2E-04	2E-04	1E-12	3E-12	7E-09	1E-08	0.00000002
	PBDE # 209	4.2E+00	ug/kg	7E-04	7E-04	2E-12	3E-12	1E-15	2E-15	4E-15	7E-03	7E-03	1E-11	3E-11	2E-09	4E-09	0.00000001
Exposure Point Total										4E-15							0.0000002
RM 6 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.7E-01	ug/kg	--	--	2E-13	3E-13	--	--	--	1E-04	1E-04	1E-12	2E-12	1E-08	2E-08	0.00000004
	PBDE # 99	3.7E-01	ug/kg	--	--	2E-13	3E-13	--	--	--	1E-04	1E-04	1E-12	2E-12	1E-08	2E-08	0.00000004
	PBDE # 209	4.8E+00	ug/kg	7E-04	7E-04	2E-12	4E-12	2E-15	3E-15	4E-15	7E-03	7E-03	2E-11	3E-11	2E-09	4E-09	0.00000001
Exposure Point Total										4E-15							0.0000001
RM 6 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.7E-01	ug/kg	--	--	1E-13	2E-13	--	--	--	1E-04	1E-04	1E-12	2E-12	1E-08	2E-08	0.00000003
	PBDE # 99	1.7E-01	ug/kg	--	--	8E-14	1E-13	--	--	--	1E-04	1E-04	6E-13	1E-12	6E-09	1E-08	0.00000002
Exposure Point Total										--							0.00000004
RM 6.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.1E-01	ug/kg	--	--	5E-14	9E-14	--	--	--	1E-04	1E-04	4E-13	7E-13	4E-09	7E-09	0.00000001
	PBDE # 99	1.3E-01	ug/kg	--	--	6E-14	1E-13	--	--	--	1E-04	1E-04	5E-13	8E-13	5E-09	8E-09	0.00000001
Exposure Point Total										--							0.00000002
RM 6.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E+00	ug/kg	--	--	5E-13	1E-12	--	--	--	1E-04	1E-04	4E-12	8E-12	4E-08	8E-08	0.0000001
	PBDE # 99	1.3E+00	ug/kg	--	--	6E-13	1E-12	--	--	--	1E-04	1E-04	4E-12	8E-12	4E-08	8E-08	0.0000001
	PBDE # 153	4.5E-01	ug/kg	--	--	2E-13	4E-13	--	--	--	2E-04	2E-04	2E-12	3E-12	8E-09	1E-08	0.00000002
	PBDE # 209	1.7E+01	ug/kg	7E-04	7E-04	8E-12	1E-11	6E-15	1E-14	2E-14	7E-03	7E-03	6E-11	1E-10	9E-09	2E-08	0.00000002
Exposure Point Total										2E-14							0.0000003
RM 7 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.5E-01	ug/kg	--	--	4E-13	8E-13	--	--	--	1E-04	1E-04	3E-12	6E-12	3E-08	6E-08	0.0000001
	PBDE # 99	9.9E-01	ug/kg	--	--	4E-13	8E-13	--	--	--	1E-04	1E-04	3E-12	6E-12	3E-08	6E-08	0.0000001
	PBDE # 153	2.9E-01	ug/kg	--	--	1E-13	2E-13	--	--	--	2E-04	2E-04	1E-12	2E-12	5E-09	9E-09	0.00000001
	PBDE # 209	6.1E+00	ug/kg	7E-04	7E-04	3E-12	5E-12	2E-15	3E-15	5E-15	7E-03	7E-03	2E-11	4E-11	3E-09	6E-09	0.00000001
Exposure Point Total										5E-15							0.0000002
RM 7 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E+00	ug/kg	--	--	5E-13	1E-12	--	--	--	1E-04	1E-04	4E-12	8E-12	4E-08	8E-08	0.0000001
	PBDE # 99	1.0E+00	ug/kg	--	--	5E-13	8E-13	--	--	--	1E-04	1E-04	4E-12	7E-12	4E-08	7E-08	0.0000001
	PBDE # 153	3.6E-01	ug/kg	--	--	2E-13	3E-13	--	--	--	2E-04	2E-04	1E-12	2E-12	6E-09	1E-08	0.00000002
	PBDE # 209	4.3E+00	ug/kg	7E-04	7E-04	2E-12	4E-12	1E-15	2E-15	4E-15	7E-03	7E-03	2E-11	3E-11	2E-09	4E-09	0.00000001
Exposure Point Total										4E-15							0.0000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-13.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 7.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.9E-01	ug/kg	--	--	4E-13	8E-13	--	--	--	1E-04	1E-04	3E-12	6E-12	3E-08	6E-08	0.0000001
	PBDE # 99	8.5E-01	ug/kg	--	--	4E-13	7E-13	--	--	--	1E-04	1E-04	3E-12	5E-12	3E-08	5E-08	0.0000001
	PBDE # 153	4.3E-01	ug/kg	--	--	2E-13	4E-13	--	--	--	2E-04	2E-04	2E-12	3E-12	8E-09	1E-08	0.00000002
	PBDE # 209	5.3E+00	ug/kg	7E-04	7E-04	2E-12	4E-12	2E-15	3E-15	5E-15	7E-03	7E-03	2E-11	3E-11	3E-09	5E-09	0.00000001
Exposure Point Total										5E-15							0.0000002
RM 7.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.9E+00	ug/kg	--	--	9E-13	2E-12	--	--	--	1E-04	1E-04	7E-12	1E-11	7E-08	1E-07	0.0000002
	PBDE # 99	2.2E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	8E-12	1E-11	8E-08	1E-07	0.0000002
	PBDE # 153	3.4E-01	ug/kg	--	--	2E-13	3E-13	--	--	--	2E-04	2E-04	1E-12	2E-12	6E-09	1E-08	0.00000002
	PBDE # 209	8.9E+00	ug/kg	7E-04	7E-04	4E-12	7E-12	3E-15	5E-15	8E-15	7E-03	7E-03	3E-11	6E-11	4E-09	8E-09	0.00000001
Exposure Point Total										8E-15							0.0000004
RM 8 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	8.3E-01	ug/kg	--	--	4E-13	7E-13	--	--	--	1E-04	1E-04	3E-12	5E-12	3E-08	5E-08	0.0000001
	PBDE # 99	1.2E+00	ug/kg	--	--	5E-13	1E-12	--	--	--	1E-04	1E-04	4E-12	8E-12	4E-08	8E-08	0.0000001
	PBDE # 153	8.4E-01	ug/kg	--	--	4E-13	7E-13	--	--	--	2E-04	2E-04	3E-12	5E-12	1E-08	3E-08	0.00000004
	PBDE # 209	4.4E+02	ug/kg	7E-04	7E-04	2E-10	4E-10	1E-13	3E-13	4E-13	7E-03	7E-03	2E-09	3E-09	2E-07	4E-07	0.0000006
Exposure Point Total										4E-13							0.0000009
RM 8 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	8E-13	1E-12	--	--	--	1E-04	1E-04	6E-12	1E-11	6E-08	1E-07	0.0000002
	PBDE # 99	1.9E+00	ug/kg	--	--	9E-13	2E-12	--	--	--	1E-04	1E-04	7E-12	1E-11	7E-08	1E-07	0.0000002
	PBDE # 153	4.2E-01	ug/kg	--	--	2E-13	3E-13	--	--	--	2E-04	2E-04	1E-12	3E-12	7E-09	1E-08	0.0000002
	PBDE # 209	1.5E+01	ug/kg	7E-04	7E-04	7E-12	1E-11	5E-15	8E-15	1E-14	7E-03	7E-03	5E-11	9E-11	7E-09	1E-08	0.00000002
Exposure Point Total										1E-14							0.0000004
RM 8 SIL	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.6E+00	ug/kg	--	--	7E-13	1E-12	--	--	--	1E-04	1E-04	6E-12	1E-11	6E-08	1E-07	0.0000002
	PBDE # 99	2.3E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	8E-12	1E-11	8E-08	1E-07	0.0000002
	PBDE # 153	7.1E-01	ug/kg	--	--	3E-13	6E-13	--	--	--	2E-04	2E-04	2E-12	5E-12	1E-08	2E-08	0.00000003
	PBDE # 209	1.9E+01	ug/kg	7E-04	7E-04	9E-12	2E-11	6E-15	1E-14	2E-14	7E-03	7E-03	7E-11	1E-10	1E-08	2E-08	0.00000003
Exposure Point Total										2E-14							0.0000004
RM 8.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.0E+00	ug/kg	--	--	9E-13	2E-12	--	--	--	1E-04	1E-04	7E-12	1E-11	7E-08	1E-07	0.0000002
	PBDE # 99	2.2E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	8E-12	1E-11	8E-08	1E-07	0.0000002
	PBDE # 153	4.1E-01	ug/kg	--	--	2E-13	3E-13	--	--	--	2E-04	2E-04	1E-12	3E-12	7E-09	1E-08	0.00000002
	PBDE # 209	1.1E+01	ug/kg	7E-04	7E-04	5E-12	9E-12	3E-15	6E-15	1E-14	7E-03	7E-03	4E-11	7E-11	6E-09	1E-08	0.00000002
Exposure Point Total										1E-14							0.0000005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-13.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 8.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	4.1E+00	ug/kg	--	--	2E-12	3E-12	--	--	--	1E-04	1E-04	1E-11	3E-11	1E-07	3E-07	0.0000004
	PBDE # 99	5.6E+00	ug/kg	--	--	3E-12	5E-12	--	--	--	1E-04	1E-04	2E-11	4E-11	2E-07	4E-07	0.0000006
	PBDE # 153	1.1E+00	ug/kg	--	--	5E-13	9E-13	--	--	--	2E-04	2E-04	4E-12	7E-12	2E-08	3E-08	0.0000001
	PBDE # 209	9.0E+01	ug/kg	7E-04	7E-04	4E-11	7E-11	3E-14	5E-14	8E-14	7E-03	7E-03	3E-10	6E-10	5E-08	8E-08	0.0000001
Exposure Point Total										8E-14							0.000001
RM 9 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.3E+00	ug/kg	--	--	6E-13	1E-12	--	--	--	1E-04	1E-04	5E-12	8E-12	5E-08	8E-08	0.0000001
	PBDE # 99	1.2E+00	ug/kg	--	--	5E-13	1E-12	--	--	--	1E-04	1E-04	4E-12	8E-12	4E-08	8E-08	0.0000001
	PBDE # 153	1.9E-01	ug/kg	--	--	9E-14	2E-13	--	--	--	2E-04	2E-04	7E-13	1E-12	3E-09	6E-09	0.00000001
	PBDE # 209	2.9E+00	ug/kg	7E-04	7E-04	1E-12	2E-12	9E-16	2E-15	3E-15	7E-03	7E-03	1E-11	2E-11	1E-09	3E-09	0.000000004
Exposure Point Total										3E-15							0.0000003
RM 9 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.3E-01	ug/kg	--	--	1E-13	3E-13	--	--	--	1E-04	1E-04	1E-12	2E-12	1E-08	2E-08	0.00000003
	PBDE # 99	1.8E-01	ug/kg	--	--	8E-14	1E-13	--	--	--	1E-04	1E-04	6E-13	1E-12	6E-09	1E-08	0.00000002
Exposure Point Total										--							0.0000001
RM 9.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	8E-13	1E-12	--	--	--	1E-04	1E-04	6E-12	1E-11	6E-08	1E-07	0.0000002
	PBDE # 99	2.7E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	1E-11	2E-11	1E-07	2E-07	0.0000003
	PBDE # 153	5.2E-01	ug/kg	--	--	2E-13	4E-13	--	--	--	2E-04	2E-04	2E-12	3E-12	9E-09	2E-08	0.00000003
	PBDE # 209	4.6E+01	ug/kg	7E-04	7E-04	2E-11	4E-11	1E-14	3E-14	4E-14	7E-03	7E-03	2E-10	3E-10	2E-08	4E-08	0.0000001
Exposure Point Total										4E-14							0.0000005
RM 9.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.9E-01	ug/kg	--	--	4E-13	8E-13	--	--	--	1E-04	1E-04	3E-12	6E-12	3E-08	6E-08	0.0000001
	PBDE # 99	7.9E-01	ug/kg	--	--	4E-13	6E-13	--	--	--	1E-04	1E-04	3E-12	5E-12	3E-08	5E-08	0.0000001
	PBDE # 209	2.0E+00	ug/kg	7E-04	7E-04	9E-13	2E-12	6E-16	1E-15	2E-15	7E-03	7E-03	7E-12	1E-11	1E-09	2E-09	0.000000003
Exposure Point Total										2E-15							0.0000002
RM 11 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.9E+00	ug/kg	--	--	1E-12	2E-12	--	--	--	1E-04	1E-04	1E-11	2E-11	1E-07	2E-07	0.0000003
	PBDE # 99	3.7E+00	ug/kg	--	--	2E-12	3E-12	--	--	--	1E-04	1E-04	1E-11	2E-11	1E-07	2E-07	0.0000004
	PBDE # 153	6.3E-01	ug/kg	--	--	3E-13	5E-13	--	--	--	2E-04	2E-04	2E-12	4E-12	1E-08	2E-08	0.00000003
	PBDE # 209	5.7E+01	ug/kg	7E-04	7E-04	3E-11	5E-11	2E-14	3E-14	5E-14	7E-03	7E-03	2E-10	4E-10	3E-08	5E-08	0.0000001
Exposure Point Total										5E-14							0.0000008
RM 11 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.7E-01	ug/kg	--	--	4E-13	8E-13	--	--	--	1E-04	1E-04	3E-12	6E-12	3E-08	6E-08	0.0000001
	PBDE # 99	7.8E-01	ug/kg	--	--	4E-13	6E-13	--	--	--	1E-04	1E-04	3E-12	5E-12	3E-08	5E-08	0.0000001
Exposure Point Total										--							0.0000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-13.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 12 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.1E-01	ug/kg	--	--	1E-13	3E-13	--	--	--	1E-04	1E-04	1E-12	2E-12	1E-08	2E-08	0.00000003
	PBDE # 99	3.0E-01	ug/kg	--	--	1E-13	2E-13	--	--	--	1E-04	1E-04	1E-12	2E-12	1E-08	2E-08	0.00000003
Exposure Point Total										--							0.0000001
RM 12 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E+00	ug/kg	--	--	5E-13	1E-12	--	--	--	1E-04	1E-04	4E-12	8E-12	4E-08	8E-08	0.0000001
	PBDE # 99	1.1E+00	ug/kg	--	--	5E-13	9E-13	--	--	--	1E-04	1E-04	4E-12	7E-12	4E-08	7E-08	0.0000001
Exposure Point Total										--							0.0000002
Study Area Wide[d]	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	6E-13	1E-12	--	--	--	1E-04	1E-04	5E-12	9E-12	5E-08	9E-08	0.0000001
	PBDE # 99	1.7E+00	ug/kg	--	--	8E-13	1E-12	--	--	--	1E-04	1E-04	6E-12	1E-11	6E-08	1E-07	0.0000002
	PBDE # 153	5.1E-01	ug/kg	--	--	2E-13	4E-13	--	--	--	2E-04	2E-04	2E-12	3E-12	9E-09	2E-08	0.00000003
	PBDE # 209	2.2E+01	ug/kg	7E-04	7E-04	1E-11	2E-11	7E-15	1E-14	2E-14	7E-03	7E-03	8E-11	1E-10	1E-08	2E-08	0.00000003
Exposure Point Total										2E-14							0.0000004

Notes:

a Numbers presented are rounded values. Sums calculated before rounding. Risks and hazards are calculated based on exposure parameters presented in Section 3 of Appendix F. For risks and hazards from dermal contact, a dermal absorption efficiency of 0.1 was used , which is the dermal absorption efficiency presented for semi-volatile organic compounds in Risk Assessment Guidance for Superfund. Volume I: Human Health Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment) Final, July 2004. EPA/540/R/99/005.

b Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
LADI = Lifetime Average Daily Intake.
mg/kg = milligrams per kilogram.

RfD = Reference dose.
RM = River mile.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-14.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Diver in Wet Suit   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg-day)^{-1}$	Oral Cancer Slope Factor $(mg/kg-day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 1 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.6E-01	ug/kg	--	--	1E-11	1E-12	--	--	--	1E-04	1E-04	4E-11	4E-12	4E-07	4E-08	0.0000004
	PBDE # 99	3.7E-01	ug/kg	--	--	1E-11	1E-12	--	--	--	1E-04	1E-04	4E-11	4E-12	4E-07	4E-08	0.0000004
	PBDE # 209	4.0E+00	ug/kg	7E-04	7E-04	2E-10	1E-11	1E-13	1E-14	1E-13	7E-03	7E-03	4E-10	4E-11	6E-08	6E-09	0.0000001
Exposure Point Total										1E-13							0.000001
RM 1 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	7.6E-01	ug/kg	--	--	3E-11	3E-12	--	--	--	1E-04	1E-04	8E-11	7E-12	8E-07	7E-08	0.000001
	PBDE # 99	6.3E-01	ug/kg	--	--	2E-11	2E-12	--	--	--	1E-04	1E-04	7E-11	6E-12	7E-07	6E-08	0.000001
	PBDE # 209	3.7E+00	ug/kg	7E-04	7E-04	1E-10	1E-11	1E-13	9E-15	1E-13	7E-03	7E-03	4E-10	4E-11	6E-08	5E-09	0.0000001
Exposure Point Total										1E-13							0.000002
RM 1.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E-01	ug/kg	--	--	5E-12	4E-13	--	--	--	1E-04	1E-04	1E-11	1E-12	1E-07	1E-08	0.0000001
Exposure Point Total										--							0.0000001
RM 1.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	5E-11	5E-12	--	--	--	1E-04	1E-04	1E-10	1E-11	1E-06	1E-07	0.000002
	PBDE # 99	1.4E+00	ug/kg	--	--	5E-11	5E-12	--	--	--	1E-04	1E-04	1E-10	1E-11	1E-06	1E-07	0.000002
	PBDE # 153	1.8E-01	ug/kg	--	--	7E-12	6E-13	--	--	--	2E-04	2E-04	2E-11	2E-12	1E-07	9E-09	0.000000
	PBDE # 209	4.5E+00	ug/kg	7E-04	7E-04	2E-10	2E-11	1E-13	1E-14	1E-13	7E-03	7E-03	5E-10	4E-11	7E-08	6E-09	0.000000
Exposure Point Total										1E-13							0.000003
RM 2 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	7E-11	6E-12	--	--	--	1E-04	1E-04	2E-10	2E-11	2E-06	2E-07	0.000002
	PBDE # 99	1.7E+00	ug/kg	--	--	6E-11	6E-12	--	--	--	1E-04	1E-04	2E-10	2E-11	2E-06	2E-07	0.000002
	PBDE # 153	4.2E-01	ug/kg	--	--	2E-11	1E-12	--	--	--	2E-04	2E-04	4E-11	4E-12	2E-07	2E-08	0.0000002
	PBDE # 209	6.0E+00	ug/kg	7E-04	7E-04	2E-10	2E-11	2E-13	1E-14	2E-13	7E-03	7E-03	6E-10	6E-11	9E-08	8E-09	0.0000001
Exposure Point Total										2E-13							0.000004
RM 2 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	7E-11	6E-12	--	--	--	1E-04	1E-04	2E-10	2E-11	2E-06	2E-07	0.000002
	PBDE # 99	2.1E+00	ug/kg	--	--	8E-11	7E-12	--	--	--	1E-04	1E-04	2E-10	2E-11	2E-06	2E-07	0.000002
	PBDE # 153	2.9E-01	ug/kg	--	--	1E-11	1E-12	--	--	--	2E-04	2E-04	3E-11	3E-12	2E-07	1E-08	0.0000002
	PBDE # 209	8.4E+00	ug/kg	7E-04	7E-04	3E-10	3E-11	2E-13	2E-14	2E-13	7E-03	7E-03	9E-10	8E-11	1E-07	1E-08	0.0000001
Exposure Point Total										2E-13							0.000005
RM 2.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.0E-01	ug/kg	--	--	8E-12	7E-13	--	--	--	1E-04	1E-04	2E-11	2E-12	2E-07	2E-08	0.0000002
	PBDE # 99	2.4E-01	ug/kg	--	--	9E-12	8E-13	--	--	--	1E-04	1E-04	3E-11	2E-12	3E-07	2E-08	0.0000003
Exposure Point Total										--							0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-14.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 2.5 MC	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E-01	ug/kg	--	--	5E-12	5E-13	--	--	--	1E-04	1E-04	1E-11	1E-12	1E-07	1E-08	0.0000002
Exposure Point Total										--							0.0000002
RM 3 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	5E-11	5E-12	--	--	--	1E-04	1E-04	1E-10	1E-11	1E-06	1E-07	0.000002
	PBDE # 99	1.3E+00	ug/kg	--	--	5E-11	5E-12	--	--	--	1E-04	1E-04	1E-10	1E-11	1E-06	1E-07	0.000002
	PBDE # 153	2.9E-01	ug/kg	--	--	1E-11	1E-12	--	--	--	2E-04	2E-04	3E-11	3E-12	2E-07	1E-08	0.0000002
	PBDE # 209	5.3E+00	ug/kg	7E-04	7E-04	2E-10	2E-11	1E-13	1E-14	2E-13	7E-03	7E-03	6E-10	5E-11	8E-08	7E-09	0.0000001
Exposure Point Total										2E-13							0.000003
RM 3 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.6E+00	ug/kg	--	--	6E-11	6E-12	--	--	--	1E-04	1E-04	2E-10	2E-11	2E-06	2E-07	0.000002
	PBDE # 99	1.6E+00	ug/kg	--	--	6E-11	6E-12	--	--	--	1E-04	1E-04	2E-10	2E-11	2E-06	2E-07	0.000002
	PBDE # 153	3.3E-01	ug/kg	--	--	1E-11	1E-12	--	--	--	2E-04	2E-04	4E-11	3E-12	2E-07	2E-08	0.0000002
	PBDE # 209	6.9E+00	ug/kg	7E-04	7E-04	3E-10	2E-11	2E-13	2E-14	2E-13	7E-03	7E-03	7E-10	7E-11	1E-07	1E-08	0.0000001
Exposure Point Total										2E-13							0.000004
RM 3.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E-01	ug/kg	--	--	5E-12	5E-13	--	--	--	1E-04	1E-04	1E-11	1E-12	1E-07	1E-08	0.0000002
	PBDE # 99	1.2E-01	ug/kg	--	--	5E-12	4E-13	--	--	--	1E-04	1E-04	1E-11	1E-12	1E-07	1E-08	0.0000001
Exposure Point Total										--							0.0000003
RM 3.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	5.2E+00	ug/kg	--	--	2E-10	2E-11	--	--	--	1E-04	1E-04	6E-10	5E-11	6E-06	5E-07	0.000006
	PBDE # 99	8.2E+00	ug/kg	--	--	3E-10	3E-11	--	--	--	1E-04	1E-04	9E-10	8E-11	9E-06	8E-07	0.00001
	PBDE # 153	1.5E+00	ug/kg	--	--	6E-11	5E-12	--	--	--	2E-04	2E-04	2E-10	1E-11	8E-07	7E-08	0.000001
	PBDE # 209	5.6E+01	ug/kg	7E-04	7E-04	2E-09	2E-10	1E-12	1E-13	2E-12	7E-03	7E-03	6E-09	5E-10	9E-07	8E-08	0.000001
Exposure Point Total										2E-12							0.00002
RM 4 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.5E-01	ug/kg	--	--	1E-11	1E-12	--	--	--	1E-04	1E-04	4E-11	3E-12	4E-07	3E-08	0.0000004
	PBDE # 99	2.3E-01	ug/kg	--	--	9E-12	8E-13	--	--	--	1E-04	1E-04	2E-11	2E-12	2E-07	2E-08	0.0000003
Exposure Point Total										--							0.000001
RM 5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.7E-01	ug/kg	--	--	1E-11	1E-12	--	--	--	1E-04	1E-04	4E-11	4E-12	4E-07	4E-08	0.0000004
	PBDE # 99	3.7E-01	ug/kg	--	--	1E-11	1E-12	--	--	--	1E-04	1E-04	4E-11	4E-12	4E-07	4E-08	0.0000004
Exposure Point Total										--							0.000001
RM 5.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	5E-11	5E-12	--	--	--	1E-04	1E-04	1E-10	1E-11	1E-06	1E-07	0.000002
	PBDE # 99	1.2E+00	ug/kg	--	--	5E-11	4E-12	--	--	--	1E-04	1E-04	1E-10	1E-11	1E-06	1E-07	0.000001
	PBDE # 153	2.3E-01	ug/kg	--	--	9E-12	8E-13	--	--	--	2E-04	2E-04	2E-11	2E-12	1E-07	1E-08	0.0000001
	PBDE # 209	7.4E+00	ug/kg	7E-04	7E-04	3E-10	3E-11	2E-13	2E-14	2E-13	7E-03	7E-03	8E-10	7E-11	1E-07	1E-08	0.0000001
Exposure Point Total										2E-13							0.000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-14.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 5.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	7E-11	6E-12	--	--	--	1E-04	1E-04	2E-10	2E-11	2E-06	2E-07	0.000002
	PBDE # 99	1.8E+00	ug/kg	--	--	7E-11	6E-12	--	--	--	1E-04	1E-04	2E-10	2E-11	2E-06	2E-07	0.000002
	PBDE # 153	2.6E-01	ug/kg	--	--	1E-11	9E-13	--	--	--	2E-04	2E-04	3E-11	3E-12	1E-07	1E-08	0.0000002
	PBDE # 209	2.8E+00	ug/kg	7E-04	7E-04	1E-10	1E-11	7E-14	7E-15	8E-14	7E-03	7E-03	3E-10	3E-11	4E-08	4E-09	0.00000005
Exposure Point Total										8E-14							0.000004
RM 6 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.3E-01	ug/kg	--	--	5E-12	5E-13	--	--	--	1E-04	1E-04	1E-11	1E-12	1E-07	1E-08	0.0000002
	PBDE # 99	1.3E-01	ug/kg	--	--	5E-12	5E-13	--	--	--	1E-04	1E-04	1E-11	1E-12	1E-07	1E-08	0.0000002
	PBDE # 209	3.5E+00	ug/kg	7E-04	7E-04	1E-10	1E-11	9E-14	9E-15	1E-13	7E-03	7E-03	4E-10	3E-11	5E-08	5E-09	0.0000001
Exposure Point Total										1E-13							0.0000004
RM 6 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.7E-01	ug/kg	--	--	1E-11	9E-13	--	--	--	1E-04	1E-04	3E-11	3E-12	3E-07	3E-08	0.0000003
	PBDE # 99	1.7E-01	ug/kg	--	--	6E-12	6E-13	--	--	--	1E-04	1E-04	2E-11	2E-12	2E-07	2E-08	0.0000002
Exposure Point Total										--							0.000001
RM 6.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.1E-01	ug/kg	--	--	4E-12	4E-13	--	--	--	1E-04	1E-04	1E-11	1E-12	1E-07	1E-08	0.0000001
	PBDE # 99	1.3E-01	ug/kg	--	--	5E-12	5E-13	--	--	--	1E-04	1E-04	1E-11	1E-12	1E-07	1E-08	0.0000002
Exposure Point Total										--							0.0000003
RM 6.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	7E-11	6E-12	--	--	--	1E-04	1E-04	2E-10	2E-11	2E-06	2E-07	0.000002
	PBDE # 99	1.9E+00	ug/kg	--	--	7E-11	7E-12	--	--	--	1E-04	1E-04	2E-10	2E-11	2E-06	2E-07	0.000002
	PBDE # 153	3.5E-01	ug/kg	--	--	1E-11	1E-12	--	--	--	2E-04	2E-04	4E-11	3E-12	2E-07	2E-08	0.0000002
	PBDE # 209	2.5E+01	ug/kg	7E-04	7E-04	1E-09	9E-11	7E-13	6E-14	7E-13	7E-03	7E-03	3E-09	2E-10	4E-07	3E-08	0.0000004
Exposure Point Total										7E-13							0.000005
RM 7 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.5E-01	ug/kg	--	--	4E-11	3E-12	--	--	--	1E-04	1E-04	1E-10	9E-12	1E-06	9E-08	0.000001
	PBDE # 99	9.9E-01	ug/kg	--	--	4E-11	3E-12	--	--	--	1E-04	1E-04	1E-10	1E-11	1E-06	1E-07	0.000001
	PBDE # 153	2.9E-01	ug/kg	--	--	1E-11	1E-12	--	--	--	2E-04	2E-04	3E-11	3E-12	2E-07	1E-08	0.0000002
	PBDE # 209	6.1E+00	ug/kg	7E-04	7E-04	2E-10	2E-11	2E-13	1E-14	2E-13	7E-03	7E-03	6E-10	6E-11	9E-08	9E-09	0.0000001
Exposure Point Total										2E-13							0.000003
RM 7 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.7E+00	ug/kg	--	--	6E-11	6E-12	--	--	--	1E-04	1E-04	2E-10	2E-11	2E-06	2E-07	0.000002
	PBDE # 99	1.5E+00	ug/kg	--	--	6E-11	5E-12	--	--	--	1E-04	1E-04	2E-10	1E-11	2E-06	1E-07	0.000002
	PBDE # 153	3.1E-01	ug/kg	--	--	1E-11	1E-12	--	--	--	2E-04	2E-04	3E-11	3E-12	2E-07	2E-08	0.0000002
	PBDE # 209	6.2E+00	ug/kg	7E-04	7E-04	2E-10	2E-11	2E-13	2E-14	2E-13	7E-03	7E-03	7E-10	6E-11	9E-08	9E-09	0.0000001
Exposure Point Total										2E-13							0.000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-14.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 7.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.7E+00	ug/kg	--	--	6E-11	6E-12	--	--	--	1E-04	1E-04	2E-10	2E-11	2E-06	2E-07	0.000002
	PBDE # 99	1.5E+00	ug/kg	--	--	6E-11	5E-12	--	--	--	1E-04	1E-04	2E-10	1E-11	2E-06	1E-07	0.000002
	PBDE # 153	3.1E-01	ug/kg	--	--	1E-11	1E-12	--	--	--	2E-04	2E-04	3E-11	3E-12	2E-07	2E-08	0.0000002
	PBDE # 209	5.1E+00	ug/kg	7E-04	7E-04	2E-10	2E-11	1E-13	1E-14	1E-13	7E-03	7E-03	5E-10	5E-11	8E-08	7E-09	0.0000001
Exposure Point Total										1E-13							0.000004
RM 7.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.5E+00	ug/kg	--	--	1E-10	9E-12	--	--	--	1E-04	1E-04	3E-10	2E-11	3E-06	2E-07	0.000003
	PBDE # 99	2.9E+00	ug/kg	--	--	1E-10	1E-11	--	--	--	1E-04	1E-04	3E-10	3E-11	3E-06	3E-07	0.000003
	PBDE # 153	4.5E-01	ug/kg	--	--	2E-11	2E-12	--	--	--	2E-04	2E-04	5E-11	4E-12	2E-07	2E-08	0.0000003
	PBDE # 209	1.3E+01	ug/kg	7E-04	7E-04	5E-10	5E-11	3E-13	3E-14	4E-13	7E-03	7E-03	1E-09	1E-10	2E-07	2E-08	0.0000002
Exposure Point Total										4E-13							0.000007
RM 8 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	8.3E-01	ug/kg	--	--	3E-11	3E-12	--	--	--	1E-04	1E-04	9E-11	8E-12	9E-07	8E-08	0.000001
	PBDE # 99	1.2E+00	ug/kg	--	--	5E-11	4E-12	--	--	--	1E-04	1E-04	1E-10	1E-11	1E-06	1E-07	0.000001
	PBDE # 153	8.4E-01	ug/kg	--	--	3E-11	3E-12	--	--	--	2E-04	2E-04	9E-11	8E-12	4E-07	4E-08	0.0000005
	PBDE # 209	4.4E+02	ug/kg	7E-04	7E-04	2E-08	2E-09	1E-11	1E-12	1E-11	7E-03	7E-03	5E-08	4E-09	7E-06	6E-07	0.000007
Exposure Point Total										1E-11							0.00001
RM 8 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.1E+00	ug/kg	--	--	8E-11	7E-12	--	--	--	1E-04	1E-04	2E-10	2E-11	2E-06	2E-07	0.000002
	PBDE # 99	2.2E+00	ug/kg	--	--	8E-11	8E-12	--	--	--	1E-04	1E-04	2E-10	2E-11	2E-06	2E-07	0.000003
	PBDE # 153	6.2E-01	ug/kg	--	--	2E-11	2E-12	--	--	--	2E-04	2E-04	7E-11	6E-12	3E-07	3E-08	0.0000004
	PBDE # 209	2.4E+01	ug/kg	7E-04	7E-04	9E-10	8E-11	6E-13	6E-14	7E-13	7E-03	7E-03	3E-09	2E-10	4E-07	3E-08	0.0000004
Exposure Point Total										7E-13							0.000006
RM 8 SIL	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	4.5E+00	ug/kg	--	--	2E-10	2E-11	--	--	--	1E-04	1E-04	5E-10	4E-11	5E-06	4E-07	0.000005
	PBDE # 99	4.3E+00	ug/kg	--	--	2E-10	2E-11	--	--	--	1E-04	1E-04	5E-10	4E-11	5E-06	4E-07	0.000005
	PBDE # 153	1.2E+00	ug/kg	--	--	5E-11	4E-12	--	--	--	2E-04	2E-04	1E-10	1E-11	6E-07	6E-08	0.000001
	PBDE # 209	3.7E+01	ug/kg	7E-04	7E-04	1E-09	1E-10	1E-12	9E-14	1E-12	7E-03	7E-03	4E-09	4E-10	6E-07	5E-08	0.000001
Exposure Point Total										1E-12							0.000012
RM 8.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.0E+00	ug/kg	--	--	8E-11	7E-12	--	--	--	1E-04	1E-04	2E-10	2E-11	2E-06	2E-07	0.000002
	PBDE # 99	2.2E+00	ug/kg	--	--	8E-11	8E-12	--	--	--	1E-04	1E-04	2E-10	2E-11	2E-06	2E-07	0.000003
	PBDE # 153	4.1E-01	ug/kg	--	--	2E-11	1E-12	--	--	--	2E-04	2E-04	4E-11	4E-12	2E-07	2E-08	0.0000002
	PBDE # 209	1.1E+01	ug/kg	7E-04	7E-04	4E-10	4E-11	3E-13	3E-14	3E-13	7E-03	7E-03	1E-09	1E-10	2E-07	2E-08	0.0000002
Exposure Point Total										3E-13							0.000005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-14.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 8.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	4.1E+00	ug/kg	--	--	2E-10	1E-11	--	--	--	1E-04	1E-04	4E-10	4E-11	4E-06	4E-07	0.000005
	PBDE # 99	5.6E+00	ug/kg	--	--	2E-10	2E-11	--	--	--	1E-04	1E-04	6E-10	5E-11	6E-06	5E-07	0.000007
	PBDE # 153	1.1E+00	ug/kg	--	--	4E-11	4E-12	--	--	--	2E-04	2E-04	1E-10	1E-11	6E-07	5E-08	0.000001
	PBDE # 209	9.0E+01	ug/kg	7E-04	7E-04	3E-09	3E-10	2E-12	2E-13	3E-12	7E-03	7E-03	1E-08	9E-10	1E-06	1E-07	0.000001
Exposure Point Total										3E-12							0.00001
RM 9 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.3E+00	ug/kg	--	--	5E-11	5E-12	--	--	--	1E-04	1E-04	1E-10	1E-11	1E-06	1E-07	0.000002
	PBDE # 99	1.2E+00	ug/kg	--	--	5E-11	4E-12	--	--	--	1E-04	1E-04	1E-10	1E-11	1E-06	1E-07	0.000001
	PBDE # 153	1.9E-01	ug/kg	--	--	7E-12	7E-13	--	--	--	2E-04	2E-04	2E-11	2E-12	1E-07	9E-09	0.0000001
	PBDE # 209	2.9E+00	ug/kg	7E-04	7E-04	1E-10	1E-11	8E-14	7E-15	8E-14	7E-03	7E-03	3E-10	3E-11	4E-08	4E-09	0.00000005
Exposure Point Total										8E-14							0.000003
RM 9 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.3E-01	ug/kg	--	--	1E-11	1E-12	--	--	--	1E-04	1E-04	4E-11	3E-12	4E-07	3E-08	0.0000004
	PBDE # 99	1.8E-01	ug/kg	--	--	7E-12	6E-13	--	--	--	1E-04	1E-04	2E-11	2E-12	2E-07	2E-08	0.0000002
Exposure Point Total										--							0.000001
RM 9.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	7E-11	6E-12	--	--	--	1E-04	1E-04	2E-10	2E-11	2E-06	2E-07	0.000002
	PBDE # 99	2.7E+00	ug/kg	--	--	1E-10	9E-12	--	--	--	1E-04	1E-04	3E-10	3E-11	3E-06	3E-07	0.000003
	PBDE # 153	5.2E-01	ug/kg	--	--	2E-11	2E-12	--	--	--	2E-04	2E-04	6E-11	5E-12	3E-07	3E-08	0.0000003
	PBDE # 209	4.6E+01	ug/kg	7E-04	7E-04	2E-09	2E-10	1E-12	1E-13	1E-12	7E-03	7E-03	5E-09	5E-10	7E-07	6E-08	0.000001
Exposure Point Total										1E-12							0.000006
RM 9.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.9E-01	ug/kg	--	--	4E-11	3E-12	--	--	--	1E-04	1E-04	1E-10	1E-11	1E-06	1E-07	0.000001
	PBDE # 99	7.9E-01	ug/kg	--	--	3E-11	3E-12	--	--	--	1E-04	1E-04	8E-11	8E-12	8E-07	8E-08	0.000001
	PBDE # 209	2.0E+00	ug/kg	7E-04	7E-04	8E-11	7E-12	5E-14	5E-15	6E-14	7E-03	7E-03	2E-10	2E-11	3E-08	3E-09	0.00000003
Exposure Point Total										6E-14							0.000002
RM 11 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.9E+00	ug/kg	--	--	1E-10	1E-11	--	--	--	1E-04	1E-04	3E-10	3E-11	3E-06	3E-07	0.000003
	PBDE # 99	3.7E+00	ug/kg	--	--	1E-10	1E-11	--	--	--	1E-04	1E-04	4E-10	4E-11	4E-06	4E-07	0.000004
	PBDE # 153	6.3E-01	ug/kg	--	--	2E-11	2E-12	--	--	--	2E-04	2E-04	7E-11	6E-12	3E-07	3E-08	0.0000004
	PBDE # 209	5.7E+01	ug/kg	7E-04	7E-04	2E-09	2E-10	2E-12	1E-13	2E-12	7E-03	7E-03	6E-09	6E-10	9E-07	8E-08	0.000001
Exposure Point Total										2E-12							0.000009
RM 11 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.5E+00	ug/kg	--	--	6E-11	5E-12	--	--	--	1E-04	1E-04	2E-10	1E-11	2E-06	1E-07	0.000002
	PBDE # 99	1.2E+00	ug/kg	--	--	5E-11	4E-12	--	--	--	1E-04	1E-04	1E-10	1E-11	1E-06	1E-07	0.000001
Exposure Point Total										--							0.000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-14.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future

Medium: Sediment

Receptor Population: Diver in Wet Suit

Exposure Medium: In-water Sediment

Population Age: Adult

Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 12 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.1E-01	ug/kg	--	--	1E-11	1E-12	--	--	--	1E-04	1E-04	3E-11	3E-12	3E-07	3E-08	0.0000004
	PBDE # 99	3.0E-01	ug/kg	--	--	1E-11	1E-12	--	--	--	1E-04	1E-04	3E-11	3E-12	3E-07	3E-08	0.0000003
Exposure Point Total										--							0.000001
RM 12 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E+00	ug/kg	--	--	5E-11	4E-12	--	--	--	1E-04	1E-04	1E-10	1E-11	1E-06	1E-07	0.000001
	PBDE # 99	1.1E+00	ug/kg	--	--	4E-11	4E-12	--	--	--	1E-04	1E-04	1E-10	1E-11	1E-06	1E-07	0.000001
Exposure Point Total										--							0.000003
Study Area Wide[b]	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.2E+00	ug/kg	--	--	8E-11	8E-12	--	--	--	1E-04	1E-04	2E-10	2E-11	2E-06	2E-07	0.000003
	PBDE # 99	2.8E+00	ug/kg	--	--	1E-10	1E-11	--	--	--	1E-04	1E-04	3E-10	3E-11	3E-06	3E-07	0.000003
	PBDE # 153	5.3E-01	ug/kg	--	--	2E-11	2E-12	--	--	--	2E-04	2E-04	6E-11	5E-12	3E-07	3E-08	0.0000003
	PBDE # 209	6.0E+01	ug/kg	7E-04	7E-04	2E-09	2E-10	2E-12	1E-13	2E-12	7E-03	7E-03	6E-09	6E-10	9E-07	8E-08	0.000001
Exposure Point Total										2E-12							0.000007

Notes:

a Numbers presented are rounded values. Sums calculated before rounding. Risks and hazards are calculated based on exposure parameters presented in Section 3 of Appendix F. For risks and hazards from dermal contact, a dermal absorption efficiency of 0.1 was used , which is the dermal absorption efficiency presented for semi-volatile organic compounds in Risk Assessment Guidance for Superfund. Volume I: Human Health Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment) Final, July 2004. EPA/540/R/99/005.

b Study Area wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
LADI = Lifetime Average Daily Intake.
mg/kg = milligrams per kilogram.

RfD = Reference dose.
RM = River mile.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-15.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 1 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.3E-01	ug/kg	--	--	4E-13	8E-14	--	--	--	1E-04	1E-04	3E-12	6E-13	3E-08	6E-09	0.00000004
	PBDE # 99	3.2E-01	ug/kg	--	--	4E-13	8E-14	--	--	--	1E-04	1E-04	3E-12	6E-13	3E-08	6E-09	0.00000004
	PBDE # 209	3.8E+00	ug/kg	7E-04	7E-04	5E-12	1E-12	3E-15	7E-16	4E-15	7E-03	7E-03	4E-11	7E-12	5E-09	1E-09	0.00000001
Exposure Point Total[c]										4E-15							0.00000008
RM 1 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	7.6E-01	ug/kg	--	--	1E-12	2E-13	--	--	--	1E-04	1E-04	8E-12	1E-12	8E-08	1E-08	0.00000009
	PBDE # 99	6.3E-01	ug/kg	--	--	8E-13	2E-13	--	--	--	1E-04	1E-04	6E-12	1E-12	6E-08	1E-08	0.00000007
	PBDE # 209	3.7E+00	ug/kg	7E-04	7E-04	5E-12	9E-13	3E-15	7E-16	4E-15	7E-03	7E-03	4E-11	7E-12	5E-09	1E-09	0.00000001
Exposure Point Total										4E-15							0.0000002
RM 1.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E-01	ug/kg	--	--	2E-13	3E-14	--	--	--	1E-04	1E-04	1E-12	2E-13	1E-08	2E-09	0.00000001
Exposure Point Total										--							0.00000001
RM 1.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	2E-12	4E-13	--	--	--	1E-04	1E-04	1E-11	3E-12	1E-07	3E-08	0.0000002
	PBDE # 99	1.4E+00	ug/kg	--	--	2E-12	4E-13	--	--	--	1E-04	1E-04	1E-11	3E-12	1E-07	3E-08	0.0000002
	PBDE # 153	1.8E-01	ug/kg	--	--	2E-13	5E-14	--	--	--	2E-04	2E-04	2E-12	4E-13	9E-09	2E-09	0.00000001
	PBDE # 209	4.5E+00	ug/kg	7E-04	7E-04	6E-12	1E-12	4E-15	8E-16	5E-15	7E-03	7E-03	4E-11	9E-12	6E-09	1E-09	0.00000001
Exposure Point Total										5E-15							0.0000004
RM 2 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.1E+00	ug/kg	--	--	1E-12	3E-13	--	--	--	1E-04	1E-04	1E-11	2E-12	1E-07	2E-08	0.0000001
	PBDE # 99	1.0E+00	ug/kg	--	--	1E-12	3E-13	--	--	--	1E-04	1E-04	1E-11	2E-12	1E-07	2E-08	0.0000001
	PBDE # 153	4.9E-01	ug/kg	--	--	6E-13	1E-13	--	--	--	2E-04	2E-04	5E-12	9E-13	2E-08	5E-09	0.00000003
	PBDE # 209	5.8E+00	ug/kg	7E-04	7E-04	7E-12	1E-12	5E-15	1E-15	6E-15	7E-03	7E-03	6E-11	1E-11	8E-09	2E-09	0.00000001
Exposure Point Total										6E-15							0.0000003
RM 2 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	2E-12	4E-13	--	--	--	1E-04	1E-04	2E-11	3E-12	2E-07	3E-08	0.0000002
	PBDE # 99	2.0E+00	ug/kg	--	--	3E-12	5E-13	--	--	--	1E-04	1E-04	2E-11	4E-12	2E-07	4E-08	0.0000002
	PBDE # 153	2.8E-01	ug/kg	--	--	4E-13	7E-14	--	--	--	2E-04	2E-04	3E-12	6E-13	1E-08	3E-09	0.00000002
	PBDE # 209	6.9E+00	ug/kg	7E-04	7E-04	9E-12	2E-12	6E-15	1E-15	7E-15	7E-03	7E-03	7E-11	1E-11	1E-08	2E-09	0.00000001
Exposure Point Total										7E-15							0.0000005
RM 2.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.0E-01	ug/kg	--	--	3E-13	5E-14	--	--	--	1E-04	1E-04	2E-12	4E-13	2E-08	4E-09	0.00000002
	PBDE # 99	2.4E-01	ug/kg	--	--	3E-13	6E-14	--	--	--	1E-04	1E-04	2E-12	5E-13	2E-08	5E-09	0.00000003
Exposure Point Total										--							0.00000005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-15.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: Diver in Wet Suit Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(\text{mg/kg-day})^{-1}$	Oral Cancer Slope Factor $(\text{mg/kg-day})^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 2.5 MC	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E-01	ug/kg	--	--	2E-13	4E-14	--	--	--	1E-04	1E-04	1E-12	3E-13	1E-08	3E-09	0.00000002
Exposure Point Total										--							0.00000002
RM 3 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	2E-12	4E-13	--	--	--	1E-04	1E-04	1E-11	3E-12	1E-07	3E-08	0.0000002
	PBDE # 99	1.3E+00	ug/kg	--	--	2E-12	3E-13	--	--	--	1E-04	1E-04	1E-11	3E-12	1E-07	3E-08	0.0000002
	PBDE # 153	2.9E-01	ug/kg	--	--	4E-13	7E-14	--	--	--	2E-04	2E-04	3E-12	6E-13	1E-08	3E-09	0.00000002
	PBDE # 209	5.3E+00	ug/kg	7E-04	7E-04	7E-12	1E-12	5E-15	9E-16	6E-15	7E-03	7E-03	5E-11	1E-11	8E-09	1E-09	0.00000001
Exposure Point Total										6E-15							0.0000003
RM 3 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.3E+00	ug/kg	--	--	2E-12	3E-13	--	--	--	1E-04	1E-04	1E-11	3E-12	1E-07	3E-08	0.0000002
	PBDE # 99	1.4E+00	ug/kg	--	--	2E-12	3E-13	--	--	--	1E-04	1E-04	1E-11	3E-12	1E-07	3E-08	0.0000002
	PBDE # 153	2.8E-01	ug/kg	--	--	4E-13	7E-14	--	--	--	2E-04	2E-04	3E-12	5E-13	1E-08	3E-09	0.00000002
	PBDE # 209	6.4E+00	ug/kg	7E-04	7E-04	8E-12	2E-12	6E-15	1E-15	7E-15	7E-03	7E-03	6E-11	1E-11	9E-09	2E-09	0.00000001
Exposure Point Total										7E-15							0.0000003
RM 3.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E-01	ug/kg	--	--	2E-13	4E-14	--	--	--	1E-04	1E-04	1E-12	3E-13	1E-08	3E-09	0.00000002
	PBDE # 99	1.2E-01	ug/kg	--	--	2E-13	3E-14	--	--	--	1E-04	1E-04	1E-12	2E-13	1E-08	2E-09	0.00000001
Exposure Point Total										--							0.00000003
RM 3.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	4.0E+00	ug/kg	--	--	5E-12	1E-12	--	--	--	1E-04	1E-04	4E-11	8E-12	4E-07	8E-08	0.0000005
	PBDE # 99	5.8E+00	ug/kg	--	--	7E-12	1E-12	--	--	--	1E-04	1E-04	6E-11	1E-11	6E-07	1E-07	0.0000007
	PBDE # 153	1.1E+00	ug/kg	--	--	1E-12	3E-13	--	--	--	2E-04	2E-04	1E-11	2E-12	5E-08	1E-08	0.00000006
	PBDE # 209	3.2E+01	ug/kg	7E-04	7E-04	4E-11	8E-12	3E-14	6E-15	3E-14	7E-03	7E-03	3E-10	6E-11	4E-08	9E-09	0.00000005
Exposure Point Total										3E-14							0.000001
RM 4 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.5E-01	ug/kg	--	--	4E-13	9E-14	--	--	--	1E-04	1E-04	3E-12	7E-13	3E-08	7E-09	0.00000004
	PBDE # 99	2.3E-01	ug/kg	--	--	3E-13	6E-14	--	--	--	1E-04	1E-04	2E-12	5E-13	2E-08	5E-09	0.00000003
Exposure Point Total										--							0.00000007
RM 5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.7E-01	ug/kg	--	--	5E-13	9E-14	--	--	--	1E-04	1E-04	4E-12	7E-13	4E-08	7E-09	0.00000004
	PBDE # 99	3.7E-01	ug/kg	--	--	5E-13	9E-14	--	--	--	1E-04	1E-04	4E-12	7E-13	4E-08	7E-09	0.00000004
Exposure Point Total										--							0.00000009

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-15.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 5.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	2E-12	4E-13	--	--	--	1E-04	1E-04	1E-11	3E-12	1E-07	3E-08	0.0000002
	PBDE # 99	1.2E+00	ug/kg	--	--	2E-12	3E-13	--	--	--	1E-04	1E-04	1E-11	2E-12	1E-07	2E-08	0.0000001
	PBDE # 153	2.3E-01	ug/kg	--	--	3E-13	6E-14	--	--	--	2E-04	2E-04	2E-12	5E-13	1E-08	2E-09	0.00000001
	PBDE # 209	7.4E+00	ug/kg	7E-04	7E-04	9E-12	2E-12	7E-15	1E-15	8E-15	7E-03	7E-03	7E-11	1E-11	1E-08	2E-09	0.00000001
Exposure Point Total										8E-15							0.0000003
RM 5.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.0E+00	ug/kg	--	--	1E-12	3E-13	--	--	--	1E-04	1E-04	1E-11	2E-12	1E-07	2E-08	0.0000001
	PBDE # 99	1.2E+00	ug/kg	--	--	2E-12	3E-13	--	--	--	1E-04	1E-04	1E-11	2E-12	1E-07	2E-08	0.0000001
	PBDE # 153	4.1E-01	ug/kg	--	--	5E-13	1E-13	--	--	--	2E-04	2E-04	4E-12	8E-13	2E-08	4E-09	0.00000002
	PBDE # 209	4.2E+00	ug/kg	7E-04	7E-04	5E-12	1E-12	4E-15	7E-16	4E-15	7E-03	7E-03	4E-11	8E-12	6E-09	1E-09	0.00000001
Exposure Point Total										4E-15							0.0000003
RM 6 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.7E-01	ug/kg	--	--	5E-13	9E-14	--	--	--	1E-04	1E-04	4E-12	7E-13	4E-08	7E-09	0.00000004
	PBDE # 99	3.7E-01	ug/kg	--	--	5E-13	9E-14	--	--	--	1E-04	1E-04	4E-12	7E-13	4E-08	7E-09	0.00000004
	PBDE # 209	4.8E+00	ug/kg	7E-04	7E-04	6E-12	1E-12	4E-15	8E-16	5E-15	7E-03	7E-03	5E-11	9E-12	7E-09	1E-09	0.00000001
Exposure Point Total										5E-15							0.00000009
RM 6 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.7E-01	ug/kg	--	--	3E-13	7E-14	--	--	--	1E-04	1E-04	3E-12	5E-13	3E-08	5E-09	0.00000003
	PBDE # 99	1.7E-01	ug/kg	--	--	2E-13	4E-14	--	--	--	1E-04	1E-04	2E-12	3E-13	2E-08	3E-09	0.00000002
Exposure Point Total										--							0.00000005
RM 6.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.1E-01	ug/kg	--	--	1E-13	3E-14	--	--	--	1E-04	1E-04	1E-12	2E-13	1E-08	2E-09	0.00000001
	PBDE # 99	1.3E-01	ug/kg	--	--	2E-13	3E-14	--	--	--	1E-04	1E-04	1E-12	3E-13	1E-08	3E-09	0.00000002
Exposure Point Total										--							0.00000003
RM 6.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E+00	ug/kg	--	--	2E-12	3E-13	--	--	--	1E-04	1E-04	1E-11	2E-12	1E-07	2E-08	0.0000001
	PBDE # 99	1.3E+00	ug/kg	--	--	2E-12	3E-13	--	--	--	1E-04	1E-04	1E-11	2E-12	1E-07	2E-08	0.0000001
	PBDE # 153	4.5E-01	ug/kg	--	--	6E-13	1E-13	--	--	--	2E-04	2E-04	4E-12	9E-13	2E-08	4E-09	0.00000003
	PBDE # 209	1.7E+01	ug/kg	7E-04	7E-04	2E-11	4E-12	2E-14	3E-15	2E-14	7E-03	7E-03	2E-10	3E-11	2E-08	5E-09	0.00000003
Exposure Point Total										2E-14							0.0000003
RM 7 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.5E-01	ug/kg	--	--	1E-12	2E-13	--	--	--	1E-04	1E-04	9E-12	2E-12	9E-08	2E-08	0.0000001
	PBDE # 99	9.9E-01	ug/kg	--	--	1E-12	2E-13	--	--	--	1E-04	1E-04	1E-11	2E-12	1E-07	2E-08	0.0000001
	PBDE # 153	2.9E-01	ug/kg	--	--	4E-13	7E-14	--	--	--	2E-04	2E-04	3E-12	6E-13	1E-08	3E-09	0.00000002
	PBDE # 209	6.1E+00	ug/kg	7E-04	7E-04	8E-12	2E-12	5E-15	1E-15	7E-15	7E-03	7E-03	6E-11	1E-11	9E-09	2E-09	0.00000001
Exposure Point Total										7E-15							0.0000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-15.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 7 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E+00	ug/kg	--	--	2E-12	3E-13	--	--	--	1E-04	1E-04	1E-11	2E-12	1E-07	2E-08	0.0000001
	PBDE # 99	1.0E+00	ug/kg	--	--	1E-12	3E-13	--	--	--	1E-04	1E-04	1E-11	2E-12	1E-07	2E-08	0.0000001
	PBDE # 153	3.6E-01	ug/kg	--	--	5E-13	9E-14	--	--	--	2E-04	2E-04	4E-12	7E-13	2E-08	4E-09	0.00000002
	PBDE # 209	4.3E+00	ug/kg	7E-04	7E-04	5E-12	1E-12	4E-15	8E-16	5E-15	7E-03	7E-03	4E-11	8E-12	6E-09	1E-09	0.00000001
Exposure Point Total										5E-15							0.0000003
RM 7.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.9E-01	ug/kg	--	--	1E-12	2E-13	--	--	--	1E-04	1E-04	1E-11	2E-12	1E-07	2E-08	0.0000001
	PBDE # 99	8.5E-01	ug/kg	--	--	1E-12	2E-13	--	--	--	1E-04	1E-04	8E-12	2E-12	8E-08	2E-08	0.0000001
	PBDE # 153	4.3E-01	ug/kg	--	--	5E-13	1E-13	--	--	--	2E-04	2E-04	4E-12	8E-13	2E-08	4E-09	0.00000003
	PBDE # 209	5.3E+00	ug/kg	7E-04	7E-04	7E-12	1E-12	5E-15	9E-16	6E-15	7E-03	7E-03	5E-11	1E-11	8E-09	1E-09	0.00000001
Exposure Point Total										6E-15							0.0000003
RM 7.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.9E+00	ug/kg	--	--	2E-12	5E-13	--	--	--	1E-04	1E-04	2E-11	4E-12	2E-07	4E-08	0.0000002
	PBDE # 99	2.2E+00	ug/kg	--	--	3E-12	5E-13	--	--	--	1E-04	1E-04	2E-11	4E-12	2E-07	4E-08	0.0000003
	PBDE # 153	3.4E-01	ug/kg	--	--	4E-13	9E-14	--	--	--	2E-04	2E-04	3E-12	7E-13	2E-08	3E-09	0.00000002
	PBDE # 209	8.9E+00	ug/kg	7E-04	7E-04	1E-11	2E-12	8E-15	2E-15	9E-15	7E-03	7E-03	9E-11	2E-11	1E-08	2E-09	0.00000002
Exposure Point Total										9E-15							0.0000005
RM 8 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	8.3E-01	ug/kg	--	--	1E-12	2E-13	--	--	--	1E-04	1E-04	8E-12	2E-12	8E-08	2E-08	0.0000001
	PBDE # 99	1.2E+00	ug/kg	--	--	2E-12	3E-13	--	--	--	1E-04	1E-04	1E-11	2E-12	1E-07	2E-08	0.0000001
	PBDE # 153	8.4E-01	ug/kg	--	--	1E-12	2E-13	--	--	--	2E-04	2E-04	8E-12	2E-12	4E-08	8E-09	0.00000005
	PBDE # 209	4.4E+02	ug/kg	7E-04	7E-04	6E-10	1E-10	4E-13	8E-14	5E-13	7E-03	7E-03	4E-09	9E-10	6E-07	1E-07	0.0000007
Exposure Point Total										5E-13							0.000001
RM 8 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	2E-12	5E-13	--	--	--	1E-04	1E-04	2E-11	4E-12	2E-07	4E-08	0.0000002
	PBDE # 99	1.9E+00	ug/kg	--	--	2E-12	5E-13	--	--	--	1E-04	1E-04	2E-11	4E-12	2E-07	4E-08	0.0000002
	PBDE # 153	4.2E-01	ug/kg	--	--	5E-13	1E-13	--	--	--	2E-04	2E-04	4E-12	8E-13	2E-08	4E-09	0.00000002
	PBDE # 209	1.5E+01	ug/kg	7E-04	7E-04	2E-11	4E-12	1E-14	3E-15	2E-14	7E-03	7E-03	1E-10	3E-11	2E-08	4E-09	0.00000003
Exposure Point Total										2E-14							0.0000005
RM 8 SIL	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.6E+00	ug/kg	--	--	2E-12	4E-13	--	--	--	1E-04	1E-04	2E-11	3E-12	2E-07	3E-08	0.0000002
	PBDE # 99	2.3E+00	ug/kg	--	--	3E-12	6E-13	--	--	--	1E-04	1E-04	2E-11	4E-12	2E-07	4E-08	0.0000003
	PBDE # 153	7.1E-01	ug/kg	--	--	9E-13	2E-13	--	--	--	2E-04	2E-04	7E-12	1E-12	4E-08	7E-09	0.00000004
	PBDE # 209	1.9E+01	ug/kg	7E-04	7E-04	2E-11	5E-12	2E-14	3E-15	2E-14	7E-03	7E-03	2E-10	4E-11	3E-08	5E-09	0.00000003
Exposure Point Total										2E-14							0.0000005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-15.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 8.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.0E+00	ug/kg	--	--	3E-12	5E-13	--	--	--	1E-04	1E-04	2E-11	4E-12	2E-07	4E-08	0.0000002
	PBDE # 99	2.2E+00	ug/kg	--	--	3E-12	6E-13	--	--	--	1E-04	1E-04	2E-11	4E-12	2E-07	4E-08	0.0000003
	PBDE # 153	4.1E-01	ug/kg	--	--	5E-13	1E-13	--	--	--	2E-04	2E-04	4E-12	8E-13	2E-08	4E-09	0.00000002
	PBDE # 209	1.1E+01	ug/kg	7E-04	7E-04	1E-11	3E-12	1E-14	2E-15	1E-14	7E-03	7E-03	1E-10	2E-11	2E-08	3E-09	0.00000002
Exposure Point Total										1E-14							0.0000005
RM 8.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	4.1E+00	ug/kg	--	--	5E-12	1E-12	--	--	--	1E-04	1E-04	4E-11	8E-12	4E-07	8E-08	0.0000005
	PBDE # 99	5.6E+00	ug/kg	--	--	7E-12	1E-12	--	--	--	1E-04	1E-04	6E-11	1E-11	6E-07	1E-07	0.0000007
	PBDE # 153	1.1E+00	ug/kg	--	--	1E-12	3E-13	--	--	--	2E-04	2E-04	1E-11	2E-12	5E-08	1E-08	0.00000007
	PBDE # 209	9.0E+01	ug/kg	7E-04	7E-04	1E-10	2E-11	8E-14	2E-14	1E-13	7E-03	7E-03	9E-10	2E-10	1E-07	3E-08	0.0000002
Exposure Point Total										1E-13							0.000001
RM 9 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.3E+00	ug/kg	--	--	2E-12	3E-13	--	--	--	1E-04	1E-04	1E-11	3E-12	1E-07	3E-08	0.0000002
	PBDE # 99	1.2E+00	ug/kg	--	--	2E-12	3E-13	--	--	--	1E-04	1E-04	1E-11	2E-12	1E-07	2E-08	0.0000001
	PBDE # 153	1.9E-01	ug/kg	--	--	2E-13	5E-14	--	--	--	2E-04	2E-04	2E-12	4E-13	9E-09	2E-09	0.00000001
	PBDE # 209	2.9E+00	ug/kg	7E-04	7E-04	4E-12	7E-13	3E-15	5E-16	3E-15	7E-03	7E-03	3E-11	6E-12	4E-09	8E-10	0.000000005
Exposure Point Total										3E-15							0.0000003
RM 9 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.3E-01	ug/kg	--	--	4E-13	8E-14	--	--	--	1E-04	1E-04	3E-12	6E-13	3E-08	6E-09	0.00000004
	PBDE # 99	1.8E-01	ug/kg	--	--	2E-13	5E-14	--	--	--	1E-04	1E-04	2E-12	4E-13	2E-08	4E-09	0.00000002
Exposure Point Total										--							0.00000006
RM 9.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	2E-12	5E-13	--	--	--	1E-04	1E-04	2E-11	4E-12	2E-07	4E-08	0.0000002
	PBDE # 99	2.7E+00	ug/kg	--	--	3E-12	7E-13	--	--	--	1E-04	1E-04	3E-11	5E-12	3E-07	5E-08	0.0000003
	PBDE # 153	5.2E-01	ug/kg	--	--	7E-13	1E-13	--	--	--	2E-04	2E-04	5E-12	1E-12	3E-08	5E-09	0.0000003
	PBDE # 209	4.6E+01	ug/kg	7E-04	7E-04	6E-11	1E-11	4E-14	8E-15	5E-14	7E-03	7E-03	5E-10	9E-11	7E-08	1E-08	0.0000008
Exposure Point Total										5E-14							0.0000006
RM 9.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.9E-01	ug/kg	--	--	1E-12	2E-13	--	--	--	1E-04	1E-04	1E-11	2E-12	1E-07	2E-08	0.0000001
	PBDE # 99	7.9E-01	ug/kg	--	--	1E-12	2E-13	--	--	--	1E-04	1E-04	8E-12	2E-12	8E-08	2E-08	0.00000009
	PBDE # 209	2.0E+00	ug/kg	7E-04	7E-04	3E-12	5E-13	2E-15	4E-16	2E-15	7E-03	7E-03	2E-11	4E-12	3E-09	6E-10	0.000000003
Exposure Point Total										2E-15							0.0000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-15.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 11 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.9E+00	ug/kg	--	--	4E-12	7E-13	--	--	--	1E-04	1E-04	3E-11	6E-12	3E-07	6E-08	0.0000003
	PBDE # 99	3.7E+00	ug/kg	--	--	5E-12	9E-13	--	--	--	1E-04	1E-04	4E-11	7E-12	4E-07	7E-08	0.0000004
	PBDE # 153	6.3E-01	ug/kg	--	--	8E-13	2E-13	--	--	--	2E-04	2E-04	6E-12	1E-12	3E-08	6E-09	0.00000004
	PBDE # 209	5.7E+01	ug/kg	7E-04	7E-04	7E-11	1E-11	5E-14	1E-14	6E-14	7E-03	7E-03	6E-10	1E-10	8E-08	2E-08	0.0000001
Exposure Point Total										6E-14							0.0000009
RM 11 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.7E-01	ug/kg	--	--	1E-12	2E-13	--	--	--	1E-04	1E-04	1E-11	2E-12	1E-07	2E-08	0.0000001
	PBDE # 99	7.8E-01	ug/kg	--	--	1E-12	2E-13	--	--	--	1E-04	1E-04	8E-12	2E-12	8E-08	2E-08	0.00000009
Exposure Point Total										--							0.0000002
RM 12 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.1E-01	ug/kg	--	--	4E-13	8E-14	--	--	--	1E-04	1E-04	3E-12	6E-13	3E-08	6E-09	0.00000004
	PBDE # 99	3.0E-01	ug/kg	--	--	4E-13	8E-14	--	--	--	1E-04	1E-04	3E-12	6E-13	3E-08	6E-09	0.00000004
Exposure Point Total										--							0.00000007
RM 12 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E+00	ug/kg	--	--	2E-12	3E-13	--	--	--	1E-04	1E-04	1E-11	2E-12	1E-07	2E-08	0.0000001
	PBDE # 99	1.1E+00	ug/kg	--	--	1E-12	3E-13	--	--	--	1E-04	1E-04	1E-11	2E-12	1E-07	2E-08	0.0000001
Exposure Point Total										--							0.0000003
Study Area Wide[d]	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	2E-12	4E-13	--	--	--	1E-04	1E-04	1E-11	3E-12	1E-07	3E-08	0.0000002
	PBDE # 99	1.7E+00	ug/kg	--	--	2E-12	4E-13	--	--	--	1E-04	1E-04	2E-11	3E-12	2E-07	3E-08	0.0000002
	PBDE # 153	5.1E-01	ug/kg	--	--	6E-13	1E-13	--	--	--	2E-04	2E-04	5E-12	1E-12	3E-08	5E-09	0.0000003
	PBDE # 209	2.2E+01	ug/kg	7E-04	7E-04	3E-11	5E-12	2E-14	4E-15	2E-14	7E-03	7E-03	2E-10	4E-11	3E-08	6E-09	0.00000004
Exposure Point Total										2E-14							0.0000004

Notes:

a Numbers presented are rounded values. Sums calculated before rounding. Risks and hazards are calculated based on exposure parameters presented in Section 3 of Appendix F. For risks and hazards from dermal contact, a dermal absorption efficiency of 0.1 was used , which is the dermal absorption efficiency presented for semi-volatile organic compounds in Risk Assessment Guidance for Superfund. Volume I: Human Health Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment) Final, July 2004. EPA/540/R/99/005.

b Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
LADI = Lifetime Average Daily Intake.
mg/kg = milligrams per kilogram.
ND = Not Detected in given exposure area.

RfD = Reference dose.
RM = River mile.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-16.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 1 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.6E-01	ug/kg	--	--	2E-12	1E-12	--	--	--	1E-04	1E-04	5E-12	4E-12	5E-08	4E-08	0.00000009
	PBDE # 99	3.7E-01	ug/kg	--	--	2E-12	1E-12	--	--	--	1E-04	1E-04	5E-12	4E-12	5E-08	4E-08	0.00000009
	PBDE # 209	4.0E+00	ug/kg	7E-04	7E-04	2E-11	1E-11	1E-14	1E-14	2E-14	7E-03	7E-03	6E-11	4E-11	8E-09	6E-09	0.00000001
Exposure Point Total										2E-14							0.0000002
RM 1 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	7.6E-01	ug/kg	--	--	4E-12	3E-12	--	--	--	1E-04	1E-04	1E-11	7E-12	1E-07	7E-08	0.0000002
	PBDE # 99	6.3E-01	ug/kg	--	--	3E-12	2E-12	--	--	--	1E-04	1E-04	9E-12	6E-12	9E-08	6E-08	0.0000002
	PBDE # 209	3.7E+00	ug/kg	7E-04	7E-04	2E-11	1E-11	1E-14	9E-15	2E-14	7E-03	7E-03	5E-11	4E-11	8E-09	5E-09	0.00000001
Exposure Point Total										2E-14							0.0000004
RM 1.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E-01	ug/kg	--	--	6E-13	4E-13	--	--	--	1E-04	1E-04	2E-12	1E-12	2E-08	1E-08	0.00000003
Exposure Point Total										--							0.00000003
RM 1.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	7E-12	5E-12	--	--	--	1E-04	1E-04	2E-11	1E-11	2E-07	1E-07	0.0000003
	PBDE # 99	1.4E+00	ug/kg	--	--	7E-12	5E-12	--	--	--	1E-04	1E-04	2E-11	1E-11	2E-07	1E-07	0.0000003
	PBDE # 153	1.8E-01	ug/kg	--	--	9E-13	6E-13	--	--	--	2E-04	2E-04	3E-12	2E-12	1E-08	9E-09	0.00000002
	PBDE # 209	4.5E+00	ug/kg	7E-04	7E-04	2E-11	2E-11	2E-14	1E-14	3E-14	7E-03	7E-03	7E-11	4E-11	9E-09	6E-09	0.00000002
Exposure Point Total										3E-14							0.0000007
RM 2 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	9E-12	6E-12	--	--	--	1E-04	1E-04	3E-11	2E-11	3E-07	2E-07	0.0000004
	PBDE # 99	1.7E+00	ug/kg	--	--	9E-12	6E-12	--	--	--	1E-04	1E-04	3E-11	2E-11	3E-07	2E-07	0.0000004
	PBDE # 153	4.2E-01	ug/kg	--	--	2E-12	1E-12	--	--	--	2E-04	2E-04	6E-12	4E-12	3E-08	2E-08	0.00000005
	PBDE # 209	6.0E+00	ug/kg	7E-04	7E-04	3E-11	2E-11	2E-14	1E-14	4E-14	7E-03	7E-03	9E-11	6E-11	1E-08	8E-09	0.00000002
Exposure Point Total										4E-14							0.0000009
RM 2 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	9E-12	6E-12	--	--	--	1E-04	1E-04	3E-11	2E-11	3E-07	2E-07	0.0000004
	PBDE # 99	2.1E+00	ug/kg	--	--	1E-11	7E-12	--	--	--	1E-04	1E-04	3E-11	2E-11	3E-07	2E-07	0.0000005
	PBDE # 153	2.9E-01	ug/kg	--	--	2E-12	1E-12	--	--	--	2E-04	2E-04	4E-12	3E-12	2E-08	1E-08	0.00000004
	PBDE # 209	8.4E+00	ug/kg	7E-04	7E-04	4E-11	3E-11	3E-14	2E-14	5E-14	7E-03	7E-03	1E-10	8E-11	2E-08	1E-08	0.00000003
Exposure Point Total										5E-14							0.000001
RM 2.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.0E-01	ug/kg	--	--	1E-12	7E-13	--	--	--	1E-04	1E-04	3E-12	2E-12	3E-08	2E-08	0.00000005
	PBDE # 99	2.4E-01	ug/kg	--	--	1E-12	8E-13	--	--	--	1E-04	1E-04	4E-12	2E-12	4E-08	2E-08	0.00000006
Exposure Point Total										--							0.0000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-16.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 2.5 MC	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E-01	ug/kg	--	--	7E-13	5E-13	--	--	--	1E-04	1E-04	2E-12	1E-12	2E-08	1E-08	0.00000003
Exposure Point Total										--							0.00000003
RM 3 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	7E-12	5E-12	--	--	--	1E-04	1E-04	2E-11	1E-11	2E-07	1E-07	0.0000003
	PBDE # 99	1.3E+00	ug/kg	--	--	7E-12	5E-12	--	--	--	1E-04	1E-04	2E-11	1E-11	2E-07	1E-07	0.0000003
	PBDE # 153	2.9E-01	ug/kg	--	--	2E-12	1E-12	--	--	--	2E-04	2E-04	4E-12	3E-12	2E-08	1E-08	0.00000004
	PBDE # 209	5.3E+00	ug/kg	7E-04	7E-04	3E-11	2E-11	2E-14	1E-14	3E-14	7E-03	7E-03	8E-11	5E-11	1E-08	7E-09	0.00000002
Exposure Point Total										3E-14							0.0000007
RM 3 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.6E+00	ug/kg	--	--	8E-12	6E-12	--	--	--	1E-04	1E-04	2E-11	2E-11	2E-07	2E-07	0.0000004
	PBDE # 99	1.6E+00	ug/kg	--	--	8E-12	6E-12	--	--	--	1E-04	1E-04	2E-11	2E-11	2E-07	2E-07	0.0000004
	PBDE # 153	3.3E-01	ug/kg	--	--	2E-12	1E-12	--	--	--	2E-04	2E-04	5E-12	3E-12	2E-08	2E-08	0.00000004
	PBDE # 209	6.9E+00	ug/kg	7E-04	7E-04	4E-11	2E-11	3E-14	2E-14	4E-14	7E-03	7E-03	1E-10	7E-11	1E-08	1E-08	0.00000002
Exposure Point Total										4E-14							0.0000008
RM 3.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E-01	ug/kg	--	--	7E-13	5E-13	--	--	--	1E-04	1E-04	2E-12	1E-12	2E-08	1E-08	0.00000003
	PBDE # 99	1.2E-01	ug/kg	--	--	6E-13	4E-13	--	--	--	1E-04	1E-04	2E-12	1E-12	2E-08	1E-08	0.00000003
Exposure Point Total										--							0.00000006
RM 3.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	5.2E+00	ug/kg	--	--	3E-11	2E-11	--	--	--	1E-04	1E-04	8E-11	5E-11	8E-07	5E-07	0.000001
	PBDE # 99	8.2E+00	ug/kg	--	--	4E-11	3E-11	--	--	--	1E-04	1E-04	1E-10	8E-11	1E-06	8E-07	0.000002
	PBDE # 153	1.5E+00	ug/kg	--	--	8E-12	5E-12	--	--	--	2E-04	2E-04	2E-11	1E-11	1E-07	7E-08	0.0000002
	PBDE # 209	5.6E+01	ug/kg	7E-04	7E-04	3E-10	2E-10	2E-13	1E-13	3E-13	7E-03	7E-03	8E-10	5E-10	1E-07	8E-08	0.0000002
Exposure Point Total										3E-13							0.000004
RM 4 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.5E-01	ug/kg	--	--	2E-12	1E-12	--	--	--	1E-04	1E-04	5E-12	3E-12	5E-08	3E-08	0.00000009
	PBDE # 99	2.3E-01	ug/kg	--	--	1E-12	8E-13	--	--	--	1E-04	1E-04	3E-12	2E-12	3E-08	2E-08	0.00000006
Exposure Point Total										--							0.0000001
RM 5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.7E-01	ug/kg	--	--	2E-12	1E-12	--	--	--	1E-04	1E-04	5E-12	4E-12	5E-08	4E-08	0.00000009
	PBDE # 99	3.7E-01	ug/kg	--	--	2E-12	1E-12	--	--	--	1E-04	1E-04	5E-12	4E-12	5E-08	4E-08	0.00000009
Exposure Point Total										--							0.0000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-16.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 5.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.4E+00	ug/kg	--	--	7E-12	5E-12	--	--	--	1E-04	1E-04	2E-11	1E-11	2E-07	1E-07	0.0000003
	PBDE # 99	1.2E+00	ug/kg	--	--	6E-12	4E-12	--	--	--	1E-04	1E-04	2E-11	1E-11	2E-07	1E-07	0.0000003
	PBDE # 153	2.3E-01	ug/kg	--	--	1E-12	8E-13	--	--	--	2E-04	2E-04	3E-12	2E-12	2E-08	1E-08	0.00000003
	PBDE # 209	7.4E+00	ug/kg	7E-04	7E-04	4E-11	3E-11	3E-14	2E-14	5E-14	7E-03	7E-03	1E-10	7E-11	2E-08	1E-08	0.00000003
Exposure Point Total										5E-14							0.0000007
RM 5.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	9E-12	6E-12	--	--	--	1E-04	1E-04	3E-11	2E-11	3E-07	2E-07	0.0000004
	PBDE # 99	1.8E+00	ug/kg	--	--	9E-12	6E-12	--	--	--	1E-04	1E-04	3E-11	2E-11	3E-07	2E-07	0.0000004
	PBDE # 153	2.6E-01	ug/kg	--	--	1E-12	9E-13	--	--	--	2E-04	2E-04	4E-12	3E-12	2E-08	1E-08	0.00000003
	PBDE # 209	2.8E+00	ug/kg	7E-04	7E-04	1E-11	1E-11	1E-14	7E-15	2E-14	7E-03	7E-03	4E-11	3E-11	6E-09	4E-09	0.00000001
Exposure Point Total										2E-14							0.0000009
RM 6 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.3E-01	ug/kg	--	--	7E-13	5E-13	--	--	--	1E-04	1E-04	2E-12	1E-12	2E-08	1E-08	0.00000003
	PBDE # 99	1.3E-01	ug/kg	--	--	7E-13	5E-13	--	--	--	1E-04	1E-04	2E-12	1E-12	2E-08	1E-08	0.00000003
	PBDE # 209	3.5E+00	ug/kg	7E-04	7E-04	2E-11	1E-11	1E-14	9E-15	2E-14	7E-03	7E-03	5E-11	3E-11	7E-09	5E-09	0.00000001
Exposure Point Total										2E-14							0.00000008
RM 6 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.7E-01	ug/kg	--	--	1E-12	9E-13	--	--	--	1E-04	1E-04	4E-12	3E-12	4E-08	3E-08	0.00000007
	PBDE # 99	1.7E-01	ug/kg	--	--	9E-13	6E-13	--	--	--	1E-04	1E-04	3E-12	2E-12	3E-08	2E-08	0.00000004
Exposure Point Total										--							0.0000001
RM 6.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.1E-01	ug/kg	--	--	6E-13	4E-13	--	--	--	1E-04	1E-04	2E-12	1E-12	2E-08	1E-08	0.00000003
	PBDE # 99	1.3E-01	ug/kg	--	--	7E-13	5E-13	--	--	--	1E-04	1E-04	2E-12	1E-12	2E-08	1E-08	0.00000003
Exposure Point Total										--							0.00000006
RM 6.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	9E-12	6E-12	--	--	--	1E-04	1E-04	3E-11	2E-11	3E-07	2E-07	0.0000004
	PBDE # 99	1.9E+00	ug/kg	--	--	1E-11	7E-12	--	--	--	1E-04	1E-04	3E-11	2E-11	3E-07	2E-07	0.0000005
	PBDE # 153	3.5E-01	ug/kg	--	--	2E-12	1E-12	--	--	--	2E-04	2E-04	5E-12	3E-12	3E-08	2E-08	0.00000004
	PBDE # 209	2.5E+01	ug/kg	7E-04	7E-04	1E-10	9E-11	9E-14	6E-14	2E-13	7E-03	7E-03	4E-10	2E-10	5E-08	3E-08	0.00000009
Exposure Point Total										2E-13							0.000001
RM 7 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.5E-01	ug/kg	--	--	5E-12	3E-12	--	--	--	1E-04	1E-04	1E-11	9E-12	1E-07	9E-08	0.0000002
	PBDE # 99	9.9E-01	ug/kg	--	--	5E-12	3E-12	--	--	--	1E-04	1E-04	1E-11	1E-11	1E-07	1E-07	0.0000002
	PBDE # 153	2.9E-01	ug/kg	--	--	2E-12	1E-12	--	--	--	2E-04	2E-04	4E-12	3E-12	2E-08	1E-08	0.00000004
	PBDE # 209	6.1E+00	ug/kg	7E-04	7E-04	3E-11	2E-11	2E-14	1E-14	4E-14	7E-03	7E-03	9E-11	6E-11	1E-08	9E-09	0.00000002
Exposure Point Total										4E-14							0.0000005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-16.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 7 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.7E+00	ug/kg	--	--	9E-12	6E-12	--	--	--	1E-04	1E-04	3E-11	2E-11	3E-07	2E-07	0.0000004
	PBDE # 99	1.5E+00	ug/kg	--	--	8E-12	5E-12	--	--	--	1E-04	1E-04	2E-11	1E-11	2E-07	1E-07	0.0000004
	PBDE # 153	3.1E-01	ug/kg	--	--	2E-12	1E-12	--	--	--	2E-04	2E-04	5E-12	3E-12	2E-08	2E-08	0.00000004
	PBDE # 209	6.2E+00	ug/kg	7E-04	7E-04	3E-11	2E-11	2E-14	2E-14	4E-14	7E-03	7E-03	9E-11	6E-11	1E-08	9E-09	0.00000002
Exposure Point Total										4E-14							0.0000008
RM 7.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.7E+00	ug/kg	--	--	9E-12	6E-12	--	--	--	1E-04	1E-04	3E-11	2E-11	3E-07	2E-07	0.0000004
	PBDE # 99	1.5E+00	ug/kg	--	--	8E-12	5E-12	--	--	--	1E-04	1E-04	2E-11	1E-11	2E-07	1E-07	0.0000004
	PBDE # 153	3.1E-01	ug/kg	--	--	2E-12	1E-12	--	--	--	2E-04	2E-04	5E-12	3E-12	2E-08	2E-08	0.00000004
	PBDE # 209	5.1E+00	ug/kg	7E-04	7E-04	3E-11	2E-11	2E-14	1E-14	3E-14	7E-03	7E-03	8E-11	5E-11	1E-08	7E-09	0.00000002
Exposure Point Total										3E-14							0.0000008
RM 7.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.5E+00	ug/kg	--	--	1E-11	9E-12	--	--	--	1E-04	1E-04	4E-11	2E-11	4E-07	2E-07	0.0000006
	PBDE # 99	2.9E+00	ug/kg	--	--	2E-11	1E-11	--	--	--	1E-04	1E-04	4E-11	3E-11	4E-07	3E-07	0.0000007
	PBDE # 153	4.5E-01	ug/kg	--	--	2E-12	2E-12	--	--	--	2E-04	2E-04	7E-12	4E-12	3E-08	2E-08	0.00000006
	PBDE # 209	1.3E+01	ug/kg	7E-04	7E-04	7E-11	5E-11	5E-14	3E-14	8E-14	7E-03	7E-03	2E-10	1E-10	3E-08	2E-08	0.00000005
Exposure Point Total										8E-14							0.000001
RM 8 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	8.3E-01	ug/kg	--	--	4E-12	3E-12	--	--	--	1E-04	1E-04	1E-11	8E-12	1E-07	8E-08	0.0000002
	PBDE # 99	1.2E+00	ug/kg	--	--	6E-12	4E-12	--	--	--	1E-04	1E-04	2E-11	1E-11	2E-07	1E-07	0.0000003
	PBDE # 153	8.4E-01	ug/kg	--	--	4E-12	3E-12	--	--	--	2E-04	2E-04	1E-11	8E-12	6E-08	4E-08	0.0000001
	PBDE # 209	4.4E+02	ug/kg	7E-04	7E-04	2E-09	2E-09	2E-12	1E-12	3E-12	7E-03	7E-03	6E-09	4E-09	9E-07	6E-07	0.000002
Exposure Point Total										3E-12							0.000002
RM 8 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.1E+00	ug/kg	--	--	1E-11	7E-12	--	--	--	1E-04	1E-04	3E-11	2E-11	3E-07	2E-07	0.0000005
	PBDE # 99	2.2E+00	ug/kg	--	--	1E-11	8E-12	--	--	--	1E-04	1E-04	3E-11	2E-11	3E-07	2E-07	0.0000005
	PBDE # 153	6.2E-01	ug/kg	--	--	3E-12	2E-12	--	--	--	2E-04	2E-04	9E-12	6E-12	5E-08	3E-08	0.00000008
	PBDE # 209	2.4E+01	ug/kg	7E-04	7E-04	1E-10	8E-11	9E-14	6E-14	1E-13	7E-03	7E-03	4E-10	2E-10	5E-08	3E-08	0.00000008
Exposure Point Total										1E-13							0.000001
RM 8 SIL	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	4.5E+00	ug/kg	--	--	2E-11	2E-11	--	--	--	1E-04	1E-04	7E-11	4E-11	7E-07	4E-07	0.000001
	PBDE # 99	4.3E+00	ug/kg	--	--	2E-11	2E-11	--	--	--	1E-04	1E-04	6E-11	4E-11	6E-07	4E-07	0.000001
	PBDE # 153	1.2E+00	ug/kg	--	--	6E-12	4E-12	--	--	--	2E-04	2E-04	2E-11	1E-11	9E-08	6E-08	0.0000001
	PBDE # 209	3.7E+01	ug/kg	7E-04	7E-04	2E-10	1E-10	1E-13	9E-14	2E-13	7E-03	7E-03	5E-10	4E-10	8E-08	5E-08	0.0000001
Exposure Point Total										2E-13							0.000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-16.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 8.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.0E+00	ug/kg	--	--	1E-11	7E-12	--	--	--	1E-04	1E-04	3E-11	2E-11	3E-07	2E-07	0.0000005
	PBDE # 99	2.2E+00	ug/kg	--	--	1E-11	8E-12	--	--	--	1E-04	1E-04	3E-11	2E-11	3E-07	2E-07	0.0000005
	PBDE # 153	4.1E-01	ug/kg	--	--	2E-12	1E-12	--	--	--	2E-04	2E-04	6E-12	4E-12	3E-08	2E-08	0.00000005
	PBDE # 209	1.1E+01	ug/kg	7E-04	7E-04	6E-11	4E-11	4E-14	3E-14	7E-14	7E-03	7E-03	2E-10	1E-10	2E-08	2E-08	0.00000004
Exposure Point Total										7E-14							0.000001
RM 8.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	4.1E+00	ug/kg	--	--	2E-11	1E-11	--	--	--	1E-04	1E-04	6E-11	4E-11	6E-07	4E-07	0.000001
	PBDE # 99	5.6E+00	ug/kg	--	--	3E-11	2E-11	--	--	--	1E-04	1E-04	8E-11	5E-11	8E-07	5E-07	0.000001
	PBDE # 153	1.1E+00	ug/kg	--	--	6E-12	4E-12	--	--	--	2E-04	2E-04	2E-11	1E-11	8E-08	5E-08	0.0000001
	PBDE # 209	9.0E+01	ug/kg	7E-04	7E-04	5E-10	3E-10	3E-13	2E-13	6E-13	7E-03	7E-03	1E-09	9E-10	2E-07	1E-07	0.0000003
Exposure Point Total										6E-13							0.000003
RM 9 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.3E+00	ug/kg	--	--	7E-12	5E-12	--	--	--	1E-04	1E-04	2E-11	1E-11	2E-07	1E-07	0.0000003
	PBDE # 99	1.2E+00	ug/kg	--	--	6E-12	4E-12	--	--	--	1E-04	1E-04	2E-11	1E-11	2E-07	1E-07	0.0000003
	PBDE # 153	1.9E-01	ug/kg	--	--	1E-12	7E-13	--	--	--	2E-04	2E-04	3E-12	2E-12	1E-08	9E-09	0.00000002
	PBDE # 209	2.9E+00	ug/kg	7E-04	7E-04	2E-11	1E-11	1E-14	7E-15	2E-14	7E-03	7E-03	4E-11	3E-11	6E-09	4E-09	0.00000001
Exposure Point Total										2E-14							0.0000006
RM 9 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.3E-01	ug/kg	--	--	2E-12	1E-12	--	--	--	1E-04	1E-04	5E-12	3E-12	5E-08	3E-08	0.00000008
	PBDE # 99	1.8E-01	ug/kg	--	--	9E-13	6E-13	--	--	--	1E-04	1E-04	3E-12	2E-12	3E-08	2E-08	0.00000004
Exposure Point Total										--							0.0000001
RM 9.5 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.8E+00	ug/kg	--	--	9E-12	6E-12	--	--	--	1E-04	1E-04	3E-11	2E-11	3E-07	2E-07	0.0000004
	PBDE # 99	2.7E+00	ug/kg	--	--	1E-11	9E-12	--	--	--	1E-04	1E-04	4E-11	3E-11	4E-07	3E-07	0.0000007
	PBDE # 153	5.2E-01	ug/kg	--	--	3E-12	2E-12	--	--	--	2E-04	2E-04	8E-12	5E-12	4E-08	3E-08	0.00000006
	PBDE # 209	4.6E+01	ug/kg	7E-04	7E-04	2E-10	2E-10	2E-13	1E-13	3E-13	7E-03	7E-03	7E-10	5E-10	1E-07	6E-08	0.0000002
Exposure Point Total										3E-13							0.000001
RM 9.5 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	9.9E-01	ug/kg	--	--	5E-12	3E-12	--	--	--	1E-04	1E-04	1E-11	1E-11	1E-07	1E-07	0.0000002
	PBDE # 99	7.9E-01	ug/kg	--	--	4E-12	3E-12	--	--	--	1E-04	1E-04	1E-11	8E-12	1E-07	8E-08	0.0000002
	PBDE # 209	2.0E+00	ug/kg	7E-04	7E-04	1E-11	7E-12	7E-15	5E-15	1E-14	7E-03	7E-03	3E-11	2E-11	4E-09	3E-09	0.00000001
Exposure Point Total										1E-14							0.0000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-16.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 11 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.9E+00	ug/kg	--	--	2E-11	1E-11	--	--	--	1E-04	1E-04	4E-11	3E-11	4E-07	3E-07	0.0000007
	PBDE # 99	3.7E+00	ug/kg	--	--	2E-11	1E-11	--	--	--	1E-04	1E-04	5E-11	4E-11	5E-07	4E-07	0.0000009
	PBDE # 153	6.3E-01	ug/kg	--	--	3E-12	2E-12	--	--	--	2E-04	2E-04	9E-12	6E-12	5E-08	3E-08	0.00000008
	PBDE # 209	5.7E+01	ug/kg	7E-04	7E-04	3E-10	2E-10	2E-13	1E-13	3E-13	7E-03	7E-03	8E-10	6E-10	1E-07	8E-08	0.0000002
Exposure Point Total										3E-13							0.000002
RM 11 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.5E+00	ug/kg	--	--	8E-12	5E-12	--	--	--	1E-04	1E-04	2E-11	1E-11	2E-07	1E-07	0.0000004
	PBDE # 99	1.2E+00	ug/kg	--	--	6E-12	4E-12	--	--	--	1E-04	1E-04	2E-11	1E-11	2E-07	1E-07	0.0000003
Exposure Point Total										--							0.0000007
RM 12 West	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	3.1E-01	ug/kg	--	--	2E-12	1E-12	--	--	--	1E-04	1E-04	5E-12	3E-12	5E-08	3E-08	0.00000008
	PBDE # 99	3.0E-01	ug/kg	--	--	2E-12	1E-12	--	--	--	1E-04	1E-04	4E-12	3E-12	4E-08	3E-08	0.00000007
Exposure Point Total										--							0.0000001
RM 12 East	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	1.2E+00	ug/kg	--	--	6E-12	4E-12	--	--	--	1E-04	1E-04	2E-11	1E-11	2E-07	1E-07	0.0000003
	PBDE # 99	1.1E+00	ug/kg	--	--	6E-12	4E-12	--	--	--	1E-04	1E-04	2E-11	1E-11	2E-07	1E-07	0.0000003
Exposure Point Total										--							0.0000006
Study Area Wide[b]	**Polybrominated Diphenyl Ethers**																
	PBDE # 47	2.2E+00	ug/kg	--	--	1E-11	8E-12	--	--	--	1E-04	1E-04	3E-11	2E-11	3E-07	2E-07	0.0000005
	PBDE # 99	2.8E+00	ug/kg	--	--	1E-11	1E-11	--	--	--	1E-04	1E-04	4E-11	3E-11	4E-07	3E-07	0.0000007
	PBDE # 153	5.3E-01	ug/kg	--	--	3E-12	2E-12	--	--	--	2E-04	2E-04	8E-12	5E-12	4E-08	3E-08	0.00000006
	PBDE # 209	6.0E+01	ug/kg	7E-04	7E-04	3E-10	2E-10	2E-13	1E-13	4E-13	7E-03	7E-03	9E-10	6E-10	1E-07	8E-08	0.0000002
Exposure Point Total										4E-13							0.000001

Notes:

a Numbers presented are rounded values. Sums calculated before rounding. Risks and hazards are calculated based on exposure parameters presented in Section 3 of Appendix F. For risks and hazards from dermal contact, a dermal absorption efficiency of 0.1 was used , which is the dermal absorption efficiency presented for semi-volatile organic compounds in Risk Assessment Guidance for Superfund. Volume I: Human Health Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment) Final, July 2004. EPA/540/R/99/005.

b Study Area wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
LADI = Lifetime Average Daily Intake.
mg/kg = milligrams per kilogram.

RfD = Reference dose.
RM = River mile.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-17.
Calculation of Noncancer Hazards - Child, Fish Consumption, River-Mile Basis

Scenario Timeframe: Current/Future
Receptor Population: Consumer
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC		Oral RfD mg/kg-day	Hazard Quotient Calculations[b]			
			Value	Units		Consumption Rate: 20.5 g/day		Consumption Rate: 7 g/day	
						CDI mg/kg-day	Noncancer Hazard Quotient	CDI mg/kg-day	Noncancer Hazard Quotient
F	RM 3	**Polybrominated Diphenyl Ethers** PBDE #153	1.3E-01	ug/kg	2.0E-04	1.8E-07	0.001	6.1E-08	0.0003
	Exposure Point Total						0.001		0.0003
F	RM 4	**Polybrominated Diphenyl Ethers** PBDE #047 PBDE #153	6.0E+00 5.0E-01	ug/kg ug/kg	1.0E-04 2.0E-04	8.2E-06 6.8E-07	0.08 0.003	2.8E-06 2.3E-07	0.03 0.001
	Exposure Point Total						0.09		0.03
F	RM 5	**Polybrominated Diphenyl Ethers** PBDE #047 PBDE #153	3.4E+00 1.3E-01	ug/kg ug/kg	1.0E-04 2.0E-04	4.6E-06 1.8E-07	0.05 0.001	1.6E-06 6.1E-08	0.02 0.0003
	Exposure Point Total						0.05		0.02
F	RM 6	**Polybrominated Diphenyl Ethers** PBDE #047 PBDE #153	3.0E+00 1.9E-01	ug/kg ug/kg	1.0E-04 2.0E-04	4.1E-06 2.6E-07	0.04 0.001	1.4E-06 8.9E-08	0.01 0.0004
	Exposure Point Total						0.04		0.01
F	RM 8	**Polybrominated Diphenyl Ethers** PBDE #153	1.3E-01	ug/kg	2.0E-04	1.8E-07	0.001	6.1E-08	0.0003
	Exposure Point Total						0.001		0.0003
F	RM 9	**Polybrominated Diphenyl Ethers** PBDE #153	9.0E-02	ug/kg	2.0E-04	1.2E-07	0.001	4.2E-08	0.0002
	Exposure Point Total						0.001		0.0002
F	RM 10	**Polybrominated Diphenyl Ethers** PBDE #153	1.3E-01	ug/kg	2.0E-04	1.8E-07	0.001	6.1E-08	0.0003
	Exposure Point Total						0.001		0.0003
F	RM 11	**Polybrominated Diphenyl Ethers** PBDE #047 PBDE #153	3.4E+00 4.4E-01	ug/kg ug/kg	1.0E-04 2.0E-04	4.6E-06 6.0E-07	0.05 0.003	1.6E-06 2.1E-07	0.02 0.001
	Exposure Point Total						0.05		0.02

Notes:

a
Chemicals listed as COPCs are PBDE congeners having published toxicity values which were detected in at least once in smallmouth bass tissue in the Study Area.

b Numbers presented are rounded values. Sums calculated before rounding.

Abbreviations:

CDI = Chronic Daily Intake.
COPC = Chemical of Potential Concern.
EPC = Exposure Point Concentration.
F = Fillet tissue.
g/day = grams per day.

mg/kg = milligrams per kilogram.
PBDE = Polybrominated Diphenyl Ether
RfD = Reference Dose.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-18.
Calculation of Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future   Medium: Tissue
Receptor Population: Fisher   Exposure Medium: Clam Tissue (Whole Body, without shell, Undepurated)
Population Age: Adult   Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
UD	RM 1 East	**Polybrominated Diphenyl Ethers**							
		PBDE # 47	7.9E+00	ug/kg	1.0E-04	2.0E-06	0.02	3.7E-07	0.004
		PBDE # 153	3.0E-01	ug/kg	2.0E-04	7.7E-08	0.0004	1.4E-08	0.0001
	Exposure Point Total						0.02		0.004
UD	RM 2 West	**Polybrominated Diphenyl Ethers**							
		PBDE # 47	7.9E+00	ug/kg	1.0E-04	2.0E-06	0.02	3.7E-07	0.004
		PBDE # 153	2.9E-01	ug/kg	2.0E-04	7.5E-08	0.0004	1.4E-08	0.0001
	Exposure Point Total						0.02		0.004
UD	RM 5 East	**Polybrominated Diphenyl Ethers**							
		PBDE # 47	1.0E+01	ug/kg	1.0E-04	2.6E-06	0.03	4.7E-07	0.005
		PBDE # 99	2.7E+00	ug/kg	1.0E-04	6.9E-07	0.01	1.3E-07	0.001
		PBDE # 153	3.4E-01	ug/kg	2.0E-04	8.7E-08	0.0004	1.6E-08	0.0001
	Exposure Point Total						0.03		0.006
UD	RM 10 West	**Polybrominated Diphenyl Ethers**							
		PBDE # 47	7.3E+00	ug/kg	1.0E-04	1.9E-06	0.02	3.4E-07	0.003
		PBDE # 99	2.0E+00	ug/kg	1.0E-04	5.1E-07	0.01	9.4E-08	0.001
		PBDE # 153	2.2E-01	ug/kg	2.0E-04	5.7E-08	0.0003	1.0E-08	0.0001
	Exposure Point Total						0.02		0.004
UD	RM 11 East	**Polybrominated Diphenyl Ethers**							
		PBDE # 47	9.6E+00	ug/kg	1.0E-04	2.5E-06	0.02	4.5E-07	0.005
		PBDE # 99	2.8E+00	ug/kg	1.0E-04	7.2E-07	0.01	1.3E-07	0.001
		PBDE # 153	3.7E-01	ug/kg	2.0E-04	9.5E-08	0.0005	1.7E-08	0.0001
	Exposure Point Total						0.03		0.006
UD	RM 12 East	**Polybrominated Diphenyl Ethers**							
		PBDE # 47	1.2E+01	ug/kg	1.0E-04	3.1E-06	0.03	5.7E-07	0.01
		PBDE # 99	3.7E+00	ug/kg	1.0E-04	9.5E-07	0.01	1.7E-07	0.002
		PBDE # 153	4.9E-01	ug/kg	2.0E-04	1.3E-07	0.001	2.3E-08	0.0001
	Exposure Point Total						0.04		0.01
UD	Study Area-wide	**Polybrominated Diphenyl Ethers**							
		PBDE # 47	1.0E+01	ug/kg	1.0E-04	2.6E-06	3.E-02	4.7E-07	5.E-03
		PBDE # 99	2.8E+00	ug/kg	1.0E-04	7.2E-07	7.E-03	1.3E-07	1.E-03
		PBDE # 153	3.7E-01	ug/kg	2.0E-04	9.5E-08	5.E-04	1.7E-08	9.E-05
	Exposure Point Total						0.03		0.006

Notes:

    a Chemicals listed are PBDE congeners detected in clam tissue at least once within the study area (RM 1.9-11.8).
    b Numbers presented are rounded values. Sums calculated before rounding.

Abbreviations:

    -- = Not applicable. PBDE congeners detected in clam tissue are not classified as known carcinogens.
    CDI = Chronic Daily Intake.
    EPC = Exposure Point Concentration.
    g/day = grams per day.
    LADI = Lifetime Average Daily Intake.
    mg/kg = milligrams per kilogram.
    PBDE = Polybrominated Diphenyl Ethers
    RfD = Reference Dose.
    RM = River mile.
    UD = Undepurated clam.
    ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-19.
Calculation of Noncancer Hazards - Breastfeeding Infant of In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	Noncancer Hazard Calculations[b]		
		IRAF	Adult (Mother) Noncancer HQ	Infant Noncancer HQ
RM 1 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 1 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00006
RM 1.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000005
RM 1.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000003	0.0001
RM 2 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000004	0.0002
RM 2 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000004	0.0002
RM 2.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000000	0.00002
RM 2.5 MC	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000000	0.00001
RM 3 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000003	0.0001
RM 3 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000004	0.0001
RM 3.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000000	0.00001
RM 3.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00002	0.0006
RM 4 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 5.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000003	0.0001
RM 5.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000004	0.0001
RM 6 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 6 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000005	0.00002
RM 6.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.00001
RM 6.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000004	0.0002
RM 7 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00009
RM 7 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000004	0.0001
RM 7.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000004	0.0001
RM 7.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0002
RM 8 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0003
RM 8 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0002
RM 8 SIL	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0004
RM 8.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000005	0.0002
RM 8.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0005
RM 9 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000003	0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-19.
Calculation of Noncancer Hazards - Breastfeeding Infant of In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	Noncancer Hazard Calculations[b]		
		IRAF	Adult (Mother) Noncancer HQ	Infant Noncancer HQ
RM 9 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 9.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0002
RM 9.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00000	0.00007
RM 11 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0003
RM 11 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00000	0.0001
RM 12 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 12 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00009
Study Area Wide[b]	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0002

Notes:
a Numbers presented are rounded values. Sums calculated before rounding.
b Study Area wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:
-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor.
ug/kg = micrograms per kilogram.
ND = Not Detected in given exposure area.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-20.
Calculation of Cancer Risks and Noncancer Hazards - Breastfeeding Infant of In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	Noncancer Hazard Calculations[b]		
		IRAF	Adult (Mother) Noncancer HQ	Infant Noncancer HQ
RM 1 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.000006
RM 1 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 1.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00000003	0.000001
RM 1.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 2 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 2 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 2.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000004
RM 2.5 MC	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00000003	0.000001
RM 3 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 3 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 3.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000002
RM 3.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00009
RM 4 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000005
RM 5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.000006
RM 5.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 5.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 6 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.000007
RM 6 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000004
RM 6.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000002
RM 6.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 7 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000005	0.00002
RM 7 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 7.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000005	0.00002
RM 7.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00004
RM 8 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00007
RM 8 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 8 SIL	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00004
RM 8.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00004
RM 8.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000003	0.0001
RM 9 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 9 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000000	0.000004
RM 9.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00005
RM 9.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000004	0.00002
RM 11 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00007

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-20.
Calculation of Cancer Risks and Noncancer Hazards - Breastfeeding Infant of In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	Noncancer Hazard Calculations[b]		
		IRAF	Adult (Mother) Noncancer HQ	Infant Noncancer HQ
RM 11 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000004	0.00001
RM 12 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000005
RM 12 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
Study Area-wide[b]	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003

Notes:
a Numbers presented are rounded values. Sums calculated before rounding.
b Study Area wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:
-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor.
ug/kg = micrograms per kilogram.
ND = Not Detected in given exposure area.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-21.
Calculation of Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	Noncancer Hazard Calculations[b]		
		IRAF	Adult (Mother) Noncancer HQ	Infant Noncancer HQ
RM 1 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00008
RM 1 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000004	0.0002
RM 1.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 1.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0003
RM 2 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0004
RM 2 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0004
RM 2.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00005
RM 2.5 MC	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000004	0.00001
RM 3 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0003
RM 3 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0004
RM 3.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00000	0.00003
RM 3.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00004	0.002
RM 4 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00006
RM 5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00008
RM 5.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0003
RM 5.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0004
RM 6 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 6 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00005
RM 6.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 6.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0004
RM 7 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0002
RM 7 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0004
RM 7.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0004
RM 7.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00002	0.0006
RM 8 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00002	0.0009
RM 8 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0005
RM 8 SIL	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00003	0.001
RM 8.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0005
RM 8.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00003	0.001
RM 9 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-21.
Calculation of Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	Noncancer Hazard Calculations[b]		
		IRAF	Adult (Mother) Noncancer HQ	Infant Noncancer HQ
RM 9 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00000	0.00005
RM 9.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00002	0.0006
RM 9.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0002
RM 11 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00002	0.0008
RM 11 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0003
RM 12 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00006
RM 12 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0002
Study Area-wide[b]	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00002	0.0006

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Study Area wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation
channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-22.
Calculation of Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	Noncancer Hazard Calculations[b]		
		IRAF	Adult (Mother) Noncancer HQ	Infant Noncancer HQ
RM 1 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 1 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 1.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00000005	0.000002
RM 1.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00004
RM 2 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00004
RM 2 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00006
RM 2.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.000007
RM 2.5 MC	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000002
RM 3 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00004
RM 3 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00004
RM 3.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000004
RM 3.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000004	0.0002
RM 4 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.000009
RM 5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 5.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00004
RM 5.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00004
RM 6 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 6 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.000007
RM 6.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000004
RM 6.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00004
RM 7 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 7 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00004
RM 7.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 7.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00007
RM 8 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000003	0.0001
RM 8 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00006
RM 8 SIL	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00007
RM 8.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00007
RM 8.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000005	0.0002
RM 9 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-22.
Calculation of Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	Noncancer Hazard Calculations[b]		
		IRAF	Adult (Mother) Noncancer HQ	Infant Noncancer HQ
RM 9 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.000008
RM 9.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00008
RM 9.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 11 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000003	0.0001
RM 11 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 12 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.000009
RM 12 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
Study Area-wide[b]	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00006

Notes:
a Numbers presented are rounded values. Sums calculated before rounding.
b Study Area wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation
channel and excluding Multnomah Channel.

Abbreviations:
-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-23.
Calculation of Noncancer Hazards - Breastfeeding Infant of High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	Noncancer Hazard Calculations[b]		
		IRAF	Adult (Mother) Noncancer HQ	Infant Noncancer HQ
RM 1 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00005
RM 1 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.0001
RM 1.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.000008
RM 1.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000005	0.0002
RM 2 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0002
RM 2 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0003
RM 2.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 2.5 MC	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.00001
RM 3 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000005	0.0002
RM 3 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0002
RM 3.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000004	0.00002
RM 3.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00002	0.0009
RM 4 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00004
RM 5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00005
RM 5.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000005	0.0002
RM 5.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0002
RM 6 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 6 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 6.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000004	0.00002
RM 6.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0003
RM 7 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000004	0.0001
RM 7 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0002
RM 7.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0002
RM 7.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0004
RM 8 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0006
RM 8 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0003
RM 8 SIL	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00002	0.0006
RM 8.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0003
RM 8.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00002	0.0007
RM 9 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000004	0.0002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-23.
Calculation of Noncancer Hazards - Breastfeeding Infant of High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	Noncancer Hazard Calculations[b]		
		IRAF	Adult (Mother) Noncancer HQ	Infant Noncancer HQ
RM 9 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 9.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0003
RM 9.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000003	0.0001
RM 11 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0005
RM 11 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000005	0.0002
RM 12 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00004
RM 12 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000004	0.0001
Study Area-wide[b]	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0004

Notes:
a Numbers presented are rounded values. Sums calculated before rounding.
b Study Area wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:
-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-24.
Calculation of Noncancer Hazards - Breastfeeding Infant of High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	Noncancer Hazard Calculations[b]		
		IRAF	Adult (Mother) Noncancer HQ	Infant Noncancer HQ
RM 1 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.00001
RM 1 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 1.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00000002	0.0000009
RM 1.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 2 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000005	0.00002
RM 2 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 2.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000003
RM 2.5 MC	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00000003	0.000001
RM 3 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 3 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 3.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000002
RM 3.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00008
RM 4 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000000	0.00000
RM 5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000000	0.00001
RM 5.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 5.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000005	0.00002
RM 6 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.00001
RM 6 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000003
RM 6.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00000005	0.000002
RM 6.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 7 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000004	0.00002
RM 7 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000005	0.00002
RM 7.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000004	0.00002
RM 7.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 8 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00007
RM 8 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 8 SIL	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 8.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 8.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00009
RM 9 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-24.
Calculation of Noncancer Hazards - Breastfeeding Infant of High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	Noncancer Hazard Calculations[b]		
		IRAF	Adult (Mother) Noncancer HQ	Infant Noncancer HQ
RM 9 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000004
RM 9.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00004
RM 9.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000004	0.00001
RM 11 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00006
RM 11 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 12 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000005
RM 12 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000005	0.00002
Study Area-wide[b]	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Study Area wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-25.
Calculation of Noncancer Hazards - Breastfeeding Infant of Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	Noncancer Hazard Calculations[b]		
		IRAF	Adult (Mother) Noncancer HQ	Infant Noncancer HQ
RM 1 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 1 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00006
RM 1.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.00001
RM 1.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000003	0.0001
RM 2 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000004	0.0002
RM 2 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000005	0.0002
RM 2.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000005	0.00002
RM 2.5 MC	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.00001
RM 3 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000003	0.0001
RM 3 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000004	0.0001
RM 3.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 3.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00002	0.0006
RM 4 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 5.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000003	0.0001
RM 5.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000004	0.0002
RM 6 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 6 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000005	0.00002
RM 6.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 6.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000005	0.0002
RM 7 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00009
RM 7 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000004	0.0001
RM 7.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000004	0.0001
RM 7.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0002
RM 8 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0004
RM 8 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0002
RM 8 SIL	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0004
RM 8.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0002
RM 8.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0005
RM 9 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000003	0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-25.
Calculation of Noncancer Hazards - Breastfeeding Infant of Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	Noncancer Hazard Calculations[b]		
		IRAF	Adult (Mother) Noncancer HQ	Infant Noncancer HQ
RM 9 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 9.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0002
RM 9.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00008
RM 11 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0003
RM 11 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000003	0.0001
RM 12 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 12 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000003	0.0001
Study Area-wide[b]	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0003

Notes:
a Numbers presented are rounded values. Sums calculated before rounding.
b Study Area wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:
-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-26.
Calculation of Noncancer Hazards - Breastfeeding Infant of Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	Noncancer Hazard Calculations[b]		
		IRAF	Adult (Mother) Noncancer HQ	Infant Noncancer HQ
RM 1 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000003
RM 1 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000005
RM 1.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00000001	0.0000005
RM 1.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 2 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.000009
RM 2 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000004	0.00002
RM 2.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00000004	0.000002
RM 2.5 MC	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00000001	0.000001
RM 3 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 3 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 3.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00000003	0.000001
RM 3.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00004
RM 4 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000002
RM 5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000003
RM 5.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 5.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.000009
RM 6 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000003
RM 6 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00000004	0.000002
RM 6.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00000002	0.000001
RM 6.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 7 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.000008
RM 7 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.000009
RM 7.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.000008
RM 7.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000004	0.00002
RM 8 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 8 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000004	0.00002
RM 8 SIL	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000004	0.00002
RM 8.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000005	0.00002
RM 8.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00004
RM 9 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-26.
Calculation of Noncancer Hazards - Breastfeeding Infant of Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	Noncancer Hazard Calculations[b]		
		IRAF	Adult (Mother) Noncancer HQ	Infant Noncancer HQ
RM 9 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000002
RM 9.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 9.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.000007
RM 11 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 11 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.000007
RM 12 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000002
RM 12 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.000009
Study Area-wide[b]	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000004	0.00001

Notes:
a Numbers presented are rounded values. Sums calculated before rounding.
b Study Area wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel
and excluding Multnomah Channel.

Abbreviations:
-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor.
ug/kg = micrograms per kilogram.

TABLE F3-27.
Calculation of Noncancer Hazards - Breastfeeding Infant of Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	Noncancer Hazard Calculations[b]		
		IRAF	Adult (Mother) Noncancer HQ	Infant Noncancer HQ
RM 1 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 1 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00006
RM 1.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000005
RM 1.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000003	0.0001
RM 2 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000004	0.0002
RM 2 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000005	0.0002
RM 2.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 2.5 MC	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.000006
RM 3 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000003	0.0001
RM 3 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000004	0.0002
RM 3.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 3.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00002	0.0007
RM 4 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 5.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000003	0.0001
RM 5.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000004	0.0002
RM 6 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000004	0.00001
RM 6 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 6.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 6.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000005	0.0002
RM 7 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000003	0.0001
RM 7 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000004	0.0002
RM 7.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000004	0.0002
RM 7.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000007	0.0003
RM 8 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0004
RM 8 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000006	0.0002
RM 8 SIL	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0004
RM 8.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000005	0.0002
RM 8.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00001	0.0005
RM 9 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000003	0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-27.
Calculation of Noncancer Hazards - Breastfeeding Infant of Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	Noncancer Hazard Calculations[b]		
		IRAF	Adult (Mother) Noncancer HQ	Infant Noncancer HQ
RM 9 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00002
RM 9.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000006	0.0002
RM 9.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00008
RM 11 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000009	0.0003
RM 11 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000003	0.0001
RM 12 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00003
RM 12 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000003	0.0001
Study Area-wide[b]	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000007	0.0003

Notes:
a Numbers presented are rounded values. Sums calculated before rounding.
b Study Area wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:
-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-28.
Calculation of Noncancer Hazards - Breastfeeding Infant of Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	Noncancer Hazard Calculations[b]		
		IRAF	Adult (Mother) Noncancer HQ	Infant Noncancer HQ
RM 1 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000003
RM 1 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.000007
RM 1.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00000001	0.0000005
RM 1.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000004	0.00001
RM 2 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 2 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000005	0.00002
RM 2.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000002
RM 2.5 MC	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00000002	0.0000006
RM 3 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 3 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 3.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00000003	0.000001
RM 3.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00005
RM 4 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000003
RM 5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000003
RM 5.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 5.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 6 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000004
RM 6 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000002
RM 6.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00000003	0.000001
RM 6.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 7 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 7 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 7.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
RM 7.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000005	0.00002
RM 8 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00004
RM 8 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000005	0.00002
RM 8 SIL	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000005	0.00002
RM 8.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000005	0.00002
RM 8.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00005
RM 9 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-28.
Calculation of Noncancer Hazards - Breastfeeding Infant of Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	Noncancer Hazard Calculations[b]		
		IRAF	Adult (Mother) Noncancer HQ	Infant Noncancer HQ
RM 9 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000002
RM 9.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000006	0.00002
RM 9.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.000008
RM 11 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000009	0.00003
RM 11 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.000008
RM 12 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000003
RM 12 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000003	0.00001
Study Area-wide[b]	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000004	0.00002

Notes:
a Numbers presented are rounded values. Sums calculated before rounding.
b Study Area wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:
-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-29.
Calculation of Noncancer Hazards - Breastfeeding Infant of Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	Noncancer Hazard Calculations[b]		
		IRAF	Adult (Mother) Noncancer HQ	Infant Noncancer HQ
RM 1 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.000007
RM 1 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000004	0.00001
RM 1.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00000003	0.000001
RM 1.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000007	0.00003
RM 2 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000009	0.00004
RM 2 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00004
RM 2.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000004
RM 2.5 MC	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.00000003	0.000001
RM 3 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000007	0.00003
RM 3 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000008	0.00003
RM 3.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000002
RM 3.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000004	0.0001
RM 4 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000005
RM 5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000002	0.000007
RM 5.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000007	0.00003
RM 5.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000009	0.00004
RM 6 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000003
RM 6 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000004
RM 6.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000002
RM 6.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00004
RM 7 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000005	0.00002
RM 7 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000008	0.00003
RM 7.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000008	0.00003
RM 7.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00005
RM 8 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00008
RM 8 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00005
RM 8 SIL	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00009
RM 8.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00004
RM 8.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000003	0.0001
RM 9 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000006	0.00002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-29.
Calculation of Noncancer Hazards - Breastfeeding Infant of Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	Noncancer Hazard Calculations[b]		
		IRAF	Adult (Mother) Noncancer HQ	Infant Noncancer HQ
RM 9 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000005
RM 9.5 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00005
RM 9.5 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000004	0.00002
RM 11 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000002	0.00007
RM 11 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000007	0.00003
RM 12 West	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000001	0.000006
RM 12 East	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.0000006	0.00002
Study Area-wide[b]	Polybrominated Diphenyl Ethers			
Exposure Point Total		38	0.000001	0.00006

Notes:
a Numbers presented are rounded values. Sums calculated before rounding.
b Study Area wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel
and excluding Multnomah Channel.

Abbreviations:
-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-30.

Calculation of Noncancer Hazards - Breastfeeding Infant of Adult Consuming Fish, River-Mile Basis

Scenario Timeframe: Current/Future   Medium: Fish Tissue
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	IRAF	Noncancer Hazard Quotient Calculations[b]			
				Consumption Rate: 48.9 g/day		Consumption Rate: 17.5 g/day	
				Adult (Mother) Noncancer Hazard Quotient	Infant Noncancer Hazard Quotient	Adult (Mother) Noncancer Hazard Quotient	Infant Noncancer Hazard Quotient
F	RM 3	Polybrominated Diphenyl Ethers	--				
	Exposure Point Total		38	0.0005	0.02	0.0002	0.01
F	RM 4	Polybrominated Diphenyl Ethers	--				
	Exposure Point Total		38	0.04	2	0.02	0.6
F	RM 5	Polybrominated Diphenyl Ethers	--				
	Exposure Point Total		38	0.02	0.9	0.01	0.3
F	RM 6	Polybrominated Diphenyl Ethers	--				
	Exposure Point Total		38	0.02	0.8	0.01	0.3
F	RM 8	Polybrominated Diphenyl Ethers	--				
	Exposure Point Total		38	0.0005	0.02	0.0002	0.01
F	RM 9	Polybrominated Diphenyl Ethers	--				
	Exposure Point Total		38	0.0003	0.01	0.0001	0.004
F	RM 10	Polybrominated Diphenyl Ethers	--				
	Exposure Point Total		38	0.0005	0.02	0.0002	0.01
F	RM 11	Polybrominated Diphenyl Ethers	--				
	Exposure Point Total		38	0.03	1	0.009	0.3

Notes:

a Chemicals listed are PBDE congeners detected in clam tissue at least once within the study area (RM 1.9-11.8).
b Numbers presented are rounded values. Sums calculated before rounding.

Abbreviations:

F = Fillet tissue.
g/day = grams per day.
IRAF = Infant Risk Adjustment Factor

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE F3-31.

Calculation of Noncancer Hazards - Breastfeeding Infant of Adult Clam Consumer

Scenario Timeframe: Current/Future   Medium: Tissue
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	IRAF	Noncancer Hazard Calculations[b]			
				Consumption Rate: 18 g/day		Consumption Rate: 3.3 g/day	
				Adult (Mother) Noncancer Hazard Quotient	Infant Noncancer Hazard Quotient	Adult (Mother) Noncancer Hazard Quotient	Infant Noncancer Hazard Quotient
UD	RM 1 East	Polybrominated Diphenyl Ethers					
	Exposure Point Total		38	0.02	0.8	0.004	0.1
UD	RM 2 West	Polybrominated Diphenyl Ethers					
	Exposure Point Total		38	0.02	0.8	0.004	0.1
UD	RM 5 East	Polybrominated Diphenyl Ethers					
	Exposure Point Total		38	0.03	1	0.01	0.2
UD	RM 10 West	Polybrominated Diphenyl Ethers					
	Exposure Point Total		38	0.02	0.9	0.004	0.2
UD	RM 11 East	Polybrominated Diphenyl Ethers					
	Exposure Point Total		38	0.03	1	0.01	0.2
UD	RM 12 East	Polybrominated Diphenyl Ethers					
	Exposure Point Total		38	0.04	2	0.01	0.3
UD	Study Area-wide	Polybrominated Diphenyl Ethers					
	Exposure Point Total		38	0.03	1	0.01	0.2

Notes:

a Chemicals listed are PBDE congeners detected in clam tissue at least once within the study area (RM 1.9-11.8).
b Numbers presented are rounded values. Sums calculated before rounding.

Abbreviations:

g/day = grams per day.
IRAF = Infant Risk Adjustment Factor
PBDE = Polybrominated Diphenyl Ethers
RM = River mile.
UD = Undepurated clam.

PORTLAND HARBOR RI/FS

FINAL REMEDIAL INVESTIGATION REPORT

APPENDIX F

BASELINE HUMAN HEALTH RISK ASSESSMENT

ATTACHMENT F4: PROUCL SOFTWARE OUTPUT FROM THE CALCULATION OF 95% UCLS

March 28, 2013

Produced for
The Lower Willamette Group and
United States Environmental Protection Agency

Produced by
Kennedy/Jenks Consultants

In-Water Sediment

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	C:\LWG_200808\InWatSed_Input_RM1.0E.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	2000

Arsenic

General Statistics

Number of Valid Observations	5	Number of Distinct Observations	5

Raw Statistics		Log-transformed Statistics	
Minimum	1.68	Minimum of Log Data	0.519
Maximum	6.36	Maximum of Log Data	1.85
Mean	4.084	Mean of log Data	1.319
Median	4.48	SD of log Data	0.5
SD	1.714		
Coefficient of Variation	0.42		
Skewness	-0.189		

Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!

It is suggested to collect at least 8 to 10 observations using these statistical methods!

If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

Warning: There are only 5 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set,

the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.969	Shapiro Wilk Test Statistic	0.909
Shapiro Wilk Critical Value	0.762	Shapiro Wilk Critical Value	0.762
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	5.719	95% H-UCL	8.845
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	8.109
95% Adjusted-CLT UCL	5.276	97.5% Chebyshev (MVUE) UCL	9.832
95% Modified-t UCL	5.708	99% Chebyshev (MVUE) UCL	13.22

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	2.475	Data appear Normal at 5% Significance Level	
Theta Star	1.65		
nu star	24.75		
Approximate Chi Square Value (.05)	14.42	Nonparametric Statistics	
Adjusted Level of Significance	0.0086	95% CLT UCL	5.345

	A	B	C	D	E	F	G	H	I	J	K	L
54			Adjusted Chi Square Value			11.13				95% Jackknife UCL		5.719
55										95% Standard Bootstrap UCL		5.21
56			Anderson-Darling Test Statistic			0.32				95% Bootstrap-t UCL		5.51
57			Anderson-Darling 5% Critical Value			0.68				95% Hall's Bootstrap UCL		5.277
58			Kolmogorov-Smirnov Test Statistic			0.242				95% Percentile Bootstrap UCL		5.24
59			Kolmogorov-Smirnov 5% Critical Value			0.358				95% BCA Bootstrap UCL		5.048
60		**Data appear Gamma Distributed at 5% Significance Level**								95% Chebyshev(Mean, Sd) UCL		7.426
61										97.5% Chebyshev(Mean, Sd) UCL		8.872
62			**Assuming Gamma Distribution**							99% Chebyshev(Mean, Sd) UCL		11.71
63			95% Approximate Gamma UCL			7.009						
64			95% Adjusted Gamma UCL			9.083						
65												
66			**Potential UCL to Use**							Use 95% Student's-t UCL		5.719
67												
68												
69	Benzo(a)anthracene											
70												
71						**General Statistics**						
72			Number of Valid Observations			5				Number of Distinct Observations		5
73												
74			**Raw Statistics**							**Log-transformed Statistics**		
75			Minimum			6.6				Minimum of Log Data		1.887
76			Maximum			56				Maximum of Log Data		4.025
77			Mean			31.44				Mean of log Data		3.13
78			Median			36				SD of log Data		0.986
79			SD			22.51						
80			Coefficient of Variation			0.716						
81			Skewness			-0.198						
82												
83												
84		**Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!**										
85												
86		**It is suggested to collect at least 8 to 10 observations using these statistical methods!**										
87		**If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.**										
88												
89												
90		**Warning: There are only 5 Values in this data**										
91		**Note: It should be noted that even though bootstrap methods may be performed on this data set,**										
92		**the resulting calculations may not be reliable enough to draw conclusions**										
93												
94		**The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.**										
95												
96						**Relevant UCL Statistics**						
97			**Normal Distribution Test**							**Lognormal Distribution Test**		
98			Shapiro Wilk Test Statistic			0.885				Shapiro Wilk Test Statistic		0.847
99			Shapiro Wilk Critical Value			0.762				Shapiro Wilk Critical Value		0.762
100		**Data appear Normal at 5% Significance Level**							**Data appear Lognormal at 5% Significance Level**			
101												
102		**Assuming Normal Distribution**							**Assuming Lognormal Distribution**			
103			95% Student's-t UCL			52.9				95% H-UCL		404.5
104		**95% UCLs (Adjusted for Skewness)**							95% Chebyshev (MVUE) UCL		93.84
105			95% Adjusted-CLT UCL			47.04				97.5% Chebyshev (MVUE) UCL		120.2
106			95% Modified-t UCL			52.75				99% Chebyshev (MVUE) UCL		171.9

	Gamma Distribution Test				Data Distribution					
k star (bias corrected)	0.821				Data appear Normal at 5% Significance Level					
Theta Star	38.29									
nu star	8.21									
Approximate Chi Square Value (.05)	2.857				Nonparametric Statistics					
Adjusted Level of Significance	0.0086				95% CLT UCL	48				
Adjusted Chi Square Value	1.668				95% Jackknife UCL	52.9				
					95% Standard Bootstrap UCL	46.19				
Anderson-Darling Test Statistic	0.474				95% Bootstrap-t UCL	50.03				
Anderson-Darling 5% Critical Value	0.686				95% Hall's Bootstrap UCL	40.49				
Kolmogorov-Smirnov Test Statistic	0.268				95% Percentile Bootstrap UCL	45.32				
Kolmogorov-Smirnov 5% Critical Value	0.361				95% BCA Bootstrap UCL	45.2				
Data appear Gamma Distributed at 5% Significance Level					95% Chebyshev(Mean, Sd) UCL	75.32				
					97.5% Chebyshev(Mean, Sd) UCL	94.3				
Assuming Gamma Distribution					99% Chebyshev(Mean, Sd) UCL	131.6				
95% Approximate Gamma UCL	90.34									
95% Adjusted Gamma UCL	154.7									
Potential UCL to Use					Use 95% Student's-t UCL	52.9				

Benzo(a)pyrene

General Statistics

Number of Valid Observations	5				Number of Distinct Observations	5

Raw Statistics				Log-transformed Statistics		
Minimum	6.6			Minimum of Log Data	1.887	
Maximum	84			Maximum of Log Data	4.431	
Mean	46.38			Mean of log Data	3.366	
Median	66			SD of log Data	1.251	
SD	36.26					
Coefficient of Variation	0.782					
Skewness	-0.425					

Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!

It is suggested to collect at least 8 to 10 observations using these statistical methods!

If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

Warning: There are only 5 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set,

the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test				Lognormal Distribution Test		
Shapiro Wilk Test Statistic	0.819			Shapiro Wilk Test Statistic	0.769	
Shapiro Wilk Critical Value	0.762			Shapiro Wilk Critical Value	0.762	

	A	B	C	D	E	F	G	H	I	J	K	L

Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level
Assuming Normal Distribution		**Assuming Lognormal Distribution**
95% Student's-t UCL	80.95	95% H-UCL	2719
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	168
95% Adjusted-CLT UCL	69.76	97.5% Chebyshev (MVUE) UCL	218.5
95% Modified-t UCL	80.43	99% Chebyshev (MVUE) UCL	317.6
Gamma Distribution Test		**Data Distribution**
k star (bias corrected)	0.614	Data appear Normal at 5% Significance Level
Theta Star	75.6	
nu star	6.135	
Approximate Chi Square Value (.05)	1.709	**Nonparametric Statistics**
Adjusted Level of Significance	0.0086	95% CLT UCL	73.05
Adjusted Chi Square Value	0.88	95% Jackknife UCL	80.95
		95% Standard Bootstrap UCL	70.65
Anderson-Darling Test Statistic	0.703	95% Bootstrap-t UCL	83.15
Anderson-Darling 5% Critical Value	0.689	95% Hall's Bootstrap UCL	60.04
Kolmogorov-Smirnov Test Statistic	0.361	95% Percentile Bootstrap UCL	70.2
Kolmogorov-Smirnov 5% Critical Value	0.363	95% BCA Bootstrap UCL	66.2
Data follow Appr. Gamma Distribution at 5% Significance Level		95% Chebyshev(Mean, Sd) UCL	117.1
		97.5% Chebyshev(Mean, Sd) UCL	147.6
Assuming Gamma Distribution		99% Chebyshev(Mean, Sd) UCL	207.7
95% Approximate Gamma UCL	166.5	
95% Adjusted Gamma UCL	323.2	
Potential UCL to Use		Use 95% Student's-t UCL	80.95

Benzo(b)fluoranthene

General Statistics

Number of Valid Observations	5	Number of Distinct Observations	5

Raw Statistics		**Log-transformed Statistics**	
Minimum	10	Minimum of Log Data	2.303
Maximum	69	Maximum of Log Data	4.234
Mean	42	Mean of log Data	3.425
Median	59	SD of log Data	0.983
SD	29		
Coefficient of Variation	0.69		
Skewness	-0.531		

Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!

It is suggested to collect at least 8 to 10 observations using these statistical methods!

If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

Warning: There are only 5 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set,

the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.782	Shapiro Wilk Test Statistic	0.745
Shapiro Wilk Critical Value	0.762	Shapiro Wilk Critical Value	0.762
Data appear Normal at 5% Significance Level		Data not Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	69.65	95% H-UCL	535.3
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	125.6
95% Adjusted-CLT UCL	60.04	97.5% Chebyshev (MVUE) UCL	160.8
95% Modified-t UCL	69.13	99% Chebyshev (MVUE) UCL	229.9

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	0.831	Data appear Normal at 5% Significance Level	
Theta Star	50.52		
nu star	8.314		
Approximate Chi Square Value (.05)	2.918	Nonparametric Statistics	
Adjusted Level of Significance	0.0086	95% CLT UCL	63.33
Adjusted Chi Square Value	1.712	95% Jackknife UCL	69.65
		95% Standard Bootstrap UCL	61.15
Anderson-Darling Test Statistic	0.764	95% Bootstrap-t UCL	69.35
Anderson-Darling 5% Critical Value	0.685	95% Hall's Bootstrap UCL	51.79
Kolmogorov-Smirnov Test Statistic	0.365	95% Percentile Bootstrap UCL	62.2
Kolmogorov-Smirnov 5% Critical Value	0.361	95% BCA Bootstrap UCL	59.8
Data not Gamma Distributed at 5% Significance Level		95% Chebyshev(Mean, Sd) UCL	98.53
		97.5% Chebyshev(Mean, Sd) UCL	123
Assuming Gamma Distribution		99% Chebyshev(Mean, Sd) UCL	171
95% Approximate Gamma UCL	119.7		
95% Adjusted Gamma UCL	204		

Potential UCL to Use		Use 95% Student's-t UCL	69.65
Recommended UCL exceeds the maximum observation			

Benzo(k)fluoranthene

General Statistics

Number of Valid Observations	5	Number of Distinct Observations	4

Raw Statistics		Log-transformed Statistics	
Minimum	3.8	Minimum of Log Data	1.335
Maximum	51	Maximum of Log Data	3.932
Mean	26.52	Mean of log Data	2.755
Median	29	SD of log Data	1.313
SD	22.24		
Coefficient of Variation	0.839		
Skewness	-0.0931		

Warning: There are only 4 Distinct Values in this data

	A	B	C	D	E	F	G	H	I	J	K	L
266	There are insufficient Distinct Values to perform some GOF tests and bootstrap methods.											
267	Those methods will return a 'N/A' value on your output display!											
268												
269	It is necessary to have 4 or more Distinct Values to compute bootstrap methods.											
270	It is recommended to have 10-15 or more observations for accurate and meaningful bootstrap results.											
271												
272												
273	Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
274												
275	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
276	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
277												
278	Relevant UCL Statistics											
279	Normal Distribution Test						Lognormal Distribution Test					
280	Shapiro Wilk Test Statistic					0.862	Shapiro Wilk Test Statistic					0.782
281	Shapiro Wilk Critical Value					0.762	Shapiro Wilk Critical Value					0.762
282	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
283												
284	Assuming Normal Distribution						Assuming Lognormal Distribution					
285	95% Student's-t UCL					47.73	95% H-UCL					2304
286	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					98.91
287	95% Adjusted-CLT UCL					42.44	97.5% Chebyshev (MVUE) UCL					129
288	95% Modified-t UCL					47.66	99% Chebyshev (MVUE) UCL					188.1
289												
290	Gamma Distribution Test						Data Distribution					
291	k star (bias corrected)					0.571	Data appear Normal at 5% Significance Level					
292	Theta Star					46.48						
293	nu star					5.705						
294	Approximate Chi Square Value (.05)					1.491	Nonparametric Statistics					
295	Adjusted Level of Significance					0.0086	95% CLT UCL					42.88
296	Adjusted Chi Square Value					0.741	95% Jackknife UCL					47.73
297							95% Standard Bootstrap UCL					40.97
298	Anderson-Darling Test Statistic					0.584	95% Bootstrap-t UCL					46.89
299	Anderson-Darling 5% Critical Value					0.69	95% Hall's Bootstrap UCL					34.94
300	Kolmogorov-Smirnov Test Statistic					0.283	95% Percentile Bootstrap UCL					41
301	Kolmogorov-Smirnov 5% Critical Value					0.364	95% BCA Bootstrap UCL					40.36
302	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					69.88
303							97.5% Chebyshev(Mean, Sd) UCL					88.65
304	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					125.5
305	95% Approximate Gamma UCL					101.5						
306	95% Adjusted Gamma UCL					204.1						
307												
308	Potential UCL to Use						Use 95% Student's-t UCL					47.73
309												
310												
311	Dibenzo(a,h)anthracene											
312												
313	General Statistics											
314	Number of Valid Observations					5	Number of Distinct Observations					5
315												
316	Raw Statistics						Log-transformed Statistics					
317	Minimum					1.3	Minimum of Log Data					0.262
318	Maximum					9.1	Maximum of Log Data					2.208

	A	B	C	D	E	F	G	H	I	J	K	L
319					Mean	5.5					Mean of log Data	1.413
320					Median	6.6					SD of log Data	0.941
321					SD	3.78						
322				Coefficient of Variation		0.687						
323					Skewness	-0.348						
324												
325												
326		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
327												
328		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
329		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
330												
331												
332		Warning: There are only 5 Values in this data										
333		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
334		the resulting calculations may not be reliable enough to draw conclusions										
335												
336		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
337												
338		Relevant UCL Statistics										
339		Normal Distribution Test						Lognormal Distribution Test				
340			Shapiro Wilk Test Statistic			0.833				Shapiro Wilk Test Statistic		0.807
341			Shapiro Wilk Critical Value			0.762				Shapiro Wilk Critical Value		0.762
342		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
343												
344		Assuming Normal Distribution						Assuming Lognormal Distribution				
345					95% Student's-t UCL	9.103					95% H-UCL	56.98
346		95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL		15.89
347				95% Adjusted-CLT UCL		8				97.5% Chebyshev (MVUE) UCL		20.29
348				95% Modified-t UCL		9.06				99% Chebyshev (MVUE) UCL		28.91
349												
350		Gamma Distribution Test						Data Distribution				
351				k star (bias corrected)		0.878		Data appear Normal at 5% Significance Level				
352					Theta Star	6.266						
353					nu star	8.777						
354			Approximate Chi Square Value (.05)			3.193		Nonparametric Statistics				
355			Adjusted Level of Significance			0.0086					95% CLT UCL	8.28
356			Adjusted Chi Square Value			1.911					95% Jackknife UCL	9.103
357										95% Standard Bootstrap UCL		7.962
358			Anderson-Darling Test Statistic			0.581					95% Bootstrap-t UCL	8.435
359			Anderson-Darling 5% Critical Value			0.685					95% Hall's Bootstrap UCL	6.846
360			Kolmogorov-Smirnov Test Statistic			0.291				95% Percentile Bootstrap UCL		8.04
361			Kolmogorov-Smirnov 5% Critical Value			0.361					95% BCA Bootstrap UCL	7.54
362		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		12.87
363										97.5% Chebyshev(Mean, Sd) UCL		16.06
364		Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL		22.32
365				95% Approximate Gamma UCL		15.12						
366				95% Adjusted Gamma UCL		25.26						
367												
368		Potential UCL to Use								Use 95% Student's-t UCL		9.103
369		Recommended UCL exceeds the maximum observation										
370												
371												

Indeno(1,2,3-cd)pyrene

General Statistics

Number of Valid Observations	5	Number of Distinct Observations	5

Raw Statistics		Log-transformed Statistics	
Minimum	6.2	Minimum of Log Data	1.825
Maximum	62	Maximum of Log Data	4.127
Mean	32.88	Mean of log Data	3.125
Median	43	SD of log Data	1.073
SD	24.59		
Coefficient of Variation	0.748		
Skewness	-0.183		

Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!

It is suggested to collect at least 8 to 10 observations using these statistical methods!

If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

Warning: There are only 5 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set,

the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.874	Shapiro Wilk Test Statistic	0.818
Shapiro Wilk Critical Value	0.762	Shapiro Wilk Critical Value	0.762
Data appear Normal at 5% Significance Level		**Data appear Lognormal at 5% Significance Level**	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	56.32	95% H-UCL	666.9
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	104.6
95% Adjusted-CLT UCL	50.01	97.5% Chebyshev (MVUE) UCL	134.7
95% Modified-t UCL	56.17	99% Chebyshev (MVUE) UCL	193.9

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	0.735	**Data appear Normal at 5% Significance Level**	
Theta Star	44.76		
nu star	7.346		
Approximate Chi Square Value (.05)	2.362	**Nonparametric Statistics**	
Adjusted Level of Significance	0.0086	95% CLT UCL	50.97
Adjusted Chi Square Value	1.319	95% Jackknife UCL	56.32
		95% Standard Bootstrap UCL	48.93
Anderson-Darling Test Statistic	0.564	95% Bootstrap-t UCL	58.96
Anderson-Darling 5% Critical Value	0.686	95% Hall's Bootstrap UCL	43.96
Kolmogorov-Smirnov Test Statistic	0.33	95% Percentile Bootstrap UCL	48
Kolmogorov-Smirnov 5% Critical Value	0.362	95% BCA Bootstrap UCL	47.44
Data appear Gamma Distributed at 5% Significance Level		95% Chebyshev(Mean, Sd) UCL	80.81
		97.5% Chebyshev(Mean, Sd) UCL	101.5

	A	B	C	D	E	F	G	H	I	J	K	L
425				Assuming Gamma Distribution					99% Chebyshev(Mean, Sd) UCL			142.3
426				95% Approximate Gamma UCL		102.2						
427				95% Adjusted Gamma UCL		183.1						
428												
429				Potential UCL to Use					Use 95% Student's-t UCL			56.32
430												
431												
432	Lead											
433												
434				General Statistics								
435				Number of Valid Observations		5			Number of Distinct Observations			5
436												
437				Raw Statistics					Log-transformed Statistics			
438				Minimum		3.74			Minimum of Log Data			1.319
439				Maximum		27.7			Maximum of Log Data			3.321
440				Mean		10.95			Mean of log Data			2.114
441				Median		6.14			SD of log Data			0.801
442				SD		9.894						
443				Coefficient of Variation		0.904						
444				Skewness		1.726						
445												
446												
447			Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!									
448												
449			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
450			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
451												
452												
453			Warning: There are only 5 Values in this data									
454			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
455			the resulting calculations may not be reliable enough to draw conclusions									
456												
457			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
458												
459				Relevant UCL Statistics								
460			Normal Distribution Test						Lognormal Distribution Test			
461				Shapiro Wilk Test Statistic		0.793			Shapiro Wilk Test Statistic			0.926
462				Shapiro Wilk Critical Value		0.762			Shapiro Wilk Critical Value			0.762
463			Data appear Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
464												
465			Assuming Normal Distribution						Assuming Lognormal Distribution			
466				95% Student's-t UCL		20.38			95% H-UCL			58.08
467			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			26.72
468				95% Adjusted-CLT UCL		21.88			97.5% Chebyshev (MVUE) UCL			33.7
469				95% Modified-t UCL		20.95			99% Chebyshev (MVUE) UCL			47.4
470												
471			Gamma Distribution Test						Data Distribution			
472				k star (bias corrected)		0.91			Data appear Normal at 5% Significance Level			
473				Theta Star		12.03						
474				nu star		9.103						
475			Approximate Chi Square Value (.05)			3.389			Nonparametric Statistics			
476				Adjusted Level of Significance		0.0086			95% CLT UCL			18.23
477				Adjusted Chi Square Value		2.055			95% Jackknife UCL			20.38

	A	B	C	D	E	F	G	H	I	J	K	L
478									95% Standard Bootstrap UCL			17.49
479			Anderson-Darling Test Statistic			0.401			95% Bootstrap-t UCL			62.31
480			Anderson-Darling 5% Critical Value			0.685			95% Hall's Bootstrap UCL			64.36
481			Kolmogorov-Smirnov Test Statistic			0.286			95% Percentile Bootstrap UCL			18.6
482			Kolmogorov-Smirnov 5% Critical Value			0.361			95% BCA Bootstrap UCL			20.05
483		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			30.24
484									97.5% Chebyshev(Mean, Sd) UCL			38.58
485			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			54.98
486			95% Approximate Gamma UCL			29.41						
487			95% Adjusted Gamma UCL			48.5						
488												
489			Potential UCL to Use						Use 95% Student's-t UCL			20.38
490												
491												
492	Mercury											
493												
494					General Statistics							
495			Number of Valid Observations			5			Number of Distinct Observations			5
496												
497			Raw Statistics						Log-transformed Statistics			
498			Minimum			0.019			Minimum of Log Data			-3.963
499			Maximum			7.11			Maximum of Log Data			1.962
500			Mean			1.446			Mean of log Data			-2.525
501			Median			0.021			SD of log Data			2.55
502			SD			3.167						
503			Coefficient of Variation			2.19						
504			Skewness			2.236						
505												
506												
507		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
508												
509		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
510		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
511												
512												
513		Warning: There are only 5 Values in this data										
514		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
515		the resulting calculations may not be reliable enough to draw conclusions										
516												
517		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
518												
519					Relevant UCL Statistics							
520		Normal Distribution Test							Lognormal Distribution Test			
521			Shapiro Wilk Test Statistic			0.556			Shapiro Wilk Test Statistic			0.676
522			Shapiro Wilk Critical Value			0.762			Shapiro Wilk Critical Value			0.762
523		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
524												
525		Assuming Normal Distribution							Assuming Lognormal Distribution			
526			95% Student's-t UCL			4.465			95% H-UCL			8057767
527		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			2.666
528			95% Adjusted-CLT UCL			5.288			97.5% Chebyshev (MVUE) UCL			3.572
529			95% Modified-t UCL			4.701			99% Chebyshev (MVUE) UCL			5.353
530												

	A	B	C	D	E	F	G	H	I	J	K	L
531			Gamma Distribution Test						Data Distribution			
532			k star (bias corrected)			0.232		Data do not follow a Discernable Distribution (0.05)				
533			Theta Star			6.237						
534			nu star			2.318						
535			Approximate Chi Square Value (.05)			0.203			Nonparametric Statistics			
536			Adjusted Level of Significance			0.0086			95% CLT UCL			3.775
537			Adjusted Chi Square Value			0.0833			95% Jackknife UCL			4.465
538									95% Standard Bootstrap UCL			3.603
539			Anderson-Darling Test Statistic			1.076			95% Bootstrap-t UCL			5050
540			Anderson-Darling 5% Critical Value			0.759			95% Hall's Bootstrap UCL			2019
541			Kolmogorov-Smirnov Test Statistic			0.447			95% Percentile Bootstrap UCL			2.879
542			Kolmogorov-Smirnov 5% Critical Value			0.385			95% BCA Bootstrap UCL			4.282
543		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			7.618
544									97.5% Chebyshev(Mean, Sd) UCL			10.29
545			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			15.54
546			95% Approximate Gamma UCL			16.52						
547			95% Adjusted Gamma UCL			40.24						
548												
549			Potential UCL to Use						Use 95% Hall's Bootstrap UCL			2019
550				Recommended UCL exceeds the maximum observation								
551		In Case Bootstrap t and/or Hall's Bootstrap yields an unreasonably large UCL value, use 97.5% or 99% Chebyshev (Mean, Sd) UCL										
552												
553												
554	Total DDT											
555												
556				General Statistics								
557			Number of Valid Observations			5			Number of Distinct Observations			5
558												
559			Raw Statistics						Log-transformed Statistics			
560			Minimum			0.179			Minimum of Log Data			-1.72
561			Maximum			5.6			Maximum of Log Data			1.723
562			Mean			1.792			Mean of log Data			-0.215
563			Median			0.68			SD of log Data			1.485
564			SD			2.294						
565			Coefficient of Variation			1.28						
566			Skewness			1.584						
567												
568												
569		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
570												
571			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
572			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
573												
574												
575				Warning: There are only 5 Values in this data								
576			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
577			the resulting calculations may not be reliable enough to draw conclusions									
578												
579			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
580												
581				Relevant UCL Statistics								
582			Normal Distribution Test						Lognormal Distribution Test			
583			Shapiro Wilk Test Statistic			0.799			Shapiro Wilk Test Statistic			0.923

	A	B	C	D	E	F	G	H	I	J	K	L
584			Shapiro Wilk Critical Value			0.762			Shapiro Wilk Critical Value			0.762
585			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
586												
587			Assuming Normal Distribution						Assuming Lognormal Distribution			
588			95% Student's-t UCL			3.979			95% H-UCL			455.8
589			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			6.361
590			95% Adjusted-CLT UCL			4.256			97.5% Chebyshev (MVUE) UCL			8.351
591			95% Modified-t UCL			4.1			99% Chebyshev (MVUE) UCL			12.26
592												
593			Gamma Distribution Test						Data Distribution			
594			k star (bias corrected)			0.433			Data appear Normal at 5% Significance Level			
595			Theta Star			4.134						
596			nu star			4.334						
597			Approximate Chi Square Value (.05)			0.858			Nonparametric Statistics			
598			Adjusted Level of Significance			0.0086			95% CLT UCL			3.479
599			Adjusted Chi Square Value			0.369			95% Jackknife UCL			3.979
600									95% Standard Bootstrap UCL			3.304
601			Anderson-Darling Test Statistic			0.338			95% Bootstrap-t UCL			13.84
602			Anderson-Darling 5% Critical Value			0.698			95% Hall's Bootstrap UCL			11.36
603			Kolmogorov-Smirnov Test Statistic			0.225			95% Percentile Bootstrap UCL			3.44
604			Kolmogorov-Smirnov 5% Critical Value			0.367			95% BCA Bootstrap UCL			3.852
605			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			6.263
606									97.5% Chebyshev(Mean, Sd) UCL			8.198
607			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			12
608			95% Approximate Gamma UCL			9.051						
609			95% Adjusted Gamma UCL			21.06						
610												
611			Potential UCL to Use						Use 95% Student's-t UCL			3.979
612												
613												
614	Total Dioxin/Furan TEQ											
615												
616				General Statistics								
617			Number of Valid Observations			5			Number of Distinct Observations			5
618												
619			Raw Statistics						Log-transformed Statistics			
620			Minimum			0.183			Minimum of Log Data			-1.696
621			Maximum			0.937			Maximum of Log Data			-0.0655
622			Mean			0.468			Mean of log Data			-0.908
623			Median			0.349			SD of log Data			0.61
624			SD			0.292						
625			Coefficient of Variation			0.623						
626			Skewness			1.267						
627												
628												
629			Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!									
630												
631			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
632			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
633												
634												
635						Warning: There are only 5 Values in this data						
636			Note: It should be noted that even though bootstrap methods may be performed on this data set,									

	A	B	C	D	E	F	G	H	I	J	K	L
637	the resulting calculations may not be reliable enough to draw conclusions											
638												
639	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
640												
641	Relevant UCL Statistics											
642	Normal Distribution Test						Lognormal Distribution Test					
643	Shapiro Wilk Test Statistic					0.898	Shapiro Wilk Test Statistic					0.98
644	Shapiro Wilk Critical Value					0.762	Shapiro Wilk Critical Value					0.762
645	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
646												
647	Assuming Normal Distribution						Assuming Lognormal Distribution					
648	95% Student's-t UCL					0.746	95% H-UCL					1.338
649	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					1.013
650	95% Adjusted-CLT UCL					0.762	97.5% Chebyshev (MVUE) UCL					1.25
651	95% Modified-t UCL					0.759	99% Chebyshev (MVUE) UCL					1.714
652												
653	Gamma Distribution Test						Data Distribution					
654	k star (bias corrected)					1.538	Data appear Normal at 5% Significance Level					
655	Theta Star					0.304						
656	nu star					15.38						
657	Approximate Chi Square Value (.05)					7.529	Nonparametric Statistics					
658	Adjusted Level of Significance					0.0086	95% CLT UCL					0.683
659	Adjusted Chi Square Value					5.303	95% Jackknife UCL					0.746
660							95% Standard Bootstrap UCL					0.663
661	Anderson-Darling Test Statistic					0.25	95% Bootstrap-t UCL					1.142
662	Anderson-Darling 5% Critical Value					0.682	95% Hall's Bootstrap UCL					2.21
663	Kolmogorov-Smirnov Test Statistic					0.235	95% Percentile Bootstrap UCL					0.668
664	Kolmogorov-Smirnov 5% Critical Value					0.359	95% BCA Bootstrap UCL					0.702
665	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					1.037
666							97.5% Chebyshev(Mean, Sd) UCL					1.283
667	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					1.767
668	95% Approximate Gamma UCL					0.957						
669	95% Adjusted Gamma UCL					1.358						
670												
671	Potential UCL to Use						Use 95% Student's-t UCL					0.746
672												

	A	B	C	D	E	F	G	H	I	J	K	L
1					General UCL Statistics for Data Sets with Non-Detects							
2		User Selected Options										
3			From File	C:\LWG_200808\InWatSed_Input_RM1.0W.wst								
4			Full Precision	OFF								
5			Confidence Coefficient	95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Arsenic											
10												
11						General Statistics						
12			Number of Valid Observations	5					Number of Distinct Observations			5
13												
14			Raw Statistics						Log-transformed Statistics			
15				Minimum		1.85				Minimum of Log Data		0.615
16				Maximum		5.28				Maximum of Log Data		1.664
17				Mean		4.208				Mean of log Data		1.376
18				Median		4.68				SD of log Data		0.43
19				SD		1.354						
20			Coefficient of Variation			0.322						
21				Skewness		-1.94						
22												
23												
24		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
25												
26		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
27		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
28												
29												
30					Warning: There are only 5 Values in this data							
31				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
32					the resulting calculations may not be reliable enough to draw conclusions							
33												
34			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
35												
36						Relevant UCL Statistics						
37			Normal Distribution Test						Lognormal Distribution Test			
38			Shapiro Wilk Test Statistic			0.765			Shapiro Wilk Test Statistic			0.694
39			Shapiro Wilk Critical Value			0.762			Shapiro Wilk Critical Value			0.762
40		Data appear Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
41												
42		Assuming Normal Distribution						Assuming Lognormal Distribution				
43				95% Student's-t UCL		5.499				95% H-UCL		7.816
44		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			7.805
45			95% Adjusted-CLT UCL			4.643			97.5% Chebyshev (MVUE) UCL			9.339
46			95% Modified-t UCL			5.411			99% Chebyshev (MVUE) UCL			12.35
47												
48			Gamma Distribution Test						Data Distribution			
49			k star (bias corrected)			3.472		Data appear Normal at 5% Significance Level				
50				Theta Star		1.212						
51				nu star		34.72						
52		Approximate Chi Square Value (.05)				22.24			Nonparametric Statistics			
53		Adjusted Level of Significance				0.0086				95% CLT UCL		5.204

	A	B	C	D	E	F	G	H	I	J	K	L
54				Adjusted Chi Square Value		18.01				95% Jackknife UCL		5.499
55										95% Standard Bootstrap UCL		5.088
56			Anderson-Darling Test Statistic			0.852				95% Bootstrap-t UCL		5.042
57			Anderson-Darling 5% Critical Value			0.679				95% Hall's Bootstrap UCL		4.735
58			Kolmogorov-Smirnov Test Statistic			0.405				95% Percentile Bootstrap UCL		4.944
59			Kolmogorov-Smirnov 5% Critical Value			0.358				95% BCA Bootstrap UCL		4.848
60		Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		6.847
61										97.5% Chebyshev(Mean, Sd) UCL		7.989
62			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		10.23
63			95% Approximate Gamma UCL			6.569						
64			95% Adjusted Gamma UCL			8.114						
65												
66			Potential UCL to Use							Use 95% Student's-t UCL		5.499
67		Recommended UCL exceeds the maximum observation										
68												
69												
70	Benzo(a)anthracene											
71												
72					General Statistics							
73			Number of Valid Observations			5				Number of Distinct Observations		4
74												
75			Raw Statistics							Log-transformed Statistics		
76				Minimum		14				Minimum of Log Data		2.639
77				Maximum		150				Maximum of Log Data		5.011
78				Mean		50				Mean of log Data		3.543
79				Median		28				SD of log Data		0.878
80				SD		56.27						
81			Coefficient of Variation			1.125						
82				Skewness		2.161						
83												
84												
85		Warning: There are only 4 Distinct Values in this data										
86		There are insufficient Distinct Values to perform some GOF tests and bootstrap methods.										
87		Those methods will return a 'N/A' value on your output display!										
88												
89		It is necessary to have 4 or more Distinct Values to compute bootstrap methods.										
90		It is recommended to have 10-15 or more observations for accurate and meaningful bootstrap results.										
91												
92												
93		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
94												
95		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
96		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
97												
98					Relevant UCL Statistics							
99		Normal Distribution Test							Lognormal Distribution Test			
100			Shapiro Wilk Test Statistic			0.652				Shapiro Wilk Test Statistic		0.824
101			Shapiro Wilk Critical Value			0.762				Shapiro Wilk Critical Value		0.762
102		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
103												
104		Assuming Normal Distribution							Assuming Lognormal Distribution			
105			95% Student's-t UCL			103.6				95% H-UCL		347.6
106		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		123.2

	A	B	C	D	E	F	G	H	I	J	K	L
107				95% Adjusted-CLT UCL		117.4			97.5% Chebyshev (MVUE) UCL			156.5
108				95% Modified-t UCL		107.7			99% Chebyshev (MVUE) UCL			221.8
109												
110			Gamma Distribution Test						Data Distribution			
111			k star (bias corrected)			0.733			Data appear Lognormal at 5% Significance Level			
112			Theta Star			68.18						
113			nu star			7.334						
114			Approximate Chi Square Value (.05)			2.355			Nonparametric Statistics			
115			Adjusted Level of Significance			0.0086			95% CLT UCL			91.39
116			Adjusted Chi Square Value			1.314			95% Jackknife UCL			103.6
117									95% Standard Bootstrap UCL			86.46
118			Anderson-Darling Test Statistic			0.775			95% Bootstrap-t UCL			1139
119			Anderson-Darling 5% Critical Value			0.686			95% Hall's Bootstrap UCL			480.2
120			Kolmogorov-Smirnov Test Statistic			0.415			95% Percentile Bootstrap UCL			98.4
121			Kolmogorov-Smirnov 5% Critical Value			0.362			95% BCA Bootstrap UCL			98.8
122		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			159.7
123									97.5% Chebyshev(Mean, Sd) UCL			207.1
124			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			300.4
125			95% Approximate Gamma UCL			155.7						
126			95% Adjusted Gamma UCL			279						
127												
128			Potential UCL to Use						Use 95% H-UCL			347.6
129			Recommended UCL exceeds the maximum observation									
130												
131												
132	Benzo(a)pyrene											
133												
134				General Statistics								
135			Number of Valid Observations			5			Number of Distinct Observations			5
136												
137			Raw Statistics						Log-transformed Statistics			
138			Minimum			21			Minimum of Log Data			3.045
139			Maximum			240			Maximum of Log Data			5.481
140			Mean			74.2			Mean of log Data			3.862
141			Median			37			SD of log Data			0.942
142			SD			93.01						
143			Coefficient of Variation			1.254						
144			Skewness			2.196						
145												
146												
147		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
148												
149		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
150		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
151												
152												
153		Warning: There are only 5 Values in this data										
154		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
155		the resulting calculations may not be reliable enough to draw conclusions										
156												
157		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
158												
159				Relevant UCL Statistics								

	A	B	C	D	E	F	G	H	I	J	K	L
160				Normal Distribution Test					Lognormal Distribution Test			
161				Shapiro Wilk Test Statistic		0.635				Shapiro Wilk Test Statistic		0.807
162				Shapiro Wilk Critical Value		0.762				Shapiro Wilk Critical Value		0.762
163			Data not Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
164												
165			Assuming Normal Distribution					Assuming Lognormal Distribution				
166				95% Student's-t UCL		162.9				95% H-UCL		664.2
167			95% UCLs (Adjusted for Skewness)					95% Chebyshev (MVUE) UCL				184.3
168				95% Adjusted-CLT UCL		186.3			97.5% Chebyshev (MVUE) UCL			235.2
169				95% Modified-t UCL		169.7			99% Chebyshev (MVUE) UCL			335.3
170												
171			Gamma Distribution Test					Data Distribution				
172				k star (bias corrected)		0.639		Data appear Lognormal at 5% Significance Level				
173				Theta Star		116.2						
174				nu star		6.388						
175			Approximate Chi Square Value (.05)			1.841			Nonparametric Statistics			
176				Adjusted Level of Significance		0.0086				95% CLT UCL		142.6
177				Adjusted Chi Square Value		0.967				95% Jackknife UCL		162.9
178									95% Standard Bootstrap UCL			135.9
179				Anderson-Darling Test Statistic		0.796				95% Bootstrap-t UCL		818.4
180				Anderson-Darling 5% Critical Value		0.689				95% Hall's Bootstrap UCL		735.3
181				Kolmogorov-Smirnov Test Statistic		0.408			95% Percentile Bootstrap UCL			121.2
182				Kolmogorov-Smirnov 5% Critical Value		0.363				95% BCA Bootstrap UCL		158.6
183			Data not Gamma Distributed at 5% Significance Level					95% Chebyshev(Mean, Sd) UCL				255.5
184								97.5% Chebyshev(Mean, Sd) UCL				334
185			Assuming Gamma Distribution					99% Chebyshev(Mean, Sd) UCL				488.1
186				95% Approximate Gamma UCL		257.4						
187				95% Adjusted Gamma UCL		490.4						
188												
189			Potential UCL to Use							Use 95% H-UCL		664.2
190			Recommended UCL exceeds the maximum observation									
191												
192												
193	Benzo(b)fluoranthene											
194												
195				General Statistics								
196				Number of Valid Observations		5				Number of Distinct Observations		4
197												
198			Raw Statistics					Log-transformed Statistics				
199				Minimum		30				Minimum of Log Data		3.401
200				Maximum		230				Maximum of Log Data		5.438
201				Mean		73.8				Mean of log Data		3.923
202				Median		37				SD of log Data		0.851
203				SD		87.37						
204				Coefficient of Variation		1.184						
205				Skewness		2.23						
206												
207												
208			Warning: There are only 4 Distinct Values in this data									
209			There are insufficient Distinct Values to perform some GOF tests and bootstrap methods.									
210			Those methods will return a 'N/A' value on your output display!									
211												
212			It is necessary to have 4 or more Distinct Values to compute bootstrap methods.									

	A	B	C	D	E	F	G	H	I	J	K	L
213	It is recommended to have 10-15 or more observations for accurate and meaningful bootstrap results.											
214												
215												
216	Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
217												
218	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
219	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
220												
221	Relevant UCL Statistics											
222	Normal Distribution Test						Lognormal Distribution Test					
223	Shapiro Wilk Test Statistic					0.583	Shapiro Wilk Test Statistic					0.645
224	Shapiro Wilk Critical Value					0.762	Shapiro Wilk Critical Value					0.762
225	Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level					
226												
227	Assuming Normal Distribution						Assuming Lognormal Distribution					
228	95% Student's-t UCL					157.1	95% H-UCL					447.6
229	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					174.2
230	95% Adjusted-CLT UCL					179.7	97.5% Chebyshev (MVUE) UCL					220.7
231	95% Modified-t UCL					163.6	99% Chebyshev (MVUE) UCL					312
232												
233	Gamma Distribution Test						Data Distribution					
234	k star (bias corrected)					0.72	Data do not follow a Discernable Distribution (0.05)					
235	Theta Star					102.5						
236	nu star					7.201						
237	Approximate Chi Square Value (.05)					2.281	Nonparametric Statistics					
238	Adjusted Level of Significance					0.0086	95% CLT UCL					138.1
239	Adjusted Chi Square Value					1.263	95% Jackknife UCL					157.1
240							95% Standard Bootstrap UCL					131.9
241	Anderson-Darling Test Statistic					1.142	95% Bootstrap-t UCL					3073
242	Anderson-Darling 5% Critical Value					0.687	95% Hall's Bootstrap UCL					1633
243	Kolmogorov-Smirnov Test Statistic					0.477	95% Percentile Bootstrap UCL					151.4
244	Kolmogorov-Smirnov 5% Critical Value					0.362	95% BCA Bootstrap UCL					151.4
245	Data not Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					244.1
246							97.5% Chebyshev(Mean, Sd) UCL					317.8
247	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					462.6
248	95% Approximate Gamma UCL					232.9						
249	95% Adjusted Gamma UCL					420.7						
250												
251	Potential UCL to Use						Use 95% Chebyshev (Mean, Sd) UCL					244.1
252	Recommended UCL exceeds the maximum observation											
253												
254												
255	Benzo(k)fluoranthene											
256												
257	General Statistics											
258	Number of Valid Observations					5	Number of Distinct Observations					5
259												
260	Raw Statistics						Log-transformed Statistics					
261	Minimum					12	Minimum of Log Data					2.485
262	Maximum					77	Maximum of Log Data					4.344
263	Mean					30.2	Mean of log Data					3.156
264	Median					22	SD of log Data					0.747
265	SD					26.9						

	A	B	C	D	E	F	G	H	I	J	K	L
266					Coefficient of Variation	0.891						
267					Skewness	1.943						
268												
269												
270			Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!									
271												
272			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
273			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
274												
275												
276			Warning: There are only 5 Values in this data									
277			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
278			the resulting calculations may not be reliable enough to draw conclusions									
279												
280			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
281												
282					Relevant UCL Statistics							
283			Normal Distribution Test						Lognormal Distribution Test			
284				Shapiro Wilk Test Statistic		0.749				Shapiro Wilk Test Statistic	0.892	
285				Shapiro Wilk Critical Value		0.762				Shapiro Wilk Critical Value	0.762	
286			Data not Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
287												
288			Assuming Normal Distribution						Assuming Lognormal Distribution			
289					95% Student's-t UCL	55.85					95% H-UCL	130.8
290			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL	70.65	
291					95% Adjusted-CLT UCL	61.16				97.5% Chebyshev (MVUE) UCL	88.62	
292					95% Modified-t UCL	57.59				99% Chebyshev (MVUE) UCL	123.9	
293												
294			Gamma Distribution Test						Data Distribution			
295					k star (bias corrected)	0.989		Data appear Gamma Distributed at 5% Significance Level				
296					Theta Star	30.55						
297					nu star	9.885						
298			Approximate Chi Square Value (.05)			3.87			Nonparametric Statistics			
299			Adjusted Level of Significance			0.0086				95% CLT UCL	49.99	
300			Adjusted Chi Square Value			2.413				95% Jackknife UCL	55.85	
301										95% Standard Bootstrap UCL	47.9	
302			Anderson-Darling Test Statistic			0.471				95% Bootstrap-t UCL	101.1	
303			Anderson-Darling 5% Critical Value			0.684				95% Hall's Bootstrap UCL	144.5	
304			Kolmogorov-Smirnov Test Statistic			0.272				95% Percentile Bootstrap UCL	53	
305			Kolmogorov-Smirnov 5% Critical Value			0.36				95% BCA Bootstrap UCL	54.2	
306			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL	82.64	
307										97.5% Chebyshev(Mean, Sd) UCL	105.3	
308			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL	149.9	
309					95% Approximate Gamma UCL	77.14						
310					95% Adjusted Gamma UCL	123.7						
311												
312			Potential UCL to Use						Use 95% Approximate Gamma UCL			77.14
313			Recommended UCL exceeds the maximum observation									
314												
315												
316	Dibenzo(a,h)anthracene											
317												
318					General Statistics							

	A	B	C	D	E	F	G	H	I	J	K	L
319			Number of Valid Observations			5				Number of Distinct Observations		5
320												
321			Raw Statistics						Log-transformed Statistics			
322				Minimum		2				Minimum of Log Data		0.693
323				Maximum		32				Maximum of Log Data		3.466
324				Mean		9.42				Mean of log Data		1.71
325				Median		4.2				SD of log Data		1.044
326				SD		12.68						
327			Coefficient of Variation			1.346						
328				Skewness		2.189						
329												
330												
331		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
332												
333		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
334		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
335												
336												
337		Warning: There are only 5 Values in this data										
338		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
339		the resulting calculations may not be reliable enough to draw conclusions										
340												
341		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
342												
343					Relevant UCL Statistics							
344			Normal Distribution Test						Lognormal Distribution Test			
345			Shapiro Wilk Test Statistic			0.641				Shapiro Wilk Test Statistic		0.85
346			Shapiro Wilk Critical Value			0.762				Shapiro Wilk Critical Value		0.762
347		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
348												
349			Assuming Normal Distribution						Assuming Lognormal Distribution			
350				95% Student's-t UCL		21.5				95% H-UCL		136
351		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		24.47
352			95% Adjusted-CLT UCL			24.67			97.5% Chebyshev (MVUE) UCL			31.45
353			95% Modified-t UCL			22.43			99% Chebyshev (MVUE) UCL			45.18
354												
355			Gamma Distribution Test						Data Distribution			
356			k star (bias corrected)			0.563		Data appear Lognormal at 5% Significance Level				
357				Theta Star		16.72						
358				nu star		5.632						
359		Approximate Chi Square Value (.05)				1.455			Nonparametric Statistics			
360			Adjusted Level of Significance			0.0086				95% CLT UCL		18.74
361			Adjusted Chi Square Value			0.718				95% Jackknife UCL		21.5
362									95% Standard Bootstrap UCL			17.72
363			Anderson-Darling Test Statistic			0.721				95% Bootstrap-t UCL		102.4
364			Anderson-Darling 5% Critical Value			0.691				95% Hall's Bootstrap UCL		95.95
365			Kolmogorov-Smirnov Test Statistic			0.388			95% Percentile Bootstrap UCL			20
366			Kolmogorov-Smirnov 5% Critical Value			0.364				95% BCA Bootstrap UCL		20.98
367		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			34.13
368									97.5% Chebyshev(Mean, Sd) UCL			44.82
369		Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL			65.82
370			95% Approximate Gamma UCL			36.47						
371			95% Adjusted Gamma UCL			73.85						

	Potential UCL to Use						Use 95% Chebyshev (MVUE) UCL				24.47

Indeno(1,2,3-cd)pyrene

General Statistics

Number of Valid Observations	5	Number of Distinct Observations	5

Raw Statistics		Log-transformed Statistics	
Minimum	16	Minimum of Log Data	2.773
Maximum	200	Maximum of Log Data	5.298
Mean	57.8	Mean of log Data	3.521
Median	26	SD of log Data	1.019
SD	79.64		
Coefficient of Variation	1.378		
Skewness	2.215		

Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!

It is suggested to collect at least 8 to 10 observations using these statistical methods!

If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

Warning: There are only 5 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set,

the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.61	Shapiro Wilk Test Statistic	0.756
Shapiro Wilk Critical Value	0.762	Shapiro Wilk Critical Value	0.762
Data not Normal at 5% Significance Level		Data not Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	133.7	95% H-UCL	722.7
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	145
95% Adjusted-CLT UCL	154.1	97.5% Chebyshev (MVUE) UCL	186.1
95% Modified-t UCL	139.6	99% Chebyshev (MVUE) UCL	266.8

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	0.561	Data do not follow a Discernable Distribution (0.05)	
Theta Star	103		
nu star	5.609		
Approximate Chi Square Value (.05)	1.443	Nonparametric Statistics	
Adjusted Level of Significance	0.0086	95% CLT UCL	116.4
Adjusted Chi Square Value	0.711	95% Jackknife UCL	133.7
		95% Standard Bootstrap UCL	109.8
Anderson-Darling Test Statistic	0.899	95% Bootstrap-t UCL	805.6
Anderson-Darling 5% Critical Value	0.691	95% Hall's Bootstrap UCL	802.6

	A	B	C	D	E	F	G	H	I	J	K	L
425				Kolmogorov-Smirnov Test Statistic		0.429				95% Percentile Bootstrap UCL		126.4
426				Kolmogorov-Smirnov 5% Critical Value		0.364				95% BCA Bootstrap UCL		130.8
427			Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		213.1
428										97.5% Chebyshev(Mean, Sd) UCL		280.2
429			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		412.2
430				95% Approximate Gamma UCL		224.6						
431				95% Adjusted Gamma UCL		455.8						
432												
433			Potential UCL to Use							Use 99% Chebyshev (Mean, Sd) UCL		412.2
434			Recommended UCL exceeds the maximum observation									
435												
436												
437	Lead											
438												
439					General Statistics							
440				Number of Valid Observations		5				Number of Distinct Observations		5
441												
442			Raw Statistics						Log-transformed Statistics			
443					Minimum	6.58				Minimum of Log Data		1.884
444					Maximum	16.2				Maximum of Log Data		2.785
445					Mean	13.54				Mean of log Data		2.557
446					Median	14.9				SD of log Data		0.378
447					SD	3.935						
448				Coefficient of Variation		0.291						
449					Skewness	-2.102						
450												
451												
452		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
453												
454			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
455			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
456												
457												
458					Warning: There are only 5 Values in this data							
459			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
460				the resulting calculations may not be reliable enough to draw conclusions								
461												
462			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
463												
464					Relevant UCL Statistics							
465			Normal Distribution Test						Lognormal Distribution Test			
466				Shapiro Wilk Test Statistic		0.7				Shapiro Wilk Test Statistic		0.653
467				Shapiro Wilk Critical Value		0.762				Shapiro Wilk Critical Value		0.762
468			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
469												
470			Assuming Normal Distribution						Assuming Lognormal Distribution			
471					95% Student's-t UCL	17.29				95% H-UCL		22.63
472			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			23.67
473				95% Adjusted-CLT UCL		14.66				97.5% Chebyshev (MVUE) UCL		28
474				95% Modified-t UCL		17.01				99% Chebyshev (MVUE) UCL		36.52
475												
476			Gamma Distribution Test						Data Distribution			
477				k star (bias corrected)		4.349		Data do not follow a Discernable Distribution (0.05)				

	A	B	C	D	E	F	G	H	I	J	K	L
478					Theta Star	3.113						
479					nu star	43.49						
480			Approximate Chi Square Value (.05)			29.37			Nonparametric Statistics			
481				Adjusted Level of Significance		0.0086				95% CLT UCL		16.43
482				Adjusted Chi Square Value		24.41				95% Jackknife UCL		17.29
483										95% Standard Bootstrap UCL		16.11
484			Anderson-Darling Test Statistic			0.982				95% Bootstrap-t UCL		16.08
485			Anderson-Darling 5% Critical Value			0.679				95% Hall's Bootstrap UCL		14.97
486			Kolmogorov-Smirnov Test Statistic			0.437				95% Percentile Bootstrap UCL		15.56
487			Kolmogorov-Smirnov 5% Critical Value			0.358				95% BCA Bootstrap UCL		15.36
488		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			21.21
489									97.5% Chebyshev(Mean, Sd) UCL			24.53
490			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			31.05
491				95% Approximate Gamma UCL		20.05						
492				95% Adjusted Gamma UCL		24.12						
493												
494			Potential UCL to Use							Use 95% Student's-t UCL		17.29
495										or 95% Modified-t UCL		17.01
496			Recommended UCL exceeds the maximum observation									
497												
498												
499	Mercury											
500												
501				General Statistics								
502			Number of Valid Observations			5			Number of Distinct Observations			5
503												
504			Raw Statistics						Log-transformed Statistics			
505					Minimum	0.0375				Minimum of Log Data		-3.283
506					Maximum	0.076				Maximum of Log Data		-2.577
507					Mean	0.0607				Mean of log Data		-2.832
508					Median	0.064				SD of log Data		0.284
509					SD	0.0155						
510				Coefficient of Variation		0.255						
511					Skewness	-0.872						
512												
513												
514		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
515												
516			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
517			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
518												
519												
520				Warning: There are only 5 Values in this data								
521			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
522			the resulting calculations may not be reliable enough to draw conclusions									
523												
524			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
525												
526				Relevant UCL Statistics								
527			Normal Distribution Test						Lognormal Distribution Test			
528				Shapiro Wilk Test Statistic		0.937				Shapiro Wilk Test Statistic		0.897
529				Shapiro Wilk Critical Value		0.762				Shapiro Wilk Critical Value		0.762
530		Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			

	Assuming Normal Distribution				Assuming Lognormal Distribution		
	95% Student's-t UCL	0.0754			95% H-UCL	0.0859
	95% UCLs (Adjusted for Skewness)				95% Chebyshev (MVUE) UCL	0.0945
	95% Adjusted-CLT UCL	0.0692			97.5% Chebyshev (MVUE) UCL	0.109
	95% Modified-t UCL	0.075			99% Chebyshev (MVUE) UCL	0.138

	Gamma Distribution Test				Data Distribution		
	k star (bias corrected)	6.861			Data appear Normal at 5% Significance Level	
	Theta Star	0.00885				
	nu star	68.61				
	Approximate Chi Square Value (.05)	50.54			Nonparametric Statistics	
	Adjusted Level of Significance	0.0086			95% CLT UCL	0.0721
	Adjusted Chi Square Value	43.84			95% Jackknife UCL	0.0754
					95% Standard Bootstrap UCL	0.0706
	Anderson-Darling Test Statistic	0.328			95% Bootstrap-t UCL	0.0718
	Anderson-Darling 5% Critical Value	0.679			95% Hall's Bootstrap UCL	0.0697
	Kolmogorov-Smirnov Test Statistic	0.218			95% Percentile Bootstrap UCL	0.0708
	Kolmogorov-Smirnov 5% Critical Value	0.357			95% BCA Bootstrap UCL	0.0684
Data appear Gamma Distributed at 5% Significance Level					95% Chebyshev(Mean, Sd) UCL	0.0908
					97.5% Chebyshev(Mean, Sd) UCL	0.104
	Assuming Gamma Distribution				99% Chebyshev(Mean, Sd) UCL	0.129
	95% Approximate Gamma UCL	0.0824				
	95% Adjusted Gamma UCL	0.095				

	Potential UCL to Use				Use 95% Student's-t UCL	0.0754

Naphthalene

	General Statistics						
	Number of Valid Observations	5			Number of Distinct Observations	5

	Raw Statistics				Log-transformed Statistics		
	Minimum	6.5			Minimum of Log Data	1.872
	Maximum	31			Maximum of Log Data	3.434
	Mean	13.16			Mean of log Data	2.397
	Median	8.5			SD of log Data	0.621
	SD	10.18				
	Coefficient of Variation	0.773				
	Skewness	2.025				

Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!

It is suggested to collect at least 8 to 10 observations using these statistical methods!

If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

Warning: There are only 5 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set,

the resulting calculations may not be reliable enough to draw conclusions

	A	B	C	D	E	F	G	H	I	J	K	L
584	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
585												
586	Relevant UCL Statistics											
587	Normal Distribution Test						Lognormal Distribution Test					
588	Shapiro Wilk Test Statistic					0.722	Shapiro Wilk Test Statistic					0.846
589	Shapiro Wilk Critical Value					0.762	Shapiro Wilk Critical Value					0.762
590	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
591												
592	Assuming Normal Distribution						Assuming Lognormal Distribution					
593	95% Student's-t UCL					22.86	95% H-UCL					37.86
594	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					28.02
595	95% Adjusted-CLT UCL					25.05	97.5% Chebyshev (MVUE) UCL					34.61
596	95% Modified-t UCL					23.55	99% Chebyshev (MVUE) UCL					47.56
597												
598	Gamma Distribution Test						Data Distribution					
599	k star (bias corrected)					1.306	Data appear Gamma Distributed at 5% Significance Level					
600	Theta Star					10.08						
601	nu star					13.06						
602	Approximate Chi Square Value (.05)					5.93	Nonparametric Statistics					
603	Adjusted Level of Significance					0.0086	95% CLT UCL					20.65
604	Adjusted Chi Square Value					4.013	95% Jackknife UCL					22.86
605							95% Standard Bootstrap UCL					20.06
606	Anderson-Darling Test Statistic					0.601	95% Bootstrap-t UCL					78.34
607	Anderson-Darling 5% Critical Value					0.683	95% Hall's Bootstrap UCL					68.06
608	Kolmogorov-Smirnov Test Statistic					0.29	95% Percentile Bootstrap UCL					21.6
609	Kolmogorov-Smirnov 5% Critical Value					0.359	95% BCA Bootstrap UCL					22.56
610	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					33
611							97.5% Chebyshev(Mean, Sd) UCL					41.59
612	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					58.45
613	95% Approximate Gamma UCL					28.97						
614	95% Adjusted Gamma UCL					42.82						
615												
616	Potential UCL to Use						Use 95% Approximate Gamma UCL					28.97
617												
618												
619	Total DDT											
620												
621	General Statistics											
622	Number of Valid Observations					5	Number of Distinct Observations					5
623												
624	Raw Statistics						Log-transformed Statistics					
625	Minimum					0.605	Minimum of Log Data					-0.503
626	Maximum					5.885	Maximum of Log Data					1.772
627	Mean					2.488	Mean of log Data					0.548
628	Median					2.01	SD of log Data					0.995
629	SD					2.196						
630	Coefficient of Variation					0.882						
631	Skewness					1.055						
632												
633												
634	Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
635												
636	It is suggested to collect at least 8 to 10 observations using these statistical methods!											

	A	B	C	D	E	F	G	H	I	J	K	L
637	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
638												
639												
640	Warning: There are only 5 Values in this data											
641	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
642	the resulting calculations may not be reliable enough to draw conclusions											
643												
644	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
645												
646	Relevant UCL Statistics											
647	Normal Distribution Test						Lognormal Distribution Test					
648	Shapiro Wilk Test Statistic					0.889	Shapiro Wilk Test Statistic					0.91
649	Shapiro Wilk Critical Value					0.762	Shapiro Wilk Critical Value					0.762
650	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
651												
652	Assuming Normal Distribution						Assuming Lognormal Distribution					
653	95% Student's-t UCL					4.581	95% H-UCL					32.29
654	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					7.187
655	95% Adjusted-CLT UCL					4.598	97.5% Chebyshev (MVUE) UCL					9.21
656	95% Modified-t UCL					4.658	99% Chebyshev (MVUE) UCL					13.18
657												
658	Gamma Distribution Test						Data Distribution					
659	k star (bias corrected)					0.742	Data appear Normal at 5% Significance Level					
660	Theta Star					3.354						
661	nu star					7.418						
662	Approximate Chi Square Value (.05)					2.403	Nonparametric Statistics					
663	Adjusted Level of Significance					0.0086	95% CLT UCL					4.103
664	Adjusted Chi Square Value					1.347	95% Jackknife UCL					4.581
665							95% Standard Bootstrap UCL					3.943
666	Anderson-Darling Test Statistic					0.311	95% Bootstrap-t UCL					6.273
667	Anderson-Darling 5% Critical Value					0.686	95% Hall's Bootstrap UCL					12.8
668	Kolmogorov-Smirnov Test Statistic					0.253	95% Percentile Bootstrap UCL					4.065
669	Kolmogorov-Smirnov 5% Critical Value					0.362	95% BCA Bootstrap UCL					4.068
670	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					6.768
671							97.5% Chebyshev(Mean, Sd) UCL					8.62
672	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					12.26
673	95% Approximate Gamma UCL					7.681						
674	95% Adjusted Gamma UCL					13.7						
675												
676	Potential UCL to Use						Use 95% Student's-t UCL					4.581
677												
678												
679	Total Dioxin/Furan TEQ											
680												
681	General Statistics											
682	Number of Valid Observations					5	Number of Distinct Observations					5
683												
684	Raw Statistics						Log-transformed Statistics					
685	Minimum					0.121	Minimum of Log Data					-2.113
686	Maximum					2.669	Maximum of Log Data					0.982
687	Mean					0.757	Mean of log Data					-1.029
688	Median					0.218	SD of log Data					1.311
689	SD					1.091						

	A	B	C	D	E	F	G	H	I	J	K	L
690					Coefficient of Variation	1.441						
691					Skewness	2.032						
692												
693												
694				Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!								
695												
696				It is suggested to collect at least 8 to 10 observations using these statistical methods!								
697				If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
698												
699												
700				Warning: There are only 5 Values in this data								
701				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
702				the resulting calculations may not be reliable enough to draw conclusions								
703												
704				The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.								
705												
706				Relevant UCL Statistics								
707			Normal Distribution Test					Lognormal Distribution Test				
708				Shapiro Wilk Test Statistic		0.696			Shapiro Wilk Test Statistic			0.872
709				Shapiro Wilk Critical Value		0.762			Shapiro Wilk Critical Value			0.762
710		Data not Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level					
711												
712		Assuming Normal Distribution					Assuming Lognormal Distribution					
713				95% Student's-t UCL		1.797				95% H-UCL		51.66
714		95% UCLs (Adjusted for Skewness)					95% Chebyshev (MVUE) UCL					2.243
715				95% Adjusted-CLT UCL		2.033			97.5% Chebyshev (MVUE) UCL			2.925
716				95% Modified-t UCL		1.871			99% Chebyshev (MVUE) UCL			4.265
717												
718		Gamma Distribution Test					Data Distribution					
719				k star (bias corrected)		0.45	Data appear Gamma Distributed at 5% Significance Level					
720				Theta Star		1.682						
721				nu star		4.501						
722		Approximate Chi Square Value (.05)				0.929		Nonparametric Statistics				
723		Adjusted Level of Significance				0.0086				95% CLT UCL		1.56
724		Adjusted Chi Square Value				0.407				95% Jackknife UCL		1.797
725									95% Standard Bootstrap UCL			1.482
726		Anderson-Darling Test Statistic				0.531				95% Bootstrap-t UCL		13.19
727		Anderson-Darling 5% Critical Value				0.697				95% Hall's Bootstrap UCL		5.862
728		Kolmogorov-Smirnov Test Statistic				0.297			95% Percentile Bootstrap UCL			1.65
729		Kolmogorov-Smirnov 5% Critical Value				0.366				95% BCA Bootstrap UCL		1.775
730		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			2.884
731									97.5% Chebyshev(Mean, Sd) UCL			3.804
732		Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL			5.611
733			95% Approximate Gamma UCL			3.668						
734			95% Adjusted Gamma UCL			8.364						
735												
736		Potential UCL to Use						Use 95% Approximate Gamma UCL				3.668
737				Recommended UCL exceeds the maximum observation								
738												

	A	B	C	D	E	F	G	H	I	J	K	L
1							General UCL Statistics for Data Sets with Non-Detects					
2		User Selected Options										
3			From File	C:\LWG_200808\InWatSed_Input_RM2.0E.wst								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Aldrin											
10												
11							General Statistics					
12			Number of Valid Data			19			Number of Detected Data			7
13		Number of Distinct Detected Data				7			Number of Non-Detect Data			12
14			Number of Missing Values			15			Percent Non-Detects			63.16%
15												
16			Raw Statistics						Log-transformed Statistics			
17			Minimum Detected			0.0206			Minimum Detected			-3.882
18			Maximum Detected			2.59			Maximum Detected			0.952
19			Mean of Detected			1			Mean of Detected			-0.898
20			SD of Detected			0.944			SD of Detected			1.898
21			Minimum Non-Detect			0.0308			Minimum Non-Detect			-3.48
22			Maximum Non-Detect			0.59			Maximum Non-Detect			-0.528
23												
24	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			15
25	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			4
26	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			78.95%
27												
28							Warning: There are only 7 Detected Values in this data					
29							Note: It should be noted that even though bootstrap may be performed on this data set					
30							the resulting calculations may not be reliable enough tp draw conclusions					
31												
32							It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.					
33												
34												
35							UCL Statistics					
36		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
37			Shapiro Wilk Test Statistic			0.929			Shapiro Wilk Test Statistic			0.856
38			5% Shapiro Wilk Critical Value			0.803			5% Shapiro Wilk Critical Value			0.803
39		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
40												
41		Assuming Normal Distribution						Assuming Lognormal Distribution				
42			DL/2 Substitution Method						DL/2 Substitution Method			
43				Mean		0.465				Mean		-1.659
44				SD		0.69				SD		1.423
45			95% DL/2 (t) UCL			0.74			95% H-Stat (DL/2) UCL			0.805
46												
47		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
48				Mean		1.721			Mean in Log Scale			-2.529
49				SD		0.615			SD in Log Scale			1.715
50			95% MLE (t) UCL			1.966			Mean in Original Scale			0.389
51			95% MLE (Tiku) UCL			2.247			SD in Original Scale			0.726
52									95% Percentile Bootstrap UCL			0.666
53									95% BCA Bootstrap UCL			0.77

	A	B	C	D	E	F	G	H	I	J	K	L
54												
55	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
56	k star (bias corrected)					0.482	Data appear Normal at 5% Significance Level					
57	Theta Star					2.076						
58	nu star					6.745						
59												
60	A-D Test Statistic					0.372	Nonparametric Statistics					
61	5% A-D Critical Value					0.741	Kaplan-Meier (KM) Method					
62	K-S Test Statistic					0.741	Mean					0.39
63	5% K-S Critical Value					0.324	SD					0.707
64	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					0.176
65							95% KM (t) UCL					0.695
66	Assuming Gamma Distribution						95% KM (z) UCL					0.679
67	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					0.675
68	Minimum					0.0206	95% KM (bootstrap t) UCL					0.843
69	Maximum					2.59	95% KM (BCA) UCL					1.121
70	Mean					1	95% KM (Percentile Bootstrap) UCL					0.859
71	Median					1.001	95% KM (Chebyshev) UCL					1.156
72	SD					0.545	97.5% KM (Chebyshev) UCL					1.488
73	k star					1.432	99% KM (Chebyshev) UCL					2.138
74	Theta star					0.699						
75	Nu star					54.42	Potential UCLs to Use					
76	AppChi2					38.47	95% KM (t) UCL					0.695
77	95% Gamma Approximate UCL					1.415	95% KM (Percentile Bootstrap) UCL					0.859
78	95% Adjusted Gamma UCL					1.459						
79	Note: DL/2 is not a recommended method.											
80												
81												
82	Arsenic											
83												
84	General Statistics											
85	Number of Valid Observations					34	Number of Distinct Observations					30
86												
87	Raw Statistics						Log-transformed Statistics					
88	Minimum					2.7	Minimum of Log Data					0.993
89	Maximum					5.78	Maximum of Log Data					1.754
90	Mean					4.076	Mean of log Data					1.39
91	Median					3.915	SD of log Data					0.176
92	SD					0.713						
93	Coefficient of Variation					0.175						
94	Skewness					0.369						
95												
96	Relevant UCL Statistics											
97	Normal Distribution Test						Lognormal Distribution Test					
98	Shapiro Wilk Test Statistic					0.963	Shapiro Wilk Test Statistic					0.967
99	Shapiro Wilk Critical Value					0.933	Shapiro Wilk Critical Value					0.933
100	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
101												
102	Assuming Normal Distribution						Assuming Lognormal Distribution					
103	95% Student's-t UCL					4.283	95% H-UCL					4.301
104	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					4.617
105	95% Adjusted-CLT UCL					4.286	97.5% Chebyshev (MVUE) UCL					4.851
106	95% Modified-t UCL					4.285	99% Chebyshev (MVUE) UCL					5.31

	A	B	C	D	E	F	G	H	I	J	K	L
107												
108			Gamma Distribution Test						Data Distribution			
109			k star (bias corrected)			30.74		Data appear Normal at 5% Significance Level				
110			Theta Star			0.133						
111			nu star			2090						
112			Approximate Chi Square Value (.05)			1985			Nonparametric Statistics			
113			Adjusted Level of Significance			0.0422				95% CLT UCL		4.278
114			Adjusted Chi Square Value			1980				95% Jackknife UCL		4.283
115										95% Standard Bootstrap UCL		4.278
116			Anderson-Darling Test Statistic			0.461				95% Bootstrap-t UCL		4.285
117			Anderson-Darling 5% Critical Value			0.746				95% Hall's Bootstrap UCL		4.303
118			Kolmogorov-Smirnov Test Statistic			0.115				95% Percentile Bootstrap UCL		4.293
119			Kolmogorov-Smirnov 5% Critical Value			0.151				95% BCA Bootstrap UCL		4.298
120		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		4.61
121										97.5% Chebyshev(Mean, Sd) UCL		4.84
122			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		5.293
123			95% Approximate Gamma UCL			4.293						
124			95% Adjusted Gamma UCL			4.303						
125												
126			Potential UCL to Use							Use 95% Student's-t UCL		4.283
127												
128												
129	Benzo(a)anthracene											
130												
131					General Statistics							
132			Number of Valid Observations			34			Number of Distinct Observations			26
133												
134			Raw Statistics						Log-transformed Statistics			
135			Minimum			10				Minimum of Log Data		2.303
136			Maximum			200				Maximum of Log Data		5.298
137			Mean			57.72				Mean of log Data		3.689
138			Median			33.5				SD of log Data		0.851
139			SD			52.59						
140			Coefficient of Variation			0.911						
141			Skewness			1.245						
142												
143					Relevant UCL Statistics							
144			Normal Distribution Test						Lognormal Distribution Test			
145			Shapiro Wilk Test Statistic			0.783				Shapiro Wilk Test Statistic		0.918
146			Shapiro Wilk Critical Value			0.933				Shapiro Wilk Critical Value		0.933
147		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
148												
149			Assuming Normal Distribution						Assuming Lognormal Distribution			
150			95% Student's-t UCL			72.98				95% H-UCL		80.11
151		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			97.12
152			95% Adjusted-CLT UCL			74.61				97.5% Chebyshev (MVUE) UCL		114.6
153			95% Modified-t UCL			73.3				99% Chebyshev (MVUE) UCL		149
154												
155			Gamma Distribution Test						Data Distribution			
156			k star (bias corrected)			1.397		Data do not follow a Discernable Distribution (0.05)				
157			Theta Star			41.32						
158			nu star			94.98						
159			Approximate Chi Square Value (.05)			73.51			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
160				Adjusted Level of Significance		0.0422				95% CLT UCL		72.56
161				Adjusted Chi Square Value		72.57				95% Jackknife UCL		72.98
162										95% Standard Bootstrap UCL		72.63
163				Anderson-Darling Test Statistic		1.685				95% Bootstrap-t UCL		75.81
164				Anderson-Darling 5% Critical Value		0.766				95% Hall's Bootstrap UCL		73.43
165				Kolmogorov-Smirnov Test Statistic		0.207				95% Percentile Bootstrap UCL		73.71
166				Kolmogorov-Smirnov 5% Critical Value		0.154				95% BCA Bootstrap UCL		75.46
167		Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		97.03
168										97.5% Chebyshev(Mean, Sd) UCL		114
169			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		147.5
170				95% Approximate Gamma UCL		74.59						
171				95% Adjusted Gamma UCL		75.55						
172												
173			Potential UCL to Use							Use 95% Chebyshev (Mean, Sd) UCL		97.03
174												
175												
176	Benzo(a)pyrene											
177												
178						General Statistics						
179				Number of Valid Observations		34				Number of Distinct Observations		26
180												
181			Raw Statistics							Log-transformed Statistics		
182				Minimum		15				Minimum of Log Data		2.708
183				Maximum		410				Maximum of Log Data		6.016
184				Mean		86.26				Mean of log Data		4.052
185				Median		44				SD of log Data		0.88
186				SD		89.18						
187				Coefficient of Variation		1.034						
188				Skewness		2.011						
189												
190						Relevant UCL Statistics						
191			Normal Distribution Test							Lognormal Distribution Test		
192				Shapiro Wilk Test Statistic		0.745				Shapiro Wilk Test Statistic		0.934
193				Shapiro Wilk Critical Value		0.933				Shapiro Wilk Critical Value		0.933
194		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
195												
196			Assuming Normal Distribution							Assuming Lognormal Distribution		
197				95% Student's-t UCL		112.1				95% H-UCL		119.8
198			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		145.2
199				95% Adjusted-CLT UCL		117.1				97.5% Chebyshev (MVUE) UCL		171.9
200				95% Modified-t UCL		113				99% Chebyshev (MVUE) UCL		224.4
201												
202			Gamma Distribution Test							Data Distribution		
203				k star (bias corrected)		1.274		Data appear Lognormal at 5% Significance Level				
204				Theta Star		67.74						
205				nu star		86.6						
206			Approximate Chi Square Value (.05)			66.15				Nonparametric Statistics		
207				Adjusted Level of Significance		0.0422				95% CLT UCL		111.4
208				Adjusted Chi Square Value		65.26				95% Jackknife UCL		112.1
209										95% Standard Bootstrap UCL		110.7
210				Anderson-Darling Test Statistic		1.469				95% Bootstrap-t UCL		122.8
211				Anderson-Darling 5% Critical Value		0.768				95% Hall's Bootstrap UCL		121.1
212				Kolmogorov-Smirnov Test Statistic		0.224				95% Percentile Bootstrap UCL		112.6

	A	B	C	D	E	F	G	H	I	J	K	L
213			Kolmogorov-Smirnov 5% Critical Value			0.154				95% BCA Bootstrap UCL		116
214			Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		152.9
215										97.5% Chebyshev(Mean, Sd) UCL		181.8
216			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		238.4
217			95% Approximate Gamma UCL			112.9						
218			95% Adjusted Gamma UCL			114.5						
219												
220			Potential UCL to Use							Use 95% H-UCL		119.8
221												
222												
223	Benzo(b)fluoranthene											
224												
225					General Statistics							
226			Number of Valid Observations			34				Number of Distinct Observations		27
227												
228			Raw Statistics							Log-transformed Statistics		
229			Minimum			16				Minimum of Log Data		2.773
230			Maximum			420				Maximum of Log Data		6.04
231			Mean			93.6				Mean of log Data		4.154
232			Median			48.5				SD of log Data		0.873
233			SD			90.67						
234			Coefficient of Variation			0.969						
235			Skewness			1.808						
236												
237					Relevant UCL Statistics							
238			Normal Distribution Test							Lognormal Distribution Test		
239			Shapiro Wilk Test Statistic			0.773				Shapiro Wilk Test Statistic		0.936
240			Shapiro Wilk Critical Value			0.933				Shapiro Wilk Critical Value		0.933
241			Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level		
242												
243			Assuming Normal Distribution							Assuming Lognormal Distribution		
244			95% Student's-t UCL			119.9				95% H-UCL		131.5
245			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		159.3
246			95% Adjusted-CLT UCL			124.3				97.5% Chebyshev (MVUE) UCL		188.5
247			95% Modified-t UCL			120.7				99% Chebyshev (MVUE) UCL		245.9
248												
249			Gamma Distribution Test							Data Distribution		
250			k star (bias corrected)			1.334				Data appear Lognormal at 5% Significance Level		
251			Theta Star			70.19						
252			nu star			90.69						
253			Approximate Chi Square Value (.05)			69.73				Nonparametric Statistics		
254			Adjusted Level of Significance			0.0422				95% CLT UCL		119.2
255			Adjusted Chi Square Value			68.82				95% Jackknife UCL		119.9
256										95% Standard Bootstrap UCL		118.9
257			Anderson-Darling Test Statistic			1.36				95% Bootstrap-t UCL		125.3
258			Anderson-Darling 5% Critical Value			0.767				95% Hall's Bootstrap UCL		129
259			Kolmogorov-Smirnov Test Statistic			0.212				95% Percentile Bootstrap UCL		121.1
260			Kolmogorov-Smirnov 5% Critical Value			0.154				95% BCA Bootstrap UCL		122.5
261			Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		161.4
262										97.5% Chebyshev(Mean, Sd) UCL		190.7
263			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		248.3
264			95% Approximate Gamma UCL			121.7						
265			95% Adjusted Gamma UCL			123.3						

	A	B	C	D	E	F	G	H	I	J	K	L
266												
267			Potential UCL to Use						Use 95% H-UCL			131.5
268												
269												
270	Benzo(k)fluoranthene											
271												
272					General Statistics							
273				Number of Valid Observations		34			Number of Distinct Observations			27
274												
275			Raw Statistics						Log-transformed Statistics			
276				Minimum		5.2			Minimum of Log Data			1.649
277				Maximum		180			Maximum of Log Data			5.193
278				Mean		41.32			Mean of log Data			3.239
279				Median		19.5			SD of log Data			0.938
280				SD		48.21						
281				Coefficient of Variation		1.167						
282				Skewness		1.962						
283												
284					Relevant UCL Statistics							
285			Normal Distribution Test						Lognormal Distribution Test			
286				Shapiro Wilk Test Statistic		0.68			Shapiro Wilk Test Statistic			0.92
287				Shapiro Wilk Critical Value		0.933			Shapiro Wilk Critical Value			0.933
288			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
289												
290			Assuming Normal Distribution						Assuming Lognormal Distribution			
291				95% Student's-t UCL		55.32			95% H-UCL			57.89
292			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			69.97
293				95% Adjusted-CLT UCL		57.9			97.5% Chebyshev (MVUE) UCL			83.42
294				95% Modified-t UCL		55.78			99% Chebyshev (MVUE) UCL			109.8
295												
296			Gamma Distribution Test						Data Distribution			
297				k star (bias corrected)		1.09			Data do not follow a Discernable Distribution (0.05)			
298				Theta Star		37.9						
299				nu star		74.15						
300		Approximate Chi Square Value (.05)				55.32			Nonparametric Statistics			
301			Adjusted Level of Significance			0.0422			95% CLT UCL			54.92
302				Adjusted Chi Square Value		54.52			95% Jackknife UCL			55.32
303									95% Standard Bootstrap UCL			54.14
304			Anderson-Darling Test Statistic			1.893			95% Bootstrap-t UCL			60.9
305			Anderson-Darling 5% Critical Value			0.772			95% Hall's Bootstrap UCL			55.76
306			Kolmogorov-Smirnov Test Statistic			0.219			95% Percentile Bootstrap UCL			55.59
307		Kolmogorov-Smirnov 5% Critical Value				0.155			95% BCA Bootstrap UCL			58.66
308			Data not Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			77.36
309									97.5% Chebyshev(Mean, Sd) UCL			92.95
310			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			123.6
311				95% Approximate Gamma UCL		55.39						
312				95% Adjusted Gamma UCL		56.21						
313												
314			Potential UCL to Use						Use 95% Chebyshev (Mean, Sd) UCL			77.36
315												
316												
317	Bis(2-ethylhexyl) phthalate											
318												

	A	B	C	D	E	F	G	H	I	J	K	L
319	General Statistics											
320	Number of Valid Data					34		Number of Detected Data				24
321	Number of Distinct Detected Data					21		Number of Non-Detect Data				10
322								Percent Non-Detects				29.41%
323												
324	Raw Statistics							Log-transformed Statistics				
325	Minimum Detected					27		Minimum Detected				3.296
326	Maximum Detected					270		Maximum Detected				5.598
327	Mean of Detected					125		Mean of Detected				4.706
328	SD of Detected					62.55		SD of Detected				0.524
329	Minimum Non-Detect					8		Minimum Non-Detect				2.079
330	Maximum Non-Detect					170		Maximum Non-Detect				5.136
331												
332	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				29
333	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				5
334	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				85.29%
335												
336	UCL Statistics											
337	Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only				
338	Shapiro Wilk Test Statistic					0.924		Shapiro Wilk Test Statistic				0.966
339	5% Shapiro Wilk Critical Value					0.916		5% Shapiro Wilk Critical Value				0.916
340	Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level				
341												
342	Assuming Normal Distribution							Assuming Lognormal Distribution				
343	DL/2 Substitution Method							DL/2 Substitution Method				
344	Mean					98.79		Mean				4.296
345	SD					67.77		SD				0.899
346	95% DL/2 (t) UCL					118.5		95% H-Stat (DL/2) UCL				143.5
347												
348	Maximum Likelihood Estimate(MLE) Method							Log ROS Method				
349	Mean					231.2		Mean in Log Scale				4.444
350	SD					34.99		SD in Log Scale				0.62
351	95% MLE (t) UCL					241.4		Mean in Original Scale				102.1
352	95% MLE (Tiku) UCL					257.2		SD in Original Scale				63.86
353								95% Percentile Bootstrap UCL				119.9
354								95% BCA Bootstrap UCL				123.5
355												
356	Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only				
357	k star (bias corrected)					3.733		Data appear Normal at 5% Significance Level				
358	Theta Star					33.49						
359	nu star					179.2						
360												
361	A-D Test Statistic					0.253		Nonparametric Statistics				
362	5% A-D Critical Value					0.748		Kaplan-Meier (KM) Method				
363	K-S Test Statistic					0.748		Mean				100.4
364	5% K-S Critical Value					0.179		SD				65.78
365	Data appear Gamma Distributed at 5% Significance Level							SE of Mean				11.71
366								95% KM (t) UCL				120.2
367	Assuming Gamma Distribution							95% KM (z) UCL				119.7
368	Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL				118.5
369	Minimum					27		95% KM (bootstrap t) UCL				119.5
370	Maximum					270		95% KM (BCA) UCL				129.6
371	Mean					113.5		95% KM (Percentile Bootstrap) UCL				122.5

	A	B	C	D	E	F	G	H	I	J	K	L
372					Median	98				95% KM (Chebyshev) UCL		151.4
373					SD	58.51				97.5% KM (Chebyshev) UCL		173.5
374					k star	3.772				99% KM (Chebyshev) UCL		216.9
375					Theta star	30.09						
376					Nu star	256.5			Potential UCLs to Use			
377					AppChi2	220.4				95% KM (t) UCL		120.2
378			95% Gamma Approximate UCL			132.1			95% KM (Percentile Bootstrap) UCL			122.5
379			95% Adjusted Gamma UCL			133.1						
380	Note: DL/2 is not a recommended method.											
381												
382												
383	Dibenzo(a,h)anthracene											
384												
385					General Statistics							
386			Number of Valid Observations			34			Number of Distinct Observations			29
387												
388			Raw Statistics						Log-transformed Statistics			
389					Minimum	2			Minimum of Log Data			0.693
390					Maximum	60			Maximum of Log Data			4.094
391					Mean	12.83			Mean of log Data			2.083
392					Median	5.8			SD of log Data			0.945
393					SD	14.32						
394				Coefficient of Variation		1.116						
395					Skewness	2.054						
396												
397					Relevant UCL Statistics							
398			Normal Distribution Test						Lognormal Distribution Test			
399			Shapiro Wilk Test Statistic			0.717			Shapiro Wilk Test Statistic			0.926
400			Shapiro Wilk Critical Value			0.933			Shapiro Wilk Critical Value			0.933
401		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
402												
403		Assuming Normal Distribution						Assuming Lognormal Distribution				
404				95% Student's-t UCL		16.99				95% H-UCL		18.45
405		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			22.29
406				95% Adjusted-CLT UCL		17.79			97.5% Chebyshev (MVUE) UCL			26.6
407				95% Modified-t UCL		17.13			99% Chebyshev (MVUE) UCL			35.06
408												
409			Gamma Distribution Test						Data Distribution			
410				k star (bias corrected)		1.12		Data do not follow a Discernable Distribution (0.05)				
411					Theta Star	11.46						
412					nu star	76.13						
413			Approximate Chi Square Value (.05)			57.03			Nonparametric Statistics			
414			Adjusted Level of Significance			0.0422				95% CLT UCL		16.87
415				Adjusted Chi Square Value		56.22				95% Jackknife UCL		16.99
416										95% Standard Bootstrap UCL		16.77
417			Anderson-Darling Test Statistic			1.571				95% Bootstrap-t UCL		18.65
418			Anderson-Darling 5% Critical Value			0.772				95% Hall's Bootstrap UCL		18.97
419			Kolmogorov-Smirnov Test Statistic			0.221			95% Percentile Bootstrap UCL			17.22
420			Kolmogorov-Smirnov 5% Critical Value			0.155				95% BCA Bootstrap UCL		18.01
421		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			23.53
422									97.5% Chebyshev(Mean, Sd) UCL			28.16
423		Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL			37.26
424				95% Approximate Gamma UCL		17.13						

	A	B	C	D	E	F	G	H	I	J	K	L
425				95% Adjusted Gamma UCL		17.38						
426												
427			Potential UCL to Use						Use 95% Chebyshev (Mean, Sd) UCL			23.53
428												
429												
430	Dieldrin											
431												
432					General Statistics							
433			Number of Valid Data			32			Number of Detected Data			16
434		Number of Distinct Detected Data				16			Number of Non-Detect Data			16
435			Number of Missing Values			2			Percent Non-Detects			50.00%
436												
437			Raw Statistics						Log-transformed Statistics			
438			Minimum Detected			0.0348			Minimum Detected			-3.358
439			Maximum Detected			9.28			Maximum Detected			2.228
440			Mean of Detected			1.002			Mean of Detected			-0.937
441			SD of Detected			2.236			SD of Detected			1.245
442			Minimum Non-Detect			0.037			Minimum Non-Detect			-3.297
443			Maximum Non-Detect			1.1			Maximum Non-Detect			0.0953
444												
445	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			30
446	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
447	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			93.75%
448												
449					UCL Statistics							
450		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
451			Shapiro Wilk Test Statistic			0.407			Shapiro Wilk Test Statistic			0.948
452			5% Shapiro Wilk Critical Value			0.887			5% Shapiro Wilk Critical Value			0.887
453		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
454												
455			Assuming Normal Distribution						Assuming Lognormal Distribution			
456			DL/2 Substitution Method						DL/2 Substitution Method			
457			Mean			0.595			Mean			-1.712
458			SD			1.618			SD			1.478
459			95% DL/2 (t) UCL			1.08			95% H-Stat (DL/2) UCL			0.886
460												
461			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
462		MLE method failed to converge properly							Mean in Log Scale			-1.949
463									SD in Log Scale			1.439
464									Mean in Original Scale			0.539
465									SD in Original Scale			1.627
466									95% Percentile Bootstrap UCL			1.098
467									95% BCA Bootstrap UCL			1.427
468												
469		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
470			k star (bias corrected)			0.57		Data appear Lognormal at 5% Significance Level				
471			Theta Star			1.759						
472			nu star			18.23						
473												
474			A-D Test Statistic			1.361		Nonparametric Statistics				
475			5% A-D Critical Value			0.783			Kaplan-Meier (KM) Method			
476			K-S Test Statistic			0.783			Mean			0.549
477			5% K-S Critical Value			0.225			SD			1.601

	A	B	C	D	E	F	G	H	I	J	K	L
478	Data not Gamma Distributed at 5% Significance Level										SE of Mean	0.293
479											95% KM (t) UCL	1.045
480	Assuming Gamma Distribution										95% KM (z) UCL	1.031
481	Gamma ROS Statistics using Extrapolated Data										95% KM (jackknife) UCL	1.018
482					Minimum	1E-09					95% KM (bootstrap t) UCL	2.595
483					Maximum	9.28					95% KM (BCA) UCL	1.248
484					Mean	1.02			95% KM (Percentile Bootstrap) UCL			1.127
485					Median	0.302					95% KM (Chebyshev) UCL	1.826
486					SD	2.028					97.5% KM (Chebyshev) UCL	2.379
487					k star	0.394					99% KM (Chebyshev) UCL	3.464
488					Theta star	2.591						
489					Nu star	25.2		Potential UCLs to Use				
490					AppChi2	14.77					95% KM (BCA) UCL	1.248
491				95% Gamma Approximate UCL		1.742						
492				95% Adjusted Gamma UCL		1.794						
493	Note: DL/2 is not a recommended method.											
494												
495												
496	Indeno(1,2,3-cd)pyrene											
497												
498	General Statistics											
499		Number of Valid Observations				34			Number of Distinct Observations			29
500												
501	Raw Statistics							Log-transformed Statistics				
502					Minimum	11				Minimum of Log Data		2.398
503					Maximum	400				Maximum of Log Data		5.991
504					Mean	75.24				Mean of log Data		3.881
505					Median	38.5				SD of log Data		0.914
506					SD	83.52						
507				Coefficient of Variation		1.11						
508					Skewness	2.329						
509												
510	Relevant UCL Statistics											
511	Normal Distribution Test							Lognormal Distribution Test				
512			Shapiro Wilk Test Statistic			0.715				Shapiro Wilk Test Statistic		0.95
513			Shapiro Wilk Critical Value			0.933				Shapiro Wilk Critical Value		0.933
514	Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level				
515												
516	Assuming Normal Distribution							Assuming Lognormal Distribution				
517				95% Student's-t UCL		99.48					95% H-UCL	106.1
518	95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL			128.4
519				95% Adjusted-CLT UCL		104.9			97.5% Chebyshev (MVUE) UCL			152.7
520				95% Modified-t UCL		100.4			99% Chebyshev (MVUE) UCL			200.3
521												
522	Gamma Distribution Test							Data Distribution				
523				k star (bias corrected)		1.184		Data appear Lognormal at 5% Significance Level				
524					Theta Star	63.52						
525					nu star	80.55						
526			Approximate Chi Square Value (.05)			60.87		Nonparametric Statistics				
527			Adjusted Level of Significance			0.0422				95% CLT UCL		98.79
528			Adjusted Chi Square Value			60.02				95% Jackknife UCL		99.48
529										95% Standard Bootstrap UCL		97.68
530			Anderson-Darling Test Statistic			1.279				95% Bootstrap-t UCL		109.5

	A	B	C	D	E	F	G	H	I	J	K	L
531			Anderson-Darling 5% Critical Value			0.77				95% Hall's Bootstrap UCL		114.6
532			Kolmogorov-Smirnov Test Statistic			0.19				95% Percentile Bootstrap UCL		100.9
533			Kolmogorov-Smirnov 5% Critical Value			0.154				95% BCA Bootstrap UCL		106.7
534			**Data not Gamma Distributed at 5% Significance Level**							95% Chebyshev(Mean, Sd) UCL		137.7
535										97.5% Chebyshev(Mean, Sd) UCL		164.7
536			**Assuming Gamma Distribution**							99% Chebyshev(Mean, Sd) UCL		217.7
537			95% Approximate Gamma UCL			99.56						
538			95% Adjusted Gamma UCL			101						
539												
540			**Potential UCL to Use**							Use 95% H-UCL		106.1
541												
542												
543	Lead											
544												
545					**General Statistics**							
546			Number of Valid Observations			34				Number of Distinct Observations		27
547												
548			**Raw Statistics**							**Log-transformed Statistics**		
549			Minimum			10				Minimum of Log Data		2.303
550			Maximum			110				Maximum of Log Data		4.7
551			Mean			25.89				Mean of log Data		3.016
552			Median			16.2				SD of log Data		0.627
553			SD			22.9						
554			Coefficient of Variation			0.884						
555			Skewness			2.345						
556												
557					**Relevant UCL Statistics**							
558			**Normal Distribution Test**							**Lognormal Distribution Test**		
559			Shapiro Wilk Test Statistic			0.656				Shapiro Wilk Test Statistic		0.816
560			Shapiro Wilk Critical Value			0.933				Shapiro Wilk Critical Value		0.933
561			**Data not Normal at 5% Significance Level**							**Data not Lognormal at 5% Significance Level**		
562												
563			**Assuming Normal Distribution**							**Assuming Lognormal Distribution**		
564			95% Student's-t UCL			32.54				95% H-UCL		30.98
565			**95% UCLs (Adjusted for Skewness)**							95% Chebyshev (MVUE) UCL		37.06
566			95% Adjusted-CLT UCL			34.04				97.5% Chebyshev (MVUE) UCL		42.41
567			95% Modified-t UCL			32.8				99% Chebyshev (MVUE) UCL		52.93
568												
569			**Gamma Distribution Test**							**Data Distribution**		
570			k star (bias corrected)			2.078				**Data do not follow a Discernable Distribution (0.05)**		
571			Theta Star			12.46						
572			nu star			141.3						
573			Approximate Chi Square Value (.05)			114.8				**Nonparametric Statistics**		
574			Adjusted Level of Significance			0.0422				95% CLT UCL		32.35
575			Adjusted Chi Square Value			113.6				95% Jackknife UCL		32.54
576										95% Standard Bootstrap UCL		32.42
577			Anderson-Darling Test Statistic			3.257				95% Bootstrap-t UCL		35.47
578			Anderson-Darling 5% Critical Value			0.758				95% Hall's Bootstrap UCL		35.72
579			Kolmogorov-Smirnov Test Statistic			0.285				95% Percentile Bootstrap UCL		32.81
580			Kolmogorov-Smirnov 5% Critical Value			0.153				95% BCA Bootstrap UCL		33.81
581			**Data not Gamma Distributed at 5% Significance Level**							95% Chebyshev(Mean, Sd) UCL		43.01
582										97.5% Chebyshev(Mean, Sd) UCL		50.41
583			**Assuming Gamma Distribution**							99% Chebyshev(Mean, Sd) UCL		64.96

	A	B	C	D	E	F	G	H	I	J	K	L
584			95% Approximate Gamma UCL			31.86						
585			95% Adjusted Gamma UCL			32.19						
586												
587			**Potential UCL to Use**						Use 95% Chebyshev (Mean, Sd) UCL			43.01
588												
589												
590	**Mercury**											
591												
592						**General Statistics**						
593			Number of Valid Data			34			Number of Detected Data			32
594			Number of Distinct Detected Data			26			Number of Non-Detect Data			2
595									Percent Non-Detects			5.88%
596												
597			**Raw Statistics**						**Log-transformed Statistics**			
598			Minimum Detected			0.02			Minimum Detected			-3.912
599			Maximum Detected			0.152			Maximum Detected			-1.884
600			Mean of Detected			0.0852			Mean of Detected			-2.511
601			SD of Detected			0.0245			SD of Detected			0.343
602			Minimum Non-Detect			0.045			Minimum Non-Detect			-3.101
603			Maximum Non-Detect			0.09			Maximum Non-Detect			-2.408
604												
605	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			22
606	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			12
607	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			64.71%
608												
609						**UCL Statistics**						
610			**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**			
611			Shapiro Wilk Test Statistic			0.954			Shapiro Wilk Test Statistic			0.838
612			5% Shapiro Wilk Critical Value			0.93			5% Shapiro Wilk Critical Value			0.93
613			**Data appear Normal at 5% Significance Level**						**Data not Lognormal at 5% Significance Level**			
614												
615			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
616			DL/2 Substitution Method						DL/2 Substitution Method			
617			Mean			0.0821			Mean			-2.566
618			SD			0.0268			SD			0.409
619			95% DL/2 (t) UCL			0.0899			95% H-Stat (DL/2) UCL			0.0931
620												
621			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
622			Mean			0.0779			Mean in Log Scale			-2.536
623			SD			0.0301			SD in Log Scale			0.352
624			95% MLE (t) UCL			0.0866			Mean in Original Scale			0.0834
625			95% MLE (Tiku) UCL			0.0914			SD in Original Scale			0.025
626									95% Percentile Bootstrap UCL			0.09
627									95% BCA Bootstrap UCL			0.0905
628												
629			**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**			
630			k star (bias corrected)			9.624			**Data appear Normal at 5% Significance Level**			
631			Theta Star			0.00885						
632			nu star			615.9						
633												
634			A-D Test Statistic			0.781			**Nonparametric Statistics**			
635			5% A-D Critical Value			0.747			Kaplan-Meier (KM) Method			
636			K-S Test Statistic			0.747			Mean			0.0828

	A	B	C	D	E	F	G	H	I	J	K	L
637					5% K-S Critical Value	0.155					SD	0.0261
638		Data follow Appr. Gamma Distribution at 5% Significance Level									SE of Mean	0.00458
639											95% KM (t) UCL	0.0905
640				Assuming Gamma Distribution							95% KM (z) UCL	0.0903
641			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	0.0904
642					Minimum	0.02					95% KM (bootstrap t) UCL	0.0905
643					Maximum	0.152					95% KM (BCA) UCL	0.0913
644					Mean	0.0835			95% KM (Percentile Bootstrap) UCL			0.0912
645					Median	0.08					95% KM (Chebyshev) UCL	0.103
646					SD	0.0254					97.5% KM (Chebyshev) UCL	0.111
647					k star	8.441					99% KM (Chebyshev) UCL	0.128
648					Theta star	0.00989						
649					Nu star	574			Potential UCLs to Use			
650					AppChi2	519.4					95% KM (t) UCL	0.0905
651			95% Gamma Approximate UCL			0.0922			95% KM (Percentile Bootstrap) UCL			0.0912
652			95% Adjusted Gamma UCL			0.0927						
653	Note: DL/2 is not a recommended method.											
654												
655												
656	Naphthalene											
657												
658					General Statistics							
659				Number of Valid Data		34			Number of Detected Data			24
660			Number of Distinct Detected Data			17			Number of Non-Detect Data			10
661									Percent Non-Detects			29.41%
662												
663			Raw Statistics						Log-transformed Statistics			
664				Minimum Detected		6.4			Minimum Detected			1.856
665				Maximum Detected		87			Maximum Detected			4.466
666				Mean of Detected		18.11			Mean of Detected			2.709
667				SD of Detected		16.25			SD of Detected			0.54
668				Minimum Non-Detect		0.62			Minimum Non-Detect			-0.478
669				Maximum Non-Detect		58			Maximum Non-Detect			4.06
670												
671	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			33
672	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
673	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			97.06%
674												
675					UCL Statistics							
676			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
677				Shapiro Wilk Test Statistic		0.546			Shapiro Wilk Test Statistic			0.867
678				5% Shapiro Wilk Critical Value		0.916			5% Shapiro Wilk Critical Value			0.916
679			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
680												
681			Assuming Normal Distribution						Assuming Lognormal Distribution			
682				DL/2 Substitution Method					DL/2 Substitution Method			
683					Mean	14.47				Mean		2.268
684					SD	15.34				SD		1.004
685			95% DL/2 (t) UCL			18.93			95% H-Stat (DL/2) UCL			20.21
686												
687			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
688			MLE method failed to converge properly						Mean in Log Scale			2.395
689									SD in Log Scale			0.683

	A	B	C	D	E	F	G	H	I	J	K	L
690										Mean in Original Scale		14.36
691										SD in Original Scale		14.83
692										95% Percentile Bootstrap UCL		18.97
693										95% BCA Bootstrap UCL		20.91
694												
695		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
696			k star (bias corrected)			2.5		Data do not follow a Discernable Distribution (0.05)				
697				Theta Star		7.243						
698				nu star		120						
699												
700				A-D Test Statistic		1.837		Nonparametric Statistics				
701				5% A-D Critical Value		0.752		Kaplan-Meier (KM) Method				
702				K-S Test Statistic		0.752				Mean		14.86
703				5% K-S Critical Value		0.179				SD		14.37
704		Data not Gamma Distributed at 5% Significance Level								SE of Mean		2.527
705										95% KM (t) UCL		19.13
706		Assuming Gamma Distribution								95% KM (z) UCL		19.01
707		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		18.71
708				Minimum		4.19				95% KM (bootstrap t) UCL		23.81
709				Maximum		87				95% KM (BCA) UCL		20.97
710				Mean		15.39			95% KM (Percentile Bootstrap) UCL			19.89
711				Median		12				95% KM (Chebyshev) UCL		25.87
712				SD		14.55				97.5% KM (Chebyshev) UCL		30.64
713				k star		2.251				99% KM (Chebyshev) UCL		40
714				Theta star		6.835						
715				Nu star		153.1		Potential UCLs to Use				
716				AppChi2		125.5				95% KM (BCA) UCL		20.97
717		95% Gamma Approximate UCL				18.77						
718		95% Adjusted Gamma UCL				18.96						
719	Note: DL/2 is not a recommended method.											
720												
721												
722	Total Aroclors											
723												
724					General Statistics							
725			Number of Valid Data			34				Number of Detected Data		33
726		Number of Distinct Detected Data				33				Number of Non-Detect Data		1
727										Percent Non-Detects		2.94%
728												
729			Raw Statistics						Log-transformed Statistics			
730				Minimum Detected		17.8				Minimum Detected		2.879
731				Maximum Detected		1947				Maximum Detected		7.574
732				Mean of Detected		445.3				Mean of Detected		4.806
733				SD of Detected		647.6				SD of Detected		1.706
734				Minimum Non-Detect		6.4				Minimum Non-Detect		1.856
735				Maximum Non-Detect		6.4				Maximum Non-Detect		1.856
736												
737												
738					UCL Statistics							
739		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
740			Shapiro Wilk Test Statistic			0.685			Shapiro Wilk Test Statistic			0.844
741			5% Shapiro Wilk Critical Value			0.931			5% Shapiro Wilk Critical Value			0.931
742		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
743												
744		Assuming Normal Distribution						Assuming Lognormal Distribution				
745		DL/2 Substitution Method						DL/2 Substitution Method				
746					Mean	432.3					Mean	4.699
747					SD	642.2					SD	1.792
748				95% DL/2 (t) UCL		618.7			95% H-Stat (DL/2) UCL			1400
749												
750		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
751					Mean	420.9				Mean in Log Scale		4.685
752					SD	646.1				SD in Log Scale		1.824
753				95% MLE (t) UCL		608.4			Mean in Original Scale			432.2
754				95% MLE (Tiku) UCL		592.8			SD in Original Scale			642.3
755									95% Percentile Bootstrap UCL			621.4
756									95% BCA Bootstrap UCL			646.8
757												
758		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
759				k star (bias corrected)		0.468		Data do not follow a Discernable Distribution (0.05)				
760					Theta Star	951.3						
761					nu star	30.89						
762												
763				A-D Test Statistic		2.387		Nonparametric Statistics				
764				5% A-D Critical Value		0.813			Kaplan-Meier (KM) Method			
765				K-S Test Statistic		0.813					Mean	432.7
766				5% K-S Critical Value		0.162					SD	632.4
767		Data not Gamma Distributed at 5% Significance Level									SE of Mean	110.1
768										95% KM (t) UCL		619.1
769		Assuming Gamma Distribution							95% KM (z) UCL			613.9
770		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			619
771					Minimum	1E-09			95% KM (bootstrap t) UCL			680.1
772					Maximum	1947			95% KM (BCA) UCL			622.3
773					Mean	432.2		95% KM (Percentile Bootstrap) UCL				628.5
774					Median	63.1			95% KM (Chebyshev) UCL			912.8
775					SD	642.3			97.5% KM (Chebyshev) UCL			1121
776					k star	0.326			99% KM (Chebyshev) UCL			1529
777					Theta star	1325						
778					Nu star	22.18		Potential UCLs to Use				
779					AppChi2	12.47			99% KM (Chebyshev) UCL			1529
780			95% Gamma Approximate UCL			768.5						
781			95% Adjusted Gamma UCL			791.4						
782	Note: DL/2 is not a recommended method.											
783												
784												
785	Total DDT											
786												
787					General Statistics							
788			Number of Valid Data			33			Number of Detected Data			30
789		Number of Distinct Detected Data				30			Number of Non-Detect Data			3
790			Number of Missing Values			1			Percent Non-Detects			9.09%
791												
792		Raw Statistics						Log-transformed Statistics				
793			Minimum Detected			0.19			Minimum Detected			-1.659
794			Maximum Detected			8.33			Maximum Detected			2.12
795			Mean of Detected			2.786			Mean of Detected			0.661

	A	B	C	D	E	F	G	H	I	J	K	L
796					SD of Detected	2.097					SD of Detected	1.003
797					Minimum Non-Detect	0.0903					Minimum Non-Detect	-2.405
798					Maximum Non-Detect	3					Maximum Non-Detect	1.099
799												
800	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		23
801	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		10
802	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		69.70%
803												
804							UCL Statistics					
805		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
806				Shapiro Wilk Test Statistic		0.9					Shapiro Wilk Test Statistic	0.903
807				5% Shapiro Wilk Critical Value		0.927					5% Shapiro Wilk Critical Value	0.927
808		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
809												
810		Assuming Normal Distribution						Assuming Lognormal Distribution				
811				DL/2 Substitution Method							DL/2 Substitution Method	
812					Mean	2.592					Mean	0.492
813					SD	2.1					SD	1.185
814				95% DL/2 (t) UCL		3.211				95% H-Stat (DL/2) UCL		4.828
815												
816			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
817					Mean	1.293					Mean in Log Scale	0.524
818					SD	3.328					SD in Log Scale	1.076
819				95% MLE (t) UCL		2.274					Mean in Original Scale	2.584
820				95% MLE (Tiku) UCL		2.984					SD in Original Scale	2.103
821											95% Percentile Bootstrap UCL	3.211
822											95% BCA Bootstrap UCL	3.234
823												
824		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
825				k star (bias corrected)		1.391		Data appear Gamma Distributed at 5% Significance Level				
826					Theta Star	2.003						
827					nu star	83.45						
828												
829				A-D Test Statistic		0.441		Nonparametric Statistics				
830				5% A-D Critical Value		0.763				Kaplan-Meier (KM) Method		
831				K-S Test Statistic		0.763					Mean	2.591
832				5% K-S Critical Value		0.163					SD	2.074
833		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.368
834											95% KM (t) UCL	3.215
835		Assuming Gamma Distribution									95% KM (z) UCL	3.197
836		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	3.215
837					Minimum	1E-09					95% KM (bootstrap t) UCL	3.308
838					Maximum	8.33					95% KM (BCA) UCL	3.212
839					Mean	2.6				95% KM (Percentile Bootstrap) UCL		3.223
840					Median	2.21					95% KM (Chebyshev) UCL	4.198
841					SD	2.107					97.5% KM (Chebyshev) UCL	4.893
842					k star	0.555					99% KM (Chebyshev) UCL	6.258
843					Theta star	4.684						
844					Nu star	36.64		Potential UCLs to Use				
845					AppChi2	23.78					95% KM (Chebyshev) UCL	4.198
846				95% Gamma Approximate UCL		4.006						
847				95% Adjusted Gamma UCL		4.098						
848	Note: DL/2 is not a recommended method.											

	A	B	C	D	E	F	G	H	I	J	K	L
849												
850												
851	Total Dioxin/Furan TEQ											
852												
853					General Statistics							
854				Number of Valid Data		8			Number of Detected Data			8
855				Number of Distinct Detected Data		8			Number of Non-Detect Data			0
856				Number of Missing Values		22			Percent Non-Detects			0.00%
857												
858				Raw Statistics					Log-transformed Statistics			
859				Minimum Detected		0.07			Minimum Detected			-2.659
860				Maximum Detected		5.569			Maximum Detected			1.717
861				Mean of Detected		1.223			Mean of Detected			-0.608
862				SD of Detected		1.812			SD of Detected			1.414
863				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
864				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
865												
866												
867					Warning: There are only 8 Detected Values in this data							
868				Note: It should be noted that even though bootstrap may be performed on this data set								
869					the resulting calculations may not be reliable enough tp draw conclusions							
870												
871				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
872												
873												
874					UCL Statistics							
875		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
876				Shapiro Wilk Test Statistic		0.64			Shapiro Wilk Test Statistic			0.954
877				5% Shapiro Wilk Critical Value		0.818			5% Shapiro Wilk Critical Value			0.818
878		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
879												
880		Assuming Normal Distribution						Assuming Lognormal Distribution				
881				DL/2 Substitution Method					DL/2 Substitution Method			
882				Mean		1.223			Mean			-0.608
883				SD		1.812			SD			1.414
884				95% DL/2 (t) UCL		2.437			95% H-Stat (DL/2) UCL			16.44
885												
886				Maximum Likelihood Estimate(MLE) Method		N/A			Log ROS Method			
887		MLE method failed to converge properly							Mean in Log Scale			N/A
888									SD in Log Scale			N/A
889									Mean in Original Scale			N/A
890									SD in Original Scale			N/A
891									95% Percentile Bootstrap UCL			N/A
892									95% BCA Bootstrap UCL			N/A
893												
894		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
895				k star (bias corrected)		0.546		Data appear Gamma Distributed at 5% Significance Level				
896				Theta Star		2.24						
897				nu star		8.739						
898												
899				A-D Test Statistic		0.396			Nonparametric Statistics			
900				5% A-D Critical Value		0.746			Kaplan-Meier (KM) Method			
901				K-S Test Statistic		0.746			Mean			1.223

	A	B	C	D	E	F	G	H	I	J	K	L
902					5% K-S Critical Value	0.304					SD	1.695
903		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.64
904											95% KM (t) UCL	2.437
905			Assuming Gamma Distribution								95% KM (z) UCL	2.277
906		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	2.437
907					Minimum	0.07					95% KM (bootstrap t) UCL	4.77
908					Maximum	5.569					95% KM (BCA) UCL	2.465
909					Mean	1.223				95% KM (Percentile Bootstrap) UCL		2.407
910					Median	0.687					95% KM (Chebyshev) UCL	4.015
911					SD	1.812					97.5% KM (Chebyshev) UCL	5.223
912					k star	0.546					99% KM (Chebyshev) UCL	7.596
913					Theta star	2.24						
914					Nu star	8.739			Potential UCLs to Use			
915					AppChi2	3.17					95% KM (Chebyshev) UCL	4.015
916			95% Gamma Approximate UCL			3.373						
917			95% Adjusted Gamma UCL			4.485						
918	Note: DL/2 is not a recommended method.											
919												
920												
921	Total Dioxin-like PCBs											
922												
923					General Statistics							
924			Number of Valid Data			17			Number of Detected Data			17
925		Number of Distinct Detected Data				17			Number of Non-Detect Data			0
926			Number of Missing Values			13			Percent Non-Detects			0.00%
927												
928			Raw Statistics						Log-transformed Statistics			
929			Minimum Detected			668.2			Minimum Detected			6.505
930			Maximum Detected			361776			Maximum Detected			12.8
931			Mean of Detected			39785			Mean of Detected			8.546
932			SD of Detected			90207			SD of Detected			2.09
933			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
934			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
935												
936												
937					UCL Statistics							
938		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
939			Shapiro Wilk Test Statistic			0.502			Shapiro Wilk Test Statistic			0.853
940			5% Shapiro Wilk Critical Value			0.892			5% Shapiro Wilk Critical Value			0.892
941		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
942												
943		Assuming Normal Distribution						Assuming Lognormal Distribution				
944			DL/2 Substitution Method						DL/2 Substitution Method			
945					Mean	39785					Mean	8.546
946					SD	90207					SD	2.09
947			95% DL/2 (t) UCL			77982			95% H-Stat (DL/2) UCL			492876
948												
949		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
950		MLE method failed to converge properly							Mean in Log Scale			N/A
951									SD in Log Scale			N/A
952									Mean in Original Scale			N/A
953									SD in Original Scale			N/A
954									95% Percentile Bootstrap UCL			N/A

	A	B	C	D	E	F	G	H	I	J	K	L
955										95% BCA Bootstrap UCL		N/A
956												
957	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
958	k star (bias corrected)					0.312	Data do not follow a Discernable Distribution (0.05)					
959	Theta Star					127357						
960	nu star					10.62						
961												
962	A-D Test Statistic					1.562	Nonparametric Statistics					
963	5% A-D Critical Value					0.835	Kaplan-Meier (KM) Method					
964	K-S Test Statistic					0.835	Mean					39785
965	5% K-S Critical Value					0.226	SD					87514
966	Data not Gamma Distributed at 5% Significance Level						SE of Mean					21879
967							95% KM (t) UCL					77982
968	Assuming Gamma Distribution						95% KM (z) UCL					75772
969	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					77982
970	Minimum					668.2	95% KM (bootstrap t) UCL					176830
971	Maximum					361776	95% KM (BCA) UCL					79168
972	Mean					39785	95% KM (Percentile Bootstrap) UCL					78753
973	Median					2607	95% KM (Chebyshev) UCL					135151
974	SD					90207	97.5% KM (Chebyshev) UCL					176416
975	k star					0.312	99% KM (Chebyshev) UCL					257473
976	Theta star					127357						
977	Nu star					10.62	Potential UCLs to Use					
978	AppChi2					4.334	99% KM (Chebyshev) UCL					257473
979	95% Gamma Approximate UCL					97508						
980	95% Adjusted Gamma UCL					107777						
981	Note: DL/2 is not a recommended method.											
982												
983												
984	Total PCB TEQ											
985												
986	General Statistics											
987	Number of Valid Data					17	Number of Detected Data					17
988	Number of Distinct Detected Data					17	Number of Non-Detect Data					0
989	Number of Missing Values					13	Percent Non-Detects					0.00%
990												
991	Raw Statistics						Log-transformed Statistics					
992	Minimum Detected					0.266	Minimum Detected					-1.326
993	Maximum Detected					117.8	Maximum Detected					4.769
994	Mean of Detected					13.42	Mean of Detected					0.771
995	SD of Detected					29.58	SD of Detected					1.917
996	Minimum Non-Detect					N/A	Minimum Non-Detect					N/A
997	Maximum Non-Detect					N/A	Maximum Non-Detect					N/A
998												
999												
1000	UCL Statistics											
1001	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
1002	Shapiro Wilk Test Statistic					0.514	Shapiro Wilk Test Statistic					0.865
1003	5% Shapiro Wilk Critical Value					0.892	5% Shapiro Wilk Critical Value					0.892
1004	Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level					
1005												
1006	Assuming Normal Distribution						Assuming Lognormal Distribution					
1007	DL/2 Substitution Method						DL/2 Substitution Method					

	A	B	C	D	E	F	G	H	I	J	K	L
1008					Mean	13.42					Mean	0.771
1009					SD	29.58					SD	1.917
1010					95% DL/2 (t) UCL	25.94					95% H-Stat (DL/2) UCL	103.4
1011												
1012			Maximum Likelihood Estimate(MLE) Method			N/A					Log ROS Method	
1013		MLE method failed to converge properly									Mean in Log Scale	N/A
1014											SD in Log Scale	N/A
1015											Mean in Original Scale	N/A
1016											SD in Original Scale	N/A
1017											95% Percentile Bootstrap UCL	N/A
1018											95% BCA Bootstrap UCL	N/A
1019												
1020		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1021				k star (bias corrected)		0.34		Data do not follow a Discernable Distribution (0.05)				
1022					Theta Star	39.41						
1023					nu star	11.58						
1024												
1025					A-D Test Statistic	1.604		Nonparametric Statistics				
1026				5% A-D Critical Value		0.827			Kaplan-Meier (KM) Method			
1027					K-S Test Statistic	0.827					Mean	13.42
1028				5% K-S Critical Value		0.225					SD	28.69
1029		Data not Gamma Distributed at 5% Significance Level									SE of Mean	7.173
1030											95% KM (t) UCL	25.94
1031		Assuming Gamma Distribution									95% KM (z) UCL	25.22
1032		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		25.94
1033					Minimum	0.266				95% KM (bootstrap t) UCL		58.44
1034					Maximum	117.8					95% KM (BCA) UCL	26.46
1035					Mean	13.42			95% KM (Percentile Bootstrap) UCL			26.12
1036					Median	1.086				95% KM (Chebyshev) UCL		44.68
1037					SD	29.58				97.5% KM (Chebyshev) UCL		58.21
1038					k star	0.34				99% KM (Chebyshev) UCL		84.79
1039					Theta star	39.41						
1040					Nu star	11.58		Potential UCLs to Use				
1041					AppChi2	4.949				99% KM (Chebyshev) UCL		84.79
1042			95% Gamma Approximate UCL			31.38						
1043			95% Adjusted Gamma UCL			34.5						
1044	Note: DL/2 is not a recommended method.											
1045												
1046												
1047	Total PCB_Congeners											
1048												
1049					General Statistics							
1050			Number of Valid Data			17				Number of Detected Data		17
1051		Number of Distinct Detected Data				17				Number of Non-Detect Data		0
1052			Number of Missing Values			13					Percent Non-Detects	0.00%
1053												
1054		Raw Statistics						Log-transformed Statistics				
1055				Minimum Detected		11783					Minimum Detected	9.374
1056				Maximum Detected		9783357					Maximum Detected	16.1
1057				Mean of Detected		855138					Mean of Detected	11.34
1058				SD of Detected		2360714					SD of Detected	2.131
1059				Minimum Non-Detect		N/A					Minimum Non-Detect	N/A
1060				Maximum Non-Detect		N/A					Maximum Non-Detect	N/A

	A	B	C	D	E	F	G	H	I	J	K	L
1061												
1062												
1063					UCL Statistics							
1064		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1065			Shapiro Wilk Test Statistic			0.403			Shapiro Wilk Test Statistic			0.843
1066			5% Shapiro Wilk Critical Value			0.892			5% Shapiro Wilk Critical Value			0.892
1067		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
1068												
1069		Assuming Normal Distribution						Assuming Lognormal Distribution				
1070			DL/2 Substitution Method						DL/2 Substitution Method			
1071					Mean	855138					Mean	11.34
1072					SD	2360714					SD	2.131
1073				95% DL/2 (t) UCL		1854756			95% H-Stat (DL/2) UCL			9594241
1074												
1075			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1076		MLE method failed to converge properly							Mean in Log Scale			N/A
1077									SD in Log Scale			N/A
1078									Mean in Original Scale			N/A
1079									SD in Original Scale			N/A
1080									95% Percentile Bootstrap UCL			N/A
1081									95% BCA Bootstrap UCL			N/A
1082												
1083		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1084				k star (bias corrected)		0.284		Data do not follow a Discernable Distribution (0.05)				
1085					Theta Star	3006095						
1086					nu star	9.672						
1087												
1088					A-D Test Statistic	1.821			Nonparametric Statistics			
1089					5% A-D Critical Value	0.843			Kaplan-Meier (KM) Method			
1090					K-S Test Statistic	0.843					Mean	855138
1091					5% K-S Critical Value	0.227					SD	2290229
1092		Data not Gamma Distributed at 5% Significance Level									SE of Mean	572557
1093											95% KM (t) UCL	1854756
1094		Assuming Gamma Distribution									95% KM (z) UCL	1796911
1095		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		1854756
1096					Minimum	11783				95% KM (bootstrap t) UCL		6834068
1097					Maximum	9783357				95% KM (BCA) UCL		1987727
1098					Mean	855138			95% KM (Percentile Bootstrap) UCL			1932552
1099					Median	42818				95% KM (Chebyshev) UCL		3350857
1100					SD	2360714				97.5% KM (Chebyshev) UCL		4430757
1101					k star	0.284				99% KM (Chebyshev) UCL		6552011
1102					Theta star	3006095						
1103					Nu star	9.672			Potential UCLs to Use			
1104					AppChi2	3.738				99% KM (Chebyshev) UCL		6552011
1105				95% Gamma Approximate UCL		2212775						
1106				95% Adjusted Gamma UCL		2461714						
1107	Note: DL/2 is not a recommended method.											
1108												
1109												
1110	Total PCBs, Adjusted											
1111												
1112					General Statistics							
1113				Number of Valid Data		17				Number of Detected Data		17

	A	B	C	D	E	F	G	H	I	J	K	L
1114				Number of Distinct Detected Data		17			Number of Non-Detect Data			0
1115				Number of Missing Values		13			Percent Non-Detects			0.00%
1116												
1117				Raw Statistics					Log-transformed Statistics			
1118				Minimum Detected		11115			Minimum Detected			9.316
1119				Maximum Detected		9421581			Maximum Detected			16.06
1120				Mean of Detected		815353			Mean of Detected			11.28
1121				SD of Detected		2271994			SD of Detected			2.133
1122				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
1123				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
1124												
1125												
1126						UCL Statistics						
1127			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1128				Shapiro Wilk Test Statistic		0.399			Shapiro Wilk Test Statistic			0.842
1129				5% Shapiro Wilk Critical Value		0.892			5% Shapiro Wilk Critical Value			0.892
1130			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
1131												
1132			Assuming Normal Distribution						Assuming Lognormal Distribution			
1133				DL/2 Substitution Method					DL/2 Substitution Method			
1134				Mean		815353			Mean			11.28
1135				SD		2271994			SD			2.133
1136				95% DL/2 (t) UCL		1777404			95% H-Stat (DL/2) UCL			9076100
1137												
1138				Maximum Likelihood Estimate(MLE) Method		N/A			Log ROS Method			
1139			MLE method failed to converge properly						Mean in Log Scale			N/A
1140									SD in Log Scale			N/A
1141									Mean in Original Scale			N/A
1142									SD in Original Scale			N/A
1143									95% Percentile Bootstrap UCL			N/A
1144									95% BCA Bootstrap UCL			N/A
1145												
1146			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1147				k star (bias corrected)		0.283			Data do not follow a Discernable Distribution (0.05)			
1148				Theta Star		2881021						
1149				nu star		9.622						
1150												
1151				A-D Test Statistic		1.838			Nonparametric Statistics			
1152				5% A-D Critical Value		0.843			Kaplan-Meier (KM) Method			
1153				K-S Test Statistic		0.843			Mean			815353
1154				5% K-S Critical Value		0.227			SD			2204158
1155			Data not Gamma Distributed at 5% Significance Level						SE of Mean			551040
1156									95% KM (t) UCL			1777404
1157			Assuming Gamma Distribution						95% KM (z) UCL			1721733
1158			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			1777404
1159				Minimum		11115			95% KM (bootstrap t) UCL			6393725
1160				Maximum		9421581			95% KM (BCA) UCL			1958507
1161				Mean		815353			95% KM (Percentile Bootstrap) UCL			1837285
1162				Median		40211			95% KM (Chebyshev) UCL			3217279
1163				SD		2271994			97.5% KM (Chebyshev) UCL			4256594
1164				k star		0.283			99% KM (Chebyshev) UCL			6298128
1165				Theta star		2881021						
1166				Nu star		9.622			Potential UCLs to Use			

	A	B	C	D	E	F	G	H	I	J	K	L
1167					AppChi2	3.707				99% KM (Chebyshev) UCL		6298128
1168			95% Gamma Approximate UCL			2116367						
1169			95% Adjusted Gamma UCL			2355331						
1170	Note: DL/2 is not a recommended method.											
1171												
1172												
1173	Total TEQ											
1174												
1175					General Statistics							
1176			Number of Valid Data			5				Number of Detected Data		5
1177			Number of Distinct Detected Data			5				Number of Non-Detect Data		0
1178			Number of Missing Values			25				Percent Non-Detects		0.00%
1179												
1180			Raw Statistics						Log-transformed Statistics			
1181			Minimum Detected			0.563				Minimum Detected		-0.574
1182			Maximum Detected			24.45				Maximum Detected		3.197
1183			Mean of Detected			8.761				Mean of Detected		1.153
1184			SD of Detected			10.8				SD of Detected		1.777
1185			Minimum Non-Detect			N/A				Minimum Non-Detect		N/A
1186			Maximum Non-Detect			N/A				Maximum Non-Detect		N/A
1187												
1188												
1189				Warning: There are only 5 Detected Values in this data								
1190			Note: It should be noted that even though bootstrap may be performed on this data set									
1191			the resulting calculations may not be reliable enough tp draw conclusions									
1192												
1193			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1194												
1195												
1196					UCL Statistics							
1197		Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only					
1198			Shapiro Wilk Test Statistic			0.816				Shapiro Wilk Test Statistic		0.862
1199			5% Shapiro Wilk Critical Value			0.762				5% Shapiro Wilk Critical Value		0.762
1200		Data appear Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level					
1201												
1202		Assuming Normal Distribution					Assuming Lognormal Distribution					
1203			DL/2 Substitution Method							DL/2 Substitution Method		
1204			Mean			8.761				Mean		1.153
1205			SD			10.8				SD		1.777
1206			95% DL/2 (t) UCL			19.06				95% H-Stat (DL/2) UCL		26100
1207												
1208			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1209		MLE method failed to converge properly								Mean in Log Scale		N/A
1210										SD in Log Scale		N/A
1211										Mean in Original Scale		N/A
1212										SD in Original Scale		N/A
1213										95% Percentile Bootstrap UCL		N/A
1214										95% BCA Bootstrap UCL		N/A
1215												
1216		Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only					
1217			k star (bias corrected)			0.376		Data appear Normal at 5% Significance Level				
1218			Theta Star			23.3						
1219			nu star			3.76						

	A	B	C	D	E	F	G	H	I	J	K	L
1220												
1221				A-D Test Statistic		0.446		**Nonparametric Statistics**				
1222				5% A-D Critical Value		0.706		Kaplan-Meier (KM) Method				
1223				K-S Test Statistic		0.706					Mean	8.761
1224				5% K-S Critical Value		0.37					SD	9.661
1225		**Data appear Gamma Distributed at 5% Significance Level**									SE of Mean	4.83
1226											95% KM (t) UCL	19.06
1227		**Assuming Gamma Distribution**									95% KM (z) UCL	16.71
1228		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	19.06
1229					Minimum	0.563					95% KM (bootstrap t) UCL	83.11
1230					Maximum	24.45					95% KM (BCA) UCL	16.16
1231					Mean	8.761					95% KM (Percentile Bootstrap) UCL	16.16
1232					Median	2.539					95% KM (Chebyshev) UCL	29.82
1233					SD	10.8					97.5% KM (Chebyshev) UCL	38.93
1234					k star	0.376					99% KM (Chebyshev) UCL	56.82
1235					Theta star	23.3						
1236					Nu star	3.76		**Potential UCLs to Use**				
1237					AppChi2	0.629					95% KM (t) UCL	19.06
1238				95% Gamma Approximate UCL		52.36				95% KM (Percentile Bootstrap) UCL		16.16
1239				95% Adjusted Gamma UCL		131						
1240	**Note: DL/2 is not a recommended method.**											
1241												

General UCL Statistics for Data Sets with Non-Detects

User Selected Options	
From File	C:\LWG_200808\InWatSed_Input_RM2.0W.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	2000

Arsenic

General Statistics

Number of Valid Observations	8	Number of Distinct Observations	8

Raw Statistics		Log-transformed Statistics	
Minimum	2.71	Minimum of Log Data	0.997
Maximum	4.33	Maximum of Log Data	1.466
Mean	3.425	Mean of log Data	1.216
Median	3.43	SD of log Data	0.183
SD	0.626		
Coefficient of Variation	0.183		
Skewness	0.262		

Warning: There are only 8 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set,

the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.907	Shapiro Wilk Test Statistic	0.905
Shapiro Wilk Critical Value	0.818	Shapiro Wilk Critical Value	0.818
Data appear Normal at 5% Significance Level		**Data appear Lognormal at 5% Significance Level**	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	3.845	95% H-UCL	3.92
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	4.391
95% Adjusted-CLT UCL	3.811	97.5% Chebyshev (MVUE) UCL	4.809
95% Modified-t UCL	3.848	99% Chebyshev (MVUE) UCL	5.631

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	21.56	**Data appear Normal at 5% Significance Level**	
Theta Star	0.159		
nu star	345		
Approximate Chi Square Value (.05)	303	**Nonparametric Statistics**	
Adjusted Level of Significance	0.0195	95% CLT UCL	3.789
Adjusted Chi Square Value	293	95% Jackknife UCL	3.845
		95% Standard Bootstrap UCL	3.763
Anderson-Darling Test Statistic	0.388	95% Bootstrap-t UCL	3.908
Anderson-Darling 5% Critical Value	0.716	95% Hall's Bootstrap UCL	3.819
Kolmogorov-Smirnov Test Statistic	0.232	95% Percentile Bootstrap UCL	3.756
Kolmogorov-Smirnov 5% Critical Value	0.294	95% BCA Bootstrap UCL	3.774

	A	B	C	D	E	F	G	H	I	J	K	L
54	Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL				4.39
55								97.5% Chebyshev(Mean, Sd) UCL				4.808
56	Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL				5.628
57	95% Approximate Gamma UCL					3.9						
58	95% Adjusted Gamma UCL					4.033						
59												
60	Potential UCL to Use							Use 95% Student's-t UCL				3.845
61												
62												
63	Benzo(a)anthracene											
64												
65	General Statistics											
66	Number of Valid Observations					8		Number of Distinct Observations				7
67												
68	Raw Statistics							Log-transformed Statistics				
69	Minimum					5.6		Minimum of Log Data				1.723
70	Maximum					90		Maximum of Log Data				4.5
71	Mean					30.64		Mean of log Data				3.161
72	Median					26.25		SD of log Data				0.787
73	SD					25.64						
74	Coefficient of Variation					0.837						
75	Skewness					2.118						
76												
77												
78	Warning: There are only 8 Values in this data											
79	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
80	the resulting calculations may not be reliable enough to draw conclusions											
81												
82	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
83												
84	Relevant UCL Statistics											
85	Normal Distribution Test							Lognormal Distribution Test				
86	Shapiro Wilk Test Statistic					0.756		Shapiro Wilk Test Statistic				0.94
87	Shapiro Wilk Critical Value					0.818		Shapiro Wilk Critical Value				0.818
88	Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level				
89												
90	Assuming Normal Distribution							Assuming Lognormal Distribution				
91	95% Student's-t UCL					47.81		95% H-UCL				76.81
92	95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL				68.67
93	95% Adjusted-CLT UCL					52.81		97.5% Chebyshev (MVUE) UCL				85.09
94	95% Modified-t UCL					48.95		99% Chebyshev (MVUE) UCL				117.3
95												
96	Gamma Distribution Test							Data Distribution				
97	k star (bias corrected)					1.374		Data appear Gamma Distributed at 5% Significance Level				
98	Theta Star					22.3						
99	nu star					21.98						
100	Approximate Chi Square Value (.05)					12.33		Nonparametric Statistics				
101	Adjusted Level of Significance					0.0195		95% CLT UCL				45.55
102	Adjusted Chi Square Value					10.54		95% Jackknife UCL				47.81
103								95% Standard Bootstrap UCL				44.47
104	Anderson-Darling Test Statistic					0.41		95% Bootstrap-t UCL				63.96
105	Anderson-Darling 5% Critical Value					0.724		95% Hall's Bootstrap UCL				111.5
106	Kolmogorov-Smirnov Test Statistic					0.259		95% Percentile Bootstrap UCL				46.45

	A	B	C	D	E	F	G	H	I	J	K	L
107				Kolmogorov-Smirnov 5% Critical Value		0.297				95% BCA Bootstrap UCL		50.75
108		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			70.16
109									97.5% Chebyshev(Mean, Sd) UCL			87.26
110			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			120.8
111				95% Approximate Gamma UCL		54.64						
112				95% Adjusted Gamma UCL		63.88						
113												
114			Potential UCL to Use						Use 95% Approximate Gamma UCL			54.64
115												
116												
117	Benzo(a)pyrene											
118												
119					General Statistics							
120			Number of Valid Observations			8			Number of Distinct Observations			8
121												
122			Raw Statistics						Log-transformed Statistics			
123				Minimum		12			Minimum of Log Data			2.485
124				Maximum		170			Maximum of Log Data			5.136
125				Mean		55.25			Mean of log Data			3.751
126				Median		43.5			SD of log Data			0.755
127				SD		48.79						
128			Coefficient of Variation			0.883						
129				Skewness		2.282						
130												
131												
132				Warning: There are only 8 Values in this data								
133			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
134			the resulting calculations may not be reliable enough to draw conclusions									
135												
136			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
137												
138					Relevant UCL Statistics							
139			Normal Distribution Test						Lognormal Distribution Test			
140			Shapiro Wilk Test Statistic			0.722			Shapiro Wilk Test Statistic			0.95
141			Shapiro Wilk Critical Value			0.818			Shapiro Wilk Critical Value			0.818
142		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
143												
144		Assuming Normal Distribution						Assuming Lognormal Distribution				
145				95% Student's-t UCL		87.93			95% H-UCL			127.8
146		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			118.6
147			95% Adjusted-CLT UCL			98.49			97.5% Chebyshev (MVUE) UCL			146.4
148			95% Modified-t UCL			90.25			99% Chebyshev (MVUE) UCL			201
149												
150			Gamma Distribution Test						Data Distribution			
151			k star (bias corrected)			1.377		Data appear Gamma Distributed at 5% Significance Level				
152				Theta Star		40.12						
153				nu star		22.04						
154		Approximate Chi Square Value (.05)				12.37			Nonparametric Statistics			
155		Adjusted Level of Significance				0.0195			95% CLT UCL			83.62
156		Adjusted Chi Square Value				10.58			95% Jackknife UCL			87.93
157									95% Standard Bootstrap UCL			81.51
158		Anderson-Darling Test Statistic				0.45			95% Bootstrap-t UCL			129.1
159		Anderson-Darling 5% Critical Value				0.724			95% Hall's Bootstrap UCL			205.1

	A	B	C	D	E	F	G	H	I	J	K	L
160				Kolmogorov-Smirnov Test Statistic		0.251			95% Percentile Bootstrap UCL			85.19
161				Kolmogorov-Smirnov 5% Critical Value		0.297			95% BCA Bootstrap UCL			99.25
162		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			130.4
163									97.5% Chebyshev(Mean, Sd) UCL			163
164			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			226.9
165				95% Approximate Gamma UCL		98.46						
166				95% Adjusted Gamma UCL		115.1						
167												
168			Potential UCL to Use						Use 95% Approximate Gamma UCL			98.46
169												
170												
171	Benzo(b)fluoranthene											
172												
173						General Statistics						
174				Number of Valid Observations		8			Number of Distinct Observations			8
175												
176			Raw Statistics						Log-transformed Statistics			
177					Minimum	11			Minimum of Log Data			2.398
178					Maximum	160			Maximum of Log Data			5.075
179					Mean	56.06			Mean of log Data			3.785
180					Median	48.5			SD of log Data			0.757
181					SD	44.98						
182				Coefficient of Variation		0.802						
183					Skewness	2.093						
184												
185												
186					Warning: There are only 8 Values in this data							
187			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
188					the resulting calculations may not be reliable enough to draw conclusions							
189												
190			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
191												
192						Relevant UCL Statistics						
193			Normal Distribution Test						Lognormal Distribution Test			
194				Shapiro Wilk Test Statistic		0.761			Shapiro Wilk Test Statistic			0.938
195				Shapiro Wilk Critical Value		0.818			Shapiro Wilk Critical Value			0.818
196		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
197												
198			Assuming Normal Distribution						Assuming Lognormal Distribution			
199					95% Student's-t UCL	86.19			95% H-UCL			132.8
200			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			123
201				95% Adjusted-CLT UCL		94.8			97.5% Chebyshev (MVUE) UCL			151.8
202				95% Modified-t UCL		88.16			99% Chebyshev (MVUE) UCL			208.6
203												
204			Gamma Distribution Test						Data Distribution			
205				k star (bias corrected)		1.472		Data appear Gamma Distributed at 5% Significance Level				
206					Theta Star	38.09						
207					nu star	23.55						
208			Approximate Chi Square Value (.05)			13.51			Nonparametric Statistics			
209				Adjusted Level of Significance		0.0195			95% CLT UCL			82.22
210				Adjusted Chi Square Value		11.63			95% Jackknife UCL			86.19
211									95% Standard Bootstrap UCL			79.89
212				Anderson-Darling Test Statistic		0.418			95% Bootstrap-t UCL			114.3

	A	B	C	D	E	F	G	H	I	J	K	L
213					Anderson-Darling 5% Critical Value	0.723				95% Hall's Bootstrap UCL		199.1
214					Kolmogorov-Smirnov Test Statistic	0.266				95% Percentile Bootstrap UCL		85.31
215					Kolmogorov-Smirnov 5% Critical Value	0.297				95% BCA Bootstrap UCL		91.94
216		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		125.4
217										97.5% Chebyshev(Mean, Sd) UCL		155.4
218		Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL		214.3
219				95% Approximate Gamma UCL		97.75						
220				95% Adjusted Gamma UCL		113.5						
221												
222		Potential UCL to Use								Use 95% Approximate Gamma UCL		97.75
223												
224												
225	Benzo(k)fluoranthene											
226												
227					General Statistics							
228			Number of Valid Observations			8				Number of Distinct Observations		8
229												
230			Raw Statistics						Log-transformed Statistics			
231					Minimum	3.3				Minimum of Log Data		1.194
232					Maximum	53				Maximum of Log Data		3.97
233					Mean	17.79				Mean of log Data		2.607
234					Median	15				SD of log Data		0.8
235					SD	15.21						
236				Coefficient of Variation		0.855						
237					Skewness	2.119						
238												
239												
240					Warning: There are only 8 Values in this data							
241				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
242				the resulting calculations may not be reliable enough to draw conclusions								
243												
244			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
245												
246					Relevant UCL Statistics							
247		Normal Distribution Test							Lognormal Distribution Test			
248				Shapiro Wilk Test Statistic		0.759				Shapiro Wilk Test Statistic		0.954
249				Shapiro Wilk Critical Value		0.818				Shapiro Wilk Critical Value		0.818
250		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
251												
252		Assuming Normal Distribution						Assuming Lognormal Distribution				
253				95% Student's-t UCL		27.98					95% H-UCL	45.58
254		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			40.13
255				95% Adjusted-CLT UCL		30.94			97.5% Chebyshev (MVUE) UCL			49.8
256				95% Modified-t UCL		28.65			99% Chebyshev (MVUE) UCL			68.79
257												
258		Gamma Distribution Test							Data Distribution			
259				k star (bias corrected)		1.328		Data appear Gamma Distributed at 5% Significance Level				
260					Theta Star	13.4						
261					nu star	21.24						
262			Approximate Chi Square Value (.05)			11.77			Nonparametric Statistics			
263				Adjusted Level of Significance		0.0195					95% CLT UCL	26.64
264				Adjusted Chi Square Value		10.04					95% Jackknife UCL	27.98
265										95% Standard Bootstrap UCL		26.13

	A	B	C	D	E	F	G	H	I	J	K	L
266				Anderson-Darling Test Statistic		0.37				95% Bootstrap-t UCL		38.18
267				Anderson-Darling 5% Critical Value		0.724				95% Hall's Bootstrap UCL		65.45
268				Kolmogorov-Smirnov Test Statistic		0.245				95% Percentile Bootstrap UCL		27.16
269				Kolmogorov-Smirnov 5% Critical Value		0.297				95% BCA Bootstrap UCL		30.41
270			**Data appear Gamma Distributed at 5% Significance Level**							95% Chebyshev(Mean, Sd) UCL		41.23
271										97.5% Chebyshev(Mean, Sd) UCL		51.38
272			**Assuming Gamma Distribution**							99% Chebyshev(Mean, Sd) UCL		71.31
273				95% Approximate Gamma UCL		32.1						
274				95% Adjusted Gamma UCL		37.65						
275												
276			**Potential UCL to Use**							Use 95% Approximate Gamma UCL		32.1
277												
278												
279	Bis(2-ethylhexyl) phthalate											
280												
281						**General Statistics**						
282				Number of Valid Data		8				Number of Detected Data		5
283				Number of Distinct Detected Data		4				Number of Non-Detect Data		3
284										Percent Non-Detects		37.50%
285												
286			**Raw Statistics**						**Log-transformed Statistics**			
287				Minimum Detected		13				Minimum Detected		2.565
288				Maximum Detected		68				Maximum Detected		4.22
289				Mean of Detected		40				Mean of Detected		3.452
290				SD of Detected		26.18				SD of Detected		0.826
291				Minimum Non-Detect		32				Minimum Non-Detect		3.466
292				Maximum Non-Detect		62				Maximum Non-Detect		4.127
293												
294	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		6
295	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		2
296	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		75.00%
297												
298					**Warning: There are only 4 Distinct Detected Values in this data**							
299					**Note: It should be noted that even though bootstrap may be performed on this data set**							
300					**the resulting calculations may not be reliable enough tp draw conclusions**							
301												
302				**It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.**								
303												
304												
305						**UCL Statistics**						
306			**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**			
307				Shapiro Wilk Test Statistic		0.854				Shapiro Wilk Test Statistic		0.799
308				5% Shapiro Wilk Critical Value		0.762				5% Shapiro Wilk Critical Value		0.762
309			**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**			
310												
311			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
312				DL/2 Substitution Method						DL/2 Substitution Method		
313					Mean	33.06					Mean	3.291
314					SD	22.43					SD	0.69
315				95% DL/2 (t) UCL		48.08				95% H-Stat (DL/2) UCL		92.41
316												
317			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
318			**MLE method failed to converge properly**							Mean in Log Scale		3.191

	A	B	C	D	E	F	G	H	I	J	K	L
319										SD in Log Scale		0.723
320										Mean in Original Scale		30.91
321										SD in Original Scale		23.45
322										95% Percentile Bootstrap UCL		44.96
323										95% BCA Bootstrap UCL		45.19
324												
325		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
326				k star (bias corrected)		1.039		Data appear Normal at 5% Significance Level				
327				Theta Star		38.49						
328				nu star		10.39						
329												
330				A-D Test Statistic		0.56		Nonparametric Statistics				
331				5% A-D Critical Value		0.684		Kaplan-Meier (KM) Method				
332				K-S Test Statistic		0.684					Mean	30.65
333				5% K-S Critical Value		0.36					SD	22.6
334		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	9.134
335											95% KM (t) UCL	47.95
336		Assuming Gamma Distribution									95% KM (z) UCL	45.67
337		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	47.38
338				Minimum		13					95% KM (bootstrap t) UCL	47.42
339				Maximum		68					95% KM (BCA) UCL	54.5
340				Mean		38.5					95% KM (Percentile Bootstrap) UCL	52.25
341				Median		36.99					95% KM (Chebyshev) UCL	70.46
342				SD		19.98					97.5% KM (Chebyshev) UCL	87.69
343				k star		2.261					99% KM (Chebyshev) UCL	121.5
344				Theta star		17.03						
345				Nu star		36.17		Potential UCLs to Use				
346				AppChi2		23.41					95% KM (t) UCL	47.95
347		95% Gamma Approximate UCL				59.5					95% KM (Percentile Bootstrap) UCL	52.25
348		95% Adjusted Gamma UCL				66.81						
349	Note: DL/2 is not a recommended method.											
350												
351												
352	Dibenzo(a,h)anthracene											
353												
354						General Statistics						
355			Number of Valid Observations			8			Number of Distinct Observations			8
356												
357			Raw Statistics						Log-transformed Statistics			
358				Minimum		1.1				Minimum of Log Data		0.0953
359				Maximum		16				Maximum of Log Data		2.773
360				Mean		6.069				Mean of log Data		1.582
361				Median		5.5				SD of log Data		0.753
362				SD		4.394						
363			Coefficient of Variation			0.724						
364				Skewness		1.866						
365												
366												
367						Warning: There are only 8 Values in this data						
368						Note: It should be noted that even though bootstrap methods may be performed on this data set,						
369						the resulting calculations may not be reliable enough to draw conclusions						
370												
371						The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.						

	A	B	C	D	E	F	G	H	I	J	K	L
372												
373						Relevant UCL Statistics						
374			Normal Distribution Test						Lognormal Distribution Test			
375				Shapiro Wilk Test Statistic		0.799				Shapiro Wilk Test Statistic		0.91
376				Shapiro Wilk Critical Value		0.818				Shapiro Wilk Critical Value		0.818
377		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
378												
379			Assuming Normal Distribution						Assuming Lognormal Distribution			
380				95% Student's-t UCL		9.012				95% H-UCL		14.52
381		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			13.5
382				95% Adjusted-CLT UCL		9.719				97.5% Chebyshev (MVUE) UCL		16.67
383				95% Modified-t UCL		9.183				99% Chebyshev (MVUE) UCL		22.88
384												
385			Gamma Distribution Test						Data Distribution			
386				k star (bias corrected)		1.59		Data appear Gamma Distributed at 5% Significance Level				
387				Theta Star		3.818						
388				nu star		25.43						
389			Approximate Chi Square Value (.05)			14.94			Nonparametric Statistics			
390				Adjusted Level of Significance		0.0195				95% CLT UCL		8.624
391				Adjusted Chi Square Value		12.95				95% Jackknife UCL		9.012
392										95% Standard Bootstrap UCL		8.434
393			Anderson-Darling Test Statistic			0.434				95% Bootstrap-t UCL		11.05
394			Anderson-Darling 5% Critical Value			0.723				95% Hall's Bootstrap UCL		21.02
395			Kolmogorov-Smirnov Test Statistic			0.258				95% Percentile Bootstrap UCL		8.769
396			Kolmogorov-Smirnov 5% Critical Value			0.297				95% BCA Bootstrap UCL		9.425
397		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			12.84
398										97.5% Chebyshev(Mean, Sd) UCL		15.77
399			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			21.52
400				95% Approximate Gamma UCL		10.33						
401				95% Adjusted Gamma UCL		11.91						
402												
403			Potential UCL to Use						Use 95% Approximate Gamma UCL			10.33
404												
405												
406	Indeno(1,2,3-cd)pyrene											
407												
408						General Statistics						
409			Number of Valid Observations			8				Number of Distinct Observations		8
410												
411			Raw Statistics						Log-transformed Statistics			
412				Minimum		8.1				Minimum of Log Data		2.092
413				Maximum		130				Maximum of Log Data		4.868
414				Mean		45.83				Mean of log Data		3.569
415				Median		38				SD of log Data		0.791
416				SD		36.91						
417				Coefficient of Variation		0.805						
418				Skewness		1.989						
419												
420												
421						Warning: There are only 8 Values in this data						
422			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
423				the resulting calculations may not be reliable enough to draw conclusions								
424												

	A	B	C	D	E	F	G	H	I	J	K	L
425	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
426												
427	Relevant UCL Statistics											
428	Normal Distribution Test						Lognormal Distribution Test					
429	Shapiro Wilk Test Statistic					0.794	Shapiro Wilk Test Statistic					0.953
430	Shapiro Wilk Critical Value					0.818	Shapiro Wilk Critical Value					0.818
431	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
432												
433	Assuming Normal Distribution						Assuming Lognormal Distribution					
434	95% Student's-t UCL					70.55	95% H-UCL					116.5
435	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					103.7
436	95% Adjusted-CLT UCL					77.09	97.5% Chebyshev (MVUE) UCL					128.6
437	95% Modified-t UCL					72.08	99% Chebyshev (MVUE) UCL					177.4
438												
439	Gamma Distribution Test						Data Distribution					
440	k star (bias corrected)					1.401	Data appear Gamma Distributed at 5% Significance Level					
441	Theta Star					32.71						
442	nu star					22.42						
443	Approximate Chi Square Value (.05)					12.65	Nonparametric Statistics					
444	Adjusted Level of Significance					0.0195	95% CLT UCL					67.29
445	Adjusted Chi Square Value					10.84	95% Jackknife UCL					70.55
446							95% Standard Bootstrap UCL					66.03
447	Anderson-Darling Test Statistic					0.317	95% Bootstrap-t UCL					94.85
448	Anderson-Darling 5% Critical Value					0.724	95% Hall's Bootstrap UCL					167.1
449	Kolmogorov-Smirnov Test Statistic					0.193	95% Percentile Bootstrap UCL					67.45
450	Kolmogorov-Smirnov 5% Critical Value					0.297	95% BCA Bootstrap UCL					76.5
451	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					102.7
452							97.5% Chebyshev(Mean, Sd) UCL					127.3
453	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					175.7
454	95% Approximate Gamma UCL					81.2						
455	95% Adjusted Gamma UCL					94.74						
456												
457	Potential UCL to Use						Use 95% Approximate Gamma UCL					81.2
458												
459												
460	Lead											
461												
462	General Statistics											
463	Number of Valid Observations					8	Number of Distinct Observations					8
464												
465	Raw Statistics						Log-transformed Statistics					
466	Minimum					6.97	Minimum of Log Data					1.942
467	Maximum					15.3	Maximum of Log Data					2.728
468	Mean					11.49	Mean of log Data					2.398
469	Median					13	SD of log Data					0.326
470	SD					3.39						
471	Coefficient of Variation					0.295						
472	Skewness					-0.514						
473												
474												
475	Warning: There are only 8 Values in this data											
476	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
477	the resulting calculations may not be reliable enough to draw conclusions											

	A	B	C	D	E	F	G	H	I	J	K	L
478												
479			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
480												
481						Relevant UCL Statistics						
482			Normal Distribution Test						Lognormal Distribution Test			
483			Shapiro Wilk Test Statistic			0.847			Shapiro Wilk Test Statistic			0.82
484			Shapiro Wilk Critical Value			0.818			Shapiro Wilk Critical Value			0.818
485			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
486												
487			Assuming Normal Distribution						Assuming Lognormal Distribution			
488			95% Student's-t UCL			13.76			95% H-UCL			15.02
489			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			17.35
490			95% Adjusted-CLT UCL			13.23			97.5% Chebyshev (MVUE) UCL			19.87
491			95% Modified-t UCL			13.73			99% Chebyshev (MVUE) UCL			24.82
492												
493			Gamma Distribution Test						Data Distribution			
494			k star (bias corrected)			7.343			Data appear Normal at 5% Significance Level			
495			Theta Star			1.565						
496			nu star			117.5						
497			Approximate Chi Square Value (.05)			93.47			Nonparametric Statistics			
498			Adjusted Level of Significance			0.0195			95% CLT UCL			13.46
499			Adjusted Chi Square Value			88.05			95% Jackknife UCL			13.76
500									95% Standard Bootstrap UCL			13.32
501			Anderson-Darling Test Statistic			0.73			95% Bootstrap-t UCL			13.46
502			Anderson-Darling 5% Critical Value			0.715			95% Hall's Bootstrap UCL			12.93
503			Kolmogorov-Smirnov Test Statistic			0.316			95% Percentile Bootstrap UCL			13.35
504			Kolmogorov-Smirnov 5% Critical Value			0.294			95% BCA Bootstrap UCL			13.16
505			Data not Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			16.72
506									97.5% Chebyshev(Mean, Sd) UCL			18.98
507			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			23.42
508			95% Approximate Gamma UCL			14.45						
509			95% Adjusted Gamma UCL			15.34						
510												
511			Potential UCL to Use						Use 95% Student's-t UCL			13.76
512												
513												
514	Mercury											
515												
516						General Statistics						
517			Number of Valid Observations			8			Number of Distinct Observations			8
518												
519			Raw Statistics						Log-transformed Statistics			
520			Minimum			0.03			Minimum of Log Data			-3.507
521			Maximum			0.087			Maximum of Log Data			-2.442
522			Mean			0.0623			Mean of log Data			-2.847
523			Median			0.0665			SD of log Data			0.422
524			SD			0.0233						
525			Coefficient of Variation			0.374						
526			Skewness			-0.305						
527												
528												
529						Warning: There are only 8 Values in this data						
530				Note: It should be noted that even though bootstrap methods may be performed on this data set,									

	A	B	C	D	E	F	G	H	I	J	K	L
531	the resulting calculations may not be reliable enough to draw conclusions											
532												
533	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
534												
535	Relevant UCL Statistics											
536	Normal Distribution Test						Lognormal Distribution Test					
537	Shapiro Wilk Test Statistic					0.873	Shapiro Wilk Test Statistic					0.864
538	Shapiro Wilk Critical Value					0.818	Shapiro Wilk Critical Value					0.818
539	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
540												
541	Assuming Normal Distribution						Assuming Lognormal Distribution					
542	95% Student's-t UCL					0.0779	95% H-UCL					0.0904
543	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					0.104
544	95% Adjusted-CLT UCL					0.0749	97.5% Chebyshev (MVUE) UCL					0.121
545	95% Modified-t UCL					0.0778	99% Chebyshev (MVUE) UCL					0.156
546												
547	Gamma Distribution Test						Data Distribution					
548	k star (bias corrected)					4.536	Data appear Normal at 5% Significance Level					
549	Theta Star					0.0137						
550	nu star					72.58						
551	Approximate Chi Square Value (.05)					53.96	Nonparametric Statistics					
552	Adjusted Level of Significance					0.0195	95% CLT UCL					0.0759
553	Adjusted Chi Square Value					49.93	95% Jackknife UCL					0.0779
554							95% Standard Bootstrap UCL					0.075
555	Anderson-Darling Test Statistic					0.539	95% Bootstrap-t UCL					0.0768
556	Anderson-Darling 5% Critical Value					0.717	95% Hall's Bootstrap UCL					0.0729
557	Kolmogorov-Smirnov Test Statistic					0.219	95% Percentile Bootstrap UCL					0.0748
558	Kolmogorov-Smirnov 5% Critical Value					0.295	95% BCA Bootstrap UCL					0.0733
559	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					0.0982
560							97.5% Chebyshev(Mean, Sd) UCL					0.114
561	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					0.144
562	95% Approximate Gamma UCL					0.0838						
563	95% Adjusted Gamma UCL					0.0906						
564												
565	Potential UCL to Use						Use 95% Student's-t UCL					0.0779
566												
567												
568	Naphthalene											
569												
570	General Statistics											
571	Number of Valid Data					8	Number of Detected Data					6
572	Number of Distinct Detected Data					5	Number of Non-Detect Data					2
573							Percent Non-Detects					25.00%
574												
575	Raw Statistics						Log-transformed Statistics					
576	Minimum Detected					5.2	Minimum Detected					1.649
577	Maximum Detected					12	Maximum Detected					2.485
578	Mean of Detected					8.817	Mean of Detected					2.124
579	SD of Detected					2.992	SD of Detected					0.364
580	Minimum Non-Detect					2.9	Minimum Non-Detect					1.065
581	Maximum Non-Detect					6	Maximum Non-Detect					1.792
582												
583	Note: Data have multiple DLs - Use of KM Method is recommended						Number treated as Non-Detect					4

	A	B	C	D	E	F	G	H	I	J	K	L
584	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			4
585	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			50.00%
586												
587	Warning: There are only 6 Detected Values in this data											
588	Note: It should be noted that even though bootstrap may be performed on this data set											
589	the resulting calculations may not be reliable enough tp draw conclusions											
590												
591	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
592												
593												
594	UCL Statistics											
595	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
596	Shapiro Wilk Test Statistic					0.886	Shapiro Wilk Test Statistic					0.881
597	5% Shapiro Wilk Critical Value					0.788	5% Shapiro Wilk Critical Value					0.788
598	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
599												
600	Assuming Normal Distribution						Assuming Lognormal Distribution					
601	DL/2 Substitution Method						DL/2 Substitution Method					
602	Mean					7.169	Mean					1.777
603	SD					3.984	SD					0.739
604	95% DL/2 (t) UCL					9.838	95% H-Stat (DL/2) UCL					9.009
605												
606	Maximum Likelihood Estimate(MLE) Method						Log ROS Method					
607	Mean					10.51	Mean in Log Scale					1.95
608	SD					1.629	SD in Log Scale					0.455
609	95% MLE (t) UCL					11.6	Mean in Original Scale					7.673
610	95% MLE (Tiku) UCL					12.05	SD in Original Scale					3.322
611							95% Percentile Bootstrap UCL					9.587
612							95% BCA Bootstrap UCL					9.587
613												
614	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
615	k star (bias corrected)					4.932	Data appear Normal at 5% Significance Level					
616	Theta Star					1.788						
617	nu star					59.18						
618												
619	A-D Test Statistic					0.397	Nonparametric Statistics					
620	5% A-D Critical Value					0.698	Kaplan-Meier (KM) Method					
621	K-S Test Statistic					0.698	Mean					7.933
622	5% K-S Critical Value					0.333	SD					2.818
623	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					1.092
624							95% KM (t) UCL					10
625	Assuming Gamma Distribution						95% KM (z) UCL					9.73
626	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					9.934
627	Minimum					4.839	95% KM (bootstrap t) UCL					10.06
628	Maximum					12	95% KM (BCA) UCL					10.05
629	Mean					8.186	95% KM (Percentile Bootstrap) UCL					10.01
630	Median					7.924	95% KM (Chebyshev) UCL					12.69
631	SD					2.892	97.5% KM (Chebyshev) UCL					14.75
632	k star					5.719	99% KM (Chebyshev) UCL					18.8
633	Theta star					1.431						
634	Nu star					91.51	Potential UCLs to Use					
635	AppChi2					70.45	95% KM (t) UCL					10
636	95% Gamma Approximate UCL					10.63	95% KM (Percentile Bootstrap) UCL					10.01

	A	B	C	D	E	F	G	H	I	J	K	L
637				95% Adjusted Gamma UCL		11.39						
638	Note: DL/2 is not a recommended method.											
639												
640												
641	Total Aroclors											
642												
643						General Statistics						
644				Number of Valid Data		8			Number of Detected Data			6
645				Number of Distinct Detected Data		6			Number of Non-Detect Data			2
646									Percent Non-Detects			25.00%
647												
648				Raw Statistics					Log-transformed Statistics			
649				Minimum Detected		13.65			Minimum Detected			2.614
650				Maximum Detected		22.7			Maximum Detected			3.122
651				Mean of Detected		16.88			Mean of Detected			2.81
652				SD of Detected		3.389			SD of Detected			0.19
653				Minimum Non-Detect		2.8			Minimum Non-Detect			1.03
654				Maximum Non-Detect		3.1			Maximum Non-Detect			1.131
655												
656	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			2
657	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			6
658	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			25.00%
659												
660						Warning: There are only 6 Detected Values in this data						
661						Note: It should be noted that even though bootstrap may be performed on this data set						
662						the resulting calculations may not be reliable enough tp draw conclusions						
663												
664						It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.						
665												
666												
667						UCL Statistics						
668			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
669				Shapiro Wilk Test Statistic		0.899			Shapiro Wilk Test Statistic			0.928
670				5% Shapiro Wilk Critical Value		0.788			5% Shapiro Wilk Critical Value			0.788
671			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
672												
673			Assuming Normal Distribution						Assuming Lognormal Distribution			
674				DL/2 Substitution Method					DL/2 Substitution Method			
675				Mean		13.03			Mean			2.205
676				SD		7.684			SD			1.133
677				95% DL/2 (t) UCL		18.17			95% H-Stat (DL/2) UCL			27.4
678												
679			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
680				Mean		12.36			Mean in Log Scale			2.689
681				SD		8.475			SD in Log Scale			0.276
682				95% MLE (t) UCL		18.04			Mean in Original Scale			15.22
683				95% MLE (Tiku) UCL		18.55			SD in Original Scale			4.2
684									95% Percentile Bootstrap UCL			17.51
685									95% BCA Bootstrap UCL			17.81
686												
687			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
688				k star (bias corrected)		16.19			Data appear Normal at 5% Significance Level			
689				Theta Star		1.043						

	A	B	C	D	E	F	G	H	I	J	K	L
690					nu star	194.2						
691												
692				A-D Test Statistic		0.324		Nonparametric Statistics				
693				5% A-D Critical Value		0.697		Kaplan-Meier (KM) Method				
694				K-S Test Statistic		0.697			Mean			16.07
695				5% K-S Critical Value		0.332			SD			3.022
696		Data appear Gamma Distributed at 5% Significance Level							SE of Mean			1.17
697									95% KM (t) UCL			18.29
698			Assuming Gamma Distribution						95% KM (z) UCL			18
699		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			18.18
700					Minimum	13.35			95% KM (bootstrap t) UCL			20.87
701					Maximum	22.7			95% KM (BCA) UCL			18.43
702					Mean	16		95% KM (Percentile Bootstrap) UCL				18.07
703					Median	14.73			95% KM (Chebyshev) UCL			21.17
704					SD	3.296			97.5% KM (Chebyshev) UCL			23.38
705					k star	18.94			99% KM (Chebyshev) UCL			27.71
706					Theta star	0.844						
707					Nu star	303.1		Potential UCLs to Use				
708					AppChi2	263.8			95% KM (t) UCL			18.29
709			95% Gamma Approximate UCL			18.38		95% KM (Percentile Bootstrap) UCL				18.07
710			95% Adjusted Gamma UCL			19.05						
711	Note: DL/2 is not a recommended method.											
712												
713												
714	Total DDT											
715												
716					General Statistics							
717			Number of Valid Observations			8				Number of Distinct Observations		8
718												
719			Raw Statistics					Log-transformed Statistics				
720					Minimum	0.113				Minimum of Log Data		-2.18
721					Maximum	4.282				Maximum of Log Data		1.454
722					Mean	1.372				Mean of log Data		-0.234
723					Median	0.692				SD of log Data		1.172
724					SD	1.51						
725				Coefficient of Variation		1.101						
726					Skewness	1.435						
727												
728												
729					Warning: There are only 8 Values in this data							
730			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
731				the resulting calculations may not be reliable enough to draw conclusions								
732												
733			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
734												
735					Relevant UCL Statistics							
736		Normal Distribution Test						Lognormal Distribution Test				
737				Shapiro Wilk Test Statistic		0.78				Shapiro Wilk Test Statistic		0.966
738				Shapiro Wilk Critical Value		0.818				Shapiro Wilk Critical Value		0.818
739		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
740												
741		Assuming Normal Distribution						Assuming Lognormal Distribution				
742				95% Student's-t UCL		2.383				95% H-UCL		8.701

	A	B	C	D	E	F	G	H	I	J	K	L
743	**95% UCLs (Adjusted for Skewness)**								95% Chebyshev (MVUE) UCL			3.96
744	95% Adjusted-CLT UCL					2.539			97.5% Chebyshev (MVUE) UCL			5.071
745	95% Modified-t UCL					2.428			99% Chebyshev (MVUE) UCL			7.253
746												
747	**Gamma Distribution Test**								**Data Distribution**			
748	k star (bias corrected)					0.736			**Data appear Gamma Distributed at 5% Significance Level**			
749	Theta Star					1.863						
750	nu star					11.78						
751	Approximate Chi Square Value (.05)					5.082			**Nonparametric Statistics**			
752	Adjusted Level of Significance					0.0195			95% CLT UCL			2.25
753	Adjusted Chi Square Value					4.027			95% Jackknife UCL			2.383
754									95% Standard Bootstrap UCL			2.203
755	Anderson-Darling Test Statistic					0.357			95% Bootstrap-t UCL			5.042
756	Anderson-Darling 5% Critical Value					0.735			95% Hall's Bootstrap UCL			8.083
757	Kolmogorov-Smirnov Test Statistic					0.225			95% Percentile Bootstrap UCL			2.281
758	Kolmogorov-Smirnov 5% Critical Value					0.301			95% BCA Bootstrap UCL			2.413
759	**Data appear Gamma Distributed at 5% Significance Level**								95% Chebyshev(Mean, Sd) UCL			3.699
760									97.5% Chebyshev(Mean, Sd) UCL			4.706
761	**Assuming Gamma Distribution**								99% Chebyshev(Mean, Sd) UCL			6.683
762	95% Approximate Gamma UCL					3.179						
763	95% Adjusted Gamma UCL					4.012						
764												
765	**Potential UCL to Use**								Use 95% Approximate Gamma UCL			3.179
766												

	A	B	C	D	E	F	G	H	I	J	K	L
1							General UCL Statistics for Data Sets with Non-Detects					
2		User Selected Options										
3			From File	C:\LWG_200808\InWatSed_Input_RM2.5E.wst								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Aldrin											
10												
11							General Statistics					
12			Number of Valid Data			17			Number of Detected Data			9
13			Number of Distinct Detected Data			8			Number of Non-Detect Data			8
14			Number of Missing Values			2			Percent Non-Detects			47.06%
15												
16			Raw Statistics						Log-transformed Statistics			
17			Minimum Detected			0.239			Minimum Detected			-1.431
18			Maximum Detected			1.28			Maximum Detected			0.247
19			Mean of Detected			0.876			Mean of Detected			-0.226
20			SD of Detected			0.331			SD of Detected			0.517
21			Minimum Non-Detect			0.0327			Minimum Non-Detect			-3.42
22			Maximum Non-Detect			0.43			Maximum Non-Detect			-0.844
23												
24	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			9
25	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			8
26	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			52.94%
27												
28							Warning: There are only 9 Detected Values in this data					
29							Note: It should be noted that even though bootstrap may be performed on this data set					
30							the resulting calculations may not be reliable enough tp draw conclusions					
31												
32							It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.					
33												
34												
35							UCL Statistics					
36		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
37			Shapiro Wilk Test Statistic			0.944			Shapiro Wilk Test Statistic			0.82
38			5% Shapiro Wilk Critical Value			0.829			5% Shapiro Wilk Critical Value			0.829
39		Data appear Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
40												
41		Assuming Normal Distribution						Assuming Lognormal Distribution				
42			DL/2 Substitution Method						DL/2 Substitution Method			
43				Mean		0.505				Mean		-1.441
44				SD		0.47				SD		1.526
45			95% DL/2 (t) UCL			0.704			95% H-Stat (DL/2) UCL			1.274
46												
47		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
48				Mean		0.439			Mean in Log Scale			-0.781
49				SD		0.569			SD in Log Scale			0.709
50			95% MLE (t) UCL			0.68			Mean in Original Scale			0.579
51			95% MLE (Tiku) UCL			0.744			SD in Original Scale			0.4
52									95% Percentile Bootstrap UCL			0.738
53									95% BCA Bootstrap UCL			0.744

	A	B	C	D	E	F	G	H	I	J	K	L
54												
55		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
56				k star (bias corrected)		3.727		Data appear Normal at 5% Significance Level				
57				Theta Star		0.235						
58				nu star		67.09						
59												
60				A-D Test Statistic		0.493		Nonparametric Statistics				
61				5% A-D Critical Value		0.723			Kaplan-Meier (KM) Method			
62				K-S Test Statistic		0.723				Mean		0.576
63				5% K-S Critical Value		0.28				SD		0.391
64		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.1
65										95% KM (t) UCL		0.752
66		Assuming Gamma Distribution								95% KM (z) UCL		0.742
67		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.779
68				Minimum		0.239				95% KM (bootstrap t) UCL		0.747
69				Maximum		1.28				95% KM (BCA) UCL		0.945
70				Mean		0.856			95% KM (Percentile Bootstrap) UCL			0.889
71				Median		0.876				95% KM (Chebyshev) UCL		1.014
72				SD		0.237				97.5% KM (Chebyshev) UCL		1.204
73				k star		8.306				99% KM (Chebyshev) UCL		1.576
74				Theta star		0.103						
75				Nu star		282.4		Potential UCLs to Use				
76				AppChi2		244.5				95% KM (t) UCL		0.752
77		95% Gamma Approximate UCL				0.989			95% KM (Percentile Bootstrap) UCL			0.889
78		95% Adjusted Gamma UCL				1.004						
79	Note: DL/2 is not a recommended method.											
80												
81												
82	Arsenic											
83												
84					General Statistics							
85			Number of Valid Observations			19			Number of Distinct Observations			19
86												
87		Raw Statistics						Log-transformed Statistics				
88				Minimum	2.7					Minimum of Log Data	0.993	
89				Maximum	10.1					Maximum of Log Data	2.313	
90				Mean	4.216					Mean of log Data	1.399	
91				Median	3.9					SD of log Data	0.263	
92				SD	1.528							
93			Coefficient of Variation		0.362							
94				Skewness	3.457							
95												
96					Relevant UCL Statistics							
97		Normal Distribution Test						Lognormal Distribution Test				
98			Shapiro Wilk Test Statistic			0.585			Shapiro Wilk Test Statistic			0.769
99			Shapiro Wilk Critical Value			0.901			Shapiro Wilk Critical Value			0.901
100		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
101												
102		Assuming Normal Distribution						Assuming Lognormal Distribution				
103				95% Student's-t UCL		4.824				95% H-UCL		4.695
104		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			5.299
105				95% Adjusted-CLT UCL		5.089			97.5% Chebyshev (MVUE) UCL			5.782
106				95% Modified-t UCL		4.87			99% Chebyshev (MVUE) UCL			6.728

	A	B	C	D	E	F	G	H	I	J	K	L
107												
108			Gamma Distribution Test						Data Distribution			
109			k star (bias corrected)			10.68		Data do not follow a Discernable Distribution (0.05)				
110			Theta Star			0.395						
111			nu star			406						
112			Approximate Chi Square Value (.05)			360.3			Nonparametric Statistics			
113			Adjusted Level of Significance			0.0369				95% CLT UCL		4.792
114			Adjusted Chi Square Value			356.5				95% Jackknife UCL		4.824
115										95% Standard Bootstrap UCL		4.794
116			Anderson-Darling Test Statistic			1.774				95% Bootstrap-t UCL		5.656
117			Anderson-Darling 5% Critical Value			0.741				95% Hall's Bootstrap UCL		7.235
118			Kolmogorov-Smirnov Test Statistic			0.224				95% Percentile Bootstrap UCL		4.867
119			Kolmogorov-Smirnov 5% Critical Value			0.198				95% BCA Bootstrap UCL		5.225
120		Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		5.744
121										97.5% Chebyshev(Mean, Sd) UCL		6.405
122			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		7.703
123			95% Approximate Gamma UCL			4.751						
124			95% Adjusted Gamma UCL			4.801						
125												
126			Potential UCL to Use							Use 95% Student's-t UCL		4.824
127										or 95% Modified-t UCL		4.87
128												
129												
130	Benzo(a)anthracene											
131												
132					General Statistics							
133			Number of Valid Observations			19			Number of Distinct Observations			16
134												
135			Raw Statistics						Log-transformed Statistics			
136			Minimum			13				Minimum of Log Data		2.565
137			Maximum			10000				Maximum of Log Data		9.21
138			Mean			583.9				Mean of log Data		4.056
139			Median			44				SD of log Data		1.449
140			SD			2281						
141			Coefficient of Variation			3.907						
142			Skewness			4.353						
143												
144					Relevant UCL Statistics							
145			Normal Distribution Test						Lognormal Distribution Test			
146			Shapiro Wilk Test Statistic			0.262				Shapiro Wilk Test Statistic		0.695
147			Shapiro Wilk Critical Value			0.901				Shapiro Wilk Critical Value		0.901
148		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
149												
150			Assuming Normal Distribution						Assuming Lognormal Distribution			
151			95% Student's-t UCL			1491				95% H-UCL		509.2
152		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			404.5
153			95% Adjusted-CLT UCL			2003				97.5% Chebyshev (MVUE) UCL		515
154			95% Modified-t UCL			1578				99% Chebyshev (MVUE) UCL		732
155												
156			Gamma Distribution Test						Data Distribution			
157			k star (bias corrected)			0.286		Data do not follow a Discernable Distribution (0.05)				
158			Theta Star			2039						
159			nu star			10.88						

	A	B	C	D	E	F	G	H	I	J	K	L
160				Approximate Chi Square Value (.05)		4.499			Nonparametric Statistics			
161				Adjusted Level of Significance		0.0369					95% CLT UCL	1445
162				Adjusted Chi Square Value		4.145					95% Jackknife UCL	1491
163											95% Standard Bootstrap UCL	1433
164				Anderson-Darling Test Statistic		4.631					95% Bootstrap-t UCL	32933
165				Anderson-Darling 5% Critical Value		0.844					95% Hall's Bootstrap UCL	23982
166				Kolmogorov-Smirnov Test Statistic		0.414					95% Percentile Bootstrap UCL	1627
167				Kolmogorov-Smirnov 5% Critical Value		0.215					95% BCA Bootstrap UCL	2180
168			Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL	2865
169											97.5% Chebyshev(Mean, Sd) UCL	3852
170			Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL	5791
171				95% Approximate Gamma UCL		1412						
172				95% Adjusted Gamma UCL		1533						
173												
174			Potential UCL to Use						Use 99% Chebyshev (Mean, Sd) UCL			5791
175												
176												
177	Benzo(a)pyrene											
178												
179					General Statistics							
180				Number of Valid Observations		19			Number of Distinct Observations			18
181												
182			Raw Statistics						Log-transformed Statistics			
183				Minimum		19				Minimum of Log Data		2.944
184				Maximum		7800				Maximum of Log Data		8.962
185				Mean		478.9				Mean of log Data		4.298
186				Median		51				SD of log Data		1.293
187				SD		1774						
188				Coefficient of Variation		3.704						
189				Skewness		4.349						
190												
191					Relevant UCL Statistics							
192			Normal Distribution Test						Lognormal Distribution Test			
193				Shapiro Wilk Test Statistic		0.267				Shapiro Wilk Test Statistic		0.683
194				Shapiro Wilk Critical Value		0.901				Shapiro Wilk Critical Value		0.901
195			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
196												
197			Assuming Normal Distribution						Assuming Lognormal Distribution			
198				95% Student's-t UCL		1185				95% H-UCL		430.1
199			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			394.4
200				95% Adjusted-CLT UCL		1582				97.5% Chebyshev (MVUE) UCL		496.9
201				95% Modified-t UCL		1252				99% Chebyshev (MVUE) UCL		698
202												
203			Gamma Distribution Test						Data Distribution			
204				k star (bias corrected)		0.336			Data do not follow a Discernable Distribution (0.05)			
205				Theta Star		1424						
206				nu star		12.78						
207				Approximate Chi Square Value (.05)		5.742			Nonparametric Statistics			
208				Adjusted Level of Significance		0.0369					95% CLT UCL	1148
209				Adjusted Chi Square Value		5.334					95% Jackknife UCL	1185
210											95% Standard Bootstrap UCL	1124
211				Anderson-Darling Test Statistic		4.577					95% Bootstrap-t UCL	21475
212				Anderson-Darling 5% Critical Value		0.831					95% Hall's Bootstrap UCL	12769

	A	B	C	D	E	F	G	H	I	J	K	L
213			Kolmogorov-Smirnov Test Statistic			0.425				95% Percentile Bootstrap UCL		1286
214			Kolmogorov-Smirnov 5% Critical Value			0.214				95% BCA Bootstrap UCL		1708
215		Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		2253
216										97.5% Chebyshev(Mean, Sd) UCL		3021
217		Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL		4528
218			95% Approximate Gamma UCL			1065						
219			95% Adjusted Gamma UCL			1147						
220												
221		Potential UCL to Use								Use 99% Chebyshev (Mean, Sd) UCL		4528
222												
223												
224	Benzo(b)fluoranthene											
225												
226						General Statistics						
227			Number of Valid Observations			19				Number of Distinct Observations		15
228												
229			Raw Statistics							Log-transformed Statistics		
230				Minimum		19				Minimum of Log Data		2.944
231				Maximum		6700				Maximum of Log Data		8.81
232				Mean		440.5				Mean of log Data		4.489
233				Median		67				SD of log Data		1.259
234				SD		1518						
235			Coefficient of Variation			3.447						
236				Skewness		4.337						
237												
238						Relevant UCL Statistics						
239			Normal Distribution Test							Lognormal Distribution Test		
240			Shapiro Wilk Test Statistic			0.281				Shapiro Wilk Test Statistic		0.752
241			Shapiro Wilk Critical Value			0.901				Shapiro Wilk Critical Value		0.901
242		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
243												
244			Assuming Normal Distribution							Assuming Lognormal Distribution		
245			95% Student's-t UCL			1044				95% H-UCL		478.6
246		95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL		451
247			95% Adjusted-CLT UCL			1384				97.5% Chebyshev (MVUE) UCL		566.7
248			95% Modified-t UCL			1102				99% Chebyshev (MVUE) UCL		793.8
249												
250			Gamma Distribution Test							Data Distribution		
251			k star (bias corrected)			0.38		Data do not follow a Discernable Distribution (0.05)				
252				Theta Star		1158						
253				nu star		14.45						
254			Approximate Chi Square Value (.05)			6.881				Nonparametric Statistics		
255			Adjusted Level of Significance			0.0369				95% CLT UCL		1013
256			Adjusted Chi Square Value			6.428				95% Jackknife UCL		1044
257										95% Standard Bootstrap UCL		1003
258			Anderson-Darling Test Statistic			3.944				95% Bootstrap-t UCL		9325
259			Anderson-Darling 5% Critical Value			0.821				95% Hall's Bootstrap UCL		7273
260			Kolmogorov-Smirnov Test Statistic			0.359				95% Percentile Bootstrap UCL		1138
261			Kolmogorov-Smirnov 5% Critical Value			0.212				95% BCA Bootstrap UCL		1490
262		Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		1959
263										97.5% Chebyshev(Mean, Sd) UCL		2616
264		Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL		3906
265			95% Approximate Gamma UCL			925						

	A	B	C	D	E	F	G	H	I	J	K	L
266				95% Adjusted Gamma UCL		990.2						
267												
268			Potential UCL to Use						Use 99% Chebyshev (Mean, Sd) UCL			3906
269												
270												
271	Benzo(k)fluoranthene											
272												
273					General Statistics							
274			Number of Valid Observations			19			Number of Distinct Observations			14
275												
276			Raw Statistics						Log-transformed Statistics			
277				Minimum		6.1			Minimum of Log Data			1.808
278				Maximum		2100			Maximum of Log Data			7.65
279				Mean		140.3			Mean of log Data			3.408
280				Median		21			SD of log Data			1.233
281				SD		475.5						
282			Coefficient of Variation			3.388						
283				Skewness		4.332						
284												
285					Relevant UCL Statistics							
286			Normal Distribution Test						Lognormal Distribution Test			
287			Shapiro Wilk Test Statistic			0.284			Shapiro Wilk Test Statistic			0.73
288			Shapiro Wilk Critical Value			0.901			Shapiro Wilk Critical Value			0.901
289		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
290												
291			Assuming Normal Distribution						Assuming Lognormal Distribution			
292				95% Student's-t UCL		329.5			95% H-UCL			152.8
293			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			146.8
294				95% Adjusted-CLT UCL		435.6			97.5% Chebyshev (MVUE) UCL			184.1
295				95% Modified-t UCL		347.5			99% Chebyshev (MVUE) UCL			257.3
296												
297			Gamma Distribution Test						Data Distribution			
298			k star (bias corrected)			0.393		Data do not follow a Discernable Distribution (0.05)				
299				Theta Star		357.5						
300				nu star		14.92						
301			Approximate Chi Square Value (.05)			7.203			Nonparametric Statistics			
302			Adjusted Level of Significance			0.0369			95% CLT UCL			319.7
303			Adjusted Chi Square Value			6.738			95% Jackknife UCL			329.5
304									95% Standard Bootstrap UCL			314.9
305			Anderson-Darling Test Statistic			4.038			95% Bootstrap-t UCL			2672
306			Anderson-Darling 5% Critical Value			0.818			95% Hall's Bootstrap UCL			2252
307			Kolmogorov-Smirnov Test Statistic			0.377			95% Percentile Bootstrap UCL			357.9
308			Kolmogorov-Smirnov 5% Critical Value			0.212			95% BCA Bootstrap UCL			476.7
309		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			615.8
310									97.5% Chebyshev(Mean, Sd) UCL			821.5
311			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			1226
312				95% Approximate Gamma UCL		290.6						
313				95% Adjusted Gamma UCL		310.6						
314												
315			Potential UCL to Use						Use 99% Chebyshev (Mean, Sd) UCL			1226
316												
317												
318	Bis(2-ethylhexyl) phthalate											

	A	B	C	D	E	F	G	H	I	J	K	L
319												
320					General Statistics							
321				Number of Valid Data		19				Number of Detected Data		11
322			Number of Distinct Detected Data			11				Number of Non-Detect Data		8
323										Percent Non-Detects		42.11%
324												
325			Raw Statistics						Log-transformed Statistics			
326				Minimum Detected		38				Minimum Detected		3.638
327				Maximum Detected		210				Maximum Detected		5.347
328				Mean of Detected		110.5				Mean of Detected		4.607
329				SD of Detected		50.22				SD of Detected		0.475
330				Minimum Non-Detect		7				Minimum Non-Detect		1.946
331				Maximum Non-Detect		150				Maximum Non-Detect		5.011
332												
333	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		17
334	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		2
335	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		89.47%
336												
337					UCL Statistics							
338		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
339				Shapiro Wilk Test Statistic		0.945				Shapiro Wilk Test Statistic		0.973
340				5% Shapiro Wilk Critical Value		0.85				5% Shapiro Wilk Critical Value		0.85
341		Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
342												
343		Assuming Normal Distribution							Assuming Lognormal Distribution			
344				DL/2 Substitution Method						DL/2 Substitution Method		
345					Mean	77.95					Mean	3.963
346					SD	56.49					SD	1.111
347				95% DL/2 (t) UCL		100.4				95% H-Stat (DL/2) UCL		164.1
348												
349			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
350		MLE method failed to converge properly								Mean in Log Scale		4.259
351										SD in Log Scale		0.571
352										Mean in Original Scale		82.9
353										SD in Original Scale		50.53
354										95% Percentile Bootstrap UCL		101.6
355										95% BCA Bootstrap UCL		105.8
356												
357		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
358				k star (bias corrected)		3.922			Data appear Normal at 5% Significance Level			
359				Theta Star		28.16						
360				nu star		86.29						
361												
362				A-D Test Statistic		0.176			Nonparametric Statistics			
363				5% A-D Critical Value		0.731				Kaplan-Meier (KM) Method		
364				K-S Test Statistic		0.731				Mean		84.53
365				5% K-S Critical Value		0.256				SD		49.4
366		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		12.28
367										95% KM (t) UCL		105.8
368		Assuming Gamma Distribution								95% KM (z) UCL		104.7
369		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		105.1
370					Minimum	38				95% KM (bootstrap t) UCL		107.4
371					Maximum	210				95% KM (BCA) UCL		115.4

	A	B	C	D	E	F	G	H	I	J	K	L
372					Mean	104.9			95% KM (Percentile Bootstrap) UCL			111.5
373					Median	100			95% KM (Chebyshev) UCL			138.1
374					SD	41.17			97.5% KM (Chebyshev) UCL			161.2
375					k star	6.117			99% KM (Chebyshev) UCL			206.7
376					Theta star	17.15						
377					Nu star	232.5			Potential UCLs to Use			
378					AppChi2	198.2			95% KM (t) UCL			105.8
379			95% Gamma Approximate UCL			123.1			95% KM (Percentile Bootstrap) UCL			111.5
380			95% Adjusted Gamma UCL			124.8						
381	Note: DL/2 is not a recommended method.											
382												
383												
384	Dibenzo(a,h)anthracene											
385												
386					General Statistics							
387				Number of Valid Observations		19			Number of Distinct Observations			16
388												
389			Raw Statistics						Log-transformed Statistics			
390					Minimum	3.2			Minimum of Log Data			1.163
391					Maximum	770			Maximum of Log Data			6.646
392					Mean	48.97			Mean of log Data			2.259
393					Median	6.3			SD of log Data			1.192
394					SD	174.7						
395				Coefficient of Variation		3.568						
396					Skewness	4.349						
397												
398					Relevant UCL Statistics							
399			Normal Distribution Test						Lognormal Distribution Test			
400			Shapiro Wilk Test Statistic			0.269			Shapiro Wilk Test Statistic			0.645
401			Shapiro Wilk Critical Value			0.901			Shapiro Wilk Critical Value			0.901
402		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
403												
404			Assuming Normal Distribution						Assuming Lognormal Distribution			
405				95% Student's-t UCL		118.5			95% H-UCL			43.9
406		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			43.44
407			95% Adjusted-CLT UCL			157.6			97.5% Chebyshev (MVUE) UCL			54.28
408				95% Modified-t UCL		125.1			99% Chebyshev (MVUE) UCL			75.59
409												
410			Gamma Distribution Test						Data Distribution			
411				k star (bias corrected)		0.374		Data do not follow a Discernable Distribution (0.05)				
412					Theta Star	130.9						
413					nu star	14.22						
414		Approximate Chi Square Value (.05)				6.721			Nonparametric Statistics			
415			Adjusted Level of Significance			0.0369			95% CLT UCL			114.9
416			Adjusted Chi Square Value			6.274			95% Jackknife UCL			118.5
417									95% Standard Bootstrap UCL			112.2
418			Anderson-Darling Test Statistic			4.67			95% Bootstrap-t UCL			2119
419			Anderson-Darling 5% Critical Value			0.822			95% Hall's Bootstrap UCL			1173
420			Kolmogorov-Smirnov Test Statistic			0.395			95% Percentile Bootstrap UCL			128.3
421			Kolmogorov-Smirnov 5% Critical Value			0.212			95% BCA Bootstrap UCL			169.5
422		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			223.7
423									97.5% Chebyshev(Mean, Sd) UCL			299.3
424			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			447.8

	A	B	C	D	E	F	G	H	I	J	K	L
425			95% Approximate Gamma UCL			103.6						
426			95% Adjusted Gamma UCL			111						
427												
428			**Potential UCL to Use**						Use 99% Chebyshev (Mean, Sd) UCL			447.8
429												
430												
431	Dieldrin											
432												
433					General Statistics							
434			Number of Valid Data			17			Number of Detected Data			6
435			Number of Distinct Detected Data			6			Number of Non-Detect Data			11
436			Number of Missing Values			1			Percent Non-Detects			64.71%
437												
438			**Raw Statistics**						**Log-transformed Statistics**			
439			Minimum Detected			0.262			Minimum Detected			-1.339
440			Maximum Detected			0.53			Maximum Detected			-0.635
441			Mean of Detected			0.357			Mean of Detected			-1.055
442			SD of Detected			0.0939			SD of Detected			0.242
443			Minimum Non-Detect			0.03			Minimum Non-Detect			-3.507
444			Maximum Non-Detect			0.46			Maximum Non-Detect			-0.777
445												
446	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			16
447	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
448	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			94.12%
449												
450				Warning: There are only 6 Detected Values in this data								
451				Note: It should be noted that even though bootstrap may be performed on this data set								
452				the resulting calculations may not be reliable enough tp draw conclusions								
453												
454			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
455												
456												
457					UCL Statistics							
458		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
459			Shapiro Wilk Test Statistic			0.876			Shapiro Wilk Test Statistic			0.936
460			5% Shapiro Wilk Critical Value			0.788			5% Shapiro Wilk Critical Value			0.788
461		**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
462												
463		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
464			DL/2 Substitution Method						DL/2 Substitution Method			
465			Mean			0.165			Mean			-2.434
466			SD			0.164			SD			1.247
467			95% DL/2 (t) UCL			0.235			95% H-Stat (DL/2) UCL			0.308
468												
469			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
470		**MLE method failed to converge properly**						Mean in Log Scale			-1.485
471									SD in Log Scale			0.357
472									Mean in Original Scale			0.242
473									SD in Original Scale			0.103
474									95% Percentile Bootstrap UCL			0.284
475									95% BCA Bootstrap UCL			0.292
476												
477		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				

	A	B	C	D	E	F	G	H	I	J	K	L
478				k star (bias corrected)		9.919		Data appear Normal at 5% Significance Level				
479				Theta Star		0.036						
480				nu star		119						
481												
482				A-D Test Statistic		0.349		Nonparametric Statistics				
483				5% A-D Critical Value		0.697		Kaplan-Meier (KM) Method				
484				K-S Test Statistic		0.697				Mean		0.297
485				5% K-S Critical Value		0.332				SD		0.0685
486	Data appear Gamma Distributed at 5% Significance Level									SE of Mean		0.0184
487										95% KM (t) UCL		0.329
488	Assuming Gamma Distribution									95% KM (z) UCL		0.327
489	Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL		0.33
490				Minimum		1E-09				95% KM (bootstrap t) UCL		0.343
491				Maximum		0.53				95% KM (BCA) UCL		0.368
492				Mean		0.126			95% KM (Percentile Bootstrap) UCL			0.354
493				Median		1E-09				95% KM (Chebyshev) UCL		0.377
494				SD		0.184				97.5% KM (Chebyshev) UCL		0.412
495				k star		0.0986				99% KM (Chebyshev) UCL		0.48
496				Theta star		1.28						
497				Nu star		3.351		Potential UCLs to Use				
498				AppChi2		0.484				95% KM (t) UCL		0.329
499			95% Gamma Approximate UCL			0.874		95% KM (Percentile Bootstrap) UCL				0.354
500			95% Adjusted Gamma UCL			1.086						
501	Note: DL/2 is not a recommended method.											
502												
503												
504	Indeno(1,2,3-cd)pyrene											
505												
506					General Statistics							
507			Number of Valid Observations			19			Number of Distinct Observations			17
508												
509			Raw Statistics						Log-transformed Statistics			
510				Minimum		14			Minimum of Log Data			2.639
511				Maximum		4400			Maximum of Log Data			8.389
512				Mean		284.9			Mean of log Data			4.047
513				Median		40			SD of log Data			1.216
514				SD		997.7						
515			Coefficient of Variation			3.501						
516				Skewness		4.341						
517												
518					Relevant UCL Statistics							
519			Normal Distribution Test						Lognormal Distribution Test			
520			Shapiro Wilk Test Statistic			0.275			Shapiro Wilk Test Statistic			0.701
521			Shapiro Wilk Critical Value			0.901			Shapiro Wilk Critical Value			0.901
522	Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level				
523												
524	Assuming Normal Distribution							Assuming Lognormal Distribution				
525				95% Student's-t UCL		681.9				95% H-UCL		278.1
526	95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL			270.5
527			95% Adjusted-CLT UCL			905			97.5% Chebyshev (MVUE) UCL			338.7
528			95% Modified-t UCL			719.9			99% Chebyshev (MVUE) UCL			472.7
529												
530			Gamma Distribution Test						Data Distribution			

	A	B	C	D	E	F	G	H	I	J	K	L
531					k star (bias corrected)		0.379		Data do not follow a Discernable Distribution (0.05)			
532					Theta Star		751.5					
533					nu star		14.41					
534				Approximate Chi Square Value (.05)			6.852		Nonparametric Statistics			
535				Adjusted Level of Significance			0.0369				95% CLT UCL	661.5
536				Adjusted Chi Square Value			6.4				95% Jackknife UCL	681.9
537											95% Standard Bootstrap UCL	642.4
538				Anderson-Darling Test Statistic			4.346				95% Bootstrap-t UCL	11532
539				Anderson-Darling 5% Critical Value			0.821				95% Hall's Bootstrap UCL	4821
540				Kolmogorov-Smirnov Test Statistic			0.392				95% Percentile Bootstrap UCL	741.8
541				Kolmogorov-Smirnov 5% Critical Value			0.212				95% BCA Bootstrap UCL	985.1
542		Data not Gamma Distributed at 5% Significance Level									95% Chebyshev(Mean, Sd) UCL	1283
543											97.5% Chebyshev(Mean, Sd) UCL	1714
544			Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL	2562
545				95% Approximate Gamma UCL			599.2					
546				95% Adjusted Gamma UCL			641.5					
547												
548			Potential UCL to Use						Use 99% Chebyshev (Mean, Sd) UCL			2562
549												
550												
551	Lead											
552												
553					General Statistics							
554			Number of Valid Observations			19			Number of Distinct Observations			17
555												
556			Raw Statistics						Log-transformed Statistics			
557				Minimum			2.2			Minimum of Log Data		0.788
558				Maximum			34			Maximum of Log Data		3.526
559				Mean			14.3			Mean of log Data		2.56
560				Median			14.3			SD of log Data		0.521
561				SD			6.049					
562			Coefficient of Variation			0.423						
563				Skewness			1.549					
564												
565					Relevant UCL Statistics							
566			Normal Distribution Test						Lognormal Distribution Test			
567			Shapiro Wilk Test Statistic			0.813			Shapiro Wilk Test Statistic			0.76
568			Shapiro Wilk Critical Value			0.901			Shapiro Wilk Critical Value			0.901
569		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
570												
571			Assuming Normal Distribution						Assuming Lognormal Distribution			
572				95% Student's-t UCL			16.7				95% H-UCL	19
573		95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL		22.64
574				95% Adjusted-CLT UCL			17.11			97.5% Chebyshev (MVUE) UCL		26.08
575				95% Modified-t UCL			16.79			99% Chebyshev (MVUE) UCL		32.84
576												
577			Gamma Distribution Test						Data Distribution			
578				k star (bias corrected)			4.368		Data do not follow a Discernable Distribution (0.05)			
579				Theta Star			3.273					
580				nu star			166					
581				Approximate Chi Square Value (.05)			137.2		Nonparametric Statistics			
582				Adjusted Level of Significance			0.0369				95% CLT UCL	16.58
583				Adjusted Chi Square Value			134.9				95% Jackknife UCL	16.7

	A	B	C	D	E	F	G	H	I	J	K	L
584										95% Standard Bootstrap UCL		16.52
585				Anderson-Darling Test Statistic		1.283				95% Bootstrap-t UCL		17.24
586				Anderson-Darling 5% Critical Value		0.742				95% Hall's Bootstrap UCL		22.56
587				Kolmogorov-Smirnov Test Statistic		0.211				95% Percentile Bootstrap UCL		16.57
588				Kolmogorov-Smirnov 5% Critical Value		0.199				95% BCA Bootstrap UCL		17.37
589		**Data not Gamma Distributed at 5% Significance Level**								95% Chebyshev(Mean, Sd) UCL		20.35
590										97.5% Chebyshev(Mean, Sd) UCL		22.96
591			**Assuming Gamma Distribution**							99% Chebyshev(Mean, Sd) UCL		28.1
592				95% Approximate Gamma UCL		17.3						
593				95% Adjusted Gamma UCL		17.59						
594												
595			**Potential UCL to Use**							Use 95% Chebyshev (Mean, Sd) UCL		20.35
596												
597												
598	Mercury											
599												
600						**General Statistics**						
601				Number of Valid Observations		19				Number of Distinct Observations		15
602												
603			**Raw Statistics**						**Log-transformed Statistics**			
604					Minimum	0.007				Minimum of Log Data		-4.962
605					Maximum	0.249				Maximum of Log Data		-1.39
606					Mean	0.0675				Mean of log Data		-2.933
607					Median	0.066				SD of log Data		0.761
608					SD	0.0509						
609				Coefficient of Variation		0.754						
610					Skewness	2.577						
611												
612						**Relevant UCL Statistics**						
613			**Normal Distribution Test**						**Lognormal Distribution Test**			
614				Shapiro Wilk Test Statistic		0.734				Shapiro Wilk Test Statistic		0.909
615				Shapiro Wilk Critical Value		0.901				Shapiro Wilk Critical Value		0.901
616		**Data not Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
617												
618			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
619				95% Student's-t UCL		0.0878				95% H-UCL		0.107
620		**95% UCLs (Adjusted for Skewness)**								95% Chebyshev (MVUE) UCL		0.127
621				95% Adjusted-CLT UCL		0.0941				97.5% Chebyshev (MVUE) UCL		0.151
622				95% Modified-t UCL		0.0889				99% Chebyshev (MVUE) UCL		0.2
623												
624			**Gamma Distribution Test**						**Data Distribution**			
625				k star (bias corrected)		1.931		**Data appear Gamma Distributed at 5% Significance Level**				
626					Theta Star	0.035						
627					nu star	73.37						
628		Approximate Chi Square Value (.05)				54.65			**Nonparametric Statistics**			
629				Adjusted Level of Significance		0.0369				95% CLT UCL		0.0867
630				Adjusted Chi Square Value		53.23				95% Jackknife UCL		0.0878
631										95% Standard Bootstrap UCL		0.0861
632				Anderson-Darling Test Statistic		0.65				95% Bootstrap-t UCL		0.0986
633				Anderson-Darling 5% Critical Value		0.751				95% Hall's Bootstrap UCL		0.177
634				Kolmogorov-Smirnov Test Statistic		0.166				95% Percentile Bootstrap UCL		0.0874
635				Kolmogorov-Smirnov 5% Critical Value		0.201				95% BCA Bootstrap UCL		0.0965
636		**Data appear Gamma Distributed at 5% Significance Level**								95% Chebyshev(Mean, Sd) UCL		0.118

	A	B	C	D	E	F	G	H	I	J	K	L
637									97.5% Chebyshev(Mean, Sd) UCL			0.14
638			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			0.184
639				95% Approximate Gamma UCL		0.0907						
640				95% Adjusted Gamma UCL		0.0931						
641												
642			Potential UCL to Use						Use 95% Approximate Gamma UCL			0.0907
643												
644												
645	Naphthalene											
646												
647						General Statistics						
648			Number of Valid Data			19			Number of Detected Data			12
649			Number of Distinct Detected Data			11			Number of Non-Detect Data			7
650									Percent Non-Detects			36.84%
651												
652			Raw Statistics						Log-transformed Statistics			
653			Minimum Detected			3.2			Minimum Detected			1.163
654			Maximum Detected			690			Maximum Detected			6.537
655			Mean of Detected			77.81			Mean of Detected			3.076
656			SD of Detected			193.7			SD of Detected			1.385
657			Minimum Non-Detect			3.3			Minimum Non-Detect			1.194
658			Maximum Non-Detect			13			Maximum Non-Detect			2.565
659												
660	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			11
661	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			8
662	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			57.89%
663												
664						UCL Statistics						
665			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
666			Shapiro Wilk Test Statistic			0.405			Shapiro Wilk Test Statistic			0.896
667			5% Shapiro Wilk Critical Value			0.859			5% Shapiro Wilk Critical Value			0.859
668			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
669												
670			Assuming Normal Distribution						Assuming Lognormal Distribution			
671			DL/2 Substitution Method						DL/2 Substitution Method			
672			Mean			50.83			Mean			2.476
673			SD			155.7			SD			1.378
674			95% DL/2 (t) UCL			112.8			95% H-Stat (DL/2) UCL			74.86
675												
676			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
677			MLE yields a negative mean						Mean in Log Scale			2.284
678									SD in Log Scale			1.533
679									Mean in Original Scale			50.12
680									SD in Original Scale			155.9
681									95% Percentile Bootstrap UCL			122.2
682									95% BCA Bootstrap UCL			160.3
683												
684			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
685			k star (bias corrected)			0.429			Data appear Lognormal at 5% Significance Level			
686			Theta Star			181.5						
687			nu star			10.29						
688												
689			A-D Test Statistic			1.576			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
690				5% A-D Critical Value		0.785			Kaplan-Meier (KM) Method			
691				K-S Test Statistic		0.785					Mean	50.54
692				5% K-S Critical Value		0.259					SD	151.7
693	**Data not Gamma Distributed at 5% Significance Level**										SE of Mean	36.34
694											95% KM (t) UCL	113.6
695	**Assuming Gamma Distribution**										95% KM (z) UCL	110.3
696	Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL		112.3
697				Minimum		1E-09				95% KM (bootstrap t) UCL		719.9
698				Maximum		690				95% KM (BCA) UCL		125.9
699				Mean		52.4			95% KM (Percentile Bootstrap) UCL			119.7
700				Median		15				95% KM (Chebyshev) UCL		208.9
701				SD		155.5				97.5% KM (Chebyshev) UCL		277.5
702				k star		0.13				99% KM (Chebyshev) UCL		412.1
703				Theta star		403.6						
704				Nu star		4.933			**Potential UCLs to Use**			
705				AppChi2		1.121			97.5% KM (Chebyshev) UCL			277.5
706			95% Gamma Approximate UCL			230.5						
707			95% Adjusted Gamma UCL			265.5						
708	Note: DL/2 is not a recommended method.											
709												
710												
711	Total Aroclors											
712												
713						General Statistics						
714		Number of Valid Data				19			Number of Detected Data			17
715		Number of Distinct Detected Data				17			Number of Non-Detect Data			2
716									Percent Non-Detects			10.53%
717												
718		**Raw Statistics**							**Log-transformed Statistics**			
719			Minimum Detected			16.35				Minimum Detected		2.794
720			Maximum Detected			167.7				Maximum Detected		5.122
721			Mean of Detected			62.24				Mean of Detected		3.832
722			SD of Detected			50.61				SD of Detected		0.794
723			Minimum Non-Detect			1.3				Minimum Non-Detect		0.262
724			Maximum Non-Detect			4.8				Maximum Non-Detect		1.569
725												
726	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			2
727	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			17
728	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			10.53%
729												
730						UCL Statistics						
731		**Normal Distribution Test with Detected Values Only**							**Lognormal Distribution Test with Detected Values Only**			
732			Shapiro Wilk Test Statistic			0.823				Shapiro Wilk Test Statistic		0.918
733			5% Shapiro Wilk Critical Value			0.892				5% Shapiro Wilk Critical Value		0.892
734		**Data not Normal at 5% Significance Level**							**Data appear Lognormal at 5% Significance Level**			
735												
736		**Assuming Normal Distribution**							**Assuming Lognormal Distribution**			
737			DL/2 Substitution Method							DL/2 Substitution Method		
738				Mean		55.85				Mean		3.452
739				SD		51.41				SD		1.379
740			95% DL/2 (t) UCL			76.3				95% H-Stat (DL/2) UCL		146.7
741												
742		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		

	A	B	C	D	E	F	G	H	I	J	K	L
743					Mean	53.07				Mean in Log Scale		3.637
744					SD	54.2				SD in Log Scale		0.949
745				95% MLE (t) UCL		74.63				Mean in Original Scale		56.45
746				95% MLE (Tiku) UCL		74.19				SD in Original Scale		50.77
747										95% Percentile Bootstrap UCL		76.28
748										95% BCA Bootstrap UCL		77.82
749												
750		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
751				k star (bias corrected)		1.538		Data appear Gamma Distributed at 5% Significance Level				
752					Theta Star	40.47						
753					nu star	52.29						
754												
755				A-D Test Statistic		0.653			Nonparametric Statistics			
756				5% A-D Critical Value		0.752			Kaplan-Meier (KM) Method			
757				K-S Test Statistic		0.752				Mean		57.41
758				5% K-S Critical Value		0.212				SD		48.53
759		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		11.48
760										95% KM (t) UCL		77.31
761		Assuming Gamma Distribution								95% KM (z) UCL		76.29
762		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		77.09
763					Minimum	1E-09				95% KM (bootstrap t) UCL		83.48
764					Maximum	167.7				95% KM (BCA) UCL		77.44
765					Mean	55.69			95% KM (Percentile Bootstrap) UCL			75.75
766					Median	33.65				95% KM (Chebyshev) UCL		107.4
767					SD	51.59				97.5% KM (Chebyshev) UCL		129.1
768					k star	0.25				99% KM (Chebyshev) UCL		171.6
769					Theta star	222.7						
770					Nu star	9.503			Potential UCLs to Use			
771					AppChi2	3.634				95% KM (BCA) UCL		77.44
772				95% Gamma Approximate UCL		145.6						
773				95% Adjusted Gamma UCL		159.3						
774	Note: DL/2 is not a recommended method.											
775												
776												
777	Total DDT											
778												
779							General Statistics					
780				Number of Valid Data		18				Number of Detected Data		15
781			Number of Distinct Detected Data			15				Number of Non-Detect Data		3
782				Number of Missing Values		1				Percent Non-Detects		16.67%
783												
784			Raw Statistics						Log-transformed Statistics			
785				Minimum Detected		0.171				Minimum Detected		-1.763
786				Maximum Detected		26.03				Maximum Detected		3.259
787				Mean of Detected		2.813				Mean of Detected		0.138
788				SD of Detected		6.464				SD of Detected		1.129
789				Minimum Non-Detect		0.18				Minimum Non-Detect		-1.715
790				Maximum Non-Detect		0.81				Maximum Non-Detect		-0.211
791												
792	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			8
793	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			10
794	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			44.44%
795												

	A	B	C	D	E	F	G	H	I	J	K	L
796	UCL Statistics											
797	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
798	Shapiro Wilk Test Statistic					0.383	Shapiro Wilk Test Statistic					0.902
799	5% Shapiro Wilk Critical Value					0.881	5% Shapiro Wilk Critical Value					0.881
800	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
801												
802	Assuming Normal Distribution						Assuming Lognormal Distribution					
803	DL/2 Substitution Method						DL/2 Substitution Method					
804	Mean					2.381	Mean					-0.168
805	SD					5.95	SD					1.27
806	95% DL/2 (t) UCL					4.82	95% H-Stat (DL/2) UCL					3.408
807												
808	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
809	MLE yields a negative mean						Mean in Log Scale					-0.159
810							SD in Log Scale					1.24
811							Mean in Original Scale					2.378
812							SD in Original Scale					5.951
813							95% Percentile Bootstrap UCL					5.13
814							95% BCA Bootstrap UCL					6.682
815												
816	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
817	k star (bias corrected)					0.587	Data appear Lognormal at 5% Significance Level					
818	Theta Star					4.795						
819	nu star					17.6						
820												
821	A-D Test Statistic					1.764	Nonparametric Statistics					
822	5% A-D Critical Value					0.78	Kaplan-Meier (KM) Method					
823	K-S Test Statistic					0.78	Mean					2.384
824	5% K-S Critical Value					0.231	SD					5.781
825	Data not Gamma Distributed at 5% Significance Level						SE of Mean					1.411
826							95% KM (t) UCL					4.838
827	Assuming Gamma Distribution						95% KM (z) UCL					4.704
828	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					4.804
829	Minimum					1E-09	95% KM (bootstrap t) UCL					18.65
830	Maximum					26.03	95% KM (BCA) UCL					5.223
831	Mean					2.344	95% KM (Percentile Bootstrap) UCL					5.149
832	Median					0.885	95% KM (Chebyshev) UCL					8.532
833	SD					5.964	97.5% KM (Chebyshev) UCL					11.19
834	k star					0.186	99% KM (Chebyshev) UCL					16.42
835	Theta star					12.6						
836	Nu star					6.694	Potential UCLs to Use					
837	AppChi2					2.004	97.5% KM (Chebyshev) UCL					11.19
838	95% Gamma Approximate UCL					7.828						
839	95% Adjusted Gamma UCL					8.876						
840	Note: DL/2 is not a recommended method.											
841												
842												
843	Total Dioxin-like PCBs											
844												
845	General Statistics											
846	Number of Valid Data					7	Number of Detected Data					7
847	Number of Distinct Detected Data					7	Number of Non-Detect Data					0
848	Number of Missing Values					9	Percent Non-Detects					0.00%

	A	B	C	D	E	F	G	H	I	J	K	L
849												
850			Raw Statistics						Log-transformed Statistics			
851				Minimum Detected		771.2				Minimum Detected		6.648
852				Maximum Detected		11584				Maximum Detected		9.357
853				Mean of Detected		3392				Mean of Detected		7.724
854				SD of Detected		3822				SD of Detected		0.908
855				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
856				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
857												
858												
859					Warning: There are only 7 Detected Values in this data							
860				Note: It should be noted that even though bootstrap may be performed on this data set								
861				the resulting calculations may not be reliable enough tp draw conclusions								
862												
863			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
864												
865												
866						UCL Statistics						
867		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
868				Shapiro Wilk Test Statistic		0.705				Shapiro Wilk Test Statistic		0.921
869				5% Shapiro Wilk Critical Value		0.803				5% Shapiro Wilk Critical Value		0.803
870		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
871												
872		Assuming Normal Distribution						Assuming Lognormal Distribution				
873				DL/2 Substitution Method						DL/2 Substitution Method		
874				Mean		3392				Mean		7.724
875				SD		3822				SD		0.908
876				95% DL/2 (t) UCL		6199				95% H-Stat (DL/2) UCL		12252
877												
878				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
879		MLE method failed to converge properly								Mean in Log Scale		N/A
880										SD in Log Scale		N/A
881										Mean in Original Scale		N/A
882										SD in Original Scale		N/A
883										95% Percentile Bootstrap UCL		N/A
884										95% BCA Bootstrap UCL		N/A
885												
886		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
887				k star (bias corrected)		0.882		Data appear Gamma Distributed at 5% Significance Level				
888				Theta Star		3844						
889				nu star		12.35						
890												
891				A-D Test Statistic		0.563		Nonparametric Statistics				
892				5% A-D Critical Value		0.723				Kaplan-Meier (KM) Method		
893				K-S Test Statistic		0.723				Mean		3392
894				5% K-S Critical Value		0.318				SD		3539
895		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		1445
896										95% KM (t) UCL		6199
897		Assuming Gamma Distribution								95% KM (z) UCL		5768
898		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		6199
899				Minimum		771.2				95% KM (bootstrap t) UCL		16456
900				Maximum		11584				95% KM (BCA) UCL		5859
901				Mean		3392				95% KM (Percentile Bootstrap) UCL		5830

	A	B	C	D	E	F	G	H	I	J	K	L
902					Median	1513				95% KM (Chebyshev) UCL		9689
903					SD	3822				97.5% KM (Chebyshev) UCL		12414
904					k star	0.882				99% KM (Chebyshev) UCL		17766
905					Theta star	3844						
906					Nu star	12.35			Potential UCLs to Use			
907					AppChi2	5.46				95% KM (Chebyshev) UCL		9689
908			95% Gamma Approximate UCL			7673						
909			95% Adjusted Gamma UCL			10071						
910	Note: DL/2 is not a recommended method.											
911												
912												
913	Total PCB TEQ											
914												
915							General Statistics					
916			Number of Valid Data			7				Number of Detected Data		7
917		Number of Distinct Detected Data				7				Number of Non-Detect Data		0
918			Number of Missing Values			9				Percent Non-Detects		0.00%
919												
920			Raw Statistics						Log-transformed Statistics			
921			Minimum Detected			0.448				Minimum Detected		-0.804
922			Maximum Detected			3.843				Maximum Detected		1.346
923			Mean of Detected			1.333				Mean of Detected		0.0207
924			SD of Detected			1.203				SD of Detected		0.739
925			Minimum Non-Detect			N/A				Minimum Non-Detect		N/A
926			Maximum Non-Detect			N/A				Maximum Non-Detect		N/A
927												
928												
929						Warning: There are only 7 Detected Values in this data						
930					Note: It should be noted that even though bootstrap may be performed on this data set							
931					the resulting calculations may not be reliable enough tp draw conclusions							
932												
933			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
934												
935												
936							UCL Statistics					
937		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
938			Shapiro Wilk Test Statistic			0.747				Shapiro Wilk Test Statistic		0.911
939			5% Shapiro Wilk Critical Value			0.803				5% Shapiro Wilk Critical Value		0.803
940		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
941												
942		Assuming Normal Distribution						Assuming Lognormal Distribution				
943			DL/2 Substitution Method							DL/2 Substitution Method		
944					Mean	1.333				Mean		0.0207
945					SD	1.203				SD		0.739
946			95% DL/2 (t) UCL			2.216				95% H-Stat (DL/2) UCL		3.319
947												
948		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
949		MLE method failed to converge properly								Mean in Log Scale		N/A
950										SD in Log Scale		N/A
951										Mean in Original Scale		N/A
952										SD in Original Scale		N/A
953										95% Percentile Bootstrap UCL		N/A
954										95% BCA Bootstrap UCL		N/A

	A	B	C	D	E	F	G	H	I	J	K	L
955												
956	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
957	k star (bias corrected)					1.253	Data appear Gamma Distributed at 5% Significance Level					
958	Theta Star					1.064						
959	nu star					17.54						
960												
961	A-D Test Statistic					0.54	Nonparametric Statistics					
962	5% A-D Critical Value					0.715	Kaplan-Meier (KM) Method					
963	K-S Test Statistic					0.715	Mean					1.333
964	5% K-S Critical Value					0.315	SD					1.114
965	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					0.455
966							95% KM (t) UCL					2.216
967	Assuming Gamma Distribution						95% KM (z) UCL					2.081
968	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					2.216
969	Minimum					0.448	95% KM (bootstrap t) UCL					4.916
970	Maximum					3.843	95% KM (BCA) UCL					2.118
971	Mean					1.333	95% KM (Percentile Bootstrap) UCL					2.07
972	Median					0.752	95% KM (Chebyshev) UCL					3.314
973	SD					1.203	97.5% KM (Chebyshev) UCL					4.172
974	k star					1.253	99% KM (Chebyshev) UCL					5.856
975	Theta star					1.064						
976	Nu star					17.54	Potential UCLs to Use					
977	AppChi2					9.062	95% KM (Chebyshev) UCL					3.314
978	95% Gamma Approximate UCL					2.58						
979	95% Adjusted Gamma UCL					3.204						
980	Note: DL/2 is not a recommended method.											
981												
982												
983	Total PCB_Congeners											
984												
985	General Statistics											
986	Number of Valid Data					7	Number of Detected Data					7
987	Number of Distinct Detected Data					7	Number of Non-Detect Data					0
988	Number of Missing Values					9	Percent Non-Detects					0.00%
989												
990	Raw Statistics						Log-transformed Statistics					
991	Minimum Detected					12814	Minimum Detected					9.458
992	Maximum Detected					201308	Maximum Detected					12.21
993	Mean of Detected					66050	Mean of Detected					10.64
994	SD of Detected					69914	SD of Detected					1.015
995	Minimum Non-Detect					N/A	Minimum Non-Detect					N/A
996	Maximum Non-Detect					N/A	Maximum Non-Detect					N/A
997												
998												
999	Warning: There are only 7 Detected Values in this data											
1000	Note: It should be noted that even though bootstrap may be performed on this data set											
1001	the resulting calculations may not be reliable enough tp draw conclusions											
1002												
1003	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
1004												
1005												
1006	UCL Statistics											
1007	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					

	A	B	C	D	E	F	G	H	I	J	K	L
1008				Shapiro Wilk Test Statistic		0.788				Shapiro Wilk Test Statistic		0.913
1009				5% Shapiro Wilk Critical Value		0.803				5% Shapiro Wilk Critical Value		0.803
1010			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1011												
1012			Assuming Normal Distribution						Assuming Lognormal Distribution			
1013				DL/2 Substitution Method						DL/2 Substitution Method		
1014					Mean	66050					Mean	10.64
1015					SD	69914					SD	1.015
1016				95% DL/2 (t) UCL		117398				95% H-Stat (DL/2) UCL		330287
1017												
1018			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1019			MLE method failed to converge properly							Mean in Log Scale		N/A
1020										SD in Log Scale		N/A
1021										Mean in Original Scale		N/A
1022										SD in Original Scale		N/A
1023										95% Percentile Bootstrap UCL		N/A
1024										95% BCA Bootstrap UCL		N/A
1025												
1026			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1027				k star (bias corrected)		0.803			Data appear Gamma Distributed at 5% Significance Level			
1028				Theta Star		82256						
1029				nu star		11.24						
1030												
1031				A-D Test Statistic		0.498			Nonparametric Statistics			
1032				5% A-D Critical Value		0.725				Kaplan-Meier (KM) Method		
1033				K-S Test Statistic		0.725					Mean	66050
1034				5% K-S Critical Value		0.318					SD	64727
1035			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	26425
1036											95% KM (t) UCL	117398
1037			Assuming Gamma Distribution								95% KM (z) UCL	109515
1038			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	117398
1039					Minimum	12814					95% KM (bootstrap t) UCL	183048
1040					Maximum	201308					95% KM (BCA) UCL	108809
1041					Mean	66050				95% KM (Percentile Bootstrap) UCL		106873
1042					Median	24540					95% KM (Chebyshev) UCL	181233
1043					SD	69914					97.5% KM (Chebyshev) UCL	231073
1044					k star	0.803					99% KM (Chebyshev) UCL	328974
1045					Theta star	82256						
1046					Nu star	11.24			Potential UCLs to Use			
1047					AppChi2	4.732					95% KM (Chebyshev) UCL	181233
1048				95% Gamma Approximate UCL		156917						
1049				95% Adjusted Gamma UCL		209628						
1050	Note: DL/2 is not a recommended method.											
1051												
1052												
1053	Total PCBs, Adjusted											
1054												
1055						General Statistics						
1056				Number of Valid Data		7				Number of Detected Data		7
1057			Number of Distinct Detected Data			7				Number of Non-Detect Data		0
1058				Number of Missing Values		9				Percent Non-Detects		0.00%
1059												
1060			Raw Statistics						Log-transformed Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
1061				Minimum Detected		12043				Minimum Detected		9.396
1062				Maximum Detected		189724				Maximum Detected		12.15
1063				Mean of Detected		62658				Mean of Detected		10.59
1064				SD of Detected		66190				SD of Detected		1.022
1065				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1066				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1067												
1068												
1069					Warning: There are only 7 Detected Values in this data							
1070				Note: It should be noted that even though bootstrap may be performed on this data set								
1071				the resulting calculations may not be reliable enough tp draw conclusions								
1072												
1073				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
1074												
1075												
1076					UCL Statistics							
1077		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1078				Shapiro Wilk Test Statistic		0.791				Shapiro Wilk Test Statistic		0.911
1079				5% Shapiro Wilk Critical Value		0.803				5% Shapiro Wilk Critical Value		0.803
1080		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1081												
1082		Assuming Normal Distribution						Assuming Lognormal Distribution				
1083				DL/2 Substitution Method						DL/2 Substitution Method		
1084				Mean		62658				Mean		10.59
1085				SD		66190				SD		1.022
1086				95% DL/2 (t) UCL		111272				95% H-Stat (DL/2) UCL		320063
1087												
1088				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
1089		MLE method failed to converge properly								Mean in Log Scale		N/A
1090										SD in Log Scale		N/A
1091										Mean in Original Scale		N/A
1092										SD in Original Scale		N/A
1093										95% Percentile Bootstrap UCL		N/A
1094										95% BCA Bootstrap UCL		N/A
1095												
1096		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1097				k star (bias corrected)		0.797		Data appear Gamma Distributed at 5% Significance Level				
1098				Theta Star		78572						
1099				nu star		11.16						
1100												
1101				A-D Test Statistic		0.501		Nonparametric Statistics				
1102				5% A-D Critical Value		0.725				Kaplan-Meier (KM) Method		
1103				K-S Test Statistic		0.725				Mean		62658
1104				5% K-S Critical Value		0.318				SD		61280
1105		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		25017
1106										95% KM (t) UCL		111272
1107		Assuming Gamma Distribution								95% KM (z) UCL		103808
1108		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		111272
1109				Minimum		12043				95% KM (bootstrap t) UCL		218123
1110				Maximum		189724				95% KM (BCA) UCL		101474
1111				Mean		62658				95% KM (Percentile Bootstrap) UCL		102841
1112				Median		23045				95% KM (Chebyshev) UCL		171707
1113				SD		66190				97.5% KM (Chebyshev) UCL		218892

	A	B	C	D	E	F	G	H	I	J	K	L
1114					k star	0.797				99% KM (Chebyshev) UCL		311579
1115					Theta star	78572						
1116					Nu star	11.16			**Potential UCLs to Use**			
1117					AppChi2	4.682				95% KM (Chebyshev) UCL		171707
1118			95% Gamma Approximate UCL			149412						
1119			95% Adjusted Gamma UCL			199871						
1120	**Note: DL/2 is not a recommended method.**											
1121												

General UCL Statistics for Data Sets with Non-Detects

User Selected Options	
From File	C:\LWG_200808\InWatSed_Input_RM2.5W.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	2000

Arsenic

General Statistics

Number of Valid Observations	10	Number of Distinct Observations	10

Raw Statistics		Log-transformed Statistics	
Minimum	2.32	Minimum of Log Data	0.842
Maximum	6.5	Maximum of Log Data	1.872
Mean	4.016	Mean of log Data	1.353
Median	4.03	SD of log Data	0.288
SD	1.165		
Coefficient of Variation	0.29		
Skewness	0.818		

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.955	Shapiro Wilk Test Statistic	0.987
Shapiro Wilk Critical Value	0.842	Shapiro Wilk Critical Value	0.842
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	4.692	95% H-UCL	4.869
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	5.619
95% Adjusted-CLT UCL	4.724	97.5% Chebyshev (MVUE) UCL	6.312
95% Modified-t UCL	4.708	99% Chebyshev (MVUE) UCL	7.674

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	9.626	Data appear Normal at 5% Significance Level	
Theta Star	0.417		
nu star	192.5		
Approximate Chi Square Value (.05)	161.4	Nonparametric Statistics	
Adjusted Level of Significance	0.0267	95% CLT UCL	4.622
Adjusted Chi Square Value	156.5	95% Jackknife UCL	4.692
		95% Standard Bootstrap UCL	4.578
Anderson-Darling Test Statistic	0.174	95% Bootstrap-t UCL	4.861
Anderson-Darling 5% Critical Value	0.725	95% Hall's Bootstrap UCL	5.07
Kolmogorov-Smirnov Test Statistic	0.12	95% Percentile Bootstrap UCL	4.581
Kolmogorov-Smirnov 5% Critical Value	0.266	95% BCA Bootstrap UCL	4.709
Data appear Gamma Distributed at 5% Significance Level		95% Chebyshev(Mean, Sd) UCL	5.623
		97.5% Chebyshev(Mean, Sd) UCL	6.318
Assuming Gamma Distribution		99% Chebyshev(Mean, Sd) UCL	7.683
95% Approximate Gamma UCL	4.79		
95% Adjusted Gamma UCL	4.941		

Potential UCL to Use		Use 95% Student's-t UCL	4.692

Benzo(a)anthracene

General Statistics

Number of Valid Observations	10	Number of Distinct Observations	10

Raw Statistics		Log-transformed Statistics	
Minimum	11	Minimum of Log Data	2.398
Maximum	550	Maximum of Log Data	6.31
Mean	205.1	Mean of log Data	4.838
Median	180	SD of log Data	1.223
SD	174.9		
Coefficient of Variation	0.853		
Skewness	0.94		

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.917	Shapiro Wilk Test Statistic	0.931
Shapiro Wilk Critical Value	0.842	Shapiro Wilk Critical Value	0.842
Data appear Normal at 5% Significance Level		**Data appear Lognormal at 5% Significance Level**	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	306.5	95% H-UCL	1146
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	663.2
95% Adjusted-CLT UCL	313.6	97.5% Chebyshev (MVUE) UCL	846.9
95% Modified-t UCL	309.2	99% Chebyshev (MVUE) UCL	1208

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	0.884	**Data appear Normal at 5% Significance Level**	
Theta Star	231.9		
nu star	17.69		
Approximate Chi Square Value (.05)	9.165	**Nonparametric Statistics**	
Adjusted Level of Significance	0.0267	95% CLT UCL	296.1
Adjusted Chi Square Value	8.12	95% Jackknife UCL	306.5
		95% Standard Bootstrap UCL	290.7
Anderson-Darling Test Statistic	0.17	95% Bootstrap-t UCL	361.2
Anderson-Darling 5% Critical Value	0.745	95% Hall's Bootstrap UCL	373.5
Kolmogorov-Smirnov Test Statistic	0.148	95% Percentile Bootstrap UCL	297
Kolmogorov-Smirnov 5% Critical Value	0.273	95% BCA Bootstrap UCL	309
Data appear Gamma Distributed at 5% Significance Level		95% Chebyshev(Mean, Sd) UCL	446.2
		97.5% Chebyshev(Mean, Sd) UCL	550.5
Assuming Gamma Distribution		99% Chebyshev(Mean, Sd) UCL	755.4
95% Approximate Gamma UCL	395.8		
95% Adjusted Gamma UCL	446.7		

Potential UCL to Use		Use 95% Student's-t UCL	306.5

Benzo(a)pyrene

General Statistics

Number of Valid Observations	10	Number of Distinct Observations	10

	Raw Statistics			Log-transformed Statistics			
	Minimum	18		Minimum of Log Data	2.89		
	Maximum	970		Maximum of Log Data	6.877		
	Mean	369.3		Mean of log Data	5.428		
	Median	380		SD of log Data	1.234		
	SD	306					
	Coefficient of Variation	0.829					
	Skewness	0.816					

Relevant UCL Statistics

	Normal Distribution Test			Lognormal Distribution Test			
	Shapiro Wilk Test Statistic	0.916		Shapiro Wilk Test Statistic	0.914		
	Shapiro Wilk Critical Value	0.842		Shapiro Wilk Critical Value	0.842		
Data appear Normal at 5% Significance Level				**Data appear Lognormal at 5% Significance Level**			

	Assuming Normal Distribution			Assuming Lognormal Distribution			
	95% Student's-t UCL	546.7		95% H-UCL	2144		
95% UCLs (Adjusted for Skewness)				95% Chebyshev (MVUE) UCL	1216		
	95% Adjusted-CLT UCL	555.1		97.5% Chebyshev (MVUE) UCL	1554		
	95% Modified-t UCL	550.9		99% Chebyshev (MVUE) UCL	2218		

	Gamma Distribution Test			Data Distribution			
	k star (bias corrected)	0.887		**Data appear Normal at 5% Significance Level**			
	Theta Star	416.4					
	nu star	17.74					
	Approximate Chi Square Value (.05)	9.201		Nonparametric Statistics			
	Adjusted Level of Significance	0.0267		95% CLT UCL	528.5		
	Adjusted Chi Square Value	8.153		95% Jackknife UCL	546.7		
				95% Standard Bootstrap UCL	517.4		
	Anderson-Darling Test Statistic	0.28		95% Bootstrap-t UCL	601		
	Anderson-Darling 5% Critical Value	0.745		95% Hall's Bootstrap UCL	647.3		
	Kolmogorov-Smirnov Test Statistic	0.201		95% Percentile Bootstrap UCL	530.4		
	Kolmogorov-Smirnov 5% Critical Value	0.273		95% BCA Bootstrap UCL	535		
Data appear Gamma Distributed at 5% Significance Level				95% Chebyshev(Mean, Sd) UCL	791.1		
				97.5% Chebyshev(Mean, Sd) UCL	973.6		
Assuming Gamma Distribution				99% Chebyshev(Mean, Sd) UCL	1332		
	95% Approximate Gamma UCL	711.9					
	95% Adjusted Gamma UCL	803.4					

	Potential UCL to Use			Use 95% Student's-t UCL	546.7		

Benzo(b)fluoranthene

General Statistics

	Number of Valid Observations	10		Number of Distinct Observations	9		

	Raw Statistics			Log-transformed Statistics			
	Minimum	17		Minimum of Log Data	2.833		
	Maximum	600		Maximum of Log Data	6.397		
	Mean	275.2		Mean of log Data	5.214		
	Median	260		SD of log Data	1.126		

	A	B	C	D	E	F	G	H	I	J	K	L
160					SD	206.7						
161				Coefficient of Variation		0.751						
162					Skewness	0.545						
163												
164												
165						Relevant UCL Statistics						
166			Normal Distribution Test						Lognormal Distribution Test			
167			Shapiro Wilk Test Statistic			0.921				Shapiro Wilk Test Statistic		0.903
168			Shapiro Wilk Critical Value			0.842				Shapiro Wilk Critical Value		0.842
169		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
170												
171			Assuming Normal Distribution						Assuming Lognormal Distribution			
172				95% Student's-t UCL		395				95% H-UCL		1224
173		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			833.7
174				95% Adjusted-CLT UCL		394.7			97.5% Chebyshev (MVUE) UCL			1058
175				95% Modified-t UCL		396.9			99% Chebyshev (MVUE) UCL			1497
176												
177			Gamma Distribution Test						Data Distribution			
178				k star (bias corrected)		1.033		Data appear Normal at 5% Significance Level				
179					Theta Star	266.4						
180					nu star	20.66						
181		Approximate Chi Square Value (.05)				11.34			Nonparametric Statistics			
182			Adjusted Level of Significance			0.0267				95% CLT UCL		382.7
183			Adjusted Chi Square Value			10.16				95% Jackknife UCL		395
184									95% Standard Bootstrap UCL			380.7
185			Anderson-Darling Test Statistic			0.238				95% Bootstrap-t UCL		411.7
186			Anderson-Darling 5% Critical Value			0.741			95% Hall's Bootstrap UCL			430.1
187			Kolmogorov-Smirnov Test Statistic			0.136			95% Percentile Bootstrap UCL			382.7
188			Kolmogorov-Smirnov 5% Critical Value			0.272				95% BCA Bootstrap UCL		382.5
189		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			560.1
190									97.5% Chebyshev(Mean, Sd) UCL			683.3
191			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			925.4
192			95% Approximate Gamma UCL			501.4						
193				95% Adjusted Gamma UCL		559.6						
194												
195			Potential UCL to Use						Use 95% Student's-t UCL			395
196												
197												
198	Benzo(k)fluoranthene											
199												
200						General Statistics						
201			Number of Valid Observations			10			Number of Distinct Observations			10
202												
203			Raw Statistics						Log-transformed Statistics			
204					Minimum	6.2				Minimum of Log Data		1.825
205					Maximum	430				Maximum of Log Data		6.064
206					Mean	124.7				Mean of log Data		4.258
207					Median	103				SD of log Data		1.282
208					SD	126.8						
209				Coefficient of Variation		1.017						
210					Skewness	1.698						
211												
212						Relevant UCL Statistics						

	A	B	C	D	E	F	G	H	I	J	K	L
213			Normal Distribution Test						Lognormal Distribution Test			
214					Shapiro Wilk Test Statistic	0.832					Shapiro Wilk Test Statistic	0.957
215					Shapiro Wilk Critical Value	0.842					Shapiro Wilk Critical Value	0.842
216			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
217												
218			Assuming Normal Distribution						Assuming Lognormal Distribution			
219					95% Student's-t UCL	198.2					95% H-UCL	783.9
220			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			406.5
221					95% Adjusted-CLT UCL	213.7					97.5% Chebyshev (MVUE) UCL	521.1
222					95% Modified-t UCL	201.8					99% Chebyshev (MVUE) UCL	746.1
223												
224			Gamma Distribution Test						Data Distribution			
225					k star (bias corrected)	0.777			Data appear Gamma Distributed at 5% Significance Level			
226					Theta Star	160.5						
227					nu star	15.54						
228			Approximate Chi Square Value (.05)			7.641			Nonparametric Statistics			
229				Adjusted Level of Significance		0.0267					95% CLT UCL	190.7
230				Adjusted Chi Square Value		6.7					95% Jackknife UCL	198.2
231											95% Standard Bootstrap UCL	186.5
232			Anderson-Darling Test Statistic			0.17					95% Bootstrap-t UCL	246.3
233			Anderson-Darling 5% Critical Value			0.748					95% Hall's Bootstrap UCL	470.3
234			Kolmogorov-Smirnov Test Statistic			0.135					95% Percentile Bootstrap UCL	195.8
235			Kolmogorov-Smirnov 5% Critical Value			0.274					95% BCA Bootstrap UCL	212.8
236			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			299.5
237									97.5% Chebyshev(Mean, Sd) UCL			375.1
238			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			523.6
239				95% Approximate Gamma UCL		253.7						
240				95% Adjusted Gamma UCL		289.3						
241												
242			Potential UCL to Use						Use 95% Approximate Gamma UCL			253.7
243												
244												
245	Dibenzo(a,h)anthracene											
246												
247					General Statistics							
248				Number of Valid Observations		10				Number of Distinct Observations		10
249												
250			Raw Statistics						Log-transformed Statistics			
251					Minimum	2					Minimum of Log Data	0.693
252					Maximum	130					Maximum of Log Data	4.868
253					Mean	40.88					Mean of log Data	3.172
254					Median	35.5					SD of log Data	1.256
255					SD	39.44						
256				Coefficient of Variation		0.965						
257					Skewness	1.422						
258												
259					Relevant UCL Statistics							
260			Normal Distribution Test						Lognormal Distribution Test			
261					Shapiro Wilk Test Statistic	0.864					Shapiro Wilk Test Statistic	0.953
262					Shapiro Wilk Critical Value	0.842					Shapiro Wilk Critical Value	0.842
263			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
264												
265			Assuming Normal Distribution						Assuming Lognormal Distribution			

	A	B	C	D	E	F	G	H	I	J	K	L
266				95% Student's-t UCL		63.74				95% H-UCL		241.8
267		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			131.7
268				95% Adjusted-CLT UCL		67.39			97.5% Chebyshev (MVUE) UCL			168.6
269				95% Modified-t UCL		64.68			99% Chebyshev (MVUE) UCL			241
270												
271		Gamma Distribution Test						Data Distribution				
272			k star (bias corrected)			0.811		Data appear Normal at 5% Significance Level				
273				Theta Star		50.41						
274				nu star		16.22						
275		Approximate Chi Square Value (.05)				8.118		Nonparametric Statistics				
276		Adjusted Level of Significance				0.0267				95% CLT UCL		61.39
277		Adjusted Chi Square Value				7.143				95% Jackknife UCL		63.74
278									95% Standard Bootstrap UCL			60
279		Anderson-Darling Test Statistic				0.173				95% Bootstrap-t UCL		76.4
280		Anderson-Darling 5% Critical Value				0.747				95% Hall's Bootstrap UCL		175.7
281		Kolmogorov-Smirnov Test Statistic				0.147			95% Percentile Bootstrap UCL			62.36
282		Kolmogorov-Smirnov 5% Critical Value				0.273				95% BCA Bootstrap UCL		65.2
283		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			95.24
284									97.5% Chebyshev(Mean, Sd) UCL			118.8
285		Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL			165
286		95% Approximate Gamma UCL				81.68						
287		95% Adjusted Gamma UCL				92.82						
288												
289		Potential UCL to Use							Use 95% Student's-t UCL			63.74
290												
291												
292	Dieldrin											
293												
294				General Statistics								
295			Number of Valid Data			9			Number of Detected Data			6
296			Number of Distinct Detected Data			6			Number of Non-Detect Data			3
297									Percent Non-Detects			33.33%
298												
299		Raw Statistics						Log-transformed Statistics				
300			Minimum Detected			0.043			Minimum Detected			-3.147
301			Maximum Detected			0.352			Maximum Detected			-1.044
302			Mean of Detected			0.191			Mean of Detected			-1.89
303			SD of Detected			0.122			SD of Detected			0.821
304			Minimum Non-Detect			0.0528			Minimum Non-Detect			-2.941
305			Maximum Non-Detect			0.0653			Maximum Non-Detect			-2.729
306												
307	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				4
308	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				5
309	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				44.44%
310												
311				Warning: There are only 6 Detected Values in this data								
312			Note: It should be noted that even though bootstrap may be performed on this data set									
313				the resulting calculations may not be reliable enough tp draw conclusions								
314												
315			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
316												
317												
318							UCL Statistics					

	A	B	C	D	E	F	G	H	I	J	K	L
319	colspan Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only				
320	Shapiro Wilk Test Statistic					0.937		Shapiro Wilk Test Statistic				0.911
321	5% Shapiro Wilk Critical Value					0.788		5% Shapiro Wilk Critical Value				0.788
322	Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level				
323												
324	Assuming Normal Distribution							Assuming Lognormal Distribution				
325	DL/2 Substitution Method							DL/2 Substitution Method				
326	Mean					0.137		Mean				-2.447
327	SD					0.126		SD				1.059
328	95% DL/2 (t) UCL					0.215		95% H-Stat (DL/2) UCL				0.431
329												
330	Maximum Likelihood Estimate(MLE) Method							Log ROS Method				
331	Mean					0.0958		Mean in Log Scale				-2.32
332	SD					0.17		SD in Log Scale				0.915
333	95% MLE (t) UCL					0.201		Mean in Original Scale				0.141
334	95% MLE (Tiku) UCL					0.219		SD in Original Scale				0.122
335								95% Percentile Bootstrap UCL				0.209
336								95% BCA Bootstrap UCL				0.215
337												
338	Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only				
339	k star (bias corrected)					1.253		Data appear Normal at 5% Significance Level				
340	Theta Star					0.152						
341	nu star					15.04						
342												
343	A-D Test Statistic					0.307		Nonparametric Statistics				
344	5% A-D Critical Value					0.703		Kaplan-Meier (KM) Method				
345	K-S Test Statistic					0.703		Mean				0.142
346	5% K-S Critical Value					0.335		SD				0.115
347	Data appear Gamma Distributed at 5% Significance Level							SE of Mean				0.0419
348								95% KM (t) UCL				0.22
349	Assuming Gamma Distribution							95% KM (z) UCL				0.211
350	Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL				0.215
351	Minimum					0.043		95% KM (bootstrap t) UCL				0.228
352	Maximum					0.352		95% KM (BCA) UCL				0.24
353	Mean					0.168		95% KM (Percentile Bootstrap) UCL				0.229
354	Median					0.122		95% KM (Chebyshev) UCL				0.324
355	SD					0.103		97.5% KM (Chebyshev) UCL				0.403
356	k star					2.057		99% KM (Chebyshev) UCL				0.558
357	Theta star					0.0817						
358	Nu star					37.02		Potential UCLs to Use				
359	AppChi2					24.1		95% KM (t) UCL				0.22
360	95% Gamma Approximate UCL					0.258		95% KM (Percentile Bootstrap) UCL				0.229
361	95% Adjusted Gamma UCL					0.284						
362	Note: DL/2 is not a recommended method.											
363												
364												
365	Indeno(1,2,3-cd)pyrene											
366												
367	General Statistics											
368	Number of Valid Observations					10		Number of Distinct Observations				9
369												
370	Raw Statistics							Log-transformed Statistics				
371	Minimum					14		Minimum of Log Data				2.639

	A	B	C	D	E	F	G	H	I	J	K	L
372					Maximum	900				Maximum of Log Data		6.802
373					Mean	309.6				Mean of log Data		5.23
374					Median	300				SD of log Data		1.249
375					SD	275.7						
376				Coefficient of Variation		0.891						
377					Skewness	1.172						
378												
379												
380						Relevant UCL Statistics						
381			Normal Distribution Test						Lognormal Distribution Test			
382			Shapiro Wilk Test Statistic			0.889				Shapiro Wilk Test Statistic		0.928
383			Shapiro Wilk Critical Value			0.842				Shapiro Wilk Critical Value		0.842
384		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
385												
386			Assuming Normal Distribution						Assuming Lognormal Distribution			
387				95% Student's-t UCL		469.4				95% H-UCL		1853
388		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			1021
389				95% Adjusted-CLT UCL		487.6				97.5% Chebyshev (MVUE) UCL		1307
390				95% Modified-t UCL		474.8				99% Chebyshev (MVUE) UCL		1867
391												
392			Gamma Distribution Test						Data Distribution			
393			k star (bias corrected)			0.855		Data appear Normal at 5% Significance Level				
394				Theta Star		362.2						
395				nu star		17.1						
396		Approximate Chi Square Value (.05)				8.742			Nonparametric Statistics			
397			Adjusted Level of Significance			0.0267				95% CLT UCL		453
398			Adjusted Chi Square Value			7.725				95% Jackknife UCL		469.4
399										95% Standard Bootstrap UCL		444.7
400			Anderson-Darling Test Statistic			0.227				95% Bootstrap-t UCL		542
401		Anderson-Darling 5% Critical Value				0.746				95% Hall's Bootstrap UCL		787.8
402		Kolmogorov-Smirnov Test Statistic				0.199				95% Percentile Bootstrap UCL		454.4
403		Kolmogorov-Smirnov 5% Critical Value				0.273				95% BCA Bootstrap UCL		475.1
404		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			689.7
405										97.5% Chebyshev(Mean, Sd) UCL		854.1
406		Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL			1177
407			95% Approximate Gamma UCL			605.5						
408			95% Adjusted Gamma UCL			685.2						
409												
410		Potential UCL to Use							Use 95% Student's-t UCL			469.4
411												
412												
413	Lead											
414												
415						General Statistics						
416			Number of Valid Observations			10				Number of Distinct Observations		10
417												
418		Raw Statistics							Log-transformed Statistics			
419					Minimum	4.98				Minimum of Log Data		1.605
420					Maximum	30.2				Maximum of Log Data		3.408
421					Mean	12.64				Mean of log Data		2.372
422					Median	9.33				SD of log Data		0.592
423					SD	8.085						
424				Coefficient of Variation		0.64						

	A	B	C	D	E	F	G	H	I	J	K	L
425					Skewness	1.277						
426												
427							Relevant UCL Statistics					
428			Normal Distribution Test						Lognormal Distribution Test			
429					Shapiro Wilk Test Statistic	0.857				Shapiro Wilk Test Statistic		0.94
430					Shapiro Wilk Critical Value	0.842				Shapiro Wilk Critical Value		0.842
431		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
432												
433			Assuming Normal Distribution						Assuming Lognormal Distribution			
434					95% Student's-t UCL	17.33				95% H-UCL		20.34
435		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			23
436					95% Adjusted-CLT UCL	17.95				97.5% Chebyshev (MVUE) UCL		27.53
437					95% Modified-t UCL	17.5				99% Chebyshev (MVUE) UCL		36.43
438												
439			Gamma Distribution Test						Data Distribution			
440				k star (bias corrected)		2.298		Data appear Normal at 5% Significance Level				
441					Theta Star	5.501						
442					nu star	45.97						
443			Approximate Chi Square Value (.05)			31.41			Nonparametric Statistics			
444				Adjusted Level of Significance		0.0267				95% CLT UCL		16.85
445				Adjusted Chi Square Value		29.34				95% Jackknife UCL		17.33
446										95% Standard Bootstrap UCL		16.72
447			Anderson-Darling Test Statistic			0.41				95% Bootstrap-t UCL		19.91
448			Anderson-Darling 5% Critical Value			0.732				95% Hall's Bootstrap UCL		18.96
449			Kolmogorov-Smirnov Test Statistic			0.223				95% Percentile Bootstrap UCL		16.82
450			Kolmogorov-Smirnov 5% Critical Value			0.268				95% BCA Bootstrap UCL		17.34
451		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			23.79
452									97.5% Chebyshev(Mean, Sd) UCL			28.61
453			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			38.08
454				95% Approximate Gamma UCL		18.5						
455				95% Adjusted Gamma UCL		19.81						
456												
457			Potential UCL to Use						Use 95% Student's-t UCL			17.33
458												
459												
460	Mercury											
461												
462							General Statistics					
463				Number of Valid Observations		10			Number of Distinct Observations			8
464												
465			Raw Statistics						Log-transformed Statistics			
466					Minimum	0.019				Minimum of Log Data		-3.963
467					Maximum	0.14				Maximum of Log Data		-1.966
468					Mean	0.0551				Mean of log Data		-3.182
469					Median	0.0365				SD of log Data		0.777
470					SD	0.0456						
471				Coefficient of Variation		0.828						
472					Skewness	1.233						
473												
474							Relevant UCL Statistics					
475												
476			Normal Distribution Test						Lognormal Distribution Test			
477					Shapiro Wilk Test Statistic	0.785				Shapiro Wilk Test Statistic		0.865

	A	B	C	D	E	F	G	H	I	J	K	L
478				Shapiro Wilk Critical Value		0.842				Shapiro Wilk Critical Value		0.842
479		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
480												
481		Assuming Normal Distribution						Assuming Lognormal Distribution				
482				95% Student's-t UCL		0.0816				95% H-UCL		0.112
483		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			0.114
484				95% Adjusted-CLT UCL		0.0849			97.5% Chebyshev (MVUE) UCL			0.14
485				95% Modified-t UCL		0.0825			99% Chebyshev (MVUE) UCL			0.191
486												
487		Gamma Distribution Test						Data Distribution				
488				k star (bias corrected)		1.405		Data appear Gamma Distributed at 5% Significance Level				
489				Theta Star		0.0392						
490				nu star		28.11						
491		Approximate Chi Square Value (.05)				17.01		Nonparametric Statistics				
492		Adjusted Level of Significance				0.0267				95% CLT UCL		0.0788
493		Adjusted Chi Square Value				15.53				95% Jackknife UCL		0.0816
494									95% Standard Bootstrap UCL			0.0782
495		Anderson-Darling Test Statistic				0.654				95% Bootstrap-t UCL		0.106
496		Anderson-Darling 5% Critical Value				0.736				95% Hall's Bootstrap UCL		0.107
497		Kolmogorov-Smirnov Test Statistic				0.227			95% Percentile Bootstrap UCL			0.0787
498		Kolmogorov-Smirnov 5% Critical Value				0.27				95% BCA Bootstrap UCL		0.0838
499		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			0.118
500									97.5% Chebyshev(Mean, Sd) UCL			0.145
501		Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL			0.199
502				95% Approximate Gamma UCL		0.091						
503				95% Adjusted Gamma UCL		0.0997						
504												
505		Potential UCL to Use							Use 95% Approximate Gamma UCL			0.091
506												
507												
508	Naphthalene											
509												
510					General Statistics							
511			Number of Valid Data			10			Number of Detected Data			7
512			Number of Distinct Detected Data			6			Number of Non-Detect Data			3
513									Percent Non-Detects			30.00%
514												
515		Raw Statistics						Log-transformed Statistics				
516				Minimum Detected		8.8				Minimum Detected		2.175
517				Maximum Detected		160				Maximum Detected		5.075
518				Mean of Detected		56.54				Mean of Detected		3.472
519				SD of Detected		64.58				SD of Detected		1.124
520				Minimum Non-Detect		2.9				Minimum Non-Detect		1.065
521				Maximum Non-Detect		9.9				Maximum Non-Detect		2.293
522												
523	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			4
524	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			6
525	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			40.00%
526												
527				Warning: There are only 7 Detected Values in this data								
528				Note: It should be noted that even though bootstrap may be performed on this data set								
529				the resulting calculations may not be reliable enough tp draw conclusions								
530												

	A	B	C	D	E	F	G	H	I	J	K	L
531	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
532												
533												
534	UCL Statistics											
535	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
536	Shapiro Wilk Test Statistic					0.718	Shapiro Wilk Test Statistic					0.857
537	5% Shapiro Wilk Critical Value					0.803	5% Shapiro Wilk Critical Value					0.803
538	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
539												
540	Assuming Normal Distribution						Assuming Lognormal Distribution					
541	DL/2 Substitution Method						DL/2 Substitution Method					
542	Mean					40.61	Mean					2.764
543	SD					58.65	SD					1.496
544	95% DL/2 (t) UCL					74.61	95% H-Stat (DL/2) UCL					338.4
545												
546	Maximum Likelihood Estimate(MLE) Method						Log ROS Method					
547	Mean					18.71	Mean in Log Scale					2.706
548	SD					78.91	SD in Log Scale					1.542
549	95% MLE (t) UCL					64.46	Mean in Original Scale					40.35
550	95% MLE (Tiku) UCL					70.08	SD in Original Scale					58.82
551							95% Percentile Bootstrap UCL					72.21
552							95% BCA Bootstrap UCL					81.43
553												
554	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
555	k star (bias corrected)					0.68	Data Follow Appr. Gamma Distribution at 5% Significance Level					
556	Theta Star					83.21						
557	nu star					9.513						
558												
559	A-D Test Statistic					0.756	Nonparametric Statistics					
560	5% A-D Critical Value					0.727	Kaplan-Meier (KM) Method					
561	K-S Test Statistic					0.727	Mean					42.22
562	5% K-S Critical Value					0.319	SD					54.6
563	Data follow Appr. Gamma Distribution at 5% Significance Level						SE of Mean					18.65
564							95% KM (t) UCL					76.41
565	Assuming Gamma Distribution						95% KM (z) UCL					72.9
566	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					74.33
567	Minimum					1E-09	95% KM (bootstrap t) UCL					234.4
568	Maximum					160	95% KM (BCA) UCL					75.9
569	Mean					40.75	95% KM (Percentile Bootstrap) UCL					72.5
570	Median					17	95% KM (Chebyshev) UCL					123.5
571	SD					58.63	97.5% KM (Chebyshev) UCL					158.7
572	k star					0.171	99% KM (Chebyshev) UCL					227.8
573	Theta star					238.7						
574	Nu star					3.415	Potential UCLs to Use					
575	AppChi2					0.505	95% KM (BCA) UCL					75.9
576	95% Gamma Approximate UCL					275.4						
577	95% Adjusted Gamma UCL					395.2						
578	Note: DL/2 is not a recommended method.											
579												
580												
581	Total Aroclors											
582												
583	General Statistics											

	Number of Valid Data	10				Number of Detected Data		5
	Number of Distinct Detected Data	5				Number of Non-Detect Data		5
						Percent Non-Detects		50.00%
	Raw Statistics					**Log-transformed Statistics**		
	Minimum Detected	7.25				Minimum Detected		1.981
	Maximum Detected	46.5				Maximum Detected		3.839
	Mean of Detected	20.14				Mean of Detected		2.783
	SD of Detected	15.73				SD of Detected		0.729
	Minimum Non-Detect	2.3				Minimum Non-Detect		0.833
	Maximum Non-Detect	3.1				Maximum Non-Detect		1.131
Note: Data have multiple DLs - Use of KM Method is recommended						Number treated as Non-Detect		5
For all methods (except KM, DL/2, and ROS Methods),						Number treated as Detected		5
Observations < Largest ND are treated as NDs						Single DL Non-Detect Percentage		50.00%
	Warning: There are only 5 Detected Values in this data							
	Note: It should be noted that even though bootstrap may be performed on this data set							
	the resulting calculations may not be reliable enough tp draw conclusions							
	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
	UCL Statistics							
	Normal Distribution Test with Detected Values Only				**Lognormal Distribution Test with Detected Values Only**			
	Shapiro Wilk Test Statistic	0.843				Shapiro Wilk Test Statistic		0.963
	5% Shapiro Wilk Critical Value	0.762				5% Shapiro Wilk Critical Value		0.762
	Data appear Normal at 5% Significance Level				**Data appear Lognormal at 5% Significance Level**			
	Assuming Normal Distribution				**Assuming Lognormal Distribution**			
	DL/2 Substitution Method					DL/2 Substitution Method		
	Mean	10.7				Mean		1.5
	SD	14.46				SD		1.439
	95% DL/2 (t) UCL	19.08				95% H-Stat (DL/2) UCL		33.12
	Maximum Likelihood Estimate(MLE) Method					Log ROS Method		
	Mean	2.654				Mean in Log Scale		1.659
	SD	22.27				SD in Log Scale		1.31
	95% MLE (t) UCL	15.57				Mean in Original Scale		10.99
	95% MLE (Tiku) UCL	18.57				SD in Original Scale		14.26
						95% Percentile Bootstrap UCL		18.46
						95% BCA Bootstrap UCL		21.15
	Gamma Distribution Test with Detected Values Only				**Data Distribution Test with Detected Values Only**			
	k star (bias corrected)	1.102			**Data appear Normal at 5% Significance Level**			
	Theta Star	18.27						
	nu star	11.02						
	A-D Test Statistic	0.284			**Nonparametric Statistics**			
	5% A-D Critical Value	0.684				Kaplan-Meier (KM) Method		
	K-S Test Statistic	0.684				Mean		13.7
	5% K-S Critical Value	0.36				SD		11.86
	Data appear Gamma Distributed at 5% Significance Level					SE of Mean		4.192

	A	B	C	D	E	F	G	H	I	J	K	L
637											95% KM (t) UCL	21.38
638			Assuming Gamma Distribution								95% KM (z) UCL	20.59
639			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	20.47
640					Minimum	7.25					95% KM (bootstrap t) UCL	27.44
641					Maximum	46.5					95% KM (BCA) UCL	26.42
642					Mean	20.14					95% KM (Percentile Bootstrap) UCL	22.71
643					Median	19.28					95% KM (Chebyshev) UCL	31.97
644					SD	10.55					97.5% KM (Chebyshev) UCL	39.88
645					k star	3.313					99% KM (Chebyshev) UCL	55.41
646					Theta star	6.081						
647					Nu star	66.25			Potential UCLs to Use			
648					AppChi2	48.52					95% KM (t) UCL	21.38
649			95% Gamma Approximate UCL			27.51					95% KM (Percentile Bootstrap) UCL	22.71
650			95% Adjusted Gamma UCL			29.08						
651	Note: DL/2 is not a recommended method.											
652												
653												
654	Total DDT											
655												
656					General Statistics							
657			Number of Valid Observations			10			Number of Distinct Observations			10
658												
659			Raw Statistics						Log-transformed Statistics			
660					Minimum	0.363			Minimum of Log Data			-1.013
661					Maximum	5.3			Maximum of Log Data			1.668
662					Mean	1.448			Mean of log Data			-0.0624
663					Median	0.617			SD of log Data			0.905
664					SD	1.645						
665				Coefficient of Variation		1.136						
666					Skewness	1.891						
667												
668					Relevant UCL Statistics							
669			Normal Distribution Test						Lognormal Distribution Test			
670				Shapiro Wilk Test Statistic		0.691			Shapiro Wilk Test Statistic			0.862
671				Shapiro Wilk Critical Value		0.842			Shapiro Wilk Critical Value			0.842
672		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
673												
674			Assuming Normal Distribution						Assuming Lognormal Distribution			
675				95% Student's-t UCL		2.402			95% H-UCL			3.403
676		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			3.089
677			95% Adjusted-CLT UCL			2.636			97.5% Chebyshev (MVUE) UCL			3.845
678				95% Modified-t UCL		2.454			99% Chebyshev (MVUE) UCL			5.33
679												
680			Gamma Distribution Test						Data Distribution			
681				k star (bias corrected)		0.974		Data appear Lognormal at 5% Significance Level				
682					Theta Star	1.486						
683					nu star	19.49						
684			Approximate Chi Square Value (.05)			10.48			Nonparametric Statistics			
685			Adjusted Level of Significance			0.0267			95% CLT UCL			2.304
686				Adjusted Chi Square Value		9.348			95% Jackknife UCL			2.402
687									95% Standard Bootstrap UCL			2.239
688				Anderson-Darling Test Statistic		0.942			95% Bootstrap-t UCL			5.056
689				Anderson-Darling 5% Critical Value		0.743			95% Hall's Bootstrap UCL			6.321

	A	B	C	D	E	F	G	H	I	J	K	L
690					Kolmogorov-Smirnov Test Statistic	0.3				95% Percentile Bootstrap UCL		2.308
691					Kolmogorov-Smirnov 5% Critical Value	0.272				95% BCA Bootstrap UCL		2.512
692			**Data not Gamma Distributed at 5% Significance Level**							95% Chebyshev(Mean, Sd) UCL		3.716
693										97.5% Chebyshev(Mean, Sd) UCL		4.697
694			**Assuming Gamma Distribution**							99% Chebyshev(Mean, Sd) UCL		6.624
695				95% Approximate Gamma UCL		2.694						
696				95% Adjusted Gamma UCL		3.019						
697												
698			**Potential UCL to Use**							Use 95% H-UCL		3.403
699												

General UCL Statistics for Data Sets with Non-Detects

	User Selected Options	
From File	C:\LWG_200808\InWatSed_Input_RM2.5MC.wst	
Full Precision	OFF	
Confidence Coefficient	95%	
Number of Bootstrap Operations	2000	

Arsenic

General Statistics

Number of Valid Observations	7	Number of Distinct Observations	7

Raw Statistics		Log-transformed Statistics	
Minimum	3.22	Minimum of Log Data	1.169
Maximum	5.19	Maximum of Log Data	1.647
Mean	4.26	Mean of log Data	1.437
Median	4.39	SD of log Data	0.168
SD	0.689		
Coefficient of Variation	0.162		
Skewness	-0.345		

Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!

It is suggested to collect at least 8 to 10 observations using these statistical methods!

If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

Warning: There are only 7 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set,

the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.954	Shapiro Wilk Test Statistic	0.937
Shapiro Wilk Critical Value	0.803	Shapiro Wilk Critical Value	0.803
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	4.766	95% H-UCL	4.88
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	5.442
95% Adjusted-CLT UCL	4.652	97.5% Chebyshev (MVUE) UCL	5.953
95% Modified-t UCL	4.761	99% Chebyshev (MVUE) UCL	6.956

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	24.42	Data appear Normal at 5% Significance Level	
Theta Star	0.174		
nu star	341.9		
Approximate Chi Square Value (.05)	300.1	Nonparametric Statistics	
Adjusted Level of Significance	0.0158	95% CLT UCL	4.689

	A	B	C	D	E	F	G	H	I	J	K	L
54			Adjusted Chi Square Value			288.2			95% Jackknife UCL			4.766
55									95% Standard Bootstrap UCL			4.654
56			Anderson-Darling Test Statistic			0.307			95% Bootstrap-t UCL			4.727
57			Anderson-Darling 5% Critical Value			0.707			95% Hall's Bootstrap UCL			4.66
58			Kolmogorov-Smirnov Test Statistic			0.216			95% Percentile Bootstrap UCL			4.656
59			Kolmogorov-Smirnov 5% Critical Value			0.311			95% BCA Bootstrap UCL			4.649
60		**Data appear Gamma Distributed at 5% Significance Level**							95% Chebyshev(Mean, Sd) UCL			5.396
61									97.5% Chebyshev(Mean, Sd) UCL			5.887
62			**Assuming Gamma Distribution**						99% Chebyshev(Mean, Sd) UCL			6.852
63			95% Approximate Gamma UCL			4.854						
64			95% Adjusted Gamma UCL			5.055						
65												
66			**Potential UCL to Use**						Use 95% Student's-t UCL			4.766
67												
68												
69	Benzo(a)anthracene											
70												
71					**General Statistics**							
72			Number of Valid Observations			7			Number of Distinct Observations			7
73												
74			**Raw Statistics**						**Log-transformed Statistics**			
75			Minimum			87			Minimum of Log Data			4.466
76			Maximum			420			Maximum of Log Data			6.04
77			Mean			212.4			Mean of log Data			5.211
78			Median			180			SD of log Data			0.582
79			SD			127.7						
80			Coefficient of Variation			0.601						
81			Skewness			0.972						
82												
83												
84		**Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!**										
85												
86		**It is suggested to collect at least 8 to 10 observations using these statistical methods!**										
87		**If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.**										
88												
89												
90				**Warning: There are only 7 Values in this data**								
91			**Note: It should be noted that even though bootstrap methods may be performed on this data set,**										
92			**the resulting calculations may not be reliable enough to draw conclusions**										
93												
94		**The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.**										
95												
96					**Relevant UCL Statistics**							
97			**Normal Distribution Test**						**Lognormal Distribution Test**			
98			Shapiro Wilk Test Statistic			0.861			Shapiro Wilk Test Statistic			0.941
99			Shapiro Wilk Critical Value			0.803			Shapiro Wilk Critical Value			0.803
100		**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
101												
102		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
103			95% Student's-t UCL			306.2			95% H-UCL			405.9
104		**95% UCLs (Adjusted for Skewness)**						95% Chebyshev (MVUE) UCL			415.2
105			95% Adjusted-CLT UCL			310.8			97.5% Chebyshev (MVUE) UCL			503.4
106			95% Modified-t UCL			309.2			99% Chebyshev (MVUE) UCL			676.6

	Gamma Distribution Test			Data Distribution						
k star (bias corrected)	2.116			Data appear Normal at 5% Significance Level						
Theta Star	100.4									
nu star	29.63									
Approximate Chi Square Value (.05)	18.2			Nonparametric Statistics						
Adjusted Level of Significance	0.0158					95% CLT UCL	291.8			
Adjusted Chi Square Value	15.56					95% Jackknife UCL	306.2			
						95% Standard Bootstrap UCL	284.4			
Anderson-Darling Test Statistic	0.355					95% Bootstrap-t UCL	428.6			
Anderson-Darling 5% Critical Value	0.711					95% Hall's Bootstrap UCL	934.7			
Kolmogorov-Smirnov Test Statistic	0.225					95% Percentile Bootstrap UCL	290			
Kolmogorov-Smirnov 5% Critical Value	0.313					95% BCA Bootstrap UCL	297.1			
Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL	422.9			
						97.5% Chebyshev(Mean, Sd) UCL	513.9			
Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL	692.8			
95% Approximate Gamma UCL	345.8									
95% Adjusted Gamma UCL	404.5									
Potential UCL to Use						Use 95% Student's-t UCL	306.2			

Benzo(a)pyrene

	General Statistics									
Number of Valid Observations	7					Number of Distinct Observations	7			

	Raw Statistics					Log-transformed Statistics				
Minimum	140					Minimum of Log Data	4.942			
Maximum	690					Maximum of Log Data	6.537			
Mean	341.4					Mean of log Data	5.695			
Median	260					SD of log Data	0.56			
SD	200.3									
Coefficient of Variation	0.587									
Skewness	1.082									

Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!

It is suggested to collect at least 8 to 10 observations using these statistical methods!

If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

Warning: There are only 7 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set,

the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

	Relevant UCL Statistics									
Normal Distribution Test						Lognormal Distribution Test				
Shapiro Wilk Test Statistic	0.879					Shapiro Wilk Test Statistic	0.961			
Shapiro Wilk Critical Value	0.803					Shapiro Wilk Critical Value	0.803			

	A	B	C	D	E	F	G	H	I	J	K	L
160			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
161												
162			Assuming Normal Distribution						Assuming Lognormal Distribution			
163					95% Student's-t UCL	488.5					95% H-UCL	629
164			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		654.7
165				95% Adjusted-CLT UCL		499				97.5% Chebyshev (MVUE) UCL		791.1
166				95% Modified-t UCL		493.7				99% Chebyshev (MVUE) UCL		1059
167												
168			Gamma Distribution Test						Data Distribution			
169			k star (bias corrected)			2.256			Data appear Normal at 5% Significance Level			
170					Theta Star	151.3						
171					nu star	31.59						
172			Approximate Chi Square Value (.05)			19.75			Nonparametric Statistics			
173			Adjusted Level of Significance			0.0158				95% CLT UCL		465.9
174			Adjusted Chi Square Value			16.98				95% Jackknife UCL		488.5
175										95% Standard Bootstrap UCL		456.7
176			Anderson-Darling Test Statistic			0.307				95% Bootstrap-t UCL		696.1
177			Anderson-Darling 5% Critical Value			0.71				95% Hall's Bootstrap UCL		1318
178			Kolmogorov-Smirnov Test Statistic			0.201				95% Percentile Bootstrap UCL		467.1
179			Kolmogorov-Smirnov 5% Critical Value			0.313				95% BCA Bootstrap UCL		477.1
180		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		671.4
181										97.5% Chebyshev(Mean, Sd) UCL		814.2
182			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		1095
183			95% Approximate Gamma UCL			546.2						
184			95% Adjusted Gamma UCL			635.2						
185												
186			Potential UCL to Use						Use 95% Student's-t UCL			488.5
187												
188												
189	Benzo(b)fluoranthene											
190												
191							General Statistics					
192			Number of Valid Observations			7			Number of Distinct Observations			7
193												
194			Raw Statistics						Log-transformed Statistics			
195					Minimum	130				Minimum of Log Data		4.868
196					Maximum	640				Maximum of Log Data		6.461
197					Mean	312.9				Mean of log Data		5.613
198					Median	230				SD of log Data		0.548
199					SD	182						
200			Coefficient of Variation			0.582						
201					Skewness	1.179						
202												
203												
204			Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!									
205												
206			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
207			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
208												
209												
210						Warning: There are only 7 Values in this data						
211			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
212			the resulting calculations may not be reliable enough to draw conclusions									

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.868	Shapiro Wilk Test Statistic	0.952
Shapiro Wilk Critical Value	0.803	Shapiro Wilk Critical Value	0.803
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	446.5	95% H-UCL	564
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	592.8
95% Adjusted-CLT UCL	458.8	97.5% Chebyshev (MVUE) UCL	714.8
95% Modified-t UCL	451.6	99% Chebyshev (MVUE) UCL	954.4

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	2.336	Data appear Normal at 5% Significance Level	
Theta Star	133.9		
nu star	32.71		
Approximate Chi Square Value (.05)	20.63	Nonparametric Statistics	
Adjusted Level of Significance	0.0158	95% CLT UCL	426
Adjusted Chi Square Value	17.8	95% Jackknife UCL	446.5
		95% Standard Bootstrap UCL	419.3
Anderson-Darling Test Statistic	0.355	95% Bootstrap-t UCL	652.8
Anderson-Darling 5% Critical Value	0.71	95% Hall's Bootstrap UCL	1187
Kolmogorov-Smirnov Test Statistic	0.229	95% Percentile Bootstrap UCL	420
Kolmogorov-Smirnov 5% Critical Value	0.313	95% BCA Bootstrap UCL	437.1
Data appear Gamma Distributed at 5% Significance Level		95% Chebyshev(Mean, Sd) UCL	612.7
		97.5% Chebyshev(Mean, Sd) UCL	742.4
Assuming Gamma Distribution		99% Chebyshev(Mean, Sd) UCL	997.3
95% Approximate Gamma UCL	495.9		
95% Adjusted Gamma UCL	574.9		

Potential UCL to Use		Use 95% Student's-t UCL	446.5

Benzo(k)fluoranthene

General Statistics

Number of Valid Observations	7	Number of Distinct Observations	7

Raw Statistics		Log-transformed Statistics	
Minimum	42	Minimum of Log Data	3.738
Maximum	210	Maximum of Log Data	5.347
Mean	100.1	Mean of log Data	4.47
Median	73	SD of log Data	0.552
SD	59.49		
Coefficient of Variation	0.594		
Skewness	1.265		

Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!

	A	B	C	D	E	F	G	H	I	J	K	L
266	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
267	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
268												
269												
270	Warning: There are only 7 Values in this data											
271	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
272	the resulting calculations may not be reliable enough to draw conclusions											
273												
274	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
275												
276	Relevant UCL Statistics											
277	Normal Distribution Test						Lognormal Distribution Test					
278	Shapiro Wilk Test Statistic					0.866	Shapiro Wilk Test Statistic					0.957
279	Shapiro Wilk Critical Value					0.803	Shapiro Wilk Critical Value					0.803
280	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
281												
282	Assuming Normal Distribution						Assuming Lognormal Distribution					
283	95% Student's-t UCL					143.8	95% H-UCL					181.7
284	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					190.3
285	95% Adjusted-CLT UCL					148.6	97.5% Chebyshev (MVUE) UCL					229.6
286	95% Modified-t UCL					145.6	99% Chebyshev (MVUE) UCL					306.9
287												
288	Gamma Distribution Test						Data Distribution					
289	k star (bias corrected)					2.283	Data appear Normal at 5% Significance Level					
290	Theta Star					43.87						
291	nu star					31.96						
292	Approximate Chi Square Value (.05)					20.04	Nonparametric Statistics					
293	Adjusted Level of Significance					0.0158	95% CLT UCL					137.1
294	Adjusted Chi Square Value					17.25	95% Jackknife UCL					143.8
295							95% Standard Bootstrap UCL					134.7
296	Anderson-Darling Test Statistic					0.339	95% Bootstrap-t UCL					210.4
297	Anderson-Darling 5% Critical Value					0.71	95% Hall's Bootstrap UCL					368
298	Kolmogorov-Smirnov Test Statistic					0.231	95% Percentile Bootstrap UCL					136.1
299	Kolmogorov-Smirnov 5% Critical Value					0.313	95% BCA Bootstrap UCL					143.7
300	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					198.2
301							97.5% Chebyshev(Mean, Sd) UCL					240.6
302	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					323.9
303	95% Approximate Gamma UCL					159.7						
304	95% Adjusted Gamma UCL					185.5						
305												
306	Potential UCL to Use						Use 95% Student's-t UCL					143.8
307												
308												
309	Bis(2-ethylhexyl) phthalate											
310												
311	General Statistics											
312	Number of Valid Data				7			Number of Detected Data				6
313	Number of Distinct Detected Data				5			Number of Non-Detect Data				1
314								Percent Non-Detects				14.29%
315												
316	Raw Statistics						Log-transformed Statistics					
317	Minimum Detected				14			Minimum Detected				2.639
318	Maximum Detected				140			Maximum Detected				4.942

	A	B	C	D	E	F	G	H	I	J	K	L
319					Mean of Detected	66.67				Mean of Detected		3.955
320					SD of Detected	45.1				SD of Detected		0.835
321					Minimum Non-Detect	7				Minimum Non-Detect		1.946
322					Maximum Non-Detect	7				Maximum Non-Detect		1.946
323												
324												
325				Warning: There are only 6 Detected Values in this data								
326				Note: It should be noted that even though bootstrap may be performed on this data set								
327				the resulting calculations may not be reliable enough tp draw conclusions								
328												
329				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
330												
331												
332					UCL Statistics							
333			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
334				Shapiro Wilk Test Statistic		0.946				Shapiro Wilk Test Statistic		0.941
335				5% Shapiro Wilk Critical Value		0.788				5% Shapiro Wilk Critical Value		0.788
336			Data appear Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
337												
338			Assuming Normal Distribution					Assuming Lognormal Distribution				
339				DL/2 Substitution Method						DL/2 Substitution Method		
340					Mean	57.64				Mean		3.569
341					SD	47.59				SD		1.274
342				95% DL/2 (t) UCL		92.6				95% H-Stat (DL/2) UCL		343.8
343												
344			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
345					Mean	54.39				Mean in Log Scale		3.661
346					SD	49.27				SD in Log Scale		1.088
347				95% MLE (t) UCL		90.58				Mean in Original Scale		58.1
348				95% MLE (Tiku) UCL		90.85				SD in Original Scale		47
349										95% Percentile Bootstrap UCL		86.71
350										95% BCA Bootstrap UCL		91.57
351												
352			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
353				k star (bias corrected)		1.207			Data appear Normal at 5% Significance Level			
354					Theta Star	55.24						
355					nu star	14.48						
356												
357				A-D Test Statistic		0.246			Nonparametric Statistics			
358				5% A-D Critical Value		0.704			Kaplan-Meier (KM) Method			
359				K-S Test Statistic		0.704				Mean		59.14
360				5% K-S Critical Value		0.336				SD		42.34
361		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		17.53
362										95% KM (t) UCL		93.21
363			Assuming Gamma Distribution							95% KM (z) UCL		87.98
364			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		92.6
365					Minimum	2.096				95% KM (bootstrap t) UCL		99.5
366					Maximum	140				95% KM (BCA) UCL		90.71
367					Mean	57.44			95% KM (Percentile Bootstrap) UCL			89.57
368					Median	56				95% KM (Chebyshev) UCL		135.6
369					SD	47.86				97.5% KM (Chebyshev) UCL		168.6
370					k star	0.687				99% KM (Chebyshev) UCL		233.6
371					Theta star	83.66						

	A	B	C	D	E	F	G	H	I	J	K	L
372					Nu star	9.613			Potential UCLs to Use			
373					AppChi2	3.701				95% KM (t) UCL		93.21
374			95% Gamma Approximate UCL			149.2			95% KM (Percentile Bootstrap) UCL			89.57
375			95% Adjusted Gamma UCL			205.9						
376	Note: DL/2 is not a recommended method.											
377												
378												
379	Dibenzo(a,h)anthracene											
380												
381					General Statistics							
382			Number of Valid Observations			7			Number of Distinct Observations			7
383												
384			Raw Statistics						Log-transformed Statistics			
385					Minimum	12			Minimum of Log Data			2.485
386					Maximum	60			Maximum of Log Data			4.094
387					Mean	33.57			Mean of log Data			3.379
388					Median	26			SD of log Data			0.571
389					SD	18.55						
390				Coefficient of Variation		0.552						
391					Skewness	0.726						
392												
393												
394			Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!									
395												
396				It is suggested to collect at least 8 to 10 observations using these statistical methods!								
397			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
398												
399												
400					Warning: There are only 7 Values in this data							
401			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
402				the resulting calculations may not be reliable enough to draw conclusions								
403												
404			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
405												
406					Relevant UCL Statistics							
407			Normal Distribution Test						Lognormal Distribution Test			
408				Shapiro Wilk Test Statistic		0.87			Shapiro Wilk Test Statistic			0.935
409				Shapiro Wilk Critical Value		0.803			Shapiro Wilk Critical Value			0.803
410		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
411												
412			Assuming Normal Distribution						Assuming Lognormal Distribution			
413					95% Student's-t UCL	47.19			95% H-UCL			63.4
414		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			65.46
415				95% Adjusted-CLT UCL		47.16			97.5% Chebyshev (MVUE) UCL			79.23
416				95% Modified-t UCL		47.51			99% Chebyshev (MVUE) UCL			106.3
417												
418			Gamma Distribution Test						Data Distribution			
419				k star (bias corrected)		2.302			Data appear Normal at 5% Significance Level			
420					Theta Star	14.58						
421					nu star	32.23						
422		Approximate Chi Square Value (.05)				20.26			Nonparametric Statistics			
423			Adjusted Level of Significance			0.0158			95% CLT UCL			45.1
424			Adjusted Chi Square Value			17.45			95% Jackknife UCL			47.19

	A	B	C	D	E	F	G	H	I	J	K	L
425										95% Standard Bootstrap UCL		44.15
426			Anderson-Darling Test Statistic			0.358				95% Bootstrap-t UCL		61.48
427			Anderson-Darling 5% Critical Value			0.71				95% Hall's Bootstrap UCL		75.04
428			Kolmogorov-Smirnov Test Statistic			0.196				95% Percentile Bootstrap UCL		44.71
429			Kolmogorov-Smirnov 5% Critical Value			0.313				95% BCA Bootstrap UCL		45.29
430		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		64.13
431										97.5% Chebyshev(Mean, Sd) UCL		77.35
432			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		103.3
433				95% Approximate Gamma UCL		53.42						
434				95% Adjusted Gamma UCL		62.01						
435												
436			Potential UCL to Use							Use 95% Student's-t UCL		47.19
437												
438												
439	Indeno(1,2,3-cd)pyrene											
440												
441					General Statistics							
442			Number of Valid Observations			7				Number of Distinct Observations		7
443												
444			Raw Statistics						Log-transformed Statistics			
445				Minimum		98				Minimum of Log Data		4.585
446				Maximum		540				Maximum of Log Data		6.292
447				Mean		261.1				Mean of log Data		5.415
448				Median		190				SD of log Data		0.589
449				SD		158.4						
450			Coefficient of Variation			0.607						
451				Skewness		1.079						
452												
453												
454		Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
455												
456		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
457		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
458												
459												
460					Warning: There are only 7 Values in this data							
461		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
462		the resulting calculations may not be reliable enough to draw conclusions										
463												
464		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
465												
466					Relevant UCL Statistics							
467		Normal Distribution Test							Lognormal Distribution Test			
468			Shapiro Wilk Test Statistic			0.887				Shapiro Wilk Test Statistic		0.969
469			Shapiro Wilk Critical Value			0.803				Shapiro Wilk Critical Value		0.803
470		Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
471												
472		Assuming Normal Distribution							Assuming Lognormal Distribution			
473			95% Student's-t UCL			377.5				95% H-UCL		505.3
474		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		513.8
475			95% Adjusted-CLT UCL			385.7				97.5% Chebyshev (MVUE) UCL		623.7
476			95% Modified-t UCL			381.5				99% Chebyshev (MVUE) UCL		839.4
477												

	A	B	C	D	E	F	G	H	I	J	K	L
478			Gamma Distribution Test						Data Distribution			
479			k star (bias corrected)			2.088		Data appear Normal at 5% Significance Level				
480			Theta Star			125.1						
481			nu star			29.23						
482			Approximate Chi Square Value (.05)			17.88		Nonparametric Statistics				
483			Adjusted Level of Significance			0.0158			95% CLT UCL			359.6
484			Adjusted Chi Square Value			15.27			95% Jackknife UCL			377.5
485									95% Standard Bootstrap UCL			352.1
486			Anderson-Darling Test Statistic			0.282			95% Bootstrap-t UCL			512.2
487			Anderson-Darling 5% Critical Value			0.711			95% Hall's Bootstrap UCL			974.7
488			Kolmogorov-Smirnov Test Statistic			0.22			95% Percentile Bootstrap UCL			360
489			Kolmogorov-Smirnov 5% Critical Value			0.313			95% BCA Bootstrap UCL			371.4
490		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			522.1
491									97.5% Chebyshev(Mean, Sd) UCL			635
492			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			856.8
493			95% Approximate Gamma UCL			426.7						
494			95% Adjusted Gamma UCL			499.8						
495												
496			Potential UCL to Use						Use 95% Student's-t UCL			377.5
497												
498												
499	Lead											
500												
501					General Statistics							
502			Number of Valid Observations			7			Number of Distinct Observations			6
503												
504			Raw Statistics						Log-transformed Statistics			
505			Minimum			5.8			Minimum of Log Data			1.758
506			Maximum			21.5			Maximum of Log Data			3.068
507			Mean			12.77			Mean of log Data			2.464
508			Median			13			SD of log Data			0.449
509			SD			5.485						
510			Coefficient of Variation			0.43						
511			Skewness			0.508						
512												
513												
514		Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
515												
516		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
517		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
518												
519												
520		Warning: There are only 7 Values in this data										
521		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
522		the resulting calculations may not be reliable enough to draw conclusions										
523												
524		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
525												
526					Relevant UCL Statistics							
527			Normal Distribution Test						Lognormal Distribution Test			
528			Shapiro Wilk Test Statistic			0.957			Shapiro Wilk Test Statistic			0.974
529			Shapiro Wilk Critical Value			0.803			Shapiro Wilk Critical Value			0.803
530		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
531												
532			Assuming Normal Distribution						Assuming Lognormal Distribution			
533				95% Student's-t UCL		16.8				95% H-UCL		20.04
534			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		22.32
535				95% Adjusted-CLT UCL		16.61				97.5% Chebyshev (MVUE) UCL		26.44
536				95% Modified-t UCL		16.87				99% Chebyshev (MVUE) UCL		34.53
537												
538			Gamma Distribution Test						Data Distribution			
539				k star (bias corrected)		3.621			Data appear Normal at 5% Significance Level			
540				Theta Star		3.527						
541				nu star		50.7						
542		Approximate Chi Square Value (.05)				35.35			Nonparametric Statistics			
543			Adjusted Level of Significance			0.0158				95% CLT UCL		16.18
544			Adjusted Chi Square Value			31.52				95% Jackknife UCL		16.8
545										95% Standard Bootstrap UCL		15.89
546		Anderson-Darling Test Statistic				0.196				95% Bootstrap-t UCL		17.86
547		Anderson-Darling 5% Critical Value				0.71				95% Hall's Bootstrap UCL		19.45
548		Kolmogorov-Smirnov Test Statistic				0.143				95% Percentile Bootstrap UCL		16.23
549		Kolmogorov-Smirnov 5% Critical Value				0.313				95% BCA Bootstrap UCL		16.56
550		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		21.81
551										97.5% Chebyshev(Mean, Sd) UCL		25.72
552			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		33.4
553				95% Approximate Gamma UCL		18.32						
554				95% Adjusted Gamma UCL		20.54						
555												
556			Potential UCL to Use							Use 95% Student's-t UCL		16.8
557												
558												
559	Mercury											
560												
561						General Statistics						
562			Number of Valid Observations			7			Number of Distinct Observations			7
563												
564			Raw Statistics						Log-transformed Statistics			
565				Minimum		0.011				Minimum of Log Data		-4.51
566				Maximum		0.179				Maximum of Log Data		-1.72
567				Mean		0.0785				Mean of log Data		-2.91
568				Median		0.052				SD of log Data		0.977
569				SD		0.0683						
570			Coefficient of Variation			0.869						
571				Skewness		0.987						
572												
573												
574		Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
575												
576		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
577		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
578												
579												
580			Warning: There are only 7 Values in this data									
581		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
582		the resulting calculations may not be reliable enough to draw conclusions										
583												

	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										

584 The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

585

586 Relevant UCL Statistics

587 Normal Distribution Test		Lognormal Distribution Test	
588 Shapiro Wilk Test Statistic	0.809	Shapiro Wilk Test Statistic	0.939
589 Shapiro Wilk Critical Value	0.803	Shapiro Wilk Critical Value	0.803
590 Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

591

592 Assuming Normal Distribution		Assuming Lognormal Distribution	
593 95% Student's-t UCL	0.129	95% H-UCL	0.373
594 95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	0.21
595 95% Adjusted-CLT UCL	0.131	97.5% Chebyshev (MVUE) UCL	0.267
596 95% Modified-t UCL	0.13	99% Chebyshev (MVUE) UCL	0.377

597

598 Gamma Distribution Test		Data Distribution	
599 k star (bias corrected)	0.96	Data appear Normal at 5% Significance Level	
600 Theta Star	0.0817		
601 nu star	13.45		
602 Approximate Chi Square Value (.05)	6.194	Nonparametric Statistics	
603 Adjusted Level of Significance	0.0158	95% CLT UCL	0.121
604 Adjusted Chi Square Value	4.79	95% Jackknife UCL	0.129
605		95% Standard Bootstrap UCL	0.118
606 Anderson-Darling Test Statistic	0.364	95% Bootstrap-t UCL	0.23
607 Anderson-Darling 5% Critical Value	0.721	95% Hall's Bootstrap UCL	0.529
608 Kolmogorov-Smirnov Test Statistic	0.215	95% Percentile Bootstrap UCL	0.119
609 Kolmogorov-Smirnov 5% Critical Value	0.317	95% BCA Bootstrap UCL	0.122
610 Data appear Gamma Distributed at 5% Significance Level		95% Chebyshev(Mean, Sd) UCL	0.191
611		97.5% Chebyshev(Mean, Sd) UCL	0.24
612 Assuming Gamma Distribution		99% Chebyshev(Mean, Sd) UCL	0.335
613 95% Approximate Gamma UCL	0.17		
614 95% Adjusted Gamma UCL	0.22		

615

616 Potential UCL to Use		Use 95% Student's-t UCL	0.129

617

618

619 Naphthalene

620

621 General Statistics

622 Number of Valid Observations	7	Number of Distinct Observations	7

623

624 Raw Statistics		Log-transformed Statistics	
625 Minimum	5.1	Minimum of Log Data	1.629
626 Maximum	140	Maximum of Log Data	4.942
627 Mean	58.73	Mean of log Data	3.577
628 Median	32	SD of log Data	1.185
629 SD	55.16		
630 Coefficient of Variation	0.939		
631 Skewness	0.847		

632

633

634 Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!

635

636 It is suggested to collect at least 8 to 10 observations using these statistical methods!

	A	B	C	D	E	F	G	H	I	J	K	L
637	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
638												
639												
640	Warning: There are only 7 Values in this data											
641	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
642	the resulting calculations may not be reliable enough to draw conclusions											
643												
644	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
645												
646	Relevant UCL Statistics											
647	Normal Distribution Test						Lognormal Distribution Test					
648	Shapiro Wilk Test Statistic					0.842	Shapiro Wilk Test Statistic					0.949
649	Shapiro Wilk Critical Value					0.803	Shapiro Wilk Critical Value					0.803
650	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
651												
652	Assuming Normal Distribution						Assuming Lognormal Distribution					
653	95% Student's-t UCL					99.24	95% H-UCL					559.9
654	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					185.1
655	95% Adjusted-CLT UCL					100.2	97.5% Chebyshev (MVUE) UCL					238
656	95% Modified-t UCL					100.4	99% Chebyshev (MVUE) UCL					341.9
657												
658	Gamma Distribution Test						Data Distribution					
659	k star (bias corrected)					0.75	Data appear Normal at 5% Significance Level					
660	Theta Star					78.29						
661	nu star					10.5						
662	Approximate Chi Square Value (.05)					4.258	Nonparametric Statistics					
663	Adjusted Level of Significance					0.0158	95% CLT UCL					93.02
664	Adjusted Chi Square Value					3.144	95% Jackknife UCL					99.24
665							95% Standard Bootstrap UCL					91.31
666	Anderson-Darling Test Statistic					0.265	95% Bootstrap-t UCL					150.2
667	Anderson-Darling 5% Critical Value					0.726	95% Hall's Bootstrap UCL					126.7
668	Kolmogorov-Smirnov Test Statistic					0.184	95% Percentile Bootstrap UCL					90.86
669	Kolmogorov-Smirnov 5% Critical Value					0.319	95% BCA Bootstrap UCL					94.43
670	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					149.6
671							97.5% Chebyshev(Mean, Sd) UCL					188.9
672	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					266.2
673	95% Approximate Gamma UCL					144.9						
674	95% Adjusted Gamma UCL					196.2						
675												
676	Potential UCL to Use						Use 95% Student's-t UCL					99.24
677												
678												
679	Total Aroclors											
680												
681	General Statistics											
682	Number of Valid Data					7	Number of Detected Data					6
683	Number of Distinct Detected Data					6	Number of Non-Detect Data					1
684							Percent Non-Detects					14.29%
685												
686	Raw Statistics						Log-transformed Statistics					
687	Minimum Detected					14.15	Minimum Detected					2.65
688	Maximum Detected					59.25	Maximum Detected					4.082
689	Mean of Detected					29.47	Mean of Detected					3.287

	A	B	C	D	E	F	G	H	I	J	K	L
690					SD of Detected	15.47					SD of Detected	0.464
691					Minimum Non-Detect	1.3					Minimum Non-Detect	0.262
692					Maximum Non-Detect	1.3					Maximum Non-Detect	0.262
693												
694												
695				Warning: There are only 6 Detected Values in this data								
696				Note: It should be noted that even though bootstrap may be performed on this data set								
697				the resulting calculations may not be reliable enough tp draw conclusions								
698												
699			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
700												
701												
702					UCL Statistics							
703		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
704					Shapiro Wilk Test Statistic	0.8					Shapiro Wilk Test Statistic	0.92
705					5% Shapiro Wilk Critical Value	0.788					5% Shapiro Wilk Critical Value	0.788
706		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
707												
708		Assuming Normal Distribution						Assuming Lognormal Distribution				
709					DL/2 Substitution Method						DL/2 Substitution Method	
710					Mean	25.35					Mean	2.756
711					SD	17.84					SD	1.468
712					95% DL/2 (t) UCL	38.45					95% H-Stat (DL/2) UCL	276.5
713												
714				Maximum Likelihood Estimate(MLE) Method							Log ROS Method	
715					Mean	24.15					Mean in Log Scale	3.127
716					SD	18.69					SD in Log Scale	0.6
717					95% MLE (t) UCL	37.88					Mean in Original Scale	26.5
718					95% MLE (Tiku) UCL	38.3					SD in Original Scale	16.16
719											95% Percentile Bootstrap UCL	36.49
720											95% BCA Bootstrap UCL	38.95
721												
722		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
723					k star (bias corrected)	2.795		Data appear Normal at 5% Significance Level				
724					Theta Star	10.54						
725					nu star	33.54						
726												
727					A-D Test Statistic	0.475		Nonparametric Statistics				
728					5% A-D Critical Value	0.698		Kaplan-Meier (KM) Method				
729					K-S Test Statistic	0.698					Mean	27.28
730					5% K-S Critical Value	0.333					SD	14.13
731		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	5.852
732											95% KM (t) UCL	38.65
733		Assuming Gamma Distribution									95% KM (z) UCL	36.9
734		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	38.37
735					Minimum	9.165					95% KM (bootstrap t) UCL	47.5
736					Maximum	59.25					95% KM (BCA) UCL	39.92
737					Mean	26.57				95% KM (Percentile Bootstrap) UCL		36.95
738					Median	25.4					95% KM (Chebyshev) UCL	52.79
739					SD	16.08					97.5% KM (Chebyshev) UCL	63.83
740					k star	2.149					99% KM (Chebyshev) UCL	85.51
741					Theta star	12.36						
742					Nu star	30.08		Potential UCLs to Use				

	A	B	C	D	E	F	G	H	I	J	K	L
743					AppChi2	18.56			95% KM (t) UCL			38.65
744			95% Gamma Approximate UCL			43.07		95% KM (Percentile Bootstrap) UCL				36.95
745			95% Adjusted Gamma UCL			50.31						
746	Note: DL/2 is not a recommended method.											
747												
748												
749	Total DDT											
750												
751					General Statistics							
752			Number of Valid Data			7			Number of Detected Data			6
753			Number of Distinct Detected Data			6			Number of Non-Detect Data			1
754									Percent Non-Detects			14.29%
755												
756			Raw Statistics						Log-transformed Statistics			
757			Minimum Detected			0.86			Minimum Detected			-0.151
758			Maximum Detected			13.1			Maximum Detected			2.573
759			Mean of Detected			4.352			Mean of Detected			1.133
760			SD of Detected			4.399			SD of Detected			0.88
761			Minimum Non-Detect			0.18			Minimum Non-Detect			-1.715
762			Maximum Non-Detect			0.18			Maximum Non-Detect			-1.715
763												
764												
765					Warning: There are only 6 Detected Values in this data							
766					Note: It should be noted that even though bootstrap may be performed on this data set							
767					the resulting calculations may not be reliable enough tp draw conclusions							
768												
769				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
770												
771												
772					UCL Statistics							
773		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
774			Shapiro Wilk Test Statistic			0.712			Shapiro Wilk Test Statistic			0.934
775			5% Shapiro Wilk Critical Value			0.788			5% Shapiro Wilk Critical Value			0.788
776		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
777												
778		Assuming Normal Distribution						Assuming Lognormal Distribution				
779			DL/2 Substitution Method						DL/2 Substitution Method			
780					Mean	3.743				Mean		0.627
781					SD	4.327				SD		1.561
782			95% DL/2 (t) UCL			6.921			95% H-Stat (DL/2) UCL			59.08
783												
784		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
785					Mean	3.379			Mean in Log Scale			0.828
786					SD	4.493			SD in Log Scale			1.138
787			95% MLE (t) UCL			6.678			Mean in Original Scale			3.783
788			95% MLE (Tiku) UCL			6.621			SD in Original Scale			4.289
789									95% Percentile Bootstrap UCL			6.763
790									95% BCA Bootstrap UCL			7.299
791												
792		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
793			k star (bias corrected)			0.925		Data appear Gamma Distributed at 5% Significance Level				
794					Theta Star	4.704						
795					nu star	11.1						

	A	B	C	D	E	F	G	H	I	J	K	L
796												
797				A-D Test Statistic		0.491		**Nonparametric Statistics**				
798				5% A-D Critical Value		0.707				Kaplan-Meier (KM) Method		
799				K-S Test Statistic		0.707					Mean	3.853
800				5% K-S Critical Value		0.337					SD	3.914
801	**Data appear Gamma Distributed at 5% Significance Level**										SE of Mean	1.62
802											95% KM (t) UCL	7.002
803	**Assuming Gamma Distribution**										95% KM (z) UCL	6.518
804	Gamma ROS Statistics using Extrapolated Data										95% KM (jackknife) UCL	6.901
805					Minimum	1E-09					95% KM (bootstrap t) UCL	12.16
806					Maximum	13.1					95% KM (BCA) UCL	7.199
807					Mean	3.73				95% KM (Percentile Bootstrap) UCL		6.711
808					Median	2.98					95% KM (Chebyshev) UCL	10.92
809					SD	4.34					97.5% KM (Chebyshev) UCL	13.97
810					k star	0.221					99% KM (Chebyshev) UCL	19.98
811					Theta star	16.91						
812					Nu star	3.089		**Potential UCLs to Use**				
813					AppChi2	0.399					95% KM (Chebyshev) UCL	10.92
814				95% Gamma Approximate UCL		28.86						
815				95% Adjusted Gamma UCL		55.93						
816	Note: DL/2 is not a recommended method.											
817												

	A	B	C	D	E	F	G	H	I	J	K	L
1						General UCL Statistics for Data Sets with Non-Detects						
2		User Selected Options										
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM3.0E.wst								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Aldrin											
10												
11						General Statistics						
12			Number of Valid Data		18				Number of Detected Data			7
13		Number of Distinct Detected Data			7				Number of Non-Detect Data			11
14			Number of Missing Values		4				Percent Non-Detects			61.11%
15												
16			Raw Statistics					Log-transformed Statistics				
17			Minimum Detected		0.00333				Minimum Detected			-5.705
18			Maximum Detected		1.31				Maximum Detected			0.27
19			Mean of Detected		0.564				Mean of Detected			-1.29
20			SD of Detected		0.419				SD of Detected			2.018
21			Minimum Non-Detect		0.0315				Minimum Non-Detect			-3.458
22			Maximum Non-Detect		0.94				Maximum Non-Detect			-0.0619
23												
24	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			17
25	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
26	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			94.44%
27												
28						Warning: There are only 7 Detected Values in this data						
29						Note: It should be noted that even though bootstrap may be performed on this data set						
30						the resulting calculations may not be reliable enough tp draw conclusions						
31												
32						It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.						
33												
34												
35						UCL Statistics						
36		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
37			Shapiro Wilk Test Statistic		0.969				Shapiro Wilk Test Statistic			0.704
38			5% Shapiro Wilk Critical Value		0.803				5% Shapiro Wilk Critical Value			0.803
39		Data appear Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
40												
41		Assuming Normal Distribution						Assuming Lognormal Distribution				
42			DL/2 Substitution Method						DL/2 Substitution Method			
43				Mean	0.286					Mean		-2.153
44				SD	0.352					SD		1.609
45			95% DL/2 (t) UCL		0.431				95% H-Stat (DL/2) UCL			0.708
46												
47		Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method			
48		MLE method failed to converge properly							Mean in Log Scale			-3.199
49									SD in Log Scale			2.056
50									Mean in Original Scale			0.229
51									SD in Original Scale			0.371
52									95% Percentile Bootstrap UCL			0.373
53									95% BCA Bootstrap UCL			0.402

	A	B	C	D	E	F	G	H	I	J	K	L
54												
55			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
56				k star (bias corrected)		0.566			Data appear Normal at 5% Significance Level			
57				Theta Star		0.996						
58				nu star		7.927						
59												
60				A-D Test Statistic		0.626			Nonparametric Statistics			
61				5% A-D Critical Value		0.734			Kaplan-Meier (KM) Method			
62				K-S Test Statistic		0.734					Mean	0.232
63				5% K-S Critical Value		0.322					SD	0.367
64			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	0.0949
65											95% KM (t) UCL	0.397
66			Assuming Gamma Distribution								95% KM (z) UCL	0.388
67			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	0.398
68				Minimum		1E-09					95% KM (bootstrap t) UCL	0.408
69				Maximum		1.31					95% KM (BCA) UCL	0.675
70				Mean		0.473				95% KM (Percentile Bootstrap) UCL		0.565
71				Median		0.44					95% KM (Chebyshev) UCL	0.645
72				SD		0.393					97.5% KM (Chebyshev) UCL	0.824
73				k star		0.265					99% KM (Chebyshev) UCL	1.176
74				Theta star		1.787						
75				Nu star		9.534			Potential UCLs to Use			
76				AppChi2		3.653					95% KM (t) UCL	0.397
77			95% Gamma Approximate UCL			1.236				95% KM (Percentile Bootstrap) UCL		0.565
78			95% Adjusted Gamma UCL			1.363						
79	Note: DL/2 is not a recommended method.											
80												
81												
82	Arsenic											
83												
84					General Statistics							
85			Number of Valid Data			24			Number of Detected Data			22
86			Number of Distinct Detected Data			21			Number of Non-Detect Data			2
87									Percent Non-Detects			8.33%
88												
89			Raw Statistics						Log-transformed Statistics			
90				Minimum Detected		2.78				Minimum Detected		1.022
91				Maximum Detected		9.72				Maximum Detected		2.274
92				Mean of Detected		4.269				Mean of Detected		1.414
93				SD of Detected		1.423				SD of Detected		0.261
94				Minimum Non-Detect		5				Minimum Non-Detect		1.609
95				Maximum Non-Detect		5				Maximum Non-Detect		1.609
96												
97												
98					UCL Statistics							
99			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
100				Shapiro Wilk Test Statistic		0.694				Shapiro Wilk Test Statistic		0.859
101				5% Shapiro Wilk Critical Value		0.911				5% Shapiro Wilk Critical Value		0.911
102			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
103												
104			Assuming Normal Distribution						Assuming Lognormal Distribution			
105				DL/2 Substitution Method						DL/2 Substitution Method		
106				Mean		4.121				Mean		1.372

	A	B	C	D	E	F	G	H	I	J	K	L
107					SD	1.448					SD	0.286
108				95% DL/2 (t) UCL		4.628				95% H-Stat (DL/2) UCL		4.27
109												
110		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
111					Mean	1.765				Mean in Log Scale		1.408
112					SD	3.249				SD in Log Scale		0.252
113				95% MLE (t) UCL		2.902				Mean in Original Scale		4.235
114			95% MLE (Tiku) UCL			4.981				SD in Original Scale		1.368
115									95% Percentile Bootstrap UCL			4.729
116									95% BCA Bootstrap UCL			4.908
117												
118		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
119				k star (bias corrected)		11.63		Data do not follow a Discernable Distribution (0.05)				
120					Theta Star	0.367						
121					nu star	511.9						
122												
123				A-D Test Statistic		1.232		Nonparametric Statistics				
124			5% A-D Critical Value			0.742			Kaplan-Meier (KM) Method			
125				K-S Test Statistic		0.742					Mean	4.228
126			5% K-S Critical Value			0.185					SD	1.345
127		Data not Gamma Distributed at 5% Significance Level									SE of Mean	0.283
128										95% KM (t) UCL		4.713
129		Assuming Gamma Distribution								95% KM (z) UCL		4.693
130		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			4.712
131					Minimum	2.78			95% KM (bootstrap t) UCL			5.086
132					Maximum	9.72				95% KM (BCA) UCL		4.752
133					Mean	4.27			95% KM (Percentile Bootstrap) UCL			4.724
134					Median	3.935				95% KM (Chebyshev) UCL		5.46
135					SD	1.365			97.5% KM (Chebyshev) UCL			5.993
136					k star	12.69			99% KM (Chebyshev) UCL			7.041
137					Theta star	0.337						
138					Nu star	609		Potential UCLs to Use				
139					AppChi2	552.8			95% KM (Chebyshev) UCL			5.46
140			95% Gamma Approximate UCL			4.705						
141			95% Adjusted Gamma UCL			4.737						
142	Note: DL/2 is not a recommended method.											
143												
144												
145	Benzo(a)anthracene											
146												
147					General Statistics							
148			Number of Valid Data			24				Number of Detected Data		23
149		Number of Distinct Detected Data				22				Number of Non-Detect Data		1
150										Percent Non-Detects		4.17%
151												
152		Raw Statistics							Log-transformed Statistics			
153				Minimum Detected		2				Minimum Detected		0.693
154				Maximum Detected		370				Maximum Detected		5.914
155				Mean of Detected		80.09				Mean of Detected		3.979
156				SD of Detected		76.2				SD of Detected		1.07
157				Minimum Non-Detect		20				Minimum Non-Detect		2.996
158				Maximum Non-Detect		20				Maximum Non-Detect		2.996
159												

	A	B	C	D	E	F	G	H	I	J	K	L
160												
161							UCL Statistics					
162		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
163					Shapiro Wilk Test Statistic	0.711				Shapiro Wilk Test Statistic		0.886
164					5% Shapiro Wilk Critical Value	0.914				5% Shapiro Wilk Critical Value		0.914
165			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
166												
167			Assuming Normal Distribution						Assuming Lognormal Distribution			
168				DL/2 Substitution Method						DL/2 Substitution Method		
169					Mean	77.17				Mean		3.909
170					SD	75.89				SD		1.101
171				95% DL/2 (t) UCL		103.7				95% H-Stat (DL/2) UCL		153.4
172												
173			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
174					Mean	67.61				Mean in Log Scale		3.918
175					SD	86.75				SD in Log Scale		1.088
176				95% MLE (t) UCL		97.95				Mean in Original Scale		77.27
177				95% MLE (Tiku) UCL		98.12				SD in Original Scale		75.79
178										95% Percentile Bootstrap UCL		103.5
179										95% BCA Bootstrap UCL		112.6
180												
181		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
182					k star (bias corrected)	1.228	Data appear Gamma Distributed at 5% Significance Level					
183					Theta Star	65.22						
184					nu star	56.48						
185												
186					A-D Test Statistic	0.638		Nonparametric Statistics				
187					5% A-D Critical Value	0.762		Kaplan-Meier (KM) Method				
188					K-S Test Statistic	0.762				Mean		77.24
189					5% K-S Critical Value	0.185				SD		74.24
190			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		15.5
191										95% KM (t) UCL		103.8
192			Assuming Gamma Distribution							95% KM (z) UCL		102.7
193		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		103.8
194					Minimum	1E-09				95% KM (bootstrap t) UCL		121.9
195					Maximum	370				95% KM (BCA) UCL		106.2
196					Mean	76.75			95% KM (Percentile Bootstrap) UCL			103.2
197					Median	72.5				95% KM (Chebyshev) UCL		144.8
198					SD	76.3				97.5% KM (Chebyshev) UCL		174
199					k star	0.432				99% KM (Chebyshev) UCL		231.4
200					Theta star	177.6						
201					Nu star	20.75		Potential UCLs to Use				
202					AppChi2	11.4				95% KM (Chebyshev) UCL		144.8
203				95% Gamma Approximate UCL		139.6						
204				95% Adjusted Gamma UCL		145.9						
205	Note: DL/2 is not a recommended method.											
206												
207												
208	Benzo(a)pyrene											
209												
210							General Statistics					
211				Number of Valid Data		24				Number of Detected Data		23
212				Number of Distinct Detected Data		18				Number of Non-Detect Data		1

	A	B	C	D	E	F	G	H	I	J	K	L
213										Percent Non-Detects		4.17%
214												
215			Raw Statistics						Log-transformed Statistics			
216				Minimum Detected		1.7				Minimum Detected		0.531
217				Maximum Detected		270				Maximum Detected		5.598
218				Mean of Detected		87.01				Mean of Detected		4.153
219				SD of Detected		56.52				SD of Detected		1.041
220				Minimum Non-Detect		20				Minimum Non-Detect		2.996
221				Maximum Non-Detect		20				Maximum Non-Detect		2.996
222												
223												
224						UCL Statistics						
225		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
226				Shapiro Wilk Test Statistic		0.896				Shapiro Wilk Test Statistic		0.795
227				5% Shapiro Wilk Critical Value		0.914				5% Shapiro Wilk Critical Value		0.914
228		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
229												
230		Assuming Normal Distribution						Assuming Lognormal Distribution				
231				DL/2 Substitution Method						DL/2 Substitution Method		
232					Mean	83.8				Mean		4.076
233					SD	57.46				SD		1.086
234				95% DL/2 (t) UCL		103.9				95% H-Stat (DL/2) UCL		173.9
235												
236		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
237					Mean	81.31				Mean in Log Scale		4.083
238					SD	60.6				SD in Log Scale		1.073
239				95% MLE (t) UCL		102.5				Mean in Original Scale		83.89
240				95% MLE (Tiku) UCL		102.6				SD in Original Scale		57.35
241										95% Percentile Bootstrap UCL		103.7
242										95% BCA Bootstrap UCL		105
243												
244		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
245				k star (bias corrected)		1.545		Data Follow Appr. Gamma Distribution at 5% Significance Level				
246				Theta Star		56.31						
247				nu star		71.08						
248												
249				A-D Test Statistic		0.825		Nonparametric Statistics				
250				5% A-D Critical Value		0.757				Kaplan-Meier (KM) Method		
251				K-S Test Statistic		0.757				Mean		83.69
252				5% K-S Critical Value		0.184				SD		56.41
253		Data follow Appr. Gamma Distribution at 5% Significance Level								SE of Mean		11.78
254										95% KM (t) UCL		103.9
255		Assuming Gamma Distribution								95% KM (z) UCL		103.1
256		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		103.9
257					Minimum	1.7				95% KM (bootstrap t) UCL		108
258					Maximum	270				95% KM (BCA) UCL		105.2
259					Mean	83.46				95% KM (Percentile Bootstrap) UCL		103.3
260					Median	87.5				95% KM (Chebyshev) UCL		135
261					SD	57.94				97.5% KM (Chebyshev) UCL		157.2
262					k star	1.199				99% KM (Chebyshev) UCL		200.9
263					Theta star	69.59						
264					Nu star	57.57		Potential UCLs to Use				
265					AppChi2	41.13				95% KM (Chebyshev) UCL		135

	A	B	C	D	E	F	G	H	I	J	K	L
266			95% Gamma Approximate UCL			116.8						
267			95% Adjusted Gamma UCL			119.7						
268	Note: DL/2 is not a recommended method.											
269												
270												
271	Benzo(b)fluoranthene											
272												
273					General Statistics							
274			Number of Valid Data			24			Number of Detected Data			23
275			Number of Distinct Detected Data			18			Number of Non-Detect Data			1
276									Percent Non-Detects			4.17%
277												
278			Raw Statistics						Log-transformed Statistics			
279			Minimum Detected			2.3			Minimum Detected			0.833
280			Maximum Detected			310			Maximum Detected			5.737
281			Mean of Detected			103.1			Mean of Detected			4.344
282			SD of Detected			64.51			SD of Detected			1.002
283			Minimum Non-Detect			20			Minimum Non-Detect			2.996
284			Maximum Non-Detect			20			Maximum Non-Detect			2.996
285												
286												
287					UCL Statistics							
288		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
289			Shapiro Wilk Test Statistic			0.898			Shapiro Wilk Test Statistic			0.787
290			5% Shapiro Wilk Critical Value			0.914			5% Shapiro Wilk Critical Value			0.914
291		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
292												
293		Assuming Normal Distribution						Assuming Lognormal Distribution				
294			DL/2 Substitution Method						DL/2 Substitution Method			
295			Mean			99.2			Mean			4.259
296			SD			65.89			SD			1.065
297			95% DL/2 (t) UCL			122.3			95% H-Stat (DL/2) UCL			199.4
298												
299		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
300			Mean			96.12			Mean in Log Scale			4.277
301			SD			69.96			SD in Log Scale			1.033
302			95% MLE (t) UCL			120.6			Mean in Original Scale			99.44
303			95% MLE (Tiku) UCL			120.8			SD in Original Scale			65.57
304									95% Percentile Bootstrap UCL			122.3
305									95% BCA Bootstrap UCL			124.6
306												
307		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
308			k star (bias corrected)			1.648		Data Follow Appr. Gamma Distribution at 5% Significance Level				
309			Theta Star			62.54						
310			nu star			75.81						
311												
312			A-D Test Statistic			0.865			Nonparametric Statistics			
313			5% A-D Critical Value			0.756			Kaplan-Meier (KM) Method			
314			K-S Test Statistic			0.756			Mean			99.14
315			5% K-S Critical Value			0.184			SD			64.59
316		Data follow Appr. Gamma Distribution at 5% Significance Level							SE of Mean			13.49
317									95% KM (t) UCL			122.3
318		Assuming Gamma Distribution							95% KM (z) UCL			121.3

	A	B	C	D	E	F	G	H	I	J	K	L
319			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		122.3
320					Minimum	2.3				95% KM (bootstrap t) UCL		126.4
321					Maximum	310				95% KM (BCA) UCL		123.2
322					Mean	98.97				95% KM (Percentile Bootstrap) UCL		121.9
323					Median	105				95% KM (Chebyshev) UCL		157.9
324					SD	66.22				97.5% KM (Chebyshev) UCL		183.4
325					k star	1.341				99% KM (Chebyshev) UCL		233.3
326					Theta star	73.81						
327					Nu star	64.36			Potential UCLs to Use			
328					AppChi2	46.91				95% KM (Chebyshev) UCL		157.9
329			95% Gamma Approximate UCL			135.8						
330			95% Adjusted Gamma UCL			138.9						
331	Note: DL/2 is not a recommended method.											
332												
333												
334	Benzo(k)fluoranthene											
335												
336					General Statistics							
337			Number of Valid Data			24				Number of Detected Data		23
338			Number of Distinct Detected Data			22				Number of Non-Detect Data		1
339										Percent Non-Detects		4.17%
340												
341			Raw Statistics						Log-transformed Statistics			
342				Minimum Detected		0.77				Minimum Detected		-0.261
343				Maximum Detected		250				Maximum Detected		5.521
344				Mean of Detected		62.46				Mean of Detected		3.623
345				SD of Detected		57.39				SD of Detected		1.273
346				Minimum Non-Detect		20				Minimum Non-Detect		2.996
347				Maximum Non-Detect		20				Maximum Non-Detect		2.996
348												
349												
350					UCL Statistics							
351		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
352				Shapiro Wilk Test Statistic		0.845				Shapiro Wilk Test Statistic		0.903
353				5% Shapiro Wilk Critical Value		0.914				5% Shapiro Wilk Critical Value		0.914
354		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
355												
356		Assuming Normal Distribution							Assuming Lognormal Distribution			
357			DL/2 Substitution Method							DL/2 Substitution Method		
358					Mean	60.27					Mean	3.568
359					SD	57.14					SD	1.274
360			95% DL/2 (t) UCL			80.26				95% H-Stat (DL/2) UCL		156.6
361												
362		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
363					Mean	52.26				Mean in Log Scale		3.557
364					SD	66.6				SD in Log Scale		1.286
365			95% MLE (t) UCL			75.55				Mean in Original Scale		60.17
366			95% MLE (Tiku) UCL			76.18				SD in Original Scale		57.23
367										95% Percentile Bootstrap UCL		80.91
368										95% BCA Bootstrap UCL		83.66
369												
370		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
371				k star (bias corrected)		0.998		Data appear Gamma Distributed at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
372					Theta Star	62.58						
373					nu star	45.91						
374												
375				A-D Test Statistic		0.165		Nonparametric Statistics				
376				5% A-D Critical Value		0.767			Kaplan-Meier (KM) Method			
377				K-S Test Statistic		0.767					Mean	60.23
378				5% K-S Critical Value		0.186					SD	55.99
379		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	11.69
380											95% KM (t) UCL	80.26
381		Assuming Gamma Distribution									95% KM (z) UCL	79.45
382		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	80.24
383					Minimum	1E-09					95% KM (bootstrap t) UCL	88.19
384					Maximum	250					95% KM (BCA) UCL	77.89
385					Mean	59.86			95% KM (Percentile Bootstrap) UCL			81.23
386					Median	47.5					95% KM (Chebyshev) UCL	111.2
387					SD	57.55					97.5% KM (Chebyshev) UCL	133.2
388					k star	0.41					99% KM (Chebyshev) UCL	176.5
389					Theta star	145.8						
390					Nu star	19.7		Potential UCLs to Use				
391					AppChi2	10.63					95% KM (Chebyshev) UCL	111.2
392			95% Gamma Approximate UCL			110.9						
393			95% Adjusted Gamma UCL			116						
394	Note: DL/2 is not a recommended method.											
395												
396												
397	Bis(2-ethylhexyl) phthalate											
398												
399					General Statistics							
400			Number of Valid Data			24				Number of Detected Data		13
401			Number of Distinct Detected Data			13				Number of Non-Detect Data		11
402										Percent Non-Detects		45.83%
403												
404			Raw Statistics						Log-transformed Statistics			
405				Minimum Detected		7				Minimum Detected		1.946
406				Maximum Detected		320				Maximum Detected		5.768
407				Mean of Detected		95.12				Mean of Detected		4.212
408				SD of Detected		82.41				SD of Detected		0.946
409				Minimum Non-Detect		5.9				Minimum Non-Detect		1.775
410				Maximum Non-Detect		110				Maximum Non-Detect		4.7
411												
412	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			21
413	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			3
414	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			87.50%
415												
416					UCL Statistics							
417		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
418				Shapiro Wilk Test Statistic		0.814				Shapiro Wilk Test Statistic		0.945
419				5% Shapiro Wilk Critical Value		0.866				5% Shapiro Wilk Critical Value		0.866
420		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
421												
422		Assuming Normal Distribution						Assuming Lognormal Distribution				
423				DL/2 Substitution Method						DL/2 Substitution Method		
424					Mean	64.54				Mean		3.686

	A	B	C	D	E	F	G	H	I	J	K	L
425					SD	69.49					SD	1.086
426				95% DL/2 (t) UCL		88.85				95% H-Stat (DL/2) UCL		90.13
427												
428		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
429					Mean	236.4				Mean in Log Scale		3.56
430					SD	79.3				SD in Log Scale		1.042
431					95% MLE (t) UCL	264.1				Mean in Original Scale		59.66
432				95% MLE (Tiku) UCL		313				SD in Original Scale		71.52
433										95% Percentile Bootstrap UCL		84.25
434										95% BCA Bootstrap UCL		91.29
435												
436		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
437				k star (bias corrected)		1.286		Data appear Gamma Distributed at 5% Significance Level				
438					Theta Star	73.94						
439					nu star	33.45						
440												
441				A-D Test Statistic		0.249		Nonparametric Statistics				
442				5% A-D Critical Value		0.749				Kaplan-Meier (KM) Method		
443				K-S Test Statistic		0.749					Mean	61.63
444				5% K-S Critical Value		0.241					SD	70.5
445		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	15.38
446											95% KM (t) UCL	87.98
447		Assuming Gamma Distribution									95% KM (z) UCL	86.92
448		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		85.75
449					Minimum	4.182				95% KM (bootstrap t) UCL		95.89
450					Maximum	320				95% KM (BCA) UCL		98.08
451					Mean	88.08				95% KM (Percentile Bootstrap) UCL		91.72
452					Median	80.05				95% KM (Chebyshev) UCL		128.7
453					SD	65.56				97.5% KM (Chebyshev) UCL		157.7
454					k star	1.592				99% KM (Chebyshev) UCL		214.6
455					Theta star	55.33						
456					Nu star	76.41		Potential UCLs to Use				
457					AppChi2	57.27				95% KM (t) UCL		87.98
458				95% Gamma Approximate UCL		117.5						
459				95% Adjusted Gamma UCL		119.9						
460	Note: DL/2 is not a recommended method.											
461												
462												
463	Dibenzo(a,h)anthracene											
464												
465						General Statistics						
466				Number of Valid Data		24				Number of Detected Data		21
467			Number of Distinct Detected Data			21				Number of Non-Detect Data		3
468										Percent Non-Detects		12.50%
469												
470			Raw Statistics							Log-transformed Statistics		
471				Minimum Detected		0.56				Minimum Detected		-0.58
472				Maximum Detected		30				Maximum Detected		3.401
473				Mean of Detected		14.31				Mean of Detected		2.335
474				SD of Detected		8.664				SD of Detected		1.026
475				Minimum Non-Detect		19				Minimum Non-Detect		2.944
476				Maximum Non-Detect		20				Maximum Non-Detect		2.996
477												

	A	B	C	D	E	F	G	H	I	J	K	L
478	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			18
479	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			6
480	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			75.00%
481												
482				UCL Statistics								
483		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
484				Shapiro Wilk Test Statistic		0.967				Shapiro Wilk Test Statistic		0.84
485				5% Shapiro Wilk Critical Value		0.908				5% Shapiro Wilk Critical Value		0.908
486		Data appear Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
487												
488		Assuming Normal Distribution						Assuming Lognormal Distribution				
489				DL/2 Substitution Method						DL/2 Substitution Method		
490					Mean	13.73				Mean		2.326
491					SD	8.231				SD		0.957
492				95% DL/2 (t) UCL		16.61				95% H-Stat (DL/2) UCL		25.15
493												
494			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
495					Mean	15.1				Mean in Log Scale		2.28
496					SD	7.341				SD in Log Scale		0.973
497				95% MLE (t) UCL		17.67				Mean in Original Scale		13.38
498				95% MLE (Tiku) UCL		20.24				SD in Original Scale		8.483
499										95% Percentile Bootstrap UCL		16.17
500										95% BCA Bootstrap UCL		16.32
501												
502		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
503				k star (bias corrected)		1.473		Data appear Normal at 5% Significance Level				
504				Theta Star		9.715						
505				nu star		61.85						
506												
507				A-D Test Statistic		0.723		Nonparametric Statistics				
508				5% A-D Critical Value		0.757				Kaplan-Meier (KM) Method		
509				K-S Test Statistic		0.757				Mean		13.74
510				5% K-S Critical Value		0.192				SD		8.317
511		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		1.805
512										95% KM (t) UCL		16.84
513		Assuming Gamma Distribution								95% KM (z) UCL		16.71
514		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		16.84
515					Minimum	0.56				95% KM (bootstrap t) UCL		16.8
516					Maximum	30				95% KM (BCA) UCL		16.79
517					Mean	14.07				95% KM (Percentile Bootstrap) UCL		16.71
518					Median	14.75				95% KM (Chebyshev) UCL		21.61
519					SD	8.183				97.5% KM (Chebyshev) UCL		25.01
520					k star	1.664				99% KM (Chebyshev) UCL		31.7
521					Theta star	8.456						
522					Nu star	79.85			Potential UCLs to Use			
523					AppChi2	60.26				95% KM (t) UCL		16.84
524				95% Gamma Approximate UCL		18.64				95% KM (Percentile Bootstrap) UCL		16.71
525				95% Adjusted Gamma UCL		19.02						
526	Note: DL/2 is not a recommended method.											
527												
528												
529	Indeno(1,2,3-cd)pyrene											
530												

	A	B	C	D	E	F	G	H	I	J	K	L
531					General Statistics							
532				Number of Valid Data		24				Number of Detected Data		23
533			Number of Distinct Detected Data			22				Number of Non-Detect Data		1
534										Percent Non-Detects		4.17%
535												
536			Raw Statistics						Log-transformed Statistics			
537				Minimum Detected		1.3				Minimum Detected		0.262
538				Maximum Detected		170				Maximum Detected		5.136
539				Mean of Detected		69.97				Mean of Detected		3.933
540				SD of Detected		43.86				SD of Detected		1.046
541				Minimum Non-Detect		20				Minimum Non-Detect		2.996
542				Maximum Non-Detect		20				Maximum Non-Detect		2.996
543												
544												
545						UCL Statistics						
546		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
547				Shapiro Wilk Test Statistic		0.953				Shapiro Wilk Test Statistic		0.805
548				5% Shapiro Wilk Critical Value		0.914				5% Shapiro Wilk Critical Value		0.914
549		Data appear Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
550												
551		Assuming Normal Distribution						Assuming Lognormal Distribution				
552				DL/2 Substitution Method						DL/2 Substitution Method		
553					Mean	67.47					Mean	3.865
554					SD	44.61					SD	1.076
555				95% DL/2 (t) UCL		83.08				95% H-Stat (DL/2) UCL		139.5
556												
557		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
558					Mean	64.74				Mean in Log Scale		3.87
559					SD	48.28				SD in Log Scale		1.068
560				95% MLE (t) UCL		81.63				Mean in Original Scale		67.53
561				95% MLE (Tiku) UCL		81.94				SD in Original Scale		44.54
562										95% Percentile Bootstrap UCL		82.42
563										95% BCA Bootstrap UCL		83.35
564												
565		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
566				k star (bias corrected)		1.537		Data appear Normal at 5% Significance Level				
567				Theta Star		45.53						
568				nu star		70.69						
569												
570				A-D Test Statistic		0.552		Nonparametric Statistics				
571				5% A-D Critical Value		0.758				Kaplan-Meier (KM) Method		
572				K-S Test Statistic		0.758					Mean	67.49
573				5% K-S Critical Value		0.184					SD	43.67
574		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		9.122
575										95% KM (t) UCL		83.12
576		Assuming Gamma Distribution								95% KM (z) UCL		82.49
577		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		83.12
578					Minimum	1.3				95% KM (bootstrap t) UCL		84.85
579					Maximum	170				95% KM (BCA) UCL		82.89
580					Mean	67.27				95% KM (Percentile Bootstrap) UCL		82.21
581					Median	71				95% KM (Chebyshev) UCL		107.3
582					SD	44.89				97.5% KM (Chebyshev) UCL		124.5
583					k star	1.333				99% KM (Chebyshev) UCL		158.3

	A	B	C	D	E	F	G	H	I	J	K	L
584					Theta star	50.47						
585					Nu star	63.98		Potential UCLs to Use				
586					AppChi2	46.58				95% KM (t) UCL		83.12
587			95% Gamma Approximate UCL			92.4			95% KM (Percentile Bootstrap) UCL			82.21
588			95% Adjusted Gamma UCL			94.52						
589	Note: DL/2 is not a recommended method.											
590												
591												
592	Lead											
593												
594					General Statistics							
595			Number of Valid Observations			24			Number of Distinct Observations			19
596												
597			Raw Statistics						Log-transformed Statistics			
598					Minimum	5			Minimum of Log Data			1.609
599					Maximum	16.4			Maximum of Log Data			2.797
600					Mean	12.27			Mean of log Data			2.458
601					Median	13.2			SD of log Data			0.342
602					SD	3.45						
603			Coefficient of Variation			0.281						
604					Skewness	-0.828						
605												
606					Relevant UCL Statistics							
607			Normal Distribution Test						Lognormal Distribution Test			
608			Shapiro Wilk Test Statistic			0.891			Shapiro Wilk Test Statistic			0.831
609			Shapiro Wilk Critical Value			0.916			Shapiro Wilk Critical Value			0.916
610			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
611												
612			Assuming Normal Distribution						Assuming Lognormal Distribution			
613					95% Student's-t UCL	13.48			95% H-UCL			14.13
614			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			16.18
615					95% Adjusted-CLT UCL	13.3			97.5% Chebyshev (MVUE) UCL			17.84
616					95% Modified-t UCL	13.46			99% Chebyshev (MVUE) UCL			21.1
617												
618			Gamma Distribution Test						Data Distribution			
619			k star (bias corrected)			9.121		Data do not follow a Discernable Distribution (0.05)				
620					Theta Star	1.345						
621					nu star	437.8						
622			Approximate Chi Square Value (.05)			390.3			Nonparametric Statistics			
623			Adjusted Level of Significance			0.0392			95% CLT UCL			13.43
624			Adjusted Chi Square Value			387.2			95% Jackknife UCL			13.48
625									95% Standard Bootstrap UCL			13.4
626			Anderson-Darling Test Statistic			1.375			95% Bootstrap-t UCL			13.39
627			Anderson-Darling 5% Critical Value			0.744			95% Hall's Bootstrap UCL			13.3
628			Kolmogorov-Smirnov Test Statistic			0.209			95% Percentile Bootstrap UCL			13.4
629			Kolmogorov-Smirnov 5% Critical Value			0.178			95% BCA Bootstrap UCL			13.33
630			Data not Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			15.34
631									97.5% Chebyshev(Mean, Sd) UCL			16.67
632			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			19.28
633			95% Approximate Gamma UCL			13.76						
634			95% Adjusted Gamma UCL			13.87						
635												
636			Potential UCL to Use						Use 95% Student's-t UCL			13.48

	A	B	C	D	E	F	G	H	I	J	K	L
637										or 95% Modified-t UCL		13.46
638												
639												
640	Mercury											
641												
642						General Statistics						
643			Number of Valid Data			24			Number of Detected Data			18
644		Number of Distinct Detected Data				17			Number of Non-Detect Data			6
645									Percent Non-Detects			25.00%
646												
647			Raw Statistics						Log-transformed Statistics			
648			Minimum Detected			0.012			Minimum Detected			-4.423
649			Maximum Detected			0.252			Maximum Detected			-1.378
650			Mean of Detected			0.0648			Mean of Detected			-2.985
651			SD of Detected			0.0529			SD of Detected			0.741
652			Minimum Non-Detect			0.01			Minimum Non-Detect			-4.605
653			Maximum Non-Detect			0.1			Maximum Non-Detect			-2.303
654												
655	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			23
656	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
657	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			95.83%
658												
659						UCL Statistics						
660		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
661			Shapiro Wilk Test Statistic			0.697			Shapiro Wilk Test Statistic			0.923
662			5% Shapiro Wilk Critical Value			0.897			5% Shapiro Wilk Critical Value			0.897
663		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
664												
665		Assuming Normal Distribution						Assuming Lognormal Distribution				
666			DL/2 Substitution Method						DL/2 Substitution Method			
667					Mean	0.0561					Mean	-3.162
668					SD	0.0485					SD	0.805
669			95% DL/2 (t) UCL			0.0731			95% H-Stat (DL/2) UCL			0.0742
670												
671		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
672		MLE method failed to converge properly							Mean in Log Scale			-3.171
673									SD in Log Scale			0.762
674									Mean in Original Scale			0.0553
675									SD in Original Scale			0.0488
676									95% Percentile Bootstrap UCL			0.0724
677									95% BCA Bootstrap UCL			0.0796
678												
679		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
680			k star (bias corrected)			1.838		Data appear Gamma Distributed at 5% Significance Level				
681				Theta Star		0.0353						
682				nu star		66.16						
683												
684			A-D Test Statistic			0.662			Nonparametric Statistics			
685			5% A-D Critical Value			0.752			Kaplan-Meier (KM) Method			
686			K-S Test Statistic			0.752					Mean	0.0565
687			5% K-S Critical Value			0.206					SD	0.0479
688		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.0103
689									95% KM (t) UCL			0.0741

	A	B	C	D	E	F	G	H	I	J	K	L
690			Assuming Gamma Distribution						95% KM (z) UCL			0.0734
691		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			0.0739
692					Minimum	1E-09			95% KM (bootstrap t) UCL			0.0819
693					Maximum	0.252			95% KM (BCA) UCL			0.0769
694					Mean	0.0611			95% KM (Percentile Bootstrap) UCL			0.0746
695					Median	0.0578			95% KM (Chebyshev) UCL			0.101
696					SD	0.0482			97.5% KM (Chebyshev) UCL			0.121
697					k star	0.614			99% KM (Chebyshev) UCL			0.159
698					Theta star	0.0995						
699					Nu star	29.46			Potential UCLs to Use			
700					AppChi2	18.07			95% KM (Percentile Bootstrap) UCL			0.0746
701			95% Gamma Approximate UCL			0.0996						
702			95% Adjusted Gamma UCL			0.103						
703	Note: DL/2 is not a recommended method.											
704												
705												
706	Naphthalene											
707												
708					General Statistics							
709			Number of Valid Data			22			Number of Detected Data			12
710			Number of Distinct Detected Data			10			Number of Non-Detect Data			10
711			Number of Missing Values			2			Percent Non-Detects			45.45%
712												
713			Raw Statistics						Log-transformed Statistics			
714			Minimum Detected			8.7			Minimum Detected			2.163
715			Maximum Detected			29			Maximum Detected			3.367
716			Mean of Detected			18.31			Mean of Detected			2.826
717			SD of Detected			7.072			SD of Detected			0.439
718			Minimum Non-Detect			0.47			Minimum Non-Detect			-0.755
719			Maximum Non-Detect			20			Maximum Non-Detect			2.996
720												
721	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			15
722	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			7
723	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			68.18%
724												
725					UCL Statistics							
726		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
727			Shapiro Wilk Test Statistic			0.897			Shapiro Wilk Test Statistic			0.863
728			5% Shapiro Wilk Critical Value			0.859			5% Shapiro Wilk Critical Value			0.859
729		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
730												
731		Assuming Normal Distribution						Assuming Lognormal Distribution				
732			DL/2 Substitution Method						DL/2 Substitution Method			
733					Mean	12.64					Mean	2.09
734					SD	8.62					SD	1.275
735			95% DL/2 (t) UCL			15.81			95% H-Stat (DL/2) UCL			24.09
736												
737		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
738					Mean	17.52			Mean in Log Scale			2.441
739					SD	5.392			SD in Log Scale			0.564
740			95% MLE (t) UCL			19.5			Mean in Original Scale			13.39
741			95% MLE (Tiku) UCL			20.79			SD in Original Scale			7.659
742									95% Percentile Bootstrap UCL			16.09

	A	B	C	D	E	F	G	H	I	J	K	L
743										95% BCA Bootstrap UCL		16.26
744												
745			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
746				k star (bias corrected)		4.805			Data appear Normal at 5% Significance Level			
747				Theta Star		3.81						
748				nu star		115.3						
749												
750				A-D Test Statistic		0.734			Nonparametric Statistics			
751				5% A-D Critical Value		0.732			Kaplan-Meier (KM) Method			
752				K-S Test Statistic		0.732				Mean		14.19
753				5% K-S Critical Value		0.246				SD		6.802
754		Data not Gamma Distributed at 5% Significance Level								SE of Mean		1.535
755										95% KM (t) UCL		16.84
756			Assuming Gamma Distribution							95% KM (z) UCL		16.72
757		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			16.77
758				Minimum		8.7			95% KM (bootstrap t) UCL			17.02
759				Maximum		29			95% KM (BCA) UCL			17.26
760				Mean		17.82			95% KM (Percentile Bootstrap) UCL			17.16
761				Median		17.98			95% KM (Chebyshev) UCL			20.88
762				SD		5.497			97.5% KM (Chebyshev) UCL			23.78
763				k star		8.744			99% KM (Chebyshev) UCL			29.47
764				Theta star		2.038						
765				Nu star		384.7			Potential UCLs to Use			
766				AppChi2		340.3				95% KM (t) UCL		16.84
767			95% Gamma Approximate UCL			20.15			95% KM (Percentile Bootstrap) UCL			17.16
768			95% Adjusted Gamma UCL			20.34						
769	Note: DL/2 is not a recommended method.											
770												
771												
772	Total Aroclors											
773												
774						General Statistics						
775				Number of Valid Data		20			Number of Detected Data			17
776			Number of Distinct Detected Data			17			Number of Non-Detect Data			3
777									Percent Non-Detects			15.00%
778												
779			Raw Statistics						Log-transformed Statistics			
780				Minimum Detected		8.88			Minimum Detected			2.184
781				Maximum Detected		34.45			Maximum Detected			3.54
782				Mean of Detected		21.98			Mean of Detected			3.045
783				SD of Detected		6.242			SD of Detected			0.326
784				Minimum Non-Detect		1.7			Minimum Non-Detect			0.531
785				Maximum Non-Detect		7.9			Maximum Non-Detect			2.067
786												
787	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			3
788	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			17
789	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			15.00%
790												
791						UCL Statistics						
792		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
793				Shapiro Wilk Test Statistic		0.987			Shapiro Wilk Test Statistic			0.925
794				5% Shapiro Wilk Critical Value		0.892			5% Shapiro Wilk Critical Value			0.892
795		Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			

	A	B	C	D	E	F	G	H	I	J	K	L
796												
797			Assuming Normal Distribution						Assuming Lognormal Distribution			
798			DL/2 Substitution Method						DL/2 Substitution Method			
799					Mean	19				Mean		2.671
800					SD	9.276				SD		0.994
801				95% DL/2 (t) UCL		22.59			95% H-Stat (DL/2) UCL			30.42
802												
803			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
804					Mean	19.26				Mean in Log Scale		2.941
805					SD	8.659				SD in Log Scale		0.393
806				95% MLE (t) UCL		22.61			Mean in Original Scale			20.25
807				95% MLE (Tiku) UCL		22.75			SD in Original Scale			7.113
808									95% Percentile Bootstrap UCL			22.8
809									95% BCA Bootstrap UCL			22.72
810												
811			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
812				k star (bias corrected)		9.352			Data appear Normal at 5% Significance Level			
813					Theta Star	2.35						
814					nu star	318						
815												
816				A-D Test Statistic		0.328			Nonparametric Statistics			
817				5% A-D Critical Value		0.739			Kaplan-Meier (KM) Method			
818				K-S Test Statistic		0.739				Mean		20.01
819				5% K-S Critical Value		0.209				SD		7.284
820			Data appear Gamma Distributed at 5% Significance Level						SE of Mean			1.679
821									95% KM (t) UCL			22.92
822			Assuming Gamma Distribution						95% KM (z) UCL			22.78
823			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			22.82
824					Minimum	8.88			95% KM (bootstrap t) UCL			22.79
825					Maximum	34.45			95% KM (BCA) UCL			23.52
826					Mean	20.43			95% KM (Percentile Bootstrap) UCL			23.11
827					Median	20.63			95% KM (Chebyshev) UCL			27.33
828					SD	6.868			97.5% KM (Chebyshev) UCL			30.5
829					k star	7.216			99% KM (Chebyshev) UCL			36.72
830					Theta star	2.831						
831					Nu star	288.6			Potential UCLs to Use			
832					AppChi2	250.3			95% KM (t) UCL			22.92
833				95% Gamma Approximate UCL		23.56			95% KM (Percentile Bootstrap) UCL			23.11
834				95% Adjusted Gamma UCL		23.83						
835	Note: DL/2 is not a recommended method.											
836												
837												
838	Total DDT											
839												
840					General Statistics							
841				Number of Valid Data		20			Number of Detected Data			15
842			Number of Distinct Detected Data			15			Number of Non-Detect Data			5
843				Number of Missing Values		2			Percent Non-Detects			25.00%
844												
845			Raw Statistics						Log-transformed Statistics			
846				Minimum Detected		0.077			Minimum Detected			-2.564
847				Maximum Detected		9.9			Maximum Detected			2.293
848				Mean of Detected		2.028			Mean of Detected			0.117

	A	B	C	D	E	F	G	H	I	J	K	L
849					SD of Detected	2.461					SD of Detected	1.201
850					Minimum Non-Detect	0.0455					Minimum Non-Detect	-3.09
851					Maximum Non-Detect	1.7					Maximum Non-Detect	0.531
852												
853	Note: Data have multiple DLs - Use of KM Method is recommended										Number treated as Non-Detect	14
854	For all methods (except KM, DL/2, and ROS Methods),										Number treated as Detected	6
855	Observations < Largest ND are treated as NDs										Single DL Non-Detect Percentage	70.00%
856												
857					UCL Statistics							
858		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
859					Shapiro Wilk Test Statistic	0.692					Shapiro Wilk Test Statistic	0.96
860					5% Shapiro Wilk Critical Value	0.881					5% Shapiro Wilk Critical Value	0.881
861		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
862												
863		Assuming Normal Distribution						Assuming Lognormal Distribution				
864					DL/2 Substitution Method						DL/2 Substitution Method	
865					Mean	1.581					Mean	-0.485
866					SD	2.262					SD	1.633
867					95% DL/2 (t) UCL	2.456					95% H-Stat (DL/2) UCL	6.668
868												
869		Maximum Likelihood Estimate(MLE) Method									Log ROS Method	
870					Mean	4.888					Mean in Log Scale	-0.413
871					SD	2.615					SD in Log Scale	1.431
872					95% MLE (t) UCL	5.899					Mean in Original Scale	1.562
873					95% MLE (Tiku) UCL	6.649					SD in Original Scale	2.269
874											95% Percentile Bootstrap UCL	2.448
875											95% BCA Bootstrap UCL	2.721
876												
877		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
878					k star (bias corrected)	0.829		Data appear Gamma Distributed at 5% Significance Level				
879					Theta Star	2.445						
880					nu star	24.88						
881												
882					A-D Test Statistic	0.404		Nonparametric Statistics				
883					5% A-D Critical Value	0.764		Kaplan-Meier (KM) Method				
884					K-S Test Statistic	0.764					Mean	1.568
885					5% K-S Critical Value	0.228					SD	2.211
886		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.512
887											95% KM (t) UCL	2.454
888		Assuming Gamma Distribution									95% KM (z) UCL	2.411
889		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	2.41
890					Minimum	1E-09					95% KM (bootstrap t) UCL	3.189
891					Maximum	9.9					95% KM (BCA) UCL	2.537
892					Mean	1.632					95% KM (Percentile Bootstrap) UCL	2.46
893					Median	0.816					95% KM (Chebyshev) UCL	3.801
894					SD	2.251					97.5% KM (Chebyshev) UCL	4.767
895					k star	0.21					99% KM (Chebyshev) UCL	6.665
896					Theta star	7.763						
897					Nu star	8.408		Potential UCLs to Use				
898					AppChi2	2.973					95% KM (Chebyshev) UCL	3.801
899				95% Gamma Approximate UCL		4.614						
900				95% Adjusted Gamma UCL		5.038						
901	Note: DL/2 is not a recommended method.										

	A	B	C	D	E	F	G	H	I	J	K	L
902												
903												
904	Total Dioxin/Furan TEQ											
905												
906					General Statistics							
907			Number of Valid Data			6			Number of Detected Data			6
908			Number of Distinct Detected Data			6			Number of Non-Detect Data			0
909			Number of Missing Values			11			Percent Non-Detects			0.00%
910												
911			Raw Statistics						Log-transformed Statistics			
912			Minimum Detected			0.189			Minimum Detected			-1.663
913			Maximum Detected			7.453			Maximum Detected			2.009
914			Mean of Detected			2.851			Mean of Detected			0.388
915			SD of Detected			3.058			SD of Detected			1.389
916			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
917			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
918												
919												
920				Warning: There are only 6 Detected Values in this data								
921				Note: It should be noted that even though bootstrap may be performed on this data set								
922				the resulting calculations may not be reliable enough tp draw conclusions								
923												
924			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
925												
926												
927					UCL Statistics							
928			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
929			Shapiro Wilk Test Statistic			0.826			Shapiro Wilk Test Statistic			0.941
930			5% Shapiro Wilk Critical Value			0.788			5% Shapiro Wilk Critical Value			0.788
931			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
932												
933			Assuming Normal Distribution						Assuming Lognormal Distribution			
934			DL/2 Substitution Method						DL/2 Substitution Method			
935			Mean			2.851			Mean			0.388
936			SD			3.058			SD			1.389
937			95% DL/2 (t) UCL			5.366			95% H-Stat (DL/2) UCL			116.4
938												
939			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
940			MLE method failed to converge properly						Mean in Log Scale			N/A
941									SD in Log Scale			N/A
942									Mean in Original Scale			N/A
943									SD in Original Scale			N/A
944									95% Percentile Bootstrap UCL			N/A
945									95% BCA Bootstrap UCL			N/A
946												
947			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
948			k star (bias corrected)			0.555			Data appear Normal at 5% Significance Level			
949			Theta Star			5.136						
950			nu star			6.66						
951												
952			A-D Test Statistic			0.329			Nonparametric Statistics			
953			5% A-D Critical Value			0.718			Kaplan-Meier (KM) Method			
954			K-S Test Statistic			0.718			Mean			2.851

	A	B	C	D	E	F	G	H	I	J	K	L
955					5% K-S Critical Value	0.342					SD	2.791
956		**Data appear Gamma Distributed at 5% Significance Level**									SE of Mean	1.248
957											95% KM (t) UCL	5.366
958		**Assuming Gamma Distribution**									95% KM (z) UCL	4.904
959		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	5.366
960					Minimum	0.189					95% KM (bootstrap t) UCL	10.08
961					Maximum	7.453					95% KM (BCA) UCL	4.868
962					Mean	2.851					95% KM (Percentile Bootstrap) UCL	4.855
963					Median	1.401					95% KM (Chebyshev) UCL	8.292
964					SD	3.058					97.5% KM (Chebyshev) UCL	10.65
965					k star	0.555					99% KM (Chebyshev) UCL	15.27
966					Theta star	5.136						
967					Nu star	6.66			**Potential UCLs to Use**			
968					AppChi2	1.986					95% KM (t) UCL	5.366
969				95% Gamma Approximate UCL		9.56					95% KM (Percentile Bootstrap) UCL	4.855
970				95% Adjusted Gamma UCL		15.86						
971	Note: DL/2 is not a recommended method.											
972												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3		From File		J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM3.0W.wst								
4		Full Precision		OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Aldrin											
10												
11						General Statistics						
12			Number of Valid Data			10			Number of Detected Data			6
13		Number of Distinct Detected Data				6			Number of Non-Detect Data			4
14			Number of Missing Values			3			Percent Non-Detects			40.00%
15												
16			Raw Statistics					Log-transformed Statistics				
17			Minimum Detected			0.067			Minimum Detected			-2.703
18			Maximum Detected			1.09			Maximum Detected			0.0862
19			Mean of Detected			0.434			Mean of Detected			-1.177
20			SD of Detected			0.363			SD of Detected			0.982
21			Minimum Non-Detect			0.0324			Minimum Non-Detect			-3.43
22			Maximum Non-Detect			0.98			Maximum Non-Detect			-0.0202
23												
24	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				9
25	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				1
26	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				90.00%
27												
28						Warning: There are only 6 Detected Values in this data						
29						Note: It should be noted that even though bootstrap may be performed on this data set						
30						the resulting calculations may not be reliable enough tp draw conclusions						
31												
32						It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.						
33												
34												
35						UCL Statistics						
36		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
37			Shapiro Wilk Test Statistic			0.893			Shapiro Wilk Test Statistic			0.963
38			5% Shapiro Wilk Critical Value			0.788			5% Shapiro Wilk Critical Value			0.788
39		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
40												
41		Assuming Normal Distribution						Assuming Lognormal Distribution				
42			DL/2 Substitution Method						DL/2 Substitution Method			
43				Mean		0.352				Mean		-1.511
44				SD		0.312				SD		1.204
45			95% DL/2 (t) UCL			0.533			95% H-Stat (DL/2) UCL			2.226
46												
47		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
48		MLE method failed to converge properly							Mean in Log Scale			-1.669
49									SD in Log Scale			1.039
50									Mean in Original Scale			0.302
51									SD in Original Scale			0.321
52									95% Percentile Bootstrap UCL			0.484
53									95% BCA Bootstrap UCL			0.515

	A	B	C	D	E	F	G	H	I	J	K	L
54												
55			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
56				k star (bias corrected)		0.915			Data appear Normal at 5% Significance Level			
57				Theta Star		0.475						
58				nu star		10.97						
59												
60				A-D Test Statistic		0.206			Nonparametric Statistics			
61				5% A-D Critical Value		0.707			Kaplan-Meier (KM) Method			
62				K-S Test Statistic		0.707				Mean		0.319
63				5% K-S Critical Value		0.337				SD		0.304
64		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.109
65										95% KM (t) UCL		0.52
66			Assuming Gamma Distribution							95% KM (z) UCL		0.499
67		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.511
68				Minimum		0.0308				95% KM (bootstrap t) UCL		0.571
69				Maximum		1.09				95% KM (BCA) UCL		0.579
70				Mean		0.381			95% KM (Percentile Bootstrap) UCL			0.531
71				Median		0.385				95% KM (Chebyshev) UCL		0.796
72				SD		0.304				97.5% KM (Chebyshev) UCL		1.002
73				k star		1.081				99% KM (Chebyshev) UCL		1.407
74				Theta star		0.352						
75				Nu star		21.62			Potential UCLs to Use			
76				AppChi2		12.06				95% KM (t) UCL		0.52
77			95% Gamma Approximate UCL			0.683			95% KM (Percentile Bootstrap) UCL			0.531
78			95% Adjusted Gamma UCL			0.76						
79	Note: DL/2 is not a recommended method.											
80												
81												
82	Arsenic											
83												
84					General Statistics							
85			Number of Valid Observations			15			Number of Distinct Observations			14
86												
87			Raw Statistics						Log-transformed Statistics			
88					Minimum	2.41			Minimum of Log Data			0.88
89					Maximum	6			Maximum of Log Data			1.792
90					Mean	3.662			Mean of log Data			1.271
91					Median	3.69			SD of log Data			0.236
92					SD	0.92						
93				Coefficient of Variation		0.251						
94					Skewness	1.19						
95												
96					Relevant UCL Statistics							
97			Normal Distribution Test						Lognormal Distribution Test			
98			Shapiro Wilk Test Statistic			0.908			Shapiro Wilk Test Statistic			0.965
99			Shapiro Wilk Critical Value			0.881			Shapiro Wilk Critical Value			0.881
100		Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
101												
102			Assuming Normal Distribution						Assuming Lognormal Distribution			
103				95% Student's-t UCL		4.081			95% H-UCL			4.116
104		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			4.639
105				95% Adjusted-CLT UCL		4.131			97.5% Chebyshev (MVUE) UCL			5.064
106				95% Modified-t UCL		4.093			99% Chebyshev (MVUE) UCL			5.897

	A	B	C	D	E	F	G	H	I	J	K	L
107												
108			Gamma Distribution Test						Data Distribution			
109			k star (bias corrected)			15		Data appear Normal at 5% Significance Level				
110			Theta Star			0.244						
111			nu star			450						
112			Approximate Chi Square Value (.05)			401.9			Nonparametric Statistics			
113			Adjusted Level of Significance			0.0324				95% CLT UCL		4.053
114			Adjusted Chi Square Value			396.3				95% Jackknife UCL		4.081
115										95% Standard Bootstrap UCL		4.044
116			Anderson-Darling Test Statistic			0.327				95% Bootstrap-t UCL		4.2
117			Anderson-Darling 5% Critical Value			0.735				95% Hall's Bootstrap UCL		4.465
118			Kolmogorov-Smirnov Test Statistic			0.184				95% Percentile Bootstrap UCL		4.031
119			Kolmogorov-Smirnov 5% Critical Value			0.221				95% BCA Bootstrap UCL		4.073
120		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		4.698
121										97.5% Chebyshev(Mean, Sd) UCL		5.146
122			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		6.027
123			95% Approximate Gamma UCL			4.101						
124			95% Adjusted Gamma UCL			4.159						
125												
126			Potential UCL to Use							Use 95% Student's-t UCL		4.081
127												
128												
129	Benzo(a)anthracene											
130												
131					General Statistics							
132			Number of Valid Observations			15			Number of Distinct Observations			15
133												
134			Raw Statistics						Log-transformed Statistics			
135			Minimum			31				Minimum of Log Data		3.434
136			Maximum			940				Maximum of Log Data		6.846
137			Mean			290.2				Mean of log Data		5.212
138			Median			160				SD of log Data		1.011
139			SD			289.4						
140			Coefficient of Variation			0.997						
141			Skewness			1.363						
142												
143					Relevant UCL Statistics							
144			Normal Distribution Test						Lognormal Distribution Test			
145			Shapiro Wilk Test Statistic			0.803				Shapiro Wilk Test Statistic		0.969
146			Shapiro Wilk Critical Value			0.881				Shapiro Wilk Critical Value		0.881
147		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
148												
149			Assuming Normal Distribution						Assuming Lognormal Distribution			
150			95% Student's-t UCL			421.8				95% H-UCL		645.7
151		95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL		655.3
152			95% Adjusted-CLT UCL			441.2				97.5% Chebyshev (MVUE) UCL		812.6
153			95% Modified-t UCL			426.2				99% Chebyshev (MVUE) UCL		1122
154												
155			Gamma Distribution Test						Data Distribution			
156			k star (bias corrected)			1.029		Data appear Gamma Distributed at 5% Significance Level				
157			Theta Star			282						
158			nu star			30.87						
159			Approximate Chi Square Value (.05)			19.18			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
160					Adjusted Level of Significance	0.0324					95% CLT UCL	413.1
161					Adjusted Chi Square Value	18.05					95% Jackknife UCL	421.8
162											95% Standard Bootstrap UCL	406.6
163					Anderson-Darling Test Statistic	0.431					95% Bootstrap-t UCL	476.8
164					Anderson-Darling 5% Critical Value	0.759					95% Hall's Bootstrap UCL	457.8
165					Kolmogorov-Smirnov Test Statistic	0.191					95% Percentile Bootstrap UCL	410.7
166					Kolmogorov-Smirnov 5% Critical Value	0.227					95% BCA Bootstrap UCL	427.2
167		**Data appear Gamma Distributed at 5% Significance Level**									95% Chebyshev(Mean, Sd) UCL	615.9
168											97.5% Chebyshev(Mean, Sd) UCL	756.8
169		**Assuming Gamma Distribution**									99% Chebyshev(Mean, Sd) UCL	1034
170					95% Approximate Gamma UCL	467.1						
171					95% Adjusted Gamma UCL	496.3						
172												
173		**Potential UCL to Use**								Use 95% Approximate Gamma UCL		467.1
174												
175												
176	Benzo(a)pyrene											
177												
178					**General Statistics**							
179					Number of Valid Observations	15				Number of Distinct Observations		13
180												
181		**Raw Statistics**							**Log-transformed Statistics**			
182					Minimum	71					Minimum of Log Data	4.263
183					Maximum	1200					Maximum of Log Data	7.09
184					Mean	461.9					Mean of log Data	5.771
185					Median	300					SD of log Data	0.907
186					SD	397.2						
187					Coefficient of Variation	0.86						
188					Skewness	0.968						
189												
190					**Relevant UCL Statistics**							
191		**Normal Distribution Test**							**Lognormal Distribution Test**			
192					Shapiro Wilk Test Statistic	0.819					Shapiro Wilk Test Statistic	0.942
193					Shapiro Wilk Critical Value	0.881					Shapiro Wilk Critical Value	0.881
194		**Data not Normal at 5% Significance Level**							**Data appear Lognormal at 5% Significance Level**			
195												
196		**Assuming Normal Distribution**							**Assuming Lognormal Distribution**			
197					95% Student's-t UCL	642.6					95% H-UCL	908.2
198		**95% UCLs (Adjusted for Skewness)**							95% Chebyshev (MVUE) UCL			981.4
199					95% Adjusted-CLT UCL	658					97.5% Chebyshev (MVUE) UCL	1204
200					95% Modified-t UCL	646.8					99% Chebyshev (MVUE) UCL	1641
201												
202		**Gamma Distribution Test**							**Data Distribution**			
203					k star (bias corrected)	1.258			**Data appear Gamma Distributed at 5% Significance Level**			
204					Theta Star	367.2						
205					nu star	37.74						
206					Approximate Chi Square Value (.05)	24.67			**Nonparametric Statistics**			
207					Adjusted Level of Significance	0.0324					95% CLT UCL	630.6
208					Adjusted Chi Square Value	23.38					95% Jackknife UCL	642.6
209											95% Standard Bootstrap UCL	624
210					Anderson-Darling Test Statistic	0.538					95% Bootstrap-t UCL	679.9
211					Anderson-Darling 5% Critical Value	0.754					95% Hall's Bootstrap UCL	616.5
212					Kolmogorov-Smirnov Test Statistic	0.186					95% Percentile Bootstrap UCL	630.7

	A	B	C	D	E	F	G	H	I	J	K	L
213				Kolmogorov-Smirnov 5% Critical Value		0.225				95% BCA Bootstrap UCL		648.1
214		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		909
215										97.5% Chebyshev(Mean, Sd) UCL		1102
216			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		1482
217				95% Approximate Gamma UCL		706.6						
218				95% Adjusted Gamma UCL		745.7						
219												
220			Potential UCL to Use							Use 95% Approximate Gamma UCL		706.6
221												
222												
223	Benzo(b)fluoranthene											
224												
225					General Statistics							
226			Number of Valid Observations			15				Number of Distinct Observations		15
227												
228			Raw Statistics						Log-transformed Statistics			
229				Minimum		58				Minimum of Log Data		4.06
230				Maximum		1100				Maximum of Log Data		7.003
231				Mean		395.2				Mean of log Data		5.617
232				Median		230				SD of log Data		0.898
233				SD		346.2						
234			Coefficient of Variation			0.876						
235				Skewness		1.125						
236												
237					Relevant UCL Statistics							
238			Normal Distribution Test						Lognormal Distribution Test			
239			Shapiro Wilk Test Statistic			0.821				Shapiro Wilk Test Statistic		0.958
240			Shapiro Wilk Critical Value			0.881				Shapiro Wilk Critical Value		0.881
241		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
242												
243			Assuming Normal Distribution						Assuming Lognormal Distribution			
244				95% Student's-t UCL		552.7				95% H-UCL		765.7
245		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			831
246			95% Adjusted-CLT UCL			570				97.5% Chebyshev (MVUE) UCL		1019
247			95% Modified-t UCL			557				99% Chebyshev (MVUE) UCL		1387
248												
249			Gamma Distribution Test						Data Distribution			
250			k star (bias corrected)			1.265		Data appear Gamma Distributed at 5% Significance Level				
251				Theta Star		312.4						
252				nu star		37.95						
253		Approximate Chi Square Value (.05)				24.84			Nonparametric Statistics			
254		Adjusted Level of Significance				0.0324				95% CLT UCL		542.2
255		Adjusted Chi Square Value				23.54				95% Jackknife UCL		552.7
256										95% Standard Bootstrap UCL		538.7
257		Anderson-Darling Test Statistic				0.464				95% Bootstrap-t UCL		585.1
258		Anderson-Darling 5% Critical Value				0.753				95% Hall's Bootstrap UCL		539.2
259		Kolmogorov-Smirnov Test Statistic				0.163				95% Percentile Bootstrap UCL		544
260		Kolmogorov-Smirnov 5% Critical Value				0.225				95% BCA Bootstrap UCL		557.3
261		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			784.9
262									97.5% Chebyshev(Mean, Sd) UCL			953.5
263			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			1285
264				95% Approximate Gamma UCL		603.7						
265				95% Adjusted Gamma UCL		637.1						

	A	B	C	D	E	F	G	H	I	J	K	L
266												
267			Potential UCL to Use						Use 95% Approximate Gamma UCL			603.7
268												
269												
270	Benzo(k)fluoranthene											
271												
272					General Statistics							
273				Number of Valid Observations		15			Number of Distinct Observations			15
274												
275			Raw Statistics						Log-transformed Statistics			
276					Minimum	19			Minimum of Log Data			2.944
277					Maximum	760			Maximum of Log Data			6.633
278					Mean	230.8			Mean of log Data			4.84
279					Median	140			SD of log Data			1.18
280					SD	249.5						
281				Coefficient of Variation		1.081						
282					Skewness	1.17						
283												
284					Relevant UCL Statistics							
285			Normal Distribution Test						Lognormal Distribution Test			
286				Shapiro Wilk Test Statistic		0.782			Shapiro Wilk Test Statistic			0.941
287				Shapiro Wilk Critical Value		0.881			Shapiro Wilk Critical Value			0.881
288			Data not Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
289												
290			Assuming Normal Distribution						Assuming Lognormal Distribution			
291					95% Student's-t UCL	344.3			95% H-UCL			661.5
292			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			585.9
293				95% Adjusted-CLT UCL		357.5			97.5% Chebyshev (MVUE) UCL			737.1
294				95% Modified-t UCL		347.5			99% Chebyshev (MVUE) UCL			1034
295												
296			Gamma Distribution Test						Data Distribution			
297				k star (bias corrected)		0.815		Data appear Gamma Distributed at 5% Significance Level				
298					Theta Star	283						
299					nu star	24.46						
300			Approximate Chi Square Value (.05)			14.2			Nonparametric Statistics			
301			Adjusted Level of Significance			0.0324			95% CLT UCL			336.8
302			Adjusted Chi Square Value			13.25			95% Jackknife UCL			344.3
303									95% Standard Bootstrap UCL			333.8
304			Anderson-Darling Test Statistic			0.607			95% Bootstrap-t UCL			385.7
305			Anderson-Darling 5% Critical Value			0.765			95% Hall's Bootstrap UCL			329.8
306			Kolmogorov-Smirnov Test Statistic			0.16			95% Percentile Bootstrap UCL			336.1
307			Kolmogorov-Smirnov 5% Critical Value			0.228			95% BCA Bootstrap UCL			355
308			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			511.6
309									97.5% Chebyshev(Mean, Sd) UCL			633.1
310			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			871.7
311				95% Approximate Gamma UCL		397.6						
312				95% Adjusted Gamma UCL		426.3						
313												
314			Potential UCL to Use						Use 95% Approximate Gamma UCL			397.6
315												
316												
317	Bis(2-ethylhexyl) phthalate											
318												

	A	B	C	D	E	F	G	H	I	J	K	L
319						General Statistics						
320			Number of Valid Data			15				Number of Detected Data		6
321			Number of Distinct Detected Data			6				Number of Non-Detect Data		9
322										Percent Non-Detects		60.00%
323												
324			Raw Statistics						Log-transformed Statistics			
325			Minimum Detected			23				Minimum Detected		3.135
326			Maximum Detected			150				Maximum Detected		5.011
327			Mean of Detected			61.5				Mean of Detected		3.907
328			SD of Detected			46.85				SD of Detected		0.701
329			Minimum Non-Detect			3.9				Minimum Non-Detect		1.361
330			Maximum Non-Detect			130				Maximum Non-Detect		4.868
331												
332	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			14
333	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
334	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			93.33%
335												
336					Warning: There are only 6 Detected Values in this data							
337				Note: It should be noted that even though bootstrap may be performed on this data set								
338					the resulting calculations may not be reliable enough tp draw conclusions							
339												
340			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
341												
342												
343						UCL Statistics						
344		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
345			Shapiro Wilk Test Statistic			0.817				Shapiro Wilk Test Statistic		0.93
346			5% Shapiro Wilk Critical Value			0.788				5% Shapiro Wilk Critical Value		0.788
347		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
348												
349		Assuming Normal Distribution						Assuming Lognormal Distribution				
350			DL/2 Substitution Method						DL/2 Substitution Method			
351			Mean			40.21				Mean		3.094
352			SD			38.42				SD		1.347
353			95% DL/2 (t) UCL			57.68				95% H-Stat (DL/2) UCL		164.6
354												
355		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
356		MLE method failed to converge properly								Mean in Log Scale		3.118
357										SD in Log Scale		0.828
358										Mean in Original Scale		33.03
359										SD in Original Scale		37.09
360										95% Percentile Bootstrap UCL		50
361										95% BCA Bootstrap UCL		60.91
362												
363		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
364			k star (bias corrected)			1.365		Data appear Normal at 5% Significance Level				
365			Theta Star			45.06						
366			nu star			16.38						
367												
368			A-D Test Statistic			0.34		Nonparametric Statistics				
369			5% A-D Critical Value			0.703				Kaplan-Meier (KM) Method		
370			K-S Test Statistic			0.703				Mean		40.57
371			5% K-S Critical Value			0.335				SD		33.01

	A	B	C	D	E	F	G	H	I	J	K	L
372	Data appear Gamma Distributed at 5% Significance Level										SE of Mean	9.639
373											95% KM (t) UCL	57.55
374	Assuming Gamma Distribution										95% KM (z) UCL	56.43
375	Gamma ROS Statistics using Extrapolated Data										95% KM (jackknife) UCL	56.4
376	Minimum					23					95% KM (bootstrap t) UCL	68.86
377	Maximum					150					95% KM (BCA) UCL	64.97
378	Mean					62.01					95% KM (Percentile Bootstrap) UCL	64.13
379	Median					58					95% KM (Chebyshev) UCL	82.59
380	SD					34.47					97.5% KM (Chebyshev) UCL	100.8
381	k star					3.086					99% KM (Chebyshev) UCL	136.5
382	Theta star					20.09						
383	Nu star					92.59			Potential UCLs to Use			
384	AppChi2					71.4					95% KM (t) UCL	57.55
385	95% Gamma Approximate UCL					80.41			95% KM (Percentile Bootstrap) UCL			64.13
386	95% Adjusted Gamma UCL					83.08						
387	Note: DL/2 is not a recommended method.											
388												
389												
390	Dibenzo(a,h)anthracene											
391												
392	General Statistics											
393	Number of Valid Observations					15			Number of Distinct Observations			15
394												
395	Raw Statistics							Log-transformed Statistics				
396	Minimum					6.7			Minimum of Log Data			1.902
397	Maximum					150			Maximum of Log Data			5.011
398	Mean					52.65			Mean of log Data			3.574
399	Median					32			SD of log Data			0.945
400	SD					46.67						
401	Coefficient of Variation					0.887						
402	Skewness					1.114						
403												
404	Relevant UCL Statistics											
405	Normal Distribution Test							Lognormal Distribution Test				
406	Shapiro Wilk Test Statistic					0.844			Shapiro Wilk Test Statistic			0.967
407	Shapiro Wilk Critical Value					0.881			Shapiro Wilk Critical Value			0.881
408	Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level				
409												
410	Assuming Normal Distribution							Assuming Lognormal Distribution				
411	95% Student's-t UCL					73.87			95% H-UCL			109.2
412	95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL				115.5
413	95% Adjusted-CLT UCL					76.17			97.5% Chebyshev (MVUE) UCL			142.3
414	95% Modified-t UCL					74.45			99% Chebyshev (MVUE) UCL			194.9
415												
416	Gamma Distribution Test							Data Distribution				
417	k star (bias corrected)					1.187			Data appear Gamma Distributed at 5% Significance Level				
418	Theta Star					44.34						
419	nu star					35.62						
420	Approximate Chi Square Value (.05)					22.96			Nonparametric Statistics				
421	Adjusted Level of Significance					0.0324			95% CLT UCL			72.47
422	Adjusted Chi Square Value					21.72			95% Jackknife UCL			73.87
423									95% Standard Bootstrap UCL			71.57
424	Anderson-Darling Test Statistic					0.351			95% Bootstrap-t UCL			80.07

	A	B	C	D	E	F	G	H	I	J	K	L
425				Anderson-Darling 5% Critical Value		0.755				95% Hall's Bootstrap UCL		77.94
426				Kolmogorov-Smirnov Test Statistic		0.155				95% Percentile Bootstrap UCL		73.27
427				Kolmogorov-Smirnov 5% Critical Value		0.226				95% BCA Bootstrap UCL		77.03
428		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		105.2
429										97.5% Chebyshev(Mean, Sd) UCL		127.9
430			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		172.6
431				95% Approximate Gamma UCL		81.67						
432				95% Adjusted Gamma UCL		86.35						
433												
434			Potential UCL to Use							Use 95% Approximate Gamma UCL		81.67
435												
436												
437	Indeno(1,2,3-cd)pyrene											
438												
439					General Statistics							
440				Number of Valid Observations		15				Number of Distinct Observations		13
441												
442			Raw Statistics						Log-transformed Statistics			
443					Minimum	59				Minimum of Log Data		4.078
444					Maximum	1100				Maximum of Log Data		7.003
445					Mean	327.7				Mean of log Data		5.507
446					Median	250				SD of log Data		0.791
447					SD	270.4						
448				Coefficient of Variation		0.825						
449					Skewness	1.804						
450												
451					Relevant UCL Statistics							
452			Normal Distribution Test						Lognormal Distribution Test			
453				Shapiro Wilk Test Statistic		0.82				Shapiro Wilk Test Statistic		0.983
454				Shapiro Wilk Critical Value		0.881				Shapiro Wilk Critical Value		0.881
455		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
456												
457			Assuming Normal Distribution						Assuming Lognormal Distribution			
458					95% Student's-t UCL	450.6				95% H-UCL		563
459		95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL		639.6
460				95% Adjusted-CLT UCL		477.2				97.5% Chebyshev (MVUE) UCL		774.4
461				95% Modified-t UCL		456				99% Chebyshev (MVUE) UCL		1039
462												
463			Gamma Distribution Test						Data Distribution			
464				k star (bias corrected)		1.57		Data appear Gamma Distributed at 5% Significance Level				
465					Theta Star	208.7						
466					nu star	47.1						
467			Approximate Chi Square Value (.05)			32.35			Nonparametric Statistics			
468				Adjusted Level of Significance		0.0324				95% CLT UCL		442.5
469				Adjusted Chi Square Value		30.85				95% Jackknife UCL		450.6
470										95% Standard Bootstrap UCL		441.1
471				Anderson-Darling Test Statistic		0.265				95% Bootstrap-t UCL		512.2
472				Anderson-Darling 5% Critical Value		0.748				95% Hall's Bootstrap UCL		595.8
473				Kolmogorov-Smirnov Test Statistic		0.153				95% Percentile Bootstrap UCL		447.3
474				Kolmogorov-Smirnov 5% Critical Value		0.225				95% BCA Bootstrap UCL		482.7
475		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		631.9
476										97.5% Chebyshev(Mean, Sd) UCL		763.6
477			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		1022

	A	B	C	D	E	F	G	H	I	J	K	L
478					95% Approximate Gamma UCL	477.1						
479					95% Adjusted Gamma UCL	500.3						
480												
481				Potential UCL to Use					Use 95% Approximate Gamma UCL			477.1
482												
483												
484	Lead											
485												
486					General Statistics							
487				Number of Valid Observations		15			Number of Distinct Observations			14
488												
489				Raw Statistics					Log-transformed Statistics			
490					Minimum	5.85			Minimum of Log Data			1.766
491					Maximum	19.3			Maximum of Log Data			2.96
492					Mean	12.43			Mean of log Data			2.473
493					Median	13.5			SD of log Data			0.334
494					SD	3.682						
495				Coefficient of Variation		0.296						
496					Skewness	-0.211						
497												
498					Relevant UCL Statistics							
499				Normal Distribution Test					Lognormal Distribution Test			
500				Shapiro Wilk Test Statistic		0.971			Shapiro Wilk Test Statistic			0.922
501				Shapiro Wilk Critical Value		0.881			Shapiro Wilk Critical Value			0.881
502			Data appear Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
503												
504				Assuming Normal Distribution					Assuming Lognormal Distribution			
505					95% Student's-t UCL	14.11			95% H-UCL			14.87
506			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			17.25
507				95% Adjusted-CLT UCL		13.94			97.5% Chebyshev (MVUE) UCL			19.31
508					95% Modified-t UCL	14.1			99% Chebyshev (MVUE) UCL			23.36
509												
510			Gamma Distribution Test						Data Distribution			
511					k star (bias corrected)	8.568		Data appear Normal at 5% Significance Level				
512					Theta Star	1.451						
513					nu star	257						
514			Approximate Chi Square Value (.05)			220.9			Nonparametric Statistics			
515			Adjusted Level of Significance			0.0324			95% CLT UCL			14
516			Adjusted Chi Square Value			216.8			95% Jackknife UCL			14.11
517									95% Standard Bootstrap UCL			13.96
518			Anderson-Darling Test Statistic			0.408			95% Bootstrap-t UCL			14.03
519			Anderson-Darling 5% Critical Value			0.737			95% Hall's Bootstrap UCL			13.94
520			Kolmogorov-Smirnov Test Statistic			0.179			95% Percentile Bootstrap UCL			13.85
521			Kolmogorov-Smirnov 5% Critical Value			0.221			95% BCA Bootstrap UCL			13.9
522		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			16.58
523									97.5% Chebyshev(Mean, Sd) UCL			18.37
524			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			21.89
525				95% Approximate Gamma UCL		14.46						
526				95% Adjusted Gamma UCL		14.74						
527												
528				Potential UCL to Use					Use 95% Student's-t UCL			14.11
529												
530												

	A	B	C	D	E	F	G	H	I	J	K	L
531	Mercury											
532												
533					General Statistics							
534			Number of Valid Data			14			Number of Detected Data			12
535			Number of Distinct Detected Data			11			Number of Non-Detect Data			2
536			Number of Missing Values			1			Percent Non-Detects			14.29%
537												
538			Raw Statistics						Log-transformed Statistics			
539			Minimum Detected			0.024			Minimum Detected			-3.73
540			Maximum Detected			0.192			Maximum Detected			-1.65
541			Mean of Detected			0.0881			Mean of Detected			-2.615
542			SD of Detected			0.0554			SD of Detected			0.65
543			Minimum Non-Detect			0.028			Minimum Non-Detect			-3.576
544			Maximum Non-Detect			0.09			Maximum Non-Detect			-2.408
545												
546	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			10
547	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			4
548	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			71.43%
549												
550					UCL Statistics							
551			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
552			Shapiro Wilk Test Statistic			0.887			Shapiro Wilk Test Statistic			0.963
553			5% Shapiro Wilk Critical Value			0.859			5% Shapiro Wilk Critical Value			0.859
554			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
555												
556			Assuming Normal Distribution						Assuming Lognormal Distribution			
557			DL/2 Substitution Method						DL/2 Substitution Method			
558			Mean			0.0797			Mean			-2.768
559			SD			0.0556			SD			0.749
560			95% DL/2 (t) UCL			0.106			95% H-Stat (DL/2) UCL			0.123
561												
562			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
563			MLE method failed to converge properly						Mean in Log Scale			-2.726
564									SD in Log Scale			0.678
565									Mean in Original Scale			0.0807
566									SD in Original Scale			0.0546
567									95% Percentile Bootstrap UCL			0.105
568									95% BCA Bootstrap UCL			0.108
569												
570			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
571			k star (bias corrected)			2.192			Data appear Normal at 5% Significance Level			
572			Theta Star			0.0402						
573			nu star			52.6						
574												
575			A-D Test Statistic			0.292			Nonparametric Statistics			
576			5% A-D Critical Value			0.739			Kaplan-Meier (KM) Method			
577			K-S Test Statistic			0.739			Mean			0.0809
578			5% K-S Critical Value			0.248			SD			0.0527
579			Data appear Gamma Distributed at 5% Significance Level						SE of Mean			0.0148
580									95% KM (t) UCL			0.107
581			Assuming Gamma Distribution						95% KM (z) UCL			0.105
582			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			0.107
583			Minimum			0.0116			95% KM (bootstrap t) UCL			0.114

	A	B	C	D	E	F	G	H	I	J	K	L
584					Maximum	0.192			95% KM (BCA) UCL			0.109
585					Mean	0.0821			95% KM (Percentile Bootstrap) UCL			0.104
586					Median	0.07			95% KM (Chebyshev) UCL			0.145
587					SD	0.0549			97.5% KM (Chebyshev) UCL			0.173
588					k star	1.805			99% KM (Chebyshev) UCL			0.228
589					Theta star	0.0455						
590					Nu star	50.55			Potential UCLs to Use			
591					AppChi2	35.22			95% KM (t) UCL			0.107
592			95% Gamma Approximate UCL			0.118			95% KM (Percentile Bootstrap) UCL			0.104
593			95% Adjusted Gamma UCL			0.124						
594	Note: DL/2 is not a recommended method.											
595												
596												
597	Naphthalene											
598												
599					General Statistics							
600		Number of Valid Data				15			Number of Detected Data			14
601		Number of Distinct Detected Data				12			Number of Non-Detect Data			1
602									Percent Non-Detects			6.67%
603												
604		Raw Statistics							Log-transformed Statistics			
605		Minimum Detected				12			Minimum Detected			2.485
606		Maximum Detected				360			Maximum Detected			5.886
607		Mean of Detected				105.2			Mean of Detected			4.04
608		SD of Detected				111.4			SD of Detected			1.207
609		Minimum Non-Detect				4.4			Minimum Non-Detect			1.482
610		Maximum Non-Detect				4.4			Maximum Non-Detect			1.482
611												
612												
613					UCL Statistics							
614		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
615		Shapiro Wilk Test Statistic				0.817			Shapiro Wilk Test Statistic			0.9
616		5% Shapiro Wilk Critical Value				0.874			5% Shapiro Wilk Critical Value			0.874
617		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
618												
619		Assuming Normal Distribution							Assuming Lognormal Distribution			
620		DL/2 Substitution Method							DL/2 Substitution Method			
621		Mean				98.35			Mean			3.823
622		SD				110.6			SD			1.435
623		95% DL/2 (t) UCL				148.7			95% H-Stat (DL/2) UCL			439.4
624												
625		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
626		Mean				94.24			Mean in Log Scale			3.845
627		SD				112.4			SD in Log Scale			1.387
628		95% MLE (t) UCL				145.4			Mean in Original Scale			98.4
629		95% MLE (Tiku) UCL				142.8			SD in Original Scale			110.6
630									95% Percentile Bootstrap UCL			147.7
631									95% BCA Bootstrap UCL			153.5
632												
633		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
634		k star (bias corrected)				0.789			Data appear Gamma Distributed at 5% Significance Level			
635		Theta Star				133.4						
636		nu star				22.09						

	A	B	C	D	E	F	G	H	I	J	K	L
637												
638					A-D Test Statistic	0.663			Nonparametric Statistics			
639					5% A-D Critical Value	0.762			Kaplan-Meier (KM) Method			
640					K-S Test Statistic	0.762					Mean	99
641					5% K-S Critical Value	0.236					SD	106.3
642		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	28.49
643											95% KM (t) UCL	149.2
644		Assuming Gamma Distribution									95% KM (z) UCL	145.9
645		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	148.9
646					Minimum	1E-09					95% KM (bootstrap t) UCL	162.4
647					Maximum	360					95% KM (BCA) UCL	148.9
648					Mean	98.2					95% KM (Percentile Bootstrap) UCL	145.7
649					Median	57					95% KM (Chebyshev) UCL	223.2
650					SD	110.8					97.5% KM (Chebyshev) UCL	276.9
651					k star	0.294					99% KM (Chebyshev) UCL	382.4
652					Theta star	334.2						
653					Nu star	8.816			Potential UCLs to Use			
654					AppChi2	3.216					95% KM (Chebyshev) UCL	223.2
655		95% Gamma Approximate UCL				269.2						
656		95% Adjusted Gamma UCL				307.7						
657	Note: DL/2 is not a recommended method.											
658												
659												
660	Total Aroclors											
661												
662					General Statistics							
663			Number of Valid Data			12			Number of Detected Data			6
664			Number of Distinct Detected Data			6			Number of Non-Detect Data			6
665									Percent Non-Detects			50.00%
666												
667		Raw Statistics							Log-transformed Statistics			
668				Minimum Detected		6.805				Minimum Detected		1.918
669				Maximum Detected		30.3				Maximum Detected		3.411
670				Mean of Detected		18.46				Mean of Detected		2.799
671				SD of Detected		9.119				SD of Detected		0.552
672				Minimum Non-Detect		2.3				Minimum Non-Detect		0.833
673				Maximum Non-Detect		26				Maximum Non-Detect		3.258
674												
675	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			10
676	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
677	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			83.33%
678												
679			Warning: There are only 6 Detected Values in this data									
680			Note: It should be noted that even though bootstrap may be performed on this data set									
681			the resulting calculations may not be reliable enough tp draw conclusions									
682												
683			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
684												
685												
686					UCL Statistics							
687		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
688				Shapiro Wilk Test Statistic		0.93				Shapiro Wilk Test Statistic		0.942
689				5% Shapiro Wilk Critical Value		0.788				5% Shapiro Wilk Critical Value		0.788

	A	B	C	D	E	F	G	H	I	J	K	L
690	Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level				
691												
692	Assuming Normal Distribution							Assuming Lognormal Distribution				
693	DL/2 Substitution Method							DL/2 Substitution Method				
694	Mean					11.28		Mean				1.845
695	SD					10.24		SD				1.279
696	95% DL/2 (t) UCL					16.58		95% H-Stat (DL/2) UCL				28.16
697												
698	Maximum Likelihood Estimate(MLE) Method					N/A		Log ROS Method				
699	MLE method failed to converge properly							Mean in Log Scale				2.207
700								SD in Log Scale				0.742
701								Mean in Original Scale				11.82
702								SD in Original Scale				9.315
703								95% Percentile Bootstrap UCL				16.23
704								95% BCA Bootstrap UCL				16.79
705												
706	Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only				
707	k star (bias corrected)					2.338		Data appear Normal at 5% Significance Level				
708	Theta Star					7.895						
709	nu star					28.06						
710												
711	A-D Test Statistic					0.257		Nonparametric Statistics				
712	5% A-D Critical Value					0.699		Kaplan-Meier (KM) Method				
713	K-S Test Statistic					0.699		Mean				12.95
714	5% K-S Critical Value					0.333		SD				8.205
715	Data appear Gamma Distributed at 5% Significance Level							SE of Mean				2.635
716								95% KM (t) UCL				17.68
717	Assuming Gamma Distribution							95% KM (z) UCL				17.29
718	Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL				17.59
719	Minimum					6.805		95% KM (bootstrap t) UCL				18
720	Maximum					30.3		95% KM (BCA) UCL				20.72
721	Mean					17.24		95% KM (Percentile Bootstrap) UCL				19.38
722	Median					16.48		95% KM (Chebyshev) UCL				24.44
723	SD					7.219		97.5% KM (Chebyshev) UCL				29.41
724	k star					4.572		99% KM (Chebyshev) UCL				39.17
725	Theta star					3.77						
726	Nu star					109.7		Potential UCLs to Use				
727	AppChi2					86.55		95% KM (t) UCL				17.68
728	95% Gamma Approximate UCL					21.85		95% KM (Percentile Bootstrap) UCL				19.38
729	95% Adjusted Gamma UCL					22.68						
730	Note: DL/2 is not a recommended method.											
731												
732												
733	Total DDT											
734												
735	General Statistics											
736	Number of Valid Data					13		Number of Detected Data				12
737	Number of Distinct Detected Data					12		Number of Non-Detect Data				1
738								Percent Non-Detects				7.69%
739												
740	Raw Statistics							Log-transformed Statistics				
741	Minimum Detected					0.235		Minimum Detected				-1.447
742	Maximum Detected					232		Maximum Detected				5.447

	A	B	C	D	E	F	G	H	I	J	K	L
743				Mean of Detected		30.51				Mean of Detected		0.93
744				SD of Detected		68.69				SD of Detected		2.32
745				Minimum Non-Detect		2				Minimum Non-Detect		0.693
746				Maximum Non-Detect		2				Maximum Non-Detect		0.693
747												
748												
749					UCL Statistics							
750		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
751				Shapiro Wilk Test Statistic		0.526				Shapiro Wilk Test Statistic		0.851
752				5% Shapiro Wilk Critical Value		0.859				5% Shapiro Wilk Critical Value		0.859
753		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
754												
755		Assuming Normal Distribution						Assuming Lognormal Distribution				
756				DL/2 Substitution Method						DL/2 Substitution Method		
757				Mean		28.24				Mean		0.859
758				SD		66.27				SD		2.237
759				95% DL/2 (t) UCL		61				95% H-Stat (DL/2) UCL		474.1
760												
761				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
762		MLE yields a negative mean								Mean in Log Scale		0.848
763										SD in Log Scale		2.241
764										Mean in Original Scale		28.23
765										SD in Original Scale		66.28
766										95% Percentile Bootstrap UCL		61.63
767										95% BCA Bootstrap UCL		79.04
768												
769		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
770				k star (bias corrected)		0.266		Data do not follow a Discernable Distribution (0.05)				
771				Theta Star		114.8						
772				nu star		6.378						
773												
774				A-D Test Statistic		1.392		Nonparametric Statistics				
775				5% A-D Critical Value		0.832				Kaplan-Meier (KM) Method		
776				K-S Test Statistic		0.832				Mean		28.23
777				5% K-S Critical Value		0.266				SD		63.68
778		Data not Gamma Distributed at 5% Significance Level								SE of Mean		18.45
779										95% KM (t) UCL		61.1
780		Assuming Gamma Distribution								95% KM (z) UCL		58.57
781		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		60.99
782				Minimum		1E-09				95% KM (bootstrap t) UCL		208
783				Maximum		232				95% KM (BCA) UCL		60.97
784				Mean		28.17				95% KM (Percentile Bootstrap) UCL		61.37
785				Median		1.044				95% KM (Chebyshev) UCL		108.6
786				SD		66.31				97.5% KM (Chebyshev) UCL		143.4
787				k star		0.192				99% KM (Chebyshev) UCL		211.8
788				Theta star		146.6						
789				Nu star		4.996		Potential UCLs to Use				
790				AppChi2		1.15				99% KM (Chebyshev) UCL		211.8
791			95% Gamma Approximate UCL			122.3						
792			95% Adjusted Gamma UCL			154.2						
793	Note: DL/2 is not a recommended method.											
794												
795												

	A	B	C	D	E	F	G	H	I	J	K	L
796	Total Dioxin/Furan TEQ											
797												
798					General Statistics							
799				Number of Valid Data		5			Number of Detected Data			5
800			Number of Distinct Detected Data			5			Number of Non-Detect Data			0
801				Number of Missing Values		5			Percent Non-Detects			0.00%
802												
803			Raw Statistics					Log-transformed Statistics				
804				Minimum Detected		0.268			Minimum Detected			-1.317
805				Maximum Detected		1.654			Maximum Detected			0.503
806				Mean of Detected		0.605			Mean of Detected			-0.769
807				SD of Detected		0.59			SD of Detected			0.733
808				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
809				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
810												
811												
812				Warning: There are only 5 Detected Values in this data								
813				Note: It should be noted that even though bootstrap may be performed on this data set								
814				the resulting calculations may not be reliable enough tp draw conclusions								
815												
816			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
817												
818												
819					UCL Statistics							
820		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
821				Shapiro Wilk Test Statistic		0.65			Shapiro Wilk Test Statistic			0.772
822			5% Shapiro Wilk Critical Value			0.762			5% Shapiro Wilk Critical Value			0.762
823		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
824												
825		Assuming Normal Distribution						Assuming Lognormal Distribution				
826				DL/2 Substitution Method					DL/2 Substitution Method			
827					Mean	0.605				Mean		-0.769
828					SD	0.59				SD		0.733
829				95% DL/2 (t) UCL		1.167			95% H-Stat (DL/2) UCL			2.433
830												
831			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
832		MLE method failed to converge properly							Mean in Log Scale			N/A
833									SD in Log Scale			N/A
834									Mean in Original Scale			N/A
835									SD in Original Scale			N/A
836									95% Percentile Bootstrap UCL			N/A
837									95% BCA Bootstrap UCL			N/A
838												
839		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
840				k star (bias corrected)		0.945		Data appear Lognormal at 5% Significance Level				
841				Theta Star		0.64						
842				nu star		9.451						
843												
844				A-D Test Statistic		0.812			Nonparametric Statistics			
845				5% A-D Critical Value		0.684			Kaplan-Meier (KM) Method			
846				K-S Test Statistic		0.684				Mean		0.605
847				5% K-S Critical Value		0.36				SD		0.527
848		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.264

	A	B	C	D	E	F	G	H	I	J	K	L
849											95% KM (t) UCL	1.167
850			Assuming Gamma Distribution								95% KM (z) UCL	1.039
851			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	1.167
852					Minimum	0.268					95% KM (bootstrap t) UCL	5.584
853					Maximum	1.654					95% KM (BCA) UCL	1.109
854					Mean	0.605				95% KM (Percentile Bootstrap) UCL		1.099
855					Median	0.348					95% KM (Chebyshev) UCL	1.754
856					SD	0.59					97.5% KM (Chebyshev) UCL	2.252
857					k star	0.945					99% KM (Chebyshev) UCL	3.229
858					Theta star	0.64						
859					Nu star	9.451			Potential UCLs to Use			
860					AppChi2	3.602					95% KM (Chebyshev) UCL	1.754
861			95% Gamma Approximate UCL			1.588						
862			95% Adjusted Gamma UCL			2.584						
863		Warning: Recommended UCL exceeds the maximum observation										
864	Note: DL/2 is not a recommended method.											
865												

	A	B	C	D	E	F	G	H	I	J	K	L
1						General UCL Statistics for Data Sets with Non-Detects						
2		User Selected Options										
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM3.5E.wst								
4			Full Precision	OFF								
5			Confidence Coefficient	95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Aldrin											
10												
11						General Statistics						
12			Number of Valid Data		33			Number of Detected Data				21
13		Number of Distinct Detected Data			21			Number of Non-Detect Data				12
14			Number of Missing Values		14			Percent Non-Detects				36.36%
15												
16			Raw Statistics					Log-transformed Statistics				
17			Minimum Detected		0.0269			Minimum Detected				-3.616
18			Maximum Detected		1.65			Maximum Detected				0.501
19			Mean of Detected		0.513			Mean of Detected				-1.209
20			SD of Detected		0.492			SD of Detected				1.198
21			Minimum Non-Detect		0.0156			Minimum Non-Detect				-4.16
22			Maximum Non-Detect		0.97			Maximum Non-Detect				-0.0305
23												
24	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				30
25	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				3
26	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				90.91%
27												
28						UCL Statistics						
29		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
30			Shapiro Wilk Test Statistic		0.844			Shapiro Wilk Test Statistic				0.951
31			5% Shapiro Wilk Critical Value		0.908			5% Shapiro Wilk Critical Value				0.908
32		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
33												
34		Assuming Normal Distribution						Assuming Lognormal Distribution				
35			DL/2 Substitution Method					DL/2 Substitution Method				
36				Mean	0.373				Mean			-1.688
37				SD	0.438				SD			1.321
38			95% DL/2 (t) UCL		0.502			95% H-Stat (DL/2) UCL				0.682
39												
40		Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method				
41		MLE yields a negative mean						Mean in Log Scale				-1.833
42								SD in Log Scale				1.319
43								Mean in Original Scale				0.349
44								SD in Original Scale				0.447
45								95% Percentile Bootstrap UCL				0.484
46								95% BCA Bootstrap UCL				0.501
47												
48		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
49			k star (bias corrected)		0.94			Data appear Gamma Distributed at 5% Significance Level				
50				Theta Star	0.545							
51				nu star	39.5							
52												
53			A-D Test Statistic		0.218			Nonparametric Statistics				

	A	B	C	D	E	F	G	H	I	J	K	L
54				5% A-D Critical Value		0.768			Kaplan-Meier (KM) Method			
55				K-S Test Statistic		0.768				Mean		0.357
56				5% K-S Critical Value		0.195				SD		0.44
57	Data appear Gamma Distributed at 5% Significance Level									SE of Mean		0.0792
58										95% KM (t) UCL		0.491
59	Assuming Gamma Distribution									95% KM (z) UCL		0.487
60	Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL			0.49
61				Minimum		0.0269			95% KM (bootstrap t) UCL			0.521
62				Maximum		1.65			95% KM (BCA) UCL			0.496
63				Mean		0.46			95% KM (Percentile Bootstrap) UCL			0.489
64				Median		0.327			95% KM (Chebyshev) UCL			0.702
65				SD		0.411			97.5% KM (Chebyshev) UCL			0.852
66				k star		1.183			99% KM (Chebyshev) UCL			1.145
67				Theta star		0.389						
68				Nu star		78.09			Potential UCLs to Use			
69				AppChi2		58.73			95% KM (BCA) UCL			0.496
70			95% Gamma Approximate UCL			0.611						
71			95% Adjusted Gamma UCL			0.621						
72	Note: DL/2 is not a recommended method.											
73												
74												
75	Arsenic											
76												
77	General Statistics											
78			Number of Valid Data			39			Number of Detected Data			35
79		Number of Distinct Detected Data				34			Number of Non-Detect Data			4
80			Number of Missing Values			9			Percent Non-Detects			10.26%
81												
82	Raw Statistics						Log-transformed Statistics					
83			Minimum Detected			1.8			Minimum Detected			0.588
84			Maximum Detected			9.17			Maximum Detected			2.216
85			Mean of Detected			3.835			Mean of Detected			1.285
86			SD of Detected			1.492			SD of Detected			0.333
87			Minimum Non-Detect			4			Minimum Non-Detect			1.386
88			Maximum Non-Detect			5			Maximum Non-Detect			1.609
89												
90	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			33
91	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			6
92	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			84.62%
93												
94	UCL Statistics											
95	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
96			Shapiro Wilk Test Statistic			0.817			Shapiro Wilk Test Statistic			0.949
97			5% Shapiro Wilk Critical Value			0.934			5% Shapiro Wilk Critical Value			0.934
98	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
99												
100	Assuming Normal Distribution						Assuming Lognormal Distribution					
101			DL/2 Substitution Method						DL/2 Substitution Method			
102			Mean			3.685			Mean			1.242
103			SD			1.483			SD			0.343
104			95% DL/2 (t) UCL			4.085			95% H-Stat (DL/2) UCL			3.923
105												
106		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			

	A	B	C	D	E	F	G	H	I	J	K	L
107					Mean	1.928				Mean in Log Scale		1.276
108					SD	2.965				SD in Log Scale		0.32
109				95% MLE (t) UCL		2.728				Mean in Original Scale		3.781
110				95% MLE (Tiku) UCL		4.332				SD in Original Scale		1.428
111										95% Percentile Bootstrap UCL		4.156
112										95% BCA Bootstrap UCL		4.243
113												
114		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
115				k star (bias corrected)		7.975		Data appear Lognormal at 5% Significance Level				
116				Theta Star		0.481						
117				nu star		558.2						
118												
119				A-D Test Statistic		1.097		Nonparametric Statistics				
120				5% A-D Critical Value		0.749				Kaplan-Meier (KM) Method		
121				K-S Test Statistic		0.749				Mean		3.775
122				5% K-S Critical Value		0.149				SD		1.419
123		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.233
124										95% KM (t) UCL		4.168
125		Assuming Gamma Distribution								95% KM (z) UCL		4.158
126		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		4.168
127				Minimum		1.8				95% KM (bootstrap t) UCL		4.298
128				Maximum		9.17				95% KM (BCA) UCL		4.165
129				Mean		3.837				95% KM (Percentile Bootstrap) UCL		4.169
130				Median		3.5				95% KM (Chebyshev) UCL		4.791
131				SD		1.422				97.5% KM (Chebyshev) UCL		5.231
132				k star		8.785				99% KM (Chebyshev) UCL		6.094
133				Theta star		0.437						
134				Nu star		685.2		Potential UCLs to Use				
135				AppChi2		625.5				95% KM (Chebyshev) UCL		4.791
136		95% Gamma Approximate UCL				4.203						
137		95% Adjusted Gamma UCL				4.218						
138	Note: DL/2 is not a recommended method.											
139												
140												
141	Benzo(a)anthracene											
142												
143						General Statistics						
144				Number of Valid Data		40				Number of Detected Data		40
145		Number of Distinct Detected Data				38				Number of Non-Detect Data		0
146				Number of Missing Values		8				Percent Non-Detects		0.00%
147												
148		Raw Statistics						Log-transformed Statistics				
149				Minimum Detected		1.4				Minimum Detected		0.336
150				Maximum Detected		6000				Maximum Detected		8.7
151				Mean of Detected		291.2				Mean of Detected		4
152				SD of Detected		967.5				SD of Detected		1.644
153				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
154				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
155												
156												
157						UCL Statistics						
158		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
159				Shapiro Wilk Test Statistic		0.311				Shapiro Wilk Test Statistic		0.963

	A	B	C	D	E	F	G	H	I	J	K	L
160				5% Shapiro Wilk Critical Value		0.94			5% Shapiro Wilk Critical Value			0.94
161			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
162												
163			Assuming Normal Distribution						Assuming Lognormal Distribution			
164				DL/2 Substitution Method					DL/2 Substitution Method			
165					Mean	291.2				Mean		4
166					SD	967.5				SD		1.644
167				95% DL/2 (t) UCL		548.9			95% H-Stat (DL/2) UCL			484.5
168												
169			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
170			MLE method failed to converge properly						Mean in Log Scale			N/A
171									SD in Log Scale			N/A
172									Mean in Original Scale			N/A
173									SD in Original Scale			N/A
174									95% Percentile Bootstrap UCL			N/A
175									95% BCA Bootstrap UCL			N/A
176												
177			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
178				k star (bias corrected)		0.381			Data appear Lognormal at 5% Significance Level			
179					Theta Star	764						
180					nu star	30.49						
181												
182					A-D Test Statistic	3.775			Nonparametric Statistics			
183					5% A-D Critical Value	0.837			Kaplan-Meier (KM) Method			
184					K-S Test Statistic	0.837				Mean		291.2
185					5% K-S Critical Value	0.15				SD		955.3
186			Data not Gamma Distributed at 5% Significance Level						SE of Mean			153
187									95% KM (t) UCL			548.9
188			Assuming Gamma Distribution						95% KM (z) UCL			542.8
189			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			548.9
190					Minimum	1.4			95% KM (bootstrap t) UCL			1244
191					Maximum	6000			95% KM (BCA) UCL			594.9
192					Mean	291.2			95% KM (Percentile Bootstrap) UCL			570.3
193					Median	42			95% KM (Chebyshev) UCL			958
194					SD	967.5			97.5% KM (Chebyshev) UCL			1247
195					k star	0.381			99% KM (Chebyshev) UCL			1813
196					Theta star	764						
197					Nu star	30.49			Potential UCLs to Use			
198					AppChi2	18.88			97.5% KM (Chebyshev) UCL			1247
199				95% Gamma Approximate UCL		470.3						
200				95% Adjusted Gamma UCL		479						
201	Note: DL/2 is not a recommended method.											
202												
203												
204	Benzo(a)pyrene											
205												
206						General Statistics						
207				Number of Valid Data		40			Number of Detected Data			40
208			Number of Distinct Detected Data			34			Number of Non-Detect Data			0
209				Number of Missing Values		8			Percent Non-Detects			0.00%
210												
211			Raw Statistics						Log-transformed Statistics			
212					Minimum Detected	2.7				Minimum Detected		0.993

	A	B	C	D	E	F	G	H	I	J	K	L
213				Maximum Detected		3800				Maximum Detected		8.243
214				Mean of Detected		247				Mean of Detected		4.24
215				SD of Detected		635				SD of Detected		1.509
216				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
217				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
218												
219												
220					UCL Statistics							
221		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
222				Shapiro Wilk Test Statistic		0.394				Shapiro Wilk Test Statistic		0.973
223				5% Shapiro Wilk Critical Value		0.94				5% Shapiro Wilk Critical Value		0.94
224		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
225												
226		Assuming Normal Distribution						Assuming Lognormal Distribution				
227				DL/2 Substitution Method						DL/2 Substitution Method		
228				Mean		247				Mean		4.24
229				SD		635				SD		1.509
230				95% DL/2 (t) UCL		416.2				95% H-Stat (DL/2) UCL		445.1
231												
232				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
233		MLE method failed to converge properly								Mean in Log Scale		N/A
234										SD in Log Scale		N/A
235										Mean in Original Scale		N/A
236										SD in Original Scale		N/A
237										95% Percentile Bootstrap UCL		N/A
238										95% BCA Bootstrap UCL		N/A
239												
240		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
241				k star (bias corrected)		0.479		Data appear Lognormal at 5% Significance Level				
242				Theta Star		515.2						
243				nu star		38.35						
244												
245				A-D Test Statistic		2.623		Nonparametric Statistics				
246				5% A-D Critical Value		0.813				Kaplan-Meier (KM) Method		
247				K-S Test Statistic		0.813				Mean		247
248				5% K-S Critical Value		0.148				SD		627
249		Data not Gamma Distributed at 5% Significance Level								SE of Mean		100.4
250										95% KM (t) UCL		416.2
251		Assuming Gamma Distribution								95% KM (z) UCL		412.1
252		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		416.2
253				Minimum		2.7				95% KM (bootstrap t) UCL		756.4
254				Maximum		3800				95% KM (BCA) UCL		426.6
255				Mean		247				95% KM (Percentile Bootstrap) UCL		424.1
256				Median		63				95% KM (Chebyshev) UCL		684.6
257				SD		635				97.5% KM (Chebyshev) UCL		874
258				k star		0.479				99% KM (Chebyshev) UCL		1246
259				Theta star		515.2						
260				Nu star		38.35		Potential UCLs to Use				
261				AppChi2		25.17				97.5% KM (Chebyshev) UCL		874
262				95% Gamma Approximate UCL		376.4						
263				95% Adjusted Gamma UCL		382.4						
264	Note: DL/2 is not a recommended method.											
265												

	A	B	C	D	E	F	G	H	I	J	K	L
266												
267	Benzo(b)fluoranthene											
268												
269					General Statistics							
270				Number of Valid Data		40			Number of Detected Data			40
271				Number of Distinct Detected Data		36			Number of Non-Detect Data			0
272				Number of Missing Values		8			Percent Non-Detects			0.00%
273												
274			Raw Statistics						Log-transformed Statistics			
275				Minimum Detected		2.8			Minimum Detected			1.03
276				Maximum Detected		5900			Maximum Detected			8.683
277				Mean of Detected		351.2			Mean of Detected			4.39
278				SD of Detected		982.4			SD of Detected			1.591
279				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
280				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
281												
282												
283						UCL Statistics						
284		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
285				Shapiro Wilk Test Statistic		0.374			Shapiro Wilk Test Statistic			0.965
286				5% Shapiro Wilk Critical Value		0.94			5% Shapiro Wilk Critical Value			0.94
287		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
288												
289		Assuming Normal Distribution						Assuming Lognormal Distribution				
290				DL/2 Substitution Method					DL/2 Substitution Method			
291				Mean		351.2			Mean			4.39
292				SD		982.4			SD			1.591
293				95% DL/2 (t) UCL		612.9			95% H-Stat (DL/2) UCL			627.5
294												
295				Maximum Likelihood Estimate(MLE) Method		N/A			Log ROS Method			
296		MLE method failed to converge properly							Mean in Log Scale			N/A
297									SD in Log Scale			N/A
298									Mean in Original Scale			N/A
299									SD in Original Scale			N/A
300									95% Percentile Bootstrap UCL			N/A
301									95% BCA Bootstrap UCL			N/A
302												
303		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
304				k star (bias corrected)		0.424		Data appear Lognormal at 5% Significance Level				
305				Theta Star		828.4						
306				nu star		33.92						
307												
308				A-D Test Statistic		3.23			Nonparametric Statistics			
309				5% A-D Critical Value		0.826			Kaplan-Meier (KM) Method			
310				K-S Test Statistic		0.826			Mean			351.2
311				5% K-S Critical Value		0.149			SD			970
312		Data not Gamma Distributed at 5% Significance Level							SE of Mean			155.3
313									95% KM (t) UCL			612.9
314		Assuming Gamma Distribution							95% KM (z) UCL			606.7
315		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			612.9
316				Minimum		2.8			95% KM (bootstrap t) UCL			1121
317				Maximum		5900			95% KM (BCA) UCL			633.4
318				Mean		351.2			95% KM (Percentile Bootstrap) UCL			630.1

	A	B	C	D	E	F	G	H	I	J	K	L
319					Median	75			95% KM (Chebyshev) UCL			1028
320					SD	982.4			97.5% KM (Chebyshev) UCL			1321
321					k star	0.424			99% KM (Chebyshev) UCL			1897
322					Theta star	828.4						
323					Nu star	33.92			Potential UCLs to Use			
324					AppChi2	21.6			97.5% KM (Chebyshev) UCL			1321
325				95% Gamma Approximate UCL		551.6						
326				95% Adjusted Gamma UCL		561.1						
327	Note: DL/2 is not a recommended method.											
328												
329												
330	Benzo(k)fluoranthene											
331												
332					General Statistics							
333			Number of Valid Data			40			Number of Detected Data			40
334			Number of Distinct Detected Data			34			Number of Non-Detect Data			0
335			Number of Missing Values			8			Percent Non-Detects			0.00%
336												
337			Raw Statistics						Log-transformed Statistics			
338					Minimum Detected	1.1			Minimum Detected			0.0953
339					Maximum Detected	3400			Maximum Detected			8.132
340					Mean of Detected	170.5			Mean of Detected			3.577
341					SD of Detected	544.4			SD of Detected			1.635
342					Minimum Non-Detect	N/A			Minimum Non-Detect			N/A
343					Maximum Non-Detect	N/A			Maximum Non-Detect			N/A
344												
345												
346					UCL Statistics							
347		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
348				Shapiro Wilk Test Statistic		0.317			Shapiro Wilk Test Statistic			0.974
349				5% Shapiro Wilk Critical Value		0.94			5% Shapiro Wilk Critical Value			0.94
350		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
351												
352		Assuming Normal Distribution							Assuming Lognormal Distribution			
353				DL/2 Substitution Method					DL/2 Substitution Method			
354					Mean	170.5			Mean			3.577
355					SD	544.4			SD			1.635
356				95% DL/2 (t) UCL		315.6			95% H-Stat (DL/2) UCL			310.7
357												
358			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
359		MLE method failed to converge properly							Mean in Log Scale			N/A
360									SD in Log Scale			N/A
361									Mean in Original Scale			N/A
362									SD in Original Scale			N/A
363									95% Percentile Bootstrap UCL			N/A
364									95% BCA Bootstrap UCL			N/A
365												
366		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
367				k star (bias corrected)		0.404			Data appear Lognormal at 5% Significance Level			
368					Theta Star	422.5						
369					nu star	32.29						
370												
371					A-D Test Statistic	3.04			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
372					5% A-D Critical Value	0.831				Kaplan-Meier (KM) Method		
373					K-S Test Statistic	0.831					Mean	170.5
374					5% K-S Critical Value	0.149					SD	537.6
375		Data not Gamma Distributed at 5% Significance Level									SE of Mean	86.08
376											95% KM (t) UCL	315.6
377		Assuming Gamma Distribution									95% KM (z) UCL	312.1
378		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	315.6
379					Minimum	1.1					95% KM (bootstrap t) UCL	727.7
380					Maximum	3400					95% KM (BCA) UCL	346.8
381					Mean	170.5				95% KM (Percentile Bootstrap) UCL		330.7
382					Median	31.25					95% KM (Chebyshev) UCL	545.7
383					SD	544.4					97.5% KM (Chebyshev) UCL	708.1
384					k star	0.404					99% KM (Chebyshev) UCL	1027
385					Theta star	422.5						
386					Nu star	32.29				Potential UCLs to Use		
387					AppChi2	20.3					97.5% KM (Chebyshev) UCL	708.1
388				95% Gamma Approximate UCL		271.2						
389				95% Adjusted Gamma UCL		276.1						
390	Note: DL/2 is not a recommended method.											
391												
392												
393	Bis(2-ethylhexyl) phthalate											
394												
395					General Statistics							
396			Number of Valid Data			39				Number of Detected Data		25
397		Number of Distinct Detected Data				23				Number of Non-Detect Data		14
398			Number of Missing Values			9				Percent Non-Detects		35.90%
399												
400			Raw Statistics						Log-transformed Statistics			
401				Minimum Detected		26				Minimum Detected		3.258
402				Maximum Detected		17000				Maximum Detected		9.741
403				Mean of Detected		2023				Mean of Detected		5.805
404				SD of Detected		4230				SD of Detected		1.887
405				Minimum Non-Detect		7.9				Minimum Non-Detect		2.067
406				Maximum Non-Detect		1200				Maximum Non-Detect		7.09
407												
408	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		31
409	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		8
410	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		79.49%
411												
412					UCL Statistics							
413		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
414			Shapiro Wilk Test Statistic			0.535				Shapiro Wilk Test Statistic		0.875
415			5% Shapiro Wilk Critical Value			0.918				5% Shapiro Wilk Critical Value		0.918
416		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
417												
418		Assuming Normal Distribution							Assuming Lognormal Distribution			
419			DL/2 Substitution Method							DL/2 Substitution Method		
420				Mean		1323				Mean		4.923
421				SD		3494				SD		2.057
422				95% DL/2 (t) UCL		2266				95% H-Stat (DL/2) UCL		2050
423												
424		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		

	A	B	C	D	E	F	G	H	I	J	K	L
425	MLE yields a negative mean									Mean in Log Scale		4.546
426										SD in Log Scale		2.33
427										Mean in Original Scale		1302
428										SD in Original Scale		3501
429										95% Percentile Bootstrap UCL		2306
430										95% BCA Bootstrap UCL		2672
431												
432	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
433	k star (bias corrected)					0.351	Data do not follow a Discernable Distribution (0.05)					
434	Theta Star					5757						
435	nu star					17.57						
436												
437	A-D Test Statistic					2.406	Nonparametric Statistics					
438	5% A-D Critical Value					0.836	Kaplan-Meier (KM) Method					
439	K-S Test Statistic					0.836	Mean					1311
440	5% K-S Critical Value					0.188	SD					3452
441	Data not Gamma Distributed at 5% Significance Level						SE of Mean					564.2
442							95% KM (t) UCL					2262
443	Assuming Gamma Distribution						95% KM (z) UCL					2239
444	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					2249
445	Minimum					1E-09	95% KM (bootstrap t) UCL					3082
446	Maximum					17000	95% KM (BCA) UCL					2478
447	Mean					1392	95% KM (Percentile Bootstrap) UCL					2280
448	Median					109	95% KM (Chebyshev) UCL					3770
449	SD					3484	97.5% KM (Chebyshev) UCL					4834
450	k star					0.103	99% KM (Chebyshev) UCL					6925
451	Theta star					13530						
452	Nu star					8.025	Potential UCLs to Use					
453	AppChi2					2.749	99% KM (Chebyshev) UCL					6925
454	95% Gamma Approximate UCL					4063						
455	95% Adjusted Gamma UCL					4249						
456	Note: DL/2 is not a recommended method.											
457												
458												
459	Dibenzo(a,h)anthracene											
460												
461	General Statistics											
462	Number of Valid Data					40	Number of Detected Data					39
463	Number of Distinct Detected Data					35	Number of Non-Detect Data					1
464	Number of Missing Values					8	Percent Non-Detects					2.50%
465												
466	Raw Statistics						Log-transformed Statistics					
467	Minimum Detected					0.64	Minimum Detected					-0.446
468	Maximum Detected					410	Maximum Detected					6.016
469	Mean of Detected					41.76	Mean of Detected					2.471
470	SD of Detected					92.01	SD of Detected					1.52
471	Minimum Non-Detect					20	Minimum Non-Detect					2.996
472	Maximum Non-Detect					20	Maximum Non-Detect					2.996
473												
474												
475	UCL Statistics											
476	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
477	Shapiro Wilk Test Statistic					0.46	Shapiro Wilk Test Statistic					0.966

	A	B	C	D	E	F	G	H	I	J	K	L
478					5% Shapiro Wilk Critical Value	0.939				5% Shapiro Wilk Critical Value		0.939
479			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
480												
481			Assuming Normal Distribution						Assuming Lognormal Distribution			
482				DL/2 Substitution Method						DL/2 Substitution Method		
483					Mean	40.97					Mean	2.467
484					SD	90.96					SD	1.5
485				95% DL/2 (t) UCL		65.2				95% H-Stat (DL/2) UCL		70.17
486												
487			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
488			MLE yields a negative mean							Mean in Log Scale		2.454
489										SD in Log Scale		1.504
490										Mean in Original Scale		40.86
491										SD in Original Scale		91
492										95% Percentile Bootstrap UCL		66.94
493										95% BCA Bootstrap UCL		74.73
494												
495			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
496					k star (bias corrected)	0.482			Data appear Lognormal at 5% Significance Level			
497					Theta Star	86.68						
498					nu star	37.58						
499												
500					A-D Test Statistic	2.468			Nonparametric Statistics			
501					5% A-D Critical Value	0.813			Kaplan-Meier (KM) Method			
502					K-S Test Statistic	0.813					Mean	40.9
503					5% K-S Critical Value	0.149					SD	89.84
504			Data not Gamma Distributed at 5% Significance Level								SE of Mean	14.39
505										95% KM (t) UCL		65.15
506			Assuming Gamma Distribution							95% KM (z) UCL		64.57
507			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		65.14
508					Minimum	1E-09				95% KM (bootstrap t) UCL		104.8
509					Maximum	410				95% KM (BCA) UCL		68.08
510					Mean	40.72			95% KM (Percentile Bootstrap) UCL			65.06
511					Median	10				95% KM (Chebyshev) UCL		103.6
512					SD	91.06				97.5% KM (Chebyshev) UCL		130.8
513					k star	0.357				99% KM (Chebyshev) UCL		184.1
514					Theta star	114.2						
515					Nu star	28.53			Potential UCLs to Use			
516					AppChi2	17.34				97.5% KM (Chebyshev) UCL		130.8
517				95% Gamma Approximate UCL		66.99						
518				95% Adjusted Gamma UCL		68.28						
519	Note: DL/2 is not a recommended method.											
520												
521												
522	Dieldrin											
523												
524						General Statistics						
525				Number of Valid Data		35				Number of Detected Data		8
526			Number of Distinct Detected Data			8				Number of Non-Detect Data		27
527				Number of Missing Values		8				Percent Non-Detects		77.14%
528												
529			Raw Statistics						Log-transformed Statistics			
530					Minimum Detected	0.0347					Minimum Detected	-3.361

	A	B	C	D	E	F	G	H	I	J	K	L
531					Maximum Detected	1.2					Maximum Detected	0.182
532					Mean of Detected	0.238					Mean of Detected	-2.203
533					SD of Detected	0.395					SD of Detected	1.191
534					Minimum Non-Detect	0.05					Minimum Non-Detect	-2.996
535					Maximum Non-Detect	0.88					Maximum Non-Detect	-0.128
536												
537	Note: Data have multiple DLs - Use of KM Method is recommended										Number treated as Non-Detect	34
538	For all methods (except KM, DL/2, and ROS Methods),										Number treated as Detected	1
539	Observations < Largest ND are treated as NDs										Single DL Non-Detect Percentage	97.14%
540												
541				Warning: There are only 8 Detected Values in this data								
542				Note: It should be noted that even though bootstrap may be performed on this data set								
543				the resulting calculations may not be reliable enough tp draw conclusions								
544												
545				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
546												
547												
548						UCL Statistics						
549			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
550					Shapiro Wilk Test Statistic	0.57					Shapiro Wilk Test Statistic	0.883
551					5% Shapiro Wilk Critical Value	0.818					5% Shapiro Wilk Critical Value	0.818
552			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
553												
554			Assuming Normal Distribution						Assuming Lognormal Distribution			
555					DL/2 Substitution Method						DL/2 Substitution Method	
556					Mean	0.125					Mean	-2.752
557					SD	0.217					SD	1.019
558					95% DL/2 (t) UCL	0.187					95% H-Stat (DL/2) UCL	0.18
559												
560					Maximum Likelihood Estimate(MLE) Method	N/A					Log ROS Method	
561			MLE method failed to converge properly								Mean in Log Scale	-3.01
562											SD in Log Scale	0.717
563											Mean in Original Scale	0.0848
564											SD in Original Scale	0.198
565											95% Percentile Bootstrap UCL	0.149
566											95% BCA Bootstrap UCL	0.189
567												
568			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
569					k star (bias corrected)	0.569	Data Follow Appr. Gamma Distribution at 5% Significance Level					
570					Theta Star	0.418						
571					nu star	9.098						
572												
573					A-D Test Statistic	0.778			Nonparametric Statistics			
574					5% A-D Critical Value	0.744			Kaplan-Meier (KM) Method			
575					K-S Test Statistic	0.744					Mean	0.088
576					5% K-S Critical Value	0.304					SD	0.195
577		Data follow Appr. Gamma Distribution at 5% Significance Level									SE of Mean	0.0355
578											95% KM (t) UCL	0.148
579			Assuming Gamma Distribution								95% KM (z) UCL	0.146
580		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.145
581					Minimum	0.0347					95% KM (bootstrap t) UCL	0.324
582					Maximum	1.2					95% KM (BCA) UCL	0.165
583					Mean	0.235					95% KM (Percentile Bootstrap) UCL	0.156

	A	B	C	D	E	F	G	H	I	J	K	L
584					Median	0.235				95% KM (Chebyshev) UCL		0.243
585					SD	0.18				97.5% KM (Chebyshev) UCL		0.31
586					k star	2.756				99% KM (Chebyshev) UCL		0.442
587					Theta star	0.0853						
588					Nu star	192.9			Potential UCLs to Use			
589					AppChi2	161.8				95% KM (t) UCL		0.148
590				95% Gamma Approximate UCL		0.28						
591				95% Adjusted Gamma UCL		0.283						
592	Note: DL/2 is not a recommended method.											
593												
594												
595	Indeno(1,2,3-cd)pyrene											
596												
597					General Statistics							
598				Number of Valid Data		40				Number of Detected Data		40
599			Number of Distinct Detected Data			31				Number of Non-Detect Data		0
600				Number of Missing Values		8				Percent Non-Detects		0.00%
601												
602			Raw Statistics						Log-transformed Statistics			
603				Minimum Detected		2.6				Minimum Detected		0.956
604				Maximum Detected		1100				Maximum Detected		7.003
605				Mean of Detected		148.6				Mean of Detected		4.011
606				SD of Detected		263.1				SD of Detected		1.415
607				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
608				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
609												
610												
611					UCL Statistics							
612		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
613				Shapiro Wilk Test Statistic		0.548				Shapiro Wilk Test Statistic		0.968
614				5% Shapiro Wilk Critical Value		0.94				5% Shapiro Wilk Critical Value		0.94
615		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
616												
617		Assuming Normal Distribution							Assuming Lognormal Distribution			
618				DL/2 Substitution Method						DL/2 Substitution Method		
619					Mean	148.6					Mean	4.011
620					SD	263.1					SD	1.415
621				95% DL/2 (t) UCL		218.6				95% H-Stat (DL/2) UCL		286.8
622												
623			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
624		MLE method failed to converge properly								Mean in Log Scale		N/A
625										SD in Log Scale		N/A
626										Mean in Original Scale		N/A
627										SD in Original Scale		N/A
628										95% Percentile Bootstrap UCL		N/A
629										95% BCA Bootstrap UCL		N/A
630												
631		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
632				k star (bias corrected)		0.591			Data appear Lognormal at 5% Significance Level			
633				Theta Star		251.3						
634				nu star		47.28						
635												
636				A-D Test Statistic		1.92			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
637					5% A-D Critical Value	0.801			Kaplan-Meier (KM) Method			
638					K-S Test Statistic	0.801					Mean	148.6
639					5% K-S Critical Value	0.146					SD	259.8
640		Data not Gamma Distributed at 5% Significance Level									SE of Mean	41.59
641											95% KM (t) UCL	218.6
642		Assuming Gamma Distribution									95% KM (z) UCL	217
643		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	218.6
644					Minimum	2.6					95% KM (bootstrap t) UCL	265.7
645					Maximum	1100					95% KM (BCA) UCL	232.8
646					Mean	148.6				95% KM (Percentile Bootstrap) UCL		221.9
647					Median	54.5					95% KM (Chebyshev) UCL	329.9
648					SD	263.1					97.5% KM (Chebyshev) UCL	408.3
649					k star	0.591					99% KM (Chebyshev) UCL	562.4
650					Theta star	251.3						
651					Nu star	47.28			Potential UCLs to Use			
652					AppChi2	32.5					95% KM (Chebyshev) UCL	329.9
653			95% Gamma Approximate UCL			216.1						
654			95% Adjusted Gamma UCL			219.2						
655	Note: DL/2 is not a recommended method.											
656												
657												
658	Lead											
659												
660					General Statistics							
661			Number of Valid Data			39			Number of Detected Data			38
662		Number of Distinct Detected Data				35			Number of Non-Detect Data			1
663			Number of Missing Values			9			Percent Non-Detects			2.56%
664												
665			Raw Statistics						Log-transformed Statistics			
666			Minimum Detected			6			Minimum Detected			1.792
667			Maximum Detected			204			Maximum Detected			5.318
668			Mean of Detected			27.92			Mean of Detected			2.934
669			SD of Detected			35.84			SD of Detected			0.804
670			Minimum Non-Detect			5.3			Minimum Non-Detect			1.668
671			Maximum Non-Detect			5.3			Maximum Non-Detect			1.668
672												
673												
674					UCL Statistics							
675		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
676			Shapiro Wilk Test Statistic			0.569			Shapiro Wilk Test Statistic			0.933
677			5% Shapiro Wilk Critical Value			0.938			5% Shapiro Wilk Critical Value			0.938
678		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
679												
680		Assuming Normal Distribution						Assuming Lognormal Distribution				
681			DL/2 Substitution Method						DL/2 Substitution Method			
682					Mean	27.27					Mean	2.884
683					SD	35.59					SD	0.853
684			95% DL/2 (t) UCL			36.88			95% H-Stat (DL/2) UCL			32.83
685												
686		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
687					Mean	26.77			Mean in Log Scale			2.882
688					SD	35.73			SD in Log Scale			0.856
689			95% MLE (t) UCL			36.42			Mean in Original Scale			27.27

	A	B	C	D	E	F	G	H	I	J	K	L
690				95% MLE (Tiku) UCL		35.56				SD in Original Scale		35.6
691										95% Percentile Bootstrap UCL		38.27
692										95% BCA Bootstrap UCL		41.78
693												
694			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
695				k star (bias corrected)		1.314			Data do not follow a Discernable Distribution (0.05)			
696				Theta Star		21.24						
697				nu star		99.87						
698												
699				A-D Test Statistic		1.894			Nonparametric Statistics			
700				5% A-D Critical Value		0.768			Kaplan-Meier (KM) Method			
701				K-S Test Statistic		0.768				Mean		27.36
702				5% K-S Critical Value		0.146				SD		35.08
703		Data not Gamma Distributed at 5% Significance Level								SE of Mean		5.692
704										95% KM (t) UCL		36.95
705			Assuming Gamma Distribution							95% KM (z) UCL		36.72
706		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		36.95
707				Minimum		1E-09				95% KM (bootstrap t) UCL		46.39
708				Maximum		204				95% KM (BCA) UCL		36.95
709				Mean		27.2			95% KM (Percentile Bootstrap) UCL			37.09
710				Median		17.2				95% KM (Chebyshev) UCL		52.17
711				SD		35.64				97.5% KM (Chebyshev) UCL		62.91
712				k star		0.597				99% KM (Chebyshev) UCL		84
713				Theta star		45.53						
714				Nu star		46.6			Potential UCLs to Use			
715				AppChi2		31.94				95% KM (Chebyshev) UCL		52.17
716			95% Gamma Approximate UCL			39.69						
717			95% Adjusted Gamma UCL			40.3						
718	Note: DL/2 is not a recommended method.											
719												
720												
721	Mercury											
722												
723						General Statistics						
724				Number of Valid Data		39				Number of Detected Data		38
725		Number of Distinct Detected Data				32				Number of Non-Detect Data		1
726				Number of Missing Values		9				Percent Non-Detects		2.56%
727												
728			Raw Statistics						Log-transformed Statistics			
729				Minimum Detected		0.016				Minimum Detected		-4.135
730				Maximum Detected		0.338				Maximum Detected		-1.085
731				Mean of Detected		0.0802				Mean of Detected		-2.783
732				SD of Detected		0.0711				SD of Detected		0.699
733				Minimum Non-Detect		0.05				Minimum Non-Detect		-2.996
734				Maximum Non-Detect		0.05				Maximum Non-Detect		-2.996
735												
736												
737						UCL Statistics						
738		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
739				Shapiro Wilk Test Statistic		0.687				Shapiro Wilk Test Statistic		0.952
740				5% Shapiro Wilk Critical Value		0.938				5% Shapiro Wilk Critical Value		0.938
741		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
742												

	A	B	C	D	E	F	G	H	I	J	K	L
743				Assuming Normal Distribution						Assuming Lognormal Distribution		
744				DL/2 Substitution Method						DL/2 Substitution Method		
745					Mean	0.0788					Mean	-2.806
746					SD	0.0707					SD	0.705
747				95% DL/2 (t) UCL		0.0979				95% H-Stat (DL/2) UCL		0.0961
748												
749			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
750					Mean	0.0635				Mean in Log Scale		-2.802
751					SD	0.0872				SD in Log Scale		0.7
752				95% MLE (t) UCL		0.0871				Mean in Original Scale		0.0789
753				95% MLE (Tiku) UCL		0.0886				SD in Original Scale		0.0706
754										95% Percentile Bootstrap UCL		0.0976
755										95% BCA Bootstrap UCL		0.102
756												
757			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
758				k star (bias corrected)		1.93			Data appear Lognormal at 5% Significance Level			
759					Theta Star	0.0415						
760					nu star	146.7						
761												
762					A-D Test Statistic	1.296				Nonparametric Statistics		
763				5% A-D Critical Value		0.759				Kaplan-Meier (KM) Method		
764					K-S Test Statistic	0.759					Mean	0.0789
765				5% K-S Critical Value		0.145					SD	0.0697
766			Data not Gamma Distributed at 5% Significance Level								SE of Mean	0.0113
767											95% KM (t) UCL	0.098
768				Assuming Gamma Distribution							95% KM (z) UCL	0.0975
769			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.098
770					Minimum	0.016				95% KM (bootstrap t) UCL		0.108
771					Maximum	0.338				95% KM (BCA) UCL		0.0991
772					Mean	0.0787				95% KM (Percentile Bootstrap) UCL		0.0984
773					Median	0.063				95% KM (Chebyshev) UCL		0.128
774					SD	0.0708				97.5% KM (Chebyshev) UCL		0.15
775					k star	1.892				99% KM (Chebyshev) UCL		0.192
776					Theta star	0.0416						
777					Nu star	147.6				Potential UCLs to Use		
778					AppChi2	120.5				95% KM (Chebyshev) UCL		0.128
779			95% Gamma Approximate UCL			0.0964						
780			95% Adjusted Gamma UCL			0.0972						
781	Note: DL/2 is not a recommended method.											
782												
783												
784	Naphthalene											
785												
786					General Statistics							
787			Number of Valid Data			39				Number of Detected Data		23
788			Number of Distinct Detected Data			20				Number of Non-Detect Data		16
789			Number of Missing Values			9				Percent Non-Detects		41.03%
790												
791			Raw Statistics							Log-transformed Statistics		
792				Minimum Detected		2.8					Minimum Detected	1.03
793				Maximum Detected		64					Maximum Detected	4.159
794				Mean of Detected		21.47					Mean of Detected	2.846
795				SD of Detected		14.24					SD of Detected	0.722

	A	B	C	D	E	F	G	H	I	J	K	L
796					Minimum Non-Detect	0.48				Minimum Non-Detect		-0.734
797					Maximum Non-Detect	20				Maximum Non-Detect		2.996
798												
799	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		28
800	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		11
801	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		71.79%
802												
803						UCL Statistics						
804		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
805				Shapiro Wilk Test Statistic		0.902				Shapiro Wilk Test Statistic		0.971
806				5% Shapiro Wilk Critical Value		0.914				5% Shapiro Wilk Critical Value		0.914
807		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
808												
809		Assuming Normal Distribution						Assuming Lognormal Distribution				
810				DL/2 Substitution Method						DL/2 Substitution Method		
811					Mean	13.91				Mean		1.667
812					SD	14.44				SD		1.843
813				95% DL/2 (t) UCL		17.81				95% H-Stat (DL/2) UCL		44.53
814												
815			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
816					Mean	7.092				Mean in Log Scale		2.223
817					SD	21.48				SD in Log Scale		0.96
818				95% MLE (t) UCL		12.89				Mean in Original Scale		14.31
819			95% MLE (Tiku) UCL			17.75				SD in Original Scale		13.93
820										95% Percentile Bootstrap UCL		18.02
821										95% BCA Bootstrap UCL		18.59
822												
823		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
824				k star (bias corrected)		2.13		Data appear Gamma Distributed at 5% Significance Level				
825				Theta Star		10.08						
826				nu star		97.96						
827												
828				A-D Test Statistic		0.194		Nonparametric Statistics				
829				5% A-D Critical Value		0.753				Kaplan-Meier (KM) Method		
830				K-S Test Statistic		0.753				Mean		14.21
831				5% K-S Critical Value		0.183				SD		13.94
832		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		2.301
833										95% KM (t) UCL		18.09
834		Assuming Gamma Distribution								95% KM (z) UCL		17.99
835		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		17.6
836					Minimum	2.8				95% KM (bootstrap t) UCL		18.62
837					Maximum	64				95% KM (BCA) UCL		20.2
838					Mean	19.48				95% KM (Percentile Bootstrap) UCL		18.89
839					Median	17.08				95% KM (Chebyshev) UCL		24.24
840					SD	11.61				97.5% KM (Chebyshev) UCL		28.58
841					k star	3.097				99% KM (Chebyshev) UCL		37.11
842					Theta star	6.292						
843					Nu star	241.5		Potential UCLs to Use				
844					AppChi2	206.6				95% KM (t) UCL		18.09
845				95% Gamma Approximate UCL		22.78						
846				95% Adjusted Gamma UCL		22.93						
847	Note: DL/2 is not a recommended method.											
848												

	A	B	C	D	E	F	G	H	I	J	K	L
849												
850	Thallium											
851												
852					General Statistics							
853				Number of Valid Data		6			Number of Detected Data			5
854			Number of Distinct Detected Data			4			Number of Non-Detect Data			1
855				Number of Missing Values		42			Percent Non-Detects			16.67%
856												
857			Raw Statistics						Log-transformed Statistics			
858				Minimum Detected		6			Minimum Detected			1.792
859				Maximum Detected		10			Maximum Detected			2.303
860				Mean of Detected		8.2			Mean of Detected			2.087
861				SD of Detected		1.643			SD of Detected			0.211
862				Minimum Non-Detect		0.0926			Minimum Non-Detect			-2.379
863				Maximum Non-Detect		0.0926			Maximum Non-Detect			-2.379
864												
865												
866					Warning: There are only 4 Distinct Detected Values in this data							
867					Note: It should be noted that even though bootstrap may be performed on this data set							
868					the resulting calculations may not be reliable enough tp draw conclusions							
869												
870				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
871												
872												
873					UCL Statistics							
874		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
875				Shapiro Wilk Test Statistic		0.914			Shapiro Wilk Test Statistic			0.9
876				5% Shapiro Wilk Critical Value		0.762			5% Shapiro Wilk Critical Value			0.762
877		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
878												
879		Assuming Normal Distribution						Assuming Lognormal Distribution				
880				DL/2 Substitution Method					DL/2 Substitution Method			
881					Mean	6.841				Mean		1.227
882					SD	3.639				SD		2.115
883				95% DL/2 (t) UCL		9.834			95% H-Stat (DL/2) UCL			69257
884												
885			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
886					Mean	8.2			Mean in Log Scale			2
887					SD	1.47			SD in Log Scale			0.284
888				95% MLE (t) UCL		9.409			Mean in Original Scale			7.632
889				95% MLE (Tiku) UCL		9.524			SD in Original Scale			2.024
890									95% Percentile Bootstrap UCL			8.833
891									95% BCA Bootstrap UCL			8.667
892												
893		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
894				k star (bias corrected)		11.83		Data appear Normal at 5% Significance Level				
895				Theta Star		0.693						
896				nu star		118.3						
897												
898				A-D Test Statistic		0.4		Nonparametric Statistics				
899				5% A-D Critical Value		0.679			Kaplan-Meier (KM) Method			
900				K-S Test Statistic		0.679				Mean		7.833
901				5% K-S Critical Value		0.357				SD		1.572

	A	B	C	D	E	F	G	H	I	J	K	L
902	Data appear Gamma Distributed at 5% Significance Level									SE of Mean		0.718
903										95% KM (t) UCL		9.279
904	Assuming Gamma Distribution									95% KM (z) UCL		9.014
905	Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL		9.284
906					Minimum	5.717				95% KM (bootstrap t) UCL		9.171
907					Maximum	10				95% KM (BCA) UCL		9.333
908					Mean	7.786				95% KM (Percentile Bootstrap) UCL		9.167
909					Median	8				95% KM (Chebyshev) UCL		10.96
910					SD	1.785				97.5% KM (Chebyshev) UCL		12.32
911					k star	11.23				99% KM (Chebyshev) UCL		14.97
912					Theta star	0.694						
913					Nu star	134.7				Potential UCLs to Use		
914					AppChi2	108.9				95% KM (t) UCL		9.279
915				95% Gamma Approximate UCL		9.632				95% KM (Percentile Bootstrap) UCL		9.167
916				95% Adjusted Gamma UCL		10.44						
917	Note: DL/2 is not a recommended method.											
918												
919												
920	Total Aroclors											
921												
922	General Statistics											
923		Number of Valid Data				35				Number of Detected Data		30
924		Number of Distinct Detected Data				30				Number of Non-Detect Data		5
925		Number of Missing Values				12				Percent Non-Detects		14.29%
926												
927	Raw Statistics						Log-transformed Statistics					
928				Minimum Detected		22.05				Minimum Detected		3.093
929				Maximum Detected		3458				Maximum Detected		8.148
930				Mean of Detected		436.6				Mean of Detected		4.812
931				SD of Detected		811.2				SD of Detected		1.529
932				Minimum Non-Detect		2.5				Minimum Non-Detect		0.916
933				Maximum Non-Detect		39				Maximum Non-Detect		3.664
934												
935	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		14
936	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		21
937	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		40.00%
938												
939	UCL Statistics											
940	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
941			Shapiro Wilk Test Statistic			0.569				Shapiro Wilk Test Statistic		0.887
942			5% Shapiro Wilk Critical Value			0.927				5% Shapiro Wilk Critical Value		0.927
943	Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level					
944												
945	Assuming Normal Distribution						Assuming Lognormal Distribution					
946			DL/2 Substitution Method							DL/2 Substitution Method		
947					Mean	375.2				Mean		4.33
948					SD	764.6				SD		1.885
949			95% DL/2 (t) UCL			593.7				95% H-Stat (DL/2) UCL		1011
950												
951		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
952					Mean	44.01				Mean in Log Scale		4.365
953					SD	1064				SD in Log Scale		1.808
954			95% MLE (t) UCL			348.1				Mean in Original Scale		375.1

	A	B	C	D	E	F	G	H	I	J	K	L
955				95% MLE (Tiku) UCL		385.8				SD in Original Scale		764.6
956										95% Percentile Bootstrap UCL		597
957										95% BCA Bootstrap UCL		655.9
958												
959		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
960				k star (bias corrected)		0.473		Data do not follow a Discernable Distribution (0.05)				
961				Theta Star		922.6						
962				nu star		28.39						
963												
964				A-D Test Statistic		2.489		Nonparametric Statistics				
965				5% A-D Critical Value		0.809		Kaplan-Meier (KM) Method				
966				K-S Test Statistic		0.809				Mean		377.5
967				5% K-S Critical Value		0.169				SD		752.5
968		Data not Gamma Distributed at 5% Significance Level								SE of Mean		129.4
969										95% KM (t) UCL		596.2
970		Assuming Gamma Distribution								95% KM (z) UCL		590.3
971		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		595.7
972				Minimum		1E-09				95% KM (bootstrap t) UCL		721.8
973				Maximum		3458				95% KM (BCA) UCL		581.8
974				Mean		374.2				95% KM (Percentile Bootstrap) UCL		595.5
975				Median		63.4				95% KM (Chebyshev) UCL		941.4
976				SD		765.1				97.5% KM (Chebyshev) UCL		1185
977				k star		0.165				99% KM (Chebyshev) UCL		1665
978				Theta star		2264						
979				Nu star		11.57		Potential UCLs to Use				
980				AppChi2		4.944				99% KM (Chebyshev) UCL		1665
981		95% Gamma Approximate UCL				875.6						
982		95% Adjusted Gamma UCL				913.4						
983	Note: DL/2 is not a recommended method.											
984												
985												
986	Total DDT											
987												
988					General Statistics							
989			Number of Valid Data			37				Number of Detected Data		33
990		Number of Distinct Detected Data				33				Number of Non-Detect Data		4
991			Number of Missing Values			10				Percent Non-Detects		10.81%
992												
993		Raw Statistics						Log-transformed Statistics				
994			Minimum Detected			0.19				Minimum Detected		-1.659
995			Maximum Detected			67				Maximum Detected		4.205
996			Mean of Detected			6.577				Mean of Detected		0.64
997			SD of Detected			13.59				SD of Detected		1.556
998			Minimum Non-Detect			0.0613				Minimum Non-Detect		-2.792
999			Maximum Non-Detect			20				Maximum Non-Detect		2.996
1000												
1001	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			34
1002	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			3
1003	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			91.89%
1004												
1005					UCL Statistics							
1006		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1007			Shapiro Wilk Test Statistic			0.502				Shapiro Wilk Test Statistic		0.943

	A	B	C	D	E	F	G	H	I	J	K	L
1008				5% Shapiro Wilk Critical Value		0.931			5% Shapiro Wilk Critical Value			0.931
1009			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1010												
1011			Assuming Normal Distribution						Assuming Lognormal Distribution			
1012				DL/2 Substitution Method					DL/2 Substitution Method			
1013					Mean	6.168				Mean		0.493
1014					SD	12.95				SD		1.685
1015				95% DL/2 (t) UCL		9.761			95% H-Stat (DL/2) UCL			12.22
1016												
1017			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1018			MLE yields a negative mean						Mean in Log Scale			0.432
1019									SD in Log Scale			1.648
1020									Mean in Original Scale			5.924
1021									SD in Original Scale			12.96
1022									95% Percentile Bootstrap UCL			9.676
1023									95% BCA Bootstrap UCL			11.3
1024												
1025			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1026				k star (bias corrected)		0.483			Data appear Lognormal at 5% Significance Level			
1027					Theta Star	13.61						
1028					nu star	31.89						
1029												
1030				A-D Test Statistic		1.698			Nonparametric Statistics			
1031				5% A-D Critical Value		0.81			Kaplan-Meier (KM) Method			
1032				K-S Test Statistic		0.81				Mean		5.969
1033				5% K-S Critical Value		0.162				SD		12.78
1034			Data not Gamma Distributed at 5% Significance Level						SE of Mean			2.135
1035									95% KM (t) UCL			9.573
1036			Assuming Gamma Distribution						95% KM (z) UCL			9.48
1037			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			9.566
1038					Minimum	1E-09			95% KM (bootstrap t) UCL			17.06
1039					Maximum	67			95% KM (BCA) UCL			9.878
1040					Mean	5.968			95% KM (Percentile Bootstrap) UCL			9.495
1041					Median	1.395			95% KM (Chebyshev) UCL			15.27
1042					SD	12.95			97.5% KM (Chebyshev) UCL			19.3
1043					k star	0.246			99% KM (Chebyshev) UCL			27.21
1044					Theta star	24.22						
1045					Nu star	18.24			Potential UCLs to Use			
1046					AppChi2	9.563			99% KM (Chebyshev) UCL			27.21
1047			95% Gamma Approximate UCL			11.38						
1048			95% Adjusted Gamma UCL			11.72						
1049	Note: DL/2 is not a recommended method.											
1050												
1051												
1052	Total Dioxin/Furan TEQ											
1053												
1054					General Statistics							
1055				Number of Valid Data		10			Number of Detected Data			10
1056			Number of Distinct Detected Data			10			Number of Non-Detect Data			0
1057				Number of Missing Values		32			Percent Non-Detects			0.00%
1058												
1059			Raw Statistics						Log-transformed Statistics			
1060				Minimum Detected		0.234			Minimum Detected			-1.451

	A	B	C	D	E	F	G	H	I	J	K	L
1061					Maximum Detected	19.04					Maximum Detected	2.946
1062					Mean of Detected	3.33					Mean of Detected	0.315
1063					SD of Detected	5.677					SD of Detected	1.354
1064					Minimum Non-Detect	N/A					Minimum Non-Detect	N/A
1065					Maximum Non-Detect	N/A					Maximum Non-Detect	N/A
1066												
1067												
1068					UCL Statistics							
1069			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1070				Shapiro Wilk Test Statistic		0.569					Shapiro Wilk Test Statistic	0.934
1071				5% Shapiro Wilk Critical Value		0.842					5% Shapiro Wilk Critical Value	0.842
1072			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1073												
1074			Assuming Normal Distribution						Assuming Lognormal Distribution			
1075				DL/2 Substitution Method							DL/2 Substitution Method	
1076					Mean	3.33					Mean	0.315
1077					SD	5.677					SD	1.354
1078				95% DL/2 (t) UCL		6.621				95% H-Stat (DL/2) UCL		19.64
1079												
1080			Maximum Likelihood Estimate(MLE) Method			N/A					Log ROS Method	
1081			MLE method failed to converge properly								Mean in Log Scale	N/A
1082											SD in Log Scale	N/A
1083											Mean in Original Scale	N/A
1084											SD in Original Scale	N/A
1085											95% Percentile Bootstrap UCL	N/A
1086											95% BCA Bootstrap UCL	N/A
1087												
1088			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1089					k star (bias corrected)	0.545		Data appear Gamma Distributed at 5% Significance Level				
1090					Theta Star	6.113						
1091					nu star	10.9						
1092												
1093					A-D Test Statistic	0.64		Nonparametric Statistics				
1094					5% A-D Critical Value	0.762			Kaplan-Meier (KM) Method			
1095					K-S Test Statistic	0.762					Mean	3.33
1096					5% K-S Critical Value	0.277					SD	5.386
1097			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	1.795
1098											95% KM (t) UCL	6.621
1099			Assuming Gamma Distribution								95% KM (z) UCL	6.283
1100			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	6.621
1101					Minimum	0.234					95% KM (bootstrap t) UCL	15.19
1102					Maximum	19.04					95% KM (BCA) UCL	6.931
1103					Mean	3.33				95% KM (Percentile Bootstrap) UCL		6.633
1104					Median	1.641					95% KM (Chebyshev) UCL	11.16
1105					SD	5.677					97.5% KM (Chebyshev) UCL	14.54
1106					k star	0.545					99% KM (Chebyshev) UCL	21.19
1107					Theta star	6.113						
1108					Nu star	10.9		Potential UCLs to Use				
1109					AppChi2	4.509					95% KM (Chebyshev) UCL	11.16
1110				95% Gamma Approximate UCL		8.047						
1111				95% Adjusted Gamma UCL		9.496						
1112	Note: DL/2 is not a recommended method.											
1113												

Total Dioxin-like PCBs

General Statistics

Number of Valid Data	13			Number of Detected Data	13
Number of Distinct Detected Data	13			Number of Non-Detect Data	0
Number of Missing Values	29			Percent Non-Detects	0.00%

Raw Statistics			Log-transformed Statistics	
Minimum Detected	1454		Minimum Detected	7.282
Maximum Detected	339044		Maximum Detected	12.73
Mean of Detected	64301		Mean of Detected	9.216
SD of Detected	117234		SD of Detected	1.961
Minimum Non-Detect	N/A		Minimum Non-Detect	N/A
Maximum Non-Detect	N/A		Maximum Non-Detect	N/A

UCL Statistics

Normal Distribution Test with Detected Values Only			Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.6		Shapiro Wilk Test Statistic	0.822
5% Shapiro Wilk Critical Value	0.866		5% Shapiro Wilk Critical Value	0.866
Data not Normal at 5% Significance Level			**Data not Lognormal at 5% Significance Level**	

Assuming Normal Distribution			Assuming Lognormal Distribution	
DL/2 Substitution Method			DL/2 Substitution Method	
Mean	64301		Mean	9.216
SD	117234		SD	1.961
95% DL/2 (t) UCL	122252		95% H-Stat (DL/2) UCL	986866
Maximum Likelihood Estimate(MLE) Method	N/A		Log ROS Method	
MLE method failed to converge properly			Mean in Log Scale	N/A
			SD in Log Scale	N/A
			Mean in Original Scale	N/A
			SD in Original Scale	N/A
			95% Percentile Bootstrap UCL	N/A
			95% BCA Bootstrap UCL	N/A

Gamma Distribution Test with Detected Values Only			Data Distribution Test with Detected Values Only	
k star (bias corrected)	0.329		**Data do not follow a Discernable Distribution (0.05)**	
Theta Star	195633			
nu star	8.546			
A-D Test Statistic	1.64		Nonparametric Statistics	
5% A-D Critical Value	0.818		Kaplan-Meier (KM) Method	
K-S Test Statistic	0.818		Mean	64301
5% K-S Critical Value	0.254		SD	112635
Data not Gamma Distributed at 5% Significance Level			SE of Mean	32515
			95% KM (t) UCL	122252
Assuming Gamma Distribution			95% KM (z) UCL	117783
Gamma ROS Statistics using Extrapolated Data			95% KM (jackknife) UCL	122252
Minimum	1454		95% KM (bootstrap t) UCL	173858
Maximum	339044		95% KM (BCA) UCL	117366
Mean	64301		95% KM (Percentile Bootstrap) UCL	121655

	A	B	C	D	E	F	G	H	I	J	K	L
1167					Median	5574			95% KM (Chebyshev) UCL			206030
1168					SD	117234			97.5% KM (Chebyshev) UCL			267356
1169					k star	0.329			99% KM (Chebyshev) UCL			387820
1170					Theta star	195633						
1171					Nu star	8.546			Potential UCLs to Use			
1172					AppChi2	3.055			99% KM (Chebyshev) UCL			387820
1173				95% Gamma Approximate UCL		179871						
1174				95% Adjusted Gamma UCL		210858						
1175				Warning: Recommended UCL exceeds the maximum observation								
1176	Note: DL/2 is not a recommended method.											
1177												
1178												
1179	Total PCB TEQ											
1180												
1181				General Statistics								
1182			Number of Valid Data			13			Number of Detected Data			13
1183			Number of Distinct Detected Data			13			Number of Non-Detect Data			0
1184			Number of Missing Values			29			Percent Non-Detects			0.00%
1185												
1186			Raw Statistics						Log-transformed Statistics			
1187				Minimum Detected		0.627			Minimum Detected			-0.467
1188				Maximum Detected		121.6			Maximum Detected			4.801
1189				Mean of Detected		17.36			Mean of Detected			1.267
1190				SD of Detected		35.09			SD of Detected			1.733
1191				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
1192				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
1193												
1194												
1195					UCL Statistics							
1196			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1197				Shapiro Wilk Test Statistic		0.557			Shapiro Wilk Test Statistic			0.844
1198				5% Shapiro Wilk Critical Value		0.866			5% Shapiro Wilk Critical Value			0.866
1199			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
1200												
1201			Assuming Normal Distribution						Assuming Lognormal Distribution			
1202				DL/2 Substitution Method					DL/2 Substitution Method			
1203				Mean		17.36			Mean			1.267
1204				SD		35.09			SD			1.733
1205				95% DL/2 (t) UCL		34.71			95% H-Stat (DL/2) UCL			130.3
1206												
1207			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1208			MLE method failed to converge properly						Mean in Log Scale			N/A
1209									SD in Log Scale			N/A
1210									Mean in Original Scale			N/A
1211									SD in Original Scale			N/A
1212									95% Percentile Bootstrap UCL			N/A
1213									95% BCA Bootstrap UCL			N/A
1214												
1215			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1216				k star (bias corrected)		0.369			Data do not follow a Discernable Distribution (0.05)			
1217				Theta Star		47.1						
1218				nu star		9.584						
1219												

	A	B	C	D	E	F	G	H	I	J	K	L
1220					A-D Test Statistic	1.499			Nonparametric Statistics			
1221					5% A-D Critical Value	0.807			Kaplan-Meier (KM) Method			
1222					K-S Test Statistic	0.807					Mean	17.36
1223					5% K-S Critical Value	0.253					SD	33.72
1224		Data not Gamma Distributed at 5% Significance Level									SE of Mean	9.733
1225											95% KM (t) UCL	34.71
1226		Assuming Gamma Distribution									95% KM (z) UCL	33.37
1227		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	34.71
1228					Minimum	0.627					95% KM (bootstrap t) UCL	75.42
1229					Maximum	121.6					95% KM (BCA) UCL	33.9
1230					Mean	17.36				95% KM (Percentile Bootstrap) UCL		34.06
1231					Median	2.248					95% KM (Chebyshev) UCL	59.79
1232					SD	35.09					97.5% KM (Chebyshev) UCL	78.14
1233					k star	0.369					99% KM (Chebyshev) UCL	114.2
1234					Theta star	47.1						
1235					Nu star	9.584			Potential UCLs to Use			
1236					AppChi2	3.683					99% KM (Chebyshev) UCL	114.2
1237				95% Gamma Approximate UCL		45.17						
1238				95% Adjusted Gamma UCL		52.32						
1239	Note: DL/2 is not a recommended method.											
1240												
1241												
1242	Total PCB_Congeners											
1243												
1244					General Statistics							
1245				Number of Valid Data		13				Number of Detected Data		13
1246				Number of Distinct Detected Data		13				Number of Non-Detect Data		0
1247				Number of Missing Values		29				Percent Non-Detects		0.00%
1248												
1249			Raw Statistics						Log-transformed Statistics			
1250				Minimum Detected		32370				Minimum Detected		10.38
1251				Maximum Detected		3489812				Maximum Detected		15.07
1252				Mean of Detected		765452				Mean of Detected		12.06
1253				SD of Detected		1308218				SD of Detected		1.735
1254				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1255				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1256												
1257												
1258					UCL Statistics							
1259		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1260				Shapiro Wilk Test Statistic		0.603				Shapiro Wilk Test Statistic		0.817
1261				5% Shapiro Wilk Critical Value		0.866				5% Shapiro Wilk Critical Value		0.866
1262		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
1263												
1264		Assuming Normal Distribution						Assuming Lognormal Distribution				
1265				DL/2 Substitution Method						DL/2 Substitution Method		
1266					Mean	765452					Mean	12.06
1267					SD	1308218					SD	1.735
1268				95% DL/2 (t) UCL		1412127				95% H-Stat (DL/2) UCL		6397633
1269												
1270			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1271		MLE method failed to converge properly								Mean in Log Scale		N/A
1272										SD in Log Scale		N/A

	A–E	F	G–K	L
1273			Mean in Original Scale	N/A
1274			SD in Original Scale	N/A
1275			95% Percentile Bootstrap UCL	N/A
1276			95% BCA Bootstrap UCL	N/A
1277				
1278	Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
1279	k star (bias corrected)	0.387	Data do not follow a Discernable Distribution (0.05)	
1280	Theta Star	1977998		
1281	nu star	10.06		
1282				
1283	A-D Test Statistic	1.573	Nonparametric Statistics	
1284	5% A-D Critical Value	0.803	Kaplan-Meier (KM) Method	
1285	K-S Test Statistic	0.803	Mean	765452
1286	5% K-S Critical Value	0.252	SD	1256895
1287	Data not Gamma Distributed at 5% Significance Level		SE of Mean	362834
1288			95% KM (t) UCL	1412127
1289	Assuming Gamma Distribution		95% KM (z) UCL	1362261
1290	Gamma ROS Statistics using Extrapolated Data		95% KM (jackknife) UCL	1412127
1291	Minimum	32370	95% KM (bootstrap t) UCL	1905226
1292	Maximum	3489812	95% KM (BCA) UCL	1430175
1293	Mean	765452	95% KM (Percentile Bootstrap) UCL	1409873
1294	Median	94685	95% KM (Chebyshev) UCL	2347010
1295	SD	1308218	97.5% KM (Chebyshev) UCL	3031351
1296	k star	0.387	99% KM (Chebyshev) UCL	4375607
1297	Theta star	1977998		
1298	Nu star	10.06	Potential UCLs to Use	
1299	AppChi2	3.98	99% KM (Chebyshev) UCL	4375607
1300	95% Gamma Approximate UCL	1934952		
1301	95% Adjusted Gamma UCL	2230730		
1302	Warning: Recommended UCL exceeds the maximum observation			
1303	Note: DL/2 is not a recommended method.			
1304				
1305				
1306	Total PCBs, Adjusted			
1307				
1308	General Statistics			
1309	Number of Valid Data	13	Number of Detected Data	13
1310	Number of Distinct Detected Data	13	Number of Non-Detect Data	0
1311	Number of Missing Values	29	Percent Non-Detects	0.00%
1312				
1313	Raw Statistics		Log-transformed Statistics	
1314	Minimum Detected	30865	Minimum Detected	10.34
1315	Maximum Detected	3150767	Maximum Detected	14.96
1316	Mean of Detected	701151	Mean of Detected	12
1317	SD of Detected	1191772	SD of Detected	1.721
1318	Minimum Non-Detect	N/A	Minimum Non-Detect	N/A
1319	Maximum Non-Detect	N/A	Maximum Non-Detect	N/A
1320				
1321				
1322	UCL Statistics			
1323	Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
1324	Shapiro Wilk Test Statistic	0.602	Shapiro Wilk Test Statistic	0.817
1325	5% Shapiro Wilk Critical Value	0.866	5% Shapiro Wilk Critical Value	0.866

	A	B	C	D	E	F	G	H	I	J	K	L
1326	Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level					
1327												
1328	Assuming Normal Distribution						Assuming Lognormal Distribution					
1329	DL/2 Substitution Method						DL/2 Substitution Method					
1330	Mean					701151	Mean					12
1331	SD					1191772	SD					1.721
1332	95% DL/2 (t) UCL					1290265	95% H-Stat (DL/2) UCL					5686334
1333												
1334	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
1335	MLE method failed to converge properly						Mean in Log Scale					N/A
1336							SD in Log Scale					N/A
1337							Mean in Original Scale					N/A
1338							SD in Original Scale					N/A
1339							95% Percentile Bootstrap UCL					N/A
1340							95% BCA Bootstrap UCL					N/A
1341												
1342	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
1343	k star (bias corrected)					0.392	Data do not follow a Discernable Distribution (0.05)					
1344	Theta Star					1789505						
1345	nu star					10.19						
1346												
1347	A-D Test Statistic					1.565	Nonparametric Statistics					
1348	5% A-D Critical Value					0.801	Kaplan-Meier (KM) Method					
1349	K-S Test Statistic					0.801	Mean					701151
1350	5% K-S Critical Value					0.252	SD					1145018
1351	Data not Gamma Distributed at 5% Significance Level						SE of Mean					330538
1352							95% KM (t) UCL					1290265
1353	Assuming Gamma Distribution						95% KM (z) UCL					1244838
1354	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					1290265
1355	Minimum					30865	95% KM (bootstrap t) UCL					1767972
1356	Maximum					3150767	95% KM (BCA) UCL					1271977
1357	Mean					701151	95% KM (Percentile Bootstrap) UCL					1245858
1358	Median					87512	95% KM (Chebyshev) UCL					2141933
1359	SD					1191772	97.5% KM (Chebyshev) UCL					2765361
1360	k star					0.392	99% KM (Chebyshev) UCL					3989964
1361	Theta star					1789505						
1362	Nu star					10.19	Potential UCLs to Use					
1363	AppChi2					4.059	99% KM (Chebyshev) UCL					3989964
1364	95% Gamma Approximate UCL					1759698						
1365	95% Adjusted Gamma UCL					2026294						
1366	Warning: Recommended UCL exceeds the maximum observation											
1367	Note: DL/2 is not a recommended method.											
1368												
1369												
1370	Total TEQ											
1371												
1372	General Statistics											
1373	Number of Valid Data					5	Number of Detected Data					5
1374	Number of Distinct Detected Data					5	Number of Non-Detect Data					0
1375	Number of Missing Values					37	Percent Non-Detects					0.00%
1376												
1377	Raw Statistics						Log-transformed Statistics					
1378	Minimum Detected					1.234	Minimum Detected					0.21

	A	B	C	D	E	F	G	H	I	J	K	L
1379					Maximum Detected	49.88					Maximum Detected	3.91
1380					Mean of Detected	11.74					Mean of Detected	1.361
1381					SD of Detected	21.33					SD of Detected	1.473
1382					Minimum Non-Detect	N/A					Minimum Non-Detect	N/A
1383					Maximum Non-Detect	N/A					Maximum Non-Detect	N/A
1384												
1385												
1386				Warning: There are only 5 Detected Values in this data								
1387				Note: It should be noted that even though bootstrap may be performed on this data set								
1388				the resulting calculations may not be reliable enough tp draw conclusions								
1389												
1390			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1391												
1392												
1393						UCL Statistics						
1394			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1395					Shapiro Wilk Test Statistic	0.588					Shapiro Wilk Test Statistic	0.788
1396					5% Shapiro Wilk Critical Value	0.762					5% Shapiro Wilk Critical Value	0.762
1397			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1398												
1399			Assuming Normal Distribution						Assuming Lognormal Distribution			
1400					DL/2 Substitution Method						DL/2 Substitution Method	
1401					Mean	11.74					Mean	1.361
1402					SD	21.33					SD	1.473
1403					95% DL/2 (t) UCL	32.08					95% H-Stat (DL/2) UCL	1999
1404												
1405					Maximum Likelihood Estimate(MLE) Method	N/A					Log ROS Method	
1406			MLE method failed to converge properly								Mean in Log Scale	N/A
1407											SD in Log Scale	N/A
1408											Mean in Original Scale	N/A
1409											SD in Original Scale	N/A
1410											95% Percentile Bootstrap UCL	N/A
1411											95% BCA Bootstrap UCL	N/A
1412												
1413			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1414					k star (bias corrected)	0.36			Data appear Lognormal at 5% Significance Level			
1415					Theta Star	32.66						
1416					nu star	3.596						
1417												
1418					A-D Test Statistic	0.881			Nonparametric Statistics			
1419					5% A-D Critical Value	0.708			Kaplan-Meier (KM) Method			
1420					K-S Test Statistic	0.708					Mean	11.74
1421					5% K-S Critical Value	0.37					SD	19.08
1422			Data not Gamma Distributed at 5% Significance Level								SE of Mean	9.541
1423											95% KM (t) UCL	32.08
1424			Assuming Gamma Distribution								95% KM (z) UCL	27.44
1425			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	32.08
1426					Minimum	1.234					95% KM (bootstrap t) UCL	406.4
1427					Maximum	49.88					95% KM (BCA) UCL	30.67
1428					Mean	11.74					95% KM (Percentile Bootstrap) UCL	30.42
1429					Median	2.482					95% KM (Chebyshev) UCL	53.33
1430					SD	21.33					97.5% KM (Chebyshev) UCL	71.32
1431					k star	0.36					99% KM (Chebyshev) UCL	106.7

	A	B	C	D	E	F	G	H	I	J	K	L
1432					Theta star	32.66						
1433					Nu star	3.596		Potential UCLs to Use				
1434					AppChi2	0.569			97.5% KM (Chebyshev) UCL			71.32
1435			95% Gamma Approximate UCL			74.23						
1436			95% Adjusted Gamma UCL			189.4						
1437				Warning: Recommended UCL exceeds the maximum observation								
1438	Note: DL/2 is not a recommended method.											
1439												
1440												
1441	Tributyltin ion											
1442												
1443					General Statistics							
1444			Number of Valid Data			27			Number of Detected Data			26
1445			Number of Distinct Detected Data			25			Number of Non-Detect Data			1
1446			Number of Missing Values			20			Percent Non-Detects			3.70%
1447												
1448			Raw Statistics					Log-transformed Statistics				
1449			Minimum Detected			0.53			Minimum Detected			-0.635
1450			Maximum Detected			47000			Maximum Detected			10.76
1451			Mean of Detected			1854			Mean of Detected			3.52
1452			SD of Detected			9208			SD of Detected			1.958
1453			Minimum Non-Detect			0.23			Minimum Non-Detect			-1.47
1454			Maximum Non-Detect			0.23			Maximum Non-Detect			-1.47
1455												
1456												
1457					UCL Statistics							
1458			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
1459			Shapiro Wilk Test Statistic			0.206			Shapiro Wilk Test Statistic			0.829
1460			5% Shapiro Wilk Critical Value			0.92			5% Shapiro Wilk Critical Value			0.92
1461			Data not Normal at 5% Significance Level					Data not Lognormal at 5% Significance Level				
1462												
1463			Assuming Normal Distribution					Assuming Lognormal Distribution				
1464			DL/2 Substitution Method						DL/2 Substitution Method			
1465			Mean			1785			Mean			3.31
1466			SD			9036			SD			2.21
1467			95% DL/2 (t) UCL			4751			95% H-Stat (DL/2) UCL			1667
1468												
1469			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
1470			Mean			1537			Mean in Log Scale			3.359
1471			SD			9062			SD in Log Scale			2.095
1472			95% MLE (t) UCL			4511			Mean in Original Scale			1785
1473			95% MLE (Tiku) UCL			4176			SD in Original Scale			9036
1474									95% Percentile Bootstrap UCL			5261
1475									95% BCA Bootstrap UCL			7016
1476												
1477			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
1478			k star (bias corrected)			0.19		Data do not follow a Discernable Distribution (0.05)				
1479			Theta Star			9752						
1480			nu star			9.883						
1481												
1482			A-D Test Statistic			6.358		Nonparametric Statistics				
1483			5% A-D Critical Value			0.9			Kaplan-Meier (KM) Method			
1484			K-S Test Statistic			0.9			Mean			1785

	A	B	C	D	E	F	G	H	I	J	K	L
1485					5% K-S Critical Value	0.19					SD	8868
1486		**Data not Gamma Distributed at 5% Significance Level**									SE of Mean	1740
1487											95% KM (t) UCL	4753
1488		**Assuming Gamma Distribution**									95% KM (z) UCL	4648
1489		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	4751
1490					Minimum	1E-09					95% KM (bootstrap t) UCL	407442
1491					Maximum	47000					95% KM (BCA) UCL	5267
1492					Mean	1785					95% KM (Percentile Bootstrap) UCL	5261
1493					Median	24					95% KM (Chebyshev) UCL	9371
1494					SD	9036					97.5% KM (Chebyshev) UCL	12653
1495					k star	0.164					99% KM (Chebyshev) UCL	19101
1496					Theta star	10870						
1497					Nu star	8.867			**Potential UCLs to Use**			
1498					AppChi2	3.247					99% KM (Chebyshev) UCL	19101
1499				95% Gamma Approximate UCL		4875						
1500				95% Adjusted Gamma UCL		5219						
1501	Note: DL/2 is not a recommended method.											
1502												

	A	B	C	D	E	F	G	H	I	J	K	L
1						General UCL Statistics for Data Sets with Non-Detects						
2		User Selected Options										
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM3.5W.wst								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Aldrin											
10												
11						General Statistics						
12				Number of Valid Data		15			Number of Detected Data			5
13			Number of Distinct Detected Data			5			Number of Non-Detect Data			10
14									Percent Non-Detects			66.67%
15												
16			Raw Statistics						Log-transformed Statistics			
17				Minimum Detected		0.249			Minimum Detected			-1.39
18				Maximum Detected		1.13			Maximum Detected			0.122
19				Mean of Detected		0.596			Mean of Detected			-0.631
20				SD of Detected		0.323			SD of Detected			0.535
21				Minimum Non-Detect		0.0331			Minimum Non-Detect			-3.408
22				Maximum Non-Detect		0.99			Maximum Non-Detect			-0.0101
23												
24	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			14
25	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
26	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			93.33%
27												
28						Warning: There are only 5 Detected Values in this data						
29						Note: It should be noted that even though bootstrap may be performed on this data set						
30						the resulting calculations may not be reliable enough tp draw conclusions						
31												
32						It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.						
33												
34												
35						UCL Statistics						
36		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
37				Shapiro Wilk Test Statistic		0.843			Shapiro Wilk Test Statistic			0.908
38				5% Shapiro Wilk Critical Value		0.762			5% Shapiro Wilk Critical Value			0.762
39		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
40												
41		Assuming Normal Distribution						Assuming Lognormal Distribution				
42				DL/2 Substitution Method					DL/2 Substitution Method			
43				Mean		0.265			Mean			-2.148
44				SD		0.319			SD			1.43
45				95% DL/2 (t) UCL		0.41			95% H-Stat (DL/2) UCL			0.559
46												
47				Maximum Likelihood Estimate(MLE) Method		N/A			Log ROS Method			
48		MLE method failed to converge properly							Mean in Log Scale			-1.572
49									SD in Log Scale			0.761
50									Mean in Original Scale			0.286
51									SD in Original Scale			0.286
52									95% Percentile Bootstrap UCL			0.419
53									95% BCA Bootstrap UCL			0.455

	A	B	C	D	E	F	G	H	I	J	K	L
54												
55			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
56				k star (bias corrected)		1.966			Data appear Normal at 5% Significance Level			
57				Theta Star		0.303						
58				nu star		19.66						
59												
60				A-D Test Statistic		0.455			Nonparametric Statistics			
61				5% A-D Critical Value		0.681			Kaplan-Meier (KM) Method			
62				K-S Test Statistic		0.681				Mean		0.369
63				5% K-S Critical Value		0.358				SD		0.234
64		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.0682
65										95% KM (t) UCL		0.489
66			Assuming Gamma Distribution							95% KM (z) UCL		0.481
67		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.538
68				Minimum		0.249				95% KM (bootstrap t) UCL		0.498
69				Maximum		1.13				95% KM (BCA) UCL		0.647
70				Mean		0.603			95% KM (Percentile Bootstrap) UCL			0.612
71				Median		0.596				95% KM (Chebyshev) UCL		0.666
72				SD		0.179				97.5% KM (Chebyshev) UCL		0.795
73				k star		10.04				99% KM (Chebyshev) UCL		1.048
74				Theta star		0.06						
75				Nu star		301.2			Potential UCLs to Use			
76				AppChi2		262				95% KM (t) UCL		0.489
77		95% Gamma Approximate UCL				0.693			95% KM (Percentile Bootstrap) UCL			0.612
78		95% Adjusted Gamma UCL				0.705						
79	Note: DL/2 is not a recommended method.											
80												
81												
82	Arsenic											
83												
84					General Statistics							
85		Number of Valid Data				16			Number of Detected Data			15
86		Number of Distinct Detected Data				13			Number of Non-Detect Data			1
87									Percent Non-Detects			6.25%
88												
89			Raw Statistics						Log-transformed Statistics			
90			Minimum Detected			3.05			Minimum Detected			1.115
91			Maximum Detected			16.9			Maximum Detected			2.827
92			Mean of Detected			5.994			Mean of Detected			1.629
93			SD of Detected			4.339			SD of Detected			0.533
94			Minimum Non-Detect			5			Minimum Non-Detect			1.609
95			Maximum Non-Detect			5			Maximum Non-Detect			1.609
96												
97												
98					UCL Statistics							
99		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
100			Shapiro Wilk Test Statistic			0.651			Shapiro Wilk Test Statistic			0.817
101			5% Shapiro Wilk Critical Value			0.881			5% Shapiro Wilk Critical Value			0.881
102		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
103												
104			Assuming Normal Distribution						Assuming Lognormal Distribution			
105			DL/2 Substitution Method						DL/2 Substitution Method			
106				Mean		5.776				Mean		1.584

	A	B	C	D	E	F	G	H	I	J	K	L
107					SD	4.282					SD	0.545
108				95% DL/2 (t) UCL		7.652				95% H-Stat (DL/2) UCL		6.661
109												
110			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
111					Mean	3.288				Mean in Log Scale		1.608
112					SD	6.605				SD in Log Scale		0.522
113				95% MLE (t) UCL		6.183				Mean in Original Scale		5.848
114			95% MLE (Tiku) UCL			7.198				SD in Original Scale		4.232
115										95% Percentile Bootstrap UCL		7.599
116										95% BCA Bootstrap UCL		8.241
117												
118		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
119				k star (bias corrected)		2.636		Data do not follow a Discernable Distribution (0.05)				
120					Theta Star	2.274						
121					nu star	79.07						
122												
123				A-D Test Statistic		1.408		Nonparametric Statistics				
124				5% A-D Critical Value		0.743			Kaplan-Meier (KM) Method			
125				K-S Test Statistic		0.743					Mean	5.844
126				5% K-S Critical Value		0.223					SD	4.101
127		Data not Gamma Distributed at 5% Significance Level									SE of Mean	1.062
128										95% KM (t) UCL		7.706
129		Assuming Gamma Distribution								95% KM (z) UCL		7.591
130		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		7.702
131					Minimum	3.05				95% KM (bootstrap t) UCL		11.52
132					Maximum	16.9				95% KM (BCA) UCL		7.695
133					Mean	5.887			95% KM (Percentile Bootstrap) UCL			7.649
134					Median	4.288				95% KM (Chebyshev) UCL		10.47
135					SD	4.213				97.5% KM (Chebyshev) UCL		12.48
136					k star	2.788				99% KM (Chebyshev) UCL		16.41
137					Theta star	2.111						
138					Nu star	89.23		Potential UCLs to Use				
139					AppChi2	68.45				95% KM (Chebyshev) UCL		10.47
140			95% Gamma Approximate UCL			7.674						
141			95% Adjusted Gamma UCL			7.913						
142	Note: DL/2 is not a recommended method.											
143												
144												
145	Benzo(a)anthracene											
146												
147					General Statistics							
148			Number of Valid Observations			16				Number of Distinct Observations		16
149												
150		Raw Statistics						Log-transformed Statistics				
151					Minimum	30				Minimum of Log Data		3.401
152					Maximum	2500				Maximum of Log Data		7.824
153					Mean	259.9				Mean of log Data		4.607
154					Median	72				SD of log Data		1.15
155					SD	605						
156				Coefficient of Variation		2.328						
157					Skewness	3.835						
158												
159					Relevant UCL Statistics							

	A	B	C	D	E	F	G	H	I	J	K	L
160			Normal Distribution Test						Lognormal Distribution Test			
161				Shapiro Wilk Test Statistic		0.395				Shapiro Wilk Test Statistic		0.862
162				Shapiro Wilk Critical Value		0.887				Shapiro Wilk Critical Value		0.887
163		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
164												
165			Assuming Normal Distribution						Assuming Lognormal Distribution			
166				95% Student's-t UCL		525.1				95% H-UCL		464.7
167		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			437.9
168				95% Adjusted-CLT UCL		663.7				97.5% Chebyshev (MVUE) UCL		548.4
169				95% Modified-t UCL		549.3				99% Chebyshev (MVUE) UCL		765.6
170												
171			Gamma Distribution Test						Data Distribution			
172				k star (bias corrected)		0.563		Data do not follow a Discernable Distribution (0.05)				
173				Theta Star		461.8						
174				nu star		18.01						
175			Approximate Chi Square Value (.05)			9.401			Nonparametric Statistics			
176				Adjusted Level of Significance		0.0335				95% CLT UCL		508.7
177				Adjusted Chi Square Value		8.699				95% Jackknife UCL		525.1
178										95% Standard Bootstrap UCL		501.6
179			Anderson-Darling Test Statistic			1.832				95% Bootstrap-t UCL		1794
180			Anderson-Darling 5% Critical Value			0.784				95% Hall's Bootstrap UCL		1430
181			Kolmogorov-Smirnov Test Statistic			0.267				95% Percentile Bootstrap UCL		546.6
182			Kolmogorov-Smirnov 5% Critical Value			0.225				95% BCA Bootstrap UCL		709.8
183		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			919.2
184										97.5% Chebyshev(Mean, Sd) UCL		1205
185			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			1765
186				95% Approximate Gamma UCL		498.1						
187				95% Adjusted Gamma UCL		538.3						
188												
189			Potential UCL to Use						Use 99% Chebyshev (Mean, Sd) UCL			1765
190												
191												
192	Benzo(a)pyrene											
193												
194					General Statistics							
195				Number of Valid Observations		16				Number of Distinct Observations		16
196												
197			Raw Statistics						Log-transformed Statistics			
198				Minimum		54				Minimum of Log Data		3.989
199				Maximum		3600				Maximum of Log Data		8.189
200				Mean		392.6				Mean of log Data		5.113
201				Median		125				SD of log Data		1.097
202				SD		867.1						
203				Coefficient of Variation		2.208						
204				Skewness		3.823						
205												
206					Relevant UCL Statistics							
207			Normal Distribution Test						Lognormal Distribution Test			
208				Shapiro Wilk Test Statistic		0.403				Shapiro Wilk Test Statistic		0.862
209				Shapiro Wilk Critical Value		0.887				Shapiro Wilk Critical Value		0.887
210		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
211												
212			Assuming Normal Distribution						Assuming Lognormal Distribution			

	A	B	C	D	E	F	G	H	I	J	K	L
213				95% Student's-t UCL		772.6				95% H-UCL		681.1
214		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			668.6
215				95% Adjusted-CLT UCL		970.5			97.5% Chebyshev (MVUE) UCL			833.7
216				95% Modified-t UCL		807.2			99% Chebyshev (MVUE) UCL			1158
217												
218			Gamma Distribution Test						Data Distribution			
219			k star (bias corrected)			0.612		Data do not follow a Discernable Distribution (0.05)				
220				Theta Star		641.2						
221				nu star		19.59						
222		Approximate Chi Square Value (.05)				10.55			Nonparametric Statistics			
223			Adjusted Level of Significance			0.0335				95% CLT UCL		749.2
224			Adjusted Chi Square Value			9.804				95% Jackknife UCL		772.6
225									95% Standard Bootstrap UCL			737.7
226			Anderson-Darling Test Statistic			1.74				95% Bootstrap-t UCL		2332
227		Anderson-Darling 5% Critical Value				0.779				95% Hall's Bootstrap UCL		1980
228		Kolmogorov-Smirnov Test Statistic				0.256			95% Percentile Bootstrap UCL			813.6
229		Kolmogorov-Smirnov 5% Critical Value				0.224				95% BCA Bootstrap UCL		1044
230		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			1338
231									97.5% Chebyshev(Mean, Sd) UCL			1746
232			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			2550
233			95% Approximate Gamma UCL			729						
234			95% Adjusted Gamma UCL			784.7						
235												
236			Potential UCL to Use					Use 99% Chebyshev (Mean, Sd) UCL				2550
237												
238												
239	Benzo(b)fluoranthene											
240												
241					General Statistics							
242			Number of Valid Observations			16			Number of Distinct Observations			12
243												
244			Raw Statistics						Log-transformed Statistics			
245				Minimum		37				Minimum of Log Data		3.611
246				Maximum		3200				Maximum of Log Data		8.071
247				Mean		349.9				Mean of log Data		5.033
248				Median		130				SD of log Data		1.058
249				SD		770.1						
250			Coefficient of Variation			2.201						
251				Skewness		3.83						
252												
253					Relevant UCL Statistics							
254			Normal Distribution Test						Lognormal Distribution Test			
255			Shapiro Wilk Test Statistic			0.397				Shapiro Wilk Test Statistic		0.867
256			Shapiro Wilk Critical Value			0.887				Shapiro Wilk Critical Value		0.887
257		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
258												
259			Assuming Normal Distribution						Assuming Lognormal Distribution			
260				95% Student's-t UCL		687.4				95% H-UCL		575.6
261		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			580.9
262				95% Adjusted-CLT UCL		863.6			97.5% Chebyshev (MVUE) UCL			721.8
263				95% Modified-t UCL		718.2			99% Chebyshev (MVUE) UCL			998.6
264												
265			Gamma Distribution Test						Data Distribution			

	A	B	C	D	E	F	G	H	I	J	K	L
266				k star (bias corrected)		0.634		Data do not follow a Discernable Distribution (0.05)				
267				Theta Star		552.2						
268				nu star		20.28						
269			Approximate Chi Square Value (.05)			11.06		Nonparametric Statistics				
270			Adjusted Level of Significance			0.0335				95% CLT UCL		666.6
271			Adjusted Chi Square Value			10.29				95% Jackknife UCL		687.4
272										95% Standard Bootstrap UCL		648
273			Anderson-Darling Test Statistic			1.926				95% Bootstrap-t UCL		2193
274			Anderson-Darling 5% Critical Value			0.776				95% Hall's Bootstrap UCL		1765
275			Kolmogorov-Smirnov Test Statistic			0.324				95% Percentile Bootstrap UCL		732.5
276			Kolmogorov-Smirnov 5% Critical Value			0.224				95% BCA Bootstrap UCL		925.9
277		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			1189
278									97.5% Chebyshev(Mean, Sd) UCL			1552
279		Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL			2266
280			95% Approximate Gamma UCL			641.8						
281			95% Adjusted Gamma UCL			689.8						
282												
283		Potential UCL to Use							Use 99% Chebyshev (Mean, Sd) UCL			2266
284												
285												
286	Benzo(k)fluoranthene											
287												
288					General Statistics							
289			Number of Valid Observations			16			Number of Distinct Observations			16
290												
291			Raw Statistics						Log-transformed Statistics			
292				Minimum		22				Minimum of Log Data		3.091
293				Maximum		1100				Maximum of Log Data		7.003
294				Mean		144.3				Mean of log Data		4.255
295				Median		48				SD of log Data		1.072
296				SD		263.2						
297			Coefficient of Variation			1.824						
298				Skewness		3.595						
299												
300					Relevant UCL Statistics							
301			Normal Distribution Test						Lognormal Distribution Test			
302			Shapiro Wilk Test Statistic			0.476			Shapiro Wilk Test Statistic			0.877
303			Shapiro Wilk Critical Value			0.887			Shapiro Wilk Critical Value			0.887
304		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
305												
306		Assuming Normal Distribution						Assuming Lognormal Distribution				
307			95% Student's-t UCL			259.7				95% H-UCL		273
308		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			272.8
309			95% Adjusted-CLT UCL			315.8			97.5% Chebyshev (MVUE) UCL			339.4
310			95% Modified-t UCL			269.5			99% Chebyshev (MVUE) UCL			470.2
311												
312		Gamma Distribution Test						Data Distribution				
313			k star (bias corrected)			0.712		Data do not follow a Discernable Distribution (0.05)				
314			Theta Star			202.8						
315			nu star			22.77						
316			Approximate Chi Square Value (.05)			12.92		Nonparametric Statistics				
317			Adjusted Level of Significance			0.0335				95% CLT UCL		252.6
318			Adjusted Chi Square Value			12.08				95% Jackknife UCL		259.7

	A	B	C	D	E	F	G	H	I	J	K	L
319										95% Standard Bootstrap UCL		250.3
320			Anderson-Darling Test Statistic			1.351				95% Bootstrap-t UCL		538.2
321			Anderson-Darling 5% Critical Value			0.771				95% Hall's Bootstrap UCL		639.7
322			Kolmogorov-Smirnov Test Statistic			0.228				95% Percentile Bootstrap UCL		266.6
323			Kolmogorov-Smirnov 5% Critical Value			0.223				95% BCA Bootstrap UCL		337.9
324		Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		431.2
325										97.5% Chebyshev(Mean, Sd) UCL		555.3
326			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		799.1
327			95% Approximate Gamma UCL			254.4						
328			95% Adjusted Gamma UCL			272.1						
329												
330			Potential UCL to Use						Use 99% Chebyshev (Mean, Sd) UCL			799.1
331												
332												
333	Bis(2-ethylhexyl) phthalate											
334												
335				General Statistics								
336			Number of Valid Data			14				Number of Detected Data		5
337			Number of Distinct Detected Data			5				Number of Non-Detect Data		9
338										Percent Non-Detects		64.29%
339												
340			Raw Statistics						Log-transformed Statistics			
341			Minimum Detected			73				Minimum Detected		4.29
342			Maximum Detected			110				Maximum Detected		4.7
343			Mean of Detected			84.4				Mean of Detected		4.424
344			SD of Detected			15.14				SD of Detected		0.167
345			Minimum Non-Detect			22				Minimum Non-Detect		3.091
346			Maximum Non-Detect			96				Maximum Non-Detect		4.564
347												
348	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			13
349	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
350	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			92.86%
351												
352				Warning: There are only 5 Detected Values in this data								
353				Note: It should be noted that even though bootstrap may be performed on this data set								
354				the resulting calculations may not be reliable enough tp draw conclusions								
355												
356				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
357												
358												
359					UCL Statistics							
360			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
361			Shapiro Wilk Test Statistic			0.809				Shapiro Wilk Test Statistic		0.84
362			5% Shapiro Wilk Critical Value			0.762				5% Shapiro Wilk Critical Value		0.762
363			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
364												
365			Assuming Normal Distribution						Assuming Lognormal Distribution			
366			DL/2 Substitution Method							DL/2 Substitution Method		
367			Mean			46.43				Mean		3.6
368			SD			31.84				SD		0.735
369			95% DL/2 (t) UCL			61.5				95% H-Stat (DL/2) UCL		61.67
370												
371			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		

	A	B	C	D	E	F	G	H	I	J	K	L
372	MLE method failed to converge properly									Mean in Log Scale		4.131
373										SD in Log Scale		0.247
374										Mean in Original Scale		64.18
375										SD in Original Scale		17.86
376										95% Percentile Bootstrap UCL		72.56
377										95% BCA Bootstrap UCL		74.69
378												
379	Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only				
380	k star (bias corrected)					17.34		Data appear Normal at 5% Significance Level				
381	Theta Star					4.868						
382	nu star					173.4						
383												
384	A-D Test Statistic					0.518		Nonparametric Statistics				
385	5% A-D Critical Value					0.678		Kaplan-Meier (KM) Method				
386	K-S Test Statistic					0.678				Mean		77.19
387	5% K-S Critical Value					0.357				SD		9.775
388	Data appear Gamma Distributed at 5% Significance Level									SE of Mean		2.937
389										95% KM (t) UCL		82.39
390	Assuming Gamma Distribution									95% KM (z) UCL		82.02
391	Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL		81.5
392	Minimum					73				95% KM (bootstrap t) UCL		92.02
393	Maximum					110				95% KM (BCA) UCL		87.71
394	Mean					84.76				95% KM (Percentile Bootstrap) UCL		85.16
395	Median					84.4				95% KM (Chebyshev) UCL		89.99
396	SD					8.505				97.5% KM (Chebyshev) UCL		95.53
397	k star					91.98				99% KM (Chebyshev) UCL		106.4
398	Theta star					0.921						
399	Nu star					2575		Potential UCLs to Use				
400	AppChi2					2458				95% KM (t) UCL		82.39
401	95% Gamma Approximate UCL					88.79		95% KM (Percentile Bootstrap) UCL				85.16
402	95% Adjusted Gamma UCL					89.34						
403	Note: DL/2 is not a recommended method.											
404												
405												
406	Dibenzo(a,h)anthracene											
407												
408	General Statistics											
409	Number of Valid Observations					16		Number of Distinct Observations				15
410												
411	Raw Statistics							Log-transformed Statistics				
412	Minimum					7.1		Minimum of Log Data				1.96
413	Maximum					330		Maximum of Log Data				5.799
414	Mean					43.14		Mean of log Data				3.085
415	Median					16		SD of log Data				1.035
416	SD					78.53						
417	Coefficient of Variation					1.82						
418	Skewness					3.665						
419												
420	Relevant UCL Statistics											
421	Normal Distribution Test							Lognormal Distribution Test				
422	Shapiro Wilk Test Statistic					0.462		Shapiro Wilk Test Statistic				0.882
423	Shapiro Wilk Critical Value					0.887		Shapiro Wilk Critical Value				0.887
424	Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
425												
426			Assuming Normal Distribution						Assuming Lognormal Distribution			
427				95% Student's-t UCL		77.56				95% H-UCL		78.05
428			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			79.98
429				95% Adjusted-CLT UCL		94.66			97.5% Chebyshev (MVUE) UCL			99.16
430				95% Modified-t UCL		80.56			99% Chebyshev (MVUE) UCL			136.9
431												
432			Gamma Distribution Test						Data Distribution			
433			k star (bias corrected)			0.744			Data Follow Appr. Gamma Distribution at 5% Significance Level			
434				Theta Star		57.96						
435				nu star		23.82						
436			Approximate Chi Square Value (.05)			13.71			Nonparametric Statistics			
437			Adjusted Level of Significance			0.0335			95% CLT UCL			75.44
438			Adjusted Chi Square Value			12.84			95% Jackknife UCL			77.56
439									95% Standard Bootstrap UCL			75.16
440			Anderson-Darling Test Statistic			1.308			95% Bootstrap-t UCL			165.1
441			Anderson-Darling 5% Critical Value			0.769			95% Hall's Bootstrap UCL			194
442			Kolmogorov-Smirnov Test Statistic			0.192			95% Percentile Bootstrap UCL			80.38
443			Kolmogorov-Smirnov 5% Critical Value			0.222			95% BCA Bootstrap UCL			101.6
444		Data follow Appr. Gamma Distribution at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			128.7
445									97.5% Chebyshev(Mean, Sd) UCL			165.7
446			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			238.5
447				95% Approximate Gamma UCL		74.95						
448				95% Adjusted Gamma UCL		80.01						
449												
450			Potential UCL to Use						Use 95% Approximate Gamma UCL			74.95
451												
452												
453	Dieldrin											
454												
455							General Statistics					
456				Number of Valid Data		11			Number of Detected Data			7
457			Number of Distinct Detected Data			7			Number of Non-Detect Data			4
458									Percent Non-Detects			36.36%
459												
460			Raw Statistics						Log-transformed Statistics			
461				Minimum Detected		0.086			Minimum Detected			-2.453
462				Maximum Detected		0.249			Maximum Detected			-1.39
463				Mean of Detected		0.18			Mean of Detected			-1.767
464				SD of Detected		0.0567			SD of Detected			0.363
465				Minimum Non-Detect		0.03			Minimum Non-Detect			-3.507
466				Maximum Non-Detect		0.0824			Maximum Non-Detect			-2.496
467												
468	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			4
469	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			7
470	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			36.36%
471												
472						Warning: There are only 7 Detected Values in this data						
473					Note: It should be noted that even though bootstrap may be performed on this data set							
474					the resulting calculations may not be reliable enough tp draw conclusions							
475												
476				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
477												

	A	B	C	D	E	F	G	H	I	J	K	L
478												
479						UCL Statistics						
480		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
481					Shapiro Wilk Test Statistic	0.954				Shapiro Wilk Test Statistic		0.904
482					5% Shapiro Wilk Critical Value	0.803				5% Shapiro Wilk Critical Value		0.803
483		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
484												
485		Assuming Normal Distribution						Assuming Lognormal Distribution				
486					DL/2 Substitution Method					DL/2 Substitution Method		
487					Mean	0.125				Mean		-2.417
488					SD	0.0873				SD		0.976
489					95% DL/2 (t) UCL	0.173				95% H-Stat (DL/2) UCL		0.168
490												
491				Maximum Likelihood Estimate(MLE) Method						Log ROS Method		
492					Mean	0.123				Mean in Log Scale		-2.084
493					SD	0.0912				SD in Log Scale		0.522
494					95% MLE (t) UCL	0.172				Mean in Original Scale		0.14
495					95% MLE (Tiku) UCL	0.178				SD in Original Scale		0.0701
496										95% Percentile Bootstrap UCL		0.175
497										95% BCA Bootstrap UCL		0.173
498												
499		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
500					k star (bias corrected)	5.8		Data appear Normal at 5% Significance Level				
501					Theta Star	0.031						
502					nu star	81.2						
503												
504					A-D Test Statistic	0.305		Nonparametric Statistics				
505					5% A-D Critical Value	0.708		Kaplan-Meier (KM) Method				
506					K-S Test Statistic	0.708				Mean		0.146
507					5% K-S Critical Value	0.312				SD		0.0615
508		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.02
509										95% KM (t) UCL		0.182
510		Assuming Gamma Distribution								95% KM (z) UCL		0.179
511		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.184
512					Minimum	0.086				95% KM (bootstrap t) UCL		0.179
513					Maximum	0.249				95% KM (BCA) UCL		0.2
514					Mean	0.165				95% KM (Percentile Bootstrap) UCL		0.192
515					Median	0.146				95% KM (Chebyshev) UCL		0.233
516					SD	0.0482				97.5% KM (Chebyshev) UCL		0.271
517					k star	9.426				99% KM (Chebyshev) UCL		0.345
518					Theta star	0.0175						
519					Nu star	207.4		Potential UCLs to Use				
520					AppChi2	175.1				95% KM (t) UCL		0.182
521		95% Gamma Approximate UCL				0.196				95% KM (Percentile Bootstrap) UCL		0.192
522		95% Adjusted Gamma UCL				0.201						
523	Note: DL/2 is not a recommended method.											
524												
525												
526	Indeno(1,2,3-cd)pyrene											
527												
528						General Statistics						
529				Number of Valid Observations		16				Number of Distinct Observations		15
530												

	A	B	C	D	E	F	G	H	I	J	K	L
531			Raw Statistics						Log-transformed Statistics			
532					Minimum	49				Minimum of Log Data		3.892
533					Maximum	2900				Maximum of Log Data		7.972
534					Mean	321.2				Mean of log Data		4.953
535					Median	120				SD of log Data		1.045
536					SD	699						
537					Coefficient of Variation	2.176						
538					Skewness	3.793						
539												
540					Relevant UCL Statistics							
541			Normal Distribution Test						Lognormal Distribution Test			
542				Shapiro Wilk Test Statistic		0.403				Shapiro Wilk Test Statistic		0.826
543				Shapiro Wilk Critical Value		0.887				Shapiro Wilk Critical Value		0.887
544		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
545												
546			Assuming Normal Distribution						Assuming Lognormal Distribution			
547					95% Student's-t UCL	627.5				95% H-UCL		516.3
548		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			525.6
549				95% Adjusted-CLT UCL		785.7				97.5% Chebyshev (MVUE) UCL		652.3
550				95% Modified-t UCL		655.2				99% Chebyshev (MVUE) UCL		901.2
551												
552			Gamma Distribution Test						Data Distribution			
553				k star (bias corrected)		0.637		Data do not follow a Discernable Distribution (0.05)				
554					Theta Star	504.1						
555					nu star	20.39						
556			Approximate Chi Square Value (.05)			11.14			Nonparametric Statistics			
557				Adjusted Level of Significance		0.0335				95% CLT UCL		608.6
558				Adjusted Chi Square Value		10.37				95% Jackknife UCL		627.5
559										95% Standard Bootstrap UCL		601.9
560				Anderson-Darling Test Statistic		2.058				95% Bootstrap-t UCL		1854
561				Anderson-Darling 5% Critical Value		0.776				95% Hall's Bootstrap UCL		1637
562				Kolmogorov-Smirnov Test Statistic		0.301				95% Percentile Bootstrap UCL		651.4
563				Kolmogorov-Smirnov 5% Critical Value		0.223				95% BCA Bootstrap UCL		869.8
564		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			1083
565									97.5% Chebyshev(Mean, Sd) UCL			1412
566			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			2060
567				95% Approximate Gamma UCL		587.9						
568				95% Adjusted Gamma UCL		631.7						
569												
570			Potential UCL to Use						Use 99% Chebyshev (Mean, Sd) UCL			2060
571												
572												
573	Lead											
574												
575					General Statistics							
576				Number of Valid Observations		16				Number of Distinct Observations		14
577												
578			Raw Statistics						Log-transformed Statistics			
579					Minimum	9.91				Minimum of Log Data		2.294
580					Maximum	26				Maximum of Log Data		3.258
581					Mean	14.71				Mean of log Data		2.667
582					Median	14.05				SD of log Data		0.206
583					SD	3.514						

	A	B	C	D	E	F	G	H	I	J	K	L
584				Coefficient of Variation		0.239						
585					Skewness	2.342						
586												
587							Relevant UCL Statistics					
588			Normal Distribution Test						Lognormal Distribution Test			
589				Shapiro Wilk Test Statistic		0.753				Shapiro Wilk Test Statistic		0.86
590				Shapiro Wilk Critical Value		0.887				Shapiro Wilk Critical Value		0.887
591		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
592												
593			Assuming Normal Distribution						Assuming Lognormal Distribution			
594					95% Student's-t UCL	16.25				95% H-UCL		16.18
595		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			17.99
596				95% Adjusted-CLT UCL		16.7			97.5% Chebyshev (MVUE) UCL			19.43
597				95% Modified-t UCL		16.33			99% Chebyshev (MVUE) UCL			22.24
598												
599			Gamma Distribution Test						Data Distribution			
600				k star (bias corrected)		18.87		Data do not follow a Discernable Distribution (0.05)				
601					Theta Star	0.779						
602					nu star	603.9						
603			Approximate Chi Square Value (.05)			547.9			Nonparametric Statistics			
604			Adjusted Level of Significance			0.0335				95% CLT UCL		16.15
605				Adjusted Chi Square Value		541.9				95% Jackknife UCL		16.25
606										95% Standard Bootstrap UCL		16.08
607			Anderson-Darling Test Statistic			1.087				95% Bootstrap-t UCL		17.5
608			Anderson-Darling 5% Critical Value			0.736				95% Hall's Bootstrap UCL		23.5
609			Kolmogorov-Smirnov Test Statistic			0.247				95% Percentile Bootstrap UCL		16.25
610			Kolmogorov-Smirnov 5% Critical Value			0.215				95% BCA Bootstrap UCL		16.78
611		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			18.54
612									97.5% Chebyshev(Mean, Sd) UCL			20.19
613			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			23.45
614				95% Approximate Gamma UCL		16.21						
615				95% Adjusted Gamma UCL		16.39						
616												
617			Potential UCL to Use							Use 95% Student's-t UCL		16.25
618										or 95% Modified-t UCL		16.33
619												
620												
621	Mercury											
622												
623							General Statistics					
624				Number of Valid Data		16				Number of Detected Data		15
625			Number of Distinct Detected Data			13				Number of Non-Detect Data		1
626										Percent Non-Detects		6.25%
627												
628			Raw Statistics						Log-transformed Statistics			
629				Minimum Detected		0.031				Minimum Detected		-3.474
630				Maximum Detected		0.219				Maximum Detected		-1.519
631				Mean of Detected		0.0729				Mean of Detected		-2.72
632				SD of Detected		0.0436				SD of Detected		0.421
633				Minimum Non-Detect		0.07				Minimum Non-Detect		-2.659
634				Maximum Non-Detect		0.07				Maximum Non-Detect		-2.659
635												
636												

	A	B	C	D	E	F	G	H	I	J	K	L
637							UCL Statistics					
638			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
639					Shapiro Wilk Test Statistic	0.591				Shapiro Wilk Test Statistic		0.799
640					5% Shapiro Wilk Critical Value	0.881				5% Shapiro Wilk Critical Value		0.881
641			Data not Normal at 5% Significance Level					Data not Lognormal at 5% Significance Level				
642												
643			Assuming Normal Distribution					Assuming Lognormal Distribution				
644					DL/2 Substitution Method					DL/2 Substitution Method		
645					Mean	0.0706				Mean		-2.759
646					SD	0.0432				SD		0.436
647					95% DL/2 (t) UCL	0.0895				95% H-Stat (DL/2) UCL		0.0873
648												
649					Maximum Likelihood Estimate(MLE) Method	N/A				Log ROS Method		
650			MLE yields a negative mean							Mean in Log Scale		-2.727
651										SD in Log Scale		0.408
652										Mean in Original Scale		0.0721
653										SD in Original Scale		0.0423
654										95% Percentile Bootstrap UCL		0.0907
655										95% BCA Bootstrap UCL		0.102
656												
657			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
658					k star (bias corrected)	4.111		Data do not follow a Discernable Distribution (0.05)				
659					Theta Star	0.0177						
660					nu star	123.3						
661												
662					A-D Test Statistic	1.717		Nonparametric Statistics				
663					5% A-D Critical Value	0.739				Kaplan-Meier (KM) Method		
664					K-S Test Statistic	0.739				Mean		0.072
665					5% K-S Critical Value	0.222				SD		0.0411
666			Data not Gamma Distributed at 5% Significance Level							SE of Mean		0.0106
667										95% KM (t) UCL		0.0906
668			Assuming Gamma Distribution							95% KM (z) UCL		0.0895
669			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.0906
670					Minimum	0.031				95% KM (bootstrap t) UCL		0.13
671					Maximum	0.219				95% KM (BCA) UCL		0.091
672					Mean	0.0729				95% KM (Percentile Bootstrap) UCL		0.0904
673					Median	0.0615				95% KM (Chebyshev) UCL		0.118
674					SD	0.0422				97.5% KM (Chebyshev) UCL		0.138
675					k star	4.438				99% KM (Chebyshev) UCL		0.178
676					Theta star	0.0164						
677					Nu star	142		Potential UCLs to Use				
678					AppChi2	115.5				95% KM (Chebyshev) UCL		0.118
679				95% Gamma Approximate UCL		0.0896						
680				95% Adjusted Gamma UCL		0.0918						
681	Note: DL/2 is not a recommended method.											
682												
683												
684	Naphthalene											
685												
686							General Statistics					
687				Number of Valid Data		16				Number of Detected Data		15
688				Number of Distinct Detected Data		13				Number of Non-Detect Data		1
689										Percent Non-Detects		6.25%

	A	B	C	D	E	F	G	H	I	J	K	L
690												
691			Raw Statistics						Log-transformed Statistics			
692					Minimum Detected	8.2					Minimum Detected	2.104
693					Maximum Detected	980					Maximum Detected	6.888
694					Mean of Detected	140.8					Mean of Detected	3.867
695					SD of Detected	255.2					SD of Detected	1.454
696					Minimum Non-Detect	9.3					Minimum Non-Detect	2.23
697					Maximum Non-Detect	9.3					Maximum Non-Detect	2.23
698												
699												
700					UCL Statistics							
701		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
702					Shapiro Wilk Test Statistic	0.573					Shapiro Wilk Test Statistic	0.926
703					5% Shapiro Wilk Critical Value	0.881					5% Shapiro Wilk Critical Value	0.881
704		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
705												
706		Assuming Normal Distribution						Assuming Lognormal Distribution				
707					DL/2 Substitution Method						DL/2 Substitution Method	
708					Mean	132.3					Mean	3.722
709					SD	248.9					SD	1.521
710					95% DL/2 (t) UCL	241.3					95% H-Stat (DL/2) UCL	536.1
711												
712					Maximum Likelihood Estimate(MLE) Method						Log ROS Method	
713					Mean	110.4					Mean in Log Scale	3.697
714					SD	263.4					SD in Log Scale	1.561
715					95% MLE (t) UCL	225.9					Mean in Original Scale	132.2
716					95% MLE (Tiku) UCL	219.2					SD in Original Scale	248.9
717											95% Percentile Bootstrap UCL	238.9
718											95% BCA Bootstrap UCL	300.3
719												
720		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
721					k star (bias corrected)	0.505		Data appear Lognormal at 5% Significance Level				
722					Theta Star	278.7						
723					nu star	15.15						
724												
725					A-D Test Statistic	0.96		Nonparametric Statistics				
726					5% A-D Critical Value	0.788		Kaplan-Meier (KM) Method				
727					K-S Test Statistic	0.788					Mean	132.5
728					5% K-S Critical Value	0.233					SD	240.8
729		Data not Gamma Distributed at 5% Significance Level									SE of Mean	62.32
730											95% KM (t) UCL	241.7
731		Assuming Gamma Distribution									95% KM (z) UCL	235
732		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	241.4
733					Minimum	1E-09					95% KM (bootstrap t) UCL	447.5
734					Maximum	980					95% KM (BCA) UCL	248.4
735					Mean	132					95% KM (Percentile Bootstrap) UCL	236.8
736					Median	29					95% KM (Chebyshev) UCL	404.1
737					SD	249					97.5% KM (Chebyshev) UCL	521.7
738					k star	0.264					99% KM (Chebyshev) UCL	752.6
739					Theta star	499.1						
740					Nu star	8.462		Potential UCLs to Use				
741					AppChi2	3.005					97.5% KM (Chebyshev) UCL	521.7
742					95% Gamma Approximate UCL	371.6						

	A	B	C	D	E	F	G	H	I	J	K	L
743					95% Adjusted Gamma UCL	421.9						
744	Note: DL/2 is not a recommended method.											
745												
746												
747	Total Aroclors											
748												
749					General Statistics							
750				Number of Valid Observations		14			Number of Distinct Observations			14
751												
752			Raw Statistics						Log-transformed Statistics			
753					Minimum	9.6				Minimum of Log Data		2.262
754					Maximum	37.8				Maximum of Log Data		3.632
755					Mean	22.65				Mean of log Data		3.048
756					Median	22.38				SD of log Data		0.405
757					SD	8.643						
758				Coefficient of Variation		0.382						
759					Skewness	0.311						
760												
761					Relevant UCL Statistics							
762			Normal Distribution Test						Lognormal Distribution Test			
763				Shapiro Wilk Test Statistic		0.962				Shapiro Wilk Test Statistic		0.969
764				Shapiro Wilk Critical Value		0.874				Shapiro Wilk Critical Value		0.874
765		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
766												
767			Assuming Normal Distribution						Assuming Lognormal Distribution			
768					95% Student's-t UCL	26.74					95% H-UCL	28.6
769		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			33.67
770				95% Adjusted-CLT UCL		26.66			97.5% Chebyshev (MVUE) UCL			38.4
771				95% Modified-t UCL		26.78			99% Chebyshev (MVUE) UCL			47.7
772												
773			Gamma Distribution Test						Data Distribution			
774				k star (bias corrected)		5.587		Data appear Normal at 5% Significance Level				
775					Theta Star	4.055						
776					nu star	156.4						
777			Approximate Chi Square Value (.05)			128.5			Nonparametric Statistics			
778				Adjusted Level of Significance		0.0312				95% CLT UCL		26.45
779				Adjusted Chi Square Value		125.2				95% Jackknife UCL		26.74
780									95% Standard Bootstrap UCL			26.37
781				Anderson-Darling Test Statistic		0.184				95% Bootstrap-t UCL		27.01
782				Anderson-Darling 5% Critical Value		0.737				95% Hall's Bootstrap UCL		26.65
783				Kolmogorov-Smirnov Test Statistic		0.111			95% Percentile Bootstrap UCL			26.26
784				Kolmogorov-Smirnov 5% Critical Value		0.229				95% BCA Bootstrap UCL		26.31
785		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			32.72
786									97.5% Chebyshev(Mean, Sd) UCL			37.08
787			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			45.64
788				95% Approximate Gamma UCL		27.57						
789				95% Adjusted Gamma UCL		28.31						
790												
791			Potential UCL to Use						Use 95% Student's-t UCL			26.74
792												
793												
794	Total DDT											
795												

	A	B	C	D	E	F	G	H	I	J	K	L
796	General Statistics											
797	Number of Valid Data					15			Number of Detected Data			14
798	Number of Distinct Detected Data					14			Number of Non-Detect Data			1
799									Percent Non-Detects			6.67%
800												
801	Raw Statistics							Log-transformed Statistics				
802	Minimum Detected					0.242			Minimum Detected			-1.419
803	Maximum Detected					30.42			Maximum Detected			3.415
804	Mean of Detected					6.151			Mean of Detected			0.895
805	SD of Detected					9.585			SD of Detected			1.341
806	Minimum Non-Detect					2.2			Minimum Non-Detect			0.788
807	Maximum Non-Detect					2.2			Maximum Non-Detect			0.788
808												
809												
810	UCL Statistics											
811	Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only				
812	Shapiro Wilk Test Statistic					0.622			Shapiro Wilk Test Statistic			0.893
813	5% Shapiro Wilk Critical Value					0.874			5% Shapiro Wilk Critical Value			0.874
814	Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level				
815												
816	Assuming Normal Distribution							Assuming Lognormal Distribution				
817	DL/2 Substitution Method								DL/2 Substitution Method			
818	Mean					5.814			Mean			0.842
819	SD					9.328			SD			1.309
820	95% DL/2 (t) UCL					10.06			95% H-Stat (DL/2) UCL			16.48
821												
822	Maximum Likelihood Estimate(MLE) Method					N/A			Log ROS Method			
823	MLE yields a negative mean								Mean in Log Scale			0.842
824									SD in Log Scale			1.308
825									Mean in Original Scale			5.815
826									SD in Original Scale			9.328
827									95% Percentile Bootstrap UCL			10.03
828									95% BCA Bootstrap UCL			11.13
829												
830	Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only				
831	k star (bias corrected)					0.567			Data appear Lognormal at 5% Significance Level			
832	Theta Star					10.85						
833	nu star					15.87						
834												
835	A-D Test Statistic					1.413			Nonparametric Statistics			
836	5% A-D Critical Value					0.779			Kaplan-Meier (KM) Method			
837	K-S Test Statistic					0.779			Mean			5.821
838	5% K-S Critical Value					0.239			SD			9.009
839	Data not Gamma Distributed at 5% Significance Level								SE of Mean			2.414
840									95% KM (t) UCL			10.07
841	Assuming Gamma Distribution								95% KM (z) UCL			9.792
842	Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL			10.06
843	Minimum					0.242			95% KM (bootstrap t) UCL			14.69
844	Maximum					30.42			95% KM (BCA) UCL			10.22
845	Mean					5.764			95% KM (Percentile Bootstrap) UCL			9.684
846	Median					1.538			95% KM (Chebyshev) UCL			16.34
847	SD					9.357			97.5% KM (Chebyshev) UCL			20.9
848	k star					0.542			99% KM (Chebyshev) UCL			29.84

	A	B	C	D	E	F	G	H	I	J	K	L
849					Theta star	10.64						
850					Nu star	16.26		**Potential UCLs to Use**				
851					AppChi2	8.144			97.5% KM (Chebyshev) UCL			20.9
852				95% Gamma Approximate UCL		11.51						
853				95% Adjusted Gamma UCL		12.58						
854	**Note: DL/2 is not a recommended method.**											
855												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM4.0E.wst								
4			Full Precision	OFF								
5			Confidence Coefficient	95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Aldrin											
10												
11						General Statistics						
12				Number of Valid Data		15			Number of Detected Data			5
13			Number of Distinct Detected Data			5			Number of Non-Detect Data			10
14				Number of Missing Values		31			Percent Non-Detects			66.67%
15												
16			Raw Statistics					Log-transformed Statistics				
17				Minimum Detected		0.0267			Minimum Detected			-3.623
18				Maximum Detected		3.18			Maximum Detected			1.157
19				Mean of Detected		0.878			Mean of Detected			-1.375
20				SD of Detected		1.342			SD of Detected			1.906
21				Minimum Non-Detect		0.19			Minimum Non-Detect			-1.661
22				Maximum Non-Detect		1.08			Maximum Non-Detect			0.077
23												
24	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			14
25	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
26	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			93.33%
27												
28					Warning: There are only 5 Detected Values in this data							
29				Note: It should be noted that even though bootstrap may be performed on this data set								
30				the resulting calculations may not be reliable enough tp draw conclusions								
31												
32				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
33												
34												
35						UCL Statistics						
36		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
37				Shapiro Wilk Test Statistic		0.735			Shapiro Wilk Test Statistic			0.942
38				5% Shapiro Wilk Critical Value		0.762			5% Shapiro Wilk Critical Value			0.762
39		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
40												
41		Assuming Normal Distribution						Assuming Lognormal Distribution				
42				DL/2 Substitution Method					DL/2 Substitution Method			
43				Mean		0.473			Mean			-1.538
44				SD		0.795			SD			1.225
45				95% DL/2 (t) UCL		0.835			95% H-Stat (DL/2) UCL			0.793
46												
47			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
48		MLE method failed to converge properly							Mean in Log Scale			-2.124
49									SD in Log Scale			1.222
50									Mean in Original Scale			0.353
51									SD in Original Scale			0.814
52									95% Percentile Bootstrap UCL			0.763
53									95% BCA Bootstrap UCL			0.971

	A	B	C	D	E	F	G	H	I	J	K	L
54												
55		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
56					k star (bias corrected)	0.337		Data appear Gamma Distributed at 5% Significance Level				
57					Theta Star	2.605						
58					nu star	3.37						
59												
60					A-D Test Statistic	0.39		Nonparametric Statistics				
61					5% A-D Critical Value	0.71		Kaplan-Meier (KM) Method				
62					K-S Test Statistic	0.71				Mean		0.372
63					5% K-S Critical Value	0.371				SD		0.793
64		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.234
65										95% KM (t) UCL		0.785
66		Assuming Gamma Distribution								95% KM (z) UCL		0.757
67		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.757
68					Minimum	1E-09				95% KM (bootstrap t) UCL		3.371
69					Maximum	3.18				95% KM (BCA) UCL		0.956
70					Mean	0.833			95% KM (Percentile Bootstrap) UCL			0.931
71					Median	0.768				95% KM (Chebyshev) UCL		1.393
72					SD	0.765				97.5% KM (Chebyshev) UCL		1.835
73					k star	0.351				99% KM (Chebyshev) UCL		2.703
74					Theta star	2.372						
75					Nu star	10.53		Potential UCLs to Use				
76					AppChi2	4.277				95% KM (t) UCL		0.785
77		95% Gamma Approximate UCL				2.051						
78		95% Adjusted Gamma UCL				2.309						
79	Note: DL/2 is not a recommended method.											
80												
81												
82	Arsenic											
83												
84						General Statistics						
85		Number of Valid Data				48			Number of Detected Data			45
86		Number of Distinct Detected Data				31			Number of Non-Detect Data			3
87		Number of Missing Values				1			Percent Non-Detects			6.25%
88												
89		Raw Statistics						Log-transformed Statistics				
90					Minimum Detected	1.9				Minimum Detected		0.642
91					Maximum Detected	15.5				Maximum Detected		2.741
92					Mean of Detected	4.334				Mean of Detected		1.385
93					SD of Detected	2.173				SD of Detected		0.381
94					Minimum Non-Detect	5				Minimum Non-Detect		1.609
95					Maximum Non-Detect	5				Maximum Non-Detect		1.609
96												
97												
98						UCL Statistics						
99		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
100				Shapiro Wilk Test Statistic		0.716				Shapiro Wilk Test Statistic		0.948
101				5% Shapiro Wilk Critical Value		0.945				5% Shapiro Wilk Critical Value		0.945
102		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
103												
104		Assuming Normal Distribution						Assuming Lognormal Distribution				
105				DL/2 Substitution Method						DL/2 Substitution Method		
106					Mean	4.219				Mean		1.356

	A	B	C	D	E	F	G	H	I	J	K	L
107					SD	2.149					SD	0.386
108				95% DL/2 (t) UCL		4.74				95% H-Stat (DL/2) UCL		4.404
109												
110			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
111					Mean	1.05				Mean in Log Scale		1.378
112					SD	4.672				SD in Log Scale		0.372
113				95% MLE (t) UCL		2.181				Mean in Original Scale		4.287
114				95% MLE (Tiku) UCL		3.72				SD in Original Scale		2.115
115										95% Percentile Bootstrap UCL		4.82
116										95% BCA Bootstrap UCL		4.922
117												
118		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
119				k star (bias corrected)		5.907		Data appear Lognormal at 5% Significance Level				
120					Theta Star	0.734						
121					nu star	531.6						
122												
123				A-D Test Statistic		1.129		Nonparametric Statistics				
124				5% A-D Critical Value		0.752				Kaplan-Meier (KM) Method		
125				K-S Test Statistic		0.752				Mean		4.282
126				5% K-S Critical Value		0.132				SD		2.098
127		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.308
128										95% KM (t) UCL		4.798
129			Assuming Gamma Distribution							95% KM (z) UCL		4.788
130			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		4.798
131					Minimum	1.9				95% KM (bootstrap t) UCL		5.057
132					Maximum	15.5				95% KM (BCA) UCL		4.811
133					Mean	4.326				95% KM (Percentile Bootstrap) UCL		4.815
134					Median	3.745				95% KM (Chebyshev) UCL		5.623
135					SD	2.112				97.5% KM (Chebyshev) UCL		6.203
136					k star	6.216				99% KM (Chebyshev) UCL		7.342
137					Theta star	0.696						
138					Nu star	596.8		Potential UCLs to Use				
139					AppChi2	541.1				95% KM (Chebyshev) UCL		5.623
140			95% Gamma Approximate UCL			4.77						
141			95% Adjusted Gamma UCL			4.785						
142	Note: DL/2 is not a recommended method.											
143												
144												
145	Benzo(a)anthracene											
146												
147							General Statistics					
148				Number of Valid Data		48				Number of Detected Data		48
149		Number of Distinct Detected Data				42				Number of Non-Detect Data		0
150				Number of Missing Values		1				Percent Non-Detects		0.00%
151												
152			Raw Statistics						Log-transformed Statistics			
153				Minimum Detected		3.3				Minimum Detected		1.194
154				Maximum Detected		4300				Maximum Detected		8.366
155				Mean of Detected		634				Mean of Detected		5.181
156				SD of Detected		1026				SD of Detected		1.781
157				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
158				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
159												

	A	B	C	D	E	F	G	H	I	J	K	L
160												
161				UCL Statistics								
162		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
163				Shapiro Wilk Test Statistic		0.638			Shapiro Wilk Test Statistic			0.964
164				5% Shapiro Wilk Critical Value		0.947			5% Shapiro Wilk Critical Value			0.947
165		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
166												
167		Assuming Normal Distribution						Assuming Lognormal Distribution				
168				DL/2 Substitution Method					DL/2 Substitution Method			
169				Mean		634			Mean			5.181
170				SD		1026			SD			1.781
171			95% DL/2 (t) UCL			882.4			95% H-Stat (DL/2) UCL			2026
172												
173		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
174		MLE method failed to converge properly							Mean in Log Scale			N/A
175									SD in Log Scale			N/A
176									Mean in Original Scale			N/A
177									SD in Original Scale			N/A
178									95% Percentile Bootstrap UCL			N/A
179									95% BCA Bootstrap UCL			N/A
180												
181		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
182				k star (bias corrected)		0.482		Data appear Lognormal at 5% Significance Level				
183				Theta Star		1314						
184				nu star		46.3						
185												
186				A-D Test Statistic		1.432		Nonparametric Statistics				
187				5% A-D Critical Value		0.814			Kaplan-Meier (KM) Method			
188				K-S Test Statistic		0.814			Mean			634
189				5% K-S Critical Value		0.135			SD			1015
190		Data not Gamma Distributed at 5% Significance Level							SE of Mean			148.1
191									95% KM (t) UCL			882.4
192		Assuming Gamma Distribution							95% KM (z) UCL			877.5
193		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			882.4
194				Minimum		3.3			95% KM (bootstrap t) UCL			984.3
195				Maximum		4300			95% KM (BCA) UCL			883.6
196				Mean		634			95% KM (Percentile Bootstrap) UCL			879.2
197				Median		147			95% KM (Chebyshev) UCL			1279
198				SD		1026			97.5% KM (Chebyshev) UCL			1559
199				k star		0.482			99% KM (Chebyshev) UCL			2107
200				Theta star		1314						
201				Nu star		46.3		Potential UCLs to Use				
202				AppChi2		31.69			97.5% KM (Chebyshev) UCL			1559
203			95% Gamma Approximate UCL			926.4						
204			95% Adjusted Gamma UCL			937.5						
205	Note: DL/2 is not a recommended method.											
206												
207												
208	Benzo(a)pyrene											
209												
210				General Statistics								
211				Number of Valid Data		48			Number of Detected Data			48
212			Number of Distinct Detected Data			42			Number of Non-Detect Data			0

	A	B	C	D	E	F	G	H	I	J	K	L
213				Number of Missing Values		1				Percent Non-Detects		0.00%
214												
215				Raw Statistics						Log-transformed Statistics		
216				Minimum Detected		3				Minimum Detected		1.099
217				Maximum Detected		6300				Maximum Detected		8.748
218				Mean of Detected		875.1				Mean of Detected		5.421
219				SD of Detected		1500				SD of Detected		1.839
220				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
221				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
222												
223												
224						UCL Statistics						
225			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
226				Shapiro Wilk Test Statistic		0.609				Shapiro Wilk Test Statistic		0.97
227				5% Shapiro Wilk Critical Value		0.947				5% Shapiro Wilk Critical Value		0.947
228			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
229												
230				Assuming Normal Distribution						Assuming Lognormal Distribution		
231				DL/2 Substitution Method						DL/2 Substitution Method		
232				Mean		875.1				Mean		5.421
233				SD		1500				SD		1.839
234				95% DL/2 (t) UCL		1238				95% H-Stat (DL/2) UCL		3007
235												
236				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
237			MLE method failed to converge properly							Mean in Log Scale		N/A
238										SD in Log Scale		N/A
239										Mean in Original Scale		N/A
240										SD in Original Scale		N/A
241										95% Percentile Bootstrap UCL		N/A
242										95% BCA Bootstrap UCL		N/A
243												
244			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
245				k star (bias corrected)		0.458			Data appear Lognormal at 5% Significance Level			
246				Theta Star		1912						
247				nu star		43.93						
248												
249				A-D Test Statistic		1.376				Nonparametric Statistics		
250				5% A-D Critical Value		0.82				Kaplan-Meier (KM) Method		
251				K-S Test Statistic		0.82				Mean		875.1
252				5% K-S Critical Value		0.136				SD		1485
253			Data not Gamma Distributed at 5% Significance Level							SE of Mean		216.6
254										95% KM (t) UCL		1238
255			Assuming Gamma Distribution							95% KM (z) UCL		1231
256			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		1238
257				Minimum		3				95% KM (bootstrap t) UCL		1435
258				Maximum		6300				95% KM (BCA) UCL		1262
259				Mean		875.1				95% KM (Percentile Bootstrap) UCL		1252
260				Median		210				95% KM (Chebyshev) UCL		1819
261				SD		1500				97.5% KM (Chebyshev) UCL		2228
262				k star		0.458				99% KM (Chebyshev) UCL		3030
263				Theta star		1912						
264				Nu star		43.93				Potential UCLs to Use		
265				AppChi2		29.73				97.5% KM (Chebyshev) UCL		2228

	A	B	C	D	E	F	G	H	I	J	K	L
266				95% Gamma Approximate UCL		1293						
267				95% Adjusted Gamma UCL		1309						
268	Note: DL/2 is not a recommended method.											
269												
270												
271	Benzo(b)fluoranthene											
272												
273				General Statistics								
274			Number of Valid Data			48			Number of Detected Data			48
275			Number of Distinct Detected Data			39			Number of Non-Detect Data			0
276			Number of Missing Values			1			Percent Non-Detects			0.00%
277												
278			Raw Statistics						Log-transformed Statistics			
279			Minimum Detected			4.1			Minimum Detected			1.411
280			Maximum Detected			6200			Maximum Detected			8.732
281			Mean of Detected			904.8			Mean of Detected			5.484
282			SD of Detected			1520			SD of Detected			1.813
283			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
284			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
285												
286												
287				UCL Statistics								
288		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
289			Shapiro Wilk Test Statistic			0.618			Shapiro Wilk Test Statistic			0.964
290			5% Shapiro Wilk Critical Value			0.947			5% Shapiro Wilk Critical Value			0.947
291		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
292												
293		Assuming Normal Distribution						Assuming Lognormal Distribution				
294			DL/2 Substitution Method						DL/2 Substitution Method			
295			Mean			904.8			Mean			5.484
296			SD			1520			SD			1.813
297			95% DL/2 (t) UCL			1273			95% H-Stat (DL/2) UCL			2990
298												
299			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
300		MLE method failed to converge properly							Mean in Log Scale			N/A
301									SD in Log Scale			N/A
302									Mean in Original Scale			N/A
303									SD in Original Scale			N/A
304									95% Percentile Bootstrap UCL			N/A
305									95% BCA Bootstrap UCL			N/A
306												
307		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
308			k star (bias corrected)			0.466		Data appear Lognormal at 5% Significance Level				
309			Theta Star			1940						
310			nu star			44.77						
311												
312			A-D Test Statistic			1.489			Nonparametric Statistics			
313			5% A-D Critical Value			0.818			Kaplan-Meier (KM) Method			
314			K-S Test Statistic			0.818			Mean			904.8
315			5% K-S Critical Value			0.135			SD			1504
316		Data not Gamma Distributed at 5% Significance Level							SE of Mean			219.3
317									95% KM (t) UCL			1273
318		Assuming Gamma Distribution							95% KM (z) UCL			1266

	A	B	C	D	E	F	G	H	I	J	K	L
319			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		1273
320					Minimum	4.1				95% KM (bootstrap t) UCL		1414
321					Maximum	6200				95% KM (BCA) UCL		1274
322					Mean	904.8				95% KM (Percentile Bootstrap) UCL		1277
323					Median	220				95% KM (Chebyshev) UCL		1861
324					SD	1520				97.5% KM (Chebyshev) UCL		2275
325					k star	0.466				99% KM (Chebyshev) UCL		3087
326					Theta star	1940						
327					Nu star	44.77				**Potential UCLs to Use**		
328					AppChi2	30.42				97.5% KM (Chebyshev) UCL		2275
329				95% Gamma Approximate UCL		1332						
330				95% Adjusted Gamma UCL		1348						
331	Note: DL/2 is not a recommended method.											
332												
333												
334	Benzo(k)fluoranthene											
335												
336							**General Statistics**					
337				Number of Valid Data		43				Number of Detected Data		43
338				Number of Distinct Detected Data		38				Number of Non-Detect Data		0
339				Number of Missing Values		6				Percent Non-Detects		0.00%
340												
341			**Raw Statistics**							**Log-transformed Statistics**		
342				Minimum Detected		5.6				Minimum Detected		1.723
343				Maximum Detected		4900				Maximum Detected		8.497
344				Mean of Detected		711.2				Mean of Detected		5.229
345				SD of Detected		1174				SD of Detected		1.813
346				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
347				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
348												
349												
350							**UCL Statistics**					
351		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
352				Shapiro Wilk Test Statistic		0.638				Shapiro Wilk Test Statistic		0.966
353				5% Shapiro Wilk Critical Value		0.943				5% Shapiro Wilk Critical Value		0.943
354		**Data not Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
355												
356		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
357				DL/2 Substitution Method						DL/2 Substitution Method		
358				Mean		711.2				Mean		5.229
359				SD		1174				SD		1.813
360				95% DL/2 (t) UCL		1012				95% H-Stat (DL/2) UCL		2467
361												
362				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
363		**MLE method failed to converge properly**								Mean in Log Scale		N/A
364										SD in Log Scale		N/A
365										Mean in Original Scale		N/A
366										SD in Original Scale		N/A
367										95% Percentile Bootstrap UCL		N/A
368										95% BCA Bootstrap UCL		N/A
369												
370		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
371				k star (bias corrected)		0.46			**Data appear Lognormal at 5% Significance Level**			

	A	B	C	D	E	F	G	H	I	J	K	L
372					Theta Star	1546						
373					nu star	39.57						
374												
375					A-D Test Statistic	1.241		Nonparametric Statistics				
376				5% A-D Critical Value		0.818			Kaplan-Meier (KM) Method			
377					K-S Test Statistic	0.818				Mean		711.2
378				5% K-S Critical Value		0.143				SD		1161
379		Data not Gamma Distributed at 5% Significance Level								SE of Mean		179.1
380										95% KM (t) UCL		1012
381		Assuming Gamma Distribution								95% KM (z) UCL		1006
382		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		1012
383					Minimum	5.6			95% KM (bootstrap t) UCL			1118
384					Maximum	4900				95% KM (BCA) UCL		1004
385					Mean	711.2		95% KM (Percentile Bootstrap) UCL				1013
386					Median	185			95% KM (Chebyshev) UCL			1492
387					SD	1174			97.5% KM (Chebyshev) UCL			1830
388					k star	0.46			99% KM (Chebyshev) UCL			2493
389					Theta star	1546						
390					Nu star	39.57		Potential UCLs to Use				
391					AppChi2	26.16			97.5% KM (Chebyshev) UCL			1830
392				95% Gamma Approximate UCL		1076						
393				95% Adjusted Gamma UCL		1092						
394	Note: DL/2 is not a recommended method.											
395												
396												
397	Bis(2-ethylhexyl) phthalate											
398												
399					General Statistics							
400				Number of Valid Data		48				Number of Detected Data		29
401			Number of Distinct Detected Data			28				Number of Non-Detect Data		19
402				Number of Missing Values		1				Percent Non-Detects		39.58%
403												
404			Raw Statistics					Log-transformed Statistics				
405				Minimum Detected		21				Minimum Detected		3.045
406				Maximum Detected		14000				Maximum Detected		9.547
407				Mean of Detected		1459				Mean of Detected		5.641
408				SD of Detected		3254				SD of Detected		1.749
409				Minimum Non-Detect		16.1				Minimum Non-Detect		2.779
410				Maximum Non-Detect		1580				Maximum Non-Detect		7.365
411												
412	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			43
413	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			5
414	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			89.58%
415												
416					UCL Statistics							
417		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
418				Shapiro Wilk Test Statistic		0.497				Shapiro Wilk Test Statistic		0.928
419			5% Shapiro Wilk Critical Value			0.926				5% Shapiro Wilk Critical Value		0.926
420		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
421												
422		Assuming Normal Distribution						Assuming Lognormal Distribution				
423				DL/2 Substitution Method						DL/2 Substitution Method		
424					Mean	914.6				Mean		4.762

	A	B	C	D	E	F	G	H	I	J	K	L
425					SD	2604					SD	1.916
426				95% DL/2 (t) UCL		1545				95% H-Stat (DL/2) UCL		862.3
427												
428			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
429			**MLE yields a negative mean**							Mean in Log Scale		4.357
430										SD in Log Scale		2.189
431										Mean in Original Scale		888.2
432										SD in Original Scale		2611
433										95% Percentile Bootstrap UCL		1616
434										95% BCA Bootstrap UCL		1831
435												
436		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
437				k star (bias corrected)		0.382		**Data appear Lognormal at 5% Significance Level**				
438				Theta Star		3822						
439				nu star		22.14						
440												
441				A-D Test Statistic		2.338		**Nonparametric Statistics**				
442				5% A-D Critical Value		0.834			Kaplan-Meier (KM) Method			
443				K-S Test Statistic		0.834				Mean		898
444				5% K-S Critical Value		0.174				SD		2580
445		**Data not Gamma Distributed at 5% Significance Level**								SE of Mean		379.1
446										95% KM (t) UCL		1534
447		**Assuming Gamma Distribution**								95% KM (z) UCL		1522
448		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		1527
449					Minimum	21				95% KM (bootstrap t) UCL		2250
450					Maximum	14000				95% KM (BCA) UCL		1594
451					Mean	1443				95% KM (Percentile Bootstrap) UCL		1541
452					Median	1391				95% KM (Chebyshev) UCL		2550
453					SD	2512				97.5% KM (Chebyshev) UCL		3265
454					k star	0.594				99% KM (Chebyshev) UCL		4670
455					Theta star	2429						
456					Nu star	57.04		**Potential UCLs to Use**				
457					AppChi2	40.68				97.5% KM (Chebyshev) UCL		3265
458				95% Gamma Approximate UCL		2024						
459				95% Adjusted Gamma UCL		2045						
460	Note: DL/2 is not a recommended method.											
461												
462												
463	Dibenzo(a,h)anthracene											
464												
465					**General Statistics**							
466				Number of Valid Data		48				Number of Detected Data		45
467			Number of Distinct Detected Data			41				Number of Non-Detect Data		3
468				Number of Missing Values		1				Percent Non-Detects		6.25%
469												
470			**Raw Statistics**						**Log-transformed Statistics**			
471				Minimum Detected		0.5				Minimum Detected		-0.693
472				Maximum Detected		1100				Maximum Detected		7.003
473				Mean of Detected		146.8				Mean of Detected		3.547
474				SD of Detected		257				SD of Detected		1.946
475				Minimum Non-Detect		19				Minimum Non-Detect		2.944
476				Maximum Non-Detect		160				Maximum Non-Detect		5.075
477												

	A	B	C	D	E	F	G	H	I	J	K	L
478	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			36
479	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			12
480	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			75.00%
481												
482					UCL Statistics							
483	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
484	Shapiro Wilk Test Statistic					0.605	Shapiro Wilk Test Statistic					0.968
485	5% Shapiro Wilk Critical Value					0.945	5% Shapiro Wilk Critical Value					0.945
486	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
487												
488	Assuming Normal Distribution						Assuming Lognormal Distribution					
489	DL/2 Substitution Method						DL/2 Substitution Method					
490	Mean					141.1	Mean					3.555
491	SD					249.8	SD					1.9
492	95% DL/2 (t) UCL					201.6	95% H-Stat (DL/2) UCL					558.8
493												
494	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
495	MLE yields a negative mean						Mean in Log Scale					3.478
496							SD in Log Scale					1.907
497							Mean in Original Scale					138.4
498							SD in Original Scale					250.8
499							95% Percentile Bootstrap UCL					202.6
500							95% BCA Bootstrap UCL					209.5
501												
502	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
503	k star (bias corrected)					0.433	Data appear Lognormal at 5% Significance Level					
504	Theta Star					338.8						
505	nu star					38.98						
506												
507	A-D Test Statistic					1.089	Nonparametric Statistics					
508	5% A-D Critical Value					0.826	Kaplan-Meier (KM) Method					
509	K-S Test Statistic					0.826	Mean					139
510	5% K-S Critical Value					0.14	SD					248
511	Data not Gamma Distributed at 5% Significance Level						SE of Mean					36.22
512							95% KM (t) UCL					199.7
513	Assuming Gamma Distribution						95% KM (z) UCL					198.5
514	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					199.7
515	Minimum					1E-09	95% KM (bootstrap t) UCL					228.6
516	Maximum					1100	95% KM (BCA) UCL					204.5
517	Mean					138.4	95% KM (Percentile Bootstrap) UCL					202
518	Median					30.55	95% KM (Chebyshev) UCL					296.8
519	SD					250.8	97.5% KM (Chebyshev) UCL					365.1
520	k star					0.343	99% KM (Chebyshev) UCL					499.3
521	Theta star					403.3						
522	Nu star					32.93	Potential UCLs to Use					
523	AppChi2					20.81	97.5% KM (Chebyshev) UCL					365.1
524	95% Gamma Approximate UCL					218.9						
525	95% Adjusted Gamma UCL					222.1						
526	Note: DL/2 is not a recommended method.											
527												
528												
529	Indeno(1,2,3-cd)pyrene											
530												

	A	B	C	D	E	F	G	H	I	J	K	L
531						General Statistics						
532				Number of Valid Data		48				Number of Detected Data		47
533				Number of Distinct Detected Data		43				Number of Non-Detect Data		1
534				Number of Missing Values		1				Percent Non-Detects		2.08%
535												
536				Raw Statistics						Log-transformed Statistics		
537				Minimum Detected		2.4				Minimum Detected		0.875
538				Maximum Detected		4800				Maximum Detected		8.476
539				Mean of Detected		652.8				Mean of Detected		5.059
540				SD of Detected		1158				SD of Detected		1.863
541				Minimum Non-Detect		158				Minimum Non-Detect		5.063
542				Maximum Non-Detect		158				Maximum Non-Detect		5.063
543												
544												
545						UCL Statistics						
546			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
547				Shapiro Wilk Test Statistic		0.596				Shapiro Wilk Test Statistic		0.972
548				5% Shapiro Wilk Critical Value		0.946				5% Shapiro Wilk Critical Value		0.946
549			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
550												
551			Assuming Normal Distribution						Assuming Lognormal Distribution			
552				DL/2 Substitution Method						DL/2 Substitution Method		
553				Mean		640.9				Mean		5.045
554				SD		1149				SD		1.846
555				95% DL/2 (t) UCL		919.2				95% H-Stat (DL/2) UCL		2158
556												
557				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
558			MLE yields a negative mean							Mean in Log Scale		5.034
559										SD in Log Scale		1.852
560										Mean in Original Scale		640.2
561										SD in Original Scale		1149
562										95% Percentile Bootstrap UCL		937
563										95% BCA Bootstrap UCL		966.8
564												
565			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
566				k star (bias corrected)		0.439			Data appear Lognormal at 5% Significance Level			
567				Theta Star		1488						
568				nu star		41.24						
569												
570				A-D Test Statistic		1.441				Nonparametric Statistics		
571				5% A-D Critical Value		0.825				Kaplan-Meier (KM) Method		
572				K-S Test Statistic		0.825				Mean		640.4
573				5% K-S Critical Value		0.137				SD		1137
574			Data not Gamma Distributed at 5% Significance Level							SE of Mean		165.9
575										95% KM (t) UCL		918.8
576			Assuming Gamma Distribution							95% KM (z) UCL		913.3
577			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		918.8
578				Minimum		1E-09				95% KM (bootstrap t) UCL		1074
579				Maximum		4800				95% KM (BCA) UCL		976.7
580				Mean		639.2				95% KM (Percentile Bootstrap) UCL		926.4
581				Median		140				95% KM (Chebyshev) UCL		1364
582				SD		1150				97.5% KM (Chebyshev) UCL		1677
583				k star		0.34				99% KM (Chebyshev) UCL		2291

	A	B	C	D	E	F	G	H	I	J	K	L
584					Theta star	1883						
585					Nu star	32.59			Potential UCLs to Use			
586					AppChi2	20.54			97.5% KM (Chebyshev) UCL			1677
587			95% Gamma Approximate UCL			1014						
588			95% Adjusted Gamma UCL			1029						
589	Note: DL/2 is not a recommended method.											
590												
591												
592	Lead											
593												
594					General Statistics							
595			Number of Valid Data			48			Number of Detected Data			48
596			Number of Distinct Detected Data			48			Number of Non-Detect Data			0
597			Number of Missing Values			1			Percent Non-Detects			0.00%
598												
599			Raw Statistics						Log-transformed Statistics			
600			Minimum Detected			7.5			Minimum Detected			2.015
601			Maximum Detected			1950			Maximum Detected			7.576
602			Mean of Detected			79.72			Mean of Detected			3.431
603			SD of Detected			277.9			SD of Detected			1.024
604			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
605			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
606												
607												
608					UCL Statistics							
609			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
610			Shapiro Wilk Test Statistic			0.231			Shapiro Wilk Test Statistic			0.899
611			5% Shapiro Wilk Critical Value			0.947			5% Shapiro Wilk Critical Value			0.947
612			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
613												
614			Assuming Normal Distribution						Assuming Lognormal Distribution			
615			DL/2 Substitution Method						DL/2 Substitution Method			
616			Mean			79.72			Mean			3.431
617			SD			277.9			SD			1.024
618			95% DL/2 (t) UCL			147			95% H-Stat (DL/2) UCL			74.11
619												
620			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
621			MLE method failed to converge properly						Mean in Log Scale			N/A
622									SD in Log Scale			N/A
623									Mean in Original Scale			N/A
624									SD in Original Scale			N/A
625									95% Percentile Bootstrap UCL			N/A
626									95% BCA Bootstrap UCL			N/A
627												
628			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
629			k star (bias corrected)			0.619			Data do not follow a Discernable Distribution (0.05)			
630			Theta Star			128.8						
631			nu star			59.41						
632												
633			A-D Test Statistic			4.824			Nonparametric Statistics			
634			5% A-D Critical Value			0.801			Kaplan-Meier (KM) Method			
635			K-S Test Statistic			0.801			Mean			79.72
636			5% K-S Critical Value			0.134			SD			275

	A	B	C	D	E	F	G	H	I	J	K	L
637	Data not Gamma Distributed at 5% Significance Level										SE of Mean	40.11
638											95% KM (t) UCL	147
639	Assuming Gamma Distribution										95% KM (z) UCL	145.7
640	Gamma ROS Statistics using Extrapolated Data										95% KM (jackknife) UCL	147
641					Minimum	7.5					95% KM (bootstrap t) UCL	509.8
642					Maximum	1950					95% KM (BCA) UCL	163.4
643					Mean	79.72					95% KM (Percentile Bootstrap) UCL	159.6
644					Median	22.75					95% KM (Chebyshev) UCL	254.5
645					SD	277.9					97.5% KM (Chebyshev) UCL	330.2
646					k star	0.619					99% KM (Chebyshev) UCL	478.8
647					Theta star	128.8						
648					Nu star	59.41			Potential UCLs to Use			
649					AppChi2	42.68					95% KM (Chebyshev) UCL	254.5
650			95% Gamma Approximate UCL			111						
651			95% Adjusted Gamma UCL			112.1						
652	Note: DL/2 is not a recommended method.											
653												
654												
655	Mercury											
656												
657				General Statistics								
658		Number of Valid Data				48				Number of Detected Data		43
659	Number of Distinct Detected Data					35				Number of Non-Detect Data		5
660		Number of Missing Values				1				Percent Non-Detects		10.42%
661												
662			Raw Statistics						Log-transformed Statistics			
663			Minimum Detected			0.009				Minimum Detected		-4.711
664			Maximum Detected			0.279				Maximum Detected		-1.277
665			Mean of Detected			0.0719				Mean of Detected		-2.862
666			SD of Detected			0.0464				SD of Detected		0.76
667			Minimum Non-Detect			0.00894				Minimum Non-Detect		-4.717
668			Maximum Non-Detect			0.06				Maximum Non-Detect		-2.813
669												
670	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			19
671	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			29
672	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			39.58%
673												
674				UCL Statistics								
675		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
676		Shapiro Wilk Test Statistic				0.844				Shapiro Wilk Test Statistic		0.891
677		5% Shapiro Wilk Critical Value				0.943				5% Shapiro Wilk Critical Value		0.943
678	Data not Normal at 5% Significance Level								Data not Lognormal at 5% Significance Level			
679												
680		Assuming Normal Distribution							Assuming Lognormal Distribution			
681		DL/2 Substitution Method								DL/2 Substitution Method		
682			Mean			0.0664				Mean		-3.012
683			SD			0.047				SD		0.894
684		95% DL/2 (t) UCL				0.0777				95% H-Stat (DL/2) UCL		0.0979
685												
686		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
687			Mean			0.065				Mean in Log Scale		-2.988
688			SD			0.0504				SD in Log Scale		0.822
689		95% MLE (t) UCL				0.0772				Mean in Original Scale		0.0664

	A	B	C	D	E	F	G	H	I	J	K	L
690				95% MLE (Tiku) UCL		0.0786				SD in Original Scale		0.0469
691										95% Percentile Bootstrap UCL		0.0781
692										95% BCA Bootstrap UCL		0.0803
693												
694			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
695				k star (bias corrected)		2.187			Data do not follow a Discernable Distribution (0.05)			
696				Theta Star		0.0329						
697				nu star		188.1						
698												
699				A-D Test Statistic		1.354			Nonparametric Statistics			
700				5% A-D Critical Value		0.758			Kaplan-Meier (KM) Method			
701				K-S Test Statistic		0.758				Mean		0.0663
702				5% K-S Critical Value		0.136				SD		0.0466
703		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.00684
704										95% KM (t) UCL		0.0777
705			Assuming Gamma Distribution							95% KM (z) UCL		0.0775
706		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.0776
707				Minimum		1E-09				95% KM (bootstrap t) UCL		0.08
708				Maximum		0.279				95% KM (BCA) UCL		0.0781
709				Mean		0.0667			95% KM (Percentile Bootstrap) UCL			0.0774
710				Median		0.0686				95% KM (Chebyshev) UCL		0.0961
711				SD		0.0469				97.5% KM (Chebyshev) UCL		0.109
712				k star		0.63				99% KM (Chebyshev) UCL		0.134
713				Theta star		0.106						
714				Nu star		60.44			Potential UCLs to Use			
715				AppChi2		43.56				95% KM (Chebyshev) UCL		0.0961
716			95% Gamma Approximate UCL			0.0926						
717			95% Adjusted Gamma UCL			0.0935						
718	Note: DL/2 is not a recommended method.											
719												
720												
721	Naphthalene											
722												
723					General Statistics							
724			Number of Valid Data			48				Number of Detected Data		40
725		Number of Distinct Detected Data				31				Number of Non-Detect Data		8
726			Number of Missing Values			1				Percent Non-Detects		16.67%
727												
728			Raw Statistics						Log-transformed Statistics			
729				Minimum Detected		0.45				Minimum Detected		-0.799
730				Maximum Detected		360				Maximum Detected		5.886
731				Mean of Detected		41.37				Mean of Detected		2.848
732				SD of Detected		63.59				SD of Detected		1.508
733				Minimum Non-Detect		0.5				Minimum Non-Detect		-0.693
734				Maximum Non-Detect		160				Maximum Non-Detect		5.075
735												
736	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			46
737	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
738	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			95.83%
739												
740					UCL Statistics							
741		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
742				Shapiro Wilk Test Statistic		0.607				Shapiro Wilk Test Statistic		0.967

	A	B	C	D	E	F	G	H	I	J	K	L
743				5% Shapiro Wilk Critical Value		0.94			5% Shapiro Wilk Critical Value			0.94
744			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
745												
746			Assuming Normal Distribution						Assuming Lognormal Distribution			
747			DL/2 Substitution Method						DL/2 Substitution Method			
748					Mean	38.51					Mean	2.679
749					SD	59.78					SD	1.648
750				95% DL/2 (t) UCL		52.98			95% H-Stat (DL/2) UCL			158.4
751												
752			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
753			MLE method failed to converge properly						Mean in Log Scale			2.578
754									SD in Log Scale			1.56
755									Mean in Original Scale			35.35
756									SD in Original Scale			59.53
757									95% Percentile Bootstrap UCL			51.01
758									95% BCA Bootstrap UCL			57.01
759												
760			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
761				k star (bias corrected)		0.657			Data appear Gamma Distributed at 5% Significance Level			
762					Theta Star	63						
763					nu star	52.54						
764												
765					A-D Test Statistic	0.381			Nonparametric Statistics			
766					5% A-D Critical Value	0.795			Kaplan-Meier (KM) Method			
767					K-S Test Statistic	0.795					Mean	36.06
768					5% K-S Critical Value	0.146					SD	59
769			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	8.674
770											95% KM (t) UCL	50.61
771			Assuming Gamma Distribution								95% KM (z) UCL	50.32
772			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	50.58
773					Minimum	1E-09					95% KM (bootstrap t) UCL	61.55
774					Maximum	360					95% KM (BCA) UCL	51.06
775					Mean	36.69				95% KM (Percentile Bootstrap) UCL		51.36
776					Median	20					95% KM (Chebyshev) UCL	73.87
777					SD	59.34					97.5% KM (Chebyshev) UCL	90.23
778					k star	0.257					99% KM (Chebyshev) UCL	122.4
779					Theta star	142.5						
780					Nu star	24.72			Potential UCLs to Use			
781					AppChi2	14.39					95% KM (Chebyshev) UCL	73.87
782				95% Gamma Approximate UCL		63						
783				95% Adjusted Gamma UCL		64.09						
784	Note: DL/2 is not a recommended method.											
785												
786												
787	Thallium											
788												
789					General Statistics							
790				Number of Valid Data		5				Number of Detected Data		5
791			Number of Distinct Detected Data			3				Number of Non-Detect Data		0
792				Number of Missing Values		44				Percent Non-Detects		0.00%
793												
794			Raw Statistics						Log-transformed Statistics			
795					Minimum Detected	7					Minimum Detected	1.946

	A	B	C	D	E	F	G	H	I	J	K	L
796					Maximum Detected	9					Maximum Detected	2.197
797					Mean of Detected	8					Mean of Detected	2.076
798					SD of Detected	0.707					SD of Detected	0.089
799					Minimum Non-Detect	N/A					Minimum Non-Detect	N/A
800					Maximum Non-Detect	N/A					Maximum Non-Detect	N/A
801												
802												
803				Warning: There are only 3 Distinct Detected Values in this data set								
804				The number of detected data may not be adequate enough to perform GOF tests, bootstrap, and ROS methods.								
805				Those methods will return a 'N/A' value on your output display!								
806												
807				It is necessary to have 4 or more Distinct Values for bootstrap methods.								
808				It is recommended to have 10 to 15 or more observations for accurate and meaningful results and estimates.								
809												
810												
811					UCL Statistics							
812			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
813				Shapiro Wilk Test Statistic		0.883				Shapiro Wilk Test Statistic		0.881
814				5% Shapiro Wilk Critical Value		0.762				5% Shapiro Wilk Critical Value		0.762
815			Data appear Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
816												
817			Assuming Normal Distribution					Assuming Lognormal Distribution				
818				DL/2 Substitution Method						DL/2 Substitution Method		
819					Mean	8					Mean	2.076
820					SD	0.707					SD	0.089
821				95% DL/2 (t) UCL		8.674			95% H-Stat (DL/2) UCL			N/A
822												
823		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
824		MLE method failed to converge properly								Mean in Log Scale		N/A
825										SD in Log Scale		N/A
826										Mean in Original Scale		N/A
827										SD in Original Scale		N/A
828									95% Percentile Bootstrap UCL			N/A
829									95% BCA Bootstrap UCL			N/A
830												
831			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
832					k star (bias corrected)	63.7		Data appear Normal at 5% Significance Level				
833					Theta Star	0.126						
834					nu star	637						
835												
836					A-D Test Statistic	0.518		Nonparametric Statistics				
837					5% A-D Critical Value	0.678			Kaplan-Meier (KM) Method			
838					K-S Test Statistic	0.678					Mean	8
839					5% K-S Critical Value	0.357					SD	0.632
840		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.316
841											95% KM (t) UCL	8.674
842			Assuming Gamma Distribution								95% KM (z) UCL	8.52
843		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	N/A
844					Minimum	7					95% KM (bootstrap t) UCL	N/A
845					Maximum	9					95% KM (BCA) UCL	N/A
846					Mean	8				95% KM (Percentile Bootstrap) UCL		N/A
847					Median	8					95% KM (Chebyshev) UCL	9.378
848					SD	0.707				97.5% KM (Chebyshev) UCL		9.975

	A	B	C	D	E	F	G	H	I	J	K	L
849					k star	63.7				99% KM (Chebyshev) UCL		11.15
850					Theta star	0.126						
851					Nu star	637			Potential UCLs to Use			
852					AppChi2	579.4				95% KM (t) UCL		8.674
853			95% Gamma Approximate UCL			8.795			95% KM (Percentile Bootstrap) UCL			N/A
854			95% Adjusted Gamma UCL			9.18						
855	Note: DL/2 is not a recommended method.											
856												
857												
858	Total Aroclors											
859												
860					General Statistics							
861			Number of Valid Data			40				Number of Detected Data		35
862			Number of Distinct Detected Data			35				Number of Non-Detect Data		5
863			Number of Missing Values			6				Percent Non-Detects		12.50%
864												
865			Raw Statistics						Log-transformed Statistics			
866			Minimum Detected			21.4				Minimum Detected		3.063
867			Maximum Detected			1676				Maximum Detected		7.424
868			Mean of Detected			171.3				Mean of Detected		4.393
869			SD of Detected			317.3				SD of Detected		1.091
870			Minimum Non-Detect			2.8				Minimum Non-Detect		1.03
871			Maximum Non-Detect			39				Maximum Non-Detect		3.664
872												
873	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		16
874	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		24
875	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		40.00%
876												
877					UCL Statistics							
878		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
879			Shapiro Wilk Test Statistic			0.488				Shapiro Wilk Test Statistic		0.909
880			5% Shapiro Wilk Critical Value			0.934				5% Shapiro Wilk Critical Value		0.934
881		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
882												
883		Assuming Normal Distribution						Assuming Lognormal Distribution				
884			DL/2 Substitution Method							DL/2 Substitution Method		
885			Mean			150.8				Mean		4.047
886			SD			301.3				SD		1.409
887			95% DL/2 (t) UCL			231.1				95% H-Stat (DL/2) UCL		222.2
888												
889		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
890			Mean			23.58				Mean in Log Scale		4.113
891			SD			413.7				SD in Log Scale		1.274
892			95% MLE (t) UCL			133.8				Mean in Original Scale		151.1
893			95% MLE (Tiku) UCL			147.7				SD in Original Scale		301.2
894										95% Percentile Bootstrap UCL		240.4
895										95% BCA Bootstrap UCL		274.6
896												
897		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
898			k star (bias corrected)			0.743		Data do not follow a Discernable Distribution (0.05)				
899			Theta Star			230.6						
900			nu star			51.99						
901												

	A	B	C	D	E	F	G	H	I	J	K	L
902					A-D Test Statistic	2.355			Nonparametric Statistics			
903					5% A-D Critical Value	0.786			Kaplan-Meier (KM) Method			
904					K-S Test Statistic	0.786					Mean	152.7
905					5% K-S Critical Value	0.154					SD	296.7
906			Data not Gamma Distributed at 5% Significance Level								SE of Mean	47.59
907											95% KM (t) UCL	232.9
908			Assuming Gamma Distribution								95% KM (z) UCL	231
909			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	232.6
910					Minimum	1E-09					95% KM (bootstrap t) UCL	371.5
911					Maximum	1676					95% KM (BCA) UCL	242.9
912					Mean	149.9				95% KM (Percentile Bootstrap) UCL		232.8
913					Median	58.15					95% KM (Chebyshev) UCL	360.1
914					SD	301.8					97.5% KM (Chebyshev) UCL	449.9
915					k star	0.198					99% KM (Chebyshev) UCL	626.2
916					Theta star	755.5						
917					Nu star	15.87			Potential UCLs to Use			
918					AppChi2	7.871					95% KM (Chebyshev) UCL	360.1
919			95% Gamma Approximate UCL			302.2						
920			95% Adjusted Gamma UCL			310.6						
921	Note: DL/2 is not a recommended method.											
922												
923												
924	Total DDT											
925												
926					General Statistics							
927			Number of Valid Data			44			Number of Detected Data			33
928			Number of Distinct Detected Data			33			Number of Non-Detect Data			11
929			Number of Missing Values			2			Percent Non-Detects			25.00%
930												
931			Raw Statistics						Log-transformed Statistics			
932			Minimum Detected			0.48			Minimum Detected			-0.734
933			Maximum Detected			68.55			Maximum Detected			4.228
934			Mean of Detected			6.063			Mean of Detected			1.129
935			SD of Detected			11.74			SD of Detected			1.098
936			Minimum Non-Detect			0.4			Minimum Non-Detect			-0.916
937			Maximum Non-Detect			23.2			Maximum Non-Detect			3.144
938												
939	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			43
940	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
941	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			97.73%
942												
943					UCL Statistics							
944			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
945			Shapiro Wilk Test Statistic			0.406			Shapiro Wilk Test Statistic			0.946
946			5% Shapiro Wilk Critical Value			0.931			5% Shapiro Wilk Critical Value			0.931
947			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
948												
949			Assuming Normal Distribution						Assuming Lognormal Distribution			
950			DL/2 Substitution Method						DL/2 Substitution Method			
951					Mean	5.423					Mean	0.991
952					SD	10.38					SD	1.172
953			95% DL/2 (t) UCL			8.055			95% H-Stat (DL/2) UCL			10.16
954												

	A	B	C	D	E	F	G	H	I	J	K	L
955			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
956			MLE method failed to converge properly							Mean in Log Scale		0.853
957										SD in Log Scale		1.131
958										Mean in Original Scale		4.866
959										SD in Original Scale		10.35
960										95% Percentile Bootstrap UCL		7.873
961										95% BCA Bootstrap UCL		9.413
962												
963			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
964			k star (bias corrected)			0.813			Data appear Lognormal at 5% Significance Level			
965			Theta Star			7.46						
966			nu star			53.65						
967												
968			A-D Test Statistic			1.328			Nonparametric Statistics			
969			5% A-D Critical Value			0.782			Kaplan-Meier (KM) Method			
970			K-S Test Statistic			0.782			Mean			4.993
971			5% K-S Critical Value			0.159			SD			10.23
972			Data not Gamma Distributed at 5% Significance Level						SE of Mean			1.573
973									95% KM (t) UCL			7.638
974			Assuming Gamma Distribution						95% KM (z) UCL			7.581
975			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			7.623
976			Minimum			1E-09			95% KM (bootstrap t) UCL			12.77
977			Maximum			68.55			95% KM (BCA) UCL			8.497
978			Mean			5.37			95% KM (Percentile Bootstrap) UCL			7.866
979			Median			3.508			95% KM (Chebyshev) UCL			11.85
980			SD			10.31			97.5% KM (Chebyshev) UCL			14.82
981			k star			0.406			99% KM (Chebyshev) UCL			20.65
982			Theta star			13.24						
983			Nu star			35.7			Potential UCLs to Use			
984			AppChi2			23.03			95% KM (Chebyshev) UCL			11.85
985			95% Gamma Approximate UCL			8.326						
986			95% Adjusted Gamma UCL			8.453						
987	Note: DL/2 is not a recommended method.											
988												
989												
990	Total Dioxin/Furan TEQ											
991												
992				General Statistics								
993			Number of Valid Data			6			Number of Detected Data			6
994			Number of Distinct Detected Data			6			Number of Non-Detect Data			0
995			Number of Missing Values			1			Percent Non-Detects			0.00%
996												
997			Raw Statistics						Log-transformed Statistics			
998			Minimum Detected			0.944			Minimum Detected			-0.0577
999			Maximum Detected			10.31			Maximum Detected			2.333
1000			Mean of Detected			4.136			Mean of Detected			1.132
1001			SD of Detected			3.411			SD of Detected			0.851
1002			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
1003			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
1004												
1005												
1006				Warning: There are only 6 Detected Values in this data								
1007			Note: It should be noted that even though bootstrap may be performed on this data set									

	A	B	C	D	E	F	G	H	I	J	K	L
1008					the resulting calculations may not be reliable enough tp draw conclusions							
1009												
1010				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
1011												
1012												
1013					UCL Statistics							
1014		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1015				Shapiro Wilk Test Statistic		0.867			Shapiro Wilk Test Statistic			0.977
1016				5% Shapiro Wilk Critical Value		0.788			5% Shapiro Wilk Critical Value			0.788
1017		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1018												
1019		Assuming Normal Distribution						Assuming Lognormal Distribution				
1020				DL/2 Substitution Method					DL/2 Substitution Method			
1021					Mean	4.136				Mean		1.132
1022					SD	3.411				SD		0.851
1023				95% DL/2 (t) UCL		6.941			95% H-Stat (DL/2) UCL			17.71
1024												
1025			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1026		MLE method failed to converge properly							Mean in Log Scale			N/A
1027									SD in Log Scale			N/A
1028									Mean in Original Scale			N/A
1029									SD in Original Scale			N/A
1030									95% Percentile Bootstrap UCL			N/A
1031									95% BCA Bootstrap UCL			N/A
1032												
1033		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1034				k star (bias corrected)		1.055		Data appear Normal at 5% Significance Level				
1035					Theta Star	3.92						
1036					nu star	12.66						
1037												
1038					A-D Test Statistic	0.241		Nonparametric Statistics				
1039				5% A-D Critical Value		0.705			Kaplan-Meier (KM) Method			
1040					K-S Test Statistic	0.705				Mean		4.136
1041				5% K-S Critical Value		0.336				SD		3.114
1042		Data appear Gamma Distributed at 5% Significance Level							SE of Mean			1.392
1043									95% KM (t) UCL			6.941
1044		Assuming Gamma Distribution							95% KM (z) UCL			6.426
1045		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			6.941
1046					Minimum	0.944			95% KM (bootstrap t) UCL			8.823
1047					Maximum	10.31			95% KM (BCA) UCL			6.27
1048					Mean	4.136			95% KM (Percentile Bootstrap) UCL			6.437
1049					Median	3.407			95% KM (Chebyshev) UCL			10.21
1050					SD	3.411			97.5% KM (Chebyshev) UCL			12.83
1051					k star	1.055			99% KM (Chebyshev) UCL			17.99
1052					Theta star	3.92						
1053					Nu star	12.66		Potential UCLs to Use				
1054					AppChi2	5.666			95% KM (t) UCL			6.941
1055			95% Gamma Approximate UCL			9.242			95% KM (Percentile Bootstrap) UCL			6.437
1056			95% Adjusted Gamma UCL			12.78						
1057	Note: DL/2 is not a recommended method.											
1058												
1059												
1060	Total Dioxin-like PCBs											

	A	B	C	D	E	F	G	H	I	J	K	L
1061												
1062						General Statistics						
1063				Number of Valid Data		5			Number of Detected Data			5
1064				Number of Distinct Detected Data		5			Number of Non-Detect Data			0
1065				Number of Missing Values		2			Percent Non-Detects			0.00%
1066												
1067			Raw Statistics						Log-transformed Statistics			
1068				Minimum Detected		267.5			Minimum Detected			5.589
1069				Maximum Detected		21969			Maximum Detected			9.997
1070				Mean of Detected		7605			Mean of Detected			8.071
1071				SD of Detected		8874			SD of Detected			1.744
1072				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
1073				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
1074												
1075												
1076					Warning: There are only 5 Detected Values in this data							
1077				Note: It should be noted that even though bootstrap may be performed on this data set								
1078				the resulting calculations may not be reliable enough tp draw conclusions								
1079												
1080			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1081												
1082												
1083						UCL Statistics						
1084		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1085				Shapiro Wilk Test Statistic		0.866			Shapiro Wilk Test Statistic			0.967
1086				5% Shapiro Wilk Critical Value		0.762			5% Shapiro Wilk Critical Value			0.762
1087		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1088												
1089		Assuming Normal Distribution						Assuming Lognormal Distribution				
1090				DL/2 Substitution Method					DL/2 Substitution Method			
1091				Mean		7605			Mean			8.071
1092				SD		8874			SD			1.744
1093				95% DL/2 (t) UCL		16066			95% H-Stat (DL/2) UCL			19075744
1094												
1095				Maximum Likelihood Estimate(MLE) Method		N/A			Log ROS Method			
1096		MLE method failed to converge properly							Mean in Log Scale			N/A
1097									SD in Log Scale			N/A
1098									Mean in Original Scale			N/A
1099									SD in Original Scale			N/A
1100									95% Percentile Bootstrap UCL			N/A
1101									95% BCA Bootstrap UCL			N/A
1102												
1103		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1104				k star (bias corrected)		0.413		Data appear Normal at 5% Significance Level				
1105				Theta Star		18425						
1106				nu star		4.128						
1107												
1108				A-D Test Statistic		0.174		Nonparametric Statistics				
1109				5% A-D Critical Value		0.701			Kaplan-Meier (KM) Method			
1110				K-S Test Statistic		0.701			Mean			7605
1111				5% K-S Critical Value		0.368			SD			7937
1112		Data appear Gamma Distributed at 5% Significance Level							SE of Mean			3969
1113									95% KM (t) UCL			16066

	A	B	C	D	E	F	G	H	I	J	K	L
1114					Assuming Gamma Distribution					95% KM (z) UCL		14133
1115		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		16066
1116					Minimum	267.5				95% KM (bootstrap t) UCL		30133
1117					Maximum	21969				95% KM (BCA) UCL		14155
1118					Mean	7605				95% KM (Percentile Bootstrap) UCL		14155
1119					Median	4599				95% KM (Chebyshev) UCL		24905
1120					SD	8874				97.5% KM (Chebyshev) UCL		32390
1121					k star	0.413				99% KM (Chebyshev) UCL		47094
1122					Theta star	18425						
1123					Nu star	4.128			Potential UCLs to Use			
1124					AppChi2	0.773				95% KM (t) UCL		16066
1125			95% Gamma Approximate UCL			40623				95% KM (Percentile Bootstrap) UCL		14155
1126				95% Adjusted Gamma UCL		97013						
1127	Note: DL/2 is not a recommended method.											
1128												
1129												
1130	Total PCB TEQ											
1131												
1132						General Statistics						
1133				Number of Valid Data		5				Number of Detected Data		5
1134			Number of Distinct Detected Data			5				Number of Non-Detect Data		0
1135				Number of Missing Values		2				Percent Non-Detects		0.00%
1136												
1137			Raw Statistics						Log-transformed Statistics			
1138				Minimum Detected		0.127				Minimum Detected		-2.065
1139				Maximum Detected		3.384				Maximum Detected		1.219
1140				Mean of Detected		1.916				Mean of Detected		0.13
1141				SD of Detected		1.508				SD of Detected		1.401
1142				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1143				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1144												
1145												
1146					Warning: There are only 5 Detected Values in this data							
1147				Note: It should be noted that even though bootstrap may be performed on this data set								
1148					the resulting calculations may not be reliable enough tp draw conclusions							
1149												
1150				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
1151												
1152												
1153						UCL Statistics						
1154		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1155				Shapiro Wilk Test Statistic		0.875				Shapiro Wilk Test Statistic		0.849
1156				5% Shapiro Wilk Critical Value		0.762				5% Shapiro Wilk Critical Value		0.762
1157		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1158												
1159		Assuming Normal Distribution						Assuming Lognormal Distribution				
1160				DL/2 Substitution Method						DL/2 Substitution Method		
1161					Mean	1.916				Mean		0.13
1162					SD	1.508				SD		1.401
1163				95% DL/2 (t) UCL		3.354				95% H-Stat (DL/2) UCL		325.3
1164												
1165			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1166			MLE method failed to converge properly							Mean in Log Scale		N/A

	A	B	C	D	E	F	G	H	I	J	K	L
1167									SD in Log Scale			N/A
1168									Mean in Original Scale			N/A
1169									SD in Original Scale			N/A
1170									95% Percentile Bootstrap UCL			N/A
1171									95% BCA Bootstrap UCL			N/A
1172												
1173		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1174				k star (bias corrected)		0.573		Data appear Normal at 5% Significance Level				
1175					Theta Star	3.345						
1176					nu star	5.728						
1177												
1178				A-D Test Statistic		0.414		Nonparametric Statistics				
1179				5% A-D Critical Value		0.69		Kaplan-Meier (KM) Method				
1180				K-S Test Statistic		0.69				Mean		1.916
1181				5% K-S Critical Value		0.364				SD		1.349
1182		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.674
1183										95% KM (t) UCL		3.354
1184		Assuming Gamma Distribution								95% KM (z) UCL		3.025
1185		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		3.354
1186					Minimum	0.127				95% KM (bootstrap t) UCL		3.32
1187					Maximum	3.384				95% KM (BCA) UCL		2.845
1188					Mean	1.916			95% KM (Percentile Bootstrap) UCL			2.845
1189					Median	2.052				95% KM (Chebyshev) UCL		4.856
1190					SD	1.508				97.5% KM (Chebyshev) UCL		6.128
1191					k star	0.573				99% KM (Chebyshev) UCL		8.626
1192					Theta star	3.345						
1193					Nu star	5.728		Potential UCLs to Use				
1194					AppChi2	1.503				95% KM (t) UCL		3.354
1195		95% Gamma Approximate UCL				7.304		95% KM (Percentile Bootstrap) UCL				2.845
1196		95% Adjusted Gamma UCL				14.67						
1197	Note: DL/2 is not a recommended method.											
1198												
1199												
1200	Total PCB_Congeners											
1201												
1202					General Statistics							
1203			Number of Valid Data			5			Number of Detected Data			5
1204		Number of Distinct Detected Data				5			Number of Non-Detect Data			0
1205			Number of Missing Values			2			Percent Non-Detects			0.00%
1206												
1207		Raw Statistics						Log-transformed Statistics				
1208			Minimum Detected			4963			Minimum Detected			8.51
1209			Maximum Detected			698854			Maximum Detected			13.46
1210			Mean of Detected			216503			Mean of Detected			11.22
1211			SD of Detected			289549			SD of Detected			1.912
1212			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
1213			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
1214												
1215												
1216				Warning: There are only 5 Detected Values in this data								
1217			Note: It should be noted that even though bootstrap may be performed on this data set									
1218				the resulting calculations may not be reliable enough tp draw conclusions								
1219												

	A	B	C	D	E	F	G	H	I	J	K	L
1220	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
1221												
1222												
1223	UCL Statistics											
1224	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
1225	Shapiro Wilk Test Statistic					0.803	Shapiro Wilk Test Statistic					0.98
1226	5% Shapiro Wilk Critical Value					0.762	5% Shapiro Wilk Critical Value					0.762
1227	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
1228												
1229	Assuming Normal Distribution						Assuming Lognormal Distribution					
1230	DL/2 Substitution Method						DL/2 Substitution Method					
1231	Mean					216503	Mean					11.22
1232	SD					289549	SD					1.912
1233	95% DL/2 (t) UCL					492556	95% H-Stat (DL/2) UCL					2.496E+09
1234												
1235	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
1236	MLE method failed to converge properly						Mean in Log Scale					N/A
1237							SD in Log Scale					N/A
1238							Mean in Original Scale					N/A
1239							SD in Original Scale					N/A
1240							95% Percentile Bootstrap UCL					N/A
1241							95% BCA Bootstrap UCL					N/A
1242												
1243	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
1244	k star (bias corrected)					0.366	Data appear Normal at 5% Significance Level					
1245	Theta Star					591004						
1246	nu star					3.663						
1247												
1248	A-D Test Statistic					0.202	Nonparametric Statistics					
1249	5% A-D Critical Value					0.707	Kaplan-Meier (KM) Method					
1250	K-S Test Statistic					0.707	Mean					216503
1251	5% K-S Critical Value					0.37	SD					258980
1252	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					129490
1253							95% KM (t) UCL					492556
1254	Assuming Gamma Distribution						95% KM (z) UCL					429495
1255	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					492556
1256	Minimum					4963	95% KM (bootstrap t) UCL					2067249
1257	Maximum					698854	95% KM (BCA) UCL					440182
1258	Mean					216503	95% KM (Percentile Bootstrap) UCL					434165
1259	Median					69300	95% KM (Chebyshev) UCL					780937
1260	SD					289549	97.5% KM (Chebyshev) UCL					1025168
1261	k star					0.366	99% KM (Chebyshev) UCL					1504913
1262	Theta star					591004						
1263	Nu star					3.663	Potential UCLs to Use					
1264	AppChi2					0.593	95% KM (t) UCL					492556
1265	95% Gamma Approximate UCL					1336607	95% KM (Percentile Bootstrap) UCL					434165
1266	95% Adjusted Gamma UCL					3383901						
1267	Note: DL/2 is not a recommended method.											
1268												
1269												
1270	Total PCBs, Adjusted											
1271												
1272	General Statistics											

	A	B	C	D	E	F	G	H	I	J	K	L
1273				Number of Valid Data		5				Number of Detected Data		5
1274				Number of Distinct Detected Data		5				Number of Non-Detect Data		0
1275				Number of Missing Values		2				Percent Non-Detects		0.00%
1276												
1277				Raw Statistics						Log-transformed Statistics		
1278				Minimum Detected		4696				Minimum Detected		8.454
1279				Maximum Detected		676886				Maximum Detected		13.43
1280				Mean of Detected		208897				Mean of Detected		11.17
1281				SD of Detected		280734				SD of Detected		1.92
1282				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1283				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1284												
1285												
1286					Warning: There are only 5 Detected Values in this data							
1287				Note: It should be noted that even though bootstrap may be performed on this data set								
1288				the resulting calculations may not be reliable enough tp draw conclusions								
1289												
1290				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
1291												
1292												
1293					UCL Statistics							
1294			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1295				Shapiro Wilk Test Statistic		0.801				Shapiro Wilk Test Statistic		0.979
1296				5% Shapiro Wilk Critical Value		0.762				5% Shapiro Wilk Critical Value		0.762
1297			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1298												
1299			Assuming Normal Distribution						Assuming Lognormal Distribution			
1300				DL/2 Substitution Method						DL/2 Substitution Method		
1301					Mean	208897					Mean	11.17
1302					SD	280734					SD	1.92
1303				95% DL/2 (t) UCL		476547				95% H-Stat (DL/2) UCL		2.608E+09
1304												
1305			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1306			MLE method failed to converge properly							Mean in Log Scale		N/A
1307										SD in Log Scale		N/A
1308										Mean in Original Scale		N/A
1309										SD in Original Scale		N/A
1310										95% Percentile Bootstrap UCL		N/A
1311										95% BCA Bootstrap UCL		N/A
1312												
1313			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1314					k star (bias corrected)	0.364			Data appear Normal at 5% Significance Level			
1315					Theta Star	573223						
1316					nu star	3.644						
1317												
1318					A-D Test Statistic	0.206				Nonparametric Statistics		
1319					5% A-D Critical Value	0.707				Kaplan-Meier (KM) Method		
1320					K-S Test Statistic	0.707					Mean	208897
1321					5% K-S Critical Value	0.37					SD	251096
1322		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	125548
1323										95% KM (t) UCL		476547
1324		Assuming Gamma Distribution								95% KM (z) UCL		415406
1325			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		476547

				Minimum	4696			95% KM (bootstrap t) UCL			1901042
				Maximum	676886			95% KM (BCA) UCL			389458
				Mean	208897			95% KM (Percentile Bootstrap) UCL			419649
				Median	64701			95% KM (Chebyshev) UCL			756149
				SD	280734			97.5% KM (Chebyshev) UCL			992945
				k star	0.364			99% KM (Chebyshev) UCL			1458085
				Theta star	573223						
				Nu star	3.644			**Potential UCLs to Use**			
				AppChi2	0.586			95% KM (t) UCL			476547
		95% Gamma Approximate UCL			1298182			95% KM (Percentile Bootstrap) UCL			419649
		95% Adjusted Gamma UCL			3294138						
Note: DL/2 is not a recommended method.											
Tributyltin ion											
				General Statistics							
		Number of Valid Data			9			Number of Detected Data			9
		Number of Distinct Detected Data			9			Number of Non-Detect Data			0
		Number of Missing Values			37			Percent Non-Detects			0.00%
		Raw Statistics						**Log-transformed Statistics**			
		Minimum Detected			1.7			Minimum Detected			0.531
		Maximum Detected			59			Maximum Detected			4.078
		Mean of Detected			26.16			Mean of Detected			2.969
		SD of Detected			16.57			SD of Detected			1.015
		Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
		Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
				Warning: There are only 9 Detected Values in this data							
			Note: It should be noted that even though bootstrap may be performed on this data set								
				the resulting calculations may not be reliable enough tp draw conclusions							
			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
				UCL Statistics							
		Normal Distribution Test with Detected Values Only						**Lognormal Distribution Test with Detected Values Only**			
		Shapiro Wilk Test Statistic			0.961			Shapiro Wilk Test Statistic			0.811
		5% Shapiro Wilk Critical Value			0.829			5% Shapiro Wilk Critical Value			0.829
		Data appear Normal at 5% Significance Level						**Data not Lognormal at 5% Significance Level**			
		Assuming Normal Distribution						**Assuming Lognormal Distribution**			
		DL/2 Substitution Method						DL/2 Substitution Method			
		Mean			26.16			Mean			2.969
		SD			16.57			SD			1.015
		95% DL/2 (t) UCL			36.43			95% H-Stat (DL/2) UCL			105.6
		Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
		MLE method failed to converge properly						Mean in Log Scale			N/A
								SD in Log Scale			N/A
								Mean in Original Scale			N/A

	A	B	C	D	E	F	G	H	I	J	K	L
1379											SD in Original Scale	N/A
1380											95% Percentile Bootstrap UCL	N/A
1381											95% BCA Bootstrap UCL	N/A
1382												
1383		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
1384				k star (bias corrected)		1.302		**Data appear Normal at 5% Significance Level**				
1385				Theta Star		20.09						
1386				nu star		23.44						
1387												
1388				A-D Test Statistic		0.384		**Nonparametric Statistics**				
1389				5% A-D Critical Value		0.731		Kaplan-Meier (KM) Method				
1390				K-S Test Statistic		0.731					Mean	26.16
1391				5% K-S Critical Value		0.283					SD	15.63
1392		**Data appear Gamma Distributed at 5% Significance Level**									SE of Mean	5.524
1393											95% KM (t) UCL	36.43
1394		**Assuming Gamma Distribution**									95% KM (z) UCL	35.24
1395		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	36.43
1396				Minimum		1.7					95% KM (bootstrap t) UCL	38.4
1397				Maximum		59					95% KM (BCA) UCL	35.16
1398				Mean		26.16					95% KM (Percentile Bootstrap) UCL	35.01
1399				Median		22.3					95% KM (Chebyshev) UCL	50.24
1400				SD		16.57					97.5% KM (Chebyshev) UCL	60.66
1401				k star		1.302					99% KM (Chebyshev) UCL	81.12
1402				Theta star		20.09						
1403				Nu star		23.44		**Potential UCLs to Use**				
1404				AppChi2		13.42					95% KM (t) UCL	36.43
1405		95% Gamma Approximate UCL				45.67					95% KM (Percentile Bootstrap) UCL	35.01
1406		95% Adjusted Gamma UCL				51.72						
1407	**Note: DL/2 is not a recommended method.**											
1408												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM4.0W.wst								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Aldrin											
10												
11						General Statistics						
12			Number of Valid Data		25				Number of Detected Data			7
13		Number of Distinct Detected Data			7				Number of Non-Detect Data			18
14			Number of Missing Values		5				Percent Non-Detects			72.00%
15												
16			Raw Statistics						Log-transformed Statistics			
17			Minimum Detected		0.204				Minimum Detected			-1.59
18			Maximum Detected		1.4				Maximum Detected			0.336
19			Mean of Detected		0.695				Mean of Detected			-0.682
20			SD of Detected		0.554				SD of Detected			0.879
21			Minimum Non-Detect		0.0329				Minimum Non-Detect			-3.414
22			Maximum Non-Detect		1.28				Maximum Non-Detect			0.247
23												
24	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			23
25	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
26	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			92.00%
27												
28						Warning: There are only 7 Detected Values in this data						
29						Note: It should be noted that even though bootstrap may be performed on this data set						
30						the resulting calculations may not be reliable enough tp draw conclusions						
31												
32					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
33												
34												
35						UCL Statistics						
36		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
37			Shapiro Wilk Test Statistic		0.784				Shapiro Wilk Test Statistic			0.818
38			5% Shapiro Wilk Critical Value		0.803				5% Shapiro Wilk Critical Value			0.803
39		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
40												
41		Assuming Normal Distribution						Assuming Lognormal Distribution				
42			DL/2 Substitution Method						DL/2 Substitution Method			
43				Mean	0.388					Mean		-1.537
44				SD	0.388					SD		1.281
45			95% DL/2 (t) UCL		0.521				95% H-Stat (DL/2) UCL			0.643
46												
47			Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method			
48		MLE method failed to converge properly							Mean in Log Scale			-2.04
49									SD in Log Scale			1.002
50									Mean in Original Scale			0.252
51									SD in Original Scale			0.395
52									95% Percentile Bootstrap UCL			0.388
53									95% BCA Bootstrap UCL			0.432

	A	B	C	D	E	F	G	H	I	J	K	L
54												
55			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
56				k star (bias corrected)		1.08			Data appear Gamma Distributed at 5% Significance Level			
57				Theta Star		0.643						
58				nu star		15.13						
59												
60				A-D Test Statistic		0.715			Nonparametric Statistics			
61				5% A-D Critical Value		0.718			Kaplan-Meier (KM) Method			
62				K-S Test Statistic		0.718					Mean	0.354
63				5% K-S Critical Value		0.316					SD	0.352
64			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	0.0778
65											95% KM (t) UCL	0.487
66			Assuming Gamma Distribution								95% KM (z) UCL	0.482
67			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	0.479
68				Minimum		0.204					95% KM (bootstrap t) UCL	0.524
69				Maximum		1.4					95% KM (BCA) UCL	0.544
70				Mean		0.795					95% KM (Percentile Bootstrap) UCL	0.507
71				Median		0.987					95% KM (Chebyshev) UCL	0.693
72				SD		0.332					97.5% KM (Chebyshev) UCL	0.84
73				k star		4.005					99% KM (Chebyshev) UCL	1.128
74				Theta star		0.198						
75				Nu star		200.2			Potential UCLs to Use			
76				AppChi2		168.5					95% KM (t) UCL	0.487
77			95% Gamma Approximate UCL			0.944						
78			95% Adjusted Gamma UCL			0.955						
79	Note: DL/2 is not a recommended method.											
80												
81												
82	Arsenic											
83												
84					General Statistics							
85			Number of Valid Data			32			Number of Detected Data			26
86			Number of Distinct Detected Data			26			Number of Non-Detect Data			6
87			Number of Missing Values			1			Percent Non-Detects			18.75%
88												
89			Raw Statistics						Log-transformed Statistics			
90			Minimum Detected			2.27			Minimum Detected			0.82
91			Maximum Detected			8.79			Maximum Detected			2.174
92			Mean of Detected			3.563			Mean of Detected			1.236
93			SD of Detected			1.174			SD of Detected			0.246
94			Minimum Non-Detect			5			Minimum Non-Detect			1.609
95			Maximum Non-Detect			6			Maximum Non-Detect			1.792
96												
97	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			31
98	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
99	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			96.88%
100												
101					UCL Statistics							
102			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
103			Shapiro Wilk Test Statistic			0.608			Shapiro Wilk Test Statistic			0.817
104			5% Shapiro Wilk Critical Value			0.92			5% Shapiro Wilk Critical Value			0.92
105			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
106												

	A	B	C	D	E	F	G	H	I	J	K	L
107				Assuming Normal Distribution					Assuming Lognormal Distribution			
108				DL/2 Substitution Method					DL/2 Substitution Method			
109					Mean	3.38				Mean		1.182
110					SD	1.126				SD		0.251
111				95% DL/2 (t) UCL		3.717			95% H-Stat (DL/2) UCL			3.53
112												
113			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
114			MLE method failed to converge properly						Mean in Log Scale			1.233
115									SD in Log Scale			0.229
116									Mean in Original Scale			3.536
117									SD in Original Scale			1.076
118									95% Percentile Bootstrap UCL			3.87
119									95% BCA Bootstrap UCL			4.009
120												
121			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
122				k star (bias corrected)		13.01			Data do not follow a Discernable Distribution (0.05)			
123				Theta Star		0.274						
124				nu star		676.6						
125												
126				A-D Test Statistic		1.569			Nonparametric Statistics			
127				5% A-D Critical Value		0.744			Kaplan-Meier (KM) Method			
128				K-S Test Statistic		0.744				Mean		3.524
129				5% K-S Critical Value		0.171				SD		1.062
130			Data not Gamma Distributed at 5% Significance Level						SE of Mean			0.196
131									95% KM (t) UCL			3.857
132			Assuming Gamma Distribution						95% KM (z) UCL			3.847
133			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			3.856
134				Minimum		2.27			95% KM (bootstrap t) UCL			4.092
135				Maximum		8.79			95% KM (BCA) UCL			3.9
136				Mean		3.571			95% KM (Percentile Bootstrap) UCL			3.859
137				Median		3.545			95% KM (Chebyshev) UCL			4.379
138				SD		1.057			97.5% KM (Chebyshev) UCL			4.749
139				k star		16.24			99% KM (Chebyshev) UCL			5.476
140				Theta star		0.22						
141				Nu star		1039			Potential UCLs to Use			
142				AppChi2		965.6			95% KM (Chebyshev) UCL			4.379
143			95% Gamma Approximate UCL			3.844						
144			95% Adjusted Gamma UCL			3.859						
145	Note: DL/2 is not a recommended method.											
146												
147												
148	Benzo(a)anthracene											
149												
150					General Statistics							
151			Number of Valid Observations			33			Number of Distinct Observations			29
152												
153			Raw Statistics						Log-transformed Statistics			
154				Minimum	0.86				Minimum of Log Data			-0.151
155				Maximum	1600				Maximum of Log Data			7.378
156				Mean	255				Mean of log Data			4.738
157				Median	120				SD of log Data			1.461
158				SD	371.8							
159			Coefficient of Variation	1.458								

	A	B	C	D	E	F	G	H	I	J	K	L
160					Skewness	2.609						
161												
162							Relevant UCL Statistics					
163			Normal Distribution Test						Lognormal Distribution Test			
164				Shapiro Wilk Test Statistic		0.623				Shapiro Wilk Test Statistic		0.919
165				Shapiro Wilk Critical Value		0.931				Shapiro Wilk Critical Value		0.931
166		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
167												
168		Assuming Normal Distribution						Assuming Lognormal Distribution				
169				95% Student's-t UCL		364.6				95% H-UCL		720.3
170		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			751.1
171			95% Adjusted-CLT UCL			392.9			97.5% Chebyshev (MVUE) UCL			940.9
172			95% Modified-t UCL			369.5			99% Chebyshev (MVUE) UCL			1314
173												
174		Gamma Distribution Test						Data Distribution				
175			k star (bias corrected)			0.698		Data do not follow a Discernable Distribution (0.05)				
176				Theta Star		365.3						
177				nu star		46.07						
178		Approximate Chi Square Value (.05)				31.5		Nonparametric Statistics				
179		Adjusted Level of Significance				0.0419				95% CLT UCL		361.4
180		Adjusted Chi Square Value				30.87				95% Jackknife UCL		364.6
181									95% Standard Bootstrap UCL			359.6
182		Anderson-Darling Test Statistic				1.114				95% Bootstrap-t UCL		428.7
183		Anderson-Darling 5% Critical Value				0.788			95% Hall's Bootstrap UCL			440.1
184		Kolmogorov-Smirnov Test Statistic				0.184			95% Percentile Bootstrap UCL			369.2
185		Kolmogorov-Smirnov 5% Critical Value				0.159				95% BCA Bootstrap UCL		391.7
186		Data not Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL				537.1
187								97.5% Chebyshev(Mean, Sd) UCL				659.2
188		Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL				899
189			95% Approximate Gamma UCL			373						
190			95% Adjusted Gamma UCL			380.5						
191												
192		Potential UCL to Use						Use 99% Chebyshev (Mean, Sd) UCL				899
193												
194												
195	Benzo(a)pyrene											
196												
197							General Statistics					
198			Number of Valid Observations			33			Number of Distinct Observations			28
199												
200		Raw Statistics						Log-transformed Statistics				
201				Minimum		0.86				Minimum of Log Data		-0.151
202				Maximum		2500				Maximum of Log Data		7.824
203				Mean		396.5				Mean of log Data		5.162
204				Median		150				SD of log Data		1.503
205				SD		571						
206			Coefficient of Variation			1.44						
207				Skewness		2.615						
208												
209							Relevant UCL Statistics					
210		Normal Distribution Test						Lognormal Distribution Test				
211				Shapiro Wilk Test Statistic		0.639				Shapiro Wilk Test Statistic		0.917
212				Shapiro Wilk Critical Value		0.931				Shapiro Wilk Critical Value		0.931

	A	B	C	D	E	F	G	H	I	J	K	L
213	Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level				
214												
215	Assuming Normal Distribution							Assuming Lognormal Distribution				
216	95% Student's-t UCL					564.8		95% H-UCL				1217
217	95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL				1241
218	95% Adjusted-CLT UCL					608.3		97.5% Chebyshev (MVUE) UCL				1560
219	95% Modified-t UCL					572.4		99% Chebyshev (MVUE) UCL				2186
220												
221	Gamma Distribution Test							Data Distribution				
222	k star (bias corrected)					0.686		Data Follow Appr. Gamma Distribution at 5% Significance Level				
223	Theta Star					578.1						
224	nu star					45.26						
225	Approximate Chi Square Value (.05)					30.83		Nonparametric Statistics				
226	Adjusted Level of Significance					0.0419		95% CLT UCL				560
227	Adjusted Chi Square Value					30.22		95% Jackknife UCL				564.8
228								95% Standard Bootstrap UCL				557.8
229	Anderson-Darling Test Statistic					0.874		95% Bootstrap-t UCL				698.9
230	Anderson-Darling 5% Critical Value					0.789		95% Hall's Bootstrap UCL				804.1
231	Kolmogorov-Smirnov Test Statistic					0.159		95% Percentile Bootstrap UCL				563.4
232	Kolmogorov-Smirnov 5% Critical Value					0.159		95% BCA Bootstrap UCL				604.1
233	Data follow Appr. Gamma Distribution at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL				829.7
234								97.5% Chebyshev(Mean, Sd) UCL				1017
235	Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL				1385
236	95% Approximate Gamma UCL					582.1						
237	95% Adjusted Gamma UCL					593.9						
238												
239	Potential UCL to Use							Use 95% Approximate Gamma UCL				582.1
240												
241												
242	Benzo(b)fluoranthene											
243												
244	General Statistics											
245	Number of Valid Observations					33		Number of Distinct Observations				32
246												
247	Raw Statistics							Log-transformed Statistics				
248	Minimum					1.1		Minimum of Log Data				0.0953
249	Maximum					2330		Maximum of Log Data				7.754
250	Mean					356.6		Mean of log Data				5.097
251	Median					150		SD of log Data				1.467
252	SD					484.8						
253	Coefficient of Variation					1.359						
254	Skewness					2.648						
255												
256	Relevant UCL Statistics											
257	Normal Distribution Test							Lognormal Distribution Test				
258	Shapiro Wilk Test Statistic					0.678		Shapiro Wilk Test Statistic				0.938
259	Shapiro Wilk Critical Value					0.931		Shapiro Wilk Critical Value				0.931
260	Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level				
261												
262	Assuming Normal Distribution							Assuming Lognormal Distribution				
263	95% Student's-t UCL					499.6		95% H-UCL				1045
264	95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL				1087
265	95% Adjusted-CLT UCL					537		97.5% Chebyshev (MVUE) UCL				1362

	A	B	C	D	E	F	G	H	I	J	K	L
266				95% Modified-t UCL		506.1				99% Chebyshev (MVUE) UCL		1903
267												
268			Gamma Distribution Test						Data Distribution			
269			k star (bias corrected)			0.716		Data appear Gamma Distributed at 5% Significance Level				
270			Theta Star			497.9						
271			nu star			47.28						
272			Approximate Chi Square Value (.05)			32.5			Nonparametric Statistics			
273			Adjusted Level of Significance			0.0419				95% CLT UCL		495.4
274			Adjusted Chi Square Value			31.87				95% Jackknife UCL		499.6
275										95% Standard Bootstrap UCL		493.7
276			Anderson-Darling Test Statistic			0.571				95% Bootstrap-t UCL		606
277			Anderson-Darling 5% Critical Value			0.787				95% Hall's Bootstrap UCL		625.6
278			Kolmogorov-Smirnov Test Statistic			0.127				95% Percentile Bootstrap UCL		503.1
279			Kolmogorov-Smirnov 5% Critical Value			0.159				95% BCA Bootstrap UCL		552.2
280		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		724.5
281										97.5% Chebyshev(Mean, Sd) UCL		883.6
282			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		1196
283			95% Approximate Gamma UCL			518.8						
284			95% Adjusted Gamma UCL			529.1						
285												
286			Potential UCL to Use						Use 95% Approximate Gamma UCL			518.8
287												
288												
289	Benzo(k)fluoranthene											
290												
291					General Statistics							
292			Number of Valid Data			28			Number of Detected Data			27
293			Number of Distinct Detected Data			26			Number of Non-Detect Data			1
294			Number of Missing Values			5			Percent Non-Detects			3.57%
295												
296			Raw Statistics						Log-transformed Statistics			
297			Minimum Detected			10			Minimum Detected			2.303
298			Maximum Detected			1200			Maximum Detected			7.09
299			Mean of Detected			137.7			Mean of Detected			4.393
300			SD of Detected			226			SD of Detected			0.966
301			Minimum Non-Detect			0.54			Minimum Non-Detect			-0.616
302			Maximum Non-Detect			0.54			Maximum Non-Detect			-0.616
303												
304												
305					UCL Statistics							
306		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
307			Shapiro Wilk Test Statistic			0.454			Shapiro Wilk Test Statistic			0.936
308			5% Shapiro Wilk Critical Value			0.923			5% Shapiro Wilk Critical Value			0.923
309		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
310												
311		Assuming Normal Distribution						Assuming Lognormal Distribution				
312			DL/2 Substitution Method						DL/2 Substitution Method			
313			Mean			132.8			Mean			4.189
314			SD			223.3			SD			1.435
315			95% DL/2 (t) UCL			204.6			95% H-Stat (DL/2) UCL			354.1
316												
317		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
318			Mean			127.8			Mean in Log Scale			4.31

	A	B	C	D	E	F	G	H	I	J	K	L
319					SD	224.8					SD in Log Scale	1.044
320				95% MLE (t) UCL		200.1					Mean in Original Scale	133
321				95% MLE (Tiku) UCL		193.8					SD in Original Scale	223.1
322											95% Percentile Bootstrap UCL	210
323											95% BCA Bootstrap UCL	255.7
324												
325		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
326				k star (bias corrected)		0.981		Data appear Lognormal at 5% Significance Level				
327				Theta Star		140.3						
328				nu star		53						
329												
330				A-D Test Statistic		1.618		Nonparametric Statistics				
331				5% A-D Critical Value		0.772		Kaplan-Meier (KM) Method				
332				K-S Test Statistic		0.772					Mean	133.1
333				5% K-S Critical Value		0.173					SD	219.1
334		Data not Gamma Distributed at 5% Significance Level									SE of Mean	42.19
335											95% KM (t) UCL	205
336		Assuming Gamma Distribution									95% KM (z) UCL	202.5
337		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	204.9
338				Minimum		1E-09					95% KM (bootstrap t) UCL	356.8
339				Maximum		1200					95% KM (BCA) UCL	207.8
340				Mean		132.8					95% KM (Percentile Bootstrap) UCL	211.1
341				Median		82.5					95% KM (Chebyshev) UCL	317
342				SD		223.3					97.5% KM (Chebyshev) UCL	396.6
343				k star		0.436					99% KM (Chebyshev) UCL	552.9
344				Theta star		304.3						
345				Nu star		24.43		Potential UCLs to Use				
346				AppChi2		14.17					95% KM (Chebyshev) UCL	317
347		95% Gamma Approximate UCL				228.8						
348		95% Adjusted Gamma UCL				236.9						
349	Note: DL/2 is not a recommended method.											
350												
351												
352	Bis(2-ethylhexyl) phthalate											
353												
354					General Statistics							
355		Number of Valid Data				28				Number of Detected Data		9
356		Number of Distinct Detected Data				9				Number of Non-Detect Data		19
357		Number of Missing Values				5				Percent Non-Detects		67.86%
358												
359		Raw Statistics						Log-transformed Statistics				
360				Minimum Detected		56				Minimum Detected		4.025
361				Maximum Detected		120				Maximum Detected		4.787
362				Mean of Detected		82				Mean of Detected		4.37
363				SD of Detected		23.79				SD of Detected		0.286
364				Minimum Non-Detect		6.2				Minimum Non-Detect		1.825
365				Maximum Non-Detect		120				Maximum Non-Detect		4.787
366												
367	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		27
368	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1
369	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		96.43%
370												
371					Warning: There are only 9 Detected Values in this data							

	A	B	C	D	E	F	G	H	I	J	K	L
372	Note: It should be noted that even though bootstrap may be performed on this data set											
373	the resulting calculations may not be reliable enough tp draw conclusions											
374												
375	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
376												
377												
378	UCL Statistics											
379	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
380	Shapiro Wilk Test Statistic					0.909	Shapiro Wilk Test Statistic					0.921
381	5% Shapiro Wilk Critical Value					0.829	5% Shapiro Wilk Critical Value					0.829
382	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
383												
384	Assuming Normal Distribution						Assuming Lognormal Distribution					
385	DL/2 Substitution Method						DL/2 Substitution Method					
386	Mean					41.7	Mean					3.289
387	SD					34.58	SD					1.06
388	95% DL/2 (t) UCL					52.83	95% H-Stat (DL/2) UCL					51.96
389												
390	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
391	MLE method failed to converge properly						Mean in Log Scale					3.888
392							SD in Log Scale					0.382
393							Mean in Original Scale					52.86
394							SD in Original Scale					24.48
395							95% Percentile Bootstrap UCL					60.13
396							95% BCA Bootstrap UCL					61.5
397												
398	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
399	k star (bias corrected)					9.247	Data appear Normal at 5% Significance Level					
400	Theta Star					8.868						
401	nu star					166.4						
402												
403	A-D Test Statistic					0.368	Nonparametric Statistics					
404	5% A-D Critical Value					0.721	Kaplan-Meier (KM) Method					
405	K-S Test Statistic					0.721	Mean					65.11
406	5% K-S Critical Value					0.279	SD					17.84
407	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					3.689
408							95% KM (t) UCL					71.39
409	Assuming Gamma Distribution						95% KM (z) UCL					71.18
410	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					70.48
411	Minimum					56	95% KM (bootstrap t) UCL					73.06
412	Maximum					120	95% KM (BCA) UCL					77.61
413	Mean					82	95% KM (Percentile Bootstrap) UCL					74.68
414	Median					82	95% KM (Chebyshev) UCL					81.19
415	SD					12.95	97.5% KM (Chebyshev) UCL					88.15
416	k star					37.93	99% KM (Chebyshev) UCL					101.8
417	Theta star					2.162						
418	Nu star					2124	Potential UCLs to Use					
419	AppChi2					2018	95% KM (t) UCL					71.39
420	95% Gamma Approximate UCL					86.31	95% KM (Percentile Bootstrap) UCL					74.68
421	95% Adjusted Gamma UCL					86.58						
422	Note: DL/2 is not a recommended method.											
423												
424												

	A	B	C	D	E	F	G	H	I	J	K	L
425	Dibenzo(a,h)anthracene											
426												
427					General Statistics							
428		Number of Valid Data				33			Number of Detected Data			29
429		Number of Distinct Detected Data				25			Number of Non-Detect Data			4
430									Percent Non-Detects			12.12%
431												
432			Raw Statistics						Log-transformed Statistics			
433			Minimum Detected			0.47			Minimum Detected			-0.755
434			Maximum Detected			250			Maximum Detected			5.521
435			Mean of Detected			48.64			Mean of Detected			3.181
436			SD of Detected			62.14			SD of Detected			1.376
437			Minimum Non-Detect			19			Minimum Non-Detect			2.944
438			Maximum Non-Detect			20			Maximum Non-Detect			2.996
439												
440	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			15
441	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			18
442	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			45.45%
443												
444					UCL Statistics							
445		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
446			Shapiro Wilk Test Statistic			0.68			Shapiro Wilk Test Statistic			0.945
447			5% Shapiro Wilk Critical Value			0.926			5% Shapiro Wilk Critical Value			0.926
448		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
449												
450			Assuming Normal Distribution						Assuming Lognormal Distribution			
451			DL/2 Substitution Method						DL/2 Substitution Method			
452					Mean	43.94					Mean	3.073
453					SD	59.53					SD	1.321
454					95% DL/2 (t) UCL	61.5			95% H-Stat (DL/2) UCL			75.69
455												
456			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
457					Mean	16.74			Mean in Log Scale			3.023
458					SD	86.1			SD in Log Scale			1.365
459					95% MLE (t) UCL	42.13			Mean in Original Scale			43.61
460					95% MLE (Tiku) UCL	46.73			SD in Original Scale			59.74
461									95% Percentile Bootstrap UCL			61.67
462									95% BCA Bootstrap UCL			66.47
463												
464		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
465			k star (bias corrected)			0.774		Data appear Gamma Distributed at 5% Significance Level				
466					Theta Star	62.82						
467					nu star	44.91						
468												
469					A-D Test Statistic	0.475			Nonparametric Statistics			
470					5% A-D Critical Value	0.78			Kaplan-Meier (KM) Method			
471					K-S Test Statistic	0.78					Mean	43.95
472					5% K-S Critical Value	0.168					SD	58.66
473		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	10.4
474											95% KM (t) UCL	61.57
475			Assuming Gamma Distribution								95% KM (z) UCL	61.06
476		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	61.53
477					Minimum	1E-09					95% KM (bootstrap t) UCL	71.97

	A	B	C	D	E	F	G	H	I	J	K	L
478					Maximum	250				95% KM (BCA) UCL		63.63
479					Mean	43.83				95% KM (Percentile Bootstrap) UCL		62.05
480					Median	25				95% KM (Chebyshev) UCL		89.29
481					SD	59.69				97.5% KM (Chebyshev) UCL		108.9
482					k star	0.435				99% KM (Chebyshev) UCL		147.4
483					Theta star	100.9						
484					Nu star	28.68				Potential UCLs to Use		
485					AppChi2	17.46				95% KM (Chebyshev) UCL		89.29
486				95% Gamma Approximate UCL		72						
487				95% Adjusted Gamma UCL		73.91						
488	Note: DL/2 is not a recommended method.											
489												
490												
491	Indeno(1,2,3-cd)pyrene											
492												
493					General Statistics							
494				Number of Valid Observations		33				Number of Distinct Observations		30
495												
496			Raw Statistics						Log-transformed Statistics			
497					Minimum	0.95				Minimum of Log Data		-0.0513
498					Maximum	2300				Maximum of Log Data		7.741
499					Mean	315.7				Mean of log Data		4.936
500					Median	120				SD of log Data		1.442
501					SD	491.6						
502				Coefficient of Variation		1.557						
503					Skewness	3.029						
504												
505					Relevant UCL Statistics							
506			Normal Distribution Test						Lognormal Distribution Test			
507				Shapiro Wilk Test Statistic		0.593				Shapiro Wilk Test Statistic		0.93
508				Shapiro Wilk Critical Value		0.931				Shapiro Wilk Critical Value		0.931
509			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
510												
511			Assuming Normal Distribution						Assuming Lognormal Distribution			
512					95% Student's-t UCL	460.6				95% H-UCL		839.7
513			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			883.9
514				95% Adjusted-CLT UCL		504.6				97.5% Chebyshev (MVUE) UCL		1106
515					95% Modified-t UCL	468.1				99% Chebyshev (MVUE) UCL		1542
516												
517			Gamma Distribution Test						Data Distribution			
518					k star (bias corrected)	0.687			Data Follow Appr. Gamma Distribution at 5% Significance Level			
519					Theta Star	459.5						
520					nu star	45.34						
521			Approximate Chi Square Value (.05)			30.89			Nonparametric Statistics			
522			Adjusted Level of Significance			0.0419				95% CLT UCL		456.4
523			Adjusted Chi Square Value			30.28				95% Jackknife UCL		460.6
524										95% Standard Bootstrap UCL		453.9
525				Anderson-Darling Test Statistic		0.962				95% Bootstrap-t UCL		608
526				Anderson-Darling 5% Critical Value		0.789				95% Hall's Bootstrap UCL		1086
527				Kolmogorov-Smirnov Test Statistic		0.141				95% Percentile Bootstrap UCL		464.4
528				Kolmogorov-Smirnov 5% Critical Value		0.159				95% BCA Bootstrap UCL		508.4
529			Data follow Appr. Gamma Distribution at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			688.6
530										97.5% Chebyshev(Mean, Sd) UCL		850

	A	B	C	D	E	F	G	H	I	J	K	L
531			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			1167
532			95% Approximate Gamma UCL			463.3						
533			95% Adjusted Gamma UCL			472.7						
534												
535			Potential UCL to Use						Use 95% Approximate Gamma UCL			463.3
536												
537												
538	Lead											
539												
540					General Statistics							
541			Number of Valid Data			32			Number of Detected Data			32
542			Number of Distinct Detected Data			29			Number of Non-Detect Data			0
543			Number of Missing Values			1			Percent Non-Detects			0.00%
544												
545			Raw Statistics						Log-transformed Statistics			
546			Minimum Detected			4.97			Minimum Detected			1.603
547			Maximum Detected			38.9			Maximum Detected			3.661
548			Mean of Detected			15.21			Mean of Detected			2.642
549			SD of Detected			6.488			SD of Detected			0.411
550			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
551			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
552												
553												
554					UCL Statistics							
555			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
556			Shapiro Wilk Test Statistic			0.854			Shapiro Wilk Test Statistic			0.936
557			5% Shapiro Wilk Critical Value			0.93			5% Shapiro Wilk Critical Value			0.93
558			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
559												
560			Assuming Normal Distribution						Assuming Lognormal Distribution			
561			DL/2 Substitution Method						DL/2 Substitution Method			
562			Mean			15.21			Mean			2.642
563			SD			6.488			SD			0.411
564			95% DL/2 (t) UCL			17.15			95% H-Stat (DL/2) UCL			17.53
565												
566			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
567			MLE method failed to converge properly						Mean in Log Scale			N/A
568									SD in Log Scale			N/A
569									Mean in Original Scale			N/A
570									SD in Original Scale			N/A
571									95% Percentile Bootstrap UCL			N/A
572									95% BCA Bootstrap UCL			N/A
573												
574			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
575			k star (bias corrected)			5.831			Data appear Lognormal at 5% Significance Level			
576			Theta Star			2.608						
577			nu star			373.2						
578												
579			A-D Test Statistic			0.951			Nonparametric Statistics			
580			5% A-D Critical Value			0.747			Kaplan-Meier (KM) Method			
581			K-S Test Statistic			0.747			Mean			15.21
582			5% K-S Critical Value			0.156			SD			6.386
583			Data not Gamma Distributed at 5% Significance Level						SE of Mean			1.147

	A	B	C	D	E	F	G	H	I	J	K	L
584											95% KM (t) UCL	17.15
585			Assuming Gamma Distribution								95% KM (z) UCL	17.09
586			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	17.15
587					Minimum	4.97					95% KM (bootstrap t) UCL	17.79
588					Maximum	38.9					95% KM (BCA) UCL	17.15
589					Mean	15.21					95% KM (Percentile Bootstrap) UCL	17.16
590					Median	13.95					95% KM (Chebyshev) UCL	20.2
591					SD	6.488					97.5% KM (Chebyshev) UCL	22.37
592					k star	5.831					99% KM (Chebyshev) UCL	26.62
593					Theta star	2.608						
594					Nu star	373.2			Potential UCLs to Use			
595					AppChi2	329.4					95% KM (Chebyshev) UCL	20.2
596			95% Gamma Approximate UCL			17.23						
597			95% Adjusted Gamma UCL			17.34						
598	Note: DL/2 is not a recommended method.											
599												
600												
601	Mercury											
602												
603					General Statistics							
604			Number of Valid Data			32			Number of Detected Data			32
605			Number of Distinct Detected Data			25			Number of Non-Detect Data			0
606			Number of Missing Values			1			Percent Non-Detects			0.00%
607												
608			Raw Statistics						Log-transformed Statistics			
609			Minimum Detected			0.014			Minimum Detected			-4.269
610			Maximum Detected			0.444			Maximum Detected			-0.812
611			Mean of Detected			0.0822			Mean of Detected			-2.706
612			SD of Detected			0.0741			SD of Detected			0.616
613			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
614			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
615												
616												
617					UCL Statistics							
618		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
619			Shapiro Wilk Test Statistic			0.556			Shapiro Wilk Test Statistic			0.89
620			5% Shapiro Wilk Critical Value			0.93			5% Shapiro Wilk Critical Value			0.93
621		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
622												
623			Assuming Normal Distribution						Assuming Lognormal Distribution			
624			DL/2 Substitution Method						DL/2 Substitution Method			
625					Mean	0.0822					Mean	-2.706
626					SD	0.0741					SD	0.616
627			95% DL/2 (t) UCL			0.104			95% H-Stat (DL/2) UCL			0.101
628												
629			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
630		MLE method failed to converge properly							Mean in Log Scale			N/A
631									SD in Log Scale			N/A
632									Mean in Original Scale			N/A
633									SD in Original Scale			N/A
634									95% Percentile Bootstrap UCL			N/A
635									95% BCA Bootstrap UCL			N/A
636												

	A	B	C	D	E	F	G	H	I	J	K	L
637			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
638				k star (bias corrected)		2.347		Data do not follow a Discernable Distribution (0.05)				
639				Theta Star		0.035						
640				nu star		150.2						
641												
642				A-D Test Statistic		1.985		Nonparametric Statistics				
643				5% A-D Critical Value		0.756		Kaplan-Meier (KM) Method				
644				K-S Test Statistic		0.756					Mean	0.0822
645				5% K-S Critical Value		0.157					SD	0.073
646			Data not Gamma Distributed at 5% Significance Level								SE of Mean	0.0131
647											95% KM (t) UCL	0.104
648			Assuming Gamma Distribution								95% KM (z) UCL	0.104
649			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	0.104
650				Minimum		0.014					95% KM (bootstrap t) UCL	0.132
651				Maximum		0.444					95% KM (BCA) UCL	0.107
652				Mean		0.0822				95% KM (Percentile Bootstrap) UCL		0.106
653				Median		0.062					95% KM (Chebyshev) UCL	0.139
654				SD		0.0741					97.5% KM (Chebyshev) UCL	0.164
655				k star		2.347					99% KM (Chebyshev) UCL	0.213
656				Theta star		0.035						
657				Nu star		150.2		Potential UCLs to Use				
658				AppChi2		122.9					95% KM (Chebyshev) UCL	0.139
659			95% Gamma Approximate UCL			0.1						
660			95% Adjusted Gamma UCL			0.102						
661	Note: DL/2 is not a recommended method.											
662												
663												
664	Naphthalene											
665												
666					General Statistics							
667			Number of Valid Data			33				Number of Detected Data		29
668			Number of Distinct Detected Data			26				Number of Non-Detect Data		4
669										Percent Non-Detects		12.12%
670												
671			Raw Statistics						Log-transformed Statistics			
672				Minimum Detected		9.23				Minimum Detected		2.222
673				Maximum Detected		459				Maximum Detected		6.129
674				Mean of Detected		87.33				Mean of Detected		3.915
675				SD of Detected		108				SD of Detected		1.025
676				Minimum Non-Detect		0.43				Minimum Non-Detect		-0.844
677				Maximum Non-Detect		19				Maximum Non-Detect		2.944
678												
679	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		9
680	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		24
681	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		27.27%
682												
683							UCL Statistics					
684			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
685			Shapiro Wilk Test Statistic			0.698				Shapiro Wilk Test Statistic		0.948
686			5% Shapiro Wilk Critical Value			0.926				5% Shapiro Wilk Critical Value		0.926
687			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
688												
689			Assuming Normal Distribution						Assuming Lognormal Distribution			

	A	B	C	D	E	F	G	H	I	J	K	L
690				DL/2 Substitution Method						DL/2 Substitution Method		
691					Mean	77.05					Mean	3.381
692					SD	104.9					SD	1.835
693				95% DL/2 (t) UCL		108				95% H-Stat (DL/2) UCL		309.9
694												
695			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
696					Mean	55.3				Mean in Log Scale		3.65
697					SD	127.3				SD in Log Scale		1.206
698				95% MLE (t) UCL		92.85				Mean in Original Scale		77.46
699				95% MLE (Tiku) UCL		93.84				SD in Original Scale		104.6
700										95% Percentile Bootstrap UCL		108.1
701										95% BCA Bootstrap UCL		117.4
702												
703			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
704				k star (bias corrected)		0.952		Data appear Lognormal at 5% Significance Level				
705					Theta Star	91.68						
706					nu star	55.24						
707												
708				A-D Test Statistic		1.322		Nonparametric Statistics				
709				5% A-D Critical Value		0.773		Kaplan-Meier (KM) Method				
710				K-S Test Statistic		0.773					Mean	77.96
711				5% K-S Critical Value		0.167					SD	102.6
712		Data not Gamma Distributed at 5% Significance Level									SE of Mean	18.18
713											95% KM (t) UCL	108.8
714			Assuming Gamma Distribution								95% KM (z) UCL	107.9
715		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		108.3
716					Minimum	1E-09				95% KM (bootstrap t) UCL		122.6
717					Maximum	459				95% KM (BCA) UCL		113
718					Mean	76.74				95% KM (Percentile Bootstrap) UCL		109.8
719					Median	31				95% KM (Chebyshev) UCL		157.2
720					SD	105.1				97.5% KM (Chebyshev) UCL		191.5
721					k star	0.214				99% KM (Chebyshev) UCL		258.9
722					Theta star	358.1						
723					Nu star	14.14		Potential UCLs to Use				
724					AppChi2	6.67				97.5% KM (Chebyshev) UCL		191.5
725			95% Gamma Approximate UCL			162.7						
726			95% Adjusted Gamma UCL			169.4						
727	Note: DL/2 is not a recommended method.											
728												
729												
730	Thallium											
731												
732						General Statistics						
733				Number of Valid Data		9				Number of Detected Data		9
734			Number of Distinct Detected Data			8				Number of Non-Detect Data		0
735				Number of Missing Values		24				Percent Non-Detects		0.00%
736												
737			Raw Statistics						Log-transformed Statistics			
738				Minimum Detected		0.054				Minimum Detected		-2.919
739				Maximum Detected		24				Maximum Detected		3.178
740				Mean of Detected		10.37				Mean of Detected		0.958
741				SD of Detected		9.618				SD of Detected		2.569
742				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A

	A	B	C	D	E	F	G	H	I	J	K	L
743					Maximum Non-Detect	N/A				Maximum Non-Detect		N/A
744												
745												
746					Warning: There are only 9 Detected Values in this data							
747					Note: It should be noted that even though bootstrap may be performed on this data set							
748					the resulting calculations may not be reliable enough tp draw conclusions							
749												
750					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
751												
752												
753					UCL Statistics							
754		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
755					Shapiro Wilk Test Statistic	0.877				Shapiro Wilk Test Statistic		0.766
756					5% Shapiro Wilk Critical Value	0.829				5% Shapiro Wilk Critical Value		0.829
757		Data appear Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
758												
759		Assuming Normal Distribution						Assuming Lognormal Distribution				
760					DL/2 Substitution Method					DL/2 Substitution Method		
761					Mean	10.37				Mean		0.958
762					SD	9.618				SD		2.569
763					95% DL/2 (t) UCL	16.33				95% H-Stat (DL/2) UCL		49031
764												
765					Maximum Likelihood Estimate(MLE) Method	N/A				Log ROS Method		
766		MLE method failed to converge properly								Mean in Log Scale		N/A
767										SD in Log Scale		N/A
768										Mean in Original Scale		N/A
769										SD in Original Scale		N/A
770										95% Percentile Bootstrap UCL		N/A
771										95% BCA Bootstrap UCL		N/A
772												
773		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
774					k star (bias corrected)	0.384		Data appear Normal at 5% Significance Level				
775					Theta Star	26.98						
776					nu star	6.916						
777												
778					A-D Test Statistic	0.859		Nonparametric Statistics				
779					5% A-D Critical Value	0.777		Kaplan-Meier (KM) Method				
780					K-S Test Statistic	0.777				Mean		10.37
781					5% K-S Critical Value	0.295				SD		9.068
782		Data not Gamma Distributed at 5% Significance Level								SE of Mean		3.206
783										95% KM (t) UCL		16.33
784		Assuming Gamma Distribution								95% KM (z) UCL		15.64
785		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		16.33
786					Minimum	0.054				95% KM (bootstrap t) UCL		16.83
787					Maximum	24				95% KM (BCA) UCL		15.36
788					Mean	10.37				95% KM (Percentile Bootstrap) UCL		15.47
789					Median	9				95% KM (Chebyshev) UCL		24.34
790					SD	9.618				97.5% KM (Chebyshev) UCL		30.39
791					k star	0.384				99% KM (Chebyshev) UCL		42.27
792					Theta star	26.98						
793					Nu star	6.916		Potential UCLs to Use				
794					AppChi2	2.125				95% KM (t) UCL		16.33
795					95% Gamma Approximate UCL	33.74				95% KM (Percentile Bootstrap) UCL		15.47

	A	B	C	D	E	F	G	H	I	J	K	L
796					95% Adjusted Gamma UCL	44.51						
797	Note: DL/2 is not a recommended method.											
798												
799												
800	Total Aroclors											
801												
802					General Statistics							
803				Number of Valid Data		20			Number of Detected Data			17
804			Number of Distinct Detected Data			17			Number of Non-Detect Data			3
805				Number of Missing Values		10			Percent Non-Detects			15.00%
806												
807				Raw Statistics					Log-transformed Statistics			
808				Minimum Detected		10.85			Minimum Detected			2.384
809				Maximum Detected		49.6			Maximum Detected			3.904
810				Mean of Detected		23.84			Mean of Detected			3.089
811				SD of Detected		10.42			SD of Detected			0.413
812				Minimum Non-Detect		2.47			Minimum Non-Detect			0.904
813				Maximum Non-Detect		38			Maximum Non-Detect			3.638
814												
815	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			18
816	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
817	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			90.00%
818												
819					UCL Statistics							
820			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
821				Shapiro Wilk Test Statistic		0.904			Shapiro Wilk Test Statistic			0.977
822				5% Shapiro Wilk Critical Value		0.892			5% Shapiro Wilk Critical Value			0.892
823			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
824												
825			Assuming Normal Distribution						Assuming Lognormal Distribution			
826				DL/2 Substitution Method					DL/2 Substitution Method			
827					Mean	21.35				Mean		2.806
828					SD	11.8				SD		0.93
829				95% DL/2 (t) UCL		25.92			95% H-Stat (DL/2) UCL			32.7
830												
831			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
832			MLE method failed to converge properly						Mean in Log Scale			2.988
833									SD in Log Scale			0.475
834									Mean in Original Scale			22.06
835									SD in Original Scale			10.67
836									95% Percentile Bootstrap UCL			26.18
837									95% BCA Bootstrap UCL			26.47
838												
839			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
840				k star (bias corrected)		5.18			Data appear Normal at 5% Significance Level			
841				Theta Star		4.603						
842				nu star		176.1						
843												
844				A-D Test Statistic		0.296			Nonparametric Statistics			
845				5% A-D Critical Value		0.741			Kaplan-Meier (KM) Method			
846				K-S Test Statistic		0.741				Mean		22.34
847				5% K-S Critical Value		0.21				SD		10.24
848			Data appear Gamma Distributed at 5% Significance Level						SE of Mean			2.389

	A	B	C	D	E	F	G	H	I	J	K	L
849										95% KM (t) UCL		26.47
850			Assuming Gamma Distribution							95% KM (z) UCL		26.27
851			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		26.38
852					Minimum	6.278				95% KM (bootstrap t) UCL		27.17
853					Maximum	49.6				95% KM (BCA) UCL		26.59
854					Mean	22.18				95% KM (Percentile Bootstrap) UCL		26.54
855					Median	20.38				95% KM (Chebyshev) UCL		32.75
856					SD	11.01				97.5% KM (Chebyshev) UCL		37.26
857					k star	3.509				99% KM (Chebyshev) UCL		46.11
858					Theta star	6.32						
859					Nu star	140.3				Potential UCLs to Use		
860					AppChi2	114				95% KM (t) UCL		26.47
861			95% Gamma Approximate UCL			27.31				95% KM (Percentile Bootstrap) UCL		26.54
862			95% Adjusted Gamma UCL			27.77						
863	Note: DL/2 is not a recommended method.											
864												
865												
866	Total DDT											
867												
868					General Statistics							
869			Number of Valid Data			25				Number of Detected Data		18
870			Number of Distinct Detected Data			18				Number of Non-Detect Data		7
871			Number of Missing Values			5				Percent Non-Detects		28.00%
872												
873			Raw Statistics						Log-transformed Statistics			
874				Minimum Detected		0.201				Minimum Detected		-1.603
875				Maximum Detected		152.5				Maximum Detected		5.027
876				Mean of Detected		26.04				Mean of Detected		1.52
877				SD of Detected		47.52				SD of Detected		2.01
878				Minimum Non-Detect		0.0586				Minimum Non-Detect		-2.837
879				Maximum Non-Detect		2.98				Maximum Non-Detect		1.092
880												
881	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		16
882	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		9
883	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		64.00%
884												
885					UCL Statistics							
886			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
887				Shapiro Wilk Test Statistic		0.602				Shapiro Wilk Test Statistic		0.945
888				5% Shapiro Wilk Critical Value		0.897				5% Shapiro Wilk Critical Value		0.897
889			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
890												
891			Assuming Normal Distribution						Assuming Lognormal Distribution			
892				DL/2 Substitution Method						DL/2 Substitution Method		
893					Mean	18.95				Mean		0.734
894					SD	41.64				SD		2.322
895			95% DL/2 (t) UCL			33.2				95% H-Stat (DL/2) UCL		123.2
896												
897			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
898			MLE yields a negative mean							Mean in Log Scale		0.588
899										SD in Log Scale		2.36
900										Mean in Original Scale		18.83
901										SD in Original Scale		41.7

	A	B	C	D	E	F	G	H	I	J	K	L
902										95% Percentile Bootstrap UCL		33.75
903										95% BCA Bootstrap UCL		36.35
904												
905		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
906				k star (bias corrected)		0.355		Data Follow Appr. Gamma Distribution at 5% Significance Level				
907				Theta Star		73.42						
908				nu star		12.77						
909												
910				A-D Test Statistic		1.16		Nonparametric Statistics				
911				5% A-D Critical Value		0.825			Kaplan-Meier (KM) Method			
912				K-S Test Statistic		0.825					Mean	18.91
913				5% K-S Critical Value		0.218					SD	40.82
914		Data follow Appr. Gamma Distribution at 5% Significance Level									SE of Mean	8.401
915											95% KM (t) UCL	33.28
916		Assuming Gamma Distribution									95% KM (z) UCL	32.72
917		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	33.13
918				Minimum		1E-09					95% KM (bootstrap t) UCL	49.43
919				Maximum		152.5					95% KM (BCA) UCL	33.36
920				Mean		20.05				95% KM (Percentile Bootstrap) UCL		33.41
921				Median		4.701					95% KM (Chebyshev) UCL	55.53
922				SD		41.24					97.5% KM (Chebyshev) UCL	71.37
923				k star		0.188					99% KM (Chebyshev) UCL	102.5
924				Theta star		106.5						
925				Nu star		9.415		Potential UCLs to Use				
926				AppChi2		3.579					95% KM (Chebyshev) UCL	55.53
927		95% Gamma Approximate UCL				52.73						
928		95% Adjusted Gamma UCL				56.56						
929	Note: DL/2 is not a recommended method.											
930												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM4.5E.wst								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Arsenic											
10												
11						General Statistics						
12			Number of Valid Data			25			Number of Detected Data			20
13			Number of Distinct Detected Data			17			Number of Non-Detect Data			5
14									Percent Non-Detects			20.00%
15												
16			Raw Statistics						Log-transformed Statistics			
17				Minimum Detected		1.2			Minimum Detected			0.182
18				Maximum Detected		12.3			Maximum Detected			2.51
19				Mean of Detected		4.32			Mean of Detected			1.334
20				SD of Detected		2.463			SD of Detected			0.518
21				Minimum Non-Detect		5			Minimum Non-Detect			1.609
22				Maximum Non-Detect		6			Maximum Non-Detect			1.792
23												
24	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			20
25	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			5
26	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			80.00%
27												
28						UCL Statistics						
29		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
30			Shapiro Wilk Test Statistic			0.827			Shapiro Wilk Test Statistic			0.968
31			5% Shapiro Wilk Critical Value			0.905			5% Shapiro Wilk Critical Value			0.905
32		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
33												
34		Assuming Normal Distribution						Assuming Lognormal Distribution				
35			DL/2 Substitution Method						DL/2 Substitution Method			
36				Mean		3.976			Mean			1.257
37				SD		2.303			SD			0.487
38			95% DL/2 (t) UCL			4.764			95% H-Stat (DL/2) UCL			4.344
39												
40		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
41				Mean		2.743			Mean in Log Scale			1.288
42				SD		3.69			SD in Log Scale			0.481
43			95% MLE (t) UCL			4.006			Mean in Original Scale			4.075
44			95% MLE (Tiku) UCL			5.836			SD in Original Scale			2.269
45									95% Percentile Bootstrap UCL			4.856
46									95% BCA Bootstrap UCL			4.969
47												
48		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
49			k star (bias corrected)			3.447		Data appear Gamma Distributed at 5% Significance Level				
50				Theta Star		1.253						
51				nu star		137.9						
52												
53			A-D Test Statistic			0.473			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
54					5% A-D Critical Value	0.746			Kaplan-Meier (KM) Method			
55					K-S Test Statistic	0.746					Mean	4.075
56					5% K-S Critical Value	0.195					SD	2.236
57	Data appear Gamma Distributed at 5% Significance Level										SE of Mean	0.468
58											95% KM (t) UCL	4.875
59			Assuming Gamma Distribution								95% KM (z) UCL	4.844
60			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	4.873
61					Minimum	1.2					95% KM (bootstrap t) UCL	5.149
62					Maximum	12.3					95% KM (BCA) UCL	4.919
63					Mean	4.322					95% KM (Percentile Bootstrap) UCL	4.903
64					Median	4.043					95% KM (Chebyshev) UCL	6.113
65					SD	2.217					97.5% KM (Chebyshev) UCL	6.995
66					k star	4.287					99% KM (Chebyshev) UCL	8.728
67					Theta star	1.008						
68					Nu star	214.3			Potential UCLs to Use			
69					AppChi2	181.5					95% KM (BCA) UCL	4.919
70			95% Gamma Approximate UCL			5.105						
71			95% Adjusted Gamma UCL			5.164						
72	Note: DL/2 is not a recommended method.											
73												
74												
75	Benzo(a)anthracene											
76												
77					General Statistics							
78			Number of Valid Observations			25			Number of Distinct Observations			24
79												
80			Raw Statistics						Log-transformed Statistics			
81					Minimum	1.6				Minimum of Log Data		0.47
82					Maximum	41000				Maximum of Log Data		10.62
83					Mean	3315				Mean of log Data		6.28
84					Median	570				SD of log Data		2.172
85					SD	8394						
86			Coefficient of Variation			2.532						
87					Skewness	4.141						
88												
89					Relevant UCL Statistics							
90			Normal Distribution Test						Lognormal Distribution Test			
91			Shapiro Wilk Test Statistic			0.423			Shapiro Wilk Test Statistic			0.976
92			Shapiro Wilk Critical Value			0.918			Shapiro Wilk Critical Value			0.918
93		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
94												
95			Assuming Normal Distribution						Assuming Lognormal Distribution			
96					95% Student's-t UCL	6187					95% H-UCL	37248
97		Data appear Lognormal at 5% Significance Level										
97			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			15140
98			95% Adjusted-CLT UCL			7562			97.5% Chebyshev (MVUE) UCL			19804
99			95% Modified-t UCL			6419			99% Chebyshev (MVUE) UCL			28966
100												
101			Gamma Distribution Test						Data Distribution			
102			k star (bias corrected)			0.348			Data appear Lognormal at 5% Significance Level			
103					Theta Star	9516						
104					nu star	17.42						
105		Approximate Chi Square Value (.05)				8.972			Nonparametric Statistics			
106		Adjusted Level of Significance				0.0395					95% CLT UCL	6077

	A	B	C	D	E	F	G	H	I	J	K	L
107				Adjusted Chi Square Value		8.559				95% Jackknife UCL		6187
108										95% Standard Bootstrap UCL		6004
109				Anderson-Darling Test Statistic		1.03				95% Bootstrap-t UCL		14088
110				Anderson-Darling 5% Critical Value		0.837				95% Hall's Bootstrap UCL		15671
111				Kolmogorov-Smirnov Test Statistic		0.198				95% Percentile Bootstrap UCL		6172
112				Kolmogorov-Smirnov 5% Critical Value		0.188				95% BCA Bootstrap UCL		8023
113		Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		10633
114										97.5% Chebyshev(Mean, Sd) UCL		13800
115		Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL		20020
116				95% Approximate Gamma UCL		6436						
117				95% Adjusted Gamma UCL		6746						
118												
119		Potential UCL to Use								Use 97.5% Chebyshev (MVUE) UCL		19804
120												
121												
122	Benzo(a)pyrene											
123												
124					General Statistics							
125				Number of Valid Observations		25				Number of Distinct Observations		25
126												
127			Raw Statistics						Log-transformed Statistics			
128					Minimum	1.6				Minimum of Log Data		0.47
129					Maximum	48000				Maximum of Log Data		10.78
130					Mean	4294				Mean of log Data		6.584
131					Median	740				SD of log Data		2.212
132					SD	10024						
133				Coefficient of Variation		2.334						
134					Skewness	3.847						
135												
136					Relevant UCL Statistics							
137			Normal Distribution Test						Lognormal Distribution Test			
138				Shapiro Wilk Test Statistic		0.463				Shapiro Wilk Test Statistic		0.97
139				Shapiro Wilk Critical Value		0.918				Shapiro Wilk Critical Value		0.918
140		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
141												
142			Assuming Normal Distribution						Assuming Lognormal Distribution			
143					95% Student's-t UCL	7724				95% H-UCL		58879
144		95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL		22404
145				95% Adjusted-CLT UCL		9240				97.5% Chebyshev (MVUE) UCL		29346
146				95% Modified-t UCL		7981				99% Chebyshev (MVUE) UCL		42981
147												
148			Gamma Distribution Test						Data Distribution			
149				k star (bias corrected)		0.355		Data Follow Appr. Gamma Distribution at 5% Significance Level				
150					Theta Star	12079						
151					nu star	17.77						
152				Approximate Chi Square Value (.05)		9.228			Nonparametric Statistics			
153				Adjusted Level of Significance		0.0395				95% CLT UCL		7591
154				Adjusted Chi Square Value		8.809				95% Jackknife UCL		7724
155										95% Standard Bootstrap UCL		7564
156				Anderson-Darling Test Statistic		0.87				95% Bootstrap-t UCL		15956
157				Anderson-Darling 5% Critical Value		0.835				95% Hall's Bootstrap UCL		18916
158				Kolmogorov-Smirnov Test Statistic		0.184				95% Percentile Bootstrap UCL		7808
159				Kolmogorov-Smirnov 5% Critical Value		0.188				95% BCA Bootstrap UCL		10141

	A	B	C	D	E	F	G	H	I	J	K	L
160	Data follow Appr. Gamma Distribution at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL			13032
161									97.5% Chebyshev(Mean, Sd) UCL			16813
162	Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL			24240
163	95% Approximate Gamma UCL					8271						
164	95% Adjusted Gamma UCL					8664						
165												
166	Potential UCL to Use								Use 95% Adjusted Gamma UCL			8664
167												
168												
169	Benzo(b)fluoranthene											
170												
171	General Statistics											
172	Number of Valid Observations					25			Number of Distinct Observations			22
173												
174	Raw Statistics								Log-transformed Statistics			
175	Minimum					2.2			Minimum of Log Data			0.788
176	Maximum					44000			Maximum of Log Data			10.69
177	Mean					3756			Mean of log Data			6.494
178	Median					900			SD of log Data			2.167
179	SD					8976						
180	Coefficient of Variation					2.39						
181	Skewness					4.106						
182												
183	Relevant UCL Statistics											
184	Normal Distribution Test								Lognormal Distribution Test			
185	Shapiro Wilk Test Statistic					0.443			Shapiro Wilk Test Statistic			0.972
186	Shapiro Wilk Critical Value					0.918			Shapiro Wilk Critical Value			0.918
187	Data not Normal at 5% Significance Level								Data appear Lognormal at 5% Significance Level			
188												
189	Assuming Normal Distribution								Assuming Lognormal Distribution			
190	95% Student's-t UCL					6827			95% H-UCL			45279
191	95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL			18557
192	95% Adjusted-CLT UCL					8284			97.5% Chebyshev (MVUE) UCL			24270
193	95% Modified-t UCL					7073			99% Chebyshev (MVUE) UCL			35493
194												
195	Gamma Distribution Test								Data Distribution			
196	k star (bias corrected)					0.363			Data appear Gamma Distributed at 5% Significance Level			
197	Theta Star					10358						
198	nu star					18.13						
199	Approximate Chi Square Value (.05)					9.486			Nonparametric Statistics			
200	Adjusted Level of Significance					0.0395			95% CLT UCL			6709
201	Adjusted Chi Square Value					9.06			95% Jackknife UCL			6827
202									95% Standard Bootstrap UCL			6589
203	Anderson-Darling Test Statistic					0.815			95% Bootstrap-t UCL			13872
204	Anderson-Darling 5% Critical Value					0.833			95% Hall's Bootstrap UCL			16792
205	Kolmogorov-Smirnov Test Statistic					0.167			95% Percentile Bootstrap UCL			6922
206	Kolmogorov-Smirnov 5% Critical Value					0.187			95% BCA Bootstrap UCL			8720
207	Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL			11581
208									97.5% Chebyshev(Mean, Sd) UCL			14967
209	Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL			21617
210	95% Approximate Gamma UCL					7180						
211	95% Adjusted Gamma UCL					7517						
212												

	A	B	C	D	E	F	G	H	I	J	K	L
213	Potential UCL to Use								Use 95% Adjusted Gamma UCL			7517
214												
215												
216	Benzo(k)fluoranthene											
217												
218	General Statistics											
219	Number of Valid Observations					25			Number of Distinct Observations			24
220												
221	Raw Statistics						Log-transformed Statistics					
222	Minimum					1.6			Minimum of Log Data			0.47
223	Maximum					42000			Maximum of Log Data			10.65
224	Mean					3392			Mean of log Data			6.286
225	Median					550			SD of log Data			2.22
226	SD					8519						
227	Coefficient of Variation					2.511						
228	Skewness					4.227						
229												
230	Relevant UCL Statistics											
231	Normal Distribution Test						Lognormal Distribution Test					
232	Shapiro Wilk Test Statistic					0.422			Shapiro Wilk Test Statistic			0.978
233	Shapiro Wilk Critical Value					0.918			Shapiro Wilk Critical Value			0.918
234	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
235												
236	Assuming Normal Distribution						Assuming Lognormal Distribution					
237	95% Student's-t UCL					6307			95% H-UCL			44972
238	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					16897
239	95% Adjusted-CLT UCL					7734			97.5% Chebyshev (MVUE) UCL			22138
240	95% Modified-t UCL					6547			99% Chebyshev (MVUE) UCL			32432
241												
242	Gamma Distribution Test						Data Distribution					
243	k star (bias corrected)					0.346		Data Follow Appr. Gamma Distribution at 5% Significance Level				
244	Theta Star					9810						
245	nu star					17.29						
246	Approximate Chi Square Value (.05)					8.88			Nonparametric Statistics			
247	Adjusted Level of Significance					0.0395			95% CLT UCL			6195
248	Adjusted Chi Square Value					8.47			95% Jackknife UCL			6307
249									95% Standard Bootstrap UCL			6168
250	Anderson-Darling Test Statistic					0.882			95% Bootstrap-t UCL			12570
251	Anderson-Darling 5% Critical Value					0.838			95% Hall's Bootstrap UCL			15454
252	Kolmogorov-Smirnov Test Statistic					0.177			95% Percentile Bootstrap UCL			6466
253	Kolmogorov-Smirnov 5% Critical Value					0.188			95% BCA Bootstrap UCL			8581
254	Data follow Appr. Gamma Distribution at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					10819
255									97.5% Chebyshev(Mean, Sd) UCL			14032
256	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					20344
257	95% Approximate Gamma UCL					6605						
258	95% Adjusted Gamma UCL					6925						
259												
260	Potential UCL to Use								Use 95% Adjusted Gamma UCL			6925
261												
262												
263	Bis(2-ethylhexyl) phthalate											
264												
265	General Statistics											

	A	B	C	D	E	F	G	H	I	J	K	L
266					Number of Valid Data		25				Number of Detected Data	9
267			Number of Distinct Detected Data				9				Number of Non-Detect Data	16
268											Percent Non-Detects	64.00%
269												
270				Raw Statistics						Log-transformed Statistics		
271					Minimum Detected		40				Minimum Detected	3.689
272					Maximum Detected		520				Maximum Detected	6.254
273					Mean of Detected		153.3				Mean of Detected	4.656
274					SD of Detected		163.4				SD of Detected	0.849
275				Minimum Non-Detect			20				Minimum Non-Detect	2.996
276				Maximum Non-Detect			200				Maximum Non-Detect	5.298
277												
278	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		23
279	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		2
280	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		92.00%
281												
282				Warning: There are only 9 Detected Values in this data								
283				Note: It should be noted that even though bootstrap may be performed on this data set								
284				the resulting calculations may not be reliable enough tp draw conclusions								
285												
286				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
287												
288												
289						UCL Statistics						
290			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
291				Shapiro Wilk Test Statistic			0.695				Shapiro Wilk Test Statistic	0.853
292				5% Shapiro Wilk Critical Value			0.829				5% Shapiro Wilk Critical Value	0.829
293			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
294												
295			Assuming Normal Distribution						Assuming Lognormal Distribution			
296					DL/2 Substitution Method						DL/2 Substitution Method	
297						Mean	83.34				Mean	3.866
298						SD	111.8				SD	1.073
299					95% DL/2 (t) UCL		121.6				95% H-Stat (DL/2) UCL	119.8
300												
301				Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method	
302			MLE method failed to converge properly								Mean in Log Scale	3.577
303											SD in Log Scale	1.046
304											Mean in Original Scale	69.36
305											SD in Original Scale	114.5
306											95% Percentile Bootstrap UCL	111.3
307											95% BCA Bootstrap UCL	130.9
308												
309			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
310					k star (bias corrected)		1.056			Data appear Lognormal at 5% Significance Level		
311						Theta Star	145.2					
312						nu star	19.01					
313												
314						A-D Test Statistic	0.951			Nonparametric Statistics		
315						5% A-D Critical Value	0.735				Kaplan-Meier (KM) Method	
316						K-S Test Statistic	0.735				Mean	84.98
317						5% K-S Critical Value	0.284				SD	106.5
318			Data not Gamma Distributed at 5% Significance Level								SE of Mean	22.77

	A	B	C	D	E	F	G	H	I	J	K	L
319											95% KM (t) UCL	123.9
320			Assuming Gamma Distribution								95% KM (z) UCL	122.4
321			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	117.7
322				Minimum		40					95% KM (bootstrap t) UCL	215.6
323				Maximum		520					95% KM (BCA) UCL	141.9
324				Mean		179.1			95% KM (Percentile Bootstrap) UCL			127.4
325				Median		153.8					95% KM (Chebyshev) UCL	184.2
326				SD		116.1					97.5% KM (Chebyshev) UCL	227.2
327				k star		2.331					99% KM (Chebyshev) UCL	311.5
328				Theta star		76.82						
329				Nu star		116.6			Potential UCLs to Use			
330				AppChi2		92.65					95% KM (t) UCL	123.9
331			95% Gamma Approximate UCL			225.4					95% KM (% Bootstrap) UCL	127.4
332				95% Adjusted Gamma UCL		228.9						
333	Note: DL/2 is not a recommended method.											
334												
335												
336	Dibenzo(a,h)anthracene											
337												
338						General Statistics						
339				Number of Valid Observations		25			Number of Distinct Observations			22
340												
341			Raw Statistics						Log-transformed Statistics			
342					Minimum	0.22				Minimum of Log Data		-1.514
343					Maximum	6500				Maximum of Log Data		8.78
344					Mean	710.4				Mean of log Data		4.789
345					Median	150				SD of log Data		2.306
346					SD	1467						
347				Coefficient of Variation		2.064						
348					Skewness	3.141						
349												
350						Relevant UCL Statistics						
351			Normal Distribution Test						Lognormal Distribution Test			
352				Shapiro Wilk Test Statistic		0.533				Shapiro Wilk Test Statistic		0.963
353				Shapiro Wilk Critical Value		0.918				Shapiro Wilk Critical Value		0.918
354			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
355												
356			Assuming Normal Distribution						Assuming Lognormal Distribution			
357				95% Student's-t UCL		1212				95% H-UCL		14093
358			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			4565
359				95% Adjusted-CLT UCL		1390			97.5% Chebyshev (MVUE) UCL			5997
360				95% Modified-t UCL		1243			99% Chebyshev (MVUE) UCL			8809
361												
362			Gamma Distribution Test						Data Distribution			
363				k star (bias corrected)		0.356			Data appear Gamma Distributed at 5% Significance Level			
364				Theta Star		1996						
365				nu star		17.8						
366			Approximate Chi Square Value (.05)			9.247			Nonparametric Statistics			
367				Adjusted Level of Significance		0.0395				95% CLT UCL		1193
368				Adjusted Chi Square Value		8.827				95% Jackknife UCL		1212
369										95% Standard Bootstrap UCL		1190
370			Anderson-Darling Test Statistic			0.684				95% Bootstrap-t UCL		2044
371			Anderson-Darling 5% Critical Value			0.835				95% Hall's Bootstrap UCL		2777

	A	B	C	D	E	F	G	H	I	J	K	L
372			Kolmogorov-Smirnov Test Statistic			0.158				95% Percentile Bootstrap UCL		1232
373			Kolmogorov-Smirnov 5% Critical Value			0.188				95% BCA Bootstrap UCL		1393
374			Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		1989
375										97.5% Chebyshev(Mean, Sd) UCL		2542
376			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		3629
377				95% Approximate Gamma UCL		1368						
378				95% Adjusted Gamma UCL		1433						
379												
380			Potential UCL to Use							Use 95% Adjusted Gamma UCL		1433
381												
382												
383	Indeno(1,2,3-cd)pyrene											
384												
385						General Statistics						
386				Number of Valid Observations		25				Number of Distinct Observations		23
387												
388			Raw Statistics							Log-transformed Statistics		
389					Minimum	0.9				Minimum of Log Data		-0.105
390					Maximum	31000				Maximum of Log Data		10.34
391					Mean	3033				Mean of log Data		6.285
392					Median	640				SD of log Data		2.251
393					SD	6620						
394				Coefficient of Variation		2.182						
395					Skewness	3.588						
396												
397						Relevant UCL Statistics						
398			Normal Distribution Test							Lognormal Distribution Test		
399				Shapiro Wilk Test Statistic		0.497				Shapiro Wilk Test Statistic		0.963
400				Shapiro Wilk Critical Value		0.918				Shapiro Wilk Critical Value		0.918
401			Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level		
402												
403			Assuming Normal Distribution							Assuming Lognormal Distribution		
404					95% Student's-t UCL	5299				95% H-UCL		50687
405			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		18071
406				95% Adjusted-CLT UCL		6227				97.5% Chebyshev (MVUE) UCL		23698
407				95% Modified-t UCL		5457				99% Chebyshev (MVUE) UCL		34753
408												
409			Gamma Distribution Test							Data Distribution		
410				k star (bias corrected)		0.363			Data appear Gamma Distributed at 5% Significance Level			
411					Theta Star	8349						
412					nu star	18.17						
413			Approximate Chi Square Value (.05)			9.512				Nonparametric Statistics		
414				Adjusted Level of Significance		0.0395				95% CLT UCL		5211
415				Adjusted Chi Square Value		9.085				95% Jackknife UCL		5299
416										95% Standard Bootstrap UCL		5183
417				Anderson-Darling Test Statistic		0.694				95% Bootstrap-t UCL		9526
418				Anderson-Darling 5% Critical Value		0.833				95% Hall's Bootstrap UCL		13465
419				Kolmogorov-Smirnov Test Statistic		0.165				95% Percentile Bootstrap UCL		5477
420				Kolmogorov-Smirnov 5% Critical Value		0.187				95% BCA Bootstrap UCL		6673
421			Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		8805
422										97.5% Chebyshev(Mean, Sd) UCL		11302
423			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		16207
424				95% Approximate Gamma UCL		5794						

	A	B	C	D	E	F	G	H	I	J	K	L
425				95% Adjusted Gamma UCL		6066						
426												
427				Potential UCL to Use					Use 95% Adjusted Gamma UCL			6066
428												
429												
430	Lead											
431												
432					General Statistics							
433			Number of Valid Observations			25			Number of Distinct Observations			24
434												
435			Raw Statistics						Log-transformed Statistics			
436				Minimum		2.64			Minimum of Log Data			0.971
437				Maximum		1670			Maximum of Log Data			7.421
438				Mean		155.4			Mean of log Data			3.485
439				Median		22			SD of log Data			1.703
440				SD		368.7						
441			Coefficient of Variation			2.373						
442				Skewness		3.513						
443												
444					Relevant UCL Statistics							
445			Normal Distribution Test						Lognormal Distribution Test			
446			Shapiro Wilk Test Statistic			0.456			Shapiro Wilk Test Statistic			0.942
447			Shapiro Wilk Critical Value			0.918			Shapiro Wilk Critical Value			0.918
448		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
449												
450			Assuming Normal Distribution						Assuming Lognormal Distribution			
451				95% Student's-t UCL		281.5			95% H-UCL			470.7
452		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			353.5
453			95% Adjusted-CLT UCL			332			97.5% Chebyshev (MVUE) UCL			453.3
454			95% Modified-t UCL			290.2			99% Chebyshev (MVUE) UCL			649.4
455												
456			Gamma Distribution Test						Data Distribution			
457			k star (bias corrected)			0.395		Data appear Lognormal at 5% Significance Level				
458				Theta Star		393.4						
459				nu star		19.75						
460			Approximate Chi Square Value (.05)			10.66			Nonparametric Statistics			
461			Adjusted Level of Significance			0.0395			95% CLT UCL			276.7
462			Adjusted Chi Square Value			10.21			95% Jackknife UCL			281.5
463									95% Standard Bootstrap UCL			271.3
464			Anderson-Darling Test Statistic			1.923			95% Bootstrap-t UCL			650.3
465			Anderson-Darling 5% Critical Value			0.825			95% Hall's Bootstrap UCL			774.1
466			Kolmogorov-Smirnov Test Statistic			0.248			95% Percentile Bootstrap UCL			285.2
467			Kolmogorov-Smirnov 5% Critical Value			0.187			95% BCA Bootstrap UCL			350.9
468		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			476.8
469									97.5% Chebyshev(Mean, Sd) UCL			615.9
470			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			889.1
471			95% Approximate Gamma UCL			287.7						
472			95% Adjusted Gamma UCL			300.5						
473												
474			Potential UCL to Use						Use 95% Chebyshev (MVUE) UCL			353.5
475												
476												
477	Mercury											

	A	B	C	D	E	F	G	H	I	J	K	L
478												
479							General Statistics					
480				Number of Valid Observations		25				Number of Distinct Observations		23
481												
482				Raw Statistics					Log-transformed Statistics			
483					Minimum	0.009				Minimum of Log Data		-4.711
484					Maximum	0.119				Maximum of Log Data		-2.129
485					Mean	0.0632				Mean of log Data		-2.923
486					Median	0.07				SD of log Data		0.672
487					SD	0.0288						
488				Coefficient of Variation		0.457						
489					Skewness	-0.307						
490												
491							Relevant UCL Statistics					
492				Normal Distribution Test					Lognormal Distribution Test			
493				Shapiro Wilk Test Statistic		0.966				Shapiro Wilk Test Statistic		0.832
494				Shapiro Wilk Critical Value		0.918				Shapiro Wilk Critical Value		0.918
495			Data appear Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
496												
497				Assuming Normal Distribution					Assuming Lognormal Distribution			
498				95% Student's-t UCL		0.073				95% H-UCL		0.0901
499			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			0.108
500				95% Adjusted-CLT UCL		0.0723				97.5% Chebyshev (MVUE) UCL		0.127
501				95% Modified-t UCL		0.073				99% Chebyshev (MVUE) UCL		0.162
502												
503			Gamma Distribution Test						Data Distribution			
504				k star (bias corrected)		2.895			Data appear Normal at 5% Significance Level			
505					Theta Star	0.0218						
506					nu star	144.7						
507		Approximate Chi Square Value (.05)				117.9			Nonparametric Statistics			
508			Adjusted Level of Significance			0.0395				95% CLT UCL		0.0726
509			Adjusted Chi Square Value			116.3				95% Jackknife UCL		0.073
510									95% Standard Bootstrap UCL			0.0723
511			Anderson-Darling Test Statistic			1.071				95% Bootstrap-t UCL		0.0723
512			Anderson-Darling 5% Critical Value			0.751				95% Hall's Bootstrap UCL		0.072
513			Kolmogorov-Smirnov Test Statistic			0.196				95% Percentile Bootstrap UCL		0.0726
514			Kolmogorov-Smirnov 5% Critical Value			0.176				95% BCA Bootstrap UCL		0.0719
515		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			0.0883
516									97.5% Chebyshev(Mean, Sd) UCL			0.0992
517			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			0.121
518			95% Approximate Gamma UCL			0.0775						
519			95% Adjusted Gamma UCL			0.0786						
520												
521			Potential UCL to Use						Use 95% Student's-t UCL			0.073
522												
523												
524	Naphthalene											
525												
526							General Statistics					
527				Number of Valid Data		25				Number of Detected Data		22
528			Number of Distinct Detected Data			22				Number of Non-Detect Data		3
529										Percent Non-Detects		12.00%
530												

	A	B	C	D	E	F	G	H	I	J	K	L
531	Raw Statistics						Log-transformed Statistics					
532	Minimum Detected					0.27	Minimum Detected					-1.309
533	Maximum Detected					1700	Maximum Detected					7.438
534	Mean of Detected					165	Mean of Detected					3.888
535	SD of Detected					354.8	SD of Detected					1.869
536	Minimum Non-Detect					9.6	Minimum Non-Detect					2.262
537	Maximum Non-Detect					19	Maximum Non-Detect					2.944
538												
539	Note: Data have multiple DLs - Use of KM Method is recommended						Number treated as Non-Detect					8
540	For all methods (except KM, DL/2, and ROS Methods),						Number treated as Detected					17
541	Observations < Largest ND are treated as NDs						Single DL Non-Detect Percentage					32.00%
542												
543	UCL Statistics											
544	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
545	Shapiro Wilk Test Statistic					0.432	Shapiro Wilk Test Statistic					0.93
546	5% Shapiro Wilk Critical Value					0.911	5% Shapiro Wilk Critical Value					0.911
547	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
548												
549	Assuming Normal Distribution						Assuming Lognormal Distribution					
550	DL/2 Substitution Method						DL/2 Substitution Method					
551	Mean					146.1	Mean					3.665
552	SD					336	SD					1.858
553	95% DL/2 (t) UCL					261.1	95% H-Stat (DL/2) UCL					779.9
554												
555	Maximum Likelihood Estimate(MLE) Method						Log ROS Method					
556	Mean					44.99	Mean in Log Scale					3.559
557	SD					422	SD in Log Scale					1.981
558	95% MLE (t) UCL					189.4	Mean in Original Scale					145.6
559	95% MLE (Tiku) UCL					197.3	SD in Original Scale					336.2
560							95% Percentile Bootstrap UCL					277
561							95% BCA Bootstrap UCL					356.3
562												
563	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
564	k star (bias corrected)					0.478	Data appear Gamma Distributed at 5% Significance Level					
565	Theta Star					344.9						
566	nu star					21.05						
567												
568	A-D Test Statistic					0.575	Nonparametric Statistics					
569	5% A-D Critical Value					0.803	Kaplan-Meier (KM) Method					
570	K-S Test Statistic					0.803	Mean					145.7
571	5% K-S Critical Value					0.196	SD					329.4
572	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					67.42
573							95% KM (t) UCL					261.1
574	Assuming Gamma Distribution						95% KM (z) UCL					256.6
575	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					260.7
576	Minimum					1E-09	95% KM (bootstrap t) UCL					534.4
577	Maximum					1700	95% KM (BCA) UCL					288.6
578	Mean					145.2	95% KM (Percentile Bootstrap) UCL					270.1
579	Median					48	95% KM (Chebyshev) UCL					439.6
580	SD					336.4	97.5% KM (Chebyshev) UCL					566.8
581	k star					0.189	99% KM (Chebyshev) UCL					816.6
582	Theta star					768.6						
583	Nu star					9.444	Potential UCLs to Use					

	A	B	C	D	E	F	G	H	I	J	K	L
584					AppChi2	3.597			95% KM (Chebyshev) UCL			439.6
585			95% Gamma Approximate UCL			381.1						
586			95% Adjusted Gamma UCL			408.7						
587	Note: DL/2 is not a recommended method.											
588												
589												
590	Thallium											
591												
592					General Statistics							
593			Number of Valid Data			6			Number of Detected Data			5
594			Number of Distinct Detected Data			5			Number of Non-Detect Data			1
595			Number of Missing Values			19			Percent Non-Detects			16.67%
596												
597			Raw Statistics						Log-transformed Statistics			
598			Minimum Detected			8			Minimum Detected			2.079
599			Maximum Detected			23			Maximum Detected			3.135
600			Mean of Detected			14.6			Mean of Detected			2.588
601			SD of Detected			6.95			SD of Detected			0.482
602			Minimum Non-Detect			6			Minimum Non-Detect			1.792
603			Maximum Non-Detect			6			Maximum Non-Detect			1.792
604												
605												
606					Warning: There are only 5 Detected Values in this data							
607					Note: It should be noted that even though bootstrap may be performed on this data set							
608					the resulting calculations may not be reliable enough tp draw conclusions							
609												
610					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
611												
612												
613					UCL Statistics							
614		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
615			Shapiro Wilk Test Statistic			0.857			Shapiro Wilk Test Statistic			0.883
616			5% Shapiro Wilk Critical Value			0.762			5% Shapiro Wilk Critical Value			0.762
617		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
618												
619		Assuming Normal Distribution						Assuming Lognormal Distribution				
620			DL/2 Substitution Method						DL/2 Substitution Method			
621			Mean			12.67			Mean			2.34
622			SD			7.815			SD			0.746
623			95% DL/2 (t) UCL			19.1			95% H-Stat (DL/2) UCL			32.37
624												
625		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
626			Mean			12.47			Mean in Log Scale			2.385
627			SD			7.548			SD in Log Scale			0.659
628			95% MLE (t) UCL			18.68			Mean in Original Scale			12.82
629			95% MLE (Tiku) UCL			18.75			SD in Original Scale			7.591
630									95% Percentile Bootstrap UCL			17.5
631									95% BCA Bootstrap UCL			17.67
632												
633		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
634			k star (bias corrected)			2.355		Data appear Normal at 5% Significance Level				
635			Theta Star			6.199						
636			nu star			23.55						

	A	B	C	D	E	F	G	H	I	J	K	L
637												
638					A-D Test Statistic	0.429		Nonparametric Statistics				
639					5% A-D Critical Value	0.681		Kaplan-Meier (KM) Method				
640					K-S Test Statistic	0.681					Mean	13.5
641					5% K-S Critical Value	0.358					SD	6.185
642		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	2.823
643											95% KM (t) UCL	19.19
644			Assuming Gamma Distribution								95% KM (z) UCL	18.14
645		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	19.05
646					Minimum	5.269					95% KM (bootstrap t) UCL	26.73
647					Maximum	23					95% KM (BCA) UCL	18.33
648					Mean	13.04			95% KM (Percentile Bootstrap) UCL			18.17
649					Median	10.5					95% KM (Chebyshev) UCL	25.8
650					SD	7.29					97.5% KM (Chebyshev) UCL	31.13
651					k star	2.049					99% KM (Chebyshev) UCL	41.59
652					Theta star	6.365						
653					Nu star	24.59		Potential UCLs to Use				
654					AppChi2	14.3					95% KM (t) UCL	19.19
655			95% Gamma Approximate UCL			22.43			95% KM (Percentile Bootstrap) UCL			18.17
656			95% Adjusted Gamma UCL			27.73						
657	Note: DL/2 is not a recommended method.											
658												
659												
660	Total Aroclors											
661												
662						General Statistics						
663			Number of Valid Data			19			Number of Detected Data			15
664		Number of Distinct Detected Data				15			Number of Non-Detect Data			4
665			Number of Missing Values			4				Percent Non-Detects		21.05%
666												
667			Raw Statistics					Log-transformed Statistics				
668			Minimum Detected			16				Minimum Detected		2.773
669			Maximum Detected			83.5				Maximum Detected		4.425
670			Mean of Detected			41.45				Mean of Detected		3.629
671			SD of Detected			18.37				SD of Detected		0.464
672			Minimum Non-Detect			10				Minimum Non-Detect		2.303
673			Maximum Non-Detect			39				Maximum Non-Detect		3.664
674												
675	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			10
676	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			9
677	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			52.63%
678												
679						UCL Statistics						
680		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
681			Shapiro Wilk Test Statistic			0.951				Shapiro Wilk Test Statistic		0.97
682			5% Shapiro Wilk Critical Value			0.881			5% Shapiro Wilk Critical Value			0.881
683		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
684												
685		Assuming Normal Distribution						Assuming Lognormal Distribution				
686			DL/2 Substitution Method						DL/2 Substitution Method			
687					Mean	34.54					Mean	3.275
688					SD	21.46					SD	0.86
689			95% DL/2 (t) UCL			43.08			95% H-Stat (DL/2) UCL			43

	A	B	C	D	E	F	G	H	I	J	K	L
690												
691		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
692					Mean	36.38			Mean in Log Scale			3.429
693					SD	20.24			SD in Log Scale			0.582
694				95% MLE (t) UCL		44.43			Mean in Original Scale			35.88
695				95% MLE (Tiku) UCL		46.65			SD in Original Scale			19.71
696									95% Percentile Bootstrap UCL			43.24
697									95% BCA Bootstrap UCL			43.89
698												
699		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
700				k star (bias corrected)		4.364		Data appear Normal at 5% Significance Level				
701					Theta Star	9.498						
702					nu star	130.9						
703												
704					A-D Test Statistic	0.189		Nonparametric Statistics				
705				5% A-D Critical Value		0.738			Kaplan-Meier (KM) Method			
706					K-S Test Statistic	0.738					Mean	36.4
707				5% K-S Critical Value		0.222					SD	18.66
708		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	4.447
709											95% KM (t) UCL	44.11
710		Assuming Gamma Distribution									95% KM (z) UCL	43.72
711		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	43.94
712					Minimum	7.636					95% KM (bootstrap t) UCL	46.08
713					Maximum	83.5					95% KM (BCA) UCL	44.93
714					Mean	37.07			95% KM (Percentile Bootstrap) UCL			44.72
715					Median	35.51			95% KM (Chebyshev) UCL			55.79
716					SD	19.01			97.5% KM (Chebyshev) UCL			64.17
717					k star	3.166			99% KM (Chebyshev) UCL			80.65
718					Theta star	11.71						
719					Nu star	120.3		Potential UCLs to Use				
720					AppChi2	96					95% KM (t) UCL	44.11
721			95% Gamma Approximate UCL			46.46			95% KM (Percentile Bootstrap) UCL			44.72
722			95% Adjusted Gamma UCL			47.4						
723	Note: DL/2 is not a recommended method.											
724												
725												
726	Total DDT											
727												
728					General Statistics							
729			Number of Valid Data			20			Number of Detected Data			13
730			Number of Distinct Detected Data			12			Number of Non-Detect Data			7
731			Number of Missing Values			3			Percent Non-Detects			35.00%
732												
733		Raw Statistics						Log-transformed Statistics				
734			Minimum Detected			0.875			Minimum Detected			-0.134
735			Maximum Detected			31.43			Maximum Detected			3.448
736			Mean of Detected			7.295			Mean of Detected			1.526
737			SD of Detected			8.407			SD of Detected			0.972
738			Minimum Non-Detect			0.4			Minimum Non-Detect			-0.916
739			Maximum Non-Detect			1.9			Maximum Non-Detect			0.642
740												
741	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			9
742	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			11

	A	B	C	D	E	F	G	H	I	J	K	L
743	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			45.00%
744												
745					UCL Statistics							
746		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
747				Shapiro Wilk Test Statistic		0.706				Shapiro Wilk Test Statistic		0.961
748				5% Shapiro Wilk Critical Value		0.866				5% Shapiro Wilk Critical Value		0.866
749		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
750												
751		Assuming Normal Distribution						Assuming Lognormal Distribution				
752			DL/2 Substitution Method						DL/2 Substitution Method			
753					Mean	4.863					Mean	0.554
754					SD	7.499					SD	1.599
755				95% DL/2 (t) UCL		7.762				95% H-Stat (DL/2) UCL		11.35
756												
757			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
758					Mean	1.59				Mean in Log Scale		0.704
759					SD	10.65				SD in Log Scale		1.407
760				95% MLE (t) UCL		5.708				Mean in Original Scale		4.908
761				95% MLE (Tiku) UCL		6.431				SD in Original Scale		7.469
762										95% Percentile Bootstrap UCL		7.735
763										95% BCA Bootstrap UCL		8.847
764												
765		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
766				k star (bias corrected)		0.993		Data appear Gamma Distributed at 5% Significance Level				
767				Theta Star		7.35						
768				nu star		25.81						
769												
770				A-D Test Statistic		0.593		Nonparametric Statistics				
771				5% A-D Critical Value		0.754		Kaplan-Meier (KM) Method				
772				K-S Test Statistic		0.754					Mean	5.053
773				5% K-S Critical Value		0.242					SD	7.193
774		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	1.674
775											95% KM (t) UCL	7.948
776		Assuming Gamma Distribution									95% KM (z) UCL	7.807
777		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	7.72
778					Minimum	1E-09				95% KM (bootstrap t) UCL		11.31
779					Maximum	31.43				95% KM (BCA) UCL		8.694
780					Mean	5.5			95% KM (Percentile Bootstrap) UCL			8.057
781					Median	2.82				95% KM (Chebyshev) UCL		12.35
782					SD	7.205				97.5% KM (Chebyshev) UCL		15.51
783					k star	0.388				99% KM (Chebyshev) UCL		21.71
784					Theta star	14.17						
785					Nu star	15.52		Potential UCLs to Use				
786					AppChi2	7.627				95% KM (BCA) UCL		8.694
787				95% Gamma Approximate UCL		11.19						
788				95% Adjusted Gamma UCL		11.87						
789	Note: DL/2 is not a recommended method.											
790												

	A	B	C	D	E	F	G	H	I	J	K	L
1							General UCL Statistics for Data Sets with Non-Detects					
2			User Selected Options									
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM4.5W.wst								
4			Full Precision	OFF								
5			Confidence Coefficient	95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Arsenic											
10												
11							General Statistics					
12			Number of Valid Data			41			Number of Detected Data			37
13		Number of Distinct Detected Data				35			Number of Non-Detect Data			4
14			Number of Missing Values			3			Percent Non-Detects			9.76%
15												
16			Raw Statistics						Log-transformed Statistics			
17			Minimum Detected			1.54			Minimum Detected			0.432
18			Maximum Detected			12.5			Maximum Detected			2.526
19			Mean of Detected			3.715			Mean of Detected			1.232
20			SD of Detected			1.82			SD of Detected			0.388
21			Minimum Non-Detect			5			Minimum Non-Detect			1.609
22			Maximum Non-Detect			5			Maximum Non-Detect			1.609
23												
24												
25							UCL Statistics					
26		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
27			Shapiro Wilk Test Statistic			0.698			Shapiro Wilk Test Statistic			0.925
28			5% Shapiro Wilk Critical Value			0.936			5% Shapiro Wilk Critical Value			0.936
29		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
30												
31		Assuming Normal Distribution						Assuming Lognormal Distribution				
32			DL/2 Substitution Method						DL/2 Substitution Method			
33			Mean			3.596			Mean			1.201
34			SD			1.765			SD			0.38
35			95% DL/2 (t) UCL			4.061			95% H-Stat (DL/2) UCL			3.823
36												
37		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
38		MLE yields a negative mean							Mean in Log Scale			1.226
39									SD in Log Scale			0.374
40									Mean in Original Scale			3.673
41									SD in Original Scale			1.745
42									95% Percentile Bootstrap UCL			4.149
43									95% BCA Bootstrap UCL			4.324
44												
45		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
46			k star (bias corrected)			5.886		Data do not follow a Discernable Distribution (0.05)				
47			Theta Star			0.631						
48			nu star			435.6						
49												
50			A-D Test Statistic			1.239			Nonparametric Statistics			
51			5% A-D Critical Value			0.75			Kaplan-Meier (KM) Method			
52			K-S Test Statistic			0.75			Mean			3.671
53			5% K-S Critical Value			0.145			SD			1.729

	A	B	C	D	E	F	G	H	I	J	K	L
54			Data not Gamma Distributed at 5% Significance Level								SE of Mean	0.277
55											95% KM (t) UCL	4.138
56			Assuming Gamma Distribution								95% KM (z) UCL	4.127
57			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	4.137
58					Minimum	1.54					95% KM (bootstrap t) UCL	4.44
59					Maximum	12.5					95% KM (BCA) UCL	4.152
60					Mean	3.725					95% KM (Percentile Bootstrap) UCL	4.161
61					Median	3.626					95% KM (Chebyshev) UCL	4.879
62					SD	1.741					97.5% KM (Chebyshev) UCL	5.401
63					k star	6.409					99% KM (Chebyshev) UCL	6.427
64					Theta star	0.581						
65					Nu star	525.5				Potential UCLs to Use		
66					AppChi2	473.4					95% KM (Chebyshev) UCL	4.879
67				95% Gamma Approximate UCL		4.135						
68				95% Adjusted Gamma UCL		4.151						
69	Note: DL/2 is not a recommended method.											
70												
71												
72	Benzo(a)anthracene											
73												
74					General Statistics							
75				Number of Valid Data		42				Number of Detected Data		42
76				Number of Distinct Detected Data		36				Number of Non-Detect Data		0
77				Number of Missing Values		2				Percent Non-Detects		0.00%
78												
79			Raw Statistics							Log-transformed Statistics		
80				Minimum Detected		1.9				Minimum Detected		0.642
81				Maximum Detected		5100				Maximum Detected		8.537
82				Mean of Detected		551.9				Mean of Detected		5.197
83				SD of Detected		1044				SD of Detected		1.516
84				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
85				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
86												
87												
88					UCL Statistics							
89		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
90				Shapiro Wilk Test Statistic		0.532				Shapiro Wilk Test Statistic		0.906
91				5% Shapiro Wilk Critical Value		0.942				5% Shapiro Wilk Critical Value		0.942
92		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
93												
94		Assuming Normal Distribution						Assuming Lognormal Distribution				
95				DL/2 Substitution Method						DL/2 Substitution Method		
96					Mean	551.9				Mean		5.197
97					SD	1044				SD		1.516
98				95% DL/2 (t) UCL		823				95% H-Stat (DL/2) UCL		1151
99												
100				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
101		MLE method failed to converge properly								Mean in Log Scale		N/A
102										SD in Log Scale		N/A
103										Mean in Original Scale		N/A
104										SD in Original Scale		N/A
105										95% Percentile Bootstrap UCL		N/A
106										95% BCA Bootstrap UCL		N/A

	A	B	C	D	E	F	G	H	I	J	K	L
107												
108			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
109				k star (bias corrected)		0.535			Data do not follow a Discernable Distribution (0.05)			
110				Theta Star		1031						
111				nu star		44.95						
112												
113				A-D Test Statistic		3.196			Nonparametric Statistics			
114				5% A-D Critical Value		0.808			Kaplan-Meier (KM) Method			
115				K-S Test Statistic		0.808				Mean		551.9
116				5% K-S Critical Value		0.144				SD		1031
117		Data not Gamma Distributed at 5% Significance Level								SE of Mean		161.1
118										95% KM (t) UCL		823
119			Assuming Gamma Distribution							95% KM (z) UCL		816.9
120		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		823
121				Minimum		1.9				95% KM (bootstrap t) UCL		998
122				Maximum		5100				95% KM (BCA) UCL		841.8
123				Mean		551.9			95% KM (Percentile Bootstrap) UCL			836.5
124				Median		160				95% KM (Chebyshev) UCL		1254
125				SD		1044				97.5% KM (Chebyshev) UCL		1558
126				k star		0.535				99% KM (Chebyshev) UCL		2155
127				Theta star		1031						
128				Nu star		44.95			Potential UCLs to Use			
129				AppChi2		30.57				97.5% KM (Chebyshev) UCL		1558
130			95% Gamma Approximate UCL			811.5						
131			95% Adjusted Gamma UCL			822.9						
132	Note: DL/2 is not a recommended method.											
133												
134												
135	Benzo(a)pyrene											
136												
137					General Statistics							
138			Number of Valid Data			42			Number of Detected Data			42
139		Number of Distinct Detected Data				29			Number of Non-Detect Data			0
140			Number of Missing Values			2			Percent Non-Detects			0.00%
141												
142			Raw Statistics						Log-transformed Statistics			
143				Minimum Detected		2.8				Minimum Detected		1.03
144				Maximum Detected		7500				Maximum Detected		8.923
145				Mean of Detected		759.1				Mean of Detected		5.538
146				SD of Detected		1452				SD of Detected		1.511
147				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
148				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
149												
150												
151					UCL Statistics							
152		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
153			Shapiro Wilk Test Statistic			0.528				Shapiro Wilk Test Statistic		0.915
154			5% Shapiro Wilk Critical Value			0.942				5% Shapiro Wilk Critical Value		0.942
155		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
156												
157			Assuming Normal Distribution						Assuming Lognormal Distribution			
158				DL/2 Substitution Method						DL/2 Substitution Method		
159				Mean		759.1				Mean		5.538

	A	B	C	D	E	F	G	H	I	J	K	L
160					SD	1452					SD	1.511
161				95% DL/2 (t) UCL		1136				95% H-Stat (DL/2) UCL		1600
162												
163			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
164			MLE method failed to converge properly							Mean in Log Scale		N/A
165										SD in Log Scale		N/A
166										Mean in Original Scale		N/A
167										SD in Original Scale		N/A
168										95% Percentile Bootstrap UCL		N/A
169										95% BCA Bootstrap UCL		N/A
170												
171			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
172				k star (bias corrected)		0.544			Data do not follow a Discernable Distribution (0.05)			
173					Theta Star	1395						
174					nu star	45.72						
175												
176				A-D Test Statistic		2.78			Nonparametric Statistics			
177				5% A-D Critical Value		0.807			Kaplan-Meier (KM) Method			
178				K-S Test Statistic		0.807				Mean		759.1
179				5% K-S Critical Value		0.144				SD		1435
180			Data not Gamma Distributed at 5% Significance Level							SE of Mean		224.1
181										95% KM (t) UCL		1136
182			Assuming Gamma Distribution							95% KM (z) UCL		1128
183			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		1136
184					Minimum	2.8				95% KM (bootstrap t) UCL		1462
185					Maximum	7500				95% KM (BCA) UCL		1186
186					Mean	759.1			95% KM (Percentile Bootstrap) UCL			1133
187					Median	210				95% KM (Chebyshev) UCL		1736
188					SD	1452				97.5% KM (Chebyshev) UCL		2158
189					k star	0.544				99% KM (Chebyshev) UCL		2989
190					Theta star	1395						
191					Nu star	45.72			Potential UCLs to Use			
192					AppChi2	31.21				97.5% KM (Chebyshev) UCL		2158
193			95% Gamma Approximate UCL			1112						
194			95% Adjusted Gamma UCL			1128						
195	Note: DL/2 is not a recommended method.											
196												
197												
198	Benzo(b)fluoranthene											
199												
200						General Statistics						
201				Number of Valid Data		42				Number of Detected Data		42
202			Number of Distinct Detected Data			36				Number of Non-Detect Data		0
203				Number of Missing Values		2				Percent Non-Detects		0.00%
204												
205			Raw Statistics						Log-transformed Statistics			
206				Minimum Detected		2.5				Minimum Detected		0.916
207				Maximum Detected		6500				Maximum Detected		8.78
208				Mean of Detected		659.7				Mean of Detected		5.452
209				SD of Detected		1243				SD of Detected		1.494
210				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
211				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
212												

	A	B	C	D	E	F	G	H	I	J	K	L
213												
214						UCL Statistics						
215		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
216					Shapiro Wilk Test Statistic	0.525				Shapiro Wilk Test Statistic		0.914
217					5% Shapiro Wilk Critical Value	0.942				5% Shapiro Wilk Critical Value		0.942
218		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
219												
220		Assuming Normal Distribution						Assuming Lognormal Distribution				
221					DL/2 Substitution Method					DL/2 Substitution Method		
222					Mean	659.7				Mean		5.452
223					SD	1243				SD		1.494
224					95% DL/2 (t) UCL	982.5				95% H-Stat (DL/2) UCL		1414
225												
226				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
227		MLE method failed to converge properly								Mean in Log Scale		N/A
228										SD in Log Scale		N/A
229										Mean in Original Scale		N/A
230										SD in Original Scale		N/A
231										95% Percentile Bootstrap UCL		N/A
232										95% BCA Bootstrap UCL		N/A
233												
234		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
235					k star (bias corrected)	0.568	Data do not follow a Discernable Distribution (0.05)					
236					Theta Star	1161						
237					nu star	47.73						
238												
239					A-D Test Statistic	2.409		Nonparametric Statistics				
240					5% A-D Critical Value	0.804				Kaplan-Meier (KM) Method		
241					K-S Test Statistic	0.804				Mean		659.7
242					5% K-S Critical Value	0.143				SD		1228
243		Data not Gamma Distributed at 5% Significance Level								SE of Mean		191.8
244										95% KM (t) UCL		982.5
245		Assuming Gamma Distribution								95% KM (z) UCL		975.2
246		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		982.5
247					Minimum	2.5				95% KM (bootstrap t) UCL		1277
248					Maximum	6500				95% KM (BCA) UCL		1037
249					Mean	659.7				95% KM (Percentile Bootstrap) UCL		994.4
250					Median	235				95% KM (Chebyshev) UCL		1496
251					SD	1243				97.5% KM (Chebyshev) UCL		1858
252					k star	0.568				99% KM (Chebyshev) UCL		2568
253					Theta star	1161						
254					Nu star	47.73		Potential UCLs to Use				
255					AppChi2	32.87				95% KM (Chebyshev) UCL		1496
256				95% Gamma Approximate UCL		957.9						
257				95% Adjusted Gamma UCL		970.8						
258	Note: DL/2 is not a recommended method.											
259												
260												
261	Benzo(k)fluoranthene											
262												
263						General Statistics						
264					Number of Valid Data	42				Number of Detected Data		42
265				Number of Distinct Detected Data		31				Number of Non-Detect Data		0

	A	B	C	D	E	F	G	H	I	J	K	L
266				Number of Missing Values		2				Percent Non-Detects		0.00%
267												
268				Raw Statistics					Log-transformed Statistics			
269				Minimum Detected		2				Minimum Detected		0.693
270				Maximum Detected		2300				Maximum Detected		7.741
271				Mean of Detected		290.8				Mean of Detected		4.776
272				SD of Detected		496.4				SD of Detected		1.38
273				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
274				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
275												
276												
277					UCL Statistics							
278			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
279				Shapiro Wilk Test Statistic		0.549				Shapiro Wilk Test Statistic		0.909
280				5% Shapiro Wilk Critical Value		0.942				5% Shapiro Wilk Critical Value		0.942
281			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
282												
283			Assuming Normal Distribution						Assuming Lognormal Distribution			
284				DL/2 Substitution Method						DL/2 Substitution Method		
285				Mean		290.8				Mean		4.776
286				SD		496.4				SD		1.38
287				95% DL/2 (t) UCL		419.7				95% H-Stat (DL/2) UCL		561.1
288												
289				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
290			MLE method failed to converge properly							Mean in Log Scale		N/A
291										SD in Log Scale		N/A
292										Mean in Original Scale		N/A
293										SD in Original Scale		N/A
294										95% Percentile Bootstrap UCL		N/A
295										95% BCA Bootstrap UCL		N/A
296												
297			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
298				k star (bias corrected)		0.645			Data do not follow a Discernable Distribution (0.05)			
299				Theta Star		450.9						
300				nu star		54.18						
301												
302				A-D Test Statistic		2.675			Nonparametric Statistics			
303				5% A-D Critical Value		0.796				Kaplan-Meier (KM) Method		
304				K-S Test Statistic		0.796				Mean		290.8
305				5% K-S Critical Value		0.142				SD		490.5
306			Data not Gamma Distributed at 5% Significance Level							SE of Mean		76.6
307										95% KM (t) UCL		419.7
308			Assuming Gamma Distribution							95% KM (z) UCL		416.8
309			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		419.7
310				Minimum		2				95% KM (bootstrap t) UCL		518.5
311				Maximum		2300				95% KM (BCA) UCL		426.1
312				Mean		290.8				95% KM (Percentile Bootstrap) UCL		417.5
313				Median		110				95% KM (Chebyshev) UCL		624.7
314				SD		496.4				97.5% KM (Chebyshev) UCL		769.2
315				k star		0.645				99% KM (Chebyshev) UCL		1053
316				Theta star		450.9						
317				Nu star		54.18			Potential UCLs to Use			
318				AppChi2		38.26				95% KM (Chebyshev) UCL		624.7

	A	B	C	D	E	F	G	H	I	J	K	L
319				95% Gamma Approximate UCL		411.7						
320				95% Adjusted Gamma UCL		416.9						
321	Note: DL/2 is not a recommended method.											
322												
323												
324	Bis(2-ethylhexyl) phthalate											
325												
326					General Statistics							
327				Number of Valid Data		38			Number of Detected Data			11
328			Number of Distinct Detected Data			11			Number of Non-Detect Data			27
329				Number of Missing Values		6			Percent Non-Detects			71.05%
330												
331			Raw Statistics						Log-transformed Statistics			
332				Minimum Detected		42			Minimum Detected			3.738
333				Maximum Detected		230			Maximum Detected			5.438
334				Mean of Detected		92			Mean of Detected			4.35
335				SD of Detected		64.6			SD of Detected			0.574
336				Minimum Non-Detect		6.7			Minimum Non-Detect			1.902
337				Maximum Non-Detect		190			Maximum Non-Detect			5.247
338												
339	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			36
340	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
341	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			94.74%
342												
343					UCL Statistics							
344		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
345				Shapiro Wilk Test Statistic		0.73			Shapiro Wilk Test Statistic			0.844
346				5% Shapiro Wilk Critical Value		0.85			5% Shapiro Wilk Critical Value			0.85
347		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
348												
349		Assuming Normal Distribution							Assuming Lognormal Distribution			
350				DL/2 Substitution Method					DL/2 Substitution Method			
351				Mean		49.54			Mean			3.458
352				SD		48.84			SD			1.015
353				95% DL/2 (t) UCL		62.9			95% H-Stat (DL/2) UCL			64.48
354												
355			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
356		MLE method failed to converge properly							Mean in Log Scale			3.388
357									SD in Log Scale			0.737
358									Mean in Original Scale			41.57
359									SD in Original Scale			47.23
360									95% Percentile Bootstrap UCL			54.59
361									95% BCA Bootstrap UCL			59.29
362												
363		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
364				k star (bias corrected)		2.285		Data do not follow a Discernable Distribution (0.05)				
365				Theta Star		40.26						
366				nu star		50.28						
367												
368				A-D Test Statistic		1.015			Nonparametric Statistics			
369				5% A-D Critical Value		0.733			Kaplan-Meier (KM) Method			
370				K-S Test Statistic		0.733			Mean			58.2
371				5% K-S Critical Value		0.257			SD			40.18

	A	B	C	D	E	F	G	H	I	J	K	L
372	Data not Gamma Distributed at 5% Significance Level										SE of Mean	6.955
373											95% KM (t) UCL	69.93
374	Assuming Gamma Distribution										95% KM (z) UCL	69.64
375	Gamma ROS Statistics using Extrapolated Data										95% KM (jackknife) UCL	67.86
376					Minimum	42					95% KM (bootstrap t) UCL	82
377					Maximum	230					95% KM (BCA) UCL	76.79
378					Mean	94.11				95% KM (Percentile Bootstrap) UCL		73.43
379					Median	92.19					95% KM (Chebyshev) UCL	88.51
380					SD	33.88					97.5% KM (Chebyshev) UCL	101.6
381					k star	9.21					99% KM (Chebyshev) UCL	127.4
382					Theta star	10.22						
383					Nu star	699.9				Potential UCLs to Use		
384					AppChi2	639.5					95% KM (t) UCL	69.93
385				95% Gamma Approximate UCL		103				95% KM (% Bootstrap) UCL		73.43
386				95% Adjusted Gamma UCL		103.4						
387	Note: DL/2 is not a recommended method.											
388												
389												
390	Dibenzo(a,h)anthracene											
391												
392					General Statistics							
393				Number of Valid Data		42				Number of Detected Data		40
394			Number of Distinct Detected Data			32				Number of Non-Detect Data		2
395				Number of Missing Values		2				Percent Non-Detects		4.76%
396												
397			Raw Statistics							Log-transformed Statistics		
398				Minimum Detected		0.54				Minimum Detected		-0.616
399				Maximum Detected		590				Maximum Detected		6.38
400				Mean of Detected		88.31				Mean of Detected		3.434
401				SD of Detected		154.9				SD of Detected		1.513
402				Minimum Non-Detect		19				Minimum Non-Detect		2.944
403				Maximum Non-Detect		19				Maximum Non-Detect		2.944
404												
405												
406					UCL Statistics							
407		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
408				Shapiro Wilk Test Statistic		0.55				Shapiro Wilk Test Statistic		0.931
409			5% Shapiro Wilk Critical Value			0.94				5% Shapiro Wilk Critical Value		0.94
410		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
411												
412		Assuming Normal Distribution							Assuming Lognormal Distribution			
413			DL/2 Substitution Method							DL/2 Substitution Method		
414					Mean	84.56				Mean		3.378
415					SD	152				SD		1.498
416				95% DL/2 (t) UCL		124				95% H-Stat (DL/2) UCL		158.1
417												
418		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
419					Mean	43.17				Mean in Log Scale		3.353
420					SD	190.9				SD in Log Scale		1.523
421				95% MLE (t) UCL		92.73				Mean in Original Scale		84.39
422				95% MLE (Tiku) UCL		95.06				SD in Original Scale		152.1
423										95% Percentile Bootstrap UCL		123.6
424										95% BCA Bootstrap UCL		137.3

	A	B	C	D	E	F	G	H	I	J	K	L
425												
426			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
427				k star (bias corrected)		0.564		Data do not follow a Discernable Distribution (0.05)				
428				Theta Star		156.6						
429				nu star		45.11						
430												
431				A-D Test Statistic		2.426		Nonparametric Statistics				
432				5% A-D Critical Value		0.804		Kaplan-Meier (KM) Method				
433				K-S Test Statistic		0.804				Mean		84.52
434				5% K-S Critical Value		0.147				SD		150.2
435		Data not Gamma Distributed at 5% Significance Level								SE of Mean		23.47
436										95% KM (t) UCL		124
437			Assuming Gamma Distribution							95% KM (z) UCL		123.1
438		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		124
439				Minimum		1E-09				95% KM (bootstrap t) UCL		142.2
440				Maximum		590				95% KM (BCA) UCL		127.9
441				Mean		84.11			95% KM (Percentile Bootstrap) UCL			125.9
442				Median		27				95% KM (Chebyshev) UCL		186.8
443				SD		152.2				97.5% KM (Chebyshev) UCL		231.1
444				k star		0.311				99% KM (Chebyshev) UCL		318.1
445				Theta star		270.3						
446				Nu star		26.14		Potential UCLs to Use				
447				AppChi2		15.48				97.5% KM (Chebyshev) UCL		231.1
448			95% Gamma Approximate UCL			142						
449			95% Adjusted Gamma UCL			144.7						
450	Note: DL/2 is not a recommended method.											
451												
452												
453	Dieldrin											
454												
455					General Statistics							
456			Number of Valid Data			17			Number of Detected Data			10
457		Number of Distinct Detected Data				10			Number of Non-Detect Data			7
458			Number of Missing Values			21			Percent Non-Detects			41.18%
459												
460			Raw Statistics						Log-transformed Statistics			
461			Minimum Detected			0.0653			Minimum Detected			-2.729
462			Maximum Detected			0.391			Maximum Detected			-0.939
463			Mean of Detected			0.181			Mean of Detected			-1.853
464			SD of Detected			0.105			SD of Detected			0.558
465			Minimum Non-Detect			0.051			Minimum Non-Detect			-2.976
466			Maximum Non-Detect			0.369			Maximum Non-Detect			-0.997
467												
468	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			16
469	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
470	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			94.12%
471												
472						UCL Statistics						
473		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
474			Shapiro Wilk Test Statistic			0.858			Shapiro Wilk Test Statistic			0.956
475			5% Shapiro Wilk Critical Value			0.842			5% Shapiro Wilk Critical Value			0.842
476		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
477												

	A	B	C	D	E	F	G	H	I	J	K	L
478				Assuming Normal Distribution					Assuming Lognormal Distribution			
479				DL/2 Substitution Method					DL/2 Substitution Method			
480					Mean	0.133					Mean	-2.328
481					SD	0.104					SD	0.868
482				95% DL/2 (t) UCL		0.178				95% H-Stat (DL/2) UCL		0.156
483												
484			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
485			MLE method failed to converge properly							Mean in Log Scale		-2.243
486										SD in Log Scale		0.669
487										Mean in Original Scale		0.133
488										SD in Original Scale		0.0995
489									95% Percentile Bootstrap UCL			0.173
490										95% BCA Bootstrap UCL		0.185
491												
492			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
493				k star (bias corrected)		2.657			Data appear Normal at 5% Significance Level			
494					Theta Star	0.0679						
495					nu star	53.15						
496												
497					A-D Test Statistic	0.353			Nonparametric Statistics			
498				5% A-D Critical Value		0.73			Kaplan-Meier (KM) Method			
499					K-S Test Statistic	0.73					Mean	0.14
500				5% K-S Critical Value		0.268					SD	0.0942
501			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	0.0248
502										95% KM (t) UCL		0.184
503			Assuming Gamma Distribution							95% KM (z) UCL		0.181
504			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.181
505					Minimum	0.0653				95% KM (bootstrap t) UCL		0.207
506					Maximum	0.391				95% KM (BCA) UCL		0.198
507					Mean	0.169			95% KM (Percentile Bootstrap) UCL			0.188
508					Median	0.149				95% KM (Chebyshev) UCL		0.248
509					SD	0.088				97.5% KM (Chebyshev) UCL		0.295
510					k star	3.834				99% KM (Chebyshev) UCL		0.387
511					Theta star	0.044						
512					Nu star	130.4			Potential UCLs to Use			
513					AppChi2	105					95% KM (t) UCL	0.184
514			95% Gamma Approximate UCL			0.209			95% KM (Percentile Bootstrap) UCL			0.188
515			95% Adjusted Gamma UCL			0.214						
516	Note: DL/2 is not a recommended method.											
517												
518												
519	Indeno(1,2,3-cd)pyrene											
520												
521					General Statistics							
522				Number of Valid Data		42				Number of Detected Data		42
523			Number of Distinct Detected Data			38				Number of Non-Detect Data		0
524				Number of Missing Values		2				Percent Non-Detects		0.00%
525												
526			Raw Statistics						Log-transformed Statistics			
527					Minimum Detected	2.5				Minimum Detected		0.916
528					Maximum Detected	5900				Maximum Detected		8.683
529					Mean of Detected	594.8				Mean of Detected		5.304
530					SD of Detected	1115				SD of Detected		1.52

	A	B	C	D	E	F	G	H	I	J	K	L
531					Minimum Non-Detect	N/A					Minimum Non-Detect	N/A
532					Maximum Non-Detect	N/A					Maximum Non-Detect	N/A
533												
534												
535						UCL Statistics						
536			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
537				Shapiro Wilk Test Statistic		0.539				Shapiro Wilk Test Statistic		0.925
538				5% Shapiro Wilk Critical Value		0.942				5% Shapiro Wilk Critical Value		0.942
539			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
540												
541			Assuming Normal Distribution						Assuming Lognormal Distribution			
542				DL/2 Substitution Method						DL/2 Substitution Method		
543					Mean	594.8					Mean	5.304
544					SD	1115					SD	1.52
545				95% DL/2 (t) UCL		884.2				95% H-Stat (DL/2) UCL		1293
546												
547			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
548			MLE method failed to converge properly							Mean in Log Scale		N/A
549										SD in Log Scale		N/A
550										Mean in Original Scale		N/A
551										SD in Original Scale		N/A
552										95% Percentile Bootstrap UCL		N/A
553										95% BCA Bootstrap UCL		N/A
554												
555			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
556				k star (bias corrected)		0.549			Data do not follow a Discernable Distribution (0.05)			
557				Theta Star		1084						
558				nu star		46.09						
559												
560				A-D Test Statistic		2.272			Nonparametric Statistics			
561				5% A-D Critical Value		0.806			Kaplan-Meier (KM) Method			
562				K-S Test Statistic		0.806					Mean	594.8
563				5% K-S Critical Value		0.144					SD	1101
564			Data not Gamma Distributed at 5% Significance Level								SE of Mean	172
565											95% KM (t) UCL	884.2
566			Assuming Gamma Distribution								95% KM (z) UCL	877.7
567			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	884.2
568					Minimum	2.5					95% KM (bootstrap t) UCL	1119
569					Maximum	5900					95% KM (BCA) UCL	926.4
570					Mean	594.8				95% KM (Percentile Bootstrap) UCL		901.4
571					Median	180					95% KM (Chebyshev) UCL	1345
572					SD	1115					97.5% KM (Chebyshev) UCL	1669
573					k star	0.549					99% KM (Chebyshev) UCL	2306
574					Theta star	1084						
575					Nu star	46.09			Potential UCLs to Use			
576					AppChi2	31.52					97.5% KM (Chebyshev) UCL	1669
577				95% Gamma Approximate UCL		869.9						
578				95% Adjusted Gamma UCL		881.9						
579	Note: DL/2 is not a recommended method.											
580												
581												
582	Lead											
583												

	A	B	C	D	E	F	G	H	I	J	K	L
584					General Statistics							
585				Number of Valid Data		41				Number of Detected Data		41
586			Number of Distinct Detected Data			38				Number of Non-Detect Data		0
587				Number of Missing Values		3				Percent Non-Detects		0.00%
588												
589				Raw Statistics						Log-transformed Statistics		
590				Minimum Detected		2.75				Minimum Detected		1.012
591				Maximum Detected		330				Maximum Detected		5.799
592				Mean of Detected		28.47				Mean of Detected		2.895
593				SD of Detected		50.63				SD of Detected		0.819
594				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
595				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
596												
597												
598						UCL Statistics						
599			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
600				Shapiro Wilk Test Statistic		0.374				Shapiro Wilk Test Statistic		0.907
601				5% Shapiro Wilk Critical Value		0.941				5% Shapiro Wilk Critical Value		0.941
602		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
603												
604				Assuming Normal Distribution						Assuming Lognormal Distribution		
605				DL/2 Substitution Method						DL/2 Substitution Method		
606					Mean	28.47					Mean	2.895
607					SD	50.63					SD	0.819
608				95% DL/2 (t) UCL		41.78				95% H-Stat (DL/2) UCL		33.46
609												
610			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
611		MLE method failed to converge properly								Mean in Log Scale		N/A
612										SD in Log Scale		N/A
613										Mean in Original Scale		N/A
614										SD in Original Scale		N/A
615										95% Percentile Bootstrap UCL		N/A
616										95% BCA Bootstrap UCL		N/A
617												
618			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
619				k star (bias corrected)		1.167			Data do not follow a Discernable Distribution (0.05)			
620				Theta Star		24.39						
621				nu star		95.71						
622												
623				A-D Test Statistic		3.283				Nonparametric Statistics		
624				5% A-D Critical Value		0.772				Kaplan-Meier (KM) Method		
625				K-S Test Statistic		0.772					Mean	28.47
626				5% K-S Critical Value		0.141					SD	50.01
627		Data not Gamma Distributed at 5% Significance Level								SE of Mean		7.907
628										95% KM (t) UCL		41.78
629			Assuming Gamma Distribution							95% KM (z) UCL		41.47
630			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		41.78
631					Minimum	2.75				95% KM (bootstrap t) UCL		70.27
632					Maximum	330				95% KM (BCA) UCL		41.6
633					Mean	28.47				95% KM (Percentile Bootstrap) UCL		43.2
634					Median	16.4				95% KM (Chebyshev) UCL		62.93
635					SD	50.63				97.5% KM (Chebyshev) UCL		77.85
636					k star	1.167				99% KM (Chebyshev) UCL		107.1

	A	B	C	D	E	F	G	H	I	J	K	L
637					Theta star	24.39						
638					Nu star	95.71		Potential UCLs to Use				
639					AppChi2	74.14			95% KM (Chebyshev) UCL			62.93
640			95% Gamma Approximate UCL			36.75						
641			95% Adjusted Gamma UCL			37.09						
642	Note: DL/2 is not a recommended method.											
643												
644												
645	Mercury											
646												
647					General Statistics							
648			Number of Valid Data			38			Number of Detected Data			36
649			Number of Distinct Detected Data			25			Number of Non-Detect Data			2
650			Number of Missing Values			6			Percent Non-Detects			5.26%
651												
652			Raw Statistics						Log-transformed Statistics			
653			Minimum Detected			0.008			Minimum Detected			-4.828
654			Maximum Detected			0.74			Maximum Detected			-0.301
655			Mean of Detected			0.0892			Mean of Detected			-2.793
656			SD of Detected			0.122			SD of Detected			0.805
657			Minimum Non-Detect			0.008			Minimum Non-Detect			-4.828
658			Maximum Non-Detect			0.07			Maximum Non-Detect			-2.659
659												
660	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			22
661	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			16
662	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			57.89%
663												
664					UCL Statistics							
665			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
666			Shapiro Wilk Test Statistic			0.47			Shapiro Wilk Test Statistic			0.933
667			5% Shapiro Wilk Critical Value			0.935			5% Shapiro Wilk Critical Value			0.935
668			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
669												
670			Assuming Normal Distribution						Assuming Lognormal Distribution			
671			DL/2 Substitution Method						DL/2 Substitution Method			
672			Mean			0.0855			Mean			-2.879
673			SD			0.12			SD			0.902
674			95% DL/2 (t) UCL			0.118			95% H-Stat (DL/2) UCL			0.111
675												
676			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
677			MLE yields a negative mean						Mean in Log Scale			-2.857
678									SD in Log Scale			0.846
679									Mean in Original Scale			0.0857
680									SD in Original Scale			0.12
681									95% Percentile Bootstrap UCL			0.123
682									95% BCA Bootstrap UCL			0.139
683												
684			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
685			k star (bias corrected)			1.371			Data do not follow a Discernable Distribution (0.05)			
686			Theta Star			0.065						
687			nu star			98.73						
688												
689			A-D Test Statistic			2.075			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
690				5% A-D Critical Value		0.767			Kaplan-Meier (KM) Method			
691				K-S Test Statistic		0.767				Mean		0.0858
692				5% K-S Critical Value		0.15				SD		0.118
693		**Data not Gamma Distributed at 5% Significance Level**								SE of Mean		0.0195
694										95% KM (t) UCL		0.119
695		**Assuming Gamma Distribution**								95% KM (z) UCL		0.118
696		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.118
697					Minimum		1E-09			95% KM (bootstrap t) UCL		0.177
698					Maximum		0.74			95% KM (BCA) UCL		0.123
699					Mean		0.0858		95% KM (Percentile Bootstrap) UCL			0.12
700					Median		0.06			95% KM (Chebyshev) UCL		0.171
701					SD		0.12			97.5% KM (Chebyshev) UCL		0.207
702					k star		0.696			99% KM (Chebyshev) UCL		0.28
703					Theta star		0.123					
704					Nu star		52.91			**Potential UCLs to Use**		
705					AppChi2		37.2			95% KM (Chebyshev) UCL		0.171
706				95% Gamma Approximate UCL			0.122					
707				95% Adjusted Gamma UCL			0.124					
708	Note: DL/2 is not a recommended method.											
709												
710												
711	Naphthalene											
712												
713						**General Statistics**						
714			Number of Valid Data				42			Number of Detected Data		35
715		Number of Distinct Detected Data					29			Number of Non-Detect Data		7
716				Number of Missing Values			2			Percent Non-Detects		16.67%
717												
718			**Raw Statistics**							**Log-transformed Statistics**		
719				Minimum Detected			12			Minimum Detected		2.485
720				Maximum Detected			1400			Maximum Detected		7.244
721				Mean of Detected			196.1			Mean of Detected		4.208
722				SD of Detected			362.6			SD of Detected		1.333
723				Minimum Non-Detect			0.43			Minimum Non-Detect		-0.844
724				Maximum Non-Detect			13			Maximum Non-Detect		2.565
725												
726	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		9
727	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		33
728	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		21.43%
729												
730						**UCL Statistics**						
731		**Normal Distribution Test with Detected Values Only**							**Lognormal Distribution Test with Detected Values Only**			
732			Shapiro Wilk Test Statistic				0.537			Shapiro Wilk Test Statistic		0.888
733			5% Shapiro Wilk Critical Value				0.934			5% Shapiro Wilk Critical Value		0.934
734		**Data not Normal at 5% Significance Level**							**Data not Lognormal at 5% Significance Level**			
735												
736		**Assuming Normal Distribution**							**Assuming Lognormal Distribution**			
737				DL/2 Substitution Method						DL/2 Substitution Method		
738					Mean		163.7			Mean		3.464
739					SD		338.2			SD		2.158
740				95% DL/2 (t) UCL			251.6			95% H-Stat (DL/2) UCL		704.9
741												
742			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		

	A	B	C	D	E	F	G	H	I	J	K	L
743					Mean	105.4			Mean in Log Scale			3.726
744					SD	391.3			SD in Log Scale			1.633
745				95% MLE (t) UCL		207			Mean in Original Scale			164
746				95% MLE (Tiku) UCL		205.5			SD in Original Scale			338.1
747									95% Percentile Bootstrap UCL			255.3
748									95% BCA Bootstrap UCL			273.8
749												
750		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
751				k star (bias corrected)		0.549			Data do not follow a Discernable Distribution (0.05)			
752				Theta Star		356.9						
753				nu star		38.46						
754												
755				A-D Test Statistic		3.3			Nonparametric Statistics			
756				5% A-D Critical Value		0.804			Kaplan-Meier (KM) Method			
757				K-S Test Statistic		0.804			Mean			165.4
758				5% K-S Critical Value		0.156			SD			333.4
759		Data not Gamma Distributed at 5% Significance Level							SE of Mean			52.2
760									95% KM (t) UCL			253.2
761		Assuming Gamma Distribution							95% KM (z) UCL			251.3
762		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			253
763				Minimum		1E-09			95% KM (bootstrap t) UCL			307.1
764				Maximum		1400			95% KM (BCA) UCL			265.5
765				Mean		163.4			95% KM (Percentile Bootstrap) UCL			260
766				Median		43.5			95% KM (Chebyshev) UCL			392.9
767				SD		338.4			97.5% KM (Chebyshev) UCL			491.4
768				k star		0.157			99% KM (Chebyshev) UCL			684.8
769				Theta star		1040						
770				Nu star		13.2			Potential UCLs to Use			
771				AppChi2		6.025			95% KM (Chebyshev) UCL			392.9
772			95% Gamma Approximate UCL			357.9						
773			95% Adjusted Gamma UCL			368.5						
774	Note: DL/2 is not a recommended method.											
775												
776												
777	Thallium											
778												
779					General Statistics							
780			Number of Valid Data			12			Number of Detected Data			12
781		Number of Distinct Detected Data				11			Number of Non-Detect Data			0
782			Number of Missing Values			32			Percent Non-Detects			0.00%
783												
784		Raw Statistics							Log-transformed Statistics			
785				Minimum Detected		0.026			Minimum Detected			-3.65
786				Maximum Detected		23			Maximum Detected			3.135
787				Mean of Detected		9.029			Mean of Detected			-0.0534
788				SD of Detected		10.17			SD of Detected			3.049
789				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
790				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
791												
792												
793					UCL Statistics							
794		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
795				Shapiro Wilk Test Statistic		0.761			Shapiro Wilk Test Statistic			0.758

	A	B	C	D	E	F	G	H	I	J	K	L
796				5% Shapiro Wilk Critical Value		0.859			5% Shapiro Wilk Critical Value			0.859
797		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
798												
799		Assuming Normal Distribution						Assuming Lognormal Distribution				
800				DL/2 Substitution Method					DL/2 Substitution Method			
801					Mean	9.029				Mean		-0.0534
802					SD	10.17				SD		3.049
803				95% DL/2 (t) UCL		14.3			95% H-Stat (DL/2) UCL			81216
804												
805				Maximum Likelihood Estimate(MLE) Method		N/A			Log ROS Method			
806		MLE method failed to converge properly							Mean in Log Scale			N/A
807									SD in Log Scale			N/A
808									Mean in Original Scale			N/A
809									SD in Original Scale			N/A
810									95% Percentile Bootstrap UCL			N/A
811									95% BCA Bootstrap UCL			N/A
812												
813		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
814				k star (bias corrected)		0.284		Data do not follow a Discernable Distribution (0.05)				
815				Theta Star		31.75						
816				nu star		6.825						
817												
818				A-D Test Statistic		1.39		Nonparametric Statistics				
819				5% A-D Critical Value		0.823			Kaplan-Meier (KM) Method			
820				K-S Test Statistic		0.823				Mean		9.029
821				5% K-S Critical Value		0.265				SD		9.737
822		Data not Gamma Distributed at 5% Significance Level							SE of Mean			2.936
823									95% KM (t) UCL			14.3
824		Assuming Gamma Distribution							95% KM (z) UCL			13.86
825		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			14.3
826				Minimum		0.026			95% KM (bootstrap t) UCL			14.75
827				Maximum		23			95% KM (BCA) UCL			13.52
828				Mean		9.029			95% KM (Percentile Bootstrap) UCL			13.6
829				Median		5.048			95% KM (Chebyshev) UCL			21.83
830				SD		10.17			97.5% KM (Chebyshev) UCL			27.36
831				k star		0.284			99% KM (Chebyshev) UCL			38.24
832				Theta star		31.75						
833				Nu star		6.825		Potential UCLs to Use				
834				AppChi2		2.075			99% KM (Chebyshev) UCL			38.24
835		95% Gamma Approximate UCL				29.7						
836		95% Adjusted Gamma UCL				36.26						
837		Warning: Recommended UCL exceeds the maximum observation										
838	Note: DL/2 is not a recommended method.											
839												
840												
841	Total Aroclors											
842												
843				General Statistics								
844				Number of Valid Data		24			Number of Detected Data			15
845				Number of Distinct Detected Data		15			Number of Non-Detect Data			9
846				Number of Missing Values		16			Percent Non-Detects			37.50%
847												
848		Raw Statistics						Log-transformed Statistics				

	A	B	C	D	E	F	G	H	I	J	K	L
849					Minimum Detected	15				Minimum Detected		2.708
850					Maximum Detected	131.5				Maximum Detected		4.879
851					Mean of Detected	36.8				Mean of Detected		3.442
852					SD of Detected	28.37				SD of Detected		0.532
853					Minimum Non-Detect	1.7				Minimum Non-Detect		0.531
854					Maximum Non-Detect	38				Maximum Non-Detect		3.638
855												
856	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			20
857	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			4
858	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			83.33%
859												
860					UCL Statistics							
861		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
862					Shapiro Wilk Test Statistic	0.635				Shapiro Wilk Test Statistic		0.902
863					5% Shapiro Wilk Critical Value	0.881				5% Shapiro Wilk Critical Value		0.881
864		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
865												
866		Assuming Normal Distribution						Assuming Lognormal Distribution				
867					DL/2 Substitution Method					DL/2 Substitution Method		
868					Mean	24.54				Mean		2.468
869					SD	27.62				SD		1.476
870					95% DL/2 (t) UCL	34.21				95% H-Stat (DL/2) UCL		42.79
871												
872			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
873		MLE yields a negative mean								Mean in Log Scale		3.017
874										SD in Log Scale		0.706
875										Mean in Original Scale		26.85
876										SD in Original Scale		25.77
877										95% Percentile Bootstrap UCL		35.88
878										95% BCA Bootstrap UCL		39.74
879												
880		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
881					k star (bias corrected)	2.618		Data Follow Appr. Gamma Distribution at 5% Significance Level				
882					Theta Star	14.06						
883					nu star	78.55						
884												
885					A-D Test Statistic	0.866		Nonparametric Statistics				
886					5% A-D Critical Value	0.744				Kaplan-Meier (KM) Method		
887					K-S Test Statistic	0.744				Mean		28.87
888					5% K-S Critical Value	0.223				SD		24.03
889		Data follow Appr. Gamma Distribution at 5% Significance Level								SE of Mean		5.086
890										95% KM (t) UCL		37.59
891		Assuming Gamma Distribution								95% KM (z) UCL		37.24
892		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		36.66
893					Minimum	15				95% KM (bootstrap t) UCL		46.05
894					Maximum	131.5				95% KM (BCA) UCL		41.22
895					Mean	31.46				95% KM (Percentile Bootstrap) UCL		38.37
896					Median	22.68				95% KM (Chebyshev) UCL		51.04
897					SD	23.91				97.5% KM (Chebyshev) UCL		60.64
898					k star	3.116				99% KM (Chebyshev) UCL		79.48
899					Theta star	10.1						
900					Nu star	149.6		Potential UCLs to Use				
901					AppChi2	122.3				95% KM (Percentile Bootstrap) UCL		38.37

	A	B	C	D	E	F	G	H	I	J	K	L
902				95% Gamma Approximate UCL		38.48						
903				95% Adjusted Gamma UCL		39.03						
904	Note: DL/2 is not a recommended method.											
905												
906												
907	Total DDT											
908												
909					General Statistics							
910				Number of Valid Data		23			Number of Detected Data			17
911			Number of Distinct Detected Data			17			Number of Non-Detect Data			6
912				Number of Missing Values		17			Percent Non-Detects			26.09%
913												
914				Raw Statistics					Log-transformed Statistics			
915				Minimum Detected		0.117			Minimum Detected			-2.146
916				Maximum Detected		49.97			Maximum Detected			3.911
917				Mean of Detected		5.981			Mean of Detected			0.514
918				SD of Detected		12.5			SD of Detected			1.568
919				Minimum Non-Detect		0.0555			Minimum Non-Detect			-2.891
920				Maximum Non-Detect		2.1			Maximum Non-Detect			0.742
921												
922	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			18
923	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			5
924	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			78.26%
925												
926					UCL Statistics							
927			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
928				Shapiro Wilk Test Statistic		0.505			Shapiro Wilk Test Statistic			0.943
929				5% Shapiro Wilk Critical Value		0.892			5% Shapiro Wilk Critical Value			0.892
930			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
931												
932				Assuming Normal Distribution					Assuming Lognormal Distribution			
933				DL/2 Substitution Method					DL/2 Substitution Method			
934				Mean		4.524			Mean			-0.116
935				SD		10.95			SD			1.893
936				95% DL/2 (t) UCL		8.445			95% H-Stat (DL/2) UCL			16.06
937												
938			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
939			MLE yields a negative mean						Mean in Log Scale			-0.156
940									SD in Log Scale			1.838
941									Mean in Original Scale			4.475
942									SD in Original Scale			10.97
943									95% Percentile Bootstrap UCL			8.679
944									95% BCA Bootstrap UCL			11.07
945												
946			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
947				k star (bias corrected)		0.45			Data appear Lognormal at 5% Significance Level			
948				Theta Star		13.3						
949				nu star		15.29						
950												
951				A-D Test Statistic		1.384			Nonparametric Statistics			
952				5% A-D Critical Value		0.798			Kaplan-Meier (KM) Method			
953				K-S Test Statistic		0.798			Mean			4.509
954				5% K-S Critical Value		0.221			SD			10.72

	A	B	C	D	E	F	G	H	I	J	K	L
955	Data not Gamma Distributed at 5% Significance Level									SE of Mean		2.303
956										95% KM (t) UCL		8.465
957	Assuming Gamma Distribution									95% KM (z) UCL		8.298
958	Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL		8.421
959					Minimum	0.117				95% KM (bootstrap t) UCL		21
960					Maximum	49.97				95% KM (BCA) UCL		9.179
961					Mean	5.321				95% KM (Percentile Bootstrap) UCL		8.436
962					Median	1.594				95% KM (Chebyshev) UCL		14.55
963					SD	10.73				97.5% KM (Chebyshev) UCL		18.89
964					k star	0.573				99% KM (Chebyshev) UCL		27.43
965					Theta star	9.281						
966					Nu star	26.38			Potential UCLs to Use			
967					AppChi2	15.67				99% KM (Chebyshev) UCL		27.43
968			95% Gamma Approximate UCL			8.958						
969			95% Adjusted Gamma UCL			9.313						
970	Note: DL/2 is not a recommended method.											
971												
972												
973	Total Dioxin-like PCBs											
974												
975	General Statistics											
976			Number of Valid Data			5			Number of Detected Data			5
977			Number of Distinct Detected Data			5			Number of Non-Detect Data			0
978			Number of Missing Values			19			Percent Non-Detects			0.00%
979												
980	Raw Statistics						Log-transformed Statistics					
981			Minimum Detected			781			Minimum Detected			6.661
982			Maximum Detected			16188			Maximum Detected			9.692
983			Mean of Detected			5521			Mean of Detected			8.109
984			SD of Detected			6216			SD of Detected			1.156
985			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
986			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
987												
988												
989	Warning: There are only 5 Detected Values in this data											
990	Note: It should be noted that even though bootstrap may be performed on this data set											
991	the resulting calculations may not be reliable enough tp draw conclusions											
992												
993	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
994												
995												
996	UCL Statistics											
997	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
998			Shapiro Wilk Test Statistic			0.798			Shapiro Wilk Test Statistic			0.987
999			5% Shapiro Wilk Critical Value			0.762			5% Shapiro Wilk Critical Value			0.762
1000	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
1001												
1002	Assuming Normal Distribution						Assuming Lognormal Distribution					
1003			DL/2 Substitution Method						DL/2 Substitution Method			
1004					Mean	5521					Mean	8.109
1005					SD	6216					SD	1.156
1006			95% DL/2 (t) UCL			11447			95% H-Stat (DL/2) UCL			163587
1007												

	A	B	C	D	E	F	G	H	I	J	K	L
1008				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
1009			MLE method failed to converge properly							Mean in Log Scale		N/A
1010										SD in Log Scale		N/A
1011										Mean in Original Scale		N/A
1012										SD in Original Scale		N/A
1013									95% Percentile Bootstrap UCL			N/A
1014										95% BCA Bootstrap UCL		N/A
1015												
1016			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1017				k star (bias corrected)		0.582			Data appear Normal at 5% Significance Level			
1018					Theta Star	9482						
1019					nu star	5.823						
1020												
1021					A-D Test Statistic	0.249			Nonparametric Statistics			
1022				5% A-D Critical Value		0.69			Kaplan-Meier (KM) Method			
1023					K-S Test Statistic	0.69				Mean		5521
1024				5% K-S Critical Value		0.364				SD		5559
1025		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		2780
1026										95% KM (t) UCL		11447
1027			Assuming Gamma Distribution							95% KM (z) UCL		10094
1028		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			11447
1029					Minimum	781			95% KM (bootstrap t) UCL			19042
1030					Maximum	16188			95% KM (BCA) UCL			10025
1031					Mean	5521			95% KM (Percentile Bootstrap) UCL			9322
1032					Median	3811			95% KM (Chebyshev) UCL			17638
1033					SD	6216			97.5% KM (Chebyshev) UCL			22881
1034					k star	0.582			99% KM (Chebyshev) UCL			33179
1035					Theta star	9482						
1036					Nu star	5.823			Potential UCLs to Use			
1037					AppChi2	1.55				95% KM (t) UCL		11447
1038			95% Gamma Approximate UCL			20742			95% KM (Percentile Bootstrap) UCL			9322
1039			95% Adjusted Gamma UCL			41311						
1040	Note: DL/2 is not a recommended method.											
1041												
1042												
1043	Total PCB TEQ											
1044												
1045				General Statistics								
1046				Number of Valid Data		5			Number of Detected Data			5
1047			Number of Distinct Detected Data			5			Number of Non-Detect Data			0
1048				Number of Missing Values		19			Percent Non-Detects			0.00%
1049												
1050			Raw Statistics						Log-transformed Statistics			
1051				Minimum Detected		0.481			Minimum Detected			-0.732
1052				Maximum Detected		3.305			Maximum Detected			1.196
1053				Mean of Detected		1.41			Mean of Detected			0.106
1054				SD of Detected		1.136			SD of Detected			0.759
1055				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
1056				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
1057												
1058												
1059				Warning: There are only 5 Detected Values in this data								
1060			Note: It should be noted that even though bootstrap may be performed on this data set									

	A	B	C	D	E	F	G	H	I	J	K	L
1061	the resulting calculations may not be reliable enough tp draw conclusions											
1062												
1063	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
1064												
1065												
1066	UCL Statistics											
1067	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
1068	Shapiro Wilk Test Statistic					0.847	Shapiro Wilk Test Statistic					0.966
1069	5% Shapiro Wilk Critical Value					0.762	5% Shapiro Wilk Critical Value					0.762
1070	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
1071												
1072	Assuming Normal Distribution						Assuming Lognormal Distribution					
1073	DL/2 Substitution Method						DL/2 Substitution Method					
1074	Mean					1.41	Mean					0.106
1075	SD					1.136	SD					0.759
1076	95% DL/2 (t) UCL					2.493	95% H-Stat (DL/2) UCL					6.504
1077												
1078	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
1079	MLE method failed to converge properly						Mean in Log Scale					N/A
1080							SD in Log Scale					N/A
1081							Mean in Original Scale					N/A
1082							SD in Original Scale					N/A
1083							95% Percentile Bootstrap UCL					N/A
1084							95% BCA Bootstrap UCL					N/A
1085												
1086	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
1087	k star (bias corrected)					1.036	Data appear Normal at 5% Significance Level					
1088	Theta Star					1.361						
1089	nu star					10.36						
1090												
1091	A-D Test Statistic					0.272	Nonparametric Statistics					
1092	5% A-D Critical Value					0.684	Kaplan-Meier (KM) Method					
1093	K-S Test Statistic					0.684	Mean					1.41
1094	5% K-S Critical Value					0.36	SD					1.016
1095	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					0.508
1096							95% KM (t) UCL					2.493
1097	Assuming Gamma Distribution						95% KM (z) UCL					2.245
1098	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					2.493
1099	Minimum					0.481	95% KM (bootstrap t) UCL					3.665
1100	Maximum					3.305	95% KM (BCA) UCL					2.232
1101	Mean					1.41	95% KM (Percentile Bootstrap) UCL					2.302
1102	Median					1.114	95% KM (Chebyshev) UCL					3.624
1103	SD					1.136	97.5% KM (Chebyshev) UCL					4.582
1104	k star					1.036	99% KM (Chebyshev) UCL					6.464
1105	Theta star					1.361						
1106	Nu star					10.36	Potential UCLs to Use					
1107	AppChi2					4.168	95% KM (t) UCL					2.493
1108	95% Gamma Approximate UCL					3.504	95% KM (Percentile Bootstrap) UCL					2.302
1109	95% Adjusted Gamma UCL					5.535						
1110	Note: DL/2 is not a recommended method.											
1111												
1112												
1113	Total PCB_Congeners											

	A	B	C	D	E	F	G	H	I	J	K	L
1114												
1115					General Statistics							
1116				Number of Valid Data		5				Number of Detected Data		5
1117				Number of Distinct Detected Data		5				Number of Non-Detect Data		0
1118				Number of Missing Values		19				Percent Non-Detects		0.00%
1119												
1120				Raw Statistics						Log-transformed Statistics		
1121				Minimum Detected		15201				Minimum Detected		9.629
1122				Maximum Detected		160403				Maximum Detected		11.99
1123				Mean of Detected		84982				Mean of Detected		11.01
1124				SD of Detected		67421				SD of Detected		1.001
1125				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1126				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1127												
1128												
1129					Warning: There are only 5 Detected Values in this data							
1130				Note: It should be noted that even though bootstrap may be performed on this data set								
1131				the resulting calculations may not be reliable enough tp draw conclusions								
1132												
1133			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1134												
1135												
1136						UCL Statistics						
1137		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1138				Shapiro Wilk Test Statistic		0.857				Shapiro Wilk Test Statistic		0.92
1139				5% Shapiro Wilk Critical Value		0.762				5% Shapiro Wilk Critical Value		0.762
1140		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1141												
1142		Assuming Normal Distribution						Assuming Lognormal Distribution				
1143				DL/2 Substitution Method						DL/2 Substitution Method		
1144				Mean		84982				Mean		11.01
1145				SD		67421				SD		1.001
1146				95% DL/2 (t) UCL		149260				95% H-Stat (DL/2) UCL		1163189
1147												
1148				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
1149		MLE method failed to converge properly								Mean in Log Scale		N/A
1150										SD in Log Scale		N/A
1151										Mean in Original Scale		N/A
1152										SD in Original Scale		N/A
1153										95% Percentile Bootstrap UCL		N/A
1154										95% BCA Bootstrap UCL		N/A
1155												
1156		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1157				k star (bias corrected)		0.778		Data appear Normal at 5% Significance Level				
1158				Theta Star		109198						
1159				nu star		7.782						
1160												
1161				A-D Test Statistic		0.335		Nonparametric Statistics				
1162				5% A-D Critical Value		0.686				Kaplan-Meier (KM) Method		
1163				K-S Test Statistic		0.686				Mean		84982
1164				5% K-S Critical Value		0.361				SD		60303
1165		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		30151
1166										95% KM (t) UCL		149260

	A	B	C	D	E	F	G	H	I	J	K	L
1167					Assuming Gamma Distribution						95% KM (z) UCL	134577
1168			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	149260
1169					Minimum	15201					95% KM (bootstrap t) UCL	233316
1170					Maximum	160403					95% KM (BCA) UCL	128301
1171					Mean	84982				95% KM (Percentile Bootstrap) UCL		132318
1172					Median	61273					95% KM (Chebyshev) UCL	216409
1173					SD	67421					97.5% KM (Chebyshev) UCL	273278
1174					k star	0.778					99% KM (Chebyshev) UCL	384985
1175					Theta star	109198						
1176					Nu star	7.782				Potential UCLs to Use		
1177					AppChi2	2.61					95% KM (t) UCL	149260
1178			95% Gamma Approximate UCL			253429				95% KM (Percentile Bootstrap) UCL		132318
1179			95% Adjusted Gamma UCL			443255						
1180	Note: DL/2 is not a recommended method.											
1181												
1182												
1183	Total PCBs, Adjusted											
1184												
1185					General Statistics							
1186			Number of Valid Data			5				Number of Detected Data		5
1187			Number of Distinct Detected Data			5				Number of Non-Detect Data		0
1188			Number of Missing Values			19				Percent Non-Detects		0.00%
1189												
1190			Raw Statistics						Log-transformed Statistics			
1191			Minimum Detected			14420				Minimum Detected		9.576
1192			Maximum Detected			156592				Maximum Detected		11.96
1193			Mean of Detected			79461				Mean of Detected		10.94
1194			SD of Detected			63412				SD of Detected		0.994
1195			Minimum Non-Detect			N/A				Minimum Non-Detect		N/A
1196			Maximum Non-Detect			N/A				Maximum Non-Detect		N/A
1197												
1198												
1199					Warning: There are only 5 Detected Values in this data							
1200				Note: It should be noted that even though bootstrap may be performed on this data set								
1201					the resulting calculations may not be reliable enough tp draw conclusions							
1202												
1203				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1204												
1205												
1206					UCL Statistics							
1207		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1208			Shapiro Wilk Test Statistic			0.885				Shapiro Wilk Test Statistic		0.936
1209			5% Shapiro Wilk Critical Value			0.762				5% Shapiro Wilk Critical Value		0.762
1210		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1211												
1212		Assuming Normal Distribution						Assuming Lognormal Distribution				
1213			DL/2 Substitution Method							DL/2 Substitution Method		
1214					Mean	79461					Mean	10.94
1215					SD	63412					SD	0.994
1216			95% DL/2 (t) UCL			139917				95% H-Stat (DL/2) UCL		1047831
1217												
1218			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1219		MLE method failed to converge properly								Mean in Log Scale		N/A

	A	B	C	D	E	F	G	H	I	J	K	L
1220											SD in Log Scale	N/A
1221											Mean in Original Scale	N/A
1222											SD in Original Scale	N/A
1223											95% Percentile Bootstrap UCL	N/A
1224											95% BCA Bootstrap UCL	N/A
1225												
1226		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
1227				k star (bias corrected)		0.782		**Data appear Normal at 5% Significance Level**				
1228				Theta Star		101584						
1229				nu star		7.822						
1230												
1231				A-D Test Statistic		0.295		**Nonparametric Statistics**				
1232				5% A-D Critical Value		0.686		Kaplan-Meier (KM) Method				
1233				K-S Test Statistic		0.686					Mean	79461
1234				5% K-S Critical Value		0.361					SD	56718
1235		**Data appear Gamma Distributed at 5% Significance Level**									SE of Mean	28359
1236											95% KM (t) UCL	139917
1237		**Assuming Gamma Distribution**									95% KM (z) UCL	126107
1238		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	139917
1239				Minimum		14420					95% KM (bootstrap t) UCL	246749
1240				Maximum		156592					95% KM (BCA) UCL	120145
1241				Mean		79461					95% KM (Percentile Bootstrap) UCL	124151
1242				Median		56061					95% KM (Chebyshev) UCL	203074
1243				SD		63412					97.5% KM (Chebyshev) UCL	256561
1244				k star		0.782					99% KM (Chebyshev) UCL	361627
1245				Theta star		101584						
1246				Nu star		7.822		**Potential UCLs to Use**				
1247				AppChi2		2.632					95% KM (t) UCL	139917
1248		95% Gamma Approximate UCL				236111					95% KM (Percentile Bootstrap) UCL	124151
1249		95% Adjusted Gamma UCL				412128						
1250	**Note: DL/2 is not a recommended method.**											
1251												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM5.0E.wst								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Arsenic											
10												
11						General Statistics						
12				Number of Valid Data		22			Number of Detected Data			20
13			Number of Distinct Detected Data			20			Number of Non-Detect Data			2
14									Percent Non-Detects			9.09%
15												
16			Raw Statistics						Log-transformed Statistics			
17				Minimum Detected		1.98			Minimum Detected			0.683
18				Maximum Detected		6			Maximum Detected			1.792
19				Mean of Detected		3.313			Mean of Detected			1.158
20				SD of Detected		0.987			SD of Detected			0.29
21				Minimum Non-Detect		5			Minimum Non-Detect			1.609
22				Maximum Non-Detect		5			Maximum Non-Detect			1.609
23												
24												
25						UCL Statistics						
26		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
27				Shapiro Wilk Test Statistic		0.937			Shapiro Wilk Test Statistic			0.971
28				5% Shapiro Wilk Critical Value		0.905			5% Shapiro Wilk Critical Value			0.905
29		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
30												
31		Assuming Normal Distribution						Assuming Lognormal Distribution				
32				DL/2 Substitution Method					DL/2 Substitution Method			
33				Mean		3.239			Mean			1.136
34				SD		0.968			SD			0.285
35				95% DL/2 (t) UCL		3.594			95% H-Stat (DL/2) UCL			3.631
36												
37			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
38		MLE method failed to converge properly							Mean in Log Scale			1.155
39									SD in Log Scale			0.279
40									Mean in Original Scale			3.296
41									SD in Original Scale			0.948
42									95% Percentile Bootstrap UCL			3.648
43									95% BCA Bootstrap UCL			3.661
44												
45		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
46				k star (bias corrected)		10.71		Data appear Normal at 5% Significance Level				
47				Theta Star		0.309						
48				nu star		428.5						
49												
50				A-D Test Statistic		0.239			Nonparametric Statistics			
51				5% A-D Critical Value		0.742			Kaplan-Meier (KM) Method			
52				K-S Test Statistic		0.742			Mean			3.3
53				5% K-S Critical Value		0.194			SD			0.946

	A	B	C	D	E	F	G	H	I	J	K	L
54	Data appear Gamma Distributed at 5% Significance Level										SE of Mean	0.213
55											95% KM (t) UCL	3.667
56			Assuming Gamma Distribution								95% KM (z) UCL	3.651
57			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	3.668
58					Minimum	1.98					95% KM (bootstrap t) UCL	3.705
59					Maximum	6					95% KM (BCA) UCL	3.67
60					Mean	3.324					95% KM (Percentile Bootstrap) UCL	3.643
61					Median	3.275					95% KM (Chebyshev) UCL	4.23
62					SD	0.945					97.5% KM (Chebyshev) UCL	4.633
63					k star	11.8					99% KM (Chebyshev) UCL	5.424
64					Theta star	0.282						
65					Nu star	519			Potential UCLs to Use			
66					AppChi2	467.2					95% KM (t) UCL	3.667
67			95% Gamma Approximate UCL			3.693					95% KM (Percentile Bootstrap) UCL	3.643
68			95% Adjusted Gamma UCL			3.722						
69	Note: DL/2 is not a recommended method.											
70												
71												
72	Benzo(a)anthracene											
73												
74					General Statistics							
75			Number of Valid Observations			22			Number of Distinct Observations			21
76												
77			Raw Statistics						Log-transformed Statistics			
78					Minimum	12.8			Minimum of Log Data			2.549
79					Maximum	990			Maximum of Log Data			6.898
80					Mean	213.7			Mean of log Data			4.735
81					Median	110.1			SD of log Data			1.162
82					SD	263						
83			Coefficient of Variation			1.231						
84					Skewness	1.919						
85												
86					Relevant UCL Statistics							
87			Normal Distribution Test						Lognormal Distribution Test			
88			Shapiro Wilk Test Statistic			0.723			Shapiro Wilk Test Statistic			0.98
89			Shapiro Wilk Critical Value			0.911			Shapiro Wilk Critical Value			0.911
90			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
91												
92			Assuming Normal Distribution						Assuming Lognormal Distribution			
93			95% Student's-t UCL			310.2			95% H-UCL			451.2
94			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			479.6
95			95% Adjusted-CLT UCL			330.5			97.5% Chebyshev (MVUE) UCL			594.8
96			95% Modified-t UCL			314			99% Chebyshev (MVUE) UCL			821.2
97												
98			Gamma Distribution Test						Data Distribution			
99			k star (bias corrected)			0.829			Data appear Gamma Distributed at 5% Significance Level			
100					Theta Star	257.8						
101					nu star	36.48						
102			Approximate Chi Square Value (.05)			23.65			Nonparametric Statistics			
103			Adjusted Level of Significance			0.0386			95% CLT UCL			305.9
104			Adjusted Chi Square Value			22.88			95% Jackknife UCL			310.2
105									95% Standard Bootstrap UCL			303.4
106			Anderson-Darling Test Statistic			0.608			95% Bootstrap-t UCL			365

	A	B	C	D	E	F	G	H	I	J	K	L
107				Anderson-Darling 5% Critical Value		0.774				95% Hall's Bootstrap UCL		324.2
108				Kolmogorov-Smirnov Test Statistic		0.144				95% Percentile Bootstrap UCL		311.4
109				Kolmogorov-Smirnov 5% Critical Value		0.191				95% BCA Bootstrap UCL		332.4
110		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		458.1
111										97.5% Chebyshev(Mean, Sd) UCL		563.9
112			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		771.7
113				95% Approximate Gamma UCL		329.6						
114				95% Adjusted Gamma UCL		340.7						
115												
116			Potential UCL to Use							Use 95% Approximate Gamma UCL		329.6
117												
118												
119	Benzo(a)pyrene											
120												
121						General Statistics						
122				Number of Valid Observations		22				Number of Distinct Observations		21
123												
124			Raw Statistics							Log-transformed Statistics		
125					Minimum	16.4				Minimum of Log Data		2.797
126					Maximum	1900				Maximum of Log Data		7.55
127					Mean	298.1				Mean of log Data		4.976
128					Median	114				SD of log Data		1.178
129					SD	447.6						
130				Coefficient of Variation		1.502						
131					Skewness	2.691						
132												
133						Relevant UCL Statistics						
134			Normal Distribution Test							Lognormal Distribution Test		
135				Shapiro Wilk Test Statistic		0.614				Shapiro Wilk Test Statistic		0.972
136				Shapiro Wilk Critical Value		0.911				Shapiro Wilk Critical Value		0.911
137		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
138												
139			Assuming Normal Distribution							Assuming Lognormal Distribution		
140					95% Student's-t UCL	462.3				95% H-UCL		594.8
141			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		626.8
142				95% Adjusted-CLT UCL		513.5				97.5% Chebyshev (MVUE) UCL		778.6
143				95% Modified-t UCL		471.4				99% Chebyshev (MVUE) UCL		1077
144												
145			Gamma Distribution Test							Data Distribution		
146				k star (bias corrected)		0.739		Data Follow Appr. Gamma Distribution at 5% Significance Level				
147					Theta Star	403.4						
148					nu star	32.51						
149			Approximate Chi Square Value (.05)			20.48				Nonparametric Statistics		
150				Adjusted Level of Significance		0.0386				95% CLT UCL		455
151				Adjusted Chi Square Value		19.77				95% Jackknife UCL		462.3
152										95% Standard Bootstrap UCL		450.3
153				Anderson-Darling Test Statistic		1.034				95% Bootstrap-t UCL		614.4
154				Anderson-Darling 5% Critical Value		0.78				95% Hall's Bootstrap UCL		543.8
155				Kolmogorov-Smirnov Test Statistic		0.178				95% Percentile Bootstrap UCL		464.3
156				Kolmogorov-Smirnov 5% Critical Value		0.192				95% BCA Bootstrap UCL		499.3
157		Data follow Appr. Gamma Distribution at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		714
158										97.5% Chebyshev(Mean, Sd) UCL		894
159			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		1248

	A	B	C	D	E	F	G	H	I	J	K	L
160				95% Approximate Gamma UCL		473.2						
161				95% Adjusted Gamma UCL		490.3						
162												
163			Potential UCL to Use					Use 95% Approximate Gamma UCL				473.2
164												
165												
166	Benzo(b)fluoranthene											
167												
168				General Statistics								
169			Number of Valid Observations			22			Number of Distinct Observations			22
170												
171			Raw Statistics					Log-transformed Statistics				
172				Minimum		29.7			Minimum of Log Data			3.391
173				Maximum		1600			Maximum of Log Data			7.378
174				Mean		319.3			Mean of log Data			5.185
175				Median		125			SD of log Data			1.087
176				SD		387.3						
177			Coefficient of Variation			1.213						
178				Skewness		2.123						
179												
180				Relevant UCL Statistics								
181			Normal Distribution Test					Lognormal Distribution Test				
182			Shapiro Wilk Test Statistic			0.722			Shapiro Wilk Test Statistic			0.947
183			Shapiro Wilk Critical Value			0.911			Shapiro Wilk Critical Value			0.911
184			Data not Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
185												
186			Assuming Normal Distribution					Assuming Lognormal Distribution				
187				95% Student's-t UCL		461.4			95% H-UCL			607.1
188			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			668.2
189				95% Adjusted-CLT UCL		495.1			97.5% Chebyshev (MVUE) UCL			823.1
190				95% Modified-t UCL		467.6			99% Chebyshev (MVUE) UCL			1128
191												
192			Gamma Distribution Test					Data Distribution				
193			k star (bias corrected)			0.889		Data appear Lognormal at 5% Significance Level				
194				Theta Star		359.2						
195				nu star		39.12						
196			Approximate Chi Square Value (.05)			25.79			Nonparametric Statistics			
197			Adjusted Level of Significance			0.0386			95% CLT UCL			455.1
198			Adjusted Chi Square Value			24.98			95% Jackknife UCL			461.4
199									95% Standard Bootstrap UCL			452.9
200			Anderson-Darling Test Statistic			0.953			95% Bootstrap-t UCL			543.4
201			Anderson-Darling 5% Critical Value			0.771			95% Hall's Bootstrap UCL			562.9
202			Kolmogorov-Smirnov Test Statistic			0.235			95% Percentile Bootstrap UCL			461.9
203			Kolmogorov-Smirnov 5% Critical Value			0.191			95% BCA Bootstrap UCL			502.6
204			Data not Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			679.2
205									97.5% Chebyshev(Mean, Sd) UCL			835
206			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			1141
207				95% Approximate Gamma UCL		484.3						
208				95% Adjusted Gamma UCL		500						
209												
210			Potential UCL to Use					Use 95% Chebyshev (MVUE) UCL			668.2
211												
212												

Benzo(k)fluoranthene

General Statistics

Number of Valid Data	17	Number of Detected Data	17
Number of Distinct Detected Data	15	Number of Non-Detect Data	0
Number of Missing Values	5	Percent Non-Detects	0.00%

Raw Statistics		Log-transformed Statistics	
Minimum Detected	23	Minimum Detected	3.135
Maximum Detected	530	Maximum Detected	6.273
Mean of Detected	151.3	Mean of Detected	4.599
SD of Detected	143.6	SD of Detected	0.972
Minimum Non-Detect	N/A	Minimum Non-Detect	N/A
Maximum Non-Detect	N/A	Maximum Non-Detect	N/A

UCL Statistics

Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.818	Shapiro Wilk Test Statistic	0.955
5% Shapiro Wilk Critical Value	0.892	5% Shapiro Wilk Critical Value	0.892
Data not Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	151.3	Mean	4.599
SD	143.6	SD	0.972
95% DL/2 (t) UCL	212.1	95% H-Stat (DL/2) UCL	301.8
Maximum Likelihood Estimate(MLE) Method	N/A	Log ROS Method	
MLE method failed to converge properly		Mean in Log Scale	N/A
		SD in Log Scale	N/A
		Mean in Original Scale	N/A
		SD in Original Scale	N/A
		95% Percentile Bootstrap UCL	N/A
		95% BCA Bootstrap UCL	N/A

Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	1.135	Data appear Gamma Distributed at 5% Significance Level	
Theta Star	133.3		
nu star	38.59		
A-D Test Statistic	0.391	Nonparametric Statistics	
5% A-D Critical Value	0.759	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.759	Mean	151.3
5% K-S Critical Value	0.214	SD	139.3
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	34.83
		95% KM (t) UCL	212.1
Assuming Gamma Distribution		95% KM (z) UCL	208.6
Gamma ROS Statistics using Extrapolated Data		95% KM (jackknife) UCL	212.1
Minimum	23	95% KM (bootstrap t) UCL	233.9
Maximum	530	95% KM (BCA) UCL	212.2
Mean	151.3	95% KM (Percentile Bootstrap) UCL	211.1
Median	100	95% KM (Chebyshev) UCL	303.1

	A	B	C	D	E	F	G	H	I	J	K	L
266					SD	143.6				97.5% KM (Chebyshev) UCL		368.8
267					k star	1.135				99% KM (Chebyshev) UCL		497.8
268					Theta star	133.3						
269					Nu star	38.59			**Potential UCLs to Use**			
270					AppChi2	25.37				95% KM (Chebyshev) UCL		303.1
271			95% Gamma Approximate UCL			230.2						
272			95% Adjusted Gamma UCL			240.8						
273	Note: DL/2 is not a recommended method.											
274												
275												
276	Bis(2-ethylhexyl) phthalate											
277												
278					**General Statistics**							
279			Number of Valid Data			22				Number of Detected Data		10
280			Number of Distinct Detected Data			10				Number of Non-Detect Data		12
281										Percent Non-Detects		54.55%
282												
283			**Raw Statistics**						**Log-transformed Statistics**			
284			Minimum Detected			46.1				Minimum Detected		3.831
285			Maximum Detected			388				Maximum Detected		5.961
286			Mean of Detected			148.4				Mean of Detected		4.72
287			SD of Detected			122.8				SD of Detected		0.769
288			Minimum Non-Detect			13				Minimum Non-Detect		2.565
289			Maximum Non-Detect			160				Maximum Non-Detect		5.075
290												
291	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			19
292	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			3
293	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			86.36%
294												
295					**UCL Statistics**							
296		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
297			Shapiro Wilk Test Statistic			0.804				Shapiro Wilk Test Statistic		0.912
298			5% Shapiro Wilk Critical Value			0.842				5% Shapiro Wilk Critical Value		0.842
299		**Data not Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
300												
301		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
302			DL/2 Substitution Method							DL/2 Substitution Method		
303			Mean			85.18				Mean		3.86
304			SD			101.5				SD		1.149
305			95% DL/2 (t) UCL			122.4				95% H-Stat (DL/2) UCL		168.1
306												
307			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
308		**MLE yields a negative mean**								Mean in Log Scale		3.834
309										SD in Log Scale		0.998
310										Mean in Original Scale		80.13
311										SD in Original Scale		102.8
312										95% Percentile Bootstrap UCL		115.9
313										95% BCA Bootstrap UCL		125.5
314												
315		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
316			k star (bias corrected)			1.423		**Data appear Gamma Distributed at 5% Significance Level**				
317			Theta Star			104.3						
318			nu star			28.47						

	A	B	C	D	E	F	G	H	I	J	K	L
319												
320				A-D Test Statistic		0.539			Nonparametric Statistics			
321				5% A-D Critical Value		0.736			Kaplan-Meier (KM) Method			
322				K-S Test Statistic		0.736					Mean	94.75
323				5% K-S Critical Value		0.27					SD	93.05
324		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	21.02
325											95% KM (t) UCL	130.9
326			Assuming Gamma Distribution								95% KM (z) UCL	129.3
327		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	128.6
328					Minimum	46.1					95% KM (bootstrap t) UCL	165.9
329					Maximum	388					95% KM (BCA) UCL	142.1
330					Mean	142.1			95% KM (Percentile Bootstrap) UCL			133
331					Median	96.5					95% KM (Chebyshev) UCL	186.4
332					SD	90.15					97.5% KM (Chebyshev) UCL	226
333					k star	2.721					99% KM (Chebyshev) UCL	303.9
334					Theta star	52.23						
335					Nu star	119.7			Potential UCLs to Use			
336					AppChi2	95.46					95% KM (t) UCL	130.9
337			95% Gamma Approximate UCL			178.3						
338			95% Adjusted Gamma UCL			181.3						
339	Note: DL/2 is not a recommended method.											
340												
341												
342	Dibenzo(a,h)anthracene											
343												
344						General Statistics						
345			Number of Valid Data			22			Number of Detected Data			21
346		Number of Distinct Detected Data				20			Number of Non-Detect Data			1
347									Percent Non-Detects			4.55%
348												
349			Raw Statistics						Log-transformed Statistics			
350				Minimum Detected		6.73				Minimum Detected		1.907
351				Maximum Detected		200				Maximum Detected		5.298
352				Mean of Detected		44.88				Mean of Detected		3.331
353				SD of Detected		52.15				SD of Detected		0.956
354				Minimum Non-Detect		1.56				Minimum Non-Detect		0.445
355				Maximum Non-Detect		1.56				Maximum Non-Detect		0.445
356												
357												
358						UCL Statistics						
359		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
360			Shapiro Wilk Test Statistic			0.695				Shapiro Wilk Test Statistic		0.963
361			5% Shapiro Wilk Critical Value			0.908				5% Shapiro Wilk Critical Value		0.908
362		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
363												
364		Assuming Normal Distribution							Assuming Lognormal Distribution			
365			DL/2 Substitution Method							DL/2 Substitution Method		
366					Mean	42.87					Mean	3.168
367					SD	51.75					SD	1.205
368			95% DL/2 (t) UCL			61.86				95% H-Stat (DL/2) UCL		85.13
369												
370		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
371					Mean	41.54				Mean in Log Scale		3.223

	A	B	C	D	E	F	G	H	I	J	K	L
372					SD	52.29				SD in Log Scale		1.062
373				95% MLE (t) UCL		60.72				Mean in Original Scale		42.96
374				95% MLE (Tiku) UCL		59.5				SD in Original Scale		51.68
375										95% Percentile Bootstrap UCL		61.39
376										95% BCA Bootstrap UCL		67.16
377												
378		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
379				k star (bias corrected)		1.057		Data appear Gamma Distributed at 5% Significance Level				
380					Theta Star	42.46						
381					nu star	44.39						
382												
383				A-D Test Statistic		0.752		Nonparametric Statistics				
384				5% A-D Critical Value		0.765		Kaplan-Meier (KM) Method				
385				K-S Test Statistic		0.765				Mean		43.14
386				5% K-S Critical Value		0.194				SD		50.35
387		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		11
388										95% KM (t) UCL		62.07
389			Assuming Gamma Distribution							95% KM (z) UCL		61.24
390		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		62.04
391					Minimum	1E-09				95% KM (bootstrap t) UCL		77.36
392					Maximum	200				95% KM (BCA) UCL		63.9
393					Mean	42.84				95% KM (Percentile Bootstrap) UCL		62.71
394					Median	23				95% KM (Chebyshev) UCL		91.09
395					SD	51.78				97.5% KM (Chebyshev) UCL		111.8
396					k star	0.4				99% KM (Chebyshev) UCL		152.6
397					Theta star	107.1						
398					Nu star	17.61		Potential UCLs to Use				
399					AppChi2	9.107				95% KM (Chebyshev) UCL		91.09
400			95% Gamma Approximate UCL			82.82						
401			95% Adjusted Gamma UCL			87.17						
402	Note: DL/2 is not a recommended method.											
403												
404												
405	Indeno(1,2,3-cd)pyrene											
406												
407					General Statistics							
408			Number of Valid Observations			22				Number of Distinct Observations		21
409												
410		Raw Statistics						Log-transformed Statistics				
411					Minimum	20.2				Minimum of Log Data		3.006
412					Maximum	1600				Maximum of Log Data		7.378
413					Mean	241.1				Mean of log Data		4.723
414					Median	82				SD of log Data		1.173
415					SD	382.5						
416				Coefficient of Variation		1.586						
417					Skewness	2.712						
418												
419					Relevant UCL Statistics							
420		Normal Distribution Test						Lognormal Distribution Test				
421				Shapiro Wilk Test Statistic		0.587				Shapiro Wilk Test Statistic		0.941
422				Shapiro Wilk Critical Value		0.911				Shapiro Wilk Critical Value		0.911
423		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
424												

	A	B	C	D	E	F	G	H	I	J	K	L
425			Assuming Normal Distribution						Assuming Lognormal Distribution			
426					95% Student's-t UCL	381.4					95% H-UCL	457.2
427			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		483
428					95% Adjusted-CLT UCL	425.6				97.5% Chebyshev (MVUE) UCL		599.7
429					95% Modified-t UCL	389.3				99% Chebyshev (MVUE) UCL		828.9
430												
431			Gamma Distribution Test						Data Distribution			
432				k star (bias corrected)		0.705			Data appear Lognormal at 5% Significance Level			
433				Theta Star		341.9						
434				nu star		31.03						
435			Approximate Chi Square Value (.05)			19.31			Nonparametric Statistics			
436			Adjusted Level of Significance			0.0386				95% CLT UCL		375.2
437			Adjusted Chi Square Value			18.62				95% Jackknife UCL		381.4
438										95% Standard Bootstrap UCL		372.8
439			Anderson-Darling Test Statistic			1.35				95% Bootstrap-t UCL		498.7
440			Anderson-Darling 5% Critical Value			0.781				95% Hall's Bootstrap UCL		424.1
441			Kolmogorov-Smirnov Test Statistic			0.204				95% Percentile Bootstrap UCL		380.6
442			Kolmogorov-Smirnov 5% Critical Value			0.192				95% BCA Bootstrap UCL		413.6
443			Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		596.5
444										97.5% Chebyshev(Mean, Sd) UCL		750.3
445			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		1052
446				95% Approximate Gamma UCL		387.5						
447				95% Adjusted Gamma UCL		401.9						
448												
449			Potential UCL to Use						Use 95% Chebyshev (MVUE) UCL			483
450												
451												
452	Lead											
453												
454					General Statistics							
455				Number of Valid Observations		22				Number of Distinct Observations		20
456												
457			Raw Statistics						Log-transformed Statistics			
458					Minimum	4.7					Minimum of Log Data	1.548
459					Maximum	38.5					Maximum of Log Data	3.651
460					Mean	14.03					Mean of log Data	2.516
461					Median	12.8					SD of log Data	0.513
462					SD	7.63						
463				Coefficient of Variation		0.544						
464					Skewness	1.715						
465												
466					Relevant UCL Statistics							
467			Normal Distribution Test						Lognormal Distribution Test			
468				Shapiro Wilk Test Statistic		0.845				Shapiro Wilk Test Statistic		0.958
469				Shapiro Wilk Critical Value		0.911				Shapiro Wilk Critical Value		0.911
470			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
471												
472			Assuming Normal Distribution						Assuming Lognormal Distribution			
473					95% Student's-t UCL	16.83					95% H-UCL	17.65
474			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		20.98
475					95% Adjusted-CLT UCL	17.34				97.5% Chebyshev (MVUE) UCL		23.99
476					95% Modified-t UCL	16.93				99% Chebyshev (MVUE) UCL		29.9
477												

	A	B	C	D	E	F	G	H	I	J	K	L
478			Gamma Distribution Test						Data Distribution			
479				k star (bias corrected)		3.627		Data Follow Appr. Gamma Distribution at 5% Significance Level				
480				Theta Star		3.869						
481				nu star		159.6						
482			Approximate Chi Square Value (.05)			131.4			Nonparametric Statistics			
483			Adjusted Level of Significance			0.0386				95% CLT UCL		16.71
484			Adjusted Chi Square Value			129.5				95% Jackknife UCL		16.83
485										95% Standard Bootstrap UCL		16.65
486			Anderson-Darling Test Statistic			0.471				95% Bootstrap-t UCL		17.98
487			Anderson-Darling 5% Critical Value			0.747				95% Hall's Bootstrap UCL		19.9
488			Kolmogorov-Smirnov Test Statistic			0.19				95% Percentile Bootstrap UCL		16.7
489			Kolmogorov-Smirnov 5% Critical Value			0.186				95% BCA Bootstrap UCL		17.52
490		Data follow Appr. Gamma Distribution at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			21.12
491									97.5% Chebyshev(Mean, Sd) UCL			24.19
492			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			30.22
493				95% Approximate Gamma UCL		17.04						
494				95% Adjusted Gamma UCL		17.29						
495												
496			Potential UCL to Use						Use 95% Approximate Gamma UCL			17.04
497												
498												
499	Mercury											
500												
501						General Statistics						
502			Number of Valid Data			22			Number of Detected Data			21
503			Number of Distinct Detected Data			20			Number of Non-Detect Data			1
504									Percent Non-Detects			4.55%
505												
506			Raw Statistics						Log-transformed Statistics			
507			Minimum Detected			0.0163			Minimum Detected			-4.117
508			Maximum Detected			0.201			Maximum Detected			-1.604
509			Mean of Detected			0.0699			Mean of Detected			-2.885
510			SD of Detected			0.0505			SD of Detected			0.685
511			Minimum Non-Detect			0.06			Minimum Non-Detect			-2.813
512			Maximum Non-Detect			0.06			Maximum Non-Detect			-2.813
513												
514												
515						UCL Statistics						
516		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
517			Shapiro Wilk Test Statistic			0.842			Shapiro Wilk Test Statistic			0.975
518			5% Shapiro Wilk Critical Value			0.908			5% Shapiro Wilk Critical Value			0.908
519		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
520												
521		Assuming Normal Distribution						Assuming Lognormal Distribution				
522			DL/2 Substitution Method						DL/2 Substitution Method			
523				Mean		0.0681				Mean		-2.914
524				SD		0.05				SD		0.681
525			95% DL/2 (t) UCL			0.0864			95% H-Stat (DL/2) UCL			0.0946
526												
527		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
528				Mean		0.0477			Mean in Log Scale			-2.907
529				SD		0.0712			SD in Log Scale			0.676
530			95% MLE (t) UCL			0.0738			Mean in Original Scale			0.0683

	A	B	C	D	E	F	G	H	I	J	K	L
531					95% MLE (Tiku) UCL	0.0819				SD in Original Scale		0.0499
532										95% Percentile Bootstrap UCL		0.0858
533										95% BCA Bootstrap UCL		0.0895
534												
535		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
536					k star (bias corrected)	2.073		**Data appear Gamma Distributed at 5% Significance Level**				
537					Theta Star	0.0337						
538					nu star	87.05						
539												
540					A-D Test Statistic	0.411		**Nonparametric Statistics**				
541					5% A-D Critical Value	0.752		Kaplan-Meier (KM) Method				
542					K-S Test Statistic	0.752				Mean		0.0684
543					5% K-S Critical Value	0.191				SD		0.0488
544		**Data appear Gamma Distributed at 5% Significance Level**								SE of Mean		0.0107
545										95% KM (t) UCL		0.0867
546		**Assuming Gamma Distribution**								95% KM (z) UCL		0.0859
547		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.0867
548					Minimum	0.0163				95% KM (bootstrap t) UCL		0.0931
549					Maximum	0.201				95% KM (BCA) UCL		0.0859
550					Mean	0.0687				95% KM (Percentile Bootstrap) UCL		0.0863
551					Median	0.0555				95% KM (Chebyshev) UCL		0.115
552					SD	0.0496				97.5% KM (Chebyshev) UCL		0.135
553					k star	2.138				99% KM (Chebyshev) UCL		0.175
554					Theta star	0.0321						
555					Nu star	94.09		**Potential UCLs to Use**				
556					AppChi2	72.71				95% KM (BCA) UCL		0.0859
557		95% Gamma Approximate UCL				0.0889						
558		95% Adjusted Gamma UCL				0.0906						
559	Note: DL/2 is not a recommended method.											
560												
561												
562	Naphthalene											
563												
564							**General Statistics**					
565			Number of Valid Data			22				Number of Detected Data		18
566		Number of Distinct Detected Data				18				Number of Non-Detect Data		4
567										Percent Non-Detects		18.18%
568												
569		**Raw Statistics**						**Log-transformed Statistics**				
570					Minimum Detected	3.26				Minimum Detected		1.182
571					Maximum Detected	360				Maximum Detected		5.886
572					Mean of Detected	64.98				Mean of Detected		3.4
573					SD of Detected	91.41				SD of Detected		1.347
574					Minimum Non-Detect	4				Minimum Non-Detect		1.386
575					Maximum Non-Detect	22.9				Maximum Non-Detect		3.131
576												
577	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		12
578	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		10
579	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		54.55%
580												
581							**UCL Statistics**					
582		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
583					Shapiro Wilk Test Statistic	0.663				Shapiro Wilk Test Statistic		0.965

	A	B	C	D	E	F	G	H	I	J	K	L
584				5% Shapiro Wilk Critical Value		0.897			5% Shapiro Wilk Critical Value			0.897
585			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
586												
587			Assuming Normal Distribution						Assuming Lognormal Distribution			
588				DL/2 Substitution Method						DL/2 Substitution Method		
589					Mean	54.5				Mean		3.11
590					SD	85.35				SD		1.398
591				95% DL/2 (t) UCL		85.81			95% H-Stat (DL/2) UCL			143.4
592												
593				Maximum Likelihood Estimate(MLE) Method		N/A			Log ROS Method			
594			MLE yields a negative mean						Mean in Log Scale			3.109
595									SD in Log Scale			1.374
596									Mean in Original Scale			54.31
597									SD in Original Scale			85.45
598									95% Percentile Bootstrap UCL			85.39
599									95% BCA Bootstrap UCL			100.1
600												
601			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
602				k star (bias corrected)		0.679			Data appear Gamma Distributed at 5% Significance Level			
603					Theta Star	95.64						
604					nu star	24.46						
605												
606				A-D Test Statistic		0.402			Nonparametric Statistics			
607				5% A-D Critical Value		0.777			Kaplan-Meier (KM) Method			
608				K-S Test Statistic		0.777				Mean		54.39
609				5% K-S Critical Value		0.211				SD		83.47
610		Data appear Gamma Distributed at 5% Significance Level							SE of Mean			18.32
611									95% KM (t) UCL			85.91
612			Assuming Gamma Distribution						95% KM (z) UCL			84.52
613			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			85.74
614					Minimum	1E-09			95% KM (bootstrap t) UCL			135.3
615					Maximum	360			95% KM (BCA) UCL			87.47
616					Mean	54.44			95% KM (Percentile Bootstrap) UCL			87.34
617					Median	20			95% KM (Chebyshev) UCL			134.2
618					SD	85.43			97.5% KM (Chebyshev) UCL			168.8
619					k star	0.245			99% KM (Chebyshev) UCL			236.7
620					Theta star	222.3						
621					Nu star	10.78			Potential UCLs to Use			
622					AppChi2	4.433			95% KM (Chebyshev) UCL			134.2
623				95% Gamma Approximate UCL		132.3						
624				95% Adjusted Gamma UCL		142						
625	Note: DL/2 is not a recommended method.											
626												
627												
628	Total Aroclors											
629												
630						General Statistics						
631				Number of Valid Data		15			Number of Detected Data			12
632			Number of Distinct Detected Data			12			Number of Non-Detect Data			3
633				Number of Missing Values		6			Percent Non-Detects			20.00%
634												
635			Raw Statistics						Log-transformed Statistics			
636				Minimum Detected		5.31			Minimum Detected			1.67

	A	B	C	D	E	F	G	H	I	J	K	L
637					Maximum Detected	44.75					Maximum Detected	3.801
638					Mean of Detected	22.5					Mean of Detected	2.976
639					SD of Detected	10.96					SD of Detected	0.596
640					Minimum Non-Detect	3.5					Minimum Non-Detect	1.253
641					Maximum Non-Detect	38					Maximum Non-Detect	3.638
642												
643	Note: Data have multiple DLs - Use of KM Method is recommended										Number treated as Non-Detect	14
644	For all methods (except KM, DL/2, and ROS Methods),										Number treated as Detected	1
645	Observations < Largest ND are treated as NDs										Single DL Non-Detect Percentage	93.33%
646												
647							UCL Statistics					
648		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
649					Shapiro Wilk Test Statistic	0.974					Shapiro Wilk Test Statistic	0.926
650					5% Shapiro Wilk Critical Value	0.859					5% Shapiro Wilk Critical Value	0.859
651		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
652												
653		Assuming Normal Distribution						Assuming Lognormal Distribution				
654					DL/2 Substitution Method						DL/2 Substitution Method	
655					Mean	19.65					Mean	2.706
656					SD	11.91					SD	0.895
657					95% DL/2 (t) UCL	25.06					95% H-Stat (DL/2) UCL	29.12
658												
659					Maximum Likelihood Estimate(MLE) Method	N/A					Log ROS Method	
660		MLE method failed to converge properly									Mean in Log Scale	2.802
661											SD in Log Scale	0.673
662											Mean in Original Scale	19.84
663											SD in Original Scale	11.36
664											95% Percentile Bootstrap UCL	24.59
665											95% BCA Bootstrap UCL	24.67
666												
667		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
668					k star (bias corrected)	2.899		Data appear Normal at 5% Significance Level				
669					Theta Star	7.762						
670					nu star	69.57						
671												
672					A-D Test Statistic	0.299		Nonparametric Statistics				
673					5% A-D Critical Value	0.736					Kaplan-Meier (KM) Method	
674					K-S Test Statistic	0.736					Mean	19.92
675					5% K-S Critical Value	0.247					SD	11.32
676		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	3.129
677											95% KM (t) UCL	25.43
678		Assuming Gamma Distribution									95% KM (z) UCL	25.06
679		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	25.27
680					Minimum	3.441					95% KM (bootstrap t) UCL	25.55
681					Maximum	44.75					95% KM (BCA) UCL	25.92
682					Mean	20.48					95% KM (Percentile Bootstrap) UCL	25.31
683					Median	23.4					95% KM (Chebyshev) UCL	33.56
684					SD	11.44					97.5% KM (Chebyshev) UCL	39.46
685					k star	2.18					99% KM (Chebyshev) UCL	51.05
686					Theta star	9.394						
687					Nu star	65.41		Potential UCLs to Use				
688					AppChi2	47.8					95% KM (t) UCL	25.43
689					95% Gamma Approximate UCL	28.03					95% KM (Percentile Bootstrap) UCL	25.31

	A	B	C	D	E	F	G	H	I	J	K	L
690				95% Adjusted Gamma UCL		29.15						
691	Note: DL/2 is not a recommended method.											
692												
693												
694	Total DDT											
695												
696					General Statistics							
697				Number of Valid Data		20			Number of Detected Data			10
698				Number of Distinct Detected Data		10			Number of Non-Detect Data			10
699				Number of Missing Values		1			Percent Non-Detects			50.00%
700												
701			Raw Statistics						Log-transformed Statistics			
702				Minimum Detected		0.36			Minimum Detected			-1.022
703				Maximum Detected		6.5			Maximum Detected			1.872
704				Mean of Detected		1.914			Mean of Detected			0.228
705				SD of Detected		1.916			SD of Detected			0.975
706				Minimum Non-Detect		0.0441			Minimum Non-Detect			-3.121
707				Maximum Non-Detect		3.11			Maximum Non-Detect			1.135
708												
709	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			18
710	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
711	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			90.00%
712												
713					UCL Statistics							
714		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
715				Shapiro Wilk Test Statistic		0.802			Shapiro Wilk Test Statistic			0.95
716				5% Shapiro Wilk Critical Value		0.842			5% Shapiro Wilk Critical Value			0.842
717		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
718												
719		Assuming Normal Distribution						Assuming Lognormal Distribution				
720				DL/2 Substitution Method					DL/2 Substitution Method			
721				Mean		1.373			Mean			-0.252
722				SD		1.49			SD			1.279
723				95% DL/2 (t) UCL		1.949			95% H-Stat (DL/2) UCL			3.038
724												
725			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
726		MLE method failed to converge properly							Mean in Log Scale			-0.453
727									SD in Log Scale			1.041
728									Mean in Original Scale			1.138
729									SD in Original Scale			1.544
730									95% Percentile Bootstrap UCL			1.704
731									95% BCA Bootstrap UCL			1.945
732												
733		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
734				k star (bias corrected)		0.997		Data appear Gamma Distributed at 5% Significance Level				
735				Theta Star		1.919						
736				nu star		19.94						
737												
738				A-D Test Statistic		0.33			Nonparametric Statistics			
739				5% A-D Critical Value		0.742			Kaplan-Meier (KM) Method			
740				K-S Test Statistic		0.742			Mean			1.251
741				5% K-S Critical Value		0.272			SD			1.483
742		Data appear Gamma Distributed at 5% Significance Level							SE of Mean			0.36

	A	B	C	D	E	F	G	H	I	J	K	L
743											95% KM (t) UCL	1.873
744			**Assuming Gamma Distribution**								95% KM (z) UCL	1.843
745			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	1.855
746					Minimum	1E-09					95% KM (bootstrap t) UCL	2.292
747					Maximum	6.5					95% KM (BCA) UCL	1.975
748					Mean	1.694					95% KM (Percentile Bootstrap) UCL	1.873
749					Median	1.725					95% KM (Chebyshev) UCL	2.82
750					SD	1.495					97.5% KM (Chebyshev) UCL	3.499
751					k star	0.291					99% KM (Chebyshev) UCL	4.832
752					Theta star	5.827						
753					Nu star	11.63			**Potential UCLs to Use**			
754					AppChi2	4.983					95% KM (t) UCL	1.873
755				95% Gamma Approximate UCL		3.953						
756				95% Adjusted Gamma UCL		4.243						
757	**Note: DL/2 is not a recommended method.**											
758												

	A	B	C	D	E	F	G	H	I	J	K	L
1						General UCL Statistics for Data Sets with Non-Detects						
2		User Selected Options										
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM5.0W.wst								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Arsenic											
10												
11						General Statistics						
12			Number of Valid Data			27		Number of Detected Data				20
13		Number of Distinct Detected Data				20		Number of Non-Detect Data				7
14			Number of Missing Values			13		Percent Non-Detects				25.93%
15												
16			Raw Statistics					Log-transformed Statistics				
17			Minimum Detected			2.19		Minimum Detected				0.784
18			Maximum Detected			6.05		Maximum Detected				1.8
19			Mean of Detected			3.537		Mean of Detected				1.229
20			SD of Detected			0.994		SD of Detected				0.265
21			Minimum Non-Detect			4		Minimum Non-Detect				1.386
22			Maximum Non-Detect			5		Maximum Non-Detect				1.609
23												
24	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				24
25	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				3
26	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				88.89%
27												
28						UCL Statistics						
29		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
30			Shapiro Wilk Test Statistic			0.915		Shapiro Wilk Test Statistic				0.965
31			5% Shapiro Wilk Critical Value			0.905		5% Shapiro Wilk Critical Value				0.905
32		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
33												
34		Assuming Normal Distribution						Assuming Lognormal Distribution				
35			DL/2 Substitution Method					DL/2 Substitution Method				
36			Mean			3.25		Mean				1.14
37			SD			0.988		SD				0.277
38			95% DL/2 (t) UCL			3.574		95% H-Stat (DL/2) UCL				3.473
39												
40		Maximum Likelihood Estimate(MLE) Method						Log ROS Method				
41			Mean			3.863		Mean in Log Scale				1.21
42			SD			0.925		SD in Log Scale				0.242
43			95% MLE (t) UCL			4.166		Mean in Original Scale				3.455
44			95% MLE (Tiku) UCL			5.045		SD in Original Scale				0.899
45								95% Percentile Bootstrap UCL				3.739
46								95% BCA Bootstrap UCL				3.789
47												
48		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
49			k star (bias corrected)			12.5		Data appear Normal at 5% Significance Level				
50			Theta Star			0.283						
51			nu star			500.1						
52												
53			A-D Test Statistic			0.372		Nonparametric Statistics				

	A	B	C	D	E	F	G	H	I	J	K	L
54				5% A-D Critical Value		0.741			Kaplan-Meier (KM) Method			
55				K-S Test Statistic		0.741					Mean	3.448
56				5% K-S Critical Value		0.194					SD	0.896
57	Data appear Gamma Distributed at 5% Significance Level										SE of Mean	0.19
58											95% KM (t) UCL	3.771
59			Assuming Gamma Distribution								95% KM (z) UCL	3.76
60			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	3.772
61					Minimum	2.19					95% KM (bootstrap t) UCL	3.82
62					Maximum	6.05					95% KM (BCA) UCL	3.785
63					Mean	3.552				95% KM (Percentile Bootstrap) UCL		3.757
64					Median	3.47					95% KM (Chebyshev) UCL	4.275
65					SD	0.862					97.5% KM (Chebyshev) UCL	4.632
66					k star	17.04					99% KM (Chebyshev) UCL	5.335
67					Theta star	0.208						
68					Nu star	920.1			Potential UCLs to Use			
69					AppChi2	850.7					95% KM (t) UCL	3.771
70			95% Gamma Approximate UCL			3.842			95% KM (Percentile Bootstrap) UCL			3.757
71				95% Adjusted Gamma UCL		3.862						
72	Note: DL/2 is not a recommended method.											
73												
74												
75	Benzo(a)anthracene											
76												
77						General Statistics						
78			Number of Valid Observations			40				Number of Distinct Observations		36
79												
80			Raw Statistics						Log-transformed Statistics			
81					Minimum	4					Minimum of Log Data	1.386
82					Maximum	10201					Maximum of Log Data	9.23
83					Mean	590.7					Mean of log Data	5.118
84					Median	162					SD of log Data	1.319
85					SD	1803						
86				Coefficient of Variation		3.052						
87					Skewness	4.728						
88												
89						Relevant UCL Statistics						
90			Normal Distribution Test						Lognormal Distribution Test			
91				Shapiro Wilk Test Statistic		0.313				Shapiro Wilk Test Statistic		0.9
92				Shapiro Wilk Critical Value		0.94				Shapiro Wilk Critical Value		0.94
93			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
94												
95			Assuming Normal Distribution						Assuming Lognormal Distribution			
96				95% Student's-t UCL		1071					95% H-UCL	710.4
97			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			820.8
98				95% Adjusted-CLT UCL		1287			97.5% Chebyshev (MVUE) UCL			1010
99				95% Modified-t UCL		1106			99% Chebyshev (MVUE) UCL			1382
100												
101			Gamma Distribution Test						Data Distribution			
102				k star (bias corrected)		0.482			Data do not follow a Discernable Distribution (0.05)			
103					Theta Star	1227						
104					nu star	38.52						
105			Approximate Chi Square Value (.05)			25.31			Nonparametric Statistics			
106				Adjusted Level of Significance		0.044					95% CLT UCL	1059

	A	B	C	D	E	F	G	H	I	J	K	L
107				Adjusted Chi Square Value		24.91				95% Jackknife UCL		1071
108										95% Standard Bootstrap UCL		1050
109				Anderson-Darling Test Statistic		5.206				95% Bootstrap-t UCL		4491
110				Anderson-Darling 5% Critical Value		0.813				95% Hall's Bootstrap UCL		3395
111				Kolmogorov-Smirnov Test Statistic		0.329				95% Percentile Bootstrap UCL		1095
112				Kolmogorov-Smirnov 5% Critical Value		0.148				95% BCA Bootstrap UCL		1432
113		Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		1833
114										97.5% Chebyshev(Mean, Sd) UCL		2370
115		Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL		3426
116				95% Approximate Gamma UCL		899.1						
117				95% Adjusted Gamma UCL		913.6						
118												
119		Potential UCL to Use								Use 99% Chebyshev (Mean, Sd) UCL		3426
120												
121												
122	Benzo(a)pyrene											
123												
124					General Statistics							
125				Number of Valid Observations		40				Number of Distinct Observations		37
126												
127			Raw Statistics						Log-transformed Statistics			
128					Minimum	8				Minimum of Log Data		2.079
129					Maximum	13041				Maximum of Log Data		9.476
130					Mean	792.6				Mean of log Data		5.448
131					Median	220.5				SD of log Data		1.297
132					SD	2354						
133				Coefficient of Variation		2.97						
134					Skewness	4.597						
135												
136					Relevant UCL Statistics							
137			Normal Distribution Test						Lognormal Distribution Test			
138				Shapiro Wilk Test Statistic		0.32				Shapiro Wilk Test Statistic		0.913
139				Shapiro Wilk Critical Value		0.94				Shapiro Wilk Critical Value		0.94
140		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
141												
142			Assuming Normal Distribution						Assuming Lognormal Distribution			
143				95% Student's-t UCL		1420				95% H-UCL		945.1
144		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			1098
145				95% Adjusted-CLT UCL		1694				97.5% Chebyshev (MVUE) UCL		1349
146				95% Modified-t UCL		1465				99% Chebyshev (MVUE) UCL		1841
147												
148			Gamma Distribution Test						Data Distribution			
149				k star (bias corrected)		0.493		Data do not follow a Discernable Distribution (0.05)				
150					Theta Star	1607						
151					nu star	39.45						
152				Approximate Chi Square Value (.05)		26.06			Nonparametric Statistics			
153				Adjusted Level of Significance		0.044				95% CLT UCL		1405
154				Adjusted Chi Square Value		25.65				95% Jackknife UCL		1420
155										95% Standard Bootstrap UCL		1402
156				Anderson-Darling Test Statistic		4.887				95% Bootstrap-t UCL		6003
157				Anderson-Darling 5% Critical Value		0.812				95% Hall's Bootstrap UCL		4295
158				Kolmogorov-Smirnov Test Statistic		0.297				95% Percentile Bootstrap UCL		1470
159				Kolmogorov-Smirnov 5% Critical Value		0.147				95% BCA Bootstrap UCL		1726

	A	B	C	D	E	F	G	H	I	J	K	L
160	Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL			2415
161									97.5% Chebyshev(Mean, Sd) UCL			3116
162	Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL			4495
163	95% Approximate Gamma UCL					1200						
164	95% Adjusted Gamma UCL					1219						
165												
166	Potential UCL to Use								Use 99% Chebyshev (Mean, Sd) UCL			4495
167												
168												
169	Benzo(b)fluoranthene											
170												
171	General Statistics											
172	Number of Valid Observations					40			Number of Distinct Observations			34
173												
174	Raw Statistics								Log-transformed Statistics			
175	Minimum					9.4			Minimum of Log Data			2.241
176	Maximum					7457			Maximum of Log Data			8.917
177	Mean					567.6			Mean of log Data			5.295
178	Median					194.5			SD of log Data			1.189
179	SD					1536						
180	Coefficient of Variation					2.706						
181	Skewness					4.223						
182												
183	Relevant UCL Statistics											
184	Normal Distribution Test								Lognormal Distribution Test			
185	Shapiro Wilk Test Statistic					0.324			Shapiro Wilk Test Statistic			0.878
186	Shapiro Wilk Critical Value					0.94			Shapiro Wilk Critical Value			0.94
187	Data not Normal at 5% Significance Level								Data not Lognormal at 5% Significance Level			
188												
189	Assuming Normal Distribution								Assuming Lognormal Distribution			
190	95% Student's-t UCL					976.7			95% H-UCL			659.7
191	95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL			784.3
192	95% Adjusted-CLT UCL					1140			97.5% Chebyshev (MVUE) UCL			953.8
193	95% Modified-t UCL					1004			99% Chebyshev (MVUE) UCL			1287
194												
195	Gamma Distribution Test								Data Distribution			
196	k star (bias corrected)					0.564			Data do not follow a Discernable Distribution (0.05)			
197	Theta Star					1006						
198	nu star					45.13						
199	Approximate Chi Square Value (.05)					30.72			Nonparametric Statistics			
200	Adjusted Level of Significance					0.044			95% CLT UCL			967
201	Adjusted Chi Square Value					30.27			95% Jackknife UCL			976.7
202									95% Standard Bootstrap UCL			968
203	Anderson-Darling Test Statistic					5.183			95% Bootstrap-t UCL			3865
204	Anderson-Darling 5% Critical Value					0.804			95% Hall's Bootstrap UCL			3006
205	Kolmogorov-Smirnov Test Statistic					0.28			95% Percentile Bootstrap UCL			1019
206	Kolmogorov-Smirnov 5% Critical Value					0.147			95% BCA Bootstrap UCL			1146
207	Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL			1626
208									97.5% Chebyshev(Mean, Sd) UCL			2084
209	Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL			2984
210	95% Approximate Gamma UCL					833.8						
211	95% Adjusted Gamma UCL					846.1						
212												

	A	B	C	D	E	F	G	H	I	J	K	L
213	Potential UCL to Use								Use 99% Chebyshev (Mean, Sd) UCL			2984
214												
215												
216	Benzo(k)fluoranthene											
217												
218	General Statistics											
219	Number of Valid Observations					40			Number of Distinct Observations			39
220												
221	Raw Statistics						Log-transformed Statistics					
222	Minimum					2.9			Minimum of Log Data			1.065
223	Maximum					8273			Maximum of Log Data			9.021
224	Mean					412.4			Mean of log Data			4.826
225	Median					142			SD of log Data			1.355
226	SD					1317						
227	Coefficient of Variation					3.193						
228	Skewness					5.781						
229												
230	Relevant UCL Statistics											
231	Normal Distribution Test						Lognormal Distribution Test					
232	Shapiro Wilk Test Statistic					0.288			Shapiro Wilk Test Statistic			0.96
233	Shapiro Wilk Critical Value					0.94			Shapiro Wilk Critical Value			0.94
234	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
235												
236	Assuming Normal Distribution						Assuming Lognormal Distribution					
237	95% Student's-t UCL					763.1			95% H-UCL			570.8
238	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					653
239	95% Adjusted-CLT UCL					958.1			97.5% Chebyshev (MVUE) UCL			805.9
240	95% Modified-t UCL					794.8			99% Chebyshev (MVUE) UCL			1106
241												
242	Gamma Distribution Test						Data Distribution					
243	k star (bias corrected)					0.504			Data appear Lognormal at 5% Significance Level			
244	Theta Star					818						
245	nu star					40.33						
246	Approximate Chi Square Value (.05)					26.78			Nonparametric Statistics			
247	Adjusted Level of Significance					0.044			95% CLT UCL			754.8
248	Adjusted Chi Square Value					26.36			95% Jackknife UCL			763.1
249									95% Standard Bootstrap UCL			746
250	Anderson-Darling Test Statistic					3.477			95% Bootstrap-t UCL			2815
251	Anderson-Darling 5% Critical Value					0.811			95% Hall's Bootstrap UCL			1983
252	Kolmogorov-Smirnov Test Statistic					0.27			95% Percentile Bootstrap UCL			801
253	Kolmogorov-Smirnov 5% Critical Value					0.147			95% BCA Bootstrap UCL			1038
254	Data not Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					1320
255							97.5% Chebyshev(Mean, Sd) UCL					1712
256	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					2484
257	95% Approximate Gamma UCL					621.1						
258	95% Adjusted Gamma UCL					630.8						
259												
260	Potential UCL to Use								Use 95% H-UCL			570.8
261												
262												
263	Bis(2-ethylhexyl) phthalate											
264												
265	General Statistics											

	A	B	C	D	E	F	G	H	I	J	K	L
266					Number of Valid Data		27				Number of Detected Data	16
267			Number of Distinct Detected Data				15				Number of Non-Detect Data	11
268					Number of Missing Values		13				Percent Non-Detects	40.74%
269												
270				Raw Statistics						Log-transformed Statistics		
271					Minimum Detected		29				Minimum Detected	3.367
272					Maximum Detected		250				Maximum Detected	5.521
273					Mean of Detected		93.69				Mean of Detected	4.351
274					SD of Detected		61.64				SD of Detected	0.634
275					Minimum Non-Detect		14				Minimum Non-Detect	2.639
276					Maximum Non-Detect		190				Maximum Non-Detect	5.247
277												
278	Note: Data have multiple DLs - Use of KM Method is recommended										Number treated as Non-Detect	26
279	For all methods (except KM, DL/2, and ROS Methods),										Number treated as Detected	1
280	Observations < Largest ND are treated as NDs										Single DL Non-Detect Percentage	96.30%
281												
282							UCL Statistics					
283			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
284					Shapiro Wilk Test Statistic		0.866				Shapiro Wilk Test Statistic	0.963
285					5% Shapiro Wilk Critical Value		0.887				5% Shapiro Wilk Critical Value	0.887
286			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
287												
288			Assuming Normal Distribution						Assuming Lognormal Distribution			
289					DL/2 Substitution Method						DL/2 Substitution Method	
290						Mean	70.98				Mean	3.918
291						SD	57.89				SD	0.912
292					95% DL/2 (t) UCL		89.98				95% H-Stat (DL/2) UCL	98.36
293												
294				Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method	
295			MLE method failed to converge properly								Mean in Log Scale	3.942
296											SD in Log Scale	0.737
297											Mean in Original Scale	67.9
298											SD in Original Scale	57
299											95% Percentile Bootstrap UCL	86.37
300											95% BCA Bootstrap UCL	90.15
301												
302			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
303					k star (bias corrected)		2.323			Data appear Gamma Distributed at 5% Significance Level		
304					Theta Star		40.34					
305					nu star		74.32					
306												
307					A-D Test Statistic		0.352			Nonparametric Statistics		
308					5% A-D Critical Value		0.745			Kaplan-Meier (KM) Method		
309					K-S Test Statistic		0.745				Mean	71.63
310					5% K-S Critical Value		0.217				SD	55.12
311			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	11.27
312											95% KM (t) UCL	90.86
313			Assuming Gamma Distribution								95% KM (z) UCL	90.17
314			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	89.86
315					Minimum		25.98				95% KM (bootstrap t) UCL	96.47
316					Maximum		250				95% KM (BCA) UCL	91.9
317					Mean		84.92				95% KM (Percentile Bootstrap) UCL	90.71
318					Median		76.27				95% KM (Chebyshev) UCL	120.8

	A	B	C	D	E	F	G	H	I	J	K	L
319					SD	54.91			97.5% KM (Chebyshev) UCL			142
320					k star	2.375			99% KM (Chebyshev) UCL			183.8
321					Theta star	35.76						
322					Nu star	128.2			Potential UCLs to Use			
323					AppChi2	103.1			95% KM (t) UCL			90.86
324			95% Gamma Approximate UCL			105.6						
325			95% Adjusted Gamma UCL			107.1						
326	Note: DL/2 is not a recommended method.											
327												
328												
329	Dibenzo(a,h)anthracene											
330												
331					General Statistics							
332			Number of Valid Data			40			Number of Detected Data			38
333			Number of Distinct Detected Data			28			Number of Non-Detect Data			2
334									Percent Non-Detects			5.00%
335												
336			Raw Statistics						Log-transformed Statistics			
337					Minimum Detected	1.4			Minimum Detected			0.336
338					Maximum Detected	1242			Maximum Detected			7.124
339					Mean of Detected	85.61			Mean of Detected			3.49
340					SD of Detected	219.4			SD of Detected			1.223
341					Minimum Non-Detect	19			Minimum Non-Detect			2.944
342					Maximum Non-Detect	19			Maximum Non-Detect			2.944
343												
344												
345					UCL Statistics							
346			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
347					Shapiro Wilk Test Statistic	0.344			Shapiro Wilk Test Statistic			0.896
348					5% Shapiro Wilk Critical Value	0.938			5% Shapiro Wilk Critical Value			0.938
349			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
350												
351			Assuming Normal Distribution						Assuming Lognormal Distribution			
352					DL/2 Substitution Method				DL/2 Substitution Method			
353					Mean	81.81			Mean			3.428
354					SD	214.4			SD			1.222
355					95% DL/2 (t) UCL	138.9			95% H-Stat (DL/2) UCL			100.5
356												
357			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
358					Mean	35.32			Mean in Log Scale			3.413
359					SD	252.1			SD in Log Scale			1.239
360					95% MLE (t) UCL	102.5			Mean in Original Scale			81.7
361					95% MLE (Tiku) UCL	102.8			SD in Original Scale			214.4
362									95% Percentile Bootstrap UCL			145.3
363									95% BCA Bootstrap UCL			183.5
364												
365			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
366					k star (bias corrected)	0.605			Data do not follow a Discernable Distribution (0.05)			
367					Theta Star	141.5						
368					nu star	45.99						
369												
370					A-D Test Statistic	4.029			Nonparametric Statistics			
371					5% A-D Critical Value	0.799			Kaplan-Meier (KM) Method			

	A	B	C	D	E	F	G	H	I	J	K	L
372					K-S Test Statistic	0.799					Mean	81.82
373					5% K-S Critical Value	0.15					SD	211.7
374	**Data not Gamma Distributed at 5% Significance Level**										SE of Mean	33.92
375											95% KM (t) UCL	139
376			**Assuming Gamma Distribution**								95% KM (z) UCL	137.6
377			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	138.9
378					Minimum	1E-09					95% KM (bootstrap t) UCL	507.8
379					Maximum	1242					95% KM (BCA) UCL	147
380					Mean	81.33				95% KM (Percentile Bootstrap) UCL		145
381					Median	31.5					95% KM (Chebyshev) UCL	229.7
382					SD	214.5					97.5% KM (Chebyshev) UCL	293.6
383					k star	0.314					99% KM (Chebyshev) UCL	419.3
384					Theta star	258.8						
385					Nu star	25.14			**Potential UCLs to Use**			
386					AppChi2	14.72					95% KM (Chebyshev) UCL	229.7
387			95% Gamma Approximate UCL			138.9						
388			95% Adjusted Gamma UCL			141.8						
389	Note: DL/2 is not a recommended method.											
390												
391												
392	Indeno(1,2,3-cd)pyrene											
393												
394						**General Statistics**						
395			Number of Valid Observations			40			Number of Distinct Observations			38
396												
397			**Raw Statistics**						**Log-transformed Statistics**			
398					Minimum	7.1			Minimum of Log Data			1.96
399					Maximum	9291			Maximum of Log Data			9.137
400					Mean	586.2			Mean of log Data			5.165
401					Median	155			SD of log Data			1.282
402					SD	1710						
403				Coefficient of Variation		2.918						
404					Skewness	4.496						
405												
406						**Relevant UCL Statistics**						
407			**Normal Distribution Test**						**Lognormal Distribution Test**			
408			Shapiro Wilk Test Statistic			0.324			Shapiro Wilk Test Statistic			0.921
409			Shapiro Wilk Critical Value			0.94			Shapiro Wilk Critical Value			0.94
410	**Data not Normal at 5% Significance Level**							**Data not Lognormal at 5% Significance Level**				
411												
412	**Assuming Normal Distribution**							**Assuming Lognormal Distribution**				
413				95% Student's-t UCL		1042				95% H-UCL		692.2
414	**95% UCLs (Adjusted for Skewness)**								95% Chebyshev (MVUE) UCL			807.2
415			95% Adjusted-CLT UCL			1236			97.5% Chebyshev (MVUE) UCL			990
416				95% Modified-t UCL		1074			99% Chebyshev (MVUE) UCL			1349
417												
418	**Gamma Distribution Test**							**Data Distribution**				
419			k star (bias corrected)			0.5	**Data do not follow a Discernable Distribution (0.05)**					
420					Theta Star	1173						
421					nu star	39.98						
422		Approximate Chi Square Value (.05)				26.49			**Nonparametric Statistics**			
423		Adjusted Level of Significance				0.044			95% CLT UCL			1031
424		Adjusted Chi Square Value				26.08			95% Jackknife UCL			1042

	A	B	C	D	E	F	G	H	I	J	K	L
425										95% Standard Bootstrap UCL		1015
426			Anderson-Darling Test Statistic			4.725				95% Bootstrap-t UCL		4276
427			Anderson-Darling 5% Critical Value			0.811				95% Hall's Bootstrap UCL		3163
428			Kolmogorov-Smirnov Test Statistic			0.288				95% Percentile Bootstrap UCL		1086
429			Kolmogorov-Smirnov 5% Critical Value			0.147				95% BCA Bootstrap UCL		1282
430		Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		1765
431										97.5% Chebyshev(Mean, Sd) UCL		2275
432			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		3277
433			95% Approximate Gamma UCL			884.6						
434			95% Adjusted Gamma UCL			898.6						
435												
436			Potential UCL to Use						Use 99% Chebyshev (Mean, Sd) UCL			3277
437												
438												
439	Lead											
440												
441					General Statistics							
442			Number of Valid Data			27				Number of Detected Data		27
443			Number of Distinct Detected Data			23				Number of Non-Detect Data		0
444			Number of Missing Values			13				Percent Non-Detects		0.00%
445												
446			Raw Statistics							Log-transformed Statistics		
447			Minimum Detected			5.74				Minimum Detected		1.747
448			Maximum Detected			16				Maximum Detected		2.773
449			Mean of Detected			12.43				Mean of Detected		2.489
450			SD of Detected			2.82				SD of Detected		0.269
451			Minimum Non-Detect			N/A				Minimum Non-Detect		N/A
452			Maximum Non-Detect			N/A				Maximum Non-Detect		N/A
453												
454												
455					UCL Statistics							
456		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
457			Shapiro Wilk Test Statistic			0.899				Shapiro Wilk Test Statistic		0.835
458			5% Shapiro Wilk Critical Value			0.923				5% Shapiro Wilk Critical Value		0.923
459		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
460												
461		Assuming Normal Distribution						Assuming Lognormal Distribution				
462			DL/2 Substitution Method							DL/2 Substitution Method		
463			Mean			12.43				Mean		2.489
464			SD			2.82				SD		0.269
465			95% DL/2 (t) UCL			13.35				95% H-Stat (DL/2) UCL		13.73
466												
467			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
468		MLE method failed to converge properly								Mean in Log Scale		N/A
469										SD in Log Scale		N/A
470										Mean in Original Scale		N/A
471										SD in Original Scale		N/A
472										95% Percentile Bootstrap UCL		N/A
473										95% BCA Bootstrap UCL		N/A
474												
475		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
476			k star (bias corrected)			14.54		Data do not follow a Discernable Distribution (0.05)				
477			Theta Star			0.855						

	A	B	C	D	E	F	G	H	I	J	K	L
478					nu star	785.1						
479												
480				A-D Test Statistic		1.427			Nonparametric Statistics			
481				5% A-D Critical Value		0.744			Kaplan-Meier (KM) Method			
482				K-S Test Statistic		0.744					Mean	12.43
483				5% K-S Critical Value		0.168					SD	2.767
484		Data not Gamma Distributed at 5% Significance Level									SE of Mean	0.543
485											95% KM (t) UCL	13.35
486			Assuming Gamma Distribution								95% KM (z) UCL	13.32
487		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	13.35
488					Minimum	5.74					95% KM (bootstrap t) UCL	13.26
489					Maximum	16					95% KM (BCA) UCL	13.3
490					Mean	12.43			95% KM (Percentile Bootstrap) UCL			13.25
491					Median	13					95% KM (Chebyshev) UCL	14.79
492					SD	2.82					97.5% KM (Chebyshev) UCL	15.82
493					k star	14.54					99% KM (Chebyshev) UCL	17.83
494					Theta star	0.855						
495					Nu star	785.1			Potential UCLs to Use			
496					AppChi2	721.1					95% KM (Chebyshev) UCL	14.79
497			95% Gamma Approximate UCL			13.53						
498			95% Adjusted Gamma UCL			13.6						
499	Note: DL/2 is not a recommended method.											
500												
501												
502	Mercury											
503												
504					General Statistics							
505			Number of Valid Data			27			Number of Detected Data			27
506		Number of Distinct Detected Data				17			Number of Non-Detect Data			0
507			Number of Missing Values			13			Percent Non-Detects			0.00%
508												
509			Raw Statistics						Log-transformed Statistics			
510				Minimum Detected		0.018				Minimum Detected		-4.017
511				Maximum Detected		0.141				Maximum Detected		-1.959
512				Mean of Detected		0.0525				Mean of Detected		-3.024
513				SD of Detected		0.0232				SD of Detected		0.391
514				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
515				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
516												
517												
518					UCL Statistics							
519		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
520			Shapiro Wilk Test Statistic			0.803			Shapiro Wilk Test Statistic			0.948
521			5% Shapiro Wilk Critical Value			0.923			5% Shapiro Wilk Critical Value			0.923
522		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
523												
524		Assuming Normal Distribution						Assuming Lognormal Distribution				
525			DL/2 Substitution Method						DL/2 Substitution Method			
526					Mean	0.0525					Mean	-3.024
527					SD	0.0232					SD	0.391
528			95% DL/2 (t) UCL			0.0601			95% H-Stat (DL/2) UCL			0.0605
529												
530		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			

	A	B	C	D	E	F	G	H	I	J	K	L
531	MLE method failed to converge properly									Mean in Log Scale		N/A
532										SD in Log Scale		N/A
533										Mean in Original Scale		N/A
534										SD in Original Scale		N/A
535										95% Percentile Bootstrap UCL		N/A
536										95% BCA Bootstrap UCL		N/A
537												
538	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
539	k star (bias corrected)					6.001	Data Follow Appr. Gamma Distribution at 5% Significance Level					
540	Theta Star					0.00875						
541	nu star					324						
542												
543	A-D Test Statistic					0.836	Nonparametric Statistics					
544	5% A-D Critical Value					0.746	Kaplan-Meier (KM) Method					
545	K-S Test Statistic					0.746				Mean		0.0525
546	5% K-S Critical Value					0.168				SD		0.0228
547	Data follow Appr. Gamma Distribution at 5% Significance Level									SE of Mean		0.00446
548										95% KM (t) UCL		0.0601
549	Assuming Gamma Distribution									95% KM (z) UCL		0.0598
550	Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL		0.0601
551	Minimum					0.018				95% KM (bootstrap t) UCL		0.0629
552	Maximum					0.141				95% KM (BCA) UCL		0.0604
553	Mean					0.0525				95% KM (Percentile Bootstrap) UCL		0.0601
554	Median					0.05				95% KM (Chebyshev) UCL		0.0719
555	SD					0.0232				97.5% KM (Chebyshev) UCL		0.0804
556	k star					6.001				99% KM (Chebyshev) UCL		0.0969
557	Theta star					0.00875						
558	Nu star					324	Potential UCLs to Use					
559	AppChi2					283.3				95% KM (BCA) UCL		0.0604
560	95% Gamma Approximate UCL					0.06						
561	95% Adjusted Gamma UCL					0.0605						
562	Note: DL/2 is not a recommended method.											
563												
564												
565	Naphthalene											
566												
567	General Statistics											
568	Number of Valid Data					40				Number of Detected Data		36
569	Number of Distinct Detected Data					30				Number of Non-Detect Data		4
570										Percent Non-Detects		10.00%
571												
572	Raw Statistics						Log-transformed Statistics					
573	Minimum Detected					11				Minimum Detected		2.398
574	Maximum Detected					2500				Maximum Detected		7.824
575	Mean of Detected					151.9				Mean of Detected		3.932
576	SD of Detected					433.8				SD of Detected		1.124
577	Minimum Non-Detect					0.48				Minimum Non-Detect		-0.734
578	Maximum Non-Detect					0.91				Maximum Non-Detect		-0.0943
579												
580	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		4
581	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		36
582	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		10.00%
583												

	A	B	C	D	E	F	G	H	I	J	K	L
584							UCL Statistics					
585		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
586			Shapiro Wilk Test Statistic			0.332			Shapiro Wilk Test Statistic			0.837
587			5% Shapiro Wilk Critical Value			0.935			5% Shapiro Wilk Critical Value			0.935
588			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
589												
590			Assuming Normal Distribution						Assuming Lognormal Distribution			
591			DL/2 Substitution Method						DL/2 Substitution Method			
592				Mean		136.8				Mean		3.415
593				SD		413.6				SD		1.899
594			95% DL/2 (t) UCL			246.9			95% H-Stat (DL/2) UCL			395.4
595												
596			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
597				Mean		105.6			Mean in Log Scale			3.694
598				SD		435.9			SD in Log Scale			1.288
599			95% MLE (t) UCL			221.7			Mean in Original Scale			137.2
600			95% MLE (Tiku) UCL			212.5			SD in Original Scale			413.4
601									95% Percentile Bootstrap UCL			250.7
602									95% BCA Bootstrap UCL			329.2
603												
604		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
605			k star (bias corrected)			0.541		Data do not follow a Discernable Distribution (0.05)				
606			Theta Star			280.6						
607			nu star			38.98						
608												
609			A-D Test Statistic			5.192			Nonparametric Statistics			
610			5% A-D Critical Value			0.806			Kaplan-Meier (KM) Method			
611			K-S Test Statistic			0.806			Mean			137.8
612			5% K-S Critical Value			0.154			SD			408
613		Data not Gamma Distributed at 5% Significance Level							SE of Mean			65.43
614									95% KM (t) UCL			248.1
615			Assuming Gamma Distribution						95% KM (z) UCL			245.5
616			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			247.6
617			Minimum			1E-09			95% KM (bootstrap t) UCL			723.6
618			Maximum			2500			95% KM (BCA) UCL			268.4
619			Mean			136.7			95% KM (Percentile Bootstrap) UCL			253
620			Median			35			95% KM (Chebyshev) UCL			423
621			SD			413.6			97.5% KM (Chebyshev) UCL			546.4
622			k star			0.212			99% KM (Chebyshev) UCL			788.8
623			Theta star			644.4						
624			Nu star			16.97			Potential UCLs to Use			
625			AppChi2			8.654			95% KM (Chebyshev) UCL			423
626			95% Gamma Approximate UCL			268.2						
627			95% Adjusted Gamma UCL			275.3						
628	Note: DL/2 is not a recommended method.											
629												
630												
631	Thallium											
632												
633							General Statistics					
634			Number of Valid Data			9			Number of Detected Data			8
635			Number of Distinct Detected Data			6			Number of Non-Detect Data			1
636			Number of Missing Values			31			Percent Non-Detects			11.11%

	A	B	C	D	E	F	G	H	I	J	K	L
637												
638				Raw Statistics					Log-transformed Statistics			
639				Minimum Detected		0.053				Minimum Detected		-2.937
640				Maximum Detected		27				Maximum Detected		3.296
641				Mean of Detected		17.26				Mean of Detected		2.13
642				SD of Detected		9.796				SD of Detected		2.136
643				Minimum Non-Detect		5				Minimum Non-Detect		1.609
644				Maximum Non-Detect		5				Maximum Non-Detect		1.609
645												
646												
647					Warning: There are only 8 Detected Values in this data							
648				Note: It should be noted that even though bootstrap may be performed on this data set								
649				the resulting calculations may not be reliable enough tp draw conclusions								
650												
651			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
652												
653												
654						UCL Statistics						
655			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
656				Shapiro Wilk Test Statistic		0.808				Shapiro Wilk Test Statistic		0.597
657				5% Shapiro Wilk Critical Value		0.818				5% Shapiro Wilk Critical Value		0.818
658			Data not Normal at 5% Significance Level					Data not Lognormal at 5% Significance Level				
659												
660			Assuming Normal Distribution					Assuming Lognormal Distribution				
661				DL/2 Substitution Method						DL/2 Substitution Method		
662					Mean	15.62					Mean	1.995
663					SD	10.4					SD	2.039
664				95% DL/2 (t) UCL		22.06				95% H-Stat (DL/2) UCL		2527
665												
666			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
667					Mean	14.21				Mean in Log Scale		1.885
668					SD	12.18				SD in Log Scale		2.129
669				95% MLE (t) UCL		21.76				Mean in Original Scale		15.44
670				95% MLE (Tiku) UCL		22.66				SD in Original Scale		10.66
671										95% Percentile Bootstrap UCL		20.56
672										95% BCA Bootstrap UCL		20.21
673												
674			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
675				k star (bias corrected)		0.598		Data do not follow a Discernable Distribution (0.05)				
676				Theta Star		28.86						
677				nu star		9.568						
678												
679				A-D Test Statistic		1.429			Nonparametric Statistics			
680				5% A-D Critical Value		0.742			Kaplan-Meier (KM) Method			
681				K-S Test Statistic		0.742					Mean	15.56
682				5% K-S Critical Value		0.303					SD	9.898
683		Data not Gamma Distributed at 5% Significance Level								SE of Mean		3.539
684										95% KM (t) UCL		22.15
685			Assuming Gamma Distribution							95% KM (z) UCL		21.39
686		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		22.14
687					Minimum	0.053				95% KM (bootstrap t) UCL		20.88
688					Maximum	27				95% KM (BCA) UCL		21.56
689					Mean	16.39				95% KM (Percentile Bootstrap) UCL		21.89

	A	B	C	D	E	F	G	H	I	J	K	L
690					Median	20				95% KM (Chebyshev) UCL		30.99
691					SD	9.526				97.5% KM (Chebyshev) UCL		37.66
692					k star	0.671				99% KM (Chebyshev) UCL		50.78
693					Theta star	24.43						
694					Nu star	12.07		**Potential UCLs to Use**				
695					AppChi2	5.276				99% KM (Chebyshev) UCL		50.78
696				95% Gamma Approximate UCL		37.51						
697				95% Adjusted Gamma UCL		45.31						
698				**Warning: Recommended UCL exceeds the maximum observation**								
699	Note: DL/2 is not a recommended method.											
700												
701												
702	Total Aroclors											
703												
704					**General Statistics**							
705			Number of Valid Data			15				Number of Detected Data		10
706		Number of Distinct Detected Data				10				Number of Non-Detect Data		5
707			Number of Missing Values			23				Percent Non-Detects		33.33%
708												
709			**Raw Statistics**						**Log-transformed Statistics**			
710			Minimum Detected			7.95				Minimum Detected		2.073
711			Maximum Detected			51.15				Maximum Detected		3.935
712			Mean of Detected			22.96				Mean of Detected		3.039
713			SD of Detected			11.21				SD of Detected		0.463
714			Minimum Non-Detect			2.3				Minimum Non-Detect		0.833
715			Maximum Non-Detect			38				Maximum Non-Detect		3.638
716												
717	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		14
718	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1
719	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		93.33%
720												
721					**UCL Statistics**							
722		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
723			Shapiro Wilk Test Statistic			0.802				Shapiro Wilk Test Statistic		0.9
724			5% Shapiro Wilk Critical Value			0.842				5% Shapiro Wilk Critical Value		0.842
725		**Data not Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
726												
727		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
728			DL/2 Substitution Method							DL/2 Substitution Method		
729				Mean		16.93					Mean	2.296
730				SD		13.29					SD	1.315
731			95% DL/2 (t) UCL			22.97				95% H-Stat (DL/2) UCL		51.34
732												
733		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
734		**MLE method failed to converge properly**								Mean in Log Scale		2.758
735										SD in Log Scale		0.576
736										Mean in Original Scale		18.42
737										SD in Original Scale		11.31
738										95% Percentile Bootstrap UCL		23.82
739										95% BCA Bootstrap UCL		24.24
740												
741		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
742			k star (bias corrected)			3.853		**Data appear Gamma Distributed at 5% Significance Level**				

	A	B	C	D	E	F	G	H	I	J	K	L
743					Theta Star	5.961						
744					nu star	77.05						
745												
746					A-D Test Statistic	0.59		Nonparametric Statistics				
747					5% A-D Critical Value	0.729				Kaplan-Meier (KM) Method		
748					K-S Test Statistic	0.729					Mean	18.51
749					5% K-S Critical Value	0.267					SD	11.05
750		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	3.05
751											95% KM (t) UCL	23.88
752		Assuming Gamma Distribution									95% KM (z) UCL	23.52
753		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	23.78
754					Minimum	7.95					95% KM (bootstrap t) UCL	24.8
755					Maximum	51.15					95% KM (BCA) UCL	26.62
756					Mean	20.92				95% KM (Percentile Bootstrap) UCL		25.26
757					Median	18.5					95% KM (Chebyshev) UCL	31.8
758					SD	10.08					97.5% KM (Chebyshev) UCL	37.55
759					k star	4.581					99% KM (Chebyshev) UCL	48.85
760					Theta star	4.568						
761					Nu star	137.4		Potential UCLs to Use				
762					AppChi2	111.3				95% KM (Percentile Bootstrap) UCL		25.26
763		95% Gamma Approximate UCL				25.83						
764		95% Adjusted Gamma UCL				26.51						
765	Note: DL/2 is not a recommended method.											
766												
767												
768	Total DDT											
769												
770						General Statistics						
771			Number of Valid Data			16				Number of Detected Data		15
772			Number of Distinct Detected Data			15				Number of Non-Detect Data		1
773			Number of Missing Values			22				Percent Non-Detects		6.25%
774												
775			Raw Statistics						Log-transformed Statistics			
776				Minimum Detected		0.0993				Minimum Detected		-2.31
777				Maximum Detected		115.5				Maximum Detected		4.749
778				Mean of Detected		12.33				Mean of Detected		1.139
779				SD of Detected		29				SD of Detected		1.726
780				Minimum Non-Detect		0.0651				Minimum Non-Detect		-2.732
781				Maximum Non-Detect		0.0651				Maximum Non-Detect		-2.732
782												
783												
784						UCL Statistics						
785		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
786			Shapiro Wilk Test Statistic			0.428				Shapiro Wilk Test Statistic		0.981
787			5% Shapiro Wilk Critical Value			0.881				5% Shapiro Wilk Critical Value		0.881
788		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
789												
790		Assuming Normal Distribution						Assuming Lognormal Distribution				
791			DL/2 Substitution Method							DL/2 Substitution Method		
792				Mean		11.56				Mean		0.854
793				SD		28.19				SD		2.021
794			95% DL/2 (t) UCL			23.91				95% H-Stat (DL/2) UCL		131.2
795												

	A	B	C	D	E	F	G	H	I	J	K	L
796				Maximum Likelihood Estimate(MLE) Method						Log ROS Method		
797					Mean	10.35				Mean in Log Scale		0.877
798					SD	28.45				SD in Log Scale		1.97
799				95% MLE (t) UCL		22.82				Mean in Original Scale		11.56
800				95% MLE (Tiku) UCL		21.68				SD in Original Scale		28.19
801										95% Percentile Bootstrap UCL		24.98
802										95% BCA Bootstrap UCL		32.84
803												
804		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
805				k star (bias corrected)		0.419		**Data appear Lognormal at 5% Significance Level**				
806					Theta Star	29.45						
807					nu star	12.56						
808												
809				A-D Test Statistic		0.844		**Nonparametric Statistics**				
810				5% A-D Critical Value		0.8				Kaplan-Meier (KM) Method		
811				K-S Test Statistic		0.8					Mean	11.56
812				5% K-S Critical Value		0.235					SD	27.29
813		**Data not Gamma Distributed at 5% Significance Level**									SE of Mean	7.062
814											95% KM (t) UCL	23.94
815		**Assuming Gamma Distribution**									95% KM (z) UCL	23.18
816		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	23.91
817					Minimum	1E-09					95% KM (bootstrap t) UCL	70.24
818					Maximum	115.5					95% KM (BCA) UCL	26.47
819					Mean	11.56				95% KM (Percentile Bootstrap) UCL		24.42
820					Median	3.265					95% KM (Chebyshev) UCL	42.35
821					SD	28.19					97.5% KM (Chebyshev) UCL	55.67
822					k star	0.256					99% KM (Chebyshev) UCL	81.83
823					Theta star	45.21						
824					Nu star	8.181		**Potential UCLs to Use**				
825					AppChi2	2.84					99% KM (Chebyshev) UCL	81.83
826				95% Gamma Approximate UCL		33.29						
827				95% Adjusted Gamma UCL		37.91						
828	**Note: DL/2 is not a recommended method.**											
829												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM5.5E.wst								
4			Full Precision	OFF								
5			Confidence Coefficient	95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Aldrin											
10												
11							General Statistics					
12				Number of Valid Data		43				Number of Detected Data		9
13			Number of Distinct Detected Data			9				Number of Non-Detect Data		34
14				Number of Missing Values		4				Percent Non-Detects		79.07%
15												
16				Raw Statistics						Log-transformed Statistics		
17				Minimum Detected		0.0178				Minimum Detected		-4.029
18				Maximum Detected		2.57				Maximum Detected		0.944
19				Mean of Detected		0.955				Mean of Detected		-0.507
20				SD of Detected		0.722				SD of Detected		1.412
21				Minimum Non-Detect		0.0328				Minimum Non-Detect		-3.417
22				Maximum Non-Detect		1.41				Maximum Non-Detect		0.344
23												
24	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			42
25	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
26	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			97.67%
27												
28					Warning: There are only 9 Detected Values in this data							
29				Note: It should be noted that even though bootstrap may be performed on this data set								
30				the resulting calculations may not be reliable enough tp draw conclusions								
31												
32			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
33												
34												
35							UCL Statistics					
36		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
37				Shapiro Wilk Test Statistic		0.891				Shapiro Wilk Test Statistic		0.736
38				5% Shapiro Wilk Critical Value		0.829				5% Shapiro Wilk Critical Value		0.829
39		Data appear Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
40												
41		Assuming Normal Distribution						Assuming Lognormal Distribution				
42				DL/2 Substitution Method						DL/2 Substitution Method		
43				Mean		0.408				Mean		-1.663
44				SD		0.478				SD		1.429
45				95% DL/2 (t) UCL		0.531				95% H-Stat (DL/2) UCL		0.838
46												
47				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
48		MLE method failed to converge properly								Mean in Log Scale		-2.506
49										SD in Log Scale		1.252
50										Mean in Original Scale		0.241
51										SD in Original Scale		0.488
52										95% Percentile Bootstrap UCL		0.374
53										95% BCA Bootstrap UCL		0.417

	A	B	C	D	E	F	G	H	I	J	K	L
54												
55			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
56					k star (bias corrected)	0.89			Data appear Normal at 5% Significance Level			
57					Theta Star	1.074						
58					nu star	16.01						
59												
60					A-D Test Statistic	0.562			Nonparametric Statistics			
61					5% A-D Critical Value	0.739			Kaplan-Meier (KM) Method			
62					K-S Test Statistic	0.739					Mean	0.253
63					5% K-S Critical Value	0.286					SD	0.505
64		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.0868
65											95% KM (t) UCL	0.399
66			Assuming Gamma Distribution								95% KM (z) UCL	0.396
67		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.52
68					Minimum	1E-09					95% KM (bootstrap t) UCL	0.398
69					Maximum	2.57					95% KM (BCA) UCL	0.822
70					Mean	0.2				95% KM (Percentile Bootstrap) UCL		0.748
71					Median	1E-09					95% KM (Chebyshev) UCL	0.631
72					SD	0.504					97.5% KM (Chebyshev) UCL	0.795
73					k star	0.0694					99% KM (Chebyshev) UCL	1.117
74					Theta star	2.879						
75					Nu star	5.973			Potential UCLs to Use			
76					AppChi2	1.626					95% KM (t) UCL	0.399
77			95% Gamma Approximate UCL			0.735			95% KM (Percentile Bootstrap) UCL			0.748
78				95% Adjusted Gamma UCL		0.771						
79	Note: DL/2 is not a recommended method.											
80												
81												
82	Arsenic											
83												
84					General Statistics							
85			Number of Valid Data			47				Number of Detected Data		44
86		Number of Distinct Detected Data				42				Number of Non-Detect Data		3
87										Percent Non-Detects		6.38%
88												
89			Raw Statistics						Log-transformed Statistics			
90				Minimum Detected		1.92				Minimum Detected		0.652
91				Maximum Detected		22				Maximum Detected		3.091
92				Mean of Detected		6.011				Mean of Detected		1.582
93				SD of Detected		4.889				SD of Detected		0.601
94				Minimum Non-Detect		4				Minimum Non-Detect		1.386
95				Maximum Non-Detect		5				Maximum Non-Detect		1.609
96												
97	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			31
98	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			16
99	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			65.96%
100												
101						UCL Statistics						
102		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
103			Shapiro Wilk Test Statistic			0.681				Shapiro Wilk Test Statistic		0.894
104			5% Shapiro Wilk Critical Value			0.944				5% Shapiro Wilk Critical Value		0.944
105		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
106												

	A	B	C	D	E	F	G	H	I	J	K	L
107				Assuming Normal Distribution					Assuming Lognormal Distribution			
108				DL/2 Substitution Method					DL/2 Substitution Method			
109					Mean	5.766				Mean		1.53
110					SD	4.822				SD		0.616
111				95% DL/2 (t) UCL		6.946			95% H-Stat (DL/2) UCL			5.964
112												
113				Maximum Likelihood Estimate(MLE) Method					Log ROS Method			
114					Mean	0.838			Mean in Log Scale			1.555
115					SD	9.181			SD in Log Scale			0.592
116				95% MLE (t) UCL		3.086			Mean in Original Scale			5.833
117				95% MLE (Tiku) UCL		4.43			SD in Original Scale			4.778
118									95% Percentile Bootstrap UCL			7.017
119									95% BCA Bootstrap UCL			7.228
120												
121			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
122				k star (bias corrected)		2.358			Data do not follow a Discernable Distribution (0.05)			
123				Theta Star		2.549						
124				nu star		207.5						
125												
126				A-D Test Statistic		2.833			Nonparametric Statistics			
127				5% A-D Critical Value		0.758			Kaplan-Meier (KM) Method			
128				K-S Test Statistic		0.758				Mean		5.834
129				5% K-S Critical Value		0.135				SD		4.728
130			Data not Gamma Distributed at 5% Significance Level							SE of Mean		0.698
131									95% KM (t) UCL			7.006
132			Assuming Gamma Distribution						95% KM (z) UCL			6.982
133			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			7.005
134				Minimum		1.92			95% KM (bootstrap t) UCL			7.537
135				Maximum		22			95% KM (BCA) UCL			7.049
136				Mean		5.873			95% KM (Percentile Bootstrap) UCL			7.112
137				Median		4.45			95% KM (Chebyshev) UCL			8.877
138				SD		4.768			97.5% KM (Chebyshev) UCL			10.19
139				k star		2.41			99% KM (Chebyshev) UCL			12.78
140				Theta star		2.437						
141				Nu star		226.5			Potential UCLs to Use			
142				AppChi2		192.7			95% KM (Chebyshev) UCL			8.877
143			95% Gamma Approximate UCL			6.904						
144			95% Adjusted Gamma UCL			6.94						
145	Note: DL/2 is not a recommended method.											
146												
147												
148	Benzo(a)anthracene											
149												
150					General Statistics							
151			Number of Valid Observations			47			Number of Distinct Observations		42	
152												
153			Raw Statistics						Log-transformed Statistics			
154				Minimum		17.7			Minimum of Log Data		2.874	
155				Maximum		2600			Maximum of Log Data		7.863	
156				Mean		462.1			Mean of log Data		5.752	
157				Median		350			SD of log Data		0.948	
158				SD		450.9						
159			Coefficient of Variation			0.976						

	A	B	C	D	E	F	G	H	I	J	K	L
160					Skewness	2.76						
161												
162					Relevant UCL Statistics							
163			Normal Distribution Test						Lognormal Distribution Test			
164				Shapiro Wilk Test Statistic		0.746				Shapiro Wilk Test Statistic		0.972
165				Shapiro Wilk Critical Value		0.946				Shapiro Wilk Critical Value		0.946
166			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
167												
168			Assuming Normal Distribution						Assuming Lognormal Distribution			
169				95% Student's-t UCL		572.5					95% H-UCL	677.6
170			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			826.9
171				95% Adjusted-CLT UCL		598.6			97.5% Chebyshev (MVUE) UCL			974
172				95% Modified-t UCL		577			99% Chebyshev (MVUE) UCL			1263
173												
174			Gamma Distribution Test						Data Distribution			
175				k star (bias corrected)		1.368		Data appear Gamma Distributed at 5% Significance Level				
176				Theta Star		337.8						
177				nu star		128.6						
178		Approximate Chi Square Value (.05)				103.4			Nonparametric Statistics			
179			Adjusted Level of Significance			0.0449				95% CLT UCL		570.3
180			Adjusted Chi Square Value			102.7				95% Jackknife UCL		572.5
181									95% Standard Bootstrap UCL			569.3
182			Anderson-Darling Test Statistic			0.44				95% Bootstrap-t UCL		614.2
183		Anderson-Darling 5% Critical Value				0.769				95% Hall's Bootstrap UCL		672.9
184		Kolmogorov-Smirnov Test Statistic				0.111				95% Percentile Bootstrap UCL		575
185		Kolmogorov-Smirnov 5% Critical Value				0.132				95% BCA Bootstrap UCL		597.3
186		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			748.8
187									97.5% Chebyshev(Mean, Sd) UCL			872.9
188			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			1117
189			95% Approximate Gamma UCL			574.7						
190			95% Adjusted Gamma UCL			578.7						
191												
192			Potential UCL to Use						Use 95% Approximate Gamma UCL			574.7
193												
194												
195	Benzo(a)pyrene											
196												
197					General Statistics							
198			Number of Valid Observations			47			Number of Distinct Observations			41
199												
200			Raw Statistics						Log-transformed Statistics			
201				Minimum		38.3				Minimum of Log Data		3.645
202				Maximum		2520				Maximum of Log Data		7.832
203				Mean		561.6				Mean of log Data		5.946
204				Median		390				SD of log Data		0.937
205				SD		514.7						
206				Coefficient of Variation		0.916						
207				Skewness		1.846						
208												
209					Relevant UCL Statistics							
210			Normal Distribution Test						Lognormal Distribution Test			
211				Shapiro Wilk Test Statistic		0.811				Shapiro Wilk Test Statistic		0.98
212				Shapiro Wilk Critical Value		0.946				Shapiro Wilk Critical Value		0.946

	A	B	C	D	E	F	G	H	I	J	K	L
213			Data not Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
214												
215			Assuming Normal Distribution					Assuming Lognormal Distribution				
216				95% Student's-t UCL		687.7					95% H-UCL	809.8
217			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		987.9
218				95% Adjusted-CLT UCL		706.7				97.5% Chebyshev (MVUE) UCL		1162
219				95% Modified-t UCL		691				99% Chebyshev (MVUE) UCL		1505
220												
221			Gamma Distribution Test					Data Distribution				
222				k star (bias corrected)		1.364		Data appear Gamma Distributed at 5% Significance Level				
223					Theta Star	411.6						
224					nu star	128.2						
225			Approximate Chi Square Value (.05)			103.1		Nonparametric Statistics				
226			Adjusted Level of Significance			0.0449					95% CLT UCL	685.1
227			Adjusted Chi Square Value			102.4					95% Jackknife UCL	687.7
228										95% Standard Bootstrap UCL		687.9
229			Anderson-Darling Test Statistic			0.327					95% Bootstrap-t UCL	720
230			Anderson-Darling 5% Critical Value			0.769					95% Hall's Bootstrap UCL	725.8
231			Kolmogorov-Smirnov Test Statistic			0.084				95% Percentile Bootstrap UCL		690.6
232			Kolmogorov-Smirnov 5% Critical Value			0.132					95% BCA Bootstrap UCL	712.8
233		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		888.9
234										97.5% Chebyshev(Mean, Sd) UCL		1030
235			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		1309
236				95% Approximate Gamma UCL		698.7						
237				95% Adjusted Gamma UCL		703.6						
238												
239			Potential UCL to Use					Use 95% Approximate Gamma UCL				698.7
240												
241												
242	Benzo(b)fluoranthene											
243												
244				General Statistics								
245			Number of Valid Observations			47			Number of Distinct Observations			45
246												
247			Raw Statistics					Log-transformed Statistics				
248					Minimum	67.6				Minimum of Log Data		4.214
249					Maximum	4130				Maximum of Log Data		8.326
250					Mean	677.4					Mean of log Data	6.151
251					Median	516					SD of log Data	0.898
252					SD	676.6						
253			Coefficient of Variation			0.999						
254					Skewness	3.213						
255												
256				Relevant UCL Statistics								
257			Normal Distribution Test					Lognormal Distribution Test				
258			Shapiro Wilk Test Statistic			0.714				Shapiro Wilk Test Statistic		0.971
259			Shapiro Wilk Critical Value			0.946				Shapiro Wilk Critical Value		0.946
260		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
261												
262			Assuming Normal Distribution					Assuming Lognormal Distribution				
263				95% Student's-t UCL		843					95% H-UCL	941.9
264			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		1148
265				95% Adjusted-CLT UCL		889.1				97.5% Chebyshev (MVUE) UCL		1344

	A	B	C	D	E	F	G	H	I	J	K	L
266					95% Modified-t UCL	850.8				99% Chebyshev (MVUE) UCL		1729
267												
268			Gamma Distribution Test						Data Distribution			
269			k star (bias corrected)			1.423		Data appear Gamma Distributed at 5% Significance Level				
270			Theta Star			476						
271			nu star			133.8						
272			Approximate Chi Square Value (.05)			108.1			Nonparametric Statistics			
273			Adjusted Level of Significance			0.0449				95% CLT UCL		839.7
274			Adjusted Chi Square Value			107.3				95% Jackknife UCL		843
275										95% Standard Bootstrap UCL		837.8
276			Anderson-Darling Test Statistic			0.385				95% Bootstrap-t UCL		927
277			Anderson-Darling 5% Critical Value			0.768				95% Hall's Bootstrap UCL		1460
278			Kolmogorov-Smirnov Test Statistic			0.0803				95% Percentile Bootstrap UCL		852.8
279			Kolmogorov-Smirnov 5% Critical Value			0.131				95% BCA Bootstrap UCL		889.6
280		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		1108
281										97.5% Chebyshev(Mean, Sd) UCL		1294
282			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		1659
283			95% Approximate Gamma UCL			838.6						
284			95% Adjusted Gamma UCL			844.3						
285												
286			Potential UCL to Use						Use 95% Approximate Gamma UCL			838.6
287												
288												
289	Benzo(k)fluoranthene											
290												
291					General Statistics							
292			Number of Valid Data			33			Number of Detected Data			33
293			Number of Distinct Detected Data			28			Number of Non-Detect Data			0
294			Number of Missing Values			14			Percent Non-Detects			0.00%
295												
296			Raw Statistics						Log-transformed Statistics			
297			Minimum Detected			52			Minimum Detected			3.951
298			Maximum Detected			1100			Maximum Detected			7.003
299			Mean of Detected			261.6			Mean of Detected			5.276
300			SD of Detected			237.3			SD of Detected			0.759
301			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
302			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
303												
304												
305					UCL Statistics							
306		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
307			Shapiro Wilk Test Statistic			0.722			Shapiro Wilk Test Statistic			0.964
308			5% Shapiro Wilk Critical Value			0.931			5% Shapiro Wilk Critical Value			0.931
309		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
310												
311			Assuming Normal Distribution						Assuming Lognormal Distribution			
312			DL/2 Substitution Method						DL/2 Substitution Method			
313			Mean			261.6			Mean			5.276
314			SD			237.3			SD			0.759
315			95% DL/2 (t) UCL			331.6			95% H-Stat (DL/2) UCL			347.9
316												
317			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
318			MLE method failed to converge properly						Mean in Log Scale			N/A

	A	B	C	D	E	F	G	H	I	J	K	L
319										SD in Log Scale		N/A
320										Mean in Original Scale		N/A
321										SD in Original Scale		N/A
322										95% Percentile Bootstrap UCL		N/A
323										95% BCA Bootstrap UCL		N/A
324												
325			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
326					k star (bias corrected)	1.718			Data appear Gamma Distributed at 5% Significance Level			
327					Theta Star	152.3						
328					nu star	113.4						
329												
330					A-D Test Statistic	0.664			Nonparametric Statistics			
331					5% A-D Critical Value	0.761			Kaplan-Meier (KM) Method			
332					K-S Test Statistic	0.761					Mean	261.6
333					5% K-S Critical Value	0.155					SD	233.7
334			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	41.31
335											95% KM (t) UCL	331.6
336				Assuming Gamma Distribution							95% KM (z) UCL	329.6
337			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	331.6
338					Minimum	52					95% KM (bootstrap t) UCL	380.4
339					Maximum	1100					95% KM (BCA) UCL	336.6
340					Mean	261.6			95% KM (Percentile Bootstrap) UCL			335.6
341					Median	200					95% KM (Chebyshev) UCL	441.7
342					SD	237.3					97.5% KM (Chebyshev) UCL	519.6
343					k star	1.718					99% KM (Chebyshev) UCL	672.7
344					Theta star	152.3						
345					Nu star	113.4			Potential UCLs to Use			
346					AppChi2	89.78					95% KM (Chebyshev) UCL	441.7
347			95% Gamma Approximate UCL			330.3						
348			95% Adjusted Gamma UCL			334.4						
349	Note: DL/2 is not a recommended method.											
350												
351												
352	Bis(2-ethylhexyl) phthalate											
353												
354							General Statistics					
355			Number of Valid Data			47			Number of Detected Data			34
356			Number of Distinct Detected Data			32			Number of Non-Detect Data			13
357									Percent Non-Detects			27.66%
358												
359			Raw Statistics						Log-transformed Statistics			
360					Minimum Detected	78					Minimum Detected	4.357
361					Maximum Detected	1510					Maximum Detected	7.32
362					Mean of Detected	329.8					Mean of Detected	5.517
363					SD of Detected	286.3					SD of Detected	0.744
364					Minimum Non-Detect	23.3					Minimum Non-Detect	3.148
365					Maximum Non-Detect	330					Maximum Non-Detect	5.799
366												
367	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			34
368	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			13
369	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			72.34%
370												
371							UCL Statistics					

	A	B	C	D	E	F	G	H	I	J	K	L
372	Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only				
373	Shapiro Wilk Test Statistic					0.767		Shapiro Wilk Test Statistic				0.962
374	5% Shapiro Wilk Critical Value					0.933		5% Shapiro Wilk Critical Value				0.933
375	Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level				
376												
377	Assuming Normal Distribution							Assuming Lognormal Distribution				
378	DL/2 Substitution Method							DL/2 Substitution Method				
379	Mean					256.9		Mean				5.092
380	SD					271.2		SD				1.008
381	95% DL/2 (t) UCL					323.3		95% H-Stat (DL/2) UCL				309.3
382												
383	Maximum Likelihood Estimate(MLE) Method							Log ROS Method				
384	Mean					23.69		Mean in Log Scale				5.143
385	SD					487.7		SD in Log Scale				0.899
386	95% MLE (t) UCL					143.1		Mean in Original Scale				257.6
387	95% MLE (Tiku) UCL					247.5		SD in Original Scale				270.1
388								95% Percentile Bootstrap UCL				325
389								95% BCA Bootstrap UCL				335.6
390												
391	Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only				
392	k star (bias corrected)					1.777		Data appear Gamma Distributed at 5% Significance Level				
393	Theta Star					185.6						
394	nu star					120.8						
395												
396	A-D Test Statistic					0.602		Nonparametric Statistics				
397	5% A-D Critical Value					0.76		Kaplan-Meier (KM) Method				
398	K-S Test Statistic					0.76		Mean				264.1
399	5% K-S Critical Value					0.153		SD				263
400	Data appear Gamma Distributed at 5% Significance Level							SE of Mean				38.99
401								95% KM (t) UCL				329.6
402	Assuming Gamma Distribution							95% KM (z) UCL				328.3
403	Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL				327.6
404	Minimum					54.87		95% KM (bootstrap t) UCL				354
405	Maximum					1510		95% KM (BCA) UCL				335.5
406	Mean					287.2		95% KM (Percentile Bootstrap) UCL				329.6
407	Median					204		95% KM (Chebyshev) UCL				434.1
408	SD					257.7		97.5% KM (Chebyshev) UCL				507.6
409	k star					1.759		99% KM (Chebyshev) UCL				652.1
410	Theta star					163.3						
411	Nu star					165.3		Potential UCLs to Use				
412	AppChi2					136.6		95% KM (Percentile Bootstrap) UCL				329.6
413	95% Gamma Approximate UCL					347.6						
414	95% Adjusted Gamma UCL					349.7						
415	Note: DL/2 is not a recommended method.											
416												
417												
418	Dibenzo(a,h)anthracene											
419												
420	General Statistics											
421	Number of Valid Data					47		Number of Detected Data				46
422	Number of Distinct Detected Data					41		Number of Non-Detect Data				1
423								Percent Non-Detects				2.13%
424												

	A	B	C	D	E	F	G	H	I	J	K	L
425				Raw Statistics					Log-transformed Statistics			
426				Minimum Detected		13				Minimum Detected		2.565
427				Maximum Detected		456				Maximum Detected		6.122
428				Mean of Detected		89.72				Mean of Detected		4.164
429				SD of Detected		81.4				SD of Detected		0.849
430				Minimum Non-Detect		15.9				Minimum Non-Detect		2.766
431				Maximum Non-Detect		15.9				Maximum Non-Detect		2.766
432												
433												
434						UCL Statistics						
435			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
436				Shapiro Wilk Test Statistic		0.771				Shapiro Wilk Test Statistic		0.964
437				5% Shapiro Wilk Critical Value		0.945				5% Shapiro Wilk Critical Value		0.945
438			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
439												
440			Assuming Normal Distribution						Assuming Lognormal Distribution			
441				DL/2 Substitution Method						DL/2 Substitution Method		
442				Mean		87.98				Mean		4.12
443				SD		81.39				SD		0.894
444				95% DL/2 (t) UCL		107.9				95% H-Stat (DL/2) UCL		116.8
445												
446			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
447				Mean		83.04				Mean in Log Scale		4.132
448				SD		87.3				SD in Log Scale		0.867
449				95% MLE (t) UCL		104.4				Mean in Original Scale		88.12
450				95% MLE (Tiku) UCL		103.7				SD in Original Scale		81.25
451										95% Percentile Bootstrap UCL		109.2
452										95% BCA Bootstrap UCL		112.7
453												
454			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
455				k star (bias corrected)		1.557			Data appear Gamma Distributed at 5% Significance Level			
456				Theta Star		57.62						
457				nu star		143.2						
458												
459				A-D Test Statistic		0.395				Nonparametric Statistics		
460				5% A-D Critical Value		0.766				Kaplan-Meier (KM) Method		
461				K-S Test Statistic		0.766				Mean		88.09
462				5% K-S Critical Value		0.133				SD		80.41
463			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		11.86
464										95% KM (t) UCL		108
465			Assuming Gamma Distribution							95% KM (z) UCL		107.6
466			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		108
467				Minimum		1E-09				95% KM (bootstrap t) UCL		117.8
468				Maximum		456				95% KM (BCA) UCL		110.2
469				Mean		87.81			95% KM (Percentile Bootstrap) UCL			109.6
470				Median		72.9				95% KM (Chebyshev) UCL		139.8
471				SD		81.56				97.5% KM (Chebyshev) UCL		162.1
472				k star		0.685				99% KM (Chebyshev) UCL		206.1
473				Theta star		128.2						
474				Nu star		64.39				Potential UCLs to Use		
475				AppChi2		46.93				95% KM (Chebyshev) UCL		139.8
476			95% Gamma Approximate UCL			120.5						
477			95% Adjusted Gamma UCL			121.7						

	A	B	C	D	E	F	G	H	I	J	K	L
478	Note: DL/2 is not a recommended method.											
479												
480												
481	Dieldrin											
482												
483				General Statistics								
484			Number of Valid Data			42			Number of Detected Data			8
485			Number of Distinct Detected Data			8			Number of Non-Detect Data			34
486			Number of Missing Values			5			Percent Non-Detects			80.95%
487												
488			Raw Statistics						Log-transformed Statistics			
489			Minimum Detected			0.038			Minimum Detected			-3.27
490			Maximum Detected			5.3			Maximum Detected			1.668
491			Mean of Detected			1.436			Mean of Detected			-0.816
492			SD of Detected			2.004			SD of Detected			1.772
493			Minimum Non-Detect			0.0536			Minimum Non-Detect			-2.926
494			Maximum Non-Detect			2			Maximum Non-Detect			0.693
495												
496	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			40
497	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
498	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			95.24%
499												
500				Warning: There are only 8 Detected Values in this data								
501				Note: It should be noted that even though bootstrap may be performed on this data set								
502				the resulting calculations may not be reliable enough tp draw conclusions								
503												
504				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
505												
506												
507					UCL Statistics							
508			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
509			Shapiro Wilk Test Statistic			0.746			Shapiro Wilk Test Statistic			0.913
510			5% Shapiro Wilk Critical Value			0.818			5% Shapiro Wilk Critical Value			0.818
511			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
512												
513			Assuming Normal Distribution						Assuming Lognormal Distribution			
514			DL/2 Substitution Method						DL/2 Substitution Method			
515			Mean			0.471			Mean			-1.691
516			SD			0.974			SD			1.303
517			95% DL/2 (t) UCL			0.724			95% H-Stat (DL/2) UCL			0.7
518												
519			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
520			MLE method failed to converge properly						Mean in Log Scale			-3.035
521									SD in Log Scale			1.359
522									Mean in Original Scale			0.298
523									SD in Original Scale			0.999
524									95% Percentile Bootstrap UCL			0.56
525									95% BCA Bootstrap UCL			0.718
526												
527			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
528			k star (bias corrected)			0.417			Data appear Gamma Distributed at 5% Significance Level			
529			Theta Star			3.443						
530			nu star			6.672						

	A	B	C	D	E	F	G	H	I	J	K	L
531												
532					A-D Test Statistic	0.575			Nonparametric Statistics			
533					5% A-D Critical Value	0.76			Kaplan-Meier (KM) Method			
534					K-S Test Statistic	0.76					Mean	0.325
535					5% K-S Critical Value	0.308					SD	0.982
536		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.163
537											95% KM (t) UCL	0.598
538			Assuming Gamma Distribution								95% KM (z) UCL	0.592
539		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.546
540					Minimum	0.038					95% KM (bootstrap t) UCL	1.102
541					Maximum	5.918					95% KM (BCA) UCL	0.766
542					Mean	2.248			95% KM (Percentile Bootstrap) UCL			0.641
543					Median	2.555					95% KM (Chebyshev) UCL	1.033
544					SD	1.268					97.5% KM (Chebyshev) UCL	1.34
545					k star	1.607					99% KM (Chebyshev) UCL	1.943
546					Theta star	1.399						
547					Nu star	135			Potential UCLs to Use			
548					AppChi2	109.2					95% KM (t) UCL	0.598
549			95% Gamma Approximate UCL			2.78						
550			95% Adjusted Gamma UCL			2.801						
551	Note: DL/2 is not a recommended method.											
552												
553												
554	Indeno(1,2,3-cd)pyrene											
555												
556					General Statistics							
557			Number of Valid Observations			47			Number of Distinct Observations			44
558												
559			Raw Statistics						Log-transformed Statistics			
560					Minimum	33			Minimum of Log Data			3.497
561					Maximum	2120			Maximum of Log Data			7.659
562					Mean	426			Mean of log Data			5.69
563					Median	310			SD of log Data			0.889
564					SD	397.1						
565				Coefficient of Variation		0.932						
566					Skewness	2.209						
567												
568					Relevant UCL Statistics							
569			Normal Distribution Test						Lognormal Distribution Test			
570				Shapiro Wilk Test Statistic		0.789			Shapiro Wilk Test Statistic			0.99
571				Shapiro Wilk Critical Value		0.946			Shapiro Wilk Critical Value			0.946
572		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
573												
574			Assuming Normal Distribution						Assuming Lognormal Distribution			
575					95% Student's-t UCL	523.2					95% H-UCL	586.7
576		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			714.4
577				95% Adjusted-CLT UCL		541.2			97.5% Chebyshev (MVUE) UCL			835.7
578					95% Modified-t UCL	526.4			99% Chebyshev (MVUE) UCL			1074
579												
580			Gamma Distribution Test						Data Distribution			
581				k star (bias corrected)		1.435		Data appear Gamma Distributed at 5% Significance Level				
582					Theta Star	296.9						
583					nu star	134.9						

	A	B	C	D	E	F	G	H	I	J	K	L
584					Approximate Chi Square Value (.05)	109			Nonparametric Statistics			
585					Adjusted Level of Significance	0.0449				95% CLT UCL		521.3
586					Adjusted Chi Square Value	108.3				95% Jackknife UCL		523.2
587										95% Standard Bootstrap UCL		522.3
588					Anderson-Darling Test Statistic	0.363				95% Bootstrap-t UCL		550.6
589					Anderson-Darling 5% Critical Value	0.767				95% Hall's Bootstrap UCL		571.5
590					Kolmogorov-Smirnov Test Statistic	0.0874				95% Percentile Bootstrap UCL		521.7
591					Kolmogorov-Smirnov 5% Critical Value	0.131				95% BCA Bootstrap UCL		536.6
592	Data appear Gamma Distributed at 5% Significance Level									95% Chebyshev(Mean, Sd) UCL		678.5
593										97.5% Chebyshev(Mean, Sd) UCL		787.7
594			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		1002
595					95% Approximate Gamma UCL	526.9						
596					95% Adjusted Gamma UCL	530.5						
597												
598			Potential UCL to Use							Use 95% Approximate Gamma UCL		526.9
599												
600												
601	Lead											
602												
603					General Statistics							
604					Number of Valid Observations	47				Number of Distinct Observations		47
605												
606			Raw Statistics						Log-transformed Statistics			
607					Minimum	8.08				Minimum of Log Data		2.089
608					Maximum	332				Maximum of Log Data		5.805
609					Mean	60.18				Mean of log Data		3.748
610					Median	36.2				SD of log Data		0.845
611					SD	56.85						
612					Coefficient of Variation	0.945						
613					Skewness	2.62						
614												
615					Relevant UCL Statistics							
616			Normal Distribution Test						Lognormal Distribution Test			
617					Shapiro Wilk Test Statistic	0.758				Shapiro Wilk Test Statistic		0.963
618					Shapiro Wilk Critical Value	0.946				Shapiro Wilk Critical Value		0.946
619	Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level				
620												
621			Assuming Normal Distribution						Assuming Lognormal Distribution			
622					95% Student's-t UCL	74.1				95% H-UCL		79.39
623			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		96.43
624					95% Adjusted-CLT UCL	77.21				97.5% Chebyshev (MVUE) UCL		112.2
625					95% Modified-t UCL	74.63				99% Chebyshev (MVUE) UCL		143.1
626												
627			Gamma Distribution Test						Data Distribution			
628					k star (bias corrected)	1.49			Data appear Lognormal at 5% Significance Level			
629					Theta Star	40.39						
630					nu star	140.1						
631					Approximate Chi Square Value (.05)	113.7			Nonparametric Statistics			
632					Adjusted Level of Significance	0.0449				95% CLT UCL		73.82
633					Adjusted Chi Square Value	113				95% Jackknife UCL		74.1
634										95% Standard Bootstrap UCL		73.27
635					Anderson-Darling Test Statistic	0.876				95% Bootstrap-t UCL		78.74
636					Anderson-Darling 5% Critical Value	0.767				95% Hall's Bootstrap UCL		84.82

	A	B	C	D	E	F	G	H	I	J	K	L
637			Kolmogorov-Smirnov Test Statistic			0.139			95% Percentile Bootstrap UCL			74.11
638			Kolmogorov-Smirnov 5% Critical Value			0.131			95% BCA Bootstrap UCL			78.67
639		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			96.33
640									97.5% Chebyshev(Mean, Sd) UCL			112
641			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			142.7
642			95% Approximate Gamma UCL			74.12						
643			95% Adjusted Gamma UCL			74.62						
644												
645			Potential UCL to Use						Use 95% H-UCL			79.39
646												
647												
648	Mercury											
649												
650				General Statistics								
651			Number of Valid Data			47			Number of Detected Data			46
652			Number of Distinct Detected Data			42			Number of Non-Detect Data			1
653									Percent Non-Detects			2.13%
654												
655			Raw Statistics						Log-transformed Statistics			
656			Minimum Detected			0.0085			Minimum Detected			-4.768
657			Maximum Detected			4.84			Maximum Detected			1.577
658			Mean of Detected			0.231			Mean of Detected			-2.209
659			SD of Detected			0.701			SD of Detected			0.952
660			Minimum Non-Detect			0.00887			Minimum Non-Detect			-4.725
661			Maximum Non-Detect			0.00887			Maximum Non-Detect			-4.725
662												
663												
664				UCL Statistics								
665		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
666			Shapiro Wilk Test Statistic			0.236			Shapiro Wilk Test Statistic			0.868
667			5% Shapiro Wilk Critical Value			0.945			5% Shapiro Wilk Critical Value			0.945
668		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
669												
670		Assuming Normal Distribution						Assuming Lognormal Distribution				
671			DL/2 Substitution Method						DL/2 Substitution Method			
672			Mean			0.226			Mean			-2.278
673			SD			0.694			SD			1.051
674			95% DL/2 (t) UCL			0.396			95% H-Stat (DL/2) UCL			0.242
675												
676		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
677			Mean			0.205			Mean in Log Scale			-2.251
678			SD			0.705			SD in Log Scale			0.983
679			95% MLE (t) UCL			0.378			Mean in Original Scale			0.226
680			95% MLE (Tiku) UCL			0.359			SD in Original Scale			0.694
681									95% Percentile Bootstrap UCL			0.425
682									95% BCA Bootstrap UCL			0.528
683												
684		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
685			k star (bias corrected)			0.761		Data do not follow a Discernable Distribution (0.05)				
686			Theta Star			0.303						
687			nu star			70.04						
688												
689			A-D Test Statistic			5.559			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
690					5% A-D Critical Value	0.788				Kaplan-Meier (KM) Method		
691					K-S Test Statistic	0.788					Mean	0.226
692					5% K-S Critical Value	0.135					SD	0.687
693			Data not Gamma Distributed at 5% Significance Level								SE of Mean	0.101
694											95% KM (t) UCL	0.396
695			Assuming Gamma Distribution								95% KM (z) UCL	0.393
696			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	0.396
697					Minimum	1E-09					95% KM (bootstrap t) UCL	1.438
698					Maximum	4.84					95% KM (BCA) UCL	0.432
699					Mean	0.226				95% KM (Percentile Bootstrap) UCL		0.427
700					Median	0.119					95% KM (Chebyshev) UCL	0.668
701					SD	0.694					97.5% KM (Chebyshev) UCL	0.859
702					k star	0.538					99% KM (Chebyshev) UCL	1.234
703					Theta star	0.42						
704					Nu star	50.59				Potential UCLs to Use		
705					AppChi2	35.26					95% KM (Chebyshev) UCL	0.668
706				95% Gamma Approximate UCL		0.324						
707				95% Adjusted Gamma UCL		0.328						
708	Note: DL/2 is not a recommended method.											
709												
710												
711	Naphthalene											
712												
713					General Statistics							
714				Number of Valid Data		47				Number of Detected Data		44
715			Number of Distinct Detected Data			40				Number of Non-Detect Data		3
716										Percent Non-Detects		6.38%
717												
718			Raw Statistics						Log-transformed Statistics			
719				Minimum Detected		3.63				Minimum Detected		1.289
720				Maximum Detected		2300				Maximum Detected		7.741
721				Mean of Detected		142.9				Mean of Detected		4.094
722				SD of Detected		351.4				SD of Detected		1.223
723				Minimum Non-Detect		10				Minimum Non-Detect		2.303
724				Maximum Non-Detect		16.5				Maximum Non-Detect		2.803
725												
726	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		6
727	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		41
728	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		12.77%
729												
730					UCL Statistics							
731			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
732				Shapiro Wilk Test Statistic		0.349				Shapiro Wilk Test Statistic		0.964
733				5% Shapiro Wilk Critical Value		0.944				5% Shapiro Wilk Critical Value		0.944
734			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
735												
736			Assuming Normal Distribution						Assuming Lognormal Distribution			
737				DL/2 Substitution Method						DL/2 Substitution Method		
738					Mean	134.3					Mean	3.956
739					SD	341.4					SD	1.299
740				95% DL/2 (t) UCL		217.9				95% H-Stat (DL/2) UCL		176
741												
742			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		

	A	B	C	D	E	F	G	H	I	J	K	L
743					Mean	102					Mean in Log Scale	3.953
744					SD	367.4					SD in Log Scale	1.303
745					95% MLE (t) UCL	191.9					Mean in Original Scale	134.2
746					95% MLE (Tiku) UCL	186					SD in Original Scale	341.4
747											95% Percentile Bootstrap UCL	227.9
748											95% BCA Bootstrap UCL	286
749												
750			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
751				k star (bias corrected)		0.664			Data appear Lognormal at 5% Significance Level			
752				Theta Star		215.2						
753				nu star		58.45						
754												
755				A-D Test Statistic		2.262			Nonparametric Statistics			
756				5% A-D Critical Value		0.795			Kaplan-Meier (KM) Method			
757				K-S Test Statistic		0.795					Mean	134.1
758				5% K-S Critical Value		0.139					SD	337.8
759		Data not Gamma Distributed at 5% Significance Level									SE of Mean	49.85
760											95% KM (t) UCL	217.8
761			Assuming Gamma Distribution								95% KM (z) UCL	216.1
762		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	217.7
763					Minimum	1E-09					95% KM (bootstrap t) UCL	440
764					Maximum	2300					95% KM (BCA) UCL	240
765					Mean	133.8					95% KM (Percentile Bootstrap) UCL	226.4
766					Median	55					95% KM (Chebyshev) UCL	351.3
767					SD	341.6					97.5% KM (Chebyshev) UCL	445.4
768					k star	0.286					99% KM (Chebyshev) UCL	630
769					Theta star	467.7						
770					Nu star	26.9			Potential UCLs to Use			
771					AppChi2	16.07					95% KM (Chebyshev) UCL	351.3
772			95% Gamma Approximate UCL			224						
773			95% Adjusted Gamma UCL			227.7						
774	Note: DL/2 is not a recommended method.											
775												
776												
777	Thallium											
778												
779					General Statistics							
780			Number of Valid Data			5				Number of Detected Data		5
781		Number of Distinct Detected Data				5				Number of Non-Detect Data		0
782			Number of Missing Values			42				Percent Non-Detects		0.00%
783												
784			Raw Statistics						Log-transformed Statistics			
785				Minimum Detected		0.083				Minimum Detected		-2.489
786				Maximum Detected		21				Maximum Detected		3.045
787				Mean of Detected		9.234				Mean of Detected		0.542
788				SD of Detected		10.48				SD of Detected		2.809
789				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
790				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
791												
792												
793					Warning: There are only 5 Detected Values in this data							
794			Note: It should be noted that even though bootstrap may be performed on this data set									
795				the resulting calculations may not be reliable enough tp draw conclusions								

	A	B	C	D	E	F	G	H	I	J	K	L
796												
797			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
798												
799												
800					UCL Statistics							
801		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
802			Shapiro Wilk Test Statistic			0.796			Shapiro Wilk Test Statistic			0.789
803			5% Shapiro Wilk Critical Value			0.762			5% Shapiro Wilk Critical Value			0.762
804		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
805												
806		Assuming Normal Distribution						Assuming Lognormal Distribution				
807			DL/2 Substitution Method						DL/2 Substitution Method			
808				Mean		9.234				Mean		0.542
809				SD		10.48				SD		2.809
810			95% DL/2 (t) UCL			19.23			95% H-Stat (DL/2) UCL			8.563E+09
811												
812			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
813		MLE method failed to converge properly							Mean in Log Scale			N/A
814									SD in Log Scale			N/A
815									Mean in Original Scale			N/A
816									SD in Original Scale			N/A
817									95% Percentile Bootstrap UCL			N/A
818									95% BCA Bootstrap UCL			N/A
819												
820		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
821			k star (bias corrected)			0.29		Data appear Normal at 5% Significance Level				
822				Theta Star		31.8						
823				nu star		2.904						
824												
825			A-D Test Statistic			0.545		Nonparametric Statistics				
826			5% A-D Critical Value			0.726			Kaplan-Meier (KM) Method			
827			K-S Test Statistic			0.726				Mean		9.234
828			5% K-S Critical Value			0.376				SD		9.378
829		Data appear Gamma Distributed at 5% Significance Level							SE of Mean			4.689
830									95% KM (t) UCL			19.23
831		Assuming Gamma Distribution							95% KM (z) UCL			16.95
832		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			19.23
833				Minimum		0.083			95% KM (bootstrap t) UCL			37.21
834				Maximum		21			95% KM (BCA) UCL			16.42
835				Mean		9.234			95% KM (Percentile Bootstrap) UCL			16.62
836				Median		5			95% KM (Chebyshev) UCL			29.67
837				SD		10.48			97.5% KM (Chebyshev) UCL			38.52
838				k star		0.29			99% KM (Chebyshev) UCL			55.89
839				Theta star		31.8						
840				Nu star		2.904		Potential UCLs to Use				
841				AppChi2		0.345			95% KM (t) UCL			19.23
842			95% Gamma Approximate UCL			77.82			95% KM (Percentile Bootstrap) UCL			16.62
843			95% Adjusted Gamma UCL			208.4						
844	Note: DL/2 is not a recommended method.											
845												
846												
847	Total Aroclors											
848												

	A	B	C	D	E	F	G	H	I	J	K	L
849						General Statistics						
850			Number of Valid Data			31				Number of Detected Data		30
851			Number of Distinct Detected Data			30				Number of Non-Detect Data		1
852			Number of Missing Values			16				Percent Non-Detects		3.23%
853												
854			Raw Statistics							Log-transformed Statistics		
855			Minimum Detected			15.29				Minimum Detected		2.727
856			Maximum Detected			411				Maximum Detected		6.019
857			Mean of Detected			108.1				Mean of Detected		4.352
858			SD of Detected			94.93				SD of Detected		0.824
859			Minimum Non-Detect			40				Minimum Non-Detect		3.689
860			Maximum Non-Detect			40				Maximum Non-Detect		3.689
861												
862												
863						UCL Statistics						
864			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
865			Shapiro Wilk Test Statistic			0.811				Shapiro Wilk Test Statistic		0.961
866			5% Shapiro Wilk Critical Value			0.927				5% Shapiro Wilk Critical Value		0.927
867			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
868												
869			Assuming Normal Distribution						Assuming Lognormal Distribution			
870			DL/2 Substitution Method							DL/2 Substitution Method		
871			Mean			105.3				Mean		4.308
872			SD			94.67				SD		0.846
873			95% DL/2 (t) UCL			134.1				95% H-Stat (DL/2) UCL		137.3
874												
875			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
876			Mean			89.09				Mean in Log Scale		4.319
877			SD			113.3				SD in Log Scale		0.831
878			95% MLE (t) UCL			123.6				Mean in Original Scale		105.5
879			95% MLE (Tiku) UCL			124.6				SD in Original Scale		94.44
880										95% Percentile Bootstrap UCL		133.9
881										95% BCA Bootstrap UCL		138.4
882												
883			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
884			k star (bias corrected)			1.512			Data appear Lognormal at 5% Significance Level			
885			Theta Star			71.49						
886			nu star			90.74						
887												
888			A-D Test Statistic			0.901			Nonparametric Statistics			
889			5% A-D Critical Value			0.762			Kaplan-Meier (KM) Method			
890			K-S Test Statistic			0.762				Mean		105.6
891			5% K-S Critical Value			0.163				SD		92.88
892			Data not Gamma Distributed at 5% Significance Level							SE of Mean		16.97
893										95% KM (t) UCL		134.4
894			Assuming Gamma Distribution							95% KM (z) UCL		133.5
895			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		134.4
896			Minimum			4.383				95% KM (bootstrap t) UCL		143.2
897			Maximum			411				95% KM (BCA) UCL		134.3
898			Mean			104.8			95% KM (Percentile Bootstrap) UCL			134.3
899			Median			61.4				95% KM (Chebyshev) UCL		179.5
900			SD			95.18				97.5% KM (Chebyshev) UCL		211.5
901			k star			1.301				99% KM (Chebyshev) UCL		274.4

	A	B	C	D	E	F	G	H	I	J	K	L
902					Theta star	80.52						
903					Nu star	80.68		Potential UCLs to Use				
904					AppChi2	60.98			95% KM (Chebyshev) UCL			179.5
905			95% Gamma Approximate UCL			138.6						
906			95% Adjusted Gamma UCL			140.8						
907	Note: DL/2 is not a recommended method.											
908												
909												
910	Total DDT											
911												
912					General Statistics							
913			Number of Valid Data			45			Number of Detected Data			35
914			Number of Distinct Detected Data			35			Number of Non-Detect Data			10
915			Number of Missing Values			2			Percent Non-Detects			22.22%
916												
917			Raw Statistics						Log-transformed Statistics			
918			Minimum Detected			0.44			Minimum Detected			-0.821
919			Maximum Detected			93.26			Maximum Detected			4.535
920			Mean of Detected			10.05			Mean of Detected			1.238
921			SD of Detected			19.69			SD of Detected			1.413
922			Minimum Non-Detect			0.32			Minimum Non-Detect			-1.139
923			Maximum Non-Detect			18			Maximum Non-Detect			2.89
924												
925	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			41
926	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			4
927	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			91.11%
928												
929					UCL Statistics							
930			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
931			Shapiro Wilk Test Statistic			0.513			Shapiro Wilk Test Statistic			0.947
932			5% Shapiro Wilk Critical Value			0.934			5% Shapiro Wilk Critical Value			0.934
933			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
934												
935			Assuming Normal Distribution						Assuming Lognormal Distribution			
936			DL/2 Substitution Method						DL/2 Substitution Method			
937			Mean			8.242			Mean			1.007
938			SD			17.68			SD			1.387
939			95% DL/2 (t) UCL			12.67			95% H-Stat (DL/2) UCL			10.36
940												
941			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
942			MLE yields a negative mean						Mean in Log Scale			0.935
943									SD in Log Scale			1.417
944									Mean in Original Scale			8.054
945									SD in Original Scale			17.72
946									95% Percentile Bootstrap UCL			12.77
947									95% BCA Bootstrap UCL			14.35
948												
949			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
950			k star (bias corrected)			0.55			Data appear Lognormal at 5% Significance Level			
951			Theta Star			18.28						
952			nu star			38.49						
953												
954			A-D Test Statistic			1.72			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
955				5% A-D Critical Value		0.804			Kaplan-Meier (KM) Method			
956				K-S Test Statistic		0.804				Mean		8.107
957				5% K-S Critical Value		0.156				SD		17.51
958	Data not Gamma Distributed at 5% Significance Level									SE of Mean		2.65
959										95% KM (t) UCL		12.56
960		Assuming Gamma Distribution								95% KM (z) UCL		12.47
961	Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL			12.54
962				Minimum		1E-09			95% KM (bootstrap t) UCL			19.4
963				Maximum		93.26			95% KM (BCA) UCL			13.53
964				Mean		8.283		95% KM (Percentile Bootstrap) UCL				12.75
965				Median		2.004			95% KM (Chebyshev) UCL			19.66
966				SD		17.68			97.5% KM (Chebyshev) UCL			24.66
967				k star		0.413			99% KM (Chebyshev) UCL			34.48
968				Theta star		20.05						
969				Nu star		37.18		Potential UCLs to Use				
970				AppChi2		24.22			95% KM (Chebyshev) UCL			19.66
971		95% Gamma Approximate UCL				12.71						
972		95% Adjusted Gamma UCL				12.9						
973	Note: DL/2 is not a recommended method.											
974												
975												
976	Total Dioxin/Furan TEQ											
977												
978				General Statistics								
979		Number of Valid Data				5			Number of Detected Data			5
980		Number of Distinct Detected Data				5			Number of Non-Detect Data			0
981		Number of Missing Values				21			Percent Non-Detects			0.00%
982												
983		Raw Statistics						Log-transformed Statistics				
984			Minimum Detected			0.724				Minimum Detected		-0.323
985			Maximum Detected			11.48				Maximum Detected		2.441
986			Mean of Detected			4.449				Mean of Detected		0.978
987			SD of Detected			4.626				SD of Detected		1.175
988			Minimum Non-Detect			N/A				Minimum Non-Detect		N/A
989			Maximum Non-Detect			N/A				Maximum Non-Detect		N/A
990												
991												
992				Warning: There are only 5 Detected Values in this data								
993				Note: It should be noted that even though bootstrap may be performed on this data set								
994				the resulting calculations may not be reliable enough tp draw conclusions								
995												
996				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
997												
998												
999				UCL Statistics								
1000		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1001			Shapiro Wilk Test Statistic			0.849				Shapiro Wilk Test Statistic		0.935
1002			5% Shapiro Wilk Critical Value			0.762				5% Shapiro Wilk Critical Value		0.762
1003		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1004												
1005		Assuming Normal Distribution						Assuming Lognormal Distribution				
1006			DL/2 Substitution Method							DL/2 Substitution Method		
1007			Mean			4.449				Mean		0.978

	A	B	C	D	E	F	G	H	I	J	K	L
1008					SD	4.626					SD	1.175
1009				95% DL/2 (t) UCL		8.859				95% H-Stat (DL/2) UCL		148.2
1010												
1011			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1012		MLE method failed to converge properly								Mean in Log Scale		N/A
1013										SD in Log Scale		N/A
1014										Mean in Original Scale		N/A
1015										SD in Original Scale		N/A
1016										95% Percentile Bootstrap UCL		N/A
1017										95% BCA Bootstrap UCL		N/A
1018												
1019		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1020				k star (bias corrected)		0.577		Data appear Normal at 5% Significance Level				
1021					Theta Star	7.71						
1022					nu star	5.77						
1023												
1024					A-D Test Statistic	0.335		Nonparametric Statistics				
1025				5% A-D Critical Value		0.69				Kaplan-Meier (KM) Method		
1026					K-S Test Statistic	0.69					Mean	4.449
1027				5% K-S Critical Value		0.364					SD	4.137
1028		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	2.069
1029											95% KM (t) UCL	8.859
1030		Assuming Gamma Distribution									95% KM (z) UCL	7.851
1031		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		8.859
1032					Minimum	0.724				95% KM (bootstrap t) UCL		25.01
1033					Maximum	11.48				95% KM (BCA) UCL		7.546
1034					Mean	4.449				95% KM (Percentile Bootstrap) UCL		7.546
1035					Median	2.094				95% KM (Chebyshev) UCL		13.47
1036					SD	4.626				97.5% KM (Chebyshev) UCL		17.37
1037					k star	0.577				99% KM (Chebyshev) UCL		25.03
1038					Theta star	7.71						
1039					Nu star	5.77		Potential UCLs to Use				
1040					AppChi2	1.524				95% KM (t) UCL		8.859
1041				95% Gamma Approximate UCL		16.85				95% KM (Percentile Bootstrap) UCL		7.546
1042				95% Adjusted Gamma UCL		33.71						
1043	Note: DL/2 is not a recommended method.											
1044												
1045												
1046	Total Dioxin-like PCBs											
1047												
1048					General Statistics							
1049			Number of Valid Data			8				Number of Detected Data		8
1050			Number of Distinct Detected Data			8				Number of Non-Detect Data		0
1051			Number of Missing Values			18				Percent Non-Detects		0.00%
1052												
1053			Raw Statistics							Log-transformed Statistics		
1054				Minimum Detected		736.1				Minimum Detected		6.601
1055				Maximum Detected		15617				Maximum Detected		9.656
1056				Mean of Detected		4356				Mean of Detected		7.87
1057				SD of Detected		5032				SD of Detected		1.063
1058				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1059				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1060												

	A	B	C	D	E	F	G	H	I	J	K	L
1061												
1062				Warning: There are only 8 Detected Values in this data								
1063				Note: It should be noted that even though bootstrap may be performed on this data set								
1064				the resulting calculations may not be reliable enough tp draw conclusions								
1065												
1066			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1067												
1068												
1069					UCL Statistics							
1070		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1071			Shapiro Wilk Test Statistic			0.753			Shapiro Wilk Test Statistic			0.94
1072			5% Shapiro Wilk Critical Value			0.818			5% Shapiro Wilk Critical Value			0.818
1073		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1074												
1075		Assuming Normal Distribution						Assuming Lognormal Distribution				
1076			DL/2 Substitution Method						DL/2 Substitution Method			
1077				Mean		4356				Mean		7.87
1078				SD		5032				SD		1.063
1079			95% DL/2 (t) UCL			7726			95% H-Stat (DL/2) UCL			19413
1080												
1081			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1082		MLE method failed to converge properly							Mean in Log Scale			N/A
1083									SD in Log Scale			N/A
1084									Mean in Original Scale			N/A
1085									SD in Original Scale			N/A
1086									95% Percentile Bootstrap UCL			N/A
1087									95% BCA Bootstrap UCL			N/A
1088												
1089		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1090			k star (bias corrected)			0.782		Data appear Gamma Distributed at 5% Significance Level				
1091				Theta Star		5568						
1092				nu star		12.52						
1093												
1094				A-D Test Statistic		0.407		Nonparametric Statistics				
1095				5% A-D Critical Value		0.734			Kaplan-Meier (KM) Method			
1096				K-S Test Statistic		0.734				Mean		4356
1097				5% K-S Critical Value		0.301				SD		4707
1098		Data appear Gamma Distributed at 5% Significance Level							SE of Mean			1779
1099									95% KM (t) UCL			7726
1100		Assuming Gamma Distribution							95% KM (z) UCL			7282
1101		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			7726
1102				Minimum		736.1			95% KM (bootstrap t) UCL			12832
1103				Maximum		15617			95% KM (BCA) UCL			7599
1104				Mean		4356			95% KM (Percentile Bootstrap) UCL			7284
1105				Median		2429			95% KM (Chebyshev) UCL			12110
1106				SD		5032			97.5% KM (Chebyshev) UCL			15466
1107				k star		0.782			99% KM (Chebyshev) UCL			22057
1108				Theta star		5568						
1109				Nu star		12.52		Potential UCLs to Use				
1110				AppChi2		5.569			95% KM (Chebyshev) UCL			12110
1111			95% Gamma Approximate UCL			9789						
1112			95% Adjusted Gamma UCL			12241						
1113	Note: DL/2 is not a recommended method.											

	A	B	C	D	E	F	G	H	I	J	K	L
1114												
1115												
1116	Total PCB TEQ											
1117												
1118						General Statistics						
1119				Number of Valid Data		8			Number of Detected Data			8
1120				Number of Distinct Detected Data		8			Number of Non-Detect Data			0
1121				Number of Missing Values		18			Percent Non-Detects			0.00%
1122												
1123			Raw Statistics						Log-transformed Statistics			
1124				Minimum Detected		0.335			Minimum Detected			-1.093
1125				Maximum Detected		7.358			Maximum Detected			1.996
1126				Mean of Detected		2.041			Mean of Detected			0.159
1127				SD of Detected		2.458			SD of Detected			1.094
1128				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
1129				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
1130												
1131												
1132					Warning: There are only 8 Detected Values in this data							
1133				Note: It should be noted that even though bootstrap may be performed on this data set								
1134				the resulting calculations may not be reliable enough tp draw conclusions								
1135												
1136			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1137												
1138												
1139						UCL Statistics						
1140		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1141				Shapiro Wilk Test Statistic		0.741			Shapiro Wilk Test Statistic			0.931
1142				5% Shapiro Wilk Critical Value		0.818			5% Shapiro Wilk Critical Value			0.818
1143		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1144												
1145		Assuming Normal Distribution						Assuming Lognormal Distribution				
1146				DL/2 Substitution Method					DL/2 Substitution Method			
1147				Mean		2.041			Mean			0.159
1148				SD		2.458			SD			1.094
1149				95% DL/2 (t) UCL		3.687			95% H-Stat (DL/2) UCL			9.702
1150												
1151			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1152		MLE method failed to converge properly							Mean in Log Scale			N/A
1153									SD in Log Scale			N/A
1154									Mean in Original Scale			N/A
1155									SD in Original Scale			N/A
1156									95% Percentile Bootstrap UCL			N/A
1157									95% BCA Bootstrap UCL			N/A
1158												
1159		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1160				k star (bias corrected)		0.732		Data appear Gamma Distributed at 5% Significance Level				
1161				Theta Star		2.789						
1162				nu star		11.71						
1163												
1164				A-D Test Statistic		0.483			Nonparametric Statistics			
1165				5% A-D Critical Value		0.735			Kaplan-Meier (KM) Method			
1166				K-S Test Statistic		0.735			Mean			2.041

	A	B	C	D	E	F	G	H	I	J	K	L
1167					5% K-S Critical Value	0.301					SD	2.299
1168		**Data appear Gamma Distributed at 5% Significance Level**									SE of Mean	0.869
1169											95% KM (t) UCL	3.687
1170		**Assuming Gamma Distribution**									95% KM (z) UCL	3.47
1171		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	3.687
1172					Minimum	0.335					95% KM (bootstrap t) UCL	8.641
1173					Maximum	7.358					95% KM (BCA) UCL	3.545
1174					Mean	2.041					95% KM (Percentile Bootstrap) UCL	3.488
1175					Median	0.978					95% KM (Chebyshev) UCL	5.828
1176					SD	2.458					97.5% KM (Chebyshev) UCL	7.467
1177					k star	0.732					99% KM (Chebyshev) UCL	10.69
1178					Theta star	2.789						
1179					Nu star	11.71			**Potential UCLs to Use**			
1180					AppChi2	5.036					95% KM (Chebyshev) UCL	5.828
1181			95% Gamma Approximate UCL			4.745						
1182			95% Adjusted Gamma UCL			5.993						
1183	Note: DL/2 is not a recommended method.											
1184												
1185												
1186	Total PCB_Congeners											
1187												
1188					**General Statistics**							
1189			Number of Valid Data			8			Number of Detected Data			8
1190			Number of Distinct Detected Data			8			Number of Non-Detect Data			0
1191			Number of Missing Values			18			Percent Non-Detects			0.00%
1192												
1193		**Raw Statistics**							**Log-transformed Statistics**			
1194				Minimum Detected		18957				Minimum Detected		9.85
1195				Maximum Detected		250586				Maximum Detected		12.43
1196				Mean of Detected		81184				Mean of Detected		10.84
1197				SD of Detected		87522				SD of Detected		0.999
1198				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1199				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1200												
1201												
1202					**Warning: There are only 8 Detected Values in this data**							
1203					**Note: It should be noted that even though bootstrap may be performed on this data set**							
1204					**the resulting calculations may not be reliable enough tp draw conclusions**							
1205												
1206					**It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.**							
1207												
1208												
1209					**UCL Statistics**							
1210		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
1211				Shapiro Wilk Test Statistic		0.752				Shapiro Wilk Test Statistic		0.877
1212				5% Shapiro Wilk Critical Value		0.818				5% Shapiro Wilk Critical Value		0.818
1213		**Data not Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
1214												
1215		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
1216				DL/2 Substitution Method						DL/2 Substitution Method		
1217				Mean		81184				Mean		10.84
1218				SD		87522				SD		0.999
1219				95% DL/2 (t) UCL		139809				95% H-Stat (DL/2) UCL		306260

	A	B	C	D	E	F	G	H	I	J	K	L
1220												
1221		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
1222		MLE method failed to converge properly								Mean in Log Scale		N/A
1223										SD in Log Scale		N/A
1224										Mean in Original Scale		N/A
1225										SD in Original Scale		N/A
1226										95% Percentile Bootstrap UCL		N/A
1227										95% BCA Bootstrap UCL		N/A
1228												
1229		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1230		k star (bias corrected)				0.844		Data appear Gamma Distributed at 5% Significance Level				
1231		Theta Star				96205						
1232		nu star				13.5						
1233												
1234		A-D Test Statistic				0.624		Nonparametric Statistics				
1235		5% A-D Critical Value				0.732		Kaplan-Meier (KM) Method				
1236		K-S Test Statistic				0.732		Mean				81184
1237		5% K-S Critical Value				0.3		SD				81869
1238		Data appear Gamma Distributed at 5% Significance Level						SE of Mean				30944
1239								95% KM (t) UCL				139809
1240		Assuming Gamma Distribution						95% KM (z) UCL				132081
1241		Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL				139809
1242		Minimum				18957		95% KM (bootstrap t) UCL				309287
1243		Maximum				250586		95% KM (BCA) UCL				132630
1244		Mean				81184		95% KM (Percentile Bootstrap) UCL				130947
1245		Median				41262		95% KM (Chebyshev) UCL				216064
1246		SD				87522		97.5% KM (Chebyshev) UCL				274427
1247		k star				0.844		99% KM (Chebyshev) UCL				389070
1248		Theta star				96205						
1249		Nu star				13.5		Potential UCLs to Use				
1250		AppChi2				6.232		95% KM (Chebyshev) UCL				216064
1251		95% Gamma Approximate UCL				175895						
1252		95% Adjusted Gamma UCL				217577						
1253	Note: DL/2 is not a recommended method.											
1254												
1255												
1256	Total PCBs, Adjusted											
1257												
1258						General Statistics						
1259		Number of Valid Data				8		Number of Detected Data				8
1260		Number of Distinct Detected Data				8		Number of Non-Detect Data				0
1261		Number of Missing Values				18		Percent Non-Detects				0.00%
1262												
1263		Raw Statistics						Log-transformed Statistics				
1264		Minimum Detected				18221		Minimum Detected				9.81
1265		Maximum Detected				243516		Maximum Detected				12.4
1266		Mean of Detected				76828		Mean of Detected				10.78
1267		SD of Detected				83672		SD of Detected				0.995
1268		Minimum Non-Detect				N/A		Minimum Non-Detect				N/A
1269		Maximum Non-Detect				N/A		Maximum Non-Detect				N/A
1270												
1271												
1272						Warning: There are only 8 Detected Values in this data						

	A	B	C	D	E	F	G	H	I	J	K	L
1273				Note: It should be noted that even though bootstrap may be performed on this data set								
1274				the resulting calculations may not be reliable enough tp draw conclusions								
1275												
1276			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1277												
1278												
1279						UCL Statistics						
1280		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1281			Shapiro Wilk Test Statistic			0.751			Shapiro Wilk Test Statistic			0.877
1282			5% Shapiro Wilk Critical Value			0.818			5% Shapiro Wilk Critical Value			0.818
1283		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1284												
1285		Assuming Normal Distribution						Assuming Lognormal Distribution				
1286			DL/2 Substitution Method						DL/2 Substitution Method			
1287				Mean		76828				Mean		10.78
1288				SD		83672				SD		0.995
1289			95% DL/2 (t) UCL			132874			95% H-Stat (DL/2) UCL			286339
1290												
1291			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1292		MLE method failed to converge properly							Mean in Log Scale			N/A
1293									SD in Log Scale			N/A
1294									Mean in Original Scale			N/A
1295									SD in Original Scale			N/A
1296									95% Percentile Bootstrap UCL			N/A
1297									95% BCA Bootstrap UCL			N/A
1298												
1299		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1300			k star (bias corrected)			0.844		Data appear Gamma Distributed at 5% Significance Level				
1301				Theta Star		91074						
1302				nu star		13.5						
1303												
1304				A-D Test Statistic		0.622			Nonparametric Statistics			
1305				5% A-D Critical Value		0.732			Kaplan-Meier (KM) Method			
1306				K-S Test Statistic		0.732				Mean		76828
1307				5% K-S Critical Value		0.3				SD		78268
1308		Data appear Gamma Distributed at 5% Significance Level							SE of Mean			29583
1309									95% KM (t) UCL			132874
1310		Assuming Gamma Distribution							95% KM (z) UCL			125487
1311		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			132874
1312				Minimum		18221			95% KM (bootstrap t) UCL			274126
1313				Maximum		243516			95% KM (BCA) UCL			128120
1314				Mean		76828			95% KM (Percentile Bootstrap) UCL			126441
1315				Median		38835			95% KM (Chebyshev) UCL			205775
1316				SD		83672			97.5% KM (Chebyshev) UCL			261571
1317				k star		0.844			99% KM (Chebyshev) UCL			371170
1318				Theta star		91074						
1319				Nu star		13.5			Potential UCLs to Use			
1320				AppChi2		6.229			95% KM (Chebyshev) UCL			205775
1321			95% Gamma Approximate UCL			166484						
1322			95% Adjusted Gamma UCL			205945						
1323	Note: DL/2 is not a recommended method.											
1324												
1325												

	A	B	C	D	E	F	G	H	I	J	K	L
1326	Tributyltin ion											
1327												
1328					General Statistics							
1329				Number of Valid Data		19			Number of Detected Data			19
1330				Number of Distinct Detected Data		17			Number of Non-Detect Data			0
1331				Number of Missing Values		28			Percent Non-Detects			0.00%
1332												
1333			Raw Statistics						Log-transformed Statistics			
1334				Minimum Detected		6.6			Minimum Detected			1.887
1335				Maximum Detected		480			Maximum Detected			6.174
1336				Mean of Detected		173			Mean of Detected			4.649
1337				SD of Detected		147.9			SD of Detected			1.2
1338				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
1339				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
1340												
1341												
1342					UCL Statistics							
1343			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1344				Shapiro Wilk Test Statistic		0.898			Shapiro Wilk Test Statistic			0.937
1345				5% Shapiro Wilk Critical Value		0.901			5% Shapiro Wilk Critical Value			0.901
1346			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1347												
1348			Assuming Normal Distribution						Assuming Lognormal Distribution			
1349				DL/2 Substitution Method					DL/2 Substitution Method			
1350				Mean		173			Mean			4.649
1351				SD		147.9			SD			1.2
1352				95% DL/2 (t) UCL		231.8			95% H-Stat (DL/2) UCL			488.4
1353												
1354				Maximum Likelihood Estimate(MLE) Method		N/A			Log ROS Method			
1355			MLE method failed to converge properly						Mean in Log Scale			N/A
1356									SD in Log Scale			N/A
1357									Mean in Original Scale			N/A
1358									SD in Original Scale			N/A
1359									95% Percentile Bootstrap UCL			N/A
1360									95% BCA Bootstrap UCL			N/A
1361												
1362			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1363				k star (bias corrected)		0.986			Data appear Gamma Distributed at 5% Significance Level			
1364				Theta Star		175.4						
1365				nu star		37.48						
1366												
1367				A-D Test Statistic		0.23			Nonparametric Statistics			
1368				5% A-D Critical Value		0.766			Kaplan-Meier (KM) Method			
1369				K-S Test Statistic		0.766			Mean			173
1370				5% K-S Critical Value		0.204			SD			143.9
1371			Data appear Gamma Distributed at 5% Significance Level						SE of Mean			33.93
1372									95% KM (t) UCL			231.8
1373			Assuming Gamma Distribution						95% KM (z) UCL			228.8
1374			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			231.8
1375				Minimum		6.6			95% KM (bootstrap t) UCL			244.2
1376				Maximum		480			95% KM (BCA) UCL			228.6
1377				Mean		173			95% KM (Percentile Bootstrap) UCL			229.4
1378				Median		150			95% KM (Chebyshev) UCL			320.9

	A	B	C	D	E	F	G	H	I	J	K	L
1379					SD	147.9			97.5% KM (Chebyshev) UCL			384.9
1380					k star	0.986			99% KM (Chebyshev) UCL			510.6
1381					Theta star	175.4						
1382					Nu star	37.48			**Potential UCLs to Use**			
1383					AppChi2	24.46			95% KM (Chebyshev) UCL			320.9
1384				95% Gamma Approximate UCL		265						
1385				95% Adjusted Gamma UCL		275.4						
1386	**Note: DL/2 is not a recommended method.**											
1387												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM5.5W.wst								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Aldrin											
10												
11						General Statistics						
12			Number of Valid Data			26			Number of Detected Data			5
13		Number of Distinct Detected Data				5			Number of Non-Detect Data			21
14			Number of Missing Values			4			Percent Non-Detects			80.77%
15												
16			Raw Statistics						Log-transformed Statistics			
17			Minimum Detected			0.0554			Minimum Detected			-2.893
18			Maximum Detected			4.65			Maximum Detected			1.537
19			Mean of Detected			1.387			Mean of Detected			-0.882
20			SD of Detected			1.98			SD of Detected			1.889
21			Minimum Non-Detect			0.0388			Minimum Non-Detect			-3.249
22			Maximum Non-Detect			1.2			Maximum Non-Detect			0.182
23												
24	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			24
25	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
26	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			92.31%
27												
28						Warning: There are only 5 Detected Values in this data						
29					Note: It should be noted that even though bootstrap may be performed on this data set							
30					the resulting calculations may not be reliable enough tp draw conclusions							
31												
32				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
33												
34												
35						UCL Statistics						
36		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
37			Shapiro Wilk Test Statistic			0.774			Shapiro Wilk Test Statistic			0.918
38			5% Shapiro Wilk Critical Value			0.762			5% Shapiro Wilk Critical Value			0.762
39		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
40												
41		Assuming Normal Distribution						Assuming Lognormal Distribution				
42			DL/2 Substitution Method						DL/2 Substitution Method			
43				Mean		0.418				Mean		-1.988
44				SD		0.943				SD		1.4
45			95% DL/2 (t) UCL			0.734			95% H-Stat (DL/2) UCL			0.633
46												
47		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
48		MLE method failed to converge properly							Mean in Log Scale			-4.456
49									SD in Log Scale			2.02
50									Mean in Original Scale			0.272
51									SD in Original Scale			0.967
52									95% Percentile Bootstrap UCL			0.626
53									95% BCA Bootstrap UCL			0.907

	A	B	C	D	E	F	G	H	I	J	K	L
54												
55	Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only				
56				k star (bias corrected)		0.342		Data appear Normal at 5% Significance Level				
57					Theta Star	4.055						
58					nu star	3.421						
59												
60				A-D Test Statistic		0.407		Nonparametric Statistics				
61				5% A-D Critical Value		0.71		Kaplan-Meier (KM) Method				
62				K-S Test Statistic		0.71					Mean	0.322
63				5% K-S Critical Value		0.371					SD	0.935
64	Data appear Gamma Distributed at 5% Significance Level										SE of Mean	0.205
65											95% KM (t) UCL	0.672
66	Assuming Gamma Distribution										95% KM (z) UCL	0.659
67	Gamma ROS Statistics using Extrapolated Data										95% KM (jackknife) UCL	0.612
68					Minimum	0.0554					95% KM (bootstrap t) UCL	3.241
69					Maximum	4.65					95% KM (BCA) UCL	2.112
70					Mean	1.387					95% KM (Percentile Bootstrap) UCL	0.85
71					Median	1.387					95% KM (Chebyshev) UCL	1.216
72					SD	0.792					97.5% KM (Chebyshev) UCL	1.604
73					k star	2.063					99% KM (Chebyshev) UCL	2.364
74					Theta star	0.672						
75					Nu star	107.3		Potential UCLs to Use				
76					AppChi2	84.37					95% KM (t) UCL	0.672
77				95% Gamma Approximate UCL		1.764					95% KM (Percentile Bootstrap) UCL	0.85
78				95% Adjusted Gamma UCL		1.792						
79	Note: DL/2 is not a recommended method.											
80												
81												
82	Arsenic											
83												
84	General Statistics											
85			Number of Valid Data			29				Number of Detected Data		25
86			Number of Distinct Detected Data			25				Number of Non-Detect Data		4
87			Number of Missing Values			2				Percent Non-Detects		13.79%
88												
89	Raw Statistics							Log-transformed Statistics				
90				Minimum Detected		2.32				Minimum Detected		0.842
91				Maximum Detected		12.5				Maximum Detected		2.526
92				Mean of Detected		4.452				Mean of Detected		1.408
93				SD of Detected		2.235				SD of Detected		0.393
94				Minimum Non-Detect		4				Minimum Non-Detect		1.386
95				Maximum Non-Detect		10				Maximum Non-Detect		2.303
96												
97	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		28
98	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1
99	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		96.55%
100												
101	UCL Statistics											
102	Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only				
103				Shapiro Wilk Test Statistic		0.745				Shapiro Wilk Test Statistic		0.912
104				5% Shapiro Wilk Critical Value		0.918				5% Shapiro Wilk Critical Value		0.918
105	Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level				
106												

	A	B	C	D	E	F	G	H	I	J	K	L
107			Assuming Normal Distribution						Assuming Lognormal Distribution			
108			DL/2 Substitution Method						DL/2 Substitution Method			
109				Mean		4.252				Mean		1.356
110				SD		2.176				SD		0.408
111			95% DL/2 (t) UCL			4.94			95% H-Stat (DL/2) UCL			4.377
112												
113			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
114			MLE method failed to converge properly						Mean in Log Scale			1.391
115									SD in Log Scale			0.369
116									Mean in Original Scale			4.34
117									SD in Original Scale			2.095
118									95% Percentile Bootstrap UCL			5.027
119									95% BCA Bootstrap UCL			5.196
120												
121			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
122			k star (bias corrected)			5.316			Data do not follow a Discernable Distribution (0.05)			
123				Theta Star		0.837						
124				nu star		265.8						
125												
126				A-D Test Statistic		1.073			Nonparametric Statistics			
127			5% A-D Critical Value			0.747			Kaplan-Meier (KM) Method			
128				K-S Test Statistic		0.747				Mean		4.335
129			5% K-S Critical Value			0.175				SD		2.085
130			Data not Gamma Distributed at 5% Significance Level						SE of Mean			0.401
131									95% KM (t) UCL			5.017
132			Assuming Gamma Distribution						95% KM (z) UCL			4.995
133			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			5.016
134				Minimum		2.32			95% KM (bootstrap t) UCL			5.389
135				Maximum		12.5			95% KM (BCA) UCL			5.051
136				Mean		4.455			95% KM (Percentile Bootstrap) UCL			5.017
137				Median		3.87			95% KM (Chebyshev) UCL			6.083
138				SD		2.081			97.5% KM (Chebyshev) UCL			6.84
139				k star		6.153			99% KM (Chebyshev) UCL			8.325
140				Theta star		0.724						
141				Nu star		356.9			Potential UCLs to Use			
142				AppChi2		314.1			95% KM (Chebyshev) UCL			6.083
143			95% Gamma Approximate UCL			5.062						
144			95% Adjusted Gamma UCL			5.101						
145	Note: DL/2 is not a recommended method.											
146												
147												
148	Benzo(a)anthracene											
149												
150						General Statistics						
151			Number of Valid Observations			31			Number of Distinct Observations			30
152												
153			Raw Statistics						Log-transformed Statistics			
154				Minimum		27			Minimum of Log Data			3.296
155				Maximum		17000			Maximum of Log Data			9.741
156				Mean		1330			Mean of log Data			6.055
157				Median		460			SD of log Data			1.498
158				SD		3086						
159			Coefficient of Variation			2.32						

	A	B	C	D	E	F	G	H	I	J	K	L
160					Skewness	4.678						
161												
162						Relevant UCL Statistics						
163			Normal Distribution Test						Lognormal Distribution Test			
164					Shapiro Wilk Test Statistic	0.417				Shapiro Wilk Test Statistic		0.98
165					Shapiro Wilk Critical Value	0.929				Shapiro Wilk Critical Value		0.929
166			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
167												
168			Assuming Normal Distribution						Assuming Lognormal Distribution			
169					95% Student's-t UCL	2271					95% H-UCL	3033
170			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		3032
171					95% Adjusted-CLT UCL	2740				97.5% Chebyshev (MVUE) UCL		3815
172					95% Modified-t UCL	2349				99% Chebyshev (MVUE) UCL		5355
173												
174			Gamma Distribution Test						Data Distribution			
175				k star (bias corrected)		0.518			Data appear Lognormal at 5% Significance Level			
176					Theta Star	2567						
177					nu star	32.14						
178			Approximate Chi Square Value (.05)			20.18			Nonparametric Statistics			
179				Adjusted Level of Significance		0.0413				95% CLT UCL		2242
180				Adjusted Chi Square Value		19.65				95% Jackknife UCL		2271
181										95% Standard Bootstrap UCL		2243
182			Anderson-Darling Test Statistic			1.262				95% Bootstrap-t UCL		4402
183			Anderson-Darling 5% Critical Value			0.805				95% Hall's Bootstrap UCL		5353
184			Kolmogorov-Smirnov Test Statistic			0.186				95% Percentile Bootstrap UCL		2366
185			Kolmogorov-Smirnov 5% Critical Value			0.166				95% BCA Bootstrap UCL		2985
186			Data not Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			3747
187									97.5% Chebyshev(Mean, Sd) UCL			4792
188			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			6846
189				95% Approximate Gamma UCL		2119						
190				95% Adjusted Gamma UCL		2176						
191												
192			Potential UCL to Use						Use 95% H-UCL			3033
193												
194												
195	Benzo(a)pyrene											
196												
197						General Statistics						
198				Number of Valid Observations		31			Number of Distinct Observations			29
199												
200			Raw Statistics						Log-transformed Statistics			
201					Minimum	36				Minimum of Log Data		3.584
202					Maximum	23000				Maximum of Log Data		10.04
203					Mean	1888				Mean of log Data		6.438
204					Median	640				SD of log Data		1.487
205					SD	4216						
206				Coefficient of Variation		2.233						
207					Skewness	4.519						
208												
209						Relevant UCL Statistics						
210			Normal Distribution Test						Lognormal Distribution Test			
211					Shapiro Wilk Test Statistic	0.434				Shapiro Wilk Test Statistic		0.978
212					Shapiro Wilk Critical Value	0.929				Shapiro Wilk Critical Value		0.929

	A	B	C	D	E	F	G	H	I	J	K	L
213	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
214												
215	Assuming Normal Distribution						Assuming Lognormal Distribution					
216	95% Student's-t UCL					3173			95% H-UCL			4340
217	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					4363
218	95% Adjusted-CLT UCL					3790	97.5% Chebyshev (MVUE) UCL					5487
219	95% Modified-t UCL					3275	99% Chebyshev (MVUE) UCL					7696
220												
221	Gamma Distribution Test						Data Distribution					
222	k star (bias corrected)					0.531	Data appear Lognormal at 5% Significance Level					
223	Theta Star					3553						
224	nu star					32.94						
225	Approximate Chi Square Value (.05)					20.82	Nonparametric Statistics					
226	Adjusted Level of Significance					0.0413			95% CLT UCL			3133
227	Adjusted Chi Square Value					20.28			95% Jackknife UCL			3173
228									95% Standard Bootstrap UCL			3111
229	Anderson-Darling Test Statistic					1.249			95% Bootstrap-t UCL			5767
230	Anderson-Darling 5% Critical Value					0.804			95% Hall's Bootstrap UCL			7553
231	Kolmogorov-Smirnov Test Statistic					0.209			95% Percentile Bootstrap UCL			3211
232	Kolmogorov-Smirnov 5% Critical Value					0.166			95% BCA Bootstrap UCL			4217
233	Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL			5188
234									97.5% Chebyshev(Mean, Sd) UCL			6616
235	Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL			9422
236	95% Approximate Gamma UCL					2987						
237	95% Adjusted Gamma UCL					3066						
238												
239	Potential UCL to Use								Use 95% H-UCL			4340
240												
241												
242	Benzo(b)fluoranthene											
243												
244	General Statistics											
245	Number of Valid Observations					31			Number of Distinct Observations			26
246												
247	Raw Statistics						Log-transformed Statistics					
248	Minimum					37			Minimum of Log Data			3.611
249	Maximum					20000			Maximum of Log Data			9.903
250	Mean					1535			Mean of log Data			6.294
251	Median					820			SD of log Data			1.405
252	SD					3599						
253	Coefficient of Variation					2.344						
254	Skewness					4.824						
255												
256	Relevant UCL Statistics											
257	Normal Distribution Test						Lognormal Distribution Test					
258	Shapiro Wilk Test Statistic					0.394			Shapiro Wilk Test Statistic			0.972
259	Shapiro Wilk Critical Value					0.929			Shapiro Wilk Critical Value			0.929
260	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
261												
262	Assuming Normal Distribution						Assuming Lognormal Distribution					
263	95% Student's-t UCL					2632			95% H-UCL			3094
264	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					3250
265	95% Adjusted-CLT UCL					3197	97.5% Chebyshev (MVUE) UCL					4063

	A	B	C	D	E	F	G	H	I	J	K	L
266				95% Modified-t UCL		2725				99% Chebyshev (MVUE) UCL		5661
267												
268			Gamma Distribution Test						Data Distribution			
269			k star (bias corrected)			0.558			Data appear Lognormal at 5% Significance Level			
270			Theta Star			2752						
271			nu star			34.59						
272			Approximate Chi Square Value (.05)			22.13			Nonparametric Statistics			
273			Adjusted Level of Significance			0.0413				95% CLT UCL		2598
274			Adjusted Chi Square Value			21.58				95% Jackknife UCL		2632
275										95% Standard Bootstrap UCL		2591
276			Anderson-Darling Test Statistic			1.408				95% Bootstrap-t UCL		5222
277			Anderson-Darling 5% Critical Value			0.802				95% Hall's Bootstrap UCL		6419
278			Kolmogorov-Smirnov Test Statistic			0.224				95% Percentile Bootstrap UCL		2767
279			Kolmogorov-Smirnov 5% Critical Value			0.166				95% BCA Bootstrap UCL		3565
280		Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		4352
281										97.5% Chebyshev(Mean, Sd) UCL		5572
282			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		7966
283			95% Approximate Gamma UCL			2399						
284			95% Adjusted Gamma UCL			2460						
285												
286			Potential UCL to Use							Use 95% H-UCL		3094
287												
288												
289	Benzo(k)fluoranthene											
290												
291					General Statistics							
292			Number of Valid Observations			31			Number of Distinct Observations			27
293												
294			Raw Statistics						Log-transformed Statistics			
295			Minimum			13			Minimum of Log Data			2.565
296			Maximum			6000			Maximum of Log Data			8.7
297			Mean			747.5			Mean of log Data			5.59
298			Median			260			SD of log Data			1.533
299			SD			1248						
300			Coefficient of Variation			1.67						
301			Skewness			3.054						
302												
303					Relevant UCL Statistics							
304			Normal Distribution Test						Lognormal Distribution Test			
305			Shapiro Wilk Test Statistic			0.599			Shapiro Wilk Test Statistic			0.96
306			Shapiro Wilk Critical Value			0.929			Shapiro Wilk Critical Value			0.929
307		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
308												
309			Assuming Normal Distribution						Assuming Lognormal Distribution			
310			95% Student's-t UCL			1128				95% H-UCL		2077
311		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			2033
312			95% Adjusted-CLT UCL			1248				97.5% Chebyshev (MVUE) UCL		2564
313			95% Modified-t UCL			1148				99% Chebyshev (MVUE) UCL		3608
314												
315			Gamma Distribution Test						Data Distribution			
316			k star (bias corrected)			0.565			Data appear Lognormal at 5% Significance Level			
317			Theta Star			1323						
318			nu star			35.02						

	A	B	C	D	E	F	G	H	I	J	K	L
319			Approximate Chi Square Value (.05)			22.48			Nonparametric Statistics			
320			Adjusted Level of Significance			0.0413				95% CLT UCL		1116
321			Adjusted Chi Square Value			21.92				95% Jackknife UCL		1128
322										95% Standard Bootstrap UCL		1106
323			Anderson-Darling Test Statistic			1.097				95% Bootstrap-t UCL		1545
324			Anderson-Darling 5% Critical Value			0.801				95% Hall's Bootstrap UCL		2798
325			Kolmogorov-Smirnov Test Statistic			0.217				95% Percentile Bootstrap UCL		1134
326			Kolmogorov-Smirnov 5% Critical Value			0.166				95% BCA Bootstrap UCL		1250
327		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			1725
328									97.5% Chebyshev(Mean, Sd) UCL			2147
329			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			2978
330			95% Approximate Gamma UCL			1164						
331			95% Adjusted Gamma UCL			1194						
332												
333			Potential UCL to Use						Use 95% Chebyshev (MVUE) UCL			2033
334												
335												
336	Bis(2-ethylhexyl) phthalate											
337												
338					General Statistics							
339			Number of Valid Data			29				Number of Detected Data		10
340			Number of Distinct Detected Data			7				Number of Non-Detect Data		19
341			Number of Missing Values			2				Percent Non-Detects		65.52%
342												
343			Raw Statistics						Log-transformed Statistics			
344			Minimum Detected			82				Minimum Detected		4.407
345			Maximum Detected			210				Maximum Detected		5.347
346			Mean of Detected			131				Mean of Detected		4.838
347			SD of Detected			38.38				SD of Detected		0.288
348			Minimum Non-Detect			9.9				Minimum Non-Detect		2.293
349			Maximum Non-Detect			200				Maximum Non-Detect		5.298
350												
351	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			28
352	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
353	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			96.55%
354												
355					UCL Statistics							
356		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
357			Shapiro Wilk Test Statistic			0.933				Shapiro Wilk Test Statistic		0.96
358			5% Shapiro Wilk Critical Value			0.842				5% Shapiro Wilk Critical Value		0.842
359		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
360												
361		Assuming Normal Distribution						Assuming Lognormal Distribution				
362			DL/2 Substitution Method							DL/2 Substitution Method		
363			Mean			74.46				Mean		3.993
364			SD			51.6				SD		0.93
365			95% DL/2 (t) UCL			90.76				95% H-Stat (DL/2) UCL		107.2
366												
367			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
368		MLE method failed to converge properly							Mean in Log Scale			4.389
369										SD in Log Scale		0.381
370										Mean in Original Scale		87.16
371										SD in Original Scale		39.5

	A	B	C	D	E	F	G	H	I	J	K	L
372									95% Percentile Bootstrap UCL			99.49
373									95% BCA Bootstrap UCL			101.1
374												
375		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
376				k star (bias corrected)		9.51		Data appear Normal at 5% Significance Level				
377				Theta Star		13.77						
378				nu star		190.2						
379												
380				A-D Test Statistic		0.279		Nonparametric Statistics				
381				5% A-D Critical Value		0.725		Kaplan-Meier (KM) Method				
382				K-S Test Statistic		0.725					Mean	100.5
383				5% K-S Critical Value		0.266					SD	31.7
384		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	6.376
385											95% KM (t) UCL	111.3
386		Assuming Gamma Distribution									95% KM (z) UCL	111
387		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	109.7
388					Minimum	82					95% KM (bootstrap t) UCL	113.2
389					Maximum	210					95% KM (BCA) UCL	131.5
390					Mean	131.9				95% KM (Percentile Bootstrap) UCL		120
391					Median	130					95% KM (Chebyshev) UCL	128.3
392					SD	27.25					97.5% KM (Chebyshev) UCL	140.3
393					k star	22.5					99% KM (Chebyshev) UCL	163.9
394					Theta star	5.862						
395					Nu star	1305		Potential UCLs to Use				
396					AppChi2	1222					95% KM (t) UCL	111.3
397				95% Gamma Approximate UCL		140.8				95% KM (Percentile Bootstrap) UCL		120
398				95% Adjusted Gamma UCL		141.4						
399	Note: DL/2 is not a recommended method.											
400												
401												
402	Dibenzo(a,h)anthracene											
403												
404					General Statistics							
405			Number of Valid Observations			31				Number of Distinct Observations		27
406												
407			Raw Statistics					Log-transformed Statistics				
408					Minimum	4.8				Minimum of Log Data		1.569
409					Maximum	1500				Maximum of Log Data		7.313
410					Mean	169.5				Mean of log Data		4.301
411					Median	86				SD of log Data		1.324
412					SD	288.9						
413				Coefficient of Variation		1.705						
414					Skewness	3.664						
415												
416					Relevant UCL Statistics							
417			Normal Distribution Test					Lognormal Distribution Test				
418				Shapiro Wilk Test Statistic		0.547				Shapiro Wilk Test Statistic		0.972
419				Shapiro Wilk Critical Value		0.929				Shapiro Wilk Critical Value		0.929
420		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
421												
422		Assuming Normal Distribution						Assuming Lognormal Distribution				
423				95% Student's-t UCL		257.5				95% H-UCL		351.6
424		95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL		383.3

	A	B	C	D	E	F	G	H	I	J	K	L
425				95% Adjusted-CLT UCL		291.3			97.5% Chebyshev (MVUE) UCL			476.2
426				95% Modified-t UCL		263.2			99% Chebyshev (MVUE) UCL			658.7
427												
428			Gamma Distribution Test						Data Distribution			
429				k star (bias corrected)		0.675			Data appear Lognormal at 5% Significance Level			
430				Theta Star		251						
431				nu star		41.85						
432			Approximate Chi Square Value (.05)			28.03			Nonparametric Statistics			
433			Adjusted Level of Significance			0.0413			95% CLT UCL			254.8
434			Adjusted Chi Square Value			27.4			95% Jackknife UCL			257.5
435									95% Standard Bootstrap UCL			254.2
436			Anderson-Darling Test Statistic			1.026			95% Bootstrap-t UCL			366.7
437			Anderson-Darling 5% Critical Value			0.79			95% Hall's Bootstrap UCL			585.1
438			Kolmogorov-Smirnov Test Statistic			0.179			95% Percentile Bootstrap UCL			263.3
439			Kolmogorov-Smirnov 5% Critical Value			0.164			95% BCA Bootstrap UCL			311.7
440		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			395.6
441									97.5% Chebyshev(Mean, Sd) UCL			493.4
442			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			685.7
443			95% Approximate Gamma UCL			253.1						
444			95% Adjusted Gamma UCL			258.9						
445												
446			Potential UCL to Use						Use 95% H-UCL			351.6
447												
448												
449	Dieldrin											
450												
451					General Statistics							
452			Number of Valid Data			24			Number of Detected Data			7
453			Number of Distinct Detected Data			7			Number of Non-Detect Data			17
454			Number of Missing Values			3			Percent Non-Detects			70.83%
455												
456			Raw Statistics						Log-transformed Statistics			
457			Minimum Detected			0.102			Minimum Detected			-2.283
458			Maximum Detected			1.45			Maximum Detected			0.372
459			Mean of Detected			0.621			Mean of Detected			-0.836
460			SD of Detected			0.547			SD of Detected			0.949
461			Minimum Non-Detect			0.0525			Minimum Non-Detect			-2.947
462			Maximum Non-Detect			1			Maximum Non-Detect			0
463												
464	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			22
465	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
466	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			91.67%
467												
468					Warning: There are only 7 Detected Values in this data							
469					Note: It should be noted that even though bootstrap may be performed on this data set							
470					the resulting calculations may not be reliable enough tp draw conclusions							
471												
472				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
473												
474												
475					UCL Statistics							
476		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
477			Shapiro Wilk Test Statistic			0.8			Shapiro Wilk Test Statistic			0.936

	A	B	C	D	E	F	G	H	I	J	K	L
478				5% Shapiro Wilk Critical Value		0.803				5% Shapiro Wilk Critical Value		0.803
479		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
480												
481		Assuming Normal Distribution						Assuming Lognormal Distribution				
482				DL/2 Substitution Method						DL/2 Substitution Method		
483					Mean	0.313					Mean	-1.783
484					SD	0.375					SD	1.193
485				95% DL/2 (t) UCL		0.444				95% H-Stat (DL/2) UCL		0.59
486												
487			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
488		MLE method failed to converge properly								Mean in Log Scale		-2.448
489										SD in Log Scale		1.225
490										Mean in Original Scale		0.217
491										SD in Original Scale		0.386
492										95% Percentile Bootstrap UCL		0.358
493										95% BCA Bootstrap UCL		0.395
494												
495		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
496				k star (bias corrected)		0.974		Data appear Gamma Distributed at 5% Significance Level				
497				Theta Star		0.637						
498				nu star		13.64						
499												
500				A-D Test Statistic		0.411		Nonparametric Statistics				
501				5% A-D Critical Value		0.721				Kaplan-Meier (KM) Method		
502				K-S Test Statistic		0.721					Mean	0.269
503				5% K-S Critical Value		0.317					SD	0.36
504		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.0807
505										95% KM (t) UCL		0.408
506		Assuming Gamma Distribution								95% KM (z) UCL		0.402
507		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.386
508					Minimum	0.102				95% KM (bootstrap t) UCL		0.498
509					Maximum	1.629				95% KM (BCA) UCL		0.56
510					Mean	0.68				95% KM (Percentile Bootstrap) UCL		0.501
511					Median	0.551				95% KM (Chebyshev) UCL		0.621
512					SD	0.381				97.5% KM (Chebyshev) UCL		0.773
513					k star	2.901				99% KM (Chebyshev) UCL		1.072
514					Theta star	0.234						
515					Nu star	139.3		Potential UCLs to Use				
516					AppChi2	113				95% KM (t) UCL		0.408
517				95% Gamma Approximate UCL		0.838						
518				95% Adjusted Gamma UCL		0.851						
519	Note: DL/2 is not a recommended method.											
520												
521												
522	Indeno(1,2,3-cd)pyrene											
523												
524						General Statistics						
525				Number of Valid Observations		31				Number of Distinct Observations		28
526												
527		Raw Statistics						Log-transformed Statistics				
528					Minimum	28				Minimum of Log Data		3.332
529					Maximum	17000				Maximum of Log Data		9.741
530					Mean	1483				Mean of log Data		6.182

	A	B	C	D	E	F	G	H	I	J	K	L
531					Median	440				SD of log Data		1.504
532					SD	3187						
533				Coefficient of Variation		2.149						
534					Skewness	4.237						
535												
536						Relevant UCL Statistics						
537			Normal Distribution Test						Lognormal Distribution Test			
538			Shapiro Wilk Test Statistic			0.461			Shapiro Wilk Test Statistic			0.982
539			Shapiro Wilk Critical Value			0.929			Shapiro Wilk Critical Value			0.929
540		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
541												
542			Assuming Normal Distribution						Assuming Lognormal Distribution			
543				95% Student's-t UCL		2454				95% H-UCL		3498
544		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			3483
545				95% Adjusted-CLT UCL		2889			97.5% Chebyshev (MVUE) UCL			4385
546				95% Modified-t UCL		2527			99% Chebyshev (MVUE) UCL			6158
547												
548			Gamma Distribution Test						Data Distribution			
549			k star (bias corrected)			0.525		Data appear Lognormal at 5% Significance Level				
550				Theta Star		2822						
551				nu star		32.58						
552		Approximate Chi Square Value (.05)				20.53			Nonparametric Statistics			
553		Adjusted Level of Significance				0.0413				95% CLT UCL		2424
554		Adjusted Chi Square Value				20				95% Jackknife UCL		2454
555									95% Standard Bootstrap UCL			2420
556		Anderson-Darling Test Statistic				1.185				95% Bootstrap-t UCL		4288
557		Anderson-Darling 5% Critical Value				0.805				95% Hall's Bootstrap UCL		6021
558		Kolmogorov-Smirnov Test Statistic				0.206			95% Percentile Bootstrap UCL			2497
559		Kolmogorov-Smirnov 5% Critical Value				0.166				95% BCA Bootstrap UCL		3054
560		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			3977
561									97.5% Chebyshev(Mean, Sd) UCL			5057
562			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			7177
563			95% Approximate Gamma UCL			2352						
564			95% Adjusted Gamma UCL			2415						
565												
566			Potential UCL to Use						Use 95% Chebyshev (MVUE) UCL			3483
567												
568												
569	Lead											
570												
571						General Statistics						
572			Number of Valid Data			29			Number of Detected Data			29
573		Number of Distinct Detected Data				27			Number of Non-Detect Data			0
574			Number of Missing Values			2			Percent Non-Detects			0.00%
575												
576			Raw Statistics						Log-transformed Statistics			
577			Minimum Detected			9			Minimum Detected			2.197
578			Maximum Detected			36.6			Maximum Detected			3.6
579			Mean of Detected			19.96			Mean of Detected			2.905
580			SD of Detected			8.296			SD of Detected			0.437
581			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
582			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
583												

	A	B	C	D	E	F	G	H	I	J	K	L
584												
585					UCL Statistics							
586		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
587				Shapiro Wilk Test Statistic		0.939				Shapiro Wilk Test Statistic		0.94
588				5% Shapiro Wilk Critical Value		0.926				5% Shapiro Wilk Critical Value		0.926
589		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
590												
591		Assuming Normal Distribution						Assuming Lognormal Distribution				
592				DL/2 Substitution Method						DL/2 Substitution Method		
593					Mean	19.96				Mean		2.905
594					SD	8.296				SD		0.437
595				95% DL/2 (t) UCL		22.58				95% H-Stat (DL/2) UCL		23.49
596												
597			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
598		MLE method failed to converge properly								Mean in Log Scale		N/A
599										SD in Log Scale		N/A
600										Mean in Original Scale		N/A
601										SD in Original Scale		N/A
602										95% Percentile Bootstrap UCL		N/A
603										95% BCA Bootstrap UCL		N/A
604												
605		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
606				k star (bias corrected)		5.229		Data appear Normal at 5% Significance Level				
607				Theta Star		3.817						
608				nu star		303.3						
609												
610				A-D Test Statistic		0.412		Nonparametric Statistics				
611				5% A-D Critical Value		0.747		Kaplan-Meier (KM) Method				
612				K-S Test Statistic		0.747				Mean		19.96
613				5% K-S Critical Value		0.163				SD		8.151
614		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		1.54
615										95% KM (t) UCL		22.58
616		Assuming Gamma Distribution								95% KM (z) UCL		22.49
617		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		22.58
618					Minimum	9				95% KM (bootstrap t) UCL		22.8
619					Maximum	36.6				95% KM (BCA) UCL		22.68
620					Mean	19.96			95% KM (Percentile Bootstrap) UCL			22.38
621					Median	19.3				95% KM (Chebyshev) UCL		26.67
622					SD	8.296				97.5% KM (Chebyshev) UCL		29.58
623					k star	5.229				99% KM (Chebyshev) UCL		35.29
624					Theta star	3.817						
625					Nu star	303.3		Potential UCLs to Use				
626					AppChi2	264				95% KM (t) UCL		22.58
627			95% Gamma Approximate UCL			22.93			95% KM (Percentile Bootstrap) UCL			22.38
628			95% Adjusted Gamma UCL			23.13						
629	Note: DL/2 is not a recommended method.											
630												
631												
632	Mercury											
633												
634					General Statistics							
635				Number of Valid Data		29				Number of Detected Data		28
636				Number of Distinct Detected Data		24				Number of Non-Detect Data		1

	A	B	C	D	E	F	G	H	I	J	K	L
637				Number of Missing Values		2				Percent Non-Detects		3.45%
638												
639				Raw Statistics						Log-transformed Statistics		
640				Minimum Detected		0.013				Minimum Detected		-4.343
641				Maximum Detected		0.172				Maximum Detected		-1.76
642				Mean of Detected		0.069				Mean of Detected		-2.84
643				SD of Detected		0.0385				SD of Detected		0.627
644				Minimum Non-Detect		0.08				Minimum Non-Detect		-2.526
645				Maximum Non-Detect		0.08				Maximum Non-Detect		-2.526
646												
647												
648						UCL Statistics						
649			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
650				Shapiro Wilk Test Statistic		0.936				Shapiro Wilk Test Statistic		0.955
651				5% Shapiro Wilk Critical Value		0.924				5% Shapiro Wilk Critical Value		0.924
652			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
653												
654				Assuming Normal Distribution						Assuming Lognormal Distribution		
655				DL/2 Substitution Method						DL/2 Substitution Method		
656				Mean		0.068				Mean		-2.853
657				SD		0.0382				SD		0.62
658				95% DL/2 (t) UCL		0.0801				95% H-Stat (DL/2) UCL		0.0883
659												
660				Maximum Likelihood Estimate(MLE) Method						Log ROS Method		
661				Mean		0.0593				Mean in Log Scale		-2.851
662				SD		0.0486				SD in Log Scale		0.619
663				95% MLE (t) UCL		0.0746				Mean in Original Scale		0.0681
664				95% MLE (Tiku) UCL		0.0835				SD in Original Scale		0.0381
665										95% Percentile Bootstrap UCL		0.0796
666										95% BCA Bootstrap UCL		0.0805
667												
668			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
669				k star (bias corrected)		2.836			Data appear Normal at 5% Significance Level			
670				Theta Star		0.0243						
671				nu star		158.8						
672												
673				A-D Test Statistic		0.248			Nonparametric Statistics			
674				5% A-D Critical Value		0.753				Kaplan-Meier (KM) Method		
675				K-S Test Statistic		0.753				Mean		0.0683
676				5% K-S Critical Value		0.167				SD		0.0375
677			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		0.00713
678										95% KM (t) UCL		0.0804
679				Assuming Gamma Distribution						95% KM (z) UCL		0.08
680				Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL		0.0804
681				Minimum		0.013				95% KM (bootstrap t) UCL		0.0824
682				Maximum		0.172				95% KM (BCA) UCL		0.0804
683				Mean		0.0686				95% KM (Percentile Bootstrap) UCL		0.0798
684				Median		0.061				95% KM (Chebyshev) UCL		0.0993
685				SD		0.0379				97.5% KM (Chebyshev) UCL		0.113
686				k star		2.932				99% KM (Chebyshev) UCL		0.139
687				Theta star		0.0234						
688				Nu star		170.1			Potential UCLs to Use			
689				AppChi2		140.9				95% KM (t) UCL		0.0804

	A	B	C	D	E	F	G	H	I	J	K	L
690				95% Gamma Approximate UCL		0.0828			95% KM (Percentile Bootstrap) UCL			0.0798
691				95% Adjusted Gamma UCL		0.0837						
692	Note: DL/2 is not a recommended method.											
693												
694												
695	Naphthalene											
696												
697					General Statistics							
698				Number of Valid Data		31			Number of Detected Data			27
699			Number of Distinct Detected Data			25			Number of Non-Detect Data			4
700									Percent Non-Detects			12.90%
701												
702				Raw Statistics					Log-transformed Statistics			
703				Minimum Detected		4.2			Minimum Detected			1.435
704				Maximum Detected		940			Maximum Detected			6.846
705				Mean of Detected		134.4			Mean of Detected			4.239
706				SD of Detected		198.5			SD of Detected			1.138
707				Minimum Non-Detect		0.58			Minimum Non-Detect			-0.545
708				Maximum Non-Detect		21			Maximum Non-Detect			3.045
709												
710	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			7
711	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			24
712	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			22.58%
713												
714					UCL Statistics							
715		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
716				Shapiro Wilk Test Statistic		0.596			Shapiro Wilk Test Statistic			0.939
717				5% Shapiro Wilk Critical Value		0.923			5% Shapiro Wilk Critical Value			0.923
718		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
719												
720		Assuming Normal Distribution							Assuming Lognormal Distribution			
721				DL/2 Substitution Method					DL/2 Substitution Method			
722				Mean		117.6			Mean			3.787
723				SD		190			SD			1.663
724				95% DL/2 (t) UCL		175.5			95% H-Stat (DL/2) UCL			347
725												
726		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
727				Mean		85.64			Mean in Log Scale			3.935
728				SD		220.9			SD in Log Scale			1.332
729				95% MLE (t) UCL		153			Mean in Original Scale			118
730				95% MLE (Tiku) UCL		152.7			SD in Original Scale			189.8
731									95% Percentile Bootstrap UCL			178.1
732									95% BCA Bootstrap UCL			193.4
733												
734		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
735				k star (bias corrected)		0.811		Data appear Lognormal at 5% Significance Level				
736				Theta Star		165.8						
737				nu star		43.79						
738												
739				A-D Test Statistic		1.77			Nonparametric Statistics			
740				5% A-D Critical Value		0.778			Kaplan-Meier (KM) Method			
741				K-S Test Statistic		0.778			Mean			117.8
742				5% K-S Critical Value		0.174			SD			186.8

	A	B	C	D	E	F	G	H	I	J	K	L
743	**Data not Gamma Distributed at 5% Significance Level**									SE of Mean		34.2
744										95% KM (t) UCL		175.8
745	**Assuming Gamma Distribution**									95% KM (z) UCL		174
746	Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL		174.5
747					Minimum	1E-09				95% KM (bootstrap t) UCL		227.7
748					Maximum	940				95% KM (BCA) UCL		187.6
749					Mean	117.1				95% KM (Percentile Bootstrap) UCL		174.9
750					Median	53				95% KM (Chebyshev) UCL		266.8
751					SD	190.3				97.5% KM (Chebyshev) UCL		331.3
752					k star	0.199				99% KM (Chebyshev) UCL		458
753					Theta star	587.1						
754					Nu star	12.36				**Potential UCLs to Use**		
755					AppChi2	5.467				97.5% KM (Chebyshev) UCL		331.3
756	95% Gamma Approximate UCL					264.7						
757	95% Adjusted Gamma UCL					277.6						
758	Note: DL/2 is not a recommended method.											
759												
760												
761	Total Aroclors											
762												
763	**General Statistics**											
764	Number of Valid Data					29				Number of Detected Data		17
765	Number of Distinct Detected Data					17				Number of Non-Detect Data		12
766	Number of Missing Values					2				Percent Non-Detects		41.38%
767												
768	**Raw Statistics**							**Log-transformed Statistics**				
769	Minimum Detected					6.692				Minimum Detected		1.901
770	Maximum Detected					244.9				Maximum Detected		5.501
771	Mean of Detected					48.67				Mean of Detected		3.346
772	SD of Detected					61.28				SD of Detected		1.033
773	Minimum Non-Detect					3.31				Minimum Non-Detect		1.197
774	Maximum Non-Detect					39				Maximum Non-Detect		3.664
775												
776	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		24
777	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		5
778	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		82.76%
779												
780	**UCL Statistics**											
781	**Normal Distribution Test with Detected Values Only**							**Lognormal Distribution Test with Detected Values Only**				
782	Shapiro Wilk Test Statistic					0.678				Shapiro Wilk Test Statistic		0.951
783	5% Shapiro Wilk Critical Value					0.892				5% Shapiro Wilk Critical Value		0.892
784	**Data not Normal at 5% Significance Level**							**Data appear Lognormal at 5% Significance Level**				
785												
786	**Assuming Normal Distribution**							**Assuming Lognormal Distribution**				
787	DL/2 Substitution Method									DL/2 Substitution Method		
788	Mean					32.35				Mean		2.692
789	SD					50.61				SD		1.296
790	95% DL/2 (t) UCL					48.34				95% H-Stat (DL/2) UCL		39.39
791												
792	Maximum Likelihood Estimate(MLE) Method					N/A				Log ROS Method		
793	**MLE yields a negative mean**									Mean in Log Scale		2.607
794										SD in Log Scale		1.257
795										Mean in Original Scale		30.99

	A	B	C	D	E	F	G	H	I	J	K	L
796											SD in Original Scale	51.12
797											95% Percentile Bootstrap UCL	48.08
798											95% BCA Bootstrap UCL	53.48
799												
800			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
801					k star (bias corrected)	0.915		Data appear Gamma Distributed at 5% Significance Level				
802					Theta Star	53.2						
803					nu star	31.1						
804												
805					A-D Test Statistic	0.697			Nonparametric Statistics			
806					5% A-D Critical Value	0.765			Kaplan-Meier (KM) Method			
807					K-S Test Statistic	0.765					Mean	32.58
808					5% K-S Critical Value	0.215					SD	49.59
809			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	9.527
810											95% KM (t) UCL	48.79
811			Assuming Gamma Distribution								95% KM (z) UCL	48.25
812			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	48.35
813					Minimum	2.764					95% KM (bootstrap t) UCL	66.71
814					Maximum	244.9					95% KM (BCA) UCL	51.32
815					Mean	40.64					95% KM (Percentile Bootstrap) UCL	49.64
816					Median	24.47					95% KM (Chebyshev) UCL	74.11
817					SD	51.48					97.5% KM (Chebyshev) UCL	92.08
818					k star	0.809					99% KM (Chebyshev) UCL	127.4
819					Theta star	50.22						
820					Nu star	46.93			Potential UCLs to Use			
821					AppChi2	32.21					95% KM (BCA) UCL	51.32
822				95% Gamma Approximate UCL		59.21						
823				95% Adjusted Gamma UCL		60.58						
824	Note: DL/2 is not a recommended method.											
825												
826												
827	Total DDT											
828												
829							General Statistics					
830				Number of Valid Data		28				Number of Detected Data		27
831			Number of Distinct Detected Data			27				Number of Non-Detect Data		1
832				Number of Missing Values		2				Percent Non-Detects		3.57%
833												
834			Raw Statistics						Log-transformed Statistics			
835					Minimum Detected	0.271				Minimum Detected		-1.306
836					Maximum Detected	275.6				Maximum Detected		5.619
837					Mean of Detected	19.88				Mean of Detected		1.785
838					SD of Detected	52.21				SD of Detected		1.513
839				Minimum Non-Detect		0.68				Minimum Non-Detect		-0.386
840				Maximum Non-Detect		0.68				Maximum Non-Detect		-0.386
841												
842												
843							UCL Statistics					
844			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
845				Shapiro Wilk Test Statistic		0.353				Shapiro Wilk Test Statistic		0.983
846				5% Shapiro Wilk Critical Value		0.923				5% Shapiro Wilk Critical Value		0.923
847			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
848												

	A	B	C	D	E	F	G	H	I	J	K	L
849					Assuming Normal Distribution				Assuming Lognormal Distribution			
850					DL/2 Substitution Method				DL/2 Substitution Method			
851					Mean	19.18			Mean			1.682
852					SD	51.37			SD			1.58
853					95% DL/2 (t) UCL	35.72			95% H-Stat (DL/2) UCL			43.74
854												
855					Maximum Likelihood Estimate(MLE) Method				Log ROS Method			
856					Mean	15.11			Mean in Log Scale			1.685
857					SD	54.16			SD in Log Scale			1.575
858					95% MLE (t) UCL	32.54			Mean in Original Scale			19.18
859					95% MLE (Tiku) UCL	31.24			SD in Original Scale			51.37
860									95% Percentile Bootstrap UCL			37.99
861									95% BCA Bootstrap UCL			49.8
862												
863			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
864					k star (bias corrected)	0.49		Data Follow Appr. Gamma Distribution at 5% Significance Level				
865					Theta Star	40.57						
866					nu star	26.46						
867												
868					A-D Test Statistic	1.282			Nonparametric Statistics			
869					5% A-D Critical Value	0.805			Kaplan-Meier (KM) Method			
870					K-S Test Statistic	0.805			Mean			19.18
871					5% K-S Critical Value	0.178			SD			50.44
872		Data follow Appr. Gamma Distribution at 5% Significance Level							SE of Mean			9.714
873									95% KM (t) UCL			35.73
874			Assuming Gamma Distribution						95% KM (z) UCL			35.16
875		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			35.72
876					Minimum	1E-09			95% KM (bootstrap t) UCL			86.6
877					Maximum	275.6			95% KM (BCA) UCL			39.34
878					Mean	19.17			95% KM (Percentile Bootstrap) UCL			37.49
879					Median	4.741			95% KM (Chebyshev) UCL			61.52
880					SD	51.37			97.5% KM (Chebyshev) UCL			79.85
881					k star	0.329			99% KM (Chebyshev) UCL			115.8
882					Theta star	58.21						
883					Nu star	18.44			Potential UCLs to Use			
884					AppChi2	9.711			95% KM (Chebyshev) UCL			61.52
885			95% Gamma Approximate UCL			36.4						
886			95% Adjusted Gamma UCL			37.93						
887	Note: DL/2 is not a recommended method.											
888												
889												
890	Tributyltin ion											
891												
892					General Statistics							
893			Number of Valid Data			17			Number of Detected Data			16
894		Number of Distinct Detected Data				16			Number of Non-Detect Data			1
895			Number of Missing Values			14			Percent Non-Detects			5.88%
896												
897			Raw Statistics						Log-transformed Statistics			
898					Minimum Detected	0.49			Minimum Detected			-0.713
899					Maximum Detected	91			Maximum Detected			4.511
900					Mean of Detected	18.28			Mean of Detected			2.032
901					SD of Detected	25.06			SD of Detected			1.489

	A	B	C	D	E	F	G	H	I	J	K	L
902				Minimum Non-Detect		5.8				Minimum Non-Detect		1.758
903				Maximum Non-Detect		5.8				Maximum Non-Detect		1.758
904												
905												
906						UCL Statistics						
907			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
908				Shapiro Wilk Test Statistic		0.713				Shapiro Wilk Test Statistic		0.971
909				5% Shapiro Wilk Critical Value		0.887				5% Shapiro Wilk Critical Value		0.887
910			Data not Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
911												
912			Assuming Normal Distribution					Assuming Lognormal Distribution				
913				DL/2 Substitution Method						DL/2 Substitution Method		
914					Mean	17.38				Mean		1.975
915					SD	24.55				SD		1.461
916				95% DL/2 (t) UCL		27.77				95% H-Stat (DL/2) UCL		61.21
917												
918			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
919					Mean	4.867				Mean in Log Scale		1.958
920					SD	36.57				SD in Log Scale		1.474
921				95% MLE (t) UCL		20.35				Mean in Original Scale		17.33
922				95% MLE (Tiku) UCL		23.42				SD in Original Scale		24.58
923										95% Percentile Bootstrap UCL		27.59
924										95% BCA Bootstrap UCL		29.6
925												
926			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
927				k star (bias corrected)		0.604		Data appear Gamma Distributed at 5% Significance Level				
928				Theta Star		30.25						
929				nu star		19.34						
930												
931				A-D Test Statistic		0.345		Nonparametric Statistics				
932				5% A-D Critical Value		0.78				Kaplan-Meier (KM) Method		
933				K-S Test Statistic		0.78				Mean		17.37
934				5% K-S Critical Value		0.224				SD		23.82
935			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		5.969
936										95% KM (t) UCL		27.79
937			Assuming Gamma Distribution							95% KM (z) UCL		27.19
938			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		27.77
939					Minimum	1E-09				95% KM (bootstrap t) UCL		36.39
940					Maximum	91				95% KM (BCA) UCL		29.11
941					Mean	17.2				95% KM (Percentile Bootstrap) UCL		26.99
942					Median	6.3				95% KM (Chebyshev) UCL		43.39
943					SD	24.67				97.5% KM (Chebyshev) UCL		54.65
944					k star	0.301				99% KM (Chebyshev) UCL		76.76
945					Theta star	57.22						
946					Nu star	10.22		Potential UCLs to Use				
947					AppChi2	4.082				95% KM (Chebyshev) UCL		43.39
948			95% Gamma Approximate UCL			43.09						
949			95% Adjusted Gamma UCL			47.75						
950	Note: DL/2 is not a recommended method.											
951												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM6.0E.wst								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Aldrin											
10												
11						General Statistics						
12				Number of Valid Data		18				Number of Detected Data		5
13			Number of Distinct Detected Data			5				Number of Non-Detect Data		13
14				Number of Missing Values		2				Percent Non-Detects		72.22%
15												
16			Raw Statistics						Log-transformed Statistics			
17				Minimum Detected		0.311				Minimum Detected		-1.168
18				Maximum Detected		1.71				Maximum Detected		0.536
19				Mean of Detected		0.799				Mean of Detected		-0.387
20				SD of Detected		0.542				SD of Detected		0.627
21				Minimum Non-Detect		0.0306				Minimum Non-Detect		-3.487
22				Maximum Non-Detect		1.1				Maximum Non-Detect		0.0953
23												
24	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		17
25	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1
26	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		94.44%
27												
28						Warning: There are only 5 Detected Values in this data						
29						Note: It should be noted that even though bootstrap may be performed on this data set						
30						the resulting calculations may not be reliable enough tp draw conclusions						
31												
32						It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.						
33												
34												
35						UCL Statistics						
36		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
37				Shapiro Wilk Test Statistic		0.848				Shapiro Wilk Test Statistic		0.968
38				5% Shapiro Wilk Critical Value		0.762				5% Shapiro Wilk Critical Value		0.762
39		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
40												
41		Assuming Normal Distribution						Assuming Lognormal Distribution				
42				DL/2 Substitution Method						DL/2 Substitution Method		
43				Mean		0.41				Mean		-1.546
44				SD		0.407				SD		1.431
45				95% DL/2 (t) UCL		0.576				95% H-Stat (DL/2) UCL		0.803
46												
47			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
48		MLE method failed to converge properly								Mean in Log Scale		-1.384
49										SD in Log Scale		0.731
50										Mean in Original Scale		0.349
51										SD in Original Scale		0.391
52										95% Percentile Bootstrap UCL		0.504
53										95% BCA Bootstrap UCL		0.588

	A	B	C	D	E	F	G	H	I	J	K	L
54												
55			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
56				k star (bias corrected)		1.42			Data appear Normal at 5% Significance Level			
57				Theta Star		0.563						
58				nu star		14.2						
59												
60				A-D Test Statistic		0.31			Nonparametric Statistics			
61				5% A-D Critical Value		0.682			Kaplan-Meier (KM) Method			
62				K-S Test Statistic		0.682					Mean	0.475
63				5% K-S Critical Value		0.359					SD	0.34
64			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	0.094
65											95% KM (t) UCL	0.638
66			Assuming Gamma Distribution								95% KM (z) UCL	0.63
67			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	0.646
68				Minimum		0.311					95% KM (bootstrap t) UCL	0.679
69				Maximum		1.71					95% KM (BCA) UCL	0.886
70				Mean		0.799				95% KM (Percentile Bootstrap) UCL		0.799
71				Median		0.799					95% KM (Chebyshev) UCL	0.885
72				SD		0.263					97.5% KM (Chebyshev) UCL	1.062
73				k star		9.351					99% KM (Chebyshev) UCL	1.41
74				Theta star		0.0855						
75				Nu star		336.6			Potential UCLs to Use			
76				AppChi2		295.1					95% KM (t) UCL	0.638
77			95% Gamma Approximate UCL			0.912			95% KM (Percentile Bootstrap) UCL			0.799
78			95% Adjusted Gamma UCL			0.924						
79	Note: DL/2 is not a recommended method.											
80												
81												
82	Arsenic											
83												
84						General Statistics						
85			Number of Valid Observations			22			Number of Distinct Observations			19
86												
87			Raw Statistics						Log-transformed Statistics			
88				Minimum		1.7			Minimum of Log Data			0.531
89				Maximum		10.2			Maximum of Log Data			2.322
90				Mean		3.688			Mean of log Data			1.214
91				Median		3.53			SD of log Data			0.414
92				SD		1.858						
93			Coefficient of Variation			0.504						
94				Skewness		2.265						
95												
96						Relevant UCL Statistics						
97			Normal Distribution Test						Lognormal Distribution Test			
98			Shapiro Wilk Test Statistic			0.782			Shapiro Wilk Test Statistic			0.952
99			Shapiro Wilk Critical Value			0.911			Shapiro Wilk Critical Value			0.911
100			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
101												
102			Assuming Normal Distribution						Assuming Lognormal Distribution			
103				95% Student's-t UCL		4.37			95% H-UCL			4.362
104			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			5.101
105				95% Adjusted-CLT UCL		4.544			97.5% Chebyshev (MVUE) UCL			5.727
106				95% Modified-t UCL		4.402			99% Chebyshev (MVUE) UCL			6.956

	A	B	C	D	E	F	G	H	I	J	K	L
107												
108			Gamma Distribution Test						Data Distribution			
109				k star (bias corrected)		4.927		Data appear Gamma Distributed at 5% Significance Level				
110					Theta Star	0.749						
111					nu star	216.8						
112				Approximate Chi Square Value (.05)		183.7			Nonparametric Statistics			
113				Adjusted Level of Significance		0.0386				95% CLT UCL		4.34
114				Adjusted Chi Square Value		181.4				95% Jackknife UCL		4.37
115										95% Standard Bootstrap UCL		4.323
116				Anderson-Darling Test Statistic		0.59				95% Bootstrap-t UCL		4.771
117				Anderson-Darling 5% Critical Value		0.746				95% Hall's Bootstrap UCL		7.608
118				Kolmogorov-Smirnov Test Statistic		0.162				95% Percentile Bootstrap UCL		4.329
119				Kolmogorov-Smirnov 5% Critical Value		0.186				95% BCA Bootstrap UCL		4.65
120		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		5.415
121										97.5% Chebyshev(Mean, Sd) UCL		6.162
122			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		7.629
123				95% Approximate Gamma UCL		4.352						
124				95% Adjusted Gamma UCL		4.407						
125												
126			Potential UCL to Use						Use 95% Approximate Gamma UCL			4.352
127												
128												
129	Benzo(a)anthracene											
130												
131					General Statistics							
132				Number of Valid Observations		22			Number of Distinct Observations			19
133												
134			Raw Statistics						Log-transformed Statistics			
135					Minimum	6.21				Minimum of Log Data		1.826
136					Maximum	6500				Maximum of Log Data		8.78
137					Mean	529.8				Mean of log Data		5.084
138					Median	185				SD of log Data		1.555
139					SD	1353						
140				Coefficient of Variation		2.555						
141					Skewness	4.474						
142												
143					Relevant UCL Statistics							
144			Normal Distribution Test						Lognormal Distribution Test			
145				Shapiro Wilk Test Statistic		0.353				Shapiro Wilk Test Statistic		0.93
146				Shapiro Wilk Critical Value		0.911				Shapiro Wilk Critical Value		0.911
147		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
148												
149			Assuming Normal Distribution						Assuming Lognormal Distribution			
150				95% Student's-t UCL		1026				95% H-UCL		1696
151		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			1343
152				95% Adjusted-CLT UCL		1299			97.5% Chebyshev (MVUE) UCL			1714
153				95% Modified-t UCL		1072				99% Chebyshev (MVUE) UCL		2443
154												
155			Gamma Distribution Test						Data Distribution			
156				k star (bias corrected)		0.488		Data appear Lognormal at 5% Significance Level				
157					Theta Star	1086						
158					nu star	21.46						
159				Approximate Chi Square Value (.05)		11.93			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
160				Adjusted Level of Significance		0.0386				95% CLT UCL		1004
161				Adjusted Chi Square Value		11.4				95% Jackknife UCL		1026
162										95% Standard Bootstrap UCL		997
163				Anderson-Darling Test Statistic		1.471				95% Bootstrap-t UCL		3215
164				Anderson-Darling 5% Critical Value		0.802				95% Hall's Bootstrap UCL		2849
165				Kolmogorov-Smirnov Test Statistic		0.202				95% Percentile Bootstrap UCL		1088
166				Kolmogorov-Smirnov 5% Critical Value		0.195				95% BCA Bootstrap UCL		1457
167			Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		1788
168										97.5% Chebyshev(Mean, Sd) UCL		2332
169			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		3401
170				95% Approximate Gamma UCL		952.8						
171				95% Adjusted Gamma UCL		997						
172												
173			Potential UCL to Use							Use 95% Chebyshev (MVUE) UCL		1343
174												
175												
176	Benzo(a)pyrene											
177												
178					General Statistics							
179				Number of Valid Observations		22				Number of Distinct Observations		21
180												
181			Raw Statistics						Log-transformed Statistics			
182					Minimum	6.63				Minimum of Log Data		1.892
183					Maximum	9500				Maximum of Log Data		9.159
184					Mean	750.4				Mean of log Data		5.423
185					Median	325				SD of log Data		1.568
186					SD	1975						
187				Coefficient of Variation		2.632						
188					Skewness	4.533						
189												
190					Relevant UCL Statistics							
191			Normal Distribution Test						Lognormal Distribution Test			
192				Shapiro Wilk Test Statistic		0.336				Shapiro Wilk Test Statistic		0.925
193				Shapiro Wilk Critical Value		0.911				Shapiro Wilk Critical Value		0.911
194			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
195												
196			Assuming Normal Distribution						Assuming Lognormal Distribution			
197				95% Student's-t UCL		1475				95% H-UCL		2466
198			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL		1929
199				95% Adjusted-CLT UCL		1878				97.5% Chebyshev (MVUE) UCL		2464
200				95% Modified-t UCL		1543				99% Chebyshev (MVUE) UCL		3514
201												
202			Gamma Distribution Test						Data Distribution			
203				k star (bias corrected)		0.485			Data appear Lognormal at 5% Significance Level			
204					Theta Star	1548						
205					nu star	21.32						
206			Approximate Chi Square Value (.05)			11.83			Nonparametric Statistics			
207				Adjusted Level of Significance		0.0386				95% CLT UCL		1443
208				Adjusted Chi Square Value		11.31				95% Jackknife UCL		1475
209										95% Standard Bootstrap UCL		1449
210				Anderson-Darling Test Statistic		1.554				95% Bootstrap-t UCL		4976
211				Anderson-Darling 5% Critical Value		0.802				95% Hall's Bootstrap UCL		3967
212				Kolmogorov-Smirnov Test Statistic		0.235				95% Percentile Bootstrap UCL		1574

	A	B	C	D	E	F	G	H	I	J	K	L
213				Kolmogorov-Smirnov 5% Critical Value		0.196				95% BCA Bootstrap UCL		2003
214		Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		2586
215										97.5% Chebyshev(Mean, Sd) UCL		3380
216			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		4940
217				95% Approximate Gamma UCL		1352						
218				95% Adjusted Gamma UCL		1415						
219												
220			Potential UCL to Use							Use 95% Chebyshev (MVUE) UCL		1929
221												
222												
223	Benzo(b)fluoranthene											
224												
225					General Statistics							
226			Number of Valid Data			22			Number of Detected Data			21
227			Number of Distinct Detected Data			18			Number of Non-Detect Data			1
228									Percent Non-Detects			4.55%
229												
230			Raw Statistics						Log-transformed Statistics			
231				Minimum Detected		18			Minimum Detected			2.89
232				Maximum Detected		9100			Maximum Detected			9.116
233				Mean of Detected		762.2			Mean of Detected			5.591
234				SD of Detected		1935			SD of Detected			1.328
235				Minimum Non-Detect		3.26			Minimum Non-Detect			1.182
236				Maximum Non-Detect		3.26			Maximum Non-Detect			1.182
237												
238												
239					UCL Statistics							
240		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
241			Shapiro Wilk Test Statistic			0.344			Shapiro Wilk Test Statistic			0.907
242			5% Shapiro Wilk Critical Value			0.908			5% Shapiro Wilk Critical Value			0.908
243		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
244												
245		Assuming Normal Distribution						Assuming Lognormal Distribution				
246			DL/2 Substitution Method						DL/2 Substitution Method			
247				Mean		727.6			Mean			5.359
248				SD		1895			SD			1.692
249			95% DL/2 (t) UCL			1423			95% H-Stat (DL/2) UCL			2354
250												
251		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
252				Mean		668.4			Mean in Log Scale			5.45
253				SD		1907			SD in Log Scale			1.456
254			95% MLE (t) UCL			1368			Mean in Original Scale			728.1
255			95% MLE (Tiku) UCL			1298			SD in Original Scale			1895
256									95% Percentile Bootstrap UCL			1515
257									95% BCA Bootstrap UCL			2006
258												
259		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
260			k star (bias corrected)			0.54		Data do not follow a Discernable Distribution (0.05)				
261			Theta Star			1413						
262			nu star			22.66						
263												
264			A-D Test Statistic			2.014		Nonparametric Statistics				
265			5% A-D Critical Value			0.797			Kaplan-Meier (KM) Method			

	A	B	C	D	E	F	G	H	I	J	K	L
266					K-S Test Statistic	0.797					Mean	728.3
267					5% K-S Critical Value	0.199					SD	1852
268			Data not Gamma Distributed at 5% Significance Level								SE of Mean	404.5
269											95% KM (t) UCL	1424
270			Assuming Gamma Distribution								95% KM (z) UCL	1394
271			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	1423
272					Minimum	1E-09					95% KM (bootstrap t) UCL	4451
273					Maximum	9100					95% KM (BCA) UCL	1523
274					Mean	727.5					95% KM (Percentile Bootstrap) UCL	1511
275					Median	270					95% KM (Chebyshev) UCL	2492
276					SD	1895					97.5% KM (Chebyshev) UCL	3254
277					k star	0.3					99% KM (Chebyshev) UCL	4753
278					Theta star	2426						
279					Nu star	13.2			Potential UCLs to Use			
280					AppChi2	6.025					97.5% KM (Chebyshev) UCL	3254
281			95% Gamma Approximate UCL			1593						
282			95% Adjusted Gamma UCL			1695						
283	Note: DL/2 is not a recommended method.											
284												
285												
286	Benzo(k)fluoranthene											
287												
288					General Statistics							
289			Number of Valid Data			16				Number of Detected Data		16
290			Number of Distinct Detected Data			15				Number of Non-Detect Data		0
291			Number of Missing Values			6				Percent Non-Detects		0.00%
292												
293			Raw Statistics						Log-transformed Statistics			
294				Minimum Detected		6					Minimum Detected	1.792
295				Maximum Detected		5400					Maximum Detected	8.594
296				Mean of Detected		461.2					Mean of Detected	4.703
297				SD of Detected		1322					SD of Detected	1.49
298				Minimum Non-Detect		N/A					Minimum Non-Detect	N/A
299				Maximum Non-Detect		N/A					Maximum Non-Detect	N/A
300												
301												
302					UCL Statistics							
303			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
304				Shapiro Wilk Test Statistic		0.341					Shapiro Wilk Test Statistic	0.888
305				5% Shapiro Wilk Critical Value		0.887					5% Shapiro Wilk Critical Value	0.887
306			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
307												
308			Assuming Normal Distribution						Assuming Lognormal Distribution			
309				DL/2 Substitution Method							DL/2 Substitution Method	
310				Mean		461.2					Mean	4.703
311				SD		1322					SD	1.49
312				95% DL/2 (t) UCL		1041					95% H-Stat (DL/2) UCL	1299
313												
314			Maximum Likelihood Estimate(MLE) Method			N/A					Log ROS Method	
315			MLE method failed to converge properly								Mean in Log Scale	N/A
316											SD in Log Scale	N/A
317											Mean in Original Scale	N/A
318											SD in Original Scale	N/A

	A	B	C	D	E	F	G	H	I	J	K	L
319										95% Percentile Bootstrap UCL		N/A
320										95% BCA Bootstrap UCL		N/A
321												
322			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
323				k star (bias corrected)		0.408		Data appear Lognormal at 5% Significance Level				
324					Theta Star	1130						
325					nu star	13.06						
326												
327					A-D Test Statistic	2.159		Nonparametric Statistics				
328					5% A-D Critical Value	0.806			Kaplan-Meier (KM) Method			
329					K-S Test Statistic	0.806					Mean	461.2
330					5% K-S Critical Value	0.229					SD	1280
331		Data not Gamma Distributed at 5% Significance Level									SE of Mean	330.6
332											95% KM (t) UCL	1041
333			Assuming Gamma Distribution								95% KM (z) UCL	1005
334		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	1041
335					Minimum	6					95% KM (bootstrap t) UCL	5987
336					Maximum	5400					95% KM (BCA) UCL	1134
337					Mean	461.2				95% KM (Percentile Bootstrap) UCL		1115
338					Median	91					95% KM (Chebyshev) UCL	1902
339					SD	1322					97.5% KM (Chebyshev) UCL	2526
340					k star	0.408					99% KM (Chebyshev) UCL	3750
341					Theta star	1130						
342					Nu star	13.06		Potential UCLs to Use				
343					AppChi2	5.935					97.5% KM (Chebyshev) UCL	2526
344			95% Gamma Approximate UCL			1015						
345			95% Adjusted Gamma UCL			1116						
346	Note: DL/2 is not a recommended method.											
347												
348												
349	Bis(2-ethylhexyl) phthalate											
350												
351							General Statistics					
352				Number of Valid Data		22				Number of Detected Data		8
353			Number of Distinct Detected Data			8				Number of Non-Detect Data		14
354										Percent Non-Detects		63.64%
355												
356			Raw Statistics					Log-transformed Statistics				
357					Minimum Detected	33					Minimum Detected	3.497
358					Maximum Detected	590					Maximum Detected	6.38
359					Mean of Detected	181.3					Mean of Detected	4.702
360					SD of Detected	196.1					SD of Detected	1.061
361					Minimum Non-Detect	9.3					Minimum Non-Detect	2.23
362					Maximum Non-Detect	190					Maximum Non-Detect	5.247
363												
364	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		19
365	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		3
366	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		86.36%
367												
368						Warning: There are only 8 Detected Values in this data						
369					Note: It should be noted that even though bootstrap may be performed on this data set							
370					the resulting calculations may not be reliable enough tp draw conclusions							
371												

	A	B	C	D	E	F	G	H	I	J	K	L
372	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
373												
374												
375	UCL Statistics											
376	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
377	Shapiro Wilk Test Statistic					0.788	Shapiro Wilk Test Statistic					0.916
378	5% Shapiro Wilk Critical Value					0.818	5% Shapiro Wilk Critical Value					0.818
379	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
380												
381	Assuming Normal Distribution						Assuming Lognormal Distribution					
382	DL/2 Substitution Method						DL/2 Substitution Method					
383	Mean					81.64	Mean					3.427
384	SD					139	SD					1.387
385	95% DL/2 (t) UCL					132.6	95% H-Stat (DL/2) UCL					92.24
386												
387	Maximum Likelihood Estimate(MLE) Method						Log ROS Method					
388	Mean					426.2	Mean in Log Scale					2.921
389	SD					146.6	SD in Log Scale					1.551
390	95% MLE (t) UCL					480	Mean in Original Scale					70.6
391	95% MLE (Tiku) UCL					568.5	SD in Original Scale					142
392							95% Percentile Bootstrap UCL					125.2
393							95% BCA Bootstrap UCL					144
394												
395	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
396	k star (bias corrected)					0.798	Data appear Gamma Distributed at 5% Significance Level					
397	Theta Star					227.3						
398	nu star					12.76						
399												
400	A-D Test Statistic					0.482	Nonparametric Statistics					
401	5% A-D Critical Value					0.733	Kaplan-Meier (KM) Method					
402	K-S Test Statistic					0.733	Mean					88.08
403	5% K-S Critical Value					0.301	SD					131.3
404	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					29.97
405							95% KM (t) UCL					139.7
406	Assuming Gamma Distribution						95% KM (z) UCL					137.4
407	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					135.2
408	Minimum					1E-09	95% KM (bootstrap t) UCL					192.2
409	Maximum					590	95% KM (BCA) UCL					160.1
410	Mean					141.8	95% KM (Percentile Bootstrap) UCL					147.4
411	Median					125	95% KM (Chebyshev) UCL					218.7
412	SD					144.3	97.5% KM (Chebyshev) UCL					275.2
413	k star					0.201	99% KM (Chebyshev) UCL					386.3
414	Theta star					705.1						
415	Nu star					8.85	Potential UCLs to Use					
416	AppChi2					3.236	95% KM (t) UCL					139.7
417	95% Gamma Approximate UCL					387.8						
418	95% Adjusted Gamma UCL					420.1						
419	Note: DL/2 is not a recommended method.											
420												
421												
422	Dibenzo(a,h)anthracene											
423												
424	General Statistics											

	A	B	C	D	E	F	G	H	I	J	K	L
425					Number of Valid Data	22				Number of Detected Data		21
426				Number of Distinct Detected Data		21				Number of Non-Detect Data		1
427										Percent Non-Detects		4.55%
428												
429				Raw Statistics						Log-transformed Statistics		
430					Minimum Detected	2.3				Minimum Detected		0.833
431					Maximum Detected	880				Maximum Detected		6.78
432					Mean of Detected	100.2				Mean of Detected		3.707
433					SD of Detected	190.6				SD of Detected		1.376
434					Minimum Non-Detect	1.63				Minimum Non-Detect		0.489
435					Maximum Non-Detect	1.63				Maximum Non-Detect		0.489
436												
437												
438						UCL Statistics						
439		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
440				Shapiro Wilk Test Statistic		0.481				Shapiro Wilk Test Statistic		0.972
441				5% Shapiro Wilk Critical Value		0.908				5% Shapiro Wilk Critical Value		0.908
442		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
443												
444		Assuming Normal Distribution							Assuming Lognormal Distribution			
445				DL/2 Substitution Method						DL/2 Substitution Method		
446					Mean	95.65				Mean		3.529
447					SD	187.2				SD		1.581
448				95% DL/2 (t) UCL		164.3				95% H-Stat (DL/2) UCL		290.8
449												
450		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
451					Mean	90.12				Mean in Log Scale		3.554
452					SD	188.6				SD in Log Scale		1.523
453				95% MLE (t) UCL		159.3				Mean in Original Scale		95.68
454				95% MLE (Tiku) UCL		153				SD in Original Scale		187.2
455										95% Percentile Bootstrap UCL		166.5
456										95% BCA Bootstrap UCL		206.2
457												
458		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
459				k star (bias corrected)		0.61		Data Follow Appr. Gamma Distribution at 5% Significance Level				
460					Theta Star	164.2						
461					nu star	25.63						
462												
463					A-D Test Statistic	0.845				Nonparametric Statistics		
464					5% A-D Critical Value	0.79				Kaplan-Meier (KM) Method		
465					K-S Test Statistic	0.79				Mean		95.72
466					5% K-S Critical Value	0.198				SD		182.9
467		Data follow Appr. Gamma Distribution at 5% Significance Level								SE of Mean		39.95
468										95% KM (t) UCL		164.5
469		Assuming Gamma Distribution								95% KM (z) UCL		161.4
470		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		164.3
471					Minimum	1E-09				95% KM (bootstrap t) UCL		334.2
472					Maximum	880				95% KM (BCA) UCL		171.8
473					Mean	95.62				95% KM (Percentile Bootstrap) UCL		170.3
474					Median	40.5				95% KM (Chebyshev) UCL		269.9
475					SD	187.2				97.5% KM (Chebyshev) UCL		345.2
476					k star	0.327				99% KM (Chebyshev) UCL		493.2
477					Theta star	292.5						

	A	B	C	D	E	F	G	H	I	J	K	L
478					Nu star	14.38		Potential UCLs to Use				
479					AppChi2	6.835			95% KM (Chebyshev) UCL			269.9
480			95% Gamma Approximate UCL			201.2						
481			95% Adjusted Gamma UCL			213.3						
482	Note: DL/2 is not a recommended method.											
483												
484												
485	Indeno(1,2,3-cd)pyrene											
486												
487					General Statistics							
488			Number of Valid Observations			22			Number of Distinct Observations			20
489												
490			Raw Statistics						Log-transformed Statistics			
491					Minimum	8.58			Minimum of Log Data			2.149
492					Maximum	4100			Maximum of Log Data			8.319
493					Mean	420.9			Mean of log Data			5.095
494					Median	210			SD of log Data			1.454
495					SD	858.7						
496				Coefficient of Variation		2.04						
497					Skewness	4.122						
498												
499					Relevant UCL Statistics							
500			Normal Distribution Test						Lognormal Distribution Test			
501				Shapiro Wilk Test Statistic		0.425			Shapiro Wilk Test Statistic			0.919
502				Shapiro Wilk Critical Value		0.911			Shapiro Wilk Critical Value			0.911
503		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
504												
505			Assuming Normal Distribution						Assuming Lognormal Distribution			
506					95% Student's-t UCL	735.9			95% H-UCL			1298
507		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			1130
508				95% Adjusted-CLT UCL		893.9			97.5% Chebyshev (MVUE) UCL			1433
509				95% Modified-t UCL		762.7			99% Chebyshev (MVUE) UCL			2029
510												
511			Gamma Distribution Test						Data Distribution			
512				k star (bias corrected)		0.588		Data appear Lognormal at 5% Significance Level				
513					Theta Star	716						
514					nu star	25.87						
515			Approximate Chi Square Value (.05)			15.28			Nonparametric Statistics			
516			Adjusted Level of Significance			0.0386			95% CLT UCL			722
517			Adjusted Chi Square Value			14.67			95% Jackknife UCL			735.9
518									95% Standard Bootstrap UCL			716.2
519			Anderson-Darling Test Statistic			1.2			95% Bootstrap-t UCL			1965
520			Anderson-Darling 5% Critical Value			0.792			95% Hall's Bootstrap UCL			2141
521			Kolmogorov-Smirnov Test Statistic			0.253			95% Percentile Bootstrap UCL			776
522			Kolmogorov-Smirnov 5% Critical Value			0.194			95% BCA Bootstrap UCL			1082
523		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			1219
524									97.5% Chebyshev(Mean, Sd) UCL			1564
525			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			2243
526			95% Approximate Gamma UCL			712.7						
527			95% Adjusted Gamma UCL			742.2						
528												
529		Potential UCL to Use							Use 95% Chebyshev (MVUE) UCL			1130
530												

Lead

General Statistics

Number of Valid Observations	22	Number of Distinct Observations	21

Raw Statistics		Log-transformed Statistics	
Minimum	6.85	Minimum of Log Data	1.924
Maximum	36	Maximum of Log Data	3.584
Mean	19.28	Mean of log Data	2.863
Median	15.6	SD of log Data	0.451
SD	8.66		
Coefficient of Variation	0.449		
Skewness	0.632		

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.897	Shapiro Wilk Test Statistic	0.939
Shapiro Wilk Critical Value	0.911	Shapiro Wilk Critical Value	0.911
Data not Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	22.46	95% H-UCL	23.46
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	27.63
95% Adjusted-CLT UCL	22.58	97.5% Chebyshev (MVUE) UCL	31.24
95% Modified-t UCL	22.5	99% Chebyshev (MVUE) UCL	38.33

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	4.669	Data Follow Appr. Gamma Distribution at 5% Significance Level	
Theta Star	4.13		
nu star	205.4		
Approximate Chi Square Value (.05)	173.3	Nonparametric Statistics	
Adjusted Level of Significance	0.0386	95% CLT UCL	22.32
Adjusted Chi Square Value	171.1	95% Jackknife UCL	22.46
		95% Standard Bootstrap UCL	22.32
Anderson-Darling Test Statistic	0.747	95% Bootstrap-t UCL	22.66
Anderson-Darling 5% Critical Value	0.746	95% Hall's Bootstrap UCL	22.42
Kolmogorov-Smirnov Test Statistic	0.176	95% Percentile Bootstrap UCL	22.1
Kolmogorov-Smirnov 5% Critical Value	0.186	95% BCA Bootstrap UCL	22.38
Data follow Appr. Gamma Distribution at 5% Significance Level		95% Chebyshev(Mean, Sd) UCL	27.33
		97.5% Chebyshev(Mean, Sd) UCL	30.81
Assuming Gamma Distribution		99% Chebyshev(Mean, Sd) UCL	37.65
95% Approximate Gamma UCL	22.86		
95% Adjusted Gamma UCL	23.15		

Potential UCL to Use		Use 95% Approximate Gamma UCL	22.86

Mercury

General Statistics

Number of Valid Observations	22	Number of Distinct Observations	22

	A	B	C	D	E	F	G	H	I	J	K	L
584			Raw Statistics						Log-transformed Statistics			
585					Minimum	0.023				Minimum of Log Data		-3.772
586					Maximum	0.918				Maximum of Log Data		-0.0856
587					Mean	0.288				Mean of log Data		-1.604
588					Median	0.183				SD of log Data		0.91
589					SD	0.253						
590			Coefficient of Variation			0.879						
591					Skewness	1.465						
592												
593						Relevant UCL Statistics						
594			Normal Distribution Test						Lognormal Distribution Test			
595			Shapiro Wilk Test Statistic			0.822			Shapiro Wilk Test Statistic			0.977
596			Shapiro Wilk Critical Value			0.911			Shapiro Wilk Critical Value			0.911
597		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
598												
599			Assuming Normal Distribution						Assuming Lognormal Distribution			
600			95% Student's-t UCL			0.381				95% H-UCL		0.493
601		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			0.575
602			95% Adjusted-CLT UCL			0.395			97.5% Chebyshev (MVUE) UCL			0.695
603			95% Modified-t UCL			0.384			99% Chebyshev (MVUE) UCL			0.932
604												
605			Gamma Distribution Test						Data Distribution			
606			k star (bias corrected)			1.355		Data appear Gamma Distributed at 5% Significance Level				
607				Theta Star		0.213						
608				nu star		59.62						
609		Approximate Chi Square Value (.05)				42.86			Nonparametric Statistics			
610		Adjusted Level of Significance				0.0386				95% CLT UCL		0.377
611		Adjusted Chi Square Value				41.8				95% Jackknife UCL		0.381
612									95% Standard Bootstrap UCL			0.377
613		Anderson-Darling Test Statistic				0.344				95% Bootstrap-t UCL		0.416
614		Anderson-Darling 5% Critical Value				0.759			95% Hall's Bootstrap UCL			0.412
615		Kolmogorov-Smirnov Test Statistic				0.134			95% Percentile Bootstrap UCL			0.378
616		Kolmogorov-Smirnov 5% Critical Value				0.188				95% BCA Bootstrap UCL		0.392
617		Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			0.523
618									97.5% Chebyshev(Mean, Sd) UCL			0.625
619			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			0.825
620		95% Approximate Gamma UCL				0.401						
621		95% Adjusted Gamma UCL				0.411						
622												
623			Potential UCL to Use						Use 95% Approximate Gamma UCL			0.401
624												
625												
626	Naphthalene											
627												
628						General Statistics						
629			Number of Valid Data			22			Number of Detected Data			20
630		Number of Distinct Detected Data				20			Number of Non-Detect Data			2
631										Percent Non-Detects		9.09%
632												
633			Raw Statistics						Log-transformed Statistics			
634			Minimum Detected			5.7				Minimum Detected		1.74
635			Maximum Detected			3000				Maximum Detected		8.006
636			Mean of Detected			272.4				Mean of Detected		4.32

	A	B	C	D	E	F	G	H	I	J	K	L
637					SD of Detected	659.8					SD of Detected	1.562
638					Minimum Non-Detect	1.63					Minimum Non-Detect	0.489
639					Maximum Non-Detect	9.2					Maximum Non-Detect	2.219
640												
641	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		3
642	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		19
643	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		13.64%
644												
645					UCL Statistics							
646		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
647					Shapiro Wilk Test Statistic	0.409					Shapiro Wilk Test Statistic	0.977
648					5% Shapiro Wilk Critical Value	0.905					5% Shapiro Wilk Critical Value	0.905
649		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
650												
651		Assuming Normal Distribution							Assuming Lognormal Distribution			
652					DL/2 Substitution Method						DL/2 Substitution Method	
653					Mean	247.9					Mean	3.987
654					SD	632.6					SD	1.854
655					95% DL/2 (t) UCL	480					95% H-Stat (DL/2) UCL	1023
656												
657			Maximum Likelihood Estimate(MLE) Method								Log ROS Method	
658					Mean	182.8					Mean in Log Scale	3.999
659					SD	678.3					SD in Log Scale	1.815
660					95% MLE (t) UCL	431.7					Mean in Original Scale	247.9
661					95% MLE (Tiku) UCL	416.8					SD in Original Scale	632.6
662											95% Percentile Bootstrap UCL	493.3
663											95% BCA Bootstrap UCL	648.5
664												
665		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
666					k star (bias corrected)	0.453		Data Follow Appr. Gamma Distribution at 5% Significance Level				
667					Theta Star	600.7						
668					nu star	18.14						
669												
670					A-D Test Statistic	1.087		Nonparametric Statistics				
671					5% A-D Critical Value	0.804				Kaplan-Meier (KM) Method		
672					K-S Test Statistic	0.804					Mean	248.2
673					5% K-S Critical Value	0.205					SD	617.9
674		Data follow Appr. Gamma Distribution at 5% Significance Level									SE of Mean	135.2
675											95% KM (t) UCL	480.8
676		Assuming Gamma Distribution									95% KM (z) UCL	470.5
677			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	479.9
678					Minimum	1E-09					95% KM (bootstrap t) UCL	1174
679					Maximum	3000					95% KM (BCA) UCL	520.7
680					Mean	247.6					95% KM (Percentile Bootstrap) UCL	513.2
681					Median	53					95% KM (Chebyshev) UCL	837.3
682					SD	632.7					97.5% KM (Chebyshev) UCL	1092
683					k star	0.212					99% KM (Chebyshev) UCL	1593
684					Theta star	1168						
685					Nu star	9.331		Potential UCLs to Use				
686					AppChi2	3.528					95% KM (Chebyshev) UCL	837.3
687				95% Gamma Approximate UCL		655						
688				95% Adjusted Gamma UCL		707.6						
689	Note: DL/2 is not a recommended method.											

Total Aroclors

General Statistics

Number of Valid Data	13	Number of Detected Data	13
Number of Distinct Detected Data	13	Number of Non-Detect Data	0
Number of Missing Values	1	Percent Non-Detects	0.00%

Raw Statistics		Log-transformed Statistics	
Minimum Detected	7.291	Minimum Detected	1.987
Maximum Detected	243.3	Maximum Detected	5.494
Mean of Detected	76.58	Mean of Detected	3.68
SD of Detected	81.68	SD of Detected	1.27
Minimum Non-Detect	N/A	Minimum Non-Detect	N/A
Maximum Non-Detect	N/A	Maximum Non-Detect	N/A

UCL Statistics

Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.813	Shapiro Wilk Test Statistic	0.909
5% Shapiro Wilk Critical Value	0.866	5% Shapiro Wilk Critical Value	0.866
Data not Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	76.58	Mean	3.68
SD	81.68	SD	1.27
95% DL/2 (t) UCL	117	95% H-Stat (DL/2) UCL	301.8
Maximum Likelihood Estimate(MLE) Method	N/A	Log ROS Method	
MLE method failed to converge properly		Mean in Log Scale	N/A
		SD in Log Scale	N/A
		Mean in Original Scale	N/A
		SD in Original Scale	N/A
		95% Percentile Bootstrap UCL	N/A
		95% BCA Bootstrap UCL	N/A

Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	0.736	Data appear Gamma Distributed at 5% Significance Level	
Theta Star	104.1		
nu star	19.13		
A-D Test Statistic	0.57	Nonparametric Statistics	
5% A-D Critical Value	0.763	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.763	Mean	76.58
5% K-S Critical Value	0.244	SD	78.48
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	22.65
		95% KM (t) UCL	117
Assuming Gamma Distribution		95% KM (z) UCL	113.8
Gamma ROS Statistics using Extrapolated Data		95% KM (jackknife) UCL	117
Minimum	7.291	95% KM (bootstrap t) UCL	127.9
Maximum	243.3	95% KM (BCA) UCL	115

	A	B	C	D	E	F	G	H	I	J	K	L
743					Mean	76.58			95% KM (Percentile Bootstrap) UCL			112.1
744					Median	33.65			95% KM (Chebyshev) UCL			175.3
745					SD	81.68			97.5% KM (Chebyshev) UCL			218.1
746					k star	0.736			99% KM (Chebyshev) UCL			302
747					Theta star	104.1						
748					Nu star	19.13			Potential UCLs to Use			
749					AppChi2	10.21			95% KM (Chebyshev) UCL			175.3
750			95% Gamma Approximate UCL			143.4						
751			95% Adjusted Gamma UCL			157.6						
752	Note: DL/2 is not a recommended method.											
753												
754												
755	Total DDT											
756												
757					General Statistics							
758			Number of Valid Data			19			Number of Detected Data			14
759			Number of Distinct Detected Data			14			Number of Non-Detect Data			5
760			Number of Missing Values			3			Percent Non-Detects			26.32%
761												
762			Raw Statistics						Log-transformed Statistics			
763			Minimum Detected			1.012			Minimum Detected			0.0119
764			Maximum Detected			12.74			Maximum Detected			2.545
765			Mean of Detected			3.655			Mean of Detected			0.972
766			SD of Detected			3.356			SD of Detected			0.811
767			Minimum Non-Detect			0.36			Minimum Non-Detect			-1.022
768			Maximum Non-Detect			2.31			Maximum Non-Detect			0.837
769												
770	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			12
771	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			7
772	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			63.16%
773												
774					UCL Statistics							
775			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
776			Shapiro Wilk Test Statistic			0.785			Shapiro Wilk Test Statistic			0.934
777			5% Shapiro Wilk Critical Value			0.874			5% Shapiro Wilk Critical Value			0.874
778			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
779												
780			Assuming Normal Distribution						Assuming Lognormal Distribution			
781			DL/2 Substitution Method						DL/2 Substitution Method			
782			Mean			2.923			Mean			0.635
783			SD			3.123			SD			0.974
784			95% DL/2 (t) UCL			4.166			95% H-Stat (DL/2) UCL			3.852
785												
786			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
787			Mean			0.328			Mean in Log Scale			0.692
788			SD			5.537			SD in Log Scale			0.876
789			95% MLE (t) UCL			2.531			Mean in Original Scale			2.955
790			95% MLE (Tiku) UCL			3.632			SD in Original Scale			3.1
791									95% Percentile Bootstrap UCL			4.132
792									95% BCA Bootstrap UCL			4.472
793												
794			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
795			k star (bias corrected)			1.377			Data appear Gamma Distributed at 5% Significance Level			

	A	B	C	D	E	F	G	H	I	J	K	L
796					Theta Star	2.655						
797					nu star	38.55						
798												
799					A-D Test Statistic	0.511		**Nonparametric Statistics**				
800					5% A-D Critical Value	0.749					Kaplan-Meier (KM) Method	
801					K-S Test Statistic	0.749					Mean	3.017
802					5% K-S Critical Value	0.232					SD	2.979
803	**Data appear Gamma Distributed at 5% Significance Level**										SE of Mean	0.711
804											95% KM (t) UCL	4.25
805	**Assuming Gamma Distribution**										95% KM (z) UCL	4.187
806	Gamma ROS Statistics using Extrapolated Data										95% KM (jackknife) UCL	4.238
807					Minimum	1E-09					95% KM (bootstrap t) UCL	4.959
808					Maximum	12.74					95% KM (BCA) UCL	4.285
809					Mean	3.293					95% KM (Percentile Bootstrap) UCL	4.249
810					Median	2.7					95% KM (Chebyshev) UCL	6.116
811					SD	2.984					97.5% KM (Chebyshev) UCL	7.456
812					k star	0.435					99% KM (Chebyshev) UCL	10.09
813					Theta star	7.566						
814					Nu star	16.54		**Potential UCLs to Use**				
815					AppChi2	8.345		95% KM (Percentile Bootstrap) UCL				4.249
816			95% Gamma Approximate UCL			6.527						
817			95% Adjusted Gamma UCL			6.949						
818	**Note: DL/2 is not a recommended method.**											
819												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM6.0W.wst								
4		Full Precision		OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Aldrin											
10												
11					General Statistics							
12			Number of Valid Data			23			Number of Detected Data			7
13		Number of Distinct Detected Data				7			Number of Non-Detect Data			16
14			Number of Missing Values			17			Percent Non-Detects			69.57%
15												
16				Raw Statistics					Log-transformed Statistics			
17			Minimum Detected			0.59			Minimum Detected			-0.528
18			Maximum Detected			7.9			Maximum Detected			2.067
19			Mean of Detected			3.663			Mean of Detected			0.866
20			SD of Detected			3.043			SD of Detected			1.1
21			Minimum Non-Detect			0.0488			Minimum Non-Detect			-3.02
22			Maximum Non-Detect			0.98			Maximum Non-Detect			-0.0202
23												
24		Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect			18
25		For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected			5
26		Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage			78.26%
27												
28					Warning: There are only 7 Detected Values in this data							
29				Note: It should be noted that even though bootstrap may be performed on this data set								
30					the resulting calculations may not be reliable enough tp draw conclusions							
31												
32				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
33												
34												
35					UCL Statistics							
36		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
37			Shapiro Wilk Test Statistic			0.879			Shapiro Wilk Test Statistic			0.87
38			5% Shapiro Wilk Critical Value			0.803			5% Shapiro Wilk Critical Value			0.803
39		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
40												
41		Assuming Normal Distribution						Assuming Lognormal Distribution				
42			DL/2 Substitution Method						DL/2 Substitution Method			
43				Mean		1.244				Mean		-1.128
44				SD		2.284				SD		1.635
45			95% DL/2 (t) UCL			2.061			95% H-Stat (DL/2) UCL			1.564
46												
47		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
48		MLE yields a negative mean							Mean in Log Scale			-1.585
49									SD in Log Scale			1.757
50									Mean in Original Scale			1.164
51									SD in Original Scale			2.32
52									95% Percentile Bootstrap UCL			2.035
53									95% BCA Bootstrap UCL			2.238

	A	B	C	D	E	F	G	H	I	J	K	L
54												
55			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
56				k star (bias corrected)		0.837			Data appear Normal at 5% Significance Level			
57				Theta Star		4.377						
58				nu star		11.72						
59												
60				A-D Test Statistic		0.454			Nonparametric Statistics			
61				5% A-D Critical Value		0.724			Kaplan-Meier (KM) Method			
62				K-S Test Statistic		0.724				Mean		1.527
63				5% K-S Critical Value		0.318				SD		2.101
64		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.473
65										95% KM (t) UCL		2.339
66			Assuming Gamma Distribution							95% KM (z) UCL		2.305
67		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		2.229
68				Minimum		1E-09				95% KM (bootstrap t) UCL		2.57
69				Maximum		7.9				95% KM (BCA) UCL		4.021
70				Mean		1.115			95% KM (Percentile Bootstrap) UCL			2.578
71				Median		1E-09				95% KM (Chebyshev) UCL		3.589
72				SD		2.344				97.5% KM (Chebyshev) UCL		4.481
73				k star		0.0814				99% KM (Chebyshev) UCL		6.234
74				Theta star		13.69						
75				Nu star		3.745			Potential UCLs to Use			
76				AppChi2		0.624				95% KM (t) UCL		2.339
77			95% Gamma Approximate UCL			6.695			95% KM (Percentile Bootstrap) UCL			2.578
78			95% Adjusted Gamma UCL			7.704						
79	Note: DL/2 is not a recommended method.											
80												
81												
82	Arsenic											
83												
84					General Statistics							
85			Number of Valid Data			43			Number of Detected Data			38
86		Number of Distinct Detected Data				37			Number of Non-Detect Data			5
87			Number of Missing Values			2			Percent Non-Detects			11.63%
88												
89			Raw Statistics						Log-transformed Statistics			
90			Minimum Detected			1.76			Minimum Detected			0.565
91			Maximum Detected			8.12			Maximum Detected			2.094
92			Mean of Detected			3.795			Mean of Detected			1.284
93			SD of Detected			1.294			SD of Detected			0.312
94			Minimum Non-Detect			5			Minimum Non-Detect			1.609
95			Maximum Non-Detect			6			Maximum Non-Detect			1.792
96												
97	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			40
98	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			3
99	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			93.02%
100												
101					UCL Statistics							
102		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
103			Shapiro Wilk Test Statistic			0.889			Shapiro Wilk Test Statistic			0.981
104			5% Shapiro Wilk Critical Value			0.938			5% Shapiro Wilk Critical Value			0.938
105		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
106												

	A	B	C	D	E	F	G	H	I	J	K	L
107				Assuming Normal Distribution						Assuming Lognormal Distribution		
108				DL/2 Substitution Method						DL/2 Substitution Method		
109					Mean	3.656					Mean	1.246
110					SD	1.277					SD	0.313
111				95% DL/2 (t) UCL		3.984				95% H-Stat (DL/2) UCL		3.835
112												
113			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
114					Mean	2.303				Mean in Log Scale		1.278
115					SD	2.516				SD in Log Scale		0.299
116				95% MLE (t) UCL		2.949				Mean in Original Scale		3.758
117				95% MLE (Tiku) UCL		5.893				SD in Original Scale		1.234
118										95% Percentile Bootstrap UCL		4.078
119										95% BCA Bootstrap UCL		4.115
120												
121		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
122				k star (bias corrected)		9.488			Data appear Gamma Distributed at 5% Significance Level			
123					Theta Star	0.4						
124					nu star	721.1						
125												
126				A-D Test Statistic		0.486				Nonparametric Statistics		
127				5% A-D Critical Value		0.748				Kaplan-Meier (KM) Method		
128				K-S Test Statistic		0.748					Mean	3.757
129				5% K-S Critical Value		0.143					SD	1.234
130		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.196
131										95% KM (t) UCL		4.086
132			Assuming Gamma Distribution							95% KM (z) UCL		4.079
133		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		4.086
134					Minimum	1.76			95% KM (bootstrap t) UCL			4.141
135					Maximum	8.12				95% KM (BCA) UCL		4.086
136					Mean	3.808			95% KM (Percentile Bootstrap) UCL			4.072
137					Median	3.57				95% KM (Chebyshev) UCL		4.61
138					SD	1.228				97.5% KM (Chebyshev) UCL		4.979
139					k star	10.57				99% KM (Chebyshev) UCL		5.704
140					Theta star	0.36						
141					Nu star	908.7				Potential UCLs to Use		
142					AppChi2	839.7				95% KM (BCA) UCL		4.086
143			95% Gamma Approximate UCL			4.121						
144			95% Adjusted Gamma UCL			4.132						
145	Note: DL/2 is not a recommended method.											
146												
147												
148	Benzo(a)anthracene											
149												
150					General Statistics							
151			Number of Valid Data			44				Number of Detected Data		44
152		Number of Distinct Detected Data				38				Number of Non-Detect Data		0
153			Number of Missing Values			2				Percent Non-Detects		0.00%
154												
155			Raw Statistics							Log-transformed Statistics		
156				Minimum Detected		220				Minimum Detected		5.394
157				Maximum Detected		120000				Maximum Detected		11.7
158				Mean of Detected		25307				Mean of Detected		9.014
159				SD of Detected		33965				SD of Detected		1.769

	A	B	C	D	E	F	G	H	I	J	K	L
160					Minimum Non-Detect	N/A				Minimum Non-Detect		N/A
161					Maximum Non-Detect	N/A				Maximum Non-Detect		N/A
162												
163												
164					UCL Statistics							
165			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
166					Shapiro Wilk Test Statistic	0.727				Shapiro Wilk Test Statistic		0.949
167					5% Shapiro Wilk Critical Value	0.944				5% Shapiro Wilk Critical Value		0.944
168			Data not Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
169												
170			Assuming Normal Distribution					Assuming Lognormal Distribution				
171					DL/2 Substitution Method					DL/2 Substitution Method		
172					Mean	25307				Mean		9.014
173					SD	33965				SD		1.769
174					95% DL/2 (t) UCL	33914				95% H-Stat (DL/2) UCL		95446
175												
176					Maximum Likelihood Estimate(MLE) Method	N/A				Log ROS Method		
177			MLE method failed to converge properly							Mean in Log Scale		N/A
178										SD in Log Scale		N/A
179										Mean in Original Scale		N/A
180										SD in Original Scale		N/A
181										95% Percentile Bootstrap UCL		N/A
182										95% BCA Bootstrap UCL		N/A
183												
184			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
185					k star (bias corrected)	0.533		Data appear Gamma Distributed at 5% Significance Level				
186					Theta Star	47492						
187					nu star	46.89						
188												
189					A-D Test Statistic	0.575		Nonparametric Statistics				
190					5% A-D Critical Value	0.808				Kaplan-Meier (KM) Method		
191					K-S Test Statistic	0.808				Mean		25307
192					5% K-S Critical Value	0.14				SD		33577
193			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		5120
194										95% KM (t) UCL		33914
195			Assuming Gamma Distribution							95% KM (z) UCL		33729
196			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		33914
197					Minimum	220				95% KM (bootstrap t) UCL		35578
198					Maximum	120000				95% KM (BCA) UCL		33840
199					Mean	25307				95% KM (Percentile Bootstrap) UCL		33969
200					Median	10650				95% KM (Chebyshev) UCL		47626
201					SD	33965				97.5% KM (Chebyshev) UCL		57284
202					k star	0.533				99% KM (Chebyshev) UCL		76254
203					Theta star	47492						
204					Nu star	46.89		Potential UCLs to Use				
205					AppChi2	32.18				95% KM (Chebyshev) UCL		47626
206				95% Gamma Approximate UCL		36878						
207				95% Adjusted Gamma UCL		37359						
208	Note: DL/2 is not a recommended method.											
209												
210												
211	Benzo(a)pyrene											
212												

	A	B	C	D	E	F	G	H	I	J	K	L
213						General Statistics						
214				Number of Valid Data		44				Number of Detected Data		44
215			Number of Distinct Detected Data			37				Number of Non-Detect Data		0
216				Number of Missing Values		2				Percent Non-Detects		0.00%
217												
218				Raw Statistics						Log-transformed Statistics		
219				Minimum Detected		330				Minimum Detected		5.799
220				Maximum Detected		160000				Maximum Detected		11.98
221				Mean of Detected		30998				Mean of Detected		9.259
222				SD of Detected		40547				SD of Detected		1.761
223				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
224				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
225												
226												
227						UCL Statistics						
228			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
229				Shapiro Wilk Test Statistic		0.745				Shapiro Wilk Test Statistic		0.941
230				5% Shapiro Wilk Critical Value		0.944				5% Shapiro Wilk Critical Value		0.944
231			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
232												
233			Assuming Normal Distribution						Assuming Lognormal Distribution			
234				DL/2 Substitution Method						DL/2 Substitution Method		
235				Mean		30998				Mean		9.259
236				SD		40547				SD		1.761
237				95% DL/2 (t) UCL		41274				95% H-Stat (DL/2) UCL		119337
238												
239			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
240			MLE method failed to converge properly							Mean in Log Scale		N/A
241										SD in Log Scale		N/A
242										Mean in Original Scale		N/A
243										SD in Original Scale		N/A
244										95% Percentile Bootstrap UCL		N/A
245										95% BCA Bootstrap UCL		N/A
246												
247			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
248				k star (bias corrected)		0.551			Data appear Gamma Distributed at 5% Significance Level			
249				Theta Star		56308						
250				nu star		48.45						
251												
252				A-D Test Statistic		0.439				Nonparametric Statistics		
253				5% A-D Critical Value		0.806				Kaplan-Meier (KM) Method		
254				K-S Test Statistic		0.806				Mean		30998
255				5% K-S Critical Value		0.14				SD		40084
256			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		6113
257										95% KM (t) UCL		41274
258			Assuming Gamma Distribution							95% KM (z) UCL		41053
259			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		41274
260				Minimum		330				95% KM (bootstrap t) UCL		43286
261				Maximum		160000				95% KM (BCA) UCL		41307
262				Mean		30998				95% KM (Percentile Bootstrap) UCL		41052
263				Median		16000				95% KM (Chebyshev) UCL		57643
264				SD		40547				97.5% KM (Chebyshev) UCL		69172
265				k star		0.551				99% KM (Chebyshev) UCL		91819

	A	B	C	D	E	F	G	H	I	J	K	L
266					Theta star	56308						
267					Nu star	48.45			Potential UCLs to Use			
268					AppChi2	33.47			95% KM (Chebyshev) UCL			57643
269			95% Gamma Approximate UCL			44870						
270			95% Adjusted Gamma UCL			45444						
271	Note: DL/2 is not a recommended method.											
272												
273												
274	Benzo(b)fluoranthene											
275												
276					General Statistics							
277			Number of Valid Data			44			Number of Detected Data			44
278			Number of Distinct Detected Data			38			Number of Non-Detect Data			0
279			Number of Missing Values			2			Percent Non-Detects			0.00%
280												
281			Raw Statistics						Log-transformed Statistics			
282			Minimum Detected			250			Minimum Detected			5.521
283			Maximum Detected			130000			Maximum Detected			11.78
284			Mean of Detected			22236			Mean of Detected			8.958
285			SD of Detected			31067			SD of Detected			1.695
286			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
287			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
288												
289												
290					UCL Statistics							
291		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
292			Shapiro Wilk Test Statistic			0.694			Shapiro Wilk Test Statistic			0.954
293			5% Shapiro Wilk Critical Value			0.944			5% Shapiro Wilk Critical Value			0.944
294		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
295												
296		Assuming Normal Distribution						Assuming Lognormal Distribution				
297			DL/2 Substitution Method						DL/2 Substitution Method			
298			Mean			22236			Mean			8.958
299			SD			31067			SD			1.695
300			95% DL/2 (t) UCL			30110			95% H-Stat (DL/2) UCL			74416
301												
302			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
303		MLE method failed to converge properly							Mean in Log Scale			N/A
304									SD in Log Scale			N/A
305									Mean in Original Scale			N/A
306									SD in Original Scale			N/A
307									95% Percentile Bootstrap UCL			N/A
308									95% BCA Bootstrap UCL			N/A
309												
310		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
311			k star (bias corrected)			0.564		Data appear Gamma Distributed at 5% Significance Level				
312			Theta Star			39407						
313			nu star			49.66						
314												
315			A-D Test Statistic			0.427			Nonparametric Statistics			
316			5% A-D Critical Value			0.805			Kaplan-Meier (KM) Method			
317			K-S Test Statistic			0.805			Mean			22236
318			5% K-S Critical Value			0.14			SD			30712

	A	B	C	D	E	F	G	H	I	J	K	L
319	Data appear Gamma Distributed at 5% Significance Level										SE of Mean	4684
320											95% KM (t) UCL	30110
321	Assuming Gamma Distribution										95% KM (z) UCL	29940
322	Gamma ROS Statistics using Extrapolated Data										95% KM (jackknife) UCL	30110
323				Minimum		250					95% KM (bootstrap t) UCL	32492
324				Maximum		130000					95% KM (BCA) UCL	30430
325				Mean		22236				95% KM (Percentile Bootstrap) UCL		30632
326				Median		10650					95% KM (Chebyshev) UCL	42651
327				SD		31067					97.5% KM (Chebyshev) UCL	51485
328				k star		0.564					99% KM (Chebyshev) UCL	68837
329				Theta star		39407						
330				Nu star		49.66				Potential UCLs to Use		
331				AppChi2		34.48					95% KM (Chebyshev) UCL	42651
332		95% Gamma Approximate UCL				32026						
333		95% Adjusted Gamma UCL				32430						
334	Note: DL/2 is not a recommended method.											
335												
336												
337	Benzo(k)fluoranthene											
338												
339					General Statistics							
340		Number of Valid Data				44				Number of Detected Data		44
341		Number of Distinct Detected Data				38				Number of Non-Detect Data		0
342		Number of Missing Values				2				Percent Non-Detects		0.00%
343												
344		Raw Statistics							Log-transformed Statistics			
345			Minimum Detected			180				Minimum Detected		5.193
346			Maximum Detected			89000				Maximum Detected		11.4
347			Mean of Detected			14052				Mean of Detected		8.452
348			SD of Detected			19614				SD of Detected		1.719
349			Minimum Non-Detect			N/A				Minimum Non-Detect		N/A
350			Maximum Non-Detect			N/A				Maximum Non-Detect		N/A
351												
352												
353					UCL Statistics							
354		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
355			Shapiro Wilk Test Statistic			0.72				Shapiro Wilk Test Statistic		0.95
356			5% Shapiro Wilk Critical Value			0.944				5% Shapiro Wilk Critical Value		0.944
357		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
358												
359		Assuming Normal Distribution							Assuming Lognormal Distribution			
360			DL/2 Substitution Method							DL/2 Substitution Method		
361				Mean		14052				Mean		8.452
362				SD		19614				SD		1.719
363			95% DL/2 (t) UCL			19023				95% H-Stat (DL/2) UCL		47793
364												
365		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
366		MLE method failed to converge properly								Mean in Log Scale		N/A
367										SD in Log Scale		N/A
368										Mean in Original Scale		N/A
369										SD in Original Scale		N/A
370										95% Percentile Bootstrap UCL		N/A
371										95% BCA Bootstrap UCL		N/A

	A	B	C	D	E	F	G	H	I	J	K	L
372												
373			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
374				k star (bias corrected)		0.544		Data appear Gamma Distributed at 5% Significance Level				
375				Theta Star		25839						
376				nu star		47.86						
377												
378				A-D Test Statistic		0.584		Nonparametric Statistics				
379				5% A-D Critical Value		0.807		Kaplan-Meier (KM) Method				
380				K-S Test Statistic		0.807				Mean		14052
381				5% K-S Critical Value		0.14				SD		19390
382		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		2957
383										95% KM (t) UCL		19023
384			Assuming Gamma Distribution							95% KM (z) UCL		18916
385		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		19023
386				Minimum		180				95% KM (bootstrap t) UCL		20483
387				Maximum		89000				95% KM (BCA) UCL		19530
388				Mean		14052				95% KM (Percentile Bootstrap) UCL		19051
389				Median		5150				95% KM (Chebyshev) UCL		26941
390				SD		19614				97.5% KM (Chebyshev) UCL		32518
391				k star		0.544				99% KM (Chebyshev) UCL		43473
392				Theta star		25839						
393				Nu star		47.86		Potential UCLs to Use				
394				AppChi2		32.98				95% KM (Chebyshev) UCL		26941
395			95% Gamma Approximate UCL			20391						
396			95% Adjusted Gamma UCL			20654						
397	Note: DL/2 is not a recommended method.											
398												
399												
400	Bis(2-ethylhexyl) phthalate											
401												
402					General Statistics							
403				Number of Valid Data		38				Number of Detected Data		11
404			Number of Distinct Detected Data			11				Number of Non-Detect Data		27
405				Number of Missing Values		8				Percent Non-Detects		71.05%
406												
407			Raw Statistics						Log-transformed Statistics			
408				Minimum Detected		72				Minimum Detected		4.277
409				Maximum Detected		3200				Maximum Detected		8.071
410				Mean of Detected		476.1				Mean of Detected		5.32
411				SD of Detected		922.8				SD of Detected		1.134
412				Minimum Non-Detect		52				Minimum Non-Detect		3.951
413				Maximum Non-Detect		940				Maximum Non-Detect		6.846
414												
415	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		37
416	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1
417	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		97.37%
418												
419					UCL Statistics							
420			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
421				Shapiro Wilk Test Statistic		0.484				Shapiro Wilk Test Statistic		0.826
422				5% Shapiro Wilk Critical Value		0.85				5% Shapiro Wilk Critical Value		0.85
423			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
424												

	A	B	C	D	E	F	G	H	I	J	K	L
425				Assuming Normal Distribution						Assuming Lognormal Distribution		
426				DL/2 Substitution Method						DL/2 Substitution Method		
427					Mean	219.7					Mean	4.704
428					SD	514.7					SD	0.958
429				95% DL/2 (t) UCL		360.5				95% H-Stat (DL/2) UCL		246.6
430												
431				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
432				MLE method failed to converge properly						Mean in Log Scale		3.983
433										SD in Log Scale		1.115
434										Mean in Original Scale		162
435										SD in Original Scale		521.1
436										95% Percentile Bootstrap UCL		320.3
437										95% BCA Bootstrap UCL		428.8
438												
439				Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only		
440				k star (bias corrected)		0.579				Data do not follow a Discernable Distribution (0.05)		
441				Theta Star		822						
442				nu star		12.74						
443												
444				A-D Test Statistic		1.436				Nonparametric Statistics		
445				5% A-D Critical Value		0.765				Kaplan-Meier (KM) Method		
446				K-S Test Statistic		0.765					Mean	198.5
447				5% K-S Critical Value		0.266					SD	506.6
448				Data not Gamma Distributed at 5% Significance Level							SE of Mean	86.42
449											95% KM (t) UCL	344.3
450				Assuming Gamma Distribution							95% KM (z) UCL	340.7
451				Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL	337.8
452					Minimum	72					95% KM (bootstrap t) UCL	1121
453					Maximum	3200					95% KM (BCA) UCL	375
454					Mean	475					95% KM (Percentile Bootstrap) UCL	357.3
455					Median	470.8					95% KM (Chebyshev) UCL	575.2
456					SD	479.8					97.5% KM (Chebyshev) UCL	738.2
457					k star	2.039					99% KM (Chebyshev) UCL	1058
458					Theta star	232.9						
459					Nu star	155					Potential UCLs to Use	
460					AppChi2	127.2					95% KM (BCA) UCL	375
461				95% Gamma Approximate UCL		578.7						
462				95% Adjusted Gamma UCL		583.5						
463	Note: DL/2 is not a recommended method.											
464												
465												
466	Dibenzo(a,h)anthracene											
467												
468					General Statistics							
469				Number of Valid Data		44				Number of Detected Data		44
470				Number of Distinct Detected Data		41				Number of Non-Detect Data		0
471				Number of Missing Values		2				Percent Non-Detects		0.00%
472												
473				Raw Statistics						Log-transformed Statistics		
474				Minimum Detected		37				Minimum Detected		3.611
475				Maximum Detected		15000				Maximum Detected		9.616
476				Mean of Detected		2916				Mean of Detected		7.008
477				SD of Detected		3711				SD of Detected		1.656

	A	B	C	D	E	F	G	H	I	J	K	L
478				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
479				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
480												
481												
482					UCL Statistics							
483			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
484				Shapiro Wilk Test Statistic		0.749				Shapiro Wilk Test Statistic		0.943
485				5% Shapiro Wilk Critical Value		0.944				5% Shapiro Wilk Critical Value		0.944
486			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
487												
488			Assuming Normal Distribution						Assuming Lognormal Distribution			
489				DL/2 Substitution Method						DL/2 Substitution Method		
490					Mean	2916					Mean	7.008
491					SD	3711					SD	1.656
492				95% DL/2 (t) UCL		3857				95% H-Stat (DL/2) UCL		9600
493												
494				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
495			MLE method failed to converge properly							Mean in Log Scale		N/A
496										SD in Log Scale		N/A
497										Mean in Original Scale		N/A
498										SD in Original Scale		N/A
499										95% Percentile Bootstrap UCL		N/A
500										95% BCA Bootstrap UCL		N/A
501												
502			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
503				k star (bias corrected)		0.604			Data appear Gamma Distributed at 5% Significance Level			
504					Theta Star	4829						
505					nu star	53.15						
506												
507					A-D Test Statistic	0.317			Nonparametric Statistics			
508				5% A-D Critical Value		0.801			Kaplan-Meier (KM) Method			
509					K-S Test Statistic	0.801					Mean	2916
510				5% K-S Critical Value		0.14					SD	3668
511			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		559.4
512										95% KM (t) UCL		3857
513			Assuming Gamma Distribution							95% KM (z) UCL		3837
514			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		3857
515					Minimum	37				95% KM (bootstrap t) UCL		4087
516					Maximum	15000				95% KM (BCA) UCL		3878
517					Mean	2916			95% KM (Percentile Bootstrap) UCL			3828
518					Median	1500				95% KM (Chebyshev) UCL		5355
519					SD	3711				97.5% KM (Chebyshev) UCL		6410
520					k star	0.604				99% KM (Chebyshev) UCL		8483
521					Theta star	4829						
522					Nu star	53.15			Potential UCLs to Use			
523					AppChi2	37.4				95% KM (Chebyshev) UCL		5355
524				95% Gamma Approximate UCL		4144						
525				95% Adjusted Gamma UCL		4195						
526	Note: DL/2 is not a recommended method.											
527												
528												
529	Dieldrin											
530												

	A	B	C	D	E	F	G	H	I	J	K	L
531					General Statistics							
532				Number of Valid Data		27				Number of Detected Data		7
533			Number of Distinct Detected Data			7				Number of Non-Detect Data		20
534				Number of Missing Values		13				Percent Non-Detects		74.07%
535												
536				Raw Statistics						Log-transformed Statistics		
537				Minimum Detected		0.21				Minimum Detected		-1.561
538				Maximum Detected		11.2				Maximum Detected		2.416
539				Mean of Detected		3.208				Mean of Detected		0.379
540				SD of Detected		4.072				SD of Detected		1.42
541				Minimum Non-Detect		0.0882				Minimum Non-Detect		-2.428
542				Maximum Non-Detect		5.4				Maximum Non-Detect		1.686
543												
544	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			25
545	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
546	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			92.59%
547												
548					Warning: There are only 7 Detected Values in this data							
549				Note: It should be noted that even though bootstrap may be performed on this data set								
550					the resulting calculations may not be reliable enough tp draw conclusions							
551												
552				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
553												
554												
555					UCL Statistics							
556		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
557				Shapiro Wilk Test Statistic		0.781				Shapiro Wilk Test Statistic		0.957
558				5% Shapiro Wilk Critical Value		0.803				5% Shapiro Wilk Critical Value		0.803
559		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
560												
561		Assuming Normal Distribution						Assuming Lognormal Distribution				
562				DL/2 Substitution Method						DL/2 Substitution Method		
563				Mean		1.119				Mean		-1.084
564				SD		2.383				SD		1.452
565				95% DL/2 (t) UCL		1.901				95% H-Stat (DL/2) UCL		1.512
566												
567			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
568		Data MLE method failed to converge properly								Mean in Log Scale		-2.615
569										SD in Log Scale		1.953
570										Mean in Original Scale		0.852
571										SD in Original Scale		2.417
572										95% Percentile Bootstrap UCL		1.688
573										95% BCA Bootstrap UCL		2.06
574												
575		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
576				k star (bias corrected)		0.53		Data appear Gamma Distributed at 5% Significance Level				
577				Theta Star		6.057						
578				nu star		7.414						
579												
580				A-D Test Statistic		0.354			Nonparametric Statistics			
581				5% A-D Critical Value		0.736				Kaplan-Meier (KM) Method		
582				K-S Test Statistic		0.736				Mean		1.005
583				5% K-S Critical Value		0.323				SD		2.324

	A	B	C	D	E	F	G	H	I	J	K	L
584	Data appear Gamma Distributed at 5% Significance Level										SE of Mean	0.484
585											95% KM (t) UCL	1.83
586			Assuming Gamma Distribution								95% KM (z) UCL	1.801
587		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	1.668
588					Minimum	0.21					95% KM (bootstrap t) UCL	3.432
589					Maximum	11.2					95% KM (BCA) UCL	2.616
590					Mean	3.116				95% KM (Percentile Bootstrap) UCL		2.051
591					Median	3.026					95% KM (Chebyshev) UCL	3.114
592					SD	1.996					97.5% KM (Chebyshev) UCL	4.027
593					k star	2.259					99% KM (Chebyshev) UCL	5.819
594					Theta star	1.379						
595					Nu star	122				Potential UCLs to Use		
596					AppChi2	97.5					95% KM (t) UCL	1.83
597			95% Gamma Approximate UCL			3.899						
598			95% Adjusted Gamma UCL			3.956						
599	Note: DL/2 is not a recommended method.											
600												
601												
602	Indeno(1,2,3-cd)pyrene											
603												
604					General Statistics							
605			Number of Valid Data			44				Number of Detected Data		44
606		Number of Distinct Detected Data				40				Number of Non-Detect Data		0
607			Number of Missing Values			2				Percent Non-Detects		0.00%
608												
609			Raw Statistics							Log-transformed Statistics		
610				Minimum Detected		190					Minimum Detected	5.247
611				Maximum Detected		130000					Maximum Detected	11.78
612				Mean of Detected		21202					Mean of Detected	8.889
613				SD of Detected		28900					SD of Detected	1.736
614				Minimum Non-Detect		N/A					Minimum Non-Detect	N/A
615				Maximum Non-Detect		N/A					Maximum Non-Detect	N/A
616												
617												
618					UCL Statistics							
619		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
620			Shapiro Wilk Test Statistic			0.727				Shapiro Wilk Test Statistic		0.95
621			5% Shapiro Wilk Critical Value			0.944				5% Shapiro Wilk Critical Value		0.944
622		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
623												
624		Assuming Normal Distribution						Assuming Lognormal Distribution				
625			DL/2 Substitution Method							DL/2 Substitution Method		
626					Mean	21202					Mean	8.889
627					SD	28900					SD	1.736
628			95% DL/2 (t) UCL			28526				95% H-Stat (DL/2) UCL		77265
629												
630		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
631		MLE method failed to converge properly								Mean in Log Scale		N/A
632										SD in Log Scale		N/A
633										Mean in Original Scale		N/A
634										SD in Original Scale		N/A
635										95% Percentile Bootstrap UCL		N/A
636										95% BCA Bootstrap UCL		N/A

	A	B	C	D	E	F	G	H	I	J	K	L
637												
638			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
639					k star (bias corrected)	0.555		Data appear Gamma Distributed at 5% Significance Level				
640					Theta Star	38233						
641					nu star	48.8						
642												
643					A-D Test Statistic	0.43		Nonparametric Statistics				
644					5% A-D Critical Value	0.806		Kaplan-Meier (KM) Method				
645					K-S Test Statistic	0.806					Mean	21202
646					5% K-S Critical Value	0.14					SD	28569
647			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	4357
648											95% KM (t) UCL	28526
649			Assuming Gamma Distribution								95% KM (z) UCL	28368
650			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	28526
651					Minimum	190					95% KM (bootstrap t) UCL	30784
652					Maximum	130000					95% KM (BCA) UCL	29341
653					Mean	21202					95% KM (Percentile Bootstrap) UCL	28526
654					Median	10500					95% KM (Chebyshev) UCL	40192
655					SD	28900					97.5% KM (Chebyshev) UCL	48410
656					k star	0.555					99% KM (Chebyshev) UCL	64551
657					Theta star	38233						
658					Nu star	48.8		Potential UCLs to Use				
659					AppChi2	33.76					95% KM (Chebyshev) UCL	40192
660			95% Gamma Approximate UCL			30644						
661			95% Adjusted Gamma UCL			31034						
662	Note: DL/2 is not a recommended method.											
663												
664												
665	Lead											
666												
667				General Statistics								
668			Number of Valid Data			45			Number of Detected Data			45
669			Number of Distinct Detected Data			40			Number of Non-Detect Data			0
670			Number of Missing Values			1			Percent Non-Detects			0.00%
671												
672			Raw Statistics					Log-transformed Statistics				
673				Minimum Detected		9.28				Minimum Detected		2.228
674				Maximum Detected		684				Maximum Detected		6.528
675				Mean of Detected		42.62				Mean of Detected		3.297
676				SD of Detected		98.69				SD of Detected		0.683
677				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
678				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
679												
680												
681				UCL Statistics								
682			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
683				Shapiro Wilk Test Statistic		0.252				Shapiro Wilk Test Statistic		0.824
684				5% Shapiro Wilk Critical Value		0.945				5% Shapiro Wilk Critical Value		0.945
685			Data not Normal at 5% Significance Level					Data not Lognormal at 5% Significance Level				
686												
687			Assuming Normal Distribution					Assuming Lognormal Distribution				
688				DL/2 Substitution Method						DL/2 Substitution Method		
689				Mean		42.62				Mean		3.297

	A	B	C	D	E	F	G	H	I	J	K	L
690					SD	98.69					SD	0.683
691				95% DL/2 (t) UCL		67.33				95% H-Stat (DL/2) UCL		42.04
692												
693			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
694		MLE method failed to converge properly								Mean in Log Scale		N/A
695										SD in Log Scale		N/A
696										Mean in Original Scale		N/A
697										SD in Original Scale		N/A
698										95% Percentile Bootstrap UCL		N/A
699										95% BCA Bootstrap UCL		N/A
700												
701		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
702				k star (bias corrected)		1.17		Data do not follow a Discernable Distribution (0.05)				
703					Theta Star	36.43						
704					nu star	105.3						
705												
706					A-D Test Statistic	5.126			Nonparametric Statistics			
707				5% A-D Critical Value		0.773			Kaplan-Meier (KM) Method			
708					K-S Test Statistic	0.773				Mean		42.62
709				5% K-S Critical Value		0.135				SD		97.58
710		Data not Gamma Distributed at 5% Significance Level								SE of Mean		14.71
711										95% KM (t) UCL		67.33
712		Assuming Gamma Distribution								95% KM (z) UCL		66.81
713		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		67.33
714					Minimum	9.28				95% KM (bootstrap t) UCL		179.1
715					Maximum	684				95% KM (BCA) UCL		73.22
716					Mean	42.62			95% KM (Percentile Bootstrap) UCL			71.54
717					Median	25.4				95% KM (Chebyshev) UCL		106.7
718					SD	98.69				97.5% KM (Chebyshev) UCL		134.5
719					k star	1.17				99% KM (Chebyshev) UCL		189
720					Theta star	36.43						
721					Nu star	105.3			Potential UCLs to Use			
722					AppChi2	82.61				95% KM (Chebyshev) UCL		106.7
723			95% Gamma Approximate UCL			54.31						
724			95% Adjusted Gamma UCL			54.75						
725	Note: DL/2 is not a recommended method.											
726												
727												
728	Mercury											
729												
730						General Statistics						
731				Number of Valid Data		38				Number of Detected Data		36
732		Number of Distinct Detected Data				30				Number of Non-Detect Data		2
733				Number of Missing Values		8				Percent Non-Detects		5.26%
734												
735			Raw Statistics						Log-transformed Statistics			
736				Minimum Detected		0.036				Minimum Detected		-3.324
737				Maximum Detected		0.43				Maximum Detected		-0.844
738				Mean of Detected		0.118				Mean of Detected		-2.316
739				SD of Detected		0.0846				SD of Detected		0.566
740				Minimum Non-Detect		0.08				Minimum Non-Detect		-2.526
741				Maximum Non-Detect		0.09				Maximum Non-Detect		-2.408
742												

	A	B	C	D	E	F	G	H	I	J	K	L
743	Note: Data have multiple DLs - Use of KM Method is recommended						Number treated as Non-Detect					20
744	For all methods (except KM, DL/2, and ROS Methods),						Number treated as Detected					18
745	Observations < Largest ND are treated as NDs						Single DL Non-Detect Percentage					52.63%
746												
747	UCL Statistics											
748	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
749	Shapiro Wilk Test Statistic					0.745	Shapiro Wilk Test Statistic					0.953
750	5% Shapiro Wilk Critical Value					0.935	5% Shapiro Wilk Critical Value					0.935
751	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
752												
753	Assuming Normal Distribution						Assuming Lognormal Distribution					
754	DL/2 Substitution Method						DL/2 Substitution Method					
755	Mean					0.114	Mean					-2.36
756	SD					0.084	SD					0.583
757	95% DL/2 (t) UCL					0.137	95% H-Stat (DL/2) UCL					0.131
758												
759	Maximum Likelihood Estimate(MLE) Method						Log ROS Method					
760	Mean					0.0706	Mean in Log Scale					-2.339
761	SD					0.127	SD in Log Scale					0.56
762	95% MLE (t) UCL					0.105	Mean in Original Scale					0.115
763	95% MLE (Tiku) UCL					0.115	SD in Original Scale					0.0832
764							95% Percentile Bootstrap UCL					0.137
765							95% BCA Bootstrap UCL					0.142
766												
767	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
768	k star (bias corrected)					2.768	Data Follow Appr. Gamma Distribution at 5% Significance Level					
769	Theta Star					0.0425						
770	nu star					199.3						
771												
772	A-D Test Statistic					1.074	Nonparametric Statistics					
773	5% A-D Critical Value					0.754	Kaplan-Meier (KM) Method					
774	K-S Test Statistic					0.754	Mean					0.115
775	5% K-S Critical Value					0.148	SD					0.0822
776	Data follow Appr. Gamma Distribution at 5% Significance Level						SE of Mean					0.0135
777							95% KM (t) UCL					0.138
778	Assuming Gamma Distribution						95% KM (z) UCL					0.137
779	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					0.138
780	Minimum					0.036	95% KM (bootstrap t) UCL					0.148
781	Maximum					0.43	95% KM (BCA) UCL					0.138
782	Mean					0.115	95% KM (Percentile Bootstrap) UCL					0.137
783	Median					0.086	95% KM (Chebyshev) UCL					0.174
784	SD					0.083	97.5% KM (Chebyshev) UCL					0.199
785	k star					2.838	99% KM (Chebyshev) UCL					0.249
786	Theta star					0.0406						
787	Nu star					215.7	Potential UCLs to Use					
788	AppChi2					182.7	95% KM (BCA) UCL					0.138
789	95% Gamma Approximate UCL					0.136						
790	95% Adjusted Gamma UCL					0.137						
791	Note: DL/2 is not a recommended method.											
792												
793												
794	Naphthalene											
795												

	A	B	C	D	E	F	G	H	I	J	K	L
796							General Statistics					
797			Number of Valid Data			44				Number of Detected Data		44
798			Number of Distinct Detected Data			33				Number of Non-Detect Data		0
799			Number of Missing Values			2				Percent Non-Detects		0.00%
800												
801			Raw Statistics							Log-transformed Statistics		
802			Minimum Detected			0.89				Minimum Detected		-0.117
803			Maximum Detected			100000				Maximum Detected		11.51
804			Mean of Detected			10840				Mean of Detected		7.258
805			SD of Detected			22383				SD of Detected		2.445
806			Minimum Non-Detect			N/A				Minimum Non-Detect		N/A
807			Maximum Non-Detect			N/A				Maximum Non-Detect		N/A
808												
809												
810							UCL Statistics					
811			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
812			Shapiro Wilk Test Statistic			0.54				Shapiro Wilk Test Statistic		0.969
813			5% Shapiro Wilk Critical Value			0.944				5% Shapiro Wilk Critical Value		0.944
814			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
815												
816			Assuming Normal Distribution						Assuming Lognormal Distribution			
817			DL/2 Substitution Method							DL/2 Substitution Method		
818			Mean			10840				Mean		7.258
819			SD			22383				SD		2.445
820			95% DL/2 (t) UCL			16512				95% H-Stat (DL/2) UCL		136894
821												
822			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
823			MLE method failed to converge properly							Mean in Log Scale		N/A
824										SD in Log Scale		N/A
825										Mean in Original Scale		N/A
826										SD in Original Scale		N/A
827										95% Percentile Bootstrap UCL		N/A
828										95% BCA Bootstrap UCL		N/A
829												
830			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
831			k star (bias corrected)			0.326			Data appear Lognormal at 5% Significance Level			
832			Theta Star			33270						
833			nu star			28.67						
834												
835			A-D Test Statistic			1.318			Nonparametric Statistics			
836			5% A-D Critical Value			0.853				Kaplan-Meier (KM) Method		
837			K-S Test Statistic			0.853				Mean		10840
838			5% K-S Critical Value			0.144				SD		22127
839			Data not Gamma Distributed at 5% Significance Level							SE of Mean		3374
840										95% KM (t) UCL		16512
841			Assuming Gamma Distribution							95% KM (z) UCL		16390
842			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		16512
843			Minimum			0.89				95% KM (bootstrap t) UCL		19262
844			Maximum			100000				95% KM (BCA) UCL		16694
845			Mean			10840			95% KM (Percentile Bootstrap) UCL			16617
846			Median			1800				95% KM (Chebyshev) UCL		25548
847			SD			22383				97.5% KM (Chebyshev) UCL		31913
848			k star			0.326				99% KM (Chebyshev) UCL		44414

	A	B	C	D	E	F	G	H	I	J	K	L
849					Theta star	33270						
850					Nu star	28.67		Potential UCLs to Use				
851					AppChi2	17.45			99% KM (Chebyshev) UCL			44414
852			95% Gamma Approximate UCL			17809						
853			95% Adjusted Gamma UCL			18118						
854	Note: DL/2 is not a recommended method.											
855												
856												
857	Thallium											
858												
859					General Statistics							
860			Number of Valid Data			11			Number of Detected Data			9
861			Number of Distinct Detected Data			8			Number of Non-Detect Data			2
862			Number of Missing Values			34			Percent Non-Detects			18.18%
863												
864			Raw Statistics						Log-transformed Statistics			
865			Minimum Detected			0.0566			Minimum Detected			-2.872
866			Maximum Detected			6			Maximum Detected			1.792
867			Mean of Detected			1.847			Mean of Detected			-0.989
868			SD of Detected			2.631			SD of Detected			2.015
869			Minimum Non-Detect			5			Minimum Non-Detect			1.609
870			Maximum Non-Detect			5			Maximum Non-Detect			1.609
871												
872												
873					Warning: There are only 9 Detected Values in this data							
874					Note: It should be noted that even though bootstrap may be performed on this data set							
875					the resulting calculations may not be reliable enough tp draw conclusions							
876												
877					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
878												
879												
880					UCL Statistics							
881			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
882			Shapiro Wilk Test Statistic			0.665			Shapiro Wilk Test Statistic			0.74
883			5% Shapiro Wilk Critical Value			0.829			5% Shapiro Wilk Critical Value			0.829
884			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
885												
886			Assuming Normal Distribution						Assuming Lognormal Distribution			
887			DL/2 Substitution Method						DL/2 Substitution Method			
888			Mean			1.966			Mean			-0.642
889			SD			2.368			SD			1.96
890			95% DL/2 (t) UCL			3.26			95% H-Stat (DL/2) UCL			82.78
891												
892		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
893			Mean			4.535			Mean in Log Scale			-1.164
894			SD			0.699			SD in Log Scale			1.868
895			95% MLE (t) UCL			4.917			Mean in Original Scale			1.543
896			95% MLE (Tiku) UCL			5.266			SD in Original Scale			2.449
897									95% Percentile Bootstrap UCL			2.77
898									95% BCA Bootstrap UCL			3.048
899												
900			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
901			k star (bias corrected)			0.347			Data do not follow a Discernable Distribution (0.05)			

	A	B	C	D	E	F	G	H	I	J	K	L
902					Theta Star	5.325						
903					nu star	6.243						
904												
905					A-D Test Statistic	1.369		Nonparametric Statistics				
906					5% A-D Critical Value	0.787			Kaplan-Meier (KM) Method			
907					K-S Test Statistic	0.787					Mean	1.53
908					5% K-S Critical Value	0.297					SD	2.342
909		Data not Gamma Distributed at 5% Significance Level									SE of Mean	0.749
910											95% KM (t) UCL	2.888
911		Assuming Gamma Distribution									95% KM (z) UCL	2.762
912		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	2.872
913					Minimum	0.0566					95% KM (bootstrap t) UCL	3.167
914					Maximum	6					95% KM (BCA) UCL	2.774
915					Mean	1.761				95% KM (Percentile Bootstrap) UCL		2.862
916					Median	0.155					95% KM (Chebyshev) UCL	4.795
917					SD	2.368					97.5% KM (Chebyshev) UCL	6.208
918					k star	0.411					99% KM (Chebyshev) UCL	8.983
919					Theta star	4.284						
920					Nu star	9.045		Potential UCLs to Use				
921					AppChi2	3.354					99% KM (Chebyshev) UCL	8.983
922			95% Gamma Approximate UCL			4.75						
923			95% Adjusted Gamma UCL			5.662						
924		Warning: Recommended UCL exceeds the maximum observation										
925	Note: DL/2 is not a recommended method.											
926												
927												
928	Total Aroclors											
929												
930					General Statistics							
931			Number of Valid Data			28				Number of Detected Data		15
932		Number of Distinct Detected Data				15				Number of Non-Detect Data		13
933			Number of Missing Values			13				Percent Non-Detects		46.43%
934												
935		Raw Statistics						Log-transformed Statistics				
936			Minimum Detected			14.9				Minimum Detected		2.701
937			Maximum Detected			208.8				Maximum Detected		5.341
938			Mean of Detected			68.15				Mean of Detected		3.885
939			SD of Detected			58.93				SD of Detected		0.861
940			Minimum Non-Detect			2.69				Minimum Non-Detect		0.99
941			Maximum Non-Detect			140				Maximum Non-Detect		4.942
942												
943	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		26
944	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		2
945	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		92.86%
946												
947					UCL Statistics							
948		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
949			Shapiro Wilk Test Statistic			0.835				Shapiro Wilk Test Statistic		0.945
950			5% Shapiro Wilk Critical Value			0.881				5% Shapiro Wilk Critical Value		0.881
951		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
952												
953		Assuming Normal Distribution						Assuming Lognormal Distribution				
954			DL/2 Substitution Method							DL/2 Substitution Method		

	A	B	C	D	E	F	G	H	I	J	K	L
955					Mean	42.53					Mean	2.865
956					SD	52.52					SD	1.553
957				95% DL/2 (t) UCL		59.43				95% H-Stat (DL/2) UCL		117.3
958												
959			Maximum Likelihood Estimate(MLE) Method			N/A					Log ROS Method	
960		MLE method failed to converge properly									Mean in Log Scale	3.059
961											SD in Log Scale	1.122
962											Mean in Original Scale	40.58
963											SD in Original Scale	52.12
964										95% Percentile Bootstrap UCL		56.95
965										95% BCA Bootstrap UCL		60.56
966												
967		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
968				k star (bias corrected)		1.349		Data appear Gamma Distributed at 5% Significance Level				
969					Theta Star	50.51						
970					nu star	40.48						
971												
972				A-D Test Statistic		0.362		Nonparametric Statistics				
973				5% A-D Critical Value		0.752				Kaplan-Meier (KM) Method		
974				K-S Test Statistic		0.752					Mean	44.56
975				5% K-S Critical Value		0.225					SD	49.28
976		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	9.722
977										95% KM (t) UCL		61.12
978		Assuming Gamma Distribution								95% KM (z) UCL		60.56
979		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		60.32
980					Minimum	14.9				95% KM (bootstrap t) UCL		68.34
981					Maximum	208.8				95% KM (BCA) UCL		64.25
982					Mean	57.81			95% KM (Percentile Bootstrap) UCL			60.85
983					Median	39.9				95% KM (Chebyshev) UCL		86.94
984					SD	48.02				97.5% KM (Chebyshev) UCL		105.3
985					k star	1.801				99% KM (Chebyshev) UCL		141.3
986					Theta star	32.1						
987					Nu star	100.9		Potential UCLs to Use				
988					AppChi2	78.69				95% KM (t) UCL		61.12
989				95% Gamma Approximate UCL		74.1						
990				95% Adjusted Gamma UCL		75.25						
991	Note: DL/2 is not a recommended method.											
992												
993												
994	Total DDT											
995												
996							General Statistics					
997				Number of Valid Data		27				Number of Detected Data		27
998			Number of Distinct Detected Data			27				Number of Non-Detect Data		0
999				Number of Missing Values		13				Percent Non-Detects		0.00%
1000												
1001			Raw Statistics						Log-transformed Statistics			
1002				Minimum Detected		1.617				Minimum Detected		0.48
1003				Maximum Detected		231.2				Maximum Detected		5.443
1004				Mean of Detected		35.79				Mean of Detected		2.851
1005				SD of Detected		54.41				SD of Detected		1.222
1006				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1007				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A

	A	B	C	D	E	F	G	H	I	J	K	L
1008												
1009												
1010						UCL Statistics						
1011		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1012			Shapiro Wilk Test Statistic			0.587				Shapiro Wilk Test Statistic		0.973
1013			5% Shapiro Wilk Critical Value			0.923				5% Shapiro Wilk Critical Value		0.923
1014		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1015												
1016		Assuming Normal Distribution						Assuming Lognormal Distribution				
1017			DL/2 Substitution Method							DL/2 Substitution Method		
1018				Mean		35.79				Mean		2.851
1019				SD		54.41				SD		1.222
1020			95% DL/2 (t) UCL			53.65			95% H-Stat (DL/2) UCL			70.68
1021												
1022		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
1023		MLE method failed to converge properly							Mean in Log Scale			N/A
1024									SD in Log Scale			N/A
1025									Mean in Original Scale			N/A
1026									SD in Original Scale			N/A
1027									95% Percentile Bootstrap UCL			N/A
1028									95% BCA Bootstrap UCL			N/A
1029												
1030		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1031			k star (bias corrected)			0.749	Data Follow Appr. Gamma Distribution at 5% Significance Level					
1032				Theta Star		47.8						
1033				nu star		40.44						
1034												
1035				A-D Test Statistic		0.909		Nonparametric Statistics				
1036				5% A-D Critical Value		0.781			Kaplan-Meier (KM) Method			
1037				K-S Test Statistic		0.781				Mean		35.79
1038				5% K-S Critical Value		0.174				SD		53.39
1039		Data follow Appr. Gamma Distribution at 5% Significance Level							SE of Mean			10.47
1040									95% KM (t) UCL			53.65
1041		Assuming Gamma Distribution							95% KM (z) UCL			53.02
1042		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			53.65
1043				Minimum		1.617			95% KM (bootstrap t) UCL			82.94
1044				Maximum		231.2				95% KM (BCA) UCL		55.25
1045				Mean		35.79			95% KM (Percentile Bootstrap) UCL			54.18
1046				Median		18.57				95% KM (Chebyshev) UCL		81.44
1047				SD		54.41				97.5% KM (Chebyshev) UCL		101.2
1048				k star		0.749				99% KM (Chebyshev) UCL		140
1049				Theta star		47.8						
1050				Nu star		40.44		Potential UCLs to Use				
1051				AppChi2		26.86			95% KM (Chebyshev) UCL			81.44
1052			95% Gamma Approximate UCL			53.87						
1053			95% Adjusted Gamma UCL			55.33						
1054	Note: DL/2 is not a recommended method.											
1055												
1056												
1057	Tributyltin ion											
1058												
1059						General Statistics						
1060				Number of Valid Data		8				Number of Detected Data		8

	A	B	C	D	E	F	G	H	I	J	K	L
1061				Number of Distinct Detected Data		8			Number of Non-Detect Data			0
1062				Number of Missing Values		33			Percent Non-Detects			0.00%
1063												
1064			Raw Statistics						Log-transformed Statistics			
1065				Minimum Detected		2.6			Minimum Detected			0.956
1066				Maximum Detected		33			Maximum Detected			3.497
1067				Mean of Detected		12.84			Mean of Detected			2.248
1068				SD of Detected		10.39			SD of Detected			0.87
1069				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
1070				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
1071												
1072												
1073			Warning: There are only 8 Detected Values in this data									
1074			Note: It should be noted that even though bootstrap may be performed on this data set									
1075			the resulting calculations may not be reliable enough tp draw conclusions									
1076												
1077			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1078												
1079												
1080						UCL Statistics						
1081			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1082				Shapiro Wilk Test Statistic		0.883			Shapiro Wilk Test Statistic			0.969
1083				5% Shapiro Wilk Critical Value		0.818			5% Shapiro Wilk Critical Value			0.818
1084			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1085												
1086			Assuming Normal Distribution						Assuming Lognormal Distribution			
1087				DL/2 Substitution Method					DL/2 Substitution Method			
1088					Mean	12.84				Mean		2.248
1089					SD	10.39				SD		0.87
1090				95% DL/2 (t) UCL		19.8			95% H-Stat (DL/2) UCL			38.47
1091												
1092				Maximum Likelihood Estimate(MLE) Method		N/A			Log ROS Method			
1093			MLE method failed to converge properly						Mean in Log Scale			N/A
1094									SD in Log Scale			N/A
1095									Mean in Original Scale			N/A
1096									SD in Original Scale			N/A
1097									95% Percentile Bootstrap UCL			N/A
1098									95% BCA Bootstrap UCL			N/A
1099												
1100			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1101				k star (bias corrected)		1.2			Data appear Normal at 5% Significance Level			
1102				Theta Star		10.7						
1103				nu star		19.21						
1104												
1105				A-D Test Statistic		0.193			Nonparametric Statistics			
1106				5% A-D Critical Value		0.726			Kaplan-Meier (KM) Method			
1107				K-S Test Statistic		0.726			Mean			12.84
1108				5% K-S Critical Value		0.298			SD			9.715
1109			Data appear Gamma Distributed at 5% Significance Level						SE of Mean			3.672
1110									95% KM (t) UCL			19.8
1111			Assuming Gamma Distribution						95% KM (z) UCL			18.88
1112			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			19.8
1113				Minimum		2.6			95% KM (bootstrap t) UCL			24.96

	A	B	C	D	E	F	G	H	I	J	K	L
1114					Maximum	33					95% KM (BCA) UCL	18.95
1115					Mean	12.84					95% KM (Percentile Bootstrap) UCL	18.6
1116					Median	10.4					95% KM (Chebyshev) UCL	28.85
1117					SD	10.39					97.5% KM (Chebyshev) UCL	35.77
1118					k star	1.2					99% KM (Chebyshev) UCL	49.38
1119					Theta star	10.7						
1120					Nu star	19.21				**Potential UCLs to Use**		
1121					AppChi2	10.27					95% KM (t) UCL	19.8
1122				95% Gamma Approximate UCL		24.02					95% KM (Percentile Bootstrap) UCL	18.6
1123				95% Adjusted Gamma UCL		28.47						
1124	Note: DL/2 is not a recommended method.											
1125												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM6.5E.wst								
4			Full Precision	OFF								
5			Confidence Coefficient	95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Arsenic											
10												
11					General Statistics							
12				Number of Valid Data		37			Number of Detected Data			34
13		Number of Distinct Detected Data				32			Number of Non-Detect Data			3
14				Number of Missing Values		4			Percent Non-Detects			8.11%
15												
16			Raw Statistics						Log-transformed Statistics			
17				Minimum Detected		2.19			Minimum Detected			0.784
18				Maximum Detected		15.8			Maximum Detected			2.76
19				Mean of Detected		4.284			Mean of Detected			1.383
20				SD of Detected		2.248			SD of Detected			0.344
21				Minimum Non-Detect		5			Minimum Non-Detect			1.609
22				Maximum Non-Detect		6			Maximum Non-Detect			1.792
23												
24	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			34
25	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			3
26	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			91.89%
27												
28					UCL Statistics							
29		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
30			Shapiro Wilk Test Statistic			0.568			Shapiro Wilk Test Statistic			0.871
31			5% Shapiro Wilk Critical Value			0.933			5% Shapiro Wilk Critical Value			0.933
32		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
33												
34		Assuming Normal Distribution						Assuming Lognormal Distribution				
35			DL/2 Substitution Method						DL/2 Substitution Method			
36				Mean		4.166			Mean			1.355
37				SD		2.191			SD			0.343
38			95% DL/2 (t) UCL			4.774			95% H-Stat (DL/2) UCL			4.339
39												
40		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
41		MLE yields a negative mean							Mean in Log Scale			1.378
42									SD in Log Scale			0.331
43									Mean in Original Scale			4.244
44									SD in Original Scale			2.16
45									95% Percentile Bootstrap UCL			4.904
46									95% BCA Bootstrap UCL			5.145
47												
48		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
49			k star (bias corrected)			6.466			Data do not follow a Discernable Distribution (0.05)			
50				Theta Star		0.663						
51				nu star		439.7						
52												
53				A-D Test Statistic		1.68			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
54					5% A-D Critical Value	0.749				Kaplan-Meier (KM) Method		
55					K-S Test Statistic	0.749					Mean	4.239
56					5% K-S Critical Value	0.151					SD	2.139
57		Data not Gamma Distributed at 5% Significance Level									SE of Mean	0.359
58											95% KM (t) UCL	4.845
59			Assuming Gamma Distribution								95% KM (z) UCL	4.829
60		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	4.845
61					Minimum	2.19					95% KM (bootstrap t) UCL	5.446
62					Maximum	15.8					95% KM (BCA) UCL	4.888
63					Mean	4.295				95% KM (Percentile Bootstrap) UCL		4.849
64					Median	3.958					95% KM (Chebyshev) UCL	5.803
65					SD	2.156					97.5% KM (Chebyshev) UCL	6.48
66					k star	7.039					99% KM (Chebyshev) UCL	7.809
67					Theta star	0.61						
68					Nu star	520.9				Potential UCLs to Use		
69					AppChi2	468.9					95% KM (Chebyshev) UCL	5.803
70			95% Gamma Approximate UCL			4.77						
71			95% Adjusted Gamma UCL			4.792						
72	Note: DL/2 is not a recommended method.											
73												
74												
75	Benzo(a)anthracene											
76												
77					General Statistics							
78			Number of Valid Data			39				Number of Detected Data		38
79		Number of Distinct Detected Data				32				Number of Non-Detect Data		1
80			Number of Missing Values			2				Percent Non-Detects		2.56%
81												
82			Raw Statistics							Log-transformed Statistics		
83				Minimum Detected		2.1				Minimum Detected		0.742
84				Maximum Detected		1100				Maximum Detected		7.003
85				Mean of Detected		111.4				Mean of Detected		4.087
86				SD of Detected		180.6				SD of Detected		1.15
87				Minimum Non-Detect		10				Minimum Non-Detect		2.303
88				Maximum Non-Detect		10				Maximum Non-Detect		2.303
89												
90												
91					UCL Statistics							
92		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
93			Shapiro Wilk Test Statistic			0.498				Shapiro Wilk Test Statistic		0.98
94			5% Shapiro Wilk Critical Value			0.938				5% Shapiro Wilk Critical Value		0.938
95		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
96												
97		Assuming Normal Distribution							Assuming Lognormal Distribution			
98			DL/2 Substitution Method							DL/2 Substitution Method		
99					Mean	108.6					Mean	4.024
100					SD	179.1					SD	1.202
101			95% DL/2 (t) UCL			157				95% H-Stat (DL/2) UCL		175.5
102												
103		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
104					Mean	99.8				Mean in Log Scale		4.03
105					SD	186.4				SD in Log Scale		1.19
106			95% MLE (t) UCL			150.1				Mean in Original Scale		108.7

	A	B	C	D	E	F	G	H	I	J	K	L
107				95% MLE (Tiku) UCL		146.4				SD in Original Scale		179
108										95% Percentile Bootstrap UCL		162
109										95% BCA Bootstrap UCL		195.8
110												
111		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
112				k star (bias corrected)		0.875		Data Follow Appr. Gamma Distribution at 5% Significance Level				
113				Theta Star		127.3						
114				nu star		66.47						
115												
116				A-D Test Statistic		0.799		Nonparametric Statistics				
117				5% A-D Critical Value		0.781		Kaplan-Meier (KM) Method				
118				K-S Test Statistic		0.781				Mean		108.6
119				5% K-S Critical Value		0.148				SD		176.8
120		Data follow Appr. Gamma Distribution at 5% Significance Level								SE of Mean		28.69
121										95% KM (t) UCL		157
122		Assuming Gamma Distribution								95% KM (z) UCL		155.8
123		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		157
124				Minimum		1E-09				95% KM (bootstrap t) UCL		219.2
125				Maximum		1100				95% KM (BCA) UCL		161.8
126				Mean		108.5				95% KM (Percentile Bootstrap) UCL		160.1
127				Median		62				95% KM (Chebyshev) UCL		233.7
128				SD		179.1				97.5% KM (Chebyshev) UCL		287.8
129				k star		0.49				99% KM (Chebyshev) UCL		394
130				Theta star		221.6						
131				Nu star		38.2		Potential UCLs to Use				
132				AppChi2		25.05				95% KM (Chebyshev) UCL		233.7
133		95% Gamma Approximate UCL				165.5						
134		95% Adjusted Gamma UCL				168.3						
135	Note: DL/2 is not a recommended method.											
136												
137												
138	Benzo(a)pyrene											
139												
140						General Statistics						
141				Number of Valid Data		39				Number of Detected Data		38
142		Number of Distinct Detected Data				33				Number of Non-Detect Data		1
143				Number of Missing Values		2				Percent Non-Detects		2.56%
144												
145		Raw Statistics						Log-transformed Statistics				
146				Minimum Detected		1.7				Minimum Detected		0.531
147				Maximum Detected		440				Maximum Detected		6.087
148				Mean of Detected		88.12				Mean of Detected		4.022
149				SD of Detected		88.85				SD of Detected		1.072
150				Minimum Non-Detect		10				Minimum Non-Detect		2.303
151				Maximum Non-Detect		10				Maximum Non-Detect		2.303
152												
153												
154						UCL Statistics						
155		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
156				Shapiro Wilk Test Statistic		0.775				Shapiro Wilk Test Statistic		0.962
157				5% Shapiro Wilk Critical Value		0.938				5% Shapiro Wilk Critical Value		0.938
158		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
159												

	A	B	C	D	E	F	G	H	I	J	K	L
160				Assuming Normal Distribution						Assuming Lognormal Distribution		
161				DL/2 Substitution Method						DL/2 Substitution Method		
162					Mean	85.99					Mean	3.96
163					SD	88.68					SD	1.126
164				95% DL/2 (t) UCL		109.9				95% H-Stat (DL/2) UCL		144.6
165												
166			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
167					Mean	82.35				Mean in Log Scale		3.968
168					SD	92.54				SD in Log Scale		1.109
169				95% MLE (t) UCL		107.3				Mean in Original Scale		86.04
170				95% MLE (Tiku) UCL		106.2				SD in Original Scale		88.63
171										95% Percentile Bootstrap UCL		110.6
172										95% BCA Bootstrap UCL		115.6
173												
174			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
175				k star (bias corrected)		1.154			Data appear Gamma Distributed at 5% Significance Level			
176					Theta Star	76.35						
177					nu star	87.72						
178												
179					A-D Test Statistic	0.289			Nonparametric Statistics			
180				5% A-D Critical Value		0.772				Kaplan-Meier (KM) Method		
181					K-S Test Statistic	0.772					Mean	85.97
182				5% K-S Critical Value		0.147					SD	87.55
183		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	14.21
184										95% KM (t) UCL		109.9
185			Assuming Gamma Distribution							95% KM (z) UCL		109.3
186			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		109.9
187					Minimum	1E-09				95% KM (bootstrap t) UCL		119.5
188					Maximum	440				95% KM (BCA) UCL		111.1
189					Mean	85.86				95% KM (Percentile Bootstrap) UCL		111.6
190					Median	55				95% KM (Chebyshev) UCL		147.9
191					SD	88.8				97.5% KM (Chebyshev) UCL		174.7
192					k star	0.555				99% KM (Chebyshev) UCL		227.3
193					Theta star	154.8						
194					Nu star	43.27			Potential UCLs to Use			
195					AppChi2	29.19				95% KM (Chebyshev) UCL		147.9
196			95% Gamma Approximate UCL			127.3						
197			95% Adjusted Gamma UCL			129.3						
198	Note: DL/2 is not a recommended method.											
199												
200												
201	Benzo(b)fluoranthene											
202												
203					General Statistics							
204			Number of Valid Data			39				Number of Detected Data		38
205			Number of Distinct Detected Data			32				Number of Non-Detect Data		1
206			Number of Missing Values			2				Percent Non-Detects		2.56%
207												
208			Raw Statistics							Log-transformed Statistics		
209				Minimum Detected		3				Minimum Detected		1.099
210				Maximum Detected		530				Maximum Detected		6.273
211				Mean of Detected		115.8				Mean of Detected		4.3
212				SD of Detected		121				SD of Detected		1.027

	A	B	C	D	E	F	G	H	I	J	K	L
213				Minimum Non-Detect		10				Minimum Non-Detect		2.303
214				Maximum Non-Detect		10				Maximum Non-Detect		2.303
215												
216												
217					UCL Statistics							
218		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
219				Shapiro Wilk Test Statistic		0.725				Shapiro Wilk Test Statistic		0.955
220				5% Shapiro Wilk Critical Value		0.938				5% Shapiro Wilk Critical Value		0.938
221		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
222												
223		Assuming Normal Distribution							Assuming Lognormal Distribution			
224				DL/2 Substitution Method						DL/2 Substitution Method		
225				Mean		113				Mean		4.231
226				SD		120.7				SD		1.101
227				95% DL/2 (t) UCL		145.6				95% H-Stat (DL/2) UCL		178
228												
229				Maximum Likelihood Estimate(MLE) Method						Log ROS Method		
230				Mean		109.7				Mean in Log Scale		4.244
231				SD		123.6				SD in Log Scale		1.073
232				95% MLE (t) UCL		143.1				Mean in Original Scale		113.1
233				95% MLE (Tiku) UCL		141.2				SD in Original Scale		120.6
234										95% Percentile Bootstrap UCL		144.9
235										95% BCA Bootstrap UCL		149.2
236												
237		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
238				k star (bias corrected)		1.166			Data appear Lognormal at 5% Significance Level			
239				Theta Star		99.34						
240				nu star		88.62						
241												
242				A-D Test Statistic		0.902			Nonparametric Statistics			
243				5% A-D Critical Value		0.772			Kaplan-Meier (KM) Method			
244				K-S Test Statistic		0.772				Mean		112.9
245				5% K-S Critical Value		0.147				SD		119.2
246		Data not Gamma Distributed at 5% Significance Level								SE of Mean		19.34
247										95% KM (t) UCL		145.6
248		Assuming Gamma Distribution								95% KM (z) UCL		144.8
249		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		145.4
250				Minimum		1E-09				95% KM (bootstrap t) UCL		158.7
251				Maximum		530				95% KM (BCA) UCL		147.6
252				Mean		112.9				95% KM (Percentile Bootstrap) UCL		145.3
253				Median		88				95% KM (Chebyshev) UCL		197.3
254				SD		120.8				97.5% KM (Chebyshev) UCL		233.7
255				k star		0.554				99% KM (Chebyshev) UCL		305.4
256				Theta star		203.8						
257				Nu star		43.2			Potential UCLs to Use			
258				AppChi2		29.13				97.5% KM (Chebyshev) UCL		233.7
259			95% Gamma Approximate UCL			167.4						
260			95% Adjusted Gamma UCL			170.1						
261	Note: DL/2 is not a recommended method.											
262												
263												
264	Benzo(k)fluoranthene											
265												

	A	B	C	D	E	F	G	H	I	J	K	L
266						General Statistics						
267			Number of Valid Data			39				Number of Detected Data		37
268			Number of Distinct Detected Data			27				Number of Non-Detect Data		2
269			Number of Missing Values			2				Percent Non-Detects		5.13%
270												
271			Raw Statistics							Log-transformed Statistics		
272			Minimum Detected			0.95				Minimum Detected		-0.0513
273			Maximum Detected			390				Maximum Detected		5.966
274			Mean of Detected			63.89				Mean of Detected		3.529
275			SD of Detected			86.93				SD of Detected		1.183
276			Minimum Non-Detect			10				Minimum Non-Detect		2.303
277			Maximum Non-Detect			10				Maximum Non-Detect		2.303
278												
279												
280						UCL Statistics						
281			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
282			Shapiro Wilk Test Statistic			0.626				Shapiro Wilk Test Statistic		0.96
283			5% Shapiro Wilk Critical Value			0.936				5% Shapiro Wilk Critical Value		0.936
284			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
285												
286			Assuming Normal Distribution						Assuming Lognormal Distribution			
287			DL/2 Substitution Method							DL/2 Substitution Method		
288			Mean			60.87				Mean		3.43
289			SD			85.63				SD		1.229
290			95% DL/2 (t) UCL			83.99				95% H-Stat (DL/2) UCL		97.06
291												
292			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
293			Mean			53.89				Mean in Log Scale		3.421
294			SD			92.52				SD in Log Scale		1.245
295			95% MLE (t) UCL			78.87				Mean in Original Scale		60.83
296			95% MLE (Tiku) UCL			77.66				SD in Original Scale		85.65
297										95% Percentile Bootstrap UCL		84.38
298										95% BCA Bootstrap UCL		90.79
299												
300			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
301			k star (bias corrected)			0.87			Data appear Lognormal at 5% Significance Level			
302			Theta Star			73.47						
303			nu star			64.35						
304												
305			A-D Test Statistic			1.155				Nonparametric Statistics		
306			5% A-D Critical Value			0.78				Kaplan-Meier (KM) Method		
307			K-S Test Statistic			0.78				Mean		60.83
308			5% K-S Critical Value			0.15				SD		84.55
309			Data not Gamma Distributed at 5% Significance Level							SE of Mean		13.73
310										95% KM (t) UCL		83.97
311			Assuming Gamma Distribution							95% KM (z) UCL		83.4
312			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		83.95
313			Minimum			1E-09				95% KM (bootstrap t) UCL		101.1
314			Maximum			390				95% KM (BCA) UCL		88.06
315			Mean			60.61				95% KM (Percentile Bootstrap) UCL		84.57
316			Median			34				95% KM (Chebyshev) UCL		120.7
317			SD			85.81				97.5% KM (Chebyshev) UCL		146.6
318			k star			0.356				99% KM (Chebyshev) UCL		197.4

	A	B	C	D	E	F	G	H	I	J	K	L
319					Theta star	170.4						
320					Nu star	27.74		Potential UCLs to Use				
321					AppChi2	16.73		97.5% KM (Chebyshev) UCL				146.6
322			95% Gamma Approximate UCL			100.5						
323			95% Adjusted Gamma UCL			102.6						
324	Note: DL/2 is not a recommended method.											
325												
326												
327	Bis(2-ethylhexyl) phthalate											
328												
329					General Statistics							
330			Number of Valid Data			33		Number of Detected Data				17
331		Number of Distinct Detected Data				14		Number of Non-Detect Data				16
332			Number of Missing Values			8		Percent Non-Detects				48.48%
333												
334			Raw Statistics					Log-transformed Statistics				
335			Minimum Detected			23		Minimum Detected				3.135
336			Maximum Detected			612		Maximum Detected				6.417
337			Mean of Detected			137.5		Mean of Detected				4.591
338			SD of Detected			140.9		SD of Detected				0.812
339			Minimum Non-Detect			37		Minimum Non-Detect				3.611
340			Maximum Non-Detect			350		Maximum Non-Detect				5.858
341												
342	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				32
343	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				1
344	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				96.97%
345												
346					UCL Statistics							
347		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
348			Shapiro Wilk Test Statistic			0.673		Shapiro Wilk Test Statistic				0.966
349			5% Shapiro Wilk Critical Value			0.892		5% Shapiro Wilk Critical Value				0.892
350		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
351												
352		Assuming Normal Distribution						Assuming Lognormal Distribution				
353			DL/2 Substitution Method					DL/2 Substitution Method				
354					Mean	93.21				Mean		4.092
355					SD	114				SD		0.904
356			95% DL/2 (t) UCL			126.8		95% H-Stat (DL/2) UCL				121.9
357												
358		Maximum Likelihood Estimate(MLE) Method				N/A		Log ROS Method				
359		MLE method failed to converge properly						Mean in Log Scale				4.072
360								SD in Log Scale				0.814
361								Mean in Original Scale				87.87
362								SD in Original Scale				112.6
363								95% Percentile Bootstrap UCL				123.5
364								95% BCA Bootstrap UCL				137.9
365												
366		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
367			k star (bias corrected)			1.399		Data appear Gamma Distributed at 5% Significance Level				
368			Theta Star			98.29						
369			nu star			47.55						
370												
371			A-D Test Statistic			0.571		Nonparametric Statistics				

	A	B	C	D	E	F	G	H	I	J	K	L
372					5% A-D Critical Value	0.754				Kaplan-Meier (KM) Method		
373					K-S Test Statistic	0.754				Mean		89.2
374					5% K-S Critical Value	0.213				SD		111.5
375		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		20.28
376										95% KM (t) UCL		123.5
377		Assuming Gamma Distribution								95% KM (z) UCL		122.6
378		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		123.2
379					Minimum	23				95% KM (bootstrap t) UCL		159.2
380					Maximum	612				95% KM (BCA) UCL		132.9
381					Mean	135.9				95% KM (Percentile Bootstrap) UCL		124.9
382					Median	99.15				95% KM (Chebyshev) UCL		177.6
383					SD	112.1				97.5% KM (Chebyshev) UCL		215.8
384					k star	1.947				99% KM (Chebyshev) UCL		291
385					Theta star	69.82						
386					Nu star	128.5				Potential UCLs to Use		
387					AppChi2	103.3				95% KM (t) UCL		123.5
388				95% Gamma Approximate UCL		169.1						
389				95% Adjusted Gamma UCL		171						
390	Note: DL/2 is not a recommended method.											
391												
392												
393	Dibenzo(a,h)anthracene											
394												
395					General Statistics							
396			Number of Valid Data			39				Number of Detected Data		33
397		Number of Distinct Detected Data				28				Number of Non-Detect Data		6
398			Number of Missing Values			2				Percent Non-Detects		15.38%
399												
400			Raw Statistics							Log-transformed Statistics		
401				Minimum Detected		0.4				Minimum Detected		-0.916
402				Maximum Detected		71				Maximum Detected		4.263
403				Mean of Detected		16.32				Mean of Detected		2.309
404				SD of Detected		16.27				SD of Detected		1.11
405				Minimum Non-Detect		10				Minimum Non-Detect		2.303
406				Maximum Non-Detect		20				Maximum Non-Detect		2.996
407												
408	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		30
409	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		9
410	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		76.92%
411												
412					UCL Statistics							
413		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
414			Shapiro Wilk Test Statistic			0.793				Shapiro Wilk Test Statistic		0.953
415			5% Shapiro Wilk Critical Value			0.931				5% Shapiro Wilk Critical Value		0.931
416		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
417												
418		Assuming Normal Distribution						Assuming Lognormal Distribution				
419			DL/2 Substitution Method							DL/2 Substitution Method		
420					Mean	14.84				Mean		2.237
421					SD	15.37				SD		1.041
422				95% DL/2 (t) UCL		18.98				95% H-Stat (DL/2) UCL		20.32
423												
424			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		

	A	B	C	D	E	F	G	H	I	J	K	L
425					Mean	41.93					Mean in Log Scale	2.202
426					SD	14.64					SD in Log Scale	1.066
427				95% MLE (t) UCL		45.89					Mean in Original Scale	14.67
428				95% MLE (Tiku) UCL		49.92					SD in Original Scale	15.47
429											95% Percentile Bootstrap UCL	18.7
430											95% BCA Bootstrap UCL	19.86
431												
432			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
433					k star (bias corrected)	1.087			Data appear Gamma Distributed at 5% Significance Level			
434					Theta Star	15.02						
435					nu star	71.73						
436												
437					A-D Test Statistic	0.438			Nonparametric Statistics			
438					5% A-D Critical Value	0.772			Kaplan-Meier (KM) Method			
439					K-S Test Statistic	0.772					Mean	14.8
440					5% K-S Critical Value	0.157					SD	15.22
441		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	2.487
442											95% KM (t) UCL	18.99
443			Assuming Gamma Distribution								95% KM (z) UCL	18.89
444			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	18.98
445					Minimum	0.0577					95% KM (bootstrap t) UCL	20.35
446					Maximum	71					95% KM (BCA) UCL	18.91
447					Mean	15.51					95% KM (Percentile Bootstrap) UCL	18.97
448					Median	9.8					95% KM (Chebyshev) UCL	25.64
449					SD	15.32					97.5% KM (Chebyshev) UCL	30.33
450					k star	0.993					99% KM (Chebyshev) UCL	39.54
451					Theta star	15.63						
452					Nu star	77.42			Potential UCLs to Use			
453					AppChi2	58.15					95% KM (BCA) UCL	18.91
454			95% Gamma Approximate UCL			20.66						
455			95% Adjusted Gamma UCL			20.89						
456	Note: DL/2 is not a recommended method.											
457												
458												
459	Dieldrin											
460												
461						General Statistics						
462			Number of Valid Data			26				Number of Detected Data		5
463			Number of Distinct Detected Data			5				Number of Non-Detect Data		21
464			Number of Missing Values			7				Percent Non-Detects		80.77%
465												
466			Raw Statistics						Log-transformed Statistics			
467					Minimum Detected	0.097					Minimum Detected	-2.333
468					Maximum Detected	0.966					Maximum Detected	-0.0346
469					Mean of Detected	0.281					Mean of Detected	-1.779
470					SD of Detected	0.383					SD of Detected	0.978
471					Minimum Non-Detect	0.0568					Minimum Non-Detect	-2.868
472					Maximum Non-Detect	0.73					Maximum Non-Detect	-0.315
473												
474	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			25
475	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
476	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			96.15%
477												

	A	B	C	D	E	F	G	H	I	J	K	L
478	Warning: There are only 5 Detected Values in this data											
479	Note: It should be noted that even though bootstrap may be performed on this data set											
480	the resulting calculations may not be reliable enough tp draw conclusions											
481												
482	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
483												
484												
485	UCL Statistics											
486	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
487	Shapiro Wilk Test Statistic					0.573	Shapiro Wilk Test Statistic					0.629
488	5% Shapiro Wilk Critical Value					0.762	5% Shapiro Wilk Critical Value					0.762
489	Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level					
490												
491	Assuming Normal Distribution						Assuming Lognormal Distribution					
492	DL/2 Substitution Method						DL/2 Substitution Method					
493	Mean					0.15	Mean					-2.376
494	SD					0.195	SD					0.928
495	95% DL/2 (t) UCL					0.216	95% H-Stat (DL/2) UCL					0.217
496												
497	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
498	MLE method failed to converge properly						Mean in Log Scale					-3.648
499							SD in Log Scale					1.055
500							Mean in Original Scale					0.0684
501							SD in Original Scale					0.186
502							95% Percentile Bootstrap UCL					0.14
503							95% BCA Bootstrap UCL					0.172
504												
505	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
506	k star (bias corrected)					0.581	Data do not follow a Discernable Distribution (0.05)					
507	Theta Star					0.483						
508	nu star					5.815						
509												
510	A-D Test Statistic					1.178	Nonparametric Statistics					
511	5% A-D Critical Value					0.69	Kaplan-Meier (KM) Method					
512	K-S Test Statistic					0.69	Mean					0.134
513	5% K-S Critical Value					0.364	SD					0.167
514	Data not Gamma Distributed at 5% Significance Level						SE of Mean					0.0366
515							95% KM (t) UCL					0.196
516	Assuming Gamma Distribution						95% KM (z) UCL					0.194
517	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					0.184
518	Minimum					0.097	95% KM (bootstrap t) UCL					1.106
519	Maximum					0.966	95% KM (BCA) UCL					0.966
520	Mean					0.281	95% KM (Percentile Bootstrap) UCL					0.202
521	Median					0.281	95% KM (Chebyshev) UCL					0.293
522	SD					0.153	97.5% KM (Chebyshev) UCL					0.362
523	k star					4.69	99% KM (Chebyshev) UCL					0.497
524	Theta star					0.0599						
525	Nu star					243.9	Potential UCLs to Use					
526	AppChi2					208.7	95% KM (t) UCL					0.196
527	95% Gamma Approximate UCL					0.328	95% KM (% Bootstrap) UCL					0.202
528	95% Adjusted Gamma UCL					0.331						
529	Note: DL/2 is not a recommended method.											
530												

Indeno(1,2,3-cd)pyrene

	General Statistics		
Number of Valid Data	39	Number of Detected Data	36
Number of Distinct Detected Data	34	Number of Non-Detect Data	3
Number of Missing Values	2	Percent Non-Detects	7.69%

Raw Statistics		Log-transformed Statistics	
Minimum Detected	1.2	Minimum Detected	0.182
Maximum Detected	300	Maximum Detected	5.704
Mean of Detected	62.85	Mean of Detected	3.688
SD of Detected	63.81	SD of Detected	1.066
Minimum Non-Detect	10	Minimum Non-Detect	2.303
Maximum Non-Detect	20	Maximum Non-Detect	2.996
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	10
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	29
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	25.64%

	UCL Statistics		
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.762	Shapiro Wilk Test Statistic	0.959
5% Shapiro Wilk Critical Value	0.935	5% Shapiro Wilk Critical Value	0.935
Data not Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	58.53	Mean	3.546
SD	63.09	SD	1.142
95% DL/2 (t) UCL	75.56	95% H-Stat (DL/2) UCL	86.59
Maximum Likelihood Estimate(MLE) Method		Log ROS Method	
Mean	48.21	Mean in Log Scale	3.545
SD	74.86	SD in Log Scale	1.144
95% MLE (t) UCL	68.42	Mean in Original Scale	58.51
95% MLE (Tiku) UCL	68.86	SD in Original Scale	63.1
		95% Percentile Bootstrap UCL	75.4
		95% BCA Bootstrap UCL	80.69
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	1.16	Data appear Gamma Distributed at 5% Significance Level	
Theta Star	54.16		
nu star	83.56		
A-D Test Statistic	0.281	Nonparametric Statistics	
5% A-D Critical Value	0.771	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.771	Mean	58.43
5% K-S Critical Value	0.15	SD	62.37
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	10.13
		95% KM (t) UCL	75.51
Assuming Gamma Distribution		95% KM (z) UCL	75.09
Gamma ROS Statistics using Extrapolated Data		95% KM (jackknife) UCL	75.49

	A	B	C	D	E	F	G	H	I	J	K	L
584					Minimum	1E-09			95% KM (bootstrap t) UCL			81.13
585					Maximum	300			95% KM (BCA) UCL			75.74
586					Mean	58.01			95% KM (Percentile Bootstrap) UCL			75.67
587					Median	40			95% KM (Chebyshev) UCL			102.6
588					SD	63.55			97.5% KM (Chebyshev) UCL			121.7
589					k star	0.299			99% KM (Chebyshev) UCL			159.2
590					Theta star	193.9						
591					Nu star	23.33			Potential UCLs to Use			
592					AppChi2	13.34			95% KM (Chebyshev) UCL			102.6
593			95% Gamma Approximate UCL			101.5						
594			95% Adjusted Gamma UCL			103.8						
595	Note: DL/2 is not a recommended method.											
596												
597												
598	Lead											
599												
600					General Statistics							
601			Number of Valid Data			33			Number of Detected Data			33
602			Number of Distinct Detected Data			31			Number of Non-Detect Data			0
603			Number of Missing Values			8			Percent Non-Detects			0.00%
604												
605			Raw Statistics						Log-transformed Statistics			
606			Minimum Detected			4			Minimum Detected			1.386
607			Maximum Detected			13400			Maximum Detected			9.503
608			Mean of Detected			429.8			Mean of Detected			3.147
609			SD of Detected			2328			SD of Detected			1.35
610			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
611			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
612												
613												
614					UCL Statistics							
615		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
616			Shapiro Wilk Test Statistic			0.183			Shapiro Wilk Test Statistic			0.693
617			5% Shapiro Wilk Critical Value			0.931			5% Shapiro Wilk Critical Value			0.931
618		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
619												
620		Assuming Normal Distribution						Assuming Lognormal Distribution				
621			DL/2 Substitution Method						DL/2 Substitution Method			
622			Mean			429.8			Mean			3.147
623			SD			2328			SD			1.35
624			95% DL/2 (t) UCL			1116			95% H-Stat (DL/2) UCL			114.1
625												
626			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
627		MLE method failed to converge properly							Mean in Log Scale			N/A
628									SD in Log Scale			N/A
629									Mean in Original Scale			N/A
630									SD in Original Scale			N/A
631									95% Percentile Bootstrap UCL			N/A
632									95% BCA Bootstrap UCL			N/A
633												
634		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
635			k star (bias corrected)			0.242		Data do not follow a Discernable Distribution (0.05)				
636			Theta Star			1773						

	A	B	C	D	E	F	G	H	I	J	K	L
637					nu star	16						
638												
639					A-D Test Statistic	9.248			Nonparametric Statistics			
640					5% A-D Critical Value	0.879			Kaplan-Meier (KM) Method			
641					K-S Test Statistic	0.879					Mean	429.8
642					5% K-S Critical Value	0.168					SD	2293
643		Data not Gamma Distributed at 5% Significance Level									SE of Mean	405.3
644											95% KM (t) UCL	1116
645			Assuming Gamma Distribution								95% KM (z) UCL	1097
646			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	1116
647					Minimum	4					95% KM (bootstrap t) UCL	64269
648					Maximum	13400					95% KM (BCA) UCL	1243
649					Mean	429.8				95% KM (Percentile Bootstrap) UCL		1239
650					Median	17.6					95% KM (Chebyshev) UCL	2197
651					SD	2328					97.5% KM (Chebyshev) UCL	2961
652					k star	0.242					99% KM (Chebyshev) UCL	4463
653					Theta star	1773						
654					Nu star	16			Potential UCLs to Use			
655					AppChi2	7.963					97.5% KM (Chebyshev) UCL	2961
656			95% Gamma Approximate UCL			863.7						
657			95% Adjusted Gamma UCL			896.5						
658	Note: DL/2 is not a recommended method.											
659												
660												
661	Mercury											
662												
663					General Statistics							
664			Number of Valid Data			33				Number of Detected Data		32
665			Number of Distinct Detected Data			31				Number of Non-Detect Data		1
666			Number of Missing Values			8				Percent Non-Detects		3.03%
667												
668			Raw Statistics						Log-transformed Statistics			
669					Minimum Detected	0.017					Minimum Detected	-4.075
670					Maximum Detected	65.2					Maximum Detected	4.177
671					Mean of Detected	2.23					Mean of Detected	-1.905
672					SD of Detected	11.49					SD of Detected	1.484
673					Minimum Non-Detect	0.05					Minimum Non-Detect	-2.996
674					Maximum Non-Detect	0.05					Maximum Non-Detect	-2.996
675												
676												
677					UCL Statistics							
678		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
679					Shapiro Wilk Test Statistic	0.193					Shapiro Wilk Test Statistic	0.824
680					5% Shapiro Wilk Critical Value	0.93					5% Shapiro Wilk Critical Value	0.93
681		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
682												
683		Assuming Normal Distribution							Assuming Lognormal Distribution			
684					DL/2 Substitution Method						DL/2 Substitution Method	
685					Mean	2.163					Mean	-1.959
686					SD	11.32					SD	1.494
687					95% DL/2 (t) UCL	5.501					95% H-Stat (DL/2) UCL	0.878
688												
689			Maximum Likelihood Estimate(MLE) Method								Log ROS Method	

	A	B	C	D	E	F	G	H	I	J	K	L
690					Mean	0.723				Mean in Log Scale		-1.97
691					SD	12.25				SD in Log Scale		1.507
692				95% MLE (t) UCL		4.334				Mean in Original Scale		2.163
693				95% MLE (Tiku) UCL		4.133				SD in Original Scale		11.32
694										95% Percentile Bootstrap UCL		6.098
695										95% BCA Bootstrap UCL		8.124
696												
697		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
698				k star (bias corrected)		0.257			Data do not follow a Discernable Distribution (0.05)			
699					Theta Star	8.676						
700					nu star	16.45						
701												
702				A-D Test Statistic		7.242			Nonparametric Statistics			
703				5% A-D Critical Value		0.872			Kaplan-Meier (KM) Method			
704				K-S Test Statistic		0.872				Mean		2.163
705				5% K-S Critical Value		0.17				SD		11.15
706		Data not Gamma Distributed at 5% Significance Level								SE of Mean		1.971
707										95% KM (t) UCL		5.502
708		Assuming Gamma Distribution								95% KM (z) UCL		5.405
709		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		5.501
710					Minimum	1E-09				95% KM (bootstrap t) UCL		145.5
711					Maximum	65.2				95% KM (BCA) UCL		6.061
712					Mean	2.162			95% KM (Percentile Bootstrap) UCL			6.098
713					Median	0.12				95% KM (Chebyshev) UCL		10.76
714					SD	11.32				97.5% KM (Chebyshev) UCL		14.47
715					k star	0.223				99% KM (Chebyshev) UCL		21.78
716					Theta star	9.706						
717					Nu star	14.7			Potential UCLs to Use			
718					AppChi2	7.056			97.5% KM (Chebyshev) UCL			14.47
719				95% Gamma Approximate UCL		4.506						
720				95% Adjusted Gamma UCL		4.687						
721	Note: DL/2 is not a recommended method.											
722												
723												
724	Naphthalene											
725												
726					General Statistics							
727				Number of Valid Data		39				Number of Detected Data		33
728			Number of Distinct Detected Data			31				Number of Non-Detect Data		6
729				Number of Missing Values		2				Percent Non-Detects		15.38%
730												
731		Raw Statistics							Log-transformed Statistics			
732				Minimum Detected		1.9				Minimum Detected		0.642
733				Maximum Detected		350				Maximum Detected		5.858
734				Mean of Detected		75.4				Mean of Detected		3.68
735				SD of Detected		86.12				SD of Detected		1.236
736				Minimum Non-Detect		10				Minimum Non-Detect		2.303
737				Maximum Non-Detect		16				Maximum Non-Detect		2.773
738												
739	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			14
740	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			25
741	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			35.90%
742												

	A	B	C	D	E	F	G	H	I	J	K	L
743							UCL Statistics					
744			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
745				Shapiro Wilk Test Statistic		0.775				Shapiro Wilk Test Statistic		0.979
746				5% Shapiro Wilk Critical Value		0.931				5% Shapiro Wilk Critical Value		0.931
747			Data not Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
748												
749			Assuming Normal Distribution					Assuming Lognormal Distribution				
750				DL/2 Substitution Method						DL/2 Substitution Method		
751					Mean	64.66					Mean	3.376
752					SD	83.05					SD	1.347
753				95% DL/2 (t) UCL		87.08				95% H-Stat (DL/2) UCL		96.68
754												
755			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
756					Mean	38.67				Mean in Log Scale		3.376
757					SD	110.9				SD in Log Scale		1.353
758				95% MLE (t) UCL		68.61				Mean in Original Scale		64.7
759				95% MLE (Tiku) UCL		71.28				SD in Original Scale		83.02
760										95% Percentile Bootstrap UCL		88
761										95% BCA Bootstrap UCL		89.82
762												
763			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
764				k star (bias corrected)		0.846		Data appear Gamma Distributed at 5% Significance Level				
765					Theta Star	89.11						
766					nu star	55.84						
767												
768					A-D Test Statistic	0.509		Nonparametric Statistics				
769					5% A-D Critical Value	0.78			Kaplan-Meier (KM) Method			
770					K-S Test Statistic	0.78					Mean	64.83
771					5% K-S Critical Value	0.158					SD	81.86
772			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	13.31
773										95% KM (t) UCL		87.28
774			Assuming Gamma Distribution							95% KM (z) UCL		86.73
775			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		87.23
776					Minimum	1E-09				95% KM (bootstrap t) UCL		92.48
777					Maximum	350				95% KM (BCA) UCL		87.54
778					Mean	63.92			95% KM (Percentile Bootstrap) UCL			86.06
779					Median	31				95% KM (Chebyshev) UCL		122.9
780					SD	83.61				97.5% KM (Chebyshev) UCL		148
781					k star	0.227				99% KM (Chebyshev) UCL		197.3
782					Theta star	282						
783					Nu star	17.68		Potential UCLs to Use				
784					AppChi2	9.16				95% KM (Chebyshev) UCL		122.9
785				95% Gamma Approximate UCL		123.4						
786				95% Adjusted Gamma UCL		126.7						
787	Note: DL/2 is not a recommended method.											
788												
789												
790	Total Aroclors											
791												
792							General Statistics					
793				Number of Valid Data		30				Number of Detected Data		21
794			Number of Distinct Detected Data			21				Number of Non-Detect Data		9
795				Number of Missing Values		11				Percent Non-Detects		30.00%

	A	B	C	D	E	F	G	H	I	J	K	L
796												
797			Raw Statistics						Log-transformed Statistics			
798			Minimum Detected			8.71			Minimum Detected			2.164
799			Maximum Detected			3252			Maximum Detected			8.087
800			Mean of Detected			284.5			Mean of Detected			4.279
801			SD of Detected			717			SD of Detected			1.507
802			Minimum Non-Detect			1.3			Minimum Non-Detect			0.262
803			Maximum Non-Detect			75			Maximum Non-Detect			4.317
804												
805	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			21
806	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			9
807	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			70.00%
808												
809						UCL Statistics						
810			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
811			Shapiro Wilk Test Statistic			0.406			Shapiro Wilk Test Statistic			0.94
812			5% Shapiro Wilk Critical Value			0.908			5% Shapiro Wilk Critical Value			0.908
813			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
814												
815			Assuming Normal Distribution						Assuming Lognormal Distribution			
816			DL/2 Substitution Method						DL/2 Substitution Method			
817			Mean			202.3			Mean			3.498
818			SD			609			SD			1.887
819			95% DL/2 (t) UCL			391.3			95% H-Stat (DL/2) UCL			281.3
820												
821			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
822			MLE yields a negative mean						Mean in Log Scale			3.427
823									SD in Log Scale			1.865
824									Mean in Original Scale			200.8
825									SD in Original Scale			609.5
826									95% Percentile Bootstrap UCL			402.9
827									95% BCA Bootstrap UCL			534.7
828												
829			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
830			k star (bias corrected)			0.433			Data appear Lognormal at 5% Significance Level			
831			Theta Star			657.5						
832			nu star			18.17						
833												
834			A-D Test Statistic			1.763			Nonparametric Statistics			
835			5% A-D Critical Value			0.812			Kaplan-Meier (KM) Method			
836			K-S Test Statistic			0.812			Mean			202.7
837			5% K-S Critical Value			0.201			SD			598.6
838			Data not Gamma Distributed at 5% Significance Level						SE of Mean			112
839									95% KM (t) UCL			393
840			Assuming Gamma Distribution						95% KM (z) UCL			386.9
841			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			390.9
842			Minimum			8.71			95% KM (bootstrap t) UCL			1341
843			Maximum			3252			95% KM (BCA) UCL			413.4
844			Mean			256.1			95% KM (Percentile Bootstrap) UCL			409.4
845			Median			122.3			95% KM (Chebyshev) UCL			690.9
846			SD			597.3			97.5% KM (Chebyshev) UCL			902.1
847			k star			0.586			99% KM (Chebyshev) UCL			1317
848			Theta star			436.8						

	A	B	C	D	E	F	G	H	I	J	K	L
849					Nu star	35.18			Potential UCLs to Use			
850					AppChi2	22.61			99% KM (Chebyshev) UCL			1317
851			95% Gamma Approximate UCL			398.5						
852			95% Adjusted Gamma UCL			409						
853	Note: DL/2 is not a recommended method.											
854												
855												
856	Total DDT											
857												
858					General Statistics							
859			Number of Valid Data			28			Number of Detected Data			23
860			Number of Distinct Detected Data			23			Number of Non-Detect Data			5
861			Number of Missing Values			13			Percent Non-Detects			17.86%
862												
863			Raw Statistics						Log-transformed Statistics			
864			Minimum Detected			0.292			Minimum Detected			-1.231
865			Maximum Detected			320			Maximum Detected			5.768
866			Mean of Detected			17.9			Mean of Detected			0.935
867			SD of Detected			66.2			SD of Detected			1.551
868			Minimum Non-Detect			0.2			Minimum Non-Detect			-1.609
869			Maximum Non-Detect			8.9			Maximum Non-Detect			2.186
870												
871	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			26
872	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
873	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			92.86%
874												
875					UCL Statistics							
876			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
877			Shapiro Wilk Test Statistic			0.272			Shapiro Wilk Test Statistic			0.9
878			5% Shapiro Wilk Critical Value			0.914			5% Shapiro Wilk Critical Value			0.914
879			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
880												
881			Assuming Normal Distribution						Assuming Lognormal Distribution			
882			DL/2 Substitution Method						DL/2 Substitution Method			
883			Mean			15.04			Mean			0.718
884			SD			60.09			SD			1.644
885			95% DL/2 (t) UCL			34.38			95% H-Stat (DL/2) UCL			15.09
886												
887			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
888			MLE method failed to converge properly						Mean in Log Scale			0.611
889									SD in Log Scale			1.668
890									Mean in Original Scale			14.84
891									SD in Original Scale			60.13
892									95% Percentile Bootstrap UCL			37.38
893									95% BCA Bootstrap UCL			50.23
894												
895			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
896			k star (bias corrected)			0.329			Data do not follow a Discernable Distribution (0.05)			
897			Theta Star			54.32						
898			nu star			15.16						
899												
900			A-D Test Statistic			3.343			Nonparametric Statistics			
901			5% A-D Critical Value			0.839			Kaplan-Meier (KM) Method			

	A	B	C	D	E	F	G	H	I	J	K	L
902					K-S Test Statistic	0.839					Mean	14.92
903					5% K-S Critical Value	0.196					SD	59.03
904	**Data not Gamma Distributed at 5% Significance Level**										SE of Mean	11.41
905											95% KM (t) UCL	34.35
906				**Assuming Gamma Distribution**							95% KM (z) UCL	33.68
907				Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL	34.26
908					Minimum	1E-09					95% KM (bootstrap t) UCL	323.5
909					Maximum	320					95% KM (BCA) UCL	36.72
910					Mean	14.98				95% KM (Percentile Bootstrap) UCL		37.6
911					Median	1.687					95% KM (Chebyshev) UCL	64.64
912					SD	60.11					97.5% KM (Chebyshev) UCL	86.16
913					k star	0.186					99% KM (Chebyshev) UCL	128.4
914					Theta star	80.63						
915					Nu star	10.4			**Potential UCLs to Use**			
916					AppChi2	4.194					99% KM (Chebyshev) UCL	128.4
917				95% Gamma Approximate UCL		37.14						
918				95% Adjusted Gamma UCL		39.41						
919	Note: DL/2 is not a recommended method.											
920												
921												
922	Total Dioxin/Furan TEQ											
923												
924					**General Statistics**							
925				Number of Valid Data		12					Number of Detected Data	12
926				Number of Distinct Detected Data		12					Number of Non-Detect Data	0
927				Number of Missing Values		24					Percent Non-Detects	0.00%
928												
929			**Raw Statistics**						**Log-transformed Statistics**			
930				Minimum Detected		0.368					Minimum Detected	-0.999
931				Maximum Detected		88.75					Maximum Detected	4.486
932				Mean of Detected		20.06					Mean of Detected	1.465
933				SD of Detected		28.73					SD of Detected	2.06
934				Minimum Non-Detect		N/A					Minimum Non-Detect	N/A
935				Maximum Non-Detect		N/A					Maximum Non-Detect	N/A
936												
937												
938					**UCL Statistics**							
939		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
940				Shapiro Wilk Test Statistic		0.74					Shapiro Wilk Test Statistic	0.873
941				5% Shapiro Wilk Critical Value		0.859					5% Shapiro Wilk Critical Value	0.859
942		**Data not Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
943												
944			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
945				DL/2 Substitution Method							DL/2 Substitution Method	
946					Mean	20.06					Mean	1.465
947					SD	28.73					SD	2.06
948				95% DL/2 (t) UCL		34.96					95% H-Stat (DL/2) UCL	853.2
949												
950			Maximum Likelihood Estimate(MLE) Method			N/A					Log ROS Method	
951		**MLE method failed to converge properly**									Mean in Log Scale	N/A
952											SD in Log Scale	N/A
953											Mean in Original Scale	N/A
954											SD in Original Scale	N/A

	A	B	C	D	E	F	G	H	I	J	K	L
955										95% Percentile Bootstrap UCL		N/A
956										95% BCA Bootstrap UCL		N/A
957												
958			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
959				k star (bias corrected)		0.374			Data appear Lognormal at 5% Significance Level			
960					Theta Star	53.61						
961					nu star	8.982						
962												
963				A-D Test Statistic		0.855			Nonparametric Statistics			
964				5% A-D Critical Value		0.8			Kaplan-Meier (KM) Method			
965				K-S Test Statistic		0.8				Mean		20.06
966				5% K-S Critical Value		0.261				SD		27.51
967		Data not Gamma Distributed at 5% Significance Level								SE of Mean		8.294
968										95% KM (t) UCL		34.96
969			Assuming Gamma Distribution							95% KM (z) UCL		33.71
970		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		34.96
971					Minimum	0.368				95% KM (bootstrap t) UCL		43.29
972					Maximum	88.75				95% KM (BCA) UCL		35.34
973					Mean	20.06			95% KM (Percentile Bootstrap) UCL			33.72
974					Median	1.794				95% KM (Chebyshev) UCL		56.22
975					SD	28.73				97.5% KM (Chebyshev) UCL		71.86
976					k star	0.374				99% KM (Chebyshev) UCL		102.6
977					Theta star	53.61						
978					Nu star	8.982			Potential UCLs to Use			
979					AppChi2	3.316				99% KM (Chebyshev) UCL		102.6
980				95% Gamma Approximate UCL		54.35						
981				95% Adjusted Gamma UCL		64.09						
982			Warning: Recommended UCL exceeds the maximum observation									
983	Note: DL/2 is not a recommended method.											
984												
985												
986	Total Dioxin-like PCBs											
987												
988					General Statistics							
989			Number of Valid Data			22			Number of Detected Data			22
990			Number of Distinct Detected Data			22			Number of Non-Detect Data			0
991			Number of Missing Values			11			Percent Non-Detects			0.00%
992												
993			Raw Statistics						Log-transformed Statistics			
994				Minimum Detected		65.67				Minimum Detected		4.185
995				Maximum Detected		85853				Maximum Detected		11.36
996				Mean of Detected		6777				Mean of Detected		7.115
997				SD of Detected		18764				SD of Detected		1.796
998				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
999				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1000												
1001												
1002					UCL Statistics							
1003		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
1004				Shapiro Wilk Test Statistic		0.378				Shapiro Wilk Test Statistic		0.945
1005				5% Shapiro Wilk Critical Value		0.911				5% Shapiro Wilk Critical Value		0.911
1006		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
1007												

	A	B	C	D	E	F	G	H	I	J	K	L
1008				Assuming Normal Distribution					Assuming Lognormal Distribution			
1009				DL/2 Substitution Method						DL/2 Substitution Method		
1010					Mean	6777					Mean	7.115
1011					SD	18764					SD	1.796
1012				95% DL/2 (t) UCL		13660				95% H-Stat (DL/2) UCL		26872
1013												
1014				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
1015			MLE method failed to converge properly							Mean in Log Scale		N/A
1016										SD in Log Scale		N/A
1017										Mean in Original Scale		N/A
1018										SD in Original Scale		N/A
1019										95% Percentile Bootstrap UCL		N/A
1020										95% BCA Bootstrap UCL		N/A
1021												
1022			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1023				k star (bias corrected)		0.365			Data appear Lognormal at 5% Significance Level			
1024					Theta Star	18560						
1025					nu star	16.07						
1026												
1027					A-D Test Statistic	1.87			Nonparametric Statistics			
1028				5% A-D Critical Value		0.829				Kaplan-Meier (KM) Method		
1029				K-S Test Statistic		0.829					Mean	6777
1030				5% K-S Critical Value		0.199					SD	18332
1031			Data not Gamma Distributed at 5% Significance Level							SE of Mean		4000
1032										95% KM (t) UCL		13660
1033			Assuming Gamma Distribution							95% KM (z) UCL		13357
1034			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		13660
1035					Minimum	65.67				95% KM (bootstrap t) UCL		63928
1036					Maximum	85853				95% KM (BCA) UCL		13953
1037					Mean	6777			95% KM (Percentile Bootstrap) UCL			14389
1038					Median	1348				95% KM (Chebyshev) UCL		24214
1039					SD	18764				97.5% KM (Chebyshev) UCL		31759
1040					k star	0.365				99% KM (Chebyshev) UCL		46581
1041					Theta star	18560						
1042					Nu star	16.07			Potential UCLs to Use			
1043					AppChi2	8.008				99% KM (Chebyshev) UCL		46581
1044			95% Gamma Approximate UCL			13594						
1045			95% Adjusted Gamma UCL			14352						
1046	Note: DL/2 is not a recommended method.											
1047												
1048												
1049	Total PCB TEQ											
1050												
1051					General Statistics							
1052				Number of Valid Data		22				Number of Detected Data		22
1053			Number of Distinct Detected Data			22				Number of Non-Detect Data		0
1054				Number of Missing Values		11				Percent Non-Detects		0.00%
1055												
1056			Raw Statistics							Log-transformed Statistics		
1057				Minimum Detected		0.125				Minimum Detected		-2.083
1058				Maximum Detected		34.15				Maximum Detected		3.531
1059				Mean of Detected		3.015				Mean of Detected		-0.267
1060				SD of Detected		7.737				SD of Detected		1.41

	A	B	C	D	E	F	G	H	I	J	K	L
1061				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1062				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1063												
1064												
1065						UCL Statistics						
1066		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1067				Shapiro Wilk Test Statistic		0.399				Shapiro Wilk Test Statistic		0.898
1068				5% Shapiro Wilk Critical Value		0.911				5% Shapiro Wilk Critical Value		0.911
1069		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
1070												
1071		Assuming Normal Distribution						Assuming Lognormal Distribution				
1072				DL/2 Substitution Method						DL/2 Substitution Method		
1073					Mean	3.015					Mean	-0.267
1074					SD	7.737					SD	1.41
1075				95% DL/2 (t) UCL		5.854				95% H-Stat (DL/2) UCL		5.438
1076												
1077			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1078		MLE method failed to converge properly								Mean in Log Scale		N/A
1079										SD in Log Scale		N/A
1080										Mean in Original Scale		N/A
1081										SD in Original Scale		N/A
1082										95% Percentile Bootstrap UCL		N/A
1083										95% BCA Bootstrap UCL		N/A
1084												
1085		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1086				k star (bias corrected)		0.435		Data do not follow a Discernable Distribution (0.05)				
1087				Theta Star		6.936						
1088				nu star		19.13						
1089												
1090				A-D Test Statistic		2.568		Nonparametric Statistics				
1091				5% A-D Critical Value		0.811		Kaplan-Meier (KM) Method				
1092				K-S Test Statistic		0.811					Mean	3.015
1093				5% K-S Critical Value		0.197					SD	7.559
1094		Data not Gamma Distributed at 5% Significance Level									SE of Mean	1.65
1095										95% KM (t) UCL		5.854
1096		Assuming Gamma Distribution								95% KM (z) UCL		5.729
1097		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		5.854
1098					Minimum	0.125				95% KM (bootstrap t) UCL		29.68
1099					Maximum	34.15				95% KM (BCA) UCL		5.954
1100					Mean	3.015				95% KM (Percentile Bootstrap) UCL		6.015
1101					Median	0.613				95% KM (Chebyshev) UCL		10.21
1102					SD	7.737				97.5% KM (Chebyshev) UCL		13.32
1103					k star	0.435				99% KM (Chebyshev) UCL		19.43
1104					Theta star	6.936						
1105					Nu star	19.13		Potential UCLs to Use				
1106					AppChi2	10.21				97.5% KM (Chebyshev) UCL		13.32
1107				95% Gamma Approximate UCL		5.648						
1108				95% Adjusted Gamma UCL		5.93						
1109	Note: DL/2 is not a recommended method.											
1110												
1111												
1112	Total PCB_Congeners											
1113												

	A	B	C	D	E	F	G	H	I	J	K	L
1114						General Statistics						
1115				Number of Valid Data		22				Number of Detected Data		22
1116			Number of Distinct Detected Data			22				Number of Non-Detect Data		0
1117				Number of Missing Values		11				Percent Non-Detects		0.00%
1118												
1119			Raw Statistics							Log-transformed Statistics		
1120				Minimum Detected		1834				Minimum Detected		7.514
1121				Maximum Detected		5874410				Maximum Detected		15.59
1122				Mean of Detected		386098				Mean of Detected		10.6
1123				SD of Detected		1270388				SD of Detected		1.952
1124				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1125				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1126												
1127												
1128						UCL Statistics						
1129		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1130				Shapiro Wilk Test Statistic		0.325				Shapiro Wilk Test Statistic		0.932
1131				5% Shapiro Wilk Critical Value		0.911				5% Shapiro Wilk Critical Value		0.911
1132		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1133												
1134		Assuming Normal Distribution						Assuming Lognormal Distribution				
1135				DL/2 Substitution Method						DL/2 Substitution Method		
1136				Mean		386098				Mean		10.6
1137				SD		1270388				SD		1.952
1138				95% DL/2 (t) UCL		852157				95% H-Stat (DL/2) UCL		1486389
1139												
1140				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
1141		MLE method failed to converge properly								Mean in Log Scale		N/A
1142										SD in Log Scale		N/A
1143										Mean in Original Scale		N/A
1144										SD in Original Scale		N/A
1145										95% Percentile Bootstrap UCL		N/A
1146										95% BCA Bootstrap UCL		N/A
1147												
1148		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1149				k star (bias corrected)		0.293		Data appear Lognormal at 5% Significance Level				
1150				Theta Star		1319961						
1151				nu star		12.87						
1152												
1153				A-D Test Statistic		2.59		Nonparametric Statistics				
1154				5% A-D Critical Value		0.847				Kaplan-Meier (KM) Method		
1155				K-S Test Statistic		0.847				Mean		386098
1156				5% K-S Critical Value		0.201				SD		1241180
1157		Data not Gamma Distributed at 5% Significance Level								SE of Mean		270848
1158										95% KM (t) UCL		852157
1159		Assuming Gamma Distribution								95% KM (z) UCL		831603
1160		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		852157
1161				Minimum		1834				95% KM (bootstrap t) UCL		10201550
1162				Maximum		5874410				95% KM (BCA) UCL		854600
1163				Mean		386098				95% KM (Percentile Bootstrap) UCL		901242
1164				Median		44613				95% KM (Chebyshev) UCL		1566696
1165				SD		1270388				97.5% KM (Chebyshev) UCL		2077542
1166				k star		0.293				99% KM (Chebyshev) UCL		3080999

	A	B	C	D	E	F	G	H	I	J	K	L
1167					Theta star	1319961						
1168					Nu star	12.87			Potential UCLs to Use			
1169					AppChi2	5.806			99% KM (Chebyshev) UCL			3080999
1170			95% Gamma Approximate UCL			855933						
1171			95% Adjusted Gamma UCL			911138						
1172	Note: DL/2 is not a recommended method.											
1173												
1174												
1175	Total PCBs, Adjusted											
1176												
1177					General Statistics							
1178			Number of Valid Data			22			Number of Detected Data			22
1179		Number of Distinct Detected Data				22			Number of Non-Detect Data			0
1180			Number of Missing Values			11			Percent Non-Detects			0.00%
1181												
1182			Raw Statistics						Log-transformed Statistics			
1183			Minimum Detected			1768			Minimum Detected			7.478
1184			Maximum Detected			5788558			Maximum Detected			15.57
1185			Mean of Detected			379322			Mean of Detected			10.56
1186			SD of Detected			1251706			SD of Detected			1.957
1187			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
1188			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
1189												
1190												
1191					UCL Statistics							
1192		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
1193			Shapiro Wilk Test Statistic			0.324			Shapiro Wilk Test Statistic			0.932
1194			5% Shapiro Wilk Critical Value			0.911			5% Shapiro Wilk Critical Value			0.911
1195		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
1196												
1197		Assuming Normal Distribution							Assuming Lognormal Distribution			
1198			DL/2 Substitution Method						DL/2 Substitution Method			
1199					Mean	379322					Mean	10.56
1200					SD	1251706					SD	1.957
1201			95% DL/2 (t) UCL			838527			95% H-Stat (DL/2) UCL			1465573
1202												
1203		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
1204		MLE method failed to converge properly							Mean in Log Scale			N/A
1205									SD in Log Scale			N/A
1206									Mean in Original Scale			N/A
1207									SD in Original Scale			N/A
1208									95% Percentile Bootstrap UCL			N/A
1209									95% BCA Bootstrap UCL			N/A
1210												
1211		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
1212			k star (bias corrected)			0.291			Data appear Lognormal at 5% Significance Level			
1213					Theta Star	1304081						
1214					nu star	12.8						
1215												
1216					A-D Test Statistic	2.598			Nonparametric Statistics			
1217			5% A-D Critical Value			0.847			Kaplan-Meier (KM) Method			
1218					K-S Test Statistic	0.847					Mean	379322
1219			5% K-S Critical Value			0.201					SD	1222928

	A	B	C	D	E	F	G	H	I	J	K	L
1220				Data not Gamma Distributed at 5% Significance Level							SE of Mean	266865
1221											95% KM (t) UCL	838527
1222				Assuming Gamma Distribution							95% KM (z) UCL	818275
1223			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	838527
1224					Minimum	1768					95% KM (bootstrap t) UCL	9234339
1225					Maximum	5788558					95% KM (BCA) UCL	835480
1226					Mean	379322				95% KM (Percentile Bootstrap) UCL		845072
1227					Median	43074					95% KM (Chebyshev) UCL	1542558
1228					SD	1251706					97.5% KM (Chebyshev) UCL	2045891
1229					k star	0.291					99% KM (Chebyshev) UCL	3034592
1230					Theta star	1304081						
1231					Nu star	12.8			Potential UCLs to Use			
1232					AppChi2	5.757					99% KM (Chebyshev) UCL	3034592
1233			95% Gamma Approximate UCL			843213						
1234			95% Adjusted Gamma UCL			897800						
1235	Note: DL/2 is not a recommended method.											
1236												
1237												
1238	Total TEQ											
1239												
1240					General Statistics							
1241			Number of Valid Data			10				Number of Detected Data		10
1242			Number of Distinct Detected Data			10				Number of Non-Detect Data		0
1243			Number of Missing Values			23				Percent Non-Detects		0.00%
1244												
1245			Raw Statistics						Log-transformed Statistics			
1246				Minimum Detected		0.511				Minimum Detected		-0.672
1247				Maximum Detected		89.06				Maximum Detected		4.489
1248				Mean of Detected		26.55				Mean of Detected		2.058
1249				SD of Detected		30.16				SD of Detected		1.993
1250			Minimum Non-Detect			N/A				Minimum Non-Detect		N/A
1251			Maximum Non-Detect			N/A				Maximum Non-Detect		N/A
1252												
1253												
1254					UCL Statistics							
1255		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1256			Shapiro Wilk Test Statistic			0.825				Shapiro Wilk Test Statistic		0.851
1257			5% Shapiro Wilk Critical Value			0.842				5% Shapiro Wilk Critical Value		0.842
1258		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1259												
1260		Assuming Normal Distribution						Assuming Lognormal Distribution				
1261			DL/2 Substitution Method							DL/2 Substitution Method		
1262				Mean		26.55				Mean		2.058
1263				SD		30.16				SD		1.993
1264			95% DL/2 (t) UCL			44.03				95% H-Stat (DL/2) UCL		2033
1265												
1266			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1267		MLE method failed to converge properly								Mean in Log Scale		N/A
1268										SD in Log Scale		N/A
1269										Mean in Original Scale		N/A
1270										SD in Original Scale		N/A
1271									95% Percentile Bootstrap UCL			N/A
1272										95% BCA Bootstrap UCL		N/A

	A	B	C	D	E	F	G	H	I	J	K	L
1273												
1274			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
1275				k star (bias corrected)		0.429		Data Follow Appr. Gamma Distribution at 5% Significance Level				
1276				Theta Star		61.88						
1277				nu star		8.58						
1278												
1279				A-D Test Statistic		0.776		Nonparametric Statistics				
1280				5% A-D Critical Value		0.776			Kaplan-Meier (KM) Method			
1281				K-S Test Statistic		0.776				Mean		26.55
1282				5% K-S Critical Value		0.281				SD		28.61
1283		Data follow Appr. Gamma Distribution at 5% Significance Level								SE of Mean		9.536
1284										95% KM (t) UCL		44.03
1285			Assuming Gamma Distribution							95% KM (z) UCL		42.23
1286			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		44.03
1287				Minimum		0.511				95% KM (bootstrap t) UCL		49.02
1288				Maximum		89.06				95% KM (BCA) UCL		42.23
1289				Mean		26.55				95% KM (Percentile Bootstrap) UCL		41.57
1290				Median		19.2				95% KM (Chebyshev) UCL		68.11
1291				SD		30.16				97.5% KM (Chebyshev) UCL		86.1
1292				k star		0.429				99% KM (Chebyshev) UCL		121.4
1293				Theta star		61.88						
1294				Nu star		8.58			Potential UCLs to Use			
1295				AppChi2		3.075				95% KM (Chebyshev) UCL		68.11
1296			95% Gamma Approximate UCL			74.07						
1297			95% Adjusted Gamma UCL			89.99						
1298	Note: DL/2 is not a recommended method.											
1299												
1300												
1301	Tributyltin ion											
1302												
1303					General Statistics							
1304			Number of Valid Data			12			Number of Detected Data			11
1305			Number of Distinct Detected Data			11			Number of Non-Detect Data			1
1306			Number of Missing Values			29			Percent Non-Detects			8.33%
1307												
1308			Raw Statistics						Log-transformed Statistics			
1309			Minimum Detected			4.4			Minimum Detected			1.482
1310			Maximum Detected			180			Maximum Detected			5.193
1311			Mean of Detected			46.74			Mean of Detected			3.38
1312			SD of Detected			49.64			SD of Detected			1.066
1313			Minimum Non-Detect			0.079			Minimum Non-Detect			-2.538
1314			Maximum Non-Detect			0.079			Maximum Non-Detect			-2.538
1315												
1316												
1317					UCL Statistics							
1318			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1319			Shapiro Wilk Test Statistic			0.761			Shapiro Wilk Test Statistic			0.977
1320			5% Shapiro Wilk Critical Value			0.85			5% Shapiro Wilk Critical Value			0.85
1321			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1322												
1323			Assuming Normal Distribution						Assuming Lognormal Distribution			
1324			DL/2 Substitution Method						DL/2 Substitution Method			
1325				Mean		42.84				Mean		2.829

	A	B	C	D	E	F	G	H	I	J	K	L
1326					SD	49.21					SD	2.162
1327				95% DL/2 (t) UCL		68.36				95% H-Stat (DL/2) UCL		2115
1328												
1329		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
1330					Mean	40.47				Mean in Log Scale		3.163
1331					SD	50.33				SD in Log Scale		1.264
1332				95% MLE (t) UCL		66.56				Mean in Original Scale		43.02
1333				95% MLE (Tiku) UCL		65.49				SD in Original Scale		49.05
1334									95% Percentile Bootstrap UCL			66.74
1335									95% BCA Bootstrap UCL			79
1336												
1337		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
1338				k star (bias corrected)		0.945		**Data appear Gamma Distributed at 5% Significance Level**				
1339					Theta Star	49.45						
1340					nu star	20.79						
1341												
1342					A-D Test Statistic	0.199		**Nonparametric Statistics**				
1343				5% A-D Critical Value		0.748			Kaplan-Meier (KM) Method			
1344					K-S Test Statistic	0.748					Mean	43.21
1345				5% K-S Critical Value		0.261					SD	46.8
1346		**Data appear Gamma Distributed at 5% Significance Level**								SE of Mean		14.17
1347										95% KM (t) UCL		68.66
1348		**Assuming Gamma Distribution**								95% KM (z) UCL		66.52
1349		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		68.45
1350					Minimum	1E-09				95% KM (bootstrap t) UCL		91.59
1351					Maximum	180				95% KM (BCA) UCL		72.08
1352					Mean	42.84			95% KM (Percentile Bootstrap) UCL			67.39
1353					Median	29				95% KM (Chebyshev) UCL		105
1354					SD	49.22				97.5% KM (Chebyshev) UCL		131.7
1355					k star	0.273				99% KM (Chebyshev) UCL		184.2
1356					Theta star	156.7						
1357					Nu star	6.563		**Potential UCLs to Use**				
1358					AppChi2	1.934				95% KM (Chebyshev) UCL		105
1359			95% Gamma Approximate UCL			145.4						
1360			95% Adjusted Gamma UCL			178.5						
1361	**Note: DL/2 is not a recommended method.**											
1362												

	A	B	C	D	E	F	G	H	I	J	K	L
1				\multicolumn{9}{c}{General UCL Statistics for Data Sets with Non-Detects}								
2		\multicolumn{3}{c}{User Selected Options}									
3				From File	\multicolumn{8}{l}{J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM6.5W.wst}							
4				Full Precision	OFF								
5			Confidence Coefficient		95%								
6		Number of Bootstrap Operations			2000								
7													
8													
9	Aldrin												
10													
11					\multicolumn{3}{c}{General Statistics}							
12			Number of Valid Data			42			Number of Detected Data				12
13		Number of Distinct Detected Data				12			Number of Non-Detect Data				30
14			Number of Missing Values			4			Percent Non-Detects				71.43%
15													
16			\multicolumn{3}{c}{Raw Statistics}					\multicolumn{3}{c}{Log-transformed Statistics}			
17				Minimum Detected		0.047			Minimum Detected				-3.058
18				Maximum Detected		25.9			Maximum Detected				3.254
19				Mean of Detected		4.391			Mean of Detected				0.374
20				SD of Detected		7.377			SD of Detected				1.699
21				Minimum Non-Detect		0.0298			Minimum Non-Detect				-3.513
22				Maximum Non-Detect		19			Maximum Non-Detect				2.944
23													
24	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect				41
25	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected				1
26	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage				97.62%
27													
28					\multicolumn{3}{c}{UCL Statistics}							
29		\multicolumn{4}{c}{Normal Distribution Test with Detected Values Only}				\multicolumn{5}{c}{Lognormal Distribution Test with Detected Values Only}				
30				Shapiro Wilk Test Statistic		0.615			Shapiro Wilk Test Statistic				0.986
31				5% Shapiro Wilk Critical Value		0.859			5% Shapiro Wilk Critical Value				0.859
32		\multicolumn{4}{c}{Data not Normal at 5% Significance Level}				\multicolumn{5}{c}{Data appear Lognormal at 5% Significance Level}				
33													
34		\multicolumn{3}{c}{Assuming Normal Distribution}					\multicolumn{3}{c}{Assuming Lognormal Distribution}			
35				DL/2 Substitution Method					DL/2 Substitution Method				
36				Mean		1.741			Mean				-1.037
37				SD		4.423			SD				1.814
38				95% DL/2 (t) UCL		2.889			95% H-Stat (DL/2) UCL				2.475
39													
40		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method				
41		\multicolumn{4}{l}{MLE method failed to converge properly}					Mean in Log Scale				-2.597
42									SD in Log Scale				2.152
43									Mean in Original Scale				1.273
44									SD in Original Scale				4.311
45									95% Percentile Bootstrap UCL				2.49
46									95% BCA Bootstrap UCL				3.135
47													
48		\multicolumn{4}{c}{Gamma Distribution Test with Detected Values Only}				\multicolumn{5}{c}{Data Distribution Test with Detected Values Only}				
49				k star (bias corrected)		0.479		\multicolumn{5}{c}{Data appear Gamma Distributed at 5% Significance Level}				
50				Theta Star		9.176							
51				nu star		11.48							
52													
53				A-D Test Statistic		0.345			\multicolumn{4}{c}{Nonparametric Statistics}			

	A	B	C	D	E	F	G	H	I	J	K	L
54					5% A-D Critical Value	0.78				Kaplan-Meier (KM) Method		
55					K-S Test Statistic	0.78				Mean		1.345
56					5% K-S Critical Value	0.258				SD		4.254
57		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.688
58										95% KM (t) UCL		2.503
59		Assuming Gamma Distribution								95% KM (z) UCL		2.477
60		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		2.343
61					Minimum	0.047				95% KM (bootstrap t) UCL		5.04
62					Maximum	25.9				95% KM (BCA) UCL		3.113
63					Mean	4.36				95% KM (Percentile Bootstrap) UCL		2.691
64					Median	4.282				95% KM (Chebyshev) UCL		4.344
65					SD	3.822				97.5% KM (Chebyshev) UCL		5.642
66					k star	1.621				99% KM (Chebyshev) UCL		8.191
67					Theta star	2.689						
68					Nu star	136.2				Potential UCLs to Use		
69					AppChi2	110.2				95% KM (t) UCL		2.503
70				95% Gamma Approximate UCL		5.387						
71				95% Adjusted Gamma UCL		5.427						
72	Note: DL/2 is not a recommended method.											
73												
74												
75	Arsenic											
76												
77					General Statistics							
78			Number of Valid Data			48			Number of Detected Data			41
79		Number of Distinct Detected Data				40			Number of Non-Detect Data			7
80			Number of Missing Values			1			Percent Non-Detects			14.58%
81												
82		Raw Statistics							Log-transformed Statistics			
83			Minimum Detected			1.72			Minimum Detected			0.542
84			Maximum Detected			53.7			Maximum Detected			3.983
85			Mean of Detected			7.986			Mean of Detected			1.607
86			SD of Detected			11.42			SD of Detected			0.815
87			Minimum Non-Detect			5			Minimum Non-Detect			1.609
88			Maximum Non-Detect			10			Maximum Non-Detect			2.303
89												
90	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			42
91	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			6
92	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			87.50%
93												
94					UCL Statistics							
95		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
96			Shapiro Wilk Test Statistic			0.515			Shapiro Wilk Test Statistic			0.773
97			5% Shapiro Wilk Critical Value			0.941			5% Shapiro Wilk Critical Value			0.941
98		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
99												
100		Assuming Normal Distribution							Assuming Lognormal Distribution			
101			DL/2 Substitution Method						DL/2 Substitution Method			
102				Mean		7.415				Mean		1.574
103				SD		10.63				SD		0.76
104			95% DL/2 (t) UCL			9.989			95% H-Stat (DL/2) UCL			6.747
105												
106		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			

	A	B	C	D	E	F	G	H	I	J	K	L
107	MLE yields a negative mean								Mean in Log Scale			1.579
108									SD in Log Scale			0.762
109									Mean in Original Scale			7.445
110									SD in Original Scale			10.63
111									95% Percentile Bootstrap UCL			10.15
112									95% BCA Bootstrap UCL			10.84
113												
114	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
115	k star (bias corrected)					1.13	Data do not follow a Discernable Distribution (0.05)					
116	Theta Star					7.069						
117	nu star					92.63						
118												
119	A-D Test Statistic					5.753	Nonparametric Statistics					
120	5% A-D Critical Value					0.773	Kaplan-Meier (KM) Method					
121	K-S Test Statistic					0.773	Mean					7.366
122	5% K-S Critical Value					0.141	SD					10.54
123	Data not Gamma Distributed at 5% Significance Level						SE of Mean					1.541
124							95% KM (t) UCL					9.952
125	Assuming Gamma Distribution						95% KM (z) UCL					9.901
126	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					9.948
127	Minimum					1.72	95% KM (bootstrap t) UCL					12
128	Maximum					53.7	95% KM (BCA) UCL					10.41
129	Mean					7.975	95% KM (Percentile Bootstrap) UCL					9.925
130	Median					4.055	95% KM (Chebyshev) UCL					14.08
131	SD					10.54	97.5% KM (Chebyshev) UCL					16.99
132	k star					1.308	99% KM (Chebyshev) UCL					22.7
133	Theta star					6.096						
134	Nu star					125.6	Potential UCLs to Use					
135	AppChi2					100.7	95% KM (Chebyshev) UCL					14.08
136	95% Gamma Approximate UCL					9.946						
137	95% Adjusted Gamma UCL					10.01						
138	Note: DL/2 is not a recommended method.											
139												
140												
141	Benzo(a)anthracene											
142												
143	General Statistics											
144	Number of Valid Observations					49	Number of Distinct Observations					41
145												
146	Raw Statistics						Log-transformed Statistics					
147	Minimum					9.1	Minimum of Log Data					2.208
148	Maximum					7050	Maximum of Log Data					8.861
149	Mean					743.2	Mean of log Data					5.78
150	Median					350	SD of log Data					1.407
151	SD					1164						
152	Coefficient of Variation					1.566						
153	Skewness					3.878						
154												
155	Relevant UCL Statistics											
156	Normal Distribution Test						Lognormal Distribution Test					
157	Shapiro Wilk Test Statistic					0.59	Shapiro Wilk Test Statistic					0.98
158	Shapiro Wilk Critical Value					0.947	Shapiro Wilk Critical Value					0.947
159	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					

	A	B	C	D	E	F	G	H	I	J	K	L
160												
161			Assuming Normal Distribution						Assuming Lognormal Distribution			
162				95% Student's-t UCL		1022					95% H-UCL	1532
163			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			1792
164				95% Adjusted-CLT UCL		1115			97.5% Chebyshev (MVUE) UCL			2205
165				95% Modified-t UCL		1037			99% Chebyshev (MVUE) UCL			3015
166												
167			Gamma Distribution Test						Data Distribution			
168			k star (bias corrected)			0.694			Data appear Gamma Distributed at 5% Significance Level			
169				Theta Star		1072						
170				nu star		67.96						
171			Approximate Chi Square Value (.05)			49.99			Nonparametric Statistics			
172			Adjusted Level of Significance			0.0451				95% CLT UCL		1017
173			Adjusted Chi Square Value			49.52				95% Jackknife UCL		1022
174									95% Standard Bootstrap UCL			1011
175			Anderson-Darling Test Statistic			0.507				95% Bootstrap-t UCL		1254
176			Anderson-Darling 5% Critical Value			0.795			95% Hall's Bootstrap UCL			2257
177			Kolmogorov-Smirnov Test Statistic			0.0969			95% Percentile Bootstrap UCL			1045
178			Kolmogorov-Smirnov 5% Critical Value			0.132				95% BCA Bootstrap UCL		1156
179		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			1468
180									97.5% Chebyshev(Mean, Sd) UCL			1782
181			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			2398
182				95% Approximate Gamma UCL		1010						
183				95% Adjusted Gamma UCL		1020						
184												
185			Potential UCL to Use						Use 95% Approximate Gamma UCL			1010
186												
187												
188	Benzo(a)pyrene											
189												
190					General Statistics							
191				Number of Valid Observations		49			Number of Distinct Observations			43
192												
193			Raw Statistics						Log-transformed Statistics			
194					Minimum	13				Minimum of Log Data		2.565
195					Maximum	8220				Maximum of Log Data		9.014
196					Mean	911.6				Mean of log Data		6.057
197					Median	410				SD of log Data		1.34
198					SD	1365						
199				Coefficient of Variation		1.497						
200					Skewness	3.821						
201												
202					Relevant UCL Statistics							
203			Normal Distribution Test						Lognormal Distribution Test			
204				Shapiro Wilk Test Statistic		0.597			Shapiro Wilk Test Statistic			0.976
205				Shapiro Wilk Critical Value		0.947			Shapiro Wilk Critical Value			0.947
206		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
207												
208			Assuming Normal Distribution						Assuming Lognormal Distribution			
209				95% Student's-t UCL		1239					95% H-UCL	1767
210			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			2096
211				95% Adjusted-CLT UCL		1346			97.5% Chebyshev (MVUE) UCL			2564
212				95% Modified-t UCL		1256			99% Chebyshev (MVUE) UCL			3484

	A	B	C	D	E	F	G	H	I	J	K	L
213												
214			Gamma Distribution Test						Data Distribution			
215			k star (bias corrected)			0.75		Data appear Gamma Distributed at 5% Significance Level				
216			Theta Star			1215						
217			nu star			73.51						
218			Approximate Chi Square Value (.05)			54.76			Nonparametric Statistics			
219			Adjusted Level of Significance			0.0451			95% CLT UCL			1232
220			Adjusted Chi Square Value			54.27			95% Jackknife UCL			1239
221									95% Standard Bootstrap UCL			1228
222			Anderson-Darling Test Statistic			0.563			95% Bootstrap-t UCL			1522
223			Anderson-Darling 5% Critical Value			0.791			95% Hall's Bootstrap UCL			2804
224			Kolmogorov-Smirnov Test Statistic			0.1			95% Percentile Bootstrap UCL			1258
225			Kolmogorov-Smirnov 5% Critical Value			0.132			95% BCA Bootstrap UCL			1381
226		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			1762
227									97.5% Chebyshev(Mean, Sd) UCL			2129
228			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			2852
229			95% Approximate Gamma UCL			1224						
230			95% Adjusted Gamma UCL			1235						
231												
232			Potential UCL to Use						Use 95% Approximate Gamma UCL			1224
233												
234												
235	Benzo(b)fluoranthene											
236												
237				General Statistics								
238			Number of Valid Observations			49			Number of Distinct Observations			40
239												
240			Raw Statistics						Log-transformed Statistics			
241			Minimum			11			Minimum of Log Data			2.398
242			Maximum			13300			Maximum of Log Data			9.496
243			Mean			1014			Mean of log Data			6.055
244			Median			400			SD of log Data			1.355
245			SD			1984						
246			Coefficient of Variation			1.958						
247			Skewness			5.243						
248												
249				Relevant UCL Statistics								
250			Normal Distribution Test						Lognormal Distribution Test			
251			Shapiro Wilk Test Statistic			0.459			Shapiro Wilk Test Statistic			0.991
252			Shapiro Wilk Critical Value			0.947			Shapiro Wilk Critical Value			0.947
253		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
254												
255			Assuming Normal Distribution						Assuming Lognormal Distribution			
256			95% Student's-t UCL			1489			95% H-UCL			1815
257		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			2147
258			95% Adjusted-CLT UCL			1707			97.5% Chebyshev (MVUE) UCL			2629
259			95% Modified-t UCL			1524			99% Chebyshev (MVUE) UCL			3577
260												
261			Gamma Distribution Test						Data Distribution			
262			k star (bias corrected)			0.669		Data Follow Appr. Gamma Distribution at 5% Significance Level				
263			Theta Star			1516						
264			nu star			65.54						
265			Approximate Chi Square Value (.05)			47.91			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
266					Adjusted Level of Significance	0.0451					95% CLT UCL	1480
267					Adjusted Chi Square Value	47.45					95% Jackknife UCL	1489
268											95% Standard Bootstrap UCL	1480
269					Anderson-Darling Test Statistic	1.03					95% Bootstrap-t UCL	2184
270					Anderson-Darling 5% Critical Value	0.797					95% Hall's Bootstrap UCL	3367
271					Kolmogorov-Smirnov Test Statistic	0.129					95% Percentile Bootstrap UCL	1532
272					Kolmogorov-Smirnov 5% Critical Value	0.132					95% BCA Bootstrap UCL	1815
273		**Data follow Appr. Gamma Distribution at 5% Significance Level**									95% Chebyshev(Mean, Sd) UCL	2249
274											97.5% Chebyshev(Mean, Sd) UCL	2784
275		**Assuming Gamma Distribution**									99% Chebyshev(Mean, Sd) UCL	3834
276					95% Approximate Gamma UCL	1386						
277					95% Adjusted Gamma UCL	1400						
278												
279		**Potential UCL to Use**								Use 95% Approximate Gamma UCL		1386
280												
281												
282	Benzo(k)fluoranthene											
283												
284					**General Statistics**							
285				Number of Valid Data		41				Number of Detected Data		41
286			Number of Distinct Detected Data			39				Number of Non-Detect Data		0
287				Number of Missing Values		8				Percent Non-Detects		0.00%
288												
289			**Raw Statistics**						**Log-transformed Statistics**			
290				Minimum Detected		10				Minimum Detected		2.303
291				Maximum Detected		1400				Maximum Detected		7.244
292				Mean of Detected		404.3				Mean of Detected		5.453
293				SD of Detected		372.9				SD of Detected		1.228
294				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
295				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
296												
297												
298					**UCL Statistics**							
299		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
300				Shapiro Wilk Test Statistic		0.861				Shapiro Wilk Test Statistic		0.944
301				5% Shapiro Wilk Critical Value		0.941				5% Shapiro Wilk Critical Value		0.941
302		**Data not Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
303												
304		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
305				DL/2 Substitution Method						DL/2 Substitution Method		
306					Mean	404.3					Mean	5.453
307					SD	372.9					SD	1.228
308				95% DL/2 (t) UCL		502.4				95% H-Stat (DL/2) UCL		824
309												
310			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
311		**MLE method failed to converge properly**								Mean in Log Scale		N/A
312										SD in Log Scale		N/A
313										Mean in Original Scale		N/A
314										SD in Original Scale		N/A
315										95% Percentile Bootstrap UCL		N/A
316										95% BCA Bootstrap UCL		N/A
317												
318		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				

	A	B	C	D	E	F	G	H	I	J	K	L
319					k star (bias corrected)	0.985		Data appear Gamma Distributed at 5% Significance Level				
320					Theta Star	410.4						
321					nu star	80.77						
322												
323					A-D Test Statistic	0.217		Nonparametric Statistics				
324					5% A-D Critical Value	0.777		Kaplan-Meier (KM) Method				
325					K-S Test Statistic	0.777					Mean	404.3
326					5% K-S Critical Value	0.142					SD	368.4
327		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	58.24
328											95% KM (t) UCL	502.4
329		Assuming Gamma Distribution									95% KM (z) UCL	500.1
330		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	502.4
331					Minimum	10					95% KM (bootstrap t) UCL	519
332					Maximum	1400					95% KM (BCA) UCL	500.8
333					Mean	404.3					95% KM (Percentile Bootstrap) UCL	499.7
334					Median	280					95% KM (Chebyshev) UCL	658.2
335					SD	372.9					97.5% KM (Chebyshev) UCL	768
336					k star	0.985					99% KM (Chebyshev) UCL	983.8
337					Theta star	410.4						
338					Nu star	80.77		Potential UCLs to Use				
339					AppChi2	61.07					95% KM (Chebyshev) UCL	658.2
340				95% Gamma Approximate UCL		534.8						
341				95% Adjusted Gamma UCL		540.3						
342	Note: DL/2 is not a recommended method.											
343												
344												
345	Bis(2-ethylhexyl) phthalate											
346												
347							General Statistics					
348				Number of Valid Data		48				Number of Detected Data		19
349			Number of Distinct Detected Data			16				Number of Non-Detect Data		29
350				Number of Missing Values		1				Percent Non-Detects		60.42%
351												
352		Raw Statistics						Log-transformed Statistics				
353				Minimum Detected		22				Minimum Detected		3.091
354				Maximum Detected		700				Maximum Detected		6.551
355				Mean of Detected		152.8				Mean of Detected		4.678
356				SD of Detected		153.8				SD of Detected		0.847
357				Minimum Non-Detect		12				Minimum Non-Detect		2.485
358				Maximum Non-Detect		341				Maximum Non-Detect		5.832
359												
360	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		47
361	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1
362	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		97.92%
363												
364							UCL Statistics					
365		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
366				Shapiro Wilk Test Statistic		0.696				Shapiro Wilk Test Statistic		0.964
367				5% Shapiro Wilk Critical Value		0.901				5% Shapiro Wilk Critical Value		0.901
368		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
369												
370		Assuming Normal Distribution						Assuming Lognormal Distribution				
371				DL/2 Substitution Method						DL/2 Substitution Method		

	A	B	C	D	E	F	G	H	I	J	K	L
372					Mean	81.06					Mean	3.748
373					SD	115.2					SD	1.145
374				95% DL/2 (t) UCL		109			95% H-Stat (DL/2) UCL			109.6
375												
376		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
377		**MLE method failed to converge properly**								Mean in Log Scale		3.542
378										SD in Log Scale		1.107
379										Mean in Original Scale		71.12
380										SD in Original Scale		116.4
381									95% Percentile Bootstrap UCL			100.3
382									95% BCA Bootstrap UCL			112
383												
384		**Gamma Distribution Test with Detected Values Only**							**Data Distribution Test with Detected Values Only**			
385					k star (bias corrected)	1.356		**Data appear Gamma Distributed at 5% Significance Level**				
386					Theta Star	112.7						
387					nu star	51.51						
388												
389					A-D Test Statistic	0.568			**Nonparametric Statistics**			
390					5% A-D Critical Value	0.756			Kaplan-Meier (KM) Method			
391					K-S Test Statistic	0.756				Mean		77.69
392					5% K-S Critical Value	0.202				SD		113.2
393		**Data appear Gamma Distributed at 5% Significance Level**								SE of Mean		16.95
394										95% KM (t) UCL		106.1
395		**Assuming Gamma Distribution**								95% KM (z) UCL		105.6
396		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			101.5
397					Minimum	22			95% KM (bootstrap t) UCL			119.5
398					Maximum	700			95% KM (BCA) UCL			123.8
399					Mean	153.5			95% KM (Percentile Bootstrap) UCL			112.7
400					Median	135			95% KM (Chebyshev) UCL			151.6
401					SD	99.27			97.5% KM (Chebyshev) UCL			183.5
402					k star	3.161			99% KM (Chebyshev) UCL			246.3
403					Theta star	48.56						
404					Nu star	303.4			**Potential UCLs to Use**			
405					AppChi2	264.1			95% KM (t) UCL			106.1
406				95% Gamma Approximate UCL		176.4						
407				95% Adjusted Gamma UCL		177.1						
408	Note: DL/2 is not a recommended method.											
409												
410												
411	Dibenzo(a,h)anthracene											
412												
413					**General Statistics**							
414				Number of Valid Data		49			Number of Detected Data			48
415			Number of Distinct Detected Data			41			Number of Non-Detect Data			1
416									Percent Non-Detects			2.04%
417												
418			**Raw Statistics**						**Log-transformed Statistics**			
419					Minimum Detected	1.9				Minimum Detected		0.642
420					Maximum Detected	2850				Maximum Detected		7.955
421					Mean of Detected	171.8				Mean of Detected		4.222
422					SD of Detected	411.4				SD of Detected		1.35
423					Minimum Non-Detect	20				Minimum Non-Detect		2.996
424					Maximum Non-Detect	20				Maximum Non-Detect		2.996

	A	B	C	D	E	F	G	H	I	J	K	L
425												
426												
427				UCL Statistics								
428		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
429		Shapiro Wilk Test Statistic				0.356			Shapiro Wilk Test Statistic			0.984
430		5% Shapiro Wilk Critical Value				0.947			5% Shapiro Wilk Critical Value			0.947
431		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
432												
433		Assuming Normal Distribution							Assuming Lognormal Distribution			
434		DL/2 Substitution Method							DL/2 Substitution Method			
435		Mean				168.5			Mean			4.183
436		SD				407.8			SD			1.364
437		95% DL/2 (t) UCL				266.2			95% H-Stat (DL/2) UCL			255.9
438												
439		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
440		Mean				124.6			Mean in Log Scale			4.178
441		SD				444.3			SD in Log Scale			1.37
442		95% MLE (t) UCL				231			Mean in Original Scale			168.5
443		95% MLE (Tiku) UCL				225			SD in Original Scale			407.8
444									95% Percentile Bootstrap UCL			280.2
445									95% BCA Bootstrap UCL			351.3
446												
447		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
448		k star (bias corrected)				0.632		Data Follow Appr. Gamma Distribution at 5% Significance Level				
449		Theta Star				272						
450		nu star				60.65						
451												
452		A-D Test Statistic				1.403			Nonparametric Statistics			
453		5% A-D Critical Value				0.8			Kaplan-Meier (KM) Method			
454		K-S Test Statistic				0.8			Mean			168.5
455		5% K-S Critical Value				0.134			SD			403.6
456		Data follow Appr. Gamma Distribution at 5% Significance Level							SE of Mean			58.27
457									95% KM (t) UCL			266.2
458		Assuming Gamma Distribution							95% KM (z) UCL			264.3
459		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			266.2
460		Minimum				1E-09			95% KM (bootstrap t) UCL			471.1
461		Maximum				2850			95% KM (BCA) UCL			283.7
462		Mean				168.3			95% KM (Percentile Bootstrap) UCL			279.1
463		Median				65.7			95% KM (Chebyshev) UCL			422.5
464		SD				407.9			97.5% KM (Chebyshev) UCL			532.4
465		k star				0.442			99% KM (Chebyshev) UCL			748.3
466		Theta star				381.1						
467		Nu star				43.29			Potential UCLs to Use			
468		AppChi2				29.2			95% KM (Chebyshev) UCL			422.5
469		95% Gamma Approximate UCL				249.5						
470		95% Adjusted Gamma UCL				252.6						
471	Note: DL/2 is not a recommended method.											
472												
473												
474	Dieldrin											
475												
476					General Statistics							
477		Number of Valid Data				41			Number of Detected Data			7

	A	B	C	D	E	F	G	H	I	J	K	L
478				Number of Distinct Detected Data		7				Number of Non-Detect Data		34
479				Number of Missing Values		4				Percent Non-Detects		82.93%
480												
481				Raw Statistics						Log-transformed Statistics		
482				Minimum Detected		0.14				Minimum Detected		-1.966
483				Maximum Detected		3.9				Maximum Detected		1.361
484				Mean of Detected		1.39				Mean of Detected		-0.256
485				SD of Detected		1.439				SD of Detected		1.256
486				Minimum Non-Detect		0.0513				Minimum Non-Detect		-2.97
487				Maximum Non-Detect		2.83				Maximum Non-Detect		1.04
488												
489	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		40
490	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1
491	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		97.56%
492												
493				Warning: There are only 7 Detected Values in this data								
494				Note: It should be noted that even though bootstrap may be performed on this data set								
495				the resulting calculations may not be reliable enough tp draw conclusions								
496												
497				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
498												
499												
500						UCL Statistics						
501				Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only		
502				Shapiro Wilk Test Statistic		0.854				Shapiro Wilk Test Statistic		0.947
503				5% Shapiro Wilk Critical Value		0.803				5% Shapiro Wilk Critical Value		0.803
504				Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level		
505												
506				Assuming Normal Distribution						Assuming Lognormal Distribution		
507				DL/2 Substitution Method						DL/2 Substitution Method		
508				Mean		0.542				Mean		-1.331
509				SD		0.751				SD		1.283
510				95% DL/2 (t) UCL		0.74				95% H-Stat (DL/2) UCL		0.899
511												
512				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
513				MLE method failed to converge properly						Mean in Log Scale		-2.962
514										SD in Log Scale		1.426
515										Mean in Original Scale		0.267
516										SD in Original Scale		0.76
517										95% Percentile Bootstrap UCL		0.467
518										95% BCA Bootstrap UCL		0.549
519												
520				Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only		
521				k star (bias corrected)		0.66				Data appear Normal at 5% Significance Level		
522				Theta Star		2.105						
523				nu star		9.241						
524												
525				A-D Test Statistic		0.276				Nonparametric Statistics		
526				5% A-D Critical Value		0.728				Kaplan-Meier (KM) Method		
527				K-S Test Statistic		0.728				Mean		0.381
528				5% K-S Critical Value		0.32				SD		0.729
529			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		0.126
530										95% KM (t) UCL		0.592

	A	B	C	D	E	F	G	H	I	J	K	L
531					Assuming Gamma Distribution						95% KM (z) UCL	0.587
532		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.548
533					Minimum	0.14					95% KM (bootstrap t) UCL	0.716
534					Maximum	3.9					95% KM (BCA) UCL	1.41
535					Mean	1.632				95% KM (Percentile Bootstrap) UCL		0.936
536					Median	1.649					95% KM (Chebyshev) UCL	0.929
537					SD	0.641					97.5% KM (Chebyshev) UCL	1.166
538					k star	4.154					99% KM (Chebyshev) UCL	1.632
539					Theta star	0.393						
540					Nu star	340.7			Potential UCLs to Use			
541					AppChi2	298.9					95% KM (t) UCL	0.592
542			95% Gamma Approximate UCL			1.86				95% KM (Percentile Bootstrap) UCL		0.936
543				95% Adjusted Gamma UCL		1.869						
544	Note: DL/2 is not a recommended method.											
545												
546												
547	Indeno(1,2,3-cd)pyrene											
548												
549					General Statistics							
550				Number of Valid Observations		49				Number of Distinct Observations		41
551												
552			Raw Statistics						Log-transformed Statistics			
553					Minimum	12					Minimum of Log Data	2.485
554					Maximum	5120					Maximum of Log Data	8.541
555					Mean	622.3					Mean of log Data	5.714
556					Median	310					SD of log Data	1.286
557					SD	883.7						
558				Coefficient of Variation		1.42						
559					Skewness	3.415						
560												
561					Relevant UCL Statistics							
562			Normal Distribution Test						Lognormal Distribution Test			
563			Shapiro Wilk Test Statistic			0.636				Shapiro Wilk Test Statistic		0.982
564			Shapiro Wilk Critical Value			0.947				Shapiro Wilk Critical Value		0.947
565		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
566												
567			Assuming Normal Distribution						Assuming Lognormal Distribution			
568				95% Student's-t UCL		834					95% H-UCL	1130
569		95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL		1352
570				95% Adjusted-CLT UCL		895.7				97.5% Chebyshev (MVUE) UCL		1646
571				95% Modified-t UCL		844.3				99% Chebyshev (MVUE) UCL		2224
572												
573			Gamma Distribution Test						Data Distribution			
574				k star (bias corrected)		0.785		Data appear Gamma Distributed at 5% Significance Level				
575					Theta Star	792.9						
576					nu star	76.91						
577			Approximate Chi Square Value (.05)			57.71			Nonparametric Statistics			
578				Adjusted Level of Significance		0.0451					95% CLT UCL	829.9
579				Adjusted Chi Square Value		57.21					95% Jackknife UCL	834
580											95% Standard Bootstrap UCL	826
581			Anderson-Darling Test Statistic			0.533					95% Bootstrap-t UCL	998.5
582			Anderson-Darling 5% Critical Value			0.789					95% Hall's Bootstrap UCL	1752
583			Kolmogorov-Smirnov Test Statistic			0.0813					95% Percentile Bootstrap UCL	843.1

	A	B	C	D	E	F	G	H	I	J	K	L
584				Kolmogorov-Smirnov 5% Critical Value		0.131				95% BCA Bootstrap UCL		908.2
585		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			1173
586									97.5% Chebyshev(Mean, Sd) UCL			1411
587		Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL			1878
588		95% Approximate Gamma UCL				829.4						
589		95% Adjusted Gamma UCL				836.7						
590												
591		Potential UCL to Use							Use 95% Approximate Gamma UCL			829.4
592												
593												
594	Lead											
595												
596				General Statistics								
597		Number of Valid Data				48			Number of Detected Data			48
598		Number of Distinct Detected Data				45			Number of Non-Detect Data			0
599		Number of Missing Values				1			Percent Non-Detects			0.00%
600												
601		Raw Statistics							Log-transformed Statistics			
602		Minimum Detected				3.32			Minimum Detected			1.2
603		Maximum Detected				266			Maximum Detected			5.583
604		Mean of Detected				40.16			Mean of Detected			3.253
605		SD of Detected				52.4			SD of Detected			0.842
606		Minimum Non-Detect				N/A			Minimum Non-Detect			N/A
607		Maximum Non-Detect				N/A			Maximum Non-Detect			N/A
608												
609												
610				UCL Statistics								
611		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
612		Shapiro Wilk Test Statistic				0.573			Shapiro Wilk Test Statistic			0.9
613		5% Shapiro Wilk Critical Value				0.947			5% Shapiro Wilk Critical Value			0.947
614		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
615												
616		Assuming Normal Distribution							Assuming Lognormal Distribution			
617		DL/2 Substitution Method							DL/2 Substitution Method			
618		Mean				40.16			Mean			3.253
619		SD				52.4			SD			0.842
620		95% DL/2 (t) UCL				52.85			95% H-Stat (DL/2) UCL			48.08
621												
622		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
623		MLE method failed to converge properly							Mean in Log Scale			N/A
624									SD in Log Scale			N/A
625									Mean in Original Scale			N/A
626									SD in Original Scale			N/A
627									95% Percentile Bootstrap UCL			N/A
628									95% BCA Bootstrap UCL			N/A
629												
630		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
631		k star (bias corrected)				1.212			Data do not follow a Discernable Distribution (0.05)			
632		Theta Star				33.12						
633		nu star				116.4						
634												
635		A-D Test Statistic				4.125			Nonparametric Statistics			
636		5% A-D Critical Value				0.772			Kaplan-Meier (KM) Method			

	A	B	C	D	E	F	G	H	I	J	K	L
637					K-S Test Statistic	0.772					Mean	40.16
638					5% K-S Critical Value	0.131					SD	51.85
639		**Data not Gamma Distributed at 5% Significance Level**									SE of Mean	7.563
640											95% KM (t) UCL	52.85
641			**Assuming Gamma Distribution**								95% KM (z) UCL	52.6
642			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	52.85
643					Minimum	3.32					95% KM (bootstrap t) UCL	60.31
644					Maximum	266					95% KM (BCA) UCL	54.97
645					Mean	40.16				95% KM (Percentile Bootstrap) UCL		53.62
646					Median	21.95					95% KM (Chebyshev) UCL	73.13
647					SD	52.4					97.5% KM (Chebyshev) UCL	87.39
648					k star	1.212					99% KM (Chebyshev) UCL	115.4
649					Theta star	33.12						
650					Nu star	116.4			**Potential UCLs to Use**			
651					AppChi2	92.48					95% KM (Chebyshev) UCL	73.13
652			95% Gamma Approximate UCL			50.54						
653			95% Adjusted Gamma UCL			50.91						
654	Note: DL/2 is not a recommended method.											
655												
656												
657	Mercury											
658												
659					**General Statistics**							
660			Number of Valid Data			48				Number of Detected Data		46
661			Number of Distinct Detected Data			38				Number of Non-Detect Data		2
662			Number of Missing Values			1				Percent Non-Detects		4.17%
663												
664			**Raw Statistics**						**Log-transformed Statistics**			
665					Minimum Detected	0.012					Minimum Detected	-4.423
666					Maximum Detected	0.722					Maximum Detected	-0.326
667					Mean of Detected	0.113					Mean of Detected	-2.725
668					SD of Detected	0.15					SD of Detected	0.997
669					Minimum Non-Detect	0.0372					Minimum Non-Detect	-3.291
670					Maximum Non-Detect	0.05					Maximum Non-Detect	-2.996
671												
672	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		18
673	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		30
674	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		37.50%
675												
676					**UCL Statistics**							
677		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
678					Shapiro Wilk Test Statistic	0.629					Shapiro Wilk Test Statistic	0.957
679					5% Shapiro Wilk Critical Value	0.945					5% Shapiro Wilk Critical Value	0.945
680		**Data not Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
681												
682		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
683			DL/2 Substitution Method								DL/2 Substitution Method	
684					Mean	0.109					Mean	-2.772
685					SD	0.148					SD	1.002
686					95% DL/2 (t) UCL	0.145					95% H-Stat (DL/2) UCL	0.14
687												
688			Maximum Likelihood Estimate(MLE) Method								Log ROS Method	
689					Mean	0.0607					Mean in Log Scale	-2.771

	A	B	C	D	E	F	G	H	I	J	K	L
690					SD	0.196				SD in Log Scale		1.001
691				95% MLE (t) UCL		0.108				Mean in Original Scale		0.109
692				95% MLE (Tiku) UCL		0.113				SD in Original Scale		0.148
693										95% Percentile Bootstrap UCL		0.144
694										95% BCA Bootstrap UCL		0.153
695												
696		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
697				k star (bias corrected)		0.999		Data appear Lognormal at 5% Significance Level				
698				Theta Star		0.113						
699				nu star		91.92						
700												
701				A-D Test Statistic		1.88		Nonparametric Statistics				
702				5% A-D Critical Value		0.776		Kaplan-Meier (KM) Method				
703				K-S Test Statistic		0.776				Mean		0.109
704				5% K-S Critical Value		0.134				SD		0.147
705		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.0214
706										95% KM (t) UCL		0.145
707		Assuming Gamma Distribution								95% KM (z) UCL		0.144
708		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.145
709				Minimum		1E-09				95% KM (bootstrap t) UCL		0.162
710				Maximum		0.722				95% KM (BCA) UCL		0.148
711				Mean		0.108				95% KM (Percentile Bootstrap) UCL		0.147
712				Median		0.057				95% KM (Chebyshev) UCL		0.203
713				SD		0.149				97.5% KM (Chebyshev) UCL		0.243
714				k star		0.489				99% KM (Chebyshev) UCL		0.322
715				Theta star		0.222						
716				Nu star		46.9		Potential UCLs to Use				
717				AppChi2		32.19				95% KM (Chebyshev) UCL		0.203
718		95% Gamma Approximate UCL				0.158						
719		95% Adjusted Gamma UCL				0.16						
720	Note: DL/2 is not a recommended method.											
721												
722												
723	Naphthalene											
724												
725					General Statistics							
726			Number of Valid Data			49			Number of Detected Data			44
727		Number of Distinct Detected Data				40			Number of Non-Detect Data			5
728									Percent Non-Detects			10.20%
729												
730		Raw Statistics						Log-transformed Statistics				
731				Minimum Detected		10.4				Minimum Detected		2.342
732				Maximum Detected		685				Maximum Detected		6.529
733				Mean of Detected		117.3				Mean of Detected		4.26
734				SD of Detected		132.3				SD of Detected		1.021
735				Minimum Non-Detect		0.47				Minimum Non-Detect		-0.755
736				Maximum Non-Detect		20				Maximum Non-Detect		2.996
737												
738	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			11
739	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			38
740	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			22.45%
741												
742					UCL Statistics							

	A	B	C	D	E	F	G	H	I	J	K	L
743	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
744	Shapiro Wilk Test Statistic					0.739	Shapiro Wilk Test Statistic					0.975
745	5% Shapiro Wilk Critical Value					0.944	5% Shapiro Wilk Critical Value					0.944
746	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
747												
748	Assuming Normal Distribution						Assuming Lognormal Distribution					
749	DL/2 Substitution Method						DL/2 Substitution Method					
750	Mean					105.5	Mean					3.774
751	SD					130.1	SD					1.806
752	95% DL/2 (t) UCL					136.7	95% H-Stat (DL/2) UCL					337.2
753												
754	Maximum Likelihood Estimate(MLE) Method						Log ROS Method					
755	Mean					85.15	Mean in Log Scale					4.033
756	SD					152.9	SD in Log Scale					1.185
757	95% MLE (t) UCL					121.8	Mean in Original Scale					106.1
758	95% MLE (Tiku) UCL					122	SD in Original Scale					129.6
759							95% Percentile Bootstrap UCL					138.7
760							95% BCA Bootstrap UCL					147.5
761												
762	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
763	k star (bias corrected)					1.067	Data Follow Appr. Gamma Distribution at 5% Significance Level					
764	Theta Star					109.9						
765	nu star					93.93						
766												
767	A-D Test Statistic					0.78	Nonparametric Statistics					
768	5% A-D Critical Value					0.775	Kaplan-Meier (KM) Method					
769	K-S Test Statistic					0.775	Mean					106.4
770	5% K-S Critical Value					0.137	SD					128.1
771	Data follow Appr. Gamma Distribution at 5% Significance Level						SE of Mean					18.51
772							95% KM (t) UCL					137.5
773	Assuming Gamma Distribution						95% KM (z) UCL					136.9
774	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					137.2
775	Minimum					1E-09	95% KM (bootstrap t) UCL					147.6
776	Maximum					685	95% KM (BCA) UCL					139.2
777	Mean					105.3	95% KM (Percentile Bootstrap) UCL					139.1
778	Median					58	95% KM (Chebyshev) UCL					187.1
779	SD					130.3	97.5% KM (Chebyshev) UCL					222
780	k star					0.241	99% KM (Chebyshev) UCL					290.6
781	Theta star					436.7						
782	Nu star					23.63	Potential UCLs to Use					
783	AppChi2					13.57	95% KM (BCA) UCL					139.2
784	95% Gamma Approximate UCL					183.4						
785	95% Adjusted Gamma UCL					186.6						
786	Note: DL/2 is not a recommended method.											
787												
788												
789	Thallium											
790												
791	General Statistics											
792	Number of Valid Data					5	Number of Detected Data					5
793	Number of Distinct Detected Data					5	Number of Non-Detect Data					0
794	Number of Missing Values					23	Percent Non-Detects					0.00%
795												

	A	B	C	D	E	F	G	H	I	J	K	L
796				Raw Statistics						Log-transformed Statistics		
797				Minimum Detected		0.055				Minimum Detected		-2.9
798				Maximum Detected		0.126				Maximum Detected		-2.071
799				Mean of Detected		0.09				Mean of Detected		-2.446
800				SD of Detected		0.027				SD of Detected		0.314
801				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
802				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
803												
804												
805				Warning: There are only 5 Detected Values in this data								
806				Note: It should be noted that even though bootstrap may be performed on this data set								
807				the resulting calculations may not be reliable enough tp draw conclusions								
808												
809				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
810												
811												
812						UCL Statistics						
813			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
814				Shapiro Wilk Test Statistic		0.969				Shapiro Wilk Test Statistic		0.96
815				5% Shapiro Wilk Critical Value		0.762				5% Shapiro Wilk Critical Value		0.762
816			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
817												
818			Assuming Normal Distribution						Assuming Lognormal Distribution			
819				DL/2 Substitution Method						DL/2 Substitution Method		
820					Mean	0.09					Mean	-2.446
821					SD	0.027					SD	0.314
822				95% DL/2 (t) UCL		0.116				95% H-Stat (DL/2) UCL		0.133
823												
824			Maximum Likelihood Estimate(MLE) Method			N/A					Log ROS Method	
825			Method failed to converge properly							Mean in Log Scale		N/A
826										SD in Log Scale		N/A
827										Mean in Original Scale		N/A
828										SD in Original Scale		N/A
829										95% Percentile Bootstrap UCL		N/A
830										95% BCA Bootstrap UCL		N/A
831												
832			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
833				k star (bias corrected)		5.44			Data appear Normal at 5% Significance Level			
834					Theta Star	0.0165						
835					nu star	54.4						
836												
837				A-D Test Statistic		0.248			Nonparametric Statistics			
838				5% A-D Critical Value		0.679				Kaplan-Meier (KM) Method		
839				K-S Test Statistic		0.679					Mean	0.09
840				5% K-S Critical Value		0.357					SD	0.0242
841			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	0.0121
842										95% KM (t) UCL		0.116
843			Assuming Gamma Distribution							95% KM (z) UCL		0.11
844			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.116
845					Minimum	0.055				95% KM (bootstrap t) UCL		0.124
846					Maximum	0.126				95% KM (BCA) UCL		0.108
847					Mean	0.09				95% KM (Percentile Bootstrap) UCL		0.108
848					Median	0.082				95% KM (Chebyshev) UCL		0.143

	A	B	C	D	E	F	G	H	I	J	K	L
849					SD	0.027			97.5% KM (Chebyshev) UCL			0.165
850					k star	5.44			99% KM (Chebyshev) UCL			0.21
851					Theta star	0.0165						
852					Nu star	54.4			Potential UCLs to Use			
853					AppChi2	38.45			95% KM (t) UCL			0.116
854			95% Gamma Approximate UCL			0.127			95% KM (Percentile Bootstrap) UCL			0.108
855				95% Adjusted Gamma UCL		0.15						
856	Note: DL/2 is not a recommended method.											
857												
858												
859	Total Aroclors											
860												
861					General Statistics							
862			Number of Valid Data			30			Number of Detected Data			19
863			Number of Distinct Detected Data			19			Number of Non-Detect Data			11
864			Number of Missing Values			14			Percent Non-Detects			36.67%
865												
866			Raw Statistics						Log-transformed Statistics			
867			Minimum Detected			6.418			Minimum Detected			1.859
868			Maximum Detected			326.8			Maximum Detected			5.789
869			Mean of Detected			86.6			Mean of Detected			3.961
870			SD of Detected			90.57			SD of Detected			1.054
871			Minimum Non-Detect			2.43			Minimum Non-Detect			0.888
872			Maximum Non-Detect			140			Maximum Non-Detect			4.942
873												
874	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			26
875	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			4
876	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			86.67%
877												
878					UCL Statistics							
879			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
880			Shapiro Wilk Test Statistic			0.793			Shapiro Wilk Test Statistic			0.97
881			5% Shapiro Wilk Critical Value			0.901			5% Shapiro Wilk Critical Value			0.901
882			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
883												
884			Assuming Normal Distribution						Assuming Lognormal Distribution			
885			DL/2 Substitution Method						DL/2 Substitution Method			
886			Mean			63.51			Mean			3.393
887			SD			78.93			SD			1.435
888			95% DL/2 (t) UCL			88			95% H-Stat (DL/2) UCL			124.7
889												
890			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
891			MLE yields a negative mean						Mean in Log Scale			3.374
892									SD in Log Scale			1.203
893									Mean in Original Scale			59.44
894									SD in Original Scale			80.16
895									95% Percentile Bootstrap UCL			84.38
896									95% BCA Bootstrap UCL			88.86
897												
898			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
899			k star (bias corrected)			0.992			Data appear Gamma Distributed at 5% Significance Level			
900			Theta Star			87.26						
901			nu star			37.71						

	A	B	C	D	E	F	G	H	I	J	K	L
902												
903				A-D Test Statistic		0.535			Nonparametric Statistics			
904				5% A-D Critical Value		0.766			Kaplan-Meier (KM) Method			
905				K-S Test Statistic		0.766					Mean	60.89
906				5% K-S Critical Value		0.204					SD	78.54
907		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	14.84
908											95% KM (t) UCL	86.1
909			Assuming Gamma Distribution								95% KM (z) UCL	85.29
910			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	84.42
911					Minimum	6.418					95% KM (bootstrap t) UCL	96.53
912					Maximum	326.8					95% KM (BCA) UCL	91.45
913					Mean	76.81			95% KM (Percentile Bootstrap) UCL			85.38
914					Median	55.85					95% KM (Chebyshev) UCL	125.6
915					SD	75.58					97.5% KM (Chebyshev) UCL	153.5
916					k star	1.217					99% KM (Chebyshev) UCL	208.5
917					Theta star	63.13						
918					Nu star	73			Potential UCLs to Use			
919					AppChi2	54.33					95% KM (BCA) UCL	91.45
920			95% Gamma Approximate UCL			103.2						
921				95% Adjusted Gamma UCL		105						
922	Note: DL/2 is not a recommended method.											
923												
924												
925	Total DDT											
926												
927				General Statistics								
928			Number of Valid Data			46			Number of Detected Data			45
929			Number of Distinct Detected Data			45			Number of Non-Detect Data			1
930			Number of Missing Values			3			Percent Non-Detects			2.17%
931												
932			Raw Statistics						Log-transformed Statistics			
933				Minimum Detected		1.43				Minimum Detected		0.358
934				Maximum Detected		490				Maximum Detected		6.194
935				Mean of Detected		94.09				Mean of Detected		3.673
936				SD of Detected		118.8				SD of Detected		1.557
937			Minimum Non-Detect			8.62				Minimum Non-Detect		2.154
938			Maximum Non-Detect			8.62				Maximum Non-Detect		2.154
939												
940												
941				UCL Statistics								
942		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
943			Shapiro Wilk Test Statistic			0.737				Shapiro Wilk Test Statistic		0.942
944			5% Shapiro Wilk Critical Value			0.945				5% Shapiro Wilk Critical Value		0.945
945		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
946												
947		Assuming Normal Distribution						Assuming Lognormal Distribution				
948			DL/2 Substitution Method							DL/2 Substitution Method		
949					Mean	92.13					Mean	3.625
950					SD	118.2					SD	1.574
951			95% DL/2 (t) UCL			121.4				95% H-Stat (DL/2) UCL		244.4
952												
953		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
954					Mean	78.32				Mean in Log Scale		3.624

	A	B	C	D	E	F	G	H	I	J	K	L
955					SD	133.6					SD in Log Scale	1.575
956				95% MLE (t) UCL		111.4					Mean in Original Scale	92.13
957				95% MLE (Tiku) UCL		110.8					SD in Original Scale	118.2
958											95% Percentile Bootstrap UCL	118.9
959											95% BCA Bootstrap UCL	126
960												
961		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
962				k star (bias corrected)		0.663		Data appear Gamma Distributed at 5% Significance Level				
963				Theta Star		141.9						
964				nu star		59.69						
965												
966				A-D Test Statistic		0.332		Nonparametric Statistics				
967				5% A-D Critical Value		0.795		Kaplan-Meier (KM) Method				
968				K-S Test Statistic		0.795					Mean	92.11
969				5% K-S Critical Value		0.138					SD	116.9
970		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	17.43
971											95% KM (t) UCL	121.4
972		Assuming Gamma Distribution									95% KM (z) UCL	120.8
973		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	121.4
974				Minimum		1E-09					95% KM (bootstrap t) UCL	128.1
975				Maximum		490					95% KM (BCA) UCL	120.6
976				Mean		92.04					95% KM (Percentile Bootstrap) UCL	120.9
977				Median		49					95% KM (Chebyshev) UCL	168.1
978				SD		118.3					97.5% KM (Chebyshev) UCL	201
979				k star		0.45					99% KM (Chebyshev) UCL	265.6
980				Theta star		204.6						
981				Nu star		41.38		Potential UCLs to Use				
982				AppChi2		27.64					95% KM (Chebyshev) UCL	168.1
983		95% Gamma Approximate UCL				137.8						
984		95% Adjusted Gamma UCL				139.7						
985	Note: DL/2 is not a recommended method.											
986												
987												
988	Total Dioxin/Furan TEQ											
989												
990					General Statistics							
991			Number of Valid Data			24				Number of Detected Data		24
992		Number of Distinct Detected Data				24				Number of Non-Detect Data		0
993			Number of Missing Values			10				Percent Non-Detects		0.00%
994												
995		Raw Statistics						Log-transformed Statistics				
996			Minimum Detected			0.236				Minimum Detected		-1.445
997			Maximum Detected			223.4				Maximum Detected		5.409
998			Mean of Detected			20.86				Mean of Detected		1.911
999			SD of Detected			45.52				SD of Detected		1.504
1000			Minimum Non-Detect			N/A				Minimum Non-Detect		N/A
1001			Maximum Non-Detect			N/A				Maximum Non-Detect		N/A
1002												
1003												
1004					UCL Statistics							
1005		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1006			Shapiro Wilk Test Statistic			0.446				Shapiro Wilk Test Statistic		0.985
1007		5% Shapiro Wilk Critical Value				0.916				5% Shapiro Wilk Critical Value		0.916

	A	B	C	D	E	F	G	H	I	J	K	L
1008	Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level				
1009												
1010	Assuming Normal Distribution							Assuming Lognormal Distribution				
1011	DL/2 Substitution Method							DL/2 Substitution Method				
1012	Mean					20.86		Mean				1.911
1013	SD					45.52		SD				1.504
1014	95% DL/2 (t) UCL					36.78		95% H-Stat (DL/2) UCL				57.58
1015												
1016	Maximum Likelihood Estimate(MLE) Method					N/A		Log ROS Method				
1017	MLE method failed to converge properly							Mean in Log Scale				N/A
1018								SD in Log Scale				N/A
1019								Mean in Original Scale				N/A
1020								SD in Original Scale				N/A
1021								95% Percentile Bootstrap UCL				N/A
1022								95% BCA Bootstrap UCL				N/A
1023												
1024	Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only				
1025	k star (bias corrected)					0.513		Data appear Lognormal at 5% Significance Level				
1026	Theta Star					40.65						
1027	nu star					24.63						
1028												
1029	A-D Test Statistic					1.086		Nonparametric Statistics				
1030	5% A-D Critical Value					0.801		Kaplan-Meier (KM) Method				
1031	K-S Test Statistic					0.801		Mean				20.86
1032	5% K-S Critical Value					0.187		SD				44.56
1033	Data not Gamma Distributed at 5% Significance Level							SE of Mean				9.292
1034								95% KM (t) UCL				36.78
1035	Assuming Gamma Distribution							95% KM (z) UCL				36.14
1036	Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL				36.78
1037	Minimum					0.236		95% KM (bootstrap t) UCL				70.86
1038	Maximum					223.4		95% KM (BCA) UCL				39.94
1039	Mean					20.86		95% KM (Percentile Bootstrap) UCL				38.53
1040	Median					6.458		95% KM (Chebyshev) UCL				61.36
1041	SD					45.52		97.5% KM (Chebyshev) UCL				78.88
1042	k star					0.513		99% KM (Chebyshev) UCL				113.3
1043	Theta star					40.65						
1044	Nu star					24.63		Potential UCLs to Use				
1045	AppChi2					14.33		99% KM (Chebyshev) UCL				113.3
1046	95% Gamma Approximate UCL					35.85						
1047	95% Adjusted Gamma UCL					37.29						
1048	Note: DL/2 is not a recommended method.											
1049												
1050												
1051	Total Dioxin-like PCBs											
1052												
1053	General Statistics											
1054	Number of Valid Data					6		Number of Detected Data				6
1055	Number of Distinct Detected Data					6		Number of Non-Detect Data				0
1056	Number of Missing Values					17		Percent Non-Detects				0.00%
1057												
1058	Raw Statistics							Log-transformed Statistics				
1059	Minimum Detected					1203		Minimum Detected				7.092
1060	Maximum Detected					15880		Maximum Detected				9.673

	A	B	C	D	E	F	G	H	I	J	K	L
1061					Mean of Detected	6615					Mean of Detected	8.469
1062					SD of Detected	5431					SD of Detected	0.944
1063					Minimum Non-Detect	N/A					Minimum Non-Detect	N/A
1064					Maximum Non-Detect	N/A					Maximum Non-Detect	N/A
1065												
1066												
1067					Warning: There are only 6 Detected Values in this data							
1068					Note: It should be noted that even though bootstrap may be performed on this data set							
1069					the resulting calculations may not be reliable enough tp draw conclusions							
1070												
1071					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
1072												
1073												
1074					UCL Statistics							
1075			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
1076					Shapiro Wilk Test Statistic	0.921					Shapiro Wilk Test Statistic	0.983
1077					5% Shapiro Wilk Critical Value	0.788					5% Shapiro Wilk Critical Value	0.788
1078			Data appear Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
1079												
1080			Assuming Normal Distribution					Assuming Lognormal Distribution				
1081					DL/2 Substitution Method						DL/2 Substitution Method	
1082					Mean	6615					Mean	8.469
1083					SD	5431					SD	0.944
1084					95% DL/2 (t) UCL	11083					95% H-Stat (DL/2) UCL	38892
1085												
1086					Maximum Likelihood Estimate(MLE) Method	N/A					Log ROS Method	
1087			MLE method failed to converge properly								Mean in Log Scale	N/A
1088											SD in Log Scale	N/A
1089											Mean in Original Scale	N/A
1090											SD in Original Scale	N/A
1091											95% Percentile Bootstrap UCL	N/A
1092											95% BCA Bootstrap UCL	N/A
1093												
1094		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1095					k star (bias corrected)	0.945		Data appear Normal at 5% Significance Level				
1096					Theta Star	6997						
1097					nu star	11.35						
1098												
1099					A-D Test Statistic	0.155		Nonparametric Statistics				
1100					5% A-D Critical Value	0.707		Kaplan-Meier (KM) Method				
1101					K-S Test Statistic	0.707					Mean	6615
1102					5% K-S Critical Value	0.337					SD	4957
1103		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	2217
1104											95% KM (t) UCL	11083
1105			Assuming Gamma Distribution								95% KM (z) UCL	10262
1106			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	11083
1107					Minimum	1203					95% KM (bootstrap t) UCL	13214
1108					Maximum	15880					95% KM (BCA) UCL	10143
1109					Mean	6615					95% KM (Percentile Bootstrap) UCL	10236
1110					Median	5438					95% KM (Chebyshev) UCL	16279
1111					SD	5431					97.5% KM (Chebyshev) UCL	20461
1112					k star	0.945					99% KM (Chebyshev) UCL	28675
1113					Theta star	6997						

	A	B	C	D	E	F	G	H	I	J	K	L
1114					Nu star	11.35			Potential UCLs to Use			
1115					AppChi2	4.799				95% KM (t) UCL		11083
1116			95% Gamma Approximate UCL			15639			95% KM (Percentile Bootstrap) UCL			10236
1117			95% Adjusted Gamma UCL			22166						
1118	Note: DL/2 is not a recommended method.											
1119												
1120												
1121	Total PCB TEQ											
1122												
1123					General Statistics							
1124			Number of Valid Data			6			Number of Detected Data			6
1125			Number of Distinct Detected Data			6			Number of Non-Detect Data			0
1126			Number of Missing Values			17			Percent Non-Detects			0.00%
1127												
1128			Raw Statistics						Log-transformed Statistics			
1129			Minimum Detected			0.413			Minimum Detected			-0.885
1130			Maximum Detected			3.564			Maximum Detected			1.271
1131			Mean of Detected			1.796			Mean of Detected			0.267
1132			SD of Detected			1.41			SD of Detected			0.917
1133			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
1134			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
1135												
1136												
1137					Warning: There are only 6 Detected Values in this data							
1138					Note: It should be noted that even though bootstrap may be performed on this data set							
1139					the resulting calculations may not be reliable enough tp draw conclusions							
1140												
1141					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
1142												
1143												
1144					UCL Statistics							
1145			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1146			Shapiro Wilk Test Statistic			0.848			Shapiro Wilk Test Statistic			0.895
1147			5% Shapiro Wilk Critical Value			0.788			5% Shapiro Wilk Critical Value			0.788
1148			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1149												
1150			Assuming Normal Distribution						Assuming Lognormal Distribution			
1151			DL/2 Substitution Method						DL/2 Substitution Method			
1152			Mean			1.796			Mean			0.267
1153			SD			1.41			SD			0.917
1154			95% DL/2 (t) UCL			2.957			95% H-Stat (DL/2) UCL			9.529
1155												
1156			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1157			MLE method failed to converge properly						Mean in Log Scale			N/A
1158										SD in Log Scale		N/A
1159									Mean in Original Scale			N/A
1160									SD in Original Scale			N/A
1161									95% Percentile Bootstrap UCL			N/A
1162									95% BCA Bootstrap UCL			N/A
1163												
1164			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1165			k star (bias corrected)			0.97			Data appear Normal at 5% Significance Level			
1166			Theta Star			1.852						

	A	B	C	D	E	F	G	H	I	J	K	L
1167					nu star	11.64						
1168												
1169				A-D Test Statistic		0.423			Nonparametric Statistics			
1170				5% A-D Critical Value		0.706			Kaplan-Meier (KM) Method			
1171				K-S Test Statistic		0.706				Mean		1.796
1172				5% K-S Critical Value		0.337				SD		1.288
1173		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.576
1174										95% KM (t) UCL		2.957
1175			Assuming Gamma Distribution							95% KM (z) UCL		2.744
1176		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		2.957
1177					Minimum	0.413				95% KM (bootstrap t) UCL		3.221
1178					Maximum	3.564				95% KM (BCA) UCL		2.685
1179					Mean	1.796			95% KM (Percentile Bootstrap) UCL			2.719
1180					Median	1.398				95% KM (Chebyshev) UCL		4.306
1181					SD	1.41				97.5% KM (Chebyshev) UCL		5.392
1182					k star	0.97				99% KM (Chebyshev) UCL		7.526
1183					Theta star	1.852						
1184					Nu star	11.64			Potential UCLs to Use			
1185					AppChi2	4.989				95% KM (t) UCL		2.957
1186				95% Gamma Approximate UCL		4.19			95% KM (Percentile Bootstrap) UCL			2.719
1187				95% Adjusted Gamma UCL		5.904						
1188	Note: DL/2 is not a recommended method.											
1189												
1190												
1191	Total PCB_Congeners											
1192												
1193					General Statistics							
1194				Number of Valid Data		6				Number of Detected Data		6
1195				Number of Distinct Detected Data		6				Number of Non-Detect Data		0
1196				Number of Missing Values		17				Percent Non-Detects		0.00%
1197												
1198				Raw Statistics						Log-transformed Statistics		
1199				Minimum Detected		46986				Minimum Detected		10.76
1200				Maximum Detected		480023				Maximum Detected		13.08
1201				Mean of Detected		186309				Mean of Detected		11.71
1202				SD of Detected		174078				SD of Detected		1.043
1203				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1204				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1205												
1206												
1207					Warning: There are only 6 Detected Values in this data							
1208				Note: It should be noted that even though bootstrap may be performed on this data set								
1209					the resulting calculations may not be reliable enough tp draw conclusions							
1210												
1211				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
1212												
1213												
1214					UCL Statistics							
1215		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
1216				Shapiro Wilk Test Statistic		0.835				Shapiro Wilk Test Statistic		0.819
1217				5% Shapiro Wilk Critical Value		0.788				5% Shapiro Wilk Critical Value		0.788
1218		Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
1219												

	A	B	C	D	E	F	G	H	I	J	K	L
1220			Assuming Normal Distribution						Assuming Lognormal Distribution			
1221			DL/2 Substitution Method							DL/2 Substitution Method		
1222					Mean	186309					Mean	11.71
1223					SD	174078					SD	1.043
1224				95% DL/2 (t) UCL		329513			95% H-Stat (DL/2) UCL			1544489
1225												
1226			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1227		MLE method failed to converge properly							Mean in Log Scale			N/A
1228									SD in Log Scale			N/A
1229									Mean in Original Scale			N/A
1230									SD in Original Scale			N/A
1231									95% Percentile Bootstrap UCL			N/A
1232									95% BCA Bootstrap UCL			N/A
1233												
1234			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1235				k star (bias corrected)		0.77			Data appear Normal at 5% Significance Level			
1236					Theta Star	241804						
1237					nu star	9.246						
1238												
1239					A-D Test Statistic	0.585			Nonparametric Statistics			
1240				5% A-D Critical Value		0.71			Kaplan-Meier (KM) Method			
1241					K-S Test Statistic	0.71					Mean	186309
1242				5% K-S Critical Value		0.339					SD	158911
1243		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	71067
1244											95% KM (t) UCL	329513
1245			Assuming Gamma Distribution								95% KM (z) UCL	303204
1246			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	329513
1247					Minimum	46986					95% KM (bootstrap t) UCL	382838
1248					Maximum	480023					95% KM (BCA) UCL	293647
1249					Mean	186309			95% KM (Percentile Bootstrap) UCL			296312
1250					Median	137414				95% KM (Chebyshev) UCL		496084
1251					SD	174078			97.5% KM (Chebyshev) UCL			630124
1252					k star	0.77				99% KM (Chebyshev) UCL		893419
1253					Theta star	241804						
1254					Nu star	9.246			Potential UCLs to Use			
1255					AppChi2	3.476					95% KM (t) UCL	329513
1256			95% Gamma Approximate UCL			495543			95% KM (Percentile Bootstrap) UCL			296312
1257				95% Adjusted Gamma UCL		740262						
1258	Note: DL/2 is not a recommended method.											
1259												
1260												
1261	Total PCBs, Adjusted											
1262												
1263					General Statistics							
1264				Number of Valid Data		6				Number of Detected Data		6
1265			Number of Distinct Detected Data			6				Number of Non-Detect Data		0
1266				Number of Missing Values		17				Percent Non-Detects		0.00%
1267												
1268			Raw Statistics						Log-transformed Statistics			
1269				Minimum Detected		42890				Minimum Detected		10.67
1270				Maximum Detected		473244				Maximum Detected		13.07
1271				Mean of Detected		179694				Mean of Detected		11.66
1272				SD of Detected		171491				SD of Detected		1.055

	A	B	C	D	E	F	G	H	I	J	K	L
1273					Minimum Non-Detect	N/A				Minimum Non-Detect		N/A
1274					Maximum Non-Detect	N/A				Maximum Non-Detect		N/A
1275												
1276												
1277				Warning: There are only 6 Detected Values in this data								
1278				Note: It should be noted that even though bootstrap may be performed on this data set								
1279				the resulting calculations may not be reliable enough tp draw conclusions								
1280												
1281			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1282												
1283												
1284					UCL Statistics							
1285		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1286					Shapiro Wilk Test Statistic	0.835				Shapiro Wilk Test Statistic		0.834
1287				5% Shapiro Wilk Critical Value		0.788			5% Shapiro Wilk Critical Value			0.788
1288		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1289												
1290			Assuming Normal Distribution						Assuming Lognormal Distribution			
1291				DL/2 Substitution Method						DL/2 Substitution Method		
1292					Mean	179694				Mean		11.66
1293					SD	171491				SD		1.055
1294				95% DL/2 (t) UCL		320769			95% H-Stat (DL/2) UCL			1555274
1295												
1296			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1297		Data appear Normal at 5% Significance Level	MLE method failed to converge properly						Mean in Log Scale			N/A
1298										SD in Log Scale		N/A
1299										Mean in Original Scale		N/A
1300										SD in Original Scale		N/A
1301									95% Percentile Bootstrap UCL			N/A
1302									95% BCA Bootstrap UCL			N/A
1303												
1304		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1305					k star (bias corrected)	0.754		Data appear Normal at 5% Significance Level				
1306					Theta Star	238221						
1307					nu star	9.052						
1308												
1309					A-D Test Statistic	0.55		Nonparametric Statistics				
1310				5% A-D Critical Value		0.711			Kaplan-Meier (KM) Method			
1311					K-S Test Statistic	0.711				Mean		179694
1312				5% K-S Critical Value		0.339				SD		156549
1313		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		70011
1314									95% KM (t) UCL			320769
1315			Assuming Gamma Distribution						95% KM (z) UCL			294851
1316		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			320769
1317					Minimum	42890			95% KM (bootstrap t) UCL			454828
1318					Maximum	473244			95% KM (BCA) UCL			287126
1319					Mean	179694		95% KM (Percentile Bootstrap) UCL				287428
1320					Median	128303			95% KM (Chebyshev) UCL			484864
1321					SD	171491			97.5% KM (Chebyshev) UCL			616911
1322					k star	0.754			99% KM (Chebyshev) UCL			876293
1323					Theta star	238221						
1324					Nu star	9.052		Potential UCLs to Use				
1325					AppChi2	3.358				95% KM (t) UCL		320769

	A	B	C	D	E	F	G	H	I	J	K	L
1326					95% Gamma Approximate UCL	484342			95% KM (Percentile Bootstrap) UCL			287428
1327					95% Adjusted Gamma UCL	727868						
1328	Note: DL/2 is not a recommended method.											
1329												
1330												
1331	Total TEQ											
1332												
1333					General Statistics							
1334			Number of Valid Data			5			Number of Detected Data			5
1335			Number of Distinct Detected Data			5			Number of Non-Detect Data			0
1336			Number of Missing Values			18			Percent Non-Detects			0.00%
1337												
1338			Raw Statistics						Log-transformed Statistics			
1339				Minimum Detected		4.627				Minimum Detected		1.532
1340				Maximum Detected		225.4				Maximum Detected		5.418
1341				Mean of Detected		56.9				Mean of Detected		2.872
1342				SD of Detected		95.47				SD of Detected		1.671
1343				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1344				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1345												
1346												
1347				Warning: There are only 5 Detected Values in this data								
1348				Note: It should be noted that even though bootstrap may be performed on this data set								
1349				the resulting calculations may not be reliable enough tp draw conclusions								
1350												
1351			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1352												
1353												
1354					UCL Statistics							
1355		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1356				Shapiro Wilk Test Statistic		0.662				Shapiro Wilk Test Statistic		0.838
1357				5% Shapiro Wilk Critical Value		0.762				5% Shapiro Wilk Critical Value		0.762
1358		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1359												
1360		Assuming Normal Distribution						Assuming Lognormal Distribution				
1361				DL/2 Substitution Method						DL/2 Substitution Method		
1362				Mean		56.9				Mean		2.872
1363				SD		95.47				SD		1.671
1364				95% DL/2 (t) UCL		147.9				95% H-Stat (DL/2) UCL		52187
1365												
1366				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
1367		MLE method failed to converge properly								Mean in Log Scale		N/A
1368										SD in Log Scale		N/A
1369										Mean in Original Scale		N/A
1370										SD in Original Scale		N/A
1371										95% Percentile Bootstrap UCL		N/A
1372										95% BCA Bootstrap UCL		N/A
1373												
1374		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1375				k star (bias corrected)		0.348		Data appear Gamma Distributed at 5% Significance Level				
1376				Theta Star		163.4						
1377				nu star		3.483						
1378												

	A	B	C	D	E	F	G	H	I	J	K	L
1379					A-D Test Statistic	0.618		Nonparametric Statistics				
1380					5% A-D Critical Value	0.709			Kaplan-Meier (KM) Method			
1381					K-S Test Statistic	0.709					Mean	56.9
1382					5% K-S Critical Value	0.371					SD	85.39
1383		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	42.7
1384											95% KM (t) UCL	147.9
1385		Assuming Gamma Distribution									95% KM (z) UCL	127.1
1386		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	147.9
1387					Minimum	4.627					95% KM (bootstrap t) UCL	5094
1388					Maximum	225.4					95% KM (BCA) UCL	137.5
1389					Mean	56.9					95% KM (Percentile Bootstrap) UCL	137.3
1390					Median	6.8					95% KM (Chebyshev) UCL	243
1391					SD	95.47					97.5% KM (Chebyshev) UCL	323.5
1392					k star	0.348					99% KM (Chebyshev) UCL	481.7
1393					Theta star	163.4						
1394					Nu star	3.483		Potential UCLs to Use				
1395					AppChi2	0.529					95% KM (Chebyshev) UCL	243
1396				95% Gamma Approximate UCL		374.8						
1397				95% Adjusted Gamma UCL		968.7						
1398		Warning: Recommended UCL exceeds the maximum observation										
1399	Note: DL/2 is not a recommended method.											
1400												
1401												
1402	Tributyltin ion											
1403												
1404				General Statistics								
1405				Number of Valid Data		5			Number of Detected Data			5
1406			Number of Distinct Detected Data			5			Number of Non-Detect Data			0
1407				Number of Missing Values		41			Percent Non-Detects			0.00%
1408												
1409			Raw Statistics					Log-transformed Statistics				
1410				Minimum Detected		8.4			Minimum Detected			2.128
1411				Maximum Detected		54			Maximum Detected			3.989
1412				Mean of Detected		26.28			Mean of Detected			2.982
1413				SD of Detected		21.18			SD of Detected			0.855
1414				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
1415				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
1416												
1417												
1418				Warning: There are only 5 Detected Values in this data								
1419			Note: It should be noted that even though bootstrap may be performed on this data set									
1420				the resulting calculations may not be reliable enough tp draw conclusions								
1421												
1422			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1423												
1424												
1425				UCL Statistics								
1426		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1427				Shapiro Wilk Test Statistic		0.826			Shapiro Wilk Test Statistic			0.869
1428				5% Shapiro Wilk Critical Value		0.762			5% Shapiro Wilk Critical Value			0.762
1429		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1430												
1431		Assuming Normal Distribution						Assuming Lognormal Distribution				

	A	B	C	D	E	F	G	H	I	J	K	L
1432					DL/2 Substitution Method					DL/2 Substitution Method		
1433					Mean	26.28					Mean	2.982
1434					SD	21.18					SD	0.855
1435					95% DL/2 (t) UCL	46.47				95% H-Stat (DL/2) UCL		177.8
1436												
1437				Maximum Likelihood Estimate(MLE) Method		N/A					Log ROS Method	
1438			**MLE method failed to converge properly**								Mean in Log Scale	N/A
1439											SD in Log Scale	N/A
1440											Mean in Original Scale	N/A
1441											SD in Original Scale	N/A
1442										95% Percentile Bootstrap UCL		N/A
1443											95% BCA Bootstrap UCL	N/A
1444												
1445			**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**			
1446				k star (bias corrected)		0.892			**Data appear Normal at 5% Significance Level**			
1447					Theta Star	29.48						
1448					nu star	8.915						
1449												
1450					A-D Test Statistic	0.483			**Nonparametric Statistics**			
1451				5% A-D Critical Value		0.685				Kaplan-Meier (KM) Method		
1452					K-S Test Statistic	0.685					Mean	26.28
1453				5% K-S Critical Value		0.361					SD	18.94
1454		**Data appear Gamma Distributed at 5% Significance Level**									SE of Mean	9.472
1455											95% KM (t) UCL	46.47
1456			**Assuming Gamma Distribution**								95% KM (z) UCL	41.86
1457			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		46.47
1458					Minimum	8.4				95% KM (bootstrap t) UCL		126
1459					Maximum	54				95% KM (BCA) UCL		40.88
1460					Mean	26.28			95% KM (Percentile Bootstrap) UCL			41.2
1461					Median	15				95% KM (Chebyshev) UCL		67.57
1462					SD	21.18				97.5% KM (Chebyshev) UCL		85.43
1463					k star	0.892				99% KM (Chebyshev) UCL		120.5
1464					Theta star	29.48						
1465					Nu star	8.915			**Potential UCLs to Use**			
1466					AppChi2	3.276				95% KM (t) UCL		46.47
1467			95% Gamma Approximate UCL			71.52			95% KM (Percentile Bootstrap) UCL			41.2
1468			95% Adjusted Gamma UCL			118.8						
1469	**Note: DL/2 is not a recommended method.**											
1470												

	A	B	C	D	E	F	G	H	I	J	K	L
1				colspan=9	General UCL Statistics for Data Sets with Non-Detects							
2		colspan=3	User Selected Options									
3				colspan=1	From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM7.0E.wst							
4				Full Precision		OFF						
5			Confidence Coefficient			95%						
6		Number of Bootstrap Operations				2000						
7												
8												
9	Arsenic											
10												
11							General Statistics					
12				Number of Valid Data		40			Number of Detected Data			32
13			Number of Distinct Detected Data			30			Number of Non-Detect Data			8
14									Percent Non-Detects			20.00%
15												
16				Raw Statistics					Log-transformed Statistics			
17				Minimum Detected		1.94			Minimum Detected			0.663
18				Maximum Detected		75.6			Maximum Detected			4.325
19				Mean of Detected		11.95			Mean of Detected			1.818
20				SD of Detected		18.92			SD of Detected			0.973
21				Minimum Non-Detect		5			Minimum Non-Detect			1.609
22				Maximum Non-Detect		5			Maximum Non-Detect			1.609
23												
24												
25							UCL Statistics					
26			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
27				Shapiro Wilk Test Statistic		0.522			Shapiro Wilk Test Statistic			0.732
28				5% Shapiro Wilk Critical Value		0.93			5% Shapiro Wilk Critical Value			0.93
29			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
30												
31			Assuming Normal Distribution						Assuming Lognormal Distribution			
32				DL/2 Substitution Method					DL/2 Substitution Method			
33					Mean	10.06				Mean		1.638
34					SD	17.29				SD		0.941
35				95% DL/2 (t) UCL		14.67			95% H-Stat (DL/2) UCL			7.902
36												
37		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
38			MLE yields a negative mean						Mean in Log Scale			1.721
39									SD in Log Scale			0.914
40									Mean in Original Scale			10.4
41									SD in Original Scale			17.18
42									95% Percentile Bootstrap UCL			15.13
43									95% BCA Bootstrap UCL			16.09
44												
45			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
46				k star (bias corrected)		0.822			Data do not follow a Discernable Distribution (0.05)			
47					Theta Star	14.55						
48					nu star	52.6						
49												
50					A-D Test Statistic	5.297			Nonparametric Statistics			
51				5% A-D Critical Value		0.781			Kaplan-Meier (KM) Method			
52					K-S Test Statistic	0.781				Mean		10.3
53				5% K-S Critical Value		0.161				SD		16.98

	A	B	C	D	E	F	G	H	I	J	K	L
54	Data not Gamma Distributed at 5% Significance Level										SE of Mean	2.729
55											95% KM (t) UCL	14.9
56	Assuming Gamma Distribution										95% KM (z) UCL	14.79
57	Gamma ROS Statistics using Extrapolated Data										95% KM (jackknife) UCL	14.88
58					Minimum	1E-09					95% KM (bootstrap t) UCL	18.42
59					Maximum	75.6					95% KM (BCA) UCL	14.74
60					Mean	11.51				95% KM (Percentile Bootstrap) UCL		15.09
61					Median	4.39					95% KM (Chebyshev) UCL	22.19
62					SD	17.36					97.5% KM (Chebyshev) UCL	27.34
63					k star	0.379					99% KM (Chebyshev) UCL	37.45
64					Theta star	30.34						
65					Nu star	30.34			Potential UCLs to Use			
66					AppChi2	18.76					95% KM (BCA) UCL	14.74
67			95% Gamma Approximate UCL			18.61						
68			95% Adjusted Gamma UCL			18.96						
69	Note: DL/2 is not a recommended method.											
70												
71												
72	Benzo(a)anthracene											
73												
74	General Statistics											
75			Number of Valid Data			40				Number of Detected Data		34
76		Number of Distinct Detected Data				30				Number of Non-Detect Data		6
77										Percent Non-Detects		15.00%
78												
79	Raw Statistics						Log-transformed Statistics					
80			Minimum Detected			4.1				Minimum Detected		1.411
81			Maximum Detected			2700				Maximum Detected		7.901
82			Mean of Detected			143.8				Mean of Detected		3.756
83			SD of Detected			458.8				SD of Detected		1.279
84			Minimum Non-Detect			10				Minimum Non-Detect		2.303
85			Maximum Non-Detect			20				Maximum Non-Detect		2.996
86												
87	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			15
88	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			25
89	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			37.50%
90												
91	UCL Statistics											
92	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
93			Shapiro Wilk Test Statistic			0.289				Shapiro Wilk Test Statistic		0.945
94			5% Shapiro Wilk Critical Value			0.933				5% Shapiro Wilk Critical Value		0.933
95	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
96												
97	Assuming Normal Distribution						Assuming Lognormal Distribution					
98			DL/2 Substitution Method							DL/2 Substitution Method		
99					Mean	123.6				Mean		3.515
100					SD	424.9				SD		1.315
101			95% DL/2 (t) UCL			236.8				95% H-Stat (DL/2) UCL		100.2
102												
103		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
104	MLE yields a negative mean									Mean in Log Scale		3.478
105										SD in Log Scale		1.367
106										Mean in Original Scale		123.4

	A	B	C	D	E	F	G	H	I	J	K	L
107										SD in Original Scale		424.9
108										95% Percentile Bootstrap UCL		250.7
109										95% BCA Bootstrap UCL		342
110												
111		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
112				k star (bias corrected)		0.494		Data appear Lognormal at 5% Significance Level				
113				Theta Star		291						
114				nu star		33.61						
115												
116				A-D Test Statistic		3.171		Nonparametric Statistics				
117				5% A-D Critical Value		0.81		Kaplan-Meier (KM) Method				
118				K-S Test Statistic		0.81				Mean		123.7
119				5% K-S Critical Value		0.159				SD		419.5
120		Data not Gamma Distributed at 5% Significance Level								SE of Mean		67.33
121										95% KM (t) UCL		237.2
122		Assuming Gamma Distribution								95% KM (z) UCL		234.5
123		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		236.9
124				Minimum		1E-09				95% KM (bootstrap t) UCL		751.8
125				Maximum		2700				95% KM (BCA) UCL		263.4
126				Mean		122.2				95% KM (Percentile Bootstrap) UCL		256.8
127				Median		28				95% KM (Chebyshev) UCL		417.2
128				SD		425.3				97.5% KM (Chebyshev) UCL		544.2
129				k star		0.166				99% KM (Chebyshev) UCL		793.6
130				Theta star		737.9						
131				Nu star		13.25		Potential UCLs to Use				
132				AppChi2		6.063				95% KM (Chebyshev) UCL		417.2
133		95% Gamma Approximate UCL				267.2						
134		95% Adjusted Gamma UCL				275.5						
135	Note: DL/2 is not a recommended method.											
136												
137												
138	Benzo(a)pyrene											
139												
140						General Statistics						
141				Number of Valid Data		40				Number of Detected Data		34
142		Number of Distinct Detected Data				28				Number of Non-Detect Data		6
143										Percent Non-Detects		15.00%
144												
145		Raw Statistics						Log-transformed Statistics				
146				Minimum Detected		3.4				Minimum Detected		1.224
147				Maximum Detected		3900				Maximum Detected		8.269
148				Mean of Detected		184.3				Mean of Detected		3.76
149				SD of Detected		665.7				SD of Detected		1.32
150				Minimum Non-Detect		10				Minimum Non-Detect		2.303
151				Maximum Non-Detect		20				Maximum Non-Detect		2.996
152												
153	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				14
154	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				26
155	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				35.00%
156												
157						UCL Statistics						
158		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
159				Shapiro Wilk Test Statistic		0.267				Shapiro Wilk Test Statistic		0.904

	A	B	C	D	E	F	G	H	I	J	K	L
160					5% Shapiro Wilk Critical Value	0.933				5% Shapiro Wilk Critical Value		0.933
161			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
162												
163			Assuming Normal Distribution						Assuming Lognormal Distribution			
164				DL/2 Substitution Method					DL/2 Substitution Method			
165					Mean	158				Mean		3.519
166					SD	615.7				SD		1.349
167				95% DL/2 (t) UCL		322			95% H-Stat (DL/2) UCL			108.5
168												
169			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
170			MLE yields a negative mean						Mean in Log Scale			3.478
171									SD in Log Scale			1.404
172									Mean in Original Scale			157.8
173									SD in Original Scale			615.7
174									95% Percentile Bootstrap UCL			344.5
175									95% BCA Bootstrap UCL			451.8
176												
177			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
178				k star (bias corrected)		0.425			Data do not follow a Discernable Distribution (0.05)			
179					Theta Star	434						
180					nu star	28.88						
181												
182				A-D Test Statistic		4.507			Nonparametric Statistics			
183				5% A-D Critical Value		0.824			Kaplan-Meier (KM) Method			
184				K-S Test Statistic		0.824				Mean		158.2
185				5% K-S Critical Value		0.161				SD		607.9
186			Data not Gamma Distributed at 5% Significance Level						SE of Mean			97.56
187									95% KM (t) UCL			322.6
188			Assuming Gamma Distribution						95% KM (z) UCL			318.7
189			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			322.2
190					Minimum	1E-09			95% KM (bootstrap t) UCL			1198
191					Maximum	3900			95% KM (BCA) UCL			348.7
192					Mean	156.7			95% KM (Percentile Bootstrap) UCL			352.2
193					Median	26.5			95% KM (Chebyshev) UCL			583.5
194					SD	616			97.5% KM (Chebyshev) UCL			767.5
195					k star	0.159			99% KM (Chebyshev) UCL			1129
196					Theta star	983.7						
197					Nu star	12.74			Potential UCLs to Use			
198					AppChi2	5.718			95% KM (Chebyshev) UCL			583.5
199				95% Gamma Approximate UCL		349						
200				95% Adjusted Gamma UCL		360.1						
201	Note: DL/2 is not a recommended method.											
202												
203												
204	Benzo(b)fluoranthene											
205												
206					General Statistics							
207				Number of Valid Data		40			Number of Detected Data			35
208			Number of Distinct Detected Data			32			Number of Non-Detect Data			5
209									Percent Non-Detects			12.50%
210												
211			Raw Statistics						Log-transformed Statistics			
212					Minimum Detected	5.1				Minimum Detected		1.629

	A	B	C	D	E	F	G	H	I	J	K	L
213					Maximum Detected	4100				Maximum Detected		8.319
214					Mean of Detected	238.7				Mean of Detected		4.184
215					SD of Detected	705.4				SD of Detected		1.356
216					Minimum Non-Detect	10				Minimum Non-Detect		2.303
217					Maximum Non-Detect	20				Maximum Non-Detect		2.996
218												
219	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		10
220	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		30
221	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		25.00%
222												
223						UCL Statistics						
224		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
225					Shapiro Wilk Test Statistic	0.334				Shapiro Wilk Test Statistic		0.933
226					5% Shapiro Wilk Critical Value	0.934				5% Shapiro Wilk Critical Value		0.934
227		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
228												
229		Assuming Normal Distribution							Assuming Lognormal Distribution			
230					DL/2 Substitution Method					DL/2 Substitution Method		
231					Mean	210				Mean		3.928
232					SD	663.1				SD		1.444
233					95% DL/2 (t) UCL	386.6				95% H-Stat (DL/2) UCL		201.2
234												
235				Maximum Likelihood Estimate(MLE) Method						Log ROS Method		
236					Mean	60.04				Mean in Log Scale		3.898
237					SD	780.7				SD in Log Scale		1.49
238					95% MLE (t) UCL	268				Mean in Original Scale		209.8
239					95% MLE (Tiku) UCL	268.9				SD in Original Scale		663.2
240										95% Percentile Bootstrap UCL		401.5
241										95% BCA Bootstrap UCL		566.3
242												
243		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
244					k star (bias corrected)	0.47		Data do not follow a Discernable Distribution (0.05)				
245					Theta Star	508.1						
246					nu star	32.89						
247												
248					A-D Test Statistic	3.415				Nonparametric Statistics		
249					5% A-D Critical Value	0.814				Kaplan-Meier (KM) Method		
250					K-S Test Statistic	0.814				Mean		210.2
251					5% K-S Critical Value	0.157				SD		654.7
252		Data not Gamma Distributed at 5% Significance Level								SE of Mean		105
253										95% KM (t) UCL		387.2
254		Assuming Gamma Distribution								95% KM (z) UCL		383
255				Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL		386.6
256					Minimum	1E-09				95% KM (bootstrap t) UCL		1099
257					Maximum	4100				95% KM (BCA) UCL		413
258					Mean	208.9				95% KM (Percentile Bootstrap) UCL		400.8
259					Median	38				95% KM (Chebyshev) UCL		668.1
260					SD	663.5				97.5% KM (Chebyshev) UCL		866.2
261					k star	0.179				99% KM (Chebyshev) UCL		1255
262					Theta star	1165						
263					Nu star	14.34				Potential UCLs to Use		
264					AppChi2	6.805				95% KM (Chebyshev) UCL		668.1
265				95% Gamma Approximate UCL		440.2						

	A	B	C	D	E	F	G	H	I	J	K	L
266				95% Adjusted Gamma UCL		453.2						
267	Note: DL/2 is not a recommended method.											
268												
269												
270	Benzo(k)fluoranthene											
271												
272				General Statistics								
273				Number of Valid Data		35			Number of Detected Data			27
274				Number of Distinct Detected Data		25			Number of Non-Detect Data			8
275				Number of Missing Values		5			Percent Non-Detects			22.86%
276												
277			Raw Statistics						Log-transformed Statistics			
278				Minimum Detected		1.6			Minimum Detected			0.47
279				Maximum Detected		3000			Maximum Detected			8.006
280				Mean of Detected		145.1			Mean of Detected			3.137
281				SD of Detected		572.9			SD of Detected			1.454
282				Minimum Non-Detect		10			Minimum Non-Detect			2.303
283				Maximum Non-Detect		20			Maximum Non-Detect			2.996
284												
285	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			21
286	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			14
287	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			60.00%
288												
289				UCL Statistics								
290			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
291				Shapiro Wilk Test Statistic		0.249			Shapiro Wilk Test Statistic			0.909
292				5% Shapiro Wilk Critical Value		0.923			5% Shapiro Wilk Critical Value			0.923
293			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
294												
295			Assuming Normal Distribution						Assuming Lognormal Distribution			
296				DL/2 Substitution Method					DL/2 Substitution Method			
297				Mean		113.8			Mean			2.881
298				SD		504.4			SD			1.367
299				95% DL/2 (t) UCL		257.9			95% H-Stat (DL/2) UCL			65.93
300												
301				Maximum Likelihood Estimate(MLE) Method		N/A			Log ROS Method			
302			MLE yields a negative mean						Mean in Log Scale			2.809
303									SD in Log Scale			1.442
304									Mean in Original Scale			113.5
305									SD in Original Scale			504.4
306									95% Percentile Bootstrap UCL			279.4
307									95% BCA Bootstrap UCL			375.1
308												
309			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
310				k star (bias corrected)		0.348			Data do not follow a Discernable Distribution (0.05)			
311				Theta Star		417.7						
312				nu star		18.77						
313												
314				A-D Test Statistic		4.105			Nonparametric Statistics			
315				5% A-D Critical Value		0.839			Kaplan-Meier (KM) Method			
316				K-S Test Statistic		0.839			Mean			113.7
317				5% K-S Critical Value		0.181			SD			497.1
318			Data not Gamma Distributed at 5% Significance Level						SE of Mean			85.63

	A	B	C	D	E	F	G	H	I	J	K	L
319									95% KM (t) UCL			258.5
320			Assuming Gamma Distribution						95% KM (z) UCL			254.6
321			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			257.9
322					Minimum	1E-09			95% KM (bootstrap t) UCL			2227
323					Maximum	3000			95% KM (BCA) UCL			283.8
324					Mean	116.1			95% KM (Percentile Bootstrap) UCL			280.6
325					Median	13			95% KM (Chebyshev) UCL			487
326					SD	504.4			97.5% KM (Chebyshev) UCL			648.5
327					k star	0.133			99% KM (Chebyshev) UCL			965.7
328					Theta star	873.9						
329					Nu star	9.302			Potential UCLs to Use			
330					AppChi2	3.511			97.5% KM (Chebyshev) UCL			648.5
331			95% Gamma Approximate UCL			307.7						
332			95% Adjusted Gamma UCL			323.2						
333	Note: DL/2 is not a recommended method.											
334												
335												
336	Bis(2-ethylhexyl) phthalate											
337												
338					General Statistics							
339			Number of Valid Data			32			Number of Detected Data			20
340			Number of Distinct Detected Data			19			Number of Non-Detect Data			12
341			Number of Missing Values			8			Percent Non-Detects			37.50%
342												
343			Raw Statistics						Log-transformed Statistics			
344			Minimum Detected			17			Minimum Detected			2.833
345			Maximum Detected			5150			Maximum Detected			8.547
346			Mean of Detected			453.9			Mean of Detected			5.08
347			SD of Detected			1125			SD of Detected			1.252
348			Minimum Non-Detect			13.2			Minimum Non-Detect			2.58
349			Maximum Non-Detect			310			Maximum Non-Detect			5.737
350												
351	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			28
352	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			4
353	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			87.50%
354												
355					UCL Statistics							
356			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
357			Shapiro Wilk Test Statistic			0.373			Shapiro Wilk Test Statistic			0.944
358			5% Shapiro Wilk Critical Value			0.905			5% Shapiro Wilk Critical Value			0.905
359			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
360												
361			Assuming Normal Distribution						Assuming Lognormal Distribution			
362			DL/2 Substitution Method						DL/2 Substitution Method			
363			Mean			303.2			Mean			4.55
364			SD			903.1			SD			1.315
365			95% DL/2 (t) UCL			573.9			95% H-Stat (DL/2) UCL			291.4
366												
367			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
368			MLE yields a negative mean						Mean in Log Scale			4.386
369									SD in Log Scale			1.397
370									Mean in Original Scale			295
371									SD in Original Scale			905.3

	A	B	C	D	E	F	G	H	I	J	K	L
372										95% Percentile Bootstrap UCL		604.5
373										95% BCA Bootstrap UCL		894.4
374												
375			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
376				k star (bias corrected)		0.54			Data appear Lognormal at 5% Significance Level			
377					Theta Star	840.4						
378					nu star	21.6						
379												
380				A-D Test Statistic		1.837			Nonparametric Statistics			
381				5% A-D Critical Value		0.794			Kaplan-Meier (KM) Method			
382				K-S Test Statistic		0.794				Mean		300.2
383				5% K-S Critical Value		0.204				SD		889.7
384		Data not Gamma Distributed at 5% Significance Level								SE of Mean		161.4
385										95% KM (t) UCL		573.9
386			Assuming Gamma Distribution							95% KM (z) UCL		565.7
387		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		569
388					Minimum	17				95% KM (bootstrap t) UCL		1701
389					Maximum	5150				95% KM (BCA) UCL		628.3
390					Mean	442.6			95% KM (Percentile Bootstrap) UCL			618.7
391					Median	337.6				95% KM (Chebyshev) UCL		1004
392					SD	881.4				97.5% KM (Chebyshev) UCL		1308
393					k star	0.836				99% KM (Chebyshev) UCL		1906
394					Theta star	529.7						
395					Nu star	53.47			Potential UCLs to Use			
396					AppChi2	37.67				97.5% KM (Chebyshev) UCL		1308
397			95% Gamma Approximate UCL			628.2						
398			95% Adjusted Gamma UCL			640.3						
399	Note: DL/2 is not a recommended method.											
400												
401												
402	Dibenzo(a,h)anthracene											
403												
404					General Statistics							
405			Number of Valid Data			40			Number of Detected Data			22
406		Number of Distinct Detected Data				22			Number of Non-Detect Data			18
407									Percent Non-Detects			45.00%
408												
409			Raw Statistics						Log-transformed Statistics			
410				Minimum Detected		0.51				Minimum Detected		-0.673
411				Maximum Detected		860				Maximum Detected		6.757
412				Mean of Detected		72.22				Mean of Detected		2.331
413				SD of Detected		193.7				SD of Detected		1.894
414				Minimum Non-Detect		1.67				Minimum Non-Detect		0.513
415				Maximum Non-Detect		20				Maximum Non-Detect		2.996
416												
417	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			32
418	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			8
419	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			80.00%
420												
421					UCL Statistics							
422		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
423				Shapiro Wilk Test Statistic		0.41				Shapiro Wilk Test Statistic		0.949
424				5% Shapiro Wilk Critical Value		0.911				5% Shapiro Wilk Critical Value		0.911

	A	B	C	D	E	F	G	H	I	J	K	L
425			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
426												
427			Assuming Normal Distribution						Assuming Lognormal Distribution			
428				DL/2 Substitution Method						DL/2 Substitution Method		
429					Mean	42.59					Mean	2.055
430					SD	146					SD	1.479
431				95% DL/2 (t) UCL		81.48				95% H-Stat (DL/2) UCL		31.06
432												
433			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
434			MLE yields a negative mean							Mean in Log Scale		1.706
435										SD in Log Scale		1.705
436										Mean in Original Scale		41.55
437										SD in Original Scale		146.3
438									95% Percentile Bootstrap UCL			84.02
439										95% BCA Bootstrap UCL		113.1
440												
441			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
442				k star (bias corrected)		0.329			Data appear Lognormal at 5% Significance Level			
443					Theta Star	219.6						
444					nu star	14.47						
445												
446				A-D Test Statistic		1.911			Nonparametric Statistics			
447				5% A-D Critical Value		0.838			Kaplan-Meier (KM) Method			
448				K-S Test Statistic		0.838					Mean	41.16
449				5% K-S Critical Value		0.2					SD	144.5
450			Data not Gamma Distributed at 5% Significance Level								SE of Mean	23.39
451										95% KM (t) UCL		80.58
452			Assuming Gamma Distribution							95% KM (z) UCL		79.64
453			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		80.16
454					Minimum	0.51				95% KM (bootstrap t) UCL		291.4
455					Maximum	860				95% KM (BCA) UCL		84.85
456					Mean	72.13			95% KM (Percentile Bootstrap) UCL			84.33
457					Median	63.38				95% KM (Chebyshev) UCL		143.1
458					SD	142.3				97.5% KM (Chebyshev) UCL		187.2
459					k star	0.551				99% KM (Chebyshev) UCL		273.9
460					Theta star	130.9						
461					Nu star	44.08			Potential UCLs to Use			
462					AppChi2	29.85				97.5% KM (Chebyshev) UCL		187.2
463			95% Gamma Approximate UCL			106.5						
464			95% Adjusted Gamma UCL			108.1						
465	Note: DL/2 is not a recommended method.											
466												
467												
468	Dieldrin											
469												
470						General Statistics						
471				Number of Valid Data		16				Number of Detected Data		5
472			Number of Distinct Detected Data			5				Number of Non-Detect Data		11
473										Percent Non-Detects		68.75%
474												
475			Raw Statistics						Log-transformed Statistics			
476					Minimum Detected	0.038				Minimum Detected		-3.27
477					Maximum Detected	0.35				Maximum Detected		-1.05

	A	B	C	D	E	F	G	H	I	J	K	L
478					Mean of Detected	0.144					Mean of Detected	-2.207
479					SD of Detected	0.122					SD of Detected	0.817
480					Minimum Non-Detect	0.032					Minimum Non-Detect	-3.442
481					Maximum Non-Detect	0.26					Maximum Non-Detect	-1.347
482												
483	Note: Data have multiple DLs - Use of KM Method is recommended										Number treated as Non-Detect	15
484	For all methods (except KM, DL/2, and ROS Methods),										Number treated as Detected	1
485	Observations < Largest ND are treated as NDs										Single DL Non-Detect Percentage	93.75%
486												
487				Warning: There are only 5 Detected Values in this data								
488				Note: It should be noted that even though bootstrap may be performed on this data set								
489				the resulting calculations may not be reliable enough tp draw conclusions								
490												
491				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
492												
493												
494					UCL Statistics							
495		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
496				Shapiro Wilk Test Statistic		0.842				Shapiro Wilk Test Statistic		0.989
497				5% Shapiro Wilk Critical Value		0.762				5% Shapiro Wilk Critical Value		0.762
498		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
499												
500		Assuming Normal Distribution						Assuming Lognormal Distribution				
501				DL/2 Substitution Method						DL/2 Substitution Method		
502					Mean	0.0816				Mean		-2.875
503					SD	0.083				SD		0.873
504				95% DL/2 (t) UCL		0.118				95% H-Stat (DL/2) UCL		0.147
505												
506			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
507		MLE method failed to converge properly								Mean in Log Scale		-3.435
508										SD in Log Scale		0.995
509										Mean in Original Scale		0.0583
510										SD in Original Scale		0.0869
511										95% Percentile Bootstrap UCL		0.0949
512										95% BCA Bootstrap UCL		0.118
513												
514		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
515				k star (bias corrected)		0.941		Data appear Normal at 5% Significance Level				
516				Theta Star		0.153						
517				nu star		9.414						
518												
519				A-D Test Statistic		0.253		Nonparametric Statistics				
520				5% A-D Critical Value		0.684				Kaplan-Meier (KM) Method		
521				K-S Test Statistic		0.684				Mean		0.0753
522				5% K-S Critical Value		0.36				SD		0.0784
523		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.0225
524										95% KM (t) UCL		0.115
525		Assuming Gamma Distribution								95% KM (z) UCL		0.112
526		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.112
527					Minimum	0.038				95% KM (bootstrap t) UCL		0.135
528					Maximum	0.35				95% KM (BCA) UCL		0.17
529					Mean	0.147				95% KM (Percentile Bootstrap) UCL		0.147
530					Median	0.143				95% KM (Chebyshev) UCL		0.173

	A	B	C	D	E	F	G	H	I	J	K	L
531					SD	0.0652			97.5% KM (Chebyshev) UCL			0.216
532					k star	4.686			99% KM (Chebyshev) UCL			0.299
533					Theta star	0.0313						
534					Nu star	150			Potential UCLs to Use			
535					AppChi2	122.7			95% KM (t) UCL			0.115
536				95% Gamma Approximate UCL		0.179			95% KM (Percentile Bootstrap) UCL			0.147
537				95% Adjusted Gamma UCL		0.183						
538	Note: DL/2 is not a recommended method.											
539												
540												
541	Indeno(1,2,3-cd)pyrene											
542												
543					General Statistics							
544			Number of Valid Data			40			Number of Detected Data			29
545			Number of Distinct Detected Data			27			Number of Non-Detect Data			11
546									Percent Non-Detects			27.50%
547												
548			Raw Statistics						Log-transformed Statistics			
549				Minimum Detected		2.7			Minimum Detected			0.993
550				Maximum Detected		2600			Maximum Detected			7.863
551				Mean of Detected		143.1			Mean of Detected			3.483
552				SD of Detected		480.2			SD of Detected			1.375
553				Minimum Non-Detect		10			Minimum Non-Detect			2.303
554				Maximum Non-Detect		20			Maximum Non-Detect			2.996
555												
556	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			24
557	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			16
558	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			60.00%
559												
560					UCL Statistics							
561		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
562			Shapiro Wilk Test Statistic			0.292			Shapiro Wilk Test Statistic			0.902
563			5% Shapiro Wilk Critical Value			0.926			5% Shapiro Wilk Critical Value			0.926
564		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
565												
566		Assuming Normal Distribution							Assuming Lognormal Distribution			
567			DL/2 Substitution Method						DL/2 Substitution Method			
568				Mean		106			Mean			3.081
569				SD		411.4			SD			1.35
570			95% DL/2 (t) UCL			215.6			95% H-Stat (DL/2) UCL			59.67
571												
572			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
573		MLE yields a negative mean							Mean in Log Scale			3.04
574									SD in Log Scale			1.424
575									Mean in Original Scale			106
576									SD in Original Scale			411.4
577									95% Percentile Bootstrap UCL			231.4
578									95% BCA Bootstrap UCL			355.4
579												
580		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
581			k star (bias corrected)			0.416			Data do not follow a Discernable Distribution (0.05)			
582				Theta Star		344.5						
583				nu star		24.1						

	A	B	C	D	E	F	G	H	I	J	K	L
584												
585			A-D Test Statistic			3.696		Nonparametric Statistics				
586			5% A-D Critical Value			0.825			Kaplan-Meier (KM) Method			
587			K-S Test Statistic			0.825				Mean		106.5
588			5% K-S Critical Value			0.174				SD		406.1
589		Data not Gamma Distributed at 5% Significance Level								SE of Mean		65.35
590										95% KM (t) UCL		216.7
591			Assuming Gamma Distribution							95% KM (z) UCL		214
592			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		216.1
593					Minimum	1E-09				95% KM (bootstrap t) UCL		775.6
594					Maximum	2600				95% KM (BCA) UCL		240.5
595					Mean	114.9			95% KM (Percentile Bootstrap) UCL			228.1
596					Median	18				95% KM (Chebyshev) UCL		391.4
597					SD	411.9				97.5% KM (Chebyshev) UCL		514.7
598					k star	0.137				99% KM (Chebyshev) UCL		756.8
599					Theta star	837.1						
600					Nu star	10.98			Potential UCLs to Use			
601					AppChi2	4.565				95% KM (Chebyshev) UCL		391.4
602			95% Gamma Approximate UCL			276.5						
603			95% Adjusted Gamma UCL			286.2						
604	Note: DL/2 is not a recommended method.											
605												
606												
607	Lead											
608												
609				General Statistics								
610			Number of Valid Data			32			Number of Detected Data			30
611			Number of Distinct Detected Data			24			Number of Non-Detect Data			2
612			Number of Missing Values			8			Percent Non-Detects			6.25%
613												
614			Raw Statistics						Log-transformed Statistics			
615			Minimum Detected			3.67			Minimum Detected			1.3
616			Maximum Detected			516			Maximum Detected			6.246
617			Mean of Detected			37.54			Mean of Detected			2.917
618			SD of Detected			92.56			SD of Detected			0.892
619			Minimum Non-Detect			10			Minimum Non-Detect			2.303
620			Maximum Non-Detect			10			Maximum Non-Detect			2.303
621												
622												
623				UCL Statistics								
624		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
625			Shapiro Wilk Test Statistic			0.314			Shapiro Wilk Test Statistic			0.816
626			5% Shapiro Wilk Critical Value			0.927			5% Shapiro Wilk Critical Value			0.927
627		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
628												
629		Assuming Normal Distribution						Assuming Lognormal Distribution				
630			DL/2 Substitution Method						DL/2 Substitution Method			
631					Mean	35.51				Mean		2.835
632					SD	89.88				SD		0.921
633			95% DL/2 (t) UCL			62.45			95% H-Stat (DL/2) UCL			36.4
634												
635			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
636					Mean	15.64			Mean in Log Scale			2.849

	A	B	C	D	E	F	G	H	I	J	K	L
637					SD	105.4				SD in Log Scale		0.904
638				95% MLE (t) UCL		47.22				Mean in Original Scale		35.59
639				95% MLE (Tiku) UCL		47.36				SD in Original Scale		89.85
640										95% Percentile Bootstrap UCL		66.23
641										95% BCA Bootstrap UCL		85.99
642												
643		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
644				k star (bias corrected)		0.772		Data do not follow a Discernable Distribution (0.05)				
645				Theta Star		48.61						
646				nu star		46.34						
647												
648				A-D Test Statistic		4.358		Nonparametric Statistics				
649				5% A-D Critical Value		0.784		Kaplan-Meier (KM) Method				
650				K-S Test Statistic		0.784				Mean		35.71
651				5% K-S Critical Value		0.166				SD		88.4
652		Data not Gamma Distributed at 5% Significance Level								SE of Mean		15.89
653										95% KM (t) UCL		62.66
654		Assuming Gamma Distribution								95% KM (z) UCL		61.85
655		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		62.63
656				Minimum		1E-09				95% KM (bootstrap t) UCL		194.4
657				Maximum		516				95% KM (BCA) UCL		69.78
658				Mean		35.19				95% KM (Percentile Bootstrap) UCL		64.75
659				Median		14.5				95% KM (Chebyshev) UCL		105
660				SD		90				97.5% KM (Chebyshev) UCL		135
661				k star		0.312				99% KM (Chebyshev) UCL		193.9
662				Theta star		112.8						
663				Nu star		19.98		Potential UCLs to Use				
664				AppChi2		10.83				95% KM (Chebyshev) UCL		105
665		95% Gamma Approximate UCL				64.9						
666		95% Adjusted Gamma UCL				67.13						
667	Note: DL/2 is not a recommended method.											
668												
669												
670	Mercury											
671												
672						General Statistics						
673			Number of Valid Data			32				Number of Detected Data		28
674			Number of Distinct Detected Data			21				Number of Non-Detect Data		4
675			Number of Missing Values			8				Percent Non-Detects		12.50%
676												
677		Raw Statistics						Log-transformed Statistics				
678				Minimum Detected		0.0113				Minimum Detected		-4.483
679				Maximum Detected		0.147				Maximum Detected		-1.917
680				Mean of Detected		0.0628				Mean of Detected		-2.887
681				SD of Detected		0.0287				SD of Detected		0.546
682				Minimum Non-Detect		0.00887				Minimum Non-Detect		-4.725
683				Maximum Non-Detect		0.06				Maximum Non-Detect		-2.813
684												
685	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				18
686	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				14
687	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				56.25%
688												
689						UCL Statistics						

	A	B	C	D	E	F	G	H	I	J	K	L
690		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
691		Shapiro Wilk Test Statistic				0.948			Shapiro Wilk Test Statistic			0.904
692		5% Shapiro Wilk Critical Value				0.924			5% Shapiro Wilk Critical Value			0.924
693		Data appear Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
694												
695		Assuming Normal Distribution						Assuming Lognormal Distribution				
696		DL/2 Substitution Method							DL/2 Substitution Method			
697		Mean				0.0576			Mean			-3.036
698		SD				0.0304			SD			0.705
699		95% DL/2 (t) UCL				0.0667			95% H-Stat (DL/2) UCL			0.0723
700												
701		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
702		Mean				0.053			Mean in Log Scale			-2.985
703		SD				0.0351			SD in Log Scale			0.585
704		95% MLE (t) UCL				0.0635			Mean in Original Scale			0.0583
705		95% MLE (Tiku) UCL				0.067			SD in Original Scale			0.0295
706									95% Percentile Bootstrap UCL			0.067
707									95% BCA Bootstrap UCL			0.0674
708												
709		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
710		k star (bias corrected)				3.885		Data appear Normal at 5% Significance Level				
711		Theta Star				0.0162						
712		nu star				217.6						
713												
714		A-D Test Statistic				0.604		Nonparametric Statistics				
715		5% A-D Critical Value				0.749			Kaplan-Meier (KM) Method			
716		K-S Test Statistic				0.749			Mean			0.0583
717		5% K-S Critical Value				0.166			SD			0.0295
718		Data appear Gamma Distributed at 5% Significance Level							SE of Mean			0.00539
719									95% KM (t) UCL			0.0675
720		Assuming Gamma Distribution							95% KM (z) UCL			0.0672
721		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			0.0673
722		Minimum				1E-09			95% KM (bootstrap t) UCL			0.0681
723		Maximum				0.147			95% KM (BCA) UCL			0.0674
724		Mean				0.059			95% KM (Percentile Bootstrap) UCL			0.0671
725		Median				0.057			95% KM (Chebyshev) UCL			0.0818
726		SD				0.0296			97.5% KM (Chebyshev) UCL			0.092
727		k star				0.845			99% KM (Chebyshev) UCL			0.112
728		Theta star				0.0698						
729		Nu star				54.05		Potential UCLs to Use				
730		AppChi2				38.16			95% KM (t) UCL			0.0675
731		95% Gamma Approximate UCL				0.0835			95% KM (Percentile Bootstrap) UCL			0.0671
732		95% Adjusted Gamma UCL				0.0851						
733	Note: DL/2 is not a recommended method.											
734												
735												
736	Naphthalene											
737												
738						General Statistics						
739		Number of Valid Data				40			Number of Detected Data			26
740		Number of Distinct Detected Data				23			Number of Non-Detect Data			14
741									Percent Non-Detects			35.00%
742												

	A	B	C	D	E	F	G	H	I	J	K	L
743				Raw Statistics						Log-transformed Statistics		
744				Minimum Detected		1.68				Minimum Detected		0.519
745				Maximum Detected		156				Maximum Detected		5.05
746				Mean of Detected		29.59				Mean of Detected		2.831
747				SD of Detected		39.83				SD of Detected		1.036
748				Minimum Non-Detect		6.5				Minimum Non-Detect		1.872
749				Maximum Non-Detect		20				Maximum Non-Detect		2.996
750												
751	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		29
752	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		11
753	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		72.50%
754												
755						UCL Statistics						
756			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
757				Shapiro Wilk Test Statistic		0.603				Shapiro Wilk Test Statistic		0.967
758				5% Shapiro Wilk Critical Value		0.92				5% Shapiro Wilk Critical Value		0.92
759			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
760												
761			Assuming Normal Distribution						Assuming Lognormal Distribution			
762				DL/2 Substitution Method						DL/2 Substitution Method		
763					Mean	21.77					Mean	2.512
764					SD	33.7					SD	0.965
765				95% DL/2 (t) UCL		30.75				95% H-Stat (DL/2) UCL		22.96
766												
767				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
768			MLE yields a negative mean							Mean in Log Scale		2.418
769										SD in Log Scale		1.052
770										Mean in Original Scale		21.32
771										SD in Original Scale		33.92
772										95% Percentile Bootstrap UCL		30.68
773										95% BCA Bootstrap UCL		33.08
774												
775			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
776				k star (bias corrected)		0.941			Data appear Lognormal at 5% Significance Level			
777				Theta Star		31.45						
778				nu star		48.92						
779												
780				A-D Test Statistic		1.182			Nonparametric Statistics			
781				5% A-D Critical Value		0.773			Kaplan-Meier (KM) Method			
782				K-S Test Statistic		0.773					Mean	21.55
783				5% K-S Critical Value		0.176					SD	33.43
784			Data not Gamma Distributed at 5% Significance Level								SE of Mean	5.409
785										95% KM (t) UCL		30.66
786			Assuming Gamma Distribution							95% KM (z) UCL		30.44
787			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		30.6
788					Minimum	1.68				95% KM (bootstrap t) UCL		40.24
789					Maximum	156				95% KM (BCA) UCL		30.92
790					Mean	27.78			95% KM (Percentile Bootstrap) UCL			31.73
791					Median	19.78				95% KM (Chebyshev) UCL		45.12
792					SD	32.58				97.5% KM (Chebyshev) UCL		55.33
793					k star	1.316				99% KM (Chebyshev) UCL		75.37
794					Theta star	21.12						
795					Nu star	105.2			Potential UCLs to Use			

	A	B	C	D	E	F	G	H	I	J	K	L
796					AppChi2	82.57		95% KM (Chebyshev) UCL				45.12
797			95% Gamma Approximate UCL			35.41						
798			95% Adjusted Gamma UCL			35.73						
799	Note: DL/2 is not a recommended method.											
800												
801												
802	Thallium											
803												
804					General Statistics							
805			Number of Valid Data			9			Number of Detected Data			9
806		Number of Distinct Detected Data				6			Number of Non-Detect Data			0
807			Number of Missing Values			31			Percent Non-Detects			0.00%
808												
809			Raw Statistics					Log-transformed Statistics				
810			Minimum Detected			0.0976			Minimum Detected			-2.327
811			Maximum Detected			17			Maximum Detected			2.833
812			Mean of Detected			12.34			Mean of Detected			2.052
813			SD of Detected			5.473			SD of Detected			1.664
814			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
815			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
816												
817												
818					Warning: There are only 9 Detected Values in this data							
819					Note: It should be noted that even though bootstrap may be performed on this data set							
820					the resulting calculations may not be reliable enough tp draw conclusions							
821												
822				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
823												
824												
825					UCL Statistics							
826		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
827			Shapiro Wilk Test Statistic			0.793			Shapiro Wilk Test Statistic			0.512
828			5% Shapiro Wilk Critical Value			0.829			5% Shapiro Wilk Critical Value			0.829
829		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
830												
831		Assuming Normal Distribution						Assuming Lognormal Distribution				
832			DL/2 Substitution Method						DL/2 Substitution Method			
833				Mean		12.34				Mean		2.052
834				SD		5.473				SD		1.664
835			95% DL/2 (t) UCL			15.74			95% H-Stat (DL/2) UCL			538.3
836												
837		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
838		MLE method failed to converge properly							Mean in Log Scale			N/A
839									SD in Log Scale			N/A
840									Mean in Original Scale			N/A
841									SD in Original Scale			N/A
842									95% Percentile Bootstrap UCL			N/A
843									95% BCA Bootstrap UCL			N/A
844												
845		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
846			k star (bias corrected)			0.89		Data do not follow a Discernable Distribution (0.05)				
847			Theta Star			13.86						
848			nu star			16.03						

	A	B	C	D	E	F	G	H	I	J	K	L
849												
850				A-D Test Statistic		1.838			Nonparametric Statistics			
851				5% A-D Critical Value		0.739			Kaplan-Meier (KM) Method			
852				K-S Test Statistic		0.739					Mean	12.34
853				5% K-S Critical Value		0.286					SD	5.16
854		Data not Gamma Distributed at 5% Significance Level									SE of Mean	1.824
855											95% KM (t) UCL	15.74
856		Assuming Gamma Distribution									95% KM (z) UCL	15.34
857		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	15.74
858					Minimum	0.0976					95% KM (bootstrap t) UCL	14.74
859					Maximum	17					95% KM (BCA) UCL	14.78
860					Mean	12.34			95% KM (Percentile Bootstrap) UCL			14.78
861					Median	14					95% KM (Chebyshev) UCL	20.3
862					SD	5.473					97.5% KM (Chebyshev) UCL	23.74
863					k star	0.89					99% KM (Chebyshev) UCL	30.49
864					Theta star	13.86						
865					Nu star	16.03			Potential UCLs to Use			
866					AppChi2	7.983					99% KM (Chebyshev) UCL	30.49
867			95% Gamma Approximate UCL			24.79						
868			95% Adjusted Gamma UCL			29.01						
869		Warning: Recommended UCL exceeds the maximum observation										
870	Note: DL/2 is not a recommended method.											
871												
872												
873	Total Aroclors											
874												
875					General Statistics							
876			Number of Valid Data			19			Number of Detected Data			15
877			Number of Distinct Detected Data			14			Number of Non-Detect Data			4
878			Number of Missing Values			19			Percent Non-Detects			21.05%
879												
880			Raw Statistics						Log-transformed Statistics			
881				Minimum Detected		9.781			Minimum Detected			2.28
882				Maximum Detected		274			Maximum Detected			5.613
883				Mean of Detected		50.06			Mean of Detected			3.468
884				SD of Detected		66.94			SD of Detected			0.861
885				Minimum Non-Detect		2.4			Minimum Non-Detect			0.875
886				Maximum Non-Detect		40			Maximum Non-Detect			3.689
887												
888	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			14
889	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			5
890	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			73.68%
891												
892					UCL Statistics							
893		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
894			Shapiro Wilk Test Statistic			0.576			Shapiro Wilk Test Statistic			0.915
895			5% Shapiro Wilk Critical Value			0.881			5% Shapiro Wilk Critical Value			0.881
896		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
897												
898		Assuming Normal Distribution						Assuming Lognormal Distribution				
899			DL/2 Substitution Method						DL/2 Substitution Method			
900					Mean	41.94					Mean	3.146
901					SD	61.34					SD	1.136

	A	B	C	D	E	F	G	H	I	J	K	L
902					95% DL/2 (t) UCL	66.35				95% H-Stat (DL/2) UCL		66.29
903												
904			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
905			MLE yields a negative mean							Mean in Log Scale		3.2
906										SD in Log Scale		0.981
907										Mean in Original Scale		41.9
908										SD in Original Scale		61.34
909										95% Percentile Bootstrap UCL		66.93
910										95% BCA Bootstrap UCL		84
911												
912			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
913				k star (bias corrected)		1.055			Data appear Lognormal at 5% Significance Level			
914				Theta Star		47.43						
915				nu star		31.66						
916												
917				A-D Test Statistic		1.092			Nonparametric Statistics			
918				5% A-D Critical Value		0.758			Kaplan-Meier (KM) Method			
919				K-S Test Statistic		0.758				Mean		42.53
920				5% K-S Critical Value		0.227				SD		59.36
921			Data not Gamma Distributed at 5% Significance Level							SE of Mean		14.11
922										95% KM (t) UCL		66.99
923			Assuming Gamma Distribution							95% KM (z) UCL		65.73
924			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		66.39
925					Minimum	1E-09				95% KM (bootstrap t) UCL		121.6
926					Maximum	274				95% KM (BCA) UCL		70.32
927					Mean	44.29				95% KM (Percentile Bootstrap) UCL		67.82
928					Median	23.58				95% KM (Chebyshev) UCL		104
929					SD	61.53				97.5% KM (Chebyshev) UCL		130.6
930					k star	0.245				99% KM (Chebyshev) UCL		182.9
931					Theta star	180.6						
932					Nu star	9.318			Potential UCLs to Use			
933					AppChi2	3.52				95% KM (BCA) UCL		70.32
934			95% Gamma Approximate UCL			117.2						
935			95% Adjusted Gamma UCL			128.4						
936	Note: DL/2 is not a recommended method.											
937												
938												
939	Total DDT											
940												
941						General Statistics						
942				Number of Valid Data		23				Number of Detected Data		15
943			Number of Distinct Detected Data			15				Number of Non-Detect Data		8
944				Number of Missing Values		15				Percent Non-Detects		34.78%
945												
946			Raw Statistics						Log-transformed Statistics			
947				Minimum Detected		0.201				Minimum Detected		-1.604
948				Maximum Detected		27.28				Maximum Detected		3.306
949				Mean of Detected		4.981				Mean of Detected		0.59
950				SD of Detected		8.451				SD of Detected		1.423
951				Minimum Non-Detect		0.0716				Minimum Non-Detect		-2.637
952				Maximum Non-Detect		5.3				Maximum Non-Detect		1.668
953												
954	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		20

	A	B	C	D	E	F	G	H	I	J	K	L
955	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			3
956	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			86.96%
957												
958					UCL Statistics							
959		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
960			Shapiro Wilk Test Statistic			0.58				Shapiro Wilk Test Statistic		0.945
961			5% Shapiro Wilk Critical Value			0.881				5% Shapiro Wilk Critical Value		0.881
962		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
963												
964		Assuming Normal Distribution						Assuming Lognormal Distribution				
965			DL/2 Substitution Method							DL/2 Substitution Method		
966					Mean	3.556					Mean	0.144
967					SD	7.047					SD	1.505
968			95% DL/2 (t) UCL			6.08			95% H-Stat (DL/2) UCL			7.147
969												
970		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
971		MLE yields a negative mean								Mean in Log Scale		-0.037
972										SD in Log Scale		1.519
973										Mean in Original Scale		3.383
974										SD in Original Scale		7.105
975									95% Percentile Bootstrap UCL			6.006
976									95% BCA Bootstrap UCL			6.998
977												
978		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
979				k star (bias corrected)		0.53		Data appear Lognormal at 5% Significance Level				
980				Theta Star		9.391						
981				nu star		15.91						
982												
983				A-D Test Statistic		1.031		Nonparametric Statistics				
984				5% A-D Critical Value		0.785			Kaplan-Meier (KM) Method			
985				K-S Test Statistic		0.785					Mean	3.448
986				5% K-S Critical Value		0.232					SD	6.93
987		Data not Gamma Distributed at 5% Significance Level									SE of Mean	1.498
988										95% KM (t) UCL		6.019
989		Assuming Gamma Distribution								95% KM (z) UCL		5.911
990		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			5.981
991					Minimum	0.201			95% KM (bootstrap t) UCL			13.42
992					Maximum	27.28			95% KM (BCA) UCL			6.378
993					Mean	4.178		95% KM (Percentile Bootstrap) UCL				6.036
994					Median	1.463			95% KM (Chebyshev) UCL			9.976
995					SD	6.908			97.5% KM (Chebyshev) UCL			12.8
996					k star	0.665			99% KM (Chebyshev) UCL			18.35
997					Theta star	6.282						
998					Nu star	30.59		Potential UCLs to Use				
999					AppChi2	18.96			97.5% KM (Chebyshev) UCL			12.8
1000			95% Gamma Approximate UCL			6.742						
1001			95% Adjusted Gamma UCL			6.986						
1002	Note: DL/2 is not a recommended method.											
1003												
1004												
1005	Total Dioxin-like PCBs											
1006												
1007					General Statistics							

	A	B	C	D	E	F	G	H	I	J	K	L
1008				Number of Valid Data		9				Number of Detected Data		9
1009				Number of Distinct Detected Data		9				Number of Non-Detect Data		0
1010				Number of Missing Values		7				Percent Non-Detects		0.00%
1011												
1012			Raw Statistics						Log-transformed Statistics			
1013				Minimum Detected		274.3				Minimum Detected		5.614
1014				Maximum Detected		2388				Maximum Detected		7.778
1015				Mean of Detected		1026				Mean of Detected		6.757
1016				SD of Detected		652.2				SD of Detected		0.643
1017				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1018				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1019												
1020												
1021				Warning: There are only 9 Detected Values in this data								
1022				Note: It should be noted that even though bootstrap may be performed on this data set								
1023				the resulting calculations may not be reliable enough tp draw conclusions								
1024												
1025			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1026												
1027												
1028					UCL Statistics							
1029			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1030				Shapiro Wilk Test Statistic		0.902				Shapiro Wilk Test Statistic		0.982
1031				5% Shapiro Wilk Critical Value		0.829				5% Shapiro Wilk Critical Value		0.829
1032			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1033												
1034			Assuming Normal Distribution						Assuming Lognormal Distribution			
1035				DL/2 Substitution Method						DL/2 Substitution Method		
1036				Mean		1026				Mean		6.757
1037				SD		652.2				SD		0.643
1038				95% DL/2 (t) UCL		1430				95% H-Stat (DL/2) UCL		1875
1039												
1040				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
1041			MLE method failed to converge properly							Mean in Log Scale		N/A
1042										SD in Log Scale		N/A
1043										Mean in Original Scale		N/A
1044										SD in Original Scale		N/A
1045										95% Percentile Bootstrap UCL		N/A
1046										95% BCA Bootstrap UCL		N/A
1047												
1048			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1049				k star (bias corrected)		2.066			Data appear Normal at 5% Significance Level			
1050				Theta Star		496.7						
1051				nu star		37.19						
1052												
1053				A-D Test Statistic		0.201			Nonparametric Statistics			
1054				5% A-D Critical Value		0.727				Kaplan-Meier (KM) Method		
1055				K-S Test Statistic		0.727				Mean		1026
1056				5% K-S Critical Value		0.281				SD		614.9
1057			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		217.4
1058										95% KM (t) UCL		1430
1059			Assuming Gamma Distribution							95% KM (z) UCL		1384
1060			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		1430

	A	B	C	D	E	F	G	H	I	J	K	L
1061					Minimum	274.3				95% KM (bootstrap t) UCL		1629
1062					Maximum	2388				95% KM (BCA) UCL		1387
1063					Mean	1026				95% KM (Percentile Bootstrap) UCL		1375
1064					Median	779.8				95% KM (Chebyshev) UCL		1974
1065					SD	652.2				97.5% KM (Chebyshev) UCL		2384
1066					k star	2.066				99% KM (Chebyshev) UCL		3189
1067					Theta star	496.7						
1068					Nu star	37.19				Potential UCLs to Use		
1069					AppChi2	24.23				95% KM (t) UCL		1430
1070			95% Gamma Approximate UCL			1575				95% KM (Percentile Bootstrap) UCL		1375
1071			95% Adjusted Gamma UCL			1731						
1072	Note: DL/2 is not a recommended method.											
1073												
1074												
1075	Total PCB TEQ											
1076												
1077						General Statistics						
1078			Number of Valid Data			9				Number of Detected Data		9
1079			Number of Distinct Detected Data			9				Number of Non-Detect Data		0
1080			Number of Missing Values			7				Percent Non-Detects		0.00%
1081												
1082			Raw Statistics						Log-transformed Statistics			
1083			Minimum Detected			0.238				Minimum Detected		-1.434
1084			Maximum Detected			1.209				Maximum Detected		0.19
1085			Mean of Detected			0.552				Mean of Detected		-0.713
1086			SD of Detected			0.303				SD of Detected		0.505
1087			Minimum Non-Detect			N/A				Minimum Non-Detect		N/A
1088			Maximum Non-Detect			N/A				Maximum Non-Detect		N/A
1089												
1090												
1091					Warning: There are only 9 Detected Values in this data							
1092					Note: It should be noted that even though bootstrap may be performed on this data set							
1093					the resulting calculations may not be reliable enough tp draw conclusions							
1094												
1095					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
1096												
1097												
1098						UCL Statistics						
1099			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1100			Shapiro Wilk Test Statistic			0.875				Shapiro Wilk Test Statistic		0.977
1101			5% Shapiro Wilk Critical Value			0.829				5% Shapiro Wilk Critical Value		0.829
1102			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1103												
1104			Assuming Normal Distribution						Assuming Lognormal Distribution			
1105			DL/2 Substitution Method							DL/2 Substitution Method		
1106					Mean	0.552				Mean		-0.713
1107					SD	0.303				SD		0.505
1108			95% DL/2 (t) UCL			0.74				95% H-Stat (DL/2) UCL		0.83
1109												
1110			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1111			MLE method failed to converge properly							Mean in Log Scale		N/A
1112										SD in Log Scale		N/A
1113										Mean in Original Scale		N/A

	A	B	C	D	E	F	G	H	I	J	K	L
1114											SD in Original Scale	N/A
1115											95% Percentile Bootstrap UCL	N/A
1116											95% BCA Bootstrap UCL	N/A
1117												
1118		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1119				k star (bias corrected)		3.003		Data appear Normal at 5% Significance Level				
1120				Theta Star		0.184						
1121				nu star		54.06						
1122												
1123				A-D Test Statistic		0.26		Nonparametric Statistics				
1124				5% A-D Critical Value		0.724			Kaplan-Meier (KM) Method			
1125				K-S Test Statistic		0.724				Mean		0.552
1126				5% K-S Critical Value		0.28				SD		0.286
1127		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.101
1128										95% KM (t) UCL		0.74
1129		Assuming Gamma Distribution								95% KM (z) UCL		0.718
1130		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.74
1131				Minimum		0.238				95% KM (bootstrap t) UCL		0.86
1132				Maximum		1.209				95% KM (BCA) UCL		0.719
1133				Mean		0.552			95% KM (Percentile Bootstrap) UCL			0.72
1134				Median		0.462				95% KM (Chebyshev) UCL		0.992
1135				SD		0.303				97.5% KM (Chebyshev) UCL		1.183
1136				k star		3.003				99% KM (Chebyshev) UCL		1.557
1137				Theta star		0.184						
1138				Nu star		54.06		Potential UCLs to Use				
1139				AppChi2		38.16				95% KM (t) UCL		0.74
1140		95% Gamma Approximate UCL				0.782			95% KM (Percentile Bootstrap) UCL			0.72
1141		95% Adjusted Gamma UCL				0.843						
1142	Note: DL/2 is not a recommended method.											
1143												
1144												
1145	Total PCB_Congeners											
1146												
1147						General Statistics						
1148				Number of Valid Data		9				Number of Detected Data		9
1149			Number of Distinct Detected Data			9				Number of Non-Detect Data		0
1150				Number of Missing Values		7				Percent Non-Detects		0.00%
1151												
1152		Raw Statistics						Log-transformed Statistics				
1153				Minimum Detected		5749				Minimum Detected		8.657
1154				Maximum Detected		49585				Maximum Detected		10.81
1155				Mean of Detected		20757				Mean of Detected		9.723
1156				SD of Detected		14360				SD of Detected		0.718
1157				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1158				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1159												
1160												
1161					Warning: There are only 9 Detected Values in this data							
1162				Note: It should be noted that even though bootstrap may be performed on this data set								
1163				the resulting calculations may not be reliable enough tp draw conclusions								
1164												
1165			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1166												

	A	B	C	D	E	F	G	H	I	J	K	L
1167												
1168					UCL Statistics							
1169		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1170			Shapiro Wilk Test Statistic			0.903			Shapiro Wilk Test Statistic			0.971
1171			5% Shapiro Wilk Critical Value			0.829			5% Shapiro Wilk Critical Value			0.829
1172		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1173												
1174		Assuming Normal Distribution						Assuming Lognormal Distribution				
1175			DL/2 Substitution Method						DL/2 Substitution Method			
1176				Mean		20757				Mean		9.723
1177				SD		14360				SD		0.718
1178			95% DL/2 (t) UCL			29657			95% H-Stat (DL/2) UCL			42314
1179												
1180			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1181		MLE method failed to converge properly							Mean in Log Scale			N/A
1182									SD in Log Scale			N/A
1183									Mean in Original Scale			N/A
1184									SD in Original Scale			N/A
1185									95% Percentile Bootstrap UCL			N/A
1186									95% BCA Bootstrap UCL			N/A
1187												
1188		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1189			k star (bias corrected)			1.705		Data appear Normal at 5% Significance Level				
1190				Theta Star		12171						
1191				nu star		30.7						
1192												
1193				A-D Test Statistic		0.188		Nonparametric Statistics				
1194				5% A-D Critical Value		0.728			Kaplan-Meier (KM) Method			
1195				K-S Test Statistic		0.728				Mean		20757
1196				5% K-S Critical Value		0.282				SD		13538
1197		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		4787
1198										95% KM (t) UCL		29657
1199		Assuming Gamma Distribution								95% KM (z) UCL		28630
1200		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		29657
1201				Minimum		5749				95% KM (bootstrap t) UCL		34122
1202				Maximum		49585				95% KM (BCA) UCL		28579
1203				Mean		20757				95% KM (Percentile Bootstrap) UCL		28177
1204				Median		17050				95% KM (Chebyshev) UCL		41621
1205				SD		14360				97.5% KM (Chebyshev) UCL		50648
1206				k star		1.705				99% KM (Chebyshev) UCL		68382
1207				Theta star		12171						
1208				Nu star		30.7		Potential UCLs to Use				
1209				AppChi2		19.04				95% KM (t) UCL		29657
1210			95% Gamma Approximate UCL			33462			95% KM (Percentile Bootstrap) UCL			28177
1211			95% Adjusted Gamma UCL			37191						
1212	Note: DL/2 is not a recommended method.											
1213												
1214												
1215	Total PCBs, Adjusted											
1216												
1217					General Statistics							
1218			Number of Valid Data			9			Number of Detected Data			9
1219			Number of Distinct Detected Data			9			Number of Non-Detect Data			0

	A	B	C	D	E	F	G	H	I	J	K	L
1220				Number of Missing Values		7				Percent Non-Detects		0.00%
1221												
1222				Raw Statistics						Log-transformed Statistics		
1223				Minimum Detected		5475				Minimum Detected		8.608
1224				Maximum Detected		47196				Maximum Detected		10.76
1225				Mean of Detected		19730				Mean of Detected		9.668
1226				SD of Detected		13718				SD of Detected		0.725
1227				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1228				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1229												
1230												
1231				Warning: There are only 9 Detected Values in this data								
1232				Note: It should be noted that even though bootstrap may be performed on this data set								
1233				the resulting calculations may not be reliable enough tp draw conclusions								
1234												
1235				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
1236												
1237												
1238						UCL Statistics						
1239			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1240				Shapiro Wilk Test Statistic		0.903				Shapiro Wilk Test Statistic		0.967
1241				5% Shapiro Wilk Critical Value		0.829				5% Shapiro Wilk Critical Value		0.829
1242			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1243												
1244			Assuming Normal Distribution						Assuming Lognormal Distribution			
1245				DL/2 Substitution Method						DL/2 Substitution Method		
1246				Mean		19730				Mean		9.668
1247				SD		13718				SD		0.725
1248				95% DL/2 (t) UCL		28234				95% H-Stat (DL/2) UCL		40674
1249												
1250				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
1251			MLE method failed to converge properly							Mean in Log Scale		N/A
1252										SD in Log Scale		N/A
1253										Mean in Original Scale		N/A
1254										SD in Original Scale		N/A
1255										95% Percentile Bootstrap UCL		N/A
1256										95% BCA Bootstrap UCL		N/A
1257												
1258			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1259				k star (bias corrected)		1.681			Data appear Normal at 5% Significance Level			
1260				Theta Star		11736						
1261				nu star		30.26						
1262												
1263				A-D Test Statistic		0.194			Nonparametric Statistics			
1264				5% A-D Critical Value		0.729				Kaplan-Meier (KM) Method		
1265				K-S Test Statistic		0.729				Mean		19730
1266				5% K-S Critical Value		0.282				SD		12934
1267			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		4573
1268										95% KM (t) UCL		28234
1269			Assuming Gamma Distribution							95% KM (z) UCL		27252
1270			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		28234
1271				Minimum		5475				95% KM (bootstrap t) UCL		32416
1272				Maximum		47196				95% KM (BCA) UCL		27176

	A	B	C	D	E	F	G	H	I	J	K	L
1273					Mean	19730			95% KM (Percentile Bootstrap) UCL			26896
1274					Median	16034			95% KM (Chebyshev) UCL			39663
1275					SD	13718			97.5% KM (Chebyshev) UCL			48287
1276					k star	1.681			99% KM (Chebyshev) UCL			65228
1277					Theta star	11736						
1278					Nu star	30.26			Potential UCLs to Use			
1279					AppChi2	18.7			95% KM (t) UCL			28234
1280			95% Gamma Approximate UCL			31932			95% KM (Percentile Bootstrap) UCL			26896
1281			95% Adjusted Gamma UCL			35522						
1282	Note: DL/2 is not a recommended method.											
1283												
1284												
1285	Tributyltin ion											
1286												
1287					General Statistics							
1288			Number of Valid Data			12			Number of Detected Data			12
1289			Number of Distinct Detected Data			10			Number of Non-Detect Data			0
1290			Number of Missing Values			28			Percent Non-Detects			0.00%
1291												
1292			Raw Statistics						Log-transformed Statistics			
1293			Minimum Detected			29			Minimum Detected			3.367
1294			Maximum Detected			1600			Maximum Detected			7.378
1295			Mean of Detected			264.7			Mean of Detected			4.956
1296			SD of Detected			428.6			SD of Detected			1.066
1297			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
1298			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
1299												
1300												
1301					UCL Statistics							
1302		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
1303			Shapiro Wilk Test Statistic			0.507			Shapiro Wilk Test Statistic			0.926
1304			5% Shapiro Wilk Critical Value			0.859			5% Shapiro Wilk Critical Value			0.859
1305		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
1306												
1307		Assuming Normal Distribution							Assuming Lognormal Distribution			
1308			DL/2 Substitution Method						DL/2 Substitution Method			
1309			Mean			264.7			Mean			4.956
1310			SD			428.6			SD			1.066
1311			95% DL/2 (t) UCL			486.9			95% H-Stat (DL/2) UCL			665.5
1312												
1313			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1314		MLE method failed to converge properly							Mean in Log Scale			N/A
1315									SD in Log Scale			N/A
1316									Mean in Original Scale			N/A
1317									SD in Original Scale			N/A
1318									95% Percentile Bootstrap UCL			N/A
1319									95% BCA Bootstrap UCL			N/A
1320												
1321		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
1322			k star (bias corrected)			0.757		Data appear Lognormal at 5% Significance Level				
1323			Theta Star			349.7						
1324			nu star			18.16						
1325												

	A	B	C	D	E	F	G	H	I	J	K	L
1326					A-D Test Statistic	0.891			**Nonparametric Statistics**			
1327					5% A-D Critical Value	0.759				Kaplan-Meier (KM) Method		
1328					K-S Test Statistic	0.759					Mean	264.7
1329					5% K-S Critical Value	0.253					SD	410.4
1330		**Data not Gamma Distributed at 5% Significance Level**									SE of Mean	123.7
1331											95% KM (t) UCL	486.9
1332		**Assuming Gamma Distribution**									95% KM (z) UCL	468.2
1333		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	486.9
1334					Minimum	29					95% KM (bootstrap t) UCL	1154
1335					Maximum	1600					95% KM (BCA) UCL	513.9
1336					Mean	264.7				95% KM (Percentile Bootstrap) UCL		493.8
1337					Median	155					95% KM (Chebyshev) UCL	804
1338					SD	428.6					97.5% KM (Chebyshev) UCL	1037
1339					k star	0.757					99% KM (Chebyshev) UCL	1496
1340					Theta star	349.7						
1341					Nu star	18.16			**Potential UCLs to Use**			
1342					AppChi2	9.51					97.5% KM (Chebyshev) UCL	1037
1343				95% Gamma Approximate UCL		505.5						
1344				95% Adjusted Gamma UCL		561						
1345	**Note: DL/2 is not a recommended method.**											
1346												

	A	B	C	D	E	F	G	H	I	J	K	L
1							General UCL Statistics for Data Sets with Non-Detects					
2		User Selected Options										
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM7.0W.wst								
4			Full Precision	OFF								
5			Confidence Coefficient	95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Aldrin											
10												
11							General Statistics					
12			Number of Valid Data			41		Number of Detected Data				14
13		Number of Distinct Detected Data				14		Number of Non-Detect Data				27
14			Number of Missing Values			7		Percent Non-Detects				65.85%
15												
16			Raw Statistics					Log-transformed Statistics				
17				Minimum Detected		0.0811			Minimum Detected			-2.512
18				Maximum Detected		691			Maximum Detected			6.538
19				Mean of Detected		57.43			Mean of Detected			1.771
20				SD of Detected		182.5			SD of Detected			2.077
21				Minimum Non-Detect		0.0519			Minimum Non-Detect			-2.958
22				Maximum Non-Detect		99			Maximum Non-Detect			4.595
23												
24		Note: Data have multiple DLs - Use of KM Method is recommended						Number treated as Non-Detect				40
25		For all methods (except KM, DL/2, and ROS Methods),						Number treated as Detected				1
26		Observations < Largest ND are treated as NDs						Single DL Non-Detect Percentage				97.56%
27												
28							UCL Statistics					
29		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
30				Shapiro Wilk Test Statistic		0.335			Shapiro Wilk Test Statistic			0.951
31				5% Shapiro Wilk Critical Value		0.874			5% Shapiro Wilk Critical Value			0.874
32		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
33												
34		Assuming Normal Distribution						Assuming Lognormal Distribution				
35				DL/2 Substitution Method					DL/2 Substitution Method			
36					Mean	26.67				Mean		0.9
37					SD	107.3				SD		2.361
38				95% DL/2 (t) UCL		54.89			95% H-Stat (DL/2) UCL			84.47
39												
40			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
41		MLE method failed to converge properly							Mean in Log Scale			-0.713
42									SD in Log Scale			2.303
43									Mean in Original Scale			19.75
44									SD in Original Scale			107.6
45									95% Percentile Bootstrap UCL			53.43
46									95% BCA Bootstrap UCL			85.89
47												
48		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
49				k star (bias corrected)		0.285		Data appear Lognormal at 5% Significance Level				
50				Theta Star		201.5						
51				nu star		7.981						
52												
53				A-D Test Statistic		1.638		Nonparametric Statistics				

	A	B	C	D	E	F	G	H	I	J	K	L
54				5% A-D Critical Value		0.832			Kaplan-Meier (KM) Method			
55				K-S Test Statistic		0.832					Mean	20.5
56				5% K-S Critical Value		0.248					SD	106.2
57		**Data not Gamma Distributed at 5% Significance Level**									SE of Mean	17.22
58											95% KM (t) UCL	49.5
59		**Assuming Gamma Distribution**									95% KM (z) UCL	48.83
60		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	48.53
61					Minimum	1E-09					95% KM (bootstrap t) UCL	379.1
62					Maximum	691					95% KM (BCA) UCL	54.97
63					Mean	55.18			95% KM (Percentile Bootstrap) UCL			54.07
64					Median	10.6					95% KM (Chebyshev) UCL	95.57
65					SD	123.8					97.5% KM (Chebyshev) UCL	128.1
66					k star	0.124					99% KM (Chebyshev) UCL	191.9
67					Theta star	446.5						
68					Nu star	10.13			**Potential UCLs to Use**			
69					AppChi2	4.025					99% KM (Chebyshev) UCL	191.9
70				95% Gamma Approximate UCL		138.9						
71				95% Adjusted Gamma UCL		143.9						
72	Note: DL/2 is not a recommended method.											
73												
74												
75	Arsenic											
76												
77				**General Statistics**								
78			Number of Valid Data			41			Number of Detected Data			33
79		Number of Distinct Detected Data				31			Number of Non-Detect Data			8
80			Number of Missing Values			7				Percent Non-Detects		19.51%
81												
82			**Raw Statistics**						**Log-transformed Statistics**			
83				Minimum Detected		3.09				Minimum Detected		1.128
84				Maximum Detected		8.37				Maximum Detected		2.125
85				Mean of Detected		4.554				Mean of Detected		1.482
86				SD of Detected		1.311				SD of Detected		0.254
87				Minimum Non-Detect		4				Minimum Non-Detect		1.386
88				Maximum Non-Detect		6				Maximum Non-Detect		1.792
89												
90	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			37
91	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			4
92	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			90.24%
93												
94				**UCL Statistics**								
95		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
96			Shapiro Wilk Test Statistic			0.832				Shapiro Wilk Test Statistic		0.91
97			5% Shapiro Wilk Critical Value			0.931			5% Shapiro Wilk Critical Value			0.931
98		**Data not Normal at 5% Significance Level**						**Data not Lognormal at 5% Significance Level**				
99												
100			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
101			DL/2 Substitution Method							DL/2 Substitution Method		
102				Mean		4.153				Mean		1.371
103				SD		1.437				SD		0.326
104				95% DL/2 (t) UCL		4.531				95% H-Stat (DL/2) UCL		4.204
105												
106			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		

	A	B	C	D	E	F	G	H	I	J	K	L
107					Mean	2.411				Mean in Log Scale		1.461
108					SD	2.79				SD in Log Scale		0.239
109				95% MLE (t) UCL		3.145				Mean in Original Scale		4.441
110				95% MLE (Tiku) UCL		5.552				SD in Original Scale		1.217
111										95% Percentile Bootstrap UCL		4.757
112										95% BCA Bootstrap UCL		4.822
113												
114		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
115				k star (bias corrected)		13.61			Data do not follow a Discernable Distribution (0.05)			
116					Theta Star	0.335						
117					nu star	898.2						
118												
119					A-D Test Statistic	1.2			Nonparametric Statistics			
120				5% A-D Critical Value		0.746			Kaplan-Meier (KM) Method			
121					K-S Test Statistic	0.746				Mean		4.426
122				5% K-S Critical Value		0.153				SD		1.21
123		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.196
124										95% KM (t) UCL		4.756
125		Assuming Gamma Distribution								95% KM (z) UCL		4.748
126		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		4.755
127					Minimum	3.09				95% KM (bootstrap t) UCL		4.826
128					Maximum	8.37				95% KM (BCA) UCL		4.764
129					Mean	4.551				95% KM (Percentile Bootstrap) UCL		4.753
130					Median	4.24				95% KM (Chebyshev) UCL		5.28
131					SD	1.196				97.5% KM (Chebyshev) UCL		5.649
132					k star	16.38				99% KM (Chebyshev) UCL		6.375
133					Theta star	0.278						
134					Nu star	1343			Potential UCLs to Use			
135					AppChi2	1259				95% KM (Chebyshev) UCL		5.28
136				95% Gamma Approximate UCL		4.855						
137				95% Adjusted Gamma UCL		4.867						
138	Note: DL/2 is not a recommended method.											
139												
140												
141	Benzo(a)anthracene											
142												
143					General Statistics							
144			Number of Valid Data			42				Number of Detected Data		42
145		Number of Distinct Detected Data				39				Number of Non-Detect Data		0
146			Number of Missing Values			6				Percent Non-Detects		0.00%
147												
148		Raw Statistics							Log-transformed Statistics			
149				Minimum Detected		8.8				Minimum Detected		2.175
150				Maximum Detected		16000				Maximum Detected		9.68
151				Mean of Detected		563.9				Mean of Detected		4.643
152				SD of Detected		2455				SD of Detected		1.412
153				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
154				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
155												
156												
157					UCL Statistics							
158		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
159			Shapiro Wilk Test Statistic			0.218				Shapiro Wilk Test Statistic		0.901

	A	B	C	D	E	F	G	H	I	J	K	L
160				5% Shapiro Wilk Critical Value		0.942			5% Shapiro Wilk Critical Value			0.942
161			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
162												
163			Assuming Normal Distribution						Assuming Lognormal Distribution			
164				DL/2 Substitution Method					DL/2 Substitution Method			
165					Mean	563.9				Mean		4.643
166					SD	2455				SD		1.412
167				95% DL/2 (t) UCL		1201			95% H-Stat (DL/2) UCL			526
168												
169			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
170			MLE method failed to converge properly						Mean in Log Scale			N/A
171									SD in Log Scale			N/A
172									Mean in Original Scale			N/A
173									SD in Original Scale			N/A
174									95% Percentile Bootstrap UCL			N/A
175									95% BCA Bootstrap UCL			N/A
176												
177			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
178				k star (bias corrected)		0.378			Data do not follow a Discernable Distribution (0.05)			
179					Theta Star	1490						
180					nu star	31.79						
181												
182				A-D Test Statistic		5.276			Nonparametric Statistics			
183				5% A-D Critical Value		0.839			Kaplan-Meier (KM) Method			
184				K-S Test Statistic		0.839				Mean		563.9
185				5% K-S Critical Value		0.146				SD		2426
186			Data not Gamma Distributed at 5% Significance Level						SE of Mean			378.9
187									95% KM (t) UCL			1201
188			Assuming Gamma Distribution						95% KM (z) UCL			1187
189			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			1201
190					Minimum	8.8			95% KM (bootstrap t) UCL			5780
191					Maximum	16000			95% KM (BCA) UCL			1347
192					Mean	563.9			95% KM (Percentile Bootstrap) UCL			1310
193					Median	89.5			95% KM (Chebyshev) UCL			2215
194					SD	2455			97.5% KM (Chebyshev) UCL			2930
195					k star	0.378			99% KM (Chebyshev) UCL			4333
196					Theta star	1490						
197					Nu star	31.79			Potential UCLs to Use			
198					AppChi2	19.9			95% KM (Chebyshev) UCL			2215
199				95% Gamma Approximate UCL		900.6						
200				95% Adjusted Gamma UCL		916						
201	Note: DL/2 is not a recommended method.											
202												
203												
204	Benzo(a)pyrene											
205												
206					General Statistics							
207				Number of Valid Data		42			Number of Detected Data			42
208				Number of Distinct Detected Data		32			Number of Non-Detect Data			0
209				Number of Missing Values		6			Percent Non-Detects			0.00%
210												
211			Raw Statistics						Log-transformed Statistics			
212					Minimum Detected	11				Minimum Detected		2.398

	A	B	C	D	E	F	G	H	I	J	K	L
213					Maximum Detected	12000					Maximum Detected	9.393
214					Mean of Detected	465.9					Mean of Detected	4.73
215					SD of Detected	1840					SD of Detected	1.301
216					Minimum Non-Detect	N/A					Minimum Non-Detect	N/A
217					Maximum Non-Detect	N/A					Maximum Non-Detect	N/A
218												
219												
220					UCL Statistics							
221		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
222				Shapiro Wilk Test Statistic		0.234					Shapiro Wilk Test Statistic	0.906
223				5% Shapiro Wilk Critical Value		0.942					5% Shapiro Wilk Critical Value	0.942
224		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
225												
226		Assuming Normal Distribution							Assuming Lognormal Distribution			
227				DL/2 Substitution Method							DL/2 Substitution Method	
228					Mean	465.9					Mean	4.73
229					SD	1840					SD	1.301
230				95% DL/2 (t) UCL		943.8					95% H-Stat (DL/2) UCL	456.5
231												
232				Maximum Likelihood Estimate(MLE) Method		N/A					Log ROS Method	
233		MLE method failed to converge properly									Mean in Log Scale	N/A
234											SD in Log Scale	N/A
235											Mean in Original Scale	N/A
236											SD in Original Scale	N/A
237											95% Percentile Bootstrap UCL	N/A
238											95% BCA Bootstrap UCL	N/A
239												
240		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
241				k star (bias corrected)		0.439			Data do not follow a Discernable Distribution (0.05)			
242				Theta Star		1061						
243				nu star		36.89						
244												
245				A-D Test Statistic		4.877			Nonparametric Statistics			
246				5% A-D Critical Value		0.823					Kaplan-Meier (KM) Method	
247				K-S Test Statistic		0.823					Mean	465.9
248				5% K-S Critical Value		0.145					SD	1818
249		Data not Gamma Distributed at 5% Significance Level									SE of Mean	284
250											95% KM (t) UCL	943.8
251		Assuming Gamma Distribution									95% KM (z) UCL	933
252		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	943.8
253					Minimum	11					95% KM (bootstrap t) UCL	3713
254					Maximum	12000					95% KM (BCA) UCL	1022
255					Mean	465.9					95% KM (Percentile Bootstrap) UCL	1016
256					Median	97.5					95% KM (Chebyshev) UCL	1704
257					SD	1840					97.5% KM (Chebyshev) UCL	2239
258					k star	0.439					99% KM (Chebyshev) UCL	3291
259					Theta star	1061						
260					Nu star	36.89			Potential UCLs to Use			
261					AppChi2	23.99					95% KM (Chebyshev) UCL	1704
262				95% Gamma Approximate UCL		716.5						
263				95% Adjusted Gamma UCL		727.8						
264	Note: DL/2 is not a recommended method.											
265												

	A	B	C	D	E	F	G	H	I	J	K	L
266												
267	Benzo(b)fluoranthene											
268												
269						General Statistics						
270				Number of Valid Data		42			Number of Detected Data			42
271				Number of Distinct Detected Data		37			Number of Non-Detect Data			0
272				Number of Missing Values		6			Percent Non-Detects			0.00%
273												
274			Raw Statistics						Log-transformed Statistics			
275				Minimum Detected		11			Minimum Detected			2.398
276				Maximum Detected		33000			Maximum Detected			10.4
277				Mean of Detected		1069			Mean of Detected			4.99
278				SD of Detected		5077			SD of Detected			1.461
279				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
280				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
281												
282												
283						UCL Statistics						
284		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
285				Shapiro Wilk Test Statistic		0.207			Shapiro Wilk Test Statistic			0.889
286				5% Shapiro Wilk Critical Value		0.942			5% Shapiro Wilk Critical Value			0.942
287		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
288												
289		Assuming Normal Distribution						Assuming Lognormal Distribution				
290				DL/2 Substitution Method					DL/2 Substitution Method			
291				Mean		1069			Mean			4.99
292				SD		5077			SD			1.461
293				95% DL/2 (t) UCL		2388			95% H-Stat (DL/2) UCL			827.6
294												
295				Maximum Likelihood Estimate(MLE) Method		N/A			Log ROS Method			
296		MLE method failed to converge properly							Mean in Log Scale			N/A
297									SD in Log Scale			N/A
298									Mean in Original Scale			N/A
299									SD in Original Scale			N/A
300									95% Percentile Bootstrap UCL			N/A
301									95% BCA Bootstrap UCL			N/A
302												
303		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
304				k star (bias corrected)		0.332		Data do not follow a Discernable Distribution (0.05)				
305				Theta Star		3221						
306				nu star		27.88						
307												
308				A-D Test Statistic		6.469			Nonparametric Statistics			
309				5% A-D Critical Value		0.85			Kaplan-Meier (KM) Method			
310				K-S Test Statistic		0.85			Mean			1069
311				5% K-S Critical Value		0.147			SD			5016
312		Data not Gamma Distributed at 5% Significance Level							SE of Mean			783.4
313									95% KM (t) UCL			2388
314		Assuming Gamma Distribution							95% KM (z) UCL			2358
315		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			2388
316				Minimum		11			95% KM (bootstrap t) UCL			17030
317				Maximum		33000			95% KM (BCA) UCL			2606
318				Mean		1069			95% KM (Percentile Bootstrap) UCL			2610

	A	B	C	D	E	F	G	H	I	J	K	L
319					Median	135			95% KM (Chebyshev) UCL			4484
320					SD	5077			97.5% KM (Chebyshev) UCL			5961
321					k star	0.332			99% KM (Chebyshev) UCL			8864
322					Theta star	3221						
323					Nu star	27.88			Potential UCLs to Use			
324					AppChi2	16.84			95% KM (Chebyshev) UCL			4484
325				95% Gamma Approximate UCL		1771						
326				95% Adjusted Gamma UCL		1804						
327	Note: DL/2 is not a recommended method.											
328												
329												
330	Benzo(k)fluoranthene											
331												
332					General Statistics							
333			Number of Valid Data			42			Number of Detected Data			42
334		Number of Distinct Detected Data				38			Number of Non-Detect Data			0
335			Number of Missing Values			6			Percent Non-Detects			0.00%
336												
337			Raw Statistics						Log-transformed Statistics			
338				Minimum Detected		7			Minimum Detected			1.946
339				Maximum Detected		10000			Maximum Detected			9.21
340				Mean of Detected		390.2			Mean of Detected			4.355
341				SD of Detected		1542			SD of Detected			1.457
342				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
343				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
344												
345												
346					UCL Statistics							
347		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
348			Shapiro Wilk Test Statistic			0.245			Shapiro Wilk Test Statistic			0.912
349			5% Shapiro Wilk Critical Value			0.942			5% Shapiro Wilk Critical Value			0.942
350		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
351												
352		Assuming Normal Distribution						Assuming Lognormal Distribution				
353			DL/2 Substitution Method						DL/2 Substitution Method			
354				Mean		390.2			Mean			4.355
355				SD		1542			SD			1.457
356			95% DL/2 (t) UCL			790.8			95% H-Stat (DL/2) UCL			434.8
357												
358		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
359		MLE method failed to converge properly							Mean in Log Scale			N/A
360									SD in Log Scale			N/A
361									Mean in Original Scale			N/A
362									SD in Original Scale			N/A
363									95% Percentile Bootstrap UCL			N/A
364									95% BCA Bootstrap UCL			N/A
365												
366		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
367			k star (bias corrected)			0.394		Data do not follow a Discernable Distribution (0.05)				
368				Theta Star		990.5						
369				nu star		33.09						
370												
371				A-D Test Statistic		4.39			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
372				5% A-D Critical Value		0.835			Kaplan-Meier (KM) Method			
373				K-S Test Statistic		0.835				Mean		390.2
374				5% K-S Critical Value		0.146				SD		1524
375		**Data not Gamma Distributed at 5% Significance Level**								SE of Mean		238
376										95% KM (t) UCL		790.8
377		**Assuming Gamma Distribution**								95% KM (z) UCL		781.7
378		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		790.8
379				Minimum		7				95% KM (bootstrap t) UCL		2819
380				Maximum		10000				95% KM (BCA) UCL		862.1
381				Mean		390.2			95% KM (Percentile Bootstrap) UCL			847.4
382				Median		78.5				95% KM (Chebyshev) UCL		1428
383				SD		1542				97.5% KM (Chebyshev) UCL		1877
384				k star		0.394				99% KM (Chebyshev) UCL		2758
385				Theta star		990.5						
386				Nu star		33.09			**Potential UCLs to Use**			
387				AppChi2		20.94				95% KM (Chebyshev) UCL		1428
388			95% Gamma Approximate UCL			616.7						
389			95% Adjusted Gamma UCL			627						
390	Note: DL/2 is not a recommended method.											
391												
392												
393	Bis(2-ethylhexyl) phthalate											
394												
395					**General Statistics**							
396			Number of Valid Data			41			Number of Detected Data			30
397		Number of Distinct Detected Data				24			Number of Non-Detect Data			11
398			Number of Missing Values			7			Percent Non-Detects			26.83%
399												
400			**Raw Statistics**						**Log-transformed Statistics**			
401			Minimum Detected			26.5			Minimum Detected			3.277
402			Maximum Detected			830			Maximum Detected			6.721
403			Mean of Detected			263.5			Mean of Detected			5.302
404			SD of Detected			207			SD of Detected			0.762
405			Minimum Non-Detect			29			Minimum Non-Detect			3.367
406			Maximum Non-Detect			330			Maximum Non-Detect			5.799
407												
408	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			33
409	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			8
410	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			80.49%
411												
412					**UCL Statistics**							
413		**Normal Distribution Test with Detected Values Only**							**Lognormal Distribution Test with Detected Values Only**			
414			Shapiro Wilk Test Statistic			0.82			Shapiro Wilk Test Statistic			0.96
415			5% Shapiro Wilk Critical Value			0.927			5% Shapiro Wilk Critical Value			0.927
416		**Data not Normal at 5% Significance Level**							**Data appear Lognormal at 5% Significance Level**			
417												
418		**Assuming Normal Distribution**							**Assuming Lognormal Distribution**			
419			DL/2 Substitution Method						DL/2 Substitution Method			
420				Mean		208.4				Mean		4.882
421				SD		200.6				SD		1.042
422			95% DL/2 (t) UCL			261.1			95% H-Stat (DL/2) UCL			303.3
423												
424		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			

	A	B	C	D	E	F	G	H	I	J	K	L
425	MLE yields a negative mean									Mean in Log Scale		4.956
426										SD in Log Scale		0.89
427										Mean in Original Scale		208.7
428										SD in Original Scale		199.1
429										95% Percentile Bootstrap UCL		260.3
430										95% BCA Bootstrap UCL		265.8
431												
432	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
433	k star (bias corrected)					1.815	Data appear Lognormal at 5% Significance Level					
434	Theta Star					145.2						
435	nu star					108.9						
436												
437	A-D Test Statistic					0.768	Nonparametric Statistics					
438	5% A-D Critical Value					0.759	Kaplan-Meier (KM) Method					
439	K-S Test Statistic					0.759	Mean					206.3
440	5% K-S Critical Value					0.162	SD					199.8
441	Data not Gamma Distributed at 5% Significance Level						SE of Mean					31.89
442							95% KM (t) UCL					260
443	Assuming Gamma Distribution						95% KM (z) UCL					258.8
444	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					254.4
445	Minimum					26.5	95% KM (bootstrap t) UCL					272.8
446	Maximum					830	95% KM (BCA) UCL					274.2
447	Mean					220.6	95% KM (Percentile Bootstrap) UCL					263.8
448	Median					150	95% KM (Chebyshev) UCL					345.3
449	SD					197.2	97.5% KM (Chebyshev) UCL					405.5
450	k star					1.367	99% KM (Chebyshev) UCL					523.6
451	Theta star					161.3						
452	Nu star					112.1	Potential UCLs to Use					
453	AppChi2					88.66	95% KM (BCA) UCL					274.2
454	95% Gamma Approximate UCL					278.9						
455	95% Adjusted Gamma UCL					281.3						
456	Note: DL/2 is not a recommended method.											
457												
458												
459	Dibenzo(a,h)anthracene											
460												
461	General Statistics											
462	Number of Valid Data					42	Number of Detected Data					35
463	Number of Distinct Detected Data					29	Number of Non-Detect Data					7
464	Number of Missing Values					6	Percent Non-Detects					16.67%
465												
466	Raw Statistics						Log-transformed Statistics					
467	Minimum Detected					1.3	Minimum Detected					0.262
468	Maximum Detected					3900	Maximum Detected					8.269
469	Mean of Detected					151.7	Mean of Detected					2.877
470	SD of Detected					659.4	SD of Detected					1.588
471	Minimum Non-Detect					19	Minimum Non-Detect					2.944
472	Maximum Non-Detect					20	Maximum Non-Detect					2.996
473												
474	Note: Data have multiple DLs - Use of KM Method is recommended						Number treated as Non-Detect					28
475	For all methods (except KM, DL/2, and ROS Methods),						Number treated as Detected					14
476	Observations < Largest ND are treated as NDs						Single DL Non-Detect Percentage					66.67%
477												

	A	B	C	D	E	F	G	H	I	J	K	L
478							UCL Statistics					
479			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
480					Shapiro Wilk Test Statistic	0.235					Shapiro Wilk Test Statistic	0.919
481					5% Shapiro Wilk Critical Value	0.934					5% Shapiro Wilk Critical Value	0.934
482			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
483												
484			Assuming Normal Distribution						Assuming Lognormal Distribution			
485					DL/2 Substitution Method						DL/2 Substitution Method	
486					Mean	128					Mean	2.777
487					SD	602.8					SD	1.464
488					95% DL/2 (t) UCL	284.6					95% H-Stat (DL/2) UCL	63.4
489												
490				Maximum Likelihood Estimate(MLE) Method		N/A					Log ROS Method	
491			MLE yields a negative mean								Mean in Log Scale	2.72
492											SD in Log Scale	1.513
493											Mean in Original Scale	127.8
494											SD in Original Scale	602.9
495											95% Percentile Bootstrap UCL	310.6
496											95% BCA Bootstrap UCL	505.6
497												
498			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
499					k star (bias corrected)	0.31		Data do not follow a Discernable Distribution (0.05)				
500					Theta Star	489.1						
501					nu star	21.71						
502												
503					A-D Test Statistic	5.263			Nonparametric Statistics			
504					5% A-D Critical Value	0.852					Kaplan-Meier (KM) Method	
505					K-S Test Statistic	0.852					Mean	127.8
506					5% K-S Critical Value	0.161					SD	595.7
507			Data not Gamma Distributed at 5% Significance Level								SE of Mean	93.26
508											95% KM (t) UCL	284.7
509			Assuming Gamma Distribution								95% KM (z) UCL	281.2
510			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	284.4
511					Minimum	1E-09					95% KM (bootstrap t) UCL	2477
512					Maximum	3900					95% KM (BCA) UCL	312.8
513					Mean	132					95% KM (Percentile Bootstrap) UCL	308.4
514					Median	13					95% KM (Chebyshev) UCL	534.3
515					SD	602.6					97.5% KM (Chebyshev) UCL	710.2
516					k star	0.165					99% KM (Chebyshev) UCL	1056
517					Theta star	798.5						
518					Nu star	13.88			Potential UCLs to Use			
519					AppChi2	6.49					97.5% KM (Chebyshev) UCL	710.2
520				95% Gamma Approximate UCL		282.2						
521				95% Adjusted Gamma UCL		290.3						
522	Note: DL/2 is not a recommended method.											
523												
524												
525	Dieldrin											
526												
527							General Statistics					
528					Number of Valid Data	31					Number of Detected Data	7
529				Number of Distinct Detected Data		7					Number of Non-Detect Data	24
530					Number of Missing Values	9					Percent Non-Detects	77.42%

	A	B	C	D	E	F	G	H	I	J	K	L
531												
532			Raw Statistics						Log-transformed Statistics			
533				Minimum Detected		0.109				Minimum Detected		-2.216
534				Maximum Detected		13				Maximum Detected		2.565
535				Mean of Detected		4.229				Mean of Detected		0.177
536				SD of Detected		5.459				SD of Detected		2.014
537				Minimum Non-Detect		0.0743				Minimum Non-Detect		-2.6
538				Maximum Non-Detect		3.5				Maximum Non-Detect		1.253
539												
540	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			29
541	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
542	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			93.55%
543												
544					Warning: There are only 7 Detected Values in this data							
545					Note: It should be noted that even though bootstrap may be performed on this data set							
546					the resulting calculations may not be reliable enough tp draw conclusions							
547												
548					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
549												
550												
551						UCL Statistics						
552			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
553				Shapiro Wilk Test Statistic		0.77				Shapiro Wilk Test Statistic		0.88
554				5% Shapiro Wilk Critical Value		0.803				5% Shapiro Wilk Critical Value		0.803
555			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
556												
557			Assuming Normal Distribution						Assuming Lognormal Distribution			
558				DL/2 Substitution Method						DL/2 Substitution Method		
559					Mean	1.273				Mean		-1.006
560					SD	2.954				SD		1.435
561				95% DL/2 (t) UCL		2.173				95% H-Stat (DL/2) UCL		1.731
562												
563				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
564			MLE method failed to converge properly						Mean in Log Scale			-2.856
565										SD in Log Scale		1.981
566										Mean in Original Scale		0.977
567										SD in Original Scale		3.024
568										95% Percentile Bootstrap UCL		1.877
569										95% BCA Bootstrap UCL		2.43
570												
571			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
572				k star (bias corrected)		0.382			Data appear Gamma Distributed at 5% Significance Level			
573					Theta Star	11.07						
574					nu star	5.349						
575												
576					A-D Test Statistic	0.436			Nonparametric Statistics			
577					5% A-D Critical Value	0.751				Kaplan-Meier (KM) Method		
578					K-S Test Statistic	0.751				Mean		1.065
579					5% K-S Critical Value	0.327				SD		2.951
580			Data appear Gamma Distributed at 5% Significance Level						SE of Mean			0.573
581										95% KM (t) UCL		2.038
582			Assuming Gamma Distribution						95% KM (z) UCL			2.008
583			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			1.955

	A	B	C	D	E	F	G	H	I	J	K	L
584					Minimum	0.109				95% KM (bootstrap t) UCL		4.274
585					Maximum	13				95% KM (BCA) UCL		2.615
586					Mean	2.788				95% KM (Percentile Bootstrap) UCL		2.264
587					Median	2.61				95% KM (Chebyshev) UCL		3.565
588					SD	2.756				97.5% KM (Chebyshev) UCL		4.646
589					k star	1.116				99% KM (Chebyshev) UCL		6.771
590					Theta star	2.498						
591					Nu star	69.19				Potential UCLs to Use		
592					AppChi2	51.05				95% KM (t) UCL		2.038
593			95% Gamma Approximate UCL			3.779						
594			95% Adjusted Gamma UCL			3.844						
595	Note: DL/2 is not a recommended method.											
596												
597												
598	Indeno(1,2,3-cd)pyrene											
599												
600					General Statistics							
601			Number of Valid Data			42				Number of Detected Data		42
602			Number of Distinct Detected Data			37				Number of Non-Detect Data		0
603			Number of Missing Values			6				Percent Non-Detects		0.00%
604												
605			Raw Statistics							Log-transformed Statistics		
606				Minimum Detected		8				Minimum Detected		2.079
607				Maximum Detected		9900				Maximum Detected		9.2
608				Mean of Detected		367.6				Mean of Detected		4.449
609				SD of Detected		1520				SD of Detected		1.272
610				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
611				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
612												
613												
614					UCL Statistics							
615		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
616				Shapiro Wilk Test Statistic		0.224				Shapiro Wilk Test Statistic		0.896
617				5% Shapiro Wilk Critical Value		0.942				5% Shapiro Wilk Critical Value		0.942
618		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
619												
620		Assuming Normal Distribution						Assuming Lognormal Distribution				
621				DL/2 Substitution Method						DL/2 Substitution Method		
622				Mean		367.6				Mean		4.449
623				SD		1520				SD		1.272
624				95% DL/2 (t) UCL		762.4				95% H-Stat (DL/2) UCL		325.8
625												
626				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
627		MLE method failed to converge properly								Mean in Log Scale		N/A
628										SD in Log Scale		N/A
629										Mean in Original Scale		N/A
630										SD in Original Scale		N/A
631										95% Percentile Bootstrap UCL		N/A
632										95% BCA Bootstrap UCL		N/A
633												
634		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
635				k star (bias corrected)		0.428		Data do not follow a Discernable Distribution (0.05)				
636				Theta Star		858.8						

	A	B	C	D	E	F	G	H	I	J	K	L
637					nu star	35.95						
638												
639					A-D Test Statistic	5.587			Nonparametric Statistics			
640					5% A-D Critical Value	0.826			Kaplan-Meier (KM) Method			
641					K-S Test Statistic	0.826					Mean	367.6
642					5% K-S Critical Value	0.145					SD	1502
643		Data not Gamma Distributed at 5% Significance Level									SE of Mean	234.6
644											95% KM (t) UCL	762.4
645		Assuming Gamma Distribution									95% KM (z) UCL	753.4
646		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	762.4
647					Minimum	8					95% KM (bootstrap t) UCL	4148
648					Maximum	9900					95% KM (BCA) UCL	829.1
649					Mean	367.6			95% KM (Percentile Bootstrap) UCL			827.4
650					Median	80					95% KM (Chebyshev) UCL	1390
651					SD	1520					97.5% KM (Chebyshev) UCL	1833
652					k star	0.428					99% KM (Chebyshev) UCL	2702
653					Theta star	858.8						
654					Nu star	35.95			Potential UCLs to Use			
655					AppChi2	23.23					95% KM (Chebyshev) UCL	1390
656		95% Gamma Approximate UCL				568.9						
657		95% Adjusted Gamma UCL				578						
658	Note: DL/2 is not a recommended method.											
659												
660												
661	Lead											
662												
663					General Statistics							
664				Number of Valid Data		41			Number of Detected Data			41
665			Number of Distinct Detected Data			39			Number of Non-Detect Data			0
666				Number of Missing Values		7			Percent Non-Detects			0.00%
667												
668			Raw Statistics						Log-transformed Statistics			
669				Minimum Detected		11			Minimum Detected			2.398
670				Maximum Detected		1290			Maximum Detected			7.162
671				Mean of Detected		69.45			Mean of Detected			3.349
672				SD of Detected		203			SD of Detected			0.968
673				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
674				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
675												
676												
677					UCL Statistics							
678		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
679			Shapiro Wilk Test Statistic			0.292			Shapiro Wilk Test Statistic			0.758
680			5% Shapiro Wilk Critical Value			0.941			5% Shapiro Wilk Critical Value			0.941
681		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
682												
683		Assuming Normal Distribution						Assuming Lognormal Distribution				
684				DL/2 Substitution Method					DL/2 Substitution Method			
685					Mean	69.45					Mean	3.349
686					SD	203					SD	0.968
687				95% DL/2 (t) UCL		122.8			95% H-Stat (DL/2) UCL			64.86
688												
689			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			

	A	B	C	D	E	F	G	H	I	J	K	L
690	MLE method failed to converge properly								Mean in Log Scale			N/A
691									SD in Log Scale			N/A
692									Mean in Original Scale			N/A
693									SD in Original Scale			N/A
694									95% Percentile Bootstrap UCL			N/A
695									95% BCA Bootstrap UCL			N/A
696												
697	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
698	k star (bias corrected)					0.647	Data do not follow a Discernable Distribution (0.05)					
699	Theta Star					107.4						
700	nu star					53.03						
701												
702	A-D Test Statistic					6.414	Nonparametric Statistics					
703	5% A-D Critical Value					0.796	Kaplan-Meier (KM) Method					
704	K-S Test Statistic					0.796	Mean					69.45
705	5% K-S Critical Value					0.144	SD					200.5
706	Data not Gamma Distributed at 5% Significance Level						SE of Mean					31.7
707							95% KM (t) UCL					122.8
708	Assuming Gamma Distribution						95% KM (z) UCL					121.6
709	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					122.8
710	Minimum					11	95% KM (bootstrap t) UCL					355.2
711	Maximum					1290	95% KM (BCA) UCL					133.7
712	Mean					69.45	95% KM (Percentile Bootstrap) UCL					130
713	Median					20	95% KM (Chebyshev) UCL					207.6
714	SD					203	97.5% KM (Chebyshev) UCL					267.4
715	k star					0.647	99% KM (Chebyshev) UCL					384.8
716	Theta star					107.4						
717	Nu star					53.03	Potential UCLs to Use					
718	AppChi2					37.3	95% KM (Chebyshev) UCL					207.6
719	95% Gamma Approximate UCL					98.74						
720	95% Adjusted Gamma UCL					100						
721	Note: DL/2 is not a recommended method.											
722												
723												
724	Mercury											
725												
726	General Statistics											
727	Number of Valid Data					41	Number of Detected Data					40
728	Number of Distinct Detected Data					31	Number of Non-Detect Data					1
729	Number of Missing Values					7	Percent Non-Detects					2.44%
730												
731	Raw Statistics						Log-transformed Statistics					
732	Minimum Detected					0.036	Minimum Detected					-3.324
733	Maximum Detected					0.313	Maximum Detected					-1.162
734	Mean of Detected					0.0825	Mean of Detected					-2.574
735	SD of Detected					0.0444	SD of Detected					0.364
736	Minimum Non-Detect					0.07	Minimum Non-Detect					-2.659
737	Maximum Non-Detect					0.07	Maximum Non-Detect					-2.659
738												
739												
740	UCL Statistics											
741	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
742	Shapiro Wilk Test Statistic					0.609	Shapiro Wilk Test Statistic					0.886

	A	B	C	D	E	F	G	H	I	J	K	L
743				5% Shapiro Wilk Critical Value		0.94				5% Shapiro Wilk Critical Value		0.94
744			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
745												
746			Assuming Normal Distribution						Assuming Lognormal Distribution			
747				DL/2 Substitution Method						DL/2 Substitution Method		
748					Mean	0.0814					Mean	-2.593
749					SD	0.0444					SD	0.379
750				95% DL/2 (t) UCL		0.0931				95% H-Stat (DL/2) UCL		0.0896
751												
752			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
753					Mean	0.0648				Mean in Log Scale		-2.581
754					SD	0.0602				SD in Log Scale		0.362
755				95% MLE (t) UCL		0.0806				Mean in Original Scale		0.0819
756				95% MLE (Tiku) UCL		0.0833				SD in Original Scale		0.044
757										95% Percentile Bootstrap UCL		0.095
758										95% BCA Bootstrap UCL		0.0989
759												
760			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
761				k star (bias corrected)		5.957			Data do not follow a Discernable Distribution (0.05)			
762					Theta Star	0.0139						
763					nu star	476.6						
764												
765				A-D Test Statistic		2.248			Nonparametric Statistics			
766				5% A-D Critical Value		0.751			Kaplan-Meier (KM) Method			
767				K-S Test Statistic		0.751					Mean	0.082
768				5% K-S Critical Value		0.14					SD	0.0434
769			Data not Gamma Distributed at 5% Significance Level								SE of Mean	0.00688
770										95% KM (t) UCL		0.0935
771			Assuming Gamma Distribution							95% KM (z) UCL		0.0933
772			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.0935
773					Minimum	0.036				95% KM (bootstrap t) UCL		0.105
774					Maximum	0.313				95% KM (BCA) UCL		0.0953
775					Mean	0.082				95% KM (Percentile Bootstrap) UCL		0.0945
776					Median	0.071				95% KM (Chebyshev) UCL		0.112
777					SD	0.0439				97.5% KM (Chebyshev) UCL		0.125
778					k star	6.051				99% KM (Chebyshev) UCL		0.15
779					Theta star	0.0136						
780					Nu star	496.2			Potential UCLs to Use			
781					AppChi2	445.5				95% KM (Chebyshev) UCL		0.112
782				95% Gamma Approximate UCL		0.0914						
783				95% Adjusted Gamma UCL		0.0917						
784	Note: DL/2 is not a recommended method.											
785												
786												
787	Naphthalene											
788												
789					General Statistics							
790				Number of Valid Data		46				Number of Detected Data		22
791				Number of Distinct Detected Data		18				Number of Non-Detect Data		24
792				Number of Missing Values		2				Percent Non-Detects		52.17%
793												
794			Raw Statistics						Log-transformed Statistics			
795				Minimum Detected		1.4				Minimum Detected		0.336

	Value		Value
Maximum Detected	40	Maximum Detected	3.689
Mean of Detected	15.31	Mean of Detected	2.561
SD of Detected	8.425	SD of Detected	0.668
Minimum Non-Detect	0.5	Minimum Non-Detect	-0.693
Maximum Non-Detect	20	Maximum Non-Detect	2.996
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	41
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	5
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	89.13%
UCL Statistics			
Normal Distribution Test with Detected Values Only		**Lognormal Distribution Test with Detected Values Only**	
Shapiro Wilk Test Statistic	0.919	Shapiro Wilk Test Statistic	0.879
5% Shapiro Wilk Critical Value	0.911	5% Shapiro Wilk Critical Value	0.911
Data appear Normal at 5% Significance Level		**Data not Lognormal at 5% Significance Level**	
Assuming Normal Distribution		**Assuming Lognormal Distribution**	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	8.786	Mean	1.226
SD	8.999	SD	1.706
95% DL/2 (t) UCL	11.01	95% H-Stat (DL/2) UCL	15.83
Maximum Likelihood Estimate(MLE) Method		Log ROS Method	
Mean	30	Mean in Log Scale	1.893
SD	6.693	SD in Log Scale	0.826
95% MLE (t) UCL	31.66	Mean in Original Scale	9.327
95% MLE (Tiku) UCL	34.89	SD in Original Scale	8.264
		95% Percentile Bootstrap UCL	11.3
		95% BCA Bootstrap UCL	11.7
Gamma Distribution Test with Detected Values Only		**Data Distribution Test with Detected Values Only**	
k star (bias corrected)	2.745	**Data appear Normal at 5% Significance Level**	
Theta Star	5.577		
nu star	120.8		
A-D Test Statistic	0.331	**Nonparametric Statistics**	
5% A-D Critical Value	0.749	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.749	Mean	8.642
5% K-S Critical Value	0.187	SD	8.911
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	1.384
		95% KM (t) UCL	10.97
Assuming Gamma Distribution		95% KM (z) UCL	10.92
Gamma ROS Statistics using Extrapolated Data		95% KM (jackknife) UCL	11.12
Minimum	1.4	95% KM (bootstrap t) UCL	11.04
Maximum	40	95% KM (BCA) UCL	13.47
Mean	15.21	95% KM (Percentile Bootstrap) UCL	12.84
Median	12.83	95% KM (Chebyshev) UCL	14.68
SD	7.267	97.5% KM (Chebyshev) UCL	17.29
k star	4.222	99% KM (Chebyshev) UCL	22.41
Theta star	3.603		
Nu star	388.5	**Potential UCLs to Use**	
AppChi2	343.8	95% KM (t) UCL	10.97
95% Gamma Approximate UCL	17.19	95% KM (Percentile Bootstrap) UCL	12.84

	A	B	C	D	E	F	G	H	I	J	K	L
849				95% Adjusted Gamma UCL		17.26						
850	Note: DL/2 is not a recommended method.											
851												
852												
853	Thallium											
854												
855				General Statistics								
856				Number of Valid Data		17			Number of Detected Data			16
857				Number of Distinct Detected Data		13			Number of Non-Detect Data			1
858				Number of Missing Values		31			Percent Non-Detects			5.88%
859												
860				Raw Statistics					Log-transformed Statistics			
861				Minimum Detected		0.059			Minimum Detected			-2.83
862				Maximum Detected		11			Maximum Detected			2.398
863				Mean of Detected		3.766			Mean of Detected			-0.24
864				SD of Detected		4.354			SD of Detected			2.177
865				Minimum Non-Detect		4			Minimum Non-Detect			1.386
866				Maximum Non-Detect		4			Maximum Non-Detect			1.386
867												
868												
869				UCL Statistics								
870			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
871				Shapiro Wilk Test Statistic		0.744			Shapiro Wilk Test Statistic			0.754
872				5% Shapiro Wilk Critical Value		0.887			5% Shapiro Wilk Critical Value			0.887
873			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
874												
875			Assuming Normal Distribution						Assuming Lognormal Distribution			
876				DL/2 Substitution Method					DL/2 Substitution Method			
877				Mean		3.662			Mean			-0.185
878				SD		4.237			SD			2.12
879				95% DL/2 (t) UCL		5.456			95% H-Stat (DL/2) UCL			83.51
880												
881			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
882				Mean		3.365			Mean in Log Scale			-0.314
883				SD		4.938			SD in Log Scale			2.13
884				95% MLE (t) UCL		5.456			Mean in Original Scale			3.557
885				95% MLE (Tiku) UCL		6.226			SD in Original Scale			4.302
886									95% Percentile Bootstrap UCL			5.289
887									95% BCA Bootstrap UCL			5.468
888												
889			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
890				k star (bias corrected)		0.381		Data do not follow a Discernable Distribution (0.05)				
891				Theta Star		9.889						
892				nu star		12.19						
893												
894				A-D Test Statistic		1.993			Nonparametric Statistics			
895				5% A-D Critical Value		0.813			Kaplan-Meier (KM) Method			
896				K-S Test Statistic		0.813			Mean			3.552
897				5% K-S Critical Value		0.23			SD			4.178
898			Data not Gamma Distributed at 5% Significance Level						SE of Mean			1.046
899									95% KM (t) UCL			5.379
900			Assuming Gamma Distribution						95% KM (z) UCL			5.274
901			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			5.376

	A	B	C	D	E	F	G	H	I	J	K	L
902					Minimum	0.059				95% KM (bootstrap t) UCL		5.485
903					Maximum	11				95% KM (BCA) UCL		5.166
904					Mean	3.595				95% KM (Percentile Bootstrap) UCL		5.282
905					Median	0.329				95% KM (Chebyshev) UCL		8.114
906					SD	4.274				97.5% KM (Chebyshev) UCL		10.09
907					k star	0.393				99% KM (Chebyshev) UCL		13.96
908					Theta star	9.146						
909					Nu star	13.36				Potential UCLs to Use		
910					AppChi2	6.138				99% KM (Chebyshev) UCL		13.96
911			95% Gamma Approximate UCL			7.827						
912			95% Adjusted Gamma UCL			8.531						
913				Warning: Recommended UCL exceeds the maximum observation								
914	Note: DL/2 is not a recommended method.											
915												
916												
917	Total Aroclors											
918												
919					General Statistics							
920			Number of Valid Data			22				Number of Detected Data		13
921			Number of Distinct Detected Data			13				Number of Non-Detect Data		9
922			Number of Missing Values			18				Percent Non-Detects		40.91%
923												
924			Raw Statistics							Log-transformed Statistics		
925			Minimum Detected			11.57				Minimum Detected		2.448
926			Maximum Detected			330.9				Maximum Detected		5.802
927			Mean of Detected			88.91				Mean of Detected		4.048
928			SD of Detected			90.48				SD of Detected		0.99
929			Minimum Non-Detect			4.38				Minimum Non-Detect		1.477
930			Maximum Non-Detect			330				Maximum Non-Detect		5.799
931												
932	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		21
933	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1
934	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		95.45%
935												
936					UCL Statistics							
937			Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only		
938			Shapiro Wilk Test Statistic			0.798				Shapiro Wilk Test Statistic		0.978
939			5% Shapiro Wilk Critical Value			0.866				5% Shapiro Wilk Critical Value		0.866
940			Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level		
941												
942			Assuming Normal Distribution							Assuming Lognormal Distribution		
943			DL/2 Substitution Method							DL/2 Substitution Method		
944			Mean			70.82				Mean		3.753
945			SD			77.68				SD		1.101
946			95% DL/2 (t) UCL			99.31				95% H-Stat (DL/2) UCL		113.8
947												
948			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
949			MLE method failed to converge properly							Mean in Log Scale		3.609
950										SD in Log Scale		0.979
951										Mean in Original Scale		61.36
952										SD in Original Scale		76.48
953										95% Percentile Bootstrap UCL		89.78
954										95% BCA Bootstrap UCL		100.3

	A	B	C	D	E	F	G	H	I	J	K	L
955												
956		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
957					k star (bias corrected)	1.034		Data appear Gamma Distributed at 5% Significance Level				
958					Theta Star	86.01						
959					nu star	26.87						
960												
961					A-D Test Statistic	0.304		Nonparametric Statistics				
962					5% A-D Critical Value	0.753		Kaplan-Meier (KM) Method				
963					K-S Test Statistic	0.753					Mean	63.53
964					5% K-S Critical Value	0.242					SD	74.89
965		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	16.94
966											95% KM (t) UCL	92.67
967		Assuming Gamma Distribution									95% KM (z) UCL	91.39
968		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	91.78
969					Minimum	1E-09					95% KM (bootstrap t) UCL	111.9
970					Maximum	330.9					95% KM (BCA) UCL	94.66
971					Mean	82.23					95% KM (Percentile Bootstrap) UCL	92.63
972					Median	79.07					95% KM (Chebyshev) UCL	137.4
973					SD	71.92					97.5% KM (Chebyshev) UCL	169.3
974					k star	0.435					99% KM (Chebyshev) UCL	232
975					Theta star	189.1						
976					Nu star	19.13		Potential UCLs to Use				
977					AppChi2	10.21					95% KM (t) UCL	92.67
978			95% Gamma Approximate UCL			154						
979			95% Adjusted Gamma UCL			161.7						
980	Note: DL/2 is not a recommended method.											
981												
982												
983	Total DDT											
984												
985					General Statistics							
986			Number of Valid Data			45			Number of Detected Data			45
987		Number of Distinct Detected Data				43			Number of Non-Detect Data			0
988			Number of Missing Values			3			Percent Non-Detects			0.00%
989												
990		Raw Statistics						Log-transformed Statistics				
991				Minimum Detected		3.88				Minimum Detected		1.356
992				Maximum Detected		23000				Maximum Detected		10.04
993				Mean of Detected		2347				Mean of Detected		6.449
994				SD of Detected		4236				SD of Detected		1.876
995				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
996				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
997												
998												
999					UCL Statistics							
1000		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1001				Shapiro Wilk Test Statistic		0.585				Shapiro Wilk Test Statistic		0.976
1002			5% Shapiro Wilk Critical Value			0.945			5% Shapiro Wilk Critical Value			0.945
1003		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1004												
1005		Assuming Normal Distribution						Assuming Lognormal Distribution				
1006				DL/2 Substitution Method						DL/2 Substitution Method		
1007					Mean	2347					Mean	6.449

	A	B	C	D	E	F	G	H	I	J	K	L
1008					SD	4236					SD	1.876
1009					95% DL/2 (t) UCL	3408					95% H-Stat (DL/2) UCL	9674
1010												
1011			Maximum Likelihood Estimate(MLE) Method			N/A					Log ROS Method	
1012			MLE method failed to converge properly								Mean in Log Scale	N/A
1013											SD in Log Scale	N/A
1014											Mean in Original Scale	N/A
1015											SD in Original Scale	N/A
1016											95% Percentile Bootstrap UCL	N/A
1017											95% BCA Bootstrap UCL	N/A
1018												
1019			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1020				k star (bias corrected)		0.469			Data appear Lognormal at 5% Significance Level			
1021					Theta Star	5006						
1022					nu star	42.19						
1023												
1024					A-D Test Statistic	0.836			Nonparametric Statistics			
1025				5% A-D Critical Value		0.817			Kaplan-Meier (KM) Method			
1026					K-S Test Statistic	0.817					Mean	2347
1027				5% K-S Critical Value		0.14					SD	4189
1028			Data not Gamma Distributed at 5% Significance Level								SE of Mean	631.5
1029											95% KM (t) UCL	3408
1030			Assuming Gamma Distribution								95% KM (z) UCL	3385
1031			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	3408
1032					Minimum	3.88					95% KM (bootstrap t) UCL	4039
1033					Maximum	23000					95% KM (BCA) UCL	3559
1034					Mean	2347					95% KM (Percentile Bootstrap) UCL	3354
1035					Median	720					95% KM (Chebyshev) UCL	5099
1036					SD	4236					97.5% KM (Chebyshev) UCL	6290
1037					k star	0.469					99% KM (Chebyshev) UCL	8629
1038					Theta star	5006						
1039					Nu star	42.19			Potential UCLs to Use			
1040					AppChi2	28.3					97.5% KM (Chebyshev) UCL	6290
1041			95% Gamma Approximate UCL			3498						
1042			95% Adjusted Gamma UCL			3546						
1043	Note: DL/2 is not a recommended method.											
1044												
1045												
1046	Total Dioxin/Furan TEQ											
1047												
1048					General Statistics							
1049				Number of Valid Data		9					Number of Detected Data	9
1050			Number of Distinct Detected Data			9					Number of Non-Detect Data	0
1051				Number of Missing Values		31					Percent Non-Detects	0.00%
1052												
1053			Raw Statistics						Log-transformed Statistics			
1054					Minimum Detected	3.011					Minimum Detected	1.102
1055					Maximum Detected	14114					Maximum Detected	9.555
1056					Mean of Detected	1657					Mean of Detected	4.486
1057					SD of Detected	4672					SD of Detected	2.419
1058				Minimum Non-Detect		N/A					Minimum Non-Detect	N/A
1059				Maximum Non-Detect		N/A					Maximum Non-Detect	N/A
1060												

	A	B	C	D	E	F	G	H	I	J	K	L
1061												
1062					Warning: There are only 9 Detected Values in this data							
1063					Note: It should be noted that even though bootstrap may be performed on this data set							
1064					the resulting calculations may not be reliable enough tp draw conclusions							
1065												
1066				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
1067												
1068												
1069						UCL Statistics						
1070			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
1071					Shapiro Wilk Test Statistic	0.407				Shapiro Wilk Test Statistic		0.922
1072					5% Shapiro Wilk Critical Value	0.829				5% Shapiro Wilk Critical Value		0.829
1073			Data not Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
1074												
1075			Assuming Normal Distribution					Assuming Lognormal Distribution				
1076					DL/2 Substitution Method					DL/2 Substitution Method		
1077					Mean	1657				Mean		4.486
1078					SD	4672				SD		2.419
1079					95% DL/2 (t) UCL	4553				95% H-Stat (DL/2) UCL		557047
1080												
1081					Maximum Likelihood Estimate(MLE) Method	N/A				Log ROS Method		
1082			MLE method failed to converge properly							Mean in Log Scale		N/A
1083										SD in Log Scale		N/A
1084										Mean in Original Scale		N/A
1085										SD in Original Scale		N/A
1086										95% Percentile Bootstrap UCL		N/A
1087										95% BCA Bootstrap UCL		N/A
1088												
1089			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
1090					k star (bias corrected)	0.237		Data appear Lognormal at 5% Significance Level				
1091					Theta Star	7006						
1092					nu star	4.257						
1093												
1094					A-D Test Statistic	1.266		Nonparametric Statistics				
1095					5% A-D Critical Value	0.829				Kaplan-Meier (KM) Method		
1096					K-S Test Statistic	0.829				Mean		1657
1097					5% K-S Critical Value	0.305				SD		4405
1098			Data not Gamma Distributed at 5% Significance Level							SE of Mean		1557
1099										95% KM (t) UCL		4553
1100			Assuming Gamma Distribution							95% KM (z) UCL		4219
1101			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		4553
1102					Minimum	3.011				95% KM (bootstrap t) UCL		100986
1103					Maximum	14114				95% KM (BCA) UCL		4773
1104					Mean	1657				95% KM (Percentile Bootstrap) UCL		4752
1105					Median	106.8				95% KM (Chebyshev) UCL		8446
1106					SD	4672				97.5% KM (Chebyshev) UCL		11383
1107					k star	0.237				99% KM (Chebyshev) UCL		17153
1108					Theta star	7006						
1109					Nu star	4.257		Potential UCLs to Use				
1110					AppChi2	0.826				99% KM (Chebyshev) UCL		17153
1111			95% Gamma Approximate UCL			8541						
1112			95% Adjusted Gamma UCL			12602						
1113					Warning: Recommended UCL exceeds the maximum observation							

	A	B	C	D	E	F	G	H	I	J	K	L
1114	Note: DL/2 is not a recommended method.											
1115												
1116												
1117	Total Dioxin-like PCBs											
1118												
1119					General Statistics							
1120			Number of Valid Data			7			Number of Detected Data			7
1121			Number of Distinct Detected Data			7			Number of Non-Detect Data			0
1122			Number of Missing Values			15			Percent Non-Detects			0.00%
1123												
1124			Raw Statistics						Log-transformed Statistics			
1125			Minimum Detected			1574			Minimum Detected			7.361
1126			Maximum Detected			50779			Maximum Detected			10.84
1127			Mean of Detected			14973			Mean of Detected			8.999
1128			SD of Detected			18203			SD of Detected			1.205
1129			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
1130			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
1131												
1132												
1133					Warning: There are only 7 Detected Values in this data							
1134					Note: It should be noted that even though bootstrap may be performed on this data set							
1135					the resulting calculations may not be reliable enough tp draw conclusions							
1136												
1137					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
1138												
1139												
1140					UCL Statistics							
1141			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1142			Shapiro Wilk Test Statistic			0.755			Shapiro Wilk Test Statistic			0.956
1143			5% Shapiro Wilk Critical Value			0.803			5% Shapiro Wilk Critical Value			0.803
1144			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1145												
1146			Assuming Normal Distribution						Assuming Lognormal Distribution			
1147			DL/2 Substitution Method						DL/2 Substitution Method			
1148			Mean			14973			Mean			8.999
1149			SD			18203			SD			1.205
1150			95% DL/2 (t) UCL			28342			95% H-Stat (DL/2) UCL			137980
1151												
1152			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1153			MLE method failed to converge properly						Mean in Log Scale			N/A
1154									SD in Log Scale			N/A
1155									Mean in Original Scale			N/A
1156									SD in Original Scale			N/A
1157									95% Percentile Bootstrap UCL			N/A
1158									95% BCA Bootstrap UCL			N/A
1159												
1160			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1161			k star (bias corrected)			0.635			Data appear Gamma Distributed at 5% Significance Level			
1162			Theta Star			23586						
1163			nu star			8.887						
1164												
1165			A-D Test Statistic			0.428			Nonparametric Statistics			
1166			5% A-D Critical Value			0.729			Kaplan-Meier (KM) Method			

	A	B	C	D	E	F	G	H	I	J	K	L
1167				K-S Test Statistic		0.729					Mean	14973
1168				5% K-S Critical Value		0.32					SD	16853
1169		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	6880
1170											95% KM (t) UCL	28342
1171		Assuming Gamma Distribution									95% KM (z) UCL	26290
1172		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	28342
1173				Minimum		1574					95% KM (bootstrap t) UCL	91247
1174				Maximum		50779					95% KM (BCA) UCL	27577
1175				Mean		14973					95% KM (Percentile Bootstrap) UCL	27356
1176				Median		6685					95% KM (Chebyshev) UCL	44963
1177				SD		18203					97.5% KM (Chebyshev) UCL	57940
1178				k star		0.635					99% KM (Chebyshev) UCL	83430
1179				Theta star		23586						
1180				Nu star		8.887			Potential UCLs to Use			
1181				AppChi2		3.259					95% KM (Chebyshev) UCL	44963
1182			95% Gamma Approximate UCL			40830						
1183			95% Adjusted Gamma UCL			57372						
1184	Note: DL/2 is not a recommended method.											
1185												
1186												
1187	Total PCB TEQ											
1188												
1189					General Statistics							
1190			Number of Valid Data			7				Number of Detected Data		7
1191			Number of Distinct Detected Data			7				Number of Non-Detect Data		0
1192				Number of Missing Values		15				Percent Non-Detects		0.00%
1193												
1194			Raw Statistics						Log-transformed Statistics			
1195				Minimum Detected		0.78				Minimum Detected		-0.249
1196				Maximum Detected		33.2				Maximum Detected		3.502
1197				Mean of Detected		7.65				Mean of Detected		1.346
1198				SD of Detected		11.51				SD of Detected		1.183
1199				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1200				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1201												
1202												
1203				Warning: There are only 7 Detected Values in this data								
1204				Note: It should be noted that even though bootstrap may be performed on this data set								
1205				the resulting calculations may not be reliable enough tp draw conclusions								
1206												
1207				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
1208												
1209												
1210					UCL Statistics							
1211		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1212				Shapiro Wilk Test Statistic		0.622				Shapiro Wilk Test Statistic		0.935
1213				5% Shapiro Wilk Critical Value		0.803				5% Shapiro Wilk Critical Value		0.803
1214		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1215												
1216		Assuming Normal Distribution						Assuming Lognormal Distribution				
1217				DL/2 Substitution Method						DL/2 Substitution Method		
1218				Mean		7.65				Mean		1.346
1219				SD		11.51				SD		1.183

	A	B	C	D	E	F	G	H	I	J	K	L
1220				95% DL/2 (t) UCL		16.11				95% H-Stat (DL/2) UCL		59.64
1221												
1222			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1223		MLE method failed to converge properly								Mean in Log Scale		N/A
1224										SD in Log Scale		N/A
1225										Mean in Original Scale		N/A
1226										SD in Original Scale		N/A
1227										95% Percentile Bootstrap UCL		N/A
1228										95% BCA Bootstrap UCL		N/A
1229												
1230		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1231				k star (bias corrected)		0.584		Data Follow Appr. Gamma Distribution at 5% Significance Level				
1232				Theta Star		13.11						
1233				nu star		8.172						
1234												
1235				A-D Test Statistic		0.642		Nonparametric Statistics				
1236				5% A-D Critical Value		0.733		Kaplan-Meier (KM) Method				
1237				K-S Test Statistic		0.733				Mean		7.65
1238				5% K-S Critical Value		0.321				SD		10.66
1239		Data follow Appr. Gamma Distribution at 5% Significance Level								SE of Mean		4.352
1240										95% KM (t) UCL		16.11
1241		Assuming Gamma Distribution								95% KM (z) UCL		14.81
1242		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		16.11
1243				Minimum		0.78				95% KM (bootstrap t) UCL		73.02
1244				Maximum		33.2				95% KM (BCA) UCL		16.09
1245				Mean		7.65				95% KM (Percentile Bootstrap) UCL		15.94
1246				Median		3.11				95% KM (Chebyshev) UCL		26.62
1247				SD		11.51				97.5% KM (Chebyshev) UCL		34.83
1248				k star		0.584				99% KM (Chebyshev) UCL		50.95
1249				Theta star		13.11						
1250				Nu star		8.172		Potential UCLs to Use				
1251				AppChi2		2.835				95% KM (Chebyshev) UCL		26.62
1252		95% Gamma Approximate UCL				22.05						
1253		95% Adjusted Gamma UCL				31.63						
1254	Note: DL/2 is not a recommended method.											
1255												
1256												
1257	Total PCB_Congeners											
1258												
1259					General Statistics							
1260				Number of Valid Data		7				Number of Detected Data		7
1261			Number of Distinct Detected Data			7				Number of Non-Detect Data		0
1262				Number of Missing Values		15				Percent Non-Detects		0.00%
1263												
1264			Raw Statistics							Log-transformed Statistics		
1265				Minimum Detected		34030				Minimum Detected		10.44
1266				Maximum Detected		972238				Maximum Detected		13.79
1267				Mean of Detected		274023				Mean of Detected		11.87
1268				SD of Detected		345535				SD of Detected		1.23
1269				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1270				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1271												
1272												

	A	B	C	D	E	F	G	H	I	J	K	L
1273	Warning: There are only 7 Detected Values in this data											
1274	Note: It should be noted that even though bootstrap may be performed on this data set											
1275	the resulting calculations may not be reliable enough tp draw conclusions											
1276												
1277	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
1278												
1279												
1280	UCL Statistics											
1281	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
1282	Shapiro Wilk Test Statistic					0.74	Shapiro Wilk Test Statistic					0.926
1283	5% Shapiro Wilk Critical Value					0.803	5% Shapiro Wilk Critical Value					0.803
1284	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
1285												
1286	Assuming Normal Distribution						Assuming Lognormal Distribution					
1287	DL/2 Substitution Method						DL/2 Substitution Method					
1288	Mean					274023	Mean					11.87
1289	SD					345535	SD					1.23
1290	95% DL/2 (t) UCL					527802	95% H-Stat (DL/2) UCL					2734008
1291												
1292	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
1293	MLE method failed to converge properly						Mean in Log Scale					N/A
1294							SD in Log Scale					N/A
1295							Mean in Original Scale					N/A
1296							SD in Original Scale					N/A
1297							95% Percentile Bootstrap UCL					N/A
1298							95% BCA Bootstrap UCL					N/A
1299												
1300	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
1301	k star (bias corrected)					0.61	Data appear Gamma Distributed at 5% Significance Level					
1302	Theta Star					448905						
1303	nu star					8.546						
1304												
1305	A-D Test Statistic					0.467	Nonparametric Statistics					
1306	5% A-D Critical Value					0.731	Kaplan-Meier (KM) Method					
1307	K-S Test Statistic					0.731	Mean					274023
1308	5% K-S Critical Value					0.321	SD					319903
1309	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					130600
1310							95% KM (t) UCL					527802
1311	Assuming Gamma Distribution						95% KM (z) UCL					488840
1312	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					527802
1313	Minimum					34030	95% KM (bootstrap t) UCL					1652241
1314	Maximum					972238	95% KM (BCA) UCL					474559
1315	Mean					274023	95% KM (Percentile Bootstrap) UCL					491082
1316	Median					121879	95% KM (Chebyshev) UCL					843294
1317	SD					345535	97.5% KM (Chebyshev) UCL					1089618
1318	k star					0.61	99% KM (Chebyshev) UCL					1573474
1319	Theta star					448905						
1320	Nu star					8.546	Potential UCLs to Use					
1321	AppChi2					3.055	95% KM (Chebyshev) UCL					843294
1322	95% Gamma Approximate UCL					766515						
1323	95% Adjusted Gamma UCL					1087237						
1324	Note: DL/2 is not a recommended method.											
1325												

	A	B	C	D	E	F	G	H	I	J	K	L
1326												
1327	Total PCBs, Adjusted											
1328												
1329						General Statistics						
1330				Number of Valid Data		7			Number of Detected Data			7
1331			Number of Distinct Detected Data			7			Number of Non-Detect Data			0
1332				Number of Missing Values		15			Percent Non-Detects			0.00%
1333												
1334			Raw Statistics						Log-transformed Statistics			
1335				Minimum Detected		32457			Minimum Detected			10.39
1336				Maximum Detected		921459			Maximum Detected			13.73
1337				Mean of Detected		259050			Mean of Detected			11.81
1338				SD of Detected		327366			SD of Detected			1.233
1339				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
1340				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
1341												
1342												
1343						Warning: There are only 7 Detected Values in this data						
1344					Note: It should be noted that even though bootstrap may be performed on this data set							
1345						the resulting calculations may not be reliable enough tp draw conclusions						
1346												
1347				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1348												
1349												
1350						UCL Statistics						
1351			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1352				Shapiro Wilk Test Statistic		0.739			Shapiro Wilk Test Statistic			0.923
1353				5% Shapiro Wilk Critical Value		0.803			5% Shapiro Wilk Critical Value			0.803
1354			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1355												
1356			Assuming Normal Distribution						Assuming Lognormal Distribution			
1357				DL/2 Substitution Method						DL/2 Substitution Method		
1358					Mean	259050				Mean		11.81
1359					SD	327366				SD		1.233
1360				95% DL/2 (t) UCL		499485			95% H-Stat (DL/2) UCL			2616853
1361												
1362			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1363			MLE method failed to converge properly						Mean in Log Scale			N/A
1364									SD in Log Scale			N/A
1365									Mean in Original Scale			N/A
1366									SD in Original Scale			N/A
1367									95% Percentile Bootstrap UCL			N/A
1368									95% BCA Bootstrap UCL			N/A
1369												
1370			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1371				k star (bias corrected)		0.608			Data appear Gamma Distributed at 5% Significance Level			
1372				Theta Star		425811						
1373				nu star		8.517						
1374												
1375				A-D Test Statistic		0.469			Nonparametric Statistics			
1376				5% A-D Critical Value		0.731			Kaplan-Meier (KM) Method			
1377				K-S Test Statistic		0.731				Mean		259050
1378				5% K-S Critical Value		0.321				SD		303082

	A	B	C	D	E	F	G	H	I	J	K	L
1379	**Data appear Gamma Distributed at 5% Significance Level**										SE of Mean	123733
1380											95% KM (t) UCL	499485
1381	**Assuming Gamma Distribution**										95% KM (z) UCL	462572
1382	Gamma ROS Statistics using Extrapolated Data										95% KM (jackknife) UCL	499485
1383					Minimum	32457					95% KM (bootstrap t) UCL	1532168
1384					Maximum	921459					95% KM (BCA) UCL	450540
1385					Mean	259050					95% KM (Percentile Bootstrap) UCL	454885
1386					Median	116073					95% KM (Chebyshev) UCL	798388
1387					SD	327366					97.5% KM (Chebyshev) UCL	1031760
1388					k star	0.608					99% KM (Chebyshev) UCL	1490174
1389					Theta star	425811						
1390					Nu star	8.517			**Potential UCLs to Use**			
1391					AppChi2	3.038					95% KM (Chebyshev) UCL	798388
1392			95% Gamma Approximate UCL			726249						
1393			95% Adjusted Gamma UCL			1030972						
1394	**Note: DL/2 is not a recommended method.**											
1395												

	A	B	C	D	E	F	G	H	I	J	K	L
1							General UCL Statistics for Data Sets with Non-Detects					
2		User Selected Options										
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM7.5E.wst								
4			Full Precision	OFF								
5			Confidence Coefficient	95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Arsenic											
10												
11							General Statistics					
12				Number of Valid Data		15				Number of Detected Data		8
13			Number of Distinct Detected Data			8				Number of Non-Detect Data		7
14										Percent Non-Detects		46.67%
15												
16			Raw Statistics					Log-transformed Statistics				
17				Minimum Detected		3.1				Minimum Detected		1.131
18				Maximum Detected		5.3				Maximum Detected		1.668
19				Mean of Detected		3.97				Mean of Detected		1.367
20				SD of Detected		0.668				SD of Detected		0.162
21				Minimum Non-Detect		5				Minimum Non-Detect		1.609
22				Maximum Non-Detect		5				Maximum Non-Detect		1.609
23												
24												
25						Warning: There are only 8 Detected Values in this data						
26					Note: It should be noted that even though bootstrap may be performed on this data set							
27						the resulting calculations may not be reliable enough tp draw conclusions						
28												
29				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
30												
31												
32							UCL Statistics					
33		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
34				Shapiro Wilk Test Statistic		0.927				Shapiro Wilk Test Statistic		0.958
35				5% Shapiro Wilk Critical Value		0.818				5% Shapiro Wilk Critical Value		0.818
36		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
37												
38		Assuming Normal Distribution						Assuming Lognormal Distribution				
39				DL/2 Substitution Method						DL/2 Substitution Method		
40				Mean		3.284				Mean		1.157
41				SD		0.894				SD		0.26
42				95% DL/2 (t) UCL		3.691				95% H-Stat (DL/2) UCL		3.705
43												
44			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
45		MLE method failed to converge properly								Mean in Log Scale		1.348
46										SD in Log Scale		0.141
47										Mean in Original Scale		3.887
48										SD in Original Scale		0.566
49										95% Percentile Bootstrap UCL		4.132
50										95% BCA Bootstrap UCL		4.159
51												
52		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
53				k star (bias corrected)		26.71		Data appear Normal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
54					Theta Star	0.149						
55					nu star	427.4						
56												
57					A-D Test Statistic	0.292		Nonparametric Statistics				
58					5% A-D Critical Value	0.715			Kaplan-Meier (KM) Method			
59					K-S Test Statistic	0.715					Mean	3.881
60					5% K-S Critical Value	0.294					SD	0.539
61		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.183
62											95% KM (t) UCL	4.203
63		Assuming Gamma Distribution									95% KM (z) UCL	4.182
64		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	4.21
65					Minimum	3.1					95% KM (bootstrap t) UCL	4.241
66					Maximum	5.3					95% KM (BCA) UCL	4.146
67					Mean	3.973				95% KM (Percentile Bootstrap) UCL		4.175
68					Median	3.969					95% KM (Chebyshev) UCL	4.677
69					SD	0.473					97.5% KM (Chebyshev) UCL	5.021
70					k star	63.72					99% KM (Chebyshev) UCL	5.698
71					Theta star	0.0624						
72					Nu star	1912		Potential UCLs to Use				
73					AppChi2	1811					95% KM (t) UCL	4.203
74				95% Gamma Approximate UCL		4.194				95% KM (Percentile Bootstrap) UCL		4.175
75				95% Adjusted Gamma UCL		4.222						
76	Note: DL/2 is not a recommended method.											
77												
78												
79	Benzo(a)anthracene											
80												
81						General Statistics						
82			Number of Valid Data			15				Number of Detected Data		11
83		Number of Distinct Detected Data				8				Number of Non-Detect Data		4
84										Percent Non-Detects		26.67%
85												
86		Raw Statistics						Log-transformed Statistics				
87				Minimum Detected		13				Minimum Detected		2.565
88				Maximum Detected		120				Maximum Detected		4.787
89				Mean of Detected		31.27				Mean of Detected		3.177
90				SD of Detected		31.24				SD of Detected		0.676
91				Minimum Non-Detect		19				Minimum Non-Detect		2.944
92				Maximum Non-Detect		20				Maximum Non-Detect		2.996
93												
94	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		9
95	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		6
96	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		60.00%
97												
98						UCL Statistics						
99		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
100			Shapiro Wilk Test Statistic			0.619				Shapiro Wilk Test Statistic		0.85
101			5% Shapiro Wilk Critical Value			0.85				5% Shapiro Wilk Critical Value		0.85
102		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
103												
104		Assuming Normal Distribution						Assuming Lognormal Distribution				
105			DL/2 Substitution Method							DL/2 Substitution Method		
106				Mean		25.53				Mean		2.937

	A	B	C	D	E	F	G	H	I	J	K	L
107					SD	28.18					SD	0.705
108					95% DL/2 (t) UCL	38.35					95% H-Stat (DL/2) UCL	33.55
109												
110			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
111					Mean	3.21					Mean in Log Scale	3.021
112					SD	47.45					SD in Log Scale	0.64
113					95% MLE (t) UCL	24.79					Mean in Original Scale	26.56
114					95% MLE (Tiku) UCL	34.25					SD in Original Scale	27.65
115											95% Percentile Bootstrap UCL	39.23
116											95% BCA Bootstrap UCL	49.69
117												
118			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
119					k star (bias corrected)	1.541			Data Follow Appr. Gamma Distribution at 5% Significance Level			
120					Theta Star	20.29						
121					nu star	33.9						
122												
123					A-D Test Statistic	0.943			Nonparametric Statistics			
124					5% A-D Critical Value	0.739				Kaplan-Meier (KM) Method		
125					K-S Test Statistic	0.739					Mean	26.7
126					5% K-S Critical Value	0.258					SD	26.63
127		Data follow Appr. Gamma Distribution at 5% Significance Level									SE of Mean	7.217
128											95% KM (t) UCL	39.41
129			Assuming Gamma Distribution								95% KM (z) UCL	38.57
130			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	39.25
131					Minimum	9.741					95% KM (bootstrap t) UCL	64.76
132					Maximum	120					95% KM (BCA) UCL	39.6
133					Mean	28.87					95% KM (Percentile Bootstrap) UCL	39.6
134					Median	21					95% KM (Chebyshev) UCL	58.16
135					SD	27.36					97.5% KM (Chebyshev) UCL	71.77
136					k star	1.817					99% KM (Chebyshev) UCL	98.51
137					Theta star	15.89						
138					Nu star	54.51			Potential UCLs to Use			
139					AppChi2	38.54					95% KM (Percentile Bootstrap) UCL	39.6
140			95% Gamma Approximate UCL			40.83						
141			95% Adjusted Gamma UCL			42.66						
142	Note: DL/2 is not a recommended method.											
143												
144												
145	Benzo(a)pyrene											
146												
147					General Statistics							
148			Number of Valid Data			15				Number of Detected Data		12
149			Number of Distinct Detected Data			9				Number of Non-Detect Data		3
150											Percent Non-Detects	20.00%
151												
152			Raw Statistics							Log-transformed Statistics		
153					Minimum Detected	14					Minimum Detected	2.639
154					Maximum Detected	82					Maximum Detected	4.407
155					Mean of Detected	29.77					Mean of Detected	3.239
156					SD of Detected	19.61					SD of Detected	0.551
157					Minimum Non-Detect	19					Minimum Non-Detect	2.944
158					Maximum Non-Detect	20					Maximum Non-Detect	2.996
159												

	A	B	C	D	E	F	G	H	I	J	K	L
160	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			8
161	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			7
162	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			53.33%
163												
164					UCL Statistics							
165		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
166			Shapiro Wilk Test Statistic			0.779				Shapiro Wilk Test Statistic		0.907
167			5% Shapiro Wilk Critical Value			0.859				5% Shapiro Wilk Critical Value		0.859
168		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
169												
170		Assuming Normal Distribution							Assuming Lognormal Distribution			
171			DL/2 Substitution Method							DL/2 Substitution Method		
172				Mean		25.75				Mean		3.045
173				SD		19.27				SD		0.633
174			95% DL/2 (t) UCL			34.51				95% H-Stat (DL/2) UCL		32.32
175												
176		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
177				Mean		16.32				Mean in Log Scale		3.13
178				SD		28.72				SD in Log Scale		0.542
179			95% MLE (t) UCL			29.38				Mean in Original Scale		26.79
180			95% MLE (Tiku) UCL			33.11				SD in Original Scale		18.46
181										95% Percentile Bootstrap UCL		34.48
182										95% BCA Bootstrap UCL		37.59
183												
184		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
185			k star (bias corrected)			2.609		Data appear Gamma Distributed at 5% Significance Level				
186			Theta Star			11.41						
187			nu star			62.61						
188												
189			A-D Test Statistic			0.558		Nonparametric Statistics				
190			5% A-D Critical Value			0.738			Kaplan-Meier (KM) Method			
191			K-S Test Statistic			0.738				Mean		26.8
192			5% K-S Critical Value			0.247				SD		17.81
193		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		4.805
194										95% KM (t) UCL		35.27
195		Assuming Gamma Distribution								95% KM (z) UCL		34.71
196		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		35.19
197				Minimum		11.78				95% KM (bootstrap t) UCL		41.59
198				Maximum		82				95% KM (BCA) UCL		35.21
199				Mean		27.75			95% KM (Percentile Bootstrap) UCL			34.79
200				Median		23				95% KM (Chebyshev) UCL		47.75
201				SD		18.07				97.5% KM (Chebyshev) UCL		56.81
202				k star		2.914				99% KM (Chebyshev) UCL		74.61
203				Theta star		9.525						
204				Nu star		87.41		Potential UCLs to Use				
205				AppChi2		66.85				95% KM (BCA) UCL		35.21
206			95% Gamma Approximate UCL			36.28						
207			95% Adjusted Gamma UCL			37.52						
208	Note: DL/2 is not a recommended method.											
209												
210												
211	Benzo(b)fluoranthene											
212												

	A	B	C	D	E	F	G	H	I	J	K	L
213						General Statistics						
214				Number of Valid Data		15				Number of Detected Data		12
215			Number of Distinct Detected Data			10				Number of Non-Detect Data		3
216										Percent Non-Detects		20.00%
217												
218			Raw Statistics						Log-transformed Statistics			
219				Minimum Detected		17				Minimum Detected		2.833
220				Maximum Detected		100				Maximum Detected		4.605
221				Mean of Detected		37.95				Mean of Detected		3.456
222				SD of Detected		25.92				SD of Detected		0.602
223				Minimum Non-Detect		19				Minimum Non-Detect		2.944
224				Maximum Non-Detect		20				Maximum Non-Detect		2.996
225												
226	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			5
227	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			10
228	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			33.33%
229												
230						UCL Statistics						
231		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
232				Shapiro Wilk Test Statistic		0.785				Shapiro Wilk Test Statistic		0.843
233				5% Shapiro Wilk Critical Value		0.859				5% Shapiro Wilk Critical Value		0.859
234		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
235												
236		Assuming Normal Distribution						Assuming Lognormal Distribution				
237				DL/2 Substitution Method						DL/2 Substitution Method		
238					Mean	32.29				Mean		3.218
239					SD	25.79				SD		0.726
240				95% DL/2 (t) UCL		44.02				95% H-Stat (DL/2) UCL		43.79
241												
242		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
243					Mean	27.16				Mean in Log Scale		3.254
244					SD	31.11				SD in Log Scale		0.681
245				95% MLE (t) UCL		41.31				Mean in Original Scale		32.7
246				95% MLE (Tiku) UCL		42.29				SD in Original Scale		25.43
247										95% Percentile Bootstrap UCL		43.6
248										95% BCA Bootstrap UCL		46.83
249												
250		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
251				k star (bias corrected)		2.251		Data do not follow a Discernable Distribution (0.05)				
252					Theta Star	16.86						
253					nu star	54.03						
254												
255					A-D Test Statistic	0.99			Nonparametric Statistics			
256					5% A-D Critical Value	0.739				Kaplan-Meier (KM) Method		
257					K-S Test Statistic	0.739				Mean		33.79
258					5% K-S Critical Value	0.247				SD		23.7
259		Data not Gamma Distributed at 5% Significance Level								SE of Mean		6.393
260										95% KM (t) UCL		45.05
261		Assuming Gamma Distribution								95% KM (z) UCL		44.31
262		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		44.73
263					Minimum	4.878				95% KM (bootstrap t) UCL		51.35
264					Maximum	100				95% KM (BCA) UCL		44.33
265					Mean	32.97				95% KM (Percentile Bootstrap) UCL		44.09

	A	B	C	D	E	F	G	H	I	J	K	L
266					Median	21			95% KM (Chebyshev) UCL			61.66
267					SD	25.32			97.5% KM (Chebyshev) UCL			73.72
268					k star	1.79			99% KM (Chebyshev) UCL			97.4
269					Theta star	18.42						
270					Nu star	53.69			Potential UCLs to Use			
271					AppChi2	37.85			95% KM (BCA) UCL			44.33
272			95% Gamma Approximate UCL			46.76						
273			95% Adjusted Gamma UCL			48.87						
274	Note: DL/2 is not a recommended method.											
275												
276												
277	Benzo(k)fluoranthene											
278												
279					General Statistics							
280			Number of Valid Data			15			Number of Detected Data			11
281		Number of Distinct Detected Data				9			Number of Non-Detect Data			4
282									Percent Non-Detects			26.67%
283												
284			Raw Statistics						Log-transformed Statistics			
285			Minimum Detected			6.6			Minimum Detected			1.887
286			Maximum Detected			100			Maximum Detected			4.605
287			Mean of Detected			23.61			Mean of Detected			2.834
288			SD of Detected			26.29			SD of Detected			0.771
289			Minimum Non-Detect			19			Minimum Non-Detect			2.944
290			Maximum Non-Detect			20			Maximum Non-Detect			2.996
291												
292	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			10
293	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			5
294	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			66.67%
295												
296					UCL Statistics							
297		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
298			Shapiro Wilk Test Statistic			0.596			Shapiro Wilk Test Statistic			0.898
299			5% Shapiro Wilk Critical Value			0.85			5% Shapiro Wilk Critical Value			0.85
300		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
301												
302		Assuming Normal Distribution							Assuming Lognormal Distribution			
303			DL/2 Substitution Method						DL/2 Substitution Method			
304					Mean	19.91					Mean	2.685
305					SD	23.11					SD	0.7
306			95% DL/2 (t) UCL			30.42			95% H-Stat (DL/2) UCL			27.92
307												
308		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
309		MLE yields a negative mean							Mean in Log Scale			2.699
310									SD in Log Scale			0.704
311									Mean in Original Scale			20.13
312									SD in Original Scale			23.05
313									95% Percentile Bootstrap UCL			31.12
314									95% BCA Bootstrap UCL			37.12
315												
316		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
317			k star (bias corrected)			1.278			Data Follow Appr. Gamma Distribution at 5% Significance Level			
318					Theta Star	18.48						

	A	B	C	D	E	F	G	H	I	J	K	L
319					nu star	28.11						
320												
321				A-D Test Statistic		0.778			Nonparametric Statistics			
322				5% A-D Critical Value		0.741			Kaplan-Meier (KM) Method			
323				K-S Test Statistic		0.741					Mean	20.3
324				5% K-S Critical Value		0.259					SD	22.27
325		Data follow Appr. Gamma Distribution at 5% Significance Level									SE of Mean	6.08
326											95% KM (t) UCL	31.01
327			Assuming Gamma Distribution								95% KM (z) UCL	30.31
328			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	30.91
329					Minimum	6.6					95% KM (bootstrap t) UCL	46.93
330					Maximum	100					95% KM (BCA) UCL	31.76
331					Mean	22.81				95% KM (Percentile Bootstrap) UCL		31.03
332					Median	18					95% KM (Chebyshev) UCL	46.81
333					SD	23.02					97.5% KM (Chebyshev) UCL	58.28
334					k star	1.561					99% KM (Chebyshev) UCL	80.8
335					Theta star	14.61						
336					Nu star	46.83			Potential UCLs to Use			
337					AppChi2	32.13				95% KM (Percentile Bootstrap) UCL		31.03
338				95% Gamma Approximate UCL		33.24						
339				95% Adjusted Gamma UCL		34.87						
340	Note: DL/2 is not a recommended method.											
341												
342												
343	Bis(2-ethylhexyl) phthalate											
344												
345					General Statistics							
346			Number of Valid Data			15			Number of Detected Data			11
347			Number of Distinct Detected Data			9			Number of Non-Detect Data			4
348									Percent Non-Detects			26.67%
349												
350			Raw Statistics						Log-transformed Statistics			
351				Minimum Detected		100				Minimum Detected		4.605
352				Maximum Detected		7330				Maximum Detected		8.9
353				Mean of Detected		806.4				Mean of Detected		5.357
354				SD of Detected		2164				SD of Detected		1.203
355				Minimum Non-Detect		85				Minimum Non-Detect		4.443
356				Maximum Non-Detect		180				Maximum Non-Detect		5.193
357												
358	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			11
359	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			4
360	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			73.33%
361												
362					UCL Statistics							
363		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
364				Shapiro Wilk Test Statistic		0.362				Shapiro Wilk Test Statistic		0.55
365				5% Shapiro Wilk Critical Value		0.85				5% Shapiro Wilk Critical Value		0.85
366		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
367												
368		Assuming Normal Distribution						Assuming Lognormal Distribution				
369				DL/2 Substitution Method						DL/2 Substitution Method		
370					Mean	609.8					Mean	5.05
371					SD	1860					SD	1.155

	A	B	C	D	E	F	G	H	I	J	K	L
372					95% DL/2 (t) UCL	1456				95% H-Stat (DL/2) UCL		785.5
373												
374				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
375			MLE yields a negative mean							Mean in Log Scale		5.058
376										SD in Log Scale		1.174
377										Mean in Original Scale		612.1
378										SD in Original Scale		1859
379										95% Percentile Bootstrap UCL		1568
380										95% BCA Bootstrap UCL		2053
381												
382		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
383				k star (bias corrected)		0.409		Data do not follow a Discernable Distribution (0.05)				
384				Theta Star		1972						
385				nu star		8.996						
386												
387				A-D Test Statistic		2.991		Nonparametric Statistics				
388				5% A-D Critical Value		0.785				Kaplan-Meier (KM) Method		
389				K-S Test Statistic		0.785				Mean		621.9
390				5% K-S Critical Value		0.27				SD		1793
391		Data not Gamma Distributed at 5% Significance Level								SE of Mean		485.6
392										95% KM (t) UCL		1477
393		Assuming Gamma Distribution								95% KM (z) UCL		1421
394		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		1465
395				Minimum		100				95% KM (bootstrap t) UCL		29163
396				Maximum		7330				95% KM (BCA) UCL		1589
397				Mean		833.4				95% KM (Percentile Bootstrap) UCL		1580
398				Median		190				95% KM (Chebyshev) UCL		2739
399				SD		1830				97.5% KM (Chebyshev) UCL		3655
400				k star		0.545				99% KM (Chebyshev) UCL		5454
401				Theta star		1528						
402				Nu star		16.36		Potential UCLs to Use				
403				AppChi2		8.216				97.5% KM (Chebyshev) UCL		3655
404		95% Gamma Approximate UCL				1659						
405		95% Adjusted Gamma UCL				1814						
406	Note: DL/2 is not a recommended method.											
407												
408												
409	Dibenzo(a,h)anthracene											
410												
411							General Statistics					
412				Number of Valid Data		15				Number of Detected Data		9
413			Number of Distinct Detected Data			9				Number of Non-Detect Data		6
414										Percent Non-Detects		40.00%
415												
416		Raw Statistics						Log-transformed Statistics				
417				Minimum Detected		2				Minimum Detected		0.693
418				Maximum Detected		29.5				Maximum Detected		3.384
419				Mean of Detected		8.8				Mean of Detected		1.692
420				SD of Detected		9.824				SD of Detected		1.003
421				Minimum Non-Detect		19				Minimum Non-Detect		2.944
422				Maximum Non-Detect		20				Maximum Non-Detect		2.996
423												
424	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		13

	A	B	C	D	E	F	G	H	I	J	K	L
425	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		2
426	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		86.67%
427												
428				Warning: There are only 9 Detected Values in this data								
429				Note: It should be noted that even though bootstrap may be performed on this data set								
430				the resulting calculations may not be reliable enough tp draw conclusions								
431												
432				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
433												
434												
435					UCL Statistics							
436		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
437				Shapiro Wilk Test Statistic		0.737				Shapiro Wilk Test Statistic		0.87
438				5% Shapiro Wilk Critical Value		0.829				5% Shapiro Wilk Critical Value		0.829
439		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
440												
441		Assuming Normal Distribution						Assuming Lognormal Distribution				
442				DL/2 Substitution Method						DL/2 Substitution Method		
443				Mean		9.18				Mean		1.926
444				SD		7.444				SD		0.814
445				95% DL/2 (t) UCL		12.57				95% H-Stat (DL/2) UCL		15.49
446												
447				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
448		Method failed to converge properly								Mean in Log Scale		1.545
449										SD in Log Scale		0.842
450										Mean in Original Scale		6.959
451										SD in Original Scale		7.884
452										95% Percentile Bootstrap UCL		10.4
453										95% BCA Bootstrap UCL		11.89
454												
455		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
456				k star (bias corrected)		0.857		Data appear Gamma Distributed at 5% Significance Level				
457				Theta Star		10.27						
458				nu star		15.42						
459												
460				A-D Test Statistic		0.7		Nonparametric Statistics				
461				5% A-D Critical Value		0.74				Kaplan-Meier (KM) Method		
462				K-S Test Statistic		0.74				Mean		6.92
463				5% K-S Critical Value		0.286				SD		7.686
464		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		2.179
465										95% KM (t) UCL		10.76
466		Assuming Gamma Distribution								95% KM (z) UCL		10.5
467				Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL		10.71
468				Minimum		2				95% KM (bootstrap t) UCL		14.08
469				Maximum		29.5				95% KM (BCA) UCL		10.94
470				Mean		8.81				95% KM (Percentile Bootstrap) UCL		10.76
471				Median		8.568				95% KM (Chebyshev) UCL		16.42
472				SD		7.428				97.5% KM (Chebyshev) UCL		20.53
473				k star		1.543				99% KM (Chebyshev) UCL		28.61
474				Theta star		5.708						
475				Nu star		46.3		Potential UCLs to Use				
476				AppChi2		31.69				95% KM (BCA) UCL		10.94
477				95% Gamma Approximate UCL		12.87						

	A	B	C	D	E	F	G	H	I	J	K	L
478				95% Adjusted Gamma UCL		13.51						
479	Note: DL/2 is not a recommended method.											
480												
481												
482	Indeno(1,2,3-cd)pyrene											
483												
484				General Statistics								
485				Number of Valid Data		15			Number of Detected Data			9
486			Number of Distinct Detected Data			7			Number of Non-Detect Data			6
487									Percent Non-Detects			40.00%
488												
489			Raw Statistics						Log-transformed Statistics			
490				Minimum Detected		11			Minimum Detected			2.398
491				Maximum Detected		42			Maximum Detected			3.738
492				Mean of Detected		23.32			Mean of Detected			3.004
493				SD of Detected		12.71			SD of Detected			0.582
494				Minimum Non-Detect		19			Minimum Non-Detect			2.944
495				Maximum Non-Detect		20			Maximum Non-Detect			2.996
496												
497	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			10
498	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			5
499	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			66.67%
500												
501				Warning: There are only 9 Detected Values in this data								
502				Note: It should be noted that even though bootstrap may be performed on this data set								
503				the resulting calculations may not be reliable enough tp draw conclusions								
504												
505				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
506												
507												
508				UCL Statistics								
509			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
510				Shapiro Wilk Test Statistic		0.844			Shapiro Wilk Test Statistic			0.821
511				5% Shapiro Wilk Critical Value		0.829			5% Shapiro Wilk Critical Value			0.829
512			Data appear Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
513												
514			Assuming Normal Distribution						Assuming Lognormal Distribution			
515				DL/2 Substitution Method					DL/2 Substitution Method			
516				Mean		17.89			Mean			2.713
517				SD		11.82			SD			0.575
518				95% DL/2 (t) UCL		23.27			95% H-Stat (DL/2) UCL			18.42
519												
520			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
521				Mean		13.16			Mean in Log Scale			2.803
522				SD		17.49			SD in Log Scale			0.533
523				95% MLE (t) UCL		21.11			Mean in Original Scale			19.01
524				95% MLE (Tiku) UCL		25.8			SD in Original Scale			11.23
525									95% Percentile Bootstrap UCL			23.45
526									95% BCA Bootstrap UCL			24.32
527												
528			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
529				k star (bias corrected)		2.476			Data appear Normal at 5% Significance Level			
530				Theta Star		9.419						

	A	B	C	D	E	F	G	H	I	J	K	L
531					nu star	44.57						
532												
533				A-D Test Statistic		0.728			Nonparametric Statistics			
534				5% A-D Critical Value		0.726			Kaplan-Meier (KM) Method			
535				K-S Test Statistic		0.726					Mean	18.49
536				5% K-S Critical Value		0.281					SD	11.01
537		Data follow Appr. Gamma Distribution at 5% Significance Level									SE of Mean	3.018
538											95% KM (t) UCL	23.81
539			Assuming Gamma Distribution								95% KM (z) UCL	23.46
540			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	23.68
541					Minimum	11					95% KM (bootstrap t) UCL	25.31
542					Maximum	42					95% KM (BCA) UCL	23.93
543					Mean	23.34			95% KM (Percentile Bootstrap) UCL			23.17
544					Median	23.4					95% KM (Chebyshev) UCL	31.65
545					SD	9.613					97.5% KM (Chebyshev) UCL	37.34
546					k star	4.765					99% KM (Chebyshev) UCL	48.52
547					Theta star	4.898						
548					Nu star	143			Potential UCLs to Use			
549					AppChi2	116.3					95% KM (t) UCL	23.81
550				95% Gamma Approximate UCL		28.68			95% KM (Percentile Bootstrap) UCL			23.17
551				95% Adjusted Gamma UCL		29.43						
552	Note: DL/2 is not a recommended method.											
553												
554												
555	Lead											
556												
557					General Statistics							
558				Number of Valid Observations		15			Number of Distinct Observations			12
559												
560			Raw Statistics						Log-transformed Statistics			
561					Minimum	9			Minimum of Log Data			2.197
562					Maximum	22.8			Maximum of Log Data			3.127
563					Mean	12.81			Mean of log Data			2.512
564					Median	12			SD of log Data			0.278
565					SD	3.912						
566				Coefficient of Variation		0.305						
567					Skewness	1.332						
568												
569					Relevant UCL Statistics							
570			Normal Distribution Test						Lognormal Distribution Test			
571				Shapiro Wilk Test Statistic		0.868			Shapiro Wilk Test Statistic			0.924
572				Shapiro Wilk Critical Value		0.881			Shapiro Wilk Critical Value			0.881
573		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
574												
575			Assuming Normal Distribution						Assuming Lognormal Distribution			
576					95% Student's-t UCL	14.59					95% H-UCL	14.72
577		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			16.82
578				95% Adjusted-CLT UCL		14.84			97.5% Chebyshev (MVUE) UCL			18.57
579				95% Modified-t UCL		14.64			99% Chebyshev (MVUE) UCL			22
580												
581			Gamma Distribution Test						Data Distribution			
582				95% k star (bias corrected)		10.64			Data appear Gamma Distributed at 5% Significance Level			
583					Theta Star	1.204						

	A	B	C	D	E	F	G	H	I	J	K	L
584					nu star	319.2						
585			Approximate Chi Square Value (.05)			278.8			Nonparametric Statistics			
586			Adjusted Level of Significance			0.0324					95% CLT UCL	14.47
587			Adjusted Chi Square Value			274.2					95% Jackknife UCL	14.59
588											95% Standard Bootstrap UCL	14.44
589			Anderson-Darling Test Statistic			0.474					95% Bootstrap-t UCL	15.14
590			Anderson-Darling 5% Critical Value			0.737					95% Hall's Bootstrap UCL	15.58
591			Kolmogorov-Smirnov Test Statistic			0.164					95% Percentile Bootstrap UCL	14.45
592			Kolmogorov-Smirnov 5% Critical Value			0.221					95% BCA Bootstrap UCL	14.89
593		Data appear Gamma Distributed at 5% Significance Level									95% Chebyshev(Mean, Sd) UCL	17.21
594											97.5% Chebyshev(Mean, Sd) UCL	19.11
595			Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL	22.86
596			95% Approximate Gamma UCL			14.66						
597			95% Adjusted Gamma UCL			14.91						
598												
599			Potential UCL to Use							Use 95% Approximate Gamma UCL		14.66
600												
601												
602	Mercury											
603												
604					General Statistics							
605			Number of Valid Observations			15			Number of Distinct Observations			8
606												
607			Raw Statistics						Log-transformed Statistics			
608				Minimum		0.05				Minimum of Log Data		-2.996
609				Maximum		0.263				Maximum of Log Data		-1.336
610				Mean		0.0762				Mean of log Data		-2.688
611				Median		0.06				SD of log Data		0.418
612				SD		0.0531						
613			Coefficient of Variation			0.697						
614				Skewness		3.527						
615												
616												
617					Relevant UCL Statistics							
618			Normal Distribution Test						Lognormal Distribution Test			
619			Shapiro Wilk Test Statistic			0.486				Shapiro Wilk Test Statistic		0.686
620			Shapiro Wilk Critical Value			0.881				Shapiro Wilk Critical Value		0.881
621		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
622												
623			Assuming Normal Distribution						Assuming Lognormal Distribution			
624			95% Student's-t UCL			0.1				95% H-UCL		0.0927
625		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			0.109
626			95% Adjusted-CLT UCL			0.112			97.5% Chebyshev (MVUE) UCL			0.125
627			95% Modified-t UCL			0.102			99% Chebyshev (MVUE) UCL			0.155
628												
629			Gamma Distribution Test						Data Distribution			
630			k star (bias corrected)			3.682		Data do not follow a Discernable Distribution (0.05)				
631				Theta Star		0.0207						
632				nu star		110.5						
633			Approximate Chi Square Value (.05)			87.2			Nonparametric Statistics			
634			Adjusted Level of Significance			0.0324					95% CLT UCL	0.0988
635			Adjusted Chi Square Value			84.66					95% Jackknife UCL	0.1
636											95% Standard Bootstrap UCL	0.0973

	A	B	C	D	E	F	G	H	I	J	K	L
637				Anderson-Darling Test Statistic		2.028				95% Bootstrap-t UCL		0.168
638				Anderson-Darling 5% Critical Value		0.739				95% Hall's Bootstrap UCL		0.188
639				Kolmogorov-Smirnov Test Statistic		0.273				95% Percentile Bootstrap UCL		0.102
640				Kolmogorov-Smirnov 5% Critical Value		0.222				95% BCA Bootstrap UCL		0.119
641		Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		0.136
642										97.5% Chebyshev(Mean, Sd) UCL		0.162
643			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		0.213
644				95% Approximate Gamma UCL		0.0965						
645				95% Adjusted Gamma UCL		0.0994						
646												
647			Potential UCL to Use							Use 95% Student's-t UCL		0.1
648										or 95% Modified-t UCL		0.102
649												
650												
651	Thallium											
652												
653					General Statistics							
654				Number of Valid Data		7				Number of Detected Data		6
655				Number of Distinct Detected Data		4				Number of Non-Detect Data		1
656				Number of Missing Values		8				Percent Non-Detects		14.29%
657												
658			Raw Statistics						Log-transformed Statistics			
659				Minimum Detected		8				Minimum Detected		2.079
660				Maximum Detected		11				Maximum Detected		2.398
661				Mean of Detected		9.667				Mean of Detected		2.264
662				SD of Detected		1.033				SD of Detected		0.11
663				Minimum Non-Detect		5				Minimum Non-Detect		1.609
664				Maximum Non-Detect		5				Maximum Non-Detect		1.609
665												
666												
667				Warning: There are only 4 Distinct Detected Values in this data								
668				Note: It should be noted that even though bootstrap may be performed on this data set								
669				the resulting calculations may not be reliable enough tp draw conclusions								
670												
671				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
672												
673												
674					UCL Statistics							
675		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
676				Shapiro Wilk Test Statistic		0.916				Shapiro Wilk Test Statistic		0.902
677				5% Shapiro Wilk Critical Value		0.788				5% Shapiro Wilk Critical Value		0.788
678		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
679												
680			Assuming Normal Distribution						Assuming Lognormal Distribution			
681				DL/2 Substitution Method						DL/2 Substitution Method		
682				Mean		8.643				Mean		2.071
683				SD		2.868				SD		0.519
684				95% DL/2 (t) UCL		10.75				95% H-Stat (DL/2) UCL		11.92
685												
686			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
687				Mean		9.667				Mean in Log Scale		2.226
688				SD		0.943				SD in Log Scale		0.141
689				95% MLE (t) UCL		10.36				Mean in Original Scale		9.344

	A	B	C	D	E	F	G	H	I	J	K	L
690					95% MLE (Tiku) UCL	10.41					SD in Original Scale	1.272
691											95% Percentile Bootstrap UCL	10.14
692											95% BCA Bootstrap UCL	9.915
693												
694			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
695				k star (bias corrected)		50.56			Data appear Normal at 5% Significance Level			
696				Theta Star		0.191						
697				nu star		606.7						
698												
699				A-D Test Statistic		0.448			Nonparametric Statistics			
700				5% A-D Critical Value		0.696			Kaplan-Meier (KM) Method			
701				K-S Test Statistic		0.696					Mean	9.429
702				5% K-S Critical Value		0.332					SD	1.05
703			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	0.435
704											95% KM (t) UCL	10.27
705			Assuming Gamma Distribution								95% KM (z) UCL	10.14
706			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	10.3
707					Minimum	7.914					95% KM (bootstrap t) UCL	10.15
708					Maximum	11					95% KM (BCA) UCL	10.29
709					Mean	9.416					95% KM (Percentile Bootstrap) UCL	10.14
710					Median	10					95% KM (Chebyshev) UCL	11.32
711					SD	1.152					97.5% KM (Chebyshev) UCL	12.14
712					k star	43.55					99% KM (Chebyshev) UCL	13.75
713					Theta star	0.216						
714					Nu star	609.7			Potential UCLs to Use			
715					AppChi2	553.4					95% KM (t) UCL	10.27
716				95% Gamma Approximate UCL		10.37			95% KM (Percentile Bootstrap) UCL			10.14
717				95% Adjusted Gamma UCL		10.69						
718	Note: DL/2 is not a recommended method.											
719												
720												
721	Total Aroclors											
722												
723					General Statistics							
724			Number of Valid Data			12				Number of Detected Data		6
725			Number of Distinct Detected Data			6				Number of Non-Detect Data		6
726			Number of Missing Values			3				Percent Non-Detects		50.00%
727												
728			Raw Statistics						Log-transformed Statistics			
729				Minimum Detected		14.89				Minimum Detected		2.701
730				Maximum Detected		87				Maximum Detected		4.466
731				Mean of Detected		45.22				Mean of Detected		3.683
732				SD of Detected		23.9				SD of Detected		0.582
733				Minimum Non-Detect		20				Minimum Non-Detect		2.996
734				Maximum Non-Detect		40				Maximum Non-Detect		3.689
735												
736	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			8
737	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			4
738	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			66.67%
739												
740					Warning: There are only 6 Detected Values in this data							
741				Note: It should be noted that even though bootstrap may be performed on this data set								
742				the resulting calculations may not be reliable enough tp draw conclusions								

	A	B	C	D	E	F	G	H	I	J	K	L
743												
744		It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.										
745												
746												
747						UCL Statistics						
748		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
749				Shapiro Wilk Test Statistic		0.904				Shapiro Wilk Test Statistic		0.921
750				5% Shapiro Wilk Critical Value		0.788				5% Shapiro Wilk Critical Value		0.788
751		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
752												
753		Assuming Normal Distribution						Assuming Lognormal Distribution				
754				DL/2 Substitution Method						DL/2 Substitution Method		
755					Mean	31.69					Mean	3.278
756					SD	21.6					SD	0.608
757				95% DL/2 (t) UCL		42.89				95% H-Stat (DL/2) UCL		34.85
758												
759		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
760					Mean	26.69				Mean in Log Scale		3.297
761					SD	28.2				SD in Log Scale		0.592
762				95% MLE (t) UCL		41.31				Mean in Original Scale		32.09
763				95% MLE (Tiku) UCL		50.42				SD in Original Scale		21.45
764										95% Percentile Bootstrap UCL		42.08
765										95% BCA Bootstrap UCL		44.19
766												
767		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
768				k star (bias corrected)		2.143		Data appear Normal at 5% Significance Level				
769				Theta Star		21.1						
770				nu star		25.71						
771												
772				A-D Test Statistic		0.363		Nonparametric Statistics				
773				5% A-D Critical Value		0.7				Kaplan-Meier (KM) Method		
774				K-S Test Statistic		0.7					Mean	32.37
775				5% K-S Critical Value		0.333					SD	20.76
776		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	7.067
777										95% KM (t) UCL		45.06
778		Assuming Gamma Distribution								95% KM (z) UCL		43.99
779		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		45.81
780					Minimum	14.89				95% KM (bootstrap t) UCL		46.38
781					Maximum	87				95% KM (BCA) UCL		52.72
782					Mean	45.08				95% KM (Percentile Bootstrap) UCL		51.38
783					Median	45.38				95% KM (Chebyshev) UCL		63.17
784					SD	16.24				97.5% KM (Chebyshev) UCL		76.5
785					k star	5.95				99% KM (Chebyshev) UCL		102.7
786					Theta star	7.577						
787					Nu star	142.8		Potential UCLs to Use				
788					AppChi2	116.2				95% KM (t) UCL		45.06
789				95% Gamma Approximate UCL		55.41				95% KM (Percentile Bootstrap) UCL		51.38
790				95% Adjusted Gamma UCL		57.21						
791	Note: DL/2 is not a recommended method.											
792												
793												
794	Tributyltin ion											
795												

	A	B	C	D	E	F	G	H	I	J	K	L
796						General Statistics						
797			Number of Valid Data			10			Number of Detected Data			10
798			Number of Distinct Detected Data			9			Number of Non-Detect Data			0
799			Number of Missing Values			5			Percent Non-Detects			0.00%
800												
801			Raw Statistics						Log-transformed Statistics			
802			Minimum Detected			16			Minimum Detected			2.773
803			Maximum Detected			310			Maximum Detected			5.737
804			Mean of Detected			161.9			Mean of Detected			4.667
805			SD of Detected			114.6			SD of Detected			1.134
806			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
807			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
808												
809												
810						UCL Statistics						
811			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
812			Shapiro Wilk Test Statistic			0.879			Shapiro Wilk Test Statistic			0.831
813			5% Shapiro Wilk Critical Value			0.842			5% Shapiro Wilk Critical Value			0.842
814			Data appear Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
815												
816			Assuming Normal Distribution						Assuming Lognormal Distribution			
817			DL/2 Substitution Method						DL/2 Substitution Method			
818			Mean			161.9			Mean			4.667
819			SD			114.6			SD			1.134
820			95% DL/2 (t) UCL			228.3			95% H-Stat (DL/2) UCL			727.9
821												
822			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
823			MLE method failed to converge properly						Mean in Log Scale			N/A
824									SD in Log Scale			N/A
825									Mean in Original Scale			N/A
826									SD in Original Scale			N/A
827									95% Percentile Bootstrap UCL			N/A
828									95% BCA Bootstrap UCL			N/A
829												
830			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
831			k star (bias corrected)			0.999			Data appear Normal at 5% Significance Level			
832			Theta Star			162.1						
833			nu star			19.98						
834												
835			A-D Test Statistic			0.726			Nonparametric Statistics			
836			5% A-D Critical Value			0.742			Kaplan-Meier (KM) Method			
837			K-S Test Statistic			0.742			Mean			161.9
838			5% K-S Critical Value			0.272			SD			108.7
839			Data appear Gamma Distributed at 5% Significance Level						SE of Mean			36.25
840									95% KM (t) UCL			228.3
841			Assuming Gamma Distribution						95% KM (z) UCL			221.5
842			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			228.3
843			Minimum			16			95% KM (bootstrap t) UCL			227.2
844			Maximum			310			95% KM (BCA) UCL			215.8
845			Mean			161.9			95% KM (Percentile Bootstrap) UCL			217.4
846			Median			200			95% KM (Chebyshev) UCL			319.9
847			SD			114.6			97.5% KM (Chebyshev) UCL			388.3
848			k star			0.999			99% KM (Chebyshev) UCL			522.6

	A	B	C	D	E	F	G	H	I	J	K	L
849					Theta star	162.1						
850					Nu star	19.98		**Potential UCLs to Use**				
851					AppChi2	10.84				95% KM (t) UCL		228.3
852			95% Gamma Approximate UCL			298.5			95% KM (Percentile Bootstrap) UCL			217.4
853				95% Adjusted Gamma UCL		334						
854	**Note: DL/2 is not a recommended method.**											
855												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM7.5W.wst								
4			Full Precision	OFF								
5			Confidence Coefficient	95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Aldrin											
10												
11						General Statistics						
12				Number of Valid Data		19			Number of Detected Data			5
13			Number of Distinct Detected Data			5			Number of Non-Detect Data			14
14				Number of Missing Values		15			Percent Non-Detects			73.68%
15												
16				Raw Statistics					Log-transformed Statistics			
17				Minimum Detected		0.047			Minimum Detected			-3.058
18				Maximum Detected		0.972			Maximum Detected			-0.0284
19				Mean of Detected		0.489			Mean of Detected			-1.317
20				SD of Detected		0.414			SD of Detected			1.45
21				Minimum Non-Detect		0.0322			Minimum Non-Detect			-3.436
22				Maximum Non-Detect		0.25			Maximum Non-Detect			-1.386
23												
24	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			16
25	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			3
26	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			84.21%
27												
28					Warning: There are only 5 Detected Values in this data							
29				Note: It should be noted that even though bootstrap may be performed on this data set								
30					the resulting calculations may not be reliable enough tp draw conclusions							
31												
32				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
33												
34												
35						UCL Statistics						
36		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
37				Shapiro Wilk Test Statistic		0.873			Shapiro Wilk Test Statistic			0.799
38				5% Shapiro Wilk Critical Value		0.762			5% Shapiro Wilk Critical Value			0.762
39		Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
40												
41		Assuming Normal Distribution							Assuming Lognormal Distribution			
42				DL/2 Substitution Method					DL/2 Substitution Method			
43				Mean		0.184			Mean			-2.381
44				SD		0.272			SD			1.117
45				95% DL/2 (t) UCL		0.292			95% H-Stat (DL/2) UCL			0.251
46												
47			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
48				Mean		0.0685			Mean in Log Scale			-3.668
49				SD		0.628			SD in Log Scale			1.671
50				95% MLE (t) UCL		0.318			Mean in Original Scale			0.138
51				95% MLE (Tiku) UCL		0.633			SD in Original Scale			0.291
52									95% Percentile Bootstrap UCL			0.254
53									95% BCA Bootstrap UCL			0.281

	A	B	C	D	E	F	G	H	I	J	K	L
54												
55			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
56				k star (bias corrected)		0.519		Data appear Normal at 5% Significance Level				
57				Theta Star		0.943						
58				nu star		5.187						
59												
60				A-D Test Statistic		0.598		Nonparametric Statistics				
61				5% A-D Critical Value		0.692			Kaplan-Meier (KM) Method			
62				K-S Test Statistic		0.692				Mean		0.165
63				5% K-S Critical Value		0.365				SD		0.271
64		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.0696
65										95% KM (t) UCL		0.286
66			Assuming Gamma Distribution							95% KM (z) UCL		0.28
67		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.269
68				Minimum		0.047				95% KM (bootstrap t) UCL		0.305
69				Maximum		0.972				95% KM (BCA) UCL		0.761
70				Mean		0.418			95% KM (Percentile Bootstrap) UCL			0.697
71				Median		0.427				95% KM (Chebyshev) UCL		0.469
72				SD		0.219				97.5% KM (Chebyshev) UCL		0.6
73				k star		2.39				99% KM (Chebyshev) UCL		0.858
74				Theta star		0.175						
75				Nu star		90.81		Potential UCLs to Use				
76				AppChi2		69.84				95% KM (t) UCL		0.286
77			95% Gamma Approximate UCL			0.544			95% KM (Percentile Bootstrap) UCL			0.697
78			95% Adjusted Gamma UCL			0.556						
79	Note: DL/2 is not a recommended method.											
80												
81												
82	Arsenic											
83												
84					General Statistics							
85				Number of Valid Data		35				Number of Detected Data		29
86			Number of Distinct Detected Data			28				Number of Non-Detect Data		6
87				Number of Missing Values		16				Percent Non-Detects		17.14%
88												
89			Raw Statistics						Log-transformed Statistics			
90				Minimum Detected		1.6				Minimum Detected		0.47
91				Maximum Detected		5.38				Maximum Detected		1.683
92				Mean of Detected		3.465				Mean of Detected		1.198
93				SD of Detected		0.979				SD of Detected		0.318
94				Minimum Non-Detect		3				Minimum Non-Detect		1.099
95				Maximum Non-Detect		5				Maximum Non-Detect		1.609
96												
97	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			33
98	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
99	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			94.29%
100												
101					UCL Statistics							
102			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
103				Shapiro Wilk Test Statistic		0.957				Shapiro Wilk Test Statistic		0.915
104				5% Shapiro Wilk Critical Value		0.926				5% Shapiro Wilk Critical Value		0.926
105		Data appear Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
106												

	A	B	C	D	E	F	G	H	I	J	K	L
107			Assuming Normal Distribution						Assuming Lognormal Distribution			
108			DL/2 Substitution Method						DL/2 Substitution Method			
109					Mean	3.228					Mean	1.116
110					SD	1.044					SD	0.349
111				95% DL/2 (t) UCL		3.527				95% H-Stat (DL/2) UCL		3.466
112												
113			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
114			MLE method failed to converge properly							Mean in Log Scale		1.173
115										SD in Log Scale		0.3
116										Mean in Original Scale		3.367
117										SD in Original Scale		0.933
118									95% Percentile Bootstrap UCL			3.623
119									95% BCA Bootstrap UCL			3.606
120												
121			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
122				k star (bias corrected)		10.19			Data appear Normal at 5% Significance Level			
123					Theta Star	0.34						
124					nu star	590.9						
125												
126				A-D Test Statistic		0.837			Nonparametric Statistics			
127				5% A-D Critical Value		0.745			Kaplan-Meier (KM) Method			
128				K-S Test Statistic		0.745					Mean	3.376
129				5% K-S Critical Value		0.162					SD	0.961
130			Data not Gamma Distributed at 5% Significance Level								SE of Mean	0.176
131										95% KM (t) UCL		3.673
132			Assuming Gamma Distribution							95% KM (z) UCL		3.665
133			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			3.674
134					Minimum	1.6			95% KM (bootstrap t) UCL			3.661
135					Maximum	5.38			95% KM (BCA) UCL			3.65
136					Mean	3.445			95% KM (Percentile Bootstrap) UCL			3.67
137					Median	3.52			95% KM (Chebyshev) UCL			4.142
138					SD	0.92			97.5% KM (Chebyshev) UCL			4.474
139					k star	11.71			99% KM (Chebyshev) UCL			5.125
140					Theta star	0.294						
141					Nu star	819.5			Potential UCLs to Use			
142					AppChi2	754.1				95% KM (t) UCL		3.673
143				95% Gamma Approximate UCL		3.744			95% KM (Percentile Bootstrap) UCL			3.67
144				95% Adjusted Gamma UCL		3.759						
145	Note: DL/2 is not a recommended method.											
146												
147												
148	Benzo(a)anthracene											
149												
150					General Statistics							
151			Number of Valid Data			51			Number of Detected Data			50
152			Number of Distinct Detected Data			44			Number of Non-Detect Data			1
153									Percent Non-Detects			1.96%
154												
155			Raw Statistics						Log-transformed Statistics			
156				Minimum Detected		0.5				Minimum Detected		-0.693
157				Maximum Detected		3350				Maximum Detected		8.117
158				Mean of Detected		151				Mean of Detected		4.007
159				SD of Detected		472.7				SD of Detected		1.302

	A	B	C	D	E	F	G	H	I	J	K	L
160					Minimum Non-Detect	1.2					Minimum Non-Detect	0.182
161					Maximum Non-Detect	1.2					Maximum Non-Detect	0.182
162												
163												
164					UCL Statistics							
165		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
166					Lilliefors Test Statistic	0.272					Lilliefors Test Statistic	0.932
167					5% Lilliefors Critical Value	0.947					5% Lilliefors Critical Value	0.947
168		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
169												
170		Assuming Normal Distribution						Assuming Lognormal Distribution				
171				DL/2 Substitution Method							DL/2 Substitution Method	
172					Mean	148					Mean	3.919
173					SD	468.5					SD	1.436
174				95% DL/2 (t) UCL		257.9					95% H-Stat (DL/2) UCL	231.8
175												
176			Maximum Likelihood Estimate(MLE) Method								Log ROS Method	
177					Mean	134.9					Mean in Log Scale	3.952
178					SD	475.3					SD in Log Scale	1.347
179				95% MLE (t) UCL		246.5					Mean in Original Scale	148.1
180				95% MLE (Tiku) UCL		234.5					SD in Original Scale	468.5
181											95% Percentile Bootstrap UCL	270.8
182											95% BCA Bootstrap UCL	372.2
183												
184		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
185					k star (bias corrected)	0.587		Data do not follow a Discernable Distribution (0.05)				
186					Theta Star	257.1						
187					nu star	58.71						
188												
189					A-D Test Statistic	3.834		Nonparametric Statistics				
190					5% A-D Critical Value	0.805			Kaplan-Meier (KM) Method			
191					K-S Test Statistic	0.805					Mean	148
192					5% K-S Critical Value	0.132					SD	463.9
193		Data not Gamma Distributed at 5% Significance Level									SE of Mean	65.61
194											95% KM (t) UCL	258
195		Assuming Gamma Distribution									95% KM (z) UCL	255.9
196			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	257.9
197					Minimum	1E-09					95% KM (bootstrap t) UCL	690.7
198					Maximum	3350					95% KM (BCA) UCL	275.7
199					Mean	148					95% KM (Percentile Bootstrap) UCL	271.2
200					Median	46					95% KM (Chebyshev) UCL	434
201					SD	468.5					97.5% KM (Chebyshev) UCL	557.8
202					k star	0.427					99% KM (Chebyshev) UCL	800.8
203					Theta star	346.8						
204					Nu star	43.53		Potential UCLs to Use				
205					AppChi2	29.4					95% KM (Chebyshev) UCL	434
206				95% Gamma Approximate UCL		219.1						
207				95% Adjusted Gamma UCL		221.7						
208	Note: DL/2 is not a recommended method.											
209												
210												
211	Benzo(a)pyrene											
212												

	A	B	C	D	E	F	G	H	I	J	K	L
213					General Statistics							
214			Number of Valid Data			51				Number of Detected Data		49
215			Number of Distinct Detected Data			38				Number of Non-Detect Data		2
216										Percent Non-Detects		3.92%
217												
218			Raw Statistics							Log-transformed Statistics		
219			Minimum Detected			2.5				Minimum Detected		0.916
220			Maximum Detected			2470				Maximum Detected		7.812
221			Mean of Detected			134.4				Mean of Detected		4.099
222			SD of Detected			354.6				SD of Detected		1.074
223			Minimum Non-Detect			0.33				Minimum Non-Detect		-1.109
224			Maximum Non-Detect			0.83				Maximum Non-Detect		-0.186
225												
226	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		2
227	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		49
228	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		3.92%
229												
230					UCL Statistics							
231			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
232			Lilliefors Test Statistic			0.314				Lilliefors Test Statistic		0.948
233			5% Lilliefors Critical Value			0.947				5% Lilliefors Critical Value		0.947
234			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
235												
236			Assuming Normal Distribution						Assuming Lognormal Distribution			
237			DL/2 Substitution Method							DL/2 Substitution Method		
238			Mean			129.2				Mean		3.886
239			SD			348.5				SD		1.501
240			95% DL/2 (t) UCL			210.9				95% H-Stat (DL/2) UCL		237.9
241												
242			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
243			Mean			119.6				Mean in Log Scale		4.001
244			SD			353.8				SD in Log Scale		1.16
245			95% MLE (t) UCL			202.7				Mean in Original Scale		129.3
246			95% MLE (Tiku) UCL			194				SD in Original Scale		348.4
247										95% Percentile Bootstrap UCL		219.3
248										95% BCA Bootstrap UCL		282.4
249												
250			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
251			k star (bias corrected)			0.715			Data appear Lognormal at 5% Significance Level			
252			Theta Star			188						
253			nu star			70.08						
254												
255			A-D Test Statistic			3.832			Nonparametric Statistics			
256			5% A-D Critical Value			0.793				Kaplan-Meier (KM) Method		
257			K-S Test Statistic			0.793				Mean		129.2
258			5% K-S Critical Value			0.132				SD		345
259			Data not Gamma Distributed at 5% Significance Level							SE of Mean		48.81
260										95% KM (t) UCL		211
261			Assuming Gamma Distribution							95% KM (z) UCL		209.5
262			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		210.6
263			Minimum			1E-09				95% KM (bootstrap t) UCL		435.4
264			Maximum			2470				95% KM (BCA) UCL		228.8
265			Mean			129.1				95% KM (Percentile Bootstrap) UCL		224.1

	A	B	C	D	E	F	G	H	I	J	K	L
266					Median	48			95% KM (Chebyshev) UCL			342
267					SD	348.5			97.5% KM (Chebyshev) UCL			434.1
268					k star	0.373			99% KM (Chebyshev) UCL			614.9
269					Theta star	346.5						
270					Nu star	38.01			Potential UCLs to Use			
271					AppChi2	24.9			95% KM (Chebyshev) UCL			342
272				95% Gamma Approximate UCL		197.2						
273				95% Adjusted Gamma UCL		199.7						
274	Note: DL/2 is not a recommended method.											
275												
276												
277	Benzo(b)fluoranthene											
278												
279					General Statistics							
280			Number of Valid Data			51			Number of Detected Data			50
281			Number of Distinct Detected Data			44			Number of Non-Detect Data			1
282									Percent Non-Detects			1.96%
283												
284			Raw Statistics						Log-transformed Statistics			
285					Minimum Detected	1.2			Minimum Detected			0.182
286					Maximum Detected	3380			Maximum Detected			8.126
287					Mean of Detected	173.4			Mean of Detected			4.185
288					SD of Detected	485.5			SD of Detected			1.252
289					Minimum Non-Detect	0.72			Minimum Non-Detect			-0.329
290					Maximum Non-Detect	0.72			Maximum Non-Detect			-0.329
291												
292												
293					UCL Statistics							
294			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
295					Lilliefors Test Statistic	0.317			Lilliefors Test Statistic			0.949
296					5% Lilliefors Critical Value	0.947			5% Lilliefors Critical Value			0.947
297			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
298												
299			Assuming Normal Distribution						Assuming Lognormal Distribution			
300					DL/2 Substitution Method				DL/2 Substitution Method			
301					Mean	170			Mean			4.083
302					SD	481.2			SD			1.438
303					95% DL/2 (t) UCL	283			95% H-Stat (DL/2) UCL			278.7
304												
305				Maximum Likelihood Estimate(MLE) Method					Log ROS Method			
306					Mean	163.5			Mean in Log Scale			4.124
307					SD	482.4			SD in Log Scale			1.314
308					95% MLE (t) UCL	276.7			Mean in Original Scale			170.1
309					95% MLE (Tiku) UCL	264			SD in Original Scale			481.2
310									95% Percentile Bootstrap UCL			299.7
311									95% BCA Bootstrap UCL			415.1
312												
313			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
314					k star (bias corrected)	0.607			Data appear Lognormal at 5% Significance Level			
315					Theta Star	285.6						
316					nu star	60.73						
317												
318					A-D Test Statistic	3.763			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
319					5% A-D Critical Value	0.803				Kaplan-Meier (KM) Method		
320					K-S Test Statistic	0.803					Mean	170
321					5% K-S Critical Value	0.131					SD	476.5
322		Data not Gamma Distributed at 5% Significance Level									SE of Mean	67.4
323											95% KM (t) UCL	283
324		Assuming Gamma Distribution									95% KM (z) UCL	280.9
325		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	282.9
326					Minimum	1E-09					95% KM (bootstrap t) UCL	591
327					Maximum	3380					95% KM (BCA) UCL	295
328					Mean	170				95% KM (Percentile Bootstrap) UCL		300.1
329					Median	59					95% KM (Chebyshev) UCL	463.8
330					SD	481.2					97.5% KM (Chebyshev) UCL	590.9
331					k star	0.436					99% KM (Chebyshev) UCL	840.6
332					Theta star	390.4						
333					Nu star	44.43				Potential UCLs to Use		
334					AppChi2	30.14					95% KM (Chebyshev) UCL	463.8
335				95% Gamma Approximate UCL		250.6						
336				95% Adjusted Gamma UCL		253.5						
337	Note: DL/2 is not a recommended method.											
338												
339												
340	Benzo(k)fluoranthene											
341												
342					General Statistics							
343				Number of Valid Data		44				Number of Detected Data		43
344			Number of Distinct Detected Data			37				Number of Non-Detect Data		1
345				Number of Missing Values		7				Percent Non-Detects		2.27%
346												
347			Raw Statistics							Log-transformed Statistics		
348				Minimum Detected		0.79				Minimum Detected		-0.236
349				Maximum Detected		689				Maximum Detected		6.535
350				Mean of Detected		62.12				Mean of Detected		3.533
351				SD of Detected		105.3				SD of Detected		1.176
352				Minimum Non-Detect		0.5				Minimum Non-Detect		-0.693
353				Maximum Non-Detect		0.5				Maximum Non-Detect		-0.693
354												
355												
356					UCL Statistics							
357		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
358				Shapiro Wilk Test Statistic		0.437				Shapiro Wilk Test Statistic		0.902
359			5% Shapiro Wilk Critical Value			0.943				5% Shapiro Wilk Critical Value		0.943
360		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
361												
362		Assuming Normal Distribution							Assuming Lognormal Distribution			
363			DL/2 Substitution Method							DL/2 Substitution Method		
364					Mean	60.71					Mean	3.421
365					SD	104.5					SD	1.378
366				95% DL/2 (t) UCL		87.19				95% H-Stat (DL/2) UCL		135.7
367												
368		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
369					Mean	59.23				Mean in Log Scale		3.469
370					SD	104.9				SD in Log Scale		1.237
371				95% MLE (t) UCL		85.82				Mean in Original Scale		60.76

	A	B	C	D	E	F	G	H	I	J	K	L
372				95% MLE (Tiku) UCL		83.32				SD in Original Scale		104.5
373										95% Percentile Bootstrap UCL		89.44
374										95% BCA Bootstrap UCL		106.9
375												
376		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
377				k star (bias corrected)		0.92		Data do not follow a Discernable Distribution (0.05)				
378				Theta Star		67.54						
379				nu star		79.1						
380												
381				A-D Test Statistic		1.669		Nonparametric Statistics				
382				5% A-D Critical Value		0.779		Kaplan-Meier (KM) Method				
383				K-S Test Statistic		0.779				Mean		60.73
384				5% K-S Critical Value		0.139				SD		103.3
385		Data not Gamma Distributed at 5% Significance Level								SE of Mean		15.75
386										95% KM (t) UCL		87.21
387		Assuming Gamma Distribution								95% KM (z) UCL		86.64
388		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		87.19
389				Minimum		1E-09				95% KM (bootstrap t) UCL		131.2
390				Maximum		689				95% KM (BCA) UCL		92.02
391				Mean		60.71				95% KM (Percentile Bootstrap) UCL		90.35
392				Median		37				95% KM (Chebyshev) UCL		129.4
393				SD		104.5				97.5% KM (Chebyshev) UCL		159.1
394				k star		0.533				99% KM (Chebyshev) UCL		217.5
395				Theta star		113.9						
396				Nu star		46.92		Potential UCLs to Use				
397				AppChi2		32.2				95% KM (Chebyshev) UCL		129.4
398		95% Gamma Approximate UCL				88.46						
399		95% Adjusted Gamma UCL				89.61						
400	Note: DL/2 is not a recommended method.											
401												
402												
403	Bis(2-ethylhexyl) phthalate											
404												
405					General Statistics							
406				Number of Valid Data		39				Number of Detected Data		27
407			Number of Distinct Detected Data			23				Number of Non-Detect Data		12
408				Number of Missing Values		12				Percent Non-Detects		30.77%
409												
410			Raw Statistics							Log-transformed Statistics		
411				Minimum Detected		34				Minimum Detected		3.526
412				Maximum Detected		622				Maximum Detected		6.433
413				Mean of Detected		189.3				Mean of Detected		4.986
414				SD of Detected		137.9				SD of Detected		0.755
415				Minimum Non-Detect		6.7				Minimum Non-Detect		1.902
416				Maximum Non-Detect		279				Maximum Non-Detect		5.631
417												
418	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			34
419	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			5
420	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			87.18%
421												
422						UCL Statistics						
423		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
424				Shapiro Wilk Test Statistic		0.874				Shapiro Wilk Test Statistic		0.966

	A	B	C	D	E	F	G	H	I	J	K	L
425					5% Shapiro Wilk Critical Value	0.923				5% Shapiro Wilk Critical Value		0.923
426			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
427												
428			Assuming Normal Distribution						Assuming Lognormal Distribution			
429				DL/2 Substitution Method						DL/2 Substitution Method		
430					Mean	141.9					Mean	4.364
431					SD	136.7					SD	1.296
432				95% DL/2 (t) UCL		178.8				95% H-Stat (DL/2) UCL		285.5
433												
434			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
435			MLE yields a negative mean							Mean in Log Scale		4.553
436										SD in Log Scale		0.931
437										Mean in Original Scale		142.9
438										SD in Original Scale		134.4
439										95% Percentile Bootstrap UCL		178
440										95% BCA Bootstrap UCL		181.9
441												
442			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
443					k star (bias corrected)	1.89			Data appear Gamma Distributed at 5% Significance Level			
444					Theta Star	100.2						
445					nu star	102						
446												
447					A-D Test Statistic	0.434			Nonparametric Statistics			
448					5% A-D Critical Value	0.756				Kaplan-Meier (KM) Method		
449					K-S Test Statistic	0.756					Mean	145.3
450					5% K-S Critical Value	0.17					SD	132
451			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		21.7
452										95% KM (t) UCL		181.9
453			Assuming Gamma Distribution							95% KM (z) UCL		181
454			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		180.8
455					Minimum	34				95% KM (bootstrap t) UCL		191.4
456					Maximum	622				95% KM (BCA) UCL		185
457					Mean	161.7				95% KM (Percentile Bootstrap) UCL		183.5
458					Median	113				95% KM (Chebyshev) UCL		239.9
459					SD	127.2				97.5% KM (Chebyshev) UCL		280.8
460					k star	1.836				99% KM (Chebyshev) UCL		361.2
461					Theta star	88.05						
462					Nu star	143.2			Potential UCLs to Use			
463					AppChi2	116.6			95% KM (Percentile Bootstrap) UCL			183.5
464				95% Gamma Approximate UCL		198.6						
465				95% Adjusted Gamma UCL		200.3						
466	Note: DL/2 is not a recommended method.											
467												
468												
469	Dibenzo(a,h)anthracene											
470												
471					General Statistics							
472				Number of Valid Data		51				Number of Detected Data		36
473			Number of Distinct Detected Data			29				Number of Non-Detect Data		15
474										Percent Non-Detects		29.41%
475												
476			Raw Statistics						Log-transformed Statistics			
477					Minimum Detected	0.62				Minimum Detected		-0.478

	A	B	C	D	E	F	G	H	I	J	K	L
478					Maximum Detected	345				Maximum Detected		5.844
479					Mean of Detected	24.73				Mean of Detected		2.223
480					SD of Detected	59.12				SD of Detected		1.244
481					Minimum Non-Detect	0.38				Minimum Non-Detect		-0.968
482					Maximum Non-Detect	27.9				Maximum Non-Detect		3.329
483												
484	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		45
485	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		6
486	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		88.24%
487												
488						UCL Statistics						
489			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
490					Lilliefors Test Statistic	0.395				Lilliefors Test Statistic		0.955
491					5% Lilliefors Critical Value	0.935				5% Lilliefors Critical Value		0.935
492			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
493												
494			Assuming Normal Distribution						Assuming Lognormal Distribution			
495					DL/2 Substitution Method					DL/2 Substitution Method		
496					Mean	19.87				Mean		2.065
497					SD	50.09				SD		1.299
498					95% DL/2 (t) UCL	31.62				95% H-Stat (DL/2) UCL		22.89
499												
500				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
501			MLE yields a negative mean							Mean in Log Scale		1.934
502										SD in Log Scale		1.248
503										Mean in Original Scale		18.92
504										SD in Original Scale		50.33
505										95% Percentile Bootstrap UCL		31.96
506										95% BCA Bootstrap UCL		40.73
507												
508			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
509					k star (bias corrected)	0.59			Data appear Lognormal at 5% Significance Level			
510					Theta Star	41.89						
511					nu star	42.5						
512												
513					A-D Test Statistic	2.757			Nonparametric Statistics			
514					5% A-D Critical Value	0.8				Kaplan-Meier (KM) Method		
515					K-S Test Statistic	0.8				Mean		18.94
516					5% K-S Critical Value	0.154				SD		49.84
517			Data not Gamma Distributed at 5% Significance Level							SE of Mean		7.085
518										95% KM (t) UCL		30.81
519			Assuming Gamma Distribution							95% KM (z) UCL		30.59
520			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		30.71
521					Minimum	0.62				95% KM (bootstrap t) UCL		56.07
522					Maximum	345				95% KM (BCA) UCL		32.95
523					Mean	23.43				95% KM (Percentile Bootstrap) UCL		31.37
524					Median	9				95% KM (Chebyshev) UCL		49.82
525					SD	50.01				97.5% KM (Chebyshev) UCL		63.18
526					k star	0.743				99% KM (Chebyshev) UCL		89.43
527					Theta star	31.54						
528					Nu star	75.78			Potential UCLs to Use			
529					AppChi2	56.73				95% KM (Chebyshev) UCL		49.82
530				Chi95% Gamma Approximate UCL		31.3						

	A	B	C	D	E	F	G	H	I	J	K	L
531				95% Adjusted Gamma UCL		31.56						
532	Note: DL/2 is not a recommended method.											
533												
534												
535	Indeno(1,2,3-cd)pyrene											
536												
537				General Statistics								
538			Number of Valid Data			51			Number of Detected Data			49
539			Number of Distinct Detected Data			38			Number of Non-Detect Data			2
540									Percent Non-Detects			3.92%
541												
542			Raw Statistics						Log-transformed Statistics			
543			Minimum Detected			2.7			Minimum Detected			0.993
544			Maximum Detected			1130			Maximum Detected			7.03
545			Mean of Detected			87.28			Mean of Detected			3.799
546			SD of Detected			176.1			SD of Detected			1.014
547			Minimum Non-Detect			0.36			Minimum Non-Detect			-1.022
548			Maximum Non-Detect			0.5			Maximum Non-Detect			-0.693
549												
550	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			2
551	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			49
552	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			3.92%
553												
554				UCL Statistics								
555			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
556			Lilliefors Test Statistic			0.415			Lilliefors Test Statistic			0.945
557			5% Lilliefors Critical Value			0.947			5% Lilliefors Critical Value			0.947
558			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
559												
560			Assuming Normal Distribution						Assuming Lognormal Distribution			
561			DL/2 Substitution Method						DL/2 Substitution Method			
562			Mean			83.87			Mean			3.589
563			SD			173.4			SD			1.445
564			95% DL/2 (t) UCL			124.6			95% H-Stat (DL/2) UCL			157.8
565												
566			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
567			Mean			79.35			Mean in Log Scale			3.706
568			SD			176.3			SD in Log Scale			1.097
569			95% MLE (t) UCL			120.7			Mean in Original Scale			84.02
570			95% MLE (Tiku) UCL			116.7			SD in Original Scale			173.3
571									95% Percentile Bootstrap UCL			128.6
572									95% BCA Bootstrap UCL			149.1
573												
574			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
575			k star (bias corrected)			0.835			Data do not follow a Discernable Distribution (0.05)			
576			Theta Star			104.5						
577			nu star			81.83						
578												
579			A-D Test Statistic			3.589			Nonparametric Statistics			
580			5% A-D Critical Value			0.786			Kaplan-Meier (KM) Method			
581			K-S Test Statistic			0.786			Mean			83.96
582			5% K-S Critical Value			0.131			SD			171.6
583			Data not Gamma Distributed at 5% Significance Level						SE of Mean			24.28

	A	B	C	D	E	F	G	H	I	J	K	L
584										95% KM (t) UCL		124.7
585			Assuming Gamma Distribution							95% KM (z) UCL		123.9
586			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		124.4
587				Minimum		1E-09				95% KM (bootstrap t) UCL		203.6
588				Maximum		1130				95% KM (BCA) UCL		133.9
589				Mean		83.86				95% KM (Percentile Bootstrap) UCL		128.4
590				Median		34				95% KM (Chebyshev) UCL		189.8
591				SD		173.4				97.5% KM (Chebyshev) UCL		235.6
592				k star		0.4				99% KM (Chebyshev) UCL		325.6
593				Theta star		209.5						
594				Nu star		40.83				Potential UCLs to Use		
595				AppChi2		27.19				95% KM (Chebyshev) UCL		189.8
596			95% Gamma Approximate UCL			125.9						
597			95% Adjusted Gamma UCL			127.5						
598	Note: DL/2 is not a recommended method.											
599												
600												
601	Lead											
602												
603					General Statistics							
604			Number of Valid Data			39				Number of Detected Data		39
605			Number of Distinct Detected Data			30				Number of Non-Detect Data		0
606			Number of Missing Values			12				Percent Non-Detects		0.00%
607												
608			Raw Statistics						Log-transformed Statistics			
609				Minimum Detected		5.84				Minimum Detected		1.765
610				Maximum Detected		71.7				Maximum Detected		4.272
611				Mean of Detected		16.55				Mean of Detected		2.685
612				SD of Detected		11.18				SD of Detected		0.453
613				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
614				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
615												
616												
617					UCL Statistics							
618			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
619				Shapiro Wilk Test Statistic		0.572				Shapiro Wilk Test Statistic		0.869
620				5% Shapiro Wilk Critical Value		0.939				5% Shapiro Wilk Critical Value		0.939
621			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
622												
623			Assuming Normal Distribution						Assuming Lognormal Distribution			
624				DL/2 Substitution Method						DL/2 Substitution Method		
625				Mean		16.55				Mean		2.685
626				SD		11.18				SD		0.453
627			95% DL/2 (t) UCL			19.57				95% H-Stat (DL/2) UCL		18.64
628												
629			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
630			MLE method failed to converge properly							Mean in Log Scale		N/A
631										SD in Log Scale		N/A
632										Mean in Original Scale		N/A
633										SD in Original Scale		N/A
634										95% Percentile Bootstrap UCL		N/A
635										95% BCA Bootstrap UCL		N/A
636												

	A	B	C	D	E	F	G	H	I	J	K	L
637			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
638				k star (bias corrected)		3.964		Data do not follow a Discernable Distribution (0.05)				
639				Theta Star		4.176						
640				nu star		309.2						
641												
642				A-D Test Statistic		2.625		Nonparametric Statistics				
643				5% A-D Critical Value		0.752		Kaplan-Meier (KM) Method				
644				K-S Test Statistic		0.752				Mean		16.55
645				5% K-S Critical Value		0.142				SD		11.04
646		Data not Gamma Distributed at 5% Significance Level								SE of Mean		1.79
647										95% KM (t) UCL		19.57
648		Assuming Gamma Distribution								95% KM (z) UCL		19.5
649		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		19.57
650				Minimum		5.84				95% KM (bootstrap t) UCL		24.04
651				Maximum		71.7				95% KM (BCA) UCL		19.36
652				Mean		16.55			95% KM (Percentile Bootstrap) UCL			19.82
653				Median		15.1				95% KM (Chebyshev) UCL		24.36
654				SD		11.18				97.5% KM (Chebyshev) UCL		27.73
655				k star		3.964				99% KM (Chebyshev) UCL		34.37
656				Theta star		4.176						
657				Nu star		309.2		Potential UCLs to Use				
658				AppChi2		269.4				95% KM (Chebyshev) UCL		24.36
659			95% Gamma Approximate UCL			18.99						
660			95% Adjusted Gamma UCL			19.1						
661	Note: DL/2 is not a recommended method.											
662												
663												
664	Mercury											
665												
666					General Statistics							
667			Number of Valid Data			39			Number of Detected Data			38
668			Number of Distinct Detected Data			27			Number of Non-Detect Data			1
669			Number of Missing Values			12			Percent Non-Detects			2.56%
670												
671		Raw Statistics						Log-transformed Statistics				
672				Minimum Detected		0.016				Minimum Detected		-4.135
673				Maximum Detected		0.46				Maximum Detected		-0.777
674				Mean of Detected		0.0778				Mean of Detected		-2.808
675				SD of Detected		0.0777				SD of Detected		0.676
676				Minimum Non-Detect		0.08				Minimum Non-Detect		-2.526
677				Maximum Non-Detect		0.08				Maximum Non-Detect		-2.526
678												
679												
680					UCL Statistics							
681		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
682			Shapiro Wilk Test Statistic			0.564			Shapiro Wilk Test Statistic			0.909
683			5% Shapiro Wilk Critical Value			0.938			5% Shapiro Wilk Critical Value			0.938
684		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
685												
686		Assuming Normal Distribution						Assuming Lognormal Distribution				
687		DL/2 Substitution Method						DL/2 Substitution Method				
688				Mean		0.0769				Mean		-2.819
689				SD		0.0769				SD		0.671

	A	B	C	D	E	F	G	H	I	J	K	L
690				95% DL/2 (t) UCL		0.0976				95% H-Stat (DL/2) UCL		0.0941
691												
692			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
693			MLE yields a negative mean							Mean in Log Scale		-2.814
694										SD in Log Scale		0.668
695										Mean in Original Scale		0.0771
696										SD in Original Scale		0.0768
697										95% Percentile Bootstrap UCL		0.0987
698										95% BCA Bootstrap UCL		0.107
699												
700			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
701				k star (bias corrected)		1.961			Data do not follow a Discernable Distribution (0.05)			
702				Theta Star		0.0397						
703				nu star		149.1						
704												
705				A-D Test Statistic		2.049			Nonparametric Statistics			
706				5% A-D Critical Value		0.759			Kaplan-Meier (KM) Method			
707				K-S Test Statistic		0.759				Mean		0.0772
708				5% K-S Critical Value		0.145				SD		0.0759
709			Data not Gamma Distributed at 5% Significance Level							SE of Mean		0.0123
710										95% KM (t) UCL		0.0979
711			Assuming Gamma Distribution							95% KM (z) UCL		0.0974
712			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.0979
713				Minimum		0.016				95% KM (bootstrap t) UCL		0.129
714				Maximum		0.46				95% KM (BCA) UCL		0.0998
715				Mean		0.0776				95% KM (Percentile Bootstrap) UCL		0.1
716				Median		0.067				95% KM (Chebyshev) UCL		0.131
717				SD		0.0767				97.5% KM (Chebyshev) UCL		0.154
718				k star		2.011				99% KM (Chebyshev) UCL		0.2
719				Theta star		0.0386						
720				Nu star		156.9			Potential UCLs to Use			
721				AppChi2		128.9				95% KM (Chebyshev) UCL		0.131
722			95% Gamma Approximate UCL			0.0944						
723			95% Adjusted Gamma UCL			0.0951						
724	Note: DL/2 is not a recommended method.											
725												
726												
727	Naphthalene											
728												
729					General Statistics							
730				Number of Valid Data		51				Number of Detected Data		33
731			Number of Distinct Detected Data			28				Number of Non-Detect Data		18
732										Percent Non-Detects		35.29%
733												
734			Raw Statistics						Log-transformed Statistics			
735				Minimum Detected		6.1				Minimum Detected		1.808
736				Maximum Detected		154				Maximum Detected		5.037
737				Mean of Detected		35.11				Mean of Detected		3.211
738				SD of Detected		34.78				SD of Detected		0.814
739				Minimum Non-Detect		0.51				Minimum Non-Detect		-0.673
740				Maximum Non-Detect		24.5				Maximum Non-Detect		3.199
741												
742	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		34

	A	B	C	D	E	F	G	H	I	J	K	L
743	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			17
744	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			66.67%
745												
746					UCL Statistics							
747		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
748				Lilliefors Test Statistic		0.72				Lilliefors Test Statistic		0.96
749				5% Lilliefors Critical Value		0.931				5% Lilliefors Critical Value		0.931
750		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
751												
752		Assuming Normal Distribution						Assuming Lognormal Distribution				
753				DL/2 Substitution Method						DL/2 Substitution Method		
754				Mean		25.02				Mean		2.548
755				SD		31.17				SD		1.368
756				95% DL/2 (t) UCL		32.33				95% H-Stat (DL/2) UCL		39.13
757												
758				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
759		MLE yields a negative mean								Mean in Log Scale		2.684
760										SD in Log Scale		1.01
761										Mean in Original Scale		24.91
762										SD in Original Scale		31.18
763										95% Percentile Bootstrap UCL		32.55
764										95% BCA Bootstrap UCL		35.13
765												
766		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
767				k star (bias corrected)		1.462		Data appear Lognormal at 5% Significance Level				
768				Theta Star		24.02						
769				nu star		96.48						
770												
771				A-D Test Statistic		1.127		Nonparametric Statistics				
772				5% A-D Critical Value		0.764				Kaplan-Meier (KM) Method		
773				K-S Test Statistic		0.764				Mean		25.58
774				5% K-S Critical Value		0.156				SD		30.49
775		Data not Gamma Distributed at 5% Significance Level								SE of Mean		4.347
776										95% KM (t) UCL		32.86
777		Assuming Gamma Distribution								95% KM (z) UCL		32.73
778		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		32.76
779				Minimum		2.685				95% KM (bootstrap t) UCL		35.58
780				Maximum		154				95% KM (BCA) UCL		32.94
781				Mean		29.77				95% KM (Percentile Bootstrap) UCL		33.04
782				Median		22.44				95% KM (Chebyshev) UCL		44.53
783				SD		30.61				97.5% KM (Chebyshev) UCL		52.73
784				k star		1.153				99% KM (Chebyshev) UCL		68.83
785				Theta star		25.82						
786				Nu star		117.6				Potential UCLs to Use		
787				AppChi2		93.54				95% KM (BCA) UCL		32.94
788				95% Gamma Approximate UCL		37.41						
789				95% Adjusted Gamma UCL		37.67						
790	Note: DL/2 is not a recommended method.											
791												
792												
793	Thallium											
794												
795					General Statistics							

	A	B	C	D	E	F	G	H	I	J	K	L
796					Number of Valid Data	14				Number of Detected Data		13
797				Number of Distinct Detected Data		9				Number of Non-Detect Data		1
798					Number of Missing Values	37				Percent Non-Detects		7.14%
799												
800				Raw Statistics						Log-transformed Statistics		
801					Minimum Detected	0.11				Minimum Detected		-2.207
802					Maximum Detected	11				Maximum Detected		2.398
803					Mean of Detected	6.488				Mean of Detected		1.118
804					SD of Detected	4.049				SD of Detected		1.878
805				Minimum Non-Detect		0.0757				Minimum Non-Detect		-2.581
806				Maximum Non-Detect		0.0757				Maximum Non-Detect		-2.581
807												
808												
809					UCL Statistics							
810		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
811				Shapiro Wilk Test Statistic		0.854				Shapiro Wilk Test Statistic		0.639
812				5% Shapiro Wilk Critical Value		0.866				5% Shapiro Wilk Critical Value		0.866
813		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
814												
815				Assuming Normal Distribution						Assuming Lognormal Distribution		
816				DL/2 Substitution Method						DL/2 Substitution Method		
817					Mean	6.028				Mean		0.804
818					SD	4.255				SD		2.153
819				95% DL/2 (t) UCL		8.042				95% H-Stat (DL/2) UCL		425.4
820												
821		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
822					Mean	5.886				Mean in Log Scale		0.854
823					SD	4.359				SD in Log Scale		2.056
824				95% MLE (t) UCL		7.949				Mean in Original Scale		6.03
825				95% MLE (Tiku) UCL		7.944				SD in Original Scale		4.251
826										95% Percentile Bootstrap UCL		7.865
827										95% BCA Bootstrap UCL		7.659
828												
829		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
830				k star (bias corrected)		0.659		Data do not follow a Discernable Distribution (0.05)				
831					Theta Star	9.846						
832					nu star	17.13						
833												
834					A-D Test Statistic	2.014				Nonparametric Statistics		
835					5% A-D Critical Value	0.768				Kaplan-Meier (KM) Method		
836					K-S Test Statistic	0.768				Mean		6.033
837					5% K-S Critical Value	0.245				SD		4.093
838		Data not Gamma Distributed at 5% Significance Level								SE of Mean		1.139
839										95% KM (t) UCL		8.049
840				Assuming Gamma Distribution						95% KM (z) UCL		7.906
841		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		8.043
842					Minimum	0.11				95% KM (bootstrap t) UCL		7.856
843					Maximum	11				95% KM (BCA) UCL		8
844					Mean	6.141				95% KM (Percentile Bootstrap) UCL		7.946
845					Median	7.5				95% KM (Chebyshev) UCL		11
846					SD	4.102				97.5% KM (Chebyshev) UCL		13.14
847					k star	0.676				99% KM (Chebyshev) UCL		17.36
848					Theta star	9.09						

	A	B	C	D	E	F	G	H	I	J	K	L
849					Nu star	18.92		Potential UCLs to Use				
850					AppChi2	10.06				99% KM (Chebyshev) UCL		17.36
851			95% Gamma Approximate UCL			11.55						
852			95% Adjusted Gamma UCL			12.61						
853		Warning: Recommended UCL exceeds the maximum observation										
854	Note: DL/2 is not a recommended method.											
855												
856												
857	Total Aroclors											
858												
859					General Statistics							
860			Number of Valid Data			20				Number of Detected Data		16
861			Number of Distinct Detected Data			16				Number of Non-Detect Data		4
862			Number of Missing Values			30				Percent Non-Detects		20.00%
863												
864			Raw Statistics						Log-transformed Statistics			
865			Minimum Detected			5.136				Minimum Detected		1.636
866			Maximum Detected			769.6				Maximum Detected		6.646
867			Mean of Detected			106.5				Mean of Detected		4.006
868			SD of Detected			181.9				SD of Detected		1.122
869			Minimum Non-Detect			1.3				Minimum Non-Detect		0.262
870			Maximum Non-Detect			16				Maximum Non-Detect		2.773
871												
872	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		6
873	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		14
874	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		30.00%
875												
876					UCL Statistics							
877		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
878			Shapiro Wilk Test Statistic			0.481				Shapiro Wilk Test Statistic		0.952
879			5% Shapiro Wilk Critical Value			0.887				5% Shapiro Wilk Critical Value		0.887
880		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
881												
882		Assuming Normal Distribution						Assuming Lognormal Distribution				
883			DL/2 Substitution Method							DL/2 Substitution Method		
884					Mean	85.73					Mean	3.311
885					SD	167.1					SD	1.792
886			95% DL/2 (t) UCL			150.3				95% H-Stat (DL/2) UCL		352.3
887												
888		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
889					Mean	42.81				Mean in Log Scale		3.524
890					SD	204.9				SD in Log Scale		1.407
891			95% MLE (t) UCL			122				Mean in Original Scale		86.18
892			95% MLE (Tiku) UCL			125.2				SD in Original Scale		166.9
893										95% Percentile Bootstrap UCL		157.7
894										95% BCA Bootstrap UCL		192.4
895												
896		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
897			k star (bias corrected)			0.761		Data Follow Appr. Gamma Distribution at 5% Significance Level				
898					Theta Star	139.9						
899					nu star	24.35						
900												
901					A-D Test Statistic	0.938			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
902					5% A-D Critical Value	0.768				Kaplan-Meier (KM) Method		
903					K-S Test Statistic	0.768					Mean	86.28
904					5% K-S Critical Value	0.222					SD	162.6
905		Data follow Appr. Gamma Distribution at 5% Significance Level									SE of Mean	37.55
906											95% KM (t) UCL	151.2
907			Assuming Gamma Distribution								95% KM (z) UCL	148
908		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		149.6
909					Minimum	1E-09				95% KM (bootstrap t) UCL		296.7
910					Maximum	769.6					95% KM (BCA) UCL	159.7
911					Mean	85.17			95% KM (Percentile Bootstrap) UCL			158.8
912					Median	39.9				95% KM (Chebyshev) UCL		250
913					SD	167.4				97.5% KM (Chebyshev) UCL		320.8
914					k star	0.155				99% KM (Chebyshev) UCL		459.9
915					Theta star	548						
916					Nu star	6.217				Potential UCLs to Use		
917					AppChi2	1.752				95% KM (Chebyshev) UCL		250
918			95% Gamma Approximate UCL			302.3						
919			95% Adjusted Gamma UCL			336.9						
920	Note: DL/2 is not a recommended method.											
921												
922												
923	Total DDT											
924												
925					General Statistics							
926				Number of Valid Data		28				Number of Detected Data		20
927			Number of Distinct Detected Data			19				Number of Non-Detect Data		8
928				Number of Missing Values		22				Percent Non-Detects		28.57%
929												
930			Raw Statistics							Log-transformed Statistics		
931				Minimum Detected		0.122				Minimum Detected		-2.102
932				Maximum Detected		265				Maximum Detected		5.58
933				Mean of Detected		28.86				Mean of Detected		1.539
934				SD of Detected		65.8				SD of Detected		1.95
935				Minimum Non-Detect		0.18				Minimum Non-Detect		-1.715
936				Maximum Non-Detect		4.2				Maximum Non-Detect		1.435
937												
938	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		17
939	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		11
940	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		60.71%
941												
942					UCL Statistics							
943		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
944			Shapiro Wilk Test Statistic			0.486				Shapiro Wilk Test Statistic		0.949
945			5% Shapiro Wilk Critical Value			0.905				5% Shapiro Wilk Critical Value		0.905
946		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
947												
948			Assuming Normal Distribution							Assuming Lognormal Distribution		
949				DL/2 Substitution Method						DL/2 Substitution Method		
950					Mean	20.98					Mean	1.032
951					SD	56.63					SD	1.952
952				95% DL/2 (t) UCL		39.21				95% H-Stat (DL/2) UCL		46.51
953												
954			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		

	A	B	C	D	E	F	G	H	I	J	K	L
955	MLE yields a negative mean									Mean in Log Scale		0.775
956										SD in Log Scale		2.09
957										Mean in Original Scale		20.73
958										SD in Original Scale		56.73
959										95% Percentile Bootstrap UCL		39.98
960										95% BCA Bootstrap UCL		47.88
961												
962	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
963	k star (bias corrected)					0.344	Data appear Lognormal at 5% Significance Level					
964	Theta Star					83.78						
965	nu star					13.78						
966												
967	A-D Test Statistic					1.745	Nonparametric Statistics					
968	5% A-D Critical Value					0.831	Kaplan-Meier (KM) Method					
969	K-S Test Statistic					0.831	Mean					20.83
970	5% K-S Critical Value					0.208	SD					55.67
971	Data not Gamma Distributed at 5% Significance Level						SE of Mean					10.79
972							95% KM (t) UCL					39.21
973	Assuming Gamma Distribution						95% KM (z) UCL					38.58
974	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					39.05
975	Minimum					1E-09	95% KM (bootstrap t) UCL					59.7
976	Maximum					265	95% KM (BCA) UCL					41.71
977	Mean					20.61	95% KM (Percentile Bootstrap) UCL					40.18
978	Median					2.791	95% KM (Chebyshev) UCL					67.88
979	SD					56.77	97.5% KM (Chebyshev) UCL					88.24
980	k star					0.116	99% KM (Chebyshev) UCL					128.2
981	Theta star					177.9						
982	Nu star					6.488	Potential UCLs to Use					
983	AppChi2					1.894	99% KM (Chebyshev) UCL					128.2
984	95% Gamma Approximate UCL					70.61						
985	95% Adjusted Gamma UCL					76.64						
986	Note: DL/2 is not a recommended method.											
987												
988												
989	Total Dioxin/Furan TEQ											
990												
991	General Statistics											
992	Number of Valid Data					8	Number of Detected Data					8
993	Number of Distinct Detected Data					8	Number of Non-Detect Data					0
994	Number of Missing Values					9	Percent Non-Detects					0.00%
995												
996	Raw Statistics						Log-transformed Statistics					
997	Minimum Detected					0.197	Minimum Detected					-1.625
998	Maximum Detected					3.467	Maximum Detected					1.243
999	Mean of Detected					0.929	Mean of Detected					-0.532
1000	SD of Detected					1.09	SD of Detected					0.979
1001	Minimum Non-Detect					N/A	Minimum Non-Detect					N/A
1002	Maximum Non-Detect					N/A	Maximum Non-Detect					N/A
1003												
1004												
1005	Warning: There are only 8 Detected Values in this data											
1006	Note: It should be noted that even though bootstrap may be performed on this data set											
1007	the resulting calculations may not be reliable enough tp draw conclusions											

	A	B	C	D	E	F	G	H	I	J	K	L
1008												
1009			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1010												
1011												
1012						UCL Statistics						
1013		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1014					Shapiro Wilk Test Statistic	0.703				Shapiro Wilk Test Statistic		0.927
1015				5% Shapiro Wilk Critical Value		0.818				5% Shapiro Wilk Critical Value		0.818
1016		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1017												
1018		Assuming Normal Distribution						Assuming Lognormal Distribution				
1019				DL/2 Substitution Method						DL/2 Substitution Method		
1020						Mean	0.929				Mean	-0.532
1021						SD	1.09				SD	0.979
1022					95% DL/2 (t) UCL	1.659				95% H-Stat (DL/2) UCL		3.302
1023												
1024				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
1025		MLE method failed to converge properly								Mean in Log Scale		N/A
1026										SD in Log Scale		N/A
1027										Mean in Original Scale		N/A
1028										SD in Original Scale		N/A
1029									95% Percentile Bootstrap UCL			N/A
1030										95% BCA Bootstrap UCL		N/A
1031												
1032		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1033					k star (bias corrected)	0.853		Data appear Gamma Distributed at 5% Significance Level				
1034					Theta Star	1.089						
1035					nu star	13.65						
1036												
1037					A-D Test Statistic	0.464		Nonparametric Statistics				
1038					5% A-D Critical Value	0.732		Kaplan-Meier (KM) Method				
1039					K-S Test Statistic	0.732					Mean	0.929
1040					5% K-S Critical Value	0.3					SD	1.02
1041		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.385
1042									95% KM (t) UCL			1.659
1043		Assuming Gamma Distribution							95% KM (z) UCL			1.563
1044		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			1.659
1045					Minimum	0.197			95% KM (bootstrap t) UCL			3.151
1046					Maximum	3.467			95% KM (BCA) UCL			1.626
1047					Mean	0.929		95% KM (Percentile Bootstrap) UCL				1.586
1048					Median	0.592			95% KM (Chebyshev) UCL			2.609
1049					SD	1.09			97.5% KM (Chebyshev) UCL			3.336
1050					k star	0.853			99% KM (Chebyshev) UCL			4.764
1051					Theta star	1.089						
1052					Nu star	13.65		Potential UCLs to Use				
1053					AppChi2	6.33			95% KM (Chebyshev) UCL			2.609
1054				95% Gamma Approximate UCL		2.002						
1055				95% Adjusted Gamma UCL		2.473						
1056	Note: DL/2 is not a recommended method.											
1057												
1058												
1059	Total Dioxin-like PCBs											
1060												

	A	B	C	D	E	F	G	H	I	J	K	L
1061						General Statistics						
1062				Number of Valid Data		9			Number of Detected Data			9
1063				Number of Distinct Detected Data		9			Number of Non-Detect Data			0
1064				Number of Missing Values		8			Percent Non-Detects			0.00%
1065												
1066				Raw Statistics					Log-transformed Statistics			
1067				Minimum Detected		81.63			Minimum Detected			4.402
1068				Maximum Detected		2508			Maximum Detected			7.827
1069				Mean of Detected		1238			Mean of Detected			6.823
1070				SD of Detected		727.3			SD of Detected			1.032
1071				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
1072				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
1073												
1074												
1075					Warning: There are only 9 Detected Values in this data							
1076				Note: It should be noted that even though bootstrap may be performed on this data set								
1077				the resulting calculations may not be reliable enough tp draw conclusions								
1078												
1079			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1080												
1081												
1082						UCL Statistics						
1083			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1084				Shapiro Wilk Test Statistic		0.984			Shapiro Wilk Test Statistic			0.799
1085				5% Shapiro Wilk Critical Value		0.829			5% Shapiro Wilk Critical Value			0.829
1086			Data appear Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
1087												
1088			Assuming Normal Distribution						Assuming Lognormal Distribution			
1089				DL/2 Substitution Method					DL/2 Substitution Method			
1090				Mean		1238			Mean			6.823
1091				SD		727.3			SD			1.032
1092				95% DL/2 (t) UCL		1688			95% H-Stat (DL/2) UCL			5235
1093												
1094			Maximum Likelihood Estimate(MLE) Method				N/A		Log ROS Method			
1095			MLE method failed to converge properly						Mean in Log Scale			N/A
1096									SD in Log Scale			N/A
1097									Mean in Original Scale			N/A
1098									SD in Original Scale			N/A
1099									95% Percentile Bootstrap UCL			N/A
1100									95% BCA Bootstrap UCL			N/A
1101												
1102			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1103				k star (bias corrected)		1.294			Data appear Normal at 5% Significance Level			
1104				Theta Star		956.6						
1105				nu star		23.29						
1106												
1107				A-D Test Statistic		0.502			Nonparametric Statistics			
1108				5% A-D Critical Value		0.731			Kaplan-Meier (KM) Method			
1109				K-S Test Statistic		0.731			Mean			1238
1110				5% K-S Critical Value		0.283			SD			685.7
1111			Data appear Gamma Distributed at 5% Significance Level						SE of Mean			242.4
1112									95% KM (t) UCL			1688
1113			Assuming Gamma Distribution						95% KM (z) UCL			1636

	A	B	C	D	E	F	G	H	I	J	K	L
1114					Gamma ROS Statistics using Extrapolated Data					95% KM (jackknife) UCL		1688
1115					Minimum	81.63				95% KM (bootstrap t) UCL		1697
1116					Maximum	2508				95% KM (BCA) UCL		1622
1117					Mean	1238				95% KM (Percentile Bootstrap) UCL		1611
1118					Median	1167				95% KM (Chebyshev) UCL		2294
1119					SD	727.3				97.5% KM (Chebyshev) UCL		2751
1120					k star	1.294				99% KM (Chebyshev) UCL		3650
1121					Theta star	956.6						
1122					Nu star	23.29				**Potential UCLs to Use**		
1123					AppChi2	13.31				95% KM (t) UCL		1688
1124				95% Gamma Approximate UCL		2166				95% KM (Percentile Bootstrap) UCL		1611
1125				95% Adjusted Gamma UCL		2453						
1126	Note: DL/2 is not a recommended method.											
1127												
1128												
1129	Total PCB TEQ											
1130												
1131					**General Statistics**							
1132				Number of Valid Data		9				Number of Detected Data		9
1133				Number of Distinct Detected Data		9				Number of Non-Detect Data		0
1134				Number of Missing Values		8				Percent Non-Detects		0.00%
1135												
1136				**Raw Statistics**						**Log-transformed Statistics**		
1137				Minimum Detected		0.237				Minimum Detected		-1.441
1138				Maximum Detected		1.626				Maximum Detected		0.486
1139				Mean of Detected		0.665				Mean of Detected		-0.56
1140				SD of Detected		0.415				SD of Detected		0.578
1141				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1142				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1143												
1144												
1145					**Warning: There are only 9 Detected Values in this data**							
1146					**Note: It should be noted that even though bootstrap may be performed on this data set**							
1147					**the resulting calculations may not be reliable enough tp draw conclusions**							
1148												
1149					**It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.**							
1150												
1151												
1152					**UCL Statistics**							
1153		**Normal Distribution Test with Detected Values Only**							**Lognormal Distribution Test with Detected Values Only**			
1154				Shapiro Wilk Test Statistic		0.844				Shapiro Wilk Test Statistic		0.969
1155				5% Shapiro Wilk Critical Value		0.829				5% Shapiro Wilk Critical Value		0.829
1156		**Data appear Normal at 5% Significance Level**							**Data appear Lognormal at 5% Significance Level**			
1157												
1158		**Assuming Normal Distribution**							**Assuming Lognormal Distribution**			
1159				DL/2 Substitution Method						DL/2 Substitution Method		
1160				Mean		0.665				Mean		-0.56
1161				SD		0.415				SD		0.578
1162				95% DL/2 (t) UCL		0.922				95% H-Stat (DL/2) UCL		1.099
1163												
1164				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
1165		**MLE method failed to converge properly**							Mean in Log Scale		N/A
1166										SD in Log Scale		N/A

	A	B	C	D	E	F	G	H	I	J	K	L
1167										Mean in Original Scale		N/A
1168										SD in Original Scale		N/A
1169										95% Percentile Bootstrap UCL		N/A
1170										95% BCA Bootstrap UCL		N/A
1171												
1172		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1173					k star (bias corrected)	2.379		Data appear Normal at 5% Significance Level				
1174					Theta Star	0.279						
1175					nu star	42.82						
1176												
1177					A-D Test Statistic	0.271		Nonparametric Statistics				
1178					5% A-D Critical Value	0.726		Kaplan-Meier (KM) Method				
1179					K-S Test Statistic	0.726				Mean		0.665
1180					5% K-S Critical Value	0.281				SD		0.391
1181		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.138
1182										95% KM (t) UCL		0.922
1183		Assuming Gamma Distribution								95% KM (z) UCL		0.892
1184		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.922
1185					Minimum	0.237				95% KM (bootstrap t) UCL		1.073
1186					Maximum	1.626				95% KM (BCA) UCL		0.889
1187					Mean	0.665				95% KM (Percentile Bootstrap) UCL		0.891
1188					Median	0.524				95% KM (Chebyshev) UCL		1.268
1189					SD	0.415				97.5% KM (Chebyshev) UCL		1.529
1190					k star	2.379				99% KM (Chebyshev) UCL		2.041
1191					Theta star	0.279						
1192					Nu star	42.82		Potential UCLs to Use				
1193					AppChi2	28.82				95% KM (t) UCL		0.922
1194		95% Gamma Approximate UCL				0.988				95% KM (Percentile Bootstrap) UCL		0.891
1195		95% Adjusted Gamma UCL				1.077						
1196	Note: DL/2 is not a recommended method.											
1197												
1198												
1199	Total PCB_Congeners											
1200												
1201					General Statistics							
1202				Number of Valid Data		9				Number of Detected Data		9
1203				Number of Distinct Detected Data		9				Number of Non-Detect Data		0
1204				Number of Missing Values		8				Percent Non-Detects		0.00%
1205												
1206		Raw Statistics						Log-transformed Statistics				
1207					Minimum Detected	2002				Minimum Detected		7.602
1208					Maximum Detected	59628				Maximum Detected		11
1209					Mean of Detected	25505				Mean of Detected		9.835
1210					SD of Detected	16875				SD of Detected		1.011
1211					Minimum Non-Detect	N/A				Minimum Non-Detect		N/A
1212					Maximum Non-Detect	N/A				Maximum Non-Detect		N/A
1213												
1214												
1215					Warning: There are only 9 Detected Values in this data							
1216				Note: It should be noted that even though bootstrap may be performed on this data set								
1217					the resulting calculations may not be reliable enough tp draw conclusions							
1218												
1219			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									

	A	B	C	D	E	F	G	H	I	J	K	L
1220												
1221												
1222					UCL Statistics							
1223		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1224				Shapiro Wilk Test Statistic		0.944				Shapiro Wilk Test Statistic		0.85
1225				5% Shapiro Wilk Critical Value		0.829				5% Shapiro Wilk Critical Value		0.829
1226			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1227												
1228			Assuming Normal Distribution						Assuming Lognormal Distribution			
1229				DL/2 Substitution Method						DL/2 Substitution Method		
1230					Mean	25505				Mean		9.835
1231					SD	16875				SD		1.011
1232				95% DL/2 (t) UCL		35966			95% H-Stat (DL/2) UCL			100083
1233												
1234			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1235			MLE method failed to converge properly						Mean in Log Scale			N/A
1236									SD in Log Scale			N/A
1237									Mean in Original Scale			N/A
1238									SD in Original Scale			N/A
1239									95% Percentile Bootstrap UCL			N/A
1240									95% BCA Bootstrap UCL			N/A
1241												
1242		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1243				k star (bias corrected)		1.243		Data appear Normal at 5% Significance Level				
1244					Theta Star	20522						
1245					nu star	22.37						
1246												
1247					A-D Test Statistic	0.426		Nonparametric Statistics				
1248				5% A-D Critical Value		0.732			Kaplan-Meier (KM) Method			
1249				K-S Test Statistic		0.732				Mean		25505
1250				5% K-S Critical Value		0.283				SD		15910
1251		Data appear Gamma Distributed at 5% Significance Level							SE of Mean			5625
1252									95% KM (t) UCL			35966
1253			Assuming Gamma Distribution						95% KM (z) UCL			34758
1254		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			35966
1255					Minimum	2002			95% KM (bootstrap t) UCL			38010
1256					Maximum	59628			95% KM (BCA) UCL			34632
1257					Mean	25505			95% KM (Percentile Bootstrap) UCL			34559
1258					Median	26325			95% KM (Chebyshev) UCL			50025
1259					SD	16875			97.5% KM (Chebyshev) UCL			60634
1260					k star	1.243			99% KM (Chebyshev) UCL			81475
1261					Theta star	20522						
1262					Nu star	22.37		Potential UCLs to Use				
1263					AppChi2	12.62			95% KM (t) UCL			35966
1264				95% Gamma Approximate UCL		45224			95% KM (Percentile Bootstrap) UCL			34559
1265				95% Adjusted Gamma UCL		51391						
1266	Note: DL/2 is not a recommended method.											
1267												
1268												
1269	Total PCBs, Adjusted											
1270												
1271					General Statistics							
1272				Number of Valid Data		9				Number of Detected Data		9

	A	B	C	D	E	F	G	H	I	J	K	L
1273				Number of Distinct Detected Data		9				Number of Non-Detect Data		0
1274				Number of Missing Values		8				Percent Non-Detects		0.00%
1275												
1276				Raw Statistics						Log-transformed Statistics		
1277				Minimum Detected		1920				Minimum Detected		7.56
1278				Maximum Detected		57120				Maximum Detected		10.95
1279				Mean of Detected		24268				Mean of Detected		9.784
1280				SD of Detected		16160				SD of Detected		1.011
1281				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1282				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1283												
1284												
1285				Warning: There are only 9 Detected Values in this data								
1286				Note: It should be noted that even though bootstrap may be performed on this data set								
1287				the resulting calculations may not be reliable enough tp draw conclusions								
1288												
1289				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
1290												
1291												
1292						UCL Statistics						
1293			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1294				Shapiro Wilk Test Statistic		0.941				Shapiro Wilk Test Statistic		0.852
1295				5% Shapiro Wilk Critical Value		0.829				5% Shapiro Wilk Critical Value		0.829
1296			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1297												
1298			Assuming Normal Distribution						Assuming Lognormal Distribution			
1299				DL/2 Substitution Method						DL/2 Substitution Method		
1300				Mean		24268				Mean		9.784
1301				SD		16160				SD		1.011
1302				95% DL/2 (t) UCL		34285				95% H-Stat (DL/2) UCL		95011
1303												
1304				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
1305			MLE method failed to converge properly							Mean in Log Scale		N/A
1306										SD in Log Scale		N/A
1307										Mean in Original Scale		N/A
1308										SD in Original Scale		N/A
1309										95% Percentile Bootstrap UCL		N/A
1310										95% BCA Bootstrap UCL		N/A
1311												
1312			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1313				k star (bias corrected)		1.239			Data appear Normal at 5% Significance Level			
1314				Theta Star		19586						
1315				nu star		22.3						
1316												
1317				A-D Test Statistic		0.423			Nonparametric Statistics			
1318				5% A-D Critical Value		0.732			Kaplan-Meier (KM) Method			
1319				K-S Test Statistic		0.732				Mean		24268
1320				5% K-S Critical Value		0.283				SD		15236
1321			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		5387
1322										95% KM (t) UCL		34285
1323			Assuming Gamma Distribution							95% KM (z) UCL		33128
1324			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		34285
1325				Minimum		1920				95% KM (bootstrap t) UCL		35664

	A	B	C	D	E	F	G	H	I	J	K	L
1326					Maximum	57120				95% KM (BCA) UCL		32580
1327					Mean	24268				95% KM (Percentile Bootstrap) UCL		32713
1328					Median	25016				95% KM (Chebyshev) UCL		47748
1329					SD	16160				97.5% KM (Chebyshev) UCL		57908
1330					k star	1.239				99% KM (Chebyshev) UCL		77865
1331					Theta star	19586						
1332					Nu star	22.3			Potential UCLs to Use			
1333					AppChi2	12.57				95% KM (t) UCL		34285
1334			95% Gamma Approximate UCL			43073			95% KM (Percentile Bootstrap) UCL			32713
1335			95% Adjusted Gamma UCL			48959						
1336	Note: DL/2 is not a recommended method.											
1337												
1338												
1339	Total TEQ											
1340												
1341					General Statistics							
1342			Number of Valid Data			6				Number of Detected Data		6
1343			Number of Distinct Detected Data			6				Number of Non-Detect Data		0
1344			Number of Missing Values			11				Percent Non-Detects		0.00%
1345												
1346			Raw Statistics						Log-transformed Statistics			
1347			Minimum Detected			0.47				Minimum Detected		-0.755
1348			Maximum Detected			3.98				Maximum Detected		1.381
1349			Mean of Detected			1.524				Mean of Detected		0.17
1350			SD of Detected			1.291				SD of Detected		0.751
1351			Minimum Non-Detect			N/A				Minimum Non-Detect		N/A
1352			Maximum Non-Detect			N/A				Maximum Non-Detect		N/A
1353												
1354												
1355					Warning: There are only 6 Detected Values in this data							
1356				Note: It should be noted that even though bootstrap may be performed on this data set									
1357					the resulting calculations may not be reliable enough tp draw conclusions							
1358												
1359			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.										
1360												
1361												
1362					UCL Statistics							
1363			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1364			Shapiro Wilk Test Statistic			0.808				Shapiro Wilk Test Statistic		0.976
1365			5% Shapiro Wilk Critical Value			0.788				5% Shapiro Wilk Critical Value		0.788
1366			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1367												
1368			Assuming Normal Distribution						Assuming Lognormal Distribution			
1369			DL/2 Substitution Method							DL/2 Substitution Method		
1370			Mean			1.524				Mean		0.17
1371			SD			1.291				SD		0.751
1372			95% DL/2 (t) UCL			2.586				95% H-Stat (DL/2) UCL		4.809
1373												
1374			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1375			MLE method failed to converge properly							Mean in Log Scale		N/A
1376										SD in Log Scale		N/A
1377										Mean in Original Scale		N/A
1378										SD in Original Scale		N/A

	A	B	C	D	E	F	G	H	I	J	K	L
1379										95% Percentile Bootstrap UCL		N/A
1380										95% BCA Bootstrap UCL		N/A
1381												
1382		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1383				k star (bias corrected)		1.183		Data appear Normal at 5% Significance Level				
1384				Theta Star		1.289						
1385				nu star		14.19						
1386												
1387				A-D Test Statistic		0.296		Nonparametric Statistics				
1388				5% A-D Critical Value		0.704		Kaplan-Meier (KM) Method				
1389				K-S Test Statistic		0.704		Mean				1.524
1390				5% K-S Critical Value		0.336		SD				1.179
1391		Data appear Gamma Distributed at 5% Significance Level						SE of Mean				0.527
1392								95% KM (t) UCL				2.586
1393		Assuming Gamma Distribution						95% KM (z) UCL				2.391
1394		Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL				2.586
1395				Minimum		0.47		95% KM (bootstrap t) UCL				4.222
1396				Maximum		3.98		95% KM (BCA) UCL				2.294
1397				Mean		1.524		95% KM (Percentile Bootstrap) UCL				2.416
1398				Median		1.071		95% KM (Chebyshev) UCL				3.822
1399				SD		1.291		97.5% KM (Chebyshev) UCL				4.816
1400				k star		1.183		99% KM (Chebyshev) UCL				6.769
1401				Theta star		1.289						
1402				Nu star		14.19		Potential UCLs to Use				
1403				AppChi2		6.704		95% KM (t) UCL				2.586
1404		95% Gamma Approximate UCL				3.227		95% KM (Percentile Bootstrap) UCL				2.416
1405		95% Adjusted Gamma UCL				4.358						
1406	Note: DL/2 is not a recommended method.											
1407												

	A	B	C	D	E	F	G	H	I	J	K	L
1						General UCL Statistics for Data Sets with Non-Detects						
2		User Selected Options										
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM8.0E.wst								
4			Full Precision	OFF								
5			Confidence Coefficient	95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Arsenic											
10												
11						General Statistics						
12				Number of Valid Data		37		Number of Detected Data				33
13			Number of Distinct Detected Data			22		Number of Non-Detect Data				4
14				Number of Missing Values		2		Percent Non-Detects				10.81%
15												
16			Raw Statistics					Log-transformed Statistics				
17				Minimum Detected		2.4		Minimum Detected				0.875
18				Maximum Detected		17		Maximum Detected				2.833
19				Mean of Detected		6.598		Mean of Detected				1.755
20				SD of Detected		4.037		SD of Detected				0.488
21				Minimum Non-Detect		4		Minimum Non-Detect				1.386
22				Maximum Non-Detect		6		Maximum Non-Detect				1.792
23												
24		Note: Data have multiple DLs - Use of KM Method is recommended						Number treated as Non-Detect				23
25		For all methods (except KM, DL/2, and ROS Methods),						Number treated as Detected				14
26		Observations < Largest ND are treated as NDs						Single DL Non-Detect Percentage				62.16%
27												
28						UCL Statistics						
29		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
30				Shapiro Wilk Test Statistic		0.713		Shapiro Wilk Test Statistic				0.902
31				5% Shapiro Wilk Critical Value		0.931		5% Shapiro Wilk Critical Value				0.931
32		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
33												
34		Assuming Normal Distribution						Assuming Lognormal Distribution				
35				DL/2 Substitution Method				DL/2 Substitution Method				
36				Mean		6.155		Mean				1.663
37				SD		4.02		SD				0.534
38				95% DL/2 (t) UCL		7.27		95% H-Stat (DL/2) UCL				6.427
39												
40			Maximum Likelihood Estimate(MLE) Method					Log ROS Method				
41				Mean		3.515		Mean in Log Scale				1.702
42				SD		6.506		SD in Log Scale				0.487
43				95% MLE (t) UCL		5.321		Mean in Original Scale				6.273
44				95% MLE (Tiku) UCL		6.202		SD in Original Scale				3.925
45								95% Percentile Bootstrap UCL				7.355
46								95% BCA Bootstrap UCL				7.586
47												
48		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
49				k star (bias corrected)		3.614		Data do not follow a Discernable Distribution (0.05)				
50				Theta Star		1.825						
51				nu star		238.6						
52												
53				A-D Test Statistic		1.869		Nonparametric Statistics				

	A	B	C	D	E	F	G	H	I	J	K	L
54					5% A-D Critical Value	0.751				Kaplan-Meier (KM) Method		
55					K-S Test Statistic	0.751					Mean	6.287
56					5% K-S Critical Value	0.154					SD	3.867
57		Data not Gamma Distributed at 5% Significance Level									SE of Mean	0.647
58											95% KM (t) UCL	7.379
59			Assuming Gamma Distribution								95% KM (z) UCL	7.351
60			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		7.378
61					Minimum	2.4				95% KM (bootstrap t) UCL		7.88
62					Maximum	17				95% KM (BCA) UCL		7.326
63					Mean	6.326			95% KM (Percentile Bootstrap) UCL			7.304
64					Median	5.25				95% KM (Chebyshev) UCL		9.106
65					SD	3.913				97.5% KM (Chebyshev) UCL		10.33
66					k star	3.604				99% KM (Chebyshev) UCL		12.72
67					Theta star	1.755						
68					Nu star	266.7			Potential UCLs to Use			
69					AppChi2	229.9				95% KM (Chebyshev) UCL		9.106
70			95% Gamma Approximate UCL			7.339						
71			95% Adjusted Gamma UCL			7.387						
72	Note: DL/2 is not a recommended method.											
73												
74												
75	Benzo(a)anthracene											
76												
77					General Statistics							
78			Number of Valid Data			36			Number of Detected Data			35
79		Number of Distinct Detected Data				32			Number of Non-Detect Data			1
80			Number of Missing Values			3				Percent Non-Detects		2.78%
81												
82			Raw Statistics						Log-transformed Statistics			
83				Minimum Detected		8.9				Minimum Detected		2.186
84				Maximum Detected		1480				Maximum Detected		7.3
85				Mean of Detected		171.4				Mean of Detected		4.138
86				SD of Detected		319.6				SD of Detected		1.311
87				Minimum Non-Detect		10				Minimum Non-Detect		2.303
88				Maximum Non-Detect		10				Maximum Non-Detect		2.303
89												
90												
91					UCL Statistics							
92		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
93			Shapiro Wilk Test Statistic			0.541				Shapiro Wilk Test Statistic		0.92
94			5% Shapiro Wilk Critical Value			0.934				5% Shapiro Wilk Critical Value		0.934
95		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
96												
97			Assuming Normal Distribution						Assuming Lognormal Distribution			
98				DL/2 Substitution Method						DL/2 Substitution Method		
99					Mean	166.8					Mean	4.068
100					SD	316.2					SD	1.359
101			95% DL/2 (t) UCL			255.8				95% H-Stat (DL/2) UCL		265.6
102												
103		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
104					Mean	155.2				Mean in Log Scale		4.061
105					SD	323.7				SD in Log Scale		1.373
106			95% MLE (t) UCL			246.3				Mean in Original Scale		166.7

	A	B	C	D	E	F	G	H	I	J	K	L
107				95% MLE (Tiku) UCL		238.3				SD in Original Scale		316.2
108										95% Percentile Bootstrap UCL		261.7
109										95% BCA Bootstrap UCL		281.3
110												
111		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
112				k star (bias corrected)		0.579		Data do not follow a Discernable Distribution (0.05)				
113				Theta Star		296						
114				nu star		40.53						
115												
116				A-D Test Statistic		2.677		Nonparametric Statistics				
117				5% A-D Critical Value		0.801		Kaplan-Meier (KM) Method				
118				K-S Test Statistic		0.801				Mean		166.9
119				5% K-S Critical Value		0.156				SD		311.7
120		Data not Gamma Distributed at 5% Significance Level								SE of Mean		52.71
121										95% KM (t) UCL		255.9
122		Assuming Gamma Distribution								95% KM (z) UCL		253.6
123		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		255.8
124				Minimum		1E-09				95% KM (bootstrap t) UCL		339.7
125				Maximum		1480				95% KM (BCA) UCL		271.6
126				Mean		166.6				95% KM (Percentile Bootstrap) UCL		255.8
127				Median		45.5				95% KM (Chebyshev) UCL		396.6
128				SD		316.2				97.5% KM (Chebyshev) UCL		496
129				k star		0.381				99% KM (Chebyshev) UCL		691.3
130				Theta star		437.6						
131				Nu star		27.42		Potential UCLs to Use				
132				AppChi2		16.48				97.5% KM (Chebyshev) UCL		496
133		95% Gamma Approximate UCL				277.3						
134		95% Adjusted Gamma UCL				284						
135	Note: DL/2 is not a recommended method.											
136												
137												
138	Benzo(a)pyrene											
139												
140						General Statistics						
141				Number of Valid Data		36				Number of Detected Data		35
142		Number of Distinct Detected Data				32				Number of Non-Detect Data		1
143				Number of Missing Values		3				Percent Non-Detects		2.78%
144												
145		Raw Statistics						Log-transformed Statistics				
146				Minimum Detected		11				Minimum Detected		2.398
147				Maximum Detected		1630				Maximum Detected		7.396
148				Mean of Detected		179.2				Mean of Detected		4.202
149				SD of Detected		342.8				SD of Detected		1.266
150				Minimum Non-Detect		10				Minimum Non-Detect		2.303
151				Maximum Non-Detect		10				Maximum Non-Detect		2.303
152												
153												
154						UCL Statistics						
155		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
156				Shapiro Wilk Test Statistic		0.523				Shapiro Wilk Test Statistic		0.896
157				5% Shapiro Wilk Critical Value		0.934				5% Shapiro Wilk Critical Value		0.934
158		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
159												

	A	B	C	D	E	F	G	H	I	J	K	L
160				Assuming Normal Distribution						Assuming Lognormal Distribution		
161				DL/2 Substitution Method						DL/2 Substitution Method		
162					Mean	174.4					Mean	4.13
163					SD	339.1					SD	1.32
164				95% DL/2 (t) UCL		269.9				95% H-Stat (DL/2) UCL		261.3
165												
166			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
167					Mean	168.4				Mean in Log Scale		4.116
168					SD	340.6				SD in Log Scale		1.352
169				95% MLE (t) UCL		264.3				Mean in Original Scale		174.3
170				95% MLE (Tiku) UCL		254.7				SD in Original Scale		339.1
171										95% Percentile Bootstrap UCL		268.1
172										95% BCA Bootstrap UCL		302.3
173												
174			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
175				k star (bias corrected)		0.589			Data do not follow a Discernable Distribution (0.05)			
176					Theta Star	304.5						
177					nu star	41.2						
178												
179					A-D Test Statistic	3.078			Nonparametric Statistics			
180				5% A-D Critical Value		0.8			Kaplan-Meier (KM) Method			
181					K-S Test Statistic	0.8					Mean	174.6
182				5% K-S Critical Value		0.156					SD	334.3
183			Data not Gamma Distributed at 5% Significance Level								SE of Mean	56.53
184										95% KM (t) UCL		270.1
185				Assuming Gamma Distribution						95% KM (z) UCL		267.5
186			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			269.9
187					Minimum	1E-09			95% KM (bootstrap t) UCL			346.3
188					Maximum	1630				95% KM (BCA) UCL		282.7
189					Mean	174.3			95% KM (Percentile Bootstrap) UCL			276.1
190					Median	49.5				95% KM (Chebyshev) UCL		421
191					SD	339.2				97.5% KM (Chebyshev) UCL		527.6
192					k star	0.384				99% KM (Chebyshev) UCL		737
193					Theta star	453.7						
194					Nu star	27.66			Potential UCLs to Use			
195					AppChi2	16.66			97.5% KM (Chebyshev) UCL			527.6
196				95% Gamma Approximate UCL		289.3						
197				95% Adjusted Gamma UCL		296.2						
198	Note: DL/2 is not a recommended method.											
199												
200												
201	Benzo(b)fluoranthene											
202												
203					General Statistics							
204			Number of Valid Data			36				Number of Detected Data		35
205			Number of Distinct Detected Data			33				Number of Non-Detect Data		1
206			Number of Missing Values			3				Percent Non-Detects		2.78%
207												
208			Raw Statistics							Log-transformed Statistics		
209				Minimum Detected		13				Minimum Detected		2.565
210				Maximum Detected		1400				Maximum Detected		7.244
211				Mean of Detected		202.4				Mean of Detected		4.426
212				SD of Detected		342.2				SD of Detected		1.227

	A	B	C	D	E	F	G	H	I	J	K	L
213				Minimum Non-Detect		10				Minimum Non-Detect		2.303
214				Maximum Non-Detect		10				Maximum Non-Detect		2.303
215												
216												
217					UCL Statistics							
218		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
219				Shapiro Wilk Test Statistic		0.569				Shapiro Wilk Test Statistic		0.904
220				5% Shapiro Wilk Critical Value		0.934				5% Shapiro Wilk Critical Value		0.934
221		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
222												
223		Assuming Normal Distribution						Assuming Lognormal Distribution				
224				DL/2 Substitution Method						DL/2 Substitution Method		
225					Mean	196.9					Mean	4.348
226					SD	338.9					SD	1.297
227				95% DL/2 (t) UCL		292.3				95% H-Stat (DL/2) UCL		306.8
228												
229				Maximum Likelihood Estimate(MLE) Method						Log ROS Method		
230					Mean	191.1				Mean in Log Scale		4.341
231					SD	340.5				SD in Log Scale		1.311
232				95% MLE (t) UCL		286.9				Mean in Original Scale		196.9
233				95% MLE (Tiku) UCL		277.9				SD in Original Scale		338.9
234										95% Percentile Bootstrap UCL		294.6
235										95% BCA Bootstrap UCL		313.6
236												
237		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
238				k star (bias corrected)		0.646		Data do not follow a Discernable Distribution (0.05)				
239				Theta Star		313.4						
240				nu star		45.21						
241												
242				A-D Test Statistic		2.787		Nonparametric Statistics				
243				5% A-D Critical Value		0.794				Kaplan-Meier (KM) Method		
244				K-S Test Statistic		0.794					Mean	197.1
245				5% K-S Critical Value		0.155					SD	334
246		Data not Gamma Distributed at 5% Significance Level									SE of Mean	56.49
247										95% KM (t) UCL		292.6
248		Assuming Gamma Distribution								95% KM (z) UCL		290
249		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		292.3
250					Minimum	1E-09				95% KM (bootstrap t) UCL		345.3
251					Maximum	1400				95% KM (BCA) UCL		300.9
252					Mean	196.8				95% KM (Percentile Bootstrap) UCL		295.5
253					Median	66				95% KM (Chebyshev) UCL		443.3
254					SD	339				97.5% KM (Chebyshev) UCL		549.9
255					k star	0.403				99% KM (Chebyshev) UCL		759.2
256					Theta star	487.6						
257					Nu star	29.05		Potential UCLs to Use				
258					AppChi2	17.75				97.5% KM (Chebyshev) UCL		549.9
259			95% Gamma Approximate UCL			322.1						
260			95% Adjusted Gamma UCL			329.5						
261	Note: DL/2 is not a recommended method.											
262												
263												
264	Benzo(k)fluoranthene											
265												

	A	B	C	D	E	F	G	H	I	J	K	L
266						General Statistics						
267			Number of Valid Data			35				Number of Detected Data		34
268		Number of Distinct Detected Data				32				Number of Non-Detect Data		1
269			Number of Missing Values			4				Percent Non-Detects		2.86%
270												
271			Raw Statistics							Log-transformed Statistics		
272				Minimum Detected		4.5				Minimum Detected		1.504
273				Maximum Detected		1120				Maximum Detected		7.021
274				Mean of Detected		132.1				Mean of Detected		3.891
275				SD of Detected		229.5				SD of Detected		1.386
276				Minimum Non-Detect		10				Minimum Non-Detect		2.303
277				Maximum Non-Detect		10				Maximum Non-Detect		2.303
278												
279												
280						UCL Statistics						
281		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
282			Shapiro Wilk Test Statistic			0.583				Shapiro Wilk Test Statistic		0.962
283			5% Shapiro Wilk Critical Value			0.933				5% Shapiro Wilk Critical Value		0.933
284		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
285												
286			Assuming Normal Distribution						Assuming Lognormal Distribution			
287			DL/2 Substitution Method						DL/2 Substitution Method			
288				Mean		128.5				Mean		3.826
289				SD		227.1				SD		1.419
290			95% DL/2 (t) UCL			193.4			95% H-Stat (DL/2) UCL			242
291												
292		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
293				Mean		105.1				Mean in Log Scale		3.827
294				SD		248.3				SD in Log Scale		1.417
295			95% MLE (t) UCL			176.1				Mean in Original Scale		128.5
296			95% MLE (Tiku) UCL			172.7				SD in Original Scale		227.1
297									95% Percentile Bootstrap UCL			196.8
298									95% BCA Bootstrap UCL			207.5
299												
300		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
301			k star (bias corrected)			0.584		Data appear Lognormal at 5% Significance Level				
302				Theta Star		226.1						
303				nu star		39.74						
304												
305				A-D Test Statistic		1.716			Nonparametric Statistics			
306			5% A-D Critical Value			0.8			Kaplan-Meier (KM) Method			
307				K-S Test Statistic		0.8				Mean		128.6
308			5% K-S Critical Value			0.158				SD		223.8
309		Data not Gamma Distributed at 5% Significance Level								SE of Mean		38.4
310										95% KM (t) UCL		193.5
311			Assuming Gamma Distribution							95% KM (z) UCL		191.7
312		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			193.5
313				Minimum		1E-09			95% KM (bootstrap t) UCL			236.3
314				Maximum		1120				95% KM (BCA) UCL		197.4
315				Mean		128.4			95% KM (Percentile Bootstrap) UCL			195.4
316				Median		37				95% KM (Chebyshev) UCL		296
317				SD		227.2			97.5% KM (Chebyshev) UCL			368.4
318				k star		0.381			99% KM (Chebyshev) UCL			510.7

	A	B	C	D	E	F	G	H	I	J	K	L
319					Theta star	337.3						
320					Nu star	26.64			Potential UCLs to Use			
321					AppChi2	15.87			97.5% KM (Chebyshev) UCL			368.4
322			95% Gamma Approximate UCL			215.4						
323			95% Adjusted Gamma UCL			220.9						
324	Note: DL/2 is not a recommended method.											
325												
326												
327	Bis(2-ethylhexyl) phthalate											
328												
329					General Statistics							
330				Number of Valid Data		35			Number of Detected Data			35
331			Number of Distinct Detected Data			32			Number of Non-Detect Data			0
332				Number of Missing Values		4			Percent Non-Detects			0.00%
333												
334			Raw Statistics						Log-transformed Statistics			
335				Minimum Detected		120			Minimum Detected			4.787
336				Maximum Detected		3100			Maximum Detected			8.039
337				Mean of Detected		774.5			Mean of Detected			6.337
338				SD of Detected		722.5			SD of Detected			0.78
339				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
340				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
341												
342												
343					UCL Statistics							
344		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
345			Shapiro Wilk Test Statistic			0.737			Shapiro Wilk Test Statistic			0.976
346			5% Shapiro Wilk Critical Value			0.934			5% Shapiro Wilk Critical Value			0.934
347		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
348												
349		Assuming Normal Distribution							Assuming Lognormal Distribution			
350			DL/2 Substitution Method						DL/2 Substitution Method			
351					Mean	774.5					Mean	6.337
352					SD	722.5					SD	0.78
353			95% DL/2 (t) UCL			981.1			95% H-Stat (DL/2) UCL			1023
354												
355		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
356		MLE method failed to converge properly							Mean in Log Scale			N/A
357									SD in Log Scale			N/A
358									Mean in Original Scale			N/A
359									SD in Original Scale			N/A
360									95% Percentile Bootstrap UCL			N/A
361									95% BCA Bootstrap UCL			N/A
362												
363		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
364			k star (bias corrected)			1.606			Data appear Lognormal at 5% Significance Level			
365					Theta Star	482.3						
366					nu star	112.4						
367												
368				A-D Test Statistic		0.856			Nonparametric Statistics			
369				5% A-D Critical Value		0.763			Kaplan-Meier (KM) Method			
370				K-S Test Statistic		0.763					Mean	774.5
371				5% K-S Critical Value		0.151					SD	712.1

	A	B	C	D	E	F	G	H	I	J	K	L
372	Data not Gamma Distributed at 5% Significance Level										SE of Mean	122.1
373											95% KM (t) UCL	981.1
374			Assuming Gamma Distribution								95% KM (z) UCL	975.4
375			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	981.1
376					Minimum	120					95% KM (bootstrap t) UCL	1067
377					Maximum	3100					95% KM (BCA) UCL	979
378					Mean	774.5					95% KM (Percentile Bootstrap) UCL	973.6
379					Median	546					95% KM (Chebyshev) UCL	1307
380					SD	722.5					97.5% KM (Chebyshev) UCL	1537
381					k star	1.606					99% KM (Chebyshev) UCL	1990
382					Theta star	482.3						
383					Nu star	112.4			Potential UCLs to Use			
384					AppChi2	88.95					95% KM (Chebyshev) UCL	1307
385			95% Gamma Approximate UCL			979						
386			95% Adjusted Gamma UCL			990						
387	Note: DL/2 is not a recommended method.											
388												
389												
390	Dibenzo(a,h)anthracene											
391												
392					General Statistics							
393			Number of Valid Data			36				Number of Detected Data		22
394			Number of Distinct Detected Data			21				Number of Non-Detect Data		14
395			Number of Missing Values			3				Percent Non-Detects		38.89%
396												
397			Raw Statistics						Log-transformed Statistics			
398			Minimum Detected			2				Minimum Detected		0.693
399			Maximum Detected			240				Maximum Detected		5.481
400			Mean of Detected			38.25				Mean of Detected		2.774
401			SD of Detected			57.05				SD of Detected		1.371
402			Minimum Non-Detect			2.4				Minimum Non-Detect		0.875
403			Maximum Non-Detect			20				Maximum Non-Detect		2.996
404												
405	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		27
406	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		9
407	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		75.00%
408												
409					UCL Statistics							
410			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
411			Shapiro Wilk Test Statistic			0.656				Shapiro Wilk Test Statistic		0.963
412			5% Shapiro Wilk Critical Value			0.911				5% Shapiro Wilk Critical Value		0.911
413			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
414												
415			Assuming Normal Distribution						Assuming Lognormal Distribution			
416			DL/2 Substitution Method							DL/2 Substitution Method		
417					Mean	25.74				Mean		2.356
418					SD	47				SD		1.232
419			95% DL/2 (t) UCL			38.98				95% H-Stat (DL/2) UCL		26.04
420												
421			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
422			MLE yields a negative mean							Mean in Log Scale		2.208
423										SD in Log Scale		1.382
424										Mean in Original Scale		25.3

	A	B	C	D	E	F	G	H	I	J	K	L
425										SD in Original Scale		47.21
426										95% Percentile Bootstrap UCL		38.42
427										95% BCA Bootstrap UCL		43.05
428												
429		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
430				k star (bias corrected)		0.631		Data appear Gamma Distributed at 5% Significance Level				
431					Theta Star	60.63						
432					nu star	27.76						
433												
434					A-D Test Statistic	0.669		Nonparametric Statistics				
435				5% A-D Critical Value		0.788			Kaplan-Meier (KM) Method			
436					K-S Test Statistic	0.788				Mean		25.23
437				5% K-S Critical Value		0.193				SD		46.58
438		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		7.957
439										95% KM (t) UCL		38.68
440			Assuming Gamma Distribution							95% KM (z) UCL		38.32
441		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		38.52
442					Minimum	1E-09				95% KM (bootstrap t) UCL		48.32
443					Maximum	240				95% KM (BCA) UCL		40.28
444					Mean	34.67			95% KM (Percentile Bootstrap) UCL			38.99
445					Median	15				95% KM (Chebyshev) UCL		59.92
446					SD	47.93				97.5% KM (Chebyshev) UCL		74.93
447					k star	0.225				99% KM (Chebyshev) UCL		104.4
448					Theta star	154						
449					Nu star	16.21		Potential UCLs to Use				
450					AppChi2	8.114				95% KM (BCA) UCL		40.28
451			95% Gamma Approximate UCL			69.29						
452			95% Adjusted Gamma UCL			71.59						
453	Note: DL/2 is not a recommended method.											
454												
455												
456	Dieldrin											
457												
458					General Statistics							
459			Number of Valid Data			17			Number of Detected Data			5
460		Number of Distinct Detected Data				5			Number of Non-Detect Data			12
461			Number of Missing Values			16			Percent Non-Detects			70.59%
462												
463			Raw Statistics						Log-transformed Statistics			
464				Minimum Detected		0.0989				Minimum Detected		-2.314
465				Maximum Detected		10				Maximum Detected		2.303
466				Mean of Detected		2.179				Mean of Detected		-0.809
467				SD of Detected		4.373				SD of Detected		1.796
468				Minimum Non-Detect		0.037				Minimum Non-Detect		-3.297
469				Maximum Non-Detect		2				Maximum Non-Detect		0.693
470												
471	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				16
472	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				1
473	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				94.12%
474												
475					Warning: There are only 5 Detected Values in this data							
476				Note: It should be noted that even though bootstrap may be performed on this data set								
477					the resulting calculations may not be reliable enough tp draw conclusions							

	A	B	C	D	E	F	G	H	I	J	K	L
478												
479				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
480												
481												
482						UCL Statistics						
483			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
484					Shapiro Wilk Test Statistic	0.571				Shapiro Wilk Test Statistic		0.781
485					5% Shapiro Wilk Critical Value	0.762				5% Shapiro Wilk Critical Value		0.762
486			Data not Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
487												
488			Assuming Normal Distribution					Assuming Lognormal Distribution				
489					DL/2 Substitution Method					DL/2 Substitution Method		
490					Mean	0.785				Mean		-1.898
491					SD	2.388				SD		1.539
492					95% DL/2 (t) UCL	1.796				95% H-Stat (DL/2) UCL		1.631
493												
494				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
495			MLE method failed to converge properly							Mean in Log Scale		-3.709
496										SD in Log Scale		2.193
497										Mean in Original Scale		0.647
498										SD in Original Scale		2.412
499										95% Percentile Bootstrap UCL		1.813
500										95% BCA Bootstrap UCL		2.42
501												
502			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
503					k star (bias corrected)	0.298		Data appear Lognormal at 5% Significance Level				
504					Theta Star	7.304						
505					nu star	2.983						
506												
507					A-D Test Statistic	0.937			Nonparametric Statistics			
508					5% A-D Critical Value	0.723			Kaplan-Meier (KM) Method			
509					K-S Test Statistic	0.723				Mean		0.72
510					5% K-S Critical Value	0.375				SD		2.321
511			Data not Gamma Distributed at 5% Significance Level							SE of Mean		0.629
512										95% KM (t) UCL		1.819
513			Assuming Gamma Distribution							95% KM (z) UCL		1.756
514			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		1.68
515					Minimum	1E-09				95% KM (bootstrap t) UCL		25.49
516					Maximum	10				95% KM (BCA) UCL		2.53
517					Mean	0.641			95% KM (Percentile Bootstrap) UCL			1.922
518					Median	1E-09				95% KM (Chebyshev) UCL		3.464
519					SD	2.414				97.5% KM (Chebyshev) UCL		4.652
520					k star	0.0884				99% KM (Chebyshev) UCL		6.984
521					Theta star	7.252						
522					Nu star	3.004			Potential UCLs to Use			
523					AppChi2	0.374			97.5% KM (Chebyshev) UCL			4.652
524					95% Gamma Approximate UCL	5.151						
525				95% Adjusted Gamma UCL		6.46						
526	Note: DL/2 is not a recommended method.											
527												
528												
529	Indeno(1,2,3-cd)pyrene											
530												

	A	B	C	D	E	F	G	H	I	J	K	L
531						General Statistics						
532			Number of Valid Data			36				Number of Detected Data		35
533			Number of Distinct Detected Data			31				Number of Non-Detect Data		1
534			Number of Missing Values			3				Percent Non-Detects		2.78%
535												
536			Raw Statistics							Log-transformed Statistics		
537			Minimum Detected			8.4				Minimum Detected		2.128
538			Maximum Detected			1100				Maximum Detected		7.003
539			Mean of Detected			125.4				Mean of Detected		3.925
540			SD of Detected			237.1				SD of Detected		1.205
541			Minimum Non-Detect			10				Minimum Non-Detect		2.303
542			Maximum Non-Detect			10				Maximum Non-Detect		2.303
543												
544												
545						UCL Statistics						
546			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
547			Shapiro Wilk Test Statistic			0.511				Shapiro Wilk Test Statistic		0.904
548			5% Shapiro Wilk Critical Value			0.934				5% Shapiro Wilk Critical Value		0.934
549			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
550												
551			Assuming Normal Distribution						Assuming Lognormal Distribution			
552			DL/2 Substitution Method							DL/2 Substitution Method		
553			Mean			122.1				Mean		3.861
554			SD			234.6				SD		1.248
555			95% DL/2 (t) UCL			188.1				95% H-Stat (DL/2) UCL		174
556												
557			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
558			Mean			113.4				Mean in Log Scale		3.855
559			SD			240.1				SD in Log Scale		1.26
560			95% MLE (t) UCL			181				Mean in Original Scale		122
561			95% MLE (Tiku) UCL			175				SD in Original Scale		234.6
562										95% Percentile Bootstrap UCL		188.7
563										95% BCA Bootstrap UCL		212.9
564												
565			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
566			k star (bias corrected)			0.632			Data do not follow a Discernable Distribution (0.05)			
567			Theta Star			198.3						
568			nu star			44.27						
569												
570			A-D Test Statistic			2.972				Nonparametric Statistics		
571			5% A-D Critical Value			0.795				Kaplan-Meier (KM) Method		
572			K-S Test Statistic			0.795				Mean		122.2
573			5% K-S Critical Value			0.155				SD		231.2
574			Data not Gamma Distributed at 5% Significance Level							SE of Mean		39.1
575										95% KM (t) UCL		188.2
576			Assuming Gamma Distribution							95% KM (z) UCL		186.5
577			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		188.1
578			Minimum			1E-09				95% KM (bootstrap t) UCL		265.2
579			Maximum			1100				95% KM (BCA) UCL		193.6
580			Mean			121.9				95% KM (Percentile Bootstrap) UCL		193.3
581			Median			35				95% KM (Chebyshev) UCL		292.6
582			SD			234.6				97.5% KM (Chebyshev) UCL		366.4
583			k star			0.402				99% KM (Chebyshev) UCL		511.2

	A	B	C	D	E	F	G	H	I	J	K	L
584					Theta star	303.5						
585					Nu star	28.93			Potential UCLs to Use			
586					AppChi2	17.65			97.5% KM (Chebyshev) UCL			366.4
587				95% Gamma Approximate UCL		199.8						
588				95% Adjusted Gamma UCL		204.4						
589	Note: DL/2 is not a recommended method.											
590												
591												
592	Lead											
593												
594					General Statistics							
595			Number of Valid Data			37			Number of Detected Data			37
596		Number of Distinct Detected Data				33			Number of Non-Detect Data			0
597			Number of Missing Values			2			Percent Non-Detects			0.00%
598												
599			Raw Statistics						Log-transformed Statistics			
600			Minimum Detected			10.5			Minimum Detected			2.351
601			Maximum Detected			110			Maximum Detected			4.7
602			Mean of Detected			27.84			Mean of Detected			3.081
603			SD of Detected			25.42			SD of Detected			0.634
604			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
605			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
606												
607												
608					UCL Statistics							
609		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
610			Shapiro Wilk Test Statistic			0.631			Shapiro Wilk Test Statistic			0.842
611			5% Shapiro Wilk Critical Value			0.936			5% Shapiro Wilk Critical Value			0.936
612		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
613												
614			Assuming Normal Distribution						Assuming Lognormal Distribution			
615			DL/2 Substitution Method						DL/2 Substitution Method			
616					Mean	27.84					Mean	3.081
617					SD	25.42					SD	0.634
618			95% DL/2 (t) UCL			34.9			95% H-Stat (DL/2) UCL			32.92
619												
620		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
621		MLE method failed to converge properly							Mean in Log Scale			N/A
622									SD in Log Scale			N/A
623									Mean in Original Scale			N/A
624									SD in Original Scale			N/A
625									95% Percentile Bootstrap UCL			N/A
626									95% BCA Bootstrap UCL			N/A
627												
628		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
629			k star (bias corrected)			2.027		Data do not follow a Discernable Distribution (0.05)				
630					Theta Star	13.73						
631					nu star	150						
632												
633					A-D Test Statistic	2.979			Nonparametric Statistics			
634					5% A-D Critical Value	0.758			Kaplan-Meier (KM) Method			
635					K-S Test Statistic	0.758					Mean	27.84
636					5% K-S Critical Value	0.147					SD	25.07

	A	B	C	D	E	F	G	H	I	J	K	L
637			**Data not Gamma Distributed at 5% Significance Level**								SE of Mean	4.179
638											95% KM (t) UCL	34.9
639			**Assuming Gamma Distribution**								95% KM (z) UCL	34.72
640			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	34.9
641					Minimum	10.5					95% KM (bootstrap t) UCL	38.43
642					Maximum	110					95% KM (BCA) UCL	35.3
643					Mean	27.84				95% KM (Percentile Bootstrap) UCL		34.95
644					Median	20.2					95% KM (Chebyshev) UCL	46.06
645					SD	25.42					97.5% KM (Chebyshev) UCL	53.94
646					k star	2.027					99% KM (Chebyshev) UCL	69.42
647					Theta star	13.73						
648					Nu star	150			**Potential UCLs to Use**			
649					AppChi2	122.7					95% KM (Chebyshev) UCL	46.06
650			95% Gamma Approximate UCL			34.04						
651			95% Adjusted Gamma UCL			34.34						
652	Note: DL/2 is not a recommended method.											
653												
654												
655	Mercury											
656												
657				**General Statistics**								
658			Number of Valid Data			37				Number of Detected Data		34
659			Number of Distinct Detected Data			24				Number of Non-Detect Data		3
660			Number of Missing Values			2				Percent Non-Detects		8.11%
661												
662			**Raw Statistics**						**Log-transformed Statistics**			
663			Minimum Detected			0.04				Minimum Detected		-3.219
664			Maximum Detected			0.86				Maximum Detected		-0.151
665			Mean of Detected			0.126				Mean of Detected		-2.368
666			SD of Detected			0.148				SD of Detected		0.679
667			Minimum Non-Detect			0.05				Minimum Non-Detect		-2.996
668			Maximum Non-Detect			0.05				Maximum Non-Detect		-2.996
669												
670												
671				**UCL Statistics**								
672		**Normal Distribution Test with Detected Values Only**							**Lognormal Distribution Test with Detected Values Only**			
673			Shapiro Wilk Test Statistic			0.536				Shapiro Wilk Test Statistic		0.869
674			5% Shapiro Wilk Critical Value			0.933				5% Shapiro Wilk Critical Value		0.933
675		**Data not Normal at 5% Significance Level**							**Data not Lognormal at 5% Significance Level**			
676												
677		**Assuming Normal Distribution**							**Assuming Lognormal Distribution**			
678			DL/2 Substitution Method							DL/2 Substitution Method		
679			Mean			0.118				Mean		-2.475
680			SD			0.144				SD		0.746
681			95% DL/2 (t) UCL			0.158				95% H-Stat (DL/2) UCL		0.138
682												
683		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
684			Mean			0.109				Mean in Log Scale		-2.479
685			SD			0.152				SD in Log Scale		0.754
686			95% MLE (t) UCL			0.152				Mean in Original Scale		0.118
687			95% MLE (Tiku) UCL			0.149				SD in Original Scale		0.144
688										95% Percentile Bootstrap UCL		0.161
689										95% BCA Bootstrap UCL		0.182

	A	B	C	D	E	F	G	H	I	J	K	L
690												
691		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
692				k star (bias corrected)		1.676		Data do not follow a Discernable Distribution (0.05)				
693				Theta Star		0.0754						
694				nu star		114						
695												
696				A-D Test Statistic		2.372		Nonparametric Statistics				
697				5% A-D Critical Value		0.762		Kaplan-Meier (KM) Method				
698				K-S Test Statistic		0.762				Mean		0.119
699				5% K-S Critical Value		0.153				SD		0.141
700		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.0236
701										95% KM (t) UCL		0.159
702		Assuming Gamma Distribution								95% KM (z) UCL		0.158
703		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.159
704				Minimum		1E-09				95% KM (bootstrap t) UCL		0.203
705				Maximum		0.86				95% KM (BCA) UCL		0.169
706				Mean		0.116				95% KM (Percentile Bootstrap) UCL		0.161
707				Median		0.07				95% KM (Chebyshev) UCL		0.222
708				SD		0.145				97.5% KM (Chebyshev) UCL		0.267
709				k star		0.375				99% KM (Chebyshev) UCL		0.354
710				Theta star		0.31						
711				Nu star		27.73		Potential UCLs to Use				
712				AppChi2		16.72				95% KM (Chebyshev) UCL		0.222
713			95% Gamma Approximate UCL			0.193						
714			95% Adjusted Gamma UCL			0.197						
715	Note: DL/2 is not a recommended method.											
716												
717												
718	Naphthalene											
719												
720					General Statistics							
721			Number of Valid Data			36				Number of Detected Data		17
722			Number of Distinct Detected Data			15				Number of Non-Detect Data		19
723			Number of Missing Values			3				Percent Non-Detects		52.78%
724												
725			Raw Statistics							Log-transformed Statistics		
726			Minimum Detected			5.5				Minimum Detected		1.705
727			Maximum Detected			64				Maximum Detected		4.159
728			Mean of Detected			27.88				Mean of Detected		3.062
729			SD of Detected			19.68				SD of Detected		0.786
730			Minimum Non-Detect			0.99				Minimum Non-Detect		-0.0101
731			Maximum Non-Detect			20				Maximum Non-Detect		2.996
732												
733	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		27
734	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		9
735	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		75.00%
736												
737					UCL Statistics							
738		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
739			Shapiro Wilk Test Statistic			0.886				Shapiro Wilk Test Statistic		0.942
740			5% Shapiro Wilk Critical Value			0.892				5% Shapiro Wilk Critical Value		0.892
741		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
742												

	A	B	C	D	E	F	G	H	I	J	K	L
743					**Assuming Normal Distribution**				**Assuming Lognormal Distribution**			
744					DL/2 Substitution Method					DL/2 Substitution Method		
745					Mean	16.34				Mean		2.322
746					SD	17.41				SD		1.003
747					95% DL/2 (t) UCL	21.24				95% H-Stat (DL/2) UCL		18.22
748												
749					Maximum Likelihood Estimate(MLE) Method					Log ROS Method		
750					Mean	44.89				Mean in Log Scale		2.288
751					SD	14.1				SD in Log Scale		1.002
752					95% MLE (t) UCL	48.86				Mean in Original Scale		16.17
753					95% MLE (Tiku) UCL	52.69				SD in Original Scale		17.54
754										95% Percentile Bootstrap UCL		21.34
755										95% BCA Bootstrap UCL		22.16
756												
757			**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**			
758					k star (bias corrected)	1.713			**Data appear Gamma Distributed at 5% Significance Level**			
759					Theta Star	16.28						
760					nu star	58.23						
761												
762					A-D Test Statistic	0.408			**Nonparametric Statistics**			
763					5% A-D Critical Value	0.749				Kaplan-Meier (KM) Method		
764					K-S Test Statistic	0.749				Mean		16.85
765					5% K-S Critical Value	0.212				SD		16.85
766			**Data appear Gamma Distributed at 5% Significance Level**							SE of Mean		2.928
767										95% KM (t) UCL		21.8
768					**Assuming Gamma Distribution**					95% KM (z) UCL		21.67
769			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		21.6
770					Minimum	3.316				95% KM (bootstrap t) UCL		23.01
771					Maximum	64				95% KM (BCA) UCL		22.13
772					Mean	27.65				95% KM (Percentile Bootstrap) UCL		22.37
773					Median	27.48				95% KM (Chebyshev) UCL		29.62
774					SD	16.18				97.5% KM (Chebyshev) UCL		35.14
775					k star	2.317				99% KM (Chebyshev) UCL		45.99
776					Theta star	11.94						
777					Nu star	166.8			**Potential UCLs to Use**			
778					AppChi2	138				95% KM (t) UCL		21.8
779			95% Gamma Approximate UCL			33.44						
780			95% Adjusted Gamma UCL			33.73						
781	Note: DL/2 is not a recommended method.											
782												
783												
784	Thallium											
785												
786					**General Statistics**							
787				Number of Valid Data		6				Number of Detected Data		6
788			Number of Distinct Detected Data			4				Number of Non-Detect Data		0
789				Number of Missing Values		33				Percent Non-Detects		0.00%
790												
791			**Raw Statistics**						**Log-transformed Statistics**			
792					Minimum Detected	8				Minimum Detected		2.079
793					Maximum Detected	11				Maximum Detected		2.398
794					Mean of Detected	9.167				Mean of Detected		2.209
795					SD of Detected	1.169				SD of Detected		0.125

	A	B	C	D	E	F	G	H	I	J	K	L
796					Minimum Non-Detect	N/A				Minimum Non-Detect		N/A
797					Maximum Non-Detect	N/A				Maximum Non-Detect		N/A
798												
799												
800				Warning: There are only 4 Distinct Detected Values in this data								
801				Note: It should be noted that even though bootstrap may be performed on this data set								
802				the resulting calculations may not be reliable enough tp draw conclusions								
803												
804			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
805												
806												
807					UCL Statistics							
808		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
809				Shapiro Wilk Test Statistic		0.908				Shapiro Wilk Test Statistic		0.913
810				5% Shapiro Wilk Critical Value		0.788				5% Shapiro Wilk Critical Value		0.788
811		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
812												
813		Assuming Normal Distribution						Assuming Lognormal Distribution				
814				DL/2 Substitution Method						DL/2 Substitution Method		
815					Mean	9.167				Mean		2.209
816					SD	1.169				SD		0.125
817				95% DL/2 (t) UCL		10.13			95% H-Stat (DL/2) UCL			10.25
818												
819			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
820		MLE method failed to converge properly								Mean in Log Scale		N/A
821										SD in Log Scale		N/A
822										Mean in Original Scale		N/A
823										SD in Original Scale		N/A
824									95% Percentile Bootstrap UCL			N/A
825										95% BCA Bootstrap UCL		N/A
826												
827		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
828					k star (bias corrected)	38.04		Data appear Normal at 5% Significance Level				
829					Theta Star	0.241						
830					nu star	456.5						
831												
832					A-D Test Statistic	0.346		Nonparametric Statistics				
833				5% A-D Critical Value		0.697			Kaplan-Meier (KM) Method			
834					K-S Test Statistic	0.697				Mean		9.167
835				5% K-S Critical Value		0.332				SD		1.067
836		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.477
837										95% KM (t) UCL		10.13
838		Assuming Gamma Distribution								95% KM (z) UCL		9.952
839		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		10.13
840					Minimum	8				95% KM (bootstrap t) UCL		10.59
841					Maximum	11				95% KM (BCA) UCL		9.833
842					Mean	9.167			95% KM (Percentile Bootstrap) UCL			10
843					Median	9				95% KM (Chebyshev) UCL		11.25
844					SD	1.169				97.5% KM (Chebyshev) UCL		12.15
845					k star	38.04				99% KM (Chebyshev) UCL		13.92
846					Theta star	0.241						
847					Nu star	456.5		Potential UCLs to Use				
848					AppChi2	408				95% KM (t) UCL		10.13

	A	B	C	D	E	F	G	H	I	J	K	L
849				95% Gamma Approximate UCL		10.26			95% KM (Percentile Bootstrap) UCL			10
850				95% Adjusted Gamma UCL		10.7						
851	Note: DL/2 is not a recommended method.											
852												
853												
854	Total Aroclors											
855												
856					General Statistics							
857				Number of Valid Data		32			Number of Detected Data			21
858			Number of Distinct Detected Data			21			Number of Non-Detect Data			11
859				Number of Missing Values		7			Percent Non-Detects			34.38%
860												
861			Raw Statistics						Log-transformed Statistics			
862				Minimum Detected		18.66			Minimum Detected			2.926
863				Maximum Detected		1563			Maximum Detected			7.354
864				Mean of Detected		257.1			Mean of Detected			4.581
865				SD of Detected		427			SD of Detected			1.336
866				Minimum Non-Detect		5.2			Minimum Non-Detect			1.649
867				Maximum Non-Detect		40			Maximum Non-Detect			3.689
868												
869	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			17
870	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			15
871	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			53.13%
872												
873					UCL Statistics							
874		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
875				Shapiro Wilk Test Statistic		0.598			Shapiro Wilk Test Statistic			0.915
876				5% Shapiro Wilk Critical Value		0.908			5% Shapiro Wilk Critical Value			0.908
877		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
878												
879		Assuming Normal Distribution							Assuming Lognormal Distribution			
880				DL/2 Substitution Method					DL/2 Substitution Method			
881					Mean	172.1			Mean			3.705
882					SD	363.2			SD			1.686
883				95% DL/2 (t) UCL		280.9			95% H-Stat (DL/2) UCL			211.1
884												
885			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
886		MLE yields a negative mean							Mean in Log Scale			3.564
887									SD in Log Scale			1.834
888									Mean in Original Scale			170.8
889									SD in Original Scale			363.7
890									95% Percentile Bootstrap UCL			280.7
891									95% BCA Bootstrap UCL			319
892												
893		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
894				k star (bias corrected)		0.575			Data appear Lognormal at 5% Significance Level			
895				Theta Star		447.5						
896				nu star		24.13						
897												
898				A-D Test Statistic		1.536			Nonparametric Statistics			
899				5% A-D Critical Value		0.793			Kaplan-Meier (KM) Method			
900				K-S Test Statistic		0.793			Mean			175.5
901				5% K-S Critical Value		0.199			SD			355.9

	A	B	C	D	E	F	G	H	I	J	K	L
902	Data not Gamma Distributed at 5% Significance Level									SE of Mean		64.47
903										95% KM (t) UCL		284.8
904	Assuming Gamma Distribution									95% KM (z) UCL		281.5
905	Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL		283.7
906					Minimum	1E-09				95% KM (bootstrap t) UCL		364.9
907					Maximum	1563				95% KM (BCA) UCL		297.1
908					Mean	180.4				95% KM (Percentile Bootstrap) UCL		290.3
909					Median	58.33				95% KM (Chebyshev) UCL		456.5
910					SD	360.2				97.5% KM (Chebyshev) UCL		578.1
911					k star	0.167				99% KM (Chebyshev) UCL		817
912					Theta star	1077						
913					Nu star	10.72			Potential UCLs to Use			
914					AppChi2	4.394				97.5% KM (Chebyshev) UCL		578.1
915	95% Gamma Approximate UCL					439.9						
916	95% Adjusted Gamma UCL					462.6						
917	Note: DL/2 is not a recommended method.											
918												
919												
920	Total DDT											
921												
922	General Statistics											
923	Number of Valid Data					17			Number of Detected Data			11
924	Number of Distinct Detected Data					11			Number of Non-Detect Data			6
925	Number of Missing Values					16			Percent Non-Detects			35.29%
926												
927	Raw Statistics								Log-transformed Statistics			
928	Minimum Detected					0.37			Minimum Detected			-0.994
929	Maximum Detected					140			Maximum Detected			4.942
930	Mean of Detected					16.03			Mean of Detected			0.584
931	SD of Detected					41.72			SD of Detected			1.969
932	Minimum Non-Detect					0.122			Minimum Non-Detect			-2.104
933	Maximum Non-Detect					3.59			Maximum Non-Detect			1.278
934												
935	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			14
936	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			3
937	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			82.35%
938												
939	UCL Statistics											
940	Normal Distribution Test with Detected Values Only								Lognormal Distribution Test with Detected Values Only			
941	Shapiro Wilk Test Statistic					0.44			Shapiro Wilk Test Statistic			0.801
942	5% Shapiro Wilk Critical Value					0.85			5% Shapiro Wilk Critical Value			0.85
943	Data not Normal at 5% Significance Level								Data not Lognormal at 5% Significance Level			
944												
945	Assuming Normal Distribution								Assuming Lognormal Distribution			
946	DL/2 Substitution Method								DL/2 Substitution Method			
947	Mean					10.62			Mean			-0.0371
948	SD					33.84			SD			1.987
949	95% DL/2 (t) UCL					24.95			95% H-Stat (DL/2) UCL			35.63
950												
951	Maximum Likelihood Estimate(MLE) Method					N/A			Log ROS Method			
952	MLE yields a negative mean								Mean in Log Scale			-0.474
953									SD in Log Scale			2.262
954									Mean in Original Scale			10.43

	A	B	C	D	E	F	G	H	I	J	K	L
955										SD in Original Scale		33.9
956										95% Percentile Bootstrap UCL		25.46
957										95% BCA Bootstrap UCL		35.07
958												
959		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
960					k star (bias corrected)	0.288		Data do not follow a Discernable Distribution (0.05)				
961					Theta Star	55.68						
962					nu star	6.335						
963												
964					A-D Test Statistic	1.582		Nonparametric Statistics				
965					5% A-D Critical Value	0.818		Kaplan-Meier (KM) Method				
966					K-S Test Statistic	0.818				Mean		10.55
967					5% K-S Critical Value	0.275				SD		32.85
968		Data not Gamma Distributed at 5% Significance Level								SE of Mean		8.356
969										95% KM (t) UCL		25.14
970		Assuming Gamma Distribution								95% KM (z) UCL		24.3
971		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		24.89
972					Minimum	0.37				95% KM (bootstrap t) UCL		299
973					Maximum	140				95% KM (BCA) UCL		25.65
974					Mean	16.06				95% KM (Percentile Bootstrap) UCL		26.02
975					Median	3.78				95% KM (Chebyshev) UCL		46.98
976					SD	32.98				97.5% KM (Chebyshev) UCL		62.74
977					k star	0.414				99% KM (Chebyshev) UCL		93.7
978					Theta star	38.83						
979					Nu star	14.07		Potential UCLs to Use				
980					AppChi2	6.617				99% KM (Chebyshev) UCL		93.7
981		95% Gamma Approximate UCL				34.15						
982		95% Adjusted Gamma UCL				37.12						
983	Note: DL/2 is not a recommended method.											
984												
985												
986	Tributyltin ion											
987												
988							General Statistics					
989				Number of Valid Data		13				Number of Detected Data		13
990			Number of Distinct Detected Data			13				Number of Non-Detect Data		0
991				Number of Missing Values		26				Percent Non-Detects		0.00%
992												
993		Raw Statistics						Log-transformed Statistics				
994				Minimum Detected		88				Minimum Detected		4.477
995				Maximum Detected		9300				Maximum Detected		9.138
996				Mean of Detected		2379				Mean of Detected		6.903
997				SD of Detected		2825				SD of Detected		1.562
998				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
999				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1000												
1001												
1002							UCL Statistics					
1003		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1004				Shapiro Wilk Test Statistic		0.81				Shapiro Wilk Test Statistic		0.944
1005				5% Shapiro Wilk Critical Value		0.866				5% Shapiro Wilk Critical Value		0.866
1006		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1007												

	A	B	C	D	E	F	G	H	I	J	K	L
1008	Assuming Normal Distribution						Assuming Lognormal Distribution					
1009	DL/2 Substitution Method						DL/2 Substitution Method					
1010	Mean					2379	Mean					6.903
1011	SD					2825	SD					1.562
1012	95% DL/2 (t) UCL					3776	95% H-Stat (DL/2) UCL					19588
1013												
1014	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
1015	MLE method failed to converge properly						Mean in Log Scale					N/A
1016							SD in Log Scale					N/A
1017							Mean in Original Scale					N/A
1018							SD in Original Scale					N/A
1019							95% Percentile Bootstrap UCL					N/A
1020							95% BCA Bootstrap UCL					N/A
1021												
1022	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
1023	k star (bias corrected)					0.586	Data appear Gamma Distributed at 5% Significance Level					
1024	Theta Star					4064						
1025	nu star					15.22						
1026												
1027	A-D Test Statistic					0.256	Nonparametric Statistics					
1028	5% A-D Critical Value					0.775	Kaplan-Meier (KM) Method					
1029	K-S Test Statistic					0.775	Mean					2379
1030	5% K-S Critical Value					0.247	SD					2714
1031	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					783.6
1032							95% KM (t) UCL					3776
1033	Assuming Gamma Distribution						95% KM (z) UCL					3668
1034	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					3776
1035	Minimum					88	95% KM (bootstrap t) UCL					4679
1036	Maximum					9300	95% KM (BCA) UCL					3662
1037	Mean					2379	95% KM (Percentile Bootstrap) UCL					3659
1038	Median					1300	95% KM (Chebyshev) UCL					5795
1039	SD					2825	97.5% KM (Chebyshev) UCL					7273
1040	k star					0.586	99% KM (Chebyshev) UCL					10176
1041	Theta star					4064						
1042	Nu star					15.22	Potential UCLs to Use					
1043	AppChi2					7.418	95% KM (Chebyshev) UCL					5795
1044	95% Gamma Approximate UCL					4883						
1045	95% Adjusted Gamma UCL					5443						
1046	Note: DL/2 is not a recommended method.											
1047												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM8.0W.wst								
4			Full Precision	OFF								
5			Confidence Coefficient	95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Arsenic											
10												
11						General Statistics						
12				Number of Valid Data		24			Number of Detected Data			20
13			Number of Distinct Detected Data			20			Number of Non-Detect Data			4
14				Number of Missing Values		3			Percent Non-Detects			16.67%
15												
16				Raw Statistics					Log-transformed Statistics			
17				Minimum Detected		0.97			Minimum Detected			-0.0305
18				Maximum Detected		23.3			Maximum Detected			3.148
19				Mean of Detected		4.473			Mean of Detected			1.297
20				SD of Detected		4.526			SD of Detected			0.557
21				Minimum Non-Detect		5			Minimum Non-Detect			1.609
22				Maximum Non-Detect		5			Maximum Non-Detect			1.609
23												
24												
25						UCL Statistics						
26		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
27				Shapiro Wilk Test Statistic		0.416			Shapiro Wilk Test Statistic			0.75
28				5% Shapiro Wilk Critical Value		0.905			5% Shapiro Wilk Critical Value			0.905
29		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
30												
31		Assuming Normal Distribution						Assuming Lognormal Distribution				
32				DL/2 Substitution Method					DL/2 Substitution Method			
33				Mean		4.144			Mean			1.233
34				SD		4.181			SD			0.527
35				95% DL/2 (t) UCL		5.607			95% H-Stat (DL/2) UCL			4.433
36												
37			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
38		MLE method failed to converge properly							Mean in Log Scale			1.283
39									SD in Log Scale			0.521
40									Mean in Original Scale			4.311
41									SD in Original Scale			4.149
42									95% Percentile Bootstrap UCL			5.957
43									95% BCA Bootstrap UCL			6.831
44												
45		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
46				k star (bias corrected)		2.276		Data do not follow a Discernable Distribution (0.05)				
47				Theta Star		1.965						
48				nu star		91.05						
49												
50				A-D Test Statistic		2.702			Nonparametric Statistics			
51				5% A-D Critical Value		0.749			Kaplan-Meier (KM) Method			
52				K-S Test Statistic		0.749			Mean			4.288
53				5% K-S Critical Value		0.195			SD			4.061

	A	B	C	D	E	F	G	H	I	J	K	L
54	Data not Gamma Distributed at 5% Significance Level										SE of Mean	0.854
55											95% KM (t) UCL	5.751
56	Assuming Gamma Distribution										95% KM (z) UCL	5.692
57	Gamma ROS Statistics using Extrapolated Data										95% KM (jackknife) UCL	5.745
58					Minimum	0.97					95% KM (bootstrap t) UCL	9.12
59					Maximum	23.3					95% KM (BCA) UCL	6.041
60					Mean	4.482					95% KM (Percentile Bootstrap) UCL	5.906
61					Median	3.805					95% KM (Chebyshev) UCL	8.009
62					SD	4.116					97.5% KM (Chebyshev) UCL	9.619
63					k star	2.765					99% KM (Chebyshev) UCL	12.78
64					Theta star	1.621						
65					Nu star	132.7			Potential UCLs to Use			
66					AppChi2	107.1					95% KM (Chebyshev) UCL	8.009
67		95% Gamma Approximate UCL				5.554						
68		95% Adjusted Gamma UCL				5.639						
69	Note: DL/2 is not a recommended method.											
70												
71												
72	Benzo(a)anthracene											
73												
74					General Statistics							
75			Number of Valid Data			26				Number of Detected Data		26
76		Number of Distinct Detected Data				25				Number of Non-Detect Data		0
77			Number of Missing Values			1				Percent Non-Detects		0.00%
78												
79			Raw Statistics						Log-transformed Statistics			
80			Minimum Detected			5.4				Minimum Detected		1.686
81			Maximum Detected			1210				Maximum Detected		7.098
82			Mean of Detected			176.9				Mean of Detected		4.093
83			SD of Detected			306.2				SD of Detected		1.453
84			Minimum Non-Detect			N/A				Minimum Non-Detect		N/A
85			Maximum Non-Detect			N/A				Maximum Non-Detect		N/A
86												
87												
88					UCL Statistics							
89	Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only				
90			Shapiro Wilk Test Statistic			0.59				Shapiro Wilk Test Statistic		0.946
91		5% Shapiro Wilk Critical Value				0.92				5% Shapiro Wilk Critical Value		0.92
92	Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level				
93												
94		Assuming Normal Distribution							Assuming Lognormal Distribution			
95			DL/2 Substitution Method							DL/2 Substitution Method		
96					Mean	176.9				Mean		4.093
97					SD	306.2				SD		1.453
98			95% DL/2 (t) UCL			279.5				95% H-Stat (DL/2) UCL		424.4
99												
100		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
101	MLE method failed to converge properly									Mean in Log Scale		N/A
102										SD in Log Scale		N/A
103										Mean in Original Scale		N/A
104										SD in Original Scale		N/A
105										95% Percentile Bootstrap UCL		N/A
106										95% BCA Bootstrap UCL		N/A

	A	B	C	D	E	F	G	H	I	J	K	L
107												
108		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
109				k star (bias corrected)		0.534		Data appear Lognormal at 5% Significance Level				
110				Theta Star		331.6						
111				nu star		27.75						
112												
113				A-D Test Statistic		1.574		Nonparametric Statistics				
114				5% A-D Critical Value		0.801		Kaplan-Meier (KM) Method				
115				K-S Test Statistic		0.801					Mean	176.9
116				5% K-S Critical Value		0.18					SD	300.3
117		Data not Gamma Distributed at 5% Significance Level									SE of Mean	60.06
118											95% KM (t) UCL	279.5
119		Assuming Gamma Distribution									95% KM (z) UCL	275.7
120		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	279.5
121					Minimum	5.4					95% KM (bootstrap t) UCL	355.4
122					Maximum	1210					95% KM (BCA) UCL	273.8
123					Mean	176.9					95% KM (Percentile Bootstrap) UCL	278.6
124					Median	40.75					95% KM (Chebyshev) UCL	438.7
125					SD	306.2					97.5% KM (Chebyshev) UCL	552
126					k star	0.534					99% KM (Chebyshev) UCL	774.5
127					Theta star	331.6						
128					Nu star	27.75			Potential UCLs to Use			
129					AppChi2	16.73					97.5% KM (Chebyshev) UCL	552
130				95% Gamma Approximate UCL		293.4						
131				95% Adjusted Gamma UCL		303.7						
132	Note: DL/2 is not a recommended method.											
133												
134												
135	Benzo(a)pyrene											
136												
137					General Statistics							
138			Number of Valid Data			26				Number of Detected Data		26
139			Number of Distinct Detected Data			24				Number of Non-Detect Data		0
140			Number of Missing Values			1				Percent Non-Detects		0.00%
141												
142		Raw Statistics						Log-transformed Statistics				
143				Minimum Detected		4.3				Minimum Detected		1.459
144				Maximum Detected		905				Maximum Detected		6.808
145				Mean of Detected		167.1				Mean of Detected		4.161
146				SD of Detected		262.4				SD of Detected		1.381
147				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
148				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
149												
150												
151					UCL Statistics							
152		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
153				Shapiro Wilk Test Statistic		0.619				Shapiro Wilk Test Statistic		0.948
154				5% Shapiro Wilk Critical Value		0.92				5% Shapiro Wilk Critical Value		0.92
155		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
156												
157		Assuming Normal Distribution						Assuming Lognormal Distribution				
158				DL/2 Substitution Method						DL/2 Substitution Method		
159					Mean	167.1				Mean		4.161

	A	B	C	D	E	F	G	H	I	J	K	L
160					SD	262.4					SD	1.381
161				95% DL/2 (t) UCL		255				95% H-Stat (DL/2) UCL		380.9
162												
163			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
164		MLE method failed to converge properly								Mean in Log Scale		N/A
165										SD in Log Scale		N/A
166										Mean in Original Scale		N/A
167										SD in Original Scale		N/A
168										95% Percentile Bootstrap UCL		N/A
169										95% BCA Bootstrap UCL		N/A
170												
171		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
172				k star (bias corrected)		0.591		Data appear Lognormal at 5% Significance Level				
173					Theta Star	282.6						
174					nu star	30.74						
175												
176					A-D Test Statistic	1.615		Nonparametric Statistics				
177					5% A-D Critical Value	0.795		Kaplan-Meier (KM) Method				
178					K-S Test Statistic	0.795				Mean		167.1
179					5% K-S Critical Value	0.179				SD		257.3
180		Data not Gamma Distributed at 5% Significance Level								SE of Mean		51.47
181										95% KM (t) UCL		255
182		Assuming Gamma Distribution								95% KM (z) UCL		251.8
183		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		255
184					Minimum	4.3				95% KM (bootstrap t) UCL		300.3
185					Maximum	905				95% KM (BCA) UCL		263.5
186					Mean	167.1				95% KM (Percentile Bootstrap) UCL		254.2
187					Median	49				95% KM (Chebyshev) UCL		391.4
188					SD	262.4				97.5% KM (Chebyshev) UCL		488.5
189					k star	0.591				99% KM (Chebyshev) UCL		679.2
190					Theta star	282.6						
191					Nu star	30.74		Potential UCLs to Use				
192					AppChi2	19.08				97.5% KM (Chebyshev) UCL		488.5
193				95% Gamma Approximate UCL		269.3						
194				95% Adjusted Gamma UCL		278.1						
195	Note: DL/2 is not a recommended method.											
196												
197												
198	Benzo(b)fluoranthene											
199												
200					General Statistics							
201			Number of Valid Data			26				Number of Detected Data		26
202			Number of Distinct Detected Data			22				Number of Non-Detect Data		0
203				Number of Missing Values		1				Percent Non-Detects		0.00%
204												
205		Raw Statistics						Log-transformed Statistics				
206					Minimum Detected	7.4				Minimum Detected		2.001
207					Maximum Detected	1450				Maximum Detected		7.279
208					Mean of Detected	229.2				Mean of Detected		4.349
209					SD of Detected	374.4				SD of Detected		1.482
210					Minimum Non-Detect	N/A				Minimum Non-Detect		N/A
211					Maximum Non-Detect	N/A				Maximum Non-Detect		N/A
212												

	A	B	C	D	E	F	G	H	I	J	K	L
213												
214						UCL Statistics						
215		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
216				Shapiro Wilk Test Statistic		0.633				Shapiro Wilk Test Statistic		0.929
217				5% Shapiro Wilk Critical Value		0.92				5% Shapiro Wilk Critical Value		0.92
218		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
219												
220		Assuming Normal Distribution						Assuming Lognormal Distribution				
221				DL/2 Substitution Method						DL/2 Substitution Method		
222					Mean	229.2					Mean	4.349
223					SD	374.4					SD	1.482
224				95% DL/2 (t) UCL		354.7				95% H-Stat (DL/2) UCL		589.1
225												
226				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
227		MLE method failed to converge properly								Mean in Log Scale		N/A
228										SD in Log Scale		N/A
229										Mean in Original Scale		N/A
230										SD in Original Scale		N/A
231										95% Percentile Bootstrap UCL		N/A
232										95% BCA Bootstrap UCL		N/A
233												
234		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
235				k star (bias corrected)		0.532		Data appear Lognormal at 5% Significance Level				
236					Theta Star	430.6						
237					nu star	27.69						
238												
239				A-D Test Statistic		1.538		Nonparametric Statistics				
240				5% A-D Critical Value		0.801				Kaplan-Meier (KM) Method		
241				K-S Test Statistic		0.801					Mean	229.2
242				5% K-S Critical Value		0.18					SD	367.1
243		Data not Gamma Distributed at 5% Significance Level								SE of Mean		73.43
244										95% KM (t) UCL		354.7
245		Assuming Gamma Distribution								95% KM (z) UCL		350
246		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		354.7
247					Minimum	7.4				95% KM (bootstrap t) UCL		447.7
248					Maximum	1450				95% KM (BCA) UCL		357.5
249					Mean	229.2				95% KM (Percentile Bootstrap) UCL		360.8
250					Median	51				95% KM (Chebyshev) UCL		549.3
251					SD	374.4				97.5% KM (Chebyshev) UCL		687.8
252					k star	0.532				99% KM (Chebyshev) UCL		959.9
253					Theta star	430.6						
254					Nu star	27.69		Potential UCLs to Use				
255					AppChi2	16.68				97.5% KM (Chebyshev) UCL		687.8
256				95% Gamma Approximate UCL		380.4						
257				95% Adjusted Gamma UCL		393.7						
258	Note: DL/2 is not a recommended method.											
259												
260												
261	Benzo(k)fluoranthene											
262												
263						General Statistics						
264				Number of Valid Data		20				Number of Detected Data		20
265				Number of Distinct Detected Data		18				Number of Non-Detect Data		0

	A	B	C	D	E	F	G	H	I	J	K	L
266				Number of Missing Values		7				Percent Non-Detects		0.00%
267												
268				Raw Statistics						Log-transformed Statistics		
269				Minimum Detected		2.6				Minimum Detected		0.956
270				Maximum Detected		310				Maximum Detected		5.737
271				Mean of Detected		50.39				Mean of Detected		3.243
272				SD of Detected		74.89				SD of Detected		1.161
273				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
274				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
275												
276												
277						UCL Statistics						
278			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
279				Shapiro Wilk Test Statistic		0.601				Shapiro Wilk Test Statistic		0.969
280				5% Shapiro Wilk Critical Value		0.905				5% Shapiro Wilk Critical Value		0.905
281			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
282												
283				Assuming Normal Distribution						Assuming Lognormal Distribution		
284				DL/2 Substitution Method						DL/2 Substitution Method		
285				Mean		50.39				Mean		3.243
286				SD		74.89				SD		1.161
287				95% DL/2 (t) UCL		79.35				95% H-Stat (DL/2) UCL		106.4
288												
289				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
290			Maximum Likelihood Estimate(MLE) Method						Mean in Log Scale			N/A
291										SD in Log Scale		N/A
292										Mean in Original Scale		N/A
293										SD in Original Scale		N/A
294										95% Percentile Bootstrap UCL		N/A
295										95% BCA Bootstrap UCL		N/A
296												
297			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
298				k star (bias corrected)		0.771			Data Follow Appr. Gamma Distribution at 5% Significance Level			
299				Theta Star		65.36						
300				nu star		30.84						
301												
302				A-D Test Statistic		0.967				Nonparametric Statistics		
303				5% A-D Critical Value		0.774				Kaplan-Meier (KM) Method		
304				K-S Test Statistic		0.774				Mean		50.39
305				5% K-S Critical Value		0.2				SD		73
306			Data follow Appr. Gamma Distribution at 5% Significance Level							SE of Mean		16.75
307										95% KM (t) UCL		79.35
308				Assuming Gamma Distribution						95% KM (z) UCL		77.94
309			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		79.35
310				Minimum		2.6				95% KM (bootstrap t) UCL		124.2
311				Maximum		310				95% KM (BCA) UCL		79.87
312				Mean		50.39				95% KM (Percentile Bootstrap) UCL		79.32
313				Median		22.5				95% KM (Chebyshev) UCL		123.4
314				SD		74.89				97.5% KM (Chebyshev) UCL		155
315				k star		0.771				99% KM (Chebyshev) UCL		217
316				Theta star		65.36						
317				Nu star		30.84				Potential UCLs to Use		
318				AppChi2		19.15				95% KM (Chebyshev) UCL		123.4

	A	B	C	D	E	F	G	H	I	J	K	L
319				95% Gamma Approximate UCL		81.13						
320				95% Adjusted Gamma UCL		84.33						
321	Note: DL/2 is not a recommended method.											
322												
323												
324	Bis(2-ethylhexyl) phthalate											
325												
326					General Statistics							
327				Number of Valid Data		24				Number of Detected Data		19
328			Number of Distinct Detected Data			18				Number of Non-Detect Data		5
329				Number of Missing Values		3				Percent Non-Detects		20.83%
330												
331			Raw Statistics							Log-transformed Statistics		
332				Minimum Detected		13				Minimum Detected		2.565
333				Maximum Detected		4420				Maximum Detected		8.394
334				Mean of Detected		746.9				Mean of Detected		5.48
335				SD of Detected		1290				SD of Detected		1.523
336				Minimum Non-Detect		8.3				Minimum Non-Detect		2.116
337				Maximum Non-Detect		340				Maximum Non-Detect		5.829
338												
339	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		17
340	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		7
341	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		70.83%
342												
343					UCL Statistics							
344			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
345				Shapiro Wilk Test Statistic		0.581				Shapiro Wilk Test Statistic		0.948
346				5% Shapiro Wilk Critical Value		0.901				5% Shapiro Wilk Critical Value		0.901
347			**Data not Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**			
348												
349			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
350				DL/2 Substitution Method						DL/2 Substitution Method		
351					Mean	602.6					Mean	5.001
352					SD	1178					SD	1.777
353				95% DL/2 (t) UCL		1015				95% H-Stat (DL/2) UCL		2187
354												
355			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
356			**MLE yields a negative mean**							Mean in Log Scale		4.975
357										SD in Log Scale		1.735
358										Mean in Original Scale		597.7
359										SD in Original Scale		1180
360										95% Percentile Bootstrap UCL		1047
361										95% BCA Bootstrap UCL		1166
362												
363			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
364				k star (bias corrected)		0.499			**Data appear Lognormal at 5% Significance Level**			
365					Theta Star	1496						
366					nu star	18.97						
367												
368					A-D Test Statistic	1.34			Nonparametric Statistics			
369				5% A-D Critical Value		0.798				Kaplan-Meier (KM) Method		
370					K-S Test Statistic	0.798					Mean	600.9
371				5% K-S Critical Value		0.209					SD	1154

	A	B	C	D	E	F	G	H	I	J	K	L
372	Data not Gamma Distributed at 5% Significance Level										SE of Mean	242
373											95% KM (t) UCL	1016
374	Assuming Gamma Distribution										95% KM (z) UCL	998.9
375	Gamma ROS Statistics using Extrapolated Data										95% KM (jackknife) UCL	1010
376					Minimum	1E-09					95% KM (bootstrap t) UCL	1250
377					Maximum	4420					95% KM (BCA) UCL	1043
378					Mean	612.6					95% KM (Percentile Bootstrap) UCL	1025
379					Median	136.5					95% KM (Chebyshev) UCL	1656
380					SD	1175					97.5% KM (Chebyshev) UCL	2112
381					k star	0.222					99% KM (Chebyshev) UCL	3008
382					Theta star	2759						
383					Nu star	10.66			Potential UCLs to Use			
384					AppChi2	4.357					99% KM (Chebyshev) UCL	3008
385			95% Gamma Approximate UCL			1499						
386			95% Adjusted Gamma UCL			1602						
387	Note: DL/2 is not a recommended method.											
388												
389												
390	Dibenzo(a,h)anthracene											
391												
392					General Statistics							
393			Number of Valid Data			26				Number of Detected Data		18
394			Number of Distinct Detected Data			16				Number of Non-Detect Data		8
395			Number of Missing Values			1				Percent Non-Detects		30.77%
396												
397			Raw Statistics						Log-transformed Statistics			
398			Minimum Detected			0.67				Minimum Detected		-0.4
399			Maximum Detected			221				Maximum Detected		5.398
400			Mean of Detected			40.52				Mean of Detected		2.401
401			SD of Detected			63.5				SD of Detected		1.764
402			Minimum Non-Detect			5.8				Minimum Non-Detect		1.758
403			Maximum Non-Detect			21.7				Maximum Non-Detect		3.077
404												
405	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		20
406	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		6
407	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		76.92%
408												
409					UCL Statistics							
410			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
411			Shapiro Wilk Test Statistic			0.681				Shapiro Wilk Test Statistic		0.943
412			5% Shapiro Wilk Critical Value			0.897				5% Shapiro Wilk Critical Value		0.897
413			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
414												
415			Assuming Normal Distribution						Assuming Lognormal Distribution			
416			DL/2 Substitution Method							DL/2 Substitution Method		
417			Mean			30.84				Mean		2.322
418			SD			54.43				SD		1.478
419			95% DL/2 (t) UCL			49.08				95% H-Stat (DL/2) UCL		48.32
420												
421			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
422			Mean			123.1				Mean in Log Scale		2.075
423			SD			63.46				SD in Log Scale		1.563
424			95% MLE (t) UCL			144.4				Mean in Original Scale		29.37

	A	B	C	D	E	F	G	H	I	J	K	L
425			95% MLE (Tiku) UCL			166.3				SD in Original Scale		55.08
426										95% Percentile Bootstrap UCL		46.61
427										95% BCA Bootstrap UCL		52.44
428												
429		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
430				k star (bias corrected)		0.445		Data appear Lognormal at 5% Significance Level				
431				Theta Star		90.98						
432				nu star		16.03						
433												
434				A-D Test Statistic		0.861		Nonparametric Statistics				
435				5% A-D Critical Value		0.802				Kaplan-Meier (KM) Method		
436				K-S Test Statistic		0.802				Mean		29.4
437				5% K-S Critical Value		0.215				SD		54.03
438		Data not Gamma Distributed at 5% Significance Level								SE of Mean		10.91
439										95% KM (t) UCL		48.04
440		Assuming Gamma Distribution								95% KM (z) UCL		47.35
441		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		47.88
442				Minimum		0.67				95% KM (bootstrap t) UCL		65.02
443				Maximum		221				95% KM (BCA) UCL		48.97
444				Mean		39.31				95% KM (Percentile Bootstrap) UCL		47.12
445				Median		30.85				95% KM (Chebyshev) UCL		76.97
446				SD		52.48				97.5% KM (Chebyshev) UCL		97.55
447				k star		0.62				99% KM (Chebyshev) UCL		138
448				Theta star		63.39						
449				Nu star		32.25				Potential UCLs to Use		
450				AppChi2		20.27				99% KM (Chebyshev) UCL		138
451		95% Gamma Approximate UCL				62.54						
452		95% Adjusted Gamma UCL				64.54						
453	Note: DL/2 is not a recommended method.											
454												
455												
456	Dieldrin											
457												
458						General Statistics						
459				Number of Valid Data		19				Number of Detected Data		7
460		Number of Distinct Detected Data				7				Number of Non-Detect Data		12
461				Number of Missing Values		8				Percent Non-Detects		63.16%
462												
463		Raw Statistics						Log-transformed Statistics				
464				Minimum Detected		0.0762				Minimum Detected		-2.574
465				Maximum Detected		27.8				Maximum Detected		3.325
466				Mean of Detected		5.002				Mean of Detected		0.216
467				SD of Detected		10.09				SD of Detected		1.813
468				Minimum Non-Detect		0.0498				Minimum Non-Detect		-3
469				Maximum Non-Detect		1.9				Maximum Non-Detect		0.642
470												
471	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				17
472	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				2
473	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				89.47%
474												
475				Warning: There are only 7 Detected Values in this data								
476			Note: It should be noted that even though bootstrap may be performed on this data set									
477			the resulting calculations may not be reliable enough tp draw conclusions									

	A	B	C	D	E	F	G	H	I	J	K	L
478												
479				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
480												
481												
482					UCL Statistics							
483		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
484					Shapiro Wilk Test Statistic	0.538				Shapiro Wilk Test Statistic		0.968
485					5% Shapiro Wilk Critical Value	0.803				5% Shapiro Wilk Critical Value		0.803
486		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
487												
488		Assuming Normal Distribution						Assuming Lognormal Distribution				
489					DL/2 Substitution Method					DL/2 Substitution Method		
490					Mean	1.993				Mean		-1.221
491					SD	6.292				SD		1.805
492					95% DL/2 (t) UCL	4.496				95% H-Stat (DL/2) UCL		4.916
493												
494				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
495		Method failed to converge properly								Mean in Log Scale		-2.523
496										SD in Log Scale		2.428
497										Mean in Original Scale		1.855
498										SD in Original Scale		6.33
499										95% Percentile Bootstrap UCL		4.675
500										95% BCA Bootstrap UCL		6.282
501												
502		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
503					k star (bias corrected)	0.359		Data appear Gamma Distributed at 5% Significance Level				
504					Theta Star	13.94						
505					nu star	5.024						
506												
507					A-D Test Statistic	0.601		Nonparametric Statistics				
508					5% A-D Critical Value	0.758			Kaplan-Meier (KM) Method			
509					K-S Test Statistic	0.758				Mean		1.913
510					5% K-S Critical Value	0.329				SD		6.146
511		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		1.523
512										95% KM (t) UCL		4.555
513		Assuming Gamma Distribution								95% KM (z) UCL		4.419
514		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		4.259
515					Minimum	0.0762				95% KM (bootstrap t) UCL		20.07
516					Maximum	27.8				95% KM (BCA) UCL		5.237
517					Mean	5.052				95% KM (Percentile Bootstrap) UCL		4.888
518					Median	5.116				95% KM (Chebyshev) UCL		8.553
519					SD	5.831				97.5% KM (Chebyshev) UCL		11.43
520					k star	0.969				99% KM (Chebyshev) UCL		17.07
521					Theta star	5.212						
522					Nu star	36.83		Potential UCLs to Use				
523					AppChi2	23.94				95% KM (t) UCL		4.555
524				95% Gamma Approximate UCL		7.773						
525				95% Adjusted Gamma UCL		8.08						
526	Note: DL/2 is not a recommended method.											
527												
528												
529	Indeno(1,2,3-cd)pyrene											
530												

General Statistics

Number of Valid Data	26	Number of Detected Data	25
Number of Distinct Detected Data	23	Number of Non-Detect Data	1
Number of Missing Values	1	Percent Non-Detects	3.85%

Raw Statistics		Log-transformed Statistics	
Minimum Detected	3.2	Minimum Detected	1.163
Maximum Detected	620	Maximum Detected	6.43
Mean of Detected	117	Mean of Detected	3.907
SD of Detected	167.5	SD of Detected	1.351
Minimum Non-Detect	19	Minimum Non-Detect	2.944
Maximum Non-Detect	19	Maximum Non-Detect	2.944

UCL Statistics

Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.67	Shapiro Wilk Test Statistic	0.96
5% Shapiro Wilk Critical Value	0.918	5% Shapiro Wilk Critical Value	0.918
Data not Normal at 5% Significance Level		**Data appear Lognormal at 5% Significance Level**	

Assuming Normal Distribution		**Assuming Lognormal Distribution**	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	112.9	Mean	3.843
SD	165.5	SD	1.363
95% DL/2 (t) UCL	168.3	95% H-Stat (DL/2) UCL	231.1
Maximum Likelihood Estimate(MLE) Method		Log ROS Method	
Mean	90.46	Mean in Log Scale	3.831
SD	187.1	SD in Log Scale	1.38
95% MLE (t) UCL	153.1	Mean in Original Scale	112.8
95% MLE (Tiku) UCL	151.9	SD in Original Scale	165.5
		95% Percentile Bootstrap UCL	167.7
		95% BCA Bootstrap UCL	180.2

Gamma Distribution Test with Detected Values Only		**Data Distribution Test with Detected Values Only**	
k star (bias corrected)	0.648	**Data appear Lognormal at 5% Significance Level**	
Theta Star	180.6		
nu star	32.39		
A-D Test Statistic	1.198	**Nonparametric Statistics**	
5% A-D Critical Value	0.788	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.788	Mean	112.9
5% K-S Critical Value	0.182	SD	162.3
Data not Gamma Distributed at 5% Significance Level		SE of Mean	32.48
		95% KM (t) UCL	168.4
Assuming Gamma Distribution		95% KM (z) UCL	166.3
Gamma ROS Statistics using Extrapolated Data		95% KM (jackknife) UCL	168.3
Minimum	1E-09	95% KM (bootstrap t) UCL	199.8
Maximum	620	95% KM (BCA) UCL	169.5
Mean	112.5	95% KM (Percentile Bootstrap) UCL	164.7
Median	42.25	95% KM (Chebyshev) UCL	254.5
SD	165.7	97.5% KM (Chebyshev) UCL	315.7
k star	0.359	99% KM (Chebyshev) UCL	436.1

	A	B	C	D	E	F	G	H	I	J	K	L
584					Theta star	313.4						
585					Nu star	18.67			Potential UCLs to Use			
586					AppChi2	9.873			97.5% KM (Chebyshev) UCL			315.7
587			95% Gamma Approximate UCL			212.7						
588			95% Adjusted Gamma UCL			222.2						
589	Note: DL/2 is not a recommended method.											
590												
591												
592	Lead											
593												
594					General Statistics							
595			Number of Valid Data			24			Number of Detected Data			24
596			Number of Distinct Detected Data			23			Number of Non-Detect Data			0
597			Number of Missing Values			3			Percent Non-Detects			0.00%
598												
599			Raw Statistics						Log-transformed Statistics			
600			Minimum Detected			3.07			Minimum Detected			1.122
601			Maximum Detected			350			Maximum Detected			5.858
602			Mean of Detected			49.63			Mean of Detected			3.41
603			SD of Detected			73.66			SD of Detected			0.915
604			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
605			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
606												
607												
608					UCL Statistics							
609		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
610			Shapiro Wilk Test Statistic			0.507			Shapiro Wilk Test Statistic			0.9
611			5% Shapiro Wilk Critical Value			0.916			5% Shapiro Wilk Critical Value			0.916
612		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
613												
614		Assuming Normal Distribution							Assuming Lognormal Distribution			
615			DL/2 Substitution Method						DL/2 Substitution Method			
616					Mean	49.63					Mean	3.41
617					SD	73.66					SD	0.915
618			95% DL/2 (t) UCL			75.4			95% H-Stat (DL/2) UCL			72.81
619												
620			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
621		MLE method failed to converge properly							Mean in Log Scale			N/A
622									SD in Log Scale			N/A
623									Mean in Original Scale			N/A
624									SD in Original Scale			N/A
625									95% Percentile Bootstrap UCL			N/A
626									95% BCA Bootstrap UCL			N/A
627												
628		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
629			k star (bias corrected)			1.033		Data do not follow a Discernable Distribution (0.05)				
630					Theta Star	48.04						
631					nu star	49.59						
632												
633					A-D Test Statistic	2.018			Nonparametric Statistics			
634			5% A-D Critical Value			0.769			Kaplan-Meier (KM) Method			
635					K-S Test Statistic	0.769					Mean	49.63
636			5% K-S Critical Value			0.182					SD	72.11

	A	B	C	D	E	F	G	H	I	J	K	L
637			Data not Gamma Distributed at 5% Significance Level								SE of Mean	15.04
638											95% KM (t) UCL	75.4
639			Assuming Gamma Distribution								95% KM (z) UCL	74.36
640			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	75.4
641					Minimum	3.07					95% KM (bootstrap t) UCL	148.4
642					Maximum	350					95% KM (BCA) UCL	78.16
643					Mean	49.63				95% KM (Percentile Bootstrap) UCL		75.2
644					Median	27					95% KM (Chebyshev) UCL	115.2
645					SD	73.66					97.5% KM (Chebyshev) UCL	143.5
646					k star	1.033					99% KM (Chebyshev) UCL	199.2
647					Theta star	48.04						
648					Nu star	49.59			Potential UCLs to Use			
649					AppChi2	34.42					95% KM (Chebyshev) UCL	115.2
650			95% Gamma Approximate UCL			71.5						
651			95% Adjusted Gamma UCL			73.39						
652	Note: DL/2 is not a recommended method.											
653												
654												
655	Mercury											
656												
657					General Statistics							
658			Number of Valid Data			24				Number of Detected Data		22
659			Number of Distinct Detected Data			20				Number of Non-Detect Data		2
660			Number of Missing Values			3				Percent Non-Detects		8.33%
661												
662			Raw Statistics						Log-transformed Statistics			
663				Minimum Detected		0.029				Minimum Detected		-3.54
664				Maximum Detected		0.796				Maximum Detected		-0.228
665				Mean of Detected		0.179				Mean of Detected		-2.058
666				SD of Detected		0.18				SD of Detected		0.803
667				Minimum Non-Detect		0.01				Minimum Non-Detect		-4.605
668				Maximum Non-Detect		0.05				Maximum Non-Detect		-2.996
669												
670	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		3
671	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		21
672	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		12.50%
673												
674					UCL Statistics							
675			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
676				Shapiro Wilk Test Statistic		0.719				Shapiro Wilk Test Statistic		0.967
677				5% Shapiro Wilk Critical Value		0.911				5% Shapiro Wilk Critical Value		0.911
678			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
679												
680			Assuming Normal Distribution						Assuming Lognormal Distribution			
681				DL/2 Substitution Method						DL/2 Substitution Method		
682					Mean	0.166				Mean		-2.261
683					SD	0.178				SD		1.057
684				95% DL/2 (t) UCL		0.228				95% H-Stat (DL/2) UCL		0.278
685												
686			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
687					Mean	0.155				Mean in Log Scale		-2.209
688					SD	0.188				SD in Log Scale		0.924
689				95% MLE (t) UCL		0.221				Mean in Original Scale		0.166

	A	B	C	D	E	F	G	H	I	J	K	L
690				95% MLE (Tiku) UCL		0.218				SD in Original Scale		0.177
691										95% Percentile Bootstrap UCL		0.226
692										95% BCA Bootstrap UCL		0.243
693												
694		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
695				k star (bias corrected)		1.428		Data Follow Appr. Gamma Distribution at 5% Significance Level				
696				Theta Star		0.126						
697				nu star		62.82						
698												
699				A-D Test Statistic		0.83		Nonparametric Statistics				
700				5% A-D Critical Value		0.758		Kaplan-Meier (KM) Method				
701				K-S Test Statistic		0.758				Mean		0.167
702				5% K-S Critical Value		0.188				SD		0.173
703		Data follow Appr. Gamma Distribution at 5% Significance Level								SE of Mean		0.0362
704										95% KM (t) UCL		0.229
705		Assuming Gamma Distribution								95% KM (z) UCL		0.226
706		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.228
707				Minimum		1E-09				95% KM (bootstrap t) UCL		0.268
708				Maximum		0.796				95% KM (BCA) UCL		0.237
709				Mean		0.164				95% KM (Percentile Bootstrap) UCL		0.23
710				Median		0.1				95% KM (Chebyshev) UCL		0.325
711				SD		0.179				97.5% KM (Chebyshev) UCL		0.393
712				k star		0.35				99% KM (Chebyshev) UCL		0.527
713				Theta star		0.469						
714				Nu star		16.82		Potential UCLs to Use				
715				AppChi2		8.544				95% KM (Chebyshev) UCL		0.325
716		95% Gamma Approximate UCL				0.324						
717		95% Adjusted Gamma UCL				0.34						
718	Note: DL/2 is not a recommended method.											
719												
720												
721	Naphthalene											
722												
723					General Statistics							
724				Number of Valid Data		26				Number of Detected Data		16
725			Number of Distinct Detected Data			16				Number of Non-Detect Data		10
726				Number of Missing Values		1				Percent Non-Detects		38.46%
727												
728			Raw Statistics						Log-transformed Statistics			
729				Minimum Detected		5.7				Minimum Detected		1.74
730				Maximum Detected		269				Maximum Detected		5.595
731				Mean of Detected		78.8				Mean of Detected		3.877
732				SD of Detected		78.08				SD of Detected		1.074
733				Minimum Non-Detect		3.1				Minimum Non-Detect		1.131
734				Maximum Non-Detect		20				Maximum Non-Detect		2.996
735												
736	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		13
737	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		13
738	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		50.00%
739												
740					UCL Statistics							
741		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
742				Shapiro Wilk Test Statistic		0.818				Shapiro Wilk Test Statistic		0.952

	A	B	C	D	E	F	G	H	I	J	K	L
743					5% Shapiro Wilk Critical Value	0.887				5% Shapiro Wilk Critical Value		0.887
744			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
745												
746			Assuming Normal Distribution						Assuming Lognormal Distribution			
747				DL/2 Substitution Method						DL/2 Substitution Method		
748					Mean	51.29				Mean		3.095
749					SD	70.16				SD		1.362
750				95% DL/2 (t) UCL		74.79			95% H-Stat (DL/2) UCL			82.6
751												
752			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
753					Mean	11.95				Mean in Log Scale		3.002
754					SD	108.9				SD in Log Scale		1.442
755				95% MLE (t) UCL		48.45				Mean in Original Scale		50.71
756			95% MLE (Tiku) UCL			57.07				SD in Original Scale		70.54
757										95% Percentile Bootstrap UCL		72.88
758										95% BCA Bootstrap UCL		79.27
759												
760			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
761				k star (bias corrected)		0.983			Data appear Gamma Distributed at 5% Significance Level			
762					Theta Star	80.17						
763					nu star	31.45						
764												
765				A-D Test Statistic		0.522			Nonparametric Statistics			
766				5% A-D Critical Value		0.761			Kaplan-Meier (KM) Method			
767				K-S Test Statistic		0.761				Mean		51.48
768				5% K-S Critical Value		0.22				SD		68.7
769			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		13.93
770										95% KM (t) UCL		75.28
771			Assuming Gamma Distribution							95% KM (z) UCL		74.4
772			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		73.01
773					Minimum	0.795				95% KM (bootstrap t) UCL		84.12
774					Maximum	269				95% KM (BCA) UCL		80.77
775					Mean	65.4				95% KM (Percentile Bootstrap) UCL		77.2
776					Median	33.5				95% KM (Chebyshev) UCL		112.2
777					SD	66.41				97.5% KM (Chebyshev) UCL		138.5
778					k star	0.936				99% KM (Chebyshev) UCL		190.1
779					Theta star	69.87						
780					Nu star	48.68			Potential UCLs to Use			
781					AppChi2	33.66				95% KM (BCA) UCL		80.77
782				95% Gamma Approximate UCL		94.57						
783				95% Adjusted Gamma UCL		96.95						
784	Note: DL/2 is not a recommended method.											
785												
786												
787	Thallium											
788												
789						General Statistics						
790				Number of Valid Data		6				Number of Detected Data		6
791				Number of Distinct Detected Data		6				Number of Non-Detect Data		0
792				Number of Missing Values		21				Percent Non-Detects		0.00%
793												
794			Raw Statistics						Log-transformed Statistics			
795					Minimum Detected	0.112				Minimum Detected		-2.189

	A	B	C	D	E	F	G	H	I	J	K	L
796					Maximum Detected	12					Maximum Detected	2.485
797					Mean of Detected	6.205					Mean of Detected	0.74
798					SD of Detected	5.1					SD of Detected	2.264
799					Minimum Non-Detect	N/A					Minimum Non-Detect	N/A
800					Maximum Non-Detect	N/A					Maximum Non-Detect	N/A
801												
802												
803				Warning: There are only 6 Detected Values in this data								
804				Note: It should be noted that even though bootstrap may be performed on this data set								
805				the resulting calculations may not be reliable enough tp draw conclusions								
806												
807			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
808												
809												
810						UCL Statistics						
811		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
812				Shapiro Wilk Test Statistic		0.877				Shapiro Wilk Test Statistic		0.718
813				5% Shapiro Wilk Critical Value		0.788				5% Shapiro Wilk Critical Value		0.788
814		Data appear Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
815												
816		Assuming Normal Distribution						Assuming Lognormal Distribution				
817				DL/2 Substitution Method						DL/2 Substitution Method		
818					Mean	6.205					Mean	0.74
819					SD	5.1					SD	2.264
820				95% DL/2 (t) UCL		10.4				95% H-Stat (DL/2) UCL		176631
821												
822				Maximum Likelihood Estimate(MLE) Method		N/A					Log ROS Method	
823		MLE method failed to converge properly								Mean in Log Scale		N/A
824										SD in Log Scale		N/A
825										Mean in Original Scale		N/A
826										SD in Original Scale		N/A
827										95% Percentile Bootstrap UCL		N/A
828										95% BCA Bootstrap UCL		N/A
829												
830		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
831				k star (bias corrected)		0.398		Data appear Normal at 5% Significance Level				
832				Theta Star		15.6						
833				nu star		4.773						
834												
835				A-D Test Statistic		0.848		Nonparametric Statistics				
836				5% A-D Critical Value		0.731				Kaplan-Meier (KM) Method		
837				K-S Test Statistic		0.731					Mean	6.205
838				5% K-S Critical Value		0.347					SD	4.655
839		Data follow Appr. Gamma Distribution at 5% Significance Level									SE of Mean	2.082
840										95% KM (t) UCL		10.4
841		Assuming Gamma Distribution								95% KM (z) UCL		9.629
842		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		10.4
843					Minimum	0.112				95% KM (bootstrap t) UCL		9.682
844					Maximum	12				95% KM (BCA) UCL		8.853
845					Mean	6.205				95% KM (Percentile Bootstrap) UCL		9.02
846					Median	7.5				95% KM (Chebyshev) UCL		15.28
847					SD	5.1				97.5% KM (Chebyshev) UCL		19.21
848					k star	0.398				99% KM (Chebyshev) UCL		26.92

	A	B	C	D	E	F	G	H	I	J	K	L
849					Theta star	15.6						
850					Nu star	4.773		Potential UCLs to Use				
851					AppChi2	1.049					95% KM (t) UCL	10.4
852			95% Gamma Approximate UCL			28.24		95% KM (Percentile Bootstrap) UCL				9.02
853			95% Adjusted Gamma UCL			53.62						
854	Note: DL/2 is not a recommended method.											
855												
856												
857	Total Aroclors											
858												
859					General Statistics							
860			Number of Valid Data			13			Number of Detected Data			12
861		Number of Distinct Detected Data				12			Number of Non-Detect Data			1
862			Number of Missing Values			14			Percent Non-Detects			7.69%
863												
864		Raw Statistics						Log-transformed Statistics				
865			Minimum Detected			8.37			Minimum Detected			2.125
866			Maximum Detected			617			Maximum Detected			6.425
867			Mean of Detected			127			Mean of Detected			4.32
868			SD of Detected			167.1			SD of Detected			1.053
869			Minimum Non-Detect			38			Minimum Non-Detect			3.638
870			Maximum Non-Detect			38			Maximum Non-Detect			3.638
871												
872												
873					UCL Statistics							
874		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
875			Shapiro Wilk Test Statistic			0.62			Shapiro Wilk Test Statistic			0.937
876			5% Shapiro Wilk Critical Value			0.859			5% Shapiro Wilk Critical Value			0.859
877		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
878												
879		Assuming Normal Distribution						Assuming Lognormal Distribution				
880			DL/2 Substitution Method						DL/2 Substitution Method			
881				Mean		118.7				Mean		4.214
882				SD		162.8				SD		1.078
883			95% DL/2 (t) UCL			199.2			95% H-Stat (DL/2) UCL			210.6
884												
885		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
886				Mean		93.02			Mean in Log Scale			4.202
887				SD		184.6			SD in Log Scale			1.094
888			95% MLE (t) UCL			184.3			Mean in Original Scale			118.5
889			95% MLE (Tiku) UCL			184.2			SD in Original Scale			162.9
890									95% Percentile Bootstrap UCL			195.8
891									95% BCA Bootstrap UCL			239.1
892												
893		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
894			k star (bias corrected)			0.872		Data appear Lognormal at 5% Significance Level				
895				Theta Star		145.6						
896				nu star		20.93						
897												
898			A-D Test Statistic			0.756		Nonparametric Statistics				
899			5% A-D Critical Value			0.755			Kaplan-Meier (KM) Method			
900			K-S Test Statistic			0.755				Mean		118.9
901			5% K-S Critical Value			0.252				SD		156.4

	A	B	C	D	E	F	G	H	I	J	K	L
902		Data not Gamma Distributed at 5% Significance Level									SE of Mean	45.31
903											95% KM (t) UCL	199.6
904			Assuming Gamma Distribution								95% KM (z) UCL	193.4
905			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	199.4
906					Minimum	1E-09					95% KM (bootstrap t) UCL	423
907					Maximum	617					95% KM (BCA) UCL	193.3
908					Mean	117.3				95% KM (Percentile Bootstrap) UCL		197.8
909					Median	59.28					95% KM (Chebyshev) UCL	316.4
910					SD	163.8					97.5% KM (Chebyshev) UCL	401.8
911					k star	0.276					99% KM (Chebyshev) UCL	569.7
912					Theta star	424.9						
913					Nu star	7.175			Potential UCLs to Use			
914					AppChi2	2.267				97.5% KM (Chebyshev) UCL		401.8
915			95% Gamma Approximate UCL			371.1						
916			95% Adjusted Gamma UCL			444.1						
917	Note: DL/2 is not a recommended method.											
918												
919												
920	Total DDT											
921												
922				General Statistics								
923			Number of Valid Data			19				Number of Detected Data		14
924			Number of Distinct Detected Data			14				Number of Non-Detect Data		5
925			Number of Missing Values			8				Percent Non-Detects		26.32%
926												
927			Raw Statistics						Log-transformed Statistics			
928			Minimum Detected			0.115				Minimum Detected		-2.163
929			Maximum Detected			63.43				Maximum Detected		4.15
930			Mean of Detected			8.418				Mean of Detected		0.683
931			SD of Detected			16.79				SD of Detected		1.865
932			Minimum Non-Detect			0.353				Minimum Non-Detect		-1.041
933			Maximum Non-Detect			3.28				Maximum Non-Detect		1.188
934												
935	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		13
936	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		6
937	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		68.42%
938												
939						UCL Statistics						
940			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
941			Shapiro Wilk Test Statistic			0.541				Shapiro Wilk Test Statistic		0.976
942			5% Shapiro Wilk Critical Value			0.874				5% Shapiro Wilk Critical Value		0.874
943		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
944												
945			Assuming Normal Distribution						Assuming Lognormal Distribution			
946			DL/2 Substitution Method							DL/2 Substitution Method		
947					Mean	6.492					Mean	0.457
948					SD	14.65					SD	1.695
949			95% DL/2 (t) UCL			12.32				95% H-Stat (DL/2) UCL		19.57
950												
951			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
952			MLE yields a negative mean							Mean in Log Scale		0.255
953										SD in Log Scale		1.766
954										Mean in Original Scale		6.315

	A	B	C	D	E	F	G	H	I	J	K	L
955										SD in Original Scale		14.72
956										95% Percentile Bootstrap UCL		12.23
957										95% BCA Bootstrap UCL		17.17
958												
959		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
960				k star (bias corrected)		0.399		Data appear Gamma Distributed at 5% Significance Level				
961				Theta Star		21.12						
962				nu star		11.16						
963												
964				A-D Test Statistic		0.531		Nonparametric Statistics				
965				5% A-D Critical Value		0.804		Kaplan-Meier (KM) Method				
966				K-S Test Statistic		0.804				Mean		6.354
967				5% K-S Critical Value		0.243				SD		14.31
968		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		3.409
969										95% KM (t) UCL		12.27
970		Assuming Gamma Distribution								95% KM (z) UCL		11.96
971		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		12.21
972				Minimum		1E-09				95% KM (bootstrap t) UCL		25.12
973				Maximum		63.43				95% KM (BCA) UCL		12.9
974				Mean		6.892				95% KM (Percentile Bootstrap) UCL		12.84
975				Median		1.968				95% KM (Chebyshev) UCL		21.21
976				SD		14.53				97.5% KM (Chebyshev) UCL		27.64
977				k star		0.289				99% KM (Chebyshev) UCL		40.27
978				Theta star		23.84						
979				Nu star		10.99		Potential UCLs to Use				
980				AppChi2		4.567				95% KM (Chebyshev) UCL		21.21
981		95% Gamma Approximate UCL				16.58						
982		95% Adjusted Gamma UCL				17.98						
983	Note: DL/2 is not a recommended method.											
984												
985												
986	Tributyltin ion											
987												
988					General Statistics							
989			Number of Valid Data			9				Number of Detected Data		6
990			Number of Distinct Detected Data			6				Number of Non-Detect Data		3
991			Number of Missing Values			18				Percent Non-Detects		33.33%
992												
993			Raw Statistics						Log-transformed Statistics			
994				Minimum Detected		2.7				Minimum Detected		0.993
995				Maximum Detected		55				Maximum Detected		4.007
996				Mean of Detected		19.35				Mean of Detected		2.567
997				SD of Detected		18.84				SD of Detected		1.021
998				Minimum Non-Detect		0.58				Minimum Non-Detect		-0.545
999				Maximum Non-Detect		5.7				Maximum Non-Detect		1.74
1000												
1001	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				4
1002	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				5
1003	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				44.44%
1004												
1005					Warning: There are only 6 Detected Values in this data							
1006				Note: It should be noted that even though bootstrap may be performed on this data set								
1007				the resulting calculations may not be reliable enough tp draw conclusions								

	A	B	C	D	E	F	G	H	I	J	K	L
1008												
1009			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1010												
1011												
1012						UCL Statistics						
1013		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1014				Shapiro Wilk Test Statistic		0.829				Shapiro Wilk Test Statistic		0.987
1015				5% Shapiro Wilk Critical Value		0.788				5% Shapiro Wilk Critical Value		0.788
1016		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1017												
1018		Assuming Normal Distribution						Assuming Lognormal Distribution				
1019				DL/2 Substitution Method						DL/2 Substitution Method		
1020					Mean	13.28				Mean		1.56
1021					SD	17.47				SD		1.832
1022				95% DL/2 (t) UCL		24.11			95% H-Stat (DL/2) UCL			74.07
1023												
1024			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
1025					Mean	6.984				Mean in Log Scale		1.745
1026					SD	23.56				SD in Log Scale		1.479
1027				95% MLE (t) UCL		21.59				Mean in Original Scale		13.28
1028				95% MLE (Tiku) UCL		24.02				SD in Original Scale		17.46
1029										95% Percentile Bootstrap UCL		23.59
1030										95% BCA Bootstrap UCL		26.41
1031												
1032		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1033				k star (bias corrected)		0.814		Data appear Normal at 5% Significance Level				
1034				Theta Star		23.77						
1035				nu star		9.769						
1036												
1037				A-D Test Statistic		0.206		Nonparametric Statistics				
1038				5% A-D Critical Value		0.709			Kaplan-Meier (KM) Method			
1039				K-S Test Statistic		0.709				Mean		13.8
1040				5% K-S Critical Value		0.338				SD		16.09
1041		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		5.874
1042										95% KM (t) UCL		24.72
1043		Assuming Gamma Distribution								95% KM (z) UCL		23.46
1044		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		23.84
1045					Minimum	2.7				95% KM (bootstrap t) UCL		34.14
1046					Maximum	55				95% KM (BCA) UCL		27.47
1047					Mean	14.96			95% KM (Percentile Bootstrap) UCL			25.24
1048					Median	9.473				95% KM (Chebyshev) UCL		39.4
1049					SD	16.34				97.5% KM (Chebyshev) UCL		50.48
1050					k star	0.986				99% KM (Chebyshev) UCL		72.24
1051					Theta star	15.18						
1052					Nu star	17.74		Potential UCLs to Use				
1053					AppChi2	9.203				95% KM (t) UCL		24.72
1054				95% Gamma Approximate UCL		28.84			95% KM (Percentile Bootstrap) UCL			25.24
1055				95% Adjusted Gamma UCL		33.43						
1056	Note: DL/2 is not a recommended method.											
1057												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM8.0SIL.wst								
4			Full Precision	OFF								
5			Confidence Coefficient	95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Aldrin											
10												
11							General Statistics					
12				Number of Valid Data		57			Number of Detected Data			5
13			Number of Distinct Detected Data			5			Number of Non-Detect Data			52
14				Number of Missing Values		30			Percent Non-Detects			91.23%
15												
16				Raw Statistics					Log-transformed Statistics			
17				Minimum Detected		0.027			Minimum Detected			-3.612
18				Maximum Detected		6			Maximum Detected			1.792
19				Mean of Detected		1.342			Mean of Detected			-1.449
20				SD of Detected		2.611			SD of Detected			2.085
21				Minimum Non-Detect		0.0312			Minimum Non-Detect			-3.467
22				Maximum Non-Detect		6			Maximum Non-Detect			1.792
23												
24	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			56
25	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
26	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			98.25%
27												
28					Warning: There are only 5 Detected Values in this data							
29				Note: It should be noted that even though bootstrap may be performed on this data set								
30					the resulting calculations may not be reliable enough tp draw conclusions							
31												
32				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
33												
34												
35							UCL Statistics					
36		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
37				Lilliefors Test Statistic		0.607			Lilliefors Test Statistic			0.922
38			5% Lilliefors Critical Value			0.762			5% Lilliefors Critical Value			0.762
39		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
40												
41		Assuming Normal Distribution						Assuming Lognormal Distribution				
42			DL/2 Substitution Method						DL/2 Substitution Method			
43				Mean		0.616			Mean			-1.443
44				SD		1.024			SD			1.505
45			95% DL/2 (t) UCL			0.843			95% H-Stat (DL/2) UCL			1.291
46												
47		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
48		MLE method failed to converge properly							Mean in Log Scale			-3.748
49									SD in Log Scale			1.003
50									Mean in Original Scale			0.137
51									SD in Original Scale			0.793
52									95% Percentile Bootstrap UCL			0.346
53									95% BCA Bootstrap UCL			0.46

	A	B	C	D	E	F	G	H	I	J	K	L
54												
55			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
56				k star (bias corrected)		0.286			Data appear Gamma Distributed at 5% Significance Level			
57				Theta Star		4.698						
58				nu star		2.856						
59												
60				A-D Test Statistic		0.576			Nonparametric Statistics			
61				5% A-D Critical Value		0.728			Kaplan-Meier (KM) Method			
62				K-S Test Statistic		0.728				Mean		0.159
63				5% K-S Critical Value		0.377				SD		0.785
64		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.117
65										95% KM (t) UCL		0.355
66			Assuming Gamma Distribution							95% KM (z) UCL		0.352
67		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.309
68				Minimum		1E-09				95% KM (bootstrap t) UCL		1.696
69				Maximum		6				95% KM (BCA) UCL		0.781
70				Mean		0.118			95% KM (Percentile Bootstrap) UCL			0.491
71				Median		1E-09				95% KM (Chebyshev) UCL		0.67
72				SD		0.796				97.5% KM (Chebyshev) UCL		0.892
73				k star		0.0606				99% KM (Chebyshev) UCL		1.326
74				Theta star		1.941						
75				Nu star		6.912			Potential UCLs to Use			
76				AppChi2		2.122				95% KM (t) UCL		0.355
77			95% Gamma Approximate UCL			0.383						
78			95% Adjusted Gamma UCL			0.396						
79	Note: DL/2 is not a recommended method.											
80												
81												
82	Arsenic											
83												
84					General Statistics							
85			Number of Valid Data			85			Number of Detected Data			79
86		Number of Distinct Detected Data				61			Number of Non-Detect Data			6
87			Number of Missing Values			3			Percent Non-Detects			7.06%
88												
89			Raw Statistics						Log-transformed Statistics			
90				Minimum Detected		1.49				Minimum Detected		0.399
91				Maximum Detected		15.6				Maximum Detected		2.747
92				Mean of Detected		5.538				Mean of Detected		1.573
93				SD of Detected		2.941				SD of Detected		0.542
94				Minimum Non-Detect		5				Minimum Non-Detect		1.609
95				Maximum Non-Detect		7				Maximum Non-Detect		1.946
96												
97	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			62
98	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			23
99	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			72.94%
100												
101							UCL Statistics					
102		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
103				Lilliefors Test Statistic		0.0997				Lilliefors Test Statistic		0.112
104			5% Lilliefors Critical Value			0.0997				5% Lilliefors Critical Value		0.0997
105		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
106												

	A	B	C	D	E	F	G	H	I	J	K	L
107			Assuming Normal Distribution						Assuming Lognormal Distribution			
108			DL/2 Substitution Method						DL/2 Substitution Method			
109					Mean	5.377				Mean		1.545
110					SD	2.897				SD		0.534
111				95% DL/2 (t) UCL		5.9			95% H-Stat (DL/2) UCL			5.752
112												
113			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
114					Mean	4.45			Mean in Log Scale			1.554
115					SD	3.929			SD in Log Scale			0.53
116				95% MLE (t) UCL		5.158			Mean in Original Scale			5.412
117				95% MLE (Tiku) UCL		5.803			SD in Original Scale			2.881
118									95% Percentile Bootstrap UCL			5.941
119									95% BCA Bootstrap UCL			5.956
120												
121			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
122				k star (bias corrected)		3.636			Data appear Gamma Distributed at 5% Significance Level			
123					Theta Star	1.523						
124					nu star	574.5						
125												
126				A-D Test Statistic		0.439			Nonparametric Statistics			
127				5% A-D Critical Value		0.757			Kaplan-Meier (KM) Method			
128				K-S Test Statistic		0.757				Mean		5.418
129				5% K-S Critical Value		0.101				SD		2.878
130			Data appear Gamma Distributed at 5% Significance Level						SE of Mean			0.317
131									95% KM (t) UCL			5.946
132			Assuming Gamma Distribution						95% KM (z) UCL			5.94
133			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			5.946
134					Minimum	1.49			95% KM (bootstrap t) UCL			6.018
135					Maximum	15.6			95% KM (BCA) UCL			5.947
136					Mean	5.486			95% KM (Percentile Bootstrap) UCL			5.95
137					Median	5			95% KM (Chebyshev) UCL			6.8
138					SD	2.862			97.5% KM (Chebyshev) UCL			7.398
139					k star	3.812			99% KM (Chebyshev) UCL			8.573
140					Theta star	1.439						
141					Nu star	648.1			Potential UCLs to Use			
142					AppChi2	590			95% KM (BCA) UCL			5.947
143				95% Gamma Approximate UCL		6.025						
144				95% Adjusted Gamma UCL		6.035						
145	Note: DL/2 is not a recommended method.											
146												
147												
148	Benzo(a)anthracene											
149												
150					General Statistics							
151			Number of Valid Data			86			Number of Detected Data			78
152			Number of Distinct Detected Data			70			Number of Non-Detect Data			8
153			Number of Missing Values			2			Percent Non-Detects			9.30%
154												
155			Raw Statistics						Log-transformed Statistics			
156				Minimum Detected		1.3			Minimum Detected			0.262
157				Maximum Detected		5570			Maximum Detected			8.625
158				Mean of Detected		259.8			Mean of Detected			4.543
159				SD of Detected		660.6			SD of Detected			1.418

	A	B	C	D	E	F	G	H	I	J	K	L
160					Minimum Non-Detect	2.08				Minimum Non-Detect		0.732
161					Maximum Non-Detect	215				Maximum Non-Detect		5.371
162												
163	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		67
164	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		19
165	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		77.91%
166												
167						UCL Statistics						
168		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
169					Lilliefors Test Statistic	0.348				Lilliefors Test Statistic		0.0872
170					5% Lilliefors Critical Value	0.1				5% Lilliefors Critical Value		0.1
171		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
172												
173		Assuming Normal Distribution							Assuming Lognormal Distribution			
174					DL/2 Substitution Method					DL/2 Substitution Method		
175					Mean	239.1				Mean		4.356
176					SD	632.2				SD		1.571
177					95% DL/2 (t) UCL	352.5				95% H-Stat (DL/2) UCL		364
178												
179				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
180		MLE yields a negative mean								Mean in Log Scale		4.358
181										SD in Log Scale		1.507
182										Mean in Original Scale		237.7
183										SD in Original Scale		632.6
184										95% Percentile Bootstrap UCL		359.6
185										95% BCA Bootstrap UCL		450.6
186												
187		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
188					k star (bias corrected)	0.592			Data appear Lognormal at 5% Significance Level			
189					Theta Star	439.1						
190					nu star	92.31						
191												
192					A-D Test Statistic	2.444			Nonparametric Statistics			
193					5% A-D Critical Value	0.808				Kaplan-Meier (KM) Method		
194					K-S Test Statistic	0.808				Mean		238.3
195					5% K-S Critical Value	0.106				SD		628.8
196		Data not Gamma Distributed at 5% Significance Level								SE of Mean		68.25
197										95% KM (t) UCL		351.8
198		Assuming Gamma Distribution								95% KM (z) UCL		350.6
199		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		351.6
200					Minimum	1E-09				95% KM (bootstrap t) UCL		526.8
201					Maximum	5570				95% KM (BCA) UCL		369.1
202					Mean	237.6				95% KM (Percentile Bootstrap) UCL		364.2
203					Median	98				95% KM (Chebyshev) UCL		535.8
204					SD	632.7				97.5% KM (Chebyshev) UCL		664.5
205					k star	0.284				99% KM (Chebyshev) UCL		917.4
206					Theta star	835.5						
207					Nu star	48.91			Potential UCLs to Use			
208					AppChi2	33.85				95% KM (Chebyshev) UCL		535.8
209				95% Gamma Approximate UCL		343.2						
210				95% Adjusted Gamma UCL		345.4						
211	Note: DL/2 is not a recommended method.											
212												

	A	B	C	D	E	F	G	H	I	J	K	L
213												
214	Benzo(a)pyrene											
215												
216					General Statistics							
217		Number of Valid Data				86			Number of Detected Data			74
218		Number of Distinct Detected Data				60			Number of Non-Detect Data			12
219		Number of Missing Values				2			Percent Non-Detects			13.95%
220												
221		Raw Statistics						Log-transformed Statistics				
222		Minimum Detected				2.2			Minimum Detected			0.788
223		Maximum Detected				2600			Maximum Detected			7.863
224		Mean of Detected				223.8			Mean of Detected			4.635
225		SD of Detected				366.5			SD of Detected			1.319
226		Minimum Non-Detect				2.08			Minimum Non-Detect			0.732
227		Maximum Non-Detect				215			Maximum Non-Detect			5.371
228												
229	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			71
230	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			15
231	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			82.56%
232												
233					UCL Statistics							
234		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
235		Lilliefors Test Statistic				0.309			Lilliefors Test Statistic			0.125
236		5% Lilliefors Critical Value				0.103			5% Lilliefors Critical Value			0.103
237		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
238												
239		Assuming Normal Distribution						Assuming Lognormal Distribution				
240		DL/2 Substitution Method							DL/2 Substitution Method			
241		Mean				196.7			Mean			4.334
242		SD				346.5			SD			1.548
243		95% DL/2 (t) UCL				258.9			95% H-Stat (DL/2) UCL			310.6
244												
245		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
246		MLE yields a negative mean							Mean in Log Scale			4.343
247									SD in Log Scale			1.459
248									Mean in Original Scale			195
249									SD in Original Scale			347.2
250									95% Percentile Bootstrap UCL			261.4
251									95% BCA Bootstrap UCL			293.3
252												
253		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
254		k star (bias corrected)				0.747		Data do not follow a Discernable Distribution (0.05)					
255		Theta Star				299.4						
256		nu star				110.6						
257												
258		A-D Test Statistic				1.393			Nonparametric Statistics			
259		5% A-D Critical Value				0.792			Kaplan-Meier (KM) Method			
260		K-S Test Statistic				0.792			Mean			195.7
261		5% K-S Critical Value				0.108			SD			345.1
262		Data not Gamma Distributed at 5% Significance Level							SE of Mean			37.48
263									95% KM (t) UCL			258
264		Assuming Gamma Distribution							95% KM (z) UCL			257.3
265		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			257.6

	A	B	C	D	E	F	G	H	I	J	K	L
266					Minimum	1E-09				95% KM (bootstrap t) UCL		299.9
267					Maximum	2600				95% KM (BCA) UCL		266.2
268					Mean	196.5			95% KM (Percentile Bootstrap) UCL			259.6
269					Median	112				95% KM (Chebyshev) UCL		359
270					SD	346.9				97.5% KM (Chebyshev) UCL		429.7
271					k star	0.256				99% KM (Chebyshev) UCL		568.6
272					Theta star	768.6						
273					Nu star	43.96				Potential UCLs to Use		
274					AppChi2	29.76				95% KM (Chebyshev) UCL		359
275			95% Gamma Approximate UCL			290.2						
276			95% Adjusted Gamma UCL			292.2						
277	Note: DL/2 is not a recommended method.											
278												
279												
280	Benzo(b)fluoranthene											
281												
282					General Statistics							
283			Number of Valid Data			86				Number of Detected Data		81
284			Number of Distinct Detected Data			75				Number of Non-Detect Data		5
285			Number of Missing Values			2				Percent Non-Detects		5.81%
286												
287			Raw Statistics						Log-transformed Statistics			
288			Minimum Detected			2.9				Minimum Detected		1.065
289			Maximum Detected			4470				Maximum Detected		8.405
290			Mean of Detected			400.8				Mean of Detected		5.127
291			SD of Detected			695.7				SD of Detected		1.349
292			Minimum Non-Detect			4.17				Minimum Non-Detect		1.428
293			Maximum Non-Detect			84.3				Maximum Non-Detect		4.434
294												
295	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		27
296	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		59
297	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		31.40%
298												
299					UCL Statistics							
300			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
301			Lilliefors Test Statistic			0.284				Lilliefors Test Statistic		0.0631
302			5% Lilliefors Critical Value			0.0984				5% Lilliefors Critical Value		0.0984
303			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
304												
305			Assuming Normal Distribution						Assuming Lognormal Distribution			
306			DL/2 Substitution Method							DL/2 Substitution Method		
307			Mean			378.5				Mean		4.947
308			SD			680.9				SD		1.534
309			95% DL/2 (t) UCL			500.6				95% H-Stat (DL/2) UCL		615.2
310												
311			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
312			Mean			189.8				Mean in Log Scale		4.981
313			SD			863.2				SD in Log Scale		1.445
314			95% MLE (t) UCL			344.6				Mean in Original Scale		378.5
315			95% MLE (Tiku) UCL			352.3				SD in Original Scale		680.9
316										95% Percentile Bootstrap UCL		501.4
317										95% BCA Bootstrap UCL		540.5
318												

	A	B	C	D	E	F	G	H	I	J	K	L
319												
	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
320	k star (bias corrected)					0.68	Data appear Lognormal at 5% Significance Level					
321	Theta Star					589.4						
322	nu star					110.2						
323												
324	A-D Test Statistic					1.915	Nonparametric Statistics					
325	5% A-D Critical Value					0.799	Kaplan-Meier (KM) Method					
326	K-S Test Statistic					0.799				Mean		378.4
327	5% K-S Critical Value					0.104				SD		677
328	Data not Gamma Distributed at 5% Significance Level									SE of Mean		73.46
329										95% KM (t) UCL		500.5
330	Assuming Gamma Distribution									95% KM (z) UCL		499.2
331	Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL		499.9
332	Minimum					1E-09				95% KM (bootstrap t) UCL		575.1
333	Maximum					4470				95% KM (BCA) UCL		506.8
334	Mean					377.5				95% KM (Percentile Bootstrap) UCL		513.4
335	Median					172				95% KM (Chebyshev) UCL		698.6
336	SD					681.5				97.5% KM (Chebyshev) UCL		837.1
337	k star					0.296				99% KM (Chebyshev) UCL		1109
338	Theta star					1275						
339	Nu star					50.92		Potential UCLs to Use				
340	AppChi2					35.54				95% KM (Chebyshev) UCL		698.6
341	95% Gamma Approximate UCL					540.9						
342	95% Adjusted Gamma UCL					544.3						
343	Note: DL/2 is not a recommended method.											
344												
345												
346	Benzo(k)fluoranthene											
347												
348	General Statistics											
349	Number of Valid Data					61		Number of Detected Data				61
350	Number of Distinct Detected Data					55		Number of Non-Detect Data				0
351	Number of Missing Values					27		Percent Non-Detects				0.00%
352												
353	Raw Statistics						Log-transformed Statistics					
354	Minimum Detected					1.2		Minimum Detected				0.182
355	Maximum Detected					1450		Maximum Detected				7.279
356	Mean of Detected					206.6		Mean of Detected				4.594
357	SD of Detected					251.6		SD of Detected				1.42
358	Minimum Non-Detect					N/A		Minimum Non-Detect				N/A
359	Maximum Non-Detect					N/A		Maximum Non-Detect				N/A
360												
361												
362	UCL Statistics											
363	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
364	Lilliefors Test Statistic					0.219		Lilliefors Test Statistic				0.128
365	5% Lilliefors Critical Value					0.113		5% Lilliefors Critical Value				0.113
366	Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level					
367												
368	Assuming Normal Distribution						Assuming Lognormal Distribution					
369	DL/2 Substitution Method						DL/2 Substitution Method					
370	Mean					206.6		Mean				4.594
371	SD					251.6		SD				1.42

	A	B	C	D	E	F	G	H	I	J	K	L
372					95% DL/2 (t) UCL	260.4				95% H-Stat (DL/2) UCL		368.1
373												
374			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
375			MLE method failed to converge properly							Mean in Log Scale		N/A
376										SD in Log Scale		N/A
377										Mean in Original Scale		N/A
378										SD in Original Scale		N/A
379										95% Percentile Bootstrap UCL		N/A
380										95% BCA Bootstrap UCL		N/A
381												
382			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
383				k star (bias corrected)		0.776		Data appear Gamma Distributed at 5% Significance Level				
384					Theta Star	266.3						
385					nu star	94.67						
386												
387				A-D Test Statistic		0.457			Nonparametric Statistics			
388				5% A-D Critical Value		0.789			Kaplan-Meier (KM) Method			
389				K-S Test Statistic		0.789				Mean		206.6
390				5% K-S Critical Value		0.118				SD		249.5
391			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		32.21
392										95% KM (t) UCL		260.4
393			Assuming Gamma Distribution							95% KM (z) UCL		259.6
394			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		260.4
395					Minimum	1.2				95% KM (bootstrap t) UCL		276.3
396					Maximum	1450				95% KM (BCA) UCL		265
397					Mean	206.6			95% KM (Percentile Bootstrap) UCL			261.5
398					Median	135				95% KM (Chebyshev) UCL		347
399					SD	251.6				97.5% KM (Chebyshev) UCL		407.8
400					k star	0.776				99% KM (Chebyshev) UCL		527.1
401					Theta star	266.3						
402					Nu star	94.67			Potential UCLs to Use			
403					AppChi2	73.23				95% KM (Chebyshev) UCL		347
404			95% Gamma Approximate UCL			267.1						
405			95% Adjusted Gamma UCL			268.8						
406	Note: DL/2 is not a recommended method.											
407												
408												
409	Bis(2-ethylhexyl) phthalate											
410												
411					General Statistics							
412			Number of Valid Data			84			Number of Detected Data			75
413			Number of Distinct Detected Data			70			Number of Non-Detect Data			9
414			Number of Missing Values			4			Percent Non-Detects			10.71%
415												
416			Raw Statistics						Log-transformed Statistics			
417				Minimum Detected		45.7				Minimum Detected		3.822
418				Maximum Detected		440000				Maximum Detected		12.99
419				Mean of Detected		9062				Mean of Detected		6.957
420				SD of Detected		50911				SD of Detected		1.693
421				Minimum Non-Detect		13				Minimum Non-Detect		2.565
422				Maximum Non-Detect		960				Maximum Non-Detect		6.867
423												
424	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			42

	A	B	C	D	E	F	G	H	I	J	K	L
425	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			42
426	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			50.00%
427												
428						UCL Statistics						
429		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
430			Lilliefors Test Statistic			0.43				Lilliefors Test Statistic		0.102
431			5% Lilliefors Critical Value			0.102				5% Lilliefors Critical Value		0.102
432		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
433												
434		Assuming Normal Distribution						Assuming Lognormal Distribution				
435			DL/2 Substitution Method							DL/2 Substitution Method		
436				Mean		8100				Mean		6.571
437				SD		48153				SD		1.994
438			95% DL/2 (t) UCL			16839			95% H-Stat (DL/2) UCL			9064
439												
440			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
441		MLE yields a negative mean								Mean in Log Scale		6.596
442										SD in Log Scale		1.926
443										Mean in Original Scale		8097
444										SD in Original Scale		48154
445									95% Percentile Bootstrap UCL			18212
446									95% BCA Bootstrap UCL			28094
447												
448		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
449				k star (bias corrected)		0.313		Data appear Lognormal at 5% Significance Level				
450				Theta Star		28924						
451				nu star		47						
452												
453				A-D Test Statistic		8.596		Nonparametric Statistics				
454			5% A-D Critical Value			0.861			Kaplan-Meier (KM) Method			
455				K-S Test Statistic		0.861				Mean		8100
456			5% K-S Critical Value			0.112				SD		47866
457		Data not Gamma Distributed at 5% Significance Level								SE of Mean		5258
458										95% KM (t) UCL		16846
459		Assuming Gamma Distribution								95% KM (z) UCL		16748
460		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			16838
461				Minimum		1E-09			95% KM (bootstrap t) UCL			69992
462				Maximum		440000				95% KM (BCA) UCL		18889
463				Mean		8091			95% KM (Percentile Bootstrap) UCL			18472
464				Median		953.5			95% KM (Chebyshev) UCL			31018
465				SD		48155			97.5% KM (Chebyshev) UCL			40934
466				k star		0.156			99% KM (Chebyshev) UCL			60414
467				Theta star		52030						
468				Nu star		26.13		Potential UCLs to Use				
469				AppChi2		15.48			97.5% KM (Chebyshev) UCL			40934
470			95% Gamma Approximate UCL			13659						
471			95% Adjusted Gamma UCL			13787						
472	Note: DL/2 is not a recommended method.											
473												
474												
475	Dibenzo(a,h)anthracene											
476												
477						General Statistics						

	A	B	C	D	E	F	G	H	I	J	K	L
478			Number of Valid Data			86				Number of Detected Data		55
479			Number of Distinct Detected Data			45				Number of Non-Detect Data		31
480			Number of Missing Values			2				Percent Non-Detects		36.05%
481												
482			Raw Statistics							Log-transformed Statistics		
483			Minimum Detected			2				Minimum Detected		0.693
484			Maximum Detected			667				Maximum Detected		6.503
485			Mean of Detected			50.05				Mean of Detected		3.194
486			SD of Detected			94.85				SD of Detected		1.174
487			Minimum Non-Detect			0.41				Minimum Non-Detect		-0.892
488			Maximum Non-Detect			215				Maximum Non-Detect		5.371
489												
490	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		84
491	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		2
492	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		97.67%
493												
494						UCL Statistics						
495			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
496			Lilliefors Test Statistic			0.306				Lilliefors Test Statistic		0.0717
497			5% Lilliefors Critical Value			0.119				5% Lilliefors Critical Value		0.119
498			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
499												
500			Assuming Normal Distribution						Assuming Lognormal Distribution			
501			DL/2 Substitution Method							DL/2 Substitution Method		
502			Mean			35.51				Mean		2.511
503			SD			78.92				SD		1.555
504			95% DL/2 (t) UCL			49.66				95% H-Stat (DL/2) UCL		35.52
505												
506			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
507			MLE method failed to converge properly							Mean in Log Scale		2.45
508										SD in Log Scale		1.419
509										Mean in Original Scale		33.39
510										SD in Original Scale		78.84
511										95% Percentile Bootstrap UCL		48.86
512										95% BCA Bootstrap UCL		56.85
513												
514			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
515			k star (bias corrected)			0.789			Data appear Lognormal at 5% Significance Level			
516			Theta Star			63.4						
517			nu star			86.83						
518												
519			A-D Test Statistic			1.469				Nonparametric Statistics		
520			5% A-D Critical Value			0.789				Kaplan-Meier (KM) Method		
521			K-S Test Statistic			0.789				Mean		33.94
522			5% K-S Critical Value			0.124				SD		78.36
523			Data not Gamma Distributed at 5% Significance Level							SE of Mean		8.544
524										95% KM (t) UCL		48.15
525			Assuming Gamma Distribution							95% KM (z) UCL		47.99
526			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		48.04
527			Minimum			1E-09				95% KM (bootstrap t) UCL		64.57
528			Maximum			667				95% KM (BCA) UCL		49.81
529			Mean			39.75				95% KM (Percentile Bootstrap) UCL		48.77
530			Median			23.5				95% KM (Chebyshev) UCL		71.18

	A	B	C	D	E	F	G	H	I	J	K	L
531						SD	78.76			97.5% KM (Chebyshev) UCL		87.3
532						k star	0.191			99% KM (Chebyshev) UCL		119
533						Theta star	208.6					
534						Nu star	32.78		**Potential UCLs to Use**			
535						AppChi2	20.69			95% KM (Chebyshev) UCL		71.18
536			95% Gamma Approximate UCL				62.98					
537			95% Adjusted Gamma UCL				63.48					
538	Note: DL/2 is not a recommended method.											
539												
540												
541	Dieldrin											
542												
543					**General Statistics**							
544			Number of Valid Data				59			Number of Detected Data		7
545			Number of Distinct Detected Data				7			Number of Non-Detect Data		52
546			Number of Missing Values				28			Percent Non-Detects		88.14%
547												
548			**Raw Statistics**							**Log-transformed Statistics**		
549			Minimum Detected				0.0378			Minimum Detected		-3.275
550			Maximum Detected				22.3			Maximum Detected		3.105
551			Mean of Detected				5.321			Mean of Detected		0.00518
552			SD of Detected				7.885			SD of Detected		2.522
553			Minimum Non-Detect				0.03			Minimum Non-Detect		-3.507
554			Maximum Non-Detect				20.3			Maximum Non-Detect		3.011
555												
556	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		58
557	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1
558	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		98.31%
559												
560				Warning: There are only 7 Detected Values in this data								
561			Note: It should be noted that even though bootstrap may be performed on this data set									
562			the resulting calculations may not be reliable enough tp draw conclusions									
563												
564			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
565												
566												
567					**UCL Statistics**							
568		**Normal Distribution Test with Detected Values Only**							**Lognormal Distribution Test with Detected Values Only**			
569			Lilliefors Test Statistic				0.711			Lilliefors Test Statistic		0.868
570			5% Lilliefors Critical Value				0.803			5% Lilliefors Critical Value		0.803
571		**Data not Normal at 5% Significance Level**							**Data appear Lognormal at 5% Significance Level**			
572												
573		**Assuming Normal Distribution**							**Assuming Lognormal Distribution**			
574			DL/2 Substitution Method							DL/2 Substitution Method		
575			Mean				1.385			Mean		-1.099
576			SD				3.343			SD		1.67
577			95% DL/2 (t) UCL				2.112			95% H-Stat (DL/2) UCL		2.273
578												
579			Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method		
580		**MLE method failed to converge properly**								Mean in Log Scale		-4.487
581										SD in Log Scale		1.924
582										Mean in Original Scale		0.638
583										SD in Original Scale		3.072

	A	B	C	D	E	F	G	H	I	J	K	L
584										95% Percentile Bootstrap UCL		1.39
585										95% BCA Bootstrap UCL		1.775
586												
587			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
588				k star (bias corrected)		0.321			Data appear Gamma Distributed at 5% Significance Level			
589					Theta Star	16.56						
590					nu star	4.498						
591												
592					A-D Test Statistic	0.463			Nonparametric Statistics			
593				5% A-D Critical Value		0.769			Kaplan-Meier (KM) Method			
594					K-S Test Statistic	0.769				Mean		0.697
595				5% K-S Critical Value		0.331				SD		3.053
596		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.432
597										95% KM (t) UCL		1.419
598			Assuming Gamma Distribution							95% KM (z) UCL		1.408
599		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		1.337
600					Minimum	0.0378				95% KM (bootstrap t) UCL		2.3
601					Maximum	22.3				95% KM (BCA) UCL		4.552
602					Mean	4.824			95% KM (Percentile Bootstrap) UCL			1.854
603					Median	4.675				95% KM (Chebyshev) UCL		2.58
604					SD	2.68				97.5% KM (Chebyshev) UCL		3.395
605					k star	2.238				99% KM (Chebyshev) UCL		4.996
606					Theta star	2.155						
607					Nu star	264.1			Potential UCLs to Use			
608					AppChi2	227.5				95% KM (t) UCL		1.419
609			95% Gamma Approximate UCL			5.6						
610			95% Adjusted Gamma UCL			5.621						
611	Note: DL/2 is not a recommended method.											
612												
613												
614	Indeno(1,2,3-cd)pyrene											
615												
616						General Statistics						
617			Number of Valid Data			86			Number of Detected Data			74
618		Number of Distinct Detected Data				65			Number of Non-Detect Data			12
619				Number of Missing Values		2			Percent Non-Detects			13.95%
620												
621			Raw Statistics						Log-transformed Statistics			
622				Minimum Detected		1.4				Minimum Detected		0.336
623				Maximum Detected		1100				Maximum Detected		7.003
624				Mean of Detected		141.8				Mean of Detected		4.301
625				SD of Detected		186.1				SD of Detected		1.233
626				Minimum Non-Detect		2.08				Minimum Non-Detect		0.732
627				Maximum Non-Detect		215				Maximum Non-Detect		5.371
628												
629	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			73
630	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			13
631	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			84.88%
632												
633						UCL Statistics						
634		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
635				Lilliefors Test Statistic		0.239				Lilliefors Test Statistic		0.109
636			5% Lilliefors Critical Value			0.103				5% Lilliefors Critical Value		0.103

	A	B	C	D	E	F	G	H	I	J	K	L
637			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
638												
639			Assuming Normal Distribution						Assuming Lognormal Distribution			
640			DL/2 Substitution Method						DL/2 Substitution Method			
641				Mean		124.5				Mean		3.974
642				SD		178.1				SD		1.505
643			95% DL/2 (t) UCL			156.5			95% H-Stat (DL/2) UCL			191.4
644												
645			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
646			MLE yields a negative mean						Mean in Log Scale			4.02
647									SD in Log Scale			1.365
648									Mean in Original Scale			123.7
649									SD in Original Scale			178.3
650									95% Percentile Bootstrap UCL			157.3
651									95% BCA Bootstrap UCL			161
652												
653			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
654			k star (bias corrected)			0.868			Data Follow Appr. Gamma Distribution at 5% Significance Level			
655			Theta Star			163.3						
656			nu star			128.5						
657												
658			A-D Test Statistic			0.805			Nonparametric Statistics			
659			5% A-D Critical Value			0.786			Kaplan-Meier (KM) Method			
660			K-S Test Statistic			0.786				Mean		123.7
661			5% K-S Critical Value			0.107				SD		177.4
662			Data follow Appr. Gamma Distribution at 5% Significance Level						SE of Mean			19.28
663									95% KM (t) UCL			155.8
664			Assuming Gamma Distribution						95% KM (z) UCL			155.4
665			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			155.3
666			Minimum			1E-09			95% KM (bootstrap t) UCL			166.7
667			Maximum			1100			95% KM (BCA) UCL			156
668			Mean			124.4			95% KM (Percentile Bootstrap) UCL			158.8
669			Median			75.3			95% KM (Chebyshev) UCL			207.8
670			SD			178.4			97.5% KM (Chebyshev) UCL			244.1
671			k star			0.267			99% KM (Chebyshev) UCL			315.5
672			Theta star			466.4						
673			Nu star			45.87			Potential UCLs to Use			
674			AppChi2			31.33			95% KM (Chebyshev) UCL			207.8
675			95% Gamma Approximate UCL			182.1						
676			95% Adjusted Gamma UCL			183.3						
677	Note: DL/2 is not a recommended method.											
678												
679												
680	Lead											
681												
682						General Statistics						
683			Number of Valid Data			85			Number of Detected Data			85
684			Number of Distinct Detected Data			81			Number of Non-Detect Data			0
685			Number of Missing Values			3			Percent Non-Detects			0.00%
686												
687			Raw Statistics						Log-transformed Statistics			
688			Minimum Detected			4.59			Minimum Detected			1.524
689			Maximum Detected			936			Maximum Detected			6.842

	A	B	C	D	E	F	G	H	I	J	K	L
690					Mean of Detected	45.64					Mean of Detected	3.346
691					SD of Detected	100.2					SD of Detected	0.862
692					Minimum Non-Detect	N/A					Minimum Non-Detect	N/A
693					Maximum Non-Detect	N/A					Maximum Non-Detect	N/A
694												
695												
696						UCL Statistics						
697			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
698					Lilliefors Test Statistic	0.341					Lilliefors Test Statistic	0.105
699					5% Lilliefors Critical Value	0.0961					5% Lilliefors Critical Value	0.0961
700			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
701												
702			Assuming Normal Distribution						Assuming Lognormal Distribution			
703					DL/2 Substitution Method						DL/2 Substitution Method	
704					Mean	45.64					Mean	3.346
705					SD	100.2					SD	0.862
706					95% DL/2 (t) UCL	63.72					95% H-Stat (DL/2) UCL	50.16
707												
708				Maximum Likelihood Estimate(MLE) Method		N/A					Log ROS Method	
709			MLE method failed to converge properly								Mean in Log Scale	N/A
710											SD in Log Scale	N/A
711											Mean in Original Scale	N/A
712											SD in Original Scale	N/A
713											95% Percentile Bootstrap UCL	N/A
714											95% BCA Bootstrap UCL	N/A
715												
716			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
717					k star (bias corrected)	1.159		Data do not follow a Discernable Distribution (0.05)				
718					Theta Star	39.38						
719					nu star	197						
720												
721					A-D Test Statistic	2.808			Nonparametric Statistics			
722					5% A-D Critical Value	0.778					Kaplan-Meier (KM) Method	
723					K-S Test Statistic	0.778					Mean	45.64
724					5% K-S Critical Value	0.0994					SD	99.66
725			Data not Gamma Distributed at 5% Significance Level								SE of Mean	10.87
726											95% KM (t) UCL	63.72
727			Assuming Gamma Distribution								95% KM (z) UCL	63.52
728			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	63.72
729					Minimum	4.59					95% KM (bootstrap t) UCL	106.5
730					Maximum	936					95% KM (BCA) UCL	70.29
731					Mean	45.64					95% KM (Percentile Bootstrap) UCL	66.51
732					Median	33.6					95% KM (Chebyshev) UCL	93.03
733					SD	100.2					97.5% KM (Chebyshev) UCL	113.5
734					k star	1.159					99% KM (Chebyshev) UCL	153.8
735					Theta star	39.38						
736					Nu star	197			Potential UCLs to Use			
737					AppChi2	165.5					95% KM (BCA) UCL	70.29
738				95% Gamma Approximate UCL		54.32						
739				95% Adjusted Gamma UCL		54.48						
740	Note: DL/2 is not a recommended method.											
741												
742												

	A	B	C	D	E	F	G	H	I	J	K	L
743	Mercury											
744												
745					General Statistics							
746			Number of Valid Data			84			Number of Detected Data			74
747			Number of Distinct Detected Data			55			Number of Non-Detect Data			10
748			Number of Missing Values			4			Percent Non-Detects			11.90%
749												
750			Raw Statistics						Log-transformed Statistics			
751			Minimum Detected			0.0162			Minimum Detected			-4.123
752			Maximum Detected			0.769			Maximum Detected			-0.263
753			Mean of Detected			0.13			Mean of Detected			-2.306
754			SD of Detected			0.11			SD of Detected			0.758
755			Minimum Non-Detect			0.00943			Minimum Non-Detect			-4.664
756			Maximum Non-Detect			0.05			Maximum Non-Detect			-2.996
757												
758	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			26
759	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			58
760	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			30.95%
761												
762					UCL Statistics							
763		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
764			Lilliefors Test Statistic			0.221			Lilliefors Test Statistic			0.164
765			5% Lilliefors Critical Value			0.103			5% Lilliefors Critical Value			0.103
766		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
767												
768		Assuming Normal Distribution						Assuming Lognormal Distribution				
769			DL/2 Substitution Method						DL/2 Substitution Method			
770			Mean			0.116			Mean			-2.635
771			SD			0.11			SD			1.161
772			95% DL/2 (t) UCL			0.136			95% H-Stat (DL/2) UCL			0.145
773												
774			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
775			Mean			0.0952			Mean in Log Scale			-2.492
776			SD			0.136			SD in Log Scale			0.878
777			95% MLE (t) UCL			0.12			Mean in Original Scale			0.117
778			95% MLE (Tiku) UCL			0.121			SD in Original Scale			0.109
779									95% Percentile Bootstrap UCL			0.137
780									95% BCA Bootstrap UCL			0.141
781												
782		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
783			k star (bias corrected)			1.943		Data do not follow a Discernable Distribution (0.05)				
784			Theta Star			0.0671						
785			nu star			287.5						
786												
787			A-D Test Statistic			1.524			Nonparametric Statistics			
788			5% A-D Critical Value			0.763			Kaplan-Meier (KM) Method			
789			K-S Test Statistic			0.763			Mean			0.117
790			5% K-S Critical Value			0.105			SD			0.109
791		Data not Gamma Distributed at 5% Significance Level							SE of Mean			0.0119
792									95% KM (t) UCL			0.137
793		Assuming Gamma Distribution							95% KM (z) UCL			0.137
794		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			0.136
795			Minimum			1E-09			95% KM (bootstrap t) UCL			0.143

	A	B	C	D	E	F	G	H	I	J	K	L
796					Maximum	0.769			95% KM (BCA) UCL			0.139
797					Mean	0.115			95% KM (Percentile Bootstrap) UCL			0.137
798					Median	0.116			95% KM (Chebyshev) UCL			0.169
799					SD	0.111			97.5% KM (Chebyshev) UCL			0.191
800					k star	0.317			99% KM (Chebyshev) UCL			0.236
801					Theta star	0.364						
802					Nu star	53.24			**Potential UCLs to Use**			
803					AppChi2	37.48			95% KM (BCA) UCL			0.139
804			95% Gamma Approximate UCL			0.164						
805			95% Adjusted Gamma UCL			0.165						
806	Note: DL/2 is not a recommended method.											
807												
808												
809	Naphthalene											
810												
811					**General Statistics**							
812			Number of Valid Data			86			Number of Detected Data			58
813			Number of Distinct Detected Data			44			Number of Non-Detect Data			28
814			Number of Missing Values			2			Percent Non-Detects			32.56%
815												
816			**Raw Statistics**						**Log-transformed Statistics**			
817			Minimum Detected			1.73			Minimum Detected			0.548
818			Maximum Detected			230			Maximum Detected			5.438
819			Mean of Detected			31.77			Mean of Detected			3.012
820			SD of Detected			41.58			SD of Detected			0.931
821			Minimum Non-Detect			1.2			Minimum Non-Detect			0.182
822			Maximum Non-Detect			96.8			Maximum Non-Detect			4.573
823												
824	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			83
825	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			3
826	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			96.51%
827												
828					**UCL Statistics**							
829			**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**			
830			Lilliefors Test Statistic			0.293			Lilliefors Test Statistic			0.105
831			5% Lilliefors Critical Value			0.116			5% Lilliefors Critical Value			0.116
832			**Data not Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**			
833												
834			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
835			DL/2 Substitution Method						DL/2 Substitution Method			
836			Mean			25.24			Mean			2.554
837			SD			36.41			SD			1.27
838			95% DL/2 (t) UCL			31.77			95% H-Stat (DL/2) UCL			34.71
839												
840			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
841			Mean			202.4			Mean in Log Scale			2.533
842			SD			54.78			SD in Log Scale			1.083
843			95% MLE (t) UCL			212.2			Mean in Original Scale			23.24
844			95% MLE (Tiku) UCL			254.3			SD in Original Scale			36.28
845									95% Percentile Bootstrap UCL			30.61
846									95% BCA Bootstrap UCL			32.58
847												
848			**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**			

	A	B	C	D	E	F	G	H	I	J	K	L
849					k star (bias corrected)	1.208		Data appear Lognormal at 5% Significance Level				
850					Theta Star	26.31						
851					nu star	140.1						
852												
853				A-D Test Statistic		1.613		Nonparametric Statistics				
854				5% A-D Critical Value		0.774			Kaplan-Meier (KM) Method			
855				K-S Test Statistic		0.774				Mean		23.5
856				5% K-S Critical Value		0.12				SD		36.3
857	Data not Gamma Distributed at 5% Significance Level									SE of Mean		3.979
858										95% KM (t) UCL		30.11
859		Assuming Gamma Distribution								95% KM (z) UCL		30.04
860		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		30.04
861					Minimum	1E-09				95% KM (bootstrap t) UCL		34.3
862					Maximum	230				95% KM (BCA) UCL		30.41
863					Mean	26.8			95% KM (Percentile Bootstrap) UCL			30.44
864					Median	19.6				95% KM (Chebyshev) UCL		40.84
865					SD	36.36				97.5% KM (Chebyshev) UCL		48.34
866					k star	0.251				99% KM (Chebyshev) UCL		63.09
867					Theta star	106.8						
868					Nu star	43.15			Potential UCLs to Use			
869					AppChi2	29.09				95% KM (BCA) UCL		30.41
870			95% Gamma Approximate UCL			39.76						
871			95% Adjusted Gamma UCL			40.03						
872	Note: DL/2 is not a recommended method.											
873												
874												
875	Thallium											
876												
877						General Statistics						
878				Number of Valid Data		9			Number of Detected Data			7
879			Number of Distinct Detected Data			7			Number of Non-Detect Data			2
880				Number of Missing Values		79			Percent Non-Detects			22.22%
881												
882			Raw Statistics						Log-transformed Statistics			
883				Minimum Detected		0.084				Minimum Detected		-2.477
884				Maximum Detected		15				Maximum Detected		2.708
885				Mean of Detected		7.676				Mean of Detected		1.052
886				SD of Detected		5.595				SD of Detected		2.227
887				Minimum Non-Detect		0.051				Minimum Non-Detect		-2.976
888				Maximum Non-Detect		7				Maximum Non-Detect		1.946
889												
890	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			4
891	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			5
892	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			44.44%
893												
894				Warning: There are only 7 Detected Values in this data								
895				Note: It should be noted that even though bootstrap may be performed on this data set								
896				the resulting calculations may not be reliable enough tp draw conclusions								
897												
898			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
899												
900												
901						UCL Statistics						

	A	B	C	D	E	F	G	H	I	J	K	L
902			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
903					Shapiro Wilk Test Statistic	0.881				Shapiro Wilk Test Statistic		0.7
904					5% Shapiro Wilk Critical Value	0.803				5% Shapiro Wilk Critical Value		0.803
905			Data appear Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
906												
907			Assuming Normal Distribution						Assuming Lognormal Distribution			
908					DL/2 Substitution Method					DL/2 Substitution Method		
909					Mean	6.362				Mean		0.55
910					SD	5.57				SD		2.496
911					95% DL/2 (t) UCL	9.815				95% H-Stat (DL/2) UCL		13316
912												
913				Maximum Likelihood Estimate(MLE) Method						Log ROS Method		
914					Mean	7.722				Mean in Log Scale		0.189
915					SD	4.072				SD in Log Scale		2.622
916					95% MLE (t) UCL	10.25				Mean in Original Scale		5.99
917					95% MLE (Tiku) UCL	10.67				SD in Original Scale		5.889
918										95% Percentile Bootstrap UCL		9.111
919										95% BCA Bootstrap UCL		9.019
920												
921			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
922				k star (bias corrected)		0.451			Data appear Normal at 5% Significance Level			
923					Theta Star	17.01						
924					nu star	6.319						
925												
926					A-D Test Statistic	1.087			Nonparametric Statistics			
927				5% A-D Critical Value		0.744			Kaplan-Meier (KM) Method			
928					K-S Test Statistic	0.744				Mean		5.992
929				5% K-S Critical Value		0.325				SD		5.55
930			Data not Gamma Distributed at 5% Significance Level							SE of Mean		1.998
931										95% KM (t) UCL		9.707
932			Assuming Gamma Distribution							95% KM (z) UCL		9.278
933			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		9.637
934					Minimum	0.084				95% KM (bootstrap t) UCL		9.435
935					Maximum	15				95% KM (BCA) UCL		10.33
936					Mean	6.796				95% KM (Percentile Bootstrap) UCL		10.07
937					Median	8				95% KM (Chebyshev) UCL		14.7
938					SD	5.154				97.5% KM (Chebyshev) UCL		18.47
939					k star	0.569				99% KM (Chebyshev) UCL		25.87
940					Theta star	11.95						
941					Nu star	10.24			Potential UCLs to Use			
942					AppChi2	4.093				95% KM (t) UCL		9.707
943			95% Gamma Approximate UCL			17			95% KM (Percentile Bootstrap) UCL			10.07
944				95% Adjusted Gamma UCL		21						
945	Note: DL/2 is not a recommended method.											
946												
947												
948	Total Aroclors											
949												
950					General Statistics							
951				Number of Valid Data		64				Number of Detected Data		58
952			Number of Distinct Detected Data			56				Number of Non-Detect Data		6
953				Number of Missing Values		23				Percent Non-Detects		9.38%
954												

	A	B	C	D	E	F	G	H	I	J	K	L
955	Raw Statistics						Log-transformed Statistics					
956				Minimum Detected		6.82				Minimum Detected		1.92
957				Maximum Detected		2520				Maximum Detected		7.832
958				Mean of Detected		309.4				Mean of Detected		5.053
959				SD of Detected		466.4				SD of Detected		1.218
960				Minimum Non-Detect		2.82				Minimum Non-Detect		1.037
961				Maximum Non-Detect		31				Maximum Non-Detect		3.434
962												
963	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			13
964	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			51
965	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			20.31%
966												
967	UCL Statistics											
968	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
969				Lilliefors Test Statistic		0.264				Lilliefors Test Statistic		0.122
970				5% Lilliefors Critical Value		0.116				5% Lilliefors Critical Value		0.116
971	Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level					
972												
973	Assuming Normal Distribution						Assuming Lognormal Distribution					
974			DL/2 Substitution Method							DL/2 Substitution Method		
975					Mean	280.9					Mean	4.715
976					SD	452.5					SD	1.587
977				95% DL/2 (t) UCL		375.4				95% H-Stat (DL/2) UCL		475.8
978												
979		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
980					Mean	212.1				Mean in Log Scale		4.808
981					SD	523				SD in Log Scale		1.393
982				95% MLE (t) UCL		321.3				Mean in Original Scale		281.5
983				95% MLE (Tiku) UCL		319.6				SD in Original Scale		452.1
984										95% Percentile Bootstrap UCL		378.3
985										95% BCA Bootstrap UCL		396.8
986												
987	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
988				k star (bias corrected)		0.829	Data Follow Appr. Gamma Distribution at 5% Significance Level					
989					Theta Star	373						
990					nu star	96.22						
991												
992				A-D Test Statistic		1.229	Nonparametric Statistics					
993				5% A-D Critical Value		0.786				Kaplan-Meier (KM) Method		
994				K-S Test Statistic		0.786					Mean	281.2
995				5% K-S Critical Value		0.121					SD	448.8
996	Data follow Appr. Gamma Distribution at 5% Significance Level									SE of Mean		56.59
997										95% KM (t) UCL		375.6
998	Assuming Gamma Distribution									95% KM (z) UCL		374.2
999		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		375.1
1000					Minimum	1E-09				95% KM (bootstrap t) UCL		442.4
1001					Maximum	2520				95% KM (BCA) UCL		379.3
1002					Mean	280.4			95% KM (Percentile Bootstrap) UCL			376.8
1003					Median	136				95% KM (Chebyshev) UCL		527.8
1004					SD	452.8				97.5% KM (Chebyshev) UCL		634.6
1005					k star	0.238				99% KM (Chebyshev) UCL		844.3
1006					Theta star	1179						
1007					Nu star	30.44	Potential UCLs to Use					

	A	B	C	D	E	F	G	H	I	J	K	L
1008					AppChi2	18.84			95% KM (Chebyshev) UCL			527.8
1009			95% Gamma Approximate UCL			453.1						
1010			95% Adjusted Gamma UCL			458.2						
1011	Note: DL/2 is not a recommended method.											
1012												
1013												
1014	Total DDT											
1015												
1016				General Statistics								
1017			Number of Valid Data			59			Number of Detected Data			28
1018		Number of Distinct Detected Data				28			Number of Non-Detect Data			31
1019			Number of Missing Values			28			Percent Non-Detects			52.54%
1020												
1021			Raw Statistics						Log-transformed Statistics			
1022			Minimum Detected			0.188			Minimum Detected			-1.672
1023			Maximum Detected			78.9			Maximum Detected			4.368
1024			Mean of Detected			8.824			Mean of Detected			0.872
1025			SD of Detected			17.67			SD of Detected			1.633
1026			Minimum Non-Detect			0.0584			Minimum Non-Detect			-2.84
1027			Maximum Non-Detect			25.9			Maximum Non-Detect			3.254
1028												
1029	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			57
1030	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
1031	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			96.61%
1032												
1033					UCL Statistics							
1034		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1035			Lilliefors Test Statistic			0.529			Lilliefors Test Statistic			0.964
1036			5% Lilliefors Critical Value			0.924			5% Lilliefors Critical Value			0.924
1037		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1038												
1039		Assuming Normal Distribution						Assuming Lognormal Distribution				
1040			DL/2 Substitution Method						DL/2 Substitution Method			
1041			Mean			5.234			Mean			0.471
1042			SD			12.64			SD			1.547
1043			95% DL/2 (t) UCL			7.986			95% H-Stat (DL/2) UCL			5.485
1044												
1045		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
1046		MLE method failed to converge properly							Mean in Log Scale			-0.152
1047									SD in Log Scale			1.583
1048									Mean in Original Scale			4.403
1049									SD in Original Scale			12.78
1050									95% Percentile Bootstrap UCL			7.321
1051									95% BCA Bootstrap UCL			8.349
1052												
1053		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1054			k star (bias corrected)			0.46		Data appear Lognormal at 5% Significance Level				
1055			Theta Star			19.19						
1056			nu star			25.75						
1057												
1058			A-D Test Statistic			1.319			Nonparametric Statistics			
1059			5% A-D Critical Value			0.813			Kaplan-Meier (KM) Method			
1060			K-S Test Statistic			0.813			Mean			4.604

	A	B	C	D	E	F	G	H	I	J	K	L
1061				5% K-S Critical Value		0.175					SD	12.64
1062		Data not Gamma Distributed at 5% Significance Level									SE of Mean	1.681
1063											95% KM (t) UCL	7.413
1064		Assuming Gamma Distribution									95% KM (z) UCL	7.368
1065		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	7.38
1066				Minimum		0.188					95% KM (bootstrap t) UCL	11.75
1067				Maximum		78.9					95% KM (BCA) UCL	7.575
1068				Mean		8.861				95% KM (Percentile Bootstrap) UCL		7.398
1069				Median		8.759					95% KM (Chebyshev) UCL	11.93
1070				SD		12.06					97.5% KM (Chebyshev) UCL	15.1
1071				k star		0.902					99% KM (Chebyshev) UCL	21.33
1072				Theta star		9.82						
1073				Nu star		106.5			Potential UCLs to Use			
1074				AppChi2		83.66					95% KM (Chebyshev) UCL	11.93
1075		95% Gamma Approximate UCL				11.28						
1076		95% Adjusted Gamma UCL				11.35						
1077	Note: DL/2 is not a recommended method.											
1078												
1079												
1080	Total Dioxin/Furan TEQ											
1081												
1082					General Statistics							
1083			Number of Valid Data			9			Number of Detected Data			9
1084		Number of Distinct Detected Data				9			Number of Non-Detect Data			0
1085			Number of Missing Values			21			Percent Non-Detects			0.00%
1086												
1087			Raw Statistics						Log-transformed Statistics			
1088			Minimum Detected			0.707			Minimum Detected			-0.346
1089			Maximum Detected			40.47			Maximum Detected			3.701
1090			Mean of Detected			6.288			Mean of Detected			0.901
1091			SD of Detected			12.86			SD of Detected			1.192
1092			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
1093			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
1094												
1095												
1096					Warning: There are only 9 Detected Values in this data							
1097				Note: It should be noted that even though bootstrap may be performed on this data set								
1098					the resulting calculations may not be reliable enough tp draw conclusions							
1099												
1100			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1101												
1102												
1103					UCL Statistics							
1104		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
1105			Shapiro Wilk Test Statistic			0.464			Shapiro Wilk Test Statistic			0.827
1106			5% Shapiro Wilk Critical Value			0.829			5% Shapiro Wilk Critical Value			0.829
1107		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
1108												
1109		Assuming Normal Distribution							Assuming Lognormal Distribution			
1110			DL/2 Substitution Method						DL/2 Substitution Method			
1111			Mean			6.288			Mean			0.901
1112			SD			12.86			SD			1.192
1113			95% DL/2 (t) UCL			14.26			95% H-Stat (DL/2) UCL			23.61

	A	B	C	D	E	F	G	H	I	J	K	L
1114												
1115			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1116			MLE method failed to converge properly							Mean in Log Scale		N/A
1117										SD in Log Scale		N/A
1118										Mean in Original Scale		N/A
1119										SD in Original Scale		N/A
1120										95% Percentile Bootstrap UCL		N/A
1121										95% BCA Bootstrap UCL		N/A
1122												
1123			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1124				k star (bias corrected)		0.508			Data do not follow a Discernable Distribution (0.05)			
1125				Theta Star		12.37						
1126				nu star		9.148						
1127												
1128				A-D Test Statistic		1.345			Nonparametric Statistics			
1129				5% A-D Critical Value		0.759			Kaplan-Meier (KM) Method			
1130				K-S Test Statistic		0.759				Mean		6.288
1131				5% K-S Critical Value		0.291				SD		12.13
1132			Data not Gamma Distributed at 5% Significance Level							SE of Mean		4.287
1133										95% KM (t) UCL		14.26
1134			Assuming Gamma Distribution							95% KM (z) UCL		13.34
1135			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		14.26
1136					Minimum	0.707				95% KM (bootstrap t) UCL		70.11
1137					Maximum	40.47				95% KM (BCA) UCL		14.96
1138					Mean	6.288				95% KM (Percentile Bootstrap) UCL		14.52
1139					Median	2.037				95% KM (Chebyshev) UCL		24.97
1140					SD	12.86				97.5% KM (Chebyshev) UCL		33.06
1141					k star	0.508				99% KM (Chebyshev) UCL		48.94
1142					Theta star	12.37						
1143					Nu star	9.148			Potential UCLs to Use			
1144					AppChi2	3.416				97.5% KM (Chebyshev) UCL		33.06
1145			95% Gamma Approximate UCL			16.84						
1146			95% Adjusted Gamma UCL			21.15						
1147	Note: DL/2 is not a recommended method.											
1148												
1149												
1150	Total Dioxin-like PCBs											
1151												
1152					General Statistics							
1153			Number of Valid Data			15			Number of Detected Data			15
1154			Number of Distinct Detected Data			15			Number of Non-Detect Data			0
1155			Number of Missing Values			15			Percent Non-Detects			0.00%
1156												
1157			Raw Statistics						Log-transformed Statistics			
1158				Minimum Detected		256				Minimum Detected		5.545
1159				Maximum Detected		308867				Maximum Detected		12.64
1160				Mean of Detected		30409				Mean of Detected		8.815
1161				SD of Detected		77594				SD of Detected		1.803
1162				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1163				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1164												
1165												
1166					UCL Statistics							

	A	B	C	D	E	F	G	H	I	J	K	L
1167			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1168					Shapiro Wilk Test Statistic	0.388					Shapiro Wilk Test Statistic	0.958
1169					5% Shapiro Wilk Critical Value	0.881					5% Shapiro Wilk Critical Value	0.881
1170			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1171												
1172			Assuming Normal Distribution						Assuming Lognormal Distribution			
1173					DL/2 Substitution Method						DL/2 Substitution Method	
1174					Mean	30409					Mean	8.815
1175					SD	77594					SD	1.803
1176					95% DL/2 (t) UCL	65696					95% H-Stat (DL/2) UCL	256859
1177												
1178					Maximum Likelihood Estimate(MLE) Method	N/A					Log ROS Method	
1179			MLE method failed to converge properly								Mean in Log Scale	N/A
1180											SD in Log Scale	N/A
1181											Mean in Original Scale	N/A
1182											SD in Original Scale	N/A
1183											95% Percentile Bootstrap UCL	N/A
1184											95% BCA Bootstrap UCL	N/A
1185												
1186			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1187					k star (bias corrected)	0.389			Data appear Lognormal at 5% Significance Level			
1188					Theta Star	78096						
1189					nu star	11.68						
1190												
1191					A-D Test Statistic	0.975			Nonparametric Statistics			
1192					5% A-D Critical Value	0.808					Kaplan-Meier (KM) Method	
1193					K-S Test Statistic	0.808					Mean	30409
1194					5% K-S Critical Value	0.236					SD	74963
1195			Data not Gamma Distributed at 5% Significance Level								SE of Mean	20035
1196											95% KM (t) UCL	65696
1197			Assuming Gamma Distribution								95% KM (z) UCL	63363
1198			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	65696
1199					Minimum	256					95% KM (bootstrap t) UCL	246108
1200					Maximum	308867					95% KM (BCA) UCL	72096
1201					Mean	30409					95% KM (Percentile Bootstrap) UCL	69211
1202					Median	11169					95% KM (Chebyshev) UCL	117738
1203					SD	77594					97.5% KM (Chebyshev) UCL	155525
1204					k star	0.389					99% KM (Chebyshev) UCL	229751
1205					Theta star	78096						
1206					Nu star	11.68			Potential UCLs to Use			
1207					AppChi2	5.018					99% KM (Chebyshev) UCL	229751
1208					95% Gamma Approximate UCL	70790						
1209					95% Adjusted Gamma UCL	79091						
1210	Note: DL/2 is not a recommended method.											
1211												
1212												
1213	Total PCB TEQ											
1214												
1215						General Statistics						
1216					Number of Valid Data	15					Number of Detected Data	15
1217					Number of Distinct Detected Data	15					Number of Non-Detect Data	0
1218					Number of Missing Values	15					Percent Non-Detects	0.00%
1219												

	A	B	C	D	E	F	G	H	I	J	K	L
1220				Raw Statistics					Log-transformed Statistics			
1221				Minimum Detected		0.148				Minimum Detected		-1.91
1222				Maximum Detected		117.7				Maximum Detected		4.768
1223				Mean of Detected		12.05				Mean of Detected		1.193
1224				SD of Detected		29.47				SD of Detected		1.606
1225				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1226				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1227												
1228												
1229						UCL Statistics						
1230			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1231				Shapiro Wilk Test Statistic		0.397				Shapiro Wilk Test Statistic		0.97
1232				5% Shapiro Wilk Critical Value		0.881				5% Shapiro Wilk Critical Value		0.881
1233			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1234												
1235			Assuming Normal Distribution						Assuming Lognormal Distribution			
1236				DL/2 Substitution Method						DL/2 Substitution Method		
1237				Mean		12.05				Mean		1.193
1238				SD		29.47				SD		1.606
1239				95% DL/2 (t) UCL		25.45				95% H-Stat (DL/2) UCL		61.29
1240												
1241			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1242			MLE method failed to converge properly							Mean in Log Scale		N/A
1243										SD in Log Scale		N/A
1244										Mean in Original Scale		N/A
1245										SD in Original Scale		N/A
1246										95% Percentile Bootstrap UCL		N/A
1247										95% BCA Bootstrap UCL		N/A
1248												
1249			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1250				k star (bias corrected)		0.438			Data appear Lognormal at 5% Significance Level			
1251				Theta Star		27.53						
1252				nu star		13.13						
1253												
1254				A-D Test Statistic		1.01			Nonparametric Statistics			
1255				5% A-D Critical Value		0.795			Kaplan-Meier (KM) Method			
1256				K-S Test Statistic		0.795				Mean		12.05
1257				5% K-S Critical Value		0.234				SD		28.47
1258			Data not Gamma Distributed at 5% Significance Level							SE of Mean		7.608
1259										95% KM (t) UCL		25.45
1260			Assuming Gamma Distribution							95% KM (z) UCL		24.56
1261			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		25.45
1262				Minimum		0.148				95% KM (bootstrap t) UCL		88.4
1263				Maximum		117.7				95% KM (BCA) UCL		28.04
1264				Mean		12.05				95% KM (Percentile Bootstrap) UCL		27.29
1265				Median		3.302				95% KM (Chebyshev) UCL		45.21
1266				SD		29.47				97.5% KM (Chebyshev) UCL		59.56
1267				k star		0.438				99% KM (Chebyshev) UCL		87.75
1268				Theta star		27.53						
1269				Nu star		13.13			Potential UCLs to Use			
1270				AppChi2		5.977				99% KM (Chebyshev) UCL		87.75
1271				95% Gamma Approximate UCL		26.45						
1272				95% Adjusted Gamma UCL		29.32						

	A	B	C	D	E	F	G	H	I	J	K	L
1273	Note: DL/2 is not a recommended method.											
1274												
1275												
1276	Total PCB_Congeners											
1277												
1278					General Statistics							
1279				Number of Valid Data		15			Number of Detected Data			15
1280			Number of Distinct Detected Data			15			Number of Non-Detect Data			0
1281				Number of Missing Values		15				Percent Non-Detects		0.00%
1282												
1283			Raw Statistics						Log-transformed Statistics			
1284				Minimum Detected		9422				Minimum Detected		9.151
1285				Maximum Detected		12537864				Maximum Detected		16.34
1286				Mean of Detected		1030002				Mean of Detected		11.91
1287				SD of Detected		3190248				SD of Detected		1.794
1288				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1289				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1290												
1291												
1292					UCL Statistics							
1293		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1294				Shapiro Wilk Test Statistic		0.336				Shapiro Wilk Test Statistic		0.94
1295			5% Shapiro Wilk Critical Value			0.881			5% Shapiro Wilk Critical Value			0.881
1296		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1297												
1298		Assuming Normal Distribution						Assuming Lognormal Distribution				
1299			DL/2 Substitution Method							DL/2 Substitution Method		
1300					Mean	1030002					Mean	11.91
1301					SD	3190248					SD	1.794
1302				95% DL/2 (t) UCL		2480825			95% H-Stat (DL/2) UCL			5505294
1303												
1304			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1305		MLE method failed to converge properly								Mean in Log Scale		N/A
1306										SD in Log Scale		N/A
1307										Mean in Original Scale		N/A
1308										SD in Original Scale		N/A
1309									95% Percentile Bootstrap UCL			N/A
1310									95% BCA Bootstrap UCL			N/A
1311												
1312		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1313				k star (bias corrected)		0.323		Data appear Lognormal at 5% Significance Level				
1314					Theta Star	3186584						
1315					nu star	9.697						
1316												
1317				A-D Test Statistic		1.723			Nonparametric Statistics			
1318				5% A-D Critical Value		0.825			Kaplan-Meier (KM) Method			
1319				K-S Test Statistic		0.825					Mean	1030002
1320				5% K-S Critical Value		0.239					SD	3082072
1321		Data not Gamma Distributed at 5% Significance Level									SE of Mean	823719
1322										95% KM (t) UCL		2480825
1323		Assuming Gamma Distribution								95% KM (z) UCL		2384898
1324		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			2480825
1325					Minimum	9422			95% KM (bootstrap t) UCL			19002136

	A	B	C	D	E	F	G	H	I	J	K	L
1326					Maximum	12537864				95% KM (BCA) UCL		2690034
1327					Mean	1030002				95% KM (Percentile Bootstrap) UCL		2664127
1328					Median	130511				95% KM (Chebyshev) UCL		4620507
1329					SD	3190248				97.5% KM (Chebyshev) UCL		6174122
1330					k star	0.323				99% KM (Chebyshev) UCL		9225897
1331					Theta star	3186584						
1332					Nu star	9.697				Potential UCLs to Use		
1333					AppChi2	3.753				99% KM (Chebyshev) UCL		9225897
1334				95% Gamma Approximate UCL		2661131						
1335				95% Adjusted Gamma UCL		3016988						
1336	Note: DL/2 is not a recommended method.											
1337												
1338												
1339	Total PCBs, Adjusted											
1340												
1341					General Statistics							
1342				Number of Valid Data		15				Number of Detected Data		15
1343				Number of Distinct Detected Data		15				Number of Non-Detect Data		0
1344				Number of Missing Values		15				Percent Non-Detects		0.00%
1345												
1346				Raw Statistics						Log-transformed Statistics		
1347				Minimum Detected		9166				Minimum Detected		9.123
1348				Maximum Detected		12228997				Maximum Detected		16.32
1349				Mean of Detected		999593				Mean of Detected		11.86
1350				SD of Detected		3112840				SD of Detected		1.796
1351				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1352				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1353												
1354												
1355					UCL Statistics							
1356		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
1357				Shapiro Wilk Test Statistic		0.335				Shapiro Wilk Test Statistic		0.937
1358				5% Shapiro Wilk Critical Value		0.881				5% Shapiro Wilk Critical Value		0.881
1359		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
1360												
1361		Assuming Normal Distribution							Assuming Lognormal Distribution			
1362				DL/2 Substitution Method						DL/2 Substitution Method		
1363				Mean		999593				Mean		11.86
1364				SD		3112840				SD		1.796
1365				95% DL/2 (t) UCL		2415214				95% H-Stat (DL/2) UCL		5275536
1366												
1367				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
1368		MLE method failed to converge properly								Mean in Log Scale		N/A
1369										SD in Log Scale		N/A
1370										Mean in Original Scale		N/A
1371										SD in Original Scale		N/A
1372										95% Percentile Bootstrap UCL		N/A
1373										95% BCA Bootstrap UCL		N/A
1374												
1375		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
1376				k star (bias corrected)		0.321				Data appear Lognormal at 5% Significance Level		
1377				Theta Star		3117556						
1378				nu star		9.619						

	A	B	C	D	E	F	G	H	I	J	K	L
1379												
1380				A-D Test Statistic		1.76		Nonparametric Statistics				
1381				5% A-D Critical Value		0.826		Kaplan-Meier (KM) Method				
1382				K-S Test Statistic		0.826					Mean	999593
1383				5% K-S Critical Value		0.239					SD	3007289
1384		Data not Gamma Distributed at 5% Significance Level									SE of Mean	803732
1385											95% KM (t) UCL	2415214
1386		Assuming Gamma Distribution									95% KM (z) UCL	2321614
1387		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	2415214
1388					Minimum	9166					95% KM (bootstrap t) UCL	18822736
1389					Maximum	12228997					95% KM (BCA) UCL	2644392
1390					Mean	999593					95% KM (Percentile Bootstrap) UCL	2576106
1391					Median	119342					95% KM (Chebyshev) UCL	4502978
1392					SD	3112840					97.5% KM (Chebyshev) UCL	6018896
1393					k star	0.321					99% KM (Chebyshev) UCL	8996623
1394					Theta star	3117556						
1395					Nu star	9.619		Potential UCLs to Use				
1396					AppChi2	3.705					99% KM (Chebyshev) UCL	8996623
1397			95% Gamma Approximate UCL			2595120						
1398			95% Adjusted Gamma UCL			2944167						
1399	Note: DL/2 is not a recommended method.											
1400												
1401												
1402	Total TEQ											
1403												
1404					General Statistics							
1405			Number of Valid Data			6				Number of Detected Data		6
1406			Number of Distinct Detected Data			6				Number of Non-Detect Data		0
1407			Number of Missing Values			24				Percent Non-Detects		0.00%
1408												
1409			Raw Statistics						Log-transformed Statistics			
1410				Minimum Detected		1.124				Minimum Detected		0.117
1411				Maximum Detected		49.25				Maximum Detected		3.897
1412				Mean of Detected		12.37				Mean of Detected		1.663
1413				SD of Detected		18.5				SD of Detected		1.431
1414				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1415				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1416												
1417												
1418					Warning: There are only 6 Detected Values in this data							
1419				Note: It should be noted that even though bootstrap may be performed on this data set								
1420					the resulting calculations may not be reliable enough tp draw conclusions							
1421												
1422			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1423												
1424												
1425					UCL Statistics							
1426		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1427				Shapiro Wilk Test Statistic		0.68				Shapiro Wilk Test Statistic		0.94
1428				5% Shapiro Wilk Critical Value		0.788				5% Shapiro Wilk Critical Value		0.788
1429		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1430												
1431		Assuming Normal Distribution						Assuming Lognormal Distribution				

	A	B	C	D	E	F	G	H	I	J	K	L
1432				DL/2 Substitution Method						DL/2 Substitution Method		
1433					Mean	12.37					Mean	1.663
1434					SD	18.5					SD	1.431
1435				95% DL/2 (t) UCL		27.59				95% H-Stat (DL/2) UCL		538.7
1436												
1437			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1438		**MLE method failed to converge properly**								Mean in Log Scale		N/A
1439										SD in Log Scale		N/A
1440										Mean in Original Scale		N/A
1441										SD in Original Scale		N/A
1442										95% Percentile Bootstrap UCL		N/A
1443										95% BCA Bootstrap UCL		N/A
1444												
1445		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
1446				k star (bias corrected)		0.465		**Data appear Gamma Distributed at 5% Significance Level**				
1447					Theta Star	26.58						
1448					nu star	5.583						
1449												
1450					A-D Test Statistic	0.398		**Nonparametric Statistics**				
1451				5% A-D Critical Value		0.723				Kaplan-Meier (KM) Method		
1452					K-S Test Statistic	0.723					Mean	12.37
1453				5% K-S Critical Value		0.344					SD	16.89
1454		**Data appear Gamma Distributed at 5% Significance Level**									SE of Mean	7.554
1455											95% KM (t) UCL	27.59
1456		**Assuming Gamma Distribution**									95% KM (z) UCL	24.79
1457		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		27.59
1458					Minimum	1.124				95% KM (bootstrap t) UCL		57.58
1459					Maximum	49.25				95% KM (BCA) UCL		26.44
1460					Mean	12.37				95% KM (Percentile Bootstrap) UCL		25.88
1461					Median	5.736				95% KM (Chebyshev) UCL		45.3
1462					SD	18.5				97.5% KM (Chebyshev) UCL		59.54
1463					k star	0.465				99% KM (Chebyshev) UCL		87.53
1464					Theta star	26.58						
1465					Nu star	5.583		**Potential UCLs to Use**				
1466					AppChi2	1.431				95% KM (Chebyshev) UCL		45.3
1467			95% Gamma Approximate UCL			48.27						
1468				95% Adjusted Gamma UCL		85.74						
1469	Note: DL/2 is not a recommended method.											
1470												
1471												
1472	Tributyltin ion											
1473												
1474							**General Statistics**					
1475			Number of Valid Data			24				Number of Detected Data		24
1476		Number of Distinct Detected Data				22				Number of Non-Detect Data		0
1477			Number of Missing Values			13				Percent Non-Detects		0.00%
1478												
1479			**Raw Statistics**							**Log-transformed Statistics**		
1480				Minimum Detected		0.45				Minimum Detected		-0.799
1481				Maximum Detected		46000				Maximum Detected		10.74
1482				Mean of Detected		2226				Mean of Detected		4.819
1483				SD of Detected		9333				SD of Detected		2.56
1484				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A

	A	B	C	D	E	F	G	H	I	J	K	L
1485					Maximum Non-Detect	N/A				Maximum Non-Detect		N/A
1486												
1487												
1488					UCL Statistics							
1489		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1490					Shapiro Wilk Test Statistic	0.24				Shapiro Wilk Test Statistic		0.904
1491					5% Shapiro Wilk Critical Value	0.916				5% Shapiro Wilk Critical Value		0.916
1492		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
1493												
1494		Assuming Normal Distribution						Assuming Lognormal Distribution				
1495					DL/2 Substitution Method					DL/2 Substitution Method		
1496					Mean	2226				Mean		4.819
1497					SD	9333				SD		2.56
1498					95% DL/2 (t) UCL	5492				95% H-Stat (DL/2) UCL		46157
1499												
1500					Maximum Likelihood Estimate(MLE) Method	N/A				Log ROS Method		
1501		MLE method failed to converge properly								Mean in Log Scale		N/A
1502										SD in Log Scale		N/A
1503										Mean in Original Scale		N/A
1504										SD in Original Scale		N/A
1505										95% Percentile Bootstrap UCL		N/A
1506										95% BCA Bootstrap UCL		N/A
1507												
1508		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1509					k star (bias corrected)	0.243		Data do not follow a Discernable Distribution (0.05)				
1510					Theta Star	9147						
1511					nu star	11.68						
1512												
1513					A-D Test Statistic	2.665		Nonparametric Statistics				
1514					5% A-D Critical Value	0.874				Kaplan-Meier (KM) Method		
1515					K-S Test Statistic	0.874				Mean		2226
1516					5% K-S Critical Value	0.195				SD		9137
1517		Data not Gamma Distributed at 5% Significance Level								SE of Mean		1905
1518										95% KM (t) UCL		5492
1519		Assuming Gamma Distribution								95% KM (z) UCL		5360
1520		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		5492
1521					Minimum	0.45				95% KM (bootstrap t) UCL		75365
1522					Maximum	46000				95% KM (BCA) UCL		6052
1523					Mean	2226				95% KM (Percentile Bootstrap) UCL		6008
1524					Median	185				95% KM (Chebyshev) UCL		10531
1525					SD	9333				97.5% KM (Chebyshev) UCL		14124
1526					k star	0.243				99% KM (Chebyshev) UCL		21183
1527					Theta star	9147						
1528					Nu star	11.68		Potential UCLs to Use				
1529					AppChi2	5.019				99% KM (Chebyshev) UCL		21183
1530					95% Gamma Approximate UCL	5182						
1531					95% Adjusted Gamma UCL	5517						
1532	Note: DL/2 is not a recommended method.											
1533												

	A	B	C	D	E	F	G	H	I	J	K	L
1						General UCL Statistics for Data Sets with Non-Detects						
2		User Selected Options										
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM8.5E.wst								
4			Full Precision	OFF								
5			Confidence Coefficient	95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Arsenic											
10												
11						General Statistics						
12				Number of Valid Data		13			Number of Detected Data			11
13			Number of Distinct Detected Data			11			Number of Non-Detect Data			2
14									Percent Non-Detects			15.38%
15												
16			Raw Statistics						Log-transformed Statistics			
17				Minimum Detected		2.81			Minimum Detected			1.033
18				Maximum Detected		15			Maximum Detected			2.708
19				Mean of Detected		5.137			Mean of Detected			1.487
20				SD of Detected		3.682			SD of Detected			0.513
21				Minimum Non-Detect		4			Minimum Non-Detect			1.386
22				Maximum Non-Detect		5			Maximum Non-Detect			1.609
23												
24	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			10
25	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			3
26	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			76.92%
27												
28						UCL Statistics						
29		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
30				Shapiro Wilk Test Statistic		0.638			Shapiro Wilk Test Statistic			0.772
31				5% Shapiro Wilk Critical Value		0.85			5% Shapiro Wilk Critical Value			0.85
32		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
33												
34		Assuming Normal Distribution						Assuming Lognormal Distribution				
35				DL/2 Substitution Method					DL/2 Substitution Method			
36				Mean		4.693			Mean			1.382
37				SD		3.534			SD			0.536
38				95% DL/2 (t) UCL		6.44			95% H-Stat (DL/2) UCL			4.744
39												
40			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
41		MLE yields a negative mean							Mean in Log Scale			1.449
42									SD in Log Scale			0.478
43									Mean in Original Scale			4.879
44									SD in Original Scale			3.421
45									95% Percentile Bootstrap UCL			6.596
46									95% BCA Bootstrap UCL			7.43
47												
48		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
49				k star (bias corrected)		2.605			Data do not follow a Discernable Distribution (0.05)			
50				Theta Star		1.972						
51				nu star		57.31						
52												
53				A-D Test Statistic		1.358			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
54				5% A-D Critical Value		0.733			Kaplan-Meier (KM) Method			
55				K-S Test Statistic		0.733					Mean	4.86
56				5% K-S Critical Value		0.257					SD	3.297
57		Data not Gamma Distributed at 5% Significance Level									SE of Mean	0.96
58											95% KM (t) UCL	6.571
59			Assuming Gamma Distribution								95% KM (z) UCL	6.439
60			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	6.558
61					Minimum	2.81					95% KM (bootstrap t) UCL	12.47
62					Maximum	15					95% KM (BCA) UCL	6.594
63					Mean	5.062				95% KM (Percentile Bootstrap) UCL		6.475
64					Median	4					95% KM (Chebyshev) UCL	9.045
65					SD	3.371					97.5% KM (Chebyshev) UCL	10.86
66					k star	3.181					99% KM (Chebyshev) UCL	14.41
67					Theta star	1.591						
68					Nu star	82.7			Potential UCLs to Use			
69					AppChi2	62.74					95% KM (Chebyshev) UCL	9.045
70			95% Gamma Approximate UCL			6.672						
71			95% Adjusted Gamma UCL			6.945						
72	Note: DL/2 is not a recommended method.											
73												
74												
75	Benzo(a)anthracene											
76												
77					General Statistics							
78			Number of Valid Data			13			Number of Detected Data			12
79		Number of Distinct Detected Data				12			Number of Non-Detect Data			1
80									Percent Non-Detects			7.69%
81												
82			Raw Statistics						Log-transformed Statistics			
83				Minimum Detected		6.5				Minimum Detected		1.872
84				Maximum Detected		179				Maximum Detected		5.187
85				Mean of Detected		44.04				Mean of Detected		3.432
86				SD of Detected		46.91				SD of Detected		0.841
87				Minimum Non-Detect		19				Minimum Non-Detect		2.944
88				Maximum Non-Detect		19				Maximum Non-Detect		2.944
89												
90												
91					UCL Statistics							
92		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
93			Shapiro Wilk Test Statistic			0.678				Shapiro Wilk Test Statistic		0.968
94			5% Shapiro Wilk Critical Value			0.859				5% Shapiro Wilk Critical Value		0.859
95		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
96												
97			Assuming Normal Distribution						Assuming Lognormal Distribution			
98				DL/2 Substitution Method						DL/2 Substitution Method		
99					Mean	41.38					Mean	3.341
100					SD	45.92					SD	0.869
101			95% DL/2 (t) UCL			64.09				95% H-Stat (DL/2) UCL		65.15
102												
103		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
104					Mean	31.11				Mean in Log Scale		3.353
105					SD	55.49				SD in Log Scale		0.855
106			95% MLE (t) UCL			58.54				Mean in Original Scale		41.5

	A	B	C	D	E	F	G	H	I	J	K	L
107					95% MLE (Tiku) UCL	59.86				SD in Original Scale		45.84
108										95% Percentile Bootstrap UCL		63.12
109										95% BCA Bootstrap UCL		75.54
110												
111			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
112				k star (bias corrected)		1.226		Data appear Gamma Distributed at 5% Significance Level				
113				Theta Star		35.91						
114				nu star		29.44						
115												
116				A-D Test Statistic		0.559		Nonparametric Statistics				
117				5% A-D Critical Value		0.745		Kaplan-Meier (KM) Method				
118				K-S Test Statistic		0.745				Mean		41.67
119				5% K-S Critical Value		0.249				SD		43.95
120		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		12.74
121										95% KM (t) UCL		64.37
122			Assuming Gamma Distribution							95% KM (z) UCL		62.62
123		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		64.31
124					Minimum	3.939				95% KM (bootstrap t) UCL		109.7
125					Maximum	179				95% KM (BCA) UCL		65.45
126					Mean	40.96			95% KM (Percentile Bootstrap) UCL			63.15
127					Median	29				95% KM (Chebyshev) UCL		97.2
128					SD	46.27				97.5% KM (Chebyshev) UCL		121.2
129					k star	1.035				99% KM (Chebyshev) UCL		168.4
130					Theta star	39.55						
131					Nu star	26.92		Potential UCLs to Use				
132					AppChi2	16.09				95% KM (Chebyshev) UCL		97.2
133			95% Gamma Approximate UCL			68.52						
134			95% Adjusted Gamma UCL			73.96						
135	Note: DL/2 is not a recommended method.											
136												
137												
138	Benzo(a)pyrene											
139												
140							General Statistics					
141			Number of Valid Data			13			Number of Detected Data			12
142		Number of Distinct Detected Data				12			Number of Non-Detect Data			1
143									Percent Non-Detects			7.69%
144												
145			Raw Statistics						Log-transformed Statistics			
146				Minimum Detected		8.4				Minimum Detected		2.128
147				Maximum Detected		176				Maximum Detected		5.17
148				Mean of Detected		49.49				Mean of Detected		3.605
149				SD of Detected		45.25				SD of Detected		0.794
150				Minimum Non-Detect		10				Minimum Non-Detect		2.303
151				Maximum Non-Detect		10				Maximum Non-Detect		2.303
152												
153												
154							UCL Statistics					
155		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
156				Shapiro Wilk Test Statistic		0.756				Shapiro Wilk Test Statistic		0.99
157				5% Shapiro Wilk Critical Value		0.859				5% Shapiro Wilk Critical Value		0.859
158		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
159												

	A	B	C	D	E	F	G	H	I	J	K	L
160				Assuming Normal Distribution					Assuming Lognormal Distribution			
161				DL/2 Substitution Method						DL/2 Substitution Method		
162					Mean	46.07					Mean	3.451
163					SD	45.05					SD	0.941
164				95% DL/2 (t) UCL		68.34				95% H-Stat (DL/2) UCL		80.91
165												
166				Maximum Likelihood Estimate(MLE) Method						Log ROS Method		
167					Mean	42.09				Mean in Log Scale		3.492
168					SD	48.6				SD in Log Scale		0.863
169				95% MLE (t) UCL		66.11				Mean in Original Scale		46.33
170				95% MLE (Tiku) UCL		65.72				SD in Original Scale		44.8
171										95% Percentile Bootstrap UCL		68.26
172										95% BCA Bootstrap UCL		77.22
173												
174			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
175				k star (bias corrected)		1.431			Data appear Gamma Distributed at 5% Significance Level			
176					Theta Star	34.59						
177					nu star	34.34						
178												
179				A-D Test Statistic		0.291			Nonparametric Statistics			
180				5% A-D Critical Value		0.743				Kaplan-Meier (KM) Method		
181				K-S Test Statistic		0.743					Mean	46.33
182				5% K-S Critical Value		0.249					SD	43.04
183			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	12.47
184											95% KM (t) UCL	68.55
185			Assuming Gamma Distribution								95% KM (z) UCL	66.84
186			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	68.11
187					Minimum	1E-09					95% KM (bootstrap t) UCL	92.23
188					Maximum	176					95% KM (BCA) UCL	68.45
189					Mean	45.68				95% KM (Percentile Bootstrap) UCL		67.82
190					Median	32					95% KM (Chebyshev) UCL	100.7
191					SD	45.45					97.5% KM (Chebyshev) UCL	124.2
192					k star	0.302					99% KM (Chebyshev) UCL	170.4
193					Theta star	151.3						
194					Nu star	7.849			Potential UCLs to Use			
195					AppChi2	2.648					95% KM (Chebyshev) UCL	100.7
196			95% Gamma Approximate UCL			135.4						
197			95% Adjusted Gamma UCL			160.3						
198	Note: DL/2 is not a recommended method.											
199												
200												
201	Benzo(b)fluoranthene											
202												
203						General Statistics						
204				Number of Valid Observations		13				Number of Distinct Observations		11
205												
206			Raw Statistics						Log-transformed Statistics			
207					Minimum	12				Minimum of Log Data		2.485
208					Maximum	351				Maximum of Log Data		5.861
209					Mean	70.62				Mean of log Data		3.793
210					Median	37				SD of log Data		0.908
211					SD	91.59						
212				Coefficient of Variation		1.297						

	A	B	C	D	E	F	G	H	I	J	K	L
213					Skewness	2.773						
214												
215							Relevant UCL Statistics					
216			Normal Distribution Test						Lognormal Distribution Test			
217				Shapiro Wilk Test Statistic		0.615				Shapiro Wilk Test Statistic		0.924
218				Shapiro Wilk Critical Value		0.866				Shapiro Wilk Critical Value		0.866
219		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
220												
221			Assuming Normal Distribution						Assuming Lognormal Distribution			
222				95% Student's-t UCL		115.9				95% H-UCL		135.7
223		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			139.8
224				95% Adjusted-CLT UCL		133.3			97.5% Chebyshev (MVUE) UCL			172.4
225				95% Modified-t UCL		119.1			99% Chebyshev (MVUE) UCL			236.5
226												
227			Gamma Distribution Test						Data Distribution			
228				k star (bias corrected)		0.988		Data appear Lognormal at 5% Significance Level				
229				Theta Star		71.49						
230				nu star		25.68						
231			Approximate Chi Square Value (.05)			15.13			Nonparametric Statistics			
232				Adjusted Level of Significance		0.0301				95% CLT UCL		112.4
233				Adjusted Chi Square Value		13.99				95% Jackknife UCL		115.9
234										95% Standard Bootstrap UCL		110.5
235			Anderson-Darling Test Statistic			0.915				95% Bootstrap-t UCL		206.9
236			Anderson-Darling 5% Critical Value			0.754				95% Hall's Bootstrap UCL		263.2
237			Kolmogorov-Smirnov Test Statistic			0.276				95% Percentile Bootstrap UCL		116
238			Kolmogorov-Smirnov 5% Critical Value			0.242				95% BCA Bootstrap UCL		145.2
239		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			181.3
240									97.5% Chebyshev(Mean, Sd) UCL			229.3
241			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			323.4
242				95% Approximate Gamma UCL		119.8						
243				95% Adjusted Gamma UCL		129.6						
244												
245		Potential UCL to Use							Use 95% H-UCL			135.7
246												
247												
248	Benzo(k)fluoranthene											
249												
250							General Statistics					
251			Number of Valid Data			13			Number of Detected Data			12
252			Number of Distinct Detected Data			11			Number of Non-Detect Data			1
253									Percent Non-Detects			7.69%
254												
255			Raw Statistics						Log-transformed Statistics			
256				Minimum Detected		4.2				Minimum Detected		1.435
257				Maximum Detected		201				Maximum Detected		5.303
258				Mean of Detected		37.73				Mean of Detected		3.136
259				SD of Detected		52.86				SD of Detected		0.97
260				Minimum Non-Detect		19				Minimum Non-Detect		2.944
261				Maximum Non-Detect		19				Maximum Non-Detect		2.944
262												
263												
264							UCL Statistics					
265		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				

	A	B	C	D	E	F	G	H	I	J	K	L
266					Shapiro Wilk Test Statistic	0.545				Shapiro Wilk Test Statistic		0.932
267					5% Shapiro Wilk Critical Value	0.859				5% Shapiro Wilk Critical Value		0.859
268			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
269												
270			Assuming Normal Distribution						Assuming Lognormal Distribution			
271				DL/2 Substitution Method						DL/2 Substitution Method		
272					Mean	35.55				Mean		3.068
273					SD	51.21				SD		0.961
274				95% DL/2 (t) UCL		60.87				95% H-Stat (DL/2) UCL		64.92
275												
276			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
277					Mean	24.47				Mean in Log Scale		3.046
278					SD	60.68				SD in Log Scale		0.984
279				95% MLE (t) UCL		54.46				Mean in Original Scale		35.37
280				95% MLE (Tiku) UCL		55.82				SD in Original Scale		51.31
281										95% Percentile Bootstrap UCL		62.45
282										95% BCA Bootstrap UCL		75.7
283												
284			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
285					k star (bias corrected)	0.918			Data Follow Appr. Gamma Distribution at 5% Significance Level			
286					Theta Star	41.11						
287					nu star	22.02						
288												
289					A-D Test Statistic	0.845			Nonparametric Statistics			
290					5% A-D Critical Value	0.753				Kaplan-Meier (KM) Method		
291					K-S Test Statistic	0.753				Mean		35.46
292					5% K-S Critical Value	0.252				SD		49.27
293			Data follow Appr. Gamma Distribution at 5% Significance Level							SE of Mean		14.28
294										95% KM (t) UCL		60.9
295			Assuming Gamma Distribution							95% KM (z) UCL		58.94
296			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		60.82
297					Minimum	1E-09				95% KM (bootstrap t) UCL		128.8
298					Maximum	201				95% KM (BCA) UCL		63.4
299					Mean	34.82				95% KM (Percentile Bootstrap) UCL		61.71
300					Median	23				95% KM (Chebyshev) UCL		97.69
301					SD	51.68				97.5% KM (Chebyshev) UCL		124.6
302					k star	0.286				99% KM (Chebyshev) UCL		177.5
303					Theta star	121.6						
304					Nu star	7.445			Potential UCLs to Use			
305					AppChi2	2.418				95% KM (Chebyshev) UCL		97.69
306				95% Gamma Approximate UCL		107.2						
307				95% Adjusted Gamma UCL		127.7						
308	Note: DL/2 is not a recommended method.											
309												
310												
311	Bis(2-ethylhexyl) phthalate											
312												
313							General Statistics					
314				Number of Valid Data		13				Number of Detected Data		8
315			Number of Distinct Detected Data			8				Number of Non-Detect Data		5
316										Percent Non-Detects		38.46%
317												
318			Raw Statistics						Log-transformed Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
319					Minimum Detected	80					Minimum Detected	4.382
320					Maximum Detected	2400					Maximum Detected	7.783
321					Mean of Detected	712.8					Mean of Detected	5.86
322					SD of Detected	913.4					SD of Detected	1.254
323					Minimum Non-Detect	30					Minimum Non-Detect	3.401
324					Maximum Non-Detect	95					Maximum Non-Detect	4.554
325												
326	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			6
327	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			7
328	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			46.15%
329												
330				Warning: There are only 8 Detected Values in this data								
331				Note: It should be noted that even though bootstrap may be performed on this data set								
332				the resulting calculations may not be reliable enough tp draw conclusions								
333												
334				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
335												
336												
337					UCL Statistics							
338		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
339				Shapiro Wilk Test Statistic		0.711				Shapiro Wilk Test Statistic		0.909
340				5% Shapiro Wilk Critical Value		0.818				5% Shapiro Wilk Critical Value		0.818
341		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
342												
343		Assuming Normal Distribution						Assuming Lognormal Distribution				
344				DL/2 Substitution Method						DL/2 Substitution Method		
345					Mean	451.1					Mean	4.912
346					SD	778.1					SD	1.597
347				95% DL/2 (t) UCL		835.7				95% H-Stat (DL/2) UCL		2419
348												
349		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
350					Mean	47.8				Mean in Log Scale		4.677
351					SD	1142				SD in Log Scale		1.833
352				95% MLE (t) UCL		612.2				Mean in Original Scale		445
353				95% MLE (Tiku) UCL		718.9				SD in Original Scale		781.6
354										95% Percentile Bootstrap UCL		799.6
355										95% BCA Bootstrap UCL		925.6
356												
357		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
358				k star (bias corrected)		0.604		Data appear Gamma Distributed at 5% Significance Level				
359				Theta Star		1181						
360				nu star		9.658						
361												
362				A-D Test Statistic		0.628		Nonparametric Statistics				
363				5% A-D Critical Value		0.742				Kaplan-Meier (KM) Method		
364				K-S Test Statistic		0.742					Mean	469.4
365				5% K-S Critical Value		0.303					SD	737.6
366		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	218.7
367										95% KM (t) UCL		859.2
368		Assuming Gamma Distribution								95% KM (z) UCL		829.1
369		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		838.6
370					Minimum	64.57				95% KM (bootstrap t) UCL		2517
371					Maximum	2400				95% KM (BCA) UCL		924.8

	A	B	C	D	E	F	G	H	I	J	K	L
372					Mean	493.1		95% KM (Percentile Bootstrap) UCL				857.2
373					Median	242		95% KM (Chebyshev) UCL				1423
374					SD	757.7		97.5% KM (Chebyshev) UCL				1835
375					k star	0.641		99% KM (Chebyshev) UCL				2645
376					Theta star	769.6						
377					Nu star	16.66		Potential UCLs to Use				
378					AppChi2	8.428		95% KM (BCA) UCL				924.8
379			95% Gamma Approximate UCL			974.5						
380			95% Adjusted Gamma UCL			1080						
381	Note: DL/2 is not a recommended method.											
382												
383												
384	Dibenzo(a,h)anthracene											
385												
386					General Statistics							
387			Number of Valid Data			12			Number of Detected Data			9
388			Number of Distinct Detected Data			9			Number of Non-Detect Data			3
389									Percent Non-Detects			25.00%
390												
391			Raw Statistics					Log-transformed Statistics				
392				Minimum Detected		1.6			Minimum Detected			0.47
393				Maximum Detected		22			Maximum Detected			3.091
394				Mean of Detected		8.956			Mean of Detected			1.842
395				SD of Detected		7.45			SD of Detected			0.922
396				Minimum Non-Detect		10			Minimum Non-Detect			2.303
397				Maximum Non-Detect		19			Maximum Non-Detect			2.944
398												
399	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				11
400	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				1
401	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				91.67%
402												
403					Warning: There are only 9 Detected Values in this data							
404					Note: It should be noted that even though bootstrap may be performed on this data set							
405					the resulting calculations may not be reliable enough tp draw conclusions							
406												
407					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
408												
409												
410					UCL Statistics							
411			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
412				Shapiro Wilk Test Statistic		0.87			Shapiro Wilk Test Statistic			0.942
413				5% Shapiro Wilk Critical Value		0.829			5% Shapiro Wilk Critical Value			0.829
414			Data appear Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
415												
416			Assuming Normal Distribution					Assuming Lognormal Distribution				
417				DL/2 Substitution Method					DL/2 Substitution Method			
418				Mean		8.342			Mean			1.837
419				SD		6.544			SD			0.802
420			95% DL/2 (t) UCL			11.73			95% H-Stat (DL/2) UCL			13.01
421												
422			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
423			MLE method failed to converge properly						Mean in Log Scale			1.716
424									SD in Log Scale			0.833

	A	B	C	D	E	F	G	H	I	J	K	L
425											Mean in Original Scale	7.709
426											SD in Original Scale	6.764
427											95% Percentile Bootstrap UCL	10.91
428											95% BCA Bootstrap UCL	11.48
429												
430			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
431					k star (bias corrected)	1.122			Data appear Normal at 5% Significance Level			
432					Theta Star	7.982						
433					nu star	20.2						
434												
435					A-D Test Statistic	0.364			Nonparametric Statistics			
436					5% A-D Critical Value	0.734			Kaplan-Meier (KM) Method			
437					K-S Test Statistic	0.734					Mean	7.814
438					5% K-S Critical Value	0.284					SD	6.637
439		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	2.099
440											95% KM (t) UCL	11.58
441			Assuming Gamma Distribution								95% KM (z) UCL	11.27
442		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	11.56
443					Minimum	1.6					95% KM (bootstrap t) UCL	12.82
444					Maximum	22					95% KM (BCA) UCL	11.08
445					Mean	8.662					95% KM (Percentile Bootstrap) UCL	11.11
446					Median	7.188					95% KM (Chebyshev) UCL	16.96
447					SD	6.544					97.5% KM (Chebyshev) UCL	20.92
448					k star	1.477					99% KM (Chebyshev) UCL	28.7
449					Theta star	5.866						
450					Nu star	35.44			Potential UCLs to Use			
451					AppChi2	22.82					95% KM (t) UCL	11.58
452			95% Gamma Approximate UCL			13.45					95% KM (Percentile Bootstrap) UCL	11.11
453			95% Adjusted Gamma UCL			14.42						
454	Note: DL/2 is not a recommended method.											
455												
456												
457	Indeno(1,2,3-cd)pyrene											
458												
459					General Statistics							
460			Number of Valid Data			13				Number of Detected Data		12
461		Number of Distinct Detected Data				10				Number of Non-Detect Data		1
462										Percent Non-Detects		7.69%
463												
464			Raw Statistics						Log-transformed Statistics			
465					Minimum Detected	7.5					Minimum Detected	2.015
466					Maximum Detected	130					Maximum Detected	4.868
467					Mean of Detected	41.88					Mean of Detected	3.475
468					SD of Detected	33.89					SD of Detected	0.759
469					Minimum Non-Detect	19					Minimum Non-Detect	2.944
470					Maximum Non-Detect	19					Maximum Non-Detect	2.944
471												
472												
473					UCL Statistics							
474		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
475					Shapiro Wilk Test Statistic	0.81					Shapiro Wilk Test Statistic	0.98
476					5% Shapiro Wilk Critical Value	0.859					5% Shapiro Wilk Critical Value	0.859
477		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			

	A	B	C	D	E	F	G	H	I	J	K	L
478												
479			Assuming Normal Distribution						Assuming Lognormal Distribution			
480			DL/2 Substitution Method						DL/2 Substitution Method			
481					Mean	39.38				Mean		3.381
482					SD	33.66				SD		0.802
483				95% DL/2 (t) UCL		56.02			95% H-Stat (DL/2) UCL			59.82
484												
485			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
486					Mean	35.76			Mean in Log Scale			3.388
487					SD	37.25			SD in Log Scale			0.792
488				95% MLE (t) UCL		54.17			Mean in Original Scale			39.45
489				95% MLE (Tiku) UCL		54.37			SD in Original Scale			33.6
490									95% Percentile Bootstrap UCL			56.07
491									95% BCA Bootstrap UCL			60.19
492												
493			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
494				k star (bias corrected)		1.615		Data appear Gamma Distributed at 5% Significance Level				
495					Theta Star	25.94						
496					nu star	38.75						
497												
498				A-D Test Statistic		0.319			Nonparametric Statistics			
499				5% A-D Critical Value		0.741			Kaplan-Meier (KM) Method			
500				K-S Test Statistic		0.741				Mean		39.48
501				5% K-S Critical Value		0.248				SD		32.27
502			Data appear Gamma Distributed at 5% Significance Level						SE of Mean			9.353
503									95% KM (t) UCL			56.15
504			Assuming Gamma Distribution						95% KM (z) UCL			54.86
505			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			56.12
506					Minimum	4.175			95% KM (bootstrap t) UCL			70.64
507					Maximum	130			95% KM (BCA) UCL			55.65
508					Mean	38.98			95% KM (Percentile Bootstrap) UCL			56.38
509					Median	30			95% KM (Chebyshev) UCL			80.25
510					SD	34.09			97.5% KM (Chebyshev) UCL			97.89
511					k star	1.278			99% KM (Chebyshev) UCL			132.5
512					Theta star	30.49						
513					Nu star	33.24			Potential UCLs to Use			
514					AppChi2	21.06			95% KM (Chebyshev) UCL			80.25
515				95% Gamma Approximate UCL		61.52						
516				95% Adjusted Gamma UCL		65.81						
517	Note: DL/2 is not a recommended method.											
518												
519												
520	Lead											
521												
522					General Statistics							
523			Number of Valid Observations			13			Number of Distinct Observations			13
524												
525			Raw Statistics						Log-transformed Statistics			
526					Minimum	10.6			Minimum of Log Data			2.361
527					Maximum	54.7			Maximum of Log Data			4.002
528					Mean	20.54			Mean of log Data			2.878
529					Median	15.6			SD of log Data			0.497
530					SD	14.3						

	A	B	C	D	E	F	G	H	I	J	K	L
531					Coefficient of Variation	0.696						
532					Skewness	2.126						
533												
534						Relevant UCL Statistics						
535			Normal Distribution Test						Lognormal Distribution Test			
536				Shapiro Wilk Test Statistic		0.576				Shapiro Wilk Test Statistic		0.694
537				Shapiro Wilk Critical Value		0.866				Shapiro Wilk Critical Value		0.866
538			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
539												
540			Assuming Normal Distribution						Assuming Lognormal Distribution			
541					95% Student's-t UCL	27.61					95% H-UCL	27.22
542			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		32.17
543					95% Adjusted-CLT UCL	29.56				97.5% Chebyshev (MVUE) UCL		37.48
544					95% Modified-t UCL	28				99% Chebyshev (MVUE) UCL		47.9
545												
546			Gamma Distribution Test						Data Distribution			
547					k star (bias corrected)	2.844		Data do not follow a Discernable Distribution (0.05)				
548					Theta Star	7.221						
549					nu star	73.95						
550				Approximate Chi Square Value (.05)		55.15			Nonparametric Statistics			
551				Adjusted Level of Significance		0.0301				95% CLT UCL		27.06
552				Adjusted Chi Square Value		52.84				95% Jackknife UCL		27.61
553										95% Standard Bootstrap UCL		26.84
554				Anderson-Darling Test Statistic		2.245				95% Bootstrap-t UCL		65.8
555				Anderson-Darling 5% Critical Value		0.738				95% Hall's Bootstrap UCL		87.68
556				Kolmogorov-Smirnov Test Statistic		0.406				95% Percentile Bootstrap UCL		27.32
557				Kolmogorov-Smirnov 5% Critical Value		0.238				95% BCA Bootstrap UCL		29.76
558			Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		37.83
559										97.5% Chebyshev(Mean, Sd) UCL		45.31
560			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		60
561					95% Approximate Gamma UCL	27.54						
562					95% Adjusted Gamma UCL	28.75						
563												
564			Potential UCL to Use							Use 95% Student's-t UCL		27.61
565										or 95% Modified-t UCL		28
566												
567												
568	Mercury											
569												
570						General Statistics						
571				Number of Valid Observations		13			Number of Distinct Observations			11
572												
573			Raw Statistics						Log-transformed Statistics			
574					Minimum	0.05				Minimum of Log Data		-2.996
575					Maximum	0.54				Maximum of Log Data		-0.616
576					Mean	0.123				Mean of log Data		-2.364
577					Median	0.082				SD of log Data		0.657
578					SD	0.131						
579					Coefficient of Variation	1.063						
580					Skewness	3.127						
581												
582						Relevant UCL Statistics						
583			Normal Distribution Test						Lognormal Distribution Test			

	A	B	C	D	E	F	G	H	I	J	K	L
584					Shapiro Wilk Test Statistic	0.556				Shapiro Wilk Test Statistic		0.83
585					Shapiro Wilk Critical Value	0.866				Shapiro Wilk Critical Value		0.866
586			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
587												
588			Assuming Normal Distribution						Assuming Lognormal Distribution			
589					95% Student's-t UCL	0.188				95% H-UCL		0.181
590			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			0.209
591					95% Adjusted-CLT UCL	0.216			97.5% Chebyshev (MVUE) UCL			0.25
592					95% Modified-t UCL	0.193			99% Chebyshev (MVUE) UCL			0.331
593												
594			Gamma Distribution Test						Data Distribution			
595					k star (bias corrected)	1.604			Data Follow Appr. Gamma Distribution at 5% Significance Level			
596					Theta Star	0.0766						
597					nu star	41.71						
598			Approximate Chi Square Value (.05)			27.9			Nonparametric Statistics			
599			Adjusted Level of Significance			0.0301				95% CLT UCL		0.183
600			Adjusted Chi Square Value			26.3				95% Jackknife UCL		0.188
601										95% Standard Bootstrap UCL		0.177
602			Anderson-Darling Test Statistic			1.187				95% Bootstrap-t UCL		0.318
603			Anderson-Darling 5% Critical Value			0.743				95% Hall's Bootstrap UCL		0.393
604			Kolmogorov-Smirnov Test Statistic			0.194				95% Percentile Bootstrap UCL		0.19
605			Kolmogorov-Smirnov 5% Critical Value			0.239				95% BCA Bootstrap UCL		0.228
606			Data follow Appr. Gamma Distribution at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			0.281
607									97.5% Chebyshev(Mean, Sd) UCL			0.349
608			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			0.483
609					95% Approximate Gamma UCL	0.184						
610					95% Adjusted Gamma UCL	0.195						
611												
612			Potential UCL to Use						Use 95% Approximate Gamma UCL			0.184
613												
614												
615	Total Aroclors											
616												
617					General Statistics							
618			Number of Valid Data			12			Number of Detected Data			9
619			Number of Distinct Detected Data			9			Number of Non-Detect Data			3
620									Percent Non-Detects			25.00%
621												
622			Raw Statistics						Log-transformed Statistics			
623			Minimum Detected			21.65			Minimum Detected			3.075
624			Maximum Detected			149			Maximum Detected			5.004
625			Mean of Detected			58.42			Mean of Detected			3.82
626			SD of Detected			47.85			SD of Detected			0.71
627			Minimum Non-Detect			10			Minimum Non-Detect			2.303
628			Maximum Non-Detect			38			Maximum Non-Detect			3.638
629												
630	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			8
631	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			4
632	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			66.67%
633												
634			Warning: There are only 9 Detected Values in this data									
635			Note: It should be noted that even though bootstrap may be performed on this data set									
636			the resulting calculations may not be reliable enough tp draw conclusions									

	A	B	C	D	E	F	G	H	I	J	K	L
637												
638		It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.										
639												
640												
641					UCL Statistics							
642		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
643				Shapiro Wilk Test Statistic		0.748				Shapiro Wilk Test Statistic		0.868
644				5% Shapiro Wilk Critical Value		0.829				5% Shapiro Wilk Critical Value		0.829
645		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
646												
647		Assuming Normal Distribution						Assuming Lognormal Distribution				
648				DL/2 Substitution Method						DL/2 Substitution Method		
649					Mean	46.23				Mean		3.379
650					SD	46.51				SD		1.054
651				95% DL/2 (t) UCL		70.34				95% H-Stat (DL/2) UCL		54.54
652												
653		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
654					Mean	0.79				Mean in Log Scale		3.494
655					SD	86.6				SD in Log Scale		0.875
656				95% MLE (t) UCL		45.69				Mean in Original Scale		47.21
657				95% MLE (Tiku) UCL		72.83				SD in Original Scale		45.67
658										95% Percentile Bootstrap UCL		68.58
659										95% BCA Bootstrap UCL		75.34
660												
661		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
662				k star (bias corrected)		1.521		Data appear Lognormal at 5% Significance Level				
663				Theta Star		38.41						
664				nu star		27.38						
665												
666				A-D Test Statistic		0.754		Nonparametric Statistics				
667				5% A-D Critical Value		0.729		Kaplan-Meier (KM) Method				
668				K-S Test Statistic		0.729				Mean		49.66
669				5% K-S Critical Value		0.282				SD		41.97
670		Data not Gamma Distributed at 5% Significance Level								SE of Mean		12.86
671										95% KM (t) UCL		72.76
672		Assuming Gamma Distribution								95% KM (z) UCL		70.81
673		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		72.36
674					Minimum	11.45				95% KM (bootstrap t) UCL		113.1
675					Maximum	149				95% KM (BCA) UCL		72.45
676					Mean	51.33				95% KM (Percentile Bootstrap) UCL		71.4
677					Median	34.6				95% KM (Chebyshev) UCL		105.7
678					SD	43.82				97.5% KM (Chebyshev) UCL		130
679					k star	1.547				99% KM (Chebyshev) UCL		177.6
680					Theta star	33.19						
681					Nu star	37.12		Potential UCLs to Use				
682					AppChi2	24.17				95% KM (BCA) UCL		72.45
683				95% Gamma Approximate UCL		78.83						
684				95% Adjusted Gamma UCL		84.36						
685	Note: DL/2 is not a recommended method.											
686												
687												
688	Total DDT											
689												

	A	B	C	D	E	F	G	H	I	J	K	L
690							General Statistics					
691				Number of Valid Data		10			Number of Detected Data			9
692				Number of Distinct Detected Data		9			Number of Non-Detect Data			1
693				Number of Missing Values		2			Percent Non-Detects			10.00%
694												
695			Raw Statistics						Log-transformed Statistics			
696				Minimum Detected		0.196			Minimum Detected			-1.629
697				Maximum Detected		4			Maximum Detected			1.386
698				Mean of Detected		1.556			Mean of Detected			-0.0236
699				SD of Detected		1.453			SD of Detected			1.077
700				Minimum Non-Detect		2			Minimum Non-Detect			0.693
701				Maximum Non-Detect		2			Maximum Non-Detect			0.693
702												
703												
704						Warning: There are only 9 Detected Values in this data						
705						Note: It should be noted that even though bootstrap may be performed on this data set						
706						the resulting calculations may not be reliable enough tp draw conclusions						
707												
708					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
709												
710												
711							UCL Statistics					
712			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
713				Shapiro Wilk Test Statistic		0.841			Shapiro Wilk Test Statistic			0.938
714				5% Shapiro Wilk Critical Value		0.829			5% Shapiro Wilk Critical Value			0.829
715			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
716												
717			Assuming Normal Distribution						Assuming Lognormal Distribution			
718				DL/2 Substitution Method					DL/2 Substitution Method			
719				Mean		1.5			Mean			-0.0212
720				SD		1.382			SD			1.016
721				95% DL/2 (t) UCL		2.301			95% H-Stat (DL/2) UCL			4.227
722												
723			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
724				Mean		3.4			Mean in Log Scale			-0.0771
725				SD		0.529			SD in Log Scale			1.03
726				95% MLE (t) UCL		3.707			Mean in Original Scale			1.458
727				95% MLE (Tiku) UCL		3.959			SD in Original Scale			1.405
728									95% Percentile Bootstrap UCL			2.179
729									95% BCA Bootstrap UCL			2.263
730												
731			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
732				k star (bias corrected)		0.883			Data appear Normal at 5% Significance Level			
733				Theta Star		1.763						
734				nu star		15.89						
735												
736				A-D Test Statistic		0.379			Nonparametric Statistics			
737				5% A-D Critical Value		0.74			Kaplan-Meier (KM) Method			
738				K-S Test Statistic		0.74			Mean			1.464
739				5% K-S Critical Value		0.286			SD			1.335
740			Data appear Gamma Distributed at 5% Significance Level						SE of Mean			0.45
741									95% KM (t) UCL			2.289
742			Assuming Gamma Distribution						95% KM (z) UCL			2.205

	A	B	C	D	E	F	G	H	I	J	K	L
743			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		2.286
744					Minimum	0.196				95% KM (bootstrap t) UCL		2.658
745					Maximum	4				95% KM (BCA) UCL		2.284
746					Mean	1.503			95% KM (Percentile Bootstrap) UCL			2.166
747					Median	0.932				95% KM (Chebyshev) UCL		3.426
748					SD	1.381				97.5% KM (Chebyshev) UCL		4.274
749					k star	0.987				99% KM (Chebyshev) UCL		5.941
750					Theta star	1.523						
751					Nu star	19.74			**Potential UCLs to Use**			
752					AppChi2	10.66				95% KM (t) UCL		2.289
753			95% Gamma Approximate UCL			2.783			95% KM (Percentile Bootstrap) UCL			2.166
754			95% Adjusted Gamma UCL			3.116						
755	**Note: DL/2 is not a recommended method.**											
756												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM8.5W.wst								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6	Number of Bootstrap Operations			2000								
7												
8												
9	Aldrin											
10												
11							General Statistics					
12				Number of Valid Data		27			Number of Detected Data			19
13			Number of Distinct Detected Data			19			Number of Non-Detect Data			8
14				Number of Missing Values		5			Percent Non-Detects			29.63%
15												
16				Raw Statistics					Log-transformed Statistics			
17				Minimum Detected		0.123			Minimum Detected			-2.096
18				Maximum Detected		132			Maximum Detected			4.883
19				Mean of Detected		14.94			Mean of Detected			1.494
20				SD of Detected		29.87			SD of Detected			1.719
21				Minimum Non-Detect		0.044			Minimum Non-Detect			-3.124
22				Maximum Non-Detect		3.9			Maximum Non-Detect			1.361
23												
24	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			15
25	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			12
26	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			55.56%
27												
28							UCL Statistics					
29		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
30				Shapiro Wilk Test Statistic		0.494			Shapiro Wilk Test Statistic			0.988
31				5% Shapiro Wilk Critical Value		0.901			5% Shapiro Wilk Critical Value			0.901
32		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
33												
34		Assuming Normal Distribution						Assuming Lognormal Distribution				
35				DL/2 Substitution Method					DL/2 Substitution Method			
36				Mean		10.65			Mean			0.639
37				SD		25.75			SD			2.074
38				95% DL/2 (t) UCL		19.1			95% H-Stat (DL/2) UCL			53.71
39												
40			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
41		MLE yields a negative mean							Mean in Log Scale			0.514
42									SD in Log Scale			2.131
43									Mean in Original Scale			10.57
44									SD in Original Scale			25.78
45									95% Percentile Bootstrap UCL			19.59
46									95% BCA Bootstrap UCL			25.74
47												
48		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
49				k star (bias corrected)		0.474		Data appear Gamma Distributed at 5% Significance Level				
50				Theta Star		31.49						
51				nu star		18.02						
52												
53				A-D Test Statistic		0.484			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
54				5% A-D Critical Value		0.801			Kaplan-Meier (KM) Method			
55				K-S Test Statistic		0.801				Mean		10.59
56				5% K-S Critical Value		0.21				SD		25.29
57	Data appear Gamma Distributed at 5% Significance Level									SE of Mean		5
58										95% KM (t) UCL		19.12
59			Assuming Gamma Distribution							95% KM (z) UCL		18.81
60		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		19
61					Minimum	1E-09				95% KM (bootstrap t) UCL		36.48
62					Maximum	132				95% KM (BCA) UCL		20.53
63					Mean	10.63			95% KM (Percentile Bootstrap) UCL			19.87
64					Median	2.19				95% KM (Chebyshev) UCL		32.38
65					SD	25.76				97.5% KM (Chebyshev) UCL		41.82
66					k star	0.142				99% KM (Chebyshev) UCL		60.34
67					Theta star	74.76						
68					Nu star	7.68			Potential UCLs to Use			
69					AppChi2	2.551				95% KM (Chebyshev) UCL		32.38
70			95% Gamma Approximate UCL			32.01						
71			95% Adjusted Gamma UCL			34.52						
72	Note: DL/2 is not a recommended method.											
73												
74												
75	Arsenic											
76												
77					General Statistics							
78			Number of Valid Data			32			Number of Detected Data			29
79		Number of Distinct Detected Data				27			Number of Non-Detect Data			3
80			Number of Missing Values			3				Percent Non-Detects		9.38%
81												
82			Raw Statistics						Log-transformed Statistics			
83				Minimum Detected		2.3				Minimum Detected		0.833
84				Maximum Detected		34				Maximum Detected		3.526
85				Mean of Detected		7.097				Mean of Detected		1.748
86				SD of Detected		6.463				SD of Detected		0.586
87				Minimum Non-Detect		5				Minimum Non-Detect		1.609
88				Maximum Non-Detect		6				Maximum Non-Detect		1.792
89												
90	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			23
91	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			9
92	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			71.88%
93												
94					UCL Statistics							
95		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
96			Shapiro Wilk Test Statistic			0.592			Shapiro Wilk Test Statistic			0.908
97			5% Shapiro Wilk Critical Value			0.926			5% Shapiro Wilk Critical Value			0.926
98		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
99												
100		Assuming Normal Distribution						Assuming Lognormal Distribution				
101			DL/2 Substitution Method						DL/2 Substitution Method			
102				Mean		6.682				Mean		1.676
103				SD		6.281				SD		0.603
104			95% DL/2 (t) UCL			8.564			95% H-Stat (DL/2) UCL			6.752
105												
106		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		

	A	B	C	D	E	F	G	H	I	J	K	L
107	MLE yields a negative mean									Mean in Log Scale		1.71
108										SD in Log Scale		0.573
109										Mean in Original Scale		6.792
110										SD in Original Scale		6.22
111										95% Percentile Bootstrap UCL		8.78
112										95% BCA Bootstrap UCL		9.519
113												
114	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
115	k star (bias corrected)					2.283	Data do not follow a Discernable Distribution (0.05)					
116	Theta Star					3.109						
117	nu star					132.4						
118												
119	A-D Test Statistic					1.694	Nonparametric Statistics					
120	5% A-D Critical Value					0.755	Kaplan-Meier (KM) Method					
121	K-S Test Statistic					0.755	Mean					6.799
122	5% K-S Critical Value					0.164	SD					6.123
123	Data not Gamma Distributed at 5% Significance Level						SE of Mean					1.103
124							95% KM (t) UCL					8.669
125	Assuming Gamma Distribution						95% KM (z) UCL					8.613
126	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					8.667
127	Minimum					2.3	95% KM (bootstrap t) UCL					11.47
128	Maximum					34	95% KM (BCA) UCL					8.794
129	Mean					6.876	95% KM (Percentile Bootstrap) UCL					8.723
130	Median					5.5	95% KM (Chebyshev) UCL					11.61
131	SD					6.203	97.5% KM (Chebyshev) UCL					13.69
132	k star					2.37	99% KM (Chebyshev) UCL					17.77
133	Theta star					2.901						
134	Nu star					151.7	Potential UCLs to Use					
135	AppChi2					124.2	95% KM (Chebyshev) UCL					11.61
136	95% Gamma Approximate UCL					8.396						
137	95% Adjusted Gamma UCL					8.487						
138	Note: DL/2 is not a recommended method.											
139												
140												
141	Benzo(a)anthracene											
142												
143	General Statistics											
144	Number of Valid Data					32	Number of Detected Data					29
145	Number of Distinct Detected Data					27	Number of Non-Detect Data					3
146	Number of Missing Values					3	Percent Non-Detects					9.38%
147												
148	Raw Statistics						Log-transformed Statistics					
149	Minimum Detected					12	Minimum Detected					2.485
150	Maximum Detected					405	Maximum Detected					6.004
151	Mean of Detected					102.7	Mean of Detected					4.16
152	SD of Detected					109.3	SD of Detected					0.986
153	Minimum Non-Detect					9.32	Minimum Non-Detect					2.232
154	Maximum Non-Detect					13.8	Maximum Non-Detect					2.625
155												
156	Note: Data have multiple DLs - Use of KM Method is recommended						Number treated as Non-Detect					5
157	For all methods (except KM, DL/2, and ROS Methods),						Number treated as Detected					27
158	Observations < Largest ND are treated as NDs						Single DL Non-Detect Percentage					15.63%
159												

	A	B	C	D	E	F	G	H	I	J	K	L
160					UCL Statistics							
161		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
162				Shapiro Wilk Test Statistic		0.75				Shapiro Wilk Test Statistic		0.96
163				5% Shapiro Wilk Critical Value		0.926				5% Shapiro Wilk Critical Value		0.926
164		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
165												
166		Assuming Normal Distribution						Assuming Lognormal Distribution				
167				DL/2 Substitution Method						DL/2 Substitution Method		
168					Mean	93.62					Mean	3.931
169					SD	107.8					SD	1.184
170				95% DL/2 (t) UCL		125.9				95% H-Stat (DL/2) UCL		135.4
171												
172			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
173					Mean	82.92				Mean in Log Scale		3.954
174					SD	119.5				SD in Log Scale		1.142
175				95% MLE (t) UCL		118.7				Mean in Original Scale		93.78
176				95% MLE (Tiku) UCL		117.9				SD in Original Scale		107.7
177										95% Percentile Bootstrap UCL		125.5
178										95% BCA Bootstrap UCL		131.9
179												
180		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
181				k star (bias corrected)		1.098		Data appear Lognormal at 5% Significance Level				
182					Theta Star	93.59						
183					nu star	63.66						
184												
185					A-D Test Statistic	0.885		Nonparametric Statistics				
186					5% A-D Critical Value	0.77				Kaplan-Meier (KM) Method		
187					K-S Test Statistic	0.77					Mean	94.22
188					5% K-S Critical Value	0.167					SD	105.6
189		Data not Gamma Distributed at 5% Significance Level									SE of Mean	19
190										95% KM (t) UCL		126.4
191		Assuming Gamma Distribution								95% KM (z) UCL		125.5
192		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		126.4
193					Minimum	1E-09				95% KM (bootstrap t) UCL		137.9
194					Maximum	405				95% KM (BCA) UCL		127
195					Mean	93.09			95% KM (Percentile Bootstrap) UCL			127.1
196					Median	52				95% KM (Chebyshev) UCL		177
197					SD	108.2				97.5% KM (Chebyshev) UCL		212.9
198					k star	0.257				99% KM (Chebyshev) UCL		283.3
199					Theta star	362.1						
200					Nu star	16.45		Potential UCLs to Use				
201					AppChi2	8.283				95% KM (Chebyshev) UCL		177
202				95% Gamma Approximate UCL		184.9						
203				95% Adjusted Gamma UCL		192.1						
204	Note: DL/2 is not a recommended method.											
205												
206												
207	Benzo(a)pyrene											
208												
209							General Statistics					
210				Number of Valid Data		32				Number of Detected Data		27
211			Number of Distinct Detected Data			25				Number of Non-Detect Data		5
212				Number of Missing Values		3				Percent Non-Detects		15.63%

	A	B	C	D	E	F	G	H	I	J	K	L
213												
214			Raw Statistics					Log-transformed Statistics				
215				Minimum Detected		13				Minimum Detected		2.565
216				Maximum Detected		499				Maximum Detected		6.213
217				Mean of Detected		106.5				Mean of Detected		4.13
218				SD of Detected		123.9				SD of Detected		1.044
219				Minimum Non-Detect		8.97				Minimum Non-Detect		2.194
220				Maximum Non-Detect		13.3				Maximum Non-Detect		2.588
221												
222	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		8
223	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		24
224	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		25.00%
225												
226						UCL Statistics						
227		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
228				Shapiro Wilk Test Statistic		0.732				Shapiro Wilk Test Statistic		0.956
229				5% Shapiro Wilk Critical Value		0.923				5% Shapiro Wilk Critical Value		0.923
230		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
231												
232			Assuming Normal Distribution						Assuming Lognormal Distribution			
233				DL/2 Substitution Method						DL/2 Substitution Method		
234					Mean	90.66					Mean	3.74
235					SD	119.5					SD	1.328
236				95% DL/2 (t) UCL		126.5				95% H-Stat (DL/2) UCL		122.6
237												
238			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
239					Mean	67.67				Mean in Log Scale		3.77
240					SD	143.9				SD in Log Scale		1.281
241				95% MLE (t) UCL		110.8				Mean in Original Scale		90.84
242				95% MLE (Tiku) UCL		111.6				SD in Original Scale		119.4
243										95% Percentile Bootstrap UCL		125.6
244										95% BCA Bootstrap UCL		135.4
245												
246		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
247				k star (bias corrected)		0.971		Data appear Lognormal at 5% Significance Level				
248					Theta Star	109.7						
249					nu star	52.42						
250												
251				A-D Test Statistic		0.851			Nonparametric Statistics			
252				5% A-D Critical Value		0.772				Kaplan-Meier (KM) Method		
253				K-S Test Statistic		0.772					Mean	91.88
254				5% K-S Critical Value		0.173					SD	116.8
255		Data not Gamma Distributed at 5% Significance Level									SE of Mean	21.03
256										95% KM (t) UCL		127.5
257			Assuming Gamma Distribution						95% KM (z) UCL			126.5
258			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			127.4
259					Minimum	1E-09				95% KM (bootstrap t) UCL		144.4
260					Maximum	499				95% KM (BCA) UCL		128.7
261					Mean	89.85			95% KM (Percentile Bootstrap) UCL			130
262					Median	41.5				95% KM (Chebyshev) UCL		183.6
263					SD	120.1				97.5% KM (Chebyshev) UCL		223.2
264					k star	0.181				99% KM (Chebyshev) UCL		301.1
265					Theta star	497.1						

	A	B	C	D	E	F	G	H	I	J	K	L
266					Nu star	11.57			Potential UCLs to Use			
267					AppChi2	4.944				97.5% KM (Chebyshev) UCL		223.2
268			95% Gamma Approximate UCL			210.2						
269			95% Adjusted Gamma UCL			220.5						
270	Note: DL/2 is not a recommended method.											
271												
272												
273	Benzo(b)fluoranthene											
274												
275					General Statistics							
276			Number of Valid Data			32			Number of Detected Data			28
277			Number of Distinct Detected Data			25			Number of Non-Detect Data			4
278			Number of Missing Values			3			Percent Non-Detects			12.50%
279												
280			Raw Statistics						Log-transformed Statistics			
281			Minimum Detected			18			Minimum Detected			2.89
282			Maximum Detected			603			Maximum Detected			6.402
283			Mean of Detected			148.6			Mean of Detected			4.481
284			SD of Detected			164			SD of Detected			1.027
285			Minimum Non-Detect			6.72			Minimum Non-Detect			1.905
286			Maximum Non-Detect			9.96			Maximum Non-Detect			2.299
287												
288	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			4
289	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			28
290	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			12.50%
291												
292					UCL Statistics							
293		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
294			Shapiro Wilk Test Statistic			0.749			Shapiro Wilk Test Statistic			0.945
295			5% Shapiro Wilk Critical Value			0.924			5% Shapiro Wilk Critical Value			0.924
296		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
297												
298		Assuming Normal Distribution						Assuming Lognormal Distribution				
299			DL/2 Substitution Method						DL/2 Substitution Method			
300			Mean			130.5			Mean			4.091
301			SD			160.6			SD			1.422
302			95% DL/2 (t) UCL			178.6			95% H-Stat (DL/2) UCL			212.8
303												
304		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
305			Mean			118			Mean in Log Scale			4.191
306			SD			173.7			SD in Log Scale			1.236
307			95% MLE (t) UCL			170.1			Mean in Original Scale			131.1
308			95% MLE (Tiku) UCL			168.2			SD in Original Scale			160.1
309									95% Percentile Bootstrap UCL			178.1
310									95% BCA Bootstrap UCL			187.3
311												
312		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
313			k star (bias corrected)			1.004		Data Follow Appr. Gamma Distribution at 5% Significance Level				
314			Theta Star			148						
315			nu star			56.24						
316												
317			A-D Test Statistic			1.094			Nonparametric Statistics			
318			5% A-D Critical Value			0.772			Kaplan-Meier (KM) Method			

	A	B	C	D	E	F	G	H	I	J	K	L
319					K-S Test Statistic	0.772					Mean	132.3
320					5% K-S Critical Value	0.17					SD	156.7
321		Data follow Appr. Gamma Distribution at 5% Significance Level									SE of Mean	28.21
322											95% KM (t) UCL	180.1
323				Assuming Gamma Distribution							95% KM (z) UCL	178.7
324			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	179.9
325					Minimum	1E-09					95% KM (bootstrap t) UCL	196.7
326					Maximum	603					95% KM (BCA) UCL	182.2
327					Mean	130			Number of Detected Data		95% KM (Percentile Bootstrap) UCL	178.8
328					Median	59					95% KM (Chebyshev) UCL	255.2
329					SD	161					97.5% KM (Chebyshev) UCL	308.4
330					k star	0.208					99% KM (Chebyshev) UCL	412.9
331					Theta star	624						
332					Nu star	13.34			Potential UCLs to Use			
333					AppChi2	6.12					95% KM (BCA) UCL	182.2
334				95% Gamma Approximate UCL		283.4						
335				95% Adjusted Gamma UCL		296						
336	Note: DL/2 is not a recommended method.											
337												
338												
339	Benzo(k)fluoranthene											
340												
341					General Statistics							
342				Number of Valid Data		23			Number of Detected Data			23
343			Number of Distinct Detected Data			22			Number of Non-Detect Data			0
344				Number of Missing Values		12			Percent Non-Detects			0.00%
345												
346			Raw Statistics						Log-transformed Statistics			
347				Minimum Detected		5.4			Minimum Detected			1.686
348				Maximum Detected		260			Maximum Detected			5.561
349				Mean of Detected		55.45			Mean of Detected			3.51
350				SD of Detected		62.39			SD of Detected			1.034
351				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
352				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
353												
354												
355					UCL Statistics							
356		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
357				Shapiro Wilk Test Statistic		0.745			Shapiro Wilk Test Statistic			0.984
358				5% Shapiro Wilk Critical Value		0.914			5% Shapiro Wilk Critical Value			0.914
359		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
360												
361		Assuming Normal Distribution						Assuming Lognormal Distribution				
362				DL/2 Substitution Method					DL/2 Substitution Method			
363					Mean	55.45					Mean	3.51
364					SD	62.39					SD	1.034
365				95% DL/2 (t) UCL		77.79			95% H-Stat (DL/2) UCL			100.6
366												
367			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
368		MLE method failed to converge properly							Mean in Log Scale			N/A
369									SD in Log Scale			N/A
370									Mean in Original Scale			N/A
371									SD in Original Scale			N/A

	A	B	C	D	E	F	G	H	I	J	K	L
372										95% Percentile Bootstrap UCL		N/A
373										95% BCA Bootstrap UCL		N/A
374												
375			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
376				k star (bias corrected)		1.008			Data appear Gamma Distributed at 5% Significance Level			
377					Theta Star	55						
378					nu star	46.38						
379												
380				A-D Test Statistic		0.464			Nonparametric Statistics			
381				5% A-D Critical Value		0.767			Kaplan-Meier (KM) Method			
382					K-S Test Statistic	0.767					Mean	55.45
383				5% K-S Critical Value		0.186					SD	61.02
384		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	13.01
385											95% KM (t) UCL	77.79
386			Assuming Gamma Distribution								95% KM (z) UCL	76.85
387		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		77.79
388					Minimum	5.4				95% KM (bootstrap t) UCL		89.34
389					Maximum	260				95% KM (BCA) UCL		79.46
390					Mean	55.45			95% KM (Percentile Bootstrap) UCL			78.7
391					Median	32				95% KM (Chebyshev) UCL		112.2
392					SD	62.39				97.5% KM (Chebyshev) UCL		136.7
393					k star	1.008				99% KM (Chebyshev) UCL		184.9
394					Theta star	55						
395					Nu star	46.38			Potential UCLs to Use			
396					AppChi2	31.75				95% KM (Chebyshev) UCL		112.2
397				95% Gamma Approximate UCL		81						
398				95% Adjusted Gamma UCL		83.3						
399	Note: DL/2 is not a recommended method.											
400												
401												
402	Bis(2-ethylhexyl) phthalate											
403												
404					General Statistics							
405				Number of Valid Data		32				Number of Detected Data		28
406			Number of Distinct Detected Data			28				Number of Non-Detect Data		4
407				Number of Missing Values		3				Percent Non-Detects		12.50%
408												
409				Raw Statistics					Log-transformed Statistics			
410					Minimum Detected	51				Minimum Detected		3.932
411					Maximum Detected	4500				Maximum Detected		8.412
412					Mean of Detected	701.4				Mean of Detected		5.756
413					SD of Detected	1046				SD of Detected		1.258
414				Minimum Non-Detect		62.7				Minimum Non-Detect		4.138
415				Maximum Non-Detect		480				Maximum Non-Detect		6.174
416												
417	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			24
418	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			8
419	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			75.00%
420												
421					UCL Statistics							
422		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
423				Shapiro Wilk Test Statistic		0.638				Shapiro Wilk Test Statistic		0.948
424				5% Shapiro Wilk Critical Value		0.924				5% Shapiro Wilk Critical Value		0.924

	A	B	C	D	E	F	G	H	I	J	K	L
425				Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level		
426												
427				Assuming Normal Distribution						Assuming Lognormal Distribution		
428				DL/2 Substitution Method						DL/2 Substitution Method		
429					Mean	630.9					Mean	5.607
430					SD	995.2					SD	1.283
431				95% DL/2 (t) UCL		929.2				95% H-Stat (DL/2) UCL		1085
432												
433				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
434				MLE yields a negative mean						Mean in Log Scale		5.607
435											SD in Log Scale	1.258
436										Mean in Original Scale		627.8
437										SD in Original Scale		996.4
438										95% Percentile Bootstrap UCL		952.1
439										95% BCA Bootstrap UCL		1008
440												
441				Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only		
442				k star (bias corrected)		0.695				Data appear Lognormal at 5% Significance Level		
443					Theta Star	1010						
444					nu star	38.9						
445												
446				A-D Test Statistic		1.254				Nonparametric Statistics		
447				5% A-D Critical Value		0.785				Kaplan-Meier (KM) Method		
448				K-S Test Statistic		0.785					Mean	629.5
449				5% K-S Critical Value		0.172					SD	980.4
450				Data not Gamma Distributed at 5% Significance Level						SE of Mean		176.6
451										95% KM (t) UCL		928.9
452				Assuming Gamma Distribution						95% KM (z) UCL		920
453				Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL		928.2
454					Minimum	1E-09				95% KM (bootstrap t) UCL		1134
455					Maximum	4500				95% KM (BCA) UCL		929
456					Mean	637.4				95% KM (Percentile Bootstrap) UCL		915.1
457					Median	315				95% KM (Chebyshev) UCL		1399
458					SD	993.7				97.5% KM (Chebyshev) UCL		1732
459					k star	0.288				99% KM (Chebyshev) UCL		2387
460					Theta star	2212						
461					Nu star	18.44				Potential UCLs to Use		
462					AppChi2	9.708				97.5% KM (Chebyshev) UCL		1732
463				95% Gamma Approximate UCL		1211						
464				95% Adjusted Gamma UCL		1254						
465	Note: DL/2 is not a recommended method.											
466												
467												
468	Dibenzo(a,h)anthracene											
469												
470						General Statistics						
471				Number of Valid Data		32				Number of Detected Data		19
472				Number of Distinct Detected Data		17				Number of Non-Detect Data		13
473				Number of Missing Values		3				Percent Non-Detects		40.63%
474												
475				Raw Statistics						Log-transformed Statistics		
476				Minimum Detected		1.7				Minimum Detected		0.531
477				Maximum Detected		71				Maximum Detected		4.263

	A	B	C	D	E	F	G	H	I	J	K	L
478					Mean of Detected	16.61					Mean of Detected	2.176
479					SD of Detected	20.4					SD of Detected	1.169
480					Minimum Non-Detect	3.56					Minimum Non-Detect	1.27
481					Maximum Non-Detect	20					Maximum Non-Detect	2.996
482												
483	Note: Data have multiple DLs - Use of KM Method is recommended										Number treated as Non-Detect	27
484	For all methods (except KM, DL/2, and ROS Methods),										Number treated as Detected	5
485	Observations < Largest ND are treated as NDs										Single DL Non-Detect Percentage	84.38%
486												
487						UCL Statistics						
488		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
489					Shapiro Wilk Test Statistic	0.72					Shapiro Wilk Test Statistic	0.952
490					5% Shapiro Wilk Critical Value	0.901					5% Shapiro Wilk Critical Value	0.901
491		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
492												
493		Assuming Normal Distribution							Assuming Lognormal Distribution			
494					DL/2 Substitution Method						DL/2 Substitution Method	
495					Mean	11.43					Mean	1.735
496					SD	16.92					SD	1.126
497					95% DL/2 (t) UCL	16.5					95% H-Stat (DL/2) UCL	9.901
498												
499			Maximum Likelihood Estimate(MLE) Method								Log ROS Method	
500					Mean	49.98					Mean in Log Scale	1.665
501					SD	19.15					SD in Log Scale	1.107
502					95% MLE (t) UCL	55.71					Mean in Original Scale	10.94
503					95% MLE (Tiku) UCL	64.13					SD in Original Scale	17.05
504											95% Percentile Bootstrap UCL	16.18
505											95% BCA Bootstrap UCL	18
506												
507		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
508					k star (bias corrected)	0.809			Data appear Gamma Distributed at 5% Significance Level			
509					Theta Star	20.53						
510					nu star	30.74						
511												
512					A-D Test Statistic	0.578			Nonparametric Statistics			
513					5% A-D Critical Value	0.772			Kaplan-Meier (KM) Method			
514					K-S Test Statistic	0.772					Mean	11.01
515					5% K-S Critical Value	0.205					SD	16.79
516		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	3.061
517											95% KM (t) UCL	16.2
518		Assuming Gamma Distribution									95% KM (z) UCL	16.05
519		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	16.15
520					Minimum	1.7					95% KM (bootstrap t) UCL	19.74
521					Maximum	71					95% KM (BCA) UCL	16.63
522					Mean	15.13					95% KM (Percentile Bootstrap) UCL	16.25
523					Median	8.631					95% KM (Chebyshev) UCL	24.36
524					SD	16.65					97.5% KM (Chebyshev) UCL	30.13
525					k star	1.178					99% KM (Chebyshev) UCL	41.47
526					Theta star	12.84						
527					Nu star	75.42			Potential UCLs to Use			
528					AppChi2	56.42					95% KM (BCA) UCL	16.63
529				95% Gamma Approximate UCL		20.22						
530				95% Adjusted Gamma UCL		20.54						

	A	B	C	D	E	F	G	H	I	J	K	L
531	Note: DL/2 is not a recommended method.											
532												
533												
534	Dieldrin											
535												
536				General Statistics								
537				Number of Valid Data		27			Number of Detected Data			7
538				Number of Distinct Detected Data		7			Number of Non-Detect Data			20
539				Number of Missing Values		5			Percent Non-Detects			74.07%
540												
541			Raw Statistics						Log-transformed Statistics			
542				Minimum Detected		0.164			Minimum Detected			-1.808
543				Maximum Detected		356			Maximum Detected			5.875
544				Mean of Detected		56.39			Mean of Detected			1.677
545				SD of Detected		132.3			SD of Detected			2.435
546				Minimum Non-Detect		0.0719			Minimum Non-Detect			-2.632
547				Maximum Non-Detect		1.6			Maximum Non-Detect			0.47
548												
549	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			22
550	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			5
551	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			81.48%
552												
553				Warning: There are only 7 Detected Values in this data								
554				Note: It should be noted that even though bootstrap may be performed on this data set								
555				the resulting calculations may not be reliable enough tp draw conclusions								
556												
557				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
558												
559												
560				UCL Statistics								
561			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
562				Shapiro Wilk Test Statistic		0.499			Shapiro Wilk Test Statistic			0.98
563				5% Shapiro Wilk Critical Value		0.803			5% Shapiro Wilk Critical Value			0.803
564			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
565												
566			Assuming Normal Distribution						Assuming Lognormal Distribution			
567				DL/2 Substitution Method						DL/2 Substitution Method		
568				Mean		14.84				Mean		-0.683
569				SD		68.32				SD		1.988
570				95% DL/2 (t) UCL		37.27			95% H-Stat (DL/2) UCL			7.333
571												
572			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
573			MLE yields a negative mean						Mean in Log Scale			-4.022
574									SD in Log Scale			3.684
575									Mean in Original Scale			14.62
576									SD in Original Scale			68.37
577									95% Percentile Bootstrap UCL			40.66
578									95% BCA Bootstrap UCL			54.28
579												
580			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
581				k star (bias corrected)		0.263			Data appear Gamma Distributed at 5% Significance Level			
582				Theta Star		214.3						
583				nu star		3.683						

	A	B	C	D	E	F	G	H	I	J	K	L
584												
585				A-D Test Statistic		0.651		Nonparametric Statistics				
586				5% A-D Critical Value		0.786			Kaplan-Meier (KM) Method			
587				K-S Test Statistic		0.786				Mean		14.75
588				5% K-S Critical Value		0.336				SD		67.06
589		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		13.94
590										95% KM (t) UCL		38.52
591		Assuming Gamma Distribution								95% KM (z) UCL		37.68
592		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		36.69
593					Minimum	0.164				95% KM (bootstrap t) UCL		513.5
594					Maximum	356				95% KM (BCA) UCL		43.87
595					Mean	60.17			95% KM (Percentile Bootstrap) UCL			41.33
596					Median	61.23				95% KM (Chebyshev) UCL		75.51
597					SD	63.62				97.5% KM (Chebyshev) UCL		101.8
598					k star	0.869				99% KM (Chebyshev) UCL		153.5
599					Theta star	69.26						
600					Nu star	46.91		Potential UCLs to Use				
601					AppChi2	32.19				95% KM (t) UCL		38.52
602			95% Gamma Approximate UCL			87.68						
603			95% Adjusted Gamma UCL			89.85						
604	Note: DL/2 is not a recommended method.											
605												
606												
607	Indeno(1,2,3-cd)pyrene											
608												
609				General Statistics								
610			Number of Valid Data			32				Number of Detected Data		25
611		Number of Distinct Detected Data				23				Number of Non-Detect Data		7
612			Number of Missing Values			3				Percent Non-Detects		21.88%
613												
614		Raw Statistics						Log-transformed Statistics				
615				Minimum Detected		8.6				Minimum Detected		2.152
616				Maximum Detected		320				Maximum Detected		5.768
617				Mean of Detected		65.82				Mean of Detected		3.729
618				SD of Detected		74.61				SD of Detected		0.95
619				Minimum Non-Detect		3.56				Minimum Non-Detect		1.27
620				Maximum Non-Detect		5.28				Maximum Non-Detect		1.664
621												
622	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			7
623	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			25
624	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			21.88%
625												
626				UCL Statistics								
627		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
628				Shapiro Wilk Test Statistic		0.708				Shapiro Wilk Test Statistic		0.972
629				5% Shapiro Wilk Critical Value		0.918				5% Shapiro Wilk Critical Value		0.918
630		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
631												
632		Assuming Normal Distribution						Assuming Lognormal Distribution				
633				DL/2 Substitution Method						DL/2 Substitution Method		
634					Mean	51.86				Mean		3.064
635					SD	70.91				SD		1.528
636				95% DL/2 (t) UCL		73.11				95% H-Stat (DL/2) UCL		76.09

	A	B	C	D	E	F	G	H	I	J	K	L
637												
638			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
639					Mean	40.58				Mean in Log Scale		3.258
640					SD	82.9				SD in Log Scale		1.233
641				95% MLE (t) UCL		65.43				Mean in Original Scale		52.48
642				95% MLE (Tiku) UCL		65.45				SD in Original Scale		70.47
643										95% Percentile Bootstrap UCL		73.14
644										95% BCA Bootstrap UCL		78.74
645												
646			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
647					k star (bias corrected)	1.112			Data Follow Appr. Gamma Distribution at 5% Significance Level			
648					Theta Star	59.22						
649					nu star	55.58						
650												
651					A-D Test Statistic	0.725			Nonparametric Statistics			
652					5% A-D Critical Value	0.768			Kaplan-Meier (KM) Method			
653					K-S Test Statistic	0.768				Mean		53.3
654					5% K-S Critical Value	0.179				SD		68.81
655		Data follow Appr. Gamma Distribution at 5% Significance Level								SE of Mean		12.41
656										95% KM (t) UCL		74.35
657			Assuming Gamma Distribution							95% KM (z) UCL		73.72
658			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		74.12
659					Minimum	1E-09				95% KM (bootstrap t) UCL		88.6
660					Maximum	320				95% KM (BCA) UCL		75.81
661					Mean	51.42				95% KM (Percentile Bootstrap) UCL		75.5
662					Median	28.5				95% KM (Chebyshev) UCL		107.4
663					SD	71.23				97.5% KM (Chebyshev) UCL		130.8
664					k star	0.147				99% KM (Chebyshev) UCL		176.8
665					Theta star	348.8						
666					Nu star	9.434			Potential UCLs to Use			
667					AppChi2	3.591				95% KM (BCA) UCL		75.81
668				95% Gamma Approximate UCL		135.1						
669				95% Adjusted Gamma UCL		142.7						
670	Note: DL/2 is not a recommended method.											
671												
672												
673	Lead											
674												
675							General Statistics					
676				Number of Valid Data		32			Number of Detected Data			32
677			Number of Distinct Detected Data			32			Number of Non-Detect Data			0
678				Number of Missing Values		3			Percent Non-Detects			0.00%
679												
680			Raw Statistics						Log-transformed Statistics			
681					Minimum Detected	12.8				Minimum Detected		2.549
682					Maximum Detected	956				Maximum Detected		6.863
683					Mean of Detected	108.4				Mean of Detected		3.955
684					SD of Detected	184.4				SD of Detected		1.117
685					Minimum Non-Detect	N/A				Minimum Non-Detect		N/A
686					Maximum Non-Detect	N/A				Maximum Non-Detect		N/A
687												
688												
689							UCL Statistics					

	A	B	C	D	E	F	G	H	I	J	K	L
690		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
691				Shapiro Wilk Test Statistic		0.539			Shapiro Wilk Test Statistic			0.919
692				5% Shapiro Wilk Critical Value		0.93			5% Shapiro Wilk Critical Value			0.93
693		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
694												
695		Assuming Normal Distribution						Assuming Lognormal Distribution				
696				DL/2 Substitution Method					DL/2 Substitution Method			
697					Mean	108.4				Mean		3.955
698					SD	184.4				SD		1.117
699				95% DL/2 (t) UCL		163.7			95% H-Stat (DL/2) UCL			162.6
700												
701			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
702		MLE method failed to converge properly							Mean in Log Scale			N/A
703									SD in Log Scale			N/A
704									Mean in Original Scale			N/A
705									SD in Original Scale			N/A
706									95% Percentile Bootstrap UCL			N/A
707									95% BCA Bootstrap UCL			N/A
708												
709		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
710				k star (bias corrected)		0.755		Data do not follow a Discernable Distribution (0.05)				
711					Theta Star	143.6						
712					nu star	48.34						
713												
714				A-D Test Statistic		1.812		Nonparametric Statistics				
715				5% A-D Critical Value		0.785			Kaplan-Meier (KM) Method			
716				K-S Test Statistic		0.785				Mean		108.4
717				5% K-S Critical Value		0.161				SD		181.5
718		Data not Gamma Distributed at 5% Significance Level							SE of Mean			32.6
719									95% KM (t) UCL			163.7
720		Assuming Gamma Distribution							95% KM (z) UCL			162.1
721		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			163.7
722					Minimum	12.8			95% KM (bootstrap t) UCL			236.6
723					Maximum	956			95% KM (BCA) UCL			172.1
724					Mean	108.4			95% KM (Percentile Bootstrap) UCL			163.3
725					Median	48.05			95% KM (Chebyshev) UCL			250.5
726					SD	184.4			97.5% KM (Chebyshev) UCL			312
727					k star	0.755			99% KM (Chebyshev) UCL			432.8
728					Theta star	143.6						
729					Nu star	48.34		Potential UCLs to Use				
730					AppChi2	33.38			97.5% KM (Chebyshev) UCL			312
731				95% Gamma Approximate UCL		157						
732				95% Adjusted Gamma UCL		160.2						
733	Note: DL/2 is not a recommended method.											
734												
735												
736	Mercury											
737												
738					General Statistics							
739				Number of Valid Data		32			Number of Detected Data			31
740			Number of Distinct Detected Data			27			Number of Non-Detect Data			1
741				Number of Missing Values		3			Percent Non-Detects			3.13%
742												

	A	B	C	D	E	F	G	H	I	J	K	L
743				Raw Statistics					Log-transformed Statistics			
744				Minimum Detected		0.04				Minimum Detected		-3.219
745				Maximum Detected		2.01				Maximum Detected		0.698
746				Mean of Detected		0.208				Mean of Detected		-2.02
747				SD of Detected		0.351				SD of Detected		0.777
748				Minimum Non-Detect		0.0103				Minimum Non-Detect		-4.576
749				Maximum Non-Detect		0.0103				Maximum Non-Detect		-4.576
750												
751												
752						UCL Statistics						
753			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
754				Shapiro Wilk Test Statistic		0.406				Shapiro Wilk Test Statistic		0.856
755				5% Shapiro Wilk Critical Value		0.929				5% Shapiro Wilk Critical Value		0.929
756			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
757												
758			Assuming Normal Distribution						Assuming Lognormal Distribution			
759				DL/2 Substitution Method						DL/2 Substitution Method		
760					Mean	0.201					Mean	-2.121
761					SD	0.348					SD	0.956
762				95% DL/2 (t) UCL		0.306				95% H-Stat (DL/2) UCL		0.259
763												
764			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
765					Mean	0.195				Mean in Log Scale		-2.077
766					SD	0.349				SD in Log Scale		0.83
767				95% MLE (t) UCL		0.299				Mean in Original Scale		0.202
768				95% MLE (Tiku) UCL		0.29				SD in Original Scale		0.347
769										95% Percentile Bootstrap UCL		0.317
770										95% BCA Bootstrap UCL		0.399
771												
772			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
773				k star (bias corrected)		1.156			Data do not follow a Discernable Distribution (0.05)			
774				Theta Star		0.18						
775				nu star		71.65						
776												
777				A-D Test Statistic		2.944			Nonparametric Statistics			
778				5% A-D Critical Value		0.769				Kaplan-Meier (KM) Method		
779				K-S Test Statistic		0.769					Mean	0.203
780				5% K-S Critical Value		0.161					SD	0.342
781			Data not Gamma Distributed at 5% Significance Level								SE of Mean	0.0614
782										95% KM (t) UCL		0.307
783			Assuming Gamma Distribution							95% KM (z) UCL		0.303
784			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.306
785					Minimum	1E-09				95% KM (bootstrap t) UCL		0.539
786					Maximum	2.01				95% KM (BCA) UCL		0.33
787					Mean	0.201				95% KM (Percentile Bootstrap) UCL		0.322
788					Median	0.0963				95% KM (Chebyshev) UCL		0.47
789					SD	0.348				97.5% KM (Chebyshev) UCL		0.586
790					k star	0.578				99% KM (Chebyshev) UCL		0.813
791					Theta star	0.348						
792					Nu star	37			Potential UCLs to Use			
793					AppChi2	24.08				95% KM (Chebyshev) UCL		0.47
794				95% Gamma Approximate UCL		0.309						
795				95% Adjusted Gamma UCL		0.317						

	A	B	C	D	E	F	G	H	I	J	K	L
796	Note: DL/2 is not a recommended method.											
797												
798												
799	Naphthalene											
800												
801					General Statistics							
802				Number of Valid Data		32				Number of Detected Data		19
803			Number of Distinct Detected Data			19				Number of Non-Detect Data		13
804				Number of Missing Values		3				Percent Non-Detects		40.63%
805												
806				Raw Statistics						Log-transformed Statistics		
807				Minimum Detected		7.4				Minimum Detected		2.001
808				Maximum Detected		150				Maximum Detected		5.011
809				Mean of Detected		37.71				Mean of Detected		3.137
810				SD of Detected		43.36				SD of Detected		0.964
811				Minimum Non-Detect		0.69				Minimum Non-Detect		-0.371
812				Maximum Non-Detect		20				Maximum Non-Detect		2.996
813												
814	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		24
815	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		8
816	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		75.00%
817												
818					UCL Statistics							
819		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
820				Shapiro Wilk Test Statistic		0.707				Shapiro Wilk Test Statistic		0.901
821				5% Shapiro Wilk Critical Value		0.901				5% Shapiro Wilk Critical Value		0.901
822		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
823												
824		Assuming Normal Distribution							Assuming Lognormal Distribution			
825				DL/2 Substitution Method						DL/2 Substitution Method		
826					Mean	24.45					Mean	2.369
827					SD	36.9					SD	1.374
828				95% DL/2 (t) UCL		35.51				95% H-Stat (DL/2) UCL		39.2
829												
830			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
831		MLE yields a negative mean								Mean in Log Scale		2.375
832										SD in Log Scale		1.237
833										Mean in Original Scale		24.08
834										SD in Original Scale		37.08
835										95% Percentile Bootstrap UCL		35.37
836										95% BCA Bootstrap UCL		36.9
837												
838		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
839				k star (bias corrected)		1.006			Data do not follow a Discernable Distribution (0.05)			
840				Theta Star		37.48						
841				nu star		38.24						
842												
843				A-D Test Statistic		1.17			Nonparametric Statistics			
844				5% A-D Critical Value		0.765			Kaplan-Meier (KM) Method			
845				K-S Test Statistic		0.765				Mean		25.75
846				5% K-S Critical Value		0.204				SD		35.62
847		Data not Gamma Distributed at 5% Significance Level								SE of Mean		6.474
848										95% KM (t) UCL		36.73

	A	B	C	D	E	F	G	H	I	J	K	L
849					Assuming Gamma Distribution				95% KM (z) UCL			36.4
850			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			36.48
851					Minimum	0.156			95% KM (bootstrap t) UCL			44.31
852					Maximum	150			95% KM (BCA) UCL			37.63
853					Mean	29.1			95% KM (Percentile Bootstrap) UCL			37.31
854					Median	15.5			95% KM (Chebyshev) UCL			53.97
855					SD	37.5			97.5% KM (Chebyshev) UCL			66.18
856					k star	0.539			99% KM (Chebyshev) UCL			90.17
857					Theta star	53.97						
858					Nu star	34.51			Potential UCLs to Use			
859					AppChi2	22.07			95% KM (t) UCL			36.73
860			95% Gamma Approximate UCL			45.49			95% KM (% Bootstrap) UCL			37.31
861				95% Adjusted Gamma UCL		46.62						
862	Note: DL/2 is not a recommended method.											
863												
864												
865	Thallium											
866												
867					General Statistics							
868				Number of Valid Data		7			Number of Detected Data			5
869			Number of Distinct Detected Data			5			Number of Non-Detect Data			2
870				Number of Missing Values		28			Percent Non-Detects			28.57%
871												
872			Raw Statistics						Log-transformed Statistics			
873				Minimum Detected		0.124			Minimum Detected			-2.087
874				Maximum Detected		11			Maximum Detected			2.398
875				Mean of Detected		4.28			Mean of Detected			-0.271
876				SD of Detected		5.689			SD of Detected			2.394
877				Minimum Non-Detect		0.0753			Minimum Non-Detect			-2.586
878				Maximum Non-Detect		5			Maximum Non-Detect			1.609
879												
880	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			5
881	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
882	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			71.43%
883												
884					Warning: There are only 5 Detected Values in this data							
885				Note: It should be noted that even though bootstrap may be performed on this data set								
886					the resulting calculations may not be reliable enough tp draw conclusions							
887												
888			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
889												
890												
891					UCL Statistics							
892			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
893				Shapiro Wilk Test Statistic		0.713			Shapiro Wilk Test Statistic			0.705
894				5% Shapiro Wilk Critical Value		0.762			5% Shapiro Wilk Critical Value			0.762
895			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
896												
897			Assuming Normal Distribution						Assuming Lognormal Distribution			
898				DL/2 Substitution Method					DL/2 Substitution Method			
899					Mean	3.42			Mean			-0.531
900					SD	4.924			SD			2.342
901				95% DL/2 (t) UCL		7.036			95% H-Stat (DL/2) UCL			9446

	A	B	C	D	E	F	G	H	I	J	K	L
902												
903			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
904		MLE method failed to converge properly								Mean in Log Scale		-1.316
905										SD in Log Scale		2.781
906										Mean in Original Scale		3.07
907										SD in Original Scale		5.084
908										95% Percentile Bootstrap UCL		6.176
909										95% BCA Bootstrap UCL		6.2
910												
911		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
912			k star (bias corrected)			0.287	Data do not follow a Discernable Distribution (0.05)					
913				Theta Star		14.92						
914				nu star		2.869						
915												
916				A-D Test Statistic		0.861		Nonparametric Statistics				
917				5% A-D Critical Value		0.727			Kaplan-Meier (KM) Method			
918				K-S Test Statistic		0.727				Mean		3.093
919				5% K-S Critical Value		0.376				SD		4.692
920		Data not Gamma Distributed at 5% Significance Level								SE of Mean		1.983
921										95% KM (t) UCL		6.946
922			Assuming Gamma Distribution							95% KM (z) UCL		6.355
923		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		6.814
924					Minimum	0.124				95% KM (bootstrap t) UCL		1914
925					Maximum	11				95% KM (BCA) UCL		6.202
926					Mean	3.738			95% KM (Percentile Bootstrap) UCL			6.196
927					Median	1.684				95% KM (Chebyshev) UCL		11.74
928					SD	4.754				97.5% KM (Chebyshev) UCL		15.48
929					k star	0.38				99% KM (Chebyshev) UCL		22.82
930					Theta star	9.845						
931					Nu star	5.316			Potential UCLs to Use			
932					AppChi2	1.301				99% KM (Chebyshev) UCL		22.82
933			95% Gamma Approximate UCL			15.28						
934			95% Adjusted Gamma UCL			24.93						
935				Warning: Recommended UCL exceeds the maximum observation								
936	Note: DL/2 is not a recommended method.											
937												
938												
939	Total Aroclors											
940												
941							General Statistics					
942				Number of Valid Data		27				Number of Detected Data		27
943			Number of Distinct Detected Data			27				Number of Non-Detect Data		0
944				Number of Missing Values		5				Percent Non-Detects		0.00%
945												
946			Raw Statistics						Log-transformed Statistics			
947				Minimum Detected		17.95				Minimum Detected		2.888
948				Maximum Detected		30822				Maximum Detected		10.34
949				Mean of Detected		1380				Mean of Detected		5.168
950				SD of Detected		5891				SD of Detected		1.479
951				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
952				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
953												
954												

	A	B	C	D	E	F	G	H	I	J	K	L
955							UCL Statistics					
956			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
957				Shapiro Wilk Test Statistic		0.23				Shapiro Wilk Test Statistic		0.892
958				5% Shapiro Wilk Critical Value		0.923				5% Shapiro Wilk Critical Value		0.923
959			Data not Normal at 5% Significance Level					Data not Lognormal at 5% Significance Level				
960												
961			Assuming Normal Distribution					Assuming Lognormal Distribution				
962				DL/2 Substitution Method						DL/2 Substitution Method		
963					Mean	1380					Mean	5.168
964					SD	5891					SD	1.479
965				95% DL/2 (t) UCL		3313				95% H-Stat (DL/2) UCL		1297
966												
967			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
968			MLE method failed to converge properly							Mean in Log Scale		N/A
969										SD in Log Scale		N/A
970										Mean in Original Scale		N/A
971										SD in Original Scale		N/A
972									95% Percentile Bootstrap UCL			N/A
973									95% BCA Bootstrap UCL			N/A
974												
975			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
976				k star (bias corrected)		0.317		Data do not follow a Discernable Distribution (0.05)				
977					Theta Star	4346						
978					nu star	17.14						
979												
980				A-D Test Statistic		4.558		Nonparametric Statistics				
981				5% A-D Critical Value		0.846			Kaplan-Meier (KM) Method			
982				K-S Test Statistic		0.846					Mean	1380
983				5% K-S Critical Value		0.182					SD	5781
984			Data not Gamma Distributed at 5% Significance Level								SE of Mean	1134
985										95% KM (t) UCL		3313
986			Assuming Gamma Distribution							95% KM (z) UCL		3245
987			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		3313
988					Minimum	17.95				95% KM (bootstrap t) UCL		37073
989					Maximum	30822				95% KM (BCA) UCL		3657
990					Mean	1380			95% KM (Percentile Bootstrap) UCL			3626
991					Median	150.5				95% KM (Chebyshev) UCL		6322
992					SD	5891				97.5% KM (Chebyshev) UCL		8460
993					k star	0.317				99% KM (Chebyshev) UCL		12660
994					Theta star	4346						
995					Nu star	17.14		Potential UCLs to Use				
996					AppChi2	8.774				97.5% KM (Chebyshev) UCL		8460
997				95% Gamma Approximate UCL		2696						
998				95% Adjusted Gamma UCL		2818						
999	Note: DL/2 is not a recommended method.											
1000												
1001												
1002	Total DDT											
1003												
1004							General Statistics					
1005				Number of Valid Data		27				Number of Detected Data		15
1006			Number of Distinct Detected Data			15				Number of Non-Detect Data		12
1007				Number of Missing Values		5				Percent Non-Detects		44.44%

	A	B	C	D	E	F	G	H	I	J	K	L
1008												
1009			Raw Statistics						Log-transformed Statistics			
1010					Minimum Detected	0.384				Minimum Detected		-0.958
1011					Maximum Detected	66.84				Maximum Detected		4.202
1012					Mean of Detected	9.043				Mean of Detected		1.308
1013					SD of Detected	17.41				SD of Detected		1.215
1014					Minimum Non-Detect	0.72				Minimum Non-Detect		-0.329
1015					Maximum Non-Detect	7.46				Maximum Non-Detect		2.01
1016												
1017	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			25
1018	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
1019	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			92.59%
1020												
1021						UCL Statistics						
1022		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1023					Shapiro Wilk Test Statistic	0.493				Shapiro Wilk Test Statistic		0.883
1024					5% Shapiro Wilk Critical Value	0.881				5% Shapiro Wilk Critical Value		0.881
1025		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1026												
1027		Assuming Normal Distribution						Assuming Lognormal Distribution				
1028				DL/2 Substitution Method						DL/2 Substitution Method		
1029					Mean	6.037				Mean		1.043
1030					SD	13.24				SD		1.019
1031				95% DL/2 (t) UCL		10.38				95% H-Stat (DL/2) UCL		5.454
1032												
1033			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1034		MLE method failed to converge properly								Mean in Log Scale		0.96
1035										SD in Log Scale		1.021
1036										Mean in Original Scale		5.832
1037										SD in Original Scale		13.29
1038										95% Percentile Bootstrap UCL		10.27
1039										95% BCA Bootstrap UCL		13.1
1040												
1041		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1042					k star (bias corrected)	0.588		Data appear Lognormal at 5% Significance Level				
1043					Theta Star	15.39						
1044					nu star	17.63						
1045												
1046					A-D Test Statistic	1.75			Nonparametric Statistics			
1047					5% A-D Critical Value	0.78				Kaplan-Meier (KM) Method		
1048					K-S Test Statistic	0.78				Mean		5.91
1049					5% K-S Critical Value	0.231				SD		13.04
1050		Data not Gamma Distributed at 5% Significance Level								SE of Mean		2.604
1051										95% KM (t) UCL		10.35
1052		Assuming Gamma Distribution								95% KM (z) UCL		10.19
1053		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		10.2
1054					Minimum	0.384				95% KM (bootstrap t) UCL		32.29
1055					Maximum	66.84				95% KM (BCA) UCL		11
1056					Mean	9.023			95% KM (Percentile Bootstrap) UCL			10.54
1057					Median	8.734				95% KM (Chebyshev) UCL		17.26
1058					SD	12.78				97.5% KM (Chebyshev) UCL		22.17
1059					k star	1.042				99% KM (Chebyshev) UCL		31.82
1060					Theta star	8.655						

	A	B	C	D	E	F	G	H	I	J	K	L
1061					Nu star	56.29		**Potential UCLs to Use**				
1062					AppChi2	40.05				97.5% KM (Chebyshev) UCL		22.17
1063			95% Gamma Approximate UCL			12.68						
1064			95% Adjusted Gamma UCL			12.97						
1065	Note: DL/2 is not a recommended method.											
1066												
1067												
1068	Total Dioxin/Furan TEQ											
1069												
1070					**General Statistics**							
1071			Number of Valid Data			5				Number of Detected Data		5
1072			Number of Distinct Detected Data			5				Number of Non-Detect Data		0
1073			Number of Missing Values			14				Percent Non-Detects		0.00%
1074												
1075			**Raw Statistics**						**Log-transformed Statistics**			
1076			Minimum Detected			0.189				Minimum Detected		-1.666
1077			Maximum Detected			18.19				Maximum Detected		2.901
1078			Mean of Detected			5				Mean of Detected		0.443
1079			SD of Detected			7.59				SD of Detected		1.862
1080			Minimum Non-Detect			N/A				Minimum Non-Detect		N/A
1081			Maximum Non-Detect			N/A				Maximum Non-Detect		N/A
1082												
1083												
1084					**Warning: There are only 5 Detected Values in this data**							
1085					Note: It should be noted that even though bootstrap may be performed on this data set							
1086					the resulting calculations may not be reliable enough tp draw conclusions							
1087												
1088					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
1089												
1090												
1091					**UCL Statistics**							
1092		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
1093			Shapiro Wilk Test Statistic			0.734				Shapiro Wilk Test Statistic		0.964
1094			5% Shapiro Wilk Critical Value			0.762				5% Shapiro Wilk Critical Value		0.762
1095		**Data not Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
1096												
1097		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
1098			DL/2 Substitution Method							DL/2 Substitution Method		
1099			Mean			5				Mean		0.443
1100			SD			7.59				SD		1.862
1101			95% DL/2 (t) UCL			12.24				95% H-Stat (DL/2) UCL		30494
1102												
1103			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1104		**MLE method failed to converge properly**								Mean in Log Scale		N/A
1105										SD in Log Scale		N/A
1106										Mean in Original Scale		N/A
1107										SD in Original Scale		N/A
1108										95% Percentile Bootstrap UCL		N/A
1109										95% BCA Bootstrap UCL		N/A
1110												
1111		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
1112			k star (bias corrected)			0.349		**Data appear Gamma Distributed at 5% Significance Level**				
1113			Theta Star			14.34						

	A	B	C	D	E	F	G	H	I	J	K	L
1114					nu star	3.486						
1115												
1116				A-D Test Statistic		0.284		Nonparametric Statistics				
1117				5% A-D Critical Value		0.709				Kaplan-Meier (KM) Method		
1118				K-S Test Statistic		0.709					Mean	5
1119				5% K-S Critical Value		0.371					SD	6.789
1120		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	3.394
1121											95% KM (t) UCL	12.24
1122		Assuming Gamma Distribution									95% KM (z) UCL	10.58
1123		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	12.24
1124					Minimum	0.189					95% KM (bootstrap t) UCL	49.73
1125					Maximum	18.19					95% KM (BCA) UCL	11.27
1126					Mean	5				95% KM (Percentile Bootstrap) UCL		11.06
1127					Median	1.591					95% KM (Chebyshev) UCL	19.8
1128					SD	7.59					97.5% KM (Chebyshev) UCL	26.2
1129					k star	0.349					99% KM (Chebyshev) UCL	38.77
1130					Theta star	14.34						
1131					Nu star	3.486		Potential UCLs to Use				
1132					AppChi2	0.53					95% KM (Chebyshev) UCL	19.8
1133				95% Gamma Approximate UCL		32.9						
1134				95% Adjusted Gamma UCL		85						
1135		Warning: Recommended UCL exceeds the maximum observation										
1136	Note: DL/2 is not a recommended method.											
1137												
1138												
1139	Total Dioxin-like PCBs											
1140												
1141					General Statistics							
1142			Number of Valid Data			8				Number of Detected Data		8
1143		Number of Distinct Detected Data				8				Number of Non-Detect Data		0
1144			Number of Missing Values			11				Percent Non-Detects		0.00%
1145												
1146		Raw Statistics						Log-transformed Statistics				
1147				Minimum Detected		1224				Minimum Detected		7.11
1148				Maximum Detected		958845				Maximum Detected		13.77
1149				Mean of Detected		129318				Mean of Detected		9.062
1150				SD of Detected		335691				SD of Detected		2.224
1151				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1152				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1153												
1154												
1155		Warning: There are only 8 Detected Values in this data										
1156		Note: It should be noted that even though bootstrap may be performed on this data set										
1157		the resulting calculations may not be reliable enough tp draw conclusions										
1158												
1159		It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.										
1160												
1161												
1162					UCL Statistics							
1163		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1164			Shapiro Wilk Test Statistic			0.452				Shapiro Wilk Test Statistic		0.799
1165			5% Shapiro Wilk Critical Value			0.818				5% Shapiro Wilk Critical Value		0.818
1166		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
1167												
1168			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
1169				DL/2 Substitution Method						DL/2 Substitution Method		
1170					Mean	129318					Mean	9.062
1171					SD	335691					SD	2.224
1172				95% DL/2 (t) UCL		354175			95% H-Stat (DL/2) UCL			30281968
1173												
1174			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1175			**MLE method failed to converge properly**							Mean in Log Scale		N/A
1176										SD in Log Scale		N/A
1177										Mean in Original Scale		N/A
1178										SD in Original Scale		N/A
1179									95% Percentile Bootstrap UCL			N/A
1180									95% BCA Bootstrap UCL			N/A
1181												
1182			**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**			
1183				k star (bias corrected)		0.246			**Data do not follow a Discernable Distribution (0.05)**			
1184					Theta Star	525275						
1185					nu star	3.939						
1186												
1187					A-D Test Statistic	1.378			**Nonparametric Statistics**			
1188					5% A-D Critical Value	0.812			Kaplan-Meier (KM) Method			
1189					K-S Test Statistic	0.812					Mean	129318
1190					5% K-S Critical Value	0.319					SD	314010
1191			**Data not Gamma Distributed at 5% Significance Level**								SE of Mean	118685
1192										95% KM (t) UCL		354175
1193			**Assuming Gamma Distribution**							95% KM (z) UCL		324537
1194			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			354175
1195					Minimum	1224			95% KM (bootstrap t) UCL			27733119
1196					Maximum	958845			95% KM (BCA) UCL			361872
1197					Mean	129318			95% KM (Percentile Bootstrap) UCL			361865
1198					Median	4304			95% KM (Chebyshev) UCL			646652
1199					SD	335691			97.5% KM (Chebyshev) UCL			870503
1200					k star	0.246			99% KM (Chebyshev) UCL			1310214
1201					Theta star	525275						
1202					Nu star	3.939			**Potential UCLs to Use**			
1203					AppChi2	0.698			99% KM (Chebyshev) UCL			1310214
1204				95% Gamma Approximate UCL		730033						
1205				95% Adjusted Gamma UCL		1197331						
1206			**Warning: Recommended UCL exceeds the maximum observation**									
1207	Note: DL/2 is not a recommended method.											
1208												
1209												
1210	Total PCB TEQ											
1211												
1212					**General Statistics**							
1213				Number of Valid Data		8				Number of Detected Data		8
1214				Number of Distinct Detected Data		8				Number of Non-Detect Data		0
1215				Number of Missing Values		11				Percent Non-Detects		0.00%
1216												
1217			**Raw Statistics**						**Log-transformed Statistics**			
1218					Minimum Detected	0.512				Minimum Detected		-0.67
1219					Maximum Detected	239.2				Maximum Detected		5.477

	A	B	C	D	E	F	G	H	I	J	K	L
1220					Mean of Detected	32.92					Mean of Detected	1.109
1221					SD of Detected	83.52					SD of Detected	2.055
1222					Minimum Non-Detect	N/A					Minimum Non-Detect	N/A
1223					Maximum Non-Detect	N/A					Maximum Non-Detect	N/A
1224												
1225												
1226				Warning: There are only 8 Detected Values in this data								
1227				Note: It should be noted that even though bootstrap may be performed on this data set								
1228				the resulting calculations may not be reliable enough tp draw conclusions								
1229												
1230			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1231												
1232												
1233						UCL Statistics						
1234			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
1235					Shapiro Wilk Test Statistic	0.459					Shapiro Wilk Test Statistic	0.793
1236					5% Shapiro Wilk Critical Value	0.818					5% Shapiro Wilk Critical Value	0.818
1237			Data not Normal at 5% Significance Level					Data not Lognormal at 5% Significance Level				
1238												
1239			Assuming Normal Distribution					Assuming Lognormal Distribution				
1240					DL/2 Substitution Method						DL/2 Substitution Method	
1241					Mean	32.92					Mean	1.109
1242					SD	83.52					SD	2.055
1243					95% DL/2 (t) UCL	88.87					95% H-Stat (DL/2) UCL	3325
1244												
1245					Maximum Likelihood Estimate(MLE) Method	N/A					Log ROS Method	
1246			MLE method failed to converge properly								Mean in Log Scale	N/A
1247											SD in Log Scale	N/A
1248											Mean in Original Scale	N/A
1249											SD in Original Scale	N/A
1250											95% Percentile Bootstrap UCL	N/A
1251											95% BCA Bootstrap UCL	N/A
1252												
1253			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
1254					k star (bias corrected)	0.265		Data do not follow a Discernable Distribution (0.05)				
1255					Theta Star	124.3						
1256					nu star	4.239						
1257												
1258					A-D Test Statistic	1.375			Nonparametric Statistics			
1259					5% A-D Critical Value	0.801			Kaplan-Meier (KM) Method			
1260					K-S Test Statistic	0.801					Mean	32.92
1261					5% K-S Critical Value	0.318					SD	78.12
1262			Data not Gamma Distributed at 5% Significance Level								SE of Mean	29.53
1263											95% KM (t) UCL	88.87
1264			Assuming Gamma Distribution								95% KM (z) UCL	81.49
1265			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	88.87
1266					Minimum	0.512					95% KM (bootstrap t) UCL	5191
1267					Maximum	239.2					95% KM (BCA) UCL	90.54
1268					Mean	32.92					95% KM (Percentile Bootstrap) UCL	90.57
1269					Median	1.563					95% KM (Chebyshev) UCL	161.6
1270					SD	83.52					97.5% KM (Chebyshev) UCL	217.3
1271					k star	0.265					99% KM (Chebyshev) UCL	326.7
1272					Theta star	124.3						

	A	B	C	D	E	F	G	H	I	J	K	L
1273					Nu star	4.239			Potential UCLs to Use			
1274					AppChi2	0.818			99% KM (Chebyshev) UCL			326.7
1275				95% Gamma Approximate UCL		170.6						
1276				95% Adjusted Gamma UCL		273.6						
1277				Warning: Recommended UCL exceeds the maximum observation								
1278	Note: DL/2 is not a recommended method.											
1279												
1280												
1281	Total PCB_Congeners											
1282												
1283					General Statistics							
1284				Number of Valid Data		8			Number of Detected Data			8
1285				Number of Distinct Detected Data		8			Number of Non-Detect Data			0
1286				Number of Missing Values		11			Percent Non-Detects			0.00%
1287												
1288				Raw Statistics					Log-transformed Statistics			
1289				Minimum Detected		24575			Minimum Detected			10.11
1290				Maximum Detected		35440913			Maximum Detected			17.38
1291				Mean of Detected		4678616			Mean of Detected			12.24
1292				SD of Detected		12440426			SD of Detected			2.426
1293				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
1294				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
1295												
1296												
1297				Warning: There are only 8 Detected Values in this data								
1298				Note: It should be noted that even though bootstrap may be performed on this data set								
1299				the resulting calculations may not be reliable enough tp draw conclusions								
1300												
1301			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1302												
1303												
1304					UCL Statistics							
1305			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1306				Shapiro Wilk Test Statistic		0.444			Shapiro Wilk Test Statistic			0.807
1307				5% Shapiro Wilk Critical Value		0.818			5% Shapiro Wilk Critical Value			0.818
1308			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
1309												
1310			Assuming Normal Distribution						Assuming Lognormal Distribution			
1311				DL/2 Substitution Method					DL/2 Substitution Method			
1312				Mean		4678616			Mean			12.24
1313				SD		12440426			SD			2.426
1314				95% DL/2 (t) UCL		13011645			95% H-Stat (DL/2) UCL			3.332E+09
1315												
1316			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1317			MLE method failed to converge properly						Mean in Log Scale			N/A
1318									SD in Log Scale			N/A
1319									Mean in Original Scale			N/A
1320									SD in Original Scale			N/A
1321									95% Percentile Bootstrap UCL			N/A
1322									95% BCA Bootstrap UCL			N/A
1323												
1324			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1325				k star (bias corrected)		0.228			Data do not follow a Discernable Distribution (0.05)			

	A	B	C	D	E	F	G	H	I	J	K	L
1326					Theta Star	20549104						
1327					nu star	3.643						
1328												
1329					A-D Test Statistic	1.38			**Nonparametric Statistics**			
1330					5% A-D Critical Value	0.824			Kaplan-Meier (KM) Method			
1331					K-S Test Statistic	0.824					Mean	4678616
1332					5% K-S Critical Value	0.321					SD	11636953
1333		**Data not Gamma Distributed at 5% Significance Level**									SE of Mean	4398355
1334											95% KM (t) UCL	13011645
1335		**Assuming Gamma Distribution**									95% KM (z) UCL	11913266
1336		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	13011645
1337					Minimum	24575					95% KM (bootstrap t) UCL	1.445E+09
1338					Maximum	35440913					95% KM (BCA) UCL	13516098
1339					Mean	4678616			95% KM (Percentile Bootstrap) UCL			13344176
1340					Median	102783					95% KM (Chebyshev) UCL	23850601
1341					SD	12440426					97.5% KM (Chebyshev) UCL	32146334
1342					k star	0.228					99% KM (Chebyshev) UCL	48441695
1343					Theta star	20549104						
1344					Nu star	3.643			**Potential UCLs to Use**			
1345					AppChi2	0.586					99% KM (Chebyshev) UCL	48441695
1346			95% Gamma Approximate UCL			29089020						
1347			95% Adjusted Gamma UCL			48775076						
1348				**Warning: Recommended UCL exceeds the maximum observation**								
1349	Note: DL/2 is not a recommended method.											
1350												
1351												
1352	Total PCBs, Adjusted											
1353												
1354					**General Statistics**							
1355				Number of Valid Data		8			Number of Detected Data			8
1356			Number of Distinct Detected Data			8			Number of Non-Detect Data			0
1357				Number of Missing Values		11			Percent Non-Detects			0.00%
1358												
1359		**Raw Statistics**							**Log-transformed Statistics**			
1360				Minimum Detected		23351			Minimum Detected			10.06
1361				Maximum Detected		34482068			Maximum Detected			17.36
1362				Mean of Detected		4549298			Mean of Detected			12.2
1363				SD of Detected		12104769			SD of Detected			2.434
1364				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
1365				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
1366												
1367												
1368				**Warning: There are only 8 Detected Values in this data**								
1369				**Note: It should be noted that even though bootstrap may be performed on this data set**								
1370				**the resulting calculations may not be reliable enough tp draw conclusions**								
1371												
1372				**It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.**								
1373												
1374												
1375					**UCL Statistics**							
1376		**Normal Distribution Test with Detected Values Only**							**Lognormal Distribution Test with Detected Values Only**			
1377				Shapiro Wilk Test Statistic		0.443			Shapiro Wilk Test Statistic			0.807
1378				5% Shapiro Wilk Critical Value		0.818			5% Shapiro Wilk Critical Value			0.818

	A	B	C	D	E	F	G	H	I	J	K	L
1379	Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level					
1380												
1381	Assuming Normal Distribution						Assuming Lognormal Distribution					
1382	DL/2 Substitution Method						DL/2 Substitution Method					
1383	Mean					4549298	Mean					12.2
1384	SD					12104769	SD					2.434
1385	95% DL/2 (t) UCL					12657493	95% H-Stat (DL/2) UCL					3.397E+09
1386												
1387	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
1388	MLE method failed to converge properly						Mean in Log Scale					N/A
1389							SD in Log Scale					N/A
1390							Mean in Original Scale					N/A
1391							SD in Original Scale					N/A
1392							95% Percentile Bootstrap UCL					N/A
1393							95% BCA Bootstrap UCL					N/A
1394												
1395	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
1396	k star (bias corrected)					0.227	Data do not follow a Discernable Distribution (0.05)					
1397	Theta Star					20034586						
1398	nu star					3.633						
1399												
1400	A-D Test Statistic					1.379	Nonparametric Statistics					
1401	5% A-D Critical Value					0.824	Kaplan-Meier (KM) Method					
1402	K-S Test Statistic					0.824	Mean					4549298
1403	5% K-S Critical Value					0.321	SD					11322975
1404	Data not Gamma Distributed at 5% Significance Level						SE of Mean					4279682
1405							95% KM (t) UCL					12657493
1406	Assuming Gamma Distribution						95% KM (z) UCL					11588749
1407	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					12657493
1408	Minimum					23351	95% KM (bootstrap t) UCL					1.368E+09
1409	Maximum					34482068	95% KM (BCA) UCL					12978702
1410	Mean					4549298	95% KM (Percentile Bootstrap) UCL					12972526
1411	Median					98479	95% KM (Chebyshev) UCL					23204001
1412	SD					12104769	97.5% KM (Chebyshev) UCL					31275905
1413	k star					0.227	99% KM (Chebyshev) UCL					47131599
1414	Theta star					20034586						
1415	Nu star					3.633	Potential UCLs to Use					
1416	AppChi2					0.582	99% KM (Chebyshev) UCL					47131599
1417	95% Gamma Approximate UCL					28380982						
1418	95% Adjusted Gamma UCL					47621849						
1419	Warning: Recommended UCL exceeds the maximum observation											
1420	Note: DL/2 is not a recommended method.											
1421												
1422												
1423	Tributyltin ion											
1424												
1425	General Statistics											
1426	Number of Valid Data					18	Number of Detected Data					17
1427	Number of Distinct Detected Data					16	Number of Non-Detect Data					1
1428	Number of Missing Values					17	Percent Non-Detects					5.56%
1429												
1430	Raw Statistics						Log-transformed Statistics					
1431	Minimum Detected					2.1	Minimum Detected					0.742

	A	B	C	D	E	F	G	H	I	J	K	L
1432					Maximum Detected	30					Maximum Detected	3.401
1433					Mean of Detected	13.21					Mean of Detected	2.231
1434					SD of Detected	9.669					SD of Detected	0.946
1435					Minimum Non-Detect	5.7					Minimum Non-Detect	1.74
1436					Maximum Non-Detect	5.7					Maximum Non-Detect	1.74
1437												
1438												
1439					UCL Statistics							
1440		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1441				Shapiro Wilk Test Statistic		0.898				Shapiro Wilk Test Statistic		0.895
1442				5% Shapiro Wilk Critical Value		0.892				5% Shapiro Wilk Critical Value		0.892
1443		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1444												
1445		Assuming Normal Distribution						Assuming Lognormal Distribution				
1446				DL/2 Substitution Method						DL/2 Substitution Method		
1447					Mean	12.64					Mean	2.165
1448					SD	9.693					SD	0.96
1449				95% DL/2 (t) UCL		16.61				95% H-Stat (DL/2) UCL		21.99
1450												
1451			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
1452					Mean	11.07				Mean in Log Scale		2.173
1453					SD	11.7				SD in Log Scale		0.951
1454				95% MLE (t) UCL		15.87				Mean in Original Scale		12.66
1455			95% MLE (Tiku) UCL			16.29				SD in Original Scale		9.67
1456										95% Percentile Bootstrap UCL		16.08
1457										95% BCA Bootstrap UCL		16.52
1458												
1459		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1460				k star (bias corrected)		1.336		Data appear Normal at 5% Significance Level				
1461					Theta Star	9.887						
1462					nu star	45.43						
1463												
1464					A-D Test Statistic	0.541		Nonparametric Statistics				
1465				5% A-D Critical Value		0.755				Kaplan-Meier (KM) Method		
1466				K-S Test Statistic		0.755					Mean	12.63
1467				5% K-S Critical Value		0.213					SD	9.428
1468		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	2.291
1469										95% KM (t) UCL		16.62
1470		Assuming Gamma Distribution								95% KM (z) UCL		16.4
1471			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		16.61
1472					Minimum	2.1				95% KM (bootstrap t) UCL		16.83
1473					Maximum	30				95% KM (BCA) UCL		16.19
1474					Mean	12.63				95% KM (Percentile Bootstrap) UCL		16.14
1475					Median	9.8				95% KM (Chebyshev) UCL		22.62
1476					SD	9.697				97.5% KM (Chebyshev) UCL		26.94
1477					k star	1.278				99% KM (Chebyshev) UCL		35.42
1478					Theta star	9.887						
1479					Nu star	46		Potential UCLs to Use				
1480					AppChi2	31.44				95% KM (t) UCL		16.62
1481				95% Gamma Approximate UCL		18.48			95% KM (Percentile Bootstrap) UCL			16.14
1482				95% Adjusted Gamma UCL		19.19						
1483	Note: DL/2 is not a recommended method.											
1484												

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM9.0E.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	2000

Arsenic

General Statistics

Number of Valid Observations	16	Number of Distinct Observations	16

Raw Statistics		Log-transformed Statistics	
Minimum	2.08	Minimum of Log Data	0.732
Maximum	11.6	Maximum of Log Data	2.451
Mean	3.8	Mean of log Data	1.233
Median	3.18	SD of log Data	0.419
SD	2.275		
Coefficient of Variation	0.599		
Skewness	3.003		

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.635	Shapiro Wilk Test Statistic	0.859
Shapiro Wilk Critical Value	0.887	Shapiro Wilk Critical Value	0.887
Data not Normal at 5% Significance Level		**Data not Lognormal at 5% Significance Level**	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	4.797	95% H-UCL	4.635
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	5.461
95% Adjusted-CLT UCL	5.192	97.5% Chebyshev (MVUE) UCL	6.213
95% Modified-t UCL	4.868	99% Chebyshev (MVUE) UCL	7.69

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	4.152	**Data do not follow a Discernable Distribution (0.05)**	
Theta Star	0.915		
nu star	132.9		
Approximate Chi Square Value (.05)	107.2	**Nonparametric Statistics**	
Adjusted Level of Significance	0.0335	95% CLT UCL	4.736
Adjusted Chi Square Value	104.6	95% Jackknife UCL	4.797
		95% Standard Bootstrap UCL	4.704
Anderson-Darling Test Statistic	1.086	95% Bootstrap-t UCL	6.063
Anderson-Darling 5% Critical Value	0.741	95% Hall's Bootstrap UCL	8.498
Kolmogorov-Smirnov Test Statistic	0.221	95% Percentile Bootstrap UCL	4.805
Kolmogorov-Smirnov 5% Critical Value	0.216	95% BCA Bootstrap UCL	5.355
Data not Gamma Distributed at 5% Significance Level		95% Chebyshev(Mean, Sd) UCL	6.279
		97.5% Chebyshev(Mean, Sd) UCL	7.352
Assuming Gamma Distribution		99% Chebyshev(Mean, Sd) UCL	9.459
95% Approximate Gamma UCL	4.708		
95% Adjusted Gamma UCL	4.826		
Potential UCL to Use		Use 95% Student's-t UCL	4.797

	A	B	C	D	E	F	G	H	I	J	K	L
54										or 95% Modified-t UCL		4.868
55												
56												
57	Benzo(a)anthracene											
58												
59					General Statistics							
60			Number of Valid Data			15				Number of Detected Data		12
61			Number of Distinct Detected Data			10				Number of Non-Detect Data		3
62			Number of Missing Values			1				Percent Non-Detects		20.00%
63												
64			Raw Statistics						Log-transformed Statistics			
65				Minimum Detected		2.9				Minimum Detected		1.065
66				Maximum Detected		22				Maximum Detected		3.091
67				Mean of Detected		11.93				Mean of Detected		2.224
68				SD of Detected		7.443				SD of Detected		0.811
69				Minimum Non-Detect		1.58				Minimum Non-Detect		0.457
70				Maximum Non-Detect		16.8				Maximum Non-Detect		2.821
71												
72	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			11
73	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			4
74	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			73.33%
75												
76					UCL Statistics							
77		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
78				Shapiro Wilk Test Statistic		0.867				Shapiro Wilk Test Statistic		0.832
79				5% Shapiro Wilk Critical Value		0.859				5% Shapiro Wilk Critical Value		0.859
80		Data appear Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
81												
82		Assuming Normal Distribution							Assuming Lognormal Distribution			
83				DL/2 Substitution Method						DL/2 Substitution Method		
84					Mean	10.21				Mean		1.89
85					SD	7.678				SD		1.122
86				95% DL/2 (t) UCL		13.7				95% H-Stat (DL/2) UCL		16.99
87												
88			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
89					Mean	20.07				Mean in Log Scale		1.958
90					SD	1.414				SD in Log Scale		0.937
91				95% MLE (t) UCL		20.71				Mean in Original Scale		10.1
92				95% MLE (Tiku) UCL		21.31				SD in Original Scale		7.636
93										95% Percentile Bootstrap UCL		13.25
94										95% BCA Bootstrap UCL		13.2
95												
96		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
97				k star (bias corrected)		1.643			Data appear Normal at 5% Significance Level			
98				Theta Star		7.261						
99				nu star		39.42						
100												
101				A-D Test Statistic		0.841			Nonparametric Statistics			
102				5% A-D Critical Value		0.741			Kaplan-Meier (KM) Method			
103				K-S Test Statistic		0.741				Mean		10.39
104				5% K-S Critical Value		0.248				SD		7.244
105		Data follow Appr. Gamma Distribution at 5% Significance Level								SE of Mean		1.988
106										95% KM (t) UCL		13.89

	A	B	C	D	E	F	G	H	I	J	K	L
107			Assuming Gamma Distribution							95% KM (z) UCL		13.66
108		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		13.86
109				Minimum		1.286				95% KM (bootstrap t) UCL		14.13
110				Maximum		22				95% KM (BCA) UCL		13.71
111				Mean		10.49				95% KM (Percentile Bootstrap) UCL		13.64
112				Median		11.58				95% KM (Chebyshev) UCL		19.05
113				SD		7.582				97.5% KM (Chebyshev) UCL		22.8
114				k star		1.231				99% KM (Chebyshev) UCL		30.16
115				Theta star		8.521						
116				Nu star		36.92			Potential UCLs to Use			
117				AppChi2		24.01				95% KM (t) UCL		13.89
118			95% Gamma Approximate UCL			16.12			95% KM (Percentile Bootstrap) UCL			13.64
119			95% Adjusted Gamma UCL			17.03						
120	Note: DL/2 is not a recommended method.											
121												
122												
123	Benzo(a)pyrene											
124												
125					General Statistics							
126			Number of Valid Data			15			Number of Detected Data			12
127		Number of Distinct Detected Data				11			Number of Non-Detect Data			3
128			Number of Missing Values			1			Percent Non-Detects			20.00%
129												
130			Raw Statistics						Log-transformed Statistics			
131			Minimum Detected			4.2			Minimum Detected			1.435
132			Maximum Detected			35			Maximum Detected			3.555
133			Mean of Detected			14.83			Mean of Detected			2.47
134			SD of Detected			9.901			SD of Detected			0.735
135			Minimum Non-Detect			1.59			Minimum Non-Detect			0.464
136			Maximum Non-Detect			16.8			Maximum Non-Detect			2.821
137												
138	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			11
139	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			4
140	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			73.33%
141												
142					UCL Statistics							
143		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
144			Shapiro Wilk Test Statistic			0.899			Shapiro Wilk Test Statistic			0.919
145			5% Shapiro Wilk Critical Value			0.859			5% Shapiro Wilk Critical Value			0.859
146		Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
147												
148		Assuming Normal Distribution							Assuming Lognormal Distribution			
149			DL/2 Substitution Method						DL/2 Substitution Method			
150				Mean		12.57				Mean		2.122
151				SD		10.08				SD		1.078
152			95% DL/2 (t) UCL			17.15			95% H-Stat (DL/2) UCL			20.19
153												
154		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
155				Mean		7.803			Mean in Log Scale			2.217
156				SD		14.4			SD in Log Scale			0.866
157			95% MLE (t) UCL			14.35			Mean in Original Scale			12.62
158			95% MLE (Tiku) UCL			20.29			SD in Original Scale			9.938
159									95% Percentile Bootstrap UCL			16.88

	A	B	C	D	E	F	G	H	I	J	K	L
160										95% BCA Bootstrap UCL		17.2
161												
162		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
163				k star (bias corrected)		1.824		Data appear Normal at 5% Significance Level				
164				Theta Star		8.129						
165				nu star		43.78						
166												
167				A-D Test Statistic		0.349		Nonparametric Statistics				
168				5% A-D Critical Value		0.741		Kaplan-Meier (KM) Method				
169				K-S Test Statistic		0.741				Mean		12.99
170				5% K-S Critical Value		0.248				SD		9.37
171		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		2.551
172										95% KM (t) UCL		17.48
173		Assuming Gamma Distribution								95% KM (z) UCL		17.18
174		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		17.45
175				Minimum		2.207				95% KM (bootstrap t) UCL		18.37
176				Maximum		35				95% KM (BCA) UCL		17.12
177				Mean		13.13				95% KM (Percentile Bootstrap) UCL		17.28
178				Median		14				95% KM (Chebyshev) UCL		24.1
179				SD		9.833				97.5% KM (Chebyshev) UCL		28.92
180				k star		1.433				99% KM (Chebyshev) UCL		38.37
181				Theta star		9.158						
182				Nu star		43		Potential UCLs to Use				
183				AppChi2		28.97				95% KM (t) UCL		17.48
184		95% Gamma Approximate UCL				19.49		95% KM (Percentile Bootstrap) UCL				17.28
185		95% Adjusted Gamma UCL				20.49						
186	Note: DL/2 is not a recommended method.											
187												
188												
189	Benzo(b)fluoranthene											
190												
191						General Statistics						
192				Number of Valid Data		15				Number of Detected Data		13
193		Number of Distinct Detected Data				13				Number of Non-Detect Data		2
194				Number of Missing Values		1				Percent Non-Detects		13.33%
195												
196		Raw Statistics						Log-transformed Statistics				
197				Minimum Detected		3.7				Minimum Detected		1.308
198				Maximum Detected		39				Maximum Detected		3.664
199				Mean of Detected		19.42				Mean of Detected		2.722
200				SD of Detected		12.01				SD of Detected		0.803
201				Minimum Non-Detect		5.36				Minimum Non-Detect		1.679
202				Maximum Non-Detect		33.6				Maximum Non-Detect		3.515
203												
204	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				13
205	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				2
206	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				86.67%
207												
208						UCL Statistics						
209		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
210				Shapiro Wilk Test Statistic		0.936				Shapiro Wilk Test Statistic		0.899
211				5% Shapiro Wilk Critical Value		0.866				5% Shapiro Wilk Critical Value		0.866
212		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
213												
214			Assuming Normal Distribution							Assuming Lognormal Distribution		
215				DL/2 Substitution Method						DL/2 Substitution Method		
216					Mean	18.13					Mean	2.613
217					SD	11.93					SD	0.87
218				95% DL/2 (t) UCL		23.56				95% H-Stat (DL/2) UCL		29.78
219												
220			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
221			MLE method failed to converge properly							Mean in Log Scale		2.629
222										SD in Log Scale		0.802
223										Mean in Original Scale		17.95
224										SD in Original Scale		11.86
225										95% Percentile Bootstrap UCL		22.93
226										95% BCA Bootstrap UCL		23.23
227												
228			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
229				k star (bias corrected)		1.742			Data appear Normal at 5% Significance Level			
230					Theta Star	11.15						
231					nu star	45.3						
232												
233				A-D Test Statistic		0.379			Nonparametric Statistics			
234				5% A-D Critical Value		0.742			Kaplan-Meier (KM) Method			
235				K-S Test Statistic		0.742					Mean	18.1
236				5% K-S Critical Value		0.239					SD	11.68
237		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	3.206
238											95% KM (t) UCL	23.74
239			Assuming Gamma Distribution								95% KM (z) UCL	23.37
240			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	23.74
241					Minimum	3.7				95% KM (bootstrap t) UCL		24.11
242					Maximum	39				95% KM (BCA) UCL		23.16
243					Mean	18.49			95% KM (Percentile Bootstrap) UCL			23.28
244					Median	19				95% KM (Chebyshev) UCL		32.07
245					SD	11.78				97.5% KM (Chebyshev) UCL		38.12
246					k star	1.718				99% KM (Chebyshev) UCL		50
247					Theta star	10.77						
248					Nu star	51.54			Potential UCLs to Use			
249					AppChi2	36.05					95% KM (t) UCL	23.74
250				95% Gamma Approximate UCL		26.44			95% KM (Percentile Bootstrap) UCL			23.28
251				95% Adjusted Gamma UCL		27.66						
252	Note: DL/2 is not a recommended method.											
253												
254												
255	Benzo(k)fluoranthene											
256												
257					General Statistics							
258			Number of Valid Observations			9				Number of Distinct Observations		8
259												
260			Raw Statistics						Log-transformed Statistics			
261					Minimum	1.7				Minimum of Log Data		0.531
262					Maximum	13				Maximum of Log Data		2.565
263					Mean	8.256				Mean of log Data		1.969
264					Median	8				SD of log Data		0.644
265					SD	3.744						

	A	B	C	D	E	F	G	H	I	J	K	L
266				Coefficient of Variation		0.454						
267				Skewness		-0.437						
268												
269												
270					Warning: There are only 9 Values in this data							
271				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
272				the resulting calculations may not be reliable enough to draw conclusions								
273												
274				The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.								
275												
276					Relevant UCL Statistics							
277			Normal Distribution Test					Lognormal Distribution Test				
278			Shapiro Wilk Test Statistic			0.932		Shapiro Wilk Test Statistic				0.825
279			Shapiro Wilk Critical Value			0.829		Shapiro Wilk Critical Value				0.829
280		Data appear Normal at 5% Significance Level					Data not Lognormal at 5% Significance Level					
281												
282		Assuming Normal Distribution					Assuming Lognormal Distribution					
283				95% Student's-t UCL		10.58		95% H-UCL				15.65
284		95% UCLs (Adjusted for Skewness)					95% Chebyshev (MVUE) UCL					16.79
285			95% Adjusted-CLT UCL			10.11		97.5% Chebyshev (MVUE) UCL				20.34
286			95% Modified-t UCL			10.55		99% Chebyshev (MVUE) UCL				27.31
287												
288		Gamma Distribution Test					Data Distribution					
289			k star (bias corrected)			2.536		Data appear Normal at 5% Significance Level				
290				Theta Star		3.255						
291				nu star		45.65						
292		Approximate Chi Square Value (.05)				31.15		Nonparametric Statistics				
293			Adjusted Level of Significance			0.0231		95% CLT UCL				10.31
294			Adjusted Chi Square Value			28.65		95% Jackknife UCL				10.58
295								95% Standard Bootstrap UCL				10.11
296		Anderson-Darling Test Statistic				0.535		95% Bootstrap-t UCL				10.28
297		Anderson-Darling 5% Critical Value				0.726		95% Hall's Bootstrap UCL				10.15
298		Kolmogorov-Smirnov Test Statistic				0.256		95% Percentile Bootstrap UCL				10.12
299		Kolmogorov-Smirnov 5% Critical Value				0.281		95% BCA Bootstrap UCL				10.02
300		Data appear Gamma Distributed at 5% Significance Level					95% Chebyshev(Mean, Sd) UCL					13.7
301								97.5% Chebyshev(Mean, Sd) UCL				16.05
302		Assuming Gamma Distribution					99% Chebyshev(Mean, Sd) UCL					20.67
303			95% Approximate Gamma UCL			12.1						
304			95% Adjusted Gamma UCL			13.16						
305												
306		Potential UCL to Use					Use 95% Student's-t UCL					10.58
307												
308												
309	Bis(2-ethylhexyl) phthalate											
310												
311					General Statistics							
312			Number of Valid Data			16		Number of Detected Data				15
313			Number of Distinct Detected Data			14		Number of Non-Detect Data				1
314								Percent Non-Detects				6.25%
315												
316			Raw Statistics					Log-transformed Statistics				
317				Minimum Detected		17.8		Minimum Detected				2.879
318				Maximum Detected		4230		Maximum Detected				8.35

	A	B	C	D	E	F	G	H	I	J	K	L
319				Mean of Detected		382.3				Mean of Detected		4.526
320				SD of Detected		1070				SD of Detected		1.401
321				Minimum Non-Detect		22				Minimum Non-Detect		3.091
322				Maximum Non-Detect		22				Maximum Non-Detect		3.091
323												
324												
325						UCL Statistics						
326		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
327				Shapiro Wilk Test Statistic		0.359				Shapiro Wilk Test Statistic		0.878
328				5% Shapiro Wilk Critical Value		0.881				5% Shapiro Wilk Critical Value		0.881
329		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
330												
331		Assuming Normal Distribution						Assuming Lognormal Distribution				
332				DL/2 Substitution Method						DL/2 Substitution Method		
333				Mean		359.1				Mean		4.393
334				SD		1038				SD		1.454
335				95% DL/2 (t) UCL		813.8				95% H-Stat (DL/2) UCL		860.9
336												
337			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
338				Mean		200.7				Mean in Log Scale		4.395
339				SD		1143				SD in Log Scale		1.451
340				95% MLE (t) UCL		701.8				Mean in Original Scale		359.1
341				95% MLE (Tiku) UCL		684.7				SD in Original Scale		1038
342										95% Percentile Bootstrap UCL		875.6
343										95% BCA Bootstrap UCL		1138
344												
345		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
346				k star (bias corrected)		0.408		Data do not follow a Discernable Distribution (0.05)				
347				Theta Star		937.7						
348				nu star		12.23						
349												
350				A-D Test Statistic		2.003		Nonparametric Statistics				
351				5% A-D Critical Value		0.803				Kaplan-Meier (KM) Method		
352				K-S Test Statistic		0.803				Mean		359.6
353				5% K-S Critical Value		0.235				SD		1004
354		Data not Gamma Distributed at 5% Significance Level								SE of Mean		259.9
355										95% KM (t) UCL		815.3
356		Assuming Gamma Distribution								95% KM (z) UCL		787.1
357		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		814.2
358				Minimum		1E-09				95% KM (bootstrap t) UCL		4341
359				Maximum		4230				95% KM (BCA) UCL		886.6
360				Mean		358.4				95% KM (Percentile Bootstrap) UCL		877.7
361				Median		66.5				95% KM (Chebyshev) UCL		1493
362				SD		1038				97.5% KM (Chebyshev) UCL		1983
363				k star		0.239				99% KM (Chebyshev) UCL		2946
364				Theta star		1498						
365				Nu star		7.657		Potential UCLs to Use				
366				AppChi2		2.538				97.5% KM (Chebyshev) UCL		1983
367			95% Gamma Approximate UCL			1081						
368			95% Adjusted Gamma UCL			1239						
369	Note: DL/2 is not a recommended method.											
370												
371												

Dibenzo(a,h)anthracene

General Statistics

Number of Valid Data	14	Number of Detected Data		9
Number of Distinct Detected Data	9	Number of Non-Detect Data		5
Number of Missing Values	2	Percent Non-Detects		35.71%

Raw Statistics		Log-transformed Statistics	
Minimum Detected	1.3	Minimum Detected	0.262
Maximum Detected	4.8	Maximum Detected	1.569
Mean of Detected	2.844	Mean of Detected	0.957
SD of Detected	1.209	SD of Detected	0.458
Minimum Non-Detect	1.47	Minimum Non-Detect	0.385
Maximum Non-Detect	2.68	Maximum Non-Detect	0.986

Note: Data have multiple DLs - Use of KM Method is recommended	Number treated as Non-Detect	9
For all methods (except KM, DL/2, and ROS Methods),	Number treated as Detected	5
Observations < Largest ND are treated as NDs	Single DL Non-Detect Percentage	64.29%

Warning: There are only 9 Detected Values in this data

Note: It should be noted that even though bootstrap may be performed on this data set

the resulting calculations may not be reliable enough tp draw conclusions

It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.

UCL Statistics

Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.956	Shapiro Wilk Test Statistic	0.947
5% Shapiro Wilk Critical Value	0.829	5% Shapiro Wilk Critical Value	0.829
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	2.145	Mean	0.563
SD	1.367	SD	0.671
95% DL/2 (t) UCL	2.792	95% H-Stat (DL/2) UCL	2.043
Maximum Likelihood Estimate(MLE) Method		Log ROS Method	
Mean	2.157	Mean in Log Scale	0.741
SD	1.451	SD in Log Scale	0.47
95% MLE (t) UCL	2.843	Mean in Original Scale	2.337
95% MLE (Tiku) UCL	3.203	SD in Original Scale	1.184
		95% Percentile Bootstrap UCL	2.818
		95% BCA Bootstrap UCL	2.94

Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	3.967	Data appear Normal at 5% Significance Level	
Theta Star	0.717		
nu star	71.4		
A-D Test Statistic	0.208	Nonparametric Statistics	
5% A-D Critical Value	0.723	Kaplan-Meier (KM) Method	

	A	B	C	D	E	F	G	H	I	J	K	L
425					K-S Test Statistic	0.723					Mean	2.327
426					5% K-S Critical Value	0.28					SD	1.155
427			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	0.329
428											95% KM (t) UCL	2.91
429			Assuming Gamma Distribution								95% KM (z) UCL	2.869
430			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	2.9
431					Minimum	1.3					95% KM (bootstrap t) UCL	3.016
432					Maximum	4.8					95% KM (BCA) UCL	3.064
433					Mean	2.739				95% KM (Percentile Bootstrap) UCL		3
434					Median	2.477					95% KM (Chebyshev) UCL	3.763
435					SD	0.967					97.5% KM (Chebyshev) UCL	4.384
436					k star	6.844					99% KM (Chebyshev) UCL	5.604
437					Theta star	0.4						
438					Nu star	191.6			Potential UCLs to Use			
439					AppChi2	160.6					95% KM (t) UCL	2.91
440			95% Gamma Approximate UCL			3.268				95% KM (Percentile Bootstrap) UCL		3
441			95% Adjusted Gamma UCL			3.347						
442	Note: DL/2 is not a recommended method.											
443												
444												
445	Indeno(1,2,3-cd)pyrene											
446												
447							General Statistics					
448			Number of Valid Data			15				Number of Detected Data		12
449			Number of Distinct Detected Data			11				Number of Non-Detect Data		3
450			Number of Missing Values			1				Percent Non-Detects		20.00%
451												
452			Raw Statistics						Log-transformed Statistics			
453				Minimum Detected		3.5				Minimum Detected		1.253
454				Maximum Detected		26				Maximum Detected		3.258
455				Mean of Detected		12.43				Mean of Detected		2.323
456				SD of Detected		7.377				SD of Detected		0.704
457				Minimum Non-Detect		1.59				Minimum Non-Detect		0.464
458				Maximum Non-Detect		16.8				Maximum Non-Detect		2.821
459												
460	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		12
461	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		3
462	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		80.00%
463												
464							UCL Statistics					
465			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
466				Shapiro Wilk Test Statistic		0.92				Shapiro Wilk Test Statistic		0.886
467				5% Shapiro Wilk Critical Value		0.859				5% Shapiro Wilk Critical Value		0.859
468			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
469												
470			Assuming Normal Distribution						Assuming Lognormal Distribution			
471				DL/2 Substitution Method						DL/2 Substitution Method		
472					Mean	10.65					Mean	2.004
473					SD	7.68					SD	1.021
474				95% DL/2 (t) UCL		14.14				95% H-Stat (DL/2) UCL		16.82
475												
476			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
477					Mean	8.976					Mean in Log Scale	2.095

	A	B	C	D	E	F	G	H	I	J	K	L
478					SD	9.395				SD in Log Scale		0.814
479				95% MLE (t) UCL		13.25				Mean in Original Scale		10.69
480				95% MLE (Tiku) UCL		19.21				SD in Original Scale		7.527
481										95% Percentile Bootstrap UCL		13.88
482										95% BCA Bootstrap UCL		14.36
483												
484		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
485				k star (bias corrected)		2.07		Data appear Normal at 5% Significance Level				
486					Theta Star	6.007						
487					nu star	49.68						
488												
489				A-D Test Statistic		0.443		Nonparametric Statistics				
490				5% A-D Critical Value		0.74				Kaplan-Meier (KM) Method		
491				K-S Test Statistic		0.74					Mean	10.96
492				5% K-S Critical Value		0.248					SD	7.136
493		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	1.951
494										95% KM (t) UCL		14.39
495		Assuming Gamma Distribution								95% KM (z) UCL		14.16
496		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		14.37
497					Minimum	2.656				95% KM (bootstrap t) UCL		14.9
498					Maximum	26				95% KM (BCA) UCL		14.37
499					Mean	11.18				95% KM (Percentile Bootstrap) UCL		14.23
500					Median	12				95% KM (Chebyshev) UCL		19.46
501					SD	7.4				97.5% KM (Chebyshev) UCL		23.14
502					k star	1.743				99% KM (Chebyshev) UCL		30.37
503					Theta star	6.414						
504					Nu star	52.28		Potential UCLs to Use				
505					AppChi2	36.67				95% KM (t) UCL		14.39
506		95% Gamma Approximate UCL				15.94				95% KM (Percentile Bootstrap) UCL		14.23
507		95% Adjusted Gamma UCL				16.66						
508	Note: DL/2 is not a recommended method.											
509												
510												
511	Lead											
512												
513						General Statistics						
514			Number of Valid Observations			16				Number of Distinct Observations		16
515												
516		Raw Statistics						Log-transformed Statistics				
517				Minimum		7.23				Minimum of Log Data		1.978
518				Maximum		86.5				Maximum of Log Data		4.46
519				Mean		25.69				Mean of log Data		3.041
520				Median		20.85				SD of log Data		0.626
521				SD		20.02						
522			Coefficient of Variation			0.779						
523				Skewness		2.197						
524												
525						Relevant UCL Statistics						
526		Normal Distribution Test						Lognormal Distribution Test				
527			Shapiro Wilk Test Statistic			0.749				Shapiro Wilk Test Statistic		0.957
528			Shapiro Wilk Critical Value			0.887				Shapiro Wilk Critical Value		0.887
529		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
530												

	A	B	C	D	E	F	G	H	I	J	K	L
531	Assuming Normal Distribution						Assuming Lognormal Distribution					
532	95% Student's-t UCL					34.46	95% H-UCL					36.28
533	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					43.04
534	95% Adjusted-CLT UCL					36.86	97.5% Chebyshev (MVUE) UCL					50.8
535	95% Modified-t UCL					34.92	99% Chebyshev (MVUE) UCL					66.05
536												
537	Gamma Distribution Test						Data Distribution					
538	k star (bias corrected)					2.145	Data Follow Appr. Gamma Distribution at 5% Significance Level					
539	Theta Star					11.97						
540	nu star					68.65						
541	Approximate Chi Square Value (.05)					50.58	Nonparametric Statistics					
542	Adjusted Level of Significance					0.0335	95% CLT UCL					33.92
543	Adjusted Chi Square Value					48.82	95% Jackknife UCL					34.46
544							95% Standard Bootstrap UCL					33.8
545	Anderson-Darling Test Statistic					0.627	95% Bootstrap-t UCL					43.13
546	Anderson-Darling 5% Critical Value					0.747	95% Hall's Bootstrap UCL					70.47
547	Kolmogorov-Smirnov Test Statistic					0.23	95% Percentile Bootstrap UCL					34.26
548	Kolmogorov-Smirnov 5% Critical Value					0.217	95% BCA Bootstrap UCL					36.72
549	Data follow Appr. Gamma Distribution at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					47.5
550							97.5% Chebyshev(Mean, Sd) UCL					56.94
551	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					75.49
552	95% Approximate Gamma UCL					34.87						
553	95% Adjusted Gamma UCL					36.13						
554												
555	Potential UCL to Use						Use 95% Approximate Gamma UCL					34.87
556												
557												
558	Mercury											
559												
560	General Statistics											
561	Number of Valid Observations					16	Number of Distinct Observations					16
562												
563	Raw Statistics						Log-transformed Statistics					
564	Minimum					0.0146	Minimum of Log Data					-4.227
565	Maximum					0.091	Maximum of Log Data					-2.397
566	Mean					0.0503	Mean of log Data					-3.125
567	Median					0.0438	SD of log Data					0.563
568	SD					0.0247						
569	Coefficient of Variation					0.492						
570	Skewness					0.247						
571												
572	Relevant UCL Statistics											
573	Normal Distribution Test						Lognormal Distribution Test					
574	Shapiro Wilk Test Statistic					0.945	Shapiro Wilk Test Statistic					0.944
575	Shapiro Wilk Critical Value					0.887	Shapiro Wilk Critical Value					0.887
576	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
577												
578	Assuming Normal Distribution						Assuming Lognormal Distribution					
579	95% Student's-t UCL					0.0611	95% H-UCL					0.0701
580	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					0.0834
581	95% Adjusted-CLT UCL					0.0608	97.5% Chebyshev (MVUE) UCL					0.0975
582	95% Modified-t UCL					0.0612	99% Chebyshev (MVUE) UCL					0.125
583												

	A	B	C	D	E	F	G	H	I	J	K	L
584			Gamma Distribution Test						Data Distribution			
585				k star (bias corrected)		3.204		Data appear Normal at 5% Significance Level				
586				Theta Star		0.0157						
587				nu star		102.5						
588			Approximate Chi Square Value (.05)			80.16		Nonparametric Statistics				
589			Adjusted Level of Significance			0.0335				95% CLT UCL		0.0604
590				Adjusted Chi Square Value		77.91				95% Jackknife UCL		0.0611
591										95% Standard Bootstrap UCL		0.0603
592			Anderson-Darling Test Statistic			0.265				95% Bootstrap-t UCL		0.0615
593			Anderson-Darling 5% Critical Value			0.742				95% Hall's Bootstrap UCL		0.0605
594			Kolmogorov-Smirnov Test Statistic			0.142				95% Percentile Bootstrap UCL		0.0599
595			Kolmogorov-Smirnov 5% Critical Value			0.216				95% BCA Bootstrap UCL		0.0607
596		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			0.0772
597									97.5% Chebyshev(Mean, Sd) UCL			0.0889
598			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			0.112
599			95% Approximate Gamma UCL			0.0643						
600				95% Adjusted Gamma UCL		0.0661						
601												
602			Potential UCL to Use						Use 95% Student's-t UCL			0.0611
603												
604												
605	Total Aroclors											
606												
607					General Statistics							
608			Number of Valid Observations			9			Number of Distinct Observations			9
609												
610			Raw Statistics						Log-transformed Statistics			
611				Minimum		15.73				Minimum of Log Data		2.755
612				Maximum		203.1				Maximum of Log Data		5.314
613				Mean		52.13				Mean of log Data		3.643
614				Median		35.76				SD of log Data		0.735
615				SD		57.87						
616			Coefficient of Variation			1.11						
617				Skewness		2.757						
618												
619												
620					Warning: There are only 9 Values in this data							
621			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
622				the resulting calculations may not be reliable enough to draw conclusions								
623												
624			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
625												
626					Relevant UCL Statistics							
627			Normal Distribution Test						Lognormal Distribution Test			
628			Shapiro Wilk Test Statistic			0.589				Shapiro Wilk Test Statistic		0.877
629			Shapiro Wilk Critical Value			0.829				Shapiro Wilk Critical Value		0.829
630		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
631												
632			Assuming Normal Distribution						Assuming Lognormal Distribution			
633				95% Student's-t UCL		88				95% H-UCL		100.6
634		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			101.2
635				95% Adjusted-CLT UCL		102.8			97.5% Chebyshev (MVUE) UCL			124.2
636				95% Modified-t UCL		90.95			99% Chebyshev (MVUE) UCL			169.2

	A	B	C	D	E	F	G	H	I	J	K	L
637												
638			Gamma Distribution Test						Data Distribution			
639			k star (bias corrected)			1.244			Data appear Lognormal at 5% Significance Level			
640			Theta Star			41.9						
641			nu star			22.39						
642			Approximate Chi Square Value (.05)			12.63			Nonparametric Statistics			
643			Adjusted Level of Significance			0.0231			95% CLT UCL			83.86
644			Adjusted Chi Square Value			11.12			95% Jackknife UCL			88
645									95% Standard Bootstrap UCL			81.52
646			Anderson-Darling Test Statistic			0.866			95% Bootstrap-t UCL			175.8
647			Anderson-Darling 5% Critical Value			0.732			95% Hall's Bootstrap UCL			213.3
648			Kolmogorov-Smirnov Test Statistic			0.296			95% Percentile Bootstrap UCL			88.15
649			Kolmogorov-Smirnov 5% Critical Value			0.283			95% BCA Bootstrap UCL			108.9
650		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			136.2
651									97.5% Chebyshev(Mean, Sd) UCL			172.6
652			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			244.1
653			95% Approximate Gamma UCL			92.39						
654			95% Adjusted Gamma UCL			105						
655												
656			Potential UCL to Use						Use 95% H-UCL			100.6
657												
658												
659	Total DDT											
660												
661					General Statistics							
662			Number of Valid Data			16			Number of Detected Data			8
663			Number of Distinct Detected Data			8			Number of Non-Detect Data			8
664									Percent Non-Detects			50.00%
665												
666			Raw Statistics						Log-transformed Statistics			
667			Minimum Detected			0.405			Minimum Detected			-0.904
668			Maximum Detected			4.625			Maximum Detected			1.531
669			Mean of Detected			1.876			Mean of Detected			0.307
670			SD of Detected			1.531			SD of Detected			0.893
671			Minimum Non-Detect			0.0538			Minimum Non-Detect			-2.922
672			Maximum Non-Detect			3.79			Maximum Non-Detect			1.332
673												
674	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			15
675	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
676	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			93.75%
677												
678				Warning: There are only 8 Detected Values in this data								
679				Note: It should be noted that even though bootstrap may be performed on this data set								
680				the resulting calculations may not be reliable enough tp draw conclusions								
681												
682				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
683												
684												
685					UCL Statistics							
686		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
687			Shapiro Wilk Test Statistic			0.882			Shapiro Wilk Test Statistic			0.946
688			5% Shapiro Wilk Critical Value			0.818			5% Shapiro Wilk Critical Value			0.818
689		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
690												
691			Assuming Normal Distribution						Assuming Lognormal Distribution			
692			DL/2 Substitution Method						DL/2 Substitution Method			
693					Mean	1.445					Mean	-0.0946
694					SD	1.216					SD	1.252
695				95% DL/2 (t) UCL		1.977				95% H-Stat (DL/2) UCL		3.486
696												
697			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
698			MLE method failed to converge properly							Mean in Log Scale		-0.217
699										SD in Log Scale		0.89
700										Mean in Original Scale		1.201
701										SD in Original Scale		1.265
702									95% Percentile Bootstrap UCL			1.736
703										95% BCA Bootstrap UCL		1.831
704												
705			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
706				k star (bias corrected)		1.145			Data appear Normal at 5% Significance Level			
707					Theta Star	1.639						
708					nu star	18.31						
709												
710					A-D Test Statistic	0.256			Nonparametric Statistics			
711				5% A-D Critical Value		0.727			Kaplan-Meier (KM) Method			
712					K-S Test Statistic	0.727					Mean	1.324
713				5% K-S Critical Value		0.298					SD	1.227
714			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	0.352
715										95% KM (t) UCL		1.941
716			Assuming Gamma Distribution							95% KM (z) UCL		1.903
717			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			1.924
718					Minimum	0.405			95% KM (bootstrap t) UCL			2.16
719					Maximum	4.625			95% KM (BCA) UCL			2.034
720					Mean	1.778			95% KM (Percentile Bootstrap) UCL			1.95
721					Median	1.9			95% KM (Chebyshev) UCL			2.857
722					SD	1.157			97.5% KM (Chebyshev) UCL			3.521
723					k star	1.951			99% KM (Chebyshev) UCL			4.824
724					Theta star	0.911						
725					Nu star	62.45			Potential UCLs to Use			
726					AppChi2	45.27				95% KM (t) UCL		1.941
727				95% Gamma Approximate UCL		2.453			95% KM (Percentile Bootstrap) UCL			1.95
728				95% Adjusted Gamma UCL		2.547						
729	Note: DL/2 is not a recommended method.											
730												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM9.0W.wst								
4			Full Precision	OFF								
5			Confidence Coefficient	95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Arsenic											
10												
11							General Statistics					
12				Number of Valid Data		17			Number of Detected Data			15
13			Number of Distinct Detected Data			14			Number of Non-Detect Data			2
14									Percent Non-Detects			11.76%
15												
16			Raw Statistics					Log-transformed Statistics				
17				Minimum Detected		2.35			Minimum Detected			0.854
18				Maximum Detected		9.8			Maximum Detected			2.282
19				Mean of Detected		4.339			Mean of Detected			1.4
20				SD of Detected		1.844			SD of Detected			0.365
21				Minimum Non-Detect		5			Minimum Non-Detect			1.609
22				Maximum Non-Detect		6			Maximum Non-Detect			1.792
23												
24	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			15
25	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
26	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			88.24%
27												
28							UCL Statistics					
29		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
30				Shapiro Wilk Test Statistic		0.806			Shapiro Wilk Test Statistic			0.936
31				5% Shapiro Wilk Critical Value		0.881			5% Shapiro Wilk Critical Value			0.881
32		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
33												
34		Assuming Normal Distribution						Assuming Lognormal Distribution				
35				DL/2 Substitution Method					DL/2 Substitution Method			
36				Mean		4.152			Mean			1.354
37				SD		1.806			SD			0.367
38				95% DL/2 (t) UCL		4.917			95% H-Stat (DL/2) UCL			4.561
39												
40			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
41		MLE method failed to converge properly							Mean in Log Scale			1.39
42									SD in Log Scale			0.343
43									Mean in Original Scale			4.265
44									SD in Original Scale			1.738
45									95% Percentile Bootstrap UCL			5.029
46									95% BCA Bootstrap UCL			5.21
47												
48		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
49				k star (bias corrected)		6.109		Data Follow Appr. Gamma Distribution at 5% Significance Level				
50				Theta Star		0.71						
51				nu star		183.3						
52												
53				A-D Test Statistic		0.541			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
54				5% A-D Critical Value		0.738			Kaplan-Meier (KM) Method			
55				K-S Test Statistic		0.738					Mean	4.263
56				5% K-S Critical Value		0.222					SD	1.709
57	Data follow Appr. Gamma Distribution at 5% Significance Level										SE of Mean	0.436
58											95% KM (t) UCL	5.024
59			Assuming Gamma Distribution								95% KM (z) UCL	4.98
60			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	5.023
61				Minimum		2.35					95% KM (bootstrap t) UCL	5.463
62				Maximum		9.8					95% KM (BCA) UCL	4.957
63				Mean		4.353			95% KM (Percentile Bootstrap) UCL			4.99
64				Median		4.3					95% KM (Chebyshev) UCL	6.162
65				SD		1.725					97.5% KM (Chebyshev) UCL	6.983
66				k star		7.092					99% KM (Chebyshev) UCL	8.597
67				Theta star		0.614						
68				Nu star		241.1			Potential UCLs to Use			
69				AppChi2		206.2					95% KM (BCA) UCL	4.957
70			95% Gamma Approximate UCL			5.091						
71			95% Adjusted Gamma UCL			5.176						
72	Note: DL/2 is not a recommended method.											
73												
74												
75	Benzo(a)anthracene											
76												
77						General Statistics						
78			Number of Valid Observations			17			Number of Distinct Observations			16
79												
80			Raw Statistics						Log-transformed Statistics			
81				Minimum		3.4			Minimum of Log Data			1.224
82				Maximum		1600			Maximum of Log Data			7.378
83				Mean		154.6			Mean of log Data			3.774
84				Median		44			SD of log Data			1.537
85				SD		377.8						
86			Coefficient of Variation			2.444						
87				Skewness		3.935						
88												
89						Relevant UCL Statistics						
90			Normal Distribution Test						Lognormal Distribution Test			
91			Shapiro Wilk Test Statistic			0.398			Shapiro Wilk Test Statistic			0.969
92			Shapiro Wilk Critical Value			0.892			Shapiro Wilk Critical Value			0.892
93			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
94												
95			Assuming Normal Distribution						Assuming Lognormal Distribution			
96				95% Student's-t UCL		314.5					95% H-UCL	554.2
97			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			361
98				95% Adjusted-CLT UCL		398.7			97.5% Chebyshev (MVUE) UCL			463.3
99				95% Modified-t UCL		329.1			99% Chebyshev (MVUE) UCL			664.3
100												
101			Gamma Distribution Test						Data Distribution			
102				k star (bias corrected)		0.452			Data Follow Appr. Gamma Distribution at 5% Significance Level			
103				Theta Star		342						
104				nu star		15.37						
105			Approximate Chi Square Value (.05)			7.517			Nonparametric Statistics			
106			Adjusted Level of Significance			0.0346					95% CLT UCL	305.3

	A	B	C	D	E	F	G	H	I	J	K	L
107					Adjusted Chi Square Value	6.947					95% Jackknife UCL	314.5
108											95% Standard Bootstrap UCL	300.6
109					Anderson-Darling Test Statistic	1.074					95% Bootstrap-t UCL	910.5
110					Anderson-Darling 5% Critical Value	0.798					95% Hall's Bootstrap UCL	842.2
111					Kolmogorov-Smirnov Test Statistic	0.209					95% Percentile Bootstrap UCL	333.7
112					Kolmogorov-Smirnov 5% Critical Value	0.221					95% BCA Bootstrap UCL	434
113		Data follow Appr. Gamma Distribution at 5% Significance Level									95% Chebyshev(Mean, Sd) UCL	553.9
114											97.5% Chebyshev(Mean, Sd) UCL	726.7
115		Assuming Gamma Distribution									99% Chebyshev(Mean, Sd) UCL	1066
116				95% Approximate Gamma UCL		315.9						
117				95% Adjusted Gamma UCL		341.8						
118												
119		Potential UCL to Use								Use 95% Approximate Gamma UCL		315.9
120												
121												
122	Benzo(a)pyrene											
123												
124					General Statistics							
125				Number of Valid Observations		17				Number of Distinct Observations		17
126												
127		Raw Statistics						Log-transformed Statistics				
128					Minimum	4.2					Minimum of Log Data	1.435
129					Maximum	790					Maximum of Log Data	6.672
130					Mean	103					Mean of log Data	3.677
131					Median	40					SD of log Data	1.39
132					SD	189.5						
133				Coefficient of Variation		1.841						
134					Skewness	3.35						
135												
136					Relevant UCL Statistics							
137		Normal Distribution Test						Lognormal Distribution Test				
138				Shapiro Wilk Test Statistic		0.529					Shapiro Wilk Test Statistic	0.979
139				Shapiro Wilk Critical Value		0.892					Shapiro Wilk Critical Value	0.892
140		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
141												
142		Assuming Normal Distribution						Assuming Lognormal Distribution				
143				95% Student's-t UCL		183.2					95% H-UCL	326.1
144		95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL		253.8
145				95% Adjusted-CLT UCL		218.5					97.5% Chebyshev (MVUE) UCL	322.9
146				95% Modified-t UCL		189.4					99% Chebyshev (MVUE) UCL	458.6
147												
148		Gamma Distribution Test						Data Distribution				
149				k star (bias corrected)		0.566		Data appear Gamma Distributed at 5% Significance Level				
150					Theta Star	182						
151					nu star	19.23						
152			Approximate Chi Square Value (.05)			10.29				Nonparametric Statistics		
153				Adjusted Level of Significance		0.0346					95% CLT UCL	178.6
154				Adjusted Chi Square Value		9.608					95% Jackknife UCL	183.2
155											95% Standard Bootstrap UCL	176.1
156				Anderson-Darling Test Statistic		0.718					95% Bootstrap-t UCL	321
157				Anderson-Darling 5% Critical Value		0.786					95% Hall's Bootstrap UCL	416.5
158				Kolmogorov-Smirnov Test Statistic		0.197					95% Percentile Bootstrap UCL	187.6
159				Kolmogorov-Smirnov 5% Critical Value		0.219					95% BCA Bootstrap UCL	233.7

	A	B	C	D	E	F	G	H	I	J	K	L
160	Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL			303.3
161									97.5% Chebyshev(Mean, Sd) UCL			390
162	Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL			560.3
163	95% Approximate Gamma UCL					192.5						
164	95% Adjusted Gamma UCL					206.1						
165												
166	Potential UCL to Use								Use 95% Approximate Gamma UCL			192.5
167												
168												
169	Benzo(b)fluoranthene											
170												
171	General Statistics											
172	Number of Valid Observations					17			Number of Distinct Observations			16
173												
174	Raw Statistics								Log-transformed Statistics			
175	Minimum					4.8			Minimum of Log Data			1.569
176	Maximum					1000			Maximum of Log Data			6.908
177	Mean					159.8			Mean of log Data			4.051
178	Median					70			SD of log Data			1.52
179	SD					260.8						
180	Coefficient of Variation					1.633						
181	Skewness					2.584						
182												
183	Relevant UCL Statistics											
184	Normal Distribution Test								Lognormal Distribution Test			
185	Shapiro Wilk Test Statistic					0.623			Shapiro Wilk Test Statistic			0.974
186	Shapiro Wilk Critical Value					0.892			Shapiro Wilk Critical Value			0.892
187	Data not Normal at 5% Significance Level								Data appear Lognormal at 5% Significance Level			
188												
189	Assuming Normal Distribution								Assuming Lognormal Distribution			
190	95% Student's-t UCL					270.2			95% H-UCL			695.6
191	95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL			462.8
192	95% Adjusted-CLT UCL					306.2			97.5% Chebyshev (MVUE) UCL			593.4
193	95% Modified-t UCL					276.8			99% Chebyshev (MVUE) UCL			850
194												
195	Gamma Distribution Test								Data Distribution			
196	k star (bias corrected)					0.536			Data appear Gamma Distributed at 5% Significance Level			
197	Theta Star					298						
198	nu star					18.23						
199	Approximate Chi Square Value (.05)					9.557			Nonparametric Statistics			
200	Adjusted Level of Significance					0.0346			95% CLT UCL			263.8
201	Adjusted Chi Square Value					8.904			95% Jackknife UCL			270.2
202									95% Standard Bootstrap UCL			263
203	Anderson-Darling Test Statistic					0.581			95% Bootstrap-t UCL			468.7
204	Anderson-Darling 5% Critical Value					0.789			95% Hall's Bootstrap UCL			684.9
205	Kolmogorov-Smirnov Test Statistic					0.177			95% Percentile Bootstrap UCL			268.4
206	Kolmogorov-Smirnov 5% Critical Value					0.219			95% BCA Bootstrap UCL			300.5
207	Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL			435.5
208									97.5% Chebyshev(Mean, Sd) UCL			554.8
209	Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL			789.2
210	95% Approximate Gamma UCL					304.7						
211	95% Adjusted Gamma UCL					327.1						
212												

	A	B	C	D	E	F	G	H	I	J	K	L
213				Potential UCL to Use					Use 95% Approximate Gamma UCL			304.7
214												
215												
216	Benzo(k)fluoranthene											
217												
218					General Statistics							
219				Number of Valid Observations		17			Number of Distinct Observations			16
220												
221				Raw Statistics					Log-transformed Statistics			
222				Minimum		1.7			Minimum of Log Data			0.531
223				Maximum		400			Maximum of Log Data			5.991
224				Mean		61.55			Mean of log Data			3.191
225				Median		28			SD of log Data			1.469
226				SD		97.19						
227				Coefficient of Variation		1.579						
228				Skewness		2.945						
229												
230					Relevant UCL Statistics							
231				Normal Distribution Test					Lognormal Distribution Test			
232				Shapiro Wilk Test Statistic		0.618			Shapiro Wilk Test Statistic			0.978
233				Shapiro Wilk Critical Value		0.892			Shapiro Wilk Critical Value			0.892
234			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
235												
236				Assuming Normal Distribution					Assuming Lognormal Distribution			
237				95% Student's-t UCL		102.7			95% H-UCL			252.4
238			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			179.1
239				95% Adjusted-CLT UCL		118.3			97.5% Chebyshev (MVUE) UCL			229
240				95% Modified-t UCL		105.5			99% Chebyshev (MVUE) UCL			327
241												
242			Gamma Distribution Test						Data Distribution			
243				k star (bias corrected)		0.58		Data appear Gamma Distributed at 5% Significance Level				
244				Theta Star		106.1						
245				nu star		19.72						
246			Approximate Chi Square Value (.05)			10.64			Nonparametric Statistics			
247				Adjusted Level of Significance		0.0346			95% CLT UCL			100.3
248				Adjusted Chi Square Value		9.949			95% Jackknife UCL			102.7
249									95% Standard Bootstrap UCL			100.2
250				Anderson-Darling Test Statistic		0.469			95% Bootstrap-t UCL			155
251				Anderson-Darling 5% Critical Value		0.784			95% Hall's Bootstrap UCL			241.6
252				Kolmogorov-Smirnov Test Statistic		0.174			95% Percentile Bootstrap UCL			102.9
253			Kolmogorov-Smirnov 5% Critical Value			0.219			95% BCA Bootstrap UCL			125.5
254			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			164.3
255									97.5% Chebyshev(Mean, Sd) UCL			208.8
256			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			296.1
257				95% Approximate Gamma UCL		114						
258				95% Adjusted Gamma UCL		122						
259												
260				Potential UCL to Use					Use 95% Approximate Gamma UCL			114
261												
262												
263	Bis(2-ethylhexyl) phthalate											
264												
265					General Statistics							

	A	B	C	D	E	F	G	H	I	J	K	L
266					Number of Valid Data	17				Number of Detected Data		12
267			Number of Distinct Detected Data			12				Number of Non-Detect Data		5
268										Percent Non-Detects		29.41%
269												
270				Raw Statistics						Log-transformed Statistics		
271				Minimum Detected		23				Minimum Detected		3.135
272				Maximum Detected		980				Maximum Detected		6.888
273				Mean of Detected		229.8				Mean of Detected		4.806
274				SD of Detected		283.8				SD of Detected		1.177
275				Minimum Non-Detect		25				Minimum Non-Detect		3.219
276				Maximum Non-Detect		110				Maximum Non-Detect		4.7
277												
278		Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect		12
279		For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected		5
280		Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage		70.59%
281												
282							UCL Statistics					
283			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
284				Shapiro Wilk Test Statistic		0.743				Shapiro Wilk Test Statistic		0.96
285				5% Shapiro Wilk Critical Value		0.859				5% Shapiro Wilk Critical Value		0.859
286			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
287												
288				Assuming Normal Distribution						Assuming Lognormal Distribution		
289				DL/2 Substitution Method						DL/2 Substitution Method		
290					Mean	173.4				Mean		4.419
291					SD	252.2				SD		1.201
292				95% DL/2 (t) UCL		280.2				95% H-Stat (DL/2) UCL		429.5
293												
294				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
295			Data not Normal at 5% Significance Level						Mean in Log Scale		4.403
296										SD in Log Scale		1.205
297										Mean in Original Scale		172.6
298										SD in Original Scale		252.6
299										95% Percentile Bootstrap UCL		279.5
300										95% BCA Bootstrap UCL		324.8
301												
302			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
303				k star (bias corrected)		0.748			Data appear Gamma Distributed at 5% Significance Level			
304					Theta Star	307.5						
305					nu star	17.94						
306												
307					A-D Test Statistic	0.464				Nonparametric Statistics		
308				5% A-D Critical Value		0.759				Kaplan-Meier (KM) Method		
309					K-S Test Statistic	0.759				Mean		173.8
310				5% K-S Critical Value		0.253				SD		244.6
311			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		62.03
312										95% KM (t) UCL		282.1
313				Assuming Gamma Distribution						95% KM (z) UCL		275.8
314			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		280
315					Minimum	23				95% KM (bootstrap t) UCL		379.7
316					Maximum	980				95% KM (BCA) UCL		272.8
317					Mean	216.6				95% KM (Percentile Bootstrap) UCL		279.1
318					Median	157.4				95% KM (Chebyshev) UCL		444.1

MLE yields a negative mean

	A	B	C	D	E	F	G	H	I	J	K	L
319						SD	237.9			97.5% KM (Chebyshev) UCL		561.1
320						k star	1.048			99% KM (Chebyshev) UCL		790.9
321						Theta star	206.7					
322						Nu star	35.62		Potential UCLs to Use			
323						AppChi2	22.96			95% KM (Chebyshev) UCL		444.1
324			95% Gamma Approximate UCL				336					
325			95% Adjusted Gamma UCL				352.3					
326	Note: DL/2 is not a recommended method.											
327												
328												
329	Dibenzo(a,h)anthracene											
330												
331					General Statistics							
332			Number of Valid Data				17			Number of Detected Data		16
333			Number of Distinct Detected Data				15			Number of Non-Detect Data		1
334										Percent Non-Detects		5.88%
335												
336			Raw Statistics						Log-transformed Statistics			
337				Minimum Detected			1.1			Minimum Detected		0.0953
338				Maximum Detected			110			Maximum Detected		4.7
339				Mean of Detected			18.77			Mean of Detected		2.029
340				SD of Detected			28.84			SD of Detected		1.387
341				Minimum Non-Detect			0.62			Minimum Non-Detect		-0.478
342				Maximum Non-Detect			0.62			Maximum Non-Detect		-0.478
343												
344												
345					UCL Statistics							
346		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
347				Shapiro Wilk Test Statistic			0.65			Shapiro Wilk Test Statistic		0.953
348				5% Shapiro Wilk Critical Value			0.887			5% Shapiro Wilk Critical Value		0.887
349		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
350												
351		Assuming Normal Distribution							Assuming Lognormal Distribution			
352				DL/2 Substitution Method						DL/2 Substitution Method		
353					Mean		17.68			Mean		1.841
354					SD		28.28			SD		1.551
355				95% DL/2 (t) UCL			29.66			95% H-Stat (DL/2) UCL		71.74
356												
357		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
358					Mean		16.65			Mean in Log Scale		1.827
359					SD		28.61			SD in Log Scale		1.579
360				95% MLE (t) UCL			28.76			Mean in Original Scale		17.68
361				95% MLE (Tiku) UCL			27.83			SD in Original Scale		28.29
362										95% Percentile Bootstrap UCL		29.75
363										95% BCA Bootstrap UCL		34.37
364												
365		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
366				k star (bias corrected)			0.588		Data appear Gamma Distributed at 5% Significance Level			
367				Theta Star			31.9					
368				nu star			18.83					
369												
370				A-D Test Statistic			0.669		Nonparametric Statistics			
371				5% A-D Critical Value			0.781			Kaplan-Meier (KM) Method		

	A	B	C	D	E	F	G	H	I	J	K	L
372					K-S Test Statistic	0.781					Mean	17.73
373					5% K-S Critical Value	0.224					SD	27.41
374	Data appear Gamma Distributed at 5% Significance Level										SE of Mean	6.866
375											95% KM (t) UCL	29.72
376			Assuming Gamma Distribution								95% KM (z) UCL	29.02
377		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	29.68
378					Minimum	1E-09					95% KM (bootstrap t) UCL	42.63
379					Maximum	110					95% KM (BCA) UCL	28.75
380					Mean	17.66				95% KM (Percentile Bootstrap) UCL		29.37
381					Median	7.6					95% KM (Chebyshev) UCL	47.66
382					SD	28.3					97.5% KM (Chebyshev) UCL	60.61
383					k star	0.298					99% KM (Chebyshev) UCL	86.05
384					Theta star	59.34						
385					Nu star	10.12			Potential UCLs to Use			
386					AppChi2	4.017					95% KM (Chebyshev) UCL	47.66
387			95% Gamma Approximate UCL			44.5						
388			95% Adjusted Gamma UCL			49.35						
389	Note: DL/2 is not a recommended method.											
390												
391												
392	Indeno(1,2,3-cd)pyrene											
393												
394					General Statistics							
395			Number of Valid Observations			17			Number of Distinct Observations			14
396												
397			Raw Statistics						Log-transformed Statistics			
398				Minimum		3.1				Minimum of Log Data		1.131
399				Maximum		390				Maximum of Log Data		5.966
400				Mean		66.72				Mean of log Data		3.386
401				Median		33				SD of log Data		1.337
402				SD		99.18						
403			Coefficient of Variation			1.487						
404				Skewness		2.559						
405												
406					Relevant UCL Statistics							
407			Normal Distribution Test						Lognormal Distribution Test			
408			Shapiro Wilk Test Statistic			0.64			Shapiro Wilk Test Statistic			0.972
409			Shapiro Wilk Critical Value			0.892			Shapiro Wilk Critical Value			0.892
410		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
411												
412			Assuming Normal Distribution						Assuming Lognormal Distribution			
413				95% Student's-t UCL		108.7				95% H-UCL		211
414		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			173.6
415			95% Adjusted-CLT UCL			122.2			97.5% Chebyshev (MVUE) UCL			220.1
416			95% Modified-t UCL			111.2			99% Chebyshev (MVUE) UCL			311.4
417												
418			Gamma Distribution Test						Data Distribution			
419			k star (bias corrected)			0.646		Data appear Gamma Distributed at 5% Significance Level				
420				Theta Star		103.3						
421				nu star		21.96						
422		Approximate Chi Square Value (.05)				12.31			Nonparametric Statistics			
423		Adjusted Level of Significance				0.0346				95% CLT UCL		106.3
424		Adjusted Chi Square Value				11.56				95% Jackknife UCL		108.7

	A	B	C	D	E	F	G	H	I	J	K	L
425										95% Standard Bootstrap UCL		106.3
426				Anderson-Darling Test Statistic		0.597				95% Bootstrap-t UCL		152.7
427				Anderson-Darling 5% Critical Value		0.778				95% Hall's Bootstrap UCL		144.8
428				Kolmogorov-Smirnov Test Statistic		0.174				95% Percentile Bootstrap UCL		109.3
429				Kolmogorov-Smirnov 5% Critical Value		0.217				95% BCA Bootstrap UCL		124.6
430			Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		171.6
431										97.5% Chebyshev(Mean, Sd) UCL		216.9
432			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		306.1
433				95% Approximate Gamma UCL		119						
434				95% Adjusted Gamma UCL		126.8						
435												
436			Potential UCL to Use							Use 95% Approximate Gamma UCL		119
437												
438												
439	Lead											
440												
441					General Statistics							
442				Number of Valid Observations		17				Number of Distinct Observations		17
443												
444				Raw Statistics						Log-transformed Statistics		
445					Minimum	8.3				Minimum of Log Data		2.116
446					Maximum	178				Maximum of Log Data		5.182
447					Mean	42.04				Mean of log Data		3.216
448					Median	17.3				SD of log Data		0.967
449					SD	51.9						
450				Coefficient of Variation		1.235						
451					Skewness	1.866						
452												
453					Relevant UCL Statistics							
454			Normal Distribution Test							Lognormal Distribution Test		
455				Shapiro Wilk Test Statistic		0.662				Shapiro Wilk Test Statistic		0.867
456				Shapiro Wilk Critical Value		0.892				Shapiro Wilk Critical Value		0.892
457		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
458												
459			Assuming Normal Distribution							Assuming Lognormal Distribution		
460				95% Student's-t UCL		64.02				95% H-UCL		75.05
461		95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL		81.42
462				95% Adjusted-CLT UCL		68.83				97.5% Chebyshev (MVUE) UCL		100.1
463				95% Modified-t UCL		64.97				99% Chebyshev (MVUE) UCL		136.7
464												
465			Gamma Distribution Test							Data Distribution		
466				k star (bias corrected)		0.94		Data do not follow a Discernable Distribution (0.05)				
467					Theta Star	44.74						
468					nu star	31.94						
469			Approximate Chi Square Value (.05)			20.03				Nonparametric Statistics		
470				Adjusted Level of Significance		0.0346				95% CLT UCL		62.74
471				Adjusted Chi Square Value		19.04				95% Jackknife UCL		64.02
472										95% Standard Bootstrap UCL		62.41
473				Anderson-Darling Test Statistic		1.475				95% Bootstrap-t UCL		77.84
474				Anderson-Darling 5% Critical Value		0.764				95% Hall's Bootstrap UCL		60.76
475				Kolmogorov-Smirnov Test Statistic		0.244				95% Percentile Bootstrap UCL		62.7
476				Kolmogorov-Smirnov 5% Critical Value		0.215				95% BCA Bootstrap UCL		66.79
477		Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		96.91

	A	B	C	D	E	F	G	H	I	J	K	L
478									97.5% Chebyshev(Mean, Sd) UCL			120.6
479			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			167.3
480			95% Approximate Gamma UCL			67.05						
481			95% Adjusted Gamma UCL			70.52						
482												
483			Potential UCL to Use						Use 95% Chebyshev (Mean, Sd) UCL			96.91
484												
485												
486	Mercury											
487												
488					General Statistics							
489			Number of Valid Observations			17			Number of Distinct Observations			15
490												
491			Raw Statistics						Log-transformed Statistics			
492				Minimum		0.047			Minimum of Log Data			-3.058
493				Maximum		0.407			Maximum of Log Data			-0.899
494				Mean		0.123			Mean of log Data			-2.357
495				Median		0.081			SD of log Data			0.687
496				SD		0.105						
497			Coefficient of Variation			0.86						
498				Skewness		1.726						
499												
500					Relevant UCL Statistics							
501			Normal Distribution Test						Lognormal Distribution Test			
502			Shapiro Wilk Test Statistic			0.723			Shapiro Wilk Test Statistic			0.852
503			Shapiro Wilk Critical Value			0.892			Shapiro Wilk Critical Value			0.892
504			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
505												
506			Assuming Normal Distribution						Assuming Lognormal Distribution			
507			95% Student's-t UCL			0.167			95% H-UCL			0.176
508			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			0.209
509			95% Adjusted-CLT UCL			0.176			97.5% Chebyshev (MVUE) UCL			0.248
510			95% Modified-t UCL			0.169			99% Chebyshev (MVUE) UCL			0.325
511												
512			Gamma Distribution Test						Data Distribution			
513			k star (bias corrected)			1.758			Data do not follow a Discernable Distribution (0.05)			
514				Theta Star		0.0698						
515				nu star		59.77						
516			Approximate Chi Square Value (.05)			42.99			Nonparametric Statistics			
517			Adjusted Level of Significance			0.0346			95% CLT UCL			0.165
518			Adjusted Chi Square Value			41.5			95% Jackknife UCL			0.167
519									95% Standard Bootstrap UCL			0.164
520			Anderson-Darling Test Statistic			1.383			95% Bootstrap-t UCL			0.199
521			Anderson-Darling 5% Critical Value			0.749			95% Hall's Bootstrap UCL			0.169
522			Kolmogorov-Smirnov Test Statistic			0.244			95% Percentile Bootstrap UCL			0.166
523			Kolmogorov-Smirnov 5% Critical Value			0.212			95% BCA Bootstrap UCL			0.177
524			Data not Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			0.234
525									97.5% Chebyshev(Mean, Sd) UCL			0.282
526			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			0.377
527			95% Approximate Gamma UCL			0.171						
528			95% Adjusted Gamma UCL			0.177						
529												
530			Potential UCL to Use						Use 95% Chebyshev (Mean, Sd) UCL			0.234

	A	B	C	D	E	F	G	H	I	J	K	L
531												
532												
533	Naphthalene											
534												
535					General Statistics							
536			Number of Valid Data			17			Number of Detected Data			10
537		Number of Distinct Detected Data				9			Number of Non-Detect Data			7
538									Percent Non-Detects			41.18%
539												
540			Raw Statistics						Log-transformed Statistics			
541			Minimum Detected			5.5			Minimum Detected			1.705
542			Maximum Detected			67			Maximum Detected			4.205
543			Mean of Detected			25.44			Mean of Detected			3.01
544			SD of Detected			18.04			SD of Detected			0.735
545			Minimum Non-Detect			3.3			Minimum Non-Detect			1.194
546			Maximum Non-Detect			20			Maximum Non-Detect			2.996
547												
548	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			12
549	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			5
550	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			70.59%
551												
552					UCL Statistics							
553		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
554			Shapiro Wilk Test Statistic			0.887			Shapiro Wilk Test Statistic			0.986
555			5% Shapiro Wilk Critical Value			0.842			5% Shapiro Wilk Critical Value			0.842
556		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
557												
558		Assuming Normal Distribution							Assuming Lognormal Distribution			
559			DL/2 Substitution Method						DL/2 Substitution Method			
560					Mean	16.87					Mean	2.308
561					SD	17.3					SD	1.111
562			95% DL/2 (t) UCL			24.19			95% H-Stat (DL/2) UCL			24.68
563												
564		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
565					Mean	41.63			Mean in Log Scale			2.377
566					SD	15.07			SD in Log Scale			0.975
567			95% MLE (t) UCL			48.01			Mean in Original Scale			16.84
568			95% MLE (Tiku) UCL			53.01			SD in Original Scale			17.21
569									95% Percentile Bootstrap UCL			23.94
570									95% BCA Bootstrap UCL			25.07
571												
572		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
573			k star (bias corrected)			1.719			Data appear Normal at 5% Significance Level			
574			Theta Star			14.8						
575			nu star			34.39						
576												
577			A-D Test Statistic			0.157			Nonparametric Statistics			
578			5% A-D Critical Value			0.734			Kaplan-Meier (KM) Method			
579			K-S Test Statistic			0.734					Mean	17.64
580			5% K-S Critical Value			0.269					SD	16.21
581		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	4.171
582											95% KM (t) UCL	24.92
583		Assuming Gamma Distribution									95% KM (z) UCL	24.5

	A	B	C	D	E	F	G	H	I	J	K	L
584			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			24.26
585					Minimum	5.5			95% KM (bootstrap t) UCL			27.74
586					Maximum	67			95% KM (BCA) UCL			28.42
587					Mean	21.65			95% KM (Percentile Bootstrap) UCL			25.67
588					Median	17			95% KM (Chebyshev) UCL			35.82
589					SD	15.05			97.5% KM (Chebyshev) UCL			43.69
590					k star	2.3			99% KM (Chebyshev) UCL			59.14
591					Theta star	9.41						
592					Nu star	78.21			Potential UCLs to Use			
593					AppChi2	58.84			95% KM (t) UCL			24.92
594			95% Gamma Approximate UCL			28.77			95% KM (Percentile Bootstrap) UCL			25.67
595				95% Adjusted Gamma UCL		29.66						
596	Note: DL/2 is not a recommended method.											
597												
598												
599	Total Aroclors											
600												
601					General Statistics							
602			Number of Valid Data			16			Number of Detected Data			16
603			Number of Distinct Detected Data			16			Number of Non-Detect Data			0
604			Number of Missing Values			1			Percent Non-Detects			0.00%
605												
606			Raw Statistics						Log-transformed Statistics			
607				Minimum Detected		17.9			Minimum Detected			2.885
608				Maximum Detected		2482			Maximum Detected			7.817
609				Mean of Detected		452.9			Mean of Detected			4.729
610				SD of Detected		751.5			SD of Detected			1.692
611				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
612				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
613												
614												
615					UCL Statistics							
616		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
617				Shapiro Wilk Test Statistic		0.645			Shapiro Wilk Test Statistic			0.847
618				5% Shapiro Wilk Critical Value		0.887			5% Shapiro Wilk Critical Value			0.887
619		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
620												
621		Assuming Normal Distribution						Assuming Lognormal Distribution				
622				DL/2 Substitution Method					DL/2 Substitution Method			
623					Mean	452.9			Mean			4.729
624					SD	751.5			SD			1.692
625				95% DL/2 (t) UCL		782.3			95% H-Stat (DL/2) UCL			2592
626												
627			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
628		MLE method failed to converge properly							Mean in Log Scale			N/A
629									SD in Log Scale			N/A
630									Mean in Original Scale			N/A
631									SD in Original Scale			N/A
632									95% Percentile Bootstrap UCL			N/A
633									95% BCA Bootstrap UCL			N/A
634												
635		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
636				k star (bias corrected)		0.418		Data do not follow a Discernable Distribution (0.05)				

	A	B	C	D	E	F	G	H	I	J	K	L
637					Theta Star	1083						
638					nu star	13.38						
639												
640					A-D Test Statistic	1.609			Nonparametric Statistics			
641					5% A-D Critical Value	0.804			Kaplan-Meier (KM) Method			
642					K-S Test Statistic	0.804					Mean	452.9
643					5% K-S Critical Value	0.228					SD	727.6
644		Data not Gamma Distributed at 5% Significance Level									SE of Mean	187.9
645											95% KM (t) UCL	782.3
646		Assuming Gamma Distribution									95% KM (z) UCL	761.9
647		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	782.3
648					Minimum	17.9					95% KM (bootstrap t) UCL	1016
649					Maximum	2482					95% KM (BCA) UCL	801.9
650					Mean	452.9			95% KM (Percentile Bootstrap) UCL			776.9
651					Median	54.29					95% KM (Chebyshev) UCL	1272
652					SD	751.5					97.5% KM (Chebyshev) UCL	1626
653					k star	0.418					99% KM (Chebyshev) UCL	2322
654					Theta star	1083						
655					Nu star	13.38			Potential UCLs to Use			
656					AppChi2	6.151					99% KM (Chebyshev) UCL	2322
657		95% Gamma Approximate UCL				985.4						
658		95% Adjusted Gamma UCL				1082						
659	Note: DL/2 is not a recommended method.											
660												
661												
662	Total DDT											
663												
664					General Statistics							
665				Number of Valid Data		16			Number of Detected Data			14
666			Number of Distinct Detected Data			14			Number of Non-Detect Data			2
667				Number of Missing Values		1			Percent Non-Detects			12.50%
668												
669		Raw Statistics						Log-transformed Statistics				
670				Minimum Detected		0.142			Minimum Detected			-1.951
671				Maximum Detected		19			Maximum Detected			2.944
672				Mean of Detected		4.328			Mean of Detected			0.665
673				SD of Detected		5.513			SD of Detected			1.401
674				Minimum Non-Detect		0.0886			Minimum Non-Detect			-2.424
675				Maximum Non-Detect		19			Maximum Non-Detect			2.944
676												
677	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			15
678	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
679	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			93.75%
680												
681					UCL Statistics							
682		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
683				Shapiro Wilk Test Statistic		0.744			Shapiro Wilk Test Statistic			0.964
684				5% Shapiro Wilk Critical Value		0.874			5% Shapiro Wilk Critical Value			0.874
685		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
686												
687		Assuming Normal Distribution						Assuming Lognormal Distribution				
688				DL/2 Substitution Method					DL/2 Substitution Method			
689					Mean	4.383					Mean	0.528

	A	B	C	D	E	F	G	H	I	J	K	L
690					SD	5.417					SD	1.674
691				95% DL/2 (t) UCL		6.757				95% H-Stat (DL/2) UCL		28.51
692												
693			Maximum Likelihood Estimate(MLE) Method			N/A					Log ROS Method	
694			MLE method failed to converge properly								Mean in Log Scale	0.441
695											SD in Log Scale	1.533
696											Mean in Original Scale	3.877
697											SD in Original Scale	5.283
698										95% Percentile Bootstrap UCL		6.065
699										95% BCA Bootstrap UCL		6.706
700												
701		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
702				k star (bias corrected)		0.636		Data appear Gamma Distributed at 5% Significance Level				
703					Theta Star	6.805						
704					nu star	17.81						
705												
706					A-D Test Statistic	0.527			Nonparametric Statistics			
707				5% A-D Critical Value		0.771			Kaplan-Meier (KM) Method			
708					K-S Test Statistic	0.771					Mean	3.982
709				5% K-S Critical Value		0.238					SD	5.152
710		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	1.357
711											95% KM (t) UCL	6.361
712			Assuming Gamma Distribution								95% KM (z) UCL	6.215
713		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		6.348
714					Minimum	1E-09				95% KM (bootstrap t) UCL		7.645
715					Maximum	19				95% KM (BCA) UCL		6.314
716					Mean	4.008			95% KM (Percentile Bootstrap) UCL			6.516
717					Median	1.585				95% KM (Chebyshev) UCL		9.898
718					SD	5.246				97.5% KM (Chebyshev) UCL		12.46
719					k star	0.314				99% KM (Chebyshev) UCL		17.49
720					Theta star	12.77						
721					Nu star	10.04			Potential UCLs to Use			
722					AppChi2	3.967				95% KM (Chebyshev) UCL		9.898
723				95% Gamma Approximate UCL		10.14						
724				95% Adjusted Gamma UCL		11.36						
725	Note: DL/2 is not a recommended method.											
726												
727												
728	Total Dioxin-like PCBs											
729												
730					General Statistics							
731			Number of Valid Data			6				Number of Detected Data		6
732		Number of Distinct Detected Data				6			Number of Non-Detect Data			0
733			Number of Missing Values			7				Percent Non-Detects		0.00%
734												
735			Raw Statistics						Log-transformed Statistics			
736				Minimum Detected		2277				Minimum Detected		7.731
737				Maximum Detected		140950				Maximum Detected		11.86
738				Mean of Detected		50308				Mean of Detected		9.714
739				SD of Detected		58677				SD of Detected		1.894
740				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
741				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
742												

	A	B	C	D	E	F	G	H	I	J	K	L
743												
744					Warning: There are only 6 Detected Values in this data							
745					Note: It should be noted that even though bootstrap may be performed on this data set							
746					the resulting calculations may not be reliable enough tp draw conclusions							
747												
748				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
749												
750												
751						UCL Statistics						
752		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
753				Shapiro Wilk Test Statistic		0.84			Shapiro Wilk Test Statistic			0.828
754				5% Shapiro Wilk Critical Value		0.788			5% Shapiro Wilk Critical Value			0.788
755		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
756												
757		Assuming Normal Distribution						Assuming Lognormal Distribution				
758				DL/2 Substitution Method					DL/2 Substitution Method			
759					Mean	50308				Mean		9.714
760					SD	58677				SD		1.894
761				95% DL/2 (t) UCL		98578			95% H-Stat (DL/2) UCL			48846481
762												
763				Maximum Likelihood Estimate(MLE) Method		N/A			Log ROS Method			
764		MLE method failed to converge properly							Mean in Log Scale			N/A
765									SD in Log Scale			N/A
766									Mean in Original Scale			N/A
767									SD in Original Scale			N/A
768									95% Percentile Bootstrap UCL			N/A
769									95% BCA Bootstrap UCL			N/A
770												
771		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
772				k star (bias corrected)		0.392		Data appear Normal at 5% Significance Level				
773				Theta Star		128452						
774				nu star		4.7						
775												
776				A-D Test Statistic		0.554		Nonparametric Statistics				
777				5% A-D Critical Value		0.732			Kaplan-Meier (KM) Method			
778				K-S Test Statistic		0.732				Mean		50308
779				5% K-S Critical Value		0.347				SD		53564
780		Data appear Gamma Distributed at 5% Significance Level							SE of Mean			23955
781									95% KM (t) UCL			98578
782		Assuming Gamma Distribution							95% KM (z) UCL			89710
783		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			98578
784					Minimum	2277			95% KM (bootstrap t) UCL			119382
785					Maximum	140950			95% KM (BCA) UCL			89138
786					Mean	50308			95% KM (Percentile Bootstrap) UCL			88199
787					Median	28630			95% KM (Chebyshev) UCL			154724
788					SD	58677			97.5% KM (Chebyshev) UCL			199904
789					k star	0.392			99% KM (Chebyshev) UCL			288653
790					Theta star	128452						
791					Nu star	4.7		Potential UCLs to Use				
792					AppChi2	1.016			95% KM (t) UCL			98578
793				95% Gamma Approximate UCL		232692			95% KM (Percentile Bootstrap) UCL			88199
794				95% Adjusted Gamma UCL		444883						
795	Note: DL/2 is not a recommended method.											

	A	B	C	D	E	F	G	H	I	J	K	L
796												
797												
798	Total PCB TEQ											
799												
800						General Statistics						
801				Number of Valid Data		6			Number of Detected Data			6
802				Number of Distinct Detected Data		6			Number of Non-Detect Data			0
803				Number of Missing Values		7			Percent Non-Detects			0.00%
804												
805			Raw Statistics						Log-transformed Statistics			
806				Minimum Detected		1.045			Minimum Detected			0.0441
807				Maximum Detected		48.43			Maximum Detected			3.88
808				Mean of Detected		15.63			Mean of Detected			1.694
809				SD of Detected		20.01			SD of Detected			1.742
810				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
811				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
812												
813												
814					Warning: There are only 6 Detected Values in this data							
815				Note: It should be noted that even though bootstrap may be performed on this data set								
816				the resulting calculations may not be reliable enough tp draw conclusions								
817												
818			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
819												
820												
821						UCL Statistics						
822		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
823				Shapiro Wilk Test Statistic		0.793			Shapiro Wilk Test Statistic			0.832
824				5% Shapiro Wilk Critical Value		0.788			5% Shapiro Wilk Critical Value			0.788
825		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
826												
827		Assuming Normal Distribution						Assuming Lognormal Distribution				
828				DL/2 Substitution Method					DL/2 Substitution Method			
829				Mean		15.63			Mean			1.694
830				SD		20.01			SD			1.742
831				95% DL/2 (t) UCL		32.09			95% H-Stat (DL/2) UCL			4803
832												
833				Maximum Likelihood Estimate(MLE) Method		N/A			Log ROS Method			
834		MLE method failed to converge properly							Mean in Log Scale			N/A
835									SD in Log Scale			N/A
836									Mean in Original Scale			N/A
837									SD in Original Scale			N/A
838									95% Percentile Bootstrap UCL			N/A
839									95% BCA Bootstrap UCL			N/A
840												
841		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
842				k star (bias corrected)		0.405		Data appear Normal at 5% Significance Level				
843				Theta Star		38.62						
844				nu star		4.857						
845												
846				A-D Test Statistic		0.55			Nonparametric Statistics			
847				5% A-D Critical Value		0.731			Kaplan-Meier (KM) Method			
848				K-S Test Statistic		0.731			Mean			15.63

	A	B	C	D	E	F	G	H	I	J	K	L
849					5% K-S Critical Value	0.347					SD	18.26
850		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	8.167
851											95% KM (t) UCL	32.09
852		Assuming Gamma Distribution									95% KM (z) UCL	29.07
853		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	32.09
854					Minimum	1.045					95% KM (bootstrap t) UCL	67.77
855					Maximum	48.43					95% KM (BCA) UCL	29.6
856					Mean	15.63				95% KM (Percentile Bootstrap) UCL		29.11
857					Median	5.559					95% KM (Chebyshev) UCL	51.23
858					SD	20.01					97.5% KM (Chebyshev) UCL	66.64
859					k star	0.405					99% KM (Chebyshev) UCL	96.89
860					Theta star	38.62						
861					Nu star	4.857			Potential UCLs to Use			
862					AppChi2	1.087					95% KM (t) UCL	32.09
863			95% Gamma Approximate UCL			69.87				95% KM (Percentile Bootstrap) UCL		29.11
864				95% Adjusted Gamma UCL		131.7						
865	Note: DL/2 is not a recommended method.											
866												
867												
868	Total PCB_Congeners											
869												
870						General Statistics						
871				Number of Valid Data		6				Number of Detected Data		6
872			Number of Distinct Detected Data			6				Number of Non-Detect Data		0
873				Number of Missing Values		7				Percent Non-Detects		0.00%
874												
875			Raw Statistics						Log-transformed Statistics			
876				Minimum Detected		60876				Minimum Detected		11.02
877				Maximum Detected		2506665				Maximum Detected		14.73
878				Mean of Detected		887463				Mean of Detected		12.73
879				SD of Detected		1057347				SD of Detected		1.689
880				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
881				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
882												
883												
884					Warning: There are only 6 Detected Values in this data							
885				Note: It should be noted that even though bootstrap may be performed on this data set								
886					the resulting calculations may not be reliable enough tp draw conclusions							
887												
888			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
889												
890												
891						UCL Statistics						
892		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
893				Shapiro Wilk Test Statistic		0.813				Shapiro Wilk Test Statistic		0.854
894				5% Shapiro Wilk Critical Value		0.788				5% Shapiro Wilk Critical Value		0.788
895		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
896												
897		Assuming Normal Distribution						Assuming Lognormal Distribution				
898				DL/2 Substitution Method						DL/2 Substitution Method		
899					Mean	887463					Mean	12.73
900					SD	1057347					SD	1.689
901				95% DL/2 (t) UCL		1757279				95% H-Stat (DL/2) UCL		200400000

	A	B	C	D	E	F	G	H	I	J	K	L
902												
903		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
904		MLE method failed to converge properly								Mean in Log Scale		N/A
905										SD in Log Scale		N/A
906										Mean in Original Scale		N/A
907										SD in Original Scale		N/A
908										95% Percentile Bootstrap UCL		N/A
909										95% BCA Bootstrap UCL		N/A
910												
911		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
912				k star (bias corrected)		0.429		Data appear Normal at 5% Significance Level				
913				Theta Star		2066734						
914				nu star		5.153						
915												
916				A-D Test Statistic		0.488		Nonparametric Statistics				
917				5% A-D Critical Value		0.728		Kaplan-Meier (KM) Method				
918				K-S Test Statistic		0.728				Mean		887463
919				5% K-S Critical Value		0.346				SD		965221
920		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		431660
921										95% KM (t) UCL		1757279
922		Assuming Gamma Distribution								95% KM (z) UCL		1597480
923		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		1757279
924				Minimum		60876				95% KM (bootstrap t) UCL		2867618
925				Maximum		2506665				95% KM (BCA) UCL		1586373
926				Mean		887463				95% KM (Percentile Bootstrap) UCL		1589244
927				Median		407521				95% KM (Chebyshev) UCL		2769025
928				SD		1057347				97.5% KM (Chebyshev) UCL		3583179
929				k star		0.429				99% KM (Chebyshev) UCL		5182426
930				Theta star		2066734						
931				Nu star		5.153		Potential UCLs to Use				
932				AppChi2		1.223				95% KM (t) UCL		1757279
933		95% Gamma Approximate UCL				3737755		95% KM (Percentile Bootstrap) UCL				1589244
934		95% Adjusted Gamma UCL				6866483						
935	Note: DL/2 is not a recommended method.											
936												
937												
938	Total PCBs, Adjusted											
939												
940					General Statistics							
941				Number of Valid Data		6				Number of Detected Data		6
942				Number of Distinct Detected Data		6				Number of Non-Detect Data		0
943				Number of Missing Values		7				Percent Non-Detects		0.00%
944												
945				Raw Statistics						Log-transformed Statistics		
946				Minimum Detected		56864				Minimum Detected		10.95
947				Maximum Detected		2408343				Maximum Detected		14.69
948				Mean of Detected		837155				Mean of Detected		12.68
949				SD of Detected		1004495				SD of Detected		1.682
950				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
951				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
952												
953												
954					Warning: There are only 6 Detected Values in this data							

	A	B	C	D	E	F	G	H	I	J	K	L
955	Note: It should be noted that even though bootstrap may be performed on this data set											
956	the resulting calculations may not be reliable enough tp draw conclusions											
957												
958	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
959												
960												
961	UCL Statistics											
962	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
963	Shapiro Wilk Test Statistic					0.815	Shapiro Wilk Test Statistic					0.862
964	5% Shapiro Wilk Critical Value					0.788	5% Shapiro Wilk Critical Value					0.788
965	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
966												
967	Assuming Normal Distribution						Assuming Lognormal Distribution					
968	DL/2 Substitution Method						DL/2 Substitution Method					
969	Mean					837155	Mean					12.68
970	SD					1004495	SD					1.682
971	95% DL/2 (t) UCL					1663493	95% H-Stat (DL/2) UCL					180900000
972												
973	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
974	MLE method failed to converge properly						Mean in Log Scale					N/A
975							SD in Log Scale					N/A
976							Mean in Original Scale					N/A
977							SD in Original Scale					N/A
978							95% Percentile Bootstrap UCL					N/A
979							95% BCA Bootstrap UCL					N/A
980												
981	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
982	k star (bias corrected)					0.43	Data appear Normal at 5% Significance Level					
983	Theta Star					1945760						
984	nu star					5.163						
985												
986	A-D Test Statistic					0.468	Nonparametric Statistics					
987	5% A-D Critical Value					0.728	Kaplan-Meier (KM) Method					
988	K-S Test Statistic					0.728	Mean					837155
989	5% K-S Critical Value					0.346	SD					916975
990	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					410083
991							95% KM (t) UCL					1663493
992	Assuming Gamma Distribution						95% KM (z) UCL					1511682
993	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					1663493
994	Minimum					56864	95% KM (bootstrap t) UCL					3685083
995	Maximum					2408343	95% KM (BCA) UCL					1507881
996	Mean					837155	95% KM (Percentile Bootstrap) UCL					1499474
997	Median					379758	95% KM (Chebyshev) UCL					2624667
998	SD					1004495	97.5% KM (Chebyshev) UCL					3398125
999	k star					0.43	99% KM (Chebyshev) UCL					4917434
1000	Theta star					1945760						
1001	Nu star					5.163	Potential UCLs to Use					
1002	AppChi2					1.228	95% KM (t) UCL					1663493
1003	95% Gamma Approximate UCL					3519103	95% KM (Percentile Bootstrap) UCL					1499474
1004	95% Adjusted Gamma UCL					6459405						
1005	Note: DL/2 is not a recommended method.											
1006												
1007												

	A	B	C	D	E	F	G	H	I	J	K	L
1008	Tributyltin ion											
1009												
1010						General Statistics						
1011				Number of Valid Data		9			Number of Detected Data			8
1012				Number of Distinct Detected Data		8			Number of Non-Detect Data			1
1013				Number of Missing Values		8			Percent Non-Detects			11.11%
1014												
1015			Raw Statistics						Log-transformed Statistics			
1016				Minimum Detected		0.97			Minimum Detected			-0.0305
1017				Maximum Detected		31			Maximum Detected			3.434
1018				Mean of Detected		11			Mean of Detected			1.868
1019				SD of Detected		11			SD of Detected			1.188
1020				Minimum Non-Detect		1.7			Minimum Non-Detect			0.531
1021				Maximum Non-Detect		1.7			Maximum Non-Detect			0.531
1022												
1023												
1024					Warning: There are only 8 Detected Values in this data							
1025				Note: It should be noted that even though bootstrap may be performed on this data set								
1026				the resulting calculations may not be reliable enough tp draw conclusions								
1027												
1028			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1029												
1030												
1031						UCL Statistics						
1032			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1033				Shapiro Wilk Test Statistic		0.846			Shapiro Wilk Test Statistic			0.962
1034				5% Shapiro Wilk Critical Value		0.818			5% Shapiro Wilk Critical Value			0.818
1035			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1036												
1037			Assuming Normal Distribution						Assuming Lognormal Distribution			
1038				DL/2 Substitution Method					DL/2 Substitution Method			
1039					Mean	9.869				Mean		1.642
1040					SD	10.83				SD		1.301
1041				95% DL/2 (t) UCL		16.58			95% H-Stat (DL/2) UCL			44.02
1042												
1043			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
1044					Mean	8.34			Mean in Log Scale			1.644
1045					SD	12.19			SD in Log Scale			1.298
1046				95% MLE (t) UCL		15.89			Mean in Original Scale			9.871
1047				95% MLE (Tiku) UCL		16			SD in Original Scale			10.83
1048									95% Percentile Bootstrap UCL			16.24
1049									95% BCA Bootstrap UCL			17.05
1050												
1051			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1052				k star (bias corrected)		0.758			Data appear Normal at 5% Significance Level			
1053				Theta Star		14.51						
1054				nu star		12.13						
1055												
1056				A-D Test Statistic		0.251			Nonparametric Statistics			
1057				5% A-D Critical Value		0.734			Kaplan-Meier (KM) Method			
1058				K-S Test Statistic		0.734			Mean			9.882
1059				5% K-S Critical Value		0.301			SD			10.2
1060			Data appear Gamma Distributed at 5% Significance Level						SE of Mean			3.636

	A	B	C	D	E	F	G	H	I	J	K	L
1061											95% KM (t) UCL	16.64
1062			**Assuming Gamma Distribution**								95% KM (z) UCL	15.86
1063			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	16.52
1064					Minimum	1E-09					95% KM (bootstrap t) UCL	23.19
1065					Maximum	31					95% KM (BCA) UCL	16.44
1066					Mean	9.774				95% KM (Percentile Bootstrap) UCL		15.87
1067					Median	6.7					95% KM (Chebyshev) UCL	25.73
1068					SD	10.93					97.5% KM (Chebyshev) UCL	32.59
1069					k star	0.237					99% KM (Chebyshev) UCL	46.06
1070					Theta star	41.29						
1071					Nu star	4.261			**Potential UCLs to Use**			
1072					AppChi2	0.828					95% KM (t) UCL	16.64
1073				95% Gamma Approximate UCL		50.33				95% KM (Percentile Bootstrap) UCL		15.87
1074				95% Adjusted Gamma UCL		74.24						
1075	**Note: DL/2 is not a recommended method.**											
1076												

General UCL Statistics for Data Sets with Non-Detects

User Selected Options	
From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM9.5E.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	2000

Arsenic

General Statistics

Number of Valid Observations	20	Number of Distinct Observations	19

Raw Statistics		Log-transformed Statistics	
Minimum	1.5	Minimum of Log Data	0.405
Maximum	6.42	Maximum of Log Data	1.859
Mean	3.282	Mean of log Data	1.149
Median	3.255	SD of log Data	0.29
SD	0.961		
Coefficient of Variation	0.293		
Skewness	1.47		

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.823	Shapiro Wilk Test Statistic	0.871
Shapiro Wilk Critical Value	0.905	Shapiro Wilk Critical Value	0.905
Data not Normal at 5% Significance Level		**Data not Lognormal at 5% Significance Level**	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	3.654	95% H-UCL	3.72
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	4.227
95% Adjusted-CLT UCL	3.711	97.5% Chebyshev (MVUE) UCL	4.634
95% Modified-t UCL	3.665	99% Chebyshev (MVUE) UCL	5.435

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	11.07	**Data do not follow a Discernable Distribution (0.05)**	
Theta Star	0.296		
nu star	443		
Approximate Chi Square Value (.05)	395.2	**Nonparametric Statistics**	
Adjusted Level of Significance	0.038	95% CLT UCL	3.635
Adjusted Chi Square Value	391.6	95% Jackknife UCL	3.654
		95% Standard Bootstrap UCL	3.626
Anderson-Darling Test Statistic	1.144	95% Bootstrap-t UCL	3.734
Anderson-Darling 5% Critical Value	0.742	95% Hall's Bootstrap UCL	4.211
Kolmogorov-Smirnov Test Statistic	0.207	95% Percentile Bootstrap UCL	3.653
Kolmogorov-Smirnov 5% Critical Value	0.194	95% BCA Bootstrap UCL	3.702
Data not Gamma Distributed at 5% Significance Level		95% Chebyshev(Mean, Sd) UCL	4.219
		97.5% Chebyshev(Mean, Sd) UCL	4.624
Assuming Gamma Distribution		99% Chebyshev(Mean, Sd) UCL	5.42
95% Approximate Gamma UCL	3.679		
95% Adjusted Gamma UCL	3.712		
Potential UCL to Use		Use 95% Student's-t UCL	3.654

	A	B	C	D	E	F	G	H	I	J	K	L
54										or 95% Modified-t UCL		3.665
55												
56												
57	Benzo(a)anthracene											
58												
59					General Statistics							
60			Number of Valid Observations			20			Number of Distinct Observations			18
61												
62			Raw Statistics						Log-transformed Statistics			
63				Minimum		3.7			Minimum of Log Data			1.308
64				Maximum		84			Maximum of Log Data			4.431
65				Mean		21.83			Mean of log Data			2.782
66				Median		15.5			SD of log Data			0.764
67				SD		20.24						
68			Coefficient of Variation			0.927						
69				Skewness		2.067						
70												
71					Relevant UCL Statistics							
72			Normal Distribution Test						Lognormal Distribution Test			
73			Shapiro Wilk Test Statistic			0.733			Shapiro Wilk Test Statistic			0.967
74			Shapiro Wilk Critical Value			0.905			Shapiro Wilk Critical Value			0.905
75		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
76												
77			Assuming Normal Distribution						Assuming Lognormal Distribution			
78			95% Student's-t UCL			29.65			95% H-UCL			32.24
79		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			38.27
80			95% Adjusted-CLT UCL			31.51			97.5% Chebyshev (MVUE) UCL			45.64
81			95% Modified-t UCL			30			99% Chebyshev (MVUE) UCL			60.11
82												
83			Gamma Distribution Test						Data Distribution			
84			k star (bias corrected)			1.571		Data Follow Appr. Gamma Distribution at 5% Significance Level				
85				Theta Star		13.89						
86				nu star		62.85						
87		Approximate Chi Square Value (.05)				45.62			Nonparametric Statistics			
88			Adjusted Level of Significance			0.038			95% CLT UCL			29.27
89			Adjusted Chi Square Value			44.46			95% Jackknife UCL			29.65
90									95% Standard Bootstrap UCL			29.13
91			Anderson-Darling Test Statistic			0.767			95% Bootstrap-t UCL			34.71
92			Anderson-Darling 5% Critical Value			0.754			95% Hall's Bootstrap UCL			31.8
93			Kolmogorov-Smirnov Test Statistic			0.174			95% Percentile Bootstrap UCL			29.19
94			Kolmogorov-Smirnov 5% Critical Value			0.197			95% BCA Bootstrap UCL			31.9
95		Data follow Appr. Gamma Distribution at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			41.55
96									97.5% Chebyshev(Mean, Sd) UCL			50.09
97			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			66.85
98			95% Approximate Gamma UCL			30.08						
99			95% Adjusted Gamma UCL			30.86						
100												
101			Potential UCL to Use						Use 95% Approximate Gamma UCL			30.08
102												
103												
104	Benzo(a)pyrene											
105												
106					General Statistics							

	A	B	C	D	E	F	G	H	I	J	K	L
107				Number of Valid Observations		20				Number of Distinct Observations		17
108												
109			Raw Statistics						Log-transformed Statistics			
110				Minimum		5.2				Minimum of Log Data		1.649
111				Maximum		110				Maximum of Log Data		4.7
112				Mean		24.58				Mean of log Data		2.912
113				Median		16.5				SD of log Data		0.719
114				SD		24.59						
115			Coefficient of Variation			1						
116				Skewness		2.703						
117												
118					Relevant UCL Statistics							
119			Normal Distribution Test						Lognormal Distribution Test			
120			Shapiro Wilk Test Statistic			0.651				Shapiro Wilk Test Statistic		0.944
121			Shapiro Wilk Critical Value			0.905				Shapiro Wilk Critical Value		0.905
122		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
123												
124			Assuming Normal Distribution						Assuming Lognormal Distribution			
125				95% Student's-t UCL		34.09				95% H-UCL		34.37
126		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			41
127			95% Adjusted-CLT UCL			37.17				97.5% Chebyshev (MVUE) UCL		48.6
128			95% Modified-t UCL			34.64				99% Chebyshev (MVUE) UCL		63.53
129												
130			Gamma Distribution Test						Data Distribution			
131			k star (bias corrected)			1.625			Data appear Lognormal at 5% Significance Level			
132				Theta Star		15.12						
133				nu star		65.01						
134		Approximate Chi Square Value (.05)				47.46			Nonparametric Statistics			
135		Adjusted Level of Significance				0.038				95% CLT UCL		33.62
136			Adjusted Chi Square Value			46.27				95% Jackknife UCL		34.09
137										95% Standard Bootstrap UCL		33.37
138		Anderson-Darling Test Statistic				1.071				95% Bootstrap-t UCL		46.86
139		Anderson-Darling 5% Critical Value				0.754				95% Hall's Bootstrap UCL		75.91
140		Kolmogorov-Smirnov Test Statistic				0.259				95% Percentile Bootstrap UCL		33.54
141		Kolmogorov-Smirnov 5% Critical Value				0.196				95% BCA Bootstrap UCL		36.73
142		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			48.54
143									97.5% Chebyshev(Mean, Sd) UCL			58.91
144		Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL			79.28
145		95% Approximate Gamma UCL				33.67						
146		95% Adjusted Gamma UCL				34.53						
147												
148		Potential UCL to Use							Use 95% H-UCL			34.37
149												
150												
151	Benzo(b)fluoranthene											
152												
153					General Statistics							
154				Number of Valid Observations		20				Number of Distinct Observations		18
155												
156			Raw Statistics						Log-transformed Statistics			
157				Minimum		6.4				Minimum of Log Data		1.856
158				Maximum		110				Maximum of Log Data		4.7
159				Mean		29.31				Mean of log Data		3.097

	A	B	C	D	E	F	G	H	I	J	K	L
160					Median	19.5				SD of log Data		0.727
161					SD	26.75						
162				Coefficient of Variation		0.913						
163					Skewness	2.156						
164												
165					Relevant UCL Statistics							
166		Normal Distribution Test						Lognormal Distribution Test				
167			Shapiro Wilk Test Statistic			0.72			Shapiro Wilk Test Statistic			0.959
168			Shapiro Wilk Critical Value			0.905			Shapiro Wilk Critical Value			0.905
169		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
170												
171		Assuming Normal Distribution						Assuming Lognormal Distribution				
172				95% Student's-t UCL		39.65				95% H-UCL		41.88
173		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			49.93
174				95% Adjusted-CLT UCL		42.22			97.5% Chebyshev (MVUE) UCL			59.25
175				95% Modified-t UCL		40.13			99% Chebyshev (MVUE) UCL			77.57
176												
177		Gamma Distribution Test						Data Distribution				
178			k star (bias corrected)			1.676		Data Follow Appr. Gamma Distribution at 5% Significance Level				
179				Theta Star		17.48						
180				nu star		67.05						
181		Approximate Chi Square Value (.05)				49.21		Nonparametric Statistics				
182		Adjusted Level of Significance				0.038				95% CLT UCL		39.14
183		Adjusted Chi Square Value				48				95% Jackknife UCL		39.65
184									95% Standard Bootstrap UCL			39.05
185		Anderson-Darling Test Statistic				0.795				95% Bootstrap-t UCL		51.4
186		Anderson-Darling 5% Critical Value				0.753			95% Hall's Bootstrap UCL			86.56
187		Kolmogorov-Smirnov Test Statistic				0.175			95% Percentile Bootstrap UCL			40.15
188		Kolmogorov-Smirnov 5% Critical Value				0.196			95% BCA Bootstrap UCL			43.75
189		Data follow Appr. Gamma Distribution at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL				55.38
190								97.5% Chebyshev(Mean, Sd) UCL				66.66
191		Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL				88.82
192				95% Approximate Gamma UCL		39.93						
193				95% Adjusted Gamma UCL		40.94						
194												
195		Potential UCL to Use						Use 95% Approximate Gamma UCL				39.93
196												
197												
198	Benzo(k)fluoranthene											
199												
200					General Statistics							
201		Number of Valid Observations				20			Number of Distinct Observations			17
202												
203		Raw Statistics						Log-transformed Statistics				
204					Minimum	2.1			Minimum of Log Data			0.742
205					Maximum	79			Maximum of Log Data			4.369
206					Mean	16.96			Mean of log Data			2.479
207					Median	12.5			SD of log Data			0.852
208					SD	17.15						
209				Coefficient of Variation		1.011						
210					Skewness	2.728						
211												
212					Relevant UCL Statistics							

	A	B	C	D	E	F	G	H	I	J	K	L
213			Normal Distribution Test						Lognormal Distribution Test			
214				Shapiro Wilk Test Statistic		0.707				Shapiro Wilk Test Statistic		0.984
215				Shapiro Wilk Critical Value		0.905				Shapiro Wilk Critical Value		0.905
216			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
217												
218			Assuming Normal Distribution						Assuming Lognormal Distribution			
219				95% Student's-t UCL		23.58				95% H-UCL		27.37
220			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			31.96
221				95% Adjusted-CLT UCL		25.76			97.5% Chebyshev (MVUE) UCL			38.54
222				95% Modified-t UCL		23.97			99% Chebyshev (MVUE) UCL			51.47
223												
224			Gamma Distribution Test						Data Distribution			
225				k star (bias corrected)		1.365		Data appear Gamma Distributed at 5% Significance Level				
226				Theta Star		12.42						
227				nu star		54.61						
228			Approximate Chi Square Value (.05)			38.63			Nonparametric Statistics			
229			Adjusted Level of Significance			0.038				95% CLT UCL		23.26
230			Adjusted Chi Square Value			37.57				95% Jackknife UCL		23.58
231										95% Standard Bootstrap UCL		23.06
232			Anderson-Darling Test Statistic			0.369				95% Bootstrap-t UCL		28.48
233			Anderson-Darling 5% Critical Value			0.757				95% Hall's Bootstrap UCL		51.64
234			Kolmogorov-Smirnov Test Statistic			0.14				95% Percentile Bootstrap UCL		23.49
235			Kolmogorov-Smirnov 5% Critical Value			0.197				95% BCA Bootstrap UCL		25.91
236			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			33.67
237									97.5% Chebyshev(Mean, Sd) UCL			40.9
238			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			55.1
239				95% Approximate Gamma UCL		23.97						
240				95% Adjusted Gamma UCL		24.65						
241												
242			Potential UCL to Use						Use 95% Approximate Gamma UCL			23.97
243												
244												
245	Bis(2-ethylhexyl) phthalate											
246												
247						General Statistics						
248				Number of Valid Data		20				Number of Detected Data		17
249			Number of Distinct Detected Data			17				Number of Non-Detect Data		3
250										Percent Non-Detects		15.00%
251												
252			Raw Statistics						Log-transformed Statistics			
253				Minimum Detected		37				Minimum Detected		3.611
254				Maximum Detected		920				Maximum Detected		6.824
255				Mean of Detected		187.8				Mean of Detected		4.791
256				SD of Detected		221.8				SD of Detected		0.91
257				Minimum Non-Detect		33				Minimum Non-Detect		3.497
258				Maximum Non-Detect		120				Maximum Non-Detect		4.787
259												
260	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			13
261	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			7
262	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			65.00%
263												
264						UCL Statistics						
265			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			

	A	B	C	D	E	F	G	H	I	J	K	L
266					Shapiro Wilk Test Statistic	0.676				Shapiro Wilk Test Statistic		0.937
267					5% Shapiro Wilk Critical Value	0.892				5% Shapiro Wilk Critical Value		0.892
268			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
269												
270			Assuming Normal Distribution						Assuming Lognormal Distribution			
271				DL/2 Substitution Method						DL/2 Substitution Method		
272					Mean	164.6				Mean		4.574
273					SD	211.4				SD		1.013
274				95% DL/2 (t) UCL		246.3			95% H-Stat (DL/2) UCL			294
275												
276			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
277			MLE yields a negative mean							Mean in Log Scale		4.576
278										SD in Log Scale		1.016
279										Mean in Original Scale		164.7
280										SD in Original Scale		211.3
281									95% Percentile Bootstrap UCL			243.9
282										95% BCA Bootstrap UCL		275
283												
284			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
285				k star (bias corrected)		1.082			Data Follow Appr. Gamma Distribution at 5% Significance Level			
286					Theta Star	173.5						
287					nu star	36.8						
288												
289					A-D Test Statistic	0.79			Nonparametric Statistics			
290					5% A-D Critical Value	0.76			Kaplan-Meier (KM) Method			
291					K-S Test Statistic	0.76				Mean		166.6
292					5% K-S Critical Value	0.214				SD		204.8
293			Data follow Appr. Gamma Distribution at 5% Significance Level							SE of Mean		47.22
294										95% KM (t) UCL		248.3
295			Assuming Gamma Distribution							95% KM (z) UCL		244.3
296			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		247.5
297					Minimum	1E-09				95% KM (bootstrap t) UCL		328.1
298					Maximum	920				95% KM (BCA) UCL		258.6
299					Mean	165.7			95% KM (Percentile Bootstrap) UCL			249.2
300					Median	85				95% KM (Chebyshev) UCL		372.4
301					SD	211.8				97.5% KM (Chebyshev) UCL		461.5
302					k star	0.244				99% KM (Chebyshev) UCL		636.4
303					Theta star	679.2						
304					Nu star	9.76			Potential UCLs to Use			
305					AppChi2	3.793				95% KM (BCA) UCL		258.6
306				95% Gamma Approximate UCL		426.5						
307				95% Adjusted Gamma UCL		461.8						
308	Note: DL/2 is not a recommended method.											
309												
310												
311	Dibenzo(a,h)anthracene											
312												
313							General Statistics					
314				Number of Valid Data		20				Number of Detected Data		17
315			Number of Distinct Detected Data			13				Number of Non-Detect Data		3
316										Percent Non-Detects		15.00%
317												
318			Raw Statistics						Log-transformed Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
319				Minimum Detected		1.1				Minimum Detected		0.0953
320				Maximum Detected		22				Maximum Detected		3.091
321				Mean of Detected		4.494				Mean of Detected		1.09
322				SD of Detected		5.405				SD of Detected		0.842
323				Minimum Non-Detect		1.9				Minimum Non-Detect		0.642
324				Maximum Non-Detect		10				Maximum Non-Detect		2.303
325												
326	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			18
327	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
328	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			90.00%
329												
330					UCL Statistics							
331		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
332				Shapiro Wilk Test Statistic		0.632				Shapiro Wilk Test Statistic		0.891
333				5% Shapiro Wilk Critical Value		0.892				5% Shapiro Wilk Critical Value		0.892
334		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
335												
336		Assuming Normal Distribution							Assuming Lognormal Distribution			
337				DL/2 Substitution Method						DL/2 Substitution Method		
338				Mean		4.368				Mean		1.084
339				SD		5.027				SD		0.833
340				95% DL/2 (t) UCL		6.311				95% H-Stat (DL/2) UCL		7.66
341												
342				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
343		MLE method failed to converge properly								Mean in Log Scale		1.031
344										SD in Log Scale		0.801
345										Mean in Original Scale		4.147
346										SD in Original Scale		5.045
347										95% Percentile Bootstrap UCL		6.152
348										95% BCA Bootstrap UCL		6.819
349												
350		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
351				k star (bias corrected)		1.153			Data do not follow a Discernable Distribution (0.05)			
352				Theta Star		3.898						
353				nu star		39.2						
354												
355				A-D Test Statistic		1.257			Nonparametric Statistics			
356				5% A-D Critical Value		0.759			Kaplan-Meier (KM) Method			
357				K-S Test Statistic		0.759				Mean		4.162
358				5% K-S Critical Value		0.214				SD		4.932
359		Data not Gamma Distributed at 5% Significance Level								SE of Mean		1.144
360										95% KM (t) UCL		6.141
361		Assuming Gamma Distribution								95% KM (z) UCL		6.045
362		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		6.134
363				Minimum		1.1				95% KM (bootstrap t) UCL		8.603
364				Maximum		22				95% KM (BCA) UCL		6.52
365				Mean		4.424				95% KM (Percentile Bootstrap) UCL		6.154
366				Median		2.7				95% KM (Chebyshev) UCL		9.15
367				SD		4.983				97.5% KM (Chebyshev) UCL		11.31
368				k star		1.346				99% KM (Chebyshev) UCL		15.55
369				Theta star		3.287						
370				Nu star		53.83			Potential UCLs to Use			
371				AppChi2		37.97				95% KM (Chebyshev) UCL		9.15

	A	B	C	D	E	F	G	H	I	J	K	L
372				95% Gamma Approximate UCL		6.271						
373				95% Adjusted Gamma UCL		6.45						
374	Note: DL/2 is not a recommended method.											
375												
376												
377	Indeno(1,2,3-cd)pyrene											
378												
379					General Statistics							
380			Number of Valid Observations			20			Number of Distinct Observations			17
381												
382			Raw Statistics						Log-transformed Statistics			
383					Minimum	4.4			Minimum of Log Data			1.482
384					Maximum	100			Maximum of Log Data			4.605
385					Mean	19.73			Mean of log Data			2.67
386					Median	13.5			SD of log Data			0.726
387					SD	21.74						
388			Coefficient of Variation			1.102						
389					Skewness	3.09						
390												
391					Relevant UCL Statistics							
392			Normal Distribution Test						Lognormal Distribution Test			
393			Shapiro Wilk Test Statistic			0.595			Shapiro Wilk Test Statistic			0.934
394			Shapiro Wilk Critical Value			0.905			Shapiro Wilk Critical Value			0.905
395			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
396												
397			Assuming Normal Distribution						Assuming Lognormal Distribution			
398					95% Student's-t UCL	28.14			95% H-UCL			27.29
399			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			32.53
400			95% Adjusted-CLT UCL			31.32			97.5% Chebyshev (MVUE) UCL			38.6
401			95% Modified-t UCL			28.7			99% Chebyshev (MVUE) UCL			50.53
402												
403			Gamma Distribution Test						Data Distribution			
404			k star (bias corrected)			1.52			Data appear Lognormal at 5% Significance Level			
405					Theta Star	12.98						
406					nu star	60.79						
407			Approximate Chi Square Value (.05)			43.86			Nonparametric Statistics			
408			Adjusted Level of Significance			0.038			95% CLT UCL			27.73
409			Adjusted Chi Square Value			42.72			95% Jackknife UCL			28.14
410									95% Standard Bootstrap UCL			27.41
411			Anderson-Darling Test Statistic			1.138			95% Bootstrap-t UCL			43.48
412			Anderson-Darling 5% Critical Value			0.755			95% Hall's Bootstrap UCL			66.16
413			Kolmogorov-Smirnov Test Statistic			0.219			95% Percentile Bootstrap UCL			27.92
414			Kolmogorov-Smirnov 5% Critical Value			0.197			95% BCA Bootstrap UCL			31.97
415			Data not Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			40.92
416									97.5% Chebyshev(Mean, Sd) UCL			50.09
417			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			68.1
418			95% Approximate Gamma UCL			27.35						
419			95% Adjusted Gamma UCL			28.07						
420												
421			Potential UCL to Use						Use 95% H-UCL			27.29
422												
423												
424	Lead											

	A	B	C	D	E	F	G	H	I	J	K	L
425												
426					General Statistics							
427			Number of Valid Observations			20			Number of Distinct Observations			17
428												
429			Raw Statistics						Log-transformed Statistics			
430					Minimum	9.2				Minimum of Log Data		2.219
431					Maximum	55				Maximum of Log Data		4.007
432					Mean	15.6				Mean of log Data		2.627
433					Median	12.25				SD of log Data		0.433
434					SD	10.68						
435				Coefficient of Variation		0.684						
436					Skewness	3.154						
437												
438					Relevant UCL Statistics							
439			Normal Distribution Test						Lognormal Distribution Test			
440			Shapiro Wilk Test Statistic			0.538			Shapiro Wilk Test Statistic			0.715
441			Shapiro Wilk Critical Value			0.905			Shapiro Wilk Critical Value			0.905
442		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
443												
444			Assuming Normal Distribution						Assuming Lognormal Distribution			
445				95% Student's-t UCL		19.73				95% H-UCL		18.43
446		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			21.69
447				95% Adjusted-CLT UCL		21.33			97.5% Chebyshev (MVUE) UCL			24.53
448				95% Modified-t UCL		20.01			99% Chebyshev (MVUE) UCL			30.11
449												
450			Gamma Distribution Test						Data Distribution			
451			k star (bias corrected)			3.712		Data do not follow a Discernable Distribution (0.05)				
452					Theta Star	4.203						
453					nu star	148.5						
454		Approximate Chi Square Value (.05)				121.3			Nonparametric Statistics			
455			Adjusted Level of Significance			0.038				95% CLT UCL		19.53
456			Adjusted Chi Square Value			119.4				95% Jackknife UCL		19.73
457									95% Standard Bootstrap UCL			19.34
458			Anderson-Darling Test Statistic			2.735				95% Bootstrap-t UCL		30.34
459		Anderson-Darling 5% Critical Value				0.745			95% Hall's Bootstrap UCL			35.82
460		Kolmogorov-Smirnov Test Statistic				0.337			95% Percentile Bootstrap UCL			19.77
461		Kolmogorov-Smirnov 5% Critical Value				0.195				95% BCA Bootstrap UCL		21.93
462		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			26.01
463									97.5% Chebyshev(Mean, Sd) UCL			30.51
464			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			39.36
465			95% Approximate Gamma UCL			19.09						
466			95% Adjusted Gamma UCL			19.4						
467												
468			Potential UCL to Use						Use 95% Student's-t UCL			19.73
469									or 95% Modified-t UCL			20.01
470												
471												
472	Mercury											
473												
474					General Statistics							
475			Number of Valid Data			20			Number of Detected Data			18
476		Number of Distinct Detected Data				18			Number of Non-Detect Data			2
477									Percent Non-Detects			10.00%

	A	B	C	D	E	F	G	H	I	J	K	L
478												
479			Raw Statistics						Log-transformed Statistics			
480				Minimum Detected		0.023				Minimum Detected		-3.772
481				Maximum Detected		0.311				Maximum Detected		-1.168
482				Mean of Detected		0.0663				Mean of Detected		-2.9
483				SD of Detected		0.0629				SD of Detected		0.529
484				Minimum Non-Detect		0.05				Minimum Non-Detect		-2.996
485				Maximum Non-Detect		0.07				Maximum Non-Detect		-2.659
486												
487	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		17
488	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		3
489	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		85.00%
490												
491						UCL Statistics						
492		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
493				Shapiro Wilk Test Statistic		0.475				Shapiro Wilk Test Statistic		0.814
494				5% Shapiro Wilk Critical Value		0.897				5% Shapiro Wilk Critical Value		0.897
495		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
496												
497		Assuming Normal Distribution							Assuming Lognormal Distribution			
498				DL/2 Substitution Method						DL/2 Substitution Method		
499					Mean	0.0627				Mean		-2.962
500					SD	0.0606				SD		0.538
501				95% DL/2 (t) UCL		0.0861				95% H-Stat (DL/2) UCL		0.078
502												
503				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
504		MLE yields a negative mean								Mean in Log Scale		-2.925
505										SD in Log Scale		0.508
506										Mean in Original Scale		0.064
507										SD in Original Scale		0.06
508										95% Percentile Bootstrap UCL		0.0901
509										95% BCA Bootstrap UCL		0.103
510												
511		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
512				k star (bias corrected)		2.396			Data do not follow a Discernable Distribution (0.05)			
513				Theta Star		0.0277						
514				nu star		86.27						
515												
516				A-D Test Statistic		1.848			Nonparametric Statistics			
517				5% A-D Critical Value		0.747				Kaplan-Meier (KM) Method		
518				K-S Test Statistic		0.747				Mean		0.0641
519				5% K-S Critical Value		0.205				SD		0.0585
520		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.0135
521										95% KM (t) UCL		0.0874
522		Assuming Gamma Distribution								95% KM (z) UCL		0.0862
523		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.0873
524					Minimum	0.023				95% KM (bootstrap t) UCL		0.141
525					Maximum	0.311				95% KM (BCA) UCL		0.0905
526					Mean	0.0652				95% KM (Percentile Bootstrap) UCL		0.0893
527					Median	0.0505				95% KM (Chebyshev) UCL		0.123
528					SD	0.0597				97.5% KM (Chebyshev) UCL		0.148
529					k star	2.628				99% KM (Chebyshev) UCL		0.198
530					Theta star	0.0248						

	A	B	C	D	E	F	G	H	I	J	K	L
531					Nu star	105.1			Potential UCLs to Use			
532					AppChi2	82.46			95% KM (Chebyshev) UCL			0.123
533			95% Gamma Approximate UCL			0.0831						
534			95% Adjusted Gamma UCL			0.0847						
535	Note: DL/2 is not a recommended method.											
536												
537												
538	Naphthalene											
539												
540					General Statistics							
541			Number of Valid Data			19			Number of Detected Data			6
542			Number of Distinct Detected Data			6			Number of Non-Detect Data			13
543			Number of Missing Values			1			Percent Non-Detects			68.42%
544												
545			Raw Statistics						Log-transformed Statistics			
546			Minimum Detected			2.4			Minimum Detected			0.875
547			Maximum Detected			12			Maximum Detected			2.485
548			Mean of Detected			6.017			Mean of Detected			1.633
549			SD of Detected			3.686			SD of Detected			0.628
550			Minimum Non-Detect			2.2			Minimum Non-Detect			0.788
551			Maximum Non-Detect			10			Maximum Non-Detect			2.303
552												
553	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			18
554	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
555	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			94.74%
556												
557				Warning: There are only 6 Detected Values in this data								
558				Note: It should be noted that even though bootstrap may be performed on this data set								
559				the resulting calculations may not be reliable enough tp draw conclusions								
560												
561				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
562												
563												
564					UCL Statistics							
565			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
566			Shapiro Wilk Test Statistic			0.902			Shapiro Wilk Test Statistic			0.934
567			5% Shapiro Wilk Critical Value			0.788			5% Shapiro Wilk Critical Value			0.788
568			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
569												
570			Assuming Normal Distribution						Assuming Lognormal Distribution			
571			DL/2 Substitution Method						DL/2 Substitution Method			
572			Mean			3.382			Mean			0.964
573			SD			2.876			SD			0.686
574			95% DL/2 (t) UCL			4.526			95% H-Stat (DL/2) UCL			3.936
575												
576			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
577			MLE method failed to converge properly						Mean in Log Scale			0.839
578									SD in Log Scale			0.693
579									Mean in Original Scale			3.046
580									SD in Original Scale			2.874
581									95% Percentile Bootstrap UCL			4.155
582									95% BCA Bootstrap UCL			4.407
583												

	A	B	C	D	E	F	G	H	I	J	K	L
584	Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only				
585	k star (bias corrected)					1.74		Data appear Normal at 5% Significance Level				
586	Theta Star					3.458						
587	nu star					20.88						
588												
589	A-D Test Statistic					0.328		Nonparametric Statistics				
590	5% A-D Critical Value					0.701		Kaplan-Meier (KM) Method				
591	K-S Test Statistic					0.701		Mean				3.675
592	5% K-S Critical Value					0.334		SD				2.547
593	Data appear Gamma Distributed at 5% Significance Level							SE of Mean				0.659
594								95% KM (t) UCL				4.818
595	Assuming Gamma Distribution							95% KM (z) UCL				4.759
596	Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL				4.634
597	Minimum					2.4		95% KM (bootstrap t) UCL				5.057
598	Maximum					12		95% KM (BCA) UCL				7.616
599	Mean					6.25		95% KM (Percentile Bootstrap) UCL				5.275
600	Median					6.482		95% KM (Chebyshev) UCL				6.549
601	SD					2.091		97.5% KM (Chebyshev) UCL				7.792
602	k star					7.414		99% KM (Chebyshev) UCL				10.23
603	Theta star					0.843						
604	Nu star					281.8		Potential UCLs to Use				
605	AppChi2					243.9		95% KM (t) UCL				4.818
606	95% Gamma Approximate UCL					7.221		95% KM (Percentile Bootstrap) UCL				5.275
607	95% Adjusted Gamma UCL					7.313						
608	Note: DL/2 is not a recommended method.											
609												
610												
611	Total Aroclors											
612												
613	General Statistics											
614	Number of Valid Data					20		Number of Detected Data				17
615	Number of Distinct Detected Data					17		Number of Non-Detect Data				3
616								Percent Non-Detects				15.00%
617												
618	Raw Statistics							Log-transformed Statistics				
619	Minimum Detected					11.8		Minimum Detected				2.468
620	Maximum Detected					142.8		Maximum Detected				4.961
621	Mean of Detected					46.55		Mean of Detected				3.623
622	SD of Detected					35		SD of Detected				0.658
623	Minimum Non-Detect					3.4		Minimum Non-Detect				1.224
624	Maximum Non-Detect					10		Maximum Non-Detect				2.303
625												
626	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				3
627	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				17
628	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				15.00%
629												
630	UCL Statistics											
631	Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only				
632	Shapiro Wilk Test Statistic					0.804		Shapiro Wilk Test Statistic				0.949
633	5% Shapiro Wilk Critical Value					0.892		5% Shapiro Wilk Critical Value				0.892
634	Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level				
635												
636	Assuming Normal Distribution							Assuming Lognormal Distribution				

	A	B	C	D	E	F	G	H	I	J	K	L
637				DL/2 Substitution Method						DL/2 Substitution Method		
638					Mean	40.15					Mean	3.267
639					SD	35.72					SD	1.078
640				95% DL/2 (t) UCL		53.96				95% H-Stat (DL/2) UCL		67.15
641												
642			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
643					Mean	37.69					Mean in Log Scale	3.395
644					SD	38.42					SD in Log Scale	0.824
645				95% MLE (t) UCL		52.55					Mean in Original Scale	40.8
646			95% MLE (Tiku) UCL			52.36					SD in Original Scale	35.05
647											95% Percentile Bootstrap UCL	54.24
648											95% BCA Bootstrap UCL	57.77
649												
650			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
651				k star (bias corrected)		2.059		Data appear Gamma Distributed at 5% Significance Level				
652					Theta Star	22.61						
653					nu star	70						
654												
655				A-D Test Statistic		0.672		Nonparametric Statistics				
656				5% A-D Critical Value		0.748				Kaplan-Meier (KM) Method		
657				K-S Test Statistic		0.748					Mean	41.34
658				5% K-S Critical Value		0.211					SD	33.67
659		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	7.761
660											95% KM (t) UCL	54.76
661			Assuming Gamma Distribution								95% KM (z) UCL	54.1
662			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	54
663					Minimum	1E-09					95% KM (bootstrap t) UCL	61.31
664					Maximum	142.8					95% KM (BCA) UCL	56.19
665					Mean	40.01				95% KM (Percentile Bootstrap) UCL		55.49
666					Median	26.3					95% KM (Chebyshev) UCL	75.16
667					SD	35.89					97.5% KM (Chebyshev) UCL	89.8
668					k star	0.398					99% KM (Chebyshev) UCL	118.6
669					Theta star	100.6						
670					Nu star	15.91		Potential UCLs to Use				
671					AppChi2	7.895					95% KM (BCA) UCL	56.19
672			95% Gamma Approximate UCL			80.6						
673			95% Adjusted Gamma UCL			85.4						
674	Note: DL/2 is not a recommended method.											
675												
676												
677	Total DDT											
678												
679						General Statistics						
680			Number of Valid Data			17				Number of Detected Data		15
681			Number of Distinct Detected Data			15				Number of Non-Detect Data		2
682			Number of Missing Values			3				Percent Non-Detects		11.76%
683												
684			Raw Statistics						Log-transformed Statistics			
685				Minimum Detected		0.208					Minimum Detected	-1.57
686				Maximum Detected		2.75					Maximum Detected	1.012
687				Mean of Detected		1.283					Mean of Detected	-0.071
688				SD of Detected		0.919					SD of Detected	0.913
689				Minimum Non-Detect		0.06					Minimum Non-Detect	-2.813

	A	B	C	D	E	F	G	H	I	J	K	L
690				Maximum Non-Detect		0.0783				Maximum Non-Detect		-2.547
691												
692	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			2
693	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			15
694	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			11.76%
695												
696						UCL Statistics						
697			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
698				Shapiro Wilk Test Statistic		0.889				Shapiro Wilk Test Statistic		0.896
699				5% Shapiro Wilk Critical Value		0.881				5% Shapiro Wilk Critical Value		0.881
700			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
701												
702			Assuming Normal Distribution						Assuming Lognormal Distribution			
703				DL/2 Substitution Method						DL/2 Substitution Method		
704					Mean	1.136				Mean		-0.46
705					SD	0.954				SD		1.391
706				95% DL/2 (t) UCL		1.54				95% H-Stat (DL/2) UCL		4.797
707												
708			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
709					Mean	1.078				Mean in Log Scale		-0.313
710					SD	1.017				SD in Log Scale		1.094
711				95% MLE (t) UCL		1.508				Mean in Original Scale		1.146
712				95% MLE (Tiku) UCL		1.506				SD in Original Scale		0.942
713										95% Percentile Bootstrap UCL		1.51
714										95% BCA Bootstrap UCL		1.541
715												
716			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
717				k star (bias corrected)		1.413			Data appear Normal at 5% Significance Level			
718					Theta Star	0.907						
719					nu star	42.4						
720												
721					A-D Test Statistic	0.403			Nonparametric Statistics			
722					5% A-D Critical Value	0.751			Kaplan-Meier (KM) Method			
723					K-S Test Statistic	0.751				Mean		1.156
724					5% K-S Critical Value	0.225				SD		0.903
725			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		0.227
726										95% KM (t) UCL		1.552
727			Assuming Gamma Distribution							95% KM (z) UCL		1.529
728			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		1.55
729					Minimum	1E-09				95% KM (bootstrap t) UCL		1.602
730					Maximum	2.75				95% KM (BCA) UCL		1.545
731					Mean	1.132			95% KM (Percentile Bootstrap) UCL			1.512
732					Median	0.975				95% KM (Chebyshev) UCL		2.144
733					SD	0.959				97.5% KM (Chebyshev) UCL		2.571
734					k star	0.26				99% KM (Chebyshev) UCL		3.411
735					Theta star	4.358						
736					Nu star	8.828			Potential UCLs to Use			
737					AppChi2	3.224				95% KM (t) UCL		1.552
738			95% Gamma Approximate UCL			3.099			95% KM (Percentile Bootstrap) UCL			1.512
739			95% Adjusted Gamma UCL			3.471						
740	Note: DL/2 is not a recommended method.											
741												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM9.5W.wst								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Arsenic											
10												
11						General Statistics						
12				Number of Valid Observations		12			Number of Distinct Observations			12
13												
14			Raw Statistics					Log-transformed Statistics				
15				Minimum		2			Minimum of Log Data			0.693
16				Maximum		7.76			Maximum of Log Data			2.049
17				Mean		3.777			Mean of log Data			1.28
18				Median		3.575			SD of log Data			0.313
19				SD		1.387						
20			Coefficient of Variation			0.367						
21				Skewness		2.297						
22												
23						Relevant UCL Statistics						
24			Normal Distribution Test					Lognormal Distribution Test				
25			Shapiro Wilk Test Statistic			0.736			Shapiro Wilk Test Statistic			0.873
26			Shapiro Wilk Critical Value			0.859			Shapiro Wilk Critical Value			0.859
27		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
28												
29		Assuming Normal Distribution						Assuming Lognormal Distribution				
30				95% Student's-t UCL		4.496			95% H-UCL			4.537
31		95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL				5.259
32			95% Adjusted-CLT UCL			4.719			97.5% Chebyshev (MVUE) UCL			5.907
33			95% Modified-t UCL			4.54			99% Chebyshev (MVUE) UCL			7.179
34												
35		Gamma Distribution Test						Data Distribution				
36			k star (bias corrected)			7.859		Data Follow Appr. Gamma Distribution at 5% Significance Level				
37				Theta Star		0.481						
38				nu star		188.6						
39		Approximate Chi Square Value (.05)				157.8			Nonparametric Statistics			
40		Adjusted Level of Significance				0.029			95% CLT UCL			4.435
41		Adjusted Chi Square Value				153.5			95% Jackknife UCL			4.496
42									95% Standard Bootstrap UCL			4.387
43		Anderson-Darling Test Statistic				0.882			95% Bootstrap-t UCL			5.053
44		Anderson-Darling 5% Critical Value				0.73			95% Hall's Bootstrap UCL			7.74
45		Kolmogorov-Smirnov Test Statistic				0.241			95% Percentile Bootstrap UCL			4.455
46		Kolmogorov-Smirnov 5% Critical Value				0.245			95% BCA Bootstrap UCL			4.733
47		Data follow Appr. Gamma Distribution at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL				5.522
48								97.5% Chebyshev(Mean, Sd) UCL				6.277
49		Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL				7.761
50			95% Approximate Gamma UCL			4.513						
51			95% Adjusted Gamma UCL			4.639						
52												
53		Potential UCL to Use						Use 95% Approximate Gamma UCL				4.513

Benzo(a)anthracene

General Statistics

Number of Valid Observations	12		Number of Distinct Observations	12

Raw Statistics		Log-transformed Statistics	
Minimum	10	Minimum of Log Data	2.303
Maximum	570	Maximum of Log Data	6.346
Mean	120.9	Mean of log Data	3.954
Median	40	SD of log Data	1.332
SD	172		
Coefficient of Variation	1.422		
Skewness	1.973		

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.695	Shapiro Wilk Test Statistic	0.919
Shapiro Wilk Critical Value	0.859	Shapiro Wilk Critical Value	0.859
Data not Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	210.1	95% H-UCL	527.1
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	318
95% Adjusted-CLT UCL	232.8	97.5% Chebyshev (MVUE) UCL	406.9
95% Modified-t UCL	214.8	99% Chebyshev (MVUE) UCL	581.6

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	0.593	Data appear Gamma Distributed at 5% Significance Level	
Theta Star	204		
nu star	14.23		
Approximate Chi Square Value (.05)	6.726	Nonparametric Statistics	
Adjusted Level of Significance	0.029	95% CLT UCL	202.6
Adjusted Chi Square Value	5.956	95% Jackknife UCL	210.1
		95% Standard Bootstrap UCL	198.1
Anderson-Darling Test Statistic	0.75	95% Bootstrap-t UCL	281.9
Anderson-Darling 5% Critical Value	0.768	95% Hall's Bootstrap UCL	223.4
Kolmogorov-Smirnov Test Statistic	0.222	95% Percentile Bootstrap UCL	205.4
Kolmogorov-Smirnov 5% Critical Value	0.255	95% BCA Bootstrap UCL	234.8
Data appear Gamma Distributed at 5% Significance Level		95% Chebyshev(Mean, Sd) UCL	337.3
		97.5% Chebyshev(Mean, Sd) UCL	430.9
Assuming Gamma Distribution		99% Chebyshev(Mean, Sd) UCL	614.8
95% Approximate Gamma UCL	255.7		
95% Adjusted Gamma UCL	288.8		

Potential UCL to Use		Use 95% Approximate Gamma UCL	255.7

Benzo(a)pyrene

General Statistics

Number of Valid Observations	12		Number of Distinct Observations	12

	A	B	C	D	E	F	G	H	I	J	K	L
107												
108			Raw Statistics						Log-transformed Statistics			
109					Minimum	12				Minimum of Log Data	2.485	
110					Maximum	840				Maximum of Log Data	6.733	
111					Mean	165.6				Mean of log Data	4.209	
112					Median	53.5				SD of log Data	1.4	
113					SD	245.8						
114				Coefficient of Variation		1.484						
115					Skewness	2.216						
116												
117						Relevant UCL Statistics						
118			Normal Distribution Test						Lognormal Distribution Test			
119				Shapiro Wilk Test Statistic		0.676				Shapiro Wilk Test Statistic	0.93	
120				Shapiro Wilk Critical Value		0.859				Shapiro Wilk Critical Value	0.859	
121		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
122												
123			Assuming Normal Distribution						Assuming Lognormal Distribution			
124					95% Student's-t UCL	293				95% H-UCL	850.1	
125			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL		457.7	
126				95% Adjusted-CLT UCL		330.8				97.5% Chebyshev (MVUE) UCL	588.1	
127					95% Modified-t UCL	300.6				99% Chebyshev (MVUE) UCL	844.1	
128												
129			Gamma Distribution Test						Data Distribution			
130				k star (bias corrected)		0.561		Data appear Gamma Distributed at 5% Significance Level				
131					Theta Star	295.1						
132					nu star	13.47						
133		Approximate Chi Square Value (.05)				6.209			Nonparametric Statistics			
134			Adjusted Level of Significance			0.029				95% CLT UCL	282.3	
135				Adjusted Chi Square Value		5.474				95% Jackknife UCL	293	
136										95% Standard Bootstrap UCL	274.4	
137			Anderson-Darling Test Statistic			0.639				95% Bootstrap-t UCL	423.4	
138		Anderson-Darling 5% Critical Value				0.771				95% Hall's Bootstrap UCL	353.1	
139		Kolmogorov-Smirnov Test Statistic				0.185				95% Percentile Bootstrap UCL	295.3	
140		Kolmogorov-Smirnov 5% Critical Value				0.256				95% BCA Bootstrap UCL	332.4	
141		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		474.9	
142									97.5% Chebyshev(Mean, Sd) UCL		608.7	
143			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL		871.5	
144			95% Approximate Gamma UCL			359.3						
145				95% Adjusted Gamma UCL		407.5						
146												
147			Potential UCL to Use						Use 95% Approximate Gamma UCL			359.3
148												
149												
150	Benzo(b)fluoranthene											
151												
152						General Statistics						
153			Number of Valid Observations			12			Number of Distinct Observations			12
154												
155			Raw Statistics						Log-transformed Statistics			
156					Minimum	14				Minimum of Log Data	2.639	
157					Maximum	1300				Maximum of Log Data	7.17	
158					Mean	230.8				Mean of log Data	4.403	
159					Median	64.5				SD of log Data	1.487	

	A	B	C	D	E	F	G	H	I	J	K	L
160						SD	376.5					
161				Coefficient of Variation			1.632					
162					Skewness		2.445					
163												
164					Relevant UCL Statistics							
165			Normal Distribution Test							Lognormal Distribution Test		
166				Shapiro Wilk Test Statistic			0.637			Shapiro Wilk Test Statistic		0.923
167				Shapiro Wilk Critical Value			0.859			Shapiro Wilk Critical Value		0.859
168			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
169												
170			Assuming Normal Distribution							Assuming Lognormal Distribution		
171					95% Student's-t UCL		425.9				95% H-UCL	1397
172			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		641.3
173					95% Adjusted-CLT UCL		491.5			97.5% Chebyshev (MVUE) UCL		827.8
174					95% Modified-t UCL		438.7			99% Chebyshev (MVUE) UCL		1194
175												
176			Gamma Distribution Test							Data Distribution		
177					k star (bias corrected)		0.502		Data Follow Appr. Gamma Distribution at 5% Significance Level			
178					Theta Star		459.2					
179					nu star		12.06					
180			Approximate Chi Square Value (.05)				5.266			Nonparametric Statistics		
181			Adjusted Level of Significance				0.029				95% CLT UCL	409.5
182			Adjusted Chi Square Value				4.6				95% Jackknife UCL	425.9
183										95% Standard Bootstrap UCL		404.8
184			Anderson-Darling Test Statistic				0.733				95% Bootstrap-t UCL	676.9
185			Anderson-Darling 5% Critical Value				0.778			95% Hall's Bootstrap UCL		927.9
186			Kolmogorov-Smirnov Test Statistic				0.261			95% Percentile Bootstrap UCL		422.4
187			Kolmogorov-Smirnov 5% Critical Value				0.257			95% BCA Bootstrap UCL		528.3
188			Data follow Appr. Gamma Distribution at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		704.5
189										97.5% Chebyshev(Mean, Sd) UCL		909.5
190			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		1312
191				95% Approximate Gamma UCL			528.4					
192				95% Adjusted Gamma UCL			605					
193												
194			Potential UCL to Use						Use 95% Approximate Gamma UCL			528.4
195												
196												
197	Benzo(k)fluoranthene											
198												
199					General Statistics							
200			Number of Valid Observations				12			Number of Distinct Observations		12
201												
202			Raw Statistics							Log-transformed Statistics		
203					Minimum		4.4				Minimum of Log Data	1.482
204					Maximum		470				Maximum of Log Data	6.153
205					Mean		103.7				Mean of log Data	3.611
206					Median		23.5				SD of log Data	1.481
207					SD		161					
208				Coefficient of Variation			1.553					
209					Skewness		1.835					
210												
211					Relevant UCL Statistics							
212			Normal Distribution Test							Lognormal Distribution Test		

	A	B	C	D	E	F	G	H	I	J	K	L
213					Shapiro Wilk Test Statistic	0.645					Shapiro Wilk Test Statistic	0.929
214					Shapiro Wilk Critical Value	0.859					Shapiro Wilk Critical Value	0.859
215			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
216												
217			Assuming Normal Distribution						Assuming Lognormal Distribution			
218					95% Student's-t UCL	187.2					95% H-UCL	619.3
219			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		287.6
220					95% Adjusted-CLT UCL	206.4				97.5% Chebyshev (MVUE) UCL		371.1
221					95% Modified-t UCL	191.3				99% Chebyshev (MVUE) UCL		535.2
222												
223			Gamma Distribution Test						Data Distribution			
224					k star (bias corrected)	0.505			Data Follow Appr. Gamma Distribution at 5% Significance Level			
225					Theta Star	205.1						
226					nu star	12.13						
227				Approximate Chi Square Value (.05)		5.314			Nonparametric Statistics			
228					Adjusted Level of Significance	0.029					95% CLT UCL	180.1
229					Adjusted Chi Square Value	4.644					95% Jackknife UCL	187.2
230										95% Standard Bootstrap UCL		175.2
231				Anderson-Darling Test Statistic		0.877					95% Bootstrap-t UCL	364.9
232				Anderson-Darling 5% Critical Value		0.777					95% Hall's Bootstrap UCL	429.7
233				Kolmogorov-Smirnov Test Statistic		0.248				95% Percentile Bootstrap UCL		182.7
234				Kolmogorov-Smirnov 5% Critical Value		0.257					95% BCA Bootstrap UCL	203
235		Data follow Appr. Gamma Distribution at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		306.3
236										97.5% Chebyshev(Mean, Sd) UCL		393.9
237			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		566.1
238					95% Approximate Gamma UCL	236.7						
239					95% Adjusted Gamma UCL	270.9						
240												
241			Potential UCL to Use						Use 95% Approximate Gamma UCL			236.7
242												
243												
244	Bis(2-ethylhexyl) phthalate											
245												
246					General Statistics							
247				Number of Valid Data		12				Number of Detected Data		11
248			Number of Distinct Detected Data			10				Number of Non-Detect Data		1
249											Percent Non-Detects	8.33%
250												
251			Raw Statistics						Log-transformed Statistics			
252					Minimum Detected	48					Minimum Detected	3.871
253					Maximum Detected	3900					Maximum Detected	8.269
254					Mean of Detected	878.6					Mean of Detected	5.834
255					SD of Detected	1243					SD of Detected	1.487
256					Minimum Non-Detect	1200					Minimum Non-Detect	7.09
257					Maximum Non-Detect	1200					Maximum Non-Detect	7.09
258												
259												
260					UCL Statistics							
261		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
262				Shapiro Wilk Test Statistic		0.717				Shapiro Wilk Test Statistic		0.934
263				5% Shapiro Wilk Critical Value		0.85				5% Shapiro Wilk Critical Value		0.85
264		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
265												

	A	B	C	D	E	F	G	H	I	J	K	L
266				Assuming Normal Distribution						Assuming Lognormal Distribution		
267				DL/2 Substitution Method						DL/2 Substitution Method		
268					Mean	855.4					Mean	5.881
269					SD	1187					SD	1.427
270				95% DL/2 (t) UCL		1471				95% H-Stat (DL/2) UCL		6770
271												
272				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
273			MLE method failed to converge properly							Mean in Log Scale		5.8
274										SD in Log Scale		1.422
275										Mean in Original Scale		824.4
276										SD in Original Scale		1200
277										95% Percentile Bootstrap UCL		1390
278										95% BCA Bootstrap UCL		1590
279												
280			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
281				k star (bias corrected)		0.531			Data Follow Appr. Gamma Distribution at 5% Significance Level			
282					Theta Star	1654						
283					nu star	11.68						
284												
285				A-D Test Statistic		0.563			Nonparametric Statistics			
286				5% A-D Critical Value		0.77			Kaplan-Meier (KM) Method			
287				K-S Test Statistic		0.77					Mean	835.6
288				5% K-S Critical Value		0.267					SD	1148
289		Data follow Appr. Gamma Distribution at 5% Significance Level									SE of Mean	349.4
290											95% KM (t) UCL	1463
291			Assuming Gamma Distribution								95% KM (z) UCL	1410
292			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	1461
293					Minimum	48					95% KM (bootstrap t) UCL	2295
294					Maximum	3900					95% KM (BCA) UCL	1500
295					Mean	851.2					95% KM (Percentile Bootstrap) UCL	1422
296					Median	330					95% KM (Chebyshev) UCL	2359
297					SD	1189					97.5% KM (Chebyshev) UCL	3018
298					k star	0.575					99% KM (Chebyshev) UCL	4313
299					Theta star	1480						
300					Nu star	13.81			Potential UCLs to Use			
301					AppChi2	6.44					95% KM (Chebyshev) UCL	2359
302			95% Gamma Approximate UCL			1825						
303			95% Adjusted Gamma UCL			2066						
304	Note: DL/2 is not a recommended method.											
305												
306												
307	Dibenzo(a,h)anthracene											
308												
309						General Statistics						
310			Number of Valid Observations			12				Number of Distinct Observations		12
311												
312			Raw Statistics						Log-transformed Statistics			
313					Minimum	1.9				Minimum of Log Data		0.642
314					Maximum	130				Maximum of Log Data		4.868
315					Mean	31.86				Mean of log Data		2.356
316					Median	7.25				SD of log Data		1.543
317					SD	47.32						
318				Coefficient of Variation		1.485						

	A	B	C	D	E	F	G	H	I	J	K	L
319					Skewness	1.449						
320												
321						Relevant UCL Statistics						
322			Normal Distribution Test						Lognormal Distribution Test			
323				Shapiro Wilk Test Statistic		0.666				Shapiro Wilk Test Statistic		0.865
324				Shapiro Wilk Critical Value		0.859				Shapiro Wilk Critical Value		0.859
325		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
326												
327			Assuming Normal Distribution						Assuming Lognormal Distribution			
328				95% Student's-t UCL		56.4				95% H-UCL		221.5
329		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			90.92
330				95% Adjusted-CLT UCL		60.44			97.5% Chebyshev (MVUE) UCL			117.7
331				95% Modified-t UCL		57.35			99% Chebyshev (MVUE) UCL			170.3
332												
333			Gamma Distribution Test						Data Distribution			
334				k star (bias corrected)		0.479		Data appear Lognormal at 5% Significance Level				
335				Theta Star		66.58						
336				nu star		11.49						
337			Approximate Chi Square Value (.05)			4.891			Nonparametric Statistics			
338				Adjusted Level of Significance		0.029				95% CLT UCL		54.33
339				Adjusted Chi Square Value		4.253				95% Jackknife UCL		56.4
340										95% Standard Bootstrap UCL		53.05
341				Anderson-Darling Test Statistic		1.112				95% Bootstrap-t UCL		70.91
342				Anderson-Darling 5% Critical Value		0.78				95% Hall's Bootstrap UCL		48.69
343				Kolmogorov-Smirnov Test Statistic		0.31				95% Percentile Bootstrap UCL		54.94
344				Kolmogorov-Smirnov 5% Critical Value		0.258				95% BCA Bootstrap UCL		58.48
345		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			91.41
346									97.5% Chebyshev(Mean, Sd) UCL			117.2
347			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			167.8
348				95% Approximate Gamma UCL		74.83						
349				95% Adjusted Gamma UCL		86.06						
350												
351			Potential UCL to Use						Use 99% Chebyshev (MVUE) UCL			170.3
352			Recommended UCL exceeds the maximum observation									
353												
354												
355	Indeno(1,2,3-cd)pyrene											
356												
357						General Statistics						
358				Number of Valid Observations		12				Number of Distinct Observations		12
359												
360			Raw Statistics						Log-transformed Statistics			
361				Minimum		9.1				Minimum of Log Data		2.208
362				Maximum		680				Maximum of Log Data		6.522
363				Mean		138.2				Mean of log Data		4.032
364				Median		45.5				SD of log Data		1.396
365				SD		206.1						
366				Coefficient of Variation		1.492						
367				Skewness		2.128						
368												
369						Relevant UCL Statistics						
370			Normal Distribution Test						Lognormal Distribution Test			
371				Shapiro Wilk Test Statistic		0.673				Shapiro Wilk Test Statistic		0.945

	A	B	C	D	E	F	G	H	I	J	K	L
372					Shapiro Wilk Critical Value	0.859				Shapiro Wilk Critical Value		0.859
373			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
374												
375			Assuming Normal Distribution						Assuming Lognormal Distribution			
376					95% Student's-t UCL	245					95% H-UCL	703.6
377			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		381.3
378					95% Adjusted-CLT UCL	275.1				97.5% Chebyshev (MVUE) UCL		489.8
379					95% Modified-t UCL	251.1				99% Chebyshev (MVUE) UCL		703
380												
381			Gamma Distribution Test						Data Distribution			
382					k star (bias corrected)	0.564			Data appear Gamma Distributed at 5% Significance Level			
383					Theta Star	245.2						
384					nu star	13.53						
385				Approximate Chi Square Value (.05)		6.248			Nonparametric Statistics			
386				Adjusted Level of Significance		0.029					95% CLT UCL	236
387				Adjusted Chi Square Value		5.51					95% Jackknife UCL	245
388										95% Standard Bootstrap UCL		233.3
389				Anderson-Darling Test Statistic		0.582					95% Bootstrap-t UCL	482.5
390				Anderson-Darling 5% Critical Value		0.771				95% Hall's Bootstrap UCL		701.1
391				Kolmogorov-Smirnov Test Statistic		0.191				95% Percentile Bootstrap UCL		238
392				Kolmogorov-Smirnov 5% Critical Value		0.256					95% BCA Bootstrap UCL	275.3
393			Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		397.5
394										97.5% Chebyshev(Mean, Sd) UCL		509.7
395			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		730.1
396					95% Approximate Gamma UCL	299.1						
397					95% Adjusted Gamma UCL	339.2						
398												
399			Potential UCL to Use						Use 95% Approximate Gamma UCL			299.1
400												
401												
402	Lead											
403												
404					General Statistics							
405				Number of Valid Observations		12				Number of Distinct Observations		12
406												
407			Raw Statistics						Log-transformed Statistics			
408					Minimum	9.5				Minimum of Log Data		2.251
409					Maximum	72				Maximum of Log Data		4.277
410					Mean	25.71				Mean of log Data		3.059
411					Median	17.1				SD of log Data		0.612
412					SD	18.42						
413				Coefficient of Variation		0.717						
414					Skewness	1.721						
415												
416					Relevant UCL Statistics							
417			Normal Distribution Test						Lognormal Distribution Test			
418				Shapiro Wilk Test Statistic		0.798				Shapiro Wilk Test Statistic		0.934
419				Shapiro Wilk Critical Value		0.859				Shapiro Wilk Critical Value		0.859
420			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
421												
422			Assuming Normal Distribution						Assuming Lognormal Distribution			
423					95% Student's-t UCL	35.26					95% H-UCL	39.18
424			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		45.32

	A	B	C	D	E	F	G	H	I	J	K	L
425				95% Adjusted-CLT UCL		37.28			97.5% Chebyshev (MVUE) UCL			54.01
426				95% Modified-t UCL		35.7			99% Chebyshev (MVUE) UCL			71.09
427												
428			Gamma Distribution Test						Data Distribution			
429			k star (bias corrected)			2.166			Data appear Gamma Distributed at 5% Significance Level			
430			Theta Star			11.87						
431			nu star			51.99						
432			Approximate Chi Square Value (.05)			36.43			Nonparametric Statistics			
433			Adjusted Level of Significance			0.029			95% CLT UCL			34.46
434			Adjusted Chi Square Value			34.45			95% Jackknife UCL			35.26
435									95% Standard Bootstrap UCL			34.17
436			Anderson-Darling Test Statistic			0.552			95% Bootstrap-t UCL			43.57
437			Anderson-Darling 5% Critical Value			0.739			95% Hall's Bootstrap UCL			73.63
438			Kolmogorov-Smirnov Test Statistic			0.233			95% Percentile Bootstrap UCL			34.42
439			Kolmogorov-Smirnov 5% Critical Value			0.248			95% BCA Bootstrap UCL			36.22
440			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			48.89
441									97.5% Chebyshev(Mean, Sd) UCL			58.92
442			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			78.62
443			95% Approximate Gamma UCL			36.69						
444			95% Adjusted Gamma UCL			38.8						
445												
446			Potential UCL to Use						Use 95% Approximate Gamma UCL			36.69
447												
448												
449	Mercury											
450												
451					General Statistics							
452			Number of Valid Data			12			Number of Detected Data			11
453			Number of Distinct Detected Data			10			Number of Non-Detect Data			1
454									Percent Non-Detects			8.33%
455												
456			Raw Statistics						Log-transformed Statistics			
457			Minimum Detected			0.034			Minimum Detected			-3.381
458			Maximum Detected			0.118			Maximum Detected			-2.137
459			Mean of Detected			0.0646			Mean of Detected			-2.788
460			SD of Detected			0.022			SD of Detected			0.325
461			Minimum Non-Detect			0.07			Minimum Non-Detect			-2.659
462			Maximum Non-Detect			0.07			Maximum Non-Detect			-2.659
463												
464												
465					UCL Statistics							
466			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
467			Shapiro Wilk Test Statistic			0.877			Shapiro Wilk Test Statistic			0.946
468			5% Shapiro Wilk Critical Value			0.85			5% Shapiro Wilk Critical Value			0.85
469			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
470												
471			Assuming Normal Distribution						Assuming Lognormal Distribution			
472			DL/2 Substitution Method						DL/2 Substitution Method			
473			Mean			0.0622			Mean			-2.835
474			SD			0.0226			SD			0.351
475			95% DL/2 (t) UCL			0.0739			95% H-Stat (DL/2) UCL			0.0767
476												
477			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			

	A	B	C	D	E	F	G	H	I	J	K	L
478					Mean	0.0615				Mean in Log Scale		-2.805
479					SD	0.0236				SD in Log Scale		0.316
480				95% MLE (t) UCL		0.0737				Mean in Original Scale		0.0634
481				95% MLE (Tiku) UCL		0.0788				SD in Original Scale		0.0214
482										95% Percentile Bootstrap UCL		0.0742
483										95% BCA Bootstrap UCL		0.0757
484												
485		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
486					k star (bias corrected)	7.645		Data appear Normal at 5% Significance Level				
487					Theta Star	0.00845						
488					nu star	168.2						
489												
490					A-D Test Statistic	0.418		Nonparametric Statistics				
491				5% A-D Critical Value		0.729				Kaplan-Meier (KM) Method		
492					K-S Test Statistic	0.729				Mean		0.0635
493				5% K-S Critical Value		0.255				SD		0.0206
494		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.00633
495										95% KM (t) UCL		0.0749
496		Assuming Gamma Distribution								95% KM (z) UCL		0.0739
497		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.0749
498					Minimum	0.034				95% KM (bootstrap t) UCL		0.0775
499					Maximum	0.118				95% KM (BCA) UCL		0.0751
500					Mean	0.0639				95% KM (Percentile Bootstrap) UCL		0.0743
501					Median	0.0626				95% KM (Chebyshev) UCL		0.0911
502					SD	0.0211				97.5% KM (Chebyshev) UCL		0.103
503					k star	8.444				99% KM (Chebyshev) UCL		0.126
504					Theta star	0.00757						
505					Nu star	202.7		Potential UCLs to Use				
506					AppChi2	170.7				95% KM (t) UCL		0.0749
507			95% Gamma Approximate UCL			0.0759				95% KM (Percentile Bootstrap) UCL		0.0743
508			95% Adjusted Gamma UCL			0.0779						
509	Note: DL/2 is not a recommended method.											
510												
511												
512	Naphthalene											
513												
514					General Statistics							
515			Number of Valid Data			12				Number of Detected Data		7
516		Number of Distinct Detected Data				7				Number of Non-Detect Data		5
517										Percent Non-Detects		41.67%
518												
519		Raw Statistics								Log-transformed Statistics		
520				Minimum Detected		7.7				Minimum Detected		2.041
521				Maximum Detected		350				Maximum Detected		5.858
522				Mean of Detected		63.39				Mean of Detected		3.124
523				SD of Detected		126.5				SD of Detected		1.272
524				Minimum Non-Detect		0.65				Minimum Non-Detect		-0.431
525				Maximum Non-Detect		77				Maximum Non-Detect		4.344
526												
527	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			11
528	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
529	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			91.67%
530												

	A	B	C	D	E	F	G	H	I	J	K	L
531	Warning: There are only 7 Detected Values in this data											
532	Note: It should be noted that even though bootstrap may be performed on this data set											
533	the resulting calculations may not be reliable enough tp draw conclusions											
534												
535	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
536												
537												
538	UCL Statistics											
539	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
540	Shapiro Wilk Test Statistic					0.499	Shapiro Wilk Test Statistic					0.755
541	5% Shapiro Wilk Critical Value					0.803	5% Shapiro Wilk Critical Value					0.803
542	Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level					
543												
544	Assuming Normal Distribution						Assuming Lognormal Distribution					
545	DL/2 Substitution Method						DL/2 Substitution Method					
546	Mean					41.02	Mean					2.326
547	SD					97.94	SD					1.702
548	95% DL/2 (t) UCL					91.8	95% H-Stat (DL/2) UCL					449.4
549												
550	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
551	MLE method failed to converge properly						Mean in Log Scale					2.076
552							SD in Log Scale					1.651
553							Mean in Original Scale					37.94
554							SD in Original Scale					98.61
555							95% Percentile Bootstrap UCL					94.43
556							95% BCA Bootstrap UCL					122.2
557												
558	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
559	k star (bias corrected)					0.439	Data do not follow a Discernable Distribution (0.05)					
560	Theta Star					144.2						
561	nu star					6.152						
562												
563	A-D Test Statistic					1.31	Nonparametric Statistics					
564	5% A-D Critical Value					0.745	Kaplan-Meier (KM) Method					
565	K-S Test Statistic					0.745	Mean					40.58
566	5% K-S Critical Value					0.325	SD					93.48
567	Data not Gamma Distributed at 5% Significance Level						SE of Mean					29.15
568							95% KM (t) UCL					92.93
569	Assuming Gamma Distribution						95% KM (z) UCL					88.53
570	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					90.27
571	Minimum					1E-09	95% KM (bootstrap t) UCL					665.4
572	Maximum					350	95% KM (BCA) UCL					124.9
573	Mean					45.95	95% KM (Percentile Bootstrap) UCL					95.62
574	Median					11.5	95% KM (Chebyshev) UCL					167.7
575	SD					100.2	97.5% KM (Chebyshev) UCL					222.6
576	k star					0.127	99% KM (Chebyshev) UCL					330.6
577	Theta star					360.7						
578	Nu star					3.058	Potential UCLs to Use					
579	AppChi2					0.39	97.5% KM (Chebyshev) UCL					222.6
580	95% Gamma Approximate UCL					360.6						
581	95% Adjusted Gamma UCL					501.3						
582	Note: DL/2 is not a recommended method.											
583												

	A	B	C	D	E	F	G	H	I	J	K	L
584												
585	Total Aroclors											
586												
587					General Statistics							
588				Number of Valid Observations		12				Number of Distinct Observations		12
589												
590				Raw Statistics						Log-transformed Statistics		
591					Minimum	23.6				Minimum of Log Data		3.161
592					Maximum	644.3				Maximum of Log Data		6.468
593					Mean	211.2				Mean of log Data		4.984
594					Median	172.2				SD of log Data		0.994
595					SD	173.8						
596				Coefficient of Variation		0.823						
597					Skewness	1.41						
598												
599					Relevant UCL Statistics							
600				Normal Distribution Test						Lognormal Distribution Test		
601				Shapiro Wilk Test Statistic		0.884				Shapiro Wilk Test Statistic		0.944
602				Shapiro Wilk Critical Value		0.859				Shapiro Wilk Critical Value		0.859
603			Data appear Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
604												
605				Assuming Normal Distribution						Assuming Lognormal Distribution		
606					95% Student's-t UCL	301.3				95% H-UCL		571.6
607			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			529
608				95% Adjusted-CLT UCL		315.6				97.5% Chebyshev (MVUE) UCL		659.9
609					95% Modified-t UCL	304.7				99% Chebyshev (MVUE) UCL		917.2
610												
611				Gamma Distribution Test						Data Distribution		
612					k star (bias corrected)	1.18			Data appear Normal at 5% Significance Level			
613					Theta Star	179						
614					nu star	28.31						
615			Approximate Chi Square Value (.05)			17.17				Nonparametric Statistics		
616				Adjusted Level of Significance		0.029				95% CLT UCL		293.7
617				Adjusted Chi Square Value		15.86				95% Jackknife UCL		301.3
618										95% Standard Bootstrap UCL		291.9
619				Anderson-Darling Test Statistic		0.185				95% Bootstrap-t UCL		337.8
620				Anderson-Darling 5% Critical Value		0.746				95% Hall's Bootstrap UCL		380.5
621				Kolmogorov-Smirnov Test Statistic		0.101				95% Percentile Bootstrap UCL		299.3
622				Kolmogorov-Smirnov 5% Critical Value		0.25				95% BCA Bootstrap UCL		322.7
623			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			429.9
624									97.5% Chebyshev(Mean, Sd) UCL			524.5
625			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			710.4
626				95% Approximate Gamma UCL		348.2						
627				95% Adjusted Gamma UCL		377						
628												
629			Potential UCL to Use						Use 95% Student's-t UCL			301.3
630												
631												
632	Total DDT											
633												
634					General Statistics							
635				Number of Valid Data		11				Number of Detected Data		10
636				Number of Distinct Detected Data		10				Number of Non-Detect Data		1

	A	B	C	D	E	F	G	H	I	J	K	L
637				Number of Missing Values		1				Percent Non-Detects		9.09%
638												
639				Raw Statistics						Log-transformed Statistics		
640				Minimum Detected		0.411				Minimum Detected		-0.89
641				Maximum Detected		9.15				Maximum Detected		2.214
642				Mean of Detected		2.947				Mean of Detected		0.541
643				SD of Detected		2.973				SD of Detected		1.157
644				Minimum Non-Detect		8.3				Minimum Non-Detect		2.116
645				Maximum Non-Detect		8.3				Maximum Non-Detect		2.116
646												
647												
648						UCL Statistics						
649			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
650				Shapiro Wilk Test Statistic		0.847				Shapiro Wilk Test Statistic		0.917
651				5% Shapiro Wilk Critical Value		0.842				5% Shapiro Wilk Critical Value		0.842
652			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
653												
654				Assuming Normal Distribution						Assuming Lognormal Distribution		
655				DL/2 Substitution Method						DL/2 Substitution Method		
656				Mean		3.056				Mean		0.621
657				SD		2.843				SD		1.13
658				95% DL/2 (t) UCL		4.61				95% H-Stat (DL/2) UCL		11.76
659												
660				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
661			MLE method failed to converge properly							Mean in Log Scale		0.524
662										SD in Log Scale		1.1
663										Mean in Original Scale		2.809
664										SD in Original Scale		2.857
665										95% Percentile Bootstrap UCL		4.253
666										95% BCA Bootstrap UCL		4.521
667												
668			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
669				k star (bias corrected)		0.81			Data appear Normal at 5% Significance Level			
670				Theta Star		3.638						
671				nu star		16.2						
672												
673				A-D Test Statistic		0.362			Nonparametric Statistics			
674				5% A-D Critical Value		0.747				Kaplan-Meier (KM) Method		
675				K-S Test Statistic		0.747				Mean		2.884
676				5% K-S Critical Value		0.273				SD		2.764
677			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		0.902
678										95% KM (t) UCL		4.519
679				Assuming Gamma Distribution						95% KM (z) UCL		4.368
680				Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL		4.521
681				Minimum		0.411				95% KM (bootstrap t) UCL		5.322
682				Maximum		9.15				95% KM (BCA) UCL		4.441
683				Mean		2.936				95% KM (Percentile Bootstrap) UCL		4.401
684				Median		2.48				95% KM (Chebyshev) UCL		6.816
685				SD		2.82				97.5% KM (Chebyshev) UCL		8.517
686				k star		0.902				99% KM (Chebyshev) UCL		11.86
687				Theta star		3.254						
688				Nu star		19.85			Potential UCLs to Use			
689				AppChi2		10.74				95% KM (t) UCL		4.519

	A	B	C	D	E	F	G	H	I	J	K	L
690				95% Gamma Approximate UCL		5.426			95% KM (Percentile Bootstrap) UCL			4.401
691				95% Adjusted Gamma UCL		6.03						
692	Note: DL/2 is not a recommended method.											
693												
694												
695	Total Dioxin-like PCBs											
696												
697					General Statistics							
698				Number of Valid Data		6			Number of Detected Data			6
699			Number of Distinct Detected Data			6			Number of Non-Detect Data			0
700				Number of Missing Values		4			Percent Non-Detects			0.00%
701												
702				Raw Statistics					Log-transformed Statistics			
703				Minimum Detected		3620			Minimum Detected			8.194
704				Maximum Detected		11455			Maximum Detected			9.346
705				Mean of Detected		7218			Mean of Detected			8.823
706				SD of Detected		2702			SD of Detected			0.394
707				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
708				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
709												
710												
711				Warning: There are only 6 Detected Values in this data								
712				Note: It should be noted that even though bootstrap may be performed on this data set								
713				the resulting calculations may not be reliable enough tp draw conclusions								
714												
715			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
716												
717												
718					UCL Statistics							
719		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
720				Shapiro Wilk Test Statistic		0.981			Shapiro Wilk Test Statistic			0.981
721				5% Shapiro Wilk Critical Value		0.788			5% Shapiro Wilk Critical Value			0.788
722		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
723												
724		Assuming Normal Distribution						Assuming Lognormal Distribution				
725				DL/2 Substitution Method					DL/2 Substitution Method			
726				Mean		7218			Mean			8.823
727				SD		2702			SD			0.394
728				95% DL/2 (t) UCL		9441			95% H-Stat (DL/2) UCL			11194
729												
730			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
731		MLE method failed to converge properly							Mean in Log Scale			N/A
732									SD in Log Scale			N/A
733									Mean in Original Scale			N/A
734									SD in Original Scale			N/A
735									95% Percentile Bootstrap UCL			N/A
736									95% BCA Bootstrap UCL			N/A
737												
738		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
739				k star (bias corrected)		4.24		Data appear Normal at 5% Significance Level				
740				Theta Star		1702						
741				nu star		50.88						
742												

	A	B	C	D	E	F	G	H	I	J	K	L
743					A-D Test Statistic	0.172		Nonparametric Statistics				
744					5% A-D Critical Value	0.698			Kaplan-Meier (KM) Method			
745					K-S Test Statistic	0.698					Mean	7218
746					5% K-S Critical Value	0.333					SD	2467
747		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	1103
748											95% KM (t) UCL	9441
749		Assuming Gamma Distribution									95% KM (z) UCL	9033
750		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	9441
751					Minimum	3620					95% KM (bootstrap t) UCL	9793
752					Maximum	11455					95% KM (BCA) UCL	8949
753					Mean	7218					95% KM (Percentile Bootstrap) UCL	8880
754					Median	6775					95% KM (Chebyshev) UCL	12027
755					SD	2702					97.5% KM (Chebyshev) UCL	14107
756					k star	4.24					99% KM (Chebyshev) UCL	18194
757					Theta star	1702						
758					Nu star	50.88		Potential UCLs to Use				
759					AppChi2	35.5					95% KM (t) UCL	9441
760			95% Gamma Approximate UCL			10346				95% KM (Percentile Bootstrap) UCL		8880
761			95% Adjusted Gamma UCL			11875						
762	Note: DL/2 is not a recommended method.											
763												
764												
765	Total PCB TEQ											
766												
767							General Statistics					
768			Number of Valid Data			6				Number of Detected Data		6
769			Number of Distinct Detected Data			6				Number of Non-Detect Data		0
770			Number of Missing Values			4				Percent Non-Detects		0.00%
771												
772			Raw Statistics					Log-transformed Statistics				
773				Minimum Detected		2.183				Minimum Detected		0.781
774				Maximum Detected		6.771				Maximum Detected		1.913
775				Mean of Detected		3.64				Mean of Detected		1.227
776				SD of Detected		1.607				SD of Detected		0.377
777				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
778				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
779												
780												
781						Warning: There are only 6 Detected Values in this data						
782					Note: It should be noted that even though bootstrap may be performed on this data set							
783					the resulting calculations may not be reliable enough tp draw conclusions							
784												
785			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
786												
787												
788							UCL Statistics					
789		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
790				Shapiro Wilk Test Statistic		0.759				Shapiro Wilk Test Statistic		0.861
791				5% Shapiro Wilk Critical Value		0.788				5% Shapiro Wilk Critical Value		0.788
792		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
793												
794		Assuming Normal Distribution						Assuming Lognormal Distribution				
795				DL/2 Substitution Method						DL/2 Substitution Method		

	A	B	C	D	E	F	G	H	I	J	K	L
796						Mean	3.64				Mean	1.227
797						SD	1.607				SD	0.377
798						95% DL/2 (t) UCL	4.962				95% H-Stat (DL/2) UCL	5.455
799												
800				Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method	
801			MLE method failed to converge properly								Mean in Log Scale	N/A
802											SD in Log Scale	N/A
803											Mean in Original Scale	N/A
804											SD in Original Scale	N/A
805											95% Percentile Bootstrap UCL	N/A
806											95% BCA Bootstrap UCL	N/A
807												
808		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
809				k star (bias corrected)			4.017		Data appear Gamma Distributed at 5% Significance Level			
810				Theta Star			0.906					
811				nu star			48.2					
812												
813				A-D Test Statistic			0.645		Nonparametric Statistics			
814				5% A-D Critical Value			0.698		Kaplan-Meier (KM) Method			
815				K-S Test Statistic			0.698				Mean	3.64
816				5% K-S Critical Value			0.333				SD	1.467
817		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.656
818											95% KM (t) UCL	4.962
819		Assuming Gamma Distribution									95% KM (z) UCL	4.719
820		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	4.962
821				Minimum			2.183				95% KM (bootstrap t) UCL	6.774
822				Maximum			6.771				95% KM (BCA) UCL	4.775
823				Mean			3.64				95% KM (Percentile Bootstrap) UCL	4.876
824				Median			3.077				95% KM (Chebyshev) UCL	6.5
825				SD			1.607				97.5% KM (Chebyshev) UCL	7.737
826				k star			4.017				99% KM (Chebyshev) UCL	10.17
827				Theta star			0.906					
828				Nu star			48.2		Potential UCLs to Use			
829				AppChi2			33.27				95% KM (BCA) UCL	4.775
830		95% Gamma Approximate UCL					5.274					
831		95% Adjusted Gamma UCL					6.081					
832	Note: DL/2 is not a recommended method.											
833												
834												
835	Total PCB_Congeners											
836												
837						General Statistics						
838				Number of Valid Data			6				Number of Detected Data	6
839			Number of Distinct Detected Data				6				Number of Non-Detect Data	0
840				Number of Missing Values			4				Percent Non-Detects	0.00%
841												
842		Raw Statistics							Log-transformed Statistics			
843				Minimum Detected			187801				Minimum Detected	12.14
844				Maximum Detected			599793				Maximum Detected	13.3
845				Mean of Detected			353098				Mean of Detected	12.67
846				SD of Detected			175672				SD of Detected	0.503
847				Minimum Non-Detect			N/A				Minimum Non-Detect	N/A
848				Maximum Non-Detect			N/A				Maximum Non-Detect	N/A

	A	B	C	D	E	F	G	H	I	J	K	L
849												
850												
851				Warning: There are only 6 Detected Values in this data								
852				Note: It should be noted that even though bootstrap may be performed on this data set								
853				the resulting calculations may not be reliable enough tp draw conclusions								
854												
855			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
856												
857												
858						UCL Statistics						
859		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
860				Shapiro Wilk Test Statistic		0.879				Shapiro Wilk Test Statistic		0.893
861				5% Shapiro Wilk Critical Value		0.788				5% Shapiro Wilk Critical Value		0.788
862		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
863												
864		Assuming Normal Distribution						Assuming Lognormal Distribution				
865				DL/2 Substitution Method						DL/2 Substitution Method		
866					Mean	353098					Mean	12.67
867					SD	175672					SD	0.503
868				95% DL/2 (t) UCL		497613				95% H-Stat (DL/2) UCL		653530
869												
870			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
871		MLE method failed to converge properly								Mean in Log Scale		N/A
872										SD in Log Scale		N/A
873										Mean in Original Scale		N/A
874										SD in Original Scale		N/A
875										95% Percentile Bootstrap UCL		N/A
876										95% BCA Bootstrap UCL		N/A
877												
878		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
879				k star (bias corrected)		2.576		Data appear Normal at 5% Significance Level				
880				Theta Star		137084						
881				nu star		30.91						
882												
883				A-D Test Statistic		0.389		Nonparametric Statistics				
884				5% A-D Critical Value		0.698		Kaplan-Meier (KM) Method				
885				K-S Test Statistic		0.698				Mean		353098
886				5% K-S Critical Value		0.333				SD		160366
887		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		71718
888										95% KM (t) UCL		497613
889		Assuming Gamma Distribution								95% KM (z) UCL		471064
890		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		497613
891					Minimum	187801				95% KM (bootstrap t) UCL		554963
892					Maximum	599793				95% KM (BCA) UCL		460748
893					Mean	353098				95% KM (Percentile Bootstrap) UCL		467619
894					Median	307384				95% KM (Chebyshev) UCL		665709
895					SD	175672				97.5% KM (Chebyshev) UCL		800977
896					k star	2.576				99% KM (Chebyshev) UCL		1066683
897					Theta star	137084						
898					Nu star	30.91		Potential UCLs to Use				
899					AppChi2	19.21				95% KM (t) UCL		497613
900				95% Gamma Approximate UCL		568169				95% KM (Percentile Bootstrap) UCL		467619
901				95% Adjusted Gamma UCL		683386						

	A	B	C	D	E	F	G	H	I	J	K	L
902	Note: DL/2 is not a recommended method.											
903												
904												
905	Total PCBs, Adjusted											
906												
907					General Statistics							
908				Number of Valid Data		6			Number of Detected Data			6
909			Number of Distinct Detected Data			6			Number of Non-Detect Data			0
910				Number of Missing Values		4			Percent Non-Detects			0.00%
911												
912				Raw Statistics					Log-transformed Statistics			
913				Minimum Detected		184181			Minimum Detected			12.12
914				Maximum Detected		590885			Maximum Detected			13.29
915				Mean of Detected		345880			Mean of Detected			12.65
916				SD of Detected		173534			SD of Detected			0.507
917				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
918				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
919												
920												
921					Warning: There are only 6 Detected Values in this data							
922				Note: It should be noted that even though bootstrap may be performed on this data set								
923					the resulting calculations may not be reliable enough tp draw conclusions							
924												
925				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
926												
927												
928					UCL Statistics							
929		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
930			Shapiro Wilk Test Statistic			0.878			Shapiro Wilk Test Statistic			0.889
931			5% Shapiro Wilk Critical Value			0.788			5% Shapiro Wilk Critical Value			0.788
932		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
933												
934		Assuming Normal Distribution						Assuming Lognormal Distribution				
935			DL/2 Substitution Method						DL/2 Substitution Method			
936					Mean	345880				Mean		12.65
937					SD	173534				SD		0.507
938				95% DL/2 (t) UCL		488635			95% H-Stat (DL/2) UCL			645879
939												
940			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
941		MLE method failed to converge properly							Mean in Log Scale			N/A
942									SD in Log Scale			N/A
943									Mean in Original Scale			N/A
944									SD in Original Scale			N/A
945									95% Percentile Bootstrap UCL			N/A
946									95% BCA Bootstrap UCL			N/A
947												
948		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
949				k star (bias corrected)		2.532		Data appear Normal at 5% Significance Level				
950				Theta Star		136584						
951				nu star		30.39						
952												
953				A-D Test Statistic		0.394			Nonparametric Statistics			
954				5% A-D Critical Value		0.698			Kaplan-Meier (KM) Method			

	A	B	C	D	E	F	G	H	I	J	K	L
955					K-S Test Statistic	0.698					Mean	345880
956					5% K-S Critical Value	0.333					SD	158414
957	**Data appear Gamma Distributed at 5% Significance Level**										SE of Mean	70845
958											95% KM (t) UCL	488635
959	**Assuming Gamma Distribution**										95% KM (z) UCL	462409
960	Gamma ROS Statistics using Extrapolated Data										95% KM (jackknife) UCL	488635
961					Minimum	184181					95% KM (bootstrap t) UCL	543753
962					Maximum	590885					95% KM (BCA) UCL	458573
963					Mean	345880					95% KM (Percentile Bootstrap) UCL	455194
964					Median	301297					95% KM (Chebyshev) UCL	654685
965					SD	173534					97.5% KM (Chebyshev) UCL	788305
966					k star	2.532					99% KM (Chebyshev) UCL	1050776
967					Theta star	136584						
968					Nu star	30.39		**Potential UCLs to Use**				
969					AppChi2	18.8					95% KM (t) UCL	488635
970			95% Gamma Approximate UCL			559130					95% KM (Percentile Bootstrap) UCL	455194
971			95% Adjusted Gamma UCL			673788						
972	**Note: DL/2 is not a recommended method.**											
973												

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM10.0E.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	2000

Arsenic

General Statistics

Number of Valid Observations	9	Number of Distinct Observations	9

Raw Statistics		Log-transformed Statistics	
Minimum	1.27	Minimum of Log Data	0.239
Maximum	3.86	Maximum of Log Data	1.351
Mean	3.042	Mean of log Data	1.074
Median	3.07	SD of log Data	0.328
SD	0.745		
Coefficient of Variation	0.245		
Skewness	-1.781		

Warning: There are only 9 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set,

the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.782	Shapiro Wilk Test Statistic	0.665
Shapiro Wilk Critical Value	0.829	Shapiro Wilk Critical Value	0.829
Data not Normal at 5% Significance Level		Data not Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	3.504	95% H-UCL	3.914
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	4.542
95% Adjusted-CLT UCL	3.293	97.5% Chebyshev (MVUE) UCL	5.18
95% Modified-t UCL	3.48	99% Chebyshev (MVUE) UCL	6.432

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	8.712	Data do not follow a Discernable Distribution (0.05)	
Theta Star	0.349		
nu star	156.8		
Approximate Chi Square Value (.05)	128.9	Nonparametric Statistics	
Adjusted Level of Significance	0.0231	95% CLT UCL	3.451
Adjusted Chi Square Value	123.5	95% Jackknife UCL	3.504
		95% Standard Bootstrap UCL	3.439
Anderson-Darling Test Statistic	1.203	95% Bootstrap-t UCL	3.368
Anderson-Darling 5% Critical Value	0.722	95% Hall's Bootstrap UCL	3.357
Kolmogorov-Smirnov Test Statistic	0.372	95% Percentile Bootstrap UCL	3.396
Kolmogorov-Smirnov 5% Critical Value	0.279	95% BCA Bootstrap UCL	3.324

	A	B	C	D	E	F	G	H	I	J	K	L
54	Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL			4.125
55									97.5% Chebyshev(Mean, Sd) UCL			4.594
56	Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL			5.514
57	95% Approximate Gamma UCL					3.702						
58	95% Adjusted Gamma UCL					3.862						
59												
60	Potential UCL to Use								Use 95% Student's-t UCL			3.504
61									or 95% Modified-t UCL			3.48
62												
63												
64	Benzo(a)anthracene											
65												
66	General Statistics											
67	Number of Valid Observations					9			Number of Distinct Observations			9
68												
69	Raw Statistics								Log-transformed Statistics			
70	Minimum					3.9			Minimum of Log Data			1.361
71	Maximum					450			Maximum of Log Data			6.109
72	Mean					115.8			Mean of log Data			4.043
73	Median					72			SD of log Data			1.435
74	SD					138.6						
75	Coefficient of Variation					1.197						
76	Skewness					2.054						
77												
78												
79	Warning: There are only 9 Values in this data											
80	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
81	the resulting calculations may not be reliable enough to draw conclusions											
82												
83	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
84												
85	Relevant UCL Statistics											
86	Normal Distribution Test								Lognormal Distribution Test			
87	Shapiro Wilk Test Statistic					0.769			Shapiro Wilk Test Statistic			0.974
88	Shapiro Wilk Critical Value					0.829			Shapiro Wilk Critical Value			0.829
89	Data not Normal at 5% Significance Level								Data appear Lognormal at 5% Significance Level			
90												
91	Assuming Normal Distribution								Assuming Lognormal Distribution			
92	95% Student's-t UCL					201.7			95% H-UCL			1399
93	95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL			419.1
94	95% Adjusted-CLT UCL					225.6			97.5% Chebyshev (MVUE) UCL			543.1
95	95% Modified-t UCL					206.9			99% Chebyshev (MVUE) UCL			786.5
96												
97	Gamma Distribution Test								Data Distribution			
98	k star (bias corrected)					0.629			Data appear Gamma Distributed at 5% Significance Level			
99	Theta Star					184						
100	nu star					11.33						
101	Approximate Chi Square Value (.05)					4.786			Nonparametric Statistics			
102	Adjusted Level of Significance					0.0231			95% CLT UCL			191.8
103	Adjusted Chi Square Value					3.929			95% Jackknife UCL			201.7
104									95% Standard Bootstrap UCL			188.6
105	Anderson-Darling Test Statistic					0.147			95% Bootstrap-t UCL			276.8
106	Anderson-Darling 5% Critical Value					0.749			95% Hall's Bootstrap UCL			509.2

	A	B	C	D	E	F	G	H	I	J	K	L
107			Kolmogorov-Smirnov Test Statistic			0.103				95% Percentile Bootstrap UCL		192.7
108			Kolmogorov-Smirnov 5% Critical Value			0.288				95% BCA Bootstrap UCL		228.6
109		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		317.1
110										97.5% Chebyshev(Mean, Sd) UCL		404.3
111		Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL		575.4
112			95% Approximate Gamma UCL			273.9						
113			95% Adjusted Gamma UCL			333.7						
114												
115		Potential UCL to Use							Use 95% Approximate Gamma UCL			273.9
116												
117												
118	Benzo(a)pyrene											
119												
120				General Statistics								
121			Number of Valid Observations			9				Number of Distinct Observations		9
122												
123			Raw Statistics						Log-transformed Statistics			
124				Minimum		7.2				Minimum of Log Data		1.974
125				Maximum		610				Maximum of Log Data		6.413
126				Mean		144.5				Mean of log Data		4.22
127				Median		69				SD of log Data		1.391
128				SD		190.5						
129			Coefficient of Variation			1.318						
130				Skewness		2.191						
131												
132												
133				Warning: There are only 9 Values in this data								
134			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
135				the resulting calculations may not be reliable enough to draw conclusions								
136												
137			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
138												
139				Relevant UCL Statistics								
140			Normal Distribution Test						Lognormal Distribution Test			
141			Shapiro Wilk Test Statistic			0.73				Shapiro Wilk Test Statistic		0.993
142			Shapiro Wilk Critical Value			0.829				Shapiro Wilk Critical Value		0.829
143		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
144												
145		Assuming Normal Distribution						Assuming Lognormal Distribution				
146			95% Student's-t UCL			262.5				95% H-UCL		1389
147		95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL				467.4
148			95% Adjusted-CLT UCL			298.4			97.5% Chebyshev (MVUE) UCL			604.2
149			95% Modified-t UCL			270.3				99% Chebyshev (MVUE) UCL		873.1
150												
151		Gamma Distribution Test						Data Distribution				
152			k star (bias corrected)			0.601		Data appear Gamma Distributed at 5% Significance Level				
153				Theta Star		240.6						
154				nu star		10.81						
155		Approximate Chi Square Value (.05)				4.454			Nonparametric Statistics			
156		Adjusted Level of Significance				0.0231				95% CLT UCL		248.9
157		Adjusted Chi Square Value				3.633				95% Jackknife UCL		262.5
158										95% Standard Bootstrap UCL		244.8
159		Anderson-Darling Test Statistic				0.192				95% Bootstrap-t UCL		459.3

	A	B	C	D	E	F	G	H	I	J	K	L
160				Anderson-Darling 5% Critical Value		0.75				95% Hall's Bootstrap UCL		678.2
161				Kolmogorov-Smirnov Test Statistic		0.131				95% Percentile Bootstrap UCL		247.4
162				Kolmogorov-Smirnov 5% Critical Value		0.289				95% BCA Bootstrap UCL		313.4
163		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		421.2
164										97.5% Chebyshev(Mean, Sd) UCL		541
165		Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL		776.2
166				95% Approximate Gamma UCL		350.6						
167				95% Adjusted Gamma UCL		429.8						
168												
169		Potential UCL to Use								Use 95% Approximate Gamma UCL		350.6
170												
171												
172	Benzo(b)fluoranthene											
173												
174						General Statistics						
175				Number of Valid Observations		9				Number of Distinct Observations		9
176												
177				Raw Statistics						Log-transformed Statistics		
178					Minimum	8.3				Minimum of Log Data		2.116
179					Maximum	650				Maximum of Log Data		6.477
180					Mean	173.3				Mean of log Data		4.474
181					Median	100				SD of log Data		1.362
182					SD	204.2						
183				Coefficient of Variation		1.179						
184					Skewness	1.869						
185												
186												
187					Warning: There are only 9 Values in this data							
188			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
189				the resulting calculations may not be reliable enough to draw conclusions								
190												
191			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
192												
193						Relevant UCL Statistics						
194			Normal Distribution Test							Lognormal Distribution Test		
195				Shapiro Wilk Test Statistic		0.791				Shapiro Wilk Test Statistic		0.983
196				Shapiro Wilk Critical Value		0.829				Shapiro Wilk Critical Value		0.829
197		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
198												
199		Assuming Normal Distribution						Assuming Lognormal Distribution				
200				95% Student's-t UCL		299.8					95% H-UCL	1591
201		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			576.1
202				95% Adjusted-CLT UCL		330.5				97.5% Chebyshev (MVUE) UCL		743.7
203				95% Modified-t UCL		306.9				99% Chebyshev (MVUE) UCL		1073
204												
205			Gamma Distribution Test							Data Distribution		
206				k star (bias corrected)		0.65		Data appear Gamma Distributed at 5% Significance Level				
207					Theta Star	266.7						
208					nu star	11.69						
209			Approximate Chi Square Value (.05)			5.026				Nonparametric Statistics		
210			Adjusted Level of Significance			0.0231				95% CLT UCL		285.2
211				Adjusted Chi Square Value		4.143				95% Jackknife UCL		299.8
212										95% Standard Bootstrap UCL		279.1

	A	B	C	D	E	F	G	H	I	J	K	L
213				Anderson-Darling Test Statistic		0.157				95% Bootstrap-t UCL		422.5
214				Anderson-Darling 5% Critical Value		0.748				95% Hall's Bootstrap UCL		748
215				Kolmogorov-Smirnov Test Statistic		0.138				95% Percentile Bootstrap UCL		288.2
216				Kolmogorov-Smirnov 5% Critical Value		0.288				95% BCA Bootstrap UCL		317.1
217			Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		470
218										97.5% Chebyshev(Mean, Sd) UCL		598.4
219			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		850.6
220				95% Approximate Gamma UCL		403.1						
221				95% Adjusted Gamma UCL		489						
222												
223			Potential UCL to Use							Use 95% Approximate Gamma UCL		403.1
224												
225												
226	Benzo(k)fluoranthene											
227												
228					General Statistics							
229				Number of Valid Observations		9				Number of Distinct Observations		9
230												
231			Raw Statistics							Log-transformed Statistics		
232					Minimum	3				Minimum of Log Data		1.099
233					Maximum	200				Maximum of Log Data		5.298
234					Mean	62.83				Mean of log Data		3.506
235					Median	35				SD of log Data		1.363
236					SD	64.61						
237				Coefficient of Variation		1.028						
238					Skewness	1.297						
239												
240												
241				Warning: There are only 9 Values in this data								
242			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
243			the resulting calculations may not be reliable enough to draw conclusions									
244												
245			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
246												
247					Relevant UCL Statistics							
248			Normal Distribution Test						Lognormal Distribution Test			
249				Shapiro Wilk Test Statistic		0.86				Shapiro Wilk Test Statistic		0.958
250				Shapiro Wilk Critical Value		0.829				Shapiro Wilk Critical Value		0.829
251			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
252												
253			Assuming Normal Distribution						Assuming Lognormal Distribution			
254				95% Student's-t UCL		102.9				95% H-UCL		608.1
255			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL		219.3
256				95% Adjusted-CLT UCL		108.2				97.5% Chebyshev (MVUE) UCL		283.1
257				95% Modified-t UCL		104.4				99% Chebyshev (MVUE) UCL		408.5
258												
259			Gamma Distribution Test						Data Distribution			
260				k star (bias corrected)		0.687		Data appear Normal at 5% Significance Level				
261					Theta Star	91.53						
262					nu star	12.36						
263			Approximate Chi Square Value (.05)			5.463			Nonparametric Statistics			
264			Adjusted Level of Significance			0.0231				95% CLT UCL		98.26
265				Adjusted Chi Square Value		4.535				95% Jackknife UCL		102.9

	A	B	C	D	E	F	G	H	I	J	K	L
266										95% Standard Bootstrap UCL		96.63
267			Anderson-Darling Test Statistic			0.191				95% Bootstrap-t UCL		117.6
268			Anderson-Darling 5% Critical Value			0.746				95% Hall's Bootstrap UCL		113.7
269			Kolmogorov-Smirnov Test Statistic			0.142				95% Percentile Bootstrap UCL		100.9
270			Kolmogorov-Smirnov 5% Critical Value			0.288				95% BCA Bootstrap UCL		102.9
271		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		156.7
272										97.5% Chebyshev(Mean, Sd) UCL		197.3
273			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		277.1
274			95% Approximate Gamma UCL			142.1						
275			95% Adjusted Gamma UCL			171.2						
276												
277			Potential UCL to Use							Use 95% Student's-t UCL		102.9
278												
279												
280	Bis(2-ethylhexyl) phthalate											
281												
282					General Statistics							
283			Number of Valid Data			8				Number of Detected Data		7
284			Number of Distinct Detected Data			6				Number of Non-Detect Data		1
285			Number of Missing Values			1				Percent Non-Detects		12.50%
286												
287			Raw Statistics						Log-transformed Statistics			
288			Minimum Detected			76				Minimum Detected		4.331
289			Maximum Detected			340				Maximum Detected		5.829
290			Mean of Detected			145.6				Mean of Detected		4.85
291			SD of Detected			92.31				SD of Detected		0.516
292			Minimum Non-Detect			25				Minimum Non-Detect		3.219
293			Maximum Non-Detect			25				Maximum Non-Detect		3.219
294												
295												
296					Warning: There are only 7 Detected Values in this data							
297					Note: It should be noted that even though bootstrap may be performed on this data set							
298					the resulting calculations may not be reliable enough tp draw conclusions							
299												
300					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
301												
302												
303					UCL Statistics							
304		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
305			Shapiro Wilk Test Statistic			0.757				Shapiro Wilk Test Statistic		0.891
306			5% Shapiro Wilk Critical Value			0.803				5% Shapiro Wilk Critical Value		0.803
307		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
308												
309		Assuming Normal Distribution						Assuming Lognormal Distribution				
310			DL/2 Substitution Method							DL/2 Substitution Method		
311			Mean			128.9				Mean		4.56
312			SD			97.56				SD		0.951
313			95% DL/2 (t) UCL			194.3				95% H-Stat (DL/2) UCL		297.8
314												
315		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
316			Mean			124				Mean in Log Scale		4.694
317			SD			99.55				SD in Log Scale		0.652
318			95% MLE (t) UCL			190.6				Mean in Original Scale		131.9

	A	B	C	D	E	F	G	H	I	J	K	L
319					95% MLE (Tiku) UCL	190.7					SD in Original Scale	93.76
320											95% Percentile Bootstrap UCL	189.1
321											95% BCA Bootstrap UCL	200
322												
323		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
324					k star (bias corrected)	2.377		**Data appear Gamma Distributed at 5% Significance Level**				
325					Theta Star	61.25						
326					nu star	33.27						
327												
328					A-D Test Statistic	0.538		**Nonparametric Statistics**				
329					5% A-D Critical Value	0.71					Kaplan-Meier (KM) Method	
330					K-S Test Statistic	0.71					Mean	136.9
331					5% K-S Critical Value	0.313					SD	83.19
332		**Data appear Gamma Distributed at 5% Significance Level**									SE of Mean	31.77
333											95% KM (t) UCL	197.1
334		**Assuming Gamma Distribution**									95% KM (z) UCL	189.1
335		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	196
336					Minimum	24.33					95% KM (bootstrap t) UCL	331.1
337					Maximum	340					95% KM (BCA) UCL	191.5
338					Mean	130.4					95% KM (Percentile Bootstrap) UCL	193.5
339					Median	110					95% KM (Chebyshev) UCL	275.3
340					SD	95.61					97.5% KM (Chebyshev) UCL	335.3
341					k star	1.551					99% KM (Chebyshev) UCL	453
342					Theta star	84.1						
343					Nu star	24.81		**Potential UCLs to Use**				
344					AppChi2	14.47					95% KM (BCA) UCL	191.5
345				95% Gamma Approximate UCL		223.7						
346				95% Adjusted Gamma UCL		258.6						
347	Note: DL/2 is not a recommended method.											
348												
349												
350	Dibenzo(a,h)anthracene											
351												
352					**General Statistics**							
353				Number of Valid Observations		9				Number of Distinct Observations		9
354												
355		**Raw Statistics**						**Log-transformed Statistics**				
356					Minimum	2.3				Minimum of Log Data		0.833
357					Maximum	85				Maximum of Log Data		4.443
358					Mean	23.36				Mean of log Data		2.541
359					Median	18				SD of log Data		1.26
360					SD	26.37						
361				Coefficient of Variation		1.129						
362					Skewness	1.859						
363												
364												
365					**Warning: There are only 9 Values in this data**							
366				**Note: It should be noted that even though bootstrap methods may be performed on this data set,**								
367				**the resulting calculations may not be reliable enough to draw conclusions**								
368												
369				**The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.**								
370												
371					**Relevant UCL Statistics**							

	A	B	C	D	E	F	G	H	I	J	K	L
372	Normal Distribution Test						Lognormal Distribution Test					
373	Shapiro Wilk Test Statistic					0.793	Shapiro Wilk Test Statistic					0.943
374	Shapiro Wilk Critical Value					0.829	Shapiro Wilk Critical Value					0.829
375	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
376												
377	Assuming Normal Distribution						Assuming Lognormal Distribution					
378	95% Student's-t UCL					39.7	95% H-UCL					155.6
379	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					71.42
380	95% Adjusted-CLT UCL					43.63	97.5% Chebyshev (MVUE) UCL					91.68
381	95% Modified-t UCL					40.61	99% Chebyshev (MVUE) UCL					131.5
382												
383	Gamma Distribution Test						Data Distribution					
384	k star (bias corrected)					0.709	Data appear Gamma Distributed at 5% Significance Level					
385	Theta Star					32.94						
386	nu star					12.76						
387	Approximate Chi Square Value (.05)					5.734	Nonparametric Statistics					
388	Adjusted Level of Significance					0.0231	95% CLT UCL					37.81
389	Adjusted Chi Square Value					4.778	95% Jackknife UCL					39.7
390							95% Standard Bootstrap UCL					36.98
391	Anderson-Darling Test Statistic					0.246	95% Bootstrap-t UCL					56.21
392	Anderson-Darling 5% Critical Value					0.745	95% Hall's Bootstrap UCL					108.1
393	Kolmogorov-Smirnov Test Statistic					0.148	95% Percentile Bootstrap UCL					38.82
394	Kolmogorov-Smirnov 5% Critical Value					0.287	95% BCA Bootstrap UCL					45.93
395	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					61.66
396							97.5% Chebyshev(Mean, Sd) UCL					78.24
397	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					110.8
398	95% Approximate Gamma UCL					51.99						
399	95% Adjusted Gamma UCL					62.39						
400												
401	Potential UCL to Use						Use 95% Approximate Gamma UCL					51.99
402												
403												
404	Indeno(1,2,3-cd)pyrene											
405												
406	General Statistics											
407	Number of Valid Observations					9	Number of Distinct Observations					9
408												
409	Raw Statistics						Log-transformed Statistics					
410	Minimum					10	Minimum of Log Data					2.303
411	Maximum					480	Maximum of Log Data					6.174
412	Mean					118.9	Mean of log Data					4.093
413	Median					70	SD of log Data					1.313
414	SD					149.1						
415	Coefficient of Variation					1.254						
416	Skewness					2.119						
417												
418												
419	Warning: There are only 9 Values in this data											
420	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
421	the resulting calculations may not be reliable enough to draw conclusions											
422												
423	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
424												

	A	B	C	D	E	F	G	H	I	J	K	L
425						Relevant UCL Statistics						
426			Normal Distribution Test						Lognormal Distribution Test			
427					Shapiro Wilk Test Statistic	0.746				Shapiro Wilk Test Statistic		0.958
428					Shapiro Wilk Critical Value	0.829				Shapiro Wilk Critical Value		0.829
429			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
430												
431			Assuming Normal Distribution						Assuming Lognormal Distribution			
432					95% Student's-t UCL	211.3				95% H-UCL		896.2
433			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			365.1
434					95% Adjusted-CLT UCL	238.1				97.5% Chebyshev (MVUE) UCL		470.1
435					95% Modified-t UCL	217.1				99% Chebyshev (MVUE) UCL		676.3
436												
437			Gamma Distribution Test						Data Distribution			
438					k star (bias corrected)	0.646			Data appear Gamma Distributed at 5% Significance Level			
439					Theta Star	184						
440					nu star	11.63						
441					Approximate Chi Square Value (.05)	4.986			Nonparametric Statistics			
442					Adjusted Level of Significance	0.0231				95% CLT UCL		200.6
443					Adjusted Chi Square Value	4.108				95% Jackknife UCL		211.3
444										95% Standard Bootstrap UCL		197.1
445					Anderson-Darling Test Statistic	0.247				95% Bootstrap-t UCL		347.8
446					Anderson-Darling 5% Critical Value	0.748				95% Hall's Bootstrap UCL		550.1
447					Kolmogorov-Smirnov Test Statistic	0.153				95% Percentile Bootstrap UCL		199.8
448					Kolmogorov-Smirnov 5% Critical Value	0.288				95% BCA Bootstrap UCL		228.8
449			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			335.5
450									97.5% Chebyshev(Mean, Sd) UCL			429.2
451			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			613.3
452					95% Approximate Gamma UCL	277.4						
453					95% Adjusted Gamma UCL	336.7						
454												
455			Potential UCL to Use						Use 95% Approximate Gamma UCL			277.4
456												
457												
458	Lead											
459												
460						General Statistics						
461				Number of Valid Observations		9				Number of Distinct Observations		9
462												
463			Raw Statistics						Log-transformed Statistics			
464					Minimum	12				Minimum of Log Data		2.485
465					Maximum	30.4				Maximum of Log Data		3.414
466					Mean	17.76				Mean of log Data		2.84
467					Median	17.1				SD of log Data		0.28
468					SD	5.532						
469					Coefficient of Variation	0.312						
470					Skewness	1.615						
471												
472												
473						Warning: There are only 9 Values in this data						
474				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
475					the resulting calculations may not be reliable enough to draw conclusions							
476												
477					The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.							

	A	B	C	D	E	F	G	H	I	J	K	L
478												
479						Relevant UCL Statistics						
480			Normal Distribution Test						Lognormal Distribution Test			
481				Shapiro Wilk Test Statistic		0.856				Shapiro Wilk Test Statistic		0.937
482				Shapiro Wilk Critical Value		0.829				Shapiro Wilk Critical Value		0.829
483		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
484												
485			Assuming Normal Distribution						Assuming Lognormal Distribution			
486					95% Student's-t UCL	21.18				95% H-UCL		21.67
487		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			24.96
488				95% Adjusted-CLT UCL		21.85			97.5% Chebyshev (MVUE) UCL			28.09
489				95% Modified-t UCL		21.35			99% Chebyshev (MVUE) UCL			34.25
490												
491			Gamma Distribution Test						Data Distribution			
492				k star (bias corrected)		9.15		Data appear Normal at 5% Significance Level				
493					Theta Star	1.941						
494					nu star	164.7						
495			Approximate Chi Square Value (.05)			136			Nonparametric Statistics			
496				Adjusted Level of Significance		0.0231				95% CLT UCL		20.79
497				Adjusted Chi Square Value		130.5				95% Jackknife UCL		21.18
498										95% Standard Bootstrap UCL		20.62
499			Anderson-Darling Test Statistic			0.361				95% Bootstrap-t UCL		23.37
500			Anderson-Darling 5% Critical Value			0.721				95% Hall's Bootstrap UCL		37.24
501			Kolmogorov-Smirnov Test Statistic			0.174				95% Percentile Bootstrap UCL		20.68
502			Kolmogorov-Smirnov 5% Critical Value			0.279				95% BCA Bootstrap UCL		21.62
503		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			25.79
504									97.5% Chebyshev(Mean, Sd) UCL			29.27
505			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			36.1
506				95% Approximate Gamma UCL		21.5						
507				95% Adjusted Gamma UCL		22.4						
508												
509			Potential UCL to Use						Use 95% Student's-t UCL			21.18
510												
511												
512	Mercury											
513												
514						General Statistics						
515				Number of Valid Observations		9				Number of Distinct Observations		9
516												
517			Raw Statistics						Log-transformed Statistics			
518					Minimum	0.01				Minimum of Log Data		-4.605
519					Maximum	0.144				Maximum of Log Data		-1.938
520					Mean	0.0677				Mean of log Data		-2.867
521					Median	0.067				SD of log Data		0.728
522					SD	0.0357						
523				Coefficient of Variation		0.528						
524					Skewness	0.863						
525												
526												
527						Warning: There are only 9 Values in this data						
528			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
529				the resulting calculations may not be reliable enough to draw conclusions								
530												

	A	B	C	D	E	F	G	H	I	J	K	L
531	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
532												
533	Relevant UCL Statistics											
534	Normal Distribution Test						Lognormal Distribution Test					
535	Shapiro Wilk Test Statistic					0.905	Shapiro Wilk Test Statistic					0.803
536	Shapiro Wilk Critical Value					0.829	Shapiro Wilk Critical Value					0.829
537	Data appear Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level					
538												
539	Assuming Normal Distribution						Assuming Lognormal Distribution					
540	95% Student's-t UCL					0.0898	95% H-UCL					0.147
541	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					0.149
542	95% Adjusted-CLT UCL					0.0909	97.5% Chebyshev (MVUE) UCL					0.183
543	95% Modified-t UCL					0.0904	99% Chebyshev (MVUE) UCL					0.249
544												
545	Gamma Distribution Test						Data Distribution					
546	k star (bias corrected)					2.097	Data appear Normal at 5% Significance Level					
547	Theta Star					0.0323						
548	nu star					37.74						
549	Approximate Chi Square Value (.05)					24.67	Nonparametric Statistics					
550	Adjusted Level of Significance					0.0231	95% CLT UCL					0.0873
551	Adjusted Chi Square Value					22.47	95% Jackknife UCL					0.0898
552							95% Standard Bootstrap UCL					0.0863
553	Anderson-Darling Test Statistic					0.607	95% Bootstrap-t UCL					0.0948
554	Anderson-Darling 5% Critical Value					0.727	95% Hall's Bootstrap UCL					0.118
555	Kolmogorov-Smirnov Test Statistic					0.217	95% Percentile Bootstrap UCL					0.087
556	Kolmogorov-Smirnov 5% Critical Value					0.281	95% BCA Bootstrap UCL					0.089
557	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					0.12
558							97.5% Chebyshev(Mean, Sd) UCL					0.142
559	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					0.186
560	95% Approximate Gamma UCL					0.104						
561	95% Adjusted Gamma UCL					0.114						
562												
563	Potential UCL to Use						Use 95% Student's-t UCL					0.0898
564												
565												
566	Naphthalene											
567												
568	General Statistics											
569	Number of Valid Data					9	Number of Detected Data					6
570	Number of Distinct Detected Data					6	Number of Non-Detect Data					3
571							Percent Non-Detects					33.33%
572												
573	Raw Statistics						Log-transformed Statistics					
574	Minimum Detected					6.7	Minimum Detected					1.902
575	Maximum Detected					45	Maximum Detected					3.807
576	Mean of Detected					17.9	Mean of Detected					2.679
577	SD of Detected					14.11	SD of Detected					0.667
578	Minimum Non-Detect					0.83	Minimum Non-Detect					-0.186
579	Maximum Non-Detect					5.3	Maximum Non-Detect					1.668
580												
581	Note: Data have multiple DLs - Use of KM Method is recommended						Number treated as Non-Detect					3
582	For all methods (except KM, DL/2, and ROS Methods),						Number treated as Detected					6
583	Observations < Largest ND are treated as NDs						Single DL Non-Detect Percentage					33.33%

	A	B	C	D	E	F	G	H	I	J	K	L
584												
585					Warning: There are only 6 Detected Values in this data							
586					Note: It should be noted that even though bootstrap may be performed on this data set							
587					the resulting calculations may not be reliable enough tp draw conclusions							
588												
589					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
590												
591												
592						UCL Statistics						
593		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
594					Shapiro Wilk Test Statistic	0.781				Shapiro Wilk Test Statistic		0.943
595					5% Shapiro Wilk Critical Value	0.788				5% Shapiro Wilk Critical Value		0.788
596		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
597												
598		Assuming Normal Distribution						Assuming Lognormal Distribution				
599				DL/2 Substitution Method						DL/2 Substitution Method		
600					Mean	12.4				Mean		1.812
601					SD	13.88				SD		1.478
602				95% DL/2 (t) UCL		21.01				95% H-Stat (DL/2) UCL		36.1
603												
604			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
605					Mean	9.861				Mean in Log Scale		2.099
606					SD	16.35				SD in Log Scale		1.018
607				95% MLE (t) UCL		19.99				Mean in Original Scale		12.78
608				95% MLE (Tiku) UCL		20.72				SD in Original Scale		13.54
609										95% Percentile Bootstrap UCL		20.14
610										95% BCA Bootstrap UCL		22.08
611												
612		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
613					k star (bias corrected)	1.404		Data appear Gamma Distributed at 5% Significance Level				
614					Theta Star	12.75						
615					nu star	16.85						
616												
617					A-D Test Statistic	0.407		Nonparametric Statistics				
618					5% A-D Critical Value	0.703			Kaplan-Meier (KM) Method			
619					K-S Test Statistic	0.703				Mean		14.17
620					5% K-S Critical Value	0.335				SD		11.77
621		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		4.297
622										95% KM (t) UCL		22.16
623		Assuming Gamma Distribution								95% KM (z) UCL		21.23
624		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		21.52
625					Minimum	6.7				95% KM (bootstrap t) UCL		39.35
626					Maximum	45				95% KM (BCA) UCL		23.67
627					Mean	14.5				95% KM (Percentile Bootstrap) UCL		22.34
628					Median	9.7				95% KM (Chebyshev) UCL		32.9
629					SD	12.27				97.5% KM (Chebyshev) UCL		41
630					k star	1.781				99% KM (Chebyshev) UCL		56.92
631					Theta star	8.141						
632					Nu star	32.05			Potential UCLs to Use			
633					AppChi2	20.11				95% KM (Percentile Bootstrap) UCL		22.34
634				95% Gamma Approximate UCL		23.1						
635				95% Adjusted Gamma UCL		25.61						
636	Note: DL/2 is not a recommended method.											

	A	B	C	D	E	F	G	H	I	J	K	L
637												
638												
639	Total Aroclors											
640												
641					General Statistics							
642			Number of Valid Observations			9			Number of Distinct Observations			9
643												
644			Raw Statistics						Log-transformed Statistics			
645					Minimum	11.82			Minimum of Log Data			2.47
646					Maximum	85.7			Maximum of Log Data			4.451
647					Mean	34.19			Mean of log Data			3.364
648					Median	24.95			SD of log Data			0.603
649					SD	22.65						
650				Coefficient of Variation		0.662						
651					Skewness	1.633						
652												
653												
654					Warning: There are only 9 Values in this data							
655			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
656				the resulting calculations may not be reliable enough to draw conclusions								
657												
658			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
659												
660					Relevant UCL Statistics							
661			Normal Distribution Test						Lognormal Distribution Test			
662				Shapiro Wilk Test Statistic		0.843			Shapiro Wilk Test Statistic			0.974
663				Shapiro Wilk Critical Value		0.829			Shapiro Wilk Critical Value			0.829
664			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
665												
666			Assuming Normal Distribution						Assuming Lognormal Distribution			
667				95% Student's-t UCL		48.23				95% H-UCL		58.33
668			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			64.11
669				95% Adjusted-CLT UCL		50.99			97.5% Chebyshev (MVUE) UCL			77.19
670				95% Modified-t UCL		48.91			99% Chebyshev (MVUE) UCL			102.9
671												
672			Gamma Distribution Test						Data Distribution			
673				k star (bias corrected)		2.163			Data appear Normal at 5% Significance Level			
674					Theta Star	15.81						
675					nu star	38.93						
676			Approximate Chi Square Value (.05)			25.64			Nonparametric Statistics			
677			Adjusted Level of Significance			0.0231				95% CLT UCL		46.6
678			Adjusted Chi Square Value			23.39				95% Jackknife UCL		48.23
679									95% Standard Bootstrap UCL			45.9
680			Anderson-Darling Test Statistic			0.29				95% Bootstrap-t UCL		57.86
681			Anderson-Darling 5% Critical Value			0.727				95% Hall's Bootstrap UCL		99.49
682			Kolmogorov-Smirnov Test Statistic			0.187			95% Percentile Bootstrap UCL			47.09
683			Kolmogorov-Smirnov 5% Critical Value			0.281				95% BCA Bootstrap UCL		51.34
684			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			67.09
685									97.5% Chebyshev(Mean, Sd) UCL			81.33
686			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			109.3
687				95% Approximate Gamma UCL		51.91						
688				95% Adjusted Gamma UCL		56.91						
689												

	A	B	C	D	E	F	G	H	I	J	K	L
690			**Potential UCL to Use**							Use 95% Student's-t UCL		48.23
691												

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM10.0W.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	2000

Arsenic

General Statistics

Number of Valid Observations	9	Number of Distinct Observations	8

Raw Statistics		Log-transformed Statistics	
Minimum	3.45	Minimum of Log Data	1.238
Maximum	43.2	Maximum of Log Data	3.766
Mean	10.21	Mean of log Data	1.918
Median	4.69	SD of log Data	0.831
SD	12.83		
Coefficient of Variation	1.256		
Skewness	2.639		

Warning: There are only 9 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set,

the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.587	Shapiro Wilk Test Statistic	0.798
Shapiro Wilk Critical Value	0.829	Shapiro Wilk Critical Value	0.829
Data not Normal at 5% Significance Level		Data not Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	18.16	95% H-UCL	22.38
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	20.57
95% Adjusted-CLT UCL	21.26	97.5% Chebyshev (MVUE) UCL	25.5
95% Modified-t UCL	18.79	99% Chebyshev (MVUE) UCL	35.2

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	0.99	Data do not follow a Discernable Distribution (0.05)	
Theta Star	10.31		
nu star	17.83		
Approximate Chi Square Value (.05)	9.267	Nonparametric Statistics	
Adjusted Level of Significance	0.0231	95% CLT UCL	17.24
Adjusted Chi Square Value	7.998	95% Jackknife UCL	18.16
		95% Standard Bootstrap UCL	17.04
Anderson-Darling Test Statistic	1.112	95% Bootstrap-t UCL	48.03
Anderson-Darling 5% Critical Value	0.737	95% Hall's Bootstrap UCL	46.5
Kolmogorov-Smirnov Test Statistic	0.336	95% Percentile Bootstrap UCL	18.21
Kolmogorov-Smirnov 5% Critical Value	0.285	95% BCA Bootstrap UCL	21.16

	A	B	C	D	E	F	G	H	I	J	K	L
54	Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL			28.85
55									97.5% Chebyshev(Mean, Sd) UCL			36.91
56	Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL			52.75
57	95% Approximate Gamma UCL					19.65						
58	95% Adjusted Gamma UCL					22.76						
59												
60	Potential UCL to Use								Use 95% Chebyshev (Mean, Sd) UCL			28.85
61												
62												
63	Benzo(a)anthracene											
64												
65	General Statistics											
66	Number of Valid Observations					9			Number of Distinct Observations			8
67												
68	Raw Statistics								Log-transformed Statistics			
69	Minimum					13			Minimum of Log Data			2.565
70	Maximum					620			Maximum of Log Data			6.43
71	Mean					140.8			Mean of log Data			4.295
72	Median					61			SD of log Data			1.17
73	SD					195.3						
74	Coefficient of Variation					1.387						
75	Skewness					2.289						
76												
77												
78	Warning: There are only 9 Values in this data											
79	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
80	the resulting calculations may not be reliable enough to draw conclusions											
81												
82	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
83												
84	Relevant UCL Statistics											
85	Normal Distribution Test								Lognormal Distribution Test			
86	Shapiro Wilk Test Statistic					0.665			Shapiro Wilk Test Statistic			0.958
87	Shapiro Wilk Critical Value					0.829			Shapiro Wilk Critical Value			0.829
88	Data not Normal at 5% Significance Level								Data appear Lognormal at 5% Significance Level			
89												
90	Assuming Normal Distribution								Assuming Lognormal Distribution			
91	95% Student's-t UCL					261.8			95% H-UCL			651.2
92	95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL			360.4
93	95% Adjusted-CLT UCL					301			97.5% Chebyshev (MVUE) UCL			459.9
94	95% Modified-t UCL					270.1			99% Chebyshev (MVUE) UCL			655.4
95												
96	Gamma Distribution Test								Data Distribution			
97	k star (bias corrected)					0.672			Data appear Gamma Distributed at 5% Significance Level			
98	Theta Star					209.5						
99	nu star					12.09						
100	Approximate Chi Square Value (.05)					5.289			Nonparametric Statistics			
101	Adjusted Level of Significance					0.0231			95% CLT UCL			247.9
102	Adjusted Chi Square Value					4.378			95% Jackknife UCL			261.8
103									95% Standard Bootstrap UCL			241.7
104	Anderson-Darling Test Statistic					0.577			95% Bootstrap-t UCL			748.3
105	Anderson-Darling 5% Critical Value					0.747			95% Hall's Bootstrap UCL			769.6
106	Kolmogorov-Smirnov Test Statistic					0.28			95% Percentile Bootstrap UCL			245.8

	A	B	C	D	E	F	G	H	I	J	K	L
107				Kolmogorov-Smirnov 5% Critical Value		0.288				95% BCA Bootstrap UCL		319.3
108			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			424.6
109									97.5% Chebyshev(Mean, Sd) UCL			547.4
110			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			788.6
111				95% Approximate Gamma UCL		321.9						
112				95% Adjusted Gamma UCL		388.9						
113												
114			Potential UCL to Use						Use 95% Approximate Gamma UCL			321.9
115												
116												
117	Benzo(a)pyrene											
118												
119					General Statistics							
120			Number of Valid Observations			9			Number of Distinct Observations			9
121												
122			Raw Statistics						Log-transformed Statistics			
123				Minimum		15			Minimum of Log Data			2.708
124				Maximum		810			Maximum of Log Data			6.697
125				Mean		149.8			Mean of log Data			4.23
126				Median		49			SD of log Data			1.172
127				SD		254.8						
128			Coefficient of Variation			1.701						
129				Skewness		2.714						
130												
131												
132					Warning: There are only 9 Values in this data							
133			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
134				the resulting calculations may not be reliable enough to draw conclusions								
135												
136			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
137												
138					Relevant UCL Statistics							
139			Normal Distribution Test						Lognormal Distribution Test			
140			Shapiro Wilk Test Statistic			0.558			Shapiro Wilk Test Statistic			0.896
141			Shapiro Wilk Critical Value			0.829			Shapiro Wilk Critical Value			0.829
142			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
143												
144			Assuming Normal Distribution						Assuming Lognormal Distribution			
145				95% Student's-t UCL		307.7			95% H-UCL			616.7
146			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			339.4
147				95% Adjusted-CLT UCL		371.6			97.5% Chebyshev (MVUE) UCL			433.2
148				95% Modified-t UCL		320.5			99% Chebyshev (MVUE) UCL			617.5
149												
150			Gamma Distribution Test						Data Distribution			
151			k star (bias corrected)			0.585			Data appear Lognormal at 5% Significance Level			
152				Theta Star		256						
153				nu star		10.53						
154			Approximate Chi Square Value (.05)			4.276			Nonparametric Statistics			
155			Adjusted Level of Significance			0.0231			95% CLT UCL			289.5
156			Adjusted Chi Square Value			3.476			95% Jackknife UCL			307.7
157									95% Standard Bootstrap UCL			282.7
158			Anderson-Darling Test Statistic			0.983			95% Bootstrap-t UCL			1605
159			Anderson-Darling 5% Critical Value			0.751			95% Hall's Bootstrap UCL			1076

	A	B	C	D	E	F	G	H	I	J	K	L
160			Kolmogorov-Smirnov Test Statistic			0.324				95% Percentile Bootstrap UCL		302.8
161			Kolmogorov-Smirnov 5% Critical Value			0.289				95% BCA Bootstrap UCL		354.9
162		Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		520
163										97.5% Chebyshev(Mean, Sd) UCL		680.2
164			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		995
165				95% Approximate Gamma UCL		368.8						
166				95% Adjusted Gamma UCL		453.8						
167												
168			Potential UCL to Use							Use 95% Chebyshev (MVUE) UCL		339.4
169												
170												
171	Benzo(b)fluoranthene											
172												
173					General Statistics							
174				Number of Valid Observations		9				Number of Distinct Observations		9
175												
176			Raw Statistics						Log-transformed Statistics			
177					Minimum	23				Minimum of Log Data		3.135
178					Maximum	910				Maximum of Log Data		6.813
179					Mean	187.8				Mean of log Data		4.544
180					Median	69				SD of log Data		1.123
181					SD	287.9						
182				Coefficient of Variation		1.533						
183					Skewness	2.461						
184												
185												
186					Warning: There are only 9 Values in this data							
187				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
188					the resulting calculations may not be reliable enough to draw conclusions							
189												
190				The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
191												
192					Relevant UCL Statistics							
193			Normal Distribution Test						Lognormal Distribution Test			
194				Shapiro Wilk Test Statistic		0.602				Shapiro Wilk Test Statistic		0.885
195				Shapiro Wilk Critical Value		0.829				Shapiro Wilk Critical Value		0.829
196		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
197												
198			Assuming Normal Distribution						Assuming Lognormal Distribution			
199					95% Student's-t UCL	366.3				95% H-UCL		714.2
200		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			431.6
201				95% Adjusted-CLT UCL		429.8				97.5% Chebyshev (MVUE) UCL		549
202					95% Modified-t UCL	379.4				99% Chebyshev (MVUE) UCL		779.6
203												
204			Gamma Distribution Test						Data Distribution			
205				k star (bias corrected)		0.642		Data appear Lognormal at 5% Significance Level				
206					Theta Star	292.5						
207					nu star	11.56						
208			Approximate Chi Square Value (.05)			4.936			Nonparametric Statistics			
209			Adjusted Level of Significance			0.0231				95% CLT UCL		345.6
210			Adjusted Chi Square Value			4.063				95% Jackknife UCL		366.3
211										95% Standard Bootstrap UCL		335.2
212			Anderson-Darling Test Statistic			0.978				95% Bootstrap-t UCL		1883

	A	B	C	D	E	F	G	H	I	J	K	L
213				Anderson-Darling 5% Critical Value		0.748			95% Hall's Bootstrap UCL			1455
214				Kolmogorov-Smirnov Test Statistic		0.345			95% Percentile Bootstrap UCL			350.1
215				Kolmogorov-Smirnov 5% Critical Value		0.288			95% BCA Bootstrap UCL			443.2
216			Data not Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			606.1
217									97.5% Chebyshev(Mean, Sd) UCL			787.2
218			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			1143
219				95% Approximate Gamma UCL		439.6						
220				95% Adjusted Gamma UCL		534.1						
221												
222			Potential UCL to Use						Use 95% Chebyshev (MVUE) UCL			431.6
223												
224												
225	Benzo(k)fluoranthene											
226												
227						General Statistics						
228				Number of Valid Observations		9			Number of Distinct Observations			9
229												
230			Raw Statistics						Log-transformed Statistics			
231					Minimum	7.5			Minimum of Log Data			2.015
232					Maximum	370			Maximum of Log Data			5.914
233					Mean	78.61			Mean of log Data			3.67
234					Median	27			SD of log Data			1.205
235					SD	114.6						
236				Coefficient of Variation		1.458						
237					Skewness	2.522						
238												
239												
240						Warning: There are only 9 Values in this data						
241			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
242				the resulting calculations may not be reliable enough to draw conclusions								
243												
244			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
245												
246						Relevant UCL Statistics						
247			Normal Distribution Test						Lognormal Distribution Test			
248				Shapiro Wilk Test Statistic		0.645			Shapiro Wilk Test Statistic			0.969
249				Shapiro Wilk Critical Value		0.829			Shapiro Wilk Critical Value			0.829
250			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
251												
252			Assuming Normal Distribution						Assuming Lognormal Distribution			
253					95% Student's-t UCL	149.6			95% H-UCL			394.5
254			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			203.3
255				95% Adjusted-CLT UCL		175.7			97.5% Chebyshev (MVUE) UCL			260.1
256					95% Modified-t UCL	155			99% Chebyshev (MVUE) UCL			371.6
257												
258			Gamma Distribution Test						Data Distribution			
259					k star (bias corrected)	0.639			Data appear Gamma Distributed at 5% Significance Level			
260					Theta Star	123						
261					nu star	11.5						
262				Approximate Chi Square Value (.05)		4.903			Nonparametric Statistics			
263				Adjusted Level of Significance		0.0231			95% CLT UCL			141.4
264				Adjusted Chi Square Value		4.033			95% Jackknife UCL			149.6
265									95% Standard Bootstrap UCL			138.3

	A	B	C	D	E	F	G	H	I	J	K	L
266				Anderson-Darling Test Statistic		0.468				95% Bootstrap-t UCL		294.1
267				Anderson-Darling 5% Critical Value		0.748				95% Hall's Bootstrap UCL		369
268				Kolmogorov-Smirnov Test Statistic		0.229				95% Percentile Bootstrap UCL		148
269				Kolmogorov-Smirnov 5% Critical Value		0.288				95% BCA Bootstrap UCL		184.7
270			Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		245.1
271										97.5% Chebyshev(Mean, Sd) UCL		317.1
272			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		458.6
273				95% Approximate Gamma UCL		184.5						
274				95% Adjusted Gamma UCL		224.3						
275												
276			Potential UCL to Use							Use 95% Approximate Gamma UCL		184.5
277												
278												
279	Bis(2-ethylhexyl) phthalate											
280												
281					General Statistics							
282			Number of Valid Data			9				Number of Detected Data		5
283			Number of Distinct Detected Data			5				Number of Non-Detect Data		4
284										Percent Non-Detects		44.44%
285												
286			Raw Statistics						Log-transformed Statistics			
287				Minimum Detected		57				Minimum Detected		4.043
288				Maximum Detected		270				Maximum Detected		5.598
289				Mean of Detected		167.4				Mean of Detected		4.988
290				SD of Detected		85.05				SD of Detected		0.616
291				Minimum Non-Detect		28				Minimum Non-Detect		3.332
292				Maximum Non-Detect		200				Maximum Non-Detect		5.298
293												
294	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			7
295	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
296	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			77.78%
297												
298				Warning: There are only 5 Detected Values in this data								
299				Note: It should be noted that even though bootstrap may be performed on this data set								
300				the resulting calculations may not be reliable enough tp draw conclusions								
301												
302				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
303												
304												
305					UCL Statistics							
306			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
307				Shapiro Wilk Test Statistic		0.977				Shapiro Wilk Test Statistic		0.935
308				5% Shapiro Wilk Critical Value		0.762				5% Shapiro Wilk Critical Value		0.762
309			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
310												
311			Assuming Normal Distribution						Assuming Lognormal Distribution			
312				DL/2 Substitution Method						DL/2 Substitution Method		
313				Mean		120.7				Mean		4.512
314				SD		84.65				SD		0.891
315				95% DL/2 (t) UCL		173.1				95% H-Stat (DL/2) UCL		376.9
316												
317			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
318			MLE method failed to converge properly							Mean in Log Scale		4.578

	A	B	C	D	E	F	G	H	I	J	K	L
319											SD in Log Scale	0.686
320											Mean in Original Scale	120
321											SD in Original Scale	83.05
322											95% Percentile Bootstrap UCL	163.6
323											95% BCA Bootstrap UCL	172.1
324												
325		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
326				k star (bias corrected)		1.713		Data appear Normal at 5% Significance Level				
327				Theta Star		97.74						
328				nu star		17.13						
329												
330				A-D Test Statistic		0.232		Nonparametric Statistics				
331				5% A-D Critical Value		0.681		Kaplan-Meier (KM) Method				
332				K-S Test Statistic		0.681					Mean	126.9
333				5% K-S Critical Value		0.358					SD	75.63
334		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	29.77
335											95% KM (t) UCL	182.2
336		Assuming Gamma Distribution									95% KM (z) UCL	175.8
337		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	184.1
338					Minimum	57					95% KM (bootstrap t) UCL	174
339					Maximum	270					95% KM (BCA) UCL	204.4
340					Mean	162.9					95% KM (Percentile Bootstrap) UCL	192.2
341					Median	170.1					95% KM (Chebyshev) UCL	256.6
342					SD	64.67					97.5% KM (Chebyshev) UCL	312.8
343					k star	4.086					99% KM (Chebyshev) UCL	423.1
344					Theta star	39.87						
345					Nu star	73.54		Potential UCLs to Use				
346					AppChi2	54.79					95% KM (t) UCL	182.2
347				95% Gamma Approximate UCL		218.6					95% KM (Percentile Bootstrap) UCL	192.2
348				95% Adjusted Gamma UCL		233.1						
349	Note: DL/2 is not a recommended method.											
350												
351												
352	Dibenzo(a,h)anthracene											
353												
354					General Statistics							
355				Number of Valid Observations		9				Number of Distinct Observations		9
356												
357		Raw Statistics						Log-transformed Statistics				
358					Minimum	2.5				Minimum of Log Data		0.916
359					Maximum	230				Maximum of Log Data		5.438
360					Mean	35.42				Mean of log Data		2.48
361					Median	7.3				SD of log Data		1.331
362					SD	73.65						
363				Coefficient of Variation		2.079						
364					Skewness	2.9						
365												
366												
367					Warning: There are only 9 Values in this data							
368				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
369				the resulting calculations may not be reliable enough to draw conclusions								
370												
371				The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.								

	A	B	C	D	E	F	G	H	I	J	K	L
372												
373					Relevant UCL Statistics							
374			Normal Distribution Test						Lognormal Distribution Test			
375					Shapiro Wilk Test Statistic	0.491				Shapiro Wilk Test Statistic		0.867
376					Shapiro Wilk Critical Value	0.829				Shapiro Wilk Critical Value		0.829
377			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
378												
379			Assuming Normal Distribution						Assuming Lognormal Distribution			
380					95% Student's-t UCL	81.07				95% H-UCL		191.9
381			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			74.84
382					95% Adjusted-CLT UCL	101.2				97.5% Chebyshev (MVUE) UCL		96.45
383					95% Modified-t UCL	85.03				99% Chebyshev (MVUE) UCL		138.9
384												
385			Gamma Distribution Test						Data Distribution			
386					k star (bias corrected)	0.455			Data appear Lognormal at 5% Significance Level			
387					Theta Star	77.77						
388					nu star	8.199						
389			Approximate Chi Square Value (.05)			2.851			Nonparametric Statistics			
390			Adjusted Level of Significance			0.0231				95% CLT UCL		75.8
391			Adjusted Chi Square Value			2.229				95% Jackknife UCL		81.07
392										95% Standard Bootstrap UCL		73.25
393			Anderson-Darling Test Statistic			1.203				95% Bootstrap-t UCL		636.5
394			Anderson-Darling 5% Critical Value			0.765				95% Hall's Bootstrap UCL		296.5
395			Kolmogorov-Smirnov Test Statistic			0.335				95% Percentile Bootstrap UCL		82.33
396			Kolmogorov-Smirnov 5% Critical Value			0.293				95% BCA Bootstrap UCL		107.9
397			Data not Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			142.4
398									97.5% Chebyshev(Mean, Sd) UCL			188.7
399			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			279.7
400				95% Approximate Gamma UCL		101.9						
401				95% Adjusted Gamma UCL		130.3						
402												
403			Potential UCL to Use						Use 95% Chebyshev (MVUE) UCL			74.84
404												
405												
406	Indeno(1,2,3-cd)pyrene											
407												
408					General Statistics							
409			Number of Valid Observations			9			Number of Distinct Observations			9
410												
411			Raw Statistics						Log-transformed Statistics			
412					Minimum	12				Minimum of Log Data		2.485
413					Maximum	820				Maximum of Log Data		6.709
414					Mean	138.2				Mean of log Data		4.024
415					Median	37				SD of log Data		1.237
416					SD	259.9						
417				Coefficient of Variation		1.88						
418					Skewness	2.83						
419												
420												
421					Warning: There are only 9 Values in this data							
422			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
423				the resulting calculations may not be reliable enough to draw conclusions								
424												

	A	B	C	D	E	F	G	H	I	J	K	L
425	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
426												
427	Relevant UCL Statistics											
428	Normal Distribution Test						Lognormal Distribution Test					
429	Shapiro Wilk Test Statistic					0.521	Shapiro Wilk Test Statistic					0.883
430	Shapiro Wilk Critical Value					0.829	Shapiro Wilk Critical Value					0.829
431	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
432												
433	Assuming Normal Distribution						Assuming Lognormal Distribution					
434	95% Student's-t UCL					299.3	95% H-UCL					630.2
435	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					304
436	95% Adjusted-CLT UCL					368	97.5% Chebyshev (MVUE) UCL					389.7
437	95% Modified-t UCL					312.9	99% Chebyshev (MVUE) UCL					558
438												
439	Gamma Distribution Test						Data Distribution					
440	k star (bias corrected)					0.522	Data appear Lognormal at 5% Significance Level					
441	Theta Star					264.7						
442	nu star					9.398						
443	Approximate Chi Square Value (.05)					3.569	Nonparametric Statistics					
444	Adjusted Level of Significance					0.0231	95% CLT UCL					280.7
445	Adjusted Chi Square Value					2.853	95% Jackknife UCL					299.3
446							95% Standard Bootstrap UCL					269.8
447	Anderson-Darling Test Statistic					1.089	95% Bootstrap-t UCL					1910
448	Anderson-Darling 5% Critical Value					0.757	95% Hall's Bootstrap UCL					1116
449	Kolmogorov-Smirnov Test Statistic					0.342	95% Percentile Bootstrap UCL					300.4
450	Kolmogorov-Smirnov 5% Critical Value					0.291	95% BCA Bootstrap UCL					394.9
451	Data not Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					515.8
452							97.5% Chebyshev(Mean, Sd) UCL					679.2
453	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					1000
454	95% Approximate Gamma UCL					364						
455	95% Adjusted Gamma UCL					455.3						
456												
457	Potential UCL to Use						Use 95% Chebyshev (MVUE) UCL					304
458												
459												
460	Lead											
461												
462	General Statistics											
463	Number of Valid Observations					9	Number of Distinct Observations					9
464												
465	Raw Statistics						Log-transformed Statistics					
466	Minimum					11.4	Minimum of Log Data					2.434
467	Maximum					233	Maximum of Log Data					5.451
468	Mean					66.4	Mean of log Data					3.791
469	Median					39.3	SD of log Data					0.948
470	SD					69.33						
471	Coefficient of Variation					1.044						
472	Skewness					2.067						
473												
474												
475	Warning: There are only 9 Values in this data											
476	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
477	the resulting calculations may not be reliable enough to draw conclusions											

	A	B	C	D	E	F	G	H	I	J	K	L
478												
479				The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.								
480												
481						Relevant UCL Statistics						
482			Normal Distribution Test						Lognormal Distribution Test			
483					Shapiro Wilk Test Statistic	0.762				Shapiro Wilk Test Statistic		0.979
484					Shapiro Wilk Critical Value	0.829				Shapiro Wilk Critical Value		0.829
485			Data not Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
486												
487			Assuming Normal Distribution						Assuming Lognormal Distribution			
488					95% Student's-t UCL	109.4				95% H-UCL		198.1
489			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			157.9
490					95% Adjusted-CLT UCL	121.4				97.5% Chebyshev (MVUE) UCL		198.1
491					95% Modified-t UCL	112				99% Chebyshev (MVUE) UCL		277
492												
493			Gamma Distribution Test						Data Distribution			
494					k star (bias corrected)	0.994		Data appear Gamma Distributed at 5% Significance Level				
495					Theta Star	66.8						
496					nu star	17.89						
497			Approximate Chi Square Value (.05)			9.312			Nonparametric Statistics			
498			Adjusted Level of Significance			0.0231				95% CLT UCL		104.4
499			Adjusted Chi Square Value			8.041				95% Jackknife UCL		109.4
500										95% Standard Bootstrap UCL		102.9
501			Anderson-Darling Test Statistic			0.275				95% Bootstrap-t UCL		173.7
502			Anderson-Darling 5% Critical Value			0.737				95% Hall's Bootstrap UCL		278.9
503			Kolmogorov-Smirnov Test Statistic			0.162				95% Percentile Bootstrap UCL		105.3
504			Kolmogorov-Smirnov 5% Critical Value			0.285				95% BCA Bootstrap UCL		125.3
505			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			167.1
506									97.5% Chebyshev(Mean, Sd) UCL			210.7
507			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			296.4
508				95% Approximate Gamma UCL		127.6						
509					95% Adjusted Gamma UCL	147.7						
510												
511			Potential UCL to Use						Use 95% Approximate Gamma UCL			127.6
512												
513												
514	Mercury											
515												
516						General Statistics						
517			Number of Valid Observations			9			Number of Distinct Observations			9
518												
519			Raw Statistics						Log-transformed Statistics			
520					Minimum	0.041				Minimum of Log Data		-3.194
521					Maximum	0.139				Maximum of Log Data		-1.973
522					Mean	0.0896				Mean of log Data		-2.479
523					Median	0.093				SD of log Data		0.401
524					SD	0.0325						
525				Coefficient of Variation		0.363						
526					Skewness	0.00915						
527												
528												
529						Warning: There are only 9 Values in this data						
530			Note: It should be noted that even though bootstrap methods may be performed on this data set,									

	A	B	C	D	E	F	G	H	I	J	K	L
531	the resulting calculations may not be reliable enough to draw conclusions											
532												
533	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
534												
535	Relevant UCL Statistics											
536	Normal Distribution Test						Lognormal Distribution Test					
537	Shapiro Wilk Test Statistic					0.966	Shapiro Wilk Test Statistic					0.943
538	Shapiro Wilk Critical Value					0.829	Shapiro Wilk Critical Value					0.829
539	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
540												
541	Assuming Normal Distribution						Assuming Lognormal Distribution					
542	95% Student's-t UCL					0.11	95% H-UCL					0.123
543	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					0.143
544	95% Adjusted-CLT UCL					0.107	97.5% Chebyshev (MVUE) UCL					0.166
545	95% Modified-t UCL					0.11	99% Chebyshev (MVUE) UCL					0.211
546												
547	Gamma Distribution Test						Data Distribution					
548	k star (bias corrected)					5.199	Data appear Normal at 5% Significance Level					
549	Theta Star					0.0172						
550	nu star					93.57						
551	Approximate Chi Square Value (.05)					72.27	Nonparametric Statistics					
552	Adjusted Level of Significance					0.0231	95% CLT UCL					0.107
553	Adjusted Chi Square Value					68.33	95% Jackknife UCL					0.11
554							95% Standard Bootstrap UCL					0.106
555	Anderson-Darling Test Statistic					0.263	95% Bootstrap-t UCL					0.11
556	Anderson-Darling 5% Critical Value					0.722	95% Hall's Bootstrap UCL					0.109
557	Kolmogorov-Smirnov Test Statistic					0.183	95% Percentile Bootstrap UCL					0.107
558	Kolmogorov-Smirnov 5% Critical Value					0.28	95% BCA Bootstrap UCL					0.107
559	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					0.137
560							97.5% Chebyshev(Mean, Sd) UCL					0.157
561	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					0.197
562	95% Approximate Gamma UCL					0.116						
563	95% Adjusted Gamma UCL					0.123						
564												
565	Potential UCL to Use						Use 95% Student's-t UCL					0.11
566												
567												
568	Naphthalene											
569												
570	General Statistics											
571	Number of Valid Data					9	Number of Detected Data					7
572	Number of Distinct Detected Data					7	Number of Non-Detect Data					2
573							Percent Non-Detects					22.22%
574												
575	Raw Statistics						Log-transformed Statistics					
576	Minimum Detected					4	Minimum Detected					1.386
577	Maximum Detected					78	Maximum Detected					4.357
578	Mean of Detected					24.26	Mean of Detected					2.652
579	SD of Detected					28.43	SD of Detected					1.077
580	Minimum Non-Detect					3.1	Minimum Non-Detect					1.131
581	Maximum Non-Detect					9.7	Maximum Non-Detect					2.272
582												
583	Note: Data have multiple DLs - Use of KM Method is recommended						Number treated as Non-Detect					5

	A	B	C	D	E	F	G	H	I	J	K	L
584	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				4
585	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				55.56%
586												
587	Warning: There are only 7 Detected Values in this data											
588	Note: It should be noted that even though bootstrap may be performed on this data set											
589	the resulting calculations may not be reliable enough tp draw conclusions											
590												
591	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
592												
593												
594	UCL Statistics											
595	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
596	Shapiro Wilk Test Statistic					0.731	Shapiro Wilk Test Statistic					0.888
597	5% Shapiro Wilk Critical Value					0.803	5% Shapiro Wilk Critical Value					0.803
598	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
599												
600	Assuming Normal Distribution						Assuming Lognormal Distribution					
601	DL/2 Substitution Method						DL/2 Substitution Method					
602	Mean					19.58	Mean					2.287
603	SD					26.33	SD					1.215
604	95% DL/2 (t) UCL					35.9	95% H-Stat (DL/2) UCL					45.99
605												
606	Maximum Likelihood Estimate(MLE) Method						Log ROS Method					
607	Mean					1.431	Mean in Log Scale					2.25
608	SD					42.46	SD in Log Scale					1.265
609	95% MLE (t) UCL					27.75	Mean in Original Scale					19.48
610	95% MLE (Tiku) UCL					36.36	SD in Original Scale					26.4
611							95% Percentile Bootstrap UCL					33.95
612							95% BCA Bootstrap UCL					38.75
613												
614	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
615	k star (bias corrected)					0.706	Data Follow Appr. Gamma Distribution at 5% Significance Level					
616	Theta Star					34.38						
617	nu star					9.877						
618												
619	A-D Test Statistic					0.687	Nonparametric Statistics					
620	5% A-D Critical Value					0.727	Kaplan-Meier (KM) Method					
621	K-S Test Statistic					0.727	Mean					19.98
622	5% K-S Critical Value					0.319	SD					24.57
623	Data follow Appr. Gamma Distribution at 5% Significance Level						SE of Mean					8.852
624							95% KM (t) UCL					36.44
625	Assuming Gamma Distribution						95% KM (z) UCL					34.54
626	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					35.92
627	Minimum					1E-09	95% KM (bootstrap t) UCL					130.9
628	Maximum					78	95% KM (BCA) UCL					37.57
629	Mean					19.87	95% KM (Percentile Bootstrap) UCL					35.23
630	Median					9.1	95% KM (Chebyshev) UCL					58.56
631	SD					26.22	97.5% KM (Chebyshev) UCL					75.26
632	k star					0.234	99% KM (Chebyshev) UCL					108.1
633	Theta star					84.96						
634	Nu star					4.209	Potential UCLs to Use					
635	AppChi2					0.806	95% KM (Chebyshev) UCL					58.56
636	95% Gamma Approximate UCL					103.8						

	A	B	C	D	E	F	G	H	I	J	K	L
637					95% Adjusted Gamma UCL	153.5						
638	Note: DL/2 is not a recommended method.											
639												
640												
641	Total Aroclors											
642												
643					General Statistics							
644				Number of Valid Observations		9			Number of Distinct Observations			9
645												
646			Raw Statistics						Log-transformed Statistics			
647				Minimum		16.77			Minimum of Log Data			2.819
648				Maximum		934.6			Maximum of Log Data			6.84
649				Mean		181.7			Mean of log Data			4.442
650				Median		77.05			SD of log Data			1.229
651				SD		290.9						
652			Coefficient of Variation			1.601						
653				Skewness		2.689						
654												
655												
656					Warning: There are only 9 Values in this data							
657				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
658					the resulting calculations may not be reliable enough to draw conclusions							
659												
660				The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.								
661												
662					Relevant UCL Statistics							
663			Normal Distribution Test						Lognormal Distribution Test			
664			Shapiro Wilk Test Statistic			0.597			Shapiro Wilk Test Statistic			0.961
665			Shapiro Wilk Critical Value			0.829			Shapiro Wilk Critical Value			0.829
666			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
667												
668			Assuming Normal Distribution						Assuming Lognormal Distribution			
669				95% Student's-t UCL		362			95% H-UCL			930.6
670			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			456.2
671			95% Adjusted-CLT UCL			434.1			97.5% Chebyshev (MVUE) UCL			584.5
672				95% Modified-t UCL		376.5			99% Chebyshev (MVUE) UCL			836.5
673												
674			Gamma Distribution Test						Data Distribution			
675				k star (bias corrected)		0.596		Data appear Gamma Distributed at 5% Significance Level				
676				Theta Star		305.1						
677				nu star		10.72						
678		Approximate Chi Square Value (.05)				4.397			Nonparametric Statistics			
679			Adjusted Level of Significance			0.0231			95% CLT UCL			341.2
680			Adjusted Chi Square Value			3.583			95% Jackknife UCL			362
681									95% Standard Bootstrap UCL			334.4
682		Anderson-Darling Test Statistic				0.557			95% Bootstrap-t UCL			957.1
683		Anderson-Darling 5% Critical Value				0.75			95% Hall's Bootstrap UCL			960
684		Kolmogorov-Smirnov Test Statistic				0.202			95% Percentile Bootstrap UCL			355.8
685		Kolmogorov-Smirnov 5% Critical Value				0.289			95% BCA Bootstrap UCL			452.8
686		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			604.3
687									97.5% Chebyshev(Mean, Sd) UCL			787.2
688			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			1146
689			95% Approximate Gamma UCL			443.1						

	A	B	C	D	E	F	G	H	I	J	K	L
690				95% Adjusted Gamma UCL		543.7						
691												
692			Potential UCL to Use						Use 95% Approximate Gamma UCL			443.1
693												
694												
695	Total DDT											
696												
697						General Statistics						
698			Number of Valid Data			9			Number of Detected Data			7
699			Number of Distinct Detected Data			7			Number of Non-Detect Data			2
700									Percent Non-Detects			22.22%
701												
702			Raw Statistics						Log-transformed Statistics			
703			Minimum Detected			1.014			Minimum Detected			0.0139
704			Maximum Detected			9.3			Maximum Detected			2.23
705			Mean of Detected			5.643			Mean of Detected			1.565
706			SD of Detected			2.678			SD of Detected			0.733
707			Minimum Non-Detect			0.178			Minimum Non-Detect			-1.726
708			Maximum Non-Detect			4.99			Maximum Non-Detect			1.607
709												
710	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			4
711	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			5
712	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			44.44%
713												
714						Warning: There are only 7 Detected Values in this data						
715						Note: It should be noted that even though bootstrap may be performed on this data set						
716						the resulting calculations may not be reliable enough tp draw conclusions						
717												
718						It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.						
719												
720												
721						UCL Statistics						
722			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
723			Shapiro Wilk Test Statistic			0.964			Shapiro Wilk Test Statistic			0.79
724			5% Shapiro Wilk Critical Value			0.803			5% Shapiro Wilk Critical Value			0.803
725			Data appear Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
726												
727			Assuming Normal Distribution						Assuming Lognormal Distribution			
728			DL/2 Substitution Method						DL/2 Substitution Method			
729			Mean			4.676			Mean			1.05
730			SD			3.07			SD			1.463
731			95% DL/2 (t) UCL			6.579			95% H-Stat (DL/2) UCL			79.09
732												
733			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
734			Mean			5.206			Mean in Log Scale			1.287
735			SD			2.36			SD in Log Scale			0.855
736			95% MLE (t) UCL			6.669			Mean in Original Scale			4.707
737			95% MLE (Tiku) UCL			6.913			SD in Original Scale			2.979
738									95% Percentile Bootstrap UCL			6.239
739									95% BCA Bootstrap UCL			6.178
740												
741			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
742			k star (bias corrected)			1.912			Data appear Normal at 5% Significance Level			

	A	B	C	D	E	F	G	H	I	J	K	L
743					Theta Star	2.952						
744					nu star	26.76						
745												
746					A-D Test Statistic	0.511		**Nonparametric Statistics**				
747					5% A-D Critical Value	0.712				Kaplan-Meier (KM) Method		
748					K-S Test Statistic	0.712					Mean	4.739
749					5% K-S Critical Value	0.314					SD	2.827
750		**Data appear Gamma Distributed at 5% Significance Level**									SE of Mean	1.041
751											95% KM (t) UCL	6.675
752		**Assuming Gamma Distribution**									95% KM (z) UCL	6.452
753		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	6.814
754					Minimum	1.014					95% KM (bootstrap t) UCL	6.509
755					Maximum	9.3					95% KM (BCA) UCL	6.878
756					Mean	5.029				95% KM (Percentile Bootstrap) UCL		6.53
757					Median	5					95% KM (Chebyshev) UCL	9.278
758					SD	2.678					97.5% KM (Chebyshev) UCL	11.24
759					k star	2.022					99% KM (Chebyshev) UCL	15.1
760					Theta star	2.488						
761					Nu star	36.39		**Potential UCLs to Use**				
762					AppChi2	23.58					95% KM (t) UCL	6.675
763		95% Gamma Approximate UCL				7.761				95% KM (Percentile Bootstrap) UCL		6.53
764		95% Adjusted Gamma UCL				8.539						
765	**Note: DL/2 is not a recommended method.**											
766												

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM10.5E.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	2000

Arsenic

General Statistics

Number of Valid Observations	6	Number of Distinct Observations	6

Raw Statistics		Log-transformed Statistics	
Minimum	2.56	Minimum of Log Data	0.94
Maximum	3.37	Maximum of Log Data	1.215
Mean	3.083	Mean of log Data	1.121
Median	3.175	SD of log Data	0.106
SD	0.314		
Coefficient of Variation	0.102		
Skewness	-1.053		

Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!

It is suggested to collect at least 8 to 10 observations using these statistical methods!

If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

Warning: There are only 6 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set,

the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.89	Shapiro Wilk Test Statistic	0.876
Shapiro Wilk Critical Value	0.788	Shapiro Wilk Critical Value	0.788
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	3.341	95% H-UCL	3.386
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	3.666
95% Adjusted-CLT UCL	3.235	97.5% Chebyshev (MVUE) UCL	3.918
95% Modified-t UCL	3.332	99% Chebyshev (MVUE) UCL	4.414

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	54.98	Data appear Normal at 5% Significance Level	
Theta Star	0.0561		
nu star	659.7		
Approximate Chi Square Value (.05)	601.1	Nonparametric Statistics	
Adjusted Level of Significance	0.0122	95% CLT UCL	3.294

	A	B	C	D	E	F	G	H	I	J	K	L
54				Adjusted Chi Square Value		580.7					95% Jackknife UCL	3.341
55											95% Standard Bootstrap UCL	3.275
56			Anderson-Darling Test Statistic			0.418					95% Bootstrap-t UCL	3.278
57			Anderson-Darling 5% Critical Value			0.696					95% Hall's Bootstrap UCL	3.229
58			Kolmogorov-Smirnov Test Statistic			0.255					95% Percentile Bootstrap UCL	3.26
59			Kolmogorov-Smirnov 5% Critical Value			0.332					95% BCA Bootstrap UCL	3.245
60		Data appear Gamma Distributed at 5% Significance Level									95% Chebyshev(Mean, Sd) UCL	3.642
61											97.5% Chebyshev(Mean, Sd) UCL	3.883
62			Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL	4.357
63				95% Approximate Gamma UCL		3.384						
64				95% Adjusted Gamma UCL		3.503						
65												
66			Potential UCL to Use								Use 95% Student's-t UCL	3.341
67												
68												
69	Benzo(a)anthracene											
70												
71						General Statistics						
72			Number of Valid Observations			6				Number of Distinct Observations		5
73												
74			Raw Statistics						Log-transformed Statistics			
75				Minimum		11				Minimum of Log Data		2.398
76				Maximum		130				Maximum of Log Data		4.868
77				Mean		38.67				Mean of log Data		3.243
78				Median		23				SD of log Data		0.914
79				SD		45.58						
80			Coefficient of Variation			1.179						
81				Skewness		2.255						
82												
83												
84		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
85												
86		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
87		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
88												
89												
90						Warning: There are only 6 Values in this data						
91		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
92		the resulting calculations may not be reliable enough to draw conclusions										
93												
94		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
95												
96						Relevant UCL Statistics						
97			Normal Distribution Test						Lognormal Distribution Test			
98			Shapiro Wilk Test Statistic			0.666				Shapiro Wilk Test Statistic		0.876
99			Shapiro Wilk Critical Value			0.788				Shapiro Wilk Critical Value		0.788
100		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
101												
102		Assuming Normal Distribution						Assuming Lognormal Distribution				
103			95% Student's-t UCL			76.16				95% H-UCL		184.8
104		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			93.06
105			95% Adjusted-CLT UCL			87.57				97.5% Chebyshev (MVUE) UCL		117.9
106			95% Modified-t UCL			79.02				99% Chebyshev (MVUE) UCL		166.6

	A	B	C	D	E	F	G	H	I	J	K	L
107												
108			Gamma Distribution Test						Data Distribution			
109				k star (bias corrected)		0.789		Data appear Gamma Distributed at 5% Significance Level				
110				Theta Star		48.98						
111				nu star		9.473						
112			Approximate Chi Square Value (.05)			3.615			Nonparametric Statistics			
113			Adjusted Level of Significance			0.0122				95% CLT UCL		69.27
114			Adjusted Chi Square Value			2.436				95% Jackknife UCL		76.16
115									95% Standard Bootstrap UCL			66.38
116			Anderson-Darling Test Statistic			0.606				95% Bootstrap-t UCL		182.9
117			Anderson-Darling 5% Critical Value			0.71				95% Hall's Bootstrap UCL		211.5
118			Kolmogorov-Smirnov Test Statistic			0.276			95% Percentile Bootstrap UCL			72.33
119			Kolmogorov-Smirnov 5% Critical Value			0.338				95% BCA Bootstrap UCL		78.33
120		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			119.8
121									97.5% Chebyshev(Mean, Sd) UCL			154.9
122			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			223.8
123			95% Approximate Gamma UCL			101.3						
124			95% Adjusted Gamma UCL			150.4						
125												
126			Potential UCL to Use						Use 95% Approximate Gamma UCL			101.3
127												
128												
129	Benzo(a)pyrene											
130												
131					General Statistics							
132			Number of Valid Observations			6			Number of Distinct Observations			6
133												
134			Raw Statistics						Log-transformed Statistics			
135				Minimum		12				Minimum of Log Data		2.485
136				Maximum		89				Maximum of Log Data		4.489
137				Mean		33.83				Mean of log Data		3.279
138				Median		24.5				SD of log Data		0.73
139				SD		28.69						
140			Coefficient of Variation			0.848						
141				Skewness		1.883						
142												
143												
144		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
145												
146		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
147		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
148												
149												
150					Warning: There are only 6 Values in this data							
151		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
152		the resulting calculations may not be reliable enough to draw conclusions										
153												
154		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
155												
156					Relevant UCL Statistics							
157			Normal Distribution Test						Lognormal Distribution Test			
158			Shapiro Wilk Test Statistic			0.779			Shapiro Wilk Test Statistic			0.936
159			Shapiro Wilk Critical Value			0.788			Shapiro Wilk Critical Value			0.788

	A	B	C	D	E	F	G	H	I	J	K	L
160			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
161												
162			Assuming Normal Distribution						Assuming Lognormal Distribution			
163				95% Student's-t UCL		57.43				95% H-UCL		100.5
164			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			75.47
165				95% Adjusted-CLT UCL		62.72			97.5% Chebyshev (MVUE) UCL			93.88
166				95% Modified-t UCL		58.93			99% Chebyshev (MVUE) UCL			130
167												
168			Gamma Distribution Test						Data Distribution			
169				k star (bias corrected)		1.218			Data appear Gamma Distributed at 5% Significance Level			
170					Theta Star	27.78						
171					nu star	14.61						
172			Approximate Chi Square Value (.05)			6.993			Nonparametric Statistics			
173			Adjusted Level of Significance			0.0122				95% CLT UCL		53.1
174			Adjusted Chi Square Value			5.208				95% Jackknife UCL		57.43
175									95% Standard Bootstrap UCL			51.85
176			Anderson-Darling Test Statistic			0.386				95% Bootstrap-t UCL		101.6
177			Anderson-Darling 5% Critical Value			0.704				95% Hall's Bootstrap UCL		150.4
178			Kolmogorov-Smirnov Test Statistic			0.245			95% Percentile Bootstrap UCL			53.17
179			Kolmogorov-Smirnov 5% Critical Value			0.336				95% BCA Bootstrap UCL		59.33
180			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			84.88
181									97.5% Chebyshev(Mean, Sd) UCL			107
182			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			150.4
183				95% Approximate Gamma UCL		70.7						
184				95% Adjusted Gamma UCL		94.93						
185												
186			Potential UCL to Use						Use 95% Approximate Gamma UCL			70.7
187												
188												
189	Benzo(b)fluoranthene											
190												
191						General Statistics						
192			Number of Valid Observations			6			Number of Distinct Observations			6
193												
194			Raw Statistics						Log-transformed Statistics			
195					Minimum	17			Minimum of Log Data			2.833
196					Maximum	140			Maximum of Log Data			4.942
197					Mean	50.17			Mean of log Data			3.636
198					Median	36			SD of log Data			0.78
199					SD	46.11						
200			Coefficient of Variation			0.919						
201					Skewness	1.987						
202												
203												
204			Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!									
205												
206			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
207			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
208												
209												
210						Warning: There are only 6 Values in this data						
211			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
212					the resulting calculations may not be reliable enough to draw conclusions							

	A	B	C	D	E	F	G	H	I	J	K	L
213												
214			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
215												
216						Relevant UCL Statistics						
217			Normal Distribution Test						Lognormal Distribution Test			
218				Shapiro Wilk Test Statistic		0.755				Shapiro Wilk Test Statistic		0.921
219				Shapiro Wilk Critical Value		0.788				Shapiro Wilk Critical Value		0.788
220		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
221												
222			Assuming Normal Distribution						Assuming Lognormal Distribution			
223				95% Student's-t UCL		88.1				95% H-UCL		169.2
224		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			115.3
225				95% Adjusted-CLT UCL		97.44				97.5% Chebyshev (MVUE) UCL		144.2
226				95% Modified-t UCL		90.64				99% Chebyshev (MVUE) UCL		201
227												
228			Gamma Distribution Test						Data Distribution			
229				k star (bias corrected)		1.082		Data appear Gamma Distributed at 5% Significance Level				
230				Theta Star		46.35						
231				nu star		12.99						
232			Approximate Chi Square Value (.05)			5.884			Nonparametric Statistics			
233				Adjusted Level of Significance		0.0122				95% CLT UCL		81.13
234				Adjusted Chi Square Value		4.279				95% Jackknife UCL		88.1
235										95% Standard Bootstrap UCL		79.37
236			Anderson-Darling Test Statistic			0.417				95% Bootstrap-t UCL		159.2
237			Anderson-Darling 5% Critical Value			0.705				95% Hall's Bootstrap UCL		222.9
238			Kolmogorov-Smirnov Test Statistic			0.216				95% Percentile Bootstrap UCL		81.67
239			Kolmogorov-Smirnov 5% Critical Value			0.336				95% BCA Bootstrap UCL		90.33
240		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			132.2
241									97.5% Chebyshev(Mean, Sd) UCL			167.7
242			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			237.5
243				95% Approximate Gamma UCL		110.7						
244				95% Adjusted Gamma UCL		152.3						
245												
246			Potential UCL to Use						Use 95% Approximate Gamma UCL			110.7
247												
248												
249	Benzo(k)fluoranthene											
250												
251						General Statistics						
252			Number of Valid Observations			6			Number of Distinct Observations			6
253												
254			Raw Statistics						Log-transformed Statistics			
255				Minimum		5.5				Minimum of Log Data		1.705
256				Maximum		86				Maximum of Log Data		4.454
257				Mean		25.2				Mean of log Data		2.742
258				Median		15				SD of log Data		1.029
259				SD		30.63						
260				Coefficient of Variation		1.216						
261				Skewness		2.16						
262												
263												
264		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
265												

	A	B	C	D	E	F	G	H	I	J	K	L
266	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
267	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
268												
269												
270	Warning: There are only 6 Values in this data											
271	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
272	the resulting calculations may not be reliable enough to draw conclusions											
273												
274	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
275												
276	Relevant UCL Statistics											
277	Normal Distribution Test						Lognormal Distribution Test					
278	Shapiro Wilk Test Statistic					0.703	Shapiro Wilk Test Statistic					0.921
279	Shapiro Wilk Critical Value					0.788	Shapiro Wilk Critical Value					0.788
280	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
281												
282	Assuming Normal Distribution						Assuming Lognormal Distribution					
283	95% Student's-t UCL					50.4	95% H-UCL					184.1
284	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					65.81
285	95% Adjusted-CLT UCL					57.56	97.5% Chebyshev (MVUE) UCL					84.11
286	95% Modified-t UCL					52.24	99% Chebyshev (MVUE) UCL					120
287												
288	Gamma Distribution Test						Data Distribution					
289	k star (bias corrected)					0.696	Data appear Gamma Distributed at 5% Significance Level					
290	Theta Star					36.2						
291	nu star					8.354						
292	Approximate Chi Square Value (.05)					2.942	Nonparametric Statistics					
293	Adjusted Level of Significance					0.0122	95% CLT UCL					45.77
294	Adjusted Chi Square Value					1.912	95% Jackknife UCL					50.4
295							95% Standard Bootstrap UCL					44.1
296	Anderson-Darling Test Statistic					0.444	95% Bootstrap-t UCL					99.26
297	Anderson-Darling 5% Critical Value					0.713	95% Hall's Bootstrap UCL					136.7
298	Kolmogorov-Smirnov Test Statistic					0.231	95% Percentile Bootstrap UCL					47.83
299	Kolmogorov-Smirnov 5% Critical Value					0.34	95% BCA Bootstrap UCL					52
300	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					79.72
301							97.5% Chebyshev(Mean, Sd) UCL					103.3
302	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					149.6
303	95% Approximate Gamma UCL					71.56						
304	95% Adjusted Gamma UCL					110.1						
305												
306	Potential UCL to Use						Use 95% Approximate Gamma UCL					71.56
307												
308												
309	Dibenzo(a,h)anthracene											
310												
311	General Statistics											
312	Number of Valid Observations					6	Number of Distinct Observations					6
313												
314	Raw Statistics						Log-transformed Statistics					
315	Minimum					1.8	Minimum of Log Data					0.588
316	Maximum					14	Maximum of Log Data					2.639
317	Mean					5.5	Mean of log Data					1.466
318	Median					3.9	SD of log Data					0.733

	A	B	C	D	E	F	G	H	I	J	K	L
319					SD	4.518						
320				Coefficient of Variation		0.821						
321					Skewness	1.728						
322												
323												
324		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
325												
326		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
327		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
328												
329												
330		Warning: There are only 6 Values in this data										
331		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
332		the resulting calculations may not be reliable enough to draw conclusions										
333												
334		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
335												
336		Relevant UCL Statistics										
337		Normal Distribution Test						Lognormal Distribution Test				
338		Shapiro Wilk Test Statistic				0.811		Shapiro Wilk Test Statistic				0.962
339		Shapiro Wilk Critical Value				0.788		Shapiro Wilk Critical Value				0.788
340		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
341												
342		Assuming Normal Distribution						Assuming Lognormal Distribution				
343		95% Student's-t UCL				9.216		95% H-UCL				16.58
344		95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL				12.37
345		95% Adjusted-CLT UCL				9.923		97.5% Chebyshev (MVUE) UCL				15.39
346		95% Modified-t UCL				9.433		99% Chebyshev (MVUE) UCL				21.33
347												
348		Gamma Distribution Test						Data Distribution				
349		k star (bias corrected)				1.234		Data appear Normal at 5% Significance Level				
350		Theta Star				4.455						
351		nu star				14.81						
352		Approximate Chi Square Value (.05)				7.132		Nonparametric Statistics				
353		Adjusted Level of Significance				0.0122		95% CLT UCL				8.534
354		Adjusted Chi Square Value				5.325		95% Jackknife UCL				9.216
355								95% Standard Bootstrap UCL				8.239
356		Anderson-Darling Test Statistic				0.328		95% Bootstrap-t UCL				17.5
357		Anderson-Darling 5% Critical Value				0.703		95% Hall's Bootstrap UCL				25.99
358		Kolmogorov-Smirnov Test Statistic				0.255		95% Percentile Bootstrap UCL				8.467
359		Kolmogorov-Smirnov 5% Critical Value				0.336		95% BCA Bootstrap UCL				9.967
360		Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL				13.54
361								97.5% Chebyshev(Mean, Sd) UCL				17.02
362		Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL				23.85
363		95% Approximate Gamma UCL				11.42						
364		95% Adjusted Gamma UCL				15.3						
365												
366		Potential UCL to Use						Use 95% Student's-t UCL				9.216
367												
368												
369	Indeno(1,2,3-cd)pyrene											
370												
371		General Statistics										

	A	B	C	D	E	F	G	H	I	J	K	L

372	Number of Valid Observations	6	Number of Distinct Observations	6
373				
374	**Raw Statistics**		**Log-transformed Statistics**	
375	Minimum	8.8	Minimum of Log Data	2.175
376	Maximum	72	Maximum of Log Data	4.277
377	Mean	27.47	Mean of log Data	3.062
378	Median	19.5	SD of log Data	0.749
379	SD	23.36		
380	Coefficient of Variation	0.851		
381	Skewness	1.818		
382				
383				
384	**Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!**			
385				
386	It is suggested to collect at least 8 to 10 observations using these statistical methods!			
387	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.			
388				
389				
390	Warning: There are only 6 Values in this data			
391	Note: It should be noted that even though bootstrap methods may be performed on this data set,			
392	the resulting calculations may not be reliable enough to draw conclusions			
393				
394	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.			
395				
396	**Relevant UCL Statistics**			
397	**Normal Distribution Test**		**Lognormal Distribution Test**	
398	Shapiro Wilk Test Statistic	0.797	Shapiro Wilk Test Statistic	0.96
399	Shapiro Wilk Critical Value	0.788	Shapiro Wilk Critical Value	0.788
400	**Data appear Normal at 5% Significance Level**		**Data appear Lognormal at 5% Significance Level**	
401				
402	**Assuming Normal Distribution**		**Assuming Lognormal Distribution**	
403	95% Student's-t UCL	46.69	95% H-UCL	85.9
404	**95% UCLs (Adjusted for Skewness)**		95% Chebyshev (MVUE) UCL	62.29
405	95% Adjusted-CLT UCL	50.72	97.5% Chebyshev (MVUE) UCL	77.65
406	95% Modified-t UCL	47.86	99% Chebyshev (MVUE) UCL	107.8
407				
408	**Gamma Distribution Test**		**Data Distribution**	
409	k star (bias corrected)	1.184	**Data appear Normal at 5% Significance Level**	
410	Theta Star	23.2		
411	nu star	14.21		
412	Approximate Chi Square Value (.05)	6.712	**Nonparametric Statistics**	
413	Adjusted Level of Significance	0.0122	95% CLT UCL	43.15
414	Adjusted Chi Square Value	4.971	95% Jackknife UCL	46.69
415			95% Standard Bootstrap UCL	41.83
416	Anderson-Darling Test Statistic	0.339	95% Bootstrap-t UCL	88.5
417	Anderson-Darling 5% Critical Value	0.704	95% Hall's Bootstrap UCL	126.2
418	Kolmogorov-Smirnov Test Statistic	0.248	95% Percentile Bootstrap UCL	43.33
419	Kolmogorov-Smirnov 5% Critical Value	0.336	95% BCA Bootstrap UCL	48.17
420	**Data appear Gamma Distributed at 5% Significance Level**		95% Chebyshev(Mean, Sd) UCL	69.04
421			97.5% Chebyshev(Mean, Sd) UCL	87.03
422	**Assuming Gamma Distribution**		99% Chebyshev(Mean, Sd) UCL	122.4
423	95% Approximate Gamma UCL	58.13		
424	95% Adjusted Gamma UCL	78.49		

	A	B	C	D	E	F	G	H	I	J	K	L
425												
426			Potential UCL to Use						Use 95% Student's-t UCL			46.69
427												
428												
429	Lead											
430												
431					General Statistics							
432			Number of Valid Observations			6			Number of Distinct Observations			6
433												
434			Raw Statistics						Log-transformed Statistics			
435				Minimum		9.73			Minimum of Log Data			2.275
436				Maximum		15.1			Maximum of Log Data			2.715
437				Mean		12.01			Mean of log Data			2.475
438				Median		11.45			SD of log Data			0.154
439				SD		1.901						
440			Coefficient of Variation			0.158						
441				Skewness		0.816						
442												
443												
444			Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!									
445												
446			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
447			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
448												
449												
450			Warning: There are only 6 Values in this data									
451			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
452			the resulting calculations may not be reliable enough to draw conclusions									
453												
454			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
455												
456					Relevant UCL Statistics							
457			Normal Distribution Test						Lognormal Distribution Test			
458			Shapiro Wilk Test Statistic			0.934			Shapiro Wilk Test Statistic			0.954
459			Shapiro Wilk Critical Value			0.788			Shapiro Wilk Critical Value			0.788
460			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
461												
462			Assuming Normal Distribution						Assuming Lognormal Distribution			
463			95% Student's-t UCL			13.57			95% H-UCL			13.81
464			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			15.3
465			95% Adjusted-CLT UCL			13.56			97.5% Chebyshev (MVUE) UCL			16.72
466			95% Modified-t UCL			13.61			99% Chebyshev (MVUE) UCL			19.52
467												
468			Gamma Distribution Test						Data Distribution			
469			k star (bias corrected)			25.02			Data appear Normal at 5% Significance Level			
470				Theta Star		0.48						
471				nu star		300.3						
472			Approximate Chi Square Value (.05)			261.1			Nonparametric Statistics			
473			Adjusted Level of Significance			0.0122			95% CLT UCL			13.28
474			Adjusted Chi Square Value			247.9			95% Jackknife UCL			13.57
475									95% Standard Bootstrap UCL			13.16
476			Anderson-Darling Test Statistic			0.304			95% Bootstrap-t UCL			14.81
477			Anderson-Darling 5% Critical Value			0.697			95% Hall's Bootstrap UCL			26.04

	A	B	C	D	E	F	G	H	I	J	K	L
478				Kolmogorov-Smirnov Test Statistic		0.267				95% Percentile Bootstrap UCL		13.27
479				Kolmogorov-Smirnov 5% Critical Value		0.332				95% BCA Bootstrap UCL		13.29
480			Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		15.39
481										97.5% Chebyshev(Mean, Sd) UCL		16.85
482			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		19.73
483				95% Approximate Gamma UCL		13.8						
484				95% Adjusted Gamma UCL		14.54						
485												
486			Potential UCL to Use							Use 95% Student's-t UCL		13.57
487												
488												
489	Mercury											
490												
491					General Statistics							
492				Number of Valid Observations		6				Number of Distinct Observations		5
493												
494			Raw Statistics						Log-transformed Statistics			
495					Minimum	0.044				Minimum of Log Data		-3.124
496					Maximum	0.08				Maximum of Log Data		-2.526
497					Mean	0.0612				Mean of log Data		-2.819
498					Median	0.055				SD of log Data		0.242
499					SD	0.0152						
500				Coefficient of Variation		0.248						
501					Skewness	0.625						
502												
503												
504		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
505												
506		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
507		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
508												
509												
510					Warning: There are only 6 Values in this data							
511				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
512				the resulting calculations may not be reliable enough to draw conclusions								
513												
514			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
515												
516					Relevant UCL Statistics							
517			Normal Distribution Test						Lognormal Distribution Test			
518				Shapiro Wilk Test Statistic		0.831				Shapiro Wilk Test Statistic		0.865
519				Shapiro Wilk Critical Value		0.788				Shapiro Wilk Critical Value		0.788
520		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
521												
522			Assuming Normal Distribution						Assuming Lognormal Distribution			
523				95% Student's-t UCL		0.0736				95% H-UCL		0.0774
524		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			0.0875
525			95% Adjusted-CLT UCL			0.073			97.5% Chebyshev (MVUE) UCL			0.0989
526			95% Modified-t UCL			0.0739			99% Chebyshev (MVUE) UCL			0.121
527												
528			Gamma Distribution Test						Data Distribution			
529			k star (bias corrected)			10.28		Data appear Normal at 5% Significance Level				
530				Theta Star		0.00595						

	A	B	C	D	E	F	G	H	I	J	K	L
531					nu star	123.3						
532			Approximate Chi Square Value (.05)			98.69		Nonparametric Statistics				
533			Adjusted Level of Significance			0.0122					95% CLT UCL	0.0713
534			Adjusted Chi Square Value			90.73					95% Jackknife UCL	0.0736
535											95% Standard Bootstrap UCL	0.0704
536			Anderson-Darling Test Statistic			0.563					95% Bootstrap-t UCL	0.0901
537			Anderson-Darling 5% Critical Value			0.697					95% Hall's Bootstrap UCL	0.206
538			Kolmogorov-Smirnov Test Statistic			0.291					95% Percentile Bootstrap UCL	0.0712
539			Kolmogorov-Smirnov 5% Critical Value			0.332					95% BCA Bootstrap UCL	0.071
540		Data appear Gamma Distributed at 5% Significance Level									95% Chebyshev(Mean, Sd) UCL	0.0881
541											97.5% Chebyshev(Mean, Sd) UCL	0.0998
542			Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL	0.123
543			95% Approximate Gamma UCL			0.0764						
544			95% Adjusted Gamma UCL			0.0831						
545												
546			Potential UCL to Use								Use 95% Student's-t UCL	0.0736
547												
548												
549	Total Aroclors											
550												
551					General Statistics							
552			Number of Valid Observations			6				Number of Distinct Observations		6
553												
554			Raw Statistics						Log-transformed Statistics			
555					Minimum	12.5				Minimum of Log Data		2.526
556					Maximum	197.2				Maximum of Log Data		5.284
557					Mean	51.52				Mean of log Data		3.401
558					Median	23.49				SD of log Data		1.008
559					SD	71.97						
560				Coefficient of Variation		1.397						
561					Skewness	2.36						
562												
563												
564		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
565												
566		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
567		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
568												
569												
570		Warning: There are only 6 Values in this data										
571		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
572		the resulting calculations may not be reliable enough to draw conclusions										
573												
574		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
575												
576					Relevant UCL Statistics							
577		Normal Distribution Test							Lognormal Distribution Test			
578			Shapiro Wilk Test Statistic			0.613				Shapiro Wilk Test Statistic		0.845
579			Shapiro Wilk Critical Value			0.788				Shapiro Wilk Critical Value		0.788
580		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
581												
582		Assuming Normal Distribution							Assuming Lognormal Distribution			
583			95% Student's-t UCL			110.7				95% H-UCL		324.8

	A	B	C	D	E	F	G	H	I	J	K	L
584			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			123.8
585				95% Adjusted-CLT UCL		130.1			97.5% Chebyshev (MVUE) UCL			158
586				95% Modified-t UCL		115.4			99% Chebyshev (MVUE) UCL			225.1
587												
588			Gamma Distribution Test						Data Distribution			
589				k star (bias corrected)		0.641		Data Follow Appr. Gamma Distribution at 5% Significance Level				
590				Theta Star		80.34						
591				nu star		7.696						
592			Approximate Chi Square Value (.05)			2.56			Nonparametric Statistics			
593			Adjusted Level of Significance			0.0122				95% CLT UCL		99.85
594			Adjusted Chi Square Value			1.622				95% Jackknife UCL		110.7
595									95% Standard Bootstrap UCL			96.49
596			Anderson-Darling Test Statistic			0.767			95% Bootstrap-t UCL			459.5
597			Anderson-Darling 5% Critical Value			0.714			95% Hall's Bootstrap UCL			338.2
598			Kolmogorov-Smirnov Test Statistic			0.317			95% Percentile Bootstrap UCL			107.9
599			Kolmogorov-Smirnov 5% Critical Value			0.34			95% BCA Bootstrap UCL			115.7
600		Data follow Appr. Gamma Distribution at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			179.6
601									97.5% Chebyshev(Mean, Sd) UCL			235
602			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			343.9
603				95% Approximate Gamma UCL		154.9						
604				95% Adjusted Gamma UCL		244.5						
605												
606			Potential UCL to Use						Use 95% Approximate Gamma UCL			154.9
607												
608												
609	Total DDT											
610												
611					General Statistics							
612				Number of Valid Data		6			Number of Detected Data			5
613			Number of Distinct Detected Data			5			Number of Non-Detect Data			1
614									Percent Non-Detects			16.67%
615												
616			Raw Statistics						Log-transformed Statistics			
617				Minimum Detected		0.268			Minimum Detected			-1.319
618				Maximum Detected		13.1			Maximum Detected			2.573
619				Mean of Detected		3.333			Mean of Detected			0.158
620				SD of Detected		5.515			SD of Detected			1.558
621			Minimum Non-Detect			0.144			Minimum Non-Detect			-1.938
622			Maximum Non-Detect			0.144			Maximum Non-Detect			-1.938
623												
624												
625				Warning: There are only 5 Detected Values in this data								
626				Note: It should be noted that even though bootstrap may be performed on this data set								
627				the resulting calculations may not be reliable enough tp draw conclusions								
628												
629			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.										
630												
631												
632					UCL Statistics							
633		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
634				Shapiro Wilk Test Statistic		0.659			Shapiro Wilk Test Statistic			0.904
635				5% Shapiro Wilk Critical Value		0.762			5% Shapiro Wilk Critical Value			0.762
636		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
637												
638			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
639				DL/2 Substitution Method						DL/2 Substitution Method		
640					Mean	2.79					Mean	-0.307
641					SD	5.11					SD	1.799
642					95% DL/2 (t) UCL	6.993				95% H-Stat (DL/2) UCL		494.6
643												
644			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
645					Mean	2.211				Mean in Log Scale		-0.501
646					SD	5.284				SD in Log Scale		2.132
647					95% MLE (t) UCL	6.557				Mean in Original Scale		2.782
648					95% MLE (Tiku) UCL	6.41				SD in Original Scale		5.115
649										95% Percentile Bootstrap UCL		6.71
650										95% BCA Bootstrap UCL		7.1
651												
652			**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**			
653				k star (bias corrected)		0.37		**Data appear Gamma Distributed at 5% Significance Level**				
654					Theta Star	9.008						
655					nu star	3.7						
656												
657				A-D Test Statistic		0.541		**Nonparametric Statistics**				
658				5% A-D Critical Value		0.706				Kaplan-Meier (KM) Method		
659				K-S Test Statistic		0.706					Mean	2.822
660				5% K-S Critical Value		0.37					SD	4.646
661		**Data appear Gamma Distributed at 5% Significance Level**									SE of Mean	2.121
662											95% KM (t) UCL	7.096
663			**Assuming Gamma Distribution**								95% KM (z) UCL	6.31
664			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		6.993
665					Minimum	1E-09				95% KM (bootstrap t) UCL		86.82
666					Maximum	13.1				95% KM (BCA) UCL		6.828
667					Mean	2.778			95% KM (Percentile Bootstrap) UCL			6.739
668					Median	0.535				95% KM (Chebyshev) UCL		12.07
669					SD	5.117				97.5% KM (Chebyshev) UCL		16.07
670					k star	0.198				99% KM (Chebyshev) UCL		23.92
671					Theta star	14.05						
672					Nu star	2.372		**Potential UCLs to Use**				
673					AppChi2	0.214				95% KM (Chebyshev) UCL		12.07
674				95% Gamma Approximate UCL		30.84						
675				95% Adjusted Gamma UCL		63.66						
676	Note: DL/2 is not a recommended method.											
677												

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM10.5W.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	2000

Arsenic

General Statistics

Number of Valid Observations	11	Number of Distinct Observations	11

Raw Statistics		Log-transformed Statistics	
Minimum	3.12	Minimum of Log Data	1.138
Maximum	7.71	Maximum of Log Data	2.043
Mean	3.974	Mean of log Data	1.346
Median	3.49	SD of log Data	0.252
SD	1.296		
Coefficient of Variation	0.326		
Skewness	2.851		

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.592	Shapiro Wilk Test Statistic	0.687
Shapiro Wilk Critical Value	0.85	Shapiro Wilk Critical Value	0.85
Data not Normal at 5% Significance Level		Data not Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	4.682	95% H-UCL	4.612
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	5.267
95% Adjusted-CLT UCL	4.975	97.5% Chebyshev (MVUE) UCL	5.836
95% Modified-t UCL	4.738	99% Chebyshev (MVUE) UCL	6.953

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	10.82	Data do not follow a Discernable Distribution (0.05)	
Theta Star	0.367		
nu star	238.1		
Approximate Chi Square Value (.05)	203.3	Nonparametric Statistics	
Adjusted Level of Significance	0.0278	95% CLT UCL	4.616
Adjusted Chi Square Value	198.1	95% Jackknife UCL	4.682
		95% Standard Bootstrap UCL	4.577
Anderson-Darling Test Statistic	1.578	95% Bootstrap-t UCL	6.851
Anderson-Darling 5% Critical Value	0.729	95% Hall's Bootstrap UCL	7.458
Kolmogorov-Smirnov Test Statistic	0.328	95% Percentile Bootstrap UCL	4.695
Kolmogorov-Smirnov 5% Critical Value	0.255	95% BCA Bootstrap UCL	5.155
Data not Gamma Distributed at 5% Significance Level		95% Chebyshev(Mean, Sd) UCL	5.677
		97.5% Chebyshev(Mean, Sd) UCL	6.413
Assuming Gamma Distribution		99% Chebyshev(Mean, Sd) UCL	7.861
95% Approximate Gamma UCL	4.652		
95% Adjusted Gamma UCL	4.775		
Potential UCL to Use		Use 95% Student's-t UCL	4.682

	A	B	C	D	E	F	G	H	I	J	K	L
54										or 95% Modified-t UCL		4.738
55												
56												
57	Benzo(a)anthracene											
58												
59						General Statistics						
60			Number of Valid Observations			11			Number of Distinct Observations			11
61												
62			Raw Statistics						Log-transformed Statistics			
63				Minimum		4.7				Minimum of Log Data		1.548
64				Maximum		130				Maximum of Log Data		4.868
65				Mean		27.61				Mean of log Data		2.737
66				Median		12				SD of log Data		1.04
67				SD		37.74						
68			Coefficient of Variation			1.367						
69				Skewness		2.402						
70												
71						Relevant UCL Statistics						
72			Normal Distribution Test						Lognormal Distribution Test			
73			Shapiro Wilk Test Statistic			0.648			Shapiro Wilk Test Statistic			0.909
74			Shapiro Wilk Critical Value			0.85			Shapiro Wilk Critical Value			0.85
75		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
76												
77			Assuming Normal Distribution						Assuming Lognormal Distribution			
78			95% Student's-t UCL			48.23				95% H-UCL		72.95
79		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			60.78
80			95% Adjusted-CLT UCL			55.13			97.5% Chebyshev (MVUE) UCL			76.35
81			95% Modified-t UCL			49.61			99% Chebyshev (MVUE) UCL			106.9
82												
83			Gamma Distribution Test						Data Distribution			
84			k star (bias corrected)			0.783		Data appear Lognormal at 5% Significance Level				
85				Theta Star		35.26						
86				nu star		17.23						
87		Approximate Chi Square Value (.05)				8.835			Nonparametric Statistics			
88			Adjusted Level of Significance			0.0278				95% CLT UCL		46.33
89			Adjusted Chi Square Value			7.874				95% Jackknife UCL		48.23
90									95% Standard Bootstrap UCL			45.81
91			Anderson-Darling Test Statistic			0.815				95% Bootstrap-t UCL		95.01
92		Anderson-Darling 5% Critical Value				0.752			95% Hall's Bootstrap UCL			115.8
93		Kolmogorov-Smirnov Test Statistic				0.286			95% Percentile Bootstrap UCL			45.82
94		Kolmogorov-Smirnov 5% Critical Value				0.262				95% BCA Bootstrap UCL		58.02
95		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			77.21
96									97.5% Chebyshev(Mean, Sd) UCL			98.67
97			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			140.8
98			95% Approximate Gamma UCL			53.84						
99			95% Adjusted Gamma UCL			60.41						
100												
101			Potential UCL to Use						Use 95% Chebyshev (MVUE) UCL			60.78
102												
103												
104	Benzo(a)pyrene											
105												
106						General Statistics						

	A	B	C	D	E	F	G	H	I	J	K	L

Number of Valid Observations	11
Number of Distinct Observations	10

Raw Statistics		Log-transformed Statistics	
Minimum	5.1	Minimum of Log Data	1.629
Maximum	110	Maximum of Log Data	4.7
Mean	26.43	Mean of log Data	2.812
Median	14	SD of log Data	0.957
SD	31.13		
Coefficient of Variation	1.178		
Skewness	2.283		

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.7	Shapiro Wilk Test Statistic	0.943
Shapiro Wilk Critical Value	0.85	Shapiro Wilk Critical Value	0.85
Data not Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	43.44	95% H-UCL	63.61
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	58
95% Adjusted-CLT UCL	48.77	97.5% Chebyshev (MVUE) UCL	72.32
95% Modified-t UCL	44.52	99% Chebyshev (MVUE) UCL	100.5

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	0.948	Data appear Gamma Distributed at 5% Significance Level	
Theta Star	27.88		
nu star	20.85		
Approximate Chi Square Value (.05)	11.48	Nonparametric Statistics	
Adjusted Level of Significance	0.0278	95% CLT UCL	41.87
Adjusted Chi Square Value	10.37	95% Jackknife UCL	43.44
		95% Standard Bootstrap UCL	41.08
Anderson-Darling Test Statistic	0.54	95% Bootstrap-t UCL	69.25
Anderson-Darling 5% Critical Value	0.747	95% Hall's Bootstrap UCL	99.1
Kolmogorov-Smirnov Test Statistic	0.201	95% Percentile Bootstrap UCL	42.75
Kolmogorov-Smirnov 5% Critical Value	0.261	95% BCA Bootstrap UCL	50.06
Data appear Gamma Distributed at 5% Significance Level		95% Chebyshev(Mean, Sd) UCL	67.35
		97.5% Chebyshev(Mean, Sd) UCL	85.05
Assuming Gamma Distribution		99% Chebyshev(Mean, Sd) UCL	119.8
95% Approximate Gamma UCL	47.99		
95% Adjusted Gamma UCL	53.17		
Potential UCL to Use		Use 95% Approximate Gamma UCL	47.99

Benzo(b)fluoranthene

General Statistics

Number of Valid Observations	11
Number of Distinct Observations	11

Raw Statistics		Log-transformed Statistics	
Minimum	5.5	Minimum of Log Data	1.705
Maximum	150	Maximum of Log Data	5.011
Mean	35.39	Mean of log Data	3.016

	A	B	C	D	E	F	G	H	I	J	K	L
160					Median	18					SD of log Data	1.075
161					SD	43.27						
162				Coefficient of Variation		1.223						
163					Skewness	2.173						
164												
165					Relevant UCL Statistics							
166			Normal Distribution Test						Lognormal Distribution Test			
167				Shapiro Wilk Test Statistic		0.715				Shapiro Wilk Test Statistic		0.942
168				Shapiro Wilk Critical Value		0.85				Shapiro Wilk Critical Value		0.85
169		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
170												
171			Assuming Normal Distribution						Assuming Lognormal Distribution			
172					95% Student's-t UCL	59.04					95% H-UCL	105.8
173		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			84.56
174				95% Adjusted-CLT UCL		65.99				97.5% Chebyshev (MVUE) UCL		106.5
175				95% Modified-t UCL		60.46				99% Chebyshev (MVUE) UCL		149.7
176												
177			Gamma Distribution Test						Data Distribution			
178				k star (bias corrected)		0.82		Data appear Gamma Distributed at 5% Significance Level				
179					Theta Star	43.19						
180					nu star	18.03						
181			Approximate Chi Square Value (.05)			9.412			Nonparametric Statistics			
182				Adjusted Level of Significance		0.0278				95% CLT UCL		56.85
183				Adjusted Chi Square Value		8.415				95% Jackknife UCL		59.04
184										95% Standard Bootstrap UCL		55.86
185				Anderson-Darling Test Statistic		0.482				95% Bootstrap-t UCL		84.86
186				Anderson-Darling 5% Critical Value		0.751				95% Hall's Bootstrap UCL		127.8
187				Kolmogorov-Smirnov Test Statistic		0.199				95% Percentile Bootstrap UCL		57.44
188				Kolmogorov-Smirnov 5% Critical Value		0.262				95% BCA Bootstrap UCL		68.45
189		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			92.26
190									97.5% Chebyshev(Mean, Sd) UCL			116.9
191			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			165.2
192				95% Approximate Gamma UCL		67.79						
193				95% Adjusted Gamma UCL		75.83						
194												
195			Potential UCL to Use						Use 95% Approximate Gamma UCL			67.79
196												
197												
198	Benzo(k)fluoranthene											
199												
200					General Statistics							
201			Number of Valid Observations			11				Number of Distinct Observations		11
202												
203			Raw Statistics						Log-transformed Statistics			
204					Minimum	4.3				Minimum of Log Data		1.459
205					Maximum	42				Maximum of Log Data		3.738
206					Mean	12.82				Mean of log Data		2.277
207					Median	7.6				SD of log Data		0.726
208					SD	11.52						
209				Coefficient of Variation		0.898						
210					Skewness	1.944						
211												
212					Relevant UCL Statistics							

	A	B	C	D	E	F	G	H	I	J	K	L
213				Normal Distribution Test					Lognormal Distribution Test			
214				Shapiro Wilk Test Statistic		0.741				Shapiro Wilk Test Statistic		0.902
215				Shapiro Wilk Critical Value		0.85				Shapiro Wilk Critical Value		0.85
216			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
217												
218			Assuming Normal Distribution						Assuming Lognormal Distribution			
219				95% Student's-t UCL		19.11				95% H-UCL		22.57
220			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			24.56
221				95% Adjusted-CLT UCL		20.7				97.5% Chebyshev (MVUE) UCL		29.85
222				95% Modified-t UCL		19.45				99% Chebyshev (MVUE) UCL		40.24
223												
224			Gamma Distribution Test						Data Distribution			
225				k star (bias corrected)		1.499		Data Follow Appr. Gamma Distribution at 5% Significance Level				
226				Theta Star		8.554						
227				nu star		32.97						
228			Approximate Chi Square Value (.05)			20.84			Nonparametric Statistics			
229			Adjusted Level of Significance			0.0278				95% CLT UCL		18.53
230			Adjusted Chi Square Value			19.28				95% Jackknife UCL		19.11
231										95% Standard Bootstrap UCL		18.27
232			Anderson-Darling Test Statistic			0.722				95% Bootstrap-t UCL		25.53
233			Anderson-Darling 5% Critical Value			0.739				95% Hall's Bootstrap UCL		27.59
234			Kolmogorov-Smirnov Test Statistic			0.28				95% Percentile Bootstrap UCL		18.64
235			Kolmogorov-Smirnov 5% Critical Value			0.259				95% BCA Bootstrap UCL		20.83
236			Data follow Appr. Gamma Distribution at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			27.95
237									97.5% Chebyshev(Mean, Sd) UCL			34.5
238			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			47.37
239				95% Approximate Gamma UCL		20.28						
240				95% Adjusted Gamma UCL		21.92						
241												
242			Potential UCL to Use						Use 95% Approximate Gamma UCL			20.28
243												
244												
245	Bis(2-ethylhexyl) phthalate											
246												
247						General Statistics						
248				Number of Valid Data		11				Number of Detected Data		7
249			Number of Distinct Detected Data			7				Number of Non-Detect Data		4
250										Percent Non-Detects		36.36%
251												
252			Raw Statistics						Log-transformed Statistics			
253				Minimum Detected		90				Minimum Detected		4.5
254				Maximum Detected		590				Maximum Detected		6.38
255				Mean of Detected		178.4				Mean of Detected		4.93
256				SD of Detected		182.2				SD of Detected		0.656
257				Minimum Non-Detect		63				Minimum Non-Detect		4.143
258				Maximum Non-Detect		220				Maximum Non-Detect		5.394
259												
260	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			10
261	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
262	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			90.91%
263												
264				Warning: There are only 7 Detected Values in this data								
265				Note: It should be noted that even though bootstrap may be performed on this data set								

	A	B	C	D	E	F	G	H	I	J	K	L
266	the resulting calculations may not be reliable enough tp draw conclusions										
267											
268	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.										
269											
270											
271	UCL Statistics										
272	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
273	Shapiro Wilk Test Statistic					0.536	Shapiro Wilk Test Statistic					0.658
274	5% Shapiro Wilk Critical Value					0.803	5% Shapiro Wilk Critical Value					0.803
275	Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level					
276											
277	Assuming Normal Distribution						Assuming Lognormal Distribution					
278	DL/2 Substitution Method							DL/2 Substitution Method				
279	Mean					136.6	Mean					4.609
280	SD					153.7	SD					0.735
281	95% DL/2 (t) UCL					220.6	95% H-Stat (DL/2) UCL					268.1
282											
283	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
284	MLE method failed to converge properly						Mean in Log Scale					4.648
285									SD in Log Scale			0.681
286									Mean in Original Scale			138.3
287									SD in Original Scale			152.5
288									95% Percentile Bootstrap UCL			225
289									95% BCA Bootstrap UCL			274.6
290											
291	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
292	k star (bias corrected)					1.306	Data do not follow a Discernable Distribution (0.05)					
293	Theta Star					136.6					
294	nu star					18.28					
295											
296	A-D Test Statistic					1.397	Nonparametric Statistics					
297	5% A-D Critical Value					0.715	Kaplan-Meier (KM) Method					
298	K-S Test Statistic					0.715	Mean					148.5
299	5% K-S Critical Value					0.315	SD					140.5
300	Data not Gamma Distributed at 5% Significance Level						SE of Mean					45.79
301							95% KM (t) UCL					231.5
302	Assuming Gamma Distribution						95% KM (z) UCL					223.8
303	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					227.6
304	Minimum					18.25	95% KM (bootstrap t) UCL					762.3
305	Maximum					590	95% KM (BCA) UCL					245
306	Mean					157.1	95% KM (Percentile Bootstrap) UCL					235
307	Median					110	95% KM (Chebyshev) UCL					348.1
308	SD					152.6	97.5% KM (Chebyshev) UCL					434.5
309	k star					1.336	99% KM (Chebyshev) UCL					604.1
310	Theta star					117.6					
311	Nu star					29.38	Potential UCLs to Use					
312	AppChi2					18.01	95% KM (BCA) UCL					245
313	95% Gamma Approximate UCL					256.3					
314	95% Adjusted Gamma UCL					278.5					
315	Note: DL/2 is not a recommended method.										
316											
317											
318	Dibenzo(a,h)anthracene										

	A	B	C	D	E	F	G	H	I	J	K	L
319												
320						General Statistics						
321				Number of Valid Observations		11			Number of Distinct Observations			11
322												
323				Raw Statistics					Log-transformed Statistics			
324					Minimum	0.98				Minimum of Log Data		-0.0202
325					Maximum	20				Maximum of Log Data		2.996
326					Mean	4.407				Mean of log Data		1.04
327					Median	2.2				SD of log Data		0.909
328					SD	5.487						
329				Coefficient of Variation		1.245						
330					Skewness	2.699						
331												
332						Relevant UCL Statistics						
333				Normal Distribution Test					Lognormal Distribution Test			
334				Shapiro Wilk Test Statistic		0.632				Shapiro Wilk Test Statistic		0.927
335				Shapiro Wilk Critical Value		0.85				Shapiro Wilk Critical Value		0.85
336			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
337												
338				Assuming Normal Distribution					Assuming Lognormal Distribution			
339					95% Student's-t UCL	7.406				95% H-UCL		9.631
340			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			9.195
341				95% Adjusted-CLT UCL		8.567				97.5% Chebyshev (MVUE) UCL		11.41
342					95% Modified-t UCL	7.63				99% Chebyshev (MVUE) UCL		15.77
343												
344				Gamma Distribution Test					Data Distribution			
345				k star (bias corrected)		0.983			Data appear Gamma Distributed at 5% Significance Level			
346					Theta Star	4.486						
347					nu star	21.62						
348			Approximate Chi Square Value (.05)			12.05				Nonparametric Statistics		
349			Adjusted Level of Significance			0.0278				95% CLT UCL		7.128
350			Adjusted Chi Square Value			10.9				95% Jackknife UCL		7.406
351										95% Standard Bootstrap UCL		7.079
352			Anderson-Darling Test Statistic			0.635				95% Bootstrap-t UCL		12.41
353			Anderson-Darling 5% Critical Value			0.747				95% Hall's Bootstrap UCL		16.45
354			Kolmogorov-Smirnov Test Statistic			0.197				95% Percentile Bootstrap UCL		7.482
355			Kolmogorov-Smirnov 5% Critical Value			0.261				95% BCA Bootstrap UCL		9.1
356			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			11.62
357									97.5% Chebyshev(Mean, Sd) UCL			14.74
358			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			20.87
359				95% Approximate Gamma UCL		7.906						
360				95% Adjusted Gamma UCL		8.738						
361												
362			Potential UCL to Use						Use 95% Approximate Gamma UCL			7.906
363												
364												
365	Indeno(1,2,3-cd)pyrene											
366												
367						General Statistics						
368				Number of Valid Observations		11			Number of Distinct Observations			10
369												
370				Raw Statistics					Log-transformed Statistics			
371					Minimum	4.6				Minimum of Log Data		1.526

	A	B	C	D	E	F	G	H	I	J	K	L
372					Maximum	93				Maximum of Log Data		4.533
373					Mean	21.52				Mean of log Data		2.672
374					Median	12				SD of log Data		0.867
375					SD	25.21						
376				Coefficient of Variation		1.171						
377					Skewness	2.678						
378												
379						Relevant UCL Statistics						
380			Normal Distribution Test						Lognormal Distribution Test			
381			Shapiro Wilk Test Statistic			0.644			Shapiro Wilk Test Statistic			0.943
382			Shapiro Wilk Critical Value			0.85			Shapiro Wilk Critical Value			0.85
383		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
384												
385			Assuming Normal Distribution						Assuming Lognormal Distribution			
386				95% Student's-t UCL		35.29				95% H-UCL		44.73
387		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			44.28
388				95% Adjusted-CLT UCL		40.58			97.5% Chebyshev (MVUE) UCL			54.72
389				95% Modified-t UCL		36.32			99% Chebyshev (MVUE) UCL			75.22
390												
391			Gamma Distribution Test						Data Distribution			
392			k star (bias corrected)			1.081		Data appear Gamma Distributed at 5% Significance Level				
393				Theta Star		19.91						
394				nu star		23.78						
395		Approximate Chi Square Value (.05)				13.68			Nonparametric Statistics			
396			Adjusted Level of Significance			0.0278				95% CLT UCL		34.02
397			Adjusted Chi Square Value			12.45				95% Jackknife UCL		35.29
398									95% Standard Bootstrap UCL			33.49
399		Anderson-Darling Test Statistic				0.59				95% Bootstrap-t UCL		58.36
400		Anderson-Darling 5% Critical Value				0.744			95% Hall's Bootstrap UCL			79.28
401		Kolmogorov-Smirnov Test Statistic				0.194			95% Percentile Bootstrap UCL			34.85
402		Kolmogorov-Smirnov 5% Critical Value				0.26			95% BCA Bootstrap UCL			41.64
403		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			54.64
404									97.5% Chebyshev(Mean, Sd) UCL			68.98
405			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			97.13
406			95% Approximate Gamma UCL			37.4						
407			95% Adjusted Gamma UCL			41.11						
408												
409			Potential UCL to Use						Use 95% Approximate Gamma UCL			37.4
410												
411												
412	Lead											
413												
414						General Statistics						
415			Number of Valid Observations			11			Number of Distinct Observations			11
416												
417			Raw Statistics						Log-transformed Statistics			
418				Minimum		10.3				Minimum of Log Data		2.332
419				Maximum		18				Maximum of Log Data		2.89
420				Mean		12.91				Mean of log Data		2.546
421				Median		12.7				SD of log Data		0.161
422				SD		2.193						
423			Coefficient of Variation			0.17						
424				Skewness		1.217						

	A	B	C	D	E	F	G	H	I	J	K	L
425												
426				Relevant UCL Statistics								
427			Normal Distribution Test						Lognormal Distribution Test			
428					Shapiro Wilk Test Statistic	0.913				Shapiro Wilk Test Statistic		0.952
429					Shapiro Wilk Critical Value	0.85				Shapiro Wilk Critical Value		0.85
430			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
431												
432			Assuming Normal Distribution						Assuming Lognormal Distribution			
433					95% Student's-t UCL	14.11				95% H-UCL		14.18
434			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			15.64
435					95% Adjusted-CLT UCL	14.26				97.5% Chebyshev (MVUE) UCL		16.82
436					95% Modified-t UCL	14.15				99% Chebyshev (MVUE) UCL		19.14
437												
438			Gamma Distribution Test						Data Distribution			
439					k star (bias corrected)	30.09			Data appear Normal at 5% Significance Level			
440					Theta Star	0.429						
441					nu star	662						
442			Approximate Chi Square Value (.05)			603.3			Nonparametric Statistics			
443			Adjusted Level of Significance			0.0278				95% CLT UCL		14
444			Adjusted Chi Square Value			594.2				95% Jackknife UCL		14.11
445										95% Standard Bootstrap UCL		13.92
446			Anderson-Darling Test Statistic			0.272				95% Bootstrap-t UCL		14.57
447			Anderson-Darling 5% Critical Value			0.728				95% Hall's Bootstrap UCL		15
448			Kolmogorov-Smirnov Test Statistic			0.131				95% Percentile Bootstrap UCL		14
449			Kolmogorov-Smirnov 5% Critical Value			0.255				95% BCA Bootstrap UCL		14.14
450			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			15.79
451									97.5% Chebyshev(Mean, Sd) UCL			17.04
452			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			19.49
453					95% Approximate Gamma UCL	14.16						
454					95% Adjusted Gamma UCL	14.38						
455												
456			Potential UCL to Use						Use 95% Student's-t UCL			14.11
457												
458												
459	Mercury											
460												
461					General Statistics							
462			Number of Valid Observations			11			Number of Distinct Observations			10
463												
464			Raw Statistics						Log-transformed Statistics			
465					Minimum	0.05				Minimum of Log Data		-2.996
466					Maximum	0.099				Maximum of Log Data		-2.313
467					Mean	0.0689				Mean of log Data		-2.695
468					Median	0.068				SD of log Data		0.206
469					SD	0.0148						
470				Coefficient of Variation		0.215						
471					Skewness	0.958						
472												
473					Relevant UCL Statistics							
474			Normal Distribution Test						Lognormal Distribution Test			
475					Shapiro Wilk Test Statistic	0.907				Shapiro Wilk Test Statistic		0.945
476					Shapiro Wilk Critical Value	0.85				Shapiro Wilk Critical Value		0.85
477			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			

	A	B	C	D	E	F	G	H	I	J	K	L
478												
479			Assuming Normal Distribution						Assuming Lognormal Distribution			
480					95% Student's-t UCL	0.077					95% H-UCL	0.0779
481			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		0.0876
482					95% Adjusted-CLT UCL	0.0777				97.5% Chebyshev (MVUE) UCL		0.0957
483					95% Modified-t UCL	0.0772				99% Chebyshev (MVUE) UCL		0.112
484												
485			Gamma Distribution Test						Data Distribution			
486				k star (bias corrected)		18.57			Data appear Normal at 5% Significance Level			
487					Theta Star	0.00371						
488					nu star	408.4						
489			Approximate Chi Square Value (.05)			362.6			Nonparametric Statistics			
490			Adjusted Level of Significance			0.0278					95% CLT UCL	0.0763
491			Adjusted Chi Square Value			355.6					95% Jackknife UCL	0.077
492										95% Standard Bootstrap UCL		0.076
493			Anderson-Darling Test Statistic			0.381					95% Bootstrap-t UCL	0.081
494			Anderson-Darling 5% Critical Value			0.729					95% Hall's Bootstrap UCL	0.0907
495			Kolmogorov-Smirnov Test Statistic			0.178				95% Percentile Bootstrap UCL		0.076
496			Kolmogorov-Smirnov 5% Critical Value			0.255					95% BCA Bootstrap UCL	0.0771
497		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			0.0884
498									97.5% Chebyshev(Mean, Sd) UCL			0.0969
499			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			0.113
500			95% Approximate Gamma UCL			0.0776						
501			95% Adjusted Gamma UCL			0.0792						
502												
503			Potential UCL to Use						Use 95% Student's-t UCL			0.077
504												
505												
506	Total Aroclors											
507												
508					General Statistics							
509			Number of Valid Observations			11			Number of Distinct Observations			11
510												
511			Raw Statistics						Log-transformed Statistics			
512					Minimum	16.18				Minimum of Log Data		2.784
513					Maximum	55.75				Maximum of Log Data		4.021
514					Mean	31.74				Mean of log Data		3.38
515					Median	27.2				SD of log Data		0.413
516					SD	13.25						
517				Coefficient of Variation		0.417						
518					Skewness	0.669						
519												
520					Relevant UCL Statistics							
521			Normal Distribution Test						Lognormal Distribution Test			
522			Shapiro Wilk Test Statistic			0.914				Shapiro Wilk Test Statistic		0.949
523			Shapiro Wilk Critical Value			0.85				Shapiro Wilk Critical Value		0.85
524		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
525												
526			Assuming Normal Distribution						Assuming Lognormal Distribution			
527					95% Student's-t UCL	38.98					95% H-UCL	41.9
528			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		49.19
529					95% Adjusted-CLT UCL	39.17				97.5% Chebyshev (MVUE) UCL		56.75
530					95% Modified-t UCL	39.12				99% Chebyshev (MVUE) UCL		71.6

	A	B	C	D	E	F	G	H	I	J	K	L
531												
532			Gamma Distribution Test						Data Distribution			
533			k star (bias corrected)			4.853		Data appear Normal at 5% Significance Level				
534			Theta Star			6.541						
535			nu star			106.8						
536			Approximate Chi Square Value (.05)			83.91			Nonparametric Statistics			
537			Adjusted Level of Significance			0.0278				95% CLT UCL		38.31
538			Adjusted Chi Square Value			80.61				95% Jackknife UCL		38.98
539										95% Standard Bootstrap UCL		37.89
540			Anderson-Darling Test Statistic			0.327				95% Bootstrap-t UCL		40.81
541			Anderson-Darling 5% Critical Value			0.731				95% Hall's Bootstrap UCL		38.84
542			Kolmogorov-Smirnov Test Statistic			0.146				95% Percentile Bootstrap UCL		38.36
543			Kolmogorov-Smirnov 5% Critical Value			0.256				95% BCA Bootstrap UCL		39.07
544		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			49.16
545									97.5% Chebyshev(Mean, Sd) UCL			56.69
546			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			71.49
547			95% Approximate Gamma UCL			40.38						
548			95% Adjusted Gamma UCL			42.03						
549												
550			Potential UCL to Use						Use 95% Student's-t UCL			38.98
551												
552												
553	Total DDT											
554												
555					General Statistics							
556			Number of Valid Data			11			Number of Detected Data			8
557			Number of Distinct Detected Data			8			Number of Non-Detect Data			3
558									Percent Non-Detects			27.27%
559												
560			Raw Statistics						Log-transformed Statistics			
561			Minimum Detected			0.299			Minimum Detected			-1.207
562			Maximum Detected			6			Maximum Detected			1.792
563			Mean of Detected			2.07			Mean of Detected			0.305
564			SD of Detected			1.938			SD of Detected			1.03
565			Minimum Non-Detect			0.404			Minimum Non-Detect			-0.906
566			Maximum Non-Detect			1.7			Maximum Non-Detect			0.531
567												
568	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			8
569	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			3
570	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			72.73%
571												
572				Warning: There are only 8 Detected Values in this data								
573				Note: It should be noted that even though bootstrap may be performed on this data set								
574				the resulting calculations may not be reliable enough tp draw conclusions								
575												
576			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
577												
578												
579					UCL Statistics							
580		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
581			Shapiro Wilk Test Statistic			0.861			Shapiro Wilk Test Statistic			0.973
582			5% Shapiro Wilk Critical Value			0.818			5% Shapiro Wilk Critical Value			0.818
583		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
584												
585			Assuming Normal Distribution						Assuming Lognormal Distribution			
586				DL/2 Substitution Method						DL/2 Substitution Method		
587					Mean	1.669					Mean	0.0354
588					SD	1.768					SD	1.041
589				95% DL/2 (t) UCL		2.635				95% H-Stat (DL/2) UCL		3.412
590												
591			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
592			MLE yields a negative mean							Mean in Log Scale		0.0006944
593										SD in Log Scale		1.032
594										Mean in Original Scale		1.636
595										SD in Original Scale		1.786
596										95% Percentile Bootstrap UCL		2.537
597										95% BCA Bootstrap UCL		2.753
598												
599			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
600				k star (bias corrected)		0.912			Data appear Normal at 5% Significance Level			
601					Theta Star	2.27						
602					nu star	14.59						
603												
604					A-D Test Statistic	0.216			Nonparametric Statistics			
605				5% A-D Critical Value		0.731				Kaplan-Meier (KM) Method		
606					K-S Test Statistic	0.731					Mean	1.652
607				5% K-S Critical Value		0.3					SD	1.701
608			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	0.552
609										95% KM (t) UCL		2.652
610			Assuming Gamma Distribution							95% KM (z) UCL		2.56
611			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		2.624
612					Minimum	0.299				95% KM (bootstrap t) UCL		3.29
613					Maximum	6				95% KM (BCA) UCL		2.723
614					Mean	1.962				95% KM (Percentile Bootstrap) UCL		2.665
615					Median	1.685				95% KM (Chebyshev) UCL		4.057
616					SD	1.646				97.5% KM (Chebyshev) UCL		5.097
617					k star	1.304				99% KM (Chebyshev) UCL		7.141
618					Theta star	1.504						
619					Nu star	28.69			Potential UCLs to Use			
620					AppChi2	17.46				95% KM (t) UCL		2.652
621				95% Gamma Approximate UCL		3.222			95% KM (Percentile Bootstrap) UCL			2.665
622				95% Adjusted Gamma UCL		3.506						
623	Note: DL/2 is not a recommended method.											
624												

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM11.0E.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	2000

Arsenic

General Statistics

Number of Valid Observations	5	Number of Distinct Observations	5

Raw Statistics		Log-transformed Statistics	
Minimum	2.15	Minimum of Log Data	0.765
Maximum	3.34	Maximum of Log Data	1.206
Mean	2.708	Mean of log Data	0.98
Median	2.84	SD of log Data	0.2
SD	0.531		
Coefficient of Variation	0.196		
Skewness	-0.106		

Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!

It is suggested to collect at least 8 to 10 observations using these statistical methods!
If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

Warning: There are only 5 Values in this data
Note: It should be noted that even though bootstrap methods may be performed on this data set,
the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.888	Shapiro Wilk Test Statistic	0.871
Shapiro Wilk Critical Value	0.762	Shapiro Wilk Critical Value	0.762
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	3.214	95% H-UCL	3.39
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	3.765
95% Adjusted-CLT UCL	3.087	97.5% Chebyshev (MVUE) UCL	4.223
95% Modified-t UCL	3.212	99% Chebyshev (MVUE) UCL	5.121

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	12.82	Data appear Normal at 5% Significance Level	
Theta Star	0.211		
nu star	128.2		
Approximate Chi Square Value (.05)	103.1	Nonparametric Statistics	
Adjusted Level of Significance	0.0086	95% CLT UCL	3.099

	A	B	C	D	E	F	G	H	I	J	K	L
54				Adjusted Chi Square Value		93.2				95% Jackknife UCL		3.214
55										95% Standard Bootstrap UCL		3.054
56				Anderson-Darling Test Statistic		0.432				95% Bootstrap-t UCL		3.207
57				Anderson-Darling 5% Critical Value		0.679				95% Hall's Bootstrap UCL		2.943
58				Kolmogorov-Smirnov Test Statistic		0.273				95% Percentile Bootstrap UCL		3.06
59				Kolmogorov-Smirnov 5% Critical Value		0.357				95% BCA Bootstrap UCL		3.02
60		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		3.743
61										97.5% Chebyshev(Mean, Sd) UCL		4.191
62			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		5.071
63				95% Approximate Gamma UCL		3.369						
64				95% Adjusted Gamma UCL		3.725						
65												
66			Potential UCL to Use							Use 95% Student's-t UCL		3.214
67												
68												
69	Benzo(a)anthracene											
70												
71						General Statistics						
72				Number of Valid Observations		5				Number of Distinct Observations		5
73												
74			Raw Statistics						Log-transformed Statistics			
75					Minimum	25				Minimum of Log Data		3.219
76					Maximum	220				Maximum of Log Data		5.394
77					Mean	83.4				Mean of log Data		4.124
78					Median	46				SD of log Data		0.827
79					SD	79.22						
80				Coefficient of Variation		0.95						
81					Skewness	1.87						
82												
83												
84		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
85												
86		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
87		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
88												
89												
90						Warning: There are only 5 Values in this data						
91				Note: It should be noted that even though bootstrap methods may be performed on this data set,									
92				the resulting calculations may not be reliable enough to draw conclusions									
93												
94		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
95												
96						Relevant UCL Statistics						
97			Normal Distribution Test						Lognormal Distribution Test			
98				Shapiro Wilk Test Statistic		0.772				Shapiro Wilk Test Statistic		0.94
99				Shapiro Wilk Critical Value		0.762				Shapiro Wilk Critical Value		0.762
100		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
101												
102			Assuming Normal Distribution						Assuming Lognormal Distribution			
103				95% Student's-t UCL		158.9				95% H-UCL		489.1
104		Assuming Normal Distribution							95% Chebyshev (MVUE) UCL			206.4
105				95% Adjusted-CLT UCL		173.3				97.5% Chebyshev (MVUE) UCL		261
106				95% Modified-t UCL		163.9				99% Chebyshev (MVUE) UCL		368.1

	A	B	C	D	E	F	G	H	I	J	K	L
107												
108			Gamma Distribution Test						Data Distribution			
109				k star (bias corrected)		0.861		Data appear Normal at 5% Significance Level				
110				Theta Star		96.88						
111				nu star		8.609						
112			Approximate Chi Square Value (.05)			3.092			Nonparametric Statistics			
113			Adjusted Level of Significance			0.0086				95% CLT UCL		141.7
114			Adjusted Chi Square Value			1.838				95% Jackknife UCL		158.9
115										95% Standard Bootstrap UCL		135.5
116			Anderson-Darling Test Statistic			0.408				95% Bootstrap-t UCL		448.8
117			Anderson-Darling 5% Critical Value			0.685				95% Hall's Bootstrap UCL		522
118			Kolmogorov-Smirnov Test Statistic			0.281				95% Percentile Bootstrap UCL		145.6
119			Kolmogorov-Smirnov 5% Critical Value			0.361				95% BCA Bootstrap UCL		153.6
120		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			237.8
121									97.5% Chebyshev(Mean, Sd) UCL			304.6
122			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			435.9
123			95% Approximate Gamma UCL			232.2						
124			95% Adjusted Gamma UCL			390.6						
125												
126			Potential UCL to Use						Use 95% Student's-t UCL			158.9
127												
128												
129	Benzo(a)pyrene											
130												
131				General Statistics								
132			Number of Valid Observations			5			Number of Distinct Observations			5
133												
134			Raw Statistics						Log-transformed Statistics			
135				Minimum		32				Minimum of Log Data		3.466
136				Maximum		120				Maximum of Log Data		4.787
137				Mean		55.4				Mean of log Data		3.886
138				Median		43				SD of log Data		0.521
139				SD		36.47						
140			Coefficient of Variation			0.658						
141				Skewness		2.125						
142												
143												
144		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
145												
146		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
147		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
148												
149												
150		Warning: There are only 5 Values in this data										
151		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
152		the resulting calculations may not be reliable enough to draw conclusions										
153												
154		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
155												
156				Relevant UCL Statistics								
157			Normal Distribution Test						Lognormal Distribution Test			
158			Shapiro Wilk Test Statistic			0.686				Shapiro Wilk Test Statistic		0.788
159			Shapiro Wilk Critical Value			0.762				Shapiro Wilk Critical Value		0.762

	A	B	C	D	E	F	G	H	I	J	K	L
160	Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level				
161												
162	Assuming Normal Distribution							Assuming Lognormal Distribution				
163					95% Student's-t UCL	90.17					95% H-UCL	122.5
164	95% UCLs (Adjusted for Skewness)									95% Chebyshev (MVUE) UCL		108.8
165					95% Adjusted-CLT UCL	98.8				97.5% Chebyshev (MVUE) UCL		132.4
166					95% Modified-t UCL	92.76				99% Chebyshev (MVUE) UCL		178.8
167												
168	Gamma Distribution Test							Data Distribution				
169				k star (bias corrected)		1.757		Data appear Lognormal at 5% Significance Level				
170					Theta Star	31.52						
171					nu star	17.57						
172			Approximate Chi Square Value (.05)			9.083		Nonparametric Statistics				
173			Adjusted Level of Significance			0.0086					95% CLT UCL	82.23
174			Adjusted Chi Square Value			6.586					95% Jackknife UCL	90.17
175										95% Standard Bootstrap UCL		79.78
176			Anderson-Darling Test Statistic			0.749					95% Bootstrap-t UCL	206.7
177			Anderson-Darling 5% Critical Value			0.681					95% Hall's Bootstrap UCL	247
178			Kolmogorov-Smirnov Test Statistic			0.393					95% Percentile Bootstrap UCL	75
179			Kolmogorov-Smirnov 5% Critical Value			0.358					95% BCA Bootstrap UCL	89.2
180	Data not Gamma Distributed at 5% Significance Level									95% Chebyshev(Mean, Sd) UCL		126.5
181										97.5% Chebyshev(Mean, Sd) UCL		157.3
182	Assuming Gamma Distribution									99% Chebyshev(Mean, Sd) UCL		217.7
183				95% Approximate Gamma UCL		107.2						
184				95% Adjusted Gamma UCL		147.8						
185												
186	Potential UCL to Use									Use 95% H-UCL		122.5
187	Recommended UCL exceeds the maximum observation											
188												
189												
190	Benzo(b)fluoranthene											
191												
192	General Statistics											
193			Number of Valid Observations			5				Number of Distinct Observations		5
194												
195	Raw Statistics							Log-transformed Statistics				
196					Minimum	38					Minimum of Log Data	3.638
197					Maximum	340					Maximum of Log Data	5.829
198					Mean	128.4					Mean of log Data	4.512
199					Median	61					SD of log Data	0.895
200					SD	126.1						
201				Coefficient of Variation		0.982						
202					Skewness	1.663						
203												
204												
205	Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
206												
207	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
208	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
209												
210												
211	Warning: There are only 5 Values in this data											
212	Note: It should be noted that even though bootstrap methods may be performed on this data set,											

	A	B	C	D	E	F	G	H	I	J	K	L
213	the resulting calculations may not be reliable enough to draw conclusions											
214												
215	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
216												
217	Relevant UCL Statistics											
218	Normal Distribution Test						Lognormal Distribution Test					
219	Shapiro Wilk Test Statistic					0.789	Shapiro Wilk Test Statistic					0.91
220	Shapiro Wilk Critical Value					0.762	Shapiro Wilk Critical Value					0.762
221	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
222												
223	Assuming Normal Distribution						Assuming Lognormal Distribution					
224	95% Student's-t UCL					248.7	95% H-UCL					997.3
225	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					332
226	95% Adjusted-CLT UCL					266	97.5% Chebyshev (MVUE) UCL					422.2
227	95% Modified-t UCL					255.6	99% Chebyshev (MVUE) UCL					599.4
228												
229	Gamma Distribution Test						Data Distribution					
230	k star (bias corrected)					0.774	Data appear Normal at 5% Significance Level					
231	Theta Star					165.9						
232	nu star					7.741						
233	Approximate Chi Square Value (.05)					2.586	Nonparametric Statistics					
234	Adjusted Level of Significance					0.0086	95% CLT UCL					221.2
235	Adjusted Chi Square Value					1.476	95% Jackknife UCL					248.7
236							95% Standard Bootstrap UCL					212.6
237	Anderson-Darling Test Statistic					0.434	95% Bootstrap-t UCL					1097
238	Anderson-Darling 5% Critical Value					0.686	95% Hall's Bootstrap UCL					965.4
239	Kolmogorov-Smirnov Test Statistic					0.312	95% Percentile Bootstrap UCL					222.2
240	Kolmogorov-Smirnov 5% Critical Value					0.361	95% BCA Bootstrap UCL					244.6
241	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					374.3
242							97.5% Chebyshev(Mean, Sd) UCL					480.7
243	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					689.7
244	95% Approximate Gamma UCL					384.3						
245	95% Adjusted Gamma UCL					673.7						
246												
247	Potential UCL to Use						Use 95% Student's-t UCL					248.7
248												
249												
250	Dibenzo(a,h)anthracene											
251												
252	General Statistics											
253	Number of Valid Observations					5	Number of Distinct Observations					5
254												
255	Raw Statistics						Log-transformed Statistics					
256	Minimum					4.9	Minimum of Log Data					1.589
257	Maximum					22	Maximum of Log Data					3.091
258	Mean					12.12	Mean of log Data					2.296
259	Median					8.3	SD of log Data					0.712
260	SD					8.24						
261	Coefficient of Variation					0.68						
262	Skewness					0.535						
263												
264												
265	Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!											

	A	B	C	D	E	F	G	H	I	J	K	L
266												
267				It is suggested to collect at least 8 to 10 observations using these statistical methods!								
268				If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
269												
270												
271						Warning: There are only 5 Values in this data						
272				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
273				the resulting calculations may not be reliable enough to draw conclusions								
274												
275				The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.								
276												
277						Relevant UCL Statistics						
278			Normal Distribution Test					Lognormal Distribution Test				
279					Shapiro Wilk Test Statistic	0.816				Shapiro Wilk Test Statistic	0.853	
280					Shapiro Wilk Critical Value	0.762				Shapiro Wilk Critical Value	0.762	
281		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
282												
283			Assuming Normal Distribution					Assuming Lognormal Distribution				
284					95% Student's-t UCL	19.98				95% H-UCL	47.83	
285		95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			28.52	
286					95% Adjusted-CLT UCL	19.12				97.5% Chebyshev (MVUE) UCL	35.63	
287					95% Modified-t UCL	20.12				99% Chebyshev (MVUE) UCL	49.6	
288												
289			Gamma Distribution Test					Data Distribution				
290					k star (bias corrected)	1.2		Data appear Normal at 5% Significance Level				
291					Theta Star	10.1						
292					nu star	12						
293			Approximate Chi Square Value (.05)			5.225		Nonparametric Statistics				
294				Adjusted Level of Significance		0.0086				95% CLT UCL	18.18	
295				Adjusted Chi Square Value		3.455				95% Jackknife UCL	19.98	
296										95% Standard Bootstrap UCL	17.45	
297				Anderson-Darling Test Statistic		0.507				95% Bootstrap-t UCL	39.68	
298				Anderson-Darling 5% Critical Value		0.683				95% Hall's Bootstrap UCL	39.09	
299				Kolmogorov-Smirnov Test Statistic		0.262				95% Percentile Bootstrap UCL	17.78	
300			Kolmogorov-Smirnov 5% Critical Value			0.36				95% BCA Bootstrap UCL	18.18	
301		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		28.18	
302									97.5% Chebyshev(Mean, Sd) UCL		35.13	
303			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL		48.79	
304				95% Approximate Gamma UCL		27.83						
305				95% Adjusted Gamma UCL		42.08						
306												
307			Potential UCL to Use						Use 95% Student's-t UCL		19.98	
308												
309												
310	Indeno(1,2,3-cd)pyrene											
311												
312						General Statistics						
313				Number of Valid Observations		5				Number of Distinct Observations	5	
314												
315			Raw Statistics					Log-transformed Statistics				
316					Minimum	26				Minimum of Log Data	3.258	
317					Maximum	64				Maximum of Log Data	4.159	
318					Mean	38.2				Mean of log Data	3.582	

	A	B	C	D	E	F	G	H	I	J	K	L
319					Median	30					SD of log Data	0.376
320					SD	15.88						
321				Coefficient of Variation		0.416						
322					Skewness	1.441						
323												
324												
325		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
326												
327		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
328		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
329												
330												
331		Warning: There are only 5 Values in this data										
332		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
333		the resulting calculations may not be reliable enough to draw conclusions										
334												
335		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
336												
337		Relevant UCL Statistics										
338		Normal Distribution Test						Lognormal Distribution Test				
339			Shapiro Wilk Test Statistic			0.826			Shapiro Wilk Test Statistic			0.873
340			Shapiro Wilk Critical Value			0.762			Shapiro Wilk Critical Value			0.762
341		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
342												
343		Assuming Normal Distribution						Assuming Lognormal Distribution				
344				95% Student's-t UCL		53.34				95% H-UCL		62.74
345		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			65.75
346				95% Adjusted-CLT UCL		54.77			97.5% Chebyshev (MVUE) UCL			77.74
347				95% Modified-t UCL		54.1			99% Chebyshev (MVUE) UCL			101.3
348												
349		Gamma Distribution Test						Data Distribution				
350			k star (bias corrected)			3.503		Data appear Normal at 5% Significance Level				
351				Theta Star		10.9						
352				nu star		35.03						
353		Approximate Chi Square Value (.05)				22.49		Nonparametric Statistics				
354			Adjusted Level of Significance			0.0086				95% CLT UCL		49.88
355			Adjusted Chi Square Value			18.23				95% Jackknife UCL		53.34
356									95% Standard Bootstrap UCL			48.78
357		Anderson-Darling Test Statistic				0.467				95% Bootstrap-t UCL		131.2
358		Anderson-Darling 5% Critical Value				0.679				95% Hall's Bootstrap UCL		132.7
359		Kolmogorov-Smirnov Test Statistic				0.311			95% Percentile Bootstrap UCL			49.6
360		Kolmogorov-Smirnov 5% Critical Value				0.358				95% BCA Bootstrap UCL		50.4
361		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			69.16
362									97.5% Chebyshev(Mean, Sd) UCL			82.55
363		Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL			108.9
364			95% Approximate Gamma UCL			59.5						
365			95% Adjusted Gamma UCL			73.41						
366												
367		Potential UCL to Use							Use 95% Student's-t UCL			53.34
368												
369												
370	Lead											
371												

	A	B	C	D	E	F	G	H	I	J	K	L
372					General Statistics							
373			Number of Valid Observations			5				Number of Distinct Observations		5
374												
375			Raw Statistics						Log-transformed Statistics			
376				Minimum		15.7				Minimum of Log Data		2.754
377				Maximum		179				Maximum of Log Data		5.187
378				Mean		72.08				Mean of log Data		3.836
379				Median		25.9				SD of log Data		1.059
380				SD		71.84						
381			Coefficient of Variation			0.997						
382				Skewness		1.033						
383												
384												
385		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
386												
387		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
388		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
389												
390												
391		Warning: There are only 5 Values in this data										
392		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
393		the resulting calculations may not be reliable enough to draw conclusions										
394												
395		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
396												
397					Relevant UCL Statistics							
398		Normal Distribution Test							Lognormal Distribution Test			
399			Shapiro Wilk Test Statistic			0.816				Shapiro Wilk Test Statistic		0.87
400			Shapiro Wilk Critical Value			0.762				Shapiro Wilk Critical Value		0.762
401		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
402												
403		Assuming Normal Distribution							Assuming Lognormal Distribution			
404			95% Student's-t UCL			140.6				95% H-UCL		1251
405		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			209.3
406			95% Adjusted-CLT UCL			140.8				97.5% Chebyshev (MVUE) UCL		269.4
407			95% Modified-t UCL			143				99% Chebyshev (MVUE) UCL		387.4
408												
409		Gamma Distribution Test							Data Distribution			
410			k star (bias corrected)			0.643		Data appear Normal at 5% Significance Level				
411			Theta Star			112.1						
412			nu star			6.428						
413		Approximate Chi Square Value (.05)				1.862			Nonparametric Statistics			
414		Adjusted Level of Significance				0.0086				95% CLT UCL		124.9
415		Adjusted Chi Square Value				0.98				95% Jackknife UCL		140.6
416										95% Standard Bootstrap UCL		119.6
417		Anderson-Darling Test Statistic				0.519				95% Bootstrap-t UCL		725.5
418		Anderson-Darling 5% Critical Value				0.689				95% Hall's Bootstrap UCL		970.6
419		Kolmogorov-Smirnov Test Statistic				0.349				95% Percentile Bootstrap UCL		120.3
420		Kolmogorov-Smirnov 5% Critical Value				0.363				95% BCA Bootstrap UCL		135.4
421		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			212.1
422									97.5% Chebyshev(Mean, Sd) UCL			272.7
423		Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL			391.7
424			95% Approximate Gamma UCL			248.8						

	A	B	C	D	E	F	G	H	I	J	K	L
425					95% Adjusted Gamma UCL	472.6						
426												
427				Potential UCL to Use					Use 95% Student's-t UCL			140.6
428												
429												
430	Mercury											
431												
432					General Statistics							
433				Number of Valid Observations		5			Number of Distinct Observations			5
434												
435			Raw Statistics						Log-transformed Statistics			
436					Minimum	0.035			Minimum of Log Data			-3.352
437					Maximum	0.13			Maximum of Log Data			-2.04
438					Mean	0.0703			Mean of log Data			-2.789
439					Median	0.0555			SD of log Data			0.576
440					SD	0.0409						
441				Coefficient of Variation		0.582						
442					Skewness	0.863						
443												
444												
445		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
446												
447		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
448		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
449												
450												
451		Warning: There are only 5 Values in this data										
452		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
453		the resulting calculations may not be reliable enough to draw conclusions										
454												
455		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
456												
457					Relevant UCL Statistics							
458			Normal Distribution Test						Lognormal Distribution Test			
459				Shapiro Wilk Test Statistic		0.882			Shapiro Wilk Test Statistic			0.907
460				Shapiro Wilk Critical Value		0.762			Shapiro Wilk Critical Value			0.762
461		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
462												
463			Assuming Normal Distribution						Assuming Lognormal Distribution			
464					95% Student's-t UCL	0.109				95% H-UCL		0.182
465		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			0.148
466				95% Adjusted-CLT UCL		0.108			97.5% Chebyshev (MVUE) UCL			0.181
467					95% Modified-t UCL	0.11			99% Chebyshev (MVUE) UCL			0.247
468												
469			Gamma Distribution Test						Data Distribution			
470				k star (bias corrected)		1.689		Data appear Normal at 5% Significance Level				
471					Theta Star	0.0416						
472					nu star	16.89						
473			Approximate Chi Square Value (.05)			8.591			Nonparametric Statistics			
474			Adjusted Level of Significance			0.0086				95% CLT UCL		0.1
475				Adjusted Chi Square Value		6.177				95% Jackknife UCL		0.109
476									95% Standard Bootstrap UCL			0.0976
477			Anderson-Darling Test Statistic			0.355				95% Bootstrap-t UCL		0.171

	A	B	C	D	E	F	G	H	I	J	K	L
478					Anderson-Darling 5% Critical Value	0.681					95% Hall's Bootstrap UCL	0.338
479					Kolmogorov-Smirnov Test Statistic	0.233					95% Percentile Bootstrap UCL	0.1
480					Kolmogorov-Smirnov 5% Critical Value	0.359					95% BCA Bootstrap UCL	0.101
481		Data appear Gamma Distributed at 5% Significance Level									95% Chebyshev(Mean, Sd) UCL	0.15
482											97.5% Chebyshev(Mean, Sd) UCL	0.185
483		Assuming Gamma Distribution									99% Chebyshev(Mean, Sd) UCL	0.252
484				95% Approximate Gamma UCL		0.138						
485				95% Adjusted Gamma UCL		0.192						
486												
487		Potential UCL to Use								Use 95% Student's-t UCL		0.109
488												
489												
490	Total Aroclors											
491												
492					General Statistics							
493			Number of Valid Observations			5				Number of Distinct Observations		5
494												
495			Raw Statistics						Log-transformed Statistics			
496					Minimum	31.18				Minimum of Log Data		3.44
497					Maximum	3846				Maximum of Log Data		8.255
498					Mean	1127				Mean of log Data		6.103
499					Median	499.5				SD of log Data		1.761
500					SD	1555						
501				Coefficient of Variation		1.38						
502					Skewness	1.994						
503												
504												
505		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
506												
507				It is suggested to collect at least 8 to 10 observations using these statistical methods!								
508				If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
509												
510												
511					Warning: There are only 5 Values in this data							
512				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
513					the resulting calculations may not be reliable enough to draw conclusions							
514												
515				The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.								
516												
517					Relevant UCL Statistics							
518			Normal Distribution Test						Lognormal Distribution Test			
519				Shapiro Wilk Test Statistic		0.745				Shapiro Wilk Test Statistic		0.966
520				Shapiro Wilk Critical Value		0.762				Shapiro Wilk Critical Value		0.762
521		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
522												
523		Assuming Normal Distribution						Assuming Lognormal Distribution				
524					95% Student's-t UCL	2610					95% H-UCL	3141595
525		95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL		5089
526				95% Adjusted-CLT UCL		2934				97.5% Chebyshev (MVUE) UCL		6735
527					95% Modified-t UCL	2713				99% Chebyshev (MVUE) UCL		9968
528												
529		Gamma Distribution Test						Data Distribution				
530					k star (bias corrected)	0.397		Data appear Gamma Distributed at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
531					Theta Star	2837						
532					nu star	3.971						
533			Approximate Chi Square Value (.05)			0.71	**Nonparametric Statistics**					
534			Adjusted Level of Significance			0.0086				95% CLT UCL		2271
535			Adjusted Chi Square Value			0.292				95% Jackknife UCL		2610
536										95% Standard Bootstrap UCL		2145
537			Anderson-Darling Test Statistic			0.23				95% Bootstrap-t UCL		7565
538			Anderson-Darling 5% Critical Value			0.703				95% Hall's Bootstrap UCL		8229
539			Kolmogorov-Smirnov Test Statistic			0.191				95% Percentile Bootstrap UCL		2320
540			Kolmogorov-Smirnov 5% Critical Value			0.368				95% BCA Bootstrap UCL		2559
541	**Data appear Gamma Distributed at 5% Significance Level**									95% Chebyshev(Mean, Sd) UCL		4159
542										97.5% Chebyshev(Mean, Sd) UCL		5471
543	**Assuming Gamma Distribution**									99% Chebyshev(Mean, Sd) UCL		8048
544			95% Approximate Gamma UCL			6299						
545			95% Adjusted Gamma UCL			15344						
546												
547	**Potential UCL to Use**								Use 95% Approximate Gamma UCL			6299
548	**Recommended UCL exceeds the maximum observation**											
549												

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM11.0W.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	2000

Arsenic

General Statistics

Number of Valid Observations	7	Number of Distinct Observations	7

Raw Statistics		Log-transformed Statistics	
Minimum	3	Minimum of Log Data	1.099
Maximum	3.97	Maximum of Log Data	1.379
Mean	3.41	Mean of log Data	1.223
Median	3.42	SD of log Data	0.0901
SD	0.312		
Coefficient of Variation	0.0916		
Skewness	0.729		

Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!

It is suggested to collect at least 8 to 10 observations using these statistical methods!
If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

Warning: There are only 7 Values in this data
Note: It should be noted that even though bootstrap methods may be performed on this data set,
the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.953	Shapiro Wilk Test Statistic	0.965
Shapiro Wilk Critical Value	0.803	Shapiro Wilk Critical Value	0.803
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	3.639	95% H-UCL	N/A
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	3.916
95% Adjusted-CLT UCL	3.639	97.5% Chebyshev (MVUE) UCL	4.135
95% Modified-t UCL	3.645	99% Chebyshev (MVUE) UCL	4.565

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	81.48	Data appear Normal at 5% Significance Level	
Theta Star	0.0419		
nu star	1141		
Approximate Chi Square Value (.05)	1063	**Nonparametric Statistics**	
Adjusted Level of Significance	0.0158	95% CLT UCL	3.604

	A	B	C	D	E	F	G	H	I	J	K	L
54	Adjusted Chi Square Value					1040				95% Jackknife UCL		3.639
55										95% Standard Bootstrap UCL		3.591
56	Anderson-Darling Test Statistic					0.243				95% Bootstrap-t UCL		3.686
57	Anderson-Darling 5% Critical Value					0.708				95% Hall's Bootstrap UCL		3.73
58	Kolmogorov-Smirnov Test Statistic					0.171				95% Percentile Bootstrap UCL		3.59
59	Kolmogorov-Smirnov 5% Critical Value					0.311				95% BCA Bootstrap UCL		3.63
60	Data appear Gamma Distributed at 5% Significance Level									95% Chebyshev(Mean, Sd) UCL		3.925
61										97.5% Chebyshev(Mean, Sd) UCL		4.147
62	Assuming Gamma Distribution									99% Chebyshev(Mean, Sd) UCL		4.585
63	95% Approximate Gamma UCL					3.658						
64	95% Adjusted Gamma UCL					3.738						
65												
66	Potential UCL to Use									Use 95% Student's-t UCL		3.639
67												
68												
69	Benzo(a)anthracene											
70												
71	General Statistics											
72	Number of Valid Observations					7				Number of Distinct Observations		7
73												
74	Raw Statistics							Log-transformed Statistics				
75	Minimum					7.9				Minimum of Log Data		2.067
76	Maximum					300				Maximum of Log Data		5.704
77	Mean					62.31				Mean of log Data		3.297
78	Median					19				SD of log Data		1.256
79	SD					105.9						
80	Coefficient of Variation					1.7						
81	Skewness					2.533						
82												
83												
84	Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
85												
86	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
87	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
88												
89												
90	Warning: There are only 7 Values in this data											
91	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
92	the resulting calculations may not be reliable enough to draw conclusions											
93												
94	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
95												
96	Relevant UCL Statistics											
97	Normal Distribution Test							Lognormal Distribution Test				
98	Shapiro Wilk Test Statistic					0.579				Shapiro Wilk Test Statistic		0.894
99	Shapiro Wilk Critical Value					0.803				Shapiro Wilk Critical Value		0.803
100	Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level				
101												
102	Assuming Normal Distribution							Assuming Lognormal Distribution				
103	95% Student's-t UCL					140.1				95% H-UCL		580.2
104	95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL				154.7
105	95% Adjusted-CLT UCL					169.1				97.5% Chebyshev (MVUE) UCL		199.7
106	95% Modified-t UCL					146.5				99% Chebyshev (MVUE) UCL		288.1

	A	B	C	D	E	F	G	H	I	J	K	L
107												
108			Gamma Distribution Test						Data Distribution			
109				k star (bias corrected)		0.507		Data appear Gamma Distributed at 5% Significance Level				
110				Theta Star		122.9						
111				nu star		7.099						
112			Approximate Chi Square Value (.05)			2.225			Nonparametric Statistics			
113				Adjusted Level of Significance		0.0158				95% CLT UCL		128.2
114				Adjusted Chi Square Value		1.494				95% Jackknife UCL		140.1
115										95% Standard Bootstrap UCL		124.3
116				Anderson-Darling Test Statistic		0.727				95% Bootstrap-t UCL		551.8
117				Anderson-Darling 5% Critical Value		0.738				95% Hall's Bootstrap UCL		416.5
118				Kolmogorov-Smirnov Test Statistic		0.269				95% Percentile Bootstrap UCL		138
119				Kolmogorov-Smirnov 5% Critical Value		0.323				95% BCA Bootstrap UCL		178.9
120		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		236.8
121										97.5% Chebyshev(Mean, Sd) UCL		312.3
122			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		460.7
123				95% Approximate Gamma UCL		198.8						
124				95% Adjusted Gamma UCL		296.1						
125												
126			Potential UCL to Use						Use 95% Approximate Gamma UCL			198.8
127												
128												
129	Benzo(a)pyrene											
130												
131					General Statistics							
132			Number of Valid Observations			7			Number of Distinct Observations			7
133												
134			Raw Statistics						Log-transformed Statistics			
135				Minimum		8				Minimum of Log Data		2.079
136				Maximum		330				Maximum of Log Data		5.799
137				Mean		66.49				Mean of log Data		3.327
138				Median		22				SD of log Data		1.266
139				SD		117.1						
140				Coefficient of Variation		1.761						
141				Skewness		2.567						
142												
143												
144		Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
145												
146		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
147		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
148												
149												
150		Warning: There are only 7 Values in this data										
151		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
152		the resulting calculations may not be reliable enough to draw conclusions										
153												
154		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
155												
156					Relevant UCL Statistics							
157			Normal Distribution Test						Lognormal Distribution Test			
158				Shapiro Wilk Test Statistic		0.562				Shapiro Wilk Test Statistic		0.889
159				Shapiro Wilk Critical Value		0.803				Shapiro Wilk Critical Value		0.803

	A	B	C	D	E	F	G	H	I	J	K	L
160	Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level				
161												
162	Assuming Normal Distribution							Assuming Lognormal Distribution				
163	95% Student's-t UCL					152.5		95% H-UCL				625.5
164	95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL				161.6
165	95% Adjusted-CLT UCL					185.1		97.5% Chebyshev (MVUE) UCL				208.7
166	95% Modified-t UCL					159.6		99% Chebyshev (MVUE) UCL				301.3
167												
168	Gamma Distribution Test							Data Distribution				
169	k star (bias corrected)					0.492		Data Follow Appr. Gamma Distribution at 5% Significance Level				
170	Theta Star					135						
171	nu star					6.893						
172	Approximate Chi Square Value (.05)					2.112		Nonparametric Statistics				
173	Adjusted Level of Significance					0.0158		95% CLT UCL				139.3
174	Adjusted Chi Square Value					1.406		95% Jackknife UCL				152.5
175								95% Standard Bootstrap UCL				133.5
176	Anderson-Darling Test Statistic					0.785		95% Bootstrap-t UCL				631.7
177	Anderson-Darling 5% Critical Value					0.74		95% Hall's Bootstrap UCL				478.8
178	Kolmogorov-Smirnov Test Statistic					0.296		95% Percentile Bootstrap UCL				150.2
179	Kolmogorov-Smirnov 5% Critical Value					0.324		95% BCA Bootstrap UCL				198.9
180	Data follow Appr. Gamma Distribution at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL				259.3
181								97.5% Chebyshev(Mean, Sd) UCL				342.8
182	Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL				506.7
183	95% Approximate Gamma UCL					217						
184	95% Adjusted Gamma UCL					325.9						
185												
186	Potential UCL to Use							Use 95% Approximate Gamma UCL				217
187												
188												
189	Benzo(b)fluoranthene											
190												
191	General Statistics											
192	Number of Valid Observations					7		Number of Distinct Observations				7
193												
194	Raw Statistics							Log-transformed Statistics				
195	Minimum					8.1		Minimum of Log Data				2.092
196	Maximum					140		Maximum of Log Data				4.942
197	Mean					39.97		Mean of log Data				3.169
198	Median					18		SD of log Data				1.059
199	SD					47.95						
200	Coefficient of Variation					1.2						
201	Skewness					1.942						
202												
203												
204	Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
205												
206	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
207	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
208												
209												
210	Warning: There are only 7 Values in this data											
211	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
212	the resulting calculations may not be reliable enough to draw conclusions											

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.736	Shapiro Wilk Test Statistic	0.92
Shapiro Wilk Critical Value	0.803	Shapiro Wilk Critical Value	0.803
Data not Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	75.19	95% H-UCL	221.5
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	103
95% Adjusted-CLT UCL	83.99	97.5% Chebyshev (MVUE) UCL	131.3
95% Modified-t UCL	77.4	99% Chebyshev (MVUE) UCL	187

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	0.723	Data appear Gamma Distributed at 5% Significance Level	
Theta Star	55.26		
nu star	10.13		
Approximate Chi Square Value (.05)	4.021	Nonparametric Statistics	
Adjusted Level of Significance	0.0158	95% CLT UCL	69.78
Adjusted Chi Square Value	2.946	95% Jackknife UCL	75.19
		95% Standard Bootstrap UCL	67.74
Anderson-Darling Test Statistic	0.458	95% Bootstrap-t UCL	169.6
Anderson-Darling 5% Critical Value	0.726	95% Hall's Bootstrap UCL	199.6
Kolmogorov-Smirnov Test Statistic	0.227	95% Percentile Bootstrap UCL	72.1
Kolmogorov-Smirnov 5% Critical Value	0.319	95% BCA Bootstrap UCL	83.16
Data appear Gamma Distributed at 5% Significance Level		95% Chebyshev(Mean, Sd) UCL	119
		97.5% Chebyshev(Mean, Sd) UCL	153.1
Assuming Gamma Distribution		99% Chebyshev(Mean, Sd) UCL	220.3
95% Approximate Gamma UCL	100.7		
95% Adjusted Gamma UCL	137.4		
Potential UCL to Use		Use 95% Approximate Gamma UCL	100.7

Benzo(k)fluoranthene

General Statistics

Number of Valid Observations	7	Number of Distinct Observations	7

Raw Statistics		Log-transformed Statistics	
Minimum	7	Minimum of Log Data	1.946
Maximum	170	Maximum of Log Data	5.136
Mean	36.79	Mean of log Data	2.93
Median	16	SD of log Data	1.089
SD	59.16		
Coefficient of Variation	1.608		
Skewness	2.569		

Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!

	A	B	C	D	E	F	G	H	I	J	K	L
266	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
267	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
268												
269												
270	Warning: There are only 7 Values in this data											
271	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
272	the resulting calculations may not be reliable enough to draw conclusions											
273												
274	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
275												
276	Relevant UCL Statistics											
277	Normal Distribution Test						Lognormal Distribution Test					
278	Shapiro Wilk Test Statistic					0.562	Shapiro Wilk Test Statistic					0.846
279	Shapiro Wilk Critical Value					0.803	Shapiro Wilk Critical Value					0.803
280	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
281												
282	Assuming Normal Distribution						Assuming Lognormal Distribution					
283	95% Student's-t UCL					80.24	95% H-UCL					196.1
284	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					84.56
285	95% Adjusted-CLT UCL					96.77	97.5% Chebyshev (MVUE) UCL					108.1
286	95% Modified-t UCL					83.86	99% Chebyshev (MVUE) UCL					154.2
287												
288	Gamma Distribution Test						Data Distribution					
289	k star (bias corrected)					0.592	Data Follow Appr. Gamma Distribution at 5% Significance Level					
290	Theta Star					62.14						
291	nu star					8.287						
292	Approximate Chi Square Value (.05)					2.903	Nonparametric Statistics					
293	Adjusted Level of Significance					0.0158	95% CLT UCL					73.57
294	Adjusted Chi Square Value					2.031	95% Jackknife UCL					80.24
295							95% Standard Bootstrap UCL					70.26
296	Anderson-Darling Test Statistic					0.895	95% Bootstrap-t UCL					339.1
297	Anderson-Darling 5% Critical Value					0.732	95% Hall's Bootstrap UCL					252
298	Kolmogorov-Smirnov Test Statistic					0.319	95% Percentile Bootstrap UCL					78.29
299	Kolmogorov-Smirnov 5% Critical Value					0.321	95% BCA Bootstrap UCL					102.4
300	Data follow Appr. Gamma Distribution at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					134.3
301							97.5% Chebyshev(Mean, Sd) UCL					176.4
302	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					259.3
303	95% Approximate Gamma UCL					105						
304	95% Adjusted Gamma UCL					150.1						
305												
306	Potential UCL to Use						Use 95% Approximate Gamma UCL					105
307												
308												
309	Bis(2-ethylhexyl) phthalate											
310												
311	General Statistics											
312	Number of Valid Observations					7	Number of Distinct Observations					7
313												
314	Raw Statistics						Log-transformed Statistics					
315	Minimum					58	Minimum of Log Data					4.06
316	Maximum					1100	Maximum of Log Data					7.003
317	Mean					373.3	Mean of log Data					5.289
318	Median					130	SD of log Data					1.186

	A	B	C	D	E	F	G	H	I	J	K	L
319					SD	449.6						
320				Coefficient of Variation		1.204						
321					Skewness	1.227						
322												
323												
324		Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
325												
326		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
327		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
328												
329												
330		Warning: There are only 7 Values in this data										
331		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
332		the resulting calculations may not be reliable enough to draw conclusions										
333												
334		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
335												
336		Relevant UCL Statistics										
337		Normal Distribution Test						Lognormal Distribution Test				
338		Shapiro Wilk Test Statistic				0.709		Shapiro Wilk Test Statistic				0.854
339		Shapiro Wilk Critical Value				0.803		Shapiro Wilk Critical Value				0.803
340		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
341												
342		Assuming Normal Distribution						Assuming Lognormal Distribution				
343		95% Student's-t UCL				703.5		95% H-UCL				3106
344		95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL				1026
345		95% Adjusted-CLT UCL				737		97.5% Chebyshev (MVUE) UCL				1319
346		95% Modified-t UCL				716.6		99% Chebyshev (MVUE) UCL				1896
347												
348		Gamma Distribution Test						Data Distribution				
349		k star (bias corrected)				0.621		Data Follow Appr. Gamma Distribution at 5% Significance Level				
350		Theta Star				600.7						
351		nu star				8.7						
352		Approximate Chi Square Value (.05)				3.147		Nonparametric Statistics				
353		Adjusted Level of Significance				0.0158		95% CLT UCL				652.8
354		Adjusted Chi Square Value				2.228		95% Jackknife UCL				703.5
355								95% Standard Bootstrap UCL				636.1
356		Anderson-Darling Test Statistic				0.747		95% Bootstrap-t UCL				2827
357		Anderson-Darling 5% Critical Value				0.73		95% Hall's Bootstrap UCL				2880
358		Kolmogorov-Smirnov Test Statistic				0.285		95% Percentile Bootstrap UCL				651.1
359		Kolmogorov-Smirnov 5% Critical Value				0.321		95% BCA Bootstrap UCL				666
360		Data follow Appr. Gamma Distribution at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL				1114
361								97.5% Chebyshev(Mean, Sd) UCL				1434
362		Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL				2064
363		95% Approximate Gamma UCL				1032						
364		95% Adjusted Gamma UCL				1457						
365												
366		Potential UCL to Use						Use 95% Approximate Gamma UCL				1032
367												
368												
369	Dibenzo(a,h)anthracene											
370												
371		General Statistics										

	A	B	C	D	E	F	G	H	I	J	K	L
372			Number of Valid Observations			7				Number of Distinct Observations		7
373												
374			Raw Statistics						Log-transformed Statistics			
375				Minimum		1.3				Minimum of Log Data		0.262
376				Maximum		41				Maximum of Log Data		3.714
377				Mean		8.8				Mean of log Data		1.408
378				Median		2.9				SD of log Data		1.205
379				SD		14.37						
380			Coefficient of Variation			1.633						
381				Skewness		2.516						
382												
383												
384		Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
385												
386		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
387		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
388												
389												
390		Warning: There are only 7 Values in this data										
391		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
392		the resulting calculations may not be reliable enough to draw conclusions										
393												
394		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
395												
396					Relevant UCL Statistics							
397			Normal Distribution Test						Lognormal Distribution Test			
398			Shapiro Wilk Test Statistic			0.589				Shapiro Wilk Test Statistic		0.889
399			Shapiro Wilk Critical Value			0.803				Shapiro Wilk Critical Value		0.803
400		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
401												
402			Assuming Normal Distribution						Assuming Lognormal Distribution			
403			95% Student's-t UCL			19.36				95% H-UCL		69.65
404		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			21.74
405			95% Adjusted-CLT UCL			23.26				97.5% Chebyshev (MVUE) UCL		27.98
406			95% Modified-t UCL			20.22				99% Chebyshev (MVUE) UCL		40.25
407												
408			Gamma Distribution Test						Data Distribution			
409			k star (bias corrected)			0.539		Data appear Gamma Distributed at 5% Significance Level				
410				Theta Star		16.32						
411				nu star		7.547						
412		Approximate Chi Square Value (.05)				2.476			Nonparametric Statistics			
413		Adjusted Level of Significance				0.0158				95% CLT UCL		17.74
414		Adjusted Chi Square Value				1.69				95% Jackknife UCL		19.36
415										95% Standard Bootstrap UCL		17.03
416		Anderson-Darling Test Statistic				0.716				95% Bootstrap-t UCL		70.68
417		Anderson-Darling 5% Critical Value				0.735				95% Hall's Bootstrap UCL		56.57
418		Kolmogorov-Smirnov Test Statistic				0.263				95% Percentile Bootstrap UCL		19.33
419		Kolmogorov-Smirnov 5% Critical Value				0.322				95% BCA Bootstrap UCL		20.66
420		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			32.48
421									97.5% Chebyshev(Mean, Sd) UCL			42.73
422			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			62.86
423			95% Approximate Gamma UCL			26.83						
424			95% Adjusted Gamma UCL			39.29						

	A	B	C	D	E	F	G	H	I	J	K	L
425												
426			Potential UCL to Use					Use 95% Approximate Gamma UCL				26.83
427												
428												
429	Indeno(1,2,3-cd)pyrene											
430												
431						General Statistics						
432				Number of Valid Observations		7			Number of Distinct Observations			7
433												
434				Raw Statistics					Log-transformed Statistics			
435					Minimum	6.5				Minimum of Log Data		1.872
436					Maximum	180				Maximum of Log Data		5.193
437					Mean	40.31				Mean of log Data		3.006
438					Median	17				SD of log Data		1.148
439					SD	62.5						
440				Coefficient of Variation		1.55						
441					Skewness	2.493						
442												
443												
444			Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!									
445												
446			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
447			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
448												
449												
450			Warning: There are only 7 Values in this data									
451			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
452			the resulting calculations may not be reliable enough to draw conclusions									
453												
454			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
455												
456						Relevant UCL Statistics						
457			Normal Distribution Test						Lognormal Distribution Test			
458				Shapiro Wilk Test Statistic		0.602				Shapiro Wilk Test Statistic		0.899
459				Shapiro Wilk Critical Value		0.803				Shapiro Wilk Critical Value		0.803
460			Data not Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
461												
462			Assuming Normal Distribution						Assuming Lognormal Distribution			
463					95% Student's-t UCL	86.21				95% H-UCL		269.5
464			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			99.18
465				95% Adjusted-CLT UCL		103			97.5% Chebyshev (MVUE) UCL			127.2
466				95% Modified-t UCL		89.92			99% Chebyshev (MVUE) UCL			182.4
467												
468			Gamma Distribution Test						Data Distribution			
469				k star (bias corrected)		0.582		Data appear Gamma Distributed at 5% Significance Level				
470					Theta Star	69.22						
471					nu star	8.154						
472			Approximate Chi Square Value (.05)			2.824			Nonparametric Statistics			
473				Adjusted Level of Significance		0.0158				95% CLT UCL		79.17
474				Adjusted Chi Square Value		1.968				95% Jackknife UCL		86.21
475										95% Standard Bootstrap UCL		76.54
476			Anderson-Darling Test Statistic			0.672				95% Bootstrap-t UCL		253.9
477			Anderson-Darling 5% Critical Value			0.733				95% Hall's Bootstrap UCL		237.1

	A	B	C	D	E	F	G	H	I	J	K	L
478				Kolmogorov-Smirnov Test Statistic		0.252				95% Percentile Bootstrap UCL		84.17
479				Kolmogorov-Smirnov 5% Critical Value		0.321				95% BCA Bootstrap UCL		94.57
480		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		143.3
481										97.5% Chebyshev(Mean, Sd) UCL		187.8
482		Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL		275.3
483				95% Approximate Gamma UCL		116.4						
484				95% Adjusted Gamma UCL		167						
485												
486		Potential UCL to Use								Use 95% Approximate Gamma UCL		116.4
487												
488												
489	Lead											
490												
491						General Statistics						
492				Number of Valid Observations		7				Number of Distinct Observations		7
493												
494			Raw Statistics						Log-transformed Statistics			
495					Minimum	10.5				Minimum of Log Data		2.351
496					Maximum	19				Maximum of Log Data		2.944
497					Mean	14.06				Mean of log Data		2.622
498					Median	13.3				SD of log Data		0.219
499					SD	3.123						
500				Coefficient of Variation		0.222						
501					Skewness	0.487						
502												
503												
504		Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
505												
506		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
507		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
508												
509												
510		Warning: There are only 7 Values in this data										
511		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
512		the resulting calculations may not be reliable enough to draw conclusions										
513												
514		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
515												
516						Relevant UCL Statistics						
517		Normal Distribution Test						Lognormal Distribution Test				
518				Shapiro Wilk Test Statistic		0.937				Shapiro Wilk Test Statistic		0.948
519				Shapiro Wilk Critical Value		0.803				Shapiro Wilk Critical Value		0.803
520		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
521												
522		Assuming Normal Distribution						Assuming Lognormal Distribution				
523				95% Student's-t UCL		16.35				95% H-UCL		16.91
524		95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL		19.14
525				95% Adjusted-CLT UCL		16.23				97.5% Chebyshev (MVUE) UCL		21.34
526				95% Modified-t UCL		16.39				99% Chebyshev (MVUE) UCL		25.67
527												
528		Gamma Distribution Test						Data Distribution				
529				k star (bias corrected)		13.92		Data appear Normal at 5% Significance Level				
530					Theta Star	1.01						

	A	B	C	D	E	F	G	H	I	J	K	L
531					nu star	194.9						
532				Approximate Chi Square Value (.05)		163.6			Nonparametric Statistics			
533				Adjusted Level of Significance		0.0158					95% CLT UCL	16
534				Adjusted Chi Square Value		155					95% Jackknife UCL	16.35
535											95% Standard Bootstrap UCL	15.87
536				Anderson-Darling Test Statistic		0.275					95% Bootstrap-t UCL	16.83
537				Anderson-Darling 5% Critical Value		0.707					95% Hall's Bootstrap UCL	15.89
538				Kolmogorov-Smirnov Test Statistic		0.182					95% Percentile Bootstrap UCL	15.89
539				Kolmogorov-Smirnov 5% Critical Value		0.311					95% BCA Bootstrap UCL	16.09
540		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		19.2
541										97.5% Chebyshev(Mean, Sd) UCL		21.43
542			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		25.8
543				95% Approximate Gamma UCL		16.75						
544				95% Adjusted Gamma UCL		17.68						
545												
546			Potential UCL to Use							Use 95% Student's-t UCL		16.35
547												
548												
549	Mercury											
550												
551							General Statistics					
552				Number of Valid Observations		7				Number of Distinct Observations		6
553												
554			Raw Statistics						Log-transformed Statistics			
555					Minimum	0.04				Minimum of Log Data		-3.219
556					Maximum	0.087				Maximum of Log Data		-2.442
557					Mean	0.0563				Mean of log Data		-2.913
558					Median	0.054				SD of log Data		0.284
559					SD	0.0169						
560				Coefficient of Variation		0.3						
561					Skewness	1.058						
562												
563												
564		Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
565												
566		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
567		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
568												
569												
570					Warning: There are only 7 Values in this data							
571		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
572		the resulting calculations may not be reliable enough to draw conclusions										
573												
574		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
575												
576							Relevant UCL Statistics					
577		Normal Distribution Test							Lognormal Distribution Test			
578				Shapiro Wilk Test Statistic		0.899				Shapiro Wilk Test Statistic		0.933
579				Shapiro Wilk Critical Value		0.803				Shapiro Wilk Critical Value		0.803
580		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
581												
582		Assuming Normal Distribution						Assuming Lognormal Distribution				
583				95% Student's-t UCL		0.0687				95% H-UCL		0.0727

	A	B	C	D	E	F	G	H	I	J	K	L
584			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		0.0825
585				95% Adjusted-CLT UCL		0.0695				97.5% Chebyshev (MVUE) UCL		0.0939
586				95% Modified-t UCL		0.0691				99% Chebyshev (MVUE) UCL		0.116
587												
588			Gamma Distribution Test						Data Distribution			
589				k star (bias corrected)		8.197			Data appear Normal at 5% Significance Level			
590				Theta Star		0.00687						
591				nu star		114.8						
592			Approximate Chi Square Value (.05)			91.02			Nonparametric Statistics			
593			Adjusted Level of Significance			0.0158				95% CLT UCL		0.0668
594			Adjusted Chi Square Value			84.65				95% Jackknife UCL		0.0687
595										95% Standard Bootstrap UCL		0.0657
596			Anderson-Darling Test Statistic			0.299				95% Bootstrap-t UCL		0.076
597			Anderson-Darling 5% Critical Value			0.708				95% Hall's Bootstrap UCL		0.133
598			Kolmogorov-Smirnov Test Statistic			0.187				95% Percentile Bootstrap UCL		0.0663
599			Kolmogorov-Smirnov 5% Critical Value			0.312				95% BCA Bootstrap UCL		0.0686
600		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		0.0841
601										97.5% Chebyshev(Mean, Sd) UCL		0.0961
602			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		0.12
603			95% Approximate Gamma UCL			0.071						
604			95% Adjusted Gamma UCL			0.0763						
605												
606			Potential UCL to Use						Use 95% Student's-t UCL			0.0687
607												
608												
609	Total Aroclors											
610												
611				General Statistics								
612			Number of Valid Observations			7			Number of Distinct Observations			7
613												
614			Raw Statistics						Log-transformed Statistics			
615				Minimum		17.5				Minimum of Log Data		2.862
616				Maximum		41				Maximum of Log Data		3.714
617				Mean		27.72				Mean of log Data		3.275
618				Median		25.4				SD of log Data		0.329
619				SD		9.352						
620			Coefficient of Variation			0.337						
621				Skewness		0.698						
622												
623												
624		Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
625												
626		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
627		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
628												
629												
630		Warning: There are only 7 Values in this data										
631		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
632		the resulting calculations may not be reliable enough to draw conclusions										
633												
634		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
635												
636				Relevant UCL Statistics								

	A	B	C	D	E	F	G	H	I	J	K	L
637	**Normal Distribution Test**						**Lognormal Distribution Test**					
638				Shapiro Wilk Test Statistic		0.874				Shapiro Wilk Test Statistic		0.918
639				Shapiro Wilk Critical Value		0.803				Shapiro Wilk Critical Value		0.803
640	**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**					
641												
642	**Assuming Normal Distribution**						**Assuming Lognormal Distribution**					
643				95% Student's-t UCL		34.59				95% H-UCL		37.75
644	**95% UCLs (Adjusted for Skewness)**									95% Chebyshev (MVUE) UCL		42.73
645				95% Adjusted-CLT UCL		34.53				97.5% Chebyshev (MVUE) UCL		49.23
646				95% Modified-t UCL		34.75				99% Chebyshev (MVUE) UCL		62.01
647												
648	**Gamma Distribution Test**						**Data Distribution**					
649				k star (bias corrected)		6.261	**Data appear Normal at 5% Significance Level**					
650					Theta Star	4.427						
651					nu star	87.66						
652			Approximate Chi Square Value (.05)			67.08	**Nonparametric Statistics**					
653				Adjusted Level of Significance		0.0158				95% CLT UCL		33.54
654				Adjusted Chi Square Value		61.66				95% Jackknife UCL		34.59
655										95% Standard Bootstrap UCL		33.21
656			Anderson-Darling Test Statistic			0.383				95% Bootstrap-t UCL		39.84
657			Anderson-Darling 5% Critical Value			0.708				95% Hall's Bootstrap UCL		78.62
658			Kolmogorov-Smirnov Test Statistic			0.202				95% Percentile Bootstrap UCL		33.45
659			Kolmogorov-Smirnov 5% Critical Value			0.312				95% BCA Bootstrap UCL		33.67
660	**Data appear Gamma Distributed at 5% Significance Level**									95% Chebyshev(Mean, Sd) UCL		43.13
661										97.5% Chebyshev(Mean, Sd) UCL		49.79
662	**Assuming Gamma Distribution**									99% Chebyshev(Mean, Sd) UCL		62.89
663				95% Approximate Gamma UCL		36.23						
664				95% Adjusted Gamma UCL		39.41						
665												
666	**Potential UCL to Use**									Use 95% Student's-t UCL		34.59
667												

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\RM12.0W.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	2000

Arsenic

General Statistics

Number of Valid Observations	8	Number of Distinct Observations	8

Raw Statistics		Log-transformed Statistics	
Minimum	1.89	Minimum of Log Data	0.637
Maximum	4.87	Maximum of Log Data	1.583
Mean	3.158	Mean of log Data	1.102
Median	2.885	SD of log Data	0.33
SD	1.045		
Coefficient of Variation	0.331		
Skewness	0.497		

Warning: There are only 8 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set,

the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.933	Shapiro Wilk Test Statistic	0.951
Shapiro Wilk Critical Value	0.818	Shapiro Wilk Critical Value	0.818
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	3.858	95% H-UCL	4.131
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	4.772
95% Adjusted-CLT UCL	3.835	97.5% Chebyshev (MVUE) UCL	5.471
95% Modified-t UCL	3.868	99% Chebyshev (MVUE) UCL	6.845

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	6.73	Data appear Normal at 5% Significance Level	
Theta Star	0.469		
nu star	107.7		
Approximate Chi Square Value (.05)	84.73	Nonparametric Statistics	
Adjusted Level of Significance	0.0195	95% CLT UCL	3.765
Adjusted Chi Square Value	79.59	95% Jackknife UCL	3.858
		95% Standard Bootstrap UCL	3.72
Anderson-Darling Test Statistic	0.301	95% Bootstrap-t UCL	4.024
Anderson-Darling 5% Critical Value	0.715	95% Hall's Bootstrap UCL	3.733
Kolmogorov-Smirnov Test Statistic	0.215	95% Percentile Bootstrap UCL	3.74
Kolmogorov-Smirnov 5% Critical Value	0.294	95% BCA Bootstrap UCL	3.785

	A	B	C	D	E	F	G	H	I	J	K	L
54	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					4.768
55							97.5% Chebyshev(Mean, Sd) UCL					5.465
56	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					6.834
57	95% Approximate Gamma UCL					4.013						
58	95% Adjusted Gamma UCL					4.272						
59												
60	Potential UCL to Use						Use 95% Student's-t UCL					3.858
61												
62												
63	Benzo(a)anthracene											
64												
65	General Statistics											
66	Number of Valid Observations					8	Number of Distinct Observations					7
67												
68	Raw Statistics						Log-transformed Statistics					
69	Minimum					11	Minimum of Log Data					2.398
70	Maximum					1700	Maximum of Log Data					7.438
71	Mean					258.1	Mean of log Data					4.034
72	Median					39.5	SD of log Data					1.649
73	SD					584.3						
74	Coefficient of Variation					2.264						
75	Skewness					2.795						
76												
77												
78	Warning: There are only 8 Values in this data											
79	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
80	the resulting calculations may not be reliable enough to draw conclusions											
81												
82	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
83												
84	Relevant UCL Statistics											
85	Normal Distribution Test						Lognormal Distribution Test					
86	Shapiro Wilk Test Statistic					0.483	Shapiro Wilk Test Statistic					0.87
87	Shapiro Wilk Critical Value					0.818	Shapiro Wilk Critical Value					0.818
88	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
89												
90	Assuming Normal Distribution						Assuming Lognormal Distribution					
91	95% Student's-t UCL					649.5	95% H-UCL					5469
92	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					579.8
93	95% Adjusted-CLT UCL					816.1	97.5% Chebyshev (MVUE) UCL					759.6
94	95% Modified-t UCL					683.6	99% Chebyshev (MVUE) UCL					1113
95												
96	Gamma Distribution Test						Data Distribution					
97	k star (bias corrected)					0.351	Data appear Lognormal at 5% Significance Level					
98	Theta Star					735.1						
99	nu star					5.618						
100	Approximate Chi Square Value (.05)					1.448	Nonparametric Statistics					
101	Adjusted Level of Significance					0.0195	95% CLT UCL					597.9
102	Adjusted Chi Square Value					0.981	95% Jackknife UCL					649.5
103							95% Standard Bootstrap UCL					577.5
104	Anderson-Darling Test Statistic					1.038	95% Bootstrap-t UCL					3847
105	Anderson-Darling 5% Critical Value					0.775	95% Hall's Bootstrap UCL					3224
106	Kolmogorov-Smirnov Test Statistic					0.342	95% Percentile Bootstrap UCL					661

	A	B	C	D	E	F	G	H	I	J	K	L
107			Kolmogorov-Smirnov 5% Critical Value			0.312				95% BCA Bootstrap UCL		876.3
108		Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		1159
109										97.5% Chebyshev(Mean, Sd) UCL		1548
110			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		2314
111			95% Approximate Gamma UCL			1002						
112			95% Adjusted Gamma UCL			1479						
113												
114			Potential UCL to Use							Use 99% Chebyshev (MVUE) UCL		1113
115												
116												
117	Benzo(a)pyrene											
118												
119						General Statistics						
120			Number of Valid Observations			8				Number of Distinct Observations		8
121												
122			Raw Statistics							Log-transformed Statistics		
123				Minimum		9.7				Minimum of Log Data		2.272
124				Maximum		2800				Maximum of Log Data		7.937
125				Mean		411.1				Mean of log Data		4.298
126				Median		50.5				SD of log Data		1.784
127				SD		967.3						
128			Coefficient of Variation			2.353						
129				Skewness		2.805						
130												
131												
132					Warning: There are only 8 Values in this data							
133			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
134				the resulting calculations may not be reliable enough to draw conclusions								
135												
136			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
137												
138						Relevant UCL Statistics						
139			Normal Distribution Test							Lognormal Distribution Test		
140			Shapiro Wilk Test Statistic			0.475				Shapiro Wilk Test Statistic		0.91
141			Shapiro Wilk Critical Value			0.818				Shapiro Wilk Critical Value		0.818
142		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
143												
144			Assuming Normal Distribution							Assuming Lognormal Distribution		
145			95% Student's-t UCL			1059				95% H-UCL		15012
146		95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL		931
147			95% Adjusted-CLT UCL			1336				97.5% Chebyshev (MVUE) UCL		1225
148			95% Modified-t UCL			1116				99% Chebyshev (MVUE) UCL		1803
149												
150			Gamma Distribution Test							Data Distribution		
151			k star (bias corrected)			0.324			Data appear Lognormal at 5% Significance Level			
152				Theta Star		1270						
153				nu star		5.181						
154			Approximate Chi Square Value (.05)			1.237				Nonparametric Statistics		
155			Adjusted Level of Significance			0.0195				95% CLT UCL		973.6
156			Adjusted Chi Square Value			0.819				95% Jackknife UCL		1059
157										95% Standard Bootstrap UCL		927.7
158			Anderson-Darling Test Statistic			0.991				95% Bootstrap-t UCL		7879
159			Anderson-Darling 5% Critical Value			0.782				95% Hall's Bootstrap UCL		5985

	A	B	C	D	E	F	G	H	I	J	K	L
160				Kolmogorov-Smirnov Test Statistic		0.333				95% Percentile Bootstrap UCL		1084
161				Kolmogorov-Smirnov 5% Critical Value		0.314				95% BCA Bootstrap UCL		1432
162			Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		1902
163										97.5% Chebyshev(Mean, Sd) UCL		2547
164			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		3814
165				95% Approximate Gamma UCL		1722						
166				95% Adjusted Gamma UCL		2601						
167												
168			Potential UCL to Use							Use 99% Chebyshev (MVUE) UCL		1803
169												
170												
171	Benzo(b)fluoranthene											
172												
173					General Statistics							
174				Number of Valid Observations		8				Number of Distinct Observations		7
175												
176			Raw Statistics						Log-transformed Statistics			
177					Minimum	12				Minimum of Log Data		2.485
178					Maximum	2400				Maximum of Log Data		7.783
179					Mean	350.5				Mean of log Data		4.198
180					Median	43				SD of log Data		1.7
181					SD	829.5						
182				Coefficient of Variation		2.367						
183					Skewness	2.81						
184												
185												
186					Warning: There are only 8 Values in this data							
187				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
188				the resulting calculations may not be reliable enough to draw conclusions								
189												
190			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
191												
192					Relevant UCL Statistics							
193			Normal Distribution Test						Lognormal Distribution Test			
194				Shapiro Wilk Test Statistic		0.467				Shapiro Wilk Test Statistic		0.864
195				Shapiro Wilk Critical Value		0.818				Shapiro Wilk Critical Value		0.818
196			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
197												
198			Assuming Normal Distribution						Assuming Lognormal Distribution			
199					95% Student's-t UCL	906.1				95% H-UCL		8481
200			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			738.8
201				95% Adjusted-CLT UCL		1144				97.5% Chebyshev (MVUE) UCL		969.7
202				95% Modified-t UCL		954.7				99% Chebyshev (MVUE) UCL		1423
203												
204			Gamma Distribution Test						Data Distribution			
205				k star (bias corrected)		0.331			Data appear Lognormal at 5% Significance Level			
206					Theta Star	1058						
207					nu star	5.299						
208			Approximate Chi Square Value (.05)			1.293			Nonparametric Statistics			
209			Adjusted Level of Significance			0.0195				95% CLT UCL		832.9
210			Adjusted Chi Square Value			0.861				95% Jackknife UCL		906.1
211										95% Standard Bootstrap UCL		807.3
212			Anderson-Darling Test Statistic			1.143				95% Bootstrap-t UCL		7177

	A	B	C	D	E	F	G	H	I	J	K	L
213				Anderson-Darling 5% Critical Value		0.78				95% Hall's Bootstrap UCL		5966
214				Kolmogorov-Smirnov Test Statistic		0.369				95% Percentile Bootstrap UCL		930
215				Kolmogorov-Smirnov 5% Critical Value		0.313				95% BCA Bootstrap UCL		1229
216			Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		1629
217										97.5% Chebyshev(Mean, Sd) UCL		2182
218			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		3268
219				95% Approximate Gamma UCL		1437						
220				95% Adjusted Gamma UCL		2156						
221												
222			Potential UCL to Use							Use 99% Chebyshev (MVUE) UCL		1423
223												
224												
225	Benzo(k)fluoranthene											
226												
227					General Statistics							
228				Number of Valid Observations		8				Number of Distinct Observations		8
229												
230				Raw Statistics						Log-transformed Statistics		
231					Minimum		4.4			Minimum of Log Data		1.482
232					Maximum		670			Maximum of Log Data		6.507
233					Mean		118.4			Mean of log Data		3.498
234					Median		29			SD of log Data		1.678
235					SD		226.2					
236				Coefficient of Variation		1.911						
237					Skewness		2.667					
238												
239												
240					Warning: There are only 8 Values in this data							
241			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
242				the resulting calculations may not be reliable enough to draw conclusions								
243												
244			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
245												
246					Relevant UCL Statistics							
247			Normal Distribution Test						Lognormal Distribution Test			
248				Shapiro Wilk Test Statistic		0.56				Shapiro Wilk Test Statistic		0.916
249				Shapiro Wilk Critical Value		0.818				Shapiro Wilk Critical Value		0.818
250			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
251												
252			Assuming Normal Distribution						Assuming Lognormal Distribution			
253				95% Student's-t UCL		269.9				95% H-UCL		3721
254			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		354.1
255				95% Adjusted-CLT UCL		330.6				97.5% Chebyshev (MVUE) UCL		464.4
256				95% Modified-t UCL		282.5				99% Chebyshev (MVUE) UCL		681.1
257												
258			Gamma Distribution Test						Data Distribution			
259				k star (bias corrected)		0.395		Data appear Gamma Distributed at 5% Significance Level				
260					Theta Star		300.1					
261					nu star		6.313					
262			Approximate Chi Square Value (.05)			1.802			Nonparametric Statistics			
263				Adjusted Level of Significance		0.0195				95% CLT UCL		250
264				Adjusted Chi Square Value		1.259				95% Jackknife UCL		269.9
265										95% Standard Bootstrap UCL		238.8

	A	B	C	D	E	F	G	H	I	J	K	L
266				Anderson-Darling Test Statistic		0.665				95% Bootstrap-t UCL		771.3
267				Anderson-Darling 5% Critical Value		0.763				95% Hall's Bootstrap UCL		768.4
268				Kolmogorov-Smirnov Test Statistic		0.259				95% Percentile Bootstrap UCL		272.4
269				Kolmogorov-Smirnov 5% Critical Value		0.309				95% BCA Bootstrap UCL		294.4
270		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		467.1
271										97.5% Chebyshev(Mean, Sd) UCL		617.9
272		Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL		914.3
273				95% Approximate Gamma UCL		414.8						
274				95% Adjusted Gamma UCL		593.6						
275												
276		Potential UCL to Use								Use 95% Adjusted Gamma UCL		593.6
277												
278												
279	Dibenzo(a,h)anthracene											
280												
281						General Statistics						
282				Number of Valid Data		8				Number of Detected Data		6
283				Number of Distinct Detected Data		6				Number of Non-Detect Data		2
284										Percent Non-Detects		25.00%
285												
286		Raw Statistics							Log-transformed Statistics			
287				Minimum Detected		3.2				Minimum Detected		1.163
288				Maximum Detected		210				Maximum Detected		5.347
289				Mean of Detected		43.02				Mean of Detected		2.557
290				SD of Detected		82.07				SD of Detected		1.556
291				Minimum Non-Detect		1.7				Minimum Non-Detect		0.531
292				Maximum Non-Detect		1.8				Maximum Non-Detect		0.588
293												
294	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		2
295	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		6
296	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		25.00%
297												
298					Warning: There are only 6 Detected Values in this data							
299					Note: It should be noted that even though bootstrap may be performed on this data set							
300					the resulting calculations may not be reliable enough tp draw conclusions							
301												
302				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
303												
304												
305						UCL Statistics						
306		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
307				Shapiro Wilk Test Statistic		0.565				Shapiro Wilk Test Statistic		0.865
308				5% Shapiro Wilk Critical Value		0.788				5% Shapiro Wilk Critical Value		0.788
309		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
310												
311		Assuming Normal Distribution						Assuming Lognormal Distribution				
312				DL/2 Substitution Method						DL/2 Substitution Method		
313				Mean		32.48				Mean		1.884
314				SD		72.05				SD		1.812
315				95% DL/2 (t) UCL		80.74				95% H-Stat (DL/2) UCL		610
316												
317		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
318				Mean		17.82				Mean in Log Scale		1.603

	A	B	C	D	E	F	G	H	I	J	K	L
319						SD	81.55				SD in Log Scale	2.203
320					95% MLE (t) UCL		72.44				Mean in Original Scale	32.33
321					95% MLE (Tiku) UCL		72.8				SD in Original Scale	72.12
322											95% Percentile Bootstrap UCL	81.59
323											95% BCA Bootstrap UCL	108.8
324												
325		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
326					k star (bias corrected)		0.373		Data appear Lognormal at 5% Significance Level			
327					Theta Star		115.3					
328					nu star		4.475					
329												
330					A-D Test Statistic		0.768		Nonparametric Statistics			
331					5% A-D Critical Value		0.734		Kaplan-Meier (KM) Method			
332					K-S Test Statistic		0.734				Mean	33.06
333					5% K-S Critical Value		0.348				SD	67.13
334		Data not Gamma Distributed at 5% Significance Level									SE of Mean	26
335											95% KM (t) UCL	82.32
336		Assuming Gamma Distribution									95% KM (z) UCL	75.83
337		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	81.08
338					Minimum		1E-09				95% KM (bootstrap t) UCL	428.9
339					Maximum		210				95% KM (BCA) UCL	84.45
340					Mean		32.26				95% KM (Percentile Bootstrap) UCL	82.64
341					Median		4.95				95% KM (Chebyshev) UCL	146.4
342					SD		72.16				97.5% KM (Chebyshev) UCL	195.4
343					k star		0.157				99% KM (Chebyshev) UCL	291.8
344					Theta star		205.4					
345					Nu star		2.513		Potential UCLs to Use			
346					AppChi2		0.244				99% KM (Chebyshev) UCL	291.8
347		95% Gamma Approximate UCL					332.1					
348		95% Adjusted Gamma UCL					566					
349		Warning: Recommended UCL exceeds the maximum observation										
350	Note: DL/2 is not a recommended method.											
351												
352												
353	Indeno(1,2,3-cd)pyrene											
354												
355						General Statistics						
356				Number of Valid Observations			8			Number of Distinct Observations		8
357												
358		Raw Statistics							Log-transformed Statistics			
359					Minimum		8.5			Minimum of Log Data		2.14
360					Maximum		2300			Maximum of Log Data		7.741
361					Mean		335.1			Mean of log Data		4.042
362					Median		38.5			SD of log Data		1.817
363					SD		795.5					
364				Coefficient of Variation			2.374					
365					Skewness		2.806					
366												
367												
368						Warning: There are only 8 Values in this data						
369				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
370				the resulting calculations may not be reliable enough to draw conclusions								
371												

	A	B	C	D	E	F	G	H	I	J	K	L
372	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
373												
374	Relevant UCL Statistics											
375	Normal Distribution Test						Lognormal Distribution Test					
376	Shapiro Wilk Test Statistic					0.472	Shapiro Wilk Test Statistic					0.893
377	Shapiro Wilk Critical Value					0.818	Shapiro Wilk Critical Value					0.818
378	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
379												
380	Assuming Normal Distribution						Assuming Lognormal Distribution					
381	95% Student's-t UCL					868	95% H-UCL					14073
382	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					759.5
383	95% Adjusted-CLT UCL					1096	97.5% Chebyshev (MVUE) UCL					1000
384	95% Modified-t UCL					914.5	99% Chebyshev (MVUE) UCL					1473
385												
386	Gamma Distribution Test						Data Distribution					
387	k star (bias corrected)					0.318	Data appear Lognormal at 5% Significance Level					
388	Theta Star					1054						
389	nu star					5.085						
390	Approximate Chi Square Value (.05)					1.192	Nonparametric Statistics					
391	Adjusted Level of Significance					0.0195	95% CLT UCL					797.8
392	Adjusted Chi Square Value					0.785	95% Jackknife UCL					868
393							95% Standard Bootstrap UCL					773.2
394	Anderson-Darling Test Statistic					1.014	95% Bootstrap-t UCL					7461
395	Anderson-Darling 5% Critical Value					0.784	95% Hall's Bootstrap UCL					5019
396	Kolmogorov-Smirnov Test Statistic					0.324	95% Percentile Bootstrap UCL					886.4
397	Kolmogorov-Smirnov 5% Critical Value					0.314	95% BCA Bootstrap UCL					1169
398	Data not Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					1561
399							97.5% Chebyshev(Mean, Sd) UCL					2092
400	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					3134
401	95% Approximate Gamma UCL					1430						
402	95% Adjusted Gamma UCL					2172						
403												
404	Potential UCL to Use						Use 99% Chebyshev (MVUE) UCL					1473
405												
406												
407	Lead											
408												
409	General Statistics											
410	Number of Valid Observations					8	Number of Distinct Observations					8
411												
412	Raw Statistics						Log-transformed Statistics					
413	Minimum					8.93	Minimum of Log Data					2.189
414	Maximum					85.7	Maximum of Log Data					4.451
415	Mean					36.62	Mean of log Data					3.315
416	Median					29.55	SD of log Data					0.836
417	SD					27.9						
418	Coefficient of Variation					0.762						
419	Skewness					0.808						
420												
421												
422	Warning: There are only 8 Values in this data											
423	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
424	the resulting calculations may not be reliable enough to draw conclusions											

	A	B	C	D	E	F	G	H	I	J	K	L
425												
426			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
427												
428						Relevant UCL Statistics						
429			Normal Distribution Test						Lognormal Distribution Test			
430			Shapiro Wilk Test Statistic			0.901			Shapiro Wilk Test Statistic			0.943
431			Shapiro Wilk Critical Value			0.818			Shapiro Wilk Critical Value			0.818
432		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
433												
434			Assuming Normal Distribution						Assuming Lognormal Distribution			
435			95% Student's-t UCL			55.3			95% H-UCL			101.8
436		95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL				85.6
437			95% Adjusted-CLT UCL			55.85			97.5% Chebyshev (MVUE) UCL			106.6
438			95% Modified-t UCL			55.77			99% Chebyshev (MVUE) UCL			147.9
439												
440			Gamma Distribution Test						Data Distribution			
441			k star (bias corrected)			1.271		Data appear Normal at 5% Significance Level				
442			Theta Star			28.8						
443			nu star			20.34						
444			Approximate Chi Square Value (.05)			11.1			Nonparametric Statistics			
445			Adjusted Level of Significance			0.0195			95% CLT UCL			52.84
446			Adjusted Chi Square Value			9.427			95% Jackknife UCL			55.3
447									95% Standard Bootstrap UCL			51.84
448			Anderson-Darling Test Statistic			0.279			95% Bootstrap-t UCL			60.52
449			Anderson-Darling 5% Critical Value			0.725			95% Hall's Bootstrap UCL			57.2
450			Kolmogorov-Smirnov Test Statistic			0.187			95% Percentile Bootstrap UCL			52.3
451			Kolmogorov-Smirnov 5% Critical Value			0.298			95% BCA Bootstrap UCL			54.24
452		Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL				79.61
453									97.5% Chebyshev(Mean, Sd) UCL			98.21
454			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			134.7
455			95% Approximate Gamma UCL			67.08						
456			95% Adjusted Gamma UCL			79.02						
457												
458			Potential UCL to Use						Use 95% Student's-t UCL			55.3
459												
460												
461	Mercury											
462												
463						General Statistics						
464			Number of Valid Observations			8			Number of Distinct Observations			7
465												
466			Raw Statistics						Log-transformed Statistics			
467			Minimum			0.041			Minimum of Log Data			-3.194
468			Maximum			1.28			Maximum of Log Data			0.247
469			Mean			0.291			Mean of log Data			-1.908
470			Median			0.141			SD of log Data			1.198
471			SD			0.415						
472			Coefficient of Variation			1.425						
473			Skewness			2.439						
474												
475												
476					Warning: There are only 8 Values in this data							
477			Note: It should be noted that even though bootstrap methods may be performed on this data set,									

	A	B	C	D	E	F	G	H	I	J	K	L
478	the resulting calculations may not be reliable enough to draw conclusions										
479											
480	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
481											
482	Relevant UCL Statistics										
483	Normal Distribution Test						Lognormal Distribution Test					
484	Shapiro Wilk Test Statistic					0.646	Shapiro Wilk Test Statistic					0.909
485	Shapiro Wilk Critical Value					0.818	Shapiro Wilk Critical Value					0.818
486	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
487											
488	Assuming Normal Distribution						Assuming Lognormal Distribution					
489	95% Student's-t UCL					0.569	95% H-UCL					1.804
490	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					0.771
491	95% Adjusted-CLT UCL					0.668	97.5% Chebyshev (MVUE) UCL					0.989
492	95% Modified-t UCL					0.59	99% Chebyshev (MVUE) UCL					1.417
493											
494	Gamma Distribution Test						Data Distribution					
495	k star (bias corrected)					0.627	Data appear Gamma Distributed at 5% Significance Level					
496	Theta Star					0.464					
497	nu star					10.03					
498	Approximate Chi Square Value (.05)					3.962	Nonparametric Statistics					
499	Adjusted Level of Significance					0.0195	95% CLT UCL					0.533
500	Adjusted Chi Square Value					3.057	95% Jackknife UCL					0.569
501							95% Standard Bootstrap UCL					0.518
502	Anderson-Darling Test Statistic					0.54	95% Bootstrap-t UCL					1.092
503	Anderson-Darling 5% Critical Value					0.741	95% Hall's Bootstrap UCL					1.352
504	Kolmogorov-Smirnov Test Statistic					0.206	95% Percentile Bootstrap UCL					0.556
505	Kolmogorov-Smirnov 5% Critical Value					0.303	95% BCA Bootstrap UCL					0.688
506	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					0.931
507							97.5% Chebyshev(Mean, Sd) UCL					1.208
508	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					1.751
509	95% Approximate Gamma UCL					0.737					
510	95% Adjusted Gamma UCL					0.956					
511											
512	Potential UCL to Use						Use 95% Approximate Gamma UCL					0.737
513											
514											
515	Naphthalene										
516											
517	General Statistics										
518	Number of Valid Data					8	Number of Detected Data					7
519	Number of Distinct Detected Data					7	Number of Non-Detect Data					1
520							Percent Non-Detects					12.50%
521											
522	Raw Statistics						Log-transformed Statistics					
523	Minimum Detected					6.1	Minimum Detected					1.808
524	Maximum Detected					200	Maximum Detected					5.298
525	Mean of Detected					51.34	Mean of Detected					3.271
526	SD of Detected					68.59	SD of Detected					1.243
527	Minimum Non-Detect					0.62	Minimum Non-Detect					-0.478
528	Maximum Non-Detect					0.62	Maximum Non-Detect					-0.478
529											
530											

	A	B	C	D	E	F	G	H	I	J	K	L
531					Warning: There are only 7 Detected Values in this data							
532					Note: It should be noted that even though bootstrap may be performed on this data set							
533					the resulting calculations may not be reliable enough tp draw conclusions							
534												
535					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
536												
537												
538							UCL Statistics					
539			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
540					Shapiro Wilk Test Statistic	0.7				Shapiro Wilk Test Statistic		0.932
541					5% Shapiro Wilk Critical Value	0.803				5% Shapiro Wilk Critical Value		0.803
542			Data not Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
543												
544			Assuming Normal Distribution					Assuming Lognormal Distribution				
545					DL/2 Substitution Method					DL/2 Substitution Method		
546						Mean	44.96				Mean	2.715
547						SD	66.02				SD	1.947
548					95% DL/2 (t) UCL	89.18				95% H-Stat (DL/2) UCL		1996
549												
550			Maximum Likelihood Estimate(MLE) Method					Log ROS Method				
551						Mean	39.72				Mean in Log Scale	2.884
552						SD	67.99				SD in Log Scale	1.587
553					95% MLE (t) UCL	85.26				Mean in Original Scale		45.07
554					95% MLE (Tiku) UCL	83.4				SD in Original Scale		65.93
555										95% Percentile Bootstrap UCL		85.88
556										95% BCA Bootstrap UCL		103.3
557												
558			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
559					k star (bias corrected)	0.597		Data appear Gamma Distributed at 5% Significance Level				
560					Theta Star	86						
561					nu star	8.358						
562												
563					A-D Test Statistic	0.427		Nonparametric Statistics				
564					5% A-D Critical Value	0.732				Kaplan-Meier (KM) Method		
565					K-S Test Statistic	0.732				Mean		45.69
566					5% K-S Critical Value	0.321				SD		61.26
567			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		23.39
568										95% KM (t) UCL		90.01
569			Assuming Gamma Distribution							95% KM (z) UCL		84.17
570			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		89.33
571					Minimum	1E-09				95% KM (bootstrap t) UCL		162.8
572					Maximum	200				95% KM (BCA) UCL		86.33
573					Mean	44.93				95% KM (Percentile Bootstrap) UCL		87.61
574					Median	18.35				95% KM (Chebyshev) UCL		147.7
575					SD	66.05				97.5% KM (Chebyshev) UCL		191.8
576					k star	0.213				99% KM (Chebyshev) UCL		278.4
577					Theta star	211.1						
578					Nu star	3.405		Potential UCLs to Use				
579					AppChi2	0.502				95% KM (Chebyshev) UCL		147.7
580			95% Gamma Approximate UCL			304.8						
581			95% Adjusted Gamma UCL			519.8						
582	Note: DL/2 is not a recommended method.											
583												

	A	B	C	D	E	F	G	H	I	J	K	L
584												
585	Total Aroclors											
586												
587						General Statistics						
588				Number of Valid Data		8			Number of Detected Data			7
589			Number of Distinct Detected Data			7			Number of Non-Detect Data			1
590									Percent Non-Detects			12.50%
591												
592			Raw Statistics						Log-transformed Statistics			
593				Minimum Detected		17.75			Minimum Detected			2.876
594				Maximum Detected		196.8			Maximum Detected			5.282
595				Mean of Detected		79.89			Mean of Detected			3.984
596				SD of Detected		74.09			SD of Detected			0.972
597				Minimum Non-Detect		2.6			Minimum Non-Detect			0.956
598				Maximum Non-Detect		2.6			Maximum Non-Detect			0.956
599												
600												
601					Warning: There are only 7 Detected Values in this data							
602				Note: It should be noted that even though bootstrap may be performed on this data set								
603				the resulting calculations may not be reliable enough tp draw conclusions								
604												
605			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
606												
607												
608							UCL Statistics					
609		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
610				Shapiro Wilk Test Statistic		0.813			Shapiro Wilk Test Statistic			0.898
611				5% Shapiro Wilk Critical Value		0.803			5% Shapiro Wilk Critical Value			0.803
612		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
613												
614		Assuming Normal Distribution						Assuming Lognormal Distribution				
615			DL/2 Substitution Method						DL/2 Substitution Method			
616					Mean	70.07				Mean		3.519
617					SD	74.01				SD		1.594
618				95% DL/2 (t) UCL		119.6			95% H-Stat (DL/2) UCL			812.9
619												
620		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
621					Mean	64.82			Mean in Log Scale			3.683
622					SD	76.61			SD in Log Scale			1.239
623				95% MLE (t) UCL		116.1			Mean in Original Scale			70.51
624				95% MLE (Tiku) UCL		115.2			SD in Original Scale			73.54
625									95% Percentile Bootstrap UCL			113.5
626									95% BCA Bootstrap UCL			119
627												
628		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
629				k star (bias corrected)		0.898		Data appear Normal at 5% Significance Level				
630				Theta Star		88.99						
631				nu star		12.57						
632												
633				A-D Test Statistic		0.47		Nonparametric Statistics				
634				5% A-D Critical Value		0.722			Kaplan-Meier (KM) Method			
635				K-S Test Statistic		0.722				Mean		72.13
636				5% K-S Critical Value		0.318				SD		67.37

	A	B	C	D	E	F	G	H	I	J	K	L
637	Data appear Gamma Distributed at 5% Significance Level										SE of Mean	25.73
638											95% KM (t) UCL	120.9
639	Assuming Gamma Distribution										95% KM (z) UCL	114.4
640	Gamma ROS Statistics using Extrapolated Data										95% KM (jackknife) UCL	120.1
641					Minimum	1E-09					95% KM (bootstrap t) UCL	195.7
642					Maximum	196.8					95% KM (BCA) UCL	115.1
643					Mean	69.91					95% KM (Percentile Bootstrap) UCL	114.5
644					Median	34.73					95% KM (Chebyshev) UCL	184.3
645					SD	74.18					97.5% KM (Chebyshev) UCL	232.8
646					k star	0.219					99% KM (Chebyshev) UCL	328.1
647					Theta star	319.4						
648					Nu star	3.502			Potential UCLs to Use			
649					AppChi2	0.535					95% KM (t) UCL	120.9
650			95% Gamma Approximate UCL			457.3					95% KM (Percentile Bootstrap) UCL	114.5
651			95% Adjusted Gamma UCL			774.6						
652	Note: DL/2 is not a recommended method.											
653												
654												
655	Total DDT											
656												
657					General Statistics							
658		Number of Valid Data				8			Number of Detected Data			7
659		Number of Distinct Detected Data				7			Number of Non-Detect Data			1
660									Percent Non-Detects			12.50%
661												
662		Raw Statistics							Log-transformed Statistics			
663		Minimum Detected				0.94			Minimum Detected			-0.0619
664		Maximum Detected				16.5			Maximum Detected			2.803
665		Mean of Detected				6.684			Mean of Detected			1.604
666		SD of Detected				5.152			SD of Detected			0.909
667		Minimum Non-Detect				1			Minimum Non-Detect			0
668		Maximum Non-Detect				1			Maximum Non-Detect			0
669												
670												
671					Warning: There are only 7 Detected Values in this data							
672					Note: It should be noted that even though bootstrap may be performed on this data set							
673					the resulting calculations may not be reliable enough tp draw conclusions							
674												
675					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
676												
677												
678					UCL Statistics							
679		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
680		Shapiro Wilk Test Statistic				0.905			Shapiro Wilk Test Statistic			0.95
681		5% Shapiro Wilk Critical Value				0.803			5% Shapiro Wilk Critical Value			0.803
682		Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
683												
684		Assuming Normal Distribution							Assuming Lognormal Distribution			
685		DL/2 Substitution Method							DL/2 Substitution Method			
686					Mean	5.911			Mean			1.317
687					SD	5.247			SD			1.17
688		95% DL/2 (t) UCL				9.426			95% H-Stat (DL/2) UCL			21.79
689												

	A	B	C	D	E	F	G	H	I	J	K	L
690			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
691					Mean	5.069				Mean in Log Scale		1.418
692					SD	6.1				SD in Log Scale		0.993
693				95% MLE (t) UCL		9.155				Mean in Original Scale		5.989
694				95% MLE (Tiku) UCL		9.341				SD in Original Scale		5.159
695										95% Percentile Bootstrap UCL		8.96
696										95% BCA Bootstrap UCL		9.645
697												
698		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
699				k star (bias corrected)		1.146		**Data appear Normal at 5% Significance Level**				
700					Theta Star	5.831						
701					nu star	16.05						
702												
703				A-D Test Statistic		0.198		**Nonparametric Statistics**				
704				5% A-D Critical Value		0.717			Kaplan-Meier (KM) Method			
705				K-S Test Statistic		0.717				Mean		5.966
706				5% K-S Critical Value		0.316				SD		4.849
707		**Data appear Gamma Distributed at 5% Significance Level**								SE of Mean		1.852
708										95% KM (t) UCL		9.475
709		**Assuming Gamma Distribution**								95% KM (z) UCL		9.012
710		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		9.398
711					Minimum	0.94				95% KM (bootstrap t) UCL		12.1
712					Maximum	16.5				95% KM (BCA) UCL		9.373
713					Mean	5.967			95% KM (Percentile Bootstrap) UCL			9.363
714					Median	4.55				95% KM (Chebyshev) UCL		14.04
715					SD	5.183				97.5% KM (Chebyshev) UCL		17.53
716					k star	0.974				99% KM (Chebyshev) UCL		24.39
717					Theta star	6.124						
718					Nu star	15.59		**Potential UCLs to Use**				
719					AppChi2	7.674				95% KM (t) UCL		9.475
720				95% Gamma Approximate UCL		12.12			95% KM (Percentile Bootstrap) UCL			9.363
721				95% Adjusted Gamma UCL		14.71						
722	**Note: DL/2 is not a recommended method.**											
723												

	A	B	C	D	E	F	G	H	I	J	K	L
1							General UCL Statistics for Data Sets with Non-Detects					
2		User Selected Options										
3			From File	J:\2001\016033.65_Lower Willamette Group-RIFS\09-Reports\Tables\ProUCLtemp\Site-Wide.wst								
4			Full Precision	OFF								
5			Confidence Coefficient	95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Aldrin											
10												
11							General Statistics					
12				Number of Valid Data		757			Number of Detected Data			190
13			Number of Distinct Detected Data			176			Number of Non-Detect Data			567
14				Number of Missing Values		335			Percent Non-Detects			74.90%
15												
16			Raw Statistics						Log-transformed Statistics			
17				Minimum Detected		0.00333			Minimum Detected			-5.705
18				Maximum Detected		691			Maximum Detected			6.538
19				Mean of Detected		6.626			Mean of Detected			-0.451
20				SD of Detected		51.05			SD of Detected			1.795
21				Minimum Non-Detect		0.0156			Minimum Non-Detect			-4.16
22				Maximum Non-Detect		99			Maximum Non-Detect			4.595
23												
24	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			755
25	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
26	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			99.74%
27												
28							UCL Statistics					
29		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
30				Lilliefors Test Statistic		0.448			Lilliefors Test Statistic			0.0735
31				5% Lilliefors Critical Value		0.0643			5% Lilliefors Critical Value			0.0643
32		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
33												
34		Assuming Normal Distribution						Assuming Lognormal Distribution				
35				DL/2 Substitution Method					DL/2 Substitution Method			
36				Mean		2.447			Mean			-1.523
37				SD		25.97			SD			1.752
38				95% DL/2 (t) UCL		4.001			95% H-Stat (DL/2) UCL			0.886
39												
40			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
41		MLE method failed to converge properly							Mean in Log Scale			-3.224
42									SD in Log Scale			2.091
43									Mean in Original Scale			1.685
44									SD in Original Scale			25.68
45									95% Percentile Bootstrap UCL			3.548
46									95% BCA Bootstrap UCL			5.147
47												
48		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
49				k star (bias corrected)		0.294		Data do not follow a Discernable Distribution (0.05)				
50				Theta Star		22.53						
51				nu star		111.7						
52												
53				A-D Test Statistic		20.17			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
54					5% A-D Critical Value	0.871				Kaplan-Meier (KM) Method		
55					K-S Test Statistic	0.871					Mean	1.722
56					5% K-S Critical Value	0.072					SD	25.67
57		Data not Gamma Distributed at 5% Significance Level									SE of Mean	0.935
58											95% KM (t) UCL	3.263
59			Assuming Gamma Distribution								95% KM (z) UCL	3.261
60			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	3.259
61					Minimum	1E-09					95% KM (bootstrap t) UCL	12.29
62					Maximum	691					95% KM (BCA) UCL	3.615
63					Mean	7.158				95% KM (Percentile Bootstrap) UCL		3.564
64					Median	1.978					95% KM (Chebyshev) UCL	5.8
65					SD	26.76					97.5% KM (Chebyshev) UCL	7.564
66					k star	0.28					99% KM (Chebyshev) UCL	11.03
67					Theta star	25.54						
68					Nu star	424.4				Potential UCLs to Use		
69					AppChi2	377.6					95% KM (Chebyshev) UCL	5.8
70			95% Gamma Approximate UCL			8.045						
71			95% Adjusted Gamma UCL			8.047						
72	Note: DL/2 is not a recommended method.											
73												
74												
75	Arsenic											
76												
77					General Statistics							
78			Number of Valid Data			1027				Number of Detected Data		915
79			Number of Distinct Detected Data			393				Number of Non-Detect Data		112
80			Number of Missing Values			65				Percent Non-Detects		10.91%
81												
82			Raw Statistics						Log-transformed Statistics			
83				Minimum Detected		0.97				Minimum Detected		-0.0305
84				Maximum Detected		75.6				Maximum Detected		4.325
85				Mean of Detected		4.932				Mean of Detected		1.415
86				SD of Detected		5.384				SD of Detected		0.494
87				Minimum Non-Detect		3				Minimum Non-Detect		1.099
88				Maximum Non-Detect		10				Maximum Non-Detect		2.303
89												
90	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		985
91	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		42
92	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		95.91%
93												
94					UCL Statistics							
95		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
96				Lilliefors Test Statistic		0.284				Lilliefors Test Statistic		0.145
97			5% Lilliefors Critical Value			0.0293				5% Lilliefors Critical Value		0.0293
98		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
99												
100		Assuming Normal Distribution						Assuming Lognormal Distribution				
101			DL/2 Substitution Method							DL/2 Substitution Method		
102					Mean	4.689					Mean	1.366
103					SD	5.133					SD	0.491
104				95% DL/2 (t) UCL		4.952				95% H-Stat (DL/2) UCL		N/A
105												
106			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		

	A	B	C	D	E	F	G	H	I	J	K	L
107	MLE yields a negative mean									Mean in Log Scale		1.395
108										SD in Log Scale		0.481
109										Mean in Original Scale		4.788
110										SD in Original Scale		5.11
111										95% Percentile Bootstrap UCL		5.071
112										95% BCA Bootstrap UCL		5.078
113												
114	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
115	k star (bias corrected)					2.908	Data do not follow a Discernable Distribution (0.05)					
116	Theta Star					1.696						
117	nu star					5322						
118												
119	A-D Test Statistic					1.093E+28	Nonparametric Statistics					
120	5% A-D Critical Value					0.761	Kaplan-Meier (KM) Method					
121	K-S Test Statistic					0.761	Mean					4.774
122	5% K-S Critical Value					0.0309	SD					5.107
123	Data not Gamma Distributed at 5% Significance Level						SE of Mean					0.16
124							95% KM (t) UCL					5.036
125	Assuming Gamma Distribution						95% KM (z) UCL					5.036
126	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					5.036
127	Minimum					1E-09	95% KM (bootstrap t) UCL					5.093
128	Maximum					75.6	95% KM (BCA) UCL					5.044
129	Mean					4.898	95% KM (Percentile Bootstrap) UCL					5.066
130	Median					3.86	95% KM (Chebyshev) UCL					5.47
131	SD					5.118	97.5% KM (Chebyshev) UCL					5.771
132	k star					2.67	99% KM (Chebyshev) UCL					6.363
133	Theta star					1.834						
134	Nu star					5485	Potential UCLs to Use					
135	AppChi2					5314	95% KM (BCA) UCL					5.044
136	95% Gamma Approximate UCL					5.056						
137	95% Adjusted Gamma UCL					5.056						
138	Note: DL/2 is not a recommended method.											
139												
140												
141	Benzo(a)anthracene											
142												
143	General Statistics											
144	Number of Valid Data					1062	Number of Detected Data					1032
145	Number of Distinct Detected Data					384	Number of Non-Detect Data					30
146	Number of Missing Values					30	Percent Non-Detects					2.82%
147												
148	Raw Statistics						Log-transformed Statistics					
149	Minimum Detected					0.5	Minimum Detected					-0.693
150	Maximum Detected					120000	Maximum Detected					11.7
151	Mean of Detected					1471	Mean of Detected					4.713
152	SD of Detected					8741	SD of Detected					1.823
153	Minimum Non-Detect					1.2	Minimum Non-Detect					0.182
154	Maximum Non-Detect					215	Maximum Non-Detect					5.371
155												
156	Note: Data have multiple DLs - Use of KM Method is recommended						Number treated as Non-Detect					756
157	For all methods (except KM, DL/2, and ROS Methods),						Number treated as Detected					306
158	Observations < Largest ND are treated as NDs						Single DL Non-Detect Percentage					71.19%
159												

	A	B	C	D	E	F	G	H	I	J	K	L
160							UCL Statistics					
161			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
162				Lilliefors Test Statistic		0.433				Lilliefors Test Statistic		0.0689
163				5% Lilliefors Critical Value		0.0276				5% Lilliefors Critical Value		0.0276
164			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
165												
166			Assuming Normal Distribution						Assuming Lognormal Distribution			
167				DL/2 Substitution Method						DL/2 Substitution Method		
168					Mean	1430					Mean	4.637
169					SD	8620					SD	1.865
170				95% DL/2 (t) UCL		1866			95% H-Stat (DL/2) UCL			N/A
171												
172			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
173			MLE yields a negative mean							Mean in Log Scale		4.627
174										SD in Log Scale		1.878
175										Mean in Original Scale		1430
176										SD in Original Scale		8620
177									95% Percentile Bootstrap UCL			1874
178									95% BCA Bootstrap UCL			1978
179												
180			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
181				k star (bias corrected)		0.271		Data do not follow a Discernable Distribution (0.05)				
182					Theta Star	5421						
183					nu star	560.2						
184												
185				A-D Test Statistic		132.7			Nonparametric Statistics			
186				5% A-D Critical Value		0.884			Kaplan-Meier (KM) Method			
187				K-S Test Statistic		0.884				Mean		1430
188				5% K-S Critical Value		0.0311				SD		8616
189			Data not Gamma Distributed at 5% Significance Level						SE of Mean			264.5
190									95% KM (t) UCL			1866
191			Assuming Gamma Distribution						95% KM (z) UCL			1865
192			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			1866
193					Minimum	1E-09			95% KM (bootstrap t) UCL			1991
194					Maximum	120000			95% KM (BCA) UCL			1887
195					Mean	1430			95% KM (Percentile Bootstrap) UCL			1876
196					Median	86			95% KM (Chebyshev) UCL			2583
197					SD	8620			97.5% KM (Chebyshev) UCL			3082
198					k star	0.221			99% KM (Chebyshev) UCL			4062
199					Theta star	6457						
200					Nu star	470.3			Potential UCLs to Use			
201					AppChi2	421.1			97.5% KM (Chebyshev) UCL			3082
202				95% Gamma Approximate UCL		1597						
203				95% Adjusted Gamma UCL		1598						
204	Note: DL/2 is not a recommended method.											
205												
206												
207	Benzo(a)pyrene											
208												
209							General Statistics					
210				Number of Valid Data		1062				Number of Detected Data		1026
211				Number of Distinct Detected Data		377				Number of Non-Detect Data		36
212				Number of Missing Values		30				Percent Non-Detects		3.39%

	A	B	C	D	E	F	G	H	I	J	K	L
213												
214			Raw Statistics						Log-transformed Statistics			
215					Minimum Detected	0.86				Minimum Detected		-0.151
216					Maximum Detected	160000				Maximum Detected		11.98
217					Mean of Detected	1812				Mean of Detected		4.912
218					SD of Detected	10555				SD of Detected		1.839
219					Minimum Non-Detect	0.33				Minimum Non-Detect		-1.109
220					Maximum Non-Detect	215				Maximum Non-Detect		5.371
221												
222	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		700
223	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		362
224	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		65.91%
225												
226							UCL Statistics					
227			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
228					Lilliefors Test Statistic	0.432				Lilliefors Test Statistic		0.0645
229					5% Lilliefors Critical Value	0.0277				5% Lilliefors Critical Value		0.0277
230			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
231												
232			Assuming Normal Distribution						Assuming Lognormal Distribution			
233					DL/2 Substitution Method					DL/2 Substitution Method		
234					Mean	1751				Mean		4.81
235					SD	10379				SD		1.905
236					95% DL/2 (t) UCL	2275				95% H-Stat (DL/2) UCL		N/A
237												
238					Maximum Likelihood Estimate(MLE) Method	N/A				Log ROS Method		
239			MLE yields a negative mean							Mean in Log Scale		4.8
240										SD in Log Scale		1.918
241										Mean in Original Scale		1751
242										SD in Original Scale		10379
243										95% Percentile Bootstrap UCL		2287
244										95% BCA Bootstrap UCL		2397
245												
246			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
247					k star (bias corrected)	0.271			Data do not follow a Discernable Distribution (0.05)			
248					Theta Star	6695						
249					nu star	555.3						
250												
251					A-D Test Statistic	130.1			Nonparametric Statistics			
252					5% A-D Critical Value	0.885				Kaplan-Meier (KM) Method		
253					K-S Test Statistic	0.885				Mean		1751
254					5% K-S Critical Value	0.0311				SD		10374
255			Data not Gamma Distributed at 5% Significance Level							SE of Mean		318.5
256										95% KM (t) UCL		2275
257			Assuming Gamma Distribution							95% KM (z) UCL		2275
258			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		2275
259					Minimum	1E-09				95% KM (bootstrap t) UCL		2455
260					Maximum	160000				95% KM (BCA) UCL		2339
261					Mean	1750				95% KM (Percentile Bootstrap) UCL		2320
262					Median	100.5				95% KM (Chebyshev) UCL		3139
263					SD	10379				97.5% KM (Chebyshev) UCL		3740
264					k star	0.213				99% KM (Chebyshev) UCL		4920
265					Theta star	8223						

	A	B	C	D	E	F	G	H	I	J	K	L
266					Nu star	452.1			Potential UCLs to Use			
267					AppChi2	403.8			97.5% KM (Chebyshev) UCL			3740
268			95% Gamma Approximate UCL			1960						
269			95% Adjusted Gamma UCL			1960						
270	Note: DL/2 is not a recommended method.											
271												
272												
273	Benzo(b)fluoranthene											
274												
275					General Statistics							
276			Number of Valid Data			1062			Number of Detected Data			1037
277			Number of Distinct Detected Data			390			Number of Non-Detect Data			25
278			Number of Missing Values			30			Percent Non-Detects			2.35%
279												
280			Raw Statistics						Log-transformed Statistics			
281			Minimum Detected			1.1			Minimum Detected			0.0953
282			Maximum Detected			130000			Maximum Detected			11.78
283			Mean of Detected			1448			Mean of Detected			5.035
284			SD of Detected			7973			SD of Detected			1.751
285			Minimum Non-Detect			0.72			Minimum Non-Detect			-0.329
286			Maximum Non-Detect			264			Maximum Non-Detect			5.576
287												
288	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			728
289	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			334
290	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			68.55%
291												
292					UCL Statistics							
293			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
294			Lilliefors Test Statistic			0.428			Lilliefors Test Statistic			0.0666
295			5% Lilliefors Critical Value			0.0275			5% Lilliefors Critical Value			0.0275
296			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
297												
298			Assuming Normal Distribution						Assuming Lognormal Distribution			
299			DL/2 Substitution Method						DL/2 Substitution Method			
300			Mean			1414			Mean			4.961
301			SD			7882			SD			1.804
302			95% DL/2 (t) UCL			1812			95% H-Stat (DL/2) UCL			N/A
303												
304		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
305			MLE yields a negative mean						Mean in Log Scale			4.955
306									SD in Log Scale			1.812
307									Mean in Original Scale			1414
308									SD in Original Scale			7882
309									95% Percentile Bootstrap UCL			1847
310									95% BCA Bootstrap UCL			1930
311												
312			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
313			k star (bias corrected)			0.306			Data do not follow a Discernable Distribution (0.05)			
314			Theta Star			4729						
315			nu star			635						
316												
317			A-D Test Statistic			114.6			Nonparametric Statistics			
318			5% A-D Critical Value			0.869			Kaplan-Meier (KM) Method			

	A	B	C	D	E	F	G	H	I	J	K	L
319					K-S Test Statistic	0.869					Mean	1414
320					5% K-S Critical Value	0.0308					SD	7878
321	Data not Gamma Distributed at 5% Significance Level										SE of Mean	241.9
322											95% KM (t) UCL	1812
323			Assuming Gamma Distribution								95% KM (z) UCL	1812
324		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	1812
325					Minimum	1E-09					95% KM (bootstrap t) UCL	1991
326					Maximum	130000					95% KM (BCA) UCL	1863
327					Mean	1414				95% KM (Percentile Bootstrap) UCL		1857
328					Median	120					95% KM (Chebyshev) UCL	2468
329					SD	7882					97.5% KM (Chebyshev) UCL	2924
330					k star	0.251					99% KM (Chebyshev) UCL	3821
331					Theta star	5629						
332					Nu star	533.4			Potential UCLs to Use			
333					AppChi2	480.8				97.5% KM (Chebyshev) UCL		2924
334			95% Gamma Approximate UCL			1568						
335			95% Adjusted Gamma UCL			1568						
336	Note: DL/2 is not a recommended method.											
337												
338												
339	Benzo(k)fluoranthene											
340												
341					General Statistics							
342			Number of Valid Data			958			Number of Detected Data			939
343		Number of Distinct Detected Data				312			Number of Non-Detect Data			19
344			Number of Missing Values			134			Percent Non-Detects			1.98%
345												
346			Raw Statistics						Log-transformed Statistics			
347				Minimum Detected		0.77				Minimum Detected		-0.261
348				Maximum Detected		89000				Maximum Detected		11.4
349				Mean of Detected		952.1				Mean of Detected		4.345
350				SD of Detected		5349				SD of Detected		1.847
351				Minimum Non-Detect		0.5				Minimum Non-Detect		-0.693
352				Maximum Non-Detect		20				Maximum Non-Detect		2.996
353												
354	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			235
355	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			723
356	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			24.53%
357												
358					UCL Statistics							
359		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
360				Lilliefors Test Statistic		0.429				Lilliefors Test Statistic		0.0563
361			5% Lilliefors Critical Value			0.0289			5% Lilliefors Critical Value			0.0289
362		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
363												
364			Assuming Normal Distribution						Assuming Lognormal Distribution			
365				DL/2 Substitution Method						DL/2 Substitution Method		
366					Mean	933.4					Mean	4.292
367					SD	5297					SD	1.872
368				95% DL/2 (t) UCL		1215				95% H-Stat (DL/2) UCL		469.6
369												
370		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
371			MLE yields a negative mean							Mean in Log Scale		4.286

	A	B	C	D	E	F	G	H	I	J	K	L
372										SD in Log Scale		1.882
373										Mean in Original Scale		933.4
374										SD in Original Scale		5297
375										95% Percentile Bootstrap UCL		1237
376										95% BCA Bootstrap UCL		1275
377												
378		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
379				k star (bias corrected)		0.278		**Data do not follow a Discernable Distribution (0.05)**				
380				Theta Star		3430						
381				nu star		521.4						
382												
383				A-D Test Statistic		112.1		**Nonparametric Statistics**				
384				5% A-D Critical Value		0.881		Kaplan-Meier (KM) Method				
385				K-S Test Statistic		0.881				Mean		933.4
386				5% K-S Critical Value		0.0328				SD		5294
387		**Data not Gamma Distributed at 5% Significance Level**								SE of Mean		171.1
388										95% KM (t) UCL		1215
389		**Assuming Gamma Distribution**								95% KM (z) UCL		1215
390		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		1215
391					Minimum	1E-09				95% KM (bootstrap t) UCL		1324
392					Maximum	89000				95% KM (BCA) UCL		1257
393					Mean	933.2				95% KM (Percentile Bootstrap) UCL		1237
394					Median	65				95% KM (Chebyshev) UCL		1679
395					SD	5297				97.5% KM (Chebyshev) UCL		2002
396					k star	0.239				99% KM (Chebyshev) UCL		2636
397					Theta star	3903						
398					Nu star	458.2		**Potential UCLs to Use**				
399					AppChi2	409.6				97.5% KM (Chebyshev) UCL		2002
400				95% Gamma Approximate UCL		1044						
401				95% Adjusted Gamma UCL		1044						
402	Note: DL/2 is not a recommended method.											
403												
404												
405	Bis(2-ethylhexyl) phthalate											
406												
407							**General Statistics**					
408				Number of Valid Data		1003				Number of Detected Data		614
409		Number of Distinct Detected Data				273				Number of Non-Detect Data		389
410				Number of Missing Values		89				Percent Non-Detects		38.78%
411												
412			**Raw Statistics**						**Log-transformed Statistics**			
413				Minimum Detected		7				Minimum Detected		1.946
414				Maximum Detected		440000				Maximum Detected		12.99
415				Mean of Detected		1522				Mean of Detected		5.34
416				SD of Detected		17960				SD of Detected		1.402
417				Minimum Non-Detect		2.3				Minimum Non-Detect		0.833
418				Maximum Non-Detect		19000				Maximum Non-Detect		9.852
419												
420	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			998
421	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			5
422	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			99.50%
423												
424							**UCL Statistics**					

	A	B	C	D	E	F	G	H	I	J	K	L
425			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
426				Lilliefors Test Statistic		0.466				Lilliefors Test Statistic		0.104
427				5% Lilliefors Critical Value		0.0358				5% Lilliefors Critical Value		0.0358
428			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
429												
430			Assuming Normal Distribution						Assuming Lognormal Distribution			
431				DL/2 Substitution Method						DL/2 Substitution Method		
432					Mean	961.7					Mean	4.592
433					SD	14068					SD	1.595
434				95% DL/2 (t) UCL		1693				95% H-Stat (DL/2) UCL		N/A
435												
436				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
437			MLE yields a negative mean							Mean in Log Scale		4.322
438										SD in Log Scale		1.783
439										Mean in Original Scale		941.2
440										SD in Original Scale		14066
441										95% Percentile Bootstrap UCL		1783
442										95% BCA Bootstrap UCL		2359
443												
444			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
445				k star (bias corrected)		0.339			Data do not follow a Discernable Distribution (0.05)			
446					Theta Star	4487						
447					nu star	416.7						
448												
449				A-D Test Statistic		1.629E+28			Nonparametric Statistics			
450				5% A-D Critical Value		0.862			Kaplan-Meier (KM) Method			
451				K-S Test Statistic		0.862					Mean	943.9
452				5% K-S Critical Value		0.0408					SD	14059
453			Data not Gamma Distributed at 5% Significance Level							SE of Mean		444.3
454										95% KM (t) UCL		1675
455			Assuming Gamma Distribution							95% KM (z) UCL		1675
456			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		1675
457					Minimum	1E-09				95% KM (bootstrap t) UCL		4955
458					Maximum	440000				95% KM (BCA) UCL		1822
459					Mean	1157				95% KM (Percentile Bootstrap) UCL		1823
460					Median	98				95% KM (Chebyshev) UCL		2880
461					SD	14082				97.5% KM (Chebyshev) UCL		3718
462					k star	0.0909				99% KM (Chebyshev) UCL		5364
463					Theta star	12730						
464					Nu star	182.3			Potential UCLs to Use			
465					AppChi2	152.1				95% KM (Chebyshev) UCL		2880
466				95% Gamma Approximate UCL		1387						
467				95% Adjusted Gamma UCL		1387						
468	Note: DL/2 is not a recommended method.											
469												
470												
471	Dibenzo(a,h)anthracene											
472												
473					General Statistics							
474				Number of Valid Data		1062				Number of Detected Data		910
475			Number of Distinct Detected Data			315				Number of Non-Detect Data		152
476				Number of Missing Values		30				Percent Non-Detects		14.31%
477												

	A	B	C	D	E	F	G	H	I	J	K	L
478	Raw Statistics						Log-transformed Statistics					
479	Minimum Detected					0.22	Minimum Detected					-1.514
480	Maximum Detected					15000	Maximum Detected					9.616
481	Mean of Detected					221.4	Mean of Detected					3.152
482	SD of Detected					1063	SD of Detected					1.818
483	Minimum Non-Detect					0.38	Minimum Non-Detect					-0.968
484	Maximum Non-Detect					215	Maximum Non-Detect					5.371
485												
486	Note: Data have multiple DLs - Use of KM Method is recommended						Number treated as Non-Detect					964
487	For all methods (except KM, DL/2, and ROS Methods),						Number treated as Detected					98
488	Observations < Largest ND are treated as NDs						Single DL Non-Detect Percentage					90.77%
489												
490	UCL Statistics											
491	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
492	Lilliefors Test Statistic					0.418	Lilliefors Test Statistic					0.0561
493	5% Lilliefors Critical Value					0.0294	5% Lilliefors Critical Value					0.0294
494	Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level					
495												
496	Assuming Normal Distribution						Assuming Lognormal Distribution					
497	DL/2 Substitution Method						DL/2 Substitution Method					
498	Mean					190.9	Mean					2.937
499	SD					986.5	SD					1.812
500	95% DL/2 (t) UCL					240.8	95% H-Stat (DL/2) UCL					N/A
501												
502	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
503	MLE yields a negative mean						Mean in Log Scale					2.845
504							SD in Log Scale					1.898
505							Mean in Original Scale					190.4
506							SD in Original Scale					986.6
507							95% Percentile Bootstrap UCL					242.5
508							95% BCA Bootstrap UCL					250.6
509												
510	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
511	k star (bias corrected)					0.306	Data do not follow a Discernable Distribution (0.05)					
512	Theta Star					724.4						
513	nu star					556.2						
514												
515	A-D Test Statistic					92.22	Nonparametric Statistics					
516	5% A-D Critical Value					0.869	Kaplan-Meier (KM) Method					
517	K-S Test Statistic					0.869	Mean					190.4
518	5% K-S Critical Value					0.0334	SD					986.2
519	Data not Gamma Distributed at 5% Significance Level						SE of Mean					30.28
520							95% KM (t) UCL					240.3
521	Assuming Gamma Distribution						95% KM (z) UCL					240.2
522	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					240.3
523	Minimum					1E-09	95% KM (bootstrap t) UCL					258.6
524	Maximum					15000	95% KM (BCA) UCL					243.4
525	Mean					190.6	95% KM (Percentile Bootstrap) UCL					244.7
526	Median					15	95% KM (Chebyshev) UCL					322.4
527	SD					986.6	97.5% KM (Chebyshev) UCL					379.5
528	k star					0.149	99% KM (Chebyshev) UCL					491.7
529	Theta star					1283						
530	Nu star					315.4	Potential UCLs to Use					

	A	B	C	D	E	F	G	H	I	J	K	L
531					AppChi2	275.3				97.5% KM (Chebyshev) UCL		379.5
532				95% Gamma Approximate UCL		218.4						
533				95% Adjusted Gamma UCL		218.4						
534	Note: DL/2 is not a recommended method.											
535												
536												
537	Dieldrin											
538												
539					General Statistics							
540			Number of Valid Data			792				Number of Detected Data		169
541		Number of Distinct Detected Data				151				Number of Non-Detect Data		623
542			Number of Missing Values			300				Percent Non-Detects		78.66%
543												
544			Raw Statistics							Log-transformed Statistics		
545				Minimum Detected		0.00834				Minimum Detected		-4.787
546				Maximum Detected		356				Maximum Detected		5.875
547				Mean of Detected		3.559				Mean of Detected		-0.983
548				SD of Detected		27.53				SD of Detected		1.579
549				Minimum Non-Detect		0.03				Minimum Non-Detect		-3.507
550				Maximum Non-Detect		270				Maximum Non-Detect		5.598
551												
552	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		791
553	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1
554	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		99.87%
555												
556					UCL Statistics							
557		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
558				Lilliefors Test Statistic		0.449				Lilliefors Test Statistic		0.142
559			5% Lilliefors Critical Value			0.0682				5% Lilliefors Critical Value		0.0682
560		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
561												
562		Assuming Normal Distribution						Assuming Lognormal Distribution				
563				DL/2 Substitution Method						DL/2 Substitution Method		
564					Mean	2.131				Mean		-1.599
565					SD	15.62				SD		1.62
566			95% DL/2 (t) UCL			3.045				95% H-Stat (DL/2) UCL		0.781
567												
568			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
569		MLE method failed to converge properly								Mean in Log Scale		-3.555
570										SD in Log Scale		1.779
571										Mean in Original Scale		0.78
572										SD in Original Scale		12.77
573										95% Percentile Bootstrap UCL		1.666
574										95% BCA Bootstrap UCL		2.175
575												
576		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
577				k star (bias corrected)		0.304		Data do not follow a Discernable Distribution (0.05)				
578				Theta Star		11.72						
579				nu star		102.7						
580												
581				A-D Test Statistic		23.34				Nonparametric Statistics		
582				5% A-D Critical Value		0.867				Kaplan-Meier (KM) Method		
583				K-S Test Statistic		0.867				Mean		0.813

	A	B	C	D	E	F	G	H	I	J	K	L
584					5% K-S Critical Value	0.0777					SD	12.76
585		Data not Gamma Distributed at 5% Significance Level									SE of Mean	0.455
586											95% KM (t) UCL	1.562
587		Assuming Gamma Distribution									95% KM (z) UCL	1.561
588		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	1.55
589					Minimum	1E-09					95% KM (bootstrap t) UCL	5.332
590					Maximum	356					95% KM (BCA) UCL	1.761
591					Mean	3.076					95% KM (Percentile Bootstrap) UCL	1.71
592					Median	2.775					95% KM (Chebyshev) UCL	2.796
593					SD	12.74					97.5% KM (Chebyshev) UCL	3.654
594					k star	0.318					99% KM (Chebyshev) UCL	5.34
595					Theta star	9.658						
596					Nu star	504.5			Potential UCLs to Use			
597					AppChi2	453.4					95% KM (Chebyshev) UCL	2.796
598				95% Gamma Approximate UCL		3.423						
599				95% Adjusted Gamma UCL		3.423						
600	Note: DL/2 is not a recommended method.											
601												
602												
603	Indeno(1,2,3-cd)pyrene											
604												
605					General Statistics							
606			Number of Valid Data			1062				Number of Detected Data		1012
607			Number of Distinct Detected Data			369				Number of Non-Detect Data		50
608			Number of Missing Values			30				Percent Non-Detects		4.71%
609												
610			Raw Statistics						Log-transformed Statistics			
611				Minimum Detected		0.9					Minimum Detected	-0.105
612				Maximum Detected		130000					Maximum Detected	11.78
613				Mean of Detected		1276					Mean of Detected	4.652
614				SD of Detected		7458					SD of Detected	1.804
615				Minimum Non-Detect		0.36					Minimum Non-Detect	-1.022
616				Maximum Non-Detect		215					Maximum Non-Detect	5.371
617												
618	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		760
619	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		302
620	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		71.56%
621												
622					UCL Statistics							
623		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
624				Lilliefors Test Statistic		0.432					Lilliefors Test Statistic	0.0715
625				5% Lilliefors Critical Value		0.0279					5% Lilliefors Critical Value	0.0279
626		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
627												
628		Assuming Normal Distribution							Assuming Lognormal Distribution			
629				DL/2 Substitution Method							DL/2 Substitution Method	
630					Mean	1216					Mean	4.513
631					SD	7285					SD	1.887
632				95% DL/2 (t) UCL		1584				95% H-Stat (DL/2) UCL		N/A
633												
634		Maximum Likelihood Estimate(MLE) Method				N/A					Log ROS Method	
635		MLE yields a negative mean									Mean in Log Scale	4.498
636											SD in Log Scale	1.906

	A	B	C	D	E	F	G	H	I	J	K	L
637										Mean in Original Scale		1216
638										SD in Original Scale		7285
639										95% Percentile Bootstrap UCL		1618
640										95% BCA Bootstrap UCL		1652
641												
642		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
643				k star (bias corrected)		0.279		Data do not follow a Discernable Distribution (0.05)				
644				Theta Star		4574						
645				nu star		564.6						
646												
647				A-D Test Statistic		126.8		Nonparametric Statistics				
648				5% A-D Critical Value		0.881		Kaplan-Meier (KM) Method				
649				K-S Test Statistic		0.881				Mean		1216
650				5% K-S Critical Value		0.0312				SD		7282
651		Data not Gamma Distributed at 5% Significance Level								SE of Mean		223.6
652										95% KM (t) UCL		1584
653		Assuming Gamma Distribution								95% KM (z) UCL		1584
654		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		1584
655					Minimum		1E-09			95% KM (bootstrap t) UCL		1711
656					Maximum		130000			95% KM (BCA) UCL		1638
657					Mean		1216			95% KM (Percentile Bootstrap) UCL		1610
658					Median		75			95% KM (Chebyshev) UCL		2191
659					SD		7285			97.5% KM (Chebyshev) UCL		2612
660					k star		0.202			99% KM (Chebyshev) UCL		3441
661					Theta star		6029					
662					Nu star		428.3		Potential UCLs to Use			
663					AppChi2		381.3			97.5% KM (Chebyshev) UCL		2612
664				95% Gamma Approximate UCL		1366						
665				95% Adjusted Gamma UCL		1366						
666	Note: DL/2 is not a recommended method.											
667												
668												
669	Lead											
670												
671						General Statistics						
672				Number of Valid Data		1015				Number of Detected Data		1012
673			Number of Distinct Detected Data			476				Number of Non-Detect Data		3
674				Number of Missing Values		77				Percent Non-Detects		0.30%
675												
676			Raw Statistics						Log-transformed Statistics			
677				Minimum Detected		2.2				Minimum Detected		0.788
678				Maximum Detected		13400				Maximum Detected		9.503
679				Mean of Detected		52.23				Mean of Detected		3.064
680				SD of Detected		434.7				SD of Detected		0.874
681				Minimum Non-Detect		5.3				Minimum Non-Detect		1.668
682				Maximum Non-Detect		10				Maximum Non-Detect		2.303
683												
684	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			115
685	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			900
686	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			11.33%
687												
688						UCL Statistics						
689		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				

	A	B	C	D	E	F	G	H	I	J	K	L
690				Lilliefors Test Statistic		0.454				Lilliefors Test Statistic		0.129
691				5% Lilliefors Critical Value		0.0279				5% Lilliefors Critical Value		0.0279
692			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
693												
694			Assuming Normal Distribution						Assuming Lognormal Distribution			
695				DL/2 Substitution Method						DL/2 Substitution Method		
696					Mean	52.09					Mean	3.059
697					SD	434.1					SD	0.878
698				95% DL/2 (t) UCL		74.52				95% H-Stat (DL/2) UCL		N/A
699												
700			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
701					Mean	10.58				Mean in Log Scale		3.059
702					SD	462.9				SD in Log Scale		0.877
703				95% MLE (t) UCL		34.5				Mean in Original Scale		52.09
704				95% MLE (Tiku) UCL		32.7				SD in Original Scale		434.1
705										95% Percentile Bootstrap UCL		78.21
706										95% BCA Bootstrap UCL		93.29
707												
708			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
709				k star (bias corrected)		0.679			Data do not follow a Discernable Distribution (0.05)			
710					Theta Star	76.94						
711					nu star	1374						
712												
713					A-D Test Statistic	9.881E+27			Nonparametric Statistics			
714				5% A-D Critical Value		0.804				Kaplan-Meier (KM) Method		
715					K-S Test Statistic	0.804					Mean	52.09
716				5% K-S Critical Value		0.0299					SD	433.9
717			Data not Gamma Distributed at 5% Significance Level							SE of Mean		13.63
718										95% KM (t) UCL		74.52
719			Assuming Gamma Distribution							95% KM (z) UCL		74.5
720			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		74.52
721					Minimum	1E-09				95% KM (bootstrap t) UCL		131.9
722					Maximum	13400				95% KM (BCA) UCL		80.63
723					Mean	52.07			95% KM (Percentile Bootstrap) UCL			78.01
724					Median	16.7				95% KM (Chebyshev) UCL		111.5
725					SD	434.1				97.5% KM (Chebyshev) UCL		137.2
726					k star	0.637				99% KM (Chebyshev) UCL		187.7
727					Theta star	81.75						
728					Nu star	1293			Potential UCLs to Use			
729					AppChi2	1211				95% KM (BCA) UCL		80.63
730			95% Gamma Approximate UCL			55.62						
731			95% Adjusted Gamma UCL			55.63						
732	Note: DL/2 is not a recommended method.											
733												
734												
735	Mercury											
736												
737					General Statistics							
738			Number of Valid Data			1003				Number of Detected Data		950
739			Number of Distinct Detected Data			303				Number of Non-Detect Data		53
740			Number of Missing Values			89				Percent Non-Detects		5.28%
741												
742			Raw Statistics						Log-transformed Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
743					Minimum Detected	0.007				Minimum Detected		-4.962
744					Maximum Detected	65.2				Maximum Detected		4.177
745					Mean of Detected	0.176				Mean of Detected		-2.586
746					SD of Detected	2.121				SD of Detected		0.793
747					Minimum Non-Detect	0.008				Minimum Non-Detect		-4.828
748					Maximum Non-Detect	0.1				Maximum Non-Detect		-2.303
749												
750	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		737
751	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		266
752	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		73.48%
753												
754					UCL Statistics							
755		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
756					Lilliefors Test Statistic	0.468				Lilliefors Test Statistic		0.103
757					5% Lilliefors Critical Value	0.0287				5% Lilliefors Critical Value		0.0287
758		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
759												
760		Assuming Normal Distribution							Assuming Lognormal Distribution			
761					DL/2 Substitution Method					DL/2 Substitution Method		
762					Mean	0.168				Mean		-2.666
763					SD	2.065				SD		0.865
764					95% DL/2 (t) UCL	0.276				95% H-Stat (DL/2) UCL		N/A
765												
766					Maximum Likelihood Estimate(MLE) Method	N/A				Log ROS Method		
767		MLE yields a negative mean								Mean in Log Scale		-2.65
768										SD in Log Scale		0.829
769										Mean in Original Scale		0.169
770										SD in Original Scale		2.065
771										95% Percentile Bootstrap UCL		0.298
772										95% BCA Bootstrap UCL		0.425
773												
774		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
775					k star (bias corrected)	0.707		Data do not follow a Discernable Distribution (0.05)				
776					Theta Star	0.25						
777					nu star	1343						
778												
779					A-D Test Statistic	1.053E+28			Nonparametric Statistics			
780					5% A-D Critical Value	0.801				Kaplan-Meier (KM) Method		
781					K-S Test Statistic	0.801				Mean		0.169
782					5% K-S Critical Value	0.0311				SD		2.064
783		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.0652
784										95% KM (t) UCL		0.276
785		Assuming Gamma Distribution								95% KM (z) UCL		0.276
786		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.276
787					Minimum	1E-09				95% KM (bootstrap t) UCL		1.412
788					Maximum	65.2				95% KM (BCA) UCL		0.301
789					Mean	0.168				95% KM (Percentile Bootstrap) UCL		0.299
790					Median	0.07				95% KM (Chebyshev) UCL		0.453
791					SD	2.065				97.5% KM (Chebyshev) UCL		0.576
792					k star	0.409				99% KM (Chebyshev) UCL		0.817
793					Theta star	0.411						
794					Nu star	819.7			Potential UCLs to Use			
795					AppChi2	754.2				95% KM (BCA) UCL		0.301

	A	B	C	D	E	F	G	H	I	J	K	L
796				95% Gamma Approximate UCL		0.182						
797				95% Adjusted Gamma UCL		0.182						
798	Note: DL/2 is not a recommended method.											
799												
800												
801	Naphthalene											
802												
803					General Statistics							
804			Number of Valid Data			1066			Number of Detected Data			755
805			Number of Distinct Detected Data			281			Number of Non-Detect Data			311
806				Number of Missing Values		26			Percent Non-Detects			29.17%
807												
808			Raw Statistics						Log-transformed Statistics			
809				Minimum Detected		0.27			Minimum Detected			-1.309
810				Maximum Detected		100000			Maximum Detected			11.51
811				Mean of Detected		709.9			Mean of Detected			3.664
812				SD of Detected		5914			SD of Detected			1.633
813				Minimum Non-Detect		0.43			Minimum Non-Detect			-0.844
814				Maximum Non-Detect		160			Maximum Non-Detect			5.075
815												
816	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			951
817	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			115
818	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			89.21%
819												
820					UCL Statistics							
821		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
822				Lilliefors Test Statistic		0.455			Lilliefors Test Statistic			0.0999
823			5% Lilliefors Critical Value			0.0322			5% Lilliefors Critical Value			0.0322
824		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
825												
826		Assuming Normal Distribution							Assuming Lognormal Distribution			
827				DL/2 Substitution Method					DL/2 Substitution Method			
828					Mean	504.6				Mean		2.914
829					SD	4986				SD		1.943
830				95% DL/2 (t) UCL		756.1			95% H-Stat (DL/2) UCL			N/A
831												
832			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
833		MLE yields a negative mean							Mean in Log Scale			2.765
834									SD in Log Scale			2.03
835									Mean in Original Scale			503.6
836									SD in Original Scale			4987
837									95% Percentile Bootstrap UCL			758.7
838									95% BCA Bootstrap UCL			875
839												
840		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
841				k star (bias corrected)		0.245		Data do not follow a Discernable Distribution (0.05)				
842				Theta Star		2892						
843				nu star		370.7						
844												
845				A-D Test Statistic		1.325E+28			Nonparametric Statistics			
846			5% A-D Critical Value			0.897			Kaplan-Meier (KM) Method			
847				K-S Test Statistic		0.897			Mean			503.8
848			5% K-S Critical Value			0.0378			SD			4984

	A	B	C	D	E	F	G	H	I	J	K	L
849	Data not Gamma Distributed at 5% Significance Level									SE of Mean		152.8
850										95% KM (t) UCL		755.3
851	Assuming Gamma Distribution									95% KM (z) UCL		755
852	Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL		755.2
853					Minimum	1E-09				95% KM (bootstrap t) UCL		899.3
854					Maximum	100000				95% KM (BCA) UCL		790.1
855					Mean	513				95% KM (Percentile Bootstrap) UCL		771
856					Median	18				95% KM (Chebyshev) UCL		1170
857					SD	4986				97.5% KM (Chebyshev) UCL		1458
858					k star	0.0911				99% KM (Chebyshev) UCL		2024
859					Theta star	5628						
860					Nu star	194.3			Potential UCLs to Use			
861					AppChi2	163.1				97.5% KM (Chebyshev) UCL		1458
862			95% Gamma Approximate UCL			611.3						
863			95% Adjusted Gamma UCL			611.4						
864	Note: DL/2 is not a recommended method.											
865												
866												
867	Thallium											
868												
869				General Statistics								
870		Number of Valid Data				190				Number of Detected Data		162
871		Number of Distinct Detected Data				69				Number of Non-Detect Data		28
872		Number of Missing Values				902				Percent Non-Detects		14.74%
873												
874			Raw Statistics						Log-transformed Statistics			
875				Minimum Detected		0.026				Minimum Detected		-3.65
876				Maximum Detected		27				Maximum Detected		3.296
877				Mean of Detected		7.9				Mean of Detected		0.71
878				SD of Detected		7.494				SD of Detected		2.323
879				Minimum Non-Detect		0.051				Minimum Non-Detect		-2.976
880				Maximum Non-Detect		10				Maximum Non-Detect		2.303
881												
882	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			132
883	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			58
884	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			69.47%
885												
886				UCL Statistics								
887		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
888			Lilliefors Test Statistic			0.196				Lilliefors Test Statistic		0.293
889			5% Lilliefors Critical Value			0.0696				5% Lilliefors Critical Value		0.0696
890	Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level					
891												
892		Assuming Normal Distribution							Assuming Lognormal Distribution			
893			DL/2 Substitution Method							DL/2 Substitution Method		
894				Mean		7.11				Mean		0.65
895				SD		7.195				SD		2.246
896			95% DL/2 (t) UCL			7.973				95% H-Stat (DL/2) UCL		39.8
897												
898		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
899				Mean		4.937				Mean in Log Scale		0.37
900				SD		9.746				SD in Log Scale		2.336
901			95% MLE (t) UCL			6.106				Mean in Original Scale		6.784

	A	B	C	D	E	F	G	H	I	J	K	L
902				95% MLE (Tiku) UCL		6.947				SD in Original Scale		7.422
903										95% Percentile Bootstrap UCL		7.739
904										95% BCA Bootstrap UCL		7.746
905												
906			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
907				k star (bias corrected)		0.468			Data do not follow a Discernable Distribution (0.05)			
908				Theta Star		16.89						
909				nu star		151.5						
910												
911				A-D Test Statistic		12.85			Nonparametric Statistics			
912				5% A-D Critical Value		0.827			Kaplan-Meier (KM) Method			
913				K-S Test Statistic		0.827				Mean		6.829
914				5% K-S Critical Value		0.078				SD		7.396
915			Data not Gamma Distributed at 5% Significance Level							SE of Mean		0.54
916										95% KM (t) UCL		7.722
917			Assuming Gamma Distribution							95% KM (z) UCL		7.717
918			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		7.722
919				Minimum		0.026				95% KM (bootstrap t) UCL		7.742
920				Maximum		27				95% KM (BCA) UCL		7.712
921				Mean		7.066			95% KM (Percentile Bootstrap) UCL			7.716
922				Median		6				95% KM (Chebyshev) UCL		9.184
923				SD		7.234				97.5% KM (Chebyshev) UCL		10.2
924				k star		0.493				99% KM (Chebyshev) UCL		12.2
925				Theta star		14.32						
926				Nu star		187.5			Potential UCLs to Use			
927				AppChi2		156.8				97.5% KM (Chebyshev) UCL		10.2
928			95% Gamma Approximate UCL			8.448						
929			95% Adjusted Gamma UCL			8.459						
930	Note: DL/2 is not a recommended method.											
931												
932												
933	Total Aroclors											
934												
935					General Statistics							
936			Number of Valid Data			785				Number of Detected Data		626
937			Number of Distinct Detected Data			572				Number of Non-Detect Data		159
938			Number of Missing Values			307				Percent Non-Detects		20.25%
939												
940			Raw Statistics						Log-transformed Statistics			
941			Minimum Detected			5.136				Minimum Detected		1.636
942			Maximum Detected			30822				Maximum Detected		10.34
943			Mean of Detected			219.9				Mean of Detected		4.101
944			SD of Detected			1290				SD of Detected		1.283
945			Minimum Non-Detect			1.3				Minimum Non-Detect		0.262
946			Maximum Non-Detect			4000				Maximum Non-Detect		8.294
947												
948	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			784
949	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
950	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			99.87%
951												
952					UCL Statistics							
953			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
954				Lilliefors Test Statistic		0.434				Lilliefors Test Statistic		0.106

	A	B	C	D	E	F	G	H	I	J	K	L
955					5% Lilliefors Critical Value	0.0354				5% Lilliefors Critical Value		0.0354
956			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
957												
958			Assuming Normal Distribution						Assuming Lognormal Distribution			
959				DL/2 Substitution Method						DL/2 Substitution Method		
960					Mean	188.7				Mean		3.673
961					SD	1159				SD		1.618
962				95% DL/2 (t) UCL		256.8			95% H-Stat (DL/2) UCL			129.6
963												
964			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
965			MLE method failed to converge properly						Mean in Log Scale			3.66
966									SD in Log Scale			1.502
967									Mean in Original Scale			177.6
968									SD in Original Scale			1155
969									95% Percentile Bootstrap UCL			252.2
970									95% BCA Bootstrap UCL			308.3
971												
972			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
973				k star (bias corrected)		0.491			Data do not follow a Discernable Distribution (0.05)			
974					Theta Star	447.5						
975					nu star	615.3						
976												
977					A-D Test Statistic	1.597E+28			Nonparametric Statistics			
978				5% A-D Critical Value		0.825			Kaplan-Meier (KM) Method			
979				K-S Test Statistic		0.825				Mean		178.7
980				5% K-S Critical Value		0.0397				SD		1155
981			Data not Gamma Distributed at 5% Significance Level							SE of Mean		41.25
982										95% KM (t) UCL		246.6
983			Assuming Gamma Distribution							95% KM (z) UCL		246.6
984			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			246.6
985					Minimum	1E-09			95% KM (bootstrap t) UCL			379
986					Maximum	30822			95% KM (BCA) UCL			262.6
987					Mean	183.3			95% KM (Percentile Bootstrap) UCL			256.1
988					Median	34.15			95% KM (Chebyshev) UCL			358.5
989					SD	1155			97.5% KM (Chebyshev) UCL			436.3
990					k star	0.15			99% KM (Chebyshev) UCL			589.2
991					Theta star	1226						
992					Nu star	234.8			Potential UCLs to Use			
993					AppChi2	200.3			95% KM (Chebyshev) UCL			358.5
994				95% Gamma Approximate UCL		214.8						
995				95% Adjusted Gamma UCL		214.9						
996	Note: DL/2 is not a recommended method.											
997												
998												
999	Total DDT											
1000												
1001					General Statistics							
1002				Number of Valid Data		844			Number of Detected Data			655
1003			Number of Distinct Detected Data			606			Number of Non-Detect Data			189
1004				Number of Missing Values		248			Percent Non-Detects			22.39%
1005												
1006			Raw Statistics						Log-transformed Statistics			
1007				Minimum Detected		0.077				Minimum Detected		-2.564

	A	B	C	D	E	F	G	H	I	J	K	L
1008					Maximum Detected	23000				Maximum Detected		10.04
1009					Mean of Detected	177.3				Mean of Detected		1.499
1010					SD of Detected	1248				SD of Detected		2.179
1011					Minimum Non-Detect	0.0441				Minimum Non-Detect		-3.121
1012					Maximum Non-Detect	41				Maximum Non-Detect		3.714
1013												
1014	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		744
1015	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		100
1016	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		88.15%
1017												
1018							UCL Statistics					
1019		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
1020					Lilliefors Test Statistic	0.444				Lilliefors Test Statistic		0.112
1021					5% Lilliefors Critical Value	0.0346				5% Lilliefors Critical Value		0.0346
1022		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
1023												
1024		Assuming Normal Distribution							Assuming Lognormal Distribution			
1025					DL/2 Substitution Method					DL/2 Substitution Method		
1026					Mean	137.9				Mean		1.078
1027					SD	1102				SD		2.198
1028					95% DL/2 (t) UCL	200.4				95% H-Stat (DL/2) UCL		30.87
1029												
1030					Maximum Likelihood Estimate(MLE) Method	N/A				Log ROS Method		
1031		MLE yields a negative mean								Mean in Log Scale		0.872
1032										SD in Log Scale		2.341
1033										Mean in Original Scale		137.7
1034										SD in Original Scale		1102
1035										95% Percentile Bootstrap UCL		198.3
1036										95% BCA Bootstrap UCL		228
1037												
1038		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
1039					k star (bias corrected)	0.2		Data do not follow a Discernable Distribution (0.05)				
1040					Theta Star	885.6						
1041					nu star	262.2						
1042												
1043					A-D Test Statistic	102.3				Nonparametric Statistics		
1044					5% A-D Critical Value	0.918				Kaplan-Meier (KM) Method		
1045					K-S Test Statistic	0.918				Mean		137.8
1046					5% K-S Critical Value	0.0408				SD		1101
1047		Data not Gamma Distributed at 5% Significance Level								SE of Mean		37.93
1048										95% KM (t) UCL		200.2
1049		Assuming Gamma Distribution								95% KM (z) UCL		200.1
1050		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		200.2
1051					Minimum	1E-09				95% KM (bootstrap t) UCL		251.4
1052					Maximum	23000				95% KM (BCA) UCL		201.8
1053					Mean	137.7				95% KM (Percentile Bootstrap) UCL		205.8
1054					Median	1.637				95% KM (Chebyshev) UCL		303.1
1055					SD	1102				97.5% KM (Chebyshev) UCL		374.6
1056					k star	0.0983				99% KM (Chebyshev) UCL		515.1
1057					Theta star	1400						
1058					Nu star	165.9				Potential UCLs to Use		
1059					AppChi2	137.2				97.5% KM (Chebyshev) UCL		374.6
1060					95% Gamma Approximate UCL	166.6						

	A	B	C	D	E	F	G	H	I	J	K	L
1061				95% Adjusted Gamma UCL		166.6						
1062	Note: DL/2 is not a recommended method.											
1063												
1064												
1065	Total Dioxin/Furan TEQ											
1066												
1067				General Statistics								
1068				Number of Valid Data		158			Number of Detected Data			158
1069				Number of Distinct Detected Data		158			Number of Non-Detect Data			0
1070				Number of Missing Values		882			Percent Non-Detects			0.00%
1071												
1072			Raw Statistics						Log-transformed Statistics			
1073				Minimum Detected		0.0285			Minimum Detected			-3.558
1074				Maximum Detected		14114			Maximum Detected			9.555
1075				Mean of Detected		101.3			Mean of Detected			0.795
1076				SD of Detected		1122			SD of Detected			1.885
1077				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
1078				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
1079												
1080												
1081				UCL Statistics								
1082		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1083				Lilliefors Test Statistic		0.47			Lilliefors Test Statistic			0.0822
1084				5% Lilliefors Critical Value		0.0705			5% Lilliefors Critical Value			0.0705
1085		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
1086												
1087		Assuming Normal Distribution						Assuming Lognormal Distribution				
1088				DL/2 Substitution Method					DL/2 Substitution Method			
1089				Mean		101.3			Mean			0.795
1090				SD		1122			SD			1.885
1091				95% DL/2 (t) UCL		249.1			95% H-Stat (DL/2) UCL			20.74
1092												
1093				Maximum Likelihood Estimate(MLE) Method		N/A			Log ROS Method			
1094		MLE method failed to converge properly							Mean in Log Scale			N/A
1095									SD in Log Scale			N/A
1096									Mean in Original Scale			N/A
1097									SD in Original Scale			N/A
1098									95% Percentile Bootstrap UCL			N/A
1099									95% BCA Bootstrap UCL			N/A
1100												
1101		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1102				k star (bias corrected)		0.194		Data do not follow a Discernable Distribution (0.05)				
1103				Theta Star		522.2						
1104				nu star		61.31						
1105												
1106				A-D Test Statistic		29.7			Nonparametric Statistics			
1107				5% A-D Critical Value		0.923			Kaplan-Meier (KM) Method			
1108				K-S Test Statistic		0.923			Mean			101.3
1109				5% K-S Critical Value		0.0828			SD			1119
1110		Data not Gamma Distributed at 5% Significance Level							SE of Mean			89.3
1111									95% KM (t) UCL			249.1
1112		Assuming Gamma Distribution							95% KM (z) UCL			248.2
1113		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			249.1

	A	B	C	D	E	F	G	H	I	J	K	L
1114					Minimum	0.0285				95% KM (bootstrap t) UCL		4047
1115					Maximum	14114				95% KM (BCA) UCL		283.8
1116					Mean	101.3				95% KM (Percentile Bootstrap) UCL		279.9
1117					Median	1.822				95% KM (Chebyshev) UCL		490.6
1118					SD	1122				97.5% KM (Chebyshev) UCL		659
1119					k star	0.194				99% KM (Chebyshev) UCL		989.8
1120					Theta star	522.2						
1121					Nu star	61.31				Potential UCLs to Use		
1122					AppChi2	44.3				97.5% KM (Chebyshev) UCL		659
1123			95% Gamma Approximate UCL			140.2						
1124			95% Adjusted Gamma UCL			140.6						
1125	Note: DL/2 is not a recommended method.											
1126												
1127												
1128	Total Dioxin-like PCBs											
1129												
1130					General Statistics							
1131			Number of Valid Data			200				Number of Detected Data		200
1132			Number of Distinct Detected Data			200				Number of Non-Detect Data		0
1133			Number of Missing Values			405				Percent Non-Detects		0.00%
1134												
1135			Raw Statistics							Log-transformed Statistics		
1136			Minimum Detected			65.67				Minimum Detected		4.185
1137			Maximum Detected			958845				Maximum Detected		13.77
1138			Mean of Detected			20595				Mean of Detected		7.932
1139			SD of Detected			83139				SD of Detected		1.726
1140			Minimum Non-Detect			N/A				Minimum Non-Detect		N/A
1141			Maximum Non-Detect			N/A				Maximum Non-Detect		N/A
1142												
1143												
1144					UCL Statistics							
1145		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
1146			Lilliefors Test Statistic			0.402				Lilliefors Test Statistic		0.0911
1147			5% Lilliefors Critical Value			0.0626				5% Lilliefors Critical Value		0.0626
1148		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
1149												
1150		Assuming Normal Distribution							Assuming Lognormal Distribution			
1151			DL/2 Substitution Method							DL/2 Substitution Method		
1152					Mean	20595				Mean		7.932
1153					SD	83139				SD		1.726
1154			95% DL/2 (t) UCL			30310				95% H-Stat (DL/2) UCL		17511
1155												
1156			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1157		MLE method failed to converge properly								Mean in Log Scale		N/A
1158										SD in Log Scale		N/A
1159										Mean in Original Scale		N/A
1160										SD in Original Scale		N/A
1161										95% Percentile Bootstrap UCL		N/A
1162										95% BCA Bootstrap UCL		N/A
1163												
1164		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
1165			k star (bias corrected)			0.336			Data do not follow a Discernable Distribution (0.05)			
1166			Theta Star			61250						

	A	B	C	D	E	F	G	H	I	J	K	L
1167					nu star	134.5						
1168												
1169				A-D Test Statistic		20.55			Nonparametric Statistics			
1170				5% A-D Critical Value		0.86			Kaplan-Meier (KM) Method			
1171				K-S Test Statistic		0.86					Mean	20595
1172				5% K-S Critical Value		0.0688					SD	82931
1173		Data not Gamma Distributed at 5% Significance Level									SE of Mean	5879
1174											95% KM (t) UCL	30310
1175			Assuming Gamma Distribution								95% KM (z) UCL	30265
1176			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	30310
1177					Minimum	65.67					95% KM (bootstrap t) UCL	38549
1178					Maximum	958845					95% KM (BCA) UCL	31065
1179					Mean	20595			95% KM (Percentile Bootstrap) UCL			31468
1180					Median	1895					95% KM (Chebyshev) UCL	46220
1181					SD	83139					97.5% KM (Chebyshev) UCL	57308
1182					k star	0.336					99% KM (Chebyshev) UCL	79088
1183					Theta star	61250						
1184					Nu star	134.5			Potential UCLs to Use			
1185					AppChi2	108.7					97.5% KM (Chebyshev) UCL	57308
1186				95% Gamma Approximate UCL		25481						
1187				95% Adjusted Gamma UCL		25521						
1188	Note: DL/2 is not a recommended method.											
1189												
1190												
1191	Total PCB TEQ											
1192												
1193					General Statistics							
1194				Number of Valid Data		200			Number of Detected Data			200
1195				Number of Distinct Detected Data		200			Number of Non-Detect Data			0
1196				Number of Missing Values		405			Percent Non-Detects			0.00%
1197												
1198				Raw Statistics					Log-transformed Statistics			
1199				Minimum Detected		0.0518			Minimum Detected			-2.96
1200				Maximum Detected		239.2			Maximum Detected			5.477
1201				Mean of Detected		6.567			Mean of Detected			0.233
1202				SD of Detected		23.2			SD of Detected			1.517
1203				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
1204				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
1205												
1206												
1207					UCL Statistics							
1208			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1209				Lilliefors Test Statistic		0.389			Lilliefors Test Statistic			0.112
1210				5% Lilliefors Critical Value		0.0626			5% Lilliefors Critical Value			0.0626
1211			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
1212												
1213			Assuming Normal Distribution						Assuming Lognormal Distribution			
1214				DL/2 Substitution Method					DL/2 Substitution Method			
1215					Mean	6.567					Mean	0.233
1216					SD	23.2					SD	1.517
1217				95% DL/2 (t) UCL		9.278			95% H-Stat (DL/2) UCL			5.295
1218												
1219			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			

	A	B	C	D	E	F	G	H	I	J	K	L
1220	MLE method failed to converge properly									Mean in Log Scale		N/A
1221										SD in Log Scale		N/A
1222										Mean in Original Scale		N/A
1223										SD in Original Scale		N/A
1224										95% Percentile Bootstrap UCL		N/A
1225										95% BCA Bootstrap UCL		N/A
1226												
1227	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
1228	k star (bias corrected)					0.396	Data do not follow a Discernable Distribution (0.05)					
1229	Theta Star					16.56						
1230	nu star					158.6						
1231												
1232	A-D Test Statistic					20.65	Nonparametric Statistics					
1233	5% A-D Critical Value					0.845				Kaplan-Meier (KM) Method		
1234	K-S Test Statistic					0.845				Mean		6.567
1235	5% K-S Critical Value					0.0682				SD		23.14
1236	Data not Gamma Distributed at 5% Significance Level									SE of Mean		1.64
1237										95% KM (t) UCL		9.278
1238	Assuming Gamma Distribution									95% KM (z) UCL		9.265
1239	Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL		9.278
1240	Minimum					0.0518				95% KM (bootstrap t) UCL		11.25
1241	Maximum					239.2				95% KM (BCA) UCL		9.495
1242	Mean					6.567				95% KM (Percentile Bootstrap) UCL		9.387
1243	Median					0.838				95% KM (Chebyshev) UCL		13.72
1244	SD					23.2				97.5% KM (Chebyshev) UCL		16.81
1245	k star					0.396				99% KM (Chebyshev) UCL		22.89
1246	Theta star					16.56						
1247	Nu star					158.6	Potential UCLs to Use					
1248	AppChi2					130.5				97.5% KM (Chebyshev) UCL		16.81
1249	95% Gamma Approximate UCL					7.982						
1250	95% Adjusted Gamma UCL					7.994						
1251	Note: DL/2 is not a recommended method.											
1252												
1253												
1254	Total PCB_Congeners											
1255												
1256	General Statistics											
1257	Number of Valid Data					200			Number of Detected Data			200
1258	Number of Distinct Detected Data					200			Number of Non-Detect Data			0
1259	Number of Missing Values					405			Percent Non-Detects			0.00%
1260												
1261	Raw Statistics						Log-transformed Statistics					
1262	Minimum Detected					1834			Minimum Detected			7.514
1263	Maximum Detected					35440913			Maximum Detected			17.38
1264	Mean of Detected					558926			Mean of Detected			11.02
1265	SD of Detected					2824271			SD of Detected			1.754
1266	Minimum Non-Detect					N/A			Minimum Non-Detect			N/A
1267	Maximum Non-Detect					N/A			Maximum Non-Detect			N/A
1268												
1269												
1270	UCL Statistics											
1271	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
1272	Lilliefors Test Statistic					0.422			Lilliefors Test Statistic			0.0908

	A	B	C	D	E	F	G	H	I	J	K	L
1273					5% Lilliefors Critical Value	0.0626				5% Lilliefors Critical Value		0.0626
1274			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
1275												
1276			Assuming Normal Distribution						Assuming Lognormal Distribution			
1277				DL/2 Substitution Method						DL/2 Substitution Method		
1278					Mean	558926					Mean	11.02
1279					SD	2824271					SD	1.754
1280				95% DL/2 (t) UCL		888950				95% H-Stat (DL/2) UCL		404889
1281												
1282			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1283			MLE method failed to converge properly							Mean in Log Scale		N/A
1284										SD in Log Scale		N/A
1285										Mean in Original Scale		N/A
1286										SD in Original Scale		N/A
1287										95% Percentile Bootstrap UCL		N/A
1288										95% BCA Bootstrap UCL		N/A
1289												
1290			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1291					k star (bias corrected)	0.308			Data do not follow a Discernable Distribution (0.05)			
1292					Theta Star	1814808						
1293					nu star	123.2						
1294												
1295					A-D Test Statistic	22.57			Nonparametric Statistics			
1296					5% A-D Critical Value	0.867				Kaplan-Meier (KM) Method		
1297					K-S Test Statistic	0.867					Mean	558926
1298					5% K-S Critical Value	0.069					SD	2817201
1299			Data not Gamma Distributed at 5% Significance Level							SE of Mean		199706
1300										95% KM (t) UCL		888950
1301			Assuming Gamma Distribution							95% KM (z) UCL		887413
1302			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		888950
1303					Minimum	1834				95% KM (bootstrap t) UCL		1346308
1304					Maximum	35440913				95% KM (BCA) UCL		931288
1305					Mean	558926				95% KM (Percentile Bootstrap) UCL		924388
1306					Median	47340				95% KM (Chebyshev) UCL		1429425
1307					SD	2824271				97.5% KM (Chebyshev) UCL		1806090
1308					k star	0.308				99% KM (Chebyshev) UCL		2545977
1309					Theta star	1814808						
1310					Nu star	123.2			Potential UCLs to Use			
1311					AppChi2	98.56				97.5% KM (Chebyshev) UCL		1806090
1312				95% Gamma Approximate UCL		698617						
1313				95% Adjusted Gamma UCL		699744						
1314	Note: DL/2 is not a recommended method.											
1315												
1316												
1317	Total PCBs, Adjusted											
1318												
1319					General Statistics							
1320				Number of Valid Data		200				Number of Detected Data		200
1321			Number of Distinct Detected Data			200				Number of Non-Detect Data		0
1322				Number of Missing Values		405				Percent Non-Detects		0.00%
1323												
1324			Raw Statistics						Log-transformed Statistics			
1325					Minimum Detected	1768				Minimum Detected		7.478

	A	B	C	D	E	F	G	H	I	J	K	L
1326					Maximum Detected	34482068				Maximum Detected		17.36
1327					Mean of Detected	538331				Mean of Detected		10.96
1328					SD of Detected	2745805				SD of Detected		1.756
1329					Minimum Non-Detect	N/A				Minimum Non-Detect		N/A
1330					Maximum Non-Detect	N/A				Maximum Non-Detect		N/A
1331												
1332												
1333					UCL Statistics							
1334			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1335					Lilliefors Test Statistic	0.423				Lilliefors Test Statistic		0.0942
1336					5% Lilliefors Critical Value	0.0626				5% Lilliefors Critical Value		0.0626
1337			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
1338												
1339			Assuming Normal Distribution						Assuming Lognormal Distribution			
1340					DL/2 Substitution Method					DL/2 Substitution Method		
1341					Mean	538331				Mean		10.96
1342					SD	2745805				SD		1.756
1343					95% DL/2 (t) UCL	859186				95% H-Stat (DL/2) UCL		386101
1344												
1345					Maximum Likelihood Estimate(MLE) Method	N/A				Log ROS Method		
1346			MLE method failed to converge properly							Mean in Log Scale		N/A
1347										SD in Log Scale		N/A
1348										Mean in Original Scale		N/A
1349										SD in Original Scale		N/A
1350										95% Percentile Bootstrap UCL		N/A
1351										95% BCA Bootstrap UCL		N/A
1352												
1353			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1354					k star (bias corrected)	0.306	Data do not follow a Discernable Distribution (0.05)					
1355					Theta Star	1757131						
1356					nu star	122.5						
1357												
1358					A-D Test Statistic	22.7			Nonparametric Statistics			
1359					5% A-D Critical Value	0.867				Kaplan-Meier (KM) Method		
1360					K-S Test Statistic	0.867				Mean		538331
1361					5% K-S Critical Value	0.0691				SD		2738932
1362			Data not Gamma Distributed at 5% Significance Level							SE of Mean		194158
1363										95% KM (t) UCL		859186
1364			Assuming Gamma Distribution							95% KM (z) UCL		857693
1365			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		859186
1366					Minimum	1768				95% KM (bootstrap t) UCL		1357606
1367					Maximum	34482068				95% KM (BCA) UCL		937952
1368					Mean	538331				95% KM (Percentile Bootstrap) UCL		886438
1369					Median	44699				95% KM (Chebyshev) UCL		1384646
1370					SD	2745805				97.5% KM (Chebyshev) UCL		1750846
1371					k star	0.306				99% KM (Chebyshev) UCL		2470177
1372					Theta star	1757131						
1373					Nu star	122.5			Potential UCLs to Use			
1374					AppChi2	97.98				97.5% KM (Chebyshev) UCL		1750846
1375					95% Gamma Approximate UCL	673295						
1376					95% Adjusted Gamma UCL	674384						
1377	Note: DL/2 is not a recommended method.											
1378												

Total TEQ

<p style="text-align:center">**General Statistics**</p>

			Number of Valid Data		89				Number of Detected Data		89
			Number of Distinct Detected Data		89				Number of Non-Detect Data		0
			Number of Missing Values		516				Percent Non-Detects		0.00%

			Raw Statistics						**Log-transformed Statistics**		
			Minimum Detected		0.241				Minimum Detected		-1.422
			Maximum Detected		14123				Maximum Detected		9.556
			Mean of Detected		174				Mean of Detected		1.477
			SD of Detected		1496				SD of Detected		1.728
			Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
			Maximum Non-Detect		N/A				Maximum Non-Detect		N/A

<p style="text-align:center">**UCL Statistics**</p>

		Normal Distribution Test with Detected Values Only						**Lognormal Distribution Test with Detected Values Only**			
			Lilliefors Test Statistic		0.478				Lilliefors Test Statistic		0.123
			5% Lilliefors Critical Value		0.0939				5% Lilliefors Critical Value		0.0939
		Data not Normal at 5% Significance Level						**Data not Lognormal at 5% Significance Level**			

		Assuming Normal Distribution						**Assuming Lognormal Distribution**			
			DL/2 Substitution Method						DL/2 Substitution Method		
			Mean		174				Mean		1.477
			SD		1496				SD		1.728
			95% DL/2 (t) UCL		437.5				95% H-Stat (DL/2) UCL		33.94
			Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
		MLE method failed to converge properly							Mean in Log Scale		N/A
									SD in Log Scale		N/A
									Mean in Original Scale		N/A
									SD in Original Scale		N/A
									95% Percentile Bootstrap UCL		N/A
									95% BCA Bootstrap UCL		N/A

		Gamma Distribution Test with Detected Values Only						**Data Distribution Test with Detected Values Only**			
			k star (bias corrected)		0.201			**Data do not follow a Discernable Distribution (0.05)**			
			Theta Star		866.9							
			nu star		35.72							
			A-D Test Statistic		18.75				**Nonparametric Statistics**		
			5% A-D Critical Value		0.911				Kaplan-Meier (KM) Method		
			K-S Test Statistic		0.911				Mean		174
			5% K-S Critical Value		0.105				SD		1487
		Data not Gamma Distributed at 5% Significance Level							SE of Mean		158.6
									95% KM (t) UCL		437.5
		Assuming Gamma Distribution							95% KM (z) UCL		434.8
		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		437.5
			Minimum		0.241				95% KM (bootstrap t) UCL		9458
			Maximum		14123				95% KM (BCA) UCL		494.1
			Mean		174				95% KM (Percentile Bootstrap) UCL		490.6

	A	B	C	D	E	F	G	H	I	J	K	L
1432					Median	2.755			95% KM (Chebyshev) UCL			865.1
1433					SD	1496			97.5% KM (Chebyshev) UCL			1164
1434					k star	0.201			99% KM (Chebyshev) UCL			1752
1435					Theta star	866.9						
1436					Nu star	35.72			Potential UCLs to Use			
1437					AppChi2	23.04			97.5% KM (Chebyshev) UCL			1164
1438				95% Gamma Approximate UCL		269.7						
1439				95% Adjusted Gamma UCL		271.6						
1440	Note: DL/2 is not a recommended method.											
1441												
1442												
1443	Tributyltin ion											
1444												
1445					General Statistics							
1446			Number of Valid Data			236			Number of Detected Data			223
1447		Number of Distinct Detected Data				147			Number of Non-Detect Data			13
1448			Number of Missing Values			856			Percent Non-Detects			5.51%
1449												
1450			Raw Statistics						Log-transformed Statistics			
1451				Minimum Detected		0.45			Minimum Detected			-0.799
1452				Maximum Detected		47000			Maximum Detected			10.76
1453				Mean of Detected		642.9			Mean of Detected			3.489
1454				SD of Detected		4459			SD of Detected			2.014
1455				Minimum Non-Detect		0.079			Minimum Non-Detect			-2.538
1456				Maximum Non-Detect		5.8			Maximum Non-Detect			1.758
1457												
1458	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			51
1459	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			185
1460	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			21.61%
1461												
1462					UCL Statistics							
1463		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1464				Lilliefors Test Statistic		0.448			Lilliefors Test Statistic			0.0688
1465				5% Lilliefors Critical Value		0.0593			5% Lilliefors Critical Value			0.0593
1466		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
1467												
1468		Assuming Normal Distribution						Assuming Lognormal Distribution				
1469				DL/2 Substitution Method					DL/2 Substitution Method			
1470					Mean	607.6			Mean			3.268
1471					SD	4336			SD			2.19
1472				95% DL/2 (t) UCL		1074			95% H-Stat (DL/2) UCL			382.1
1473												
1474		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
1475		MLE yields a negative mean							Mean in Log Scale			3.268
1476									SD in Log Scale			2.172
1477									Mean in Original Scale			607.5
1478									SD in Original Scale			4336
1479									95% Percentile Bootstrap UCL			1090
1480									95% BCA Bootstrap UCL			1350
1481												
1482		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1483				k star (bias corrected)		0.24			Data do not follow a Discernable Distribution (0.05)			
1484				Theta Star		2680						

	A	B	C	D	E	F	G	H	I	J	K	L
1485					nu star	107						
1486												
1487				A-D Test Statistic		27.93			**Nonparametric Statistics**			
1488				5% A-D Critical Value		0.897			Kaplan-Meier (KM) Method			
1489				K-S Test Statistic		0.897					Mean	607.6
1490				5% K-S Critical Value		0.067					SD	4327
1491		**Data not Gamma Distributed at 5% Significance Level**									SE of Mean	282.3
1492											95% KM (t) UCL	1074
1493		**Assuming Gamma Distribution**									95% KM (z) UCL	1072
1494		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	1074
1495					Minimum	1E-09					95% KM (bootstrap t) UCL	2951
1496					Maximum	47000					95% KM (BCA) UCL	1145
1497					Mean	607.5				95% KM (Percentile Bootstrap) UCL		1143
1498					Median	23					95% KM (Chebyshev) UCL	1838
1499					SD	4336					97.5% KM (Chebyshev) UCL	2370
1500					k star	0.177					99% KM (Chebyshev) UCL	3416
1501					Theta star	3433						
1502					Nu star	83.53			**Potential UCLs to Use**			
1503					AppChi2	63.46					97.5% KM (Chebyshev) UCL	2370
1504				95% Gamma Approximate UCL		799.5						
1505				95% Adjusted Gamma UCL		800.9						
1506	**Note: DL/2 is not a recommended method.**											
1507												

Surface Water

Transients

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	W005								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Arsenicdissolved											
10												
11							General Statistics					
12				Number of Valid Data		7			Number of Detected Data			6
13			Number of Distinct Detected Data			6			Number of Non-Detect Data			1
14									Percent Non-Detects			14.29%
15												
16			Raw Statistics					Log-transformed Statistics				
17				Minimum Detected		0.2			Minimum Detected			-1.609
18				Maximum Detected		0.48			Maximum Detected			-0.734
19				Mean of Detected		0.313			Mean of Detected			-1.214
20				SD of Detected		0.11			SD of Detected			0.35
21				Minimum Non-Detect		0.397			Minimum Non-Detect			-0.925
22				Maximum Non-Detect		0.397			Maximum Non-Detect			-0.925
23												
24												
25					Warning: There are only 6 Detected Values in this data							
26				Note: It should be noted that even though bootstrap may be performed on this data set								
27				the resulting calculations may not be reliable enough tp draw conclusions								
28												
29			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.										
30												
31												
32							UCL Statistics					
33		Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only					
34				Shapiro Wilk Test Statistic		0.931			Shapiro Wilk Test Statistic			0.942
35			5% Shapiro Wilk Critical Value			0.788			5% Shapiro Wilk Critical Value			0.788
36		Data appear Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level					
37												
38		Assuming Normal Distribution					Assuming Lognormal Distribution					
39				DL/2 Substitution Method					DL/2 Substitution Method			
40					Mean	0.296				Mean		-1.272
41					SD	0.109				SD		0.354
42				95% DL/2 (t) UCL		0.377			95% H-Stat (DL/2) UCL			0.414
43												
44			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
45		MLE method failed to converge properly							Mean in Log Scale			-1.227
46									SD in Log Scale			0.321
47									Mean in Original Scale			0.307
48									SD in Original Scale			0.102
49									95% Percentile Bootstrap UCL			0.366
50									95% BCA Bootstrap UCL			0.375
51												
52		Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only					
53			k star (bias corrected)			5.085		Data appear Normal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
54					Theta Star	0.0615						
55					nu star	61.02						
56												
57				A-D Test Statistic		0.259			Nonparametric Statistics			
58				5% A-D Critical Value		0.698			Kaplan-Meier (KM) Method			
59				K-S Test Statistic		0.698					Mean	0.308
60				5% K-S Critical Value		0.332					SD	0.0977
61	Data appear Gamma Distributed at 5% Significance Level										SE of Mean	0.0424
62											95% KM (t) UCL	0.39
63	Assuming Gamma Distribution										95% KM (z) UCL	0.377
64	Gamma ROS Statistics using Extrapolated Data										95% KM (jackknife) UCL	0.391
65					Minimum	0.2					95% KM (bootstrap t) UCL	0.423
66					Maximum	0.48					95% KM (BCA) UCL	0.371
67					Mean	0.314			95% KM (Percentile Bootstrap) UCL			0.375
68					Median	0.322					95% KM (Chebyshev) UCL	0.492
69					SD	0.1					97.5% KM (Chebyshev) UCL	0.572
70					k star	6.705					99% KM (Chebyshev) UCL	0.729
71					Theta star	0.0468						
72					Nu star	93.87			Potential UCLs to Use			
73					AppChi2	72.52					95% KM (t) UCL	0.39
74				95% Gamma Approximate UCL		0.406			95% KM (Percentile Bootstrap) UCL			0.375
75				95% Adjusted Gamma UCL		0.441						
76	Note: DL/2 is not a recommended method.											
77												
78												
79	Arsenictotal											
80												
81						General Statistics						
82			Number of Valid Observations			7				Number of Distinct Observations		7
83												
84		Raw Statistics							Log-transformed Statistics			
85					Minimum	0.317				Minimum of Log Data		-1.15
86					Maximum	0.55				Maximum of Log Data		-0.598
87					Mean	0.456				Mean of log Data		-0.8
88					Median	0.461				SD of log Data		0.193
89					SD	0.0822						
90				Coefficient of Variation		0.18						
91					Skewness	-0.67						
92												
93												
94	Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
95												
96	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
97	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
98												
99												
100	Warning: There are only 7 Values in this data											
101	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
102	the resulting calculations may not be reliable enough to draw conclusions											
103												
104	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
105												
106	Relevant UCL Statistics											

	A	B	C	D	E	F	G	H	I	J	K	L
107			**Normal Distribution Test**						**Lognormal Distribution Test**			
108				Shapiro Wilk Test Statistic		0.943				Shapiro Wilk Test Statistic		0.916
109				Shapiro Wilk Critical Value		0.803				Shapiro Wilk Critical Value		0.803
110		**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
111												
112			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
113				95% Student's-t UCL		0.517				95% H-UCL		0.535
114		**95% UCLs (Adjusted for Skewness)**							95% Chebyshev (MVUE) UCL			0.602
115				95% Adjusted-CLT UCL		0.499			97.5% Chebyshev (MVUE) UCL			0.665
116				95% Modified-t UCL		0.515				99% Chebyshev (MVUE) UCL		0.789
117												
118			**Gamma Distribution Test**						**Data Distribution**			
119				k star (bias corrected)		18.93		**Data appear Normal at 5% Significance Level**				
120				Theta Star		0.0241						
121				nu star		265						
122			Approximate Chi Square Value (.05)			228.3			**Nonparametric Statistics**			
123				Adjusted Level of Significance		0.0158				95% CLT UCL		0.507
124				Adjusted Chi Square Value		217.9				95% Jackknife UCL		0.517
125									95% Standard Bootstrap UCL			0.503
126				Anderson-Darling Test Statistic		0.307				95% Bootstrap-t UCL		0.508
127			Anderson-Darling 5% Critical Value			0.707				95% Hall's Bootstrap UCL		0.498
128			Kolmogorov-Smirnov Test Statistic			0.216			95% Percentile Bootstrap UCL			0.501
129			Kolmogorov-Smirnov 5% Critical Value			0.311				95% BCA Bootstrap UCL		0.499
130		**Data appear Gamma Distributed at 5% Significance Level**							95% Chebyshev(Mean, Sd) UCL			0.592
131									97.5% Chebyshev(Mean, Sd) UCL			0.65
132			**Assuming Gamma Distribution**						99% Chebyshev(Mean, Sd) UCL			0.766
133				95% Approximate Gamma UCL		0.53						
134				95% Adjusted Gamma UCL		0.555						
135												
136		**Potential UCL to Use**							Use 95% Student's-t UCL			0.517
137												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	W011								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Arsenictotal											
10												
11						General Statistics						
12			Number of Valid Data			6			Number of Detected Data			5
13		Number of Distinct Detected Data				5			Number of Non-Detect Data			1
14									Percent Non-Detects			16.67%
15												
16			Raw Statistics						Log-transformed Statistics			
17			Minimum Detected			0.337			Minimum Detected			-1.089
18			Maximum Detected			0.5			Maximum Detected			-0.693
19			Mean of Detected			0.421			Mean of Detected			-0.876
20			SD of Detected			0.0679			SD of Detected			0.165
21			Minimum Non-Detect			0.435			Minimum Non-Detect			-0.834
22			Maximum Non-Detect			0.435			Maximum Non-Detect			-0.834
23												
24												
25					Warning: There are only 5 Detected Values in this data							
26				Note: It should be noted that even though bootstrap may be performed on this data set								
27				the resulting calculations may not be reliable enough tp draw conclusions								
28												
29			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.										
30												
31												
32						UCL Statistics						
33		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
34			Shapiro Wilk Test Statistic			0.926			Shapiro Wilk Test Statistic			0.917
35			5% Shapiro Wilk Critical Value			0.762			5% Shapiro Wilk Critical Value			0.762
36		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
37												
38		Assuming Normal Distribution						Assuming Lognormal Distribution				
39			DL/2 Substitution Method						DL/2 Substitution Method			
40				Mean		0.387				Mean		-0.985
41				SD		0.103				SD		0.304
42			95% DL/2 (t) UCL			0.472			95% H-Stat (DL/2) UCL			0.512
43												
44		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
45				Mean		0.435			Mean in Log Scale			-0.903
46				SD		0.0402			SD in Log Scale			0.162
47			95% MLE (t) UCL			0.468			Mean in Original Scale			0.41
48			95% MLE (Tiku) UCL			0.476			SD in Original Scale			0.0663
49									95% Percentile Bootstrap UCL			0.453
50									95% BCA Bootstrap UCL			0.451
51												
52		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
53			k star (bias corrected)			18.78			Data appear Normal at 5% Significance Level			

	A	B	C	D	E	F	G	H	I	J	K	L
54					Theta Star	0.0224						
55					nu star	187.8						
56												
57				A-D Test Statistic		0.356		**Nonparametric Statistics**				
58				5% A-D Critical Value		0.678			Kaplan-Meier (KM) Method			
59				K-S Test Statistic		0.678					Mean	0.409
60				5% K-S Critical Value		0.357					SD	0.0615
61	**Data appear Gamma Distributed at 5% Significance Level**										SE of Mean	0.0283
62											95% KM (t) UCL	0.466
63	**Assuming Gamma Distribution**										95% KM (z) UCL	0.456
64	Gamma ROS Statistics using Extrapolated Data										95% KM (jackknife) UCL	0.466
65					Minimum	0.337					95% KM (bootstrap t) UCL	0.464
66					Maximum	0.5					95% KM (BCA) UCL	0.463
67					Mean	0.415			95% KM (Percentile Bootstrap) UCL			0.461
68					Median	0.416				95% KM (Chebyshev) UCL		0.532
69					SD	0.0624				97.5% KM (Chebyshev) UCL		0.586
70					k star	26.54				99% KM (Chebyshev) UCL		0.691
71					Theta star	0.0156						
72					Nu star	318.5		**Potential UCLs to Use**				
73					AppChi2	278.1					95% KM (t) UCL	0.466
74				95% Gamma Approximate UCL		0.475			95% KM (Percentile Bootstrap) UCL			0.461
75				95% Adjusted Gamma UCL		0.5						
76	**Note: DL/2 is not a recommended method.**											
77												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	W023								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6	Number of Bootstrap Operations			2000								
7												
8												
9	Arsenicdissolved											
10												
11						General Statistics						
12			Number of Valid Data			9			Number of Detected Data			8
13		Number of Distinct Detected Data				7			Number of Non-Detect Data			1
14									Percent Non-Detects			11.11%
15												
16			Raw Statistics						Log-transformed Statistics			
17			Minimum Detected			0.207			Minimum Detected			-1.575
18			Maximum Detected			0.433			Maximum Detected			-0.836
19			Mean of Detected			0.294			Mean of Detected			-1.275
20			SD of Detected			0.101			SD of Detected			0.334
21			Minimum Non-Detect			0.378			Minimum Non-Detect			-0.974
22			Maximum Non-Detect			0.378			Maximum Non-Detect			-0.974
23												
24												
25					Warning: There are only 8 Detected Values in this data							
26				Note: It should be noted that even though bootstrap may be performed on this data set								
27				the resulting calculations may not be reliable enough tp draw conclusions								
28												
29			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
30												
31												
32						UCL Statistics						
33		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
34			Shapiro Wilk Test Statistic			0.793			Shapiro Wilk Test Statistic			0.794
35			5% Shapiro Wilk Critical Value			0.818			5% Shapiro Wilk Critical Value			0.818
36		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
37												
38		Assuming Normal Distribution						Assuming Lognormal Distribution				
39			DL/2 Substitution Method						DL/2 Substitution Method			
40				Mean		0.282				Mean		-1.319
41				SD		0.101				SD		0.339
42			95% DL/2 (t) UCL			0.344			95% H-Stat (DL/2) UCL			0.362
43												
44		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
45		MLE method failed to converge properly							Mean in Log Scale			-1.289
46									SD in Log Scale			0.315
47									Mean in Original Scale			0.289
48									SD in Original Scale			0.0956
49									95% Percentile Bootstrap UCL			0.342
50									95% BCA Bootstrap UCL			0.346
51												
52		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
53			k star (bias corrected)			6.444		Data do not follow a Discernable Distribution (0.05)				

	A	B	C	D	E	F	G	H	I	J	K	L
54					Theta Star	0.0456						
55					nu star	103.1						
56												
57				A-D Test Statistic		0.811			Nonparametric Statistics			
58				5% A-D Critical Value		0.715				Kaplan-Meier (KM) Method		
59				K-S Test Statistic		0.715					Mean	0.289
60				5% K-S Critical Value		0.294					SD	0.0922
61			Data not Gamma Distributed at 5% Significance Level								SE of Mean	0.0337
62											95% KM (t) UCL	0.351
63			Assuming Gamma Distribution								95% KM (z) UCL	0.344
64			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	0.351
65					Minimum	0.207					95% KM (bootstrap t) UCL	0.362
66					Maximum	0.433					95% KM (BCA) UCL	0.346
67					Mean	0.293				95% KM (Percentile Bootstrap) UCL		0.341
68					Median	0.289					95% KM (Chebyshev) UCL	0.435
69					SD	0.0944					97.5% KM (Chebyshev) UCL	0.499
70					k star	7.691					99% KM (Chebyshev) UCL	0.624
71					Theta star	0.0381						
72					Nu star	138.4			Potential UCLs to Use			
73					AppChi2	112.2					95% KM (Chebyshev) UCL	0.435
74			95% Gamma Approximate UCL			0.361						
75			95% Adjusted Gamma UCL			0.378						
76			Warning: Recommended UCL exceeds the maximum observation									
77	Note: DL/2 is not a recommended method.											
78												
79												
80	Arsenictotal											
81												
82					General Statistics							
83			Number of Valid Data			9				Number of Detected Data		8
84			Number of Distinct Detected Data			8				Number of Non-Detect Data		1
85										Percent Non-Detects		11.11%
86												
87			Raw Statistics						Log-transformed Statistics			
88				Minimum Detected		0.307				Minimum Detected		-1.181
89				Maximum Detected		0.54				Maximum Detected		-0.616
90				Mean of Detected		0.421				Mean of Detected		-0.885
91				SD of Detected		0.0878				SD of Detected		0.218
92				Minimum Non-Detect		0.408				Minimum Non-Detect		-0.897
93				Maximum Non-Detect		0.408				Maximum Non-Detect		-0.897
94												
95												
96				Warning: There are only 8 Detected Values in this data								
97				Note: It should be noted that even though bootstrap may be performed on this data set								
98				the resulting calculations may not be reliable enough tp draw conclusions								
99												
100			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
101												
102												
103					UCL Statistics							
104			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
105				Shapiro Wilk Test Statistic		0.902				Shapiro Wilk Test Statistic		0.885
106				5% Shapiro Wilk Critical Value		0.818				5% Shapiro Wilk Critical Value		0.818

	A	B	C	D	E	F	G	H	I	J	K	L
107	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
108												
109	Assuming Normal Distribution						Assuming Lognormal Distribution					
110	DL/2 Substitution Method						DL/2 Substitution Method					
111	Mean					0.397	Mean					-0.963
112	SD					0.11	SD					0.311
113	95% DL/2 (t) UCL					0.465	95% H-Stat (DL/2) UCL					0.474
114												
115	Maximum Likelihood Estimate(MLE) Method						Log ROS Method					
116	Mean					0.425	Mean in Log Scale					-0.908
117	SD					0.0733	SD in Log Scale					0.216
118	95% MLE (t) UCL					0.47	Mean in Original Scale					0.412
119	95% MLE (Tiku) UCL					0.478	SD in Original Scale					0.0872
120							95% Percentile Bootstrap UCL					0.458
121							95% BCA Bootstrap UCL					0.457
122												
123	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
124	k star (bias corrected)					15.71	Data appear Normal at 5% Significance Level					
125	Theta Star					0.0268						
126	nu star					251.4						
127												
128	A-D Test Statistic					0.491	Nonparametric Statistics					
129	5% A-D Critical Value					0.716	Kaplan-Meier (KM) Method					
130	K-S Test Statistic					0.716	Mean					0.41
131	5% K-S Critical Value					0.294	SD					0.0836
132	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					0.0299
133							95% KM (t) UCL					0.466
134	Assuming Gamma Distribution						95% KM (z) UCL					0.46
135	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					0.466
136	Minimum					0.307	95% KM (bootstrap t) UCL					0.463
137	Maximum					0.54	95% KM (BCA) UCL					0.46
138	Mean					0.414	95% KM (Percentile Bootstrap) UCL					0.46
139	Median					0.426	95% KM (Chebyshev) UCL					0.541
140	SD					0.0847	97.5% KM (Chebyshev) UCL					0.597
141	k star					17.65	99% KM (Chebyshev) UCL					0.708
142	Theta star					0.0235						
143	Nu star					317.7	Potential UCLs to Use					
144	AppChi2					277.4	95% KM (t) UCL					0.466
145	95% Gamma Approximate UCL					0.475	95% KM (Percentile Bootstrap) UCL					0.46
146	95% Adjusted Gamma UCL					0.489						
147	Note: DL/2 is not a recommended method.											
148												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	Study Area Wide								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Arsenicdissolved											
10												
11							General Statistics					
12				Number of Valid Data		26			Number of Detected Data			21
13		Number of Distinct Detected Data				19			Number of Non-Detect Data			5
14									Percent Non-Detects			19.23%
15												
16				Raw Statistics					Log-transformed Statistics			
17				Minimum Detected		0.197			Minimum Detected			-1.623
18				Maximum Detected		0.567			Maximum Detected			-0.568
19				Mean of Detected		0.315			Mean of Detected			-1.215
20				SD of Detected		0.113			SD of Detected			0.349
21				Minimum Non-Detect		0.378			Minimum Non-Detect			-0.974
22				Maximum Non-Detect		0.452			Maximum Non-Detect			-0.794
23												
24	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			24
25	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
26	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			92.31%
27												
28							UCL Statistics					
29		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
30				Shapiro Wilk Test Statistic		0.887			Shapiro Wilk Test Statistic			0.894
31				5% Shapiro Wilk Critical Value		0.908			5% Shapiro Wilk Critical Value			0.908
32		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
33												
34		Assuming Normal Distribution						Assuming Lognormal Distribution				
35				DL/2 Substitution Method					DL/2 Substitution Method			
36				Mean		0.293			Mean			-1.289
37				SD		0.111			SD			0.35
38				95% DL/2 (t) UCL		0.33			95% H-Stat (DL/2) UCL			0.337
39												
40				Maximum Likelihood Estimate(MLE) Method		N/A			Log ROS Method			
41		MLE method failed to converge properly							Mean in Log Scale			-1.24
42									SD in Log Scale			0.318
43									Mean in Original Scale			0.304
44									SD in Original Scale			0.103
45									95% Percentile Bootstrap UCL			0.339
46									95% BCA Bootstrap UCL			0.34
47												
48		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
49				k star (bias corrected)		7.438		Data do not follow a Discernable Distribution (0.05)				
50				Theta Star		0.0423						
51				nu star		312.4						
52												
53				A-D Test Statistic		0.895			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
54				5% A-D Critical Value		0.743			Kaplan-Meier (KM) Method			
55				K-S Test Statistic		0.743					Mean	0.304
56				5% K-S Critical Value		0.19					SD	0.105
57			Data not Gamma Distributed at 5% Significance Level								SE of Mean	0.0221
58											95% KM (t) UCL	0.342
59			Assuming Gamma Distribution								95% KM (z) UCL	0.34
60			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	0.342
61				Minimum		0.197					95% KM (bootstrap t) UCL	0.344
62				Maximum		0.567					95% KM (BCA) UCL	0.339
63				Mean		0.316			95% KM (Percentile Bootstrap) UCL			0.342
64				Median		0.311					95% KM (Chebyshev) UCL	0.4
65				SD		0.101					97.5% KM (Chebyshev) UCL	0.442
66				k star		9.429					99% KM (Chebyshev) UCL	0.524
67				Theta star		0.0335						
68				Nu star		490.3			Potential UCLs to Use			
69				AppChi2		439.9					95% KM (Chebyshev) UCL	0.4
70			95% Gamma Approximate UCL			0.352						
71			95% Adjusted Gamma UCL			0.354						
72	Note: DL/2 is not a recommended method.											
73												
74												
75	Arsenictotal											
76												
77						General Statistics						
78			Number of Valid Data			26				Number of Detected Data		23
79			Number of Distinct Detected Data			21				Number of Non-Detect Data		3
80										Percent Non-Detects		11.54%
81												
82			Raw Statistics						Log-transformed Statistics			
83				Minimum Detected		0.257				Minimum Detected		-1.359
84				Maximum Detected		0.603				Maximum Detected		-0.505
85				Mean of Detected		0.426				Mean of Detected		-0.879
86				SD of Detected		0.0959				SD of Detected		0.238
87				Minimum Non-Detect		0.408				Minimum Non-Detect		-0.897
88				Maximum Non-Detect		0.508				Maximum Non-Detect		-0.677
89												
90	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		22
91	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		4
92	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		84.62%
93												
94							UCL Statistics					
95			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
96				Shapiro Wilk Test Statistic		0.959				Shapiro Wilk Test Statistic		0.941
97				5% Shapiro Wilk Critical Value		0.914				5% Shapiro Wilk Critical Value		0.914
98			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
99												
100			Assuming Normal Distribution						Assuming Lognormal Distribution			
101				DL/2 Substitution Method						DL/2 Substitution Method		
102				Mean		0.403				Mean		-0.95
103				SD		0.112				SD		0.302
104				95% DL/2 (t) UCL		0.44				95% H-Stat (DL/2) UCL		0.445
105												
106			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		

	A	B	C	D	E	F	G	H	I	J	K	L
107					Mean	0.421				Mean in Log Scale		-0.897
108					SD	0.0868				SD in Log Scale		0.23
109				95% MLE (t) UCL		0.45				Mean in Original Scale		0.418
110				95% MLE (Tiku) UCL		0.507				SD in Original Scale		0.0933
111										95% Percentile Bootstrap UCL		0.447
112										95% BCA Bootstrap UCL		0.449
113												
114		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
115				k star (bias corrected)		16.9		**Data appear Normal at 5% Significance Level**				
116				Theta Star		0.0252						
117				nu star		777.4						
118												
119				A-D Test Statistic		0.55		**Nonparametric Statistics**				
120				5% A-D Critical Value		0.742		Kaplan-Meier (KM) Method				
121				K-S Test Statistic		0.742				Mean		0.417
122				5% K-S Critical Value		0.181				SD		0.0942
123		**Data appear Gamma Distributed at 5% Significance Level**								SE of Mean		0.0193
124										95% KM (t) UCL		0.45
125		**Assuming Gamma Distribution**								95% KM (z) UCL		0.449
126		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.451
127					Minimum	0.257				95% KM (bootstrap t) UCL		0.451
128					Maximum	0.603				95% KM (BCA) UCL		0.448
129					Mean	0.423				95% KM (Percentile Bootstrap) UCL		0.448
130					Median	0.444				95% KM (Chebyshev) UCL		0.502
131					SD	0.0913				97.5% KM (Chebyshev) UCL		0.538
132					k star	18.84				99% KM (Chebyshev) UCL		0.61
133					Theta star	0.0224						
134					Nu star	979.7		**Potential UCLs to Use**				
135					AppChi2	908.1				95% KM (t) UCL		0.45
136				95% Gamma Approximate UCL		0.456		95% KM (Percentile Bootstrap) UCL				0.448
137				95% Adjusted Gamma UCL		0.458						
138	**Note: DL/2 is not a recommended method.**											
139												

Surface Water

Divers

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3		From File		RM2E								
4		Full Precision		OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Arsenicdissolved											
10												
11						General Statistics						
12			Number of Valid Data			5			Number of Detected Data			4
13			Number of Distinct Detected Data			4			Number of Non-Detect Data			1
14									Percent Non-Detects			20.00%
15												
16			Raw Statistics						Log-transformed Statistics			
17			Minimum Detected			0.245			Minimum Detected			-1.406
18			Maximum Detected			0.64			Maximum Detected			-0.446
19			Mean of Detected			0.383			Mean of Detected			-1.032
20			SD of Detected			0.178			SD of Detected			0.421
21			Minimum Non-Detect			0.424			Minimum Non-Detect			-0.859
22			Maximum Non-Detect			0.424			Maximum Non-Detect			-0.859
23												
24												
25					Warning: There are only 4 Distinct Detected Values in this data							
26					Note: It should be noted that even though bootstrap may be performed on this data set							
27					the resulting calculations may not be reliable enough tp draw conclusions							
28												
29					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
30												
31												
32						UCL Statistics						
33		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
34			Shapiro Wilk Test Statistic			0.846			Shapiro Wilk Test Statistic			0.916
35			5% Shapiro Wilk Critical Value			0.748			5% Shapiro Wilk Critical Value			0.748
36		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
37												
38		Assuming Normal Distribution						Assuming Lognormal Distribution				
39			DL/2 Substitution Method						DL/2 Substitution Method			
40			Mean			0.348			Mean			-1.136
41			SD			0.172			SD			0.432
42			95% DL/2 (t) UCL			0.512			95% H-Stat (DL/2) UCL			0.638
43												
44		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
45		MLE method failed to converge properly							Mean in Log Scale			-1.066
46									SD in Log Scale			0.372
47									Mean in Original Scale			0.366
48									SD in Original Scale			0.158
49									95% Percentile Bootstrap UCL			0.493
50									95% BCA Bootstrap UCL			0.513
51												
52		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
53			k star (bias corrected)			1.962			Data appear Normal at 5% Significance Level			

	A	B	C	D	E	F	G	H	I	J	K	L
54					Theta Star	0.195						
55					nu star	15.7						
56												
57				A-D Test Statistic		0.379			Nonparametric Statistics			
58				5% A-D Critical Value		0.658			Kaplan-Meier (KM) Method			
59				K-S Test Statistic		0.658				Mean		0.365
60				5% K-S Critical Value		0.395				SD		0.144
61		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.0752
62										95% KM (t) UCL		0.526
63			Assuming Gamma Distribution							95% KM (z) UCL		0.489
64			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.523
65					Minimum	0.245				95% KM (bootstrap t) UCL		1
66					Maximum	0.64				95% KM (BCA) UCL		0.471
67					Mean	0.383			95% KM (Percentile Bootstrap) UCL			0.49
68					Median	0.359				95% KM (Chebyshev) UCL		0.693
69					SD	0.154				97.5% KM (Chebyshev) UCL		0.835
70					k star	3.709				99% KM (Chebyshev) UCL		1.114
71					Theta star	0.103						
72					Nu star	37.09			Potential UCLs to Use			
73					AppChi2	24.15				95% KM (t) UCL		0.526
74			95% Gamma Approximate UCL			0.588			95% KM (Percentile Bootstrap) UCL			0.49
75			95% Adjusted Gamma UCL			N/A						
76	Note: DL/2 is not a recommended method.											
77												
78												
79	Arsenictotal											
80												
81						General Statistics						
82			Number of Valid Observations			5			Number of Distinct Observations			5
83												
84			Raw Statistics						Log-transformed Statistics			
85					Minimum	0.32				Minimum of Log Data		-1.139
86					Maximum	0.745				Maximum of Log Data		-0.294
87					Mean	0.457				Mean of log Data		-0.832
88					Median	0.425				SD of log Data		0.343
89					SD	0.173						
90				Coefficient of Variation		0.378						
91					Skewness	1.531						
92												
93												
94		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
95												
96			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
97			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
98												
99												
100					Warning: There are only 5 Values in this data							
101			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
102			the resulting calculations may not be reliable enough to draw conclusions									
103												
104			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
105												
106					Relevant UCL Statistics							

	A	B	C	D	E	F	G	H	I	J	K	L
107			**Normal Distribution Test**						**Lognormal Distribution Test**			
108				Shapiro Wilk Test Statistic		0.838				Shapiro Wilk Test Statistic		0.894
109				Shapiro Wilk Critical Value		0.762				Shapiro Wilk Critical Value		0.762
110		**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
111												
112			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
113				95% Student's-t UCL		0.622				95% H-UCL		0.708
114		**95% UCLs (Adjusted for Skewness)**							95% Chebyshev (MVUE) UCL			0.759
115				95% Adjusted-CLT UCL		0.641			97.5% Chebyshev (MVUE) UCL			0.89
116				95% Modified-t UCL		0.631			99% Chebyshev (MVUE) UCL			1.148
117												
118			**Gamma Distribution Test**						**Data Distribution**			
119				k star (bias corrected)		4.191		**Data appear Normal at 5% Significance Level**				
120				Theta Star		0.109						
121				nu star		41.91						
122			Approximate Chi Square Value (.05)			28.07			**Nonparametric Statistics**			
123			Adjusted Level of Significance			0.0086				95% CLT UCL		0.585
124			Adjusted Chi Square Value			23.24				95% Jackknife UCL		0.622
125									95% Standard Bootstrap UCL			0.569
126			Anderson-Darling Test Statistic			0.4				95% Bootstrap-t UCL		0.751
127			Anderson-Darling 5% Critical Value			0.679				95% Hall's Bootstrap UCL		1.118
128			Kolmogorov-Smirnov Test Statistic			0.225			95% Percentile Bootstrap UCL			0.58
129			Kolmogorov-Smirnov 5% Critical Value			0.358				95% BCA Bootstrap UCL		0.617
130		**Data appear Gamma Distributed at 5% Significance Level**							95% Chebyshev(Mean, Sd) UCL			0.794
131									97.5% Chebyshev(Mean, Sd) UCL			0.94
132			**Assuming Gamma Distribution**						99% Chebyshev(Mean, Sd) UCL			1.227
133				95% Approximate Gamma UCL		0.683						
134				95% Adjusted Gamma UCL		0.825						
135												
136			**Potential UCL to Use**						Use 95% Student's-t UCL			0.622
137												

General UCL Statistics for Data Sets with Non-Detects

User Selected Options		
From File	RM2W	
Full Precision	OFF	
Confidence Coefficient	95%	
Number of Bootstrap Operations	2000	

Arsenicdissolved

General Statistics

Number of Valid Observations	5	Number of Distinct Observations	4

Raw Statistics		Log-transformed Statistics	
Minimum	0.285	Minimum of Log Data	-1.255
Maximum	0.62	Maximum of Log Data	-0.478
Mean	0.501	Mean of log Data	-0.728
Median	0.508	SD of log Data	0.319
SD	0.138		
Coefficient of Variation	0.275		
Skewness	-1.066		

Warning: There are only 4 Distinct Values in this data

There are insufficient Distinct Values to perform some GOF tests and bootstrap methods.

Those methods will return a 'N/A' value on your output display!

It is necessary to have 4 or more Distinct Values to compute bootstrap methods.

It is recommended to have 10-15 or more observations for accurate and meaningful bootstrap results.

Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!

It is suggested to collect at least 8 to 10 observations using these statistical methods!

If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.881	Shapiro Wilk Test Statistic	0.836
Shapiro Wilk Critical Value	0.762	Shapiro Wilk Critical Value	0.762
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	0.632	95% H-UCL	0.75
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	0.814
95% Adjusted-CLT UCL	0.571	97.5% Chebyshev (MVUE) UCL	0.948
95% Modified-t UCL	0.627	99% Chebyshev (MVUE) UCL	1.213

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	5.641	Data appear Normal at 5% Significance Level	
Theta Star	0.0888		
nu star	56.41		
Approximate Chi Square Value (.05)	40.15	**Nonparametric Statistics**	

	A	B	C	D	E	F	G	H	I	J	K	L
54				Adjusted Level of Significance		0.0086				95% CLT UCL		0.602
55				Adjusted Chi Square Value		34.24				95% Jackknife UCL		0.632
56										95% Standard Bootstrap UCL		0.589
57				Anderson-Darling Test Statistic		0.454				95% Bootstrap-t UCL		0.593
58				Anderson-Darling 5% Critical Value		0.679				95% Hall's Bootstrap UCL		0.587
59				Kolmogorov-Smirnov Test Statistic		0.246				95% Percentile Bootstrap UCL		0.575
60				Kolmogorov-Smirnov 5% Critical Value		0.357				95% BCA Bootstrap UCL		0.568
61			**Data appear Gamma Distributed at 5% Significance Level**							95% Chebyshev(Mean, Sd) UCL		0.769
62										97.5% Chebyshev(Mean, Sd) UCL		0.886
63			**Assuming Gamma Distribution**							99% Chebyshev(Mean, Sd) UCL		1.114
64				95% Approximate Gamma UCL		0.704						
65				95% Adjusted Gamma UCL		0.825						
66												
67			**Potential UCL to Use**							Use 95% Student's-t UCL		0.632
68			**Recommended UCL exceeds the maximum observation**									
69												
70												
71	Arsenictotal											
72												
73					**General Statistics**							
74				Number of Valid Observations		5				Number of Distinct Observations		5
75												
76				**Raw Statistics**						**Log-transformed Statistics**		
77				Minimum		0.35				Minimum of Log Data		-1.05
78				Maximum		0.71				Maximum of Log Data		-0.342
79				Mean		0.558				Mean of log Data		-0.611
80				Median		0.557				SD of log Data		0.271
81				SD		0.136						
82				Coefficient of Variation		0.243						
83				Skewness		-0.825						
84												
85												
86			**Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!**									
87												
88			**It is suggested to collect at least 8 to 10 observations using these statistical methods!**									
89			**If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.**									
90												
91												
92					**Warning: There are only 5 Values in this data**							
93			**Note: It should be noted that even though bootstrap methods may be performed on this data set,**									
94				**the resulting calculations may not be reliable enough to draw conclusions**								
95												
96			**The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.**									
97												
98					**Relevant UCL Statistics**							
99			**Normal Distribution Test**							**Lognormal Distribution Test**		
100				Shapiro Wilk Test Statistic		0.953				Shapiro Wilk Test Statistic		0.903
101				Shapiro Wilk Critical Value		0.762				Shapiro Wilk Critical Value		0.762
102			**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**			
103												
104			**Assuming Normal Distribution**							**Assuming Lognormal Distribution**		
105				95% Student's-t UCL		0.687				95% H-UCL		0.773
106			**95% UCLs (Adjusted for Skewness)**							95% Chebyshev (MVUE) UCL		0.853

	A	B	C	D	E	F	G	H	I	J	K	L
107				95% Adjusted-CLT UCL		0.634			97.5% Chebyshev (MVUE) UCL			0.98
108				95% Modified-t UCL		0.684			99% Chebyshev (MVUE) UCL			1.23
109												
110			**Gamma Distribution Test**						**Data Distribution**			
111			k star (bias corrected)			7.55			**Data appear Normal at 5% Significance Level**			
112			Theta Star			0.0739						
113			nu star			75.5						
114			Approximate Chi Square Value (.05)			56.49			**Nonparametric Statistics**			
115			Adjusted Level of Significance			0.0086			95% CLT UCL			0.658
116			Adjusted Chi Square Value			49.36			95% Jackknife UCL			0.687
117									95% Standard Bootstrap UCL			0.649
118			Anderson-Darling Test Statistic			0.327			95% Bootstrap-t UCL			0.667
119			Anderson-Darling 5% Critical Value			0.679			95% Hall's Bootstrap UCL			0.656
120			Kolmogorov-Smirnov Test Statistic			0.253			95% Percentile Bootstrap UCL			0.639
121			Kolmogorov-Smirnov 5% Critical Value			0.357			95% BCA Bootstrap UCL			0.63
122	**Data appear Gamma Distributed at 5% Significance Level**								95% Chebyshev(Mean, Sd) UCL			0.823
123									97.5% Chebyshev(Mean, Sd) UCL			0.937
124			**Assuming Gamma Distribution**						99% Chebyshev(Mean, Sd) UCL			1.162
125			95% Approximate Gamma UCL			0.746						
126			95% Adjusted Gamma UCL			0.853						
127												
128			**Potential UCL to Use**						Use 95% Student's-t UCL			0.687
129												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	RM3.5E								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Arsenictotal											
10												
11					General Statistics							
12			Number of Valid Observations	5					Number of Distinct Observations			5
13												
14			Raw Statistics					Log-transformed Statistics				
15				Minimum		0.32				Minimum of Log Data		-1.141
16				Maximum		0.489				Maximum of Log Data		-0.715
17				Mean		0.428				Mean of log Data		-0.862
18				Median		0.46				SD of log Data		0.18
19				SD		0.0719						
20			Coefficient of Variation			0.168						
21				Skewness		-1.025						
22												
23												
24		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
25												
26		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
27		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
28												
29												
30		Warning: There are only 5 Values in this data										
31		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
32		the resulting calculations may not be reliable enough to draw conclusions										
33												
34		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
35												
36					Relevant UCL Statistics							
37		Normal Distribution Test						Lognormal Distribution Test				
38			Shapiro Wilk Test Statistic			0.874				Shapiro Wilk Test Statistic		0.857
39			Shapiro Wilk Critical Value			0.762				Shapiro Wilk Critical Value		0.762
40		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
41												
42		Assuming Normal Distribution						Assuming Lognormal Distribution				
43				95% Student's-t UCL		0.496				95% H-UCL		0.521
44		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			0.578
45				95% Adjusted-CLT UCL		0.465			97.5% Chebyshev (MVUE) UCL			0.643
46				95% Modified-t UCL		0.494			99% Chebyshev (MVUE) UCL			0.77
47												
48		Gamma Distribution Test						Data Distribution				
49			k star (bias corrected)			16.37		Data appear Normal at 5% Significance Level				
50				Theta Star		0.0261						
51				nu star		163.7						
52		Approximate Chi Square Value (.05)				135.1		Nonparametric Statistics				
53		Adjusted Level of Significance				0.0086				95% CLT UCL		0.481

	A	B	C	D	E	F	G	H	I	J	K	L
54	Adjusted Chi Square Value					123.7				95% Jackknife UCL		0.496
55										95% Standard Bootstrap UCL		0.474
56	Anderson-Darling Test Statistic					0.452				95% Bootstrap-t UCL		0.482
57	Anderson-Darling 5% Critical Value					0.678				95% Hall's Bootstrap UCL		0.459
58	Kolmogorov-Smirnov Test Statistic					0.299				95% Percentile Bootstrap UCL		0.476
59	Kolmogorov-Smirnov 5% Critical Value					0.357				95% BCA Bootstrap UCL		0.464
60	**Data appear Gamma Distributed at 5% Significance Level**									95% Chebyshev(Mean, Sd) UCL		0.568
61										97.5% Chebyshev(Mean, Sd) UCL		0.628
62	**Assuming Gamma Distribution**									99% Chebyshev(Mean, Sd) UCL		0.748
63	95% Approximate Gamma UCL					0.518						
64	95% Adjusted Gamma UCL					0.566						
65												
66	**Potential UCL to Use**									Use 95% Student's-t UCL		0.496
67	**Recommended UCL exceeds the maximum observation**											
68												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	RM5.5E								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Arsenicdissolved											
10												
11							General Statistics					
12			Number of Valid Data		5				Number of Detected Data			4
13		Number of Distinct Detected Data			4				Number of Non-Detect Data			1
14									Percent Non-Detects			20.00%
15												
16			Raw Statistics						Log-transformed Statistics			
17			Minimum Detected		0.204				Minimum Detected			-1.592
18			Maximum Detected		0.46				Maximum Detected			-0.777
19			Mean of Detected		0.336				Mean of Detected			-1.131
20			SD of Detected		0.106				SD of Detected			0.342
21			Minimum Non-Detect		0.4				Minimum Non-Detect			-0.916
22			Maximum Non-Detect		0.4				Maximum Non-Detect			-0.916
23												
24												
25				Warning: There are only 4 Distinct Detected Values in this data								
26				Note: It should be noted that even though bootstrap may be performed on this data set								
27				the resulting calculations may not be reliable enough tp draw conclusions								
28												
29				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
30												
31												
32							UCL Statistics					
33		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
34			Shapiro Wilk Test Statistic		0.99				Shapiro Wilk Test Statistic			0.958
35			5% Shapiro Wilk Critical Value		0.748				5% Shapiro Wilk Critical Value			0.748
36		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
37												
38		Assuming Normal Distribution						Assuming Lognormal Distribution				
39			DL/2 Substitution Method						DL/2 Substitution Method			
40				Mean	0.309					Mean		-1.227
41				SD	0.11					SD		0.365
42			95% DL/2 (t) UCL		0.414				95% H-Stat (DL/2) UCL			0.5
43												
44		Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method			
45		MLE method failed to converge properly							Mean in Log Scale			-1.157
46									SD in Log Scale			0.302
47									Mean in Original Scale			0.326
48									SD in Original Scale			0.0948
49									95% Percentile Bootstrap UCL			0.389
50									95% BCA Bootstrap UCL			0.389
51												
52		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
53			k star (bias corrected)		3.231			Data appear Normal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
54					Theta Star	0.104						
55					nu star	25.85						
56												
57				A-D Test Statistic		0.25			Nonparametric Statistics			
58				5% A-D Critical Value		0.657			Kaplan-Meier (KM) Method			
59				K-S Test Statistic		0.657					Mean	0.328
60				5% K-S Critical Value		0.395					SD	0.0889
61		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.0492
62											95% KM (t) UCL	0.433
63			Assuming Gamma Distribution								95% KM (z) UCL	0.409
64		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.437
65					Minimum	0.204					95% KM (bootstrap t) UCL	0.422
66					Maximum	0.46					95% KM (BCA) UCL	0.405
67					Mean	0.337			95% KM (Percentile Bootstrap) UCL			0.4
68					Median	0.342					95% KM (Chebyshev) UCL	0.543
69					SD	0.0918					97.5% KM (Chebyshev) UCL	0.636
70					k star	6.243					99% KM (Chebyshev) UCL	0.818
71					Theta star	0.054						
72					Nu star	62.43			Potential UCLs to Use			
73					AppChi2	45.26					95% KM (t) UCL	0.433
74			95% Gamma Approximate UCL			0.465			95% KM (Percentile Bootstrap) UCL			0.4
75			95% Adjusted Gamma UCL			N/A						
76	Note: DL/2 is not a recommended method.											
77												
78												
79	Arsenictotal											
80												
81						General Statistics						
82		Number of Valid Observations				5				Number of Distinct Observations		5
83												
84		Raw Statistics							Log-transformed Statistics			
85					Minimum	0.323				Minimum of Log Data		-1.132
86					Maximum	0.54				Maximum of Log Data		-0.616
87					Mean	0.42				Mean of log Data		-0.881
88					Median	0.419				SD of log Data		0.19
89					SD	0.0805						
90				Coefficient of Variation		0.192						
91					Skewness	0.571						
92												
93												
94		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
95												
96			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
97			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
98												
99												
100					Warning: There are only 5 Values in this data							
101			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
102			the resulting calculations may not be reliable enough to draw conclusions									
103												
104			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
105												
106					Relevant UCL Statistics							

	A	B	C	D	E	F	G	H	I	J	K	L
107				**Normal Distribution Test**					**Lognormal Distribution Test**			
108				Shapiro Wilk Test Statistic		0.977			Shapiro Wilk Test Statistic			0.991
109				Shapiro Wilk Critical Value		0.762			Shapiro Wilk Critical Value			0.762
110		**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
111												
112		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
113				95% Student's-t UCL		0.497			95% H-UCL			0.519
114		**95% UCLs (Adjusted for Skewness)**						95% Chebyshev (MVUE) UCL				0.576
115				95% Adjusted-CLT UCL		0.489		97.5% Chebyshev (MVUE) UCL				0.643
116				95% Modified-t UCL		0.499		99% Chebyshev (MVUE) UCL				0.775
117												
118		**Gamma Distribution Test**							**Data Distribution**			
119				k star (bias corrected)		14.01		**Data appear Normal at 5% Significance Level**				
120				Theta Star		0.03						
121				nu star		140.1						
122		Approximate Chi Square Value (.05)				113.8			**Nonparametric Statistics**			
123			Adjusted Level of Significance			0.0086			95% CLT UCL			0.48
124			Adjusted Chi Square Value			103.4			95% Jackknife UCL			0.497
125									95% Standard Bootstrap UCL			0.473
126			Anderson-Darling Test Statistic			0.191			95% Bootstrap-t UCL			0.504
127			Anderson-Darling 5% Critical Value			0.678			95% Hall's Bootstrap UCL			0.516
128			Kolmogorov-Smirnov Test Statistic			0.169			95% Percentile Bootstrap UCL			0.472
129			Kolmogorov-Smirnov 5% Critical Value			0.357			95% BCA Bootstrap UCL			0.477
130		**Data appear Gamma Distributed at 5% Significance Level**						95% Chebyshev(Mean, Sd) UCL				0.577
131								97.5% Chebyshev(Mean, Sd) UCL				0.645
132		**Assuming Gamma Distribution**						99% Chebyshev(Mean, Sd) UCL				0.779
133				95% Approximate Gamma UCL		0.518						
134				95% Adjusted Gamma UCL		0.57						
135												
136		**Potential UCL to Use**							Use 95% Student's-t UCL			0.497
137												

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	RM6W
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	2000

Arsenictotal

General Statistics

Number of Valid Observations	5	Number of Distinct Observations	5

Raw Statistics		Log-transformed Statistics	
Minimum	0.353	Minimum of Log Data	-1.043
Maximum	0.56	Maximum of Log Data	-0.58
Mean	0.441	Mean of log Data	-0.831
Median	0.437	SD of log Data	0.171
SD	0.0771		
Coefficient of Variation	0.175		
Skewness	0.845		

Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!

It is suggested to collect at least 8 to 10 observations using these statistical methods!

If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

Warning: There are only 5 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set,

the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.956	Shapiro Wilk Test Statistic	0.979
Shapiro Wilk Critical Value	0.762	Shapiro Wilk Critical Value	0.762
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	0.515	95% H-UCL	0.531
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	0.588
95% Adjusted-CLT UCL	0.512	97.5% Chebyshev (MVUE) UCL	0.651
95% Modified-t UCL	0.517	99% Chebyshev (MVUE) UCL	0.776

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	17.11	Data appear Normal at 5% Significance Level	
Theta Star	0.0258		
nu star	171.1		
Approximate Chi Square Value (.05)	141.8	Nonparametric Statistics	
Adjusted Level of Significance	0.0086	95% CLT UCL	0.498

	A	B	C	D	E	F	G	H	I	J	K	L
54			Adjusted Chi Square Value			130.1				95% Jackknife UCL		0.515
55										95% Standard Bootstrap UCL		0.492
56			Anderson-Darling Test Statistic			0.224				95% Bootstrap-t UCL		0.535
57			Anderson-Darling 5% Critical Value			0.678				95% Hall's Bootstrap UCL		0.627
58			Kolmogorov-Smirnov Test Statistic			0.202				95% Percentile Bootstrap UCL		0.493
59			Kolmogorov-Smirnov 5% Critical Value			0.357				95% BCA Bootstrap UCL		0.494
60	**Data appear Gamma Distributed at 5% Significance Level**									95% Chebyshev(Mean, Sd) UCL		0.591
61										97.5% Chebyshev(Mean, Sd) UCL		0.656
62	**Assuming Gamma Distribution**									99% Chebyshev(Mean, Sd) UCL		0.784
63			95% Approximate Gamma UCL			0.532						
64			95% Adjusted Gamma UCL			0.58						
65												
66	**Potential UCL to Use**									Use 95% Student's-t UCL		0.515
67												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	RM6.5E								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	AldrinNA											
10												
11						General Statistics						
12			Number of Valid Data			7			Number of Detected Data			7
13			Number of Distinct Detected Data			7			Number of Non-Detect Data			0
14			Number of Missing Values			10			Percent Non-Detects			0.00%
15												
16			Raw Statistics						Log-transformed Statistics			
17			Minimum Detected			3.1E-07			Minimum Detected			-14.99
18			Maximum Detected			2.442E-06			Maximum Detected			-12.92
19			Mean of Detected			1.56E-06			Mean of Detected			-13.54
20			SD of Detected			7.721E-07			SD of Detected			0.725
21			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
22			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
23												
24												
25					Warning: There are only 7 Detected Values in this data							
26					Note: It should be noted that even though bootstrap may be performed on this data set							
27					the resulting calculations may not be reliable enough tp draw conclusions							
28												
29					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
30												
31												
32						UCL Statistics						
33		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
34			Shapiro Wilk Test Statistic			0.932			Shapiro Wilk Test Statistic			0.83
35			5% Shapiro Wilk Critical Value			0.803			5% Shapiro Wilk Critical Value			0.803
36		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
37												
38		Assuming Normal Distribution						Assuming Lognormal Distribution				
39			DL/2 Substitution Method						DL/2 Substitution Method			
40			Mean			1.56E-06			Mean			-13.54
41			SD			7.721E-07			SD			0.725
42			95% DL/2 (t) UCL			2.127E-06			95% H-Stat (DL/2) UCL			4.114E-06
43												
44		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
45		MLE method failed to converge properly							Mean in Log Scale			N/A
46									SD in Log Scale			N/A
47									Mean in Original Scale			N/A
48									SD in Original Scale			N/A
49									95% Percentile Bootstrap UCL			N/A
50									95% BCA Bootstrap UCL			N/A
51												
52		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
53			k star (bias corrected)			1.859		Data appear Normal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
54					Theta Star	8.39E-07						
55					nu star	26.03						
56												
57				A-D Test Statistic		0.462			**Nonparametric Statistics**			
58				5% A-D Critical Value		0.712			Kaplan-Meier (KM) Method			
59				K-S Test Statistic		0.712					Mean	1.56E-06
60				5% K-S Critical Value		0.314					SD	7.149E-07
61		**Data appear Gamma Distributed at 5% Significance Level**									SE of Mean	2.918E-07
62											95% KM (t) UCL	2.127E-06
63				**Assuming Gamma Distribution**							95% KM (z) UCL	2.04E-06
64			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	2.127E-06
65					Minimum	3.1E-07					95% KM (bootstrap t) UCL	2.044E-06
66					Maximum	2.442E-06					95% KM (BCA) UCL	2.001E-06
67					Mean	1.56E-06			95% KM (Percentile Bootstrap) UCL			1.988E-06
68					Median	1.773E-06					95% KM (Chebyshev) UCL	2.832E-06
69					SD	7.721E-07					97.5% KM (Chebyshev) UCL	3.382E-06
70					k star	1.859					99% KM (Chebyshev) UCL	4.464E-06
71					Theta star	8.39E-07						
72					Nu star	26.03			**Potential UCLs to Use**			
73					AppChi2	15.4					95% KM (t) UCL	2.127E-06
74				95% Gamma Approximate UCL		2.636E-06			95% KM (Percentile Bootstrap) UCL			1.988E-06
75				95% Adjusted Gamma UCL		3.123E-06						
76	**Note: DL/2 is not a recommended method.**											
77												
78												
79	**Arsenicdissolved**											
80												
81					**General Statistics**							
82				Number of Valid Data		10			Number of Detected Data			10
83			Number of Distinct Detected Data			10			Number of Non-Detect Data			0
84				Number of Missing Values		6			Percent Non-Detects			0.00%
85												
86			**Raw Statistics**						**Log-transformed Statistics**			
87				Minimum Detected		0.22			Minimum Detected			-1.514
88				Maximum Detected		0.46			Maximum Detected			-0.777
89				Mean of Detected		0.33			Mean of Detected			-1.131
90				SD of Detected		0.0712			SD of Detected			0.219
91				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
92				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
93												
94												
95					**UCL Statistics**							
96		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
97				Shapiro Wilk Test Statistic		0.978			Shapiro Wilk Test Statistic			0.982
98				5% Shapiro Wilk Critical Value		0.842			5% Shapiro Wilk Critical Value			0.842
99		**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
100												
101			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
102				DL/2 Substitution Method					DL/2 Substitution Method			
103					Mean	0.33					Mean	-1.131
104					SD	0.0712					SD	0.219
105				95% DL/2 (t) UCL		0.371			95% H-Stat (DL/2) UCL			0.38
106												

	A	B	C	D	E	F	G	H	I	J	K	L
107			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
108		**MLE method failed to converge properly**								Mean in Log Scale		N/A
109										SD in Log Scale		N/A
110										Mean in Original Scale		N/A
111										SD in Original Scale		N/A
112										95% Percentile Bootstrap UCL		N/A
113										95% BCA Bootstrap UCL		N/A
114												
115		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
116			k star (bias corrected)			16.59		**Data appear Normal at 5% Significance Level**				
117				Theta Star		0.0199						
118				nu star		331.8						
119												
120				A-D Test Statistic		0.176		**Nonparametric Statistics**				
121				5% A-D Critical Value		0.725			Kaplan-Meier (KM) Method			
122				K-S Test Statistic		0.725					Mean	0.33
123				5% K-S Critical Value		0.266					SD	0.0676
124		**Data appear Gamma Distributed at 5% Significance Level**									SE of Mean	0.0225
125											95% KM (t) UCL	0.371
126		**Assuming Gamma Distribution**									95% KM (z) UCL	0.367
127		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.371
128					Minimum	0.22				95% KM (bootstrap t) UCL		0.374
129					Maximum	0.46					95% KM (BCA) UCL	0.364
130					Mean	0.33				95% KM (Percentile Bootstrap) UCL		0.366
131					Median	0.316					95% KM (Chebyshev) UCL	0.428
132					SD	0.0712					97.5% KM (Chebyshev) UCL	0.47
133					k star	16.59					99% KM (Chebyshev) UCL	0.554
134					Theta star	0.0199						
135					Nu star	331.8		**Potential UCLs to Use**				
136					AppChi2	290.6					95% KM (t) UCL	0.371
137				95% Gamma Approximate UCL		0.376				95% KM (Percentile Bootstrap) UCL		0.366
138				95% Adjusted Gamma UCL		0.385						
139	Note: DL/2 is not a recommended method.											
140												
141												
142	Arsenictotal											
143												
144							**General Statistics**					
145				Number of Valid Data		10				Number of Detected Data		10
146			Number of Distinct Detected Data			10				Number of Non-Detect Data		0
147				Number of Missing Values		6				Percent Non-Detects		0.00%
148												
149			**Raw Statistics**						**Log-transformed Statistics**			
150				Minimum Detected		0.313				Minimum Detected		-1.163
151				Maximum Detected		0.52				Maximum Detected		-0.654
152				Mean of Detected		0.39				Mean of Detected		-0.951
153				SD of Detected		0.0594				SD of Detected		0.145
154				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
155				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
156												
157												
158							**UCL Statistics**					
159		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				

	A	B	C	D	E	F	G	H	I	J	K	L
160					Shapiro Wilk Test Statistic	0.909					Shapiro Wilk Test Statistic	0.942
161					5% Shapiro Wilk Critical Value	0.842					5% Shapiro Wilk Critical Value	0.842
162			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
163												
164			Assuming Normal Distribution						Assuming Lognormal Distribution			
165				DL/2 Substitution Method						DL/2 Substitution Method		
166					Mean	0.39					Mean	-0.951
167					SD	0.0594					SD	0.145
168				95% DL/2 (t) UCL		0.424				95% H-Stat (DL/2) UCL		0.427
169												
170			Maximum Likelihood Estimate(MLE) Method			N/A					Log ROS Method	
171			MLE method failed to converge properly								Mean in Log Scale	N/A
172											SD in Log Scale	N/A
173											Mean in Original Scale	N/A
174											SD in Original Scale	N/A
175										95% Percentile Bootstrap UCL		N/A
176											95% BCA Bootstrap UCL	N/A
177												
178			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
179				k star (bias corrected)		35.93			Data appear Normal at 5% Significance Level			
180					Theta Star	0.0109						
181					nu star	718.6						
182												
183					A-D Test Statistic	0.392			Nonparametric Statistics			
184				5% A-D Critical Value		0.724				Kaplan-Meier (KM) Method		
185					K-S Test Statistic	0.724					Mean	0.39
186				5% K-S Critical Value		0.266					SD	0.0564
187			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	0.0188
188											95% KM (t) UCL	0.424
189			Assuming Gamma Distribution								95% KM (z) UCL	0.421
190			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.424
191					Minimum	0.313				95% KM (bootstrap t) UCL		0.44
192					Maximum	0.52				95% KM (BCA) UCL		0.422
193					Mean	0.39			95% KM (Percentile Bootstrap) UCL			0.421
194					Median	0.367				95% KM (Chebyshev) UCL		0.472
195					SD	0.0594				97.5% KM (Chebyshev) UCL		0.507
196					k star	35.93				99% KM (Chebyshev) UCL		0.577
197					Theta star	0.0109						
198					Nu star	718.6			Potential UCLs to Use			
199					AppChi2	657.4					95% KM (t) UCL	0.424
200				95% Gamma Approximate UCL		0.426			95% KM (Percentile Bootstrap) UCL			0.421
201				95% Adjusted Gamma UCL		0.433						
202	Note: DL/2 is not a recommended method.											
203												
204												
205	Benzo(a)anthraceneNA											
206												
207						General Statistics						
208			Number of Valid Data			14				Number of Detected Data		7
209			Number of Distinct Detected Data			7				Number of Non-Detect Data		7
210			Number of Missing Values			3				Percent Non-Detects		50.00%
211												
212			Raw Statistics						Log-transformed Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
213				Minimum Detected		0.000118				Minimum Detected		-9.045
214				Maximum Detected		0.0028				Maximum Detected		-5.878
215				Mean of Detected		0.0008251				Mean of Detected		-7.518
216				SD of Detected		0.0009117				SD of Detected		0.977
217				Minimum Non-Detect		0.0003355				Minimum Non-Detect		-8
218				Maximum Non-Detect		0.00585				Maximum Non-Detect		-5.141
219												
220	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		14
221	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		0
222	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		100.00%
223												
224				Warning: There are only 7 Detected Values in this data								
225				Note: It should be noted that even though bootstrap may be performed on this data set								
226				the resulting calculations may not be reliable enough tp draw conclusions								
227												
228				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
229												
230												
231							UCL Statistics					
232			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
233				Shapiro Wilk Test Statistic		0.721				Shapiro Wilk Test Statistic		0.971
234				5% Shapiro Wilk Critical Value		0.803				5% Shapiro Wilk Critical Value		0.803
235			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
236												
237			Assuming Normal Distribution						Assuming Lognormal Distribution			
238				DL/2 Substitution Method						DL/2 Substitution Method		
239				Mean		0.00123				Mean		-7.098
240				SD		0.0009795				SD		1.031
241				95% DL/2 (t) UCL		0.0017				95% H-Stat (DL/2) UCL		0.00433
242												
243			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
244			MLE method failed to converge properly							Mean in Log Scale		-7.706
245										SD in Log Scale		0.792
246										Mean in Original Scale		0.0006269
247										SD in Original Scale		0.0006738
248										95% Percentile Bootstrap UCL		0.0009392
249										95% BCA Bootstrap UCL		0.00111
250												
251			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
252				k star (bias corrected)		0.86			Data appear Gamma Distributed at 5% Significance Level			
253				Theta Star		0.0009594						
254				nu star		12.04						
255												
256				A-D Test Statistic		0.382			Nonparametric Statistics			
257				5% A-D Critical Value		0.723				Kaplan-Meier (KM) Method		
258				K-S Test Statistic		0.723				Mean		0.0006907
259				5% K-S Critical Value		0.318				SD		0.0007485
260		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.0002605
261										95% KM (t) UCL		0.00115
262			Assuming Gamma Distribution							95% KM (z) UCL		0.00112
263			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.00115
264				Minimum		0.000117				95% KM (bootstrap t) UCL		0.00205
265				Maximum		0.0028				95% KM (BCA) UCL		0.00119

	A	B	C	D	E	F	G	H	I	J	K	L
266					Mean	0.0008065		95% KM (Percentile Bootstrap) UCL				0.00116
267					Median	0.0005565		95% KM (Chebyshev) UCL				0.00183
268					SD	0.0007284		97.5% KM (Chebyshev) UCL				0.00232
269					k star	1.23		99% KM (Chebyshev) UCL				0.00328
270					Theta star	0.0006555						
271					Nu star	34.45		Potential UCLs to Use				
272					AppChi2	22.02		95% KM (t) UCL				0.00115
273		95% Gamma Approximate UCL				0.00126						
274		95% Adjusted Gamma UCL				0.00134						
275	Note: DL/2 is not a recommended method.											
276												
277												
278	Benzo(a)pyreneNA											
279												
280					General Statistics							
281		Number of Valid Data				16		Number of Detected Data				8
282		Number of Distinct Detected Data				8		Number of Non-Detect Data				8
283		Number of Missing Values				1		Percent Non-Detects				50.00%
284												
285		Raw Statistics						Log-transformed Statistics				
286		Minimum Detected				0.0000183		Minimum Detected				-10.91
287		Maximum Detected				0.0024		Maximum Detected				-6.032
288		Mean of Detected				0.0005897		Mean of Detected				-8.27
289		SD of Detected				0.0007749		SD of Detected				1.614
290		Minimum Non-Detect				0.0016		Minimum Non-Detect				-6.438
291		Maximum Non-Detect				0.00645		Maximum Non-Detect				-5.044
292												
293	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				16
294	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				0
295	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				100.00%
296												
297				Warning: There are only 8 Detected Values in this data								
298				Note: It should be noted that even though bootstrap may be performed on this data set								
299				the resulting calculations may not be reliable enough tp draw conclusions								
300												
301				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
302												
303												
304					UCL Statistics							
305		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
306		Shapiro Wilk Test Statistic				0.699		Shapiro Wilk Test Statistic				0.892
307		5% Shapiro Wilk Critical Value				0.818		5% Shapiro Wilk Critical Value				0.818
308		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
309												
310		Assuming Normal Distribution						Assuming Lognormal Distribution				
311		DL/2 Substitution Method						DL/2 Substitution Method				
312		Mean				0.0013		Mean				-7.31
313		SD				0.00115		SD				1.535
314		95% DL/2 (t) UCL				0.0018		95% H-Stat (DL/2) UCL				0.0286
315												
316		Maximum Likelihood Estimate(MLE) Method				N/A		Log ROS Method				
317		MLE method failed to converge properly						Mean in Log Scale				-8.354
318								SD in Log Scale				1.231

	A	B	C	D	E	F	G	H	I	J	K	L
319										Mean in Original Scale		0.0004357
320										SD in Original Scale		0.0005719
321										95% Percentile Bootstrap UCL		0.0006873
322										95% BCA Bootstrap UCL		0.0008225
323												
324		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
325				k star (bias corrected)		0.534		Data appear Gamma Distributed at 5% Significance Level				
326				Theta Star		0.0011						
327				nu star		8.545						
328												
329				A-D Test Statistic		0.431		Nonparametric Statistics				
330				5% A-D Critical Value		0.747		Kaplan-Meier (KM) Method				
331				K-S Test Statistic		0.747				Mean		0.000538
332				5% K-S Critical Value		0.305				SD		0.0006664
333		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.0002295
334										95% KM (t) UCL		0.0009403
335		Assuming Gamma Distribution								95% KM (z) UCL		0.0009155
336		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.0009454
337					Minimum	0.0000183				95% KM (bootstrap t) UCL		0.00174
338					Maximum	0.0024				95% KM (BCA) UCL		0.0009242
339					Mean	0.0005924				95% KM (Percentile Bootstrap) UCL		0.0009583
340					Median	0.0005698				95% KM (Chebyshev) UCL		0.00154
341					SD	0.0005297				97.5% KM (Chebyshev) UCL		0.00197
342					k star	1.13				99% KM (Chebyshev) UCL		0.00282
343					Theta star	0.0005244						
344					Nu star	36.15		Potential UCLs to Use				
345					AppChi2	23.39				95% KM (t) UCL		0.0009403
346				95% Gamma Approximate UCL		0.0009156						
347				95% Adjusted Gamma UCL		0.0009636						
348	Note: DL/2 is not a recommended method.											
349												
350												
351	Benzo(b)fluorantheneNA											
352												
353							General Statistics					
354				Number of Valid Data		13				Number of Detected Data		7
355			Number of Distinct Detected Data			7				Number of Non-Detect Data		6
356				Number of Missing Values		4				Percent Non-Detects		46.15%
357												
358			Raw Statistics					Log-transformed Statistics				
359				Minimum Detected		0.0000453				Minimum Detected		-10
360				Maximum Detected		0.00109				Maximum Detected		-6.824
361				Mean of Detected		0.0005069				Mean of Detected		-7.873
362				SD of Detected		0.0003168				SD of Detected		1.007
363				Minimum Non-Detect		0.002				Minimum Non-Detect		-6.215
364				Maximum Non-Detect		0.0039				Maximum Non-Detect		-5.547
365												
366	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		13
367	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		0
368	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		100.00%
369												
370						Warning: There are only 7 Detected Values in this data						
371					Note: It should be noted that even though bootstrap may be performed on this data set							

	A	B	C	D	E	F	G	H	I	J	K	L
372	the resulting calculations may not be reliable enough tp draw conclusions											
373												
374	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
375												
376												
377	UCL Statistics											
378	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
379	Shapiro Wilk Test Statistic					0.941	Shapiro Wilk Test Statistic					0.794
380	5% Shapiro Wilk Critical Value					0.803	5% Shapiro Wilk Critical Value					0.803
381	Data appear Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level					
382												
383	Assuming Normal Distribution						Assuming Lognormal Distribution					
384	DL/2 Substitution Method						DL/2 Substitution Method					
385	Mean					0.0009537	Mean					-7.273
386	SD					0.0006445	SD					1.009
387	95% DL/2 (t) UCL					0.00127	95% H-Stat (DL/2) UCL					0.00547
388												
389	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
390	MLE method failed to converge properly						Mean in Log Scale					-7.873
391							SD in Log Scale					0.831
392							Mean in Original Scale					0.0004826
393							SD in Original Scale					0.0002903
394							95% Percentile Bootstrap UCL					0.0006135
395							95% BCA Bootstrap UCL					0.0006214
396												
397	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
398	k star (bias corrected)					1.181	Data appear Normal at 5% Significance Level					
399	Theta Star					0.0004292						
400	nu star					16.54						
401												
402	A-D Test Statistic					0.501	Nonparametric Statistics					
403	5% A-D Critical Value					0.716	Kaplan-Meier (KM) Method					
404	K-S Test Statistic					0.716	Mean					0.0005069
405	5% K-S Critical Value					0.315	SD					0.0002933
406	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					0.0001198
407							95% KM (t) UCL					0.0007204
408	Assuming Gamma Distribution						95% KM (z) UCL					0.0007039
409	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					0.0007284
410	Minimum					0.0000453	95% KM (bootstrap t) UCL					0.0007775
411	Maximum					0.00109	95% KM (BCA) UCL					0.0007203
412	Mean					0.0005083	95% KM (Percentile Bootstrap) UCL					0.0006994
413	Median					0.0005121	95% KM (Chebyshev) UCL					0.00103
414	SD					0.000273	97.5% KM (Chebyshev) UCL					0.00125
415	k star					2.046	99% KM (Chebyshev) UCL					0.0017
416	Theta star					0.0002484						
417	Nu star					53.2	Potential UCLs to Use					
418	AppChi2					37.44	95% KM (t) UCL					0.0007204
419	95% Gamma Approximate UCL					0.0007222	95% KM (Percentile Bootstrap) UCL					0.0006994
420	95% Adjusted Gamma UCL					0.0007603						
421	Note: DL/2 is not a recommended method.											
422												
423												
424	Indeno(1,2,3-cd)pyreneNA											

	A	B	C	D	E	F	G	H	I	J	K	L
425												
426					General Statistics							
427		Number of Valid Data				14			Number of Detected Data			6
428		Number of Distinct Detected Data				6			Number of Non-Detect Data			8
429		Number of Missing Values				3			Percent Non-Detects			57.14%
430												
431		Raw Statistics							Log-transformed Statistics			
432		Minimum Detected				0.000235			Minimum Detected			-8.356
433		Maximum Detected				0.000625			Maximum Detected			-7.378
434		Mean of Detected				0.0003503			Mean of Detected			-8.015
435		SD of Detected				0.0001447			SD of Detected			0.356
436		Minimum Non-Detect				0.000781			Minimum Non-Detect			-7.155
437		Maximum Non-Detect				0.00495			Maximum Non-Detect			-5.308
438												
439	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			14
440	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			0
441	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			100.00%
442												
443					Warning: There are only 6 Detected Values in this data							
444					Note: It should be noted that even though bootstrap may be performed on this data set							
445					the resulting calculations may not be reliable enough tp draw conclusions							
446												
447					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
448												
449												
450					UCL Statistics							
451		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
452		Shapiro Wilk Test Statistic				0.797			Shapiro Wilk Test Statistic			0.881
453		5% Shapiro Wilk Critical Value				0.788			5% Shapiro Wilk Critical Value			0.788
454		Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
455												
456		Assuming Normal Distribution							Assuming Lognormal Distribution			
457		DL/2 Substitution Method							DL/2 Substitution Method			
458		Mean				0.00103			Mean			-7.215
459		SD				0.0008232			SD			0.878
460		95% DL/2 (t) UCL				0.00142			95% H-Stat (DL/2) UCL			0.0037
461												
462		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
463		MLE method failed to converge properly							Mean in Log Scale			-8.015
464									SD in Log Scale			0.273
465									Mean in Original Scale			0.000343
466									SD in Original Scale			0.000105
467									95% Percentile Bootstrap UCL			0.0003953
468									95% BCA Bootstrap UCL			0.0003998
469												
470		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
471		k star (bias corrected)				4.482			Data appear Normal at 5% Significance Level			
472		Theta Star				7.816E-05						
473		nu star				53.79						
474												
475		A-D Test Statistic				0.501			Nonparametric Statistics			
476		5% A-D Critical Value				0.698			Kaplan-Meier (KM) Method			
477		K-S Test Statistic				0.698			Mean			0.0003503

	A	B	C	D	E	F	G	H	I	J	K	L
478					5% K-S Critical Value	0.333					SD	0.0001321
479		**Data appear Gamma Distributed at 5% Significance Level**									SE of Mean	5.907E-05
480											95% KM (t) UCL	0.0004549
481				**Assuming Gamma Distribution**							95% KM (z) UCL	0.0004475
482				Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL	0.0004608
483					Minimum	0.000235					95% KM (bootstrap t) UCL	0.0007549
484					Maximum	0.000625					95% KM (BCA) UCL	0.0004517
485					Mean	0.0003555				95% KM (Percentile Bootstrap) UCL		0.0004469
486					Median	0.0003675					95% KM (Chebyshev) UCL	0.0006078
487					SD	0.0001066					97.5% KM (Chebyshev) UCL	0.0007192
488					k star	10.51					99% KM (Chebyshev) UCL	0.0009381
489					Theta star	3.382E-05						
490					Nu star	294.3			**Potential UCLs to Use**			
491					AppChi2	255.6					95% KM (t) UCL	0.0004549
492				95% Gamma Approximate UCL		0.0004094			95% KM (Percentile Bootstrap) UCL			0.0004469
493				95% Adjusted Gamma UCL		0.0004172						
494	Note: DL/2 is not a recommended method.											
495												
496												
497	NaphthaleneNA											
498												
499						**General Statistics**						
500			Number of Valid Data			16				Number of Detected Data		4
501			Number of Distinct Detected Data			4				Number of Non-Detect Data		12
502			Number of Missing Values			1				Percent Non-Detects		75.00%
503												
504			**Raw Statistics**						**Log-transformed Statistics**			
505				Minimum Detected		0.000865				Minimum Detected		-7.053
506				Maximum Detected		0.0169				Maximum Detected		-4.08
507				Mean of Detected		0.00969				Mean of Detected		-5.062
508				SD of Detected		0.00662				SD of Detected		1.347
509				Minimum Non-Detect		0.0032				Minimum Non-Detect		-5.745
510				Maximum Non-Detect		0.0206				Maximum Non-Detect		-3.885
511												
512	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		16
513	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		0
514	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		100.00%
515												
516					**Warning: There are only 4 Distinct Detected Values in this data**							
517					**Note: It should be noted that even though bootstrap may be performed on this data set**							
518					**the resulting calculations may not be reliable enough tp draw conclusions**							
519												
520				**It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.**								
521												
522												
523						**UCL Statistics**						
524		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
525				Shapiro Wilk Test Statistic		0.946				Shapiro Wilk Test Statistic		0.777
526				5% Shapiro Wilk Critical Value		0.748				5% Shapiro Wilk Critical Value		0.748
527		**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
528												
529		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
530				DL/2 Substitution Method						DL/2 Substitution Method		

	A	B	C	D	E	F	G	H	I	J	K	L
531					Mean	0.00688					Mean	-5.205
532					SD	0.00411					SD	0.782
533					95% DL/2 (t) UCL	0.00868					95% H-Stat (DL/2) UCL	0.0132
534												
535			Maximum Likelihood Estimate(MLE) Method			N/A					Log ROS Method	
536			**MLE method failed to converge properly**								Mean in Log Scale	-6.112
537											SD in Log Scale	0.947
538											Mean in Original Scale	0.00371
539											SD in Original Scale	0.0047
540											95% Percentile Bootstrap UCL	0.00567
541											95% BCA Bootstrap UCL	0.00632
542												
543		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
544				k star (bias corrected)		0.496		**Data appear Normal at 5% Significance Level**				
545				Theta Star		0.0195						
546				nu star		3.968						
547												
548				A-D Test Statistic		0.539		**Nonparametric Statistics**				
549				5% A-D Critical Value		0.664		Kaplan-Meier (KM) Method				
550				K-S Test Statistic		0.664					Mean	0.00425
551				5% K-S Critical Value		0.401					SD	0.00534
552		**Data appear Gamma Distributed at 5% Significance Level**									SE of Mean	0.00192
553											95% KM (t) UCL	0.00761
554		**Assuming Gamma Distribution**									95% KM (z) UCL	0.0074
555		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.00967
556					Minimum	1E-09					95% KM (bootstrap t) UCL	0.00643
557					Maximum	0.0169					95% KM (BCA) UCL	N/A
558					Mean	0.00242					95% KM (Percentile Bootstrap) UCL	0.0118
559					Median	1E-09					95% KM (Chebyshev) UCL	0.0126
560					SD	0.00525					97.5% KM (Chebyshev) UCL	0.0162
561					k star	0.105					99% KM (Chebyshev) UCL	0.0233
562					Theta star	0.0231						
563					Nu star	3.351		**Potential UCLs to Use**				
564					AppChi2	0.484					95% KM (t) UCL	0.00761
565				95% Gamma Approximate UCL		0.0168		95% KM (Percentile Bootstrap) UCL				0.0118
566				95% Adjusted Gamma UCL		N/A						
567	**Note: DL/2 is not a recommended method.**											
568												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	RM7W								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	AldrinNA											
10												
11					General Statistics							
12			Number of Valid Data		5			Number of Detected Data				5
13		Number of Distinct Detected Data			5			Number of Non-Detect Data				0
14			Number of Missing Values		8			Percent Non-Detects				0.00%
15												
16		Raw Statistics						Log-transformed Statistics				
17			Minimum Detected	7.02E-07				Minimum Detected				-14.17
18			Maximum Detected	3.618E-06				Maximum Detected				-12.53
19			Mean of Detected	2.093E-06				Mean of Detected				-13.26
20			SD of Detected	1.279E-06				SD of Detected				0.717
21			Minimum Non-Detect	N/A				Minimum Non-Detect				N/A
22			Maximum Non-Detect	N/A				Maximum Non-Detect				N/A
23												
24												
25				Warning: There are only 5 Detected Values in this data								
26				Note: It should be noted that even though bootstrap may be performed on this data set								
27				the resulting calculations may not be reliable enough tp draw conclusions								
28												
29				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
30												
31												
32					UCL Statistics							
33		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
34			Shapiro Wilk Test Statistic		0.919			Shapiro Wilk Test Statistic				0.911
35			5% Shapiro Wilk Critical Value		0.762			5% Shapiro Wilk Critical Value				0.762
36		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
37												
38		Assuming Normal Distribution						Assuming Lognormal Distribution				
39			DL/2 Substitution Method					DL/2 Substitution Method				
40				Mean	2.093E-06				Mean			-13.26
41				SD	1.279E-06				SD			0.717
42			95% DL/2 (t) UCL		3.313E-06			95% H-Stat (DL/2) UCL				8.559E-06
43												
44		Maximum Likelihood Estimate(MLE) Method				N/A		Log ROS Method				
45		MLE method failed to converge properly						Mean in Log Scale				N/A
46								SD in Log Scale				N/A
47								Mean in Original Scale				N/A
48								SD in Original Scale				N/A
49								95% Percentile Bootstrap UCL				N/A
50								95% BCA Bootstrap UCL				N/A
51												
52		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
53			k star (bias corrected)		1.274			Data appear Normal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
54					Theta Star	1.643E-06						
55					nu star	12.74						
56												
57					A-D Test Statistic	0.326			Nonparametric Statistics			
58					5% A-D Critical Value	0.683			Kaplan-Meier (KM) Method			
59					K-S Test Statistic	0.683					Mean	2.093E-06
60					5% K-S Critical Value	0.36					SD	1.144E-06
61		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	5.721E-07
62											95% KM (t) UCL	3.313E-06
63				Assuming Gamma Distribution							95% KM (z) UCL	3.034E-06
64			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	3.313E-06
65					Minimum	7.02E-07					95% KM (bootstrap t) UCL	3.554E-06
66					Maximum	3.618E-06					95% KM (BCA) UCL	2.889E-06
67					Mean	2.093E-06			95% KM (Percentile Bootstrap) UCL			2.934E-06
68					Median	2.052E-06					95% KM (Chebyshev) UCL	4.587E-06
69					SD	1.279E-06					97.5% KM (Chebyshev) UCL	5.666E-06
70					k star	1.274					99% KM (Chebyshev) UCL	7.786E-06
71					Theta star	1.643E-06						
72					Nu star	12.74			Potential UCLs to Use			
73					AppChi2	5.717					95% KM (t) UCL	3.313E-06
74			95% Gamma Approximate UCL			4.664E-06			95% KM (Percentile Bootstrap) UCL			2.934E-06
75			95% Adjusted Gamma UCL			6.937E-06						
76	Note: DL/2 is not a recommended method.											
77												
78												
79	Arsenicdissolved											
80												
81					General Statistics							
82			Number of Valid Data			6			Number of Detected Data			5
83		Number of Distinct Detected Data				5			Number of Non-Detect Data			1
84			Number of Missing Values			6			Percent Non-Detects			16.67%
85												
86			Raw Statistics						Log-transformed Statistics			
87				Minimum Detected		0.258				Minimum Detected		-1.357
88				Maximum Detected		0.45				Maximum Detected		-0.799
89				Mean of Detected		0.349				Mean of Detected		-1.068
90				SD of Detected		0.0706				SD of Detected		0.204
91				Minimum Non-Detect		0.39				Minimum Non-Detect		-0.941
92				Maximum Non-Detect		0.39				Maximum Non-Detect		-0.941
93												
94												
95				Warning: There are only 5 Detected Values in this data								
96			Note: It should be noted that even though bootstrap may be performed on this data set									
97			the resulting calculations may not be reliable enough tp draw conclusions									
98												
99		It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.										
100												
101												
102					UCL Statistics							
103		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
104			Shapiro Wilk Test Statistic			0.97				Shapiro Wilk Test Statistic		0.972
105			5% Shapiro Wilk Critical Value			0.762				5% Shapiro Wilk Critical Value		0.762
106		Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			

	A	B	C	D	E	F	G	H	I	J	K	L
107												
108			Assuming Normal Distribution						Assuming Lognormal Distribution			
109			DL/2 Substitution Method						DL/2 Substitution Method			
110					Mean	0.324				Mean		-1.163
111					SD	0.0891				SD		0.294
112				95% DL/2 (t) UCL		0.397			95% H-Stat (DL/2) UCL			0.437
113												
114			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
115			MLE method failed to converge properly							Mean in Log Scale		-1.079
116										SD in Log Scale		0.185
117										Mean in Original Scale		0.345
118										SD in Original Scale		0.0641
119									95% Percentile Bootstrap UCL			0.386
120									95% BCA Bootstrap UCL			0.388
121												
122			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
123			k star (bias corrected)			12.31			Data appear Normal at 5% Significance Level			
124					Theta Star	0.0284						
125					nu star	123.1						
126												
127					A-D Test Statistic	0.241			Nonparametric Statistics			
128				5% A-D Critical Value		0.679			Kaplan-Meier (KM) Method			
129					K-S Test Statistic	0.679				Mean		0.345
130				5% K-S Critical Value		0.357				SD		0.0609
131			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		0.0292
132										95% KM (t) UCL		0.404
133			Assuming Gamma Distribution							95% KM (z) UCL		0.393
134			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.405
135					Minimum	0.258				95% KM (bootstrap t) UCL		0.415
136					Maximum	0.45				95% KM (BCA) UCL		0.391
137					Mean	0.35			95% KM (Percentile Bootstrap) UCL			0.386
138					Median	0.344				95% KM (Chebyshev) UCL		0.472
139					SD	0.0632				97.5% KM (Chebyshev) UCL		0.527
140					k star	18.34				99% KM (Chebyshev) UCL		0.635
141					Theta star	0.0191						
142					Nu star	220.1			Potential UCLs to Use			
143					AppChi2	186.7				95% KM (t) UCL		0.404
144				95% Gamma Approximate UCL		0.413			95% KM (Percentile Bootstrap) UCL			0.386
145				95% Adjusted Gamma UCL		0.439						
146	Note: DL/2 is not a recommended method.											
147												
148												
149	Arsenictotal											
150												
151					General Statistics							
152				Number of Valid Data		6			Number of Detected Data			5
153			Number of Distinct Detected Data			5			Number of Non-Detect Data			1
154				Number of Missing Values		6			Percent Non-Detects			16.67%
155												
156			Raw Statistics						Log-transformed Statistics			
157				Minimum Detected		0.335			Minimum Detected			-1.094
158				Maximum Detected		0.5			Maximum Detected			-0.693
159				Mean of Detected		0.406			Mean of Detected			-0.911

	A	B	C	D	E	F	G	H	I	J	K	L
160					SD of Detected	0.0639					SD of Detected	0.154
161					Minimum Non-Detect	0.433					Minimum Non-Detect	-0.837
162					Maximum Non-Detect	0.433					Maximum Non-Detect	-0.837
163												
164												
165					Warning: There are only 5 Detected Values in this data							
166					Note: It should be noted that even though bootstrap may be performed on this data set							
167					the resulting calculations may not be reliable enough tp draw conclusions							
168												
169					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
170												
171												
172					UCL Statistics							
173		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
174					Shapiro Wilk Test Statistic	0.959					Shapiro Wilk Test Statistic	0.975
175					5% Shapiro Wilk Critical Value	0.762					5% Shapiro Wilk Critical Value	0.762
176		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
177												
178		Assuming Normal Distribution						Assuming Lognormal Distribution				
179					DL/2 Substitution Method						DL/2 Substitution Method	
180					Mean	0.375					Mean	-1.014
181					SD	0.0962					SD	0.288
182					95% DL/2 (t) UCL	0.454					95% H-Stat (DL/2) UCL	0.499
183												
184				Maximum Likelihood Estimate(MLE) Method		N/A					Log ROS Method	
185		MLE method failed to converge properly									Mean in Log Scale	-0.926
186											SD in Log Scale	0.143
187											Mean in Original Scale	0.4
188											SD in Original Scale	0.0594
189											95% Percentile Bootstrap UCL	0.439
190											95% BCA Bootstrap UCL	0.446
191												
192		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
193					k star (bias corrected)	20.97		Data appear Normal at 5% Significance Level				
194					Theta Star	0.0194						
195					nu star	209.7						
196												
197					A-D Test Statistic	0.229		Nonparametric Statistics				
198					5% A-D Critical Value	0.678		Kaplan-Meier (KM) Method				
199					K-S Test Statistic	0.678					Mean	0.399
200					5% K-S Critical Value	0.357					SD	0.0551
201		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.0256
202											95% KM (t) UCL	0.451
203		Assuming Gamma Distribution									95% KM (z) UCL	0.441
204		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.451
205					Minimum	0.335					95% KM (bootstrap t) UCL	0.481
206					Maximum	0.5					95% KM (BCA) UCL	0.437
207					Mean	0.404		95% KM (Percentile Bootstrap) UCL				0.443
208					Median	0.389					95% KM (Chebyshev) UCL	0.511
209					SD	0.0574					97.5% KM (Chebyshev) UCL	0.559
210					k star	31.03					99% KM (Chebyshev) UCL	0.654
211					Theta star	0.013						
212					Nu star	372.3		Potential UCLs to Use				

	A	B	C	D	E	F	G	H	I	J	K	L
213					AppChi2	328.6				95% KM (t) UCL		0.451
214			95% Gamma Approximate UCL			0.458			95% KM (Percentile Bootstrap) UCL			0.443
215			95% Adjusted Gamma UCL			0.479						
216	Note: DL/2 is not a recommended method.											
217												
218												
219	Benzo(a)anthraceneNA											
220												
221					General Statistics							
222			Number of Valid Data			10			Number of Detected Data			6
223			Number of Distinct Detected Data			6			Number of Non-Detect Data			4
224			Number of Missing Values			3			Percent Non-Detects			40.00%
225												
226			Raw Statistics						Log-transformed Statistics			
227			Minimum Detected			0.0004546			Minimum Detected			-7.696
228			Maximum Detected			0.00695			Maximum Detected			-4.969
229			Mean of Detected			0.00235			Mean of Detected			-6.535
230			SD of Detected			0.00256			SD of Detected			1.062
231			Minimum Non-Detect			0.0042			Minimum Non-Detect			-5.473
232			Maximum Non-Detect			0.0042			Maximum Non-Detect			-5.473
233												
234												
235					Warning: There are only 6 Detected Values in this data							
236					Note: It should be noted that even though bootstrap may be performed on this data set							
237					the resulting calculations may not be reliable enough tp draw conclusions							
238												
239					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
240												
241												
242					UCL Statistics							
243		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
244			Shapiro Wilk Test Statistic			0.796			Shapiro Wilk Test Statistic			0.933
245			5% Shapiro Wilk Critical Value			0.788			5% Shapiro Wilk Critical Value			0.788
246		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
247												
248		Assuming Normal Distribution						Assuming Lognormal Distribution				
249			DL/2 Substitution Method						DL/2 Substitution Method			
250			Mean			0.00225			Mean			-6.387
251			SD			0.00191			SD			0.814
252			95% DL/2 (t) UCL			0.00336			95% H-Stat (DL/2) UCL			0.0146
253												
254		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
255		MLE method failed to converge properly							Mean in Log Scale			-6.665
256									SD in Log Scale			0.906
257									Mean in Original Scale			0.00191
258									SD in Original Scale			0.00204
259									95% Percentile Bootstrap UCL			0.00301
260									95% BCA Bootstrap UCL			0.00334
261												
262		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
263			k star (bias corrected)			0.701		Data appear Normal at 5% Significance Level				
264			Theta Star			0.00335						
265			nu star			8.412						

	A	B	C	D	E	F	G	H	I	J	K	L
266												
267				A-D Test Statistic		0.396			Nonparametric Statistics			
268				5% A-D Critical Value		0.712			Kaplan-Meier (KM) Method			
269				K-S Test Statistic		0.712				Mean		0.00198
270				5% K-S Critical Value		0.34				SD		0.00201
271	Data appear Gamma Distributed at 5% Significance Level									SE of Mean		0.0007815
272										95% KM (t) UCL		0.00341
273		Assuming Gamma Distribution								95% KM (z) UCL		0.00326
274		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.00343
275					Minimum	0.0004546				95% KM (bootstrap t) UCL		0.0072
276					Maximum	0.00695				95% KM (BCA) UCL		0.00336
277					Mean	0.00235			95% KM (Percentile Bootstrap) UCL			0.0032
278					Median	0.00233				95% KM (Chebyshev) UCL		0.00539
279					SD	0.0019				97.5% KM (Chebyshev) UCL		0.00686
280					k star	1.386				99% KM (Chebyshev) UCL		0.00976
281					Theta star	0.00169						
282					Nu star	27.72			Potential UCLs to Use			
283					AppChi2	16.71				95% KM (t) UCL		0.00341
284			95% Gamma Approximate UCL			0.00389			95% KM (Percentile Bootstrap) UCL			0.0032
285			95% Adjusted Gamma UCL			0.00427						
286	Note: DL/2 is not a recommended method.											
287												
288												
289	Benzo(a)pyreneNA											
290												
291						General Statistics						
292			Number of Valid Data			10			Number of Detected Data			6
293		Number of Distinct Detected Data				6			Number of Non-Detect Data			4
294			Number of Missing Values			3			Percent Non-Detects			40.00%
295												
296			Raw Statistics						Log-transformed Statistics			
297				Minimum Detected		0.000574				Minimum Detected		-7.463
298				Maximum Detected		0.00655				Maximum Detected		-5.028
299				Mean of Detected		0.00222				Mean of Detected		-6.478
300				SD of Detected		0.00226				SD of Detected		0.909
301				Minimum Non-Detect		0.0032				Minimum Non-Detect		-5.745
302				Maximum Non-Detect		0.0032				Maximum Non-Detect		-5.745
303												
304												
305					Warning: There are only 6 Detected Values in this data							
306				Note: It should be noted that even though bootstrap may be performed on this data set								
307				the resulting calculations may not be reliable enough tp draw conclusions								
308												
309			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
310												
311												
312						UCL Statistics						
313		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
314				Shapiro Wilk Test Statistic		0.772				Shapiro Wilk Test Statistic		0.934
315				5% Shapiro Wilk Critical Value		0.788				5% Shapiro Wilk Critical Value		0.788
316		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
317												
318		Assuming Normal Distribution						Assuming Lognormal Distribution				

	A	B	C	D	E	F	G	H	I	J	K	L
319			DL/2 Substitution Method							DL/2 Substitution Method		
320					Mean	0.00197					Mean	-6.462
321					SD	0.00171					SD	0.678
322				95% DL/2 (t) UCL		0.00296				95% H-Stat (DL/2) UCL		0.00741
323												
324			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
325		MLE method failed to converge properly								Mean in Log Scale		-6.59
326										SD in Log Scale		0.777
327										Mean in Original Scale		0.00186
328										SD in Original Scale		0.0018
329										95% Percentile Bootstrap UCL		0.0029
330										95% BCA Bootstrap UCL		0.00335
331												
332		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
333				k star (bias corrected)		0.864		Data appear Gamma Distributed at 5% Significance Level				
334					Theta Star	0.00257						
335					nu star	10.37						
336												
337					A-D Test Statistic	0.388			Nonparametric Statistics			
338				5% A-D Critical Value		0.708				Kaplan-Meier (KM) Method		
339					K-S Test Statistic	0.708					Mean	0.00187
340				5% K-S Critical Value		0.337					SD	0.00172
341		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.000638
342											95% KM (t) UCL	0.00304
343			Assuming Gamma Distribution								95% KM (z) UCL	0.00292
344		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.00303
345					Minimum	0.000574				95% KM (bootstrap t) UCL		0.00409
346					Maximum	0.00655					95% KM (BCA) UCL	0.00288
347					Mean	0.0022				95% KM (Percentile Bootstrap) UCL		0.00292
348					Median	0.002				95% KM (Chebyshev) UCL		0.00465
349					SD	0.00169				97.5% KM (Chebyshev) UCL		0.00586
350					k star	1.74				99% KM (Chebyshev) UCL		0.00822
351					Theta star	0.00126						
352					Nu star	34.81			Potential UCLs to Use			
353					AppChi2	22.31				95% KM (BCA) UCL		0.00288
354			95% Gamma Approximate UCL			0.00343						
355			95% Adjusted Gamma UCL			0.00371						
356	Note: DL/2 is not a recommended method.											
357												
358												
359	Benzo(b)fluorantheneNA											
360												
361							General Statistics					
362				Number of Valid Data		9				Number of Detected Data		5
363			Number of Distinct Detected Data			5				Number of Non-Detect Data		4
364				Number of Missing Values		4				Percent Non-Detects		44.44%
365												
366			Raw Statistics						Log-transformed Statistics			
367				Minimum Detected		0.0005743				Minimum Detected		-7.462
368				Maximum Detected		0.0049				Maximum Detected		-5.319
369				Mean of Detected		0.00186				Mean of Detected		-6.563
370				SD of Detected		0.00173				SD of Detected		0.784
371				Minimum Non-Detect		0.0039				Minimum Non-Detect		-5.547

	A	B	C	D	E	F	G	H	I	J	K	L
372					Maximum Non-Detect	0.0039				Maximum Non-Detect		-5.547
373												
374												
375				Warning: There are only 5 Detected Values in this data								
376				Note: It should be noted that even though bootstrap may be performed on this data set								
377				the resulting calculations may not be reliable enough tp draw conclusions								
378												
379				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
380												
381												
382					UCL Statistics							
383		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
384				Shapiro Wilk Test Statistic		0.736				Shapiro Wilk Test Statistic		0.923
385				5% Shapiro Wilk Critical Value		0.762				5% Shapiro Wilk Critical Value		0.762
386		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
387												
388		Assuming Normal Distribution						Assuming Lognormal Distribution				
389				DL/2 Substitution Method						DL/2 Substitution Method		
390					Mean	0.0019				Mean		-6.419
391					SD	0.00123				SD		0.58
392				95% DL/2 (t) UCL		0.00266				95% H-Stat (DL/2) UCL		0.00934
393												
394				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
395		MLE method failed to converge properly								Mean in Log Scale		-6.688
396										SD in Log Scale		0.652
397										Mean in Original Scale		0.00155
398										SD in Original Scale		0.00132
399										95% Percentile Bootstrap UCL		0.00237
400										95% BCA Bootstrap UCL		0.0027
401												
402		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
403				k star (bias corrected)		0.923		Data appear Gamma Distributed at 5% Significance Level				
404				Theta Star		0.00201						
405				nu star		9.232						
406												
407				A-D Test Statistic		0.485		Nonparametric Statistics				
408				5% A-D Critical Value		0.685				Kaplan-Meier (KM) Method		
409				K-S Test Statistic		0.685				Mean		0.00152
410				5% K-S Critical Value		0.361				SD		0.00124
411		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.0004755
412										95% KM (t) UCL		0.0024
413		Assuming Gamma Distribution								95% KM (z) UCL		0.0023
414		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.00238
415					Minimum	0.0005743				95% KM (bootstrap t) UCL		0.00336
416					Maximum	0.0049				95% KM (BCA) UCL		0.00235
417					Mean	0.0018				95% KM (Percentile Bootstrap) UCL		0.00235
418					Median	0.00145				95% KM (Chebyshev) UCL		0.00359
419					SD	0.00128				97.5% KM (Chebyshev) UCL		0.00449
420					k star	2.1				99% KM (Chebyshev) UCL		0.00625
421					Theta star	0.0008562						
422					Nu star	37.8		Potential UCLs to Use				
423					AppChi2	24.72				95% KM (BCA) UCL		0.00235
424				95% Gamma Approximate UCL		0.00275						

	A	B	C	D	E	F	G	H	I	J	K	L
425				95% Adjusted Gamma UCL		0.00302						
426	Note: DL/2 is not a recommended method.											
427												
428												
429	Indeno(1,2,3-cd)pyreneNA											
430												
431					General Statistics							
432				Number of Valid Data		5			Number of Detected Data			5
433			Number of Distinct Detected Data			5			Number of Non-Detect Data			0
434				Number of Missing Values		8			Percent Non-Detects			0.00%
435												
436			Raw Statistics						Log-transformed Statistics			
437				Minimum Detected		0.0004775			Minimum Detected			-7.647
438				Maximum Detected		0.00281			Maximum Detected			-5.875
439				Mean of Detected		0.00113			Mean of Detected			-7.01
440				SD of Detected		0.0009607			SD of Detected			0.691
441				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
442				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
443												
444												
445					Warning: There are only 5 Detected Values in this data							
446				Note: It should be noted that even though bootstrap may be performed on this data set								
447				the resulting calculations may not be reliable enough tp draw conclusions									
448												
449			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
450												
451												
452					UCL Statistics							
453		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
454				Shapiro Wilk Test Statistic		0.735			Shapiro Wilk Test Statistic			0.888
455				5% Shapiro Wilk Critical Value		0.762			5% Shapiro Wilk Critical Value			0.762
456		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
457												
458		Assuming Normal Distribution						Assuming Lognormal Distribution				
459				DL/2 Substitution Method					DL/2 Substitution Method			
460				Mean		0.00113			Mean			-7.01
461				SD		0.0009607			SD			0.691
462				95% DL/2 (t) UCL		0.00204			95% H-Stat (DL/2) UCL			0.00402
463												
464			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
465		MLE method failed to converge properly							Mean in Log Scale			N/A
466									SD in Log Scale			N/A
467									Mean in Original Scale			N/A
468									SD in Original Scale			N/A
469									95% Percentile Bootstrap UCL			N/A
470									95% BCA Bootstrap UCL			N/A
471												
472		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
473				k star (bias corrected)		1.098		Data appear Gamma Distributed at 5% Significance Level				
474				Theta Star		0.00103						
475				nu star		10.98						
476												
477				A-D Test Statistic		0.514			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
478				5% A-D Critical Value		0.684			Kaplan-Meier (KM) Method			
479				K-S Test Statistic		0.684					Mean	0.00113
480				5% K-S Critical Value		0.36					SD	0.0008593
481		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.0004297
482											95% KM (t) UCL	0.00204
483		Assuming Gamma Distribution									95% KM (z) UCL	0.00183
484		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.00204
485					Minimum	0.0004775					95% KM (bootstrap t) UCL	0.00484
486					Maximum	0.00281					95% KM (BCA) UCL	0.00172
487					Mean	0.00113			95% KM (Percentile Bootstrap) UCL			0.00188
488					Median	0.000767					95% KM (Chebyshev) UCL	0.003
489					SD	0.0009607					97.5% KM (Chebyshev) UCL	0.00381
490					k star	1.098					99% KM (Chebyshev) UCL	0.0054
491					Theta star	0.00103						
492					Nu star	10.98			Potential UCLs to Use			
493					AppChi2	4.563					95% KM (Chebyshev) UCL	0.003
494			95% Gamma Approximate UCL			0.00271						
495			95% Adjusted Gamma UCL			0.00421						
496		Warning: Recommended UCL exceeds the maximum observation										
497	Note: DL/2 is not a recommended method.											
498												
499												
500	PerchlorateNA											
501												
502					General Statistics							
503			Number of Valid Data			8			Number of Detected Data			5
504		Number of Distinct Detected Data				5			Number of Non-Detect Data			3
505			Number of Missing Values			4			Percent Non-Detects			37.50%
506												
507		Raw Statistics							Log-transformed Statistics			
508			Minimum Detected			0.9			Minimum Detected			-0.105
509			Maximum Detected			15.7			Maximum Detected			2.754
510			Mean of Detected			4.57			Mean of Detected			0.924
511			SD of Detected			6.285			SD of Detected			1.125
512			Minimum Non-Detect			0.25			Minimum Non-Detect			-1.386
513			Maximum Non-Detect			1			Maximum Non-Detect			0
514												
515	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			4
516	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			4
517	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			50.00%
518												
519		Warning: There are only 5 Detected Values in this data										
520		Note: It should be noted that even though bootstrap may be performed on this data set										
521		the resulting calculations may not be reliable enough tp draw conclusions										
522												
523		It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.										
524												
525												
526					UCL Statistics							
527		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
528			Shapiro Wilk Test Statistic			0.672			Shapiro Wilk Test Statistic			0.888
529			5% Shapiro Wilk Critical Value			0.762			5% Shapiro Wilk Critical Value			0.762
530		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			

	A	B	C	D	E	F	G	H	I	J	K	L
531												
532			Assuming Normal Distribution						Assuming Lognormal Distribution			
533				DL/2 Substitution Method						DL/2 Substitution Method		
534					Mean	2.959					Mean	0.0297
535					SD	5.247					SD	1.546
536				95% DL/2 (t) UCL		6.474			95% H-Stat (DL/2) UCL			12.38
537												
538			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
539			MLE yields a negative mean							Mean in Log Scale		-0.0618
540										SD in Log Scale		1.613
541										Mean in Original Scale		2.927
542										SD in Original Scale		5.265
543									95% Percentile Bootstrap UCL			6.477
544									95% BCA Bootstrap UCL			8.119
545												
546			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
547				k star (bias corrected)		0.522		Data appear Gamma Distributed at 5% Significance Level				
548					Theta Star	8.749						
549					nu star	5.223						
550												
551					A-D Test Statistic	0.576			Nonparametric Statistics			
552					5% A-D Critical Value	0.692			Kaplan-Meier (KM) Method			
553					K-S Test Statistic	0.692					Mean	3.194
554					5% K-S Critical Value	0.365					SD	4.786
555			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	1.892
556										95% KM (t) UCL		6.778
557			Assuming Gamma Distribution							95% KM (z) UCL		6.306
558			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		6.534
559					Minimum	0.414			95% KM (bootstrap t) UCL			31.2
560					Maximum	15.7			95% KM (BCA) UCL			6.994
561					Mean	3.195			95% KM (Percentile Bootstrap) UCL			6.744
562					Median	1.5			95% KM (Chebyshev) UCL			11.44
563					SD	5.136			97.5% KM (Chebyshev) UCL			15.01
564					k star	0.593			99% KM (Chebyshev) UCL			22.02
565					Theta star	5.385						
566					Nu star	9.493			Potential UCLs to Use			
567					AppChi2	3.627			95% KM (BCA) UCL			6.994
568				95% Gamma Approximate UCL		8.362						
569				95% Adjusted Gamma UCL		10.94						
570	Note: DL/2 is not a recommended method.											
571												

General UCL Statistics for Data Sets with Non-Detects

User Selected Options	
From File	RM7.5W
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	2000

Arsenicdissolved

General Statistics

Number of Valid Observations	5	Number of Distinct Observations	5

Raw Statistics		Log-transformed Statistics	
Minimum	0.303	Minimum of Log Data	-1.193
Maximum	0.47	Maximum of Log Data	-0.755
Mean	0.363	Mean of log Data	-1.027
Median	0.337	SD of log Data	0.181
SD	0.069		
Coefficient of Variation	0.19		
Skewness	1.13		

Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!

It is suggested to collect at least 8 to 10 observations using these statistical methods!

If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

Warning: There are only 5 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set,

the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.886	Shapiro Wilk Test Statistic	0.907
Shapiro Wilk Critical Value	0.762	Shapiro Wilk Critical Value	0.762
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	0.429	95% H-UCL	0.443
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	0.491
95% Adjusted-CLT UCL	0.43	97.5% Chebyshev (MVUE) UCL	0.546
95% Modified-t UCL	0.431	99% Chebyshev (MVUE) UCL	0.655

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	14.93	Data appear Normal at 5% Significance Level	
Theta Star	0.0243		
nu star	149.3		
Approximate Chi Square Value (.05)	122.1	Nonparametric Statistics	
Adjusted Level of Significance	0.0086	95% CLT UCL	0.414

	A	B	C	D	E	F	G	H	I	J	K	L
54			Adjusted Chi Square Value			111.3					95% Jackknife UCL	0.429
55											95% Standard Bootstrap UCL	0.409
56			Anderson-Darling Test Statistic			0.359					95% Bootstrap-t UCL	0.541
57			Anderson-Darling 5% Critical Value			0.678					95% Hall's Bootstrap UCL	0.734
58			Kolmogorov-Smirnov Test Statistic			0.253					95% Percentile Bootstrap UCL	0.407
59			Kolmogorov-Smirnov 5% Critical Value			0.357					95% BCA Bootstrap UCL	0.417
60		**Data appear Gamma Distributed at 5% Significance Level**									95% Chebyshev(Mean, Sd) UCL	0.498
61											97.5% Chebyshev(Mean, Sd) UCL	0.556
62			**Assuming Gamma Distribution**								99% Chebyshev(Mean, Sd) UCL	0.67
63			95% Approximate Gamma UCL			0.444						
64			95% Adjusted Gamma UCL			0.487						
65												
66			**Potential UCL to Use**								Use 95% Student's-t UCL	0.429
67												
68												
69	Arsenictotal											
70												
71				**General Statistics**								
72			Number of Valid Observations			5				Number of Distinct Observations		5
73												
74			**Raw Statistics**						**Log-transformed Statistics**			
75				Minimum		0.41				Minimum of Log Data		-0.892
76				Maximum		0.56				Maximum of Log Data		-0.58
77				Mean		0.485				Mean of log Data		-0.731
78				Median		0.492				SD of log Data		0.125
79				SD		0.0602						
80			Coefficient of Variation			0.124						
81				Skewness		-0.0442						
82												
83												
84		**Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!**										
85												
86		**It is suggested to collect at least 8 to 10 observations using these statistical methods!**										
87		**If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.**										
88												
89												
90		**Warning: There are only 5 Values in this data**										
91		**Note: It should be noted that even though bootstrap methods may be performed on this data set,**										
92		**the resulting calculations may not be reliable enough to draw conclusions**										
93												
94		**The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.**										
95												
96				**Relevant UCL Statistics**								
97			**Normal Distribution Test**						**Lognormal Distribution Test**			
98			Shapiro Wilk Test Statistic			0.974				Shapiro Wilk Test Statistic		0.971
99			Shapiro Wilk Critical Value			0.762				Shapiro Wilk Critical Value		0.762
100		**Data appear Normal at 5% Significance Level**							**Data appear Lognormal at 5% Significance Level**			
101												
102			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
103			95% Student's-t UCL			0.542				95% H-UCL		0.553
104		**95% UCLs (Adjusted for Skewness)**							95% Chebyshev (MVUE) UCL			0.603
105			95% Adjusted-CLT UCL			0.528				97.5% Chebyshev (MVUE) UCL		0.654
106			95% Modified-t UCL			0.542				99% Chebyshev (MVUE) UCL		0.755

	A	B	C	D	E	F	G	H	I	J	K	L
107												
108			**Gamma Distribution Test**						**Data Distribution**			
109				k star (bias corrected)		32.17			**Data appear Normal at 5% Significance Level**			
110					Theta Star	0.0151						
111					nu star	321.7						
112			Approximate Chi Square Value (.05)			281.2			**Nonparametric Statistics**			
113				Adjusted Level of Significance		0.0086				95% CLT UCL		0.529
114				Adjusted Chi Square Value		264.4				95% Jackknife UCL		0.542
115										95% Standard Bootstrap UCL		0.524
116			Anderson-Darling Test Statistic			0.214				95% Bootstrap-t UCL		0.54
117			Anderson-Darling 5% Critical Value			0.678				95% Hall's Bootstrap UCL		0.528
118			Kolmogorov-Smirnov Test Statistic			0.189				95% Percentile Bootstrap UCL		0.525
119			Kolmogorov-Smirnov 5% Critical Value			0.357				95% BCA Bootstrap UCL		0.522
120		**Data appear Gamma Distributed at 5% Significance Level**								95% Chebyshev(Mean, Sd) UCL		0.602
121										97.5% Chebyshev(Mean, Sd) UCL		0.653
122			**Assuming Gamma Distribution**							99% Chebyshev(Mean, Sd) UCL		0.752
123				95% Approximate Gamma UCL		0.554						
124				95% Adjusted Gamma UCL		0.589						
125												
126			**Potential UCL to Use**						Use 95% Student's-t UCL			0.542
127												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	RM8.0_SIL								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6	Number of Bootstrap Operations			2000								
7												
8												
9	AldrinNA											
10												
11						General Statistics						
12			Number of Valid Data	5				Number of Detected Data				5
13		Number of Distinct Detected Data		5				Number of Non-Detect Data				0
14			Number of Missing Values	11				Percent Non-Detects				0.00%
15												
16			Raw Statistics					Log-transformed Statistics				
17			Minimum Detected	0.0000004				Minimum Detected				-14.73
18			Maximum Detected	4.88E-06				Maximum Detected				-12.23
19			Mean of Detected	2.239E-06				Mean of Detected				-13.34
20			SD of Detected	1.819E-06				SD of Detected				0.981
21			Minimum Non-Detect	N/A				Minimum Non-Detect				N/A
22			Maximum Non-Detect	N/A				Maximum Non-Detect				N/A
23												
24												
25					Warning: There are only 5 Detected Values in this data							
26				Note: It should be noted that even though bootstrap may be performed on this data set								
27				the resulting calculations may not be reliable enough tp draw conclusions								
28												
29			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
30												
31												
32						UCL Statistics						
33		Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only					
34			Shapiro Wilk Test Statistic	0.932				Shapiro Wilk Test Statistic				0.973
35			5% Shapiro Wilk Critical Value	0.762				5% Shapiro Wilk Critical Value				0.762
36		Data appear Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level					
37												
38		Assuming Normal Distribution					Assuming Lognormal Distribution					
39			DL/2 Substitution Method					DL/2 Substitution Method				
40			Mean	2.239E-06				Mean				-13.34
41			SD	1.819E-06				SD				0.981
42			95% DL/2 (t) UCL	3.973E-06				95% H-Stat (DL/2) UCL				2.774E-05
43												
44		Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method				
45		MLE method failed to converge properly						Mean in Log Scale				N/A
46								SD in Log Scale				N/A
47								Mean in Original Scale				N/A
48								SD in Original Scale				N/A
49								95% Percentile Bootstrap UCL				N/A
50								95% BCA Bootstrap UCL				N/A
51												
52		Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only					
53			k star (bias corrected)	0.795			Data appear Normal at 5% Significance Level					

	A	B	C	D	E	F	G	H	I	J	K	L
54					Theta Star	2.817E-06						
55					nu star	7.947						
56												
57				A-D Test Statistic		0.192			Nonparametric Statistics			
58				5% A-D Critical Value		0.686			Kaplan-Meier (KM) Method			
59				K-S Test Statistic		0.686					Mean	2.239E-06
60				5% K-S Critical Value		0.361					SD	1.627E-06
61	Data appear Gamma Distributed at 5% Significance Level										SE of Mean	8.134E-07
62											95% KM (t) UCL	3.973E-06
63		Assuming Gamma Distribution									95% KM (z) UCL	3.577E-06
64		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	3.973E-06
65					Minimum	0.0000004					95% KM (bootstrap t) UCL	6.259E-06
66					Maximum	4.88E-06					95% KM (BCA) UCL	3.468E-06
67					Mean	2.239E-06			95% KM (Percentile Bootstrap) UCL			3.468E-06
68					Median	1.601E-06					95% KM (Chebyshev) UCL	5.785E-06
69					SD	1.819E-06					97.5% KM (Chebyshev) UCL	7.319E-06
70					k star	0.795					99% KM (Chebyshev) UCL	1.033E-05
71					Theta star	2.817E-06						
72					Nu star	7.947			Potential UCLs to Use			
73					AppChi2	2.704					95% KM (t) UCL	3.973E-06
74			95% Gamma Approximate UCL			6.579E-06			95% KM (Percentile Bootstrap) UCL			3.468E-06
75			95% Adjusted Gamma UCL			1.141E-05						
76	Note: DL/2 is not a recommended method.											
77												
78												
79	Arsenicdissolved											
80												
81					General Statistics							
82			Number of Valid Data			11			Number of Detected Data			10
83		Number of Distinct Detected Data				10			Number of Non-Detect Data			1
84			Number of Missing Values			4			Percent Non-Detects			9.09%
85												
86		Raw Statistics							Log-transformed Statistics			
87			Minimum Detected			0.249			Minimum Detected			-1.39
88			Maximum Detected			0.44			Maximum Detected			-0.821
89			Mean of Detected			0.346			Mean of Detected			-1.075
90			SD of Detected			0.0634			SD of Detected			0.184
91			Minimum Non-Detect			0.403			Minimum Non-Detect			-0.909
92			Maximum Non-Detect			0.403			Maximum Non-Detect			-0.909
93												
94												
95					UCL Statistics							
96		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
97			Shapiro Wilk Test Statistic			0.949			Shapiro Wilk Test Statistic			0.959
98			5% Shapiro Wilk Critical Value			0.842			5% Shapiro Wilk Critical Value			0.842
99		Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
100												
101		Assuming Normal Distribution							Assuming Lognormal Distribution			
102			DL/2 Substitution Method						DL/2 Substitution Method			
103					Mean	0.333					Mean	-1.123
104					SD	0.0743					SD	0.236
105			95% DL/2 (t) UCL			0.374			95% H-Stat (DL/2) UCL			0.379
106												

	A	B	C	D	E	F	G	H	I	J	K	L
107			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
108					Mean	0.428				Mean in Log Scale		-1.083
109					SD	0.0125				SD in Log Scale		0.177
110				95% MLE (t) UCL		0.435				Mean in Original Scale		0.344
111				95% MLE (Tiku) UCL		0.441				SD in Original Scale		0.0609
112										95% Percentile Bootstrap UCL		0.372
113										95% BCA Bootstrap UCL		0.374
114												
115		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
116				k star (bias corrected)		23.24		Data appear Normal at 5% Significance Level				
117					Theta Star	0.0149						
118					nu star	464.7						
119												
120				A-D Test Statistic		0.25		Nonparametric Statistics				
121				5% A-D Critical Value		0.724			Kaplan-Meier (KM) Method			
122				K-S Test Statistic		0.724					Mean	0.343
123				5% K-S Critical Value		0.266					SD	0.0591
124		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.0191
125										95% KM (t) UCL		0.378
126		Assuming Gamma Distribution								95% KM (z) UCL		0.375
127		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.378
128					Minimum	0.249				95% KM (bootstrap t) UCL		0.382
129					Maximum	0.44				95% KM (BCA) UCL		0.377
130					Mean	0.346			95% KM (Percentile Bootstrap) UCL			0.374
131					Median	0.338				95% KM (Chebyshev) UCL		0.427
132					SD	0.0602				97.5% KM (Chebyshev) UCL		0.463
133					k star	26.49				99% KM (Chebyshev) UCL		0.533
134					Theta star	0.0131						
135					Nu star	582.7		Potential UCLs to Use				
136					AppChi2	527.7				95% KM (t) UCL		0.378
137				95% Gamma Approximate UCL		0.382			95% KM (Percentile Bootstrap) UCL			0.374
138				95% Adjusted Gamma UCL		0.388						
139	Note: DL/2 is not a recommended method.											
140												
141												
142	Arsenictotal											
143												
144							General Statistics					
145				Number of Valid Data		11				Number of Detected Data		11
146			Number of Distinct Detected Data			10				Number of Non-Detect Data		0
147				Number of Missing Values		4				Percent Non-Detects		0.00%
148												
149			Raw Statistics						Log-transformed Statistics			
150				Minimum Detected		0.337				Minimum Detected		-1.088
151				Maximum Detected		0.48				Maximum Detected		-0.734
152				Mean of Detected		0.414				Mean of Detected		-0.889
153				SD of Detected		0.0509				SD of Detected		0.123
154				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
155				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
156												
157												
158							UCL Statistics					
159		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				

	A	B	C	D	E	F	G	H	I	J	K	L
160					Shapiro Wilk Test Statistic	0.912					Shapiro Wilk Test Statistic	0.921
161					5% Shapiro Wilk Critical Value	0.85					5% Shapiro Wilk Critical Value	0.85
162		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
163												
164		Assuming Normal Distribution						Assuming Lognormal Distribution				
165				DL/2 Substitution Method						DL/2 Substitution Method		
166					Mean	0.414					Mean	-0.889
167					SD	0.0509					SD	0.123
168				95% DL/2 (t) UCL		0.442				95% H-Stat (DL/2) UCL		0.445
169												
170		Maximum Likelihood Estimate(MLE) Method				N/A					Log ROS Method	
171		MLE method failed to converge properly									Mean in Log Scale	N/A
172											SD in Log Scale	N/A
173											Mean in Original Scale	N/A
174											SD in Original Scale	N/A
175										95% Percentile Bootstrap UCL		N/A
176										95% BCA Bootstrap UCL		N/A
177												
178		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
179				k star (bias corrected)		52.85		Data appear Normal at 5% Significance Level				
180					Theta Star	0.00783						
181					nu star	1163						
182												
183					A-D Test Statistic	0.427		Nonparametric Statistics				
184				5% A-D Critical Value		0.727				Kaplan-Meier (KM) Method		
185					K-S Test Statistic	0.727					Mean	0.414
186				5% K-S Critical Value		0.255					SD	0.0486
187		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.0154
188											95% KM (t) UCL	0.442
189		Assuming Gamma Distribution									95% KM (z) UCL	0.439
190		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.442
191					Minimum	0.337				95% KM (bootstrap t) UCL		0.442
192					Maximum	0.48					95% KM (BCA) UCL	0.44
193					Mean	0.414				95% KM (Percentile Bootstrap) UCL		0.438
194					Median	0.407				95% KM (Chebyshev) UCL		0.481
195					SD	0.0509				97.5% KM (Chebyshev) UCL		0.51
196					k star	52.85				99% KM (Chebyshev) UCL		0.567
197					Theta star	0.00783						
198					Nu star	1163		Potential UCLs to Use				
199					AppChi2	1085					95% KM (t) UCL	0.442
200				95% Gamma Approximate UCL		0.444			95% KM (Percentile Bootstrap) UCL			0.438
201				95% Adjusted Gamma UCL		0.449						
202	Note: DL/2 is not a recommended method.											
203												
204												
205	Benzo(a)anthraceneNA											
206												
207						General Statistics						
208			Number of Valid Data			16				Number of Detected Data		6
209			Number of Distinct Detected Data			6				Number of Non-Detect Data		10
210										Percent Non-Detects		62.50%
211												
212				Raw Statistics						Log-transformed Statistics		

	A	B	C	D	E	F	G	H	I	J	K	L
213					Minimum Detected	0.000167				Minimum Detected		-8.698
214					Maximum Detected	0.0108				Maximum Detected		-4.533
215					Mean of Detected	0.00304				Mean of Detected		-6.81
216					SD of Detected	0.0042				SD of Detected		1.66
217					Minimum Non-Detect	0.0021				Minimum Non-Detect		-6.166
218					Maximum Non-Detect	0.0084				Maximum Non-Detect		-4.78
219												
220	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			15
221	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
222	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			93.75%
223												
224				Warning: There are only 6 Detected Values in this data								
225				Note: It should be noted that even though bootstrap may be performed on this data set								
226				the resulting calculations may not be reliable enough tp draw conclusions								
227												
228				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
229												
230												
231						UCL Statistics						
232		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
233				Shapiro Wilk Test Statistic		0.768				Shapiro Wilk Test Statistic		0.924
234				5% Shapiro Wilk Critical Value		0.788				5% Shapiro Wilk Critical Value		0.788
235		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
236												
237		Assuming Normal Distribution						Assuming Lognormal Distribution				
238				DL/2 Substitution Method						DL/2 Substitution Method		
239					Mean	0.00263					Mean	-6.369
240					SD	0.00255					SD	1.063
241				95% DL/2 (t) UCL		0.00375				95% H-Stat (DL/2) UCL		0.0137
242												
243				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
244		MLE method failed to converge properly								Mean in Log Scale		-7.369
245										SD in Log Scale		1.251
246										Mean in Original Scale		0.00152
247										SD in Original Scale		0.00274
248										95% Percentile Bootstrap UCL		0.00278
249										95% BCA Bootstrap UCL		0.00357
250												
251		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
252				k star (bias corrected)		0.415		Data appear Gamma Distributed at 5% Significance Level				
253				Theta Star		0.00733						
254				nu star		4.979						
255												
256				A-D Test Statistic		0.396		Nonparametric Statistics				
257				5% A-D Critical Value		0.729				Kaplan-Meier (KM) Method		
258				K-S Test Statistic		0.729					Mean	0.00157
259				5% K-S Critical Value		0.346					SD	0.00268
260		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.0007785
261										95% KM (t) UCL		0.00293
262		Assuming Gamma Distribution								95% KM (z) UCL		0.00285
263		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.0029
264					Minimum	1E-09				95% KM (bootstrap t) UCL		0.00462
265					Maximum	0.0108				95% KM (BCA) UCL		0.00323

	A	B	C	D	E	F	G	H	I	J	K	L
266					Mean	0.00286		95% KM (Percentile Bootstrap) UCL				0.00296
267					Median	0.00286		95% KM (Chebyshev) UCL				0.00496
268					SD	0.00265		97.5% KM (Chebyshev) UCL				0.00643
269					k star	0.443		99% KM (Chebyshev) UCL				0.00931
270					Theta star	0.00645						
271					Nu star	14.18		Potential UCLs to Use				
272					AppChi2	6.698		95% KM (t) UCL				0.00293
273			95% Gamma Approximate UCL			0.00605						
274			95% Adjusted Gamma UCL			0.00662						
275	Note: DL/2 is not a recommended method.											
276												
277												
278	Benzo(b)fluorantheneNA											
279												
280					General Statistics							
281			Number of Valid Data			6		Number of Detected Data				5
282			Number of Distinct Detected Data			5		Number of Non-Detect Data				1
283			Number of Missing Values			10		Percent Non-Detects				16.67%
284												
285			Raw Statistics					Log-transformed Statistics				
286			Minimum Detected			0.000267		Minimum Detected				-8.228
287			Maximum Detected			0.00383		Maximum Detected				-5.564
288			Mean of Detected			0.00156		Mean of Detected				-6.901
289			SD of Detected			0.00151		SD of Detected				1.098
290			Minimum Non-Detect			0.002		Minimum Non-Detect				-6.215
291			Maximum Non-Detect			0.002		Maximum Non-Detect				-6.215
292												
293												
294					Warning: There are only 5 Detected Values in this data							
295					Note: It should be noted that even though bootstrap may be performed on this data set							
296					the resulting calculations may not be reliable enough tp draw conclusions							
297												
298					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
299												
300												
301					UCL Statistics							
302		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
303			Shapiro Wilk Test Statistic			0.877		Shapiro Wilk Test Statistic				0.961
304			5% Shapiro Wilk Critical Value			0.762		5% Shapiro Wilk Critical Value				0.762
305		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
306												
307		Assuming Normal Distribution						Assuming Lognormal Distribution				
308			DL/2 Substitution Method					DL/2 Substitution Method				
309			Mean			0.00147		Mean				-6.902
310			SD			0.00137		SD				0.982
311			95% DL/2 (t) UCL			0.00259		95% H-Stat (DL/2) UCL				0.0231
312												
313		Maximum Likelihood Estimate(MLE) Method				N/A		Log ROS Method				
314		MLE method failed to converge properly						Mean in Log Scale				-7.015
315								SD in Log Scale				1.021
316								Mean in Original Scale				0.00139
317								SD in Original Scale				0.00141
318								95% Percentile Bootstrap UCL				0.00223

	A	B	C	D	E	F	G	H	I	J	K	L
319										95% BCA Bootstrap UCL		0.00253
320												
321		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
322			k star (bias corrected)			0.643		Data appear Normal at 5% Significance Level				
323				Theta Star		0.00243						
324				nu star		6.431						
325												
326				A-D Test Statistic		0.267			Nonparametric Statistics			
327				5% A-D Critical Value		0.689			Kaplan-Meier (KM) Method			
328				K-S Test Statistic		0.689				Mean		0.00139
329				5% K-S Critical Value		0.363				SD		0.00129
330		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.0005918
331										95% KM (t) UCL		0.00259
332		Assuming Gamma Distribution								95% KM (z) UCL		0.00237
333		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.00257
334					Minimum	0.000267				95% KM (bootstrap t) UCL		0.00494
335					Maximum	0.00383				95% KM (BCA) UCL		0.00236
336					Mean	0.00147			95% KM (Percentile Bootstrap) UCL			0.00236
337					Median	0.0009515				95% KM (Chebyshev) UCL		0.00397
338					SD	0.00137				97.5% KM (Chebyshev) UCL		0.00509
339					k star	0.842				99% KM (Chebyshev) UCL		0.00728
340					Theta star	0.00175						
341					Nu star	10.1			Potential UCLs to Use			
342					AppChi2	4.006				95% KM (t) UCL		0.00259
343			95% Gamma Approximate UCL			0.00371			95% KM (Percentile Bootstrap) UCL			0.00236
344			95% Adjusted Gamma UCL			0.00542						
345	Note: DL/2 is not a recommended method.											
346												
347												
348	Indeno(1,2,3-cd)pyreneNA											
349												
350					General Statistics							
351			Number of Valid Data			6			Number of Detected Data			5
352		Number of Distinct Detected Data				5			Number of Non-Detect Data			1
353			Number of Missing Values			10			Percent Non-Detects			16.67%
354												
355		Raw Statistics						Log-transformed Statistics				
356				Minimum Detected		0.000219			Minimum Detected			-8.426
357				Maximum Detected		0.00288			Maximum Detected			-5.85
358				Mean of Detected		0.0011			Mean of Detected			-7.244
359				SD of Detected		0.00111			SD of Detected			1.059
360			Minimum Non-Detect			0.0021			Minimum Non-Detect			-6.166
361			Maximum Non-Detect			0.0021			Maximum Non-Detect			-6.166
362												
363												
364					Warning: There are only 5 Detected Values in this data							
365				Note: It should be noted that even though bootstrap may be performed on this data set								
366				the resulting calculations may not be reliable enough tp draw conclusions								
367												
368		It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.										
369												
370												
371					UCL Statistics							

	A	B	C	D	E	F	G	H	I	J	K	L
372	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
373	Shapiro Wilk Test Statistic					0.851	Shapiro Wilk Test Statistic					0.959
374	5% Shapiro Wilk Critical Value					0.762	5% Shapiro Wilk Critical Value					0.762
375	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
376												
377	Assuming Normal Distribution						Assuming Lognormal Distribution					
378	DL/2 Substitution Method						DL/2 Substitution Method					
379	Mean					0.00109	Mean					-7.18
380	SD					0.0009892	SD					0.96
381	95% DL/2 (t) UCL					0.00191	95% H-Stat (DL/2) UCL					0.0209
382												
383	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
384	MLE method failed to converge properly						Mean in Log Scale					-7.301
385							SD in Log Scale					0.958
386							Mean in Original Scale					0.001
387							SD in Original Scale					0.00102
388							95% Percentile Bootstrap UCL					0.00165
389							95% BCA Bootstrap UCL					0.00184
390												
391	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
392	k star (bias corrected)					0.653	Data appear Normal at 5% Significance Level					
393	Theta Star					0.00169						
394	nu star					6.53						
395												
396	A-D Test Statistic					0.276	Nonparametric Statistics					
397	5% A-D Critical Value					0.688	Kaplan-Meier (KM) Method					
398	K-S Test Statistic					0.688	Mean					0.00103
399	5% K-S Critical Value					0.363	SD					0.0009389
400	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					0.0004402
401							95% KM (t) UCL					0.00191
402	Assuming Gamma Distribution						95% KM (z) UCL					0.00175
403	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					0.00191
404	Minimum					0.000219	95% KM (bootstrap t) UCL					0.00409
405	Maximum					0.00288	95% KM (BCA) UCL					0.00174
406	Mean					0.00109	95% KM (Percentile Bootstrap) UCL					0.00174
407	Median					0.000845	95% KM (Chebyshev) UCL					0.00295
408	SD					0.0009892	97.5% KM (Chebyshev) UCL					0.00378
409	k star					0.878	99% KM (Chebyshev) UCL					0.00541
410	Theta star					0.00125						
411	Nu star					10.54	Potential UCLs to Use					
412	AppChi2					4.282	95% KM (t) UCL					0.00191
413	95% Gamma Approximate UCL					0.00269	95% KM (Percentile Bootstrap) UCL					0.00174
414	95% Adjusted Gamma UCL					0.00388						
415	Note: DL/2 is not a recommended method.											
416												

	RM8.5W	General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	RM8.5W
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	2000

Arsenictotal

General Statistics

Number of Valid Observations	5	Number of Distinct Observations	5

Raw Statistics		Log-transformed Statistics	
Minimum	0.368	Minimum of Log Data	-1
Maximum	0.54	Maximum of Log Data	-0.616
Mean	0.435	Mean of log Data	-0.844
Median	0.446	SD of log Data	0.158
SD	0.0704		
Coefficient of Variation	0.162		
Skewness	0.75		

Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!

It is suggested to collect at least 8 to 10 observations using these statistical methods!

If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

Warning: There are only 5 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set,

the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.889	Shapiro Wilk Test Statistic	0.896
Shapiro Wilk Critical Value	0.762	Shapiro Wilk Critical Value	0.762
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

	A	B	C	D	E	F	G	H	I	J	K	L
42	Assuming Normal Distribution						Assuming Lognormal Distribution					
43	95% Student's-t UCL					0.502	95% H-UCL					0.516
44	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					0.569
45	95% Adjusted-CLT UCL					0.498	97.5% Chebyshev (MVUE) UCL					0.627
46	95% Modified-t UCL					0.503	99% Chebyshev (MVUE) UCL					0.741
47												
48	Gamma Distribution Test						Data Distribution					
49	k star (bias corrected)					19.83	Data appear Normal at 5% Significance Level					
50	Theta Star					0.0219						
51	nu star					198.3						
52	Approximate Chi Square Value (.05)					166.7	Nonparametric Statistics					
53	Adjusted Level of Significance					0.0086	95% CLT UCL					0.486
54	Adjusted Chi Square Value					154	95% Jackknife UCL					0.502
55							95% Standard Bootstrap UCL					0.481
56	Anderson-Darling Test Statistic					0.391	95% Bootstrap-t UCL					0.534
57	Anderson-Darling 5% Critical Value					0.678	95% Hall's Bootstrap UCL					0.495
58	Kolmogorov-Smirnov Test Statistic					0.247	95% Percentile Bootstrap UCL					0.485
59	Kolmogorov-Smirnov 5% Critical Value					0.357	95% BCA Bootstrap UCL					0.487
60	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					0.572
61							97.5% Chebyshev(Mean, Sd) UCL					0.631
62	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					0.748
63	95% Approximate Gamma UCL					0.517						
64	95% Adjusted Gamma UCL					0.56						
65												
66	Potential UCL to Use						Use 95% Student's-t UCL					0.502
67												

General UCL Statistics for Data Sets with Non-Detects

	User Selected Options		
	From File	RM9.5W	
	Full Precision	OFF	
	Confidence Coefficient	95%	
	Number of Bootstrap Operations	2000	

Arsenicdissolved

General Statistics

Number of Valid Observations	5	Number of Distinct Observations	5

Raw Statistics		Log-transformed Statistics	
Minimum	0.218	Minimum of Log Data	-1.526
Maximum	0.493	Maximum of Log Data	-0.707
Mean	0.373	Mean of log Data	-1.027
Median	0.397	SD of log Data	0.331
SD	0.111		
Coefficient of Variation	0.298		
Skewness	-0.554		

Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!

It is suggested to collect at least 8 to 10 observations using these statistical methods!

If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

Warning: There are only 5 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set,

the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.958	Shapiro Wilk Test Statistic	0.925
Shapiro Wilk Critical Value	0.762	Shapiro Wilk Critical Value	0.762
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	0.479	95% H-UCL	0.569
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	0.614
95% Adjusted-CLT UCL	0.441	97.5% Chebyshev (MVUE) UCL	0.718
95% Modified-t UCL	0.477	99% Chebyshev (MVUE) UCL	0.922

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	5.102	Data appear Normal at 5% Significance Level	
Theta Star	0.0731		
nu star	51.02		
Approximate Chi Square Value (.05)	35.62	Nonparametric Statistics	
Adjusted Level of Significance	0.0086	95% CLT UCL	0.455

	A	B	C	D	E	F	G	H	I	J	K	L
54			Adjusted Chi Square Value			30.09				95% Jackknife UCL		0.479
55										95% Standard Bootstrap UCL		0.446
56			Anderson-Darling Test Statistic			0.282				95% Bootstrap-t UCL		0.458
57			Anderson-Darling 5% Critical Value			0.679				95% Hall's Bootstrap UCL		0.44
58			Kolmogorov-Smirnov Test Statistic			0.225				95% Percentile Bootstrap UCL		0.439
59			Kolmogorov-Smirnov 5% Critical Value			0.357				95% BCA Bootstrap UCL		0.439
60		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		0.59
61										97.5% Chebyshev(Mean, Sd) UCL		0.683
62			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		0.868
63			95% Approximate Gamma UCL			0.534						
64			95% Adjusted Gamma UCL			0.632						
65												
66			Potential UCL to Use							Use 95% Student's-t UCL		0.479
67												
68												
69	Arsenictotal											
70												
71					General Statistics							
72			Number of Valid Observations			5				Number of Distinct Observations		5
73												
74			Raw Statistics							Log-transformed Statistics		
75			Minimum			0.337				Minimum of Log Data		-1.088
76			Maximum			0.668				Maximum of Log Data		-0.403
77			Mean			0.495				Mean of log Data		-0.728
78			Median			0.476				SD of log Data		0.248
79			SD			0.12						
80			Coefficient of Variation			0.242						
81			Skewness			0.311						
82												
83												
84		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
85												
86		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
87		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
88												
89												
90		Warning: There are only 5 Values in this data										
91		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
92		the resulting calculations may not be reliable enough to draw conclusions										
93												
94		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
95												
96					Relevant UCL Statistics							
97			Normal Distribution Test							Lognormal Distribution Test		
98			Shapiro Wilk Test Statistic			0.969				Shapiro Wilk Test Statistic		0.968
99			Shapiro Wilk Critical Value			0.762				Shapiro Wilk Critical Value		0.762
100		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
101												
102		Assuming Normal Distribution						Assuming Lognormal Distribution				
103			95% Student's-t UCL			0.609				95% H-UCL		0.661
104		95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL		0.733
105			95% Adjusted-CLT UCL			0.591				97.5% Chebyshev (MVUE) UCL		0.836
106			95% Modified-t UCL			0.61				99% Chebyshev (MVUE) UCL		1.039

	A	B	C	D	E	F	G	H	I	J	K	L
107												
108		**Gamma Distribution Test**							**Data Distribution**			
109				k star (bias corrected)		8.504			**Data appear Normal at 5% Significance Level**			
110					Theta Star	0.0582						
111					nu star	85.04						
112				Approximate Chi Square Value (.05)		64.78			**Nonparametric Statistics**			
113				Adjusted Level of Significance		0.0086				95% CLT UCL		0.583
114				Adjusted Chi Square Value		57.11				95% Jackknife UCL		0.609
115										95% Standard Bootstrap UCL		0.574
116				Anderson-Darling Test Statistic		0.245				95% Bootstrap-t UCL		0.619
117				Anderson-Darling 5% Critical Value		0.679				95% Hall's Bootstrap UCL		0.696
118				Kolmogorov-Smirnov Test Statistic		0.21				95% Percentile Bootstrap UCL		0.574
119				Kolmogorov-Smirnov 5% Critical Value		0.357				95% BCA Bootstrap UCL		0.574
120		**Data appear Gamma Distributed at 5% Significance Level**								95% Chebyshev(Mean, Sd) UCL		0.728
121										97.5% Chebyshev(Mean, Sd) UCL		0.83
122		**Assuming Gamma Distribution**								99% Chebyshev(Mean, Sd) UCL		1.028
123				95% Approximate Gamma UCL		0.649						
124				95% Adjusted Gamma UCL		0.737						
125												
126		**Potential UCL to Use**								Use 95% Student's-t UCL		0.609
127												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	W005								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6	Number of Bootstrap Operations			2000								
7												
8												
9	AldrinNA											
10												
11							General Statistics					
12			Number of Valid Data			7			Number of Detected Data			7
13		Number of Distinct Detected Data				7			Number of Non-Detect Data			0
14			Number of Missing Values			7			Percent Non-Detects			0.00%
15												
16			Raw Statistics						Log-transformed Statistics			
17			Minimum Detected			2.96E-07			Minimum Detected			-15.03
18			Maximum Detected			4.68E-06			Maximum Detected			-12.27
19			Mean of Detected			2.703E-06			Mean of Detected			-13.07
20			SD of Detected			1.475E-06			SD of Detected			0.941
21			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
22			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
23												
24												
25					Warning: There are only 7 Detected Values in this data							
26				Note: It should be noted that even though bootstrap may be performed on this data set								
27				the resulting calculations may not be reliable enough tp draw conclusions								
28												
29			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
30												
31												
32							UCL Statistics					
33		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
34			Shapiro Wilk Test Statistic			0.971			Shapiro Wilk Test Statistic			0.794
35			5% Shapiro Wilk Critical Value			0.803			5% Shapiro Wilk Critical Value			0.803
36		Data appear Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
37												
38		Assuming Normal Distribution						Assuming Lognormal Distribution				
39			DL/2 Substitution Method						DL/2 Substitution Method			
40				Mean		2.703E-06				Mean		-13.07
41				SD		1.475E-06				SD		0.941
42			95% DL/2 (t) UCL			3.787E-06			95% H-Stat (DL/2) UCL			1.272E-05
43												
44		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
45		MLE method failed to converge properly							Mean in Log Scale			N/A
46									SD in Log Scale			N/A
47									Mean in Original Scale			N/A
48									SD in Original Scale			N/A
49									95% Percentile Bootstrap UCL			N/A
50									95% BCA Bootstrap UCL			N/A
51												
52		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
53			k star (bias corrected)			1.317		Data appear Normal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
54					Theta Star	2.053E-06						
55					nu star	18.44						
56												
57				A-D Test Statistic		0.498		Nonparametric Statistics				
58				5% A-D Critical Value		0.715		Kaplan-Meier (KM) Method				
59				K-S Test Statistic		0.715					Mean	2.703E-06
60				5% K-S Critical Value		0.315					SD	1.366E-06
61		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	5.575E-07
62											95% KM (t) UCL	3.787E-06
63			Assuming Gamma Distribution								95% KM (z) UCL	3.62E-06
64		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	3.787E-06
65					Minimum	2.96E-07					95% KM (bootstrap t) UCL	3.593E-06
66					Maximum	4.68E-06					95% KM (BCA) UCL	3.483E-06
67					Mean	2.703E-06			95% KM (Percentile Bootstrap) UCL			3.54E-06
68					Median	2.955E-06					95% KM (Chebyshev) UCL	5.134E-06
69					SD	1.475E-06					97.5% KM (Chebyshev) UCL	6.185E-06
70					k star	1.317					99% KM (Chebyshev) UCL	8.251E-06
71					Theta star	2.053E-06						
72					Nu star	18.44		Potential UCLs to Use				
73					AppChi2	9.707					95% KM (t) UCL	3.787E-06
74			95% Gamma Approximate UCL			5.135E-06			95% KM (Percentile Bootstrap) UCL			3.54E-06
75			95% Adjusted Gamma UCL			6.333E-06						
76	Note: DL/2 is not a recommended method.											
77												
78												
79	Arsenicdissolved											
80												
81					General Statistics							
82			Number of Valid Data			7			Number of Detected Data			6
83		Number of Distinct Detected Data				6			Number of Non-Detect Data			1
84			Number of Missing Values			6			Percent Non-Detects			14.29%
85												
86			Raw Statistics						Log-transformed Statistics			
87				Minimum Detected		0.2			Minimum Detected			-1.609
88				Maximum Detected		0.48			Maximum Detected			-0.734
89				Mean of Detected		0.313			Mean of Detected			-1.214
90				SD of Detected		0.11			SD of Detected			0.35
91				Minimum Non-Detect		0.397			Minimum Non-Detect			-0.925
92				Maximum Non-Detect		0.397			Maximum Non-Detect			-0.925
93												
94												
95				Warning: There are only 6 Detected Values in this data								
96			Note: It should be noted that even though bootstrap may be performed on this data set									
97			the resulting calculations may not be reliable enough tp draw conclusions									
98												
99		It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.										
100												
101												
102					UCL Statistics							
103		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
104			Shapiro Wilk Test Statistic			0.931			Shapiro Wilk Test Statistic			0.942
105			5% Shapiro Wilk Critical Value			0.788			5% Shapiro Wilk Critical Value			0.788
106		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
107												
108			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
109				DL/2 Substitution Method						DL/2 Substitution Method		
110					Mean	0.296					Mean	-1.272
111					SD	0.109					SD	0.354
112				95% DL/2 (t) UCL		0.377			95% H-Stat (DL/2) UCL			0.414
113												
114			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
115			**MLE method failed to converge properly**						Mean in Log Scale			-1.227
116										SD in Log Scale		0.321
117										Mean in Original Scale		0.307
118										SD in Original Scale		0.102
119									95% Percentile Bootstrap UCL			0.364
120									95% BCA Bootstrap UCL			0.375
121												
122			**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**			
123				k star (bias corrected)		5.085			**Data appear Normal at 5% Significance Level**			
124					Theta Star	0.0615						
125					nu star	61.02						
126												
127				A-D Test Statistic		0.259			**Nonparametric Statistics**			
128				5% A-D Critical Value		0.698				Kaplan-Meier (KM) Method		
129				K-S Test Statistic		0.698					Mean	0.308
130				5% K-S Critical Value		0.332					SD	0.0977
131			**Data appear Gamma Distributed at 5% Significance Level**								SE of Mean	0.0424
132										95% KM (t) UCL		0.39
133			**Assuming Gamma Distribution**							95% KM (z) UCL		0.377
134			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			0.391
135					Minimum	0.2			95% KM (bootstrap t) UCL			0.422
136					Maximum	0.48			95% KM (BCA) UCL			0.373
137					Mean	0.314			95% KM (Percentile Bootstrap) UCL			0.374
138					Median	0.322			95% KM (Chebyshev) UCL			0.492
139					SD	0.1			97.5% KM (Chebyshev) UCL			0.572
140					k star	6.705			99% KM (Chebyshev) UCL			0.729
141					Theta star	0.0468						
142					Nu star	93.87			**Potential UCLs to Use**			
143					AppChi2	72.52			95% KM (t) UCL			0.39
144				95% Gamma Approximate UCL		0.406			95% KM (Percentile Bootstrap) UCL			0.374
145				95% Adjusted Gamma UCL		0.441						
146	Note: DL/2 is not a recommended method.											
147												
148												
149	Arsenictotal											
150												
151					**General Statistics**							
152				Number of Valid Data		7				Number of Detected Data		7
153			Number of Distinct Detected Data			7				Number of Non-Detect Data		0
154				Number of Missing Values		6				Percent Non-Detects		0.00%
155												
156			**Raw Statistics**						**Log-transformed Statistics**			
157				Minimum Detected		0.317				Minimum Detected		-1.15
158				Maximum Detected		0.55				Maximum Detected		-0.598
159				Mean of Detected		0.456				Mean of Detected		-0.8

	A	B	C	D	E	F	G	H	I	J	K	L
160					SD of Detected	0.0822					SD of Detected	0.193
161					Minimum Non-Detect	N/A					Minimum Non-Detect	N/A
162					Maximum Non-Detect	N/A					Maximum Non-Detect	N/A
163												
164												
165					Warning: There are only 7 Detected Values in this data							
166					Note: It should be noted that even though bootstrap may be performed on this data set							
167					the resulting calculations may not be reliable enough tp draw conclusions							
168												
169					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
170												
171												
172					UCL Statistics							
173		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
174					Shapiro Wilk Test Statistic	0.943					Shapiro Wilk Test Statistic	0.916
175					5% Shapiro Wilk Critical Value	0.803					5% Shapiro Wilk Critical Value	0.803
176		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
177												
178		Assuming Normal Distribution						Assuming Lognormal Distribution				
179					DL/2 Substitution Method						DL/2 Substitution Method	
180					Mean	0.456					Mean	-0.8
181					SD	0.0822					SD	0.193
182					95% DL/2 (t) UCL	0.517					95% H-Stat (DL/2) UCL	0.535
183												
184				Maximum Likelihood Estimate(MLE) Method		N/A					Log ROS Method	
185		MLE method failed to converge properly									Mean in Log Scale	N/A
186											SD in Log Scale	N/A
187											Mean in Original Scale	N/A
188											SD in Original Scale	N/A
189											95% Percentile Bootstrap UCL	N/A
190											95% BCA Bootstrap UCL	N/A
191												
192		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
193					k star (bias corrected)	18.93		Data appear Normal at 5% Significance Level				
194					Theta Star	0.0241						
195					nu star	265						
196												
197					A-D Test Statistic	0.307		Nonparametric Statistics				
198					5% A-D Critical Value	0.707		Kaplan-Meier (KM) Method				
199					K-S Test Statistic	0.707					Mean	0.456
200					5% K-S Critical Value	0.311					SD	0.0761
201		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.0311
202											95% KM (t) UCL	0.517
203		Assuming Gamma Distribution									95% KM (z) UCL	0.507
204		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.517
205					Minimum	0.317					95% KM (bootstrap t) UCL	0.508
206					Maximum	0.55					95% KM (BCA) UCL	0.502
207					Mean	0.456				95% KM (Percentile Bootstrap) UCL		0.501
208					Median	0.461					95% KM (Chebyshev) UCL	0.592
209					SD	0.0822					97.5% KM (Chebyshev) UCL	0.65
210					k star	18.93					99% KM (Chebyshev) UCL	0.766
211					Theta star	0.0241						
212					Nu star	265		Potential UCLs to Use				

	A	B	C	D	E	F	G	H	I	J	K	L
213					AppChi2	228.3				95% KM (t) UCL		0.517
214		95% Gamma Approximate UCL				0.53			95% KM (Percentile Bootstrap) UCL			0.501
215			95% Adjusted Gamma UCL			0.555						
216	Note: DL/2 is not a recommended method.											
217												
218												
219	Benzo(a)anthraceneNA											
220												
221					General Statistics							
222			Number of Valid Data			8				Number of Detected Data		8
223		Number of Distinct Detected Data				8				Number of Non-Detect Data		0
224			Number of Missing Values			6				Percent Non-Detects		0.00%
225												
226			Raw Statistics						Log-transformed Statistics			
227			Minimum Detected			0.000381				Minimum Detected		-7.873
228			Maximum Detected			0.0024				Maximum Detected		-6.032
229			Mean of Detected			0.00115				Mean of Detected		-6.93
230			SD of Detected			0.000692				SD of Detected		0.608
231			Minimum Non-Detect			N/A				Minimum Non-Detect		N/A
232			Maximum Non-Detect			N/A				Maximum Non-Detect		N/A
233												
234												
235				Warning: There are only 8 Detected Values in this data								
236			Note: It should be noted that even though bootstrap may be performed on this data set									
237				the resulting calculations may not be reliable enough tp draw conclusions								
238												
239			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
240												
241												
242					UCL Statistics							
243		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
244			Shapiro Wilk Test Statistic			0.911				Shapiro Wilk Test Statistic		0.98
245			5% Shapiro Wilk Critical Value			0.818				5% Shapiro Wilk Critical Value		0.818
246		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
247												
248		Assuming Normal Distribution						Assuming Lognormal Distribution				
249			DL/2 Substitution Method							DL/2 Substitution Method		
250					Mean	0.00115					Mean	-6.93
251					SD	0.000692					SD	0.608
252			95% DL/2 (t) UCL			0.00161				95% H-Stat (DL/2) UCL		0.00211
253												
254		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
255		MLE method failed to converge properly								Mean in Log Scale		N/A
256										SD in Log Scale		N/A
257										Mean in Original Scale		N/A
258										SD in Original Scale		N/A
259										95% Percentile Bootstrap UCL		N/A
260										95% BCA Bootstrap UCL		N/A
261												
262		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
263			k star (bias corrected)			2.15			Data appear Normal at 5% Significance Level			
264					Theta Star	0.0005332						
265					nu star	34.4						

	A	B	C	D	E	F	G	H	I	J	K	L
266												
267				A-D Test Statistic		0.208		Nonparametric Statistics				
268				5% A-D Critical Value		0.721		Kaplan-Meier (KM) Method				
269				K-S Test Statistic		0.721				Mean		0.00115
270				5% K-S Critical Value		0.296				SD		0.0006473
271	Data appear Gamma Distributed at 5% Significance Level									SE of Mean		0.0002446
272										95% KM (t) UCL		0.00161
273		Assuming Gamma Distribution								95% KM (z) UCL		0.00155
274	Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL		0.00161
275				Minimum		0.000381				95% KM (bootstrap t) UCL		0.0019
276				Maximum		0.0024				95% KM (BCA) UCL		0.00153
277				Mean		0.00115			95% KM (Percentile Bootstrap) UCL			0.00154
278				Median		0.0009318				95% KM (Chebyshev) UCL		0.00221
279				SD		0.000692				97.5% KM (Chebyshev) UCL		0.00267
280				k star		2.15				99% KM (Chebyshev) UCL		0.00358
281				Theta star		0.0005332						
282				Nu star		34.4		Potential UCLs to Use				
283				AppChi2		21.98				95% KM (t) UCL		0.00161
284		95% Gamma Approximate UCL				0.00179		95% KM (Percentile Bootstrap) UCL				0.00154
285		95% Adjusted Gamma UCL				0.00202						
286	Note: DL/2 is not a recommended method.											
287												
288												
289	Benzo(a)pyreneNA											
290												
291						General Statistics						
292		Number of Valid Data				8			Number of Detected Data			7
293		Number of Distinct Detected Data				7			Number of Non-Detect Data			1
294		Number of Missing Values				6			Percent Non-Detects			12.50%
295												
296		Raw Statistics						Log-transformed Statistics				
297			Minimum Detected			0.0004426			Minimum Detected			-7.723
298			Maximum Detected			0.00215			Maximum Detected			-6.143
299			Mean of Detected			0.00101			Mean of Detected			-7.028
300			SD of Detected			0.000591			SD of Detected			0.536
301			Minimum Non-Detect			0.0016			Minimum Non-Detect			-6.438
302			Maximum Non-Detect			0.0016			Maximum Non-Detect			-6.438
303												
304												
305				Warning: There are only 7 Detected Values in this data								
306			Note: It should be noted that even though bootstrap may be performed on this data set									
307			the resulting calculations may not be reliable enough tp draw conclusions									
308												
309		It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.										
310												
311												
312						UCL Statistics						
313		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
314			Shapiro Wilk Test Statistic			0.864			Shapiro Wilk Test Statistic			0.967
315			5% Shapiro Wilk Critical Value			0.803			5% Shapiro Wilk Critical Value			0.803
316		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
317												
318		Assuming Normal Distribution						Assuming Lognormal Distribution				

	A	B	C	D	E	F	G	H	I	J	K	L
319				DL/2 Substitution Method						DL/2 Substitution Method		
320					Mean	0.0009831					Mean	-7.041
321					SD	0.0005521					SD	0.497
322				95% DL/2 (t) UCL		0.00135				95% H-Stat (DL/2) UCL		0.00188
323												
324			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
325		MLE method failed to converge properly								Mean in Log Scale		-7.044
326										SD in Log Scale		0.498
327										Mean in Original Scale		0.0009808
328										SD in Original Scale		0.000553
329										95% Percentile Bootstrap UCL		0.00129
330										95% BCA Bootstrap UCL		0.00141
331												
332		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
333				k star (bias corrected)		2.396		Data appear Normal at 5% Significance Level				
334					Theta Star	0.0004213						
335					nu star	33.54						
336												
337				A-D Test Statistic		0.294		Nonparametric Statistics				
338				5% A-D Critical Value		0.71				Kaplan-Meier (KM) Method		
339				K-S Test Statistic		0.71					Mean	0.0009856
340				5% K-S Critical Value		0.313					SD	0.0005272
341		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.0002064
342											95% KM (t) UCL	0.00138
343		Assuming Gamma Distribution									95% KM (z) UCL	0.00133
344		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.00138
345					Minimum	0.0004426				95% KM (bootstrap t) UCL		0.00182
346					Maximum	0.00215				95% KM (BCA) UCL		0.00134
347					Mean	0.00101				95% KM (Percentile Bootstrap) UCL		0.00133
348					Median	0.0008955				95% KM (Chebyshev) UCL		0.00189
349					SD	0.0005472				97.5% KM (Chebyshev) UCL		0.00227
350					k star	2.944				99% KM (Chebyshev) UCL		0.00304
351					Theta star	0.0003441						
352					Nu star	47.1		Potential UCLs to Use				
353					AppChi2	32.35				95% KM (t) UCL		0.00138
354			95% Gamma Approximate UCL			0.00147				95% KM (Percentile Bootstrap) UCL		0.00133
355			95% Adjusted Gamma UCL			0.00163						
356	Note: DL/2 is not a recommended method.											
357												
358												
359	Benzo(b)fluorantheneNA											
360												
361					General Statistics							
362			Number of Valid Data			8				Number of Detected Data		8
363			Number of Distinct Detected Data			8				Number of Non-Detect Data		0
364			Number of Missing Values			6				Percent Non-Detects		0.00%
365												
366			Raw Statistics						Log-transformed Statistics			
367				Minimum Detected		0.0004801				Minimum Detected		-7.642
368				Maximum Detected		0.0021				Maximum Detected		-6.166
369				Mean of Detected		0.00108				Mean of Detected		-6.948
370				SD of Detected		0.0005665				SD of Detected		0.514
371				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A

	A	B	C	D	E	F	G	H	I	J	K	L
372				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
373												
374												
375					Warning: There are only 8 Detected Values in this data							
376				Note: It should be noted that even though bootstrap may be performed on this data set								
377				the resulting calculations may not be reliable enough tp draw conclusions								
378												
379				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
380												
381												
382					UCL Statistics							
383		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
384				Shapiro Wilk Test Statistic		0.913				Shapiro Wilk Test Statistic		0.971
385				5% Shapiro Wilk Critical Value		0.818				5% Shapiro Wilk Critical Value		0.818
386		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
387												
388		Assuming Normal Distribution						Assuming Lognormal Distribution				
389				DL/2 Substitution Method						DL/2 Substitution Method		
390					Mean	0.00108					Mean	-6.948
391					SD	0.0005665					SD	0.514
392				95% DL/2 (t) UCL		0.00146				95% H-Stat (DL/2) UCL		0.00174
393												
394				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
395		MLE method failed to converge properly								Mean in Log Scale		N/A
396										SD in Log Scale		N/A
397										Mean in Original Scale		N/A
398										SD in Original Scale		N/A
399										95% Percentile Bootstrap UCL		N/A
400										95% BCA Bootstrap UCL		N/A
401												
402		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
403				k star (bias corrected)		2.87		Data appear Normal at 5% Significance Level				
404				Theta Star		0.000376						
405				nu star		45.93						
406												
407				A-D Test Statistic		0.213		Nonparametric Statistics				
408				5% A-D Critical Value		0.719				Kaplan-Meier (KM) Method		
409				K-S Test Statistic		0.719				Mean		0.00108
410				5% K-S Critical Value		0.295				SD		0.00053
411		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.0002003
412										95% KM (t) UCL		0.00146
413		Assuming Gamma Distribution								95% KM (z) UCL		0.00141
414		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.00146
415					Minimum	0.0004801				95% KM (bootstrap t) UCL		0.00167
416					Maximum	0.0021				95% KM (BCA) UCL		0.00142
417					Mean	0.00108				95% KM (Percentile Bootstrap) UCL		0.0014
418					Median	0.000927				95% KM (Chebyshev) UCL		0.00195
419					SD	0.0005665				97.5% KM (Chebyshev) UCL		0.00233
420					k star	2.87				99% KM (Chebyshev) UCL		0.00307
421					Theta star	0.000376						
422					Nu star	45.93			Potential UCLs to Use			
423					AppChi2	31.38				95% KM (t) UCL		0.00146
424				95% Gamma Approximate UCL		0.00158				95% KM (Percentile Bootstrap) UCL		0.0014

	A	B	C	D	E	F	G	H	I	J	K	L
425				95% Adjusted Gamma UCL		0.00175						
426	Note: DL/2 is not a recommended method.											
427												
428												
429	Dibenzo(a,h)anthraceneNA											
430												
431					General Statistics							
432				Number of Valid Data		6			Number of Detected Data			5
433				Number of Distinct Detected Data		5			Number of Non-Detect Data			1
434				Number of Missing Values		8			Percent Non-Detects			16.67%
435												
436				Raw Statistics					Log-transformed Statistics			
437				Minimum Detected		0.0000255			Minimum Detected			-10.58
438				Maximum Detected		0.000329			Maximum Detected			-8.019
439				Mean of Detected		0.0001442			Mean of Detected			-9.131
440				SD of Detected		0.0001125			SD of Detected			0.925
441				Minimum Non-Detect		0.0000691			Minimum Non-Detect			-9.58
442				Maximum Non-Detect		0.0000691			Maximum Non-Detect			-9.58
443												
444												
445					Warning: There are only 5 Detected Values in this data							
446				Note: It should be noted that even though bootstrap may be performed on this data set								
447				the resulting calculations may not be reliable enough tp draw conclusions									
448												
449			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
450												
451												
452					UCL Statistics							
453		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
454				Shapiro Wilk Test Statistic		0.888			Shapiro Wilk Test Statistic			0.929
455				5% Shapiro Wilk Critical Value		0.762			5% Shapiro Wilk Critical Value			0.762
456		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
457												
458		Assuming Normal Distribution						Assuming Lognormal Distribution				
459				DL/2 Substitution Method					DL/2 Substitution Method			
460				Mean		0.0001259			Mean			-9.322
461				SD		0.0001101			SD			0.95
462				95% DL/2 (t) UCL		0.0002165			95% H-Stat (DL/2) UCL			0.00138
463												
464				Maximum Likelihood Estimate(MLE) Method					Log ROS Method			
465				Mean		0.0001112			Mean in Log Scale			-9.354
466				SD		0.0001217			SD in Log Scale			0.992
467				95% MLE (t) UCL		0.0002113			Mean in Original Scale			0.0001249
468				95% MLE (Tiku) UCL		0.000219			SD in Original Scale			0.0001112
469									95% Percentile Bootstrap UCL			0.0001946
470									95% BCA Bootstrap UCL			0.000217
471												
472		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
473				k star (bias corrected)		0.89		Data appear Normal at 5% Significance Level				
474				Theta Star		0.0001621						
475				nu star		8.898						
476												
477				A-D Test Statistic		0.289			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
478					5% A-D Critical Value	0.685			Kaplan-Meier (KM) Method			
479					K-S Test Statistic	0.685					Mean	0.0001244
480					5% K-S Critical Value	0.361					SD	0.0001019
481		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	4.652E-05
482											95% KM (t) UCL	0.0002182
483			Assuming Gamma Distribution								95% KM (z) UCL	0.000201
484		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.0002172
485					Minimum	0.0000255					95% KM (bootstrap t) UCL	0.0002601
486					Maximum	0.000329					95% KM (BCA) UCL	0.0002165
487					Mean	0.000128				95% KM (Percentile Bootstrap) UCL		0.0001982
488					Median	0.0001117					95% KM (Chebyshev) UCL	0.0003272
489					SD	0.0001082					97.5% KM (Chebyshev) UCL	0.000415
490					k star	0.998					99% KM (Chebyshev) UCL	0.0005873
491					Theta star	0.0001282						
492					Nu star	11.97			Potential UCLs to Use			
493					AppChi2	5.21					95% KM (t) UCL	0.0002182
494			95% Gamma Approximate UCL			0.0002941			95% KM (Percentile Bootstrap) UCL			0.0001982
495			95% Adjusted Gamma UCL			0.0004116						
496	Note: DL/2 is not a recommended method.											
497												
498												
499	Indeno(1,2,3-cd)pyreneNA											
500												
501					General Statistics							
502			Number of Valid Data			7				Number of Detected Data		6
503			Number of Distinct Detected Data			6				Number of Non-Detect Data		1
504			Number of Missing Values			7				Percent Non-Detects		14.29%
505												
506			Raw Statistics						Log-transformed Statistics			
507				Minimum Detected		0.00037				Minimum Detected		-7.902
508				Maximum Detected		0.0015				Maximum Detected		-6.505
509				Mean of Detected		0.0007212				Mean of Detected		-7.354
510				SD of Detected		0.0004171				SD of Detected		0.517
511				Minimum Non-Detect		0.000689				Minimum Non-Detect		-7.28
512				Maximum Non-Detect		0.000689				Maximum Non-Detect		-7.28
513												
514												
515					Warning: There are only 6 Detected Values in this data							
516				Note: It should be noted that even though bootstrap may be performed on this data set								
517					the resulting calculations may not be reliable enough tp draw conclusions							
518												
519			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.										
520												
521												
522					UCL Statistics							
523		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
524			Shapiro Wilk Test Statistic			0.84				Shapiro Wilk Test Statistic		0.939
525			5% Shapiro Wilk Critical Value			0.788				5% Shapiro Wilk Critical Value		0.788
526		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
527												
528		Assuming Normal Distribution						Assuming Lognormal Distribution				
529			DL/2 Substitution Method							DL/2 Substitution Method		
530					Mean	0.0006674					Mean	-7.442

	A	B	C	D	E	F	G	H	I	J	K	L
531					SD	0.0004065					SD	0.527
532				95% DL/2 (t) UCL		0.0009659			95% H-Stat (DL/2) UCL			0.00116
533												
534	Maximum Likelihood Estimate(MLE) Method								Log ROS Method			
535					Mean	0.0005651			Mean in Log Scale			-7.409
536					SD	0.0005121			SD in Log Scale			0.494
537				95% MLE (t) UCL		0.0009413			Mean in Original Scale			0.0006801
538				95% MLE (Tiku) UCL		0.00108			SD in Original Scale			0.000396
539									95% Percentile Bootstrap UCL			0.0009309
540									95% BCA Bootstrap UCL			0.00101
541												
542	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
543				k star (bias corrected)		2.29	Data appear Normal at 5% Significance Level					
544					Theta Star	0.0003149						
545					nu star	27.48						
546												
547				A-D Test Statistic		0.325	Nonparametric Statistics					
548				5% A-D Critical Value		0.699			Kaplan-Meier (KM) Method			
549				K-S Test Statistic		0.699					Mean	0.00068
550				5% K-S Critical Value		0.333					SD	0.0003675
551	Data appear Gamma Distributed at 5% Significance Level										SE of Mean	0.0001526
552											95% KM (t) UCL	0.0009765
553	Assuming Gamma Distribution										95% KM (z) UCL	0.000931
554	Gamma ROS Statistics using Extrapolated Data										95% KM (jackknife) UCL	0.0009732
555					Minimum	0.00037					95% KM (bootstrap t) UCL	0.00124
556					Maximum	0.0015					95% KM (BCA) UCL	0.0009449
557					Mean	0.0006946			95% KM (Percentile Bootstrap) UCL			0.000943
558					Median	0.0005354					95% KM (Chebyshev) UCL	0.00135
559					SD	0.0003872					97.5% KM (Chebyshev) UCL	0.00163
560					k star	2.853					99% KM (Chebyshev) UCL	0.0022
561					Theta star	0.0002434						
562					Nu star	39.95	Potential UCLs to Use					
563					AppChi2	26.47					95% KM (t) UCL	0.0009765
564			95% Gamma Approximate UCL			0.00105			95% KM (Percentile Bootstrap) UCL			0.000943
565			95% Adjusted Gamma UCL			0.0012						
566	Note: DL/2 is not a recommended method.											
567												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	W011								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	AldrinNA											
10												
11					General Statistics							
12			Number of Valid Data			6			Number of Detected Data			5
13		Number of Distinct Detected Data				5			Number of Non-Detect Data			1
14			Number of Missing Values			6			Percent Non-Detects			16.67%
15												
16			Raw Statistics						Log-transformed Statistics			
17			Minimum Detected			1.203E-06			Minimum Detected			-13.63
18			Maximum Detected			4.385E-06			Maximum Detected			-12.34
19			Mean of Detected			2.523E-06			Mean of Detected			-12.99
20			SD of Detected			1.24E-06			SD of Detected			0.507
21			Minimum Non-Detect			2.22E-06			Minimum Non-Detect			-13.02
22			Maximum Non-Detect			2.22E-06			Maximum Non-Detect			-13.02
23												
24												
25					Warning: There are only 5 Detected Values in this data							
26				Note: It should be noted that even though bootstrap may be performed on this data set								
27				the resulting calculations may not be reliable enough tp draw conclusions								
28												
29			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
30												
31												
32					UCL Statistics							
33		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
34			Shapiro Wilk Test Statistic			0.931			Shapiro Wilk Test Statistic			0.956
35			5% Shapiro Wilk Critical Value			0.762			5% Shapiro Wilk Critical Value			0.762
36		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
37												
38		Assuming Normal Distribution						Assuming Lognormal Distribution				
39			DL/2 Substitution Method						DL/2 Substitution Method			
40				Mean		2.288E-06				Mean		-13.11
41				SD		1.25E-06				SD		0.54
42			95% DL/2 (t) UCL			3.316E-06			95% H-Stat (DL/2) UCL			3.987E-06
43												
44		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
45				Mean		2.223E-06			Mean in Log Scale			-13.07
46				SD		1.313E-06			SD in Log Scale			0.494
47			95% MLE (t) UCL			3.303E-06			Mean in Original Scale			2.337E-06
48			95% MLE (Tiku) UCL			3.554E-06			SD in Original Scale			1.199E-06
49									95% Percentile Bootstrap UCL			3.099E-06
50									95% BCA Bootstrap UCL			3.15E-06
51												
52		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
53			k star (bias corrected)			2.2		Data appear Normal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
54					Theta Star	1.147E-06						
55					nu star	22						
56												
57				A-D Test Statistic		0.273			Nonparametric Statistics			
58			5% A-D Critical Value			0.681				Kaplan-Meier (KM) Method		
59				K-S Test Statistic		0.681					Mean	2.336E-06
60			5% K-S Critical Value			0.358					SD	1.099E-06
61		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	5.034E-07
62											95% KM (t) UCL	3.35E-06
63			Assuming Gamma Distribution								95% KM (z) UCL	3.164E-06
64		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		3.339E-06
65					Minimum	1.203E-06			95% KM (bootstrap t) UCL			3.793E-06
66					Maximum	4.385E-06				95% KM (BCA) UCL		3.273E-06
67					Mean	2.408E-06			95% KM (Percentile Bootstrap) UCL			3.255E-06
68					Median	2.26E-06				95% KM (Chebyshev) UCL		4.53E-06
69					SD	1.144E-06				97.5% KM (Chebyshev) UCL		5.48E-06
70					k star	2.973				99% KM (Chebyshev) UCL		7.345E-06
71					Theta star	8.098E-07						
72					Nu star	35.68			Potential UCLs to Use			
73					AppChi2	23.01					95% KM (t) UCL	3.35E-06
74			95% Gamma Approximate UCL			3.733E-06			95% KM (Percentile Bootstrap) UCL			3.255E-06
75			95% Adjusted Gamma UCL			4.423E-06						
76	Note: DL/2 is not a recommended method.											
77												
78												
79	Arsenictotal											
80												
81					General Statistics							
82			Number of Valid Data			6				Number of Detected Data		5
83		Number of Distinct Detected Data				5				Number of Non-Detect Data		1
84			Number of Missing Values			5				Percent Non-Detects		16.67%
85												
86			Raw Statistics						Log-transformed Statistics			
87				Minimum Detected		0.337				Minimum Detected		-1.089
88				Maximum Detected		0.5				Maximum Detected		-0.693
89				Mean of Detected		0.421				Mean of Detected		-0.876
90				SD of Detected		0.0679				SD of Detected		0.165
91			Minimum Non-Detect			0.435				Minimum Non-Detect		-0.834
92			Maximum Non-Detect			0.435				Maximum Non-Detect		-0.834
93												
94												
95			Warning: There are only 5 Detected Values in this data									
96			Note: It should be noted that even though bootstrap may be performed on this data set									
97			the resulting calculations may not be reliable enough tp draw conclusions									
98												
99		It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.										
100												
101												
102					UCL Statistics							
103		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
104			Shapiro Wilk Test Statistic			0.926				Shapiro Wilk Test Statistic		0.917
105			5% Shapiro Wilk Critical Value			0.762				5% Shapiro Wilk Critical Value		0.762
106		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
107												
108			Assuming Normal Distribution							Assuming Lognormal Distribution		
109				DL/2 Substitution Method						DL/2 Substitution Method		
110					Mean	0.387					Mean	-0.985
111					SD	0.103					SD	0.304
112				95% DL/2 (t) UCL		0.472				95% H-Stat (DL/2) UCL		0.512
113												
114			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
115					Mean	0.435				Mean in Log Scale		-0.903
116					SD	0.0402				SD in Log Scale		0.162
117				95% MLE (t) UCL		0.468				Mean in Original Scale		0.41
118				95% MLE (Tiku) UCL		0.476				SD in Original Scale		0.0663
119										95% Percentile Bootstrap UCL		0.453
120										95% BCA Bootstrap UCL		0.453
121												
122			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
123				k star (bias corrected)		18.78			Data appear Normal at 5% Significance Level			
124					Theta Star	0.0224						
125					nu star	187.8						
126												
127				A-D Test Statistic		0.356				Nonparametric Statistics		
128				5% A-D Critical Value		0.678				Kaplan-Meier (KM) Method		
129				K-S Test Statistic		0.678					Mean	0.409
130				5% K-S Critical Value		0.357					SD	0.0615
131			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	0.0283
132											95% KM (t) UCL	0.466
133			Assuming Gamma Distribution								95% KM (z) UCL	0.456
134			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.466
135					Minimum	0.337				95% KM (bootstrap t) UCL		0.47
136					Maximum	0.5				95% KM (BCA) UCL		0.46
137					Mean	0.415				95% KM (Percentile Bootstrap) UCL		0.46
138					Median	0.416				95% KM (Chebyshev) UCL		0.532
139					SD	0.0624				97.5% KM (Chebyshev) UCL		0.586
140					k star	26.54				99% KM (Chebyshev) UCL		0.691
141					Theta star	0.0156						
142					Nu star	318.5				Potential UCLs to Use		
143					AppChi2	278.1				95% KM (t) UCL		0.466
144				95% Gamma Approximate UCL		0.475				95% KM (Percentile Bootstrap) UCL		0.46
145				95% Adjusted Gamma UCL		0.5						
146	Note: DL/2 is not a recommended method.											
147												
148												
149	Benzo(a)anthraceneNA											
150												
151					General Statistics							
152				Number of Valid Data		12				Number of Detected Data		7
153			Number of Distinct Detected Data			7				Number of Non-Detect Data		5
154										Percent Non-Detects		41.67%
155												
156				Raw Statistics						Log-transformed Statistics		
157				Minimum Detected		0.000113				Minimum Detected		-9.088
158				Maximum Detected		0.01				Maximum Detected		-4.605
159				Mean of Detected		0.00207				Mean of Detected		-7.103

	A	B	C	D	E	F	G	H	I	J	K	L
160					SD of Detected	0.00353					SD of Detected	1.422
161					Minimum Non-Detect	0.0042					Minimum Non-Detect	-5.473
162					Maximum Non-Detect	0.0078					Maximum Non-Detect	-4.854
163												
164	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		11
165	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1
166	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		91.67%
167												
168					Warning: There are only 7 Detected Values in this data							
169					Note: It should be noted that even though bootstrap may be performed on this data set							
170					the resulting calculations may not be reliable enough tp draw conclusions							
171												
172					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
173												
174												
175					UCL Statistics							
176		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
177				Shapiro Wilk Test Statistic		0.582				Shapiro Wilk Test Statistic		0.956
178				5% Shapiro Wilk Critical Value		0.803				5% Shapiro Wilk Critical Value		0.803
179		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
180												
181		Assuming Normal Distribution						Assuming Lognormal Distribution				
182				DL/2 Substitution Method						DL/2 Substitution Method		
183					Mean	0.00253					Mean	-6.558
184					SD	0.00274					SD	1.264
185				95% DL/2 (t) UCL		0.00395				95% H-Stat (DL/2) UCL		0.0201
186												
187			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
188		MLE method failed to converge properly								Mean in Log Scale		-7.258
189										SD in Log Scale		1.162
190										Mean in Original Scale		0.0015
191										SD in Original Scale		0.00272
192										95% Percentile Bootstrap UCL		0.00302
193										95% BCA Bootstrap UCL		0.00383
194												
195		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
196				k star (bias corrected)		0.473		Data appear Gamma Distributed at 5% Significance Level				
197					Theta Star	0.00437						
198					nu star	6.622						
199												
200					A-D Test Statistic	0.567		Nonparametric Statistics				
201					5% A-D Critical Value	0.742				Kaplan-Meier (KM) Method		
202					K-S Test Statistic	0.742					Mean	0.00152
203					5% K-S Critical Value	0.324					SD	0.0026
204		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.0008211
205											95% KM (t) UCL	0.00299
206		Assuming Gamma Distribution									95% KM (z) UCL	0.00287
207		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.00295
208					Minimum	0.000113					95% KM (bootstrap t) UCL	0.0065
209					Maximum	0.01					95% KM (BCA) UCL	0.0031
210					Mean	0.00206				95% KM (Percentile Bootstrap) UCL		0.00299
211					Median	0.00144					95% KM (Chebyshev) UCL	0.0051
212					SD	0.00262					97.5% KM (Chebyshev) UCL	0.00664

	A	B	C	D	E	F	G	H	I	J	K	L
213					k star	0.843			99% KM (Chebyshev) UCL			0.00969
214					Theta star	0.00245						
215					Nu star	20.23			Potential UCLs to Use			
216					AppChi2	11.02			95% KM (BCA) UCL			0.0031
217			95% Gamma Approximate UCL			0.00379						
218			95% Adjusted Gamma UCL			0.00418						
219	Note: DL/2 is not a recommended method.											
220												
221												
222	Benzo(a)pyreneNA											
223												
224					General Statistics							
225			Number of Valid Data			6			Number of Detected Data			6
226			Number of Distinct Detected Data			6			Number of Non-Detect Data			0
227			Number of Missing Values			6			Percent Non-Detects			0.00%
228												
229			Raw Statistics						Log-transformed Statistics			
230			Minimum Detected			0.0000401			Minimum Detected			-10.12
231			Maximum Detected			0.00179			Maximum Detected			-6.324
232			Mean of Detected			0.000845			Mean of Detected			-7.558
233			SD of Detected			0.0006253			SD of Detected			1.382
234			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
235			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
236												
237												
238					Warning: There are only 6 Detected Values in this data							
239					Note: It should be noted that even though bootstrap may be performed on this data set							
240					the resulting calculations may not be reliable enough tp draw conclusions							
241												
242					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
243												
244												
245					UCL Statistics							
246		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
247			Shapiro Wilk Test Statistic			0.982			Shapiro Wilk Test Statistic			0.839
248			5% Shapiro Wilk Critical Value			0.788			5% Shapiro Wilk Critical Value			0.788
249		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
250												
251		Assuming Normal Distribution						Assuming Lognormal Distribution				
252			DL/2 Substitution Method						DL/2 Substitution Method			
253			Mean			0.000845			Mean			-7.558
254			SD			0.0006253			SD			1.382
255			95% DL/2 (t) UCL			0.00136			95% H-Stat (DL/2) UCL			0.0395
256												
257		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
258		MLE method failed to converge properly							Mean in Log Scale			N/A
259									SD in Log Scale			N/A
260									Mean in Original Scale			N/A
261									SD in Original Scale			N/A
262									95% Percentile Bootstrap UCL			N/A
263									95% BCA Bootstrap UCL			N/A
264												
265		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				

	A	B	C	D	E	F	G	H	I	J	K	L
266				k star (bias corrected)		0.699		Data appear Normal at 5% Significance Level				
267				Theta Star		0.00121						
268				nu star		8.386						
269												
270				A-D Test Statistic		0.348		Nonparametric Statistics				
271				5% A-D Critical Value		0.713			Kaplan-Meier (KM) Method			
272				K-S Test Statistic		0.713				Mean		0.000845
273				5% K-S Critical Value		0.34				SD		0.0005708
274	Data appear Gamma Distributed at 5% Significance Level									SE of Mean		0.0002553
275										95% KM (t) UCL		0.00136
276	Assuming Gamma Distribution									95% KM (z) UCL		0.00126
277	Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL		0.00136
278				Minimum		0.0000401				95% KM (bootstrap t) UCL		0.00139
279				Maximum		0.00179				95% KM (BCA) UCL		0.00125
280				Mean		0.000845			95% KM (Percentile Bootstrap) UCL			0.00124
281				Median		0.0008717				95% KM (Chebyshev) UCL		0.00196
282				SD		0.0006253				97.5% KM (Chebyshev) UCL		0.00244
283				k star		0.699				99% KM (Chebyshev) UCL		0.00339
284				Theta star		0.00121						
285				Nu star		8.386		Potential UCLs to Use				
286				AppChi2		2.961				95% KM (t) UCL		0.00136
287	95% Gamma Approximate UCL					0.00239			95% KM (Percentile Bootstrap) UCL			0.00124
288	95% Adjusted Gamma UCL					0.00368						
289	Note: DL/2 is not a recommended method.											
290												
291												
292	Benzo(b)fluorantheneNA											
293												
294	General Statistics											
295			Number of Valid Data			6			Number of Detected Data			6
296			Number of Distinct Detected Data			6			Number of Non-Detect Data			0
297			Number of Missing Values			6			Percent Non-Detects			0.00%
298												
299	Raw Statistics						Log-transformed Statistics					
300			Minimum Detected			0.0003176			Minimum Detected			-8.055
301			Maximum Detected			0.00149			Maximum Detected			-6.511
302			Mean of Detected			0.0007984			Mean of Detected			-7.269
303			SD of Detected			0.0004332			SD of Detected			0.59
304			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
305			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
306												
307												
308	Warning: There are only 6 Detected Values in this data											
309	Note: It should be noted that even though bootstrap may be performed on this data set											
310	the resulting calculations may not be reliable enough tp draw conclusions											
311												
312	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
313												
314												
315	UCL Statistics											
316	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
317			Shapiro Wilk Test Statistic			0.941			Shapiro Wilk Test Statistic			0.938
318			5% Shapiro Wilk Critical Value			0.788			5% Shapiro Wilk Critical Value			0.788

	A	B	C	D	E	F	G	H	I	J	K	L
319	Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level				
320												
321	Assuming Normal Distribution							Assuming Lognormal Distribution				
322	DL/2 Substitution Method							DL/2 Substitution Method				
323					Mean	0.0007984					Mean	-7.269
324					SD	0.0004332					SD	0.59
325				95% DL/2 (t) UCL		0.00115				95% H-Stat (DL/2) UCL		0.00177
326												
327			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
328	MLE method failed to converge properly									Mean in Log Scale		N/A
329										SD in Log Scale		N/A
330										Mean in Original Scale		N/A
331										SD in Original Scale		N/A
332									95% Percentile Bootstrap UCL			N/A
333										95% BCA Bootstrap UCL		N/A
334												
335	Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only				
336				k star (bias corrected)		2.032		Data appear Normal at 5% Significance Level				
337					Theta Star	0.0003928						
338					nu star	24.39						
339												
340				A-D Test Statistic		0.274		Nonparametric Statistics				
341				5% A-D Critical Value		0.7			Kaplan-Meier (KM) Method			
342				K-S Test Statistic		0.7					Mean	0.0007984
343				5% K-S Critical Value		0.334					SD	0.0003955
344	Data appear Gamma Distributed at 5% Significance Level										SE of Mean	0.0001769
345											95% KM (t) UCL	0.00115
346	Assuming Gamma Distribution										95% KM (z) UCL	0.00109
347	Gamma ROS Statistics using Extrapolated Data										95% KM (jackknife) UCL	0.00115
348					Minimum	0.0003176					95% KM (bootstrap t) UCL	0.00123
349					Maximum	0.00149					95% KM (BCA) UCL	0.00107
350					Mean	0.0007984				95% KM (Percentile Bootstrap) UCL		0.00107
351					Median	0.0007805					95% KM (Chebyshev) UCL	0.00157
352					SD	0.0004332					97.5% KM (Chebyshev) UCL	0.0019
353					k star	2.032					99% KM (Chebyshev) UCL	0.00256
354					Theta star	0.0003928						
355					Nu star	24.39		Potential UCLs to Use				
356					AppChi2	14.14					95% KM (t) UCL	0.00115
357			95% Gamma Approximate UCL			0.00138				95% KM (Percentile Bootstrap) UCL		0.00107
358			95% Adjusted Gamma UCL			0.0017						
359	Note: DL/2 is not a recommended method.											
360												
361												
362	Indeno(1,2,3-cd)pyreneNA											
363												
364	General Statistics											
365			Number of Valid Data			5				Number of Detected Data		5
366			Number of Distinct Detected Data			5				Number of Non-Detect Data		0
367			Number of Missing Values			7				Percent Non-Detects		0.00%
368												
369	Raw Statistics							Log-transformed Statistics				
370				Minimum Detected		0.00024				Minimum Detected		-8.335
371				Maximum Detected		0.00131				Maximum Detected		-6.639

	A	B	C	D	E	F	G	H	I	J	K	L
372					Mean of Detected	0.0006463				Mean of Detected		-7.546
373					SD of Detected	0.0004395				SD of Detected		0.728
374					Minimum Non-Detect	N/A				Minimum Non-Detect		N/A
375					Maximum Non-Detect	N/A				Maximum Non-Detect		N/A
376												
377												
378				Warning: There are only 5 Detected Values in this data								
379				Note: It should be noted that even though bootstrap may be performed on this data set								
380				the resulting calculations may not be reliable enough tp draw conclusions								
381												
382			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
383												
384												
385					UCL Statistics							
386		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
387				Shapiro Wilk Test Statistic		0.91				Shapiro Wilk Test Statistic		0.916
388				5% Shapiro Wilk Critical Value		0.762				5% Shapiro Wilk Critical Value		0.762
389		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
390												
391		Assuming Normal Distribution						Assuming Lognormal Distribution				
392				DL/2 Substitution Method						DL/2 Substitution Method		
393					Mean	0.0006463					Mean	-7.546
394					SD	0.0004395					SD	0.728
395				95% DL/2 (t) UCL		0.00107				95% H-Stat (DL/2) UCL		0.00272
396												
397				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
398		MLE method failed to converge properly								Mean in Log Scale		N/A
399										SD in Log Scale		N/A
400										Mean in Original Scale		N/A
401										SD in Original Scale		N/A
402										95% Percentile Bootstrap UCL		N/A
403										95% BCA Bootstrap UCL		N/A
404												
405		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
406				k star (bias corrected)		1.187		Data appear Normal at 5% Significance Level				
407				Theta Star		0.0005446						
408				nu star		11.87						
409												
410				A-D Test Statistic		0.311		Nonparametric Statistics				
411				5% A-D Critical Value		0.683				Kaplan-Meier (KM) Method		
412				K-S Test Statistic		0.683					Mean	0.0006463
413				5% K-S Critical Value		0.36					SD	0.0003931
414		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.0001966
415											95% KM (t) UCL	0.00107
416		Assuming Gamma Distribution									95% KM (z) UCL	0.0009696
417		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.00107
418					Minimum	0.00024					95% KM (bootstrap t) UCL	0.00118
419					Maximum	0.00131					95% KM (BCA) UCL	0.0009617
420					Mean	0.0006463				95% KM (Percentile Bootstrap) UCL		0.0009617
421					Median	0.0006201					95% KM (Chebyshev) UCL	0.0015
422					SD	0.0004395				97.5% KM (Chebyshev) UCL		0.00187
423					k star	1.187					99% KM (Chebyshev) UCL	0.0026
424					Theta star	0.0005446						

	A	B	C	D	E	F	G	H	I	J	K	L
425					Nu star	11.87	Potential UCLs to Use					
426					AppChi2	5.14					95% KM (t) UCL	0.00107
427			95% Gamma Approximate UCL			0.00149			95% KM (Percentile Bootstrap) UCL			0.0009617
428			95% Adjusted Gamma UCL			0.00226						
429	Note: DL/2 is not a recommended method.											
430												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	W023								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	AldrinNA											
10												
11						General Statistics						
12			Number of Valid Data			8			Number of Detected Data			7
13			Number of Distinct Detected Data			7			Number of Non-Detect Data			1
14			Number of Missing Values			9			Percent Non-Detects			12.50%
15												
16			Raw Statistics						Log-transformed Statistics			
17			Minimum Detected			8.43E-07			Minimum Detected			-13.99
18			Maximum Detected			3.89E-06			Maximum Detected			-12.46
19			Mean of Detected			2.253E-06			Mean of Detected			-13.12
20			SD of Detected			1.096E-06			SD of Detected			0.557
21			Minimum Non-Detect			3.41E-07			Minimum Non-Detect			-14.89
22			Maximum Non-Detect			3.41E-07			Maximum Non-Detect			-14.89
23												
24												
25					Warning: There are only 7 Detected Values in this data							
26				Note: It should be noted that even though bootstrap may be performed on this data set								
27				the resulting calculations may not be reliable enough tp draw conclusions								
28												
29			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
30												
31												
32						UCL Statistics						
33		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
34			Shapiro Wilk Test Statistic			0.963			Shapiro Wilk Test Statistic			0.936
35			5% Shapiro Wilk Critical Value			0.803			5% Shapiro Wilk Critical Value			0.803
36		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
37												
38		Assuming Normal Distribution						Assuming Lognormal Distribution				
39			DL/2 Substitution Method						DL/2 Substitution Method			
40			Mean			1.993E-06			Mean			-13.43
41			SD			1.254E-06			SD			1.011
42			95% DL/2 (t) UCL			2.832E-06			95% H-Stat (DL/2) UCL			9.171E-06
43												
44		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
45			Mean			1.937E-06			Mean in Log Scale			-13.29
46			SD			1.278E-06			SD in Log Scale			0.706
47			95% MLE (t) UCL			2.793E-06			Mean in Original Scale			2.035E-06
48			95% MLE (Tiku) UCL			2.812E-06			SD in Original Scale			1.187E-06
49									95% Percentile Bootstrap UCL			2.683E-06
50									95% BCA Bootstrap UCL			2.721E-06
51												
52		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
53			k star (bias corrected)			2.562		Data appear Normal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
54					Theta Star	8.794E-07						
55					nu star	35.86						
56												
57				A-D Test Statistic		0.247			Nonparametric Statistics			
58				5% A-D Critical Value		0.71			Kaplan-Meier (KM) Method			
59				K-S Test Statistic		0.71					Mean	2.077E-06
60				5% K-S Critical Value		0.313					SD	1.058E-06
61		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	4.039E-07
62											95% KM (t) UCL	2.842E-06
63			Assuming Gamma Distribution								95% KM (z) UCL	2.741E-06
64		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	2.831E-06
65					Minimum	4.222E-07				95% KM (bootstrap t) UCL		2.96E-06
66					Maximum	3.89E-06					95% KM (BCA) UCL	2.768E-06
67					Mean	2.024E-06			95% KM (Percentile Bootstrap) UCL			2.731E-06
68					Median	2.105E-06				95% KM (Chebyshev) UCL		3.837E-06
69					SD	1.204E-06				97.5% KM (Chebyshev) UCL		4.599E-06
70					k star	1.686				99% KM (Chebyshev) UCL		6.096E-06
71					Theta star	1.2E-06						
72					Nu star	26.98			Potential UCLs to Use			
73					AppChi2	16.13					95% KM (t) UCL	2.842E-06
74			95% Gamma Approximate UCL			3.384E-06			95% KM (Percentile Bootstrap) UCL			2.731E-06
75			95% Adjusted Gamma UCL			3.884E-06						
76	Note: DL/2 is not a recommended method.											
77												
78												
79	Arsenicdissolved											
80												
81					General Statistics							
82			Number of Valid Data			9				Number of Detected Data		8
83		Number of Distinct Detected Data				7				Number of Non-Detect Data		1
84			Number of Missing Values			7				Percent Non-Detects		11.11%
85												
86			Raw Statistics						Log-transformed Statistics			
87				Minimum Detected		0.207				Minimum Detected		-1.575
88				Maximum Detected		0.433				Maximum Detected		-0.836
89				Mean of Detected		0.294				Mean of Detected		-1.275
90				SD of Detected		0.101				SD of Detected		0.334
91				Minimum Non-Detect		0.378				Minimum Non-Detect		-0.974
92				Maximum Non-Detect		0.378				Maximum Non-Detect		-0.974
93												
94												
95					Warning: There are only 8 Detected Values in this data							
96				Note: It should be noted that even though bootstrap may be performed on this data set								
97				the resulting calculations may not be reliable enough tp draw conclusions								
98												
99		It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.										
100												
101												
102					UCL Statistics							
103		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
104			Shapiro Wilk Test Statistic			0.793				Shapiro Wilk Test Statistic		0.794
105			5% Shapiro Wilk Critical Value			0.818				5% Shapiro Wilk Critical Value		0.818
106		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			

	A	B	C	D	E	F	G	H	I	J	K	L
107												
108			**Assuming Normal Distribution**							**Assuming Lognormal Distribution**		
109				DL/2 Substitution Method						DL/2 Substitution Method		
110					Mean	0.282					Mean	-1.319
111					SD	0.101					SD	0.339
112				95% DL/2 (t) UCL		0.344				95% H-Stat (DL/2) UCL		0.362
113												
114			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
115			**MLE method failed to converge properly**							Mean in Log Scale		-1.289
116										SD in Log Scale		0.315
117										Mean in Original Scale		0.289
118										SD in Original Scale		0.0956
119										95% Percentile Bootstrap UCL		0.337
120										95% BCA Bootstrap UCL		0.35
121												
122			**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**			
123				k star (bias corrected)		6.444			**Data do not follow a Discernable Distribution (0.05)**			
124					Theta Star	0.0456						
125					nu star	103.1						
126												
127				A-D Test Statistic		0.811			**Nonparametric Statistics**			
128				5% A-D Critical Value		0.715				Kaplan-Meier (KM) Method		
129				K-S Test Statistic		0.715					Mean	0.289
130				5% K-S Critical Value		0.294					SD	0.0922
131			**Data not Gamma Distributed at 5% Significance Level**								SE of Mean	0.0337
132											95% KM (t) UCL	0.351
133			**Assuming Gamma Distribution**								95% KM (z) UCL	0.344
134			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	0.351
135					Minimum	0.207				95% KM (bootstrap t) UCL		0.363
136					Maximum	0.433				95% KM (BCA) UCL		0.335
137					Mean	0.293			95% KM (Percentile Bootstrap) UCL			0.343
138					Median	0.289				95% KM (Chebyshev) UCL		0.435
139					SD	0.0944				97.5% KM (Chebyshev) UCL		0.499
140					k star	7.691				99% KM (Chebyshev) UCL		0.624
141					Theta star	0.0381						
142					Nu star	138.4			**Potential UCLs to Use**			
143					AppChi2	112.2				95% KM (Chebyshev) UCL		0.435
144				95% Gamma Approximate UCL		0.361						
145				95% Adjusted Gamma UCL		0.378						
146				**Warning: Recommended UCL exceeds the maximum observation**								
147	Note: DL/2 is not a recommended method.											
148												
149												
150	Arsenictotal											
151												
152					**General Statistics**							
153				Number of Valid Data		9				Number of Detected Data		8
154				Number of Distinct Detected Data		8				Number of Non-Detect Data		1
155				Number of Missing Values		7				Percent Non-Detects		11.11%
156												
157			**Raw Statistics**						**Log-transformed Statistics**			
158					Minimum Detected	0.307					Minimum Detected	-1.181
159					Maximum Detected	0.54					Maximum Detected	-0.616

	A	B	C	D	E	F	G	H	I	J	K	L
160					Mean of Detected	0.421					Mean of Detected	-0.885
161					SD of Detected	0.0878					SD of Detected	0.218
162					Minimum Non-Detect	0.408					Minimum Non-Detect	-0.897
163					Maximum Non-Detect	0.408					Maximum Non-Detect	-0.897
164												
165												
166				Warning: There are only 8 Detected Values in this data								
167				Note: It should be noted that even though bootstrap may be performed on this data set								
168				the resulting calculations may not be reliable enough tp draw conclusions								
169												
170				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
171												
172												
173						UCL Statistics						
174		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
175				Shapiro Wilk Test Statistic		0.902				Shapiro Wilk Test Statistic		0.885
176				5% Shapiro Wilk Critical Value		0.818				5% Shapiro Wilk Critical Value		0.818
177		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
178												
179		Assuming Normal Distribution						Assuming Lognormal Distribution				
180				DL/2 Substitution Method						DL/2 Substitution Method		
181					Mean	0.397					Mean	-0.963
182					SD	0.11					SD	0.311
183				95% DL/2 (t) UCL		0.465				95% H-Stat (DL/2) UCL		0.474
184												
185		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
186					Mean	0.425				Mean in Log Scale		-0.908
187					SD	0.0733				SD in Log Scale		0.216
188				95% MLE (t) UCL		0.47				Mean in Original Scale		0.412
189				95% MLE (Tiku) UCL		0.478				SD in Original Scale		0.0872
190										95% Percentile Bootstrap UCL		0.458
191										95% BCA Bootstrap UCL		0.456
192												
193		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
194				k star (bias corrected)		15.71		Data appear Normal at 5% Significance Level				
195					Theta Star	0.0268						
196					nu star	251.4						
197												
198				A-D Test Statistic		0.491		Nonparametric Statistics				
199				5% A-D Critical Value		0.716				Kaplan-Meier (KM) Method		
200				K-S Test Statistic		0.716					Mean	0.41
201				5% K-S Critical Value		0.294					SD	0.0836
202		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.0299
203										95% KM (t) UCL		0.466
204		Assuming Gamma Distribution								95% KM (z) UCL		0.46
205		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.466
206					Minimum	0.307				95% KM (bootstrap t) UCL		0.464
207					Maximum	0.54				95% KM (BCA) UCL		0.46
208					Mean	0.414				95% KM (Percentile Bootstrap) UCL		0.461
209					Median	0.426				95% KM (Chebyshev) UCL		0.541
210					SD	0.0847				97.5% KM (Chebyshev) UCL		0.597
211					k star	17.65				99% KM (Chebyshev) UCL		0.708
212					Theta star	0.0235						

	A	B	C	D	E	F	G	H	I	J	K	L
213					Nu star	317.7			Potential UCLs to Use			
214					AppChi2	277.4				95% KM (t) UCL		0.466
215			95% Gamma Approximate UCL			0.475			95% KM (Percentile Bootstrap) UCL			0.461
216			95% Adjusted Gamma UCL			0.489						
217	Note: DL/2 is not a recommended method.											
218												
219												
220	Benzo(a)anthraceneNA											
221												
222					General Statistics							
223			Number of Valid Data			17			Number of Detected Data			9
224			Number of Distinct Detected Data			9			Number of Non-Detect Data			8
225									Percent Non-Detects			47.06%
226												
227			Raw Statistics						Log-transformed Statistics			
228			Minimum Detected			0.000052			Minimum Detected			-9.864
229			Maximum Detected			0.01			Maximum Detected			-4.605
230			Mean of Detected			0.00133			Mean of Detected			-8.08
231			SD of Detected			0.00325			SD of Detected			1.495
232			Minimum Non-Detect			0.0021			Minimum Non-Detect			-6.166
233			Maximum Non-Detect			0.0078			Maximum Non-Detect			-4.854
234												
235	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			16
236	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
237	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			94.12%
238												
239					Warning: There are only 9 Detected Values in this data							
240					Note: It should be noted that even though bootstrap may be performed on this data set							
241					the resulting calculations may not be reliable enough tp draw conclusions							
242												
243					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
244												
245												
246					UCL Statistics							
247		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
248			Shapiro Wilk Test Statistic			0.428			Shapiro Wilk Test Statistic			0.826
249			5% Shapiro Wilk Critical Value			0.829			5% Shapiro Wilk Critical Value			0.829
250		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
251												
252		Assuming Normal Distribution							Assuming Lognormal Distribution			
253			DL/2 Substitution Method						DL/2 Substitution Method			
254					Mean	0.00199					Mean	-7.115
255					SD	0.00256					SD	1.542
256			95% DL/2 (t) UCL			0.00308			95% H-Stat (DL/2) UCL			0.0272
257												
258		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
259		MLE method failed to converge properly							Mean in Log Scale			-8.22
260									SD in Log Scale			1.154
261									Mean in Original Scale			0.000835
262									SD in Original Scale			0.00237
263									95% Percentile Bootstrap UCL			0.00197
264									95% BCA Bootstrap UCL			0.00256
265												

	A	B	C	D	E	F	G	H	I	J	K	L
266	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
267	k star (bias corrected)					0.37	Data do not follow a Discernable Distribution (0.05)					
268	Theta Star					0.0036						
269	nu star					6.658						
270												
271	A-D Test Statistic					1.546	Nonparametric Statistics					
272	5% A-D Critical Value					0.781	Kaplan-Meier (KM) Method					
273	K-S Test Statistic					0.781	Mean					0.0008219
274	5% K-S Critical Value					0.296	SD					0.0023
275	Data not Gamma Distributed at 5% Significance Level						SE of Mean					0.0005921
276							95% KM (t) UCL					0.00186
277	Assuming Gamma Distribution						95% KM (z) UCL					0.0018
278	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					0.00183
279	Minimum					0.000052	95% KM (bootstrap t) UCL					0.0106
280	Maximum					0.01	95% KM (BCA) UCL					0.00198
281	Mean					0.00137	95% KM (Percentile Bootstrap) UCL					0.00196
282	Median					0.0006594	95% KM (Chebyshev) UCL					0.0034
283	SD					0.00232	97.5% KM (Chebyshev) UCL					0.00452
284	k star					0.656	99% KM (Chebyshev) UCL					0.00671
285	Theta star					0.00209						
286	Nu star					22.31	Potential UCLs to Use					
287	AppChi2					12.57	97.5% KM (Chebyshev) UCL					0.00452
288	95% Gamma Approximate UCL					0.00243						
289	95% Adjusted Gamma UCL					0.00259						
290	Note: DL/2 is not a recommended method.											
291												
292												
293	Benzo(a)pyreneNA											
294												
295	General Statistics											
296	Number of Valid Data					8	Number of Detected Data					8
297	Number of Distinct Detected Data					8	Number of Non-Detect Data					0
298	Number of Missing Values					9	Percent Non-Detects					0.00%
299												
300	Raw Statistics						Log-transformed Statistics					
301	Minimum Detected					0.0000263	Minimum Detected					-10.55
302	Maximum Detected					0.0006287	Maximum Detected					-7.372
303	Mean of Detected					0.0002794	Mean of Detected					-8.608
304	SD of Detected					0.0001971	SD of Detected					1.21
305	Minimum Non-Detect					N/A	Minimum Non-Detect					N/A
306	Maximum Non-Detect					N/A	Maximum Non-Detect					N/A
307												
308												
309	Warning: There are only 8 Detected Values in this data											
310	Note: It should be noted that even though bootstrap may be performed on this data set											
311	the resulting calculations may not be reliable enough tp draw conclusions											
312												
313	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
314												
315												
316	UCL Statistics											
317	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
318	Shapiro Wilk Test Statistic					0.932	Shapiro Wilk Test Statistic					0.781

	A	B	C	D	E	F	G	H	I	J	K	L
319				5% Shapiro Wilk Critical Value		0.818			5% Shapiro Wilk Critical Value			0.818
320		Data appear Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
321												
322		Assuming Normal Distribution						Assuming Lognormal Distribution				
323				DL/2 Substitution Method					DL/2 Substitution Method			
324					Mean	0.0002794				Mean		-8.608
325					SD	0.0001971				SD		1.21
326				95% DL/2 (t) UCL		0.0004115			95% H-Stat (DL/2) UCL			0.00232
327												
328			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
329		MLE method failed to converge properly							Mean in Log Scale			N/A
330									SD in Log Scale			N/A
331									Mean in Original Scale			N/A
332									SD in Original Scale			N/A
333									95% Percentile Bootstrap UCL			N/A
334									95% BCA Bootstrap UCL			N/A
335												
336		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
337				k star (bias corrected)		0.906		Data appear Normal at 5% Significance Level				
338				Theta Star		0.0003083						
339				nu star		14.5						
340												
341				A-D Test Statistic		0.698		Nonparametric Statistics				
342				5% A-D Critical Value		0.731			Kaplan-Meier (KM) Method			
343				K-S Test Statistic		0.731				Mean		0.0002794
344				5% K-S Critical Value		0.3				SD		0.0001843
345		Data follow Appr. Gamma Distribution at 5% Significance Level								SE of Mean		6.968E-05
346										95% KM (t) UCL		0.0004115
347		Assuming Gamma Distribution								95% KM (z) UCL		0.0003941
348		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.0004115
349					Minimum	0.0000263			95% KM (bootstrap t) UCL			0.0004134
350					Maximum	0.0006287			95% KM (BCA) UCL			0.0003816
351					Mean	0.0002794		95% KM (Percentile Bootstrap) UCL				0.0003877
352					Median	0.0002813			95% KM (Chebyshev) UCL			0.0005832
353					SD	0.0001971			97.5% KM (Chebyshev) UCL			0.0007146
354					k star	0.906			99% KM (Chebyshev) UCL			0.0009727
355					Theta star	0.0003083						
356					Nu star	14.5		Potential UCLs to Use				
357					AppChi2	6.917				95% KM (t) UCL		0.0004115
358			95% Gamma Approximate UCL			0.0005859		95% KM (Percentile Bootstrap) UCL				0.0003877
359				95% Adjusted Gamma UCL		0.0007178						
360	Note: DL/2 is not a recommended method.											
361												
362												
363	Benzo(b)fluorantheneNA											
364												
365						General Statistics						
366				Number of Valid Data		8			Number of Detected Data			8
367			Number of Distinct Detected Data			8			Number of Non-Detect Data			0
368				Number of Missing Values		9			Percent Non-Detects			0.00%
369												
370			Raw Statistics						Log-transformed Statistics			
371				Minimum Detected		0.0000238			Minimum Detected			-10.65

	A–E	F	G–K	L
372	Maximum Detected	0.00082	Maximum Detected	-7.106
373	Mean of Detected	0.0003633	Mean of Detected	-8.217
374	SD of Detected	0.000227	SD of Detected	1.046
375	Minimum Non-Detect	N/A	Minimum Non-Detect	N/A
376	Maximum Non-Detect	N/A	Maximum Non-Detect	N/A
377				
378				

Warning: There are only 8 Detected Values in this data

Note: It should be noted that even though bootstrap may be performed on this data set

the resulting calculations may not be reliable enough tp draw conclusions

It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.

UCL Statistics

	Normal Distribution Test with Detected Values Only	F	Lognormal Distribution Test with Detected Values Only	L
388	Shapiro Wilk Test Statistic	0.893	Shapiro Wilk Test Statistic	0.736
389	5% Shapiro Wilk Critical Value	0.818	5% Shapiro Wilk Critical Value	0.818
390	**Data appear Normal at 5% Significance Level**		**Data not Lognormal at 5% Significance Level**	
391				
392	**Assuming Normal Distribution**		**Assuming Lognormal Distribution**	
393	DL/2 Substitution Method		DL/2 Substitution Method	
394	Mean	0.0003633	Mean	-8.217
395	SD	0.000227	SD	1.046
396	95% DL/2 (t) UCL	0.0005153	95% H-Stat (DL/2) UCL	0.00189
397				
398	Maximum Likelihood Estimate(MLE) Method	N/A	Log ROS Method	
399	**MLE method failed to converge properly**		Mean in Log Scale	N/A
400			SD in Log Scale	N/A
401			Mean in Original Scale	N/A
402			SD in Original Scale	N/A
403			95% Percentile Bootstrap UCL	N/A
404			95% BCA Bootstrap UCL	N/A
405				
406	**Gamma Distribution Test with Detected Values Only**		**Data Distribution Test with Detected Values Only**	
407	k star (bias corrected)	1.231	**Data appear Normal at 5% Significance Level**	
408	Theta Star	0.0002952		
409	nu star	19.69		
410				
411	A-D Test Statistic	0.723	**Nonparametric Statistics**	
412	5% A-D Critical Value	0.725	Kaplan-Meier (KM) Method	
413	K-S Test Statistic	0.725	Mean	0.0003633
414	5% K-S Critical Value	0.298	SD	0.0002123
415	**Data follow Appr. Gamma Distribution at 5% Significance Level**		SE of Mean	8.025E-05
416			95% KM (t) UCL	0.0005153
417	**Assuming Gamma Distribution**		95% KM (z) UCL	0.0004953
418	Gamma ROS Statistics using Extrapolated Data		95% KM (jackknife) UCL	0.0005153
419	Minimum	0.0000238	95% KM (bootstrap t) UCL	0.0005732
420	Maximum	0.00082	95% KM (BCA) UCL	0.0004922
421	Mean	0.0003633	95% KM (Percentile Bootstrap) UCL	0.0004893
422	Median	0.0003112	95% KM (Chebyshev) UCL	0.0007131
423	SD	0.000227	97.5% KM (Chebyshev) UCL	0.0008645
424	k star	1.231	99% KM (Chebyshev) UCL	0.00116

	A	B	C	D	E	F	G	H	I	J	K	L
425					Theta star	0.0002952						
426					Nu star	19.69			Potential UCLs to Use			
427					AppChi2	10.63				95% KM (t) UCL		0.0005153
428				95% Gamma Approximate UCL		0.0006734			95% KM (Percentile Bootstrap) UCL			0.0004893
429				95% Adjusted Gamma UCL		0.0007959						
430	Note: DL/2 is not a recommended method.											
431												
432												
433	Indeno(1,2,3-cd)pyreneNA											
434												
435					General Statistics							
436			Number of Valid Data			17			Number of Detected Data			7
437			Number of Distinct Detected Data			7			Number of Non-Detect Data			10
438									Percent Non-Detects			58.82%
439												
440			Raw Statistics						Log-transformed Statistics			
441			Minimum Detected			0.000184			Minimum Detected			-8.601
442			Maximum Detected			0.0086			Maximum Detected			-4.756
443			Mean of Detected			0.00142			Mean of Detected			-7.901
444			SD of Detected			0.00317			SD of Detected			1.393
445			Minimum Non-Detect			0.000382			Minimum Non-Detect			-7.87
446			Maximum Non-Detect			0.0084			Maximum Non-Detect			-4.78
447												
448	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			16
449	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
450	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			94.12%
451												
452					Warning: There are only 7 Detected Values in this data							
453					Note: It should be noted that even though bootstrap may be performed on this data set							
454					the resulting calculations may not be reliable enough tp draw conclusions							
455												
456					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
457												
458												
459					UCL Statistics							
460			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
461			Shapiro Wilk Test Statistic			0.462			Shapiro Wilk Test Statistic			0.545
462			5% Shapiro Wilk Critical Value			0.803			5% Shapiro Wilk Critical Value			0.803
463			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
464												
465			Assuming Normal Distribution						Assuming Lognormal Distribution			
466			DL/2 Substitution Method						DL/2 Substitution Method			
467			Mean			0.00183			Mean			-7.05
468			SD			0.00222			SD			1.336
469			95% DL/2 (t) UCL			0.00277			95% H-Stat (DL/2) UCL			0.0146
470												
471			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
472			MLE method failed to converge properly						Mean in Log Scale			-8.081
473									SD in Log Scale			0.933
474									Mean in Original Scale			0.0007598
475									SD in Original Scale			0.00202
476									95% Percentile Bootstrap UCL			0.00174
477									95% BCA Bootstrap UCL			0.00226

	A	B	C	D	E	F	G	H	I	J	K	L
478												
479		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
480				k star (bias corrected)		0.368		Data do not follow a Discernable Distribution (0.05)				
481				Theta Star		0.00386						
482				nu star		5.146						
483												
484				A-D Test Statistic		1.897		Nonparametric Statistics				
485				5% A-D Critical Value		0.755		Kaplan-Meier (KM) Method				
486				K-S Test Statistic		0.755					Mean	0.0007142
487				5% K-S Critical Value		0.328					SD	0.00197
488		Data not Gamma Distributed at 5% Significance Level									SE of Mean	0.0005166
489											95% KM (t) UCL	0.00162
490		Assuming Gamma Distribution									95% KM (z) UCL	0.00156
491		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.00157
492				Minimum		0.000184					95% KM (bootstrap t) UCL	0.0297
493				Maximum		0.0086					95% KM (BCA) UCL	0.0017
494				Mean		0.00146					95% KM (Percentile Bootstrap) UCL	0.0017
495				Median		0.00123					95% KM (Chebyshev) UCL	0.00297
496				SD		0.00195					97.5% KM (Chebyshev) UCL	0.00394
497				k star		0.884					99% KM (Chebyshev) UCL	0.00585
498				Theta star		0.00165						
499				Nu star		30.04		Potential UCLs to Use				
500				AppChi2		18.52					95% KM (BCA) UCL	0.0017
501		95% Gamma Approximate UCL				0.00236						
502		95% Adjusted Gamma UCL				0.00249						
503		Note: DL/2 is not a recommended method.										
504												

Surface Water

Potential Future Use of Untreated Drinking Water

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	2000

VAI (w005aldrin)

General Statistics

Number of Valid Observations	7	Number of Distinct Observations	7

Raw Statistics		Log-transformed Statistics	
Minimum	2.96E-07	Minimum of Log Data	-15.03
Maximum	4.68E-06	Maximum of Log Data	-12.27
Mean	2.703E-06	Mean of log Data	-13.07
Median	2.955E-06	SD of log Data	0.941
SD	1.475E-06		
Coefficient of Variation	N/A		
Skewness	-0.484		

Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!

It is suggested to collect at least 8 to 10 observations using these statistical methods!

If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

Warning: There are only 7 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set,

the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.971	Shapiro Wilk Test Statistic	0.794
Shapiro Wilk Critical Value	0.803	Shapiro Wilk Critical Value	0.803
Data appear Normal at 5% Significance Level		**Data not Lognormal at 5% Significance Level**	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	3.787E-06	95% H-UCL	1.272E-05
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	7.733E-06
95% Adjusted-CLT UCL (Chen-1995)	3.511E-06	97.5% Chebyshev (MVUE) UCL	9.771E-06
95% Modified-t UCL (Johnson-1978)	3.77E-06	99% Chebyshev (MVUE) UCL	1.377E-05

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	1.317	**Data appear Normal at 5% Significance Level**	
Theta Star	2.053E-06		
MLE of Mean	2.703E-06		
MLE of Standard Deviation	2.356E-06		

	A	B	C	D	E	F	G	H	I	J	K	L
53					nu star	18.44						
54			Approximate Chi Square Value (.05)			9.707			Nonparametric Statistics			
55			Adjusted Level of Significance			0.0158					95% CLT UCL	3.62E-06
56			Adjusted Chi Square Value			7.869					95% Jackknife UCL	3.787E-06
57											95% Standard Bootstrap UCL	3.547E-06
58			Anderson-Darling Test Statistic			0.498					95% Bootstrap-t UCL	3.721E-06
59			Anderson-Darling 5% Critical Value			0.715					95% Hall's Bootstrap UCL	3.529E-06
60			Kolmogorov-Smirnov Test Statistic			0.217					95% Percentile Bootstrap UCL	3.539E-06
61			Kolmogorov-Smirnov 5% Critical Value			0.315					95% BCA Bootstrap UCL	3.483E-06
62		Data appear Gamma Distributed at 5% Significance Level									95% Chebyshev(Mean, Sd) UCL	5.134E-06
63											97.5% Chebyshev(Mean, Sd) UCL	6.185E-06
64			Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL	8.251E-06
65			95% Approximate Gamma UCL			5.135E-06						
66			95% Adjusted Gamma UCL			6.333E-06						
67												
68			Potential UCL to Use							Use 95% Student's-t UCL		3.787E-06
69												
70		Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.										
71		These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002)										
72		and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.										
73												
74												
75	VAI (w005arsenic)											
76												
77					General Statistics							
78			Number of Valid Observations			7			Number of Distinct Observations			7
79												
80			Raw Statistics						Log-transformed Statistics			
81					Minimum	0.317				Minimum of Log Data		-1.15
82					Maximum	0.55				Maximum of Log Data		-0.598
83					Mean	0.456				Mean of log Data		-0.8
84					Median	0.461				SD of log Data		0.193
85					SD	0.0822						
86				Coefficient of Variation		0.18						
87					Skewness	-0.67						
88												
89												
90		Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
91												
92		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
93		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
94												
95												
96		Warning: There are only 7 Values in this data										
97		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
98		the resulting calculations may not be reliable enough to draw conclusions										
99												
100		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
101												
102					Relevant UCL Statistics							
103			Normal Distribution Test						Lognormal Distribution Test			
104			Shapiro Wilk Test Statistic			0.943				Shapiro Wilk Test Statistic		0.916

	A	B	C	D	E	F	G	H	I	J	K	L
105				Shapiro Wilk Critical Value		0.803			Shapiro Wilk Critical Value			0.803
106			Data appear Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
107												
108			Assuming Normal Distribution					Assuming Lognormal Distribution				
109				95% Student's-t UCL		0.517			95% H-UCL			0.535
110			95% UCLs (Adjusted for Skewness)					95% Chebyshev (MVUE) UCL				0.602
111			95% Adjusted-CLT UCL (Chen-1995)			0.499		97.5% Chebyshev (MVUE) UCL				0.665
112			95% Modified-t UCL (Johnson-1978)			0.515		99% Chebyshev (MVUE) UCL				0.789
113												
114			Gamma Distribution Test					Data Distribution				
115			k star (bias corrected)			18.93		Data appear Normal at 5% Significance Level				
116			Theta Star			0.0241						
117			MLE of Mean			0.456						
118			MLE of Standard Deviation			0.105						
119			nu star			265						
120			Approximate Chi Square Value (.05)			228.3		Nonparametric Statistics				
121			Adjusted Level of Significance			0.0158			95% CLT UCL			0.507
122			Adjusted Chi Square Value			217.9			95% Jackknife UCL			0.517
123									95% Standard Bootstrap UCL			0.504
124			Anderson-Darling Test Statistic			0.307			95% Bootstrap-t UCL			0.507
125			Anderson-Darling 5% Critical Value			0.707			95% Hall's Bootstrap UCL			0.504
126			Kolmogorov-Smirnov Test Statistic			0.216			95% Percentile Bootstrap UCL			0.5
127			Kolmogorov-Smirnov 5% Critical Value			0.311			95% BCA Bootstrap UCL			0.498
128			Data appear Gamma Distributed at 5% Significance Level					95% Chebyshev(Mean, Sd) UCL				0.592
129								97.5% Chebyshev(Mean, Sd) UCL				0.65
130			Assuming Gamma Distribution					99% Chebyshev(Mean, Sd) UCL				0.766
131			95% Approximate Gamma UCL			0.53						
132			95% Adjusted Gamma UCL			0.555						
133												
134			Potential UCL to Use					Use 95% Student's-t UCL				0.517
135												
136			Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.									
137			These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002)									
138			and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.									
139												
140												
141	VAI (w005arsenic_diss)											
142												
143					General Statistics							
144			Number of Valid Data			7			Number of Detected Data			6
145			Number of Distinct Detected Data			6			Number of Non-Detect Data			1
146									Percent Non-Detects			14.29%
147												
148			Raw Statistics					Log-transformed Statistics				
149			Minimum Detected			0.2			Minimum Detected			-1.609
150			Maximum Detected			0.48			Maximum Detected			-0.734
151			Mean of Detected			0.313			Mean of Detected			-1.214
152			SD of Detected			0.11			SD of Detected			0.35
153			Minimum Non-Detect			0.397			Minimum Non-Detect			-0.925
154			Maximum Non-Detect			0.397			Maximum Non-Detect			-0.925
155												
156												

	A	B	C	D	E	F	G	H	I	J	K	L
157	Warning: There are only 6 Detected Values in this data											
158	Note: It should be noted that even though bootstrap may be performed on this data set											
159	the resulting calculations may not be reliable enough to draw conclusions											
160												
161	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
162												
163												
164	UCL Statistics											
165	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
166	Shapiro Wilk Test Statistic					0.931	Shapiro Wilk Test Statistic					0.942
167	5% Shapiro Wilk Critical Value					0.788	5% Shapiro Wilk Critical Value					0.788
168	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
169												
170	Assuming Normal Distribution						Assuming Lognormal Distribution					
171	DL/2 Substitution Method						DL/2 Substitution Method					
172	Mean					0.296	Mean					-1.272
173	SD					0.109	SD					0.354
174	95% DL/2 (t) UCL					0.377	95% H-Stat (DL/2) UCL					0.414
175												
176	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
177	MLE method failed to converge properly						Mean in Log Scale					-1.227
178							SD in Log Scale					0.321
179							Mean in Original Scale					0.307
180							SD in Original Scale					0.102
181							95% t UCL					0.381
182							95% Percentile Bootstrap UCL					0.371
183							95% BCA Bootstrap UCL					0.377
184												
185	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
186	k star (bias corrected)					5.085	Data appear Normal at 5% Significance Level					
187	Theta Star					0.0615						
188	nu star					61.02						
189												
190	A-D Test Statistic					0.259	Nonparametric Statistics					
191	5% A-D Critical Value					0.698	Kaplan-Meier (KM) Method					
192	K-S Test Statistic					0.698	Mean					0.308
193	5% K-S Critical Value					0.332	SD					0.0977
194	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					0.0424
195							95% KM (t) UCL					0.39
196	Assuming Gamma Distribution						95% KM (z) UCL					0.377
197	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					0.391
198	Minimum					0.2	95% KM (bootstrap t) UCL					0.41
199	Maximum					0.48	95% KM (BCA) UCL					0.383
200	Mean					0.314	95% KM (Percentile Bootstrap) UCL					0.373
201	Median					0.322	95% KM (Chebyshev) UCL					0.492
202	SD					0.1	97.5% KM (Chebyshev) UCL					0.572
203	k star					6.705	99% KM (Chebyshev) UCL					0.729
204	Theta star					0.0468						
205	Nu star					93.87	Potential UCLs to Use					
206	AppChi2					72.52	95% KM (t) UCL					0.39
207	95% Gamma Approximate UCL					0.406	95% KM (Percentile Bootstrap) UCL					0.373
208	95% Adjusted Gamma UCL					0.441						

	A	B	C	D	E	F	G	H	I	J	K	L
209	Note: DL/2 is not a recommended method.											
210												
211	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
212	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
213	For additional insight, the user may want to consult a statistician.											
214												
215												
216	VAI (w005benzo(a)anthracene)											
217												
218	General Statistics											
219	Number of Valid Observations					8		Number of Distinct Observations				8
220												
221	Raw Statistics						Log-transformed Statistics					
222	Minimum					0.000381	Minimum of Log Data					-7.873
223	Maximum					0.0024	Maximum of Log Data					-6.032
224	Mean					0.00115	Mean of log Data					-6.93
225	Median					0.0009318	SD of log Data					0.608
226	SD					0.000692						
227	Coefficient of Variation					0.604						
228	Skewness					0.959						
229												
230												
231	Warning: There are only 8 Values in this data											
232	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
233	the resulting calculations may not be reliable enough to draw conclusions											
234												
235	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
236												
237	Relevant UCL Statistics											
238	Normal Distribution Test						Lognormal Distribution Test					
239	Shapiro Wilk Test Statistic					0.911	Shapiro Wilk Test Statistic					0.98
240	Shapiro Wilk Critical Value					0.818	Shapiro Wilk Critical Value					0.818
241	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
242												
243	Assuming Normal Distribution						Assuming Lognormal Distribution					
244	95% Student's-t UCL					0.00161	95% H-UCL					0.00211
245	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					0.00224
246	95% Adjusted-CLT UCL (Chen-1995)					0.00164	97.5% Chebyshev (MVUE) UCL					0.00271
247	95% Modified-t UCL (Johnson-1978)					0.00162	99% Chebyshev (MVUE) UCL					0.00363
248												
249	Gamma Distribution Test						Data Distribution					
250	k star (bias corrected)					2.15	Data appear Normal at 5% Significance Level					
251	Theta Star					0.0005332						
252	MLE of Mean					0.00115						
253	MLE of Standard Deviation					0.0007817						
254	nu star					34.4						
255	Approximate Chi Square Value (.05)					21.98	Nonparametric Statistics					
256	Adjusted Level of Significance					0.0195	95% CLT UCL					0.00155
257	Adjusted Chi Square Value					19.51	95% Jackknife UCL					0.00161
258							95% Standard Bootstrap UCL					0.00152
259	Anderson-Darling Test Statistic					0.208	95% Bootstrap-t UCL					0.0019
260	Anderson-Darling 5% Critical Value					0.721	95% Hall's Bootstrap UCL					0.00197

	A	B	C	D	E	F	G	H	I	J	K	L
261			Kolmogorov-Smirnov Test Statistic			0.136			95% Percentile Bootstrap UCL			0.00154
262			Kolmogorov-Smirnov 5% Critical Value			0.296			95% BCA Bootstrap UCL			0.00161
263		**Data appear Gamma Distributed at 5% Significance Level**							95% Chebyshev(Mean, Sd) UCL			0.00221
264									97.5% Chebyshev(Mean, Sd) UCL			0.00267
265			**Assuming Gamma Distribution**						99% Chebyshev(Mean, Sd) UCL			0.00358
266			95% Approximate Gamma UCL			0.00179						
267			95% Adjusted Gamma UCL			0.00202						
268												
269			**Potential UCL to Use**						Use 95% Student's-t UCL			0.00161
270												
271		**Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.**										
272		**These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002)**										
273		**and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.**										
274												
275												
276	VAI (w005benzo(a)pyrene)											
277												
278						General Statistics						
279			Number of Valid Data			8			Number of Detected Data			7
280			Number of Distinct Detected Data			7			Number of Non-Detect Data			1
281									Percent Non-Detects			12.50%
282												
283			**Raw Statistics**						**Log-transformed Statistics**			
284			Minimum Detected			0.0004426			Minimum Detected			-7.723
285			Maximum Detected			0.00215			Maximum Detected			-6.143
286			Mean of Detected			0.00101			Mean of Detected			-7.028
287			SD of Detected			0.000591			SD of Detected			0.536
288			Minimum Non-Detect			0.0016			Minimum Non-Detect			-6.438
289			Maximum Non-Detect			0.0016			Maximum Non-Detect			-6.438
290												
291												
292						Warning: There are only 7 Detected Values in this data						
293						Note: It should be noted that even though bootstrap may be performed on this data set						
294						the resulting calculations may not be reliable enough to draw conclusions						
295												
296					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
297												
298												
299						UCL Statistics						
300		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
301			Shapiro Wilk Test Statistic			0.864			Shapiro Wilk Test Statistic			0.967
302			5% Shapiro Wilk Critical Value			0.803			5% Shapiro Wilk Critical Value			0.803
303		**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
304												
305		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
306			DL/2 Substitution Method						DL/2 Substitution Method			
307			Mean			0.0009831			Mean			-7.041
308			SD			0.0005521			SD			0.497
309			95% DL/2 (t) UCL			0.00135			95% H-Stat (DL/2) UCL			0.00154
310												
311			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
312		**MLE method failed to converge properly**							Mean in Log Scale			-7.044

	A	B	C	D	E	F	G	H	I	J	K	L
313										SD in Log Scale		0.498
314										Mean in Original Scale		0.0009808
315										SD in Original Scale		0.000553
316										95% t UCL		0.00135
317										95% Percentile Bootstrap UCL		0.00132
318										95% BCA Bootstrap UCL		0.00138
319												
320		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
321				k star (bias corrected)		2.396		Data appear Normal at 5% Significance Level				
322				Theta Star		0.0004213						
323				nu star		33.54						
324												
325				A-D Test Statistic		0.294		Nonparametric Statistics				
326				5% A-D Critical Value		0.71		Kaplan-Meier (KM) Method				
327				K-S Test Statistic		0.71				Mean		0.0009856
328				5% K-S Critical Value		0.313				SD		0.0005272
329		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.0002064
330										95% KM (t) UCL		0.00138
331		Assuming Gamma Distribution								95% KM (z) UCL		0.00133
332		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.00138
333					Minimum	0.0004426				95% KM (bootstrap t) UCL		0.00177
334					Maximum	0.00215				95% KM (BCA) UCL		0.00133
335					Mean	0.00101				95% KM (Percentile Bootstrap) UCL		0.00134
336					Median	0.0008955				95% KM (Chebyshev) UCL		0.00189
337					SD	0.0005472				97.5% KM (Chebyshev) UCL		0.00227
338					k star	2.944				99% KM (Chebyshev) UCL		0.00304
339					Theta star	0.0003441						
340					Nu star	47.1		Potential UCLs to Use				
341					AppChi2	32.35				95% KM (t) UCL		0.00138
342				95% Gamma Approximate UCL		0.00147				95% KM (Percentile Bootstrap) UCL		0.00134
343				95% Adjusted Gamma UCL		0.00163						
344	Note: DL/2 is not a recommended method.											
345												
346		Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.										
347		These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).										
348		For additional insight, the user may want to consult a statistician.										
349												
350												
351	VAI (w005benzo(b)fluoranthene)											
352												
353					General Statistics							
354				Number of Valid Observations		8				Number of Distinct Observations		8
355												
356			Raw Statistics					Log-transformed Statistics				
357					Minimum	0.0004801				Minimum of Log Data		-7.642
358					Maximum	0.0021				Maximum of Log Data		-6.166
359					Mean	0.00108				Mean of log Data		-6.948
360					Median	0.000927				SD of log Data		0.514
361					SD	0.0005665						
362				Coefficient of Variation		0.525						
363					Skewness	0.931						
364												

	A	B	C	D	E	F	G	H	I	J	K	L
365												
366					Warning: There are only 8 Values in this data							
367				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
368				the resulting calculations may not be reliable enough to draw conclusions								
369												
370				The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.								
371												
372					Relevant UCL Statistics							
373			Normal Distribution Test						Lognormal Distribution Test			
374			Shapiro Wilk Test Statistic			0.913			Shapiro Wilk Test Statistic			0.971
375			Shapiro Wilk Critical Value			0.818			Shapiro Wilk Critical Value			0.818
376		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
377												
378			Assuming Normal Distribution						Assuming Lognormal Distribution			
379			95% Student's-t UCL			0.00146			95% H-UCL			0.00174
380		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			0.00194
381			95% Adjusted-CLT UCL (Chen-1995)			0.00148			97.5% Chebyshev (MVUE) UCL			0.00231
382			95% Modified-t UCL (Johnson-1978)			0.00147			99% Chebyshev (MVUE) UCL			0.00304
383												
384			Gamma Distribution Test						Data Distribution			
385			k star (bias corrected)			2.87		Data appear Normal at 5% Significance Level				
386			Theta Star			0.000376						
387			MLE of Mean			0.00108						
388			MLE of Standard Deviation			0.0006371						
389			nu star			45.93						
390			Approximate Chi Square Value (.05)			31.38			Nonparametric Statistics			
391			Adjusted Level of Significance			0.0195			95% CLT UCL			0.00141
392			Adjusted Chi Square Value			28.37			95% Jackknife UCL			0.00146
393									95% Standard Bootstrap UCL			0.00139
394			Anderson-Darling Test Statistic			0.213			95% Bootstrap-t UCL			0.00165
395			Anderson-Darling 5% Critical Value			0.719			95% Hall's Bootstrap UCL			0.00183
396			Kolmogorov-Smirnov Test Statistic			0.146			95% Percentile Bootstrap UCL			0.00141
397			Kolmogorov-Smirnov 5% Critical Value			0.295			95% BCA Bootstrap UCL			0.00146
398		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			0.00195
399									97.5% Chebyshev(Mean, Sd) UCL			0.00233
400			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			0.00307
401			95% Approximate Gamma UCL			0.00158						
402			95% Adjusted Gamma UCL			0.00175						
403												
404			Potential UCL to Use						Use 95% Student's-t UCL			0.00146
405												
406		Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.										
407		These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002)										
408		and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.										
409												
410												
411	VAI (w005dibenzo(a,h)anthracene)											
412												
413					General Statistics							
414			Number of Valid Data			6			Number of Detected Data			5
415			Number of Distinct Detected Data			5			Number of Non-Detect Data			1
416									Percent Non-Detects			16.67%

	A	B	C	D	E	F	G	H	I	J	K	L
417												
418			**Raw Statistics**						**Log-transformed Statistics**			
419				Minimum Detected		0.0000255				Minimum Detected		-10.58
420				Maximum Detected		0.000329				Maximum Detected		-8.019
421				Mean of Detected		0.0001442				Mean of Detected		-9.131
422				SD of Detected		0.0001125				SD of Detected		0.925
423				Minimum Non-Detect		0.0000691				Minimum Non-Detect		-9.58
424				Maximum Non-Detect		0.0000691				Maximum Non-Detect		-9.58
425												
426												
427					Warning: There are only 5 Detected Values in this data							
428				Note: It should be noted that even though bootstrap may be performed on this data set								
429				the resulting calculations may not be reliable enough to draw conclusions								
430												
431			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
432												
433												
434						**UCL Statistics**						
435		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
436				Shapiro Wilk Test Statistic		0.888				Shapiro Wilk Test Statistic		0.929
437				5% Shapiro Wilk Critical Value		0.762				5% Shapiro Wilk Critical Value		0.762
438		**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
439												
440			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
441				DL/2 Substitution Method						DL/2 Substitution Method		
442					Mean	0.0001259					Mean	-9.322
443					SD	0.0001101					SD	0.95
444				95% DL/2 (t) UCL		0.0002165				95% H-Stat (DL/2) UCL		0.0007485
445												
446			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
447					Mean	0.0001112				Mean in Log Scale		-9.354
448					SD	0.0001217				SD in Log Scale		0.992
449				95% MLE (t) UCL		0.0002113				Mean in Original Scale		0.0001249
450				95% MLE (Tiku) UCL		0.000219				SD in Original Scale		0.0001112
451										95% t UCL		0.0002163
452										95% Percentile Bootstrap UCL		0.0001978
453										95% BCA Bootstrap UCL		0.00021
454												
455		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
456				k star (bias corrected)		0.89		**Data appear Normal at 5% Significance Level**				
457				Theta Star		0.0001621						
458				nu star		8.898						
459												
460				A-D Test Statistic		0.289		**Nonparametric Statistics**				
461				5% A-D Critical Value		0.685				Kaplan-Meier (KM) Method		
462				K-S Test Statistic		0.685					Mean	0.0001244
463				5% K-S Critical Value		0.361					SD	0.0001019
464		**Data appear Gamma Distributed at 5% Significance Level**									SE of Mean	4.652E-05
465										95% KM (t) UCL		0.0002182
466			**Assuming Gamma Distribution**							95% KM (z) UCL		0.000201
467			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.0002172
468					Minimum	0.0000255				95% KM (bootstrap t) UCL		0.0002601

	A	B	C	D	E	F	G	H	I	J	K	L
469					Maximum	0.000329			95% KM (BCA) UCL			0.0002256
470					Mean	0.000128		95% KM (Percentile Bootstrap) UCL				0.000206
471					Median	0.0001117			95% KM (Chebyshev) UCL			0.0003272
472					SD	0.0001082			97.5% KM (Chebyshev) UCL			0.000415
473					k star	0.998			99% KM (Chebyshev) UCL			0.0005873
474					Theta star	0.0001282						
475					Nu star	11.97			Potential UCLs to Use			
476					AppChi2	5.21				95% KM (t) UCL		0.0002182
477			95% Gamma Approximate UCL			0.0002941		95% KM (Percentile Bootstrap) UCL				0.000206
478			95% Adjusted Gamma UCL			0.0004116						
479	Note: DL/2 is not a recommended method.											
480												
481			Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.									
482			These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).									
483			For additional insight, the user may want to consult a statistician.									
484												
485												
486	VAI (w005indeno(1,2,3-cd)pyrene)											
487												
488					General Statistics							
489			Number of Valid Data			7			Number of Detected Data			6
490		Number of Distinct Detected Data				6			Number of Non-Detect Data			1
491									Percent Non-Detects			14.29%
492												
493			Raw Statistics						Log-transformed Statistics			
494			Minimum Detected			0.00037			Minimum Detected			-7.902
495			Maximum Detected			0.0015			Maximum Detected			-6.505
496			Mean of Detected			0.0007212			Mean of Detected			-7.354
497			SD of Detected			0.0004171			SD of Detected			0.517
498			Minimum Non-Detect			0.000689			Minimum Non-Detect			-7.28
499			Maximum Non-Detect			0.000689			Maximum Non-Detect			-7.28
500												
501												
502			Warning: There are only 6 Detected Values in this data									
503			Note: It should be noted that even though bootstrap may be performed on this data set									
504			the resulting calculations may not be reliable enough to draw conclusions									
505												
506			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
507												
508												
509					UCL Statistics							
510		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
511			Shapiro Wilk Test Statistic			0.84			Shapiro Wilk Test Statistic			0.939
512			5% Shapiro Wilk Critical Value			0.788			5% Shapiro Wilk Critical Value			0.788
513		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
514												
515		Assuming Normal Distribution						Assuming Lognormal Distribution				
516			DL/2 Substitution Method						DL/2 Substitution Method			
517					Mean	0.0006674				Mean		-7.442
518					SD	0.0004065				SD		0.527
519			95% DL/2 (t) UCL			0.0009659			95% H-Stat (DL/2) UCL			0.00116
520												

	A	B	C	D	E	F	G	H	I	J	K	L
521	Maximum Likelihood Estimate(MLE) Method									Log ROS Method		
522					Mean	0.0005651				Mean in Log Scale		-7.409
523					SD	0.0005121				SD in Log Scale		0.494
524				95% MLE (t) UCL		0.0009413				Mean in Original Scale		0.0006801
525				95% MLE (Tiku) UCL		0.00108				SD in Original Scale		0.000396
526										95% t UCL		0.000971
527									95% Percentile Bootstrap UCL			0.0009384
528									95% BCA Bootstrap UCL			0.00102
529												
530	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
531				k star (bias corrected)		2.29	Data appear Normal at 5% Significance Level					
532				Theta Star		0.0003149						
533				nu star		27.48						
534												
535				A-D Test Statistic		0.325	Nonparametric Statistics					
536				5% A-D Critical Value		0.699				Kaplan-Meier (KM) Method		
537				K-S Test Statistic		0.699				Mean		0.00068
538				5% K-S Critical Value		0.333				SD		0.0003675
539	Data appear Gamma Distributed at 5% Significance Level									SE of Mean		0.0001526
540										95% KM (t) UCL		0.0009765
541	Assuming Gamma Distribution									95% KM (z) UCL		0.000931
542	Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL		0.0009732
543				Minimum		0.00037				95% KM (bootstrap t) UCL		0.00125
544				Maximum		0.0015				95% KM (BCA) UCL		0.000953
545				Mean		0.0006946			95% KM (Percentile Bootstrap) UCL			0.0009317
546				Median		0.0005354				95% KM (Chebyshev) UCL		0.00135
547				SD		0.0003872				97.5% KM (Chebyshev) UCL		0.00163
548				k star		2.853				99% KM (Chebyshev) UCL		0.0022
549				Theta star		0.0002434						
550				Nu star		39.95	Potential UCLs to Use					
551				AppChi2		26.47				95% KM (t) UCL		0.0009765
552		95% Gamma Approximate UCL				0.00105			95% KM (Percentile Bootstrap) UCL			0.0009317
553		95% Adjusted Gamma UCL				0.0012						
554	Note: DL/2 is not a recommended method.											
555												
556	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
557	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
558	For additional insight, the user may want to consult a statistician.											
559												
560												
561	VAI (w005mcpp)											
562												
563	General Statistics											
564		Number of Valid Data				4				Number of Detected Data		1
565		Number of Distinct Detected Data				1				Number of Non-Detect Data		3
566										Percent Non-Detects		75.00%
567												
568	Warning: This data set only has 4 observations!											
569	Data set is too small to compute reliable and meaningful statistics and estimates!											
570	The data set for variable VAI (w005mcpp) was not processed!											
571												
572	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											

	A	B	C	D	E	F	G	H	I	J	K	L
573	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
574												
575												
576												
577	VAI (w010aldrin)											
578												
579	General Statistics											
580	Number of Valid Data				3		Number of Detected Data					0
581	Number of Distinct Detected Data				0		Number of Non-Detect Data					3
582							Percent Non-Detects					100.00%
583												
584	Warning: This data set only has 3 observations!											
585	Data set is too small to compute reliable and meaningful statistics and estimates!											
586	The data set for variable VAI (w010aldrin) was not processed!											
587												
588	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
589	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
590												
591												
592												
593	VAI (w010arsenic)											
594												
595	General Statistics											
596	Number of Valid Observations				3		Number of Distinct Observations				3	
597												
598												
599	Warning: This data set only has 3 observations!											
600	Data set is too small to compute reliable and meaningful statistics and estimates!											
601	The data set for variable VAI (w010arsenic) was not processed!											
602												
603	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
604	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
605												
606												
607												
608	VAI (w010arsenic_diss)											
609												
610	General Statistics											
611	Number of Valid Observations				3		Number of Distinct Observations				3	
612												
613												
614	Warning: This data set only has 3 observations!											
615	Data set is too small to compute reliable and meaningful statistics and estimates!											
616	The data set for variable VAI (w010arsenic_diss) was not processed!											
617												
618	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
619	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
620												
621												
622												
623	VAI (w010benzo(a)anthracene)											
624												

	A	B	C	D	E	F	G	H	I	J	K	L
625							General Statistics					
626				Number of Valid Data		3				Number of Detected Data		0
627			Number of Distinct Detected Data			0				Number of Non-Detect Data		3
628										Percent Non-Detects		100.00%
629												
630						Warning: This data set only has 3 observations!						
631						Data set is too small to compute reliable and meaningful statistics and estimates!						
632						The data set for variable VAI (w010benzo(a)anthracene) was not processed!						
633												
634						It is suggested to collect at least 8 to 10 observations before using these statistical methods!						
635						If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.						
636												
637												
638												
639	VAI (w010benzo(a)pyrene)											
640												
641							General Statistics					
642				Number of Valid Data		3				Number of Detected Data		0
643			Number of Distinct Detected Data			0				Number of Non-Detect Data		3
644										Percent Non-Detects		100.00%
645												
646						Warning: This data set only has 3 observations!						
647						Data set is too small to compute reliable and meaningful statistics and estimates!						
648						The data set for variable VAI (w010benzo(a)pyrene) was not processed!						
649												
650						It is suggested to collect at least 8 to 10 observations before using these statistical methods!						
651						If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.						
652												
653												
654												
655	VAI (w010benzo(b)fluoranthene)											
656												
657							General Statistics					
658				Number of Valid Data		3				Number of Detected Data		0
659			Number of Distinct Detected Data			0				Number of Non-Detect Data		3
660										Percent Non-Detects		100.00%
661												
662						Warning: This data set only has 3 observations!						
663						Data set is too small to compute reliable and meaningful statistics and estimates!						
664						The data set for variable VAI (w010benzo(b)fluoranthene) was not processed!						
665												
666						It is suggested to collect at least 8 to 10 observations before using these statistical methods!						
667						If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.						
668												
669												
670												
671	VAI (w010dibenzo(a,h)anthracene)											
672												
673							General Statistics					
674				Number of Valid Data		3				Number of Detected Data		0
675			Number of Distinct Detected Data			0				Number of Non-Detect Data		3
676										Percent Non-Detects		100.00%

	A	B	C	D	E	F	G	H	I	J	K	L
677												
678				Warning: This data set only has 3 observations!								
679				Data set is too small to compute reliable and meaningful statistics and estimates!								
680				The data set for variable VAI (w010dibenzo(a,h)anthracene) was not processed!								
681												
682				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
683				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
684												
685												
686												
687	VAI (w010indeno(1,2,3-cd)pyrene)											
688												
689						General Statistics						
690			Number of Valid Data			3			Number of Detected Data			0
691		Number of Distinct Detected Data				0			Number of Non-Detect Data			3
692									Percent Non-Detects			100.00%
693												
694				Warning: This data set only has 3 observations!								
695				Data set is too small to compute reliable and meaningful statistics and estimates!								
696				The data set for variable VAI (w010indeno(1,2,3-cd)pyrene) was not processed!								
697												
698				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
699				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
700												
701												
702												
703	VAI (w010mcpp)											
704												
705						General Statistics						
706			Number of Valid Data			3			Number of Detected Data			0
707		Number of Distinct Detected Data				0			Number of Non-Detect Data			3
708									Percent Non-Detects			100.00%
709												
710				Warning: This data set only has 3 observations!								
711				Data set is too small to compute reliable and meaningful statistics and estimates!								
712				The data set for variable VAI (w010mcpp) was not processed!								
713												
714				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
715				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
716												
717												
718												
719	VAI (w011aldrin)											
720												
721						General Statistics						
722			Number of Valid Data			6			Number of Detected Data			5
723		Number of Distinct Detected Data				5			Number of Non-Detect Data			1
724									Percent Non-Detects			16.67%
725												
726			Raw Statistics						Log-transformed Statistics			
727				Minimum Detected		1.203E-06				Minimum Detected		-13.63
728				Maximum Detected		4.385E-06				Maximum Detected		-12.34

	A	B	C	D	E	F	G	H	I	J	K	L
729				Mean of Detected		2.523E-06				Mean of Detected		-12.99
730				SD of Detected		1.24E-06				SD of Detected		0.507
731				Minimum Non-Detect		2.22E-06				Minimum Non-Detect		-13.02
732				Maximum Non-Detect		2.22E-06				Maximum Non-Detect		-13.02
733												
734												
735				Warning: There are only 5 Detected Values in this data								
736				Note: It should be noted that even though bootstrap may be performed on this data set								
737				the resulting calculations may not be reliable enough to draw conclusions								
738												
739				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
740												
741												
742						UCL Statistics						
743				Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only			
744				Shapiro Wilk Test Statistic		0.931				Shapiro Wilk Test Statistic		0.956
745				5% Shapiro Wilk Critical Value		0.762				5% Shapiro Wilk Critical Value		0.762
746				Data appear Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level			
747												
748				Assuming Normal Distribution					Assuming Lognormal Distribution			
749				DL/2 Substitution Method						DL/2 Substitution Method		
750				Mean		2.288E-06				Mean		-13.11
751				SD		1.25E-06				SD		0.54
752				95% DL/2 (t) UCL		3.316E-06				95% H-Stat (DL/2) UCL		4.539E-06
753												
754				Maximum Likelihood Estimate(MLE) Method						Log ROS Method		
755				Mean		2.223E-06				Mean in Log Scale		-13.07
756				SD		1.313E-06				SD in Log Scale		0.494
757				95% MLE (t) UCL		3.303E-06				Mean in Original Scale		2.337E-06
758				95% MLE (Tiku) UCL		3.554E-06				SD in Original Scale		1.199E-06
759										95% t UCL		3.323E-06
760										95% Percentile Bootstrap UCL		3.099E-06
761										95% BCA Bootstrap UCL		3.299E-06
762												
763				Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only			
764				k star (bias corrected)		2.2			Data appear Normal at 5% Significance Level			
765				Theta Star		1.147E-06						
766				nu star		22						
767												
768				A-D Test Statistic		0.273			Nonparametric Statistics			
769				5% A-D Critical Value		0.681				Kaplan-Meier (KM) Method		
770				K-S Test Statistic		0.681				Mean		2.336E-06
771				5% K-S Critical Value		0.358				SD		1.099E-06
772				Data appear Gamma Distributed at 5% Significance Level						SE of Mean		5.034E-07
773										95% KM (t) UCL		3.35E-06
774				Assuming Gamma Distribution						95% KM (z) UCL		3.164E-06
775				Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL		3.339E-06
776				Minimum		1.203E-06				95% KM (bootstrap t) UCL		3.78E-06
777				Maximum		4.385E-06				95% KM (BCA) UCL		3.291E-06
778				Mean		2.408E-06				95% KM (Percentile Bootstrap) UCL		3.264E-06
779				Median		2.26E-06				95% KM (Chebyshev) UCL		4.53E-06
780				SD		1.144E-06				97.5% KM (Chebyshev) UCL		5.48E-06

	A	B	C	D	E	F	G	H	I	J	K	L
781					k star	2.973				99% KM (Chebyshev) UCL		7.345E-06
782					Theta star	8.098E-07						
783					Nu star	35.68			Potential UCLs to Use			
784					AppChi2	23.01				95% KM (t) UCL		3.35E-06
785			95% Gamma Approximate UCL			3.733E-06			95% KM (Percentile Bootstrap) UCL			3.264E-06
786			95% Adjusted Gamma UCL			4.423E-06						
787	Note: DL/2 is not a recommended method.											
788												
789		Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.										
790		These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).										
791		For additional insight, the user may want to consult a statistician.										
792												
793												
794	VAI (w011arsenic)											
795												
796					General Statistics							
797			Number of Valid Data			6				Number of Detected Data		5
798		Number of Distinct Detected Data				5				Number of Non-Detect Data		1
799										Percent Non-Detects		16.67%
800												
801			Raw Statistics						Log-transformed Statistics			
802			Minimum Detected			0.337				Minimum Detected		-1.089
803			Maximum Detected			0.5				Maximum Detected		-0.693
804			Mean of Detected			0.421				Mean of Detected		-0.876
805			SD of Detected			0.0679				SD of Detected		0.165
806			Minimum Non-Detect			0.435				Minimum Non-Detect		-0.834
807			Maximum Non-Detect			0.435				Maximum Non-Detect		-0.834
808												
809												
810					Warning: There are only 5 Detected Values in this data							
811					Note: It should be noted that even though bootstrap may be performed on this data set							
812					the resulting calculations may not be reliable enough to draw conclusions							
813												
814			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.										
815												
816												
817					UCL Statistics							
818		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
819			Shapiro Wilk Test Statistic			0.926				Shapiro Wilk Test Statistic		0.917
820			5% Shapiro Wilk Critical Value			0.762				5% Shapiro Wilk Critical Value		0.762
821		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
822												
823		Assuming Normal Distribution						Assuming Lognormal Distribution				
824			DL/2 Substitution Method							DL/2 Substitution Method		
825			Mean			0.387				Mean		-0.985
826			SD			0.103				SD		0.304
827			95% DL/2 (t) UCL			0.472				95% H-Stat (DL/2) UCL		0.53
828												
829		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
830			Mean			0.435				Mean in Log Scale		-0.903
831			SD			0.0402				SD in Log Scale		0.162
832			95% MLE (t) UCL			0.468				Mean in Original Scale		0.41

	A	B	C	D	E	F	G	H	I	J	K	L
833				95% MLE (Tiku) UCL		0.476				SD in Original Scale		0.0663
834										95% t UCL		0.465
835										95% Percentile Bootstrap UCL		0.453
836										95% BCA Bootstrap UCL		0.453
837												
838		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
839				k star (bias corrected)		18.78		Data appear Normal at 5% Significance Level				
840				Theta Star		0.0224						
841				nu star		187.8						
842												
843				A-D Test Statistic		0.356		Nonparametric Statistics				
844				5% A-D Critical Value		0.678		Kaplan-Meier (KM) Method				
845				K-S Test Statistic		0.678				Mean		0.409
846				5% K-S Critical Value		0.357				SD		0.0615
847		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.0283
848										95% KM (t) UCL		0.466
849		Assuming Gamma Distribution								95% KM (z) UCL		0.456
850		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.466
851				Minimum		0.337				95% KM (bootstrap t) UCL		0.47
852				Maximum		0.5				95% KM (BCA) UCL		0.462
853				Mean		0.415				95% KM (Percentile Bootstrap) UCL		0.463
854				Median		0.416				95% KM (Chebyshev) UCL		0.532
855				SD		0.0624				97.5% KM (Chebyshev) UCL		0.586
856				k star		26.54				99% KM (Chebyshev) UCL		0.691
857				Theta star		0.0156						
858				Nu star		318.5		Potential UCLs to Use				
859				AppChi2		278.1				95% KM (t) UCL		0.466
860		95% Gamma Approximate UCL				0.475				95% KM (Percentile Bootstrap) UCL		0.463
861				95% Adjusted Gamma UCL		0.5						
862	Note: DL/2 is not a recommended method.											
863												
864		Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.										
865		These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).										
866		For additional insight, the user may want to consult a statistician.										
867												
868												
869	VAI (w011arsenic_diss)											
870												
871						General Statistics						
872				Number of Valid Data		6				Number of Detected Data		4
873		Number of Distinct Detected Data				4				Number of Non-Detect Data		2
874										Percent Non-Detects		33.33%
875												
876		Raw Statistics						Log-transformed Statistics				
877				Minimum Detected		0.263				Minimum Detected		-1.336
878				Maximum Detected		0.45				Maximum Detected		-0.799
879				Mean of Detected		0.356				Mean of Detected		-1.056
880				SD of Detected		0.0854				SD of Detected		0.245
881				Minimum Non-Detect		0.394				Minimum Non-Detect		-0.931
882				Maximum Non-Detect		0.4				Maximum Non-Detect		-0.918
883												
884	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		4

	A	B	C	D	E	F	G	H	I	J	K	L
885	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
886	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			66.67%
887												
888	Warning: There are only 4 Distinct Detected Values in this data											
889	Note: It should be noted that even though bootstrap may be performed on this data set											
890	the resulting calculations may not be reliable enough to draw conclusions											
891												
892	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
893												
894												
895	UCL Statistics											
896	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
897	Shapiro Wilk Test Statistic					0.95	Shapiro Wilk Test Statistic					0.95
898	5% Shapiro Wilk Critical Value					0.748	5% Shapiro Wilk Critical Value					0.748
899	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
900												
901	Assuming Normal Distribution						Assuming Lognormal Distribution					
902	DL/2 Substitution Method						DL/2 Substitution Method					
903	Mean					0.303	Mean					-1.243
904	SD					0.105	SD					0.347
905	95% DL/2 (t) UCL					0.39	95% H-Stat (DL/2) UCL					0.438
906												
907	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
908	MLE method failed to converge properly						Mean in Log Scale					-1.12
909							SD in Log Scale					0.214
910							Mean in Original Scale					0.333
911							SD in Original Scale					0.0751
912							95% t UCL					0.395
913							95% Percentile Bootstrap UCL					0.383
914							95% BCA Bootstrap UCL					0.387
915												
916	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
917	k star (bias corrected)					5.829	Data appear Normal at 5% Significance Level					
918	Theta Star					0.061						
919	nu star					46.63						
920												
921	A-D Test Statistic					0.283	Nonparametric Statistics					
922	5% A-D Critical Value					0.657	Kaplan-Meier (KM) Method					
923	K-S Test Statistic					0.657	Mean					0.332
924	5% K-S Critical Value					0.394	SD					0.0701
925	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					0.0342
926							95% KM (t) UCL					0.401
927	Assuming Gamma Distribution						95% KM (z) UCL					0.389
928	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					0.403
929	Minimum					0.263	95% KM (bootstrap t) UCL					0.386
930	Maximum					0.45	95% KM (BCA) UCL					0.41
931	Mean					0.356	95% KM (Percentile Bootstrap) UCL					0.41
932	Median					0.357	95% KM (Chebyshev) UCL					0.481
933	SD					0.0662	97.5% KM (Chebyshev) UCL					0.546
934	k star					17.05	99% KM (Chebyshev) UCL					0.672
935	Theta star					0.0209						
936	Nu star					204.6	Potential UCLs to Use					

	A	B	C	D	E	F	G	H	I	J	K	L
937					AppChi2	172.5					95% KM (t) UCL	0.401
938			95% Gamma Approximate UCL			0.423			95% KM (Percentile Bootstrap) UCL			0.41
939			95% Adjusted Gamma UCL			N/A						
940	Note: DL/2 is not a recommended method.											
941												
942		Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.										
943		These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).										
944		For additional insight, the user may want to consult a statistician.										
945												
946												
947	VAI (w011benzo(a)anthracene)											
948												
949					General Statistics							
950			Number of Valid Data			12			Number of Detected Data			7
951			Number of Distinct Detected Data			7			Number of Non-Detect Data			5
952									Percent Non-Detects			41.67%
953												
954			Raw Statistics						Log-transformed Statistics			
955			Minimum Detected			0.000113			Minimum Detected			-9.088
956			Maximum Detected			0.01			Maximum Detected			-4.605
957			Mean of Detected			0.00207			Mean of Detected			-7.103
958			SD of Detected			0.00353			SD of Detected			1.422
959			Minimum Non-Detect			0.0042			Minimum Non-Detect			-5.473
960			Maximum Non-Detect			0.0078			Maximum Non-Detect			-4.854
961												
962	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			11
963	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
964	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			91.67%
965												
966				Warning: There are only 7 Detected Values in this data								
967				Note: It should be noted that even though bootstrap may be performed on this data set								
968				the resulting calculations may not be reliable enough to draw conclusions								
969												
970				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
971												
972												
973					UCL Statistics							
974		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
975			Shapiro Wilk Test Statistic			0.582			Shapiro Wilk Test Statistic			0.956
976			5% Shapiro Wilk Critical Value			0.803			5% Shapiro Wilk Critical Value			0.803
977		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
978												
979		Assuming Normal Distribution						Assuming Lognormal Distribution				
980			DL/2 Substitution Method						DL/2 Substitution Method			
981					Mean	0.00253					Mean	-6.558
982					SD	0.00274					SD	1.264
983			95% DL/2 (t) UCL			0.00395			95% H-Stat (DL/2) UCL			0.0116
984												
985			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
986		MLE method failed to converge properly							Mean in Log Scale			-7.258
987									SD in Log Scale			1.162
988									Mean in Original Scale			0.0015

	A	B	C	D	E	F	G	H	I	J	K	L
989											SD in Original Scale	0.00272
990											95% t UCL	0.00291
991											95% Percentile Bootstrap UCL	0.00302
992											95% BCA Bootstrap UCL	0.00386
993												
994		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
995					k star (bias corrected)	0.473		Data appear Gamma Distributed at 5% Significance Level				
996					Theta Star	0.00437						
997					nu star	6.622						
998												
999					A-D Test Statistic	0.567		Nonparametric Statistics				
1000					5% A-D Critical Value	0.742		Kaplan-Meier (KM) Method				
1001					K-S Test Statistic	0.742					Mean	0.00152
1002					5% K-S Critical Value	0.324					SD	0.0026
1003		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.0008211
1004											95% KM (t) UCL	0.00299
1005		Assuming Gamma Distribution									95% KM (z) UCL	0.00287
1006		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.00295
1007					Minimum	0.000113					95% KM (bootstrap t) UCL	0.00662
1008					Maximum	0.01					95% KM (BCA) UCL	0.00313
1009					Mean	0.00206					95% KM (Percentile Bootstrap) UCL	0.00291
1010					Median	0.00144					95% KM (Chebyshev) UCL	0.0051
1011					SD	0.00262					97.5% KM (Chebyshev) UCL	0.00664
1012					k star	0.843					99% KM (Chebyshev) UCL	0.00969
1013					Theta star	0.00245						
1014					Nu star	20.23		Potential UCLs to Use				
1015					AppChi2	11.02					95% KM (BCA) UCL	0.00313
1016		95% Gamma Approximate UCL				0.00379						
1017		95% Adjusted Gamma UCL				0.00418						
1018	Note: DL/2 is not a recommended method.											
1019												
1020		Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.										
1021		These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).										
1022		For additional insight, the user may want to consult a statistician.										
1023												
1024												
1025	VAI (w011benzo(a)pyrene)											
1026												
1027		General Statistics										
1028		Number of Valid Observations				6				Number of Distinct Observations		6
1029												
1030		Raw Statistics						Log-transformed Statistics				
1031					Minimum	0.0000401				Minimum of Log Data		-10.12
1032					Maximum	0.00179				Maximum of Log Data		-6.324
1033					Mean	0.000845				Mean of log Data		-7.558
1034					Median	0.0008717				SD of log Data		1.382
1035					SD	0.0006253						
1036					Coefficient of Variation	0.74						
1037					Skewness	0.274						
1038												
1039												
1040		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										

	A	B	C	D	E	F	G	H	I	J	K	L
1041												
1042				It is suggested to collect at least 8 to 10 observations using these statistical methods!								
1043				If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
1044												
1045												
1046					Warning: There are only 6 Values in this data							
1047				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
1048				the resulting calculations may not be reliable enough to draw conclusions								
1049												
1050				The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.								
1051												
1052						Relevant UCL Statistics						
1053			Normal Distribution Test						Lognormal Distribution Test			
1054				Shapiro Wilk Test Statistic		0.982				Shapiro Wilk Test Statistic		0.839
1055				Shapiro Wilk Critical Value		0.788				Shapiro Wilk Critical Value		0.788
1056		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1057												
1058			Assuming Normal Distribution						Assuming Lognormal Distribution			
1059					95% Student's-t UCL		0.00136				95% H-UCL	0.0395
1060			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		0.00359
1061				95% Adjusted-CLT UCL (Chen-1995)		0.0013				97.5% Chebyshev (MVUE) UCL		0.00468
1062				95% Modified-t UCL (Johnson-1978)		0.00136				99% Chebyshev (MVUE) UCL		0.00683
1063												
1064			Gamma Distribution Test						Data Distribution			
1065					k star (bias corrected)		0.699		Data appear Normal at 5% Significance Level			
1066					Theta Star		0.00121					
1067					MLE of Mean		0.000845					
1068				MLE of Standard Deviation			0.00101					
1069						nu star	8.386					
1070				Approximate Chi Square Value (.05)			2.961			Nonparametric Statistics		
1071					Adjusted Level of Significance		0.0122				95% CLT UCL	0.00126
1072					Adjusted Chi Square Value		1.927				95% Jackknife UCL	0.00136
1073											95% Standard Bootstrap UCL	0.00123
1074				Anderson-Darling Test Statistic			0.348				95% Bootstrap-t UCL	0.00141
1075				Anderson-Darling 5% Critical Value			0.713				95% Hall's Bootstrap UCL	0.00136
1076				Kolmogorov-Smirnov Test Statistic			0.253				95% Percentile Bootstrap UCL	0.00123
1077				Kolmogorov-Smirnov 5% Critical Value			0.34				95% BCA Bootstrap UCL	0.00128
1078		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		0.00196
1079										97.5% Chebyshev(Mean, Sd) UCL		0.00244
1080			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		0.00339
1081				95% Approximate Gamma UCL		0.00239						
1082				95% Adjusted Gamma UCL		0.00368						
1083												
1084			Potential UCL to Use							Use 95% Student's-t UCL		0.00136
1085												
1086		Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.										
1087		These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002)										
1088		and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.										
1089												
1090												
1091	VAI (w011benzo(b)fluoranthene)											
1092												

	A	B	C	D	E	F	G	H	I	J	K	L
1093					General Statistics							
1094			Number of Valid Observations			6			Number of Distinct Observations			6
1095												
1096			Raw Statistics						Log-transformed Statistics			
1097					Minimum	0.0003176				Minimum of Log Data		-8.055
1098					Maximum	0.00149				Maximum of Log Data		-6.511
1099					Mean	0.0007984				Mean of log Data		-7.269
1100					Median	0.0007805				SD of log Data		0.59
1101					SD	0.0004332						
1102				Coefficient of Variation		0.543						
1103					Skewness	0.583						
1104												
1105												
1106		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
1107												
1108		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
1109		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
1110												
1111												
1112		Warning: There are only 6 Values in this data										
1113		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
1114		the resulting calculations may not be reliable enough to draw conclusions										
1115												
1116		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
1117												
1118					Relevant UCL Statistics							
1119			Normal Distribution Test						Lognormal Distribution Test			
1120			Shapiro Wilk Test Statistic			0.941			Shapiro Wilk Test Statistic			0.938
1121			Shapiro Wilk Critical Value			0.788			Shapiro Wilk Critical Value			0.788
1122		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1123												
1124			Assuming Normal Distribution						Assuming Lognormal Distribution			
1125				95% Student's-t UCL		0.00115				95% H-UCL		0.00177
1126		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			0.00164
1127			95% Adjusted-CLT UCL (Chen-1995)			0.00113			97.5% Chebyshev (MVUE) UCL			0.00201
1128			95% Modified-t UCL (Johnson-1978)			0.00116			99% Chebyshev (MVUE) UCL			0.00272
1129												
1130			Gamma Distribution Test						Data Distribution			
1131				k star (bias corrected)		2.032		Data appear Normal at 5% Significance Level				
1132					Theta Star	0.0003928						
1133					MLE of Mean	0.0007984						
1134				MLE of Standard Deviation		0.00056						
1135					nu star	24.39						
1136			Approximate Chi Square Value (.05)			14.14			Nonparametric Statistics			
1137				Adjusted Level of Significance		0.0122				95% CLT UCL		0.00109
1138				Adjusted Chi Square Value		11.43				95% Jackknife UCL		0.00115
1139										95% Standard Bootstrap UCL		0.00106
1140			Anderson-Darling Test Statistic			0.274				95% Bootstrap-t UCL		0.00122
1141			Anderson-Darling 5% Critical Value			0.7			95% Hall's Bootstrap UCL			0.00128
1142			Kolmogorov-Smirnov Test Statistic			0.203			95% Percentile Bootstrap UCL			0.00107
1143			Kolmogorov-Smirnov 5% Critical Value			0.334				95% BCA Bootstrap UCL		0.0011
1144		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			0.00157

	A	B	C	D	E	F	G	H	I	J	K	L
1145							97.5% Chebyshev(Mean, Sd) UCL					0.0019
1146			Assuming Gamma Distribution				99% Chebyshev(Mean, Sd) UCL					0.00256
1147			95% Approximate Gamma UCL			0.00138						
1148			95% Adjusted Gamma UCL			0.0017						
1149												
1150			Potential UCL to Use				Use 95% Student's-t UCL					0.00115
1151												
1152		Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.										
1153		These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002)										
1154		and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.										
1155												
1156												
1157	VAI (w011chromium hexavalent)											
1158												
1159							General Statistics					
1160				Number of Valid Data		3			Number of Detected Data			1
1161			Number of Distinct Detected Data			1			Number of Non-Detect Data			2
1162									Percent Non-Detects			66.67%
1163												
1164						Warning: This data set only has 3 observations!						
1165				Data set is too small to compute reliable and meaningful statistics and estimates!								
1166				The data set for variable VAI (w011chromium hexavalent) was not processed!								
1167												
1168				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
1169				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
1170												
1171												
1172												
1173	VAI (w011dibenzo(a,h)anthracene)											
1174												
1175							General Statistics					
1176				Number of Valid Data		4			Number of Detected Data			2
1177			Number of Distinct Detected Data			2			Number of Non-Detect Data			2
1178									Percent Non-Detects			50.00%
1179												
1180						Warning: This data set only has 4 observations!						
1181				Data set is too small to compute reliable and meaningful statistics and estimates!								
1182				The data set for variable VAI (w011dibenzo(a,h)anthracene) was not processed!								
1183												
1184				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
1185				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
1186												
1187												
1188												
1189	VAI (w011indeno(1,2,3-cd)pyrene)											
1190												
1191							General Statistics					
1192				Number of Valid Observations		5			Number of Distinct Observations			5
1193												
1194			Raw Statistics					Log-transformed Statistics				
1195					Minimum	0.00024			Minimum of Log Data			-8.335
1196					Maximum	0.00131			Maximum of Log Data			-6.639

	A	B	C	D	E	F	G	H	I	J	K	L
1197					Mean	0.0006463			Mean of log Data			-7.546
1198					Median	0.0006201			SD of log Data			0.728
1199					SD	0.0004395						
1200				Coefficient of Variation		0.68						
1201					Skewness	0.837						
1202												
1203												
1204		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
1205												
1206		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
1207		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
1208												
1209												
1210		Warning: There are only 5 Values in this data										
1211		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
1212		the resulting calculations may not be reliable enough to draw conclusions										
1213												
1214		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
1215												
1216					Relevant UCL Statistics							
1217		Normal Distribution Test							Lognormal Distribution Test			
1218		Shapiro Wilk Test Statistic				0.91			Shapiro Wilk Test Statistic			0.916
1219		Shapiro Wilk Critical Value				0.762			Shapiro Wilk Critical Value			0.762
1220		Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
1221												
1222		Assuming Normal Distribution							Assuming Lognormal Distribution			
1223				95% Student's-t UCL		0.00107			95% H-UCL			0.00272
1224		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			0.00155
1225		95% Adjusted-CLT UCL (Chen-1995)				0.00105			97.5% Chebyshev (MVUE) UCL			0.00194
1226		95% Modified-t UCL (Johnson-1978)				0.00108			99% Chebyshev (MVUE) UCL			0.00271
1227												
1228		Gamma Distribution Test							Data Distribution			
1229				k star (bias corrected)		1.187			Data appear Normal at 5% Significance Level			
1230					Theta Star	0.0005446						
1231					MLE of Mean	0.0006463						
1232				MLE of Standard Deviation		0.0005933						
1233					nu star	11.87						
1234		Approximate Chi Square Value (.05)				5.14			Nonparametric Statistics			
1235		Adjusted Level of Significance				0.0086			95% CLT UCL			0.0009696
1236		Adjusted Chi Square Value				3.389			95% Jackknife UCL			0.00107
1237									95% Standard Bootstrap UCL			0.0009334
1238		Anderson-Darling Test Statistic				0.311			95% Bootstrap-t UCL			0.00118
1239		Anderson-Darling 5% Critical Value				0.683			95% Hall's Bootstrap UCL			0.001
1240		Kolmogorov-Smirnov Test Statistic				0.252			95% Percentile Bootstrap UCL			0.0009568
1241		Kolmogorov-Smirnov 5% Critical Value				0.36			95% BCA Bootstrap UCL			0.0009568
1242		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			0.0015
1243									97.5% Chebyshev(Mean, Sd) UCL			0.00187
1244		Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL			0.0026
1245		95% Approximate Gamma UCL				0.00149						
1246		95% Adjusted Gamma UCL				0.00226						
1247												
1248		Potential UCL to Use							Use 95% Student's-t UCL			0.00107

	A	B	C	D	E	F	G	H	I	J	K	L
1249												
1250	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1251	These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002)											
1252	and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.											
1253												
1254												
1255	VAI (w011mcpp)											
1256												
1257	General Statistics											
1258	Number of Valid Data				6		Number of Detected Data					0
1259	Number of Distinct Detected Data				0		Number of Non-Detect Data					6
1260							Percent Non-Detects					100.00%
1261												
1262	Warning: All observations are Non-Detects (NDs), therefore all statistics and estimates should also be NDs!											
1263	Specifically, sample mean, UCLs, UPLs, and other statistics are also NDs lying below the largest detection limit!											
1264	The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).											
1265												
1266	The data set for variable VAI (w011mcpp) was not processed!											
1267												
1268												
1269												
1270	VAI (w014aldrin)											
1271												
1272	General Statistics											
1273	Number of Valid Data				3		Number of Detected Data					0
1274	Number of Distinct Detected Data				0		Number of Non-Detect Data					3
1275							Percent Non-Detects					100.00%
1276												
1277	Warning: This data set only has 3 observations!											
1278	Data set is too small to compute reliable and meaningful statistics and estimates!											
1279	The data set for variable VAI (w014aldrin) was not processed!											
1280												
1281	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
1282	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
1283												
1284												
1285												
1286	VAI (w014arsenic)											
1287												
1288	General Statistics											
1289	Number of Valid Observations				3		Number of Distinct Observations				3	
1290												
1291												
1292	Warning: This data set only has 3 observations!											
1293	Data set is too small to compute reliable and meaningful statistics and estimates!											
1294	The data set for variable VAI (w014arsenic) was not processed!											
1295												
1296	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
1297	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
1298												
1299												
1300												

VAI (w014arsenic_diss)

General Statistics

	Number of Valid Observations	3		Number of Distinct Observations	3

Warning: This data set only has 3 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w014arsenic_diss) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w014benzo(a)anthracene)

General Statistics

	Number of Valid Data	3		Number of Detected Data	0
	Number of Distinct Detected Data	0		Number of Non-Detect Data	3
				Percent Non-Detects	100.00%

Warning: This data set only has 3 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w014benzo(a)anthracene) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w014benzo(a)pyrene)

General Statistics

	Number of Valid Data	3		Number of Detected Data	0
	Number of Distinct Detected Data	0		Number of Non-Detect Data	3
				Percent Non-Detects	100.00%

Warning: This data set only has 3 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w014benzo(a)pyrene) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w014benzo(b)fluoranthene)

General Statistics

	Number of Valid Data	3		Number of Detected Data	0
	Number of Distinct Detected Data	0		Number of Non-Detect Data	3

	A	B	C	D	E	F	G	H	I	J	K	L
1353										Percent Non-Detects		100.00%
1354												
1355					Warning: This data set only has 3 observations!							
1356				Data set is too small to compute reliable and meaningful statistics and estimates!								
1357				The data set for variable VAI (w014benzo(b)fluoranthene) was not processed!								
1358												
1359			It is suggested to collect at least 8 to 10 observations before using these statistical methods!									
1360			If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
1361												
1362												
1363												
1364	VAI (w014dibenzo(a,h)anthracene)											
1365												
1366						General Statistics						
1367				Number of Valid Data		3				Number of Detected Data		0
1368			Number of Distinct Detected Data			0				Number of Non-Detect Data		3
1369										Percent Non-Detects		100.00%
1370												
1371					Warning: This data set only has 3 observations!							
1372				Data set is too small to compute reliable and meaningful statistics and estimates!								
1373				The data set for variable VAI (w014dibenzo(a,h)anthracene) was not processed!								
1374												
1375			It is suggested to collect at least 8 to 10 observations before using these statistical methods!									
1376			If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
1377												
1378												
1379												
1380	VAI (w014indeno(1,2,3-cd)pyrene)											
1381												
1382						General Statistics						
1383				Number of Valid Data		3				Number of Detected Data		0
1384			Number of Distinct Detected Data			0				Number of Non-Detect Data		3
1385										Percent Non-Detects		100.00%
1386												
1387					Warning: This data set only has 3 observations!							
1388				Data set is too small to compute reliable and meaningful statistics and estimates!								
1389				The data set for variable VAI (w014indeno(1,2,3-cd)pyrene) was not processed!								
1390												
1391			It is suggested to collect at least 8 to 10 observations before using these statistical methods!									
1392			If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
1393												
1394												
1395												
1396	VAI (w014mcpp)											
1397												
1398						General Statistics						
1399				Number of Valid Data		3				Number of Detected Data		0
1400			Number of Distinct Detected Data			0				Number of Non-Detect Data		3
1401										Percent Non-Detects		100.00%
1402												
1403					Warning: This data set only has 3 observations!							
1404				Data set is too small to compute reliable and meaningful statistics and estimates!								

	A	B	C	D	E	F	G	H	I	J	K	L
1405	The data set for variable VAI (w014mcpp) was not processed!											
1406												
1407	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
1408	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
1409												
1410												
1411												
1412	VAI (w020aldrin)											
1413												
1414	General Statistics											
1415	Number of Valid Data				3			Number of Detected Data				0
1416	Number of Distinct Detected Data				0			Number of Non-Detect Data				3
1417								Percent Non-Detects				100.00%
1418												
1419	Warning: This data set only has 3 observations!											
1420	Data set is too small to compute reliable and meaningful statistics and estimates!											
1421	The data set for variable VAI (w020aldrin) was not processed!											
1422												
1423	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
1424	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
1425												
1426												
1427												
1428	VAI (w020arsenic)											
1429												
1430	General Statistics											
1431	Number of Valid Observations			3				Number of Distinct Observations		3		
1432												
1433												
1434	Warning: This data set only has 3 observations!											
1435	Data set is too small to compute reliable and meaningful statistics and estimates!											
1436	The data set for variable VAI (w020arsenic) was not processed!											
1437												
1438	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
1439	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
1440												
1441												
1442												
1443	VAI (w020arsenic_diss)											
1444												
1445	General Statistics											
1446	Number of Valid Observations			3				Number of Distinct Observations		3		
1447												
1448												
1449	Warning: This data set only has 3 observations!											
1450	Data set is too small to compute reliable and meaningful statistics and estimates!											
1451	The data set for variable VAI (w020arsenic_diss) was not processed!											
1452												
1453	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
1454	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
1455												
1456												

VAI (w020benzo(a)anthracene)

General Statistics

Number of Valid Data	3		Number of Detected Data	0
Number of Distinct Detected Data	0		Number of Non-Detect Data	3
			Percent Non-Detects	100.00%

Warning: This data set only has 3 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w020benzo(a)anthracene) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w020benzo(a)pyrene)

General Statistics

Number of Valid Data	3		Number of Detected Data	0
Number of Distinct Detected Data	0		Number of Non-Detect Data	3
			Percent Non-Detects	100.00%

Warning: This data set only has 3 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w020benzo(a)pyrene) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w020benzo(b)fluoranthene)

General Statistics

Number of Valid Data	3		Number of Detected Data	0
Number of Distinct Detected Data	0		Number of Non-Detect Data	3
			Percent Non-Detects	100.00%

Warning: This data set only has 3 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w020benzo(b)fluoranthene) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w020dibenzo(a,h)anthracene)

General Statistics

	A	B	C	D	E	F	G	H	I	J	K	L
1509				Number of Valid Data		3				Number of Detected Data		0
1510			Number of Distinct Detected Data			0				Number of Non-Detect Data		3
1511										Percent Non-Detects		100.00%
1512												
1513					Warning: This data set only has 3 observations!							
1514					Data set is too small to compute reliable and meaningful statistics and estimates!							
1515					The data set for variable VAI (w020dibenzo(a,h)anthracene) was not processed!							
1516												
1517					It is suggested to collect at least 8 to 10 observations before using these statistical methods!							
1518					If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.							
1519												
1520												
1521												
1522	VAI (w020indeno(1,2,3-cd)pyrene)											
1523												
1524					General Statistics							
1525				Number of Valid Data		3				Number of Detected Data		0
1526			Number of Distinct Detected Data			0				Number of Non-Detect Data		3
1527										Percent Non-Detects		100.00%
1528												
1529					Warning: This data set only has 3 observations!							
1530					Data set is too small to compute reliable and meaningful statistics and estimates!							
1531					The data set for variable VAI (w020indeno(1,2,3-cd)pyrene) was not processed!							
1532												
1533					It is suggested to collect at least 8 to 10 observations before using these statistical methods!							
1534					If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.							
1535												
1536												
1537												
1538	VAI (w020mcpp)											
1539												
1540					General Statistics							
1541				Number of Valid Data		3				Number of Detected Data		0
1542			Number of Distinct Detected Data			0				Number of Non-Detect Data		3
1543										Percent Non-Detects		100.00%
1544												
1545					Warning: This data set only has 3 observations!							
1546					Data set is too small to compute reliable and meaningful statistics and estimates!							
1547					The data set for variable VAI (w020mcpp) was not processed!							
1548												
1549					It is suggested to collect at least 8 to 10 observations before using these statistical methods!							
1550					If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.							
1551												
1552												
1553												
1554	VAI (w023aldrin)											
1555												
1556					General Statistics							
1557				Number of Valid Data		7				Number of Detected Data		6
1558			Number of Distinct Detected Data			6				Number of Non-Detect Data		1
1559										Percent Non-Detects		14.29%
1560												

	A	B	C	D	E	F	G	H	I	J	K	L
1561				Raw Statistics					Log-transformed Statistics			
1562				Minimum Detected		8.43E-07			Minimum Detected			-13.99
1563				Maximum Detected		3.89E-06			Maximum Detected			-12.46
1564				Mean of Detected		2.218E-06			Mean of Detected			-13.16
1565				SD of Detected		1.197E-06			SD of Detected			0.602
1566				Minimum Non-Detect		3.41E-07			Minimum Non-Detect			-14.89
1567				Maximum Non-Detect		3.41E-07			Maximum Non-Detect			-14.89
1568												
1569												
1570					Warning: There are only 6 Detected Values in this data							
1571				Note: It should be noted that even though bootstrap may be performed on this data set								
1572				the resulting calculations may not be reliable enough to draw conclusions								
1573												
1574				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
1575												
1576												
1577						UCL Statistics						
1578		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1579				Shapiro Wilk Test Statistic		0.945			Shapiro Wilk Test Statistic			0.942
1580				5% Shapiro Wilk Critical Value		0.788			5% Shapiro Wilk Critical Value			0.788
1581		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1582												
1583				Assuming Normal Distribution					Assuming Lognormal Distribution			
1584				DL/2 Substitution Method					DL/2 Substitution Method			
1585				Mean		1.926E-06			Mean			-13.5
1586				SD		1.339E-06			SD			1.069
1587				95% DL/2 (t) UCL		2.909E-06			95% H-Stat (DL/2) UCL			1.322E-05
1588												
1589				Maximum Likelihood Estimate(MLE) Method					Log ROS Method			
1590				Mean		1.851E-06			Mean in Log Scale			-13.37
1591				SD		1.372E-06			SD in Log Scale			0.793
1592				95% MLE (t) UCL		2.859E-06			Mean in Original Scale			1.962E-06
1593				95% MLE (Tiku) UCL		2.879E-06			SD in Original Scale			1.286E-06
1594									95% t UCL			2.907E-06
1595									95% Percentile Bootstrap UCL			2.736E-06
1596									95% BCA Bootstrap UCL			2.81E-06
1597												
1598		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1599				k star (bias corrected)		1.982		Data appear Normal at 5% Significance Level				
1600				Theta Star		1.12E-06						
1601				nu star		23.78						
1602												
1603				A-D Test Statistic		0.244			Nonparametric Statistics			
1604				5% A-D Critical Value		0.7			Kaplan-Meier (KM) Method			
1605				K-S Test Statistic		0.7			Mean			2.022E-06
1606				5% K-S Critical Value		0.334			SD			1.12E-06
1607		Data appear Gamma Distributed at 5% Significance Level							SE of Mean			4.638E-07
1608									95% KM (t) UCL			2.923E-06
1609		Assuming Gamma Distribution							95% KM (z) UCL			2.785E-06
1610		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			2.907E-06
1611				Minimum		3.867E-07			95% KM (bootstrap t) UCL			3.058E-06
1612				Maximum		3.89E-06			95% KM (BCA) UCL			2.852E-06

	A	B	C	D	E	F	G	H	I	J	K	L
1613					Mean	1.957E-06			95% KM (Percentile Bootstrap) UCL			2.782E-06
1614					Median	1.941E-06			95% KM (Chebyshev) UCL			4.044E-06
1615					SD	1.293E-06			97.5% KM (Chebyshev) UCL			4.918E-06
1616					k star	1.355			99% KM (Chebyshev) UCL			6.637E-06
1617					Theta star	1.444E-06						
1618					Nu star	18.97			**Potential UCLs to Use**			
1619					AppChi2	10.09			95% KM (t) UCL			2.923E-06
1620				95% Gamma Approximate UCL		3.677E-06			95% KM (Percentile Bootstrap) UCL			2.782E-06
1621				95% Adjusted Gamma UCL		4.519E-06						
1622	Note: DL/2 is not a recommended method.											
1623												
1624			Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.									
1625			These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).									
1626			For additional insight, the user may want to consult a statistician.									
1627												
1628												
1629	VAI (w023arsenic)											
1630												
1631					**General Statistics**							
1632			Number of Valid Data			8			Number of Detected Data			7
1633			Number of Distinct Detected Data			7			Number of Non-Detect Data			1
1634									Percent Non-Detects			12.50%
1635												
1636			**Raw Statistics**						**Log-transformed Statistics**			
1637				Minimum Detected		0.313			Minimum Detected			-1.162
1638				Maximum Detected		0.54			Maximum Detected			-0.616
1639				Mean of Detected		0.438			Mean of Detected			-0.842
1640				SD of Detected		0.0807			SD of Detected			0.196
1641				Minimum Non-Detect		0.408			Minimum Non-Detect			-0.897
1642				Maximum Non-Detect		0.408			Maximum Non-Detect			-0.897
1643												
1644												
1645				Warning: There are only 7 Detected Values in this data								
1646				Note: It should be noted that even though bootstrap may be performed on this data set								
1647				the resulting calculations may not be reliable enough to draw conclusions								
1648												
1649			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1650												
1651												
1652					**UCL Statistics**							
1653		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
1654				Shapiro Wilk Test Statistic		0.926			Shapiro Wilk Test Statistic			0.902
1655				5% Shapiro Wilk Critical Value		0.803			5% Shapiro Wilk Critical Value			0.803
1656		**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
1657												
1658		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
1659				DL/2 Substitution Method					DL/2 Substitution Method			
1660					Mean	0.408				Mean		-0.936
1661					SD	0.111				SD		0.321
1662				95% DL/2 (t) UCL		0.483			95% H-Stat (DL/2) UCL			0.532
1663												
1664			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			

	A	B	C	D	E	F	G	H	I	J	K	L
1665					Mean	0.436				Mean in Log Scale		-0.871
1666					SD	0.0671				SD in Log Scale		0.199
1667				95% MLE (t) UCL		0.481				Mean in Original Scale		0.426
1668				95% MLE (Tiku) UCL		0.487				SD in Original Scale		0.0821
1669										95% t UCL		0.481
1670										95% Percentile Bootstrap UCL		0.47
1671										95% BCA Bootstrap UCL		0.469
1672												
1673		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1674				k star (bias corrected)		18.25		Data appear Normal at 5% Significance Level				
1675					Theta Star	0.024						
1676					nu star	255.5						
1677												
1678				A-D Test Statistic		0.421		Nonparametric Statistics				
1679				5% A-D Critical Value		0.707			Kaplan-Meier (KM) Method			
1680				K-S Test Statistic		0.707				Mean		0.424
1681				5% K-S Critical Value		0.311				SD		0.0785
1682		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.0301
1683										95% KM (t) UCL		0.481
1684		Assuming Gamma Distribution								95% KM (z) UCL		0.474
1685		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.481
1686					Minimum	0.313				95% KM (bootstrap t) UCL		0.477
1687					Maximum	0.54				95% KM (BCA) UCL		0.478
1688					Mean	0.429			95% KM (Percentile Bootstrap) UCL			0.48
1689					Median	0.448				95% KM (Chebyshev) UCL		0.556
1690					SD	0.0788				97.5% KM (Chebyshev) UCL		0.612
1691					k star	20.37				99% KM (Chebyshev) UCL		0.724
1692					Theta star	0.021						
1693					Nu star	325.9		Potential UCLs to Use				
1694					AppChi2	285.1				95% KM (t) UCL		0.481
1695				95% Gamma Approximate UCL		0.49			95% KM (Percentile Bootstrap) UCL			0.48
1696				95% Adjusted Gamma UCL		0.507						
1697	Note: DL/2 is not a recommended method.											
1698												
1699		Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.										
1700		These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).										
1701		For additional insight, the user may want to consult a statistician.										
1702												
1703												
1704	VAI (w023arsenic_diss)											
1705												
1706							General Statistics					
1707				Number of Valid Data		8				Number of Detected Data		7
1708				Number of Distinct Detected Data		6				Number of Non-Detect Data		1
1709										Percent Non-Detects		12.50%
1710												
1711			Raw Statistics						Log-transformed Statistics			
1712				Minimum Detected		0.209				Minimum Detected		-1.567
1713				Maximum Detected		0.433				Maximum Detected		-0.836
1714				Mean of Detected		0.306				Mean of Detected		-1.233
1715				SD of Detected		0.102				SD of Detected		0.337
1716				Minimum Non-Detect		0.378				Minimum Non-Detect		-0.974

	A	B	C	D	E	F	G	H	I	J	K	L
1717					Maximum Non-Detect	0.378					Maximum Non-Detect	-0.974
1718												
1719												
1720					Warning: There are only 7 Detected Values in this data							
1721					Note: It should be noted that even though bootstrap may be performed on this data set							
1722					the resulting calculations may not be reliable enough to draw conclusions							
1723												
1724					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
1725												
1726												
1727					UCL Statistics							
1728			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1729					Shapiro Wilk Test Statistic	0.828					Shapiro Wilk Test Statistic	0.824
1730					5% Shapiro Wilk Critical Value	0.803					5% Shapiro Wilk Critical Value	0.803
1731			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1732												
1733			Assuming Normal Distribution						Assuming Lognormal Distribution			
1734					DL/2 Substitution Method						DL/2 Substitution Method	
1735					Mean	0.291					Mean	-1.287
1736					SD	0.103					SD	0.347
1737					95% DL/2 (t) UCL	0.361					95% H-Stat (DL/2) UCL	0.387
1738												
1739				Maximum Likelihood Estimate(MLE) Method		N/A					Log ROS Method	
1740			MLE method failed to converge properly								Mean in Log Scale	-1.25
1741											SD in Log Scale	0.316
1742											Mean in Original Scale	0.299
1743											SD in Original Scale	0.0964
1744											95% t UCL	0.364
1745											95% Percentile Bootstrap UCL	0.354
1746											95% BCA Bootstrap UCL	0.36
1747												
1748			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1749					k star (bias corrected)	6.091			Data appear Normal at 5% Significance Level			
1750					Theta Star	0.0502						
1751					nu star	85.27						
1752												
1753					A-D Test Statistic	0.612			Nonparametric Statistics			
1754					5% A-D Critical Value	0.708			Kaplan-Meier (KM) Method			
1755					K-S Test Statistic	0.708					Mean	0.3
1756					5% K-S Critical Value	0.312					SD	0.0926
1757			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	0.0365
1758											95% KM (t) UCL	0.369
1759			Assuming Gamma Distribution								95% KM (z) UCL	0.36
1760			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	0.369
1761					Minimum	0.209					95% KM (bootstrap t) UCL	0.381
1762					Maximum	0.433					95% KM (BCA) UCL	0.355
1763					Mean	0.305					95% KM (Percentile Bootstrap) UCL	0.358
1764					Median	0.293					95% KM (Chebyshev) UCL	0.459
1765					SD	0.0947					97.5% KM (Chebyshev) UCL	0.528
1766					k star	7.555					99% KM (Chebyshev) UCL	0.663
1767					Theta star	0.0404						
1768					Nu star	120.9			Potential UCLs to Use			

	A	B	C	D	E	F	G	H	I	J	K	L
1769					AppChi2	96.49				95% KM (t) UCL		0.369
1770			95% Gamma Approximate UCL			0.382			95% KM (Percentile Bootstrap) UCL			0.358
1771			95% Adjusted Gamma UCL			0.405						
1772	Note: DL/2 is not a recommended method.											
1773												
1774			Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.									
1775			These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).									
1776			For additional insight, the user may want to consult a statistician.									
1777												
1778												
1779	VAI (w023benzo(a)anthracene)											
1780												
1781					General Statistics							
1782			Number of Valid Data			15			Number of Detected Data			8
1783			Number of Distinct Detected Data			8			Number of Non-Detect Data			7
1784									Percent Non-Detects			46.67%
1785												
1786			Raw Statistics						Log-transformed Statistics			
1787			Minimum Detected			0.000052			Minimum Detected			-9.864
1788			Maximum Detected			0.01			Maximum Detected			-4.605
1789			Mean of Detected			0.00147			Mean of Detected			-8.021
1790			SD of Detected			0.00345			SD of Detected			1.586
1791			Minimum Non-Detect			0.0021			Minimum Non-Detect			-6.166
1792			Maximum Non-Detect			0.0078			Maximum Non-Detect			-4.854
1793												
1794	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			14
1795	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
1796	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			93.33%
1797												
1798			Warning: There are only 8 Detected Values in this data									
1799			Note: It should be noted that even though bootstrap may be performed on this data set									
1800			the resulting calculations may not be reliable enough to draw conclusions									
1801												
1802			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1803												
1804												
1805					UCL Statistics							
1806			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1807			Shapiro Wilk Test Statistic			0.456			Shapiro Wilk Test Statistic			0.839
1808			5% Shapiro Wilk Critical Value			0.818			5% Shapiro Wilk Critical Value			0.818
1809			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1810												
1811			Assuming Normal Distribution						Assuming Lognormal Distribution			
1812			DL/2 Substitution Method						DL/2 Substitution Method			
1813			Mean			0.00199			Mean			-7.124
1814			SD			0.00265			SD			1.547
1815			95% DL/2 (t) UCL			0.00319			95% H-Stat (DL/2) UCL			0.0123
1816												
1817			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1818			MLE method failed to converge properly						Mean in Log Scale			-8.186
1819									SD in Log Scale			1.241
1820									Mean in Original Scale			0.0009217

	A	B	C	D	E	F	G	H	I	J	K	L
1821										SD in Original Scale		0.00252
1822										95% t UCL		0.00207
1823										95% Percentile Bootstrap UCL		0.00221
1824										95% BCA Bootstrap UCL		0.00288
1825												
1826		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1827				k star (bias corrected)		0.354		Data appear Lognormal at 5% Significance Level				
1828				Theta Star		0.00417						
1829				nu star		5.662						
1830												
1831				A-D Test Statistic		1.312		Nonparametric Statistics				
1832			5% A-D Critical Value			0.774		Kaplan-Meier (KM) Method				
1833				K-S Test Statistic		0.774				Mean		0.0009057
1834			5% K-S Critical Value			0.312				SD		0.00243
1835		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.0006729
1836										95% KM (t) UCL		0.00209
1837		Assuming Gamma Distribution								95% KM (z) UCL		0.00201
1838		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.00205
1839					Minimum	0.000052				95% KM (bootstrap t) UCL		0.012
1840					Maximum	0.01				95% KM (BCA) UCL		0.00225
1841					Mean	0.0015				95% KM (Percentile Bootstrap) UCL		0.0022
1842					Median	0.0006816				95% KM (Chebyshev) UCL		0.00384
1843					SD	0.00247				97.5% KM (Chebyshev) UCL		0.00511
1844					k star	0.622				99% KM (Chebyshev) UCL		0.0076
1845					Theta star	0.00242						
1846					Nu star	18.65		Potential UCLs to Use				
1847					AppChi2	9.862				99% KM (Chebyshev) UCL		0.0076
1848			95% Gamma Approximate UCL			0.00284						
1849			95% Adjusted Gamma UCL			0.00309						
1850	Note: DL/2 is not a recommended method.											
1851												
1852		Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.										
1853		These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).										
1854		For additional insight, the user may want to consult a statistician.										
1855												
1856												
1857	VAI (w023benzo(a)pyrene)											
1858												
1859					General Statistics							
1860			Number of Valid Observations			7				Number of Distinct Observations	7	
1861												
1862		Raw Statistics						Log-transformed Statistics				
1863					Minimum	0.0000263				Minimum of Log Data	-10.55	
1864					Maximum	0.0006287				Maximum of Log Data	-7.372	
1865					Mean	0.0002783				Mean of log Data	-8.673	
1866					Median	0.000275				SD of log Data	1.292	
1867					SD	0.0002128						
1868			Coefficient of Variation			0.765						
1869					Skewness	0.342						
1870												
1871												
1872		Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!										

	A	B	C	D	E	F	G	H	I	J	K	L
1873												
1874					It is suggested to collect at least 8 to 10 observations using these statistical methods!							
1875					If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.							
1876												
1877												
1878					Warning: There are only 7 Values in this data							
1879					Note: It should be noted that even though bootstrap methods may be performed on this data set,							
1880					the resulting calculations may not be reliable enough to draw conclusions							
1881												
1882					The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.							
1883												
1884					Relevant UCL Statistics							
1885			Normal Distribution Test						Lognormal Distribution Test			
1886					Shapiro Wilk Test Statistic	0.94				Shapiro Wilk Test Statistic		0.804
1887					Shapiro Wilk Critical Value	0.803				Shapiro Wilk Critical Value		0.803
1888		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1889												
1890			Assuming Normal Distribution						Assuming Lognormal Distribution			
1891					95% Student's-t UCL	0.0004346				95% H-UCL		0.00434
1892			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			0.00103
1893			95% Adjusted-CLT UCL (Chen-1995)			0.0004217			97.5% Chebyshev (MVUE) UCL			0.00133
1894			95% Modified-t UCL (Johnson-1978)			0.0004363			99% Chebyshev (MVUE) UCL			0.00193
1895												
1896			Gamma Distribution Test						Data Distribution			
1897					k star (bias corrected)	0.762		Data appear Normal at 5% Significance Level				
1898					Theta Star	0.0003652						
1899					MLE of Mean	0.0002783						
1900				MLE of Standard Deviation		0.0003188						
1901					nu star	10.67						
1902			Approximate Chi Square Value (.05)			4.364			Nonparametric Statistics			
1903			Adjusted Level of Significance			0.0158				95% CLT UCL		0.0004106
1904			Adjusted Chi Square Value			3.233				95% Jackknife UCL		0.0004346
1905									95% Standard Bootstrap UCL			0.0004021
1906			Anderson-Darling Test Statistic			0.562				95% Bootstrap-t UCL		0.0004534
1907			Anderson-Darling 5% Critical Value			0.725				95% Hall's Bootstrap UCL		0.0004524
1908			Kolmogorov-Smirnov Test Statistic			0.282			95% Percentile Bootstrap UCL			0.0004069
1909			Kolmogorov-Smirnov 5% Critical Value			0.319				95% BCA Bootstrap UCL		0.0004076
1910		Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL				0.0006289
1911								97.5% Chebyshev(Mean, Sd) UCL				0.0007806
1912			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			0.00108
1913			95% Approximate Gamma UCL			0.0006803						
1914			95% Adjusted Gamma UCL			0.0009184						
1915												
1916			Potential UCL to Use						Use 95% Student's-t UCL			0.0004346
1917												
1918		Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.										
1919		These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002)										
1920		and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.										
1921												
1922												
1923	VAI (w023benzo(b)fluoranthene)											
1924												

	A	B	C	D	E	F	G	H	I	J	K	L
1925						General Statistics						
1926			Number of Valid Observations			7			Number of Distinct Observations			7
1927												
1928			Raw Statistics						Log-transformed Statistics			
1929					Minimum	0.0000238				Minimum of Log Data		-10.65
1930					Maximum	0.00082				Maximum of Log Data		-7.106
1931					Mean	0.0003742				Mean of log Data		-8.225
1932					Median	0.0003174				SD of log Data		1.13
1933					SD	0.0002429						
1934				Coefficient of Variation		0.649						
1935					Skewness	0.75						
1936												
1937												
1938		Warning: A sample size of 'n' = 7 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
1939												
1940		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
1941		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
1942												
1943												
1944		Warning: There are only 7 Values in this data										
1945		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
1946		the resulting calculations may not be reliable enough to draw conclusions										
1947												
1948		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
1949												
1950						Relevant UCL Statistics						
1951			Normal Distribution Test						Lognormal Distribution Test			
1952			Shapiro Wilk Test Statistic			0.927			Shapiro Wilk Test Statistic			0.759
1953			Shapiro Wilk Critical Value			0.803			Shapiro Wilk Critical Value			0.803
1954		Data appear Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
1955												
1956			Assuming Normal Distribution						Assuming Lognormal Distribution			
1957			95% Student's-t UCL			0.0005526				95% H-UCL		0.00331
1958		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			0.00128
1959		95% Adjusted-CLT UCL (Chen-1995)				0.000553			97.5% Chebyshev (MVUE) UCL			0.00164
1960		95% Modified-t UCL (Johnson-1978)				0.0005569			99% Chebyshev (MVUE) UCL			0.00235
1961												
1962			Gamma Distribution Test						Data Distribution			
1963			k star (bias corrected)			1.033		Data appear Normal at 5% Significance Level				
1964				Theta Star		0.0003623						
1965				MLE of Mean		0.0003742						
1966			MLE of Standard Deviation			0.0003682						
1967					nu star	14.46						
1968		Approximate Chi Square Value (.05)				6.889			Nonparametric Statistics			
1969			Adjusted Level of Significance			0.0158				95% CLT UCL		0.0005252
1970			Adjusted Chi Square Value			5.391				95% Jackknife UCL		0.0005526
1971									95% Standard Bootstrap UCL			0.0005154
1972			Anderson-Darling Test Statistic			0.589				95% Bootstrap-t UCL		0.0006096
1973			Anderson-Darling 5% Critical Value			0.719				95% Hall's Bootstrap UCL		0.0009101
1974			Kolmogorov-Smirnov Test Statistic			0.321			95% Percentile Bootstrap UCL			0.0005155
1975			Kolmogorov-Smirnov 5% Critical Value			0.316				95% BCA Bootstrap UCL		0.0005395
1976		Data follow Appr. Gamma Distribution at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			0.0007744

	A	B	C	D	E	F	G	H	I	J	K	L
1977									97.5% Chebyshev(Mean, Sd) UCL			0.0009475
1978			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			0.00129
1979				95% Approximate Gamma UCL		0.0007856						
1980				95% Adjusted Gamma UCL		0.001						
1981												
1982			Potential UCL to Use						Use 95% Student's-t UCL			0.0005526
1983												
1984		Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.										
1985		These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002)										
1986		and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.										
1987												
1988												
1989	VAI (w023dibenzo(a,h)anthracene)											
1990												
1991						General Statistics						
1992			Number of Valid Data			7			Number of Detected Data			2
1993			Number of Distinct Detected Data			2			Number of Non-Detect Data			5
1994									Percent Non-Detects			71.43%
1995												
1996			Raw Statistics						Log-transformed Statistics			
1997			Minimum Detected			5.667E-05			Minimum Detected			-9.778
1998			Maximum Detected			0.0004517			Maximum Detected			-7.703
1999			Mean of Detected			0.0002542			Mean of Detected			-8.74
2000			SD of Detected			0.0002793			SD of Detected			1.468
2001			Minimum Non-Detect			0.0000434			Minimum Non-Detect			-10.05
2002			Maximum Non-Detect			0.000325			Maximum Non-Detect			-8.032
2003												
2004	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			6
2005	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
2006	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			85.71%
2007												
2008					Warning: Data set has only 2 Distinct Detected Values.							
2009		This may not be adequate enough to compute meaningful and reliable test statistics and estimates.										
2010		The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).										
2011												
2012		Unless Data Quality Objectives (DQOs) have been met, it is suggested to collect additional observations.										
2013												
2014		The number of detected data may not be adequate enough to perform GOF tests, bootstrap, and ROS methods.										
2015					Those methods will return a 'N/A' value on your output display!							
2016												
2017					It is necessary to have 4 or more Distinct Values for bootstrap methods.							
2018					However, results obtained using 4 to 9 distinct values may not be reliable.							
2019		It is recommended to have 10 to 15 or more observations for accurate and meaningful results and estimates.										
2020												
2021												
2022						UCL Statistics						
2023		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2024			Shapiro Wilk Test Statistic			N/A			Shapiro Wilk Test Statistic			N/A
2025			5% Shapiro Wilk Critical Value			N/A			5% Shapiro Wilk Critical Value			N/A
2026		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
2027												
2028		Assuming Normal Distribution						Assuming Lognormal Distribution				

	A	B	C	D	E	F	G	H	I	J	K	L
2029				DL/2 Substitution Method						DL/2 Substitution Method		
2030					Mean	0.0001271					Mean	-9.58
2031					SD	0.0001553					SD	1.194
2032				95% DL/2 (t) UCL		0.0002411				95% H-Stat (DL/2) UCL		0.00112
2033												
2034			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
2035			**MLE method failed to converge properly**							Mean in Log Scale		N/A
2036										SD in Log Scale		N/A
2037										Mean in Original Scale		N/A
2038										SD in Original Scale		N/A
2039										95% t UCL		N/A
2040										95% Percentile Bootstrap UCL		N/A
2041										95% BCA Bootstrap UCL		N/A
2042												
2043		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
2044				k star (bias corrected)		N/A		**Data do not follow a Discernable Distribution (0.05)**				
2045					Theta Star	N/A						
2046					nu star	N/A						
2047												
2048				A-D Test Statistic		N/A		**Nonparametric Statistics**				
2049				5% A-D Critical Value		N/A				Kaplan-Meier (KM) Method		
2050				K-S Test Statistic		N/A					Mean	0.0001131
2051				5% K-S Critical Value		N/A					SD	0.0001382
2052		**Data not Gamma Distributed at 5% Significance Level**									SE of Mean	7.388E-05
2053										95% KM (t) UCL		0.0002567
2054		**Assuming Gamma Distribution**								95% KM (z) UCL		0.0002346
2055		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.0004077
2056					Minimum	N/A				95% KM (bootstrap t) UCL		N/A
2057					Maximum	N/A				95% KM (BCA) UCL		0.0004517
2058					Mean	N/A				95% KM (Percentile Bootstrap) UCL		0.0004517
2059					Median	N/A				95% KM (Chebyshev) UCL		0.0004351
2060					SD	N/A				97.5% KM (Chebyshev) UCL		0.0005745
2061					k star	N/A				99% KM (Chebyshev) UCL		0.0008482
2062					Theta star	N/A						
2063					Nu star	N/A		**Potential UCLs to Use**				
2064					AppChi2	N/A				95% KM (BCA) UCL		0.0004517
2065				95% Gamma Approximate UCL		N/A						
2066				95% Adjusted Gamma UCL		N/A						
2067	Note: DL/2 is not a recommended method.											
2068												
2069		**Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.**										
2070		**These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).**										
2071		**For additional insight, the user may want to consult a statistician.**										
2072												
2073												
2074	VAI (w023indeno(1,2,3-cd)pyrene)											
2075												
2076					**General Statistics**							
2077				Number of Valid Data		15				Number of Detected Data		5
2078			Number of Distinct Detected Data			5				Number of Non-Detect Data		10
2079										Percent Non-Detects		66.67%
2080												

	A	B	C	D	E	F	G	H	I	J	K	L
2081				Raw Statistics					Log-transformed Statistics			
2082				Minimum Detected		0.000184			Minimum Detected			-8.601
2083				Maximum Detected		0.000264			Maximum Detected			-8.24
2084				Mean of Detected		0.0002183			Mean of Detected			-8.44
2085				SD of Detected		3.514E-05			SD of Detected			0.16
2086				Minimum Non-Detect		0.000382			Minimum Non-Detect			-7.87
2087				Maximum Non-Detect		0.0084			Maximum Non-Detect			-4.78
2088												
2089	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			15
2090	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			0
2091	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			100.00%
2092												
2093				Warning: There are only 5 Detected Values in this data								
2094				Note: It should be noted that even though bootstrap may be performed on this data set								
2095				the resulting calculations may not be reliable enough to draw conclusions								
2096												
2097				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
2098												
2099												
2100						UCL Statistics						
2101			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
2102				Shapiro Wilk Test Statistic		0.907			Shapiro Wilk Test Statistic			0.902
2103				5% Shapiro Wilk Critical Value		0.762			5% Shapiro Wilk Critical Value			0.762
2104			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
2105												
2106			Assuming Normal Distribution						Assuming Lognormal Distribution			
2107				DL/2 Substitution Method					DL/2 Substitution Method			
2108					Mean	0.00149				Mean		-7.117
2109					SD	0.00143				SD		1.24
2110				95% DL/2 (t) UCL		0.00214			95% H-Stat (DL/2) UCL			0.00497
2111												
2112			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
2113			MLE method failed to converge properly						Mean in Log Scale			-8.44
2114									SD in Log Scale			0.111
2115									Mean in Original Scale			0.0002174
2116									SD in Original Scale			2.432E-05
2117									95% t UCL			0.0002284
2118									95% Percentile Bootstrap UCL			0.000228
2119									95% BCA Bootstrap UCL			0.0002282
2120												
2121			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
2122				k star (bias corrected)		19.59			Data appear Normal at 5% Significance Level			
2123					Theta Star	1.115E-05						
2124					nu star	195.9						
2125												
2126				A-D Test Statistic		0.349			Nonparametric Statistics			
2127				5% A-D Critical Value		0.678			Kaplan-Meier (KM) Method			
2128				K-S Test Statistic		0.678				Mean		0.0002183
2129				5% K-S Critical Value		0.357				SD		3.143E-05
2130		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		1.571E-05
2131									95% KM (t) UCL			0.000246
2132			Assuming Gamma Distribution						95% KM (z) UCL			0.0002442

	A	B	C	D	E	F	G	H	I	J	K	L
2133			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.0002482
2134					Minimum	0.000184				95% KM (bootstrap t) UCL		0.0002557
2135					Maximum	0.000264				95% KM (BCA) UCL		0.0002451
2136					Mean	0.0002206				95% KM (Percentile Bootstrap) UCL		0.0002443
2137					Median	0.0002239				95% KM (Chebyshev) UCL		0.0002868
2138					SD	2.413E-05				97.5% KM (Chebyshev) UCL		0.0003165
2139					k star	70.68				99% KM (Chebyshev) UCL		0.0003747
2140					Theta star	3.122E-06						
2141					Nu star	2120		Potential UCLs to Use				
2142					AppChi2	2014				95% KM (t) UCL		0.000246
2143			95% Gamma Approximate UCL			0.0002323				95% KM (Percentile Bootstrap) UCL		0.0002443
2144			95% Adjusted Gamma UCL			0.0002337						
2145	Note: DL/2 is not a recommended method.											
2146												
2147		Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.										
2148		These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).										
2149		For additional insight, the user may want to consult a statistician.										
2150												
2151												
2152	VAI (w023mcpp)											
2153												
2154					General Statistics							
2155			Number of Valid Data			4			Number of Detected Data			1
2156			Number of Distinct Detected Data			1			Number of Non-Detect Data			3
2157									Percent Non-Detects			75.00%
2158												
2159		Warning: This data set only has 4 observations!										
2160		Data set is too small to compute reliable and meaningful statistics and estimates!										
2161		The data set for variable VAI (w023mcpp) was not processed!										
2162												
2163		It is suggested to collect at least 8 to 10 observations before using these statistical methods!										
2164		If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
2165												
2166												
2167												
2168	VAI (w025aldrin)											
2169												
2170					General Statistics							
2171			Number of Valid Observations			3			Number of Distinct Observations			3
2172												
2173												
2174		Warning: This data set only has 3 observations!										
2175		Data set is too small to compute reliable and meaningful statistics and estimates!										
2176		The data set for variable VAI (w025aldrin) was not processed!										
2177												
2178		It is suggested to collect at least 8 to 10 observations before using these statistical methods!										
2179		If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
2180												
2181												
2182												
2183	VAI (w025arsenic)											
2184												

	A	B	C	D	E	F	G	H	I	J	K	L
2185						General Statistics						
2186				Number of Valid Data		3				Number of Detected Data		2
2187			Number of Distinct Detected Data			2				Number of Non-Detect Data		1
2188										Percent Non-Detects		33.33%
2189												
2190						Warning: This data set only has 3 observations!						
2191					Data set is too small to compute reliable and meaningful statistics and estimates!							
2192					The data set for variable VAI (w025arsenic) was not processed!							
2193												
2194				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
2195				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
2196												
2197												
2198												
2199	VAI (w025arsenic_diss)											
2200												
2201						General Statistics						
2202				Number of Valid Data		3				Number of Detected Data		2
2203			Number of Distinct Detected Data			2				Number of Non-Detect Data		1
2204										Percent Non-Detects		33.33%
2205												
2206						Warning: This data set only has 3 observations!						
2207					Data set is too small to compute reliable and meaningful statistics and estimates!							
2208					The data set for variable VAI (w025arsenic_diss) was not processed!							
2209												
2210				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
2211				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
2212												
2213												
2214												
2215	VAI (w025benzo(a)anthracene)											
2216												
2217						General Statistics						
2218				Number of Valid Observations	3					Number of Distinct Observations	3	
2219												
2220												
2221						Warning: This data set only has 3 observations!						
2222					Data set is too small to compute reliable and meaningful statistics and estimates!							
2223					The data set for variable VAI (w025benzo(a)anthracene) was not processed!							
2224												
2225				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
2226				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
2227												
2228												
2229												
2230	VAI (w025benzo(a)pyrene)											
2231												
2232						General Statistics						
2233				Number of Valid Observations	3					Number of Distinct Observations	3	
2234												
2235												
2236						Warning: This data set only has 3 observations!						

	A	B	C	D	E	F	G	H	I	J	K	L
2237	Data set is too small to compute reliable and meaningful statistics and estimates!											
2238	The data set for variable VAI (w025benzo(a)pyrene) was not processed!											
2239												
2240	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
2241	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
2242												
2243												
2244												
2245	VAI (w025benzo(b)fluoranthene)											
2246												
2247	General Statistics											
2248	Number of Valid Observations				3			Number of Distinct Observations				3
2249												
2250												
2251	Warning: This data set only has 3 observations!											
2252	Data set is too small to compute reliable and meaningful statistics and estimates!											
2253	The data set for variable VAI (w025benzo(b)fluoranthene) was not processed!											
2254												
2255	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
2256	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
2257												
2258												
2259												
2260	VAI (w025dibenzo(a,h)anthracene)											
2261												
2262	General Statistics											
2263	Number of Valid Observations				1			Number of Distinct Observations				1
2264												
2265												
2266	Warning: This data set only has 1 observations!											
2267	Data set is too small to compute reliable and meaningful statistics and estimates!											
2268	The data set for variable VAI (w025dibenzo(a,h)anthracene) was not processed!											
2269												
2270	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
2271	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
2272												
2273												
2274												
2275	VAI (w025indeno(1,2,3-cd)pyrene)											
2276												
2277	General Statistics											
2278	Number of Valid Data				2			Number of Detected Data				1
2279	Number of Distinct Detected Data				1			Number of Non-Detect Data				1
2280								Percent Non-Detects				50.00%
2281												
2282	Warning: This data set only has 2 observations!											
2283	Data set is too small to compute reliable and meaningful statistics and estimates!											
2284	The data set for variable VAI (w025indeno(1,2,3-cd)pyrene) was not processed!											
2285												
2286	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
2287	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
2288												

VAI (w025mcpp)

General Statistics

Number of Valid Data	3			Number of Detected Data	0
Number of Distinct Detected Data	0			Number of Non-Detect Data	3
				Percent Non-Detects	100.00%

Warning: This data set only has 3 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w025mcpp) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w026aldrin)

General Statistics

Number of Valid Data	2			Number of Detected Data	0
Number of Distinct Detected Data	0			Number of Non-Detect Data	2
				Percent Non-Detects	100.00%

Warning: This data set only has 2 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w026aldrin) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w026arsenic)

General Statistics

Number of Valid Observations	2		Number of Distinct Observations	2

Warning: This data set only has 2 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w026arsenic) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w026arsenic_diss)

General Statistics

	A	B	C	D	E	F	G	H	I	J	K	L
2341				Number of Valid Data		2				Number of Detected Data		1
2342			Number of Distinct Detected Data			1				Number of Non-Detect Data		1
2343										Percent Non-Detects		50.00%
2344												
2345					Warning: This data set only has 2 observations!							
2346				Data set is too small to compute reliable and meaningful statistics and estimates!								
2347				The data set for variable VAI (w026arsenic_diss) was not processed!								
2348												
2349				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
2350				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
2351												
2352												
2353												
2354	VAI (w026benzo(a)anthracene)											
2355												
2356					General Statistics							
2357				Number of Valid Data		2				Number of Detected Data		0
2358			Number of Distinct Detected Data			0				Number of Non-Detect Data		2
2359										Percent Non-Detects		100.00%
2360												
2361					Warning: This data set only has 2 observations!							
2362				Data set is too small to compute reliable and meaningful statistics and estimates!								
2363				The data set for variable VAI (w026benzo(a)anthracene) was not processed!								
2364												
2365				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
2366				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
2367												
2368												
2369												
2370	VAI (w026benzo(a)pyrene)											
2371												
2372					General Statistics							
2373				Number of Valid Data		2				Number of Detected Data		0
2374			Number of Distinct Detected Data			0				Number of Non-Detect Data		2
2375										Percent Non-Detects		100.00%
2376												
2377					Warning: This data set only has 2 observations!							
2378				Data set is too small to compute reliable and meaningful statistics and estimates!								
2379				The data set for variable VAI (w026benzo(a)pyrene) was not processed!								
2380												
2381				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
2382				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
2383												
2384												
2385												
2386	VAI (w026benzo(b)fluoranthene)											
2387												
2388					General Statistics							
2389				Number of Valid Data		2				Number of Detected Data		0
2390			Number of Distinct Detected Data			0				Number of Non-Detect Data		2
2391										Percent Non-Detects		100.00%
2392												

	A	B	C	D	E	F	G	H	I	J	K	L
2393	Warning: This data set only has 2 observations!											
2394	Data set is too small to compute reliable and meaningful statistics and estimates!											
2395	The data set for variable VAI (w026benzo(b)fluoranthene) was not processed!											
2396												
2397	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
2398	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
2399												
2400												
2401												
2402	VAI (w026dibenzo(a,h)anthracene)											
2403												
2404	General Statistics											
2405	Number of Valid Data				2		Number of Detected Data					0
2406	Number of Distinct Detected Data				0		Number of Non-Detect Data					2
2407							Percent Non-Detects					100.00%
2408												
2409	Warning: This data set only has 2 observations!											
2410	Data set is too small to compute reliable and meaningful statistics and estimates!											
2411	The data set for variable VAI (w026dibenzo(a,h)anthracene) was not processed!											
2412												
2413	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
2414	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
2415												
2416												
2417												
2418	VAI (w026indeno(1,2,3-cd)pyrene)											
2419												
2420	General Statistics											
2421	Number of Valid Data				2		Number of Detected Data					0
2422	Number of Distinct Detected Data				0		Number of Non-Detect Data					2
2423							Percent Non-Detects					100.00%
2424												
2425	Warning: This data set only has 2 observations!											
2426	Data set is too small to compute reliable and meaningful statistics and estimates!											
2427	The data set for variable VAI (w026indeno(1,2,3-cd)pyrene) was not processed!											
2428												
2429	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
2430	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
2431												
2432												
2433												
2434	VAI (w026mcpp)											
2435												
2436	General Statistics											
2437	Number of Valid Observations				1		Number of Distinct Observations					1
2438												
2439												
2440	Warning: This data set only has 1 observations!											
2441	Data set is too small to compute reliable and meaningful statistics and estimates!											
2442	The data set for variable VAI (w026mcpp) was not processed!											
2443												
2444	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											

	A	B	C	D	E	F	G	H	I	J	K	L
2445	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
2446												
2447												
2448												
2449	VAI (w027aldrin)											
2450												
2451	General Statistics											
2452	Number of Valid Observations				3			Number of Distinct Observations				3
2453												
2454												
2455	Warning: This data set only has 3 observations!											
2456	Data set is too small to compute reliable and meaningful statistics and estimates!											
2457	The data set for variable VAI (w027aldrin) was not processed!											
2458												
2459	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
2460	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
2461												
2462												
2463												
2464	VAI (w027arsenic)											
2465												
2466	General Statistics											
2467	Number of Valid Observations				3			Number of Distinct Observations				3
2468												
2469												
2470	Warning: This data set only has 3 observations!											
2471	Data set is too small to compute reliable and meaningful statistics and estimates!											
2472	The data set for variable VAI (w027arsenic) was not processed!											
2473												
2474	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
2475	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
2476												
2477												
2478												
2479	VAI (w027arsenic_diss)											
2480												
2481	General Statistics											
2482	Number of Valid Data				3			Number of Detected Data				2
2483	Number of Distinct Detected Data				2			Number of Non-Detect Data				1
2484								Percent Non-Detects				33.33%
2485												
2486	Warning: This data set only has 3 observations!											
2487	Data set is too small to compute reliable and meaningful statistics and estimates!											
2488	The data set for variable VAI (w027arsenic_diss) was not processed!											
2489												
2490	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
2491	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
2492												
2493												
2494												
2495	VAI (w027benzo(a)anthracene)											
2496												

	A	B	C	D	E	F	G	H	I	J	K	L
2497							General Statistics					
2498				Number of Valid Observations		4			Number of Distinct Observations			4
2499												
2500												
2501						Warning: This data set only has 4 observations!						
2502						Data set is too small to compute reliable and meaningful statistics and estimates!						
2503						The data set for variable VAI (w027benzo(a)anthracene) was not processed!						
2504												
2505						It is suggested to collect at least 8 to 10 observations before using these statistical methods!						
2506						If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.						
2507												
2508												
2509												
2510	VAI (w027benzo(a)pyrene)											
2511												
2512							General Statistics					
2513				Number of Valid Observations		3			Number of Distinct Observations			3
2514												
2515												
2516						Warning: This data set only has 3 observations!						
2517						Data set is too small to compute reliable and meaningful statistics and estimates!						
2518						The data set for variable VAI (w027benzo(a)pyrene) was not processed!						
2519												
2520						It is suggested to collect at least 8 to 10 observations before using these statistical methods!						
2521						If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.						
2522												
2523												
2524												
2525	VAI (w027benzo(b)fluoranthene)											
2526												
2527							General Statistics					
2528				Number of Valid Observations		4			Number of Distinct Observations			4
2529												
2530												
2531						Warning: This data set only has 4 observations!						
2532						Data set is too small to compute reliable and meaningful statistics and estimates!						
2533						The data set for variable VAI (w027benzo(b)fluoranthene) was not processed!						
2534												
2535						It is suggested to collect at least 8 to 10 observations before using these statistical methods!						
2536						If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.						
2537												
2538												
2539												
2540	VAI (w027dibenzo(a,h)anthracene)											
2541												
2542							General Statistics					
2543					Number of Valid Data		4			Number of Detected Data		2
2544				Number of Distinct Detected Data		2			Number of Non-Detect Data		2
2545									Percent Non-Detects		50.00%
2546												
2547						Warning: This data set only has 4 observations!						
2548						Data set is too small to compute reliable and meaningful statistics and estimates!						

	A	B	C	D	E	F	G	H	I	J	K	L
2549	The data set for variable VAI (w027dibenzo(a,h)anthracene) was not processed!											
2550												
2551	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
2552	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
2553												
2554												
2555												
2556	VAI (w027indeno(1,2,3-cd)pyrene)											
2557												
2558	General Statistics											
2559	Number of Valid Observations				2			Number of Distinct Observations				2
2560												
2561												
2562	Warning: This data set only has 2 observations!											
2563	Data set is too small to compute reliable and meaningful statistics and estimates!											
2564	The data set for variable VAI (w027indeno(1,2,3-cd)pyrene) was not processed!											
2565												
2566	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
2567	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
2568												
2569												
2570												
2571	VAI (w027mcpp)											
2572												
2573	General Statistics											
2574	Number of Valid Data				3			Number of Detected Data				1
2575	Number of Distinct Detected Data				1			Number of Non-Detect Data				2
2576								Percent Non-Detects				66.67%
2577												
2578	Warning: This data set only has 3 observations!											
2579	Data set is too small to compute reliable and meaningful statistics and estimates!											
2580	The data set for variable VAI (w027mcpp) was not processed!											
2581												
2582	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
2583	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
2584												
2585												
2586												
2587	VAI (w028aldrin)											
2588												
2589	General Statistics											
2590	Number of Valid Data				2			Number of Detected Data				0
2591	Number of Distinct Detected Data				0			Number of Non-Detect Data				2
2592								Percent Non-Detects				100.00%
2593												
2594	Warning: This data set only has 2 observations!											
2595	Data set is too small to compute reliable and meaningful statistics and estimates!											
2596	The data set for variable VAI (w028aldrin) was not processed!											
2597												
2598	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
2599	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
2600												

VAI (w028arsenic)

General Statistics

Number of Valid Observations	2		Number of Distinct Observations	2

Warning: This data set only has 2 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w028arsenic) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w028arsenic_diss)

General Statistics

Number of Valid Data	2	Number of Detected Data	1
Number of Distinct Detected Data	1	Number of Non-Detect Data	1
		Percent Non-Detects	50.00%

Warning: This data set only has 2 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w028arsenic_diss) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w028benzo(a)anthracene)

General Statistics

Number of Valid Data	2	Number of Detected Data	0
Number of Distinct Detected Data	0	Number of Non-Detect Data	2
		Percent Non-Detects	100.00%

Warning: This data set only has 2 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w028benzo(a)anthracene) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w028benzo(a)pyrene)

General Statistics

	A	B	C	D	E	F	G	H	I	J	K	L
2653				Number of Valid Data		2				Number of Detected Data		0
2654			Number of Distinct Detected Data			0				Number of Non-Detect Data		2
2655										Percent Non-Detects		100.00%
2656												
2657					Warning: This data set only has 2 observations!							
2658				Data set is too small to compute reliable and meaningful statistics and estimates!								
2659				The data set for variable VAI (w028benzo(a)pyrene) was not processed!								
2660												
2661				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
2662				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
2663												
2664												
2665												
2666	VAI (w028benzo(b)fluoranthene)											
2667												
2668						General Statistics						
2669				Number of Valid Data		2				Number of Detected Data		0
2670			Number of Distinct Detected Data			0				Number of Non-Detect Data		2
2671										Percent Non-Detects		100.00%
2672												
2673					Warning: This data set only has 2 observations!							
2674				Data set is too small to compute reliable and meaningful statistics and estimates!								
2675				The data set for variable VAI (w028benzo(b)fluoranthene) was not processed!								
2676												
2677				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
2678				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
2679												
2680												
2681												
2682	VAI (w028dibenzo(a,h)anthracene)											
2683												
2684						General Statistics						
2685				Number of Valid Data		2				Number of Detected Data		0
2686			Number of Distinct Detected Data			0				Number of Non-Detect Data		2
2687										Percent Non-Detects		100.00%
2688												
2689					Warning: This data set only has 2 observations!							
2690				Data set is too small to compute reliable and meaningful statistics and estimates!								
2691				The data set for variable VAI (w028dibenzo(a,h)anthracene) was not processed!								
2692												
2693				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
2694				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
2695												
2696												
2697												
2698	VAI (w028indeno(1,2,3-cd)pyrene)											
2699												
2700						General Statistics						
2701				Number of Valid Data		2				Number of Detected Data		0
2702			Number of Distinct Detected Data			0				Number of Non-Detect Data		2
2703										Percent Non-Detects		100.00%
2704												

	A	B	C	D	E	F	G	H	I	J	K	L
2705	Warning: This data set only has 2 observations!											
2706	Data set is too small to compute reliable and meaningful statistics and estimates!											
2707	The data set for variable VAI (w028indeno(1,2,3-cd)pyrene) was not processed!											
2708												
2709	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
2710	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
2711												
2712												
2713												
2714	VAI (w028mcpp)											
2715												
2716	General Statistics											
2717				Number of Valid Data		2			Number of Detected Data			0
2718			Number of Distinct Detected Data			0			Number of Non-Detect Data			2
2719									Percent Non-Detects			100.00%
2720												
2721	Warning: This data set only has 2 observations!											
2722	Data set is too small to compute reliable and meaningful statistics and estimates!											
2723	The data set for variable VAI (w028mcpp) was not processed!											
2724												
2725	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
2726	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
2727												
2728												
2729												
2730	VAI (w029aldrin)											
2731												
2732	General Statistics											
2733				Number of Valid Data		2			Number of Detected Data			0
2734			Number of Distinct Detected Data			0			Number of Non-Detect Data			2
2735									Percent Non-Detects			100.00%
2736												
2737	Warning: This data set only has 2 observations!											
2738	Data set is too small to compute reliable and meaningful statistics and estimates!											
2739	The data set for variable VAI (w029aldrin) was not processed!											
2740												
2741	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
2742	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
2743												
2744												
2745												
2746	VAI (w029arsenic)											
2747												
2748	General Statistics											
2749			Number of Valid Observations			1			Number of Distinct Observations			1
2750												
2751												
2752	Warning: This data set only has 1 observations!											
2753	Data set is too small to compute reliable and meaningful statistics and estimates!											
2754	The data set for variable VAI (w029arsenic) was not processed!											
2755												
2756	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											

	A	B	C	D	E	F	G	H	I	J	K	L
2757	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
2758												
2759												
2760												
2761	VAI (w029arsenic_diss)											
2762												
2763	General Statistics											
2764	Number of Valid Observations					1		Number of Distinct Observations				1
2765												
2766												
2767	Warning: This data set only has 1 observations!											
2768	Data set is too small to compute reliable and meaningful statistics and estimates!											
2769	The data set for variable VAI (w029arsenic_diss) was not processed!											
2770												
2771	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
2772	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
2773												
2774												
2775												
2776	VAI (w029benzo(a)anthracene)											
2777												
2778	General Statistics											
2779	Number of Valid Data				2		Number of Detected Data					0
2780	Number of Distinct Detected Data				0		Number of Non-Detect Data					2
2781								Percent Non-Detects				100.00%
2782												
2783	Warning: This data set only has 2 observations!											
2784	Data set is too small to compute reliable and meaningful statistics and estimates!											
2785	The data set for variable VAI (w029benzo(a)anthracene) was not processed!											
2786												
2787	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
2788	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
2789												
2790												
2791												
2792	VAI (w029benzo(a)pyrene)											
2793												
2794	General Statistics											
2795	Number of Valid Data				2		Number of Detected Data					0
2796	Number of Distinct Detected Data				0		Number of Non-Detect Data					2
2797								Percent Non-Detects				100.00%
2798												
2799	Warning: This data set only has 2 observations!											
2800	Data set is too small to compute reliable and meaningful statistics and estimates!											
2801	The data set for variable VAI (w029benzo(a)pyrene) was not processed!											
2802												
2803	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
2804	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
2805												
2806												
2807												
2808	VAI (w029benzo(b)fluoranthene)											

	A	B	C	D	E	F	G	H	I	J	K	L
2809												
2810						General Statistics						
2811				Number of Valid Data		2				Number of Detected Data		0
2812			Number of Distinct Detected Data			0				Number of Non-Detect Data		2
2813										Percent Non-Detects		100.00%
2814												
2815					Warning: This data set only has 2 observations!							
2816				Data set is too small to compute reliable and meaningful statistics and estimates!								
2817				The data set for variable VAI (w029benzo(b)fluoranthene) was not processed!								
2818												
2819				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
2820				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
2821												
2822												
2823												
2824	VAI (w029dibenzo(a,h)anthracene)											
2825												
2826						General Statistics						
2827				Number of Valid Data		2				Number of Detected Data		0
2828			Number of Distinct Detected Data			0				Number of Non-Detect Data		2
2829										Percent Non-Detects		100.00%
2830												
2831					Warning: This data set only has 2 observations!							
2832				Data set is too small to compute reliable and meaningful statistics and estimates!								
2833				The data set for variable VAI (w029dibenzo(a,h)anthracene) was not processed!								
2834												
2835				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
2836				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
2837												
2838												
2839												
2840	VAI (w029indeno(1,2,3-cd)pyrene)											
2841												
2842						General Statistics						
2843				Number of Valid Data		2				Number of Detected Data		0
2844			Number of Distinct Detected Data			0				Number of Non-Detect Data		2
2845										Percent Non-Detects		100.00%
2846												
2847					Warning: This data set only has 2 observations!							
2848				Data set is too small to compute reliable and meaningful statistics and estimates!								
2849				The data set for variable VAI (w029indeno(1,2,3-cd)pyrene) was not processed!								
2850												
2851				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
2852				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
2853												
2854												
2855												
2856	VAI (w029mcpp)											
2857												
2858						General Statistics						
2859				Number of Valid Data		2				Number of Detected Data		0
2860			Number of Distinct Detected Data			0				Number of Non-Detect Data		2

	A	B	C	D	E	F	G	H	I	J	K	L
2861										Percent Non-Detects		100.00%
2862												
2863					Warning: This data set only has 2 observations!							
2864					Data set is too small to compute reliable and meaningful statistics and estimates!							
2865					The data set for variable VAI (w029mcpp) was not processed!							
2866												
2867					It is suggested to collect at least 8 to 10 observations before using these statistical methods!							
2868					If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.							
2869												
2870												
2871												
2872	VAI (w030aldrin)											
2873												
2874							General Statistics					
2875				Number of Valid Data			2			Number of Detected Data		1
2876				Number of Distinct Detected Data			1			Number of Non-Detect Data		1
2877										Percent Non-Detects		50.00%
2878												
2879					Warning: This data set only has 2 observations!							
2880					Data set is too small to compute reliable and meaningful statistics and estimates!							
2881					The data set for variable VAI (w030aldrin) was not processed!							
2882												
2883					It is suggested to collect at least 8 to 10 observations before using these statistical methods!							
2884					If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.							
2885												
2886												
2887												
2888	VAI (w030arsenic)											
2889												
2890							General Statistics					
2891				Number of Valid Observations	2					Number of Distinct Observations	2	
2892												
2893												
2894					Warning: This data set only has 2 observations!							
2895					Data set is too small to compute reliable and meaningful statistics and estimates!							
2896					The data set for variable VAI (w030arsenic) was not processed!							
2897												
2898					It is suggested to collect at least 8 to 10 observations before using these statistical methods!							
2899					If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.							
2900												
2901												
2902												
2903	VAI (w030arsenic_diss)											
2904												
2905							General Statistics					
2906				Number of Valid Data			2			Number of Detected Data		1
2907				Number of Distinct Detected Data			1			Number of Non-Detect Data		1
2908										Percent Non-Detects		50.00%
2909												
2910					Warning: This data set only has 2 observations!							
2911					Data set is too small to compute reliable and meaningful statistics and estimates!							
2912					The data set for variable VAI (w030arsenic_diss) was not processed!							

	A	B	C	D	E	F	G	H	I	J	K	L
2913												
2914			It is suggested to collect at least 8 to 10 observations before using these statistical methods!									
2915			If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
2916												
2917												
2918												
2919	VAI (w030benzo(a)anthracene)											
2920												
2921						General Statistics						
2922				Number of Valid Data		2			Number of Detected Data			0
2923			Number of Distinct Detected Data			0			Number of Non-Detect Data			2
2924									Percent Non-Detects			100.00%
2925												
2926						Warning: This data set only has 2 observations!						
2927			Data set is too small to compute reliable and meaningful statistics and estimates!									
2928			The data set for variable VAI (w030benzo(a)anthracene) was not processed!									
2929												
2930			It is suggested to collect at least 8 to 10 observations before using these statistical methods!									
2931			If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
2932												
2933												
2934												
2935	VAI (w030benzo(a)pyrene)											
2936												
2937						General Statistics						
2938				Number of Valid Data		2			Number of Detected Data			0
2939			Number of Distinct Detected Data			0			Number of Non-Detect Data			2
2940									Percent Non-Detects			100.00%
2941												
2942						Warning: This data set only has 2 observations!						
2943			Data set is too small to compute reliable and meaningful statistics and estimates!									
2944			The data set for variable VAI (w030benzo(a)pyrene) was not processed!									
2945												
2946			It is suggested to collect at least 8 to 10 observations before using these statistical methods!									
2947			If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
2948												
2949												
2950												
2951	VAI (w030benzo(b)fluoranthene)											
2952												
2953						General Statistics						
2954				Number of Valid Data		2			Number of Detected Data			0
2955			Number of Distinct Detected Data			0			Number of Non-Detect Data			2
2956									Percent Non-Detects			100.00%
2957												
2958						Warning: This data set only has 2 observations!						
2959			Data set is too small to compute reliable and meaningful statistics and estimates!									
2960			The data set for variable VAI (w030benzo(b)fluoranthene) was not processed!									
2961												
2962			It is suggested to collect at least 8 to 10 observations before using these statistical methods!									
2963			If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
2964												

VAI (w030dibenzo(a,h)anthracene)

General Statistics

Number of Valid Data	2	Number of Detected Data	0
Number of Distinct Detected Data	0	Number of Non-Detect Data	2
		Percent Non-Detects	100.00%

Warning: This data set only has 2 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w030dibenzo(a,h)anthracene) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w030indeno(1,2,3-cd)pyrene)

General Statistics

Number of Valid Data	2	Number of Detected Data	0
Number of Distinct Detected Data	0	Number of Non-Detect Data	2
		Percent Non-Detects	100.00%

Warning: This data set only has 2 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w030indeno(1,2,3-cd)pyrene) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w030mcpp)

General Statistics

Number of Valid Data	2	Number of Detected Data	0
Number of Distinct Detected Data	0	Number of Non-Detect Data	2
		Percent Non-Detects	100.00%

Warning: This data set only has 2 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w030mcpp) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w031aldrin)

	A	B	C	D	E	F	G	H	I	J	K	L
3017						General Statistics						
3018				Number of Valid Observations		2			Number of Distinct Observations			2
3019												
3020												
3021						Warning: This data set only has 2 observations!						
3022						Data set is too small to compute reliable and meaningful statistics and estimates!						
3023						The data set for variable VAI (w031aldrin) was not processed!						
3024												
3025						It is suggested to collect at least 8 to 10 observations before using these statistical methods!						
3026						If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.						
3027												
3028												
3029												
3030	VAI (w031arsenic)											
3031												
3032						General Statistics						
3033				Number of Valid Observations		2			Number of Distinct Observations			2
3034												
3035												
3036						Warning: This data set only has 2 observations!						
3037						Data set is too small to compute reliable and meaningful statistics and estimates!						
3038						The data set for variable VAI (w031arsenic) was not processed!						
3039												
3040						It is suggested to collect at least 8 to 10 observations before using these statistical methods!						
3041						If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.						
3042												
3043												
3044												
3045	VAI (w031arsenic_diss)											
3046												
3047						General Statistics						
3048				Number of Valid Data		2			Number of Detected Data			1
3049				Number of Distinct Detected Data		1			Number of Non-Detect Data			1
3050									Percent Non-Detects			50.00%
3051												
3052						Warning: This data set only has 2 observations!						
3053						Data set is too small to compute reliable and meaningful statistics and estimates!						
3054						The data set for variable VAI (w031arsenic_diss) was not processed!						
3055												
3056						It is suggested to collect at least 8 to 10 observations before using these statistical methods!						
3057						If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.						
3058												
3059												
3060												
3061	VAI (w031benzo(a)anthracene)											
3062												
3063						General Statistics						
3064				Number of Valid Data		2			Number of Detected Data			1
3065				Number of Distinct Detected Data		1			Number of Non-Detect Data			1
3066									Percent Non-Detects			50.00%
3067												
3068						Warning: This data set only has 2 observations!						

	A	B	C	D	E	F	G	H	I	J	K	L
3069	Data set is too small to compute reliable and meaningful statistics and estimates!											
3070	The data set for variable VAI (w031benzo(a)anthracene) was not processed!											
3071												
3072	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3073	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3074												
3075												
3076												
3077	VAI (w031benzo(a)pyrene)											
3078												
3079	General Statistics											
3080	Number of Valid Data				2		Number of Detected Data					1
3081	Number of Distinct Detected Data				1		Number of Non-Detect Data					1
3082							Percent Non-Detects					50.00%
3083												
3084	Warning: This data set only has 2 observations!											
3085	Data set is too small to compute reliable and meaningful statistics and estimates!											
3086	The data set for variable VAI (w031benzo(a)pyrene) was not processed!											
3087												
3088	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3089	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3090												
3091												
3092												
3093	VAI (w031benzo(b)fluoranthene)											
3094												
3095	General Statistics											
3096	Number of Valid Data				2		Number of Detected Data					1
3097	Number of Distinct Detected Data				1		Number of Non-Detect Data					1
3098							Percent Non-Detects					50.00%
3099												
3100	Warning: This data set only has 2 observations!											
3101	Data set is too small to compute reliable and meaningful statistics and estimates!											
3102	The data set for variable VAI (w031benzo(b)fluoranthene) was not processed!											
3103												
3104	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3105	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3106												
3107												
3108												
3109	VAI (w031dibenzo(a,h)anthracene)											
3110												
3111	General Statistics											
3112	Number of Valid Data				2		Number of Detected Data					1
3113	Number of Distinct Detected Data				1		Number of Non-Detect Data					1
3114							Percent Non-Detects					50.00%
3115												
3116	Warning: This data set only has 2 observations!											
3117	Data set is too small to compute reliable and meaningful statistics and estimates!											
3118	The data set for variable VAI (w031dibenzo(a,h)anthracene) was not processed!											
3119												
3120	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											

	A	B	C	D	E	F	G	H	I	J	K	L
3121	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3122												
3123												
3124												
3125	VAI (w031indeno(1,2,3-cd)pyrene)											
3126												
3127	General Statistics											
3128	Number of Valid Data				2		Number of Detected Data					1
3129	Number of Distinct Detected Data				1		Number of Non-Detect Data					1
3130							Percent Non-Detects					50.00%
3131												
3132	Warning: This data set only has 2 observations!											
3133	Data set is too small to compute reliable and meaningful statistics and estimates!											
3134	The data set for variable VAI (w031indeno(1,2,3-cd)pyrene) was not processed!											
3135												
3136	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3137	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3138												
3139												
3140												
3141	VAI (w031mcpp)											
3142												
3143	General Statistics											
3144	Number of Valid Data				2		Number of Detected Data					0
3145	Number of Distinct Detected Data				0		Number of Non-Detect Data					2
3146							Percent Non-Detects					100.00%
3147												
3148	Warning: This data set only has 2 observations!											
3149	Data set is too small to compute reliable and meaningful statistics and estimates!											
3150	The data set for variable VAI (w031mcpp) was not processed!											
3151												
3152	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3153	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3154												
3155												
3156												
3157	VAI (w032aldrin)											
3158												
3159	General Statistics											
3160	Number of Valid Observations				2		Number of Distinct Observations				2	
3161												
3162												
3163	Warning: This data set only has 2 observations!											
3164	Data set is too small to compute reliable and meaningful statistics and estimates!											
3165	The data set for variable VAI (w032aldrin) was not processed!											
3166												
3167	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3168	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3169												
3170												
3171												
3172	VAI (w032arsenic)											

	A	B	C	D	E	F	G	H	I	J	K	L
3173												
3174					General Statistics							
3175				Number of Valid Observations		2				Number of Distinct Observations		2
3176												
3177												
3178					Warning: This data set only has 2 observations!							
3179				Data set is too small to compute reliable and meaningful statistics and estimates!								
3180				The data set for variable VAI (w032arsenic) was not processed!								
3181												
3182				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
3183				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
3184												
3185												
3186												
3187	VAI (w032arsenic_diss)											
3188												
3189					General Statistics							
3190				Number of Valid Observations		2				Number of Distinct Observations		2
3191												
3192												
3193					Warning: This data set only has 2 observations!							
3194				Data set is too small to compute reliable and meaningful statistics and estimates!								
3195				The data set for variable VAI (w032arsenic_diss) was not processed!								
3196												
3197				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
3198				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
3199												
3200												
3201												
3202	VAI (w032benzo(a)anthracene)											
3203												
3204					General Statistics							
3205				Number of Valid Observations		1				Number of Distinct Observations		1
3206												
3207												
3208					Warning: This data set only has 1 observations!							
3209				Data set is too small to compute reliable and meaningful statistics and estimates!								
3210				The data set for variable VAI (w032benzo(a)anthracene) was not processed!								
3211												
3212				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
3213				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
3214												
3215												
3216												
3217	VAI (w032benzo(a)pyrene)											
3218												
3219					General Statistics							
3220				Number of Valid Observations		2				Number of Distinct Observations		2
3221												
3222												
3223					Warning: This data set only has 2 observations!							
3224				Data set is too small to compute reliable and meaningful statistics and estimates!								

	A	B	C	D	E	F	G	H	I	J	K	L
3225	The data set for variable VAI (w032benzo(a)pyrene) was not processed!											
3226												
3227	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3228	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3229												
3230												
3231												
3232	VAI (w032benzo(b)fluoranthene)											
3233												
3234	General Statistics											
3235	Number of Valid Observations				2				Number of Distinct Observations			2
3236												
3237												
3238	Warning: This data set only has 2 observations!											
3239	Data set is too small to compute reliable and meaningful statistics and estimates!											
3240	The data set for variable VAI (w032benzo(b)fluoranthene) was not processed!											
3241												
3242	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3243	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3244												
3245												
3246												
3247	VAI (w032dibenzo(a,h)anthracene)											
3248												
3249	General Statistics											
3250	Number of Valid Observations				2				Number of Distinct Observations			2
3251												
3252												
3253	Warning: This data set only has 2 observations!											
3254	Data set is too small to compute reliable and meaningful statistics and estimates!											
3255	The data set for variable VAI (w032dibenzo(a,h)anthracene) was not processed!											
3256												
3257	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3258	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3259												
3260												
3261												
3262	VAI (w032indeno(1,2,3-cd)pyrene)											
3263												
3264	General Statistics											
3265	Number of Valid Observations				1				Number of Distinct Observations			1
3266												
3267												
3268	Warning: This data set only has 1 observations!											
3269	Data set is too small to compute reliable and meaningful statistics and estimates!											
3270	The data set for variable VAI (w032indeno(1,2,3-cd)pyrene) was not processed!											
3271												
3272	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3273	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3274												
3275												
3276												

VAI (w032mcpp)

General Statistics

Number of Valid Data				2		Number of Detected Data					0
Number of Distinct Detected Data				0		Number of Non-Detect Data					2
						Percent Non-Detects					100.00%

Warning: This data set only has 2 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w032mcpp) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w033aldrin)

General Statistics

Number of Valid Observations			3			Number of Distinct Observations			3		

Warning: This data set only has 3 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w033aldrin) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w033arsenic)

General Statistics

Number of Valid Observations			2			Number of Distinct Observations			2		

Warning: This data set only has 2 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w033arsenic) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w033arsenic_diss)

General Statistics

Number of Valid Observations			2			Number of Distinct Observations			2		

	A	B	C	D	E	F	G	H	I	J	K	L
3329	Warning: This data set only has 2 observations!											
3330	Data set is too small to compute reliable and meaningful statistics and estimates!											
3331	The data set for variable VAI (w033arsenic_diss) was not processed!											
3332												
3333	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3334	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3335												
3336												
3337												
3338	VAI (w033benzo(a)anthracene)											
3339												
3340	General Statistics											
3341	Number of Valid Observations				4				Number of Distinct Observations			4
3342												
3343												
3344	Warning: This data set only has 4 observations!											
3345	Data set is too small to compute reliable and meaningful statistics and estimates!											
3346	The data set for variable VAI (w033benzo(a)anthracene) was not processed!											
3347												
3348	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3349	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3350												
3351												
3352												
3353	VAI (w033benzo(a)pyrene)											
3354												
3355	General Statistics											
3356	Number of Valid Observations				4				Number of Distinct Observations			4
3357												
3358												
3359	Warning: This data set only has 4 observations!											
3360	Data set is too small to compute reliable and meaningful statistics and estimates!											
3361	The data set for variable VAI (w033benzo(a)pyrene) was not processed!											
3362												
3363	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3364	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3365												
3366												
3367												
3368	VAI (w033benzo(b)fluoranthene)											
3369												
3370	General Statistics											
3371	Number of Valid Observations				3				Number of Distinct Observations			3
3372												
3373												
3374	Warning: This data set only has 3 observations!											
3375	Data set is too small to compute reliable and meaningful statistics and estimates!											
3376	The data set for variable VAI (w033benzo(b)fluoranthene) was not processed!											
3377												
3378	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3379	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3380												

VAI (w033chromium hexavalent)

	General Statistics				
Number of Valid Data	4		Number of Detected Data	2
Number of Distinct Detected Data	2		Number of Non-Detect Data	2
			Percent Non-Detects	50.00%

Warning: This data set only has 4 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w033chromium hexavalent) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w033dibenzo(a,h)anthracene)

	General Statistics				
Number of Valid Data	3		Number of Detected Data	2
Number of Distinct Detected Data	2		Number of Non-Detect Data	1
			Percent Non-Detects	33.33%

Warning: This data set only has 3 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w033dibenzo(a,h)anthracene) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w033indeno(1,2,3-cd)pyrene)

	General Statistics			
Number of Valid Observations	3		Number of Distinct Observations	3

Warning: This data set only has 3 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w033indeno(1,2,3-cd)pyrene) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w033mcpp)

	General Statistics

	A	B	C	D	E	F	G	H	I	J	K	L
3433				Number of Valid Observations		1				Number of Distinct Observations		1
3434												
3435												
3436					Warning: This data set only has 1 observations!							
3437				Data set is too small to compute reliable and meaningful statistics and estimates!								
3438				The data set for variable VAI (w033mcpp) was not processed!								
3439												
3440			It is suggested to collect at least 8 to 10 observations before using these statistical methods!									
3441			If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
3442												
3443												
3444												
3445	VAI (w034aldrin)											
3446												
3447					General Statistics							
3448				Number of Valid Observations		1				Number of Distinct Observations		1
3449												
3450												
3451					Warning: This data set only has 1 observations!							
3452				Data set is too small to compute reliable and meaningful statistics and estimates!								
3453				The data set for variable VAI (w034aldrin) was not processed!								
3454												
3455			It is suggested to collect at least 8 to 10 observations before using these statistical methods!									
3456			If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
3457												
3458												
3459												
3460	VAI (w034arsenic)											
3461												
3462					General Statistics							
3463				Number of Valid Observations		2				Number of Distinct Observations		2
3464												
3465												
3466					Warning: This data set only has 2 observations!							
3467				Data set is too small to compute reliable and meaningful statistics and estimates!								
3468				The data set for variable VAI (w034arsenic) was not processed!								
3469												
3470			It is suggested to collect at least 8 to 10 observations before using these statistical methods!									
3471			If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
3472												
3473												
3474												
3475	VAI (w034arsenic_diss)											
3476												
3477					General Statistics							
3478				Number of Valid Observations		2				Number of Distinct Observations		2
3479												
3480												
3481					Warning: This data set only has 2 observations!							
3482				Data set is too small to compute reliable and meaningful statistics and estimates!								
3483				The data set for variable VAI (w034arsenic_diss) was not processed!								
3484												

	A	B	C	D	E	F	G	H	I	J	K	L
3485	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3486	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3487												
3488												
3489												
3490	VAI (w034benzo(a)anthracene)											
3491												
3492	General Statistics											
3493	Number of Valid Data				2		Number of Detected Data					0
3494	Number of Distinct Detected Data				0		Number of Non-Detect Data					2
3495							Percent Non-Detects					100.00%
3496												
3497	Warning: This data set only has 2 observations!											
3498	Data set is too small to compute reliable and meaningful statistics and estimates!											
3499	The data set for variable VAI (w034benzo(a)anthracene) was not processed!											
3500												
3501	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3502	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3503												
3504												
3505												
3506	VAI (w034benzo(a)pyrene)											
3507												
3508	General Statistics											
3509	Number of Valid Data				2		Number of Detected Data					0
3510	Number of Distinct Detected Data				0		Number of Non-Detect Data					2
3511							Percent Non-Detects					100.00%
3512												
3513	Warning: This data set only has 2 observations!											
3514	Data set is too small to compute reliable and meaningful statistics and estimates!											
3515	The data set for variable VAI (w034benzo(a)pyrene) was not processed!											
3516												
3517	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3518	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3519												
3520												
3521												
3522	VAI (w034benzo(b)fluoranthene)											
3523												
3524	General Statistics											
3525	Number of Valid Data				2		Number of Detected Data					0
3526	Number of Distinct Detected Data				0		Number of Non-Detect Data					2
3527							Percent Non-Detects					100.00%
3528												
3529	Warning: This data set only has 2 observations!											
3530	Data set is too small to compute reliable and meaningful statistics and estimates!											
3531	The data set for variable VAI (w034benzo(b)fluoranthene) was not processed!											
3532												
3533	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3534	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3535												
3536												

VAI (w034dibenzo(a,h)anthracene)

General Statistics

	Number of Valid Data	2		Number of Detected Data	0
	Number of Distinct Detected Data	0		Number of Non-Detect Data	2
				Percent Non-Detects	100.00%

Warning: This data set only has 2 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w034dibenzo(a,h)anthracene) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w034indeno(1,2,3-cd)pyrene)

General Statistics

	Number of Valid Data	2		Number of Detected Data	0
	Number of Distinct Detected Data	0		Number of Non-Detect Data	2
				Percent Non-Detects	100.00%

Warning: This data set only has 2 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w034indeno(1,2,3-cd)pyrene) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w034mcpp)

General Statistics

	Number of Valid Data	2		Number of Detected Data	0
	Number of Distinct Detected Data	0		Number of Non-Detect Data	2
				Percent Non-Detects	100.00%

Warning: This data set only has 2 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w034mcpp) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w035aldrin)

General Statistics

	A	B	C	D	E	F	G	H	I	J	K	L
3589				Number of Valid Observations		2				Number of Distinct Observations		2
3590												
3591												
3592					Warning: This data set only has 2 observations!							
3593				Data set is too small to compute reliable and meaningful statistics and estimates!								
3594				The data set for variable VAI (w035aldrin) was not processed!								
3595												
3596				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
3597				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
3598												
3599												
3600												
3601	VAI (w035arsenic)											
3602												
3603					General Statistics							
3604				Number of Valid Observations		2				Number of Distinct Observations		2
3605												
3606												
3607					Warning: This data set only has 2 observations!							
3608				Data set is too small to compute reliable and meaningful statistics and estimates!								
3609				The data set for variable VAI (w035arsenic) was not processed!								
3610												
3611				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
3612				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
3613												
3614												
3615												
3616	VAI (w035arsenic_diss)											
3617												
3618					General Statistics							
3619				Number of Valid Data		2				Number of Detected Data		1
3620				Number of Distinct Detected Data		1				Number of Non-Detect Data		1
3621										Percent Non-Detects		50.00%
3622												
3623					Warning: This data set only has 2 observations!							
3624				Data set is too small to compute reliable and meaningful statistics and estimates!								
3625				The data set for variable VAI (w035arsenic_diss) was not processed!								
3626												
3627				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
3628				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
3629												
3630												
3631												
3632	VAI (w035benzo(a)anthracene)											
3633												
3634					General Statistics							
3635				Number of Valid Data		4				Number of Detected Data		3
3636				Number of Distinct Detected Data		3				Number of Non-Detect Data		1
3637										Percent Non-Detects		25.00%
3638												
3639					Warning: This data set only has 4 observations!							
3640				Data set is too small to compute reliable and meaningful statistics and estimates!								

	A	B	C	D	E	F	G	H	I	J	K	L
3641	The data set for variable VAI (w035benzo(a)anthracene) was not processed!											
3642												
3643	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3644	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3645												
3646												
3647												
3648	VAI (w035benzo(a)pyrene)											
3649												
3650	General Statistics											
3651	Number of Valid Data					2		Number of Detected Data				1
3652	Number of Distinct Detected Data					1		Number of Non-Detect Data				1
3653								Percent Non-Detects				50.00%
3654												
3655	Warning: This data set only has 2 observations!											
3656	Data set is too small to compute reliable and meaningful statistics and estimates!											
3657	The data set for variable VAI (w035benzo(a)pyrene) was not processed!											
3658												
3659	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3660	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3661												
3662												
3663												
3664	VAI (w035benzo(b)fluoranthene)											
3665												
3666	General Statistics											
3667	Number of Valid Observations				2			Number of Distinct Observations			2	
3668												
3669												
3670	Warning: This data set only has 2 observations!											
3671	Data set is too small to compute reliable and meaningful statistics and estimates!											
3672	The data set for variable VAI (w035benzo(b)fluoranthene) was not processed!											
3673												
3674	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3675	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3676												
3677												
3678												
3679	VAI (w035dibenzo(a,h)anthracene)											
3680												
3681	General Statistics											
3682	Number of Valid Data					2		Number of Detected Data				1
3683	Number of Distinct Detected Data					1		Number of Non-Detect Data				1
3684								Percent Non-Detects				50.00%
3685												
3686	Warning: This data set only has 2 observations!											
3687	Data set is too small to compute reliable and meaningful statistics and estimates!											
3688	The data set for variable VAI (w035dibenzo(a,h)anthracene) was not processed!											
3689												
3690	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3691	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3692												

VAI (w035indeno(1,2,3-cd)pyrene)

General Statistics

Number of Valid Observations	2	Number of Distinct Observations 2

Warning: This data set only has 2 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w035indeno(1,2,3-cd)pyrene) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w035mcpp)

General Statistics

Number of Valid Data	2	Number of Detected Data	1
Number of Distinct Detected Data	1	Number of Non-Detect Data	1
		Percent Non-Detects	50.00%

Warning: This data set only has 2 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w035mcpp) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w036aldrin)

General Statistics

Number of Valid Data	3	Number of Detected Data	0
Number of Distinct Detected Data	0	Number of Non-Detect Data	3
		Percent Non-Detects	100.00%

Warning: This data set only has 3 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w036aldrin) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w036arsenic)

General Statistics

	A	B	C	D	E	F	G	H	I	J	K	L
3745				Number of Valid Observations		2			Number of Distinct Observations			2
3746												
3747												
3748				Warning: This data set only has 2 observations!								
3749				Data set is too small to compute reliable and meaningful statistics and estimates!								
3750				The data set for variable VAI (w036arsenic) was not processed!								
3751												
3752				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
3753				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
3754												
3755												
3756												
3757	VAI (w036arsenic_diss)											
3758												
3759						General Statistics						
3760				Number of Valid Data		2			Number of Detected Data			1
3761			Number of Distinct Detected Data			1			Number of Non-Detect Data			1
3762									Percent Non-Detects			50.00%
3763												
3764				Warning: This data set only has 2 observations!								
3765				Data set is too small to compute reliable and meaningful statistics and estimates!								
3766				The data set for variable VAI (w036arsenic_diss) was not processed!								
3767												
3768				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
3769				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
3770												
3771												
3772												
3773	VAI (w036benzo(a)anthracene)											
3774												
3775						General Statistics						
3776				Number of Valid Data		2			Number of Detected Data			0
3777			Number of Distinct Detected Data			0			Number of Non-Detect Data			2
3778									Percent Non-Detects			100.00%
3779												
3780				Warning: This data set only has 2 observations!								
3781				Data set is too small to compute reliable and meaningful statistics and estimates!								
3782				The data set for variable VAI (w036benzo(a)anthracene) was not processed!								
3783												
3784				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
3785				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
3786												
3787												
3788												
3789	VAI (w036benzo(a)pyrene)											
3790												
3791						General Statistics						
3792				Number of Valid Data		2			Number of Detected Data			0
3793			Number of Distinct Detected Data			0			Number of Non-Detect Data			2
3794									Percent Non-Detects			100.00%
3795												
3796				Warning: This data set only has 2 observations!								

	A	B	C	D	E	F	G	H	I	J	K	L
3797	Data set is too small to compute reliable and meaningful statistics and estimates!											
3798	The data set for variable VAI (w036benzo(a)pyrene) was not processed!											
3799												
3800	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3801	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3802												
3803												
3804												
3805	VAI (w036benzo(b)fluoranthene)											
3806												
3807	General Statistics											
3808	Number of Valid Data				2			Number of Detected Data				0
3809	Number of Distinct Detected Data				0			Number of Non-Detect Data				2
3810								Percent Non-Detects				100.00%
3811												
3812	Warning: This data set only has 2 observations!											
3813	Data set is too small to compute reliable and meaningful statistics and estimates!											
3814	The data set for variable VAI (w036benzo(b)fluoranthene) was not processed!											
3815												
3816	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3817	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3818												
3819												
3820												
3821	VAI (w036dibenzo(a,h)anthracene)											
3822												
3823	General Statistics											
3824	Number of Valid Data				2			Number of Detected Data				0
3825	Number of Distinct Detected Data				0			Number of Non-Detect Data				2
3826								Percent Non-Detects				100.00%
3827												
3828	Warning: This data set only has 2 observations!											
3829	Data set is too small to compute reliable and meaningful statistics and estimates!											
3830	The data set for variable VAI (w036dibenzo(a,h)anthracene) was not processed!											
3831												
3832	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3833	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3834												
3835												
3836												
3837	VAI (w036indeno(1,2,3-cd)pyrene)											
3838												
3839	General Statistics											
3840	Number of Valid Observations				1			Number of Distinct Observations				1
3841												
3842												
3843	Warning: This data set only has 1 observations!											
3844	Data set is too small to compute reliable and meaningful statistics and estimates!											
3845	The data set for variable VAI (w036indeno(1,2,3-cd)pyrene) was not processed!											
3846												
3847	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3848	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											

VAI (w036mcpp)

General Statistics

Number of Valid Data	2		Number of Detected Data	0
Number of Distinct Detected Data	0		Number of Non-Detect Data	2
			Percent Non-Detects	100.00%

Warning: This data set only has 2 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w036mcpp) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w037aldrin)

General Statistics

Number of Valid Data	2		Number of Detected Data	0
Number of Distinct Detected Data	0		Number of Non-Detect Data	2
			Percent Non-Detects	100.00%

Warning: This data set only has 2 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w037aldrin) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w037arsenic)

General Statistics

Number of Valid Observations	2		Number of Distinct Observations	2

Warning: This data set only has 2 observations!

Data set is too small to compute reliable and meaningful statistics and estimates!

The data set for variable VAI (w037arsenic) was not processed!

It is suggested to collect at least 8 to 10 observations before using these statistical methods!

If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

VAI (w037arsenic_diss)

	A	B	C	D	E	F	G	H	I	J	K	L

3901 General Statistics

3902 Number of Valid Observations 2 | Number of Distinct Observations 2

3903

3904

3905 Warning: This data set only has 2 observations!

3906 Data set is too small to compute reliable and meaningful statistics and estimates!

3907 The data set for variable VAI (w037arsenic_diss) was not processed!

3908

3909 It is suggested to collect at least 8 to 10 observations before using these statistical methods!

3910 If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

3911

3912

3913

3914 VAI (w037benzo(a)anthracene)

3915

3916 General Statistics

3917 Number of Valid Data 2 | Number of Detected Data 0

3918 Number of Distinct Detected Data 0 | Number of Non-Detect Data 2

3919 Percent Non-Detects 100.00%

3920

3921 Warning: This data set only has 2 observations!

3922 Data set is too small to compute reliable and meaningful statistics and estimates!

3923 The data set for variable VAI (w037benzo(a)anthracene) was not processed!

3924

3925 It is suggested to collect at least 8 to 10 observations before using these statistical methods!

3926 If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

3927

3928

3929

3930 VAI (w037benzo(a)pyrene)

3931

3932 General Statistics

3933 Number of Valid Data 2 | Number of Detected Data 0

3934 Number of Distinct Detected Data 0 | Number of Non-Detect Data 2

3935 Percent Non-Detects 100.00%

3936

3937 Warning: This data set only has 2 observations!

3938 Data set is too small to compute reliable and meaningful statistics and estimates!

3939 The data set for variable VAI (w037benzo(a)pyrene) was not processed!

3940

3941 It is suggested to collect at least 8 to 10 observations before using these statistical methods!

3942 If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

3943

3944

3945

3946 VAI (w037benzo(b)fluoranthene)

3947

3948 General Statistics

3949 Number of Valid Data 2 | Number of Detected Data 0

3950 Number of Distinct Detected Data 0 | Number of Non-Detect Data 2

3951 Percent Non-Detects 100.00%

3952

	A	B	C	D	E	F	G	H	I	J	K	L
3953	Warning: This data set only has 2 observations!											
3954	Data set is too small to compute reliable and meaningful statistics and estimates!											
3955	The data set for variable VAI (w037benzo(b)fluoranthene) was not processed!											
3956												
3957	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3958	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3959												
3960												
3961												
3962	VAI (w037dibenzo(a,h)anthracene)											
3963												
3964	General Statistics											
3965	Number of Valid Data				2		Number of Detected Data					0
3966	Number of Distinct Detected Data				0		Number of Non-Detect Data					2
3967							Percent Non-Detects					100.00%
3968												
3969	Warning: This data set only has 2 observations!											
3970	Data set is too small to compute reliable and meaningful statistics and estimates!											
3971	The data set for variable VAI (w037dibenzo(a,h)anthracene) was not processed!											
3972												
3973	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3974	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3975												
3976												
3977												
3978	VAI (w037indeno(1,2,3-cd)pyrene)											
3979												
3980	General Statistics											
3981	Number of Valid Data				2		Number of Detected Data					0
3982	Number of Distinct Detected Data				0		Number of Non-Detect Data					2
3983							Percent Non-Detects					100.00%
3984												
3985	Warning: This data set only has 2 observations!											
3986	Data set is too small to compute reliable and meaningful statistics and estimates!											
3987	The data set for variable VAI (w037indeno(1,2,3-cd)pyrene) was not processed!											
3988												
3989	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
3990	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
3991												
3992												
3993												
3994	VAI (w037mcpp)											
3995												
3996	General Statistics											
3997	Number of Valid Data				2		Number of Detected Data					0
3998	Number of Distinct Detected Data				0		Number of Non-Detect Data					2
3999							Percent Non-Detects					100.00%
4000												
4001	Warning: This data set only has 2 observations!											
4002	Data set is too small to compute reliable and meaningful statistics and estimates!											
4003	The data set for variable VAI (w037mcpp) was not processed!											
4004												

	A	B	C	D	E	F	G	H	I	J	K	L
4005	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
4006	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
4007												
4008												
4009												
4010	VAI (w038aldrin)											
4011												
4012	General Statistics											
4013	Number of Valid Data				2			Number of Detected Data				0
4014	Number of Distinct Detected Data				0			Number of Non-Detect Data				2
4015								Percent Non-Detects				100.00%
4016												
4017	Warning: This data set only has 2 observations!											
4018	Data set is too small to compute reliable and meaningful statistics and estimates!											
4019	The data set for variable VAI (w038aldrin) was not processed!											
4020												
4021	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
4022	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
4023												
4024												
4025												
4026	VAI (w038arsenic)											
4027												
4028	General Statistics											
4029	Number of Valid Observations			2				Number of Distinct Observations		2		
4030												
4031												
4032	Warning: This data set only has 2 observations!											
4033	Data set is too small to compute reliable and meaningful statistics and estimates!											
4034	The data set for variable VAI (w038arsenic) was not processed!											
4035												
4036	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
4037	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
4038												
4039												
4040												
4041	VAI (w038arsenic_diss)											
4042												
4043	General Statistics											
4044	Number of Valid Observations			2				Number of Distinct Observations		2		
4045												
4046												
4047	Warning: This data set only has 2 observations!											
4048	Data set is too small to compute reliable and meaningful statistics and estimates!											
4049	The data set for variable VAI (w038arsenic_diss) was not processed!											
4050												
4051	It is suggested to collect at least 8 to 10 observations before using these statistical methods!											
4052	If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
4053												
4054												
4055												
4056	VAI (w038benzo(a)anthracene)											

	A	B	C	D	E	F	G	H	I	J	K	L
4057												
4058						General Statistics						
4059				Number of Valid Data		2			Number of Detected Data			0
4060			Number of Distinct Detected Data			0			Number of Non-Detect Data			2
4061									Percent Non-Detects			100.00%
4062												
4063						Warning: This data set only has 2 observations!						
4064					Data set is too small to compute reliable and meaningful statistics and estimates!							
4065					The data set for variable VAI (w038benzo(a)anthracene) was not processed!							
4066												
4067					It is suggested to collect at least 8 to 10 observations before using these statistical methods!							
4068					If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.							
4069												
4070												
4071												
4072	VAI (w038benzo(a)pyrene)											
4073												
4074						General Statistics						
4075				Number of Valid Data		2			Number of Detected Data			0
4076			Number of Distinct Detected Data			0			Number of Non-Detect Data			2
4077									Percent Non-Detects			100.00%
4078												
4079						Warning: This data set only has 2 observations!						
4080					Data set is too small to compute reliable and meaningful statistics and estimates!							
4081					The data set for variable VAI (w038benzo(a)pyrene) was not processed!							
4082												
4083					It is suggested to collect at least 8 to 10 observations before using these statistical methods!							
4084					If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.							
4085												
4086												
4087												
4088	VAI (w038benzo(b)fluoranthene)											
4089												
4090						General Statistics						
4091				Number of Valid Data		2			Number of Detected Data			0
4092			Number of Distinct Detected Data			0			Number of Non-Detect Data			2
4093									Percent Non-Detects			100.00%
4094												
4095						Warning: This data set only has 2 observations!						
4096					Data set is too small to compute reliable and meaningful statistics and estimates!							
4097					The data set for variable VAI (w038benzo(b)fluoranthene) was not processed!							
4098												
4099					It is suggested to collect at least 8 to 10 observations before using these statistical methods!							
4100					If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.							
4101												
4102												
4103												
4104	VAI (w038dibenzo(a,h)anthracene)											
4105												
4106						General Statistics						
4107				Number of Valid Data		2			Number of Detected Data			0
4108			Number of Distinct Detected Data			0			Number of Non-Detect Data			2

	A	B	C	D	E	F	G	H	I	J	K	L
4109										Percent Non-Detects		100.00%
4110												
4111					Warning: This data set only has 2 observations!							
4112				Data set is too small to compute reliable and meaningful statistics and estimates!								
4113				The data set for variable VAI (w038dibenzo(a,h)anthracene) was not processed!								
4114												
4115				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
4116				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
4117												
4118												
4119												
4120	VAI (w038indeno(1,2,3-cd)pyrene)											
4121												
4122							General Statistics					
4123				Number of Valid Data		2			Number of Detected Data			0
4124				Number of Distinct Detected Data		0			Number of Non-Detect Data			2
4125									Percent Non-Detects			100.00%
4126												
4127					Warning: This data set only has 2 observations!							
4128				Data set is too small to compute reliable and meaningful statistics and estimates!								
4129				The data set for variable VAI (w038indeno(1,2,3-cd)pyrene) was not processed!								
4130												
4131				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
4132				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
4133												
4134												
4135												
4136	VAI (w038mcpp)											
4137												
4138							General Statistics					
4139				Number of Valid Data		2			Number of Detected Data			0
4140				Number of Distinct Detected Data		0			Number of Non-Detect Data			2
4141									Percent Non-Detects			100.00%
4142												
4143					Warning: This data set only has 2 observations!							
4144				Data set is too small to compute reliable and meaningful statistics and estimates!								
4145				The data set for variable VAI (w038mcpp) was not processed!								
4146												
4147				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
4148				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
4149												
4150												

	A	B	C	D	E	F	G	H	I	J	K	L
1	General UCL Statistics for Data Sets with Non-Detects											
2	User Selected Options											
3	From File			Sheet1_a.wst								
4	Full Precision			OFF								
5	Confidence Coefficient			95%								
6	Number of Bootstrap Operations			2000								
7												
8												
9	VAI-STudyAreaWide (aldrin)											
10												
11	General Statistics											
12	Number of Valid Data					61		Number of Detected Data				34
13	Number of Distinct Detected Data					34		Number of Non-Detect Data				27
14								Percent Non-Detects				44.26%
15												
16	Raw Statistics							Log-transformed Statistics				
17	Minimum Detected					2.96E-07		Minimum Detected				-15.03
18	Maximum Detected					0.00405		Maximum Detected				-5.509
19	Mean of Detected					0.0001216		Mean of Detected				-12.79
20	SD of Detected					0.0006941		SD of Detected				1.42
21	Minimum Non-Detect					3.41E-07		Minimum Non-Detect				-14.89
22	Maximum Non-Detect					0.0018		Maximum Non-Detect				-6.32
23												
24	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				60
25	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				1
26	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				98.36%
27												
28	UCL Statistics											
29	Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only				
30	Shapiro Wilk Test Statistic					0.177		Shapiro Wilk Test Statistic				0.565
31	5% Shapiro Wilk Critical Value					0.933		5% Shapiro Wilk Critical Value				0.933
32	Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level				
33												
34	Assuming Normal Distribution							Assuming Lognormal Distribution				
35	DL/2 Substitution Method							DL/2 Substitution Method				
36	Mean					0.0001712		Mean				-11.12
37	SD					0.00053		SD				2.517
38	95% DL/2 (t) UCL					0.0002846		95% H-Stat (DL/2) UCL				0.00109
39												
40	Maximum Likelihood Estimate(MLE) Method					N/A		Log ROS Method				
41	MLE method failed to converge properly							Mean in Log Scale				-12.91
42								SD in Log Scale				1.121
43								Mean in Original Scale				6.884E-05
44								SD in Original Scale				0.0005182
45								95% t UCL				0.0001797
46								95% Percentile Bootstrap UCL				0.0002015
47								95% BCA Bootstrap UCL				0.0002681
48												
49	Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only				
50	k star (bias corrected)					0.198		Data do not follow a Discernable Distribution (0.05)				
51	Theta Star					0.0006146						
52	nu star					13.46						

	A	B	C	D	E	F	G	H	I	J	K	L
53												
54				A-D Test Statistic		11.22			Nonparametric Statistics			
55				5% A-D Critical Value		0.902			Kaplan-Meier (KM) Method			
56				K-S Test Statistic		0.902					Mean	6.882E-05
57				5% K-S Critical Value		0.167					SD	0.000514
58		Data not Gamma Distributed at 5% Significance Level									SE of Mean	6.68E-05
59										95% KM (t) UCL		0.0001804
60			Assuming Gamma Distribution							95% KM (z) UCL		0.0001787
61		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.0001797
62					Minimum	1E-12				95% KM (bootstrap t) UCL		0.0251
63					Maximum	0.00405				95% KM (BCA) UCL		0.0002017
64					Mean	8.299E-05			95% KM (Percentile Bootstrap) UCL			0.0002015
65					Median	1.24E-06				95% KM (Chebyshev) UCL		0.00036
66					SD	0.0005236				97.5% KM (Chebyshev) UCL		0.000486
67					k star	0.0976				99% KM (Chebyshev) UCL		0.0007334
68					Theta star	0.0008506						
69					Nu star	11.9			Potential UCLs to Use			
70					AppChi2	5.163				95% KM (Chebyshev) UCL		0.00036
71			95% Gamma Approximate UCL			0.0001913						
72			95% Adjusted Gamma UCL			0.0001954						
73	Note: DL/2 is not a recommended method.											
74												
75		Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.										
76		These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).										
77		For additional insight, the user may want to consult a statistician.										
78												
79												
80	VAl-STudyAreaWide (arsenic)											
81												
82						General Statistics						
83			Number of Valid Data			61			Number of Detected Data			55
84		Number of Distinct Detected Data				49			Number of Non-Detect Data			6
85									Percent Non-Detects			9.84%
86												
87			Raw Statistics						Log-transformed Statistics			
88				Minimum Detected		0.257			Minimum Detected			-1.359
89				Maximum Detected		0.603			Maximum Detected			-0.505
90				Mean of Detected		0.414			Mean of Detected			-0.9
91				SD of Detected		0.0813			SD of Detected			0.201
92				Minimum Non-Detect		0.408			Minimum Non-Detect			-0.897
93				Maximum Non-Detect		0.508			Maximum Non-Detect			-0.677
94												
95	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			54
96	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			7
97	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			88.52%
98												
99						UCL Statistics						
100		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
101			Lilliefors Test Statistic			0.102			Lilliefors Test Statistic			0.129
102			5% Lilliefors Critical Value			0.119			5% Lilliefors Critical Value			0.119
103		Data appear Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
104												

	A	B	C	D	E	F	G	H	I	J	K	L
105			Assuming Normal Distribution						Assuming Lognormal Distribution			
106			DL/2 Substitution Method							DL/2 Substitution Method		
107					Mean	0.396					Mean	-0.96
108					SD	0.0963					SD	0.264
109				95% DL/2 (t) UCL		0.416				95% H-Stat (DL/2) UCL		0.421
110												
111			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
112					Mean	0.552				Mean in Log Scale		-0.912
113					SD	0.0262				SD in Log Scale		0.194
114				95% MLE (t) UCL		0.557				Mean in Original Scale		0.409
115				95% MLE (Tiku) UCL		0.568				SD in Original Scale		0.0788
116										95% t UCL		0.426
117										95% Percentile Bootstrap UCL		0.426
118										95% BCA Bootstrap UCL		0.426
119												
120			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
121				k star (bias corrected)		24.49			Data appear Normal at 5% Significance Level			
122					Theta Star	0.0169						
123					nu star	2693						
124												
125				A-D Test Statistic		0.83			Nonparametric Statistics			
126				5% A-D Critical Value		0.748				Kaplan-Meier (KM) Method		
127				K-S Test Statistic		0.748					Mean	0.409
128				5% K-S Critical Value		0.12					SD	0.0801
129			Data not Gamma Distributed at 5% Significance Level								SE of Mean	0.0106
130											95% KM (t) UCL	0.426
131			Assuming Gamma Distribution								95% KM (z) UCL	0.426
132			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.426
133					Minimum	0.257				95% KM (bootstrap t) UCL		0.427
134					Maximum	0.603				95% KM (BCA) UCL		0.425
135					Mean	0.413			95% KM (Percentile Bootstrap) UCL			0.425
136					Median	0.407				95% KM (Chebyshev) UCL		0.455
137					SD	0.0775				97.5% KM (Chebyshev) UCL		0.475
138					k star	27.02				99% KM (Chebyshev) UCL		0.514
139					Theta star	0.0153						
140					Nu star	3296			Potential UCLs to Use			
141					AppChi2	3164				95% KM (t) UCL		0.426
142				95% Gamma Approximate UCL		0.43			95% KM (Percentile Bootstrap) UCL			0.425
143				95% Adjusted Gamma UCL		0.43						
144	Note: DL/2 is not a recommended method.											
145												
146			Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.									
147			These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).									
148			For additional insight, the user may want to consult a statistician.									
149												
150												
151	VAI-STudyAreaWide (arsenic_diss)											
152												
153					General Statistics							
154				Number of Valid Data		61				Number of Detected Data		47
155			Number of Distinct Detected Data			41				Number of Non-Detect Data		14
156										Percent Non-Detects		22.95%

	A	B	C	D	E	F	G	H	I	J	K	L
157												
158			Raw Statistics						Log-transformed Statistics			
159				Minimum Detected		0.197				Minimum Detected		-1.623
160				Maximum Detected		0.567				Maximum Detected		-0.568
161				Mean of Detected		0.308				Mean of Detected		-1.221
162				SD of Detected		0.0952				SD of Detected		0.301
163				Minimum Non-Detect		0.378				Minimum Non-Detect		-0.974
164				Maximum Non-Detect		0.452				Maximum Non-Detect		-0.794
165												
166	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		57
167	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		4
168	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		93.44%
169												
170						UCL Statistics						
171		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
172				Shapiro Wilk Test Statistic		0.907				Shapiro Wilk Test Statistic		0.916
173				5% Shapiro Wilk Critical Value		0.946				5% Shapiro Wilk Critical Value		0.946
174		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
175												
176		Assuming Normal Distribution						Assuming Lognormal Distribution				
177				DL/2 Substitution Method						DL/2 Substitution Method		
178				Mean		0.284				Mean		-1.31
179				SD		0.0952				SD		0.311
180				95% DL/2 (t) UCL		0.304				95% H-Stat (DL/2) UCL		0.304
181												
182		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
183				Mean		0.516				Mean in Log Scale		-1.24
184				SD		0.0441				SD in Log Scale		0.266
185				95% MLE (t) UCL		0.525				Mean in Original Scale		0.3
186				95% MLE (Tiku) UCL		0.551				SD in Original Scale		0.0848
187										95% t UCL		0.318
188										95% Percentile Bootstrap UCL		0.318
189										95% BCA Bootstrap UCL		0.318
190												
191		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
192				k star (bias corrected)		10.59		Data do not follow a Discernable Distribution (0.05)				
193				Theta Star		0.0291						
194				nu star		995.9						
195												
196				A-D Test Statistic		1.118			Nonparametric Statistics			
197				5% A-D Critical Value		0.749				Kaplan-Meier (KM) Method		
198				K-S Test Statistic		0.749				Mean		0.3
199				5% K-S Critical Value		0.129				SD		0.0893
200		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.0124
201										95% KM (t) UCL		0.321
202		Assuming Gamma Distribution								95% KM (z) UCL		0.32
203		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.321
204				Minimum		0.197				95% KM (bootstrap t) UCL		0.321
205				Maximum		0.567				95% KM (BCA) UCL		0.32
206				Mean		0.311				95% KM (Percentile Bootstrap) UCL		0.321
207				Median		0.32				95% KM (Chebyshev) UCL		0.354
208				SD		0.0836				97.5% KM (Chebyshev) UCL		0.377

	A	B	C	D	E	F	G	H	I	J	K	L
209					k star	13.85				99% KM (Chebyshev) UCL		0.423
210					Theta star	0.0225						
211					Nu star	1689			Potential UCLs to Use			
212					AppChi2	1595				95% KM (BCA) UCL		0.32
213			95% Gamma Approximate UCL			0.33						
214			95% Adjusted Gamma UCL			0.33						
215	Note: DL/2 is not a recommended method.											
216												
217	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
218	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
219	For additional insight, the user may want to consult a statistician.											
220												
221												
222	VAl-STudyAreaWide (benzo(a)anthracene)											
223												
224					General Statistics							
225			Number of Valid Data			93				Number of Detected Data		37
226			Number of Distinct Detected Data			36				Number of Non-Detect Data		56
227										Percent Non-Detects		60.22%
228												
229			Raw Statistics						Log-transformed Statistics			
230			Minimum Detected			0.000052				Minimum Detected		-9.864
231			Maximum Detected			0.137				Maximum Detected		-1.988
232			Mean of Detected			0.00543				Mean of Detected		-7.132
233			SD of Detected			0.0224				SD of Detected		1.575
234			Minimum Non-Detect			0.0003355				Minimum Non-Detect		-8
235			Maximum Non-Detect			0.0078				Maximum Non-Detect		-4.854
236												
237	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		89
238	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		4
239	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		95.70%
240												
241					UCL Statistics							
242			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
243			Shapiro Wilk Test Statistic			0.241				Shapiro Wilk Test Statistic		0.93
244			5% Shapiro Wilk Critical Value			0.936				5% Shapiro Wilk Critical Value		0.936
245			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
246												
247			Assuming Normal Distribution						Assuming Lognormal Distribution			
248			DL/2 Substitution Method							DL/2 Substitution Method		
249			Mean			0.00408				Mean		-6.352
250			SD			0.0141				SD		1.241
251			95% DL/2 (t) UCL			0.0065				95% H-Stat (DL/2) UCL		0.0052
252												
253			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
254			MLE yields a negative mean							Mean in Log Scale		-7.414
255										SD in Log Scale		1.322
256										Mean in Original Scale		0.00268
257										SD in Original Scale		0.0142
258										95% t UCL		0.00513
259										95% Percentile Bootstrap UCL		0.00559
260										95% BCA Bootstrap UCL		0.00747

	A	B	C	D	E	F	G	H	I	J	K	L
261												
262			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
263				k star (bias corrected)		0.34			Data do not follow a Discernable Distribution (0.05)			
264				Theta Star		0.0159						
265				nu star		25.19						
266												
267				A-D Test Statistic		4.605			Nonparametric Statistics			
268				5% A-D Critical Value		0.846			Kaplan-Meier (KM) Method			
269				K-S Test Statistic		0.846					Mean	0.00263
270				5% K-S Critical Value		0.156					SD	0.0141
271			Data not Gamma Distributed at 5% Significance Level								SE of Mean	0.00149
272											95% KM (t) UCL	0.00511
273			Assuming Gamma Distribution								95% KM (z) UCL	0.00508
274			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	0.00509
275				Minimum		1E-12					95% KM (bootstrap t) UCL	0.0159
276				Maximum		0.137					95% KM (BCA) UCL	0.00578
277				Mean		0.00533			95% KM (Percentile Bootstrap) UCL			0.00551
278				Median		0.00444					95% KM (Chebyshev) UCL	0.00913
279				SD		0.0141					97.5% KM (Chebyshev) UCL	0.0119
280				k star		0.57					99% KM (Chebyshev) UCL	0.0175
281				Theta star		0.00935						
282				Nu star		106			Potential UCLs to Use			
283				AppChi2		83.28					95% KM (Chebyshev) UCL	0.00913
284			95% Gamma Approximate UCL			0.00679						
285			95% Adjusted Gamma UCL			0.00681						
286	Note: DL/2 is not a recommended method.											
287												
288		Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.										
289		These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).										
290		For additional insight, the user may want to consult a statistician.										
291												
292												
293	VAI-STudyAreaWide (benzo(a)pyrene)											
294												
295						General Statistics						
296				Number of Valid Data		93			Number of Detected Data			33
297			Number of Distinct Detected Data			33			Number of Non-Detect Data			60
298									Percent Non-Detects			64.52%
299												
300			Raw Statistics						Log-transformed Statistics			
301				Minimum Detected		0.0000263			Minimum Detected			-10.55
302				Maximum Detected		0.0972			Maximum Detected			-2.331
303				Mean of Detected		0.00391			Mean of Detected			-7.472
304				SD of Detected		0.0168			SD of Detected			1.587
305				Minimum Non-Detect		0.0006085			Minimum Non-Detect			-7.405
306				Maximum Non-Detect		0.0086			Maximum Non-Detect			-4.756
307												
308	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			92
309	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
310	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			98.92%
311												
312						UCL Statistics						

	A	B	C	D	E	F	G	H	I	J	K	L
313			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
314				Shapiro Wilk Test Statistic		0.226					Shapiro Wilk Test Statistic	0.933
315				5% Shapiro Wilk Critical Value		0.931					5% Shapiro Wilk Critical Value	0.931
316		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
317												
318			Assuming Normal Distribution						Assuming Lognormal Distribution			
319				DL/2 Substitution Method							DL/2 Substitution Method	
320					Mean	0.00349					Mean	-6.432
321					SD	0.00997					SD	1.307
322				95% DL/2 (t) UCL		0.00521					95% H-Stat (DL/2) UCL	0.00536
323												
324			Maximum Likelihood Estimate(MLE) Method			N/A					Log ROS Method	
325			MLE method failed to converge properly								Mean in Log Scale	-7.659
326											SD in Log Scale	1.346
327											Mean in Original Scale	0.00192
328											SD in Original Scale	0.0101
329											95% t UCL	0.00365
330											95% Percentile Bootstrap UCL	0.00397
331											95% BCA Bootstrap UCL	0.00524
332												
333			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
334				k star (bias corrected)		0.337			Data appear Lognormal at 5% Significance Level			
335					Theta Star	0.0116						
336					nu star	22.27						
337												
338				A-D Test Statistic		4.39			Nonparametric Statistics			
339				5% A-D Critical Value		0.845			Kaplan-Meier (KM) Method			
340				K-S Test Statistic		0.845					Mean	0.00188
341				5% K-S Critical Value		0.165					SD	0.01
342		Data not Gamma Distributed at 5% Significance Level									SE of Mean	0.00106
343											95% KM (t) UCL	0.00364
344			Assuming Gamma Distribution								95% KM (z) UCL	0.00362
345		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.00362
346					Minimum	1E-12					95% KM (bootstrap t) UCL	0.0126
347					Maximum	0.0972					95% KM (BCA) UCL	0.00401
348					Mean	0.00512					95% KM (Percentile Bootstrap) UCL	0.00395
349					Median	0.000574					95% KM (Chebyshev) UCL	0.0065
350					SD	0.0119					97.5% KM (Chebyshev) UCL	0.00849
351					k star	0.112					99% KM (Chebyshev) UCL	0.0124
352					Theta star	0.0457						
353					Nu star	20.84			Potential UCLs to Use			
354					AppChi2	11.47					95% KM (Chebyshev) UCL	0.0065
355				95% Gamma Approximate UCL		0.0093						
356				95% Adjusted Gamma UCL		0.00939						
357	Note: DL/2 is not a recommended method.											
358												
359		Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.										
360		These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).										
361		For additional insight, the user may want to consult a statistician.										
362												
363												
364	VAI-STudyAreaWide (benzo(b)fluoranthene)											

	A	B	C	D	E	F	G	H	I	J	K	L
365												
366					General Statistics							
367			Number of Valid Data			93			Number of Detected Data			34
368		Number of Distinct Detected Data				34			Number of Non-Detect Data			59
369									Percent Non-Detects			63.44%
370												
371			Raw Statistics						Log-transformed Statistics			
372			Minimum Detected			0.0000238			Minimum Detected			-10.65
373			Maximum Detected			0.0673			Maximum Detected			-2.699
374			Mean of Detected			0.00276			Mean of Detected			-7.34
375			SD of Detected			0.0114			SD of Detected			1.232
376			Minimum Non-Detect			0.002			Minimum Non-Detect			-6.215
377			Maximum Non-Detect			0.0092			Maximum Non-Detect			-4.689
378												
379	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			92
380	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
381	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			98.92%
382												
383					UCL Statistics							
384		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
385			Shapiro Wilk Test Statistic			0.217			Shapiro Wilk Test Statistic			0.881
386			5% Shapiro Wilk Critical Value			0.933			5% Shapiro Wilk Critical Value			0.933
387		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
388												
389		Assuming Normal Distribution						Assuming Lognormal Distribution				
390			DL/2 Substitution Method						DL/2 Substitution Method			
391			Mean			0.00335			Mean			-6.288
392			SD			0.00693			SD			1.146
393			95% DL/2 (t) UCL			0.00455			95% H-Stat (DL/2) UCL			0.00477
394												
395		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
396		MLE method failed to converge properly							Mean in Log Scale			-7.407
397									SD in Log Scale			1.064
398									Mean in Original Scale			0.00158
399									SD in Original Scale			0.00694
400									95% t UCL			0.00278
401									95% Percentile Bootstrap UCL			0.003
402									95% BCA Bootstrap UCL			0.00443
403												
404		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
405			k star (bias corrected)			0.427		Data do not follow a Discernable Distribution (0.05)				
406			Theta Star			0.00647						
407			nu star			29.02						
408												
409			A-D Test Statistic			5.472			Nonparametric Statistics			
410			5% A-D Critical Value			0.823			Kaplan-Meier (KM) Method			
411			K-S Test Statistic			0.823			Mean			0.00151
412			5% K-S Critical Value			0.161			SD			0.0069
413		Data not Gamma Distributed at 5% Significance Level							SE of Mean			0.0007325
414									95% KM (t) UCL			0.00273
415		Assuming Gamma Distribution							95% KM (z) UCL			0.00272
416		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			0.00272

	A	B	C	D	E	F	G	H	I	J	K	L
417					Minimum	1E-12			95% KM (bootstrap t) UCL			0.00928
418					Maximum	0.0673			95% KM (BCA) UCL			0.00295
419					Mean	0.00335			95% KM (Percentile Bootstrap) UCL			0.00294
420					Median	0.0007663			95% KM (Chebyshev) UCL			0.0047
421					SD	0.0078			97.5% KM (Chebyshev) UCL			0.00608
422					k star	0.126			99% KM (Chebyshev) UCL			0.0088
423					Theta star	0.0265						
424					Nu star	23.52			Potential UCLs to Use			
425					AppChi2	13.48			95% KM (BCA) UCL			0.00295
426			95% Gamma Approximate UCL			0.00585						
427			95% Adjusted Gamma UCL			0.0059						
428	Note: DL/2 is not a recommended method.											
429												
430	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
431	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
432	For additional insight, the user may want to consult a statistician.											
433												
434												
435	VAl-STudyAreaWide (chromium hexavalent)											
436												
437					General Statistics							
438			Number of Valid Data			7			Number of Detected Data			3
439			Number of Distinct Detected Data			3			Number of Non-Detect Data			4
440									Percent Non-Detects			57.14%
441												
442			Raw Statistics						Log-transformed Statistics			
443			Minimum Detected			0.5			Minimum Detected			-0.693
444			Maximum Detected			0.9			Maximum Detected			-0.105
445			Mean of Detected			0.75			Mean of Detected			-0.32
446			SD of Detected			0.218			SD of Detected			0.324
447			Minimum Non-Detect			0.6			Minimum Non-Detect			-0.511
448			Maximum Non-Detect			20			Maximum Non-Detect			2.996
449												
450	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			7
451	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			0
452	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			100.00%
453												
454	Warning: There are only 3 Distinct Detected Values in this data set											
455	The number of detected data may not be adequate enough to perform GOF tests, bootstrap, and ROS methods.											
456	Those methods will return a 'N/A' value on your output display!											
457												
458	It is necessary to have 4 or more Distinct Values for bootstrap methods.											
459	However, results obtained using 4 to 9 distinct values may not be reliable.											
460	It is recommended to have 10 to 15 or more observations for accurate and meaningful results and estimates.											
461												
462												
463					UCL Statistics							
464	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
465			Shapiro Wilk Test Statistic			0.842			Shapiro Wilk Test Statistic			0.822
466			5% Shapiro Wilk Critical Value			0.767			5% Shapiro Wilk Critical Value			0.767
467	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
468												

	A	B	C	D	E	F	G	H	I	J	K	L
469			Assuming Normal Distribution							Assuming Lognormal Distribution		
470			DL/2 Substitution Method							DL/2 Substitution Method		
471					Mean	1.886					Mean	-0.302
472					SD	3.587					SD	1.237
473				95% DL/2 (t) UCL		4.52				95% H-Stat (DL/2) UCL		14.56
474												
475			Maximum Likelihood Estimate(MLE) Method			N/A					Log ROS Method	
476			MLE method failed to converge properly							Mean in Log Scale		-0.502
477										SD in Log Scale		0.268
478										Mean in Original Scale		0.625
479										SD in Original Scale		0.178
480										95% t UCL		0.756
481									95% Percentile Bootstrap UCL			0.731
482										95% BCA Bootstrap UCL		0.745
483												
484			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
485				k star (bias corrected)		N/A			Data appear Normal at 5% Significance Level			
486					Theta Star	N/A						
487					nu star	N/A						
488												
489					A-D Test Statistic	N/A			Nonparametric Statistics			
490					5% A-D Critical Value	N/A				Kaplan-Meier (KM) Method		
491					K-S Test Statistic	N/A					Mean	0.625
492					5% K-S Critical Value	N/A					SD	0.177
493			Data not Gamma Distributed at 5% Significance Level								SE of Mean	0.0887
494										95% KM (t) UCL		0.797
495			Assuming Gamma Distribution							95% KM (z) UCL		0.771
496			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.87
497					Minimum	N/A				95% KM (bootstrap t) UCL		0.721
498					Maximum	N/A				95% KM (BCA) UCL		0.9
499					Mean	N/A			95% KM (Percentile Bootstrap) UCL			N/A
500					Median	N/A				95% KM (Chebyshev) UCL		1.012
501					SD	N/A				97.5% KM (Chebyshev) UCL		1.179
502					k star	N/A				99% KM (Chebyshev) UCL		1.507
503					Theta star	N/A						
504					Nu star	N/A			Potential UCLs to Use			
505					AppChi2	N/A					95% KM (t) UCL	0.797
506				95% Gamma Approximate UCL		N/A			95% KM (Percentile Bootstrap) UCL			N/A
507				95% Adjusted Gamma UCL		N/A						
508	Note: DL/2 is not a recommended method.											
509												
510			Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.									
511			These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).									
512			For additional insight, the user may want to consult a statistician.									
513												
514												
515	VAI-STudyAreaWide (dibenzo(a,h)anthracene)											
516												
517					General Statistics							
518				Number of Valid Data		93				Number of Detected Data		16
519			Number of Distinct Detected Data			16				Number of Non-Detect Data		77
520										Percent Non-Detects		82.80%

	A	B	C	D	E	F	G	H	I	J	K	L
521												
522		Raw Statistics							Log-transformed Statistics			
523			Minimum Detected			0.0000255				Minimum Detected		-10.58
524			Maximum Detected			0.0138				Maximum Detected		-4.283
525			Mean of Detected			0.00111				Mean of Detected		-8.392
526			SD of Detected			0.00339				SD of Detected		1.465
527			Minimum Non-Detect			0.0000434				Minimum Non-Detect		-10.05
528			Maximum Non-Detect			0.0072				Maximum Non-Detect		-4.934
529												
530	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			92
531	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
532	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			98.92%
533												
534						UCL Statistics						
535		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
536			Shapiro Wilk Test Statistic			0.331				Shapiro Wilk Test Statistic		0.901
537			5% Shapiro Wilk Critical Value			0.887				5% Shapiro Wilk Critical Value		0.887
538		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
539												
540		Assuming Normal Distribution							Assuming Lognormal Distribution			
541			DL/2 Substitution Method							DL/2 Substitution Method		
542					Mean	0.00211					Mean	-6.907
543					SD	0.00193					SD	1.615
544				95% DL/2 (t) UCL		0.00245				95% H-Stat (DL/2) UCL		0.00603
545												
546			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
547		MLE method failed to converge properly								Mean in Log Scale		-9.359
548										SD in Log Scale		1.312
549										Mean in Original Scale		0.0003105
550										SD in Original Scale		0.00143
551										95% t UCL		0.0005572
552										95% Percentile Bootstrap UCL		0.0005947
553										95% BCA Bootstrap UCL		0.0008065
554												
555		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
556			k star (bias corrected)			0.376			Data appear Lognormal at 5% Significance Level			
557				Theta Star		0.00296						
558				nu star		12.03						
559												
560				A-D Test Statistic		2.21			Nonparametric Statistics			
561				5% A-D Critical Value		0.815				Kaplan-Meier (KM) Method		
562				K-S Test Statistic		0.815					Mean	0.0003169
563				5% K-S Critical Value		0.23					SD	0.00142
564		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.0001563
565										95% KM (t) UCL		0.0005765
566		Assuming Gamma Distribution								95% KM (z) UCL		0.0005739
567		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			0.0005631
568				Minimum		1E-12				95% KM (bootstrap t) UCL		0.00127
569				Maximum		0.0138				95% KM (BCA) UCL		0.0006671
570				Mean		0.00233			95% KM (Percentile Bootstrap) UCL			0.0005961
571				Median		0.0005764				95% KM (Chebyshev) UCL		0.000998
572				SD		0.00348				97.5% KM (Chebyshev) UCL		0.00129

	A	B	C	D	E	F	G	H	I	J	K	L
573					k star	0.126				99% KM (Chebyshev) UCL		0.00187
574					Theta star	0.0186						
575					Nu star	23.35			**Potential UCLs to Use**			
576					AppChi2	13.35				95% KM (BCA) UCL		0.0006671
577			95% Gamma Approximate UCL			0.00408						
578			95% Adjusted Gamma UCL			0.00411						
579	Note: DL/2 is not a recommended method.											
580												
581		Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.										
582		These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).										
583		For additional insight, the user may want to consult a statistician.										
584												
585												
586	VAI-STudyAreaWide (indeno(1,2,3-cd)pyrene)											
587												
588						**General Statistics**						
589			Number of Valid Data			93				Number of Detected Data		28
590			Number of Distinct Detected Data			27				Number of Non-Detect Data		65
591										Percent Non-Detects		69.89%
592												
593			**Raw Statistics**						**Log-transformed Statistics**			
594			Minimum Detected			0.0001627				Minimum Detected		-8.724
595			Maximum Detected			0.0617				Maximum Detected		-2.786
596			Mean of Detected			0.00324				Mean of Detected		-7.347
597			SD of Detected			0.0116				SD of Detected		1.358
598			Minimum Non-Detect			0.0001463				Minimum Non-Detect		-8.83
599			Maximum Non-Detect			0.0084				Maximum Non-Detect		-4.78
600												
601	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		91
602	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		2
603	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		97.85%
604												
605						**UCL Statistics**						
606			**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**			
607			Shapiro Wilk Test Statistic			0.277				Shapiro Wilk Test Statistic		0.83
608			5% Shapiro Wilk Critical Value			0.924				5% Shapiro Wilk Critical Value		0.924
609			**Data not Normal at 5% Significance Level**						**Data not Lognormal at 5% Significance Level**			
610												
611			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
612			DL/2 Substitution Method							DL/2 Substitution Method		
613			Mean			0.0028				Mean		-6.485
614			SD			0.00634				SD		1.117
615			95% DL/2 (t) UCL			0.00389				95% H-Stat (DL/2) UCL		0.00375
616												
617			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
618			**MLE method failed to converge properly**							Mean in Log Scale		-7.69
619										SD in Log Scale		1.121
620										Mean in Original Scale		0.0014
621										SD in Original Scale		0.00641
622										95% t UCL		0.00251
623										95% Percentile Bootstrap UCL		0.00272
624										95% BCA Bootstrap UCL		0.00399

	A	B	C	D	E	F	G	H	I	J	K	L
625												
626		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
627		k star (bias corrected)				0.386		Data do not follow a Discernable Distribution (0.05)				
628		Theta Star				0.00839						
629		nu star				21.64						
630												
631		A-D Test Statistic				4.274		Nonparametric Statistics				
632		5% A-D Critical Value				0.831		Kaplan-Meier (KM) Method				
633		K-S Test Statistic				0.831		Mean				0.00138
634		5% K-S Critical Value				0.177		SD				0.00639
635		Data not Gamma Distributed at 5% Significance Level						SE of Mean				0.0006809
636								95% KM (t) UCL				0.00251
637		Assuming Gamma Distribution						95% KM (z) UCL				0.0025
638		Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL				0.0025
639		Minimum				1E-12		95% KM (bootstrap t) UCL				0.00637
640		Maximum				0.0617		95% KM (BCA) UCL				0.00263
641		Mean				0.00405		95% KM (Percentile Bootstrap) UCL				0.00269
642		Median				0.000631		95% KM (Chebyshev) UCL				0.00435
643		SD				0.00801		97.5% KM (Chebyshev) UCL				0.00563
644		k star				0.122		99% KM (Chebyshev) UCL				0.00815
645		Theta star				0.0333						
646		Nu star				22.61		Potential UCLs to Use				
647		AppChi2				12.8		95% KM (BCA) UCL				0.00263
648		95% Gamma Approximate UCL				0.00716						
649		95% Adjusted Gamma UCL				0.00722						
650	Note: DL/2 is not a recommended method.											
651												
652		Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.										
653		These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).										
654		For additional insight, the user may want to consult a statistician.										
655												
656												
657	VAI-STudyAreaWide (mcpp)											
658												
659				General Statistics								
660		Number of Valid Data				52		Number of Detected Data				5
661		Number of Distinct Detected Data				5		Number of Non-Detect Data				47
662								Percent Non-Detects				90.38%
663												
664		Raw Statistics						Log-transformed Statistics				
665		Minimum Detected				5.225		Minimum Detected				1.653
666		Maximum Detected				18.58		Maximum Detected				2.922
667		Mean of Detected				9.41		Mean of Detected				2.136
668		SD of Detected				5.34		SD of Detected				0.489
669		Minimum Non-Detect				6		Minimum Non-Detect				1.792
670		Maximum Non-Detect				18		Maximum Non-Detect				2.89
671												
672	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				51
673	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				1
674	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				98.08%
675												
676		Warning: There are only 5 Detected Values in this data										

UCL Statistics

Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.803	Shapiro Wilk Test Statistic	0.914
5% Shapiro Wilk Critical Value	0.762	5% Shapiro Wilk Critical Value	0.762
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	4.732	Mean	1.442
SD	2.807	SD	0.435
95% DL/2 (t) UCL	5.384	95% H-Stat (DL/2) UCL	5.203
Maximum Likelihood Estimate(MLE) Method	N/A	Log ROS Method	
MLE method failed to converge properly		Mean in Log Scale	1.606
		SD in Log Scale	0.298
		Mean in Original Scale	5.251
		SD in Original Scale	2.238
		95% t UCL	5.771
		95% Percentile Bootstrap UCL	5.814
		95% BCA Bootstrap UCL	6.04
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	2.091	Data appear Normal at 5% Significance Level	
Theta Star	4.5		
nu star	20.91		
A-D Test Statistic	0.413	Nonparametric Statistics	
5% A-D Critical Value	0.681	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.681	Mean	5.793
5% K-S Critical Value	0.358	SD	1.95
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.338
		95% KM (t) UCL	6.36
Assuming Gamma Distribution		95% KM (z) UCL	6.35
Gamma ROS Statistics using Extrapolated Data		95% KM (jackknife) UCL	6.434
Minimum	0.888	95% KM (bootstrap t) UCL	6.438
Maximum	18.58	95% KM (BCA) UCL	9.44
Mean	10.86	95% KM (Percentile Bootstrap) UCL	8.499
Median	11.38	95% KM (Chebyshev) UCL	7.269
SD	3.923	97.5% KM (Chebyshev) UCL	7.907
k star	5.035	99% KM (Chebyshev) UCL	9.161
Theta star	2.156		
Nu star	523.6	Potential UCLs to Use	
AppChi2	471.5	95% KM (t) UCL	6.36
95% Gamma Approximate UCL	12.06	95% KM (Percentile Bootstrap) UCL	8.499
95% Adjusted Gamma UCL	12.09		

Note: DL/2 is not a recommended method.

	A	B	C	D	E	F	G	H	I	J	K	L
729												
730	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
731	These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).											
732	For additional insight, the user may want to consult a statistician.											
733												

Tissue

Smallmouth Bass, Whole Body and Fillet

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	SMB_EA4								
4			Full Precision	OFF								
5			Confidence Coefficient	95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Aluminum											
10												
11					General Statistics							
12			Number of Valid Observations			5			Number of Distinct Observations			5
13												
14			Raw Statistics					Log-transformed Statistics				
15				Minimum		2.46				Minimum of Log Data		0.9
16				Maximum		11				Maximum of Log Data		2.398
17				Mean		5.2				Mean of log Data		1.512
18				Median		4.5				SD of log Data		0.557
19				SD		3.361						
20			Coefficient of Variation			0.646						
21				Skewness		1.845						
22												
23												
24		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
25												
26		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
27		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
28												
29												
30					Warning: There are only 5 Values in this data							
31				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
32				the resulting calculations may not be reliable enough to draw conclusions								
33												
34		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
35												
36					Relevant UCL Statistics							
37		Normal Distribution Test						Lognormal Distribution Test				
38			Shapiro Wilk Test Statistic			0.79			Shapiro Wilk Test Statistic			0.922
39			Shapiro Wilk Critical Value			0.762			Shapiro Wilk Critical Value			0.762
40		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
41												
42		Assuming Normal Distribution						Assuming Lognormal Distribution				
43				95% Student's-t UCL		8.405				95% H-UCL		12.7
44		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			10.63
45			95% Adjusted-CLT UCL			8.998			97.5% Chebyshev (MVUE) UCL			13.01
46				95% Modified-t UCL		8.611			99% Chebyshev (MVUE) UCL			17.69
47												
48		Gamma Distribution Test						Data Distribution				
49			k star (bias corrected)			1.662		Data appear Normal at 5% Significance Level				
50				Theta Star		3.129						
51				nu star		16.62						
52		Approximate Chi Square Value (.05)				8.399			Nonparametric Statistics			
53			Adjusted Level of Significance			0.0086				95% CLT UCL		7.673

	A	B	C	D	E	F	G	H	I	J	K	L
54			Adjusted Chi Square Value			6.018				95% Jackknife UCL		8.405
55										95% Standard Bootstrap UCL		7.38
56			Anderson-Darling Test Statistic			0.435				95% Bootstrap-t UCL		12.98
57			Anderson-Darling 5% Critical Value			0.681				95% Hall's Bootstrap UCL		19.05
58			Kolmogorov-Smirnov Test Statistic			0.318				95% Percentile Bootstrap UCL		7.772
59			Kolmogorov-Smirnov 5% Critical Value			0.359				95% BCA Bootstrap UCL		8.4
60		**Data appear Gamma Distributed at 5% Significance Level**								95% Chebyshev(Mean, Sd) UCL		11.75
61										97.5% Chebyshev(Mean, Sd) UCL		14.59
62			**Assuming Gamma Distribution**							99% Chebyshev(Mean, Sd) UCL		20.16
63			95% Approximate Gamma UCL			10.29						
64			95% Adjusted Gamma UCL			14.36						
65												
66			**Potential UCL to Use**							Use 95% Student's-t UCL		8.405
67												
68												
69	Arsenic											
70												
71					**General Statistics**							
72			Number of Valid Observations			5				Number of Distinct Observations		5
73												
74			**Raw Statistics**							**Log-transformed Statistics**		
75			Minimum			0.21				Minimum of Log Data		-1.561
76			Maximum			0.34				Maximum of Log Data		-1.079
77			Mean			0.292				Mean of log Data		-1.245
78			Median			0.31				SD of log Data		0.19
79			SD			0.0507						
80			Coefficient of Variation			0.174						
81			Skewness			-1.326						
82												
83												
84		**Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!**										
85												
86				**It is suggested to collect at least 8 to 10 observations using these statistical methods!**								
87				**If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.**								
88												
89												
90					**Warning: There are only 5 Values in this data**							
91				**Note: It should be noted that even though bootstrap methods may be performed on this data set,**								
92					**the resulting calculations may not be reliable enough to draw conclusions**							
93												
94				**The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.**								
95												
96					**Relevant UCL Statistics**							
97			**Normal Distribution Test**							**Lognormal Distribution Test**		
98			Shapiro Wilk Test Statistic			0.897				Shapiro Wilk Test Statistic		0.859
99			Shapiro Wilk Critical Value			0.762				Shapiro Wilk Critical Value		0.762
100		**Data appear Normal at 5% Significance Level**							**Data appear Lognormal at 5% Significance Level**			
101												
102			**Assuming Normal Distribution**							**Assuming Lognormal Distribution**		
103			95% Student's-t UCL			0.34				95% H-UCL		0.361
104		**95% UCLs (Adjusted for Skewness)**								95% Chebyshev (MVUE) UCL		0.4
105			95% Adjusted-CLT UCL			0.315				97.5% Chebyshev (MVUE) UCL		0.447
106			95% Modified-t UCL			0.338				99% Chebyshev (MVUE) UCL		0.539

	A	B	C	D	E	F	G	H	I	J	K	L
107												
108			Gamma Distribution Test					Data Distribution				
109			k star (bias corrected)			14.9		Data appear Normal at 5% Significance Level				
110			Theta Star			0.0196						
111			nu star			149						
112			Approximate Chi Square Value (.05)			121.8		Nonparametric Statistics				
113			Adjusted Level of Significance			0.0086				95% CLT UCL		0.329
114			Adjusted Chi Square Value			111				95% Jackknife UCL		0.34
115										95% Standard Bootstrap UCL		0.325
116			Anderson-Darling Test Statistic			0.433				95% Bootstrap-t UCL		0.327
117			Anderson-Darling 5% Critical Value			0.678				95% Hall's Bootstrap UCL		0.316
118			Kolmogorov-Smirnov Test Statistic			0.263				95% Percentile Bootstrap UCL		0.322
119			Kolmogorov-Smirnov 5% Critical Value			0.357				95% BCA Bootstrap UCL		0.316
120		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		0.391
121										97.5% Chebyshev(Mean, Sd) UCL		0.434
122			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		0.518
123			95% Approximate Gamma UCL			0.357						
124			95% Adjusted Gamma UCL			0.392						
125												
126			Potential UCL to Use						Use 95% Student's-t UCL			0.34
127			Recommended UCL exceeds the maximum observation									
128												
129												
130	Cadmium											
131												
132				General Statistics								
133			Number of Valid Observations			5				Number of Distinct Observations		5
134												
135			Raw Statistics					Log-transformed Statistics				
136			Minimum			0.003				Minimum of Log Data		-5.809
137			Maximum			0.008				Maximum of Log Data		-4.828
138			Mean			0.00474				Mean of log Data		-5.409
139			Median			0.004				SD of log Data		0.365
140			SD			0.00193						
141			Coefficient of Variation			0.407						
142			Skewness			1.643						
143												
144												
145		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
146												
147			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
148			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
149												
150												
151			Warning: There are only 5 Values in this data									
152			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
153			the resulting calculations may not be reliable enough to draw conclusions									
154												
155			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
156												
157				Relevant UCL Statistics								
158			Normal Distribution Test					Lognormal Distribution Test				
159			Shapiro Wilk Test Statistic			0.84				Shapiro Wilk Test Statistic		0.923

	A	B	C	D	E	F	G	H	I	J	K	L
160				Shapiro Wilk Critical Value		0.762				Shapiro Wilk Critical Value		0.762
161		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
162												
163		Assuming Normal Distribution						Assuming Lognormal Distribution				
164				95% Student's-t UCL		0.00658				95% H-UCL		0.00764
165		95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL		0.00806
166				95% Adjusted-CLT UCL		0.00684				97.5% Chebyshev (MVUE) UCL		0.00951
167				95% Modified-t UCL		0.00669				99% Chebyshev (MVUE) UCL		0.0124
168												
169		Gamma Distribution Test						Data Distribution				
170				k star (bias corrected)		3.692		Data appear Normal at 5% Significance Level				
171				Theta Star		0.00128						
172				nu star		36.92						
173			Approximate Chi Square Value (.05)			24.01		Nonparametric Statistics				
174				Adjusted Level of Significance		0.0086				95% CLT UCL		0.00616
175				Adjusted Chi Square Value		19.59				95% Jackknife UCL		0.00658
176										95% Standard Bootstrap UCL		0.00601
177				Anderson-Darling Test Statistic		0.4				95% Bootstrap-t UCL		0.00916
178				Anderson-Darling 5% Critical Value		0.679				95% Hall's Bootstrap UCL		0.0142
179				Kolmogorov-Smirnov Test Statistic		0.248				95% Percentile Bootstrap UCL		0.0062
180				Kolmogorov-Smirnov 5% Critical Value		0.358				95% BCA Bootstrap UCL		0.00654
181		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		0.0085
182										97.5% Chebyshev(Mean, Sd) UCL		0.0101
183		Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL		0.0133
184				95% Approximate Gamma UCL		0.00729						
185				95% Adjusted Gamma UCL		0.00893						
186												
187		Potential UCL to Use								Use 95% Student's-t UCL		0.00658
188												
189												
190	Copper											
191												
192					General Statistics							
193			Number of Valid Observations			5			Number of Distinct Observations			5
194												
195			Raw Statistics						Log-transformed Statistics			
196					Minimum	0.365				Minimum of Log Data		-1.008
197					Maximum	0.858				Maximum of Log Data		-0.153
198					Mean	0.572				Mean of log Data		-0.608
199					Median	0.61				SD of log Data		0.352
200					SD	0.199						
201				Coefficient of Variation		0.349						
202					Skewness	0.508						
203												
204												
205		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
206												
207		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
208		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
209												
210												
211					Warning: There are only 5 Values in this data							
212				Note: It should be noted that even though bootstrap methods may be performed on this data set,								

	A	B	C	D	E	F	G	H	I	J	K	L
213	the resulting calculations may not be reliable enough to draw conclusions											
214												
215	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
216												
217	Relevant UCL Statistics											
218	Normal Distribution Test						Lognormal Distribution Test					
219	Shapiro Wilk Test Statistic					0.921	Shapiro Wilk Test Statistic					0.924
220	Shapiro Wilk Critical Value					0.762	Shapiro Wilk Critical Value					0.762
221	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
222												
223	Assuming Normal Distribution						Assuming Lognormal Distribution					
224	95% Student's-t UCL					0.762	95% H-UCL					0.904
225	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					0.963
226	95% Adjusted-CLT UCL					0.74	97.5% Chebyshev (MVUE) UCL					1.132
227	95% Modified-t UCL					0.765	99% Chebyshev (MVUE) UCL					1.464
228												
229	Gamma Distribution Test						Data Distribution					
230	k star (bias corrected)					4.263	Data appear Normal at 5% Significance Level					
231	Theta Star					0.134						
232	nu star					42.63						
233	Approximate Chi Square Value (.05)					28.66	Nonparametric Statistics					
234	Adjusted Level of Significance					0.0086	95% CLT UCL					0.718
235	Adjusted Chi Square Value					23.77	95% Jackknife UCL					0.762
236							95% Standard Bootstrap UCL					0.704
237	Anderson-Darling Test Statistic					0.334	95% Bootstrap-t UCL					0.733
238	Anderson-Darling 5% Critical Value					0.679	95% Hall's Bootstrap UCL					0.716
239	Kolmogorov-Smirnov Test Statistic					0.237	95% Percentile Bootstrap UCL					0.716
240	Kolmogorov-Smirnov 5% Critical Value					0.358	95% BCA Bootstrap UCL					0.716
241	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					0.961
242							97.5% Chebyshev(Mean, Sd) UCL					1.129
243	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					1.459
244	95% Approximate Gamma UCL					0.851						
245	95% Adjusted Gamma UCL					1.025						
246												
247	Potential UCL to Use						Use 95% Student's-t UCL					0.762
248												
249												
250	Lead											
251												
252	General Statistics											
253	Number of Valid Observations					5	Number of Distinct Observations					5
254												
255	Raw Statistics						Log-transformed Statistics					
256	Minimum					0.005	Minimum of Log Data					-5.298
257	Maximum					0.054	Maximum of Log Data					-2.919
258	Mean					0.0312	Mean of log Data					-3.908
259	Median					0.038	SD of log Data					1.196
260	SD					0.0243						
261	Coefficient of Variation					0.779						
262	Skewness					-0.333						
263												
264												
265	Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!											

	A	B	C	D	E	F	G	H	I	J	K	L
266												
267				It is suggested to collect at least 8 to 10 observations using these statistical methods!								
268				If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
269												
270												
271				Warning: There are only 5 Values in this data								
272				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
273				the resulting calculations may not be reliable enough to draw conclusions								
274												
275				The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.								
276												
277				Relevant UCL Statistics								
278			Normal Distribution Test					Lognormal Distribution Test				
279			Shapiro Wilk Test Statistic			0.816			Shapiro Wilk Test Statistic			0.776
280			Shapiro Wilk Critical Value			0.762			Shapiro Wilk Critical Value			0.762
281		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
282												
283			Assuming Normal Distribution					Assuming Lognormal Distribution				
284			95% Student's-t UCL			0.0544			95% H-UCL			1.285
285		95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL				0.108
286			95% Adjusted-CLT UCL			0.0474			97.5% Chebyshev (MVUE) UCL			0.14
287			95% Modified-t UCL			0.0541			99% Chebyshev (MVUE) UCL			0.204
288												
289			Gamma Distribution Test					Data Distribution				
290			k star (bias corrected)			0.643		Data appear Normal at 5% Significance Level				
291			Theta Star			0.0485						
292			nu star			6.434						
293		Approximate Chi Square Value (.05)				1.866			Nonparametric Statistics			
294			Adjusted Level of Significance			0.0086			95% CLT UCL			0.0491
295			Adjusted Chi Square Value			0.983			95% Jackknife UCL			0.0544
296									95% Standard Bootstrap UCL			0.0476
297			Anderson-Darling Test Statistic			0.645			95% Bootstrap-t UCL			0.0497
298			Anderson-Darling 5% Critical Value			0.689			95% Hall's Bootstrap UCL			0.0397
299			Kolmogorov-Smirnov Test Statistic			0.3			95% Percentile Bootstrap UCL			0.0474
300		Kolmogorov-Smirnov 5% Critical Value				0.363			95% BCA Bootstrap UCL			0.044
301		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			0.0786
302									97.5% Chebyshev(Mean, Sd) UCL			0.0991
303		Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL			0.139
304			95% Approximate Gamma UCL			0.108						
305			95% Adjusted Gamma UCL			0.204						
306												
307		Potential UCL to Use							Use 95% Student's-t UCL			0.0544
308				Recommended UCL exceeds the maximum observation								
309												
310												
311	Manganese											
312												
313				General Statistics								
314			Number of Valid Observations			5			Number of Distinct Observations			5
315												
316			Raw Statistics					Log-transformed Statistics				
317			Minimum			0.87			Minimum of Log Data			-0.139
318			Maximum			2.28			Maximum of Log Data			0.824

	A	B	C	D	E	F	G	H	I	J	K	L
319					Mean	1.261				Mean of log Data		0.16
320					Median	0.986				SD of log Data		0.404
321					SD	0.594						
322				Coefficient of Variation		0.471						
323					Skewness	1.829						
324												
325												
326		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
327												
328		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
329		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
330												
331												
332		Warning: There are only 5 Values in this data										
333		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
334		the resulting calculations may not be reliable enough to draw conclusions										
335												
336		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
337												
338		Relevant UCL Statistics										
339		Normal Distribution Test						Lognormal Distribution Test				
340			Shapiro Wilk Test Statistic			0.76			Shapiro Wilk Test Statistic			0.822
341			Shapiro Wilk Critical Value			0.762			Shapiro Wilk Critical Value			0.762
342		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
343												
344		Assuming Normal Distribution						Assuming Lognormal Distribution				
345				95% Student's-t UCL		1.828				95% H-UCL		2.178
346		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			2.231
347				95% Adjusted-CLT UCL		1.931			97.5% Chebyshev (MVUE) UCL			2.655
348				95% Modified-t UCL		1.864			99% Chebyshev (MVUE) UCL			3.487
349												
350		Gamma Distribution Test						Data Distribution				
351			k star (bias corrected)			2.958		Data appear Gamma Distributed at 5% Significance Level				
352				Theta Star		0.426						
353				nu star		29.58						
354		Approximate Chi Square Value (.05)				18.16		Nonparametric Statistics				
355		Adjusted Level of Significance				0.0086			95% CLT UCL			1.698
356		Adjusted Chi Square Value				14.4			95% Jackknife UCL			1.828
357									95% Standard Bootstrap UCL			1.658
358		Anderson-Darling Test Statistic				0.58			95% Bootstrap-t UCL			4.652
359		Anderson-Darling 5% Critical Value				0.68			95% Hall's Bootstrap UCL			3.507
360		Kolmogorov-Smirnov Test Statistic				0.292			95% Percentile Bootstrap UCL			1.718
361		Kolmogorov-Smirnov 5% Critical Value				0.358			95% BCA Bootstrap UCL			1.802
362		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			2.42
363									97.5% Chebyshev(Mean, Sd) UCL			2.921
364		Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL			3.905
365			95% Approximate Gamma UCL			2.054						
366			95% Adjusted Gamma UCL			2.592						
367												
368		Potential UCL to Use							Use 95% Approximate Gamma UCL			2.054
369												
370												
371	Mercury											

	A	B	C	D	E	F	G	H	I	J	K	L
372												
373					General Statistics							
374			Number of Valid Observations			5			Number of Distinct Observations			5
375												
376			Raw Statistics						Log-transformed Statistics			
377				Minimum		0.063				Minimum of Log Data		-2.765
378				Maximum		0.137				Maximum of Log Data		-1.988
379				Mean		0.101				Mean of log Data		-2.336
380				Median		0.113				SD of log Data		0.322
381				SD		0.0303						
382			Coefficient of Variation			0.301						
383				Skewness		-0.232						
384												
385												
386		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
387												
388		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
389		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
390												
391												
392					Warning: There are only 5 Values in this data							
393		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
394				the resulting calculations may not be reliable enough to draw conclusions								
395												
396		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
397												
398					Relevant UCL Statistics							
399			Normal Distribution Test						Lognormal Distribution Test			
400			Shapiro Wilk Test Statistic			0.926			Shapiro Wilk Test Statistic			0.91
401			Shapiro Wilk Critical Value			0.762			Shapiro Wilk Critical Value			0.762
402		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
403												
404			Assuming Normal Distribution						Assuming Lognormal Distribution			
405				95% Student's-t UCL		0.13				95% H-UCL		0.151
406		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			0.164
407			95% Adjusted-CLT UCL			0.121			97.5% Chebyshev (MVUE) UCL			0.191
408			95% Modified-t UCL			0.129			99% Chebyshev (MVUE) UCL			0.245
409												
410			Gamma Distribution Test						Data Distribution			
411			k star (bias corrected)			5.241		Data appear Normal at 5% Significance Level				
412				Theta Star		0.0192						
413				nu star		52.41						
414		Approximate Chi Square Value (.05)				36.78			Nonparametric Statistics			
415		Adjusted Level of Significance				0.0086				95% CLT UCL		0.123
416		Adjusted Chi Square Value				31.16				95% Jackknife UCL		0.13
417									95% Standard Bootstrap UCL			0.12
418			Anderson-Darling Test Statistic			0.373				95% Bootstrap-t UCL		0.133
419		Anderson-Darling 5% Critical Value				0.679				95% Hall's Bootstrap UCL		0.115
420		Kolmogorov-Smirnov Test Statistic				0.297			95% Percentile Bootstrap UCL			0.12
421		Kolmogorov-Smirnov 5% Critical Value				0.357				95% BCA Bootstrap UCL		0.118
422		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			0.16
423									97.5% Chebyshev(Mean, Sd) UCL			0.185
424			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			0.236

	A	B	C	D	E	F	G	H	I	J	K	L
425			95% Approximate Gamma UCL			0.143						
426			95% Adjusted Gamma UCL			0.169						
427												
428			**Potential UCL to Use**						Use 95% Student's-t UCL			0.13
429												
430												
431	**Nickel**											
432												
433						**General Statistics**						
434			Number of Valid Observations			5			Number of Distinct Observations			5
435												
436			**Raw Statistics**						**Log-transformed Statistics**			
437					Minimum	0.049			Minimum of Log Data			-3.016
438					Maximum	0.2			Maximum of Log Data			-1.609
439					Mean	0.112			Mean of log Data			-2.331
440					Median	0.1			SD of log Data			0.598
441					SD	0.0635						
442			Coefficient of Variation			0.569						
443					Skewness	0.579						
444												
445												
446		**Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!**										
447												
448		**It is suggested to collect at least 8 to 10 observations using these statistical methods!**										
449		**If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.**										
450												
451												
452					**Warning: There are only 5 Values in this data**							
453			**Note: It should be noted that even though bootstrap methods may be performed on this data set,**										
454			**the resulting calculations may not be reliable enough to draw conclusions**										
455												
456		**The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.**										
457												
458						**Relevant UCL Statistics**						
459			**Normal Distribution Test**						**Lognormal Distribution Test**			
460			Shapiro Wilk Test Statistic			0.929			Shapiro Wilk Test Statistic			0.942
461			Shapiro Wilk Critical Value			0.762			Shapiro Wilk Critical Value			0.762
462		**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
463												
464			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
465			95% Student's-t UCL			0.172			95% H-UCL			0.309
466		**95% UCLs (Adjusted for Skewness)**							95% Chebyshev (MVUE) UCL			0.24
467			95% Adjusted-CLT UCL			0.166			97.5% Chebyshev (MVUE) UCL			0.296
468			95% Modified-t UCL			0.173			99% Chebyshev (MVUE) UCL			0.405
469												
470			**Gamma Distribution Test**						**Data Distribution**			
471			k star (bias corrected)			1.644		**Data appear Normal at 5% Significance Level**				
472				Theta Star		0.0679						
473				nu star		16.44						
474		Approximate Chi Square Value (.05)				8.271			**Nonparametric Statistics**			
475		Adjusted Level of Significance				0.0086			95% CLT UCL			0.158
476			Adjusted Chi Square Value			5.913			95% Jackknife UCL			0.172
477									95% Standard Bootstrap UCL			0.153

	A	B	C	D	E	F	G	H	I	J	K	L
478			Anderson-Darling Test Statistic			0.269				95% Bootstrap-t UCL		0.208
479			Anderson-Darling 5% Critical Value			0.682				95% Hall's Bootstrap UCL		0.205
480			Kolmogorov-Smirnov Test Statistic			0.226				95% Percentile Bootstrap UCL		0.152
481			Kolmogorov-Smirnov 5% Critical Value			0.359				95% BCA Bootstrap UCL		0.16
482		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		0.235
483										97.5% Chebyshev(Mean, Sd) UCL		0.289
484		Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL		0.394
485			95% Approximate Gamma UCL			0.222						
486			95% Adjusted Gamma UCL			0.31						
487												
488		Potential UCL to Use								Use 95% Student's-t UCL		0.172
489												
490												
491	Thallium											
492												
493					General Statistics							
494			Number of Valid Observations			5				Number of Distinct Observations		5
495												
496		Raw Statistics							Log-transformed Statistics			
497				Minimum		0.0037				Minimum of Log Data		-5.599
498				Maximum		0.0077				Maximum of Log Data		-4.867
499				Mean		0.00538				Mean of log Data		-5.26
500				Median		0.0051				SD of log Data		0.294
501				SD		0.00161						
502			Coefficient of Variation			0.299						
503				Skewness		0.664						
504												
505												
506		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
507												
508		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
509		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
510												
511												
512		Warning: There are only 5 Values in this data										
513		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
514		the resulting calculations may not be reliable enough to draw conclusions										
515												
516		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
517												
518					Relevant UCL Statistics							
519		Normal Distribution Test							Lognormal Distribution Test			
520			Shapiro Wilk Test Statistic			0.953				Shapiro Wilk Test Statistic		0.973
521			Shapiro Wilk Critical Value			0.762				Shapiro Wilk Critical Value		0.762
522		Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
523												
524		Assuming Normal Distribution							Assuming Lognormal Distribution			
525			95% Student's-t UCL			0.00691				95% H-UCL		0.00771
526		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		0.00845
527			95% Adjusted-CLT UCL			0.00679				97.5% Chebyshev (MVUE) UCL		0.00979
528			95% Modified-t UCL			0.00695				99% Chebyshev (MVUE) UCL		0.0124
529												
530		Gamma Distribution Test							Data Distribution			

	A	B	C	D	E	F	G	H	I	J	K	L
531				k star (bias corrected)		5.913		Data appear Normal at 5% Significance Level				
532				Theta Star		0.0009099						
533				nu star		59.13						
534				Approximate Chi Square Value (.05)		42.45		Nonparametric Statistics				
535				Adjusted Level of Significance		0.0086				95% CLT UCL		0.00656
536				Adjusted Chi Square Value		36.36				95% Jackknife UCL		0.00691
537										95% Standard Bootstrap UCL		0.00643
538				Anderson-Darling Test Statistic		0.214				95% Bootstrap-t UCL		0.00806
539				Anderson-Darling 5% Critical Value		0.679				95% Hall's Bootstrap UCL		0.00785
540				Kolmogorov-Smirnov Test Statistic		0.192				95% Percentile Bootstrap UCL		0.00658
541				Kolmogorov-Smirnov 5% Critical Value		0.357				95% BCA Bootstrap UCL		0.00648
542		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		0.00852
543										97.5% Chebyshev(Mean, Sd) UCL		0.00987
544				Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL		0.0125
545				95% Approximate Gamma UCL		0.00749						
546				95% Adjusted Gamma UCL		0.00875						
547												
548				Potential UCL to Use						Use 95% Student's-t UCL		0.00691
549												
550												
551	Total DDD											
552												
553							General Statistics					
554				Number of Valid Observations		5				Number of Distinct Observations		5
555												
556				Raw Statistics						Log-transformed Statistics		
557				Minimum		23.31				Minimum of Log Data		3.149
558				Maximum		56.6				Maximum of Log Data		4.036
559				Mean		36.38				Mean of log Data		3.552
560				Median		33.45				SD of log Data		0.318
561				SD		12.28						
562				Coefficient of Variation		0.337						
563				Skewness		1.342						
564												
565												
566		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
567												
568		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
569		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
570												
571												
572						Warning: There are only 5 Values in this data						
573		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
574		the resulting calculations may not be reliable enough to draw conclusions										
575												
576		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
577												
578							Relevant UCL Statistics					
579		Normal Distribution Test						Lognormal Distribution Test				
580				Shapiro Wilk Test Statistic		0.873				Shapiro Wilk Test Statistic		0.931
581				Shapiro Wilk Critical Value		0.762				Shapiro Wilk Critical Value		0.762
582		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
583												

	A	B	C	D	E	F	G	H	I	J	K	L
584	Assuming Normal Distribution						Assuming Lognormal Distribution					
585	95% Student's-t UCL					48.08	95% H-UCL					54.11
586	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					58.74
587	95% Adjusted-CLT UCL					48.93	97.5% Chebyshev (MVUE) UCL					68.44
588	95% Modified-t UCL					48.63	99% Chebyshev (MVUE) UCL					87.5
589												
590	Gamma Distribution Test						Data Distribution					
591	k star (bias corrected)					4.983	Data appear Normal at 5% Significance Level					
592	Theta Star					7.301						
593	nu star					49.83						
594	Approximate Chi Square Value (.05)					34.62	Nonparametric Statistics					
595	Adjusted Level of Significance					0.0086	95% CLT UCL					45.41
596	Adjusted Chi Square Value					29.18	95% Jackknife UCL					48.08
597							95% Standard Bootstrap UCL					44.48
598	Anderson-Darling Test Statistic					0.389	95% Bootstrap-t UCL					57.56
599	Anderson-Darling 5% Critical Value					0.679	95% Hall's Bootstrap UCL					95.39
600	Kolmogorov-Smirnov Test Statistic					0.278	95% Percentile Bootstrap UCL					43.71
601	Kolmogorov-Smirnov 5% Critical Value					0.357	95% BCA Bootstrap UCL					47.17
602	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					60.31
603							97.5% Chebyshev(Mean, Sd) UCL					70.67
604	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					91.01
605	95% Approximate Gamma UCL					52.36						
606	95% Adjusted Gamma UCL					62.11						
607												
608	Potential UCL to Use						Use 95% Student's-t UCL					48.08
609												
610												
611	Total DDE											
612												
613	General Statistics											
614	Number of Valid Observations					5	Number of Distinct Observations					5
615												
616	Raw Statistics						Log-transformed Statistics					
617	Minimum					63.09	Minimum of Log Data					4.145
618	Maximum					222	Maximum of Log Data					5.403
619	Mean					123.1	Mean of log Data					4.718
620	Median					100	SD of log Data					0.48
621	SD					62.18						
622	Coefficient of Variation					0.505						
623	Skewness					1.218						
624												
625												
626	Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
627												
628	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
629	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
630												
631												
632	Warning: There are only 5 Values in this data											
633	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
634	the resulting calculations may not be reliable enough to draw conclusions											
635												
636	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											

	A	B	C	D	E	F	G	H	I	J	K	L
637												
638						**Relevant UCL Statistics**						
639			**Normal Distribution Test**						**Lognormal Distribution Test**			
640				Shapiro Wilk Test Statistic		0.908				Shapiro Wilk Test Statistic		0.979
641				Shapiro Wilk Critical Value		0.762				Shapiro Wilk Critical Value		0.762
642		**Data appear Normal at 5% Significance Level**					**Data appear Lognormal at 5% Significance Level**					
643												
644			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
645				95% Student's-t UCL		182.4				95% H-UCL		251.1
646		**95% UCLs (Adjusted for Skewness)**							95% Chebyshev (MVUE) UCL			236.4
647				95% Adjusted-CLT UCL		185.1				97.5% Chebyshev (MVUE) UCL		285.7
648				95% Modified-t UCL		184.9				99% Chebyshev (MVUE) UCL		382.4
649												
650			**Gamma Distribution Test**						**Data Distribution**			
651				k star (bias corrected)		2.307		**Data appear Normal at 5% Significance Level**				
652				Theta Star		53.38						
653				nu star		23.07						
654			Approximate Chi Square Value (.05)			13.14			**Nonparametric Statistics**			
655				Adjusted Level of Significance		0.0086				95% CLT UCL		168.9
656				Adjusted Chi Square Value		10.03				95% Jackknife UCL		182.4
657										95% Standard Bootstrap UCL		163.7
658				Anderson-Darling Test Statistic		0.244				95% Bootstrap-t UCL		267.8
659			Anderson-Darling 5% Critical Value			0.681				95% Hall's Bootstrap UCL		481.2
660			Kolmogorov-Smirnov Test Statistic			0.227				95% Percentile Bootstrap UCL		165.6
661			Kolmogorov-Smirnov 5% Critical Value			0.358				95% BCA Bootstrap UCL		174.2
662		**Data appear Gamma Distributed at 5% Significance Level**							95% Chebyshev(Mean, Sd) UCL			244.3
663									97.5% Chebyshev(Mean, Sd) UCL			296.8
664			**Assuming Gamma Distribution**						99% Chebyshev(Mean, Sd) UCL			399.8
665				95% Approximate Gamma UCL		216.1						
666				95% Adjusted Gamma UCL		283.3						
667												
668			**Potential UCL to Use**						Use 95% Student's-t UCL			182.4
669												
670												
671	Total Dioxin/Furan TEQ											
672												
673						**General Statistics**						
674				Number of Valid Observations		5			Number of Distinct Observations			5
675												
676			**Raw Statistics**						**Log-transformed Statistics**			
677				Minimum		1.609				Minimum of Log Data		0.475
678				Maximum		2.983				Maximum of Log Data		1.093
679				Mean		2.125				Mean of log Data		0.731
680				Median		1.998				SD of log Data		0.232
681				SD		0.526						
682				Coefficient of Variation		0.247						
683				Skewness		1.348						
684												
685												
686		**Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!**										
687												
688		**It is suggested to collect at least 8 to 10 observations using these statistical methods!**										
689		**If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.**										

	A	B	C	D	E	F	G	H	I	J	K	L
690												
691												
692					Warning: There are only 5 Values in this data							
693				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
694					the resulting calculations may not be reliable enough to draw conclusions							
695												
696				The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.								
697												
698						Relevant UCL Statistics						
699			Normal Distribution Test						Lognormal Distribution Test			
700					Shapiro Wilk Test Statistic	0.903				Shapiro Wilk Test Statistic		0.952
701					Shapiro Wilk Critical Value	0.762				Shapiro Wilk Critical Value		0.762
702		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
703												
704			Assuming Normal Distribution						Assuming Lognormal Distribution			
705					95% Student's-t UCL	2.626				95% H-UCL		2.774
706		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			3.081
707					95% Adjusted-CLT UCL	2.663				97.5% Chebyshev (MVUE) UCL		3.496
708					95% Modified-t UCL	2.649				99% Chebyshev (MVUE) UCL		4.311
709												
710			Gamma Distribution Test						Data Distribution			
711					k star (bias corrected)	9.103		Data appear Normal at 5% Significance Level				
712					Theta Star	0.233						
713					nu star	91.03						
714			Approximate Chi Square Value (.05)			70.03			Nonparametric Statistics			
715				Adjusted Level of Significance		0.0086				95% CLT UCL		2.511
716				Adjusted Chi Square Value		62.02				95% Jackknife UCL		2.626
717										95% Standard Bootstrap UCL		2.469
718				Anderson-Darling Test Statistic		0.292				95% Bootstrap-t UCL		3.005
719				Anderson-Darling 5% Critical Value		0.679				95% Hall's Bootstrap UCL		4.672
720				Kolmogorov-Smirnov Test Statistic		0.211				95% Percentile Bootstrap UCL		2.479
721			Kolmogorov-Smirnov 5% Critical Value			0.357				95% BCA Bootstrap UCL		2.589
722		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			3.149
723										97.5% Chebyshev(Mean, Sd) UCL		3.593
724			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			4.464
725					95% Approximate Gamma UCL	2.762						
726					95% Adjusted Gamma UCL	3.118						
727												
728			Potential UCL to Use						Use 95% Student's-t UCL			2.626
729												
730												
731	Total Dioxin-like PCBs											
732												
733						General Statistics						
734				Number of Valid Observations		5			Number of Distinct Observations			5
735												
736			Raw Statistics						Log-transformed Statistics			
737					Minimum	23354				Minimum of Log Data		10.06
738					Maximum	151434				Maximum of Log Data		11.93
739					Mean	68302				Mean of log Data		10.92
740					Median	45676				SD of log Data		0.728
741					SD	51584						
742				Coefficient of Variation		0.755						

	A	B	C	D	E	F	G	H	I	J	K	L
743					Skewness	1.354						
744												
745												
746			Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!									
747												
748			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
749			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
750												
751												
752					Warning: There are only 5 Values in this data							
753			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
754				the resulting calculations may not be reliable enough to draw conclusions								
755												
756			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
757												
758					Relevant UCL Statistics							
759			Normal Distribution Test					Lognormal Distribution Test				
760				Shapiro Wilk Test Statistic		0.872			Shapiro Wilk Test Statistic			0.974
761				Shapiro Wilk Critical Value		0.762			Shapiro Wilk Critical Value			0.762
762			Data appear Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
763												
764			Assuming Normal Distribution					Assuming Lognormal Distribution				
765				95% Student's-t UCL		117482			95% H-UCL			283435
766			95% UCLs (Adjusted for Skewness)					95% Chebyshev (MVUE) UCL				161516
767				95% Adjusted-CLT UCL		121172			97.5% Chebyshev (MVUE) UCL			202171
768				95% Modified-t UCL		119810			99% Chebyshev (MVUE) UCL			282030
769												
770			Gamma Distribution Test					Data Distribution				
771				k star (bias corrected)		1.12		Data appear Normal at 5% Significance Level				
772				Theta Star		60965						
773				nu star		11.2						
774			Approximate Chi Square Value (.05)			4.707			Nonparametric Statistics			
775			Adjusted Level of Significance			0.0086			95% CLT UCL			106247
776			Adjusted Chi Square Value			3.052			95% Jackknife UCL			117482
777									95% Standard Bootstrap UCL			102566
778			Anderson-Darling Test Statistic			0.268			95% Bootstrap-t UCL			220946
779			Anderson-Darling 5% Critical Value			0.684			95% Hall's Bootstrap UCL			364500
780			Kolmogorov-Smirnov Test Statistic			0.245			95% Percentile Bootstrap UCL			103211
781			Kolmogorov-Smirnov 5% Critical Value			0.36			95% BCA Bootstrap UCL			112282
782			Data appear Gamma Distributed at 5% Significance Level					95% Chebyshev(Mean, Sd) UCL				168858
783									97.5% Chebyshev(Mean, Sd) UCL			212368
784			Assuming Gamma Distribution					99% Chebyshev(Mean, Sd) UCL				297836
785				95% Approximate Gamma UCL		162565						
786				95% Adjusted Gamma UCL		250708						
787												
788			Potential UCL to Use					Use 95% Student's-t UCL				117482
789												
790												
791	Total PCB TEQ											
792												
793					General Statistics							
794			Number of Valid Observations			5			Number of Distinct Observations			5
795												

	A	B	C	D	E	F	G	H	I	J	K	L
796				Raw Statistics					Log-transformed Statistics			
797					Minimum	2.227				Minimum of Log Data		0.801
798					Maximum	12.3				Maximum of Log Data		2.509
799					Mean	7.432				Mean of log Data		1.869
800					Median	7.449				SD of log Data		0.646
801					SD	3.671						
802				Coefficient of Variation		0.494						
803					Skewness	-0.204						
804												
805												
806		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
807												
808		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
809		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
810												
811												
812		Warning: There are only 5 Values in this data										
813		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
814		the resulting calculations may not be reliable enough to draw conclusions										
815												
816		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
817												
818					Relevant UCL Statistics							
819			Normal Distribution Test						Lognormal Distribution Test			
820			Shapiro Wilk Test Statistic			0.987				Shapiro Wilk Test Statistic		0.886
821			Shapiro Wilk Critical Value			0.762				Shapiro Wilk Critical Value		0.762
822		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
823												
824			Assuming Normal Distribution						Assuming Lognormal Distribution			
825				95% Student's-t UCL		10.93					95% H-UCL	24.34
826		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			17.07
827				95% Adjusted-CLT UCL		9.972			97.5% Chebyshev (MVUE) UCL			21.16
828				95% Modified-t UCL		10.91			99% Chebyshev (MVUE) UCL			29.18
829												
830			Gamma Distribution Test						Data Distribution			
831			k star (bias corrected)			1.66		Data appear Normal at 5% Significance Level				
832				Theta Star		4.477						
833				nu star		16.6						
834		Approximate Chi Square Value (.05)				8.386			Nonparametric Statistics			
835		Adjusted Level of Significance				0.0086				95% CLT UCL		10.13
836		Adjusted Chi Square Value				6.007				95% Jackknife UCL		10.93
837										95% Standard Bootstrap UCL		9.845
838		Anderson-Darling Test Statistic				0.319				95% Bootstrap-t UCL		10.61
839		Anderson-Darling 5% Critical Value				0.681				95% Hall's Bootstrap UCL		10.82
840		Kolmogorov-Smirnov Test Statistic				0.25				95% Percentile Bootstrap UCL		9.944
841		Kolmogorov-Smirnov 5% Critical Value				0.359				95% BCA Bootstrap UCL		9.918
842		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			14.59
843									97.5% Chebyshev(Mean, Sd) UCL			17.69
844			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			23.77
845				95% Approximate Gamma UCL		14.71						
846				95% Adjusted Gamma UCL		20.53						
847												
848			Potential UCL to Use							Use 95% Student's-t UCL		10.93

	A	B	C	D	E	F	G	H	I	J	K	L
849												
850												
851	Total PCB_Congeners											
852												
853					General Statistics							
854				Number of Valid Observations		5				Number of Distinct Observations		5
855												
856				Raw Statistics						Log-transformed Statistics		
857					Minimum	287614				Minimum of Log Data		12.57
858					Maximum	1456025				Maximum of Log Data		14.19
859					Mean	726143				Mean of log Data		13.33
860					Median	511911				SD of log Data		0.633
861					SD	469168						
862				Coefficient of Variation		0.646						
863					Skewness	1.139						
864												
865												
866			Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!									
867												
868			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
869			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
870												
871												
872					Warning: There are only 5 Values in this data							
873			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
874			the resulting calculations may not be reliable enough to draw conclusions									
875												
876			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
877												
878					Relevant UCL Statistics							
879			Normal Distribution Test						Lognormal Distribution Test			
880			Shapiro Wilk Test Statistic			0.895			Shapiro Wilk Test Statistic			0.969
881			Shapiro Wilk Critical Value			0.762			Shapiro Wilk Critical Value			0.762
882		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
883												
884			Assuming Normal Distribution						Assuming Lognormal Distribution			
885				95% Student's-t UCL		1173443				95% H-UCL		2219371
886		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			1600019
887				95% Adjusted-CLT UCL		1185428			97.5% Chebyshev (MVUE) UCL			1979865
888				95% Modified-t UCL		1191250			99% Chebyshev (MVUE) UCL			2725998
889												
890			Gamma Distribution Test						Data Distribution			
891			k star (bias corrected)			1.433		Data appear Normal at 5% Significance Level				
892				Theta Star		506825						
893				nu star		14.33						
894			Approximate Chi Square Value (.05)			6.796			Nonparametric Statistics			
895			Adjusted Level of Significance			0.0086				95% CLT UCL		1071263
896			Adjusted Chi Square Value			4.707				95% Jackknife UCL		1173443
897									95% Standard Bootstrap UCL			1034838
898			Anderson-Darling Test Statistic			0.273				95% Bootstrap-t UCL		2156888
899			Anderson-Darling 5% Critical Value			0.682				95% Hall's Bootstrap UCL		3146210
900			Kolmogorov-Smirnov Test Statistic			0.257			95% Percentile Bootstrap UCL			1052158
901			Kolmogorov-Smirnov 5% Critical Value			0.359				95% BCA Bootstrap UCL		1133459

	A	B	C	D	E	F	G	H	I	J	K	L
902	Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL				1640719
903								97.5% Chebyshev(Mean, Sd) UCL				2036456
904	Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL				2813806
905	95% Approximate Gamma UCL				1530845							
906	95% Adjusted Gamma UCL				2210189							
907												
908	Potential UCL to Use							Use 95% Student's-t UCL				1173443
909												
910												
911	Zinc											
912												
913	General Statistics											
914	Number of Valid Observations				5			Number of Distinct Observations				5
915												
916	Raw Statistics							Log-transformed Statistics				
917	Minimum				10.8			Minimum of Log Data				2.38
918	Maximum				15.2			Maximum of Log Data				2.721
919	Mean				12.88			Mean of log Data				2.547
920	Median				13.4			SD of log Data				0.151
921	SD				1.921							
922	Coefficient of Variation				0.149							
923	Skewness				-0.0946							
924												
925												
926	Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
927												
928	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
929	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
930												
931												
932	Warning: There are only 5 Values in this data											
933	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
934	the resulting calculations may not be reliable enough to draw conclusions											
935												
936	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
937												
938	Relevant UCL Statistics											
939	Normal Distribution Test							Lognormal Distribution Test				
940	Shapiro Wilk Test Statistic				0.901			Shapiro Wilk Test Statistic				0.89
941	Shapiro Wilk Critical Value				0.762			Shapiro Wilk Critical Value				0.762
942	Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level				
943												
944	Assuming Normal Distribution							Assuming Lognormal Distribution				
945	95% Student's-t UCL				14.71			95% H-UCL				15.15
946	95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL				16.67
947	95% Adjusted-CLT UCL				14.25			97.5% Chebyshev (MVUE) UCL				18.32
948	95% Modified-t UCL				14.71			99% Chebyshev (MVUE) UCL				21.54
949												
950	Gamma Distribution Test							Data Distribution				
951	k star (bias corrected)				22.26			Data appear Normal at 5% Significance Level				
952	Theta Star				0.579							
953	nu star				222.6							
954	Approximate Chi Square Value (.05)				189.1			Nonparametric Statistics				

	A	B	C	D	E	F	G	H	I	J	K	L
955				Adjusted Level of Significance		0.0086				95% CLT UCL		14.29
956				Adjusted Chi Square Value		175.5				95% Jackknife UCL		14.71
957										95% Standard Bootstrap UCL		14.15
958				Anderson-Darling Test Statistic		0.398				95% Bootstrap-t UCL		14.74
959				Anderson-Darling 5% Critical Value		0.678				95% Hall's Bootstrap UCL		13.76
960				Kolmogorov-Smirnov Test Statistic		0.264				95% Percentile Bootstrap UCL		14.12
961				Kolmogorov-Smirnov 5% Critical Value		0.357				95% BCA Bootstrap UCL		14.12
962		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		16.63
963										97.5% Chebyshev(Mean, Sd) UCL		18.25
964			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		21.43
965				95% Approximate Gamma UCL		15.16						
966				95% Adjusted Gamma UCL		16.34						
967												
968			Potential UCL to Use							Use 95% Student's-t UCL		14.71
969												
970												
971	Total PCBs, Adjusted											
972												
973					General Statistics							
974				Number of Valid Observations		5				Number of Distinct Observations		5
975												
976			Raw Statistics						Log-transformed Statistics			
977					Minimum	264261				Minimum of Log Data		12.48
978					Maximum	1304591				Maximum of Log Data		14.08
979					Mean	657840				Mean of log Data		13.24
980					Median	466235				SD of log Data		0.624
981					SD	417731						
982				Coefficient of Variation		0.635						
983					Skewness	1.112						
984												
985												
986		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
987												
988		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
989		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
990												
991												
992				Warning: There are only 5 Values in this data								
993			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
994			the resulting calculations may not be reliable enough to draw conclusions									
995												
996		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
997												
998					Relevant UCL Statistics							
999		Normal Distribution Test							Lognormal Distribution Test			
1000				Shapiro Wilk Test Statistic		0.898				Shapiro Wilk Test Statistic		0.968
1001				Shapiro Wilk Critical Value		0.762				Shapiro Wilk Critical Value		0.762
1002		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1003												
1004		Assuming Normal Distribution						Assuming Lognormal Distribution				
1005				95% Student's-t UCL		1056101				95% H-UCL		1955058
1006		95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL				1438668
1007				95% Adjusted-CLT UCL		1064376				97.5% Chebyshev (MVUE) UCL		1777952

	A	B	C	D	E	F	G	H	I	J	K	L
1008					95% Modified-t UCL	1071582			99% Chebyshev (MVUE) UCL			2444410
1009												
1010			Gamma Distribution Test						Data Distribution			
1011			k star (bias corrected)			1.473			Data appear Normal at 5% Significance Level			
1012			Theta Star			446737						
1013			nu star			14.73						
1014			Approximate Chi Square Value (.05)			7.071			Nonparametric Statistics			
1015			Adjusted Level of Significance			0.0086			95% CLT UCL			965124
1016			Adjusted Chi Square Value			4.93			95% Jackknife UCL			1056101
1017									95% Standard Bootstrap UCL			928343
1018			Anderson-Darling Test Statistic			0.274			95% Bootstrap-t UCL			1916314
1019			Anderson-Darling 5% Critical Value			0.682			95% Hall's Bootstrap UCL			3499775
1020			Kolmogorov-Smirnov Test Statistic			0.258			95% Percentile Bootstrap UCL			948948
1021			Kolmogorov-Smirnov 5% Critical Value			0.359			95% BCA Bootstrap UCL			959893
1022		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			1472148
1023									97.5% Chebyshev(Mean, Sd) UCL			1824500
1024			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			2516626
1025			95% Approximate Gamma UCL			1369966						
1026			95% Adjusted Gamma UCL			1964957						
1027												
1028			Potential UCL to Use						Use 95% Student's-t UCL			1056101
1029												
1030												
1031	Total TEQ											
1032												
1033					General Statistics							
1034			Number of Valid Observations			5			Number of Distinct Observations			5
1035												
1036			Raw Statistics						Log-transformed Statistics			
1037			Minimum			3.836			Minimum of Log Data			1.344
1038			Maximum			14.49			Maximum of Log Data			2.674
1039			Mean			9.556			Mean of log Data			2.173
1040			Median			9.331			SD of log Data			0.497
1041			SD			3.835						
1042			Coefficient of Variation			0.401						
1043			Skewness			-0.479						
1044												
1045												
1046		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
1047												
1048			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
1049			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
1050												
1051												
1052					Warning: There are only 5 Values in this data							
1053			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
1054			the resulting calculations may not be reliable enough to draw conclusions									
1055												
1056			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
1057												
1058					Relevant UCL Statistics							
1059		Normal Distribution Test							Lognormal Distribution Test			
1060			Shapiro Wilk Test Statistic			0.945			Shapiro Wilk Test Statistic			0.858

	A	B	C	D	E	F	G	H	I	J	K	L
1061				Shapiro Wilk Critical Value		0.762				Shapiro Wilk Critical Value		0.762
1062		**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
1063												
1064		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
1065				95% Student's-t UCL		13.21				95% H-UCL		20.61
1066		**95% UCLs (Adjusted for Skewness)**							95% Chebyshev (MVUE) UCL			18.97
1067				95% Adjusted-CLT UCL		11.98			97.5% Chebyshev (MVUE) UCL			22.99
1068				95% Modified-t UCL		13.15			99% Chebyshev (MVUE) UCL			30.89
1069												
1070		**Gamma Distribution Test**						**Data Distribution**				
1071				k star (bias corrected)		2.561		**Data appear Normal at 5% Significance Level**				
1072				Theta Star		3.732						
1073				nu star		25.61						
1074		Approximate Chi Square Value (.05)				15.08		**Nonparametric Statistics**				
1075		Adjusted Level of Significance				0.0086				95% CLT UCL		12.38
1076		Adjusted Chi Square Value				11.7				95% Jackknife UCL		13.21
1077									95% Standard Bootstrap UCL			11.99
1078		Anderson-Darling Test Statistic				0.431				95% Bootstrap-t UCL		12.66
1079		Anderson-Darling 5% Critical Value				0.68				95% Hall's Bootstrap UCL		12.51
1080		Kolmogorov-Smirnov Test Statistic				0.326			95% Percentile Bootstrap UCL			12
1081		Kolmogorov-Smirnov 5% Critical Value				0.358				95% BCA Bootstrap UCL		12
1082		**Data appear Gamma Distributed at 5% Significance Level**							95% Chebyshev(Mean, Sd) UCL			17.03
1083									97.5% Chebyshev(Mean, Sd) UCL			20.27
1084		**Assuming Gamma Distribution**							99% Chebyshev(Mean, Sd) UCL			26.62
1085				95% Approximate Gamma UCL		16.23						
1086				95% Adjusted Gamma UCL		20.92						
1087												
1088		**Potential UCL to Use**								Use 95% Student's-t UCL		13.21
1089												

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	SMB_EA7
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	2000

2-Methylnaphthalene

General Statistics

Number of Valid Observations	5	Number of Distinct Observations	5

Raw Statistics		Log-transformed Statistics	
Minimum	1.6	Minimum of Log Data	0.47
Maximum	59	Maximum of Log Data	4.078
Mean	30.8	Mean of log Data	2.724
Median	43	SD of log Data	1.64
SD	26.1		
Coefficient of Variation	0.847		
Skewness	-0.364		

Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!

It is suggested to collect at least 8 to 10 observations using these statistical methods!
If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

Warning: There are only 5 Values in this data
Note: It should be noted that even though bootstrap methods may be performed on this data set,
the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.852	Shapiro Wilk Test Statistic	0.817
Shapiro Wilk Critical Value	0.762	Shapiro Wilk Critical Value	0.762
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	55.68	95% H-UCL	33536
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	147.5
95% Adjusted-CLT UCL	47.97	97.5% Chebyshev (MVUE) UCL	194.6
95% Modified-t UCL	55.37	99% Chebyshev (MVUE) UCL	287.1

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	0.469	Data appear Normal at 5% Significance Level	
Theta Star	65.72		
nu star	4.686		
Approximate Chi Square Value (.05)	1.01	Nonparametric Statistics	
Adjusted Level of Significance	0.0086	95% CLT UCL	50

	A	B	C	D	E	F	G	H	I	J	K	L
54	Adjusted Chi Square Value					0.453				95% Jackknife UCL		55.68
55										95% Standard Bootstrap UCL		47.8
56	Anderson-Darling Test Statistic					0.59				95% Bootstrap-t UCL		56.79
57	Anderson-Darling 5% Critical Value					0.696				95% Hall's Bootstrap UCL		41.18
58	Kolmogorov-Smirnov Test Statistic					0.353				95% Percentile Bootstrap UCL		48
59	Kolmogorov-Smirnov 5% Critical Value					0.366				95% BCA Bootstrap UCL		46.8
60	Data appear Gamma Distributed at 5% Significance Level									95% Chebyshev(Mean, Sd) UCL		81.68
61										97.5% Chebyshev(Mean, Sd) UCL		103.7
62	Assuming Gamma Distribution									99% Chebyshev(Mean, Sd) UCL		146.9
63	95% Approximate Gamma UCL					142.9						
64	95% Adjusted Gamma UCL					318.8						
65												
66	Potential UCL to Use									Use 95% Student's-t UCL		55.68
67												
68												
69	Aluminum											
70												
71	General Statistics											
72	Number of Valid Observations					5				Number of Distinct Observations		5
73												
74	Raw Statistics							Log-transformed Statistics				
75	Minimum					3.3				Minimum of Log Data		1.194
76	Maximum					6.14				Maximum of Log Data		1.815
77	Mean					4.9				Mean of log Data		1.569
78	Median					4.92				SD of log Data		0.232
79	SD					1.046						
80	Coefficient of Variation					0.213						
81	Skewness					-0.754						
82												
83												
84	Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
85												
86	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
87	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
88												
89												
90	Warning: There are only 5 Values in this data											
91	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
92	the resulting calculations may not be reliable enough to draw conclusions											
93												
94	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
95												
96	Relevant UCL Statistics											
97	Normal Distribution Test							Lognormal Distribution Test				
98	Shapiro Wilk Test Statistic					0.958				Shapiro Wilk Test Statistic		0.915
99	Shapiro Wilk Critical Value					0.762				Shapiro Wilk Critical Value		0.762
100	Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level				
101												
102	Assuming Normal Distribution							Assuming Lognormal Distribution				
103	95% Student's-t UCL					5.897				95% H-UCL		6.412
104	95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL				7.122
105	95% Adjusted-CLT UCL					5.501				97.5% Chebyshev (MVUE) UCL		8.081
106	95% Modified-t UCL					5.871				99% Chebyshev (MVUE) UCL		9.965

	A	B	C	D	E	F	G	H	I	J	K	L
107												
108			Gamma Distribution Test						Data Distribution			
109				k star (bias corrected)		10.03		Data appear Normal at 5% Significance Level				
110				Theta Star		0.488						
111				nu star		100.3						
112			Approximate Chi Square Value (.05)			78.23			Nonparametric Statistics			
113			Adjusted Level of Significance			0.0086				95% CLT UCL		5.669
114			Adjusted Chi Square Value			69.73				95% Jackknife UCL		5.897
115										95% Standard Bootstrap UCL		5.562
116			Anderson-Darling Test Statistic			0.319				95% Bootstrap-t UCL		5.71
117			Anderson-Darling 5% Critical Value			0.679				95% Hall's Bootstrap UCL		5.616
118			Kolmogorov-Smirnov Test Statistic			0.261				95% Percentile Bootstrap UCL		5.564
119			Kolmogorov-Smirnov 5% Critical Value			0.357				95% BCA Bootstrap UCL		5.432
120		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		6.938
121										97.5% Chebyshev(Mean, Sd) UCL		7.82
122			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		9.553
123			95% Approximate Gamma UCL			6.285						
124			95% Adjusted Gamma UCL			7.051						
125												
126			Potential UCL to Use						Use 95% Student's-t UCL			5.897
127												
128												
129	Arsenic											
130												
131						General Statistics						
132			Number of Valid Observations			5			Number of Distinct Observations			5
133												
134			Raw Statistics						Log-transformed Statistics			
135				Minimum		0.21				Minimum of Log Data		-1.561
136				Maximum		0.29				Maximum of Log Data		-1.238
137				Mean		0.241				Mean of log Data		-1.429
138				Median		0.235				SD of log Data		0.118
139				SD		0.0297						
140			Coefficient of Variation			0.123						
141				Skewness		1.378						
142												
143												
144		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
145												
146		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
147		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
148												
149												
150						Warning: There are only 5 Values in this data						
151		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
152		the resulting calculations may not be reliable enough to draw conclusions										
153												
154		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
155												
156						Relevant UCL Statistics						
157			Normal Distribution Test						Lognormal Distribution Test			
158			Shapiro Wilk Test Statistic			0.878				Shapiro Wilk Test Statistic		0.904
159			Shapiro Wilk Critical Value			0.762				Shapiro Wilk Critical Value		0.762

	A	B	C	D	E	F	G	H	I	J	K	L
160	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
161												
162	Assuming Normal Distribution						Assuming Lognormal Distribution					
163	95% Student's-t UCL					0.269	95% H-UCL					0.273
164	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					0.296
165	95% Adjusted-CLT UCL					0.272	97.5% Chebyshev (MVUE) UCL					0.32
166	95% Modified-t UCL					0.271	99% Chebyshev (MVUE) UCL					0.368
167												
168	Gamma Distribution Test						Data Distribution					
169	k star (bias corrected)					35.05	Data appear Normal at 5% Significance Level					
170	Theta Star					0.00688						
171	nu star					350.5						
172	Approximate Chi Square Value (.05)					308.1	Nonparametric Statistics					
173	Adjusted Level of Significance					0.0086	95% CLT UCL					0.263
174	Adjusted Chi Square Value					290.6	95% Jackknife UCL					0.269
175							95% Standard Bootstrap UCL					0.261
176	Anderson-Darling Test Statistic					0.419	95% Bootstrap-t UCL					0.291
177	Anderson-Darling 5% Critical Value					0.678	95% Hall's Bootstrap UCL					0.382
178	Kolmogorov-Smirnov Test Statistic					0.301	95% Percentile Bootstrap UCL					0.262
179	Kolmogorov-Smirnov 5% Critical Value					0.357	95% BCA Bootstrap UCL					0.263
180	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					0.299
181							97.5% Chebyshev(Mean, Sd) UCL					0.324
182	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					0.373
183	95% Approximate Gamma UCL					0.274						
184	95% Adjusted Gamma UCL					0.291						
185												
186	Potential UCL to Use						Use 95% Student's-t UCL					0.269
187												
188												
189	Copper											
190												
191	General Statistics											
192	Number of Valid Observations					5	Number of Distinct Observations					5
193												
194	Raw Statistics						Log-transformed Statistics					
195	Minimum					0.394	Minimum of Log Data					-0.931
196	Maximum					0.953	Maximum of Log Data					-0.0481
197	Mean					0.654	Mean of log Data					-0.47
198	Median					0.642	SD of log Data					0.341
199	SD					0.216						
200	Coefficient of Variation					0.331						
201	Skewness					0.32						
202												
203												
204	Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
205												
206	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
207	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
208												
209												
210	Warning: There are only 5 Values in this data											
211	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
212	the resulting calculations may not be reliable enough to draw conclusions											

	A	B	C	D	E	F	G	H	I	J	K	L
213												
214		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
215												
216						Relevant UCL Statistics						
217		Normal Distribution Test						Lognormal Distribution Test				
218				Shapiro Wilk Test Statistic		0.989			Shapiro Wilk Test Statistic			0.992
219				Shapiro Wilk Critical Value		0.762			Shapiro Wilk Critical Value			0.762
220		Data appear Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level					
221												
222		Assuming Normal Distribution					Assuming Lognormal Distribution					
223				95% Student's-t UCL		0.861				95% H-UCL		1.016
224		95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL				1.089
225				95% Adjusted-CLT UCL		0.828		97.5% Chebyshev (MVUE) UCL				1.277
226				95% Modified-t UCL		0.863		99% Chebyshev (MVUE) UCL				1.646
227												
228		Gamma Distribution Test					Data Distribution					
229				k star (bias corrected)		4.593		Data appear Normal at 5% Significance Level				
230				Theta Star		0.142						
231				nu star		45.93						
232		Approximate Chi Square Value (.05)				31.38		Nonparametric Statistics				
233		Adjusted Level of Significance				0.0086				95% CLT UCL		0.814
234		Adjusted Chi Square Value				26.24				95% Jackknife UCL		0.861
235									95% Standard Bootstrap UCL			0.797
236		Anderson-Darling Test Statistic				0.163				95% Bootstrap-t UCL		0.892
237		Anderson-Darling 5% Critical Value				0.679			95% Hall's Bootstrap UCL			0.934
238		Kolmogorov-Smirnov Test Statistic				0.14			95% Percentile Bootstrap UCL			0.803
239		Kolmogorov-Smirnov 5% Critical Value				0.358				95% BCA Bootstrap UCL		0.803
240		Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL				1.076
241								97.5% Chebyshev(Mean, Sd) UCL				1.259
242		Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL				1.618
243				95% Approximate Gamma UCL		0.958						
244				95% Adjusted Gamma UCL		1.146						
245												
246		Potential UCL to Use							Use 95% Student's-t UCL			0.861
247												
248												
249	Lead											
250												
251						General Statistics						
252				Number of Valid Observations		5			Number of Distinct Observations			5
253												
254		Raw Statistics					Log-transformed Statistics					
255				Minimum		0.0051			Minimum of Log Data			-5.279
256				Maximum		0.0335			Maximum of Log Data			-3.396
257				Mean		0.0185			Mean of log Data			-4.232
258				Median		0.02			SD of log Data			0.839
259				SD		0.0124						
260		Coefficient of Variation				0.668						
261				Skewness		0.00636						
262												
263												
264		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
265												

	A	B	C	D	E	F	G	H	I	J	K	L
266	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
267	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
268												
269												
270	Warning: There are only 5 Values in this data											
271	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
272	the resulting calculations may not be reliable enough to draw conclusions											
273												
274	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
275												
276	Relevant UCL Statistics											
277	Normal Distribution Test						Lognormal Distribution Test					
278	Shapiro Wilk Test Statistic					0.919	Shapiro Wilk Test Statistic					0.884
279	Shapiro Wilk Critical Value					0.762	Shapiro Wilk Critical Value					0.762
280	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
281												
282	Assuming Normal Distribution						Assuming Lognormal Distribution					
283	95% Student's-t UCL					0.0303	95% H-UCL					0.121
284	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					0.0492
285	95% Adjusted-CLT UCL					0.0276	97.5% Chebyshev (MVUE) UCL					0.0623
286	95% Modified-t UCL					0.0303	99% Chebyshev (MVUE) UCL					0.088
287												
288	Gamma Distribution Test						Data Distribution					
289	k star (bias corrected)					1.017	Data appear Normal at 5% Significance Level					
290	Theta Star					0.0182						
291	nu star					10.17						
292	Approximate Chi Square Value (.05)					4.046	Nonparametric Statistics					
293	Adjusted Level of Significance					0.0086	95% CLT UCL					0.0276
294	Adjusted Chi Square Value					2.546	95% Jackknife UCL					0.0303
295							95% Standard Bootstrap UCL					0.0265
296	Anderson-Darling Test Statistic					0.383	95% Bootstrap-t UCL					0.0297
297	Anderson-Darling 5% Critical Value					0.684	95% Hall's Bootstrap UCL					0.026
298	Kolmogorov-Smirnov Test Statistic					0.243	95% Percentile Bootstrap UCL					0.0268
299	Kolmogorov-Smirnov 5% Critical Value					0.36	95% BCA Bootstrap UCL					0.0268
300	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					0.0426
301							97.5% Chebyshev(Mean, Sd) UCL					0.053
302	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					0.0735
303	95% Approximate Gamma UCL					0.0465						
304	95% Adjusted Gamma UCL					0.0739						
305												
306	Potential UCL to Use						Use 95% Student's-t UCL					0.0303
307												
308												
309	Manganese											
310												
311	General Statistics											
312	Number of Valid Observations					5	Number of Distinct Observations					5
313												
314	Raw Statistics						Log-transformed Statistics					
315	Minimum					1	Minimum of Log Data					0
316	Maximum					2.16	Maximum of Log Data					0.77
317	Mean					1.698	Mean of log Data					0.489
318	Median					1.93	SD of log Data					0.33

	A	B	C	D	E	F	G	H	I	J	K	L
319					SD	0.5						
320				Coefficient of Variation		0.294						
321					Skewness	-0.759						
322												
323												
324			Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!									
325												
326			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
327			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
328												
329												
330			Warning: There are only 5 Values in this data									
331			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
332			the resulting calculations may not be reliable enough to draw conclusions									
333												
334			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
335												
336			Relevant UCL Statistics									
337			Normal Distribution Test					Lognormal Distribution Test				
338			Shapiro Wilk Test Statistic			0.884			Shapiro Wilk Test Statistic			0.864
339			Shapiro Wilk Critical Value			0.762			Shapiro Wilk Critical Value			0.762
340			Data appear Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
341												
342			Assuming Normal Distribution					Assuming Lognormal Distribution				
343			95% Student's-t UCL			2.175			95% H-UCL			2.587
344			95% UCLs (Adjusted for Skewness)					95% Chebyshev (MVUE) UCL			2.793
345			95% Adjusted-CLT UCL			1.985			97.5% Chebyshev (MVUE) UCL			3.264
346			95% Modified-t UCL			2.162			99% Chebyshev (MVUE) UCL			4.191
347												
348			Gamma Distribution Test					Data Distribution				
349			k star (bias corrected)			5.157			Data appear Normal at 5% Significance Level			
350			Theta Star			0.329						
351			nu star			51.57						
352			Approximate Chi Square Value (.05)			36.08			Nonparametric Statistics			
353			Adjusted Level of Significance			0.0086			95% CLT UCL			2.066
354			Adjusted Chi Square Value			30.52			95% Jackknife UCL			2.175
355									95% Standard Bootstrap UCL			2.026
356			Anderson-Darling Test Statistic			0.45			95% Bootstrap-t UCL			2.104
357			Anderson-Darling 5% Critical Value			0.679			95% Hall's Bootstrap UCL			1.918
358			Kolmogorov-Smirnov Test Statistic			0.311			95% Percentile Bootstrap UCL			2.046
359			Kolmogorov-Smirnov 5% Critical Value			0.357			95% BCA Bootstrap UCL			1.954
360			Data appear Gamma Distributed at 5% Significance Level					95% Chebyshev(Mean, Sd) UCL			2.672
361									97.5% Chebyshev(Mean, Sd) UCL			3.094
362			Assuming Gamma Distribution					99% Chebyshev(Mean, Sd) UCL			3.922
363			95% Approximate Gamma UCL			2.427						
364			95% Adjusted Gamma UCL			2.87						
365												
366			Potential UCL to Use						Use 95% Student's-t UCL			2.175
367			Recommended UCL exceeds the maximum observation									
368												
369												
370	Mercury											
371												

	A	B	C	D	E	F	G	H	I	J	K	L
372	General Statistics											
373	Number of Valid Observations					5		Number of Distinct Observations				5
374												
375	Raw Statistics						Log-transformed Statistics					
376	Minimum					0.071		Minimum of Log Data				-2.645
377	Maximum					0.152		Maximum of Log Data				-1.884
378	Mean					0.102		Mean of log Data				-2.311
379	Median					0.0969		SD of log Data				0.274
380	SD					0.03						
381	Coefficient of Variation					0.293						
382	Skewness					1.402						
383												
384												
385	Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
386												
387	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
388	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
389												
390												
391	Warning: There are only 5 Values in this data											
392	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
393	the resulting calculations may not be reliable enough to draw conclusions											
394												
395	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
396												
397	Relevant UCL Statistics											
398	Normal Distribution Test						Lognormal Distribution Test					
399	Shapiro Wilk Test Statistic					0.867		Shapiro Wilk Test Statistic				0.923
400	Shapiro Wilk Critical Value					0.762		Shapiro Wilk Critical Value				0.762
401	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
402												
403	Assuming Normal Distribution						Assuming Lognormal Distribution					
404	95% Student's-t UCL					0.131		95% H-UCL				0.142
405	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					0.157
406	95% Adjusted-CLT UCL					0.133		97.5% Chebyshev (MVUE) UCL				0.18
407	95% Modified-t UCL					0.132		99% Chebyshev (MVUE) UCL				0.227
408												
409	Gamma Distribution Test						Data Distribution					
410	k star (bias corrected)					6.576		Data appear Normal at 5% Significance Level					
411	Theta Star					0.0156						
412	nu star					65.76						
413	Approximate Chi Square Value (.05)					48.1		Nonparametric Statistics					
414	Adjusted Level of Significance					0.0086		95% CLT UCL				0.124
415	Adjusted Chi Square Value					41.58		95% Jackknife UCL				0.131
416								95% Standard Bootstrap UCL				0.122
417	Anderson-Darling Test Statistic					0.403		95% Bootstrap-t UCL				0.153
418	Anderson-Darling 5% Critical Value					0.679		95% Hall's Bootstrap UCL				0.251
419	Kolmogorov-Smirnov Test Statistic					0.303		95% Percentile Bootstrap UCL				0.124
420	Kolmogorov-Smirnov 5% Critical Value					0.357		95% BCA Bootstrap UCL				0.125
421	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					0.161
422								97.5% Chebyshev(Mean, Sd) UCL				0.186
423	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					0.236
424	95% Approximate Gamma UCL					0.14						

	A	B	C	D	E	F	G	H	I	J	K	L
425				95% Adjusted Gamma UCL		0.162						
426												
427			Potential UCL to Use						Use 95% Student's-t UCL			0.131
428												
429												
430	Thallium											
431												
432					General Statistics							
433			Number of Valid Observations			5			Number of Distinct Observations			5
434												
435			Raw Statistics						Log-transformed Statistics			
436				Minimum		0.0032			Minimum of Log Data			-5.745
437				Maximum		0.004			Maximum of Log Data			-5.521
438				Mean		0.00358			Mean of log Data			-5.636
439				Median		0.0035			SD of log Data			0.0991
440				SD		0.0003564						
441			Coefficient of Variation			0.0995						
442				Skewness		0.272						
443												
444												
445			Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!									
446												
447			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
448			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
449												
450												
451			Warning: There are only 5 Values in this data									
452			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
453			the resulting calculations may not be reliable enough to draw conclusions									
454												
455			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
456												
457					Relevant UCL Statistics							
458			Normal Distribution Test						Lognormal Distribution Test			
459			Shapiro Wilk Test Statistic			0.901			Shapiro Wilk Test Statistic			0.905
460			Shapiro Wilk Critical Value			0.762			Shapiro Wilk Critical Value			0.762
461			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
462												
463			Assuming Normal Distribution						Assuming Lognormal Distribution			
464				95% Student's-t UCL		0.00392			95% H-UCL			N/A
465			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			0.00427
466				95% Adjusted-CLT UCL		0.00386			97.5% Chebyshev (MVUE) UCL			0.00457
467				95% Modified-t UCL		0.00392			99% Chebyshev (MVUE) UCL			0.00516
468												
469			Gamma Distribution Test						Data Distribution			
470			k star (bias corrected)			50.94			Data appear Normal at 5% Significance Level			
471				Theta Star		7.027E-05						
472				nu star		509.4						
473			Approximate Chi Square Value (.05)			458.1			Nonparametric Statistics			
474			Adjusted Level of Significance			0.0086			95% CLT UCL			0.00384
475			Adjusted Chi Square Value			436.5			95% Jackknife UCL			0.00392
476									95% Standard Bootstrap UCL			0.00381
477			Anderson-Darling Test Statistic			0.362			95% Bootstrap-t UCL			0.00414

	A	B	C	D	E	F	G	H	I	J	K	L
478				Anderson-Darling 5% Critical Value		0.678				95% Hall's Bootstrap UCL		0.00403
479				Kolmogorov-Smirnov Test Statistic		0.243				95% Percentile Bootstrap UCL		0.00382
480				Kolmogorov-Smirnov 5% Critical Value		0.357				95% BCA Bootstrap UCL		0.00384
481			**Data appear Gamma Distributed at 5% Significance Level**							95% Chebyshev(Mean, Sd) UCL		0.00427
482										97.5% Chebyshev(Mean, Sd) UCL		0.00458
483			**Assuming Gamma Distribution**							99% Chebyshev(Mean, Sd) UCL		0.00517
484				95% Approximate Gamma UCL		0.00398						
485				95% Adjusted Gamma UCL		0.00418						
486												
487			**Potential UCL to Use**							Use 95% Student's-t UCL		0.00392
488												
489												
490	Total DDD											
491												
492					**General Statistics**							
493				Number of Valid Observations		5				Number of Distinct Observations		5
494												
495				**Raw Statistics**					**Log-transformed Statistics**			
496					Minimum	19.02				Minimum of Log Data		2.945
497					Maximum	518				Maximum of Log Data		6.25
498					Mean	161.3				Mean of log Data		4.496
499					Median	68				SD of log Data		1.213
500					SD	204						
501				Coefficient of Variation		1.265						
502					Skewness	1.999						
503												
504												
505			**Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!**									
506												
507			**It is suggested to collect at least 8 to 10 observations using these statistical methods!**									
508			**If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.**									
509												
510												
511					**Warning: There are only 5 Values in this data**							
512				**Note: It should be noted that even though bootstrap methods may be performed on this data set,**									
513				**the resulting calculations may not be reliable enough to draw conclusions**									
514												
515			**The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.**									
516												
517					**Relevant UCL Statistics**							
518			**Normal Distribution Test**						**Lognormal Distribution Test**			
519				Shapiro Wilk Test Statistic		0.736				Shapiro Wilk Test Statistic		0.971
520				Shapiro Wilk Critical Value		0.762				Shapiro Wilk Critical Value		0.762
521			**Data not Normal at 5% Significance Level**					**Data appear Lognormal at 5% Significance Level**				
522												
523			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
524				95% Student's-t UCL		355.8					95% H-UCL	6432
525			**95% UCLs (Adjusted for Skewness)**						95% Chebyshev (MVUE) UCL			494.5
526				95% Adjusted-CLT UCL		398.5				97.5% Chebyshev (MVUE) UCL		641.9
527				95% Modified-t UCL		369.4				99% Chebyshev (MVUE) UCL		931.5
528												
529			**Gamma Distribution Test**						**Data Distribution**			
530				k star (bias corrected)		0.528			**Data appear Gamma Distributed at 5% Significance Level**			

	A	B	C	D	E	F	G	H	I	J	K	L
531				Theta Star		305.7						
532				nu star		5.275						
533			Approximate Chi Square Value (.05)			1.281			Nonparametric Statistics			
534			Adjusted Level of Significance			0.0086				95% CLT UCL		311.3
535			Adjusted Chi Square Value			0.612				95% Jackknife UCL		355.8
536										95% Standard Bootstrap UCL		295.2
537			Anderson-Darling Test Statistic			0.359				95% Bootstrap-t UCL		1154
538			Anderson-Darling 5% Critical Value			0.692				95% Hall's Bootstrap UCL		1262
539			Kolmogorov-Smirnov Test Statistic			0.253				95% Percentile Bootstrap UCL		290.6
540			Kolmogorov-Smirnov 5% Critical Value			0.365				95% BCA Bootstrap UCL		351.1
541		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		559
542										97.5% Chebyshev(Mean, Sd) UCL		731
543			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		1069
544			95% Approximate Gamma UCL			663.9						
545			95% Adjusted Gamma UCL			1391						
546												
547			Potential UCL to Use						Use 95% Approximate Gamma UCL			663.9
548				Recommended UCL exceeds the maximum observation								
549												
550												
551	Total DDE											
552												
553					General Statistics							
554			Number of Valid Observations			5			Number of Distinct Observations			5
555												
556			Raw Statistics						Log-transformed Statistics			
557			Minimum			84.25			Minimum of Log Data			4.434
558			Maximum			474.4			Maximum of Log Data			6.162
559			Mean			219.5			Mean of log Data			5.232
560			Median			182			SD of log Data			0.617
561			SD			148.7						
562			Coefficient of Variation			0.677						
563			Skewness			1.753						
564												
565												
566		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
567												
568			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
569			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
570												
571												
572					Warning: There are only 5 Values in this data							
573			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
574				the resulting calculations may not be reliable enough to draw conclusions								
575												
576			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
577												
578					Relevant UCL Statistics							
579			Normal Distribution Test						Lognormal Distribution Test			
580			Shapiro Wilk Test Statistic			0.802			Shapiro Wilk Test Statistic			0.928
581			Shapiro Wilk Critical Value			0.762			Shapiro Wilk Critical Value			0.762
582		Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
583												

	A	B	C	D	E	F	G	H	I	J	K	L
584	Assuming Normal Distribution						Assuming Lognormal Distribution					
585	95% Student's-t UCL					361.3	95% H-UCL					635.9
586	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					474.7
587	95% Adjusted-CLT UCL					384.6	97.5% Chebyshev (MVUE) UCL					586.1
588	95% Modified-t UCL					370	99% Chebyshev (MVUE) UCL					805
589												
590	Gamma Distribution Test						Data Distribution					
591	k star (bias corrected)					1.454	Data appear Normal at 5% Significance Level					
592	Theta Star					151						
593	nu star					14.54						
594	Approximate Chi Square Value (.05)					6.941	Nonparametric Statistics					
595	Adjusted Level of Significance					0.0086	95% CLT UCL					328.9
596	Adjusted Chi Square Value					4.824	95% Jackknife UCL					361.3
597							95% Standard Bootstrap UCL					315.7
598	Anderson-Darling Test Statistic					0.434	95% Bootstrap-t UCL					624.3
599	Anderson-Darling 5% Critical Value					0.682	95% Hall's Bootstrap UCL					932.8
600	Kolmogorov-Smirnov Test Statistic					0.316	95% Percentile Bootstrap UCL					318.3
601	Kolmogorov-Smirnov 5% Critical Value					0.359	95% BCA Bootstrap UCL					356
602	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					509.4
603							97.5% Chebyshev(Mean, Sd) UCL					634.9
604	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					881.3
605	95% Approximate Gamma UCL					459.8						
606	95% Adjusted Gamma UCL					661.5						
607												
608	Potential UCL to Use						Use 95% Student's-t UCL					361.3
609												
610												
611	Total DDT											
612												
613	General Statistics											
614	Number of Valid Observations					5	Number of Distinct Observations					5
615												
616	Raw Statistics						Log-transformed Statistics					
617	Minimum					11.19	Minimum of Log Data					2.415
618	Maximum					462.7	Maximum of Log Data					6.137
619	Mean					157.5	Mean of log Data					4.404
620	Median					115	SD of log Data					1.423
621	SD					180.7						
622	Coefficient of Variation					1.147						
623	Skewness					1.664						
624												
625												
626	Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
627												
628	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
629	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
630												
631												
632	Warning: There are only 5 Values in this data											
633	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
634	the resulting calculations may not be reliable enough to draw conclusions											
635												
636	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											

	A	B	C	D	E	F	G	H	I	J	K	L
637												
638						Relevant UCL Statistics						
639			Normal Distribution Test						Lognormal Distribution Test			
640				Shapiro Wilk Test Statistic		0.831				Shapiro Wilk Test Statistic		0.981
641				Shapiro Wilk Critical Value		0.762				Shapiro Wilk Critical Value		0.762
642		Data appear Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level					
643												
644			Assuming Normal Distribution						Assuming Lognormal Distribution			
645				95% Student's-t UCL		329.7				95% H-UCL		27804
646		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			594.2
647				95% Adjusted-CLT UCL		354.6				97.5% Chebyshev (MVUE) UCL		778.4
648				95% Modified-t UCL		339.7				99% Chebyshev (MVUE) UCL		1140
649												
650			Gamma Distribution Test						Data Distribution			
651				k star (bias corrected)		0.491		Data appear Normal at 5% Significance Level				
652				Theta Star		320.9						
653				nu star		4.907						
654			Approximate Chi Square Value (.05)			1.11			Nonparametric Statistics			
655				Adjusted Level of Significance		0.0086				95% CLT UCL		290.4
656				Adjusted Chi Square Value		0.51				95% Jackknife UCL		329.7
657										95% Standard Bootstrap UCL		275.7
658				Anderson-Darling Test Statistic		0.193				95% Bootstrap-t UCL		472.4
659				Anderson-Darling 5% Critical Value		0.694				95% Hall's Bootstrap UCL		866
660				Kolmogorov-Smirnov Test Statistic		0.158				95% Percentile Bootstrap UCL		302.9
661				Kolmogorov-Smirnov 5% Critical Value		0.365				95% BCA Bootstrap UCL		311.9
662		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			509.6
663									97.5% Chebyshev(Mean, Sd) UCL			662
664			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			961.3
665				95% Approximate Gamma UCL		696.4						
666				95% Adjusted Gamma UCL		1516						
667												
668			Potential UCL to Use						Use 95% Student's-t UCL			329.7
669												
670												
671	Total Dioxin/Furan TEQ											
672												
673						General Statistics						
674				Number of Valid Observations		5				Number of Distinct Observations		5
675												
676			Raw Statistics						Log-transformed Statistics			
677				Minimum		5.337				Minimum of Log Data		1.675
678				Maximum		51.87				Maximum of Log Data		3.949
679				Mean		17.67				Mean of log Data		2.492
680				Median		7.769				SD of log Data		0.904
681				SD		19.52						
682				Coefficient of Variation		1.105						
683				Skewness		2.025						
684												
685												
686		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
687												
688		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
689		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										

	A	B	C	D	E	F	G	H	I	J	K	L
690												
691												
692					Warning: There are only 5 Values in this data							
693					Note: It should be noted that even though bootstrap methods may be performed on this data set,							
694					the resulting calculations may not be reliable enough to draw conclusions							
695												
696					The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.							
697												
698					Relevant UCL Statistics							
699			Normal Distribution Test						Lognormal Distribution Test			
700			Shapiro Wilk Test Statistic			0.709				Shapiro Wilk Test Statistic		0.87
701			Shapiro Wilk Critical Value			0.762				Shapiro Wilk Critical Value		0.762
702		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
703												
704			Assuming Normal Distribution						Assuming Lognormal Distribution			
705				95% Student's-t UCL		36.28				95% H-UCL		138.4
706		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			44.57
707				95% Adjusted-CLT UCL		40.47				97.5% Chebyshev (MVUE) UCL		56.73
708				95% Modified-t UCL		37.59				99% Chebyshev (MVUE) UCL		80.6
709												
710			Gamma Distribution Test						Data Distribution			
711				k star (bias corrected)		0.718		Data appear Gamma Distributed at 5% Significance Level				
712				Theta Star		24.6						
713				nu star		7.182						
714		Approximate Chi Square Value (.05)				2.271			Nonparametric Statistics			
715			Adjusted Level of Significance			0.0086				95% CLT UCL		32.02
716				Adjusted Chi Square Value		1.256				95% Jackknife UCL		36.28
717										95% Standard Bootstrap UCL		30.65
718			Anderson-Darling Test Statistic			0.577				95% Bootstrap-t UCL		183.6
719			Anderson-Darling 5% Critical Value			0.687				95% Hall's Bootstrap UCL		159.7
720			Kolmogorov-Smirnov Test Statistic			0.32				95% Percentile Bootstrap UCL		33.72
721		Kolmogorov-Smirnov 5% Critical Value				0.362				95% BCA Bootstrap UCL		37.41
722		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			55.72
723									97.5% Chebyshev(Mean, Sd) UCL			72.18
724		Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL			104.5
725				95% Approximate Gamma UCL		55.87						
726				95% Adjusted Gamma UCL		101						
727												
728		Potential UCL to Use						Use 95% Approximate Gamma UCL				55.87
729					Recommended UCL exceeds the maximum observation							
730												
731												
732	Total Dioxin-like PCBs											
733												
734					General Statistics							
735			Number of Valid Observations			5			Number of Distinct Observations			5
736												
737			Raw Statistics						Log-transformed Statistics			
738				Minimum		33073				Minimum of Log Data		10.41
739				Maximum		52675				Maximum of Log Data		10.87
740				Mean		39627				Mean of log Data		10.57
741				Median		37668				SD of log Data		0.191
742				SD		8045						

	A	B	C	D	E	F	G	H	I	J	K	L
743				Coefficient of Variation		0.203						
744					Skewness	1.356						
745												
746												
747	Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
748												
749	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
750	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
751												
752												
753	Warning: There are only 5 Values in this data											
754	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
755	the resulting calculations may not be reliable enough to draw conclusions											
756												
757	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
758												
759	Relevant UCL Statistics											
760	Normal Distribution Test						Lognormal Distribution Test					
761	Shapiro Wilk Test Statistic					0.863	Shapiro Wilk Test Statistic					0.89
762	Shapiro Wilk Critical Value					0.762	Shapiro Wilk Critical Value					0.762
763	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
764												
765	Assuming Normal Distribution						Assuming Lognormal Distribution					
766	95% Student's-t UCL					47297	95% H-UCL					48970
767	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					54346
768	95% Adjusted-CLT UCL					47876	97.5% Chebyshev (MVUE) UCL					60726
769	95% Modified-t UCL					47661	99% Chebyshev (MVUE) UCL					73257
770												
771	Gamma Distribution Test						Data Distribution					
772	k star (bias corrected)					13.34	Data appear Normal at 5% Significance Level					
773	Theta Star					2970						
774	nu star					133.4						
775	Approximate Chi Square Value (.05)					107.7	Nonparametric Statistics					
776	Adjusted Level of Significance					0.0086	95% CLT UCL					45545
777	Adjusted Chi Square Value					97.65	95% Jackknife UCL					47297
778							95% Standard Bootstrap UCL					44932
779	Anderson-Darling Test Statistic					0.385	95% Bootstrap-t UCL					54827
780	Anderson-Darling 5% Critical Value					0.679	95% Hall's Bootstrap UCL					69201
781	Kolmogorov-Smirnov Test Statistic					0.216	95% Percentile Bootstrap UCL					45753
782	Kolmogorov-Smirnov 5% Critical Value					0.357	95% BCA Bootstrap UCL					45816
783	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					55310
784							97.5% Chebyshev(Mean, Sd) UCL					62096
785	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					75426
786	95% Approximate Gamma UCL					49074						
787	95% Adjusted Gamma UCL					54150						
788												
789	Potential UCL to Use						Use 95% Student's-t UCL					47297
790												
791												
792	Total PCB TEQ											
793												
794	General Statistics											
795	Number of Valid Observations					5	Number of Distinct Observations					5

	A	B	C	D	E	F	G	H	I	J	K	L
796												
797			Raw Statistics						Log-transformed Statistics			
798					Minimum	5.181				Minimum of Log Data		1.645
799					Maximum	7.883				Maximum of Log Data		2.065
800					Mean	5.94				Mean of log Data		1.768
801					Median	5.26				SD of log Data		0.182
802					SD	1.165						
803				Coefficient of Variation		0.196						
804					Skewness	1.634						
805												
806												
807		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
808												
809		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
810		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
811												
812												
813		Warning: There are only 5 Values in this data										
814		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
815		the resulting calculations may not be reliable enough to draw conclusions										
816												
817		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
818												
819					Relevant UCL Statistics							
820			Normal Distribution Test						Lognormal Distribution Test			
821			Shapiro Wilk Test Statistic			0.762				Shapiro Wilk Test Statistic		0.779
822			Shapiro Wilk Critical Value			0.762				Shapiro Wilk Critical Value		0.762
823		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
824												
825			Assuming Normal Distribution						Assuming Lognormal Distribution			
826				95% Student's-t UCL		7.05				95% H-UCL		7.25
827		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			8.036
828			95% Adjusted-CLT UCL			7.203			97.5% Chebyshev (MVUE) UCL			8.944
829				95% Modified-t UCL		7.114			99% Chebyshev (MVUE) UCL			10.73
830												
831			Gamma Distribution Test						Data Distribution			
832				k star (bias corrected)		14.59		Data appear Gamma Distributed at 5% Significance Level				
833					Theta Star	0.407						
834					nu star	145.9						
835		Approximate Chi Square Value (.05)				119			Nonparametric Statistics			
836			Adjusted Level of Significance			0.0086				95% CLT UCL		6.797
837			Adjusted Chi Square Value			108.3				95% Jackknife UCL		7.05
838										95% Standard Bootstrap UCL		6.714
839			Anderson-Darling Test Statistic			0.664				95% Bootstrap-t UCL		27.84
840		Anderson-Darling 5% Critical Value				0.678				95% Hall's Bootstrap UCL		22.7
841		Kolmogorov-Smirnov Test Statistic				0.345			95% Percentile Bootstrap UCL			6.806
842		Kolmogorov-Smirnov 5% Critical Value				0.357				95% BCA Bootstrap UCL		7.018
843		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			8.21
844									97.5% Chebyshev(Mean, Sd) UCL			9.192
845			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			11.12
846			95% Approximate Gamma UCL			7.284						
847				95% Adjusted Gamma UCL		7.999						
848												

	A	B	C	D	E	F	G	H	I	J	K	L
849	Potential UCL to Use								Use 95% Approximate Gamma UCL			7.284
850												
851												
852	Total PCB_Congeners											
853												
854	General Statistics											
855	Number of Valid Observations					5		Number of Distinct Observations				5
856												
857	Raw Statistics						Log-transformed Statistics					
858	Minimum					505446		Minimum of Log Data				13.13
859	Maximum					2007991		Maximum of Log Data				14.51
860	Mean					825150		Mean of log Data				13.45
861	Median					535659		SD of log Data				0.597
862	SD					661414						
863	Coefficient of Variation					0.802						
864	Skewness					2.233						
865												
866												
867	Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
868												
869	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
870	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
871												
872												
873	Warning: There are only 5 Values in this data											
874	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
875	the resulting calculations may not be reliable enough to draw conclusions											
876												
877	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
878												
879	Relevant UCL Statistics											
880	Normal Distribution Test						Lognormal Distribution Test					
881	Shapiro Wilk Test Statistic					0.576		Shapiro Wilk Test Statistic				0.601
882	Shapiro Wilk Critical Value					0.762		Shapiro Wilk Critical Value				0.762
883	Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level					
884												
885	Assuming Normal Distribution						Assuming Lognormal Distribution					
886	95% Student's-t UCL					1455735		95% H-UCL				2196409
887	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					1706595
888	95% Adjusted-CLT UCL					1627301		97.5% Chebyshev (MVUE) UCL				2101346
889	95% Modified-t UCL					1504965		99% Chebyshev (MVUE) UCL				2876760
890												
891	Gamma Distribution Test						Data Distribution					
892	k star (bias corrected)					1.323	Data do not follow a Discernable Distribution (0.05)					
893	Theta Star					623851						
894	nu star					13.23						
895	Approximate Chi Square Value (.05)					6.045		Nonparametric Statistics				
896	Adjusted Level of Significance					0.0086		95% CLT UCL				1311686
897	Adjusted Chi Square Value					4.104		95% Jackknife UCL				1455735
898								95% Standard Bootstrap UCL				1248567
899	Anderson-Darling Test Statistic					1.216		95% Bootstrap-t UCL				21407461
900	Anderson-Darling 5% Critical Value					0.683		95% Hall's Bootstrap UCL				16121191
901	Kolmogorov-Smirnov Test Statistic					0.477		95% Percentile Bootstrap UCL				1413015

	A	B	C	D	E	F	G	H	I	J	K	L
902			Kolmogorov-Smirnov 5% Critical Value			0.359				95% BCA Bootstrap UCL		1421638
903			Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		2114482
904										97.5% Chebyshev(Mean, Sd) UCL		2672378
905			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		3768255
906			95% Approximate Gamma UCL			1805322						
907			95% Adjusted Gamma UCL			2659154						
908												
909			Potential UCL to Use							Use 95% Chebyshev (Mean, Sd) UCL		2114482
910			Recommended UCL exceeds the maximum observation									
911												
912												
913	Zinc											
914												
915			General Statistics									
916			Number of Valid Observations			5				Number of Distinct Observations		5
917												
918			Raw Statistics							Log-transformed Statistics		
919			Minimum			12				Minimum of Log Data		2.485
920			Maximum			16				Maximum of Log Data		2.773
921			Mean			14.02				Mean of log Data		2.635
922			Median			14.2				SD of log Data		0.113
923			SD			1.569						
924			Coefficient of Variation			0.112						
925			Skewness			-0.0921						
926												
927												
928			Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!									
929												
930			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
931			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
932												
933												
934			Warning: There are only 5 Values in this data									
935			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
936			the resulting calculations may not be reliable enough to draw conclusions									
937												
938			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
939												
940			Relevant UCL Statistics									
941			Normal Distribution Test							Lognormal Distribution Test		
942			Shapiro Wilk Test Statistic			0.986				Shapiro Wilk Test Statistic		0.983
943			Shapiro Wilk Critical Value			0.762				Shapiro Wilk Critical Value		0.762
944			Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level		
945												
946			Assuming Normal Distribution							Assuming Lognormal Distribution		
947			95% Student's-t UCL			15.52				95% H-UCL		15.77
948			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		17.11
949			95% Adjusted-CLT UCL			15.14				97.5% Chebyshev (MVUE) UCL		18.44
950			95% Modified-t UCL			15.51				99% Chebyshev (MVUE) UCL		21.07
951												
952			Gamma Distribution Test							Data Distribution		
953			k star (bias corrected)			39.61				Data appear Normal at 5% Significance Level		
954			Theta Star			0.354						

	A	B	C	D	E	F	G	H	I	J	K	L
955					nu star	396.1						
956			Approximate Chi Square Value (.05)			350.9			Nonparametric Statistics			
957			Adjusted Level of Significance			0.0086					95% CLT UCL	15.17
958			Adjusted Chi Square Value			332.1					95% Jackknife UCL	15.52
959											95% Standard Bootstrap UCL	15.05
960			Anderson-Darling Test Statistic			0.188					95% Bootstrap-t UCL	15.4
961			Anderson-Darling 5% Critical Value			0.678					95% Hall's Bootstrap UCL	15.05
962			Kolmogorov-Smirnov Test Statistic			0.164					95% Percentile Bootstrap UCL	15.06
963			Kolmogorov-Smirnov 5% Critical Value			0.357					95% BCA Bootstrap UCL	14.98
964		Data appear Gamma Distributed at 5% Significance Level									95% Chebyshev(Mean, Sd) UCL	17.08
965											97.5% Chebyshev(Mean, Sd) UCL	18.4
966			Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL	21
967			95% Approximate Gamma UCL			15.82						
968			95% Adjusted Gamma UCL			16.72						
969												
970			Potential UCL to Use								Use 95% Student's-t UCL	15.52
971												
972												
973	Total PCBs, Adjusted											
974												
975					General Statistics							
976			Number of Valid Observations			5				Number of Distinct Observations		5
977												
978			Raw Statistics						Log-transformed Statistics			
979			Minimum			472059					Minimum of Log Data	13.06
980			Maximum			1955316					Maximum of Log Data	14.49
981			Mean			785522					Mean of log Data	13.38
982			Median			494325					SD of log Data	0.617
983			SD			654116						
984			Coefficient of Variation			0.833						
985			Skewness			2.233						
986												
987												
988		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
989												
990		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
991		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
992												
993												
994		Warning: There are only 5 Values in this data										
995		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
996		the resulting calculations may not be reliable enough to draw conclusions										
997												
998		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
999												
1000					Relevant UCL Statistics							
1001			Normal Distribution Test						Lognormal Distribution Test			
1002			Shapiro Wilk Test Statistic			0.575					Shapiro Wilk Test Statistic	0.601
1003			Shapiro Wilk Critical Value			0.762					Shapiro Wilk Critical Value	0.762
1004		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
1005												
1006			Assuming Normal Distribution						Assuming Lognormal Distribution			
1007			95% Student's-t UCL			1409151					95% H-UCL	2207187

	A	B	C	D	E	F	G	H	I	J	K	L
1008				95% UCLs (Adjusted for Skewness)					95% Chebyshev (MVUE) UCL			1646577
1009				95% Adjusted-CLT UCL		1578829			97.5% Chebyshev (MVUE) UCL			2033104
1010				95% Modified-t UCL		1457838			99% Chebyshev (MVUE) UCL			2792361
1011												
1012				Gamma Distribution Test					Data Distribution			
1013				k star (bias corrected)		1.245			Data do not follow a Discernable Distribution (0.05)			
1014				Theta Star		630897						
1015				nu star		12.45						
1016				Approximate Chi Square Value (.05)		5.525			Nonparametric Statistics			
1017				Adjusted Level of Significance		0.0086			95% CLT UCL			1266691
1018				Adjusted Chi Square Value		3.692			95% Jackknife UCL			1409151
1019									95% Standard Bootstrap UCL			1219037
1020				Anderson-Darling Test Statistic		1.216			95% Bootstrap-t UCL			19526951
1021				Anderson-Darling 5% Critical Value		0.683			95% Hall's Bootstrap UCL			17687978
1022				Kolmogorov-Smirnov Test Statistic		0.473			95% Percentile Bootstrap UCL			1366466
1023				Kolmogorov-Smirnov 5% Critical Value		0.36			95% BCA Bootstrap UCL			1374372
1024			Data not Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			2060630
1025									97.5% Chebyshev(Mean, Sd) UCL			2612370
1026				Assuming Gamma Distribution					99% Chebyshev(Mean, Sd) UCL			3696157
1027				95% Approximate Gamma UCL		1770072						
1028				95% Adjusted Gamma UCL		2649318						
1029												
1030				Potential UCL to Use					Use 95% Chebyshev (Mean, Sd) UCL			2060630
1031				Recommended UCL exceeds the maximum observation								
1032												
1033												
1034	Total TEQ											
1035												
1036					General Statistics							
1037				Number of Valid Observations		5			Number of Distinct Observations			5
1038												
1039			Raw Statistics						Log-transformed Statistics			
1040					Minimum	10.6			Minimum of Log Data			2.361
1041					Maximum	57.06			Maximum of Log Data			4.044
1042					Mean	23.61			Mean of log Data			2.951
1043					Median	13.81			SD of log Data			0.679
1044					SD	19.35						
1045				Coefficient of Variation		0.82						
1046					Skewness	1.903						
1047												
1048												
1049			Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!									
1050												
1051				It is suggested to collect at least 8 to 10 observations using these statistical methods!								
1052				If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
1053												
1054												
1055					Warning: There are only 5 Values in this data							
1056				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
1057				the resulting calculations may not be reliable enough to draw conclusions								
1058												
1059				The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.								
1060												

	A	B	C	D	E	F	G	H	I	J	K	L
1061	Relevant UCL Statistics											
1062	Normal Distribution Test						Lognormal Distribution Test					
1063	Shapiro Wilk Test Statistic					0.747	Shapiro Wilk Test Statistic					0.865
1064	Shapiro Wilk Critical Value					0.762	Shapiro Wilk Critical Value					0.762
1065	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
1066												
1067	Assuming Normal Distribution						Assuming Lognormal Distribution					
1068	95% Student's-t UCL					42.06	95% H-UCL					81.27
1069	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					52.62
1070	95% Adjusted-CLT UCL					45.71	97.5% Chebyshev (MVUE) UCL					65.5
1071	95% Modified-t UCL					43.28	99% Chebyshev (MVUE) UCL					90.79
1072												
1073	Gamma Distribution Test						Data Distribution					
1074	k star (bias corrected)					1.143	Data appear Gamma Distributed at 5% Significance Level					
1075	Theta Star					20.65						
1076	nu star					11.43						
1077	Approximate Chi Square Value (.05)					4.856	Nonparametric Statistics					
1078	Adjusted Level of Significance					0.0086	95% CLT UCL					37.84
1079	Adjusted Chi Square Value					3.168	95% Jackknife UCL					42.06
1080							95% Standard Bootstrap UCL					36.47
1081	Anderson-Darling Test Statistic					0.543	95% Bootstrap-t UCL					171.6
1082	Anderson-Darling 5% Critical Value					0.683	95% Hall's Bootstrap UCL					147.3
1083	Kolmogorov-Smirnov Test Statistic					0.313	95% Percentile Bootstrap UCL					38.95
1084	Kolmogorov-Smirnov 5% Critical Value					0.36	95% BCA Bootstrap UCL					41.55
1085	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					61.33
1086							97.5% Chebyshev(Mean, Sd) UCL					77.66
1087	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					109.7
1088	95% Approximate Gamma UCL					55.58						
1089	95% Adjusted Gamma UCL					85.2						
1090												
1091	Potential UCL to Use						Use 95% Approximate Gamma UCL					55.58
1092												

	A	B	C	D	E	F	G	H	I	J	K	L
1						General UCL Statistics for Data Sets with Non-Detects						
2		User Selected Options										
3			From File	SMB_Study_area-F								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	1-Methylnaphthalene											
10												
11						General Statistics						
12			Number of Valid Data			18			Number of Detected Data			15
13			Number of Distinct Detected Data			14			Number of Non-Detect Data			3
14			Number of Missing Values			5			Percent Non-Detects			16.67%
15												
16			Raw Statistics						Log-transformed Statistics			
17			Minimum Detected			0.31			Minimum Detected			-1.171
18			Maximum Detected			2.4			Maximum Detected			0.875
19			Mean of Detected			0.808			Mean of Detected			-0.403
20			SD of Detected			0.573			SD of Detected			0.611
21			Minimum Non-Detect			0.3			Minimum Non-Detect			-1.204
22			Maximum Non-Detect			0.3			Maximum Non-Detect			-1.204
23												
24												
25						UCL Statistics						
26		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
27			Shapiro Wilk Test Statistic			0.805			Shapiro Wilk Test Statistic			0.935
28			5% Shapiro Wilk Critical Value			0.881			5% Shapiro Wilk Critical Value			0.881
29		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
30												
31		Assuming Normal Distribution						Assuming Lognormal Distribution				
32			DL/2 Substitution Method						DL/2 Substitution Method			
33			Mean			0.698			Mean			-0.652
34			SD			0.578			SD			0.798
35			95% DL/2 (t) UCL			0.935			95% H-Stat (DL/2) UCL			1.104
36												
37		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
38			Mean			0.659			Mean in Log Scale			-0.645
39			SD			0.618			SD in Log Scale			0.792
40			95% MLE (t) UCL			0.913			Mean in Original Scale			0.7
41			95% MLE (Tiku) UCL			0.909			SD in Original Scale			0.577
42									95% Percentile Bootstrap UCL			0.917
43									95% BCA Bootstrap UCL			0.97
44												
45		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
46			k star (bias corrected)			2.281		Data appear Gamma Distributed at 5% Significance Level				
47			Theta Star			0.354						
48			nu star			68.44						
49												
50			A-D Test Statistic			0.546			Nonparametric Statistics			
51			5% A-D Critical Value			0.745			Kaplan-Meier (KM) Method			
52			K-S Test Statistic			0.745			Mean			0.725
53			5% K-S Critical Value			0.224			SD			0.539

	A	B	C	D	E	F	G	H	I	J	K	L
54	Data appear Gamma Distributed at 5% Significance Level									SE of Mean		0.131
55										95% KM (t) UCL		0.954
56	Assuming Gamma Distribution									95% KM (z) UCL		0.941
57	Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL		0.948
58	Minimum					1E-09				95% KM (bootstrap t) UCL		1.074
59	Maximum					2.4				95% KM (BCA) UCL		0.983
60	Mean					0.693				95% KM (Percentile Bootstrap) UCL		0.949
61	Median					0.51				95% KM (Chebyshev) UCL		1.298
62	SD					0.585				97.5% KM (Chebyshev) UCL		1.546
63	k star					0.44				99% KM (Chebyshev) UCL		2.033
64	Theta star					1.575						
65	Nu star					15.85			Potential UCLs to Use			
66	AppChi2					7.859				95% KM (BCA) UCL		0.983
67	95% Gamma Approximate UCL					1.399						
68	95% Adjusted Gamma UCL					1.501						
69	Note: DL/2 is not a recommended method.											
70												
71												
72	2-Methylnaphthalene											
73												
74	General Statistics											
75	Number of Valid Data					18			Number of Detected Data			16
76	Number of Distinct Detected Data					15			Number of Non-Detect Data			2
77	Number of Missing Values					5			Percent Non-Detects			11.11%
78												
79	Raw Statistics								Log-transformed Statistics			
80	Minimum Detected					0.45			Minimum Detected			-0.799
81	Maximum Detected					2.9			Maximum Detected			1.065
82	Mean of Detected					1.021			Mean of Detected			-0.136
83	SD of Detected					0.663			SD of Detected			0.553
84	Minimum Non-Detect					0.44			Minimum Non-Detect			-0.821
85	Maximum Non-Detect					0.44			Maximum Non-Detect			-0.821
86												
87												
88	UCL Statistics											
89	Normal Distribution Test with Detected Values Only								Lognormal Distribution Test with Detected Values Only			
90	Shapiro Wilk Test Statistic					0.803			Shapiro Wilk Test Statistic			0.924
91	5% Shapiro Wilk Critical Value					0.887			5% Shapiro Wilk Critical Value			0.887
92	Data not Normal at 5% Significance Level								Data appear Lognormal at 5% Significance Level			
93												
94	Assuming Normal Distribution								Assuming Lognormal Distribution			
95	DL/2 Substitution Method								DL/2 Substitution Method			
96	Mean					0.932			Mean			-0.289
97	SD					0.674			SD			0.684
98	95% DL/2 (t) UCL					1.209			95% H-Stat (DL/2) UCL			1.245
99												
100	Maximum Likelihood Estimate(MLE) Method								Log ROS Method			
101	Mean					0.911			Mean in Log Scale			-0.281
102	SD					0.69			SD in Log Scale			0.671
103	95% MLE (t) UCL					1.194			Mean in Original Scale			0.934
104	95% MLE (Tiku) UCL					1.183			SD in Original Scale			0.672
105									95% Percentile Bootstrap UCL			1.21
106									95% BCA Bootstrap UCL			1.252

	A	B	C	D	E	F	G	H	I	J	K	L
107												
108		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
109			k star (bias corrected)			2.757	Data appear Gamma Distributed at 5% Significance Level					
110			Theta Star			0.37						
111			nu star			88.22						
112												
113			A-D Test Statistic			0.625		Nonparametric Statistics				
114			5% A-D Critical Value			0.743		Kaplan-Meier (KM) Method				
115			K-S Test Statistic			0.743			Mean			0.958
116			5% K-S Critical Value			0.216			SD			0.631
117		Data appear Gamma Distributed at 5% Significance Level							SE of Mean			0.154
118									95% KM (t) UCL			1.225
119		Assuming Gamma Distribution							95% KM (z) UCL			1.21
120		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			1.222
121			Minimum			1E-09			95% KM (bootstrap t) UCL			1.366
122			Maximum			2.9			95% KM (BCA) UCL			1.264
123			Mean			0.917		95% KM (Percentile Bootstrap) UCL				1.217
124			Median			0.71			95% KM (Chebyshev) UCL			1.627
125			SD			0.693			97.5% KM (Chebyshev) UCL			1.917
126			k star			0.449			99% KM (Chebyshev) UCL			2.486
127			Theta star			2.041						
128			Nu star			16.17		Potential UCLs to Use				
129			AppChi2			8.079			95% KM (BCA) UCL			1.264
130		95% Gamma Approximate UCL				1.834						
131		95% Adjusted Gamma UCL				1.967						
132	Note: DL/2 is not a recommended method.											
133												
134												
135	Acenaphthylene											
136												
137					General Statistics							
138			Number of Valid Data			18		Number of Detected Data				13
139		Number of Distinct Detected Data				10		Number of Non-Detect Data				5
140			Number of Missing Values			5		Percent Non-Detects				27.78%
141												
142		Raw Statistics						Log-transformed Statistics				
143			Minimum Detected			0.14			Minimum Detected			-1.966
144			Maximum Detected			2.5			Maximum Detected			0.916
145			Mean of Detected			0.522			Mean of Detected			-1.1
146			SD of Detected			0.681			SD of Detected			0.858
147			Minimum Non-Detect			0.069			Minimum Non-Detect			-2.674
148			Maximum Non-Detect			0.069			Maximum Non-Detect			-2.674
149												
150												
151					UCL Statistics							
152		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
153			Shapiro Wilk Test Statistic			0.59			Shapiro Wilk Test Statistic			0.83
154		5% Shapiro Wilk Critical Value				0.866		5% Shapiro Wilk Critical Value				0.866
155		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
156												
157		Assuming Normal Distribution						Assuming Lognormal Distribution				
158		DL/2 Substitution Method						DL/2 Substitution Method				
159			Mean			0.387			Mean			-1.73

	A	B	C	D	E	F	G	H	I	J	K	L
160					SD	0.614					SD	1.269
161				95% DL/2 (t) UCL		0.639			95% H-Stat (DL/2) UCL			0.741
162												
163		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
164					Mean	0.249				Mean in Log Scale		-1.666
165					SD	0.743				SD in Log Scale		1.207
166				95% MLE (t) UCL		0.553				Mean in Original Scale		0.39
167				95% MLE (Tiku) UCL		0.562				SD in Original Scale		0.612
168									95% Percentile Bootstrap UCL			0.648
169									95% BCA Bootstrap UCL			0.746
170												
171		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
172				k star (bias corrected)		1.012		Data do not follow a Discernable Distribution (0.05)				
173					Theta Star	0.516						
174					nu star	26.31						
175												
176				A-D Test Statistic		1.445		Nonparametric Statistics				
177				5% A-D Critical Value		0.754			Kaplan-Meier (KM) Method			
178				K-S Test Statistic		0.754				Mean		0.416
179				5% K-S Critical Value		0.242				SD		0.581
180		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.143
181										95% KM (t) UCL		0.664
182		Assuming Gamma Distribution								95% KM (z) UCL		0.651
183		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			0.657
184					Minimum	1E-09			95% KM (bootstrap t) UCL			1.611
185					Maximum	2.5				95% KM (BCA) UCL		0.67
186					Mean	0.397			95% KM (Percentile Bootstrap) UCL			0.669
187					Median	0.211			95% KM (Chebyshev) UCL			1.038
188					SD	0.61			97.5% KM (Chebyshev) UCL			1.307
189					k star	0.262			99% KM (Chebyshev) UCL			1.835
190					Theta star	1.516						
191					Nu star	9.431		Potential UCLs to Use				
192					AppChi2	3.589			95% KM (BCA) UCL			0.67
193			95% Gamma Approximate UCL			1.044						
194			95% Adjusted Gamma UCL			1.152						
195	Note: DL/2 is not a recommended method.											
196												
197												
198	Aldrin											
199												
200					General Statistics							
201			Number of Valid Data			8				Number of Detected Data		6
202		Number of Distinct Detected Data				6				Number of Non-Detect Data		2
203			Number of Missing Values			13				Percent Non-Detects		25.00%
204												
205			Raw Statistics						Log-transformed Statistics			
206				Minimum Detected		0.005				Minimum Detected		-5.298
207				Maximum Detected		0.011				Maximum Detected		-4.51
208				Mean of Detected		0.00664				Mean of Detected		-5.053
209				SD of Detected		0.00224				SD of Detected		0.29
210			Minimum Non-Detect			0.00334				Minimum Non-Detect		-5.702
211			Maximum Non-Detect			0.00667				Maximum Non-Detect		-5.01
212												

	A	B	C	D	E	F	G	H	I	J	K	L
213	Note: Data have multiple DLs - Use of KM Method is recommended						Number treated as Non-Detect					6
214	For all methods (except KM, DL/2, and ROS Methods),						Number treated as Detected					2
215	Observations < Largest ND are treated as NDs						Single DL Non-Detect Percentage					75.00%
216												
217	Warning: There are only 6 Detected Values in this data											
218	Note: It should be noted that even though bootstrap may be performed on this data set											
219	the resulting calculations may not be reliable enough tp draw conclusions											
220												
221	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
222												
223												
224	UCL Statistics											
225	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
226	Shapiro Wilk Test Statistic					0.759	Shapiro Wilk Test Statistic					0.832
227	5% Shapiro Wilk Critical Value					0.788	5% Shapiro Wilk Critical Value					0.788
228	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
229												
230	Assuming Normal Distribution						Assuming Lognormal Distribution					
231	DL/2 Substitution Method						DL/2 Substitution Method					
232	Mean					0.00561	Mean					-5.302
233	SD					0.00273	SD					0.554
234	95% DL/2 (t) UCL					0.00744	95% H-Stat (DL/2) UCL					0.00877
235												
236	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
237	MLE method failed to converge properly						Mean in Log Scale					-5.157
238							SD in Log Scale					0.329
239							Mean in Original Scale					0.00605
240							SD in Original Scale					0.00223
241							95% Percentile Bootstrap UCL					0.00739
242							95% BCA Bootstrap UCL					0.00789
243												
244	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
245	k star (bias corrected)					6.656	Data appear Gamma Distributed at 5% Significance Level					
246	Theta Star					0.0009978						
247	nu star					79.88						
248												
249	A-D Test Statistic					0.608	Nonparametric Statistics					
250	5% A-D Critical Value					0.698	Kaplan-Meier (KM) Method					
251	K-S Test Statistic					0.698	Mean					0.00628
252	5% K-S Critical Value					0.332	SD					0.00189
253	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					0.0007331
254							95% KM (t) UCL					0.00767
255	Assuming Gamma Distribution						95% KM (z) UCL					0.00749
256	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					0.00763
257	Minimum					0.005	95% KM (bootstrap t) UCL					0.01
258	Maximum					0.011	95% KM (BCA) UCL					0.0075
259	Mean					0.00649	95% KM (Percentile Bootstrap) UCL					0.00755
260	Median					0.00589	95% KM (Chebyshev) UCL					0.00948
261	SD					0.00195	97.5% KM (Chebyshev) UCL					0.0109
262	k star					10.01	99% KM (Chebyshev) UCL					0.0136
263	Theta star					0.0006477						
264	Nu star					160.2	Potential UCLs to Use					
265	AppChi2					132	95% KM (Percentile Bootstrap) UCL					0.00755

	A	B	C	D	E	F	G	H	I	J	K	L
266			95% Gamma Approximate UCL			0.00788						
267			95% Adjusted Gamma UCL			0.00828						
268	Note: DL/2 is not a recommended method.											
269												
270												
271	alpha-Hexachlorocyclohexane											
272												
273						General Statistics						
274			Number of Valid Data			14				Number of Detected Data		5
275			Number of Distinct Detected Data			5				Number of Non-Detect Data		9
276			Number of Missing Values			9				Percent Non-Detects		64.29%
277												
278			Raw Statistics						Log-transformed Statistics			
279			Minimum Detected			0.00394				Minimum Detected		-5.537
280			Maximum Detected			0.006				Maximum Detected		-5.116
281			Mean of Detected			0.00488				Mean of Detected		-5.333
282			SD of Detected			0.0008133				SD of Detected		0.167
283			Minimum Non-Detect			0.00355				Minimum Non-Detect		-5.641
284			Maximum Non-Detect			0.006				Maximum Non-Detect		-5.116
285												
286	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			13
287	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
288	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			92.86%
289												
290						Warning: There are only 5 Detected Values in this data						
291						Note: It should be noted that even though bootstrap may be performed on this data set						
292						the resulting calculations may not be reliable enough tp draw conclusions						
293												
294						It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.						
295												
296												
297						UCL Statistics						
298			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
299			Shapiro Wilk Test Statistic			0.966				Shapiro Wilk Test Statistic		0.968
300			5% Shapiro Wilk Critical Value			0.762				5% Shapiro Wilk Critical Value		0.762
301			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
302												
303			Assuming Normal Distribution						Assuming Lognormal Distribution			
304			DL/2 Substitution Method						DL/2 Substitution Method			
305			Mean			0.00341				Mean		-5.744
306			SD			0.00129				SD		0.371
307			95% DL/2 (t) UCL			0.00402				95% H-Stat (DL/2) UCL		0.00427
308												
309			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
310			MLE method failed to converge properly							Mean in Log Scale		-5.487
311										SD in Log Scale		0.182
312										Mean in Original Scale		0.00421
313										SD in Original Scale		0.0007997
314										95% Percentile Bootstrap UCL		0.00455
315										95% BCA Bootstrap UCL		0.00459
316												
317			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
318			k star (bias corrected)			18.2				Data appear Normal at 5% Significance Level		

	A	B	C	D	E	F	G	H	I	J	K	L
319					Theta Star	0.0002682						
320					nu star	182						
321												
322				A-D Test Statistic		0.231			Nonparametric Statistics			
323				5% A-D Critical Value		0.678			Kaplan-Meier (KM) Method			
324				K-S Test Statistic		0.678					Mean	0.0044
325				5% K-S Critical Value		0.357					SD	0.0006492
326		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.0002248
327											95% KM (t) UCL	0.0048
328		Assuming Gamma Distribution									95% KM (z) UCL	0.00477
329		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.00477
330					Minimum	0.00394					95% KM (bootstrap t) UCL	0.00477
331					Maximum	0.006					95% KM (BCA) UCL	0.00527
332					Mean	0.00492			95% KM (Percentile Bootstrap) UCL			0.00517
333					Median	0.00491					95% KM (Chebyshev) UCL	0.00538
334					SD	0.0006621					97.5% KM (Chebyshev) UCL	0.00581
335					k star	46.73					99% KM (Chebyshev) UCL	0.00664
336					Theta star	0.0001053						
337					Nu star	1308			Potential UCLs to Use			
338					AppChi2	1225					95% KM (t) UCL	0.0048
339			95% Gamma Approximate UCL			0.00525			95% KM (Percentile Bootstrap) UCL			0.00517
340			95% Adjusted Gamma UCL			0.0053						
341	Note: DL/2 is not a recommended method.											
342												
343												
344	Aluminum											
345												
346						General Statistics						
347			Number of Valid Observations			23				Number of Distinct Observations		23
348												
349			Raw Statistics						Log-transformed Statistics			
350					Minimum	0.7				Minimum of Log Data		-0.357
351					Maximum	7.15				Maximum of Log Data		1.967
352					Mean	2.074				Mean of log Data		0.531
353					Median	1.4				SD of log Data		0.612
354					SD	1.53						
355				Coefficient of Variation		0.738						
356					Skewness	1.929						
357												
358						Relevant UCL Statistics						
359			Normal Distribution Test						Lognormal Distribution Test			
360			Shapiro Wilk Test Statistic			0.771			Shapiro Wilk Test Statistic			0.928
361			Shapiro Wilk Critical Value			0.914			Shapiro Wilk Critical Value			0.914
362		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
363												
364		Assuming Normal Distribution						Assuming Lognormal Distribution				
365				95% Student's-t UCL		2.622					95% H-UCL	2.689
366		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			3.226
367				95% Adjusted-CLT UCL		2.736			97.5% Chebyshev (MVUE) UCL			3.743
368				95% Modified-t UCL		2.643			99% Chebyshev (MVUE) UCL			4.759
369												
370			Gamma Distribution Test						Data Distribution			
371			k star (bias corrected)			2.351			Data appear Lognormal at 5% Significance Level			

	A	B	C	D	E	F	G	H	I	J	K	L
372					Theta Star	0.882						
373					nu star	108.2						
374			Approximate Chi Square Value (.05)			85.16			Nonparametric Statistics			
375				Adjusted Level of Significance		0.0389				95% CLT UCL		2.599
376				Adjusted Chi Square Value		83.69				95% Jackknife UCL		2.622
377										95% Standard Bootstrap UCL		2.584
378				Anderson-Darling Test Statistic		1.054				95% Bootstrap-t UCL		2.875
379				Anderson-Darling 5% Critical Value		0.752				95% Hall's Bootstrap UCL		2.909
380				Kolmogorov-Smirnov Test Statistic		0.2				95% Percentile Bootstrap UCL		2.585
381				Kolmogorov-Smirnov 5% Critical Value		0.183				95% BCA Bootstrap UCL		2.757
382			Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		3.464
383										97.5% Chebyshev(Mean, Sd) UCL		4.066
384			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		5.248
385				95% Approximate Gamma UCL		2.634						
386				95% Adjusted Gamma UCL		2.681						
387												
388			Potential UCL to Use							Use 95% H-UCL		2.689
389												
390												
391	Anthracene											
392												
393					General Statistics							
394				Number of Valid Data		18			Number of Detected Data			10
395			Number of Distinct Detected Data			10			Number of Non-Detect Data			8
396				Number of Missing Values		5			Percent Non-Detects			44.44%
397												
398			Raw Statistics						Log-transformed Statistics			
399				Minimum Detected		0.44			Minimum Detected			-0.821
400				Maximum Detected		3.6			Maximum Detected			1.281
401				Mean of Detected		1.097			Mean of Detected			-0.161
402				SD of Detected		0.997			SD of Detected			0.683
403				Minimum Non-Detect		0.15			Minimum Non-Detect			-1.897
404				Maximum Non-Detect		0.34			Maximum Non-Detect			-1.079
405												
406	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			8
407	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			10
408	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			44.44%
409												
410					UCL Statistics							
411			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
412				Shapiro Wilk Test Statistic		0.691			Shapiro Wilk Test Statistic			0.856
413				5% Shapiro Wilk Critical Value		0.842			5% Shapiro Wilk Critical Value			0.842
414			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
415												
416			Assuming Normal Distribution						Assuming Lognormal Distribution			
417				DL/2 Substitution Method					DL/2 Substitution Method			
418				Mean		0.66			Mean			-1.066
419				SD		0.883			SD			1.165
420				95% DL/2 (t) UCL		1.022			95% H-Stat (DL/2) UCL			0.821
421												
422			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
423				Mean		0.327			Mean in Log Scale			-0.956
424				SD		1.216			SD in Log Scale			1.041

	A	B	C	D	E	F	G	H	I	J	K	L
425				95% MLE (t) UCL		0.826				Mean in Original Scale		0.673
426				95% MLE (Tiku) UCL		0.91				SD in Original Scale		0.875
427										95% Percentile Bootstrap UCL		1.038
428										95% BCA Bootstrap UCL		1.219
429												
430			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
431				k star (bias corrected)		1.554	Data Follow Appr. Gamma Distribution at 5% Significance Level					
432				Theta Star		0.706						
433				nu star		31.08						
434												
435				A-D Test Statistic		0.888			Nonparametric Statistics			
436				5% A-D Critical Value		0.735				Kaplan-Meier (KM) Method		
437				K-S Test Statistic		0.735				Mean		0.805
438				5% K-S Critical Value		0.27				SD		0.777
439		Data follow Appr. Gamma Distribution at 5% Significance Level								SE of Mean		0.193
440										95% KM (t) UCL		1.141
441			Assuming Gamma Distribution							95% KM (z) UCL		1.123
442			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		1.123
443				Minimum		0.44				95% KM (bootstrap t) UCL		1.909
444				Maximum		3.6				95% KM (BCA) UCL		1.232
445				Mean		0.902			95% KM (Percentile Bootstrap) UCL			1.159
446				Median		0.659				95% KM (Chebyshev) UCL		1.647
447				SD		0.759				97.5% KM (Chebyshev) UCL		2.011
448				k star		2.592				99% KM (Chebyshev) UCL		2.726
449				Theta star		0.348						
450				Nu star		93.3			Potential UCLs to Use			
451				AppChi2		72.02				95% KM (t) UCL		1.141
452			95% Gamma Approximate UCL			1.169						
453			95% Adjusted Gamma UCL			1.199						
454	Note: DL/2 is not a recommended method.											
455												
456												
457	Arsenic											
458												
459						General Statistics						
460			Number of Valid Observations			23				Number of Distinct Observations		11
461												
462			Raw Statistics						Log-transformed Statistics			
463				Minimum	0.14					Minimum of Log Data	-1.966	
464				Maximum	0.34					Maximum of Log Data	-1.079	
465				Mean	0.195					Mean of log Data	-1.666	
466				Median	0.18					SD of log Data	0.24	
467				SD	0.053							
468			Coefficient of Variation	0.272								
469				Skewness	1.513							
470												
471						Relevant UCL Statistics						
472			Normal Distribution Test						Lognormal Distribution Test			
473			Shapiro Wilk Test Statistic		0.796				Shapiro Wilk Test Statistic		0.857	
474			Shapiro Wilk Critical Value		0.914				Shapiro Wilk Critical Value		0.914	
475		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
476												
477			Assuming Normal Distribution						Assuming Lognormal Distribution			

	A	B	C	D	E	F	G	H	I	J	K	L
478	95% Student's-t UCL					0.214				95% H-UCL		0.213
479	95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL				0.237
480	95% Adjusted-CLT UCL					0.217		97.5% Chebyshev (MVUE) UCL				0.256
481	95% Modified-t UCL					0.214		99% Chebyshev (MVUE) UCL				0.292
482												
483	Gamma Distribution Test							Data Distribution				
484	k star (bias corrected)					14.69		Data do not follow a Discernable Distribution (0.05)				
485	Theta Star					0.0133						
486	nu star					675.9						
487	Approximate Chi Square Value (.05)					616.6		Nonparametric Statistics				
488	Adjusted Level of Significance					0.0389		95% CLT UCL				0.213
489	Adjusted Chi Square Value					612.5		95% Jackknife UCL				0.214
490								95% Standard Bootstrap UCL				0.212
491	Anderson-Darling Test Statistic					1.542		95% Bootstrap-t UCL				0.221
492	Anderson-Darling 5% Critical Value					0.743		95% Hall's Bootstrap UCL				0.218
493	Kolmogorov-Smirnov Test Statistic					0.207		95% Percentile Bootstrap UCL				0.213
494	Kolmogorov-Smirnov 5% Critical Value					0.181		95% BCA Bootstrap UCL				0.217
495	Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL				0.243
496								97.5% Chebyshev(Mean, Sd) UCL				0.264
497	Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL				0.305
498	95% Approximate Gamma UCL					0.214						
499	95% Adjusted Gamma UCL					0.215						
500												
501	Potential UCL to Use							Use 95% Student's-t UCL				0.214
502								or 95% Modified-t UCL				0.214
503												
504												
505	Benzo(a)anthracene											
506												
507	General Statistics											
508	Number of Valid Data					18		Number of Detected Data				8
509	Number of Distinct Detected Data					8		Number of Non-Detect Data				10
510	Number of Missing Values					5		Percent Non-Detects				55.56%
511												
512	Raw Statistics							Log-transformed Statistics				
513	Minimum Detected					0.14		Minimum Detected				-1.966
514	Maximum Detected					2.6		Maximum Detected				0.956
515	Mean of Detected					0.875		Mean of Detected				-0.638
516	SD of Detected					0.908		SD of Detected				1.098
517	Minimum Non-Detect					0.066		Minimum Non-Detect				-2.718
518	Maximum Non-Detect					0.066		Maximum Non-Detect				-2.718
519												
520												
521	Warning: There are only 8 Detected Values in this data											
522	Note: It should be noted that even though bootstrap may be performed on this data set											
523	the resulting calculations may not be reliable enough tp draw conclusions											
524												
525	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
526												
527												
528	UCL Statistics											
529	Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only				
530	Shapiro Wilk Test Statistic					0.814		Shapiro Wilk Test Statistic				0.925

	A	B	C	D	E	F	G	H	I	J	K	L
531				5% Shapiro Wilk Critical Value		0.818			5% Shapiro Wilk Critical Value			0.818
532		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
533												
534		Assuming Normal Distribution						Assuming Lognormal Distribution				
535				DL/2 Substitution Method					DL/2 Substitution Method			
536					Mean	0.407				Mean		-2.179
537					SD	0.725				SD		1.584
538				95% DL/2 (t) UCL		0.704			95% H-Stat (DL/2) UCL			0.478
539												
540			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
541		MLE yields a negative mean							Mean in Log Scale			-2.562
542									SD in Log Scale			2.102
543									Mean in Original Scale			0.404
544									SD in Original Scale			0.727
545									95% Percentile Bootstrap UCL			0.703
546									95% BCA Bootstrap UCL			0.825
547												
548		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
549				k star (bias corrected)		0.789		Data appear Gamma Distributed at 5% Significance Level				
550					Theta Star	1.109						
551					nu star	12.62						
552												
553					A-D Test Statistic	0.389		Nonparametric Statistics				
554				5% A-D Critical Value		0.734			Kaplan-Meier (KM) Method			
555					K-S Test Statistic	0.734				Mean		0.467
556				5% K-S Critical Value		0.301				SD		0.674
557		Data appear Gamma Distributed at 5% Significance Level							SE of Mean			0.17
558									95% KM (t) UCL			0.762
559		Assuming Gamma Distribution							95% KM (z) UCL			0.746
560		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			0.733
561					Minimum	1E-09			95% KM (bootstrap t) UCL			1.146
562					Maximum	2.998			95% KM (BCA) UCL			0.848
563					Mean	1.1			95% KM (Percentile Bootstrap) UCL			0.779
564					Median	0.805			95% KM (Chebyshev) UCL			1.207
565					SD	0.993			97.5% KM (Chebyshev) UCL			1.527
566					k star	0.373			99% KM (Chebyshev) UCL			2.157
567					Theta star	2.954						
568					Nu star	13.41		Potential UCLs to Use				
569					AppChi2	6.17			95% KM (t) UCL			0.762
570				95% Gamma Approximate UCL		2.392						
571				95% Adjusted Gamma UCL		2.587						
572	Note: DL/2 is not a recommended method.											
573												
574												
575	Benzo(a)pyrene											
576												
577							General Statistics					
578				Number of Valid Data		18			Number of Detected Data			5
579			Number of Distinct Detected Data			5			Number of Non-Detect Data			13
580				Number of Missing Values		5			Percent Non-Detects			72.22%
581												
582		Raw Statistics						Log-transformed Statistics				
583				Minimum Detected		0.091			Minimum Detected			-2.397

	A	B	C	D	E	F	G	H	I	J	K	L
584					Maximum Detected	2.5					Maximum Detected	0.916
585					Mean of Detected	1.1					Mean of Detected	-0.579
586					SD of Detected	1.154					SD of Detected	1.434
587					Minimum Non-Detect	0.081					Minimum Non-Detect	-2.513
588					Maximum Non-Detect	0.081					Maximum Non-Detect	-2.513
589												
590												
591					Warning: There are only 5 Detected Values in this data							
592					Note: It should be noted that even though bootstrap may be performed on this data set							
593					the resulting calculations may not be reliable enough tp draw conclusions							
594												
595					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
596												
597												
598					UCL Statistics							
599		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
600					Shapiro Wilk Test Statistic	0.809					Shapiro Wilk Test Statistic	0.917
601					5% Shapiro Wilk Critical Value	0.762					5% Shapiro Wilk Critical Value	0.762
602		**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
603												
604		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
605					DL/2 Substitution Method						DL/2 Substitution Method	
606					Mean	0.335					Mean	-2.477
607					SD	0.743					SD	1.397
608					95% DL/2 (t) UCL	0.64					95% H-Stat (DL/2) UCL	0.308
609												
610				Maximum Likelihood Estimate(MLE) Method		N/A					Log ROS Method	
611		**MLE yields a negative mean**									Mean in Log Scale	-4.73
612											SD in Log Scale	3.348
613											Mean in Original Scale	0.312
614											SD in Original Scale	0.753
615											95% Percentile Bootstrap UCL	0.607
616											95% BCA Bootstrap UCL	0.715
617												
618		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
619					k star (bias corrected)	0.481		**Data appear Normal at 5% Significance Level**				
620					Theta Star	2.285						
621					nu star	4.814						
622												
623					A-D Test Statistic	0.389		**Nonparametric Statistics**				
624					5% A-D Critical Value	0.695					Kaplan-Meier (KM) Method	
625					K-S Test Statistic	0.695					Mean	0.371
626					5% K-S Critical Value	0.366					SD	0.707
627		**Data appear Gamma Distributed at 5% Significance Level**									SE of Mean	0.186
628											95% KM (t) UCL	0.696
629		**Assuming Gamma Distribution**									95% KM (z) UCL	0.678
630		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.631
631					Minimum	1E-09					95% KM (bootstrap t) UCL	1.63
632					Maximum	20.44					95% KM (BCA) UCL	2.217
633					Mean	5.631					95% KM (Percentile Bootstrap) UCL	0.871
634					Median	2.602					95% KM (Chebyshev) UCL	1.184
635					SD	6.443					97.5% KM (Chebyshev) UCL	1.535
636					k star	0.317					99% KM (Chebyshev) UCL	2.226

	A	B	C	D	E	F	G	H	I	J	K	L
637					Theta star	17.75						
638					Nu star	11.42			Potential UCLs to Use			
639					AppChi2	4.849					95% KM (t) UCL	0.696
640			95% Gamma Approximate UCL			13.26			95% KM (Percentile Bootstrap) UCL			0.871
641			95% Adjusted Gamma UCL			14.47						
642	Note: DL/2 is not a recommended method.											
643												
644												
645	Benzo(b)fluoranthene											
646												
647						General Statistics						
648			Number of Valid Data			18			Number of Detected Data			6
649		Number of Distinct Detected Data				6			Number of Non-Detect Data			12
650			Number of Missing Values			5			Percent Non-Detects			66.67%
651												
652			Raw Statistics						Log-transformed Statistics			
653			Minimum Detected			0.13			Minimum Detected			-2.04
654			Maximum Detected			1.7			Maximum Detected			0.531
655			Mean of Detected			0.78			Mean of Detected			-0.712
656			SD of Detected			0.682			SD of Detected			1.146
657			Minimum Non-Detect			0.07			Minimum Non-Detect			-2.659
658			Maximum Non-Detect			0.07			Maximum Non-Detect			-2.659
659												
660												
661					Warning: There are only 6 Detected Values in this data							
662				Note: It should be noted that even though bootstrap may be performed on this data set								
663					the resulting calculations may not be reliable enough tp draw conclusions							
664												
665			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.										
666												
667												
668						UCL Statistics						
669		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
670			Shapiro Wilk Test Statistic			0.868			Shapiro Wilk Test Statistic			0.867
671			5% Shapiro Wilk Critical Value			0.788			5% Shapiro Wilk Critical Value			0.788
672		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
673												
674		Assuming Normal Distribution						Assuming Lognormal Distribution				
675			DL/2 Substitution Method						DL/2 Substitution Method			
676					Mean	0.283					Mean	-2.472
677					SD	0.517					SD	1.423
678			95% DL/2 (t) UCL			0.495			95% H-Stat (DL/2) UCL			0.298
679												
680		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
681		MLE yields a negative mean							Mean in Log Scale			-3.424
682									SD in Log Scale			2.422
683									Mean in Original Scale			0.273
684									SD in Original Scale			0.523
685									95% Percentile Bootstrap UCL			0.473
686									95% BCA Bootstrap UCL			0.54
687												
688		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
689			k star (bias corrected)			0.72			Data appear Normal at 5% Significance Level			

	A	B	C	D	E	F	G	H	I	J	K	L
690					Theta Star	1.084						
691					nu star	8.638						
692												
693				A-D Test Statistic		0.454		Nonparametric Statistics				
694				5% A-D Critical Value		0.712			Kaplan-Meier (KM) Method			
695				K-S Test Statistic		0.712					Mean	0.347
696				5% K-S Critical Value		0.339					SD	0.473
697		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.122
698											95% KM (t) UCL	0.559
699		Assuming Gamma Distribution									95% KM (z) UCL	0.547
700		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.537
701					Minimum	1E-09					95% KM (bootstrap t) UCL	0.57
702					Maximum	4.865					95% KM (BCA) UCL	1.061
703					Mean	1.686			95% KM (Percentile Bootstrap) UCL			0.639
704					Median	1.351				95% KM (Chebyshev) UCL		0.878
705					SD	1.512				97.5% KM (Chebyshev) UCL		1.109
706					k star	0.382				99% KM (Chebyshev) UCL		1.561
707					Theta star	4.417						
708					Nu star	13.74		Potential UCLs to Use				
709					AppChi2	6.394					95% KM (t) UCL	0.559
710				95% Gamma Approximate UCL		3.623			95% KM (Percentile Bootstrap) UCL			0.639
711				95% Adjusted Gamma UCL		3.914						
712	Note: DL/2 is not a recommended method.											
713												
714												
715	Benzo(g,h,i)perylene											
716												
717						General Statistics						
718			Number of Valid Data			18				Number of Detected Data		6
719		Number of Distinct Detected Data				5				Number of Non-Detect Data		12
720			Number of Missing Values			5				Percent Non-Detects		66.67%
721												
722		Raw Statistics						Log-transformed Statistics				
723				Minimum Detected		0.084				Minimum Detected		-2.477
724				Maximum Detected		2				Maximum Detected		0.693
725				Mean of Detected		0.873				Mean of Detected		-0.812
726				SD of Detected		0.903				SD of Detected		1.418
727				Minimum Non-Detect		0.073				Minimum Non-Detect		-2.617
728				Maximum Non-Detect		0.073				Maximum Non-Detect		-2.617
729												
730												
731					Warning: There are only 6 Detected Values in this data							
732				Note: It should be noted that even though bootstrap may be performed on this data set								
733				the resulting calculations may not be reliable enough tp draw conclusions								
734												
735		It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.										
736												
737												
738						UCL Statistics						
739		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
740				Shapiro Wilk Test Statistic		0.795				Shapiro Wilk Test Statistic		0.875
741				5% Shapiro Wilk Critical Value		0.788				5% Shapiro Wilk Critical Value		0.788
742		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
743												
744			Assuming Normal Distribution						Assuming Lognormal Distribution			
745				DL/2 Substitution Method						DL/2 Substitution Method		
746					Mean	0.315					Mean	-2.478
747					SD	0.636					SD	1.435
748				95% DL/2 (t) UCL		0.576				95% H-Stat (DL/2) UCL		0.316
749												
750			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
751			MLE yields a negative mean							Mean in Log Scale		-4.18
752										SD in Log Scale		3.007
753										Mean in Original Scale		0.297
754										SD in Original Scale		0.645
755										95% Percentile Bootstrap UCL		0.556
756										95% BCA Bootstrap UCL		0.669
757												
758			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
759				k star (bias corrected)		0.545			Data appear Normal at 5% Significance Level			
760					Theta Star	1.601						
761					nu star	6.544						
762												
763					A-D Test Statistic	0.418			Nonparametric Statistics			
764				5% A-D Critical Value		0.718			Kaplan-Meier (KM) Method			
765					K-S Test Statistic	0.718					Mean	0.347
766				5% K-S Critical Value		0.342					SD	0.604
767			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		0.156
768										95% KM (t) UCL		0.618
769			Assuming Gamma Distribution							95% KM (z) UCL		0.603
770			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.597
771					Minimum	1E-09				95% KM (bootstrap t) UCL		0.914
772					Maximum	8.212				95% KM (BCA) UCL		0.914
773					Mean	2.395			95% KM (Percentile Bootstrap) UCL			0.73
774					Median	1.76				95% KM (Chebyshev) UCL		1.027
775					SD	2.542				97.5% KM (Chebyshev) UCL		1.321
776					k star	0.341				99% KM (Chebyshev) UCL		1.899
777					Theta star	7.022						
778					Nu star	12.28			Potential UCLs to Use			
779					AppChi2	5.412				95% KM (t) UCL		0.618
780				95% Gamma Approximate UCL		5.435			95% KM (Percentile Bootstrap) UCL			0.73
781				95% Adjusted Gamma UCL		5.907						
782	Note: DL/2 is not a recommended method.											
783												
784												
785	Benzo(k)fluoranthene											
786												
787							General Statistics					
788				Number of Valid Data		18				Number of Detected Data		6
789				Number of Distinct Detected Data		6				Number of Non-Detect Data		12
790				Number of Missing Values		5				Percent Non-Detects		66.67%
791												
792			Raw Statistics						Log-transformed Statistics			
793					Minimum Detected	0.096				Minimum Detected		-2.343
794					Maximum Detected	1.4				Maximum Detected		0.336
795					Mean of Detected	0.606				Mean of Detected		-0.979

	A	B	C	D	E	F	G	H	I	J	K	L
796					SD of Detected	0.561					SD of Detected	1.161
797					Minimum Non-Detect	0.056					Minimum Non-Detect	-2.882
798					Maximum Non-Detect	0.056					Maximum Non-Detect	-2.882
799												
800												
801				Warning: There are only 6 Detected Values in this data								
802				Note: It should be noted that even though bootstrap may be performed on this data set								
803				the resulting calculations may not be reliable enough tp draw conclusions								
804												
805				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
806												
807												
808					UCL Statistics							
809		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
810				Shapiro Wilk Test Statistic		0.849				Shapiro Wilk Test Statistic		0.884
811				5% Shapiro Wilk Critical Value		0.788				5% Shapiro Wilk Critical Value		0.788
812		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
813												
814		Assuming Normal Distribution						Assuming Lognormal Distribution				
815				DL/2 Substitution Method						DL/2 Substitution Method		
816					Mean	0.221					Mean	-2.71
817					SD	0.414					SD	1.408
818				95% DL/2 (t) UCL		0.39				95% H-Stat (DL/2) UCL		0.229
819												
820			Maximum Likelihood Estimate(MLE) Method			N/A					Log ROS Method	
821		MLE yields a negative mean								Mean in Log Scale		-3.749
822										SD in Log Scale		2.473
823										Mean in Original Scale		0.211
824										SD in Original Scale		0.419
825										95% Percentile Bootstrap UCL		0.392
826										95% BCA Bootstrap UCL		0.431
827												
828		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
829				k star (bias corrected)		0.703		Data appear Normal at 5% Significance Level				
830				Theta Star		0.862						
831				nu star		8.436						
832												
833				A-D Test Statistic		0.376		Nonparametric Statistics				
834				5% A-D Critical Value		0.712		Kaplan-Meier (KM) Method				
835				K-S Test Statistic		0.712					Mean	0.266
836				5% K-S Critical Value		0.34					SD	0.381
837		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.0984
838											95% KM (t) UCL	0.437
839		Assuming Gamma Distribution									95% KM (z) UCL	0.428
840		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.425
841					Minimum	1E-09					95% KM (bootstrap t) UCL	0.647
842					Maximum	4.009					95% KM (BCA) UCL	0.588
843					Mean	1.358				95% KM (Percentile Bootstrap) UCL		0.536
844					Median	1.115					95% KM (Chebyshev) UCL	0.695
845					SD	1.252					97.5% KM (Chebyshev) UCL	0.88
846					k star	0.379					99% KM (Chebyshev) UCL	1.245
847					Theta star	3.587						
848					Nu star	13.63		Potential UCLs to Use				

	A	B	C	D	E	F	G	H	I	J	K	L
849					AppChi2	6.318				95% KM (t) UCL		0.437
850			95% Gamma Approximate UCL			2.929			95% KM (Percentile Bootstrap) UCL			0.536
851			95% Adjusted Gamma UCL			3.166						
852	Note: DL/2 is not a recommended method.											
853												
854												
855	Benzyl alcohol											
856												
857					General Statistics							
858			Number of Valid Data			18			Number of Detected Data			10
859			Number of Distinct Detected Data			6			Number of Non-Detect Data			8
860			Number of Missing Values			5			Percent Non-Detects			44.44%
861												
862			Raw Statistics						Log-transformed Statistics			
863			Minimum Detected			23			Minimum Detected			3.135
864			Maximum Detected			29			Maximum Detected			3.367
865			Mean of Detected			25.5			Mean of Detected			3.235
866			SD of Detected			2.173			SD of Detected			0.0842
867			Minimum Non-Detect			22			Minimum Non-Detect			3.091
868			Maximum Non-Detect			22			Maximum Non-Detect			3.091
869												
870												
871					UCL Statistics							
872		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
873			Shapiro Wilk Test Statistic			0.902			Shapiro Wilk Test Statistic			0.908
874			5% Shapiro Wilk Critical Value			0.842			5% Shapiro Wilk Critical Value			0.842
875		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
876												
877		Assuming Normal Distribution						Assuming Lognormal Distribution				
878			DL/2 Substitution Method						DL/2 Substitution Method			
879			Mean			19.06			Mean			2.863
880			SD			7.581			SD			0.433
881			95% DL/2 (t) UCL			22.16			95% H-Stat (DL/2) UCL			22.11
882												
883		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
884			Mean			22.73			Mean in Log Scale			3.131
885			SD			3.733			SD in Log Scale			0.142
886			95% MLE (t) UCL			24.26			Mean in Original Scale			23.13
887			95% MLE (Tiku) UCL			24.52			SD in Original Scale			3.288
888									95% Percentile Bootstrap UCL			24.45
889									95% BCA Bootstrap UCL			24.43
890												
891		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
892			k star (bias corrected)			109.1		Data appear Normal at 5% Significance Level				
893			Theta Star			0.234						
894			nu star			2182						
895												
896			A-D Test Statistic			0.452			Nonparametric Statistics			
897			5% A-D Critical Value			0.724			Kaplan-Meier (KM) Method			
898			K-S Test Statistic			0.724			Mean			24.39
899			5% K-S Critical Value			0.266			SD			1.976
900		Data appear Gamma Distributed at 5% Significance Level							SE of Mean			0.491
901									95% KM (t) UCL			25.24

	A	B	C	D	E	F	G	H	I	J	K	L
902				Assuming Gamma Distribution						95% KM (z) UCL		25.2
903			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		25.22
904					Minimum	21.69				95% KM (bootstrap t) UCL		25.42
905					Maximum	29				95% KM (BCA) UCL		25.56
906					Mean	25.25			95% KM (Percentile Bootstrap) UCL			25.33
907					Median	25				95% KM (Chebyshev) UCL		26.53
908					SD	1.974				97.5% KM (Chebyshev) UCL		27.45
909					k star	144.9				99% KM (Chebyshev) UCL		29.27
910					Theta star	0.174						
911					Nu star	5217			Potential UCLs to Use			
912					AppChi2	5050				95% KM (t) UCL		25.24
913			95% Gamma Approximate UCL			26.08			95% KM (Percentile Bootstrap) UCL			25.33
914			95% Adjusted Gamma UCL			26.16						
915	Note: DL/2 is not a recommended method.											
916												
917												
918	Chrysene											
919												
920						General Statistics						
921			Number of Valid Data			18			Number of Detected Data			9
922			Number of Distinct Detected Data			9			Number of Non-Detect Data			9
923			Number of Missing Values			5			Percent Non-Detects			50.00%
924												
925			Raw Statistics						Log-transformed Statistics			
926			Minimum Detected			0.092			Minimum Detected			-2.386
927			Maximum Detected			6.2			Maximum Detected			1.825
928			Mean of Detected			1.511			Mean of Detected			-0.396
929			SD of Detected			2.021			SD of Detected			1.387
930			Minimum Non-Detect			0.076			Minimum Non-Detect			-2.577
931			Maximum Non-Detect			0.076			Maximum Non-Detect			-2.577
932												
933												
934					Warning: There are only 9 Detected Values in this data							
935					Note: It should be noted that even though bootstrap may be performed on this data set							
936					the resulting calculations may not be reliable enough tp draw conclusions							
937												
938				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
939												
940												
941						UCL Statistics						
942			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
943			Shapiro Wilk Test Statistic			0.737			Shapiro Wilk Test Statistic			0.957
944			5% Shapiro Wilk Critical Value			0.829			5% Shapiro Wilk Critical Value			0.829
945			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
946												
947			Assuming Normal Distribution						Assuming Lognormal Distribution			
948			DL/2 Substitution Method						DL/2 Substitution Method			
949					Mean	0.775					Mean	-1.833
950					SD	1.58					SD	1.759
951			95% DL/2 (t) UCL			1.423			95% H-Stat (DL/2) UCL			1.002
952												
953			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
954			MLE yields a negative mean						Mean in Log Scale			-2.451

	A	B	C	D	E	F	G	H	I	J	K	L
955										SD in Log Scale		2.501
956										Mean in Original Scale		0.766
957										SD in Original Scale		1.585
958										95% Percentile Bootstrap UCL		1.438
959										95% BCA Bootstrap UCL		1.746
960												
961		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
962			k star (bias corrected)			0.568		Data appear Gamma Distributed at 5% Significance Level				
963				Theta Star		2.659						
964				nu star		10.23						
965												
966				A-D Test Statistic		0.442		Nonparametric Statistics				
967			5% A-D Critical Value			0.752		Kaplan-Meier (KM) Method				
968				K-S Test Statistic		0.752				Mean		0.802
969			5% K-S Critical Value			0.289				SD		1.523
970		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.381
971										95% KM (t) UCL		1.464
972		Assuming Gamma Distribution								95% KM (z) UCL		1.428
973		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		1.405
974				Minimum		1E-09				95% KM (bootstrap t) UCL		2.258
975				Maximum		6.2				95% KM (BCA) UCL		1.536
976				Mean		1.566			95% KM (Percentile Bootstrap) UCL			1.459
977				Median		0.665				95% KM (Chebyshev) UCL		2.461
978				SD		1.816				97.5% KM (Chebyshev) UCL		3.18
979				k star		0.241				99% KM (Chebyshev) UCL		4.59
980				Theta star		6.487						
981				Nu star		8.688		Potential UCLs to Use				
982				AppChi2		3.14				95% KM (t) UCL		1.464
983			95% Gamma Approximate UCL			4.332						
984			95% Adjusted Gamma UCL			4.811						
985	Note: DL/2 is not a recommended method.											
986												
987												
988	Copper											
989												
990						General Statistics						
991		Number of Valid Observations				23			Number of Distinct Observations			22
992												
993		Raw Statistics						Log-transformed Statistics				
994				Minimum		0.187			Minimum of Log Data			-1.677
995				Maximum		1.12			Maximum of Log Data			0.113
996				Mean		0.395			Mean of log Data			-1.016
997				Median		0.344			SD of log Data			0.387
998				SD		0.211						
999			Coefficient of Variation			0.534						
1000				Skewness		2.745						
1001												
1002						Relevant UCL Statistics						
1003		Normal Distribution Test						Lognormal Distribution Test				
1004			Shapiro Wilk Test Statistic			0.61			Shapiro Wilk Test Statistic			0.805
1005			Shapiro Wilk Critical Value			0.914			Shapiro Wilk Critical Value			0.914
1006		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
1007												

	A	B	C	D	E	F	G	H	I	J	K	L
1008			Assuming Normal Distribution						Assuming Lognormal Distribution			
1009				95% Student's-t UCL		0.47					95% H-UCL	0.456
1010			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		0.529
1011				95% Adjusted-CLT UCL		0.494				97.5% Chebyshev (MVUE) UCL		0.589
1012				95% Modified-t UCL		0.475				99% Chebyshev (MVUE) UCL		0.708
1013												
1014			Gamma Distribution Test						Data Distribution			
1015			k star (bias corrected)			5.179			Data do not follow a Discernable Distribution (0.05)			
1016				Theta Star		0.0762						
1017				nu star		238.2						
1018			Approximate Chi Square Value (.05)			203.5			Nonparametric Statistics			
1019			Adjusted Level of Significance			0.0389					95% CLT UCL	0.467
1020			Adjusted Chi Square Value			201.2					95% Jackknife UCL	0.47
1021										95% Standard Bootstrap UCL		0.466
1022			Anderson-Darling Test Statistic			2.384					95% Bootstrap-t UCL	0.621
1023			Anderson-Darling 5% Critical Value			0.746					95% Hall's Bootstrap UCL	0.946
1024			Kolmogorov-Smirnov Test Statistic			0.298				95% Percentile Bootstrap UCL		0.472
1025			Kolmogorov-Smirnov 5% Critical Value			0.182					95% BCA Bootstrap UCL	0.497
1026		Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		0.587
1027										97.5% Chebyshev(Mean, Sd) UCL		0.67
1028			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		0.832
1029			95% Approximate Gamma UCL			0.462						
1030			95% Adjusted Gamma UCL			0.468						
1031												
1032			Potential UCL to Use							Use 95% Student's-t UCL		0.47
1033										or 95% Modified-t UCL		0.475
1034												
1035												
1036	Dibenzothiophene											
1037												
1038					General Statistics							
1039			Number of Valid Data			18			Number of Detected Data			12
1040			Number of Distinct Detected Data			11			Number of Non-Detect Data			6
1041			Number of Missing Values			5			Percent Non-Detects			33.33%
1042												
1043			Raw Statistics						Log-transformed Statistics			
1044			Minimum Detected			0.13				Minimum Detected		-2.04
1045			Maximum Detected			2.1				Maximum Detected		0.742
1046			Mean of Detected			0.74				Mean of Detected		-0.686
1047			SD of Detected			0.672				SD of Detected		0.929
1048			Minimum Non-Detect			0.074				Minimum Non-Detect		-2.604
1049			Maximum Non-Detect			0.074				Maximum Non-Detect		-2.604
1050												
1051												
1052					UCL Statistics							
1053		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1054			Shapiro Wilk Test Statistic			0.822				Shapiro Wilk Test Statistic		0.941
1055			5% Shapiro Wilk Critical Value			0.859				5% Shapiro Wilk Critical Value		0.859
1056		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1057												
1058			Assuming Normal Distribution						Assuming Lognormal Distribution			
1059			DL/2 Substitution Method							DL/2 Substitution Method		
1060				Mean		0.506					Mean	-1.557

	A	B	C	D	E	F	G	H	I	J	K	L
1061					SD	0.639					SD	1.47
1062				95% DL/2 (t) UCL		0.768			95% H-Stat (DL/2) UCL			1.041
1063												
1064			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
1065					Mean	0.325				Mean in Log Scale		-1.475
1066					SD	0.831				SD in Log Scale		1.411
1067				95% MLE (t) UCL		0.666				Mean in Original Scale		0.512
1068				95% MLE (Tiku) UCL		0.69				SD in Original Scale		0.635
1069									95% Percentile Bootstrap UCL			0.769
1070									95% BCA Bootstrap UCL			0.813
1071												
1072		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1073				k star (bias corrected)		1.137		Data appear Gamma Distributed at 5% Significance Level				
1074					Theta Star	0.651						
1075					nu star	27.28						
1076												
1077					A-D Test Statistic	0.487		Nonparametric Statistics				
1078				5% A-D Critical Value		0.747			Kaplan-Meier (KM) Method			
1079					K-S Test Statistic	0.747				Mean		0.537
1080				5% K-S Critical Value		0.25				SD		0.599
1081		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.147
1082										95% KM (t) UCL		0.793
1083		Assuming Gamma Distribution								95% KM (z) UCL		0.779
1084		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			0.785
1085					Minimum	1E-09			95% KM (bootstrap t) UCL			0.889
1086					Maximum	2.1				95% KM (BCA) UCL		0.809
1087					Mean	0.577		95% KM (Percentile Bootstrap) UCL				0.796
1088					Median	0.355			95% KM (Chebyshev) UCL			1.179
1089					SD	0.605			97.5% KM (Chebyshev) UCL			1.458
1090					k star	0.273			99% KM (Chebyshev) UCL			2.004
1091					Theta star	2.11						
1092					Nu star	9.841		Potential UCLs to Use				
1093					AppChi2	3.842		95% KM (Percentile Bootstrap) UCL				0.796
1094				95% Gamma Approximate UCL		1.477						
1095				95% Adjusted Gamma UCL		1.626						
1096	Note: DL/2 is not a recommended method.											
1097												
1098												
1099	Dibutyltin ion											
1100												
1101							General Statistics					
1102				Number of Valid Data		18			Number of Detected Data			16
1103			Number of Distinct Detected Data			14			Number of Non-Detect Data			2
1104				Number of Missing Values		5			Percent Non-Detects			11.11%
1105												
1106			Raw Statistics						Log-transformed Statistics			
1107				Minimum Detected		0.25			Minimum Detected			-1.386
1108				Maximum Detected		0.92			Maximum Detected			-0.0834
1109				Mean of Detected		0.503			Mean of Detected			-0.769
1110				SD of Detected		0.215			SD of Detected			0.416
1111				Minimum Non-Detect		0.17			Minimum Non-Detect			-1.772
1112				Maximum Non-Detect		0.17			Maximum Non-Detect			-1.772
1113												

	A	B	C	D	E	F	G	H	I	J	K	L
1114												
1115						UCL Statistics						
1116		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1117				Shapiro Wilk Test Statistic		0.901				Shapiro Wilk Test Statistic		0.947
1118				5% Shapiro Wilk Critical Value		0.887				5% Shapiro Wilk Critical Value		0.887
1119		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1120												
1121		Assuming Normal Distribution						Assuming Lognormal Distribution				
1122				DL/2 Substitution Method						DL/2 Substitution Method		
1123				Mean		0.457				Mean		-0.957
1124				SD		0.243				SD		0.674
1125				95% DL/2 (t) UCL		0.556				95% H-Stat (DL/2) UCL		0.637
1126												
1127		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
1128				Mean		0.453				Mean in Log Scale		-0.879
1129				SD		0.245				SD in Log Scale		0.506
1130				95% MLE (t) UCL		0.553				Mean in Original Scale		0.466
1131				95% MLE (Tiku) UCL		0.554				SD in Original Scale		0.228
1132										95% Percentile Bootstrap UCL		0.555
1133										95% BCA Bootstrap UCL		0.569
1134												
1135		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1136				k star (bias corrected)		5.121		Data appear Normal at 5% Significance Level				
1137				Theta Star		0.0983						
1138				nu star		163.9						
1139												
1140				A-D Test Statistic		0.376		Nonparametric Statistics				
1141				5% A-D Critical Value		0.741		Kaplan-Meier (KM) Method				
1142				K-S Test Statistic		0.741				Mean		0.475
1143				5% K-S Critical Value		0.216				SD		0.212
1144		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.0515
1145										95% KM (t) UCL		0.565
1146		Assuming Gamma Distribution								95% KM (z) UCL		0.56
1147		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.563
1148				Minimum		0.0931				95% KM (bootstrap t) UCL		0.583
1149				Maximum		0.92				95% KM (BCA) UCL		0.573
1150				Mean		0.463				95% KM (Percentile Bootstrap) UCL		0.563
1151				Median		0.425				95% KM (Chebyshev) UCL		0.7
1152				SD		0.234				97.5% KM (Chebyshev) UCL		0.797
1153				k star		3.185				99% KM (Chebyshev) UCL		0.988
1154				Theta star		0.145						
1155				Nu star		114.7		Potential UCLs to Use				
1156				AppChi2		90.93				95% KM (t) UCL		0.565
1157		95% Gamma Approximate UCL				0.583				95% KM (Percentile Bootstrap) UCL		0.563
1158		95% Adjusted Gamma UCL				0.597						
1159	Note: DL/2 is not a recommended method.											
1160												
1161												
1162	Dieldrin											
1163												
1164						General Statistics						
1165				Number of Valid Data		23				Number of Detected Data		21
1166				Number of Distinct Detected Data		20				Number of Non-Detect Data		2

	A	B	C	D	E	F	G	H	I	J	K	L
1167										Percent Non-Detects		8.70%
1168												
1169		Raw Statistics							Log-transformed Statistics			
1170			Minimum Detected			0.183				Minimum Detected		-1.698
1171			Maximum Detected			3.3				Maximum Detected		1.194
1172			Mean of Detected			0.555				Mean of Detected		-0.903
1173			SD of Detected			0.688				SD of Detected		0.67
1174			Minimum Non-Detect			1				Minimum Non-Detect		0
1175			Maximum Non-Detect			1				Maximum Non-Detect		0
1176												
1177												
1178					UCL Statistics							
1179		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
1180			Shapiro Wilk Test Statistic			0.485				Shapiro Wilk Test Statistic		0.791
1181			5% Shapiro Wilk Critical Value			0.908				5% Shapiro Wilk Critical Value		0.908
1182		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
1183												
1184		Assuming Normal Distribution							Assuming Lognormal Distribution			
1185			DL/2 Substitution Method							DL/2 Substitution Method		
1186					Mean	0.55				Mean		-0.885
1187					SD	0.656				SD		0.642
1188			95% DL/2 (t) UCL			0.785				95% H-Stat (DL/2) UCL		0.788
1189												
1190			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1191		MLE yields a negative mean								Mean in Log Scale		-0.914
1192										SD in Log Scale		0.644
1193										Mean in Original Scale		0.539
1194										SD in Original Scale		0.659
1195										95% Percentile Bootstrap UCL		0.784
1196										95% BCA Bootstrap UCL		0.933
1197												
1198		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
1199			k star (bias corrected)			1.522			Data do not follow a Discernable Distribution (0.05)			
1200				Theta Star		0.365						
1201				nu star		63.94						
1202												
1203				A-D Test Statistic		2.582			Nonparametric Statistics			
1204			5% A-D Critical Value			0.756				Kaplan-Meier (KM) Method		
1205				K-S Test Statistic		0.756				Mean		0.536
1206			5% K-S Critical Value			0.192				SD		0.645
1207		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.138
1208										95% KM (t) UCL		0.773
1209		Assuming Gamma Distribution								95% KM (z) UCL		0.763
1210		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.772
1211					Minimum	0.183				95% KM (bootstrap t) UCL		1.345
1212					Maximum	3.3				95% KM (BCA) UCL		0.819
1213					Mean	0.554			95% KM (Percentile Bootstrap) UCL			0.782
1214					Median	0.369				95% KM (Chebyshev) UCL		1.137
1215					SD	0.658				97.5% KM (Chebyshev) UCL		1.397
1216					k star	1.649				99% KM (Chebyshev) UCL		1.908
1217					Theta star	0.336						
1218					Nu star	75.86			Potential UCLs to Use			
1219					AppChi2	56.8				95% KM (Chebyshev) UCL		1.137

	A	B	C	D	E	F	G	H	I	J	K	L
1220			95% Gamma Approximate UCL			0.741						
1221			95% Adjusted Gamma UCL			0.756						
1222	Note: DL/2 is not a recommended method.											
1223												
1224												
1225	Endrin											
1226												
1227					General Statistics							
1228			Number of Valid Data			18			Number of Detected Data			6
1229			Number of Distinct Detected Data			6			Number of Non-Detect Data			12
1230			Number of Missing Values			5			Percent Non-Detects			66.67%
1231												
1232			Raw Statistics						Log-transformed Statistics			
1233			Minimum Detected			0.003			Minimum Detected			-5.809
1234			Maximum Detected			0.011			Maximum Detected			-4.51
1235			Mean of Detected			0.00577			Mean of Detected			-5.248
1236			SD of Detected			0.0029			SD of Detected			0.459
1237			Minimum Non-Detect			0.003			Minimum Non-Detect			-5.809
1238			Maximum Non-Detect			0.00672			Maximum Non-Detect			-5.003
1239												
1240	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			16
1241	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
1242	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			88.89%
1243												
1244					Warning: There are only 6 Detected Values in this data							
1245					Note: It should be noted that even though bootstrap may be performed on this data set							
1246					the resulting calculations may not be reliable enough tp draw conclusions							
1247												
1248					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
1249												
1250												
1251					UCL Statistics							
1252			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1253			Shapiro Wilk Test Statistic			0.871			Shapiro Wilk Test Statistic			0.962
1254			5% Shapiro Wilk Critical Value			0.788			5% Shapiro Wilk Critical Value			0.788
1255			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1256												
1257			Assuming Normal Distribution						Assuming Lognormal Distribution			
1258			DL/2 Substitution Method						DL/2 Substitution Method			
1259			Mean			0.00334			Mean			-5.871
1260			SD			0.00241			SD			0.555
1261			95% DL/2 (t) UCL			0.00433			95% H-Stat (DL/2) UCL			0.00458
1262												
1263			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1264			MLE method failed to converge properly						Mean in Log Scale			-5.969
1265									SD in Log Scale			0.627
1266									Mean in Original Scale			0.00316
1267									SD in Original Scale			0.0025
1268									95% Percentile Bootstrap UCL			0.00415
1269									95% BCA Bootstrap UCL			0.00456
1270												
1271			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1272			k star (bias corrected)			2.889			Data appear Normal at 5% Significance Level			

	A	B	C	D	E	F	G	H	I	J	K	L
1273					Theta Star	0.002						
1274					nu star	34.67						
1275												
1276				A-D Test Statistic		0.302			Nonparametric Statistics			
1277				5% A-D Critical Value		0.698			Kaplan-Meier (KM) Method			
1278				K-S Test Statistic		0.698					Mean	0.004
1279				5% K-S Critical Value		0.333					SD	0.002
1280		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.000524
1281											95% KM (t) UCL	0.00491
1282		Assuming Gamma Distribution									95% KM (z) UCL	0.00486
1283		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.00484
1284					Minimum	0.003					95% KM (bootstrap t) UCL	0.00526
1285					Maximum	0.011					95% KM (BCA) UCL	0.00612
1286					Mean	0.00568			95% KM (Percentile Bootstrap) UCL			0.00546
1287					Median	0.0055					95% KM (Chebyshev) UCL	0.00628
1288					SD	0.0016					97.5% KM (Chebyshev) UCL	0.00727
1289					k star	13.21					99% KM (Chebyshev) UCL	0.00921
1290					Theta star	0.0004303						
1291					Nu star	475.4			Potential UCLs to Use			
1292					AppChi2	425.9					95% KM (t) UCL	0.00491
1293			95% Gamma Approximate UCL			0.00634			95% KM (Percentile Bootstrap) UCL			0.00546
1294			95% Adjusted Gamma UCL			0.00641						
1295	Note: DL/2 is not a recommended method.											
1296												
1297												
1298	Fluoranthene											
1299												
1300						General Statistics						
1301			Number of Valid Data			18			Number of Detected Data			10
1302		Number of Distinct Detected Data				8			Number of Non-Detect Data			8
1303			Number of Missing Values			5			Percent Non-Detects			44.44%
1304												
1305			Raw Statistics						Log-transformed Statistics			
1306				Minimum Detected		1.4				Minimum Detected		0.336
1307				Maximum Detected		12				Maximum Detected		2.485
1308				Mean of Detected		3.84				Mean of Detected		1.036
1309				SD of Detected		3.589				SD of Detected		0.776
1310				Minimum Non-Detect		0.42				Minimum Non-Detect		-0.868
1311				Maximum Non-Detect		1.2				Maximum Non-Detect		0.182
1312												
1313	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			8
1314	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			10
1315	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			44.44%
1316												
1317						UCL Statistics						
1318		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1319			Shapiro Wilk Test Statistic			0.732				Shapiro Wilk Test Statistic		0.835
1320			5% Shapiro Wilk Critical Value			0.842				5% Shapiro Wilk Critical Value		0.842
1321		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
1322												
1323		Assuming Normal Distribution						Assuming Lognormal Distribution				
1324			DL/2 Substitution Method							DL/2 Substitution Method		
1325					Mean	2.288				Mean		0.0802

	A	B	C	D	E	F	G	H	I	J	K	L
1326					SD	3.164					SD	1.259
1327				95% DL/2 (t) UCL		3.586				95% H-Stat (DL/2) UCL		3.077
1328												
1329		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
1330					Mean	1.116				Mean in Log Scale		0.135
1331					SD	4.334				SD in Log Scale		1.181
1332				95% MLE (t) UCL		2.893				Mean in Original Scale		2.298
1333				95% MLE (Tiku) UCL		3.194				SD in Original Scale		3.157
1334										95% Percentile Bootstrap UCL		3.521
1335										95% BCA Bootstrap UCL		3.927
1336												
1337		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1338				k star (bias corrected)		1.302		Data do not follow a Discernable Distribution (0.05)				
1339					Theta Star	2.95						
1340					nu star	26.04						
1341												
1342				A-D Test Statistic		0.929		Nonparametric Statistics				
1343				5% A-D Critical Value		0.737				Kaplan-Meier (KM) Method		
1344				K-S Test Statistic		0.737					Mean	2.756
1345				5% K-S Critical Value		0.27					SD	2.813
1346		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.699
1347										95% KM (t) UCL		3.971
1348		Assuming Gamma Distribution								95% KM (z) UCL		3.905
1349		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		3.909
1350					Minimum	1.4				95% KM (bootstrap t) UCL		5.707
1351					Maximum	12				95% KM (BCA) UCL		3.972
1352					Mean	3.143				95% KM (Percentile Bootstrap) UCL		3.928
1353					Median	2.273				95% KM (Chebyshev) UCL		5.801
1354					SD	2.732				97.5% KM (Chebyshev) UCL		7.119
1355					k star	2.2				99% KM (Chebyshev) UCL		9.708
1356					Theta star	1.429						
1357					Nu star	79.2		Potential UCLs to Use				
1358					AppChi2	59.7				95% KM (t) UCL		3.971
1359				95% Gamma Approximate UCL		4.17				95% KM (% Bootstrap) UCL		3.928
1360				95% Adjusted Gamma UCL		4.287						
1361	Note: DL/2 is not a recommended method.											
1362												
1363												
1364	gamma-Hexachlorocyclohexane											
1365												
1366						General Statistics						
1367				Number of Valid Data		17				Number of Detected Data		7
1368			Number of Distinct Detected Data			6				Number of Non-Detect Data		10
1369				Number of Missing Values		6				Percent Non-Detects		58.82%
1370												
1371		Raw Statistics						Log-transformed Statistics				
1372				Minimum Detected		0.003				Minimum Detected		-5.809
1373				Maximum Detected		0.011				Maximum Detected		-4.51
1374				Mean of Detected		0.00614				Mean of Detected		-5.181
1375				SD of Detected		0.00285				SD of Detected		0.45
1376				Minimum Non-Detect		0.00323				Minimum Non-Detect		-5.735
1377				Maximum Non-Detect		0.009				Maximum Non-Detect		-4.711
1378												

	A	B	C	D	E	F	G	H	I	J	K	L
1379	Note: Data have multiple DLs - Use of KM Method is recommended						Number treated as Non-Detect					15
1380	For all methods (except KM, DL/2, and ROS Methods),						Number treated as Detected					2
1381	Observations < Largest ND are treated as NDs						Single DL Non-Detect Percentage					88.24%
1382												
1383	Warning: There are only 7 Detected Values in this data											
1384	Note: It should be noted that even though bootstrap may be performed on this data set											
1385	the resulting calculations may not be reliable enough tp draw conclusions											
1386												
1387	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
1388												
1389												
1390	UCL Statistics											
1391	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
1392	Shapiro Wilk Test Statistic					0.903	Shapiro Wilk Test Statistic					0.963
1393	5% Shapiro Wilk Critical Value					0.803	5% Shapiro Wilk Critical Value					0.803
1394	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
1395												
1396	Assuming Normal Distribution						Assuming Lognormal Distribution					
1397	DL/2 Substitution Method						DL/2 Substitution Method					
1398	Mean					0.00414	Mean					-5.631
1399	SD					0.00255	SD					0.535
1400	95% DL/2 (t) UCL					0.00522	95% H-Stat (DL/2) UCL					0.0057
1401												
1402	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
1403	MLE method failed to converge properly						Mean in Log Scale					-5.527
1404							SD in Log Scale					0.423
1405							Mean in Original Scale					0.00439
1406							SD in Original Scale					0.00235
1407							95% Percentile Bootstrap UCL					0.0054
1408							95% BCA Bootstrap UCL					0.00566
1409												
1410	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
1411	k star (bias corrected)					3.432	Data appear Normal at 5% Significance Level					
1412	Theta Star					0.00179						
1413	nu star					48.05						
1414												
1415	A-D Test Statistic					0.291	Nonparametric Statistics					
1416	5% A-D Critical Value					0.71	Kaplan-Meier (KM) Method					
1417	K-S Test Statistic					0.71	Mean					0.00453
1418	5% K-S Critical Value					0.313	SD					0.00225
1419	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					0.0006144
1420							95% KM (t) UCL					0.0056
1421	Assuming Gamma Distribution						95% KM (z) UCL					0.00554
1422	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					0.0055
1423	Minimum					0.003	95% KM (bootstrap t) UCL					0.00586
1424	Maximum					0.011	95% KM (BCA) UCL					0.00641
1425	Mean					0.00631	95% KM (Percentile Bootstrap) UCL					0.00599
1426	Median					0.00605	95% KM (Chebyshev) UCL					0.00721
1427	SD					0.00184	97.5% KM (Chebyshev) UCL					0.00837
1428	k star					10.48	99% KM (Chebyshev) UCL					0.0106
1429	Theta star					0.0006021						
1430	Nu star					356.4	Potential UCLs to Use					
1431	AppChi2					313.7	95% KM (t) UCL					0.0056

	A	B	C	D	E	F	G	H	I	J	K	L
1432					95% Gamma Approximate UCL	0.00717			95% KM (Percentile Bootstrap) UCL			0.00599
1433				95% Adjusted Gamma UCL		0.00727						
1434	Note: DL/2 is not a recommended method.											
1435												
1436												
1437	Heptachlor epoxide											
1438												
1439					General Statistics							
1440				Number of Valid Data		18			Number of Detected Data			17
1441			Number of Distinct Detected Data			13			Number of Non-Detect Data			1
1442				Number of Missing Values		5			Percent Non-Detects			5.56%
1443												
1444				Raw Statistics					Log-transformed Statistics			
1445				Minimum Detected		0.01			Minimum Detected			-4.605
1446				Maximum Detected		0.0272			Maximum Detected			-3.605
1447				Mean of Detected		0.0173			Mean of Detected			-4.096
1448				SD of Detected		0.00503			SD of Detected			0.297
1449				Minimum Non-Detect		0.012			Minimum Non-Detect			-4.423
1450				Maximum Non-Detect		0.012			Maximum Non-Detect			-4.423
1451												
1452												
1453					UCL Statistics							
1454			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1455				Shapiro Wilk Test Statistic		0.966			Shapiro Wilk Test Statistic			0.969
1456				5% Shapiro Wilk Critical Value		0.892			5% Shapiro Wilk Critical Value			0.892
1457			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1458												
1459			Assuming Normal Distribution						Assuming Lognormal Distribution			
1460				DL/2 Substitution Method					DL/2 Substitution Method			
1461					Mean	0.0167			Mean			-4.153
1462					SD	0.00556			SD			0.375
1463				95% DL/2 (t) UCL		0.019			95% H-Stat (DL/2) UCL			0.0204
1464												
1465			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
1466					Mean	0.0168			Mean in Log Scale			-4.124
1467					SD	0.00534			SD in Log Scale			0.311
1468				95% MLE (t) UCL		0.019			Mean in Original Scale			0.0169
1469				95% MLE (Tiku) UCL		0.019			SD in Original Scale			0.00517
1470									95% Percentile Bootstrap UCL			0.019
1471									95% BCA Bootstrap UCL			0.0189
1472												
1473			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1474				k star (bias corrected)		10.3			Data appear Normal at 5% Significance Level			
1475					Theta Star	0.00168						
1476					nu star	350.2						
1477												
1478				A-D Test Statistic		0.169			Nonparametric Statistics			
1479				5% A-D Critical Value		0.739			Kaplan-Meier (KM) Method			
1480				K-S Test Statistic		0.739			Mean			0.0169
1481				5% K-S Critical Value		0.209			SD			0.00503
1482			Data appear Gamma Distributed at 5% Significance Level						SE of Mean			0.00122
1483									95% KM (t) UCL			0.019
1484			Assuming Gamma Distribution						95% KM (z) UCL			0.0189

	A	B	C	D	E	F	G	H	I	J	K	L
1485			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			0.019
1486					Minimum	0.00937			95% KM (bootstrap t) UCL			0.0191
1487					Maximum	0.0272			95% KM (BCA) UCL			0.019
1488					Mean	0.0169		95% KM (Percentile Bootstrap) UCL				0.0189
1489					Median	0.0165			95% KM (Chebyshev) UCL			0.0222
1490					SD	0.00523			97.5% KM (Chebyshev) UCL			0.0245
1491					k star	9.094			99% KM (Chebyshev) UCL			0.0291
1492					Theta star	0.00186						
1493					Nu star	327.4			Potential UCLs to Use			
1494					AppChi2	286.5			95% KM (t) UCL			0.019
1495			95% Gamma Approximate UCL			0.0193		95% KM (Percentile Bootstrap) UCL				0.0189
1496			95% Adjusted Gamma UCL			0.0195						
1497	Note: DL/2 is not a recommended method.											
1498												
1499												
1500	Hexachlorobenzene											
1501												
1502					General Statistics							
1503			Number of Valid Data			18			Number of Detected Data			18
1504			Number of Distinct Detected Data			16			Number of Non-Detect Data			0
1505			Number of Missing Values			5			Percent Non-Detects			0.00%
1506												
1507			Raw Statistics						Log-transformed Statistics			
1508			Minimum Detected			0.24			Minimum Detected			-1.427
1509			Maximum Detected			0.876			Maximum Detected			-0.132
1510			Mean of Detected			0.389			Mean of Detected			-0.986
1511			SD of Detected			0.138			SD of Detected			0.278
1512			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
1513			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
1514												
1515												
1516					UCL Statistics							
1517		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1518			Shapiro Wilk Test Statistic			0.687			Shapiro Wilk Test Statistic			0.844
1519			5% Shapiro Wilk Critical Value			0.897			5% Shapiro Wilk Critical Value			0.897
1520		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
1521												
1522		Assuming Normal Distribution						Assuming Lognormal Distribution				
1523			DL/2 Substitution Method						DL/2 Substitution Method			
1524					Mean	0.389					Mean	-0.986
1525					SD	0.138					SD	0.278
1526			95% DL/2 (t) UCL			0.446			95% H-Stat (DL/2) UCL			0.439
1527												
1528			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1529		MLE method failed to converge properly							Mean in Log Scale			N/A
1530									SD in Log Scale			N/A
1531									Mean in Original Scale			N/A
1532									SD in Original Scale			N/A
1533									95% Percentile Bootstrap UCL			N/A
1534									95% BCA Bootstrap UCL			N/A
1535												
1536		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1537			k star (bias corrected)			10.02		Data Follow Appr. Gamma Distribution at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
1538					Theta Star	0.0388						
1539					nu star	360.8						
1540												
1541					A-D Test Statistic	1.247			Nonparametric Statistics			
1542					5% A-D Critical Value	0.739			Kaplan-Meier (KM) Method			
1543					K-S Test Statistic	0.739					Mean	0.389
1544					5% K-S Critical Value	0.203					SD	0.134
1545		Data follow Appr. Gamma Distribution at 5% Significance Level									SE of Mean	0.0326
1546											95% KM (t) UCL	0.446
1547		Assuming Gamma Distribution									95% KM (z) UCL	0.443
1548		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.446
1549					Minimum	0.24					95% KM (bootstrap t) UCL	0.503
1550					Maximum	0.876					95% KM (BCA) UCL	0.449
1551					Mean	0.389					95% KM (Percentile Bootstrap) UCL	0.444
1552					Median	0.346					95% KM (Chebyshev) UCL	0.531
1553					SD	0.138					97.5% KM (Chebyshev) UCL	0.593
1554					k star	10.02					99% KM (Chebyshev) UCL	0.713
1555					Theta star	0.0388						
1556					Nu star	360.8			Potential UCLs to Use			
1557					AppChi2	317.8					95% KM (BCA) UCL	0.449
1558				95% Gamma Approximate UCL		0.442						
1559				95% Adjusted Gamma UCL		0.447						
1560	Note: DL/2 is not a recommended method.											
1561												
1562												
1563	Hexachlorobutadiene											
1564												
1565							General Statistics					
1566				Number of Valid Data		18				Number of Detected Data		5
1567			Number of Distinct Detected Data			5				Number of Non-Detect Data		13
1568				Number of Missing Values		5				Percent Non-Detects		72.22%
1569												
1570			Raw Statistics						Log-transformed Statistics			
1571				Minimum Detected		0.006				Minimum Detected		-5.116
1572				Maximum Detected		0.167				Maximum Detected		-1.79
1573				Mean of Detected		0.043				Mean of Detected		-4.014
1574				SD of Detected		0.0696				SD of Detected		1.355
1575				Minimum Non-Detect		0.004				Minimum Non-Detect		-5.521
1576				Maximum Non-Detect		0.032				Maximum Non-Detect		-3.442
1577												
1578	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		17
1579	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1
1580	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		94.44%
1581												
1582					Warning: There are only 5 Detected Values in this data							
1583				Note: It should be noted that even though bootstrap may be performed on this data set								
1584					the resulting calculations may not be reliable enough tp draw conclusions							
1585												
1586			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1587												
1588												
1589							UCL Statistics					
1590			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			

	A	B	C	D	E	F	G	H	I	J	K	L
1591				Shapiro Wilk Test Statistic		0.633				Shapiro Wilk Test Statistic		0.857
1592				5% Shapiro Wilk Critical Value		0.762				5% Shapiro Wilk Critical Value		0.762
1593			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1594												
1595			Assuming Normal Distribution						Assuming Lognormal Distribution			
1596				DL/2 Substitution Method						DL/2 Substitution Method		
1597					Mean	0.0169				Mean		-4.833
1598					SD	0.0378				SD		0.975
1599				95% DL/2 (t) UCL		0.0324				95% H-Stat (DL/2) UCL		0.022
1600												
1601				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
1602			MLE method failed to converge properly							Mean in Log Scale		-5.303
1603										SD in Log Scale		1.12
1604										Mean in Original Scale		0.0143
1605										SD in Original Scale		0.0384
1606										95% Percentile Bootstrap UCL		0.032
1607										95% BCA Bootstrap UCL		0.0421
1608												
1609			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1610				k star (bias corrected)		0.412			Data appear Gamma Distributed at 5% Significance Level			
1611					Theta Star	0.104						
1612					nu star	4.122						
1613												
1614					A-D Test Statistic	0.651			Nonparametric Statistics			
1615				5% A-D Critical Value		0.701				Kaplan-Meier (KM) Method		
1616					K-S Test Statistic	0.701				Mean		0.0166
1617				5% K-S Critical Value		0.368				SD		0.0367
1618			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		0.00968
1619										95% KM (t) UCL		0.0335
1620			Assuming Gamma Distribution							95% KM (z) UCL		0.0326
1621			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.032
1622					Minimum	0.006				95% KM (bootstrap t) UCL		0.133
1623					Maximum	0.167				95% KM (BCA) UCL		0.0427
1624					Mean	0.0441			95% KM (Percentile Bootstrap) UCL			0.0348
1625					Median	0.0441				95% KM (Chebyshev) UCL		0.0589
1626					SD	0.0339				97.5% KM (Chebyshev) UCL		0.0771
1627					k star	1.876				99% KM (Chebyshev) UCL		0.113
1628					Theta star	0.0235						
1629					Nu star	67.54			Potential UCLs to Use			
1630					AppChi2	49.62				95% KM (t) UCL		0.0335
1631				95% Gamma Approximate UCL		0.06						
1632				95% Adjusted Gamma UCL		0.0618						
1633	Note: DL/2 is not a recommended method.											
1634												
1635												
1636	Indeno(1,2,3-cd)pyrene											
1637												
1638						General Statistics						
1639				Number of Valid Data		18				Number of Detected Data		7
1640			Number of Distinct Detected Data			7				Number of Non-Detect Data		11
1641				Number of Missing Values		5				Percent Non-Detects		61.11%
1642												
1643			Raw Statistics						Log-transformed Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
1644					Minimum Detected	0.079					Minimum Detected	-2.538
1645					Maximum Detected	1.9					Maximum Detected	0.642
1646					Mean of Detected	0.727					Mean of Detected	-1.041
1647					SD of Detected	0.786					SD of Detected	1.41
1648					Minimum Non-Detect	0.064					Minimum Non-Detect	-2.749
1649					Maximum Non-Detect	0.064					Maximum Non-Detect	-2.749
1650												
1651												
1652				Warning: There are only 7 Detected Values in this data								
1653				Note: It should be noted that even though bootstrap may be performed on this data set								
1654				the resulting calculations may not be reliable enough tp draw conclusions								
1655												
1656				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
1657												
1658												
1659					UCL Statistics							
1660		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1661				Shapiro Wilk Test Statistic		0.81				Shapiro Wilk Test Statistic		0.858
1662				5% Shapiro Wilk Critical Value		0.803				5% Shapiro Wilk Critical Value		0.803
1663		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1664												
1665		Assuming Normal Distribution						Assuming Lognormal Distribution				
1666				DL/2 Substitution Method						DL/2 Substitution Method		
1667					Mean	0.302					Mean	-2.508
1668					SD	0.583					SD	1.467
1669				95% DL/2 (t) UCL		0.541				95% H-Stat (DL/2) UCL		0.309
1670												
1671				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
1672		MLE yields a negative mean								Mean in Log Scale		-3.882
1673										SD in Log Scale		2.806
1674										Mean in Original Scale		0.288
1675										SD in Original Scale		0.59
1676										95% Percentile Bootstrap UCL		0.533
1677										95% BCA Bootstrap UCL		0.589
1678												
1679		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1680				k star (bias corrected)		0.563		Data appear Normal at 5% Significance Level				
1681					Theta Star	1.291						
1682					nu star	7.886						
1683												
1684					A-D Test Statistic	0.498		Nonparametric Statistics				
1685				5% A-D Critical Value		0.734				Kaplan-Meier (KM) Method		
1686					K-S Test Statistic	0.734					Mean	0.331
1687				5% K-S Critical Value		0.322					SD	0.553
1688		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.141
1689										95% KM (t) UCL		0.576
1690		Assuming Gamma Distribution								95% KM (z) UCL		0.562
1691		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.564
1692					Minimum	1E-09				95% KM (bootstrap t) UCL		0.886
1693					Maximum	4.582				95% KM (BCA) UCL		0.605
1694					Mean	1.355				95% KM (Percentile Bootstrap) UCL		0.606
1695					Median	0.922				95% KM (Chebyshev) UCL		0.944
1696					SD	1.402				97.5% KM (Chebyshev) UCL		1.21

	A	B	C	D	E	F	G	H	I	J	K	L
1697					k star	0.341				99% KM (Chebyshev) UCL		1.731
1698					Theta star	3.979						
1699					Nu star	12.26			Potential UCLs to Use			
1700					AppChi2	5.4				95% KM (t) UCL		0.576
1701			95% Gamma Approximate UCL			3.077			95% KM (Percentile Bootstrap) UCL			0.606
1702			95% Adjusted Gamma UCL			3.345						
1703	Note: DL/2 is not a recommended method.											
1704												
1705												
1706	Lead											
1707												
1708					General Statistics							
1709			Number of Valid Data			23			Number of Detected Data			19
1710			Number of Distinct Detected Data			13			Number of Non-Detect Data			4
1711									Percent Non-Detects			17.39%
1712												
1713			Raw Statistics						Log-transformed Statistics			
1714			Minimum Detected			0.007			Minimum Detected			-4.962
1715			Maximum Detected			0.518			Maximum Detected			-0.658
1716			Mean of Detected			0.0471			Mean of Detected			-3.934
1717			SD of Detected			0.115			SD of Detected			1.054
1718			Minimum Non-Detect			0.002			Minimum Non-Detect			-6.215
1719			Maximum Non-Detect			0.004			Maximum Non-Detect			-5.521
1720												
1721	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			4
1722	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			19
1723	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			17.39%
1724												
1725					UCL Statistics							
1726			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1727			Shapiro Wilk Test Statistic			0.349			Shapiro Wilk Test Statistic			0.825
1728			5% Shapiro Wilk Critical Value			0.901			5% Shapiro Wilk Critical Value			0.901
1729			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
1730												
1731			Assuming Normal Distribution						Assuming Lognormal Distribution			
1732			DL/2 Substitution Method						DL/2 Substitution Method			
1733			Mean			0.0392			Mean			-4.386
1734			SD			0.106			SD			1.39
1735			95% DL/2 (t) UCL			0.077			95% H-Stat (DL/2) UCL			0.0597
1736												
1737			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
1738			Mean			0.0247			Mean in Log Scale			-4.331
1739			SD			0.116			SD in Log Scale			1.303
1740			95% MLE (t) UCL			0.0663			Mean in Original Scale			0.0393
1741			95% MLE (Tiku) UCL			0.0646			SD in Original Scale			0.106
1742									95% Percentile Bootstrap UCL			0.0817
1743									95% BCA Bootstrap UCL			0.104
1744												
1745			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1746			k star (bias corrected)			0.616			Data do not follow a Discernable Distribution (0.05)			
1747			Theta Star			0.0765						
1748			nu star			23.39						
1749												

	A	B	C	D	E	F	G	H	I	J	K	L
1750				A-D Test Statistic		2.376			Nonparametric Statistics			
1751				5% A-D Critical Value		0.785			Kaplan-Meier (KM) Method			
1752				K-S Test Statistic		0.785					Mean	0.0401
1753				5% K-S Critical Value		0.207					SD	0.103
1754		Data not Gamma Distributed at 5% Significance Level									SE of Mean	0.0221
1755											95% KM (t) UCL	0.078
1756		Assuming Gamma Distribution									95% KM (z) UCL	0.0764
1757		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.0778
1758				Minimum		1E-09					95% KM (bootstrap t) UCL	0.257
1759				Maximum		0.518					95% KM (BCA) UCL	0.0831
1760				Mean		0.0389			95% KM (Percentile Bootstrap) UCL			0.082
1761				Median		0.011					95% KM (Chebyshev) UCL	0.136
1762				SD		0.106					97.5% KM (Chebyshev) UCL	0.178
1763				k star		0.206					99% KM (Chebyshev) UCL	0.26
1764				Theta star		0.189						
1765				Nu star		9.472			Potential UCLs to Use			
1766				AppChi2		3.614					97.5% KM (Chebyshev) UCL	0.178
1767			95% Gamma Approximate UCL			0.102						
1768			95% Adjusted Gamma UCL			0.11						
1769	Note: DL/2 is not a recommended method.											
1770												
1771												
1772	Manganese											
1773												
1774				General Statistics								
1775			Number of Valid Observations			23			Number of Distinct Observations			23
1776												
1777		Raw Statistics							Log-transformed Statistics			
1778				Minimum		0.076			Minimum of Log Data			-2.577
1779				Maximum		0.546			Maximum of Log Data			-0.605
1780				Mean		0.34			Mean of log Data			-1.246
1781				Median		0.375			SD of log Data			0.684
1782				SD		0.153						
1783			Coefficient of Variation			0.45						
1784				Skewness		-0.756						
1785												
1786				Relevant UCL Statistics								
1787		Normal Distribution Test							Lognormal Distribution Test			
1788			Shapiro Wilk Test Statistic			0.865			Shapiro Wilk Test Statistic			0.733
1789			Shapiro Wilk Critical Value			0.914			Shapiro Wilk Critical Value			0.914
1790		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
1791												
1792		Assuming Normal Distribution							Assuming Lognormal Distribution			
1793			95% Student's-t UCL			0.395					95% H-UCL	0.497
1794		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			0.598
1795			95% Adjusted-CLT UCL			0.388			97.5% Chebyshev (MVUE) UCL			0.701
1796			95% Modified-t UCL			0.394			99% Chebyshev (MVUE) UCL			0.904
1797												
1798		Gamma Distribution Test							Data Distribution			
1799			k star (bias corrected)			2.751		Data do not follow a Discernable Distribution (0.05)				
1800				Theta Star		0.124						
1801				nu star		126.6						
1802			Approximate Chi Square Value (.05)			101.6			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
1803				Adjusted Level of Significance		0.0389				95% CLT UCL		0.393
1804				Adjusted Chi Square Value		99.95				95% Jackknife UCL		0.395
1805										95% Standard Bootstrap UCL		0.393
1806				Anderson-Darling Test Statistic		2.296				95% Bootstrap-t UCL		0.389
1807				Anderson-Darling 5% Critical Value		0.75				95% Hall's Bootstrap UCL		0.389
1808				Kolmogorov-Smirnov Test Statistic		0.269				95% Percentile Bootstrap UCL		0.39
1809				Kolmogorov-Smirnov 5% Critical Value		0.183				95% BCA Bootstrap UCL		0.387
1810		Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		0.48
1811										97.5% Chebyshev(Mean, Sd) UCL		0.54
1812			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		0.659
1813				95% Approximate Gamma UCL		0.424						
1814				95% Adjusted Gamma UCL		0.431						
1815												
1816			Potential UCL to Use						Use 95% Chebyshev (Mean, Sd) UCL			0.48
1817												
1818												
1819	Mercury											
1820												
1821					General Statistics							
1822			Number of Valid Data			18				Number of Detected Data		18
1823			Number of Distinct Detected Data			17				Number of Non-Detect Data		0
1824			Number of Missing Values			5				Percent Non-Detects		0.00%
1825												
1826			Raw Statistics						Log-transformed Statistics			
1827				Minimum Detected		0.0591				Minimum Detected		-2.829
1828				Maximum Detected		0.349				Maximum Detected		-1.053
1829				Mean of Detected		0.171				Mean of Detected		-1.86
1830				SD of Detected		0.0719				SD of Detected		0.469
1831				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1832				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1833												
1834												
1835					UCL Statistics							
1836		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1837				Shapiro Wilk Test Statistic		0.958				Shapiro Wilk Test Statistic		0.939
1838				5% Shapiro Wilk Critical Value		0.897				5% Shapiro Wilk Critical Value		0.897
1839		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1840												
1841		Assuming Normal Distribution						Assuming Lognormal Distribution				
1842				DL/2 Substitution Method						DL/2 Substitution Method		
1843				Mean		0.171				Mean		-1.86
1844				SD		0.0719				SD		0.469
1845				95% DL/2 (t) UCL		0.201				95% H-Stat (DL/2) UCL		0.218
1846												
1847			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1848		MLE method failed to converge properly								Mean in Log Scale		N/A
1849										SD in Log Scale		N/A
1850										Mean in Original Scale		N/A
1851										SD in Original Scale		N/A
1852										95% Percentile Bootstrap UCL		N/A
1853										95% BCA Bootstrap UCL		N/A
1854												
1855		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				

	A	B	C	D	E	F	G	H	I	J	K	L
1856				k star (bias corrected)		4.595		Data appear Normal at 5% Significance Level				
1857					Theta Star	0.0372						
1858					nu star	165.4						
1859												
1860					A-D Test Statistic	0.349		Nonparametric Statistics				
1861				5% A-D Critical Value		0.743		Kaplan-Meier (KM) Method				
1862					K-S Test Statistic	0.743				Mean		0.171
1863				5% K-S Critical Value		0.204				SD		0.0698
1864		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.0169
1865										95% KM (t) UCL		0.201
1866			Assuming Gamma Distribution							95% KM (z) UCL		0.199
1867		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.201
1868					Minimum	0.0591				95% KM (bootstrap t) UCL		0.203
1869					Maximum	0.349				95% KM (BCA) UCL		0.199
1870					Mean	0.171			95% KM (Percentile Bootstrap) UCL			0.198
1871					Median	0.174				95% KM (Chebyshev) UCL		0.245
1872					SD	0.0719				97.5% KM (Chebyshev) UCL		0.277
1873					k star	4.595				99% KM (Chebyshev) UCL		0.34
1874					Theta star	0.0372						
1875					Nu star	165.4		Potential UCLs to Use				
1876					AppChi2	136.7				95% KM (t) UCL		0.201
1877			95% Gamma Approximate UCL			0.207		95% KM (Percentile Bootstrap) UCL				0.198
1878			95% Adjusted Gamma UCL			0.211						
1879	Note: DL/2 is not a recommended method.											
1880												
1881												
1882	Naphthalene											
1883												
1884					General Statistics							
1885			Number of Valid Data			18			Number of Detected Data			18
1886		Number of Distinct Detected Data				16			Number of Non-Detect Data			0
1887			Number of Missing Values			5			Percent Non-Detects			0.00%
1888												
1889			Raw Statistics						Log-transformed Statistics			
1890				Minimum Detected		0.52				Minimum Detected		-0.654
1891				Maximum Detected		11				Maximum Detected		2.398
1892				Mean of Detected		1.662				Mean of Detected		0.0997
1893				SD of Detected		2.431				SD of Detected		0.759
1894				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1895				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1896												
1897												
1898					UCL Statistics							
1899		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1900			Shapiro Wilk Test Statistic			0.465			Shapiro Wilk Test Statistic			0.803
1901			5% Shapiro Wilk Critical Value			0.897			5% Shapiro Wilk Critical Value			0.897
1902		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
1903												
1904		Assuming Normal Distribution						Assuming Lognormal Distribution				
1905		DL/2 Substitution Method						DL/2 Substitution Method				
1906					Mean	1.662				Mean		0.0997
1907					SD	2.431				SD		0.759
1908				95% DL/2 (t) UCL		2.659			95% H-Stat (DL/2) UCL			2.254

	A	B	C	D	E	F	G	H	I	J	K	L
1909												
1910			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1911		MLE method failed to converge properly								Mean in Log Scale		N/A
1912										SD in Log Scale		N/A
1913										Mean in Original Scale		N/A
1914										SD in Original Scale		N/A
1915										95% Percentile Bootstrap UCL		N/A
1916										95% BCA Bootstrap UCL		N/A
1917												
1918		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1919				k star (bias corrected)		1.176		Data do not follow a Discernable Distribution (0.05)				
1920					Theta Star	1.413						
1921					nu star	42.34						
1922												
1923					A-D Test Statistic	2.046		Nonparametric Statistics				
1924				5% A-D Critical Value		0.759		Kaplan-Meier (KM) Method				
1925					K-S Test Statistic	0.759				Mean		1.662
1926				5% K-S Critical Value		0.208				SD		2.362
1927		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.573
1928										95% KM (t) UCL		2.659
1929		Assuming Gamma Distribution								95% KM (z) UCL		2.605
1930		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		2.659
1931					Minimum	0.52				95% KM (bootstrap t) UCL		5.14
1932					Maximum	11				95% KM (BCA) UCL		2.781
1933					Mean	1.662				95% KM (Percentile Bootstrap) UCL		2.727
1934					Median	0.81				95% KM (Chebyshev) UCL		4.16
1935					SD	2.431				97.5% KM (Chebyshev) UCL		5.241
1936					k star	1.176				99% KM (Chebyshev) UCL		7.363
1937					Theta star	1.413						
1938					Nu star	42.34		Potential UCLs to Use				
1939					AppChi2	28.42				95% KM (Chebyshev) UCL		4.16
1940				95% Gamma Approximate UCL		2.476						
1941				95% Adjusted Gamma UCL		2.575						
1942	Note: DL/2 is not a recommended method.											
1943												
1944												
1945	Nickel											
1946												
1947							General Statistics					
1948				Number of Valid Observations		23				Number of Distinct Observations		22
1949												
1950			Raw Statistics						Log-transformed Statistics			
1951					Minimum	0.004				Minimum of Log Data		-5.521
1952					Maximum	0.224				Maximum of Log Data		-1.496
1953					Mean	0.0596				Mean of log Data		-3.139
1954					Median	0.05				SD of log Data		0.943
1955					SD	0.0471						
1956				Coefficient of Variation		0.79						
1957					Skewness	2.169						
1958												
1959							Relevant UCL Statistics					
1960			Normal Distribution Test						Lognormal Distribution Test			
1961				Shapiro Wilk Test Statistic		0.777				Shapiro Wilk Test Statistic		0.84

	A	B	C	D	E	F	G	H	I	J	K	L
1962				Shapiro Wilk Critical Value		0.914			Shapiro Wilk Critical Value			0.914
1963			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
1964												
1965			Assuming Normal Distribution						Assuming Lognormal Distribution			
1966			95% Student's-t UCL			0.0765			95% H-UCL			0.111
1967			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			0.129
1968			95% Adjusted-CLT UCL			0.0805			97.5% Chebyshev (MVUE) UCL			0.156
1969			95% Modified-t UCL			0.0772			99% Chebyshev (MVUE) UCL			0.21
1970												
1971			Gamma Distribution Test						Data Distribution			
1972			k star (bias corrected)			1.521			Data do not follow a Discernable Distribution (0.05)			
1973			Theta Star			0.0392						
1974			nu star			69.99						
1975			Approximate Chi Square Value (.05)			51.73			Nonparametric Statistics			
1976			Adjusted Level of Significance			0.0389			95% CLT UCL			0.0758
1977			Adjusted Chi Square Value			50.59			95% Jackknife UCL			0.0765
1978									95% Standard Bootstrap UCL			0.0755
1979			Anderson-Darling Test Statistic			1.049			95% Bootstrap-t UCL			0.0866
1980			Anderson-Darling 5% Critical Value			0.758			95% Hall's Bootstrap UCL			0.153
1981			Kolmogorov-Smirnov Test Statistic			0.212			95% Percentile Bootstrap UCL			0.0766
1982			Kolmogorov-Smirnov 5% Critical Value			0.184			95% BCA Bootstrap UCL			0.081
1983			Data not Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			0.102
1984									97.5% Chebyshev(Mean, Sd) UCL			0.121
1985			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			0.157
1986			95% Approximate Gamma UCL			0.0806						
1987			95% Adjusted Gamma UCL			0.0825						
1988												
1989			Potential UCL to Use						Use 95% Chebyshev (Mean, Sd) UCL			0.102
1990												
1991												
1992	Phenanthrene											
1993												
1994					General Statistics							
1995			Number of Valid Data			18			Number of Detected Data			8
1996			Number of Distinct Detected Data			8			Number of Non-Detect Data			10
1997			Number of Missing Values			5			Percent Non-Detects			55.56%
1998												
1999			Raw Statistics						Log-transformed Statistics			
2000			Minimum Detected			2.7			Minimum Detected			0.993
2001			Maximum Detected			22			Maximum Detected			3.091
2002			Mean of Detected			7.563			Mean of Detected			1.771
2003			SD of Detected			6.547			SD of Detected			0.715
2004			Minimum Non-Detect			0.36			Minimum Non-Detect			-1.022
2005			Maximum Non-Detect			2.4			Maximum Non-Detect			0.875
2006												
2007	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			10
2008	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			8
2009	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			55.56%
2010												
2011					Warning: There are only 8 Detected Values in this data							
2012					Note: It should be noted that even though bootstrap may be performed on this data set							
2013					the resulting calculations may not be reliable enough tp draw conclusions							
2014												

	A	B	C	D	E	F	G	H	I	J	K	L
2015	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
2016												
2017												
2018	UCL Statistics											
2019	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
2020	Shapiro Wilk Test Statistic					0.757	Shapiro Wilk Test Statistic					0.918
2021	5% Shapiro Wilk Critical Value					0.818	5% Shapiro Wilk Critical Value					0.818
2022	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
2023												
2024	Assuming Normal Distribution						Assuming Lognormal Distribution					
2025	DL/2 Substitution Method						DL/2 Substitution Method					
2026	Mean					3.765	Mean					0.55
2027	SD					5.47	SD					1.277
2028	95% DL/2 (t) UCL					6.008	95% H-Stat (DL/2) UCL					4.496
2029												
2030	Maximum Likelihood Estimate(MLE) Method						Log ROS Method					
2031	Mean					0.456	Mean in Log Scale					0.575
2032	SD					8.614	SD in Log Scale					1.192
2033	95% MLE (t) UCL					3.988	Mean in Original Scale					3.741
2034	95% MLE (Tiku) UCL					5.164	SD in Original Scale					5.479
2035							95% Percentile Bootstrap UCL					6.054
2036							95% BCA Bootstrap UCL					7.187
2037												
2038	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
2039	k star (bias corrected)					1.418	Data appear Gamma Distributed at 5% Significance Level					
2040	Theta Star					5.334						
2041	nu star					22.68						
2042												
2043	A-D Test Statistic					0.509	Nonparametric Statistics					
2044	5% A-D Critical Value					0.724	Kaplan-Meier (KM) Method					
2045	K-S Test Statistic					0.724	Mean					4.861
2046	5% K-S Critical Value					0.297	SD					4.744
2047	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					1.195
2048							95% KM (t) UCL					6.941
2049	Assuming Gamma Distribution						95% KM (z) UCL					6.827
2050	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					6.782
2051	Minimum					2.7	95% KM (bootstrap t) UCL					11.32
2052	Maximum					22	95% KM (BCA) UCL					7.706
2053	Mean					7.563	95% KM (Percentile Bootstrap) UCL					7.183
2054	Median					7.563	95% KM (Chebyshev) UCL					10.07
2055	SD					4.201	97.5% KM (Chebyshev) UCL					12.33
2056	k star					3.889	99% KM (Chebyshev) UCL					16.76
2057	Theta star					1.945						
2058	Nu star					140	Potential UCLs to Use					
2059	AppChi2					113.7	95% KM (t) UCL					6.941
2060	95% Gamma Approximate UCL					9.315						
2061	95% Adjusted Gamma UCL					9.505						
2062	Note: DL/2 is not a recommended method.											
2063												
2064												
2065	Thallium											
2066												
2067	General Statistics											

	A	B	C	D	E	F	G	H	I	J	K	L
2068			Number of Valid Observations			23			Number of Distinct Observations			18
2069												
2070			Raw Statistics						Log-transformed Statistics			
2071			Minimum			0.002			Minimum of Log Data			-6.215
2072			Maximum			0.0102			Maximum of Log Data			-4.585
2073			Mean			0.00387			Mean of log Data			-5.647
2074			Median			0.0033			SD of log Data			0.406
2075			SD			0.00198						
2076			Coefficient of Variation			0.511						
2077			Skewness			2.035						
2078												
2079						Relevant UCL Statistics						
2080			Normal Distribution Test						Lognormal Distribution Test			
2081			Shapiro Wilk Test Statistic			0.748			Shapiro Wilk Test Statistic			0.886
2082			Shapiro Wilk Critical Value			0.914			Shapiro Wilk Critical Value			0.914
2083			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
2084												
2085			Assuming Normal Distribution						Assuming Lognormal Distribution			
2086			95% Student's-t UCL			0.00457			95% H-UCL			0.00452
2087			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			0.00527
2088			95% Adjusted-CLT UCL			0.00473			97.5% Chebyshev (MVUE) UCL			0.00589
2089			95% Modified-t UCL			0.0046			99% Chebyshev (MVUE) UCL			0.00712
2090												
2091			Gamma Distribution Test						Data Distribution			
2092			k star (bias corrected)			4.944			Data do not follow a Discernable Distribution (0.05)			
2093			Theta Star			0.0007818						
2094			nu star			227.4						
2095			Approximate Chi Square Value (.05)			193.5			Nonparametric Statistics			
2096			Adjusted Level of Significance			0.0389			95% CLT UCL			0.00454
2097			Adjusted Chi Square Value			191.2			95% Jackknife UCL			0.00457
2098									95% Standard Bootstrap UCL			0.00451
2099			Anderson-Darling Test Statistic			1.385			95% Bootstrap-t UCL			0.00503
2100			Anderson-Darling 5% Critical Value			0.746			95% Hall's Bootstrap UCL			0.00489
2101			Kolmogorov-Smirnov Test Statistic			0.218			95% Percentile Bootstrap UCL			0.00455
2102			Kolmogorov-Smirnov 5% Critical Value			0.182			95% BCA Bootstrap UCL			0.00478
2103			Data not Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			0.00566
2104									97.5% Chebyshev(Mean, Sd) UCL			0.00644
2105			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			0.00796
2106			95% Approximate Gamma UCL			0.00454						
2107			95% Adjusted Gamma UCL			0.0046						
2108												
2109			Potential UCL to Use						Use 95% Student's-t UCL			0.00457
2110									or 95% Modified-t UCL			0.0046
2111												
2112												
2113	Total Aroclors											
2114												
2115						General Statistics						
2116			Number of Valid Data			5			Number of Detected Data			5
2117			Number of Distinct Detected Data			5			Number of Non-Detect Data			0
2118			Number of Missing Values			13			Percent Non-Detects			0.00%
2119												
2120			Raw Statistics						Log-transformed Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
2121					Minimum Detected	39					Minimum Detected	3.664
2122					Maximum Detected	93					Maximum Detected	4.533
2123					Mean of Detected	62					Mean of Detected	4.079
2124					SD of Detected	21.51					SD of Detected	0.347
2125					Minimum Non-Detect	N/A					Minimum Non-Detect	N/A
2126					Maximum Non-Detect	N/A					Maximum Non-Detect	N/A
2127												
2128												
2129				Warning: There are only 5 Detected Values in this data								
2130				Note: It should be noted that even though bootstrap may be performed on this data set								
2131				the resulting calculations may not be reliable enough tp draw conclusions								
2132												
2133				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
2134												
2135												
2136					UCL Statistics							
2137		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2138				Shapiro Wilk Test Statistic		0.961				Shapiro Wilk Test Statistic		0.979
2139				5% Shapiro Wilk Critical Value		0.762				5% Shapiro Wilk Critical Value		0.762
2140		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
2141												
2142		Assuming Normal Distribution						Assuming Lognormal Distribution				
2143				DL/2 Substitution Method						DL/2 Substitution Method		
2144					Mean	62					Mean	4.079
2145					SD	21.51					SD	0.347
2146					95% DL/2 (t) UCL	82.5				95% H-Stat (DL/2) UCL		96.98
2147												
2148				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
2149		MLE method failed to converge properly								Mean in Log Scale		N/A
2150										SD in Log Scale		N/A
2151										Mean in Original Scale		N/A
2152										SD in Original Scale		N/A
2153										95% Percentile Bootstrap UCL		N/A
2154										95% BCA Bootstrap UCL		N/A
2155												
2156		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2157				k star (bias corrected)		4.368		Data appear Normal at 5% Significance Level				
2158					Theta Star	14.19						
2159					nu star	43.68						
2160												
2161					A-D Test Statistic	0.2		Nonparametric Statistics				
2162				5% A-D Critical Value		0.679				Kaplan-Meier (KM) Method		
2163					K-S Test Statistic	0.679					Mean	62
2164				5% K-S Critical Value		0.358					SD	19.24
2165		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	9.618
2166											95% KM (t) UCL	82.5
2167		Assuming Gamma Distribution									95% KM (z) UCL	77.82
2168		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		82.5
2169					Minimum	39				95% KM (bootstrap t) UCL		89.02
2170					Maximum	93					95% KM (BCA) UCL	75.2
2171					Mean	62				95% KM (Percentile Bootstrap) UCL		77
2172					Median	60				95% KM (Chebyshev) UCL		103.9
2173					SD	21.51				97.5% KM (Chebyshev) UCL		122.1

	A	B	C	D	E	F	G	H	I	J	K	L
2174					k star	4.368				99% KM (Chebyshev) UCL		157.7
2175					Theta star	14.19						
2176					Nu star	43.68			Potential UCLs to Use			
2177					AppChi2	29.52				95% KM (t) UCL		82.5
2178			95% Gamma Approximate UCL			91.73			95% KM (Percentile Bootstrap) UCL			77
2179			95% Adjusted Gamma UCL			110.3						
2180	Note: DL/2 is not a recommended method.											
2181												
2182												
2183	Total Chlordanes											
2184												
2185					General Statistics							
2186				Number of Valid Data		23				Number of Detected Data		21
2187			Number of Distinct Detected Data			21				Number of Non-Detect Data		2
2188										Percent Non-Detects		8.70%
2189												
2190			Raw Statistics						Log-transformed Statistics			
2191				Minimum Detected		0.915				Minimum Detected		-0.0888
2192				Maximum Detected		7.75				Maximum Detected		2.048
2193				Mean of Detected		2.181				Mean of Detected		0.611
2194				SD of Detected		1.674				SD of Detected		0.527
2195				Minimum Non-Detect		1.3				Minimum Non-Detect		0.262
2196				Maximum Non-Detect		2.9				Maximum Non-Detect		1.065
2197												
2198	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		20
2199	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		3
2200	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		86.96%
2201												
2202					UCL Statistics							
2203			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
2204				Shapiro Wilk Test Statistic		0.618				Shapiro Wilk Test Statistic		0.795
2205				5% Shapiro Wilk Critical Value		0.908				5% Shapiro Wilk Critical Value		0.908
2206			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
2207												
2208			Assuming Normal Distribution						Assuming Lognormal Distribution			
2209				DL/2 Substitution Method						DL/2 Substitution Method		
2210					Mean	2.082					Mean	0.555
2211					SD	1.633					SD	0.549
2212				95% DL/2 (t) UCL		2.667				95% H-Stat (DL/2) UCL		2.757
2213												
2214			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
2215			MLE yields a negative mean							Mean in Log Scale		0.577
2216										SD in Log Scale		0.521
2217										Mean in Original Scale		2.104
2218										SD in Original Scale		1.619
2219										95% Percentile Bootstrap UCL		2.673
2220										95% BCA Bootstrap UCL		2.91
2221												
2222			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
2223				k star (bias corrected)		2.705			Data do not follow a Discernable Distribution (0.05)			
2224					Theta Star	0.806						
2225					nu star	113.6						
2226												

	A	B	C	D	E	F	G	H	I	J	K	L
2227					A-D Test Statistic	2.415			Nonparametric Statistics			
2228					5% A-D Critical Value	0.749			Kaplan-Meier (KM) Method			
2229					K-S Test Statistic	0.749					Mean	2.109
2230					5% K-S Critical Value	0.191					SD	1.581
2231	Data not Gamma Distributed at 5% Significance Level										SE of Mean	0.338
2232											95% KM (t) UCL	2.69
2233			Assuming Gamma Distribution								95% KM (z) UCL	2.666
2234		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	2.689
2235					Minimum	0.901					95% KM (bootstrap t) UCL	3.229
2236					Maximum	7.75					95% KM (BCA) UCL	2.763
2237					Mean	2.128			95% KM (Percentile Bootstrap) UCL			2.67
2238					Median	1.514					95% KM (Chebyshev) UCL	3.584
2239					SD	1.618					97.5% KM (Chebyshev) UCL	4.222
2240					k star	2.772					99% KM (Chebyshev) UCL	5.475
2241					Theta star	0.768						
2242					Nu star	127.5			Potential UCLs to Use			
2243					AppChi2	102.4					95% KM (Chebyshev) UCL	3.584
2244			95% Gamma Approximate UCL			2.65						
2245			95% Adjusted Gamma UCL			2.692						
2246	Note: DL/2 is not a recommended method.											
2247												
2248												
2249	Total DDD											
2250												
2251					General Statistics							
2252			Number of Valid Observations			23			Number of Distinct Observations			23
2253												
2254			Raw Statistics						Log-transformed Statistics			
2255					Minimum	0.744				Minimum of Log Data		-0.296
2256					Maximum	62.7				Maximum of Log Data		4.138
2257					Mean	6.137				Mean of log Data		1.162
2258					Median	3.008				SD of log Data		0.967
2259					SD	12.62						
2260				Coefficient of Variation		2.056						
2261					Skewness	4.467						
2262												
2263					Relevant UCL Statistics							
2264			Normal Distribution Test						Lognormal Distribution Test			
2265			Shapiro Wilk Test Statistic			0.377				Shapiro Wilk Test Statistic		0.904
2266			Shapiro Wilk Critical Value			0.914				Shapiro Wilk Critical Value		0.914
2267	Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level				
2268												
2269			Assuming Normal Distribution						Assuming Lognormal Distribution			
2270				95% Student's-t UCL		10.65					95% H-UCL	8.508
2271		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			9.852
2272				95% Adjusted-CLT UCL		13.08			97.5% Chebyshev (MVUE) UCL			11.97
2273				95% Modified-t UCL		11.06			99% Chebyshev (MVUE) UCL			16.13
2274												
2275			Gamma Distribution Test						Data Distribution			
2276			k star (bias corrected)			0.808		Data do not follow a Discernable Distribution (0.05)				
2277					Theta Star	7.594						
2278					nu star	37.18						
2279		Approximate Chi Square Value (.05)				24.22			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
2280					Adjusted Level of Significance	0.0389					95% CLT UCL	10.46
2281					Adjusted Chi Square Value	23.46					95% Jackknife UCL	10.65
2282											95% Standard Bootstrap UCL	10.35
2283					Anderson-Darling Test Statistic	2.034					95% Bootstrap-t UCL	28.78
2284					Anderson-Darling 5% Critical Value	0.775					95% Hall's Bootstrap UCL	27.08
2285					Kolmogorov-Smirnov Test Statistic	0.274					95% Percentile Bootstrap UCL	11.41
2286					Kolmogorov-Smirnov 5% Critical Value	0.188					95% BCA Bootstrap UCL	14.01
2287		Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		17.6
2288										97.5% Chebyshev(Mean, Sd) UCL		22.56
2289			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		32.31
2290					95% Approximate Gamma UCL	9.421						
2291					95% Adjusted Gamma UCL	9.726						
2292												
2293			Potential UCL to Use							Use 95% Chebyshev (Mean, Sd) UCL		17.6
2294												
2295												
2296	Total DDE											
2297												
2298					General Statistics							
2299					Number of Valid Observations	23				Number of Distinct Observations		23
2300												
2301			Raw Statistics							Log-transformed Statistics		
2302					Minimum	4.984				Minimum of Log Data		1.606
2303					Maximum	58.88				Maximum of Log Data		4.076
2304					Mean	13.46				Mean of log Data		2.424
2305					Median	10.25				SD of log Data		0.54
2306					SD	11.08						
2307					Coefficient of Variation	0.823						
2308					Skewness	3.426						
2309												
2310					Relevant UCL Statistics							
2311			Normal Distribution Test							Lognormal Distribution Test		
2312					Shapiro Wilk Test Statistic	0.603				Shapiro Wilk Test Statistic		0.917
2313					Shapiro Wilk Critical Value	0.914				Shapiro Wilk Critical Value		0.914
2314		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
2315												
2316			Assuming Normal Distribution							Assuming Lognormal Distribution		
2317					95% Student's-t UCL	17.43				95% H-UCL		16.47
2318			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		19.64
2319					95% Adjusted-CLT UCL	19.02				97.5% Chebyshev (MVUE) UCL		22.52
2320					95% Modified-t UCL	17.7				99% Chebyshev (MVUE) UCL		28.18
2321												
2322			Gamma Distribution Test							Data Distribution		
2323					k star (bias corrected)	2.644		Data Follow Appr. Gamma Distribution at 5% Significance Level				
2324					Theta Star	5.09						
2325					nu star	121.6						
2326			Approximate Chi Square Value (.05)			97.18				Nonparametric Statistics		
2327					Adjusted Level of Significance	0.0389					95% CLT UCL	17.26
2328					Adjusted Chi Square Value	95.59					95% Jackknife UCL	17.43
2329											95% Standard Bootstrap UCL	17.16
2330					Anderson-Darling Test Statistic	1.128					95% Bootstrap-t UCL	22.73
2331					Anderson-Darling 5% Critical Value	0.75					95% Hall's Bootstrap UCL	32.73
2332					Kolmogorov-Smirnov Test Statistic	0.169					95% Percentile Bootstrap UCL	17.66

	A	B	C	D	E	F	G	H	I	J	K	L
2333				Kolmogorov-Smirnov 5% Critical Value		0.183				95% BCA Bootstrap UCL		20.2
2334		Data follow Appr. Gamma Distribution at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		23.53
2335										97.5% Chebyshev(Mean, Sd) UCL		27.89
2336			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		36.44
2337				95% Approximate Gamma UCL		16.85						
2338				95% Adjusted Gamma UCL		17.13						
2339												
2340			Potential UCL to Use							Use 95% Approximate Gamma UCL		16.85
2341												
2342												
2343	Total DDT											
2344												
2345				General Statistics								
2346			Number of Valid Observations			23				Number of Distinct Observations		23
2347												
2348			Raw Statistics						Log-transformed Statistics			
2349				Minimum		0.674				Minimum of Log Data		-0.395
2350				Maximum		59				Maximum of Log Data		4.078
2351				Mean		6.585				Mean of log Data		0.981
2352				Median		1.542				SD of log Data		1.263
2353				SD		12.35						
2354			Coefficient of Variation			1.876						
2355				Skewness		3.778						
2356												
2357				Relevant UCL Statistics								
2358			Normal Distribution Test						Lognormal Distribution Test			
2359			Shapiro Wilk Test Statistic			0.501				Shapiro Wilk Test Statistic		0.89
2360			Shapiro Wilk Critical Value			0.914				Shapiro Wilk Critical Value		0.914
2361		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
2362												
2363			Assuming Normal Distribution						Assuming Lognormal Distribution			
2364				95% Student's-t UCL		11.01				95% H-UCL		12.9
2365		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		13.17
2366				95% Adjusted-CLT UCL		12.99				97.5% Chebyshev (MVUE) UCL		16.45
2367				95% Modified-t UCL		11.35				99% Chebyshev (MVUE) UCL		22.89
2368												
2369			Gamma Distribution Test						Data Distribution			
2370			k star (bias corrected)			0.614		Data do not follow a Discernable Distribution (0.05)				
2371				Theta Star		10.73						
2372				nu star		28.24						
2373		Approximate Chi Square Value (.05)				17.11			Nonparametric Statistics			
2374		Adjusted Level of Significance				0.0389				95% CLT UCL		10.82
2375			Adjusted Chi Square Value			16.48				95% Jackknife UCL		11.01
2376										95% Standard Bootstrap UCL		10.75
2377		Anderson-Darling Test Statistic				1.602				95% Bootstrap-t UCL		17.06
2378		Anderson-Darling 5% Critical Value				0.789				95% Hall's Bootstrap UCL		25.77
2379		Kolmogorov-Smirnov Test Statistic				0.222				95% Percentile Bootstrap UCL		11.12
2380		Kolmogorov-Smirnov 5% Critical Value				0.19				95% BCA Bootstrap UCL		13.37
2381		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		17.81
2382									97.5% Chebyshev(Mean, Sd) UCL		22.67
2383			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		32.21
2384				95% Approximate Gamma UCL		10.87						
2385				95% Adjusted Gamma UCL		11.28						

	A	B	C	D	E	F	G	H	I	J	K	L
2386												
2387			Potential UCL to Use					Use 99% Chebyshev (Mean, Sd) UCL				32.21
2388												
2389												
2390	Total Dioxin/Furan TEQ											
2391												
2392					General Statistics							
2393				Number of Valid Data		18			Number of Detected Data			18
2394				Number of Distinct Detected Data		18			Number of Non-Detect Data			0
2395				Number of Missing Values		5			Percent Non-Detects			0.00%
2396												
2397			Raw Statistics						Log-transformed Statistics			
2398				Minimum Detected		0.188			Minimum Detected			-1.669
2399				Maximum Detected		8.743			Maximum Detected			2.168
2400				Mean of Detected		0.929			Mean of Detected			-0.8
2401				SD of Detected		2.006			SD of Detected			0.924
2402				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
2403				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
2404												
2405												
2406					UCL Statistics							
2407		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2408				Shapiro Wilk Test Statistic		0.375			Shapiro Wilk Test Statistic			0.709
2409				5% Shapiro Wilk Critical Value		0.897			5% Shapiro Wilk Critical Value			0.897
2410		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
2411												
2412		Assuming Normal Distribution						Assuming Lognormal Distribution				
2413				DL/2 Substitution Method					DL/2 Substitution Method			
2414				Mean		0.929			Mean			-0.8
2415				SD		2.006			SD			0.924
2416				95% DL/2 (t) UCL		1.752			95% H-Stat (DL/2) UCL			1.213
2417												
2418				Maximum Likelihood Estimate(MLE) Method		N/A			Log ROS Method			
2419		MLE method failed to converge properly							Mean in Log Scale			N/A
2420									SD in Log Scale			N/A
2421									Mean in Original Scale			N/A
2422									SD in Original Scale			N/A
2423									95% Percentile Bootstrap UCL			N/A
2424									95% BCA Bootstrap UCL			N/A
2425												
2426		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2427				k star (bias corrected)		0.716		Data do not follow a Discernable Distribution (0.05)				
2428				Theta Star		1.298						
2429				nu star		25.77						
2430												
2431				A-D Test Statistic		3.272			Nonparametric Statistics			
2432				5% A-D Critical Value		0.775			Kaplan-Meier (KM) Method			
2433				K-S Test Statistic		0.775			Mean			0.929
2434				5% K-S Critical Value		0.211			SD			1.95
2435		Data not Gamma Distributed at 5% Significance Level							SE of Mean			0.473
2436									95% KM (t) UCL			1.752
2437		Assuming Gamma Distribution							95% KM (z) UCL			1.707
2438		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			1.752

	A	B	C	D	E	F	G	H	I	J	K	L
2439					Minimum	0.188			95% KM (bootstrap t) UCL			11.8
2440					Maximum	8.743			95% KM (BCA) UCL			1.863
2441					Mean	0.929			95% KM (Percentile Bootstrap) UCL			1.842
2442					Median	0.369			95% KM (Chebyshev) UCL			2.991
2443					SD	2.006			97.5% KM (Chebyshev) UCL			3.883
2444					k star	0.716			99% KM (Chebyshev) UCL			5.635
2445					Theta star	1.298						
2446					Nu star	25.77			**Potential UCLs to Use**			
2447					AppChi2	15.2			95% KM (Chebyshev) UCL			2.991
2448			95% Gamma Approximate UCL			1.575						
2449			95% Adjusted Gamma UCL			1.66						
2450	Note: DL/2 is not a recommended method.											
2451												
2452												
2453	Total Dioxin-like PCBs											
2454												
2455					**General Statistics**							
2456			Number of Valid Data			18			Number of Detected Data			18
2457			Number of Distinct Detected Data			18			Number of Non-Detect Data			0
2458			Number of Missing Values			5			Percent Non-Detects			0.00%
2459												
2460			**Raw Statistics**						**Log-transformed Statistics**			
2461			Minimum Detected			2195			Minimum Detected			7.694
2462			Maximum Detected			30427			Maximum Detected			10.32
2463			Mean of Detected			8151			Mean of Detected			8.655
2464			SD of Detected			8612			SD of Detected			0.774
2465			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
2466			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
2467												
2468												
2469					**UCL Statistics**							
2470		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
2471			Shapiro Wilk Test Statistic			0.636			Shapiro Wilk Test Statistic			0.836
2472			5% Shapiro Wilk Critical Value			0.897			5% Shapiro Wilk Critical Value			0.897
2473		**Data not Normal at 5% Significance Level**						**Data not Lognormal at 5% Significance Level**				
2474												
2475		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
2476			DL/2 Substitution Method						DL/2 Substitution Method			
2477			Mean			8151			Mean			8.655
2478			SD			8612			SD			0.774
2479			95% DL/2 (t) UCL			11682			95% H-Stat (DL/2) UCL			11989
2480												
2481			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
2482		**MLE method failed to converge properly**						Mean in Log Scale			N/A
2483									SD in Log Scale			N/A
2484									Mean in Original Scale			N/A
2485									SD in Original Scale			N/A
2486									95% Percentile Bootstrap UCL			N/A
2487									95% BCA Bootstrap UCL			N/A
2488												
2489		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
2490			k star (bias corrected)			1.346		**Data do not follow a Discernable Distribution (0.05)**				
2491			Theta Star			6056						

	A	B	C	D	E	F	G	H	I	J	K	L
2492					nu star	48.45						
2493												
2494					A-D Test Statistic	1.877			Nonparametric Statistics			
2495					5% A-D Critical Value	0.756			Kaplan-Meier (KM) Method			
2496					K-S Test Statistic	0.756				Mean		8151
2497					5% K-S Critical Value	0.207				SD		8369
2498		Data not Gamma Distributed at 5% Significance Level								SE of Mean		2030
2499										95% KM (t) UCL		11682
2500		Assuming Gamma Distribution								95% KM (z) UCL		11490
2501		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		11682
2502					Minimum	2195				95% KM (bootstrap t) UCL		13262
2503					Maximum	30427				95% KM (BCA) UCL		11720
2504					Mean	8151			95% KM (Percentile Bootstrap) UCL			11675
2505					Median	4601				95% KM (Chebyshev) UCL		16999
2506					SD	8612				97.5% KM (Chebyshev) UCL		20827
2507					k star	1.346				99% KM (Chebyshev) UCL		28347
2508					Theta star	6056						
2509					Nu star	48.45			Potential UCLs to Use			
2510					AppChi2	33.47				95% KM (Chebyshev) UCL		16999
2511				95% Gamma Approximate UCL		11798						
2512				95% Adjusted Gamma UCL		12235						
2513	Note: DL/2 is not a recommended method.											
2514												
2515												
2516	Total Endosulfan											
2517												
2518					General Statistics							
2519			Number of Valid Data			17			Number of Detected Data			12
2520		Number of Distinct Detected Data				12			Number of Non-Detect Data			5
2521			Number of Missing Values			6			Percent Non-Detects			29.41%
2522												
2523		Raw Statistics							Log-transformed Statistics			
2524			Minimum Detected			0.048			Minimum Detected			-3.037
2525			Maximum Detected			0.11			Maximum Detected			-2.207
2526			Mean of Detected			0.0795			Mean of Detected			-2.56
2527			SD of Detected			0.0196			SD of Detected			0.252
2528			Minimum Non-Detect			0.065			Minimum Non-Detect			-2.733
2529			Maximum Non-Detect			0.0977			Maximum Non-Detect			-2.326
2530												
2531	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			14
2532	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			3
2533	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			82.35%
2534												
2535					UCL Statistics							
2536		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
2537			Shapiro Wilk Test Statistic			0.956			Shapiro Wilk Test Statistic			0.965
2538			5% Shapiro Wilk Critical Value			0.859			5% Shapiro Wilk Critical Value			0.859
2539		Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
2540												
2541		Assuming Normal Distribution							Assuming Lognormal Distribution			
2542			DL/2 Substitution Method						DL/2 Substitution Method			
2543					Mean	0.0679				Mean		-2.755
2544					SD	0.0248				SD		0.383

	A	B	C	D	E	F	G	H	I	J	K	L
2545					95% DL/2 (t) UCL	0.0785				95% H-Stat (DL/2) UCL		0.0859
2546												
2547		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
2548					Mean	0.0849				Mean in Log Scale		-2.62
2549					SD	0.014				SD in Log Scale		0.233
2550					95% MLE (t) UCL	0.0908				Mean in Original Scale		0.0747
2551					95% MLE (Tiku) UCL	0.101				SD in Original Scale		0.0181
2552										95% Percentile Bootstrap UCL		0.0821
2553										95% BCA Bootstrap UCL		0.0822
2554												
2555		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2556					k star (bias corrected)	13.33		Data appear Normal at 5% Significance Level				
2557					Theta Star	0.00597						
2558					nu star	319.8						
2559												
2560					A-D Test Statistic	0.21		Nonparametric Statistics				
2561					5% A-D Critical Value	0.732				Kaplan-Meier (KM) Method		
2562					K-S Test Statistic	0.732				Mean		0.0747
2563					5% K-S Critical Value	0.245				SD		0.0183
2564		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.00489
2565										95% KM (t) UCL		0.0832
2566		Assuming Gamma Distribution								95% KM (z) UCL		0.0827
2567		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.0833
2568					Minimum	0.048				95% KM (bootstrap t) UCL		0.084
2569					Maximum	0.11				95% KM (BCA) UCL		0.083
2570					Mean	0.0787				95% KM (Percentile Bootstrap) UCL		0.0826
2571					Median	0.077				95% KM (Chebyshev) UCL		0.096
2572					SD	0.0167				97.5% KM (Chebyshev) UCL		0.105
2573					k star	19.38				99% KM (Chebyshev) UCL		0.123
2574					Theta star	0.00406						
2575					Nu star	658.8		Potential UCLs to Use				
2576					AppChi2	600.3				95% KM (t) UCL		0.0832
2577				95% Gamma Approximate UCL		0.0864			95% KM (Percentile Bootstrap) UCL			0.0826
2578				95% Adjusted Gamma UCL		0.0872						
2579	Note: DL/2 is not a recommended method.											
2580												
2581												
2582	Total PCB TEQ											
2583												
2584					General Statistics							
2585				Number of Valid Data		18				Number of Detected Data		18
2586				Number of Distinct Detected Data		18				Number of Non-Detect Data		0
2587				Number of Missing Values		5				Percent Non-Detects		0.00%
2588												
2589			Raw Statistics						Log-transformed Statistics			
2590				Minimum Detected		0.238				Minimum Detected		-1.436
2591				Maximum Detected		2.061				Maximum Detected		0.723
2592				Mean of Detected		0.666				Mean of Detected		-0.639
2593				SD of Detected		0.542				SD of Detected		0.654
2594				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
2595				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
2596												
2597												

	A	B	C	D	E	F	G	H	I	J	K	L
2598					UCL Statistics							
2599		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2600		Shapiro Wilk Test Statistic				0.737			Shapiro Wilk Test Statistic			0.894
2601		5% Shapiro Wilk Critical Value				0.897			5% Shapiro Wilk Critical Value			0.897
2602		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
2603												
2604		Assuming Normal Distribution						Assuming Lognormal Distribution				
2605		DL/2 Substitution Method							DL/2 Substitution Method			
2606		Mean				0.666			Mean			-0.639
2607		SD				0.542			SD			0.654
2608		95% DL/2 (t) UCL				0.888			95% H-Stat (DL/2) UCL			0.925
2609												
2610		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
2611		MLE method failed to converge properly							Mean in Log Scale			N/A
2612									SD in Log Scale			N/A
2613									Mean in Original Scale			N/A
2614									SD in Original Scale			N/A
2615									95% Percentile Bootstrap UCL			N/A
2616									95% BCA Bootstrap UCL			N/A
2617												
2618		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2619		k star (bias corrected)				1.957		Data do not follow a Discernable Distribution (0.05)				
2620		Theta Star				0.34						
2621		nu star				70.47						
2622												
2623		A-D Test Statistic				1.15		Nonparametric Statistics				
2624		5% A-D Critical Value				0.751			Kaplan-Meier (KM) Method			
2625		K-S Test Statistic				0.751			Mean			0.666
2626		5% K-S Critical Value				0.206			SD			0.526
2627		Data not Gamma Distributed at 5% Significance Level							SE of Mean			0.128
2628									95% KM (t) UCL			0.888
2629		Assuming Gamma Distribution							95% KM (z) UCL			0.876
2630		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			0.888
2631		Minimum				0.238			95% KM (bootstrap t) UCL			1.026
2632		Maximum				2.061			95% KM (BCA) UCL			0.891
2633		Mean				0.666			95% KM (Percentile Bootstrap) UCL			0.879
2634		Median				0.415			95% KM (Chebyshev) UCL			1.223
2635		SD				0.542			97.5% KM (Chebyshev) UCL			1.463
2636		k star				1.957			99% KM (Chebyshev) UCL			1.936
2637		Theta star				0.34						
2638		Nu star				70.47		Potential UCLs to Use				
2639		AppChi2				52.14			95% KM (Chebyshev) UCL			1.223
2640		95% Gamma Approximate UCL				0.9						
2641		95% Adjusted Gamma UCL				0.927						
2642	Note: DL/2 is not a recommended method.											
2643												
2644												
2645	Total PCB_Congeners											
2646												
2647						General Statistics						
2648		Number of Valid Data				18			Number of Detected Data			18
2649		Number of Distinct Detected Data				18			Number of Non-Detect Data			0
2650		Number of Missing Values				5			Percent Non-Detects			0.00%

	A	B	C	D	E	F	G	H	I	J	K	L
2651												
2652			Raw Statistics						Log-transformed Statistics			
2653				Minimum Detected		27002				Minimum Detected		10.2
2654				Maximum Detected		1481769				Maximum Detected		14.21
2655				Mean of Detected		166352				Mean of Detected		11.33
2656				SD of Detected		334712				SD of Detected		0.983
2657				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
2658				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
2659												
2660												
2661					UCL Statistics							
2662		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2663				Shapiro Wilk Test Statistic		0.409				Shapiro Wilk Test Statistic		0.874
2664				5% Shapiro Wilk Critical Value		0.897				5% Shapiro Wilk Critical Value		0.897
2665		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
2666												
2667		Assuming Normal Distribution						Assuming Lognormal Distribution				
2668				DL/2 Substitution Method						DL/2 Substitution Method		
2669					Mean	166352					Mean	11.33
2670					SD	334712					SD	0.983
2671				95% DL/2 (t) UCL		303594				95% H-Stat (DL/2) UCL		251698
2672												
2673				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
2674		MLE method failed to converge properly								Mean in Log Scale		N/A
2675										SD in Log Scale		N/A
2676										Mean in Original Scale		N/A
2677										SD in Original Scale		N/A
2678										95% Percentile Bootstrap UCL		N/A
2679										95% BCA Bootstrap UCL		N/A
2680												
2681		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2682				k star (bias corrected)		0.746		Data do not follow a Discernable Distribution (0.05)				
2683				Theta Star		223052						
2684				nu star		26.85						
2685												
2686				A-D Test Statistic		1.767			Nonparametric Statistics			
2687				5% A-D Critical Value		0.773				Kaplan-Meier (KM) Method		
2688				K-S Test Statistic		0.773					Mean	166352
2689				5% K-S Critical Value		0.211					SD	325281
2690		Data not Gamma Distributed at 5% Significance Level									SE of Mean	78892
2691										95% KM (t) UCL		303594
2692		Assuming Gamma Distribution								95% KM (z) UCL		296118
2693		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		303594
2694					Minimum	27002				95% KM (bootstrap t) UCL		795644
2695					Maximum	1481769				95% KM (BCA) UCL		326049
2696					Mean	166352				95% KM (Percentile Bootstrap) UCL		313333
2697					Median	74087				95% KM (Chebyshev) UCL		510236
2698					SD	334712				97.5% KM (Chebyshev) UCL		659034
2699					k star	0.746				99% KM (Chebyshev) UCL		951321
2700					Theta star	223052						
2701					Nu star	26.85			Potential UCLs to Use			
2702					AppChi2	16.03				95% KM (Chebyshev) UCL		510236
2703				95% Gamma Approximate UCL		278546						

	A	B	C	D	E	F	G	H	I	J	K	L
2704				95% Adjusted Gamma UCL		293172						
2705	Note: DL/2 is not a recommended method.											
2706												
2707												
2708	Total PCBs, Adjusted											
2709												
2710					General Statistics							
2711			Number of Valid Data			18			Number of Detected Data			18
2712			Number of Distinct Detected Data			18			Number of Non-Detect Data			0
2713			Number of Missing Values			5			Percent Non-Detects			0.00%
2714												
2715			Raw Statistics						Log-transformed Statistics			
2716			Minimum Detected			24807			Minimum Detected			10.12
2717			Maximum Detected			1451343			Maximum Detected			14.19
2718			Mean of Detected			158201			Mean of Detected			11.25
2719			SD of Detected			328263			SD of Detected			0.999
2720			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
2721			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
2722												
2723												
2724					UCL Statistics							
2725		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2726			Shapiro Wilk Test Statistic			0.4			Shapiro Wilk Test Statistic			0.875
2727			5% Shapiro Wilk Critical Value			0.897			5% Shapiro Wilk Critical Value			0.897
2728		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
2729												
2730		Assuming Normal Distribution						Assuming Lognormal Distribution				
2731			DL/2 Substitution Method						DL/2 Substitution Method			
2732					Mean	158201					Mean	11.25
2733					SD	328263					SD	0.999
2734			95% DL/2 (t) UCL			292798			95% H-Stat (DL/2) UCL			239799
2735												
2736			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
2737		MLE method failed to converge properly							Mean in Log Scale			N/A
2738									SD in Log Scale			N/A
2739									Mean in Original Scale			N/A
2740									SD in Original Scale			N/A
2741									95% Percentile Bootstrap UCL			N/A
2742									95% BCA Bootstrap UCL			N/A
2743												
2744		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2745			k star (bias corrected)			0.721		Data do not follow a Discernable Distribution (0.05)				
2746			Theta Star			219531						
2747			nu star			25.94						
2748												
2749			A-D Test Statistic			1.796			Nonparametric Statistics			
2750			5% A-D Critical Value			0.775			Kaplan-Meier (KM) Method			
2751			K-S Test Statistic			0.775					Mean	158201
2752			5% K-S Critical Value			0.211					SD	319015
2753		Data not Gamma Distributed at 5% Significance Level									SE of Mean	77372
2754											95% KM (t) UCL	292798
2755		Assuming Gamma Distribution									95% KM (z) UCL	285467
2756		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	292798

	A	B	C	D	E	F	G	H	I	J	K	L
2757					Minimum	24807			95% KM (bootstrap t) UCL			819067
2758					Maximum	1451343			95% KM (BCA) UCL			322356
2759					Mean	158201			95% KM (Percentile Bootstrap) UCL			305199
2760					Median	68305			95% KM (Chebyshev) UCL			495459
2761					SD	328263			97.5% KM (Chebyshev) UCL			641391
2762					k star	0.721			99% KM (Chebyshev) UCL			928047
2763					Theta star	219531						
2764					Nu star	25.94			**Potential UCLs to Use**			
2765					AppChi2	15.34			95% KM (Chebyshev) UCL			495459
2766			95% Gamma Approximate UCL			267629						
2767			95% Adjusted Gamma UCL			281980						
2768	Note: DL/2 is not a recommended method.											
2769												
2770												
2771	Total TEQ											
2772												
2773					**General Statistics**							
2774			Number of Valid Data			18			Number of Detected Data			18
2775		Number of Distinct Detected Data				18			Number of Non-Detect Data			0
2776			Number of Missing Values			5			Percent Non-Detects			0.00%
2777												
2778			**Raw Statistics**						**Log-transformed Statistics**			
2779			Minimum Detected			0.496			Minimum Detected			-0.701
2780			Maximum Detected			9.282			Maximum Detected			2.228
2781			Mean of Detected			1.596			Mean of Detected			0.0983
2782			SD of Detected			2.049			SD of Detected			0.757
2783			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
2784			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
2785												
2786												
2787					**UCL Statistics**							
2788		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
2789			Shapiro Wilk Test Statistic			0.532			Shapiro Wilk Test Statistic			0.85
2790			5% Shapiro Wilk Critical Value			0.897			5% Shapiro Wilk Critical Value			0.897
2791		**Data not Normal at 5% Significance Level**						**Data not Lognormal at 5% Significance Level**				
2792												
2793		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
2794			DL/2 Substitution Method						DL/2 Substitution Method			
2795					Mean	1.596			Mean			0.0983
2796					SD	2.049			SD			0.757
2797			95% DL/2 (t) UCL			2.436			95% H-Stat (DL/2) UCL			2.246
2798												
2799		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
2800		**MLE method failed to converge properly**							Mean in Log Scale			N/A
2801									SD in Log Scale			N/A
2802									Mean in Original Scale			N/A
2803									SD in Original Scale			N/A
2804									95% Percentile Bootstrap UCL			N/A
2805									95% BCA Bootstrap UCL			N/A
2806												
2807		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
2808			k star (bias corrected)			1.287			**Data do not follow a Discernable Distribution (0.05)**			
2809			Theta Star			1.239						

	A	B	C	D	E	F	G	H	I	J	K	L
2810					nu star	46.34						
2811												
2812				A-D Test Statistic		1.512			Nonparametric Statistics			
2813				5% A-D Critical Value		0.756			Kaplan-Meier (KM) Method			
2814				K-S Test Statistic		0.756					Mean	1.596
2815				5% K-S Critical Value		0.207					SD	1.992
2816		Data not Gamma Distributed at 5% Significance Level									SE of Mean	0.483
2817											95% KM (t) UCL	2.436
2818			Assuming Gamma Distribution								95% KM (z) UCL	2.39
2819			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	2.436
2820					Minimum	0.496					95% KM (bootstrap t) UCL	3.973
2821					Maximum	9.282					95% KM (BCA) UCL	2.609
2822					Mean	1.596			95% KM (Percentile Bootstrap) UCL			2.465
2823					Median	0.839					95% KM (Chebyshev) UCL	3.701
2824					SD	2.049					97.5% KM (Chebyshev) UCL	4.612
2825					k star	1.287					99% KM (Chebyshev) UCL	6.402
2826					Theta star	1.239						
2827					Nu star	46.34			Potential UCLs to Use			
2828					AppChi2	31.72					95% KM (Chebyshev) UCL	3.701
2829			95% Gamma Approximate UCL			2.331						
2830			95% Adjusted Gamma UCL			2.419						
2831	Note: DL/2 is not a recommended method.											
2832												
2833												
2834	Zinc											
2835												
2836					General Statistics							
2837			Number of Valid Observations			23			Number of Distinct Observations			23
2838												
2839			Raw Statistics						Log-transformed Statistics			
2840				Minimum		7.12				Minimum of Log Data		1.963
2841				Maximum		10.9				Maximum of Log Data		2.389
2842				Mean		8.65				Mean of log Data		2.154
2843				Median		8.63				SD of log Data		0.0897
2844				SD		0.792						
2845			Coefficient of Variation			0.0916						
2846				Skewness		0.776						
2847												
2848					Relevant UCL Statistics							
2849			Normal Distribution Test						Lognormal Distribution Test			
2850			Shapiro Wilk Test Statistic			0.954			Shapiro Wilk Test Statistic			0.972
2851			Shapiro Wilk Critical Value			0.914			Shapiro Wilk Critical Value			0.914
2852		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
2853												
2854			Assuming Normal Distribution						Assuming Lognormal Distribution			
2855				95% Student's-t UCL		8.934				95% H-UCL		N/A
2856		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			9.356
2857				95% Adjusted-CLT UCL		8.95			97.5% Chebyshev (MVUE) UCL			9.662
2858				95% Modified-t UCL		8.938			99% Chebyshev (MVUE) UCL			10.26
2859												
2860			Gamma Distribution Test						Data Distribution			
2861				k star (bias corrected)		111.7			Data appear Normal at 5% Significance Level			
2862				Theta Star		0.0774						

	A	B	C	D	E	F	G	H	I	J	K	L
2863					nu star	5140						
2864		Approximate Chi Square Value (.05)				4975			**Nonparametric Statistics**			
2865		Adjusted Level of Significance				0.0389				95% CLT UCL		8.922
2866		Adjusted Chi Square Value				4963				95% Jackknife UCL		8.934
2867										95% Standard Bootstrap UCL		8.921
2868		Anderson-Darling Test Statistic				0.274				95% Bootstrap-t UCL		8.971
2869		Anderson-Darling 5% Critical Value				0.74				95% Hall's Bootstrap UCL		9.022
2870		Kolmogorov-Smirnov Test Statistic				0.0894				95% Percentile Bootstrap UCL		8.925
2871		Kolmogorov-Smirnov 5% Critical Value				0.181				95% BCA Bootstrap UCL		8.933
2872	**Data appear Gamma Distributed at 5% Significance Level**								95% Chebyshev(Mean, Sd) UCL			9.37
2873									97.5% Chebyshev(Mean, Sd) UCL			9.681
2874	**Assuming Gamma Distribution**								99% Chebyshev(Mean, Sd) UCL			10.29
2875		95% Approximate Gamma UCL				8.938						
2876		95% Adjusted Gamma UCL				8.959						
2877												
2878	**Potential UCL to Use**								Use 95% Student's-t UCL			8.934
2879												

	A	B	C	D	E	F	G	H	I	J	K	L
1						General UCL Statistics for Data Sets with Non-Detects						
2		User Selected Options										
3			From File	SMB_Study_area-WB								
4			Full Precision	OFF								
5			Confidence Coefficient	95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	1-Methylnaphthalene											
10												
11						General Statistics						
12			Number of Valid Data		18			Number of Detected Data				15
13		Number of Distinct Detected Data			14			Number of Non-Detect Data				3
14								Percent Non-Detects				16.67%
15												
16			Raw Statistics					Log-transformed Statistics				
17			Minimum Detected		0.6			Minimum Detected				-0.511
18			Maximum Detected		10			Maximum Detected				2.303
19			Mean of Detected		2.747			Mean of Detected				0.804
20			SD of Detected		2.22			SD of Detected				0.637
21			Minimum Non-Detect		0.98			Minimum Non-Detect				-0.0202
22			Maximum Non-Detect		8.1			Maximum Non-Detect				2.092
23												
24	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				17
25	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				1
26	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				94.44%
27												
28						UCL Statistics						
29		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
30			Shapiro Wilk Test Statistic		0.69			Shapiro Wilk Test Statistic				0.957
31			5% Shapiro Wilk Critical Value		0.881			5% Shapiro Wilk Critical Value				0.881
32		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
33												
34		Assuming Normal Distribution						Assuming Lognormal Distribution				
35			DL/2 Substitution Method					DL/2 Substitution Method				
36			Mean		2.608			Mean				0.718
37			SD		2.139			SD				0.711
38			95% DL/2 (t) UCL		3.485			95% H-Stat (DL/2) UCL				3.683
39												
40			Maximum Likelihood Estimate(MLE) Method		N/A			Log ROS Method				
41		MLE method failed to converge properly						Mean in Log Scale				0.712
42								SD in Log Scale				0.642
43								Mean in Original Scale				2.522
44								SD in Original Scale				2.091
45								95% Percentile Bootstrap UCL				3.45
46								95% BCA Bootstrap UCL				3.742
47												
48		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
49			k star (bias corrected)		2.107			Data appear Gamma Distributed at 5% Significance Level				
50			Theta Star		1.303							
51			nu star		63.22							
52												
53			A-D Test Statistic		0.566			Nonparametric Statistics				

	A	B	C	D	E	F	G	H	I	J	K	L
54				5% A-D Critical Value		0.745			Kaplan-Meier (KM) Method			
55				K-S Test Statistic		0.745					Mean	2.528
56				5% K-S Critical Value		0.224					SD	2.052
57		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.505
58											95% KM (t) UCL	3.407
59			Assuming Gamma Distribution								95% KM (z) UCL	3.359
60		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	3.383
61					Minimum	0.0658					95% KM (bootstrap t) UCL	4.129
62					Maximum	10					95% KM (BCA) UCL	3.506
63					Mean	2.6			95% KM (Percentile Bootstrap) UCL			3.476
64					Median	2.2					95% KM (Chebyshev) UCL	4.73
65					SD	2.114					97.5% KM (Chebyshev) UCL	5.683
66					k star	1.445					99% KM (Chebyshev) UCL	7.556
67					Theta star	1.8						
68					Nu star	52.02			Potential UCLs to Use			
69					AppChi2	36.45					95% KM (BCA) UCL	3.506
70				95% Gamma Approximate UCL		3.711						
71				95% Adjusted Gamma UCL		3.843						
72	Note: DL/2 is not a recommended method.											
73												
74												
75	2-Methylnaphthalene											
76												
77							General Statistics					
78			Number of Valid Data			32			Number of Detected Data			21
79		Number of Distinct Detected Data				20			Number of Non-Detect Data			11
80									Percent Non-Detects			34.38%
81												
82			Raw Statistics						Log-transformed Statistics			
83				Minimum Detected		0.81				Minimum Detected		-0.211
84				Maximum Detected		59				Maximum Detected		4.078
85				Mean of Detected		11.88				Mean of Detected		1.534
86				SD of Detected		18.43				SD of Detected		1.308
87				Minimum Non-Detect		3.5				Minimum Non-Detect		1.253
88				Maximum Non-Detect		33				Maximum Non-Detect		3.497
89												
90	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			28
91	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			4
92	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			87.50%
93												
94							UCL Statistics					
95		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
96				Shapiro Wilk Test Statistic		0.605				Shapiro Wilk Test Statistic		0.87
97				5% Shapiro Wilk Critical Value		0.908				5% Shapiro Wilk Critical Value		0.908
98		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
99												
100		Assuming Normal Distribution							Assuming Lognormal Distribution			
101			DL/2 Substitution Method						DL/2 Substitution Method			
102					Mean	12.74					Mean	1.884
103					SD	15.04					SD	1.219
104				95% DL/2 (t) UCL		17.25				95% H-Stat (DL/2) UCL		24.39
105												
106			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		

	A	B	C	D	E	F	G	H	I	J	K	L
107					Mean	2.182				Mean in Log Scale		1.384
108					SD	27.24				SD in Log Scale		1.122
109				95% MLE (t) UCL		10.35				Mean in Original Scale		8.998
110				95% MLE (Tiku) UCL		30.72				SD in Original Scale		15.39
111										95% Percentile Bootstrap UCL		13.77
112										95% BCA Bootstrap UCL		14.39
113												
114		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
115				k star (bias corrected)		0.588		Data do not follow a Discernable Distribution (0.05)				
116					Theta Star	20.19						
117					nu star	24.71						
118												
119				A-D Test Statistic		2.183			Nonparametric Statistics			
120				5% A-D Critical Value		0.792				Kaplan-Meier (KM) Method		
121				K-S Test Statistic		0.792				Mean		8.879
122				5% K-S Critical Value		0.198				SD		15.21
123		Data not Gamma Distributed at 5% Significance Level								SE of Mean		2.771
124										95% KM (t) UCL		13.58
125		Assuming Gamma Distribution								95% KM (z) UCL		13.44
126		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		13.54
127					Minimum	0.81				95% KM (bootstrap t) UCL		16.15
128					Maximum	59				95% KM (BCA) UCL		13.71
129					Mean	11.8				95% KM (Percentile Bootstrap) UCL		13.44
130					Median	7.822				95% KM (Chebyshev) UCL		20.96
131					SD	14.84				97.5% KM (Chebyshev) UCL		26.19
132					k star	0.87				99% KM (Chebyshev) UCL		36.45
133					Theta star	13.57						
134					Nu star	55.65			Potential UCLs to Use			
135					AppChi2	39.51				97.5% KM (Chebyshev) UCL		26.19
136				95% Gamma Approximate UCL		16.63						
137				95% Adjusted Gamma UCL		16.94						
138	Note: DL/2 is not a recommended method.											
139												
140												
141	4-Nitrophenol											
142												
143							General Statistics					
144			Number of Valid Data			18				Number of Detected Data		6
145		Number of Distinct Detected Data				4				Number of Non-Detect Data		12
146										Percent Non-Detects		66.67%
147												
148			Raw Statistics						Log-transformed Statistics			
149				Minimum Detected		7.1				Minimum Detected		1.96
150				Maximum Detected		14				Maximum Detected		2.639
151				Mean of Detected		11.85				Mean of Detected		2.45
152				SD of Detected		2.444				SD of Detected		0.247
153				Minimum Non-Detect		9.9				Minimum Non-Detect		2.293
154				Maximum Non-Detect		11				Maximum Non-Detect		2.398
155												
156	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			13
157	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			5
158	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			72.22%
159												

	A	B	C	D	E	F	G	H	I	J	K	L
160	Warning: There are only 4 Distinct Detected Values in this data											
161	Note: It should be noted that even though bootstrap may be performed on this data set											
162	the resulting calculations may not be reliable enough tp draw conclusions											
163												
164	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
165												
166												
167	UCL Statistics											
168	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
169	Shapiro Wilk Test Statistic					0.773	Shapiro Wilk Test Statistic					0.713
170	5% Shapiro Wilk Critical Value					0.788	5% Shapiro Wilk Critical Value					0.788
171	Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level					
172												
173	Assuming Normal Distribution						Assuming Lognormal Distribution					
174	DL/2 Substitution Method						DL/2 Substitution Method					
175	Mean					7.528	Mean					1.936
176	SD					3.418	SD					0.399
177	95% DL/2 (t) UCL					8.929	95% H-Stat (DL/2) UCL					8.912
178												
179	Maximum Likelihood Estimate(MLE) Method						Log ROS Method					
180	Mean					9.638	Mean in Log Scale					2.154
181	SD					2.5	SD in Log Scale					0.293
182	95% MLE (t) UCL					10.66	Mean in Original Scale					8.982
183	95% MLE (Tiku) UCL					11.5	SD in Original Scale					2.693
184							95% Percentile Bootstrap UCL					9.992
185							95% BCA Bootstrap UCL					10.08
186												
187	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
188	k star (bias corrected)					11.3	Data do not follow a Discernable Distribution (0.05)					
189	Theta Star					1.049						
190	nu star					135.6						
191												
192	A-D Test Statistic					0.873	Nonparametric Statistics					
193	5% A-D Critical Value					0.697	Kaplan-Meier (KM) Method					
194	K-S Test Statistic					0.697	Mean					8.683
195	5% K-S Critical Value					0.332	SD					2.583
196	Data not Gamma Distributed at 5% Significance Level						SE of Mean					0.667
197							95% KM (t) UCL					9.844
198	Assuming Gamma Distribution						95% KM (z) UCL					9.78
199	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					11.36
200	Minimum					7.1	95% KM (bootstrap t) UCL					9.573
201	Maximum					14	95% KM (BCA) UCL					13
202	Mean					11.53	95% KM (Percentile Bootstrap) UCL					12.5
203	Median					11.72	95% KM (Chebyshev) UCL					11.59
204	SD					1.58	97.5% KM (Chebyshev) UCL					12.85
205	k star					41.39	99% KM (Chebyshev) UCL					15.32
206	Theta star					0.279						
207	Nu star					1490	Potential UCLs to Use					
208	AppChi2					1401	95% KM (t) UCL					9.844
209	95% Gamma Approximate UCL					12.26	95% KM (% Bootstrap) UCL					12.5
210	95% Adjusted Gamma UCL					12.33						
211	Note: DL/2 is not a recommended method.											
212												

	A	B	C	D	E	F	G	H	I	J	K	L
213												
214	Acenaphthene											
215												
216					General Statistics							
217			Number of Valid Data			32			Number of Detected Data			22
218		Number of Distinct Detected Data				21			Number of Non-Detect Data			10
219									Percent Non-Detects			31.25%
220												
221			Raw Statistics						Log-transformed Statistics			
222				Minimum Detected		1.7				Minimum Detected		0.531
223				Maximum Detected		95				Maximum Detected		4.554
224				Mean of Detected		17.08				Mean of Detected		2.145
225				SD of Detected		23.44				SD of Detected		1.154
226			Minimum Non-Detect			30				Minimum Non-Detect		3.401
227			Maximum Non-Detect			76				Maximum Non-Detect		4.331
228												
229	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			31
230	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
231	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			96.88%
232												
233						UCL Statistics						
234		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
235			Shapiro Wilk Test Statistic			0.671			Shapiro Wilk Test Statistic			0.931
236			5% Shapiro Wilk Critical Value			0.911			5% Shapiro Wilk Critical Value			0.911
237		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
238												
239		Assuming Normal Distribution						Assuming Lognormal Distribution				
240			DL/2 Substitution Method						DL/2 Substitution Method			
241				Mean		17.43				Mean		2.367
242				SD		19.66				SD		1.019
243			95% DL/2 (t) UCL			23.32			95% H-Stat (DL/2) UCL			26.02
244												
245		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
246		MLE method failed to converge properly							Mean in Log Scale			2.025
247									SD in Log Scale			1.004
248									Mean in Original Scale			13.77
249									SD in Original Scale			19.99
250									95% Percentile Bootstrap UCL			19.92
251									95% BCA Bootstrap UCL			22.13
252												
253		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
254			k star (bias corrected)			0.764		Data appear Lognormal at 5% Significance Level				
255			Theta Star			22.37						
256			nu star			33.6						
257												
258			A-D Test Statistic			1.305			Nonparametric Statistics			
259			5% A-D Critical Value			0.778			Kaplan-Meier (KM) Method			
260			K-S Test Statistic			0.778				Mean		13.86
261			5% K-S Critical Value			0.192				SD		19.89
262		Data not Gamma Distributed at 5% Significance Level							SE of Mean			3.666
263									95% KM (t) UCL			20.08
264		Assuming Gamma Distribution							95% KM (z) UCL			19.9
265		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			20.05

	A	B	C	D	E	F	G	H	I	J	K	L
266					Minimum	1.7				95% KM (bootstrap t) UCL		24.74
267					Maximum	95				95% KM (BCA) UCL		21.34
268					Mean	17.07				95% KM (Percentile Bootstrap) UCL		20.3
269					Median	13.2				95% KM (Chebyshev) UCL		29.85
270					SD	19.29				97.5% KM (Chebyshev) UCL		36.76
271					k star	1.097				99% KM (Chebyshev) UCL		50.34
272					Theta star	15.56						
273					Nu star	70.21				**Potential UCLs to Use**		
274					AppChi2	51.92				97.5% KM (Chebyshev) UCL		36.76
275				95% Gamma Approximate UCL		23.09						
276				95% Adjusted Gamma UCL		23.47						
277	Note: DL/2 is not a recommended method.											
278												
279												
280	Acenaphthylene											
281												
282							**General Statistics**					
283				Number of Valid Data		18				Number of Detected Data		14
284			Number of Distinct Detected Data			13				Number of Non-Detect Data		4
285										Percent Non-Detects		22.22%
286												
287			**Raw Statistics**							**Log-transformed Statistics**		
288				Minimum Detected		0.14				Minimum Detected		-1.966
289				Maximum Detected		2.9				Maximum Detected		1.065
290				Mean of Detected		0.846				Mean of Detected		-0.521
291				SD of Detected		0.776				SD of Detected		0.88
292				Minimum Non-Detect		0.22				Minimum Non-Detect		-1.514
293				Maximum Non-Detect		0.54				Maximum Non-Detect		-0.616
294												
295	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		11
296	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		7
297	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		61.11%
298												
299							**UCL Statistics**					
300			**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**			
301				Shapiro Wilk Test Statistic		0.818				Shapiro Wilk Test Statistic		0.985
302				5% Shapiro Wilk Critical Value		0.874				5% Shapiro Wilk Critical Value		0.874
303			**Data not Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**			
304												
305			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
306				DL/2 Substitution Method						DL/2 Substitution Method		
307				Mean		0.7				Mean		-0.796
308				SD		0.736				SD		0.956
309				95% DL/2 (t) UCL		1.001				95% H-Stat (DL/2) UCL		1.304
310												
311			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
312				Mean		0.164				Mean in Log Scale		-0.764
313				SD		1.247				SD in Log Scale		0.912
314				95% MLE (t) UCL		0.675				Mean in Original Scale		0.704
315				95% MLE (Tiku) UCL		0.902				SD in Original Scale		0.732
316										95% Percentile Bootstrap UCL		0.993
317										95% BCA Bootstrap UCL		1.048
318												

	A	B	C	D	E	F	G	H	I	J	K	L
319	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
320	k star (bias corrected)					1.273	Data appear Gamma Distributed at 5% Significance Level					
321	Theta Star					0.664						
322	nu star					35.64						
323												
324	A-D Test Statistic					0.255	Nonparametric Statistics					
325	5% A-D Critical Value					0.75	Kaplan-Meier (KM) Method					
326	K-S Test Statistic					0.75	Mean					0.707
327	5% K-S Critical Value					0.233	SD					0.711
328	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					0.174
329							95% KM (t) UCL					1.01
330	Assuming Gamma Distribution						95% KM (z) UCL					0.994
331	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					1.008
332	Minimum					0.107	95% KM (bootstrap t) UCL					1.183
333	Maximum					2.9	95% KM (BCA) UCL					1.047
334	Mean					0.74	95% KM (Percentile Bootstrap) UCL					1.044
335	Median					0.57	95% KM (Chebyshev) UCL					1.467
336	SD					0.72	97.5% KM (Chebyshev) UCL					1.795
337	k star					1.189	99% KM (Chebyshev) UCL					2.441
338	Theta star					0.622						
339	Nu star					42.8	Potential UCLs to Use					
340	AppChi2					28.8	95% KM (BCA) UCL					1.047
341	95% Gamma Approximate UCL					1.1						
342	95% Adjusted Gamma UCL					1.143						
343	Note: DL/2 is not a recommended method.											
344												
345												
346	Aldrin											
347												
348	General Statistics											
349	Number of Valid Data					18	Number of Detected Data					15
350	Number of Distinct Detected Data					14	Number of Non-Detect Data					3
351							Percent Non-Detects					16.67%
352												
353	Raw Statistics						Log-transformed Statistics					
354	Minimum Detected					0.0104	Minimum Detected					-4.566
355	Maximum Detected					0.04	Maximum Detected					-3.219
356	Mean of Detected					0.0222	Mean of Detected					-3.888
357	SD of Detected					0.00943	SD of Detected					0.418
358	Minimum Non-Detect					0.021	Minimum Non-Detect					-3.863
359	Maximum Non-Detect					0.0236	Maximum Non-Detect					-3.747
360												
361	Note: Data have multiple DLs - Use of KM Method is recommended						Number treated as Non-Detect					13
362	For all methods (except KM, DL/2, and ROS Methods),						Number treated as Detected					5
363	Observations < Largest ND are treated as NDs						Single DL Non-Detect Percentage					72.22%
364												
365	UCL Statistics											
366	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
367	Shapiro Wilk Test Statistic					0.905	Shapiro Wilk Test Statistic					0.959
368	5% Shapiro Wilk Critical Value					0.881	5% Shapiro Wilk Critical Value					0.881
369	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
370												
371	Assuming Normal Distribution						Assuming Lognormal Distribution					

	A	B	C	D	E	F	G	H	I	J	K	L
372				DL/2 Substitution Method						DL/2 Substitution Method		
373					Mean	0.0204					Mean	-3.989
374					SD	0.00955					SD	0.445
375				95% DL/2 (t) UCL		0.0243				95% H-Stat (DL/2) UCL		0.0265
376												
377			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
378					Mean	0.0153				Mean in Log Scale		-3.927
379					SD	0.0145				SD in Log Scale		0.39
380				95% MLE (t) UCL		0.0212				Mean in Original Scale		0.0212
381				95% MLE (Tiku) UCL		0.0262				SD in Original Scale		0.00886
382										95% Percentile Bootstrap UCL		0.0247
383										95% BCA Bootstrap UCL		0.0251
384												
385		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
386				k star (bias corrected)		5.085		Data appear Normal at 5% Significance Level				
387					Theta Star	0.00437						
388					nu star	152.5						
389												
390				A-D Test Statistic		0.279		Nonparametric Statistics				
391				5% A-D Critical Value		0.738				Kaplan-Meier (KM) Method		
392				K-S Test Statistic		0.738					Mean	0.0212
393				5% K-S Critical Value		0.222					SD	0.00875
394		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.00218
395											95% KM (t) UCL	0.025
396		Assuming Gamma Distribution									95% KM (z) UCL	0.0248
397		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.025
398					Minimum	0.0104				95% KM (bootstrap t) UCL		0.026
399					Maximum	0.04				95% KM (BCA) UCL		0.0247
400					Mean	0.022				95% KM (Percentile Bootstrap) UCL		0.0248
401					Median	0.0208				95% KM (Chebyshev) UCL		0.0307
402					SD	0.00858				97.5% KM (Chebyshev) UCL		0.0348
403					k star	6.274				99% KM (Chebyshev) UCL		0.0429
404					Theta star	0.00351						
405					Nu star	225.9		Potential UCLs to Use				
406					AppChi2	192.1				95% KM (t) UCL		0.025
407				95% Gamma Approximate UCL		0.0259				95% KM (Percentile Bootstrap) UCL		0.0248
408				95% Adjusted Gamma UCL		0.0263						
409	Note: DL/2 is not a recommended method.											
410												
411												
412	alpha-Hexachlorocyclohexane											
413												
414						General Statistics						
415			Number of Valid Data			18				Number of Detected Data		15
416		Number of Distinct Detected Data				14				Number of Non-Detect Data		3
417										Percent Non-Detects		16.67%
418												
419		Raw Statistics						Log-transformed Statistics				
420				Minimum Detected		0.016				Minimum Detected		-4.135
421				Maximum Detected		0.042				Maximum Detected		-3.17
422				Mean of Detected		0.0282				Mean of Detected		-3.6
423				SD of Detected		0.00709				SD of Detected		0.258
424				Minimum Non-Detect		0.026				Minimum Non-Detect		-3.65

	A	B	C	D	E	F	G	H	I	J	K	L
425					Maximum Non-Detect	0.0409				Maximum Non-Detect		-3.197
426												
427	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		17
428	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1
429	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		94.44%
430												
431					UCL Statistics							
432			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
433				Shapiro Wilk Test Statistic		0.961				Shapiro Wilk Test Statistic		0.964
434				5% Shapiro Wilk Critical Value		0.881				5% Shapiro Wilk Critical Value		0.881
435			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
436												
437			Assuming Normal Distribution						Assuming Lognormal Distribution			
438				DL/2 Substitution Method						DL/2 Substitution Method		
439					Mean	0.0263				Mean		-3.682
440					SD	0.00784				SD		0.311
441				95% DL/2 (t) UCL		0.0295				95% H-Stat (DL/2) UCL		0.032
442												
443			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
444			MLE method failed to converge properly							Mean in Log Scale		-3.617
445										SD in Log Scale		0.239
446										Mean in Original Scale		0.0276
447										SD in Original Scale		0.0066
448										95% Percentile Bootstrap UCL		0.0302
449										95% BCA Bootstrap UCL		0.0304
450												
451			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
452				k star (bias corrected)		13.35			Data appear Normal at 5% Significance Level			
453					Theta Star	0.00211						
454					nu star	400.5						
455												
456					A-D Test Statistic	0.311			Nonparametric Statistics			
457					5% A-D Critical Value	0.736			Kaplan-Meier (KM) Method			
458					K-S Test Statistic	0.736				Mean		0.0276
459					5% K-S Critical Value	0.221				SD		0.00672
460			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		0.00172
461										95% KM (t) UCL		0.0306
462			Assuming Gamma Distribution							95% KM (z) UCL		0.0305
463			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.0307
464					Minimum	0.016				95% KM (bootstrap t) UCL		0.0308
465					Maximum	0.042				95% KM (BCA) UCL		0.0305
466					Mean	0.0281			95% KM (Percentile Bootstrap) UCL			0.0304
467					Median	0.0275				95% KM (Chebyshev) UCL		0.0352
468					SD	0.00651				97.5% KM (Chebyshev) UCL		0.0384
469					k star	16.27				99% KM (Chebyshev) UCL		0.0448
470					Theta star	0.00173						
471					Nu star	585.7			Potential UCLs to Use			
472					AppChi2	530.6				95% KM (t) UCL		0.0306
473				95% Gamma Approximate UCL		0.0311			95% KM (Percentile Bootstrap) UCL			0.0304
474				95% Adjusted Gamma UCL		0.0314						
475	Note: DL/2 is not a recommended method.											
476												
477												

Aluminum

General Statistics

Number of Valid Observations	32	Number of Distinct Observations	30

Raw Statistics		Log-transformed Statistics	
Minimum	2.12	Minimum of Log Data	0.751
Maximum	11	Maximum of Log Data	2.398
Mean	5.288	Mean of log Data	1.588
Median	4.79	SD of log Data	0.395
SD	2.219		
Coefficient of Variation	0.42		
Skewness	1.27		

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.877	Shapiro Wilk Test Statistic	0.967
Shapiro Wilk Critical Value	0.93	Shapiro Wilk Critical Value	0.93
Data not Normal at 5% Significance Level		**Data appear Lognormal at 5% Significance Level**	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	5.954	95% H-UCL	6.037
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	6.935
95% Adjusted-CLT UCL	6.028	97.5% Chebyshev (MVUE) UCL	7.651
95% Modified-t UCL	5.968	99% Chebyshev (MVUE) UCL	9.058

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	6.047	**Data appear Gamma Distributed at 5% Significance Level**	
Theta Star	0.875		
nu star	387		
Approximate Chi Square Value (.05)	342.4	Nonparametric Statistics	
Adjusted Level of Significance	0.0416	95% CLT UCL	5.934
Adjusted Chi Square Value	340.2	95% Jackknife UCL	5.954
		95% Standard Bootstrap UCL	5.93
Anderson-Darling Test Statistic	0.554	95% Bootstrap-t UCL	6.1
Anderson-Darling 5% Critical Value	0.747	95% Hall's Bootstrap UCL	6.177
Kolmogorov-Smirnov Test Statistic	0.13	95% Percentile Bootstrap UCL	5.968
Kolmogorov-Smirnov 5% Critical Value	0.156	95% BCA Bootstrap UCL	6.003
Data appear Gamma Distributed at 5% Significance Level		95% Chebyshev(Mean, Sd) UCL	6.998
		97.5% Chebyshev(Mean, Sd) UCL	7.738
Assuming Gamma Distribution		99% Chebyshev(Mean, Sd) UCL	9.192
95% Approximate Gamma UCL	5.977		
95% Adjusted Gamma UCL	6.017		

Potential UCL to Use		Use 95% Approximate Gamma UCL	5.977

Anthracene

General Statistics

Number of Valid Data	18	Number of Detected Data	17
Number of Distinct Detected Data	14	Number of Non-Detect Data	1
		Percent Non-Detects	5.56%

	A	B	C	D	E	F	G	H	I	J	K	L
531												
532				Raw Statistics						Log-transformed Statistics		
533				Minimum Detected		0.26				Minimum Detected		-1.347
534				Maximum Detected		6.8				Maximum Detected		1.917
535				Mean of Detected		1.635				Mean of Detected		0.194
536				SD of Detected		1.588				SD of Detected		0.756
537				Minimum Non-Detect		0.5				Minimum Non-Detect		-0.693
538				Maximum Non-Detect		0.5				Maximum Non-Detect		-0.693
539												
540												
541						UCL Statistics						
542		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
543				Shapiro Wilk Test Statistic		0.682				Shapiro Wilk Test Statistic		0.949
544				5% Shapiro Wilk Critical Value		0.892				5% Shapiro Wilk Critical Value		0.892
545		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
546												
547		Assuming Normal Distribution						Assuming Lognormal Distribution				
548				DL/2 Substitution Method						DL/2 Substitution Method		
549				Mean		1.558				Mean		0.106
550				SD		1.574				SD		0.823
551				95% DL/2 (t) UCL		2.204				95% H-Stat (DL/2) UCL		2.653
552												
553				Maximum Likelihood Estimate(MLE) Method						Log ROS Method		
554				Mean		1.473				Mean in Log Scale		0.113
555				SD		1.643				SD in Log Scale		0.809
556				95% MLE (t) UCL		2.146				Mean in Original Scale		1.56
557				95% MLE (Tiku) UCL		2.115				SD in Original Scale		1.573
558										95% Percentile Bootstrap UCL		2.174
559										95% BCA Bootstrap UCL		2.373
560												
561		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
562				k star (bias corrected)		1.545		Data appear Lognormal at 5% Significance Level				
563				Theta Star		1.058						
564				nu star		52.53						
565												
566				A-D Test Statistic		0.876		Nonparametric Statistics				
567				5% A-D Critical Value		0.752		Kaplan-Meier (KM) Method				
568				K-S Test Statistic		0.752				Mean		1.559
569				5% K-S Critical Value		0.212				SD		1.53
570		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.372
571										95% KM (t) UCL		2.205
572		Assuming Gamma Distribution								95% KM (z) UCL		2.17
573		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		2.193
574				Minimum		1E-09				95% KM (bootstrap t) UCL		2.801
575				Maximum		6.8				95% KM (BCA) UCL		2.277
576				Mean		1.544				95% KM (Percentile Bootstrap) UCL		2.192
577				Median		1.15				95% KM (Chebyshev) UCL		3.179
578				SD		1.588				97.5% KM (Chebyshev) UCL		3.88
579				k star		0.42				99% KM (Chebyshev) UCL		5.257
580				Theta star		3.682						
581				Nu star		15.1		Potential UCLs to Use				
582				AppChi2		7.333				95% KM (Chebyshev) UCL		3.179
583				95% Gamma Approximate UCL		3.181						

	A	B	C	D	E	F	G	H	I	J	K	L
584			95% Adjusted Gamma UCL			3.421						
585	Note: DL/2 is not a recommended method.											
586												
587												
588												
589												
590												
591												
592	s were recalculated with reanalysis of SMB. See additional file.											
593												
594												
595												
596												
597												
598												
599												
600												
601												
602												
603												
604												
605												
606												
607												
608												
609												
610												
611												
612												
613												
614												
615												
616												
617												
618												
619												
620												
621												
622												
623												
624												
625												
626												
627												
628												
629												
630												
631												
632												
633												
634												
635												
636												

	A	B	C	D	E	F	G	H	I	J	K	L
637												
638												
639												
640												
641												
642												
643												
644												
645												
646												
647												
648												
649												
650												
651												
652												
653												
654												
655												
656												
657												
658												
659												
660												
661	Arsenic											
662												
663				General Statistics								
664			Number of Valid Observations	32				Number of Distinct Observations				20
665												
666			Raw Statistics					Log-transformed Statistics				
667			Minimum	0.16				Minimum of Log Data				-1.833
668			Maximum	0.39				Maximum of Log Data				-0.942
669			Mean	0.248				Mean of log Data				-1.424
670			Median	0.238				SD of log Data				0.242
671			SD	0.0611								
672			Coefficient of Variation	0.247								
673			Skewness	0.574								
674												
675				Relevant UCL Statistics								
676			Normal Distribution Test					Lognormal Distribution Test				
677			Shapiro Wilk Test Statistic	0.945				Shapiro Wilk Test Statistic				0.964
678			Shapiro Wilk Critical Value	0.93				Shapiro Wilk Critical Value				0.93
679		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
680												
681			Assuming Normal Distribution					Assuming Lognormal Distribution				
682			95% Student's-t UCL	0.266				95% H-UCL				0.268
683		95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL				0.294
684			95% Adjusted-CLT UCL	0.267				97.5% Chebyshev (MVUE) UCL				0.314
685			95% Modified-t UCL	0.266				99% Chebyshev (MVUE) UCL				0.354
686												
687			Gamma Distribution Test					Data Distribution				
688			k star (bias corrected)	15.97				Data appear Normal at 5% Significance Level				
689			Theta Star	0.0155								

	A	B	C	D	E	F	G	H	I	J	K	L
690					nu star	1022						
691			Approximate Chi Square Value (.05)			949.1			Nonparametric Statistics			
692			Adjusted Level of Significance			0.0416				95% CLT UCL		0.265
693			Adjusted Chi Square Value			945.4				95% Jackknife UCL		0.266
694										95% Standard Bootstrap UCL		0.265
695			Anderson-Darling Test Statistic			0.381				95% Bootstrap-t UCL		0.268
696			Anderson-Darling 5% Critical Value			0.746				95% Hall's Bootstrap UCL		0.266
697			Kolmogorov-Smirnov Test Statistic			0.13				95% Percentile Bootstrap UCL		0.265
698			Kolmogorov-Smirnov 5% Critical Value			0.155				95% BCA Bootstrap UCL		0.266
699		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		0.295
700										97.5% Chebyshev(Mean, Sd) UCL		0.315
701			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		0.355
702			95% Approximate Gamma UCL			0.267						
703			95% Adjusted Gamma UCL			0.268						
704												
705			Potential UCL to Use							Use 95% Student's-t UCL		0.266
706												
707												
708	Benzo(a)anthracene											
709												
710						General Statistics						
711			Number of Valid Data			18			Number of Detected Data			8
712			Number of Distinct Detected Data			7			Number of Non-Detect Data			10
713									Percent Non-Detects			55.56%
714												
715			Raw Statistics						Log-transformed Statistics			
716			Minimum Detected			0.14			Minimum Detected			-1.966
717			Maximum Detected			1.1			Maximum Detected			0.0953
718			Mean of Detected			0.465			Mean of Detected			-1.085
719			SD of Detected			0.382			SD of Detected			0.867
720			Minimum Non-Detect			0.2			Minimum Non-Detect			-1.609
721			Maximum Non-Detect			0.52			Maximum Non-Detect			-0.654
722												
723	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			15
724	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			3
725	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			83.33%
726												
727					Warning: There are only 8 Detected Values in this data							
728					Note: It should be noted that even though bootstrap may be performed on this data set							
729					the resulting calculations may not be reliable enough tp draw conclusions							
730												
731					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
732												
733												
734						UCL Statistics						
735		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
736			Shapiro Wilk Test Statistic			0.831			Shapiro Wilk Test Statistic			0.848
737			5% Shapiro Wilk Critical Value			0.818			5% Shapiro Wilk Critical Value			0.818
738		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
739												
740		Assuming Normal Distribution						Assuming Lognormal Distribution				
741			DL/2 Substitution Method						DL/2 Substitution Method			
742			Mean			0.29			Mean			-1.584

	A	B	C	D	E	F	G	H	I	J	K	L
743					SD	0.297					SD	0.78
744				95% DL/2 (t) UCL		0.412				95% H-Stat (DL/2) UCL		0.423
745												
746		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
747		**MLE yields a negative mean**								Mean in Log Scale		-1.449
748										SD in Log Scale		0.688
749										Mean in Original Scale		0.308
750										SD in Original Scale		0.287
751										95% Percentile Bootstrap UCL		0.426
752										95% BCA Bootstrap UCL		0.453
753												
754		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
755				k star (bias corrected)		1.153		**Data appear Normal at 5% Significance Level**				
756					Theta Star	0.403						
757					nu star	18.45						
758												
759				A-D Test Statistic		0.6		**Nonparametric Statistics**				
760				5% A-D Critical Value		0.727				Kaplan-Meier (KM) Method		
761				K-S Test Statistic		0.727					Mean	0.297
762				5% K-S Critical Value		0.298					SD	0.283
763		**Data appear Gamma Distributed at 5% Significance Level**								SE of Mean		0.0721
764										95% KM (t) UCL		0.422
765		**Assuming Gamma Distribution**								95% KM (z) UCL		0.416
766		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.418
767					Minimum	0.14				95% KM (bootstrap t) UCL		0.524
768					Maximum	1.1				95% KM (BCA) UCL		0.414
769					Mean	0.456				95% KM (Percentile Bootstrap) UCL		0.425
770					Median	0.443				95% KM (Chebyshev) UCL		0.611
771					SD	0.249				97.5% KM (Chebyshev) UCL		0.747
772					k star	3.013				99% KM (Chebyshev) UCL		1.015
773					Theta star	0.151						
774					Nu star	108.5		**Potential UCLs to Use**				
775					AppChi2	85.44				95% KM (t) UCL		0.422
776				95% Gamma Approximate UCL		0.579				95% KM (Percentile Bootstrap) UCL		0.425
777				95% Adjusted Gamma UCL		0.592						
778	Note: DL/2 is not a recommended method.											
779												
780												
781	Benzo(a)pyrene											
782												
783							**General Statistics**					
784			Number of Valid Data			18				Number of Detected Data		5
785		Number of Distinct Detected Data				5				Number of Non-Detect Data		13
786										Percent Non-Detects		72.22%
787												
788				**Raw Statistics**						**Log-transformed Statistics**		
789				Minimum Detected		0.15				Minimum Detected		-1.897
790				Maximum Detected		1.3				Maximum Detected		0.262
791				Mean of Detected		0.644				Mean of Detected		-0.768
792				SD of Detected		0.493				SD of Detected		0.98
793				Minimum Non-Detect		0.25				Minimum Non-Detect		-1.386
794				Maximum Non-Detect		0.64				Maximum Non-Detect		-0.446
795												

	A	B	C	D	E	F	G	H	I	J	K	L
796	Note: Data have multiple DLs - Use of KM Method is recommended						Number treated as Non-Detect					15
797	For all methods (except KM, DL/2, and ROS Methods),						Number treated as Detected					3
798	Observations < Largest ND are treated as NDs						Single DL Non-Detect Percentage					83.33%
799												
800	Warning: There are only 5 Detected Values in this data											
801	Note: It should be noted that even though bootstrap may be performed on this data set											
802	the resulting calculations may not be reliable enough tp draw conclusions											
803												
804	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
805												
806												
807	UCL Statistics											
808	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
809	Shapiro Wilk Test Statistic					0.92	Shapiro Wilk Test Statistic					0.873
810	5% Shapiro Wilk Critical Value					0.762	5% Shapiro Wilk Critical Value					0.762
811	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
812												
813	Assuming Normal Distribution						Assuming Lognormal Distribution					
814	DL/2 Substitution Method						DL/2 Substitution Method					
815	Mean					0.313	Mean					-1.491
816	SD					0.327	SD					0.745
817	95% DL/2 (t) UCL					0.447	95% H-Stat (DL/2) UCL					0.428
818												
819	Maximum Likelihood Estimate(MLE) Method						Log ROS Method					
820	Mean					0.0603	Mean in Log Scale					-1.483
821	SD					0.601	SD in Log Scale					0.746
822	95% MLE (t) UCL					0.307	Mean in Original Scale					0.313
823	95% MLE (Tiku) UCL					0.747	SD in Original Scale					0.325
824							95% Percentile Bootstrap UCL					0.441
825							95% BCA Bootstrap UCL					0.498
826												
827	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
828	k star (bias corrected)					0.803	Data appear Normal at 5% Significance Level					
829	Theta Star					0.802						
830	nu star					8.03						
831												
832	A-D Test Statistic					0.387	Nonparametric Statistics					
833	5% A-D Critical Value					0.686	Kaplan-Meier (KM) Method					
834	K-S Test Statistic					0.686	Mean					0.298
835	5% K-S Critical Value					0.361	SD					0.317
836	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					0.0839
837							95% KM (t) UCL					0.444
838	Assuming Gamma Distribution						95% KM (z) UCL					0.436
839	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					0.435
840	Minimum					0.15	95% KM (bootstrap t) UCL					0.462
841	Maximum					1.3	95% KM (BCA) UCL					0.971
842	Mean					0.633	95% KM (Percentile Bootstrap) UCL					0.761
843	Median					0.632	95% KM (Chebyshev) UCL					0.664
844	SD					0.248	97.5% KM (Chebyshev) UCL					0.822
845	k star					4.485	99% KM (Chebyshev) UCL					1.133
846	Theta star					0.141						
847	Nu star					161.5	Potential UCLs to Use					
848	AppChi2					133.1	95% KM (t) UCL					0.444

	A	B	C	D	E	F	G	H	I	J	K	L
849			95% Gamma Approximate UCL			0.768			95% KM (Percentile Bootstrap) UCL			0.761
850			95% Adjusted Gamma UCL			0.783						
851	Note: DL/2 is not a recommended method.											
852												
853												
854	Benzo(b)fluoranthene											
855												
856				General Statistics								
857			Number of Valid Data			18			Number of Detected Data			6
858			Number of Distinct Detected Data			5			Number of Non-Detect Data			12
859									Percent Non-Detects			66.67%
860												
861			Raw Statistics						Log-transformed Statistics			
862			Minimum Detected			0.14			Minimum Detected			-1.966
863			Maximum Detected			1			Maximum Detected			0
864			Mean of Detected			0.455			Mean of Detected			-1.035
865			SD of Detected			0.33			SD of Detected			0.803
866			Minimum Non-Detect			0.21			Minimum Non-Detect			-1.561
867			Maximum Non-Detect			0.55			Maximum Non-Detect			-0.598
868												
869	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			16
870	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
871	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			88.89%
872												
873				Warning: There are only 6 Detected Values in this data								
874				Note: It should be noted that even though bootstrap may be performed on this data set								
875				the resulting calculations may not be reliable enough tp draw conclusions								
876												
877				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
878												
879												
880					UCL Statistics							
881			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
882			Shapiro Wilk Test Statistic			0.913			Shapiro Wilk Test Statistic			0.914
883			5% Shapiro Wilk Critical Value			0.788			5% Shapiro Wilk Critical Value			0.788
884			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
885												
886			Assuming Normal Distribution						Assuming Lognormal Distribution			
887			DL/2 Substitution Method						DL/2 Substitution Method			
888			Mean			0.26			Mean			-1.615
889			SD			0.236			SD			0.696
890			95% DL/2 (t) UCL			0.357			95% H-Stat (DL/2) UCL			0.386
891												
892			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
893			MLE method failed to converge properly						Mean in Log Scale			-1.604
894									SD in Log Scale			0.654
895									Mean in Original Scale			0.257
896									SD in Original Scale			0.233
897									95% Percentile Bootstrap UCL			0.352
898									95% BCA Bootstrap UCL			0.38
899												
900			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
901			k star (bias corrected)			1.196			Data appear Normal at 5% Significance Level			

	A	B	C	D	E	F	G	H	I	J	K	L
902					Theta Star	0.38						
903					nu star	14.35						
904												
905					A-D Test Statistic	0.285		Nonparametric Statistics				
906					5% A-D Critical Value	0.704				Kaplan-Meier (KM) Method		
907					K-S Test Statistic	0.704					Mean	0.255
908					5% K-S Critical Value	0.336					SD	0.23
909		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.0609
910											95% KM (t) UCL	0.361
911		Assuming Gamma Distribution									95% KM (z) UCL	0.355
912		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.355
913					Minimum	0.14					95% KM (bootstrap t) UCL	0.401
914					Maximum	1					95% KM (BCA) UCL	0.503
915					Mean	0.471				95% KM (Percentile Bootstrap) UCL		0.456
916					Median	0.495					95% KM (Chebyshev) UCL	0.52
917					SD	0.21					97.5% KM (Chebyshev) UCL	0.635
918					k star	3.854					99% KM (Chebyshev) UCL	0.861
919					Theta star	0.122						
920					Nu star	138.7		Potential UCLs to Use				
921					AppChi2	112.5					95% KM (t) UCL	0.361
922		95% Gamma Approximate UCL				0.581				95% KM (Percentile Bootstrap) UCL		0.456
923		95% Adjusted Gamma UCL				0.593						
924	Note: DL/2 is not a recommended method.											
925												
926												
927	Benzo(g,h,i)perylene											
928												
929						General Statistics						
930				Number of Valid Data		18				Number of Detected Data		6
931		Number of Distinct Detected Data				6				Number of Non-Detect Data		12
932											Percent Non-Detects	66.67%
933												
934		Raw Statistics						Log-transformed Statistics				
935				Minimum Detected		0.13				Minimum Detected		-2.04
936				Maximum Detected		2.5				Maximum Detected		0.916
937				Mean of Detected		0.795				Mean of Detected		-0.838
938				SD of Detected		0.931				SD of Detected		1.228
939				Minimum Non-Detect		0.23				Minimum Non-Detect		-1.47
940				Maximum Non-Detect		0.58				Maximum Non-Detect		-0.545
941												
942	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		15
943	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		3
944	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		83.33%
945												
946					Warning: There are only 6 Detected Values in this data							
947				Note: It should be noted that even though bootstrap may be performed on this data set								
948					the resulting calculations may not be reliable enough tp draw conclusions							
949												
950			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
951												
952												
953							UCL Statistics					
954		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				

	A	B	C	D	E	F	G	H	I	J	K	L
955				Shapiro Wilk Test Statistic		0.795				Shapiro Wilk Test Statistic		0.897
956				5% Shapiro Wilk Critical Value		0.788				5% Shapiro Wilk Critical Value		0.788
957			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
958												
959			Assuming Normal Distribution						Assuming Lognormal Distribution			
960				DL/2 Substitution Method						DL/2 Substitution Method		
961					Mean	0.379					Mean	-1.513
962					SD	0.592					SD	0.892
963				95% DL/2 (t) UCL		0.622				95% H-Stat (DL/2) UCL		0.59
964												
965				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
966			MLE yields a negative mean							Mean in Log Scale		-1.486
967										SD in Log Scale		0.924
968										Mean in Original Scale		0.389
969										SD in Original Scale		0.59
970										95% Percentile Bootstrap UCL		0.63
971										95% BCA Bootstrap UCL		0.77
972												
973			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
974				k star (bias corrected)		0.588			Data appear Normal at 5% Significance Level			
975					Theta Star	1.352						
976					nu star	7.056						
977												
978				A-D Test Statistic		0.411			Nonparametric Statistics			
979				5% A-D Critical Value		0.716				Kaplan-Meier (KM) Method		
980				K-S Test Statistic		0.716					Mean	0.369
981				5% K-S Critical Value		0.341					SD	0.576
982			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		0.149
983										95% KM (t) UCL		0.629
984			Assuming Gamma Distribution							95% KM (z) UCL		0.615
985			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.615
986					Minimum	0.0882				95% KM (bootstrap t) UCL		1.219
987					Maximum	2.5				95% KM (BCA) UCL		0.739
988					Mean	0.748			95% KM (Percentile Bootstrap) UCL			0.706
989					Median	0.762				95% KM (Chebyshev) UCL		1.021
990					SD	0.559				97.5% KM (Chebyshev) UCL		1.303
991					k star	1.546				99% KM (Chebyshev) UCL		1.857
992					Theta star	0.484						
993					Nu star	55.67			Potential UCLs to Use			
994					AppChi2	39.53				95% KM (t) UCL		0.629
995			95% Gamma Approximate UCL			1.053			95% KM (Percentile Bootstrap) UCL			0.706
996			95% Adjusted Gamma UCL			1.089						
997	Note: DL/2 is not a recommended method.											
998												
999												
1000	Benzo(k)fluoranthene											
1001												
1002						General Statistics						
1003				Number of Valid Data		18				Number of Detected Data		6
1004			Number of Distinct Detected Data			5				Number of Non-Detect Data		12
1005										Percent Non-Detects		66.67%
1006												
1007			Raw Statistics						Log-transformed Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
1008					Minimum Detected	0.11					Minimum Detected	-2.207
1009					Maximum Detected	0.92					Maximum Detected	-0.0834
1010					Mean of Detected	0.373					Mean of Detected	-1.299
1011					SD of Detected	0.317					SD of Detected	0.881
1012					Minimum Non-Detect	0.17					Minimum Non-Detect	-1.772
1013					Maximum Non-Detect	0.44					Maximum Non-Detect	-0.821
1014												
1015	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		16
1016	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		2
1017	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		88.89%
1018												
1019					Warning: There are only 6 Detected Values in this data							
1020					Note: It should be noted that even though bootstrap may be performed on this data set							
1021					the resulting calculations may not be reliable enough tp draw conclusions							
1022												
1023					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
1024												
1025												
1026					UCL Statistics							
1027		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1028				Shapiro Wilk Test Statistic		0.864				Shapiro Wilk Test Statistic		0.91
1029				5% Shapiro Wilk Critical Value		0.788				5% Shapiro Wilk Critical Value		0.788
1030		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1031												
1032		Assuming Normal Distribution						Assuming Lognormal Distribution				
1033				DL/2 Substitution Method						DL/2 Substitution Method		
1034					Mean	0.212					Mean	-1.841
1035					SD	0.213					SD	0.701
1036				95% DL/2 (t) UCL		0.299				95% H-Stat (DL/2) UCL		0.309
1037												
1038			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1039		MLE method failed to converge properly								Mean in Log Scale		-1.865
1040										SD in Log Scale		0.697
1041										Mean in Original Scale		0.207
1042										SD in Original Scale		0.213
1043										95% Percentile Bootstrap UCL		0.292
1044										95% BCA Bootstrap UCL		0.334
1045												
1046		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1047				k star (bias corrected)		0.981		Data appear Normal at 5% Significance Level				
1048				Theta Star		0.381						
1049				nu star		11.77						
1050												
1051				A-D Test Statistic		0.341		Nonparametric Statistics				
1052				5% A-D Critical Value		0.706				Kaplan-Meier (KM) Method		
1053				K-S Test Statistic		0.706					Mean	0.207
1054				5% K-S Critical Value		0.337					SD	0.208
1055		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.055
1056										95% KM (t) UCL		0.303
1057		Assuming Gamma Distribution								95% KM (z) UCL		0.297
1058		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.297
1059					Minimum	0.11				95% KM (bootstrap t) UCL		0.359
1060					Maximum	0.92				95% KM (BCA) UCL		0.428

	A	B	C	D	E	F	G	H	I	J	K	L
1061					Mean	0.41			95% KM (Percentile Bootstrap) UCL			0.341
1062					Median	0.376			95% KM (Chebyshev) UCL			0.447
1063					SD	0.219			97.5% KM (Chebyshev) UCL			0.55
1064					k star	2.764			99% KM (Chebyshev) UCL			0.754
1065					Theta star	0.148						
1066					Nu star	99.51			Potential UCLs to Use			
1067					AppChi2	77.5			95% KM (t) UCL			0.303
1068			95% Gamma Approximate UCL			0.527			95% KM (Percentile Bootstrap) UCL			0.341
1069			95% Adjusted Gamma UCL			0.54						
1070	Note: DL/2 is not a recommended method.											
1071												
1072												
1073	Benzoic acid											
1074												
1075					General Statistics							
1076			Number of Valid Data			18			Number of Detected Data			16
1077			Number of Distinct Detected Data			13			Number of Non-Detect Data			2
1078									Percent Non-Detects			11.11%
1079												
1080			Raw Statistics						Log-transformed Statistics			
1081			Minimum Detected			350			Minimum Detected			5.858
1082			Maximum Detected			610			Maximum Detected			6.413
1083			Mean of Detected			468.1			Mean of Detected			6.134
1084			SD of Detected			83.12			SD of Detected			0.174
1085			Minimum Non-Detect			400			Minimum Non-Detect			5.991
1086			Maximum Non-Detect			400			Maximum Non-Detect			5.991
1087												
1088												
1089					UCL Statistics							
1090		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1091			Shapiro Wilk Test Statistic			0.934			Shapiro Wilk Test Statistic			0.955
1092			5% Shapiro Wilk Critical Value			0.887			5% Shapiro Wilk Critical Value			0.887
1093		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1094												
1095		Assuming Normal Distribution						Assuming Lognormal Distribution				
1096			DL/2 Substitution Method						DL/2 Substitution Method			
1097					Mean	438.3			Mean			6.041
1098					SD	116.7			SD			0.316
1099			95% DL/2 (t) UCL			486.2			95% H-Stat (DL/2) UCL			491
1100												
1101		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
1102					Mean	444			Mean in Log Scale			6.11
1103					SD	100.8			SD in Log Scale			0.179
1104			95% MLE (t) UCL			485.3			Mean in Original Scale			457.3
1105			95% MLE (Tiku) UCL			488.8			SD in Original Scale			84.42
1106									95% Percentile Bootstrap UCL			489.7
1107									95% BCA Bootstrap UCL			492.8
1108												
1109		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1110			k star (bias corrected)			28.38		Data appear Normal at 5% Significance Level				
1111					Theta Star	16.5						
1112					nu star	908.1						
1113												

	A	B	C	D	E	F	G	H	I	J	K	L
1114				A-D Test Statistic		0.294			Nonparametric Statistics			
1115				5% A-D Critical Value		0.736			Kaplan-Meier (KM) Method			
1116				K-S Test Statistic		0.736					Mean	457.8
1117				5% K-S Critical Value		0.215					SD	81.52
1118		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	19.91
1119											95% KM (t) UCL	492.4
1120			Assuming Gamma Distribution								95% KM (z) UCL	490.5
1121		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	492.4
1122				Minimum		350					95% KM (bootstrap t) UCL	496.5
1123				Maximum		610					95% KM (BCA) UCL	491.3
1124				Mean		459.2			95% KM (Percentile Bootstrap) UCL			491.1
1125				Median		445					95% KM (Chebyshev) UCL	544.6
1126				SD		82.93					97.5% KM (Chebyshev) UCL	582.1
1127				k star		28.32					99% KM (Chebyshev) UCL	655.9
1128				Theta star		16.21						
1129				Nu star		1019			Potential UCLs to Use			
1130				AppChi2		946.4					95% KM (t) UCL	492.4
1131			95% Gamma Approximate UCL			494.7			95% KM (Percentile Bootstrap) UCL			491.1
1132			95% Adjusted Gamma UCL			498.2						
1133	Note: DL/2 is not a recommended method.											
1134												
1135												
1136	Benzyl alcohol											
1137												
1138					General Statistics							
1139			Number of Valid Data			18			Number of Detected Data			16
1140		Number of Distinct Detected Data				12			Number of Non-Detect Data			2
1141									Percent Non-Detects			11.11%
1142												
1143			Raw Statistics						Log-transformed Statistics			
1144				Minimum Detected		14				Minimum Detected		2.639
1145				Maximum Detected		33				Maximum Detected		3.497
1146				Mean of Detected		26.56				Mean of Detected		3.263
1147				SD of Detected		4.457				SD of Detected		0.197
1148				Minimum Non-Detect		22				Minimum Non-Detect		3.091
1149				Maximum Non-Detect		22				Maximum Non-Detect		3.091
1150												
1151												
1152					UCL Statistics							
1153		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1154			Shapiro Wilk Test Statistic			0.898			Shapiro Wilk Test Statistic			0.796
1155			5% Shapiro Wilk Critical Value			0.887			5% Shapiro Wilk Critical Value			0.887
1156		Data appear Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
1157												
1158			Assuming Normal Distribution						Assuming Lognormal Distribution			
1159				DL/2 Substitution Method						DL/2 Substitution Method		
1160				Mean		24.83				Mean		3.167
1161				SD		6.546				SD		0.336
1162			95% DL/2 (t) UCL			27.52			95% H-Stat (DL/2) UCL			29
1163												
1164		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
1165				Mean		26.17				Mean in Log Scale		3.225
1166				SD		3.912				SD in Log Scale		0.217

	A	B	C	D	E	F	G	H	I	J	K	L
1167				95% MLE (t) UCL		27.77				Mean in Original Scale		25.66
1168				95% MLE (Tiku) UCL		27.82				SD in Original Scale		4.946
1169										95% Percentile Bootstrap UCL		27.5
1170										95% BCA Bootstrap UCL		27.27
1171												
1172		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1173				k star (bias corrected)		25.22		Data appear Normal at 5% Significance Level				
1174				Theta Star		1.053						
1175				nu star		806.9						
1176												
1177				A-D Test Statistic		0.758		Nonparametric Statistics				
1178				5% A-D Critical Value		0.736		Kaplan-Meier (KM) Method				
1179				K-S Test Statistic		0.736				Mean		25.17
1180				5% K-S Critical Value		0.215				SD		5.669
1181		Data follow Appr. Gamma Distribution at 5% Significance Level								SE of Mean		1.38
1182										95% KM (t) UCL		27.57
1183		Assuming Gamma Distribution								95% KM (z) UCL		27.44
1184		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		27.73
1185				Minimum		14				95% KM (bootstrap t) UCL		27.2
1186				Maximum		33				95% KM (BCA) UCL		28
1187				Mean		25.83				95% KM (Percentile Bootstrap) UCL		27.78
1188				Median		26				95% KM (Chebyshev) UCL		31.18
1189				SD		4.725				97.5% KM (Chebyshev) UCL		33.79
1190				k star		22.77				99% KM (Chebyshev) UCL		38.9
1191				Theta star		1.134						
1192				Nu star		819.7		Potential UCLs to Use				
1193				AppChi2		754.3				95% KM (t) UCL		27.57
1194		95% Gamma Approximate UCL				28.07				95% KM (Percentile Bootstrap) UCL		27.78
1195		95% Adjusted Gamma UCL				28.29						
1196	Note: DL/2 is not a recommended method.											
1197												
1198												
1199	beta-Hexachlorocyclohexane											
1200												
1201					General Statistics							
1202			Number of Valid Data			17				Number of Detected Data		8
1203			Number of Distinct Detected Data			7				Number of Non-Detect Data		9
1204			Number of Missing Values			1				Percent Non-Detects		52.94%
1205												
1206			Raw Statistics						Log-transformed Statistics			
1207			Minimum Detected			0.0056				Minimum Detected		-5.185
1208			Maximum Detected			0.036				Maximum Detected		-3.324
1209			Mean of Detected			0.0161				Mean of Detected		-4.279
1210			SD of Detected			0.00971				SD of Detected		0.578
1211			Minimum Non-Detect			0.00897				Minimum Non-Detect		-4.714
1212			Maximum Non-Detect			0.027				Maximum Non-Detect		-3.612
1213												
1214	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		16
1215	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1
1216	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		94.12%
1217												
1218					Warning: There are only 8 Detected Values in this data							
1219				Note: It should be noted that even though bootstrap may be performed on this data set								

	A	B	C	D	E	F	G	H	I	J	K	L
1220	the resulting calculations may not be reliable enough tp draw conclusions											
1221												
1222	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
1223												
1224												
1225	UCL Statistics											
1226	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
1227	Shapiro Wilk Test Statistic					0.875	Shapiro Wilk Test Statistic					0.978
1228	5% Shapiro Wilk Critical Value					0.818	5% Shapiro Wilk Critical Value					0.818
1229	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
1230												
1231	Assuming Normal Distribution						Assuming Lognormal Distribution					
1232	DL/2 Substitution Method						DL/2 Substitution Method					
1233	Mean					0.0132	Mean					-4.446
1234	SD					0.00736	SD					0.5
1235	95% DL/2 (t) UCL					0.0163	95% H-Stat (DL/2) UCL					0.0197
1236												
1237	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
1238	MLE method failed to converge properly						Mean in Log Scale					-4.468
1239							SD in Log Scale					0.448
1240							Mean in Original Scale					0.0128
1241							SD in Original Scale					0.0073
1242							95% Percentile Bootstrap UCL					0.0159
1243							95% BCA Bootstrap UCL					0.0167
1244												
1245	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
1246	k star (bias corrected)					2.309	Data appear Normal at 5% Significance Level					
1247	Theta Star					0.00695						
1248	nu star					36.95						
1249												
1250	A-D Test Statistic					0.261	Nonparametric Statistics					
1251	5% A-D Critical Value					0.72	Kaplan-Meier (KM) Method					
1252	K-S Test Statistic					0.72	Mean					0.0131
1253	5% K-S Critical Value					0.296	SD					0.0076
1254	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					0.00225
1255							95% KM (t) UCL					0.017
1256	Assuming Gamma Distribution						95% KM (z) UCL					0.0168
1257	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					0.0171
1258	Minimum					0.0056	95% KM (bootstrap t) UCL					0.018
1259	Maximum					0.036	95% KM (BCA) UCL					0.0175
1260	Mean					0.0161	95% KM (Percentile Bootstrap) UCL					0.0172
1261	Median					0.015	95% KM (Chebyshev) UCL					0.0229
1262	SD					0.00712	97.5% KM (Chebyshev) UCL					0.0272
1263	k star					4.792	99% KM (Chebyshev) UCL					0.0355
1264	Theta star					0.00336						
1265	Nu star					162.9	Potential UCLs to Use					
1266	AppChi2					134.4	95% KM (t) UCL					0.017
1267	95% Gamma Approximate UCL					0.0195	95% KM (Percentile Bootstrap) UCL					0.0172
1268	95% Adjusted Gamma UCL					0.0199						
1269	Note: DL/2 is not a recommended method.											
1270												
1271												
1272	Bis(2-chloroethoxy) methane											

	A	B	C	D	E	F	G	H	I	J	K	L
1273												
1274					General Statistics							
1275				Number of Valid Data		18				Number of Detected Data		16
1276			Number of Distinct Detected Data			8				Number of Non-Detect Data		2
1277										Percent Non-Detects		11.11%
1278												
1279				Raw Statistics					Log-transformed Statistics			
1280				Minimum Detected		10				Minimum Detected		2.303
1281				Maximum Detected		22				Maximum Detected		3.091
1282				Mean of Detected		13.5				Mean of Detected		2.584
1283				SD of Detected		2.944				SD of Detected		0.192
1284				Minimum Non-Detect		8.3				Minimum Non-Detect		2.116
1285				Maximum Non-Detect		8.3				Maximum Non-Detect		2.116
1286												
1287												
1288					UCL Statistics							
1289		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1290				Shapiro Wilk Test Statistic		0.78				Shapiro Wilk Test Statistic		0.853
1291				5% Shapiro Wilk Critical Value		0.887				5% Shapiro Wilk Critical Value		0.887
1292		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
1293												
1294		Assuming Normal Distribution						Assuming Lognormal Distribution				
1295				DL/2 Substitution Method						DL/2 Substitution Method		
1296				Mean		12.46				Mean		2.455
1297				SD		4.097				SD		0.417
1298				95% DL/2 (t) UCL		14.14				95% H-Stat (DL/2) UCL		14.8
1299												
1300			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
1301				Mean		12.74				Mean in Log Scale		2.537
1302				SD		3.476				SD in Log Scale		0.228
1303				95% MLE (t) UCL		14.16				Mean in Original Scale		12.96
1304				95% MLE (Tiku) UCL		14.19				SD in Original Scale		3.18
1305										95% Percentile Bootstrap UCL		14.22
1306										95% BCA Bootstrap UCL		14.63
1307												
1308		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1309				k star (bias corrected)		21.83		Data do not follow a Discernable Distribution (0.05)				
1310				Theta Star		0.618						
1311				nu star		698.5						
1312												
1313				A-D Test Statistic		1.211				Nonparametric Statistics		
1314				5% A-D Critical Value		0.736				Kaplan-Meier (KM) Method		
1315				K-S Test Statistic		0.736				Mean		13.11
1316				5% K-S Critical Value		0.215				SD		2.904
1317		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.707
1318										95% KM (t) UCL		14.34
1319		Assuming Gamma Distribution								95% KM (z) UCL		14.27
1320		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		14.29
1321				Minimum		8.6				95% KM (bootstrap t) UCL		15.09
1322				Maximum		22				95% KM (BCA) UCL		14.56
1323				Mean		13.03				95% KM (Percentile Bootstrap) UCL		14.33
1324				Median		12.5				95% KM (Chebyshev) UCL		16.19
1325				SD		3.098				97.5% KM (Chebyshev) UCL		17.53

	A	B	C	D	E	F	G	H	I	J	K	L
1326					k star	17.98			99% KM (Chebyshev) UCL			20.14
1327					Theta star	0.724						
1328					Nu star	647.4			Potential UCLs to Use			
1329					AppChi2	589.3			95% KM (Chebyshev) UCL			16.19
1330			95% Gamma Approximate UCL			14.31						
1331			95% Adjusted Gamma UCL			14.44						
1332	Note: DL/2 is not a recommended method.											
1333												
1334												
1335	Bis(2-ethylhexyl) phthalate											
1336												
1337					General Statistics							
1338			Number of Valid Data			31			Number of Detected Data			6
1339			Number of Distinct Detected Data			5			Number of Non-Detect Data			25
1340			Number of Missing Values			1			Percent Non-Detects			80.65%
1341												
1342			Raw Statistics						Log-transformed Statistics			
1343			Minimum Detected			44			Minimum Detected			3.784
1344			Maximum Detected			87000			Maximum Detected			11.37
1345			Mean of Detected			20791			Mean of Detected			7.669
1346			SD of Detected			34685			SD of Detected			3.022
1347			Minimum Non-Detect			66			Minimum Non-Detect			4.19
1348			Maximum Non-Detect			1300			Maximum Non-Detect			7.17
1349												
1350	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			27
1351	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			4
1352	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			87.10%
1353												
1354					Warning: There are only 6 Detected Values in this data							
1355					Note: It should be noted that even though bootstrap may be performed on this data set							
1356					the resulting calculations may not be reliable enough tp draw conclusions							
1357												
1358					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
1359												
1360												
1361					UCL Statistics							
1362			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1363			Shapiro Wilk Test Statistic			0.7			Shapiro Wilk Test Statistic			0.925
1364			5% Shapiro Wilk Critical Value			0.788			5% Shapiro Wilk Critical Value			0.788
1365			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1366												
1367			Assuming Normal Distribution						Assuming Lognormal Distribution			
1368			DL/2 Substitution Method						DL/2 Substitution Method			
1369					Mean	4110					Mean	4.846
1370					SD	16417					SD	2.033
1371			95% DL/2 (t) UCL			9115			95% H-Stat (DL/2) UCL			2004
1372												
1373			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1374			MLE yields a negative mean						Mean in Log Scale			3.655
1375									SD in Log Scale			2.733
1376									Mean in Original Scale			4056
1377									SD in Original Scale			16430
1378									95% Percentile Bootstrap UCL			9587

	A	B	C	D	E	F	G	H	I	J	K	L
1379										95% BCA Bootstrap UCL		12845
1380												
1381		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1382				k star (bias corrected)		0.263		Data appear Gamma Distributed at 5% Significance Level				
1383					Theta Star	79197						
1384					nu star	3.15						
1385												
1386					A-D Test Statistic	0.323		Nonparametric Statistics				
1387					5% A-D Critical Value	0.766		Kaplan-Meier (KM) Method				
1388					K-S Test Statistic	0.766				Mean		4060
1389					5% K-S Critical Value	0.357				SD		16162
1390		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		3180
1391										95% KM (t) UCL		9457
1392		Assuming Gamma Distribution								95% KM (z) UCL		9291
1393		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		9028
1394					Minimum	44				95% KM (bootstrap t) UCL		90982
1395					Maximum	412928				95% KM (BCA) UCL		11890
1396					Mean	68421				95% KM (Percentile Bootstrap) UCL		10612
1397					Median	45596				95% KM (Chebyshev) UCL		17921
1398					SD	91255				97.5% KM (Chebyshev) UCL		23918
1399					k star	0.545				99% KM (Chebyshev) UCL		35699
1400					Theta star	125430						
1401					Nu star	33.82		Potential UCLs to Use				
1402					AppChi2	21.52				95% KM (t) UCL		9457
1403			95% Gamma Approximate UCL			107524						
1404			95% Adjusted Gamma UCL			110324						
1405	Note: DL/2 is not a recommended method.											
1406												
1407												
1408	Cadmium											
1409												
1410							General Statistics					
1411				Number of Valid Data		32				Number of Detected Data		26
1412			Number of Distinct Detected Data			18				Number of Non-Detect Data		6
1413										Percent Non-Detects		18.75%
1414												
1415			Raw Statistics					Log-transformed Statistics				
1416					Minimum Detected	0.002				Minimum Detected		-6.215
1417					Maximum Detected	0.2				Maximum Detected		-1.609
1418					Mean of Detected	0.0136				Mean of Detected		-5.169
1419					SD of Detected	0.0383				SD of Detected		0.956
1420					Minimum Non-Detect	0.002				Minimum Non-Detect		-6.215
1421					Maximum Non-Detect	0.003				Maximum Non-Detect		-5.809
1422												
1423	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		11
1424	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		21
1425	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		34.38%
1426												
1427							UCL Statistics					
1428		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1429				Shapiro Wilk Test Statistic		0.287				Shapiro Wilk Test Statistic		0.801
1430				5% Shapiro Wilk Critical Value		0.92				5% Shapiro Wilk Critical Value		0.92
1431		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
1432												
1433			Assuming Normal Distribution						Assuming Lognormal Distribution			
1434			DL/2 Substitution Method						DL/2 Substitution Method			
1435					Mean	0.0113					Mean	-5.457
1436					SD	0.0348					SD	1.056
1437				95% DL/2 (t) UCL		0.0217			95% H-Stat (DL/2) UCL			0.00845
1438												
1439			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1440			MLE yields a negative mean							Mean in Log Scale		-5.505
1441										SD in Log Scale		1.13
1442										Mean in Original Scale		0.0112
1443										SD in Original Scale		0.0348
1444									95% Percentile Bootstrap UCL			0.0231
1445									95% BCA Bootstrap UCL			0.0308
1446												
1447			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1448				k star (bias corrected)		0.641			Data do not follow a Discernable Distribution (0.05)			
1449					Theta Star	0.0212						
1450					nu star	33.34						
1451												
1452				A-D Test Statistic		3.808			Nonparametric Statistics			
1453				5% A-D Critical Value		0.79			Kaplan-Meier (KM) Method			
1454				K-S Test Statistic		0.79					Mean	0.0114
1455				5% K-S Critical Value		0.179					SD	0.0342
1456			Data not Gamma Distributed at 5% Significance Level								SE of Mean	0.00616
1457										95% KM (t) UCL		0.0219
1458			Assuming Gamma Distribution							95% KM (z) UCL		0.0215
1459			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.0218
1460					Minimum	1E-09				95% KM (bootstrap t) UCL		0.0954
1461					Maximum	0.2				95% KM (BCA) UCL		0.0244
1462					Mean	0.011			95% KM (Percentile Bootstrap) UCL			0.0232
1463					Median	0.004				95% KM (Chebyshev) UCL		0.0383
1464					SD	0.0348				97.5% KM (Chebyshev) UCL		0.0499
1465					k star	0.225				99% KM (Chebyshev) UCL		0.0727
1466					Theta star	0.0491						
1467					Nu star	14.39			Potential UCLs to Use			
1468					AppChi2	6.838			95% KM (Chebyshev) UCL			0.0383
1469			95% Gamma Approximate UCL			0.0232						
1470			95% Adjusted Gamma UCL			0.0242						
1471	Note: DL/2 is not a recommended method.											
1472												
1473												
1474	Chromium											
1475												
1476						General Statistics						
1477				Number of Valid Data		32				Number of Detected Data		21
1478			Number of Distinct Detected Data			16				Number of Non-Detect Data		11
1479										Percent Non-Detects		34.38%
1480												
1481			Raw Statistics						Log-transformed Statistics			
1482				Minimum Detected		0.13				Minimum Detected		-2.04
1483				Maximum Detected		1.14				Maximum Detected		0.131
1484				Mean of Detected		0.409				Mean of Detected		-1.167

	A	B	C	D	E	F	G	H	I	J	K	L
1485					SD of Detected	0.326					SD of Detected	0.739
1486					Minimum Non-Detect	0.06					Minimum Non-Detect	-2.813
1487					Maximum Non-Detect	0.1					Maximum Non-Detect	-2.303
1488												
1489	Note: Data have multiple DLs - Use of KM Method is recommended										Number treated as Non-Detect	11
1490	For all methods (except KM, DL/2, and ROS Methods),										Number treated as Detected	21
1491	Observations < Largest ND are treated as NDs										Single DL Non-Detect Percentage	34.38%
1492												
1493							UCL Statistics					
1494			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1495					Shapiro Wilk Test Statistic	0.796					Shapiro Wilk Test Statistic	0.878
1496					5% Shapiro Wilk Critical Value	0.908					5% Shapiro Wilk Critical Value	0.908
1497			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
1498												
1499			Assuming Normal Distribution						Assuming Lognormal Distribution			
1500					DL/2 Substitution Method						DL/2 Substitution Method	
1501					Mean	0.285					Mean	-1.815
1502					SD	0.314					SD	1.09
1503					95% DL/2 (t) UCL	0.379					95% H-Stat (DL/2) UCL	0.402
1504												
1505			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
1506					Mean	0.203					Mean in Log Scale	-1.79
1507					SD	0.406					SD in Log Scale	1.088
1508					95% MLE (t) UCL	0.325					Mean in Original Scale	0.287
1509					95% MLE (Tiku) UCL	0.335					SD in Original Scale	0.313
1510											95% Percentile Bootstrap UCL	0.378
1511											95% BCA Bootstrap UCL	0.391
1512												
1513			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1514					k star (bias corrected)	1.732			Data do not follow a Discernable Distribution (0.05)			
1515					Theta Star	0.236						
1516					nu star	72.73						
1517												
1518					A-D Test Statistic	1.153			Nonparametric Statistics			
1519					5% A-D Critical Value	0.754			Kaplan-Meier (KM) Method			
1520					K-S Test Statistic	0.754					Mean	0.313
1521					5% K-S Critical Value	0.192					SD	0.29
1522			Data not Gamma Distributed at 5% Significance Level								SE of Mean	0.0525
1523											95% KM (t) UCL	0.402
1524			Assuming Gamma Distribution								95% KM (z) UCL	0.399
1525			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	0.396
1526					Minimum	1E-09					95% KM (bootstrap t) UCL	0.426
1527					Maximum	1.14					95% KM (BCA) UCL	0.421
1528					Mean	0.334					95% KM (Percentile Bootstrap) UCL	0.404
1529					Median	0.218					95% KM (Chebyshev) UCL	0.542
1530					SD	0.292					97.5% KM (Chebyshev) UCL	0.641
1531					k star	0.435					99% KM (Chebyshev) UCL	0.835
1532					Theta star	0.768						
1533					Nu star	27.86			Potential UCLs to Use			
1534					AppChi2	16.82					95% KM (BCA) UCL	0.421
1535			95% Gamma Approximate UCL			0.554						
1536			95% Adjusted Gamma UCL			0.569						
1537	Note: DL/2 is not a recommended method.											

	A	B	C	D	E	F	G	H	I	J	K	L
1538												
1539												
1540	Chrysene											
1541												
1542						General Statistics						
1543			Number of Valid Data			18			Number of Detected Data			9
1544			Number of Distinct Detected Data			9			Number of Non-Detect Data			9
1545									Percent Non-Detects			50.00%
1546												
1547			Raw Statistics						Log-transformed Statistics			
1548			Minimum Detected			0.14			Minimum Detected			-1.966
1549			Maximum Detected			2			Maximum Detected			0.693
1550			Mean of Detected			0.67			Mean of Detected			-0.862
1551			SD of Detected			0.663			SD of Detected			1.027
1552			Minimum Non-Detect			0.24			Minimum Non-Detect			-1.427
1553			Maximum Non-Detect			0.6			Maximum Non-Detect			-0.511
1554												
1555	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			14
1556	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			4
1557	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			77.78%
1558												
1559						Warning: There are only 9 Detected Values in this data						
1560						Note: It should be noted that even though bootstrap may be performed on this data set						
1561						the resulting calculations may not be reliable enough tp draw conclusions						
1562												
1563						It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.						
1564												
1565												
1566						UCL Statistics						
1567			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1568			Shapiro Wilk Test Statistic			0.813			Shapiro Wilk Test Statistic			0.867
1569			5% Shapiro Wilk Critical Value			0.829			5% Shapiro Wilk Critical Value			0.829
1570			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1571												
1572			Assuming Normal Distribution						Assuming Lognormal Distribution			
1573			DL/2 Substitution Method						DL/2 Substitution Method			
1574			Mean			0.424			Mean			-1.338
1575			SD			0.523			SD			0.905
1576			95% DL/2 (t) UCL			0.638			95% H-Stat (DL/2) UCL			0.691
1577												
1578			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1579			MLE yields a negative mean						Mean in Log Scale			-1.282
1580									SD in Log Scale			0.866
1581									Mean in Original Scale			0.432
1582									SD in Original Scale			0.518
1583									95% Percentile Bootstrap UCL			0.649
1584									95% BCA Bootstrap UCL			0.703
1585												
1586			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1587			k star (bias corrected)			0.89			Data appear Gamma Distributed at 5% Significance Level			
1588			Theta Star			0.753						
1589			nu star			16.01						
1590												

	A	B	C	D	E	F	G	H	I	J	K	L
1591				A-D Test Statistic		0.649			Nonparametric Statistics			
1592				5% A-D Critical Value		0.739			Kaplan-Meier (KM) Method			
1593				K-S Test Statistic		0.739					Mean	0.422
1594				5% K-S Critical Value		0.286					SD	0.507
1595		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.127
1596											95% KM (t) UCL	0.642
1597			Assuming Gamma Distribution								95% KM (z) UCL	0.63
1598		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.636
1599					Minimum	0.14					95% KM (bootstrap t) UCL	0.771
1600					Maximum	2					95% KM (BCA) UCL	0.672
1601					Mean	0.671			95% KM (Percentile Bootstrap) UCL			0.642
1602					Median	0.674					95% KM (Chebyshev) UCL	0.975
1603					SD	0.455					97.5% KM (Chebyshev) UCL	1.214
1604					k star	1.97					99% KM (Chebyshev) UCL	1.685
1605					Theta star	0.341						
1606					Nu star	70.92			Potential UCLs to Use			
1607					AppChi2	52.53					95% KM (t) UCL	0.642
1608			95% Gamma Approximate UCL			0.906						
1609			95% Adjusted Gamma UCL			0.933						
1610	Note: DL/2 is not a recommended method.											
1611												
1612												
1613	Copper											
1614												
1615					General Statistics							
1616			Number of Valid Observations			32			Number of Distinct Observations			32
1617												
1618			Raw Statistics						Log-transformed Statistics			
1619					Minimum	0.365			Minimum of Log Data			-1.008
1620					Maximum	1.92			Maximum of Log Data			0.652
1621					Mean	0.805			Mean of log Data			-0.307
1622					Median	0.749			SD of log Data			0.427
1623					SD	0.362						
1624			Coefficient of Variation			0.45						
1625					Skewness	1.198						
1626												
1627					Relevant UCL Statistics							
1628			Normal Distribution Test						Lognormal Distribution Test			
1629			Shapiro Wilk Test Statistic			0.905			Shapiro Wilk Test Statistic			0.971
1630			Shapiro Wilk Critical Value			0.93			Shapiro Wilk Critical Value			0.93
1631		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1632												
1633			Assuming Normal Distribution						Assuming Lognormal Distribution			
1634				95% Student's-t UCL		0.914					95% H-UCL	0.931
1635		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			1.077
1636			95% Adjusted-CLT UCL			0.925			97.5% Chebyshev (MVUE) UCL			1.195
1637			95% Modified-t UCL			0.916			99% Chebyshev (MVUE) UCL			1.427
1638												
1639			Gamma Distribution Test						Data Distribution			
1640			k star (bias corrected)			5.214		Data appear Gamma Distributed at 5% Significance Level				
1641					Theta Star	0.154						
1642					nu star	333.7						
1643			Approximate Chi Square Value (.05)			292.4			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
1644				Adjusted Level of Significance		0.0416				95% CLT UCL		0.91
1645				Adjusted Chi Square Value		290.3				95% Jackknife UCL		0.914
1646										95% Standard Bootstrap UCL		0.91
1647				Anderson-Darling Test Statistic		0.332				95% Bootstrap-t UCL		0.938
1648				Anderson-Darling 5% Critical Value		0.748				95% Hall's Bootstrap UCL		0.937
1649				Kolmogorov-Smirnov Test Statistic		0.0961				95% Percentile Bootstrap UCL		0.913
1650				Kolmogorov-Smirnov 5% Critical Value		0.156				95% BCA Bootstrap UCL		0.924
1651		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		1.084
1652										97.5% Chebyshev(Mean, Sd) UCL		1.205
1653			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		1.442
1654				95% Approximate Gamma UCL		0.919						
1655				95% Adjusted Gamma UCL		0.925						
1656												
1657			Potential UCL to Use							Use 95% Approximate Gamma UCL		0.919
1658												
1659												
1660	Dibenzofuran											
1661												
1662					General Statistics							
1663				Number of Valid Data		32				Number of Detected Data		19
1664				Number of Distinct Detected Data		16				Number of Non-Detect Data		13
1665										Percent Non-Detects		40.63%
1666												
1667			Raw Statistics						Log-transformed Statistics			
1668				Minimum Detected		0.67				Minimum Detected		-0.4
1669				Maximum Detected		52				Maximum Detected		3.951
1670				Mean of Detected		7.138				Mean of Detected		0.94
1671				SD of Detected		15.32				SD of Detected		1.165
1672				Minimum Non-Detect		3.6				Minimum Non-Detect		1.281
1673				Maximum Non-Detect		33				Maximum Non-Detect		3.497
1674												
1675	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		30
1676	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		2
1677	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		93.75%
1678												
1679					UCL Statistics							
1680		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1681				Shapiro Wilk Test Statistic		0.42				Shapiro Wilk Test Statistic		0.772
1682				5% Shapiro Wilk Critical Value		0.901				5% Shapiro Wilk Critical Value		0.901
1683		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
1684												
1685		Assuming Normal Distribution						Assuming Lognormal Distribution				
1686				DL/2 Substitution Method						DL/2 Substitution Method		
1687				Mean		10.08				Mean		1.602
1688				SD		12.45				SD		1.26
1689				95% DL/2 (t) UCL		13.81				95% H-Stat (DL/2) UCL		19.69
1690												
1691			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1692		MLE method failed to converge properly								Mean in Log Scale		0.855
1693										SD in Log Scale		0.952
1694										Mean in Original Scale		5.193
1695										SD in Original Scale		11.94
1696										95% Percentile Bootstrap UCL		8.548

	A	B	C	D	E	F	G	H	I	J	K	L
1697										95% BCA Bootstrap UCL		9.975
1698												
1699		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1700			k star (bias corrected)			0.542		Data do not follow a Discernable Distribution (0.05)				
1701				Theta Star		13.16						
1702				nu star		20.61						
1703												
1704				A-D Test Statistic		3.285		Nonparametric Statistics				
1705				5% A-D Critical Value		0.793		Kaplan-Meier (KM) Method				
1706				K-S Test Statistic		0.793				Mean		5.059
1707				5% K-S Critical Value		0.208				SD		11.77
1708		Data not Gamma Distributed at 5% Significance Level								SE of Mean		2.143
1709										95% KM (t) UCL		8.692
1710		Assuming Gamma Distribution								95% KM (z) UCL		8.584
1711		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		8.653
1712					Minimum	0.67				95% KM (bootstrap t) UCL		36.89
1713					Maximum	52				95% KM (BCA) UCL		9.631
1714					Mean	6.884			95% KM (Percentile Bootstrap) UCL			8.576
1715					Median	2.8				95% KM (Chebyshev) UCL		14.4
1716					SD	11.95				97.5% KM (Chebyshev) UCL		18.44
1717					k star	0.783				99% KM (Chebyshev) UCL		26.38
1718					Theta star	8.795						
1719					Nu star	50.1		Potential UCLs to Use				
1720					AppChi2	34.84				97.5% KM (Chebyshev) UCL		18.44
1721			95% Gamma Approximate UCL			9.897						
1722			95% Adjusted Gamma UCL			10.09						
1723	Note: DL/2 is not a recommended method.											
1724												
1725												
1726	Dibenzothiophene											
1727												
1728						General Statistics						
1729			Number of Valid Data			18			Number of Detected Data			12
1730		Number of Distinct Detected Data				12			Number of Non-Detect Data			6
1731									Percent Non-Detects			33.33%
1732												
1733		Raw Statistics						Log-transformed Statistics				
1734				Minimum Detected		0.27				Minimum Detected		-1.309
1735				Maximum Detected		11				Maximum Detected		2.398
1736				Mean of Detected		2.558				Mean of Detected		0.421
1737				SD of Detected		3.121				SD of Detected		1.033
1738				Minimum Non-Detect		0.23				Minimum Non-Detect		-1.47
1739				Maximum Non-Detect		2				Maximum Non-Detect		0.693
1740												
1741	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			14
1742	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			4
1743	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			77.78%
1744												
1745						UCL Statistics						
1746		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1747			Shapiro Wilk Test Statistic			0.696			Shapiro Wilk Test Statistic			0.967
1748			5% Shapiro Wilk Critical Value			0.859			5% Shapiro Wilk Critical Value			0.859
1749		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
1750												
1751			Assuming Normal Distribution						Assuming Lognormal Distribution			
1752				DL/2 Substitution Method						DL/2 Substitution Method		
1753					Mean	1.811					Mean	-0.216
1754					SD	2.741					SD	1.327
1755				95% DL/2 (t) UCL		2.935			95% H-Stat (DL/2) UCL			4.029
1756												
1757			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1758			MLE yields a negative mean							Mean in Log Scale		-0.262
1759										SD in Log Scale		1.33
1760										Mean in Original Scale		1.78
1761										SD in Original Scale		2.755
1762									95% Percentile Bootstrap UCL			2.893
1763									95% BCA Bootstrap UCL			3.256
1764												
1765			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1766				k star (bias corrected)		0.883		Data appear Gamma Distributed at 5% Significance Level				
1767					Theta Star	2.898						
1768					nu star	21.18						
1769												
1770				A-D Test Statistic		0.588			Nonparametric Statistics			
1771				5% A-D Critical Value		0.754			Kaplan-Meier (KM) Method			
1772				K-S Test Statistic		0.754					Mean	1.825
1773				5% K-S Critical Value		0.252					SD	2.655
1774			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	0.654
1775										95% KM (t) UCL		2.963
1776			Assuming Gamma Distribution							95% KM (z) UCL		2.901
1777			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			2.908
1778					Minimum	1E-09			95% KM (bootstrap t) UCL			4.642
1779					Maximum	11			95% KM (BCA) UCL			3.126
1780					Mean	1.95			95% KM (Percentile Bootstrap) UCL			2.987
1781					Median	1.02			95% KM (Chebyshev) UCL			4.677
1782					SD	2.723			97.5% KM (Chebyshev) UCL			5.911
1783					k star	0.251			99% KM (Chebyshev) UCL			8.335
1784					Theta star	7.771						
1785					Nu star	9.034			Potential UCLs to Use			
1786					AppChi2	3.347			95% KM (BCA) UCL			3.126
1787			95% Gamma Approximate UCL			5.262						
1788			95% Adjusted Gamma UCL			5.828						
1789	Note: DL/2 is not a recommended method.											
1790												
1791												
1792	Dibutyltin ion											
1793												
1794					General Statistics							
1795			Number of Valid Data			18			Number of Detected Data			16
1796			Number of Distinct Detected Data			13			Number of Non-Detect Data			2
1797									Percent Non-Detects			11.11%
1798												
1799			Raw Statistics						Log-transformed Statistics			
1800				Minimum Detected		0.37				Minimum Detected		-0.994
1801				Maximum Detected		1.1				Maximum Detected		0.0953
1802				Mean of Detected		0.519				Mean of Detected		-0.705

	A	B	C	D	E	F	G	H	I	J	K	L
1803					SD of Detected	0.192					SD of Detected	0.302
1804					Minimum Non-Detect	0.69					Minimum Non-Detect	-0.371
1805					Maximum Non-Detect	0.79					Maximum Non-Detect	-0.236
1806												
1807	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		17
1808	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1
1809	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		94.44%
1810												
1811					UCL Statistics							
1812	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
1813					Shapiro Wilk Test Statistic	0.739					Shapiro Wilk Test Statistic	0.835
1814					5% Shapiro Wilk Critical Value	0.887					5% Shapiro Wilk Critical Value	0.887
1815	Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level					
1816												
1817	Assuming Normal Distribution						Assuming Lognormal Distribution					
1818				DL/2 Substitution Method						DL/2 Substitution Method		
1819					Mean	0.502					Mean	-0.737
1820					SD	0.186					SD	0.3
1821				95% DL/2 (t) UCL		0.579				95% H-Stat (DL/2) UCL		0.578
1822												
1823			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1824	MLE method failed to converge properly									Mean in Log Scale		-0.71
1825											SD in Log Scale	0.284
1826										Mean in Original Scale		0.514
1827											SD in Original Scale	0.181
1828										95% Percentile Bootstrap UCL		0.59
1829										95% BCA Bootstrap UCL		0.609
1830												
1831	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
1832				k star (bias corrected)		8.542	Data do not follow a Discernable Distribution (0.05)					
1833					Theta Star	0.0607						
1834					nu star	273.3						
1835												
1836					A-D Test Statistic	1.156	Nonparametric Statistics					
1837					5% A-D Critical Value	0.739				Kaplan-Meier (KM) Method		
1838					K-S Test Statistic	0.739					Mean	0.513
1839					5% K-S Critical Value	0.215					SD	0.179
1840	Data not Gamma Distributed at 5% Significance Level										SE of Mean	0.0444
1841											95% KM (t) UCL	0.591
1842	Assuming Gamma Distribution										95% KM (z) UCL	0.586
1843	Gamma ROS Statistics using Extrapolated Data										95% KM (jackknife) UCL	0.59
1844					Minimum	0.37					95% KM (bootstrap t) UCL	0.639
1845					Maximum	1.1					95% KM (BCA) UCL	0.589
1846					Mean	0.521				95% KM (Percentile Bootstrap) UCL		0.592
1847					Median	0.445					95% KM (Chebyshev) UCL	0.707
1848					SD	0.18					97.5% KM (Chebyshev) UCL	0.79
1849					k star	9.812					99% KM (Chebyshev) UCL	0.955
1850					Theta star	0.0531						
1851					Nu star	353.2	Potential UCLs to Use					
1852					AppChi2	310.7					95% KM (Chebyshev) UCL	0.707
1853				95% Gamma Approximate UCL		0.592						
1854				95% Adjusted Gamma UCL		0.6						
1855	Note: DL/2 is not a recommended method.											

	A	B	C	D	E	F	G	H	I	J	K	L
1856												
1857												
1858	Dieldrin											
1859												
1860							General Statistics					
1861			Number of Valid Data			22			Number of Detected Data			19
1862			Number of Distinct Detected Data			19			Number of Non-Detect Data			3
1863			Number of Missing Values			9			Percent Non-Detects			13.64%
1864												
1865			Raw Statistics						Log-transformed Statistics			
1866			Minimum Detected			1.38			Minimum Detected			0.322
1867			Maximum Detected			7.3			Maximum Detected			1.988
1868			Mean of Detected			2.432			Mean of Detected			0.812
1869			SD of Detected			1.27			SD of Detected			0.362
1870			Minimum Non-Detect			4			Minimum Non-Detect			1.386
1871			Maximum Non-Detect			5.8			Maximum Non-Detect			1.758
1872												
1873	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			21
1874	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
1875	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			95.45%
1876												
1877							UCL Statistics					
1878			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1879			Shapiro Wilk Test Statistic			0.599			Shapiro Wilk Test Statistic			0.841
1880			5% Shapiro Wilk Critical Value			0.901			5% Shapiro Wilk Critical Value			0.901
1881			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
1882												
1883			Assuming Normal Distribution						Assuming Lognormal Distribution			
1884			DL/2 Substitution Method						DL/2 Substitution Method			
1885			Mean			2.448			Mean			0.827
1886			SD			1.186			SD			0.343
1887			95% DL/2 (t) UCL			2.883			95% H-Stat (DL/2) UCL			2.785
1888												
1889			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1890			MLE method failed to converge properly						Mean in Log Scale			0.807
1891									SD in Log Scale			0.335
1892									Mean in Original Scale			2.398
1893									SD in Original Scale			1.179
1894									95% Percentile Bootstrap UCL			2.861
1895									95% BCA Bootstrap UCL			3.028
1896												
1897			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1898			k star (bias corrected)			5.638			Data do not follow a Discernable Distribution (0.05)			
1899			Theta Star			0.431						
1900			nu star			214.2						
1901												
1902			A-D Test Statistic			1.186			Nonparametric Statistics			
1903			5% A-D Critical Value			0.742			Kaplan-Meier (KM) Method			
1904			K-S Test Statistic			0.742			Mean			2.395
1905			5% K-S Critical Value			0.199			SD			1.166
1906			Data not Gamma Distributed at 5% Significance Level						SE of Mean			0.259
1907									95% KM (t) UCL			2.84
1908			Assuming Gamma Distribution						95% KM (z) UCL			2.82

	A	B	C	D	E	F	G	H	I	J	K	L
1909			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		2.839
1910					Minimum	1.38				95% KM (bootstrap t) UCL		3.241
1911					Maximum	7.3				95% KM (BCA) UCL		2.892
1912					Mean	2.445				95% KM (Percentile Bootstrap) UCL		2.857
1913					Median	2.36				95% KM (Chebyshev) UCL		3.522
1914					SD	1.177				97.5% KM (Chebyshev) UCL		4.01
1915					k star	6.652				99% KM (Chebyshev) UCL		4.969
1916					Theta star	0.368						
1917					Nu star	292.7				Potential UCLs to Use		
1918					AppChi2	254.1				95% KM (Chebyshev) UCL		3.522
1919			95% Gamma Approximate UCL			2.817						
1920			95% Adjusted Gamma UCL			2.847						
1921	Note: DL/2 is not a recommended method.											
1922												
1923												
1924	Endrin											
1925												
1926					General Statistics							
1927			Number of Valid Data			18				Number of Detected Data		15
1928			Number of Distinct Detected Data			10				Number of Non-Detect Data		3
1929										Percent Non-Detects		16.67%
1930												
1931			Raw Statistics							Log-transformed Statistics		
1932					Minimum Detected	0.013				Minimum Detected		-4.343
1933					Maximum Detected	0.054				Maximum Detected		-2.919
1934					Mean of Detected	0.0224				Mean of Detected		-3.882
1935					SD of Detected	0.0109				SD of Detected		0.404
1936					Minimum Non-Detect	0.017				Minimum Non-Detect		-4.075
1937					Maximum Non-Detect	0.0249				Maximum Non-Detect		-3.693
1938												
1939	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		13
1940	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		5
1941	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		72.22%
1942												
1943					UCL Statistics							
1944		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1945			Shapiro Wilk Test Statistic			0.762				Shapiro Wilk Test Statistic		0.871
1946			5% Shapiro Wilk Critical Value			0.881				5% Shapiro Wilk Critical Value		0.881
1947		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
1948												
1949		Assuming Normal Distribution						Assuming Lognormal Distribution				
1950			DL/2 Substitution Method							DL/2 Substitution Method		
1951					Mean	0.0204				Mean		-4.005
1952					SD	0.011				SD		0.469
1953			95% DL/2 (t) UCL			0.0249				95% H-Stat (DL/2) UCL		0.0255
1954												
1955			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
1956					Mean	0.0375				Mean in Log Scale		-3.927
1957					SD	0.00964				SD in Log Scale		0.382
1958			95% MLE (t) UCL			0.0414				Mean in Original Scale		0.0213
1959			95% MLE (Tiku) UCL			0.0446				SD in Original Scale		0.0102
1960										95% Percentile Bootstrap UCL		0.0255
1961										95% BCA Bootstrap UCL		0.0266

	A	B	C	D	E	F	G	H	I	J	K	L
1962												
1963			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
1964				k star (bias corrected)		4.88		Data do not follow a Discernable Distribution (0.05)				
1965					Theta Star	0.0046						
1966					nu star	146.4						
1967												
1968				A-D Test Statistic		0.945		Nonparametric Statistics				
1969				5% A-D Critical Value		0.738			Kaplan-Meier (KM) Method			
1970				K-S Test Statistic		0.738				Mean		0.0213
1971				5% K-S Critical Value		0.222				SD		0.00997
1972			Data not Gamma Distributed at 5% Significance Level							SE of Mean		0.00244
1973										95% KM (t) UCL		0.0255
1974			Assuming Gamma Distribution							95% KM (z) UCL		0.0253
1975			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.0255
1976					Minimum	0.013				95% KM (bootstrap t) UCL		0.0281
1977					Maximum	0.054				95% KM (BCA) UCL		0.0258
1978					Mean	0.022			95% KM (Percentile Bootstrap) UCL			0.0254
1979					Median	0.0185				95% KM (Chebyshev) UCL		0.0319
1980					SD	0.00995				97.5% KM (Chebyshev) UCL		0.0365
1981					k star	5.893				99% KM (Chebyshev) UCL		0.0455
1982					Theta star	0.00373						
1983					Nu star	212.2		Potential UCLs to Use				
1984					AppChi2	179.4				95% KM (Chebyshev) UCL		0.0319
1985			95% Gamma Approximate UCL			0.026						
1986			95% Adjusted Gamma UCL			0.0264						
1987	Note: DL/2 is not a recommended method.											
1988												
1989												
1990	Fluoranthene											
1991												
1992					General Statistics							
1993			Number of Valid Data			32			Number of Detected Data			11
1994			Number of Distinct Detected Data			11			Number of Non-Detect Data			21
1995									Percent Non-Detects			65.63%
1996												
1997			Raw Statistics						Log-transformed Statistics			
1998				Minimum Detected		0.61				Minimum Detected		-0.494
1999				Maximum Detected		36				Maximum Detected		3.584
2000				Mean of Detected		9.738				Mean of Detected		1.668
2001				SD of Detected		10.19				SD of Detected		1.308
2002				Minimum Non-Detect		0.4				Minimum Non-Detect		-0.916
2003				Maximum Non-Detect		33				Maximum Non-Detect		3.497
2004												
2005	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			31
2006	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
2007	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			96.88%
2008												
2009					UCL Statistics							
2010			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
2011				Shapiro Wilk Test Statistic		0.801				Shapiro Wilk Test Statistic		0.924
2012				5% Shapiro Wilk Critical Value		0.85				5% Shapiro Wilk Critical Value		0.85
2013			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
2014												

	A	B	C	D	E	F	G	H	I	J	K	L
2015			Assuming Normal Distribution						Assuming Lognormal Distribution			
2016			DL/2 Substitution Method						DL/2 Substitution Method			
2017					Mean	9.711				Mean		1.377
2018					SD	8.395				SD		1.78
2019				95% DL/2 (t) UCL		12.23			95% H-Stat (DL/2) UCL			48.24
2020												
2021			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
2022			MLE method failed to converge properly						Mean in Log Scale			0.433
2023									SD in Log Scale			1.413
2024									Mean in Original Scale			4.23
2025									SD in Original Scale			7.178
2026									95% Percentile Bootstrap UCL			6.364
2027									95% BCA Bootstrap UCL			7.17
2028												
2029			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
2030				k star (bias corrected)		0.755			Data appear Gamma Distributed at 5% Significance Level			
2031					Theta Star	12.9						
2032					nu star	16.61						
2033												
2034				A-D Test Statistic		0.346			Nonparametric Statistics			
2035				5% A-D Critical Value		0.754			Kaplan-Meier (KM) Method			
2036				K-S Test Statistic		0.754				Mean		5.216
2037				5% K-S Critical Value		0.263				SD		7.462
2038			Data appear Gamma Distributed at 5% Significance Level						SE of Mean			1.593
2039									95% KM (t) UCL			7.917
2040			Assuming Gamma Distribution						95% KM (z) UCL			7.837
2041			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			7.81
2042					Minimum	0.61			95% KM (bootstrap t) UCL			8.723
2043					Maximum	40.17			95% KM (BCA) UCL			8.455
2044					Mean	13.12			95% KM (Percentile Bootstrap) UCL			8.292
2045					Median	10.05			95% KM (Chebyshev) UCL			12.16
2046					SD	11.57			97.5% KM (Chebyshev) UCL			15.16
2047					k star	1.161			99% KM (Chebyshev) UCL			21.07
2048					Theta star	11.3						
2049					Nu star	74.32			Potential UCLs to Use			
2050					AppChi2	55.47			95% KM (t) UCL			7.917
2051			95% Gamma Approximate UCL			17.58						
2052			95% Adjusted Gamma UCL			17.86						
2053	Note: DL/2 is not a recommended method.											
2054												
2055												
2056	Fluorene											
2057												
2058					General Statistics							
2059			Number of Valid Data			32			Number of Detected Data			20
2060			Number of Distinct Detected Data			19			Number of Non-Detect Data			12
2061									Percent Non-Detects			37.50%
2062												
2063			Raw Statistics						Log-transformed Statistics			
2064				Minimum Detected		3.1				Minimum Detected		1.131
2065				Maximum Detected		69				Maximum Detected		4.234
2066				Mean of Detected		13				Mean of Detected		2.043
2067				SD of Detected		17.43				SD of Detected		0.929

	A	B	C	D	E	F	G	H	I	J	K	L
2068				Minimum Non-Detect		4.3				Minimum Non-Detect		1.459
2069				Maximum Non-Detect		33				Maximum Non-Detect		3.497
2070												
2071	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		30
2072	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		2
2073	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		93.75%
2074												
2075					UCL Statistics							
2076			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
2077				Shapiro Wilk Test Statistic		0.612				Shapiro Wilk Test Statistic		0.846
2078				5% Shapiro Wilk Critical Value		0.905				5% Shapiro Wilk Critical Value		0.905
2079			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
2080												
2081			Assuming Normal Distribution						Assuming Lognormal Distribution			
2082				DL/2 Substitution Method						DL/2 Substitution Method		
2083				Mean		13.49				Mean		2.24
2084				SD		13.87				SD		0.844
2085				95% DL/2 (t) UCL		17.65				95% H-Stat (DL/2) UCL		17.31
2086												
2087			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
2088			MLE method failed to converge properly							Mean in Log Scale		1.934
2089										SD in Log Scale		0.79
2090										Mean in Original Scale		10.5
2091										SD in Original Scale		14.14
2092										95% Percentile Bootstrap UCL		15.1
2093										95% BCA Bootstrap UCL		16.47
2094												
2095			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
2096				k star (bias corrected)		0.964			Data do not follow a Discernable Distribution (0.05)			
2097				Theta Star		13.48						
2098				nu star		38.57						
2099												
2100				A-D Test Statistic		1.855			Nonparametric Statistics			
2101				5% A-D Critical Value		0.766				Kaplan-Meier (KM) Method		
2102				K-S Test Statistic		0.766				Mean		10.57
2103				5% K-S Critical Value		0.199				SD		14.15
2104			Data not Gamma Distributed at 5% Significance Level							SE of Mean		2.654
2105										95% KM (t) UCL		15.07
2106			Assuming Gamma Distribution							95% KM (z) UCL		14.94
2107			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		15.04
2108				Minimum		3.1				95% KM (bootstrap t) UCL		18.98
2109				Maximum		69				95% KM (BCA) UCL		15.3
2110				Mean		12.95				95% KM (Percentile Bootstrap) UCL		15.07
2111				Median		9.86				95% KM (Chebyshev) UCL		22.14
2112				SD		13.73				97.5% KM (Chebyshev) UCL		27.15
2113				k star		1.516				99% KM (Chebyshev) UCL		36.98
2114				Theta star		8.546						
2115				Nu star		97.02			Potential UCLs to Use			
2116				AppChi2		75.3				95% KM (BCA) UCL		15.3
2117			95% Gamma Approximate UCL			16.69						
2118			95% Adjusted Gamma UCL			16.92						
2119	Note: DL/2 is not a recommended method.											
2120												

	A	B	C	D	E	F	G	H	I	J	K	L
2121												
2122	gamma-Hexachlorocyclohexane											
2123												
2124					General Statistics							
2125			Number of Valid Data			18			Number of Detected Data			12
2126			Number of Distinct Detected Data			9			Number of Non-Detect Data			6
2127									Percent Non-Detects			33.33%
2128												
2129			Raw Statistics						Log-transformed Statistics			
2130			Minimum Detected			0.014			Minimum Detected			-4.269
2131			Maximum Detected			0.035			Maximum Detected			-3.352
2132			Mean of Detected			0.0244			Mean of Detected			-3.746
2133			SD of Detected			0.00653			SD of Detected			0.274
2134			Minimum Non-Detect			0.02			Minimum Non-Detect			-3.912
2135			Maximum Non-Detect			0.028			Maximum Non-Detect			-3.576
2136												
2137	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			15
2138	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			3
2139	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			83.33%
2140												
2141					UCL Statistics							
2142			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
2143			Shapiro Wilk Test Statistic			0.955			Shapiro Wilk Test Statistic			0.966
2144			5% Shapiro Wilk Critical Value			0.859			5% Shapiro Wilk Critical Value			0.859
2145			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
2146												
2147			Assuming Normal Distribution						Assuming Lognormal Distribution			
2148			DL/2 Substitution Method						DL/2 Substitution Method			
2149			Mean			0.0204			Mean			-3.967
2150			SD			0.00793			SD			0.394
2151			95% DL/2 (t) UCL			0.0236			95% H-Stat (DL/2) UCL			0.0239
2152												
2153			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
2154			MLE method failed to converge properly						Mean in Log Scale			-3.82
2155									SD in Log Scale			0.25
2156									Mean in Original Scale			0.0226
2157									SD in Original Scale			0.00594
2158									95% Percentile Bootstrap UCL			0.0249
2159									95% BCA Bootstrap UCL			0.0252
2160												
2161			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
2162			k star (bias corrected)			11.33			Data appear Normal at 5% Significance Level			
2163			Theta Star			0.00215						
2164			nu star			272						
2165												
2166			A-D Test Statistic			0.202			Nonparametric Statistics			
2167			5% A-D Critical Value			0.731			Kaplan-Meier (KM) Method			
2168			K-S Test Statistic			0.731			Mean			0.0226
2169			5% K-S Critical Value			0.245			SD			0.0061
2170			Data appear Gamma Distributed at 5% Significance Level						SE of Mean			0.00162
2171									95% KM (t) UCL			0.0254
2172			Assuming Gamma Distribution						95% KM (z) UCL			0.0253
2173			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			0.0255

	A	B	C	D	E	F	G	H	I	J	K	L
2174					Minimum	0.014			95% KM (bootstrap t) UCL			0.0255
2175					Maximum	0.035			95% KM (BCA) UCL			0.0255
2176					Mean	0.0242			95% KM (Percentile Bootstrap) UCL			0.0254
2177					Median	0.0243			95% KM (Chebyshev) UCL			0.0297
2178					SD	0.00548			97.5% KM (Chebyshev) UCL			0.0327
2179					k star	17.01			99% KM (Chebyshev) UCL			0.0387
2180					Theta star	0.00142						
2181					Nu star	612.3			**Potential UCLs to Use**			
2182					AppChi2	555.9			95% KM (t) UCL			0.0254
2183			95% Gamma Approximate UCL			0.0266			95% KM (Percentile Bootstrap) UCL			0.0254
2184			95% Adjusted Gamma UCL			0.0269						
2185	Note: DL/2 is not a recommended method.											
2186												
2187												
2188	Heptachlor											
2189												
2190							**General Statistics**					
2191			Number of Valid Data			17			Number of Detected Data			9
2192			Number of Distinct Detected Data			9			Number of Non-Detect Data			8
2193			Number of Missing Values			1			Percent Non-Detects			47.06%
2194												
2195			**Raw Statistics**						**Log-transformed Statistics**			
2196			Minimum Detected			0.0057			Minimum Detected			-5.167
2197			Maximum Detected			0.0272			Maximum Detected			-3.605
2198			Mean of Detected			0.0114			Mean of Detected			-4.585
2199			SD of Detected			0.00648			SD of Detected			0.469
2200			Minimum Non-Detect			0.0039			Minimum Non-Detect			-5.547
2201			Maximum Non-Detect			0.0193			Maximum Non-Detect			-3.948
2202												
2203	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			16
2204	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
2205	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			94.12%
2206												
2207							Warning: There are only 9 Detected Values in this data					
2208							Note: It should be noted that even though bootstrap may be performed on this data set					
2209							the resulting calculations may not be reliable enough tp draw conclusions					
2210												
2211							It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.					
2212												
2213												
2214							**UCL Statistics**					
2215			**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**			
2216			Shapiro Wilk Test Statistic			0.769			Shapiro Wilk Test Statistic			0.929
2217			5% Shapiro Wilk Critical Value			0.829			5% Shapiro Wilk Critical Value			0.829
2218			**Data not Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**			
2219												
2220			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
2221			DL/2 Substitution Method						DL/2 Substitution Method			
2222					Mean	0.00916					Mean	-4.846
2223					SD	0.00554					SD	0.59
2224			95% DL/2 (t) UCL			0.0115			95% H-Stat (DL/2) UCL			0.0112
2225												
2226			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			

	A	B	C	D	E	F	G	H	I	J	K	L
2227	colspan MLE method failed to converge properly									Mean in Log Scale		-4.799
2228										SD in Log Scale		0.459
2229										Mean in Original Scale		0.00919
2230										SD in Original Scale		0.0053
2231										95% Percentile Bootstrap UCL		0.0114
2232										95% BCA Bootstrap UCL		0.0123
2233												
2234	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
2235				k star (bias corrected)		3.236	Data appear Gamma Distributed at 5% Significance Level					
2236				Theta Star		0.00352						
2237				nu star		58.24						
2238												
2239				A-D Test Statistic		0.441	Nonparametric Statistics					
2240				5% A-D Critical Value		0.723	Kaplan-Meier (KM) Method					
2241				K-S Test Statistic		0.723				Mean		0.0097
2242				5% K-S Critical Value		0.28				SD		0.00511
2243	Data appear Gamma Distributed at 5% Significance Level									SE of Mean		0.00141
2244										95% KM (t) UCL		0.0122
2245	Assuming Gamma Distribution									95% KM (z) UCL		0.012
2246	Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL		0.0121
2247				Minimum		0.00391				95% KM (bootstrap t) UCL		0.0135
2248				Maximum		0.0272				95% KM (BCA) UCL		0.0125
2249				Mean		0.011				95% KM (Percentile Bootstrap) UCL		0.0123
2250				Median		0.012				95% KM (Chebyshev) UCL		0.0158
2251				SD		0.00535				97.5% KM (Chebyshev) UCL		0.0185
2252				k star		3.976				99% KM (Chebyshev) UCL		0.0237
2253				Theta star		0.00277						
2254				Nu star		135.2	Potential UCLs to Use					
2255				AppChi2		109.3				95% KM (t) UCL		0.0122
2256			95% Gamma Approximate UCL			0.0136						
2257			95% Adjusted Gamma UCL			0.0139						
2258	Note: DL/2 is not a recommended method.											
2259												
2260												
2261	Heptachlor epoxide											
2262												
2263	General Statistics											
2264		Number of Valid Observations				18			Number of Distinct Observations			14
2265												
2266	Raw Statistics						Log-transformed Statistics					
2267				Minimum	0.073					Minimum of Log Data		-2.617
2268				Maximum	0.18					Maximum of Log Data		-1.715
2269				Mean	0.113					Mean of log Data		-2.207
2270				Median	0.105					SD of log Data		0.241
2271				SD	0.0282							
2272			Coefficient of Variation		0.249							
2273				Skewness	0.782							
2274												
2275	Relevant UCL Statistics											
2276	Normal Distribution Test						Lognormal Distribution Test					
2277		Shapiro Wilk Test Statistic				0.937			Shapiro Wilk Test Statistic			0.968
2278		Shapiro Wilk Critical Value				0.897			Shapiro Wilk Critical Value			0.897
2279	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					

	A	B	C	D	E	F	G	H	I	J	K	L
2280												
2281			Assuming Normal Distribution						Assuming Lognormal Distribution			
2282					95% Student's-t UCL	0.125					95% H-UCL	0.126
2283			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		0.141
2284					95% Adjusted-CLT UCL	0.125				97.5% Chebyshev (MVUE) UCL		0.153
2285					95% Modified-t UCL	0.125				99% Chebyshev (MVUE) UCL		0.177
2286												
2287			Gamma Distribution Test						Data Distribution			
2288				k star (bias corrected)		15.13			Data appear Normal at 5% Significance Level			
2289					Theta Star	0.00747						
2290					nu star	544.8						
2291		Approximate Chi Square Value (.05)				491.7			Nonparametric Statistics			
2292			Adjusted Level of Significance			0.0357					95% CLT UCL	0.124
2293				Adjusted Chi Square Value		486.8					95% Jackknife UCL	0.125
2294										95% Standard Bootstrap UCL		0.123
2295			Anderson-Darling Test Statistic			0.354					95% Bootstrap-t UCL	0.127
2296			Anderson-Darling 5% Critical Value			0.739					95% Hall's Bootstrap UCL	0.126
2297			Kolmogorov-Smirnov Test Statistic			0.168				95% Percentile Bootstrap UCL		0.124
2298			Kolmogorov-Smirnov 5% Critical Value			0.203					95% BCA Bootstrap UCL	0.124
2299		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		0.142
2300										97.5% Chebyshev(Mean, Sd) UCL		0.155
2301			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		0.179
2302				95% Approximate Gamma UCL		0.125						
2303				95% Adjusted Gamma UCL		0.127						
2304												
2305			Potential UCL to Use							Use 95% Student's-t UCL		0.125
2306												
2307												
2308	Hexachlorobenzene											
2309												
2310							General Statistics					
2311				Number of Valid Data		20				Number of Detected Data		18
2312			Number of Distinct Detected Data			18				Number of Non-Detect Data		2
2313				Number of Missing Values		6				Percent Non-Detects		10.00%
2314												
2315			Raw Statistics						Log-transformed Statistics			
2316				Minimum Detected		1.67				Minimum Detected		0.513
2317				Maximum Detected		4.79				Maximum Detected		1.567
2318				Mean of Detected		2.197				Mean of Detected		0.753
2319				SD of Detected		0.712				SD of Detected		0.246
2320				Minimum Non-Detect		1				Minimum Non-Detect		0
2321				Maximum Non-Detect		4				Maximum Non-Detect		1.386
2322												
2323	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			19
2324	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
2325	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			95.00%
2326												
2327							UCL Statistics					
2328		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2329				Shapiro Wilk Test Statistic		0.63				Shapiro Wilk Test Statistic		0.777
2330				5% Shapiro Wilk Critical Value		0.897				5% Shapiro Wilk Critical Value		0.897
2331		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
2332												

	A	B	C	D	E	F	G	H	I	J	K	L
2333				Assuming Normal Distribution						Assuming Lognormal Distribution		
2334				DL/2 Substitution Method						DL/2 Substitution Method		
2335					Mean	2.103				Mean		0.678
2336					SD	0.773				SD		0.398
2337				95% DL/2 (t) UCL		2.401				95% H-Stat (DL/2) UCL		2.194
2338												
2339			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
2340			MLE method failed to converge properly							Mean in Log Scale		0.724
2341										SD in Log Scale		0.262
2342										Mean in Original Scale		2.141
2343										SD in Original Scale		0.707
2344										95% Percentile Bootstrap UCL		2.405
2345										95% BCA Bootstrap UCL		2.526
2346												
2347			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
2348				k star (bias corrected)		12.41			Data do not follow a Discernable Distribution (0.05)			
2349					Theta Star	0.177						
2350					nu star	446.7						
2351												
2352				A-D Test Statistic		1.443			Nonparametric Statistics			
2353			5% A-D Critical Value			0.739			Kaplan-Meier (KM) Method			
2354				K-S Test Statistic		0.739				Mean		2.162
2355			5% K-S Critical Value			0.203				SD		0.671
2356			Data not Gamma Distributed at 5% Significance Level							SE of Mean		0.155
2357										95% KM (t) UCL		2.43
2358				Assuming Gamma Distribution						95% KM (z) UCL		2.417
2359			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		2.429
2360					Minimum	1.091				95% KM (bootstrap t) UCL		2.737
2361					Maximum	4.79				95% KM (BCA) UCL		2.45
2362					Mean	2.147			95% KM (Percentile Bootstrap) UCL			2.42
2363					Median	1.985				95% KM (Chebyshev) UCL		2.838
2364					SD	0.718				97.5% KM (Chebyshev) UCL		3.131
2365					k star	10.73				99% KM (Chebyshev) UCL		3.705
2366					Theta star	0.2						
2367					Nu star	429			Potential UCLs to Use			
2368					AppChi2	382				95% KM (Chebyshev) UCL		2.838
2369			95% Gamma Approximate UCL			2.411						
2370			95% Adjusted Gamma UCL			2.433						
2371	Note: DL/2 is not a recommended method.											
2372												
2373												
2374	Hexachlorobutadiene											
2375												
2376						General Statistics						
2377			Number of Valid Data			19				Number of Detected Data		11
2378			Number of Distinct Detected Data			11				Number of Non-Detect Data		8
2379			Number of Missing Values			5				Percent Non-Detects		42.11%
2380												
2381			Raw Statistics						Log-transformed Statistics			
2382				Minimum Detected		0.0052				Minimum Detected		-5.259
2383				Maximum Detected		1.4				Maximum Detected		0.336
2384				Mean of Detected		0.19				Mean of Detected		-2.933
2385				SD of Detected		0.408				SD of Detected		1.571

	A	B	C	D	E	F	G	H	I	J	K	L
2386				Minimum Non-Detect		0.017				Minimum Non-Detect		-4.075
2387				Maximum Non-Detect		1				Maximum Non-Detect		0
2388												
2389	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		18
2390	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1
2391	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		94.74%
2392												
2393					UCL Statistics							
2394			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
2395				Shapiro Wilk Test Statistic		0.488				Shapiro Wilk Test Statistic		0.973
2396				5% Shapiro Wilk Critical Value		0.85				5% Shapiro Wilk Critical Value		0.85
2397			Data not Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
2398												
2399			Assuming Normal Distribution					Assuming Lognormal Distribution				
2400				DL/2 Substitution Method						DL/2 Substitution Method		
2401				Mean		0.14				Mean		-3.408
2402				SD		0.328				SD		1.569
2403				95% DL/2 (t) UCL		0.271				95% H-Stat (DL/2) UCL		0.234
2404												
2405				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
2406			MLE method failed to converge properly							Mean in Log Scale		-3.798
2407										SD in Log Scale		1.6
2408										Mean in Original Scale		0.113
2409										SD in Original Scale		0.318
2410										95% Percentile Bootstrap UCL		0.25
2411										95% BCA Bootstrap UCL		0.33
2412												
2413			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
2414				k star (bias corrected)		0.424		Data Follow Appr. Gamma Distribution at 5% Significance Level				
2415				Theta Star		0.447						
2416				nu star		9.337						
2417												
2418				A-D Test Statistic		0.797		Nonparametric Statistics				
2419				5% A-D Critical Value		0.781				Kaplan-Meier (KM) Method		
2420				K-S Test Statistic		0.781				Mean		0.115
2421				5% K-S Critical Value		0.269				SD		0.309
2422		Data follow Appr. Gamma Distribution at 5% Significance Level								SE of Mean		0.0745
2423										95% KM (t) UCL		0.244
2424			Assuming Gamma Distribution							95% KM (z) UCL		0.238
2425			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.242
2426				Minimum		1E-09				95% KM (bootstrap t) UCL		0.854
2427				Maximum		1.4				95% KM (BCA) UCL		0.268
2428				Mean		0.143				95% KM (Percentile Bootstrap) UCL		0.252
2429				Median		0.0392				95% KM (Chebyshev) UCL		0.44
2430				SD		0.319				97.5% KM (Chebyshev) UCL		0.58
2431				k star		0.304				99% KM (Chebyshev) UCL		0.856
2432				Theta star		0.47						
2433				Nu star		11.57		Potential UCLs to Use				
2434				AppChi2		4.946				95% KM (BCA) UCL		0.268
2435				95% Gamma Approximate UCL		0.335						
2436				95% Adjusted Gamma UCL		0.362						
2437	Note: DL/2 is not a recommended method.											
2438												

	A	B	C	D	E	F	G	H	I	J	K	L
2439												
2440	Indeno(1,2,3-cd)pyrene											
2441												
2442						General Statistics						
2443			Number of Valid Data			18			Number of Detected Data			7
2444			Number of Distinct Detected Data			6			Number of Non-Detect Data			11
2445									Percent Non-Detects			61.11%
2446												
2447			Raw Statistics						Log-transformed Statistics			
2448			Minimum Detected			0.12			Minimum Detected			-2.12
2449			Maximum Detected			1.8			Maximum Detected			0.588
2450			Mean of Detected			0.58			Mean of Detected			-1.128
2451			SD of Detected			0.666			SD of Detected			1.156
2452			Minimum Non-Detect			0.2			Minimum Non-Detect			-1.609
2453			Maximum Non-Detect			0.51			Maximum Non-Detect			-0.673
2454												
2455	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			15
2456	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			3
2457	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			83.33%
2458												
2459						Warning: There are only 7 Detected Values in this data						
2460						Note: It should be noted that even though bootstrap may be performed on this data set						
2461						the resulting calculations may not be reliable enough tp draw conclusions						
2462												
2463						It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.						
2464												
2465												
2466						UCL Statistics						
2467			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
2468			Shapiro Wilk Test Statistic			0.765			Shapiro Wilk Test Statistic			0.829
2469			5% Shapiro Wilk Critical Value			0.803			5% Shapiro Wilk Critical Value			0.803
2470			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
2471												
2472			Assuming Normal Distribution						Assuming Lognormal Distribution			
2473			DL/2 Substitution Method						DL/2 Substitution Method			
2474			Mean			0.319			Mean			-1.637
2475			SD			0.453			SD			0.868
2476			95% DL/2 (t) UCL			0.505			95% H-Stat (DL/2) UCL			0.526
2477												
2478			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
2479			MLE yields a negative mean						Mean in Log Scale			-1.591
2480									SD in Log Scale			0.87
2481									Mean in Original Scale			0.329
2482									SD in Original Scale			0.451
2483									95% Percentile Bootstrap UCL			0.51
2484									95% BCA Bootstrap UCL			0.587
2485												
2486			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
2487			k star (bias corrected)			0.661			Data appear Gamma Distributed at 5% Significance Level			
2488			Theta Star			0.877						
2489			nu star			9.254						
2490												
2491			A-D Test Statistic			0.671			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
2492					5% A-D Critical Value	0.728				Kaplan-Meier (KM) Method		
2493					K-S Test Statistic	0.728					Mean	0.31
2494					5% K-S Critical Value	0.32					SD	0.441
2495		**Data appear Gamma Distributed at 5% Significance Level**									SE of Mean	0.113
2496										95% KM (t) UCL		0.506
2497			**Assuming Gamma Distribution**							95% KM (z) UCL		0.495
2498			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.497
2499					Minimum	0.12				95% KM (bootstrap t) UCL		0.968
2500					Maximum	1.8				95% KM (BCA) UCL		0.532
2501					Mean	0.564			95% KM (Percentile Bootstrap) UCL			0.496
2502					Median	0.538				95% KM (Chebyshev) UCL		0.801
2503					SD	0.41				97.5% KM (Chebyshev) UCL		1.014
2504					k star	1.847				99% KM (Chebyshev) UCL		1.432
2505					Theta star	0.305						
2506					Nu star	66.51			**Potential UCLs to Use**			
2507					AppChi2	48.74				95% KM (t) UCL		0.506
2508			95% Gamma Approximate UCL			0.769						
2509			95% Adjusted Gamma UCL			0.793						
2510	Note: DL/2 is not a recommended method.											
2511												
2512												
2513	Lead											
2514	Lead UCLs were recalculated with reanalysis of SMB sample. See additional file.											
2515												
2516												
2517												
2518												
2519												
2520												
2521												
2522												
2523												
2524												
2525												
2526												
2527												
2528												
2529												
2530												
2531												
2532												
2533												
2534												
2535												
2536												
2537												
2538												
2539												
2540												
2541												
2542												
2543												
2544												

Manganese

General Statistics

Number of Valid Observations	32	Number of Distinct Observations	32

Raw Statistics		Log-transformed Statistics	
Minimum	0.445	Minimum of Log Data	-0.81
Maximum	3.14	Maximum of Log Data	1.144
Mean	1.702	Mean of log Data	0.443
Median	1.82	SD of log Data	0.45
SD	0.686		
Coefficient of Variation	0.403		
Skewness	0.275		

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.962	Shapiro Wilk Test Statistic	0.948
Shapiro Wilk Critical Value	0.93	Shapiro Wilk Critical Value	0.93
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	1.908	95% H-UCL	2.006
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	2.333
95% Adjusted-CLT UCL	1.908	97.5% Chebyshev (MVUE) UCL	2.6
95% Modified-t UCL	1.909	99% Chebyshev (MVUE) UCL	3.125

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	5.24	Data appear Normal at 5% Significance Level	
Theta Star	0.325		
nu star	335.3		
Approximate Chi Square Value (.05)	293.9	Nonparametric Statistics	
Adjusted Level of Significance	0.0416	95% CLT UCL	1.902
Adjusted Chi Square Value	291.8	95% Jackknife UCL	1.908
		95% Standard Bootstrap UCL	1.895
Anderson-Darling Test Statistic	0.435	95% Bootstrap-t UCL	1.924
Anderson-Darling 5% Critical Value	0.748	95% Hall's Bootstrap UCL	1.915
Kolmogorov-Smirnov Test Statistic	0.139	95% Percentile Bootstrap UCL	1.903
Kolmogorov-Smirnov 5% Critical Value	0.156	95% BCA Bootstrap UCL	1.893

	A	B	C	D	E	F	G	H	I	J	K	L
2598	**Data appear Gamma Distributed at 5% Significance Level**								95% Chebyshev(Mean, Sd) UCL			2.231
2599									97.5% Chebyshev(Mean, Sd) UCL			2.46
2600	**Assuming Gamma Distribution**								99% Chebyshev(Mean, Sd) UCL			2.909
2601	95% Approximate Gamma UCL				1.942							
2602	95% Adjusted Gamma UCL				1.956							
2603												
2604	**Potential UCL to Use**								Use 95% Student's-t UCL			1.908
2605												
2606												
2607	Mercury											
2608												
2609	**General Statistics**											
2610	Number of Valid Observations				32				Number of Distinct Observations			31
2611												
2612	**Raw Statistics**								**Log-transformed Statistics**			
2613	Minimum				0.0509				Minimum of Log Data			-2.978
2614	Maximum				0.166				Maximum of Log Data			-1.796
2615	Mean				0.0934				Mean of log Data			-2.414
2616	Median				0.0899				SD of log Data			0.3
2617	SD				0.0281							
2618	Coefficient of Variation				0.301							
2619	Skewness				0.673							
2620												
2621	**Relevant UCL Statistics**											
2622	**Normal Distribution Test**								**Lognormal Distribution Test**			
2623	Shapiro Wilk Test Statistic				0.959				Shapiro Wilk Test Statistic			0.981
2624	Shapiro Wilk Critical Value				0.93				Shapiro Wilk Critical Value			0.93
2625	**Data appear Normal at 5% Significance Level**								**Data appear Lognormal at 5% Significance Level**			
2626												
2627	**Assuming Normal Distribution**								**Assuming Lognormal Distribution**			
2628	95% Student's-t UCL				0.102				95% H-UCL			0.103
2629	**95% UCLs (Adjusted for Skewness)**								95% Chebyshev (MVUE) UCL			0.115
2630	95% Adjusted-CLT UCL				0.102				97.5% Chebyshev (MVUE) UCL			0.125
2631	95% Modified-t UCL				0.102				99% Chebyshev (MVUE) UCL			0.144
2632												
2633	**Gamma Distribution Test**								**Data Distribution**			
2634	k star (bias corrected)				10.64				**Data appear Normal at 5% Significance Level**			
2635	Theta Star				0.00877							
2636	nu star				681.2							
2637	Approximate Chi Square Value (.05)				621.6				**Nonparametric Statistics**			
2638	Adjusted Level of Significance				0.0416				95% CLT UCL			0.102
2639	Adjusted Chi Square Value				618.6				95% Jackknife UCL			0.102
2640									95% Standard Bootstrap UCL			0.101
2641	Anderson-Darling Test Statistic				0.134				95% Bootstrap-t UCL			0.102
2642	Anderson-Darling 5% Critical Value				0.746				95% Hall's Bootstrap UCL			0.102
2643	Kolmogorov-Smirnov Test Statistic				0.0661				95% Percentile Bootstrap UCL			0.102
2644	Kolmogorov-Smirnov 5% Critical Value				0.155				95% BCA Bootstrap UCL			0.102
2645	**Data appear Gamma Distributed at 5% Significance Level**								95% Chebyshev(Mean, Sd) UCL			0.115
2646									97.5% Chebyshev(Mean, Sd) UCL			0.124
2647	**Assuming Gamma Distribution**								99% Chebyshev(Mean, Sd) UCL			0.143
2648	95% Approximate Gamma UCL				0.102							
2649	95% Adjusted Gamma UCL				0.103							
2650												

	A	B	C	D	E	F	G	H	I	J	K	L
2651			Potential UCL to Use							Use 95% Student's-t UCL		0.102
2652												
2653												
2654	Naphthalene											
2655												
2656						General Statistics						
2657			Number of Valid Data			32				Number of Detected Data		20
2658			Number of Distinct Detected Data			16				Number of Non-Detect Data		12
2659										Percent Non-Detects		37.50%
2660												
2661			Raw Statistics							Log-transformed Statistics		
2662			Minimum Detected			0.73				Minimum Detected		-0.315
2663			Maximum Detected			86				Maximum Detected		4.454
2664			Mean of Detected			10.04				Mean of Detected		1.141
2665			SD of Detected			21.28				SD of Detected		1.333
2666			Minimum Non-Detect			30				Minimum Non-Detect		3.401
2667			Maximum Non-Detect			33				Maximum Non-Detect		3.497
2668												
2669	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		30
2670	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		2
2671	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		93.75%
2672												
2673						UCL Statistics						
2674			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
2675			Shapiro Wilk Test Statistic			0.486				Shapiro Wilk Test Statistic		0.83
2676			5% Shapiro Wilk Critical Value			0.905				5% Shapiro Wilk Critical Value		0.905
2677			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
2678												
2679			Assuming Normal Distribution						Assuming Lognormal Distribution			
2680			DL/2 Substitution Method							DL/2 Substitution Method		
2681			Mean			12.18				Mean		1.747
2682			SD			16.9				SD		1.312
2683			95% DL/2 (t) UCL			17.24				95% H-Stat (DL/2) UCL		24.93
2684												
2685			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
2686			MLE method failed to converge properly							Mean in Log Scale		1.056
2687										SD in Log Scale		1.129
2688										Mean in Original Scale		7.43
2689										SD in Original Scale		17.05
2690										95% Percentile Bootstrap UCL		12.54
2691										95% BCA Bootstrap UCL		15.56
2692												
2693			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
2694			k star (bias corrected)			0.491			Data do not follow a Discernable Distribution (0.05)			
2695			Theta Star			20.42						
2696			nu star			19.66						
2697												
2698			A-D Test Statistic			2.567			Nonparametric Statistics			
2699			5% A-D Critical Value			0.799				Kaplan-Meier (KM) Method		
2700			K-S Test Statistic			0.799				Mean		7.601
2701			5% K-S Critical Value			0.204				SD		16.94
2702			Data not Gamma Distributed at 5% Significance Level							SE of Mean		3.144
2703										95% KM (t) UCL		12.93

	A	B	C	D	E	F	G	H	I	J	K	L
2704			Assuming Gamma Distribution							95% KM (z) UCL		12.77
2705		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		12.89
2706					Minimum	0.73				95% KM (bootstrap t) UCL		20.76
2707					Maximum	86				95% KM (BCA) UCL		13.9
2708					Mean	9.904			95% KM (Percentile Bootstrap) UCL			12.99
2709					Median	6.352				95% KM (Chebyshev) UCL		21.31
2710					SD	16.74				97.5% KM (Chebyshev) UCL		27.24
2711					k star	0.746				99% KM (Chebyshev) UCL		38.89
2712					Theta star	13.28						
2713					Nu star	47.72			Potential UCLs to Use			
2714					AppChi2	32.86				97.5% KM (Chebyshev) UCL		27.24
2715			95% Gamma Approximate UCL			14.38						
2716			95% Adjusted Gamma UCL			14.68						
2717	Note: DL/2 is not a recommended method.											
2718												
2719												
2720	Nickel											
2721												
2722							General Statistics					
2723			Number of Valid Data			32				Number of Detected Data		25
2724			Number of Distinct Detected Data			18				Number of Non-Detect Data		7
2725										Percent Non-Detects		21.88%
2726												
2727			Raw Statistics						Log-transformed Statistics			
2728			Minimum Detected			0.045				Minimum Detected		-3.101
2729			Maximum Detected			0.2				Maximum Detected		-1.609
2730			Mean of Detected			0.117				Mean of Detected		-2.277
2731			SD of Detected			0.0549				SD of Detected		0.54
2732			Minimum Non-Detect			0.02				Minimum Non-Detect		-3.912
2733			Maximum Non-Detect			0.07				Maximum Non-Detect		-2.659
2734												
2735	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			14
2736	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			18
2737	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			43.75%
2738												
2739							UCL Statistics					
2740		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2741			Shapiro Wilk Test Statistic			0.871			Shapiro Wilk Test Statistic			0.856
2742			5% Shapiro Wilk Critical Value			0.918			5% Shapiro Wilk Critical Value			0.918
2743		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
2744												
2745		Assuming Normal Distribution						Assuming Lognormal Distribution				
2746			DL/2 Substitution Method						DL/2 Substitution Method			
2747					Mean	0.0959				Mean		-2.64
2748					SD	0.0627				SD		0.877
2749			95% DL/2 (t) UCL			0.115			95% H-Stat (DL/2) UCL			0.1
2750												
2751		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
2752					Mean	0.0869				Mean in Log Scale		-2.5
2753					SD	0.0752				SD in Log Scale		0.65
2754			95% MLE (t) UCL			0.109				Mean in Original Scale		0.0994
2755			95% MLE (Tiku) UCL			0.113				SD in Original Scale		0.0587
2756									95% Percentile Bootstrap UCL			0.116

	A	B	C	D	E	F	G	H	I	J	K	L
2757										95% BCA Bootstrap UCL		0.116
2758												
2759		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2760				k star (bias corrected)		3.599		Data do not follow a Discernable Distribution (0.05)				
2761				Theta Star		0.0324						
2762					nu star	179.9						
2763												
2764				A-D Test Statistic		1.374		Nonparametric Statistics				
2765				5% A-D Critical Value		0.749		Kaplan-Meier (KM) Method				
2766				K-S Test Statistic		0.749				Mean		0.101
2767				5% K-S Critical Value		0.175				SD		0.0557
2768		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.0101
2769										95% KM (t) UCL		0.118
2770		Assuming Gamma Distribution								95% KM (z) UCL		0.118
2771		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.118
2772					Minimum	0.0231				95% KM (bootstrap t) UCL		0.119
2773					Maximum	0.2				95% KM (BCA) UCL		0.118
2774					Mean	0.104			95% KM (Percentile Bootstrap) UCL			0.118
2775					Median	0.0854				95% KM (Chebyshev) UCL		0.145
2776					SD	0.0557				97.5% KM (Chebyshev) UCL		0.164
2777					k star	2.989				99% KM (Chebyshev) UCL		0.201
2778					Theta star	0.0348						
2779					Nu star	191.3		Potential UCLs to Use				
2780					AppChi2	160.3				95% KM (BCA) UCL		0.118
2781			95% Gamma Approximate UCL			0.124						
2782			95% Adjusted Gamma UCL			0.125						
2783	Note: DL/2 is not a recommended method.											
2784												
2785												
2786	Phenanthrene											
2787												
2788					General Statistics							
2789			Number of Valid Data			32			Number of Detected Data			20
2790		Number of Distinct Detected Data				20			Number of Non-Detect Data			12
2791									Percent Non-Detects			37.50%
2792												
2793		Raw Statistics						Log-transformed Statistics				
2794				Minimum Detected		3.6				Minimum Detected		1.281
2795				Maximum Detected		85				Maximum Detected		4.443
2796				Mean of Detected		20.31				Mean of Detected		2.545
2797				SD of Detected		21.43				SD of Detected		0.975
2798				Minimum Non-Detect		25				Minimum Non-Detect		3.219
2799				Maximum Non-Detect		33				Maximum Non-Detect		3.497
2800												
2801	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			27
2802	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			5
2803	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			84.38%
2804												
2805					UCL Statistics							
2806		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2807				Shapiro Wilk Test Statistic		0.771				Shapiro Wilk Test Statistic		0.928
2808				5% Shapiro Wilk Critical Value		0.905				5% Shapiro Wilk Critical Value		0.905
2809		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
2810												
2811			Assuming Normal Distribution						Assuming Lognormal Distribution			
2812			DL/2 Substitution Method						DL/2 Substitution Method			
2813					Mean	18.47				Mean		2.616
2814					SD	16.96				SD		0.77
2815					95% DL/2 (t) UCL	23.55				95% H-Stat (DL/2) UCL		22.69
2816												
2817			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
2818			MLE yields a negative mean							Mean in Log Scale		2.399
2819										SD in Log Scale		0.832
2820										Mean in Original Scale		16.24
2821										SD in Original Scale		17.78
2822										95% Percentile Bootstrap UCL		21.63
2823										95% BCA Bootstrap UCL		22.4
2824												
2825			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
2826					k star (bias corrected)	1.065			Data appear Lognormal at 5% Significance Level			
2827					Theta Star	19.06						
2828					nu star	42.61						
2829												
2830					A-D Test Statistic	0.818			Nonparametric Statistics			
2831					5% A-D Critical Value	0.764			Kaplan-Meier (KM) Method			
2832					K-S Test Statistic	0.764				Mean		16.42
2833					5% K-S Critical Value	0.199				SD		17.8
2834			Data not Gamma Distributed at 5% Significance Level							SE of Mean		3.396
2835										95% KM (t) UCL		22.18
2836			Assuming Gamma Distribution							95% KM (z) UCL		22.01
2837			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		22.16
2838					Minimum	3.6				95% KM (bootstrap t) UCL		24.67
2839					Maximum	85				95% KM (BCA) UCL		22.48
2840					Mean	20.39				95% KM (Percentile Bootstrap) UCL		22.58
2841					Median	19.04				95% KM (Chebyshev) UCL		31.22
2842					SD	16.83				97.5% KM (Chebyshev) UCL		37.63
2843					k star	1.702				99% KM (Chebyshev) UCL		50.21
2844					Theta star	11.98						
2845					Nu star	108.9			Potential UCLs to Use			
2846					AppChi2	85.84				95% KM (BCA) UCL		22.48
2847			95% Gamma Approximate UCL			25.87						
2848			95% Adjusted Gamma UCL			26.2						
2849	Note: DL/2 is not a recommended method.											
2850												
2851												
2852	Pyrene											
2853												
2854					General Statistics							
2855				Number of Valid Data		32				Number of Detected Data		7
2856			Number of Distinct Detected Data			7				Number of Non-Detect Data		25
2857										Percent Non-Detects		78.13%
2858												
2859			Raw Statistics						Log-transformed Statistics			
2860					Minimum Detected	2.2				Minimum Detected		0.788
2861					Maximum Detected	49				Maximum Detected		3.892
2862					Mean of Detected	16.9				Mean of Detected		2.222

	A	B	C	D	E	F	G	H	I	J	K	L
2863					SD of Detected	19					SD of Detected	1.228
2864					Minimum Non-Detect	0.32					Minimum Non-Detect	-1.139
2865					Maximum Non-Detect	33					Maximum Non-Detect	3.497
2866												
2867	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		30
2868	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		2
2869	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		93.75%
2870												
2871				Warning: There are only 7 Detected Values in this data								
2872				Note: It should be noted that even though bootstrap may be performed on this data set								
2873				the resulting calculations may not be reliable enough tp draw conclusions								
2874												
2875				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
2876												
2877												
2878					UCL Statistics							
2879		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2880				Shapiro Wilk Test Statistic		0.775				Shapiro Wilk Test Statistic		0.912
2881				5% Shapiro Wilk Critical Value		0.803				5% Shapiro Wilk Critical Value		0.803
2882		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
2883												
2884		Assuming Normal Distribution						Assuming Lognormal Distribution				
2885				DL/2 Substitution Method						DL/2 Substitution Method		
2886					Mean	10.07					Mean	1.06
2887					SD	11.42					SD	2.057
2888				95% DL/2 (t) UCL		13.5				95% H-Stat (DL/2) UCL		75.01
2889												
2890			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
2891		MLE method failed to converge properly								Mean in Log Scale		-0.191
2892										SD in Log Scale		1.621
2893										Mean in Original Scale		4.222
2894										SD in Original Scale		10.81
2895										95% Percentile Bootstrap UCL		7.568
2896										95% BCA Bootstrap UCL		9.003
2897												
2898		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2899				k star (bias corrected)		0.643		Data appear Gamma Distributed at 5% Significance Level				
2900					Theta Star	26.3						
2901					nu star	8.996						
2902												
2903					A-D Test Statistic	0.439		Nonparametric Statistics				
2904					5% A-D Critical Value	0.729				Kaplan-Meier (KM) Method		
2905					K-S Test Statistic	0.729					Mean	5.877
2906					5% K-S Critical Value	0.32					SD	10.23
2907		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	1.997
2908											95% KM (t) UCL	9.263
2909		Assuming Gamma Distribution									95% KM (z) UCL	9.162
2910		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		9.014
2911					Minimum	2.2				95% KM (bootstrap t) UCL		13.07
2912					Maximum	69.64				95% KM (BCA) UCL		12.96
2913					Mean	23.49				95% KM (Percentile Bootstrap) UCL		10.83
2914					Median	16.25				95% KM (Chebyshev) UCL		14.58
2915					SD	18.28				97.5% KM (Chebyshev) UCL		18.35

	A	B	C	D	E	F	G	H	I	J	K	L
2916					k star	1.438			99% KM (Chebyshev) UCL			25.75
2917					Theta star	16.34						
2918					Nu star	92.02			Potential UCLs to Use			
2919					AppChi2	70.9			95% KM (t) UCL			9.263
2920			95% Gamma Approximate UCL			30.49						
2921			95% Adjusted Gamma UCL			30.92						
2922	Note: DL/2 is not a recommended method.											
2923												
2924												
2925	Silver											
2926												
2927					General Statistics							
2928			Number of Valid Data			32			Number of Detected Data			9
2929			Number of Distinct Detected Data			8			Number of Non-Detect Data			23
2930									Percent Non-Detects			71.88%
2931												
2932			Raw Statistics						Log-transformed Statistics			
2933			Minimum Detected			0.0013			Minimum Detected			-6.645
2934			Maximum Detected			0.064			Maximum Detected			-2.749
2935			Mean of Detected			0.0091			Mean of Detected			-5.772
2936			SD of Detected			0.0206			SD of Detected			1.175
2937			Minimum Non-Detect			0.0002			Minimum Non-Detect			-8.517
2938			Maximum Non-Detect			0.007			Maximum Non-Detect			-4.962
2939												
2940	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			31
2941	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
2942	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			96.88%
2943												
2944					Warning: There are only 9 Detected Values in this data							
2945					Note: It should be noted that even though bootstrap may be performed on this data set							
2946					the resulting calculations may not be reliable enough tp draw conclusions							
2947												
2948					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
2949												
2950												
2951					UCL Statistics							
2952			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
2953			Shapiro Wilk Test Statistic			0.421			Shapiro Wilk Test Statistic			0.646
2954			5% Shapiro Wilk Critical Value			0.829			5% Shapiro Wilk Critical Value			0.829
2955			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
2956												
2957			Assuming Normal Distribution						Assuming Lognormal Distribution			
2958			DL/2 Substitution Method						DL/2 Substitution Method			
2959					Mean	0.00363			Mean			-6.436
2960					SD	0.011			SD			0.954
2961			95% DL/2 (t) UCL			0.00694			95% H-Stat (DL/2) UCL			0.00292
2962												
2963			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
2964			MLE method failed to converge properly						Mean in Log Scale			-6.793
2965									SD in Log Scale			1.015
2966									Mean in Original Scale			0.00319
2967									SD in Original Scale			0.0111
2968									95% Percentile Bootstrap UCL			0.00709

	A	B	C	D	E	F	G	H	I	J	K	L
2969										95% BCA Bootstrap UCL		0.00926
2970												
2971		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2972			k star (bias corrected)			0.46		Data do not follow a Discernable Distribution (0.05)				
2973			Theta Star			0.0198						
2974			nu star			8.284						
2975												
2976			A-D Test Statistic			2.081		Nonparametric Statistics				
2977			5% A-D Critical Value			0.765		Kaplan-Meier (KM) Method				
2978			K-S Test Statistic			0.765				Mean		0.00367
2979			5% K-S Critical Value			0.293				SD		0.0109
2980		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.00204
2981										95% KM (t) UCL		0.00713
2982		Assuming Gamma Distribution								95% KM (z) UCL		0.00702
2983		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.00689
2984			Minimum			1E-09				95% KM (bootstrap t) UCL		0.0439
2985			Maximum			0.064				95% KM (BCA) UCL		0.00788
2986			Mean			0.00822			95% KM (Percentile Bootstrap) UCL			0.00754
2987			Median			0.00529				95% KM (Chebyshev) UCL		0.0126
2988			SD			0.0113				97.5% KM (Chebyshev) UCL		0.0164
2989			k star			0.452				99% KM (Chebyshev) UCL		0.0239
2990			Theta star			0.0182						
2991			Nu star			28.9		Potential UCLs to Use				
2992			AppChi2			17.63				95% KM (BCA) UCL		0.00788
2993		95% Gamma Approximate UCL				0.0135						
2994		95% Adjusted Gamma UCL				0.0138						
2995	Note: DL/2 is not a recommended method.											
2996												
2997												
2998	Thallium											
2999												
3000						General Statistics						
3001			Number of Valid Observations			32			Number of Distinct Observations			26
3002												
3003		Raw Statistics						Log-transformed Statistics				
3004			Minimum			0.002			Minimum of Log Data			-6.215
3005			Maximum			0.0085			Maximum of Log Data			-4.768
3006			Mean			0.00413			Mean of log Data			-5.564
3007			Median			0.0036			SD of log Data			0.377
3008			SD			0.00173						
3009		Coefficient of Variation				0.418						
3010			Skewness			1.227						
3011												
3012						Relevant UCL Statistics						
3013		Normal Distribution Test						Lognormal Distribution Test				
3014		Shapiro Wilk Test Statistic				0.853			Shapiro Wilk Test Statistic			0.94
3015		Shapiro Wilk Critical Value				0.93			Shapiro Wilk Critical Value			0.93
3016		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
3017												
3018		Assuming Normal Distribution						Assuming Lognormal Distribution				
3019		95% Student's-t UCL				0.00464				95% H-UCL		0.00466
3020		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			0.00533
3021		95% Adjusted-CLT UCL				0.0047			97.5% Chebyshev (MVUE) UCL			0.00586

	A	B	C	D	E	F	G	H	I	J	K	L
3022				95% Modified-t UCL		0.00465				99% Chebyshev (MVUE) UCL		0.0069
3023												
3024				Gamma Distribution Test						Data Distribution		
3025				k star (bias corrected)		6.36			Data appear Lognormal at 5% Significance Level			
3026				Theta Star		0.0006485						
3027				nu star		407.1						
3028				Approximate Chi Square Value (.05)		361.3				Nonparametric Statistics		
3029				Adjusted Level of Significance		0.0416				95% CLT UCL		0.00463
3030				Adjusted Chi Square Value		359				95% Jackknife UCL		0.00464
3031										95% Standard Bootstrap UCL		0.00461
3032				Anderson-Darling Test Statistic		1.028				95% Bootstrap-t UCL		0.00471
3033				Anderson-Darling 5% Critical Value		0.747				95% Hall's Bootstrap UCL		0.00468
3034				Kolmogorov-Smirnov Test Statistic		0.169				95% Percentile Bootstrap UCL		0.00465
3035				Kolmogorov-Smirnov 5% Critical Value		0.156				95% BCA Bootstrap UCL		0.00467
3036			Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		0.00545
3037										97.5% Chebyshev(Mean, Sd) UCL		0.00603
3038				Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL		0.00716
3039				95% Approximate Gamma UCL		0.00465						
3040				95% Adjusted Gamma UCL		0.00468						
3041												
3042				Potential UCL to Use						Use 95% Student's-t UCL		0.00464
3043										or 95% Modified-t UCL		0.00465
3044										or 95% H-UCL		0.00466
3045												
3046												
3047	Total Aroclors											
3048												
3049						General Statistics						
3050				Number of Valid Data		14				Number of Detected Data		14
3051				Number of Distinct Detected Data		14				Number of Non-Detect Data		0
3052				Number of Missing Values		18				Percent Non-Detects		0.00%
3053												
3054				Raw Statistics						Log-transformed Statistics		
3055				Minimum Detected		106.2				Minimum Detected		4.665
3056				Maximum Detected		4855				Maximum Detected		8.488
3057				Mean of Detected		1176				Mean of Detected		6.627
3058				SD of Detected		1340				SD of Detected		0.961
3059				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
3060				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
3061												
3062												
3063						UCL Statistics						
3064			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
3065				Shapiro Wilk Test Statistic		0.675				Shapiro Wilk Test Statistic		0.957
3066				5% Shapiro Wilk Critical Value		0.874				5% Shapiro Wilk Critical Value		0.874
3067			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
3068												
3069				Assuming Normal Distribution						Assuming Lognormal Distribution		
3070				DL/2 Substitution Method						DL/2 Substitution Method		
3071				Mean		1176				Mean		6.627
3072				SD		1340				SD		0.961
3073				95% DL/2 (t) UCL		1810				95% H-Stat (DL/2) UCL		2483
3074												

	A	B	C	D	E	F	G	H	I	J	K	L
3075			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
3076		**MLE method failed to converge properly**								Mean in Log Scale		N/A
3077										SD in Log Scale		N/A
3078										Mean in Original Scale		N/A
3079										SD in Original Scale		N/A
3080										95% Percentile Bootstrap UCL		N/A
3081										95% BCA Bootstrap UCL		N/A
3082												
3083		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
3084				k star (bias corrected)		1.046		**Data appear Gamma Distributed at 5% Significance Level**				
3085				Theta Star		1124						
3086				nu star		29.29						
3087												
3088				A-D Test Statistic		0.703		**Nonparametric Statistics**				
3089				5% A-D Critical Value		0.755			Kaplan-Meier (KM) Method			
3090				K-S Test Statistic		0.755				Mean		1176
3091				5% K-S Critical Value		0.234				SD		1291
3092		**Data appear Gamma Distributed at 5% Significance Level**								SE of Mean		358
3093										95% KM (t) UCL		1810
3094		**Assuming Gamma Distribution**								95% KM (z) UCL		1765
3095		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		1810
3096				Minimum		106.2				95% KM (bootstrap t) UCL		3306
3097				Maximum		4855				95% KM (BCA) UCL		1865
3098				Mean		1176			95% KM (Percentile Bootstrap) UCL			1779
3099				Median		791.4				95% KM (Chebyshev) UCL		2737
3100				SD		1340				97.5% KM (Chebyshev) UCL		3412
3101				k star		1.046				99% KM (Chebyshev) UCL		4738
3102				Theta star		1124						
3103				Nu star		29.29		**Potential UCLs to Use**				
3104				AppChi2		17.93				95% KM (Chebyshev) UCL		2737
3105			95% Gamma Approximate UCL			1921						
3106			95% Adjusted Gamma UCL			2055						
3107	Note: DL/2 is not a recommended method.											
3108												
3109												
3110	Total Chlordanes											
3111												
3112							**General Statistics**					
3113				Number of Valid Data		31				Number of Detected Data		20
3114			Number of Distinct Detected Data			20				Number of Non-Detect Data		11
3115				Number of Missing Values		1				Percent Non-Detects		35.48%
3116												
3117		**Raw Statistics**						**Log-transformed Statistics**				
3118				Minimum Detected		7.66				Minimum Detected		2.036
3119				Maximum Detected		21.7				Maximum Detected		3.077
3120				Mean of Detected		12.35				Mean of Detected		2.478
3121				SD of Detected		3.624				SD of Detected		0.268
3122				Minimum Non-Detect		7.1				Minimum Non-Detect		1.96
3123				Maximum Non-Detect		20				Maximum Non-Detect		2.996
3124												
3125	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		30
3126	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1
3127	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		96.77%

	Normal Distribution Test with Detected Values Only			Lognormal Distribution Test with Detected Values Only		
Shapiro Wilk Test Statistic	0.879			Shapiro Wilk Test Statistic	0.95	
5% Shapiro Wilk Critical Value	0.905			5% Shapiro Wilk Critical Value	0.905	
Data not Normal at 5% Significance Level				**Data appear Lognormal at 5% Significance Level**		
Assuming Normal Distribution				**Assuming Lognormal Distribution**		
DL/2 Substitution Method				DL/2 Substitution Method		
Mean	10.13			Mean	2.225	
SD	4.351			SD	0.442	
95% DL/2 (t) UCL	11.46			95% H-Stat (DL/2) UCL	10.27	
Maximum Likelihood Estimate(MLE) Method	N/A			Log ROS Method		
MLE method failed to converge properly				Mean in Log Scale	2.37	
				SD in Log Scale	0.283	
				Mean in Original Scale	11.14	
				SD in Original Scale	3.468	
				95% Percentile Bootstrap UCL	12.2	
				95% BCA Bootstrap UCL	12.37	
Gamma Distribution Test with Detected Values Only				**Data Distribution Test with Detected Values Only**		
k star (bias corrected)	11.95			**Data appear Gamma Distributed at 5% Significance Level**		
Theta Star	1.034					
nu star	478					
A-D Test Statistic	0.569			**Nonparametric Statistics**		
5% A-D Critical Value	0.741			Kaplan-Meier (KM) Method		
K-S Test Statistic	0.741			Mean	11.28	
5% K-S Critical Value	0.194			SD	3.337	
Data appear Gamma Distributed at 5% Significance Level				SE of Mean	0.643	
				95% KM (t) UCL	12.37	
Assuming Gamma Distribution				95% KM (z) UCL	12.34	
Gamma ROS Statistics using Extrapolated Data				95% KM (jackknife) UCL	12.34	
Minimum	6.342			95% KM (bootstrap t) UCL	12.55	
Maximum	21.7			95% KM (BCA) UCL	12.56	
Mean	12.13			95% KM (Percentile Bootstrap) UCL	12.43	
Median	11.84			95% KM (Chebyshev) UCL	14.08	
SD	3.281			97.5% KM (Chebyshev) UCL	15.29	
k star	13.66			99% KM (Chebyshev) UCL	17.67	
Theta star	0.888					
Nu star	847			**Potential UCLs to Use**		
AppChi2	780.4			95% KM (Percentile Bootstrap) UCL	12.43	
95% Gamma Approximate UCL	13.17					
95% Adjusted Gamma UCL	13.23					

Note: DL/2 is not a recommended method.

Total DDD

Number of Valid Observations	32			Number of Distinct Observations	32	

	A	B	C	D	E	F	G	H	I	J	K	L
3181				Raw Statistics					Log-transformed Statistics			
3182					Minimum	4.193				Minimum of Log Data		1.433
3183					Maximum	518				Maximum of Log Data		6.25
3184					Mean	52.28				Mean of log Data		3.395
3185					Median	29.55				SD of log Data		0.956
3186					SD	91.14						
3187				Coefficient of Variation		1.743						
3188					Skewness	4.617						
3189												
3190						Relevant UCL Statistics						
3191			Normal Distribution Test						Lognormal Distribution Test			
3192			Shapiro Wilk Test Statistic			0.447				Shapiro Wilk Test Statistic		0.965
3193			Shapiro Wilk Critical Value			0.93				Shapiro Wilk Critical Value		0.93
3194		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
3195												
3196			Assuming Normal Distribution						Assuming Lognormal Distribution			
3197				95% Student's-t UCL		79.6					95% H-UCL	70.63
3198			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			84.94
3199				95% Adjusted-CLT UCL		92.83				97.5% Chebyshev (MVUE) UCL		101.7
3200				95% Modified-t UCL		81.79				99% Chebyshev (MVUE) UCL		134.7
3201												
3202			Gamma Distribution Test						Data Distribution			
3203			k star (bias corrected)			0.949			Data appear Lognormal at 5% Significance Level			
3204				Theta Star		55.09						
3205				nu star		60.73						
3206			Approximate Chi Square Value (.05)			43.81			Nonparametric Statistics			
3207			Adjusted Level of Significance			0.0416				95% CLT UCL		78.78
3208			Adjusted Chi Square Value			43.04				95% Jackknife UCL		79.6
3209										95% Standard Bootstrap UCL		78.24
3210			Anderson-Darling Test Statistic			1.682				95% Bootstrap-t UCL		133.8
3211			Anderson-Darling 5% Critical Value			0.775				95% Hall's Bootstrap UCL		169.8
3212			Kolmogorov-Smirnov Test Statistic			0.203				95% Percentile Bootstrap UCL		80.58
3213			Kolmogorov-Smirnov 5% Critical Value			0.16				95% BCA Bootstrap UCL		100.5
3214		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			122.5
3215									97.5% Chebyshev(Mean, Sd) UCL			152.9
3216			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			212.6
3217				95% Approximate Gamma UCL		72.47						
3218				95% Adjusted Gamma UCL		73.77						
3219												
3220		Potential UCL to Use								Use 95% H-UCL		70.63
3221												
3222												
3223	Total DDE											
3224												
3225						General Statistics						
3226				Number of Valid Observations		32				Number of Distinct Observations		32
3227												
3228				Raw Statistics					Log-transformed Statistics			
3229					Minimum	26.78				Minimum of Log Data		3.288
3230					Maximum	474.4				Maximum of Log Data		6.162
3231					Mean	115.9				Mean of log Data		4.589
3232					Median	94.47				SD of log Data		0.558
3233					SD	81.36						

	A	B	C	D	E	F	G	H	I	J	K	L
3234				Coefficient of Variation		0.702						
3235				Skewness		2.939						
3236												
3237						Relevant UCL Statistics						
3238			Normal Distribution Test						Lognormal Distribution Test			
3239			Shapiro Wilk Test Statistic			0.73				Shapiro Wilk Test Statistic		0.979
3240			Shapiro Wilk Critical Value			0.93				Shapiro Wilk Critical Value		0.93
3241			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
3242												
3243			Assuming Normal Distribution						Assuming Lognormal Distribution			
3244			95% Student's-t UCL			140.3				95% H-UCL		140.1
3245			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			166.3
3246			95% Adjusted-CLT UCL			147.6				97.5% Chebyshev (MVUE) UCL		188.8
3247			95% Modified-t UCL			141.6				99% Chebyshev (MVUE) UCL		232.9
3248												
3249			Gamma Distribution Test						Data Distribution			
3250			k star (bias corrected)			2.926			Data appear Gamma Distributed at 5% Significance Level			
3251			Theta Star			39.62						
3252			nu star			187.3						
3253			Approximate Chi Square Value (.05)			156.6			Nonparametric Statistics			
3254			Adjusted Level of Significance			0.0416				95% CLT UCL		139.6
3255			Adjusted Chi Square Value			155.1				95% Jackknife UCL		140.3
3256										95% Standard Bootstrap UCL		139.3
3257			Anderson-Darling Test Statistic			0.584				95% Bootstrap-t UCL		156.1
3258			Anderson-Darling 5% Critical Value			0.752				95% Hall's Bootstrap UCL		247.3
3259			Kolmogorov-Smirnov Test Statistic			0.126				95% Percentile Bootstrap UCL		141.2
3260			Kolmogorov-Smirnov 5% Critical Value			0.156				95% BCA Bootstrap UCL		148.5
3261			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			178.6
3262									97.5% Chebyshev(Mean, Sd) UCL			205.7
3263			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			259
3264			95% Approximate Gamma UCL			138.6						
3265			95% Adjusted Gamma UCL			140						
3266												
3267			Potential UCL to Use						Use 95% Approximate Gamma UCL			138.6
3268												
3269												
3270	Total DDT											
3271												
3272						General Statistics						
3273			Number of Valid Data			32			Number of Detected Data			27
3274			Number of Distinct Detected Data			26			Number of Non-Detect Data			5
3275									Percent Non-Detects			15.63%
3276												
3277			Raw Statistics						Log-transformed Statistics			
3278			Minimum Detected			0.758				Minimum Detected		-0.277
3279			Maximum Detected			462.7				Maximum Detected		6.137
3280			Mean of Detected			44.29				Mean of Detected		2.811
3281			SD of Detected			91.22				SD of Detected		1.374
3282			Minimum Non-Detect			6.9				Minimum Non-Detect		1.932
3283			Maximum Non-Detect			6.9				Maximum Non-Detect		1.932
3284												
3285												
3286						UCL Statistics						

	A	B	C	D	E	F	G	H	I	J	K	L
3287	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
3288	Shapiro Wilk Test Statistic					0.463		Shapiro Wilk Test Statistic				0.975
3289	5% Shapiro Wilk Critical Value					0.923		5% Shapiro Wilk Critical Value				0.923
3290	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
3291												
3292	Assuming Normal Distribution						Assuming Lognormal Distribution					
3293	DL/2 Substitution Method						DL/2 Substitution Method					
3294	Mean					37.91		Mean				2.565
3295	SD					84.89		SD				1.385
3296	95% DL/2 (t) UCL					63.35		95% H-Stat (DL/2) UCL				45.58
3297												
3298	Maximum Likelihood Estimate(MLE) Method							Log ROS Method				
3299	Mean					13.23		Mean in Log Scale				2.497
3300	SD					106.1		SD in Log Scale				1.476
3301	95% MLE (t) UCL					45.03		Mean in Original Scale				37.77
3302	95% MLE (Tiku) UCL					46.59		SD in Original Scale				84.95
3303								95% Percentile Bootstrap UCL				65.9
3304								95% BCA Bootstrap UCL				77.9
3305												
3306	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
3307	k star (bias corrected)					0.582	Data appear Lognormal at 5% Significance Level					
3308	Theta Star					76.13						
3309	nu star					31.42						
3310												
3311	A-D Test Statistic					1.381	Nonparametric Statistics					
3312	5% A-D Critical Value					0.796		Kaplan-Meier (KM) Method				
3313	K-S Test Statistic					0.796		Mean				37.92
3314	5% K-S Critical Value					0.176		SD				83.56
3315	Data not Gamma Distributed at 5% Significance Level							SE of Mean				15.05
3316								95% KM (t) UCL				63.44
3317	Assuming Gamma Distribution							95% KM (z) UCL				62.68
3318	Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL				63.37
3319	Minimum					1E-09		95% KM (bootstrap t) UCL				109.8
3320	Maximum					462.7		95% KM (BCA) UCL				67.36
3321	Mean					37.37		95% KM (Percentile Bootstrap) UCL				65.3
3322	Median					10.48		95% KM (Chebyshev) UCL				103.5
3323	SD					85.13		97.5% KM (Chebyshev) UCL				131.9
3324	k star					0.173		99% KM (Chebyshev) UCL				187.7
3325	Theta star					215.5						
3326	Nu star					11.1	Potential UCLs to Use					
3327	AppChi2					4.64		97.5% KM (Chebyshev) UCL				131.9
3328	95% Gamma Approximate UCL					89.39						
3329	95% Adjusted Gamma UCL					93.89						
3330	Note: DL/2 is not a recommended method.											
3331												
3332												
3333	Total Dioxin/Furan TEQ											
3334												
3335	General Statistics											
3336	Number of Valid Observations			32				Number of Distinct Observations			32	
3337												
3338	Raw Statistics						Log-transformed Statistics					
3339	Minimum			1.264				Minimum of Log Data			0.235	

	A	B	C	D	E	F	G	H	I	J	K	L
3340					Maximum	51.87				Maximum of Log Data		3.949
3341					Mean	4.768				Mean of log Data		1.072
3342					Median	2.689				SD of log Data		0.771
3343					SD	9.03						
3344					Coefficient of Variation	1.894						
3345					Skewness	4.923						
3346												
3347					Relevant UCL Statistics							
3348			Normal Distribution Test						Lognormal Distribution Test			
3349				Shapiro Wilk Test Statistic		0.367				Shapiro Wilk Test Statistic		0.812
3350				Shapiro Wilk Critical Value		0.93				Shapiro Wilk Critical Value		0.93
3351		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
3352												
3353			Assuming Normal Distribution						Assuming Lognormal Distribution			
3354					95% Student's-t UCL	7.475				95% H-UCL		5.303
3355		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			6.418
3356				95% Adjusted-CLT UCL		8.878				97.5% Chebyshev (MVUE) UCL		7.515
3357				95% Modified-t UCL		7.706				99% Chebyshev (MVUE) UCL		9.669
3358												
3359			Gamma Distribution Test						Data Distribution			
3360				k star (bias corrected)		1.07		Data do not follow a Discernable Distribution (0.05)				
3361					Theta Star	4.456						
3362					nu star	68.48						
3363			Approximate Chi Square Value (.05)			50.43			Nonparametric Statistics			
3364				Adjusted Level of Significance		0.0416				95% CLT UCL		7.394
3365				Adjusted Chi Square Value		49.6				95% Jackknife UCL		7.475
3366										95% Standard Bootstrap UCL		7.347
3367				Anderson-Darling Test Statistic		3.734				95% Bootstrap-t UCL		16.93
3368				Anderson-Darling 5% Critical Value		0.772				95% Hall's Bootstrap UCL		16.8
3369				Kolmogorov-Smirnov Test Statistic		0.304				95% Percentile Bootstrap UCL		7.62
3370				Kolmogorov-Smirnov 5% Critical Value		0.16				95% BCA Bootstrap UCL		9.617
3371		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			11.73
3372										97.5% Chebyshev(Mean, Sd) UCL		14.74
3373			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			20.65
3374				95% Approximate Gamma UCL		6.475						
3375				95% Adjusted Gamma UCL		6.583						
3376												
3377			Potential UCL to Use						Use 95% Chebyshev (Mean, Sd) UCL			11.73
3378												
3379												
3380	Total Dioxin-like PCBs											
3381												
3382					General Statistics							
3383				Number of Valid Observations		32				Number of Distinct Observations		32
3384												
3385			Raw Statistics						Log-transformed Statistics			
3386					Minimum	17084				Minimum of Log Data		9.746
3387					Maximum	163683				Maximum of Log Data		12.01
3388					Mean	55692				Mean of log Data		10.72
3389					Median	38389				SD of log Data		0.624
3390					SD	41102						
3391				Coefficient of Variation		0.738						
3392					Skewness	1.616						

	A	B	C	D	E	F	G	H	I	J	K	L
3393												
3394							Relevant UCL Statistics					
3395			Normal Distribution Test						Lognormal Distribution Test			
3396				Shapiro Wilk Test Statistic		0.766				Shapiro Wilk Test Statistic		0.924
3397				Shapiro Wilk Critical Value		0.93				Shapiro Wilk Critical Value		0.93
3398			Data not Normal at 5% Significance Level					Data not Lognormal at 5% Significance Level				
3399												
3400			Assuming Normal Distribution						Assuming Lognormal Distribution			
3401				95% Student's-t UCL		68012				95% H-UCL		69005
3402			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL		82621	
3403				95% Adjusted-CLT UCL		69862			97.5% Chebyshev (MVUE) UCL			94745
3404				95% Modified-t UCL		68358			99% Chebyshev (MVUE) UCL			118561
3405												
3406			Gamma Distribution Test						Data Distribution			
3407				k star (bias corrected)		2.348		Data do not follow a Discernable Distribution (0.05)				
3408				Theta Star		23717						
3409				nu star		150.3						
3410			Approximate Chi Square Value (.05)			123			Nonparametric Statistics			
3411			Adjusted Level of Significance			0.0416				95% CLT UCL		67644
3412			Adjusted Chi Square Value			121.6				95% Jackknife UCL		68012
3413									95% Standard Bootstrap UCL			67610
3414			Anderson-Darling Test Statistic			1.422				95% Bootstrap-t UCL		71146
3415			Anderson-Darling 5% Critical Value			0.756				95% Hall's Bootstrap UCL		69277
3416			Kolmogorov-Smirnov Test Statistic			0.219			95% Percentile Bootstrap UCL			68168
3417			Kolmogorov-Smirnov 5% Critical Value			0.157				95% BCA Bootstrap UCL		70638
3418			Data not Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			87364
3419									97.5% Chebyshev(Mean, Sd) UCL			101068
3420			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			127987
3421				95% Approximate Gamma UCL		68074						
3422				95% Adjusted Gamma UCL		68814						
3423												
3424			Potential UCL to Use						Use 95% Chebyshev (Mean, Sd) UCL			87364
3425												
3426												
3427	Total Endosulfan											
3428												
3429							General Statistics					
3430				Number of Valid Data		32			Number of Detected Data			19
3431			Number of Distinct Detected Data			19			Number of Non-Detect Data			13
3432									Percent Non-Detects			40.63%
3433												
3434			Raw Statistics						Log-transformed Statistics			
3435				Minimum Detected		0.264				Minimum Detected		-1.332
3436				Maximum Detected		28.4				Maximum Detected		3.346
3437				Mean of Detected		1.965				Mean of Detected		-0.525
3438				SD of Detected		6.403				SD of Detected		0.98
3439				Minimum Non-Detect		1				Minimum Non-Detect		0
3440				Maximum Non-Detect		20				Maximum Non-Detect		2.996
3441												
3442	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			31
3443	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
3444	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			96.88%
3445												

	A	B	C	D	E	F	G	H	I	J	K	L
3446	UCL Statistics											
3447	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
3448	Shapiro Wilk Test Statistic					0.262	Shapiro Wilk Test Statistic					0.524
3449	5% Shapiro Wilk Critical Value					0.901	5% Shapiro Wilk Critical Value					0.901
3450	Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level					
3451												
3452	Assuming Normal Distribution						Assuming Lognormal Distribution					
3453	DL/2 Substitution Method						DL/2 Substitution Method					
3454	Mean					2.193	Mean					-0.0625
3455	SD					5.129	SD					1.062
3456	95% DL/2 (t) UCL					3.731	95% H-Stat (DL/2) UCL					2.468
3457												
3458	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
3459	MLE method failed to converge properly						Mean in Log Scale					-0.557
3460							SD in Log Scale					0.799
3461							Mean in Original Scale					1.41
3462							SD in Original Scale					4.929
3463							95% Percentile Bootstrap UCL					3.153
3464							95% BCA Bootstrap UCL					4.076
3465												
3466	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
3467	k star (bias corrected)					0.477	Data do not follow a Discernable Distribution (0.05)					
3468	Theta Star					4.116						
3469	nu star					18.14						
3470												
3471	A-D Test Statistic					5.333	Nonparametric Statistics					
3472	5% A-D Critical Value					0.8	Kaplan-Meier (KM) Method					
3473	K-S Test Statistic					0.8	Mean					1.368
3474	5% K-S Critical Value					0.21	SD					4.857
3475	Data not Gamma Distributed at 5% Significance Level						SE of Mean					0.882
3476							95% KM (t) UCL					2.864
3477	Assuming Gamma Distribution						95% KM (z) UCL					2.82
3478	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					2.848
3479	Minimum					0.264	95% KM (bootstrap t) UCL					31
3480	Maximum					28.4	95% KM (BCA) UCL					3.153
3481	Mean					1.979	95% KM (Percentile Bootstrap) UCL					3.113
3482	Median					0.687	95% KM (Chebyshev) UCL					5.214
3483	SD					4.881	97.5% KM (Chebyshev) UCL					6.879
3484	k star					0.77	99% KM (Chebyshev) UCL					10.15
3485	Theta star					2.57						
3486	Nu star					49.27	Potential UCLs to Use					
3487	AppChi2					34.16	95% KM (t) UCL					2.864
3488	95% Gamma Approximate UCL					2.854	95% KM (% Bootstrap) UCL					3.113
3489	95% Adjusted Gamma UCL					2.912						
3490	Note: DL/2 is not a recommended method.											
3491												
3492												
3493	Total PCB TEQ											
3494												
3495	General Statistics											
3496	Number of Valid Observations					32	Number of Distinct Observations					32
3497												
3498	Raw Statistics						Log-transformed Statistics					

	A	B	C	D	E	F	G	H	I	J	K	L
3499					Minimum	1.498				Minimum of Log Data		0.404
3500					Maximum	35.56				Maximum of Log Data		3.571
3501					Mean	7.838				Mean of log Data		1.828
3502					Median	6.151				SD of log Data		0.667
3503					SD	6.555						
3504					Coefficient of Variation	0.836						
3505					Skewness	2.824						
3506												
3507							Relevant UCL Statistics					
3508			Normal Distribution Test						Lognormal Distribution Test			
3509				Shapiro Wilk Test Statistic		0.721				Shapiro Wilk Test Statistic		0.986
3510				Shapiro Wilk Critical Value		0.93				Shapiro Wilk Critical Value		0.93
3511			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
3512												
3513			Assuming Normal Distribution						Assuming Lognormal Distribution			
3514					95% Student's-t UCL	9.803				95% H-UCL		9.95
3515			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			11.97
3516					95% Adjusted-CLT UCL	10.36				97.5% Chebyshev (MVUE) UCL		13.81
3517					95% Modified-t UCL	9.899				99% Chebyshev (MVUE) UCL		17.44
3518												
3519			Gamma Distribution Test						Data Distribution			
3520					k star (bias corrected)	2.117		Data appear Gamma Distributed at 5% Significance Level				
3521					Theta Star	3.703						
3522					nu star	135.5						
3523			Approximate Chi Square Value (.05)			109.6			Nonparametric Statistics			
3524					Adjusted Level of Significance	0.0416				95% CLT UCL		9.744
3525					Adjusted Chi Square Value	108.3				95% Jackknife UCL		9.803
3526										95% Standard Bootstrap UCL		9.71
3527				Anderson-Darling Test Statistic		0.564				95% Bootstrap-t UCL		11.22
3528				Anderson-Darling 5% Critical Value		0.757				95% Hall's Bootstrap UCL		18.42
3529				Kolmogorov-Smirnov Test Statistic		0.128				95% Percentile Bootstrap UCL		9.854
3530				Kolmogorov-Smirnov 5% Critical Value		0.157				95% BCA Bootstrap UCL		10.42
3531			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			12.89
3532										97.5% Chebyshev(Mean, Sd) UCL		15.07
3533			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			19.37
3534					95% Approximate Gamma UCL	9.69						
3535					95% Adjusted Gamma UCL	9.802						
3536												
3537			Potential UCL to Use						Use 95% Approximate Gamma UCL			9.69
3538												
3539												
3540	Total PCB_Congeners											
3541												
3542							General Statistics					
3543				Number of Valid Observations		32				Number of Distinct Observations		32
3544												
3545			Raw Statistics						Log-transformed Statistics			
3546					Minimum	205341				Minimum of Log Data		12.23
3547					Maximum	6603200				Maximum of Log Data		15.7
3548					Mean	1053296				Mean of log Data		13.44
3549					Median	542109				SD of log Data		0.833
3550					SD	1369138						
3551				Coefficient of Variation		1.3						

	A	B	C	D	E	F	G	H	I	J	K	L
3552					Skewness	2.986						
3553												
3554						Relevant UCL Statistics						
3555			Normal Distribution Test						Lognormal Distribution Test			
3556			Shapiro Wilk Test Statistic			0.583			Shapiro Wilk Test Statistic			0.91
3557			Shapiro Wilk Critical Value			0.93			Shapiro Wilk Critical Value			0.93
3558		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
3559												
3560			Assuming Normal Distribution						Assuming Lognormal Distribution			
3561			95% Student's-t UCL			1463665			95% H-UCL			1350586
3562		95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL				1635258
3563			95% Adjusted-CLT UCL			1587897			97.5% Chebyshev (MVUE) UCL			1930140
3564			95% Modified-t UCL			1484956			99% Chebyshev (MVUE) UCL			2509379
3565												
3566			Gamma Distribution Test						Data Distribution			
3567			k star (bias corrected)			1.198		Data do not follow a Discernable Distribution (0.05)				
3568			Theta Star			879443						
3569			nu star			76.65						
3570		Approximate Chi Square Value (.05)				57.48			Nonparametric Statistics			
3571		Adjusted Level of Significance				0.0416			95% CLT UCL			1451403
3572			Adjusted Chi Square Value			56.6			95% Jackknife UCL			1463665
3573									95% Standard Bootstrap UCL			1441135
3574		Anderson-Darling Test Statistic				2.128			95% Bootstrap-t UCL			1821498
3575		Anderson-Darling 5% Critical Value				0.769			95% Hall's Bootstrap UCL			1731626
3576		Kolmogorov-Smirnov Test Statistic				0.201			95% Percentile Bootstrap UCL			1475229
3577		Kolmogorov-Smirnov 5% Critical Value				0.159			95% BCA Bootstrap UCL			1634779
3578		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			2108288
3579									97.5% Chebyshev(Mean, Sd) UCL			2564783
3580			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			3461481
3581			95% Approximate Gamma UCL			1404499						
3582			95% Adjusted Gamma UCL			1426553						
3583												
3584			Potential UCL to Use						Use 95% Chebyshev (Mean, Sd) UCL			2108288
3585												
3586												
3587	Zinc											
3588												
3589						General Statistics						
3590			Number of Valid Observations			32			Number of Distinct Observations			22
3591												
3592			Raw Statistics						Log-transformed Statistics			
3593			Minimum			10.8			Minimum of Log Data			2.38
3594			Maximum			16.3			Maximum of Log Data			2.791
3595			Mean			13.2			Mean of log Data			2.574
3596			Median			12.9			SD of log Data			0.116
3597			SD			1.546						
3598			Coefficient of Variation			0.117						
3599			Skewness			0.418						
3600												
3601						Relevant UCL Statistics						
3602			Normal Distribution Test						Lognormal Distribution Test			
3603			Shapiro Wilk Test Statistic			0.942			Shapiro Wilk Test Statistic			0.951
3604			Shapiro Wilk Critical Value			0.93			Shapiro Wilk Critical Value			0.93

	A	B	C	D	E	F	G	H	I	J	K	L
3605			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
3606												
3607			Assuming Normal Distribution						Assuming Lognormal Distribution			
3608				95% Student's-t UCL		13.66				95% H-UCL		13.68
3609			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			14.38
3610				95% Adjusted-CLT UCL		13.67			97.5% Chebyshev (MVUE) UCL			14.89
3611				95% Modified-t UCL		13.67			99% Chebyshev (MVUE) UCL			15.89
3612												
3613			Gamma Distribution Test						Data Distribution			
3614			k star (bias corrected)			69.62			Data appear Normal at 5% Significance Level			
3615				Theta Star		0.19						
3616				nu star		4456						
3617			Approximate Chi Square Value (.05)			4302			Nonparametric Statistics			
3618			Adjusted Level of Significance			0.0416				95% CLT UCL		13.65
3619				Adjusted Chi Square Value		4294				95% Jackknife UCL		13.66
3620									95% Standard Bootstrap UCL			13.64
3621			Anderson-Darling Test Statistic			0.547				95% Bootstrap-t UCL		13.68
3622			Anderson-Darling 5% Critical Value			0.745			95% Hall's Bootstrap UCL			13.65
3623			Kolmogorov-Smirnov Test Statistic			0.123			95% Percentile Bootstrap UCL			13.64
3624			Kolmogorov-Smirnov 5% Critical Value			0.155				95% BCA Bootstrap UCL		13.65
3625		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			14.39
3626									97.5% Chebyshev(Mean, Sd) UCL			14.91
3627			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			15.92
3628				95% Approximate Gamma UCL		13.67						
3629				95% Adjusted Gamma UCL		13.7						
3630												
3631			Potential UCL to Use						Use 95% Student's-t UCL			13.66
3632												
3633												
3634	Total PCBs, Adjusted											
3635												
3636					General Statistics							
3637			Number of Valid Observations			32			Number of Distinct Observations			32
3638												
3639			Raw Statistics						Log-transformed Statistics			
3640				Minimum		188257			Minimum of Log Data			12.15
3641				Maximum		6443896			Maximum of Log Data			15.68
3642				Mean		997604			Mean of log Data			13.36
3643				Median		506210			SD of log Data			0.849
3644				SD		1339671						
3645			Coefficient of Variation			1.343						
3646				Skewness		3.017						
3647												
3648					Relevant UCL Statistics							
3649			Normal Distribution Test						Lognormal Distribution Test			
3650			Shapiro Wilk Test Statistic			0.572			Shapiro Wilk Test Statistic			0.909
3651			Shapiro Wilk Critical Value			0.93			Shapiro Wilk Critical Value			0.93
3652			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
3653												
3654			Assuming Normal Distribution						Assuming Lognormal Distribution			
3655				95% Student's-t UCL		1399141				95% H-UCL		1280935
3656			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			1550469
3657				95% Adjusted-CLT UCL		1522121			97.5% Chebyshev (MVUE) UCL			1833650

	A	B	C	D	E	F	G	H	I	J	K	L
3658				95% Modified-t UCL		1420195			99% Chebyshev (MVUE) UCL			2389904
3659												
3660				Gamma Distribution Test					Data Distribution			
3661				k star (bias corrected)		1.149			Data do not follow a Discernable Distribution (0.05)			
3662				Theta Star		868418						
3663				nu star		73.52						
3664				Approximate Chi Square Value (.05)		54.77			Nonparametric Statistics			
3665				Adjusted Level of Significance		0.0416			95% CLT UCL			1387142
3666				Adjusted Chi Square Value		53.91			95% Jackknife UCL			1399141
3667									95% Standard Bootstrap UCL			1377449
3668				Anderson-Darling Test Statistic		2.207			95% Bootstrap-t UCL			1885438
3669				Anderson-Darling 5% Critical Value		0.77			95% Hall's Bootstrap UCL			1690032
3670				Kolmogorov-Smirnov Test Statistic		0.208			95% Percentile Bootstrap UCL			1422931
3671				Kolmogorov-Smirnov 5% Critical Value		0.159			95% BCA Bootstrap UCL			1561601
3672		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			2029890
3673									97.5% Chebyshev(Mean, Sd) UCL			2476560
3674				Assuming Gamma Distribution					99% Chebyshev(Mean, Sd) UCL			3353959
3675				95% Approximate Gamma UCL		1339014						
3676				95% Adjusted Gamma UCL		1360533						
3677												
3678				Potential UCL to Use					Use 95% Chebyshev (Mean, Sd) UCL			2029890
3679												
3680												
3681	Total TEQ											
3682												
3683					General Statistics							
3684				Number of Valid Observations		32			Number of Distinct Observations			32
3685												
3686				Raw Statistics					Log-transformed Statistics			
3687				Minimum		3.069			Minimum of Log Data			1.121
3688				Maximum		57.06			Maximum of Log Data			4.044
3689				Mean		12.61			Mean of log Data			2.305
3690				Median		10.08			SD of log Data			0.652
3691				SD		10.72						
3692				Coefficient of Variation		0.851						
3693				Skewness		2.836						
3694												
3695					Relevant UCL Statistics							
3696				Normal Distribution Test					Lognormal Distribution Test			
3697				Shapiro Wilk Test Statistic		0.698			Shapiro Wilk Test Statistic			0.969
3698				Shapiro Wilk Critical Value		0.93			Shapiro Wilk Critical Value			0.93
3699		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
3700												
3701				Assuming Normal Distribution					Assuming Lognormal Distribution			
3702				95% Student's-t UCL		15.82			95% H-UCL			15.77
3703		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			18.94
3704				95% Adjusted-CLT UCL		16.74			97.5% Chebyshev (MVUE) UCL			21.82
3705				95% Modified-t UCL		15.98			99% Chebyshev (MVUE) UCL			27.46
3706												
3707				Gamma Distribution Test					Data Distribution			
3708				k star (bias corrected)		2.137			Data Follow Appr. Gamma Distribution at 5% Significance Level			
3709				Theta Star		5.898						
3710				nu star		136.8						

	A	B	C	D	E	F	G	H	I	J	K	L
3711				Approximate Chi Square Value (.05)		110.8			**Nonparametric Statistics**			
3712				Adjusted Level of Significance		0.0416					95% CLT UCL	15.73
3713				Adjusted Chi Square Value		109.5					95% Jackknife UCL	15.82
3714											95% Standard Bootstrap UCL	15.68
3715				Anderson-Darling Test Statistic		0.786					95% Bootstrap-t UCL	18.47
3716				Anderson-Darling 5% Critical Value		0.757					95% Hall's Bootstrap UCL	32.07
3717				Kolmogorov-Smirnov Test Statistic		0.152					95% Percentile Bootstrap UCL	15.73
3718				Kolmogorov-Smirnov 5% Critical Value		0.157					95% BCA Bootstrap UCL	16.8
3719		**Data follow Appr. Gamma Distribution at 5% Significance Level**									95% Chebyshev(Mean, Sd) UCL	20.87
3720											97.5% Chebyshev(Mean, Sd) UCL	24.45
3721				**Assuming Gamma Distribution**							99% Chebyshev(Mean, Sd) UCL	31.47
3722				95% Approximate Gamma UCL		15.57						
3723				95% Adjusted Gamma UCL		15.75						
3724												
3725			**Potential UCL to Use**						Use 95% Approximate Gamma UCL			15.57
3726												

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	SMB_Study_area_WB
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	2000

Lead

General Statistics

Number of Valid Observations	32	Number of Distinct Observations	29

Raw Statistics		Log-transformed Statistics	
Minimum	0.0048	Minimum of Log Data	-5.339
Maximum	1100	Maximum of Log Data	7.003
Mean	34.68	Mean of log Data	-3.361
Median	0.014	SD of log Data	2.542
SD	194.4		
Coefficient of Variation	5.606		
Skewness	5.656		

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.183	Shapiro Wilk Test Statistic	0.705
Shapiro Wilk Critical Value	0.93	Shapiro Wilk Critical Value	0.93
Data not Normal at 5% Significance Level		**Data not Lognormal at 5% Significance Level**	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	92.95	95% H-UCL	7.278
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	2.333
95% Adjusted-CLT UCL	127.9	97.5% Chebyshev (MVUE) UCL	3.073
95% Modified-t UCL	98.67	99% Chebyshev (MVUE) UCL	4.526

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	0.125	**Data do not follow a Discernable Distribution (0.05)**	
Theta Star	276.5		
nu star	8.028		
Approximate Chi Square Value (.05)	2.751	**Nonparametric Statistics**	
Adjusted Level of Significance	0.0416	95% CLT UCL	91.2
Adjusted Chi Square Value	2.588	95% Jackknife UCL	92.95
		95% Standard Bootstrap UCL	90.59
Anderson-Darling Test Statistic	8.939	95% Bootstrap-t UCL	21379
Anderson-Darling 5% Critical Value	0.943	95% Hall's Bootstrap UCL	21122
Kolmogorov-Smirnov Test Statistic	0.441	95% Percentile Bootstrap UCL	103.4
Kolmogorov-Smirnov 5% Critical Value	0.175	95% BCA Bootstrap UCL	138
Data not Gamma Distributed at 5% Significance Level		95% Chebyshev(Mean, Sd) UCL	184.5
		97.5% Chebyshev(Mean, Sd) UCL	249.3
Assuming Gamma Distribution		99% Chebyshev(Mean, Sd) UCL	376.6
95% Approximate Gamma UCL	101.2		
95% Adjusted Gamma UCL	107.6		

Potential UCL to Use		Use 99% Chebyshev (Mean, Sd) UCL	376.6

Antimony

General Statistics

Number of Valid Data	32		Number of Detected Data		5
Number of Distinct Detected Data	4		Number of Non-Detect Data		27
			Percent Non-Detects		84.38%

Raw Statistics			Log-transformed Statistics		
Minimum Detected	0.001		Minimum Detected		-6.908
Maximum Detected	5.9		Maximum Detected		1.775
Mean of Detected	1.189		Mean of Detected		-4.101
SD of Detected	2.634		SD of Detected		3.608
Minimum Non-Detect	0.001		Minimum Non-Detect		-6.908
Maximum Non-Detect	0.014		Maximum Non-Detect		-4.269

Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect		30
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected		2
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage		93.75%

Warning: There are only 4 Distinct Detected Values in this data

Note: It should be noted that even though bootstrap may be performed on this data set

the resulting calculations may not be reliable enough tp draw conclusions

It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.

UCL Statistics

Normal Distribution Test with Detected Values Only			Lognormal Distribution Test with Detected Values Only		
Shapiro Wilk Test Statistic	0.556		Shapiro Wilk Test Statistic		0.847
5% Shapiro Wilk Critical Value	0.762		5% Shapiro Wilk Critical Value		0.762
Data not Normal at 5% Significance Level			Data appear Lognormal at 5% Significance Level		

Assuming Normal Distribution			Assuming Lognormal Distribution		
DL/2 Substitution Method			DL/2 Substitution Method		
Mean	0.188		Mean		-6.014
SD	1.042		SD		1.68
95% DL/2 (t) UCL	0.5		95% H-Stat (DL/2) UCL		0.0198
Maximum Likelihood Estimate(MLE) Method	N/A		Log ROS Method		
MLE method failed to converge properly			Mean in Log Scale		-11.24
			SD in Log Scale		4.356
			Mean in Original Scale		0.186
			SD in Original Scale		1.043
			95% Percentile Bootstrap UCL		0.554
			95% BCA Bootstrap UCL		0.74

Gamma Distribution Test with Detected Values Only			Data Distribution Test with Detected Values Only		
k star (bias corrected)	0.204		Data appear Gamma Distributed at 5% Significance Level		
Theta Star	5.84				
nu star	2.036				

	A	B	C	D	E	F	G	H	I	J	K	L
107					A-D Test Statistic	0.746		**Nonparametric Statistics**				
108					5% A-D Critical Value	0.788				Kaplan-Meier (KM) Method		
109					K-S Test Statistic	0.788					Mean	0.187
110					5% K-S Critical Value	0.391					SD	1.026
111	**Data appear Gamma Distributed at 5% Significance Level**										SE of Mean	0.203
112											95% KM (t) UCL	0.531
113			**Assuming Gamma Distribution**								95% KM (z) UCL	0.52
114			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	0.499
115					Minimum	1E-09					95% KM (bootstrap t) UCL	118
116					Maximum	43.72					95% KM (BCA) UCL	0.74
117					Mean	5.562					95% KM (Percentile Bootstrap) UCL	0.556
118					Median	1.747					95% KM (Chebyshev) UCL	1.071
119					SD	9.786					97.5% KM (Chebyshev) UCL	1.453
120					k star	0.12					99% KM (Chebyshev) UCL	2.205
121					Theta star	46.31						
122					Nu star	7.686		**Potential UCLs to Use**				
123					AppChi2	2.554					95% KM (t) UCL	0.531
124			95% Gamma Approximate UCL			16.73						
125			95% Adjusted Gamma UCL			17.82						
126	**Note: DL/2 is not a recommended method.**											
127												

Tissue

Brown Bullhead, Whole Body and Fillet

	A	B	C	D	E	F	G	H	I	J	K	L
1			BB-Study_areaF	General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	BB-_Study_area-F								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Zinc											
10												
11					General Statistics							
12			Number of Valid Observations	6					Number of Distinct Observations			5
13												
14			Raw Statistics						Log-transformed Statistics			
15			Minimum	3.96					Minimum of Log Data			1.376
16			Maximum	6.49					Maximum of Log Data			1.87
17			Mean	5.225					Mean of log Data			1.642
18			Median	5.32					SD of log Data			0.165
19			SD	0.84								
20			Coefficient of Variation	0.161								
21			Skewness	-0.0417								
22												
23												
24		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
25												
26		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
27		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
28												
29												
30					Warning: There are only 6 Values in this data							
31				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
32				the resulting calculations may not be reliable enough to draw conclusions								
33												
34		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
35												
36					Relevant UCL Statistics							
37			Normal Distribution Test						Lognormal Distribution Test			
38			Shapiro Wilk Test Statistic	0.961					Shapiro Wilk Test Statistic			0.952
39			Shapiro Wilk Critical Value	0.788					Shapiro Wilk Critical Value			0.788
40		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
41												
42			Assuming Normal Distribution						Assuming Lognormal Distribution			
43			95% Student's-t UCL	5.916					95% H-UCL			6.079
44		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			6.758
45			95% Adjusted-CLT UCL	5.783					97.5% Chebyshev (MVUE) UCL			7.421
46			95% Modified-t UCL	5.915					99% Chebyshev (MVUE) UCL			8.723
47												
48			Gamma Distribution Test						Data Distribution			
49			k star (bias corrected)	22.73					Data appear Normal at 5% Significance Level			
50			Theta Star	0.23								
51			nu star	272.7								
52			Approximate Chi Square Value (.05)	235.5					Nonparametric Statistics			
53			Adjusted Level of Significance	0.0122					95% CLT UCL			5.789

	A	B	C	D	E	F	G	H	I	J	K	L
54				Adjusted Chi Square Value		222.9				95% Jackknife UCL		5.916
55										95% Standard Bootstrap UCL		5.741
56				Anderson-Darling Test Statistic		0.293				95% Bootstrap-t UCL		5.884
57				Anderson-Darling 5% Critical Value		0.697				95% Hall's Bootstrap UCL		5.876
58				Kolmogorov-Smirnov Test Statistic		0.235				95% Percentile Bootstrap UCL		5.747
59				Kolmogorov-Smirnov 5% Critical Value		0.332				95% BCA Bootstrap UCL		5.71
60		**Data appear Gamma Distributed at 5% Significance Level**								95% Chebyshev(Mean, Sd) UCL		6.719
61										97.5% Chebyshev(Mean, Sd) UCL		7.366
62			**Assuming Gamma Distribution**							99% Chebyshev(Mean, Sd) UCL		8.636
63				95% Approximate Gamma UCL		6.051						
64				95% Adjusted Gamma UCL		6.393						
65												
66			**Potential UCL to Use**							Use 95% Student's-t UCL		5.916
67												
68												
69	**Aluminum**											
70												
71					**General Statistics**							
72			Number of Valid Observations			6				Number of Distinct Observations		6
73												
74			**Raw Statistics**						**Log-transformed Statistics**			
75				Minimum		1.95				Minimum of Log Data		0.668
76				Maximum		10.6				Maximum of Log Data		2.361
77				Mean		5.457				Mean of log Data		1.521
78				Median		4.67				SD of log Data		0.663
79				SD		3.406						
80				Coefficient of Variation		0.624						
81				Skewness		0.638						
82												
83												
84			**Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!**									
85												
86			**It is suggested to collect at least 8 to 10 observations using these statistical methods!**									
87			**If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.**									
88												
89												
90			**Warning: There are only 6 Values in this data**									
91			**Note: It should be noted that even though bootstrap methods may be performed on this data set,**									
92			**the resulting calculations may not be reliable enough to draw conclusions**									
93												
94			**The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.**									
95												
96					**Relevant UCL Statistics**							
97			**Normal Distribution Test**						**Lognormal Distribution Test**			
98				Shapiro Wilk Test Statistic		0.923				Shapiro Wilk Test Statistic		0.956
99				Shapiro Wilk Critical Value		0.788				Shapiro Wilk Critical Value		0.788
100		**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
101												
102			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
103				95% Student's-t UCL		8.259				95% H-UCL		14.15
104			**95% UCLs (Adjusted for Skewness)**							95% Chebyshev (MVUE) UCL		11.9
105				95% Adjusted-CLT UCL		8.131				97.5% Chebyshev (MVUE) UCL		14.69
106				95% Modified-t UCL		8.319				99% Chebyshev (MVUE) UCL		20.15

	A	B	C	D	E	F	G	H	I	J	K	L
107												
108			Gamma Distribution Test						Data Distribution			
109			k star (bias corrected)			1.613		Data appear Normal at 5% Significance Level				
110			Theta Star			3.383						
111			nu star			19.36						
112			Approximate Chi Square Value (.05)			10.38			Nonparametric Statistics			
113			Adjusted Level of Significance			0.0122				95% CLT UCL		7.744
114			Adjusted Chi Square Value			8.113				95% Jackknife UCL		8.259
115										95% Standard Bootstrap UCL		7.537
116			Anderson-Darling Test Statistic			0.248				95% Bootstrap-t UCL		10.57
117			Anderson-Darling 5% Critical Value			0.701				95% Hall's Bootstrap UCL		8.466
118			Kolmogorov-Smirnov Test Statistic			0.197				95% Percentile Bootstrap UCL		7.573
119			Kolmogorov-Smirnov 5% Critical Value			0.335				95% BCA Bootstrap UCL		7.68
120		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		11.52
121										97.5% Chebyshev(Mean, Sd) UCL		14.14
122			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		19.29
123			95% Approximate Gamma UCL			10.18						
124			95% Adjusted Gamma UCL			13.02						
125												
126			Potential UCL to Use							Use 95% Student's-t UCL		8.259
127												
128												
129	Arsenic											
130												
131					General Statistics							
132			Number of Valid Observations			6			Number of Distinct Observations			1
133												
134												
135			Warning: There is only one distinct observation value in this data set - resulting in '0' variance!									
136			ProUCL (or any other software) should not be used on such a data set!									
137			The data set for variable Arsenic was not processed!									
138												
139			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
140			If possible, compute and collect Data Quality Objectives (DQOs) based sample size and analytical results.									
141			The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).									
142												
143												
144												
145	Cadmium											
146												
147					General Statistics							
148			Number of Valid Data			6			Number of Detected Data			5
149			Number of Distinct Detected Data			1			Number of Non-Detect Data			1
150									Percent Non-Detects			16.67%
151												
152			Warning: Only one distinct data value was detected! ProUCL (or any other software) should not be used on such a data set!									
153		It is suggested to use alternative site specific values determined by the Project Team to estimate environmental parameters (e.g., EPC, BTV).										
154												
155			The data set for variable Cadmium was not processed!									
156												
157												
158												
159	Copper											

	A	B	C	D	E	F	G	H	I	J	K	L
160												
161						General Statistics						
162				Number of Valid Observations		6				Number of Distinct Observations		6
163												
164			Raw Statistics						Log-transformed Statistics			
165					Minimum	0.203				Minimum of Log Data		-1.595
166					Maximum	0.292				Maximum of Log Data		-1.231
167					Mean	0.251				Mean of log Data		-1.389
168					Median	0.252				SD of log Data		0.117
169					SD	0.0283						
170				Coefficient of Variation		0.113						
171					Skewness	-0.496						
172												
173												
174		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
175												
176		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
177		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
178												
179												
180						Warning: There are only 6 Values in this data						
181				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
182				the resulting calculations may not be reliable enough to draw conclusions								
183												
184		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
185												
186						Relevant UCL Statistics						
187			Normal Distribution Test						Lognormal Distribution Test			
188				Shapiro Wilk Test Statistic		0.868				Shapiro Wilk Test Statistic		0.852
189				Shapiro Wilk Critical Value		0.788				Shapiro Wilk Critical Value		0.788
190		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
191												
192			Assuming Normal Distribution						Assuming Lognormal Distribution			
193					95% Student's-t UCL	0.274				95% H-UCL		0.278
194		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			0.303
195				95% Adjusted-CLT UCL		0.267				97.5% Chebyshev (MVUE) UCL		0.325
196					95% Modified-t UCL	0.274				99% Chebyshev (MVUE) UCL		0.37
197												
198			Gamma Distribution Test						Data Distribution			
199				k star (bias corrected)		45.29		Data appear Normal at 5% Significance Level				
200					Theta Star	0.00553						
201					nu star	543.5						
202			Approximate Chi Square Value (.05)			490.4			Nonparametric Statistics			
203			Adjusted Level of Significance			0.0122				95% CLT UCL		0.27
204				Adjusted Chi Square Value		472				95% Jackknife UCL		0.274
205										95% Standard Bootstrap UCL		0.268
206			Anderson-Darling Test Statistic			0.621				95% Bootstrap-t UCL		0.269
207			Anderson-Darling 5% Critical Value			0.696				95% Hall's Bootstrap UCL		0.27
208			Kolmogorov-Smirnov Test Statistic			0.337				95% Percentile Bootstrap UCL		0.266
209			Kolmogorov-Smirnov 5% Critical Value			0.332				95% BCA Bootstrap UCL		0.265
210		Data follow Appr. Gamma Distribution at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			0.301
211									97.5% Chebyshev(Mean, Sd) UCL			0.323
212		Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL			0.366

	A	B	C	D	E	F	G	H	I	J	K	L
213				95% Approximate Gamma UCL		0.278						
214				95% Adjusted Gamma UCL		0.289						
215												
216			Potential UCL to Use						Use 95% Student's-t UCL			0.274
217												
218												
219	Manganese											
220												
221						General Statistics						
222			Number of Valid Observations			6			Number of Distinct Observations			6
223												
224			Raw Statistics						Log-transformed Statistics			
225				Minimum		0.085			Minimum of Log Data			-2.465
226				Maximum		0.177			Maximum of Log Data			-1.732
227				Mean		0.109			Mean of log Data			-2.253
228				Median		0.097			SD of log Data			0.268
229				SD		0.0343						
230			Coefficient of Variation			0.316						
231				Skewness		2.182						
232												
233												
234		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
235												
236		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
237		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
238												
239												
240						Warning: There are only 6 Values in this data						
241			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
242			the resulting calculations may not be reliable enough to draw conclusions									
243												
244		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
245												
246						Relevant UCL Statistics						
247			Normal Distribution Test						Lognormal Distribution Test			
248			Shapiro Wilk Test Statistic			0.707			Shapiro Wilk Test Statistic			0.775
249			Shapiro Wilk Critical Value			0.788			Shapiro Wilk Critical Value			0.788
250			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
251												
252			Assuming Normal Distribution						Assuming Lognormal Distribution			
253			95% Student's-t UCL			0.137			95% H-UCL			0.141
254			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			0.16
255			95% Adjusted-CLT UCL			0.145			97.5% Chebyshev (MVUE) UCL			0.182
256			95% Modified-t UCL			0.139			99% Chebyshev (MVUE) UCL			0.226
257												
258			Gamma Distribution Test						Data Distribution			
259			k star (bias corrected)			7.677			Data Follow Appr. Gamma Distribution at 5% Significance Level			
260				Theta Star		0.0142						
261				nu star		92.12						
262			Approximate Chi Square Value (.05)			70.99			Nonparametric Statistics			
263			Adjusted Level of Significance			0.0122			95% CLT UCL			0.132
264			Adjusted Chi Square Value			64.32			95% Jackknife UCL			0.137
265									95% Standard Bootstrap UCL			0.13

	A	B	C	D	E	F	G	H	I	J	K	L
266				Anderson-Darling Test Statistic		0.784				95% Bootstrap-t UCL		0.204
267				Anderson-Darling 5% Critical Value		0.698				95% Hall's Bootstrap UCL		0.235
268				Kolmogorov-Smirnov Test Statistic		0.323				95% Percentile Bootstrap UCL		0.135
269				Kolmogorov-Smirnov 5% Critical Value		0.332				95% BCA Bootstrap UCL		0.141
270		**Data follow Appr. Gamma Distribution at 5% Significance Level**								95% Chebyshev(Mean, Sd) UCL		0.17
271										97.5% Chebyshev(Mean, Sd) UCL		0.196
272			**Assuming Gamma Distribution**							99% Chebyshev(Mean, Sd) UCL		0.248
273				95% Approximate Gamma UCL		0.141						
274				95% Adjusted Gamma UCL		0.156						
275												
276			**Potential UCL to Use**							Use 95% Approximate Gamma UCL		0.141
277												
278												
279	Mercury											
280												
281							**General Statistics**					
282				Number of Valid Observations		6				Number of Distinct Observations		6
283												
284			**Raw Statistics**						**Log-transformed Statistics**			
285					Minimum	0.035				Minimum of Log Data		-3.352
286					Maximum	0.094				Maximum of Log Data		-2.364
287					Mean	0.0608				Mean of log Data		-2.851
288					Median	0.059				SD of log Data		0.354
289					SD	0.0212						
290				Coefficient of Variation		0.348						
291					Skewness	0.529						
292												
293												
294			**Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!**									
295												
296				**It is suggested to collect at least 8 to 10 observations using these statistical methods!**								
297				**If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.**								
298												
299												
300							**Warning: There are only 6 Values in this data**					
301				**Note: It should be noted that even though bootstrap methods may be performed on this data set,**									
302						**the resulting calculations may not be reliable enough to draw conclusions**						
303												
304				**The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.**								
305												
306							**Relevant UCL Statistics**					
307			**Normal Distribution Test**						**Lognormal Distribution Test**			
308				Shapiro Wilk Test Statistic		0.975				Shapiro Wilk Test Statistic		0.989
309				Shapiro Wilk Critical Value		0.788				Shapiro Wilk Critical Value		0.788
310			**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**			
311												
312			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
313				95% Student's-t UCL		0.0782				95% H-UCL		0.0889
314		**95% UCLs (Adjusted for Skewness)**							95% Chebyshev (MVUE) UCL			0.0992
315				95% Adjusted-CLT UCL		0.077				97.5% Chebyshev (MVUE) UCL		0.116
316				95% Modified-t UCL		0.0786				99% Chebyshev (MVUE) UCL		0.148
317												
318			**Gamma Distribution Test**						**Data Distribution**			

	A	B	C	D	E	F	G	H	I	J	K	L
319				k star (bias corrected)		5.063		Data appear Normal at 5% Significance Level				
320				Theta Star		0.012						
321				nu star		60.76						
322			Approximate Chi Square Value (.05)			43.83		Nonparametric Statistics				
323			Adjusted Level of Significance			0.0122				95% CLT UCL		0.075
324			Adjusted Chi Square Value			38.7				95% Jackknife UCL		0.0782
325										95% Standard Bootstrap UCL		0.0738
326			Anderson-Darling Test Statistic			0.162				95% Bootstrap-t UCL		0.0837
327			Anderson-Darling 5% Critical Value			0.698				95% Hall's Bootstrap UCL		0.0907
328			Kolmogorov-Smirnov Test Statistic			0.138				95% Percentile Bootstrap UCL		0.074
329			Kolmogorov-Smirnov 5% Critical Value			0.332				95% BCA Bootstrap UCL		0.0753
330		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		0.0985
331										97.5% Chebyshev(Mean, Sd) UCL		0.115
332			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		0.147
333			95% Approximate Gamma UCL			0.0843						
334			95% Adjusted Gamma UCL			0.0955						
335												
336			Potential UCL to Use							Use 95% Student's-t UCL		0.0782
337												
338												
339	Nickel											
340												
341					General Statistics							
342			Number of Valid Observations			6			Number of Distinct Observations			6
343												
344			Raw Statistics						Log-transformed Statistics			
345				Minimum		0.003				Minimum of Log Data		-5.809
346				Maximum		0.055				Maximum of Log Data		-2.9
347				Mean		0.0205				Mean of log Data		-4.292
348				Median		0.014				SD of log Data		1.037
349				SD		0.0193						
350			Coefficient of Variation			0.941						
351				Skewness		1.374						
352												
353												
354		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
355												
356		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
357		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
358												
359												
360		Warning: There are only 6 Values in this data										
361		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
362		the resulting calculations may not be reliable enough to draw conclusions										
363												
364		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
365												
366					Relevant UCL Statistics							
367		Normal Distribution Test						Lognormal Distribution Test				
368			Shapiro Wilk Test Statistic			0.869				Shapiro Wilk Test Statistic		0.982
369			Shapiro Wilk Critical Value			0.788				Shapiro Wilk Critical Value		0.788
370		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
371												

	A	B	C	D	E	F	G	H	I	J	K	L
372				Assuming Normal Distribution					Assuming Lognormal Distribution			
373					95% Student's-t UCL	0.0364					95% H-UCL	0.168
374				95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL		0.0586
375					95% Adjusted-CLT UCL	0.0382				97.5% Chebyshev (MVUE) UCL		0.075
376					95% Modified-t UCL	0.0371				99% Chebyshev (MVUE) UCL		0.107
377												
378				Gamma Distribution Test					Data Distribution			
379				k star (bias corrected)		0.8		Data appear Normal at 5% Significance Level				
380					Theta Star	0.0256						
381					nu star	9.604						
382				Approximate Chi Square Value (.05)		3.696			Nonparametric Statistics			
383				Adjusted Level of Significance		0.0122				95% CLT UCL		0.0334
384				Adjusted Chi Square Value		2.5				95% Jackknife UCL		0.0364
385										95% Standard Bootstrap UCL		0.0326
386				Anderson-Darling Test Statistic		0.205				95% Bootstrap-t UCL		0.0599
387				Anderson-Darling 5% Critical Value		0.71				95% Hall's Bootstrap UCL		0.0981
388				Kolmogorov-Smirnov Test Statistic		0.208				95% Percentile Bootstrap UCL		0.0343
389				Kolmogorov-Smirnov 5% Critical Value		0.338				95% BCA Bootstrap UCL		0.0352
390		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		0.0548
391										97.5% Chebyshev(Mean, Sd) UCL		0.0697
392				Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL		0.0988
393				95% Approximate Gamma UCL		0.0533						
394				95% Adjusted Gamma UCL		0.0788						
395												
396				Potential UCL to Use						Use 95% Student's-t UCL		0.0364
397												
398												
399	Thallium											
400												
401					General Statistics							
402				Number of Valid Observations		6				Number of Distinct Observations		5
403												
404				Raw Statistics					Log-transformed Statistics			
405					Minimum	0.0012				Minimum of Log Data		-6.725
406					Maximum	0.003				Maximum of Log Data		-5.809
407					Mean	0.00208				Mean of log Data		-6.259
408					Median	0.0021				SD of log Data		0.459
409					SD	0.0008998						
410				Coefficient of Variation		0.432						
411					Skewness	-0.00599						
412												
413												
414		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
415												
416		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
417		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
418												
419												
420		Warning: There are only 6 Values in this data										
421		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
422		the resulting calculations may not be reliable enough to draw conclusions										
423												
424		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										

	A	B	C	D	E	F	G	H	I	J	K	L
425												
426							Relevant UCL Statistics					
427			Normal Distribution Test						Lognormal Distribution Test			
428				Shapiro Wilk Test Statistic		0.763				Shapiro Wilk Test Statistic		0.765
429				Shapiro Wilk Critical Value		0.788				Shapiro Wilk Critical Value		0.788
430			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
431												
432			Assuming Normal Distribution						Assuming Lognormal Distribution			
433				95% Student's-t UCL		0.00282				95% H-UCL		0.00358
434			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			0.00379
435				95% Adjusted-CLT UCL		0.00269				97.5% Chebyshev (MVUE) UCL		0.00453
436				95% Modified-t UCL		0.00282				99% Chebyshev (MVUE) UCL		0.00597
437												
438			Gamma Distribution Test						Data Distribution			
439				k star (bias corrected)		3.135		Data Follow Appr. Gamma Distribution at 5% Significance Level				
440				Theta Star		0.0006646						
441				nu star		37.61						
442			Approximate Chi Square Value (.05)			24.57			Nonparametric Statistics			
443			Adjusted Level of Significance			0.0122				95% CLT UCL		0.00269
444			Adjusted Chi Square Value			20.85				95% Jackknife UCL		0.00282
445										95% Standard Bootstrap UCL		0.00264
446			Anderson-Darling Test Statistic			0.798				95% Bootstrap-t UCL		0.00286
447			Anderson-Darling 5% Critical Value			0.698				95% Hall's Bootstrap UCL		0.00239
448			Kolmogorov-Smirnov Test Statistic			0.315				95% Percentile Bootstrap UCL		0.00263
449			Kolmogorov-Smirnov 5% Critical Value			0.333				95% BCA Bootstrap UCL		0.00263
450			Data follow Appr. Gamma Distribution at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			0.00368
451										97.5% Chebyshev(Mean, Sd) UCL		0.00438
452			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			0.00574
453				95% Approximate Gamma UCL		0.00319						
454				95% Adjusted Gamma UCL		0.00376						
455												
456			Potential UCL to Use						Use 95% Approximate Gamma UCL			0.00319
457							Recommended UCL exceeds the maximum observation					
458												
459												
460	Total Aroclors											
461												
462							General Statistics					
463				Number of Valid Observations		6				Number of Distinct Observations		6
464												
465			Raw Statistics						Log-transformed Statistics			
466				Minimum		37				Minimum of Log Data		3.611
467				Maximum		1336				Maximum of Log Data		7.197
468				Mean		363.3				Mean of log Data		4.988
469				Median		86.5				SD of log Data		1.462
470				SD		519.7						
471				Coefficient of Variation		1.431						
472				Skewness		1.754						
473												
474												
475		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
476												
477			It is suggested to collect at least 8 to 10 observations using these statistical methods!									

	A	B	C	D	E	F	G	H	I	J	K	L
478	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
479													
480													
481	Warning: There are only 6 Values in this data											
482	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
483	the resulting calculations may not be reliable enough to draw conclusions											
484													
485	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
486													
487	Relevant UCL Statistics											
488	Normal Distribution Test						Lognormal Distribution Test					
489	Shapiro Wilk Test Statistic					0.724	Shapiro Wilk Test Statistic					0.866
490	Shapiro Wilk Critical Value					0.788	Shapiro Wilk Critical Value					0.788
491	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
492													
493	Assuming Normal Distribution						Assuming Lognormal Distribution					
494	95% Student's-t UCL					790.8	95% H-UCL					18236
495	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					1129
496	95% Adjusted-CLT UCL					874.6	97.5% Chebyshev (MVUE) UCL					1477
497	95% Modified-t UCL					816.1	99% Chebyshev (MVUE) UCL					2159
498													
499	Gamma Distribution Test						Data Distribution					
500	k star (bias corrected)					0.446	Data appear Gamma Distributed at 5% Significance Level					
501	Theta Star					813.7						
502	nu star					5.357						
503	Approximate Chi Square Value (.05)					1.321	Nonparametric Statistics					
504	Adjusted Level of Significance					0.0122	95% CLT UCL					712.2
505	Adjusted Chi Square Value					0.731	95% Jackknife UCL					790.8
506							95% Standard Bootstrap UCL					676.3
507	Anderson-Darling Test Statistic					0.599	95% Bootstrap-t UCL					5044
508	Anderson-Darling 5% Critical Value					0.726	95% Hall's Bootstrap UCL					4916
509	Kolmogorov-Smirnov Test Statistic					0.303	95% Percentile Bootstrap UCL					702.8
510	Kolmogorov-Smirnov 5% Critical Value					0.345	95% BCA Bootstrap UCL					803.6
511	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					1288
512							97.5% Chebyshev(Mean, Sd) UCL					1688
513	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					2474
514	95% Approximate Gamma UCL					1474						
515	95% Adjusted Gamma UCL					2663						
516													
517	Potential UCL to Use						Use 95% Approximate Gamma UCL					1474
518	Recommended UCL exceeds the maximum observation											
519													
520													
521	Total DDE												
522													
523	General Statistics											
524	Number of Valid Observations					6	Number of Distinct Observations					6
525													
526	Raw Statistics						Log-transformed Statistics					
527	Minimum					6.6	Minimum of Log Data					1.887
528	Maximum					26.5	Maximum of Log Data					3.277
529	Mean					13.5	Mean of log Data					2.508
530	Median					11.5	SD of log Data					0.464

	A	B	C	D	E	F	G	H	I	J	K	L
531					SD	6.933						
532				Coefficient of Variation		0.514						
533					Skewness	1.626						
534												
535												
536	colspan: Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
537												
538	colspan: It is suggested to collect at least 8 to 10 observations using these statistical methods!											
539	colspan: If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
540												
541												
542	colspan: Warning: There are only 6 Values in this data											
543	colspan: Note: It should be noted that even though bootstrap methods may be performed on this data set,											
544	colspan: the resulting calculations may not be reliable enough to draw conclusions											
545												
546	colspan: The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
547												
548	colspan: Relevant UCL Statistics											
549	colspan: Normal Distribution Test						colspan: Lognormal Distribution Test					
550				Shapiro Wilk Test Statistic		0.853			Shapiro Wilk Test Statistic			0.963
551				Shapiro Wilk Critical Value		0.788			Shapiro Wilk Critical Value			0.788
552	colspan: Data appear Normal at 5% Significance Level						colspan: Data appear Lognormal at 5% Significance Level					
553												
554	colspan: Assuming Normal Distribution						colspan: Assuming Lognormal Distribution					
555				95% Student's-t UCL		19.2				95% H-UCL		23.23
556	colspan: 95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL			24.48
557				95% Adjusted-CLT UCL		20.16			97.5% Chebyshev (MVUE) UCL			29.27
558				95% Modified-t UCL		19.52			99% Chebyshev (MVUE) UCL			38.68
559												
560	colspan: Gamma Distribution Test						colspan: Data Distribution					
561				k star (bias corrected)		2.83	colspan: Data appear Normal at 5% Significance Level					
562					Theta Star	4.77						
563					nu star	33.96						
564		Approximate Chi Square Value (.05)				21.63	colspan: Nonparametric Statistics					
565			Adjusted Level of Significance			0.0122				95% CLT UCL		18.16
566			Adjusted Chi Square Value			18.17				95% Jackknife UCL		19.2
567									95% Standard Bootstrap UCL			17.67
568			Anderson-Darling Test Statistic			0.319				95% Bootstrap-t UCL		26.2
569			Anderson-Darling 5% Critical Value			0.698			95% Hall's Bootstrap UCL			44.7
570			Kolmogorov-Smirnov Test Statistic			0.216			95% Percentile Bootstrap UCL			17.95
571			Kolmogorov-Smirnov 5% Critical Value			0.333				95% BCA Bootstrap UCL		19.25
572	colspan: Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL			25.84
573									97.5% Chebyshev(Mean, Sd) UCL			31.18
574	colspan: Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL			41.66
575				95% Approximate Gamma UCL		21.19						
576				95% Adjusted Gamma UCL		25.24						
577												
578	colspan: Potential UCL to Use								Use 95% Student's-t UCL			19.2
579												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	BB-Study_area-WB								
4			Full Precision	OFF								
5			Confidence Coefficient	95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Zinc											
10												
11					General Statistics							
12			Number of Valid Observations		6				Number of Distinct Observations			6
13												
14			Raw Statistics						Log-transformed Statistics			
15				Minimum	12.7				Minimum of Log Data			2.542
16				Maximum	15.6				Maximum of Log Data			2.747
17				Mean	14.1				Mean of log Data			2.643
18				Median	14.25				SD of log Data			0.0806
19				SD	1.13							
20			Coefficient of Variation		0.0801							
21				Skewness	-0.116							
22												
23												
24		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
25												
26		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
27		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
28												
29												
30					Warning: There are only 6 Values in this data							
31			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
32				the resulting calculations may not be reliable enough to draw conclusions								
33												
34		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
35												
36					Relevant UCL Statistics							
37			Normal Distribution Test						Lognormal Distribution Test			
38			Shapiro Wilk Test Statistic		0.943				Shapiro Wilk Test Statistic			0.937
39			Shapiro Wilk Critical Value		0.788				Shapiro Wilk Critical Value			0.788
40		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
41												
42		Assuming Normal Distribution						Assuming Lognormal Distribution				
43				95% Student's-t UCL	15.03				95% H-UCL			N/A
44		95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL				16.12
45			95% Adjusted-CLT UCL		14.84				97.5% Chebyshev (MVUE) UCL			17
46			95% Modified-t UCL		15.03				99% Chebyshev (MVUE) UCL			18.72
47												
48			Gamma Distribution Test						Data Distribution			
49			k star (bias corrected)		92.88			Data appear Normal at 5% Significance Level				
50				Theta Star	0.152							
51				nu star	1115							
52		Approximate Chi Square Value (.05)			1038				Nonparametric Statistics			
53		Adjusted Level of Significance			0.0122				95% CLT UCL			14.86

	A	B	C	D	E	F	G	H	I	J	K	L
54	Adjusted Chi Square Value					1011				95% Jackknife UCL		15.03
55										95% Standard Bootstrap UCL		14.81
56	Anderson-Darling Test Statistic					0.286				95% Bootstrap-t UCL		14.98
57	Anderson-Darling 5% Critical Value					0.696				95% Hall's Bootstrap UCL		14.74
58	Kolmogorov-Smirnov Test Statistic					0.212				95% Percentile Bootstrap UCL		14.8
59	Kolmogorov-Smirnov 5% Critical Value					0.332				95% BCA Bootstrap UCL		14.78
60	**Data appear Gamma Distributed at 5% Significance Level**									95% Chebyshev(Mean, Sd) UCL		16.11
61										97.5% Chebyshev(Mean, Sd) UCL		16.98
62	**Assuming Gamma Distribution**									99% Chebyshev(Mean, Sd) UCL		18.69
63	95% Approximate Gamma UCL					15.14						
64	95% Adjusted Gamma UCL					15.54						
65												
66	**Potential UCL to Use**									Use 95% Student's-t UCL		15.03
67												
68												
69	Aluminum											
70												
71						**General Statistics**						
72	Number of Valid Observations					6				Number of Distinct Observations		5
73												
74	**Raw Statistics**							**Log-transformed Statistics**				
75	Minimum					4.2				Minimum of Log Data		1.435
76	Maximum					31.7				Maximum of Log Data		3.456
77	Mean					9.8				Mean of log Data		1.963
78	Median					5				SD of log Data		0.763
79	SD					10.81						
80	Coefficient of Variation					1.103						
81	Skewness					2.371						
82												
83												
84	**Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!**											
85												
86	**It is suggested to collect at least 8 to 10 observations using these statistical methods!**											
87	**If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.**											
88												
89												
90	**Warning: There are only 6 Values in this data**											
91	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
92	the resulting calculations may not be reliable enough to draw conclusions											
93												
94	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
95												
96						**Relevant UCL Statistics**						
97	**Normal Distribution Test**							**Lognormal Distribution Test**				
98	Shapiro Wilk Test Statistic					0.59				Shapiro Wilk Test Statistic		0.713
99	Shapiro Wilk Critical Value					0.788				Shapiro Wilk Critical Value		0.788
100	**Data not Normal at 5% Significance Level**							**Data not Lognormal at 5% Significance Level**				
101												
102	**Assuming Normal Distribution**							**Assuming Lognormal Distribution**				
103	95% Student's-t UCL					18.69				95% H-UCL		30.03
104	**95% UCLs (Adjusted for Skewness)**							95% Chebyshev (MVUE) UCL				21.16
105	95% Adjusted-CLT UCL					21.62				97.5% Chebyshev (MVUE) UCL		26.42
106	95% Modified-t UCL					19.4				99% Chebyshev (MVUE) UCL		36.75

	A	B	C	D	E	F	G	H	I	J	K	L
107												
108			Gamma Distribution Test						Data Distribution			
109				k star (bias corrected)		0.968		Data do not follow a Discernable Distribution (0.05)				
110				Theta Star		10.12						
111				nu star		11.62						
112			Approximate Chi Square Value (.05)			4.975			Nonparametric Statistics			
113			Adjusted Level of Significance			0.0122				95% CLT UCL		17.06
114			Adjusted Chi Square Value			3.529				95% Jackknife UCL		18.69
115										95% Standard Bootstrap UCL		16.36
116			Anderson-Darling Test Statistic			1.086				95% Bootstrap-t UCL		149.4
117			Anderson-Darling 5% Critical Value			0.706				95% Hall's Bootstrap UCL		126.2
118			Kolmogorov-Smirnov Test Statistic			0.359				95% Percentile Bootstrap UCL		18.18
119			Kolmogorov-Smirnov 5% Critical Value			0.337				95% BCA Bootstrap UCL		19.33
120		Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		29.04
121										97.5% Chebyshev(Mean, Sd) UCL		37.36
122			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		53.71
123			95% Approximate Gamma UCL			22.88						
124			95% Adjusted Gamma UCL			32.25						
125												
126			Potential UCL to Use						Use 95% Chebyshev (Mean, Sd) UCL			29.04
127												
128												
129	Arsenic											
130												
131							General Statistics					
132			Number of Valid Observations			6			Number of Distinct Observations			5
133												
134			Raw Statistics						Log-transformed Statistics			
135				Minimum		0.04				Minimum of Log Data		-3.219
136				Maximum		0.08				Maximum of Log Data		-2.526
137				Mean		0.0558				Mean of log Data		-2.911
138				Median		0.055				SD of log Data		0.247
139				SD		0.0143						
140			Coefficient of Variation			0.256						
141				Skewness		0.907						
142												
143												
144		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
145												
146		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
147		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
148												
149												
150							Warning: There are only 6 Values in this data					
151		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
152		the resulting calculations may not be reliable enough to draw conclusions										
153												
154		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
155												
156							Relevant UCL Statistics					
157			Normal Distribution Test						Lognormal Distribution Test			
158			Shapiro Wilk Test Statistic			0.93				Shapiro Wilk Test Statistic		0.963
159			Shapiro Wilk Critical Value			0.788				Shapiro Wilk Critical Value		0.788

	A	B	C	D	E	F	G	H	I	J	K	L
160	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
161												
162	Assuming Normal Distribution						Assuming Lognormal Distribution					
163	95% Student's-t UCL					0.0676	95% H-UCL					0.0711
164	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					0.0803
165	95% Adjusted-CLT UCL					0.0677	97.5% Chebyshev (MVUE) UCL					0.091
166	95% Modified-t UCL					0.0679	99% Chebyshev (MVUE) UCL					0.112
167												
168	Gamma Distribution Test						Data Distribution					
169	k star (bias corrected)					9.812	Data appear Normal at 5% Significance Level					
170	Theta Star					0.00569						
171	nu star					117.7						
172	Approximate Chi Square Value (.05)					93.69	Nonparametric Statistics					
173	Adjusted Level of Significance					0.0122	95% CLT UCL					0.0654
174	Adjusted Chi Square Value					85.95	95% Jackknife UCL					0.0676
175							95% Standard Bootstrap UCL					0.0648
176	Anderson-Darling Test Statistic					0.256	95% Bootstrap-t UCL					0.0731
177	Anderson-Darling 5% Critical Value					0.697	95% Hall's Bootstrap UCL					0.069
178	Kolmogorov-Smirnov Test Statistic					0.179	95% Percentile Bootstrap UCL					0.0642
179	Kolmogorov-Smirnov 5% Critical Value					0.332	95% BCA Bootstrap UCL					0.0667
180	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					0.0813
181							97.5% Chebyshev(Mean, Sd) UCL					0.0923
182	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					0.114
183	95% Approximate Gamma UCL					0.0702						
184	95% Adjusted Gamma UCL					0.0765						
185												
186	Potential UCL to Use						Use 95% Student's-t UCL					0.0676
187												
188												
189	Cadmium											
190												
191	General Statistics											
192	Number of Valid Observations					6	Number of Distinct Observations					5
193												
194	Raw Statistics						Log-transformed Statistics					
195	Minimum					0.008	Minimum of Log Data					-4.828
196	Maximum					0.014	Maximum of Log Data					-4.269
197	Mean					0.0116	Mean of log Data					-4.483
198	Median					0.0125	SD of log Data					0.251
199	SD					0.00269						
200	Coefficient of Variation					0.232						
201	Skewness					-0.68						
202												
203												
204	Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
205												
206	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
207	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
208												
209												
210	Warning: There are only 6 Values in this data											
211	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
212	the resulting calculations may not be reliable enough to draw conclusions											

	A	B	C	D	E	F	G	H	I	J	K	L
213												
214		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
215												
216						Relevant UCL Statistics						
217		Normal Distribution Test						Lognormal Distribution Test				
218				Shapiro Wilk Test Statistic		0.832				Shapiro Wilk Test Statistic		0.815
219				Shapiro Wilk Critical Value		0.788				Shapiro Wilk Critical Value		0.788
220		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
221												
222		Assuming Normal Distribution						Assuming Lognormal Distribution				
223				95% Student's-t UCL		0.0138				95% H-UCL		0.0148
224		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			0.0168
225				95% Adjusted-CLT UCL		0.0131			97.5% Chebyshev (MVUE) UCL			0.019
226				95% Modified-t UCL		0.0137			99% Chebyshev (MVUE) UCL			0.0234
227												
228		Gamma Distribution Test						Data Distribution				
229				k star (bias corrected)		10.2		Data appear Normal at 5% Significance Level				
230				Theta Star		0.00114						
231				nu star		122.4						
232		Approximate Chi Square Value (.05)				97.84		Nonparametric Statistics				
233		Adjusted Level of Significance				0.0122				95% CLT UCL		0.0134
234		Adjusted Chi Square Value				89.92				95% Jackknife UCL		0.0138
235										95% Standard Bootstrap UCL		0.0133
236		Anderson-Darling Test Statistic				0.605				95% Bootstrap-t UCL		0.0135
237		Anderson-Darling 5% Critical Value				0.697				95% Hall's Bootstrap UCL		0.0127
238		Kolmogorov-Smirnov Test Statistic				0.259				95% Percentile Bootstrap UCL		0.0132
239		Kolmogorov-Smirnov 5% Critical Value				0.332				95% BCA Bootstrap UCL		0.013
240		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			0.0164
241									97.5% Chebyshev(Mean, Sd) UCL			0.0184
242		Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL			0.0225
243				95% Approximate Gamma UCL		0.0145						
244				95% Adjusted Gamma UCL		0.0158						
245												
246		Potential UCL to Use							Use 95% Student's-t UCL			0.0138
247												
248												
249	Chromium											
250												
251						General Statistics						
252				Number of Valid Observations		6				Number of Distinct Observations		6
253												
254		Raw Statistics						Log-transformed Statistics				
255					Minimum	0.39				Minimum of Log Data		-0.942
256					Maximum	1.32				Maximum of Log Data		0.278
257					Mean	0.73				Mean of log Data		-0.419
258					Median	0.565				SD of log Data		0.488
259					SD	0.379						
260				Coefficient of Variation		0.519						
261					Skewness	0.984						
262												
263												
264		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
265												

It is suggested to collect at least 8 to 10 observations using these statistical methods!

If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

Warning: There are only 6 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set,

the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.848	Shapiro Wilk Test Statistic	0.902
Shapiro Wilk Critical Value	0.788	Shapiro Wilk Critical Value	0.788
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	1.042	95% H-UCL	1.311
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	1.356
95% Adjusted-CLT UCL	1.051	97.5% Chebyshev (MVUE) UCL	1.628
95% Modified-t UCL	1.052	99% Chebyshev (MVUE) UCL	2.164
Gamma Distribution Test		Data Distribution	
k star (bias corrected)	2.597	Data appear Normal at 5% Significance Level	
Theta Star	0.281		
nu star	31.17		
Approximate Chi Square Value (.05)	19.41	Nonparametric Statistics	
Adjusted Level of Significance	0.0122	95% CLT UCL	0.984
Adjusted Chi Square Value	16.15	95% Jackknife UCL	1.042
		95% Standard Bootstrap UCL	0.965
Anderson-Darling Test Statistic	0.449	95% Bootstrap-t UCL	1.828
Anderson-Darling 5% Critical Value	0.698	95% Hall's Bootstrap UCL	3.075
Kolmogorov-Smirnov Test Statistic	0.26	95% Percentile Bootstrap UCL	0.978
Kolmogorov-Smirnov 5% Critical Value	0.333	95% BCA Bootstrap UCL	1.017
Data appear Gamma Distributed at 5% Significance Level		95% Chebyshev(Mean, Sd) UCL	1.404
		97.5% Chebyshev(Mean, Sd) UCL	1.696
Assuming Gamma Distribution		99% Chebyshev(Mean, Sd) UCL	2.269
95% Approximate Gamma UCL	1.172		
95% Adjusted Gamma UCL	1.408		
Potential UCL to Use		Use 95% Student's-t UCL	1.042

Copper

General Statistics

Number of Valid Observations	6	Number of Distinct Observations	6
Raw Statistics		Log-transformed Statistics	
Minimum	0.586	Minimum of Log Data	-0.534
Maximum	0.798	Maximum of Log Data	-0.226
Mean	0.69	Mean of log Data	-0.378
Median	0.691	SD of log Data	0.128

	A	B	C	D	E	F	G	H	I	J	K	L
319					SD	0.0879						
320				Coefficient of Variation		0.127						
321					Skewness	0.00613						
322												
323												
324		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
325												
326		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
327		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
328												
329												
330		Warning: There are only 6 Values in this data										
331		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
332		the resulting calculations may not be reliable enough to draw conclusions										
333												
334		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
335												
336		Relevant UCL Statistics										
337		Normal Distribution Test						Lognormal Distribution Test				
338		Shapiro Wilk Test Statistic				0.924		Shapiro Wilk Test Statistic				0.922
339		Shapiro Wilk Critical Value				0.788		Shapiro Wilk Critical Value				0.788
340		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
341												
342		Assuming Normal Distribution						Assuming Lognormal Distribution				
343		95% Student's-t UCL				0.762		95% H-UCL				0.774
344		95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL				0.847
345		95% Adjusted-CLT UCL				0.749		97.5% Chebyshev (MVUE) UCL				0.916
346		95% Modified-t UCL				0.762		99% Chebyshev (MVUE) UCL				1.049
347												
348		Gamma Distribution Test						Data Distribution				
349		k star (bias corrected)				36.75		Data appear Normal at 5% Significance Level				
350		Theta Star				0.0188						
351		nu star				440.9						
352		Approximate Chi Square Value (.05)				393.3		Nonparametric Statistics				
353		Adjusted Level of Significance				0.0122		95% CLT UCL				0.749
354		Adjusted Chi Square Value				376.8		95% Jackknife UCL				0.762
355								95% Standard Bootstrap UCL				0.744
356		Anderson-Darling Test Statistic				0.302		95% Bootstrap-t UCL				0.768
357		Anderson-Darling 5% Critical Value				0.697		95% Hall's Bootstrap UCL				0.751
358		Kolmogorov-Smirnov Test Statistic				0.206		95% Percentile Bootstrap UCL				0.741
359		Kolmogorov-Smirnov 5% Critical Value				0.332		95% BCA Bootstrap UCL				0.744
360		Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL				0.846
361								97.5% Chebyshev(Mean, Sd) UCL				0.914
362		Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL				1.047
363		95% Approximate Gamma UCL				0.773						
364		95% Adjusted Gamma UCL				0.807						
365												
366		Potential UCL to Use						Use 95% Student's-t UCL				0.762
367												
368												
369	Lead											
370												
371		General Statistics										

	A	B	C	D	E	F	G	H	I	J	K	L
372				Number of Valid Data		6				Number of Detected Data		5
373			Number of Distinct Detected Data			3				Number of Non-Detect Data		1
374										Percent Non-Detects		16.67%
375												
376			Raw Statistics							Log-transformed Statistics		
377				Minimum Detected		0.023				Minimum Detected		-3.772
378				Maximum Detected		0.0435				Maximum Detected		-3.135
379				Mean of Detected		0.0289				Mean of Detected		-3.571
380				SD of Detected		0.00826				SD of Detected		0.25
381				Minimum Non-Detect		0.014				Minimum Non-Detect		-4.269
382				Maximum Non-Detect		0.014				Maximum Non-Detect		-4.269
383												
384												
385			Warning: There are only 3 Distinct Detected Values in this data set									
386			The number of detected data may not be adequate enough to perform GOF tests, bootstrap, and ROS methods.									
387			Those methods will return a 'N/A' value on your output display!									
388												
389			It is necessary to have 4 or more Distinct Values for bootstrap methods.									
390			It is recommended to have 10 to 15 or more observations for accurate and meaningful results and estimates.									
391												
392												
393						UCL Statistics						
394			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
395				Shapiro Wilk Test Statistic		0.679				Shapiro Wilk Test Statistic		0.72
396				5% Shapiro Wilk Critical Value		0.762				5% Shapiro Wilk Critical Value		0.762
397			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
398												
399			Assuming Normal Distribution						Assuming Lognormal Distribution			
400				DL/2 Substitution Method						DL/2 Substitution Method		
401					Mean	0.0253					Mean	-3.803
402					SD	0.0116					SD	0.61
403				95% DL/2 (t) UCL		0.0348				95% H-Stat (DL/2) UCL		0.0289
404												
405			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
406					Mean	0.0256				Mean in Log Scale		-3.664
407					SD	0.0102				SD in Log Scale		0.318
408				95% MLE (t) UCL		0.034				Mean in Original Scale		0.0268
409				95% MLE (Tiku) UCL		0.0343				SD in Original Scale		0.00904
410										95% Percentile Bootstrap UCL		0.0331
411										95% BCA Bootstrap UCL		0.0331
412												
413			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
414				k star (bias corrected)		7.517			Data do not follow a Discernable Distribution (0.05)			
415					Theta Star	0.00384						
416					nu star	75.17						
417												
418				A-D Test Statistic		0.916				Nonparametric Statistics		
419				5% A-D Critical Value		0.679				Kaplan-Meier (KM) Method		
420				K-S Test Statistic		0.679					Mean	0.0279
421				5% K-S Critical Value		0.357					SD	0.0071
422			Data not Gamma Distributed at 5% Significance Level							SE of Mean		0.00324
423										95% KM (t) UCL		0.0344
424			Assuming Gamma Distribution							95% KM (z) UCL		0.0332

	A	B	C	D	E	F	G	H	I	J	K	L
425				Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL		0.0342
426					Minimum	0.0202				95% KM (bootstrap t) UCL		1.8E+308
427					Maximum	0.0435				95% KM (BCA) UCL		0.0338
428					Mean	0.0274			95% KM (Percentile Bootstrap) UCL			0.0343
429					Median	0.026				95% KM (Chebyshev) UCL		0.042
430					SD	0.0082				97.5% KM (Chebyshev) UCL		0.0481
431					k star	8.251				99% KM (Chebyshev) UCL		0.0601
432					Theta star	0.00333						
433					Nu star	99.01			Potential UCLs to Use			
434					AppChi2	77.06				95% KM (Chebyshev) UCL		0.042
435				95% Gamma Approximate UCL		0.0353						
436				95% Adjusted Gamma UCL		0.0388						
437	Note: DL/2 is not a recommended method.											
438												
439												
440	Mercury											
441												
442							General Statistics					
443				Number of Valid Observations		6				Number of Distinct Observations		6
444												
445				Raw Statistics					Log-transformed Statistics			
446					Minimum	0.025				Minimum of Log Data		-3.689
447					Maximum	0.054				Maximum of Log Data		-2.919
448					Mean	0.0367				Mean of log Data		-3.342
449					Median	0.033				SD of log Data		0.292
450					SD	0.0111						
451				Coefficient of Variation		0.303						
452					Skewness	0.83						
453												
454												
455		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
456												
457				It is suggested to collect at least 8 to 10 observations using these statistical methods!								
458				If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
459												
460												
461							Warning: There are only 6 Values in this data					
462				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
463				the resulting calculations may not be reliable enough to draw conclusions								
464												
465				The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.								
466												
467							Relevant UCL Statistics					
468				Normal Distribution Test					Lognormal Distribution Test			
469				Shapiro Wilk Test Statistic		0.915				Shapiro Wilk Test Statistic		0.949
470				Shapiro Wilk Critical Value		0.788				Shapiro Wilk Critical Value		0.788
471		Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
472												
473		Assuming Normal Distribution							Assuming Lognormal Distribution			
474					95% Student's-t UCL	0.0458				95% H-UCL		0.0492
475		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		0.0556
476				95% Adjusted-CLT UCL		0.0458			97.5% Chebyshev (MVUE) UCL			0.0639
477				95% Modified-t UCL		0.0461				99% Chebyshev (MVUE) UCL		0.08

	A	B	C	D	E	F	G	H	I	J	K	L
478												
479			Gamma Distribution Test						Data Distribution			
480			k star (bias corrected)			7.072			Data appear Normal at 5% Significance Level			
481			Theta Star			0.00518						
482			nu star			84.86						
483			Approximate Chi Square Value (.05)			64.63			Nonparametric Statistics			
484			Adjusted Level of Significance			0.0122				95% CLT UCL		0.0441
485			Adjusted Chi Square Value			58.29				95% Jackknife UCL		0.0458
486										95% Standard Bootstrap UCL		0.0435
487			Anderson-Darling Test Statistic			0.297				95% Bootstrap-t UCL		0.0546
488			Anderson-Darling 5% Critical Value			0.698				95% Hall's Bootstrap UCL		0.103
489			Kolmogorov-Smirnov Test Statistic			0.2				95% Percentile Bootstrap UCL		0.044
490			Kolmogorov-Smirnov 5% Critical Value			0.332				95% BCA Bootstrap UCL		0.0445
491		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		0.0564
492										97.5% Chebyshev(Mean, Sd) UCL		0.065
493			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		0.0818
494			95% Approximate Gamma UCL			0.0481						
495			95% Adjusted Gamma UCL			0.0534						
496												
497			Potential UCL to Use						Use 95% Student's-t UCL			0.0458
498												
499												
500	Manganese											
501												
502					General Statistics							
503			Number of Valid Observations			6			Number of Distinct Observations			6
504												
505			Raw Statistics						Log-transformed Statistics			
506			Minimum			3.15			Minimum of Log Data			1.147
507			Maximum			10.8			Maximum of Log Data			2.38
508			Mean			5.09			Mean of log Data			1.521
509			Median			3.96			SD of log Data			0.473
510			SD			2.939						
511			Coefficient of Variation			0.577						
512			Skewness			1.978						
513												
514												
515		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
516												
517			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
518			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
519												
520												
521					Warning: There are only 6 Values in this data							
522			Note: It should be noted that even though bootstrap methods may be performed on this data set,										
523			the resulting calculations may not be reliable enough to draw conclusions										
524												
525		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
526												
527					Relevant UCL Statistics							
528			Normal Distribution Test						Lognormal Distribution Test			
529			Shapiro Wilk Test Statistic			0.737			Shapiro Wilk Test Statistic			0.831
530			Shapiro Wilk Critical Value			0.788			Shapiro Wilk Critical Value			0.788

	A	B	C	D	E	F	G	H	I	J	K	L
531	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
532												
533	Assuming Normal Distribution						Assuming Lognormal Distribution					
534	95% Student's-t UCL					7.507	95% H-UCL					8.826
535	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					9.237
536	95% Adjusted-CLT UCL					8.098	97.5% Chebyshev (MVUE) UCL					11.06
537	95% Modified-t UCL					7.669	99% Chebyshev (MVUE) UCL					14.65
538												
539	Gamma Distribution Test						Data Distribution					
540	k star (bias corrected)					2.536	Data appear Gamma Distributed at 5% Significance Level					
541	Theta Star					2.007						
542	nu star					30.44						
543	Approximate Chi Square Value (.05)					18.84	Nonparametric Statistics					
544	Adjusted Level of Significance					0.0122	95% CLT UCL					7.063
545	Adjusted Chi Square Value					15.63	95% Jackknife UCL					7.507
546							95% Standard Bootstrap UCL					6.891
547	Anderson-Darling Test Statistic					0.618	95% Bootstrap-t UCL					11.47
548	Anderson-Darling 5% Critical Value					0.698	95% Hall's Bootstrap UCL					14.84
549	Kolmogorov-Smirnov Test Statistic					0.254	95% Percentile Bootstrap UCL					7.065
550	Kolmogorov-Smirnov 5% Critical Value					0.333	95% BCA Bootstrap UCL					7.97
551	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					10.32
552							97.5% Chebyshev(Mean, Sd) UCL					12.58
553	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					17.03
554	95% Approximate Gamma UCL					8.225						
555	95% Adjusted Gamma UCL					9.909						
556												
557	Potential UCL to Use						Use 95% Approximate Gamma UCL					8.225
558												
559												
560	Nickel											
561												
562	General Statistics											
563	Number of Valid Observations					5	Number of Distinct Observations					5
564												
565	Raw Statistics						Log-transformed Statistics					
566	Minimum					0.213	Minimum of Log Data					-1.546
567	Maximum					0.321	Maximum of Log Data					-1.136
568	Mean					0.264	Mean of log Data					-1.342
569	Median					0.261	SD of log Data					0.162
570	SD					0.0428						
571	Coefficient of Variation					0.162						
572	Skewness					0.233						
573												
574												
575	Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
576												
577	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
578	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
579												
580												
581	Warning: There are only 5 Values in this data											
582	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
583	the resulting calculations may not be reliable enough to draw conclusions											

	A	B	C	D	E	F	G	H	I	J	K	L
584												
585			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
586												
587					Relevant UCL Statistics							
588			Normal Distribution Test					Lognormal Distribution Test				
589			Shapiro Wilk Test Statistic			0.983			Shapiro Wilk Test Statistic			0.986
590			Shapiro Wilk Critical Value			0.762			Shapiro Wilk Critical Value			0.762
591		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
592												
593			Assuming Normal Distribution						Assuming Lognormal Distribution			
594				95% Student's-t UCL		0.305				95% H-UCL		0.315
595		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			0.348
596			95% Adjusted-CLT UCL			0.298			97.5% Chebyshev (MVUE) UCL			0.384
597			95% Modified-t UCL			0.305			99% Chebyshev (MVUE) UCL			0.455
598												
599			Gamma Distribution Test						Data Distribution			
600			k star (bias corrected)			19.22		Data appear Normal at 5% Significance Level				
601			Theta Star			0.0137						
602			nu star			192.2						
603		Approximate Chi Square Value (.05)				161.2			Nonparametric Statistics			
604		Adjusted Level of Significance				0.0086			95% CLT UCL			0.296
605		Adjusted Chi Square Value				148.7			95% Jackknife UCL			0.305
606									95% Standard Bootstrap UCL			0.292
607		Anderson-Darling Test Statistic				0.181			95% Bootstrap-t UCL			0.312
608		Anderson-Darling 5% Critical Value				0.678			95% Hall's Bootstrap UCL			0.318
609		Kolmogorov-Smirnov Test Statistic				0.163			95% Percentile Bootstrap UCL			0.292
610		Kolmogorov-Smirnov 5% Critical Value				0.357			95% BCA Bootstrap UCL			0.292
611		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			0.348
612									97.5% Chebyshev(Mean, Sd) UCL			0.384
613			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			0.455
614			95% Approximate Gamma UCL			0.315						
615			95% Adjusted Gamma UCL			0.342						
616												
617			Potential UCL to Use						Use 95% Student's-t UCL			0.305
618												
619												
620	Total Aroclors											
621												
622					General Statistics							
623			Number of Valid Observations			6			Number of Distinct Observations			6
624												
625			Raw Statistics						Log-transformed Statistics			
626				Minimum		67				Minimum of Log Data		4.205
627				Maximum		1719				Maximum of Log Data		7.449
628				Mean		415.2				Mean of log Data		5.331
629				Median		139.8				SD of log Data		1.153
630				SD		644.3						
631			Coefficient of Variation			1.552						
632				Skewness		2.359						
633												
634												
635		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
636												

	A	B	C	D	E	F	G	H	I	J	K	L
637	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
638	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
639												
640												
641	Warning: There are only 6 Values in this data											
642	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
643	the resulting calculations may not be reliable enough to draw conclusions											
644												
645	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
646												
647	Relevant UCL Statistics											
648	Normal Distribution Test						Lognormal Distribution Test					
649	Shapiro Wilk Test Statistic					0.606	Shapiro Wilk Test Statistic					0.863
650	Shapiro Wilk Critical Value					0.788	Shapiro Wilk Critical Value					0.788
651	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
652												
653	Assuming Normal Distribution						Assuming Lognormal Distribution					
654	95% Student's-t UCL					945.2	95% H-UCL					4447
655	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					1038
656	95% Adjusted-CLT UCL					1118	97.5% Chebyshev (MVUE) UCL					1337
657	95% Modified-t UCL					987.4	99% Chebyshev (MVUE) UCL					1925
658												
659	Gamma Distribution Test						Data Distribution					
660	k star (bias corrected)					0.533	Data Follow Appr. Gamma Distribution at 5% Significance Level					
661	Theta Star					778.3						
662	nu star					6.402						
663	Approximate Chi Square Value (.05)					1.848	Nonparametric Statistics					
664	Adjusted Level of Significance					0.0122	95% CLT UCL					847.8
665	Adjusted Chi Square Value					1.098	95% Jackknife UCL					945.2
666							95% Standard Bootstrap UCL					803.5
667	Anderson-Darling Test Statistic					0.771	95% Bootstrap-t UCL					6213
668	Anderson-Darling 5% Critical Value					0.719	95% Hall's Bootstrap UCL					4729
669	Kolmogorov-Smirnov Test Statistic					0.32	95% Percentile Bootstrap UCL					910.1
670	Kolmogorov-Smirnov 5% Critical Value					0.342	95% BCA Bootstrap UCL					951.3
671	Data follow Appr. Gamma Distribution at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					1562
672							97.5% Chebyshev(Mean, Sd) UCL					2058
673	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					3032
674	95% Approximate Gamma UCL					1438						
675	95% Adjusted Gamma UCL					2421						
676												
677	Potential UCL to Use						Use 95% Approximate Gamma UCL					1438
678												
679												
680	Total DDD											
681												
682	General Statistics											
683	Number of Valid Observations					6	Number of Distinct Observations					6
684												
685	Raw Statistics						Log-transformed Statistics					
686	Minimum					7.7	Minimum of Log Data					2.041
687	Maximum					25	Maximum of Log Data					3.219
688	Mean					12.86	Mean of log Data					2.47
689	Median					11.2	SD of log Data					0.427

	A	B	C	D	E	F	G	H	I	J	K	L
690					SD	6.372						
691				Coefficient of Variation		0.496						
692					Skewness	1.787						
693												
694												
695	Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
696												
697	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
698	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
699												
700												
701	Warning: There are only 6 Values in this data											
702	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
703	the resulting calculations may not be reliable enough to draw conclusions											
704												
705	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
706												
707	Relevant UCL Statistics											
708	Normal Distribution Test						Lognormal Distribution Test					
709	Shapiro Wilk Test Statistic					0.81	Shapiro Wilk Test Statistic					0.913
710	Shapiro Wilk Critical Value					0.788	Shapiro Wilk Critical Value					0.788
711	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
712												
713	Assuming Normal Distribution						Assuming Lognormal Distribution					
714	95% Student's-t UCL					18.1	95% H-UCL					20.79
715	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					22.44
716	95% Adjusted-CLT UCL					19.16	97.5% Chebyshev (MVUE) UCL					26.64
717	95% Modified-t UCL					18.42	99% Chebyshev (MVUE) UCL					34.88
718												
719	Gamma Distribution Test						Data Distribution					
720	k star (bias corrected)					3.18	Data appear Normal at 5% Significance Level					
721	Theta Star					4.044						
722	nu star					38.16						
723	Approximate Chi Square Value (.05)					25.01	Nonparametric Statistics					
724	Adjusted Level of Significance					0.0122	95% CLT UCL					17.14
725	Adjusted Chi Square Value					21.25	95% Jackknife UCL					18.1
726							95% Standard Bootstrap UCL					16.68
727	Anderson-Darling Test Statistic					0.401	95% Bootstrap-t UCL					23.56
728	Anderson-Darling 5% Critical Value					0.698	95% Hall's Bootstrap UCL					34.83
729	Kolmogorov-Smirnov Test Statistic					0.218	95% Percentile Bootstrap UCL					16.87
730	Kolmogorov-Smirnov 5% Critical Value					0.333	95% BCA Bootstrap UCL					18.23
731	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					24.2
732							97.5% Chebyshev(Mean, Sd) UCL					29.1
733	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					38.74
734	95% Approximate Gamma UCL					19.62						
735	95% Adjusted Gamma UCL					23.09						
736												
737	Potential UCL to Use						Use 95% Student's-t UCL					18.1
738												
739												
740	Total DDE											
741												
742	General Statistics											

	A	B	C	D	E	F	G	H	I	J	K	L
743			Number of Valid Observations			6				Number of Distinct Observations		6
744												
745			Raw Statistics							Log-transformed Statistics		
746				Minimum		29.5				Minimum of Log Data		3.384
747				Maximum		70				Maximum of Log Data		4.248
748				Mean		47.42				Mean of log Data		3.811
749				Median		47.5				SD of log Data		0.342
750				SD		15.76						
751			Coefficient of Variation			0.332						
752				Skewness		0.253						
753												
754												
755		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
756												
757		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
758		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
759												
760												
761		Warning: There are only 6 Values in this data										
762		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
763		the resulting calculations may not be reliable enough to draw conclusions										
764												
765		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
766												
767					Relevant UCL Statistics							
768			Normal Distribution Test							Lognormal Distribution Test		
769			Shapiro Wilk Test Statistic			0.948				Shapiro Wilk Test Statistic		0.943
770			Shapiro Wilk Critical Value			0.788				Shapiro Wilk Critical Value		0.788
771		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
772												
773			Assuming Normal Distribution							Assuming Lognormal Distribution		
774				95% Student's-t UCL		60.38				95% H-UCL		68.17
775		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			76.33
776			95% Adjusted-CLT UCL			58.71				97.5% Chebyshev (MVUE) UCL		88.83
777			95% Modified-t UCL			60.49				99% Chebyshev (MVUE) UCL		113.4
778												
779			Gamma Distribution Test							Data Distribution		
780			k star (bias corrected)			5.423		Data appear Normal at 5% Significance Level				
781				Theta Star		8.744						
782				nu star		65.07						
783		Approximate Chi Square Value (.05)				47.51				Nonparametric Statistics		
784		Adjusted Level of Significance				0.0122				95% CLT UCL		58
785			Adjusted Chi Square Value			42.15				95% Jackknife UCL		60.38
786										95% Standard Bootstrap UCL		57.35
787		Anderson-Darling Test Statistic				0.259				95% Bootstrap-t UCL		61.82
788		Anderson-Darling 5% Critical Value				0.698				95% Hall's Bootstrap UCL		57.48
789		Kolmogorov-Smirnov Test Statistic				0.197				95% Percentile Bootstrap UCL		57.67
790		Kolmogorov-Smirnov 5% Critical Value				0.332				95% BCA Bootstrap UCL		57.83
791		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			75.45
792										97.5% Chebyshev(Mean, Sd) UCL		87.59
793			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		111.4
794			95% Approximate Gamma UCL			64.94						
795			95% Adjusted Gamma UCL			73.21						

	A	B	C	D	E	F	G	H	I	J	K	L
796												
797			Potential UCL to Use						Use 95% Student's-t UCL			60.38
798												
799												
800	Total Dioxin/Furan TEQ											
801												
802					General Statistics							
803			Number of Valid Observations			6			Number of Distinct Observations			6
804												
805			Raw Statistics						Log-transformed Statistics			
806				Minimum		1.291			Minimum of Log Data			0.255
807				Maximum		2.117			Maximum of Log Data			0.75
808				Mean		1.582			Mean of log Data			0.444
809				Median		1.529			SD of log Data			0.183
810				SD		0.305						
811			Coefficient of Variation			0.193						
812				Skewness		1.173						
813												
814												
815		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
816												
817		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
818		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
819												
820												
821					Warning: There are only 6 Values in this data							
822		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
823		the resulting calculations may not be reliable enough to draw conclusions										
824												
825		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
826												
827					Relevant UCL Statistics							
828			Normal Distribution Test						Lognormal Distribution Test			
829			Shapiro Wilk Test Statistic			0.89			Shapiro Wilk Test Statistic			0.918
830			Shapiro Wilk Critical Value			0.788			Shapiro Wilk Critical Value			0.788
831		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
832												
833			Assuming Normal Distribution						Assuming Lognormal Distribution			
834			95% Student's-t UCL			1.833			95% H-UCL			1.875
835		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			2.097
836			95% Adjusted-CLT UCL			1.851			97.5% Chebyshev (MVUE) UCL			2.32
837			95% Modified-t UCL			1.843			99% Chebyshev (MVUE) UCL			2.758
838												
839			Gamma Distribution Test						Data Distribution			
840			k star (bias corrected)			17.52		Data appear Normal at 5% Significance Level				
841				Theta Star		0.0903						
842				nu star		210.2						
843		Approximate Chi Square Value (.05)				177.7			Nonparametric Statistics			
844		Adjusted Level of Significance				0.0122			95% CLT UCL			1.787
845		Adjusted Chi Square Value				166.8			95% Jackknife UCL			1.833
846									95% Standard Bootstrap UCL			1.769
847		Anderson-Darling Test Statistic				0.346			95% Bootstrap-t UCL			1.992
848		Anderson-Darling 5% Critical Value				0.697			95% Hall's Bootstrap UCL			3.027

	A	B	C	D	E	F	G	H	I	J	K	L
849			Kolmogorov-Smirnov Test Statistic			0.222			95% Percentile Bootstrap UCL			1.786
850			Kolmogorov-Smirnov 5% Critical Value			0.332			95% BCA Bootstrap UCL			1.818
851			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			2.125
852									97.5% Chebyshev(Mean, Sd) UCL			2.359
853			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			2.82
854			95% Approximate Gamma UCL			1.872						
855			95% Adjusted Gamma UCL			1.994						
856												
857			Potential UCL to Use						Use 95% Student's-t UCL			1.833
858												
859												
860	Total DDT											
861												
862						General Statistics						
863			Number of Valid Data			6			Number of Detected Data			5
864			Number of Distinct Detected Data			5			Number of Non-Detect Data			1
865									Percent Non-Detects			16.67%
866												
867			Raw Statistics						Log-transformed Statistics			
868			Minimum Detected			8.6			Minimum Detected			2.152
869			Maximum Detected			58			Maximum Detected			4.06
870			Mean of Detected			32.16			Mean of Detected			3.298
871			SD of Detected			18.3			SD of Detected			0.72
872			Minimum Non-Detect			6.9			Minimum Non-Detect			1.932
873			Maximum Non-Detect			6.9			Maximum Non-Detect			1.932
874												
875												
876					Warning: There are only 5 Detected Values in this data							
877					Note: It should be noted that even though bootstrap may be performed on this data set							
878					the resulting calculations may not be reliable enough tp draw conclusions							
879												
880					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
881												
882												
883						UCL Statistics						
884			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
885			Shapiro Wilk Test Statistic			0.99			Shapiro Wilk Test Statistic			0.929
886			5% Shapiro Wilk Critical Value			0.762			5% Shapiro Wilk Critical Value			0.762
887			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
888												
889			Assuming Normal Distribution						Assuming Lognormal Distribution			
890			DL/2 Substitution Method						DL/2 Substitution Method			
891			Mean			27.38			Mean			2.955
892			SD			20.13			SD			1.059
893			95% DL/2 (t) UCL			43.94			95% H-Stat (DL/2) UCL			101.4
894												
895			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
896			Mean			26.11			Mean in Log Scale			3.003
897			SD			20.51			SD in Log Scale			0.969
898			95% MLE (t) UCL			42.99			Mean in Original Scale			27.57
899			95% MLE (Tiku) UCL			43.31			SD in Original Scale			19.86
900									95% Percentile Bootstrap UCL			39.73
901									95% BCA Bootstrap UCL			40.2

	A	B	C	D	E	F	G	H	I	J	K	L
902												
903		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
904					k star (bias corrected)	1.353		Data appear Normal at 5% Significance Level				
905					Theta Star	23.77						
906					nu star	13.53						
907												
908					A-D Test Statistic	0.237		Nonparametric Statistics				
909					5% A-D Critical Value	0.683			Kaplan-Meier (KM) Method			
910					K-S Test Statistic	0.683					Mean	28.23
911					5% K-S Critical Value	0.359					SD	17.33
912		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	7.911
913											95% KM (t) UCL	44.17
914		Assuming Gamma Distribution									95% KM (z) UCL	41.25
915		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	44.38
916					Minimum	6.397					95% KM (bootstrap t) UCL	44.66
917					Maximum	58					95% KM (BCA) UCL	43.03
918					Mean	27.87			95% KM (Percentile Bootstrap) UCL			42.22
919					Median	28.1					95% KM (Chebyshev) UCL	62.72
920					SD	19.46					97.5% KM (Chebyshev) UCL	77.64
921					k star	1.113					99% KM (Chebyshev) UCL	106.9
922					Theta star	25.04						
923					Nu star	13.35		Potential UCLs to Use				
924					AppChi2	6.13					95% KM (t) UCL	44.17
925		95% Gamma Approximate UCL				60.7			95% KM (Percentile Bootstrap) UCL			42.22
926		95% Adjusted Gamma UCL				82.98						
927	Note: DL/2 is not a recommended method.											
928												
929												
930	Total Dioxin-like PCBs											
931												
932						General Statistics						
933			Number of Valid Observations			6			Number of Distinct Observations			6
934												
935		Raw Statistics						Log-transformed Statistics				
936					Minimum	5531			Minimum of Log Data			8.618
937					Maximum	56350			Maximum of Log Data			10.94
938					Mean	22840			Mean of log Data			9.795
939					Median	16811			SD of log Data			0.772
940					SD	17930						
941				Coefficient of Variation		0.785						
942					Skewness	1.629						
943												
944												
945		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
946												
947		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
948		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
949												
950												
951		Warning: There are only 6 Values in this data										
952		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
953		the resulting calculations may not be reliable enough to draw conclusions										
954												

	A	B	C	D	E	F	G	H	I	J	K	L
955	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
956												
957	Relevant UCL Statistics											
958	Normal Distribution Test						Lognormal Distribution Test					
959	Shapiro Wilk Test Statistic					0.846	Shapiro Wilk Test Statistic					0.976
960	Shapiro Wilk Critical Value					0.788	Shapiro Wilk Critical Value					0.788
961	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
962												
963	Assuming Normal Distribution						Assuming Lognormal Distribution					
964	95% Student's-t UCL					37590	95% H-UCL					77989
965	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					53967
966	95% Adjusted-CLT UCL					40082	97.5% Chebyshev (MVUE) UCL					67446
967	95% Modified-t UCL					38402	99% Chebyshev (MVUE) UCL					93922
968												
969	Gamma Distribution Test						Data Distribution					
970	k star (bias corrected)					1.223	Data appear Normal at 5% Significance Level					
971	Theta Star					18672						
972	nu star					14.68						
973	Approximate Chi Square Value (.05)					7.039	Nonparametric Statistics					
974	Adjusted Level of Significance					0.0122	95% CLT UCL					34881
975	Adjusted Chi Square Value					5.246	95% Jackknife UCL					37590
976							95% Standard Bootstrap UCL					33691
977	Anderson-Darling Test Statistic					0.264	95% Bootstrap-t UCL					58313
978	Anderson-Darling 5% Critical Value					0.704	95% Hall's Bootstrap UCL					107392
979	Kolmogorov-Smirnov Test Statistic					0.206	95% Percentile Bootstrap UCL					34659
980	Kolmogorov-Smirnov 5% Critical Value					0.336	95% BCA Bootstrap UCL					38126
981	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					54748
982							97.5% Chebyshev(Mean, Sd) UCL					68554
983	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					95674
984	95% Approximate Gamma UCL					47632						
985	95% Adjusted Gamma UCL					63905						
986												
987	Potential UCL to Use						Use 95% Student's-t UCL					37590
988												
989												
990	Total PCB TEQ											
991												
992	General Statistics											
993	Number of Valid Observations					6	Number of Distinct Observations					6
994												
995	Raw Statistics						Log-transformed Statistics					
996	Minimum					1.602	Minimum of Log Data					0.471
997	Maximum					6.038	Maximum of Log Data					1.798
998	Mean					3.464	Mean of log Data					1.145
999	Median					2.903	SD of log Data					0.484
1000	SD					1.675						
1001	Coefficient of Variation					0.483						
1002	Skewness					0.775						
1003												
1004												
1005	Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
1006												
1007	It is suggested to collect at least 8 to 10 observations using these statistical methods!											

	A	B	C	D	E	F	G	H	I	J	K	L
1008	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
1009												
1010												
1011	Warning: There are only 6 Values in this data											
1012	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
1013	the resulting calculations may not be reliable enough to draw conclusions											
1014												
1015	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
1016												
1017	Relevant UCL Statistics											
1018	Normal Distribution Test						Lognormal Distribution Test					
1019	Shapiro Wilk Test Statistic					0.917	Shapiro Wilk Test Statistic					0.965
1020	Shapiro Wilk Critical Value					0.788	Shapiro Wilk Critical Value					0.788
1021	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
1022												
1023	Assuming Normal Distribution						Assuming Lognormal Distribution					
1024	95% Student's-t UCL					4.842	95% H-UCL					6.206
1025	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					6.44
1026	95% Adjusted-CLT UCL					4.82	97.5% Chebyshev (MVUE) UCL					7.729
1027	95% Modified-t UCL					4.878	99% Chebyshev (MVUE) UCL					10.26
1028												
1029	Gamma Distribution Test						Data Distribution					
1030	k star (bias corrected)					2.769	Data appear Normal at 5% Significance Level					
1031	Theta Star					1.251						
1032	nu star					33.23						
1033	Approximate Chi Square Value (.05)					21.05	Nonparametric Statistics					
1034	Adjusted Level of Significance					0.0122	95% CLT UCL					4.589
1035	Adjusted Chi Square Value					17.64	95% Jackknife UCL					4.842
1036							95% Standard Bootstrap UCL					4.49
1037	Anderson-Darling Test Statistic					0.27	95% Bootstrap-t UCL					6.313
1038	Anderson-Darling 5% Critical Value					0.698	95% Hall's Bootstrap UCL					16.26
1039	Kolmogorov-Smirnov Test Statistic					0.221	95% Percentile Bootstrap UCL					4.566
1040	Kolmogorov-Smirnov 5% Critical Value					0.333	95% BCA Bootstrap UCL					4.566
1041	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					6.444
1042							97.5% Chebyshev(Mean, Sd) UCL					7.734
1043	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					10.27
1044	95% Approximate Gamma UCL					5.468						
1045	95% Adjusted Gamma UCL					6.526						
1046												
1047	Potential UCL to Use						Use 95% Student's-t UCL					4.842
1048												
1049												
1050	Total PCB_Congeners											
1051												
1052	General Statistics											
1053	Number of Valid Observations					6	Number of Distinct Observations					6
1054												
1055	Raw Statistics						Log-transformed Statistics					
1056	Minimum					83372	Minimum of Log Data					11.33
1057	Maximum					1950160	Maximum of Log Data					14.48
1058	Mean					510891	Mean of log Data					12.59
1059	Median					250841	SD of log Data					1.051
1060	SD					710847						

	A	B	C	D	E	F	G	H	I	J	K	L
1061					Coefficient of Variation	1.391						
1062					Skewness	2.361						
1063												
1064												
1065		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
1066												
1067		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
1068		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
1069												
1070												
1071		Warning: There are only 6 Values in this data										
1072		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
1073		the resulting calculations may not be reliable enough to draw conclusions										
1074												
1075		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
1076												
1077		Relevant UCL Statistics										
1078		Normal Distribution Test						Lognormal Distribution Test				
1079		Shapiro Wilk Test Statistic				0.621		Shapiro Wilk Test Statistic				0.903
1080		Shapiro Wilk Critical Value				0.788		Shapiro Wilk Critical Value				0.788
1081		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1082												
1083		Assuming Normal Distribution						Assuming Lognormal Distribution				
1084		95% Student's-t UCL				1095662		95% H-UCL				3854465
1085		95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL				1281721
1086		95% Adjusted-CLT UCL				1287076		97.5% Chebyshev (MVUE) UCL				1640578
1087		95% Modified-t UCL				1142276		99% Chebyshev (MVUE) UCL				2345484
1088												
1089		Gamma Distribution Test						Data Distribution				
1090		k star (bias corrected)				0.629		Data appear Gamma Distributed at 5% Significance Level				
1091		Theta Star				812281						
1092		nu star				7.548						
1093		Approximate Chi Square Value (.05)				2.476		Nonparametric Statistics				
1094		Adjusted Level of Significance				0.0122		95% CLT UCL				988231
1095		Adjusted Chi Square Value				1.558		95% Jackknife UCL				1095662
1096								95% Standard Bootstrap UCL				949195
1097		Anderson-Darling Test Statistic				0.686		95% Bootstrap-t UCL				3773977
1098		Anderson-Darling 5% Critical Value				0.715		95% Hall's Bootstrap UCL				3772418
1099		Kolmogorov-Smirnov Test Statistic				0.339		95% Percentile Bootstrap UCL				1067487
1100		Kolmogorov-Smirnov 5% Critical Value				0.341		95% BCA Bootstrap UCL				1122367
1101		Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL				1775853
1102								97.5% Chebyshev(Mean, Sd) UCL				2323203
1103		Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL				3398366
1104		95% Approximate Gamma UCL				1557418						
1105		95% Adjusted Gamma UCL				2474504						
1106												
1107		Potential UCL to Use						Use 95% Approximate Gamma UCL				1557418
1108												
1109												
1110	Total PCBs, Adjusted											
1111												
1112		General Statistics										
1113		Number of Valid Observations				6		Number of Distinct Observations				6

	A	B	C	D	E	F	G	H	I	J	K	L
1114												
1115			Raw Statistics					Log-transformed Statistics				
1116					Minimum	77841				Minimum of Log Data		11.26
1117					Maximum	1893810				Maximum of Log Data		14.45
1118					Mean	488051				Mean of log Data		12.52
1119					Median	230072				SD of log Data		1.07
1120					SD	694080						
1121				Coefficient of Variation		1.422						
1122					Skewness	2.364						
1123												
1124												
1125		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
1126												
1127		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
1128		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
1129												
1130												
1131		Warning: There are only 6 Values in this data										
1132		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
1133		the resulting calculations may not be reliable enough to draw conclusions										
1134												
1135		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
1136												
1137					Relevant UCL Statistics							
1138			Normal Distribution Test						Lognormal Distribution Test			
1139				Shapiro Wilk Test Statistic		0.619				Shapiro Wilk Test Statistic		0.904
1140				Shapiro Wilk Critical Value		0.788				Shapiro Wilk Critical Value		0.788
1141		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1142												
1143			Assuming Normal Distribution						Assuming Lognormal Distribution			
1144				95% Student's-t UCL		1059029				95% H-UCL		3933926
1145		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			1226779
1146				95% Adjusted-CLT UCL		1246392			97.5% Chebyshev (MVUE) UCL			1572318
1147				95% Modified-t UCL		1104616				99% Chebyshev (MVUE) UCL		2251063
1148												
1149			Gamma Distribution Test						Data Distribution			
1150				k star (bias corrected)		0.609		Data appear Gamma Distributed at 5% Significance Level				
1151					Theta Star	800917						
1152					nu star	7.312						
1153		Approximate Chi Square Value (.05)					2.344			Nonparametric Statistics			
1154			Adjusted Level of Significance			0.0122				95% CLT UCL		954132
1155				Adjusted Chi Square Value		1.46				95% Jackknife UCL		1059029
1156										95% Standard Bootstrap UCL		924065
1157			Anderson-Darling Test Statistic			0.684				95% Bootstrap-t UCL		3794478
1158			Anderson-Darling 5% Critical Value			0.715				95% Hall's Bootstrap UCL		3656282
1159			Kolmogorov-Smirnov Test Statistic			0.336				95% Percentile Bootstrap UCL		1021343
1160			Kolmogorov-Smirnov 5% Critical Value			0.341				95% BCA Bootstrap UCL		1093326
1161		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			1723175
1162									97.5% Chebyshev(Mean, Sd) UCL			2257614
1163		Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL			3307417
1164				95% Approximate Gamma UCL		1522802						
1165				95% Adjusted Gamma UCL		2445196						
1166												

	A	B	C	D	E	F	G	H	I	J	K	L
1167	\multicolumn{6}{l}{Potential UCL to Use}						Use 95% Approximate Gamma UCL				1522802
1168												
1169												
1170	Total TEQ											
1171												
1172						General Statistics						
1173				Number of Valid Observations		6			Number of Distinct Observations			6
1174												
1175			Raw Statistics						Log-transformed Statistics			
1176				Minimum		2.918			Minimum of Log Data			1.071
1177				Maximum		8.155			Maximum of Log Data			2.099
1178				Mean		5.046			Mean of log Data			1.564
1179				Median		4.524			SD of log Data			0.36
1180				SD		1.869						
1181			Coefficient of Variation			0.37						
1182				Skewness		0.928						
1183												
1184												
1185	\multicolumn{12}{c}{Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!}											
1186												
1187	\multicolumn{12}{c}{It is suggested to collect at least 8 to 10 observations using these statistical methods!}											
1188	\multicolumn{12}{c}{If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.}											
1189												
1190												
1191	\multicolumn{12}{c}{Warning: There are only 6 Values in this data}											
1192	\multicolumn{12}{c}{Note: It should be noted that even though bootstrap methods may be performed on this data set,}											
1193	\multicolumn{12}{c}{the resulting calculations may not be reliable enough to draw conclusions}											
1194												
1195	\multicolumn{12}{c}{The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.}											
1196												
1197						Relevant UCL Statistics						
1198			Normal Distribution Test						Lognormal Distribution Test			
1199				Shapiro Wilk Test Statistic		0.94			Shapiro Wilk Test Statistic			0.984
1200				Shapiro Wilk Critical Value		0.788			Shapiro Wilk Critical Value			0.788
1201	\multicolumn{6}{c}{Data appear Normal at 5% Significance Level}						\multicolumn{6}{c}{Data appear Lognormal at 5% Significance Level}					
1202												
1203			Assuming Normal Distribution						Assuming Lognormal Distribution			
1204				95% Student's-t UCL		6.584			95% H-UCL			7.424
1205			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			8.268
1206				95% Adjusted-CLT UCL		6.61			97.5% Chebyshev (MVUE) UCL			9.665
1207				95% Modified-t UCL		6.632			99% Chebyshev (MVUE) UCL			12.41
1208												
1209			Gamma Distribution Test						Data Distribution			
1210				k star (bias corrected)		4.763		\multicolumn{5}{l}{Data appear Normal at 5% Significance Level}					
1211				Theta Star		1.06						
1212				nu star		57.15						
1213			Approximate Chi Square Value (.05)			40.77			Nonparametric Statistics			
1214			Adjusted Level of Significance			0.0122			95% CLT UCL			6.301
1215			Adjusted Chi Square Value			35.84			95% Jackknife UCL			6.584
1216									95% Standard Bootstrap UCL			6.18
1217			Anderson-Darling Test Statistic			0.212			95% Bootstrap-t UCL			7.787
1218			Anderson-Darling 5% Critical Value			0.698			95% Hall's Bootstrap UCL			16.67
1219			Kolmogorov-Smirnov Test Statistic			0.191			95% Percentile Bootstrap UCL			6.299

	A	B	C	D	E	F	G	H	I	J	K	L
1220					Kolmogorov-Smirnov 5% Critical Value	0.333					95% BCA Bootstrap UCL	6.54
1221	**Data appear Gamma Distributed at 5% Significance Level**										95% Chebyshev(Mean, Sd) UCL	8.372
1222											97.5% Chebyshev(Mean, Sd) UCL	9.811
1223	**Assuming Gamma Distribution**										99% Chebyshev(Mean, Sd) UCL	12.64
1224				95% Approximate Gamma UCL		7.073						
1225				95% Adjusted Gamma UCL		8.047						
1226												
1227	**Potential UCL to Use**									Use 95% Student's-t UCL		6.584
1228												

	A	B	C	D	E	F	G	H	I	J	K	L
1061				Coefficient of Variation		1.391						
1062				Skewness		2.361						
1063												
1064												
1065			Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!									
1066												
1067			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
1068			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
1069												
1070												
1071			Warning: There are only 6 Values in this data									
1072			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
1073			the resulting calculations may not be reliable enough to draw conclusions									
1074												
1075			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
1076												
1077			Relevant UCL Statistics									
1078			Normal Distribution Test					Lognormal Distribution Test				
1079			Shapiro Wilk Test Statistic			0.621			Shapiro Wilk Test Statistic			0.903
1080			Shapiro Wilk Critical Value			0.788			Shapiro Wilk Critical Value			0.788
1081			Data not Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
1082												
1083			Assuming Normal Distribution					Assuming Lognormal Distribution				
1084			95% Student's-t UCL			1095662				95% H-UCL		3854465
1085			95% UCLs (Adjusted for Skewness)					95% Chebyshev (MVUE) UCL				1281721
1086			95% Adjusted-CLT UCL			1287076			97.5% Chebyshev (MVUE) UCL			1640578
1087			95% Modified-t UCL			1142276			99% Chebyshev (MVUE) UCL			2345484
1088												
1089			Gamma Distribution Test					Data Distribution				
1090			k star (bias corrected)			0.629		Data appear Gamma Distributed at 5% Significance Level				
1091			Theta Star			812281						
1092			nu star			7.548						
1093			Approximate Chi Square Value (.05)			2.476		Nonparametric Statistics				
1094			Adjusted Level of Significance			0.0122				95% CLT UCL		988231
1095			Adjusted Chi Square Value			1.558				95% Jackknife UCL		1095662
1096									95% Standard Bootstrap UCL			949195
1097			Anderson-Darling Test Statistic			0.686				95% Bootstrap-t UCL		3773977
1098			Anderson-Darling 5% Critical Value			0.715			95% Hall's Bootstrap UCL			3772418
1099			Kolmogorov-Smirnov Test Statistic			0.339			95% Percentile Bootstrap UCL			1067487
1100			Kolmogorov-Smirnov 5% Critical Value			0.341				95% BCA Bootstrap UCL		1122367
1101			Data appear Gamma Distributed at 5% Significance Level					95% Chebyshev(Mean, Sd) UCL				1775853
1102								97.5% Chebyshev(Mean, Sd) UCL				2323203
1103			Assuming Gamma Distribution					99% Chebyshev(Mean, Sd) UCL				3398366
1104			95% Approximate Gamma UCL			1557418						
1105			95% Adjusted Gamma UCL			2474504						
1106												
1107			Potential UCL to Use					Use 95% Approximate Gamma UCL				1557418
1108												
1109												
1110	Total PCBs, Adjusted											
1111												
1112			General Statistics									
1113			Number of Valid Observations			6			Number of Distinct Observations			6

	A	B	C	D	E	F	G	H	I	J	K	L
1114												
1115			Raw Statistics						Log-transformed Statistics			
1116					Minimum	77841				Minimum of Log Data		11.26
1117					Maximum	1893810				Maximum of Log Data		14.45
1118					Mean	488051				Mean of log Data		12.52
1119					Median	230072				SD of log Data		1.07
1120					SD	694080						
1121				Coefficient of Variation		1.422						
1122					Skewness	2.364						
1123												
1124												
1125		Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
1126												
1127		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
1128		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
1129												
1130												
1131		Warning: There are only 6 Values in this data										
1132		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
1133		the resulting calculations may not be reliable enough to draw conclusions										
1134												
1135		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
1136												
1137					Relevant UCL Statistics							
1138			Normal Distribution Test						Lognormal Distribution Test			
1139			Shapiro Wilk Test Statistic			0.619				Shapiro Wilk Test Statistic		0.904
1140			Shapiro Wilk Critical Value			0.788				Shapiro Wilk Critical Value		0.788
1141		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1142												
1143			Assuming Normal Distribution						Assuming Lognormal Distribution			
1144				95% Student's-t UCL		1059029					95% H-UCL	3933926
1145		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			1226779
1146			95% Adjusted-CLT UCL			1246392			97.5% Chebyshev (MVUE) UCL			1572318
1147				95% Modified-t UCL		1104616			99% Chebyshev (MVUE) UCL			2251063
1148												
1149			Gamma Distribution Test						Data Distribution			
1150			k star (bias corrected)			0.609		Data appear Gamma Distributed at 5% Significance Level				
1151					Theta Star	800917						
1152					nu star	7.312						
1153		Approximate Chi Square Value (.05)				2.344			Nonparametric Statistics			
1154			Adjusted Level of Significance			0.0122				95% CLT UCL		954132
1155			Adjusted Chi Square Value			1.46				95% Jackknife UCL		1059029
1156									95% Standard Bootstrap UCL			924065
1157			Anderson-Darling Test Statistic			0.684				95% Bootstrap-t UCL		3794478
1158			Anderson-Darling 5% Critical Value			0.715				95% Hall's Bootstrap UCL		3656282
1159			Kolmogorov-Smirnov Test Statistic			0.336			95% Percentile Bootstrap UCL			1021343
1160			Kolmogorov-Smirnov 5% Critical Value			0.341				95% BCA Bootstrap UCL		1093326
1161		Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL				1723175
1162								97.5% Chebyshev(Mean, Sd) UCL				2257614
1163			Assuming Gamma Distribution					99% Chebyshev(Mean, Sd) UCL				3307417
1164			95% Approximate Gamma UCL			1522802						
1165			95% Adjusted Gamma UCL			2445196						
1166												

	A	B	C	D	E	F	G	H	I	J	K	L
1167			Potential UCL to Use						Use 95% Approximate Gamma UCL			1522802
1168												
1169												
1170	Total TEQ											
1171												
1172						General Statistics						
1173				Number of Valid Observations		6			Number of Distinct Observations			6
1174												
1175			Raw Statistics						Log-transformed Statistics			
1176				Minimum		2.918			Minimum of Log Data			1.071
1177				Maximum		8.155			Maximum of Log Data			2.099
1178				Mean		5.046			Mean of log Data			1.564
1179				Median		4.524			SD of log Data			0.36
1180				SD		1.869						
1181			Coefficient of Variation			0.37						
1182				Skewness		0.928						
1183												
1184												
1185			Warning: A sample size of 'n' = 6 may not adequate enough to compute meaningful and reliable test statistics and estimates!									
1186												
1187			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
1188			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
1189												
1190												
1191						Warning: There are only 6 Values in this data						
1192			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
1193			the resulting calculations may not be reliable enough to draw conclusions									
1194												
1195			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
1196												
1197						Relevant UCL Statistics						
1198			Normal Distribution Test						Lognormal Distribution Test			
1199			Shapiro Wilk Test Statistic			0.94			Shapiro Wilk Test Statistic			0.984
1200			Shapiro Wilk Critical Value			0.788			Shapiro Wilk Critical Value			0.788
1201			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1202												
1203			Assuming Normal Distribution						Assuming Lognormal Distribution			
1204				95% Student's-t UCL		6.584			95% H-UCL			7.424
1205			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			8.268
1206				95% Adjusted-CLT UCL		6.61			97.5% Chebyshev (MVUE) UCL			9.665
1207				95% Modified-t UCL		6.632			99% Chebyshev (MVUE) UCL			12.41
1208												
1209			Gamma Distribution Test						Data Distribution			
1210			k star (bias corrected)			4.763			Data appear Normal at 5% Significance Level			
1211				Theta Star		1.06						
1212				nu star		57.15						
1213			Approximate Chi Square Value (.05)			40.77			Nonparametric Statistics			
1214			Adjusted Level of Significance			0.0122			95% CLT UCL			6.301
1215			Adjusted Chi Square Value			35.84			95% Jackknife UCL			6.584
1216									95% Standard Bootstrap UCL			6.18
1217			Anderson-Darling Test Statistic			0.212			95% Bootstrap-t UCL			7.787
1218			Anderson-Darling 5% Critical Value			0.698			95% Hall's Bootstrap UCL			16.67
1219			Kolmogorov-Smirnov Test Statistic			0.191			95% Percentile Bootstrap UCL			6.299

	A	B	C	D	E	F	G	H	I	J	K	L
1220	Kolmogorov-Smirnov 5% Critical Value					0.333				95% BCA Bootstrap UCL		6.54
1221	**Data appear Gamma Distributed at 5% Significance Level**									95% Chebyshev(Mean, Sd) UCL		8.372
1222										97.5% Chebyshev(Mean, Sd) UCL		9.811
1223	**Assuming Gamma Distribution**									99% Chebyshev(Mean, Sd) UCL		12.64
1224	95% Approximate Gamma UCL					7.073						
1225	95% Adjusted Gamma UCL					8.047						
1226												
1227	**Potential UCL to Use**									Use 95% Student's-t UCL		6.584
1228												

Tissue

Carp, Whole Body Fillet

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	Carp-Study_area-F								
4			Full Precision	OFF								
5			Confidence Coefficient	95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	1-Methylnaphthalene											
10												
11						General Statistics						
12			Number of Valid Observations			9			Number of Distinct Observations			9
13												
14			Raw Statistics						Log-transformed Statistics			
15				Minimum		1.5				Minimum of Log Data		0.405
16				Maximum		5.9				Maximum of Log Data		1.775
17				Mean		3.4				Mean of log Data		1.134
18				Median		3.3				SD of log Data		0.454
19				SD		1.506						
20			Coefficient of Variation			0.443						
21				Skewness		0.595						
22												
23												
24						Warning: There are only 9 Values in this data						
25				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
26					the resulting calculations may not be reliable enough to draw conclusions							
27												
28			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
29												
30						Relevant UCL Statistics						
31			Normal Distribution Test						Lognormal Distribution Test			
32			Shapiro Wilk Test Statistic			0.938				Shapiro Wilk Test Statistic		0.972
33			Shapiro Wilk Critical Value			0.829				Shapiro Wilk Critical Value		0.829
34		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
35												
36			Assuming Normal Distribution						Assuming Lognormal Distribution			
37				95% Student's-t UCL		4.333				95% H-UCL		4.898
38		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			5.679
39			95% Adjusted-CLT UCL			4.332			97.5% Chebyshev (MVUE) UCL			6.662
40				95% Modified-t UCL		4.35			99% Chebyshev (MVUE) UCL			8.595
41												
42			Gamma Distribution Test						Data Distribution			
43				k star (bias corrected)		3.91		Data appear Normal at 5% Significance Level				
44				Theta Star		0.869						
45				nu star		70.39						
46			Approximate Chi Square Value (.05)			52.07			Nonparametric Statistics			
47			Adjusted Level of Significance			0.0231				95% CLT UCL		4.226
48			Adjusted Chi Square Value			48.77				95% Jackknife UCL		4.333
49									95% Standard Bootstrap UCL			4.189
50			Anderson-Darling Test Statistic			0.197				95% Bootstrap-t UCL		4.675
51			Anderson-Darling 5% Critical Value			0.723				95% Hall's Bootstrap UCL		4.68
52			Kolmogorov-Smirnov Test Statistic			0.156			95% Percentile Bootstrap UCL			4.189
53			Kolmogorov-Smirnov 5% Critical Value			0.28				95% BCA Bootstrap UCL		4.333

	A	B	C	D	E	F	G	H	I	J	K	L
54	Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL			5.588
55									97.5% Chebyshev(Mean, Sd) UCL			6.535
56	Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL			8.394
57	95% Approximate Gamma UCL					4.596						
58	95% Adjusted Gamma UCL					4.908						
59												
60	Potential UCL to Use								Use 95% Student's-t UCL			4.333
61												
62												
63	2-Methylnaphthalene											
64												
65	General Statistics											
66	Number of Valid Observations					9			Number of Distinct Observations			6
67												
68	Raw Statistics								Log-transformed Statistics			
69	Minimum					1.2			Minimum of Log Data			0.182
70	Maximum					3.7			Maximum of Log Data			1.308
71	Mean					2.489			Mean of log Data			0.854
72	Median					2.4			SD of log Data			0.371
73	SD					0.859						
74	Coefficient of Variation					0.345						
75	Skewness					0.183						
76												
77												
78	Warning: There are only 9 Values in this data											
79	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
80	the resulting calculations may not be reliable enough to draw conclusions											
81												
82	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
83												
84	Relevant UCL Statistics											
85	Normal Distribution Test								Lognormal Distribution Test			
86	Shapiro Wilk Test Statistic					0.935			Shapiro Wilk Test Statistic			0.938
87	Shapiro Wilk Critical Value					0.829			Shapiro Wilk Critical Value			0.829
88	Data appear Normal at 5% Significance Level								Data appear Lognormal at 5% Significance Level			
89												
90	Assuming Normal Distribution								Assuming Lognormal Distribution			
91	95% Student's-t UCL					3.022			95% H-UCL			3.311
92	95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL			3.852
93	95% Adjusted-CLT UCL					2.979			97.5% Chebyshev (MVUE) UCL			4.438
94	95% Modified-t UCL					3.025			99% Chebyshev (MVUE) UCL			5.59
95												
96	Gamma Distribution Test								Data Distribution			
97	k star (bias corrected)					5.959			Data appear Normal at 5% Significance Level			
98	Theta Star					0.418						
99	nu star					107.3						
100	Approximate Chi Square Value (.05)					84.36			Nonparametric Statistics			
101	Adjusted Level of Significance					0.0231			95% CLT UCL			2.96
102	Adjusted Chi Square Value					80.09			95% Jackknife UCL			3.022
103									95% Standard Bootstrap UCL			2.938
104	Anderson-Darling Test Statistic					0.291			95% Bootstrap-t UCL			3.124
105	Anderson-Darling 5% Critical Value					0.722			95% Hall's Bootstrap UCL			3.084
106	Kolmogorov-Smirnov Test Statistic					0.169			95% Percentile Bootstrap UCL			2.922

	A	B	C	D	E	F	G	H	I	J	K	L
107	Kolmogorov-Smirnov 5% Critical Value					0.279			95% BCA Bootstrap UCL			2.956
108	Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL			3.738
109									97.5% Chebyshev(Mean, Sd) UCL			4.278
110	Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL			5.339
111	95% Approximate Gamma UCL					3.165						
112	95% Adjusted Gamma UCL					3.334						
113												
114	Potential UCL to Use								Use 95% Student's-t UCL			3.022
115												
116												
117	4-Nitrophenol											
118												
119	General Statistics											
120	Number of Valid Data					9			Number of Detected Data			8
121	Number of Distinct Detected Data					5			Number of Non-Detect Data			1
122									Percent Non-Detects			11.11%
123												
124	Raw Statistics							Log-transformed Statistics				
125	Minimum Detected					12			Minimum Detected			2.485
126	Maximum Detected					19			Maximum Detected			2.944
127	Mean of Detected					14.25			Mean of Detected			2.647
128	SD of Detected					2.188			SD of Detected			0.143
129	Minimum Non-Detect					9.9			Minimum Non-Detect			2.293
130	Maximum Non-Detect					9.9			Maximum Non-Detect			2.293
131												
132												
133	Warning: There are only 8 Detected Values in this data											
134	Note: It should be noted that even though bootstrap may be performed on this data set											
135	the resulting calculations may not be reliable enough tp draw conclusions											
136												
137	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
138												
139												
140	UCL Statistics											
141	Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only				
142	Shapiro Wilk Test Statistic					0.83			Shapiro Wilk Test Statistic			0.872
143	5% Shapiro Wilk Critical Value					0.818			5% Shapiro Wilk Critical Value			0.818
144	Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level				
145												
146	Assuming Normal Distribution							Assuming Lognormal Distribution				
147	DL/2 Substitution Method								DL/2 Substitution Method			
148	Mean					13.22			Mean			2.531
149	SD					3.714			SD			0.374
150	95% DL/2 (t) UCL					15.52			95% H-Stat (DL/2) UCL			17.79
151												
152	Maximum Likelihood Estimate(MLE) Method								Log ROS Method			
153	Mean					13.64			Mean in Log Scale			2.61
154	SD					2.619			SD in Log Scale			0.174
155	95% MLE (t) UCL					15.26			Mean in Original Scale			13.79
156	95% MLE (Tiku) UCL					15.3			SD in Original Scale			2.473
157									95% Percentile Bootstrap UCL			15.12
158									95% BCA Bootstrap UCL			15.33
159												

	Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	33.65		**Data appear Normal at 5% Significance Level**	
Theta Star	0.423			
nu star	538.4			
A-D Test Statistic	0.561		**Nonparametric Statistics**	
5% A-D Critical Value	0.715		Kaplan-Meier (KM) Method	
K-S Test Statistic	0.715		Mean	14
5% K-S Critical Value	0.293		SD	2.055
Data appear Gamma Distributed at 5% Significance Level			SE of Mean	0.732
			95% KM (t) UCL	15.36
Assuming Gamma Distribution			95% KM (z) UCL	15.2
Gamma ROS Statistics using Extrapolated Data			95% KM (jackknife) UCL	15.32
Minimum	10.9		95% KM (bootstrap t) UCL	16.41
Maximum	19		95% KM (BCA) UCL	15.22
Mean	13.88		95% KM (Percentile Bootstrap) UCL	15.33
Median	13		95% KM (Chebyshev) UCL	17.19
SD	2.332		97.5% KM (Chebyshev) UCL	18.57
k star	28.88		99% KM (Chebyshev) UCL	21.29
Theta star	0.481			
Nu star	519.8		**Potential UCLs to Use**	
AppChi2	468		95% KM (t) UCL	15.36
95% Gamma Approximate UCL	15.42		95% KM (Percentile Bootstrap) UCL	15.33
95% Adjusted Gamma UCL	15.77			

Note: DL/2 is not a recommended method.

Acenaphthene

General Statistics				
Number of Valid Observations	9		Number of Distinct Observations	8

Raw Statistics			**Log-transformed Statistics**	
Minimum	4.2		Minimum of Log Data	1.435
Maximum	84		Maximum of Log Data	4.431
Mean	21.42		Mean of log Data	2.612
Median	12		SD of log Data	0.954
SD	25.33			
Coefficient of Variation	1.183			
Skewness	2.299			

Warning: There are only 9 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set,

the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics				
Normal Distribution Test			**Lognormal Distribution Test**	
Shapiro Wilk Test Statistic	0.692		Shapiro Wilk Test Statistic	0.942
Shapiro Wilk Critical Value	0.829		Shapiro Wilk Critical Value	0.829
Data not Normal at 5% Significance Level			**Data appear Lognormal at 5% Significance Level**	

	A	B	C	D	E	F	G	H	I	J	K	L
213												
214			Assuming Normal Distribution						Assuming Lognormal Distribution			
215				95% Student's-t UCL		37.12				95% H-UCL		61.92
216			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			48.98
217				95% Adjusted-CLT UCL		42.23			97.5% Chebyshev (MVUE) UCL			61.47
218				95% Modified-t UCL		38.2			99% Chebyshev (MVUE) UCL			86
219												
220			Gamma Distribution Test						Data Distribution			
221				k star (bias corrected)		0.905		Data appear Gamma Distributed at 5% Significance Level				
222				Theta Star		23.67						
223				nu star		16.29						
224			Approximate Chi Square Value (.05)			8.167			Nonparametric Statistics			
225			Adjusted Level of Significance			0.0231				95% CLT UCL		35.31
226			Adjusted Chi Square Value			6.989				95% Jackknife UCL		37.12
227									95% Standard Bootstrap UCL			34.67
228			Anderson-Darling Test Statistic			0.514				95% Bootstrap-t UCL		75.32
229			Anderson-Darling 5% Critical Value			0.739				95% Hall's Bootstrap UCL		95.8
230			Kolmogorov-Smirnov Test Statistic			0.247				95% Percentile Bootstrap UCL		34.53
231			Kolmogorov-Smirnov 5% Critical Value			0.285				95% BCA Bootstrap UCL		42.31
232			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			58.23
233									97.5% Chebyshev(Mean, Sd) UCL			74.16
234			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			105.4
235				95% Approximate Gamma UCL		42.73						
236				95% Adjusted Gamma UCL		49.93						
237												
238			Potential UCL to Use						Use 95% Approximate Gamma UCL			42.73
239												
240												
241	Acenaphthylene											
242												
243					General Statistics							
244				Number of Valid Observations		9			Number of Distinct Observations			8
245												
246			Raw Statistics						Log-transformed Statistics			
247				Minimum		1				Minimum of Log Data		0
248				Maximum		4.1				Maximum of Log Data		1.411
249				Mean		1.967				Mean of log Data		0.568
250				Median		1.5				SD of log Data		0.476
251				SD		1.056						
252			Coefficient of Variation			0.537						
253				Skewness		1.373						
254												
255												
256					Warning: There are only 9 Values in this data							
257			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
258				the resulting calculations may not be reliable enough to draw conclusions								
259												
260			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
261												
262					Relevant UCL Statistics							
263			Normal Distribution Test						Lognormal Distribution Test			
264				Shapiro Wilk Test Statistic		0.826				Shapiro Wilk Test Statistic		0.92
265				Shapiro Wilk Critical Value		0.829				Shapiro Wilk Critical Value		0.829

	A	B	C	D	E	F	G	H	I	J	K	L
266	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
267												
268	Assuming Normal Distribution						Assuming Lognormal Distribution					
269	95% Student's-t UCL					2.621	95% H-UCL					2.865
270	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					3.315
271	95% Adjusted-CLT UCL					2.718	97.5% Chebyshev (MVUE) UCL					3.906
272	95% Modified-t UCL					2.648	99% Chebyshev (MVUE) UCL					5.066
273												
274	Gamma Distribution Test						Data Distribution					
275	k star (bias corrected)					3.246	Data appear Gamma Distributed at 5% Significance Level					
276	Theta Star					0.606						
277	nu star					58.43						
278	Approximate Chi Square Value (.05)					41.86	Nonparametric Statistics					
279	Adjusted Level of Significance					0.0231	95% CLT UCL					2.546
280	Adjusted Chi Square Value					38.92	95% Jackknife UCL					2.621
281							95% Standard Bootstrap UCL					2.512
282	Anderson-Darling Test Statistic					0.497	95% Bootstrap-t UCL					3.591
283	Anderson-Darling 5% Critical Value					0.723	95% Hall's Bootstrap UCL					5.904
284	Kolmogorov-Smirnov Test Statistic					0.214	95% Percentile Bootstrap UCL					2.567
285	Kolmogorov-Smirnov 5% Critical Value					0.28	95% BCA Bootstrap UCL					2.711
286	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					3.501
287							97.5% Chebyshev(Mean, Sd) UCL					4.165
288	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					5.469
289	95% Approximate Gamma UCL					2.745						
290	95% Adjusted Gamma UCL					2.953						
291												
292	Potential UCL to Use						Use 95% Approximate Gamma UCL					2.745
293												
294												
295	Aldrin											
296												
297	General Statistics											
298	Number of Valid Observations					9	Number of Distinct Observations					9
299												
300	Raw Statistics						Log-transformed Statistics					
301	Minimum					0.046	Minimum of Log Data					-3.079
302	Maximum					0.119	Maximum of Log Data					-2.129
303	Mean					0.0845	Mean of log Data					-2.518
304	Median					0.079	SD of log Data					0.335
305	SD					0.0263						
306	Coefficient of Variation					0.311						
307	Skewness					-0.101						
308												
309												
310	Warning: There are only 9 Values in this data											
311	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
312	the resulting calculations may not be reliable enough to draw conclusions											
313												
314	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
315												
316	Relevant UCL Statistics											
317	Normal Distribution Test						Lognormal Distribution Test					
318	Shapiro Wilk Test Statistic					0.942	Shapiro Wilk Test Statistic					0.933

	A	B	C	D	E	F	G	H	I	J	K	L
319				Shapiro Wilk Critical Value		0.829				Shapiro Wilk Critical Value		0.829
320		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
321												
322			Assuming Normal Distribution						Assuming Lognormal Distribution			
323				95% Student's-t UCL		0.101				95% H-UCL		0.109
324		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			0.126
325				95% Adjusted-CLT UCL		0.0986			97.5% Chebyshev (MVUE) UCL			0.144
326				95% Modified-t UCL		0.101			99% Chebyshev (MVUE) UCL			0.179
327												
328			Gamma Distribution Test						Data Distribution			
329				k star (bias corrected)		7.239		Data appear Normal at 5% Significance Level				
330				Theta Star		0.0117						
331				nu star		130.3						
332		Approximate Chi Square Value (.05)				104.9			Nonparametric Statistics			
333			Adjusted Level of Significance			0.0231				95% CLT UCL		0.0989
334			Adjusted Chi Square Value			100.1				95% Jackknife UCL		0.101
335									95% Standard Bootstrap UCL			0.0979
336			Anderson-Darling Test Statistic			0.291				95% Bootstrap-t UCL		0.1
337		Anderson-Darling 5% Critical Value				0.722				95% Hall's Bootstrap UCL		0.0973
338		Kolmogorov-Smirnov Test Statistic				0.193			95% Percentile Bootstrap UCL			0.0988
339		Kolmogorov-Smirnov 5% Critical Value				0.279				95% BCA Bootstrap UCL		0.0968
340		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			0.123
341									97.5% Chebyshev(Mean, Sd) UCL			0.139
342			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			0.172
343			95% Approximate Gamma UCL			0.105						
344				95% Adjusted Gamma UCL		0.11						
345												
346			Potential UCL to Use						Use 95% Student's-t UCL			0.101
347												
348												
349	alpha-Hexachlorocyclohexane											
350												
351					General Statistics							
352			Number of Valid Data			9			Number of Detected Data			6
353		Number of Distinct Detected Data				6			Number of Non-Detect Data			3
354									Percent Non-Detects			33.33%
355												
356			Raw Statistics						Log-transformed Statistics			
357				Minimum Detected		0.0177				Minimum Detected		-4.034
358				Maximum Detected		0.0403				Maximum Detected		-3.211
359				Mean of Detected		0.0272				Mean of Detected		-3.639
360				SD of Detected		0.0077				SD of Detected		0.276
361				Minimum Non-Detect		0.0217				Minimum Non-Detect		-3.83
362				Maximum Non-Detect		0.0228				Maximum Non-Detect		-3.781
363												
364	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			4
365	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			5
366	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			44.44%
367												
368					Warning: There are only 6 Detected Values in this data							
369				Note: It should be noted that even though bootstrap may be performed on this data set								
370				the resulting calculations may not be reliable enough tp draw conclusions								
371												

	A	B	C	D	E	F	G	H	I	J	K	L
372	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
373												
374												
375							UCL Statistics					
376		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
377				Shapiro Wilk Test Statistic		0.941				Shapiro Wilk Test Statistic		0.976
378				5% Shapiro Wilk Critical Value		0.788				5% Shapiro Wilk Critical Value		0.788
379		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
380												
381		Assuming Normal Distribution						Assuming Lognormal Distribution				
382				DL/2 Substitution Method						DL/2 Substitution Method		
383					Mean	0.0218					Mean	-3.924
384					SD	0.01					SD	0.48
385				95% DL/2 (t) UCL		0.0281				95% H-Stat (DL/2) UCL		0.0264
386												
387		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
388					Mean	0.0233				Mean in Log Scale		-3.785
389					SD	0.00859				SD in Log Scale		0.31
390				95% MLE (t) UCL		0.0286				Mean in Original Scale		0.0237
391				95% MLE (Tiku) UCL		0.0295				SD in Original Scale		0.00795
392										95% Percentile Bootstrap UCL		0.028
393										95% BCA Bootstrap UCL		0.0287
394												
395		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
396				k star (bias corrected)		7.965		Data appear Normal at 5% Significance Level				
397				Theta Star		0.00341						
398				nu star		95.58						
399												
400				A-D Test Statistic		0.242		Nonparametric Statistics				
401				5% A-D Critical Value		0.698				Kaplan-Meier (KM) Method		
402				K-S Test Statistic		0.698					Mean	0.024
403				5% K-S Critical Value		0.332					SD	0.00727
404		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.00265
405										95% KM (t) UCL		0.0289
406		Assuming Gamma Distribution								95% KM (z) UCL		0.0284
407		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.0289
408					Minimum	0.0177				95% KM (bootstrap t) UCL		0.0307
409					Maximum	0.0403				95% KM (BCA) UCL		0.0307
410					Mean	0.0257				95% KM (Percentile Bootstrap) UCL		0.0296
411					Median	0.0234				95% KM (Chebyshev) UCL		0.0356
412					SD	0.00647				97.5% KM (Chebyshev) UCL		0.0406
413					k star	13.63				99% KM (Chebyshev) UCL		0.0504
414					Theta star	0.00189						
415					Nu star	245.3		Potential UCLs to Use				
416					AppChi2	210				95% KM (t) UCL		0.0289
417				95% Gamma Approximate UCL		0.03				95% KM (Percentile Bootstrap) UCL		0.0296
418				95% Adjusted Gamma UCL		0.031						
419	Note: DL/2 is not a recommended method.											
420												
421												
422	Aluminum											
423												
424							General Statistics					

	A	B	C	D	E	F	G	H	I	J	K	L
425				Number of Valid Data		15				Number of Detected Data		15
426				Number of Distinct Detected Data		14				Number of Non-Detect Data		0
427				Number of Missing Values		3				Percent Non-Detects		0.00%
428												
429				Raw Statistics						Log-transformed Statistics		
430				Minimum Detected		1				Minimum Detected		0
431				Maximum Detected		2.8				Maximum Detected		1.03
432				Mean of Detected		1.671				Mean of Detected		0.453
433				SD of Detected		0.618				SD of Detected		0.356
434				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
435				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
436												
437												
438						UCL Statistics						
439			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
440				Shapiro Wilk Test Statistic		0.882				Shapiro Wilk Test Statistic		0.913
441				5% Shapiro Wilk Critical Value		0.881				5% Shapiro Wilk Critical Value		0.881
442			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
443												
444			Assuming Normal Distribution						Assuming Lognormal Distribution			
445				DL/2 Substitution Method						DL/2 Substitution Method		
446				Mean		1.671				Mean		0.453
447				SD		0.618				SD		0.356
448				95% DL/2 (t) UCL		1.952				95% H-Stat (DL/2) UCL		2.013
449												
450			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
451			MLE method failed to converge properly							Mean in Log Scale		N/A
452										SD in Log Scale		N/A
453										Mean in Original Scale		N/A
454										SD in Original Scale		N/A
455										95% Percentile Bootstrap UCL		N/A
456										95% BCA Bootstrap UCL		N/A
457												
458			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
459				k star (bias corrected)		6.77			Data appear Normal at 5% Significance Level			
460				Theta Star		0.247						
461				nu star		203.1						
462												
463				A-D Test Statistic		0.572				Nonparametric Statistics		
464				5% A-D Critical Value		0.738				Kaplan-Meier (KM) Method		
465				K-S Test Statistic		0.738				Mean		1.671
466				5% K-S Critical Value		0.222				SD		0.597
467			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		0.159
468										95% KM (t) UCL		1.952
469			Assuming Gamma Distribution							95% KM (z) UCL		1.933
470			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		1.952
471				Minimum		1				95% KM (bootstrap t) UCL		1.997
472				Maximum		2.8				95% KM (BCA) UCL		1.933
473				Mean		1.671				95% KM (Percentile Bootstrap) UCL		1.937
474				Median		1.4				95% KM (Chebyshev) UCL		2.366
475				SD		0.618				97.5% KM (Chebyshev) UCL		2.667
476				k star		6.77				99% KM (Chebyshev) UCL		3.257
477				Theta star		0.247						

	A	B	C	D	E	F	G	H	I	J	K	L
478					Nu star	203.1			Potential UCLs to Use			
479					AppChi2	171.1				95% KM (t) UCL		1.952
480			95% Gamma Approximate UCL			1.983			95% KM (Percentile Bootstrap) UCL			1.937
481			95% Adjusted Gamma UCL			2.026						
482	Note: DL/2 is not a recommended method.											
483												
484												
485	Anthracene											
486												
487					General Statistics							
488			Number of Valid Observations			9			Number of Distinct Observations			8
489												
490			Raw Statistics						Log-transformed Statistics			
491				Minimum		1.4			Minimum of Log Data			0.336
492				Maximum		9			Maximum of Log Data			2.197
493				Mean		3.7			Mean of log Data			1.12
494				Median		2.4			SD of log Data			0.632
495				SD		2.571						
496			Coefficient of Variation			0.695						
497				Skewness		1.306						
498												
499												
500					Warning: There are only 9 Values in this data							
501				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
502					the resulting calculations may not be reliable enough to draw conclusions							
503												
504				The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.								
505												
506					Relevant UCL Statistics							
507			Normal Distribution Test						Lognormal Distribution Test			
508				Shapiro Wilk Test Statistic		0.824			Shapiro Wilk Test Statistic			0.918
509				Shapiro Wilk Critical Value		0.829			Shapiro Wilk Critical Value			0.829
510			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
511												
512			Assuming Normal Distribution						Assuming Lognormal Distribution			
513				95% Student's-t UCL		5.293			95% H-UCL			6.544
514			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			7.07
515				95% Adjusted-CLT UCL		5.508			97.5% Chebyshev (MVUE) UCL			8.551
516				95% Modified-t UCL		5.355			99% Chebyshev (MVUE) UCL			11.46
517												
518			Gamma Distribution Test						Data Distribution			
519				k star (bias corrected)		1.944			Data appear Gamma Distributed at 5% Significance Level			
520				Theta Star		1.904						
521				nu star		34.99						
522			Approximate Chi Square Value (.05)			22.45			Nonparametric Statistics			
523			Adjusted Level of Significance			0.0231			95% CLT UCL			5.109
524			Adjusted Chi Square Value			20.36			95% Jackknife UCL			5.293
525									95% Standard Bootstrap UCL			5.018
526			Anderson-Darling Test Statistic			0.541			95% Bootstrap-t UCL			6.214
527			Anderson-Darling 5% Critical Value			0.727			95% Hall's Bootstrap UCL			5.205
528			Kolmogorov-Smirnov Test Statistic			0.241			95% Percentile Bootstrap UCL			5.133
529			Kolmogorov-Smirnov 5% Critical Value			0.282			95% BCA Bootstrap UCL			5.322
530			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			7.435

	A	B	C	D	E	F	G	H	I	J	K	L
531									97.5% Chebyshev(Mean, Sd) UCL			9.051
532			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			12.23
533				95% Approximate Gamma UCL		5.765						
534				95% Adjusted Gamma UCL		6.358						
535												
536			Potential UCL to Use						Use 95% Approximate Gamma UCL			5.765
537												
538												
539	Arsenic											
540												
541						General Statistics						
542				Number of Valid Data		15			Number of Detected Data			15
543			Number of Distinct Detected Data			13			Number of Non-Detect Data			0
544				Number of Missing Values		3			Percent Non-Detects			0.00%
545												
546			Raw Statistics						Log-transformed Statistics			
547				Minimum Detected		0.04			Minimum Detected			-3.219
548				Maximum Detected		0.21			Maximum Detected			-1.561
549				Mean of Detected		0.0967			Mean of Detected			-2.457
550				SD of Detected		0.0522			SD of Detected			0.494
551				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
552				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
553												
554												
555						UCL Statistics						
556			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
557				Shapiro Wilk Test Statistic		0.852			Shapiro Wilk Test Statistic			0.943
558				5% Shapiro Wilk Critical Value		0.881			5% Shapiro Wilk Critical Value			0.881
559			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
560												
561			Assuming Normal Distribution						Assuming Lognormal Distribution			
562				DL/2 Substitution Method					DL/2 Substitution Method			
563				Mean		0.0967			Mean			-2.457
564				SD		0.0522			SD			0.494
565				95% DL/2 (t) UCL		0.12			95% H-Stat (DL/2) UCL			0.127
566												
567			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
568			MLE method failed to converge properly						Mean in Log Scale			N/A
569									SD in Log Scale			N/A
570									Mean in Original Scale			N/A
571									SD in Original Scale			N/A
572									95% Percentile Bootstrap UCL			N/A
573									95% BCA Bootstrap UCL			N/A
574												
575			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
576				k star (bias corrected)		3.505			Data appear Gamma Distributed at 5% Significance Level			
577				Theta Star		0.0276						
578				nu star		105.2						
579												
580				A-D Test Statistic		0.557			Nonparametric Statistics			
581				5% A-D Critical Value		0.74			Kaplan-Meier (KM) Method			
582				K-S Test Statistic		0.74			Mean			0.0967
583				5% K-S Critical Value		0.222			SD			0.0505

	A	B	C	D	E	F	G	H	I	J	K	L
584	Data appear Gamma Distributed at 5% Significance Level									SE of Mean		0.0135
585										95% KM (t) UCL		0.12
586	Assuming Gamma Distribution									95% KM (z) UCL		0.119
587	Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL		0.12
588					Minimum	0.04				95% KM (bootstrap t) UCL		0.127
589					Maximum	0.21				95% KM (BCA) UCL		0.12
590					Mean	0.0967				95% KM (Percentile Bootstrap) UCL		0.118
591					Median	0.075				95% KM (Chebyshev) UCL		0.155
592					SD	0.0522				97.5% KM (Chebyshev) UCL		0.181
593					k star	3.505				99% KM (Chebyshev) UCL		0.231
594					Theta star	0.0276						
595					Nu star	105.2				Potential UCLs to Use		
596					AppChi2	82.49				95% KM (BCA) UCL		0.12
597			95% Gamma Approximate UCL			0.123						
598			95% Adjusted Gamma UCL			0.127						
599	Note: DL/2 is not a recommended method.											
600												
601												
602	Benzo(a)anthracene											
603												
604							General Statistics					
605			Number of Valid Data			9				Number of Detected Data		1
606			Number of Distinct Detected Data			1				Number of Non-Detect Data		8
607										Percent Non-Detects		88.89%
608												
609			Warning: Only one distinct data value was detected! ProUCL (or any other software) should not be used on such a data set!									
610		It is suggested to use alternative site specific values determined by the Project Team to estimate environmental parameters (e.g., EPC, BTV).										
611												
612					The data set for variable Benzo(a)anthracene was not processed!							
613												
614												
615												
616	Benzo(b)fluoranthene											
617												
618							General Statistics					
619			Number of Valid Data			9				Number of Detected Data		1
620			Number of Distinct Detected Data			1				Number of Non-Detect Data		8
621										Percent Non-Detects		88.89%
622												
623			Warning: Only one distinct data value was detected! ProUCL (or any other software) should not be used on such a data set!									
624		It is suggested to use alternative site specific values determined by the Project Team to estimate environmental parameters (e.g., EPC, BTV).										
625												
626					The data set for variable Benzo(b)fluoranthene was not processed!							
627												
628												
629												
630	Benzo(g,h,i)perylene											
631												
632							General Statistics					
633			Number of Valid Data			9				Number of Detected Data		1
634			Number of Distinct Detected Data			1				Number of Non-Detect Data		8
635										Percent Non-Detects		88.89%
636												

	A	B	C	D	E	F	G	H	I	J	K	L
637	Warning: Only one distinct data value was detected! ProUCL (or any other software) should not be used on such a data set!											
638	It is suggested to use alternative site specific values determined by the Project Team to estimate environmental parameters (e.g., EPC, BTV).											
639												
640	The data set for variable Benzo(g,h,i)perylene was not processed!											
641												
642												
643												
644	Benzo(k)fluoranthene											
645												
646	General Statistics											
647	Number of Valid Data				9		Number of Detected Data					1
648	Number of Distinct Detected Data				1		Number of Non-Detect Data					8
649							Percent Non-Detects					88.89%
650												
651	Warning: Only one distinct data value was detected! ProUCL (or any other software) should not be used on such a data set!											
652	It is suggested to use alternative site specific values determined by the Project Team to estimate environmental parameters (e.g., EPC, BTV).											
653												
654	The data set for variable Benzo(k)fluoranthene was not processed!											
655												
656												
657												
658	Benzyl alcohol											
659												
660	General Statistics											
661	Number of Valid Data				9		Number of Detected Data					5
662	Number of Distinct Detected Data				5		Number of Non-Detect Data					4
663							Percent Non-Detects					44.44%
664												
665	Raw Statistics						Log-transformed Statistics					
666	Minimum Detected				23		Minimum Detected					3.135
667	Maximum Detected				37		Maximum Detected					3.611
668	Mean of Detected				30.4		Mean of Detected					3.401
669	SD of Detected				5.413		SD of Detected					0.184
670	Minimum Non-Detect				22		Minimum Non-Detect					3.091
671	Maximum Non-Detect				22		Maximum Non-Detect					3.091
672												
673												
674	Warning: There are only 5 Detected Values in this data											
675	Note: It should be noted that even though bootstrap may be performed on this data set											
676	the resulting calculations may not be reliable enough tp draw conclusions											
677												
678	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
679												
680												
681	UCL Statistics											
682	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
683	Shapiro Wilk Test Statistic				0.986		Shapiro Wilk Test Statistic					0.975
684	5% Shapiro Wilk Critical Value				0.762		5% Shapiro Wilk Critical Value					0.762
685	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
686												
687	Assuming Normal Distribution						Assuming Lognormal Distribution					
688	DL/2 Substitution Method						DL/2 Substitution Method					
689	Mean				21.78		Mean					2.955

	A	B	C	D	E	F	G	H	I	J	K	L
690					SD	10.92					SD	0.545
691				95% DL/2 (t) UCL		28.55				95% H-Stat (DL/2) UCL		30.58
692												
693		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
694					Mean	23.79				Mean in Log Scale		3.162
695					SD	8.888				SD in Log Scale		0.326
696				95% MLE (t) UCL		29.3				Mean in Original Scale		24.75
697				95% MLE (Tiku) UCL		30.23				SD in Original Scale		7.891
698										95% Percentile Bootstrap UCL		28.76
699										95% BCA Bootstrap UCL		28.83
700												
701		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
702				k star (bias corrected)		15.34		Data appear Normal at 5% Significance Level				
703					Theta Star	1.981						
704					nu star	153.4						
705												
706				A-D Test Statistic		0.195		Nonparametric Statistics				
707				5% A-D Critical Value		0.678				Kaplan-Meier (KM) Method		
708				K-S Test Statistic		0.678					Mean	27.11
709				5% K-S Critical Value		0.357					SD	5.152
710		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		1.92
711										95% KM (t) UCL		30.68
712		Assuming Gamma Distribution								95% KM (z) UCL		30.27
713		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		30.93
714					Minimum	23				95% KM (bootstrap t) UCL		30.33
715					Maximum	37				95% KM (BCA) UCL		34
716					Mean	29.65				95% KM (Percentile Bootstrap) UCL		32.33
717					Median	30				95% KM (Chebyshev) UCL		35.48
718					SD	4.777				97.5% KM (Chebyshev) UCL		39.1
719					k star	28.17				99% KM (Chebyshev) UCL		46.22
720					Theta star	1.053						
721					Nu star	507.1		Potential UCLs to Use				
722					AppChi2	455.8				95% KM (t) UCL		30.68
723				95% Gamma Approximate UCL		32.98				95% KM (Percentile Bootstrap) UCL		32.33
724				95% Adjusted Gamma UCL		33.74						
725	Note: DL/2 is not a recommended method.											
726												
727												
728	beta-Hexachlorocyclohexane											
729												
730							General Statistics					
731				Number of Valid Data		9				Number of Detected Data		6
732				Number of Distinct Detected Data		6				Number of Non-Detect Data		3
733										Percent Non-Detects		33.33%
734												
735				Raw Statistics						Log-transformed Statistics		
736				Minimum Detected		0.00836				Minimum Detected		-4.784
737				Maximum Detected		0.0231				Maximum Detected		-3.768
738				Mean of Detected		0.0143				Mean of Detected		-4.299
739				SD of Detected		0.00518				SD of Detected		0.359
740				Minimum Non-Detect		0.0108				Minimum Non-Detect		-4.528
741				Maximum Non-Detect		0.013				Maximum Non-Detect		-4.343
742												

	A	B	C	D	E	F	G	H	I	J	K	L
743	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				5
744	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				4
745	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				55.56%
746												
747	Warning: There are only 6 Detected Values in this data											
748	Note: It should be noted that even though bootstrap may be performed on this data set											
749	the resulting calculations may not be reliable enough tp draw conclusions											
750												
751	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
752												
753												
754	UCL Statistics											
755	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
756	Shapiro Wilk Test Statistic					0.934	Shapiro Wilk Test Statistic					0.965
757	5% Shapiro Wilk Critical Value					0.788	5% Shapiro Wilk Critical Value					0.788
758	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
759												
760	Assuming Normal Distribution						Assuming Lognormal Distribution					
761	DL/2 Substitution Method						DL/2 Substitution Method					
762	Mean					0.0115	Mean					-4.582
763	SD					0.0059	SD					0.512
764	95% DL/2 (t) UCL					0.0152	95% H-Stat (DL/2) UCL					0.0141
765												
766	Maximum Likelihood Estimate(MLE) Method						Log ROS Method					
767	Mean					0.012	Mean in Log Scale					-4.431
768	SD					0.00569	SD in Log Scale					0.346
769	95% MLE (t) UCL					0.0155	Mean in Original Scale					0.0126
770	95% MLE (Tiku) UCL					0.0167	SD in Original Scale					0.00484
771							95% Percentile Bootstrap UCL					0.0152
772							95% BCA Bootstrap UCL					0.0159
773												
774	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
775	k star (bias corrected)					4.869	Data appear Normal at 5% Significance Level					
776	Theta Star					0.00294						
777	nu star					58.43						
778												
779	A-D Test Statistic					0.251	Nonparametric Statistics					
780	5% A-D Critical Value					0.698	Kaplan-Meier (KM) Method					
781	K-S Test Statistic					0.698	Mean					0.0126
782	5% K-S Critical Value					0.333	SD					0.00458
783	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					0.0017
784							95% KM (t) UCL					0.0158
785	Assuming Gamma Distribution						95% KM (z) UCL					0.0154
786	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					0.0158
787	Minimum					0.00836	95% KM (bootstrap t) UCL					0.0166
788	Maximum					0.0231	95% KM (BCA) UCL					0.0163
789	Mean					0.0139	95% KM (Percentile Bootstrap) UCL					0.0161
790	Median					0.013	95% KM (Chebyshev) UCL					0.02
791	SD					0.00415	97.5% KM (Chebyshev) UCL					0.0232
792	k star					9.252	99% KM (Chebyshev) UCL					0.0295
793	Theta star					0.0015						
794	Nu star					166.5	Potential UCLs to Use					
795	AppChi2					137.7	95% KM (t) UCL					0.0158

	A	B	C	D	E	F	G	H	I	J	K	L
796			95% Gamma Approximate UCL			0.0168		95% KM (Percentile Bootstrap) UCL				0.0161
797			95% Adjusted Gamma UCL			0.0175						
798	Note: DL/2 is not a recommended method.											
799												
800												
801	Butyltin ion											
802												
803					General Statistics							
804			Number of Valid Data			8			Number of Detected Data			2
805			Number of Distinct Detected Data			2			Number of Non-Detect Data			6
806			Number of Missing Values			1			Percent Non-Detects			75.00%
807												
808			Raw Statistics						Log-transformed Statistics			
809			Minimum Detected			0.35			Minimum Detected			-1.05
810			Maximum Detected			1.2			Maximum Detected			0.182
811			Mean of Detected			0.775			Mean of Detected			-0.434
812			SD of Detected			0.601			SD of Detected			0.871
813			Minimum Non-Detect			0.55			Minimum Non-Detect			-0.598
814			Maximum Non-Detect			0.55			Maximum Non-Detect			-0.598
815												
816												
817					Warning: Data set has only 2 Distinct Detected Values.							
818				This may not be adequate enough to compute meaningful and reliable test statistics and estimates.								
819			The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).										
820												
821				Unless Data Quality Objectives (DQOs) have been met, it is suggested to collect additional observations.								
822												
823			The number of detected data may not be adequate enough to perform GOF tests, bootstrap, and ROS methods.										
824					Those methods will return a 'N/A' value on your output display!							
825												
826					It is necessary to have 4 or more Distinct Values for bootstrap methods.							
827				It is recommended to have 10 to 15 or more observations for accurate and meaningful results and estimates.									
828												
829												
830					UCL Statistics							
831			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
832				Shapiro Wilk Test Statistic		1			Shapiro Wilk Test Statistic			1
833				5% Shapiro Wilk Critical Value		N/A			5% Shapiro Wilk Critical Value			N/A
834			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
835												
836			Assuming Normal Distribution						Assuming Lognormal Distribution			
837				DL/2 Substitution Method					DL/2 Substitution Method			
838					Mean	0.4			Mean			-1.077
839					SD	0.324			SD			0.516
840				95% DL/2 (t) UCL		0.617			95% H-Stat (DL/2) UCL			0.47
841												
842			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
843			MLE method failed to converge properly						Mean in Log Scale			N/A
844									SD in Log Scale			N/A
845									Mean in Original Scale			N/A
846									SD in Original Scale			N/A
847									95% Percentile Bootstrap UCL			N/A
848									95% BCA Bootstrap UCL			N/A

	A	B	C	D	E	F	G	H	I	J	K	L
849												
850			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
851				k star (bias corrected)		N/A		Data do not follow a Discernable Distribution (0.05)				
852				Theta Star		N/A						
853				nu star		N/A						
854												
855				A-D Test Statistic		0.359		Nonparametric Statistics				
856				5% A-D Critical Value		N/A		Kaplan-Meier (KM) Method				
857				K-S Test Statistic		N/A					Mean	0.456
858				5% K-S Critical Value		N/A					SD	0.281
859		Data not Gamma Distributed at 5% Significance Level									SE of Mean	0.141
860											95% KM (t) UCL	0.723
861			Assuming Gamma Distribution								95% KM (z) UCL	0.687
862		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	N/A
863				Minimum		N/A					95% KM (bootstrap t) UCL	N/A
864				Maximum		N/A					95% KM (BCA) UCL	N/A
865				Mean		N/A				95% KM (Percentile Bootstrap) UCL		N/A
866				Median		N/A					95% KM (Chebyshev) UCL	1.069
867				SD		N/A					97.5% KM (Chebyshev) UCL	1.334
868				k star		N/A					99% KM (Chebyshev) UCL	1.855
869				Theta star		N/A						
870				Nu star		N/A			Potential UCLs to Use			
871				AppChi2		N/A					95% KM (t) UCL	0.723
872			95% Gamma Approximate UCL			N/A				95% KM (% Bootstrap) UCL		N/A
873			95% Adjusted Gamma UCL			N/A						
874	Note: DL/2 is not a recommended method.											
875												
876												
877	Cadmium											
878												
879						General Statistics						
880			Number of Valid Data			15			Number of Detected Data			11
881		Number of Distinct Detected Data				6			Number of Non-Detect Data			4
882			Number of Missing Values			3			Percent Non-Detects			26.67%
883												
884			Raw Statistics						Log-transformed Statistics			
885				Minimum Detected		0.002				Minimum Detected		-6.215
886				Maximum Detected		0.009				Maximum Detected		-4.711
887				Mean of Detected		0.00455				Mean of Detected		-5.486
888				SD of Detected		0.00205				SD of Detected		0.459
889				Minimum Non-Detect		0.003				Minimum Non-Detect		-5.809
890				Maximum Non-Detect		0.003				Maximum Non-Detect		-5.809
891												
892												
893						UCL Statistics						
894		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
895			Shapiro Wilk Test Statistic			0.911				Shapiro Wilk Test Statistic		0.938
896			5% Shapiro Wilk Critical Value			0.85				5% Shapiro Wilk Critical Value		0.85
897		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
898												
899			Assuming Normal Distribution						Assuming Lognormal Distribution			
900			DL/2 Substitution Method							DL/2 Substitution Method		
901				Mean		0.00373				Mean		-5.757

	A	B	C	D	E	F	G	H	I	J	K	L
902					SD	0.00223					SD	0.605
903					95% DL/2 (t) UCL	0.00475					95% H-Stat (DL/2) UCL	0.00522
904												
905			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
906					Mean	0.00354					Mean in Log Scale	-5.676
907					SD	0.0025					SD in Log Scale	0.517
908					95% MLE (t) UCL	0.00468					Mean in Original Scale	0.00389
909					95% MLE (Tiku) UCL	0.00482					SD in Original Scale	0.00208
910											95% Percentile Bootstrap UCL	0.00475
911											95% BCA Bootstrap UCL	0.00487
912												
913		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
914					k star (bias corrected)	4.101		Data appear Normal at 5% Significance Level				
915					Theta Star	0.00111						
916					nu star	90.23						
917												
918					A-D Test Statistic	0.336		Nonparametric Statistics				
919					5% A-D Critical Value	0.731				Kaplan-Meier (KM) Method		
920					K-S Test Statistic	0.731					Mean	0.00387
921					5% K-S Critical Value	0.256					SD	0.00202
922		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.0005471
923											95% KM (t) UCL	0.00483
924		Assuming Gamma Distribution									95% KM (z) UCL	0.00477
925		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.00482
926					Minimum	0.00182					95% KM (bootstrap t) UCL	0.00512
927					Maximum	0.009					95% KM (BCA) UCL	0.00493
928					Mean	0.0042				95% KM (Percentile Bootstrap) UCL		0.0049
929					Median	0.004					95% KM (Chebyshev) UCL	0.00625
930					SD	0.00191					97.5% KM (Chebyshev) UCL	0.00728
931					k star	4.512					99% KM (Chebyshev) UCL	0.00931
932					Theta star	0.0009317						
933					Nu star	135.4		Potential UCLs to Use				
934					AppChi2	109.5					95% KM (t) UCL	0.00483
935		95% Gamma Approximate UCL				0.0052				95% KM (Percentile Bootstrap) UCL		0.0049
936		95% Adjusted Gamma UCL				0.00534						
937	Note: DL/2 is not a recommended method.											
938												
939												
940	Chromium											
941												
942						General Statistics						
943				Number of Valid Data		15				Number of Detected Data		4
944			Number of Distinct Detected Data			4				Number of Non-Detect Data		11
945				Number of Missing Values		3				Percent Non-Detects		73.33%
946												
947			Raw Statistics							Log-transformed Statistics		
948				Minimum Detected		0.12					Minimum Detected	-2.12
949				Maximum Detected		1.49					Maximum Detected	0.399
950				Mean of Detected		0.628					Mean of Detected	-0.922
951				SD of Detected		0.63					SD of Detected	1.151
952				Minimum Non-Detect		0.07					Minimum Non-Detect	-2.659
953				Maximum Non-Detect		0.2					Maximum Non-Detect	-1.609
954												

	A	B	C	D	E	F	G	H	I	J	K	L
955	Note: Data have multiple DLs - Use of KM Method is recommended						Number treated as Non-Detect					12
956	For all methods (except KM, DL/2, and ROS Methods),						Number treated as Detected					3
957	Observations < Largest ND are treated as NDs						Single DL Non-Detect Percentage					80.00%
958												
959	Warning: There are only 4 Distinct Detected Values in this data											
960	Note: It should be noted that even though bootstrap may be performed on this data set											
961	the resulting calculations may not be reliable enough tp draw conclusions											
962												
963	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
964												
965												
966					UCL Statistics							
967	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
968	Shapiro Wilk Test Statistic					0.884	Shapiro Wilk Test Statistic					0.949
969	5% Shapiro Wilk Critical Value					0.748	5% Shapiro Wilk Critical Value					0.748
970	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
971												
972	Assuming Normal Distribution						Assuming Lognormal Distribution					
973	DL/2 Substitution Method						DL/2 Substitution Method					
974	Mean					0.204	Mean					-2.468
975	SD					0.394	SD					1.129
976	95% DL/2 (t) UCL					0.383	95% H-Stat (DL/2) UCL					0.238
977												
978	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
979	MLE yields a negative mean						Mean in Log Scale					-4.205
980							SD in Log Scale					2.457
981							Mean in Original Scale					0.174
982							SD in Original Scale					0.406
983							95% Percentile Bootstrap UCL					0.36
984							95% BCA Bootstrap UCL					0.454
985												
986	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
987	k star (bias corrected)					0.476	Data appear Normal at 5% Significance Level					
988	Theta Star					1.319						
989	nu star					3.807						
990												
991	A-D Test Statistic					0.294	Nonparametric Statistics					
992	5% A-D Critical Value					0.665	Kaplan-Meier (KM) Method					
993	K-S Test Statistic					0.665	Mean					0.255
994	5% K-S Critical Value					0.401	SD					0.36
995	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					0.107
996							95% KM (t) UCL					0.444
997	Assuming Gamma Distribution						95% KM (z) UCL					0.432
998	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					0.404
999	Minimum					0.12	95% KM (bootstrap t) UCL					0.49
1000	Maximum					1.49	95% KM (BCA) UCL					1.49
1001	Mean					0.602	95% KM (Percentile Bootstrap) UCL					0.805
1002	Median					0.618	95% KM (Chebyshev) UCL					0.723
1003	SD					0.305	97.5% KM (Chebyshev) UCL					0.926
1004	k star					3.173	99% KM (Chebyshev) UCL					1.324
1005	Theta star					0.19						
1006	Nu star					95.2	Potential UCLs to Use					
1007	AppChi2					73.7	95% KM (t) UCL					0.444

	A	B	C	D	E	F	G	H	I	J	K	L
1008				95% Gamma Approximate UCL		0.777			95% KM (Percentile Bootstrap) UCL			0.805
1009			95% Adjusted Gamma UCL			N/A						
1010	Note: DL/2 is not a recommended method.											
1011												
1012												
1013	Copper											
1014												
1015					General Statistics							
1016			Number of Valid Data			15			Number of Detected Data			15
1017			Number of Distinct Detected Data			15			Number of Non-Detect Data			0
1018			Number of Missing Values			3			Percent Non-Detects			0.00%
1019												
1020			Raw Statistics						Log-transformed Statistics			
1021			Minimum Detected			0.313			Minimum Detected			-1.162
1022			Maximum Detected			0.686			Maximum Detected			-0.377
1023			Mean of Detected			0.459			Mean of Detected			-0.802
1024			SD of Detected			0.105			SD of Detected			0.218
1025			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
1026			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
1027												
1028												
1029					UCL Statistics							
1030			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1031			Shapiro Wilk Test Statistic			0.92			Shapiro Wilk Test Statistic			0.963
1032			5% Shapiro Wilk Critical Value			0.881			5% Shapiro Wilk Critical Value			0.881
1033			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1034												
1035			Assuming Normal Distribution						Assuming Lognormal Distribution			
1036			DL/2 Substitution Method						DL/2 Substitution Method			
1037			Mean			0.459			Mean			-0.802
1038			SD			0.105			SD			0.218
1039			95% DL/2 (t) UCL			0.506			95% H-Stat (DL/2) UCL			0.51
1040												
1041			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1042			MLE method failed to converge properly						Mean in Log Scale			N/A
1043									SD in Log Scale			N/A
1044									Mean in Original Scale			N/A
1045									SD in Original Scale			N/A
1046									95% Percentile Bootstrap UCL			N/A
1047									95% BCA Bootstrap UCL			N/A
1048												
1049			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1050			k star (bias corrected)			17.79			Data appear Normal at 5% Significance Level			
1051			Theta Star			0.0258						
1052			nu star			533.8						
1053												
1054			A-D Test Statistic			0.351			Nonparametric Statistics			
1055			5% A-D Critical Value			0.735			Kaplan-Meier (KM) Method			
1056			K-S Test Statistic			0.735			Mean			0.459
1057			5% K-S Critical Value			0.221			SD			0.101
1058			Data appear Gamma Distributed at 5% Significance Level						SE of Mean			0.027
1059									95% KM (t) UCL			0.506
1060			Assuming Gamma Distribution						95% KM (z) UCL			0.503

	A	B	C	D	E	F	G	H	I	J	K	L
1061			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.506
1062					Minimum	0.313				95% KM (bootstrap t) UCL		0.516
1063					Maximum	0.686				95% KM (BCA) UCL		0.505
1064					Mean	0.459				95% KM (Percentile Bootstrap) UCL		0.501
1065					Median	0.428				95% KM (Chebyshev) UCL		0.576
1066					SD	0.105				97.5% KM (Chebyshev) UCL		0.627
1067					k star	17.79				99% KM (Chebyshev) UCL		0.727
1068					Theta star	0.0258						
1069					Nu star	533.8			**Potential UCLs to Use**			
1070					AppChi2	481.2				95% KM (t) UCL		0.506
1071			95% Gamma Approximate UCL			0.509				95% KM (Percentile Bootstrap) UCL		0.501
1072			95% Adjusted Gamma UCL			0.515						
1073	Note: DL/2 is not a recommended method.											
1074												
1075												
1076	Dibenzo(a,h)anthracene											
1077												
1078							General Statistics					
1079				Number of Valid Data		9				Number of Detected Data		1
1080			Number of Distinct Detected Data			1				Number of Non-Detect Data		8
1081										Percent Non-Detects		88.89%
1082												
1083			Warning: Only one distinct data value was detected! ProUCL (or any other software) should not be used on such a data set!									
1084		It is suggested to use alternative site specific values determined by the Project Team to estimate environmental parameters (e.g., EPC, BTV).										
1085												
1086				The data set for variable Dibenzo(a,h)anthracene was not processed!								
1087												
1088												
1089												
1090	Dibenzofuran											
1091												
1092							General Statistics					
1093				Number of Valid Observations		9				Number of Distinct Observations		8
1094												
1095			**Raw Statistics**						**Log-transformed Statistics**			
1096					Minimum	0.58				Minimum of Log Data		-0.545
1097					Maximum	3.6				Maximum of Log Data		1.281
1098					Mean	1.722				Mean of log Data		0.311
1099					Median	1.1				SD of log Data		0.742
1100					SD	1.171						
1101				Coefficient of Variation		0.68						
1102					Skewness	0.464						
1103												
1104												
1105					Warning: There are only 9 Values in this data							
1106			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
1107				the resulting calculations may not be reliable enough to draw conclusions								
1108												
1109			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
1110												
1111							Relevant UCL Statistics					
1112		**Normal Distribution Test**							**Lognormal Distribution Test**			
1113				Shapiro Wilk Test Statistic		0.847				Shapiro Wilk Test Statistic		0.858

	A	B	C	D	E	F	G	H	I	J	K	L
1114				Shapiro Wilk Critical Value		0.829			Shapiro Wilk Critical Value			0.829
1115		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1116												
1117		Assuming Normal Distribution						Assuming Lognormal Distribution				
1118				95% Student's-t UCL		2.448			95% H-UCL			3.648
1119		95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL				3.651
1120				95% Adjusted-CLT UCL		2.429			97.5% Chebyshev (MVUE) UCL			4.481
1121				95% Modified-t UCL		2.458			99% Chebyshev (MVUE) UCL			6.111
1122												
1123		Gamma Distribution Test						Data Distribution				
1124				k star (bias corrected)		1.607		Data appear Normal at 5% Significance Level				
1125				Theta Star		1.072						
1126				nu star		28.92						
1127		Approximate Chi Square Value (.05)				17.65		Nonparametric Statistics				
1128		Adjusted Level of Significance				0.0231			95% CLT UCL			2.364
1129		Adjusted Chi Square Value				15.82			95% Jackknife UCL			2.448
1130									95% Standard Bootstrap UCL			2.333
1131		Anderson-Darling Test Statistic				0.649			95% Bootstrap-t UCL			2.521
1132		Anderson-Darling 5% Critical Value				0.729			95% Hall's Bootstrap UCL			2.241
1133		Kolmogorov-Smirnov Test Statistic				0.217			95% Percentile Bootstrap UCL			2.311
1134		Kolmogorov-Smirnov 5% Critical Value				0.282			95% BCA Bootstrap UCL			2.44
1135		Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL				3.424
1136								97.5% Chebyshev(Mean, Sd) UCL				4.16
1137		Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL				5.607
1138				95% Approximate Gamma UCL		2.823						
1139				95% Adjusted Gamma UCL		3.149						
1140												
1141		Potential UCL to Use							Use 95% Student's-t UCL			2.448
1142												
1143												
1144	Dibenzothiophene											
1145												
1146					General Statistics							
1147			Number of Valid Data			9			Number of Detected Data			8
1148		Number of Distinct Detected Data				8			Number of Non-Detect Data			1
1149									Percent Non-Detects			11.11%
1150												
1151		Raw Statistics						Log-transformed Statistics				
1152				Minimum Detected		0.33			Minimum Detected			-1.109
1153				Maximum Detected		3			Maximum Detected			1.099
1154				Mean of Detected		1.188			Mean of Detected			-0.0892
1155				SD of Detected		0.942			SD of Detected			0.771
1156				Minimum Non-Detect		0.074			Minimum Non-Detect			-2.604
1157				Maximum Non-Detect		0.074			Maximum Non-Detect			-2.604
1158												
1159												
1160				Warning: There are only 8 Detected Values in this data								
1161			Note: It should be noted that even though bootstrap may be performed on this data set									
1162				the resulting calculations may not be reliable enough tp draw conclusions								
1163												
1164		It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.										
1165												
1166												

	A	B	C	D	E	F	G	H	I	J	K	L
1167	UCL Statistics											
1168	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
1169	Shapiro Wilk Test Statistic					0.849		Shapiro Wilk Test Statistic				0.961
1170	5% Shapiro Wilk Critical Value					0.818		5% Shapiro Wilk Critical Value				0.818
1171	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
1172												
1173	Assuming Normal Distribution						Assuming Lognormal Distribution					
1174	DL/2 Substitution Method						DL/2 Substitution Method					
1175	Mean					1.06		Mean				-0.446
1176	SD					0.961		SD				1.29
1177	95% DL/2 (t) UCL					1.655		95% H-Stat (DL/2) UCL				4.32
1178												
1179	Maximum Likelihood Estimate(MLE) Method						Log ROS Method					
1180	Mean					1.005		Mean in Log Scale				-0.303
1181	SD					0.99		SD in Log Scale				0.966
1182	95% MLE (t) UCL					1.618		Mean in Original Scale				1.07
1183	95% MLE (Tiku) UCL					1.61		SD in Original Scale				0.948
1184								95% Percentile Bootstrap UCL				1.595
1185								95% BCA Bootstrap UCL				1.714
1186												
1187	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
1188	k star (bias corrected)					1.375		Data appear Normal at 5% Significance Level				
1189	Theta Star					0.864						
1190	nu star					22						
1191												
1192	A-D Test Statistic					0.291		Nonparametric Statistics				
1193	5% A-D Critical Value					0.724		Kaplan-Meier (KM) Method				
1194	K-S Test Statistic					0.724		Mean				1.092
1195	5% K-S Critical Value					0.297		SD				0.873
1196	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					0.311
1197								95% KM (t) UCL				1.671
1198	Assuming Gamma Distribution						95% KM (z) UCL					1.604
1199	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					1.663
1200	Minimum					1E-09		95% KM (bootstrap t) UCL				2.375
1201	Maximum					3		95% KM (BCA) UCL				1.668
1202	Mean					1.056		95% KM (Percentile Bootstrap) UCL				1.614
1203	Median					0.71		95% KM (Chebyshev) UCL				2.448
1204	SD					0.966		97.5% KM (Chebyshev) UCL				3.035
1205	k star					0.264		99% KM (Chebyshev) UCL				4.188
1206	Theta star					3.993						
1207	Nu star					4.758		Potential UCLs to Use				
1208	AppChi2					1.042		95% KM (t) UCL				1.671
1209	95% Gamma Approximate UCL					4.82		95% KM (Percentile Bootstrap) UCL				1.614
1210	95% Adjusted Gamma UCL					6.914						
1211	Note: DL/2 is not a recommended method.											
1212												
1213												
1214	Dibutyltin ion											
1215												
1216	General Statistics											
1217	Number of Valid Data					9		Number of Detected Data				4
1218	Number of Distinct Detected Data					4		Number of Non-Detect Data				5
1219								Percent Non-Detects				55.56%

	A	B	C	D	E	F	G	H	I	J	K	L
1220												
1221			Raw Statistics						Log-transformed Statistics			
1222				Minimum Detected		0.67				Minimum Detected		-0.4
1223				Maximum Detected		7.3				Maximum Detected		1.988
1224				Mean of Detected		2.768				Mean of Detected		0.616
1225				SD of Detected		3.05				SD of Detected		0.997
1226				Minimum Non-Detect		0.85				Minimum Non-Detect		-0.163
1227				Maximum Non-Detect		0.85				Maximum Non-Detect		-0.163
1228												
1229												
1230				Warning: There are only 4 Distinct Detected Values in this data								
1231				Note: It should be noted that even though bootstrap may be performed on this data set								
1232				the resulting calculations may not be reliable enough tp draw conclusions								
1233												
1234				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
1235												
1236												
1237						UCL Statistics						
1238			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1239				Shapiro Wilk Test Statistic		0.749				Shapiro Wilk Test Statistic		0.916
1240				5% Shapiro Wilk Critical Value		0.748				5% Shapiro Wilk Critical Value		0.748
1241			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1242												
1243			Assuming Normal Distribution						Assuming Lognormal Distribution			
1244				DL/2 Substitution Method						DL/2 Substitution Method		
1245				Mean		1.466				Mean		-0.202
1246				SD		2.239				SD		0.987
1247				95% DL/2 (t) UCL		2.854				95% H-Stat (DL/2) UCL		2.035
1248												
1249			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1250			MLE yields a negative mean							Mean in Log Scale		-0.0987
1251										SD in Log Scale		1.007
1252										Mean in Original Scale		1.556
1253										SD in Original Scale		2.205
1254										95% Percentile Bootstrap UCL		2.852
1255										95% BCA Bootstrap UCL		3.224
1256												
1257			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1258				k star (bias corrected)		0.513			Data appear Normal at 5% Significance Level			
1259				Theta Star		5.393						
1260				nu star		4.106						
1261												
1262				A-D Test Statistic		0.473			Nonparametric Statistics			
1263				5% A-D Critical Value		0.663				Kaplan-Meier (KM) Method		
1264				K-S Test Statistic		0.663				Mean		1.602
1265				5% K-S Critical Value		0.4				SD		2.046
1266			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		0.788
1267										95% KM (t) UCL		3.067
1268			Assuming Gamma Distribution							95% KM (z) UCL		2.898
1269			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		2.849
1270				Minimum		0.67				95% KM (bootstrap t) UCL		6.037
1271				Maximum		9.171				95% KM (BCA) UCL		3.5
1272				Mean		3.738				95% KM (Percentile Bootstrap) UCL		3.444

	A	B	C	D	E	F	G	H	I	J	K	L
1273					Median	2.181				95% KM (Chebyshev) UCL		5.036
1274					SD	3.092				97.5% KM (Chebyshev) UCL		6.521
1275					k star	1.14				99% KM (Chebyshev) UCL		9.439
1276					Theta star	3.279						
1277					Nu star	20.52			Potential UCLs to Use			
1278					AppChi2	11.24				95% KM (t) UCL		3.067
1279				95% Gamma Approximate UCL		6.827			95% KM (Percentile Bootstrap) UCL			3.444
1280				95% Adjusted Gamma UCL		N/A						
1281	Note: DL/2 is not a recommended method.											
1282												
1283												
1284	Dieldrin											
1285												
1286						General Statistics						
1287			Number of Valid Observations			9				Number of Distinct Observations		9
1288												
1289			Raw Statistics						Log-transformed Statistics			
1290					Minimum	1.29				Minimum of Log Data		0.255
1291					Maximum	2.3				Maximum of Log Data		0.833
1292					Mean	1.677				Mean of log Data		0.499
1293					Median	1.62				SD of log Data		0.196
1294					SD	0.339						
1295				Coefficient of Variation		0.202						
1296					Skewness	0.742						
1297												
1298												
1299					Warning: There are only 9 Values in this data							
1300				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
1301				the resulting calculations may not be reliable enough to draw conclusions								
1302												
1303			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
1304												
1305						Relevant UCL Statistics						
1306			Normal Distribution Test						Lognormal Distribution Test			
1307				Shapiro Wilk Test Statistic		0.934				Shapiro Wilk Test Statistic		0.955
1308				Shapiro Wilk Critical Value		0.829				Shapiro Wilk Critical Value		0.829
1309			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1310												
1311			Assuming Normal Distribution						Assuming Lognormal Distribution			
1312					95% Student's-t UCL	1.887				95% H-UCL		1.916
1313			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			2.154
1314				95% Adjusted-CLT UCL		1.892			97.5% Chebyshev (MVUE) UCL			2.361
1315					95% Modified-t UCL	1.891			99% Chebyshev (MVUE) UCL			2.768
1316												
1317			Gamma Distribution Test						Data Distribution			
1318				k star (bias corrected)		19.35			Data appear Normal at 5% Significance Level			
1319					Theta Star	0.0867						
1320					nu star	348.3						
1321			Approximate Chi Square Value (.05)			306			Nonparametric Statistics			
1322			Adjusted Level of Significance			0.0231				95% CLT UCL		1.863
1323				Adjusted Chi Square Value		297.7				95% Jackknife UCL		1.887
1324										95% Standard Bootstrap UCL		1.852
1325			Anderson-Darling Test Statistic			0.253				95% Bootstrap-t UCL		1.929

	A	B	C	D	E	F	G	H	I	J	K	L
1326				Anderson-Darling 5% Critical Value		0.721				95% Hall's Bootstrap UCL		1.924
1327				Kolmogorov-Smirnov Test Statistic		0.163				95% Percentile Bootstrap UCL		1.86
1328				Kolmogorov-Smirnov 5% Critical Value		0.279				95% BCA Bootstrap UCL		1.868
1329			Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		2.169
1330										97.5% Chebyshev(Mean, Sd) UCL		2.382
1331			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		2.801
1332				95% Approximate Gamma UCL		1.908						
1333				95% Adjusted Gamma UCL		1.962						
1334												
1335			Potential UCL to Use							Use 95% Student's-t UCL		1.887
1336												
1337												
1338	Endrin											
1339												
1340					General Statistics							
1341			Number of Valid Data			7				Number of Detected Data		6
1342			Number of Distinct Detected Data			6				Number of Non-Detect Data		1
1343			Number of Missing Values			2				Percent Non-Detects		14.29%
1344												
1345				Raw Statistics					Log-transformed Statistics			
1346			Minimum Detected			0.00691				Minimum Detected		-4.975
1347			Maximum Detected			0.0223				Maximum Detected		-3.803
1348			Mean of Detected			0.0172				Mean of Detected		-4.131
1349			SD of Detected			0.00592				SD of Detected		0.451
1350			Minimum Non-Detect			0.0119				Minimum Non-Detect		-4.431
1351			Maximum Non-Detect			0.0119				Maximum Non-Detect		-4.431
1352												
1353												
1354				Warning: There are only 6 Detected Values in this data								
1355			Note: It should be noted that even though bootstrap may be performed on this data set									
1356			the resulting calculations may not be reliable enough tp draw conclusions									
1357												
1358			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1359												
1360												
1361					UCL Statistics							
1362			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
1363			Shapiro Wilk Test Statistic			0.828				Shapiro Wilk Test Statistic		0.763
1364			5% Shapiro Wilk Critical Value			0.788				5% Shapiro Wilk Critical Value		0.788
1365			Data appear Normal at 5% Significance Level					Data not Lognormal at 5% Significance Level				
1366												
1367			Assuming Normal Distribution					Assuming Lognormal Distribution				
1368			DL/2 Substitution Method						DL/2 Substitution Method			
1369			Mean			0.0156				Mean		-4.273
1370			SD			0.00689				SD		0.557
1371			95% DL/2 (t) UCL			0.0207				95% H-Stat (DL/2) UCL		0.0234
1372												
1373			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
1374			Mean			0.0163				Mean in Log Scale		-4.224
1375			SD			0.00566				SD in Log Scale		0.479
1376			95% MLE (t) UCL			0.0204				Mean in Original Scale		0.016
1377			95% MLE (Tiku) UCL			0.0208				SD in Original Scale		0.00636
1378										95% Percentile Bootstrap UCL		0.0196

	A	B	C	D	E	F	G	H	I	J	K	L
1379										95% BCA Bootstrap UCL		0.0192
1380												
1381		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1382			k star (bias corrected)			3.74		Data appear Normal at 5% Significance Level				
1383				Theta Star		0.00461						
1384				nu star		44.88						
1385												
1386				A-D Test Statistic		0.718		Nonparametric Statistics				
1387				5% A-D Critical Value		0.698		Kaplan-Meier (KM) Method				
1388				K-S Test Statistic		0.698				Mean		0.0158
1389				5% K-S Critical Value		0.333				SD		0.00617
1390		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.00256
1391										95% KM (t) UCL		0.0207
1392		Assuming Gamma Distribution								95% KM (z) UCL		0.02
1393		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.021
1394				Minimum		0.00691				95% KM (bootstrap t) UCL		0.0197
1395				Maximum		0.0223				95% KM (BCA) UCL		0.0208
1396				Mean		0.0163				95% KM (Percentile Bootstrap) UCL		0.0205
1397				Median		0.0196				95% KM (Chebyshev) UCL		0.0269
1398				SD		0.00594				97.5% KM (Chebyshev) UCL		0.0317
1399				k star		4.121				99% KM (Chebyshev) UCL		0.0412
1400				Theta star		0.00396						
1401				Nu star		57.7		Potential UCLs to Use				
1402				AppChi2		41.24				95% KM (t) UCL		0.0207
1403			95% Gamma Approximate UCL			0.0228			95% KM (Percentile Bootstrap) UCL			0.0205
1404			95% Adjusted Gamma UCL			0.0254						
1405	Note: DL/2 is not a recommended method.											
1406												
1407												
1408	Endrin aldehyde											
1409												
1410						General Statistics						
1411			Number of Valid Data			7				Number of Detected Data		2
1412		Number of Distinct Detected Data				2				Number of Non-Detect Data		5
1413			Number of Missing Values			2				Percent Non-Detects		71.43%
1414												
1415			Raw Statistics						Log-transformed Statistics			
1416				Minimum Detected		0.00157				Minimum Detected		-6.457
1417				Maximum Detected		0.00338				Maximum Detected		-5.69
1418				Mean of Detected		0.00248				Mean of Detected		-6.073
1419				SD of Detected		0.00128				SD of Detected		0.542
1420				Minimum Non-Detect		0.00107				Minimum Non-Detect		-6.84
1421				Maximum Non-Detect		0.00267				Maximum Non-Detect		-5.926
1422												
1423	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		6
1424	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1
1425	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		85.71%
1426												
1427						Warning: Data set has only 2 Distinct Detected Values.						
1428					This may not be adequate enough to compute meaningful and reliable test statistics and estimates.							
1429				The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).								
1430												
1431					Unless Data Quality Objectives (DQOs) have been met, it is suggested to collect additional observations.							

	A	B	C	D	E	F	G	H	I	J	K	L
1432												
1433		The number of detected data may not be adequate enough to perform GOF tests, bootstrap, and ROS methods.										
1434		Those methods will return a 'N/A' value on your output display!										
1435												
1436		It is necessary to have 4 or more Distinct Values for bootstrap methods.										
1437		It is recommended to have 10 to 15 or more observations for accurate and meaningful results and estimates.										
1438												
1439												
1440		UCL Statistics										
1441		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1442		Shapiro Wilk Test Statistic				1		Shapiro Wilk Test Statistic				1
1443		5% Shapiro Wilk Critical Value				N/A		5% Shapiro Wilk Critical Value				N/A
1444		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
1445												
1446		Assuming Normal Distribution						Assuming Lognormal Distribution				
1447		DL/2 Substitution Method						DL/2 Substitution Method				
1448		Mean				0.00132		Mean				-6.818
1449		SD				0.0009811		SD				0.627
1450		95% DL/2 (t) UCL				0.00204		95% H-Stat (DL/2) UCL				0.00185
1451												
1452		Maximum Likelihood Estimate(MLE) Method				N/A		Log ROS Method				
1453		MLE method failed to converge properly						Mean in Log Scale				N/A
1454								SD in Log Scale				N/A
1455								Mean in Original Scale				N/A
1456								SD in Original Scale				N/A
1457								95% Percentile Bootstrap UCL				N/A
1458								95% BCA Bootstrap UCL				N/A
1459												
1460		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1461		k star (bias corrected)				N/A		Data do not follow a Discernable Distribution (0.05)				
1462		Theta Star				N/A						
1463		nu star				N/A						
1464												
1465		A-D Test Statistic				0.359		Nonparametric Statistics				
1466		5% A-D Critical Value				N/A		Kaplan-Meier (KM) Method				
1467		K-S Test Statistic				N/A		Mean				0.00183
1468		5% K-S Critical Value				N/A		SD				0.0006334
1469		Data not Gamma Distributed at 5% Significance Level						SE of Mean				0.0003386
1470								95% KM (t) UCL				0.00249
1471		Assuming Gamma Distribution						95% KM (z) UCL				0.00239
1472		Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL				0.00318
1473		Minimum				N/A		95% KM (bootstrap t) UCL				1.8E+308
1474		Maximum				N/A		95% KM (BCA) UCL				N/A
1475		Mean				N/A		95% KM (Percentile Bootstrap) UCL				0.00338
1476		Median				N/A		95% KM (Chebyshev) UCL				0.0033
1477		SD				N/A		97.5% KM (Chebyshev) UCL				0.00394
1478		k star				N/A		99% KM (Chebyshev) UCL				0.0052
1479		Theta star				N/A						
1480		Nu star				N/A		Potential UCLs to Use				
1481		AppChi2				N/A		95% KM (t) UCL				0.00249
1482		95% Gamma Approximate UCL				N/A		95% KM (% Bootstrap) UCL				0.00338
1483		95% Adjusted Gamma UCL				N/A						
1484	Note: DL/2 is not a recommended method.											

	A	B	C	D	E	F	G	H	I	J	K	L
1485												
1486												
1487	Endrin ketone											
1488												
1489						General Statistics						
1490			Number of Valid Data			5			Number of Detected Data			2
1491			Number of Distinct Detected Data			2			Number of Non-Detect Data			3
1492			Number of Missing Values			3			Percent Non-Detects			60.00%
1493												
1494			Raw Statistics						Log-transformed Statistics			
1495			Minimum Detected			0.00106			Minimum Detected			-6.849
1496			Maximum Detected			0.00669			Maximum Detected			-5.007
1497			Mean of Detected			0.00388			Mean of Detected			-5.928
1498			SD of Detected			0.00398			SD of Detected			1.303
1499			Minimum Non-Detect			0.00135			Minimum Non-Detect			-6.608
1500			Maximum Non-Detect			0.00197			Maximum Non-Detect			-6.23
1501												
1502	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			4
1503	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
1504	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			80.00%
1505												
1506					Warning: Data set has only 2 Distinct Detected Values.							
1507				This may not be adequate enough to compute meaningful and reliable test statistics and estimates.								
1508			The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).										
1509												
1510				Unless Data Quality Objectives (DQOs) have been met, it is suggested to collect additional observations.								
1511												
1512				The number of detected data may not be adequate enough to perform GOF tests, bootstrap, and ROS methods.								
1513					Those methods will return a 'N/A' value on your output display!							
1514												
1515					It is necessary to have 4 or more Distinct Values for bootstrap methods.							
1516				It is recommended to have 10 to 15 or more observations for accurate and meaningful results and estimates.									
1517												
1518												
1519						UCL Statistics						
1520			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1521			Shapiro Wilk Test Statistic			1			Shapiro Wilk Test Statistic			1
1522			5% Shapiro Wilk Critical Value			N/A			5% Shapiro Wilk Critical Value			N/A
1523			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
1524												
1525			Assuming Normal Distribution						Assuming Lognormal Distribution			
1526			DL/2 Substitution Method						DL/2 Substitution Method			
1527			Mean			0.00204			Mean			-6.645
1528			SD			0.0026			SD			0.933
1529			95% DL/2 (t) UCL			0.00452			95% H-Stat (DL/2) UCL			0.00779
1530												
1531			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1532			MLE method failed to converge properly						Mean in Log Scale			N/A
1533									SD in Log Scale			N/A
1534									Mean in Original Scale			N/A
1535									SD in Original Scale			N/A
1536									95% Percentile Bootstrap UCL			N/A
1537									95% BCA Bootstrap UCL			N/A

	A	B	C	D	E	F	G	H	I	J	K	L
1538												
1539			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
1540				k star (bias corrected)		N/A		Data do not follow a Discernable Distribution (0.05)				
1541					Theta Star	N/A						
1542					nu star	N/A						
1543												
1544					A-D Test Statistic	0.358		Nonparametric Statistics				
1545					5% A-D Critical Value	N/A			Kaplan-Meier (KM) Method			
1546					K-S Test Statistic	N/A				Mean		0.00219
1547					5% K-S Critical Value	N/A				SD		0.00225
1548			Data not Gamma Distributed at 5% Significance Level							SE of Mean		0.00142
1549										95% KM (t) UCL		0.00522
1550			Assuming Gamma Distribution							95% KM (z) UCL		0.00453
1551			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.00695
1552					Minimum	N/A				95% KM (bootstrap t) UCL		1.8E+308
1553					Maximum	N/A				95% KM (BCA) UCL		0.00669
1554					Mean	N/A			95% KM (Percentile Bootstrap) UCL			0.00669
1555					Median	N/A				95% KM (Chebyshev) UCL		0.00839
1556					SD	N/A				97.5% KM (Chebyshev) UCL		0.0111
1557					k star	N/A				99% KM (Chebyshev) UCL		0.0164
1558					Theta star	N/A						
1559					Nu star	N/A			Potential UCLs to Use			
1560					AppChi2	N/A				95% KM (BCA) UCL		0.00669
1561				95% Gamma Approximate UCL		N/A						
1562				95% Adjusted Gamma UCL		N/A						
1563	Note: DL/2 is not a recommended method.											
1564												
1565												
1566	Fluoranthene											
1567												
1568							General Statistics					
1569				Number of Valid Data		9				Number of Detected Data		6
1570			Number of Distinct Detected Data			6				Number of Non-Detect Data		3
1571										Percent Non-Detects		33.33%
1572												
1573			Raw Statistics					Log-transformed Statistics				
1574					Minimum Detected	2.6				Minimum Detected		0.956
1575					Maximum Detected	5.4				Maximum Detected		1.686
1576					Mean of Detected	3.767				Mean of Detected		1.294
1577					SD of Detected	1.067				SD of Detected		0.275
1578				Minimum Non-Detect		0.86				Minimum Non-Detect		-0.151
1579				Maximum Non-Detect		1.7				Maximum Non-Detect		0.531
1580												
1581	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			3
1582	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			6
1583	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			33.33%
1584												
1585					Warning: There are only 6 Detected Values in this data							
1586				Note: It should be noted that even though bootstrap may be performed on this data set								
1587				the resulting calculations may not be reliable enough tp draw conclusions								
1588												
1589			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1590												

	A	B	C	D	E	F	G	H	I	J	K	L
1591												
1592					UCL Statistics							
1593		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1594		Shapiro Wilk Test Statistic				0.918			Shapiro Wilk Test Statistic			0.949
1595		5% Shapiro Wilk Critical Value				0.788			5% Shapiro Wilk Critical Value			0.788
1596		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1597												
1598		Assuming Normal Distribution						Assuming Lognormal Distribution				
1599		DL/2 Substitution Method							DL/2 Substitution Method			
1600		Mean				2.737			Mean			0.719
1601		SD				1.764			SD			0.908
1602		95% DL/2 (t) UCL				3.83			95% H-Stat (DL/2) UCL			3.119
1603												
1604		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
1605		Mean				2.711			Mean in Log Scale			1.054
1606		SD				1.77			SD in Log Scale			0.421
1607		95% MLE (t) UCL				3.808			Mean in Original Scale			3.102
1608		95% MLE (Tiku) UCL				3.915			SD in Original Scale			1.306
1609									95% Percentile Bootstrap UCL			3.786
1610									95% BCA Bootstrap UCL			3.839
1611												
1612		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1613		k star (bias corrected)				7.985		Data appear Normal at 5% Significance Level				
1614		Theta Star				0.472						
1615		nu star				95.82						
1616												
1617		A-D Test Statistic				0.304		Nonparametric Statistics				
1618		5% A-D Critical Value				0.698			Kaplan-Meier (KM) Method			
1619		K-S Test Statistic				0.698			Mean			3.378
1620		5% K-S Critical Value				0.332			SD			0.967
1621		Data appear Gamma Distributed at 5% Significance Level							SE of Mean			0.353
1622									95% KM (t) UCL			4.034
1623		Assuming Gamma Distribution							95% KM (z) UCL			3.959
1624		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			3.99
1625		Minimum				2.6			95% KM (bootstrap t) UCL			4.524
1626		Maximum				5.4			95% KM (BCA) UCL			4.189
1627		Mean				3.484			95% KM (Percentile Bootstrap) UCL			4.078
1628		Median				3			95% KM (Chebyshev) UCL			4.917
1629		SD				0.944			97.5% KM (Chebyshev) UCL			5.583
1630		k star				11.92			99% KM (Chebyshev) UCL			6.891
1631		Theta star				0.292						
1632		Nu star				214.6		Potential UCLs to Use				
1633		AppChi2				181.7			95% KM (t) UCL			4.034
1634		95% Gamma Approximate UCL				4.115			95% KM (Percentile Bootstrap) UCL			4.078
1635		95% Adjusted Gamma UCL				4.265						
1636	Note: DL/2 is not a recommended method.											
1637												
1638												
1639	Fluorene											
1640												
1641						General Statistics						
1642		Number of Valid Observations				9			Number of Distinct Observations			9
1643												

	A	B	C	D	E	F	G	H	I	J	K	L
1644	Raw Statistics						Log-transformed Statistics					
1645					Minimum	1.6				Minimum of Log Data		0.47
1646					Maximum	13				Maximum of Log Data		2.565
1647					Mean	5.356				Mean of log Data		1.427
1648					Median	3.9				SD of log Data		0.758
1649					SD	3.998						
1650				Coefficient of Variation		0.747						
1651					Skewness	1.028						
1652												
1653												
1654	Warning: There are only 9 Values in this data											
1655	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
1656	the resulting calculations may not be reliable enough to draw conclusions											
1657												
1658	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
1659												
1660	Relevant UCL Statistics											
1661	Normal Distribution Test						Lognormal Distribution Test					
1662			Shapiro Wilk Test Statistic			0.878				Shapiro Wilk Test Statistic		0.944
1663			Shapiro Wilk Critical Value			0.829				Shapiro Wilk Critical Value		0.829
1664	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
1665												
1666	Assuming Normal Distribution						Assuming Lognormal Distribution					
1667				95% Student's-t UCL		7.834					95% H-UCL	11.55
1668	95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL			11.4
1669				95% Adjusted-CLT UCL		8.036			97.5% Chebyshev (MVUE) UCL			14.01
1670				95% Modified-t UCL		7.91			99% Chebyshev (MVUE) UCL			19.16
1671												
1672	Gamma Distribution Test						Data Distribution					
1673				k star (bias corrected)		1.505	Data appear Normal at 5% Significance Level					
1674				Theta Star		3.559						
1675				nu star		27.09						
1676	Approximate Chi Square Value (.05)					16.22	Nonparametric Statistics					
1677			Adjusted Level of Significance			0.0231				95% CLT UCL		7.548
1678			Adjusted Chi Square Value			14.47				95% Jackknife UCL		7.834
1679										95% Standard Bootstrap UCL		7.484
1680			Anderson-Darling Test Statistic			0.287				95% Bootstrap-t UCL		8.912
1681			Anderson-Darling 5% Critical Value			0.729				95% Hall's Bootstrap UCL		8.601
1682			Kolmogorov-Smirnov Test Statistic			0.161			95% Percentile Bootstrap UCL			7.6
1683			Kolmogorov-Smirnov 5% Critical Value			0.282				95% BCA Bootstrap UCL		7.967
1684	Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL			11.17
1685									97.5% Chebyshev(Mean, Sd) UCL			13.68
1686	Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL			18.62
1687				95% Approximate Gamma UCL		8.944						
1688				95% Adjusted Gamma UCL		10.02						
1689												
1690	Potential UCL to Use									Use 95% Student's-t UCL		7.834
1691												
1692												
1693	gamma-Hexachlorocyclohexane											
1694												
1695	General Statistics											
1696			Number of Valid Data			9			Number of Detected Data			8

	A	B	C	D	E	F	G	H	I	J	K	L
1697			Number of Distinct Detected Data			8			Number of Non-Detect Data			1
1698									Percent Non-Detects			11.11%
1699												
1700			Raw Statistics						Log-transformed Statistics			
1701			Minimum Detected			0.0196			Minimum Detected			-3.932
1702			Maximum Detected			0.0356			Maximum Detected			-3.335
1703			Mean of Detected			0.0259			Mean of Detected			-3.67
1704			SD of Detected			0.0054			SD of Detected			0.204
1705			Minimum Non-Detect			0.0196			Minimum Non-Detect			-3.932
1706			Maximum Non-Detect			0.0196			Maximum Non-Detect			-3.932
1707												
1708												
1709				Warning: There are only 8 Detected Values in this data								
1710			Note: It should be noted that even though bootstrap may be performed on this data set									
1711			the resulting calculations may not be reliable enough tp draw conclusions									
1712												
1713			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1714												
1715												
1716					UCL Statistics							
1717			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1718			Shapiro Wilk Test Statistic			0.953			Shapiro Wilk Test Statistic			0.97
1719			5% Shapiro Wilk Critical Value			0.818			5% Shapiro Wilk Critical Value			0.818
1720			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1721												
1722			Assuming Normal Distribution						Assuming Lognormal Distribution			
1723			DL/2 Substitution Method						DL/2 Substitution Method			
1724			Mean			0.0241			Mean			-3.777
1725			SD			0.00738			SD			0.371
1726			95% DL/2 (t) UCL			0.0287			95% H-Stat (DL/2) UCL			0.032
1727												
1728			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
1729			Mean			0.0249			Mean in Log Scale			-3.727
1730			SD			0.00567			SD in Log Scale			0.256
1731			95% MLE (t) UCL			0.0284			Mean in Original Scale			0.0248
1732			95% MLE (Tiku) UCL			0.0284			SD in Original Scale			0.00617
1733									95% Percentile Bootstrap UCL			0.028
1734									95% BCA Bootstrap UCL			0.0281
1735												
1736			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1737			k star (bias corrected)			17.2			Data appear Normal at 5% Significance Level			
1738			Theta Star			0.00151						
1739			nu star			275.2						
1740												
1741			A-D Test Statistic			0.182			Nonparametric Statistics			
1742			5% A-D Critical Value			0.716			Kaplan-Meier (KM) Method			
1743			K-S Test Statistic			0.716			Mean			0.0252
1744			5% K-S Critical Value			0.294			SD			0.00516
1745			Data appear Gamma Distributed at 5% Significance Level						SE of Mean			0.00184
1746									95% KM (t) UCL			0.0287
1747			Assuming Gamma Distribution						95% KM (z) UCL			0.0283
1748			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			0.0286
1749			Minimum			0.0165			95% KM (bootstrap t) UCL			0.0295

	A	B	C	D	E	F	G	H	I	J	K	L
1750					Maximum	0.0356			95% KM (BCA) UCL			0.0284
1751					Mean	0.0249			95% KM (Percentile Bootstrap) UCL			0.0283
1752					Median	0.0248			95% KM (Chebyshev) UCL			0.0332
1753					SD	0.00595			97.5% KM (Chebyshev) UCL			0.0367
1754					k star	13.32			99% KM (Chebyshev) UCL			0.0435
1755					Theta star	0.00187						
1756					Nu star	239.7			Potential UCLs to Use			
1757					AppChi2	204.9			95% KM (t) UCL			0.0287
1758			95% Gamma Approximate UCL			0.0291			95% KM (Percentile Bootstrap) UCL			0.0283
1759			95% Adjusted Gamma UCL			0.0301						
1760	Note: DL/2 is not a recommended method.											
1761												
1762												
1763	Heptachlor epoxide											
1764												
1765						General Statistics						
1766			Number of Valid Observations			9			Number of Distinct Observations			9
1767												
1768			Raw Statistics						Log-transformed Statistics			
1769					Minimum	0.0682			Minimum of Log Data			-2.685
1770					Maximum	0.151			Maximum of Log Data			-1.89
1771					Mean	0.105			Mean of log Data			-2.303
1772					Median	0.0832			SD of log Data			0.319
1773					SD	0.0335						
1774				Coefficient of Variation		0.32						
1775					Skewness	0.357						
1776												
1777												
1778					Warning: There are only 9 Values in this data							
1779			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
1780				the resulting calculations may not be reliable enough to draw conclusions								
1781												
1782			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
1783												
1784					Relevant UCL Statistics							
1785			Normal Distribution Test						Lognormal Distribution Test			
1786				Shapiro Wilk Test Statistic		0.841			Shapiro Wilk Test Statistic			0.852
1787				Shapiro Wilk Critical Value		0.829			Shapiro Wilk Critical Value			0.829
1788			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1789												
1790			Assuming Normal Distribution						Assuming Lognormal Distribution			
1791					95% Student's-t UCL	0.125			95% H-UCL			0.132
1792			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			0.153
1793				95% Adjusted-CLT UCL		0.124			97.5% Chebyshev (MVUE) UCL			0.174
1794					95% Modified-t UCL	0.126			99% Chebyshev (MVUE) UCL			0.216
1795												
1796			Gamma Distribution Test						Data Distribution			
1797				k star (bias corrected)		7.52			Data appear Normal at 5% Significance Level			
1798					Theta Star	0.0139						
1799					nu star	135.4						
1800			Approximate Chi Square Value (.05)			109.5			Nonparametric Statistics			
1801				Adjusted Level of Significance		0.0231			95% CLT UCL			0.123
1802				Adjusted Chi Square Value		104.6			95% Jackknife UCL			0.125

	A	B	C	D	E	F	G	H	I	J	K	L
1803										95% Standard Bootstrap UCL		0.122
1804			Anderson-Darling Test Statistic			0.724				95% Bootstrap-t UCL		0.128
1805			Anderson-Darling 5% Critical Value			0.722				95% Hall's Bootstrap UCL		0.118
1806			Kolmogorov-Smirnov Test Statistic			0.293				95% Percentile Bootstrap UCL		0.122
1807			Kolmogorov-Smirnov 5% Critical Value			0.279				95% BCA Bootstrap UCL		0.123
1808		Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		0.153
1809										97.5% Chebyshev(Mean, Sd) UCL		0.174
1810		Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL		0.216
1811			95% Approximate Gamma UCL			0.129						
1812			95% Adjusted Gamma UCL			0.135						
1813												
1814		Potential UCL to Use								Use 95% Student's-t UCL		0.125
1815												
1816												
1817	Hexachlorobenzene											
1818												
1819					General Statistics							
1820			Number of Valid Data			15				Number of Detected Data		11
1821		Number of Distinct Detected Data				10				Number of Non-Detect Data		4
1822			Number of Missing Values			3				Percent Non-Detects		26.67%
1823												
1824			Raw Statistics							Log-transformed Statistics		
1825			Minimum Detected			1.5				Minimum Detected		0.405
1826			Maximum Detected			140				Maximum Detected		4.942
1827			Mean of Detected			14.94				Mean of Detected		1.213
1828			SD of Detected			41.49				SD of Detected		1.272
1829			Minimum Non-Detect			4				Minimum Non-Detect		1.386
1830			Maximum Non-Detect			6.4				Maximum Non-Detect		1.856
1831												
1832	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		14
1833	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1
1834	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		93.33%
1835												
1836					UCL Statistics							
1837		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1838			Shapiro Wilk Test Statistic			0.361				Shapiro Wilk Test Statistic		0.549
1839			5% Shapiro Wilk Critical Value			0.85				5% Shapiro Wilk Critical Value		0.85
1840		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
1841												
1842		Assuming Normal Distribution						Assuming Lognormal Distribution				
1843			DL/2 Substitution Method							DL/2 Substitution Method		
1844				Mean		11.57					Mean	1.105
1845				SD		35.54					SD	1.096
1846			95% DL/2 (t) UCL			27.73				95% H-Stat (DL/2) UCL		9.265
1847												
1848		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
1849		MLE method failed to converge properly								Mean in Log Scale		1.14
1850										SD in Log Scale		1.105
1851										Mean in Original Scale		11.69
1852										SD in Original Scale		35.51
1853										95% Percentile Bootstrap UCL		30
1854										95% BCA Bootstrap UCL		39.3
1855												

	A	B	C	D	E	F	G	H	I	J	K	L
1856			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
1857				k star (bias corrected)		0.377		Data do not follow a Discernable Distribution (0.05)				
1858				Theta Star		39.59						
1859				nu star		8.299						
1860												
1861				A-D Test Statistic		3.015		Nonparametric Statistics				
1862				5% A-D Critical Value		0.794		Kaplan-Meier (KM) Method				
1863				K-S Test Statistic		0.794					Mean	11.56
1864				5% K-S Critical Value		0.271					SD	34.34
1865			Data not Gamma Distributed at 5% Significance Level								SE of Mean	9.299
1866											95% KM (t) UCL	27.94
1867			Assuming Gamma Distribution								95% KM (z) UCL	26.85
1868			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	27.72
1869				Minimum		1.5					95% KM (bootstrap t) UCL	560.3
1870				Maximum		140					95% KM (BCA) UCL	30.04
1871				Mean		14.97				95% KM (Percentile Bootstrap) UCL		29.79
1872				Median		2.29					95% KM (Chebyshev) UCL	52.09
1873				SD		35.08					97.5% KM (Chebyshev) UCL	69.63
1874				k star		0.499					99% KM (Chebyshev) UCL	104.1
1875				Theta star		30						
1876				Nu star		14.97		Potential UCLs to Use				
1877				AppChi2		7.242					97.5% KM (Chebyshev) UCL	69.63
1878			95% Gamma Approximate UCL			30.95						
1879			95% Adjusted Gamma UCL			34.02						
1880	Note: DL/2 is not a recommended method.											
1881												
1882												
1883	Hexachlorobutadiene											
1884												
1885						General Statistics						
1886			Number of Valid Data			9			Number of Detected Data			8
1887			Number of Distinct Detected Data			8			Number of Non-Detect Data			1
1888									Percent Non-Detects			11.11%
1889												
1890			Raw Statistics						Log-transformed Statistics			
1891				Minimum Detected		0.00456				Minimum Detected		-5.39
1892				Maximum Detected		0.172				Maximum Detected		-1.76
1893				Mean of Detected		0.0604				Mean of Detected		-3.415
1894				SD of Detected		0.0645				SD of Detected		1.257
1895				Minimum Non-Detect		0.0196				Minimum Non-Detect		-3.932
1896				Maximum Non-Detect		0.0196				Maximum Non-Detect		-3.932
1897												
1898												
1899				Warning: There are only 8 Detected Values in this data								
1900			Note: It should be noted that even though bootstrap may be performed on this data set									
1901			the resulting calculations may not be reliable enough tp draw conclusions									
1902												
1903			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1904												
1905												
1906						UCL Statistics						
1907			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
1908				Shapiro Wilk Test Statistic		0.813				Shapiro Wilk Test Statistic		0.946

	A	B	C	D	E	F	G	H	I	J	K	L
1909					5% Shapiro Wilk Critical Value	0.818				5% Shapiro Wilk Critical Value		0.818
1910			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1911												
1912			Assuming Normal Distribution						Assuming Lognormal Distribution			
1913					DL/2 Substitution Method					DL/2 Substitution Method		
1914					Mean	0.0548				Mean		-3.549
1915					SD	0.0626				SD		1.243
1916					95% DL/2 (t) UCL	0.0936				95% H-Stat (DL/2) UCL		0.36
1917												
1918					Maximum Likelihood Estimate(MLE) Method					Log ROS Method		
1919					Mean	0.0287				Mean in Log Scale		-3.551
1920					SD	0.0882				SD in Log Scale		1.245
1921					95% MLE (t) UCL	0.0834				Mean in Original Scale		0.0548
1922					95% MLE (Tiku) UCL	0.0926				SD in Original Scale		0.0626
1923										95% Percentile Bootstrap UCL		0.0883
1924										95% BCA Bootstrap UCL		0.0954
1925												
1926			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1927					k star (bias corrected)	0.68			Data appear Gamma Distributed at 5% Significance Level			
1928					Theta Star	0.0888						
1929					nu star	10.88						
1930												
1931					A-D Test Statistic	0.383			Nonparametric Statistics			
1932					5% A-D Critical Value	0.737				Kaplan-Meier (KM) Method		
1933					K-S Test Statistic	0.737				Mean		0.055
1934					5% K-S Critical Value	0.302				SD		0.0589
1935		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.021
1936										95% KM (t) UCL		0.094
1937			Assuming Gamma Distribution							95% KM (z) UCL		0.0895
1938			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.0937
1939					Minimum	0.00456				95% KM (bootstrap t) UCL		0.137
1940					Maximum	0.172				95% KM (BCA) UCL		0.0924
1941					Mean	0.0545				95% KM (Percentile Bootstrap) UCL		0.0903
1942					Median	0.0217				95% KM (Chebyshev) UCL		0.147
1943					SD	0.0629				97.5% KM (Chebyshev) UCL		0.186
1944					k star	0.655				99% KM (Chebyshev) UCL		0.264
1945					Theta star	0.0832						
1946					Nu star	11.79			Potential UCLs to Use			
1947					AppChi2	5.089				95% KM (Chebyshev) UCL		0.147
1948			95% Gamma Approximate UCL			0.126						
1949			95% Adjusted Gamma UCL			0.153						
1950	Note: DL/2 is not a recommended method.											
1951												
1952												
1953	Indeno(1,2,3-cd)pyrene											
1954												
1955					General Statistics							
1956				Number of Valid Data		9				Number of Detected Data		1
1957			Number of Distinct Detected Data			1				Number of Non-Detect Data		8
1958										Percent Non-Detects		88.89%
1959												
1960			Warning: Only one distinct data value was detected! ProUCL (or any other software) should not be used on such a data set!									
1961		It is suggested to use alternative site specific values determined by the Project Team to estimate environmental parameters (e.g., EPC, BTV).										

	A	B	C	D	E	F	G	H	I	J	K	L
1962												
1963				The data set for variable Indeno(1,2,3-cd)pyrene was not processed!								
1964												
1965												
1966												
1967	Isophorone											
1968												
1969					General Statistics							
1970			Number of Valid Data			9			Number of Detected Data			3
1971			Number of Distinct Detected Data			3			Number of Non-Detect Data			6
1972									Percent Non-Detects			66.67%
1973												
1974				Raw Statistics					Log-transformed Statistics			
1975			Minimum Detected			9.3			Minimum Detected			2.23
1976			Maximum Detected			9.8			Maximum Detected			2.282
1977			Mean of Detected			9.5			Mean of Detected			2.251
1978			SD of Detected			0.265			SD of Detected			0.0277
1979			Minimum Non-Detect			9.2			Minimum Non-Detect			2.219
1980			Maximum Non-Detect			9.2			Maximum Non-Detect			2.219
1981												
1982												
1983				Warning: There are only 3 Distinct Detected Values in this data set								
1984			The number of detected data may not be adequate enough to perform GOF tests, bootstrap, and ROS methods.									
1985				Those methods will return a 'N/A' value on your output display!								
1986												
1987				It is necessary to have 4 or more Distinct Values for bootstrap methods.								
1988			It is recommended to have 10 to 15 or more observations for accurate and meaningful results and estimates.									
1989												
1990												
1991					UCL Statistics							
1992			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1993			Shapiro Wilk Test Statistic			0.893			Shapiro Wilk Test Statistic			0.896
1994			5% Shapiro Wilk Critical Value			0.767			5% Shapiro Wilk Critical Value			0.767
1995			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1996												
1997			Assuming Normal Distribution						Assuming Lognormal Distribution			
1998			DL/2 Substitution Method						DL/2 Substitution Method			
1999			Mean			6.233			Mean			1.768
2000			SD			2.454			SD			0.363
2001			95% DL/2 (t) UCL			7.754			95% H-Stat (DL/2) UCL			7.94
2002												
2003			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
2004			Mean			9.534			Mean in Log Scale			2.175
2005			SD			0.216			SD in Log Scale			0.0669
2006			95% MLE (t) UCL			9.668			Mean in Original Scale			8.824
2007			95% MLE (Tiku) UCL			9.76			SD in Original Scale			0.592
2008									95% Percentile Bootstrap UCL			9.11
2009									95% BCA Bootstrap UCL			9.152
2010												
2011			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
2012			k star (bias corrected)			N/A			Data appear Normal at 5% Significance Level			
2013			Theta Star			N/A						
2014			nu star			N/A						

	A	B	C	D	E	F	G	H	I	J	K	L
2015												
2016				A-D Test Statistic		0.402			Nonparametric Statistics			
2017				5% A-D Critical Value		N/A			Kaplan-Meier (KM) Method			
2018				K-S Test Statistic		N/A					Mean	9.367
2019				5% K-S Critical Value		N/A					SD	0.156
2020		Data not Gamma Distributed at 5% Significance Level									SE of Mean	0.0638
2021											95% KM (t) UCL	9.485
2022		Assuming Gamma Distribution									95% KM (z) UCL	9.472
2023		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	9.473
2024					Minimum	N/A					95% KM (bootstrap t) UCL	9.55
2025					Maximum	N/A					95% KM (BCA) UCL	9.8
2026					Mean	N/A				95% KM (Percentile Bootstrap) UCL		9.8
2027					Median	N/A					95% KM (Chebyshev) UCL	9.645
2028					SD	N/A					97.5% KM (Chebyshev) UCL	9.765
2029					k star	N/A					99% KM (Chebyshev) UCL	10
2030					Theta star	N/A						
2031					Nu star	N/A			Potential UCLs to Use			
2032					AppChi2	N/A					95% KM (t) UCL	9.485
2033				95% Gamma Approximate UCL		N/A			95% KM (Percentile Bootstrap) UCL			9.8
2034				95% Adjusted Gamma UCL		N/A						
2035	Note: DL/2 is not a recommended method.											
2036												
2037												
2038	Lead											
2039												
2040					General Statistics							
2041			Number of Valid Data			15				Number of Detected Data		11
2042		Number of Distinct Detected Data				11				Number of Non-Detect Data		4
2043			Number of Missing Values			3				Percent Non-Detects		26.67%
2044												
2045		Raw Statistics							Log-transformed Statistics			
2046			Minimum Detected			0.012				Minimum Detected		-4.423
2047			Maximum Detected			0.356				Maximum Detected		-1.033
2048			Mean of Detected			0.0764				Mean of Detected		-2.925
2049			SD of Detected			0.0941				SD of Detected		0.79
2050			Minimum Non-Detect			0.004				Minimum Non-Detect		-5.521
2051			Maximum Non-Detect			0.008				Maximum Non-Detect		-4.828
2052												
2053	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			4
2054	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			11
2055	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			26.67%
2056												
2057					UCL Statistics							
2058		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
2059			Shapiro Wilk Test Statistic			0.506				Shapiro Wilk Test Statistic		0.821
2060			5% Shapiro Wilk Critical Value			0.85				5% Shapiro Wilk Critical Value		0.85
2061		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
2062												
2063		Assuming Normal Distribution							Assuming Lognormal Distribution			
2064			DL/2 Substitution Method							DL/2 Substitution Method		
2065					Mean	0.0567					Mean	-3.756
2066					SD	0.0864					SD	1.583
2067			95% DL/2 (t) UCL			0.096				95% H-Stat (DL/2) UCL		0.114

	A	B	C	D	E	F	G	H	I	J	K	L
2068												
2069			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
2070					Mean	0.039				Mean in Log Scale		-3.377
2071					SD	0.103				SD in Log Scale		1.032
2072				95% MLE (t) UCL		0.0858				Mean in Original Scale		0.0587
2073				95% MLE (Tiku) UCL		0.0869				SD in Original Scale		0.0851
2074										95% Percentile Bootstrap UCL		0.0968
2075										95% BCA Bootstrap UCL		0.124
2076												
2077			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
2078				k star (bias corrected)		1.195			Data do not follow a Discernable Distribution (0.05)			
2079					Theta Star	0.0639						
2080					nu star	26.3						
2081												
2082					A-D Test Statistic	1.448			Nonparametric Statistics			
2083				5% A-D Critical Value		0.742				Kaplan-Meier (KM) Method		
2084					K-S Test Statistic	0.742					Mean	0.0592
2085				5% K-S Critical Value		0.26					SD	0.082
2086		Data not Gamma Distributed at 5% Significance Level									SE of Mean	0.0222
2087										95% KM (t) UCL		0.0983
2088			Assuming Gamma Distribution							95% KM (z) UCL		0.0957
2089		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.0948
2090					Minimum	1E-09				95% KM (bootstrap t) UCL		0.186
2091					Maximum	0.356				95% KM (BCA) UCL		0.115
2092					Mean	0.0601			95% KM (Percentile Bootstrap) UCL			0.102
2093					Median	0.0472				95% KM (Chebyshev) UCL		0.156
2094					SD	0.0845				97.5% KM (Chebyshev) UCL		0.198
2095					k star	0.389				99% KM (Chebyshev) UCL		0.28
2096					Theta star	0.155						
2097					Nu star	11.67			Potential UCLs to Use			
2098					AppChi2	5.013				95% KM (BCA) UCL		0.115
2099			95% Gamma Approximate UCL			0.14						
2100			95% Adjusted Gamma UCL			0.156						
2101	Note: DL/2 is not a recommended method.											
2102												
2103												
2104	Manganese											
2105												
2106						General Statistics						
2107			Number of Valid Data			15			Number of Detected Data			15
2108			Number of Distinct Detected Data			15			Number of Non-Detect Data			0
2109			Number of Missing Values			3			Percent Non-Detects			0.00%
2110												
2111			Raw Statistics						Log-transformed Statistics			
2112				Minimum Detected		0.191				Minimum Detected		-1.655
2113				Maximum Detected		2.81				Maximum Detected		1.033
2114				Mean of Detected		1.448				Mean of Detected		-0.0516
2115				SD of Detected		1.023				SD of Detected		1.088
2116				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
2117				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
2118												
2119												
2120						UCL Statistics						

	A	B	C	D	E	F	G	H	I	J	K	L
2121	**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**					
2122	Shapiro Wilk Test Statistic					0.814		Shapiro Wilk Test Statistic				0.775
2123	5% Shapiro Wilk Critical Value					0.881		5% Shapiro Wilk Critical Value				0.881
2124	**Data not Normal at 5% Significance Level**						**Data not Lognormal at 5% Significance Level**					
2125												
2126	**Assuming Normal Distribution**						**Assuming Lognormal Distribution**					
2127	DL/2 Substitution Method							DL/2 Substitution Method				
2128	Mean					1.448		Mean				-0.0516
2129	SD					1.023		SD				1.088
2130	95% DL/2 (t) UCL					1.913		95% H-Stat (DL/2) UCL				3.97
2131												
2132	Maximum Likelihood Estimate(MLE) Method					N/A		Log ROS Method				
2133	**MLE method failed to converge properly**							Mean in Log Scale				N/A
2134								SD in Log Scale				N/A
2135								Mean in Original Scale				N/A
2136								SD in Original Scale				N/A
2137								95% Percentile Bootstrap UCL				N/A
2138								95% BCA Bootstrap UCL				N/A
2139												
2140	**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**					
2141	k star (bias corrected)					1.106	**Data do not follow a Discernable Distribution (0.05)**					
2142	Theta Star					1.309						
2143	nu star					33.19						
2144												
2145	A-D Test Statistic					1.55	**Nonparametric Statistics**					
2146	5% A-D Critical Value					0.757		Kaplan-Meier (KM) Method				
2147	K-S Test Statistic					0.757		Mean				1.448
2148	5% K-S Critical Value					0.226		SD				0.988
2149	**Data not Gamma Distributed at 5% Significance Level**							SE of Mean				0.264
2150								95% KM (t) UCL				1.913
2151	**Assuming Gamma Distribution**							95% KM (z) UCL				1.882
2152	Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL				1.913
2153	Minimum					0.191		95% KM (bootstrap t) UCL				1.879
2154	Maximum					2.81		95% KM (BCA) UCL				1.863
2155	Mean					1.448		95% KM (Percentile Bootstrap) UCL				1.881
2156	Median					1.86		95% KM (Chebyshev) UCL				2.599
2157	SD					1.023		97.5% KM (Chebyshev) UCL				3.097
2158	k star					1.106		99% KM (Chebyshev) UCL				4.076
2159	Theta star					1.309						
2160	Nu star					33.19	**Potential UCLs to Use**					
2161	AppChi2					21.02		97.5% KM (Chebyshev) UCL				3.097
2162	95% Gamma Approximate UCL					2.286						
2163	95% Adjusted Gamma UCL					2.423						
2164	**Warning: Recommended UCL exceeds the maximum observation**											
2165	Note: DL/2 is not a recommended method.											
2166												
2167												
2168	**Mercury**											
2169												
2170	**General Statistics**											
2171	Number of Valid Data					12		Number of Detected Data				12
2172	Number of Distinct Detected Data					12		Number of Non-Detect Data				0
2173	Number of Missing Values					3		Percent Non-Detects				0.00%

	A	B	C	D	E	F	G	H	I	J	K	L
2174												
2175				Raw Statistics					Log-transformed Statistics			
2176				Minimum Detected		0.0411			Minimum Detected			-3.192
2177				Maximum Detected		0.191			Maximum Detected			-1.655
2178				Mean of Detected		0.0879			Mean of Detected			-2.561
2179				SD of Detected		0.0519			SD of Detected			0.503
2180				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
2181				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
2182												
2183												
2184						UCL Statistics						
2185			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
2186				Shapiro Wilk Test Statistic		0.751			Shapiro Wilk Test Statistic			0.862
2187				5% Shapiro Wilk Critical Value		0.859			5% Shapiro Wilk Critical Value			0.859
2188			Data not Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
2189												
2190				Assuming Normal Distribution					Assuming Lognormal Distribution			
2191				DL/2 Substitution Method					DL/2 Substitution Method			
2192				Mean		0.0879			Mean			-2.561
2193				SD		0.0519			SD			0.503
2194				95% DL/2 (t) UCL		0.115			95% H-Stat (DL/2) UCL			0.121
2195												
2196				Maximum Likelihood Estimate(MLE) Method		N/A			Log ROS Method			
2197			MLE method failed to converge properly						Mean in Log Scale			N/A
2198									SD in Log Scale			N/A
2199									Mean in Original Scale			N/A
2200									SD in Original Scale			N/A
2201									95% Percentile Bootstrap UCL			N/A
2202									95% BCA Bootstrap UCL			N/A
2203												
2204			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
2205				k star (bias corrected)		3.08			Data appear Lognormal at 5% Significance Level			
2206				Theta Star		0.0285						
2207				nu star		73.91						
2208												
2209				A-D Test Statistic		1.011			Nonparametric Statistics			
2210				5% A-D Critical Value		0.736			Kaplan-Meier (KM) Method			
2211				K-S Test Statistic		0.736			Mean			0.0879
2212				5% K-S Critical Value		0.246			SD			0.0497
2213			Data not Gamma Distributed at 5% Significance Level						SE of Mean			0.015
2214									95% KM (t) UCL			0.115
2215				Assuming Gamma Distribution					95% KM (z) UCL			0.113
2216			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			0.115
2217				Minimum		0.0411			95% KM (bootstrap t) UCL			0.136
2218				Maximum		0.191			95% KM (BCA) UCL			0.11
2219				Mean		0.0879			95% KM (Percentile Bootstrap) UCL			0.114
2220				Median		0.0669			95% KM (Chebyshev) UCL			0.153
2221				SD		0.0519			97.5% KM (Chebyshev) UCL			0.182
2222				k star		3.08			99% KM (Chebyshev) UCL			0.237
2223				Theta star		0.0285						
2224				Nu star		73.91			Potential UCLs to Use			
2225				AppChi2		55.11			95% KM (Chebyshev) UCL			0.153
2226				95% Gamma Approximate UCL		0.118						

	A	B	C	D	E	F	G	H	I	J	K	L
2227				95% Adjusted Gamma UCL		0.123						
2228	Note: DL/2 is not a recommended method.											
2229												
2230												
2231	Methoxychlor											
2232												
2233				General Statistics								
2234			Number of Valid Data			15			Number of Detected Data			2
2235			Number of Distinct Detected Data			2			Number of Non-Detect Data			13
2236			Number of Missing Values			3			Percent Non-Detects			86.67%
2237												
2238			Raw Statistics						Log-transformed Statistics			
2239			Minimum Detected			0.00688			Minimum Detected			-4.979
2240			Maximum Detected			7.2			Maximum Detected			1.974
2241			Mean of Detected			3.603			Mean of Detected			-1.503
2242			SD of Detected			5.086			SD of Detected			4.917
2243			Minimum Non-Detect			0.00241			Minimum Non-Detect			-6.028
2244			Maximum Non-Detect			4.8			Maximum Non-Detect			1.569
2245												
2246	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			14
2247	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
2248	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			93.33%
2249												
2250				Warning: Data set has only 2 Distinct Detected Values.								
2251			This may not be adequate enough to compute meaningful and reliable test statistics and estimates.									
2252			The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).									
2253												
2254			Unless Data Quality Objectives (DQOs) have been met, it is suggested to collect additional observations.									
2255												
2256			The number of detected data may not be adequate enough to perform GOF tests, bootstrap, and ROS methods.									
2257			Those methods will return a 'N/A' value on your output display!									
2258												
2259			It is necessary to have 4 or more Distinct Values for bootstrap methods.									
2260			It is recommended to have 10 to 15 or more observations for accurate and meaningful results and estimates.									
2261												
2262												
2263				UCL Statistics								
2264		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2265			Shapiro Wilk Test Statistic			1			Shapiro Wilk Test Statistic			1
2266			5% Shapiro Wilk Critical Value			N/A			5% Shapiro Wilk Critical Value			N/A
2267		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
2268												
2269		Assuming Normal Distribution						Assuming Lognormal Distribution				
2270			DL/2 Substitution Method						DL/2 Substitution Method			
2271			Mean			1.234			Mean			-2.684
2272			SD			1.969			SD			3.309
2273			95% DL/2 (t) UCL			2.129			95% H-Stat (DL/2) UCL			10838
2274												
2275		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
2276		MLE method failed to converge properly							Mean in Log Scale			N/A
2277									SD in Log Scale			N/A
2278									Mean in Original Scale			N/A
2279									SD in Original Scale			N/A

	A	B	C	D	E	F	G	H	I	J	K	L
2280									95% Percentile Bootstrap UCL			N/A
2281									95% BCA Bootstrap UCL			N/A
2282												
2283			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
2284				k star (bias corrected)		N/A		Data do not follow a Discernable Distribution (0.05)				
2285					Theta Star	N/A						
2286					nu star	N/A						
2287												
2288				A-D Test Statistic		0.366		Nonparametric Statistics				
2289				5% A-D Critical Value		N/A		Kaplan-Meier (KM) Method				
2290				K-S Test Statistic		N/A					Mean	0.486
2291				5% K-S Critical Value		N/A					SD	1.794
2292		Data not Gamma Distributed at 5% Significance Level									SE of Mean	0.655
2293											95% KM (t) UCL	1.64
2294		Assuming Gamma Distribution									95% KM (z) UCL	1.564
2295		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	5.325
2296					Minimum	N/A					95% KM (bootstrap t) UCL	0.486
2297					Maximum	N/A					95% KM (BCA) UCL	N/A
2298					Mean	N/A				95% KM (Percentile Bootstrap) UCL		7.2
2299					Median	N/A					95% KM (Chebyshev) UCL	3.342
2300					SD	N/A					97.5% KM (Chebyshev) UCL	4.578
2301					k star	N/A					99% KM (Chebyshev) UCL	7.005
2302					Theta star	N/A						
2303					Nu star	N/A		Potential UCLs to Use				
2304					AppChi2	N/A					99% KM (Chebyshev) UCL	7.005
2305				95% Gamma Approximate UCL		N/A						
2306				95% Adjusted Gamma UCL		N/A						
2307	Note: DL/2 is not a recommended method.											
2308												
2309												
2310	Naphthalene											
2311												
2312					General Statistics							
2313				Number of Valid Data		9				Number of Detected Data		4
2314			Number of Distinct Detected Data			4				Number of Non-Detect Data		5
2315										Percent Non-Detects		55.56%
2316												
2317			Raw Statistics						Log-transformed Statistics			
2318					Minimum Detected	2.6					Minimum Detected	0.956
2319					Maximum Detected	6.8					Maximum Detected	1.917
2320					Mean of Detected	4.775					Mean of Detected	1.473
2321					SD of Detected	2.234					SD of Detected	0.501
2322					Minimum Non-Detect	1.8					Minimum Non-Detect	0.588
2323					Maximum Non-Detect	2.1					Maximum Non-Detect	0.742
2324												
2325	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		5
2326	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		4
2327	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		55.56%
2328												
2329				Warning: There are only 4 Distinct Detected Values in this data								
2330				Note: It should be noted that even though bootstrap may be performed on this data set								
2331				the resulting calculations may not be reliable enough tp draw conclusions								
2332												

	A	B	C	D	E	F	G	H	I	J	K	L
2333	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
2334												
2335												
2336	UCL Statistics											
2337	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
2338	Shapiro Wilk Test Statistic					0.806	Shapiro Wilk Test Statistic					0.823
2339	5% Shapiro Wilk Critical Value					0.748	5% Shapiro Wilk Critical Value					0.748
2340	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
2341												
2342	Assuming Normal Distribution						Assuming Lognormal Distribution					
2343	DL/2 Substitution Method						DL/2 Substitution Method					
2344	Mean					2.667	Mean					0.642
2345	SD					2.424	SD					0.848
2346	95% DL/2 (t) UCL					4.169	95% H-Stat (DL/2) UCL					3.148
2347												
2348	Maximum Likelihood Estimate(MLE) Method						Log ROS Method					
2349	Mean					1.654	Mean in Log Scale					0.611
2350	SD					3.477	SD in Log Scale					0.9
2351	95% MLE (t) UCL					3.809	Mean in Original Scale					2.655
2352	95% MLE (Tiku) UCL					4.493	SD in Original Scale					2.441
2353							95% Percentile Bootstrap UCL					4.005
2354							95% BCA Bootstrap UCL					4.157
2355												
2356	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
2357	k star (bias corrected)					1.586	Data appear Normal at 5% Significance Level					
2358	Theta Star					3.011						
2359	nu star					12.69						
2360												
2361	A-D Test Statistic					0.543	Nonparametric Statistics					
2362	5% A-D Critical Value					0.659	Kaplan-Meier (KM) Method					
2363	K-S Test Statistic					0.659	Mean					3.567
2364	5% K-S Critical Value					0.396	SD					1.683
2365	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					0.648
2366							95% KM (t) UCL					4.771
2367	Assuming Gamma Distribution						95% KM (z) UCL					4.632
2368	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					4.601
2369	Minimum					2.6	95% KM (bootstrap t) UCL					4.217
2370	Maximum					6.8	95% KM (BCA) UCL					6.667
2371	Mean					4.704	95% KM (Percentile Bootstrap) UCL					6.622
2372	Median					4.627	95% KM (Chebyshev) UCL					6.39
2373	SD					1.417	97.5% KM (Chebyshev) UCL					7.611
2374	k star					7.91	99% KM (Chebyshev) UCL					10.01
2375	Theta star					0.595						
2376	Nu star					142.4	Potential UCLs to Use					
2377	AppChi2					115.8	95% KM (t) UCL					4.771
2378	95% Gamma Approximate UCL					5.783	95% KM (Percentile Bootstrap) UCL					6.622
2379	95% Adjusted Gamma UCL					N/A						
2380	Note: DL/2 is not a recommended method.											
2381												
2382												
2383	Nickel											
2384												
2385	General Statistics											

	A	B	C	D	E	F	G	H	I	J	K	L
2386					Number of Valid Data	15				Number of Detected Data		14
2387				Number of Distinct Detected Data		14				Number of Non-Detect Data		1
2388					Number of Missing Values	3				Percent Non-Detects		6.67%
2389												
2390				Raw Statistics						Log-transformed Statistics		
2391					Minimum Detected	0.012				Minimum Detected		-4.423
2392					Maximum Detected	0.396				Maximum Detected		-0.926
2393					Mean of Detected	0.0706				Mean of Detected		-3.033
2394					SD of Detected	0.0957				SD of Detected		0.779
2395					Minimum Non-Detect	0.002				Minimum Non-Detect		-6.215
2396					Maximum Non-Detect	0.002				Maximum Non-Detect		-6.215
2397												
2398												
2399							UCL Statistics					
2400			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
2401					Shapiro Wilk Test Statistic	0.486				Shapiro Wilk Test Statistic		0.876
2402					5% Shapiro Wilk Critical Value	0.874				5% Shapiro Wilk Critical Value		0.874
2403			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
2404												
2405			Assuming Normal Distribution						Assuming Lognormal Distribution			
2406				DL/2 Substitution Method						DL/2 Substitution Method		
2407					Mean	0.0659				Mean		-3.291
2408					SD	0.0939				SD		1.251
2409				95% DL/2 (t) UCL		0.109				95% H-Stat (DL/2) UCL		0.164
2410												
2411		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
2412					Mean	0.0621				Mean in Log Scale		-3.151
2413					SD	0.0953				SD in Log Scale		0.879
2414				95% MLE (t) UCL		0.105				Mean in Original Scale		0.0664
2415				95% MLE (Tiku) UCL		0.103				SD in Original Scale		0.0936
2416										95% Percentile Bootstrap UCL		0.113
2417										95% BCA Bootstrap UCL		0.129
2418												
2419		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
2420					k star (bias corrected)	1.19		Data appear Lognormal at 5% Significance Level				
2421					Theta Star	0.0593						
2422					nu star	33.33						
2423												
2424					A-D Test Statistic	1.405				Nonparametric Statistics		
2425					5% A-D Critical Value	0.751				Kaplan-Meier (KM) Method		
2426					K-S Test Statistic	0.751				Mean		0.0667
2427					5% K-S Critical Value	0.233				SD		0.0903
2428			Data not Gamma Distributed at 5% Significance Level							SE of Mean		0.0242
2429										95% KM (t) UCL		0.109
2430			Assuming Gamma Distribution							95% KM (z) UCL		0.106
2431			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.109
2432					Minimum	1E-09				95% KM (bootstrap t) UCL		0.225
2433					Maximum	0.396				95% KM (BCA) UCL		0.115
2434					Mean	0.0659			95% KM (Percentile Bootstrap) UCL			0.114
2435					Median	0.04				95% KM (Chebyshev) UCL		0.172
2436					SD	0.094				97.5% KM (Chebyshev) UCL		0.218
2437					k star	0.393				99% KM (Chebyshev) UCL		0.307
2438					Theta star	0.168						

	A	B	C	D	E	F	G	H	I	J	K	L
2439					Nu star	11.78			Potential UCLs to Use			
2440					AppChi2	5.08			95% KM (Chebyshev) UCL			0.172
2441			95% Gamma Approximate UCL			0.153						
2442			95% Adjusted Gamma UCL			0.17						
2443	Note: DL/2 is not a recommended method.											
2444												
2445												
2446	Phenanthrene											
2447												
2448					General Statistics							
2449			Number of Valid Data			9			Number of Detected Data			5
2450			Number of Distinct Detected Data			5			Number of Non-Detect Data			4
2451									Percent Non-Detects			44.44%
2452												
2453			Raw Statistics						Log-transformed Statistics			
2454			Minimum Detected			4.9			Minimum Detected			1.589
2455			Maximum Detected			13			Maximum Detected			2.565
2456			Mean of Detected			8.84			Mean of Detected			2.114
2457			SD of Detected			3.492			SD of Detected			0.408
2458			Minimum Non-Detect			1.7			Minimum Non-Detect			0.531
2459			Maximum Non-Detect			4.4			Maximum Non-Detect			1.482
2460												
2461	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			4
2462	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			5
2463	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			44.44%
2464												
2465					Warning: There are only 5 Detected Values in this data							
2466					Note: It should be noted that even though bootstrap may be performed on this data set							
2467					the resulting calculations may not be reliable enough tp draw conclusions							
2468												
2469					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
2470												
2471												
2472					UCL Statistics							
2473			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
2474			Shapiro Wilk Test Statistic			0.903			Shapiro Wilk Test Statistic			0.928
2475			5% Shapiro Wilk Critical Value			0.762			5% Shapiro Wilk Critical Value			0.762
2476			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
2477												
2478			Assuming Normal Distribution						Assuming Lognormal Distribution			
2479			DL/2 Substitution Method						DL/2 Substitution Method			
2480			Mean			5.517			Mean			1.281
2481			SD			4.665			SD			1.06
2482			95% DL/2 (t) UCL			8.408			95% H-Stat (DL/2) UCL			8.02
2483												
2484			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
2485			Mean			5.178			Mean in Log Scale			1.605
2486			SD			5.1			SD in Log Scale			0.669
2487			95% MLE (t) UCL			8.34			Mean in Original Scale			6.081
2488			95% MLE (Tiku) UCL			8.87			SD in Original Scale			4.099
2489									95% Percentile Bootstrap UCL			8.352
2490									95% BCA Bootstrap UCL			8.385
2491												

	A	B	C	D	E	F	G	H	I	J	K	L
2492			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
2493				k star (bias corrected)		3.271		Data appear Normal at 5% Significance Level				
2494					Theta Star	2.703						
2495					nu star	32.71						
2496												
2497					A-D Test Statistic	0.337		Nonparametric Statistics				
2498					5% A-D Critical Value	0.68		Kaplan-Meier (KM) Method				
2499					K-S Test Statistic	0.68					Mean	7.089
2500					5% K-S Critical Value	0.358					SD	3.042
2501		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	1.134
2502											95% KM (t) UCL	9.197
2503			Assuming Gamma Distribution								95% KM (z) UCL	8.953
2504		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	9.084
2505					Minimum	4.9					95% KM (bootstrap t) UCL	9.855
2506					Maximum	13					95% KM (BCA) UCL	12.11
2507					Mean	8.378		95% KM (Percentile Bootstrap) UCL				9.722
2508					Median	7.8					95% KM (Chebyshev) UCL	12.03
2509					SD	2.529					97.5% KM (Chebyshev) UCL	14.17
2510					k star	8.934					99% KM (Chebyshev) UCL	18.37
2511					Theta star	0.938						
2512					Nu star	160.8		Potential UCLs to Use				
2513					AppChi2	132.5					95% KM (t) UCL	9.197
2514			95% Gamma Approximate UCL			10.17		95% KM (Percentile Bootstrap) UCL				9.722
2515			95% Adjusted Gamma UCL			10.6						
2516	Note: DL/2 is not a recommended method.											
2517												
2518												
2519	Pyrene											
2520												
2521					General Statistics							
2522				Number of Valid Observations		9				Number of Distinct Observations		9
2523												
2524			Raw Statistics					Log-transformed Statistics				
2525					Minimum	0.64				Minimum of Log Data		-0.446
2526					Maximum	4.5				Maximum of Log Data		1.504
2527					Mean	2.449				Mean of log Data		0.712
2528					Median	2.6				SD of log Data		0.681
2529					SD	1.418						
2530				Coefficient of Variation		0.579						
2531					Skewness	0.207						
2532												
2533												
2534					Warning: There are only 9 Values in this data							
2535				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
2536				the resulting calculations may not be reliable enough to draw conclusions								
2537												
2538			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
2539												
2540					Relevant UCL Statistics							
2541		Normal Distribution Test						Lognormal Distribution Test				
2542				Shapiro Wilk Test Statistic		0.918				Shapiro Wilk Test Statistic		0.924
2543				Shapiro Wilk Critical Value		0.829				Shapiro Wilk Critical Value		0.829
2544		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
2545												
2546			Assuming Normal Distribution						Assuming Lognormal Distribution			
2547				95% Student's-t UCL		3.328				95% H-UCL		4.788
2548			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			5.018
2549				95% Adjusted-CLT UCL		3.261			97.5% Chebyshev (MVUE) UCL			6.111
2550				95% Modified-t UCL		3.333			99% Chebyshev (MVUE) UCL			8.256
2551												
2552			Gamma Distribution Test						Data Distribution			
2553				k star (bias corrected)		1.996			Data appear Normal at 5% Significance Level			
2554				Theta Star		1.227						
2555				nu star		35.94						
2556			Approximate Chi Square Value (.05)			23.22			Nonparametric Statistics			
2557			Adjusted Level of Significance			0.0231				95% CLT UCL		3.226
2558			Adjusted Chi Square Value			21.09				95% Jackknife UCL		3.328
2559									95% Standard Bootstrap UCL			3.181
2560			Anderson-Darling Test Statistic			0.352				95% Bootstrap-t UCL		3.38
2561			Anderson-Darling 5% Critical Value			0.727				95% Hall's Bootstrap UCL		3.116
2562			Kolmogorov-Smirnov Test Statistic			0.173			95% Percentile Bootstrap UCL			3.171
2563			Kolmogorov-Smirnov 5% Critical Value			0.281				95% BCA Bootstrap UCL		3.216
2564		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			4.509
2565									97.5% Chebyshev(Mean, Sd) UCL			5.4
2566			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			7.15
2567				95% Approximate Gamma UCL		3.79						
2568				95% Adjusted Gamma UCL		4.174						
2569												
2570			Potential UCL to Use						Use 95% Student's-t UCL			3.328
2571												
2572												
2573	Selenium											
2574												
2575					General Statistics							
2576			Number of Valid Data			13			Number of Detected Data			9
2577			Number of Distinct Detected Data			2			Number of Non-Detect Data			4
2578			Number of Missing Values			4			Percent Non-Detects			30.77%
2579												
2580			Raw Statistics						Log-transformed Statistics			
2581			Minimum Detected			0.2			Minimum Detected			-1.609
2582			Maximum Detected			0.3			Maximum Detected			-1.204
2583			Mean of Detected			0.222			Mean of Detected			-1.519
2584			SD of Detected			0.0441			SD of Detected			0.179
2585			Minimum Non-Detect			0.3			Minimum Non-Detect			-1.204
2586			Maximum Non-Detect			0.3			Maximum Non-Detect			-1.204
2587												
2588												
2589					Warning: Data set has only 2 Distinct Detected Values.							
2590			This may not be adequate enough to compute meaningful and reliable test statistics and estimates.									
2591		The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).										
2592												
2593			Unless Data Quality Objectives (DQOs) have been met, it is suggested to collect additional observations.									
2594												
2595			The number of detected data may not be adequate enough to perform GOF tests, bootstrap, and ROS methods.									
2596					Those methods will return a 'N/A' value on your output display!							
2597												

	A	B	C	D	E	F	G	H	I	J	K	L
2598	It is necessary to have 4 or more Distinct Values for bootstrap methods.											
2599	It is recommended to have 10 to 15 or more observations for accurate and meaningful results and estimates.											
2600												
2601												
2602	UCL Statistics											
2603	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
2604	Shapiro Wilk Test Statistic					0.536	Shapiro Wilk Test Statistic					0.536
2605	5% Shapiro Wilk Critical Value					0.829	5% Shapiro Wilk Critical Value					0.829
2606	Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level					
2607												
2608	Assuming Normal Distribution						Assuming Lognormal Distribution					
2609	DL/2 Substitution Method						DL/2 Substitution Method					
2610	Mean					0.2	Mean					-1.636
2611	SD					0.05	SD					0.233
2612	95% DL/2 (t) UCL					0.225	95% H-Stat (DL/2) UCL					0.227
2613												
2614	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
2615	MLE method failed to converge properly						Mean in Log Scale					-1.536
2616							SD in Log Scale					0.155
2617							Mean in Original Scale					0.218
2618							SD in Original Scale					0.0378
2619							95% Percentile Bootstrap UCL					0.234
2620							95% BCA Bootstrap UCL					0.242
2621												
2622	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
2623	k star (bias corrected)					22.03	Data do not follow a Discernable Distribution (0.05)					
2624	Theta Star					0.0101						
2625	nu star					396.6						
2626												
2627	A-D Test Statistic					2.288	Nonparametric Statistics					
2628	5% A-D Critical Value					0.721	Kaplan-Meier (KM) Method					
2629	K-S Test Statistic					0.721	Mean					0.215
2630	5% K-S Critical Value					0.279	SD					0.0361
2631	Data not Gamma Distributed at 5% Significance Level						SE of Mean					0.0106
2632							95% KM (t) UCL					0.234
2633	Assuming Gamma Distribution						95% KM (z) UCL					0.233
2634	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					N/A
2635	Minimum					0.2	95% KM (bootstrap t) UCL					N/A
2636	Maximum					0.3	95% KM (BCA) UCL					N/A
2637	Mean					0.221	95% KM (Percentile Bootstrap) UCL					N/A
2638	Median					0.2	95% KM (Chebyshev) UCL					0.262
2639	SD					0.0366	97.5% KM (Chebyshev) UCL					0.282
2640	k star					35.3	99% KM (Chebyshev) UCL					0.321
2641	Theta star					0.00627						
2642	Nu star					917.7	Potential UCLs to Use					
2643	AppChi2					848.4	95% KM (BCA) UCL					N/A
2644	95% Gamma Approximate UCL					0.239						
2645	95% Adjusted Gamma UCL					0.242						
2646	Note: DL/2 is not a recommended method.											
2647												
2648												
2649	Thallium											
2650												

	A	B	C	D	E	F	G	H	I	J	K	L
2651					General Statistics							
2652				Number of Valid Data		15				Number of Detected Data		11
2653			Number of Distinct Detected Data			11				Number of Non-Detect Data		4
2654				Number of Missing Values		3				Percent Non-Detects		26.67%
2655												
2656				Raw Statistics						Log-transformed Statistics		
2657				Minimum Detected		0.00075				Minimum Detected		-7.195
2658				Maximum Detected		0.0062				Maximum Detected		-5.083
2659				Mean of Detected		0.00241				Mean of Detected		-6.266
2660				SD of Detected		0.00173				SD of Detected		0.734
2661				Minimum Non-Detect		0.0008				Minimum Non-Detect		-7.131
2662				Maximum Non-Detect		0.0008				Maximum Non-Detect		-7.131
2663												
2664												
2665					UCL Statistics							
2666		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2667				Shapiro Wilk Test Statistic		0.882				Shapiro Wilk Test Statistic		0.93
2668				5% Shapiro Wilk Critical Value		0.85				5% Shapiro Wilk Critical Value		0.85
2669		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
2670												
2671		Assuming Normal Distribution						Assuming Lognormal Distribution				
2672				DL/2 Substitution Method						DL/2 Substitution Method		
2673				Mean		0.00187				Mean		-6.681
2674				SD		0.00173				SD		0.945
2675				95% DL/2 (t) UCL		0.00266				95% H-Stat (DL/2) UCL		0.00372
2676												
2677		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
2678				Mean		0.00149				Mean in Log Scale		-6.632
2679				SD		0.00215				SD in Log Scale		0.9
2680				95% MLE (t) UCL		0.00247				Mean in Original Scale		0.0019
2681				95% MLE (Tiku) UCL		0.00254				SD in Original Scale		0.00171
2682										95% Percentile Bootstrap UCL		0.00265
2683										95% BCA Bootstrap UCL		0.00275
2684												
2685		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2686				k star (bias corrected)		1.703		Data appear Normal at 5% Significance Level				
2687				Theta Star		0.00141						
2688				nu star		37.46						
2689												
2690				A-D Test Statistic		0.338		Nonparametric Statistics				
2691				5% A-D Critical Value		0.738				Kaplan-Meier (KM) Method		
2692				K-S Test Statistic		0.738				Mean		0.00197
2693				5% K-S Critical Value		0.258				SD		0.00159
2694		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.0004315
2695										95% KM (t) UCL		0.00273
2696		Assuming Gamma Distribution								95% KM (z) UCL		0.00268
2697		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.00271
2698				Minimum		1E-09				95% KM (bootstrap t) UCL		0.00302
2699				Maximum		0.0062				95% KM (BCA) UCL		0.00277
2700				Mean		0.00201				95% KM (Percentile Bootstrap) UCL		0.00273
2701				Median		0.0016				95% KM (Chebyshev) UCL		0.00385
2702				SD		0.00165				97.5% KM (Chebyshev) UCL		0.00466
2703				k star		0.489				99% KM (Chebyshev) UCL		0.00626

	A	B	C	D	E	F	G	H	I	J	K	L
2704					Theta star	0.00412						
2705					Nu star	14.67			**Potential UCLs to Use**			
2706					AppChi2	7.031					95% KM (t) UCL	0.00273
2707				95% Gamma Approximate UCL		0.0042			95% KM (Percentile Bootstrap) UCL			0.00273
2708				95% Adjusted Gamma UCL		0.00462						
2709	Note: DL/2 is not a recommended method.											
2710												
2711												
2712	Total Aroclors											
2713												
2714						General Statistics						
2715			Number of Valid Data			6			Number of Detected Data			6
2716			Number of Distinct Detected Data			6			Number of Non-Detect Data			0
2717			Number of Missing Values			12			Percent Non-Detects			0.00%
2718												
2719			**Raw Statistics**						**Log-transformed Statistics**			
2720				Minimum Detected		350			Minimum Detected			5.858
2721				Maximum Detected		1295			Maximum Detected			7.166
2722				Mean of Detected		842.5			Mean of Detected			6.604
2723				SD of Detected		431.1			SD of Detected			0.589
2724				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
2725				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
2726												
2727												
2728					Warning: There are only 6 Detected Values in this data							
2729					Note: It should be noted that even though bootstrap may be performed on this data set							
2730					the resulting calculations may not be reliable enough tp draw conclusions							
2731												
2732				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
2733												
2734												
2735						UCL Statistics						
2736			**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**			
2737				Shapiro Wilk Test Statistic		0.861			Shapiro Wilk Test Statistic			0.855
2738				5% Shapiro Wilk Critical Value		0.788			5% Shapiro Wilk Critical Value			0.788
2739			**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**			
2740												
2741			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
2742				DL/2 Substitution Method					DL/2 Substitution Method			
2743					Mean	842.5				Mean		6.604
2744					SD	431.1				SD		0.589
2745				95% DL/2 (t) UCL		1197			95% H-Stat (DL/2) UCL			1864
2746												
2747			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
2748			**MLE method failed to converge properly**						Mean in Log Scale			N/A
2749									SD in Log Scale			N/A
2750									Mean in Original Scale			N/A
2751									SD in Original Scale			N/A
2752									95% Percentile Bootstrap UCL			N/A
2753									95% BCA Bootstrap UCL			N/A
2754												
2755			**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**			
2756				k star (bias corrected)		2.084			**Data appear Normal at 5% Significance Level**			

	A	B	C	D	E	F	G	H	I	J	K	L
2757					Theta Star	404.3						
2758					nu star	25.01						
2759												
2760					A-D Test Statistic	0.471		Nonparametric Statistics				
2761					5% A-D Critical Value	0.7		Kaplan-Meier (KM) Method				
2762					K-S Test Statistic	0.7					Mean	842.5
2763					5% K-S Critical Value	0.334					SD	393.6
2764		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	176
2765											95% KM (t) UCL	1197
2766		Assuming Gamma Distribution									95% KM (z) UCL	1132
2767		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	1197
2768					Minimum	350					95% KM (bootstrap t) UCL	1203
2769					Maximum	1295					95% KM (BCA) UCL	1103
2770					Mean	842.5					95% KM (Percentile Bootstrap) UCL	1112
2771					Median	865					95% KM (Chebyshev) UCL	1610
2772					SD	431.1					97.5% KM (Chebyshev) UCL	1942
2773					k star	2.084					99% KM (Chebyshev) UCL	2594
2774					Theta star	404.3						
2775					Nu star	25.01		Potential UCLs to Use				
2776					AppChi2	14.62					95% KM (t) UCL	1197
2777		95% Gamma Approximate UCL				1441		95% KM (Percentile Bootstrap) UCL				1112
2778		95% Adjusted Gamma UCL				1778						
2779	Note: DL/2 is not a recommended method.											
2780												
2781												
2782	Total Chlordanes											
2783												
2784							General Statistics					
2785				Number of Valid Data		13				Number of Detected Data		10
2786				Number of Distinct Detected Data		10				Number of Non-Detect Data		3
2787				Number of Missing Values		5				Percent Non-Detects		23.08%
2788												
2789			Raw Statistics						Log-transformed Statistics			
2790				Minimum Detected		7.712				Minimum Detected		2.043
2791				Maximum Detected		15				Maximum Detected		2.708
2792				Mean of Detected		10.22				Mean of Detected		2.303
2793				SD of Detected		2.305				SD of Detected		0.215
2794				Minimum Non-Detect		7.1				Minimum Non-Detect		1.96
2795				Maximum Non-Detect		11				Maximum Non-Detect		2.398
2796												
2797	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		9
2798	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		4
2799	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		69.23%
2800												
2801							UCL Statistics					
2802		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2803				Shapiro Wilk Test Statistic		0.898				Shapiro Wilk Test Statistic		0.928
2804				5% Shapiro Wilk Critical Value		0.842				5% Shapiro Wilk Critical Value		0.842
2805		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
2806												
2807		Assuming Normal Distribution						Assuming Lognormal Distribution				
2808				DL/2 Substitution Method						DL/2 Substitution Method		
2809				Mean		8.937				Mean		2.123

	A	B	C	D	E	F	G	H	I	J	K	L
2810					SD	3.182					SD	0.401
2811				95% DL/2 (t) UCL		10.51				95% H-Stat (DL/2) UCL		9.581
2812												
2813		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
2814					Mean	12.91				Mean in Log Scale		2.238
2815					SD	1.404				SD in Log Scale		0.236
2816				95% MLE (t) UCL		13.6				Mean in Original Scale		9.627
2817				95% MLE (Tiku) UCL		14.11				SD in Original Scale		2.362
2818										95% Percentile Bootstrap UCL		10.65
2819										95% BCA Bootstrap UCL		10.82
2820												
2821		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2822				k star (bias corrected)		16.54		Data appear Normal at 5% Significance Level				
2823					Theta Star	0.618						
2824					nu star	330.7						
2825												
2826				A-D Test Statistic		0.406		Nonparametric Statistics				
2827				5% A-D Critical Value		0.725				Kaplan-Meier (KM) Method		
2828				K-S Test Statistic		0.725					Mean	9.768
2829				5% K-S Critical Value		0.266					SD	2.117
2830		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.626
2831										95% KM (t) UCL		10.88
2832		Assuming Gamma Distribution								95% KM (z) UCL		10.8
2833		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		10.87
2834					Minimum	6.524				95% KM (bootstrap t) UCL		11.21
2835					Maximum	15				95% KM (BCA) UCL		10.87
2836					Mean	9.948			95% KM (Percentile Bootstrap) UCL			10.82
2837					Median	9.503				95% KM (Chebyshev) UCL		12.5
2838					SD	2.246				97.5% KM (Chebyshev) UCL		13.68
2839					k star	17.04				99% KM (Chebyshev) UCL		16
2840					Theta star	0.584						
2841					Nu star	443		Potential UCLs to Use				
2842					AppChi2	395.2				95% KM (t) UCL		10.88
2843				95% Gamma Approximate UCL		11.15			95% KM (Percentile Bootstrap) UCL			10.82
2844				95% Adjusted Gamma UCL		11.34						
2845	Note: DL/2 is not a recommended method.											
2846												
2847												
2848	Total DDD											
2849												
2850						General Statistics						
2851				Number of Valid Data		15				Number of Detected Data		15
2852				Number of Distinct Detected Data		15				Number of Non-Detect Data		0
2853				Number of Missing Values		3				Percent Non-Detects		0.00%
2854												
2855				Raw Statistics						Log-transformed Statistics		
2856				Minimum Detected		11.46				Minimum Detected		2.439
2857				Maximum Detected		201.7				Maximum Detected		5.307
2858				Mean of Detected		50.03				Mean of Detected		3.57
2859				SD of Detected		50.27				SD of Detected		0.816
2860				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
2861				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
2862												

	A	B	C	D	E	F	G	H	I	J	K	L
2863												
2864						UCL Statistics						
2865		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2866				Shapiro Wilk Test Statistic		0.73				Shapiro Wilk Test Statistic		0.961
2867				5% Shapiro Wilk Critical Value		0.881				5% Shapiro Wilk Critical Value		0.881
2868		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
2869												
2870		Assuming Normal Distribution						Assuming Lognormal Distribution				
2871				DL/2 Substitution Method						DL/2 Substitution Method		
2872				Mean		50.03				Mean		3.57
2873				SD		50.27				SD		0.816
2874				95% DL/2 (t) UCL		72.89				95% H-Stat (DL/2) UCL		84.84
2875												
2876				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
2877		MLE method failed to converge properly								Mean in Log Scale		N/A
2878										SD in Log Scale		N/A
2879										Mean in Original Scale		N/A
2880										SD in Original Scale		N/A
2881										95% Percentile Bootstrap UCL		N/A
2882										95% BCA Bootstrap UCL		N/A
2883												
2884		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2885				k star (bias corrected)		1.329		Data appear Gamma Distributed at 5% Significance Level				
2886				Theta Star		37.65						
2887				nu star		39.86						
2888												
2889				A-D Test Statistic		0.494		Nonparametric Statistics				
2890				5% A-D Critical Value		0.752				Kaplan-Meier (KM) Method		
2891				K-S Test Statistic		0.752				Mean		50.03
2892				5% K-S Critical Value		0.225				SD		48.56
2893		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		12.98
2894										95% KM (t) UCL		72.89
2895		Assuming Gamma Distribution								95% KM (z) UCL		71.38
2896		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		72.89
2897				Minimum		11.46				95% KM (bootstrap t) UCL		97.41
2898				Maximum		201.7				95% KM (BCA) UCL		73.68
2899				Mean		50.03				95% KM (Percentile Bootstrap) UCL		71.48
2900				Median		30.8				95% KM (Chebyshev) UCL		106.6
2901				SD		50.27				97.5% KM (Chebyshev) UCL		131.1
2902				k star		1.329				99% KM (Chebyshev) UCL		179.2
2903				Theta star		37.65						
2904				Nu star		39.86		Potential UCLs to Use				
2905				AppChi2		26.39				95% KM (Chebyshev) UCL		106.6
2906			95% Gamma Approximate UCL			75.55						
2907			95% Adjusted Gamma UCL			79.6						
2908	Note: DL/2 is not a recommended method.											
2909												
2910												
2911	Total DDE											
2912												
2913						General Statistics						
2914				Number of Valid Data		15				Number of Detected Data		15
2915			Number of Distinct Detected Data			15				Number of Non-Detect Data		0

	A	B	C	D	E	F	G	H	I	J	K	L
2916				Number of Missing Values		3				Percent Non-Detects		0.00%
2917												
2918				Raw Statistics						Log-transformed Statistics		
2919				Minimum Detected		35.44				Minimum Detected		3.568
2920				Maximum Detected		252.5				Maximum Detected		5.531
2921				Mean of Detected		93.96				Mean of Detected		4.424
2922				SD of Detected		52.8				SD of Detected		0.492
2923				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
2924				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
2925												
2926												
2927						UCL Statistics						
2928			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
2929				Shapiro Wilk Test Statistic		0.815				Shapiro Wilk Test Statistic		0.973
2930				5% Shapiro Wilk Critical Value		0.881				5% Shapiro Wilk Critical Value		0.881
2931			Data not Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
2932												
2933				Assuming Normal Distribution						Assuming Lognormal Distribution		
2934				DL/2 Substitution Method						DL/2 Substitution Method		
2935				Mean		93.96				Mean		4.424
2936				SD		52.8				SD		0.492
2937				95% DL/2 (t) UCL		118				95% H-Stat (DL/2) UCL		123.4
2938												
2939				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
2940			MLE method failed to converge properly							Mean in Log Scale		N/A
2941										SD in Log Scale		N/A
2942										Mean in Original Scale		N/A
2943										SD in Original Scale		N/A
2944										95% Percentile Bootstrap UCL		N/A
2945										95% BCA Bootstrap UCL		N/A
2946												
2947			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
2948				k star (bias corrected)		3.536		Data appear Gamma Distributed at 5% Significance Level				
2949				Theta Star		26.57						
2950				nu star		106.1						
2951												
2952				A-D Test Statistic		0.316				Nonparametric Statistics		
2953				5% A-D Critical Value		0.739				Kaplan-Meier (KM) Method		
2954				K-S Test Statistic		0.739				Mean		93.96
2955				5% K-S Critical Value		0.222				SD		51.01
2956			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		13.63
2957										95% KM (t) UCL		118
2958				Assuming Gamma Distribution						95% KM (z) UCL		116.4
2959			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		118
2960				Minimum		35.44				95% KM (bootstrap t) UCL		132.4
2961				Maximum		252.5				95% KM (BCA) UCL		117.8
2962				Mean		93.96				95% KM (Percentile Bootstrap) UCL		117.9
2963				Median		87.25				95% KM (Chebyshev) UCL		153.4
2964				SD		52.8				97.5% KM (Chebyshev) UCL		179.1
2965				k star		3.536				99% KM (Chebyshev) UCL		229.6
2966				Theta star		26.57						
2967				Nu star		106.1				Potential UCLs to Use		
2968				AppChi2		83.3				95% KM (BCA) UCL		117.8

	A	B	C	D	E	F	G	H	I	J	K	L
2969			95% Gamma Approximate UCL			119.6						
2970			95% Adjusted Gamma UCL			123.3						
2971	Note: DL/2 is not a recommended method.											
2972												
2973												
2974	Total DDT											
2975												
2976				General Statistics								
2977			Number of Valid Data			15			Number of Detected Data			10
2978			Number of Distinct Detected Data			10			Number of Non-Detect Data			5
2979			Number of Missing Values			3			Percent Non-Detects			33.33%
2980												
2981			Raw Statistics						Log-transformed Statistics			
2982			Minimum Detected			0.328			Minimum Detected			-1.115
2983			Maximum Detected			63			Maximum Detected			4.143
2984			Mean of Detected			13.46			Mean of Detected			1.094
2985			SD of Detected			21.33			SD of Detected			1.975
2986			Minimum Non-Detect			6.9			Minimum Non-Detect			1.932
2987			Maximum Non-Detect			6.9			Maximum Non-Detect			1.932
2988												
2989												
2990				UCL Statistics								
2991		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2992			Shapiro Wilk Test Statistic			0.692			Shapiro Wilk Test Statistic			0.885
2993			5% Shapiro Wilk Critical Value			0.842			5% Shapiro Wilk Critical Value			0.842
2994		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
2995												
2996		Assuming Normal Distribution						Assuming Lognormal Distribution				
2997			DL/2 Substitution Method						DL/2 Substitution Method			
2998			Mean			10.12			Mean			1.142
2999			SD			17.79			SD			1.585
3000			95% DL/2 (t) UCL			18.21			95% H-Stat (DL/2) UCL			30.98
3001												
3002			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
3003		MLE yields a negative mean							Mean in Log Scale			0.674
3004									SD in Log Scale			1.807
3005									Mean in Original Scale			9.418
3006									SD in Original Scale			18.11
3007									95% Percentile Bootstrap UCL			17.29
3008									95% BCA Bootstrap UCL			21.04
3009												
3010		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
3011			k star (bias corrected)			0.369		Data Follow Appr. Gamma Distribution at 5% Significance Level				
3012			Theta Star			36.49						
3013			nu star			7.378						
3014												
3015			A-D Test Statistic			0.715			Nonparametric Statistics			
3016			5% A-D Critical Value			0.789			Kaplan-Meier (KM) Method			
3017			K-S Test Statistic			0.789			Mean			9.251
3018			5% K-S Critical Value			0.283			SD			17.57
3019		Data follow Appr. Gamma Distribution at 5% Significance Level							SE of Mean			4.782
3020									95% KM (t) UCL			17.67
3021		Assuming Gamma Distribution							95% KM (z) UCL			17.12

	A	B	C	D	E	F	G	H	I	J	K	L
3022	Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL			17.52
3023					Minimum	0.328			95% KM (bootstrap t) UCL			36.73
3024					Maximum	63			95% KM (BCA) UCL			17.88
3025					Mean	13.55			95% KM (Percentile Bootstrap) UCL			16.91
3026					Median	12.31			95% KM (Chebyshev) UCL			30.09
3027					SD	17.14			97.5% KM (Chebyshev) UCL			39.11
3028					k star	0.534			99% KM (Chebyshev) UCL			56.83
3029					Theta star	25.37						
3030					Nu star	16.03			Potential UCLs to Use			
3031					AppChi2	7.981			95% KM (BCA) UCL			17.88
3032				95% Gamma Approximate UCL		27.21						
3033				95% Adjusted Gamma UCL		29.79						
3034	Note: DL/2 is not a recommended method.											
3035												
3036												
3037	Total Dioxin/Furan TEQ											
3038												
3039							General Statistics					
3040			Number of Valid Observations			9				Number of Distinct Observations		9
3041												
3042			Raw Statistics						Log-transformed Statistics			
3043					Minimum	1.884			Minimum of Log Data			0.633
3044					Maximum	4.372			Maximum of Log Data			1.475
3045					Mean	2.83			Mean of log Data			0.99
3046					Median	2.443			SD of log Data			0.329
3047					SD	0.985						
3048				Coefficient of Variation		0.348						
3049					Skewness	0.801						
3050												
3051												
3052						Warning: There are only 9 Values in this data						
3053				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
3054					the resulting calculations may not be reliable enough to draw conclusions							
3055												
3056			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
3057												
3058							Relevant UCL Statistics					
3059			Normal Distribution Test						Lognormal Distribution Test			
3060				Shapiro Wilk Test Statistic		0.822			Shapiro Wilk Test Statistic			0.855
3061				Shapiro Wilk Critical Value		0.829			Shapiro Wilk Critical Value			0.829
3062		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
3063												
3064			Assuming Normal Distribution						Assuming Lognormal Distribution			
3065					95% Student's-t UCL	3.441			95% H-UCL			3.605
3066		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			4.184
3067					95% Adjusted-CLT UCL	3.464			97.5% Chebyshev (MVUE) UCL			4.772
3068					95% Modified-t UCL	3.456			99% Chebyshev (MVUE) UCL			5.927
3069												
3070		Gamma Distribution Test							Data Distribution			
3071					k star (bias corrected)	6.838		Data appear Gamma Distributed at 5% Significance Level				
3072					Theta Star	0.414						
3073					nu star	123.1						
3074		Approximate Chi Square Value (.05)				98.46			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
3075					Adjusted Level of Significance	0.0231					95% CLT UCL	3.371
3076					Adjusted Chi Square Value	93.83					95% Jackknife UCL	3.441
3077											95% Standard Bootstrap UCL	3.351
3078					Anderson-Darling Test Statistic	0.704					95% Bootstrap-t UCL	3.69
3079					Anderson-Darling 5% Critical Value	0.722					95% Hall's Bootstrap UCL	3.301
3080					Kolmogorov-Smirnov Test Statistic	0.237					95% Percentile Bootstrap UCL	3.343
3081					Kolmogorov-Smirnov 5% Critical Value	0.279					95% BCA Bootstrap UCL	3.375
3082		Data appear Gamma Distributed at 5% Significance Level									95% Chebyshev(Mean, Sd) UCL	4.262
3083											97.5% Chebyshev(Mean, Sd) UCL	4.882
3084		Assuming Gamma Distribution									99% Chebyshev(Mean, Sd) UCL	6.099
3085					95% Approximate Gamma UCL	3.538						
3086					95% Adjusted Gamma UCL	3.713						
3087												
3088		Potential UCL to Use								Use 95% Approximate Gamma UCL		3.538
3089												
3090												
3091	Total Dioxin-like PCBs											
3092												
3093					General Statistics							
3094				Number of Valid Observations		9				Number of Distinct Observations		9
3095												
3096		Raw Statistics							Log-transformed Statistics			
3097					Minimum	12553				Minimum of Log Data		9.438
3098					Maximum	267700				Maximum of Log Data		12.5
3099					Mean	45521				Mean of log Data		10.06
3100					Median	17525				SD of log Data		0.941
3101					SD	83425						
3102				Coefficient of Variation		1.833						
3103					Skewness	2.985						
3104												
3105												
3106					Warning: There are only 9 Values in this data							
3107				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
3108					the resulting calculations may not be reliable enough to draw conclusions							
3109												
3110				The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
3111												
3112					Relevant UCL Statistics							
3113		Normal Distribution Test							Lognormal Distribution Test			
3114					Shapiro Wilk Test Statistic	0.436				Shapiro Wilk Test Statistic		0.616
3115					Shapiro Wilk Critical Value	0.829				Shapiro Wilk Critical Value		0.829
3116		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
3117												
3118		Assuming Normal Distribution							Assuming Lognormal Distribution			
3119					95% Student's-t UCL	97232					95% H-UCL	102571
3120		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			82639
3121					95% Adjusted-CLT UCL	120829				97.5% Chebyshev (MVUE) UCL		103580
3122					95% Modified-t UCL	101844				99% Chebyshev (MVUE) UCL		144714
3123												
3124		Gamma Distribution Test							Data Distribution			
3125					k star (bias corrected)	0.663			Data do not follow a Discernable Distribution (0.05)			
3126					Theta Star	68688						
3127					nu star	11.93						

	A	B	C	D	E	F	G	H	I	J	K	L
3128			Approximate Chi Square Value (.05)			5.18		Nonparametric Statistics				
3129			Adjusted Level of Significance			0.0231				95% CLT UCL		91261
3130			Adjusted Chi Square Value			4.281				95% Jackknife UCL		97232
3131										95% Standard Bootstrap UCL		87208
3132			Anderson-Darling Test Statistic			2.071				95% Bootstrap-t UCL		937526
3133			Anderson-Darling 5% Critical Value			0.747				95% Hall's Bootstrap UCL		457715
3134			Kolmogorov-Smirnov Test Statistic			0.424				95% Percentile Bootstrap UCL		100300
3135			Kolmogorov-Smirnov 5% Critical Value			0.288				95% BCA Bootstrap UCL		129068
3136		Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		166734
3137										97.5% Chebyshev(Mean, Sd) UCL		219183
3138			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		322209
3139			95% Approximate Gamma UCL			104825						
3140			95% Adjusted Gamma UCL			126842						
3141												
3142			Potential UCL to Use						Use 95% Chebyshev (Mean, Sd) UCL			166734
3143												
3144												
3145	Total Endosulfan											
3146												
3147					General Statistics							
3148			Number of Valid Data			13			Number of Detected Data			10
3149			Number of Distinct Detected Data			10			Number of Non-Detect Data			3
3150			Number of Missing Values			4			Percent Non-Detects			23.08%
3151												
3152			Raw Statistics						Log-transformed Statistics			
3153			Minimum Detected			0.341			Minimum Detected			-1.077
3154			Maximum Detected			8.1			Maximum Detected			2.092
3155			Mean of Detected			1.303			Mean of Detected			-0.371
3156			SD of Detected			2.393			SD of Detected			0.914
3157			Minimum Non-Detect			4			Minimum Non-Detect			1.386
3158			Maximum Non-Detect			4			Maximum Non-Detect			1.386
3159												
3160												
3161					UCL Statistics							
3162		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
3163			Shapiro Wilk Test Statistic			0.428			Shapiro Wilk Test Statistic			0.674
3164			5% Shapiro Wilk Critical Value			0.842			5% Shapiro Wilk Critical Value			0.842
3165		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
3166												
3167		Assuming Normal Distribution						Assuming Lognormal Distribution				
3168			DL/2 Substitution Method						DL/2 Substitution Method			
3169			Mean			1.464			Mean			-0.125
3170			SD			2.095			SD			0.919
3171			95% DL/2 (t) UCL			2.5			95% H-Stat (DL/2) UCL			2.512
3172												
3173			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
3174		MLE method failed to converge properly							Mean in Log Scale			-0.405
3175									SD in Log Scale			0.823
3176									Mean in Original Scale			1.153
3177									SD in Original Scale			2.097
3178									95% Percentile Bootstrap UCL			2.301
3179									95% BCA Bootstrap UCL			2.861
3180												

	A	B	C	D	E	F	G	H	I	J	K	L
3181			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
3182				k star (bias corrected)		0.709		Data do not follow a Discernable Distribution (0.05)				
3183					Theta Star	1.839						
3184					nu star	14.18						
3185												
3186					A-D Test Statistic	2.017		Nonparametric Statistics				
3187					5% A-D Critical Value	0.751		Kaplan-Meier (KM) Method				
3188					K-S Test Statistic	0.751				Mean		1.129
3189					5% K-S Critical Value	0.274				SD		2.018
3190			Data not Gamma Distributed at 5% Significance Level							SE of Mean		0.591
3191										95% KM (t) UCL		2.182
3192			Assuming Gamma Distribution							95% KM (z) UCL		2.101
3193			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		2.169
3194					Minimum	0.341				95% KM (bootstrap t) UCL		9.637
3195					Maximum	8.1				95% KM (BCA) UCL		2.341
3196					Mean	1.297			95% KM (Percentile Bootstrap) UCL			2.267
3197					Median	0.673				95% KM (Chebyshev) UCL		3.704
3198					SD	2.084				97.5% KM (Chebyshev) UCL		4.818
3199					k star	0.921				99% KM (Chebyshev) UCL		7.006
3200					Theta star	1.408						
3201					Nu star	23.95		Potential UCLs to Use				
3202					AppChi2	13.81				95% KM (BCA) UCL		2.341
3203			95% Gamma Approximate UCL			2.249						
3204			95% Adjusted Gamma UCL			2.441						
3205	Note: DL/2 is not a recommended method.											
3206												
3207												
3208	Total PCB TEQ											
3209												
3210					General Statistics							
3211			Number of Valid Observations			9			Number of Distinct Observations			9
3212												
3213			Raw Statistics					Log-transformed Statistics				
3214					Minimum	0.966			Minimum of Log Data			-0.035
3215					Maximum	16.46			Maximum of Log Data			2.801
3216					Mean	3.333			Mean of log Data			0.746
3217					Median	1.897			SD of log Data			0.82
3218					SD	4.942						
3219				Coefficient of Variation		1.483						
3220					Skewness	2.953						
3221												
3222												
3223					Warning: There are only 9 Values in this data							
3224			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
3225				the resulting calculations may not be reliable enough to draw conclusions								
3226												
3227			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
3228												
3229					Relevant UCL Statistics							
3230			Normal Distribution Test					Lognormal Distribution Test				
3231				Shapiro Wilk Test Statistic		0.478			Shapiro Wilk Test Statistic			0.725
3232				Shapiro Wilk Critical Value		0.829			Shapiro Wilk Critical Value			0.829
3233			Data not Normal at 5% Significance Level					Data not Lognormal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
3234												
3235			Assuming Normal Distribution						Assuming Lognormal Distribution			
3236				95% Student's-t UCL		6.396				95% H-UCL		6.747
3237			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			6.275
3238				95% Adjusted-CLT UCL		7.775			97.5% Chebyshev (MVUE) UCL			7.771
3239				95% Modified-t UCL		6.667			99% Chebyshev (MVUE) UCL			10.71
3240												
3241			Gamma Distribution Test						Data Distribution			
3242				k star (bias corrected)		0.895			Data do not follow a Discernable Distribution (0.05)			
3243				Theta Star		3.725						
3244				nu star		16.1						
3245			Approximate Chi Square Value (.05)			8.035			Nonparametric Statistics			
3246			Adjusted Level of Significance			0.0231				95% CLT UCL		6.043
3247			Adjusted Chi Square Value			6.868				95% Jackknife UCL		6.396
3248									95% Standard Bootstrap UCL			5.893
3249			Anderson-Darling Test Statistic			1.621				95% Bootstrap-t UCL		27.38
3250			Anderson-Darling 5% Critical Value			0.739				95% Hall's Bootstrap UCL		23.09
3251			Kolmogorov-Smirnov Test Statistic			0.393			95% Percentile Bootstrap UCL			6.554
3252			Kolmogorov-Smirnov 5% Critical Value			0.286				95% BCA Bootstrap UCL		8.139
3253			Data not Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			10.51
3254									97.5% Chebyshev(Mean, Sd) UCL			13.62
3255			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			19.72
3256				95% Approximate Gamma UCL		6.68						
3257				95% Adjusted Gamma UCL		7.815						
3258												
3259			Potential UCL to Use						Use 95% Chebyshev (Mean, Sd) UCL			10.51
3260												
3261												
3262	Total PCB_Congeners											
3263												
3264						General Statistics						
3265			Number of Valid Observations			9			Number of Distinct Observations			9
3266												
3267			Raw Statistics						Log-transformed Statistics			
3268				Minimum		210268				Minimum of Log Data		12.26
3269				Maximum		19722060				Maximum of Log Data		16.8
3270				Mean		2520900				Mean of log Data		13.19
3271				Median		308131				SD of log Data		1.413
3272				SD		6452787						
3273			Coefficient of Variation			2.56						
3274				Skewness		2.996						
3275												
3276												
3277						Warning: There are only 9 Values in this data						
3278			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
3279				the resulting calculations may not be reliable enough to draw conclusions								
3280												
3281			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
3282												
3283						Relevant UCL Statistics						
3284			Normal Distribution Test						Lognormal Distribution Test			
3285			Shapiro Wilk Test Statistic			0.412				Shapiro Wilk Test Statistic		0.64
3286			Shapiro Wilk Critical Value			0.829				Shapiro Wilk Critical Value		0.829

	A	B	C	D	E	F	G	H	I	J	K	L
3287			Data not Normal at 5% Significance Level					Data not Lognormal at 5% Significance Level				
3288												
3289			Assuming Normal Distribution					Assuming Lognormal Distribution				
3290				95% Student's-t UCL		6520656				95% H-UCL		11890052
3291			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			3783351
3292				95% Adjusted-CLT UCL		8353959			97.5% Chebyshev (MVUE) UCL			4896707
3293				95% Modified-t UCL		6878645			99% Chebyshev (MVUE) UCL			7083678
3294												
3295			Gamma Distribution Test					Data Distribution				
3296			k star (bias corrected)			0.354		Data do not follow a Discernable Distribution (0.05)				
3297				Theta Star		7119393						
3298				nu star		6.374						
3299			Approximate Chi Square Value (.05)			1.834		Nonparametric Statistics				
3300			Adjusted Level of Significance			0.0231			95% CLT UCL			6058864
3301			Adjusted Chi Square Value			1.367			95% Jackknife UCL			6520656
3302									95% Standard Bootstrap UCL			5951375
3303			Anderson-Darling Test Statistic			2.132			95% Bootstrap-t UCL			165600000
3304			Anderson-Darling 5% Critical Value			0.785			95% Hall's Bootstrap UCL			82411833
3305			Kolmogorov-Smirnov Test Statistic			0.429			95% Percentile Bootstrap UCL			6796658
3306			Kolmogorov-Smirnov 5% Critical Value			0.297			95% BCA Bootstrap UCL			8974277
3307		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			11896583
3308									97.5% Chebyshev(Mean, Sd) UCL			15953448
3309			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			23922375
3310				95% Approximate Gamma UCL		8762325						
3311				95% Adjusted Gamma UCL		11752624						
3312												
3313			Potential UCL to Use					Use 99% Chebyshev (Mean, Sd) UCL				23922375
3314			Recommended UCL exceeds the maximum observation									
3315												
3316												
3317	Tributyltin ion											
3318												
3319					General Statistics							
3320			Number of Valid Data			9			Number of Detected Data			8
3321			Number of Distinct Detected Data			8			Number of Non-Detect Data			1
3322									Percent Non-Detects			11.11%
3323												
3324			Raw Statistics					Log-transformed Statistics				
3325				Minimum Detected		2.6			Minimum Detected			0.956
3326				Maximum Detected		11			Maximum Detected			2.398
3327				Mean of Detected		5.425			Mean of Detected			1.595
3328				SD of Detected		2.702			SD of Detected			0.456
3329				Minimum Non-Detect		1.8			Minimum Non-Detect			0.588
3330				Maximum Non-Detect		1.8			Maximum Non-Detect			0.588
3331												
3332												
3333				Warning: There are only 8 Detected Values in this data								
3334			Note: It should be noted that even though bootstrap may be performed on this data set									
3335				the resulting calculations may not be reliable enough tp draw conclusions								
3336												
3337			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
3338												
3339												

	A	B	C	D	E	F	G	H	I	J	K	L
3340						UCL Statistics						
3341		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
3342				Shapiro Wilk Test Statistic		0.867				Shapiro Wilk Test Statistic		0.955
3343				5% Shapiro Wilk Critical Value		0.818				5% Shapiro Wilk Critical Value		0.818
3344		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
3345												
3346		Assuming Normal Distribution						Assuming Lognormal Distribution				
3347				DL/2 Substitution Method						DL/2 Substitution Method		
3348					Mean	4.922					Mean	1.406
3349					SD	2.943					SD	0.71
3350				95% DL/2 (t) UCL		6.747				95% H-Stat (DL/2) UCL		6.271
3351												
3352				Maximum Likelihood Estimate(MLE) Method						Log ROS Method		
3353					Mean	4.856				Mean in Log Scale		1.47
3354					SD	2.907				SD in Log Scale		0.568
3355				95% MLE (t) UCL		6.658				Mean in Original Scale		5
3356				95% MLE (Tiku) UCL		6.653				SD in Original Scale		2.831
3357										95% Percentile Bootstrap UCL		6.511
3358										95% BCA Bootstrap UCL		6.856
3359												
3360		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
3361				k star (bias corrected)		3.454		Data appear Normal at 5% Significance Level				
3362				Theta Star		1.571						
3363				nu star		55.26						
3364												
3365				A-D Test Statistic		0.351		Nonparametric Statistics				
3366				5% A-D Critical Value		0.719		Kaplan-Meier (KM) Method				
3367				K-S Test Statistic		0.719				Mean		5.111
3368				5% K-S Critical Value		0.295				SD		2.543
3369		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.906
3370										95% KM (t) UCL		6.796
3371		Assuming Gamma Distribution								95% KM (z) UCL		6.602
3372		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		6.753
3373					Minimum	1.205				95% KM (bootstrap t) UCL		7.713
3374					Maximum	11				95% KM (BCA) UCL		6.744
3375					Mean	4.956				95% KM (Percentile Bootstrap) UCL		6.611
3376					Median	4				95% KM (Chebyshev) UCL		9.061
3377					SD	2.892				97.5% KM (Chebyshev) UCL		10.77
3378					k star	2.24				99% KM (Chebyshev) UCL		14.13
3379					Theta star	2.213						
3380					Nu star	40.32		Potential UCLs to Use				
3381					AppChi2	26.77				95% KM (t) UCL		6.796
3382				95% Gamma Approximate UCL		7.465				95% KM (Percentile Bootstrap) UCL		6.611
3383				95% Adjusted Gamma UCL		8.168						
3384	Note: DL/2 is not a recommended method.											
3385												
3386												
3387	Zinc											
3388												
3389							General Statistics					
3390				Number of Valid Data		15				Number of Detected Data		15
3391				Number of Distinct Detected Data		15				Number of Non-Detect Data		0
3392				Number of Missing Values		3				Percent Non-Detects		0.00%

	A	B	C	D	E	F	G	H	I	J	K	L
3393												
3394			Raw Statistics						Log-transformed Statistics			
3395				Minimum Detected		17.4				Minimum Detected		2.856
3396				Maximum Detected		31				Maximum Detected		3.434
3397				Mean of Detected		25.66				Mean of Detected		3.231
3398				SD of Detected		4.319				SD of Detected		0.179
3399				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
3400				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
3401												
3402												
3403						UCL Statistics						
3404			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
3405				Shapiro Wilk Test Statistic		0.915				Shapiro Wilk Test Statistic		0.895
3406				5% Shapiro Wilk Critical Value		0.881				5% Shapiro Wilk Critical Value		0.881
3407			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
3408												
3409			Assuming Normal Distribution						Assuming Lognormal Distribution			
3410				DL/2 Substitution Method						DL/2 Substitution Method		
3411				Mean		25.66				Mean		3.231
3412				SD		4.319				SD		0.179
3413				95% DL/2 (t) UCL		27.62				95% H-Stat (DL/2) UCL		28.01
3414												
3415				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
3416			MLE method failed to converge properly							Mean in Log Scale		N/A
3417										SD in Log Scale		N/A
3418										Mean in Original Scale		N/A
3419										SD in Original Scale		N/A
3420										95% Percentile Bootstrap UCL		N/A
3421										95% BCA Bootstrap UCL		N/A
3422												
3423			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
3424				k star (bias corrected)		28.03			Data appear Normal at 5% Significance Level			
3425				Theta Star		0.916						
3426				nu star		840.8						
3427												
3428				A-D Test Statistic		0.608			Nonparametric Statistics			
3429				5% A-D Critical Value		0.735				Kaplan-Meier (KM) Method		
3430				K-S Test Statistic		0.735				Mean		25.66
3431				5% K-S Critical Value		0.221				SD		4.173
3432			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		1.115
3433										95% KM (t) UCL		27.62
3434			Assuming Gamma Distribution							95% KM (z) UCL		27.49
3435			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		27.62
3436				Minimum		17.4				95% KM (bootstrap t) UCL		27.5
3437				Maximum		31				95% KM (BCA) UCL		27.37
3438				Mean		25.66				95% KM (Percentile Bootstrap) UCL		27.4
3439				Median		24.8				95% KM (Chebyshev) UCL		30.52
3440				SD		4.319				97.5% KM (Chebyshev) UCL		32.62
3441				k star		28.03				99% KM (Chebyshev) UCL		36.76
3442				Theta star		0.916						
3443				Nu star		840.8			Potential UCLs to Use			
3444				AppChi2		774.5				95% KM (t) UCL		27.62
3445				95% Gamma Approximate UCL		27.86				95% KM (Percentile Bootstrap) UCL		27.4

	A	B	C	D	E	F	G	H	I	J	K	L
3446				95% Adjusted Gamma UCL		28.14						
3447	Note: DL/2 is not a recommended method.											
3448												
3449												
3450	Total PCBs, Adjusted											
3451												
3452				General Statistics								
3453			Number of Valid Observations			9			Number of Distinct Observations			9
3454												
3455			Raw Statistics						Log-transformed Statistics			
3456				Minimum		195119				Minimum of Log Data		12.18
3457				Maximum		19454360				Maximum of Log Data		16.78
3458				Mean		2475379				Mean of log Data		13.14
3459				Median		295578				SD of log Data		1.429
3460				SD		6369401						
3461			Coefficient of Variation			2.573						
3462				Skewness		2.996						
3463												
3464												
3465				Warning: There are only 9 Values in this data								
3466			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
3467				the resulting calculations may not be reliable enough to draw conclusions								
3468												
3469			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
3470												
3471				Relevant UCL Statistics								
3472			Normal Distribution Test						Lognormal Distribution Test			
3473			Shapiro Wilk Test Statistic			0.412			Shapiro Wilk Test Statistic			0.646
3474			Shapiro Wilk Critical Value			0.829			Shapiro Wilk Critical Value			0.829
3475			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
3476												
3477			Assuming Normal Distribution						Assuming Lognormal Distribution			
3478			95% Student's-t UCL			6423448				95% H-UCL		12117939
3479			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			3692265
3480			95% Adjusted-CLT UCL			8233113			97.5% Chebyshev (MVUE) UCL			4782662
3481			95% Modified-t UCL			6776819			99% Chebyshev (MVUE) UCL			6924534
3482												
3483			Gamma Distribution Test						Data Distribution			
3484			k star (bias corrected)			0.349		Data do not follow a Discernable Distribution (0.05)				
3485				Theta Star		7087064						
3486				nu star		6.287						
3487		Approximate Chi Square Value (.05)				1.788			Nonparametric Statistics			
3488			Adjusted Level of Significance			0.0231				95% CLT UCL		5967623
3489			Adjusted Chi Square Value			1.329				95% Jackknife UCL		6423448
3490										95% Standard Bootstrap UCL		5755848
3491			Anderson-Darling Test Statistic			2.117				95% Bootstrap-t UCL		160800000
3492			Anderson-Darling 5% Critical Value			0.787				95% Hall's Bootstrap UCL		80860575
3493			Kolmogorov-Smirnov Test Statistic			0.428			95% Percentile Bootstrap UCL			6697068
3494		Kolmogorov-Smirnov 5% Critical Value				0.297				95% BCA Bootstrap UCL		8846161
3495			Data not Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			11729904
3496									97.5% Chebyshev(Mean, Sd) UCL			15734344
3497			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			23600291
3498			95% Approximate Gamma UCL			8702712						

	A	B	C	D	E	F	G	H	I	J	K	L
3499				95% Adjusted Gamma UCL		11706190						
3500												
3501				Potential UCL to Use					Use 99% Chebyshev (Mean, Sd) UCL			23600291
3502				Recommended UCL exceeds the maximum observation								
3503												
3504												
3505	Total TEQ											
3506												
3507				General Statistics								
3508			Number of Valid Observations			9			Number of Distinct Observations			9
3509												
3510			Raw Statistics						Log-transformed Statistics			
3511				Minimum		3.124			Minimum of Log Data			1.139
3512				Maximum		20.17			Maximum of Log Data			3.004
3513				Mean		6.163			Mean of log Data			1.625
3514				Median		4.483			SD of log Data			0.576
3515				SD		5.374						
3516			Coefficient of Variation			0.872						
3517				Skewness		2.75						
3518												
3519												
3520				Warning: There are only 9 Values in this data								
3521			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
3522				the resulting calculations may not be reliable enough to draw conclusions								
3523												
3524			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
3525												
3526				Relevant UCL Statistics								
3527			Normal Distribution Test						Lognormal Distribution Test			
3528			Shapiro Wilk Test Statistic			0.583			Shapiro Wilk Test Statistic			0.783
3529			Shapiro Wilk Critical Value			0.829			Shapiro Wilk Critical Value			0.829
3530		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
3531												
3532			Assuming Normal Distribution						Assuming Lognormal Distribution			
3533			95% Student's-t UCL			9.495			95% H-UCL			9.724
3534		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			10.87
3535			95% Adjusted-CLT UCL			10.86			97.5% Chebyshev (MVUE) UCL			13.04
3536			95% Modified-t UCL			9.768			99% Chebyshev (MVUE) UCL			17.29
3537												
3538			Gamma Distribution Test						Data Distribution			
3539			k star (bias corrected)			1.895		Data do not follow a Discernable Distribution (0.05)				
3540				Theta Star		3.253						
3541				nu star		34.1						
3542			Approximate Chi Square Value (.05)			21.75			Nonparametric Statistics			
3543			Adjusted Level of Significance			0.0231			95% CLT UCL			9.11
3544			Adjusted Chi Square Value			19.69			95% Jackknife UCL			9.495
3545									95% Standard Bootstrap UCL			8.912
3546			Anderson-Darling Test Statistic			1.083			95% Bootstrap-t UCL			17.97
3547			Anderson-Darling 5% Critical Value			0.728			95% Hall's Bootstrap UCL			20.29
3548			Kolmogorov-Smirnov Test Statistic			0.304			95% Percentile Bootstrap UCL			9.554
3549			Kolmogorov-Smirnov 5% Critical Value			0.282			95% BCA Bootstrap UCL			10.5
3550		Data not Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			13.97
3551									97.5% Chebyshev(Mean, Sd) UCL			17.35

	A	B	C	D	E	F	G	H	I	J	K	L
3552	**Assuming Gamma Distribution**						99% Chebyshev(Mean, Sd) UCL					23.99
3553	95% Approximate Gamma UCL					9.665						
3554	95% Adjusted Gamma UCL					10.67						
3555												
3556	**Potential UCL to Use**						Use 95% Chebyshev (Mean, Sd) UCL					13.97
3557												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	Carp-Study_area-WB								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	1-Methylnaphthalene											
10												
11						General Statistics						
12			Number of Valid Data		9				Number of Detected Data			9
13		Number of Distinct Detected Data			9				Number of Non-Detect Data			0
14			Number of Missing Values		6				Percent Non-Detects			0.00%
15												
16			Raw Statistics						Log-transformed Statistics			
17			Minimum Detected	2.371					Minimum Detected			0.863
18			Maximum Detected	12.29					Maximum Detected			2.508
19			Mean of Detected	5.406					Mean of Detected			1.571
20			SD of Detected	3.026					SD of Detected			0.498
21			Minimum Non-Detect	N/A					Minimum Non-Detect			N/A
22			Maximum Non-Detect	N/A					Maximum Non-Detect			N/A
23												
24												
25				Warning: There are only 9 Detected Values in this data								
26				Note: It should be noted that even though bootstrap may be performed on this data set								
27				the resulting calculations may not be reliable enough tp draw conclusions								
28												
29				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
30												
31												
32						UCL Statistics						
33		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
34			Shapiro Wilk Test Statistic		0.844				Shapiro Wilk Test Statistic			0.969
35			5% Shapiro Wilk Critical Value		0.829				5% Shapiro Wilk Critical Value			0.829
36		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
37												
38		Assuming Normal Distribution						Assuming Lognormal Distribution				
39			DL/2 Substitution Method						DL/2 Substitution Method			
40				Mean	5.406					Mean		1.571
41				SD	3.026					SD		0.498
42			95% DL/2 (t) UCL		7.282				95% H-Stat (DL/2) UCL			8.052
43												
44		Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method			
45		MLE method failed to converge properly							Mean in Log Scale			N/A
46									SD in Log Scale			N/A
47									Mean in Original Scale			N/A
48									SD in Original Scale			N/A
49									95% Percentile Bootstrap UCL			N/A
50									95% BCA Bootstrap UCL			N/A
51												
52		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
53			k star (bias corrected)		3.033				Data appear Normal at 5% Significance Level			

	A	B	C	D	E	F	G	H	I	J	K	L
54					Theta Star	1.782						
55					nu star	54.6						
56												
57					A-D Test Statistic	0.307			Nonparametric Statistics			
58					5% A-D Critical Value	0.724			Kaplan-Meier (KM) Method			
59					K-S Test Statistic	0.724					Mean	5.406
60					5% K-S Critical Value	0.28					SD	2.853
61		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	1.009
62											95% KM (t) UCL	7.282
63			Assuming Gamma Distribution								95% KM (z) UCL	7.066
64		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	7.282
65					Minimum	2.371					95% KM (bootstrap t) UCL	8.905
66					Maximum	12.29					95% KM (BCA) UCL	7.179
67					Mean	5.406			95% KM (Percentile Bootstrap) UCL			7.154
68					Median	4.623					95% KM (Chebyshev) UCL	9.803
69					SD	3.026					97.5% KM (Chebyshev) UCL	11.71
70					k star	3.033					99% KM (Chebyshev) UCL	15.44
71					Theta star	1.782						
72					Nu star	54.6			Potential UCLs to Use			
73					AppChi2	38.62					95% KM (t) UCL	7.282
74			95% Gamma Approximate UCL			7.643			95% KM (Percentile Bootstrap) UCL			7.154
75			95% Adjusted Gamma UCL			8.244						
76	Note: DL/2 is not a recommended method.											
77												
78												
79	2-Methylnaphthalene											
80												
81						General Statistics						
82			Number of Valid Data			15			Number of Detected Data			10
83		Number of Distinct Detected Data				10			Number of Non-Detect Data			5
84									Percent Non-Detects			33.33%
85												
86			Raw Statistics						Log-transformed Statistics			
87				Minimum Detected		1.926				Minimum Detected		0.655
88				Maximum Detected		38				Maximum Detected		3.638
89				Mean of Detected		7.565				Mean of Detected		1.578
90				SD of Detected		10.82				SD of Detected		0.835
91				Minimum Non-Detect		32				Minimum Non-Detect		3.466
92				Maximum Non-Detect		33				Maximum Non-Detect		3.497
93												
94	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			14
95	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
96	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			93.33%
97												
98						UCL Statistics						
99		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
100			Shapiro Wilk Test Statistic			0.507				Shapiro Wilk Test Statistic		0.828
101			5% Shapiro Wilk Critical Value			0.842				5% Shapiro Wilk Critical Value		0.842
102		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
103												
104			Assuming Normal Distribution						Assuming Lognormal Distribution			
105			DL/2 Substitution Method						DL/2 Substitution Method			
106					Mean	10.44				Mean		1.98

	A	B	C	D	E	F	G	H	I	J	K	L
107					SD	9.644					SD	0.892
108				95% DL/2 (t) UCL		14.83				95% H-Stat (DL/2) UCL		53.68
109												
110			Maximum Likelihood Estimate(MLE) Method			N/A					Log ROS Method	
111			MLE method failed to converge properly								Mean in Log Scale	1.529
112											SD in Log Scale	0.713
113											Mean in Original Scale	6.545
114											SD in Original Scale	8.86
115										95% Percentile Bootstrap UCL		10.9
116										95% BCA Bootstrap UCL		13.13
117												
118		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
119				k star (bias corrected)		0.951		Data do not follow a Discernable Distribution (0.05)				
120					Theta Star	7.958						
121					nu star	19.01						
122												
123					A-D Test Statistic	1.262		Nonparametric Statistics				
124				5% A-D Critical Value		0.744				Kaplan-Meier (KM) Method		
125					K-S Test Statistic	0.744					Mean	6.438
126				5% K-S Critical Value		0.272					SD	8.582
127		Data not Gamma Distributed at 5% Significance Level									SE of Mean	2.358
128											95% KM (t) UCL	10.59
129		Assuming Gamma Distribution									95% KM (z) UCL	10.32
130		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		10.53
131					Minimum	1.926				95% KM (bootstrap t) UCL		23.7
132					Maximum	38				95% KM (BCA) UCL		11.3
133					Mean	7.52			95% KM (Percentile Bootstrap) UCL			11.02
134					Median	5.468				95% KM (Chebyshev) UCL		16.71
135					SD	8.701				97.5% KM (Chebyshev) UCL		21.16
136					k star	1.492				99% KM (Chebyshev) UCL		29.9
137					Theta star	5.041						
138					Nu star	44.75		Potential UCLs to Use				
139					AppChi2	30.41				95% KM (BCA) UCL		11.3
140			95% Gamma Approximate UCL			11.07						
141			95% Adjusted Gamma UCL			11.62						
142	Note: DL/2 is not a recommended method.											
143												
144												
145	4-Nitrophenol											
146												
147						General Statistics						
148			Number of Valid Data			8				Number of Detected Data		8
149			Number of Distinct Detected Data			8				Number of Non-Detect Data		0
150				Number of Missing Values		6				Percent Non-Detects		0.00%
151												
152		Raw Statistics						Log-transformed Statistics				
153					Minimum Detected	7.071					Minimum Detected	1.956
154					Maximum Detected	9.46					Maximum Detected	2.247
155					Mean of Detected	8.048					Mean of Detected	2.08
156					SD of Detected	0.879					SD of Detected	0.107
157				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
158				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
159												

	A	B	C	D	E	F	G	H	I	J	K	L
160												
161					Warning: There are only 8 Detected Values in this data							
162					Note: It should be noted that even though bootstrap may be performed on this data set							
163					the resulting calculations may not be reliable enough tp draw conclusions							
164												
165				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
166												
167												
168							UCL Statistics					
169		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
170					Shapiro Wilk Test Statistic	0.887				Shapiro Wilk Test Statistic		0.897
171					5% Shapiro Wilk Critical Value	0.818				5% Shapiro Wilk Critical Value		0.818
172		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
173												
174		Assuming Normal Distribution						Assuming Lognormal Distribution				
175					DL/2 Substitution Method					DL/2 Substitution Method		
176					Mean	8.048				Mean		2.08
177					SD	0.879				SD		0.107
178					95% DL/2 (t) UCL	8.637				95% H-Stat (DL/2) UCL		8.679
179												
180				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
181		MLE method failed to converge properly								Mean in Log Scale		N/A
182										SD in Log Scale		N/A
183										Mean in Original Scale		N/A
184										SD in Original Scale		N/A
185										95% Percentile Bootstrap UCL		N/A
186										95% BCA Bootstrap UCL		N/A
187												
188		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
189					k star (bias corrected)	61.9		Data appear Normal at 5% Significance Level				
190					Theta Star	0.13						
191					nu star	990.4						
192												
193					A-D Test Statistic	0.499		Nonparametric Statistics				
194					5% A-D Critical Value	0.715				Kaplan-Meier (KM) Method		
195					K-S Test Statistic	0.715				Mean		8.048
196					5% K-S Critical Value	0.294				SD		0.822
197		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.311
198										95% KM (t) UCL		8.637
199		Assuming Gamma Distribution								95% KM (z) UCL		8.56
200		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		8.637
201					Minimum	7.071				95% KM (bootstrap t) UCL		8.861
202					Maximum	9.46				95% KM (BCA) UCL		8.572
203					Mean	8.048				95% KM (Percentile Bootstrap) UCL		8.554
204					Median	7.654				95% KM (Chebyshev) UCL		9.403
205					SD	0.879				97.5% KM (Chebyshev) UCL		9.989
206					k star	61.9				99% KM (Chebyshev) UCL		11.14
207					Theta star	0.13						
208					Nu star	990.4		Potential UCLs to Use				
209					AppChi2	918.4				95% KM (t) UCL		8.637
210				95% Gamma Approximate UCL		8.68				95% KM (Percentile Bootstrap) UCL		8.554
211				95% Adjusted Gamma UCL		8.85						
212	Note: DL/2 is not a recommended method.											

	A	B	C	D	E	F	G	H	I	J	K	L
213												
214												
215	Acenaphthene											
216												
217					General Statistics							
218			Number of Valid Data			15			Number of Detected Data			11
219			Number of Distinct Detected Data			11			Number of Non-Detect Data			4
220									Percent Non-Detects			26.67%
221												
222			Raw Statistics						Log-transformed Statistics			
223			Minimum Detected			4.414			Minimum Detected			1.485
224			Maximum Detected			124.2			Maximum Detected			4.822
225			Mean of Detected			39.5			Mean of Detected			3.221
226			SD of Detected			37.06			SD of Detected			1.067
227			Minimum Non-Detect			32			Minimum Non-Detect			3.466
228			Maximum Non-Detect			33			Maximum Non-Detect			3.497
229												
230	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			10
231	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			5
232	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			66.67%
233												
234					UCL Statistics							
235			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
236			Shapiro Wilk Test Statistic			0.865			Shapiro Wilk Test Statistic			0.97
237			5% Shapiro Wilk Critical Value			0.85			5% Shapiro Wilk Critical Value			0.85
238			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
239												
240			Assuming Normal Distribution						Assuming Lognormal Distribution			
241			DL/2 Substitution Method						DL/2 Substitution Method			
242			Mean			33.27			Mean			3.103
243			SD			33.1			SD			0.924
244			95% DL/2 (t) UCL			48.32			95% H-Stat (DL/2) UCL			94.29
245												
246			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
247			Mean			8.684			Mean in Log Scale			3.017
248			SD			56.85			SD in Log Scale			0.991
249			95% MLE (t) UCL			34.54			Mean in Original Scale			32.32
250			95% MLE (Tiku) UCL			50.15			SD in Original Scale			33.76
251									95% Percentile Bootstrap UCL			46.83
252									95% BCA Bootstrap UCL			50.01
253												
254			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
255			k star (bias corrected)			0.961			Data appear Normal at 5% Significance Level			
256			Theta Star			41.11						
257			nu star			21.14						
258												
259			A-D Test Statistic			0.205			Nonparametric Statistics			
260			5% A-D Critical Value			0.747			Kaplan-Meier (KM) Method			
261			K-S Test Statistic			0.747			Mean			32.53
262			5% K-S Critical Value			0.261			SD			32.62
263			Data appear Gamma Distributed at 5% Significance Level						SE of Mean			8.935
264									95% KM (t) UCL			48.26
265			Assuming Gamma Distribution						95% KM (z) UCL			47.22

	A	B	C	D	E	F	G	H	I	J	K	L
266			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		48.13
267					Minimum	4.414				95% KM (bootstrap t) UCL		56.46
268					Maximum	124.2				95% KM (BCA) UCL		47.7
269					Mean	38.25			95% KM (Percentile Bootstrap) UCL			46.51
270					Median	34.64				95% KM (Chebyshev) UCL		71.47
271					SD	32.4				97.5% KM (Chebyshev) UCL		88.32
272					k star	1.254				99% KM (Chebyshev) UCL		121.4
273					Theta star	30.5						
274					Nu star	37.63			**Potential UCLs to Use**			
275					AppChi2	24.58				95% KM (t) UCL		48.26
276			95% Gamma Approximate UCL			58.55			95% KM (Percentile Bootstrap) UCL			46.51
277				95% Adjusted Gamma UCL		61.8						
278	Note: DL/2 is not a recommended method.											
279												
280												
281	Acenaphthylene											
282												
283							General Statistics					
284			Number of Valid Data			9				Number of Detected Data		9
285			Number of Distinct Detected Data			9				Number of Non-Detect Data		0
286				Number of Missing Values		6				Percent Non-Detects		0.00%
287												
288			**Raw Statistics**						**Log-transformed Statistics**			
289				Minimum Detected		0.405				Minimum Detected		-0.905
290				Maximum Detected		4.174				Maximum Detected		1.429
291				Mean of Detected		1.544				Mean of Detected		0.219
292				SD of Detected		1.151				SD of Detected		0.694
293				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
294				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
295												
296												
297					Warning: There are only 9 Detected Values in this data							
298				Note: It should be noted that even though bootstrap may be performed on this data set								
299					the resulting calculations may not be reliable enough tp draw conclusions							
300												
301			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.										
302												
303												
304							UCL Statistics					
305		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
306				Shapiro Wilk Test Statistic		0.825				Shapiro Wilk Test Statistic		0.975
307				5% Shapiro Wilk Critical Value		0.829				5% Shapiro Wilk Critical Value		0.829
308		**Data not Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
309												
310			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
311				DL/2 Substitution Method						DL/2 Substitution Method		
312					Mean	1.544				Mean		0.219
313					SD	1.151				SD		0.694
314				95% DL/2 (t) UCL		2.257				95% H-Stat (DL/2) UCL		3.001
315												
316			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
317		**MLE method failed to converge properly**								Mean in Log Scale		N/A
318										SD in Log Scale		N/A

	A	B	C	D	E	F	G	H	I	J	K	L
319										Mean in Original Scale		N/A
320										SD in Original Scale		N/A
321										95% Percentile Bootstrap UCL		N/A
322										95% BCA Bootstrap UCL		N/A
323												
324		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
325				k star (bias corrected)		1.723		Data appear Gamma Distributed at 5% Significance Level				
326					Theta Star	0.896						
327					nu star	31.02						
328												
329					A-D Test Statistic	0.298		Nonparametric Statistics				
330					5% A-D Critical Value	0.728		Kaplan-Meier (KM) Method				
331					K-S Test Statistic	0.728				Mean		1.544
332					5% K-S Critical Value	0.282				SD		1.085
333		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.384
334										95% KM (t) UCL		2.257
335		Assuming Gamma Distribution								95% KM (z) UCL		2.174
336		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		2.257
337					Minimum	0.405				95% KM (bootstrap t) UCL		3.023
338					Maximum	4.174				95% KM (BCA) UCL		2.194
339					Mean	1.544				95% KM (Percentile Bootstrap) UCL		2.153
340					Median	1.325				95% KM (Chebyshev) UCL		3.215
341					SD	1.151				97.5% KM (Chebyshev) UCL		3.939
342					k star	1.723				99% KM (Chebyshev) UCL		5.36
343					Theta star	0.896						
344					Nu star	31.02		Potential UCLs to Use				
345					AppChi2	19.29				95% KM (Chebyshev) UCL		3.215
346				95% Gamma Approximate UCL		2.482						
347				95% Adjusted Gamma UCL		2.756						
348	Note: DL/2 is not a recommended method.											
349												
350												
351	Aldrin											
352												
353						General Statistics						
354			Number of Valid Data			9			Number of Detected Data			9
355			Number of Distinct Detected Data			9			Number of Non-Detect Data			0
356				Number of Missing Values		6			Percent Non-Detects			0.00%
357												
358			Raw Statistics						Log-transformed Statistics			
359				Minimum Detected		0.0591				Minimum Detected		-2.828
360				Maximum Detected		0.163				Maximum Detected		-1.814
361				Mean of Detected		0.121				Mean of Detected		-2.169
362				SD of Detected		0.0391				SD of Detected		0.364
363				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
364				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
365												
366												
367					Warning: There are only 9 Detected Values in this data							
368				Note: It should be noted that even though bootstrap may be performed on this data set								
369					the resulting calculations may not be reliable enough tp draw conclusions							
370												
371				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								

	A	B	C	D	E	F	G	H	I	J	K	L
372												
373												
374					UCL Statistics							
375		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
376				Shapiro Wilk Test Statistic		0.894				Shapiro Wilk Test Statistic		0.884
377				5% Shapiro Wilk Critical Value		0.829				5% Shapiro Wilk Critical Value		0.829
378		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
379												
380		Assuming Normal Distribution						Assuming Lognormal Distribution				
381				DL/2 Substitution Method						DL/2 Substitution Method		
382					Mean	0.121				Mean		-2.169
383					SD	0.0391				SD		0.364
384				95% DL/2 (t) UCL		0.145				95% H-Stat (DL/2) UCL		0.16
385												
386				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
387		MLE method failed to converge properly								Mean in Log Scale		N/A
388										SD in Log Scale		N/A
389										Mean in Original Scale		N/A
390										SD in Original Scale		N/A
391										95% Percentile Bootstrap UCL		N/A
392										95% BCA Bootstrap UCL		N/A
393												
394		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
395				k star (bias corrected)		6.32		Data appear Normal at 5% Significance Level				
396				Theta Star		0.0191						
397				nu star		113.8						
398												
399				A-D Test Statistic		0.478		Nonparametric Statistics				
400				5% A-D Critical Value		0.722				Kaplan-Meier (KM) Method		
401				K-S Test Statistic		0.722				Mean		0.121
402				5% K-S Critical Value		0.279				SD		0.0368
403		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.013
404										95% KM (t) UCL		0.145
405		Assuming Gamma Distribution								95% KM (z) UCL		0.142
406		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.145
407				Minimum		0.0591				95% KM (bootstrap t) UCL		0.143
408				Maximum		0.163				95% KM (BCA) UCL		0.139
409				Mean		0.121				95% KM (Percentile Bootstrap) UCL		0.141
410				Median		0.113				95% KM (Chebyshev) UCL		0.177
411				SD		0.0391				97.5% KM (Chebyshev) UCL		0.202
412				k star		6.32				99% KM (Chebyshev) UCL		0.25
413				Theta star		0.0191						
414				Nu star		113.8		Potential UCLs to Use				
415				AppChi2		90.14				95% KM (t) UCL		0.145
416		95% Gamma Approximate UCL				0.152				95% KM (Percentile Bootstrap) UCL		0.141
417				95% Adjusted Gamma UCL		0.16						
418	Note: DL/2 is not a recommended method.											
419												
420												
421	alpha-Hexachlorocyclohexane											
422												
423					General Statistics							
424				Number of Valid Data		9				Number of Detected Data		9

	A	B	C	D	E	F	G	H	I	J	K	L
425				Number of Distinct Detected Data		9				Number of Non-Detect Data		0
426				Number of Missing Values		6				Percent Non-Detects		0.00%
427												
428			Raw Statistics						Log-transformed Statistics			
429				Minimum Detected		0.0269				Minimum Detected		-3.616
430				Maximum Detected		0.0499				Maximum Detected		-2.998
431				Mean of Detected		0.0349				Mean of Detected		-3.372
432				SD of Detected		0.00724				SD of Detected		0.197
433				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
434				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
435												
436												
437					Warning: There are only 9 Detected Values in this data							
438				Note: It should be noted that even though bootstrap may be performed on this data set								
439				the resulting calculations may not be reliable enough tp draw conclusions								
440												
441			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
442												
443												
444					UCL Statistics							
445		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
446				Shapiro Wilk Test Statistic		0.92				Shapiro Wilk Test Statistic		0.953
447				5% Shapiro Wilk Critical Value		0.829				5% Shapiro Wilk Critical Value		0.829
448		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
449												
450		Assuming Normal Distribution						Assuming Lognormal Distribution				
451				DL/2 Substitution Method						DL/2 Substitution Method		
452				Mean		0.0349				Mean		-3.372
453				SD		0.00724				SD		0.197
454				95% DL/2 (t) UCL		0.0394				95% H-Stat (DL/2) UCL		0.04
455												
456				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
457		MLE method failed to converge properly								Mean in Log Scale		N/A
458										SD in Log Scale		N/A
459										Mean in Original Scale		N/A
460										SD in Original Scale		N/A
461										95% Percentile Bootstrap UCL		N/A
462										95% BCA Bootstrap UCL		N/A
463												
464		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
465				k star (bias corrected)		18.88		Data appear Normal at 5% Significance Level				
466				Theta Star		0.00185						
467				nu star		339.9						
468												
469				A-D Test Statistic		0.251		Nonparametric Statistics				
470				5% A-D Critical Value		0.721				Kaplan-Meier (KM) Method		
471				K-S Test Statistic		0.721				Mean		0.0349
472				5% K-S Critical Value		0.279				SD		0.00683
473		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.00241
474										95% KM (t) UCL		0.0394
475		Assuming Gamma Distribution								95% KM (z) UCL		0.0389
476		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.0394
477				Minimum		0.0269				95% KM (bootstrap t) UCL		0.0406

	A	B	C	D	E	F	G	H	I	J	K	L
478					Maximum	0.0499				95% KM (BCA) UCL		0.039
479					Mean	0.0349			95% KM (Percentile Bootstrap) UCL			0.0392
480					Median	0.0331				95% KM (Chebyshev) UCL		0.0454
481					SD	0.00724				97.5% KM (Chebyshev) UCL		0.05
482					k star	18.88				99% KM (Chebyshev) UCL		0.0589
483					Theta star	0.00185						
484					Nu star	339.9			**Potential UCLs to Use**			
485					AppChi2	298.1				95% KM (t) UCL		0.0394
486			95% Gamma Approximate UCL			0.0398			95% KM (Percentile Bootstrap) UCL			0.0392
487			95% Adjusted Gamma UCL			0.0409						
488	Note: DL/2 is not a recommended method.											
489												
490												
491	Aluminum											
492												
493					**General Statistics**							
494			Number of Valid Observations			15			Number of Distinct Observations			15
495												
496			**Raw Statistics**						**Log-transformed Statistics**			
497					Minimum	33.61			Minimum of Log Data			3.515
498					Maximum	134			Maximum of Log Data			4.898
499					Mean	76.99			Mean of log Data			4.263
500					Median	65.53			SD of log Data			0.421
501					SD	31.36						
502			Coefficient of Variation			0.407						
503					Skewness	0.461						
504												
505					**Relevant UCL Statistics**							
506			**Normal Distribution Test**						**Lognormal Distribution Test**			
507			Shapiro Wilk Test Statistic			0.944			Shapiro Wilk Test Statistic			0.968
508			Shapiro Wilk Critical Value			0.881			Shapiro Wilk Critical Value			0.881
509		**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
510												
511		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
512				95% Student's-t UCL		91.25				95% H-UCL		97.06
513		**95% UCLs (Adjusted for Skewness)**							95% Chebyshev (MVUE) UCL			114.4
514				95% Adjusted-CLT UCL		91.33			97.5% Chebyshev (MVUE) UCL			130.6
515				95% Modified-t UCL		91.41			99% Chebyshev (MVUE) UCL			162.3
516												
517		**Gamma Distribution Test**							**Data Distribution**			
518			k star (bias corrected)			5.159		**Data appear Normal at 5% Significance Level**				
519					Theta Star	14.92						
520					nu star	154.8						
521		Approximate Chi Square Value (.05)				127			**Nonparametric Statistics**			
522			Adjusted Level of Significance			0.0324				95% CLT UCL		90.3
523				Adjusted Chi Square Value		123.9				95% Jackknife UCL		91.25
524									95% Standard Bootstrap UCL			90.17
525			Anderson-Darling Test Statistic			0.237				95% Bootstrap-t UCL		92.37
526			Anderson-Darling 5% Critical Value			0.738				95% Hall's Bootstrap UCL		90.7
527			Kolmogorov-Smirnov Test Statistic			0.137			95% Percentile Bootstrap UCL			90.26
528			Kolmogorov-Smirnov 5% Critical Value			0.222				95% BCA Bootstrap UCL		91.43
529		**Data appear Gamma Distributed at 5% Significance Level**							95% Chebyshev(Mean, Sd) UCL			112.3
530									97.5% Chebyshev(Mean, Sd) UCL			127.6

	A	B	C	D	E	F	G	H	I	J	K	L
531				Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL		157.5
532				95% Approximate Gamma UCL		93.81						
533				95% Adjusted Gamma UCL		96.15						
534												
535			Potential UCL to Use							Use 95% Student's-t UCL		91.25
536												
537												
538	Anthracene											
539												
540					General Statistics							
541			Number of Valid Data			9				Number of Detected Data		9
542			Number of Distinct Detected Data			9				Number of Non-Detect Data		0
543			Number of Missing Values			6				Percent Non-Detects		0.00%
544												
545			Raw Statistics						Log-transformed Statistics			
546			Minimum Detected			0.512				Minimum Detected		-0.669
547			Maximum Detected			7.601				Maximum Detected		2.028
548			Mean of Detected			2.742				Mean of Detected		0.716
549			SD of Detected			2.195				SD of Detected		0.846
550			Minimum Non-Detect			N/A				Minimum Non-Detect		N/A
551			Maximum Non-Detect			N/A				Maximum Non-Detect		N/A
552												
553												
554				Warning: There are only 9 Detected Values in this data								
555			Note: It should be noted that even though bootstrap may be performed on this data set									
556			the resulting calculations may not be reliable enough tp draw conclusions									
557												
558			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
559												
560												
561					UCL Statistics							
562		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
563			Shapiro Wilk Test Statistic			0.876				Shapiro Wilk Test Statistic		0.981
564			5% Shapiro Wilk Critical Value			0.829				5% Shapiro Wilk Critical Value		0.829
565		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
566												
567		Assuming Normal Distribution						Assuming Lognormal Distribution				
568			DL/2 Substitution Method							DL/2 Substitution Method		
569			Mean			2.742				Mean		0.716
570			SD			2.195				SD		0.846
571			95% DL/2 (t) UCL			4.103				95% H-Stat (DL/2) UCL		6.983
572												
573			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
574		MLE method failed to converge properly								Mean in Log Scale		N/A
575										SD in Log Scale		N/A
576										Mean in Original Scale		N/A
577										SD in Original Scale		N/A
578										95% Percentile Bootstrap UCL		N/A
579										95% BCA Bootstrap UCL		N/A
580												
581		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
582			k star (bias corrected)			1.314			Data appear Normal at 5% Significance Level			
583			Theta Star			2.087						

	A	B	C	D	E	F	G	H	I	J	K	L
584					nu star	23.65						
585												
586				A-D Test Statistic		0.163		Nonparametric Statistics				
587				5% A-D Critical Value		0.731		Kaplan-Meier (KM) Method				
588				K-S Test Statistic		0.731				Mean		2.742
589				5% K-S Critical Value		0.283				SD		2.069
590	Data appear Gamma Distributed at 5% Significance Level									SE of Mean		0.732
591										95% KM (t) UCL		4.103
592		Assuming Gamma Distribution								95% KM (z) UCL		3.946
593		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		4.103
594					Minimum	0.512				95% KM (bootstrap t) UCL		4.751
595					Maximum	7.601				95% KM (BCA) UCL		3.957
596					Mean	2.742		95% KM (Percentile Bootstrap) UCL				4.017
597					Median	2.426				95% KM (Chebyshev) UCL		5.931
598					SD	2.195				97.5% KM (Chebyshev) UCL		7.311
599					k star	1.314				99% KM (Chebyshev) UCL		10.02
600					Theta star	2.087						
601					Nu star	23.65		Potential UCLs to Use				
602					AppChi2	13.58				95% KM (t) UCL		4.103
603			95% Gamma Approximate UCL			4.775		95% KM (Percentile Bootstrap) UCL				4.017
604			95% Adjusted Gamma UCL			5.403						
605	Note: DL/2 is not a recommended method.											
606												
607												
608	Antimony											
609												
610					General Statistics							
611		Number of Valid Data				15		Number of Detected Data				3
612		Number of Distinct Detected Data				3		Number of Non-Detect Data				12
613								Percent Non-Detects				80.00%
614												
615		Raw Statistics						Log-transformed Statistics				
616				Minimum Detected		0.00376				Minimum Detected		-5.585
617				Maximum Detected		0.00644				Maximum Detected		-5.045
618				Mean of Detected		0.00509				Mean of Detected		-5.305
619				SD of Detected		0.00134				SD of Detected		0.271
620				Minimum Non-Detect		0.001				Minimum Non-Detect		-6.908
621				Maximum Non-Detect		0.004				Maximum Non-Detect		-5.521
622												
623	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				13
624	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				2
625	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				86.67%
626												
627				Warning: There are only 3 Distinct Detected Values in this data set								
628			The number of detected data may not be adequate enough to perform GOF tests, bootstrap, and ROS methods.									
629				Those methods will return a 'N/A' value on your output display!								
630												
631				It is necessary to have 4 or more Distinct Values for bootstrap methods.								
632			It is recommended to have 10 to 15 or more observations for accurate and meaningful results and estimates.									
633												
634												
635					UCL Statistics							
636		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				

	A	B	C	D	E	F	G	H	I	J	K	L
637					Shapiro Wilk Test Statistic	1				Shapiro Wilk Test Statistic		0.996
638					5% Shapiro Wilk Critical Value	0.767				5% Shapiro Wilk Critical Value		0.767
639		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
640												
641		Assuming Normal Distribution						Assuming Lognormal Distribution				
642			DL/2 Substitution Method						DL/2 Substitution Method			
643					Mean	0.00221				Mean		-6.321
644					SD	0.00163				SD		0.653
645					95% DL/2 (t) UCL	0.00295				95% H-Stat (DL/2) UCL		0.00274
646												
647			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
648		MLE method failed to converge properly								Mean in Log Scale		-6.191
649										SD in Log Scale		0.492
650										Mean in Original Scale		0.00235
651										SD in Original Scale		0.00152
652										95% Percentile Bootstrap UCL		0.00302
653										95% BCA Bootstrap UCL		0.00321
654												
655		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
656				k star (bias corrected)		N/A		Data appear Normal at 5% Significance Level				
657					Theta Star	N/A						
658					nu star	N/A						
659												
660					A-D Test Statistic	0.247		Nonparametric Statistics				
661					5% A-D Critical Value	N/A				Kaplan-Meier (KM) Method		
662					K-S Test Statistic	N/A				Mean		0.00402
663					5% K-S Critical Value	N/A				SD		0.0007244
664		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.0002291
665										95% KM (t) UCL		0.00443
666		Assuming Gamma Distribution								95% KM (z) UCL		0.0044
667		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.00488
668					Minimum	N/A				95% KM (bootstrap t) UCL		0.00419
669					Maximum	N/A				95% KM (BCA) UCL		0.00644
670					Mean	N/A				95% KM (Percentile Bootstrap) UCL		0.00644
671					Median	N/A				95% KM (Chebyshev) UCL		0.00502
672					SD	N/A				97.5% KM (Chebyshev) UCL		0.00545
673					k star	N/A				99% KM (Chebyshev) UCL		0.0063
674					Theta star	N/A						
675					Nu star	N/A		Potential UCLs to Use				
676					AppChi2	N/A				95% KM (t) UCL		0.00443
677				95% Gamma Approximate UCL		N/A				95% KM (Percentile Bootstrap) UCL		0.00644
678				95% Adjusted Gamma UCL		N/A						
679	Note: DL/2 is not a recommended method.											
680												
681												
682	Arsenic											
683												
684							General Statistics					
685			Number of Valid Observations			15				Number of Distinct Observations		14
686												
687		Raw Statistics						Log-transformed Statistics				
688					Minimum	0.0339				Minimum of Log Data		-3.383
689					Maximum	0.228				Maximum of Log Data		-1.478

	A	B	C	D	E	F	G	H	I	J	K	L
690					Mean	0.133				Mean of log Data		-2.122
691					Median	0.125				SD of log Data		0.503
692					SD	0.0571						
693				Coefficient of Variation		0.43						
694					Skewness	0.239						
695												
696						Relevant UCL Statistics						
697			Normal Distribution Test						Lognormal Distribution Test			
698				Shapiro Wilk Test Statistic		0.952				Shapiro Wilk Test Statistic		0.917
699				Shapiro Wilk Critical Value		0.881				Shapiro Wilk Critical Value		0.881
700		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
701												
702			Assuming Normal Distribution						Assuming Lognormal Distribution			
703					95% Student's-t UCL	0.159				95% H-UCL		0.18
704		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			0.213
705				95% Adjusted-CLT UCL		0.158			97.5% Chebyshev (MVUE) UCL			0.247
706				95% Modified-t UCL		0.159			99% Chebyshev (MVUE) UCL			0.314
707												
708			Gamma Distribution Test						Data Distribution			
709				k star (bias corrected)		4.047		Data appear Normal at 5% Significance Level				
710					Theta Star	0.0328						
711					nu star	121.4						
712			Approximate Chi Square Value (.05)			96.97			Nonparametric Statistics			
713				Adjusted Level of Significance		0.0324				95% CLT UCL		0.157
714				Adjusted Chi Square Value		94.28				95% Jackknife UCL		0.159
715										95% Standard Bootstrap UCL		0.156
716			Anderson-Darling Test Statistic			0.313				95% Bootstrap-t UCL		0.161
717			Anderson-Darling 5% Critical Value			0.739				95% Hall's Bootstrap UCL		0.16
718			Kolmogorov-Smirnov Test Statistic			0.129				95% Percentile Bootstrap UCL		0.157
719			Kolmogorov-Smirnov 5% Critical Value			0.222				95% BCA Bootstrap UCL		0.155
720		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			0.197
721									97.5% Chebyshev(Mean, Sd) UCL			0.225
722			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			0.279
723				95% Approximate Gamma UCL		0.166						
724				95% Adjusted Gamma UCL		0.171						
725												
726			Potential UCL to Use						Use 95% Student's-t UCL			0.159
727												
728												
729	Benzo(a)anthracene											
730												
731						General Statistics						
732				Number of Valid Data		5			Number of Detected Data			1
733			Number of Distinct Detected Data			1			Number of Non-Detect Data			4
734				Number of Missing Values		10			Percent Non-Detects			80.00%
735												
736		Warning: Only one distinct data value was detected! ProUCL (or any other software) should not be used on such a data set!										
737		It is suggested to use alternative site specific values determined by the Project Team to estimate environmental parameters (e.g., EPC, BTV).										
738												
739				The data set for variable Benzo(a)anthracene was not processed!								
740												
741												
742												

	A	B	C	D	E	F	G	H	I	J	K	L
743	Benzo(a)pyrene											
744												
745							General Statistics					
746			Number of Valid Data			4			Number of Detected Data			1
747			Number of Distinct Detected Data			1			Number of Non-Detect Data			3
748			Number of Missing Values			10			Percent Non-Detects			75.00%
749												
750						Warning: This data set only has 4 observations!						
751						Data set is too small to compute reliable and meaningful statistics and estimates!						
752						The data set for variable Benzo(a)pyrene was not processed!						
753												
754						It is suggested to collect at least 8 to 10 observations before using these statistical methods!						
755						If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.						
756												
757												
758												
759	Benzo(b)fluoranthene											
760												
761							General Statistics					
762			Number of Valid Data			7			Number of Detected Data			2
763			Number of Distinct Detected Data			2			Number of Non-Detect Data			5
764			Number of Missing Values			8			Percent Non-Detects			71.43%
765												
766			Raw Statistics						Log-transformed Statistics			
767			Minimum Detected			0.343			Minimum Detected			-1.071
768			Maximum Detected			1.033			Maximum Detected			0.0327
769			Mean of Detected			0.688			Mean of Detected			-0.519
770			SD of Detected			0.488			SD of Detected			0.78
771			Minimum Non-Detect			0.07			Minimum Non-Detect			-2.659
772			Maximum Non-Detect			0.534			Maximum Non-Detect			-0.627
773												
774	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			6
775	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
776	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			85.71%
777												
778						Warning: Data set has only 2 Distinct Detected Values.						
779						This may not be adequate enough to compute meaningful and reliable test statistics and estimates.						
780						The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).						
781												
782						Unless Data Quality Objectives (DQOs) have been met, it is suggested to collect additional observations.						
783												
784						The number of detected data may not be adequate enough to perform GOF tests, bootstrap, and ROS methods.						
785						Those methods will return a 'N/A' value on your output display!						
786												
787						It is necessary to have 4 or more Distinct Values for bootstrap methods.						
788						It is recommended to have 10 to 15 or more observations for accurate and meaningful results and estimates.						
789												
790												
791							UCL Statistics					
792			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
793			Shapiro Wilk Test Statistic			1			Shapiro Wilk Test Statistic			1
794			5% Shapiro Wilk Critical Value			N/A			5% Shapiro Wilk Critical Value			N/A
795			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			

	A	B	C	D	E	F	G	H	I	J	K	L
796												
797		Assuming Normal Distribution						Assuming Lognormal Distribution				
798		DL/2 Substitution Method						DL/2 Substitution Method				
799					Mean	0.316				Mean		-1.577
800					SD	0.333				SD		1.04
801				95% DL/2 (t) UCL		0.561			95% H-Stat (DL/2) UCL			1.64
802												
803		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
804		MLE method failed to converge properly							Mean in Log Scale			N/A
805									SD in Log Scale			N/A
806									Mean in Original Scale			N/A
807									SD in Original Scale			N/A
808									95% Percentile Bootstrap UCL			N/A
809									95% BCA Bootstrap UCL			N/A
810												
811		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
812				k star (bias corrected)		N/A		Data do not follow a Discernable Distribution (0.05)				
813					Theta Star	N/A						
814					nu star	N/A						
815												
816				A-D Test Statistic		0.359		Nonparametric Statistics				
817				5% A-D Critical Value		N/A			Kaplan-Meier (KM) Method			
818				K-S Test Statistic		N/A				Mean		0.441
819				5% K-S Critical Value		N/A				SD		0.242
820		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.129
821									95% KM (t) UCL			0.692
822		Assuming Gamma Distribution							95% KM (z) UCL			0.654
823		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			0.956
824					Minimum	N/A			95% KM (bootstrap t) UCL			0.441
825					Maximum	N/A			95% KM (BCA) UCL			1.033
826					Mean	N/A		95% KM (Percentile Bootstrap) UCL				N/A
827					Median	N/A			95% KM (Chebyshev) UCL			1.004
828					SD	N/A			97.5% KM (Chebyshev) UCL			1.248
829					k star	N/A			99% KM (Chebyshev) UCL			1.726
830					Theta star	N/A						
831					Nu star	N/A			Potential UCLs to Use			
832					AppChi2	N/A				95% KM (t) UCL		0.692
833				95% Gamma Approximate UCL		N/A			95% KM (% Bootstrap) UCL			N/A
834				95% Adjusted Gamma UCL		N/A						
835	Note: DL/2 is not a recommended method.											
836												
837												
838	Benzo(g,h,i)perylene											
839												
840		General Statistics										
841			Number of Valid Data			7			Number of Detected Data			2
842		Number of Distinct Detected Data				2			Number of Non-Detect Data			5
843			Number of Missing Values			8			Percent Non-Detects			71.43%
844												
845		Raw Statistics						Log-transformed Statistics				
846				Minimum Detected		0.317			Minimum Detected			-1.148
847				Maximum Detected		0.564			Maximum Detected			-0.574
848				Mean of Detected		0.44			Mean of Detected			-0.861

	A	B	C	D	E	F	G	H	I	J	K	L
849					SD of Detected	0.174					SD of Detected	0.406
850					Minimum Non-Detect	0.073					Minimum Non-Detect	-2.617
851					Maximum Non-Detect	0.557					Maximum Non-Detect	-0.585
852												
853	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		6
854	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1
855	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		85.71%
856												
857				Warning: Data set has only 2 Distinct Detected Values.								
858				This may not be adequate enough to compute meaningful and reliable test statistics and estimates.								
859				The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).								
860												
861				Unless Data Quality Objectives (DQOs) have been met, it is suggested to collect additional observations.								
862												
863				The number of detected data may not be adequate enough to perform GOF tests, bootstrap, and ROS methods.								
864				Those methods will return a 'N/A' value on your output display!								
865												
866				It is necessary to have 4 or more Distinct Values for bootstrap methods.								
867				It is recommended to have 10 to 15 or more observations for accurate and meaningful results and estimates.								
868												
869												
870					UCL Statistics							
871			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
872				Shapiro Wilk Test Statistic		1				Shapiro Wilk Test Statistic		1
873				5% Shapiro Wilk Critical Value		N/A				5% Shapiro Wilk Critical Value		N/A
874			Data not Normal at 5% Significance Level					Data not Lognormal at 5% Significance Level				
875												
876			Assuming Normal Distribution					Assuming Lognormal Distribution				
877				DL/2 Substitution Method						DL/2 Substitution Method		
878					Mean	0.251					Mean	-1.644
879					SD	0.17					SD	0.879
880				95% DL/2 (t) UCL		0.376				95% H-Stat (DL/2) UCL		0.92
881												
882			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
883			MLE method failed to converge properly							Mean in Log Scale		N/A
884										SD in Log Scale		N/A
885										Mean in Original Scale		N/A
886										SD in Original Scale		N/A
887										95% Percentile Bootstrap UCL		N/A
888										95% BCA Bootstrap UCL		N/A
889												
890			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
891				k star (bias corrected)		N/A		Data do not follow a Discernable Distribution (0.05)				
892					Theta Star	N/A						
893					nu star	N/A						
894												
895				A-D Test Statistic		0.359		Nonparametric Statistics				
896				5% A-D Critical Value		N/A				Kaplan-Meier (KM) Method		
897				K-S Test Statistic		N/A					Mean	0.352
898				5% K-S Critical Value		N/A					SD	0.0862
899			Data not Gamma Distributed at 5% Significance Level							SE of Mean		0.0461
900										95% KM (t) UCL		0.442
901			Assuming Gamma Distribution							95% KM (z) UCL		0.428

	A	B	C	D	E	F	G	H	I	J	K	L
902			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.536
903					Minimum	N/A				95% KM (bootstrap t) UCL		1.8E+308
904					Maximum	N/A				95% KM (BCA) UCL		N/A
905					Mean	N/A			95% KM (Percentile Bootstrap) UCL			0.564
906					Median	N/A				95% KM (Chebyshev) UCL		0.553
907					SD	N/A				97.5% KM (Chebyshev) UCL		0.64
908					k star	N/A				99% KM (Chebyshev) UCL		0.811
909					Theta star	N/A						
910					Nu star	N/A			Potential UCLs to Use			
911					AppChi2	N/A				95% KM (t) UCL		0.442
912			95% Gamma Approximate UCL			N/A				95% KM (% Bootstrap) UCL		0.564
913			95% Adjusted Gamma UCL			N/A						
914	Note: DL/2 is not a recommended method.											
915												
916												
917	Benzo(k)fluoranthene											
918												
919							General Statistics					
920				Number of Valid Data		5				Number of Detected Data		2
921			Number of Distinct Detected Data			2				Number of Non-Detect Data		3
922				Number of Missing Values		10				Percent Non-Detects		60.00%
923												
924			Raw Statistics						Log-transformed Statistics			
925				Minimum Detected		0.256				Minimum Detected		-1.364
926				Maximum Detected		0.411				Maximum Detected		-0.889
927				Mean of Detected		0.333				Mean of Detected		-1.127
928				SD of Detected		0.11				SD of Detected		0.336
929				Minimum Non-Detect		0.056				Minimum Non-Detect		-2.882
930				Maximum Non-Detect		0.223				Maximum Non-Detect		-1.499
931												
932	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			3
933	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
934	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			60.00%
935												
936						Warning: Data set has only 2 Distinct Detected Values.						
937					This may not be adequate enough to compute meaningful and reliable test statistics and estimates.							
938				The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).								
939												
940					Unless Data Quality Objectives (DQOs) have been met, it is suggested to collect additional observations.							
941												
942					The number of detected data may not be adequate enough to perform GOF tests, bootstrap, and ROS methods.							
943						Those methods will return a 'N/A' value on your output display!						
944												
945						It is necessary to have 4 or more Distinct Values for bootstrap methods.						
946				It is recommended to have 10 to 15 or more observations for accurate and meaningful results and estimates.								
947												
948												
949							UCL Statistics					
950		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
951				Shapiro Wilk Test Statistic		1				Shapiro Wilk Test Statistic		1
952				5% Shapiro Wilk Critical Value		N/A				5% Shapiro Wilk Critical Value		N/A
953		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
954												

	A	B	C	D	E	F	G	H	I	J	K	L
955			Assuming Normal Distribution						Assuming Lognormal Distribution			
956			DL/2 Substitution Method						DL/2 Substitution Method			
957					Mean	0.182				Mean		-2.056
958					SD	0.152				SD		1.026
959				95% DL/2 (t) UCL		0.327			95% H-Stat (DL/2) UCL			0.651
960												
961			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
962			MLE method failed to converge properly						Mean in Log Scale			N/A
963									SD in Log Scale			N/A
964									Mean in Original Scale			N/A
965									SD in Original Scale			N/A
966									95% Percentile Bootstrap UCL			N/A
967									95% BCA Bootstrap UCL			N/A
968												
969			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
970				k star (bias corrected)		N/A			Data do not follow a Discernable Distribution (0.05)			
971				Theta Star		N/A						
972				nu star		N/A						
973												
974				A-D Test Statistic		0.359			Nonparametric Statistics			
975				5% A-D Critical Value		N/A			Kaplan-Meier (KM) Method			
976				K-S Test Statistic		N/A				Mean		0.287
977				5% K-S Critical Value		N/A				SD		0.0622
978			Data not Gamma Distributed at 5% Significance Level						SE of Mean			0.0393
979									95% KM (t) UCL			0.37
980			Assuming Gamma Distribution						95% KM (z) UCL			0.351
981			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			0.418
982				Minimum		N/A			95% KM (bootstrap t) UCL			1.8E+308
983				Maximum		N/A			95% KM (BCA) UCL			0.411
984				Mean		N/A			95% KM (Percentile Bootstrap) UCL			N/A
985				Median		N/A			95% KM (Chebyshev) UCL			0.458
986				SD		N/A			97.5% KM (Chebyshev) UCL			0.532
987				k star		N/A			99% KM (Chebyshev) UCL			0.678
988				Theta star		N/A						
989				Nu star		N/A			Potential UCLs to Use			
990				AppChi2		N/A			95% KM (t) UCL			0.37
991			95% Gamma Approximate UCL			N/A			95% KM (% Bootstrap) UCL			N/A
992			95% Adjusted Gamma UCL			N/A						
993	Note: DL/2 is not a recommended method.											
994												
995												
996	Benzoic acid											
997												
998					General Statistics							
999			Number of Valid Data			9			Number of Detected Data			7
1000			Number of Distinct Detected Data			7			Number of Non-Detect Data			2
1001			Number of Missing Values			6			Percent Non-Detects			22.22%
1002												
1003			Raw Statistics						Log-transformed Statistics			
1004				Minimum Detected		360.9			Minimum Detected			5.889
1005				Maximum Detected		474			Maximum Detected			6.161
1006				Mean of Detected		412.2			Mean of Detected			6.017
1007				SD of Detected		40.48			SD of Detected			0.098

	A	B	C	D	E	F	G	H	I	J	K	L
1008				Minimum Non-Detect		400				Minimum Non-Detect		5.991
1009				Maximum Non-Detect		400				Maximum Non-Detect		5.991
1010												
1011												
1012					Warning: There are only 7 Detected Values in this data							
1013					Note: It should be noted that even though bootstrap may be performed on this data set							
1014					the resulting calculations may not be reliable enough tp draw conclusions							
1015												
1016				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
1017												
1018												
1019					UCL Statistics							
1020			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1021				Shapiro Wilk Test Statistic		0.971				Shapiro Wilk Test Statistic		0.973
1022				5% Shapiro Wilk Critical Value		0.803				5% Shapiro Wilk Critical Value		0.803
1023			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1024												
1025			Assuming Normal Distribution						Assuming Lognormal Distribution			
1026				DL/2 Substitution Method						DL/2 Substitution Method		
1027					Mean	365				Mean		5.858
1028					SD	99.91				SD		0.328
1029				95% DL/2 (t) UCL		427				95% H-Stat (DL/2) UCL		458.6
1030												
1031			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
1032					Mean	441.7				Mean in Log Scale		5.997
1033					SD	22.26				SD in Log Scale		0.0952
1034				95% MLE (t) UCL		455.5				Mean in Original Scale		403.9
1035				95% MLE (Tiku) UCL		462.1				SD in Original Scale		39.17
1036										95% Percentile Bootstrap UCL		424.3
1037										95% BCA Bootstrap UCL		427.5
1038												
1039			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1040					k star (bias corrected)	69.56			Data appear Normal at 5% Significance Level			
1041					Theta Star	5.926						
1042					nu star	973.8						
1043												
1044					A-D Test Statistic	0.181			Nonparametric Statistics			
1045					5% A-D Critical Value	0.708				Kaplan-Meier (KM) Method		
1046					K-S Test Statistic	0.708				Mean		403.9
1047					5% K-S Critical Value	0.311				SD		37.02
1048			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		13.61
1049										95% KM (t) UCL		429.2
1050			Assuming Gamma Distribution							95% KM (z) UCL		426.2
1051			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		429.3
1052					Minimum	360.9				95% KM (bootstrap t) UCL		430.4
1053					Maximum	474				95% KM (BCA) UCL		428.7
1054					Mean	408.9			95% KM (Percentile Bootstrap) UCL			427.4
1055					Median	414.9				95% KM (Chebyshev) UCL		463.2
1056					SD	36.7				97.5% KM (Chebyshev) UCL		488.9
1057					k star	94.6				99% KM (Chebyshev) UCL		539.3
1058					Theta star	4.322						
1059					Nu star	1703			Potential UCLs to Use			
1060					AppChi2	1608				95% KM (t) UCL		429.2

	A	B	C	D	E	F	G	H	I	J	K	L
1061				95% Gamma Approximate UCL		433			95% KM (Percentile Bootstrap) UCL			427.4
1062			95% Adjusted Gamma UCL			438.4						
1063	Note: DL/2 is not a recommended method.											
1064												
1065												
1066	Benzyl alcohol											
1067												
1068					General Statistics							
1069			Number of Valid Data			6			Number of Detected Data			5
1070			Number of Distinct Detected Data			5			Number of Non-Detect Data			1
1071			Number of Missing Values			9			Percent Non-Detects			16.67%
1072												
1073			Raw Statistics						Log-transformed Statistics			
1074			Minimum Detected			25.76			Minimum Detected			3.249
1075			Maximum Detected			80.08			Maximum Detected			4.383
1076			Mean of Detected			39.18			Mean of Detected			3.567
1077			SD of Detected			22.96			SD of Detected			0.462
1078			Minimum Non-Detect			49.81			Minimum Non-Detect			3.908
1079			Maximum Non-Detect			49.81			Maximum Non-Detect			3.908
1080												
1081												
1082				Warning: There are only 5 Detected Values in this data								
1083				Note: It should be noted that even though bootstrap may be performed on this data set								
1084				the resulting calculations may not be reliable enough tp draw conclusions								
1085												
1086				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
1087												
1088												
1089					UCL Statistics							
1090			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1091			Shapiro Wilk Test Statistic			0.638			Shapiro Wilk Test Statistic			0.701
1092			5% Shapiro Wilk Critical Value			0.762			5% Shapiro Wilk Critical Value			0.762
1093			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
1094												
1095			Assuming Normal Distribution						Assuming Lognormal Distribution			
1096			DL/2 Substitution Method						DL/2 Substitution Method			
1097			Mean			36.8			Mean			3.508
1098			SD			21.35			SD			0.438
1099			95% DL/2 (t) UCL			54.36			95% H-Stat (DL/2) UCL			80.53
1100												
1101			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1102			MLE method failed to converge properly						Mean in Log Scale			3.544
1103									SD in Log Scale			0.417
1104									Mean in Original Scale			37.8
1105									SD in Original Scale			20.81
1106									95% Percentile Bootstrap UCL			54.6
1107									95% BCA Bootstrap UCL			55.47
1108												
1109			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1110			k star (bias corrected)			2.175			Data do not follow a Discernable Distribution (0.05)			
1111			Theta Star			18.01						
1112			nu star			21.75						
1113												

	A	B	C	D	E	F	G	H	I	J	K	L
1114				A-D Test Statistic		0.96			Nonparametric Statistics			
1115				5% A-D Critical Value		0.681			Kaplan-Meier (KM) Method			
1116				K-S Test Statistic		0.681				Mean		37.47
1117				5% K-S Critical Value		0.358				SD		19.15
1118			Data not Gamma Distributed at 5% Significance Level							SE of Mean		8.751
1119										95% KM (t) UCL		55.11
1120			Assuming Gamma Distribution							95% KM (z) UCL		51.87
1121			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		54.76
1122				Minimum		25.76				95% KM (bootstrap t) UCL		164.1
1123				Maximum		80.08				95% KM (BCA) UCL		54.6
1124				Mean		39.21				95% KM (Percentile Bootstrap) UCL		53.81
1125				Median		30.8				95% KM (Chebyshev) UCL		75.62
1126				SD		20.54				97.5% KM (Chebyshev) UCL		92.12
1127				k star		3.159				99% KM (Chebyshev) UCL		124.5
1128				Theta star		12.41						
1129				Nu star		37.9			Potential UCLs to Use			
1130				AppChi2		24.81				95% KM (Chebyshev) UCL		75.62
1131			95% Gamma Approximate UCL			59.91						
1132			95% Adjusted Gamma UCL			70.56						
1133	Note: DL/2 is not a recommended method.											
1134												
1135												
1136	beta-Hexachlorocyclohexane											
1137												
1138						General Statistics						
1139			Number of Valid Data			9			Number of Detected Data			9
1140			Number of Distinct Detected Data			9			Number of Non-Detect Data			0
1141			Number of Missing Values			6			Percent Non-Detects			0.00%
1142												
1143			Raw Statistics						Log-transformed Statistics			
1144				Minimum Detected		0.0119				Minimum Detected		-4.434
1145				Maximum Detected		0.0424				Maximum Detected		-3.161
1146				Mean of Detected		0.0193				Mean of Detected		-4.029
1147				SD of Detected		0.00966				SD of Detected		0.397
1148				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1149				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1150												
1151												
1152					Warning: There are only 9 Detected Values in this data							
1153				Note: It should be noted that even though bootstrap may be performed on this data set								
1154				the resulting calculations may not be reliable enough tp draw conclusions								
1155												
1156			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1157												
1158												
1159						UCL Statistics						
1160			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1161				Shapiro Wilk Test Statistic		0.706				Shapiro Wilk Test Statistic		0.816
1162				5% Shapiro Wilk Critical Value		0.829				5% Shapiro Wilk Critical Value		0.829
1163			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
1164												
1165			Assuming Normal Distribution						Assuming Lognormal Distribution			
1166				DL/2 Substitution Method						DL/2 Substitution Method		

	A	B	C	D	E	F	G	H	I	J	K	L
1167					Mean	0.0193					Mean	-4.029
1168					SD	0.00966					SD	0.397
1169				95% DL/2 (t) UCL		0.0253				95% H-Stat (DL/2) UCL		0.026
1170												
1171		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
1172		**MLE method failed to converge properly**								Mean in Log Scale		N/A
1173										SD in Log Scale		N/A
1174										Mean in Original Scale		N/A
1175										SD in Original Scale		N/A
1176										95% Percentile Bootstrap UCL		N/A
1177										95% BCA Bootstrap UCL		N/A
1178												
1179		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
1180				k star (bias corrected)		4.269		**Data do not follow a Discernable Distribution (0.05)**				
1181					Theta Star	0.00452						
1182					nu star	76.85						
1183												
1184					A-D Test Statistic	0.973		**Nonparametric Statistics**				
1185				5% A-D Critical Value		0.722				Kaplan-Meier (KM) Method		
1186					K-S Test Statistic	0.722					Mean	0.0193
1187				5% K-S Critical Value		0.28					SD	0.00911
1188		**Data not Gamma Distributed at 5% Significance Level**									SE of Mean	0.00322
1189											95% KM (t) UCL	0.0253
1190		**Assuming Gamma Distribution**									95% KM (z) UCL	0.0246
1191		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.0253
1192					Minimum	0.0119				95% KM (bootstrap t) UCL		0.0459
1193					Maximum	0.0424				95% KM (BCA) UCL		0.0252
1194					Mean	0.0193			95% KM (Percentile Bootstrap) UCL			0.0246
1195					Median	0.0162				95% KM (Chebyshev) UCL		0.0334
1196					SD	0.00966				97.5% KM (Chebyshev) UCL		0.0394
1197					k star	4.269				99% KM (Chebyshev) UCL		0.0514
1198					Theta star	0.00452						
1199					Nu star	76.85		**Potential UCLs to Use**				
1200					AppChi2	57.65				95% KM (Chebyshev) UCL		0.0334
1201				95% Gamma Approximate UCL		0.0257						
1202				95% Adjusted Gamma UCL		0.0274						
1203	Note: DL/2 is not a recommended method.											
1204												
1205												
1206	Bis(2-chloroethoxy) methane											
1207												
1208							**General Statistics**					
1209			Number of Valid Data			9				Number of Detected Data		5
1210		Number of Distinct Detected Data				5				Number of Non-Detect Data		4
1211			Number of Missing Values			6				Percent Non-Detects		44.44%
1212												
1213			**Raw Statistics**						**Log-transformed Statistics**			
1214				Minimum Detected		9.747				Minimum Detected		2.277
1215				Maximum Detected		29.72				Maximum Detected		3.392
1216				Mean of Detected		20.05				Mean of Detected		2.907
1217				SD of Detected		8.861				SD of Detected		0.496
1218				Minimum Non-Detect		8.3				Minimum Non-Detect		2.116
1219				Maximum Non-Detect		8.3				Maximum Non-Detect		2.116

	A	B	C	D	E	F	G	H	I	J	K	L
1220												
1221												
1222					Warning: There are only 5 Detected Values in this data							
1223					Note: It should be noted that even though bootstrap may be performed on this data set							
1224					the resulting calculations may not be reliable enough tp draw conclusions							
1225												
1226				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
1227												
1228												
1229						UCL Statistics						
1230		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1231				Shapiro Wilk Test Statistic		0.906				Shapiro Wilk Test Statistic		0.888
1232				5% Shapiro Wilk Critical Value		0.762				5% Shapiro Wilk Critical Value		0.762
1233		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1234												
1235		Assuming Normal Distribution						Assuming Lognormal Distribution				
1236				DL/2 Substitution Method						DL/2 Substitution Method		
1237					Mean	12.98					Mean	2.247
1238					SD	10.46					SD	0.857
1239				95% DL/2 (t) UCL		19.47				95% H-Stat (DL/2) UCL		19.11
1240												
1241		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
1242					Mean	10.46				Mean in Log Scale		2.282
1243					SD	13.25				SD in Log Scale		0.857
1244				95% MLE (t) UCL		18.68				Mean in Original Scale		13.25
1245				95% MLE (Tiku) UCL		20.06				SD in Original Scale		10.27
1246										95% Percentile Bootstrap UCL		19.08
1247										95% BCA Bootstrap UCL		19.41
1248												
1249		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1250				k star (bias corrected)		2.385		Data appear Normal at 5% Significance Level				
1251				Theta Star		8.408						
1252				nu star		23.85						
1253												
1254				A-D Test Statistic		0.387		Nonparametric Statistics				
1255				5% A-D Critical Value		0.68				Kaplan-Meier (KM) Method		
1256				K-S Test Statistic		0.68					Mean	15.47
1257				5% K-S Critical Value		0.358					SD	7.818
1258		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	2.913
1259										95% KM (t) UCL		20.89
1260		Assuming Gamma Distribution								95% KM (z) UCL		20.26
1261		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		20.37
1262					Minimum	9.076				95% KM (bootstrap t) UCL		20.3
1263					Maximum	29.72				95% KM (BCA) UCL		26.45
1264					Mean	18.79				95% KM (Percentile Bootstrap) UCL		23.78
1265					Median	20.15				95% KM (Chebyshev) UCL		28.17
1266					SD	7.584				97.5% KM (Chebyshev) UCL		33.67
1267					k star	4.256				99% KM (Chebyshev) UCL		44.46
1268					Theta star	4.414						
1269					Nu star	76.61		Potential UCLs to Use				
1270					AppChi2	57.45				95% KM (t) UCL		20.89
1271				95% Gamma Approximate UCL		25.05				95% KM (Percentile Bootstrap) UCL		23.78
1272				95% Adjusted Gamma UCL		26.67						

	A	B	C	D	E	F	G	H	I	J	K	L
1273	Note: DL/2 is not a recommended method.											
1274												
1275												
1276	Butyltin ion											
1277												
1278					General Statistics							
1279			Number of Valid Data			9			Number of Detected Data			8
1280			Number of Distinct Detected Data			8			Number of Non-Detect Data			1
1281			Number of Missing Values			6			Percent Non-Detects			11.11%
1282												
1283			Raw Statistics						Log-transformed Statistics			
1284			Minimum Detected			1.108			Minimum Detected			0.103
1285			Maximum Detected			26.87			Maximum Detected			3.291
1286			Mean of Detected			5.15			Mean of Detected			0.945
1287			SD of Detected			8.843			SD of Detected			1.043
1288			Minimum Non-Detect			1.099			Minimum Non-Detect			0.094
1289			Maximum Non-Detect			1.099			Maximum Non-Detect			0.094
1290												
1291												
1292					Warning: There are only 8 Detected Values in this data							
1293					Note: It should be noted that even though bootstrap may be performed on this data set							
1294					the resulting calculations may not be reliable enough tp draw conclusions							
1295												
1296					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
1297												
1298												
1299					UCL Statistics							
1300			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1301			Shapiro Wilk Test Statistic			0.514			Shapiro Wilk Test Statistic			0.767
1302			5% Shapiro Wilk Critical Value			0.818			5% Shapiro Wilk Critical Value			0.818
1303			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
1304												
1305			Assuming Normal Distribution						Assuming Lognormal Distribution			
1306			DL/2 Substitution Method						DL/2 Substitution Method			
1307			Mean			4.639			Mean			0.773
1308			SD			8.412			SD			1.103
1309			95% DL/2 (t) UCL			9.853			95% H-Stat (DL/2) UCL			15.43
1310												
1311			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
1312			Mean			4.051			Mean in Log Scale			0.687
1313			SD			8.536			SD in Log Scale			1.246
1314			95% MLE (t) UCL			9.342			Mean in Original Scale			4.606
1315			95% MLE (Tiku) UCL			8.984			SD in Original Scale			8.431
1316									95% Percentile Bootstrap UCL			9.902
1317									95% BCA Bootstrap UCL			13.13
1318												
1319			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1320			k star (bias corrected)			0.614			Data do not follow a Discernable Distribution (0.05)			
1321			Theta Star			8.395						
1322			nu star			9.816						
1323												
1324			A-D Test Statistic			1.295			Nonparametric Statistics			
1325			5% A-D Critical Value			0.741			Kaplan-Meier (KM) Method			

	A	B	C	D	E	F	G	H	I	J	K	L
1326				K-S Test Statistic		0.741					Mean	4.701
1327				5% K-S Critical Value		0.303					SD	7.901
1328		**Data not Gamma Distributed at 5% Significance Level**									SE of Mean	2.816
1329											95% KM (t) UCL	9.937
1330		**Assuming Gamma Distribution**									95% KM (z) UCL	9.332
1331		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	9.885
1332					Minimum		1E-09				95% KM (bootstrap t) UCL	69
1333					Maximum		26.87				95% KM (BCA) UCL	10.27
1334					Mean		4.578				95% KM (Percentile Bootstrap) UCL	9.962
1335					Median		1.712				95% KM (Chebyshev) UCL	16.97
1336					SD		8.448				97.5% KM (Chebyshev) UCL	22.28
1337					k star		0.234				99% KM (Chebyshev) UCL	32.72
1338					Theta star		19.58					
1339					Nu star		4.209				**Potential UCLs to Use**	
1340					AppChi2		0.806				97.5% KM (Chebyshev) UCL	22.28
1341				95% Gamma Approximate UCL		23.91						
1342				95% Adjusted Gamma UCL		35.37						
1343	Note: DL/2 is not a recommended method.											
1344												
1345												
1346	Cadmium											
1347												
1348						**General Statistics**						
1349			Number of Valid Observations			15				Number of Distinct Observations		15
1350												
1351			**Raw Statistics**							**Log-transformed Statistics**		
1352					Minimum	0.034					Minimum of Log Data	-3.382
1353					Maximum	0.108					Maximum of Log Data	-2.226
1354					Mean	0.06					Mean of log Data	-2.866
1355					Median	0.0613					SD of log Data	0.338
1356					SD	0.02						
1357				Coefficient of Variation		0.333						
1358					Skewness	0.68						
1359												
1360						**Relevant UCL Statistics**						
1361			**Normal Distribution Test**							**Lognormal Distribution Test**		
1362				Shapiro Wilk Test Statistic		0.919				Shapiro Wilk Test Statistic		0.927
1363				Shapiro Wilk Critical Value		0.881				Shapiro Wilk Critical Value		0.881
1364		**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
1365												
1366			**Assuming Normal Distribution**							**Assuming Lognormal Distribution**		
1367				95% Student's-t UCL		0.0691					95% H-UCL	0.0717
1368		**95% UCLs (Adjusted for Skewness)**								95% Chebyshev (MVUE) UCL		0.0832
1369				95% Adjusted-CLT UCL		0.0695				97.5% Chebyshev (MVUE) UCL		0.0933
1370				95% Modified-t UCL		0.0692				99% Chebyshev (MVUE) UCL		0.113
1371												
1372			**Gamma Distribution Test**							**Data Distribution**		
1373				k star (bias corrected)		7.827			**Data appear Normal at 5% Significance Level**			
1374					Theta Star	0.00767						
1375					nu star	234.8						
1376			Approximate Chi Square Value (.05)			200.3				**Nonparametric Statistics**		
1377				Adjusted Level of Significance		0.0324					95% CLT UCL	0.0685
1378				Adjusted Chi Square Value		196.4					95% Jackknife UCL	0.0691

	A	B	C	D	E	F	G	H	I	J	K	L
1379									95% Standard Bootstrap UCL			0.0684
1380			Anderson-Darling Test Statistic			0.491			95% Bootstrap-t UCL			0.0707
1381			Anderson-Darling 5% Critical Value			0.737			95% Hall's Bootstrap UCL			0.0719
1382			Kolmogorov-Smirnov Test Statistic			0.163			95% Percentile Bootstrap UCL			0.0683
1383			Kolmogorov-Smirnov 5% Critical Value			0.222			95% BCA Bootstrap UCL			0.0688
1384		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			0.0825
1385									97.5% Chebyshev(Mean, Sd) UCL			0.0923
1386			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			0.111
1387			95% Approximate Gamma UCL			0.0703						
1388			95% Adjusted Gamma UCL			0.0717						
1389												
1390			Potential UCL to Use						Use 95% Student's-t UCL			0.0691
1391												
1392												
1393	Chromium											
1394												
1395					General Statistics							
1396			Number of Valid Observations			15			Number of Distinct Observations			15
1397												
1398			Raw Statistics						Log-transformed Statistics			
1399			Minimum			0.231			Minimum of Log Data			-1.464
1400			Maximum			2.02			Maximum of Log Data			0.703
1401			Mean			0.836			Mean of log Data			-0.344
1402			Median			0.74			SD of log Data			0.611
1403			SD			0.495						
1404			Coefficient of Variation			0.592						
1405			Skewness			1.047						
1406												
1407					Relevant UCL Statistics							
1408			Normal Distribution Test						Lognormal Distribution Test			
1409			Shapiro Wilk Test Statistic			0.905			Shapiro Wilk Test Statistic			0.967
1410			Shapiro Wilk Critical Value			0.881			Shapiro Wilk Critical Value			0.881
1411		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1412												
1413			Assuming Normal Distribution						Assuming Lognormal Distribution			
1414			95% Student's-t UCL			1.062			95% H-UCL			1.222
1415		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			1.445
1416			95% Adjusted-CLT UCL			1.084			97.5% Chebyshev (MVUE) UCL			1.706
1417			95% Modified-t UCL			1.067			99% Chebyshev (MVUE) UCL			2.219
1418												
1419			Gamma Distribution Test						Data Distribution			
1420			k star (bias corrected)			2.584		Data appear Normal at 5% Significance Level				
1421			Theta Star			0.324						
1422			nu star			77.52						
1423			Approximate Chi Square Value (.05)			58.24			Nonparametric Statistics			
1424			Adjusted Level of Significance			0.0324			95% CLT UCL			1.047
1425			Adjusted Chi Square Value			56.19			95% Jackknife UCL			1.062
1426									95% Standard Bootstrap UCL			1.039
1427			Anderson-Darling Test Statistic			0.293			95% Bootstrap-t UCL			1.122
1428			Anderson-Darling 5% Critical Value			0.744			95% Hall's Bootstrap UCL			1.108
1429			Kolmogorov-Smirnov Test Statistic			0.139			95% Percentile Bootstrap UCL			1.046
1430			Kolmogorov-Smirnov 5% Critical Value			0.223			95% BCA Bootstrap UCL			1.048
1431		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			1.394

	A	B	C	D	E	F	G	H	I	J	K	L
1432									97.5% Chebyshev(Mean, Sd) UCL			1.635
1433			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			2.109
1434			95% Approximate Gamma UCL			1.113						
1435			95% Adjusted Gamma UCL			1.154						
1436												
1437			Potential UCL to Use						Use 95% Student's-t UCL			1.062
1438												
1439												
1440	Copper											
1441												
1442					General Statistics							
1443			Number of Valid Observations			15			Number of Distinct Observations			14
1444												
1445			Raw Statistics						Log-transformed Statistics			
1446				Minimum		0.895			Minimum of Log Data			-0.11
1447				Maximum		1.42			Maximum of Log Data			0.351
1448				Mean		1.122			Mean of log Data			0.106
1449				Median		1.078			SD of log Data			0.14
1450				SD		0.161						
1451			Coefficient of Variation			0.143						
1452				Skewness		0.641						
1453												
1454					Relevant UCL Statistics							
1455			Normal Distribution Test						Lognormal Distribution Test			
1456			Shapiro Wilk Test Statistic			0.936			Shapiro Wilk Test Statistic			0.956
1457			Shapiro Wilk Critical Value			0.881			Shapiro Wilk Critical Value			0.881
1458			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1459												
1460			Assuming Normal Distribution						Assuming Lognormal Distribution			
1461			95% Student's-t UCL			1.195			95% H-UCL			1.2
1462			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			1.299
1463			95% Adjusted-CLT UCL			1.198			97.5% Chebyshev (MVUE) UCL			1.376
1464			95% Modified-t UCL			1.196			99% Chebyshev (MVUE) UCL			1.526
1465												
1466			Gamma Distribution Test						Data Distribution			
1467			k star (bias corrected)			43.35			Data appear Normal at 5% Significance Level			
1468				Theta Star		0.0259						
1469				nu star		1300						
1470			Approximate Chi Square Value (.05)			1218			Nonparametric Statistics			
1471			Adjusted Level of Significance			0.0324			95% CLT UCL			1.19
1472			Adjusted Chi Square Value			1208			95% Jackknife UCL			1.195
1473									95% Standard Bootstrap UCL			1.188
1474			Anderson-Darling Test Statistic			0.296			95% Bootstrap-t UCL			1.209
1475			Anderson-Darling 5% Critical Value			0.734			95% Hall's Bootstrap UCL			1.208
1476			Kolmogorov-Smirnov Test Statistic			0.136			95% Percentile Bootstrap UCL			1.187
1477			Kolmogorov-Smirnov 5% Critical Value			0.221			95% BCA Bootstrap UCL			1.194
1478			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			1.303
1479									97.5% Chebyshev(Mean, Sd) UCL			1.381
1480			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			1.535
1481			95% Approximate Gamma UCL			1.198						
1482			95% Adjusted Gamma UCL			1.208						
1483												
1484			Potential UCL to Use						Use 95% Student's-t UCL			1.195

	A	B	C	D	E	F	G	H	I	J	K	L
1485												
1486												
1487	delta-Hexachlorocyclohexane											
1488												
1489						General Statistics						
1490			Number of Valid Data			9			Number of Detected Data			5
1491			Number of Distinct Detected Data			5			Number of Non-Detect Data			4
1492			Number of Missing Values			6			Percent Non-Detects			44.44%
1493												
1494			Raw Statistics						Log-transformed Statistics			
1495			Minimum Detected			0.00225			Minimum Detected			-6.096
1496			Maximum Detected			0.00395			Maximum Detected			-5.534
1497			Mean of Detected			0.00292			Mean of Detected			-5.865
1498			SD of Detected			0.0007835			SD of Detected			0.26
1499			Minimum Non-Detect			0.00175			Minimum Non-Detect			-6.348
1500			Maximum Non-Detect			0.00343			Maximum Non-Detect			-5.676
1501												
1502	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			7
1503	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
1504	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			77.78%
1505												
1506						Warning: There are only 5 Detected Values in this data						
1507						Note: It should be noted that even though bootstrap may be performed on this data set						
1508						the resulting calculations may not be reliable enough tp draw conclusions						
1509												
1510						It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.						
1511												
1512												
1513						UCL Statistics						
1514			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1515			Shapiro Wilk Test Statistic			0.83			Shapiro Wilk Test Statistic			0.838
1516			5% Shapiro Wilk Critical Value			0.762			5% Shapiro Wilk Critical Value			0.762
1517			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1518												
1519			Assuming Normal Distribution						Assuming Lognormal Distribution			
1520			DL/2 Substitution Method						DL/2 Substitution Method			
1521			Mean			0.00216			Mean			-6.254
1522			SD			0.00108			SD			0.525
1523			95% DL/2 (t) UCL			0.00283			95% H-Stat (DL/2) UCL			0.00298
1524												
1525			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1526			MLE method failed to converge properly						Mean in Log Scale			-6.078
1527									SD in Log Scale			0.324
1528									Mean in Original Scale			0.00241
1529									SD in Original Scale			0.0008346
1530									95% Percentile Bootstrap UCL			0.00285
1531									95% BCA Bootstrap UCL			0.00294
1532												
1533			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1534			k star (bias corrected)			7.417			Data appear Normal at 5% Significance Level			
1535			Theta Star			0.0003934						
1536			nu star			74.17						
1537												

	A	B	C	D	E	F	G	H	I	J	K	L
1538					A-D Test Statistic	0.544			Nonparametric Statistics			
1539				5% A-D Critical Value		0.679			Kaplan-Meier (KM) Method			
1540					K-S Test Statistic	0.679					Mean	0.00263
1541				5% K-S Critical Value		0.357					SD	0.0006144
1542		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.0002293
1543											95% KM (t) UCL	0.00306
1544			Assuming Gamma Distribution								95% KM (z) UCL	0.00301
1545		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.00302
1546					Minimum	0.00225			95% KM (bootstrap t) UCL			0.00436
1547					Maximum	0.00395				95% KM (BCA) UCL		0.00321
1548					Mean	0.00284			95% KM (Percentile Bootstrap) UCL			0.00311
1549					Median	0.00249				95% KM (Chebyshev) UCL		0.00363
1550					SD	0.0006052				97.5% KM (Chebyshev) UCL		0.00406
1551					k star	17.87				99% KM (Chebyshev) UCL		0.00491
1552					Theta star	0.0001592						
1553					Nu star	321.6			Potential UCLs to Use			
1554					AppChi2	281.1				95% KM (t) UCL		0.00306
1555			95% Gamma Approximate UCL			0.00325			95% KM (Percentile Bootstrap) UCL			0.00311
1556			95% Adjusted Gamma UCL			0.00335						
1557	Note: DL/2 is not a recommended method.											
1558												
1559												
1560	Dibenzo(a,h)anthracene											
1561												
1562						General Statistics						
1563			Number of Valid Data			5			Number of Detected Data			2
1564		Number of Distinct Detected Data				2			Number of Non-Detect Data			3
1565			Number of Missing Values			10				Percent Non-Detects		60.00%
1566												
1567			Raw Statistics						Log-transformed Statistics			
1568				Minimum Detected		0.241				Minimum Detected		-1.422
1569				Maximum Detected		0.248				Maximum Detected		-1.395
1570				Mean of Detected		0.245				Mean of Detected		-1.409
1571				SD of Detected		0.00473				SD of Detected		0.0193
1572				Minimum Non-Detect		0.059				Minimum Non-Detect		-2.83
1573				Maximum Non-Detect		0.239				Maximum Non-Detect		-1.432
1574												
1575	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			3
1576	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
1577	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			60.00%
1578												
1579					Warning: Data set has only 2 Distinct Detected Values.							
1580			This may not be adequate enough to compute meaningful and reliable test statistics and estimates.										
1581		The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).											
1582												
1583				Unless Data Quality Objectives (DQOs) have been met, it is suggested to collect additional observations.								
1584												
1585			The number of detected data may not be adequate enough to perform GOF tests, bootstrap, and ROS methods.										
1586					Those methods will return a 'N/A' value on your output display!							
1587												
1588				It is necessary to have 4 or more Distinct Values for bootstrap methods.								
1589			It is recommended to have 10 to 15 or more observations for accurate and meaningful results and estimates.										
1590												

	A	B	C	D	E	F	G	H	I	J	K	L
1591												
1592						UCL Statistics						
1593		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1594				Shapiro Wilk Test Statistic		1				Shapiro Wilk Test Statistic		1
1595				5% Shapiro Wilk Critical Value		N/A				5% Shapiro Wilk Critical Value		N/A
1596		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
1597												
1598		Assuming Normal Distribution						Assuming Lognormal Distribution				
1599				DL/2 Substitution Method						DL/2 Substitution Method		
1600				Mean		0.15				Mean		-2.131
1601				SD		0.0933				SD		0.864
1602				95% DL/2 (t) UCL		0.239				95% H-Stat (DL/2) UCL		0.288
1603												
1604				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
1605		MLE method failed to converge properly								Mean in Log Scale		N/A
1606										SD in Log Scale		N/A
1607										Mean in Original Scale		N/A
1608										SD in Original Scale		N/A
1609										95% Percentile Bootstrap UCL		N/A
1610										95% BCA Bootstrap UCL		N/A
1611												
1612		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1613				k star (bias corrected)		N/A		Data do not follow a Discernable Distribution (0.05)				
1614				Theta Star		N/A						
1615				nu star		N/A						
1616												
1617				A-D Test Statistic		0.372		Nonparametric Statistics				
1618				5% A-D Critical Value		N/A				Kaplan-Meier (KM) Method		
1619				K-S Test Statistic		N/A				Mean		0.243
1620				5% K-S Critical Value		N/A				SD		0.00268
1621		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.00169
1622										95% KM (t) UCL		0.246
1623		Assuming Gamma Distribution								95% KM (z) UCL		0.245
1624		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.248
1625				Minimum		N/A				95% KM (bootstrap t) UCL		1.8E+308
1626				Maximum		N/A				95% KM (BCA) UCL		0.248
1627				Mean		N/A				95% KM (Percentile Bootstrap) UCL		0.248
1628				Median		N/A				95% KM (Chebyshev) UCL		0.25
1629				SD		N/A				97.5% KM (Chebyshev) UCL		0.253
1630				k star		N/A				99% KM (Chebyshev) UCL		0.259
1631				Theta star		N/A						
1632				Nu star		N/A		Potential UCLs to Use				
1633				AppChi2		N/A				95% KM (t) UCL		0.246
1634		95% Gamma Approximate UCL				N/A				95% KM (% Bootstrap) UCL		0.248
1635		95% Adjusted Gamma UCL				N/A						
1636	Note: DL/2 is not a recommended method.											
1637												
1638												
1639	Dibenzofuran											
1640												
1641						General Statistics						
1642				Number of Valid Data		9				Number of Detected Data		9
1643				Number of Distinct Detected Data		9				Number of Non-Detect Data		0

	A	B	C	D	E	F	G	H	I	J	K	L
1644				Number of Missing Values		6			Percent Non-Detects			0.00%
1645												
1646				Raw Statistics					Log-transformed Statistics			
1647				Minimum Detected		0.716			Minimum Detected			-0.335
1648				Maximum Detected		6.038			Maximum Detected			1.798
1649				Mean of Detected		2.631			Mean of Detected			0.623
1650				SD of Detected		2.138			SD of Detected			0.902
1651				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
1652				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
1653												
1654												
1655				Warning: There are only 9 Detected Values in this data								
1656				Note: It should be noted that even though bootstrap may be performed on this data set								
1657				the resulting calculations may not be reliable enough tp draw conclusions								
1658												
1659				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
1660												
1661												
1662						UCL Statistics						
1663				Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only			
1664				Shapiro Wilk Test Statistic		0.821			Shapiro Wilk Test Statistic			0.831
1665				5% Shapiro Wilk Critical Value		0.829			5% Shapiro Wilk Critical Value			0.829
1666				Data not Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level			
1667												
1668				Assuming Normal Distribution					Assuming Lognormal Distribution			
1669				DL/2 Substitution Method					DL/2 Substitution Method			
1670				Mean		2.631			Mean			0.623
1671				SD		2.138			SD			0.902
1672				95% DL/2 (t) UCL		3.956			95% H-Stat (DL/2) UCL			7.353
1673												
1674				Maximum Likelihood Estimate(MLE) Method		N/A			Log ROS Method			
1675				MLE method failed to converge properly					Mean in Log Scale			N/A
1676									SD in Log Scale			N/A
1677									Mean in Original Scale			N/A
1678									SD in Original Scale			N/A
1679									95% Percentile Bootstrap UCL			N/A
1680									95% BCA Bootstrap UCL			N/A
1681												
1682				Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only			
1683				k star (bias corrected)		1.14			Data Follow Appr. Gamma Distribution at 5% Significance Level			
1684				Theta Star		2.307						
1685				nu star		20.53						
1686												
1687				A-D Test Statistic		0.776			Nonparametric Statistics			
1688				5% A-D Critical Value		0.733			Kaplan-Meier (KM) Method			
1689				K-S Test Statistic		0.733			Mean			2.631
1690				5% K-S Critical Value		0.284			SD			2.016
1691				Data follow Appr. Gamma Distribution at 5% Significance Level					SE of Mean			0.713
1692									95% KM (t) UCL			3.956
1693				Assuming Gamma Distribution					95% KM (z) UCL			3.803
1694				Gamma ROS Statistics using Extrapolated Data					95% KM (jackknife) UCL			3.956
1695				Minimum		0.716			95% KM (bootstrap t) UCL			4.2
1696				Maximum		6.038			95% KM (BCA) UCL			3.831

	A	B	C	D	E	F	G	H	I	J	K	L
1697					Mean	2.631		95% KM (Percentile Bootstrap) UCL				3.761
1698					Median	1.214		95% KM (Chebyshev) UCL				5.738
1699					SD	2.138		97.5% KM (Chebyshev) UCL				7.082
1700					k star	1.14		99% KM (Chebyshev) UCL				9.723
1701					Theta star	2.307						
1702					Nu star	20.53		**Potential UCLs to Use**				
1703					AppChi2	11.24		95% KM (Chebyshev) UCL				5.738
1704			95% Gamma Approximate UCL			4.804						
1705			95% Adjusted Gamma UCL			5.497						
1706	Note: DL/2 is not a recommended method.											
1707												
1708												
1709	Dibenzothiophene											
1710												
1711					**General Statistics**							
1712			Number of Valid Data			9			Number of Detected Data			9
1713			Number of Distinct Detected Data			9			Number of Non-Detect Data			0
1714			Number of Missing Values			6			Percent Non-Detects			0.00%
1715												
1716			**Raw Statistics**						**Log-transformed Statistics**			
1717			Minimum Detected			0.137			Minimum Detected			-1.991
1718			Maximum Detected			20.77			Maximum Detected			3.034
1719			Mean of Detected			3.706			Mean of Detected			0.347
1720			SD of Detected			6.549			SD of Detected			1.442
1721			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
1722			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
1723												
1724												
1725				**Warning: There are only 9 Detected Values in this data**								
1726				**Note: It should be noted that even though bootstrap may be performed on this data set**								
1727				the resulting calculations may not be reliable enough tp draw conclusions								
1728												
1729			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.										
1730												
1731												
1732					**UCL Statistics**							
1733		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
1734			Shapiro Wilk Test Statistic			0.568			Shapiro Wilk Test Statistic			0.978
1735			5% Shapiro Wilk Critical Value			0.829			5% Shapiro Wilk Critical Value			0.829
1736		**Data not Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
1737												
1738		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
1739			DL/2 Substitution Method						DL/2 Substitution Method			
1740					Mean	3.706					Mean	0.347
1741					SD	6.549					SD	1.442
1742			95% DL/2 (t) UCL			7.766			95% H-Stat (DL/2) UCL			35.77
1743												
1744			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1745		**MLE method failed to converge properly**							Mean in Log Scale			N/A
1746									SD in Log Scale			N/A
1747									Mean in Original Scale			N/A
1748									SD in Original Scale			N/A
1749									95% Percentile Bootstrap UCL			N/A

	A	B	C	D	E	F	G	H	I	J	K	L
1750										95% BCA Bootstrap UCL		N/A
1751												
1752		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1753				k star (bias corrected)		0.498		Data appear Gamma Distributed at 5% Significance Level				
1754				Theta Star		7.438						
1755				nu star		8.969						
1756												
1757				A-D Test Statistic		0.56		Nonparametric Statistics				
1758				5% A-D Critical Value		0.76		Kaplan-Meier (KM) Method				
1759				K-S Test Statistic		0.76				Mean		3.706
1760				5% K-S Critical Value		0.291				SD		6.175
1761		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		2.183
1762										95% KM (t) UCL		7.766
1763		Assuming Gamma Distribution								95% KM (z) UCL		7.297
1764		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		7.766
1765				Minimum		0.137				95% KM (bootstrap t) UCL		26.01
1766				Maximum		20.77				95% KM (BCA) UCL		7.953
1767				Mean		3.706				95% KM (Percentile Bootstrap) UCL		7.701
1768				Median		1.698				95% KM (Chebyshev) UCL		13.22
1769				SD		6.549				97.5% KM (Chebyshev) UCL		17.34
1770				k star		0.498				99% KM (Chebyshev) UCL		25.43
1771				Theta star		7.438						
1772				Nu star		8.969		Potential UCLs to Use				
1773				AppChi2		3.308				95% KM (Chebyshev) UCL		13.22
1774			95% Gamma Approximate UCL			10.05						
1775			95% Adjusted Gamma UCL			12.66						
1776	Note: DL/2 is not a recommended method.											
1777												
1778												
1779	Dibutyltin ion											
1780												
1781						General Statistics						
1782			Number of Valid Data			9			Number of Detected Data			9
1783			Number of Distinct Detected Data			9			Number of Non-Detect Data			0
1784			Number of Missing Values			6			Percent Non-Detects			0.00%
1785												
1786		Raw Statistics						Log-transformed Statistics				
1787			Minimum Detected			0.729			Minimum Detected			-0.316
1788			Maximum Detected			5.074			Maximum Detected			1.624
1789			Mean of Detected			1.934			Mean of Detected			0.467
1790			SD of Detected			1.415			SD of Detected			0.629
1791			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
1792			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
1793												
1794												
1795					Warning: There are only 9 Detected Values in this data							
1796				Note: It should be noted that even though bootstrap may be performed on this data set								
1797					the resulting calculations may not be reliable enough tp draw conclusions							
1798												
1799			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1800												
1801												
1802						UCL Statistics						

	A	B	C	D	E	F	G	H	I	J	K	L
1803			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1804					Shapiro Wilk Test Statistic	0.792					Shapiro Wilk Test Statistic	0.936
1805					5% Shapiro Wilk Critical Value	0.829					5% Shapiro Wilk Critical Value	0.829
1806			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1807												
1808			Assuming Normal Distribution						Assuming Lognormal Distribution			
1809					DL/2 Substitution Method						DL/2 Substitution Method	
1810					Mean	1.934					Mean	0.467
1811					SD	1.415					SD	0.629
1812					95% DL/2 (t) UCL	2.811					95% H-Stat (DL/2) UCL	3.389
1813												
1814				Maximum Likelihood Estimate(MLE) Method		N/A					Log ROS Method	
1815			MLE method failed to converge properly								Mean in Log Scale	N/A
1816											SD in Log Scale	N/A
1817											Mean in Original Scale	N/A
1818											SD in Original Scale	N/A
1819											95% Percentile Bootstrap UCL	N/A
1820											95% BCA Bootstrap UCL	N/A
1821												
1822			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1823				k star (bias corrected)		1.913			Data appear Gamma Distributed at 5% Significance Level			
1824					Theta Star	1.011						
1825					nu star	34.44						
1826												
1827					A-D Test Statistic	0.467			Nonparametric Statistics			
1828					5% A-D Critical Value	0.728			Kaplan-Meier (KM) Method			
1829					K-S Test Statistic	0.728					Mean	1.934
1830					5% K-S Critical Value	0.282					SD	1.334
1831			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	0.472
1832											95% KM (t) UCL	2.811
1833			Assuming Gamma Distribution								95% KM (z) UCL	2.71
1834			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	2.811
1835					Minimum	0.729					95% KM (bootstrap t) UCL	4.17
1836					Maximum	5.074					95% KM (BCA) UCL	2.702
1837					Mean	1.934					95% KM (Percentile Bootstrap) UCL	2.706
1838					Median	1.452					95% KM (Chebyshev) UCL	3.989
1839					SD	1.415					97.5% KM (Chebyshev) UCL	4.879
1840					k star	1.913					99% KM (Chebyshev) UCL	6.626
1841					Theta star	1.011						
1842					Nu star	34.44			Potential UCLs to Use			
1843					AppChi2	22.01					95% KM (Chebyshev) UCL	3.989
1844				95% Gamma Approximate UCL		3.025						
1845				95% Adjusted Gamma UCL		3.339						
1846	Note: DL/2 is not a recommended method.											
1847												
1848												
1849	Dieldrin											
1850												
1851							General Statistics					
1852				Number of Valid Data		10				Number of Detected Data		9
1853				Number of Distinct Detected Data		9				Number of Non-Detect Data		1
1854				Number of Missing Values		5				Percent Non-Detects		10.00%
1855												

	A	B	C	D	E	F	G	H	I	J	K	L
1856			Raw Statistics						Log-transformed Statistics			
1857				Minimum Detected		1.896				Minimum Detected		0.64
1858				Maximum Detected		2.96				Maximum Detected		1.085
1859				Mean of Detected		2.314				Mean of Detected		0.83
1860				SD of Detected		0.341				SD of Detected		0.142
1861				Minimum Non-Detect		1				Minimum Non-Detect		0
1862				Maximum Non-Detect		1				Maximum Non-Detect		0
1863												
1864												
1865				Warning: There are only 9 Detected Values in this data								
1866				Note: It should be noted that even though bootstrap may be performed on this data set								
1867				the resulting calculations may not be reliable enough tp draw conclusions								
1868												
1869			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
1870												
1871												
1872						UCL Statistics						
1873			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1874				Shapiro Wilk Test Statistic		0.931				Shapiro Wilk Test Statistic		0.955
1875				5% Shapiro Wilk Critical Value		0.829				5% Shapiro Wilk Critical Value		0.829
1876			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1877												
1878			Assuming Normal Distribution						Assuming Lognormal Distribution			
1879				DL/2 Substitution Method						DL/2 Substitution Method		
1880				Mean		2.132				Mean		0.677
1881				SD		0.658				SD		0.5
1882				95% DL/2 (t) UCL		2.514				95% H-Stat (DL/2) UCL		2.779
1883												
1884			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
1885				Mean		2.163				Mean in Log Scale		0.795
1886				SD		0.549				SD in Log Scale		0.174
1887				95% MLE (t) UCL		2.481				Mean in Original Scale		2.244
1888				95% MLE (Tiku) UCL		2.496				SD in Original Scale		0.39
1889										95% Percentile Bootstrap UCL		2.438
1890										95% BCA Bootstrap UCL		2.437
1891												
1892			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1893				k star (bias corrected)		36.47				Data appear Normal at 5% Significance Level		
1894				Theta Star		0.0634						
1895				nu star		656.5						
1896												
1897				A-D Test Statistic		0.282				Nonparametric Statistics		
1898				5% A-D Critical Value		0.72				Kaplan-Meier (KM) Method		
1899				K-S Test Statistic		0.72				Mean		2.272
1900				5% K-S Critical Value		0.279				SD		0.33
1901			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		0.111
1902										95% KM (t) UCL		2.475
1903			Assuming Gamma Distribution							95% KM (z) UCL		2.454
1904			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		2.471
1905				Minimum		1.701				95% KM (bootstrap t) UCL		2.55
1906				Maximum		2.96				95% KM (BCA) UCL		2.478
1907				Mean		2.253				95% KM (Percentile Bootstrap) UCL		2.455
1908				Median		2.185				95% KM (Chebyshev) UCL		2.754

	A	B	C	D	E	F	G	H	I	J	K	L
1909					SD	0.375				97.5% KM (Chebyshev) UCL		2.963
1910					k star	28.89				99% KM (Chebyshev) UCL		3.372
1911					Theta star	0.078						
1912					Nu star	577.8			Potential UCLs to Use			
1913					AppChi2	523				95% KM (t) UCL		2.475
1914			95% Gamma Approximate UCL			2.488			95% KM (Percentile Bootstrap) UCL			2.455
1915			95% Adjusted Gamma UCL			2.532						
1916	Note: DL/2 is not a recommended method.											
1917												
1918												
1919	Endrin											
1920												
1921							General Statistics					
1922			Number of Valid Data			9				Number of Detected Data		9
1923			Number of Distinct Detected Data			9				Number of Non-Detect Data		0
1924			Number of Missing Values			6				Percent Non-Detects		0.00%
1925												
1926			Raw Statistics						Log-transformed Statistics			
1927			Minimum Detected			0.0155				Minimum Detected		-4.164
1928			Maximum Detected			0.0294				Maximum Detected		-3.528
1929			Mean of Detected			0.0231				Mean of Detected		-3.794
1930			SD of Detected			0.00547				SD of Detected		0.255
1931			Minimum Non-Detect			N/A				Minimum Non-Detect		N/A
1932			Maximum Non-Detect			N/A				Maximum Non-Detect		N/A
1933												
1934												
1935						Warning: There are only 9 Detected Values in this data						
1936					Note: It should be noted that even though bootstrap may be performed on this data set							
1937					the resulting calculations may not be reliable enough tp draw conclusions							
1938												
1939				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
1940												
1941												
1942							UCL Statistics					
1943		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1944			Shapiro Wilk Test Statistic			0.866				Shapiro Wilk Test Statistic		0.841
1945			5% Shapiro Wilk Critical Value			0.829				5% Shapiro Wilk Critical Value		0.829
1946		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1947												
1948		Assuming Normal Distribution						Assuming Lognormal Distribution				
1949			DL/2 Substitution Method							DL/2 Substitution Method		
1950			Mean			0.0231				Mean		-3.794
1951			SD			0.00547				SD		0.255
1952			95% DL/2 (t) UCL			0.0265				95% H-Stat (DL/2) UCL		0.0278
1953												
1954		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
1955		MLE method failed to converge properly								Mean in Log Scale		N/A
1956										SD in Log Scale		N/A
1957										Mean in Original Scale		N/A
1958										SD in Original Scale		N/A
1959										95% Percentile Bootstrap UCL		N/A
1960										95% BCA Bootstrap UCL		N/A
1961												

	A	B	C	D	E	F	G	H	I	J	K	L
1962	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
1963	k star (bias corrected)					12.28	Data appear Normal at 5% Significance Level					
1964	Theta Star					0.00188						
1965	nu star					221.1						
1966												
1967	A-D Test Statistic					0.663	Nonparametric Statistics					
1968	5% A-D Critical Value					0.721		Kaplan-Meier (KM) Method				
1969	K-S Test Statistic					0.721		Mean				0.0231
1970	5% K-S Critical Value					0.279		SD				0.00516
1971	Data appear Gamma Distributed at 5% Significance Level							SE of Mean				0.00182
1972								95% KM (t) UCL				0.0265
1973	Assuming Gamma Distribution							95% KM (z) UCL				0.0261
1974	Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL				0.0265
1975	Minimum					0.0155		95% KM (bootstrap t) UCL				0.0261
1976	Maximum					0.0294		95% KM (BCA) UCL				0.0259
1977	Mean					0.0231		95% KM (Percentile Bootstrap) UCL				0.0258
1978	Median					0.0242		95% KM (Chebyshev) UCL				0.0311
1979	SD					0.00547		97.5% KM (Chebyshev) UCL				0.0345
1980	k star					12.28		99% KM (Chebyshev) UCL				0.0413
1981	Theta star					0.00188						
1982	Nu star					221.1		Potential UCLs to Use				
1983	AppChi2					187.7		95% KM (t) UCL				0.0265
1984	95% Gamma Approximate UCL					0.0273		95% KM (Percentile Bootstrap) UCL				0.0258
1985	95% Adjusted Gamma UCL					0.0282						
1986	Note: DL/2 is not a recommended method.											
1987												
1988												
1989	Endrin aldehyde											
1990												
1991	General Statistics											
1992	Number of Valid Data					6		Number of Detected Data				2
1993	Number of Distinct Detected Data					2		Number of Non-Detect Data				4
1994	Number of Missing Values					8		Percent Non-Detects				66.67%
1995												
1996	Raw Statistics							Log-transformed Statistics				
1997	Minimum Detected					0.00224		Minimum Detected				-6.101
1998	Maximum Detected					0.00743		Maximum Detected				-4.902
1999	Mean of Detected					0.00484		Mean of Detected				-5.501
2000	SD of Detected					0.00367		SD of Detected				0.848
2001	Minimum Non-Detect					0.00325		Minimum Non-Detect				-5.73
2002	Maximum Non-Detect					0.00734		Maximum Non-Detect				-4.914
2003												
2004	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				5
2005	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				1
2006	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				83.33%
2007												
2008	Warning: Data set has only 2 Distinct Detected Values.											
2009	This may not be adequate enough to compute meaningful and reliable test statistics and estimates.											
2010	The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).											
2011												
2012	Unless Data Quality Objectives (DQOs) have been met, it is suggested to collect additional observations.											
2013												
2014	The number of detected data may not be adequate enough to perform GOF tests, bootstrap, and ROS methods.											

	A	B	C	D	E	F	G	H	I	J	K	L
2015	Those methods will return a 'N/A' value on your output display!											
2016												
2017	It is necessary to have 4 or more Distinct Values for bootstrap methods.											
2018	It is recommended to have 10 to 15 or more observations for accurate and meaningful results and estimates.											
2019												
2020												
2021	UCL Statistics											
2022	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
2023	Shapiro Wilk Test Statistic					1	Shapiro Wilk Test Statistic					1
2024	5% Shapiro Wilk Critical Value					N/A	5% Shapiro Wilk Critical Value					N/A
2025	Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level					
2026												
2027	Assuming Normal Distribution						Assuming Lognormal Distribution					
2028	DL/2 Substitution Method						DL/2 Substitution Method					
2029	Mean					0.00355	Mean					-5.758
2030	SD					0.00205	SD					0.517
2031	95% DL/2 (t) UCL					0.00524	95% H-Stat (DL/2) UCL					0.0114
2032												
2033	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
2034	MLE method failed to converge properly						Mean in Log Scale					N/A
2035							SD in Log Scale					N/A
2036							Mean in Original Scale					N/A
2037							SD in Original Scale					N/A
2038							95% Percentile Bootstrap UCL					N/A
2039							95% BCA Bootstrap UCL					N/A
2040												
2041	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
2042	k star (bias corrected)					N/A	Data do not follow a Discernable Distribution (0.05)					
2043	Theta Star					N/A						
2044	nu star					N/A						
2045												
2046	A-D Test Statistic					0.359	Nonparametric Statistics					
2047	5% A-D Critical Value					N/A	Kaplan-Meier (KM) Method					
2048	K-S Test Statistic					N/A	Mean					0.00311
2049	5% K-S Critical Value					N/A	SD					0.00193
2050	Data not Gamma Distributed at 5% Significance Level						SE of Mean					0.00112
2051							95% KM (t) UCL					0.00536
2052	Assuming Gamma Distribution						95% KM (z) UCL					0.00494
2053	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					0.00716
2054	Minimum					N/A	95% KM (bootstrap t) UCL					1.8E+308
2055	Maximum					N/A	95% KM (BCA) UCL					0.00743
2056	Mean					N/A	95% KM (Percentile Bootstrap) UCL					0.00743
2057	Median					N/A	95% KM (Chebyshev) UCL					0.00797
2058	SD					N/A	97.5% KM (Chebyshev) UCL					0.0101
2059	k star					N/A	99% KM (Chebyshev) UCL					0.0142
2060	Theta star					N/A						
2061	Nu star					N/A	Potential UCLs to Use					
2062	AppChi2					N/A	95% KM (t) UCL					0.00536
2063	95% Gamma Approximate UCL					N/A	95% KM (% Bootstrap) UCL					0.00743
2064	95% Adjusted Gamma UCL					N/A						
2065	Note: DL/2 is not a recommended method.											
2066												
2067												

Endrin ketone

<p align="center">General Statistics</p>

Number of Valid Data	6	Number of Detected Data	3
Number of Distinct Detected Data	3	Number of Non-Detect Data	3
Number of Missing Values	9	Percent Non-Detects	50.00%

Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.0008685	Minimum Detected	-7.049
Maximum Detected	0.0148	Maximum Detected	-4.211
Mean of Detected	0.00771	Mean of Detected	-5.388
SD of Detected	0.00699	SD of Detected	1.48
Minimum Non-Detect	0.0005538	Minimum Non-Detect	-7.499
Maximum Non-Detect	0.00207	Maximum Non-Detect	-6.178

Note: Data have multiple DLs - Use of KM Method is recommended	Number treated as Non-Detect	4
For all methods (except KM, DL/2, and ROS Methods),	Number treated as Detected	2
Observations < Largest ND are treated as NDs	Single DL Non-Detect Percentage	66.67%

<p align="center">Warning: There are only 3 Distinct Detected Values in this data set</p>

<p align="center">The number of detected data may not be adequate enough to perform GOF tests, bootstrap, and ROS methods.</p>

<p align="center">Those methods will return a 'N/A' value on your output display!</p>

<p align="center">It is necessary to have 4 or more Distinct Values for bootstrap methods.</p>

<p align="center">It is recommended to have 10 to 15 or more observations for accurate and meaningful results and estimates.</p>

<p align="center">UCL Statistics</p>

Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.999	Shapiro Wilk Test Statistic	0.92
5% Shapiro Wilk Critical Value	0.767	5% Shapiro Wilk Critical Value	0.767
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	0.00418	Mean	-6.425
SD	0.00587	SD	1.532
95% DL/2 (t) UCL	0.00902	95% H-Stat (DL/2) UCL	0.0437
Maximum Likelihood Estimate(MLE) Method	N/A	Log ROS Method	
MLE method failed to converge properly		Mean in Log Scale	-6.898
		SD in Log Scale	1.956
		Mean in Original Scale	0.00398
		SD in Original Scale	0.00602
		95% Percentile Bootstrap UCL	0.00768
		95% BCA Bootstrap UCL	0.00886

Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	N/A	Data appear Normal at 5% Significance Level	
Theta Star	N/A		
nu star	N/A		
A-D Test Statistic	0.301	Nonparametric Statistics	

	A	B	C	D	E	F	G	H	I	J	K	L
2121				5% A-D Critical Value		N/A			Kaplan-Meier (KM) Method			
2122					K-S Test Statistic	N/A					Mean	0.00429
2123				5% K-S Critical Value		N/A					SD	0.00529
2124		**Data not Gamma Distributed at 5% Significance Level**									SE of Mean	0.00264
2125											95% KM (t) UCL	0.00962
2126		**Assuming Gamma Distribution**									95% KM (z) UCL	0.00864
2127		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.0102
2128					Minimum	N/A					95% KM (bootstrap t) UCL	0.00661
2129					Maximum	N/A					95% KM (BCA) UCL	0.0148
2130					Mean	N/A				95% KM (Percentile Bootstrap) UCL		N/A
2131					Median	N/A					95% KM (Chebyshev) UCL	0.0158
2132					SD	N/A					97.5% KM (Chebyshev) UCL	0.0208
2133					k star	N/A					99% KM (Chebyshev) UCL	0.0306
2134					Theta star	N/A						
2135					Nu star	N/A			**Potential UCLs to Use**			
2136					AppChi2	N/A					95% KM (t) UCL	0.00962
2137			95% Gamma Approximate UCL			N/A			95% KM (Percentile Bootstrap) UCL			N/A
2138			95% Adjusted Gamma UCL			N/A						
2139	Note: DL/2 is not a recommended method.											
2140												
2141												
2142	Fluoranthene											
2143												
2144					**General Statistics**							
2145			Number of Valid Data			9			Number of Detected Data			6
2146		Number of Distinct Detected Data				6			Number of Non-Detect Data			3
2147			Number of Missing Values			6			Percent Non-Detects			33.33%
2148												
2149			**Raw Statistics**						**Log-transformed Statistics**			
2150				Minimum Detected		1.074				Minimum Detected		0.0712
2151				Maximum Detected		24.26				Maximum Detected		3.189
2152				Mean of Detected		8.216				Mean of Detected		1.69
2153				SD of Detected		8.363				SD of Detected		1.041
2154			Minimum Non-Detect			0.532				Minimum Non-Detect		-0.632
2155			Maximum Non-Detect			2.931				Maximum Non-Detect		1.075
2156												
2157	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			4
2158	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			5
2159	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			44.44%
2160												
2161				Warning: There are only 6 Detected Values in this data								
2162			Note: It should be noted that even though bootstrap may be performed on this data set									
2163			the resulting calculations may not be reliable enough tp draw conclusions									
2164												
2165		It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.										
2166												
2167												
2168					**UCL Statistics**							
2169		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
2170			Shapiro Wilk Test Statistic			0.802				Shapiro Wilk Test Statistic		0.982
2171			5% Shapiro Wilk Critical Value			0.788				5% Shapiro Wilk Critical Value		0.788
2172		**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
2173												

	A	B	C	D	E	F	G	H	I	J	K	L
2174			Assuming Normal Distribution						Assuming Lognormal Distribution			
2175			DL/2 Substitution Method						DL/2 Substitution Method			
2176					Mean	5.701				Mean		0.879
2177					SD	7.62				SD		1.547
2178			95% DL/2 (t) UCL			10.42			95% H-Stat (DL/2) UCL			42.24
2179												
2180		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
2181					Mean	3.118			Mean in Log Scale			0.856
2182					SD	10.08			SD in Log Scale			1.504
2183			95% MLE (t) UCL			9.363			Mean in Original Scale			5.63
2184			95% MLE (Tiku) UCL			10.41			SD in Original Scale			7.666
2185									95% Percentile Bootstrap UCL			9.866
2186									95% BCA Bootstrap UCL			11.98
2187												
2188		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2189			k star (bias corrected)			0.783		Data appear Normal at 5% Significance Level				
2190					Theta Star	10.49						
2191					nu star	9.4						
2192												
2193					A-D Test Statistic	0.242			Nonparametric Statistics			
2194			5% A-D Critical Value			0.71			Kaplan-Meier (KM) Method			
2195					K-S Test Statistic	0.71				Mean		5.835
2196			5% K-S Critical Value			0.339				SD		7.085
2197		Data appear Gamma Distributed at 5% Significance Level							SE of Mean			2.587
2198									95% KM (t) UCL			10.65
2199			Assuming Gamma Distribution						95% KM (z) UCL			10.09
2200		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			10.25
2201					Minimum	1.074			95% KM (bootstrap t) UCL			17.58
2202					Maximum	24.26			95% KM (BCA) UCL			12.4
2203					Mean	6.228			95% KM (Percentile Bootstrap) UCL			10.82
2204					Median	3.699			95% KM (Chebyshev) UCL			17.11
2205					SD	7.28			97.5% KM (Chebyshev) UCL			21.99
2206					k star	0.888			99% KM (Chebyshev) UCL			31.57
2207					Theta star	7.016						
2208					Nu star	15.98			Potential UCLs to Use			
2209					AppChi2	7.947			95% KM (t) UCL			10.65
2210			95% Gamma Approximate UCL			12.52			95% KM (Percentile Bootstrap) UCL			10.82
2211			95% Adjusted Gamma UCL			14.66						
2212	Note: DL/2 is not a recommended method.											
2213												
2214												
2215	Fluorene											
2216												
2217							General Statistics					
2218			Number of Valid Data			15			Number of Detected Data			10
2219			Number of Distinct Detected Data			10			Number of Non-Detect Data			5
2220									Percent Non-Detects			33.33%
2221												
2222			Raw Statistics						Log-transformed Statistics			
2223					Minimum Detected	1.6			Minimum Detected			0.47
2224					Maximum Detected	53			Maximum Detected			3.97
2225					Mean of Detected	13.65			Mean of Detected			2.122
2226					SD of Detected	15.5			SD of Detected			1.053

	A	B	C	D	E	F	G	H	I	J	K	L
2227				Minimum Non-Detect		32				Minimum Non-Detect		3.466
2228				Maximum Non-Detect		33				Maximum Non-Detect		3.497
2229												
2230	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			14
2231	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
2232	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			93.33%
2233												
2234					UCL Statistics							
2235			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
2236				Shapiro Wilk Test Statistic		0.748				Shapiro Wilk Test Statistic		0.991
2237				5% Shapiro Wilk Critical Value		0.842				5% Shapiro Wilk Critical Value		0.842
2238			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
2239												
2240			Assuming Normal Distribution						Assuming Lognormal Distribution			
2241				DL/2 Substitution Method						DL/2 Substitution Method		
2242					Mean	14.5					Mean	2.343
2243					SD	12.49					SD	0.904
2244				95% DL/2 (t) UCL		20.18				95% H-Stat (DL/2) UCL		67.45
2245												
2246				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
2247			MLE method failed to converge properly							Mean in Log Scale		2.056
2248										SD in Log Scale		0.906
2249										Mean in Original Scale		11.71
2250										SD in Original Scale		12.96
2251										95% Percentile Bootstrap UCL		17.5
2252										95% BCA Bootstrap UCL		19.66
2253												
2254			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
2255				k star (bias corrected)		0.875			Data appear Gamma Distributed at 5% Significance Level			
2256				Theta Star		15.59						
2257				nu star		17.51						
2258												
2259				A-D Test Statistic		0.255			Nonparametric Statistics			
2260				5% A-D Critical Value		0.745			Kaplan-Meier (KM) Method			
2261				K-S Test Statistic		0.745					Mean	12.19
2262				5% K-S Critical Value		0.273					SD	12.83
2263			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	3.752
2264											95% KM (t) UCL	18.8
2265			Assuming Gamma Distribution								95% KM (z) UCL	18.37
2266			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	18.79
2267					Minimum	1.6					95% KM (bootstrap t) UCL	25.18
2268					Maximum	53					95% KM (BCA) UCL	19.23
2269					Mean	13.71					95% KM (Percentile Bootstrap) UCL	18.44
2270					Median	12.2					95% KM (Chebyshev) UCL	28.55
2271					SD	12.46					97.5% KM (Chebyshev) UCL	35.63
2272					k star	1.374					99% KM (Chebyshev) UCL	49.53
2273					Theta star	9.973						
2274					Nu star	41.23			Potential UCLs to Use			
2275					AppChi2	27.51					95% KM (BCA) UCL	19.23
2276				95% Gamma Approximate UCL		20.54						
2277				95% Adjusted Gamma UCL		21.62						
2278	Note: DL/2 is not a recommended method.											
2279												

	A	B	C	D	E	F	G	H	I	J	K	L
2280												
2281	gamma-Hexachlorocyclohexane											
2282												
2283						General Statistics						
2284				Number of Valid Data		9			Number of Detected Data			9
2285				Number of Distinct Detected Data		9			Number of Non-Detect Data			0
2286				Number of Missing Values		6			Percent Non-Detects			0.00%
2287												
2288			Raw Statistics						Log-transformed Statistics			
2289				Minimum Detected		0.0169			Minimum Detected			-4.078
2290				Maximum Detected		0.0459			Maximum Detected			-3.082
2291				Mean of Detected		0.0312			Mean of Detected			-3.508
2292				SD of Detected		0.00899			SD of Detected			0.315
2293				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
2294				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
2295												
2296												
2297					Warning: There are only 9 Detected Values in this data							
2298				Note: It should be noted that even though bootstrap may be performed on this data set								
2299					the resulting calculations may not be reliable enough tp draw conclusions							
2300												
2301			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
2302												
2303												
2304						UCL Statistics						
2305		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2306				Shapiro Wilk Test Statistic		0.957			Shapiro Wilk Test Statistic			0.929
2307				5% Shapiro Wilk Critical Value		0.829			5% Shapiro Wilk Critical Value			0.829
2308		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
2309												
2310			Assuming Normal Distribution						Assuming Lognormal Distribution			
2311				DL/2 Substitution Method					DL/2 Substitution Method			
2312				Mean		0.0312			Mean			-3.508
2313				SD		0.00899			SD			0.315
2314				95% DL/2 (t) UCL		0.0368			95% H-Stat (DL/2) UCL			0.0394
2315												
2316				Maximum Likelihood Estimate(MLE) Method		N/A			Log ROS Method			
2317		MLE method failed to converge properly							Mean in Log Scale			N/A
2318									SD in Log Scale			N/A
2319									Mean in Original Scale			N/A
2320									SD in Original Scale			N/A
2321									95% Percentile Bootstrap UCL			N/A
2322									95% BCA Bootstrap UCL			N/A
2323												
2324		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2325				k star (bias corrected)		8.261		Data appear Normal at 5% Significance Level				
2326				Theta Star		0.00378						
2327				nu star		148.7						
2328												
2329				A-D Test Statistic		0.369			Nonparametric Statistics			
2330				5% A-D Critical Value		0.722			Kaplan-Meier (KM) Method			
2331				K-S Test Statistic		0.722			Mean			0.0312
2332				5% K-S Critical Value		0.279			SD			0.00848

	A	B	C	D	E	F	G	H	I	J	K	L
2333	Data appear Gamma Distributed at 5% Significance Level									SE of Mean		0.003
2334										95% KM (t) UCL		0.0368
2335	Assuming Gamma Distribution									95% KM (z) UCL		0.0361
2336	Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL		0.0368
2337	Minimum					0.0169				95% KM (bootstrap t) UCL		0.0365
2338	Maximum					0.0459				95% KM (BCA) UCL		0.0358
2339	Mean					0.0312				95% KM (Percentile Bootstrap) UCL		0.0359
2340	Median					0.0343				95% KM (Chebyshev) UCL		0.0443
2341	SD					0.00899				97.5% KM (Chebyshev) UCL		0.0499
2342	k star					8.261				99% KM (Chebyshev) UCL		0.061
2343	Theta star					0.00378						
2344	Nu star					148.7		Potential UCLs to Use				
2345	AppChi2					121.5				95% KM (t) UCL		0.0368
2346	95% Gamma Approximate UCL					0.0382				95% KM (Percentile Bootstrap) UCL		0.0359
2347	95% Adjusted Gamma UCL					0.0399						
2348	Note: DL/2 is not a recommended method.											
2349												
2350												
2351	Heptachlor											
2352												
2353	General Statistics											
2354	Number of Valid Data					7			Number of Detected Data			5
2355	Number of Distinct Detected Data					5			Number of Non-Detect Data			2
2356	Number of Missing Values					8			Percent Non-Detects			28.57%
2357												
2358	Raw Statistics						Log-transformed Statistics					
2359	Minimum Detected					0.00346			Minimum Detected			-5.666
2360	Maximum Detected					0.00709			Maximum Detected			-4.95
2361	Mean of Detected					0.00506			Mean of Detected			-5.338
2362	SD of Detected					0.00182			SD of Detected			0.356
2363	Minimum Non-Detect					0.00185			Minimum Non-Detect			-6.293
2364	Maximum Non-Detect					0.00335			Maximum Non-Detect			-5.699
2365												
2366	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			2
2367	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			5
2368	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			28.57%
2369												
2370	Warning: There are only 5 Detected Values in this data											
2371	Note: It should be noted that even though bootstrap may be performed on this data set											
2372	the resulting calculations may not be reliable enough tp draw conclusions											
2373												
2374	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
2375												
2376												
2377	UCL Statistics											
2378	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
2379	Shapiro Wilk Test Statistic					0.796			Shapiro Wilk Test Statistic			0.812
2380	5% Shapiro Wilk Critical Value					0.762			5% Shapiro Wilk Critical Value			0.762
2381	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
2382												
2383	Assuming Normal Distribution						Assuming Lognormal Distribution					
2384	DL/2 Substitution Method						DL/2 Substitution Method					
2385	Mean					0.00398			Mean			-5.724

	A	B	C	D	E	F	G	H	I	J	K	L
2386					SD	0.00237					SD	0.741
2387				95% DL/2 (t) UCL		0.00572			95% H-Stat (DL/2) UCL			0.0107
2388												
2389			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
2390					Mean	0.00418			Mean in Log Scale			-5.593
2391					SD	0.00203			SD in Log Scale			0.523
2392				95% MLE (t) UCL		0.00568			Mean in Original Scale			0.00418
2393				95% MLE (Tiku) UCL		0.00574			SD in Original Scale			0.00211
2394									95% Percentile Bootstrap UCL			0.00549
2395									95% BCA Bootstrap UCL			0.00548
2396												
2397		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2398				k star (bias corrected)		4.106		Data appear Normal at 5% Significance Level				
2399					Theta Star	0.00123						
2400					nu star	41.06						
2401												
2402				A-D Test Statistic		0.583		Nonparametric Statistics				
2403				5% A-D Critical Value		0.679			Kaplan-Meier (KM) Method			
2404				K-S Test Statistic		0.679					Mean	0.0046
2405				5% K-S Critical Value		0.358					SD	0.00155
2406		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.0006551
2407											95% KM (t) UCL	0.00588
2408		Assuming Gamma Distribution									95% KM (z) UCL	0.00568
2409		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.00583
2410					Minimum	0.0033					95% KM (bootstrap t) UCL	0.00815
2411					Maximum	0.00709					95% KM (BCA) UCL	0.00564
2412					Mean	0.00456			95% KM (Percentile Bootstrap) UCL			0.00584
2413					Median	0.00348					95% KM (Chebyshev) UCL	0.00746
2414					SD	0.00171					97.5% KM (Chebyshev) UCL	0.00869
2415					k star	5.491					99% KM (Chebyshev) UCL	0.0111
2416					Theta star	0.00083						
2417					Nu star	76.87		Potential UCLs to Use				
2418					AppChi2	57.67					95% KM (t) UCL	0.00588
2419				95% Gamma Approximate UCL		0.00607			95% KM (Percentile Bootstrap) UCL			0.00584
2420				95% Adjusted Gamma UCL		0.00665						
2421	Note: DL/2 is not a recommended method.											
2422												
2423												
2424	Heptachlor epoxide											
2425												
2426						General Statistics						
2427				Number of Valid Data		9			Number of Detected Data			9
2428			Number of Distinct Detected Data			9			Number of Non-Detect Data			0
2429				Number of Missing Values		6			Percent Non-Detects			0.00%
2430												
2431			Raw Statistics						Log-transformed Statistics			
2432				Minimum Detected		0.111			Minimum Detected			-2.196
2433				Maximum Detected		0.209			Maximum Detected			-1.564
2434				Mean of Detected		0.147			Mean of Detected			-1.938
2435				SD of Detected		0.0338			SD of Detected			0.223
2436				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
2437				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
2438												

	A	B	C	D	E	F	G	H	I	J	K	L
2439												
2440					Warning: There are only 9 Detected Values in this data							
2441					Note: It should be noted that even though bootstrap may be performed on this data set							
2442					the resulting calculations may not be reliable enough tp draw conclusions							
2443												
2444					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
2445												
2446												
2447							UCL Statistics					
2448		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2449					Shapiro Wilk Test Statistic	0.89				Shapiro Wilk Test Statistic		0.905
2450					5% Shapiro Wilk Critical Value	0.829				5% Shapiro Wilk Critical Value		0.829
2451		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
2452												
2453		Assuming Normal Distribution						Assuming Lognormal Distribution				
2454				DL/2 Substitution Method						DL/2 Substitution Method		
2455					Mean	0.147				Mean		-1.938
2456					SD	0.0338				SD		0.223
2457				95% DL/2 (t) UCL		0.168			95% H-Stat (DL/2) UCL			0.172
2458												
2459			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
2460		MLE method failed to converge properly								Mean in Log Scale		N/A
2461										SD in Log Scale		N/A
2462										Mean in Original Scale		N/A
2463										SD in Original Scale		N/A
2464									95% Percentile Bootstrap UCL			N/A
2465									95% BCA Bootstrap UCL			N/A
2466												
2467		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2468				k star (bias corrected)		15.02		Data appear Normal at 5% Significance Level				
2469					Theta Star	0.00981						
2470					nu star	270.3						
2471												
2472					A-D Test Statistic	0.498		Nonparametric Statistics				
2473					5% A-D Critical Value	0.721			Kaplan-Meier (KM) Method			
2474					K-S Test Statistic	0.721				Mean		0.147
2475					5% K-S Critical Value	0.279				SD		0.0319
2476		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.0113
2477										95% KM (t) UCL		0.168
2478		Assuming Gamma Distribution								95% KM (z) UCL		0.166
2479		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.168
2480					Minimum	0.111				95% KM (bootstrap t) UCL		0.172
2481					Maximum	0.209				95% KM (BCA) UCL		0.165
2482					Mean	0.147			95% KM (Percentile Bootstrap) UCL			0.165
2483					Median	0.129				95% KM (Chebyshev) UCL		0.196
2484					SD	0.0338				97.5% KM (Chebyshev) UCL		0.218
2485					k star	15.02				99% KM (Chebyshev) UCL		0.26
2486					Theta star	0.00981						
2487					Nu star	270.3		Potential UCLs to Use				
2488					AppChi2	233.2				95% KM (t) UCL		0.168
2489				95% Gamma Approximate UCL		0.171			95% KM (Percentile Bootstrap) UCL			0.165
2490				95% Adjusted Gamma UCL		0.176						
2491	Note: DL/2 is not a recommended method.											

	A	B	C	D	E	F	G	H	I	J	K	L
2492												
2493												
2494	Hexachlorobenzene											
2495												
2496						General Statistics						
2497				Number of Valid Data		10			Number of Detected Data			9
2498				Number of Distinct Detected Data		9			Number of Non-Detect Data			1
2499				Number of Missing Values		5			Percent Non-Detects			10.00%
2500												
2501				Raw Statistics					Log-transformed Statistics			
2502				Minimum Detected		2.008			Minimum Detected			0.697
2503				Maximum Detected		4.46			Maximum Detected			1.495
2504				Mean of Detected		3			Mean of Detected			1.074
2505				SD of Detected		0.714			SD of Detected			0.233
2506				Minimum Non-Detect		4			Minimum Non-Detect			1.386
2507				Maximum Non-Detect		4			Maximum Non-Detect			1.386
2508												
2509												
2510					Warning: There are only 9 Detected Values in this data							
2511				Note: It should be noted that even though bootstrap may be performed on this data set								
2512				the resulting calculations may not be reliable enough tp draw conclusions								
2513												
2514				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
2515												
2516												
2517						UCL Statistics						
2518			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
2519				Shapiro Wilk Test Statistic		0.937			Shapiro Wilk Test Statistic			0.967
2520				5% Shapiro Wilk Critical Value		0.829			5% Shapiro Wilk Critical Value			0.829
2521			Data appear Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
2522												
2523			Assuming Normal Distribution					Assuming Lognormal Distribution				
2524				DL/2 Substitution Method					DL/2 Substitution Method			
2525				Mean		2.9			Mean			1.036
2526				SD		0.744			SD			0.251
2527				95% DL/2 (t) UCL		3.332			95% H-Stat (DL/2) UCL			3.781
2528												
2529				Maximum Likelihood Estimate(MLE) Method		N/A			Log ROS Method			
2530			MLE method failed to converge properly					Mean in Log Scale			1.07	
2531									SD in Log Scale			0.22
2532									Mean in Original Scale			2.981
2533									SD in Original Scale			0.676
2534									95% Percentile Bootstrap UCL			3.335
2535									95% BCA Bootstrap UCL			3.376
2536												
2537			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
2538				k star (bias corrected)		13.86			Data appear Normal at 5% Significance Level			
2539				Theta Star		0.217						
2540				nu star		249.5						
2541												
2542				A-D Test Statistic		0.26			Nonparametric Statistics			
2543				5% A-D Critical Value		0.721			Kaplan-Meier (KM) Method			
2544				K-S Test Statistic		0.721			Mean			2.982

	A	B	C	D	E	F	G	H	I	J	K	L
2545					5% K-S Critical Value	0.279					SD	0.657
2546		**Data appear Gamma Distributed at 5% Significance Level**									SE of Mean	0.226
2547											95% KM (t) UCL	3.397
2548			**Assuming Gamma Distribution**								95% KM (z) UCL	3.355
2549			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	3.398
2550					Minimum	2.008					95% KM (bootstrap t) UCL	3.429
2551					Maximum	4.46					95% KM (BCA) UCL	3.356
2552					Mean	3.009				95% KM (Percentile Bootstrap) UCL		3.356
2553					Median	3.09					95% KM (Chebyshev) UCL	3.969
2554					SD	0.674					97.5% KM (Chebyshev) UCL	4.397
2555					k star	16.11					99% KM (Chebyshev) UCL	5.236
2556					Theta star	0.187						
2557					Nu star	322.2			**Potential UCLs to Use**			
2558					AppChi2	281.6					95% KM (t) UCL	3.397
2559			95% Gamma Approximate UCL			3.443				95% KM (Percentile Bootstrap) UCL		3.356
2560			95% Adjusted Gamma UCL			3.525						
2561	Note: DL/2 is not a recommended method.											
2562												
2563												
2564	Hexachlorobutadiene											
2565												
2566					**General Statistics**							
2567			Number of Valid Data			9			Number of Detected Data			9
2568			Number of Distinct Detected Data			9			Number of Non-Detect Data			0
2569			Number of Missing Values			6			Percent Non-Detects			0.00%
2570												
2571			**Raw Statistics**						**Log-transformed Statistics**			
2572			Minimum Detected			0.00475			Minimum Detected			-5.349
2573			Maximum Detected			0.263			Maximum Detected			-1.334
2574			Mean of Detected			0.0789			Mean of Detected			-3.229
2575			SD of Detected			0.0924			SD of Detected			1.306
2576			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
2577			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
2578												
2579												
2580					**Warning: There are only 9 Detected Values in this data**							
2581				**Note: It should be noted that even though bootstrap may be performed on this data set**								
2582				**the resulting calculations may not be reliable enough tp draw conclusions**								
2583												
2584			**It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.**									
2585												
2586												
2587					**UCL Statistics**							
2588		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
2589			Shapiro Wilk Test Statistic			0.78			Shapiro Wilk Test Statistic			0.94
2590			5% Shapiro Wilk Critical Value			0.829			5% Shapiro Wilk Critical Value			0.829
2591		**Data not Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
2592												
2593		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
2594			DL/2 Substitution Method						DL/2 Substitution Method			
2595					Mean	0.0789					Mean	-3.229
2596					SD	0.0924					SD	1.306
2597			95% DL/2 (t) UCL			0.136			95% H-Stat (DL/2) UCL			0.578

	A	B	C	D	E	F	G	H	I	J	K	L
2598												
2599		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
2600		**MLE method failed to converge properly**								Mean in Log Scale		N/A
2601										SD in Log Scale		N/A
2602										Mean in Original Scale		N/A
2603										SD in Original Scale		N/A
2604										95% Percentile Bootstrap UCL		N/A
2605										95% BCA Bootstrap UCL		N/A
2606												
2607		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
2608		k star (bias corrected)				0.643		**Data appear Gamma Distributed at 5% Significance Level**				
2609		Theta Star				0.123						
2610		nu star				11.58						
2611												
2612		A-D Test Statistic				0.5		**Nonparametric Statistics**				
2613		5% A-D Critical Value				0.748		Kaplan-Meier (KM) Method				
2614		K-S Test Statistic				0.748				Mean		0.0789
2615		5% K-S Critical Value				0.288				SD		0.0871
2616		**Data appear Gamma Distributed at 5% Significance Level**								SE of Mean		0.0308
2617										95% KM (t) UCL		0.136
2618		**Assuming Gamma Distribution**								95% KM (z) UCL		0.13
2619		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.136
2620		Minimum				0.00475				95% KM (bootstrap t) UCL		0.189
2621		Maximum				0.263				95% KM (BCA) UCL		0.131
2622		Mean				0.0789				95% KM (Percentile Bootstrap) UCL		0.129
2623		Median				0.0267				95% KM (Chebyshev) UCL		0.213
2624		SD				0.0924				97.5% KM (Chebyshev) UCL		0.271
2625		k star				0.643				99% KM (Chebyshev) UCL		0.385
2626		Theta star				0.123						
2627		Nu star				11.58		**Potential UCLs to Use**				
2628		AppChi2				4.949				95% KM (Chebyshev) UCL		0.213
2629		95% Gamma Approximate UCL				0.185						
2630		95% Adjusted Gamma UCL				0.224						
2631	**Note: DL/2 is not a recommended method.**											
2632												
2633												
2634	**Indeno(1,2,3-cd)pyrene**											
2635												
2636							**General Statistics**					
2637		Number of Valid Data				7				Number of Detected Data		2
2638		Number of Distinct Detected Data				2				Number of Non-Detect Data		5
2639		Number of Missing Values				8				Percent Non-Detects		71.43%
2640												
2641		**Raw Statistics**							**Log-transformed Statistics**			
2642		Minimum Detected				0.271				Minimum Detected		-1.305
2643		Maximum Detected				0.596				Maximum Detected		-0.517
2644		Mean of Detected				0.434				Mean of Detected		-0.911
2645		SD of Detected				0.23				SD of Detected		0.557
2646		Minimum Non-Detect				0.064				Minimum Non-Detect		-2.749
2647		Maximum Non-Detect				0.488				Maximum Non-Detect		-0.717
2648												
2649	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		6
2650	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1

	A	B	C	D	E	F	G	H	I	J	K	L
2651	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				85.71%
2652												
2653	Warning: Data set has only 2 Distinct Detected Values.											
2654	This may not be adequate enough to compute meaningful and reliable test statistics and estimates.											
2655	The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).											
2656												
2657	Unless Data Quality Objectives (DQOs) have been met, it is suggested to collect additional observations.											
2658												
2659	The number of detected data may not be adequate enough to perform GOF tests, bootstrap, and ROS methods.											
2660	Those methods will return a 'N/A' value on your output display!											
2661												
2662	It is necessary to have 4 or more Distinct Values for bootstrap methods.											
2663	It is recommended to have 10 to 15 or more observations for accurate and meaningful results and estimates.											
2664												
2665												
2666	UCL Statistics											
2667	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
2668	Shapiro Wilk Test Statistic					1	Shapiro Wilk Test Statistic					1
2669	5% Shapiro Wilk Critical Value					N/A	5% Shapiro Wilk Critical Value					N/A
2670	Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level					
2671												
2672	Assuming Normal Distribution						Assuming Lognormal Distribution					
2673	DL/2 Substitution Method						DL/2 Substitution Method					
2674	Mean					0.233	Mean					-1.753
2675	SD					0.182	SD					0.917
2676	95% DL/2 (t) UCL					0.367	95% H-Stat (DL/2) UCL					0.94
2677												
2678	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
2679	MLE method failed to converge properly						Mean in Log Scale					N/A
2680							SD in Log Scale					N/A
2681							Mean in Original Scale					N/A
2682							SD in Original Scale					N/A
2683							95% Percentile Bootstrap UCL					N/A
2684							95% BCA Bootstrap UCL					N/A
2685												
2686	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
2687	k star (bias corrected)					N/A	Data do not follow a Discernable Distribution (0.05)					
2688	Theta Star					N/A						
2689	nu star					N/A						
2690												
2691	A-D Test Statistic					0.359	Nonparametric Statistics					
2692	5% A-D Critical Value					N/A	Kaplan-Meier (KM) Method					
2693	K-S Test Statistic					N/A	Mean					0.318
2694	5% K-S Critical Value					N/A	SD					0.114
2695	Data not Gamma Distributed at 5% Significance Level						SE of Mean					0.0608
2696							95% KM (t) UCL					0.436
2697	Assuming Gamma Distribution						95% KM (z) UCL					0.418
2698	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					0.56
2699	Minimum					N/A	95% KM (bootstrap t) UCL					1.8E+308
2700	Maximum					N/A	95% KM (BCA) UCL					N/A
2701	Mean					N/A	95% KM (Percentile Bootstrap) UCL					0.596
2702	Median					N/A	95% KM (Chebyshev) UCL					0.583
2703	SD					N/A	97.5% KM (Chebyshev) UCL					0.697

	A	B	C	D	E	F	G	H	I	J	K	L
2704					k star	N/A			99% KM (Chebyshev) UCL			0.923
2705				Theta star		N/A						
2706				Nu star		N/A			Potential UCLs to Use			
2707				AppChi2		N/A			95% KM (t) UCL			0.436
2708		95% Gamma Approximate UCL				N/A			95% KM (% Bootstrap) UCL			0.596
2709		95% Adjusted Gamma UCL				N/A						
2710	Note: DL/2 is not a recommended method.											
2711												
2712												
2713	Isophorone											
2714												
2715					General Statistics							
2716		Number of Valid Data				3			Number of Detected Data			3
2717		Number of Distinct Detected Data				3			Number of Non-Detect Data			0
2718		Number of Missing Values				11			Percent Non-Detects			0.00%
2719												
2720					Warning: This data set only has 3 observations!							
2721				Data set is too small to compute reliable and meaningful statistics and estimates!								
2722					The data set for variable Isophorone was not processed!							
2723												
2724				It is suggested to collect at least 8 to 10 observations before using these statistical methods!								
2725				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
2726												
2727												
2728												
2729	Lead											
2730												
2731					General Statistics							
2732		Number of Valid Observations			15				Number of Distinct Observations		15	
2733												
2734		Raw Statistics							Log-transformed Statistics			
2735				Minimum		0.0822			Minimum of Log Data		-2.499	
2736				Maximum		1.086			Maximum of Log Data		0.0826	
2737				Mean		0.203			Mean of log Data		-1.863	
2738				Median		0.133			SD of log Data		0.596	
2739				SD		0.247						
2740		Coefficient of Variation				1.219						
2741				Skewness		3.738						
2742												
2743					Relevant UCL Statistics							
2744		Normal Distribution Test							Lognormal Distribution Test			
2745		Shapiro Wilk Test Statistic				0.415			Shapiro Wilk Test Statistic		0.706	
2746		Shapiro Wilk Critical Value				0.881			Shapiro Wilk Critical Value		0.881	
2747		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
2748												
2749		Assuming Normal Distribution							Assuming Lognormal Distribution			
2750		95% Student's-t UCL				0.315			95% H-UCL		0.262	
2751		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		0.31	
2752		95% Adjusted-CLT UCL				0.373			97.5% Chebyshev (MVUE) UCL		0.366	
2753		95% Modified-t UCL				0.325			99% Chebyshev (MVUE) UCL		0.474	
2754												
2755		Gamma Distribution Test							Data Distribution			
2756		k star (bias corrected)				1.666			Data do not follow a Discernable Distribution (0.05)			

	A	B	C	D	E	F	G	H	I	J	K	L
2757					Theta Star	0.122						
2758					nu star	49.99						
2759			Approximate Chi Square Value (.05)			34.76			Nonparametric Statistics			
2760				Adjusted Level of Significance		0.0324				95% CLT UCL		0.307
2761				Adjusted Chi Square Value		33.2				95% Jackknife UCL		0.315
2762										95% Standard Bootstrap UCL		0.304
2763			Anderson-Darling Test Statistic			2.346				95% Bootstrap-t UCL		0.799
2764			Anderson-Darling 5% Critical Value			0.747				95% Hall's Bootstrap UCL		0.765
2765			Kolmogorov-Smirnov Test Statistic			0.329				95% Percentile Bootstrap UCL		0.326
2766			Kolmogorov-Smirnov 5% Critical Value			0.224				95% BCA Bootstrap UCL		0.392
2767		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			0.481
2768									97.5% Chebyshev(Mean, Sd) UCL			0.601
2769			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			0.837
2770				95% Approximate Gamma UCL		0.291						
2771				95% Adjusted Gamma UCL		0.305						
2772												
2773			Potential UCL to Use						Use 95% Chebyshev (Mean, Sd) UCL			0.481
2774												
2775												
2776	Manganese											
2777												
2778					General Statistics							
2779				Number of Valid Observations		15			Number of Distinct Observations			15
2780												
2781			Raw Statistics						Log-transformed Statistics			
2782					Minimum	4.65			Minimum of Log Data			1.537
2783					Maximum	8.53			Maximum of Log Data			2.144
2784					Mean	6.355			Mean of log Data			1.836
2785					Median	6.217			SD of log Data			0.166
2786					SD	1.053						
2787				Coefficient of Variation		0.166						
2788					Skewness	0.365						
2789												
2790					Relevant UCL Statistics							
2791			Normal Distribution Test						Lognormal Distribution Test			
2792				Shapiro Wilk Test Statistic		0.971			Shapiro Wilk Test Statistic			0.976
2793				Shapiro Wilk Critical Value		0.881			Shapiro Wilk Critical Value			0.881
2794		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
2795												
2796			Assuming Normal Distribution						Assuming Lognormal Distribution			
2797					95% Student's-t UCL	6.834			95% H-UCL			6.886
2798		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			7.546
2799				95% Adjusted-CLT UCL		6.83			97.5% Chebyshev (MVUE) UCL			8.061
2800				95% Modified-t UCL		6.838			99% Chebyshev (MVUE) UCL			9.074
2801												
2802			Gamma Distribution Test						Data Distribution			
2803				k star (bias corrected)		31.44		Data appear Normal at 5% Significance Level				
2804					Theta Star	0.202						
2805					nu star	943.3						
2806			Approximate Chi Square Value (.05)			873			Nonparametric Statistics			
2807				Adjusted Level of Significance		0.0324				95% CLT UCL		6.802
2808				Adjusted Chi Square Value		864.7				95% Jackknife UCL		6.834
2809										95% Standard Bootstrap UCL		6.791

	A	B	C	D	E	F	G	H	I	J	K	L
2810				Anderson-Darling Test Statistic		0.209				95% Bootstrap-t UCL		6.852
2811				Anderson-Darling 5% Critical Value		0.735				95% Hall's Bootstrap UCL		6.878
2812				Kolmogorov-Smirnov Test Statistic		0.129				95% Percentile Bootstrap UCL		6.797
2813				Kolmogorov-Smirnov 5% Critical Value		0.221				95% BCA Bootstrap UCL		6.794
2814			**Data appear Gamma Distributed at 5% Significance Level**							95% Chebyshev(Mean, Sd) UCL		7.54
2815										97.5% Chebyshev(Mean, Sd) UCL		8.053
2816			**Assuming Gamma Distribution**							99% Chebyshev(Mean, Sd) UCL		9.06
2817				95% Approximate Gamma UCL		6.867						
2818				95% Adjusted Gamma UCL		6.933						
2819												
2820			**Potential UCL to Use**							Use 95% Student's-t UCL		6.834
2821												
2822												
2823	Mercury											
2824												
2825						**General Statistics**						
2826				Number of Valid Observations		15				Number of Distinct Observations		14
2827												
2828			**Raw Statistics**							**Log-transformed Statistics**		
2829					Minimum	0.029				Minimum of Log Data		-3.54
2830					Maximum	0.0571				Maximum of Log Data		-2.863
2831					Mean	0.0447				Mean of log Data		-3.127
2832					Median	0.0466				SD of log Data		0.211
2833					SD	0.00878						
2834				Coefficient of Variation		0.196						
2835					Skewness	-0.456						
2836												
2837						**Relevant UCL Statistics**						
2838			**Normal Distribution Test**							**Lognormal Distribution Test**		
2839				Shapiro Wilk Test Statistic		0.946				Shapiro Wilk Test Statistic		0.915
2840				Shapiro Wilk Critical Value		0.881				Shapiro Wilk Critical Value		0.881
2841			**Data appear Normal at 5% Significance Level**							**Data appear Lognormal at 5% Significance Level**		
2842												
2843			**Assuming Normal Distribution**							**Assuming Lognormal Distribution**		
2844				95% Student's-t UCL		0.0487				95% H-UCL		0.0497
2845			**95% UCLs (Adjusted for Skewness)**							95% Chebyshev (MVUE) UCL		0.0555
2846				95% Adjusted-CLT UCL		0.0482				97.5% Chebyshev (MVUE) UCL		0.0601
2847				95% Modified-t UCL		0.0487				99% Chebyshev (MVUE) UCL		0.0692
2848												
2849			**Gamma Distribution Test**							**Data Distribution**		
2850				k star (bias corrected)		20.41				**Data appear Normal at 5% Significance Level**		
2851					Theta Star	0.00219						
2852					nu star	612.4						
2853				Approximate Chi Square Value (.05)		556				**Nonparametric Statistics**		
2854				Adjusted Level of Significance		0.0324				95% CLT UCL		0.0484
2855				Adjusted Chi Square Value		549.3				95% Jackknife UCL		0.0487
2856										95% Standard Bootstrap UCL		0.0483
2857				Anderson-Darling Test Statistic		0.398				95% Bootstrap-t UCL		0.0485
2858				Anderson-Darling 5% Critical Value		0.735				95% Hall's Bootstrap UCL		0.0481
2859				Kolmogorov-Smirnov Test Statistic		0.143				95% Percentile Bootstrap UCL		0.0482
2860				Kolmogorov-Smirnov 5% Critical Value		0.221				95% BCA Bootstrap UCL		0.0481
2861			**Data appear Gamma Distributed at 5% Significance Level**							95% Chebyshev(Mean, Sd) UCL		0.0546
2862										97.5% Chebyshev(Mean, Sd) UCL		0.0589

	A	B	C	D	E	F	G	H	I	J	K	L
2863			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		0.0673
2864			95% Approximate Gamma UCL			0.0492						
2865			95% Adjusted Gamma UCL			0.0498						
2866												
2867			Potential UCL to Use							Use 95% Student's-t UCL		0.0487
2868												
2869												
2870	Methoxychlor											
2871												
2872					General Statistics							
2873			Number of Valid Data			11				Number of Detected Data		2
2874			Number of Distinct Detected Data			2				Number of Non-Detect Data		9
2875			Number of Missing Values			4				Percent Non-Detects		81.82%
2876												
2877			Raw Statistics						Log-transformed Statistics			
2878			Minimum Detected			0.00618				Minimum Detected		-5.086
2879			Maximum Detected			4.2				Maximum Detected		1.435
2880			Mean of Detected			2.103				Mean of Detected		-1.826
2881			SD of Detected			2.965				SD of Detected		4.611
2882			Minimum Non-Detect			0.00216				Minimum Non-Detect		-6.137
2883			Maximum Non-Detect			4				Maximum Non-Detect		1.386
2884												
2885	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		10
2886	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1
2887	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		90.91%
2888												
2889					Warning: Data set has only 2 Distinct Detected Values.							
2890				This may not be adequate enough to compute meaningful and reliable test statistics and estimates.								
2891			The Project Team may decide to use alternative site specific values to estimate environmental parameters (e.g., EPC, BTV).										
2892												
2893				Unless Data Quality Objectives (DQOs) have been met, it is suggested to collect additional observations.								
2894												
2895				The number of detected data may not be adequate enough to perform GOF tests, bootstrap, and ROS methods.								
2896					Those methods will return a 'N/A' value on your output display!							
2897												
2898					It is necessary to have 4 or more Distinct Values for bootstrap methods.							
2899			It is recommended to have 10 to 15 or more observations for accurate and meaningful results and estimates.										
2900												
2901												
2902					UCL Statistics							
2903		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2904			Shapiro Wilk Test Statistic			1				Shapiro Wilk Test Statistic		1
2905			5% Shapiro Wilk Critical Value			N/A				5% Shapiro Wilk Critical Value		N/A
2906		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
2907												
2908		Assuming Normal Distribution						Assuming Lognormal Distribution				
2909			DL/2 Substitution Method							DL/2 Substitution Method		
2910			Mean			0.572				Mean		-3.831
2911			SD			1.343				SD		2.583
2912			95% DL/2 (t) UCL			1.306				95% H-Stat (DL/2) UCL		49.32
2913												
2914		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
2915		MLE method failed to converge properly								Mean in Log Scale		N/A

	A	B	C	D	E	F	G	H	I	J	K	L
2916										SD in Log Scale		N/A
2917										Mean in Original Scale		N/A
2918										SD in Original Scale		N/A
2919										95% Percentile Bootstrap UCL		N/A
2920										95% BCA Bootstrap UCL		N/A
2921												
2922		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2923				k star (bias corrected)		N/A		Data do not follow a Discernable Distribution (0.05)				
2924				Theta Star		N/A						
2925				nu star		N/A						
2926												
2927				A-D Test Statistic		0.364		Nonparametric Statistics				
2928				5% A-D Critical Value		N/A			Kaplan-Meier (KM) Method			
2929				K-S Test Statistic		N/A				Mean		0.387
2930				5% K-S Critical Value		N/A				SD		1.206
2931		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.514
2932										95% KM (t) UCL		1.319
2933		Assuming Gamma Distribution								95% KM (z) UCL		1.233
2934		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		3.282
2935					Minimum		N/A			95% KM (bootstrap t) UCL		0.387
2936					Maximum		N/A			95% KM (BCA) UCL		4.2
2937					Mean		N/A		95% KM (Percentile Bootstrap) UCL			4.2
2938					Median		N/A			95% KM (Chebyshev) UCL		2.628
2939					SD		N/A			97.5% KM (Chebyshev) UCL		3.598
2940					k star		N/A			99% KM (Chebyshev) UCL		5.503
2941					Theta star		N/A					
2942					Nu star		N/A		Potential UCLs to Use			
2943					AppChi2		N/A			99% KM (Chebyshev) UCL		5.503
2944		95% Gamma Approximate UCL					N/A					
2945		95% Adjusted Gamma UCL					N/A					
2946		Warning: Recommended UCL exceeds the maximum observation										
2947	Note: DL/2 is not a recommended method.											
2948												
2949												
2950	Naphthalene											
2951												
2952						General Statistics						
2953				Number of Valid Data		15			Number of Detected Data			7
2954		Number of Distinct Detected Data				7			Number of Non-Detect Data			8
2955									Percent Non-Detects			53.33%
2956												
2957		Raw Statistics						Log-transformed Statistics				
2958				Minimum Detected		2.525			Minimum Detected			0.926
2959				Maximum Detected		56			Maximum Detected			4.025
2960				Mean of Detected		19.78			Mean of Detected			2.392
2961				SD of Detected		21.96			SD of Detected			1.206
2962				Minimum Non-Detect		2			Minimum Non-Detect			0.693
2963				Maximum Non-Detect		33			Maximum Non-Detect			3.497
2964												
2965	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				13
2966	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				2
2967	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				86.67%
2968												

	A	B	C	D	E	F	G	H	I	J	K	L
2969	Warning: There are only 7 Detected Values in this data											
2970	Note: It should be noted that even though bootstrap may be performed on this data set											
2971	the resulting calculations may not be reliable enough tp draw conclusions											
2972												
2973	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
2974												
2975												
2976	UCL Statistics											
2977	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
2978	Shapiro Wilk Test Statistic					0.78	Shapiro Wilk Test Statistic					0.923
2979	5% Shapiro Wilk Critical Value					0.803	5% Shapiro Wilk Critical Value					0.803
2980	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
2981												
2982	Assuming Normal Distribution						Assuming Lognormal Distribution					
2983	DL/2 Substitution Method						DL/2 Substitution Method					
2984	Mean					13.89	Mean					1.931
2985	SD					16.44	SD					1.317
2986	95% DL/2 (t) UCL					21.37	95% H-Stat (DL/2) UCL					40.72
2987												
2988	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
2989	MLE method failed to converge properly						Mean in Log Scale					1.333
2990							SD in Log Scale					1.422
2991							Mean in Original Scale					10.35
2992							SD in Original Scale					17.09
2993							95% Percentile Bootstrap UCL					18.03
2994							95% BCA Bootstrap UCL					20.19
2995												
2996	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
2997	k star (bias corrected)					0.653	Data appear Gamma Distributed at 5% Significance Level					
2998	Theta Star					30.3						
2999	nu star					9.142						
3000												
3001	A-D Test Statistic					0.443	Nonparametric Statistics					
3002	5% A-D Critical Value					0.728	Kaplan-Meier (KM) Method					
3003	K-S Test Statistic					0.728	Mean					11.3
3004	5% K-S Critical Value					0.32	SD					16.17
3005	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					4.571
3006							95% KM (t) UCL					19.35
3007	Assuming Gamma Distribution						95% KM (z) UCL					18.82
3008	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					18.83
3009	Minimum					2.525	95% KM (bootstrap t) UCL					30.66
3010	Maximum					56	95% KM (BCA) UCL					21.07
3011	Mean					18.89	95% KM (Percentile Bootstrap) UCL					19.82
3012	Median					10.93	95% KM (Chebyshev) UCL					31.22
3013	SD					17.16	97.5% KM (Chebyshev) UCL					39.85
3014	k star					1.186	99% KM (Chebyshev) UCL					56.78
3015	Theta star					15.93						
3016	Nu star					35.58	Potential UCLs to Use					
3017	AppChi2					22.93	95% KM (t) UCL					19.35
3018	95% Gamma Approximate UCL					29.32						
3019	95% Adjusted Gamma UCL					31						
3020	Note: DL/2 is not a recommended method.											
3021												

Nickel

General Statistics

Number of Valid Observations	15	Number of Distinct Observations	15

Raw Statistics / Log-transformed Statistics

Raw Statistics		Log-transformed Statistics	
Minimum	0.279	Minimum of Log Data	-1.275
Maximum	1.37	Maximum of Log Data	0.315
Mean	0.562	Mean of log Data	-0.664
Median	0.513	SD of log Data	0.416
SD	0.272		
Coefficient of Variation	0.485		
Skewness	2.002		

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.81	Shapiro Wilk Test Statistic	0.949
Shapiro Wilk Critical Value	0.881	Shapiro Wilk Critical Value	0.881
Data not Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	0.686	95% H-UCL	0.7
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	0.825
95% Adjusted-CLT UCL	0.716	97.5% Chebyshev (MVUE) UCL	0.94
95% Modified-t UCL	0.692	99% Chebyshev (MVUE) UCL	1.167

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	4.768	Data appear Gamma Distributed at 5% Significance Level	
Theta Star	0.118		
nu star	143		
Approximate Chi Square Value (.05)	116.4	Nonparametric Statistics	
Adjusted Level of Significance	0.0324	95% CLT UCL	0.678
Adjusted Chi Square Value	113.5	95% Jackknife UCL	0.686
		95% Standard Bootstrap UCL	0.671
Anderson-Darling Test Statistic	0.436	95% Bootstrap-t UCL	0.772
Anderson-Darling 5% Critical Value	0.738	95% Hall's Bootstrap UCL	1.261
Kolmogorov-Smirnov Test Statistic	0.167	95% Percentile Bootstrap UCL	0.691
Kolmogorov-Smirnov 5% Critical Value	0.222	95% BCA Bootstrap UCL	0.725
Data appear Gamma Distributed at 5% Significance Level		95% Chebyshev(Mean, Sd) UCL	0.868
		97.5% Chebyshev(Mean, Sd) UCL	1.001
Assuming Gamma Distribution		99% Chebyshev(Mean, Sd) UCL	1.261
95% Approximate Gamma UCL	0.69		
95% Adjusted Gamma UCL	0.708		

Potential UCL to Use		Use 95% Approximate Gamma UCL	0.69

Phenanthrene

General Statistics

Number of Valid Data	9	Number of Detected Data	5
Number of Distinct Detected Data	5	Number of Non-Detect Data	4

	A	B	C	D	E	F	G	H	I	J	K	L
3075				Number of Missing Values		6			Percent Non-Detects			44.44%
3076												
3077				Raw Statistics					Log-transformed Statistics			
3078				Minimum Detected		2.672			Minimum Detected			0.983
3079				Maximum Detected		15.58			Maximum Detected			2.746
3080				Mean of Detected		9.958			Mean of Detected			2.141
3081				SD of Detected		5.093			SD of Detected			0.702
3082				Minimum Non-Detect		2.342			Minimum Non-Detect			0.851
3083				Maximum Non-Detect		8.473			Maximum Non-Detect			2.137
3084												
3085	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			6
3086	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			3
3087	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			66.67%
3088												
3089				Warning: There are only 5 Detected Values in this data								
3090				Note: It should be noted that even though bootstrap may be performed on this data set								
3091				the resulting calculations may not be reliable enough tp draw conclusions								
3092												
3093				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
3094												
3095												
3096						UCL Statistics						
3097			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
3098				Shapiro Wilk Test Statistic		0.965			Shapiro Wilk Test Statistic			0.868
3099				5% Shapiro Wilk Critical Value		0.762			5% Shapiro Wilk Critical Value			0.762
3100			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
3101												
3102			Assuming Normal Distribution						Assuming Lognormal Distribution			
3103				DL/2 Substitution Method					DL/2 Substitution Method			
3104					Mean	6.583				Mean		1.521
3105					SD	5.446				SD		0.949
3106				95% DL/2 (t) UCL		9.959			95% H-Stat (DL/2) UCL			14.48
3107												
3108			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
3109					Mean	13.25			Mean in Log Scale			1.535
3110					SD	2.383			SD in Log Scale			0.893
3111				95% MLE (t) UCL		14.73			Mean in Original Scale			6.531
3112				95% MLE (Tiku) UCL		15.79			SD in Original Scale			5.442
3113									95% Percentile Bootstrap UCL			9.46
3114									95% BCA Bootstrap UCL			9.952
3115												
3116			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
3117				k star (bias corrected)		1.469			Data appear Normal at 5% Significance Level			
3118					Theta Star	6.779						
3119					nu star	14.69						
3120												
3121				A-D Test Statistic		0.338			Nonparametric Statistics			
3122				5% A-D Critical Value		0.682			Kaplan-Meier (KM) Method			
3123				K-S Test Statistic		0.682				Mean		6.835
3124				5% K-S Critical Value		0.359				SD		4.928
3125			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		1.858
3126									95% KM (t) UCL			10.29
3127			Assuming Gamma Distribution						95% KM (z) UCL			9.892

	A	B	C	D	E	F	G	H	I	J	K	L
3128			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		10.62
3129					Minimum	2.672				95% KM (bootstrap t) UCL		9.717
3130					Maximum	15.58				95% KM (BCA) UCL		13.99
3131					Mean	9.201				95% KM (Percentile Bootstrap) UCL		11.77
3132					Median	8.702				95% KM (Chebyshev) UCL		14.94
3133					SD	3.904				97.5% KM (Chebyshev) UCL		18.44
3134					k star	3.427				99% KM (Chebyshev) UCL		25.32
3135					Theta star	2.685						
3136					Nu star	61.68			Potential UCLs to Use			
3137					AppChi2	44.62				95% KM (t) UCL		10.29
3138			95% Gamma Approximate UCL			12.72			95% KM (Percentile Bootstrap) UCL			11.77
3139			95% Adjusted Gamma UCL			13.65						
3140	Note: DL/2 is not a recommended method.											
3141												
3142												
3143	Phenol											
3144												
3145							General Statistics					
3146			Number of Valid Data			1			Number of Detected Data			1
3147			Number of Distinct Detected Data			1			Number of Non-Detect Data			0
3148			Number of Missing Values			6			Percent Non-Detects			0.00%
3149												
3150						Warning: This data set only has 1 observations!						
3151					Data set is too small to compute reliable and meaningful statistics and estimates!							
3152						The data set for variable Phenol was not processed!						
3153												
3154					It is suggested to collect at least 8 to 10 observations before using these statistical methods!							
3155				If possible, compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
3156												
3157												
3158												
3159	Pyrene											
3160												
3161							General Statistics					
3162			Number of Valid Data			9			Number of Detected Data			9
3163			Number of Distinct Detected Data			9			Number of Non-Detect Data			0
3164			Number of Missing Values			6			Percent Non-Detects			0.00%
3165												
3166			Raw Statistics						Log-transformed Statistics			
3167			Minimum Detected			0.337			Minimum Detected			-1.087
3168			Maximum Detected			7.262			Maximum Detected			1.983
3169			Mean of Detected			2.008			Mean of Detected			0.269
3170			SD of Detected			2.139			SD of Detected			0.992
3171			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
3172			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
3173												
3174												
3175						Warning: There are only 9 Detected Values in this data						
3176					Note: It should be noted that even though bootstrap may be performed on this data set							
3177						the resulting calculations may not be reliable enough tp draw conclusions						
3178												
3179				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
3180												

	A	B	C	D	E	F	G	H	I	J	K	L
3181												
3182							UCL Statistics					
3183			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
3184				Shapiro Wilk Test Statistic		0.744				Shapiro Wilk Test Statistic		0.958
3185				5% Shapiro Wilk Critical Value		0.829				5% Shapiro Wilk Critical Value		0.829
3186			Data not Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
3187												
3188			Assuming Normal Distribution					Assuming Lognormal Distribution				
3189				DL/2 Substitution Method						DL/2 Substitution Method		
3190					Mean	2.008					Mean	0.269
3191					SD	2.139					SD	0.992
3192				95% DL/2 (t) UCL		3.334				95% H-Stat (DL/2) UCL		6.624
3193												
3194			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
3195			MLE method failed to converge properly							Mean in Log Scale		N/A
3196										SD in Log Scale		N/A
3197										Mean in Original Scale		N/A
3198										SD in Original Scale		N/A
3199										95% Percentile Bootstrap UCL		N/A
3200										95% BCA Bootstrap UCL		N/A
3201												
3202			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
3203				k star (bias corrected)		0.946		Data appear Gamma Distributed at 5% Significance Level				
3204					Theta Star	2.122						
3205					nu star	17.03						
3206												
3207				A-D Test Statistic		0.289		Nonparametric Statistics				
3208				5% A-D Critical Value		0.738			Kaplan-Meier (KM) Method			
3209				K-S Test Statistic		0.738					Mean	2.008
3210				5% K-S Critical Value		0.285					SD	2.017
3211		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.713
3212											95% KM (t) UCL	3.334
3213			Assuming Gamma Distribution								95% KM (z) UCL	3.181
3214			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	3.334
3215					Minimum	0.337					95% KM (bootstrap t) UCL	4.755
3216					Maximum	7.262					95% KM (BCA) UCL	3.363
3217					Mean	2.008			95% KM (Percentile Bootstrap) UCL			3.235
3218					Median	1.404				95% KM (Chebyshev) UCL		5.116
3219					SD	2.139				97.5% KM (Chebyshev) UCL		6.46
3220					k star	0.946				99% KM (Chebyshev) UCL		9.102
3221					Theta star	2.122						
3222					Nu star	17.03		Potential UCLs to Use				
3223					AppChi2	8.696			95% KM (Chebyshev) UCL			5.116
3224				95% Gamma Approximate UCL		3.933						
3225				95% Adjusted Gamma UCL		4.576						
3226	Note: DL/2 is not a recommended method.											
3227												
3228												
3229	Selenium											
3230												
3231							General Statistics					
3232			Number of Valid Observations			15				Number of Distinct Observations		11
3233												

	A	B	C	D	E	F	G	H	I	J	K	L
3234			Raw Statistics						Log-transformed Statistics			
3235				Minimum		0.275				Minimum of Log Data		-1.292
3236				Maximum		0.4				Maximum of Log Data		-0.916
3237				Mean		0.319				Mean of log Data		-1.148
3238				Median		0.3				SD of log Data		0.108
3239				SD		0.0362						
3240			Coefficient of Variation			0.113						
3241				Skewness		1.218						
3242												
3243						Relevant UCL Statistics						
3244			Normal Distribution Test						Lognormal Distribution Test			
3245			Shapiro Wilk Test Statistic			0.819			Shapiro Wilk Test Statistic			0.84
3246			Shapiro Wilk Critical Value			0.881			Shapiro Wilk Critical Value			0.881
3247		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
3248												
3249			Assuming Normal Distribution						Assuming Lognormal Distribution			
3250				95% Student's-t UCL		0.336				95% H-UCL		0.336
3251		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			0.358
3252			95% Adjusted-CLT UCL			0.338			97.5% Chebyshev (MVUE) UCL			0.375
3253				95% Modified-t UCL		0.336			99% Chebyshev (MVUE) UCL			0.408
3254												
3255			Gamma Distribution Test						Data Distribution			
3256			k star (bias corrected)			71.4		Data do not follow a Discernable Distribution (0.05)				
3257				Theta Star		0.00447						
3258				nu star		2142						
3259		Approximate Chi Square Value (.05)				2036			Nonparametric Statistics			
3260		Adjusted Level of Significance				0.0324				95% CLT UCL		0.334
3261		Adjusted Chi Square Value				2023				95% Jackknife UCL		0.336
3262									95% Standard Bootstrap UCL			0.334
3263		Anderson-Darling Test Statistic				1.286				95% Bootstrap-t UCL		0.342
3264		Anderson-Darling 5% Critical Value				0.734			95% Hall's Bootstrap UCL			0.336
3265		Kolmogorov-Smirnov Test Statistic				0.282			95% Percentile Bootstrap UCL			0.335
3266		Kolmogorov-Smirnov 5% Critical Value				0.221				95% BCA Bootstrap UCL		0.338
3267		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			0.36
3268									97.5% Chebyshev(Mean, Sd) UCL			0.377
3269			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			0.412
3270			95% Approximate Gamma UCL			0.336						
3271			95% Adjusted Gamma UCL			0.338						
3272												
3273			Potential UCL to Use						Use 95% Student's-t UCL			0.336
3274									or 95% Modified-t UCL			0.336
3275												
3276												
3277	Silver											
3278												
3279						General Statistics						
3280			Number of Valid Data			15			Number of Detected Data			13
3281		Number of Distinct Detected Data				13			Number of Non-Detect Data			2
3282										Percent Non-Detects		13.33%
3283												
3284			Raw Statistics						Log-transformed Statistics			
3285				Minimum Detected		0.00272				Minimum Detected		-5.908
3286				Maximum Detected		0.0165				Maximum Detected		-4.104

	A	B	C	D	E	F	G	H	I	J	K	L
3287					Mean of Detected	0.00744				Mean of Detected		-5.075
3288					SD of Detected	0.00468				SD of Detected		0.612
3289					Minimum Non-Detect	0.0052				Minimum Non-Detect		-5.259
3290					Maximum Non-Detect	0.0053				Maximum Non-Detect		-5.24
3291												
3292	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		7
3293	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		8
3294	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		46.67%
3295												
3296							UCL Statistics					
3297			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
3298					Shapiro Wilk Test Statistic	0.865				Shapiro Wilk Test Statistic		0.939
3299					5% Shapiro Wilk Critical Value	0.866				5% Shapiro Wilk Critical Value		0.866
3300			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
3301												
3302			Assuming Normal Distribution						Assuming Lognormal Distribution			
3303				DL/2 Substitution Method						DL/2 Substitution Method		
3304					Mean	0.0068				Mean		-5.191
3305					SD	0.00465				SD		0.644
3306					95% DL/2 (t) UCL	0.00892				95% H-Stat (DL/2) UCL		0.0109
3307												
3308				Maximum Likelihood Estimate(MLE) Method						Log ROS Method		
3309					Mean	0.00551				Mean in Log Scale		-5.152
3310					SD	0.00608				SD in Log Scale		0.602
3311					95% MLE (t) UCL	0.00828				Mean in Original Scale		0.00692
3312					95% MLE (Tiku) UCL	0.00881				SD in Original Scale		0.00455
3313										95% Percentile Bootstrap UCL		0.00899
3314										95% BCA Bootstrap UCL		0.00915
3315												
3316			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
3317					k star (bias corrected)	2.37			Data appear Gamma Distributed at 5% Significance Level			
3318					Theta Star	0.00314						
3319					nu star	61.62						
3320												
3321					A-D Test Statistic	0.423			Nonparametric Statistics			
3322					5% A-D Critical Value	0.739				Kaplan-Meier (KM) Method		
3323					K-S Test Statistic	0.739				Mean		0.00692
3324					5% K-S Critical Value	0.238				SD		0.0044
3325			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		0.00119
3326										95% KM (t) UCL		0.00901
3327			Assuming Gamma Distribution							95% KM (z) UCL		0.00887
3328			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.009
3329					Minimum	0.00272				95% KM (bootstrap t) UCL		0.00945
3330					Maximum	0.0165				95% KM (BCA) UCL		0.00895
3331					Mean	0.00703			95% KM (Percentile Bootstrap) UCL			0.00885
3332					Median	0.00538				95% KM (Chebyshev) UCL		0.0121
3333					SD	0.00447				97.5% KM (Chebyshev) UCL		0.0143
3334					k star	2.578				99% KM (Chebyshev) UCL		0.0187
3335					Theta star	0.00273						
3336					Nu star	77.33			Potential UCLs to Use			
3337					AppChi2	58.07				95% KM (BCA) UCL		0.00895
3338			95% Gamma Approximate UCL			0.00936						
3339			95% Adjusted Gamma UCL			0.00971						

Note: DL/2 is not a recommended method.

Thallium

General Statistics

Number of Valid Observations	15	Number of Distinct Observations	15

Raw Statistics		Log-transformed Statistics	
Minimum	0.0006139	Minimum of Log Data	-7.396
Maximum	0.00544	Maximum of Log Data	-5.213
Mean	0.00248	Mean of log Data	-6.282
Median	0.0016	SD of log Data	0.799
SD	0.00182		
Coefficient of Variation	0.733		
Skewness	0.549		

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.839	Shapiro Wilk Test Statistic	0.891
Shapiro Wilk Critical Value	0.881	Shapiro Wilk Critical Value	0.881
Data not Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	0.00331	95% H-UCL	0.00434
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	0.00491
95% Adjusted-CLT UCL	0.00333	97.5% Chebyshev (MVUE) UCL	0.00595
95% Modified-t UCL	0.00332	99% Chebyshev (MVUE) UCL	0.008

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	1.577	Data Follow Appr. Gamma Distribution at 5% Significance Level	
Theta Star	0.00157		
nu star	47.32		
Approximate Chi Square Value (.05)	32.54	Nonparametric Statistics	
Adjusted Level of Significance	0.0324	95% CLT UCL	0.00325
Adjusted Chi Square Value	31.03	95% Jackknife UCL	0.00331
		95% Standard Bootstrap UCL	0.00322
Anderson-Darling Test Statistic	0.781	95% Bootstrap-t UCL	0.00342
Anderson-Darling 5% Critical Value	0.748	95% Hall's Bootstrap UCL	0.00319
Kolmogorov-Smirnov Test Statistic	0.196	95% Percentile Bootstrap UCL	0.00325
Kolmogorov-Smirnov 5% Critical Value	0.225	95% BCA Bootstrap UCL	0.00332
Data follow Appr. Gamma Distribution at 5% Significance Level		95% Chebyshev(Mean, Sd) UCL	0.00453
		97.5% Chebyshev(Mean, Sd) UCL	0.00541
Assuming Gamma Distribution		99% Chebyshev(Mean, Sd) UCL	0.00715
95% Approximate Gamma UCL	0.00361		
95% Adjusted Gamma UCL	0.00379		
Potential UCL to Use		Use 95% Approximate Gamma UCL	0.00361

Total Aroclors

General Statistics

	A	B	C	D	E	F	G	H	I	J	K	L
3393					Number of Valid Data	6				Number of Detected Data		6
3394				Number of Distinct Detected Data		6				Number of Non-Detect Data		0
3395					Number of Missing Values	4				Percent Non-Detects		0.00%
3396												
3397				Raw Statistics						Log-transformed Statistics		
3398					Minimum Detected	230				Minimum Detected		5.438
3399					Maximum Detected	6865				Maximum Detected		8.834
3400					Mean of Detected	1728				Mean of Detected		6.77
3401					SD of Detected	2545				SD of Detected		1.209
3402					Minimum Non-Detect	N/A				Minimum Non-Detect		N/A
3403					Maximum Non-Detect	N/A				Maximum Non-Detect		N/A
3404												
3405												
3406				Warning: There are only 6 Detected Values in this data								
3407				Note: It should be noted that even though bootstrap may be performed on this data set								
3408				the resulting calculations may not be reliable enough tp draw conclusions								
3409												
3410				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
3411												
3412												
3413					UCL Statistics							
3414			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
3415				Shapiro Wilk Test Statistic		0.636				Shapiro Wilk Test Statistic		0.921
3416				5% Shapiro Wilk Critical Value		0.788				5% Shapiro Wilk Critical Value		0.788
3417			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
3418												
3419			Assuming Normal Distribution						Assuming Lognormal Distribution			
3420				DL/2 Substitution Method						DL/2 Substitution Method		
3421					Mean	1728				Mean		6.77
3422					SD	2545				SD		1.209
3423				95% DL/2 (t) UCL		3821				95% H-Stat (DL/2) UCL		24916
3424												
3425			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
3426			MLE method failed to converge properly							Mean in Log Scale		N/A
3427										SD in Log Scale		N/A
3428										Mean in Original Scale		N/A
3429										SD in Original Scale		N/A
3430										95% Percentile Bootstrap UCL		N/A
3431										95% BCA Bootstrap UCL		N/A
3432												
3433			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
3434				k star (bias corrected)		0.541			Data appear Gamma Distributed at 5% Significance Level			
3435				Theta Star		3194						
3436				nu star		6.49						
3437												
3438				A-D Test Statistic		0.553			Nonparametric Statistics			
3439				5% A-D Critical Value		0.718				Kaplan-Meier (KM) Method		
3440				K-S Test Statistic		0.718				Mean		1728
3441				5% K-S Critical Value		0.342				SD		2324
3442			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		1039
3443										95% KM (t) UCL		3821
3444			Assuming Gamma Distribution							95% KM (z) UCL		3437
3445			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		3821

	A	B	C	D	E	F	G	H	I	J	K	L
3446					Minimum	230			95% KM (bootstrap t) UCL			11040
3447					Maximum	6865			95% KM (BCA) UCL			3808
3448					Mean	1728			95% KM (Percentile Bootstrap) UCL			3708
3449					Median	890			95% KM (Chebyshev) UCL			6257
3450					SD	2545			97.5% KM (Chebyshev) UCL			8217
3451					k star	0.541			99% KM (Chebyshev) UCL			12067
3452					Theta star	3194						
3453					Nu star	6.49			**Potential UCLs to Use**			
3454					AppChi2	1.895			95% KM (Chebyshev) UCL			6257
3455			95% Gamma Approximate UCL			5916						
3456			95% Adjusted Gamma UCL			9908						
3457	Note: DL/2 is not a recommended method.											
3458												
3459												
3460	Total Chlordanes											
3461												
3462					**General Statistics**							
3463		Number of Valid Data				15			Number of Detected Data			12
3464		Number of Distinct Detected Data				12			Number of Non-Detect Data			3
3465									Percent Non-Detects			20.00%
3466												
3467			**Raw Statistics**						**Log-transformed Statistics**			
3468				Minimum Detected		10.13			Minimum Detected			2.315
3469				Maximum Detected		23.55			Maximum Detected			3.159
3470				Mean of Detected		14.83			Mean of Detected			2.665
3471				SD of Detected		4.192			SD of Detected			0.252
3472				Minimum Non-Detect		7.1			Minimum Non-Detect			1.96
3473				Maximum Non-Detect		20			Maximum Non-Detect			2.996
3474												
3475	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			13
3476	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
3477	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			86.67%
3478												
3479					**UCL Statistics**							
3480		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
3481			Shapiro Wilk Test Statistic			0.795			Shapiro Wilk Test Statistic			0.873
3482			5% Shapiro Wilk Critical Value			0.859			5% Shapiro Wilk Critical Value			0.859
3483		**Data not Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
3484												
3485			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
3486				DL/2 Substitution Method					DL/2 Substitution Method			
3487				Mean		13.1			Mean			2.477
3488				SD		5.322			SD			0.492
3489				95% DL/2 (t) UCL		15.52			95% H-Stat (DL/2) UCL			17.37
3490												
3491		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
3492		**MLE method failed to converge properly**							Mean in Log Scale			2.583
3493									SD in Log Scale			0.295
3494									Mean in Original Scale			13.81
3495									SD in Original Scale			4.376
3496									95% Percentile Bootstrap UCL			15.77
3497									95% BCA Bootstrap UCL			16.02
3498												

	A	B	C	D	E	F	G	H	I	J	K	L
3499												
		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
3500					k star (bias corrected)	12.13		Data Follow Appr. Gamma Distribution at 5% Significance Level				
3501					Theta Star	1.223						
3502					nu star	291.1						
3503												
3504					A-D Test Statistic	0.845		Nonparametric Statistics				
3505					5% A-D Critical Value	0.731		Kaplan-Meier (KM) Method				
3506					K-S Test Statistic	0.731					Mean	14.06
3507					5% K-S Critical Value	0.245					SD	3.972
3508		Data follow Appr. Gamma Distribution at 5% Significance Level									SE of Mean	1.079
3509											95% KM (t) UCL	15.96
3510		Assuming Gamma Distribution									95% KM (z) UCL	15.83
3511		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	15.86
3512					Minimum	9.158					95% KM (bootstrap t) UCL	17.39
3513					Maximum	23.55					95% KM (BCA) UCL	16.23
3514					Mean	14.12					95% KM (Percentile Bootstrap) UCL	15.95
3515					Median	13.33					95% KM (Chebyshev) UCL	18.76
3516					SD	4.231					97.5% KM (Chebyshev) UCL	20.8
3517					k star	10.91					99% KM (Chebyshev) UCL	24.8
3518					Theta star	1.295						
3519					Nu star	327.3		Potential UCLs to Use				
3520					AppChi2	286.4					95% KM (BCA) UCL	16.23
3521				95% Gamma Approximate UCL		16.14						
3522				95% Adjusted Gamma UCL		16.41						
3523	Note: DL/2 is not a recommended method.											
3524												
3525												
3526	Total DDD											
3527												
3528						General Statistics						
3529				Number of Valid Observations		15			Number of Distinct Observations		15	
3530												
3531			Raw Statistics						Log-transformed Statistics			
3532					Minimum	16.68				Minimum of Log Data	2.814	
3533					Maximum	285				Maximum of Log Data	5.652	
3534					Mean	74.91				Mean of log Data	3.912	
3535					Median	42.3				SD of log Data	0.893	
3536					SD	77.1						
3537				Coefficient of Variation		1.029						
3538					Skewness	1.774						
3539												
3540						Relevant UCL Statistics						
3541			Normal Distribution Test						Lognormal Distribution Test			
3542				Shapiro Wilk Test Statistic		0.753				Shapiro Wilk Test Statistic	0.919	
3543				Shapiro Wilk Critical Value		0.881				Shapiro Wilk Critical Value	0.881	
3544		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
3545												
3546		Assuming Normal Distribution						Assuming Lognormal Distribution				
3547				95% Student's-t UCL		110				95% H-UCL	137.9	
3548		95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL	150	
3549				95% Adjusted-CLT UCL		117.4				97.5% Chebyshev (MVUE) UCL	183.7	
3550				95% Modified-t UCL		111.5				99% Chebyshev (MVUE) UCL	250.1	
3551												

	A	B	C	D	E	F	G	H	I	J	K	L
3552				Gamma Distribution Test					Data Distribution			
3553				k star (bias corrected)		1.149		Data Follow Appr. Gamma Distribution at 5% Significance Level				
3554				Theta Star		65.22						
3555				nu star		34.46						
3556			Approximate Chi Square Value (.05)			22.03			Nonparametric Statistics			
3557			Adjusted Level of Significance			0.0324				95% CLT UCL		107.7
3558			Adjusted Chi Square Value			20.81				95% Jackknife UCL		110
3559										95% Standard Bootstrap UCL		106.5
3560			Anderson-Darling Test Statistic			0.78				95% Bootstrap-t UCL		130.2
3561			Anderson-Darling 5% Critical Value			0.756				95% Hall's Bootstrap UCL		115.9
3562			Kolmogorov-Smirnov Test Statistic			0.192				95% Percentile Bootstrap UCL		109.6
3563			Kolmogorov-Smirnov 5% Critical Value			0.226				95% BCA Bootstrap UCL		118.2
3564		Data follow Appr. Gamma Distribution at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		161.7
3565										97.5% Chebyshev(Mean, Sd) UCL		199.2
3566			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		273
3567			95% Approximate Gamma UCL			117.2						
3568			95% Adjusted Gamma UCL			124						
3569												
3570			Potential UCL to Use							Use 95% Approximate Gamma UCL		117.2
3571												
3572												
3573	Total DDE											
3574												
3575				General Statistics								
3576			Number of Valid Observations			15			Number of Distinct Observations			15
3577												
3578			Raw Statistics						Log-transformed Statistics			
3579				Minimum		56.23				Minimum of Log Data		4.029
3580				Maximum		317.6				Maximum of Log Data		5.761
3581				Mean		129.6				Mean of log Data		4.729
3582				Median		105.5				SD of log Data		0.518
3583				SD		76.4						
3584			Coefficient of Variation			0.59						
3585				Skewness		1.472						
3586												
3587				Relevant UCL Statistics								
3588			Normal Distribution Test						Lognormal Distribution Test			
3589			Shapiro Wilk Test Statistic			0.832				Shapiro Wilk Test Statistic		0.944
3590			Shapiro Wilk Critical Value			0.881				Shapiro Wilk Critical Value		0.881
3591		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
3592												
3593			Assuming Normal Distribution						Assuming Lognormal Distribution			
3594			95% Student's-t UCL			164.3				95% H-UCL		172.8
3595		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		205.3
3596			95% Adjusted-CLT UCL			170				97.5% Chebyshev (MVUE) UCL		238.6
3597			95% Modified-t UCL			165.6				99% Chebyshev (MVUE) UCL		304.1
3598												
3599			Gamma Distribution Test						Data Distribution			
3600			k star (bias corrected)			3.134		Data appear Gamma Distributed at 5% Significance Level				
3601				Theta Star		41.34						
3602				nu star		94.01						
3603			Approximate Chi Square Value (.05)			72.65			Nonparametric Statistics			
3604			Adjusted Level of Significance			0.0324				95% CLT UCL		162

	A	B	C	D	E	F	G	H	I	J	K	L
3605				Adjusted Chi Square Value		70.34				95% Jackknife UCL		164.3
3606										95% Standard Bootstrap UCL		160.9
3607				Anderson-Darling Test Statistic		0.506				95% Bootstrap-t UCL		184.3
3608				Anderson-Darling 5% Critical Value		0.741				95% Hall's Bootstrap UCL		188.7
3609				Kolmogorov-Smirnov Test Statistic		0.183				95% Percentile Bootstrap UCL		161.1
3610				Kolmogorov-Smirnov 5% Critical Value		0.223				95% BCA Bootstrap UCL		170.7
3611		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		215.5
3612										97.5% Chebyshev(Mean, Sd) UCL		252.7
3613			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		325.8
3614				95% Approximate Gamma UCL		167.7						
3615				95% Adjusted Gamma UCL		173.2						
3616												
3617			Potential UCL to Use							Use 95% Approximate Gamma UCL		167.7
3618												
3619												
3620	Total DDT											
3621												
3622					General Statistics							
3623			Number of Valid Data			15				Number of Detected Data		10
3624			Number of Distinct Detected Data			10				Number of Non-Detect Data		5
3625										Percent Non-Detects		33.33%
3626												
3627			Raw Statistics							Log-transformed Statistics		
3628				Minimum Detected		0.105				Minimum Detected		-2.251
3629				Maximum Detected		47				Maximum Detected		3.85
3630				Mean of Detected		7.286				Mean of Detected		0.162
3631				SD of Detected		14.54				SD of Detected		2.11
3632				Minimum Non-Detect		6.9				Minimum Non-Detect		1.932
3633				Maximum Non-Detect		6.9				Maximum Non-Detect		1.932
3634												
3635												
3636					UCL Statistics							
3637		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
3638				Shapiro Wilk Test Statistic		0.568				Shapiro Wilk Test Statistic		0.879
3639				5% Shapiro Wilk Critical Value		0.842				5% Shapiro Wilk Critical Value		0.842
3640		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
3641												
3642			Assuming Normal Distribution						Assuming Lognormal Distribution			
3643				DL/2 Substitution Method						DL/2 Substitution Method		
3644				Mean		6.007				Mean		0.521
3645				SD		11.81				SD		1.771
3646				95% DL/2 (t) UCL		11.38				95% H-Stat (DL/2) UCL		161.5
3647												
3648			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
3649		MLE method failed to converge properly								Mean in Log Scale		-0.0755
3650										SD in Log Scale		1.873
3651										Mean in Original Scale		5.216
3652										SD in Original Scale		12.06
3653										95% Percentile Bootstrap UCL		11.07
3654										95% BCA Bootstrap UCL		14.5
3655												
3656		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
3657				k star (bias corrected)		0.323		Data appear Lognormal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
3658					Theta Star	22.57						
3659					nu star	6.457						
3660												
3661					A-D Test Statistic	0.846		Nonparametric Statistics				
3662					5% A-D Critical Value	0.802		Kaplan-Meier (KM) Method				
3663					K-S Test Statistic	0.802				Mean		5.418
3664					5% K-S Critical Value	0.286				SD		11.66
3665		Data not Gamma Distributed at 5% Significance Level								SE of Mean		3.211
3666										95% KM (t) UCL		11.07
3667		Assuming Gamma Distribution								95% KM (z) UCL		10.7
3668		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		10.99
3669					Minimum	0.105				95% KM (bootstrap t) UCL		22.36
3670					Maximum	47				95% KM (BCA) UCL		12.23
3671					Mean	7.218				95% KM (Percentile Bootstrap) UCL		11.2
3672					Median	5.098				95% KM (Chebyshev) UCL		19.41
3673					SD	11.7				97.5% KM (Chebyshev) UCL		25.47
3674					k star	0.456				99% KM (Chebyshev) UCL		37.36
3675					Theta star	15.81						
3676					Nu star	13.69		Potential UCLs to Use				
3677					AppChi2	6.362				99% KM (Chebyshev) UCL		37.36
3678				95% Gamma Approximate UCL		15.54						
3679				95% Adjusted Gamma UCL		17.17						
3680	Note: DL/2 is not a recommended method.											
3681												
3682												
3683	Total Dioxin/Furan TEQ											
3684												
3685					General Statistics							
3686			Number of Valid Observations			15				Number of Distinct Observations		15
3687												
3688			Raw Statistics						Log-transformed Statistics			
3689					Minimum	1.984				Minimum of Log Data		0.685
3690					Maximum	8.526				Maximum of Log Data		2.143
3691					Mean	4.106				Mean of log Data		1.329
3692					Median	3.338				SD of log Data		0.414
3693					SD	1.838						
3694				Coefficient of Variation		0.448						
3695					Skewness	1.145						
3696												
3697					Relevant UCL Statistics							
3698			Normal Distribution Test						Lognormal Distribution Test			
3699				Shapiro Wilk Test Statistic		0.871				Shapiro Wilk Test Statistic		0.943
3700				Shapiro Wilk Critical Value		0.881				Shapiro Wilk Critical Value		0.881
3701		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
3702												
3703		Assuming Normal Distribution						Assuming Lognormal Distribution				
3704					95% Student's-t UCL	4.942				95% H-UCL		5.123
3705		95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL		6.036
3706					95% Adjusted-CLT UCL	5.037				97.5% Chebyshev (MVUE) UCL		6.878
3707					95% Modified-t UCL	4.965				99% Chebyshev (MVUE) UCL		8.532
3708												
3709		Gamma Distribution Test						Data Distribution				
3710				k star (bias corrected)		4.956		Data Follow Appr. Gamma Distribution at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
3711					Theta Star	0.828						
3712					nu star	148.7						
3713			Approximate Chi Square Value (.05)			121.5			Nonparametric Statistics			
3714			Adjusted Level of Significance			0.0324				95% CLT UCL		4.887
3715			Adjusted Chi Square Value			118.5				95% Jackknife UCL		4.942
3716										95% Standard Bootstrap UCL		4.878
3717			Anderson-Darling Test Statistic			0.599				95% Bootstrap-t UCL		5.245
3718			Anderson-Darling 5% Critical Value			0.738				95% Hall's Bootstrap UCL		5.041
3719			Kolmogorov-Smirnov Test Statistic			0.238				95% Percentile Bootstrap UCL		4.929
3720			Kolmogorov-Smirnov 5% Critical Value			0.222				95% BCA Bootstrap UCL		4.992
3721		Data follow Appr. Gamma Distribution at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		6.175
3722										97.5% Chebyshev(Mean, Sd) UCL		7.07
3723			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		8.828
3724			95% Approximate Gamma UCL			5.025						
3725			95% Adjusted Gamma UCL			5.153						
3726												
3727			Potential UCL to Use						Use 95% Approximate Gamma UCL			5.025
3728												
3729												
3730	Total Dioxin-like PCBs											
3731												
3732					General Statistics							
3733			Number of Valid Observations			15			Number of Distinct Observations			15
3734												
3735			Raw Statistics						Log-transformed Statistics			
3736					Minimum	18300				Minimum of Log Data		9.815
3737					Maximum	385762				Maximum of Log Data		12.86
3738					Mean	57997				Mean of log Data		10.42
3739					Median	24337				SD of log Data		0.854
3740					SD	96454						
3741				Coefficient of Variation		1.663						
3742					Skewness	3.261						
3743												
3744					Relevant UCL Statistics							
3745			Normal Distribution Test						Lognormal Distribution Test			
3746			Shapiro Wilk Test Statistic			0.455				Shapiro Wilk Test Statistic		0.676
3747			Shapiro Wilk Critical Value			0.881				Shapiro Wilk Critical Value		0.881
3748		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
3749												
3750			Assuming Normal Distribution						Assuming Lognormal Distribution			
3751			95% Student's-t UCL			101862				95% H-UCL		86038
3752		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			95328
3753			95% Adjusted-CLT UCL			121365				97.5% Chebyshev (MVUE) UCL		116280
3754			95% Modified-t UCL			105356				99% Chebyshev (MVUE) UCL		157437
3755												
3756			Gamma Distribution Test						Data Distribution			
3757			k star (bias corrected)			0.886			Data do not follow a Discernable Distribution (0.05)			
3758					Theta Star	65489						
3759					nu star	26.57						
3760			Approximate Chi Square Value (.05)			15.82			Nonparametric Statistics			
3761			Adjusted Level of Significance			0.0324				95% CLT UCL		98962
3762			Adjusted Chi Square Value			14.8				95% Jackknife UCL		101862
3763										95% Standard Bootstrap UCL		96637

	A	B	C	D	E	F	G	H	I	J	K	L
3764				Anderson-Darling Test Statistic		2.741				95% Bootstrap-t UCL		514539
3765				Anderson-Darling 5% Critical Value		0.762				95% Hall's Bootstrap UCL		308812
3766				Kolmogorov-Smirnov Test Statistic		0.367				95% Percentile Bootstrap UCL		104236
3767				Kolmogorov-Smirnov 5% Critical Value		0.228				95% BCA Bootstrap UCL		123957
3768			Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		166553
3769										97.5% Chebyshev(Mean, Sd) UCL		213526
3770			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		305793
3771				95% Approximate Gamma UCL		97416						
3772				95% Adjusted Gamma UCL		104096						
3773												
3774			Potential UCL to Use							Use 95% Chebyshev (Mean, Sd) UCL		166553
3775												
3776												
3777	Total Endosulfan											
3778												
3779							General Statistics					
3780				Number of Valid Data		13				Number of Detected Data		10
3781			Number of Distinct Detected Data			10				Number of Non-Detect Data		3
3782				Number of Missing Values		2				Percent Non-Detects		23.08%
3783												
3784			Raw Statistics						Log-transformed Statistics			
3785				Minimum Detected		0.529				Minimum Detected		-0.637
3786				Maximum Detected		13.5				Maximum Detected		2.603
3787				Mean of Detected		2.01				Mean of Detected		-0.0335
3788				SD of Detected		4.039				SD of Detected		0.944
3789				Minimum Non-Detect		1.2				Minimum Non-Detect		0.182
3790				Maximum Non-Detect		11				Maximum Non-Detect		2.398
3791												
3792	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		12
3793	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1
3794	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		92.31%
3795												
3796							UCL Statistics					
3797			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
3798				Shapiro Wilk Test Statistic		0.396				Shapiro Wilk Test Statistic		0.547
3799				5% Shapiro Wilk Critical Value		0.842				5% Shapiro Wilk Critical Value		0.842
3800			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
3801												
3802			Assuming Normal Distribution						Assuming Lognormal Distribution			
3803				DL/2 Substitution Method						DL/2 Substitution Method		
3804				Mean		2.389				Mean		0.188
3805				SD		3.733				SD		1.05
3806				95% DL/2 (t) UCL		4.234				95% H-Stat (DL/2) UCL		11.05
3807												
3808			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
3809			MLE method failed to converge properly							Mean in Log Scale		-0.0629
3810										SD in Log Scale		0.819
3811										Mean in Original Scale		1.743
3812										SD in Original Scale		3.535
3813										95% Percentile Bootstrap UCL		3.696
3814										95% BCA Bootstrap UCL		4.703
3815												
3816			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			

	A	B	C	D	E	F	G	H	I	J	K	L
3817				k star (bias corrected)		0.634		Data do not follow a Discernable Distribution (0.05)				
3818				Theta Star		3.173						
3819				nu star		12.67						
3820												
3821				A-D Test Statistic		2.611		Nonparametric Statistics				
3822				5% A-D Critical Value		0.755		Kaplan-Meier (KM) Method				
3823				K-S Test Statistic		0.755				Mean		1.716
3824				5% K-S Critical Value		0.275				SD		3.404
3825	Data not Gamma Distributed at 5% Significance Level									SE of Mean		0.996
3826										95% KM (t) UCL		3.49
3827	Assuming Gamma Distribution									95% KM (z) UCL		3.353
3828	Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL		3.468
3829				Minimum		0.529				95% KM (bootstrap t) UCL		33.2
3830				Maximum		13.5				95% KM (BCA) UCL		3.699
3831				Mean		2.013			95% KM (Percentile Bootstrap) UCL			3.672
3832				Median		0.852				95% KM (Chebyshev) UCL		6.055
3833				SD		3.498				97.5% KM (Chebyshev) UCL		7.933
3834				k star		0.838				99% KM (Chebyshev) UCL		11.62
3835				Theta star		2.401						
3836				Nu star		21.79		Potential UCLs to Use				
3837				AppChi2		12.18				95% KM (BCA) UCL		3.699
3838			95% Gamma Approximate UCL			3.6						
3839			95% Adjusted Gamma UCL			3.927						
3840	Note: DL/2 is not a recommended method.											
3841												
3842												
3843	Total PCB TEQ											
3844												
3845	General Statistics											
3846			Number of Valid Observations			15				Number of Distinct Observations		15
3847												
3848	Raw Statistics							Log-transformed Statistics				
3849				Minimum		2.23				Minimum of Log Data		0.802
3850				Maximum		61.29				Maximum of Log Data		4.116
3851				Mean		8.548				Mean of log Data		1.588
3852				Median		4.107				SD of log Data		0.865
3853				SD		14.99						
3854			Coefficient of Variation			1.753						
3855				Skewness		3.564						
3856												
3857	Relevant UCL Statistics											
3858	Normal Distribution Test							Lognormal Distribution Test				
3859			Shapiro Wilk Test Statistic			0.437				Shapiro Wilk Test Statistic		0.779
3860			Shapiro Wilk Critical Value			0.881				Shapiro Wilk Critical Value		0.881
3861	Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level				
3862												
3863	Assuming Normal Distribution							Assuming Lognormal Distribution				
3864				95% Student's-t UCL		15.36				95% H-UCL		12.79
3865	95% UCLs (Adjusted for Skewness)									95% Chebyshev (MVUE) UCL		14.1
3866			95% Adjusted-CLT UCL			18.72				97.5% Chebyshev (MVUE) UCL		17.22
3867			95% Modified-t UCL			15.96				99% Chebyshev (MVUE) UCL		23.35
3868												
3869	Gamma Distribution Test							Data Distribution				

	A	B	C	D	E	F	G	H	I	J	K	L
3870				k star (bias corrected)		0.869		**Data do not follow a Discernable Distribution (0.05)**				
3871				Theta Star		9.832						
3872				nu star		26.08						
3873				Approximate Chi Square Value (.05)		15.44		**Nonparametric Statistics**				
3874				Adjusted Level of Significance		0.0324				95% CLT UCL		14.91
3875				Adjusted Chi Square Value		14.44				95% Jackknife UCL		15.36
3876										95% Standard Bootstrap UCL		14.69
3877				Anderson-Darling Test Statistic		2.1				95% Bootstrap-t UCL		62.33
3878				Anderson-Darling 5% Critical Value		0.762				95% Hall's Bootstrap UCL		45.14
3879				Kolmogorov-Smirnov Test Statistic		0.33				95% Percentile Bootstrap UCL		16.04
3880				Kolmogorov-Smirnov 5% Critical Value		0.228				95% BCA Bootstrap UCL		19.8
3881		**Data not Gamma Distributed at 5% Significance Level**								95% Chebyshev(Mean, Sd) UCL		25.41
3882										97.5% Chebyshev(Mean, Sd) UCL		32.71
3883			**Assuming Gamma Distribution**							99% Chebyshev(Mean, Sd) UCL		47.05
3884				95% Approximate Gamma UCL		14.44						
3885				95% Adjusted Gamma UCL		15.44						
3886												
3887			**Potential UCL to Use**						Use 95% Chebyshev (Mean, Sd) UCL			25.41
3888												
3889												
3890	Total PCB_Congeners											
3891												
3892						**General Statistics**						
3893				Number of Valid Observations		15				Number of Distinct Observations		15
3894												
3895			**Raw Statistics**						**Log-transformed Statistics**			
3896				Minimum		294578				Minimum of Log Data		12.59
3897				Maximum		25091151				Maximum of Log Data		17.04
3898				Mean		2755976				Mean of log Data		13.64
3899				Median		574344				SD of log Data		1.265
3900				SD		6486951						
3901				Coefficient of Variation		2.354						
3902				Skewness		3.37						
3903												
3904						**Relevant UCL Statistics**						
3905			**Normal Distribution Test**						**Lognormal Distribution Test**			
3906				Shapiro Wilk Test Statistic		0.429				Shapiro Wilk Test Statistic		0.734
3907				Shapiro Wilk Critical Value		0.881				Shapiro Wilk Critical Value		0.881
3908		**Data not Normal at 5% Significance Level**						**Data not Lognormal at 5% Significance Level**				
3909												
3910			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
3911				95% Student's-t UCL		5706035				95% H-UCL		5468693
3912		**95% UCLs (Adjusted for Skewness)**							95% Chebyshev (MVUE) UCL			4441871
3913				95% Adjusted-CLT UCL		7068249				97.5% Chebyshev (MVUE) UCL		5623950
3914				95% Modified-t UCL		5948938				99% Chebyshev (MVUE) UCL		7945914
3915												
3916			**Gamma Distribution Test**						**Data Distribution**			
3917				k star (bias corrected)		0.467		**Data do not follow a Discernable Distribution (0.05)**				
3918				Theta Star		5900783						
3919				nu star		14.01						
3920				Approximate Chi Square Value (.05)		6.579		**Nonparametric Statistics**				
3921				Adjusted Level of Significance		0.0324				95% CLT UCL		5510980
3922				Adjusted Chi Square Value		5.962				95% Jackknife UCL		5706035

	A	B	C	D	E	F	G	H	I	J	K	L
3923										95% Standard Bootstrap UCL		5433190
3924			Anderson-Darling Test Statistic			2.638				95% Bootstrap-t UCL		39804089
3925			Anderson-Darling 5% Critical Value			0.791				95% Hall's Bootstrap UCL		28086749
3926			Kolmogorov-Smirnov Test Statistic			0.383				95% Percentile Bootstrap UCL		5625327
3927			Kolmogorov-Smirnov 5% Critical Value			0.233				95% BCA Bootstrap UCL		7626395
3928		**Data not Gamma Distributed at 5% Significance Level**								95% Chebyshev(Mean, Sd) UCL		10056798
3929										97.5% Chebyshev(Mean, Sd) UCL		13215870
3930		**Assuming Gamma Distribution**								99% Chebyshev(Mean, Sd) UCL		19421254
3931			95% Approximate Gamma UCL			5869284						
3932			95% Adjusted Gamma UCL			6476921						
3933												
3934		**Potential UCL to Use**								Use 99% Chebyshev (Mean, Sd) UCL		19421254
3935												
3936												
3937	Tributyltin ion											
3938												
3939						**General Statistics**						
3940			Number of Valid Data			9				Number of Detected Data		9
3941			Number of Distinct Detected Data			9				Number of Non-Detect Data		0
3942			Number of Missing Values			6				Percent Non-Detects		0.00%
3943												
3944			**Raw Statistics**							**Log-transformed Statistics**		
3945			Minimum Detected			2.749				Minimum Detected		1.011
3946			Maximum Detected			8.576				Maximum Detected		2.149
3947			Mean of Detected			5.618				Mean of Detected		1.659
3948			SD of Detected			2.085				SD of Detected		0.398
3949			Minimum Non-Detect			N/A				Minimum Non-Detect		N/A
3950			Maximum Non-Detect			N/A				Maximum Non-Detect		N/A
3951												
3952												
3953						Warning: There are only 9 Detected Values in this data						
3954						Note: It should be noted that even though bootstrap may be performed on this data set						
3955						the resulting calculations may not be reliable enough tp draw conclusions						
3956												
3957				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
3958												
3959												
3960						**UCL Statistics**						
3961		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
3962			Shapiro Wilk Test Statistic			0.942				Shapiro Wilk Test Statistic		0.942
3963			5% Shapiro Wilk Critical Value			0.829				5% Shapiro Wilk Critical Value		0.829
3964		**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
3965												
3966		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
3967			DL/2 Substitution Method							DL/2 Substitution Method		
3968			Mean			5.618				Mean		1.659
3969			SD			2.085				SD		0.398
3970			95% DL/2 (t) UCL			6.91				95% H-Stat (DL/2) UCL		7.678
3971												
3972			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
3973		**MLE method failed to converge properly**								Mean in Log Scale		N/A
3974										SD in Log Scale		N/A
3975										Mean in Original Scale		N/A

	A	B	C	D	E	F	G	H	I	J	K	L
3976										SD in Original Scale		N/A
3977										95% Percentile Bootstrap UCL		N/A
3978										95% BCA Bootstrap UCL		N/A
3979												
3980		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
3981				k star (bias corrected)		5.157		Data appear Normal at 5% Significance Level				
3982					Theta Star	1.089						
3983					nu star	92.83						
3984												
3985				A-D Test Statistic		0.278		Nonparametric Statistics				
3986				5% A-D Critical Value		0.722		Kaplan-Meier (KM) Method				
3987				K-S Test Statistic		0.722				Mean		5.618
3988				5% K-S Critical Value		0.28				SD		1.966
3989		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.695
3990										95% KM (t) UCL		6.91
3991		Assuming Gamma Distribution								95% KM (z) UCL		6.761
3992		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		6.91
3993					Minimum	2.749				95% KM (bootstrap t) UCL		6.944
3994					Maximum	8.576				95% KM (BCA) UCL		6.673
3995					Mean	5.618				95% KM (Percentile Bootstrap) UCL		6.685
3996					Median	5.894				95% KM (Chebyshev) UCL		8.647
3997					SD	2.085				97.5% KM (Chebyshev) UCL		9.958
3998					k star	5.157				99% KM (Chebyshev) UCL		12.53
3999					Theta star	1.089						
4000					Nu star	92.83		Potential UCLs to Use				
4001					AppChi2	71.61				95% KM (t) UCL		6.91
4002				95% Gamma Approximate UCL		7.283		95% KM (Percentile Bootstrap) UCL				6.685
4003				95% Adjusted Gamma UCL		7.705						
4004	Note: DL/2 is not a recommended method.											
4005												
4006												
4007	Zinc											
4008												
4009					General Statistics							
4010			Number of Valid Observations			15			Number of Distinct Observations			15
4011												
4012		Raw Statistics						Log-transformed Statistics				
4013					Minimum	71.23			Minimum of Log Data			4.266
4014					Maximum	112.8			Maximum of Log Data			4.725
4015					Mean	91.78			Mean of log Data			4.509
4016					Median	89.91			SD of log Data			0.151
4017					SD	13.67						
4018				Coefficient of Variation		0.149						
4019					Skewness	0.0843						
4020												
4021					Relevant UCL Statistics							
4022		Normal Distribution Test						Lognormal Distribution Test				
4023				Shapiro Wilk Test Statistic		0.947			Shapiro Wilk Test Statistic			0.947
4024				Shapiro Wilk Critical Value		0.881			Shapiro Wilk Critical Value			0.881
4025		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
4026												
4027		Assuming Normal Distribution						Assuming Lognormal Distribution				
4028				95% Student's-t UCL		97.99			95% H-UCL			98.66

	A	B	C	D	E	F	G	H	I	J	K	L
4029			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		107.4
4030				95% Adjusted-CLT UCL		97.66				97.5% Chebyshev (MVUE) UCL		114.1
4031				95% Modified-t UCL		98				99% Chebyshev (MVUE) UCL		127.4
4032												
4033			Gamma Distribution Test						Data Distribution			
4034			k star (bias corrected)			38.32			Data appear Normal at 5% Significance Level			
4035				Theta Star		2.395						
4036				nu star		1150						
4037			Approximate Chi Square Value (.05)			1072			Nonparametric Statistics			
4038			Adjusted Level of Significance			0.0324				95% CLT UCL		97.58
4039			Adjusted Chi Square Value			1063				95% Jackknife UCL		97.99
4040										95% Standard Bootstrap UCL		97.26
4041			Anderson-Darling Test Statistic			0.275				95% Bootstrap-t UCL		98.52
4042			Anderson-Darling 5% Critical Value			0.734				95% Hall's Bootstrap UCL		97.65
4043			Kolmogorov-Smirnov Test Statistic			0.112				95% Percentile Bootstrap UCL		97.23
4044			Kolmogorov-Smirnov 5% Critical Value			0.221				95% BCA Bootstrap UCL		97.59
4045			Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		107.2
4046										97.5% Chebyshev(Mean, Sd) UCL		113.8
4047			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		126.9
4048			95% Approximate Gamma UCL			98.43						
4049			95% Adjusted Gamma UCL			99.29						
4050												
4051			Potential UCL to Use						Use 95% Student's-t UCL			97.99
4052												
4053												
4054	Total PCBs, Adjusted											
4055												
4056					General Statistics							
4057			Number of Valid Observations			15			Number of Distinct Observations			15
4058												
4059			Raw Statistics						Log-transformed Statistics			
4060				Minimum		274102				Minimum of Log Data		12.52
4061				Maximum		24705389				Maximum of Log Data		17.02
4062				Mean		2697978				Mean of log Data		13.59
4063				Median		552812				SD of log Data		1.28
4064				SD		6390618						
4065			Coefficient of Variation			2.369						
4066				Skewness		3.372						
4067												
4068					Relevant UCL Statistics							
4069			Normal Distribution Test						Lognormal Distribution Test			
4070			Shapiro Wilk Test Statistic			0.429				Shapiro Wilk Test Statistic		0.738
4071			Shapiro Wilk Critical Value			0.881				Shapiro Wilk Critical Value		0.881
4072			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
4073												
4074			Assuming Normal Distribution						Assuming Lognormal Distribution			
4075				95% Student's-t UCL		5604229				95% H-UCL		5447488
4076			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		4351929
4077				95% Adjusted-CLT UCL		6946904				97.5% Chebyshev (MVUE) UCL		5515951
4078				95% Modified-t UCL		5843632				99% Chebyshev (MVUE) UCL		7802446
4079												
4080			Gamma Distribution Test						Data Distribution			
4081			k star (bias corrected)			0.46			Data do not follow a Discernable Distribution (0.05)			

	A	B	C	D	E	F	G	H	I	J	K	L
4082				Theta Star		5867054						
4083				nu star		13.8						
4084			Approximate Chi Square Value (.05)			6.432			Nonparametric Statistics			
4085			Adjusted Level of Significance			0.0324				95% CLT UCL		5412070
4086			Adjusted Chi Square Value			5.822				95% Jackknife UCL		5604229
4087										95% Standard Bootstrap UCL		5350191
4088			Anderson-Darling Test Statistic			2.619				95% Bootstrap-t UCL		39017146
4089			Anderson-Darling 5% Critical Value			0.792				95% Hall's Bootstrap UCL		29163705
4090			Kolmogorov-Smirnov Test Statistic			0.384				95% Percentile Bootstrap UCL		5497139
4091			Kolmogorov-Smirnov 5% Critical Value			0.234				95% BCA Bootstrap UCL		7927550
4092		Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		9890381
4093										97.5% Chebyshev(Mean, Sd) UCL		13002540
4094			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		19115773
4095			95% Approximate Gamma UCL			5787058						
4096			95% Adjusted Gamma UCL			6392498						
4097												
4098			Potential UCL to Use						Use 99% Chebyshev (Mean, Sd) UCL			19115773
4099												
4100												
4101	Total TEQ											
4102												
4103						General Statistics						
4104			Number of Valid Observations			15			Number of Distinct Observations			15
4105												
4106			Raw Statistics						Log-transformed Statistics			
4107			Minimum			4.776			Minimum of Log Data			1.564
4108			Maximum			67.36			Maximum of Log Data			4.21
4109			Mean			12.65			Mean of log Data			2.212
4110			Median			7.709			SD of log Data			0.686
4111			SD			15.89						
4112			Coefficient of Variation			1.256						
4113			Skewness			3.345						
4114												
4115						Relevant UCL Statistics						
4116			Normal Distribution Test						Lognormal Distribution Test			
4117			Shapiro Wilk Test Statistic			0.491			Shapiro Wilk Test Statistic			0.766
4118			Shapiro Wilk Critical Value			0.881			Shapiro Wilk Critical Value			0.881
4119		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
4120												
4121			Assuming Normal Distribution						Assuming Lognormal Distribution			
4122			95% Student's-t UCL			19.88			95% H-UCL			17.57
4123			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			20.55
4124			95% Adjusted-CLT UCL			23.19			97.5% Chebyshev (MVUE) UCL			24.54
4125			95% Modified-t UCL			20.47			99% Chebyshev (MVUE) UCL			32.37
4126												
4127			Gamma Distribution Test						Data Distribution			
4128			k star (bias corrected)			1.389		Data do not follow a Discernable Distribution (0.05)				
4129			Theta Star			9.11						
4130			nu star			41.67						
4131			Approximate Chi Square Value (.05)			27.88			Nonparametric Statistics			
4132			Adjusted Level of Significance			0.0324				95% CLT UCL		19.4
4133			Adjusted Chi Square Value			26.49				95% Jackknife UCL		19.88
4134										95% Standard Bootstrap UCL		19.33

	A	B	C	D	E	F	G	H	I	J	K	L
4135					Anderson-Darling Test Statistic	2.006					95% Bootstrap-t UCL	52.97
4136					Anderson-Darling 5% Critical Value	0.751					95% Hall's Bootstrap UCL	48.07
4137					Kolmogorov-Smirnov Test Statistic	0.327					95% Percentile Bootstrap UCL	19.91
4138					Kolmogorov-Smirnov 5% Critical Value	0.225					95% BCA Bootstrap UCL	25.28
4139		**Data not Gamma Distributed at 5% Significance Level**									95% Chebyshev(Mean, Sd) UCL	30.54
4140											97.5% Chebyshev(Mean, Sd) UCL	38.28
4141		**Assuming Gamma Distribution**									99% Chebyshev(Mean, Sd) UCL	53.49
4142					95% Approximate Gamma UCL	18.92						
4143					95% Adjusted Gamma UCL	19.91						
4144												
4145		**Potential UCL to Use**								Use 95% Chebyshev (Mean, Sd) UCL		30.54
4146												

Tissue

Clam, Undepurated

	A	B	C	D	E	F	G	H	I	J	K	L
1				clam_RM7W_UD		General UCL Statistics for Data Sets with Non-Detects						
2		User Selected Options										
3			From File	clam_RM7W_UD								
4			Full Precision	OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Fluoranthene											
10												
11						General Statistics						
12			Number of Valid Observations			5			Number of Distinct Observations			5
13												
14			Raw Statistics						Log-transformed Statistics			
15				Minimum		37				Minimum of Log Data		3.611
16				Maximum		140				Maximum of Log Data		4.942
17				Mean		74				Mean of log Data		4.199
18				Median		57				SD of log Data		0.499
19				SD		40.07						
20			Coefficient of Variation			0.542						
21				Skewness		1.459						
22												
23												
24		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
25												
26		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
27		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
28												
29												
30						Warning: There are only 5 Values in this data						
31				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
32				the resulting calculations may not be reliable enough to draw conclusions								
33												
34		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
35												
36						Relevant UCL Statistics						
37		Normal Distribution Test							Lognormal Distribution Test			
38			Shapiro Wilk Test Statistic			0.869			Shapiro Wilk Test Statistic			0.959
39			Shapiro Wilk Critical Value			0.762			Shapiro Wilk Critical Value			0.762
40		Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
41												
42		Assuming Normal Distribution							Assuming Lognormal Distribution			
43				95% Student's-t UCL		112.2				95% H-UCL		157.4
44		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			144.4
45			95% Adjusted-CLT UCL			116			97.5% Chebyshev (MVUE) UCL			175.1
46			95% Modified-t UCL			114.2			99% Chebyshev (MVUE) UCL			235.3
47												
48		Gamma Distribution Test							Data Distribution			
49			k star (bias corrected)			2.11			Data appear Normal at 5% Significance Level			
50				Theta Star		35.07						
51				nu star		21.1						
52		Approximate Chi Square Value (.05)				11.67			Nonparametric Statistics			
53		Adjusted Level of Significance				0.0086			95% CLT UCL			103.5

	A	B	C	D	E	F	G	H	I	J	K	L
54	Adjusted Chi Square Value					8.761			95% Jackknife UCL			112.2
55									95% Standard Bootstrap UCL			100
56	Anderson-Darling Test Statistic					0.313			95% Bootstrap-t UCL			174.8
57	Anderson-Darling 5% Critical Value					0.681			95% Hall's Bootstrap UCL			295.7
58	Kolmogorov-Smirnov Test Statistic					0.256			95% Percentile Bootstrap UCL			102.4
59	Kolmogorov-Smirnov 5% Critical Value					0.358			95% BCA Bootstrap UCL			107.6
60	Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL			152.1
61									97.5% Chebyshev(Mean, Sd) UCL			185.9
62	Assuming Gamma Distribution								99% Chebyshev(Mean, Sd) UCL			252.3
63	95% Approximate Gamma UCL					133.8						
64	95% Adjusted Gamma UCL					178.2						
65												
66	Potential UCL to Use								Use 95% Student's-t UCL			112.2
67												
68												
69	Pyrene											
70												
71				General Statistics								
72	Number of Valid Observations					5			Number of Distinct Observations			5
73												
74	Raw Statistics								Log-transformed Statistics			
75	Minimum					33			Minimum of Log Data			3.497
76	Maximum					140			Maximum of Log Data			4.942
77	Mean					78			Mean of log Data			4.233
78	Median					84			SD of log Data			0.57
79	SD					41.86						
80	Coefficient of Variation					0.537						
81	Skewness					0.655						
82												
83												
84	Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
85												
86	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
87	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
88												
89												
90	Warning: There are only 5 Values in this data											
91	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
92	the resulting calculations may not be reliable enough to draw conclusions											
93												
94	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
95												
96				Relevant UCL Statistics								
97	Normal Distribution Test								Lognormal Distribution Test			
98	Shapiro Wilk Test Statistic					0.936			Shapiro Wilk Test Statistic			0.954
99	Shapiro Wilk Critical Value					0.762			Shapiro Wilk Critical Value			0.762
100	Data appear Normal at 5% Significance Level								Data appear Lognormal at 5% Significance Level			
101												
102	Assuming Normal Distribution								Assuming Lognormal Distribution			
103	95% Student's-t UCL					117.9			95% H-UCL			200.9
104	95% UCLs (Adjusted for Skewness)								95% Chebyshev (MVUE) UCL			164.3
105	95% Adjusted-CLT UCL					114.7			97.5% Chebyshev (MVUE) UCL			201.5
106	95% Modified-t UCL					118.8			99% Chebyshev (MVUE) UCL			274.5

	A	B	C	D	E	F	G	H	I	J	K	L
107												
108			Gamma Distribution Test						Data Distribution			
109			k star (bias corrected)			1.81		Data appear Normal at 5% Significance Level				
110			Theta Star			43.1						
111			nu star			18.1						
112			Approximate Chi Square Value (.05)			9.463			Nonparametric Statistics			
113			Adjusted Level of Significance			0.0086				95% CLT UCL		108.8
114			Adjusted Chi Square Value			6.902				95% Jackknife UCL		117.9
115										95% Standard Bootstrap UCL		106
116			Anderson-Darling Test Statistic			0.27				95% Bootstrap-t UCL		132.3
117			Anderson-Darling 5% Critical Value			0.681				95% Hall's Bootstrap UCL		114.1
118			Kolmogorov-Smirnov Test Statistic			0.224				95% Percentile Bootstrap UCL		107.6
119			Kolmogorov-Smirnov 5% Critical Value			0.358				95% BCA Bootstrap UCL		108.2
120			Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		159.6
121										97.5% Chebyshev(Mean, Sd) UCL		194.9
122			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		264.3
123			95% Approximate Gamma UCL			149.2						
124			95% Adjusted Gamma UCL			204.5						
125												
126			Potential UCL to Use							Use 95% Student's-t UCL		117.9
127												
128												
129	Total Chlordanes											
130												
131					General Statistics							
132			Number of Valid Observations			5			Number of Distinct Observations			5
133												
134			Raw Statistics						Log-transformed Statistics			
135			Minimum			3.254				Minimum of Log Data		1.18
136			Maximum			8.6				Maximum of Log Data		2.152
137			Mean			5.522				Mean of log Data		1.634
138			Median			5.08				SD of log Data		0.435
139			SD			2.355						
140			Coefficient of Variation			0.426						
141			Skewness			0.426						
142												
143												
144			Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!									
145												
146			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
147			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
148												
149												
150			Warning: There are only 5 Values in this data									
151			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
152			the resulting calculations may not be reliable enough to draw conclusions									
153												
154			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
155												
156					Relevant UCL Statistics							
157			Normal Distribution Test						Lognormal Distribution Test			
158			Shapiro Wilk Test Statistic			0.903				Shapiro Wilk Test Statistic		0.904
159			Shapiro Wilk Critical Value			0.762				Shapiro Wilk Critical Value		0.762

	A	B	C	D	E	F	G	H	I	J	K	L
160	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
161												
162	Assuming Normal Distribution						Assuming Lognormal Distribution					
163	95% Student's-t UCL					7.768	95% H-UCL					10.24
164	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					10.17
165	95% Adjusted-CLT UCL					7.469	97.5% Chebyshev (MVUE) UCL					12.18
166	95% Modified-t UCL					7.801	99% Chebyshev (MVUE) UCL					16.13
167												
168	Gamma Distribution Test						Data Distribution					
169	k star (bias corrected)					2.871	Data appear Normal at 5% Significance Level					
170	Theta Star					1.923						
171	nu star					28.71						
172	Approximate Chi Square Value (.05)					17.48	Nonparametric Statistics					
173	Adjusted Level of Significance					0.0086	95% CLT UCL					7.255
174	Adjusted Chi Square Value					13.8	95% Jackknife UCL					7.768
175							95% Standard Bootstrap UCL					7.066
176	Anderson-Darling Test Statistic					0.349	95% Bootstrap-t UCL					9.204
177	Anderson-Darling 5% Critical Value					0.68	95% Hall's Bootstrap UCL					8.756
178	Kolmogorov-Smirnov Test Statistic					0.247	95% Percentile Bootstrap UCL					7.026
179	Kolmogorov-Smirnov 5% Critical Value					0.358	95% BCA Bootstrap UCL					7.261
180	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					10.11
181							97.5% Chebyshev(Mean, Sd) UCL					12.1
182	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					16
183	95% Approximate Gamma UCL					9.069						
184	95% Adjusted Gamma UCL					11.49						
185												
186	Potential UCL to Use						Use 95% Student's-t UCL					7.768
187												
188												
189	Total DDD											
190												
191	General Statistics											
192	Number of Valid Observations					5	Number of Distinct Observations					5
193												
194	Raw Statistics						Log-transformed Statistics					
195	Minimum					14.51	Minimum of Log Data					2.675
196	Maximum					242	Maximum of Log Data					5.489
197	Mean					88.93	Mean of log Data					4.01
198	Median					44	SD of log Data					1.118
199	SD					94						
200	Coefficient of Variation					1.057						
201	Skewness					1.446						
202												
203												
204	Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
205												
206	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
207	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
208												
209												
210	Warning: There are only 5 Values in this data											
211	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
212	the resulting calculations may not be reliable enough to draw conclusions											

	A	B	C	D	E	F	G	H	I	J	K	L
213												
214			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
215												
216						Relevant UCL Statistics						
217			Normal Distribution Test					Lognormal Distribution Test				
218				Shapiro Wilk Test Statistic		0.839			Shapiro Wilk Test Statistic			0.974
219				Shapiro Wilk Critical Value		0.762			Shapiro Wilk Critical Value			0.762
220			Data appear Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
221												
222			Assuming Normal Distribution					Assuming Lognormal Distribution				
223				95% Student's-t UCL		178.6			95% H-UCL			2133
224			95% UCLs (Adjusted for Skewness)					95% Chebyshev (MVUE) UCL				268.8
225				95% Adjusted-CLT UCL		187.1			97.5% Chebyshev (MVUE) UCL			347.2
226				95% Modified-t UCL		183.1			99% Chebyshev (MVUE) UCL			501.2
227												
228			Gamma Distribution Test					Data Distribution				
229				k star (bias corrected)		0.607		Data appear Normal at 5% Significance Level				
230				Theta Star		146.4						
231				nu star		6.073						
232			Approximate Chi Square Value (.05)			1.677			Nonparametric Statistics			
233				Adjusted Level of Significance		0.0086			95% CLT UCL			158.1
234				Adjusted Chi Square Value		0.86			95% Jackknife UCL			178.6
235									95% Standard Bootstrap UCL			150.2
236			Anderson-Darling Test Statistic			0.27			95% Bootstrap-t UCL			560.1
237			Anderson-Darling 5% Critical Value			0.69			95% Hall's Bootstrap UCL			556.1
238			Kolmogorov-Smirnov Test Statistic			0.242			95% Percentile Bootstrap UCL			159.7
239			Kolmogorov-Smirnov 5% Critical Value			0.363			95% BCA Bootstrap UCL			171.2
240			Data appear Gamma Distributed at 5% Significance Level					95% Chebyshev(Mean, Sd) UCL				272.2
241									97.5% Chebyshev(Mean, Sd) UCL			351.5
242			Assuming Gamma Distribution					99% Chebyshev(Mean, Sd) UCL				507.2
243				95% Approximate Gamma UCL		322						
244				95% Adjusted Gamma UCL		628.3						
245												
246			Potential UCL to Use					Use 95% Student's-t UCL				178.6
247												
248												
249	Total DDE											
250												
251						General Statistics						
252			Number of Valid Observations			5			Number of Distinct Observations			5
253												
254			Raw Statistics					Log-transformed Statistics				
255				Minimum		14.71			Minimum of Log Data			2.689
256				Maximum		107			Maximum of Log Data			4.673
257				Mean		42.83			Mean of log Data			3.511
258				Median		28.5			SD of log Data			0.748
259				SD		37.14						
260			Coefficient of Variation			0.867						
261				Skewness		1.881						
262												
263												
264			Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!									
265												

	A	B	C	D	E	F	G	H	I	J	K	L
266	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
267	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
268												
269												
270	Warning: There are only 5 Values in this data											
271	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
272	the resulting calculations may not be reliable enough to draw conclusions											
273												
274	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
275												
276	Relevant UCL Statistics											
277	Normal Distribution Test						Lognormal Distribution Test					
278	Shapiro Wilk Test Statistic					0.783	Shapiro Wilk Test Statistic					0.952
279	Shapiro Wilk Critical Value					0.762	Shapiro Wilk Critical Value					0.762
280	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
281												
282	Assuming Normal Distribution						Assuming Lognormal Distribution					
283	95% Student's-t UCL					78.23	95% H-UCL					187.2
284	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					100.9
285	95% Adjusted-CLT UCL					85.07	97.5% Chebyshev (MVUE) UCL					126.5
286	95% Modified-t UCL					80.56	99% Chebyshev (MVUE) UCL					177
287												
288	Gamma Distribution Test						Data Distribution					
289	k star (bias corrected)					1.007	Data appear Normal at 5% Significance Level					
290	Theta Star					42.53						
291	nu star					10.07						
292	Approximate Chi Square Value (.05)					3.986	Nonparametric Statistics					
293	Adjusted Level of Significance					0.0086	95% CLT UCL					70.14
294	Adjusted Chi Square Value					2.501	95% Jackknife UCL					78.23
295							95% Standard Bootstrap UCL					67.31
296	Anderson-Darling Test Statistic					0.372	95% Bootstrap-t UCL					155.4
297	Anderson-Darling 5% Critical Value					0.684	95% Hall's Bootstrap UCL					204.7
298	Kolmogorov-Smirnov Test Statistic					0.234	95% Percentile Bootstrap UCL					72.84
299	Kolmogorov-Smirnov 5% Critical Value					0.36	95% BCA Bootstrap UCL					76.98
300	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					115.2
301							97.5% Chebyshev(Mean, Sd) UCL					146.5
302	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					208.1
303	95% Approximate Gamma UCL					108.2						
304	95% Adjusted Gamma UCL					172.5						
305												
306	Potential UCL to Use						Use 95% Student's-t UCL					78.23
307												
308												
309	Total DDT											
310												
311	General Statistics											
312	Number of Valid Observations					5	Number of Distinct Observations					5
313												
314	Raw Statistics						Log-transformed Statistics					
315	Minimum					3.83	Minimum of Log Data					1.343
316	Maximum					114	Maximum of Log Data					4.736
317	Mean					44.57	Mean of log Data					3.192
318	Median					24.4	SD of log Data					1.363

	A	B	C	D	E	F	G	H	I	J	K	L
319					SD	46.28						
320				Coefficient of Variation		1.038						
321					Skewness	0.999						
322												
323												
324		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
325												
326		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
327		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
328												
329												
330		Warning: There are only 5 Values in this data										
331		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
332		the resulting calculations may not be reliable enough to draw conclusions										
333												
334		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
335												
336		Relevant UCL Statistics										
337		Normal Distribution Test						Lognormal Distribution Test				
338		Shapiro Wilk Test Statistic				0.885		Shapiro Wilk Test Statistic				0.97
339		Shapiro Wilk Critical Value				0.762		Shapiro Wilk Critical Value				0.762
340		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
341												
342		Assuming Normal Distribution						Assuming Lognormal Distribution				
343		95% Student's-t UCL				88.7		95% H-UCL				5196
344		95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL				163.6
345		95% Adjusted-CLT UCL				88.5		97.5% Chebyshev (MVUE) UCL				213.8
346		95% Modified-t UCL				90.24		99% Chebyshev (MVUE) UCL				312.4
347												
348		Gamma Distribution Test						Data Distribution				
349		k star (bias corrected)				0.517		Data appear Normal at 5% Significance Level				
350		Theta Star				86.21						
351		nu star				5.17						
352		Approximate Chi Square Value (.05)				1.232		Nonparametric Statistics				
353		Adjusted Level of Significance				0.0086		95% CLT UCL				78.62
354		Adjusted Chi Square Value				0.582		95% Jackknife UCL				88.7
355								95% Standard Bootstrap UCL				74.21
356		Anderson-Darling Test Statistic				0.218		95% Bootstrap-t UCL				195.7
357		Anderson-Darling 5% Critical Value				0.692		95% Hall's Bootstrap UCL				338.1
358		Kolmogorov-Smirnov Test Statistic				0.187		95% Percentile Bootstrap UCL				78.08
359		Kolmogorov-Smirnov 5% Critical Value				0.365		95% BCA Bootstrap UCL				78.08
360		Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL				134.8
361								97.5% Chebyshev(Mean, Sd) UCL				173.8
362		Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL				250.5
363		95% Approximate Gamma UCL				187.1						
364		95% Adjusted Gamma UCL				396.1						
365												
366		Potential UCL to Use						Use 95% Student's-t UCL				88.7
367												

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	clam_study_area_UD								
4			Full Precision	OFF								
5			Confidence Coefficient	95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	1-Methylnaphthalene											
10												
11						General Statistics						
12				Number of Valid Data		7			Number of Detected Data			7
13			Number of Distinct Detected Data			5			Number of Non-Detect Data			0
14				Number of Missing Values		36			Percent Non-Detects			0.00%
15												
16			Raw Statistics					Log-transformed Statistics				
17				Minimum Detected		0.9			Minimum Detected			-0.105
18				Maximum Detected		1.7			Maximum Detected			0.531
19				Mean of Detected		1.304			Mean of Detected			0.236
20				SD of Detected		0.336			SD of Detected			0.265
21				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
22				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
23												
24												
25						Warning: There are only 7 Detected Values in this data						
26					Note: It should be noted that even though bootstrap may be performed on this data set							
27					the resulting calculations may not be reliable enough tp draw conclusions							
28												
29				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
30												
31												
32						UCL Statistics						
33		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
34				Shapiro Wilk Test Statistic		0.885			Shapiro Wilk Test Statistic			0.888
35				5% Shapiro Wilk Critical Value		0.803			5% Shapiro Wilk Critical Value			0.803
36		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
37												
38		Assuming Normal Distribution						Assuming Lognormal Distribution				
39				DL/2 Substitution Method					DL/2 Substitution Method			
40				Mean		1.304			Mean			0.236
41				SD		0.336			SD			0.265
42				95% DL/2 (t) UCL		1.551			95% H-Stat (DL/2) UCL			1.649
43												
44			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
45		MLE method failed to converge properly							Mean in Log Scale			N/A
46									SD in Log Scale			N/A
47									Mean in Original Scale			N/A
48									SD in Original Scale			N/A
49									95% Percentile Bootstrap UCL			N/A
50									95% BCA Bootstrap UCL			N/A
51												
52		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
53				k star (bias corrected)		9.891			Data appear Normal at 5% Significance Level			

	A	B	C	D	E	F	G	H	I	J	K	L
54					Theta Star	0.132						
55					nu star	138.5						
56												
57				A-D Test Statistic		0.413			Nonparametric Statistics			
58				5% A-D Critical Value		0.707			Kaplan-Meier (KM) Method			
59				K-S Test Statistic		0.707					Mean	1.304
60				5% K-S Critical Value		0.312					SD	0.311
61		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.127
62											95% KM (t) UCL	1.551
63			Assuming Gamma Distribution								95% KM (z) UCL	1.513
64		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	1.551
65					Minimum	0.9					95% KM (bootstrap t) UCL	1.543
66					Maximum	1.7					95% KM (BCA) UCL	1.486
67					Mean	1.304			95% KM (Percentile Bootstrap) UCL			1.5
68					Median	1.2					95% KM (Chebyshev) UCL	1.858
69					SD	0.336					97.5% KM (Chebyshev) UCL	2.097
70					k star	9.891					99% KM (Chebyshev) UCL	2.567
71					Theta star	0.132						
72					Nu star	138.5			Potential UCLs to Use			
73					AppChi2	112.3					95% KM (t) UCL	1.551
74			95% Gamma Approximate UCL			1.609			95% KM (Percentile Bootstrap) UCL			1.5
75			95% Adjusted Gamma UCL			1.717						
76	Note: DL/2 is not a recommended method.											
77												
78												
79	2-Methylnaphthalene											
80												
81						General Statistics						
82			Number of Valid Data			36			Number of Detected Data			36
83		Number of Distinct Detected Data				15			Number of Non-Detect Data			0
84			Number of Missing Values			7			Percent Non-Detects			0.00%
85												
86			Raw Statistics						Log-transformed Statistics			
87				Minimum Detected		1.3				Minimum Detected		0.262
88				Maximum Detected		22				Maximum Detected		3.091
89				Mean of Detected		2.906				Mean of Detected		0.718
90				SD of Detected		4.481				SD of Detected		0.617
91				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
92				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
93												
94												
95						UCL Statistics						
96		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
97			Shapiro Wilk Test Statistic			0.338			Shapiro Wilk Test Statistic			0.596
98			5% Shapiro Wilk Critical Value			0.935			5% Shapiro Wilk Critical Value			0.935
99		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
100												
101		Assuming Normal Distribution						Assuming Lognormal Distribution				
102		DL/2 Substitution Method						DL/2 Substitution Method				
103					Mean	2.906					Mean	0.718
104					SD	4.481					SD	0.617
105				95% DL/2 (t) UCL		4.167			95% H-Stat (DL/2) UCL			3.059
106												

	A	B	C	D	E	F	G	H	I	J	K	L
107			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
108			MLE method failed to converge properly							Mean in Log Scale		N/A
109										SD in Log Scale		N/A
110										Mean in Original Scale		N/A
111										SD in Original Scale		N/A
112										95% Percentile Bootstrap UCL		N/A
113										95% BCA Bootstrap UCL		N/A
114												
115			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
116			k star (bias corrected)			1.468			Data do not follow a Discernable Distribution (0.05)			
117			Theta Star			1.979						
118			nu star			105.7						
119												
120			A-D Test Statistic			7.103			Nonparametric Statistics			
121			5% A-D Critical Value			0.765			Kaplan-Meier (KM) Method			
122			K-S Test Statistic			0.765				Mean		2.906
123			5% K-S Critical Value			0.149				SD		4.418
124		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.747
125										95% KM (t) UCL		4.167
126			Assuming Gamma Distribution							95% KM (z) UCL		4.134
127			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		4.167
128			Minimum			1.3				95% KM (bootstrap t) UCL		13.68
129			Maximum			22				95% KM (BCA) UCL		4.503
130			Mean			2.906			95% KM (Percentile Bootstrap) UCL			4.072
131			Median			1.8				95% KM (Chebyshev) UCL		6.161
132			SD			4.481				97.5% KM (Chebyshev) UCL		7.569
133			k star			1.468				99% KM (Chebyshev) UCL		10.34
134			Theta star			1.979						
135			Nu star			105.7			Potential UCLs to Use			
136			AppChi2			82.98				95% KM (Chebyshev) UCL		6.161
137			95% Gamma Approximate UCL			3.701						
138			95% Adjusted Gamma UCL			3.743						
139	Note: DL/2 is not a recommended method.											
140												
141												
142	Acenaphthene											
143												
144						General Statistics						
145			Number of Valid Data			39				Number of Detected Data		35
146		Number of Distinct Detected Data				27				Number of Non-Detect Data		4
147			Number of Missing Values			4				Percent Non-Detects		10.26%
148												
149			Raw Statistics						Log-transformed Statistics			
150			Minimum Detected			0.22				Minimum Detected		-1.514
151			Maximum Detected			61				Maximum Detected		4.111
152			Mean of Detected			4.45				Mean of Detected		0.522
153			SD of Detected			10.9				SD of Detected		1.148
154			Minimum Non-Detect			0.091				Minimum Non-Detect		-2.397
155			Maximum Non-Detect			58				Maximum Non-Detect		4.06
156												
157	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		38
158	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1
159	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		97.44%

	A	B	C	D	E	F	G	H	I	J	K	L
160												
161					UCL Statistics							
162		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
163			Shapiro Wilk Test Statistic			0.381			Shapiro Wilk Test Statistic			0.903
164			5% Shapiro Wilk Critical Value			0.934			5% Shapiro Wilk Critical Value			0.934
165		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
166												
167		Assuming Normal Distribution						Assuming Lognormal Distribution				
168			DL/2 Substitution Method						DL/2 Substitution Method			
169				Mean		5.597				Mean		0.62
170				SD		11.38				SD		1.415
171			95% DL/2 (t) UCL			8.668			95% H-Stat (DL/2) UCL			11.85
172												
173		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
174		MLE method failed to converge properly							Mean in Log Scale			0.442
175									SD in Log Scale			1.173
176									Mean in Original Scale			4.111
177									SD in Original Scale			10.36
178									95% Percentile Bootstrap UCL			7.074
179									95% BCA Bootstrap UCL			8.69
180												
181		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
182			k star (bias corrected)			0.597		Data do not follow a Discernable Distribution (0.05)				
183			Theta Star			7.459						
184			nu star			41.76						
185												
186			A-D Test Statistic			3.835		Nonparametric Statistics				
187			5% A-D Critical Value			0.799			Kaplan-Meier (KM) Method			
188			K-S Test Statistic			0.799				Mean		4.208
189			5% K-S Critical Value			0.156				SD		10.29
190		Data not Gamma Distributed at 5% Significance Level							SE of Mean			1.686
191									95% KM (t) UCL			7.051
192		Assuming Gamma Distribution							95% KM (z) UCL			6.981
193		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			7.046
194				Minimum		1E-09			95% KM (bootstrap t) UCL			22
195				Maximum		61			95% KM (BCA) UCL			7.544
196				Mean		4.241			95% KM (Percentile Bootstrap) UCL			7.297
197				Median		1.3			95% KM (Chebyshev) UCL			11.56
198				SD		10.34			97.5% KM (Chebyshev) UCL			14.74
199				k star		0.437			99% KM (Chebyshev) UCL			20.98
200				Theta star		9.709						
201				Nu star		34.07		Potential UCLs to Use				
202				AppChi2		21.72			97.5% KM (Chebyshev) UCL			14.74
203			95% Gamma Approximate UCL			6.653						
204			95% Adjusted Gamma UCL			6.774						
205	Note: DL/2 is not a recommended method.											
206												
207												
208	Acenaphthylene											
209												
210					General Statistics							
211			Number of Valid Data			36			Number of Detected Data			32
212			Number of Distinct Detected Data			22			Number of Non-Detect Data			4

	A	B	C	D	E	F	G	H	I	J	K	L
213				Number of Missing Values		7				Percent Non-Detects		11.11%
214												
215			Raw Statistics						Log-transformed Statistics			
216				Minimum Detected		0.28				Minimum Detected		-1.273
217				Maximum Detected		14				Maximum Detected		2.639
218				Mean of Detected		2.322				Mean of Detected		0.417
219				SD of Detected		3.196				SD of Detected		0.823
220				Minimum Non-Detect		0.092				Minimum Non-Detect		-2.386
221				Maximum Non-Detect		0.19				Maximum Non-Detect		-1.661
222												
223	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			4
224	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			32
225	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			11.11%
226												
227						UCL Statistics						
228		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
229				Shapiro Wilk Test Statistic		0.501				Shapiro Wilk Test Statistic		0.913
230				5% Shapiro Wilk Critical Value		0.93				5% Shapiro Wilk Critical Value		0.93
231		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
232												
233		Assuming Normal Distribution						Assuming Lognormal Distribution				
234				DL/2 Substitution Method						DL/2 Substitution Method		
235				Mean		2.072				Mean		0.0723
236				SD		3.092				SD		1.26
237				95% DL/2 (t) UCL		2.943				95% H-Stat (DL/2) UCL		2.545
238												
239			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
240				Mean		1.851				Mean in Log Scale		0.218
241				SD		3.302				SD in Log Scale		0.964
242				95% MLE (t) UCL		2.78				Mean in Original Scale		2.093
243				95% MLE (Tiku) UCL		2.729				SD in Original Scale		3.079
244										95% Percentile Bootstrap UCL		2.997
245										95% BCA Bootstrap UCL		3.382
246												
247		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
248				k star (bias corrected)		1.215		Data do not follow a Discernable Distribution (0.05)				
249				Theta Star		1.912						
250				nu star		77.74						
251												
252				A-D Test Statistic		2.438			Nonparametric Statistics			
253				5% A-D Critical Value		0.769				Kaplan-Meier (KM) Method		
254				K-S Test Statistic		0.769				Mean		2.095
255				5% K-S Critical Value		0.159				SD		3.034
256		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.514
257										95% KM (t) UCL		2.964
258		Assuming Gamma Distribution								95% KM (z) UCL		2.941
259		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		2.946
260				Minimum		1E-09				95% KM (bootstrap t) UCL		4.663
261				Maximum		14				95% KM (BCA) UCL		3.067
262				Mean		2.064			95% KM (Percentile Bootstrap) UCL			3.013
263				Median		1.25				95% KM (Chebyshev) UCL		4.335
264				SD		3.097				97.5% KM (Chebyshev) UCL		5.304
265				k star		0.261				99% KM (Chebyshev) UCL		7.208

	A	B	C	D	E	F	G	H	I	J	K	L
266					Theta star	7.899						
267					Nu star	18.82			Potential UCLs to Use			
268					AppChi2	9.983			95% KM (Chebyshev) UCL			4.335
269			95% Gamma Approximate UCL			3.891						
270			95% Adjusted Gamma UCL			4.008						
271	Note: DL/2 is not a recommended method.											
272												
273												
274	Aldrin											
275												
276						General Statistics						
277			Number of Valid Data			41			Number of Detected Data			37
278			Number of Distinct Detected Data			33			Number of Non-Detect Data			4
279			Number of Missing Values			2			Percent Non-Detects			9.76%
280												
281			Raw Statistics						Log-transformed Statistics			
282			Minimum Detected			0.126			Minimum Detected			-2.071
283			Maximum Detected			5.07			Maximum Detected			1.623
284			Mean of Detected			0.378			Mean of Detected			-1.385
285			SD of Detected			0.799			SD of Detected			0.634
286			Minimum Non-Detect			0.0901			Minimum Non-Detect			-2.407
287			Maximum Non-Detect			1.1			Maximum Non-Detect			0.0953
288												
289	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			40
290	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
291	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			97.56%
292												
293						UCL Statistics						
294		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
295			Shapiro Wilk Test Statistic			0.26			Shapiro Wilk Test Statistic			0.741
296			5% Shapiro Wilk Critical Value			0.936			5% Shapiro Wilk Critical Value			0.936
297		Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level			
298												
299		Assuming Normal Distribution							Assuming Lognormal Distribution			
300			DL/2 Substitution Method						DL/2 Substitution Method			
301			Mean			0.38			Mean			-1.374
302			SD			0.76			SD			0.689
303			95% DL/2 (t) UCL			0.58			95% H-Stat (DL/2) UCL			0.403
304												
305		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
306		MLE method failed to converge properly							Mean in Log Scale			-1.423
307									SD in Log Scale			0.642
308									Mean in Original Scale			0.36
309									SD in Original Scale			0.76
310									95% Percentile Bootstrap UCL			0.595
311									95% BCA Bootstrap UCL			0.723
312												
313		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
314			k star (bias corrected)			1.266			Data do not follow a Discernable Distribution (0.05)			
315			Theta Star			0.299						
316			nu star			93.65						
317												
318			A-D Test Statistic			5.106			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
319				5% A-D Critical Value		0.769			Kaplan-Meier (KM) Method			
320				K-S Test Statistic		0.769					Mean	0.362
321				5% K-S Critical Value		0.148					SD	0.75
322			**Data not Gamma Distributed at 5% Significance Level**								SE of Mean	0.119
323											95% KM (t) UCL	0.562
324			**Assuming Gamma Distribution**								95% KM (z) UCL	0.557
325			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	0.562
326				Minimum		1E-09					95% KM (bootstrap t) UCL	1.501
327				Maximum		5.07					95% KM (BCA) UCL	0.615
328				Mean		0.37				95% KM (Percentile Bootstrap) UCL		0.591
329				Median		0.224					95% KM (Chebyshev) UCL	0.88
330				SD		0.761					97.5% KM (Chebyshev) UCL	1.104
331				k star		0.685					99% KM (Chebyshev) UCL	1.545
332				Theta star		0.539						
333				Nu star		56.21			**Potential UCLs to Use**			
334				AppChi2		39.98					95% KM (Chebyshev) UCL	0.88
335			95% Gamma Approximate UCL			0.52						
336			95% Adjusted Gamma UCL			0.526						
337	**Note: DL/2 is not a recommended method.**											
338												
339												
340	**alpha-Hexachlorocyclohexane**											
341												
342						**General Statistics**						
343			Number of Valid Data			34			Number of Detected Data			13
344			Number of Distinct Detected Data			13			Number of Non-Detect Data			21
345			Number of Missing Values			9			Percent Non-Detects			61.76%
346												
347			**Raw Statistics**						**Log-transformed Statistics**			
348			Minimum Detected			0.00569			Minimum Detected			-5.169
349			Maximum Detected			0.0205			Maximum Detected			-3.887
350			Mean of Detected			0.0124			Mean of Detected			-4.477
351			SD of Detected			0.005			SD of Detected			0.44
352			Minimum Non-Detect			0.00611			Minimum Non-Detect			-5.098
353			Maximum Non-Detect			0.0201			Maximum Non-Detect			-3.907
354												
355	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			33
356	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
357	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			97.06%
358												
359						**UCL Statistics**						
360			**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**			
361			Shapiro Wilk Test Statistic			0.942			Shapiro Wilk Test Statistic			0.926
362			5% Shapiro Wilk Critical Value			0.866			5% Shapiro Wilk Critical Value			0.866
363			**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**			
364												
365			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
366			DL/2 Substitution Method						DL/2 Substitution Method			
367				Mean		0.00806					Mean	-4.967
368				SD		0.00478					SD	0.532
369			95% DL/2 (t) UCL			0.00945			95% H-Stat (DL/2) UCL			0.01
370												
371			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			

	A	B	C	D	E	F	G	H	I	J	K	L
372	MLE method failed to converge properly									Mean in Log Scale		-4.797
373										SD in Log Scale		0.374
374										Mean in Original Scale		0.00892
375										SD in Original Scale		0.0041
376										95% Percentile Bootstrap UCL		0.0101
377										95% BCA Bootstrap UCL		0.0104
378												
379	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
380	k star (bias corrected)					4.746	Data appear Normal at 5% Significance Level					
381	Theta Star					0.0026						
382	nu star					123.4						
383												
384	A-D Test Statistic					0.346	Nonparametric Statistics					
385	5% A-D Critical Value					0.735	Kaplan-Meier (KM) Method					
386	K-S Test Statistic					0.735	Mean					0.00885
387	5% K-S Critical Value					0.237	SD					0.00428
388	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					0.0008144
389							95% KM (t) UCL					0.0102
390	Assuming Gamma Distribution						95% KM (z) UCL					0.0102
391	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					0.0102
392	Minimum					0.00569	95% KM (bootstrap t) UCL					0.0104
393	Maximum					0.0205	95% KM (BCA) UCL					0.0105
394	Mean					0.0126	95% KM (Percentile Bootstrap) UCL					0.0104
395	Median					0.0125	95% KM (Chebyshev) UCL					0.0124
396	SD					0.00309	97.5% KM (Chebyshev) UCL					0.0139
397	k star					13.76	99% KM (Chebyshev) UCL					0.017
398	Theta star					0.0009166						
399	Nu star					935.9	Potential UCLs to Use					
400	AppChi2					865.9	95% KM (t) UCL					0.0102
401	95% Gamma Approximate UCL					0.0136	95% KM (Percentile Bootstrap) UCL					0.0104
402	95% Adjusted Gamma UCL					0.0137						
403	Note: DL/2 is not a recommended method.											
404												
405												
406	Aluminum											
407												
408	General Statistics											
409	Number of Valid Data					38	Number of Detected Data					38
410	Number of Distinct Detected Data					37	Number of Non-Detect Data					0
411	Number of Missing Values					5	Percent Non-Detects					0.00%
412												
413	Raw Statistics						Log-transformed Statistics					
414	Minimum Detected					20.5	Minimum Detected					3.02
415	Maximum Detected					202	Maximum Detected					5.308
416	Mean of Detected					89.99	Mean of Detected					4.326
417	SD of Detected					52.54	SD of Detected					0.616
418	Minimum Non-Detect					N/A	Minimum Non-Detect					N/A
419	Maximum Non-Detect					N/A	Maximum Non-Detect					N/A
420												
421												
422	UCL Statistics											
423	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
424	Shapiro Wilk Test Statistic					0.901	Shapiro Wilk Test Statistic					0.963

	A	B	C	D	E	F	G	H	I	J	K	L
425				5% Shapiro Wilk Critical Value		0.938			5% Shapiro Wilk Critical Value			0.938
426		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
427												
428		Assuming Normal Distribution						Assuming Lognormal Distribution				
429				DL/2 Substitution Method					DL/2 Substitution Method			
430					Mean	89.99				Mean		4.326
431					SD	52.54				SD		0.616
432				95% DL/2 (t) UCL		104.4			95% H-Stat (DL/2) UCL			111.9
433												
434			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
435		MLE method failed to converge properly							Mean in Log Scale			N/A
436									SD in Log Scale			N/A
437									Mean in Original Scale			N/A
438									SD in Original Scale			N/A
439									95% Percentile Bootstrap UCL			N/A
440									95% BCA Bootstrap UCL			N/A
441												
442		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
443				k star (bias corrected)		2.817		Data appear Gamma Distributed at 5% Significance Level				
444					Theta Star	31.94						
445					nu star	214.1						
446												
447				A-D Test Statistic		0.336		Nonparametric Statistics				
448				5% A-D Critical Value		0.754			Kaplan-Meier (KM) Method			
449				K-S Test Statistic		0.754				Mean		89.99
450				5% K-S Critical Value		0.144				SD		51.85
451		Data appear Gamma Distributed at 5% Significance Level							SE of Mean			8.523
452									95% KM (t) UCL			104.4
453		Assuming Gamma Distribution							95% KM (z) UCL			104
454		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			104.4
455					Minimum	20.5			95% KM (bootstrap t) UCL			106.5
456					Maximum	202			95% KM (BCA) UCL			103.4
457					Mean	89.99			95% KM (Percentile Bootstrap) UCL			103.9
458					Median	74.9			95% KM (Chebyshev) UCL			127.1
459					SD	52.54			97.5% KM (Chebyshev) UCL			143.2
460					k star	2.817			99% KM (Chebyshev) UCL			174.8
461					Theta star	31.94						
462					Nu star	214.1		Potential UCLs to Use				
463					AppChi2	181.2			95% KM (BCA) UCL			103.4
464				95% Gamma Approximate UCL		106.3						
465				95% Adjusted Gamma UCL		107.1						
466	Note: DL/2 is not a recommended method.											
467												
468												
469	Anthracene											
470												
471							General Statistics					
472				Number of Valid Data		39			Number of Detected Data			36
473			Number of Distinct Detected Data			31			Number of Non-Detect Data			3
474				Number of Missing Values		4			Percent Non-Detects			7.69%
475												
476		Raw Statistics						Log-transformed Statistics				
477				Minimum Detected		1.1				Minimum Detected		0.0953

	A	B	C	D	E	F	G	H	I	J	K	L
478				Maximum Detected		78				Maximum Detected		4.357
479				Mean of Detected		10.12				Mean of Detected		1.724
480				SD of Detected		16.29				SD of Detected		0.978
481				Minimum Non-Detect		31				Minimum Non-Detect		3.434
482				Maximum Non-Detect		33				Maximum Non-Detect		3.497
483												
484	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		37
485	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		2
486	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		94.87%
487												
488						UCL Statistics						
489		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
490				Shapiro Wilk Test Statistic		0.505				Shapiro Wilk Test Statistic		0.917
491				5% Shapiro Wilk Critical Value		0.935				5% Shapiro Wilk Critical Value		0.935
492		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
493												
494		Assuming Normal Distribution						Assuming Lognormal Distribution				
495				DL/2 Substitution Method						DL/2 Substitution Method		
496					Mean	10.57					Mean	1.805
497					SD	15.72					SD	0.98
498				95% DL/2 (t) UCL		14.81				95% H-Stat (DL/2) UCL		16.42
499												
500				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
501		MLE method failed to converge properly								Mean in Log Scale		1.718
502										SD in Log Scale		0.938
503										Mean in Original Scale		9.74
504										SD in Original Scale		15.69
505										95% Percentile Bootstrap UCL		14.09
506										95% BCA Bootstrap UCL		16.24
507												
508		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
509				k star (bias corrected)		0.917		Data do not follow a Discernable Distribution (0.05)				
510				Theta Star		11.03						
511				nu star		66.04						
512												
513				A-D Test Statistic		2.693		Nonparametric Statistics				
514				5% A-D Critical Value		0.777				Kaplan-Meier (KM) Method		
515				K-S Test Statistic		0.777					Mean	9.842
516				5% K-S Critical Value		0.151					SD	15.55
517		Data not Gamma Distributed at 5% Significance Level								SE of Mean		2.541
518										95% KM (t) UCL		14.13
519		Assuming Gamma Distribution								95% KM (z) UCL		14.02
520		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		14.12
521					Minimum	1.1				95% KM (bootstrap t) UCL		20.27
522					Maximum	78				95% KM (BCA) UCL		14.74
523					Mean	10.11				95% KM (Percentile Bootstrap) UCL		14.43
524					Median	5.6				95% KM (Chebyshev) UCL		20.92
525					SD	15.64				97.5% KM (Chebyshev) UCL		25.71
526					k star	0.989				99% KM (Chebyshev) UCL		35.13
527					Theta star	10.22						
528					Nu star	77.17				Potential UCLs to Use		
529					AppChi2	57.93				95% KM (Chebyshev) UCL		20.92
530				95% Gamma Approximate UCL		13.47						

	A	B	C	D	E	F	G	H	I	J	K	L
531				95% Adjusted Gamma UCL		13.62						
532	Note: DL/2 is not a recommended method.											
533												
534												
535	Antimony											
536												
537						General Statistics						
538				Number of Valid Data		37			Number of Detected Data			16
539			Number of Distinct Detected Data			5			Number of Non-Detect Data			21
540				Number of Missing Values		6			Percent Non-Detects			56.76%
541												
542			Raw Statistics						Log-transformed Statistics			
543				Minimum Detected		0.001			Minimum Detected			-6.908
544				Maximum Detected		0.004			Maximum Detected			-5.521
545				Mean of Detected		0.00192			Mean of Detected			-6.361
546				SD of Detected		0.0009116			SD of Detected			0.48
547				Minimum Non-Detect		0.001			Minimum Non-Detect			-6.908
548				Maximum Non-Detect		0.003			Maximum Non-Detect			-5.809
549												
550	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			34
551	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			3
552	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			91.89%
553												
554						UCL Statistics						
555			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
556			Shapiro Wilk Test Statistic			0.854			Shapiro Wilk Test Statistic			0.842
557			5% Shapiro Wilk Critical Value			0.887			5% Shapiro Wilk Critical Value			0.887
558			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
559												
560			Assuming Normal Distribution						Assuming Lognormal Distribution			
561			DL/2 Substitution Method						DL/2 Substitution Method			
562				Mean		0.00136			Mean			-6.782
563				SD		0.0008427			SD			0.615
564			95% DL/2 (t) UCL			0.00159			95% H-Stat (DL/2) UCL			0.00179
565												
566			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
567				Mean		0.00178			Mean in Log Scale			-6.887
568				SD		0.0008595			SD in Log Scale			0.654
569			95% MLE (t) UCL			0.00202			Mean in Original Scale			0.00126
570			95% MLE (Tiku) UCL			0.00298			SD in Original Scale			0.0008757
571									95% Percentile Bootstrap UCL			0.0015
572									95% BCA Bootstrap UCL			0.00154
573												
574			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
575			k star (bias corrected)			3.998			Data do not follow a Discernable Distribution (0.05)			
576				Theta Star		0.0004807						
577				nu star		127.9						
578												
579				A-D Test Statistic		1.081			Nonparametric Statistics			
580				5% A-D Critical Value		0.741			Kaplan-Meier (KM) Method			
581				K-S Test Statistic		0.741			Mean			0.00145
582				5% K-S Critical Value		0.216			SD			0.0007502
583			Data not Gamma Distributed at 5% Significance Level						SE of Mean			0.000134

	A	B	C	D	E	F	G	H	I	J	K	L
584										95% KM (t) UCL		0.00168
585			Assuming Gamma Distribution							95% KM (z) UCL		0.00167
586			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.00168
587					Minimum	0.0002976				95% KM (bootstrap t) UCL		0.00172
588					Maximum	0.004				95% KM (BCA) UCL		0.00169
589					Mean	0.00188			95% KM (Percentile Bootstrap) UCL			0.00168
590					Median	0.002				95% KM (Chebyshev) UCL		0.00204
591					SD	0.0008162				97.5% KM (Chebyshev) UCL		0.00229
592					k star	4.347				99% KM (Chebyshev) UCL		0.00279
593					Theta star	0.0004326						
594					Nu star	321.7			Potential UCLs to Use			
595					AppChi2	281.1				95% KM (t) UCL		0.00168
596			95% Gamma Approximate UCL			0.00215			95% KM (% Bootstrap) UCL			0.00168
597			95% Adjusted Gamma UCL			0.00216						
598	Note: DL/2 is not a recommended method.											
599												
600												
601	Arsenic											
602												
603					General Statistics							
604			Number of Valid Data			38			Number of Detected Data			38
605			Number of Distinct Detected Data			36			Number of Non-Detect Data			0
606			Number of Missing Values			5			Percent Non-Detects			0.00%
607												
608			Raw Statistics						Log-transformed Statistics			
609			Minimum Detected			0.654			Minimum Detected			-0.425
610			Maximum Detected			1.25			Maximum Detected			0.223
611			Mean of Detected			0.908			Mean of Detected			-0.104
612			SD of Detected			0.113			SD of Detected			0.125
613			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
614			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
615												
616												
617					UCL Statistics							
618		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
619			Shapiro Wilk Test Statistic			0.977			Shapiro Wilk Test Statistic			0.98
620			5% Shapiro Wilk Critical Value			0.938			5% Shapiro Wilk Critical Value			0.938
621		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
622												
623			Assuming Normal Distribution						Assuming Lognormal Distribution			
624			DL/2 Substitution Method						DL/2 Substitution Method			
625					Mean	0.908					Mean	-0.104
626					SD	0.113					SD	0.125
627			95% DL/2 (t) UCL			0.939			95% H-Stat (DL/2) UCL			0.94
628												
629			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
630		MLE method failed to converge properly							Mean in Log Scale			N/A
631									SD in Log Scale			N/A
632									Mean in Original Scale			N/A
633									SD in Original Scale			N/A
634									95% Percentile Bootstrap UCL			N/A
635									95% BCA Bootstrap UCL			N/A
636												

	A	B	C	D	E	F	G	H	I	J	K	L
637	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
638				k star (bias corrected)		61.3	Data appear Normal at 5% Significance Level					
639					Theta Star	0.0148						
640					nu star	4659						
641												
642					A-D Test Statistic	0.328		Nonparametric Statistics				
643					5% A-D Critical Value	0.746		Kaplan-Meier (KM) Method				
644					K-S Test Statistic	0.746					Mean	0.908
645					5% K-S Critical Value	0.143					SD	0.111
646	Data appear Gamma Distributed at 5% Significance Level										SE of Mean	0.0183
647											95% KM (t) UCL	0.939
648			Assuming Gamma Distribution								95% KM (z) UCL	0.938
649			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	0.939
650					Minimum	0.654					95% KM (bootstrap t) UCL	0.941
651					Maximum	1.25					95% KM (BCA) UCL	0.938
652					Mean	0.908			95% KM (Percentile Bootstrap) UCL			0.938
653					Median	0.911					95% KM (Chebyshev) UCL	0.988
654					SD	0.113					97.5% KM (Chebyshev) UCL	1.022
655					k star	61.3					99% KM (Chebyshev) UCL	1.09
656					Theta star	0.0148						
657					Nu star	4659		Potential UCLs to Use				
658					AppChi2	4501					95% KM (t) UCL	0.939
659			95% Gamma Approximate UCL			0.94		95% KM (Percentile Bootstrap) UCL				0.938
660			95% Adjusted Gamma UCL			0.941						
661	Note: DL/2 is not a recommended method.											
662												
663												
664	Benzo(a)anthracene											
665												
666	General Statistics											
667			Number of Valid Data			39			Number of Detected Data			37
668		Number of Distinct Detected Data				33			Number of Non-Detect Data			2
669			Number of Missing Values			4			Percent Non-Detects			5.13%
670												
671			Raw Statistics					Log-transformed Statistics				
672				Minimum Detected		1.9				Minimum Detected		0.642
673				Maximum Detected		670				Maximum Detected		6.507
674				Mean of Detected		66.03				Mean of Detected		3.149
675				SD of Detected		146				SD of Detected		1.33
676				Minimum Non-Detect		32				Minimum Non-Detect		3.466
677				Maximum Non-Detect		33				Maximum Non-Detect		3.497
678												
679	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			24
680	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			15
681	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			61.54%
682												
683	UCL Statistics											
684	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
685			Shapiro Wilk Test Statistic			0.425			Shapiro Wilk Test Statistic			0.966
686			5% Shapiro Wilk Critical Value			0.936			5% Shapiro Wilk Critical Value			0.936
687	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
688												
689	Assuming Normal Distribution						Assuming Lognormal Distribution					

	A	B	C	D	E	F	G	H	I	J	K	L
690				DL/2 Substitution Method						DL/2 Substitution Method		
691					Mean	63.47					Mean	3.131
692					SD	142.6					SD	1.297
693				95% DL/2 (t) UCL		102				95% H-Stat (DL/2) UCL		94.9
694												
695			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
696			**MLE yields a negative mean**							Mean in Log Scale		3.111
697										SD in Log Scale		1.305
698										Mean in Original Scale		63.21
699										SD in Original Scale		142.7
700										95% Percentile Bootstrap UCL		105.2
701										95% BCA Bootstrap UCL		121.7
702												
703		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
704				k star (bias corrected)		0.564		**Data appear Lognormal at 5% Significance Level**				
705					Theta Star	117						
706					nu star	41.75						
707												
708				A-D Test Statistic		2.316			**Nonparametric Statistics**			
709				5% A-D Critical Value		0.803				Kaplan-Meier (KM) Method		
710				K-S Test Statistic		0.803					Mean	63.28
711				5% K-S Critical Value		0.152					SD	140.8
712		**Data not Gamma Distributed at 5% Significance Level**								SE of Mean		22.86
713										95% KM (t) UCL		101.8
714		**Assuming Gamma Distribution**								95% KM (z) UCL		100.9
715		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		101.8
716					Minimum	1E-09				95% KM (bootstrap t) UCL		217.8
717					Maximum	670				95% KM (BCA) UCL		105.8
718					Mean	62.64			95% KM (Percentile Bootstrap) UCL			105.1
719					Median	18				95% KM (Chebyshev) UCL		162.9
720					SD	142.9				97.5% KM (Chebyshev) UCL		206
721					k star	0.303				99% KM (Chebyshev) UCL		290.7
722					Theta star	206.6						
723					Nu star	23.65			**Potential UCLs to Use**			
724					AppChi2	13.59			97.5% KM (Chebyshev) UCL			206
725			95% Gamma Approximate UCL			109.1						
726			95% Adjusted Gamma UCL			111.5						
727	Note: DL/2 is not a recommended method.											
728												
729												
730	Benzo(a)pyrene											
731												
732						General Statistics						
733			Number of Valid Data			39				Number of Detected Data		34
734			Number of Distinct Detected Data			31				Number of Non-Detect Data		5
735			Number of Missing Values			4				Percent Non-Detects		12.82%
736												
737			**Raw Statistics**						**Log-transformed Statistics**			
738			Minimum Detected			0.78				Minimum Detected		-0.248
739			Maximum Detected			490				Maximum Detected		6.194
740			Mean of Detected			35.81				Mean of Detected		1.817
741			SD of Detected			112.1				SD of Detected		1.487
742			Minimum Non-Detect			0.17				Minimum Non-Detect		-1.772

	A	B	C	D	E	F	G	H	I	J	K	L
743				Maximum Non-Detect		34				Maximum Non-Detect		3.526
744												
745	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		35
746	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		4
747	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		89.74%
748												
749					UCL Statistics							
750			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
751				Shapiro Wilk Test Statistic		0.324				Shapiro Wilk Test Statistic		0.871
752				5% Shapiro Wilk Critical Value		0.933				5% Shapiro Wilk Critical Value		0.933
753			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
754												
755			Assuming Normal Distribution						Assuming Lognormal Distribution			
756				DL/2 Substitution Method						DL/2 Substitution Method		
757				Mean		32.49				Mean		1.673
758				SD		104.9				SD		1.715
759				95% DL/2 (t) UCL		60.81				95% H-Stat (DL/2) UCL		42.27
760												
761				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
762			MLE yields a negative mean							Mean in Log Scale		1.613
763										SD in Log Scale		1.575
764										Mean in Original Scale		31.54
765										SD in Original Scale		105.1
766										95% Percentile Bootstrap UCL		58.75
767										95% BCA Bootstrap UCL		71.31
768												
769			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
770				k star (bias corrected)		0.364			Data do not follow a Discernable Distribution (0.05)			
771				Theta Star		98.5						
772				nu star		24.72						
773												
774				A-D Test Statistic		5.026			Nonparametric Statistics			
775				5% A-D Critical Value		0.839				Kaplan-Meier (KM) Method		
776				K-S Test Statistic		0.839				Mean		31.66
777				5% K-S Critical Value		0.162				SD		103.7
778			Data not Gamma Distributed at 5% Significance Level							SE of Mean		16.86
779										95% KM (t) UCL		60.09
780			Assuming Gamma Distribution							95% KM (z) UCL		59.39
781			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		60.03
782				Minimum		0.78				95% KM (bootstrap t) UCL		295.6
783				Maximum		490				95% KM (BCA) UCL		59.29
784				Mean		35.9				95% KM (Percentile Bootstrap) UCL		58.95
785				Median		5.5				95% KM (Chebyshev) UCL		105.1
786				SD		104.5				97.5% KM (Chebyshev) UCL		136.9
787				k star		0.409				99% KM (Chebyshev) UCL		199.4
788				Theta star		87.78						
789				Nu star		31.9			Potential UCLs to Use			
790				AppChi2		19.99				97.5% KM (Chebyshev) UCL		136.9
791			95% Gamma Approximate UCL			57.28						
792			95% Adjusted Gamma UCL			58.37						
793	Note: DL/2 is not a recommended method.											
794												
795												

Benzo(b)fluoranthene

Number of Valid Data	39	Number of Detected Data	34
Number of Distinct Detected Data	28	Number of Non-Detect Data	5
Number of Missing Values	4	Percent Non-Detects	12.82%

Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.955	Minimum Detected	-0.046
Maximum Detected	460	Maximum Detected	6.131
Mean of Detected	37.34	Mean of Detected	2.131
SD of Detected	104.5	SD of Detected	1.459
Minimum Non-Detect	0.43	Minimum Non-Detect	-0.844
Maximum Non-Detect	33	Maximum Non-Detect	3.497

Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	34
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	5
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	87.18%

UCL Statistics

Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.357	Shapiro Wilk Test Statistic	0.914
5% Shapiro Wilk Critical Value	0.933	5% Shapiro Wilk Critical Value	0.933
Data not Normal at 5% Significance Level		**Data not Lognormal at 5% Significance Level**	

Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	33.8	Mean	2
SD	97.87	SD	1.586
95% DL/2 (t) UCL	60.22	95% H-Stat (DL/2) UCL	43.82
Maximum Likelihood Estimate(MLE) Method	N/A	Log ROS Method	
MLE yields a negative mean		Mean in Log Scale	1.924
		SD in Log Scale	1.55
		Mean in Original Scale	32.97
		SD in Original Scale	98.07
		95% Percentile Bootstrap UCL	64.58
		95% BCA Bootstrap UCL	69.83

Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	0.417	**Data do not follow a Discernable Distribution (0.05)**	
Theta Star	89.54		
nu star	28.36		
A-D Test Statistic	3.721	**Nonparametric Statistics**	
5% A-D Critical Value	0.826	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.826	Mean	33.18
5% K-S Critical Value	0.161	SD	96.77
Data not Gamma Distributed at 5% Significance Level		SE of Mean	15.73
		95% KM (t) UCL	59.7
Assuming Gamma Distribution		95% KM (z) UCL	59.06
Gamma ROS Statistics using Extrapolated Data		95% KM (jackknife) UCL	59.63
Minimum	0.955	95% KM (bootstrap t) UCL	196.4

	A	B	C	D	E	F	G	H	I	J	K	L
849					Maximum	460				95% KM (BCA) UCL		63.86
850					Mean	37.28			95% KM (Percentile Bootstrap) UCL			59.24
851					Median	8.8				95% KM (Chebyshev) UCL		101.8
852					SD	97.39				97.5% KM (Chebyshev) UCL		131.4
853					k star	0.47				99% KM (Chebyshev) UCL		189.7
854					Theta star	79.32						
855					Nu star	36.66			**Potential UCLs to Use**			
856					AppChi2	23.8				97.5% KM (Chebyshev) UCL		131.4
857			95% Gamma Approximate UCL			57.43						
858			95% Adjusted Gamma UCL			58.43						
859	Note: DL/2 is not a recommended method.											
860												
861												
862	Benzo(e)pyrene											
863												
864					General Statistics							
865			Number of Valid Data			7			Number of Detected Data			7
866			Number of Distinct Detected Data			7			Number of Non-Detect Data			0
867			Number of Missing Values			36			Percent Non-Detects			0.00%
868												
869			**Raw Statistics**						**Log-transformed Statistics**			
870			Minimum Detected			1.2			Minimum Detected			0.182
871			Maximum Detected			11			Maximum Detected			2.398
872			Mean of Detected			5.029			Mean of Detected			1.318
873			SD of Detected			3.825			SD of Detected			0.878
874			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
875			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
876												
877												
878					Warning: There are only 7 Detected Values in this data							
879					Note: It should be noted that even though bootstrap may be performed on this data set							
880					the resulting calculations may not be reliable enough tp draw conclusions							
881												
882			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.										
883												
884												
885					UCL Statistics							
886		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
887			Shapiro Wilk Test Statistic			0.898			Shapiro Wilk Test Statistic			0.92
888			5% Shapiro Wilk Critical Value			0.803			5% Shapiro Wilk Critical Value			0.803
889		**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
890												
891		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
892			DL/2 Substitution Method						DL/2 Substitution Method			
893			Mean			5.029			Mean			1.318
894			SD			3.825			SD			0.878
895			95% DL/2 (t) UCL			7.838			95% H-Stat (DL/2) UCL			18.33
896												
897		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
898		**MLE method failed to converge properly**							Mean in Log Scale			N/A
899									SD in Log Scale			N/A
900									Mean in Original Scale			N/A
901									SD in Original Scale			N/A

	A	B	C	D	E	F	G	H	I	J	K	L
902										95% Percentile Bootstrap UCL		N/A
903										95% BCA Bootstrap UCL		N/A
904												
905		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
906				k star (bias corrected)		1.142		Data appear Normal at 5% Significance Level				
907				Theta Star		4.402						
908				nu star		15.99						
909												
910				A-D Test Statistic		0.291		Nonparametric Statistics				
911				5% A-D Critical Value		0.717		Kaplan-Meier (KM) Method				
912				K-S Test Statistic		0.717				Mean		5.029
913				5% K-S Critical Value		0.316				SD		3.541
914		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		1.446
915										95% KM (t) UCL		7.838
916		Assuming Gamma Distribution								95% KM (z) UCL		7.407
917		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		7.838
918				Minimum		1.2				95% KM (bootstrap t) UCL		9.77
919				Maximum		11				95% KM (BCA) UCL		7.214
920				Mean		5.029				95% KM (Percentile Bootstrap) UCL		7.271
921				Median		3.5				95% KM (Chebyshev) UCL		11.33
922				SD		3.825				97.5% KM (Chebyshev) UCL		14.06
923				k star		1.142				99% KM (Chebyshev) UCL		19.41
924				Theta star		4.402						
925				Nu star		15.99		Potential UCLs to Use				
926				AppChi2		7.957				95% KM (t) UCL		7.838
927		95% Gamma Approximate UCL				10.11				95% KM (Percentile Bootstrap) UCL		7.271
928		95% Adjusted Gamma UCL				12.72						
929	Note: DL/2 is not a recommended method.											
930												
931												
932	Benzo(g,h,i)perylene											
933												
934							General Statistics					
935				Number of Valid Data		39				Number of Detected Data		34
936			Number of Distinct Detected Data			31				Number of Non-Detect Data		5
937				Number of Missing Values		4				Percent Non-Detects		12.82%
938												
939		Raw Statistics						Log-transformed Statistics				
940				Minimum Detected		0.485				Minimum Detected		-0.724
941				Maximum Detected		230				Maximum Detected		5.438
942				Mean of Detected		17.22				Mean of Detected		1.164
943				SD of Detected		54.19				SD of Detected		1.419
944				Minimum Non-Detect		0.43				Minimum Non-Detect		-0.844
945				Maximum Non-Detect		160				Maximum Non-Detect		5.075
946												
947	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			37
948	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
949	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			94.87%
950												
951							UCL Statistics					
952		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
953				Shapiro Wilk Test Statistic		0.314				Shapiro Wilk Test Statistic		0.852
954				5% Shapiro Wilk Critical Value		0.933				5% Shapiro Wilk Critical Value		0.933

	A	B	C	D	E	F	G	H	I	J	K	L
955	Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level				
956												
957	Assuming Normal Distribution							Assuming Lognormal Distribution				
958	DL/2 Substitution Method							DL/2 Substitution Method				
959	Mean					18.54		Mean				1.216
960	SD					51.78		SD				1.624
961	95% DL/2 (t) UCL					32.52		95% H-Stat (DL/2) UCL				26.34
962												
963	Maximum Likelihood Estimate(MLE) Method					N/A		Log ROS Method				
964	MLE method failed to converge properly							Mean in Log Scale				0.98
965								SD in Log Scale				1.498
966								Mean in Original Scale				15.2
967								SD in Original Scale				50.78
968								95% Percentile Bootstrap UCL				31.36
969								95% BCA Bootstrap UCL				38.26
970												
971	Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only				
972	k star (bias corrected)					0.377		Data do not follow a Discernable Distribution (0.05)				
973	Theta Star					45.63						
974	nu star					25.66						
975												
976	A-D Test Statistic					5.265		Nonparametric Statistics				
977	5% A-D Critical Value					0.835		Kaplan-Meier (KM) Method				
978	K-S Test Statistic					0.835		Mean				15.32
979	5% K-S Critical Value					0.162		SD				50.11
980	Data not Gamma Distributed at 5% Significance Level							SE of Mean				8.148
981								95% KM (t) UCL				29.06
982	Assuming Gamma Distribution							95% KM (z) UCL				28.72
983	Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL				29.02
984	Minimum					1E-09		95% KM (bootstrap t) UCL				151.2
985	Maximum					230		95% KM (BCA) UCL				27.49
986	Mean					15.34		95% KM (Percentile Bootstrap) UCL				28.28
987	Median					3.1		95% KM (Chebyshev) UCL				50.84
988	SD					50.75		97.5% KM (Chebyshev) UCL				66.21
989	k star					0.261		99% KM (Chebyshev) UCL				96.39
990	Theta star					58.82						
991	Nu star					20.35		Potential UCLs to Use				
992	AppChi2					11.11		97.5% KM (Chebyshev) UCL				66.21
993	95% Gamma Approximate UCL					28.11						
994	95% Adjusted Gamma UCL					28.81						
995	Note: DL/2 is not a recommended method.											
996												
997												
998	Benzo(k)fluoranthene											
999												
1000	General Statistics											
1001	Number of Valid Data					39		Number of Detected Data				32
1002	Number of Distinct Detected Data					28		Number of Non-Detect Data				7
1003	Number of Missing Values					4		Percent Non-Detects				17.95%
1004												
1005	Raw Statistics							Log-transformed Statistics				
1006	Minimum Detected					0.47		Minimum Detected				-0.755
1007	Maximum Detected					310		Maximum Detected				5.737

	A	B	C	D	E	F	G	H	I	J	K	L
1008					Mean of Detected	25.05				Mean of Detected		1.609
1009					SD of Detected	71.49				SD of Detected		1.52
1010					Minimum Non-Detect	0.23				Minimum Non-Detect		-1.47
1011					Maximum Non-Detect	33				Maximum Non-Detect		3.497
1012												
1013	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		36
1014	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		3
1015	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		92.31%
1016												
1017							UCL Statistics					
1018			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1019					Shapiro Wilk Test Statistic	0.357				Shapiro Wilk Test Statistic		0.917
1020					5% Shapiro Wilk Critical Value	0.93				5% Shapiro Wilk Critical Value		0.93
1021			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
1022												
1023			Assuming Normal Distribution						Assuming Lognormal Distribution			
1024					DL/2 Substitution Method					DL/2 Substitution Method		
1025					Mean	21.8				Mean		1.36
1026					SD	65.04				SD		1.759
1027					95% DL/2 (t) UCL	39.36				95% H-Stat (DL/2) UCL		36.63
1028												
1029					Maximum Likelihood Estimate(MLE) Method	N/A				Log ROS Method		
1030			MLE yields a negative mean							Mean in Log Scale		1.231
1031										SD in Log Scale		1.698
1032										Mean in Original Scale		20.79
1033										SD in Original Scale		65.23
1034										95% Percentile Bootstrap UCL		38.09
1035										95% BCA Bootstrap UCL		45.6
1036												
1037			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1038					k star (bias corrected)	0.39			Data do not follow a Discernable Distribution (0.05)			
1039					Theta Star	64.26						
1040					nu star	24.94						
1041												
1042					A-D Test Statistic	3.708			Nonparametric Statistics			
1043					5% A-D Critical Value	0.831				Kaplan-Meier (KM) Method		
1044					K-S Test Statistic	0.831				Mean		21
1045					5% K-S Critical Value	0.166				SD		64.35
1046			Data not Gamma Distributed at 5% Significance Level							SE of Mean		10.47
1047										95% KM (t) UCL		38.65
1048			Assuming Gamma Distribution							95% KM (z) UCL		38.22
1049			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		38.58
1050					Minimum	1E-09				95% KM (bootstrap t) UCL		150.7
1051					Maximum	310				95% KM (BCA) UCL		38.25
1052					Mean	21.3				95% KM (Percentile Bootstrap) UCL		37.75
1053					Median	3.5				95% KM (Chebyshev) UCL		66.65
1054					SD	65.11				97.5% KM (Chebyshev) UCL		86.4
1055					k star	0.201				99% KM (Chebyshev) UCL		125.2
1056					Theta star	105.8						
1057					Nu star	15.7			Potential UCLs to Use			
1058					AppChi2	7.752				99% KM (Chebyshev) UCL		125.2
1059			95% Gamma Approximate UCL			43.14						
1060			95% Adjusted Gamma UCL			44.41						

Note: DL/2 is not a recommended method.

Benzoic acid

General Statistics

Number of Valid Data	7	Number of Detected Data	7
Number of Distinct Detected Data	7	Number of Non-Detect Data	0
Number of Missing Values	36	Percent Non-Detects	0.00%

Raw Statistics		Log-transformed Statistics	
Minimum Detected	1900	Minimum Detected	7.55
Maximum Detected	5900	Maximum Detected	8.683
Mean of Detected	3800	Mean of Detected	8.184
SD of Detected	1328	SD of Detected	0.382
Minimum Non-Detect	N/A	Minimum Non-Detect	N/A
Maximum Non-Detect	N/A	Maximum Non-Detect	N/A

Warning: There are only 7 Detected Values in this data

Note: It should be noted that even though bootstrap may be performed on this data set

the resulting calculations may not be reliable enough tp draw conclusions

It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.

UCL Statistics

Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.969	Shapiro Wilk Test Statistic	0.944
5% Shapiro Wilk Critical Value	0.803	5% Shapiro Wilk Critical Value	0.803
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	3800	Mean	8.184
SD	1328	SD	0.382
95% DL/2 (t) UCL	4775	95% H-Stat (DL/2) UCL	5502
Maximum Likelihood Estimate(MLE) Method	N/A	Log ROS Method	
MLE method failed to converge properly		Mean in Log Scale	N/A
		SD in Log Scale	N/A
		Mean in Original Scale	N/A
		SD in Original Scale	N/A
		95% Percentile Bootstrap UCL	N/A
		95% BCA Bootstrap UCL	N/A

Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	5.082	Data appear Normal at 5% Significance Level	
Theta Star	747.8		
nu star	71.14		
A-D Test Statistic	0.277	Nonparametric Statistics	
5% A-D Critical Value	0.709	Kaplan-Meier (KM) Method	

	A	B	C	D	E	F	G	H	I	J	K	L
1114					K-S Test Statistic	0.709					Mean	3800
1115					5% K-S Critical Value	0.312					SD	1229
1116	Data appear Gamma Distributed at 5% Significance Level										SE of Mean	501.9
1117											95% KM (t) UCL	4775
1118		Assuming Gamma Distribution									95% KM (z) UCL	4626
1119		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	4775
1120					Minimum	1900					95% KM (bootstrap t) UCL	4800
1121					Maximum	5900					95% KM (BCA) UCL	4529
1122					Mean	3800					95% KM (Percentile Bootstrap) UCL	4600
1123					Median	3900					95% KM (Chebyshev) UCL	5988
1124					SD	1328					97.5% KM (Chebyshev) UCL	6934
1125					k star	5.082					99% KM (Chebyshev) UCL	8794
1126					Theta star	747.8						
1127					Nu star	71.14				Potential UCLs to Use		
1128					AppChi2	52.72					95% KM (t) UCL	4775
1129			95% Gamma Approximate UCL			5128				95% KM (Percentile Bootstrap) UCL		4600
1130			95% Adjusted Gamma UCL			5636						
1131	Note: DL/2 is not a recommended method.											
1132												
1133												
1134	Benzyl alcohol											
1135												
1136							General Statistics					
1137			Number of Valid Data			38				Number of Detected Data		29
1138			Number of Distinct Detected Data			21				Number of Non-Detect Data		9
1139			Number of Missing Values			5				Percent Non-Detects		23.68%
1140												
1141			Raw Statistics						Log-transformed Statistics			
1142			Minimum Detected			8.6				Minimum Detected		2.152
1143			Maximum Detected			1300				Maximum Detected		7.17
1144			Mean of Detected			72.37				Mean of Detected		3.134
1145			SD of Detected			238.1				SD of Detected		1.086
1146			Minimum Non-Detect			6.7				Minimum Non-Detect		1.902
1147			Maximum Non-Detect			330				Maximum Non-Detect		5.799
1148												
1149	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		37
1150	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		1
1151	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		97.37%
1152												
1153							UCL Statistics					
1154		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1155			Shapiro Wilk Test Statistic			0.27				Shapiro Wilk Test Statistic		0.774
1156			5% Shapiro Wilk Critical Value			0.926				5% Shapiro Wilk Critical Value		0.926
1157		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
1158												
1159		Assuming Normal Distribution						Assuming Lognormal Distribution				
1160			DL/2 Substitution Method							DL/2 Substitution Method		
1161					Mean	65.37					Mean	3.058
1162					SD	209.8					SD	1.141
1163			95% DL/2 (t) UCL			122.8				95% H-Stat (DL/2) UCL		74.67
1164												
1165			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1166		MLE method failed to converge properly								Mean in Log Scale		2.949

	A	B	C	D	E	F	G	H	I	J	K	L
1167										SD in Log Scale		1.063
1168										Mean in Original Scale		58.25
1169										SD in Original Scale		208.7
1170										95% Percentile Bootstrap UCL		123.6
1171										95% BCA Bootstrap UCL		190
1172												
1173		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1174				k star (bias corrected)		0.513		Data do not follow a Discernable Distribution (0.05)				
1175					Theta Star	141.2						
1176					nu star	29.73						
1177												
1178					A-D Test Statistic	4.703		Nonparametric Statistics				
1179				5% A-D Critical Value		0.806		Kaplan-Meier (KM) Method				
1180					K-S Test Statistic	0.806				Mean		58.72
1181				5% K-S Critical Value		0.172				SD		205.9
1182		Data not Gamma Distributed at 5% Significance Level								SE of Mean		34.02
1183										95% KM (t) UCL		116.1
1184		Assuming Gamma Distribution								95% KM (z) UCL		114.7
1185		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		115.9
1186					Minimum	1E-09				95% KM (bootstrap t) UCL		442.5
1187					Maximum	1300				95% KM (BCA) UCL		127.2
1188					Mean	66.09			95% KM (Percentile Bootstrap) UCL			124.7
1189					Median	17.34				95% KM (Chebyshev) UCL		207
1190					SD	208.9				97.5% KM (Chebyshev) UCL		271.2
1191					k star	0.214				99% KM (Chebyshev) UCL		397.2
1192					Theta star	309.5						
1193					Nu star	16.23		Potential UCLs to Use				
1194					AppChi2	8.123				97.5% KM (Chebyshev) UCL		271.2
1195			95% Gamma Approximate UCL			132						
1196			95% Adjusted Gamma UCL			136						
1197	Note: DL/2 is not a recommended method.											
1198												
1199												
1200	Bis(2-ethylhexyl) phthalate											
1201												
1202						General Statistics						
1203				Number of Valid Data		36			Number of Detected Data			6
1204			Number of Distinct Detected Data			6			Number of Non-Detect Data			30
1205				Number of Missing Values		7			Percent Non-Detects			83.33%
1206												
1207		Raw Statistics						Log-transformed Statistics				
1208				Minimum Detected		77			Minimum Detected			4.344
1209				Maximum Detected		150			Maximum Detected			5.011
1210				Mean of Detected		111.8			Mean of Detected			4.687
1211				SD of Detected		29.71			SD of Detected			0.27
1212				Minimum Non-Detect		53			Minimum Non-Detect			3.97
1213				Maximum Non-Detect		140			Maximum Non-Detect			4.942
1214												
1215	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				34
1216	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				2
1217	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				94.44%
1218												
1219					Warning: There are only 6 Detected Values in this data							

	A	B	C	D	E	F	G	H	I	J	K	L
1220	Note: It should be noted that even though bootstrap may be performed on this data set											
1221	the resulting calculations may not be reliable enough tp draw conclusions											
1222												
1223	It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.											
1224												
1225												
1226	UCL Statistics											
1227	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
1228	Shapiro Wilk Test Statistic					0.934	Shapiro Wilk Test Statistic					0.938
1229	5% Shapiro Wilk Critical Value					0.788	5% Shapiro Wilk Critical Value					0.788
1230	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
1231												
1232	Assuming Normal Distribution						Assuming Lognormal Distribution					
1233	DL/2 Substitution Method						DL/2 Substitution Method					
1234	Mean					48.19	Mean					3.703
1235	SD					33.46	SD					0.553
1236	95% DL/2 (t) UCL					57.62	95% H-Stat (DL/2) UCL					51.36
1237												
1238	Maximum Likelihood Estimate(MLE) Method					N/A	Log ROS Method					
1239	MLE method failed to converge properly						Mean in Log Scale					3.828
1240							SD in Log Scale					0.532
1241							Mean in Original Scale					53.14
1242							SD in Original Scale					31.91
1243							95% Percentile Bootstrap UCL					62
1244							95% BCA Bootstrap UCL					63.5
1245												
1246	Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only					
1247	k star (bias corrected)					8.494	Data appear Normal at 5% Significance Level					
1248	Theta Star					13.17						
1249	nu star					101.9						
1250												
1251	A-D Test Statistic					0.274	Nonparametric Statistics					
1252	5% A-D Critical Value					0.697	Kaplan-Meier (KM) Method					
1253	K-S Test Statistic					0.697	Mean					83.11
1254	5% K-S Critical Value					0.332	SD					17.15
1255	Data appear Gamma Distributed at 5% Significance Level						SE of Mean					3.17
1256							95% KM (t) UCL					88.46
1257	Assuming Gamma Distribution						95% KM (z) UCL					88.32
1258	Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL					88.95
1259	Minimum					66.71	95% KM (bootstrap t) UCL					88.38
1260	Maximum					211.4	95% KM (BCA) UCL					121.9
1261	Mean					155.1	95% KM (Percentile Bootstrap) UCL					106.7
1262	Median					166.5	95% KM (Chebyshev) UCL					96.92
1263	SD					40.03	97.5% KM (Chebyshev) UCL					102.9
1264	k star					11.9	99% KM (Chebyshev) UCL					114.6
1265	Theta star					13.03						
1266	Nu star					856.6	Potential UCLs to Use					
1267	AppChi2					789.7	95% KM (t) UCL					88.46
1268	95% Gamma Approximate UCL					168.2	95% KM (Percentile Bootstrap) UCL					106.7
1269	95% Adjusted Gamma UCL					168.8						
1270	Note: DL/2 is not a recommended method.											
1271												
1272												

Butyltin ion

General Statistics

Number of Valid Data	34		Number of Detected Data		23
Number of Distinct Detected Data	20		Number of Non-Detect Data		11
Number of Missing Values	9		Percent Non-Detects		32.35%

Raw Statistics			Log-transformed Statistics		
Minimum Detected	1		Minimum Detected		0
Maximum Detected	97		Maximum Detected		4.575
Mean of Detected	7.337		Mean of Detected		1.178
SD of Detected	19.64		SD of Detected		0.928
Minimum Non-Detect	0.061		Minimum Non-Detect		-2.797
Maximum Non-Detect	1.3		Maximum Non-Detect		0.262

Note: Data have multiple DLs - Use of KM Method is recommended	Number treated as Non-Detect	12
For all methods (except KM, DL/2, and ROS Methods),	Number treated as Detected	22
Observations < Largest ND are treated as NDs	Single DL Non-Detect Percentage	35.29%

UCL Statistics

Normal Distribution Test with Detected Values Only			Lognormal Distribution Test with Detected Values Only		
Shapiro Wilk Test Statistic	0.292		Shapiro Wilk Test Statistic		0.805
5% Shapiro Wilk Critical Value	0.914		5% Shapiro Wilk Critical Value		0.914
Data not Normal at 5% Significance Level			**Data not Lognormal at 5% Significance Level**		

Assuming Normal Distribution			Assuming Lognormal Distribution		
DL/2 Substitution Method			DL/2 Substitution Method		
Mean	5.092		Mean		0.371
SD	16.37		SD		1.545
95% DL/2 (t) UCL	9.844		95% H-Stat (DL/2) UCL		6.695

Maximum Likelihood Estimate(MLE) Method	N/A		Log ROS Method		
MLE yields a negative mean			Mean in Log Scale		0.532
			SD in Log Scale		1.221
			Mean in Original Scale		5.109
			SD in Original Scale		16.37
			95% Percentile Bootstrap UCL		10.59
			95% BCA Bootstrap UCL		13.54

Gamma Distribution Test with Detected Values Only			Data Distribution Test with Detected Values Only		
k star (bias corrected)	0.67		**Data do not follow a Discernable Distribution (0.05)**		
Theta Star	10.96				
nu star	30.8				

A-D Test Statistic	3.441		Nonparametric Statistics		
5% A-D Critical Value	0.783		Kaplan-Meier (KM) Method		
K-S Test Statistic	0.783		Mean		5.287
5% K-S Critical Value	0.189		SD		16.07
Data not Gamma Distributed at 5% Significance Level			SE of Mean		2.819
			95% KM (t) UCL		10.06
Assuming Gamma Distribution			95% KM (z) UCL		9.923
Gamma ROS Statistics using Extrapolated Data			95% KM (jackknife) UCL		9.936
Minimum	1E-09		95% KM (bootstrap t) UCL		37.76

	A	B	C	D	E	F	G	H	I	J	K	L
1326					Maximum	97				95% KM (BCA) UCL		11.07
1327					Mean	5.04			95% KM (Percentile Bootstrap) UCL			10.82
1328					Median	2.05				95% KM (Chebyshev) UCL		17.57
1329					SD	16.39				97.5% KM (Chebyshev) UCL		22.89
1330					k star	0.125				99% KM (Chebyshev) UCL		33.33
1331					Theta star	40.29						
1332					Nu star	8.507			Potential UCLs to Use			
1333					AppChi2	3.032				95% KM (BCA) UCL		11.07
1334			95% Gamma Approximate UCL			14.14						
1335			95% Adjusted Gamma UCL			14.93						
1336	Note: DL/2 is not a recommended method.											
1337												
1338												
1339	Cadmium											
1340												
1341					General Statistics							
1342			Number of Valid Data			38				Number of Detected Data		38
1343			Number of Distinct Detected Data			36				Number of Non-Detect Data		0
1344			Number of Missing Values			5				Percent Non-Detects		0.00%
1345												
1346			Raw Statistics						Log-transformed Statistics			
1347			Minimum Detected			0.04				Minimum Detected		-3.219
1348			Maximum Detected			0.218				Maximum Detected		-1.523
1349			Mean of Detected			0.0877				Mean of Detected		-2.504
1350			SD of Detected			0.0369				SD of Detected		0.365
1351			Minimum Non-Detect			N/A				Minimum Non-Detect		N/A
1352			Maximum Non-Detect			N/A				Maximum Non-Detect		N/A
1353												
1354												
1355					UCL Statistics							
1356		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1357			Shapiro Wilk Test Statistic			0.845				Shapiro Wilk Test Statistic		0.958
1358			5% Shapiro Wilk Critical Value			0.938				5% Shapiro Wilk Critical Value		0.938
1359		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1360												
1361		Assuming Normal Distribution						Assuming Lognormal Distribution				
1362			DL/2 Substitution Method						DL/2 Substitution Method			
1363					Mean	0.0877				Mean		-2.504
1364					SD	0.0369				SD		0.365
1365			95% DL/2 (t) UCL			0.0978				95% H-Stat (DL/2) UCL		0.0975
1366												
1367			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1368		MLE method failed to converge properly							Mean in Log Scale			N/A
1369									SD in Log Scale			N/A
1370									Mean in Original Scale			N/A
1371									SD in Original Scale			N/A
1372									95% Percentile Bootstrap UCL			N/A
1373									95% BCA Bootstrap UCL			N/A
1374												
1375		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1376			k star (bias corrected)			6.735			Data appear Lognormal at 5% Significance Level			
1377					Theta Star	0.013						
1378					nu star	511.8						

	A	B	C	D	E	F	G	H	I	J	K	L
1379												
1380				A-D Test Statistic		1.044			Nonparametric Statistics			
1381				5% A-D Critical Value		0.75			Kaplan-Meier (KM) Method			
1382				K-S Test Statistic		0.75					Mean	0.0877
1383				5% K-S Critical Value		0.143					SD	0.0364
1384		Data not Gamma Distributed at 5% Significance Level									SE of Mean	0.00599
1385											95% KM (t) UCL	0.0978
1386		Assuming Gamma Distribution									95% KM (z) UCL	0.0976
1387		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.0978
1388					Minimum	0.04					95% KM (bootstrap t) UCL	0.101
1389					Maximum	0.218					95% KM (BCA) UCL	0.0987
1390					Mean	0.0877			95% KM (Percentile Bootstrap) UCL			0.0978
1391					Median	0.0761					95% KM (Chebyshev) UCL	0.114
1392					SD	0.0369					97.5% KM (Chebyshev) UCL	0.125
1393					k star	6.735					99% KM (Chebyshev) UCL	0.147
1394					Theta star	0.013						
1395					Nu star	511.8			Potential UCLs to Use			
1396					AppChi2	460.4					95% KM (Chebyshev) UCL	0.114
1397			95% Gamma Approximate UCL			0.0975						
1398			95% Adjusted Gamma UCL			0.098						
1399	Note: DL/2 is not a recommended method.											
1400												
1401												
1402	Chromium											
1403												
1404					General Statistics							
1405			Number of Valid Data			38			Number of Detected Data			38
1406			Number of Distinct Detected Data			25			Number of Non-Detect Data			0
1407			Number of Missing Values			5			Percent Non-Detects			0.00%
1408												
1409			Raw Statistics						Log-transformed Statistics			
1410			Minimum Detected			0.4			Minimum Detected			-0.916
1411			Maximum Detected			1.05			Maximum Detected			0.0488
1412			Mean of Detected			0.619			Mean of Detected			-0.514
1413			SD of Detected			0.164			SD of Detected			0.263
1414			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
1415			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
1416												
1417												
1418					UCL Statistics							
1419		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1420			Shapiro Wilk Test Statistic			0.934			Shapiro Wilk Test Statistic			0.943
1421			5% Shapiro Wilk Critical Value			0.938			5% Shapiro Wilk Critical Value			0.938
1422		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1423												
1424		Assuming Normal Distribution						Assuming Lognormal Distribution				
1425			DL/2 Substitution Method						DL/2 Substitution Method			
1426					Mean	0.619					Mean	-0.514
1427					SD	0.164					SD	0.263
1428			95% DL/2 (t) UCL			0.663			95% H-Stat (DL/2) UCL			0.668
1429												
1430		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
1431		MLE method failed to converge properly							Mean in Log Scale			N/A

	A	B	C	D	E	F	G	H	I	J	K	L
1432										SD in Log Scale		N/A
1433										Mean in Original Scale		N/A
1434										SD in Original Scale		N/A
1435										95% Percentile Bootstrap UCL		N/A
1436										95% BCA Bootstrap UCL		N/A
1437												
1438		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1439				k star (bias corrected)		13.9		Data appear Gamma Distributed at 5% Significance Level				
1440				Theta Star		0.0445						
1441				nu star		1057						
1442												
1443				A-D Test Statistic		0.571		Nonparametric Statistics				
1444				5% A-D Critical Value		0.747		Kaplan-Meier (KM) Method				
1445				K-S Test Statistic		0.747				Mean		0.619
1446				5% K-S Critical Value		0.143				SD		0.162
1447		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.0266
1448										95% KM (t) UCL		0.663
1449		Assuming Gamma Distribution								95% KM (z) UCL		0.662
1450		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.663
1451				Minimum		0.4				95% KM (bootstrap t) UCL		0.667
1452				Maximum		1.05				95% KM (BCA) UCL		0.66
1453				Mean		0.619				95% KM (Percentile Bootstrap) UCL		0.664
1454				Median		0.62				95% KM (Chebyshev) UCL		0.734
1455				SD		0.164				97.5% KM (Chebyshev) UCL		0.785
1456				k star		13.9				99% KM (Chebyshev) UCL		0.883
1457				Theta star		0.0445						
1458				Nu star		1057		Potential UCLs to Use				
1459				AppChi2		982.3				95% KM (BCA) UCL		0.66
1460		95% Gamma Approximate UCL				0.666						
1461		95% Adjusted Gamma UCL				0.668						
1462	Note: DL/2 is not a recommended method.											
1463												
1464												
1465	Chrysene											
1466												
1467							General Statistics					
1468			Number of Valid Data			39				Number of Detected Data		37
1469			Number of Distinct Detected Data			31				Number of Non-Detect Data		2
1470			Number of Missing Values			4				Percent Non-Detects		5.13%
1471												
1472			Raw Statistics					Log-transformed Statistics				
1473			Minimum Detected			3.8				Minimum Detected		1.335
1474			Maximum Detected			560				Maximum Detected		6.328
1475			Mean of Detected			67.71				Mean of Detected		3.452
1476			SD of Detected			124.6				SD of Detected		1.145
1477			Minimum Non-Detect			32				Minimum Non-Detect		3.466
1478			Maximum Non-Detect			33				Maximum Non-Detect		3.497
1479												
1480	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				21
1481	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				18
1482	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				53.85%
1483												
1484							UCL Statistics					

	A	B	C	D	E	F	G	H	I	J	K	L
1485			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1486				Shapiro Wilk Test Statistic		0.469				Shapiro Wilk Test Statistic		0.961
1487				5% Shapiro Wilk Critical Value		0.936				5% Shapiro Wilk Critical Value		0.936
1488			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1489												
1490			Assuming Normal Distribution						Assuming Lognormal Distribution			
1491				DL/2 Substitution Method						DL/2 Substitution Method		
1492					Mean	65.07					Mean	3.418
1493					SD	121.8					SD	1.124
1494				95% DL/2 (t) UCL		97.97				95% H-Stat (DL/2) UCL		89.84
1495												
1496			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1497			MLE yields a negative mean							Mean in Log Scale		3.412
1498										SD in Log Scale		1.128
1499										Mean in Original Scale		64.99
1500										SD in Original Scale		121.9
1501										95% Percentile Bootstrap UCL		99.56
1502										95% BCA Bootstrap UCL		116.3
1503												
1504			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1505				k star (bias corrected)		0.735			Data appear Lognormal at 5% Significance Level			
1506					Theta Star	92.13						
1507					nu star	54.39						
1508												
1509				A-D Test Statistic		1.988			Nonparametric Statistics			
1510				5% A-D Critical Value		0.787				Kaplan-Meier (KM) Method		
1511				K-S Test Statistic		0.787					Mean	65.05
1512				5% K-S Critical Value		0.151					SD	120.3
1513			Data not Gamma Distributed at 5% Significance Level							SE of Mean		19.53
1514										95% KM (t) UCL		97.97
1515			Assuming Gamma Distribution							95% KM (z) UCL		97.17
1516			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		97.95
1517					Minimum	3.39				95% KM (bootstrap t) UCL		169.6
1518					Maximum	560				95% KM (BCA) UCL		103.5
1519					Mean	64.41			95% KM (Percentile Bootstrap) UCL			102.2
1520					Median	25				95% KM (Chebyshev) UCL		150.2
1521					SD	122.1				97.5% KM (Chebyshev) UCL		187
1522					k star	0.688				99% KM (Chebyshev) UCL		259.4
1523					Theta star	93.67						
1524					Nu star	53.64			Potential UCLs to Use			
1525					AppChi2	37.81				97.5% KM (Chebyshev) UCL		187
1526				95% Gamma Approximate UCL		91.38						
1527				95% Adjusted Gamma UCL		92.66						
1528	Note: DL/2 is not a recommended method.											
1529												
1530												
1531	Copper											
1532												
1533						General Statistics						
1534				Number of Valid Data		38				Number of Detected Data		38
1535			Number of Distinct Detected Data			34				Number of Non-Detect Data		0
1536				Number of Missing Values		5				Percent Non-Detects		0.00%
1537												

	A	B	C	D	E	F	G	H	I	J	K	L
1538					Raw Statistics					Log-transformed Statistics		
1539					Minimum Detected	5.99				Minimum Detected		1.79
1540					Maximum Detected	13.5				Maximum Detected		2.603
1541					Mean of Detected	9.177				Mean of Detected		2.2
1542					SD of Detected	1.653				SD of Detected		0.185
1543					Minimum Non-Detect	N/A				Minimum Non-Detect		N/A
1544					Maximum Non-Detect	N/A				Maximum Non-Detect		N/A
1545												
1546												
1547					UCL Statistics							
1548		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1549					Shapiro Wilk Test Statistic	0.972				Shapiro Wilk Test Statistic		0.96
1550					5% Shapiro Wilk Critical Value	0.938				5% Shapiro Wilk Critical Value		0.938
1551		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1552												
1553		Assuming Normal Distribution						Assuming Lognormal Distribution				
1554					DL/2 Substitution Method					DL/2 Substitution Method		
1555					Mean	9.177				Mean		2.2
1556					SD	1.653				SD		0.185
1557					95% DL/2 (t) UCL	9.629				95% H-Stat (DL/2) UCL		9.681
1558												
1559					Maximum Likelihood Estimate(MLE) Method	N/A				Log ROS Method		
1560		MLE method failed to converge properly								Mean in Log Scale		N/A
1561										SD in Log Scale		N/A
1562										Mean in Original Scale		N/A
1563										SD in Original Scale		N/A
1564										95% Percentile Bootstrap UCL		N/A
1565										95% BCA Bootstrap UCL		N/A
1566												
1567		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1568					k star (bias corrected)	28.37		Data appear Normal at 5% Significance Level				
1569					Theta Star	0.323						
1570					nu star	2156						
1571												
1572					A-D Test Statistic	0.537		Nonparametric Statistics				
1573					5% A-D Critical Value	0.746				Kaplan-Meier (KM) Method		
1574					K-S Test Statistic	0.746				Mean		9.177
1575					5% K-S Critical Value	0.143				SD		1.631
1576		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.268
1577										95% KM (t) UCL		9.629
1578		Assuming Gamma Distribution								95% KM (z) UCL		9.618
1579		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		9.629
1580					Minimum	5.99				95% KM (bootstrap t) UCL		9.623
1581					Maximum	13.5				95% KM (BCA) UCL		9.638
1582					Mean	9.177				95% KM (Percentile Bootstrap) UCL		9.619
1583					Median	9.305				95% KM (Chebyshev) UCL		10.35
1584					SD	1.653				97.5% KM (Chebyshev) UCL		10.85
1585					k star	28.37				99% KM (Chebyshev) UCL		11.84
1586					Theta star	0.323						
1587					Nu star	2156		Potential UCLs to Use				
1588					AppChi2	2049				95% KM (t) UCL		9.629
1589		95% Gamma Approximate UCL				9.656				95% KM (Percentile Bootstrap) UCL		9.619
1590					95% Adjusted Gamma UCL	9.676						

	A	B	C	D	E	F	G	H	I	J	K	L
1591	Note: DL/2 is not a recommended method.											
1592												
1593												
1594	delta-Hexachlorocyclohexane											
1595												
1596				General Statistics								
1597			Number of Valid Data			29			Number of Detected Data			7
1598			Number of Distinct Detected Data			7			Number of Non-Detect Data			22
1599			Number of Missing Values			10			Percent Non-Detects			75.86%
1600												
1601			Raw Statistics						Log-transformed Statistics			
1602			Minimum Detected			0.00102			Minimum Detected			-6.888
1603			Maximum Detected			0.00425			Maximum Detected			-5.461
1604			Mean of Detected			0.00208			Mean of Detected			-6.35
1605			SD of Detected			0.00142			SD of Detected			0.615
1606			Minimum Non-Detect			0.000983			Minimum Non-Detect			-6.925
1607			Maximum Non-Detect			0.004			Maximum Non-Detect			-5.521
1608												
1609	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			27
1610	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
1611	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			93.10%
1612												
1613				Warning: There are only 7 Detected Values in this data								
1614				Note: It should be noted that even though bootstrap may be performed on this data set								
1615				the resulting calculations may not be reliable enough tp draw conclusions								
1616												
1617				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
1618												
1619												
1620					UCL Statistics							
1621			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1622			Shapiro Wilk Test Statistic			0.739			Shapiro Wilk Test Statistic			0.807
1623			5% Shapiro Wilk Critical Value			0.803			5% Shapiro Wilk Critical Value			0.803
1624			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1625												
1626			Assuming Normal Distribution						Assuming Lognormal Distribution			
1627			DL/2 Substitution Method						DL/2 Substitution Method			
1628			Mean			0.00123			Mean			-6.873
1629			SD			0.0009104			SD			0.545
1630			95% DL/2 (t) UCL			0.00152			95% H-Stat (DL/2) UCL			0.00163
1631												
1632			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1633			MLE method failed to converge properly						Mean in Log Scale			-6.883
1634									SD in Log Scale			0.449
1635									Mean in Original Scale			0.00117
1636									SD in Original Scale			0.0008509
1637									95% Percentile Bootstrap UCL			0.00144
1638									95% BCA Bootstrap UCL			0.00159
1639												
1640			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1641			k star (bias corrected)			1.809			Data Follow Appr. Gamma Distribution at 5% Significance Level			
1642			Theta Star			0.00115						
1643			nu star			25.33						

	A	B	C	D	E	F	G	H	I	J	K	L
1644												
1645				A-D Test Statistic		0.786			Nonparametric Statistics			
1646				5% A-D Critical Value		0.712			Kaplan-Meier (KM) Method			
1647				K-S Test Statistic		0.712					Mean	0.00132
1648				5% K-S Critical Value		0.314					SD	0.0007833
1649		Data follow Appr. Gamma Distribution at 5% Significance Level									SE of Mean	0.0001601
1650											95% KM (t) UCL	0.00159
1651		Assuming Gamma Distribution									95% KM (z) UCL	0.00159
1652		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.00157
1653					Minimum	0.00102					95% KM (bootstrap t) UCL	0.00204
1654					Maximum	0.00425					95% KM (BCA) UCL	0.00173
1655					Mean	0.00211			95% KM (Percentile Bootstrap) UCL			0.00164
1656					Median	0.00215					95% KM (Chebyshev) UCL	0.00202
1657					SD	0.0006692					97.5% KM (Chebyshev) UCL	0.00232
1658					k star	10.3					99% KM (Chebyshev) UCL	0.00291
1659					Theta star	0.0002048						
1660					Nu star	597.6			Potential UCLs to Use			
1661					AppChi2	541.9					95% KM (t) UCL	0.00159
1662			95% Gamma Approximate UCL			0.00233						
1663			95% Adjusted Gamma UCL			0.00234						
1664	Note: DL/2 is not a recommended method.											
1665												
1666												
1667	Dibenzo(a,h)anthracene											
1668												
1669					General Statistics							
1670			Number of Valid Data			39			Number of Detected Data			10
1671			Number of Distinct Detected Data			10			Number of Non-Detect Data			29
1672			Number of Missing Values			4			Percent Non-Detects			74.36%
1673												
1674			Raw Statistics						Log-transformed Statistics			
1675			Minimum Detected			0.5			Minimum Detected			-0.693
1676			Maximum Detected			43			Maximum Detected			3.761
1677			Mean of Detected			9.74			Mean of Detected			1.082
1678			SD of Detected			16.11			SD of Detected			1.575
1679			Minimum Non-Detect			0.11			Minimum Non-Detect			-2.207
1680			Maximum Non-Detect			33			Maximum Non-Detect			3.497
1681												
1682	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			37
1683	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
1684	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			94.87%
1685												
1686					UCL Statistics							
1687		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1688			Shapiro Wilk Test Statistic			0.614			Shapiro Wilk Test Statistic			0.878
1689			5% Shapiro Wilk Critical Value			0.842			5% Shapiro Wilk Critical Value			0.842
1690		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1691												
1692		Assuming Normal Distribution						Assuming Lognormal Distribution				
1693			DL/2 Substitution Method						DL/2 Substitution Method			
1694			Mean			3.788			Mean			-1.208
1695			SD			9.588			SD			2.146
1696			95% DL/2 (t) UCL			6.377			95% H-Stat (DL/2) UCL			4.99

	A	B	C	D	E	F	G	H	I	J	K	L
1697												
1698		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
1699		MLE method failed to converge properly								Mean in Log Scale		-2.769
1700										SD in Log Scale		2.81
1701										Mean in Original Scale		2.529
1702										SD in Original Scale		8.937
1703										95% Percentile Bootstrap UCL		5.006
1704										95% BCA Bootstrap UCL		6.356
1705												
1706		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1707		k star (bias corrected)				0.436		Data Follow Appr. Gamma Distribution at 5% Significance Level				
1708		Theta Star				22.34						
1709		nu star				8.718						
1710												
1711		A-D Test Statistic				0.983		Nonparametric Statistics				
1712		5% A-D Critical Value				0.775		Kaplan-Meier (KM) Method				
1713		K-S Test Statistic				0.775				Mean		2.9
1714		5% K-S Critical Value				0.28				SD		8.726
1715		Data follow Appr. Gamma Distribution at 5% Significance Level								SE of Mean		1.474
1716										95% KM (t) UCL		5.384
1717		Assuming Gamma Distribution								95% KM (z) UCL		5.324
1718		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		5.109
1719		Minimum				1E-09				95% KM (bootstrap t) UCL		19.53
1720		Maximum				84.9				95% KM (BCA) UCL		6.12
1721		Mean				21.11				95% KM (Percentile Bootstrap) UCL		5.661
1722		Median				16.45				95% KM (Chebyshev) UCL		9.324
1723		SD				22.6				97.5% KM (Chebyshev) UCL		12.1
1724		k star				0.231				99% KM (Chebyshev) UCL		17.56
1725		Theta star				91.41						
1726		Nu star				18.01		Potential UCLs to Use				
1727		AppChi2				9.397				95% KM (t) UCL		5.384
1728		95% Gamma Approximate UCL				40.45						
1729		95% Adjusted Gamma UCL				41.53						
1730	Note: DL/2 is not a recommended method.											
1731												
1732												
1733	Dibenzofuran											
1734												
1735							General Statistics					
1736		Number of Valid Data				36				Number of Detected Data		32
1737		Number of Distinct Detected Data				21				Number of Non-Detect Data		4
1738		Number of Missing Values				7				Percent Non-Detects		11.11%
1739												
1740		Raw Statistics						Log-transformed Statistics				
1741		Minimum Detected				0.46				Minimum Detected		-0.777
1742		Maximum Detected				17				Maximum Detected		2.833
1743		Mean of Detected				1.808				Mean of Detected		0.204
1744		SD of Detected				2.91				SD of Detected		0.721
1745		Minimum Non-Detect				0.071				Minimum Non-Detect		-2.645
1746		Maximum Non-Detect				0.071				Maximum Non-Detect		-2.645
1747												
1748												
1749							UCL Statistics					

	A	B	C	D	E	F	G	H	I	J	K	L
1750			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1751				Shapiro Wilk Test Statistic		0.39				Shapiro Wilk Test Statistic		0.867
1752				5% Shapiro Wilk Critical Value		0.93				5% Shapiro Wilk Critical Value		0.93
1753			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
1754												
1755			Assuming Normal Distribution						Assuming Lognormal Distribution			
1756				DL/2 Substitution Method						DL/2 Substitution Method		
1757				Mean		1.611				Mean		-0.19
1758				SD		2.796				SD		1.317
1759				95% DL/2 (t) UCL		2.398				95% H-Stat (DL/2) UCL		3.021
1760												
1761			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
1762				Mean		1.397				Mean in Log Scale		0.029
1763				SD		2.986				SD in Log Scale		0.847
1764				95% MLE (t) UCL		2.238				Mean in Original Scale		1.636
1765				95% MLE (Tiku) UCL		2.187				SD in Original Scale		2.783
1766										95% Percentile Bootstrap UCL		2.474
1767										95% BCA Bootstrap UCL		2.996
1768												
1769			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1770				k star (bias corrected)		1.318			Data do not follow a Discernable Distribution (0.05)			
1771				Theta Star		1.371						
1772				nu star		84.36						
1773												
1774				A-D Test Statistic		2.769			Nonparametric Statistics			
1775				5% A-D Critical Value		0.766				Kaplan-Meier (KM) Method		
1776				K-S Test Statistic		0.766				Mean		1.658
1777				5% K-S Critical Value		0.159				SD		2.733
1778			Data not Gamma Distributed at 5% Significance Level							SE of Mean		0.463
1779										95% KM (t) UCL		2.44
1780			Assuming Gamma Distribution							95% KM (z) UCL		2.419
1781			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		2.435
1782				Minimum		1E-09				95% KM (bootstrap t) UCL		4.741
1783				Maximum		17				95% KM (BCA) UCL		2.561
1784				Mean		1.607			95% KM (Percentile Bootstrap) UCL			2.52
1785				Median		1.1				95% KM (Chebyshev) UCL		3.676
1786				SD		2.799				97.5% KM (Chebyshev) UCL		4.549
1787				k star		0.266				99% KM (Chebyshev) UCL		6.263
1788				Theta star		6.036						
1789				Nu star		19.17			Potential UCLs to Use			
1790				AppChi2		10.24				95% KM (Chebyshev) UCL		3.676
1791			95% Gamma Approximate UCL			3.008						
1792			95% Adjusted Gamma UCL			3.098						
1793	Note: DL/2 is not a recommended method.											
1794												
1795												
1796	Dibutyltin ion											
1797												
1798							General Statistics					
1799			Number of Valid Data			34				Number of Detected Data		29
1800			Number of Distinct Detected Data			26				Number of Non-Detect Data		5
1801			Number of Missing Values			9				Percent Non-Detects		14.71%
1802												

	A	B	C	D	E	F	G	H	I	J	K	L
1803				Raw Statistics					Log-transformed Statistics			
1804				Minimum Detected		1.1			Minimum Detected			0.0953
1805				Maximum Detected		560			Maximum Detected			6.328
1806				Mean of Detected		25.19			Mean of Detected			1.54
1807				SD of Detected		103.3			SD of Detected			1.21
1808				Minimum Non-Detect		1.9			Minimum Non-Detect			0.642
1809				Maximum Non-Detect		2			Maximum Non-Detect			0.693
1810												
1811	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			10
1812	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			24
1813	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			29.41%
1814												
1815						UCL Statistics						
1816		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1817			Shapiro Wilk Test Statistic			0.233			Shapiro Wilk Test Statistic			0.767
1818			5% Shapiro Wilk Critical Value			0.926			5% Shapiro Wilk Critical Value			0.926
1819		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
1820												
1821		Assuming Normal Distribution						Assuming Lognormal Distribution				
1822			DL/2 Substitution Method						DL/2 Substitution Method			
1823				Mean		21.63			Mean			1.307
1824				SD		95.56			SD			1.251
1825			95% DL/2 (t) UCL			49.36			95% H-Stat (DL/2) UCL			10.61
1826												
1827		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
1828		MLE yields a negative mean							Mean in Log Scale			1.296
1829									SD in Log Scale			1.271
1830									Mean in Original Scale			21.62
1831									SD in Original Scale			95.56
1832									95% Percentile Bootstrap UCL			54.12
1833									95% BCA Bootstrap UCL			72.87
1834												
1835		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1836			k star (bias corrected)			0.374		Data do not follow a Discernable Distribution (0.05)				
1837			Theta Star			67.34						
1838			nu star			21.69						
1839												
1840			A-D Test Statistic			6.005			Nonparametric Statistics			
1841			5% A-D Critical Value			0.836			Kaplan-Meier (KM) Method			
1842			K-S Test Statistic			0.836			Mean			21.7
1843			5% K-S Critical Value			0.175			SD			94.13
1844		Data not Gamma Distributed at 5% Significance Level							SE of Mean			16.43
1845									95% KM (t) UCL			49.5
1846		Assuming Gamma Distribution							95% KM (z) UCL			48.72
1847		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			49.43
1848				Minimum		1E-09			95% KM (bootstrap t) UCL			680.2
1849				Maximum		560			95% KM (BCA) UCL			54.56
1850				Mean		21.48			95% KM (Percentile Bootstrap) UCL			54.22
1851				Median		3.3			95% KM (Chebyshev) UCL			93.31
1852				SD		95.59			97.5% KM (Chebyshev) UCL			124.3
1853				k star		0.164			99% KM (Chebyshev) UCL			185.2
1854				Theta star		130.7						
1855				Nu star		11.18			Potential UCLs to Use			

	A	B	C	D	E	F	G	H	I	J	K	L
1856					AppChi2	4.689			97.5% KM (Chebyshev) UCL			124.3
1857			95% Gamma Approximate UCL			51.2						
1858			95% Adjusted Gamma UCL			53.57						
1859	Note: DL/2 is not a recommended method.											
1860												
1861												
1862	Dieldrin											
1863												
1864					General Statistics							
1865			Number of Valid Data			41			Number of Detected Data			38
1866			Number of Distinct Detected Data			38			Number of Non-Detect Data			3
1867			Number of Missing Values			2			Percent Non-Detects			7.32%
1868												
1869			Raw Statistics						Log-transformed Statistics			
1870			Minimum Detected			0.338			Minimum Detected			-1.085
1871			Maximum Detected			2.62			Maximum Detected			0.963
1872			Mean of Detected			0.844			Mean of Detected			-0.232
1873			SD of Detected			0.362			SD of Detected			0.338
1874			Minimum Non-Detect			1			Minimum Non-Detect			0
1875			Maximum Non-Detect			1			Maximum Non-Detect			0
1876												
1877												
1878					UCL Statistics							
1879		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1880			Shapiro Wilk Test Statistic			0.72			Shapiro Wilk Test Statistic			0.943
1881			5% Shapiro Wilk Critical Value			0.938			5% Shapiro Wilk Critical Value			0.938
1882		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1883												
1884		Assuming Normal Distribution						Assuming Lognormal Distribution				
1885			DL/2 Substitution Method						DL/2 Substitution Method			
1886			Mean			0.819			Mean			-0.266
1887			SD			0.359			SD			0.347
1888			95% DL/2 (t) UCL			0.913			95% H-Stat (DL/2) UCL			0.913
1889												
1890		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
1891			Mean			0.178			Mean in Log Scale			-0.238
1892			SD			0.832			SD in Log Scale			0.329
1893			95% MLE (t) UCL			0.397			Mean in Original Scale			0.836
1894			95% MLE (Tiku) UCL			0.787			SD in Original Scale			0.35
1895									95% Percentile Bootstrap UCL			0.928
1896									95% BCA Bootstrap UCL			0.96
1897												
1898		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1899			k star (bias corrected)			7.585		Data appear Lognormal at 5% Significance Level				
1900			Theta Star			0.111						
1901			nu star			576.5						
1902												
1903			A-D Test Statistic			0.945			Nonparametric Statistics			
1904			5% A-D Critical Value			0.749			Kaplan-Meier (KM) Method			
1905			K-S Test Statistic			0.749			Mean			0.835
1906			5% K-S Critical Value			0.143			SD			0.347
1907		Data not Gamma Distributed at 5% Significance Level							SE of Mean			0.0554
1908									95% KM (t) UCL			0.929

	A	B	C	D	E	F	G	H	I	J	K	L
1909			Assuming Gamma Distribution						95% KM (z) UCL			0.926
1910		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			0.929
1911					Minimum	0.338			95% KM (bootstrap t) UCL			0.979
1912					Maximum	2.62			95% KM (BCA) UCL			0.937
1913					Mean	0.844			95% KM (Percentile Bootstrap) UCL			0.936
1914					Median	0.801			95% KM (Chebyshev) UCL			1.077
1915					SD	0.35			97.5% KM (Chebyshev) UCL			1.181
1916					k star	8.082			99% KM (Chebyshev) UCL			1.386
1917					Theta star	0.104						
1918					Nu star	662.7			Potential UCLs to Use			
1919					AppChi2	604			95% KM (Chebyshev) UCL			1.077
1920			95% Gamma Approximate UCL			0.926						
1921			95% Adjusted Gamma UCL			0.929						
1922	Note: DL/2 is not a recommended method.											
1923												
1924												
1925	Endrin											
1926												
1927					General Statistics							
1928			Number of Valid Data			38			Number of Detected Data			19
1929			Number of Distinct Detected Data			18			Number of Non-Detect Data			19
1930			Number of Missing Values			5			Percent Non-Detects			50.00%
1931												
1932			Raw Statistics						Log-transformed Statistics			
1933			Minimum Detected			0.00549			Minimum Detected			-5.205
1934			Maximum Detected			0.0635			Maximum Detected			-2.757
1935			Mean of Detected			0.0186			Mean of Detected			-4.348
1936			SD of Detected			0.0187			SD of Detected			0.811
1937			Minimum Non-Detect			0.00315			Minimum Non-Detect			-5.76
1938			Maximum Non-Detect			0.0531			Maximum Non-Detect			-2.936
1939												
1940	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			36
1941	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
1942	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			94.74%
1943												
1944					UCL Statistics							
1945		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1946			Shapiro Wilk Test Statistic			0.692			Shapiro Wilk Test Statistic			0.838
1947			5% Shapiro Wilk Critical Value			0.901			5% Shapiro Wilk Critical Value			0.901
1948		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
1949												
1950		Assuming Normal Distribution						Assuming Lognormal Distribution				
1951			DL/2 Substitution Method						DL/2 Substitution Method			
1952					Mean	0.0131			Mean			-4.749
1953					SD	0.0148			SD			0.875
1954			95% DL/2 (t) UCL			0.0172			95% H-Stat (DL/2) UCL			0.0181
1955												
1956			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1957		MLE method failed to converge properly							Mean in Log Scale			-4.887
1958									SD in Log Scale			0.844
1959									Mean in Original Scale			0.0117
1960									SD in Original Scale			0.0148
1961									95% Percentile Bootstrap UCL			0.0159

	A	B	C	D	E	F	G	H	I	J	K	L
1962										95% BCA Bootstrap UCL		0.0165
1963												
1964		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1965				k star (bias corrected)		1.315		Data do not follow a Discernable Distribution (0.05)				
1966					Theta Star	0.0142						
1967					nu star	49.97						
1968												
1969					A-D Test Statistic	1.782		Nonparametric Statistics				
1970					5% A-D Critical Value	0.757		Kaplan-Meier (KM) Method				
1971					K-S Test Statistic	0.757					Mean	0.0128
1972					5% K-S Critical Value	0.202					SD	0.0143
1973		Data not Gamma Distributed at 5% Significance Level									SE of Mean	0.00242
1974											95% KM (t) UCL	0.0168
1975		Assuming Gamma Distribution									95% KM (z) UCL	0.0167
1976		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.0168
1977					Minimum	0.00549					95% KM (bootstrap t) UCL	0.0188
1978					Maximum	0.0635					95% KM (BCA) UCL	0.0175
1979					Mean	0.0183				95% KM (Percentile Bootstrap) UCL		0.0169
1980					Median	0.0167					95% KM (Chebyshev) UCL	0.0233
1981					SD	0.0136					97.5% KM (Chebyshev) UCL	0.0279
1982					k star	2.328					99% KM (Chebyshev) UCL	0.0368
1983					Theta star	0.00786						
1984					Nu star	177		Potential UCLs to Use				
1985					AppChi2	147.2					95% KM (t) UCL	0.0168
1986		95% Gamma Approximate UCL				0.022				95% KM (% Bootstrap) UCL		0.0169
1987		95% Adjusted Gamma UCL				0.0222						
1988	Note: DL/2 is not a recommended method.											
1989												
1990												
1991	Endrin ketone											
1992												
1993						General Statistics						
1994				Number of Valid Data		27				Number of Detected Data		12
1995				Number of Distinct Detected Data		12				Number of Non-Detect Data		15
1996				Number of Missing Values		16				Percent Non-Detects		55.56%
1997												
1998			Raw Statistics					Log-transformed Statistics				
1999				Minimum Detected		0.00183				Minimum Detected		-6.303
2000				Maximum Detected		0.0136				Maximum Detected		-4.298
2001				Mean of Detected		0.00457				Mean of Detected		-5.549
2002				SD of Detected		0.0033				SD of Detected		0.54
2003				Minimum Non-Detect		0.00127				Minimum Non-Detect		-6.669
2004				Maximum Non-Detect		0.00686				Maximum Non-Detect		-4.982
2005												
2006	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		25
2007	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		2
2008	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		92.59%
2009												
2010						UCL Statistics						
2011		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2012				Shapiro Wilk Test Statistic		0.684				Shapiro Wilk Test Statistic		0.874
2013				5% Shapiro Wilk Critical Value		0.859				5% Shapiro Wilk Critical Value		0.859
2014		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
2015												
2016			Assuming Normal Distribution							Assuming Lognormal Distribution		
2017				DL/2 Substitution Method						DL/2 Substitution Method		
2018					Mean	0.00287					Mean	-6.132
2019					SD	0.00271					SD	0.721
2020				95% DL/2 (t) UCL		0.00376				95% H-Stat (DL/2) UCL		0.00362
2021												
2022			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
2023			MLE method failed to converge properly							Mean in Log Scale		-6.14
2024										SD in Log Scale		0.663
2025										Mean in Original Scale		0.00279
2026										SD in Original Scale		0.0027
2027										95% Percentile Bootstrap UCL		0.00371
2028										95% BCA Bootstrap UCL		0.00406
2029												
2030			Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only		
2031					k star (bias corrected)	2.513			Data appear Lognormal at 5% Significance Level			
2032					Theta Star	0.00182						
2033					nu star	60.32						
2034												
2035					A-D Test Statistic	1.055				Nonparametric Statistics		
2036					5% A-D Critical Value	0.738				Kaplan-Meier (KM) Method		
2037					K-S Test Statistic	0.738					Mean	0.00316
2038					5% K-S Critical Value	0.247					SD	0.00248
2039			Data not Gamma Distributed at 5% Significance Level								SE of Mean	0.0005044
2040										95% KM (t) UCL		0.00402
2041			Assuming Gamma Distribution							95% KM (z) UCL		0.00399
2042			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.00389
2043					Minimum	0.00183				95% KM (bootstrap t) UCL		0.00483
2044					Maximum	0.0136				95% KM (BCA) UCL		0.00452
2045					Mean	0.00462				95% KM (Percentile Bootstrap) UCL		0.00422
2046					Median	0.00443				95% KM (Chebyshev) UCL		0.00536
2047					SD	0.00217				97.5% KM (Chebyshev) UCL		0.00631
2048					k star	6.225				99% KM (Chebyshev) UCL		0.00818
2049					Theta star	0.0007415						
2050					Nu star	336.2				Potential UCLs to Use		
2051					AppChi2	294.7				95% KM (t) UCL		0.00402
2052				95% Gamma Approximate UCL		0.00527				95% KM (% Bootstrap) UCL		0.00422
2053				95% Adjusted Gamma UCL		0.00531						
2054	Note: DL/2 is not a recommended method.											
2055												
2056												
2057	Fluoranthene											
2058												
2059					General Statistics							
2060				Number of Valid Data		39				Number of Detected Data		39
2061				Number of Distinct Detected Data		35				Number of Non-Detect Data		0
2062				Number of Missing Values		4				Percent Non-Detects		0.00%
2063												
2064			Raw Statistics							Log-transformed Statistics		
2065					Minimum Detected	5.5					Minimum Detected	1.705
2066					Maximum Detected	770					Maximum Detected	6.646
2067					Mean of Detected	102.2					Mean of Detected	4.007

	A	B	C	D	E	F	G	H	I	J	K	L
2068					SD of Detected	162.4					SD of Detected	1.063
2069					Minimum Non-Detect	N/A					Minimum Non-Detect	N/A
2070					Maximum Non-Detect	N/A					Maximum Non-Detect	N/A
2071												
2072												
2073					UCL Statistics							
2074		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2075					Shapiro Wilk Test Statistic	0.515					Shapiro Wilk Test Statistic	0.949
2076					5% Shapiro Wilk Critical Value	0.939					5% Shapiro Wilk Critical Value	0.939
2077		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
2078												
2079		Assuming Normal Distribution						Assuming Lognormal Distribution				
2080					DL/2 Substitution Method						DL/2 Substitution Method	
2081					Mean	102.2					Mean	4.007
2082					SD	162.4					SD	1.063
2083					95% DL/2 (t) UCL	146.1					95% H-Stat (DL/2) UCL	147.1
2084												
2085					Maximum Likelihood Estimate(MLE) Method	N/A					Log ROS Method	
2086		MLE method failed to converge properly									Mean in Log Scale	N/A
2087											SD in Log Scale	N/A
2088											Mean in Original Scale	N/A
2089											SD in Original Scale	N/A
2090											95% Percentile Bootstrap UCL	N/A
2091											95% BCA Bootstrap UCL	N/A
2092												
2093		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2094					k star (bias corrected)	0.883		Data appear Lognormal at 5% Significance Level				
2095					Theta Star	115.8						
2096					nu star	68.87						
2097												
2098					A-D Test Statistic	2.119		Nonparametric Statistics				
2099					5% A-D Critical Value	0.781			Kaplan-Meier (KM) Method			
2100					K-S Test Statistic	0.781					Mean	102.2
2101					5% K-S Critical Value	0.146					SD	160.3
2102		Data not Gamma Distributed at 5% Significance Level									SE of Mean	26.01
2103											95% KM (t) UCL	146.1
2104		Assuming Gamma Distribution									95% KM (z) UCL	145
2105		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	146.1
2106					Minimum	5.5					95% KM (bootstrap t) UCL	214.3
2107					Maximum	770					95% KM (BCA) UCL	150.7
2108					Mean	102.2					95% KM (Percentile Bootstrap) UCL	147.9
2109					Median	55					95% KM (Chebyshev) UCL	215.6
2110					SD	162.4					97.5% KM (Chebyshev) UCL	264.6
2111					k star	0.883					99% KM (Chebyshev) UCL	361
2112					Theta star	115.8						
2113					Nu star	68.87		Potential UCLs to Use				
2114					AppChi2	50.77					97.5% KM (Chebyshev) UCL	264.6
2115			95% Gamma Approximate UCL			138.7						
2116			95% Adjusted Gamma UCL			140.4						
2117	Note: DL/2 is not a recommended method.											
2118												
2119												
2120	Fluorene											

	A	B	C	D	E	F	G	H	I	J	K	L
2121												
2122					General Statistics							
2123				Number of Valid Data		39				Number of Detected Data		36
2124			Number of Distinct Detected Data			30				Number of Non-Detect Data		3
2125				Number of Missing Values		4				Percent Non-Detects		7.69%
2126												
2127			Raw Statistics						Log-transformed Statistics			
2128				Minimum Detected		0.63				Minimum Detected		-0.462
2129				Maximum Detected		36				Maximum Detected		3.584
2130				Mean of Detected		4.774				Mean of Detected		1.138
2131				SD of Detected		6.604				SD of Detected		0.824
2132				Minimum Non-Detect		31				Minimum Non-Detect		3.434
2133				Maximum Non-Detect		33				Maximum Non-Detect		3.497
2134												
2135	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			38
2136	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
2137	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			97.44%
2138												
2139						UCL Statistics						
2140		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2141				Shapiro Wilk Test Statistic		0.526				Shapiro Wilk Test Statistic		0.933
2142				5% Shapiro Wilk Critical Value		0.935				5% Shapiro Wilk Critical Value		0.935
2143		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
2144												
2145		Assuming Normal Distribution						Assuming Lognormal Distribution				
2146				DL/2 Substitution Method						DL/2 Substitution Method		
2147					Mean	5.637					Mean	1.263
2148					SD	7.026					SD	0.906
2149				95% DL/2 (t) UCL		7.534				95% H-Stat (DL/2) UCL		8.973
2150												
2151			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
2152		MLE method failed to converge properly								Mean in Log Scale		1.135
2153										SD in Log Scale		0.791
2154										Mean in Original Scale		4.638
2155										SD in Original Scale		6.356
2156										95% Percentile Bootstrap UCL		6.44
2157										95% BCA Bootstrap UCL		6.98
2158												
2159		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2160				k star (bias corrected)		1.226		Data do not follow a Discernable Distribution (0.05)				
2161					Theta Star	3.894						
2162					nu star	88.27						
2163												
2164				A-D Test Statistic		2.345				Nonparametric Statistics		
2165				5% A-D Critical Value		0.77				Kaplan-Meier (KM) Method		
2166				K-S Test Statistic		0.77				Mean		4.705
2167				5% K-S Critical Value		0.15				SD		6.352
2168		Data not Gamma Distributed at 5% Significance Level								SE of Mean		1.047
2169										95% KM (t) UCL		6.471
2170		Assuming Gamma Distribution								95% KM (z) UCL		6.428
2171		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		6.471
2172					Minimum	0.63				95% KM (bootstrap t) UCL		8.653
2173					Maximum	36				95% KM (BCA) UCL		6.744

	A	B	C	D	E	F	G	H	I	J	K	L
2174					Mean	4.785		95% KM (Percentile Bootstrap) UCL				6.59
2175					Median	3.1		95% KM (Chebyshev) UCL				9.27
2176					SD	6.338		97.5% KM (Chebyshev) UCL				11.25
2177					k star	1.325		99% KM (Chebyshev) UCL				15.13
2178					Theta star	3.611						
2179					Nu star	103.3		**Potential UCLs to Use**				
2180					AppChi2	80.89		95% KM (Chebyshev) UCL				9.27
2181			95% Gamma Approximate UCL			6.113						
2182			95% Adjusted Gamma UCL			6.173						
2183	Note: DL/2 is not a recommended method.											
2184												
2185												
2186	gamma-Hexachlorocyclohexane											
2187												
2188					**General Statistics**							
2189			Number of Valid Data			37		Number of Detected Data				33
2190		Number of Distinct Detected Data				29		Number of Non-Detect Data				4
2191			Number of Missing Values			6		Percent Non-Detects				10.81%
2192												
2193			**Raw Statistics**					**Log-transformed Statistics**				
2194			Minimum Detected			0.0256		Minimum Detected				-3.665
2195			Maximum Detected			0.0837		Maximum Detected				-2.481
2196			Mean of Detected			0.0582		Mean of Detected				-2.892
2197			SD of Detected			0.017		SD of Detected				0.333
2198			Minimum Non-Detect			0.0234		Minimum Non-Detect				-3.755
2199			Maximum Non-Detect			0.0627		Maximum Non-Detect				-2.769
2200												
2201	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				18
2202	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				19
2203	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				48.65%
2204												
2205					**UCL Statistics**							
2206		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
2207			Shapiro Wilk Test Statistic			0.928		Shapiro Wilk Test Statistic				0.891
2208			5% Shapiro Wilk Critical Value			0.931		5% Shapiro Wilk Critical Value				0.931
2209		**Data not Normal at 5% Significance Level**						**Data not Lognormal at 5% Significance Level**				
2210												
2211		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
2212			DL/2 Substitution Method					DL/2 Substitution Method				
2213					Mean	0.0545		Mean				-2.994
2214					SD	0.0196		SD				0.453
2215			95% DL/2 (t) UCL			0.0599		95% H-Stat (DL/2) UCL				0.0623
2216												
2217		Maximum Likelihood Estimate(MLE) Method						Log ROS Method				
2218					Mean	0.0629		Mean in Log Scale				-2.944
2219					SD	0.0104		SD in Log Scale				0.355
2220			95% MLE (t) UCL			0.0658		Mean in Original Scale				0.0557
2221			95% MLE (Tiku) UCL			0.0664		SD in Original Scale				0.0177
2222								95% Percentile Bootstrap UCL				0.0603
2223								95% BCA Bootstrap UCL				0.0604
2224												
2225		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
2226			k star (bias corrected)			9.441		**Data do not follow a Discernable Distribution (0.05)**				

	A	B	C	D	E	F	G	H	I	J	K	L
2227					Theta Star	0.00617						
2228					nu star	623.1						
2229												
2230				A-D Test Statistic		1.138			Nonparametric Statistics			
2231				5% A-D Critical Value		0.747			Kaplan-Meier (KM) Method			
2232				K-S Test Statistic		0.747					Mean	0.0556
2233				5% K-S Critical Value		0.153					SD	0.0178
2234		Data not Gamma Distributed at 5% Significance Level									SE of Mean	0.003
2235											95% KM (t) UCL	0.0607
2236			Assuming Gamma Distribution								95% KM (z) UCL	0.0605
2237		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.0606
2238					Minimum	0.0124					95% KM (bootstrap t) UCL	0.0603
2239					Maximum	0.0837					95% KM (BCA) UCL	0.0604
2240					Mean	0.056			95% KM (Percentile Bootstrap) UCL			0.0605
2241					Median	0.063					95% KM (Chebyshev) UCL	0.0687
2242					SD	0.018					97.5% KM (Chebyshev) UCL	0.0743
2243					k star	7.106					99% KM (Chebyshev) UCL	0.0854
2244					Theta star	0.00788						
2245					Nu star	525.8			Potential UCLs to Use			
2246					AppChi2	473.6					95% KM (Chebyshev) UCL	0.0687
2247			95% Gamma Approximate UCL			0.0622						
2248			95% Adjusted Gamma UCL			0.0625						
2249	Note: DL/2 is not a recommended method.											
2250												
2251												
2252	Heptachlor											
2253												
2254						General Statistics						
2255			Number of Valid Data			38			Number of Detected Data			19
2256		Number of Distinct Detected Data				19			Number of Non-Detect Data			19
2257			Number of Missing Values			5			Percent Non-Detects			50.00%
2258												
2259			Raw Statistics						Log-transformed Statistics			
2260				Minimum Detected		0.0073				Minimum Detected		-4.92
2261				Maximum Detected		0.419				Maximum Detected		-0.87
2262				Mean of Detected		0.0408				Mean of Detected		-3.952
2263				SD of Detected		0.0927				SD of Detected		0.96
2264			Minimum Non-Detect			0.00457				Minimum Non-Detect		-5.388
2265			Maximum Non-Detect			0.059				Maximum Non-Detect		-2.83
2266												
2267	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			37
2268	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
2269	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			97.37%
2270												
2271						UCL Statistics						
2272		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2273			Shapiro Wilk Test Statistic			0.359				Shapiro Wilk Test Statistic		0.814
2274			5% Shapiro Wilk Critical Value			0.901				5% Shapiro Wilk Critical Value		0.901
2275		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
2276												
2277			Assuming Normal Distribution						Assuming Lognormal Distribution			
2278			DL/2 Substitution Method							DL/2 Substitution Method		
2279					Mean	0.0243					Mean	-4.523

	A	B	C	D	E	F	G	H	I	J	K	L
2280					SD	0.0669					SD	0.983
2281				95% DL/2 (t) UCL		0.0426				95% H-Stat (DL/2) UCL		0.0198
2282												
2283		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
2284		**MLE method failed to converge properly**								Mean in Log Scale		-4.668
2285										SD in Log Scale		1.021
2286										Mean in Original Scale		0.0228
2287										SD in Original Scale		0.0671
2288										95% Percentile Bootstrap UCL		0.0436
2289										95% BCA Bootstrap UCL		0.0573
2290												
2291		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
2292				k star (bias corrected)		0.7		**Data do not follow a Discernable Distribution (0.05)**				
2293					Theta Star	0.0583						
2294					nu star	26.6						
2295												
2296					A-D Test Statistic	2.486		**Nonparametric Statistics**				
2297				5% A-D Critical Value		0.777		Kaplan-Meier (KM) Method				
2298					K-S Test Statistic	0.777					Mean	0.0246
2299				5% K-S Critical Value		0.206					SD	0.0658
2300		**Data not Gamma Distributed at 5% Significance Level**									SE of Mean	0.011
2301											95% KM (t) UCL	0.0432
2302		**Assuming Gamma Distribution**									95% KM (z) UCL	0.0427
2303		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.0429
2304					Minimum	1E-09				95% KM (bootstrap t) UCL		0.121
2305					Maximum	0.419				95% KM (BCA) UCL		0.0486
2306					Mean	0.0357			95% KM (Percentile Bootstrap) UCL			0.0453
2307					Median	0.0193				95% KM (Chebyshev) UCL		0.0725
2308					SD	0.0676				97.5% KM (Chebyshev) UCL		0.0932
2309					k star	0.363				99% KM (Chebyshev) UCL		0.134
2310					Theta star	0.0983						
2311					Nu star	27.58		**Potential UCLs to Use**				
2312					AppChi2	16.6				95% KM (t) UCL		0.0432
2313		95% Gamma Approximate UCL				0.0592			95% KM (% Bootstrap) UCL			0.0453
2314		95% Adjusted Gamma UCL				0.0605						
2315	Note: DL/2 is not a recommended method.											
2316												
2317												
2318	Heptachlor epoxide											
2319												
2320							General Statistics					
2321			Number of Valid Data			40				Number of Detected Data		37
2322		Number of Distinct Detected Data				33				Number of Non-Detect Data		3
2323			Number of Missing Values			3				Percent Non-Detects		7.50%
2324												
2325			**Raw Statistics**							**Log-transformed Statistics**		
2326				Minimum Detected		0.033				Minimum Detected		-3.411
2327				Maximum Detected		2.1				Maximum Detected		0.742
2328				Mean of Detected		0.148				Mean of Detected		-2.677
2329				SD of Detected		0.388				SD of Detected		0.817
2330				Minimum Non-Detect		0.027				Minimum Non-Detect		-3.612
2331				Maximum Non-Detect		0.051				Maximum Non-Detect		-2.976
2332												

	A	B	C	D	E	F	G	H	I	J	K	L
2333	Note: Data have multiple DLs - Use of KM Method is recommended							Number treated as Non-Detect				14
2334	For all methods (except KM, DL/2, and ROS Methods),							Number treated as Detected				26
2335	Observations < Largest ND are treated as NDs							Single DL Non-Detect Percentage				35.00%
2336												
2337				UCL Statistics								
2338	Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only				
2339	Shapiro Wilk Test Statistic					0.289		Shapiro Wilk Test Statistic				0.56
2340	5% Shapiro Wilk Critical Value					0.936		5% Shapiro Wilk Critical Value				0.936
2341	Data not Normal at 5% Significance Level							Data not Lognormal at 5% Significance Level				
2342												
2343	Assuming Normal Distribution							Assuming Lognormal Distribution				
2344	DL/2 Substitution Method							DL/2 Substitution Method				
2345	Mean					0.139		Mean				-2.768
2346	SD					0.374		SD				0.852
2347	95% DL/2 (t) UCL					0.238		95% H-Stat (DL/2) UCL				0.11
2348												
2349	Maximum Likelihood Estimate(MLE) Method							Log ROS Method				
2350	Mean					0.00328		Mean in Log Scale				-2.751
2351	SD					0.478		SD in Log Scale				0.835
2352	95% MLE (t) UCL					0.131		Mean in Original Scale				0.139
2353	95% MLE (Tiku) UCL					0.142		SD in Original Scale				0.374
2354								95% Percentile Bootstrap UCL				0.245
2355								95% BCA Bootstrap UCL				0.301
2356												
2357	Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only				
2358	k star (bias corrected)					0.731		Data do not follow a Discernable Distribution (0.05)				
2359	Theta Star					0.203						
2360	nu star					54.1						
2361												
2362	A-D Test Statistic					9.094		Nonparametric Statistics				
2363	5% A-D Critical Value					0.787		Kaplan-Meier (KM) Method				
2364	K-S Test Statistic					0.787		Mean				0.14
2365	5% K-S Critical Value					0.151		SD				0.369
2366	Data not Gamma Distributed at 5% Significance Level							SE of Mean				0.0592
2367								95% KM (t) UCL				0.24
2368	Assuming Gamma Distribution							95% KM (z) UCL				0.237
2369	Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL				0.239
2370	Minimum					1E-09		95% KM (bootstrap t) UCL				2.089
2371	Maximum					2.1		95% KM (BCA) UCL				0.25
2372	Mean					0.137		95% KM (Percentile Bootstrap) UCL				0.242
2373	Median					0.0545		95% KM (Chebyshev) UCL				0.398
2374	SD					0.375		97.5% KM (Chebyshev) UCL				0.51
2375	k star					0.324		99% KM (Chebyshev) UCL				0.729
2376	Theta star					0.423						
2377	Nu star					25.9		Potential UCLs to Use				
2378	AppChi2					15.3		95% KM (Chebyshev) UCL				0.398
2379	95% Gamma Approximate UCL					0.232						
2380	95% Adjusted Gamma UCL					0.237						
2381	Note: DL/2 is not a recommended method.											
2382												
2383												
2384	Hexachlorobenzene											
2385												

	A	B	C	D	E	F	G	H	I	J	K	L
2386					General Statistics							
2387			Number of Valid Data			39			Number of Detected Data			38
2388			Number of Distinct Detected Data			36			Number of Non-Detect Data			1
2389			Number of Missing Values			4			Percent Non-Detects			2.56%
2390												
2391			Raw Statistics						Log-transformed Statistics			
2392			Minimum Detected			0.373			Minimum Detected			-0.986
2393			Maximum Detected			1.07			Maximum Detected			0.0677
2394			Mean of Detected			0.606			Mean of Detected			-0.529
2395			SD of Detected			0.15			SD of Detected			0.243
2396			Minimum Non-Detect			1			Minimum Non-Detect			0
2397			Maximum Non-Detect			1			Maximum Non-Detect			0
2398												
2399												
2400					UCL Statistics							
2401		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2402			Shapiro Wilk Test Statistic			0.955			Shapiro Wilk Test Statistic			0.977
2403			5% Shapiro Wilk Critical Value			0.938			5% Shapiro Wilk Critical Value			0.938
2404		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
2405												
2406		Assuming Normal Distribution						Assuming Lognormal Distribution				
2407			DL/2 Substitution Method						DL/2 Substitution Method			
2408			Mean			0.603			Mean			-0.534
2409			SD			0.149			SD			0.241
2410			95% DL/2 (t) UCL			0.644			95% H-Stat (DL/2) UCL			0.658
2411												
2412			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
2413		MLE method failed to converge properly							Mean in Log Scale			-0.53
2414									SD in Log Scale			0.24
2415									Mean in Original Scale			0.606
2416									SD in Original Scale			0.148
2417									95% Percentile Bootstrap UCL			0.645
2418									95% BCA Bootstrap UCL			0.646
2419												
2420		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2421			k star (bias corrected)			16.16		Data appear Normal at 5% Significance Level				
2422			Theta Star			0.0375						
2423			nu star			1228						
2424												
2425			A-D Test Statistic			0.277			Nonparametric Statistics			
2426			5% A-D Critical Value			0.747			Kaplan-Meier (KM) Method			
2427			K-S Test Statistic			0.747			Mean			0.606
2428			5% K-S Critical Value			0.143			SD			0.147
2429		Data appear Gamma Distributed at 5% Significance Level							SE of Mean			0.0241
2430									95% KM (t) UCL			0.647
2431		Assuming Gamma Distribution							95% KM (z) UCL			0.646
2432		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			0.647
2433			Minimum			0.373			95% KM (bootstrap t) UCL			0.65
2434			Maximum			1.07			95% KM (BCA) UCL			0.649
2435			Mean			0.607			95% KM (Percentile Bootstrap) UCL			0.644
2436			Median			0.624			95% KM (Chebyshev) UCL			0.711
2437			SD			0.148			97.5% KM (Chebyshev) UCL			0.756
2438			k star			16.6			99% KM (Chebyshev) UCL			0.846

	A	B	C	D	E	F	G	H	I	J	K	L
2439					Theta star	0.0366						
2440					Nu star	1295			Potential UCLs to Use			
2441					AppChi2	1212				95% KM (t) UCL		0.647
2442			95% Gamma Approximate UCL			0.648			95% KM (Percentile Bootstrap) UCL			0.644
2443			95% Adjusted Gamma UCL			0.65						
2444	Note: DL/2 is not a recommended method.											
2445												
2446												
2447	Indeno(1,2,3-cd)pyrene											
2448												
2449					General Statistics							
2450			Number of Valid Data			39			Number of Detected Data			27
2451			Number of Distinct Detected Data			23			Number of Non-Detect Data			12
2452			Number of Missing Values			4			Percent Non-Detects			30.77%
2453												
2454			Raw Statistics						Log-transformed Statistics			
2455			Minimum Detected			0.19			Minimum Detected			-1.661
2456			Maximum Detected			170			Maximum Detected			5.136
2457			Mean of Detected			15.44			Mean of Detected			1.11
2458			SD of Detected			43.26			SD of Detected			1.527
2459			Minimum Non-Detect			0.13			Minimum Non-Detect			-2.04
2460			Maximum Non-Detect			33			Maximum Non-Detect			3.497
2461												
2462	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			37
2463	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			2
2464	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			94.87%
2465												
2466					UCL Statistics							
2467			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
2468			Shapiro Wilk Test Statistic			0.356			Shapiro Wilk Test Statistic			0.912
2469			5% Shapiro Wilk Critical Value			0.923			5% Shapiro Wilk Critical Value			0.923
2470			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
2471												
2472			Assuming Normal Distribution						Assuming Lognormal Distribution			
2473			DL/2 Substitution Method						DL/2 Substitution Method			
2474			Mean			11.94			Mean			0.429
2475			SD			36.38			SD			2.066
2476			95% DL/2 (t) UCL			21.76			95% H-Stat (DL/2) UCL			18.92
2477												
2478			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
2479			MLE method failed to converge properly						Mean in Log Scale			0.258
2480									SD in Log Scale			1.921
2481									Mean in Original Scale			10.8
2482									SD in Original Scale			36.47
2483									95% Percentile Bootstrap UCL			19.97
2484									95% BCA Bootstrap UCL			23.98
2485												
2486			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
2487			k star (bias corrected)			0.384			Data do not follow a Discernable Distribution (0.05)			
2488			Theta Star			40.24						
2489			nu star			20.72						
2490												
2491			A-D Test Statistic			3.544			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
2492				5% A-D Critical Value		0.829			Kaplan-Meier (KM) Method			
2493				K-S Test Statistic		0.829					Mean	10.93
2494				5% K-S Critical Value		0.18					SD	35.98
2495		Data not Gamma Distributed at 5% Significance Level									SE of Mean	5.873
2496											95% KM (t) UCL	20.84
2497			Assuming Gamma Distribution								95% KM (z) UCL	20.59
2498		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	20.74
2499				Minimum		1E-09					95% KM (bootstrap t) UCL	112.2
2500				Maximum		170					95% KM (BCA) UCL	22.68
2501				Mean		12.04			95% KM (Percentile Bootstrap) UCL			22.68
2502				Median		2					95% KM (Chebyshev) UCL	36.53
2503				SD		36.41					97.5% KM (Chebyshev) UCL	47.61
2504				k star		0.133					99% KM (Chebyshev) UCL	69.37
2505				Theta star		90.55						
2506				Nu star		10.37			Potential UCLs to Use			
2507				AppChi2		4.173					99% KM (Chebyshev) UCL	69.37
2508			95% Gamma Approximate UCL			29.91						
2509			95% Adjusted Gamma UCL			31.06						
2510	Note: DL/2 is not a recommended method.											
2511												
2512												
2513	Lead											
2514												
2515					General Statistics							
2516			Number of Valid Data			38			Number of Detected Data			38
2517		Number of Distinct Detected Data				34			Number of Non-Detect Data			0
2518			Number of Missing Values			5			Percent Non-Detects			0.00%
2519												
2520			Raw Statistics						Log-transformed Statistics			
2521				Minimum Detected		0.024				Minimum Detected		-3.73
2522				Maximum Detected		0.316				Maximum Detected		-1.152
2523				Mean of Detected		0.0913				Mean of Detected		-2.552
2524				SD of Detected		0.0608				SD of Detected		0.546
2525			Minimum Non-Detect			N/A				Minimum Non-Detect		N/A
2526			Maximum Non-Detect			N/A				Maximum Non-Detect		N/A
2527												
2528												
2529					UCL Statistics							
2530		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
2531			Shapiro Wilk Test Statistic			0.775			Shapiro Wilk Test Statistic			0.967
2532			5% Shapiro Wilk Critical Value			0.938			5% Shapiro Wilk Critical Value			0.938
2533		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
2534												
2535		Assuming Normal Distribution							Assuming Lognormal Distribution			
2536			DL/2 Substitution Method						DL/2 Substitution Method			
2537				Mean		0.0913				Mean		-2.552
2538				SD		0.0608				SD		0.546
2539			95% DL/2 (t) UCL			0.108			95% H-Stat (DL/2) UCL			0.108
2540												
2541		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
2542		MLE method failed to converge properly							Mean in Log Scale			N/A
2543									SD in Log Scale			N/A
2544									Mean in Original Scale			N/A

	A	B	C	D	E	F	G	H	I	J	K	L
2545										SD in Original Scale		N/A
2546										95% Percentile Bootstrap UCL		N/A
2547										95% BCA Bootstrap UCL		N/A
2548												
2549		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2550				k star (bias corrected)		3.055		Data appear Lognormal at 5% Significance Level				
2551					Theta Star	0.0299						
2552					nu star	232.2						
2553												
2554					A-D Test Statistic	1.046		Nonparametric Statistics				
2555				5% A-D Critical Value		0.754		Kaplan-Meier (KM) Method				
2556					K-S Test Statistic	0.754				Mean		0.0913
2557				5% K-S Critical Value		0.144				SD		0.06
2558		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.00986
2559										95% KM (t) UCL		0.108
2560		Assuming Gamma Distribution								95% KM (z) UCL		0.108
2561		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.108
2562					Minimum	0.024				95% KM (bootstrap t) UCL		0.115
2563					Maximum	0.316				95% KM (BCA) UCL		0.108
2564					Mean	0.0913		95% KM (Percentile Bootstrap) UCL				0.108
2565					Median	0.0715				95% KM (Chebyshev) UCL		0.134
2566					SD	0.0608				97.5% KM (Chebyshev) UCL		0.153
2567					k star	3.055				99% KM (Chebyshev) UCL		0.189
2568					Theta star	0.0299						
2569					Nu star	232.2		Potential UCLs to Use				
2570					AppChi2	197.9				95% KM (Chebyshev) UCL		0.134
2571			95% Gamma Approximate UCL			0.107						
2572			95% Adjusted Gamma UCL			0.108						
2573	Note: DL/2 is not a recommended method.											
2574												
2575												
2576	Manganese											
2577												
2578					General Statistics							
2579			Number of Valid Data			10			Number of Detected Data			10
2580		Number of Distinct Detected Data				10			Number of Non-Detect Data			0
2581			Number of Missing Values			33			Percent Non-Detects			0.00%
2582												
2583		Raw Statistics						Log-transformed Statistics				
2584				Minimum Detected		3.89			Minimum Detected			1.358
2585				Maximum Detected		7.82			Maximum Detected			2.057
2586				Mean of Detected		5.916			Mean of Detected			1.741
2587				SD of Detected		1.626			SD of Detected			0.288
2588			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
2589			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
2590												
2591												
2592					UCL Statistics							
2593		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2594			Shapiro Wilk Test Statistic			0.853			Shapiro Wilk Test Statistic			0.851
2595			5% Shapiro Wilk Critical Value			0.842			5% Shapiro Wilk Critical Value			0.842
2596		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
2597												

	A	B	C	D	E	F	G	H	I	J	K	L
2598			Assuming Normal Distribution						Assuming Lognormal Distribution			
2599				DL/2 Substitution Method						DL/2 Substitution Method		
2600					Mean	5.916					Mean	1.741
2601					SD	1.626					SD	0.288
2602				95% DL/2 (t) UCL		6.859				95% H-Stat (DL/2) UCL		7.183
2603												
2604			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
2605			MLE method failed to converge properly							Mean in Log Scale		N/A
2606										SD in Log Scale		N/A
2607										Mean in Original Scale		N/A
2608										SD in Original Scale		N/A
2609										95% Percentile Bootstrap UCL		N/A
2610										95% BCA Bootstrap UCL		N/A
2611												
2612			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
2613				k star (bias corrected)		9.828			Data appear Normal at 5% Significance Level			
2614					Theta Star	0.602						
2615					nu star	196.6						
2616												
2617					A-D Test Statistic	0.675			Nonparametric Statistics			
2618				5% A-D Critical Value		0.725				Kaplan-Meier (KM) Method		
2619					K-S Test Statistic	0.725					Mean	5.916
2620				5% K-S Critical Value		0.266					SD	1.543
2621			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	0.514
2622											95% KM (t) UCL	6.859
2623			Assuming Gamma Distribution								95% KM (z) UCL	6.762
2624			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		6.859
2625					Minimum	3.89				95% KM (bootstrap t) UCL		6.845
2626					Maximum	7.82				95% KM (BCA) UCL		6.733
2627					Mean	5.916			95% KM (Percentile Bootstrap) UCL			6.724
2628					Median	5.985				95% KM (Chebyshev) UCL		8.158
2629					SD	1.626				97.5% KM (Chebyshev) UCL		9.128
2630					k star	9.828				99% KM (Chebyshev) UCL		11.03
2631					Theta star	0.602						
2632					Nu star	196.6			Potential UCLs to Use			
2633					AppChi2	165.1				95% KM (t) UCL		6.859
2634			95% Gamma Approximate UCL			7.042			95% KM (Percentile Bootstrap) UCL			6.724
2635			95% Adjusted Gamma UCL			7.263						
2636	Note: DL/2 is not a recommended method.											
2637												
2638												
2639	Mercury											
2640												
2641							General Statistics					
2642			Number of Valid Data			35				Number of Detected Data		35
2643			Number of Distinct Detected Data			18				Number of Non-Detect Data		0
2644			Number of Missing Values			8				Percent Non-Detects		0.00%
2645												
2646			Raw Statistics						Log-transformed Statistics			
2647				Minimum Detected		0.005				Minimum Detected		-5.298
2648				Maximum Detected		0.0263				Maximum Detected		-3.638
2649				Mean of Detected		0.0113				Mean of Detected		-4.565
2650				SD of Detected		0.005				SD of Detected		0.384

	A	B	C	D	E	F	G	H	I	J	K	L
2651				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
2652				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
2653												
2654												
2655						UCL Statistics						
2656		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2657				Shapiro Wilk Test Statistic		0.818			Shapiro Wilk Test Statistic			0.948
2658				5% Shapiro Wilk Critical Value		0.934			5% Shapiro Wilk Critical Value			0.934
2659		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
2660												
2661		Assuming Normal Distribution						Assuming Lognormal Distribution				
2662				DL/2 Substitution Method					DL/2 Substitution Method			
2663				Mean		0.0113			Mean			-4.565
2664				SD		0.005			SD			0.384
2665				95% DL/2 (t) UCL		0.0127			95% H-Stat (DL/2) UCL			0.0126
2666												
2667				Maximum Likelihood Estimate(MLE) Method		N/A			Log ROS Method			
2668		MLE method failed to converge properly							Mean in Log Scale			N/A
2669									SD in Log Scale			N/A
2670									Mean in Original Scale			N/A
2671									SD in Original Scale			N/A
2672									95% Percentile Bootstrap UCL			N/A
2673									95% BCA Bootstrap UCL			N/A
2674												
2675		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2676				k star (bias corrected)		6.072		Data appear Lognormal at 5% Significance Level				
2677				Theta Star		0.00185						
2678				nu star		425						
2679												
2680				A-D Test Statistic		1.055		Nonparametric Statistics				
2681				5% A-D Critical Value		0.749			Kaplan-Meier (KM) Method			
2682				K-S Test Statistic		0.749			Mean			0.0113
2683				5% K-S Critical Value		0.149			SD			0.00493
2684		Data not Gamma Distributed at 5% Significance Level							SE of Mean			0.0008458
2685									95% KM (t) UCL			0.0127
2686		Assuming Gamma Distribution							95% KM (z) UCL			0.0126
2687		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			0.0127
2688				Minimum		0.005			95% KM (bootstrap t) UCL			0.0131
2689				Maximum		0.0263			95% KM (BCA) UCL			0.0127
2690				Mean		0.0113			95% KM (Percentile Bootstrap) UCL			0.0127
2691				Median		0.01			95% KM (Chebyshev) UCL			0.0149
2692				SD		0.005			97.5% KM (Chebyshev) UCL			0.0165
2693				k star		6.072			99% KM (Chebyshev) UCL			0.0197
2694				Theta star		0.00185						
2695				Nu star		425		Potential UCLs to Use				
2696				AppChi2		378.2			95% KM (Chebyshev) UCL			0.0149
2697			95% Gamma Approximate UCL			0.0126						
2698			95% Adjusted Gamma UCL			0.0127						
2699	Note: DL/2 is not a recommended method.											
2700												
2701												
2702	Nickel											
2703												

	A	B	C	D	E	F	G	H	I	J	K	L
2704					General Statistics							
2705				Number of Valid Data		38			Number of Detected Data			38
2706			Number of Distinct Detected Data			37			Number of Non-Detect Data			0
2707				Number of Missing Values		5			Percent Non-Detects			0.00%
2708												
2709				Raw Statistics					Log-transformed Statistics			
2710				Minimum Detected		0.151			Minimum Detected			-1.89
2711				Maximum Detected		0.485			Maximum Detected			-0.724
2712				Mean of Detected		0.299			Mean of Detected			-1.251
2713				SD of Detected		0.0867			SD of Detected			0.308
2714				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
2715				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
2716												
2717												
2718					UCL Statistics							
2719		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2720				Shapiro Wilk Test Statistic		0.958			Shapiro Wilk Test Statistic			0.943
2721				5% Shapiro Wilk Critical Value		0.938			5% Shapiro Wilk Critical Value			0.938
2722		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
2723												
2724		Assuming Normal Distribution						Assuming Lognormal Distribution				
2725				DL/2 Substitution Method					DL/2 Substitution Method			
2726				Mean		0.299			Mean			-1.251
2727				SD		0.0867			SD			0.308
2728				95% DL/2 (t) UCL		0.323			95% H-Stat (DL/2) UCL			0.328
2729												
2730			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
2731		MLE method failed to converge properly							Mean in Log Scale			N/A
2732									SD in Log Scale			N/A
2733									Mean in Original Scale			N/A
2734									SD in Original Scale			N/A
2735									95% Percentile Bootstrap UCL			N/A
2736									95% BCA Bootstrap UCL			N/A
2737												
2738		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2739				k star (bias corrected)		10.68		Data appear Normal at 5% Significance Level				
2740				Theta Star		0.028						
2741				nu star		811.7						
2742												
2743				A-D Test Statistic		0.525			Nonparametric Statistics			
2744				5% A-D Critical Value		0.748			Kaplan-Meier (KM) Method			
2745				K-S Test Statistic		0.748			Mean			0.299
2746				5% K-S Critical Value		0.143			SD			0.0855
2747		Data appear Gamma Distributed at 5% Significance Level							SE of Mean			0.0141
2748									95% KM (t) UCL			0.323
2749		Assuming Gamma Distribution							95% KM (z) UCL			0.322
2750		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			0.323
2751				Minimum		0.151			95% KM (bootstrap t) UCL			0.324
2752				Maximum		0.485			95% KM (BCA) UCL			0.321
2753				Mean		0.299			95% KM (Percentile Bootstrap) UCL			0.323
2754				Median		0.303			95% KM (Chebyshev) UCL			0.36
2755				SD		0.0867			97.5% KM (Chebyshev) UCL			0.387
2756				k star		10.68			99% KM (Chebyshev) UCL			0.439

	A	B	C	D	E	F	G	H	I	J	K	L
2757					Theta star	0.028						
2758					Nu star	811.7		Potential UCLs to Use				
2759					AppChi2	746.5				95% KM (t) UCL		0.323
2760			95% Gamma Approximate UCL			0.325		95% KM (Percentile Bootstrap) UCL				0.323
2761			95% Adjusted Gamma UCL			0.326						
2762	Note: DL/2 is not a recommended method.											
2763												
2764												
2765	Nitrobenzene											
2766												
2767					General Statistics							
2768			Number of Valid Data			10			Number of Detected Data			7
2769			Number of Distinct Detected Data			6			Number of Non-Detect Data			3
2770			Number of Missing Values			33			Percent Non-Detects			30.00%
2771												
2772			Raw Statistics					Log-transformed Statistics				
2773			Minimum Detected			78			Minimum Detected			4.357
2774			Maximum Detected			520			Maximum Detected			6.254
2775			Mean of Detected			250.1			Mean of Detected			5.311
2776			SD of Detected			165.4			SD of Detected			0.731
2777			Minimum Non-Detect			33			Minimum Non-Detect			3.497
2778			Maximum Non-Detect			36			Maximum Non-Detect			3.584
2779												
2780	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			3
2781	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			7
2782	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			30.00%
2783												
2784					Warning: There are only 7 Detected Values in this data							
2785					Note: It should be noted that even though bootstrap may be performed on this data set							
2786					the resulting calculations may not be reliable enough tp draw conclusions							
2787												
2788					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
2789												
2790												
2791					UCL Statistics							
2792			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
2793			Shapiro Wilk Test Statistic			0.914			Shapiro Wilk Test Statistic			0.924
2794			5% Shapiro Wilk Critical Value			0.803			5% Shapiro Wilk Critical Value			0.803
2795		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
2796												
2797		Assuming Normal Distribution						Assuming Lognormal Distribution				
2798			DL/2 Substitution Method						DL/2 Substitution Method			
2799					Mean	180.3				Mean		4.573
2800					SD	175.7				SD		1.329
2801			95% DL/2 (t) UCL			282.2			95% H-Stat (DL/2) UCL			403.4
2802												
2803		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
2804					Mean	144.8			Mean in Log Scale			4.764
2805					SD	214.5			SD in Log Scale			1.063
2806			95% MLE (t) UCL			269.1			Mean in Original Scale			184.9
2807			95% MLE (Tiku) UCL			277.2			SD in Original Scale			171
2808									95% Percentile Bootstrap UCL			275.4
2809									95% BCA Bootstrap UCL			290.4

	A	B	C	D	E	F	G	H	I	J	K	L
2810												
2811			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
2812				k star (bias corrected)		1.535		Data appear Normal at 5% Significance Level				
2813				Theta Star		163						
2814				nu star		21.49						
2815												
2816				A-D Test Statistic		0.286		Nonparametric Statistics				
2817				5% A-D Critical Value		0.713		Kaplan-Meier (KM) Method				
2818				K-S Test Statistic		0.713				Mean		198.5
2819				5% K-S Critical Value		0.314				SD		150.4
2820		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		51.38
2821										95% KM (t) UCL		292.7
2822			Assuming Gamma Distribution							95% KM (z) UCL		283
2823			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		289.7
2824				Minimum		78				95% KM (bootstrap t) UCL		340.8
2825				Maximum		520				95% KM (BCA) UCL		306
2826				Mean		204.3				95% KM (Percentile Bootstrap) UCL		288.6
2827				Median		143.7				95% KM (Chebyshev) UCL		422.5
2828				SD		153.8				97.5% KM (Chebyshev) UCL		519.4
2829				k star		1.706				99% KM (Chebyshev) UCL		709.8
2830				Theta star		119.8						
2831				Nu star		34.11		Potential UCLs to Use				
2832				AppChi2		21.76				95% KM (t) UCL		292.7
2833			95% Gamma Approximate UCL			320.4			95% KM (Percentile Bootstrap) UCL			288.6
2834			95% Adjusted Gamma UCL			347.6						
2835	Note: DL/2 is not a recommended method.											
2836												
2837												
2838	Perylene											
2839												
2840					General Statistics							
2841				Number of Valid Data		7			Number of Detected Data			5
2842			Number of Distinct Detected Data			5			Number of Non-Detect Data			2
2843				Number of Missing Values		36			Percent Non-Detects			28.57%
2844												
2845			Raw Statistics						Log-transformed Statistics			
2846				Minimum Detected		0.26			Minimum Detected			-1.347
2847				Maximum Detected		1.3			Maximum Detected			0.262
2848				Mean of Detected		0.75			Mean of Detected			-0.425
2849				SD of Detected		0.404			SD of Detected			0.617
2850				Minimum Non-Detect		0.13			Minimum Non-Detect			-2.04
2851				Maximum Non-Detect		0.13			Maximum Non-Detect			-2.04
2852												
2853												
2854				Warning: There are only 5 Detected Values in this data								
2855				Note: It should be noted that even though bootstrap may be performed on this data set								
2856				the resulting calculations may not be reliable enough tp draw conclusions								
2857												
2858			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
2859												
2860												
2861					UCL Statistics							
2862			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				

	A	B	C	D	E	F	G	H	I	J	K	L
2863				Shapiro Wilk Test Statistic		0.956				Shapiro Wilk Test Statistic		0.942
2864				5% Shapiro Wilk Critical Value		0.762				5% Shapiro Wilk Critical Value		0.762
2865			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
2866												
2867			Assuming Normal Distribution						Assuming Lognormal Distribution			
2868				DL/2 Substitution Method						DL/2 Substitution Method		
2869					Mean	0.554					Mean	-1.084
2870					SD	0.47					SD	1.234
2871				95% DL/2 (t) UCL		0.899				95% H-Stat (DL/2) UCL		1.045
2872												
2873			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
2874					Mean	0.478				Mean in Log Scale		-0.878
2875					SD	0.547				SD in Log Scale		0.933
2876				95% MLE (t) UCL		0.88				Mean in Original Scale		0.575
2877				95% MLE (Tiku) UCL		0.907				SD in Original Scale		0.446
2878										95% Percentile Bootstrap UCL		0.844
2879										95% BCA Bootstrap UCL		0.859
2880												
2881			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
2882				k star (bias corrected)		1.657			Data appear Normal at 5% Significance Level			
2883					Theta Star	0.453						
2884					nu star	16.57						
2885												
2886				A-D Test Statistic		0.264			Nonparametric Statistics			
2887				5% A-D Critical Value		0.682				Kaplan-Meier (KM) Method		
2888				K-S Test Statistic		0.682					Mean	0.61
2889				5% K-S Critical Value		0.359					SD	0.377
2890		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.159
2891										95% KM (t) UCL		0.92
2892			Assuming Gamma Distribution							95% KM (z) UCL		0.872
2893		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.922
2894					Minimum	0.26				95% KM (bootstrap t) UCL		1.053
2895					Maximum	1.3				95% KM (BCA) UCL		0.969
2896					Mean	0.641			95% KM (Percentile Bootstrap) UCL			0.926
2897					Median	0.59				95% KM (Chebyshev) UCL		1.305
2898					SD	0.384				97.5% KM (Chebyshev) UCL		1.606
2899					k star	2.019				99% KM (Chebyshev) UCL		2.196
2900					Theta star	0.317						
2901					Nu star	28.27			Potential UCLs to Use			
2902					AppChi2	17.14				95% KM (t) UCL		0.92
2903				95% Gamma Approximate UCL		1.057			95% KM (Percentile Bootstrap) UCL			0.926
2904				95% Adjusted Gamma UCL		1.242						
2905	Note: DL/2 is not a recommended method.											
2906												
2907												
2908	Phenanthrene											
2909												
2910						General Statistics						
2911			Number of Valid Data			39				Number of Detected Data		36
2912			Number of Distinct Detected Data			28				Number of Non-Detect Data		3
2913			Number of Missing Values			4				Percent Non-Detects		7.69%
2914												
2915			Raw Statistics						Log-transformed Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
2916				Minimum Detected		2.7				Minimum Detected		0.993
2917				Maximum Detected		300				Maximum Detected		5.704
2918				Mean of Detected		37.61				Mean of Detected		2.995
2919				SD of Detected		60.05				SD of Detected		1.032
2920				Minimum Non-Detect		31				Minimum Non-Detect		3.434
2921				Maximum Non-Detect		33				Maximum Non-Detect		3.497
2922												
2923	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		32
2924	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		7
2925	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		82.05%
2926												
2927					UCL Statistics							
2928		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2929				Shapiro Wilk Test Statistic		0.538				Shapiro Wilk Test Statistic		0.937
2930				5% Shapiro Wilk Critical Value		0.935				5% Shapiro Wilk Critical Value		0.935
2931		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
2932												
2933		Assuming Normal Distribution						Assuming Lognormal Distribution				
2934				DL/2 Substitution Method						DL/2 Substitution Method		
2935				Mean		35.95				Mean		2.978
2936				SD		57.93				SD		0.992
2937				95% DL/2 (t) UCL		51.59				95% H-Stat (DL/2) UCL		48.54
2938												
2939				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
2940		MLE yields a negative mean								Mean in Log Scale		2.975
2941										SD in Log Scale		0.993
2942										Mean in Original Scale		35.89
2943										SD in Original Scale		57.95
2944										95% Percentile Bootstrap UCL		52.29
2945										95% BCA Bootstrap UCL		57.68
2946												
2947		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2948				k star (bias corrected)		0.864		Data appear Lognormal at 5% Significance Level				
2949				Theta Star		43.53						
2950				nu star		62.21						
2951												
2952				A-D Test Statistic		2.566		Nonparametric Statistics				
2953				5% A-D Critical Value		0.78				Kaplan-Meier (KM) Method		
2954				K-S Test Statistic		0.78				Mean		35.93
2955				5% K-S Critical Value		0.152				SD		57.22
2956		Data not Gamma Distributed at 5% Significance Level								SE of Mean		9.299
2957										95% KM (t) UCL		51.61
2958		Assuming Gamma Distribution								95% KM (z) UCL		51.22
2959		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		51.59
2960				Minimum		2.7				95% KM (bootstrap t) UCL		66.84
2961				Maximum		300				95% KM (BCA) UCL		54.17
2962				Mean		36.88				95% KM (Percentile Bootstrap) UCL		52.73
2963				Median		19				95% KM (Chebyshev) UCL		76.46
2964				SD		57.69				97.5% KM (Chebyshev) UCL		94
2965				k star		0.928				99% KM (Chebyshev) UCL		128.5
2966				Theta star		39.75						
2967				Nu star		72.37		Potential UCLs to Use				
2968				AppChi2		53.78				97.5% KM (Chebyshev) UCL		94

	A	B	C	D	E	F	G	H	I	J	K	L
2969				95% Gamma Approximate UCL		49.63						
2970				95% Adjusted Gamma UCL		50.22						
2971	Note: DL/2 is not a recommended method.											
2972												
2973												
2974	Pyrene											
2975												
2976					General Statistics							
2977			Number of Valid Data			39			Number of Detected Data			39
2978			Number of Distinct Detected Data			33			Number of Non-Detect Data			0
2979			Number of Missing Values			4			Percent Non-Detects			0.00%
2980												
2981			Raw Statistics						Log-transformed Statistics			
2982			Minimum Detected			5.5			Minimum Detected			1.705
2983			Maximum Detected			850			Maximum Detected			6.745
2984			Mean of Detected			108.6			Mean of Detected			4.01
2985			SD of Detected			181.2			SD of Detected			1.125
2986			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
2987			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
2988												
2989												
2990					UCL Statistics							
2991			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
2992			Shapiro Wilk Test Statistic			0.501			Shapiro Wilk Test Statistic			0.964
2993			5% Shapiro Wilk Critical Value			0.939			5% Shapiro Wilk Critical Value			0.939
2994			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
2995												
2996			Assuming Normal Distribution						Assuming Lognormal Distribution			
2997			DL/2 Substitution Method						DL/2 Substitution Method			
2998			Mean			108.6			Mean			4.01
2999			SD			181.2			SD			1.125
3000			95% DL/2 (t) UCL			157.6			95% H-Stat (DL/2) UCL			164.1
3001												
3002			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
3003			MLE method failed to converge properly						Mean in Log Scale			N/A
3004									SD in Log Scale			N/A
3005									Mean in Original Scale			N/A
3006									SD in Original Scale			N/A
3007									95% Percentile Bootstrap UCL			N/A
3008									95% BCA Bootstrap UCL			N/A
3009												
3010			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
3011			k star (bias corrected)			0.817			Data appear Lognormal at 5% Significance Level			
3012			Theta Star			133						
3013			nu star			63.74						
3014												
3015			A-D Test Statistic			1.602			Nonparametric Statistics			
3016			5% A-D Critical Value			0.784			Kaplan-Meier (KM) Method			
3017			K-S Test Statistic			0.784			Mean			108.6
3018			5% K-S Critical Value			0.146			SD			178.8
3019			Data not Gamma Distributed at 5% Significance Level						SE of Mean			29.01
3020									95% KM (t) UCL			157.6
3021			Assuming Gamma Distribution						95% KM (z) UCL			156.4

	A	B	C	D	E	F	G	H	I	J	K	L
3022			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			157.6
3023					Minimum	5.5			95% KM (bootstrap t) UCL			243.5
3024					Maximum	850			95% KM (BCA) UCL			159.7
3025					Mean	108.6			95% KM (Percentile Bootstrap) UCL			159.5
3026					Median	52			95% KM (Chebyshev) UCL			235.1
3027					SD	181.2			97.5% KM (Chebyshev) UCL			289.8
3028					k star	0.817			99% KM (Chebyshev) UCL			397.3
3029					Theta star	133						
3030					Nu star	63.74			Potential UCLs to Use			
3031					AppChi2	46.37			97.5% KM (Chebyshev) UCL			289.8
3032			95% Gamma Approximate UCL			149.3						
3033			95% Adjusted Gamma UCL			151.2						
3034	Note: DL/2 is not a recommended method.											
3035												
3036												
3037	Selenium											
3038												
3039					General Statistics							
3040		Number of Valid Data				38			Number of Detected Data			36
3041		Number of Distinct Detected Data				26			Number of Non-Detect Data			2
3042		Number of Missing Values				5			Percent Non-Detects			5.26%
3043												
3044			Raw Statistics						Log-transformed Statistics			
3045			Minimum Detected			0.069			Minimum Detected			-2.674
3046			Maximum Detected			0.22			Maximum Detected			-1.514
3047			Mean of Detected			0.127			Mean of Detected			-2.109
3048			SD of Detected			0.0414			SD of Detected			0.316
3049			Minimum Non-Detect			0.1			Minimum Non-Detect			-2.303
3050			Maximum Non-Detect			0.1			Maximum Non-Detect			-2.303
3051												
3052												
3053					UCL Statistics							
3054		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
3055			Shapiro Wilk Test Statistic			0.91			Shapiro Wilk Test Statistic			0.943
3056			5% Shapiro Wilk Critical Value			0.935			5% Shapiro Wilk Critical Value			0.935
3057		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
3058												
3059		Assuming Normal Distribution						Assuming Lognormal Distribution				
3060			DL/2 Substitution Method						DL/2 Substitution Method			
3061					Mean	0.123			Mean			-2.156
3062					SD	0.0439			SD			0.367
3063			95% DL/2 (t) UCL			0.135			95% H-Stat (DL/2) UCL			0.136
3064												
3065		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
3066					Mean	0.116			Mean in Log Scale			-2.126
3067					SD	0.0524			SD in Log Scale			0.316
3068			95% MLE (t) UCL			0.131			Mean in Original Scale			0.125
3069			95% MLE (Tiku) UCL			0.132			SD in Original Scale			0.0413
3070									95% Percentile Bootstrap UCL			0.137
3071									95% BCA Bootstrap UCL			0.137
3072												
3073		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
3074			k star (bias corrected)			9.479			Data appear Lognormal at 5% Significance Level			

	A	B	C	D	E	F	G	H	I	J	K	L
3075					Theta Star	0.0134						
3076					nu star	682.5						
3077												
3078					A-D Test Statistic	0.849			Nonparametric Statistics			
3079					5% A-D Critical Value	0.748			Kaplan-Meier (KM) Method			
3080					K-S Test Statistic	0.748					Mean	0.125
3081					5% K-S Critical Value	0.147					SD	0.0408
3082		Data not Gamma Distributed at 5% Significance Level									SE of Mean	0.00672
3083											95% KM (t) UCL	0.137
3084		Assuming Gamma Distribution									95% KM (z) UCL	0.136
3085		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.137
3086					Minimum	0.069					95% KM (bootstrap t) UCL	0.137
3087					Maximum	0.22					95% KM (BCA) UCL	0.137
3088					Mean	0.126				95% KM (Percentile Bootstrap) UCL		0.136
3089					Median	0.112					95% KM (Chebyshev) UCL	0.155
3090					SD	0.0412					97.5% KM (Chebyshev) UCL	0.167
3091					k star	9.477					99% KM (Chebyshev) UCL	0.192
3092					Theta star	0.0133						
3093					Nu star	720.2			Potential UCLs to Use			
3094					AppChi2	658.9					95% KM (Chebyshev) UCL	0.155
3095			95% Gamma Approximate UCL			0.137						
3096			95% Adjusted Gamma UCL			0.138						
3097	Note: DL/2 is not a recommended method.											
3098												
3099												
3100	Silver											
3101												
3102					General Statistics							
3103			Number of Valid Data			38			Number of Detected Data			38
3104		Number of Distinct Detected Data				33			Number of Non-Detect Data			0
3105			Number of Missing Values			5			Percent Non-Detects			0.00%
3106												
3107		Raw Statistics							Log-transformed Statistics			
3108			Minimum Detected			0.0201			Minimum Detected			-3.907
3109			Maximum Detected			0.101			Maximum Detected			-2.293
3110			Mean of Detected			0.0521			Mean of Detected			-3.008
3111			SD of Detected			0.0171			SD of Detected			0.339
3112			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
3113			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
3114												
3115												
3116					UCL Statistics							
3117		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
3118			Shapiro Wilk Test Statistic			0.969			Shapiro Wilk Test Statistic			0.984
3119			5% Shapiro Wilk Critical Value			0.938			5% Shapiro Wilk Critical Value			0.938
3120		Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
3121												
3122		Assuming Normal Distribution							Assuming Lognormal Distribution			
3123			DL/2 Substitution Method						DL/2 Substitution Method			
3124					Mean	0.0521					Mean	-3.008
3125					SD	0.0171					SD	0.339
3126			95% DL/2 (t) UCL			0.0568			95% H-Stat (DL/2) UCL			0.0578
3127												

	A	B	C	D	E	F	G	H	I	J	K	L
3128			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
3129			MLE method failed to converge properly							Mean in Log Scale		N/A
3130										SD in Log Scale		N/A
3131										Mean in Original Scale		N/A
3132										SD in Original Scale		N/A
3133										95% Percentile Bootstrap UCL		N/A
3134										95% BCA Bootstrap UCL		N/A
3135												
3136			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
3137			k star (bias corrected)			8.723			Data appear Normal at 5% Significance Level			
3138				Theta Star		0.00597						
3139				nu star		662.9						
3140												
3141				A-D Test Statistic		0.213			Nonparametric Statistics			
3142				5% A-D Critical Value		0.748			Kaplan-Meier (KM) Method			
3143				K-S Test Statistic		0.748				Mean		0.0521
3144				5% K-S Critical Value		0.143				SD		0.0169
3145			Data appear Gamma Distributed at 5% Significance Level							SE of Mean		0.00278
3146										95% KM (t) UCL		0.0568
3147			Assuming Gamma Distribution							95% KM (z) UCL		0.0567
3148			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.0568
3149				Minimum		0.0201				95% KM (bootstrap t) UCL		0.0571
3150				Maximum		0.101				95% KM (BCA) UCL		0.0567
3151				Mean		0.0521				95% KM (Percentile Bootstrap) UCL		0.0568
3152				Median		0.05				95% KM (Chebyshev) UCL		0.0642
3153				SD		0.0171				97.5% KM (Chebyshev) UCL		0.0695
3154				k star		8.723				99% KM (Chebyshev) UCL		0.0798
3155				Theta star		0.00597						
3156				Nu star		662.9			Potential UCLs to Use			
3157				AppChi2		604.2				95% KM (t) UCL		0.0568
3158			95% Gamma Approximate UCL			0.0572			95% KM (Percentile Bootstrap) UCL			0.0568
3159			95% Adjusted Gamma UCL			0.0574						
3160	Note: DL/2 is not a recommended method.											
3161												
3162												
3163	Thallium											
3164												
3165					General Statistics							
3166			Number of Valid Data			10			Number of Detected Data			10
3167			Number of Distinct Detected Data			9			Number of Non-Detect Data			0
3168			Number of Missing Values			33			Percent Non-Detects			0.00%
3169												
3170			Raw Statistics						Log-transformed Statistics			
3171				Minimum Detected		0.00035				Minimum Detected		-7.958
3172				Maximum Detected		0.002				Maximum Detected		-6.215
3173				Mean of Detected		0.00106				Mean of Detected		-6.985
3174				SD of Detected		0.0005325				SD of Detected		0.567
3175				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
3176				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
3177												
3178												
3179					UCL Statistics							
3180			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			

	A	B	C	D	E	F	G	H	I	J	K	L
3181				Shapiro Wilk Test Statistic		0.933				Shapiro Wilk Test Statistic		0.927
3182				5% Shapiro Wilk Critical Value		0.842				5% Shapiro Wilk Critical Value		0.842
3183			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
3184												
3185			Assuming Normal Distribution						Assuming Lognormal Distribution			
3186				DL/2 Substitution Method						DL/2 Substitution Method		
3187					Mean	0.00106					Mean	-6.985
3188					SD	0.0005325					SD	0.567
3189				95% DL/2 (t) UCL		0.00136				95% H-Stat (DL/2) UCL		0.00169
3190												
3191			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
3192			MLE method failed to converge properly							Mean in Log Scale		N/A
3193										SD in Log Scale		N/A
3194										Mean in Original Scale		N/A
3195										SD in Original Scale		N/A
3196									95% Percentile Bootstrap UCL			N/A
3197										95% BCA Bootstrap UCL		N/A
3198												
3199			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
3200				k star (bias corrected)		2.85			Data appear Normal at 5% Significance Level			
3201					Theta Star	0.0003701						
3202					nu star	57.01						
3203												
3204					A-D Test Statistic	0.31			Nonparametric Statistics			
3205				5% A-D Critical Value		0.729			Kaplan-Meier (KM) Method			
3206					K-S Test Statistic	0.729					Mean	0.00106
3207				5% K-S Critical Value		0.268					SD	0.0005052
3208			Data appear Gamma Distributed at 5% Significance Level								SE of Mean	0.0001684
3209											95% KM (t) UCL	0.00136
3210			Assuming Gamma Distribution								95% KM (z) UCL	0.00133
3211			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		0.00136
3212					Minimum	0.00035				95% KM (bootstrap t) UCL		0.00145
3213					Maximum	0.002				95% KM (BCA) UCL		0.00129
3214					Mean	0.00106			95% KM (Percentile Bootstrap) UCL			0.00131
3215					Median	0.00105				95% KM (Chebyshev) UCL		0.00179
3216					SD	0.0005325				97.5% KM (Chebyshev) UCL		0.00211
3217					k star	2.85				99% KM (Chebyshev) UCL		0.00273
3218					Theta star	0.0003701						
3219					Nu star	57.01			Potential UCLs to Use			
3220					AppChi2	40.65					95% KM (t) UCL	0.00136
3221				95% Gamma Approximate UCL		0.00148			95% KM (Percentile Bootstrap) UCL			0.00131
3222				95% Adjusted Gamma UCL		0.00157						
3223	Note: DL/2 is not a recommended method.											
3224												
3225												
3226	Total Chlordanes											
3227												
3228						General Statistics						
3229				Number of Valid Data		41				Number of Detected Data		41
3230			Number of Distinct Detected Data			41				Number of Non-Detect Data		0
3231				Number of Missing Values		2				Percent Non-Detects		0.00%
3232												
3233			Raw Statistics						Log-transformed Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
3234				Minimum Detected		1.613			Minimum Detected			0.478
3235				Maximum Detected		16.02			Maximum Detected			2.774
3236				Mean of Detected		4.178			Mean of Detected			1.31
3237				SD of Detected		2.584			SD of Detected			0.455
3238				Minimum Non-Detect		N/A			Minimum Non-Detect			N/A
3239				Maximum Non-Detect		N/A			Maximum Non-Detect			N/A
3240												
3241												
3242					UCL Statistics							
3243		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
3244				Shapiro Wilk Test Statistic		0.705			Shapiro Wilk Test Statistic			0.924
3245				5% Shapiro Wilk Critical Value		0.941			5% Shapiro Wilk Critical Value			0.941
3246		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
3247												
3248		Assuming Normal Distribution						Assuming Lognormal Distribution				
3249				DL/2 Substitution Method					DL/2 Substitution Method			
3250				Mean		4.178			Mean			1.31
3251				SD		2.584			SD			0.455
3252				95% DL/2 (t) UCL		4.858			95% H-Stat (DL/2) UCL			4.702
3253												
3254				Maximum Likelihood Estimate(MLE) Method		N/A			Log ROS Method			
3255		MLE method failed to converge properly							Mean in Log Scale			N/A
3256									SD in Log Scale			N/A
3257									Mean in Original Scale			N/A
3258									SD in Original Scale			N/A
3259									95% Percentile Bootstrap UCL			N/A
3260									95% BCA Bootstrap UCL			N/A
3261												
3262		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
3263				k star (bias corrected)		4.046		Data do not follow a Discernable Distribution (0.05)				
3264				Theta Star		1.033						
3265				nu star		331.8						
3266												
3267				A-D Test Statistic		1.826		Nonparametric Statistics				
3268				5% A-D Critical Value		0.752			Kaplan-Meier (KM) Method			
3269				K-S Test Statistic		0.752			Mean			4.178
3270				5% K-S Critical Value		0.138			SD			2.553
3271		Data not Gamma Distributed at 5% Significance Level							SE of Mean			0.404
3272									95% KM (t) UCL			4.858
3273		Assuming Gamma Distribution							95% KM (z) UCL			4.842
3274		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			4.858
3275				Minimum		1.613			95% KM (bootstrap t) UCL			5.292
3276				Maximum		16.02			95% KM (BCA) UCL			4.914
3277				Mean		4.178			95% KM (Percentile Bootstrap) UCL			4.839
3278				Median		3.275			95% KM (Chebyshev) UCL			5.937
3279				SD		2.584			97.5% KM (Chebyshev) UCL			6.699
3280				k star		4.046			99% KM (Chebyshev) UCL			8.194
3281				Theta star		1.033						
3282				Nu star		331.8		Potential UCLs to Use				
3283				AppChi2		290.6			95% KM (Chebyshev) UCL			5.937
3284				95% Gamma Approximate UCL		4.77						
3285				95% Adjusted Gamma UCL		4.794						
3286	Note: DL/2 is not a recommended method.											

Total DDD

<table>
<tr><th colspan="4">General Statistics</th></tr>
<tr><td>Number of Valid Data</td><td>41</td><td>Number of Detected Data</td><td>41</td></tr>
<tr><td>Number of Distinct Detected Data</td><td>41</td><td>Number of Non-Detect Data</td><td>0</td></tr>
<tr><td>Number of Missing Values</td><td>2</td><td>Percent Non-Detects</td><td>0.00%</td></tr>
</table>

Raw Statistics		Log-transformed Statistics	
Minimum Detected	1.709	Minimum Detected	0.536
Maximum Detected	242	Maximum Detected	5.489
Mean of Detected	24.73	Mean of Detected	2.426
SD of Detected	48.57	SD of Detected	1.093
Minimum Non-Detect	N/A	Minimum Non-Detect	N/A
Maximum Non-Detect	N/A	Maximum Non-Detect	N/A

<table>
<tr><th colspan="4">UCL Statistics</th></tr>
<tr><th colspan="2">Normal Distribution Test with Detected Values Only</th><th colspan="2">Lognormal Distribution Test with Detected Values Only</th></tr>
<tr><td>Shapiro Wilk Test Statistic</td><td>0.453</td><td>Shapiro Wilk Test Statistic</td><td>0.93</td></tr>
<tr><td>5% Shapiro Wilk Critical Value</td><td>0.941</td><td>5% Shapiro Wilk Critical Value</td><td>0.941</td></tr>
<tr><td colspan="2">Data not Normal at 5% Significance Level</td><td colspan="2">Data not Lognormal at 5% Significance Level</td></tr>
<tr><td colspan="4"></td></tr>
<tr><th colspan="2">Assuming Normal Distribution</th><th colspan="2">Assuming Lognormal Distribution</th></tr>
<tr><td>DL/2 Substitution Method</td><td></td><td>DL/2 Substitution Method</td><td></td></tr>
<tr><td>Mean</td><td>24.73</td><td>Mean</td><td>2.426</td></tr>
<tr><td>SD</td><td>48.57</td><td>SD</td><td>1.093</td></tr>
<tr><td>95% DL/2 (t) UCL</td><td>37.5</td><td>95% H-Stat (DL/2) UCL</td><td>31.45</td></tr>
<tr><td colspan="4"></td></tr>
<tr><td>Maximum Likelihood Estimate(MLE) Method</td><td>N/A</td><td>Log ROS Method</td><td></td></tr>
<tr><td colspan="2">MLE method failed to converge properly</td><td>Mean in Log Scale</td><td>N/A</td></tr>
<tr><td></td><td></td><td>SD in Log Scale</td><td>N/A</td></tr>
<tr><td></td><td></td><td>Mean in Original Scale</td><td>N/A</td></tr>
<tr><td></td><td></td><td>SD in Original Scale</td><td>N/A</td></tr>
<tr><td></td><td></td><td>95% Percentile Bootstrap UCL</td><td>N/A</td></tr>
<tr><td></td><td></td><td>95% BCA Bootstrap UCL</td><td>N/A</td></tr>
<tr><td colspan="4"></td></tr>
<tr><th colspan="2">Gamma Distribution Test with Detected Values Only</th><th colspan="2">Data Distribution Test with Detected Values Only</th></tr>
<tr><td>k star (bias corrected)</td><td>0.724</td><td colspan="2">Data do not follow a Discernable Distribution (0.05)</td></tr>
<tr><td>Theta Star</td><td>34.13</td><td></td><td></td></tr>
<tr><td>nu star</td><td>59.4</td><td></td><td></td></tr>
<tr><td colspan="4"></td></tr>
<tr><td>A-D Test Statistic</td><td>3.312</td><td>Nonparametric Statistics</td><td></td></tr>
<tr><td>5% A-D Critical Value</td><td>0.789</td><td>Kaplan-Meier (KM) Method</td><td></td></tr>
<tr><td>K-S Test Statistic</td><td>0.789</td><td>Mean</td><td>24.73</td></tr>
<tr><td>5% K-S Critical Value</td><td>0.143</td><td>SD</td><td>47.97</td></tr>
<tr><td colspan="2">Data not Gamma Distributed at 5% Significance Level</td><td>SE of Mean</td><td>7.585</td></tr>
<tr><td></td><td></td><td>95% KM (t) UCL</td><td>37.5</td></tr>
<tr><td colspan="2">Assuming Gamma Distribution</td><td>95% KM (z) UCL</td><td>37.2</td></tr>
<tr><td colspan="2">Gamma ROS Statistics using Extrapolated Data</td><td>95% KM (jackknife) UCL</td><td>37.5</td></tr>
<tr><td>Minimum</td><td>1.709</td><td>95% KM (bootstrap t) UCL</td><td>58.27</td></tr>
<tr><td>Maximum</td><td>242</td><td>95% KM (BCA) UCL</td><td>37.67</td></tr>
</table>

	A	B	C	D	E	F	G	H	I	J	K	L
3340					Mean	24.73		95% KM (Percentile Bootstrap) UCL				38.82
3341					Median	10.24		95% KM (Chebyshev) UCL				57.79
3342					SD	48.57		97.5% KM (Chebyshev) UCL				72.09
3343					k star	0.724		99% KM (Chebyshev) UCL				100.2
3344					Theta star	34.13						
3345					Nu star	59.4		Potential UCLs to Use				
3346					AppChi2	42.68		95% KM (Chebyshev) UCL				57.79
3347			95% Gamma Approximate UCL			34.41						
3348			95% Adjusted Gamma UCL			34.84						
3349	Note: DL/2 is not a recommended method.											
3350												
3351												
3352	Total DDE											
3353												
3354					General Statistics							
3355			Number of Valid Data			41		Number of Detected Data				41
3356			Number of Distinct Detected Data			41		Number of Non-Detect Data				0
3357			Number of Missing Values			2		Percent Non-Detects				0.00%
3358												
3359			Raw Statistics					Log-transformed Statistics				
3360			Minimum Detected			4.888		Minimum Detected				1.587
3361			Maximum Detected			107		Maximum Detected				4.673
3362			Mean of Detected			18.11		Mean of Detected				2.623
3363			SD of Detected			19.27		SD of Detected				0.651
3364			Minimum Non-Detect			N/A		Minimum Non-Detect				N/A
3365			Maximum Non-Detect			N/A		Maximum Non-Detect				N/A
3366												
3367												
3368					UCL Statistics							
3369		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
3370			Shapiro Wilk Test Statistic			0.568		Shapiro Wilk Test Statistic				0.89
3371			5% Shapiro Wilk Critical Value			0.941		5% Shapiro Wilk Critical Value				0.941
3372		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
3373												
3374		Assuming Normal Distribution						Assuming Lognormal Distribution				
3375			DL/2 Substitution Method					DL/2 Substitution Method				
3376					Mean	18.11		Mean				2.623
3377					SD	19.27		SD				0.651
3378			95% DL/2 (t) UCL			23.18		95% H-Stat (DL/2) UCL				20.97
3379												
3380		Maximum Likelihood Estimate(MLE) Method				N/A		Log ROS Method				
3381		MLE method failed to converge properly						Mean in Log Scale				N/A
3382								SD in Log Scale				N/A
3383								Mean in Original Scale				N/A
3384								SD in Original Scale				N/A
3385								95% Percentile Bootstrap UCL				N/A
3386								95% BCA Bootstrap UCL				N/A
3387												
3388		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
3389			k star (bias corrected)			1.854		Data do not follow a Discernable Distribution (0.05)				
3390			Theta Star			9.767						
3391			nu star			152						
3392												

	A	B	C	D	E	F	G	H	I	J	K	L
3393				A-D Test Statistic		3.035		Nonparametric Statistics				
3394				5% A-D Critical Value		0.76		Kaplan-Meier (KM) Method				
3395				K-S Test Statistic		0.76					Mean	18.11
3396				5% K-S Critical Value		0.14					SD	19.04
3397	Data not Gamma Distributed at 5% Significance Level										SE of Mean	3.01
3398											95% KM (t) UCL	23.18
3399			Assuming Gamma Distribution								95% KM (z) UCL	23.06
3400		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	23.18
3401				Minimum		4.888					95% KM (bootstrap t) UCL	27.35
3402				Maximum		107					95% KM (BCA) UCL	23.49
3403				Mean		18.11			Number of Detected Data	95% KM (Percentile Bootstrap) UCL		23.59
3404				Median		12.82					95% KM (Chebyshev) UCL	31.23
3405				SD		19.27					97.5% KM (Chebyshev) UCL	36.9
3406				k star		1.854					99% KM (Chebyshev) UCL	48.06
3407				Theta star		9.767						
3408				Nu star		152		Potential UCLs to Use				
3409				AppChi2		124.5					95% KM (Chebyshev) UCL	31.23
3410			95% Gamma Approximate UCL			22.11						
3411			95% Adjusted Gamma UCL			22.27						
3412	Note: DL/2 is not a recommended method.											
3413												
3414												
3415	Total DDT											
3416												
3417					General Statistics							
3418			Number of Valid Data			41			Number of Detected Data			40
3419		Number of Distinct Detected Data				40			Number of Non-Detect Data			1
3420			Number of Missing Values			2			Percent Non-Detects			2.44%
3421												
3422			Raw Statistics						Log-transformed Statistics			
3423				Minimum Detected		0.464				Minimum Detected		-0.768
3424				Maximum Detected		114				Maximum Detected		4.736
3425				Mean of Detected		8.664				Mean of Detected		1.06
3426				SD of Detected		21.33				SD of Detected		1.185
3427				Minimum Non-Detect		8.3				Minimum Non-Detect		2.116
3428				Maximum Non-Detect		8.3				Maximum Non-Detect		2.116
3429												
3430												
3431					UCL Statistics							
3432		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
3433			Shapiro Wilk Test Statistic			0.403			Shapiro Wilk Test Statistic			0.835
3434			5% Shapiro Wilk Critical Value			0.94			5% Shapiro Wilk Critical Value			0.94
3435		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
3436												
3437			Assuming Normal Distribution						Assuming Lognormal Distribution			
3438			DL/2 Substitution Method						DL/2 Substitution Method			
3439				Mean		8.554				Mean		1.068
3440				SD		21.07				SD		1.171
3441			95% DL/2 (t) UCL			14.1			95% H-Stat (DL/2) UCL			9.609
3442												
3443		Maximum Likelihood Estimate(MLE) Method				N/A			Log ROS Method			
3444		MLE yields a negative mean							Mean in Log Scale			1.054
3445									SD in Log Scale			1.171

	A	B	C	D	E	F	G	H	I	J	K	L
3446										Mean in Original Scale		8.509
3447										SD in Original Scale		21.09
3448										95% Percentile Bootstrap UCL		14.48
3449										95% BCA Bootstrap UCL		17.54
3450												
3451		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
3452				k star (bias corrected)		0.541		Data do not follow a Discernable Distribution (0.05)				
3453					Theta Star	16.02						
3454					nu star	43.27						
3455												
3456					A-D Test Statistic	5.725		Nonparametric Statistics				
3457				5% A-D Critical Value		0.807		Kaplan-Meier (KM) Method				
3458					K-S Test Statistic	0.807				Mean		8.506
3459				5% K-S Critical Value		0.147				SD		20.83
3460		Data not Gamma Distributed at 5% Significance Level								SE of Mean		3.294
3461										95% KM (t) UCL		14.05
3462		Assuming Gamma Distribution								95% KM (z) UCL		13.93
3463		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		14.05
3464					Minimum	0.464				95% KM (bootstrap t) UCL		23.31
3465					Maximum	114				95% KM (BCA) UCL		15.14
3466					Mean	8.522		95% KM (Percentile Bootstrap) UCL				14.32
3467					Median	2.197				95% KM (Chebyshev) UCL		22.87
3468					SD	21.08				97.5% KM (Chebyshev) UCL		29.08
3469					k star	0.548				99% KM (Chebyshev) UCL		41.29
3470					Theta star	15.54						
3471					Nu star	44.96		Potential UCLs to Use				
3472					AppChi2	30.58				95% KM (Chebyshev) UCL		22.87
3473		95% Gamma Approximate UCL				12.53						
3474		95% Adjusted Gamma UCL				12.71						
3475	Note: DL/2 is not a recommended method.											
3476												
3477												
3478	Total Dioxin/Furan TEQ											
3479												
3480					General Statistics							
3481		Number of Valid Data				36		Number of Detected Data				36
3482		Number of Distinct Detected Data				36		Number of Non-Detect Data				0
3483		Number of Missing Values				7		Percent Non-Detects				0.00%
3484												
3485		Raw Statistics						Log-transformed Statistics				
3486				Minimum Detected		0.387				Minimum Detected		-0.949
3487				Maximum Detected		5.624				Maximum Detected		1.727
3488				Mean of Detected		1.124				Mean of Detected		-0.173
3489				SD of Detected		1.134				SD of Detected		0.689
3490				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
3491				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
3492												
3493												
3494					UCL Statistics							
3495		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
3496				Shapiro Wilk Test Statistic		0.643				Shapiro Wilk Test Statistic		0.875
3497				5% Shapiro Wilk Critical Value		0.935				5% Shapiro Wilk Critical Value		0.935
3498		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
3499												
3500			Assuming Normal Distribution						Assuming Lognormal Distribution			
3501				DL/2 Substitution Method						DL/2 Substitution Method		
3502					Mean	1.124					Mean	-0.173
3503					SD	1.134					SD	0.689
3504				95% DL/2 (t) UCL		1.443				95% H-Stat (DL/2) UCL		1.356
3505												
3506			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
3507			MLE method failed to converge properly							Mean in Log Scale		N/A
3508										SD in Log Scale		N/A
3509										Mean in Original Scale		N/A
3510										SD in Original Scale		N/A
3511									95% Percentile Bootstrap UCL			N/A
3512									95% BCA Bootstrap UCL			N/A
3513												
3514			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
3515				k star (bias corrected)		1.736		Data do not follow a Discernable Distribution (0.05)				
3516					Theta Star	0.648						
3517					nu star	125						
3518												
3519					A-D Test Statistic	2.44			Nonparametric Statistics			
3520				5% A-D Critical Value		0.761			Kaplan-Meier (KM) Method			
3521					K-S Test Statistic	0.761					Mean	1.124
3522				5% K-S Critical Value		0.149					SD	1.118
3523			Data not Gamma Distributed at 5% Significance Level								SE of Mean	0.189
3524										95% KM (t) UCL		1.443
3525			Assuming Gamma Distribution							95% KM (z) UCL		1.435
3526			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			1.443
3527					Minimum	0.387			95% KM (bootstrap t) UCL			1.673
3528					Maximum	5.624			95% KM (BCA) UCL			1.445
3529					Mean	1.124			95% KM (Percentile Bootstrap) UCL			1.458
3530					Median	0.693			95% KM (Chebyshev) UCL			1.948
3531					SD	1.134			97.5% KM (Chebyshev) UCL			2.304
3532					k star	1.736			99% KM (Chebyshev) UCL			3.004
3533					Theta star	0.648						
3534					Nu star	125			Potential UCLs to Use			
3535					AppChi2	100.2			95% KM (Chebyshev) UCL			1.948
3536			95% Gamma Approximate UCL			1.403						
3537			95% Adjusted Gamma UCL			1.417						
3538	Note: DL/2 is not a recommended method.											
3539												
3540												
3541	Total Dioxin-like PCBs											
3542												
3543					General Statistics							
3544			Number of Valid Data			38			Number of Detected Data			38
3545			Number of Distinct Detected Data			38			Number of Non-Detect Data			0
3546			Number of Missing Values			5			Percent Non-Detects			0.00%
3547												
3548			Raw Statistics						Log-transformed Statistics			
3549				Minimum Detected		2922				Minimum Detected		7.98
3550				Maximum Detected		46107				Maximum Detected		10.74
3551				Mean of Detected		10815				Mean of Detected		9.031

	A	B	C	D	E	F	G	H	I	J	K	L
3552					SD of Detected	9753					SD of Detected	0.668
3553					Minimum Non-Detect	N/A					Minimum Non-Detect	N/A
3554					Maximum Non-Detect	N/A					Maximum Non-Detect	N/A
3555												
3556												
3557						UCL Statistics						
3558		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
3559					Shapiro Wilk Test Statistic	0.694					Shapiro Wilk Test Statistic	0.913
3560					5% Shapiro Wilk Critical Value	0.938					5% Shapiro Wilk Critical Value	0.938
3561		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
3562												
3563		Assuming Normal Distribution						Assuming Lognormal Distribution				
3564					DL/2 Substitution Method						DL/2 Substitution Method	
3565					Mean	10815					Mean	9.031
3566					SD	9753					SD	0.668
3567					95% DL/2 (t) UCL	13485					95% H-Stat (DL/2) UCL	13067
3568												
3569					Maximum Likelihood Estimate(MLE) Method	N/A					Log ROS Method	
3570		MLE method failed to converge properly									Mean in Log Scale	N/A
3571											SD in Log Scale	N/A
3572											Mean in Original Scale	N/A
3573											SD in Original Scale	N/A
3574											95% Percentile Bootstrap UCL	N/A
3575											95% BCA Bootstrap UCL	N/A
3576												
3577		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
3578					k star (bias corrected)	1.941		Data do not follow a Discernable Distribution (0.05)				
3579					Theta Star	5572						
3580					nu star	147.5						
3581												
3582					A-D Test Statistic	2.051		Nonparametric Statistics				
3583					5% A-D Critical Value	0.759		Kaplan-Meier (KM) Method				
3584					K-S Test Statistic	0.759					Mean	10815
3585					5% K-S Critical Value	0.145					SD	9624
3586		Data not Gamma Distributed at 5% Significance Level									SE of Mean	1582
3587											95% KM (t) UCL	13485
3588		Assuming Gamma Distribution									95% KM (z) UCL	13418
3589		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	13485
3590					Minimum	2922					95% KM (bootstrap t) UCL	14433
3591					Maximum	46107					95% KM (BCA) UCL	13723
3592					Mean	10815					95% KM (Percentile Bootstrap) UCL	13461
3593					Median	7020					95% KM (Chebyshev) UCL	17712
3594					SD	9753					97.5% KM (Chebyshev) UCL	20696
3595					k star	1.941					99% KM (Chebyshev) UCL	26558
3596					Theta star	5572						
3597					Nu star	147.5		Potential UCLs to Use				
3598					AppChi2	120.4					95% KM (Chebyshev) UCL	17712
3599				95% Gamma Approximate UCL		13246						
3600				95% Adjusted Gamma UCL		13358						
3601	Note: DL/2 is not a recommended method.											
3602												
3603												
3604	Total Endosulfan											

	A	B	C	D	E	F	G	H	I	J	K	L
3605												
3606					General Statistics							
3607				Number of Valid Data		40			Number of Detected Data			37
3608			Number of Distinct Detected Data			36			Number of Non-Detect Data			3
3609				Number of Missing Values		3			Percent Non-Detects			7.50%
3610												
3611			Raw Statistics						Log-transformed Statistics			
3612				Minimum Detected		0.369			Minimum Detected			-0.998
3613				Maximum Detected		1.472			Maximum Detected			0.387
3614				Mean of Detected		0.948			Mean of Detected			-0.105
3615				SD of Detected		0.287			SD of Detected			0.341
3616				Minimum Non-Detect		0.205			Minimum Non-Detect			-1.585
3617				Maximum Non-Detect		1			Maximum Non-Detect			0
3618												
3619	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			24
3620	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			16
3621	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			60.00%
3622												
3623					UCL Statistics							
3624		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
3625				Shapiro Wilk Test Statistic		0.971			Shapiro Wilk Test Statistic			0.931
3626				5% Shapiro Wilk Critical Value		0.936			5% Shapiro Wilk Critical Value			0.936
3627		Data appear Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
3628												
3629		Assuming Normal Distribution						Assuming Lognormal Distribution				
3630				DL/2 Substitution Method					DL/2 Substitution Method			
3631					Mean	0.905				Mean		-0.189
3632					SD	0.321				SD		0.489
3633				95% DL/2 (t) UCL		0.99			95% H-Stat (DL/2) UCL			1.019
3634												
3635			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
3636					Mean	0.935			Mean in Log Scale			-0.138
3637					SD	0.282			SD in Log Scale			0.358
3638				95% MLE (t) UCL		1.01			Mean in Original Scale			0.923
3639				95% MLE (Tiku) UCL		1.041			SD in Original Scale			0.294
3640									95% Percentile Bootstrap UCL			0.999
3641									95% BCA Bootstrap UCL			0.998
3642												
3643		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
3644				k star (bias corrected)		9.058		Data appear Normal at 5% Significance Level				
3645					Theta Star	0.105						
3646					nu star	670.3						
3647												
3648				A-D Test Statistic		0.431			Nonparametric Statistics			
3649				5% A-D Critical Value		0.748			Kaplan-Meier (KM) Method			
3650				K-S Test Statistic		0.748				Mean		0.923
3651				5% K-S Critical Value		0.145				SD		0.294
3652		Data appear Gamma Distributed at 5% Significance Level							SE of Mean			0.0476
3653									95% KM (t) UCL			1.003
3654		Assuming Gamma Distribution							95% KM (z) UCL			1.001
3655		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			1.002
3656					Minimum	0.143			95% KM (bootstrap t) UCL			1.003
3657					Maximum	1.472			95% KM (BCA) UCL			1.002

	A	B	C	D	E	F	G	H	I	J	K	L
3658					Mean	0.923			95% KM (Percentile Bootstrap) UCL			1.001
3659					Median	0.944			95% KM (Chebyshev) UCL			1.13
3660					SD	0.305			97.5% KM (Chebyshev) UCL			1.22
3661					k star	6.396			99% KM (Chebyshev) UCL			1.396
3662					Theta star	0.144						
3663					Nu star	511.7			**Potential UCLs to Use**			
3664					AppChi2	460.2			95% KM (t) UCL			1.003
3665			95% Gamma Approximate UCL			1.026			95% KM (Percentile Bootstrap) UCL			1.001
3666			95% Adjusted Gamma UCL			1.03						
3667	Note: DL/2 is not a recommended method.											
3668												
3669												
3670	Total PCB TEQ											
3671												
3672					**General Statistics**							
3673			Number of Valid Data			38			Number of Detected Data			38
3674			Number of Distinct Detected Data			38			Number of Non-Detect Data			0
3675			Number of Missing Values			5			Percent Non-Detects			0.00%
3676												
3677			**Raw Statistics**						**Log-transformed Statistics**			
3678			Minimum Detected			0.534			Minimum Detected			-0.627
3679			Maximum Detected			8.563			Maximum Detected			2.147
3680			Mean of Detected			1.754			Mean of Detected			0.323
3681			SD of Detected			1.564			SD of Detected			0.64
3682			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
3683			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
3684												
3685												
3686					**UCL Statistics**							
3687		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
3688			Shapiro Wilk Test Statistic			0.683			Shapiro Wilk Test Statistic			0.925
3689			5% Shapiro Wilk Critical Value			0.938			5% Shapiro Wilk Critical Value			0.938
3690		**Data not Normal at 5% Significance Level**						**Data not Lognormal at 5% Significance Level**				
3691												
3692		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
3693			DL/2 Substitution Method						DL/2 Substitution Method			
3694			Mean			1.754			Mean			0.323
3695			SD			1.564			SD			0.64
3696			95% DL/2 (t) UCL			2.182			95% H-Stat (DL/2) UCL			2.096
3697												
3698			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
3699		**MLE method failed to converge properly**						Mean in Log Scale			N/A
3700									SD in Log Scale			N/A
3701									Mean in Original Scale			N/A
3702									SD in Original Scale			N/A
3703									95% Percentile Bootstrap UCL			N/A
3704									95% BCA Bootstrap UCL			N/A
3705												
3706		**Gamma Distribution Test with Detected Values Only**						**Data Distribution Test with Detected Values Only**				
3707			k star (bias corrected)			2.087		**Data do not follow a Discernable Distribution (0.05)**				
3708			Theta Star			0.84						
3709			nu star			158.6						
3710												

	A	B	C	D	E	F	G	H	I	J	K	L
3711				A-D Test Statistic		1.715			Nonparametric Statistics			
3712				5% A-D Critical Value		0.758			Kaplan-Meier (KM) Method			
3713				K-S Test Statistic		0.758					Mean	1.754
3714				5% K-S Critical Value		0.145					SD	1.543
3715			Data not Gamma Distributed at 5% Significance Level								SE of Mean	0.254
3716											95% KM (t) UCL	2.182
3717			Assuming Gamma Distribution								95% KM (z) UCL	2.171
3718			Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL	2.182
3719					Minimum	0.534					95% KM (bootstrap t) UCL	2.407
3720					Maximum	8.563					95% KM (BCA) UCL	2.223
3721					Mean	1.754				95% KM (Percentile Bootstrap) UCL		2.2
3722					Median	1.158					95% KM (Chebyshev) UCL	2.86
3723					SD	1.564					97.5% KM (Chebyshev) UCL	3.338
3724					k star	2.087					99% KM (Chebyshev) UCL	4.278
3725					Theta star	0.84						
3726					Nu star	158.6			Potential UCLs to Use			
3727					AppChi2	130.5					95% KM (Chebyshev) UCL	2.86
3728				95% Gamma Approximate UCL		2.132						
3729				95% Adjusted Gamma UCL		2.149						
3730	Note: DL/2 is not a recommended method.											
3731												
3732												
3733	Total PCB_Congeners											
3734												
3735					General Statistics							
3736				Number of Valid Data		38				Number of Detected Data		38
3737			Number of Distinct Detected Data			38				Number of Non-Detect Data		0
3738				Number of Missing Values		5					Percent Non-Detects	0.00%
3739												
3740			Raw Statistics						Log-transformed Statistics			
3741				Minimum Detected		50083					Minimum Detected	10.82
3742				Maximum Detected		2655118					Maximum Detected	14.79
3743				Mean of Detected		244681					Mean of Detected	11.9
3744				SD of Detected		433885					SD of Detected	0.831
3745				Minimum Non-Detect		N/A					Minimum Non-Detect	N/A
3746				Maximum Non-Detect		N/A					Maximum Non-Detect	N/A
3747												
3748												
3749					UCL Statistics							
3750			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
3751				Shapiro Wilk Test Statistic		0.419				Shapiro Wilk Test Statistic		0.854
3752				5% Shapiro Wilk Critical Value		0.938				5% Shapiro Wilk Critical Value		0.938
3753			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
3754												
3755			Assuming Normal Distribution						Assuming Lognormal Distribution			
3756				DL/2 Substitution Method						DL/2 Substitution Method		
3757					Mean	244681					Mean	11.9
3758					SD	433885					SD	0.831
3759				95% DL/2 (t) UCL		363428				95% H-Stat (DL/2) UCL		281319
3760												
3761			Maximum Likelihood Estimate(MLE) Method			N/A					Log ROS Method	
3762			MLE method failed to converge properly								Mean in Log Scale	N/A
3763											SD in Log Scale	N/A

	A	B	C	D	E	F	G	H	I	J	K	L
3764										Mean in Original Scale		N/A
3765										SD in Original Scale		N/A
3766										95% Percentile Bootstrap UCL		N/A
3767										95% BCA Bootstrap UCL		N/A
3768												
3769		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
3770				k star (bias corrected)		1.056		Data do not follow a Discernable Distribution (0.05)				
3771				Theta Star		231789						
3772				nu star		80.23						
3773												
3774				A-D Test Statistic		3.48		Nonparametric Statistics				
3775				5% A-D Critical Value		0.775		Kaplan-Meier (KM) Method				
3776				K-S Test Statistic		0.775				Mean		244681
3777				5% K-S Critical Value		0.147				SD		428138
3778		Data not Gamma Distributed at 5% Significance Level								SE of Mean		70385
3779										95% KM (t) UCL		363428
3780		Assuming Gamma Distribution								95% KM (z) UCL		360455
3781		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		363428
3782				Minimum		50083				95% KM (bootstrap t) UCL		563221
3783				Maximum		2655118				95% KM (BCA) UCL		391827
3784				Mean		244681			95% KM (Percentile Bootstrap) UCL			368593
3785				Median		104922				95% KM (Chebyshev) UCL		551484
3786				SD		433885				97.5% KM (Chebyshev) UCL		684238
3787				k star		1.056				99% KM (Chebyshev) UCL		945007
3788				Theta star		231789						
3789				Nu star		80.23		Potential UCLs to Use				
3790				AppChi2		60.59				95% KM (Chebyshev) UCL		551484
3791		95% Gamma Approximate UCL				323987						
3792		95% Adjusted Gamma UCL				327812						
3793	Note: DL/2 is not a recommended method.											
3794												
3795												
3796	Total PCBs, Adjusted											
3797												
3798					General Statistics							
3799			Number of Valid Data			38			Number of Detected Data			38
3800			Number of Distinct Detected Data			38			Number of Non-Detect Data			0
3801			Number of Missing Values			5			Percent Non-Detects			0.00%
3802												
3803		Raw Statistics						Log-transformed Statistics				
3804			Minimum Detected			47161			Minimum Detected			10.76
3805			Maximum Detected			2614358			Maximum Detected			14.78
3806			Mean of Detected			233866			Mean of Detected			11.84
3807			SD of Detected			427063			SD of Detected			0.839
3808			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
3809			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
3810												
3811												
3812					UCL Statistics							
3813		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
3814			Shapiro Wilk Test Statistic			0.41			Shapiro Wilk Test Statistic			0.85
3815			5% Shapiro Wilk Critical Value			0.938			5% Shapiro Wilk Critical Value			0.938
3816		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				

	A	B	C	D	E	F	G	H	I	J	K	L
3817												
3818			Assuming Normal Distribution						Assuming Lognormal Distribution			
3819			DL/2 Substitution Method						DL/2 Substitution Method			
3820					Mean	233866				Mean		11.84
3821					SD	427063				SD		0.839
3822				95% DL/2 (t) UCL		350746			95% H-Stat (DL/2) UCL			267392
3823												
3824			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
3825			MLE method failed to converge properly						Mean in Log Scale			N/A
3826									SD in Log Scale			N/A
3827									Mean in Original Scale			N/A
3828									SD in Original Scale			N/A
3829									95% Percentile Bootstrap UCL			N/A
3830									95% BCA Bootstrap UCL			N/A
3831												
3832			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
3833				k star (bias corrected)		1.026			Data do not follow a Discernable Distribution (0.05)			
3834					Theta Star	227960						
3835					nu star	77.97						
3836												
3837				A-D Test Statistic		3.58			Nonparametric Statistics			
3838				5% A-D Critical Value		0.775			Kaplan-Meier (KM) Method			
3839				K-S Test Statistic		0.775				Mean		233866
3840				5% K-S Critical Value		0.147				SD		421406
3841			Data not Gamma Distributed at 5% Significance Level						SE of Mean			69279
3842									95% KM (t) UCL			350746
3843			Assuming Gamma Distribution						95% KM (z) UCL			347819
3844			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			350746
3845					Minimum	47161			95% KM (bootstrap t) UCL			582502
3846					Maximum	2614358			95% KM (BCA) UCL			381796
3847					Mean	233866			95% KM (Percentile Bootstrap) UCL			358609
3848					Median	98906			95% KM (Chebyshev) UCL			535845
3849					SD	427063			97.5% KM (Chebyshev) UCL			666511
3850					k star	1.026			99% KM (Chebyshev) UCL			923180
3851					Theta star	227960						
3852					Nu star	77.97			Potential UCLs to Use			
3853					AppChi2	58.63			95% KM (Chebyshev) UCL			535845
3854			95% Gamma Approximate UCL			311022						
3855			95% Adjusted Gamma UCL			314752						
3856	Note: DL/2 is not a recommended method.											
3857												
3858												
3859	Total TEQ											
3860												
3861					General Statistics							
3862				Number of Valid Data		35			Number of Detected Data			35
3863			Number of Distinct Detected Data			35			Number of Non-Detect Data			0
3864				Number of Missing Values		8			Percent Non-Detects			0.00%
3865												
3866			Raw Statistics						Log-transformed Statistics			
3867				Minimum Detected		0.934			Minimum Detected			-0.0684
3868				Maximum Detected		9.268			Maximum Detected			2.227
3869				Mean of Detected		2.917			Mean of Detected			0.874

	A	B	C	D	E	F	G	H	I	J	K	L
3870					SD of Detected	2.013					SD of Detected	0.618
3871					Minimum Non-Detect	N/A					Minimum Non-Detect	N/A
3872					Maximum Non-Detect	N/A					Maximum Non-Detect	N/A
3873												
3874												
3875					UCL Statistics							
3876		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
3877					Shapiro Wilk Test Statistic	0.83					Shapiro Wilk Test Statistic	0.945
3878					5% Shapiro Wilk Critical Value	0.934					5% Shapiro Wilk Critical Value	0.934
3879		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
3880												
3881		Assuming Normal Distribution						Assuming Lognormal Distribution				
3882					DL/2 Substitution Method						DL/2 Substitution Method	
3883					Mean	2.917					Mean	0.874
3884					SD	2.013					SD	0.618
3885					95% DL/2 (t) UCL	3.492					95% H-Stat (DL/2) UCL	3.588
3886												
3887					Maximum Likelihood Estimate(MLE) Method	N/A					Log ROS Method	
3888		MLE method failed to converge properly									Mean in Log Scale	N/A
3889											SD in Log Scale	N/A
3890											Mean in Original Scale	N/A
3891											SD in Original Scale	N/A
3892											95% Percentile Bootstrap UCL	N/A
3893											95% BCA Bootstrap UCL	N/A
3894												
3895		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
3896					k star (bias corrected)	2.492		Data appear Lognormal at 5% Significance Level				
3897					Theta Star	1.171						
3898					nu star	174.4						
3899												
3900					A-D Test Statistic	1.001		Nonparametric Statistics				
3901					5% A-D Critical Value	0.755					Kaplan-Meier (KM) Method	
3902					K-S Test Statistic	0.755					Mean	2.917
3903					5% K-S Critical Value	0.15					SD	1.984
3904		Data not Gamma Distributed at 5% Significance Level									SE of Mean	0.34
3905											95% KM (t) UCL	3.492
3906		Assuming Gamma Distribution									95% KM (z) UCL	3.476
3907		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	3.492
3908					Minimum	0.934					95% KM (bootstrap t) UCL	3.64
3909					Maximum	9.268					95% KM (BCA) UCL	3.545
3910					Mean	2.917					95% KM (Percentile Bootstrap) UCL	3.483
3911					Median	2.114					95% KM (Chebyshev) UCL	4.4
3912					SD	2.013					97.5% KM (Chebyshev) UCL	5.041
3913					k star	2.492					99% KM (Chebyshev) UCL	6.302
3914					Theta star	1.171						
3915					Nu star	174.4		Potential UCLs to Use				
3916					AppChi2	144.9					95% KM (Chebyshev) UCL	4.4
3917				95% Gamma Approximate UCL		3.511						
3918				95% Adjusted Gamma UCL		3.543						
3919	Note: DL/2 is not a recommended method.											
3920												
3921												
3922	Tributyltin ion											

	A	B	C	D	E	F	G	H	I	J	K	L
3923												
3924					General Statistics							
3925			Number of Valid Data			34			Number of Detected Data			22
3926			Number of Distinct Detected Data			22			Number of Non-Detect Data			12
3927			Number of Missing Values			9			Percent Non-Detects			35.29%
3928												
3929		Raw Statistics							Log-transformed Statistics			
3930			Minimum Detected			2.5			Minimum Detected			0.916
3931			Maximum Detected			530			Maximum Detected			6.273
3932			Mean of Detected			33.9			Mean of Detected			2.136
3933			SD of Detected			111.6			SD of Detected			1.187
3934			Minimum Non-Detect			1.8			Minimum Non-Detect			0.588
3935			Maximum Non-Detect			4.2			Maximum Non-Detect			1.435
3936												
3937	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			17
3938	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			17
3939	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			50.00%
3940												
3941					UCL Statistics							
3942		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
3943			Shapiro Wilk Test Statistic			0.286			Shapiro Wilk Test Statistic			0.737
3944			5% Shapiro Wilk Critical Value			0.911			5% Shapiro Wilk Critical Value			0.911
3945		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
3946												
3947		Assuming Normal Distribution						Assuming Lognormal Distribution				
3948			DL/2 Substitution Method						DL/2 Substitution Method			
3949			Mean			22.54			Mean			1.567
3950			SD			90.4			SD			1.237
3951			95% DL/2 (t) UCL			48.78			95% H-Stat (DL/2) UCL			11.31
3952												
3953			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
3954		MLE yields a negative mean							Mean in Log Scale			1.374
3955									SD in Log Scale			1.437
3956									Mean in Original Scale			22.31
3957									SD in Original Scale			90.45
3958									95% Percentile Bootstrap UCL			52.37
3959									95% BCA Bootstrap UCL			70.73
3960												
3961		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
3962			k star (bias corrected)			0.43		Data do not follow a Discernable Distribution (0.05)				
3963			Theta Star			78.76						
3964			nu star			18.94						
3965												
3966			A-D Test Statistic			4.314			Nonparametric Statistics			
3967			5% A-D Critical Value			0.812			Kaplan-Meier (KM) Method			
3968			K-S Test Statistic			0.812			Mean			22.9
3969			5% K-S Critical Value			0.197			SD			88.97
3970		Data not Gamma Distributed at 5% Significance Level							SE of Mean			15.62
3971									95% KM (t) UCL			49.33
3972		Assuming Gamma Distribution							95% KM (z) UCL			48.59
3973		Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL			48.98
3974			Minimum			1E-09			95% KM (bootstrap t) UCL			321.6
3975			Maximum			530			95% KM (BCA) UCL			53.14

	A	B	C	D	E	F	G	H	I	J	K	L
3976					Mean	22.98			95% KM (Percentile Bootstrap) UCL			53.57
3977					Median	4.9			95% KM (Chebyshev) UCL			90.98
3978					SD	90.39			97.5% KM (Chebyshev) UCL			120.4
3979					k star	0.115			99% KM (Chebyshev) UCL			178.3
3980					Theta star	199.2						
3981					Nu star	7.847			Potential UCLs to Use			
3982					AppChi2	2.647			97.5% KM (Chebyshev) UCL			120.4
3983			95% Gamma Approximate UCL			68.14						
3984			95% Adjusted Gamma UCL			72.16						
3985	Note: DL/2 is not a recommended method.											
3986												
3987												
3988	Zinc											
3989												
3990					General Statistics							
3991			Number of Valid Data			38			Number of Detected Data			38
3992			Number of Distinct Detected Data			34			Number of Non-Detect Data			0
3993			Number of Missing Values			5			Percent Non-Detects			0.00%
3994												
3995			Raw Statistics						Log-transformed Statistics			
3996			Minimum Detected			19.6			Minimum Detected			2.976
3997			Maximum Detected			54			Maximum Detected			3.989
3998			Mean of Detected			33.5			Mean of Detected			3.487
3999			SD of Detected			7.61			SD of Detected			0.228
4000			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
4001			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
4002												
4003												
4004					UCL Statistics							
4005		Normal Distribution Test with Detected Values Only							Lognormal Distribution Test with Detected Values Only			
4006			Shapiro Wilk Test Statistic			0.976			Shapiro Wilk Test Statistic			0.986
4007			5% Shapiro Wilk Critical Value			0.938			5% Shapiro Wilk Critical Value			0.938
4008		Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
4009												
4010		Assuming Normal Distribution							Assuming Lognormal Distribution			
4011			DL/2 Substitution Method						DL/2 Substitution Method			
4012			Mean			33.5			Mean			3.487
4013			SD			7.61			SD			0.228
4014			95% DL/2 (t) UCL			35.59			95% H-Stat (DL/2) UCL			35.8
4015												
4016			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
4017		MLE method failed to converge properly							Mean in Log Scale			N/A
4018									SD in Log Scale			N/A
4019									Mean in Original Scale			N/A
4020									SD in Original Scale			N/A
4021									95% Percentile Bootstrap UCL			N/A
4022									95% BCA Bootstrap UCL			N/A
4023												
4024		Gamma Distribution Test with Detected Values Only							Data Distribution Test with Detected Values Only			
4025			k star (bias corrected)			18.53			Data appear Normal at 5% Significance Level			
4026			Theta Star			1.808						
4027			nu star			1408						
4028												

	A	B	C	D	E	F	G	H	I	J	K	L
4029					A-D Test Statistic	0.167			**Nonparametric Statistics**			
4030					5% A-D Critical Value	0.747			Kaplan-Meier (KM) Method			
4031					K-S Test Statistic	0.747					Mean	33.5
4032					5% K-S Critical Value	0.143					SD	7.509
4033	**Data appear Gamma Distributed at 5% Significance Level**										SE of Mean	1.235
4034											95% KM (t) UCL	35.59
4035	**Assuming Gamma Distribution**										95% KM (z) UCL	35.53
4036	Gamma ROS Statistics using Extrapolated Data										95% KM (jackknife) UCL	35.59
4037					Minimum	19.6					95% KM (bootstrap t) UCL	35.68
4038					Maximum	54					95% KM (BCA) UCL	35.35
4039					Mean	33.5					95% KM (Percentile Bootstrap) UCL	35.54
4040					Median	32.45					95% KM (Chebyshev) UCL	38.88
4041					SD	7.61					97.5% KM (Chebyshev) UCL	41.21
4042					k star	18.53					99% KM (Chebyshev) UCL	45.79
4043					Theta star	1.808						
4044					Nu star	1408			**Potential UCLs to Use**			
4045					AppChi2	1322					95% KM (t) UCL	35.59
4046				95% Gamma Approximate UCL		35.69					95% KM (Percentile Bootstrap) UCL	35.54
4047				95% Adjusted Gamma UCL		35.78						
4048	**Note: DL/2 is not a recommended method.**											
4049												

	A	B	C	D	E	F	G	H	I	J	K	L
3976					Mean	22.98			95% KM (Percentile Bootstrap) UCL			53.57
3977					Median	4.9			95% KM (Chebyshev) UCL			90.98
3978					SD	90.39			97.5% KM (Chebyshev) UCL			120.4
3979					k star	0.115			99% KM (Chebyshev) UCL			178.3
3980					Theta star	199.2						
3981					Nu star	7.847			Potential UCLs to Use			
3982					AppChi2	2.647			97.5% KM (Chebyshev) UCL			120.4
3983			95% Gamma Approximate UCL			68.14						
3984			95% Adjusted Gamma UCL			72.16						
3985	Note: DL/2 is not a recommended method.											
3986												
3987												
3988	Zinc											
3989												
3990					General Statistics							
3991			Number of Valid Data			38			Number of Detected Data			38
3992			Number of Distinct Detected Data			34			Number of Non-Detect Data			0
3993			Number of Missing Values			5			Percent Non-Detects			0.00%
3994												
3995			Raw Statistics						Log-transformed Statistics			
3996			Minimum Detected			19.6			Minimum Detected			2.976
3997			Maximum Detected			54			Maximum Detected			3.989
3998			Mean of Detected			33.5			Mean of Detected			3.487
3999			SD of Detected			7.61			SD of Detected			0.228
4000			Minimum Non-Detect			N/A			Minimum Non-Detect			N/A
4001			Maximum Non-Detect			N/A			Maximum Non-Detect			N/A
4002												
4003												
4004					UCL Statistics							
4005		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
4006			Shapiro Wilk Test Statistic			0.976			Shapiro Wilk Test Statistic			0.986
4007			5% Shapiro Wilk Critical Value			0.938			5% Shapiro Wilk Critical Value			0.938
4008		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
4009												
4010		Assuming Normal Distribution						Assuming Lognormal Distribution				
4011			DL/2 Substitution Method						DL/2 Substitution Method			
4012			Mean			33.5			Mean			3.487
4013			SD			7.61			SD			0.228
4014			95% DL/2 (t) UCL			35.59			95% H-Stat (DL/2) UCL			35.8
4015												
4016			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
4017		MLE method failed to converge properly							Mean in Log Scale			N/A
4018									SD in Log Scale			N/A
4019									Mean in Original Scale			N/A
4020									SD in Original Scale			N/A
4021									95% Percentile Bootstrap UCL			N/A
4022									95% BCA Bootstrap UCL			N/A
4023												
4024		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
4025			k star (bias corrected)			18.53		Data appear Normal at 5% Significance Level				
4026			Theta Star			1.808						
4027			nu star			1408						
4028												

	A	B	C	D	E	F	G	H	I	J	K	L
4029					A-D Test Statistic	0.167		**Nonparametric Statistics**				
4030				5% A-D Critical Value		0.747		Kaplan-Meier (KM) Method				
4031				K-S Test Statistic		0.747					Mean	33.5
4032				5% K-S Critical Value		0.143					SD	7.509
4033		**Data appear Gamma Distributed at 5% Significance Level**									SE of Mean	1.235
4034											95% KM (t) UCL	35.59
4035		**Assuming Gamma Distribution**									95% KM (z) UCL	35.53
4036		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	35.59
4037					Minimum	19.6					95% KM (bootstrap t) UCL	35.68
4038					Maximum	54					95% KM (BCA) UCL	35.35
4039					Mean	33.5					95% KM (Percentile Bootstrap) UCL	35.54
4040					Median	32.45					95% KM (Chebyshev) UCL	38.88
4041					SD	7.61					97.5% KM (Chebyshev) UCL	41.21
4042					k star	18.53					99% KM (Chebyshev) UCL	45.79
4043					Theta star	1.808						
4044					Nu star	1408		**Potential UCLs to Use**				
4045					AppChi2	1322					95% KM (t) UCL	35.59
4046			95% Gamma Approximate UCL			35.69					95% KM (Percentile Bootstrap) UCL	35.54
4047			95% Adjusted Gamma UCL			35.78						
4048	**Note: DL/2 is not a recommended method.**											
4049												

Tissue

Crayfish

	A	B	C	D	E	F	G	H	I	J	K	L
1		Crayfish_Study_area-WB		General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3		From File		Crayfish_Study_area-WB								
4		Full Precision		OFF								
5		Confidence Coefficient		95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Acenaphthene											
10												
11					General Statistics							
12			Number of Valid Observations		5				Number of Distinct Observations			5
13												
14			Raw Statistics						Log-transformed Statistics			
15				Minimum	0.15					Minimum of Log Data		-1.897
16				Maximum	4.2					Maximum of Log Data		1.435
17				Mean	1.202					Mean of log Data		-0.532
18				Median	0.35					SD of log Data		1.289
19				SD	1.706							
20			Coefficient of Variation		1.419							
21				Skewness	2.053							
22												
23												
24		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
25												
26		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
27		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
28												
29												
30		Warning: There are only 5 Values in this data										
31		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
32		the resulting calculations may not be reliable enough to draw conclusions										
33												
34		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
35												
36					Relevant UCL Statistics							
37		Normal Distribution Test						Lognormal Distribution Test				
38			Shapiro Wilk Test Statistic		0.699				Shapiro Wilk Test Statistic			0.931
39			Shapiro Wilk Critical Value		0.762				Shapiro Wilk Critical Value			0.762
40		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
41												
42		Assuming Normal Distribution						Assuming Lognormal Distribution				
43			95% Student's-t UCL		2.829				95% H-UCL			71.89
44		95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			3.577
45			95% Adjusted-CLT UCL		3.205				97.5% Chebyshev (MVUE) UCL			4.66
46			95% Modified-t UCL		2.945				99% Chebyshev (MVUE) UCL			6.788
47												
48		Gamma Distribution Test						Data Distribution				
49			k star (bias corrected)		0.463			Data appear Gamma Distributed at 5% Significance Level				
50				Theta Star	2.594							
51				nu star	4.634							
52		Approximate Chi Square Value (.05)		0.987				Nonparametric Statistics				
53		Adjusted Level of Significance		0.0086				95% CLT UCL			2.457

	A	B	C	D	E	F	G	H	I	J	K	L
54				Adjusted Chi Square Value		0.44				95% Jackknife UCL		2.829
55										95% Standard Bootstrap UCL		2.319
56				Anderson-Darling Test Statistic		0.473				95% Bootstrap-t UCL		17.41
57				Anderson-Darling 5% Critical Value		0.696				95% Hall's Bootstrap UCL		14
58				Kolmogorov-Smirnov Test Statistic		0.305				95% Percentile Bootstrap UCL		2.62
59				Kolmogorov-Smirnov 5% Critical Value		0.366				95% BCA Bootstrap UCL		2.788
60		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		4.528
61										97.5% Chebyshev(Mean, Sd) UCL		5.967
62			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		8.794
63				95% Approximate Gamma UCL		5.643						
64				95% Adjusted Gamma UCL		12.67						
65												
66			Potential UCL to Use							Use 95% Approximate Gamma UCL		5.643
67				Recommended UCL exceeds the maximum observation								
68												
69												
70	Aluminum											
71												
72					General Statistics							
73				Number of Valid Observations		31				Number of Distinct Observations		31
74												
75			Raw Statistics						Log-transformed Statistics			
76				Minimum		35				Minimum of Log Data		3.555
77				Maximum		203				Maximum of Log Data		5.313
78				Mean		94.37				Mean of log Data		4.477
79				Median		88.9				SD of log Data		0.385
80				SD		36.41						
81				Coefficient of Variation		0.386						
82				Skewness		0.957						
83												
84					Relevant UCL Statistics							
85			Normal Distribution Test						Lognormal Distribution Test			
86				Shapiro Wilk Test Statistic		0.938				Shapiro Wilk Test Statistic		0.98
87				Shapiro Wilk Critical Value		0.929				Shapiro Wilk Critical Value		0.929
88		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
89												
90			Assuming Normal Distribution						Assuming Lognormal Distribution			
91				95% Student's-t UCL		105.5				95% H-UCL		107.9
92		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		123.8	
93				95% Adjusted-CLT UCL		106.3				97.5% Chebyshev (MVUE) UCL		136.5
94				95% Modified-t UCL		105.7				99% Chebyshev (MVUE) UCL		161.4
95												
96			Gamma Distribution Test						Data Distribution			
97				k star (bias corrected)		6.59		Data appear Normal at 5% Significance Level				
98				Theta Star		14.32						
99				nu star		408.6						
100			Approximate Chi Square Value (.05)			362.7			Nonparametric Statistics			
101				Adjusted Level of Significance		0.0413				95% CLT UCL		105.1
102				Adjusted Chi Square Value		360.3				95% Jackknife UCL		105.5
103										95% Standard Bootstrap UCL		105.3
104				Anderson-Darling Test Statistic		0.288				95% Bootstrap-t UCL		106.3
105				Anderson-Darling 5% Critical Value		0.747				95% Hall's Bootstrap UCL		107.8
106				Kolmogorov-Smirnov Test Statistic		0.0804				95% Percentile Bootstrap UCL		105.6

	A	B	C	D	E	F	G	H	I	J	K	L
107				Kolmogorov-Smirnov 5% Critical Value		0.158				95% BCA Bootstrap UCL		105.5
108		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			122.9
109									97.5% Chebyshev(Mean, Sd) UCL			135.2
110			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			159.4
111				95% Approximate Gamma UCL		106.3						
112				95% Adjusted Gamma UCL		107						
113												
114			Potential UCL to Use						Use 95% Student's-t UCL			105.5
115												
116												
117	Anthracene											
118												
119					General Statistics							
120				Number of Valid Observations		5			Number of Distinct Observations			5
121												
122			Raw Statistics						Log-transformed Statistics			
123					Minimum	0.11			Minimum of Log Data			-2.207
124					Maximum	2.9			Maximum of Log Data			1.065
125					Mean	0.754			Mean of log Data			-1.12
126					Median	0.18			SD of log Data			1.322
127					SD	1.206						
128			Coefficient of Variation			1.6						
129					Skewness	2.178						
130												
131												
132		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
133												
134				It is suggested to collect at least 8 to 10 observations using these statistical methods!								
135				If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
136												
137												
138					Warning: There are only 5 Values in this data							
139				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
140					the resulting calculations may not be reliable enough to draw conclusions							
141												
142				The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.								
143												
144					Relevant UCL Statistics							
145			Normal Distribution Test						Lognormal Distribution Test			
146				Shapiro Wilk Test Statistic		0.635			Shapiro Wilk Test Statistic			0.844
147				Shapiro Wilk Critical Value		0.762			Shapiro Wilk Critical Value			0.762
148			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
149												
150			Assuming Normal Distribution						Assuming Lognormal Distribution			
151					95% Student's-t UCL	1.904			95% H-UCL			50.96
152			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			2.076
153				95% Adjusted-CLT UCL		2.203			97.5% Chebyshev (MVUE) UCL			2.709
154				95% Modified-t UCL		1.992			99% Chebyshev (MVUE) UCL			3.952
155												
156			Gamma Distribution Test						Data Distribution			
157			k star (bias corrected)			0.421			Data appear Gamma Distributed at 5% Significance Level			
158					Theta Star	1.791						
159					nu star	4.21						

	A	B	C	D	E	F	G	H	I	J	K	L
160	Approximate Chi Square Value (.05)					0.806	Nonparametric Statistics					
161	Adjusted Level of Significance					0.0086				95% CLT UCL		1.641
162	Adjusted Chi Square Value					0.341				95% Jackknife UCL		1.904
163										95% Standard Bootstrap UCL		1.568
164	Anderson-Darling Test Statistic					0.689				95% Bootstrap-t UCL		24
165	Anderson-Darling 5% Critical Value					0.7				95% Hall's Bootstrap UCL		9.458
166	Kolmogorov-Smirnov Test Statistic					0.312				95% Percentile Bootstrap UCL		1.798
167	Kolmogorov-Smirnov 5% Critical Value					0.367				95% BCA Bootstrap UCL		1.862
168	Data appear Gamma Distributed at 5% Significance Level									95% Chebyshev(Mean, Sd) UCL		3.105
169										97.5% Chebyshev(Mean, Sd) UCL		4.123
170	Assuming Gamma Distribution									99% Chebyshev(Mean, Sd) UCL		6.121
171	95% Approximate Gamma UCL					3.937						
172	95% Adjusted Gamma UCL					9.305						
173												
174	Potential UCL to Use								Use 95% Approximate Gamma UCL			3.937
175	Recommended UCL exceeds the maximum observation											
176												
177												
178	Antimony											
179												
180	General Statistics											
181	Number of Valid Data					31				Number of Detected Data		25
182	Number of Distinct Detected Data					10				Number of Non-Detect Data		6
183										Percent Non-Detects		19.35%
184												
185	Raw Statistics						Log-transformed Statistics					
186	Minimum Detected					0.004				Minimum Detected		-5.521
187	Maximum Detected					0.02				Maximum Detected		-3.912
188	Mean of Detected					0.008				Mean of Detected		-4.902
189	SD of Detected					0.00362				SD of Detected		0.37
190	Minimum Non-Detect					0.004				Minimum Non-Detect		-5.521
191	Maximum Non-Detect					0.006				Maximum Non-Detect		-5.116
192												
193	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			9
194	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			22
195	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			29.03%
196												
197	UCL Statistics											
198	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
199	Shapiro Wilk Test Statistic					0.766				Shapiro Wilk Test Statistic		0.896
200	5% Shapiro Wilk Critical Value					0.918				5% Shapiro Wilk Critical Value		0.918
201	Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level					
202												
203	Assuming Normal Distribution						Assuming Lognormal Distribution					
204	DL/2 Substitution Method								DL/2 Substitution Method			
205	Mean					0.00694				Mean		-5.115
206	SD					0.00392				SD		0.553
207	95% DL/2 (t) UCL					0.00813				95% H-Stat (DL/2) UCL		0.0084
208												
209	Maximum Likelihood Estimate(MLE) Method								Log ROS Method			
210	Mean					0.00689				Mean in Log Scale		-5.054
211	SD					0.00404				SD in Log Scale		0.461
212	95% MLE (t) UCL					0.00813				Mean in Original Scale		0.00711

	A	B	C	D	E	F	G	H	I	J	K	L
213				95% MLE (Tiku) UCL		0.00817				SD in Original Scale		0.00373
214										95% Percentile Bootstrap UCL		0.00824
215										95% BCA Bootstrap UCL		0.00849
216												
217		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
218				k star (bias corrected)		6.108		Data do not follow a Discernable Distribution (0.05)				
219				Theta Star		0.00131						
220				nu star		305.4						
221												
222				A-D Test Statistic		1.434		Nonparametric Statistics				
223				5% A-D Critical Value		0.746		Kaplan-Meier (KM) Method				
224				K-S Test Statistic		0.746				Mean		0.00723
225				5% K-S Critical Value		0.175				SD		0.00355
226		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.0006504
227										95% KM (t) UCL		0.00834
228		Assuming Gamma Distribution								95% KM (z) UCL		0.0083
229		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.00824
230				Minimum		0.00253				95% KM (bootstrap t) UCL		0.00872
231				Maximum		0.02				95% KM (BCA) UCL		0.00848
232				Mean		0.00729				95% KM (Percentile Bootstrap) UCL		0.00845
233				Median		0.006				95% KM (Chebyshev) UCL		0.0101
234				SD		0.0036				97.5% KM (Chebyshev) UCL		0.0113
235				k star		4.932				99% KM (Chebyshev) UCL		0.0137
236				Theta star		0.00148						
237				Nu star		305.8		Potential UCLs to Use				
238				AppChi2		266.3				95% KM (Chebyshev) UCL		0.0101
239		95% Gamma Approximate UCL				0.00837						
240		95% Adjusted Gamma UCL				0.00843						
241	Note: DL/2 is not a recommended method.											
242												
243												
244	Arsenic											
245												
246						General Statistics						
247				Number of Valid Data		31				Number of Detected Data		30
248			Number of Distinct Detected Data			15				Number of Non-Detect Data		1
249										Percent Non-Detects		3.23%
250												
251		Raw Statistics						Log-transformed Statistics				
252				Minimum Detected		0.235				Minimum Detected		-1.448
253				Maximum Detected		0.5				Maximum Detected		-0.693
254				Mean of Detected		0.349				Mean of Detected		-1.066
255				SD of Detected		0.0548				SD of Detected		0.159
256				Minimum Non-Detect		0.36				Minimum Non-Detect		-1.022
257				Maximum Non-Detect		0.36				Maximum Non-Detect		-1.022
258												
259												
260						UCL Statistics						
261		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
262				Shapiro Wilk Test Statistic		0.963				Shapiro Wilk Test Statistic		0.965
263				5% Shapiro Wilk Critical Value		0.927				5% Shapiro Wilk Critical Value		0.927
264		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
265												

	A	B	C	D	E	F	G	H	I	J	K	L
266			Assuming Normal Distribution							Assuming Lognormal Distribution		
267				DL/2 Substitution Method						DL/2 Substitution Method		
268					Mean	0.343					Mean	-1.087
269					SD	0.0618					SD	0.195
270				95% DL/2 (t) UCL		0.362				95% H-Stat (DL/2) UCL		0.371
271												
272			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
273					Mean	0.334				Mean in Log Scale		-1.069
274					SD	0.0647				SD in Log Scale		0.157
275				95% MLE (t) UCL		0.354				Mean in Original Scale		0.348
276				95% MLE (Tiku) UCL		0.364				SD in Original Scale		0.0541
277										95% Percentile Bootstrap UCL		0.363
278										95% BCA Bootstrap UCL		0.365
279												
280			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
281				k star (bias corrected)		37.57			Data appear Normal at 5% Significance Level			
282					Theta Star	0.00928						
283					nu star	2254						
284												
285				A-D Test Statistic		0.513			Nonparametric Statistics			
286				5% A-D Critical Value		0.744				Kaplan-Meier (KM) Method		
287				K-S Test Statistic		0.744					Mean	0.348
288				5% K-S Critical Value		0.16					SD	0.0536
289		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.00987
290										95% KM (t) UCL		0.364
291			Assuming Gamma Distribution							95% KM (z) UCL		0.364
292		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.364
293					Minimum	0.235				95% KM (bootstrap t) UCL		0.364
294					Maximum	0.5				95% KM (BCA) UCL		0.365
295					Mean	0.348			95% KM (Percentile Bootstrap) UCL			0.365
296					Median	0.35				95% KM (Chebyshev) UCL		0.391
297					SD	0.0539				97.5% KM (Chebyshev) UCL		0.409
298					k star	38.88				99% KM (Chebyshev) UCL		0.446
299					Theta star	0.00895						
300					Nu star	2411			Potential UCLs to Use			
301					AppChi2	2298				95% KM (t) UCL		0.364
302			95% Gamma Approximate UCL			0.365			95% KM (Percentile Bootstrap) UCL			0.365
303			95% Adjusted Gamma UCL			0.366						
304	Note: DL/2 is not a recommended method.											
305												
306												
307	Benzo(a)pyrene											
308												
309						General Statistics						
310			Number of Valid Observations			5			Number of Distinct Observations			5
311												
312			Raw Statistics						Log-transformed Statistics			
313					Minimum	0.22				Minimum of Log Data		-1.514
314					Maximum	7.5				Maximum of Log Data		2.015
315					Mean	1.758				Mean of log Data		-0.555
316					Median	0.28				SD of log Data		1.478
317					SD	3.212						
318				Coefficient of Variation		1.827						

	A	B	C	D	E	F	G	H	I	J	K	L
319					Skewness	2.227						
320												
321												
322			Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!									
323												
324			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
325			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
326												
327												
328			Warning: There are only 5 Values in this data									
329			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
330			the resulting calculations may not be reliable enough to draw conclusions									
331												
332			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
333												
334			Relevant UCL Statistics									
335			Normal Distribution Test					Lognormal Distribution Test				
336			Shapiro Wilk Test Statistic			0.584			Shapiro Wilk Test Statistic			0.734
337			Shapiro Wilk Critical Value			0.762			Shapiro Wilk Critical Value			0.762
338			Data not Normal at 5% Significance Level					Data not Lognormal at 5% Significance Level				
339												
340			Assuming Normal Distribution					Assuming Lognormal Distribution				
341			95% Student's-t UCL			4.821			95% H-UCL			305.9
342			95% UCLs (Adjusted for Skewness)					95% Chebyshev (MVUE) UCL			4.484
343			95% Adjusted-CLT UCL			5.65			97.5% Chebyshev (MVUE) UCL			5.886
344			95% Modified-t UCL			5.059			99% Chebyshev (MVUE) UCL			8.64
345												
346			Gamma Distribution Test					Data Distribution				
347			k star (bias corrected)			0.357		Data do not follow a Discernable Distribution (0.05)				
348			Theta Star			4.93						
349			nu star			3.566						
350			Approximate Chi Square Value (.05)			0.558		Nonparametric Statistics				
351			Adjusted Level of Significance			0.0086			95% CLT UCL			4.121
352			Adjusted Chi Square Value			0.218			95% Jackknife UCL			4.821
353									95% Standard Bootstrap UCL			3.872
354			Anderson-Darling Test Statistic			0.953			95% Bootstrap-t UCL			194
355			Anderson-Darling 5% Critical Value			0.708			95% Hall's Bootstrap UCL			71.78
356			Kolmogorov-Smirnov Test Statistic			0.404			95% Percentile Bootstrap UCL			4.594
357			Kolmogorov-Smirnov 5% Critical Value			0.37			95% BCA Bootstrap UCL			4.658
358			Data not Gamma Distributed at 5% Significance Level					95% Chebyshev(Mean, Sd) UCL			8.02
359									97.5% Chebyshev(Mean, Sd) UCL			10.73
360			Assuming Gamma Distribution					99% Chebyshev(Mean, Sd) UCL			16.05
361			95% Approximate Gamma UCL			11.23						
362			95% Adjusted Gamma UCL			28.77						
363												
364			Potential UCL to Use					Use 99% Chebyshev (Mean, Sd) UCL			16.05
365			Recommended UCL exceeds the maximum observation									
366												
367												
368	Butyltin ion											
369												
370			General Statistics									
371			Number of Valid Observations			5			Number of Distinct Observations			5

	A	B	C	D	E	F	G	H	I	J	K	L
372												
373			Raw Statistics						Log-transformed Statistics			
374					Minimum	0.21				Minimum of Log Data		-1.561
375					Maximum	4.6				Maximum of Log Data		1.526
376					Mean	1.134				Mean of log Data		-0.769
377					Median	0.28				SD of log Data		1.301
378					SD	1.938						
379				Coefficient of Variation		1.709						
380					Skewness	2.231						
381												
382												
383		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
384												
385		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
386		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
387												
388												
389					Warning: There are only 5 Values in this data							
390			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
391				the resulting calculations may not be reliable enough to draw conclusions								
392												
393			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
394												
395						Relevant UCL Statistics						
396			Normal Distribution Test						Lognormal Distribution Test			
397			Shapiro Wilk Test Statistic			0.58				Shapiro Wilk Test Statistic		0.696
398			Shapiro Wilk Critical Value			0.762				Shapiro Wilk Critical Value		0.762
399		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
400												
401			Assuming Normal Distribution						Assuming Lognormal Distribution			
402				95% Student's-t UCL		2.982				95% H-UCL		61.94
403		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			2.869
404			95% Adjusted-CLT UCL			3.484			97.5% Chebyshev (MVUE) UCL			3.74
405				95% Modified-t UCL		3.126			99% Chebyshev (MVUE) UCL			5.45
406												
407			Gamma Distribution Test						Data Distribution			
408				k star (bias corrected)		0.405		Data do not follow a Discernable Distribution (0.05)				
409					Theta Star	2.801						
410					nu star	4.048						
411		Approximate Chi Square Value (.05)				0.741			Nonparametric Statistics			
412			Adjusted Level of Significance			0.0086				95% CLT UCL		2.56
413			Adjusted Chi Square Value			0.307				95% Jackknife UCL		2.982
414									95% Standard Bootstrap UCL			2.409
415			Anderson-Darling Test Statistic			1.033				95% Bootstrap-t UCL		50.64
416			Anderson-Darling 5% Critical Value			0.702				95% Hall's Bootstrap UCL		29.51
417			Kolmogorov-Smirnov Test Statistic			0.442				95% Percentile Bootstrap UCL		2.848
418			Kolmogorov-Smirnov 5% Critical Value			0.368				95% BCA Bootstrap UCL		2.888
419		Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			4.913
420									97.5% Chebyshev(Mean, Sd) UCL			6.548
421		Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL			9.76
422			95% Approximate Gamma UCL			6.197						
423				95% Adjusted Gamma UCL		14.95						
424												

	A	B	C	D	E	F	G	H	I	J	K	L
425			Potential UCL to Use						Use 99% Chebyshev (Mean, Sd) UCL			9.76
426					Recommended UCL exceeds the maximum observation							
427												
428												
429	Cadmium											
430												
431					General Statistics							
432				Number of Valid Observations		31			Number of Distinct Observations			17
433												
434				Raw Statistics					Log-transformed Statistics			
435					Minimum	0.009				Minimum of Log Data		-4.711
436					Maximum	0.036				Maximum of Log Data		-3.324
437					Mean	0.0175				Mean of log Data		-4.112
438					Median	0.016				SD of log Data		0.376
439					SD	0.00683						
440				Coefficient of Variation		0.389						
441					Skewness	0.909						
442												
443					Relevant UCL Statistics							
444				Normal Distribution Test					Lognormal Distribution Test			
445				Shapiro Wilk Test Statistic		0.923			Shapiro Wilk Test Statistic			0.965
446				Shapiro Wilk Critical Value		0.929			Shapiro Wilk Critical Value			0.929
447			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
448												
449				Assuming Normal Distribution					Assuming Lognormal Distribution			
450					95% Student's-t UCL	0.0196				95% H-UCL		0.0199
451			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			0.0228
452				95% Adjusted-CLT UCL		0.0198			97.5% Chebyshev (MVUE) UCL			0.0251
453				95% Modified-t UCL		0.0197			99% Chebyshev (MVUE) UCL			0.0296
454												
455				Gamma Distribution Test					Data Distribution			
456				k star (bias corrected)		6.698			Data appear Gamma Distributed at 5% Significance Level			
457					Theta Star	0.00262						
458					nu star	415.3						
459			Approximate Chi Square Value (.05)			369.1			Nonparametric Statistics			
460				Adjusted Level of Significance		0.0413				95% CLT UCL		0.0196
461				Adjusted Chi Square Value		366.6				95% Jackknife UCL		0.0196
462									95% Standard Bootstrap UCL			0.0195
463				Anderson-Darling Test Statistic		0.352				95% Bootstrap-t UCL		0.0199
464				Anderson-Darling 5% Critical Value		0.747				95% Hall's Bootstrap UCL		0.0198
465				Kolmogorov-Smirnov Test Statistic		0.13			95% Percentile Bootstrap UCL			0.0196
466				Kolmogorov-Smirnov 5% Critical Value		0.158				95% BCA Bootstrap UCL		0.0197
467			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			0.0229
468									97.5% Chebyshev(Mean, Sd) UCL			0.0252
469			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			0.0297
470				95% Approximate Gamma UCL		0.0197						
471				95% Adjusted Gamma UCL		0.0199						
472												
473			Potential UCL to Use						Use 95% Approximate Gamma UCL			0.0197
474												
475												
476	Chromium											
477												

	A	B	C	D	E	F	G	H	I	J	K	L
478	General Statistics											
479	Number of Valid Observations					31	Number of Distinct Observations					16
480												
481	Raw Statistics						Log-transformed Statistics					
482	Minimum					0.09	Minimum of Log Data					-2.408
483	Maximum					0.9	Maximum of Log Data					-0.105
484	Mean					0.435	Mean of log Data					-0.993
485	Median					0.4	SD of log Data					0.593
486	SD					0.243						
487	Coefficient of Variation					0.56						
488	Skewness					0.779						
489												
490	Relevant UCL Statistics											
491	Normal Distribution Test						Lognormal Distribution Test					
492	Shapiro Wilk Test Statistic					0.889	Shapiro Wilk Test Statistic					0.953
493	Shapiro Wilk Critical Value					0.929	Shapiro Wilk Critical Value					0.929
494	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
495												
496	Assuming Normal Distribution						Assuming Lognormal Distribution					
497	95% Student's-t UCL					0.509	95% H-UCL					0.549
498	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					0.655
499	95% Adjusted-CLT UCL					0.513	97.5% Chebyshev (MVUE) UCL					0.749
500	95% Modified-t UCL					0.51	99% Chebyshev (MVUE) UCL					0.933
501												
502	Gamma Distribution Test						Data Distribution					
503	k star (bias corrected)					2.999	Data appear Gamma Distributed at 5% Significance Level					
504	Theta Star					0.145						
505	nu star					185.9						
506	Approximate Chi Square Value (.05)					155.4	Nonparametric Statistics					
507	Adjusted Level of Significance					0.0413	95% CLT UCL					0.506
508	Adjusted Chi Square Value					153.8	95% Jackknife UCL					0.509
509							95% Standard Bootstrap UCL					0.505
510	Anderson-Darling Test Statistic					0.508	95% Bootstrap-t UCL					0.519
511	Anderson-Darling 5% Critical Value					0.752	95% Hall's Bootstrap UCL					0.51
512	Kolmogorov-Smirnov Test Statistic					0.113	95% Percentile Bootstrap UCL					0.506
513	Kolmogorov-Smirnov 5% Critical Value					0.159	95% BCA Bootstrap UCL					0.509
514	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					0.625
515							97.5% Chebyshev(Mean, Sd) UCL					0.707
516	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					0.869
517	95% Approximate Gamma UCL					0.52						
518	95% Adjusted Gamma UCL					0.525						
519												
520	Potential UCL to Use						Use 95% Approximate Gamma UCL					0.52
521												
522												
523	Copper											
524												
525	General Statistics											
526	Number of Valid Observations					31	Number of Distinct Observations					25
527												
528	Raw Statistics						Log-transformed Statistics					
529	Minimum					10.4	Minimum of Log Data					2.342
530	Maximum					20.2	Maximum of Log Data					3.006

	A	B	C	D	E	F	G	H	I	J	K	L
531					Mean	14.73					Mean of log Data	2.677
532					Median	14.9					SD of log Data	0.162
533					SD	2.36						
534				Coefficient of Variation		0.16						
535					Skewness	0.138						
536												
537							Relevant UCL Statistics					
538			Normal Distribution Test						Lognormal Distribution Test			
539			Shapiro Wilk Test Statistic			0.978				Shapiro Wilk Test Statistic		0.977
540			Shapiro Wilk Critical Value			0.929				Shapiro Wilk Critical Value		0.929
541		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
542												
543			Assuming Normal Distribution						Assuming Lognormal Distribution			
544				95% Student's-t UCL		15.45					95% H-UCL	15.51
545		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			16.61
546				95% Adjusted-CLT UCL		15.44				97.5% Chebyshev (MVUE) UCL		17.43
547				95% Modified-t UCL		15.45				99% Chebyshev (MVUE) UCL		19.03
548												
549			Gamma Distribution Test						Data Distribution			
550				k star (bias corrected)		36.02		Data appear Normal at 5% Significance Level				
551					Theta Star	0.409						
552					nu star	2234						
553			Approximate Chi Square Value (.05)			2125			Nonparametric Statistics			
554				Adjusted Level of Significance		0.0413					95% CLT UCL	15.43
555				Adjusted Chi Square Value		2119					95% Jackknife UCL	15.45
556											95% Standard Bootstrap UCL	15.43
557			Anderson-Darling Test Statistic			0.265					95% Bootstrap-t UCL	15.47
558			Anderson-Darling 5% Critical Value			0.744				95% Hall's Bootstrap UCL		15.47
559			Kolmogorov-Smirnov Test Statistic			0.0842				95% Percentile Bootstrap UCL		15.43
560			Kolmogorov-Smirnov 5% Critical Value			0.157					95% BCA Bootstrap UCL	15.42
561		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			16.58
562									97.5% Chebyshev(Mean, Sd) UCL			17.38
563			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			18.95
564				95% Approximate Gamma UCL		15.49						
565				95% Adjusted Gamma UCL		15.53						
566												
567			Potential UCL to Use							Use 95% Student's-t UCL		15.45
568												
569												
570	Dibenzofuran											
571												
572							General Statistics					
573			Number of Valid Observations			5				Number of Distinct Observations		5
574												
575			Raw Statistics						Log-transformed Statistics			
576					Minimum	0.13					Minimum of Log Data	-2.04
577					Maximum	0.48					Maximum of Log Data	-0.734
578					Mean	0.274					Mean of log Data	-1.4
579					Median	0.22					SD of log Data	0.514
580					SD	0.14						
581				Coefficient of Variation		0.513						
582					Skewness	0.819						
583												

	A	B	C	D	E	F	G	H	I	J	K	L
584												
585		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
586												
587		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
588		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
589												
590												
591		Warning: There are only 5 Values in this data										
592		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
593		the resulting calculations may not be reliable enough to draw conclusions										
594												
595		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
596												
597		Relevant UCL Statistics										
598		Normal Distribution Test						Lognormal Distribution Test				
599		Shapiro Wilk Test Statistic				0.932		Shapiro Wilk Test Statistic				0.976
600		Shapiro Wilk Critical Value				0.762		Shapiro Wilk Critical Value				0.762
601		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
602												
603		Assuming Normal Distribution						Assuming Lognormal Distribution				
604		95% Student's-t UCL				0.408		95% H-UCL				0.607
605		95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL				0.545
606		95% Adjusted-CLT UCL				0.402		97.5% Chebyshev (MVUE) UCL				0.663
607		95% Modified-t UCL				0.412		99% Chebyshev (MVUE) UCL				0.894
608												
609		Gamma Distribution Test						Data Distribution				
610		k star (bias corrected)				2.1		Data appear Normal at 5% Significance Level				
611		Theta Star				0.13						
612		nu star				21						
613		Approximate Chi Square Value (.05)				11.59		Nonparametric Statistics				
614		Adjusted Level of Significance				0.0086		95% CLT UCL				0.377
615		Adjusted Chi Square Value				8.696		95% Jackknife UCL				0.408
616								95% Standard Bootstrap UCL				0.365
617		Anderson-Darling Test Statistic				0.236		95% Bootstrap-t UCL				0.595
618		Anderson-Darling 5% Critical Value				0.681		95% Hall's Bootstrap UCL				1.331
619		Kolmogorov-Smirnov Test Statistic				0.224		95% Percentile Bootstrap UCL				0.37
620		Kolmogorov-Smirnov 5% Critical Value				0.358		95% BCA Bootstrap UCL				0.376
621		Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL				0.548
622								97.5% Chebyshev(Mean, Sd) UCL				0.666
623		Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL				0.899
624		95% Approximate Gamma UCL				0.496						
625		95% Adjusted Gamma UCL				0.662						
626												
627		Potential UCL to Use						Use 95% Student's-t UCL				0.408
628												
629												
630	Dibutyltin ion											
631												
632		General Statistics										
633		Number of Valid Data			5				Number of Detected Data			4
634		Number of Distinct Detected Data			4				Number of Non-Detect Data			1
635									Percent Non-Detects			20.00%
636												

	A	B	C	D	E	F	G	H	I	J	K	L
637				Raw Statistics						Log-transformed Statistics		
638				Minimum Detected		0.33				Minimum Detected		-1.109
639				Maximum Detected		330				Maximum Detected		5.799
640				Mean of Detected		82.77				Mean of Detected		0.675
641				SD of Detected		164.8				SD of Detected		3.417
642				Minimum Non-Detect		0.17				Minimum Non-Detect		-1.772
643				Maximum Non-Detect		0.17				Maximum Non-Detect		-1.772
644												
645												
646					Warning: There are only 4 Distinct Detected Values in this data							
647				Note: It should be noted that even though bootstrap may be performed on this data set								
648				the resulting calculations may not be reliable enough tp draw conclusions								
649												
650				It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.								
651												
652												
653						UCL Statistics						
654			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
655				Shapiro Wilk Test Statistic		0.63				Shapiro Wilk Test Statistic		0.648
656				5% Shapiro Wilk Critical Value		0.748				5% Shapiro Wilk Critical Value		0.748
657		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
658												
659			Assuming Normal Distribution					Assuming Lognormal Distribution				
660				DL/2 Substitution Method						DL/2 Substitution Method		
661				Mean		66.23				Mean		0.0468
662				SD		147.5				SD		3.275
663				95% DL/2 (t) UCL		206.8				95% H-Stat (DL/2) UCL		6.847E+12
664												
665			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
666				Mean		44.75				Mean in Log Scale		-0.853
667				SD		153.3				SD in Log Scale		4.519
668				95% MLE (t) UCL		190.9				Mean in Original Scale		66.21
669				95% MLE (Tiku) UCL		187.9				SD in Original Scale		147.5
670										95% Percentile Bootstrap UCL		198.1
671										95% BCA Bootstrap UCL		198.1
672												
673			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
674				k star (bias corrected)		0.216		Data do not follow a Discernable Distribution (0.05)				
675				Theta Star		383.3						
676				nu star		1.728						
677												
678				A-D Test Statistic		0.892			Nonparametric Statistics			
679				5% A-D Critical Value		0.734			Kaplan-Meier (KM) Method			
680				K-S Test Statistic		0.734				Mean		66.28
681				5% K-S Critical Value		0.425				SD		131.9
682		Data not Gamma Distributed at 5% Significance Level								SE of Mean		68.09
683										95% KM (t) UCL		211.4
684			Assuming Gamma Distribution							95% KM (z) UCL		178.3
685		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		206.8
686				Minimum		1E-09				95% KM (bootstrap t) UCL		887454
687				Maximum		330				95% KM (BCA) UCL		198.1
688				Mean		66.21				95% KM (Percentile Bootstrap) UCL		198.1
689				Median		0.35				95% KM (Chebyshev) UCL		363.1

	A	B	C	D	E	F	G	H	I	J	K	L
690					SD	147.5			97.5% KM (Chebyshev) UCL			491.5
691					k star	0.175			99% KM (Chebyshev) UCL			743.8
692					Theta star	378.8						
693					Nu star	1.748			**Potential UCLs to Use**			
694					AppChi2	0.125			99% KM (Chebyshev) UCL			743.8
695			95% Gamma Approximate UCL			924						
696			95% Adjusted Gamma UCL			N/A						
697					**Warning: Recommended UCL exceeds the maximum observation**							
698	Note: DL/2 is not a recommended method.											
699												
700												
701	Dieldrin											
702												
703					**General Statistics**							
704			Number of Valid Observations			5			Number of Distinct Observations			5
705												
706			**Raw Statistics**						**Log-transformed Statistics**			
707					Minimum	0.00943			Minimum of Log Data			-4.664
708					Maximum	0.0471			Maximum of Log Data			-3.055
709					Mean	0.0202			Mean of log Data			-4.072
710					Median	0.0149			SD of log Data			0.601
711					SD	0.0152						
712				Coefficient of Variation		0.754						
713					Skewness	2.098						
714												
715												
716			**Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!**									
717												
718					**It is suggested to collect at least 8 to 10 observations using these statistical methods!**							
719				**If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.**								
720												
721												
722					**Warning: There are only 5 Values in this data**							
723				**Note: It should be noted that even though bootstrap methods may be performed on this data set,**								
724					**the resulting calculations may not be reliable enough to draw conclusions**							
725												
726			**The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.**									
727												
728					**Relevant UCL Statistics**							
729			**Normal Distribution Test**						**Lognormal Distribution Test**			
730				Shapiro Wilk Test Statistic		0.688			Shapiro Wilk Test Statistic			0.812
731				Shapiro Wilk Critical Value		0.762			Shapiro Wilk Critical Value			0.762
732			**Data not Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**			
733												
734			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
735					95% Student's-t UCL	0.0347			95% H-UCL			0.0549
736			**95% UCLs (Adjusted for Skewness)**						95% Chebyshev (MVUE) UCL			0.0423
737					95% Adjusted-CLT UCL	0.0382			97.5% Chebyshev (MVUE) UCL			0.0521
738					95% Modified-t UCL	0.0358			99% Chebyshev (MVUE) UCL			0.0714
739												
740			**Gamma Distribution Test**						**Data Distribution**			
741					k star (bias corrected)	1.378			**Data appear Lognormal at 5% Significance Level**			
742					Theta Star	0.0146						

	A	B	C	D	E	F	G	H	I	J	K	L
743					nu star	13.78						
744			Approximate Chi Square Value (.05)			6.423			Nonparametric Statistics			
745				Adjusted Level of Significance		0.0086				95% CLT UCL		0.0314
746				Adjusted Chi Square Value		4.406				95% Jackknife UCL		0.0347
747										95% Standard Bootstrap UCL		0.0301
748			Anderson-Darling Test Statistic			0.751				95% Bootstrap-t UCL		0.224
749			Anderson-Darling 5% Critical Value			0.682				95% Hall's Bootstrap UCL		0.131
750			Kolmogorov-Smirnov Test Statistic			0.412				95% Percentile Bootstrap UCL		0.033
751			Kolmogorov-Smirnov 5% Critical Value			0.359				95% BCA Bootstrap UCL		0.0343
752		Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		0.0499
753										97.5% Chebyshev(Mean, Sd) UCL		0.0627
754			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		0.0879
755				95% Approximate Gamma UCL		0.0433						
756				95% Adjusted Gamma UCL		0.0631						
757												
758			Potential UCL to Use							Use 95% H-UCL		0.0549
759				Recommended UCL exceeds the maximum observation								
760												
761												
762	Endrin											
763												
764						General Statistics						
765				Number of Valid Data		31			Number of Detected Data			6
766			Number of Distinct Detected Data			6			Number of Non-Detect Data			25
767									Percent Non-Detects			80.65%
768												
769			Raw Statistics						Log-transformed Statistics			
770				Minimum Detected		0.00121				Minimum Detected		-6.717
771				Maximum Detected		2.8				Maximum Detected		1.03
772				Mean of Detected		1.367				Mean of Detected		-0.76
773				SD of Detected		0.918				SD of Detected		2.938
774				Minimum Non-Detect		0.0485				Minimum Non-Detect		-3.026
775				Maximum Non-Detect		2				Maximum Non-Detect		0.693
776												
777	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			30
778	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
779	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			96.77%
780												
781				Warning: There are only 6 Detected Values in this data								
782				Note: It should be noted that even though bootstrap may be performed on this data set								
783				the resulting calculations may not be reliable enough tp draw conclusions								
784												
785			It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.									
786												
787												
788						UCL Statistics						
789		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
790				Shapiro Wilk Test Statistic		0.955				Shapiro Wilk Test Statistic		0.609
791				5% Shapiro Wilk Critical Value		0.788				5% Shapiro Wilk Critical Value		0.788
792		Data appear Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
793												
794		Assuming Normal Distribution						Assuming Lognormal Distribution				
795				DL/2 Substitution Method						DL/2 Substitution Method		

	A	B	C	D	E	F	G	H	I	J	K	L
796					Mean	0.627					Mean	-1.061
797					SD	0.559					SD	1.584
798					95% DL/2 (t) UCL	0.798					95% H-Stat (DL/2) UCL	3.244
799												
800		Maximum Likelihood Estimate(MLE) Method				N/A					Log ROS Method	
801		MLE method failed to converge properly									Mean in Log Scale	-4.778
802											SD in Log Scale	3.018
803											Mean in Original Scale	0.277
804											SD in Original Scale	0.66
805											95% Percentile Bootstrap UCL	0.497
806											95% BCA Bootstrap UCL	0.524
807												
808		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
809				k star (bias corrected)		0.401		Data appear Normal at 5% Significance Level				
810					Theta Star	3.411						
811					nu star	4.808						
812												
813					A-D Test Statistic	1.086		Nonparametric Statistics				
814				5% A-D Critical Value		0.731		Kaplan-Meier (KM) Method				
815					K-S Test Statistic	0.731					Mean	0.274
816				5% K-S Critical Value		0.347					SD	0.659
817		Data not Gamma Distributed at 5% Significance Level									SE of Mean	0.131
818											95% KM (t) UCL	0.497
819		Assuming Gamma Distribution									95% KM (z) UCL	0.49
820		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	0.917
821					Minimum	1E-09					95% KM (bootstrap t) UCL	0.47
822					Maximum	2.8					95% KM (BCA) UCL	1.383
823					Mean	1.175					95% KM (Percentile Bootstrap) UCL	1.329
824					Median	1.08					95% KM (Chebyshev) UCL	0.847
825					SD	1.013					97.5% KM (Chebyshev) UCL	1.094
826					k star	0.163					99% KM (Chebyshev) UCL	1.58
827					Theta star	7.215						
828					Nu star	10.1		Potential UCLs to Use				
829					AppChi2	4.003					95% KM (t) UCL	0.497
830				95% Gamma Approximate UCL		2.965					95% KM (Percentile Bootstrap) UCL	1.329
831				95% Adjusted Gamma UCL		3.13						
832	Note: DL/2 is not a recommended method.											
833												
834												
835	Fluorene											
836												
837						General Statistics						
838			Number of Valid Observations			5				Number of Distinct Observations		5
839												
840		Raw Statistics						Log-transformed Statistics				
841					Minimum	0.21				Minimum of Log Data		-1.561
842					Maximum	1.8				Maximum of Log Data		0.588
843					Mean	0.682				Mean of log Data		-0.735
844					Median	0.36				SD of log Data		0.912
845					SD	0.67						
846				Coefficient of Variation		0.983						
847					Skewness	1.617						
848												

	A	B	C	D	E	F	G	H	I	J	K	L
849												
850		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
851												
852		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
853		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
854												
855												
856		Warning: There are only 5 Values in this data										
857		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
858		the resulting calculations may not be reliable enough to draw conclusions										
859												
860		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
861												
862		Relevant UCL Statistics										
863		Normal Distribution Test						Lognormal Distribution Test				
864		Shapiro Wilk Test Statistic				0.797		Shapiro Wilk Test Statistic				0.901
865		Shapiro Wilk Critical Value				0.762		Shapiro Wilk Critical Value				0.762
866		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
867												
868		Assuming Normal Distribution						Assuming Lognormal Distribution				
869		95% Student's-t UCL				1.321		95% H-UCL				5.736
870		95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL				1.788
871		95% Adjusted-CLT UCL				1.407		97.5% Chebyshev (MVUE) UCL				2.277
872		95% Modified-t UCL				1.357		99% Chebyshev (MVUE) UCL				3.238
873												
874		Gamma Distribution Test						Data Distribution				
875		k star (bias corrected)				0.759		Data appear Normal at 5% Significance Level				
876		Theta Star				0.898						
877		nu star				7.594						
878		Approximate Chi Square Value (.05)				2.502		Nonparametric Statistics				
879		Adjusted Level of Significance				0.0086		95% CLT UCL				1.175
880		Adjusted Chi Square Value				1.417		95% Jackknife UCL				1.321
881								95% Standard Bootstrap UCL				1.123
882		Anderson-Darling Test Statistic				0.414		95% Bootstrap-t UCL				4.278
883		Anderson-Darling 5% Critical Value				0.686		95% Hall's Bootstrap UCL				3.487
884		Kolmogorov-Smirnov Test Statistic				0.271		95% Percentile Bootstrap UCL				1.194
885		Kolmogorov-Smirnov 5% Critical Value				0.362		95% BCA Bootstrap UCL				1.314
886		Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL				1.989
887								97.5% Chebyshev(Mean, Sd) UCL				2.554
888		Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL				3.665
889		95% Approximate Gamma UCL				2.07						
890		95% Adjusted Gamma UCL				3.656						
891												
892		Potential UCL to Use						Use 95% Student's-t UCL				1.321
893												
894												
895	Hexachlorobenzene											
896												
897		General Statistics										
898		Number of Valid Observations				5		Number of Distinct Observations				5
899												
900		Raw Statistics						Log-transformed Statistics				
901		Minimum				0.0357		Minimum of Log Data				-3.333

	A	B	C	D	E	F	G	H	I	J	K	L
902					Maximum	0.0657				Maximum of Log Data		-2.723
903					Mean	0.0502				Mean of log Data		-3.014
904					Median	0.0509				SD of log Data		0.24
905					SD	0.0118						
906				Coefficient of Variation		0.234						
907					Skewness	0.0966						
908												
909												
910			Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!									
911												
912			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
913			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
914												
915												
916			Warning: There are only 5 Values in this data									
917			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
918			the resulting calculations may not be reliable enough to draw conclusions									
919												
920			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
921												
922					Relevant UCL Statistics							
923			Normal Distribution Test						Lognormal Distribution Test			
924			Shapiro Wilk Test Statistic			0.987				Shapiro Wilk Test Statistic		0.983
925			Shapiro Wilk Critical Value			0.762				Shapiro Wilk Critical Value		0.762
926			Data appear Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
927												
928			Assuming Normal Distribution						Assuming Lognormal Distribution			
929			95% Student's-t UCL			0.0615				95% H-UCL		0.0664
930			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			0.0737
931			95% Adjusted-CLT UCL			0.0591			97.5% Chebyshev (MVUE) UCL			0.0839
932			95% Modified-t UCL			0.0615			99% Chebyshev (MVUE) UCL			0.104
933												
934			Gamma Distribution Test						Data Distribution			
935			k star (bias corrected)			9.037			Data appear Normal at 5% Significance Level			
936			Theta Star			0.00556						
937			nu star			90.37						
938			Approximate Chi Square Value (.05)			69.45			Nonparametric Statistics			
939			Adjusted Level of Significance			0.0086				95% CLT UCL		0.0589
940			Adjusted Chi Square Value			61.48				95% Jackknife UCL		0.0615
941										95% Standard Bootstrap UCL		0.0579
942			Anderson-Darling Test Statistic			0.184				95% Bootstrap-t UCL		0.062
943			Anderson-Darling 5% Critical Value			0.679				95% Hall's Bootstrap UCL		0.0611
944			Kolmogorov-Smirnov Test Statistic			0.163				95% Percentile Bootstrap UCL		0.058
945			Kolmogorov-Smirnov 5% Critical Value			0.357				95% BCA Bootstrap UCL		0.0574
946			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			0.0732
947									97.5% Chebyshev(Mean, Sd) UCL			0.0831
948			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			0.103
949			95% Approximate Gamma UCL			0.0654						
950			95% Adjusted Gamma UCL			0.0739						
951												
952			Potential UCL to Use						Use 95% Student's-t UCL			0.0615
953												
954												

Lead

<table>
<tr><td colspan="12" align="center">**General Statistics**</td></tr>
<tr><td colspan="5" align="right">Number of Valid Observations</td><td>31</td><td colspan="5" align="right">Number of Distinct Observations</td><td>28</td></tr>
</table>

Raw Statistics		Log-transformed Statistics	
Minimum	0.041	Minimum of Log Data	-3.194
Maximum	1.3	Maximum of Log Data	0.262
Mean	0.147	Mean of log Data	-2.227
Median	0.098	SD of log Data	0.616
SD	0.219		
Coefficient of Variation	1.497		
Skewness	5.166		

Relevant UCL Statistics

Normal Distribution Test		Lognormal Distribution Test	
Shapiro Wilk Test Statistic	0.354	Shapiro Wilk Test Statistic	0.815
Shapiro Wilk Critical Value	0.929	Shapiro Wilk Critical Value	0.929
Data not Normal at 5% Significance Level		Data not Lognormal at 5% Significance Level	

Assuming Normal Distribution		Assuming Lognormal Distribution	
95% Student's-t UCL	0.213	95% H-UCL	0.164
95% UCLs (Adjusted for Skewness)		95% Chebyshev (MVUE) UCL	0.196
95% Adjusted-CLT UCL	0.25	97.5% Chebyshev (MVUE) UCL	0.225
95% Modified-t UCL	0.219	99% Chebyshev (MVUE) UCL	0.281

Gamma Distribution Test		Data Distribution	
k star (bias corrected)	1.629	Data do not follow a Discernable Distribution (0.05)	
Theta Star	0.09		
nu star	101		
Approximate Chi Square Value (.05)	78.79	Nonparametric Statistics	
Adjusted Level of Significance	0.0413	95% CLT UCL	0.211
Adjusted Chi Square Value	77.7	95% Jackknife UCL	0.213
		95% Standard Bootstrap UCL	0.21
Anderson-Darling Test Statistic	3.353	95% Bootstrap-t UCL	0.405
Anderson-Darling 5% Critical Value	0.761	95% Hall's Bootstrap UCL	0.444
Kolmogorov-Smirnov Test Statistic	0.272	95% Percentile Bootstrap UCL	0.222
Kolmogorov-Smirnov 5% Critical Value	0.16	95% BCA Bootstrap UCL	0.265
Data not Gamma Distributed at 5% Significance Level		95% Chebyshev(Mean, Sd) UCL	0.318
		97.5% Chebyshev(Mean, Sd) UCL	0.393
Assuming Gamma Distribution		99% Chebyshev(Mean, Sd) UCL	0.538
95% Approximate Gamma UCL	0.188		
95% Adjusted Gamma UCL	0.19		

Potential UCL to Use		Use 95% Chebyshev (Mean, Sd) UCL	0.318

Manganese

<table>
<tr><td colspan="12" align="center">**General Statistics**</td></tr>
<tr><td colspan="5" align="right">Number of Valid Observations</td><td>31</td><td colspan="5" align="right">Number of Distinct Observations</td><td>30</td></tr>
</table>

Raw Statistics		Log-transformed Statistics	

	A	B	C	D	E	F	G	H	I	J	K	L
1008					Minimum	38.5				Minimum of Log Data		3.651
1009					Maximum	213				Maximum of Log Data		5.361
1010					Mean	131.2				Mean of log Data		4.815
1011					Median	132				SD of log Data		0.384
1012					SD	41.84						
1013				Coefficient of Variation		0.319						
1014					Skewness	-0.277						
1015												
1016						**Relevant UCL Statistics**						
1017			**Normal Distribution Test**						**Lognormal Distribution Test**			
1018			Shapiro Wilk Test Statistic			0.983				Shapiro Wilk Test Statistic		0.907
1019			Shapiro Wilk Critical Value			0.929				Shapiro Wilk Critical Value		0.929
1020		**Data appear Normal at 5% Significance Level**						**Data not Lognormal at 5% Significance Level**				
1021												
1022			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
1023				95% Student's-t UCL		143.9					95% H-UCL	151.1
1024		**95% UCLs (Adjusted for Skewness)**							95% Chebyshev (MVUE) UCL			173.3
1025				95% Adjusted-CLT UCL		143.1			97.5% Chebyshev (MVUE) UCL			191
1026				95% Modified-t UCL		143.9			99% Chebyshev (MVUE) UCL			225.8
1027												
1028			**Gamma Distribution Test**						**Data Distribution**			
1029				k star (bias corrected)		7.467		**Data appear Normal at 5% Significance Level**				
1030					Theta Star	17.57						
1031					nu star	463						
1032		Approximate Chi Square Value (.05)				414.1			**Nonparametric Statistics**			
1033			Adjusted Level of Significance			0.0413				95% CLT UCL		143.5
1034			Adjusted Chi Square Value			411.5				95% Jackknife UCL		143.9
1035									95% Standard Bootstrap UCL			143.4
1036			Anderson-Darling Test Statistic			0.567				95% Bootstrap-t UCL		142.9
1037			Anderson-Darling 5% Critical Value			0.746				95% Hall's Bootstrap UCL		144
1038			Kolmogorov-Smirnov Test Statistic			0.129			95% Percentile Bootstrap UCL			142.8
1039			Kolmogorov-Smirnov 5% Critical Value			0.158				95% BCA Bootstrap UCL		143.6
1040		**Data appear Gamma Distributed at 5% Significance Level**							95% Chebyshev(Mean, Sd) UCL			163.9
1041									97.5% Chebyshev(Mean, Sd) UCL			178.1
1042			**Assuming Gamma Distribution**						99% Chebyshev(Mean, Sd) UCL			205.9
1043				95% Approximate Gamma UCL		146.7						
1044				95% Adjusted Gamma UCL		147.6						
1045												
1046			**Potential UCL to Use**						Use 95% Student's-t UCL			143.9
1047												
1048												
1049	**Mercury**											
1050												
1051						**General Statistics**						
1052			Number of Valid Observations			31			Number of Distinct Observations			21
1053												
1054			**Raw Statistics**						**Log-transformed Statistics**			
1055					Minimum	0.02				Minimum of Log Data		-3.912
1056					Maximum	0.041				Maximum of Log Data		-3.194
1057					Mean	0.0287				Mean of log Data		-3.573
1058					Median	0.028				SD of log Data		0.207
1059					SD	0.00604						
1060				Coefficient of Variation		0.211						

	A	B	C	D	E	F	G	H	I	J	K	L
1061					Skewness	0.489						
1062												
1063							Relevant UCL Statistics					
1064			Normal Distribution Test						Lognormal Distribution Test			
1065					Shapiro Wilk Test Statistic	0.921				Shapiro Wilk Test Statistic		0.934
1066					Shapiro Wilk Critical Value	0.929				Shapiro Wilk Critical Value		0.929
1067			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1068												
1069			Assuming Normal Distribution						Assuming Lognormal Distribution			
1070					95% Student's-t UCL	0.0305				95% H-UCL		0.0306
1071			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		0.0333
1072					95% Adjusted-CLT UCL	0.0305				97.5% Chebyshev (MVUE) UCL		0.0354
1073					95% Modified-t UCL	0.0305				99% Chebyshev (MVUE) UCL		0.0393
1074												
1075			Gamma Distribution Test						Data Distribution			
1076					k star (bias corrected)	21.79			Data appear Lognormal at 5% Significance Level			
1077					Theta Star	0.00132						
1078					nu star	1351						
1079			Approximate Chi Square Value (.05)			1266			Nonparametric Statistics			
1080			Adjusted Level of Significance			0.0413				95% CLT UCL		0.0304
1081			Adjusted Chi Square Value			1262				95% Jackknife UCL		0.0305
1082										95% Standard Bootstrap UCL		0.0304
1083			Anderson-Darling Test Statistic			0.775				95% Bootstrap-t UCL		0.0307
1084			Anderson-Darling 5% Critical Value			0.745				95% Hall's Bootstrap UCL		0.0306
1085			Kolmogorov-Smirnov Test Statistic			0.173				95% Percentile Bootstrap UCL		0.0304
1086			Kolmogorov-Smirnov 5% Critical Value			0.157				95% BCA Bootstrap UCL		0.0306
1087			Data not Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL		0.0334
1088										97.5% Chebyshev(Mean, Sd) UCL		0.0354
1089			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		0.0395
1090					95% Approximate Gamma UCL	0.0306						
1091					95% Adjusted Gamma UCL	0.0307						
1092												
1093			Potential UCL to Use						Use 95% Student's-t UCL			0.0305
1094										or 95% Modified-t UCL		0.0305
1095										or 95% H-UCL		0.0306
1096												
1097												
1098	Naphthalene											
1099												
1100							General Statistics					
1101			Number of Valid Observations			5			Number of Distinct Observations			5
1102												
1103			Raw Statistics						Log-transformed Statistics			
1104					Minimum	0.47				Minimum of Log Data		-0.755
1105					Maximum	2.9				Maximum of Log Data		1.065
1106					Mean	1.016				Mean of log Data		-0.278
1107					Median	0.6				SD of log Data		0.759
1108					SD	1.055						
1109				Coefficient of Variation		1.038						
1110					Skewness	2.217						
1111												
1112												
1113			Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!									

	A	B	C	D	E	F	G	H	I	J	K	L
1114												
1115			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
1116			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
1117												
1118												
1119			Warning: There are only 5 Values in this data									
1120			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
1121			the resulting calculations may not be reliable enough to draw conclusions									
1122												
1123			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
1124												
1125					Relevant UCL Statistics							
1126			Normal Distribution Test					Lognormal Distribution Test				
1127			Shapiro Wilk Test Statistic		0.605				Shapiro Wilk Test Statistic		0.686	
1128			Shapiro Wilk Critical Value		0.762				Shapiro Wilk Critical Value		0.762	
1129		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
1130												
1131			Assuming Normal Distribution					Assuming Lognormal Distribution				
1132			95% Student's-t UCL		2.022					95% H-UCL	4.429	
1133		95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			2.314	
1134			95% Adjusted-CLT UCL		2.292				97.5% Chebyshev (MVUE) UCL		2.906	
1135			95% Modified-t UCL		2.1				99% Chebyshev (MVUE) UCL		4.069	
1136												
1137			Gamma Distribution Test					Data Distribution				
1138			k star (bias corrected)		0.874			Data do not follow a Discernable Distribution (0.05)				
1139			Theta Star		1.162							
1140			nu star		8.743							
1141			Approximate Chi Square Value (.05)		3.172				Nonparametric Statistics			
1142			Adjusted Level of Significance		0.0086				95% CLT UCL		1.792	
1143			Adjusted Chi Square Value		1.896				95% Jackknife UCL		2.022	
1144									95% Standard Bootstrap UCL		1.702	
1145			Anderson-Darling Test Statistic		1.019				95% Bootstrap-t UCL		10.67	
1146			Anderson-Darling 5% Critical Value		0.685				95% Hall's Bootstrap UCL		11.64	
1147			Kolmogorov-Smirnov Test Statistic		0.45				95% Percentile Bootstrap UCL		1.94	
1148			Kolmogorov-Smirnov 5% Critical Value		0.361				95% BCA Bootstrap UCL		1.982	
1149		Data not Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			3.072	
1150								97.5% Chebyshev(Mean, Sd) UCL			3.962	
1151			Assuming Gamma Distribution					99% Chebyshev(Mean, Sd) UCL			5.71	
1152			95% Approximate Gamma UCL		2.8							
1153			95% Adjusted Gamma UCL		4.685							
1154												
1155			Potential UCL to Use					Use 95% Chebyshev (Mean, Sd) UCL			3.072	
1156			Recommended UCL exceeds the maximum observation									
1157												
1158												
1159	Nickel											
1160												
1161					General Statistics							
1162			Number of Valid Data		31				Number of Detected Data			30
1163			Number of Distinct Detected Data		26				Number of Non-Detect Data			1
1164									Percent Non-Detects			3.23%
1165												
1166			Raw Statistics					Log-transformed Statistics				

	A	B	C	D	E	F	G	H	I	J	K	L
1167				Minimum Detected		0.18			Minimum Detected			-1.715
1168				Maximum Detected		0.83			Maximum Detected			-0.186
1169				Mean of Detected		0.379			Mean of Detected			-1.026
1170				SD of Detected		0.137			SD of Detected			0.339
1171				Minimum Non-Detect		0.25			Minimum Non-Detect			-1.386
1172				Maximum Non-Detect		0.25			Maximum Non-Detect			-1.386
1173												
1174												
1175					UCL Statistics							
1176			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
1177				Shapiro Wilk Test Statistic		0.912			Shapiro Wilk Test Statistic			0.984
1178				5% Shapiro Wilk Critical Value		0.927			5% Shapiro Wilk Critical Value			0.927
1179			Data not Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
1180												
1181			Assuming Normal Distribution					Assuming Lognormal Distribution				
1182				DL/2 Substitution Method					DL/2 Substitution Method			
1183				Mean		0.371			Mean			-1.06
1184				SD		0.142			SD			0.383
1185				95% DL/2 (t) UCL		0.415			95% H-Stat (DL/2) UCL			0.419
1186												
1187			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
1188				Mean		0.366			Mean in Log Scale			-1.043
1189				SD		0.148			SD in Log Scale			0.347
1190				95% MLE (t) UCL		0.411			Mean in Original Scale			0.374
1191				95% MLE (Tiku) UCL		0.411			SD in Original Scale			0.138
1192									95% Percentile Bootstrap UCL			0.414
1193									95% BCA Bootstrap UCL			0.42
1194												
1195			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
1196				k star (bias corrected)		8.077		Data appear Gamma Distributed at 5% Significance Level				
1197				Theta Star		0.047						
1198				nu star		484.6						
1199												
1200				A-D Test Statistic		0.327			Nonparametric Statistics			
1201				5% A-D Critical Value		0.746			Kaplan-Meier (KM) Method			
1202				K-S Test Statistic		0.746			Mean			0.374
1203				5% K-S Critical Value		0.16			SD			0.136
1204			Data appear Gamma Distributed at 5% Significance Level						SE of Mean			0.0248
1205									95% KM (t) UCL			0.416
1206			Assuming Gamma Distribution						95% KM (z) UCL			0.415
1207			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			0.416
1208				Minimum		0.18			95% KM (bootstrap t) UCL			0.425
1209				Maximum		0.83			95% KM (BCA) UCL			0.417
1210				Mean		0.373			95% KM (Percentile Bootstrap) UCL			0.416
1211				Median		0.36			95% KM (Chebyshev) UCL			0.482
1212				SD		0.139			97.5% KM (Chebyshev) UCL			0.529
1213				k star		7.484			99% KM (Chebyshev) UCL			0.621
1214				Theta star		0.0499						
1215				Nu star		464			Potential UCLs to Use			
1216				AppChi2		415			95% KM (BCA) UCL			0.417
1217				95% Gamma Approximate UCL		0.417						
1218				95% Adjusted Gamma UCL		0.42						
1219	Note: DL/2 is not a recommended method.											

	A	B	C	D	E	F	G	H	I	J	K	L
1220												
1221												
1222	Phenol											
1223												
1224					General Statistics							
1225			Number of Valid Data			31			Number of Detected Data			6
1226			Number of Distinct Detected Data			6			Number of Non-Detect Data			25
1227									Percent Non-Detects			80.65%
1228												
1229			Raw Statistics						Log-transformed Statistics			
1230			Minimum Detected			45			Minimum Detected			3.807
1231			Maximum Detected			520			Maximum Detected			6.254
1232			Mean of Detected			137.2			Mean of Detected			4.432
1233			SD of Detected			188.4			SD of Detected			0.931
1234			Minimum Non-Detect			330			Minimum Non-Detect			5.799
1235			Maximum Non-Detect			370			Maximum Non-Detect			5.914
1236												
1237	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			30
1238	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			1
1239	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			96.77%
1240												
1241					Warning: There are only 6 Detected Values in this data							
1242					Note: It should be noted that even though bootstrap may be performed on this data set							
1243					the resulting calculations may not be reliable enough tp draw conclusions							
1244												
1245					It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.							
1246												
1247												
1248					UCL Statistics							
1249			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1250			Shapiro Wilk Test Statistic			0.574			Shapiro Wilk Test Statistic			0.728
1251			5% Shapiro Wilk Critical Value			0.788			5% Shapiro Wilk Critical Value			0.788
1252			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
1253												
1254			Assuming Normal Distribution						Assuming Lognormal Distribution			
1255			DL/2 Substitution Method						DL/2 Substitution Method			
1256			Mean			160.3			Mean			4.979
1257			SD			77.84			SD			0.468
1258			95% DL/2 (t) UCL			184			95% H-Stat (DL/2) UCL			187.1
1259												
1260			Maximum Likelihood Estimate(MLE) Method			N/A			Log ROS Method			
1261			MLE method failed to converge properly						Mean in Log Scale			4.193
1262									SD in Log Scale			0.711
1263									Mean in Original Scale			88.02
1264									SD in Original Scale			91.93
1265									95% Percentile Bootstrap UCL			117.3
1266									95% BCA Bootstrap UCL			132.8
1267												
1268			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1269			k star (bias corrected)			0.691			Data do not follow a Discernable Distribution (0.05)			
1270			Theta Star			198.5						
1271			nu star			8.292						
1272												

	A	B	C	D	E	F	G	H	I	J	K	L
1273				A-D Test Statistic		1.068			Nonparametric Statistics			
1274				5% A-D Critical Value		0.713			Kaplan-Meier (KM) Method			
1275				K-S Test Statistic		0.713					Mean	75.42
1276				5% K-S Critical Value		0.34					SD	83.01
1277		Data not Gamma Distributed at 5% Significance Level									SE of Mean	18.04
1278											95% KM (t) UCL	106
1279			Assuming Gamma Distribution								95% KM (z) UCL	105.1
1280		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	105.2
1281				Minimum		1E-09					95% KM (bootstrap t) UCL	219.9
1282				Maximum		520					95% KM (BCA) UCL	107.7
1283				Mean		122.3			95% KM (Percentile Bootstrap) UCL			108.1
1284				Median		107					95% KM (Chebyshev) UCL	154
1285				SD		105.1					97.5% KM (Chebyshev) UCL	188.1
1286				k star		0.261					99% KM (Chebyshev) UCL	254.9
1287				Theta star		469.3						
1288				Nu star		16.16			Potential UCLs to Use			
1289				AppChi2		8.072					95% KM (t) UCL	106
1290			95% Gamma Approximate UCL			244.7					95% KM (% Bootstrap) UCL	108.1
1291			95% Adjusted Gamma UCL			254.8						
1292	Note: DL/2 is not a recommended method.											
1293												
1294												
1295	Silver											
1296												
1297							General Statistics					
1298			Number of Valid Data			31			Number of Detected Data			24
1299		Number of Distinct Detected Data				23			Number of Non-Detect Data			7
1300										Percent Non-Detects		22.58%
1301												
1302			Raw Statistics						Log-transformed Statistics			
1303				Minimum Detected		0.0154				Minimum Detected		-4.173
1304				Maximum Detected		0.0472				Maximum Detected		-3.053
1305				Mean of Detected		0.0309				Mean of Detected		-3.512
1306				SD of Detected		0.00812				SD of Detected		0.271
1307				Minimum Non-Detect		0.0164				Minimum Non-Detect		-4.11
1308				Maximum Non-Detect		0.042				Maximum Non-Detect		-3.17
1309												
1310	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			27
1311	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			4
1312	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			87.10%
1313												
1314							UCL Statistics					
1315		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1316			Shapiro Wilk Test Statistic			0.964			Shapiro Wilk Test Statistic			0.97
1317			5% Shapiro Wilk Critical Value			0.916			5% Shapiro Wilk Critical Value			0.916
1318		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1319												
1320			Assuming Normal Distribution						Assuming Lognormal Distribution			
1321			DL/2 Substitution Method						DL/2 Substitution Method			
1322				Mean		0.0271				Mean		-3.697
1323				SD		0.0104				SD		0.457
1324			95% DL/2 (t) UCL			0.0302			95% H-Stat (DL/2) UCL			0.0339
1325												

	A	B	C	D	E	F	G	H	I	J	K	L
1326			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
1327					Mean	0.0364				Mean in Log Scale		-3.584
1328					SD	0.00497				SD in Log Scale		0.288
1329				95% MLE (t) UCL		0.0379				Mean in Original Scale		0.0289
1330				95% MLE (Tiku) UCL		0.0416				SD in Original Scale		0.00827
1331										95% Percentile Bootstrap UCL		0.0312
1332										95% BCA Bootstrap UCL		0.0313
1333												
1334			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1335				k star (bias corrected)		12.96			Data appear Normal at 5% Significance Level			
1336					Theta Star	0.00238						
1337					nu star	622.2						
1338												
1339					A-D Test Statistic	0.269			Nonparametric Statistics			
1340					5% A-D Critical Value	0.743			Kaplan-Meier (KM) Method			
1341					K-S Test Statistic	0.743				Mean		0.0286
1342					5% K-S Critical Value	0.178				SD		0.00875
1343		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.00166
1344										95% KM (t) UCL		0.0315
1345			Assuming Gamma Distribution							95% KM (z) UCL		0.0314
1346		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.0313
1347					Minimum	0.0154				95% KM (bootstrap t) UCL		0.0314
1348					Maximum	0.0472				95% KM (BCA) UCL		0.0319
1349					Mean	0.0298				95% KM (Percentile Bootstrap) UCL		0.0317
1350					Median	0.03				95% KM (Chebyshev) UCL		0.0359
1351					SD	0.00804				97.5% KM (Chebyshev) UCL		0.039
1352					k star	12.55				99% KM (Chebyshev) UCL		0.0452
1353					Theta star	0.00237						
1354					Nu star	778.3			Potential UCLs to Use			
1355					AppChi2	714.6				95% KM (t) UCL		0.0315
1356			95% Gamma Approximate UCL			0.0325			95% KM (Percentile Bootstrap) UCL			0.0317
1357			95% Adjusted Gamma UCL			0.0326						
1358	Note: DL/2 is not a recommended method.											
1359												
1360												
1361	Thallium											
1362												
1363							General Statistics					
1364				Number of Valid Data		31				Number of Detected Data		26
1365			Number of Distinct Detected Data			20				Number of Non-Detect Data		5
1366										Percent Non-Detects		16.13%
1367												
1368			Raw Statistics						Log-transformed Statistics			
1369					Minimum Detected	0.0015				Minimum Detected		-6.502
1370					Maximum Detected	0.0079				Maximum Detected		-4.841
1371					Mean of Detected	0.00327				Mean of Detected		-5.816
1372					SD of Detected	0.00159				SD of Detected		0.419
1373					Minimum Non-Detect	0.0021				Minimum Non-Detect		-6.166
1374					Maximum Non-Detect	0.0032				Maximum Non-Detect		-5.745
1375												
1376	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		21
1377	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		10
1378	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		67.74%

	A	B	C	D	E	F	G	H	I	J	K	L
1379												
1380					UCL Statistics							
1381		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1382				Shapiro Wilk Test Statistic		0.823				Shapiro Wilk Test Statistic		0.937
1383				5% Shapiro Wilk Critical Value		0.92				5% Shapiro Wilk Critical Value		0.92
1384		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1385												
1386		Assuming Normal Distribution						Assuming Lognormal Distribution				
1387				DL/2 Substitution Method						DL/2 Substitution Method		
1388					Mean	0.00297				Mean		-5.94
1389					SD	0.00161				SD		0.483
1390				95% DL/2 (t) UCL		0.00346				95% H-Stat (DL/2) UCL		0.00381
1391												
1392			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
1393					Mean	0.00194				Mean in Log Scale		-5.875
1394					SD	0.00261				SD in Log Scale		0.413
1395				95% MLE (t) UCL		0.00273				Mean in Original Scale		0.00308
1396				95% MLE (Tiku) UCL		0.00326				SD in Original Scale		0.00152
1397										95% Percentile Bootstrap UCL		0.00354
1398										95% BCA Bootstrap UCL		0.00361
1399												
1400		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1401				k star (bias corrected)		4.963		Data appear Lognormal at 5% Significance Level				
1402				Theta Star		0.0006583						
1403				nu star		258.1						
1404												
1405				A-D Test Statistic		0.991		Nonparametric Statistics				
1406				5% A-D Critical Value		0.746				Kaplan-Meier (KM) Method		
1407				K-S Test Statistic		0.746				Mean		0.00308
1408				5% K-S Critical Value		0.172				SD		0.0015
1409		Data not Gamma Distributed at 5% Significance Level								SE of Mean		0.0002761
1410										95% KM (t) UCL		0.00355
1411		Assuming Gamma Distribution								95% KM (z) UCL		0.00353
1412		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		0.00355
1413					Minimum	0.00126				95% KM (bootstrap t) UCL		0.00371
1414					Maximum	0.0079				95% KM (BCA) UCL		0.00356
1415					Mean	0.00316			95% KM (Percentile Bootstrap) UCL			0.00354
1416					Median	0.00265				95% KM (Chebyshev) UCL		0.00428
1417					SD	0.00151				97.5% KM (Chebyshev) UCL		0.0048
1418					k star	5.197				99% KM (Chebyshev) UCL		0.00583
1419					Theta star	0.0006081						
1420					Nu star	322.2		Potential UCLs to Use				
1421					AppChi2	281.6				95% KM (Chebyshev) UCL		0.00428
1422				95% Gamma Approximate UCL		0.00362						
1423				95% Adjusted Gamma UCL		0.00364						
1424	Note: DL/2 is not a recommended method.											
1425												
1426												
1427	Total Aroclors											
1428												
1429					General Statistics							
1430				Number of Valid Data		26				Number of Detected Data		12
1431				Number of Distinct Detected Data		12				Number of Non-Detect Data		14

	A	B	C	D	E	F	G	H	I	J	K	L
1432				Number of Missing Values		5				Percent Non-Detects		53.85%
1433												
1434				Raw Statistics						Log-transformed Statistics		
1435				Minimum Detected		16				Minimum Detected		2.773
1436				Maximum Detected		280				Maximum Detected		5.635
1437				Mean of Detected		63.58				Mean of Detected		3.817
1438				SD of Detected		72.36				SD of Detected		0.762
1439				Minimum Non-Detect		1.4				Minimum Non-Detect		0.336
1440				Maximum Non-Detect		8.5				Maximum Non-Detect		2.14
1441												
1442	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		14
1443	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		12
1444	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		53.85%
1445												
1446					UCL Statistics							
1447			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1448				Shapiro Wilk Test Statistic		0.599				Shapiro Wilk Test Statistic		0.908
1449				5% Shapiro Wilk Critical Value		0.859				5% Shapiro Wilk Critical Value		0.859
1450			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1451												
1452			Assuming Normal Distribution						Assuming Lognormal Distribution			
1453				DL/2 Substitution Method						DL/2 Substitution Method		
1454				Mean		30.19				Mean		1.94
1455				SD		57.43				SD		1.878
1456				95% DL/2 (t) UCL		49.43				95% H-Stat (DL/2) UCL		109
1457												
1458			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1459			MLE yields a negative mean							Mean in Log Scale		2.684
1460										SD in Log Scale		1.184
1461										Mean in Original Scale		32.33
1462										SD in Original Scale		56.34
1463										95% Percentile Bootstrap UCL		51.18
1464										95% BCA Bootstrap UCL		61.92
1465												
1466			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1467				k star (bias corrected)		1.286			Data appear Lognormal at 5% Significance Level			
1468				Theta Star		49.46						
1469				nu star		30.85						
1470												
1471				A-D Test Statistic		0.937				Nonparametric Statistics		
1472				5% A-D Critical Value		0.744				Kaplan-Meier (KM) Method		
1473				K-S Test Statistic		0.744				Mean		37.96
1474				5% K-S Critical Value		0.249				SD		52.7
1475			Data not Gamma Distributed at 5% Significance Level							SE of Mean		10.8
1476										95% KM (t) UCL		56.4
1477			Assuming Gamma Distribution							95% KM (z) UCL		55.72
1478			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		54.22
1479				Minimum		16				95% KM (bootstrap t) UCL		93.21
1480				Maximum		280				95% KM (BCA) UCL		65.12
1481				Mean		63.58				95% KM (Percentile Bootstrap) UCL		58.62
1482				Median		63.58				95% KM (Chebyshev) UCL		85.02
1483				SD		48				97.5% KM (Chebyshev) UCL		105.4
1484				k star		3.027				99% KM (Chebyshev) UCL		145.4

	A	B	C	D	E	F	G	H	I	J	K	L
1485					Theta star	21.01						
1486					Nu star	157.4			Potential UCLs to Use			
1487					AppChi2	129.4				95% KM (t) UCL		56.4
1488				95% Gamma Approximate UCL		77.34			95% KM (% Bootstrap) UCL			58.62
1489				95% Adjusted Gamma UCL		78.36						
1490	Note: DL/2 is not a recommended method.											
1491												
1492												
1493	Total Chlordanes											
1494												
1495					General Statistics							
1496			Number of Valid Data			31			Number of Detected Data			10
1497			Number of Distinct Detected Data			10			Number of Non-Detect Data			21
1498									Percent Non-Detects			67.74%
1499												
1500			Raw Statistics						Log-transformed Statistics			
1501			Minimum Detected			0.168			Minimum Detected			-1.782
1502			Maximum Detected			4.7			Maximum Detected			1.548
1503			Mean of Detected			1.949			Mean of Detected			-0.025
1504			SD of Detected			1.806			SD of Detected			1.408
1505			Minimum Non-Detect			1			Minimum Non-Detect			0
1506			Maximum Non-Detect			2.3			Maximum Non-Detect			0.833
1507												
1508	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			26
1509	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			5
1510	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			83.87%
1511												
1512					UCL Statistics							
1513			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1514			Shapiro Wilk Test Statistic			0.823			Shapiro Wilk Test Statistic			0.821
1515			5% Shapiro Wilk Critical Value			0.842			5% Shapiro Wilk Critical Value			0.842
1516			Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level			
1517												
1518			Assuming Normal Distribution						Assuming Lognormal Distribution			
1519			DL/2 Substitution Method						DL/2 Substitution Method			
1520					Mean	1.045					Mean	-0.368
1521					SD	1.187					SD	0.84
1522			95% DL/2 (t) UCL			1.407			95% H-Stat (DL/2) UCL			1.083
1523												
1524			Maximum Likelihood Estimate(MLE) Method						Log ROS Method			
1525					Mean	0.164			Mean in Log Scale			-0.808
1526					SD	2.206			SD in Log Scale			1.158
1527			95% MLE (t) UCL			0.837			Mean in Original Scale			0.904
1528			95% MLE (Tiku) UCL			2.073			SD in Original Scale			1.257
1529									95% Percentile Bootstrap UCL			1.298
1530									95% BCA Bootstrap UCL			1.335
1531												
1532			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1533			k star (bias corrected)			0.662			Data do not follow a Discernable Distribution (0.05)			
1534			Theta Star			2.944						
1535			nu star			13.24						
1536												
1537			A-D Test Statistic			0.883			Nonparametric Statistics			

	A	B	C	D	E	F	G	H	I	J	K	L
1538				5% A-D Critical Value		0.753			Kaplan-Meier (KM) Method			
1539				K-S Test Statistic		0.753					Mean	0.831
1540				5% K-S Critical Value		0.275					SD	1.248
1541		**Data not Gamma Distributed at 5% Significance Level**									SE of Mean	0.242
1542											95% KM (t) UCL	1.241
1543			**Assuming Gamma Distribution**								95% KM (z) UCL	1.228
1544		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	1.231
1545				Minimum		1E-09				95% KM (bootstrap t) UCL		1.385
1546				Maximum		4.7				95% KM (BCA) UCL		1.282
1547				Mean		1.593		95% KM (Percentile Bootstrap) UCL				1.236
1548				Median		1.496			95% KM (Chebyshev) UCL			1.884
1549				SD		1.251			97.5% KM (Chebyshev) UCL			2.34
1550				k star		0.371			99% KM (Chebyshev) UCL			3.236
1551				Theta star		4.297						
1552				Nu star		22.98			**Potential UCLs to Use**			
1553				AppChi2		13.08				95% KM (BCA) UCL		1.282
1554		95% Gamma Approximate UCL				2.799						
1555		95% Adjusted Gamma UCL				2.891						
1556	Note: DL/2 is not a recommended method.											
1557												
1558												
1559	Total DDD											
1560												
1561						**General Statistics**						
1562			Number of Valid Data			31				Number of Detected Data		10
1563		Number of Distinct Detected Data				10				Number of Non-Detect Data		21
1564										Percent Non-Detects		67.74%
1565												
1566			**Raw Statistics**						**Log-transformed Statistics**			
1567			Minimum Detected			0.0366				Minimum Detected		-3.307
1568			Maximum Detected			21.3				Maximum Detected		3.059
1569			Mean of Detected			4.201				Mean of Detected		-0.0343
1570			SD of Detected			6.76				SD of Detected		2.114
1571			Minimum Non-Detect			1				Minimum Non-Detect		0
1572			Maximum Non-Detect			1				Maximum Non-Detect		0
1573												
1574												
1575						**UCL Statistics**						
1576		**Normal Distribution Test with Detected Values Only**						**Lognormal Distribution Test with Detected Values Only**				
1577			Shapiro Wilk Test Statistic			0.682			Shapiro Wilk Test Statistic			0.965
1578			5% Shapiro Wilk Critical Value			0.842			5% Shapiro Wilk Critical Value			0.842
1579		**Data not Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
1580												
1581		**Assuming Normal Distribution**						**Assuming Lognormal Distribution**				
1582			DL/2 Substitution Method						DL/2 Substitution Method			
1583				Mean		1.694					Mean	-0.481
1584				SD		4.099					SD	1.199
1585			95% DL/2 (t) UCL			2.943			95% H-Stat (DL/2) UCL			1.645
1586												
1587		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
1588		**MLE yields a negative mean**								Mean in Log Scale		-1.266
1589										SD in Log Scale		1.895
1590										Mean in Original Scale		1.599

	A	B	C	D	E	F	G	H	I	J	K	L
1591										SD in Original Scale		4.143
1592										95% Percentile Bootstrap UCL		2.943
1593										95% BCA Bootstrap UCL		3.749
1594												
1595		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1596				k star (bias corrected)		0.375	Data appear Gamma Distributed at 5% Significance Level					
1597				Theta Star		11.19						
1598				nu star		7.506						
1599												
1600				A-D Test Statistic		0.26		Nonparametric Statistics				
1601				5% A-D Critical Value		0.788		Kaplan-Meier (KM) Method				
1602				K-S Test Statistic		0.788				Mean		1.545
1603				5% K-S Critical Value		0.283				SD		4.082
1604		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.778
1605										95% KM (t) UCL		2.866
1606		Assuming Gamma Distribution								95% KM (z) UCL		2.825
1607		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		2.824
1608				Minimum		1E-09				95% KM (bootstrap t) UCL		5.98
1609				Maximum		21.3				95% KM (BCA) UCL		2.917
1610				Mean		3.478			95% KM (Percentile Bootstrap) UCL			2.887
1611				Median		3.384				95% KM (Chebyshev) UCL		4.937
1612				SD		4.137				97.5% KM (Chebyshev) UCL		6.404
1613				k star		0.22				99% KM (Chebyshev) UCL		9.287
1614				Theta star		15.83						
1615				Nu star		13.63		Potential UCLs to Use				
1616				AppChi2		6.316				95% KM (t) UCL		2.866
1617		95% Gamma Approximate UCL				7.503						
1618		95% Adjusted Gamma UCL				7.846						
1619	Note: DL/2 is not a recommended method.											
1620												
1621												
1622	Total DDE											
1623												
1624						General Statistics						
1625			Number of Valid Observations			31			Number of Distinct Observations			29
1626												
1627			Raw Statistics						Log-transformed Statistics			
1628				Minimum	1.055				Minimum of Log Data	0.0537		
1629				Maximum	51.5				Maximum of Log Data	3.942		
1630				Mean	6.272				Mean of log Data	1.489		
1631				Median	4.2				SD of log Data	0.719		
1632				SD	8.872							
1633		Coefficient of Variation			1.415							
1634				Skewness	4.73							
1635												
1636						Relevant UCL Statistics						
1637		Normal Distribution Test						Lognormal Distribution Test				
1638		Shapiro Wilk Test Statistic				0.435			Shapiro Wilk Test Statistic	0.924		
1639		Shapiro Wilk Critical Value				0.929			Shapiro Wilk Critical Value	0.929		
1640		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
1641												
1642		Assuming Normal Distribution						Assuming Lognormal Distribution				
1643		95% Student's-t UCL				8.977			95% H-UCL	7.587		

	A	B	C	D	E	F	G	H	I	J	K	L
1644			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		9.162
1645				95% Adjusted-CLT UCL		10.34				97.5% Chebyshev (MVUE) UCL		10.67
1646				95% Modified-t UCL		9.202				99% Chebyshev (MVUE) UCL		13.62
1647												
1648			Gamma Distribution Test						Data Distribution			
1649				k star (bias corrected)		1.455			Data do not follow a Discernable Distribution (0.05)			
1650				Theta Star		4.31						
1651				nu star		90.22						
1652			Approximate Chi Square Value (.05)			69.32			Nonparametric Statistics			
1653			Adjusted Level of Significance			0.0413				95% CLT UCL		8.893
1654			Adjusted Chi Square Value			68.3				95% Jackknife UCL		8.977
1655										95% Standard Bootstrap UCL		8.902
1656			Anderson-Darling Test Statistic			1.964				95% Bootstrap-t UCL		15.59
1657			Anderson-Darling 5% Critical Value			0.763				95% Hall's Bootstrap UCL		19.89
1658			Kolmogorov-Smirnov Test Statistic			0.187				95% Percentile Bootstrap UCL		9.204
1659			Kolmogorov-Smirnov 5% Critical Value			0.16				95% BCA Bootstrap UCL		10.91
1660		Data not Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		13.22
1661										97.5% Chebyshev(Mean, Sd) UCL		16.22
1662			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		22.13
1663				95% Approximate Gamma UCL		8.163						
1664				95% Adjusted Gamma UCL		8.285						
1665												
1666			Potential UCL to Use						Use 95% Chebyshev (Mean, Sd) UCL			13.22
1667												
1668												
1669	Total DDT											
1670												
1671						General Statistics						
1672				Number of Valid Data		31				Number of Detected Data		20
1673			Number of Distinct Detected Data			19				Number of Non-Detect Data		11
1674										Percent Non-Detects		35.48%
1675												
1676			Raw Statistics						Log-transformed Statistics			
1677				Minimum Detected		0.115				Minimum Detected		-2.161
1678				Maximum Detected		17.5				Maximum Detected		2.862
1679				Mean of Detected		5.466				Mean of Detected		1.29
1680				SD of Detected		4.638				SD of Detected		1.093
1681				Minimum Non-Detect		0.0113				Minimum Non-Detect		-4.483
1682				Maximum Non-Detect		6.1				Maximum Non-Detect		1.808
1683												
1684	Note: Data have multiple DLs - Use of KM Method is recommended								Number treated as Non-Detect			24
1685	For all methods (except KM, DL/2, and ROS Methods),								Number treated as Detected			7
1686	Observations < Largest ND are treated as NDs								Single DL Non-Detect Percentage			77.42%
1687												
1688						UCL Statistics						
1689		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1690				Shapiro Wilk Test Statistic		0.85				Shapiro Wilk Test Statistic		0.865
1691				5% Shapiro Wilk Critical Value		0.905				5% Shapiro Wilk Critical Value		0.905
1692		Data not Normal at 5% Significance Level						Data not Lognormal at 5% Significance Level				
1693												
1694			Assuming Normal Distribution						Assuming Lognormal Distribution			
1695				DL/2 Substitution Method						DL/2 Substitution Method		
1696					Mean	3.882					Mean	0.291

	A	B	C	D	E	F	G	H	I	J	K	L
1697					SD	4.323					SD	2.214
1698				95% DL/2 (t) UCL		5.2				95% H-Stat (DL/2) UCL		60
1699												
1700		Maximum Likelihood Estimate(MLE) Method								Log ROS Method		
1701					Mean	0.289				Mean in Log Scale		0.65
1702					SD	7.841				SD in Log Scale		1.274
1703				95% MLE (t) UCL		2.68				Mean in Original Scale		3.77
1704				95% MLE (Tiku) UCL		5.47				SD in Original Scale		4.368
1705										95% Percentile Bootstrap UCL		5.175
1706										95% BCA Bootstrap UCL		5.258
1707												
1708		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1709				k star (bias corrected)		1.196		Data appear Gamma Distributed at 5% Significance Level				
1710					Theta Star	4.571						
1711					nu star	47.83						
1712												
1713				A-D Test Statistic		0.539		Nonparametric Statistics				
1714				5% A-D Critical Value		0.76				Kaplan-Meier (KM) Method		
1715				K-S Test Statistic		0.76					Mean	3.772
1716				5% K-S Critical Value		0.198					SD	4.332
1717		Data appear Gamma Distributed at 5% Significance Level									SE of Mean	0.804
1718											95% KM (t) UCL	5.137
1719		Assuming Gamma Distribution									95% KM (z) UCL	5.095
1720		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		4.989
1721					Minimum	0.115				95% KM (bootstrap t) UCL		5.274
1722					Maximum	17.5				95% KM (BCA) UCL		5.561
1723					Mean	4.651			95% KM (Percentile Bootstrap) UCL			5.343
1724					Median	3.058				95% KM (Chebyshev) UCL		7.278
1725					SD	4.056				97.5% KM (Chebyshev) UCL		8.795
1726					k star	1.359				99% KM (Chebyshev) UCL		11.78
1727					Theta star	3.421						
1728					Nu star	84.29		Potential UCLs to Use				
1729					AppChi2	64.13				95% KM (Percentile Bootstrap) UCL		5.343
1730				95% Gamma Approximate UCL		6.113						
1731				95% Adjusted Gamma UCL		6.208						
1732	Note: DL/2 is not a recommended method.											
1733												
1734												
1735	Total Dioxin/Furan TEQ											
1736												
1737						General Statistics						
1738				Number of Valid Data		14				Number of Detected Data		14
1739			Number of Distinct Detected Data			14				Number of Non-Detect Data		0
1740				Number of Missing Values		17				Percent Non-Detects		0.00%
1741												
1742			Raw Statistics							Log-transformed Statistics		
1743				Minimum Detected		0.207				Minimum Detected		-1.576
1744				Maximum Detected		18.23				Maximum Detected		2.903
1745				Mean of Detected		1.918				Mean of Detected		-0.295
1746				SD of Detected		4.706				SD of Detected		1.063
1747				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1748				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1749												

	A	B	C	D	E	F	G	H	I	J	K	L
1750												
1751						UCL Statistics						
1752			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
1753					Shapiro Wilk Test Statistic	0.358				Shapiro Wilk Test Statistic		0.772
1754					5% Shapiro Wilk Critical Value	0.874				5% Shapiro Wilk Critical Value		0.874
1755			Data not Normal at 5% Significance Level					Data not Lognormal at 5% Significance Level				
1756												
1757			Assuming Normal Distribution					Assuming Lognormal Distribution				
1758				DL/2 Substitution Method						DL/2 Substitution Method		
1759					Mean	1.918				Mean		-0.295
1760					SD	4.706				SD		1.063
1761				95% DL/2 (t) UCL		4.145			95% H-Stat (DL/2) UCL			3.075
1762												
1763			Maximum Likelihood Estimate(MLE) Method			N/A				Log ROS Method		
1764			MLE method failed to converge properly							Mean in Log Scale		N/A
1765										SD in Log Scale		N/A
1766										Mean in Original Scale		N/A
1767										SD in Original Scale		N/A
1768									95% Percentile Bootstrap UCL			N/A
1769										95% BCA Bootstrap UCL		N/A
1770												
1771			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
1772					k star (bias corrected)	0.555		Data do not follow a Discernable Distribution (0.05)				
1773					Theta Star	3.455						
1774					nu star	15.54						
1775												
1776					A-D Test Statistic	2.516			Nonparametric Statistics			
1777					5% A-D Critical Value	0.78			Kaplan-Meier (KM) Method			
1778					K-S Test Statistic	0.78				Mean		1.918
1779					5% K-S Critical Value	0.239				SD		4.534
1780			Data not Gamma Distributed at 5% Significance Level							SE of Mean		1.258
1781										95% KM (t) UCL		4.145
1782			Assuming Gamma Distribution							95% KM (z) UCL		3.987
1783			Gamma ROS Statistics using Extrapolated Data							95% KM (jackknife) UCL		4.145
1784					Minimum	0.207			95% KM (bootstrap t) UCL			27.54
1785					Maximum	18.23				95% KM (BCA) UCL		4.394
1786					Mean	1.918			95% KM (Percentile Bootstrap) UCL			4.438
1787					Median	0.609				95% KM (Chebyshev) UCL		7.4
1788					SD	4.706				97.5% KM (Chebyshev) UCL		9.772
1789					k star	0.555				99% KM (Chebyshev) UCL		14.43
1790					Theta star	3.455						
1791					Nu star	15.54			Potential UCLs to Use			
1792					AppChi2	7.641			97.5% KM (Chebyshev) UCL			9.772
1793			95% Gamma Approximate UCL			3.902						
1794			95% Adjusted Gamma UCL			4.31						
1795	Note: DL/2 is not a recommended method.											
1796												
1797												
1798	Total Dioxin-like PCBs											
1799												
1800						General Statistics						
1801				Number of Valid Data		14				Number of Detected Data		14
1802			Number of Distinct Detected Data			14				Number of Non-Detect Data		0

	A	B	C	D	E	F	G	H	I	J	K	L
1803				Number of Missing Values		17				Percent Non-Detects		0.00%
1804												
1805				Raw Statistics						Log-transformed Statistics		
1806				Minimum Detected		1819				Minimum Detected		7.506
1807				Maximum Detected		53616				Maximum Detected		10.89
1808				Mean of Detected		8839				Mean of Detected		8.522
1809				SD of Detected		13569				SD of Detected		0.962
1810				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
1811				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
1812												
1813												
1814						UCL Statistics						
1815		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
1816				Shapiro Wilk Test Statistic		0.542				Shapiro Wilk Test Statistic		0.885
1817				5% Shapiro Wilk Critical Value		0.874				5% Shapiro Wilk Critical Value		0.874
1818		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1819												
1820				Assuming Normal Distribution						Assuming Lognormal Distribution		
1821				DL/2 Substitution Method						DL/2 Substitution Method		
1822				Mean		8839				Mean		8.522
1823				SD		13569				SD		0.962
1824				95% DL/2 (t) UCL		15261				95% H-Stat (DL/2) UCL		16544
1825												
1826				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
1827		MLE method failed to converge properly								Mean in Log Scale		N/A
1828										SD in Log Scale		N/A
1829										Mean in Original Scale		N/A
1830										SD in Original Scale		N/A
1831										95% Percentile Bootstrap UCL		N/A
1832										95% BCA Bootstrap UCL		N/A
1833												
1834		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1835				k star (bias corrected)		0.849	Data Follow Appr. Gamma Distribution at 5% Significance Level					
1836				Theta Star		10411						
1837				nu star		23.77						
1838												
1839				A-D Test Statistic		1.135				Nonparametric Statistics		
1840				5% A-D Critical Value		0.76				Kaplan-Meier (KM) Method		
1841				K-S Test Statistic		0.76				Mean		8839
1842				5% K-S Critical Value		0.235				SD		13075
1843		Data follow Appr. Gamma Distribution at 5% Significance Level								SE of Mean		3626
1844										95% KM (t) UCL		15261
1845		Assuming Gamma Distribution								95% KM (z) UCL		14804
1846		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		15261
1847				Minimum		1819				95% KM (bootstrap t) UCL		28321
1848				Maximum		53616				95% KM (BCA) UCL		15865
1849				Mean		8839				95% KM (Percentile Bootstrap) UCL		15278
1850				Median		3907				95% KM (Chebyshev) UCL		24646
1851				SD		13569				97.5% KM (Chebyshev) UCL		31485
1852				k star		0.849				99% KM (Chebyshev) UCL		44921
1853				Theta star		10411						
1854				Nu star		23.77				Potential UCLs to Use		
1855				AppChi2		13.68				95% KM (Chebyshev) UCL		24646

	A	B	C	D	E	F	G	H	I	J	K	L
1856				95% Gamma Approximate UCL		15365						
1857				95% Adjusted Gamma UCL		16586						
1858	Note: DL/2 is not a recommended method.											
1859												
1860												
1861	Total Endosulfan											
1862												
1863					General Statistics							
1864				Number of Valid Data		31				Number of Detected Data		10
1865			Number of Distinct Detected Data			9				Number of Non-Detect Data		21
1866										Percent Non-Detects		67.74%
1867												
1868				Raw Statistics						Log-transformed Statistics		
1869				Minimum Detected		1				Minimum Detected		0
1870				Maximum Detected		3.1				Maximum Detected		1.131
1871				Mean of Detected		1.71				Mean of Detected		0.483
1872				SD of Detected		0.623				SD of Detected		0.339
1873				Minimum Non-Detect		0.0128				Minimum Non-Detect		-4.358
1874				Maximum Non-Detect		2				Maximum Non-Detect		0.693
1875												
1876	Note: Data have multiple DLs - Use of KM Method is recommended									Number treated as Non-Detect		28
1877	For all methods (except KM, DL/2, and ROS Methods),									Number treated as Detected		3
1878	Observations < Largest ND are treated as NDs									Single DL Non-Detect Percentage		90.32%
1879												
1880					UCL Statistics							
1881			Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only			
1882				Shapiro Wilk Test Statistic		0.903				Shapiro Wilk Test Statistic		0.972
1883				5% Shapiro Wilk Critical Value		0.842				5% Shapiro Wilk Critical Value		0.842
1884			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
1885												
1886			Assuming Normal Distribution						Assuming Lognormal Distribution			
1887				DL/2 Substitution Method						DL/2 Substitution Method		
1888				Mean		0.842				Mean		-0.913
1889				SD		0.733				SD		1.771
1890				95% DL/2 (t) UCL		1.065				95% H-Stat (DL/2) UCL		5.035
1891												
1892			Maximum Likelihood Estimate(MLE) Method							Log ROS Method		
1893				Mean		2.657				Mean in Log Scale		-0.219
1894				SD		0.45				SD in Log Scale		0.59
1895				95% MLE (t) UCL		2.794				Mean in Original Scale		0.96
1896				95% MLE (Tiku) UCL		3.085				SD in Original Scale		0.643
1897										95% Percentile Bootstrap UCL		1.154
1898										95% BCA Bootstrap UCL		1.182
1899												
1900			Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only			
1901				k star (bias corrected)		6.682			Data appear Normal at 5% Significance Level			
1902				Theta Star		0.256						
1903				nu star		133.6						
1904												
1905				A-D Test Statistic		0.242			Nonparametric Statistics			
1906				5% A-D Critical Value		0.726				Kaplan-Meier (KM) Method		
1907				K-S Test Statistic		0.726				Mean		1.236
1908				5% K-S Critical Value		0.267				SD		0.472

	A	B	C	D	E	F	G	H	I	J	K	L
1909	Data appear Gamma Distributed at 5% Significance Level									SE of Mean		0.0901
1910										95% KM (t) UCL		1.389
1911	Assuming Gamma Distribution									95% KM (z) UCL		1.384
1912	Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL		1.363
1913	Minimum					1				95% KM (bootstrap t) UCL		1.452
1914	Maximum					3.1				95% KM (BCA) UCL		1.615
1915	Mean					1.647				95% KM (Percentile Bootstrap) UCL		1.508
1916	Median					1.6				95% KM (Chebyshev) UCL		1.628
1917	SD					0.362				97.5% KM (Chebyshev) UCL		1.798
1918	k star					22.82				99% KM (Chebyshev) UCL		2.132
1919	Theta star					0.0722						
1920	Nu star					1415				Potential UCLs to Use		
1921	AppChi2					1329				95% KM (t) UCL		1.389
1922	95% Gamma Approximate UCL					1.754				95% KM (Percentile Bootstrap) UCL		1.508
1923	95% Adjusted Gamma UCL					1.76						
1924	Note: DL/2 is not a recommended method.											
1925												
1926												
1927	Total PCB TEQ											
1928												
1929	General Statistics											
1930	Number of Valid Data					14				Number of Detected Data		14
1931	Number of Distinct Detected Data					14				Number of Non-Detect Data		0
1932	Number of Missing Values					17				Percent Non-Detects		0.00%
1933												
1934	Raw Statistics						Log-transformed Statistics					
1935	Minimum Detected					0.252				Minimum Detected		-1.376
1936	Maximum Detected					5.086				Maximum Detected		1.627
1937	Mean of Detected					1.283				Mean of Detected		-0.181
1938	SD of Detected					1.4				SD of Detected		0.919
1939	Minimum Non-Detect					N/A				Minimum Non-Detect		N/A
1940	Maximum Non-Detect					N/A				Maximum Non-Detect		N/A
1941												
1942												
1943	UCL Statistics											
1944	Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only					
1945	Shapiro Wilk Test Statistic					0.725				Shapiro Wilk Test Statistic		0.932
1946	5% Shapiro Wilk Critical Value					0.874				5% Shapiro Wilk Critical Value		0.874
1947	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
1948												
1949	Assuming Normal Distribution						Assuming Lognormal Distribution					
1950	DL/2 Substitution Method									DL/2 Substitution Method		
1951	Mean					1.283				Mean		-0.181
1952	SD					1.4				SD		0.919
1953	95% DL/2 (t) UCL					1.946				95% H-Stat (DL/2) UCL		2.508
1954												
1955	Maximum Likelihood Estimate(MLE) Method					N/A				Log ROS Method		
1956	MLE method failed to converge properly									Mean in Log Scale		N/A
1957										SD in Log Scale		N/A
1958										Mean in Original Scale		N/A
1959										SD in Original Scale		N/A
1960										95% Percentile Bootstrap UCL		N/A
1961										95% BCA Bootstrap UCL		N/A

	A	B	C	D	E	F	G	H	I	J	K	L
1962												
1963		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
1964				k star (bias corrected)		1.073		Data appear Gamma Distributed at 5% Significance Level				
1965					Theta Star	1.196						
1966					nu star	30.03						
1967												
1968					A-D Test Statistic	0.719		Nonparametric Statistics				
1969				5% A-D Critical Value		0.754		Kaplan-Meier (KM) Method				
1970					K-S Test Statistic	0.754				Mean		1.283
1971				5% K-S Critical Value		0.234				SD		1.349
1972		Data appear Gamma Distributed at 5% Significance Level								SE of Mean		0.374
1973										95% KM (t) UCL		1.946
1974		Assuming Gamma Distribution								95% KM (z) UCL		1.898
1975		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		1.946
1976					Minimum	0.252				95% KM (bootstrap t) UCL		2.444
1977					Maximum	5.086				95% KM (BCA) UCL		1.906
1978					Mean	1.283			95% KM (Percentile Bootstrap) UCL			1.905
1979					Median	0.73				95% KM (Chebyshev) UCL		2.914
1980					SD	1.4				97.5% KM (Chebyshev) UCL		3.62
1981					k star	1.073				99% KM (Chebyshev) UCL		5.006
1982					Theta star	1.196						
1983					Nu star	30.03		Potential UCLs to Use				
1984					AppChi2	18.52				95% KM (Chebyshev) UCL		2.914
1985				95% Gamma Approximate UCL		2.08						
1986				95% Adjusted Gamma UCL		2.224						
1987	Note: DL/2 is not a recommended method.											
1988												
1989												
1990	Total PCB_Congeners											
1991												
1992					General Statistics							
1993				Number of Valid Data		14				Number of Detected Data		14
1994			Number of Distinct Detected Data			14				Number of Non-Detect Data		0
1995				Number of Missing Values		17				Percent Non-Detects		0.00%
1996												
1997			Raw Statistics						Log-transformed Statistics			
1998				Minimum Detected		10078				Minimum Detected		9.218
1999				Maximum Detected		1188740				Maximum Detected		13.99
2000				Mean of Detected		134333				Mean of Detected		10.81
2001				SD of Detected		307476				SD of Detected		1.198
2002				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
2003				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
2004												
2005												
2006					UCL Statistics							
2007		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2008				Shapiro Wilk Test Statistic		0.414				Shapiro Wilk Test Statistic		0.892
2009				5% Shapiro Wilk Critical Value		0.874				5% Shapiro Wilk Critical Value		0.874
2010		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
2011												
2012		Assuming Normal Distribution						Assuming Lognormal Distribution				
2013		DL/2 Substitution Method							DL/2 Substitution Method			
2014					Mean	134333				Mean		10.81

	A	B	C	D	E	F	G	H	I	J	K	L
2015					SD	307476					SD	1.198
2016			95% DL/2 (t) UCL			279862				95% H-Stat (DL/2) UCL		287868
2017												
2018		Maximum Likelihood Estimate(MLE) Method				N/A				Log ROS Method		
2019		MLE method failed to converge properly								Mean in Log Scale		N/A
2020										SD in Log Scale		N/A
2021										Mean in Original Scale		N/A
2022										SD in Original Scale		N/A
2023										95% Percentile Bootstrap UCL		N/A
2024										95% BCA Bootstrap UCL		N/A
2025												
2026		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2027			k star (bias corrected)			0.533		Data appear Lognormal at 5% Significance Level				
2028				Theta Star		252119						
2029				nu star		14.92						
2030												
2031				A-D Test Statistic		1.664		Nonparametric Statistics				
2032			5% A-D Critical Value			0.783				Kaplan-Meier (KM) Method		
2033				K-S Test Statistic		0.783					Mean	134333
2034			5% K-S Critical Value			0.24					SD	296292
2035		Data not Gamma Distributed at 5% Significance Level									SE of Mean	82177
2036											95% KM (t) UCL	279862
2037		Assuming Gamma Distribution									95% KM (z) UCL	269501
2038		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		279862
2039					Minimum	10078				95% KM (bootstrap t) UCL		1466866
2040					Maximum	1188740				95% KM (BCA) UCL		295301
2041					Mean	134333			95% KM (Percentile Bootstrap) UCL			289181
2042					Median	41480				95% KM (Chebyshev) UCL		492532
2043					SD	307476				97.5% KM (Chebyshev) UCL		647525
2044					k star	0.533				99% KM (Chebyshev) UCL		951979
2045					Theta star	252119						
2046					Nu star	14.92		Potential UCLs to Use				
2047					AppChi2	7.205				97.5% KM (Chebyshev) UCL		647525
2048			95% Gamma Approximate UCL			278147						
2049			95% Adjusted Gamma UCL			308061						
2050	Note: DL/2 is not a recommended method.											
2051												
2052												
2053	Total PCBs, Adjusted											
2054												
2055					General Statistics							
2056			Number of Valid Data			14				Number of Detected Data		14
2057			Number of Distinct Detected Data			14				Number of Non-Detect Data		0
2058			Number of Missing Values			17				Percent Non-Detects		0.00%
2059												
2060			Raw Statistics						Log-transformed Statistics			
2061			Minimum Detected			7408				Minimum Detected		8.91
2062			Maximum Detected			1135124				Maximum Detected		13.94
2063			Mean of Detected			125494				Mean of Detected		10.68
2064			SD of Detected			294300				SD of Detected		1.243
2065			Minimum Non-Detect			N/A				Minimum Non-Detect		N/A
2066			Maximum Non-Detect			N/A				Maximum Non-Detect		N/A
2067												

	A	B	C	D	E	F	G	H	I	J	K	L
2068												
2069					UCL Statistics							
2070			Normal Distribution Test with Detected Values Only					Lognormal Distribution Test with Detected Values Only				
2071				Shapiro Wilk Test Statistic		0.41			Shapiro Wilk Test Statistic			0.899
2072				5% Shapiro Wilk Critical Value		0.874			5% Shapiro Wilk Critical Value			0.874
2073			Data not Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
2074												
2075			Assuming Normal Distribution					Assuming Lognormal Distribution				
2076				DL/2 Substitution Method					DL/2 Substitution Method			
2077					Mean	125494				Mean		10.68
2078					SD	294300				SD		1.243
2079				95% DL/2 (t) UCL		264787			95% H-Stat (DL/2) UCL			285419
2080												
2081				Maximum Likelihood Estimate(MLE) Method		N/A			Log ROS Method			
2082			MLE method failed to converge properly						Mean in Log Scale			N/A
2083									SD in Log Scale			N/A
2084									Mean in Original Scale			N/A
2085									SD in Original Scale			N/A
2086									95% Percentile Bootstrap UCL			N/A
2087									95% BCA Bootstrap UCL			N/A
2088												
2089			Gamma Distribution Test with Detected Values Only					Data Distribution Test with Detected Values Only				
2090				k star (bias corrected)		0.508			Data appear Lognormal at 5% Significance Level			
2091					Theta Star	247034						
2092					nu star	14.22						
2093												
2094				A-D Test Statistic		1.678			Nonparametric Statistics			
2095				5% A-D Critical Value		0.785			Kaplan-Meier (KM) Method			
2096				K-S Test Statistic		0.785				Mean		125494
2097				5% K-S Critical Value		0.24				SD		283595
2098			Data not Gamma Distributed at 5% Significance Level						SE of Mean			78655
2099									95% KM (t) UCL			264787
2100			Assuming Gamma Distribution						95% KM (z) UCL			254870
2101			Gamma ROS Statistics using Extrapolated Data						95% KM (jackknife) UCL			264787
2102					Minimum	7408			95% KM (bootstrap t) UCL			1509264
2103					Maximum	1135124			95% KM (BCA) UCL			280360
2104					Mean	125494			95% KM (Percentile Bootstrap) UCL			275675
2105					Median	39018			95% KM (Chebyshev) UCL			468343
2106					SD	294300			97.5% KM (Chebyshev) UCL			616695
2107					k star	0.508			99% KM (Chebyshev) UCL			908102
2108					Theta star	247034						
2109					Nu star	14.22			Potential UCLs to Use			
2110					AppChi2	6.725			97.5% KM (Chebyshev) UCL			616695
2111			95% Gamma Approximate UCL			265431						
2112			95% Adjusted Gamma UCL			294909						
2113	Note: DL/2 is not a recommended method.											
2114												
2115												
2116	Total TEQ											
2117												
2118					General Statistics							
2119				Number of Valid Data		14			Number of Detected Data			14
2120			Number of Distinct Detected Data			14			Number of Non-Detect Data			0

	A	B	C	D	E	F	G	H	I	J	K	L
2121				Number of Missing Values		17				Percent Non-Detects		0.00%
2122												
2123				Raw Statistics						Log-transformed Statistics		
2124				Minimum Detected		0.537				Minimum Detected		-0.622
2125				Maximum Detected		18.98				Maximum Detected		2.943
2126				Mean of Detected		3.201				Mean of Detected		0.666
2127				SD of Detected		4.741				SD of Detected		0.899
2128				Minimum Non-Detect		N/A				Minimum Non-Detect		N/A
2129				Maximum Non-Detect		N/A				Maximum Non-Detect		N/A
2130												
2131												
2132						UCL Statistics						
2133		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2134				Shapiro Wilk Test Statistic		0.527				Shapiro Wilk Test Statistic		0.903
2135				5% Shapiro Wilk Critical Value		0.874				5% Shapiro Wilk Critical Value		0.874
2136		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
2137												
2138				Assuming Normal Distribution						Assuming Lognormal Distribution		
2139				DL/2 Substitution Method						DL/2 Substitution Method		
2140				Mean		3.201				Mean		0.666
2141				SD		4.741				SD		0.899
2142				95% DL/2 (t) UCL		5.445				95% H-Stat (DL/2) UCL		5.612
2143												
2144				Maximum Likelihood Estimate(MLE) Method		N/A				Log ROS Method		
2145		MLE method failed to converge properly								Mean in Log Scale		N/A
2146										SD in Log Scale		N/A
2147										Mean in Original Scale		N/A
2148										SD in Original Scale		N/A
2149										95% Percentile Bootstrap UCL		N/A
2150										95% BCA Bootstrap UCL		N/A
2151												
2152		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2153				k star (bias corrected)		0.945		Data appear Lognormal at 5% Significance Level				
2154				Theta Star		3.386						
2155				nu star		26.47						
2156												
2157				A-D Test Statistic		1.207				Nonparametric Statistics		
2158				5% A-D Critical Value		0.757				Kaplan-Meier (KM) Method		
2159				K-S Test Statistic		0.757				Mean		3.201
2160				5% K-S Critical Value		0.234				SD		4.568
2161		Data not Gamma Distributed at 5% Significance Level								SE of Mean		1.267
2162										95% KM (t) UCL		5.445
2163		Assuming Gamma Distribution								95% KM (z) UCL		5.285
2164		Gamma ROS Statistics using Extrapolated Data								95% KM (jackknife) UCL		5.445
2165				Minimum		0.537				95% KM (bootstrap t) UCL		11.64
2166				Maximum		18.98				95% KM (BCA) UCL		5.448
2167				Mean		3.201				95% KM (Percentile Bootstrap) UCL		5.45
2168				Median		1.672				95% KM (Chebyshev) UCL		8.724
2169				SD		4.741				97.5% KM (Chebyshev) UCL		11.11
2170				k star		0.945				99% KM (Chebyshev) UCL		15.81
2171				Theta star		3.386						
2172				Nu star		26.47				Potential UCLs to Use		
2173				AppChi2		15.74				95% KM (Chebyshev) UCL		8.724

	A	B	C	D	E	F	G	H	I	J	K	L
2174			95% Gamma Approximate UCL			5.383						
2175			95% Adjusted Gamma UCL			5.783						
2176	Note: DL/2 is not a recommended method.											
2177												
2178												
2179	Tributyltin ion											
2180												
2181					General Statistics							
2182			Number of Valid Data			5			Number of Detected Data			3
2183			Number of Distinct Detected Data			3			Number of Non-Detect Data			2
2184									Percent Non-Detects			40.00%
2185												
2186			Raw Statistics						Log-transformed Statistics			
2187			Minimum Detected			0.56			Minimum Detected			-0.58
2188			Maximum Detected			2.3			Maximum Detected			0.833
2189			Mean of Detected			1.187			Mean of Detected			-0.0345
2190			SD of Detected			0.967			SD of Detected			0.759
2191			Minimum Non-Detect			0.35			Minimum Non-Detect			-1.05
2192			Maximum Non-Detect			0.35			Maximum Non-Detect			-1.05
2193												
2194												
2195					Warning: There are only 3 Distinct Detected Values in this data set							
2196				The number of detected data may not be adequate enough to perform GOF tests, bootstrap, and ROS methods.								
2197					Those methods will return a 'N/A' value on your output display!							
2198												
2199					It is necessary to have 4 or more Distinct Values for bootstrap methods.							
2200				It is recommended to have 10 to 15 or more observations for accurate and meaningful results and estimates.								
2201												
2202												
2203					UCL Statistics							
2204		Normal Distribution Test with Detected Values Only						Lognormal Distribution Test with Detected Values Only				
2205			Shapiro Wilk Test Statistic			0.81			Shapiro Wilk Test Statistic			0.865
2206			5% Shapiro Wilk Critical Value			0.767			5% Shapiro Wilk Critical Value			0.767
2207		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
2208												
2209		Assuming Normal Distribution						Assuming Lognormal Distribution				
2210			DL/2 Substitution Method						DL/2 Substitution Method			
2211			Mean			0.782			Mean			-0.718
2212			SD			0.88			SD			1.079
2213			95% DL/2 (t) UCL			1.621			95% H-Stat (DL/2) UCL			1.225
2214												
2215		Maximum Likelihood Estimate(MLE) Method							Log ROS Method			
2216			Mean			0.532			Mean in Log Scale			-0.942
2217			SD			1.082			SD in Log Scale			1.381
2218			95% MLE (t) UCL			1.563			Mean in Original Scale			0.755
2219			95% MLE (Tiku) UCL			1.692			SD in Original Scale			0.904
2220									95% Percentile Bootstrap UCL			1.423
2221									95% BCA Bootstrap UCL			1.632
2222												
2223		Gamma Distribution Test with Detected Values Only						Data Distribution Test with Detected Values Only				
2224			k star (bias corrected)			N/A		Data appear Normal at 5% Significance Level				
2225			Theta Star			N/A						
2226			nu star			N/A						

	A	B	C	D	E	F	G	H	I	J	K	L
2227												
2228				A-D Test Statistic		0.471			Nonparametric Statistics			
2229				5% A-D Critical Value		N/A			Kaplan-Meier (KM) Method			
2230				K-S Test Statistic		N/A					Mean	0.936
2231				5% K-S Critical Value		N/A					SD	0.684
2232		Data not Gamma Distributed at 5% Significance Level									SE of Mean	0.375
2233											95% KM (t) UCL	1.735
2234			Assuming Gamma Distribution								95% KM (z) UCL	1.552
2235		Gamma ROS Statistics using Extrapolated Data									95% KM (jackknife) UCL	1.651
2236				Minimum		N/A					95% KM (bootstrap t) UCL	5.445
2237				Maximum		N/A					95% KM (BCA) UCL	2.3
2238				Mean		N/A					95% KM (Percentile Bootstrap) UCL	2.3
2239				Median		N/A					95% KM (Chebyshev) UCL	2.569
2240				SD		N/A					97.5% KM (Chebyshev) UCL	3.276
2241				k star		N/A					99% KM (Chebyshev) UCL	4.664
2242				Theta star		N/A						
2243				Nu star		N/A			Potential UCLs to Use			
2244				AppChi2		N/A					95% KM (t) UCL	1.735
2245		95% Gamma Approximate UCL				N/A			95% KM (Percentile Bootstrap) UCL			2.3
2246		95% Adjusted Gamma UCL				N/A						
2247	Note: DL/2 is not a recommended method.											
2248												
2249												
2250	Zinc											
2251												
2252					General Statistics							
2253		Number of Valid Observations				31			Number of Distinct Observations		24	
2254												
2255		Raw Statistics							Log-transformed Statistics			
2256				Minimum		13.7			Minimum of Log Data		2.617	
2257				Maximum		20.3			Maximum of Log Data		3.011	
2258				Mean		17.03			Mean of log Data		2.829	
2259				Median		17			SD of log Data		0.109	
2260				SD		1.843						
2261		Coefficient of Variation				0.108						
2262				Skewness		0.0187						
2263												
2264					Relevant UCL Statistics							
2265		Normal Distribution Test							Lognormal Distribution Test			
2266		Shapiro Wilk Test Statistic				0.967			Shapiro Wilk Test Statistic		0.966	
2267		Shapiro Wilk Critical Value				0.929			Shapiro Wilk Critical Value		0.929	
2268		Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
2269												
2270		Assuming Normal Distribution							Assuming Lognormal Distribution			
2271		95% Student's-t UCL				17.59			95% H-UCL		17.62	
2272		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		18.49	
2273		95% Adjusted-CLT UCL				17.58			97.5% Chebyshev (MVUE) UCL		19.12	
2274		95% Modified-t UCL				17.59			99% Chebyshev (MVUE) UCL		20.36	
2275												
2276		Gamma Distribution Test							Data Distribution			
2277		k star (bias corrected)				79.03			Data appear Normal at 5% Significance Level			
2278				Theta Star		0.216						
2279				nu star		4900						

	A	B	C	D	E	F	G	H	I	J	K	L
2280				Approximate Chi Square Value (.05)		4738			**Nonparametric Statistics**			
2281				Adjusted Level of Significance		0.0413				95% CLT UCL		17.58
2282				Adjusted Chi Square Value		4729				95% Jackknife UCL		17.59
2283										95% Standard Bootstrap UCL		17.57
2284				Anderson-Darling Test Statistic		0.257				95% Bootstrap-t UCL		17.6
2285				Anderson-Darling 5% Critical Value		0.745				95% Hall's Bootstrap UCL		17.57
2286				Kolmogorov-Smirnov Test Statistic		0.0935				95% Percentile Bootstrap UCL		17.57
2287				Kolmogorov-Smirnov 5% Critical Value		0.157				95% BCA Bootstrap UCL		17.58
2288	**Data appear Gamma Distributed at 5% Significance Level**									95% Chebyshev(Mean, Sd) UCL		18.48
2289										97.5% Chebyshev(Mean, Sd) UCL		19.1
2290			**Assuming Gamma Distribution**							99% Chebyshev(Mean, Sd) UCL		20.33
2291				95% Approximate Gamma UCL		17.61						
2292				95% Adjusted Gamma UCL		17.65						
2293												
2294			**Potential UCL to Use**							Use 95% Student's-t UCL		17.59
2295												

Tissue

Sturgeon

	A	B	C	D	E	F	G	H	I	J	K	L
1				General UCL Statistics for Data Sets with Non-Detects								
2		User Selected Options										
3			From File	Sturgeon_Study_area_FNS								
4			Full Precision	OFF								
5			Confidence Coefficient	95%								
6		Number of Bootstrap Operations		2000								
7												
8												
9	Arsenic											
10												
11					General Statistics							
12			Number of Valid Observations		5			Number of Distinct Observations				5
13												
14			Raw Statistics					Log-transformed Statistics				
15				Minimum	0.157				Minimum of Log Data			-1.852
16				Maximum	0.538				Maximum of Log Data			-0.62
17				Mean	0.342				Mean of log Data			-1.155
18				Median	0.314				SD of log Data			0.467
19				SD	0.145							
20			Coefficient of Variation		0.424							
21				Skewness	0.202							
22												
23												
24		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
25												
26				It is suggested to collect at least 8 to 10 observations using these statistical methods!								
27			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
28												
29												
30					Warning: There are only 5 Values in this data							
31			Note: It should be noted that even though bootstrap methods may be performed on this data set,										
32				the resulting calculations may not be reliable enough to draw conclusions								
33												
34			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
35												
36					Relevant UCL Statistics							
37			Normal Distribution Test					Lognormal Distribution Test				
38				Shapiro Wilk Test Statistic	0.988				Shapiro Wilk Test Statistic			0.968
39				Shapiro Wilk Critical Value	0.762				Shapiro Wilk Critical Value			0.762
40		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
41												
42			Assuming Normal Distribution					Assuming Lognormal Distribution				
43				95% Student's-t UCL	0.48				95% H-UCL			0.683
44		95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL				0.654
45			95% Adjusted-CLT UCL		0.455			97.5% Chebyshev (MVUE) UCL				0.788
46			95% Modified-t UCL		0.481			99% Chebyshev (MVUE) UCL				1.052
47												
48			Gamma Distribution Test					Data Distribution				
49			k star (bias corrected)		2.667			Data appear Normal at 5% Significance Level				
50				Theta Star	0.128							
51				nu star	26.67							
52		Approximate Chi Square Value (.05)			15.9			Nonparametric Statistics				
53		Adjusted Level of Significance			0.0086				95% CLT UCL			0.448

	A	B	C	D	E	F	G	H	I	J	K	L
54	Adjusted Chi Square Value					12.41				95% Jackknife UCL		0.48
55										95% Standard Bootstrap UCL		0.438
56	Anderson-Darling Test Statistic					0.195				95% Bootstrap-t UCL		0.517
57	Anderson-Darling 5% Critical Value					0.68				95% Hall's Bootstrap UCL		0.55
58	Kolmogorov-Smirnov Test Statistic					0.157				95% Percentile Bootstrap UCL		0.44
59	Kolmogorov-Smirnov 5% Critical Value					0.358				95% BCA Bootstrap UCL		0.44
60	**Data appear Gamma Distributed at 5% Significance Level**									95% Chebyshev(Mean, Sd) UCL		0.624
61										97.5% Chebyshev(Mean, Sd) UCL		0.746
62	**Assuming Gamma Distribution**									99% Chebyshev(Mean, Sd) UCL		0.986
63	95% Approximate Gamma UCL					0.573						
64	95% Adjusted Gamma UCL					0.735						
65												
66	**Potential UCL to Use**									Use 95% Student's-t UCL		0.48
67												
68												
69	Calcium											
70												
71	**General Statistics**											
72	Number of Valid Observations					5				Number of Distinct Observations		5
73												
74	**Raw Statistics**							**Log-transformed Statistics**				
75	Minimum					52.6				Minimum of Log Data		3.963
76	Maximum					63.9				Maximum of Log Data		4.157
77	Mean					56.52				Mean of log Data		4.032
78	Median					56.5				SD of log Data		0.078
79	SD					4.534						
80	Coefficient of Variation					0.0802						
81	Skewness					1.333						
82												
83												
84	**Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!**											
85												
86	**It is suggested to collect at least 8 to 10 observations using these statistical methods!**											
87	**If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.**											
88												
89												
90	**Warning: There are only 5 Values in this data**											
91	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
92	the resulting calculations may not be reliable enough to draw conclusions											
93												
94	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
95												
96	**Relevant UCL Statistics**											
97	**Normal Distribution Test**							**Lognormal Distribution Test**				
98	Shapiro Wilk Test Statistic					0.854				Shapiro Wilk Test Statistic		0.866
99	Shapiro Wilk Critical Value					0.762				Shapiro Wilk Critical Value		0.762
100	**Data appear Normal at 5% Significance Level**							**Data appear Lognormal at 5% Significance Level**				
101												
102	**Assuming Normal Distribution**							**Assuming Lognormal Distribution**				
103	95% Student's-t UCL					60.84				95% H-UCL		N/A
104	**95% UCLs (Adjusted for Skewness)**							95% Chebyshev (MVUE) UCL				65.11
105	95% Adjusted-CLT UCL					61.15				97.5% Chebyshev (MVUE) UCL		68.83
106	95% Modified-t UCL					61.04				99% Chebyshev (MVUE) UCL		76.13

	A	B	C	D	E	F	G	H	I	J	K	L
107												
108			Gamma Distribution Test						Data Distribution			
109			k star (bias corrected)			80.87		Data appear Normal at 5% Significance Level				
110			Theta Star			0.699						
111			nu star			808.7						
112			Approximate Chi Square Value (.05)			743.7		Nonparametric Statistics				
113			Adjusted Level of Significance			0.0086				95% CLT UCL		59.86
114			Adjusted Chi Square Value			716				95% Jackknife UCL		60.84
115										95% Standard Bootstrap UCL		59.56
116			Anderson-Darling Test Statistic			0.453				95% Bootstrap-t UCL		64.37
117			Anderson-Darling 5% Critical Value			0.678				95% Hall's Bootstrap UCL		72.72
118			Kolmogorov-Smirnov Test Statistic			0.283				95% Percentile Bootstrap UCL		59.54
119			Kolmogorov-Smirnov 5% Critical Value			0.357				95% BCA Bootstrap UCL		60.18
120		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		65.36
121										97.5% Chebyshev(Mean, Sd) UCL		69.18
122			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		76.69
123			95% Approximate Gamma UCL			61.46						
124			95% Adjusted Gamma UCL			63.84						
125												
126			Potential UCL to Use						Use 95% Student's-t UCL			60.84
127												
128												
129	Chromium											
130												
131						General Statistics						
132			Number of Valid Observations			5			Number of Distinct Observations			5
133												
134			Raw Statistics						Log-transformed Statistics			
135			Minimum			0.412			Minimum of Log Data			-0.887
136			Maximum			3.25			Maximum of Log Data			1.179
137			Mean			1.547			Mean of log Data			0.136
138			Median			1.17			SD of log Data			0.901
139			SD			1.229						
140			Coefficient of Variation			0.794						
141			Skewness			0.66						
142												
143												
144		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
145												
146		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
147		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
148												
149												
150						Warning: There are only 5 Values in this data						
151		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
152		the resulting calculations may not be reliable enough to draw conclusions										
153												
154		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
155												
156						Relevant UCL Statistics						
157			Normal Distribution Test						Lognormal Distribution Test			
158			Shapiro Wilk Test Statistic			0.899			Shapiro Wilk Test Statistic			0.924
159			Shapiro Wilk Critical Value			0.762			Shapiro Wilk Critical Value			0.762

	A	B	C	D	E	F	G	H	I	J	K	L
160	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
161												
162	Assuming Normal Distribution						Assuming Lognormal Distribution					
163	95% Student's-t UCL					2.718				95% H-UCL		12.98
164	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					4.214
165	95% Adjusted-CLT UCL					2.624	97.5% Chebyshev (MVUE) UCL					5.362
166	95% Modified-t UCL					2.745	99% Chebyshev (MVUE) UCL					7.616
167												
168	Gamma Distribution Test						Data Distribution					
169	k star (bias corrected)					0.859	Data appear Normal at 5% Significance Level					
170	Theta Star					1.8						
171	nu star					8.594						
172	Approximate Chi Square Value (.05)					3.084	Nonparametric Statistics					
173	Adjusted Level of Significance					0.0086	95% CLT UCL					2.451
174	Adjusted Chi Square Value					1.832	95% Jackknife UCL					2.718
175							95% Standard Bootstrap UCL					2.362
176	Anderson-Darling Test Statistic					0.309	95% Bootstrap-t UCL					4.051
177	Anderson-Darling 5% Critical Value					0.685	95% Hall's Bootstrap UCL					4.224
178	Kolmogorov-Smirnov Test Statistic					0.231	95% Percentile Bootstrap UCL					2.33
179	Kolmogorov-Smirnov 5% Critical Value					0.361	95% BCA Bootstrap UCL					2.482
180	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					3.942
181							97.5% Chebyshev(Mean, Sd) UCL					4.978
182	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					7.014
183	95% Approximate Gamma UCL					4.311						
184	95% Adjusted Gamma UCL					7.258						
185												
186	Potential UCL to Use						Use 95% Student's-t UCL					2.718
187												
188												
189	Cobalt											
190												
191	General Statistics											
192	Number of Valid Observations					5	Number of Distinct Observations					5
193												
194	Raw Statistics						Log-transformed Statistics					
195	Minimum					0.134	Minimum of Log Data					-2.01
196	Maximum					0.403	Maximum of Log Data					-0.909
197	Mean					0.283	Mean of log Data					-1.371
198	Median					0.349	SD of log Data					0.544
199	SD					0.131						
200	Coefficient of Variation					0.464						
201	Skewness					-0.519						
202												
203												
204	Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
205												
206	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
207	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
208												
209												
210	Warning: There are only 5 Values in this data											
211	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
212	the resulting calculations may not be reliable enough to draw conclusions											

	A	B	C	D	E	F	G	H	I	J	K	L
213												
214			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
215												
216						Relevant UCL Statistics						
217			Normal Distribution Test					Lognormal Distribution Test				
218				Shapiro Wilk Test Statistic		0.802			Shapiro Wilk Test Statistic			0.78
219				Shapiro Wilk Critical Value		0.762			Shapiro Wilk Critical Value			0.762
220			Data appear Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
221												
222			Assuming Normal Distribution					Assuming Lognormal Distribution				
223				95% Student's-t UCL		0.408				95% H-UCL		0.682
224			95% UCLs (Adjusted for Skewness)					95% Chebyshev (MVUE) UCL				0.584
225				95% Adjusted-CLT UCL		0.365			97.5% Chebyshev (MVUE) UCL			0.714
226				95% Modified-t UCL		0.405			99% Chebyshev (MVUE) UCL			0.968
227												
228			Gamma Distribution Test					Data Distribution				
229				k star (bias corrected)		2.057			Data appear Normal at 5% Significance Level			
230				Theta Star		0.137						
231				nu star		20.57						
232			Approximate Chi Square Value (.05)			11.27			Nonparametric Statistics			
233				Adjusted Level of Significance		0.0086				95% CLT UCL		0.379
234				Adjusted Chi Square Value		8.429				95% Jackknife UCL		0.408
235										95% Standard Bootstrap UCL		0.369
236				Anderson-Darling Test Statistic		0.67				95% Bootstrap-t UCL		0.396
237				Anderson-Darling 5% Critical Value		0.681				95% Hall's Bootstrap UCL		0.327
238				Kolmogorov-Smirnov Test Statistic		0.336				95% Percentile Bootstrap UCL		0.377
239				Kolmogorov-Smirnov 5% Critical Value		0.358				95% BCA Bootstrap UCL		0.361
240			Data appear Gamma Distributed at 5% Significance Level					95% Chebyshev(Mean, Sd) UCL				0.538
241									97.5% Chebyshev(Mean, Sd) UCL			0.649
242			Assuming Gamma Distribution					99% Chebyshev(Mean, Sd) UCL				0.866
243				95% Approximate Gamma UCL		0.516						
244				95% Adjusted Gamma UCL		0.69						
245												
246			Potential UCL to Use						Use 95% Student's-t UCL			0.408
247			Recommended UCL exceeds the maximum observation									
248												
249												
250	Copper											
251												
252						General Statistics						
253				Number of Valid Observations		5			Number of Distinct Observations			5
254												
255			Raw Statistics					Log-transformed Statistics				
256					Minimum	0.127				Minimum of Log Data		-2.064
257					Maximum	0.253				Maximum of Log Data		-1.374
258					Mean	0.189				Mean of log Data		-1.699
259					Median	0.169				SD of log Data		0.285
260					SD	0.0531						
261				Coefficient of Variation		0.281						
262					Skewness	0.265						
263												
264												
265			Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!									

	A	B	C	D	E	F	G	H	I	J	K	L
266												
267				It is suggested to collect at least 8 to 10 observations using these statistical methods!								
268				If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.								
269												
270												
271						Warning: There are only 5 Values in this data						
272				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
273				the resulting calculations may not be reliable enough to draw conclusions								
274												
275				The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.								
276												
277						Relevant UCL Statistics						
278				Normal Distribution Test					Lognormal Distribution Test			
279				Shapiro Wilk Test Statistic		0.918				Shapiro Wilk Test Statistic		0.933
280				Shapiro Wilk Critical Value		0.762				Shapiro Wilk Critical Value		0.762
281			Data appear Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level				
282												
283				Assuming Normal Distribution					Assuming Lognormal Distribution			
284				95% Student's-t UCL		0.239				95% H-UCL		0.267
285			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			0.293
286				95% Adjusted-CLT UCL		0.231				97.5% Chebyshev (MVUE) UCL		0.339
287				95% Modified-t UCL		0.24				99% Chebyshev (MVUE) UCL		0.428
288												
289				Gamma Distribution Test					Data Distribution			
290				k star (bias corrected)		6.402			Data appear Normal at 5% Significance Level			
291				Theta Star		0.0295						
292				nu star		64.02						
293			Approximate Chi Square Value (.05)			46.62			Nonparametric Statistics			
294				Adjusted Level of Significance		0.0086				95% CLT UCL		0.228
295				Adjusted Chi Square Value		40.2				95% Jackknife UCL		0.239
296										95% Standard Bootstrap UCL		0.224
297				Anderson-Darling Test Statistic		0.326				95% Bootstrap-t UCL		0.293
298				Anderson-Darling 5% Critical Value		0.679				95% Hall's Bootstrap UCL		0.281
299				Kolmogorov-Smirnov Test Statistic		0.237				95% Percentile Bootstrap UCL		0.224
300			Kolmogorov-Smirnov 5% Critical Value			0.357				95% BCA Bootstrap UCL		0.225
301			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			0.292
302										97.5% Chebyshev(Mean, Sd) UCL		0.337
303				Assuming Gamma Distribution					99% Chebyshev(Mean, Sd) UCL			0.425
304				95% Approximate Gamma UCL		0.259						
305				95% Adjusted Gamma UCL		0.301						
306												
307			Potential UCL to Use						Use 95% Student's-t UCL			0.239
308												
309												
310	Iron											
311												
312						General Statistics						
313				Number of Valid Observations		5				Number of Distinct Observations		5
314												
315			Raw Statistics						Log-transformed Statistics			
316				Minimum		3.24				Minimum of Log Data		1.176
317				Maximum		15.6				Maximum of Log Data		2.747
318				Mean		8.204				Mean of log Data		1.941

	A	B	C	D	E	F	G	H	I	J	K	L
319					Median	6.89					SD of log Data	0.648
320					SD	5.104						
321					Coefficient of Variation	0.622						
322					Skewness	0.758						
323												
324												
325	Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
326												
327	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
328	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
329												
330												
331	Warning: There are only 5 Values in this data											
332	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
333	the resulting calculations may not be reliable enough to draw conclusions											
334												
335	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
336												
337	Relevant UCL Statistics											
338	Normal Distribution Test						Lognormal Distribution Test					
339	Shapiro Wilk Test Statistic					0.928	Shapiro Wilk Test Statistic					0.963
340	Shapiro Wilk Critical Value					0.762	Shapiro Wilk Critical Value					0.762
341	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
342												
343	Assuming Normal Distribution						Assuming Lognormal Distribution					
344	95% Student's-t UCL					13.07	95% H-UCL					26.4
345	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					18.41
346	95% Adjusted-CLT UCL					12.79	97.5% Chebyshev (MVUE) UCL					22.82
347	95% Modified-t UCL					13.2	99% Chebyshev (MVUE) UCL					31.5
348												
349	Gamma Distribution Test						Data Distribution					
350	k star (bias corrected)					1.422	Data appear Normal at 5% Significance Level					
351	Theta Star					5.771						
352	nu star					14.22						
353	Approximate Chi Square Value (.05)					6.72	Nonparametric Statistics					
354	Adjusted Level of Significance					0.0086	95% CLT UCL					11.96
355	Adjusted Chi Square Value					4.646	95% Jackknife UCL					13.07
356							95% Standard Bootstrap UCL					11.5
357	Anderson-Darling Test Statistic					0.237	95% Bootstrap-t UCL					17.62
358	Anderson-Darling 5% Critical Value					0.682	95% Hall's Bootstrap UCL					13.24
359	Kolmogorov-Smirnov Test Statistic					0.204	95% Percentile Bootstrap UCL					11.6
360	Kolmogorov-Smirnov 5% Critical Value					0.359	95% BCA Bootstrap UCL					11.6
361	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					18.15
362							97.5% Chebyshev(Mean, Sd) UCL					22.46
363	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					30.92
364	95% Approximate Gamma UCL					17.36						
365	95% Adjusted Gamma UCL					25.11						
366												
367	Potential UCL to Use						Use 95% Student's-t UCL					13.07
368												
369												
370	Magnesium											
371												

	A	B	C	D	E	F	G	H	I	J	K	L
372	General Statistics											
373	Number of Valid Observations					5		Number of Distinct Observations				5
374												
375	Raw Statistics						Log-transformed Statistics					
376	Minimum					225			Minimum of Log Data			5.416
377	Maximum					239			Maximum of Log Data			5.476
378	Mean					231.8			Mean of log Data			5.446
379	Median					231			SD of log Data			0.0246
380	SD					5.718						
381	Coefficient of Variation					0.0247						
382	Skewness					0.173						
383												
384												
385	Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
386												
387	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
388	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
389												
390												
391	Warning: There are only 5 Values in this data											
392	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
393	the resulting calculations may not be reliable enough to draw conclusions											
394												
395	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
396												
397	Relevant UCL Statistics											
398	Normal Distribution Test						Lognormal Distribution Test					
399	Shapiro Wilk Test Statistic					0.965			Shapiro Wilk Test Statistic			0.966
400	Shapiro Wilk Critical Value					0.762			Shapiro Wilk Critical Value			0.762
401	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
402												
403	Assuming Normal Distribution						Assuming Lognormal Distribution					
404	95% Student's-t UCL					237.3			95% H-UCL			N/A
405	95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL				242.9
406	95% Adjusted-CLT UCL					236.2		97.5% Chebyshev (MVUE) UCL				247.8
407	95% Modified-t UCL					237.3		99% Chebyshev (MVUE) UCL				257.2
408												
409	Gamma Distribution Test						Data Distribution					
410	k star (bias corrected)					822.9		Data appear Normal at 5% Significance Level				
411	Theta Star					0.282						
412	nu star					8229						
413	Approximate Chi Square Value (.05)					8019		Nonparametric Statistics				
414	Adjusted Level of Significance					0.0086			95% CLT UCL			236
415	Adjusted Chi Square Value					7926			95% Jackknife UCL			237.3
416									95% Standard Bootstrap UCL			235.5
417	Anderson-Darling Test Statistic					0.233			95% Bootstrap-t UCL			239.1
418	Anderson-Darling 5% Critical Value					0.678			95% Hall's Bootstrap UCL			239.7
419	Kolmogorov-Smirnov Test Statistic					0.195			95% Percentile Bootstrap UCL			235.6
420	Kolmogorov-Smirnov 5% Critical Value					0.357			95% BCA Bootstrap UCL			235.2
421	Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL				242.9
422								97.5% Chebyshev(Mean, Sd) UCL				247.8
423	Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL				257.2
424	95% Approximate Gamma UCL					237.9						

	A	B	C	D	E	F	G	H	I	J	K	L
425				95% Adjusted Gamma UCL		240.6						
426												
427				Potential UCL to Use					Use 95% Student's-t UCL			237.3
428												
429												
430	Manganese											
431												
432				General Statistics								
433				Number of Valid Observations		5			Number of Distinct Observations			5
434												
435				Raw Statistics					Log-transformed Statistics			
436				Minimum		0.302			Minimum of Log Data			-1.197
437				Maximum		1.07			Maximum of Log Data			0.0677
438				Mean		0.521			Mean of log Data			-0.766
439				Median		0.396			SD of log Data			0.501
440				SD		0.315						
441				Coefficient of Variation		0.605						
442				Skewness		1.954						
443												
444												
445			Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!									
446												
447			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
448			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
449												
450												
451				Warning: There are only 5 Values in this data								
452			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
453			the resulting calculations may not be reliable enough to draw conclusions									
454												
455			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
456												
457				Relevant UCL Statistics								
458			Normal Distribution Test						Lognormal Distribution Test			
459				Shapiro Wilk Test Statistic		0.754			Shapiro Wilk Test Statistic			0.861
460				Shapiro Wilk Critical Value		0.762			Shapiro Wilk Critical Value			0.762
461			Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
462												
463			Assuming Normal Distribution						Assuming Lognormal Distribution			
464				95% Student's-t UCL		0.822			95% H-UCL			1.104
465			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			1.01
466				95% Adjusted-CLT UCL		0.885			97.5% Chebyshev (MVUE) UCL			1.225
467				95% Modified-t UCL		0.842			99% Chebyshev (MVUE) UCL			1.647
468												
469			Gamma Distribution Test						Data Distribution			
470				k star (bias corrected)		1.946			Data appear Gamma Distributed at 5% Significance Level			
471				Theta Star		0.268						
472				nu star		19.46						
473			Approximate Chi Square Value (.05)			10.45			Nonparametric Statistics			
474			Adjusted Level of Significance			0.0086			95% CLT UCL			0.753
475			Adjusted Chi Square Value			7.732			95% Jackknife UCL			0.822
476									95% Standard Bootstrap UCL			0.719
477			Anderson-Darling Test Statistic			0.538			95% Bootstrap-t UCL			1.988

	A	B	C	D	E	F	G	H	I	J	K	L
478				Anderson-Darling 5% Critical Value		0.681				95% Hall's Bootstrap UCL		1.651
479				Kolmogorov-Smirnov Test Statistic		0.279				95% Percentile Bootstrap UCL		0.771
480				Kolmogorov-Smirnov 5% Critical Value		0.358				95% BCA Bootstrap UCL		0.81
481			**Data appear Gamma Distributed at 5% Significance Level**							95% Chebyshev(Mean, Sd) UCL		1.136
482										97.5% Chebyshev(Mean, Sd) UCL		1.402
483			**Assuming Gamma Distribution**							99% Chebyshev(Mean, Sd) UCL		1.924
484				95% Approximate Gamma UCL		0.97						
485				95% Adjusted Gamma UCL		1.311						
486												
487			**Potential UCL to Use**							Use 95% Approximate Gamma UCL		0.97
488												
489												
490	Mercury											
491												
492					**General Statistics**							
493				Number of Valid Observations		5				Number of Distinct Observations		5
494												
495				**Raw Statistics**						**Log-transformed Statistics**		
496					Minimum	0.0963				Minimum of Log Data		-2.34
497					Maximum	0.322				Maximum of Log Data		-1.133
498					Mean	0.242				Mean of log Data		-1.497
499					Median	0.263				SD of log Data		0.491
500					SD	0.0899						
501				Coefficient of Variation		0.371						
502					Skewness	-1.362						
503												
504												
505			**Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!**									
506												
507			**It is suggested to collect at least 8 to 10 observations using these statistical methods!**									
508			**If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.**									
509												
510												
511					**Warning: There are only 5 Values in this data**							
512			**Note: It should be noted that even though bootstrap methods may be performed on this data set,**									
513				**the resulting calculations may not be reliable enough to draw conclusions**								
514												
515			**The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.**									
516												
517					**Relevant UCL Statistics**							
518			**Normal Distribution Test**						**Lognormal Distribution Test**			
519				Shapiro Wilk Test Statistic		0.885				Shapiro Wilk Test Statistic		0.792
520				Shapiro Wilk Critical Value		0.762				Shapiro Wilk Critical Value		0.762
521			**Data appear Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**			
522												
523			**Assuming Normal Distribution**						**Assuming Lognormal Distribution**			
524					95% Student's-t UCL	0.328					95% H-UCL	0.517
525			**95% UCLs (Adjusted for Skewness)**						95% Chebyshev (MVUE) UCL		0.48	
526					95% Adjusted-CLT UCL	0.282				97.5% Chebyshev (MVUE) UCL		0.581
527					95% Modified-t UCL	0.324				99% Chebyshev (MVUE) UCL		0.78
528												
529			**Gamma Distribution Test**						**Data Distribution**			
530					k star (bias corrected)	2.703			**Data appear Normal at 5% Significance Level**			

	A	B	C	D	E	F	G	H	I	J	K	L
531				Theta Star		0.0897						
532				nu star		27.03						
533			Approximate Chi Square Value (.05)			16.18			Nonparametric Statistics			
534			Adjusted Level of Significance			0.0086				95% CLT UCL		0.309
535			Adjusted Chi Square Value			12.66				95% Jackknife UCL		0.328
536										95% Standard Bootstrap UCL		0.302
537			Anderson-Darling Test Statistic			0.535				95% Bootstrap-t UCL		0.304
538			Anderson-Darling 5% Critical Value			0.68				95% Hall's Bootstrap UCL		0.282
539			Kolmogorov-Smirnov Test Statistic			0.283				95% Percentile Bootstrap UCL		0.298
540			Kolmogorov-Smirnov 5% Critical Value			0.358				95% BCA Bootstrap UCL		0.288
541		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		0.418
542										97.5% Chebyshev(Mean, Sd) UCL		0.493
543			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		0.642
544			95% Approximate Gamma UCL			0.405						
545			95% Adjusted Gamma UCL			0.518						
546												
547			Potential UCL to Use							Use 95% Student's-t UCL		0.328
548			Recommended UCL exceeds the maximum observation									
549												
550												
551	Nickel											
552												
553						General Statistics						
554			Number of Valid Observations			5			Number of Distinct Observations			5
555												
556			Raw Statistics						Log-transformed Statistics			
557			Minimum			0.0351			Minimum of Log Data			-3.35
558			Maximum			1.65			Maximum of Log Data			0.501
559			Mean			0.727			Mean of log Data			-1.25
560			Median			0.586			SD of log Data			1.865
561			SD			0.737						
562			Coefficient of Variation			1.013						
563			Skewness			0.357						
564												
565												
566		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
567												
568		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
569		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
570												
571												
572					Warning: There are only 5 Values in this data							
573		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
574			the resulting calculations may not be reliable enough to draw conclusions									
575												
576		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
577												
578						Relevant UCL Statistics						
579			Normal Distribution Test						Lognormal Distribution Test			
580			Shapiro Wilk Test Statistic			0.879			Shapiro Wilk Test Statistic			0.824
581			Shapiro Wilk Critical Value			0.762			Shapiro Wilk Critical Value			0.762
582		Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
583												

	A	B	C	D	E	F	G	H	I	J	K	L
584	Assuming Normal Distribution						Assuming Lognormal Distribution					
585	95% Student's-t UCL					1.429	95% H-UCL					5797
586	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					3.747
587	95% Adjusted-CLT UCL					1.325	97.5% Chebyshev (MVUE) UCL					4.97
588	95% Modified-t UCL					1.438	99% Chebyshev (MVUE) UCL					7.374
589												
590	Gamma Distribution Test						Data Distribution					
591	k star (bias corrected)					0.395	Data appear Normal at 5% Significance Level					
592	Theta Star					1.838						
593	nu star					3.954						
594	Approximate Chi Square Value (.05)					0.704	Nonparametric Statistics					
595	Adjusted Level of Significance					0.0086	95% CLT UCL					1.269
596	Adjusted Chi Square Value					0.288	95% Jackknife UCL					1.429
597							95% Standard Bootstrap UCL					1.221
598	Anderson-Darling Test Statistic					0.469	95% Bootstrap-t UCL					1.879
599	Anderson-Darling 5% Critical Value					0.703	95% Hall's Bootstrap UCL					1.687
600	Kolmogorov-Smirnov Test Statistic					0.27	95% Percentile Bootstrap UCL					1.224
601	Kolmogorov-Smirnov 5% Critical Value					0.369	95% BCA Bootstrap UCL					1.239
602	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					2.163
603							97.5% Chebyshev(Mean, Sd) UCL					2.784
604	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					4.004
605	95% Approximate Gamma UCL					4.084						
606	95% Adjusted Gamma UCL					9.97						
607												
608	Potential UCL to Use						Use 95% Student's-t UCL					1.429
609												
610												
611	Potassium											
612												
613	General Statistics											
614	Number of Valid Observations					5	Number of Distinct Observations					5
615												
616	Raw Statistics						Log-transformed Statistics					
617	Minimum					3530	Minimum of Log Data					8.169
618	Maximum					4180	Maximum of Log Data					8.338
619	Mean					3980	Mean of log Data					8.287
620	Median					4080	SD of log Data					0.0682
621	SD					260.9						
622	Coefficient of Variation					0.0655						
623	Skewness					-1.863						
624												
625												
626	Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
627												
628	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
629	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
630												
631												
632	Warning: There are only 5 Values in this data											
633	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
634	the resulting calculations may not be reliable enough to draw conclusions											
635												
636	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											

	A	B	C	D	E	F	G	H	I	J	K	L
637												
638					Relevant UCL Statistics							
639			Normal Distribution Test						Lognormal Distribution Test			
640				Shapiro Wilk Test Statistic		0.789				Shapiro Wilk Test Statistic		0.775
641				Shapiro Wilk Critical Value		0.762				Shapiro Wilk Critical Value		0.762
642		Data appear Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level					
643												
644			Assuming Normal Distribution						Assuming Lognormal Distribution			
645				95% Student's-t UCL		4229				95% H-UCL		N/A
646		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			4509
647				95% Adjusted-CLT UCL		4068				97.5% Chebyshev (MVUE) UCL		4738
648				95% Modified-t UCL		4213				99% Chebyshev (MVUE) UCL		5188
649												
650			Gamma Distribution Test						Data Distribution			
651				k star (bias corrected)		110.6		Data appear Normal at 5% Significance Level				
652					Theta Star	35.99						
653					nu star	1106						
654			Approximate Chi Square Value (.05)			1030			Nonparametric Statistics			
655				Adjusted Level of Significance		0.0086				95% CLT UCL		4172
656				Adjusted Chi Square Value		997				95% Jackknife UCL		4229
657									95% Standard Bootstrap UCL			4146
658			Anderson-Darling Test Statistic			0.657				95% Bootstrap-t UCL		4135
659			Anderson-Darling 5% Critical Value			0.678				95% Hall's Bootstrap UCL		4087
660			Kolmogorov-Smirnov Test Statistic			0.325				95% Percentile Bootstrap UCL		4128
661			Kolmogorov-Smirnov 5% Critical Value			0.357				95% BCA Bootstrap UCL		4106
662		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			4489
663									97.5% Chebyshev(Mean, Sd) UCL			4709
664			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			5141
665				95% Approximate Gamma UCL		4275						
666				95% Adjusted Gamma UCL		4415						
667												
668			Potential UCL to Use						Use 95% Student's-t UCL			4229
669					Recommended UCL exceeds the maximum observation							
670												
671												
672	Selenium											
673												
674					General Statistics							
675				Number of Valid Observations		5				Number of Distinct Observations		5
676												
677			Raw Statistics						Log-transformed Statistics			
678					Minimum	0.31				Minimum of Log Data		-1.171
679					Maximum	0.532				Maximum of Log Data		-0.631
680					Mean	0.422				Mean of log Data		-0.89
681					Median	0.464				SD of log Data		0.259
682					SD	0.104						
683				Coefficient of Variation		0.246						
684					Skewness	-0.359						
685												
686												
687		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
688												
689			It is suggested to collect at least 8 to 10 observations using these statistical methods!									

	A	B	C	D	E	F	G	H	I	J	K	L
690	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
691												
692												
693	Warning: There are only 5 Values in this data											
694	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
695	the resulting calculations may not be reliable enough to draw conclusions											
696												
697	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
698												
699	Relevant UCL Statistics											
700	Normal Distribution Test						Lognormal Distribution Test					
701	Shapiro Wilk Test Statistic					0.841	Shapiro Wilk Test Statistic					0.818
702	Shapiro Wilk Critical Value					0.762	Shapiro Wilk Critical Value					0.762
703	Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
704												
705	Assuming Normal Distribution						Assuming Lognormal Distribution					
706	95% Student's-t UCL					0.521	95% H-UCL					0.573
707	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					0.634
708	95% Adjusted-CLT UCL					0.49	97.5% Chebyshev (MVUE) UCL					0.726
709	95% Modified-t UCL					0.519	99% Chebyshev (MVUE) UCL					0.906
710												
711	Gamma Distribution Test						Data Distribution					
712	k star (bias corrected)					7.905	Data appear Normal at 5% Significance Level					
713	Theta Star					0.0533						
714	nu star					79.05						
715	Approximate Chi Square Value (.05)					59.57	Nonparametric Statistics					
716	Adjusted Level of Significance					0.0086	95% CLT UCL					0.498
717	Adjusted Chi Square Value					52.23	95% Jackknife UCL					0.521
718							95% Standard Bootstrap UCL					0.49
719	Anderson-Darling Test Statistic					0.567	95% Bootstrap-t UCL					0.519
720	Anderson-Darling 5% Critical Value					0.679	95% Hall's Bootstrap UCL					0.461
721	Kolmogorov-Smirnov Test Statistic					0.293	95% Percentile Bootstrap UCL					0.491
722	Kolmogorov-Smirnov 5% Critical Value					0.357	95% BCA Bootstrap UCL					0.488
723	Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					0.624
724							97.5% Chebyshev(Mean, Sd) UCL					0.712
725	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					0.884
726	95% Approximate Gamma UCL					0.56						
727	95% Adjusted Gamma UCL					0.638						
728												
729	Potential UCL to Use						Use 95% Student's-t UCL					0.521
730												
731												
732	Sodium											
733												
734	General Statistics											
735	Number of Valid Observations					5	Number of Distinct Observations					5
736												
737	Raw Statistics						Log-transformed Statistics					
738	Minimum					365	Minimum of Log Data					5.9
739	Maximum					475	Maximum of Log Data					6.163
740	Mean					399.6	Mean of log Data					5.986
741	Median					384	SD of log Data					0.106
742	SD					44.6						

	A	B	C	D	E	F	G	H	I	J	K	L
743				Coefficient of Variation		0.112						
744				Skewness		1.692						
745												
746												
747			Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!									
748												
749			It is suggested to collect at least 8 to 10 observations using these statistical methods!									
750			If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.									
751												
752												
753			Warning: There are only 5 Values in this data									
754			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
755			the resulting calculations may not be reliable enough to draw conclusions									
756												
757			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
758												
759					Relevant UCL Statistics							
760			Normal Distribution Test						Lognormal Distribution Test			
761			Shapiro Wilk Test Statistic			0.821			Shapiro Wilk Test Statistic			0.843
762			Shapiro Wilk Critical Value			0.762			Shapiro Wilk Critical Value			0.762
763			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
764												
765			Assuming Normal Distribution						Assuming Lognormal Distribution			
766			95% Student's-t UCL			442.1			95% H-UCL			445.9
767			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			482.2
768			95% Adjusted-CLT UCL			448.5			97.5% Chebyshev (MVUE) UCL			518
769			95% Modified-t UCL			444.6			99% Chebyshev (MVUE) UCL			588.3
770												
771			Gamma Distribution Test						Data Distribution			
772			k star (bias corrected)			43.07			Data appear Normal at 5% Significance Level			
773			Theta Star			9.278						
774			nu star			430.7						
775			Approximate Chi Square Value (.05)			383.6			Nonparametric Statistics			
776			Adjusted Level of Significance			0.0086			95% CLT UCL			432.4
777			Adjusted Chi Square Value			363.9			95% Jackknife UCL			442.1
778									95% Standard Bootstrap UCL			428.9
779			Anderson-Darling Test Statistic			0.502			95% Bootstrap-t UCL			527.6
780			Anderson-Darling 5% Critical Value			0.678			95% Hall's Bootstrap UCL			573.8
781			Kolmogorov-Smirnov Test Statistic			0.252			95% Percentile Bootstrap UCL			432.2
782			Kolmogorov-Smirnov 5% Critical Value			0.357			95% BCA Bootstrap UCL			438.6
783			Data appear Gamma Distributed at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL			486.5
784									97.5% Chebyshev(Mean, Sd) UCL			524.1
785			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			598
786			95% Approximate Gamma UCL			448.7						
787			95% Adjusted Gamma UCL			472.9						
788												
789			Potential UCL to Use						Use 95% Student's-t UCL			442.1
790												
791												
792	Total Aroclors											
793												
794					General Statistics							
795			Number of Valid Observations			5			Number of Distinct Observations			5

	A	B	C	D	E	F	G	H	I	J	K	L
796												
797			Raw Statistics						Log-transformed Statistics			
798					Minimum	43				Minimum of Log Data		3.761
799					Maximum	430				Maximum of Log Data		6.064
800					Mean	132.5				Mean of log Data		4.428
801					Median	51.5				SD of log Data		0.958
802					SD	167.3						
803				Coefficient of Variation		1.263						
804					Skewness	2.169						
805												
806												
807		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
808												
809		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
810		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
811												
812												
813		Warning: There are only 5 Values in this data										
814		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
815		the resulting calculations may not be reliable enough to draw conclusions										
816												
817		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
818												
819		Relevant UCL Statistics										
820		Normal Distribution Test							Lognormal Distribution Test			
821		Shapiro Wilk Test Statistic				0.638				Shapiro Wilk Test Statistic		0.77
822		Shapiro Wilk Critical Value				0.762				Shapiro Wilk Critical Value		0.762
823		Data not Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
824												
825		Assuming Normal Distribution							Assuming Lognormal Distribution			
826				95% Student's-t UCL		292					95% H-UCL	1274
827		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			331.4
828			95% Adjusted-CLT UCL			333.2			97.5% Chebyshev (MVUE) UCL			423.6
829				95% Modified-t UCL		304.2			99% Chebyshev (MVUE) UCL			604.6
830												
831		Gamma Distribution Test							Data Distribution			
832				k star (bias corrected)		0.625			Data Follow Appr. Gamma Distribution at 5% Significance Level			
833					Theta Star	212						
834					nu star	6.25						
835		Approximate Chi Square Value (.05)				1.769			Nonparametric Statistics			
836		Adjusted Level of Significance				0.0086				95% CLT UCL		255.6
837			Adjusted Chi Square Value			0.919				95% Jackknife UCL		292
838									95% Standard Bootstrap UCL			242
839		Anderson-Darling Test Statistic				0.811				95% Bootstrap-t UCL		3998
840		Anderson-Darling 5% Critical Value				0.689				95% Hall's Bootstrap UCL		2355
841		Kolmogorov-Smirnov Test Statistic				0.336			95% Percentile Bootstrap UCL			276.2
842		Kolmogorov-Smirnov 5% Critical Value				0.363				95% BCA Bootstrap UCL		285.6
843		Data follow Appr. Gamma Distribution at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			458.7
844									97.5% Chebyshev(Mean, Sd) UCL			599.9
845		Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL			877.2
846			95% Approximate Gamma UCL			468.2						
847			95% Adjusted Gamma UCL			901.1						
848												

	A	B	C	D	E	F	G	H	I	J	K	L
849			Potential UCL to Use						Use 95% Approximate Gamma UCL			468.2
850						Recommended UCL exceeds the maximum observation						
851												
852												
853	Total DDE											
854												
855						General Statistics						
856				Number of Valid Observations		5			Number of Distinct Observations			4
857												
858			Raw Statistics						Log-transformed Statistics			
859					Minimum	27.5				Minimum of Log Data		3.314
860					Maximum	94				Maximum of Log Data		4.543
861					Mean	50.3				Mean of log Data		3.811
862					Median	51				SD of log Data		0.51
863					SD	27.05						
864				Coefficient of Variation		0.538						
865					Skewness	1.273						
866												
867												
868					Warning: There are only 4 Distinct Values in this data							
869			There are insufficient Distinct Values to perform some GOF tests and bootstrap methods.									
870					Those methods will return a 'N/A' value on your output display!							
871												
872				It is necessary to have 4 or more Distinct Values to compute bootstrap methods.								
873			It is recommended to have 10-15 or more observations for accurate and meaningful bootstrap results.										
874												
875												
876			Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!									
877												
878				It is suggested to collect at least 8 to 10 observations using these statistical methods!								
879			It is recommended compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
880												
881						Relevant UCL Statistics						
882			Normal Distribution Test						Lognormal Distribution Test			
883				Shapiro Wilk Test Statistic		0.845				Shapiro Wilk Test Statistic		0.888
884				Shapiro Wilk Critical Value		0.762				Shapiro Wilk Critical Value		0.762
885			Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level			
886												
887			Assuming Normal Distribution						Assuming Lognormal Distribution			
888					95% Student's-t UCL	76.09					95% H-UCL	110.1
889			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			99.37
890				95% Adjusted-CLT UCL		77.56			97.5% Chebyshev (MVUE) UCL			120.7
891					95% Modified-t UCL	77.24			99% Chebyshev (MVUE) UCL			162.6
892												
893			Gamma Distribution Test						Data Distribution			
894				k star (bias corrected)		2.061			Data appear Normal at 5% Significance Level			
895					Theta Star	24.41						
896					nu star	20.61						
897		Approximate Chi Square Value (.05)				11.3			Nonparametric Statistics			
898			Adjusted Level of Significance			0.0086				95% CLT UCL		70.2
899			Adjusted Chi Square Value			8.451				95% Jackknife UCL		76.09
900									95% Standard Bootstrap UCL			68
901		Anderson-Darling Test Statistic				0.42				95% Bootstrap-t UCL		96.86

	A	B	C	D	E	F	G	H	I	J	K	L
902				Anderson-Darling 5% Critical Value		0.681				95% Hall's Bootstrap UCL		143
903				Kolmogorov-Smirnov Test Statistic		0.244				95% Percentile Bootstrap UCL		68.2
904				Kolmogorov-Smirnov 5% Critical Value		0.358				95% BCA Bootstrap UCL		72.1
905		**Data appear Gamma Distributed at 5% Significance Level**								95% Chebyshev(Mean, Sd) UCL		103
906										97.5% Chebyshev(Mean, Sd) UCL		125.9
907				**Assuming Gamma Distribution**						99% Chebyshev(Mean, Sd) UCL		170.7
908				95% Approximate Gamma UCL		91.73						
909				95% Adjusted Gamma UCL		122.7						
910												
911				**Potential UCL to Use**						Use 95% Student's-t UCL		76.09
912												
913												
914	Total DDT											
915												
916					**General Statistics**							
917				Number of Valid Observations		5				Number of Distinct Observations		5
918												
919				**Raw Statistics**					**Log-transformed Statistics**			
920				Minimum		10				Minimum of Log Data		2.303
921				Maximum		74				Maximum of Log Data		4.304
922				Mean		27.4				Mean of log Data		2.998
923				Median		13				SD of log Data		0.829
924				SD		27.01						
925				Coefficient of Variation		0.986						
926				Skewness		1.887						
927												
928												
929		**Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!**										
930												
931		**It is suggested to collect at least 8 to 10 observations using these statistical methods!**										
932		**If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.**										
933												
934												
935		**Warning: There are only 5 Values in this data**										
936		**Note: It should be noted that even though bootstrap methods may be performed on this data set,**										
937		**the resulting calculations may not be reliable enough to draw conclusions**										
938												
939		**The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.**										
940												
941					**Relevant UCL Statistics**							
942		**Normal Distribution Test**							**Lognormal Distribution Test**			
943				Shapiro Wilk Test Statistic		0.737				Shapiro Wilk Test Statistic		0.856
944				Shapiro Wilk Critical Value		0.762				Shapiro Wilk Critical Value		0.762
945		**Data not Normal at 5% Significance Level**						**Data appear Lognormal at 5% Significance Level**				
946												
947		**Assuming Normal Distribution**							**Assuming Lognormal Distribution**			
948				95% Student's-t UCL		53.16				95% H-UCL		160.2
949		**95% UCLs (Adjusted for Skewness)**							95% Chebyshev (MVUE) UCL		67.11
950				95% Adjusted-CLT UCL		58.17				97.5% Chebyshev (MVUE) UCL		84.86
951				95% Modified-t UCL		54.85				99% Chebyshev (MVUE) UCL		119.7
952												
953		**Gamma Distribution Test**							**Data Distribution**			
954				k star (bias corrected)		0.832		**Data appear Gamma Distributed at 5% Significance Level**				

	A	B	C	D	E	F	G	H	I	J	K	L
955					Theta Star	32.93						
956					nu star	8.32						
957			Approximate Chi Square Value (.05)			2.922			Nonparametric Statistics			
958			Adjusted Level of Significance			0.0086				95% CLT UCL		47.27
959			Adjusted Chi Square Value			1.714				95% Jackknife UCL		53.16
960										95% Standard Bootstrap UCL		45.58
961			Anderson-Darling Test Statistic			0.561				95% Bootstrap-t UCL		342.3
962			Anderson-Darling 5% Critical Value			0.685				95% Hall's Bootstrap UCL		226.6
963			Kolmogorov-Smirnov Test Statistic			0.329				95% Percentile Bootstrap UCL		48.8
964			Kolmogorov-Smirnov 5% Critical Value			0.361				95% BCA Bootstrap UCL		52.4
965		Data appear Gamma Distributed at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		80.06
966										97.5% Chebyshev(Mean, Sd) UCL		102.8
967			Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL		147.6
968			95% Approximate Gamma UCL			78.03						
969			95% Adjusted Gamma UCL			133						
970												
971			Potential UCL to Use						Use 95% Approximate Gamma UCL			78.03
972		Recommended UCL exceeds the maximum observation										
973												
974												
975	Total Dioxin/Furan TEQ											
976												
977					General Statistics							
978			Number of Valid Observations			5			Number of Distinct Observations			5
979												
980			Raw Statistics						Log-transformed Statistics			
981				Minimum		0.175			Minimum of Log Data			-1.74
982				Maximum		1.334			Maximum of Log Data			0.288
983				Mean		0.578			Mean of log Data			-0.778
984				Median		0.521			SD of log Data			0.759
985				SD		0.451						
986			Coefficient of Variation			0.781						
987				Skewness		1.562						
988												
989												
990		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
991												
992		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
993		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
994												
995												
996		Warning: There are only 5 Values in this data										
997		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
998		the resulting calculations may not be reliable enough to draw conclusions										
999												
1000		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
1001												
1002					Relevant UCL Statistics							
1003			Normal Distribution Test						Lognormal Distribution Test			
1004			Shapiro Wilk Test Statistic			0.852			Shapiro Wilk Test Statistic			0.977
1005			Shapiro Wilk Critical Value			0.762			Shapiro Wilk Critical Value			0.762
1006		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1007												

	A	B	C	D	E	F	G	H	I	J	K	L
1008			Assuming Normal Distribution						Assuming Lognormal Distribution			
1009				95% Student's-t UCL		1.008				95% H-UCL		2.684
1010			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			1.403
1011				95% Adjusted-CLT UCL		1.061			97.5% Chebyshev (MVUE) UCL			1.761
1012				95% Modified-t UCL		1.032			99% Chebyshev (MVUE) UCL			2.466
1013												
1014			Gamma Distribution Test						Data Distribution			
1015				k star (bias corrected)		1.064			Data appear Normal at 5% Significance Level			
1016				Theta Star		0.543						
1017				nu star		10.64						
1018			Approximate Chi Square Value (.05)			4.348			Nonparametric Statistics			
1019			Adjusted Level of Significance			0.0086				95% CLT UCL		0.91
1020			Adjusted Chi Square Value			2.776				95% Jackknife UCL		1.008
1021									95% Standard Bootstrap UCL			0.879
1022			Anderson-Darling Test Statistic			0.268				95% Bootstrap-t UCL		1.389
1023			Anderson-Darling 5% Critical Value			0.684				95% Hall's Bootstrap UCL		2.355
1024			Kolmogorov-Smirnov Test Statistic			0.23				95% Percentile Bootstrap UCL		0.92
1025			Kolmogorov-Smirnov 5% Critical Value			0.36				95% BCA Bootstrap UCL		0.972
1026		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			1.458
1027									97.5% Chebyshev(Mean, Sd) UCL			1.838
1028			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			2.586
1029				95% Approximate Gamma UCL		1.415						
1030				95% Adjusted Gamma UCL		2.216						
1031												
1032			Potential UCL to Use						Use 95% Student's-t UCL			1.008
1033												
1034												
1035	Total Dioxin-like PCBs											
1036												
1037					General Statistics							
1038				Number of Valid Observations		5			Number of Distinct Observations			5
1039												
1040			Raw Statistics						Log-transformed Statistics			
1041				Minimum		3114				Minimum of Log Data		8.044
1042				Maximum		14213				Maximum of Log Data		9.562
1043				Mean		6426				Mean of log Data		8.579
1044				Median		4034				SD of log Data		0.66
1045				SD		4736						
1046			Coefficient of Variation			0.737						
1047				Skewness		1.521						
1048												
1049												
1050		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
1051												
1052		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
1053		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
1054												
1055												
1056		Warning: There are only 5 Values in this data										
1057		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
1058		the resulting calculations may not be reliable enough to draw conclusions										
1059												
1060		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										

	A	B	C	D	E	F	G	H	I	J	K	L
1061												
1062					Relevant UCL Statistics							
1063			Normal Distribution Test						Lognormal Distribution Test			
1064				Shapiro Wilk Test Statistic		0.799				Shapiro Wilk Test Statistic		0.86
1065				Shapiro Wilk Critical Value		0.762				Shapiro Wilk Critical Value		0.762
1066		Data appear Normal at 5% Significance Level					Data appear Lognormal at 5% Significance Level					
1067												
1068			Assuming Normal Distribution						Assuming Lognormal Distribution			
1069				95% Student's-t UCL		10942					95% H-UCL	21082
1070		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			14287
1071				95% Adjusted-CLT UCL		11450				97.5% Chebyshev (MVUE) UCL		17741
1072				95% Modified-t UCL		11182				99% Chebyshev (MVUE) UCL		24525
1073												
1074			Gamma Distribution Test						Data Distribution			
1075				k star (bias corrected)		1.255		Data appear Normal at 5% Significance Level				
1076				Theta Star		5121						
1077				nu star		12.55						
1078		Approximate Chi Square Value (.05)				5.591			Nonparametric Statistics			
1079			Adjusted Level of Significance			0.0086				95% CLT UCL		9910
1080			Adjusted Chi Square Value			3.744				95% Jackknife UCL		10942
1081										95% Standard Bootstrap UCL		9576
1082		Anderson-Darling Test Statistic				0.487				95% Bootstrap-t UCL		34253
1083		Anderson-Darling 5% Critical Value				0.683				95% Hall's Bootstrap UCL		41175
1084		Kolmogorov-Smirnov Test Statistic				0.297				95% Percentile Bootstrap UCL		9775
1085		Kolmogorov-Smirnov 5% Critical Value				0.36				95% BCA Bootstrap UCL		10682
1086		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			15659
1087									97.5% Chebyshev(Mean, Sd) UCL			19654
1088			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			27501
1089				95% Approximate Gamma UCL		14424						
1090				95% Adjusted Gamma UCL		21544						
1091												
1092			Potential UCL to Use						Use 95% Student's-t UCL			10942
1093												
1094												
1095	Total PCB TEQ											
1096												
1097					General Statistics							
1098			Number of Valid Observations			5			Number of Distinct Observations			5
1099												
1100			Raw Statistics						Log-transformed Statistics			
1101				Minimum		0.224				Minimum of Log Data		-1.495
1102				Maximum		0.874				Maximum of Log Data		-0.135
1103				Mean		0.522				Mean of log Data		-0.755
1104				Median		0.559				SD of log Data		0.533
1105				SD		0.252						
1106			Coefficient of Variation			0.483						
1107				Skewness		0.31						
1108												
1109												
1110		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
1111												
1112		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
1113		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										

	A	B	C	D	E	F	G	H	I	J	K	L
1114												
1115												
1116					Warning: There are only 5 Values in this data							
1117				Note: It should be noted that even though bootstrap methods may be performed on this data set,								
1118				the resulting calculations may not be reliable enough to draw conclusions								
1119												
1120			The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.									
1121												
1122						Relevant UCL Statistics						
1123				Normal Distribution Test					Lognormal Distribution Test			
1124				Shapiro Wilk Test Statistic		0.971			Shapiro Wilk Test Statistic			0.963
1125				Shapiro Wilk Critical Value		0.762			Shapiro Wilk Critical Value			0.762
1126		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1127												
1128				Assuming Normal Distribution					Assuming Lognormal Distribution			
1129				95% Student's-t UCL		0.763			95% H-UCL			1.221
1130			95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL			1.065
1131				95% Adjusted-CLT UCL		0.725			97.5% Chebyshev (MVUE) UCL			1.299
1132				95% Modified-t UCL		0.765			99% Chebyshev (MVUE) UCL			1.758
1133												
1134				Gamma Distribution Test					Data Distribution			
1135				k star (bias corrected)		2.091		Data appear Normal at 5% Significance Level				
1136				Theta Star		0.25						
1137				nu star		20.91						
1138			Approximate Chi Square Value (.05)			11.53			Nonparametric Statistics			
1139				Adjusted Level of Significance		0.0086			95% CLT UCL			0.708
1140				Adjusted Chi Square Value		8.643			95% Jackknife UCL			0.763
1141									95% Standard Bootstrap UCL			0.691
1142				Anderson-Darling Test Statistic		0.227			95% Bootstrap-t UCL			0.798
1143				Anderson-Darling 5% Critical Value		0.681			95% Hall's Bootstrap UCL			0.702
1144				Kolmogorov-Smirnov Test Statistic		0.218			95% Percentile Bootstrap UCL			0.696
1145				Kolmogorov-Smirnov 5% Critical Value		0.358			95% BCA Bootstrap UCL			0.704
1146		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			1.014
1147									97.5% Chebyshev(Mean, Sd) UCL			1.227
1148			Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL			1.645
1149				95% Approximate Gamma UCL		0.948						
1150				95% Adjusted Gamma UCL		1.264						
1151												
1152			Potential UCL to Use						Use 95% Student's-t UCL			0.763
1153												
1154												
1155	Total PCB_Congeners											
1156												
1157						General Statistics						
1158				Number of Valid Observations		5			Number of Distinct Observations			5
1159												
1160			Raw Statistics						Log-transformed Statistics			
1161					Minimum	84718			Minimum of Log Data			11.35
1162					Maximum	963629			Maximum of Log Data			13.78
1163					Mean	288619			Mean of log Data			12.05
1164					Median	96334			SD of log Data			1.028
1165					SD	380643						
1166				Coefficient of Variation		1.319						

	A	B	C	D	E	F	G	H	I	J	K	L
1167					Skewness	2.144						
1168												
1169												
1170	Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!											
1171												
1172	It is suggested to collect at least 8 to 10 observations using these statistical methods!											
1173	If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.											
1174												
1175												
1176	Warning: There are only 5 Values in this data											
1177	Note: It should be noted that even though bootstrap methods may be performed on this data set,											
1178	the resulting calculations may not be reliable enough to draw conclusions											
1179												
1180	The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.											
1181												
1182	Relevant UCL Statistics											
1183	Normal Distribution Test						Lognormal Distribution Test					
1184	Shapiro Wilk Test Statistic					0.645	Shapiro Wilk Test Statistic					0.775
1185	Shapiro Wilk Critical Value					0.762	Shapiro Wilk Critical Value					0.762
1186	Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level					
1187												
1188	Assuming Normal Distribution						Assuming Lognormal Distribution					
1189	95% Student's-t UCL					651520	95% H-UCL					3861107
1190	95% UCLs (Adjusted for Skewness)						95% Chebyshev (MVUE) UCL					744758
1191	95% Adjusted-CLT UCL					743055	97.5% Chebyshev (MVUE) UCL					956505
1192	95% Modified-t UCL					678729	99% Chebyshev (MVUE) UCL					1372443
1193												
1194	Gamma Distribution Test						Data Distribution					
1195	k star (bias corrected)					0.573	Data Follow Appr. Gamma Distribution at 5% Significance Level					
1196	Theta Star					503324						
1197	nu star					5.734						
1198	Approximate Chi Square Value (.05)					1.506	Nonparametric Statistics					
1199	Adjusted Level of Significance					0.0086	95% CLT UCL					568620
1200	Adjusted Chi Square Value					0.75	95% Jackknife UCL					651520
1201							95% Standard Bootstrap UCL					534507
1202	Anderson-Darling Test Statistic					0.784	95% Bootstrap-t UCL					14992291
1203	Anderson-Darling 5% Critical Value					0.69	95% Hall's Bootstrap UCL					8109890
1204	Kolmogorov-Smirnov Test Statistic					0.337	95% Percentile Bootstrap UCL					509172
1205	Kolmogorov-Smirnov 5% Critical Value					0.364	95% BCA Bootstrap UCL					638684
1206	Data follow Appr. Gamma Distribution at 5% Significance Level						95% Chebyshev(Mean, Sd) UCL					1030628
1207							97.5% Chebyshev(Mean, Sd) UCL					1351696
1208	Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL					1982372
1209	95% Approximate Gamma UCL					1099239						
1210	95% Adjusted Gamma UCL					2206098						
1211												
1212	Potential UCL to Use						Use 95% Approximate Gamma UCL					1099239
1213	Recommended UCL exceeds the maximum observation											
1214												
1215												
1216	Zinc											
1217												
1218	General Statistics											
1219	Number of Valid Observations					5	Number of Distinct Observations					5

	A	B	C	D	E	F	G	H	I	J	K	L
1220												
1221			Raw Statistics						Log-transformed Statistics			
1222					Minimum	2.08				Minimum of Log Data		0.732
1223					Maximum	2.93				Maximum of Log Data		1.075
1224					Mean	2.558				Mean of log Data		0.933
1225					Median	2.55				SD of log Data		0.128
1226					SD	0.314						
1227				Coefficient of Variation		0.123						
1228					Skewness	-0.718						
1229												
1230												
1231		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
1232												
1233		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
1234		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
1235												
1236												
1237		Warning: There are only 5 Values in this data										
1238		Note: It should be noted that even though bootstrap methods may be performed on this data set,										
1239		the resulting calculations may not be reliable enough to draw conclusions										
1240												
1241		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
1242												
1243		Relevant UCL Statistics										
1244		Normal Distribution Test							Lognormal Distribution Test			
1245				Shapiro Wilk Test Statistic		0.958			Shapiro Wilk Test Statistic			0.937
1246				Shapiro Wilk Critical Value		0.762			Shapiro Wilk Critical Value			0.762
1247		Data appear Normal at 5% Significance Level							Data appear Lognormal at 5% Significance Level			
1248												
1249		Assuming Normal Distribution							Assuming Lognormal Distribution			
1250					95% Student's-t UCL	2.858					95% H-UCL	2.926
1251		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL			3.195
1252				95% Adjusted-CLT UCL		2.741			97.5% Chebyshev (MVUE) UCL			3.47
1253				95% Modified-t UCL		2.85			99% Chebyshev (MVUE) UCL			4.011
1254												
1255		Gamma Distribution Test							Data Distribution			
1256				k star (bias corrected)		31.7			Data appear Normal at 5% Significance Level			
1257					Theta Star	0.0807						
1258					nu star	317						
1259		Approximate Chi Square Value (.05)				276.7			Nonparametric Statistics			
1260				Adjusted Level of Significance		0.0086				95% CLT UCL		2.789
1261				Adjusted Chi Square Value		260.1				95% Jackknife UCL		2.858
1262										95% Standard Bootstrap UCL		2.765
1263				Anderson-Darling Test Statistic		0.288				95% Bootstrap-t UCL		2.818
1264				Anderson-Darling 5% Critical Value		0.678				95% Hall's Bootstrap UCL		2.791
1265				Kolmogorov-Smirnov Test Statistic		0.248				95% Percentile Bootstrap UCL		2.762
1266				Kolmogorov-Smirnov 5% Critical Value		0.357				95% BCA Bootstrap UCL		2.736
1267		Data appear Gamma Distributed at 5% Significance Level							95% Chebyshev(Mean, Sd) UCL			3.171
1268									97.5% Chebyshev(Mean, Sd) UCL			3.436
1269		Assuming Gamma Distribution							99% Chebyshev(Mean, Sd) UCL			3.957
1270				95% Approximate Gamma UCL		2.93						
1271				95% Adjusted Gamma UCL		3.117						
1272												

	A	B	C	D	E	F	G	H	I	J	K	L
1273				Potential UCL to Use						Use 95% Student's-t UCL		2.858
1274												
1275												
1276	Total PCBs, Adjusted											
1277												
1278					General Statistics							
1279			Number of Valid Observations			5				Number of Distinct Observations		5
1280												
1281			Raw Statistics							Log-transformed Statistics		
1282				Minimum		81604				Minimum of Log Data		11.31
1283				Maximum		949416				Maximum of Log Data		13.76
1284				Mean		282193				Mean of log Data		12.02
1285				Median		93210				SD of log Data		1.038
1286				SD		376090						
1287			Coefficient of Variation			1.333						
1288				Skewness		2.149						
1289												
1290												
1291		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
1292												
1293		It is suggested to collect at least 8 to 10 observations using these statistical methods!										
1294		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
1295												
1296												
1297					Warning: There are only 5 Values in this data							
1298			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
1299				the resulting calculations may not be reliable enough to draw conclusions								
1300												
1301		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
1302												
1303					Relevant UCL Statistics							
1304			Normal Distribution Test							Lognormal Distribution Test		
1305			Shapiro Wilk Test Statistic			0.643				Shapiro Wilk Test Statistic		0.774
1306			Shapiro Wilk Critical Value			0.762				Shapiro Wilk Critical Value		0.762
1307		Data not Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1308												
1309			Assuming Normal Distribution							Assuming Lognormal Distribution		
1310			95% Student's-t UCL			640753				95% H-UCL		3954927
1311			95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		729551
1312			95% Adjusted-CLT UCL			731544				97.5% Chebyshev (MVUE) UCL		937588
1313			95% Modified-t UCL			667691				99% Chebyshev (MVUE) UCL		1346237
1314												
1315			Gamma Distribution Test							Data Distribution		
1316			k star (bias corrected)			0.565		Data Follow Appr. Gamma Distribution at 5% Significance Level				
1317				Theta Star		499307						
1318				nu star		5.652						
1319			Approximate Chi Square Value (.05)			1.465				Nonparametric Statistics		
1320			Adjusted Level of Significance			0.0086				95% CLT UCL		558845
1321			Adjusted Chi Square Value			0.724				95% Jackknife UCL		640753
1322										95% Standard Bootstrap UCL		523119
1323			Anderson-Darling Test Statistic			0.787				95% Bootstrap-t UCL		14290572
1324			Anderson-Darling 5% Critical Value			0.691				95% Hall's Bootstrap UCL		8831484
1325			Kolmogorov-Smirnov Test Statistic			0.335				95% Percentile Bootstrap UCL		604613

	A	B	C	D	E	F	G	H	I	J	K	L
1326				Kolmogorov-Smirnov 5% Critical Value		0.364				95% BCA Bootstrap UCL		626996
1327		Data follow Appr. Gamma Distribution at 5% Significance Level								95% Chebyshev(Mean, Sd) UCL		1015326
1328										97.5% Chebyshev(Mean, Sd) UCL		1332554
1329				Assuming Gamma Distribution						99% Chebyshev(Mean, Sd) UCL		1955686
1330				95% Approximate Gamma UCL		1088994						
1331				95% Adjusted Gamma UCL		2201514						
1332												
1333				Potential UCL to Use						Use 95% Approximate Gamma UCL		1088994
1334					Recommended UCL exceeds the maximum observation							
1335												
1336												
1337	Total TEQ											
1338												
1339					General Statistics							
1340				Number of Valid Observations		5				Number of Distinct Observations		5
1341												
1342				Raw Statistics						Log-transformed Statistics		
1343					Minimum	0.64					Minimum of Log Data	-0.446
1344					Maximum	1.558					Maximum of Log Data	0.443
1345					Mean	1.1					Mean of log Data	0.0394
1346					Median	1.079					SD of log Data	0.381
1347					SD	0.397						
1348				Coefficient of Variation		0.361						
1349					Skewness	0.0391						
1350												
1351												
1352		Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!										
1353												
1354				It is suggested to collect at least 8 to 10 observations using these statistical methods!								
1355		If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.										
1356												
1357												
1358				Warning: There are only 5 Values in this data								
1359			Note: It should be noted that even though bootstrap methods may be performed on this data set,									
1360				the resulting calculations may not be reliable enough to draw conclusions								
1361												
1362		The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.										
1363												
1364					Relevant UCL Statistics							
1365			Normal Distribution Test							Lognormal Distribution Test		
1366				Shapiro Wilk Test Statistic		0.93					Shapiro Wilk Test Statistic	0.932
1367				Shapiro Wilk Critical Value		0.762					Shapiro Wilk Critical Value	0.762
1368		Data appear Normal at 5% Significance Level						Data appear Lognormal at 5% Significance Level				
1369												
1370			Assuming Normal Distribution							Assuming Lognormal Distribution		
1371				95% Student's-t UCL		1.479					95% H-UCL	1.835
1372		95% UCLs (Adjusted for Skewness)							95% Chebyshev (MVUE) UCL		1.916
1373				95% Adjusted-CLT UCL		1.396				97.5% Chebyshev (MVUE) UCL		2.268
1374				95% Modified-t UCL		1.479				99% Chebyshev (MVUE) UCL		2.96
1375												
1376			Gamma Distribution Test							Data Distribution		
1377				k star (bias corrected)		3.767		Data appear Normal at 5% Significance Level				
1378					Theta Star	0.292						

	A	B	C	D	E	F	G	H	I	J	K	L
1379					nu star	37.67						
1380			Approximate Chi Square Value (.05)			24.62			Nonparametric Statistics			
1381			Adjusted Level of Significance			0.0086					95% CLT UCL	1.392
1382			Adjusted Chi Square Value			20.13					95% Jackknife UCL	1.479
1383											95% Standard Bootstrap UCL	1.359
1384			Anderson-Darling Test Statistic			0.29					95% Bootstrap-t UCL	1.57
1385			Anderson-Darling 5% Critical Value			0.679					95% Hall's Bootstrap UCL	1.463
1386			Kolmogorov-Smirnov Test Statistic			0.228					95% Percentile Bootstrap UCL	1.355
1387			Kolmogorov-Smirnov 5% Critical Value			0.358					95% BCA Bootstrap UCL	1.355
1388			**Data appear Gamma Distributed at 5% Significance Level**								95% Chebyshev(Mean, Sd) UCL	1.874
1389											97.5% Chebyshev(Mean, Sd) UCL	2.209
1390			**Assuming Gamma Distribution**								99% Chebyshev(Mean, Sd) UCL	2.867
1391			95% Approximate Gamma UCL			1.684						
1392			95% Adjusted Gamma UCL			2.059						
1393												
1394			**Potential UCL to Use**								Use 95% Student's-t UCL	1.479
1395												

LWG
LOWER WILLAMETTE GROUP

PORTLAND HARBOR RI/FS
FINAL REMEDIAL INVESTIGATION REPORT

APPENDIX F

BASELINE HUMAN HEALTH RISK ASSESSMENT

ATTACHMENT F5: SUPPORTING DOCUMENTATION FOR THE CALCULATION OF BLOOD LEAD CONCENTRATIONS FOR RELEVANT BHHRA SCENARIOS

March 28, 2013

Produced for
The Lower Willamette Group and
United States Environmental Protection Agency

Produced by
Kennedy/Jenks Consultants

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F5-1.
Calculations of Blood Lead Concentrations (PbBs)
BHHRA In-Water Sediment Reasonable Maximum Exposure Scenarios
U.S. EPA Technical Review Workgroup for Lead, Adult Lead Committee
Version date 05/19/05

Exposure Variable	Description of Exposure Variable	Units	BHHRA Receptor: In-Water Worker	Low Frequency Fisher	High Frequency Fisher	Tribal Fisher	Diver in Wet Suit	Diver in Dry Suit
			Region OR Ethnic GSDi and PbBo Data from NHANES III Analysis					
			West/All	West/All	West/All	West/All	West/All	West/All
PbS	Soil lead concentration	ug/g or ppm	2200	2200	2200	2200	2200	2200
$R_{fetal/maternal}$	Fetal/maternal PbB ratio	--	0.9	0.9	0.9	0.9	0.9	0.9
BKSF	Biokinetic Slope Factor	ug/dL per ug/day	0.4	0.4	0.4	0.4	0.4	0.4
GSD_i	Geometric standard deviation PbB	--	2.1	2.1	2.1	1.8	2.1	2.1
PbB_0	Baseline PbB	ug/dL	1.4	1.4	1.4	1.4	1.4	1.4
IR_S	Soil ingestion rate (including soil-derived indoor dust)	g/day	0.200	0.050	0.050	0.050	0.050	0.050
IR_{S+D}	Total ingestion rate of outdoor soil and indoor dust	g/day	--	--	--	--	--	--
W_S	Weighting factor; fraction of IR_{S+D} ingested as outdoor soil	--	--	--	--	--	--	--
K_{SD}	Mass fraction of soil in dust	--	--	--	--	--	--	--
$AF_{S, D}$	Absorption fraction (same for soil and dust)	--	0.12	0.12	0.12	0.12	0.12	0.12
$EF_{S, D}$	Exposure frequency (same for soil and dust)	days/yr	10	26	39	65	5	5
$AT_{S, D}$	Averaging time (same for soil and dust)	days/yr	365	365	365	365	365	365
PbB_{adult}	**PbB of adult worker, geometric mean**	**ug/dL**	**2.0**	**1.8**	**2.0**	**2.3**	**1.5**	**1.5**
$PbB_{fetal, 0.95}$	95th percentile PbB among fetuses of adult workers	ug/dL	6.1	5.5	6.0	5.5	4.5	4.5
PbB_t	Target PbB level of concern (e.g., 10 ug/dL)	ug/dL	10.0	10.0	10.0	10.0	10.0	10.0
$P(PbB_{fetal} > PbB_t)$	**Probability that fetal PbB > PbB_t, assuming lognormal distribution**	**%**	**1.0%**	**0.7%**	**1.0%**	**0.4%**	**0.3%**	**0.3%**

Notes:
Shaded cells indicate site-specific values.
Maximum soil lead concentration (2,200 mg/kg) is the maximum exposure point concentration for lead within the Study Area.

Source: U.S. EPA (2003c). Recommendations of the Technical Review Workgroup for Lead
for an Interim Approach to Assessing Risks Associated with Adult Exposures to Lead in Soil

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F5-2.
Calculations of Blood Lead Concentrations (PbBs)
BHHRA In-Water Sediment Central Tendency Exposure Scenarios
U.S. EPA Technical Review Workgroup for Lead, Adult Lead Committee
Version date 05/19/05

Exposure Variable	Description of Exposure Variable	Units	In-Water Worker	Low Frequency Fisher	High Frequency Fisher	Tribal Fisher	Diver in Wet Suit
			BHHRA Receptor:				
			Region OR Ethnic GSDi and PbBo Data from NHANES III Analysis				
			West/All	West/All	West/All	West/All	West/All
PbS	Soil lead concentration	ug/g or ppm	2200	2200	2200	2200	2200
$R_{fetal/maternal}$	Fetal/maternal PbB ratio	--	0.9	0.9	0.9	0.9	0.9
BKSF	Biokinetic Slope Factor	ug/dL per ug/day	0.4	0.4	0.4	0.4	0.4
GSD_i	Geometric standard deviation PbB	--	2.1	2.1	2.1	1.8	2.1
PbB_0	Baseline PbB	ug/dL	1.4	1.4	1.4	1.4	1.4
IR_S	Soil ingestion rate (including soil-derived indoor dust)	g/day	0.050	0.025	0.025	0.025	0.025
IR_{S+D}	Total ingestion rate of outdoor soil and indoor dust	g/day	--	--	--	--	--
W_S	Weighting factor; fraction of IR_{S+D} ingested as outdoor soil	--	--	--	--	--	--
K_{SD}	Mass fraction of soil in dust	--	--	--	--	--	--
$AF_{S,D}$	Absorption fraction (same for soil and dust)	--	0.12	0.12	0.12	0.12	0.12
$EF_{S,D}$	Exposure frequency (same for soil and dust)	days/yr	10	6.5	13	26	2
$AT_{S,D}$	Averaging time (same for soil and dust)	days/yr	365	365	365	365	365
PbB_{adult}	**PbB of adult worker, geometric mean**	**ug/dL**	**1.5**	**1.4**	**1.5**	**1.6**	**1.4**
$PbB_{fetal, 0.95}$	95th percentile PbB among fetuses of adult workers	ug/dL	4.7	4.4	4.6	3.8	4.3
PbB_t	Target PbB level of concern (e.g., 10 ug/dL)	ug/dL	10.0	10.0	10.0	10.0	10.0
$P(PbB_{fetal} > PbB_t)$	**Probability that fetal PbB > PbB_t, assuming lognormal distribution**	**%**	**0.4%**	**0.3%**	**0.3%**	**0.0%**	**0.3%**

Notes:
Shaded cells indicate site-specific values.
Maximum soil lead concentration (2,200 mg/kg) is the maximum exposure point concentration for lead within the Study Area.

Source: U.S. EPA (2003c). Recommendations of the Technical Review Workgroup for Lead
for an Interim Approach to Assessing Risks Associated with Adult Exposures to Lead in Soil

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F5-3. Calculation of Protective Lead Fish Tissue Concentrations for Fetuses of Adult Fishers Using ALM Approach

ALM Parameter	Description	Units	Adult Fisher	Tribal Fisher
GSD	Geometric standard deviation PbB	--	2.1	2.1
PbBa	Central tendency of adult blood lead level	ug/dL	3.29	3.29
PbBo	Adult baseline blood lead level	ug/dL	1.4	1.4
BKSF	Biokinetic Slope Factor	ug/dL per ug/day	0.4	0.4
IR F	Tissue ingestion rate	g/day	7.5	39.2
AF F	Absolute gastrointestinal ingestion factor for ingested lead in tissue	--	0.12	0.12
EF F	Exposure frequency of fish ingestion	days/yr	365	365
AT	Averaging time	days/yr	365	365
PbBf	Fetal blood lead level	ug/dL	2.96	2.96
z	z-value	--	1.64	1.64
p'	probability of exceeding blood lead level of 10 ug/dl, based on z-value	%	5%	5%
PbF	**Protective Tissue Lead Concentration**	**mg/kg**	**5.25**	**1.01**

Equations:

$PbB_a = PbB_o + BKSF * (PbF * IR_F * AF_F * EF_F)/AT$

$PbBf = PbBa * 0.9$

Probability that fetal blood lead is less than 10 mg/dl using the z-value where:

$p' = \Phi z \ [(\ln(PbBf) - \ln(10)) / \ln(GSD)]$

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F5-4. Input Parameters for IUEBK Model

Input Parameter	Value	Units	Basis
Soil lead concentration	200	mg/kg	Default concentration.
House dust lead concentration	140	mg/kg	Default concentration
Combined soil and dust ingestion rate by age			
0-11 months	85	mg/day	Default ingestion rate
12-23 months	135	mg/day	Default ingestion rate
24-35 months	135	mg/day	Default ingestion rate
36-47 months	135	mg/day	Default ingestion rate
48-59 months	100	mg/day	Default ingestion rate
60-71 months	90	mg/day	Default ingestion rate
Lead concentration in air	0.1	μg/m3	Default concentration
Lead concentration in drinking water	4	μg/L	Default concentration
Percent of meat in diet	3.12	unitless	Based on a fish consumption rate of 3.15 grams per day and the default meat consumption rate of 101 grams per day.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F5-5. Calculation of Lead Risks From Ingestion of Shellfish Tissue Using ALM Approach

ALM Parameter	Description	Units	Receptor: Adult Fisher
GSD	Geometric standard deviation PbB	--	2.1
PbBa	Central tendency of adult blood lead level	ug/dL	1.61
PbBo	Adult baseline blood lead level	ug/dL	1.4
BKSF	Biokinetic Slope Factor	ug/dL per ug/day	0.4
PbF	**Maximum Shellfish Lead EPC**	**mg/kg**	**1.32**
IR F	Tissue consumption rate	g/day	3.3
AF F	Absolute gastrointestinal ingestion factor for ingested lead in tissue	--	0.12
EF F	Exposure frequency of fish consumption	days/yr	365
AT	Averaging time	days/yr	365
PbBf	Fetal blood lead level	ug/dL	1.45
z	z-value	--	2.60
p'	**probability of exceeding blood lead level of 10 ug/dl, based on z-value**	**%**	**0.47%**

Equations:

$PbB_a = PbB_o + BKSF * (PbF * IR_F * AF_F * EF_F)/AT$

$PbBf = PbBa * 0.9$

Probability that fetal blood lead is less than 10 mg/dl using the z-value where:

$p' = \Phi z \ [(ln(PbBf)-ln(10)) /ln(GSD)]$

PORTLAND HARBOR RI/FS
FINAL REMEDIAL INVESTIGATION REPORT

APPENDIX F
BASELINE HUMAN HEALTH RISK ASSESSMENT

ATTACHMENT F6: SUPPORTING DOCUMENTATION FOR UNCERTAINTY ANALYSIS

March 28, 2013

Produced for
The Lower Willamette Group and
United States Environmental Protection Agency

Produced by
Kennedy/Jenks Consultants

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F6-1.

Comparison of PCB and Mercury Concentrations in Fillet and Whole Body Tissue for Smallmouth Bass and Common Carp

Smallmouth Bass						
Parameter	Units	River Mile	Sample ID	Fillet	Whole Body	Ratio (WB/F)
Total PCB TEQ	pg/g	1.5 - 2.5	LW3-SB02E-C00	1.8E+00	2.1E+01	12
	pg/g	2.5 - 3.5	LW3-SB03E-C00	4.9E-01	2.1E+00	4
	pg/g	2.5 - 3.5	LW3-SB03W-C00	2.4E-01	1.5E+00	6
	pg/g	3.5 - 4.5	LW3-SB04E-C01	1.3E+00	8.8E+00	7
	pg/g	3.5 - 4.5	LW3-SB04W-C00	2.6E-01	2.2E+00	9
	pg/g	4.5 - 5.5	LW3-SB05W-C00	3.2E-01	3.2E+00	10
	pg/g	5.5 - 6.5	LW3-SB06E-C00	3.9E-01	3.4E+00	9
	pg/g	5.5 - 6.5	LW3-SB06W-C00	2.7E-01	3.8E+00	14
	pg/g	6.5 - 7.5	LW3-SB07E-C00	7.0E-01	7.9E+00	11
	pg/g	6.5 - 7.5	LW3-SB07W-C00	5.4E-01	5.2E+00	10
	pg/g	7.5 - 8.5	LW3-SB08E-C00	3.2E-01	3.5E+00	11
	pg/g	7.5 - 8.5	LW3-SB08W-C00	4.0E-01	4.8E+00	12
	pg/g	8.5 - 9.5	LW3-SB09E-C00	3.9E-01	4.0E+00	10
	pg/g	8.5 - 9.5	LW3-SB09W-C00	1.0E+00	9.4E+00	9
	pg/g	9.5 - 10.5	LW3-SB010E-C00	3.8E-01	4.6E+00	12
	pg/g	9.5 - 10.5	LW3-SB010W-C00	6.1E-01	7.9E+00	13
	pg/g	10.5 - 11.5	LW3-SB011E-C00	2.1E+00	3.6E+01	17
	pg/g	10.5 - 11.5	LW3-SB011W-C00	4.3E-01	3.8E+00	9
Ratio Summary						
Minimum	-					4
Maximum	-					17
Mean	-					10
Total PCB Congeners	pg/g	1.5 - 2.5	LW3-SB02E-C00	2.0E+05	1.4E+06	7
	pg/g	2.5 - 3.5	LW3-SB03E-C00	4.1E+04	2.8E+05	7
	pg/g	2.5 - 3.5	LW3-SB03W-C00	2.7E+04	2.1E+05	8
	pg/g	3.5 - 4.5	LW3-SB04E-C01	2.4E+05	1.5E+06	6
	pg/g	3.5 - 4.5	LW3-SB04W-C00	3.9E+04	2.9E+05	7
	pg/g	4.5 - 5.5	LW3-SB05W-C00	3.4E+04	2.7E+05	8
	pg/g	5.5 - 6.5	LW3-SB06E-C00	8.2E+04	6.8E+05	8
	pg/g	5.5 - 6.5	LW3-SB06W-C00	2.9E+04	2.7E+05	9
	pg/g	6.5 - 7.5	LW3-SB07E-C00	2.1E+05	2.0E+06	10
	pg/g	6.5 - 7.5	LW3-SB07W-C00	6.6E+04	5.4E+05	8
	pg/g	7.5 - 8.5	LW3-SB08E-C00	4.3E+04	2.9E+05	7
	pg/g	7.5 - 8.5	LW3-SB08W-C00	5.2E+04	4.5E+05	9
	pg/g	8.5 - 9.5	LW3-SB09E-C00	5.3E+04	3.5E+05	7
	pg/g	8.5 - 9.5	LW3-SB09W-C00	1.0E+05	9.7E+05	9
	pg/g	9.5 - 10.5	LW3-SB010E-C00	8.3E+04	6.2E+05	7
	pg/g	9.5 - 10.5	LW3-SB010W-C00	1.2E+05	8.1E+05	7
	pg/g	10.5 - 11.5	LW3-SB011E-C00	1.5E+06	6.6E+06	4
	pg/g	10.5 - 11.5	LW3-SB011W-C00	8.4E+04	5.3E+05	6
Ratio Summary						
Minimum	-					4
Maximum	-					10
Mean	-					7
Mercury	mg/kg	1.5 - 2.5	LW3-SB02E-C00	6.3E-02	5.1E-02	0.8
	mg/kg	2.5 - 3.5	LW3-SB03E-C00	1.6E-01	8.6E-02	0.5
	mg/kg	2.5 - 3.5	LW3-SB03W-C00	1.8E-01	1.0E-01	0.6
	mg/kg	3.5 - 4.5	LW3-SB04E-C01	2.4E-01	1.4E-01	0.6
	mg/kg	3.5 - 4.5	LW3-SB04W-C00	1.7E-01	1.1E-01	0.7
	mg/kg	4.5 - 5.5	LW3-SB05W-C00	2.1E-01	1.2E-01	0.5
	mg/kg	5.5 - 6.5	LW3-SB06E-C00	1.5E-01	8.8E-02	0.6
	mg/kg	5.5 - 6.5	LW3-SB06W-C00	9.6E-02	7.3E-02	0.8
	mg/kg	6.5 - 7.5	LW3-SB07E-C00	2.5E-01	1.5E-01	0.6
	mg/kg	6.5 - 7.5	LW3-SB07W-C00	1.9E-01	9.7E-02	0.5
	mg/kg	7.5 - 8.5	LW3-SB08E-C00	9.8E-02	7.7E-02	0.8
	mg/kg	7.5 - 8.5	LW3-SB08W-C00	5.9E-02	6.1E-02	1.0
	mg/kg	8.5 - 9.5	LW3-SB09E-C00	1.5E-01	1.0E-01	0.7
	mg/kg	8.5 - 9.5	LW3-SB09W-C00	3.5E-01	1.7E-01	0.5
	mg/kg	9.5 - 10.5	LW3-SB010E-C00	2.4E-01	1.3E-01	0.5
	mg/kg	9.5 - 10.5	LW3-SB010W-C00	1.1E-01	6.9E-02	0.6
	mg/kg	10.5 - 11.5	LW3-SB011E-C00	1.8E-01	8.5E-02	0.5
	mg/kg	10.5 - 11.5	LW3-SB011W-C00	1.9E-01	1.2E-01	0.6
Ratio Summary						
Minimum	-					0.5
Maximum	-					1.0
Mean	-					0.6

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F6-1.

Comparison of PCB and Mercury Concentrations in Fillet and Whole Body Tissue for Smallmouth Bass and Common Carp

Carp						
Parameter	Units	River Mile	Sample ID	Fillet	Whole Body	Ratio (WB/F)
Total PCB TEQ	pg/g	0 - 4	LW3-CP0004-C10	1.4E+00	2.2E+00	2
	pg/g	0 - 4	LW3-CP0004-C20	1.9E+00	4.0E+00	2
	pg/g	0 - 4	LW3-CP0004-C30	1.3E+00	2.3E+00	2
	pg/g	4 - 8	LW3-CP0408-C10	1.6E+00	4.8E+00	3
	pg/g	4 - 8	LW3-CP0408-C20	2.0E+00	2.5E+00	1
	pg/g	4 - 8	LW3-CP0408-C30	1.6E+01	1.1E+02	7
	pg/g	8 - 12	LW3-CP0812-C11	2.5E+00	4.4E+00	2
	pg/g	8 - 12	LW3-CP0812-C20	1.9E+00	5.0E+00	3
	pg/g	8 - 12	LW3-CP0812-C30	9.7E-01	2.5E+00	3
Ratio Summary						
Minimum	-					1
Maximum	-					7
Mean	-					3
Total PCB Congeners	pg/g	0 - 4	LW3-CP0004-C10	2.1E+05	2.9E+05	1
	pg/g	0 - 4	LW3-CP0004-C20	2.5E+05	3.6E+05	1
	pg/g	0 - 4	LW3-CP0004-C30	2.6E+05	3.8E+05	1
	pg/g	4 - 8	LW3-CP0408-C10	2.7E+05	3.7E+05	1
	pg/g	4 - 8	LW3-CP0408-C20	4.6E+05	5.8E+05	1
	pg/g	4 - 8	LW3-CP0408-C30	2.0E+07	2.5E+07	1
	pg/g	8 - 12	LW3-CP0812-C11	4.3E+05	6.0E+05	1
	pg/g	8 - 12	LW3-CP0812-C20	7.8E+05	1.6E+06	2
	pg/g	8 - 12	LW3-CP0812-C30	3.1E+05	5.4E+05	2
Ratio Summary						
Minimum	-					1
Maximum	-					2
Mean	-					1
Mercury	mg/kg	0 - 4	LW3-CP0004-C10	6.2E-02	4.7E-02	0.8
	mg/kg	0 - 4	LW3-CP0004-C20	7.5E-02	5.7E-02	0.8
	mg/kg	0 - 4	LW3-CP0004-C30	6.2E-02	5.2E-02	0.8
	mg/kg	4 - 8	LW3-CP0408-C10	7.3E-02	5.2E-02	0.7
	mg/kg	4 - 8	LW3-CP0408-C20	5.4E-02	5.0E-02	0.9
	mg/kg	4 - 8	LW3-CP0408-C30	7.2E-02	5.5E-02	0.8
	mg/kg	8 - 12	LW3-CP0812-C11	4.9E-02	3.7E-02	0.8
	mg/kg	8 - 12	LW3-CP0812-C20	4.1E-02	2.9E-02	0.7
	mg/kg	8 - 12	LW3-CP0812-C30	5.9E-02	5.3E-02	0.9
Ratio Summary						
Minimum	-					0.7
Maximum	-					0.9
Mean	-					0.8

LWG

Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F6-2: Analysis of Contaminants Potentially Posing Unacceptable Risks Based on N-Qualified Data Only

Analyte	Relavent Diet	Location of risk exceedance for tissue	Corresponding Sediment Analysis
Heptachlor Epoxide	Clam - Undepurated	RM 6E	Detected 6 times between RM 6 and 7 East (range of detects = 0.00616 - 5.11 ug/kg). 5 of the 6 detects were also N-qualified.
Alpha-HCH	Black crappie - Whole body	RM 6-9	Detected 48 times between RM 6 and 9 (range of detects = 0.0046 - 10 ug/kg). 13 detects were also N-qualified.
Beta-HCH	Smallmouth bass - Fillet	RM 3	Detected 50 times between RM 3 and 4 (range of detects = 0.0014 - 7.99 ug/kg). 23 detects were also N-qualified.
Heptachlor	Black crappie - Whole body	RM 3-6	Detected 23 times between RM 3 and 6 (range of detects = 0.0043 - 0.57 ug/kg). 7 detects were also N-qualified.

Notes:
Species with exposure areas of one river mile or less are indicated in red font.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F6-3: Cancer Risk Estimates for Single Species and Multi-Species Diets, Study Area-wide basis

Diet	Cancer Risk Estimates	Ratio of Single Species to Multi-Species
Single Species		
Smallmouth bass	1.E-03	0.2
Common carp	4.E-02	4
Black crappie	8.E-05	0.01
Brown bullhead	2.E-03	0.3
Multi-Species	9.E-03	

Note:
Risks shown are based on the consumption rate of 142 grams per day and assume consumption of only fillet tissue.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F6-4: Comparison of Maximum Concentrations and Study Area-Wide Exposure Point Concentrations

Scenario	Analyte	Number of Samples	Maximum Detected Concentration (pg/g)	Study Area-wide EPC (pg/g)	Ratio of Maximum to EPC
Brown bullhead - whole body					
	PCB congeners	6	1950160	1557418	1
	PCB TEQ	6	6	4.8	1
	Dioxin TEQ	6	2.1	1.8	1
Common carp - fillet					
	PCB congeners	9	19722060	19722060	1
	PCB TEQ	9	16.5	10.5	2
	Dioxin TEQ	9	4.4	3.5	1

Notes:

Comparisons are for scenarios where the Study Area-wide EPC was calculated using fewer than 10 samples.

Study Area-wide EPCs are the 95 percent upper confidence limit on the mean (see Section 3 of the Baseline Human Health Risk Assessment for additional information on EPCs)

EPC: Exposure point concentration

pg/g: Picograms per gram

Table F6-5: Surface Water Exposure Point Concentration Uncertainty Analysis[a]
Surface Water, Direct Contact to Divers

Chemical of Concern		RM 6.0 W[b]	Transect, RM 2, W025	Cathedral Park, RM 5.7, W010	Transect, RM 6.3, W011	Willamette Cove, RM 6.9, W014	Swan Island Lagoon, RM 9.1, W020	Transect, RM 11, W023
Metals								
Arsenic, dissolved	Max:Mean Ratio[c]		2	1	1	1	1	2
	Cancer Risk[d]		**1E-05**	**8E-06**	**8E-06**	**8E-06**	**8E-06**	**8E-06**
	Non-cancer HQ[e]		0.2	0.1	0.1	0.1	0.1	0.1
Arsenic, total	Max:Mean Ratio		2	1		1	1	
	Cancer Risk		**1E-05**	**1E-05**		**9E-06**	**8E-06**	
	Non-cancer HQ		0.2	0.2		0.2	0.2	
PAHs								
Benzo(a)pyrene	Max:Mean Ratio	3						
	Cancer Risk	**9E-06**						
	Non-cancer HQ	**--**						

Notes:
a Uncertainty analysis for the use of the maximum concentration instead of the 95% UCL as the Reasonable Maximum Exposure (RME) concentration.
b Uncertainty analysis performed only for exposure points where exposure point concentration = maximum concentration and number of samples > 1.
c Largest ratio of maximum concentration to mean concentration for each exposure point.
d Largest calculated cancer risk for each exposure point.
e Largest calculated non-cancer hazard quotient for each exposure point.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F6-6: In-Water Sediment Exposure Point Concentration Uncertainty Analysis[a]

In-Water Sediment

Chemical of Concern		RM 1 East[b]	RM 1 West	RM 1.5 East	RM 1.5 West	RM 2 West	RM 2.5 East	RM 2.5 West	RM 3 East	RM 3 West	RM 3.5 West	RM 4 West	RM 4.5 East	RM 4.5 West	RM 5 West	RM 5.5 West	RM 6 East	RM 6 West	RM 7 East	RM 8 East	RM 8 West	RM 8.5 East	RM 8.5 West	RM 9 East	RM 9 West	RM 9.5 West	RM 9.5 East	RM 10 East	RM 10 West	RM 10.5 East	RM 11 East	RM 11.5 West	RM 12 East
Metals																																	
Arsenic	Max:Mean Ratio[c]		1	1	1																											1	1
	Cancer Risk[d]		**1E-06**	**1E-06**	**1E-06**																											9E-07	7E-07
	Non-cancer HQ[e]		0.003	0.003	0.003																											0.002	0.002
PAHs																																	
Benzo(a)anthracene	Max:Mean Ratio		3	4	2																											2	
	Cancer Risk		4E-08	2E-07	8E-09																											4E-09	
	Non-cancer HQ		--	--	--																												
Benzo(a)pyrene	Max:Mean Ratio		3	4	2																										2	2	1
	Cancer Risk		6E-07	**3E-06**	1E-07																										3E-07	4E-08	4E-08
	Non-cancer HQ		--	--	--																												--
Benzo(b)fluoranthene	Max:Mean Ratio	2	3	4	2																											2	1
	Cancer Risk	2E-08	5E-08	2E-07	1E-08																											4E-09	6E-09
	Non-cancer HQ	--	--	--	--																												--
Dibenzo(a,h)anthracene	Max:Mean Ratio	2		4	2																											2	1
	Cancer Risk	2E-08		3E-07	1E-08																											7E-09	1E-08
	Non-cancer HQ	--			--																												--
Indeno(1,2,3-cd)pyrene	Max:Mean Ratio		3	4	2																											2	1
	Cancer Risk		5E-08	2E-07	9E-09																											3E-07	4E-09
	Non-cancer HQ		--	--	--																											--	--
Polychlorinated Biphenyls																																	
Total PCBs, Adjusted	Max:Mean Ratio	1				2	2	1	2	1	1		1	2	3	2		3	1	2		2		1			1	3	1	3			1
	Cancer Risk	2E-09				8E-09	6E-09	1E-08	2E-08	2E-08	8E-09		6E-08	2E-08	7E-08	1E-07		5E-07	7E-08	3E-08		7E-08		8E-09			2E-08	2E-07	3E-08	4E-06			6E-07
	Non-cancer HQ	0.0001				0.0002	0.0001	0.0003	0.0005	0.0004	0.0002		0.002	0.0005	0.002	0.003		0.01	0.002	0.001		0.002		0.0002			0.001	0.006	0.001	0.1			0.02
Total PCB TEQ	Max:Mean Ratio	1				1	1	1	2	1	1		2	2	3	2		3	2	1		1		1			1	2	1	3			1
	Cancer Risk	1E-08				2E-08	4E-09	2E-08	3E-08	3E-08	1E-08		9E-08	5E-08	1E-07	1E-07		8E-07	3E-07	3E-08		3E-08		1E-08			4E-08	1E-07	2E-08	1E-06			2E-07
	Non-cancer HQ	0.0001				0.0001	0.00003	0.0002	0.0003	0.0002	0.0001		0.001	0.0004	0.001	0.001		0.006	0.002	0.0002		0.0002		0.0001			0.0003	0.001	0.0001	0.01			0.002
Dioxin/Furan																																	
Total Dioxin/Furan TEQ	Max:Mean Ratio		4	3	1	2	2		3	2	2		3		2	2	1		2	2		2	2	4		2	1	2		2		2	1
	Cancer Risk		7E-08	4E-08	2E-09	5E-08	2E-08	9E-09	4E-08	4E-08	7E-08		2E-07		1E-07	5E-08	9E-08		9E-07	5E-08		1E-08	2E-08	4E-07		1E-07	3E-08	4E-07		2E-07		7E-08	4E-08
	Non-cancer HQ		0.001	0.0003	0.00002	0.0004	0.0002	0.0001	0.0003	0.0003	0.001		0.001		0.001	0.0004	0.001		0.007	0.0004		0.0001	0.0002	0.003		0.001	0.0002	0.003		0.002		0.001	0.0003

Notes:

a Uncertainty analysis for the use of the maximum concentration instead of the 95% UCL as the Reasonable Maximum Exposure (RME) concentration.

b Uncertainty analysis performed only for exposure points and chemicals of concern with exposure point concentration = maximum concentration and number of samples > 1.

c Largest ratio of maximum concentration to mean concentration for each exposure point.

d Largest calculated cancer risk for each exposure point.

e Largest calculated non-cancer hazard quotient for each exposure point.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F6-7: Fish Tissue Exposure Point Concentration Uncertainty Analysis[a]

Chemical of Concern		Study Area-Wide Basis[b]					River Mile Basis[b]									
		Brown bullhead	Black crappie	Carp	Smallmouth Bass	Multi-Species Diet	RM 3	RM 4	RM 5	RM 6	RM 7	RM 8	an Island Lago	RM 9	RM 10	RM 11
Metals																
Antimony	Max:Mean Ratio[c]				2									2		
	Cancer Risk[d]					--								--		
	Non-cancer HQ[e]					0.01								0.02		
Arsenic, inorganic	Max:Mean Ratio		1				1	1	1	1	1	1	1	1	1	
	Cancer Risk					2E-05	2E-05	1E-05	1E-05	1E-05	1E-05	1E-05	8E-06	1E-05	8E-06	
	Non-cancer HQ					0.2	0.1	0.1	0.09	0.09	0.09	0.08	0.07	0.09	0.07	
Lead	Max:Mean Ratio						3	1	1	2	1	1	2	2	1	1
	Cancer Risk						--	--	--	--	--	--	--	--	--	--
	Non-cancer HQ						--	--	--	--	--	--	--	--	--	--
Mercury	Max:Mean Ratio		1				1	1	1	1	1	1	1	2	1	1
	Cancer Risk					--	--	--	--	--	--	--	--	--	--	--
	Non-cancer HQ					5	2	3	3	2	3	2	2	5	3	3
PAHs																
Benzo(a)anthracene	Max:Mean Ratio			5			2	1		2	2	2		2		
	Cancer Risk					6E-07	7E-07	3E-07		2E-07	1E-07	2E-06		6E-07		
	Non-cancer HQ					--	--	--		--	--	--		--		
Benzo(a)pyrene	Max:Mean Ratio							2		1		2		2		
	Cancer Risk							2E-06		7E-07		2E-05		4E-06		
	Non-cancer HQ							--		--		--		--		
Dibenzo(a,h)anthracene	Max:Mean Ratio			2	4			2				2				
	Cancer Risk					2E-06		1E-06				2E-06				
	Non-cancer HQ					--		--				--				
Phthalates																
Bis(2-ethylhexyl) phthalate	Max:Mean Ratio	2			3					1				2	1	
	Cancer Risk					8E-07				5E-07				6E-07	3E-07	
	Non-cancer HQ					0.01				0.006				0.009	0.005	
SVOCs																
Hexachlorobenzene	Max:Mean Ratio						1	1		1	1	1		1	1	1
	Cancer Risk						2E-07	3E-07		2E-07	5E-07	2E-07		3E-07	2E-07	2E-07
	Non-cancer HQ						0.0007	0.0008		0.0006	0.001	0.0006		0.0009	0.0006	0.0006
Polychlorinated Biphenyls																
Total PCBs, Adjusted	Max:Mean Ratio						1	2		2	2	1	1	1	1	2
	Cancer Risk						3E-05	2E-04		6E-05	1E-04	3E-05	5E-04	7E-05	8E-05	1E-03
	Non-cancer HQ						3	10		5	10	3	50	7	8	100
Total PCB TEQ	Max:Mean Ratio						1	1		1	1	1	1	1	1	2
	Cancer Risk						2E-05	6E-05		2E-05	3E-05	2E-05	5E-05	5E-05	3E-05	1E-04
	Non-cancer HQ						0.7	2		5	1	0.6	2	1	0.8	3
Dioxin/Furan																
Total Dioxin/Furan TEQ	Max:Mean Ratio						1	1		1	2	1	1	1	1	1
	Cancer Risk						1E-05	2E-05		2E-05	4E-04	3E-05	3E-05	2E-05	2E-05	2E-05
	Non-cancer HQ						0.4	0.5		0.5	10	0.8	1	0.6	0.6	0.6
Pesticides																
Dieldrin	Max:Mean Ratio	2						2		1	1	2		2	1	1
	Cancer Risk					2E-05		2E-05		2E-06	2E-06	8E-06		6E-06	2E-06	2E-06
	Non-cancer HQ					0.1		0.09		0.01	0.009	0.04		0.03	0.008	0.009
Total Chlordanes	Max:Mean Ratio	1	2				2	1		2	1	2		2	1	1
	Cancer Risk					2E-06	1E-06	3E-07		6E-07	2E-07	7E-07		3E-07	2E-07	2E-07
	Non-cancer HQ					0.03	0.02	0.006		0.01	0.004	0.01		0.007	0.004	0.004
Total DDD	Max:Mean Ratio	1	1				1	1	1	1	2	1	1	1	2	1
	Cancer Risk					8E-06	4E-07	4E-07	4E-07	7E-07	5E-06	1E-06	3E-07	3E-07	3E-07	6E-08
	Non-cancer HQ					0.3	0.01	0.01	0.01	0.02	0.2	0.03	0.01	0.009	0.008	0.002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F6-7: Fish Tissue Exposure Point Concentration Uncertainty Analysis[a]

Chemical of Concern		Study Area-Wide Basis[b]					River Mile Basis[b]									
		Brown bullhead	Black crappie	Carp	Smallmouth Bass	Multi-Species Diet	RM 3	RM 4	RM 5	RM 6	RM 7	RM 8	Swan Island Lago	RM 9	RM 10	RM 11
Total DDE	Max:Mean Ratio		1				2	1	1	1	2	1	1	1	1	1
	Cancer Risk					**1E-05**	**3E-06**	**2E-06**	**2E-06**	**2E-06**	**7E-06**	**3E-06**	**1E-06**	**2E-06**	**1E-06**	7E-07
	Non-cancer HQ					0.3	0.07	0.03	0.04	0.03	0.2	0.06	0.03	0.04	0.02	0.02
Total DDT	Max:Mean Ratio	2	1				3	1	2	2	2	1	2	2	2	1
	Cancer Risk					**6E-06**	**2E-06**	2E-07	**1E-06**	9E-07	**7E-06**	**2E-06**	2E-07	**1E-06**	5E-07	1E-07
	Non-cancer HQ					0.1	0.04	0.005	0.03	0.02	0.2	0.04	0.005	0.03	0.01	0.002

Notes:

a Uncertainty analysis for the use of the maximum concentration instead of the 95% UCL as the Reasonable Maximum Exposure (RME) concentration.

b Uncertainty analysis performed only for exposure points and chemicals of concern with exposure point concentration = maximum concentration and number of samples > 1.

c Largest ratio of maximum concentration to mean concentration for each exposure point.

d Cancer risks are for combined adult/child subsistence fish consumption on a Study Area-wide basis and for combined adult/child recreational fish consumption on a river mile basis.

e Noncancer HQs are for child subsistence fish consumption on a Study Area-wide basis and for child recreational fish consumption on a river mile basis.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F6-8: Shellfish Tissue Exposure Point Concentration Uncertainty Analysis[a]

		Shellfish Tissue-Clam																Shellfish-Crayfish			
Chemical of Concern		RM 2 East[b]	RM 2 West	RM 3 East	RM 4 East	RM 4 West	RM 5 East	RM 5 West	RM 6 East	RM 6 West	RM 7 West	RM 8 East	RM 8 SIL	RM 8 West	RM 9 East	RM 9 West	Study Area Wide	RM: 4, Station: 04R004	RM: 6, Station: 06R004	RM: 9, Station: 09R001	Study Area Wide
		UD	UD	UD	UD	UD	UD	UD	UD	UD	UD	UD	UD	UD	UD	UD	D	WB	WB	WB	WB
Metals																					
Arsenic, inorganic	Max:Mean Ratio[c]	1	1	1	1	1	1	1	1	1	1	1	1	1			1	1	1	1	
	Cancer Risk[d]	2E-05	2E-05	2E-05	2E-05	2E-05	1E-05	2E-05	2E-05	2E-05	2E-05	1E-05	2E-05	2E-05			2E-05	6E-06	6E-06	6E-06	
	Non-cancer HQ[e]	0.1	0.09	0.08	0.08	0.09	0.07	--	0.08	0.09	0.08	0.07	0.08	0.08			0.1	0.03	0.03	0.03	
PAHs																					
Benzo(a)anthracene	Max:Mean Ratio	1	2	1	1	2	2	2		2	2		1	1	1		2		2		5
	Cancer Risk	4E-06	5E-06	5E-06	4E-06	1E-05	2E-06	5E-05		5E-05	7E-06		2E-06	1E-06	5E-07		7E-07		6E-06		6E-06
	Non-cancer HQ	--	--	--	--	--	--	--		--	--		--	--	--		--		--		--
Benzo(a)pyrene	Max:Mean Ratio	1	2	1	1	2	2	2		2	2		1	2			2				4
	Cancer Risk	6E-06	1E-05	1E-05	8E-06	3E-05	4E-06	4E-04		4E-04	2E-05		3E-06	4E-06			3E-07				6E-06
	Non-cancer HQ	--	--	--	--	--	--	--		--	--		--	--			--				--
Benzo(b)fluoranthene	Max:Mean Ratio	1	2	1	2	2	2	2		2	2		1	2	1		2				4
	Cancer Risk	9E-07	1E-06	3E-06	2E-06	3E-06	4E-07	3E-05		4E-05	2E-06		7E-07	1E-06	2E-07		1E-07				4E-07
	Non-cancer HQ	--	--	--	--	--	--	--		--	--		--	--	--		--				--
Benzo(k)fluoranthene	Max:Mean Ratio	1	2	1	1	2	2	2		2	3		1	2	1						5
	Cancer Risk	4E-08	6E-08	1E-07	7E-08	2E-07	3E-08	2E-06		2E-06	2E-07		3E-08	1E-07	1E-08						4E-08
	Non-cancer HQ	--	--	--	--	--	--	--		--	--		--	--	--						--
Dibenzo(a,h)anthracene	Max:Mean Ratio			3	2	2	2	2		2											4
	Cancer Risk			2E-06	1E-06	3E-06	4E-07	3E-05		3E-05											6E-07
	Non-cancer HQ			--	--	--	--	--		--											--
Indeno(1,2,3-cd)pyrene	Max:Mean Ratio	1	2	1	1	1	1	2		2	2		2	3			2				5
	Cancer Risk	2E-07	3E-07	5E-07	3E-07	8E-07	8E-08	1E-05		1E-05	5E-07		2E-07	5E-07			2E-08				4E-07
	Non-cancer HQ	--	--	--	--	--	--	--		--	--		--	--			--				--
Phenols																					
Pentachlorophenol	Max:Mean Ratio																				4
	Cancer Risk																				2E-06
	Non-cancer HQ																				0.001
Polychlorinated Byphenyls																					
Total PCBs, Adjusted	Max:Mean Ratio	1	1	2	1	1	1	1		1	1		1	2	1	1	2				1
	Cancer Risk	7E-05	2E-05	1E-04	2E-05	3E-05	3E-05	2E-05		2E-05	2E-05		8E-05	9E-05	1E-05	1E-04	1E-04				3E-06
	Non-cancer HQ	4	1	6	1	2	2	1		1	1		5	5	0.7	6	6				0.2
Total PCB TEQ	Max:Mean Ratio	1	1	2	1	1	1	1		1	1		1	2	1	1	1				1
	Cancer Risk	5E-05	1E-05	8E-05	2E-05	2E-05	2E-05	1E-05		2E-05	2E-05		5E-05	5E-05	1E-05	6E-05	1E-05				5E-06
	Non-cancer HQ	0.8	0.2	1	0.4	0.4	0.4	0.2		0.4	0.3		0.9	0.9	0.2	1	0.2				0.09
Dioxin/Furan																					
Total Dioxin/Furan TEQ	Max:Mean Ratio	1	1	1	3	1	1	1		1	2		1	1	1	2	1				1
	Cancer Risk	9E-06	8E-06	1E-05	5E-05	1E-05	9E-06	2E-05		6E-05	8E-05		2E-05	2E-05	8E-06	4E-05	5E-06				2E-05
	Non-cancer HQ	0.2	0.1	0.2	0.9	0.2	0.2	0.4		1	1		0.3	0.4	0.1	0.7	0.1				0.4
Pesticides																					
Aldrin	Max:Mean Ratio	1	1	1	1	1	1	1		1	1		1	3	1	1	2				4
	Cancer Risk	4E-07	5E-07	2E-08	3E-07	5E-07	7E-07	5E-07		7E-07	7E-07		7E-07	9E-06	3E-07	7E-07	5E-07				7E-08
	Non-cancer HQ	0.002	0.002	0.002	0.001	0.002	0.003	0.002		0.003	0.003		0.003	0.04	0.001	0.003	0.002				0.0003
Dieldrin	Max:Mean Ratio	1	1	1	1	1	1	1		1	2		1	2	1	1	1				--
	Cancer Risk	2E-06	1E-06	1E-07	1E-06	2E-06	1E-06	2E-06		2E-06	2E-06		2E-06	5E-06	2E-06	2E-06	1E-06				--
	Non-cancer HQ	0.005	0.003	0.005	0.004	0.005	0.004	0.004		0.007	0.006		0.006	0.01	0.005	0.006	0.003				--
Heptachlor epoxide	Max:Mean Ratio	1	1	1	1	1	1	1	2	1	3		1	1	1	1	1				2
	Cancer Risk	7E-08	5E-08	7E-09	5E-08	7E-08	5E-08	6E-08	2E-06	1E-07	1E-06		8E-08	9E-08	6E-08	9E-08	5E-08				2E-09
	Non-cancer HQ	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.04	0.002	0.03		0.002	0.002	0.001	0.002	0.001				0.00003
Total DDD	Max:Mean Ratio	1	1	1	1	1	1	1	1	2		1	1	1	1	2				1	
	Cancer Risk	3E-07	3E-07	1E-06	2E-07	5E-07	3E-07	6E-07	2E-07	5E-06		2E-07	8E-07	8E-08	2E-07	3E-07				3E-07	
	Non-cancer HQ	0.006	0.006	0.006	0.004	0.009	0.006	0.01	0.003	0.1		0.004	0.02	0.002	0.003	0.006				0.005	
Total DDE	Max:Mean Ratio	1	1	1	1	1	1	1	1	2		1	1	1	1	2		1	1	1	
	Cancer Risk	5E-07	6E-07	1E-06	4E-07	6E-07	6E-07	7E-07	4E-07	2E-06		5E-07	3E-06	3E-07	5E-07	6E-07		3E-07	3E-07	9E-08	
	Non-cancer HQ	0.007	0.008	0.006	0.005	0.008	0.008	0.009	0.005	0.03		0.007	0.03	0.004	0.007	0.008		0.004	0.005	0.001	
Total DDT	Max:Mean Ratio	1	1	1	1	1	1	1	2			1	1	1	1	2		2	1		
	Cancer Risk	8E-08	7E-08	4E-07	8E-08	2E-07	9E-08	3E-07	2E-06			9E-08	8E-08	5E-08	8E-08	6E-08		1E-07	1E-07		
	Non-cancer HQ	0.001	0.001	0.002	0.001	0.002	0.001	0.004	0.02			0.001	0.001	0.001	0.001	0.001		0.001	0.002		

Notes:

a Uncertainty analysis for the use of the maximum concentration instead of the 95% UCL as the Reasonable Maximum Exposure (RME) concentration.

b Uncertainty analysis performed only for exposure points and chemicals of concern with exposure point concentration = maximum concentration and number of samples > 1.

c Largest ratio of maximum concentration to mean concentration for each exposure point.

d Largest calculated cancer risk for each exposure point.

e Largest calculated non-cancer hazard quotient for each exposure point.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F6-9

Summary of PCB Concentration Reduction Based on Preparation and Cooking[a]

Species[b]	Activity	Reduction (%)
Carp	Skin-off & deep frying	37
	Skin-off & deep frying	32
	Skin-off & deep frying	32
	Skin-off & pan frying	25
	Skin-off & pan frying	19
	Skin-off & pan frying	37
	Skin-on & deep frying	38
	Skin-on & deep frying	16
	Skin-on & deep frying	67
	Skin-on & pan frying	22
	Skin-on & pan frying	42
	Skin-on & pan frying	31
Chinook Salmon	Skin-off & baking	38
	Skin-off & baking	48
	Skin-off & baking	29
	Skin-off & charbroiling	44
	Skin-off & charbroiling	62
	Skin-off & charbroiling	33
	Skin-off & charbroiling, scoring	46
	Skin-off & charbroiling, scoring	52
	Skin-off & charbroiling, scoring	44
	Skin-off & canning	36
	Skin-off & canning	33
	Skin-off & canning	39
	Skin-on & baking	33
	Skin-on & baking	49
	Skin-on & baking	25
	Skin-on & charbroiling	40
	Skin-on & charbroiling	40
	Skin-on & charbroiling	44
	Skin-on & charbroiling, scoring	49
	Skin-on & charbroiling, scoring	61
	Skin-on & charbroiling, scoring	37
Smallmouth Bass	Trimming	64
	Baking	16
	Frying	74
	Trimming & cooking	80
	Minimum	16
	Maximum	80

Notes:

a Summary of information presented in Guidance fo Assessing Chemical Contaminant Data for Use in Fish Advisories, Volume 2, Appendix C, Table C-1 (EPA 2000). Reductions are based on standard fillet.

b Only species included in the risk assessment are presented.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F6-10

Comparison of PCBs as Aroclors and PCBs as Congeners in Tissue Samples[a]

Species	Total PCBs as Congeners (ug/kg)	Total PCBs as Aroclors (ug/kg)	Ratio of Congeners to Aroclors
Brown bullhead	83	67	1.2
	177	112	1.6
	236	125	1.9
	1950	1719	1.1
	266	155	1.7
	354	314	1.1
Black crappie	103	85	1.2
	106	90	1.2
	146	109	1.3
	301	250	1.2
Common carp	451	300	1.5
	8154	6865	1.2
	343	230	1.5
	574	770	0.7
	616	1010	0.6
	1383	1190	1.2
Smallmouth bass	935	784	1.2
	918	1299	0.7
	457	474	1.0
	512	595	0.9
	417	395	1.1
	345	273	1.3
	549	525	1.0
	528	106	5.0
	505	799	0.6
	4529	4855	0.9
	1072	3515	0.3
	3476	1087	3.2
	663	899	0.7
	748	859	0.9
	123	137	0.9
	275	293	0.9
	317	333	1.0
	108	64	1.7
	111	72	1.5
	78	63	1.2
Crayfish	61	21	2.9
	76	9	9.0
	32	4	8.3
	207	280	0.7
	15	3	5.4
	17	2	10.7
	28	45	0.6
	39	43	0.9
	83	110	0.8
		Minimum	0.3
		Maximum	10.7

Notes

a Results for whole body tissue samples collected during Round 1 where PCBs were analyzed as both Aroclors and Congeners in the same sample.

b ug/kg = micrograms per kilogram

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F6-11

Comparison of PCBs in Round 1 and Round 3 Fillet Tissue Samples[a]

Species	Exposure Area	Total PCBs as Congeners (ug/kg)	Total PCBs as Aroclors (ug/kg)	Ratio of Congeners to Aroclors
Common carp	RM 0 to 4	260	NA	--
	RM 4 to 8	19722	NA	--
	RM 8 to 12	776	NA	--
	RM 3 to 6	NA	1060	--
	RM 6 to 9	NA	1295	--
	Study Area Wide	19722	1197	16.5
Smallmouth Bass	RM 2	200	NA	--
	RM 3	41	60	0.7
	RM 4	241	NA	--
	RM 5	34	46	0.7
	RM 6	82	39	2.1
	RM 7	211	NA	--
	RM 8	52	93	0.6
	RM 9	104	72	1.4
	RM 10	123	NA	--
	RM 11	1482	NA	--
	Study Area Wide	510	83	6.2

Notes

a Results for fillet tissue samples.

b ug/kg = micrograms per kilogram

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F6-12

Comparison of Concentrations in Depurated and Undepurated Clam Tissue Samples[a]

Analyte[b]	Units	Tissue Type	Sample Location				
			LW3-CA01E-C00	LW3-CA02W-C00	LW3-CA10W-C00	LW3-CA11E-C00	LW3-CA12E-C00
Arsenic	ug/kg[c]	Depurated	1020	1350	798	819	760
	ug/kg	Undepurated	1070	909	654	773	799
Benzo(a)anthracene	ug/kg	Depurated	4.3	8.2	2.9	1.6	1.7
	ug/kg	Undepurated	5.5	6.7	2.5	1.9	2.6
Benzo(a)pyrene	ug/kg	Depurated	0.43	<0.21	<0.2	0.43	0.31
	ug/kg	Undepurated	0.88	0.85	<0.17	<0.17	<0.16
Benzo(b)fluoranthene	ug/kg	Depurated	0.90	1.80	<0.57	0.97	<0.52
	ug/kg	Undepurated	1.50	1.50	<0.58	<0.43	<0.66
Benzo(k)fluoranthene	ug/kg	Depurated	NA[d]	NA	NA	NA	NA
	ug/kg	Undepurated	0.97	<0.57	<0.25	<0.23	<0.43
Dibenzo(a,h)anthracene	ug/kg	Depurated	NA	NA	NA	NA	NA
	ug/kg	Undepurated	0.87	<0.25	<0.12	<0.12	<0.12
Indeno(1,2,3-cd)pyrene	ug/kg	Depurated	<0.13	0.30	<0.16	<0.13	<0.13
	ug/kg	Undepurated	0.55	0.37	0.19	<0.13	<0.13
Total PCBs	pg/g[e]	Depurated	110217	82627	154738	479834	87183
	pg/g	Undepurated	126847	83320	85171	855964	140714
PCB TEQ	pg/g	Depurated	1.20	0.86	0.71	0.65	0.52
	pg/g	Undepurated	1.39	0.90	0.69	1.72	0.92
Dioxin/furan TEQ	pg/g	Depurated	0.29	0.37	0.31	0.20	0.26
	pg/g	Undepurated	0.51	0.56	0.39	0.53	0.68
Aldrin	ug/kg	Depurated	0.187	0.278	0.173	<0.0679	<0.0766
	ug/kg	Undepurated	0.23	0.291	0.132	<0.0901	0.11
Dieldrin	ug/kg	Depurated	0.504	0.593	0.589	0.339	0.425
	ug/kg	Undepurated	0.591	0.651	0.338	0.452	0.61
DDD	ug/kg	Depurated	8.2	10.8	2.5	1.3	1.5
	ug/kg	Undepurated	10.2	11.8	1.7	1.7	2.0
DDE	ug/kg	Depurated	13.5	15.3	8.2	4.1	4.8
	ug/kg	Undepurated	16.5	16.4	5.3	5.4	6.3
DDT	ug/kg	Depurated	1.4	1.7	0.7	0.6	0.8
	ug/kg	Undepurated	1.8	1.9	0.5	0.8	1.1

Notes

a Concentrations for locations where both depurated and undepurated clam tissue samples were collected.

b Only contaminants potentially posing unacceptable risks are presented.

c ug/kg = micrograms per kilogram

d NA = not analyzed

e pg/g = picograms per gram

LWG
Lower Willamette Group

PORTLAND HARBOR RI/FS
FINAL REMEDIAL INVESTIGATION REPORT

APPENDIX F
BASELINE HUMAN HEALTH RISK ASSESSMENT

SECTION 2 TABLES

March 28, 2013

Produced for
The Lower Willamette Group and
United States Environmental Protection Agency

Produced by
Kennedy/Jenks Consultants

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 2-1

BHHRA Data From Within Study Area[a], Summarized by Matrix

Matrix	Data Types
Beach Sediment	Composite sediment samples from designated human use beaches within the Study Area.
In-Water Sediment	Surface sediment samples (between 0 and 30.5 cm depth) within the Study Area (river miles 1.9 to 11.8), excluding beach samples and samples within the navigation channel.
Shellfish Tissue	Field-collected composite clam and whole body crayfish tissue within the Study Area.
Fish Tissue	Whole body and fillet composite samples for resident fish (common carp, black crappie, brown bullhead, and smallmouth bass), fillet samples for sturgeon, whole body and fillet composite samples for salmon, and whole body composite samples for lamprey.
Surface Water	Surface water collected using a peristaltic pump and XAD-2 Infiltrex™ 300 system (column and filter) from Round 2 (3 events) and Round 3 (4 events) within the Study Area. Surface water samples were taken from various depths within the water column, as described in Appendix A of the Remedial Investigation Report.
Seep Water	Water samples collected from Outfall 22B from 2002 and later, excluding stormwater events.

Notes:

a Study Area extends from river miles 1.9 to 11.8, including Swan Island Lagoon and excluding Multnomah Channel.

Abbreviations:

BHHRA = Baseline Human Health Risk Assessment.
cm = centimeter.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 2-2

BHHRA Data From Outside Of Study Area[a], Summarized by Matrix

Matrix	Data Types
In-Water Sediment	Surface sediment samples (between 0 and 30.5 cm depth) outside of navigation channel from river miles 1.0 to 1.9, river miles 11.8 to 12.2, and Multnomah Channel.
Shellfish Tissue	Field-collected composite clam and whole body crayfish tissue outside the Study Area.
Surface Water	Surface water collected using a peristaltic pump and XAD-2 Infiltrex™ 300 system (column and filter) during Round 3 sampling from Multnomah Channel. Surface water samples were taken from near bottom and near surface horizontally-integrated depths within the water column, as described in Appendix A of the Remedial Investigation Report.

Notes:

a Dataset outside of Study Area includes samples from river miles 1.0 up to 1.9, river miles greater than 11.8 and up to 12.2, and Multnomah Channel.

Abbreviations:

BHHRA = Baseline Human Health Risk Assessment.

cm = centimeter.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 2-3

Summary of BHHRA Sediment Data From Within Study Area[a]

Sampling Event	Sampling Dates	No. of Samples[b]	Chemicals Analyzed
Beach Sediment[c]			
Round 1 beach sediment	October 2002	22	PCB Aroclors, herbicides, metals, PAHs, organochlorine pesticides, phenols, phthalates, SVOCs
Round 2 beach sediment	July to November 2004	6	PCB Aroclors, dioxins and furans, herbicides, metals, PAHs, organochlorine pesticides, phenols, phthalates, SVOCs
In-Water Sediment, LWG-Collected			
Round 1 co-located surface sediment	October to November 2002	40	PCB Aroclors, butyltins, dioxins and furans, herbicides, metals, PAHs, PCB congeners, organochlorine pesticides, phenols, phthalates, SVOCs, VOCs
Round 2A benthic sediment	December 2005	34	PCB Aroclors, butyltins, dioxins and furans, herbicides, metals, PAHs, PCB congeners, organochlorine pesticides, petroleum, phenols, phthalates, SVOCs, VOCs
Round 2A groundwater pathway assessment co-located sediment grabs	November and December 2005	33	butyltins, dioxins and furans, herbicides, metals, PAHs, organochlorine pesticides, petroleum, phenols, phthalates, SVOCs, VOCs
Groundwater pathway assessment pilot study	January 2005	11	metals, PAHs, organochlorine pesticides, petroleum, SVOCs, VOCs
Round 2A sediment cores[d]	September to November 2004	34	PCB Aroclors, butyltins, dioxins and furans, herbicides, metals, PAHs, PCB congeners, organochlorine pesticides, petroleum, phenols, phthalates, SVOCs, VOCs
Round 2A sediment grabs	July to November 2004	403	PCB Aroclors, butyltins, dioxins and furans, herbicides, metals, PAHs, PCB congeners, organochlorine pesticides, petroleum, phenols, phthalates, SVOCs, VOCs
Round 2B sediment cores	October 2005	29	PCB Aroclors, butyltins, dioxins and furans, herbicides, metals, PAHs, PCB congeners, organochlorine pesticides, petroleum, phenols, phthalates, SVOCs, VOCs
Round 3 sediment from upstream and downstream	January to February 2007	3	PCB Aroclors, dioxins and furans, metals, PAHs, organochlorine pesticides, petroleum, phenols, phthalates, SVOCs, VOCs
Round 3B Biota - Co-located Sediments	October to December 2007	20	PCB Aroclors, butyltins, dioxins and furans, metals, PAHs, PCB congeners, organochlorine pesticides, phenols, phthalates, SVOCs
Round 3B sediment grabs	November and December 2007	62	PCB Aroclors, dioxins and furans, metals, PAHs, PCB congeners, organochlorine pesticides, petroleum, phenols, phthalates, SVOCs
In-Water Sediment, Non-LWG-Collected			
2005 O&M dredge sediment characterization	May 2005	73	PCB Aroclors, butyltins, dioxins and furans, herbicides, metals, PAHs, organochlorine pesticides, petroleum, phenols, phthalates, SVOCs, VOCs
City outfall sediment investigation	October 2002	85	herbicides, metals, PAHs, PCB congeners, organochlorine pesticides, petroleum, phenols, phthalates, SVOCs
City outfall pilot project	August 2002	18	PCB Aroclors, herbicides, metals, PAHs, organochlorine pesticides, petroleum, phenols, phthalates, SVOCs
Gasco source control evaluation	April 2001	6	metals, PAHs, VOCs
McCormick & Baxter RI Phase 3	October 1999	12	dioxins and furans, metals, PAHs, phenols
PAH in surface sediments	June 1997	31	PAHs, SVOCs

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 2-3

Summary of BHHRA Sediment Data From Within Study Area[a]

Sampling Event	Sampling Dates	No. of Samples[b]	Chemicals Analyzed
Portland Harbor sediment investigation	September 1997 to February 1999	128	PCB Aroclors, butyltins, dioxins and furans, herbicides, metals, PAHs, organochlorine pesticides, phenols, phthalates, SVOCs
Portland Shipyard environmental audit	November 1997 to January 1998	6	PCB Aroclors, butyltins, metals, PAHs, phthalates, SVOCs, VOCs
Portland Shipyard sediment investigation	March to April 1998	40	PCB Aroclors, butyltins, metals, PAHs, organochlorine pesticides, phenols, phthalates, SVOCs, VOCs
Terminal 4 EE/CA	March 2003 to May 2004	43	PCB Aroclors, metals, PAHs, organochlorine pesticides, petroleum, phthalates, SVOCs
US Moorings sediment investigation 2002	September 2002	2	PCB Aroclors, butyltins, metals, PAHs, organochlorine pesticides, petroleum, phenols, phthalates, SVOCs
Willamette Cove Sampling and Analysis	September 2007	1	PCB Aroclors, butyltins, dioxins and furans, herbicides, metals, PAHs, PCB congeners, organochlorine pesticides, petroleum, phenols, phthalates, SVOCs, VOCs
Willamette River 1998 data	January 1998	4	PCB Aroclors, butyltins, metals, PAHs, phthalates

Notes:

a Study Area extends from river miles 1.9 to 11.8 inclusive, including Swan Island Lagoon, and excluding Multnomah Channel.

b Includes field replicates.

c Beach samples are composites that were collected as mulitple grab samples along transects within designated human use beaches.

d Surface sediment samples from cores within the 0- to 30.5-cm depth interval were included in the BHHRA dataset.

Abbreviations:

BHHRA = Baseline Human Health Risk Assessment.

cm = centimeter.

LWG = Lower Willamette Group.

PAH = polycyclic aromatic hydrocarbon.

PCB = polychlorinated biphenyl.

SVOC = semivolatile organic compound.

VOC = volatile organic compound.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 2-4

Summary of BHHRA Sediment Data From Outside Of Study Area[a]

Sampling Event	Sampling Dates	No. of Samples[b]	Chemicals Analyzed
In-Water Sediment, LWG-Collected			
Round 3 sediment from upstream and downstream	January to February 2007	18	PCB Aroclors, conventionals, dioxins and furans, metals, PAHs, organochlorine pesticides, petroleum, phenols, phthalates, SVOCs, VOCs
Round 3B Biota - Co-located Sediments	October to December 2007	8	PCB Aroclors, butyltins, dioxins and furans, metals, PAHs, PCB congeners, organochlorine pesticides, phenols, phthalates, SVOCs
Round 3B sediment grabs	November and December 2007	10	PCB Aroclors, conventionals, metals, PAHs, organochlorine pesticides, petroleum, phenols, phthalates, SVOCs

Notes:

a Sediment data outside of Study Area includes samples from river miles 1.0 to 1.9, river miles 11.9 to 12.2, and Multnomah Channel.

b Includes field replicates.

Abbreviations:

BHHRA = Baseline Human Health Risk Assessment.

LWG = Lower Willamette Group.

PAH = polycyclic aromatic hydrocarbon.

PCB = polychlorinated biphenyl.

SVOC = semivolatile organic compound.

VOC = volatile organic compound.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 2-5

Summary of BHHRA Surface Water And Groundwater Seep Data From Within Study Area[a]

Sampling Event	Sampling Method	No. of Samples[b]	Chemicals Analyzed
Surface Water			
Round 2A Surface Water, Nov 2004	Peristaltic pump	25	PCB Aroclors[c], butyltins, herbicides, metals, PAHs, organochlorine pesticides, phenols, phthalates, SVOCs
	XAD (combined filter and water column samples)[d]	8	Dioxins and furans, PAHs, PCB congeners, organochlorine pesticides, phthalates, SVOCs
Round 2A Surface Water, Mar 2005	Peristaltic pump	27	PCB Aroclors, butyltins, herbicides, metals, PAHs, organochlorine pesticides, phenols, phthalates, SVOCs
	XAD (combined filter and water column samples)	8	Dioxins and furans, PAHs, PCB congeners, organochlorine pesticides, phthalates, SVOCs
Round 2A Surface Water, Jul 2005	Peristaltic pump	25	PCB Aroclors, butyltins, herbicides, metals, PAHs, organochlorine pesticides, phenols, phthalates, SVOCs
	XAD (combined filter and water column samples)	7	Dioxins and furans, PAHs, PCB congeners, organochlorine pesticides, phthalates, SVOCs
Round 3A Surface Water, Jan 2006	Peristaltic pump	3	Butyltins, herbicides, metals, PAHs, phenols, phthalates, SVOCs
	XAD (combined filter and water column samples)	2	Dioxins and furans, PAHs, PCB congeners, organochlorine pesticides, SVOCs
Round 3A Surface Water, Sep 2006	Peristaltic pump	10	Butyltins, herbicides, metals, PAHs, phenols, phthalates, SVOCs
	XAD (combined filter and water column samples)	10	Dioxins and furans, PAHs, PCB congeners, organochlorine pesticides, SVOCs
Round 3A Surface Water, Nov 2006	Peristaltic pump	38	Butyltins, herbicides, metals, PAHs, organochlorine pesticides, phenols, phthalates, SVOCs
	XAD (combined filter and water column samples)	36	Dioxins and furans, PAHs, PCB congeners, organochlorine pesticides, SVOCs

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 2-5

Summary of BHHRA Surface Water And Groundwater Seep Data From Within Study Area[a]

Sampling Event	Sampling Method	No. of Samples[b]	Chemicals Analyzed
Round 3A Surface Water High Flow Event, Jan and Feb 2007	Peristaltic pump	38	Butyltins, herbicides, metals, PAHs, organochlorine pesticides, phenols, phthalates, SVOCs
	XAD (combined filter and water column samples)	36	Dioxins and furans, PAHs, PCB congeners, organochlorine pesticides, SVOCs
Groundwater Seep			
Rhône-Poulenc Outfall 22B Effluent Sampling	--	2	PCB Aroclors, dioxins and furans, herbicides, metals, PAHs, petroleum, organochlorine pesticides, phenols, phthalates, SVOCs, VOCs

Notes:

a Study Area extends from river miles 1.9 to 11.8, including Swan Island Lagoon and excluding Multnomah Channel.

b Includes field replicates.

c PCB Aroclors were derived from individual congeners by Axys Analytical Services, Ltd. for all XAD samples.

d For XAD samples, each combined filter and water column sample is presented as a single sample.

Abbreviations:

BHHRA = Baseline Human Health Risk Assessment.

PAH = polycyclic aromatic hydrocarbon.

PCB = polychlorinated biphenyl.

SVOC = semivolatile organic compound.

VOC = volatile organic compound.

XAD = XAD-2 Infiltrex™ 300 system.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 2-6

Summary of BHHRA Surface Water Data From Outside Of Study Area[a]

Sampling Event	Sampling Method	No. of Samples[b]	Chemicals Analyzed
Surface Water			
Round 3A Surface Water, Sep 2006	Peristaltic pump	2	Butyltins, herbicides, metals, PAHs, phenols, phthalates, SVOCs
	XAD (combined filter and water column samples)	2	Dioxins and furans, PAHs, PCB congeners, organochlorine pesticides, SVOCs
Round 3A Surface Water, Nov 2006	Peristaltic pump	2	Butyltins, herbicides, metals, PAHs, organochlorine pesticides, phenols, phthalates, SVOCs
	XAD (combined filter and water column samples)	2	Dioxins and furans, PAHs, PCB congeners, organochlorine pesticides, SVOCs
Round 3A Surface Water High Flow Event, Jan and Feb 2007	Peristaltic pump	2	Butyltins, herbicides, metals, PAHs, organochlorine pesticides, phenols, phthalates, SVOCs
	XAD (combined filter and water column samples)	2	Dioxins and furans, PAHs, PCB congeners, organochlorine pesticides, SVOCs

Notes:

a Samples from outside the Study Area are samples collected from station W027 in Multnomah Channel.

b Includes field replicates.

Abbreviations:

BHHRA = Baseline Human Health Risk Assessment.

PAH = polycyclic aromatic hydrocarbon.

PCB = polychlorinated biphenyl.

SVOC = semivolatile organic compound.

XAD = XAD-2 Infiltrex™ 300 system.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 2-7

Summary of BHHRA Tissue Data From Within Study Area[a]

Sampling Event	Species	Tissue Type	No. of Samples[b]	Chemicals Analyzed
Round 1 Tissue Sampling June - November 2002	Black crappie	Whole body	4	PCB Aroclors, dioxins and furans, metals, PAHs, PCB congeners, organochlorine pesticides, phenols, phthalates, SVOCs
		Fillet with skin	4	PCB Aroclors, metals, PAHs, organochlorine pesticides, phenols, phthalates, SVOCs
		Fillet without skin	4	Mercury
	Brown bullhead	Whole body	6	PCB Aroclors, dioxins and furans, metals, PAHs, PCB congeners, organochlorine pesticides, phenols, phthalates, SVOCs
		Fillet without skin	6	PCB Aroclors, metals (including mercury), PAHs, organochlorine pesticides, phenols, phthalates, SVOCs
	Common carp	Whole body	6	PCB Aroclors, dioxins and furans, metals, PAHs, PCB congeners, organochlorine pesticides, phenols, phthalates, SVOCs
		Fillet with skin	6	PCB Aroclors, metals, PAHs, organochlorine pesticides, phenols, phthalates, SVOCs
		Fillet without skin	6	Mercury
	Smallmouth bass	Whole body	14	PCB Aroclors, dioxins and furans, metals, PAHs, PCB congeners, organochlorine pesticides, phenols, phthalates, SVOCs
		Fillet with skin	5	PCB Aroclors, metals, PAHs, organochlorine pesticides, phenols, phthalates, SVOCs
		Fillet without skin	5	Mercury
	Crayfish	Whole body	27	PCB Aroclors, dioxins and furans, metals, PAHs, PCB congeners, organochlorine pesticides, phenols, phthalates, SVOCs
	Clams	Whole body	3	PCB Aroclors, butyltins, metals, PAHs, organochlorine pesticides, phenols, phthalates, SVOCs
Round 2 Tissue Sampling November - December 2005	Clams	Whole body	33	Butyltins, dioxins and furans, metals, PAHs, PCB congeners, organochlorine pesticides, phenols, phthalates, SVOCs
Round 3 Tissue Sampling August - November 2007	Smallmouth bass	Whole body[c]	18	Butyltins, dioxins and furans, metals, PAHs, PCB congeners, organochlorine pesticides, phenols, phthalates, SVOCs
		Fillet with skin	18	Butyltins, dioxins and furans, metals, PAHs, PCB congeners, organochlorine pesticides, phenols, phthalates, SVOCs
	Common carp	Whole body[c]	9	Butyltins, dioxins and furans, metals, PAHs, PCB congeners, organochlorine pesticides, phenols, SVOCs
		Fillet with skin	9	Butyltins, dioxins and furans, metals, PAHs, PCB congeners, organochlorine pesticides, phenols, SVOCs
	Clams	Whole body, depurated	3	Butyltins, dioxins and furans, metals, PAHs, PCB congeners, organochlorine pesticides, phenols, SVOCs
		Whole body, undepurated	7	Butyltins, dioxins and furans, metals, PAHs, PCB congeners, organochlorine pesticides, phenols, phthalates, SVOCs
	Crayfish	Whole body	5	Butyltins, dioxins and furans, metals, PAHs, PCB congeners, organochlorine pesticides, phenols, phthalates, SVOCs
ODHS Tissue Sampling[d] May - August 2003	Salmon	Whole body	4	PCB Aroclors, dioxins and furans, metals, PAHs, PCB congeners, organochlorine pesticides, phenols, SVOCs
		Fillet with skin	3	PCB Aroclors, dioxins and furans, metals, PAHs, PCB congeners, organochlorine pesticides, phenols, SVOCs
		Fillet without skin	3	Mercury, PCB congeners, dioxins and furans
	Lamprey	Whole body	4	PCB Aroclors, dioxins and furans, metals, PAHs, PCB congeners, organochlorine pesticides, phenols, SVOCs
	Sturgeon[e]	Fillet without skin	5	PCB Aroclors, dioxins and furans, metals, PAHs, PCB congeners, organochlorine pesticides, phenols, SVOCs

Notes:

a Study Area extends from river miles 1.9 to 11.8, including Swan Island Lagoon and excluding Multnomah Channel.

b Samples are composites, except as noted. Includes field replicates.

c Whole body samples were analyzed as fillet tissue and remainder. Results were combined to calculate whole body concentrations.

d A cooperative effort of the Oregon Department of Human Services (ODHS), Agency for Toxic Substances and Disease Registry (ATSDR), Oregon Department of Fish and Wildlife (ODFW), the City of Portland and EPA Region 10 conducted in the summer of 2003.

e Sturgeon samples were individual fish, not composites.

Abbreviations:

BHHRA = Baseline Human Health Risk Assessment.

PAH = polycyclic aromatic hydrocarbon.

PCB = polychlorinated biphenyl.

SVOC = semivolatile organic compound.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 2-8

Summary of BHHRA Tissue Data From Outside Of Study Area[a]

Sampling Event	Species	Tissue Type	No. of Samples[b]	Chemicals Analyzed
Round 3 Tissue Sampling August - November 2007	Clams	Whole body, depurated	2	Butyltins, dioxins and furans, metals, PAHs, PCB congeners, organochlorine pesticides, phenols, SVOCs
		Whole body, undepurated	3	Butyltins, dioxins and furans, metals, PAHs, PCB congeners, organochlorine pesticides, phenols, phthalates, SVOCs
	Crayfish	Whole body	4	Butyltins, dioxins and furans, metals, PAHs, PCB congeners, organochlorine pesticides, phenols, phthalates, SVOCs

Notes:

a Tissue data outside of Study Area includes samples from river miles 1.0 to 1.9, river miles 11.9 to 12.2, and Multnomah Channel.

b Samples are composites. Number indicated includes field replicates.

Abbreviations:

BHHRA = Baseline Human Health Risk Assessment.
PAH = polycyclic aromatic hydrocarbon.
PCB = polychlorinated biphenyl.
SVOC = semivolatile organic compound.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: Baseline HHRA
March 28, 2013

Table 2-9

Occurrence, Distribution, and Selection of Chemicals of Potential Concern - Industrial Use Beach Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: Beach Sediment, Industrial Use

Exposure Point	CAS Number	Chemical[a]	Notes	Units	Minimum Detected Concentration	Maximum Detected Concentration	Location of Maximum Concentration	Detection Frequency	Range of Detection Limits[b]			Concentration Used for Screening[c]	Screening Toxicity Value	COPC Flag (Y/N)	Rationale for Selection or Deletion
Study Area-wide		**Metals**													
Industrial Use	7429-90-5	Aluminum		mg/kg	9.2E+03	1.9E+04	LWG0108B032SDS015C00	100%	NA	-	NA	9.9E+04	nc	N	Maximum detected value does not exceed screening value.
Beaches	7440-36-0	Antimony		mg/kg	2.0E-01	3.3E-01	LW2-B004	25%	9.0E-02	-	1.2E-01	4.1E+01	nc	N	Maximum detected value does not exceed screening value.
	7440-38-2	Arsenic		mg/kg	1.7E+00	2.7E+00	LW2-B004	100%	NA	-	NA	1.6E+00	ca	Y	Maximum detected value exceeds screening value.
	7440-43-9	Cadmium		mg/kg	3.0E-02	7.3E-01	LW2-B004	100%	NA	-	NA	8.0E+01	nc	N	Maximum detected value does not exceed screening value.
	7440-47-3	Chromium	d	mg/kg	1.3E+01	8.4E+01	LW2-B004	100%	NA	-	NA	1.5E+05	nc	N	Maximum detected value does not exceed screening value.
	7440-50-8	Copper		mg/kg	1.2E+01	2.8E+01	LW2-B004	100%	NA	-	NA	4.1E+03	nc	N	Maximum detected value does not exceed screening value.
	7439-92-1	Lead	e	mg/kg	5.1E+00	5.0E+01	LWG0106B025SDS015C00	100%	NA	-	NA	8.0E+02	nc	N	Maximum detected value does not exceed screening value.
	7439-97-6	Mercury		mg/kg	8.0E-03	4.0E-02	LW2-B004	38%	4.0E-02	-	6.0E-02	3.4E+00	nc	N	Maximum detected value does not exceed screening value.
	7440-02-0	Nickel		mg/kg	1.4E+01	6.9E+01	LWG0106B025SDS015C00	100%	NA	-	NA	2.0E+03	nc	N	Maximum detected value does not exceed screening value.
	7440-22-4	Silver		mg/kg	2.5E-02	1.4E-01	LW2-B004	38%	2.0E-02	-	3.0E-02	5.1E+02	nc	N	Maximum detected value does not exceed screening value.
	7440-66-6	Zinc		mg/kg	6.4E+01	2.5E+02	LW2-B004	100%	NA	-	NA	3.1E+04	nc	N	Maximum detected value does not exceed screening value.
		Polynuclear Aromatic Hydrocarbons													
	91-57-6	2-Methylnaphthalene		ug/kg	5.1E-01	2.2E+03	LWG0106B025SDS015C00	50%	1.9E+01	-	2.0E+01	4.1E+05	nc	N	Maximum detected value does not exceed screening value.
	83-32-9	Acenaphthene		ug/kg	2.4E-01	3.6E+03	LWG0106B025SDS015C00	38%	2.0E-01	-	2.0E+01	3.3E+06	nc	N	Maximum detected value does not exceed screening value.
	208-96-8	Acenaphthylene	f	ug/kg	7.5E-01	5.0E+03	LWG0106B025SDS015C00	63%	1.9E+01	-	2.0E+01	3.3E+06	nc	N	Maximum detected value does not exceed screening value.
	120-12-7	Anthracene		ug/kg	6.3E-01	8.0E+03	LWG0106B025SDS015C00	63%	1.9E+01	-	2.0E+01	1.7E+07	nc	N	Maximum detected value does not exceed screening value.
	56-55-3	Benzo(a)anthracene		ug/kg	1.8E+00	2.9E+04	LWG0106B025SDS015C00	100%	NA	-	NA	2.1E+03	ca	Y	Maximum detected value exceeds screening value.
	50-32-8	Benzo(a)pyrene		ug/kg	1.3E+00	4.1E+04	LWG0106B025SDS015C00	100%	NA	-	NA	2.1E+02	ca	Y	Maximum detected value exceeds screening value.
	205-99-2	Benzo(b)fluoranthene		ug/kg	3.1E+00	3.1E+04	LWG0106B025SDS015C00	100%	NA	-	NA	2.1E+03	ca	Y	Maximum detected value exceeds screening value.
	191-24-2	Benzo(g,h,i)perylene	g	ug/kg	1.6E+00	3.6E+04	LWG0106B025SDS015C00	100%	NA	-	NA	1.7E+06	nc	N	Maximum detected value does not exceed screening value.
	207-08-9	Benzo(k)fluoranthene		ug/kg	1.1E+00	2.4E+04	LWG0106B025SDS015C00	100%	NA	-	NA	2.1E+04	ca	Y	Maximum detected value exceeds screening value.
	218-01-9	Chrysene		ug/kg	1.6E+00	3.8E+04	LWG0106B025SDS015C00	100%	NA	-	NA	2.1E+05	ca	N	Maximum detected value does not exceed screening value.
	53-70-3	Dibenzo(a,h)anthracene		ug/kg	1.5E+00	9.5E+03	LWG0106B025SDS015C00	63%	3.1E-01	-	4.0E+00	2.1E+02	ca	Y	Maximum detected value exceeds screening value.
	206-44-0	Fluoranthene		ug/kg	3.6E+00	6.8E+04	LWG0106B025SDS015C00	75%	1.9E+01	-	2.0E+01	2.2E+06	nc	N	Maximum detected value does not exceed screening value.
	86-73-7	Fluorene		ug/kg	3.3E-01	3.6E+03	LWG0106B025SDS015C00	38%	2.4E-01	-	2.0E+01	2.2E+06	nc	N	Maximum detected value does not exceed screening value.
	193-39-5	Indeno(1,2,3-cd)pyrene		ug/kg	1.2E+00	3.1E+04	LWG0106B025SDS015C00	100%	NA	-	NA	2.1E+03	ca	Y	Maximum detected value exceeds screening value.
	91-20-3	Naphthalene		ug/kg	5.6E+00	7.0E+03	LWG0106B025SDS015C00	38%	1.3E+00	-	2.0E+01	1.8E+04	ca	N	Maximum detected value does not exceed screening value.
	85-01-8	Phenanthrene	g	ug/kg	1.7E+00	4.7E+04	LWG0106B025SDS015C00	63%	1.9E+01	-	2.0E+01	1.7E+06	nc	N	Maximum detected value does not exceed screening value.
	129-00-0	Pyrene		ug/kg	4.3E+00	8.0E+04	LWG0106B025SDS015C00	75%	1.9E+01	-	2.0E+01	1.7E+06	nc	N	Maximum detected value does not exceed screening value.
		Phthalates													
	117-81-7	Bis(2-ethylhexyl) phthalate		ug/kg	2.0E+01	5.0E+01	LWG0105B019SDS015C00	50%	5.6E+00	-	9.8E+01	1.2E+05	ca	N	Maximum detected value does not exceed screening value.
	84-74-2	Dibutyl phthalate		ug/kg	3.5E+00	1.4E+01	LW2-B004	25%	3.1E+00	-	9.8E+01	6.2E+06	nc	N	Maximum detected value does not exceed screening value.
		SVOCs													
	86-74-8	Carbazole	h	ug/kg	1.8E+00	2.8E+03	LWG0106B025SDS015C00	50%	1.6E+00	-	4.0E+00	2.2E+06	nc	N	Maximum detected value does not exceed screening value.
	132-64-9	Dibenzofuran		ug/kg	3.1E-01	5.6E+02	LWG0106B025SDS015C00	50%	2.1E-01	-	4.0E+00	1.0E+05	nc	N	Maximum detected value does not exceed screening value.
		Polychlorinated Biphenyls													
		Total PCB Aroclors	i	ug/kg	1.7E+01	1.6E+03	LW2-B004	63%	3.8E+00	-	3.9E+00	7.4E+02	ca	Y	Maximum detected value exceeds screening value.
		Dioxin/Furan													
		Total PCB TEQ	j	pg/g	3.8E+00	3.1E+01	LW2-B004	100%	NA	-	NA	1.8E+01	ca	Y	Maximum detected value exceeds screening value.
		Total Dioxin TEQ	j	pg/g	1.7E-01	9.5E-01	LW2-B004	100%	NA	-	NA	1.8E+01	ca	N	Maximum detected value does not exceed screening value.
		Pesticides													
	319-84-6	alpha-Hexachlorocyclohexane		ug/kg	4.8E-01	4.8E-01	LW2-B004	13%	3.1E-02	-	3.9E+00	2.7E+02	ca	N	Maximum detected value does not exceed screening value.
	319-85-7	beta-Hexachlorocyclohexane		ug/kg	1.1E+00	1.3E+00	LW2-B006	25%	3.3E-02	-	4.2E+01	9.6E+02	ca	N	Maximum detected value does not exceed screening value.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: Baseline HHRA
March 28, 2013

Table 2-9

Occurrence, Distribution, and Selection of Chemicals of Potential Concern - Industrial Use Beach Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: Beach Sediment, Industrial Use

Exposure Point	CAS Number	Chemical[a]	Notes	Units	Minimum Detected Concentration	Maximum Detected Concentration	Location of Maximum Concentration	Detection Frequency	Range of Detection Limits[b]	Concentration Used for Screening[c]	Screening Toxicity Value	COPC Flag (Y/N)	Rationale for Selection or Deletion
		Total DDD	k	ug/kg	1.1E+00	1.5E+00	LW2-B004	38%	4.5E-02 - 9.0E+00	7.2E+03	ca	N	Maximum detected value does not exceed screening value.
		Total DDT	l	ug/kg	3.3E-01	6.7E+00	LWG0106B029SDS015C00	50%	3.9E-01 - 1.2E+01	7.0E+03	ca	N	Maximum detected value does not exceed screening value.

Notes:
a Chemicals listed include analytes detected in human health beach sediment samples from beaches designated as having potential for industrial use.
b For chemical mixtures, the range of detection limits listed is the maximum and minimum detection limit for individual isomers or congeners within the mixture.
c Screening concentrations and toxicity classifications are from EPA RSLs for industrial soil (Nov 2010) unless otherwise noted. RSLs for noncarcinogenic chemicals are divided by 10.
d EPA RSL for trivalent chromium used for chromium screening concentration.
e EPA RSL for lead not divided by 10 for screening.
f EPA RSL for acenaphthene used as surrogate.
g EPA RSL for pyrene used as surrogate.
h EPA RSL for fluorene used as surrogate.
i EPA RSL for PCBs as Aroclor 1254 used for screening concentration.
j EPA RSL for 2,3,7,8-TCDD (Dioxin) used for screening concentration. Detection limits listed are for individual congeners/isomers before TEQ adjustment.
k EPA RSL for DDD used for total DDD screening concentration.
l EPA RSL for DDT used for total DDT screening concentration.

Abbreviations:
ca = Carcinogen.
CAS = Chemical Abstract Services number.
COPC = Chemical of potential concern.
EPA = U.S. Environmental Protection Agency.
max = Ceiling limit recommended for screening value.
mg/kg = Milligrams per kilogram.
N = No.
NA = Not applicable. Chemical detected at 100% frequency.
nc = Noncarcinogen.
RSL = Regional screening level.
SVOC = Semivolatile organic compound.
TEQ = Toxicity equivalent.
Y = Yes.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: Baseline HHRA
March 28, 2013

Table 2-10

Occurrence, Distribution, and Selection of Chemicals of Potential Concern - Sediment at Beaches Used for Recreation, by Transients, and/or by Fishers

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: Beach Sediment, Recreation, Transients, and/or Fishers Use

Exposure Point	CAS Number	Chemical[a]		Units	Minimum Detected Concentration	Maximum Detected Concentration	Location of Maximum Concentration	Detection Frequency	Range of Detection Limits[b]		Concentration Used for Screening[c]	Screening Toxicity Value	COPC Flag (Y/N)	Rationale for Selection or Deletion
Study Area wide		**Metals**												
Residential Use	7429-90-5	Aluminum		mg/kg	1.0E+04	2.2E+04	LWG0103B031SDS015C00	100%	NA - NA		7.7E+03	nc	Y	Maximum detected value exceeds screening value.
Beaches	7440-36-0	Antimony		mg/kg	2.0E-01	1.3E+01	LWG0104B024SDS015C00	35%	1.1E-01 - 1.8E-01		3.1E+00	nc	Y	Maximum detected value exceeds screening value.
	7440-38-2	Arsenic		mg/kg	7.0E-01	9.9E+00	LWG0106B030SDS015C00	100%	NA - NA		3.9E-01	ca	Y	Maximum detected value exceeds screening value.
	7440-43-9	Cadmium		mg/kg	3.0E-02	2.3E-01	LWG0106B022SDS015C00	100%	NA - NA		7.0E+00	nc	N	Maximum detected value does not exceed screening value.
	7440-47-3	Chromium	d	mg/kg	1.3E+01	7.7E+01	LWG0106B030SDS015C00	100%	NA - NA		1.2E+04	nc	N	Maximum detected value does not exceed screening value.
	7440-50-8	Copper		mg/kg	1.4E+01	6.1E+02	LWG0106B030SDS015C00	100%	NA - NA		3.1E+02	nc	Y	Maximum detected value exceeds screening value.
	7439-92-1	Lead	e	mg/kg	4.7E+00	6.2E+01	LWG0105B018SDS015C00	100%	NA - NA		4.0E+02	nc	N	Maximum detected value does not exceed screening value.
	7439-97-6	Mercury		mg/kg	1.9E-02	1.8E-01	LWG0106B026SDS015C00	20%	4.0E-02 - 6.0E-02		5.6E-01	nc	N	Maximum detected value does not exceed screening value.
	7440-02-0	Nickel		mg/kg	1.4E+01	4.1E+01	LWG0106B030SDS015C00	100%	NA - NA		1.5E+02	nc	N	Maximum detected value does not exceed screening value.
	7782-49-2	Selenium		mg/kg	5.0E-02	6.0E-02	LW2-B005	10%	4.0E-02 - 3.0E-01		3.9E+01	nc	N	Maximum detected value does not exceed screening value.
	7440-22-4	Silver		mg/kg	2.0E-02	2.0E-01	LWG0106B030SDS015C00	30%	2.0E-02 - 3.0E-02		3.9E+01	nc	N	Maximum detected value does not exceed screening value.
	7440-66-6	Zinc		mg/kg	5.5E+01	1.4E+02	LWG0106B022SDS015C00	100%	NA - NA		2.3E+03	nc	N	Maximum detected value does not exceed screening value.
		Polynuclear Aromatic Hydrocarbons												
	91-57-6	2-Methylnaphthalene		ug/kg	8.6E-01	8.3E+00	LW2-B003	15%	1.9E+01 - 2.0E+01		3.1E+04	nc	N	Maximum detected value does not exceed screening value.
	83-32-9	Acenaphthene		ug/kg	2.3E+00	3.2E+01	LW2-B003	10%	1.9E+01 - 2.0E+01		3.4E+05	nc	N	Maximum detected value does not exceed screening value.
	208-96-8	Acenaphthylene	f	ug/kg	1.8E+00	5.1E+01	LWG0104B024SDS015C00	20%	1.9E+01 - 2.0E+01		3.4E+05	nc	N	Maximum detected value does not exceed screening value.
	120-12-7	Anthracene		ug/kg	1.4E+00	4.6E+01	LWG0104B024SDS015C00	20%	1.9E+01 - 2.0E+01		1.7E+06	nc	N	Maximum detected value does not exceed screening value.
	56-55-3	Benzo(a)anthracene		ug/kg	4.8E+00	2.1E+02	LW2-B003	95%	1.9E+00 - 1.9E+00		1.5E+02	ca	Y	Maximum detected value exceeds screening value.
	50-32-8	Benzo(a)pyrene		ug/kg	4.4E+00	3.6E+02	LW2-B003, LWG0104B024SDS015C00	95%	1.9E+00 - 1.9E+00		1.5E+01	ca	Y	Maximum detected value exceeds screening value.
	205-99-2	Benzo(b)fluoranthene		ug/kg	2.1E+00	3.1E+02	LW2-B003	100%	NA - NA		1.5E+02	ca	Y	Maximum detected value exceeds screening value.
	191-24-2	Benzo(g,h,i)perylene	g	ug/kg	1.9E+00	3.1E+02	LW2-B003	100%	NA - NA		1.7E+05	nc	N	Maximum detected value does not exceed screening value.
	207-08-9	Benzo(k)fluoranthene		ug/kg	2.7E+00	2.7E+02	LWG0104B024SDS015C00	100%	NA - NA		1.5E+03	ca	N	Maximum detected value does not exceed screening value.
	218-01-9	Chrysene		ug/kg	3.6E+00	3.1E+02	LWG0104B024SDS015C00	100%	NA - NA		1.5E+04	ca	N	Maximum detected value does not exceed screening value.
	53-70-3	Dibenzo(a,h)anthracene		ug/kg	2.2E+00	3.3E+01	LW2-B003	50%	1.9E+00 - 9.5E+00		1.5E+01	ca	Y	Maximum detected value exceeds screening value.
	206-44-0	Fluoranthene		ug/kg	7.3E+00	5.2E+02	LWG0104B024SDS015C00	70%	1.9E+01 - 1.9E+01		2.3E+05	nc	N	Maximum detected value does not exceed screening value.
	86-73-7	Fluorene		ug/kg	4.0E-01	6.5E+00	LW2-B003	15%	1.9E+01 - 2.0E+01		2.3E+05	nc	N	Maximum detected value does not exceed screening value.
	193-39-5	Indeno(1,2,3-cd)pyrene		ug/kg	4.4E+00	2.8E+02	LW2-B003	95%	1.9E+00 - 1.9E+00		1.5E+02	ca	Y	Maximum detected value exceeds screening value.
	91-20-3	Naphthalene		ug/kg	1.1E+01	4.1E+01	LWG0106B022SDS015C00	20%	1.9E+00 - 2.0E+01		3.6E+03	ca	N	Maximum detected value does not exceed screening value.
	85-01-8	Phenanthrene	g	ug/kg	1.7E+00	3.2E+02	LWG0104B024SDS015C00	55%	1.9E+01 - 2.0E+01		1.7E+05	nc	N	Maximum detected value does not exceed screening value.
	129-00-0	Pyrene		ug/kg	1.2E+01	7.0E+02	LWG0104B024SDS015C00	70%	1.9E+01 - 2.0E+01		1.7E+05	nc	N	Maximum detected value does not exceed screening value.
		Phthalates												
	117-81-7	Bis(2-ethylhexyl) phthalate		ug/kg	2.1E+01	2.3E+02	LWG0105B018SDS015C00	75%	8.2E+00 - 1.9E+01		3.5E+04	ca	N	Maximum detected value does not exceed screening value.
	84-74-2	Dibutyl phthalate		ug/kg	3.9E+00	1.9E+02	LWG0106B030SDS015C00	45%	3.2E+00 - 2.0E+01		6.1E+05	nc	N	Maximum detected value does not exceed screening value.
	84-66-2	Diethyl phthalate		ug/kg	4.8E+01	4.8E+01	LWG0106B030SDS015C00	5%	4.3E+00 - 2.0E+01		4.9E+06	nc	N	Maximum detected value does not exceed screening value.
		SVOCs												
	86-74-8	Carbazole	h	ug/kg	2.6E+00	1.6E+01	LWG0104B024SDS015C00	25%	1.6E+00 - 9.5E+00		2.3E+05	nc	N	Maximum detected value does not exceed screening value.
	132-64-9	Dibenzofuran		ug/kg	7.9E-01	1.1E+01	LWG0106B022SDS015C00	25%	2.3E-01 - 9.5E+00		7.8E+03	nc	N	Maximum detected value does not exceed screening value.
	118-74-1	Hexachlorobenzene		ug/kg	6.6E-01	6.6E-01	LWG0107B024SDS015C00	5%	1.9E-01 - 2.9E+00		3.0E+02	ca	N	Maximum detected value does not exceed screening value.
		Phenols												
	106-44-5	4-Methylphenol		ug/kg	9.5E+00	9.5E+00	LW2-B003	5%	3.6E+00 - 2.0E+01		3.1E+04	nc	N	Maximum detected value does not exceed screening value.
	87-86-5	Pentachlorophenol		ug/kg	2.2E+01	2.2E+01	LWG0107B023SDS015C00	5%	4.8E-01 - 4.8E+01		8.9E+02	ca	N	Maximum detected value does not exceed screening value.
		Polychlorinated Biphenyls												
		Total PCB Aroclors	i	ug/kg	6.5E+00	8.2E+01	LWG0104B024SDS015C00	50%	1.6E+00 - 4.6E+01		2.2E+02	ca	N	Maximum detected value does not exceed screening value.
		Dioxin/Furan												
		Total Dioxin TEQ	j	pg/g	3.5E-02	8.8E-02	LW2-B005	100%	NA - NA		4.5E+00	ca	N	Maximum detected value does not exceed screening value.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: Baseline HHRA
March 28, 2013

Table 2-10

Occurrence, Distribution, and Selection of Chemicals of Potential Concern - Sediment at Beaches Used for Recreation, by Transients, and/or by Fishers

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: Beach Sediment, Recreation, Transients, and/or Fishers Use

Exposure Point	CAS Number	Chemical[a]		Units	Minimum Detected Concentration	Maximum Detected Concentration	Location of Maximum Concentration	Detection Frequency	Range of Detection Limits[b]		Concentration Used for Screening[c]	Screening Toxicity Value	COPC Flag (Y/N)	Rationale for Selection or Deletion
		Pesticides												
	319-85-7	beta-Hexachlorocyclohexane		ug/kg	3.5E+00	5.1E+00	LW2-B005	10%	3.4E-02 - 4.9E+00		2.7E+02	ca	N	Maximum detected value does not exceed screening value.
	53494-70-5	Endrin ketone	k	ug/kg	4.6E-01	4.6E-01	LW2-B003	5%	2.8E-02 - 1.1E+00		1.8E+03	nc	N	Maximum detected value does not exceed screening value.
		Total Chlordanes	l	ug/kg	5.9E+00	5.9E+00	LWG0109B027SDS015C	5%	3.2E-02 - 4.1E+00		1.6E+03	ca	N	Maximum detected value does not exceed screening value.
		Total DDD	m	ug/kg	1.0E+00	1.3E+02	LWG0107B024SDS015C00	35%	3.8E-01 - 7.3E-01		2.0E+03	ca	N	Maximum detected value does not exceed screening value.
		Total DDE	n	ug/kg	1.6E-01	1.0E+02	LWG0107B024SDS015C00	25%	3.8E-01 - 4.6E+00		1.4E+03	ca	N	Maximum detected value does not exceed screening value.
		Total DDT	o	ug/kg	9.2E-01	1.4E+02	LWG0107B024SDS015C00	30%	3.8E-01 - 2.6E+00		1.7E+03	ca	N	Maximum detected value does not exceed screening value.

Notes:

a Chemicals listed include analytes detected in human health beach sediment samples from beaches designated as having potential for residential/recreational use.

b For chemical mixtures, the range of detection limits listed is the maximum and minimum detection limit for individual isomers or congeners within the mixture.

c Screening concentrations and toxicity classifications are from EPA RSLs for residential soil (Nov 2010) unless otherwise noted. RSLs for noncarcinogenic chemicals are divided by 10.

d EPA RSL for trivalent chromium used for chromium screening concentration.

e EPA RSL for lead not divided by 10 for screening.

f EPA RSL for acenaphthene used as surrogate.

g EPA RSL for pyrene used as surrogate.

h EPA RSL for fluorene used as surrogate.

i EPA RSL for PCBs as Aroclor 1254 used for screening value.

j EPA RSL for 2,3,7,8-TCDD (Dioxin) used for screening value. Detection limits listed are for individual dioxin/furans before TEQ adjustment.

k EPA RSL for endrin used as surrogate.

l EPA RSL for chlordane used for total chlordane screening value .

m EPA RSL for DDD used for total DDD screening value.

n EPA RSL for DDE used for total DDE screening value.

o EPA RSL for DDT used for total DDT screening value.

Abbreviations:

ca = Carcinogen.
CAS = Chemical Abstract Services number.
COPC = Chemical of potential concern.
EPA = U.S. Environmental Protection Agency.
max = Ceiling limit recommended for screening value.
mg/kg = Milligrams per kilogram.
N = No.
NA = Not applicable. Chemical detected at 100% frequency.
nc = Noncarcinogen.
RSL = Regional screening level.
SVOC = Semivolatile organic compound.
TEQ = Toxicity equivalent.
Y = Yes.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 2-11

Occurrence, Distribution, and Selection of Chemicals of Potential Concern - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-water Sediment

Exposure Point	CAS Number	Chemical[a]		Units	Minimum Detected Concentration	Maximum Detected Concentration	Location of Maximum Concentration	Detection Frequency	Range of Detection Limits[b]	Concentration Used for Screening[c]	Screening Toxicity Value	COPC Flag (Y/N)	Rationale for Selection or Deletion
Study Area-wide		**Metals**											
	7429-90-5	Aluminum		mg/kg	1.6E+03	4.6E+04	WR-WSI98SD139	100%	NA - NA	9.9E+04	nc	N	Maximum detected value does not exceed screening value.
	7440-36-0	Antimony		mg/kg	4.0E-02	3.2E+01	WLCOFJ0222B04	75%	3.0E-02 - 8.0E+00	4.1E+01	nc	N	Maximum detected value does not exceed screening value.
	7440-38-2	Arsenic		mg/kg	9.7E-01	7.6E+01	WLCOFJ024803	89%	3.0E+00 - 1.0E+01	1.6E+00	ca	Y	Maximum detected value exceeds screening value.
	7440-39-3	Barium		mg/kg	6.7E+01	6.0E+03	CP-09-A-PG	100%	NA - NA	1.9E+04	nc	N	Maximum detected value does not exceed screening value.
	7440-41-7	Beryllium		mg/kg	2.2E-01	9.0E-01	WR-WSI98SD075	100%	NA - NA	2.0E+02	nc	N	Maximum detected value does not exceed screening value.
	7440-43-9	Cadmium		mg/kg	1.6E-02	4.6E+01	WLCOFJ02M0301	92%	1.6E-03 - 1.1E+00	8.0E+01	nc	N	Maximum detected value does not exceed screening value.
	7440-47-3	Chromium	d	mg/kg	4.1E+00	7.7E+02	WLCOFJ0219A01	100%	2.8E+01 - 4.5E+01	1.5E+05	nc	N	Maximum detected value does not exceed screening value.
	18540-29-9	Chromium hexavalent		mg/kg	2.0E-01	2.1E+00	LW2-GBT012	45%	1.0E-01 - 6.0E-01	5.6E+00	ca	N	Maximum detected value does not exceed screening value.
	7440-48-4	Cobalt		mg/kg	1.1E+01	2.4E+01	WR-WSI98SD075	100%	NA - NA	3.0E+01	nc	N	Maximum detected value does not exceed screening value.
	7440-50-8	Copper		mg/kg	4.4E+00	2.8E+03	LW3-UG01	100%	NA - NA	4.1E+03	nc	N	Maximum detected value does not exceed screening value.
	7439-89-6	Iron		mg/kg	2.9E+04	6.5E+04	WR-WSI98SD075	100%	NA - NA	7.2E+04	nc	N	Maximum detected value does not exceed screening value.
	7439-92-1	Lead	e	mg/kg	2.2E+00	1.3E+04	LW3-GWC1	100%	5.3E+00 - 1.0E+01	8.0E+02	nc	Y	Maximum detected value exceeds screening value.
	7439-96-5	Manganese		mg/kg	2.4E+02	2.1E+03	KM-08-A-PG, LWP1-ARC03B	100%	NA - NA	2.3E+03	nc	N	Maximum detected value does not exceed screening value.
	7439-97-6	Mercury		mg/kg	7.0E-03	6.5E+01	LW3-GWC1	95%	8.0E-03 - 1.0E-01	3.4E+00	nc	Y	Maximum detected value exceeds screening value.
	7440-02-0	Nickel		mg/kg	4.8E+00	5.9E+02	PSYSEA98PSY27	99%	1.5E+01 - 3.0E+01	2.0E+03	nc	N	Maximum detected value does not exceed screening value.
	7782-49-2	Selenium		mg/kg	3.0E-02	2.0E+01	WR-WSI98SD139	46%	3.0E-02 - 6.0E+00	5.1E+02	nc	N	Maximum detected value does not exceed screening value.
	7440-22-4	Silver		mg/kg	1.4E-02	1.5E+01	WLCOFJ02S0202	97%	2.8E-02 - 1.0E+00	5.1E+02	nc	N	Maximum detected value does not exceed screening value.
	7440-28-0	Thallium	f	mg/kg	2.6E-02	2.7E+01	WR-WSI98SD043	85%	5.1E-02 - 1.0E+01	NA	--	Y	Screening value not available.
	7440-31-5	Tin		mg/kg	8.9E-01	5.4E+00	WRD&M98DMJ	100%	NA - NA	6.1E+04	nc	N	Maximum detected value does not exceed screening value.
	7440-32-6	Titanium	f	mg/kg	1.3E+03	3.5E+03	WRD&M98DMJ	100%	NA - NA	NA	--	Y	Screening value not available.
	7440-62-2	Vanadium		mg/kg	6.9E+01	1.5E+02	WR-WSI98SD075	100%	NA - NA	7.2E+00	nc	Y	Maximum detected value exceeds screening value.
	7440-66-6	Zinc		mg/kg	9.7E+00	2.9E+03	WLCOFJ02M0301	100%	NA - NA	3.1E+04	nc	N	Maximum detected value does not exceed screening value.
		Butyltins											Maximum detected value does not exceed screening value.
	78763-54-9	Butyltin ion	g	ug/kg	9.3E-02	7.4E+02	WR-WSI98SD012	72%	4.2E-02 - 6.9E+00	1.8E+04	nc	N	Maximum detected value does not exceed screening value.
	683-18-1	Dibutyltin dichloride	g	ug/kg	1.7E+01	3.4E+01	LWG0103R004SDS015C10,	100%	NA - NA	1.8E+04	nc	N	Maximum detected value does not exceed screening value.
	14488-53-0	Dibutyltin ion	g	ug/kg	1.4E-01	2.7E+03	LW2-G421	76%	4.0E-02 - 3.3E+01	1.8E+04	nc	N	Maximum detected value does not exceed screening value.
	1118-46-3	Monobutyltin trichloride	g	ug/kg	8.2E+00	2.8E+01	LWG0103R004SDS015C10	75%	NA - NA	1.8E+04	nc	N	Maximum detected value does not exceed screening value.
	1461-25-2	Tetrabutyltin	g	ug/kg	2.7E-01	1.0E+03	LW2-G421	32%	8.1E-02 - 6.0E+00	1.8E+04	nc	N	Maximum detected value does not exceed screening value.
	1461-22-9	Tributyltin chloride	g	ug/kg	2.5E+01	6.4E+01	LWG0103R005SDS015C00	100%	NA - NA	1.8E+04	nc	N	Maximum detected value does not exceed screening value.
	36643-28-4	Tributyltin ion	g	ug/kg	4.5E-01	4.7E+04	WR-WSI98SD012	94%	7.9E-02 - 5.8E+00	1.8E+04	nc	Y	Maximum detected value exceeds screening value.
		Polynuclear Aromatic Hydrocarbons											Maximum detected value does not exceed screening value.
	2245-38-7	1,6,7-Trimethylnaphthalene	h	ug/kg	2.4E-01	2.2E+02	WLCT4C04UP14	93%	5.0E+00 - 5.0E+00	1.8E+04	ca	N	Maximum detected value does not exceed screening value.
	90-12-0	1-Methylnaphthalene		ug/kg	2.4E-01	9.0E+02	LW3-G609	98%	5.0E+00 - 5.0E+00	9.9E+04	ca	N	Maximum detected value does not exceed screening value.
	832-69-9	1-Methylphenanthrene	i	ug/kg	3.8E-01	1.8E+03	WLCT4C04UP13	98%	5.0E+00 - 5.0E+00	1.7E+06	nc	N	Maximum detected value does not exceed screening value.
	581-42-0	2,6-Dimethylnaphthalene	h	ug/kg	2.0E-01	2.5E+02	WLCT4C04UP13	95%	5.0E+00 - 5.0E+00	1.8E+04	ca	N	Maximum detected value does not exceed screening value.
	91-57-6	2-Methylnaphthalene		ug/kg	3.7E-01	5.3E+04	GS-04-A-PG-2	82%	4.9E-01 - 1.6E+02	4.1E+05	nc	N	Maximum detected value does not exceed screening value.
	83-32-9	Acenaphthene		ug/kg	2.2E-01	1.8E+05	WLCGSD01AN0103	88%	2.3E-01 - 2.2E+02	3.3E+06	nc	N	Maximum detected value does not exceed screening value.
	208-96-8	Acenaphthylene	j	ug/kg	3.4E-01	1.2E+04	GS-04-A-PG-2, LW3-C662	81%	3.2E-01 - 1.6E+02	3.3E+06	nc	N	Maximum detected value does not exceed screening value.
	120-12-7	Anthracene		ug/kg	3.5E-01	1.6E+05	WLCGSD01AN0103	92%	3.3E-01 - 2.2E+02	1.7E+07	nc	N	Maximum detected value does not exceed screening value.
	56-55-3	Benzo(a)anthracene		ug/kg	5.0E-01	1.2E+05	WLCGSD01AN0103	97%	1.2E+00 - 2.2E+02	2.1E+03	ca	Y	Maximum detected value exceeds screening value.
	50-32-8	Benzo(a)pyrene		ug/kg	8.6E-01	1.6E+05	GS-04-A-PG-2	97%	3.3E-01 - 2.2E+02	2.1E+02	ca	Y	Maximum detected value exceeds screening value.
	205-99-2	Benzo(b)fluoranthene		ug/kg	1.1E+00	1.3E+05	LW2-C273, LW2-C301, LW2-G283	99%	7.2E-01 - 2.0E+01	2.1E+03	ca	Y	Maximum detected value exceeds screening value.
	192-97-2	Benzo(e)pyrene	i	ug/kg	1.6E+00	3.2E+04	WLCT4C04UP13	100%	NA - NA	1.7E+06	nc	N	Maximum detected value does not exceed screening value.
	191-24-2	Benzo(g,h,i)perylene	i	ug/kg	5.6E-01	1.3E+05	GS-04-A-PG-2, WLCGSG04RAA17	95%	7.5E-01 - 2.2E+02	1.7E+06	nc	N	Maximum detected value does not exceed screening value.
	207-08-9	Benzo(k)fluoranthene		ug/kg	7.7E-01	8.9E+04	GS-04-A-PG-2	98%	5.0E-01 - 2.0E+01	2.1E+04	ca	Y	Maximum detected value exceeds screening value.
	218-01-9	Chrysene		ug/kg	2.0E+00	1.4E+05	WLCGSD01AN0103	98%	6.2E-01 - 2.2E+02	2.1E+05	ca	N	Maximum detected value does not exceed screening value.
	53-70-3	Dibenzo(a,h)anthracene		ug/kg	2.2E-01	1.5E+04	GS-04-A-PG-2, LW2-C301	86%	3.8E-01 - 2.2E+02	2.1E+02	ca	Y	Maximum detected value exceeds screening value.
	132-65-0	Dibenzothiophene	k	ug/kg	5.3E-01	1.1E+04	LW3-G609	97%	2.1E-01 - 4.1E-01	2.2E+06	nc	N	Maximum detected value does not exceed screening value.
	206-44-0	Fluoranthene		ug/kg	1.1E+00	3.5E+05	GS-04-A-PG-2	99%	1.6E+00 - 1.3E+02	2.2E+06	nc	N	Maximum detected value does not exceed screening value.
	86-73-7	Fluorene		ug/kg	3.2E-01	1.1E+05	WLCGSD01AN0103	88%	2.6E-01 - 2.2E+02	2.2E+06	nc	N	Maximum detected value does not exceed screening value.
	193-39-5	Indeno(1,2,3-cd)pyrene		ug/kg	9.0E-01	1.3E+05	GS-04-A-PG-2	95%	3.6E-01 - 2.2E+02	2.1E+03	ca	Y	Maximum detected value exceeds screening value.
	91-20-3	Naphthalene		ug/kg	2.7E-01	1.0E+05	WLCGSD01AN0102	71%	4.3E-01 - 1.6E+02	1.8E+04	ca	Y	Maximum detected value exceeds screening value.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 2-11

Occurrence, Distribution, and Selection of Chemicals of Potential Concern - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-water Sediment

Exposure Point	CAS Number	Chemical[a]		Units	Minimum Detected Concentration	Maximum Detected Concentration	Location of Maximum Concentration	Detection Frequency	Range of Detection Limits[b]	Concentration Used for Screening[c]	Screening Toxicity Value	COPC Flag (Y/N)	Rationale for Selection or Deletion
	85-01-8	Phenanthrene	i	ug/kg	5.3E-01	4.0E+05	LW2-G301, WLCGSD01AN0103	98%	1.6E+00 - 2.2E+02	1.7E+06	nc	N	Maximum detected value does not exceed screening value.
	198-55-0	Perylene	i	ug/kg	9.5E-01	1.3E+04	WLCT4C04UP13	100%	NA - NA	1.7E+06	nc	N	Maximum detected value does not exceed screening value.
	129-00-0	Pyrene		ug/kg	2.8E+00	4.5E+05	GS-04-A-PG-2	100%	5.4E-01 - 2.0E+01	1.7E+06	nc	N	Maximum detected value does not exceed screening value.
		Phthalates											Maximum detected value exceeds screening value.
	117-81-7	Bis(2-ethylhexyl) phthalate		ug/kg	7.0E+00	4.4E+05	LW2-G367	61%	2.3E+00 - 1.9E+04	1.2E+05	ca	Y	Maximum detected value exceeds screening value.
	85-68-7	Butylbenzyl phthalate		ug/kg	2.2E+00	2.8E+03	LW2-G111	33%	1.9E+00 - 2.2E+03	9.1E+05	ca	N	Maximum detected value does not exceed screening value.
	84-74-2	Dibutyl phthalate		ug/kg	3.7E+00	3.8E+03	WLCOFJ02M0301	32%	3.3E+00 - 1.8E+03	6.2E+06	nc	N	Maximum detected value does not exceed screening value.
	84-66-2	Diethyl phthalate		ug/kg	2.0E+00	3.7E+02	LW2-G093	7%	1.3E+00 - 2.2E+03	4.9E+07	nc	N	Maximum detected value does not exceed screening value.
	131-11-3	Dimethyl phthalate	l	ug/kg	1.4E+00	1.7E+02	PSYSEA98PSY03	5%	1.0E+00 - 2.2E+03	4.9E+07	nc	N	Maximum detected value does not exceed screening value.
	117-84-0	Di-n-octyl phthalate	l	ug/kg	3.4E+00	1.5E+04	WLCOFH02M101	10%	1.5E+00 - 1.6E+03	4.9E+07	nc	N	Maximum detected value does not exceed screening value.
		SVOCs											Maximum detected value exceeds screening value.
	120-82-1	1,2,4-Trichlorobenzene		ug/kg	3.1E+00	3.1E+02	LW2-G355	2%	4.4E-01 - 2.2E+03	9.9E+04	ca	N	Maximum detected value does not exceed screening value.
	95-50-1	1,2-Dichlorobenzene		ug/kg	1.6E-01	6.1E+01	LW2-GBT017	2%	9.2E-02 - 2.2E+03	9.8E+05	nc	N	Maximum detected value does not exceed screening value.
	541-73-1	1,3-Dichlorobenzene	m	ug/kg	3.6E+00	9.8E+01	RP-03-C-PG	0.4%	1.4E-01 - 2.2E+03	9.8E+05	nc	N	Maximum detected value does not exceed screening value.
	106-46-7	1,4-Dichlorobenzene		ug/kg	8.8E-01	7.3E+02	LW2-G505	2%	1.4E-01 - 2.2E+03	1.2E+04	ca	N	Maximum detected value does not exceed screening value.
	99-09-2	3-Nitroaniline	n	ug/kg	4.8E+02	4.8E+02	WLCOFH02M103	0.1%	2.5E+00 - 2.2E+03	6.0E+05	nc	N	Maximum detected value does not exceed screening value.
	106-47-8	4-Chloroaniline		ug/kg	1.0E+01	1.3E+01	LW3-C757, LW3-G743	0.2%	1.9E+00 - 2.2E+03	8.6E+03	ca	N	Maximum detected value does not exceed screening value.
	100-01-6	4-Nitroaniline		ug/kg	3.9E+01	9.6E+01	LW2-G099	0.2%	1.8E+00 - 2.2E+03	8.6E+04	ca	N	Maximum detected value does not exceed screening value.
	62-53-3	Aniline		ug/kg	9.5E+00	6.7E+02	LW2-G401	1%	1.5E+00 - 2.2E+03	3.0E+05	ca	N	Maximum detected value does not exceed screening value.
	65-85-0	Benzoic acid		ug/kg	9.9E+01	4.1E+03	WLCOFH02M106	5%	5.2E+01 - 5.3E+04	2.5E+08	nc	N	Maximum detected value does not exceed screening value.
	100-51-6	Benzyl alcohol		ug/kg	2.3E+00	2.4E+02	WLCOFJ0252A05	10%	2.1E+00 - 2.2E+03	6.2E+06	nc	N	Maximum detected value does not exceed screening value.
	111-44-4	Bis(2-chloroethyl) ether		ug/kg	4.4E+00	1.4E+01	LW2-G232, LW2-G375	0.3%	1.9E+00 - 2.2E+03	1.0E+03	ca	N	Maximum detected value does not exceed screening value.
	86-74-8	Carbazole	k	ug/kg	1.6E+00	3.0E+04	LW2-C299, LW2-G264	62%	1.3E+00 - 2.2E+03	2.2E+06	nc	N	Maximum detected value does not exceed screening value.
	132-64-9	Dibenzofuran		ug/kg	2.5E-01	7.8E+03	LW2-G294	78%	2.2E-01 - 2.2E+03	1.0E+05	nc	N	Maximum detected value does not exceed screening value.
	92-52-4	Diphenyl		ug/kg	4.4E-01	4.5E+02	WLCASF97S021	88%	4.9E+00 - 5.1E+00	5.1E+06	nc	N	Maximum detected value does not exceed screening value.
	118-74-1	Hexachlorobenzene		ug/kg	1.2E-02	3.4E+02	LW2-G355	34%	1.7E-02 - 1.2E+03	1.1E+03	ca	N	Maximum detected value does not exceed screening value.
	87-68-3	Hexachlorobutadiene		ug/kg	6.5E-02	2.3E+02	WR-WSI98SD092	6%	1.8E-03 - 2.0E+02	2.2E+04	ca	N	Maximum detected value does not exceed screening value.
	67-72-1	Hexachloroethane		ug/kg	2.5E-01	1.5E+03	LW2-G355	11%	4.9E-02 - 4.8E+02	1.2E+05	ca	N	Maximum detected value does not exceed screening value.
	86-30-6	N-Nitrosodiphenylamine		ug/kg	2.0E+00	6.1E+01	CP-09-A-PG	1%	1.6E+00 - 2.2E+03	3.5E+05	ca	N	Maximum detected value does not exceed screening value.
		Phenols											Maximum detected value exceeds screening value.
	4901-51-3	2,3,4,5-Tetrachlorophenol	o	ug/kg	6.2E-01	1.8E+02	LW2-G355	2%	2.5E-01 - 1.6E+03	1.8E+06	nc	N	Maximum detected value does not exceed screening value.
	25167-83-3_3	2,3,4,6;2,3,5,6-Tetrachlorophenol coelution	o	ug/kg	1.0E+00	4.9E+01	LW2-G355	2%	4.4E-01 - 3.7E+02	1.8E+06	nc	N	Maximum detected value does not exceed screening value.
	935-95-5	2,3,5,6-Tetrachlorophenol	o	ug/kg	3.8E-01	2.8E+01	WLCOFJ024806	3%	2.0E-01 - 2.2E+03	1.8E+06	nc	N	Maximum detected value does not exceed screening value.
	95-95-4	2,4,5-Trichlorophenol		ug/kg	7.8E-01	4.8E+01	LW2-G302	1%	3.6E-01 - 2.2E+03	6.2E+06	nc	N	Maximum detected value does not exceed screening value.
	88-06-2	2,4,6-Trichlorophenol		ug/kg	2.4E-01	2.2E+02	CP-07-D-PG	3%	1.3E-01 - 2.2E+03	1.6E+05	ca	N	Maximum detected value does not exceed screening value.
	120-83-2	2,4-Dichlorophenol		ug/kg	4.7E+00	1.2E+02	LW2-G332	1%	1.0E+00 - 2.2E+03	1.8E+05	nc	N	Maximum detected value does not exceed screening value.
	105-67-9	2,4-Dimethylphenol		ug/kg	1.8E+01	3.0E+02	LWG0109R002SDS015C00	0.3%	5.5E+00 - 2.2E+03	1.2E+06	nc	N	Maximum detected value does not exceed screening value.
	95-57-8	2-Chlorophenol		ug/kg	9.8E+00	5.4E+01	LW2-G334	0.2%	2.0E+00 - 2.2E+03	5.1E+05	nc	N	Maximum detected value does not exceed screening value.
	95-48-7	2-Methylphenol		ug/kg	6.9E+01	2.9E+02	LW2-G415	0.3%	1.5E+00 - 2.2E+03	3.1E+06	nc	N	Maximum detected value does not exceed screening value.
	59-50-7	4-Chloro-3-methylphenol		ug/kg	2.4E+00	3.1E+02	WLCOFH021805	1%	1.4E+00 - 2.2E+03	6.2E+06	nc	N	Maximum detected value does not exceed screening value.
	106-44-5	4-Methylphenol		ug/kg	2.0E+00	1.4E+03	WR-WSI98SD139	48%	1.5E+00 - 4.3E+03	3.1E+05	nc	N	Maximum detected value does not exceed screening value.
	87-86-5	Pentachlorophenol		ug/kg	5.0E-01	8.4E+03	WLCOFJ0252C01	21%	1.7E-01 - 2.2E+03	2.7E+03	ca	Y	Maximum detected value exceeds screening value.
	108-95-2	Phenol		ug/kg	2.8E+00	6.8E+02	LW2-G092	28%	2.0E+00 - 2.2E+03	1.8E+07	nc	N	Maximum detected value does not exceed screening value.
		Polychlorinated Biphenyls											Maximum detected value exceeds screening value.
	11097-69-1	Total PCB Aroclors	p	ug/kg	5.1E+00	3.1E+04	LW2-G453	80%	1.3E+00 - 1.0E+03	7.4E+02	ca	Y	Maximum detected value exceeds screening value.
	11097-69-1	Total PCB Congeners	p	pg/g	1.8E+03	3.5E+07	LW2-G453	100%	3.9E-03 - 2.0E-02	7.4E+05	ca	Y	Maximum detected value exceeds screening value.
		Dioxin/Furan											Maximum detected value exceeds screening value.
	1746-01-6	Total Dioxin TEQ	q	pg/g	2.9E-02	1.4E+04	LWG0107R006SDS015C00	100%	NA - NA	1.8E+01	ca	Y	Maximum detected value exceeds screening value.
	1746-01-6	Total PCB TEQ	q	pg/g	5.2E-02	2.4E+02	LW2-G453	100%	NA - NA	1.8E+01	ca	Y	Maximum detected value exceeds screening value.
		Pesticides											Maximum detected value exceeds screening value.
	309-00-2	Aldrin		ug/kg	3.3E-03	6.9E+02	LW2-G355	24%	1.6E-02 - 9.9E+01	1.0E+02	ca	Y	Maximum detected value exceeds screening value.
	319-84-6	alpha-Hexachlorocyclohexane		ug/kg	2.4E-03	1.0E+01	LW2-G453	20%	1.4E-03 - 9.9E+01	2.7E+02	ca	N	Maximum detected value does not exceed screening value.
	319-85-7	beta-Hexachlorocyclohexane		ug/kg	1.4E-03	2.0E+01	LW2-G274	42%	1.1E-03 - 9.9E+01	9.6E+02	ca	N	Maximum detected value does not exceed screening value.
	319-86-8	delta-Hexachlorocyclohexane	f	ug/kg	1.8E-03	5.3E+00	WLCOFJ0222B04	15%	9.8E-04 - 9.9E+01	NA	--	Y	Screening value not available.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 2-11

Occurrence, Distribution, and Selection of Chemicals of Potential Concern - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-water Sediment

Exposure Point	CAS Number	Chemical[a]		Units	Minimum Detected Concentration	Maximum Detected Concentration	Location of Maximum Concentration	Detection Frequency	Range of Detection Limits[b]	Concentration Used for Screening[c]	Screening Toxicity Value	COPC Flag (Y/N)	Rationale for Selection or Deletion
	60-57-1	Dieldrin		ug/kg	8.3E-03	3.6E+02	LW2-G453	21%	3.0E-02 - 2.7E+02	1.1E+02	ca	Y	Maximum detected value exceeds screening value.
	72-20-8	Endrin		ug/kg	2.0E-03	3.2E+01	AP-04-C-PG, LW2-C295	8%	1.3E-02 - 2.0E+02	1.8E+04	nc	N	Maximum detected value does not exceed screening value.
	7421-93-4	Endrin aldehyde	r	ug/kg	1.1E-01	1.4E+01	LW3-G609	4%	4.2E-02 - 2.0E+02	1.8E+04	nc	N	Maximum detected value does not exceed screening value.
	53494-70-5	Endrin ketone	r	ug/kg	5.5E-03	9.0E+01	LW2-G453	18%	2.1E-03 - 2.0E+02	1.8E+04	nc	N	Maximum detected value does not exceed screening value.
	58-89-9	gamma-Hexachlorocyclohexane		ug/kg	3.1E-03	4.3E+02	LWG0107R006SDS015C00	18%	4.7E-03 - 9.9E+01	2.1E+03	ca	N	Maximum detected value does not exceed screening value.
	76-44-8	Heptachlor		ug/kg	2.6E-03	6.0E+00	PSYSEA98PSY01	7%	1.4E-03 - 9.9E+01	3.8E+02	ca	N	Maximum detected value does not exceed screening value.
	1024-57-3	Heptachlor epoxide		ug/kg	1.6E-03	1.7E+01	AP-04-C-PG	9%	1.9E-03 - 9.9E+01	1.9E+02	ca	N	Maximum detected value does not exceed screening value.
	72-43-5	Methoxychlor		ug/kg	4.8E-02	3.4E+01	LW2-G333	13%	2.3E-02 - 9.9E+02	3.1E+05	nc	N	Maximum detected value does not exceed screening value.
	2385-85-5	Mirex		ug/kg	9.5E-02	5.0E+01	LW2-C525	4%	3.4E-02 - 1.3E+02	9.6E+01	ca	N	Maximum detected value does not exceed screening value.
	12789-03-6	Total Chlordanes	s	ug/kg	6.3E-02	6.7E+02	LW2-G355	67%	4.1E-02 - 2.3E+02	6.5E+03	ca	N	Maximum detected value does not exceed screening value.
	72-54-8	Total DDDs	t	ug/kg	6.7E-02	3.0E+03	LW2-G360	86%	5.3E-02 - 1.3E+02	7.2E+03	ca	N	Maximum detected value does not exceed screening value.
	72-55-9	Total DDEs	u	ug/kg	1.1E-01	2.5E+03	LW2-G453	82%	4.5E-02 - 1.3E+02	5.1E+03	ca	N	Maximum detected value does not exceed screening value.
	50-29-3	Total DDTs	v	ug/kg	4.4E-02	2.3E+04	LWP-TZSAP04B	78%	5.6E-02 - 4.1E+01	7.0E+03	ca	Y	Maximum detected value exceeds screening value.
	115-29-7	Total Endosulfans	w	ug/kg	2.7E-02	2.7E+02	WR-WSI98SD0920000CC	27%	4.5E-02 - 2.0E+02	3.7E+05	nc	N	Maximum detected value does not exceed screening value.
		Herbicides											Maximum detected value exceeds screening value.
	93-76-5	2,4,5-T		ug/kg	1.6E+01	1.6E+01	WLCOFJ02M0201	1%	1.1E-01 - 1.1E+02	6.2E+05	nc	N	Maximum detected value does not exceed screening value.
	94-75-7	2,4-D		ug/kg	9.0E+00	3.3E+03	LW2-G334	6%	7.5E-02 - 1.3E+02	7.7E+05	nc	N	Maximum detected value does not exceed screening value.
	94-82-6	2,4-DB		ug/kg	1.3E+01	3.4E+02	LW2-G334	4%	1.1E-01 - 2.7E+02	4.9E+05	nc	N	Maximum detected value does not exceed screening value.
	120-36-5	Dichloroprop	x	ug/kg	9.4E+00	9.4E+00	RP-07-B-PG	1%	1.2E-01 - 1.3E+02	7.7E+05	nc	N	Maximum detected value does not exceed screening value.
	94-74-6	MCPA		ug/kg	4.1E+00	3.6E+02	LW2-G334	1%	1.6E-01 - 6.7E+04	3.1E+05	nc	N	Maximum detected value does not exceed screening value.
	93-65-2	MCPP		ug/kg	1.9E+02	4.2E+03	WLCDRD05PG058	1%	1.2E-01 - 9.1E+04	6.2E+04	nc	N	Maximum detected value does not exceed screening value.
	93-72-1	Silvex		ug/kg	5.4E+00	5.4E+00	RP-03-C-PG	1%	1.1E-01 - 4.4E+01	4.9E+05	nc	N	Maximum detected value does not exceed screening value.
		VOCs											Maximum detected value exceeds screening value.
	630-20-6	1,1,1,2-Tetrachloroethane		ug/kg	2.9E-01	2.9E-01	LW2-GBT018	0.5%	3.8E-02 - 5.0E+01	9.3E+03	ca	N	Maximum detected value does not exceed screening value.
	75-34-3	1,1-Dichloroethane		ug/kg	2.5E-01	3.1E-01	CP-07-A-PG, CP-07-D-PG, LW2-	1%	7.0E-02 - 5.0E+01	1.7E+04	ca	N	Maximum detected value does not exceed screening value.
	96-18-4	1,2,3-Trichloropropane		ug/kg	5.0E-01	8.6E-01	WLCDRD05PG042	1%	1.4E-01 - 2.5E+02	9.5E+01	ca	N	Maximum detected value does not exceed screening value.
	95-50-1	1,2-Dichlorobenzene		ug/kg	1.6E-01	6.1E+02	LW2-GBT017	2%	9.2E-02 - 2.2E+03	9.8E+05	nc	N	Maximum detected value does not exceed screening value.
	107-06-2	1,2-Dichloroethane		ug/kg	1.1E-01	3.5E-01	LW2-G263	1%	3.8E-02 - 5.0E+01	2.2E+03	ca	N	Maximum detected value does not exceed screening value.
	67-64-1	Acetone		ug/kg	3.4E+00	1.6E+02	LW2-GBT003	10%	2.0E+00 - 2.5E+02	6.3E+07	nc	N	Maximum detected value does not exceed screening value.
	71-43-2	Benzene		ug/kg	3.0E-02	7.2E+02	LWP1-AP04D	17%	1.0E-02 - 5.0E+01	5.4E+03	ca	N	Maximum detected value does not exceed screening value.
	75-15-0	Carbon disulfide		ug/kg	1.1E-01	4.5E+00	LW2-G092	9%	9.3E-02 - 2.5E+01	3.7E+05	nc	N	Maximum detected value does not exceed screening value.
	108-90-7	Chlorobenzene		ug/kg	1.4E-01	3.5E+04	LWP1-AP04D	16%	7.2E-02 - 5.0E+01	1.4E+05	nc	N	Maximum detected value does not exceed screening value.
	75-00-3	Chloroethane		ug/kg	7.7E+00	3.2E+01	GN-05-A-PG	1%	2.8E-01 - 5.0E+02	6.1E+06	nc	N	Maximum detected value does not exceed screening value.
	67-66-3	Chloroform		ug/kg	8.7E-02	9.8E+01	CP-07-D-PG	6%	6.8E-02 - 5.0E+01	1.5E+03	ca	N	Maximum detected value does not exceed screening value.
	156-59-2	cis-1,2-Dichloroethene		ug/kg	2.1E-01	2.7E-01	RP-03-C-PG, AP-03-A-TR	3%	7.6E-02 - 2.0E+01	2.0E+05	nc	N	Maximum detected value does not exceed screening value.
	75-71-8	Dichlorodifluoromethane		ug/kg	2.0E-01	2.9E+01	LW2-GBT004	17%	8.2E-02 - 5.0E+02	7.8E+04	nc	N	Maximum detected value does not exceed screening value.
	100-41-4	Ethylbenzene		ug/kg	7.0E-02	7.1E+02	GS-04-A-PG-2	13%	9.0E-03 - 5.0E+01	2.7E+04	ca	N	Maximum detected value does not exceed screening value.
	98-82-8	Isopropylbenzene		ug/kg	7.3E-02	5.2E+02	GS-04-A-PG-2	15%	5.4E-02 - 1.0E+02	1.1E+06	nc	N	Maximum detected value does not exceed screening value.
	108-10-1	Methyl isobutyl ketone		ug/kg	3.3E-01	3.3E-01	EM-03-A-PG	0.5%	3.0E-01 - 2.5E+02	5.3E+06	nc	N	Maximum detected value does not exceed screening value.
	591-78-6	Methyl n-butyl ketone		ug/kg	1.8E+00	1.8E+00	GN-02-E-PG	0.5%	7.8E-01 - 2.5E+02	1.4E+05	nc	N	Maximum detected value does not exceed screening value.
	1634-04-4	Methyl tert-butyl ether		ug/kg	7.0E-02	8.4E+01	LW2-G061, R2-AR-02-TR	4%	4.8E-02 - 2.9E+01	2.2E+05	ca	N	Maximum detected value does not exceed screening value.
	75-09-2	Methylene chloride		ug/kg	8.8E-01	1.3E+00	LW2-GBT004	1%	4.0E-01 - 2.5E+02	5.3E+04	ca	N	Maximum detected value does not exceed screening value.
	78-93-3	Methylethyl ketone		ug/kg	2.1E+00	9.8E+00	LW2-G360	18%	1.0E+01 - 1.3E+03	2.0E+07	nc	N	Maximum detected value does not exceed screening value.
	100-42-5	Styrene		ug/kg	1.1E+00	1.1E+00	LW2-G283	0.5%	9.0E-02 - 5.0E+01	3.6E+06	nc	N	Maximum detected value does not exceed screening value.
	127-18-4	Tetrachloroethene		ug/kg	2.2E-01	9.1E-01	CP-07-A-PG	1%	1.1E-01 - 5.0E+01	2.6E+03	ca	N	Maximum detected value does not exceed screening value.
	108-88-3	Toluene		ug/kg	3.0E-02	5.2E+01	GS-04-A-PG-2	4%	2.0E-02 - 5.0E+01	4.5E+06	nc	N	Maximum detected value does not exceed screening value.
	156-60-5	trans-1,2-Dichloroethene		ug/kg	4.8E-01	4.8E-01	RP-03-C-PG	1%	8.2E-02 - 2.5E+01	6.9E+04	nc	N	Maximum detected value does not exceed screening value.
	79-01-6	Trichloroethene	y	ug/kg	1.1E-01	9.1E-01	LW2-G200, WLCSLH01GP63	2%	7.6E-02 - 5.0E+01	1.4E+04	ca	N	Maximum detected value does not exceed screening value.
	75-01-4	Vinyl chloride		ug/kg	3.4E-01	3.4E-01	GS-07-D-PG, AP-03-A-TR	0.5%	1.1E-01 - 5.0E+01	1.7E+03	ca	N	Maximum detected value does not exceed screening value.
	1330-20-7	Total Xylenes		ug/kg	9.0E-02	6.7E+02	LWG2-PG-GS4A-2	16%	2.0E-02 - 1.1E+00	2.7E+05	nc	N	Maximum detected value does not exceed screening value.
		Petroleum											Maximum detected value exceeds screening value.
	DRH	Diesel Range Hydrocarbons	z	mg/kg	3.1E+00	2.0E+04	LW2-G294	97%	4.3E+00 - 2.3E+01	7.0E+04	nc	N	Maximum detected value does not exceed screening value.
	GRH	Gasoline Range Hydrocarbons	aa	mg/kg	1.5E+00	2.6E+02	GS-04-A-PG-2, LW2-C302	14%	8.2E-01 - 1.4E+01	2.2E+04	nc	N	Maximum detected value does not exceed screening value.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 2-11

Occurrence, Distribution, and Selection of Chemicals of Potential Concern - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-water Sediment

Exposure Point	CAS Number	Chemical[a]		Units	Minimum Detected Concentration	Maximum Detected Concentration	Location of Maximum Concentration	Detection Frequency	Range of Detection Limits[b]			Concentration Used for Screening[c]	Screening Toxicity Value	COPC Flag (Y/N)	Rationale for Selection or Deletion
	68782-97-8	Lube Oil	ab	mg/kg	8.0E+00	9.4E+03	WLCOFJ02M0301	98%	1.0E+00	-	3.2E+00	1.0E+05	nc	N	Maximum detected value does not exceed screening value.
	M09800000	Motor oil	ab	mg/kg	1.1E+02	1.3E+02	WLCMRI02CS004	100%	NA	-	NA	1.0E+05	nc	N	Maximum detected value does not exceed screening value.
	RRH	Residual Range Hydrocarbons	ab	mg/kg	7.7E+00	1.8E+04	LW2-G453	96%	2.5E+01	-	2.9E+02	1.0E+05	nc	N	Maximum detected value does not exceed screening value. Maximum detected value exceeds screening value.
		Conventionals													
	57-12-5	Cyanide		mg/kg	1.4E-01	7.3E+00	GS-04-A-PG-2	100%	NA	-	NA	2.0E+03	nc	N	Maximum detected value does not exceed screening value.
	14797-73-0	Perchlorate		ug/kg	9.6E+04	2.7E+05	LWP1-CP07B	23%	2.2E+01	-	2.6E+01	7.2E+04	nc	Y	Maximum detected value exceeds screening value.

Notes:

a Chemical list includes analytes detected in human health in-water sediment samples.

b For chemical mixtures, the range of detection limits listed is the maximum and minimum detection limit for individual isomers or congeners within the mixture.

c Screening concentrations and toxicity classifications are from EPA RSLs for industrial soil (Nov 2010) unless otherwise noted. RSLs for noncarcinogenic chemicals are divided by 10.

d EPA RSL for chromium III used for chromium screening concentration.

e EPA RSL for lead not divided by 10 for screening.

f A screening value was not available and a surrogate chemical could not be identified. Analyte is discussed qualitatively in text.

g EPA RSL for tributyltin oxide (TBTO) used as surrogate.

h EPA RSL for naphthalene used as surrogate.

i EPA RSL for pyrene used as surrogate.

j EPA RSL for acenaphthene used as surrogate.

k EPA RSL for fluorene used as surrogate.

l EPA RSL for diethyl phthalate used as surrogate.

m EPA RSL for 1,2-dichlorobenzene used as surrogate.

n EPA RSL for 2-nitroaniline used as a surrogate.

o EPA RSL for 2,3,4,6-tetrachlorophenol used as surrogate.

p EPA RSL for PCBs as Aroclor 1254 used for screening concentration.

q EPA RSL for 2,3,7,8-TCDD (Dioxin) used for screening concentration. Detection limits listed are for individual congeners/isomers before TEQ adjustment.

r EPA RSL for endrin used as surrogate.

s EPA RSL for technical chlordane used for total chlordane.

t EPA RSL for DDD used for total DDD.

u EPA RSL for p,p'-DDE used for total DDE.

v EPA RSL for DDT used for total DDT.

w EPA RSL for endosulfan used for total endosulfan.

x EPA RSL for 2,4-D used as surrogate.

y The trichloroethene screening level was calculated consistent with the 2008 EPA Region 10 recommendations (EPA 2008a).

z DEQ risk-based concentration (RBC) for occupational surface soil exposure to generic diesel (DEQ 2003) used for screening concentration.

aa DEQ risk-based concentration (RBC) for occupational surface soil exposure to generic gasoline (DEQ 2003) used for screening concentration.

ab DEQ risk-based concentration (RBC) for occupational surface soil exposure to generic oil (DEQ 2003) used for screening concentration.

Abbreviations:

ca= Carcinogen.
CAS = Chemical Abstract Services number.
COPC = Chemical of potential concern.
DEQ = Oregon Department of Environmental Quality.
EPA = U.S. Environmental Protection Agency.
max = Ceiling limit recommended for screening value.
mg/kg = Milligrams per kilogram.
N = No.
NA = Not applicable. Chemical detected at 100% frequency.

nc = Noncarcinogen.
RBC = Risk-based concentration.
sat = Soil saturation concentration recommended for screening value.
RSL = Regional Screening Level.
SVOC = Semivolatile organic compound.
TEQ = Toxicity equivalent.
Y = Yes.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28 2013

Table 2-12

Summary of Samples Used in the Selection of Chemicals of Potential Concern For Surface Water Exposure Scenarios

Sample Location Name	River Mile	Sample Event	Sample Date	Sample ID	Exposure Scenario			
					Diver, Direct Contact[a]	Transients, Direct Contact[b]	Recreational Beach Users, Direct Contact[c]	Surface Water for Potential Future Domestic Use[d]
Transect Stations								
W005	3.9	Round 3 surface water	September 2006, Low Flow	LW3-W2005-WS-Int[e]	Y	Y	--	Y
				LW3-W2005-WSXAD-Comb-Int[f]	Y	Y	--	Y
		Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3005-WS-Int	Y	Y	--	Y
				LW3-W3005-WSXAD-Comb-Int	Y	Y	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4005-WS-Int	Y	Y	--	Y
				LW3-W4005-WSXAD-Comb-Int	Y	Y	--	Y
		Round 3 surface water	January 2006, High Flow	LW3-W1005	Y	Y	--	Y
				LW3-W1005-WSXAD-Combo	Y	Y	--	Y
		Round 2a surface water event 1	November 2004, Low Flow	LW2-W005	Y	Y	--	Y
				LW2-W005-WSXAD-Combo	Y	Y	--	Y
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2005	Y	Y	--	Y
				LW2-W2005-WSXAD-Combo	Y	Y	--	Y
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3005	Y	Y	Y	Y
				LW2-W3005-WSXAD-Combo	Y	Y	Y	Y
W011	6.3	Round 3 surface water	September 2006, Low Flow	LW3-W2011-WS-Int	Y	Y	--	Y
				LW3-W2011-WSXAD-Comb-Int	Y	Y	--	Y
		Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3011-WS-Int	Y	Y	--	Y
				LW3-W3011-WSXAD-Comb-Int	Y	Y	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4011-WS-Int	Y	Y	--	Y
				LW3-W4011-WSXAD-Comb-Int	Y	Y	--	Y
		Round 2a surface water event 1	November 2004, Low Flow	LW2-W011	Y	Y	--	Y
				LW2-W011-WSXAD-Combo	Y	Y	--	Y
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2011-WSXAD-Combo	Y	Y	--	Y
				LW2-W2011B	Y	Y	--	Y
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3011	Y	Y	Y	Y
				LW2-W3011-WSXAD-Combo	Y	Y	Y	Y
W023	11	Round 3 surface water	September 2006, Low Flow	LW3-W2023-WS-Int	Y	Y	--	Y
				LW3-W2023-WSXAD-Comb-Int	Y	Y	--	Y
		Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3023-WS-Int	Y	Y	--	Y
				LW3-W3023-WSXAD-Comb-Int	Y	Y	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4023-WS-Int	Y	Y	--	Y
				LW3-W4023-WSXAD-Comb-Int	Y	Y	--	Y
		Round 3 surface water	January 2006, High Flow	LW3-W1023-WSXAD-Combo	Y	Y	--	Y
				LW3-W1023-1	Y	Y	--	Y
				LW3-W1023-2	Y	Y	--	Y
		Round 2a surface water event 1	November 2004, Low Flow	LW2-W023	Y	Y	--	Y
				LW2-W023-WSXAD-Combo	Y	Y	--	Y
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2023	Y	Y	--	Y
				LW2-W2023-WSXAD-Combo	Y	Y	--	Y
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3023	Y	Y	Y	Y
				LW2-W3023-WSXAD-Combo	Y	Y	Y	Y

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28 2013

Table 2-12

Summary of Samples Used in the Selection of Chemicals of Potential Concern For Surface Water Exposure Scenarios

Sample Location Name [c]	River Mile	Sample Event	Sample Date	Sample ID	Exposure Scenario			
					Diver, Direct Contact[a]	Transients, Direct Contact[b]	Recreational Beach Users, Direct Contact[c]	Surface Water for Potential Future Domestic Use[d]
W025	2	Round 3 surface water	September 2006, Low Flow	LW3-W2025-WS-Int	Y	Y	--	Y
				LW3-W2025-WSXAD-Comb-Int	Y	Y	--	Y
		Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3025-WS-Int	Y	Y	--	Y
				LW3-W3025-WSXAD-Comb-Int	Y	Y	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4025-WS-Int	Y	Y	--	Y
				LW3-W4025-WSXAD-Comb-Int	Y	Y	--	Y
W027	2.9 MC	Round 3 surface water	September 2006, Low Flow	LW3-W2027-WS-Int	Y	Y	--	--
				LW3-W2027-WSXAD-Comb-Int	Y	Y	--	--
		Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3027-WS-Int	Y	Y	--	--
				LW3-W3027-WSXAD-Comb-Int	Y	Y	--	--
		Round 3 surface water	January or February 2007, High Flow	LW3-W4027-WS-Int	Y	Y	--	--
				LW3-W4027-WSXAD-Comb-Int	Y	Y	--	--
W024	16	Round 3 surface water	January 2006, High Flow	LW3-W1024	--	--	--	--
				LW3-W1024-WSXAD-Combo	--	--	--	--
Single-Point Stations								
W001	2 E	Round 2a surface water event 1	November 2004, Low Flow	LW2-W001	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2001	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3001	Y	--	--	--
W002	2.2 W	Round 2a surface water event 1	November 2004, Low Flow	LW2-W002	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2002-1	Y	--	--	--
				LW2-W2002-2	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3002-1	Y	--	--	--
				LW2-W3002-2	Y	--	--	--
W003	3 W	Round 2a surface water event 1	November 2004, Low Flow	LW2-W003	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2003	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3003	Y	--	--	--
W004	3.7 E	Round 2a surface water event 1	November 2004, Low Flow	LW2-W004	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2004-1	Y	--	--	--
				LW2-W2004-2	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3004	Y	--	--	--
W006	4 W	Round 2a surface water event 1	November 2004, Low Flow	LW2-W006	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2006	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3006	Y	--	--	--
W007	4.4 E	Round 2a surface water event 1	November 2004, Low Flow	LW2-W007	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2007	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3007	Y	--	--	--
W008	4.6 E	Round 2a surface water event 1	November 2004, Low Flow	LW2-W008	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2008	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3008	Y	--	--	--
W009	5.6 W	Round 2a surface water event 1	November 2004, Low Flow	LW2-W009	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2009	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3009	Y	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28 2013

Table 2-12

Summary of Samples Used in the Selection of Chemicals of Potential Concern For Surface Water Exposure Scenarios

Sample Location Name [c]	River Mile	Sample Event	Sample Date	Sample ID	Exposure Scenario			
					Diver, Direct Contact[a]	Transients, Direct Contact[b]	Recreational Beach Users, Direct Contact[c]	Surface Water for Potential Future Domestic Use[d]
W010 Cathedral Park	5.7 E	Round 2a surface water event 1	November 2004, Low Flow	LW2-W010	Y	--	--	Y
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2010	Y	--	--	Y
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3010	Y	--	Y	Y
W012	6.3 W	Round 2a surface water event 1	November 2004, Low Flow	LW2-W012	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2012	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3012	Y	--	--	--
W013	6.7 E	Round 2a surface water event 1	November 2004, Low Flow	LW2-W013-1	Y	--	--	--
				LW2-W013-1-WSXAD-Combo	Y	--	--	--
				LW2-W013-2	Y	--	--	--
				LW2-W013-2-WSXAD-Combo	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2013-1	Y	--	--	--
				LW2-W2013-1-WSXAD-Combo	Y	--	--	--
				LW2-W2013-2	Y	--	--	--
				LW2-W2013-2-WSXAD-Combo	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3013-1	Y	--	--	--
				LW2-W3013-1-WSXAD-Combo	Y	--	--	--
W014 Willamette Cove	6.7 E	Round 2a surface water event 1	November 2004, Low Flow	LW2-W014	Y	Y	--	Y
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2014	Y	Y	--	Y
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3014	Y	Y	Y	Y
W015	6.9 W	Round 2a surface water event 1	November 2004, Low Flow	LW2-W015	Y	--	--	--
				LW2-W015-WSXAD-Combo	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2015	Y	--	--	--
				LW2-W2015-WSXAD-Combo	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3015	Y	--	--	--
				LW2-W3015-WSXAD-Combo	Y	--	--	--
W016	7.2 W	Round 2a surface water event 1	November 2004, Low Flow	LW2-W016-1	Y	--	--	--
				LW2-W016-WSXAD-Combo	Y	--	--	--
				LW2-W016-2	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2016-1	Y	--	--	--
				LW2-W2016-WSXAD-Combo	Y	--	--	--
				LW2-W2016-2	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3016-1	Y	--	--	--
				LW2-W3016-WSXAD-Combo	Y	--	--	--
				LW2-W3016-2	Y	--	--	--
W017	7.5 W	Round 2a surface water event 1	November 2004, Low Flow	LW2-W017	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2017	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3017	Y	--	--	--
W018 SIL	8.3 SIL	Round 2a surface water event 1	November 2004, Low Flow	LW2-W018	Y	--	--	--
				LW2-W018-WSXAD-Combo	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2018	Y	--	--	--
				LW2-W2018-WSXAD-Combo	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3018	Y	--	--	--
				LW2-W3018-WSXAD-Combo	Y	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28 2013

Table 2-12

Summary of Samples Used in the Selection of Chemicals of Potential Concern For Surface Water Exposure Scenarios

Sample Location Name [c]	River Mile	Sample Event	Sample Date	Sample ID	Exposure Scenario			
					Diver, Direct Contact[a]	Transients, Direct Contact[b]	Recreational Beach Users, Direct Contact[c]	Surface Water for Potential Future Domestic Use[d]
W019	8.6 W	Round 2a surface water event 1	November 2004, Low Flow	LW2-W019	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2019	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3019	Y	--	--	--
W020 SIL	9.1 SIL	Round 2a surface water event 1	November 2004, Low Flow	LW2-W020	Y	--	--	Y
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2020	Y	--	--	Y
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3020	Y	--	Y	Y
W021 SIL	8.7 SIL	Round 2a surface water event 1	November 2004, Low Flow	LW2-W021	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2021	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3021	Y	--	--	--
W022	9.7 W	Round 2a surface water event 1	November 2004, Low Flow	LW2-W022	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2022	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3022	Y	--	--	--
W026	2.1 E	Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3026-WS-Int	Y	--	--	Y
				LW3-W3026-WSXAD-Comb-Int	Y	--	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4026-WS-Int	Y	--	--	Y
				LW3-W4026-WSXAD-Comb-Int	Y	--	--	Y
W028	3.6 E	Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3028-WS-Int	Y	--	--	Y
				LW3-W3028-WSXAD-Comb-Int	Y	--	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4028-WS-Int	Y	--	--	Y
				LW3-W4028-WSXAD-Comb-Int	Y	--	--	Y
W029	4.4 W	Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3029-WS-Int	Y	--	--	Y
				LW3-W3029-WSXAD-Comb-Int	Y	--	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4029-WS-Int	Y	--	--	Y
				LW3-W4029-WSXAD-Comb-Int	Y	--	--	Y
W030	5.5 E	Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3030-WS-Int	Y	--	--	Y
				LW3-W3030-WSXAD-Comb-Int	Y	--	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4030-WS-Int	Y	--	--	Y
				LW3-W4030-WSXAD-Comb-Int	Y	--	--	Y
W031	6.1 W	Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3031-WS-Int	Y	--	--	Y
				LW3-W3031-WSXAD-Comb-Int	Y	--	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4031-WS-Int	Y	--	--	Y
				LW3-W4031-WSXAD-Comb-Int	Y	--	--	Y
W032	6.7 E	Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3032-WS-Int	Y	--	--	Y
				LW3-W3032-WSXAD-Comb-Int	Y	--	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4032-WS-Int	Y	--	--	Y
				LW3-W4032-WSXAD-Comb-Int	Y	--	--	Y
W033	7.0 W	Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3033-WS-Int	Y	--	--	Y
				LW3-W3033-2-WS-Int	Y	--	--	Y
				LW3-W3033-WSXAD-Comb-Int	Y	--	--	Y
				LW3-W3033-2-WSXAD-Comb-Int	Y	--	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4033-WS-Int	Y	--	--	Y
				LW3-W4033-2-WS-Int	Y	--	--	Y
				LW3-W4033-WSXAD-Comb-Int	Y	--	--	Y

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28 2013

Table 2-12

Summary of Samples Used in the Selection of Chemicals of Potential Concern For Surface Water Exposure Scenarios

Sample Location Name[c]	River Mile	Sample Event	Sample Date	Sample ID	Exposure Scenario			
					Diver, Direct Contact[a]	Transients, Direct Contact[b]	Recreational Beach Users, Direct Contact[c]	Surface Water for Potential Future Domestic Use[d]
W034	7.5 W	Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3034-WS-Int	Y	--	--	Y
				LW3-W3034-WSXAD-Comb-Int	Y	--	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4034-WS-Int	Y	--	--	Y
				LW3-W4034-WSXAD-Comb-Int	Y	--	--	Y
W035 SIL	8.5 SIL	Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3035-WS-Int	Y	--	--	Y
				LW3-W3035-WSXAD-Comb-Int	Y	--	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4035-WS-Int	Y	--	--	Y
				LW3-W4035-WSXAD-Comb-Int	Y	--	--	Y
W036	8.6 W	Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3036-WS-Int	Y	--	--	Y
				LW3-W3036-2-WS-Int	Y	--	--	Y
				LW3-W3036-WSXAD-Comb-Int	Y	--	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4036-WS-Int	Y	--	--	Y
				LW3-W4036-WSXAD-Comb-Int	Y	--	--	Y
W037	9.6 W	Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3037-WS-Int	Y	--	--	Y
				LW3-W3037-WSXAD-Comb-Int	Y	--	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4037-WS-Int	Y	--	--	Y
				LW3-W4037-WSXAD-Comb-Int	Y	--	--	Y
W038	9.9 E	Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3038-WS-Int	Y	--	--	Y
				LW3-W3038-WSXAD-Comb-Int	Y	--	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4038-WS-Int	Y	--	--	Y
				LW3-W4038-WSXAD-Comb-Int	Y	--	--	Y

Notes:

a The surface water exposure dataset for direct contact to divers includes samples from all transects and all single point stations within the study area. In addition, EPCs were calculated for Multnomah Channel.

b The surface water exposure dataset for direct contact to transients includes year-round samples from transects and single point stations within the study area where transient exposure may occur. In addition, EPCs were calculated for Multnomah Channel.

c The surface water exposure dataset for direct contact to recreational beach users includes samples from summer sampling events at single point stations within the study area where recreational beach exposure may occur. In addition, study area wide EPCs were calculated using summer samples from all transect stations within the study area.

d The surface water exposure dataset for the scenario describing the potential future domestic use of untreated surface water includes all vertically integrated and combined transect samples within the study area.

e "Int" indicates sample results with this sample ID were combined to represent an integrated concentration before EPC calculations. Either results from a near-bottom and near-surface sample pair were combined, or results from vertically integrated samples collected from the east, west, and middle sections of the river were combined, according to the rules discussed in Section 2 of the BHHRA.

f "Comb" or "Combo" is included in sample IDs for samples collected with an XAD-2 Infiltrex™ 300 system, indicating both column and filter results were combined before EPC calculations, according to the rules discussed in Section 2 of the BHHRA.

Abbreviations:

-- = sample was not used for EPC calculations for the given exposure scenario.
BHHRA = Baseline human health risk assessment.
Comb or Combo = Combined column and filter results (for XAD samples only). See footnote f.
E = East.
EPC = Exposure point concentration.

Int = Integrated sample results (calculated). See footnote e.
MC = Multnomah Channel.
SIL = Swan Island Lagoon.
W = West.
Y = sample was used for EPC calculations for the given receptor.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 2-13

Occurrence, Distribution and Selection of Chemicals of Potential Concern - Surface Water, Direct Contact With Divers

Scenario Timeframe: Current/Future
Medium: Water
Exposure Medium: Surface Water, Direct Contact With Divers

Exposure Point	Chemical[a]	Notes	Units	Minimum Detected Concentration	Maximum Detected Concentration	Location of Maximum Concentration	Date of Maximum Concentration	Detection Frequency	Range of Detection Limits[b]	Concentration Used for Screening[c]	Screening Toxicity Value	COPC Flag (Y/N)	Rationale for Selection or Deletion
Study Area-wide	**Metals**												
	Aluminum		ug/l	1.5E+00	1.9E+03	W023	1/20/2006	84%	9.0E-01 - 5.0E+00	3.7E+03	nc	N	Maximum detected values does not exceed screening value.
	Antimony		ug/l	1.5E-02	1.3E-01	W001	7/5/2005	50%	2.0E-02 - 7.0E-02	1.5E+00	nc	N	Maximum detected values does not exceed screening value.
	Arsenic		ug/l	2.0E-01	7.5E-01	W001	7/5/2005	91%	3.8E-01 - 5.1E-01	4.5E-02	ca	Y	Maximum detected value exceeds screening value.
	Cadmium		ug/l	8.0E-03	5.0E-02	W004	3/17/2005	24%	2.0E-03 - 7.0E-02	1.8E+00	nc	N	Maximum detected values does not exceed screening value.
	Chromium	d	ug/l	1.0E-01	1.7E+00	W036	1/1/2007	55%	1.1E-01 - 5.7E-01	5.5E+03	nc	N	Maximum detected values does not exceed screening value.
	Chromium hexavalent		ug/l	5.0E-01	9.0E-01	W011	11/1/2006	23%	6.0E-01 - 2.0E+01	4.3E-02	ca	Y	Maximum detected value exceeds screening value.
	Copper		ug/l	3.7E-01	3.7E+00	W023	1/20/2006	99%	4.4E-01 - 5.4E-01	1.5E+02	nc	N	Maximum detected values does not exceed screening value.
	Lead	e	ug/l	8.0E-03	1.8E+00	W008	7/8/2005	86%	8.0E-03 - 5.1E-02	1.5E+01	NA	N	Maximum detected values does not exceed screening value.
	Mercury		ug/l	1.3E-02	2.5E-02	W031	11/1/2006	3%	2.0E-02 - 8.0E-02	5.7E-02	nc	N	Maximum detected values does not exceed screening value.
	Nickel		ug/l	1.5E-01	1.9E+00	W033	1/1/2007	86%	2.0E-01 - 9.9E-01	7.3E+01	nc	N	Maximum detected values does not exceed screening value.
	Selenium		ug/l	1.0E-01	1.0E+00	W002	3/4/2005	58%	1.0E-01 - 6.0E-01	1.8E+01	nc	N	Maximum detected values does not exceed screening value.
	Silver		ug/l	6.8E-03	6.1E-02	W002	7/5/2005	2%	3.0E-03 - 5.2E-02	1.8E+01	nc	N	Maximum detected values does not exceed screening value.
	Thallium	f	ug/l	4.0E-03	3.2E-02	W015	11/29/2004	16%	4.0E-03 - 4.0E-03	2.0E+00	NL	N	Maximum detected values does not exceed screening value.
	Zinc		ug/l	9.0E-01	5.8E+01	W022	12/2/2004	74%	6.0E-01 - 6.0E+00	1.1E+03	nc	N	Maximum detected values does not exceed screening value.
	Butyltins								-				
	Butyltin ion	g	ug/l	1.5E-03	3.0E-02	W023	1/1/2007	11%	1.7E-03 - 4.0E-02	1.1E+00	nc	N	Maximum detected values does not exceed screening value.
	Dibutyltin ion	g	ug/l	6.1E-04	7.3E-03	W009	12/1/2004	14%	5.5E-04 - 2.5E-02	1.1E+00	nc	N	Maximum detected values does not exceed screening value.
	Tributyltin ion	g	ug/l	6.5E-04	2.8E-03	W035	1/1/2007	9%	6.0E-04 - 1.4E-02	1.1E+00	nc	N	Maximum detected values does not exceed screening value.
	Polynuclear Aromatic Hydrocarbons								-				
	2-Methylnaphthalene		ug/l	1.2E-03	3.2E-01	W031	1/1/2007	30%	2.7E-03 - 3.4E-02	1.5E+01	nc	N	Maximum detected values does not exceed screening value.
	Acenaphthene		ug/l	2.1E-04	2.1E-01	W012	7/15/2005	33%	2.0E-03 - 1.6E-02	2.2E+02	nc	N	Maximum detected values does not exceed screening value.
	Acenaphthylene	h	ug/l	2.8E-04	4.3E-02	W012	7/15/2005	32%	2.1E-04 - 2.7E-02	2.2E+02	nc	N	Maximum detected values does not exceed screening value.
	Anthracene		ug/l	2.9E-04	2.4E-01	W031	1/1/2007	22%	1.6E-04 - 1.5E-02	1.1E+03	nc	N	Maximum detected values does not exceed screening value.
	Benzo(a)anthracene		ug/l	5.2E-05	1.4E-01	W031	1/1/2007	37%	3.4E-04 - 8.4E-03	2.9E-02	ca	Y	Maximum detected value exceeds screening value.
	Benzo(a)pyrene		ug/l	1.8E-05	1.5E-01	W012	7/15/2005	33%	6.1E-04 - 8.6E-03	2.9E-03	ca	Y	Maximum detected value exceeds screening value.
	Benzo(b)fluoranthene		ug/l	2.4E-05	1.1E-01	W012	7/15/2005	34%	2.0E-03 - 9.2E-03	2.9E-02	ca	Y	Maximum detected value exceeds screening value.
	Benzo(g,h,i)perylene	i	ug/l	7.5E-05	1.4E-01	W012	7/15/2005	30%	3.3E-04 - 1.5E-02	1.1E+02	nc	N	Maximum detected values does not exceed screening value.
	Benzo(k)fluoranthene		ug/l	1.6E-05	1.0E-01	W012	7/15/2005	34%	1.4E-03 - 1.1E-02	2.9E-01	ca	N	Maximum detected values does not exceed screening value.
	Chrysene		ug/l	9.5E-05	1.9E-01	W012	7/15/2005	47%	1.3E-03 - 1.1E-02	2.9E+00	ca	N	Maximum detected values does not exceed screening value.
	Dibenzo(a,h)anthracene		ug/l	2.6E-05	1.4E-02	W031	1/1/2007	15%	4.3E-05 - 7.2E-03	2.9E-03	ca	Y	Maximum detected value exceeds screening value.
	Fluoranthene		ug/l	5.1E-04	4.1E-01	W031	1/1/2007	59%	2.4E-03 - 1.9E-02	1.5E+02	nc	N	Maximum detected values does not exceed screening value.
	Fluorene		ug/l	3.7E-04	1.6E-01	W031	1/1/2007	33%	2.6E-03 - 1.1E-02	1.5E+02	nc	N	Maximum detected values does not exceed screening value.
	Indeno(1,2,3-cd)pyrene		ug/l	1.6E-04	1.1E-01	W012	7/15/2005	29%	1.5E-04 - 8.4E-03	2.9E-02	ca	Y	Maximum detected value exceeds screening value.
	Naphthalene		ug/l	7.4E-04	7.7E-01	W012	12/2/2004	13%	3.2E-03 - 9.9E-02	1.4E-01	ca	Y	Maximum detected value exceeds screening value.
	Phenanthrene	i	ug/l	7.9E-04	1.1E+00	W031	1/1/2007	32%	2.2E-03 - 1.7E-02	1.1E+02	nc	N	Maximum detected values does not exceed screening value.
	Pyrene		ug/l	4.3E-04	6.5E-01	W031	1/1/2007	62%	1.5E-03 - 2.8E-02	1.1E+02	nc	N	Maximum detected values does not exceed screening value.
	Phthalates								-				
	Bis(2-ethylhexyl) phthalate		ug/l	7.8E-03	3.6E+00	W005	11/1/2006	15%	4.3E-03 - 4.1E+00	4.8E+00	ca	N	Maximum detected values does not exceed screening value.
	Butylbenzyl phthalate		ug/l	8.9E-04	1.2E-01	W025	9/1/2006	20%	5.1E-04 - 7.3E-02	3.5E+01	ca	N	Maximum detected values does not exceed screening value.
	Dibutyl phthalate		ug/l	1.5E-03	1.5E-01	W029	1/1/2007	6%	9.8E-04 - 3.0E-01	3.7E+02	nc	N	Maximum detected values does not exceed screening value.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 2-13

Occurrence, Distribution and Selection of Chemicals of Potential Concern - Surface Water, Direct Contact With Divers

Scenario Timeframe: Current/Future
Medium: Water
Exposure Medium: Surface Water, Direct Contact With Divers

Exposure Point	Chemical[a]	Notes	Units	Minimum Detected Concentration	Maximum Detected Concentration	Location of Maximum Concentration	Date of Maximum Concentration	Detection Frequency	Range of Detection Limits[b]	Concentration Used for Screening[c]	Screening Toxicity Value	COPC Flag (Y/N)	Rationale for Selection or Deletion
	Diethyl phthalate		ug/l	1.2E-03	1.7E-01	W005	11/1/2006	15%	6.7E-04 - 1.4E-01	2.9E+03	nc	N	Maximum detected values does not exceed screening value.
	Dimethyl phthalate	j	ug/l	4.8E-03	4.8E-03	W015	11/30/2004	1%	2.6E-04 - 1.5E-02	3.7E+04	nc	N	Maximum detected values does not exceed screening value.
	Di-n-octyl phthalate	k	ug/l	1.4E-04	1.7E-02	W034	1/1/2007	2%	1.1E-04 - 3.6E-02	2.9E+03	nc	N	Maximum detected values does not exceed screening value.
	Phenols								-				
	4-Chloro-3-methylphenol		ug/l	2.3E-02	6.5E-01	W003	3/4/2005	8%	2.9E-02 - 6.8E-01	3.7E+02	nc	N	Maximum detected values does not exceed screening value.
	Phenol		ug/l	1.6E-02	2.0E-01	W033	1/1/2007	9%	2.0E-02 - 3.3E-01	1.1E+03	nc	N	Maximum detected values does not exceed screening value.
	Polychlorinated Biphenyls												
	Total PCB Congeners	l	pg/l	1.1E+02	1.2E+04	W013-1	3/1/2005	100%	NA - NA	3.4E+04	ca	N	Maximum detected values does not exceed screening value.
	Dioxin/Furan												
	Total Dioxin/Furan TEQ	m	pg/l	3.1E-02	5.0E-01	W015	11/30/2004	100%	NA - NA	5.2E-01	ca	N	Maximum detected values does not exceed screening value.
	Total PCB TEQ	m	pg/l	1.6E-03	8.5E-02	W005	9/1/2006	100%	NA - NA	5.2E-01	ca	N	Maximum detected values does not exceed screening value.
	Pesticides												
	Aldrin		ug/l	3.0E-07	4.1E-03	W030	1/1/2007	41%	3.4E-07 - 1.8E-03	4.0E-03	ca	Y	Maximum detected value exceeds screening value.
	alpha-Hexachlorocyclohexane		ug/l	3.8E-06	2.0E-04	W026	11/1/2006	47%	6.0E-05 - 5.4E-04	1.1E-02	ca	N	Maximum detected values does not exceed screening value.
	beta-Hexachlorocyclohexane		ug/l	1.7E-06	3.6E-04	W026	1/1/2007	37%	3.5E-06 - 1.9E-03	3.7E-02	ca	N	Maximum detected values does not exceed screening value.
	delta-Hexachlorocyclohexane	n	ug/l	6.3E-07	1.7E-03	W013-1	11/8/2004	22%	4.2E-07 - 9.8E-04	NL	NL	Y	Analyte detected and no screening value or surrogate exists.
	Dieldrin		ug/l	1.7E-05	7.0E-04	W028	1/1/2007	45%	4.0E-04 - 5.4E-04	4.2E-03	ca	N	Maximum detected values does not exceed screening value.
	Endrin		ug/l	1.7E-07	1.7E-04	W038	11/1/2006	13%	4.6E-07 - 7.4E-04	1.1E+00	nc	N	Maximum detected values does not exceed screening value.
	Endrin aldehyde	o	ug/l	2.1E-04	9.1E-04	W036	1/1/2007	4%	1.4E-07 - 5.4E-04	1.1E+00	nc	N	Maximum detected values does not exceed screening value.
	Endrin ketone	o	ug/l	3.4E-07	2.0E-04	W036	11/1/2006	30%	4.0E-07 - 5.4E-04	1.1E+00	nc	N	Maximum detected values does not exceed screening value.
	gamma-Hexachlorocyclohexane		ug/l	7.2E-06	1.1E-03	W026	1/1/2007	49%	1.2E-04 - 5.6E-04	6.1E-02	ca	N	Maximum detected values does not exceed screening value.
	Heptachlor		ug/l	1.3E-07	1.6E-03	W030	1/1/2007	15%	6.9E-08 - 2.2E-03	1.5E-02	ca	N	Maximum detected values does not exceed screening value.
	Heptachlor epoxide		ug/l	2.1E-06	7.1E-05	W037	1/1/2007	42%	6.8E-06 - 5.4E-04	7.4E-03	ca	N	Maximum detected values does not exceed screening value.
	Methoxychlor		ug/l	9.2E-07	1.1E-02	W013-2	11/9/2004	27%	1.3E-06 - 1.6E-03	1.8E+01	nc	N	Maximum detected values does not exceed screening value.
	Total Chlordanes		ug/l	1.4E-05	2.9E-03	W002	7/5/2005	47%	4.7E-04 - 1.9E-03	1.9E-01	ca	N	Maximum detected values does not exceed screening value.
	Total DDD	p	ug/l	1.5E-05	5.2E-03	W015	11/30/2004	47%	4.7E-04 - 1.4E-03	2.8E-01	ca	N	Maximum detected values does not exceed screening value.
	Total DDE	q	ug/l	1.7E-05	7.5E-04	W016-1	7/18/2005	49%	2.6E-04 - 7.8E-04	2.0E-01	ca	N	Maximum detected values does not exceed screening value.
	Total DDT	r	ug/l	1.6E-06	1.9E-02	W001	3/4/2005	53%	4.1E-04 - 1.1E-03	2.0E-01	ca	N	Maximum detected values does not exceed screening value.
	Total Endosulfan		ug/l	1.5E-05	1.2E-03	W013-1	11/8/2004	50%	3.1E-04 - 5.4E-04	2.2E+01	nc	N	Maximum detected values does not exceed screening value.
	SVOCs								-				
	1,4-Dichlorobenzene		ug/l	1.9E-02	1.9E-02	W022	12/2/2004	1%	1.4E-02 - 1.5E-02	4.3E-01	ca	N	Maximum detected values does not exceed screening value.
	4-Chloroaniline		ug/l	1.3E-02	1.3E-02	W023	1/1/2007	1%	1.8E-02 - 2.0E-02	3.4E-01	ca	N	Maximum detected values does not exceed screening value.
	Aniline		ug/l	1.2E+00	1.2E+00	W035	1/1/2007	1%	2.5E-01 - 1.2E+00	1.2E+01	ca	N	Maximum detected values does not exceed screening value.
	Benzoic acid		ug/l	1.2E+00	2.2E+00	W017	12/1/2004	9%	1.8E+00 - 2.1E+00	1.5E+04	nc	N	Maximum detected values does not exceed screening value.
	Carbazole	s	ug/l	2.4E-02	8.3E-02	W031	1/1/2007	3%	1.3E-02 - 1.5E-02	1.5E+02	nc	N	Maximum detected values does not exceed screening value.
	Dibenzofuran		ug/l	2.5E-02	2.5E-02	W031	1/1/2007	1%	5.7E-03 - 2.9E-02	3.7E+00	nc	N	Maximum detected values does not exceed screening value.
	Hexachlorobenzene		ug/l	1.3E-05	7.0E-03	W022	3/16/2005	37%	3.1E-04 - 1.6E-02	4.2E-02	ca	N	Maximum detected values does not exceed screening value.
	Hexachlorobutadiene		ug/l	1.1E-07	2.6E-03	W017	12/1/2004	23%	2.3E-07 - 2.2E-02	8.6E-01	ca	N	Maximum detected values does not exceed screening value.
	Isophorone		ug/l	7.1E-03	1.8E-02	W017	12/1/2004	3%	8.5E-03 - 9.5E-03	7.1E+01	ca	N	Maximum detected values does not exceed screening value.
	Herbicides								-				
	2,4-D		ug/l	4.7E-02	1.6E-01	W035	1/1/2007	4%	3.4E-02 - 2.1E-01	3.7E+01	nc	N	Maximum detected values does not exceed screening value.
	2,4-DB		ug/l	1.4E-01	2.1E-01	W025	9/1/2006	2%	4.0E-02 - 4.1E-01	2.9E+01	nc	N	Maximum detected values does not exceed screening value.
	Dalapon		ug/l	2.3E-01	2.6E-01	W036	1/1/2007	2%	1.8E-01 - 6.7E-01	1.1E+02	nc	N	Maximum detected values does not exceed screening value.
	MCPP		ug/l	5.2E+00	1.9E+01	W035	1/1/2007	4%	6.0E+00 - 1.2E+02	3.7E+00	nc	Y	Maximum detected value exceeds screening value.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 2-13

Occurrence, Distribution and Selection of Chemicals of Potential Concern - Surface Water, Direct Contact With Divers

Scenario Timeframe: Current/Future
Medium: Water
Exposure Medium: Surface Water, Direct Contact With Divers

Exposure Point	Chemical[a]	Notes	Units	Minimum Detected Concentration	Maximum Detected Concentration	Location of Maximum Concentration	Date of Maximum Concentration	Detection Frequency	Range of Detection Limits[b]	Concentration Used for Screening[c]	Screening Toxicity Value	COPC Flag (Y/N)	Rationale for Selection or Deletion
	Conventionals								-				
	Perchlorate		ug/l	3.0E-01	1.6E+01	W016-2	11/30/2004	46%	2.0E-01 - 1.0E+00	2.6E+00	nc	Y	Maximum detected value exceeds screening value.

Notes: a Chemical list includes analytes detected in surface water samples determined to represent human health exposure to a diver from direct contact. Integrated samples have been averaged prior to screening. Benzo(j +k)fluoranthene is assumed to be entirely benzo(k)fluoranthene.

  b For chemical mixtures, the range of detection limits listed is the maximum and minimum detection limit for individual isomers or congeners within the mixture.

  c Screening concentrations and toxicity classifications are from EPA RSLs for tapwater (Nov 2010) unless otherwise noted. SLs for noncarcinogenic chemicals are divided by 10.

  d EPA RSL for trivalent chromium used for chromium screening concentration.

  e EPA action level for drinking water used for lead (May 2005). Screening level not divided by 10 for screening.

  f EPA RSL was not available and a surrogate chemical could not be identified. Thallium MCL (May 2009) used as screening level.

  g EPA RSL for tributyltin oxide (TBTO) used as surrogate.

  h EPA RSL for acenaphthene used as surrogate.

  i EPA RSL for pyrene used as surrogate.

  j EPA Region 6 SL for tapwater (8 March 2008) used for Dimethyl phthalate.

  k EPA RSL for diethyl phthalate used as surrogate.

  l EPA RSL for PCBs as Aroclor 1254 used for screening concentration.

  m EPA RSL for 2,3,7,8-TCDD (Dioxin) used for screening concentration.

  n A screening value was not available and a surrogate chemical could not be identified. Analyte is discussed qualitatively in text.

  o EPA RSL for endrin used as surrogate.

  p EPA RSL for DDD used for total DDD.

  q EPA RSL for p,p'-DDE used for total DDE.

  r EPA RSL for DDT used for total DDT.

  s EPA RSL for fluorene used as surrogate.

Abbreviations: ca = Carcinogen.
  COPC = Chemical of potential concern.
  EPA = U.S. Environmental Protection Agency.
  MCL = Maximum Contaminant Level.
  N = No.
  NA = Not applicable. Chemical detected at 100% frequency, or screening value does not exist for given chemical.
  nc = Noncarcinogen.
  NL = Not listed.
  pg/l = Picograms per liter.
  RSL = Regional screening level.
  SVOCs = Semivolatile organic compounds.
  TEQ = Toxicity equivalent.
  ug/l = Micrograms per liter.
  Y = Yes.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 2-14

Occurrence, Distribution, and Selection of Chemicals of Potential Concern - Surface Water, Direct Contact With Transients or Beach Users

Scenario Timeframe: Current/Future
Medium: Water
Exposure Medium: Surface Water, Direct Contact With Transients or Beach Users

Exposure Point	Chemical[a]	Notes	Units	Minimum Detected Concentration	Maximum Detected Concentration	Location of Maximum Concentration	Date of Maximum Concentration	Detection Frequency	Range of Detection Limits[b]	Concentration Used for Screening[c]	Screening Toxicity Value	COPC Flag (Y/N)	Rationale for Selection or Deletion
Study Area-wide	**Metals**												
	Aluminum		ug/l	1.5E+00	1.9E+03	W023	Jan-06	83%	2.0E+00 - 5.0E+00	3.7E+03	nc	N	Maximum detected values does not exceed screening value.
	Antimony		ug/l	1.7E-02	6.3E-02	W025	Sep-06	55%	2.0E-02 - 5.0E-02	1.5E+00	nc	N	Maximum detected values does not exceed screening value.
	Arsenic		ug/l	2.0E-01	6.0E-01	W025	Sep-06	87%	3.8E-01 - 5.1E-01	4.5E-02	ca	Y	Maximum detected value exceeds screening value.
	Cadmium		ug/l	2.0E-02	3.0E-02	W005, W011, W014, W020, W023	Jul-05, Mar-05/ Jul-05, Dec-04, Dec-04/ Jul-05, Jul-05	16%	2.0E-03 - 5.1E-02	1.8E+00	nc	N	Maximum detected values does not exceed screening value.
	Chromium	d	ug/l	1.2E-01	1.6E+00	W023	Jan-06	58%	1.4E-01 - 4.3E-01	5.5E+03	nc	N	Maximum detected values does not exceed screening value.
	Chromium hexavalent		ug/l	9.0E-01	9.0E-01	W011	Nov-06	33%	6.0E-01 - 2.0E+01	4.3E-02	ca	Y	Maximum detected value exceeds screening value.
	Copper		ug/l	4.5E-01	3.7E+00	W023	Jan-06	100%	NA - NA	1.5E+02	nc	N	Maximum detected values does not exceed screening value.
	Lead	e	ug/l	8.0E-03	8.6E-01	W023	Jan-06	90%	8.0E-03 - 4.6E-02	1.5E+01	NA	N	Maximum detected values does not exceed screening value.
	Mercury		ug/l	1.3E-02	2.3E-02	W023	Nov-06	10%	2.0E-02 - 8.0E-02	5.7E-02	nc	N	Maximum detected value does not exceed screening value.
	Nickel		ug/l	4.0E-01	1.9E+00	W023	Jan-06	87%	2.0E-01 - 9.6E-01	7.3E+01	nc	N	Maximum detected value does not exceed screening value.
	Selenium		ug/l	1.0E-01	7.0E-01	W023	Mar-05	56%	1.0E-01 - 4.0E-01	1.8E+01	nc	N	Maximum detected value does not exceed screening value.
	Silver		ug/l	8.8E-03	2.5E-02	W005	Nov-04	3%	3.0E-03 - 5.2E-02	1.8E+01	nc	N	Maximum detected value does not exceed screening value.
	Thallium	f	ug/l	2.5E-02	2.5E-02	W005	Nov-04	13%	4.0E-03 - 4.0E-03	2.0E+00	NL	N	Maximum detected value does not exceed screening value.
	Zinc		ug/l	1.4E+00	6.4E+00	W023	Jan-06	69%	7.7E-01 - 4.1E+00	1.1E+03	nc	N	Maximum detected value does not exceed screening value.
	Butyltins												
	Butyltin ion	g	ug/l	1.5E-03	3.0E-02	W023	Jan-07	16%	1.7E-03 - 3.8E-02	1.1E+00	nc	N	Maximum detected value does not exceed screening value.
	Dibutyltin ion	g	ug/l	7.8E-04	1.0E-03	W020, W023	Jul-05, Mar-05	13%	5.5E-04 - 2.5E-02	1.1E+00	nc	N	Maximum detected value does not exceed screening value.
	Tributyltin ion	g	ug/l	6.5E-04	6.5E-04	W011	Nov-06	3%	6.0E-04 - 1.4E-02	1.1E+00	nc	N	Maximum detected value does not exceed screening value.
	Polynuclear Aromatic Hydrocarbons												
	2-Methylnaphthalene		ug/l	1.2E-03	2.4E-02	W023	Mar-05	41%	2.7E-03 - 1.1E-02	1.5E+01	nc	N	Maximum detected value does not exceed screening value.
	Acenaphthene		ug/l	2.1E-04	6.0E-03	W005	Jan-06	46%	2.0E-03 - 8.0E-03	2.2E+02	nc	N	Maximum detected value does not exceed screening value.
	Acenaphthylene	h	ug/l	2.8E-04	9.1E-03	W023	Nov-04	34%	2.2E-04 - 8.5E-03	2.2E+02	nc	N	Maximum detected value does not exceed screening value.
	Anthracene		ug/l	3.5E-04	2.0E-03	W011	Jul-05	20%	1.6E-04 - 7.8E-03	1.1E+03	nc	N	Maximum detected value does not exceed screening value.
	Benzo(a)anthracene		ug/l	5.2E-05	1.0E-02	W011, W023	Nov-04, Nov-04	50%	2.1E-03 - 7.8E-03	2.9E-02	ca	N	Maximum detected value does not exceed screening value.
	Benzo(a)pyrene		ug/l	2.6E-05	2.1E-03	W005	Sep-06	45%	1.6E-03 - 8.6E-03	2.9E-03	ca	N	Maximum detected value does not exceed screening value.
	Benzo(b)fluoranthene		ug/l	2.4E-05	2.1E-03	W005	Jan-06	46%	2.0E-03 - 9.2E-03	2.9E-02	ca	N	Maximum detected value does not exceed screening value.
	Benzo(g,h,i)perylene	i	ug/l	7.5E-05	1.0E-02	W023M	Mar-07	45%	3.3E-04 - 1.5E-02	1.1E+02	nc	N	Maximum detected value does not exceed screening value.
	Benzo(k)fluoranthene		ug/l	1.6E-05	6.7E-03	W011	Nov-04	48%	1.4E-03 - 1.1E-02	2.9E-01	ca	N	Maximum detected value does not exceed screening value.
	Chrysene		ug/l	9.5E-05	7.7E-03	W011	Nov-04	52%	1.3E-03 - 1.1E-02	2.9E+00	ca	N	Maximum detected value does not exceed screening value.
	Dibenzo(a,h)anthracene		ug/l	2.6E-05	4.5E-04	W023	Nov-06	18%	4.3E-05 - 7.2E-03	2.9E-03	ca	N	Maximum detected value does not exceed screening value.
	Fluoranthene		ug/l	5.1E-04	2.0E-02	W020	Jul-05	70%	2.4E-03 - 9.6E-03	1.5E+02	nc	N	Maximum detected value does not exceed screening value.
	Fluorene		ug/l	3.7E-04	3.9E-03	W005	Jan-06	46%	2.6E-03 - 1.1E-02	1.5E+02	nc	N	Maximum detected value does not exceed screening value.
	Indeno(1,2,3-cd)pyrene		ug/l	1.6E-04	8.6E-03	W023M	Mar-07	36%	1.5E-04 - 8.4E-03	2.9E-02	ca	N	Maximum detected value does not exceed screening value.
	Naphthalene		ug/l	1.0E-03	3.5E-02	W023	Mar-05	11%	3.6E-03 - 9.1E-02	1.4E-01	ca	N	Maximum detected value does not exceed screening value.
	Phenanthrene	i	ug/l	7.9E-04	7.3E-03	W020	Jul-05	45%	2.2E-03 - 1.3E-02	1.1E+02	nc	N	Maximum detected value does not exceed screening value.
	Pyrene		ug/l	4.3E-04	1.5E-02	W005	Sep-06	68%	2.3E-03 - 9.4E-03	1.1E+02	nc	N	Maximum detected value does not exceed screening value.
	Phthalates												
	Bis(2-ethylhexyl) phthalate		ug/l	9.1E-03	3.6E+00	W005	Nov-06	28%	4.3E-03 - 4.0E+00	4.8E+00	ca	N	Maximum detected value does not exceed screening value.
	Butylbenzyl phthalate		ug/l	1.2E-03	1.2E-01	W025	Sep-06	25%	6.4E-04 - 6.7E-02	3.5E+01	ca	N	Maximum detected value does not exceed screening value.
	Dibutyl phthalate		ug/l	1.5E-03	2.0E-03	W011	Jul-05	8%	1.0E-03 - 2.2E-01	3.7E+02	nc	N	Maximum detected value does not exceed screening value.
	Diethyl phthalate		ug/l	2.1E-03	1.7E-01	W005	Nov-06	20%	6.7E-04 - 1.4E-01	2.9E+03	nc	N	Maximum detected value does not exceed screening value.
	Di-n-octyl phthalate	j	ug/l	7.1E-03	7.1E-03	W023	Nov-06	3%	1.1E-04 - 3.6E-02	2.9E+03	nc	N	Maximum detected value does not exceed screening value.
	Phenols												
	4-Chloro-3-methylphenol		ug/l	2.3E-02	7.5E-02	W020	Jul-05	10%	2.9E-02 - 1.5E-01	3.7E+02	nc	N	Maximum detected value does not exceed screening value.
	Phenol		ug/l	1.6E-02	6.7E-02	W023	Jul-05	16%	2.0E-02 - 3.3E-02	1.1E+03	nc	N	Maximum detected value does not exceed screening value.
	Polychlorinated Biphenyls												
	Total PCB Congeners	k	pg/l	1.1E+02	8.1E+02	W011	Sep-06	100%	NA - NA	3.4E+04	ca	N	Maximum detected value does not exceed screening value.
	Dioxin/Furan												
	Total Dioxin/Furan TEQ	l	pg/l	3.1E-02	3.3E-01	W005	Jul-05	100%	NA - NA	5.2E-01	ca	N	Maximum detected value does not exceed screening value.
	Total PCB TEQ	l	pg/l	1.6E-03	8.5E-02	W005	Sep-06	100%	NA - NA	5.2E-01	ca	N	Maximum detected value does not exceed screening value.
	Pesticides												
	Aldrin		ug/l	3.0E-07	4.7E-06	W005	Sep-06	77%	3.4E-07 - 5.1E-04	4.0E-03	ca	N	Maximum detected value does not exceed screening value.
	alpha-Hexachlorocyclohexane		ug/l	8.5E-06	8.2E-05	W023	Jul-05	83%	4.8E-04 - 5.1E-04	1.1E-02	ca	N	Maximum detected value does not exceed screening value.
	beta-Hexachlorocyclohexane		ug/l	1.7E-06	9.4E-06	W023	Jul-05	67%	3.5E-06 - 5.1E-04	3.7E-02	ca	N	Maximum detected value does not exceed screening value.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 2-14

Occurrence, Distribution, and Selection of Chemicals of Potential Concern - Surface Water, Direct Contact With Transients or Beach Users

Scenario Timeframe: Current/Future
Medium: Water
Exposure Medium: Surface Water, Direct Contact With Transients or Beach Users

Exposure Point	Chemical[a]	Notes	Units	Minimum Detected Concentration	Maximum Detected Concentration	Location of Maximum Concentration	Date of Maximum Concentration	Detection Frequency	Range of Detection Limits[b]	Concentration Used for Screening[c]	Screening Toxicity Value	COPC Flag (Y/N)	Rationale for Selection or Deletion
	delta-Hexachlorocyclohexane	m	ug/l	7.7E-07	8.1E-04	W014	Dec-04	43%	4.2E-07 - 5.1E-04	NL	NL	Y	Analyte detected and no screening value or surrogate exists.
	Dieldrin		ug/l	1.7E-05	3.8E-04	W005	Jan-06	83%	4.8E-04 - 5.1E-04	4.2E-03	ca	N	Maximum detected value does not exceed screening value.
	Endrin		ug/l	1.7E-07	2.1E-06	W023	Nov-06	30%	4.6E-07 - 5.1E-04	1.1E+00	nc	N	Maximum detected value does not exceed screening value.
	Endrin ketone	n	ug/l	3.4E-07	3.6E-06	W005	Jan-06	57%	4.0E-07 - 5.1E-04	1.1E+00	nc	N	Maximum detected value does not exceed screening value.
	gamma-Hexachlorocyclohexane		ug/l	8.6E-06	3.5E-05	W005	Sep-06	83%	4.8E-04 - 5.1E-04	6.1E-02	ca	N	Maximum detected value does not exceed screening value.
	Heptachlor		ug/l	1.3E-07	7.5E-07	W005	Nov-06	23%	9.5E-08 - 5.1E-04	1.5E-02	ca	N	Maximum detected value does not exceed screening value.
	Heptachlor epoxide		ug/l	2.1E-06	2.5E-05	W023	Jan-06	83%	4.8E-04 - 5.1E-04	7.4E-03	ca	N	Maximum detected value does not exceed screening value.
	Methoxychlor		ug/l	9.2E-07	1.5E-05	W023	Sep-06	60%	1.5E-06 - 5.1E-04	1.8E+01	nc	N	Maximum detected value does not exceed screening value.
	Total Chlordanes		ug/l	1.4E-05	9.2E-05	W005	Jan-07	83%	4.8E-04 - 5.1E-04	1.9E-01	ca	N	Maximum detected value does not exceed screening value.
	Total DDD	o	ug/l	1.5E-05	3.0E-04	W005	Sep-06	83%	4.8E-04 - 5.1E-04	2.8E-01	ca	N	Maximum detected value does not exceed screening value.
	Total DDE	p	ug/l	1.7E-05	2.0E-04	W005	Jan-06	83%	4.8E-04 - 5.1E-04	2.0E-01	ca	N	Maximum detected value does not exceed screening value.
	Total DDT	q	ug/l	3.8E-06	3.4E-04	W023	Jan-06	83%	4.8E-04 - 5.1E-04	2.0E-01	ca	N	Maximum detected value does not exceed screening value.
	Total Endosulfan		ug/l	6.1E-05	6.1E-04	W005	Jan-06	83%	4.8E-04 - 5.1E-04	2.2E+01	nc	N	Maximum detected value does not exceed screening value.
SVOCs													
	4-Chloroaniline		ug/l	1.3E-02	1.3E-02	W023	Jan-07	3%	1.8E-02 - 2.0E-02	3.4E-01	ca	N	Maximum detected value does not exceed screening value.
	Benzoic acid		ug/l	1.2E+00	1.3E+00	W025	Jan-07	10%	1.8E+00 - 2.0E+00	1.5E+04	nc	N	Maximum detected value does not exceed screening value.
	Hexachlorobenzene		ug/l	1.6E-05	7.3E-05	W023	Mar-05	45%	4.8E-04 - 1.6E-02	4.2E-02	ca	N	Maximum detected value does not exceed screening value.
	Hexachlorobutadiene		ug/l	5.7E-07	4.1E-06	W025	Sep-06	29%	2.3E-07 - 2.2E-02	8.6E-01	ca	N	Maximum detected value does not exceed screening value.
	Isophorone		ug/l	7.1E-03	1.3E-02	W023M	Mar-07	6%	8.5E-03 - 9.5E-03	7.1E+01	ca	N	Maximum detected value does not exceed screening value.
Herbicides													
	2,4-D		ug/l	5.2E-02	1.4E-01	W005	Nov-04	6%	3.4E-02 - 5.9E-02	3.7E+01	nc	N	Maximum detected value does not exceed screening value.
	2,4-DB		ug/l	1.4E-01	2.1E-01	W025	Sep-06	7%	4.1E-02 - 4.0E-01	2.9E+01	nc	N	Maximum detected value does not exceed screening value.
	MCPP		ug/l	8.0E+00	9.1E+00	W005	Sep-06	7%	6.0E+00 - 1.1E+02	3.7E+00	nc	Y	Maximum detected value exceeds screening value.

Notes: a Chemical list includes analytes detected in surface water samples determined to represent human health exposure from direct contact. Integrated samples have been averaged prior to screening. Benzo(j +k)fluoranthene is assumed to be entirely benzo(k)fluoranthene.

b For chemical mixtures, the range of detection limits listed is the maximum and minimum detection limit for individual isomers or congeners within the mixture.

c Screening concentrations and toxicity classifications are from EPA RSLs for tapwater (Nov 2010) unless otherwise noted. SLs for noncarcinogenic chemicals are divided by 10.

d EPA RSL for trivalent chromium used for chromium screening concentration.

e EPA MCL for tapwater used for lead. Screening level not divided by 10 for screening.

f Regional screening value was not available and a surrogate chemical could not be identified. Thallium MCL used as screening level.

g EPA RSL for tributyltin oxide (TBTO) used as surrogate.

h EPA RSL for acenaphthene used as surrogate.

i EPA RSL for pyrene used as surrogate.

j EPA RSL for diethyl phthalate used as surrogate.

k EPA RSL for PCBs as Aroclor 1254 used for screening concentration.

l EPA RSL for 2,3,7,8-TCDD (Dioxin) used for screening concentration.

m A screening value was not available and a surrogate chemical could not be identified. Analyte is discussed qualitatively in text.

n EPA RSL for endrin used as surrogate.

o EPA RSL for DDD used for total DDD.

p EPA RSL for p,p'-DDE used for total DDE.

q EPA RSL for DDT used for total DDT.

Abbreviations: ca = Carcinogen.
CAS = Chemical Abstract Services.
COPC = Chemical of potential concern.
EPA = U.S. Environmental Protection Agency.
MCL = Maximum Contaminant Level. National Primary Drinking Wter Regulations. EPA 2010.
N = No.
NA = Not applicable. Chemical detected at 100% frequency, or screening value does not exist for given chemical.
nc = Noncarcinogen.
NL = Not listed.
pg/l = Picograms per liter.
RSL = Regional screening level.
SVOC = Semivolatile organic compound.
TEQ = Toxicity equivalent.
ug/l = Micrograms per liter.
Y = Yes.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 2-15

Occurrence, Distribution, and Selection of Chemicals of Potential Concern - Groundwater Seep

Scenario Timeframe:	Current/Future
Medium:	Groundwater
Exposure Medium:	Groundwater Seep[a]

Exposure Point	CAS Number	Chemical[b]	Notes	Units	Minimum Detected Concentration	Maximum Detected Concentration	Location of Maximum Concentration	Detection Frequency	Range of Detection Limits		Concentration Used for Screening[c]	Screening Toxicity Value[c] (nc/ca)	COPC Flag (Y/N)	Rationale for Selection or Deletion
Outfall 22B		**Metals**												
	7429-90-5	Aluminum		ug/l	1.7E+02	1.7E+02	Outfall 22B	100%	NA - NA		3.7E+03	nc	N	Maximum detected value does not exceed screening value.
	7440-36-0	Antimony		ug/l	1.0E+00	1.0E+00	Outfall 22B	100%	NA - NA		1.5E+00	nc	N	Maximum detected value does not exceed screening value.
	7440-38-2	Arsenic		ug/l	5.5E+00	8.1E+00	Outfall 22B	100%	NA - NA		4.5E-02	ca	Y	Maximum detected value exceeds screening value.
	7440-39-3	Barium		ug/l	4.5E+01	4.5E+01	Outfall 22B	100%	NA - NA		7.3E+02	nc	N	Maximum detected value does not exceed screening value.
	7440-42-8	Boron		ug/l	1.4E+03	1.4E+03	Outfall 22B	100%	NA - NA		7.3E+02	nc	Y	Maximum detected value exceeds screening value.
	7440-43-9	Cadmium		ug/l	1.2E-01	1.2E-01	Outfall 22B	33%	1.4E-01 - 1.4E-01		1.8E+00	nc	N	Maximum detected value does not exceed screening value.
	7440-47-3	Chromium	d	ug/l	1.2E+00	1.2E+00	Outfall 22B	33%	7.2E-01 - 1.3E+00		5.5E+03	nc	N	Maximum detected value does not exceed screening value.
	7440-50-8	Copper		ug/l	2.1E+00	1.2E+01	Outfall 22B	67%	7.9E-01 - 7.9E-01		1.5E+02	nc	N	Maximum detected value does not exceed screening value.
	7439-89-6	Iron		ug/l	1.6E+04	1.6E+04	Outfall 22B	100%	NA - NA		2.6E+03	nc	Y	Maximum detected value exceeds screening value.
	7439-92-1	Lead	e	ug/l	3.0E+00	5.1E+00	Outfall 22B	67%	2.2E-01 - 2.2E-01		1.5E+01	nc	N	Maximum detected value does not exceed screening value.
	7439-96-5	Manganese		ug/l	2.4E+03	2.4E+03	Outfall 22B	100%	NA - NA		8.8E+01	nc	Y	Maximum detected value exceeds screening value.
	7439-97-6	Mercury		ug/l	6.3E-03	6.3E-03	Outfall 22B	33%	1.1E-03 - 1.3E-01		5.7E-02	nc	N	Maximum detected value does not exceed screening value.
	7439-98-7	Molybdenum		ug/l	6.9E+02	6.9E+02	Outfall 22B	100%	NA - NA		1.8E+01	nc	Y	Maximum detected value exceeds screening value.
	7440-02-0	Nickel		ug/l	2.2E+00	2.6E+00	Outfall 22B	100%	NA - NA		7.3E+01	nc	N	Maximum detected value does not exceed screening value.
	7440-62-2	Vanadium		ug/l	2.3E+00	8.9E+00	Outfall 22B	100%	NA - NA		2.6E-01	nc	Y	Maximum detected value exceeds screening value.
	7440-66-6	Zinc		ug/l	2.3E+00	2.5E+01	Outfall 22B	100%	NA - NA		1.1E+03	nc	N	Maximum detected value does not exceed screening value.
		Polynuclear Aromatic Hydrocarbons												Maximum detected value exceeds screening value.
	91-57-6	2-Methylnaphthalene		ug/l	2.4E-01	2.4E-01	Outfall 22B	50%	3.0E+00 - 3.0E+00		1.5E+01	nc	N	Maximum detected value does not exceed screening value.
	83-32-9	Acenaphthene		ug/l	2.3E-01	3.5E-01	Outfall 22B	100%	NA - NA		2.2E+02	nc	N	Maximum detected value does not exceed screening value.
	206-44-0	Fluoranthene		ug/l	1.3E-01	1.3E-01	Outfall 22B	50%	1.5E-01 - 1.5E-01		1.5E+02	nc	N	Maximum detected value does not exceed screening value.
	91-20-3	Naphthalene		ug/l	1.3E-01	1.3E-01	Outfall 22B	50%	9.9E-02 - 9.9E-02		1.4E-01	ca	N	Maximum detected value does not exceed screening value.
	85-01-8	Phenanthrene	f	ug/l	1.4E-01	1.8E-01	Outfall 22B	100%	NA - NA		1.1E+02	nc	N	Maximum detected value does not exceed screening value.
	129-00-0	Pyrene		ug/l	1.0E-01	1.0E-01	Outfall 22B	50%	1.5E-01 - 1.5E-01		1.1E+02	nc	N	Maximum detected value does not exceed screening value.
		SVOCs												Maximum detected value exceeds screening value.
	95-50-1	1,2-Dichlorobenzene		ug/l	7.7E-01	8.6E-01	Outfall 22B	100%	NA - NA		3.7E+01	nc	N	Maximum detected value does not exceed screening value.
	106-46-7	1,4-Dichlorobenzene		ug/l	9.6E-01	1.2E+00	Outfall 22B	100%	NA - NA		4.3E-01	ca	Y	Maximum detected value exceeds screening value.
		Phenols												Maximum detected value exceeds screening value.
	95-95-4	2,4,5-Trichlorophenol		ug/l	5.6E-01	5.6E-01	Outfall 22B	50%	5.0E+00 - 5.0E+00		3.7E+02	nc	N	Maximum detected value does not exceed screening value.
	88-06-2	2,4,6-Trichlorophenol		ug/l	4.5E-01	4.5E-01	Outfall 22B	50%	5.0E+00 - 5.0E+00		6.1E+00	ca	N	Maximum detected value does not exceed screening value.
	120-83-2	2,4-Dichlorophenol		ug/l	1.1E+01	1.6E+01	Outfall 22B	100%	NA - NA		1.1E+01	nc	Y	Maximum detected value exceeds screening value.
	105-67-9	2,4-Dimethylphenol		ug/l	1.4E+00	1.4E+00	Outfall 22B	50%	1.0E+01 - 1.0E+01		7.3E+01	nc	N	Maximum detected value does not exceed screening value.
	95-57-8	2-Chlorophenol		ug/l	1.2E+00	1.2E+00	Outfall 22B	50%	5.0E+00 - 5.0E+00		1.8E+01	nc	N	Maximum detected value does not exceed screening value.
	95-48-7	2-Methylphenol		ug/l	5.2E+00	5.2E+00	Outfall 22B	50%	2.4E-01 - 2.4E-01		1.8E+02	nc	N	Maximum detected value does not exceed screening value.
	100-02-7	4-Nitrophenol	g	ug/l	5.7E-01	5.7E-01	Outfall 22B	50%	1.0E+01 - 1.0E+01		1.2E-01	ca	Y	Maximum detected value exceeds screening value.
	87-86-5	Pentachlorophenol		ug/l	1.6E-01	1.6E-01	Outfall 22B	50%	5.0E+00 - 5.0E+00		1.7E-01	ca	N	Maximum detected value does not exceed screening value.
		Dioxin/Furans												Maximum detected value exceeds screening value.
		Dioxin TEQ	h	ug/l	4.2E-08	4.2E-08	Outfall 22B	50%	1.1E-08 - 1.1E-08		5.2E-07	ca	N	Maximum detected value does not exceed screening value.
		Pesticides												Maximum detected value exceeds screening value.
	309-00-2	Aldrin		ug/l	4.1E-03	4.1E-03	Outfall 22B	50%	5.0E-02 - 5.0E-02		4.0E-03	ca	Y	Maximum detected value exceeds screening value.
	1024-57-3	Heptachlor epoxide		ug/l	7.1E-03	7.1E-03	Outfall 22B	50%	5.0E-02 - 5.0E-02		7.4E-03	ca	N	Maximum detected value does not exceed screening value.
		Total DDE	i	ug/l	9.0E-03	9.0E-03	Outfall 22B	50%	5.0E-02 - 5.0E-02		2.0E-01	ca	N	Maximum detected value does not exceed screening value.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 2-15

Occurrence, Distribution, and Selection of Chemicals of Potential Concern - Groundwater Seep

Scenario Timeframe:	Current/Future
Medium:	Groundwater
Exposure Medium:	Groundwater Seep[a]

Exposure Point	CAS Number	Chemical[b]	Notes	Units	Minimum Detected Concentration	Maximum Detected Concentration	Location of Maximum Concentration	Detection Frequency	Range of Detection Limits	Concentration Used for Screening[c]	Screening Toxicity Value[c] (nc/ca)	COPC Flag (Y/N)	Rationale for Selection or Deletion
		Herbicides											Maximum detected value exceeds screening value.
	93-76-5	2,4,5-T		ug/l	3.1E-01	3.1E-01	Outfall 22B	50%	1.4E+00 - 1.4E+00	3.7E+01	nc	N	Maximum detected value does not exceed screening value.
	94-75-7	2,4-D		ug/l	5.9E-01	5.9E-01	Outfall 22B	50%	1.3E+00 - 1.3E+00	3.7E+01	nc	N	Maximum detected value does not exceed screening value.
	94-82-6	2,4-DB		ug/l	4.3E-01	4.3E-01	Outfall 22B	50%	1.9E+00 - 1.9E+00	2.9E+01	nc	N	Maximum detected value does not exceed screening value.
	1918-00-9	Dicamba		ug/l	1.5E+00	1.5E+00	Outfall 22B	50%	4.8E-02 - 4.8E-02	1.1E+02	nc	N	Maximum detected value does not exceed screening value.
	94-74-6	MCPA		ug/l	1.6E-01	1.6E-01	Outfall 22B	50%	1.3E+02 - 1.3E+02	1.8E+00	nc	N	Maximum detected value does not exceed screening value.
	93-65-2	MCPP		ug/l	6.9E-01	6.9E-01	Outfall 22B	50%	1.1E+02 - 1.1E+02	3.7E+00	nc	N	Maximum detected value does not exceed screening value.
		VOCs											Maximum detected value exceeds screening value.
	67-64-1	Acetone		ug/l	3.0E+00	3.0E+00	Outfall 22B	50%	2.5E+00 - 2.5E+00	2.2E+03	nc	N	Maximum detected value does not exceed screening value.
	71-43-2	Benzene		ug/l	1.9E-01	1.9E-01	Outfall 22B	50%	5.0E-01 - 5.0E-01	4.1E-01	ca	N	Maximum detected value does not exceed screening value.
	108-90-7	Chlorobenzene		ug/l	8.4E+00	9.2E+00	Outfall 22B	100%	NA - NA	9.1E+00	nc	Y	Maximum detected value exceeds screening value.
	75-09-2	Methylene chloride		ug/l	5.3E-01	5.3E-01	Outfall 22B	50%	4.5E-01 - 4.5E-01	4.8E+00	ca	N	Maximum detected value does not exceed screening value.
	127-18-4	Tetrachloroethene		ug/l	6.4E-01	6.4E-01	Outfall 22B	50%	5.0E-01 - 5.0E-01	1.1E-01	ca	Y	Maximum detected value exceeds screening value.
	79-01-6	Trichloroethene	j	ug/l	3.4E-01	3.4E-01	Outfall 22B	50%	5.0E-01 - 5.0E-01	2.8E-02	ca	Y	Maximum detected value exceeds screening value.

Notes:

a Groundwater seep data represent groundwater that has seeped into holes of the outfall pipe at the given location.

b Chemical list includes analytes detected in Outfall 22B samples in the site characterization and risk assessment (SCRA) dataset from the past 10 years that were not from stormwater sampling events.

c Screening concentrations and toxicity classifications are from EPA RSLs for tap water (Nov 2010). SLs for noncarcinogenic chemicals are divided by 10.

d EPA RSL for chromium III used as a surrogate for chromium.

e EPA Region 6 SL for tap water used for lead. SL not divided by 10 for screening.

f EPA RSL for pyrene used as surrogate.

g EPA RSL for nitrobenzene used as surrogate.

h EPA RSL for 2,3,7,8-TCDD (dioxin) used for screening concentration. Range of detection limits listed is for individual dioxin/furan isomers before TEQ adjustment.

i EPA RSL for DDE used for total DDE. Range of detection limits listed is for individual DDE isomers.

j The trichloroethene screening level was calculated consistent with the 2008 EPA Region 10 recommendations (EPA 2008a).

Abbreviations:

ca = Carcinogen.

CAS = Chemical Abstract Services.

COPC = Chemical of potential concern.

DEQ = Oregon Department of Environmental Quality.

EPA = U.S. Environmental Protection Agency.

N = No.

NA = Not applicable. Chemical detected at 100% frequency.

nc = Noncarcinogen.

RBC = Risk-based concentration.

RSL = Regional screening level.

SVOC = Semivolatile organic compound.

TEQ = Toxicity equivalent.

ug/l = Micrograms per liter.

VOC = Volatile organic compound.

Y = Yes.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 2-16

Occurrence, Distribution, and Selection of Chemicals of Potential Concern - Surface Water as a Potential Future Domestic Water Source

Scenario Timeframe: Potential Future
Medium: Water
Exposure Medium: Surface Water, Domestic Water Source

Exposure Point	Chemical[a]	Notes	Units	Minimum Detected Concentration	Maximum Detected Concentration	Location of Maximum Concentration	Date of Maximum Concentration	Detection Frequency	Range of Detection Limits[b]	EPA Tapwater SL [c]	MCL[u]	Screening Toxicity Value	COPC Flag (Y/N)	Rationale for Selection or Deletion
Study Area-wide	**Metals**													
	Aluminum		ug/l	1.5E+00	1.9E+03	W023	Jan-06	9.1E-01	2.0E+00 - 5.0E+00	3.7E+03	NA	nc	N	Maximum detected values does not exceed screening value.
	Antimony		ug/l	1.5E-02	6.3E-02	W025	Sep-06	4.5E-01	2.0E-02 - 5.0E-02	1.5E+00	6	nc	N	Maximum detected values does not exceed screening value.
	Arsenic		ug/l	2.0E-01	6.0E-01	W025	Sep-06	8.4E-01	3.8E-01 - 5.1E-01	4.5E-02	10	ca	Y	Maximum detected value exceeds screening value.
	Cadmium		ug/l	1.5E-02	3.0E-02	W032	Jan-07	1.4E-01	2.0E-03 - 5.1E-02	1.8E+00	5	nc	N	Maximum detected value does not exceed screening value.
	Chromium	e	ug/l	1.0E-01	1.7E+00	W036	Jan-07	4.8E-01	1.3E-01 - 5.7E-01	5.5E+03	100	nc	N	Maximum detected values does not exceed screening value.
	Chromium hexavalent		ug/l	5.0E-01	9.0E-01	W011	Nov-06	4.3E-01	9.0E-01 - 2.0E+01	4.3E-02	NA	ca	Y	Maximum detected value exceeds screening value.
	Copper		ug/l	4.5E-01	3.7E+00	W023	Jan-06	1.0E+00	0.0E+00 - 0.0E+00	1.5E+02	1300	nc	N	Maximum detected values does not exceed screening value.
	Lead		ug/l	8.0E-03	8.6E-01	W023	Jan-06	8.3E-01	8.0E-03 - 5.1E-02	NL	15	NA	N	Maximum detected values does not exceed screening value.
	Mercury		ug/l	1.3E-02	2.5E-02	W031	Nov-06	7.0E-02	2.0E-02 - 8.0E-02	5.7E-02	2	nc	N	Maximum detected values does not exceed screening value.
	Nickel		ug/l	1.5E-01	1.9E+00	W033	Jan-07	8.8E-01	2.0E-01 - 9.6E-01	7.3E+01	NA	nc	N	Maximum detected values does not exceed screening value.
	Selenium		ug/l	1.0E-01	7.0E-01	W023	Mar-05	4.9E-01	1.0E-01 - 4.0E-01	1.8E+01	50	nc	N	Maximum detected values does not exceed screening value.
	Silver		ug/l	6.8E-03	2.5E-02	W005	Nov-04	2.3E-02	3.0E-03 - 5.2E-02	1.8E+01	NA	nc	N	Maximum detected values does not exceed screening value.
	Thallium		ug/l	2.5E-02	2.5E-02	W005	Nov-04	8.3E-02	4.0E-03 - 4.0E-03	NL	2	nc	N	Maximum detected values does not exceed screening value.
	Zinc		ug/l	1.4E+00	6.4E+00	W023	Jan-06	5.5E-01	6.0E-01 - 6.0E-01	1.1E+03	NA	nc	N	Maximum detected values does not exceed screening value.
	Butyltins													
	Butyltin ion	f	ug/l	1.5E-03	3.0E-02	W023	Jan-06	1.3E-01	1.7E-03 - 3.8E-02	1.1E+00	NA	nc	N	Maximum detected values does not exceed screening value.
	Dibutyltin ion	f	ug/l	6.1E-04	4.3E-03	W038	Nov-06	1.4E-01	5.5E-04 - 2.5E-02	1.1E+00	NA	nc	N	Maximum detected values does not exceed screening value.
	Tributyltin ion	f	ug/l	6.5E-04	2.8E-03	W035	Jan-07	6.3E-02	6.0E-04 - 1.4E-02	1.1E+00	NA	nc	N	Maximum detected values does not exceed screening value.
	Polynuclear Aromatic Hydrocarbons													
	2-Methylnaphthalene		ug/l	1.2E-03	3.2E-01	W031	Jan-07	3.2E-01	2.7E-03 - 1.2E-02	1.5E+01	NA	nc	N	Maximum detected values does not exceed screening value.
	Acenaphthene		ug/l	2.1E-04	1.1E-01	W031	Jan-07	3.7E-01	2.0E-03 - 8.0E-03	2.2E+02	NA	nc	N	Maximum detected values does not exceed screening value.
	Acenaphthylene	g	ug/l	2.6E-04	1.9E-02	W031	Jan-07	2.9E-01	2.1E-04 - 8.8E-03	2.2E+02	NA	nc	N	Maximum detected values does not exceed screening value.
	Anthracene		ug/l	3.5E-04	2.4E-01	W031	Jan-07	1.6E-01	1.6E-04 - 7.8E-03	1.1E+03	NA	nc	N	Maximum detected values does not exceed screening value.
	Benzo(a)anthracene	h	ug/l	5.2E-05	1.4E-01	W031	Jan-07	4.1E-01	3.4E-04 - 7.8E-03	2.9E-02	0.200	ca	Y	Maximum detected value exceeds screening value.
	Benzo(a)pyrene	h	ug/l	2.6E-05	9.7E-02	W031	Jan-07	3.6E-01	6.1E-04 - 8.6E-03	2.9E-03	0.200	ca	Y	Maximum detected value exceeds screening value.
	Benzo(b)fluoranthene	h	ug/l	2.4E-05	6.7E-02	W031	Jan-07	3.8E-01	2.0E-03 - 9.2E-03	2.9E-02	0.200	ca	Y	Maximum detected value exceeds screening value.
	Benzo(g,h,i)perylene	i	ug/l	7.5E-05	7.2E-02	W031	Jan-07	3.6E-01	3.3E-04 - 1.5E-02	1.1E+02	NA	nc	N	Maximum detected values does not exceed screening value.
	Benzo(k)fluoranthene	h	ug/l	1.6E-05	6.8E-02	W031	Jan-07	3.9E-01	1.4E-03 - 1.1E-02	2.9E-01	0.200	ca	N	Maximum detected values does not exceed screening value.
	Chrysene	h	ug/l	9.5E-05	1.9E-01	W031	Jan-07	4.4E-01	1.3E-03 - 1.1E-02	2.9E+00	0.200	ca	N	Maximum detected values does not exceed screening value.
	Dibenzo(a,h)anthracene	h	ug/l	2.6E-05	1.4E-02	W031	Jan-07	1.8E-01	4.3E-05 - 7.2E-03	2.9E-03	0.200	ca	Y	Maximum detected value exceeds screening value.
	Fluoranthene		ug/l	5.1E-04	4.1E-01	W031	Jan-07	6.2E-01	2.4E-03 - 9.6E-03	1.5E+02	NA	nc	N	Maximum detected values does not exceed screening value.
	Fluorene		ug/l	3.7E-04	1.6E-01	W031	Jan-07	3.7E-01	2.6E-03 - 1.1E-02	1.5E+02	NA	nc	N	Maximum detected values does not exceed screening value.
	Indeno(1,2,3-cd)pyrene	h	ug/l	1.6E-04	6.2E-02	W031	Jan-07	3.0E-01	1.5E-04 - 8.4E-03	2.9E-02	0.200	ca	Y	Maximum detected value exceeds screening value.
	Naphthalene		ug/l	1.0E-03	8.3E-02	W036	Jan-07	1.0E-01	3.6E-03 - 9.3E-02	1.4E-01	NA	ca	N	Maximum detected values does not exceed screening value.
	Phenanthrene	i	ug/l	7.9E-04	1.1E+00	W031	Jan-07	3.9E-01	2.2E-03 - 1.7E-02	1.1E+02	NA	nc	N	Maximum detected values does not exceed screening value.
	Pyrene		ug/l	4.3E-04	6.5E-01	W031	Jan-07	6.0E-01	1.5E-03 - 9.4E-03	1.1E+02	NA	nc	N	Maximum detected values does not exceed screening value.
	Phthalates													
	Bis(2-ethylhexyl) phthalate		ug/l	9.1E-03	3.6E+00	W005	Nov-06	2.3E-01	4.3E-03 - 4.0E+00	4.8E+00	6	ca	N	Maximum detected values does not exceed screening value.
	Butylbenzyl phthalate		ug/l	1.2E-03	1.2E-01	W025	Sep-06	3.2E-01	6.4E-04 - 7.3E-02	3.5E+01	NA	ca	N	Maximum detected values does not exceed screening value.
	Dibutyl phthalate		ug/l	1.5E-03	1.5E-01	W029	Jan-07	6.8E-02	1.0E-03 - 3.0E-01	3.7E+02	NA	nc	N	Maximum detected values does not exceed screening value.
	Diethyl phthalate		ug/l	2.1E-03	1.7E-01	W005	Nov-06	2.3E-01	6.7E-04 - 1.4E-01	2.9E+03	NA	nc	N	Maximum detected values does not exceed screening value.
	Di-n-octyl phthalate	j	ug/l	7.1E-03	1.7E-02	W034	Jan-07	2.7E-02	1.1E-04 - 3.6E-02	2.9E+03	NA	nc	N	Maximum detected values does not exceed screening value.
	Phenols													
	4-Chloro-3-methylphenol		ug/l	2.3E-02	7.5E-02	W020	Jul-05	4.7E-02	2.9E-02 - 1.5E-01	3.7E+02	NA	nc	N	Maximum detected values does not exceed screening value.
	Phenol		ug/l	1.6E-02	2.0E-01	W033	Jan-07	1.3E-01	2.0E-02 - 3.3E-02	1.1E+03	NA	nc	N	Maximum detected values does not exceed screening value.
	Polychlorinated Biphenyls													
	Total PCB Congeners	k	pg/l	1.1E+02	1.5E+03	W030	Nov-06	1.0E+00	NA - NA	3.4E+04	500000	ca	N	Maximum detected values does not exceed screening value.
	Dioxin/Furan													
	Total Dioxin/Furan TEQ	l	pg/l	3.1E-02	3.3E-01	W005	Jul-05	1.0E+00	NA - NA	5.2E-01	30	ca	N	Maximum detected values does not exceed screening value.
	Total PCB TEQ	l	pg/l	1.6E-03	8.5E-02	W005	Sep-06	1.0E+00	NA - NA	5.2E-01	30	ca	N	Maximum detected values does not exceed screening value.
	Pesticides													
	Aldrin		ug/l	3.0E-07	4.1E-03	W030	Jan-07	5.7E-01	3.4E-07 - 1.8E-03	4.0E-03	NA	ca	Y	Maximum detected value exceeds screening value.
	alpha-Hexachlorocyclohexane		ug/l	8.5E-06	2.0E-04	W026	Nov-06	6.8E-01	6.0E-05 - 5.1E-04	1.1E-02	NA	ca	N	Maximum detected values does not exceed screening value.
	beta-Hexachlorocyclohexane		ug/l	1.7E-06	3.6E-04	W026	Jan-07	4.8E-01	3.5E-06 - 1.9E-03	3.7E-02	NA	ca	N	Maximum detected values does not exceed screening value.
	delta-Hexachlorocyclohexane	m	ug/l	6.3E-07	8.1E-04	W014	Dec-04	2.9E-01	4.2E-07 - 9.8E-04	NL	NL	NL	Y	Analyte detected and no screening value or surrogate exists.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 2-16

Occurrence, Distribution, and Selection of Chemicals of Potential Concern - Surface Water as a Potential Future Domestic Water Source

Scenario Timeframe: Potential Future
Medium: Water
Exposure Medium: Surface Water, Domestic Water Source

Exposure Point	Chemical[a]	Notes	Units	Minimum Detected Concentration	Maximum Detected Concentration	Location of Maximum Concentration	Date of Maximum Concentration	Detection Frequency	Range of Detection Limits[b]	EPA Tapwater SL[c]	MCL[d]	Screening Toxicity Value	COPC Flag (Y/N)	Rationale for Selection or Deletion
	Dieldrin		ug/l	1.7E-05	7.0E-04	W028, W036	Jan-07	6.3E-01	4.0E-04 - 5.1E-04	4.2E-03	NA	ca	N	Maximum detected values does not exceed screening value.
	Endrin		ug/l	1.7E-07	1.7E-04	W038	Nov-06	1.4E-01	4.6E-07 - 7.4E-04	1.1E+00	2.00	nc	N	Maximum detected values does not exceed screening value.
	Endrin aldehyde	n	ug/l	2.1E-04	9.1E-04	W036	Jan-07	6.6E-02	2.9E-07 - 5.1E-04	1.1E+00	NA	nc	N	Maximum detected values does not exceed screening value.
	Endrin ketone	n	ug/l	3.4E-07	2.0E-04	W036	Nov-06	3.5E-01	4.0E-07 - 5.1E-04	1.1E+00	NA	nc	N	Maximum detected values does not exceed screening value.
	gamma-Hexachlorocyclohexane		ug/l	8.6E-06	1.1E-03	W026	Jan-07	7.0E-01	1.2E-04 - 5.6E-04	6.1E-02	0.200	ca	N	Maximum detected values does not exceed screening value.
	Heptachlor		ug/l	1.3E-07	1.6E-03	W030	Jan-07	2.1E-01	9.5E-08 - 2.2E-03	1.5E-02	0.400	ca	N	Maximum detected values does not exceed screening value.
	Heptachlor epoxide		ug/l	2.1E-06	7.1E-05	W037	Jan-07	5.7E-01	6.8E-06 - 5.1E-04	7.4E-03	0.200	ca	N	Maximum detected values does not exceed screening value.
	Methoxychlor		ug/l	9.2E-07	2.1E-04	W036	Jan-07	3.8E-01	1.5E-06 - 1.6E-03	1.8E+01	40	nc	N	Maximum detected values does not exceed screening value.
	Total Chlordanes		ug/l	1.4E-05	1.5E-03	W036	Nov-06	6.5E-01	4.8E-04 - 1.9E-03	1.9E-01	2	ca	N	Maximum detected values does not exceed screening value.
	Total DDD	o	ug/l	1.5E-05	8.5E-04	W029	Jan-07	6.5E-01	4.8E-04 - 1.4E-03	2.8E-01	NA	ca	N	Maximum detected values does not exceed screening value.
	Total DDE	p	ug/l	1.7E-05	4.8E-04	W037	Jan-07	7.0E-01	2.6E-04 - 7.8E-04	2.0E-01	NA	ca	N	Maximum detected values does not exceed screening value.
	Total DDT	q	ug/l	3.8E-06	2.8E-03	W030	Nov-06	7.5E-01	4.1E-04 - 1.1E-03	2.0E-01	NA	ca	N	Maximum detected values does not exceed screening value.
	Total Endosulfan		ug/l	6.1E-05	7.2E-04	W026	Nov-06	7.0E-01	3.1E-04 - 5.1E-04	2.2E+01	NA	nc	N	Maximum detected values does not exceed screening value.
SVOCs														
	4-Chloroaniline		ug/l	1.3E-02	1.3E-02	W023	Jan-07	1.6E-02	1.8E-02 - 2.0E-02	3.4E-01	NA	ca	N	Maximum detected values does not exceed screening value.
	Aniline		ug/l	1.2E+00	1.2E+00	W035	Jan-07	1.6E-02	2.5E-01 - 1.2E+00	1.2E+01	NA	ca	N	Maximum detected values does not exceed screening value.
	Benzoic acid		ug/l	1.2E+00	2.1E+00	W026	Nov-06	9.4E-02	1.8E+00 - 2.0E+00	1.5E+04	NA	nc	N	Maximum detected values does not exceed screening value.
	Carbazole	r	ug/l	8.3E-02	8.3E-02	W031	Jan-07	1.6E-02	1.3E-02 - 1.5E-02	1.5E+02	NA	nc	N	Maximum detected values does not exceed screening value.
	Dibenzofuran		ug/l	2.5E-02	2.5E-02	W031	Jan-07	1.6E-02	5.7E-03 - 2.9E-02	3.7E+00	NA	nc	N	Maximum detected values does not exceed screening value.
	Hexachlorobenzene		ug/l	1.3E-05	4.1E-03	W036	Jan-07	4.3E-01	3.1E-04 - 1.6E-02	4.2E-02	1	ca	N	Maximum detected values does not exceed screening value.
	Hexachlorobutadiene		ug/l	5.7E-07	3.6E-05	W034	Nov-06	1.8E-01	2.3E-07 - 2.2E-02	8.6E-01	NA	ca	N	Maximum detected values does not exceed screening value.
	Isophorone		ug/l	7.1E-03	1.3E-02	W023M	Mar-07	6.3E-02	8.5E-03 - 9.5E-03	7.1E+01	NA	ca	N	Maximum detected values does not exceed screening value.
Herbicides														
	2,4-D		ug/l	4.7E-02	1.6E-01	W035	Jan-07	7.8E-02	3.4E-02 - 1.7E-01	3.7E+01	70	nc	N	Maximum detected values does not exceed screening value.
	2,4-DB		ug/l	1.4E-01	2.1E-01	W025	Sep-06	3.3E-02	4.0E-02 - 4.1E-01	2.9E+01	NA	nc	N	Maximum detected values does not exceed screening value.
	Dalapon		ug/l	2.6E-01	2.6E-01	W036	Jan-07	1.6E-02	1.8E-01 - 6.7E-01	1.1E+02	200	nc	N	Maximum detected values does not exceed screening value.
	MCPP		ug/l	5.2E+00	1.9E+01	W035	Jan-07	9.8E-02	6.0E+00 - 1.1E+02	3.7E+00	NA	nc	Y	Maximum detected value exceeds screening value.
Conventionals														
	Perchlorate		ug/l	3.0E-01	3.0E-01	W033	Nov-06	1.4E-01	2.0E-01 - 7.0E-01	2.6E+00	NA	nc	N	Maximum detected values does not exceed screening value.

Notes: a Chemical list includes analytes detected in surface water samples determined to represent potential future human health exposure from surface water as a drinking water source. Data set includes all vertically integrated and combined transect samples within the study area. Integrated samples have been averaged prior to screening. Benzo(j +k)fluoranthene is assumed to be entirely benzo(k)fluoranthene.

    b For chemical mixtures, the range of detection limits listed is the maximum and minimum detection limit for individual isomers or congeners within the mixture.

    c Screening concentrations and toxicity classifications are from EPA RSLs for tap water (Nov2010) unless otherwise noted. RSLs for noncarcinogenic chemicals are divided by 10.

    d Maximum Contaminant Levels used as screening concentrations are from EPA 816-F-09-004. May 2009. Retrieved online 15 October 2010.

    e EPA RSL listed is for trivalent chromium; MCL listed is for total chromium.

    f EPA RSL for tributyltin oxide (TBTO) used as surrogate.

    g EPA RSL for acenaphthene used as surrogate.

    h Benzo(a)pyrene MCL used for screening of all carcinogenic PAHs

    i EPA RSL for pyrene used as surrogate.

    j EPA RSL for diethyl phthalate used as surrogate.

    k EPA RSL for PCBs as Aroclor 1254 used for screening concentration.

    l EPA RSL for 2,3,7,8-TCDD (dioxin) used for screening concentration.

    m A screening value was not available and a surrogate chemical could not be identified. Analyte is discussed qualitatively in text.

    n EPA RSL for endrin used as surrogate.

    o EPA RSL for DDD used for total DDD.

    p EPA RSL for p,p'-DDE used for total DDE.

    q EPA RSL for DDT used for total DDT.

    r EPA RSL for fluorene used as surrogate.

Abbreviations: ca = Carcinogen.
CAS = Chemical Abstract Services.
COPC = Chemical of potential concern.
EPA = U.S. Environmental Protection Agency.
MCL = Maximum Contaminant Level.
N = No.
NA = Not applicable. Chemical detected at 100% frequency, or screening value does not exist for given chemical.
nc = Noncarcinogen.

NL = Not listed.
pg/l = Picograms per liter.
RSL = Regional screening level.
SVOC = Semivolatile organic compound.
TEQ = Toxicity equivalent.
ug/l = Micrograms per liter.
Y = Yes.
PAH = Polynuclear aromatic hydrocarbons

LWG
Lower Willamette Group

PORTLAND HARBOR RI/FS
FINAL REMEDIAL INVESTIGATION REPORT

APPENDIX F
BASELINE HUMAN HEALTH RISK ASSESSMENT

SECTION 3 TABLES

March 28, 2013

Produced for
The Lower Willamette Group and
United States Environmental Protection Agency

Produced by
Kennedy/Jenks Consultants

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 3-1
Selection of Exposure Pathways

Scenario Timeframe	Exposure Medium	Exposure Point	Receptor Population	Receptor Age[a]	Exposure Route	Rationale for Selection of Exposure Pathway[b]
Current/Future	Surface Water	Transient Use Areas	Transients	Adult	Ingestion	Transients may ingest water within transient use areas
					Dermal	Transients may contact water within transient use areas
		Diver Use Areas	Divers[c]	Adult	Ingestion	Divers may inadvertently ingest water while working within the study area
					Dermal	Divers may contact water while working within the study area
		Recreational Beach Use Areas	Recreational Beach Users	Adult	Ingestion	Beach users may inadvertantly ingest water while swimming
					Dermal	Beach users may use river for swimming
				Child	Ingestion	Beach users may inadvertantly ingest water while swimming
					Dermal	Beach users may use river for swimming
	Seeps	Transient Use Areas	Transients	Adult	Ingestion	Transients may inadvertently ingest water from seeps in beach areas
					Dermal	Transients may inadvertently contact water from seeps in beach areas
	In-water Sediment	In-Water Worker Use Areas	In-water Workers	Adult	Ingestion	Workers may contact sediment while conducting overwater activities
					Dermal	Workers may contact sediment while conducting overwater activities
		Diver Use Areas	Divers[c]	Adult	Ingestion	Divers may contact sediment while working within the study area
					Dermal	Divers may contact sediment while working within the study area
		Fishing Use Areas	Tribal Fishers	Adult	Ingestion	Fishers may contact sediment during bank or boat fishing
					Dermal	Fishers may contact sediment during bank or boat fishing
		Fishing Use Areas	Fishers[d]	Adult	Ingestion	Fishers may contact sediment during bank or boat fishing
					Dermal	Fishers may contact sediment during bank or boat fishing
	Beach Sediment	Dockside Worker Use Areas	Dockside Workers	Adult	Ingestion	Workers may contact sediment while conducting activities in river beaches
					Dermal	Workers may contact sediment while conducting activities in river beaches
		Transient Use Areas	Transients	Adult	Ingestion	Transients may contact sediment while residing on river banks
					Dermal	Transients may contact sediment while residing on river banks
		Recreational Beach Use Areas	Recreational Beach Users	Adult	Ingestion	Recreational beach users may contact sediment in beach areas
					Dermal	Recreational beach users may contact sediment in beach areas
				Child	Ingestion	Recreational beach users may contact sediment in beach areas
					Dermal	Recreational beach users may contact sediment in beach areas
		Fishing Use Areas	Tribal Fishers	Adult	Ingestion	Fishers may contact sediment during bank or boat fishing
					Dermal	Fishers may contact sediment during bank or boat fishing
		Fishing Use Areas	Fishers[d]	Adult	Ingestion	Fishers may contact sediment during bank or boat fishing
					Dermal	Fishers may contact sediment during bank or boat fishing
	Tissue	Resident Fish and Shellfish within Study Area	Tribal Fishers	Adult	Ingestion	Chemicals in sediment and water may accumulate in fish tissue
				Child	Ingestion	Chemicals in sediment and water may accumulate in fish tissue
			Fishers[d]	Adult	Ingestion	Chemicals in sediment and water may accumulate in fish and shellfish tissue
				Child	Ingestion	Chemicals in sediment and water may accumulate in fish and shellfish tissue

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 3-1
Selection of Exposure Pathways

Scenario Timeframe	Exposure Medium	Exposure Point	Receptor Population	Receptor Age[a]	Exposure Route	Rationale for Selection of Exposure Pathway[b]
Potential Future	Surface Water	Surface Water within Study Area	Residents	Adult	Ingestion	Residents may potentially use surface water as a domestic water source in the future
					Dermal	Residents may potentially contact surface water during residential use in the future
					Inhalation	Residents may potentially inhale volatile organic compounds in surface water during household use in the future.
				Child	Ingestion	Residents may potentially use surface water as a domestic water source in the future
					Dermal	Residents may potentially contact surface water during residential use in the future
					Inhalation	Residents may potentially inhale volatile organic compounds in surface water during household use in the future.

Notes:
a Infant consumption of human milk evaluated quantitatively in the BHHRA for all adult exposure pathways, for bioaccumulative chemicals only.
b All scenarios presented were analyzed quatitatively in the BHHRA.
c The diver scenario is evaluated for divers in wet suits and in dry suits.
d Fishers include three different fish ingestion rates, two different shellfish ingestion rates, and two different fishing frequencies.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-2
Exposure Point Concentration Summary - Beach Sediment, Industrial-Land Use

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: Beach Sediment, Industrial Use

Exposure Point	Chemical of Potential Concern	Units	Non-Detects	Total Samples[a]	Arithmetic Mean	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[b] Mean	95% UCL/Max
05B019	**Metals**										
	Arsenic	mg/kg	0	1	2.6E+00	2.6E+00		Fewer than 5 detects[c]		2.6E+00	2.6E+00
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	1	6.4E+00	6.4E+00				6.4E+00	6.4E+00
	Benzo(a)pyrene	ug/kg	0	1	4.2E+00	4.2E+00				4.2E+00	4.2E+00
	Benzo(b)fluoranthene	ug/kg	0	1	7.3E+00	7.3E+00				7.3E+00	7.3E+00
	Benzo(k)fluoranthene	ug/kg	0	1	7.5E+00	7.5E+00				7.5E+00	7.5E+00
	Dibenzo(a,h)anthracene	ug/kg	1	1	ND	ND				ND	ND
	Indeno(1,2,3-cd)pyrene	ug/kg	0	1	5.2E+00	5.2E+00				5.2E+00	5.2E+00
	Polychlorinated Biphenyls										
	Total Aroclors	ug/kg	1	1	ND	ND				ND	ND
	Dioxin/Furans										
	Total PCB TEQ	pg/g	NA	NA	NA	NA				NA	NA
06B025	**Metals**							Fewer than 5 detects			
	Arsenic	mg/kg	0	1	2.3E+00	2.3E+00				2.3E+00	2.3E+00
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	1	2.9E+04	2.9E+04				2.9E+04	2.9E+04
	Benzo(a)pyrene	ug/kg	0	1	4.1E+04	4.1E+04				4.1E+04	4.1E+04
	Benzo(b)fluoranthene	ug/kg	0	1	3.1E+04	3.1E+04				3.1E+04	3.1E+04
	Benzo(k)fluoranthene	ug/kg	0	1	2.4E+04	2.4E+04				2.4E+04	2.4E+04
	Dibenzo(a,h)anthracene	ug/kg	0	1	9.5E+03	9.5E+03				9.5E+03	9.5E+03
	Indeno(1,2,3-cd)pyrene	ug/kg	0	1	3.1E+04	3.1E+04				3.1E+04	3.1E+04
	Polychlorinated Biphenyls										
	Total Aroclors	ug/kg	0	1	4.3E+01	4.3E+01				4.3E+01	4.3E+01
	Dioxin/Furans										
	Total PCB TEQ	pg/g	NA	NA	NA	NA				NA	NA
06B029	**Metals**							Fewer than 5 detects			
	Arsenic	mg/kg	0	1	1.7E+00	1.7E+00				1.7E+00	1.7E+00
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	1	1.4E+02	1.4E+02				1.4E+02	1.4E+02
	Benzo(a)pyrene	ug/kg	0	1	3.2E+02	3.2E+02				3.2E+02	3.2E+02
	Benzo(b)fluoranthene	ug/kg	0	1	2.5E+02	2.5E+02				2.5E+02	2.5E+02
	Benzo(k)fluoranthene	ug/kg	0	1	2.2E+02	2.2E+02				2.2E+02	2.2E+02
	Dibenzo(a,h)anthracene	ug/kg	0	1	5.9E+01	5.9E+01				5.9E+01	5.9E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	0	1	2.6E+02	2.6E+02				2.6E+02	2.6E+02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-2
Exposure Point Concentration Summary - Beach Sediment, Industrial-Land Use

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: Beach Sediment, Industrial Use

Exposure Point	Chemical of Potential Concern	Units	Non-Detects	Total Samples[a]	Arithmetic Mean	Maximum Detected Concentration	Distribution	95% UCL Method	Value	Mean	95% UCL/Max
	Polychlorinated Biphenyls										
	Total Aroclors	ug/kg	1	1	ND	ND				ND	ND
	Dioxin/Furans										
	Total PCB TEQ	pg/g	NA	NA	NA	NA				NA	NA
07B022	**Metals**						Fewer than 5 detects				
	Arsenic	mg/kg	0	1	2.0E+00	2.0E+00				2.0E+00	2.0E+00
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	1	7.5E+00	7.5E+00				7.5E+00	7.5E+00
	Benzo(a)pyrene	ug/kg	0	1	7.1E+00	7.1E+00				7.1E+00	7.1E+00
	Benzo(b)fluoranthene	ug/kg	0	1	6.3E+00	6.3E+00				6.3E+00	6.3E+00
	Benzo(k)fluoranthene	ug/kg	0	1	7.1E+00	7.1E+00				7.1E+00	7.1E+00
	Dibenzo(a,h)anthracene	ug/kg	1	1	ND	ND				ND	ND
	Indeno(1,2,3-cd)pyrene	ug/kg	0	1	6.3E+00	6.3E+00				6.3E+00	6.3E+00
	Polychlorinated Biphenyls										
	Total Aroclors	ug/kg	1	1	ND	ND				ND	ND
	Dioxin/Furans										
	Total PCB TEQ	pg/g	NA	NA	NA	NA				NA	NA
08B032	**Metals**						Fewer than 5 detects				
	Arsenic	mg/kg	0	1	2.2E+00	2.2E+00				2.2E+00	2.2E+00
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	1	1.3E+01	1.3E+01				1.3E+01	1.3E+01
	Benzo(a)pyrene	ug/kg	0	1	1.6E+01	1.6E+01				1.6E+01	1.6E+01
	Benzo(b)fluoranthene	ug/kg	0	1	1.4E+01	1.4E+01				1.4E+01	1.4E+01
	Benzo(k)fluoranthene	ug/kg	0	1	1.0E+01	1.0E+01				1.0E+01	1.0E+01
	Dibenzo(a,h)anthracene	ug/kg	0	1	1.9E+00	1.9E+00				1.9E+00	1.9E+00
	Indeno(1,2,3-cd)pyrene	ug/kg	0	1	1.3E+01	1.3E+01				1.3E+01	1.3E+01
	Polychlorinated Biphenyls										
	Total Aroclors	ug/kg	0	1	1.9E+01	1.9E+01				1.9E+01	1.9E+01
	Dioxin/Furans										
	Total PCB TEQ	pg/g	NA	NA	NA	NA				NA	NA
B002	**Metals**						Fewer than 5 detects				
	Arsenic	mg/kg	0	1	2.4E+00	2.4E+00				2.4E+00	2.4E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-2
Exposure Point Concentration Summary - Beach Sediment, Industrial-Land Use

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: Beach Sediment, Industrial Use

Exposure Point	Chemical of Potential Concern	Units	Non-Detects	Total Samples[a]	Arithmetic Mean	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[b] Mean	95% UCL/Max
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	1	3.8E+00	3.8E+00				3.8E+00	3.8E+00
	Benzo(a)pyrene	ug/kg	0	1	6.6E+00	6.6E+00				6.6E+00	6.6E+00
	Benzo(b)fluoranthene	ug/kg	0	1	7.4E+00	7.4E+00				7.4E+00	7.4E+00
	Benzo(k)fluoranthene	ug/kg	0	1	2.2E+00	2.2E+00				2.2E+00	2.2E+00
	Dibenzo(a,h)anthracene	ug/kg	0	1	1.5E+00	1.5E+00				1.5E+00	1.5E+00
	Indeno(1,2,3-cd)pyrene	ug/kg	0	1	6.4E+00	6.4E+00				6.4E+00	6.4E+00
	Polychlorinated Biphenyls										
	Total Aroclors	ug/kg	0	1	1.7E+02	1.7E+02				1.7E+02	1.7E+02
	Dioxin/Furans										
	Total PCB TEQ	pg/g	0	1	3.8E+00	3.8E+00				3.8E+00	3.8E+00
B004	**Metals**						Fewer than 5 detects				
	Arsenic	mg/kg	0	1	2.7E+00	2.7E+00				2.7E+00	2.7E+00
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	1	4.3E+01	4.3E+01				4.3E+01	4.3E+01
	Benzo(a)pyrene	ug/kg	0	1	8.2E+01	8.2E+01				8.2E+01	8.2E+01
	Benzo(b)fluoranthene	ug/kg	0	1	9.9E+01	9.9E+01				9.9E+01	9.9E+01
	Benzo(k)fluoranthene	ug/kg	0	1	3.1E+01	3.1E+01				3.1E+01	3.1E+01
	Dibenzo(a,h)anthracene	ug/kg	0	1	1.3E+01	1.3E+01				1.3E+01	1.3E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	0	1	9.8E+01	9.8E+01				9.8E+01	9.8E+01
	Polychlorinated Biphenyls										
	Total Aroclors	ug/kg	0	1	1.6E+03	1.6E+03				1.6E+03	1.6E+03
	Dioxin/Furans										
	Total PCB TEQ	pg/g	0	1	3.1E+01	3.1E+01				3.1E+01	3.1E+01
B006	**Metals**						Fewer than 5 detects				
	Arsenic	mg/kg	0	1	2.5E+00	2.5E+00				2.5E+00	2.5E+00
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	1	1.8E+00	1.8E+00				1.8E+00	1.8E+00
	Benzo(a)pyrene	ug/kg	0	1	1.3E+00	1.3E+00				1.3E+00	1.3E+00
	Benzo(b)fluoranthene	ug/kg	0	1	3.1E+00	3.1E+00				3.1E+00	3.1E+00
	Benzo(k)fluoranthene	ug/kg	0	1	1.1E+00	1.1E+00				1.1E+00	1.1E+00
	Dibenzo(a,h)anthracene	ug/kg	1	1	ND	ND				ND	ND
	Indeno(1,2,3-cd)pyrene	ug/kg	0	1	1.2E+00	1.2E+00				1.2E+00	1.2E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-2

Exposure Point Concentration Summary - Beach Sediment, Industrial-Land Use

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: Beach Sediment, Industrial Use

Exposure Point	Chemical of Potential Concern	Units	Non-Detects	Total Samples[a]	Arithmetic Mean	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[b]	
							Distribution	95% UCL Method	Value	Mean	95% UCL/Max
	Polychlorinated Biphenyls										
	Total Aroclors	ug/kg	0	1	1.7E+01	1.7E+01				1.7E+01	1.7E+01
	Dioxin/Furans										
	Total PCB TEQ	pg/g	NA	NA	NA	NA				NA	NA

Notes:

a Total number of samples includes number of samples in dataset, regardless of detection status. No non-detects exceeded the maximum detected concentration.

b Mean exposure point concentrations were used for Central Tendency (CT) exposure and 95% UCL/Max exposure point concentrations were used for Reasonable Maximum Exposure (RME) in the BHHRA.

c 95% UCL not calculated for analytes with fewer than five detects.

Abbreviations:

95% UCL = 95% Upper confidence limit.

mg/kg = Milligrams per kilogram.

NA = Not available. Chemical not analyzed or had rejected result for given exposure area.

ND = Not detected.

PCB = Polychlorinated biphenyls.

pg/g = Picograms per gram.

TEQ = Toxic equivalence quotient.

ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-3.

Exposure Point Concentration Summary - Beach Sediment, Transients, Recreational Users, and Bank Fishers

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: Beach Sediment, Use by Transients, Recreational Users, and Bank Fishers

Exposure Point	Chemical of Potential Concern	Units	Non-Detects	Total Samples[a]	Arithmetic Mean	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration[b] Mean	Exposure Point Concentration[b] 95% UCL/Max
03B030	**Metals**							Fewer than 5 detects[c]			
	Aluminum	mg/kg	0	1	1.2E+04	1.2E+04				1.2E+04	1.2E+04
	Antimony	mg/kg	NA	NA	NA	NA				NA	NA
	Arsenic	mg/kg	0	1	1.9E+00	1.9E+00				1.9E+00	1.9E+00
	Copper	mg/kg	0	1	1.4E+01	1.4E+01				1.4E+01	1.4E+01
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	1	6.2E+00	6.2E+00				6.2E+00	6.2E+00
	Benzo(a)pyrene	ug/kg	0	1	7.9E+00	7.9E+00				7.9E+00	7.9E+00
	Benzo(b)fluoranthene	ug/kg	0	1	1.0E+01	1.0E+01				1.0E+01	1.0E+01
	Dibenzo(a,h)anthracene	ug/kg	1	1	ND	ND				ND	ND
	Indeno(1,2,3-cd)pyrene	ug/kg	0	1	1.6E+01	1.6E+01				1.6E+01	1.6E+01
03B031	**Metals**							Fewer than 5 detects			
	Aluminum	mg/kg	0	1	2.2E+04	2.2E+04				2.2E+04	2.2E+04
	Antimony	mg/kg	NA	NA	NA	NA				NA	NA
	Arsenic	mg/kg	0	1	3.2E+00	3.2E+00				3.2E+00	3.2E+00
	Copper	mg/kg	0	1	2.3E+01	2.3E+01				2.3E+01	2.3E+01
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	1	3.8E+01	3.8E+01				3.8E+01	3.8E+01
	Benzo(a)pyrene	ug/kg	0	1	5.3E+01	5.3E+01				5.3E+01	5.3E+01
	Benzo(b)fluoranthene	ug/kg	0	1	3.5E+01	3.5E+01				3.5E+01	3.5E+01
	Dibenzo(a,h)anthracene	ug/kg	0	1	1.2E+01	1.2E+01				1.2E+01	1.2E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	0	1	4.7E+01	4.7E+01				4.7E+01	4.7E+01
03B033	**Metals**							Fewer than 5 detects			
	Aluminum	mg/kg	0	1	1.4E+04	1.4E+04				1.4E+04	1.4E+04
	Antimony	mg/kg	NA	NA	NA	NA				NA	NA
	Arsenic	mg/kg	0	1	4.0E+00	4.0E+00				4.0E+00	4.0E+00
	Copper	mg/kg	0	1	1.6E+01	1.6E+01				1.6E+01	1.6E+01
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	1	5.2E+00	5.2E+00				5.2E+00	5.2E+00
	Benzo(a)pyrene	ug/kg	0	1	5.2E+00	5.2E+00				5.2E+00	5.2E+00
	Benzo(b)fluoranthene	ug/kg	0	1	5.2E+00	5.2E+00				5.2E+00	5.2E+00
	Dibenzo(a,h)anthracene	ug/kg	1	1	ND	ND				ND	ND
	Indeno(1,2,3-cd)pyrene	ug/kg	0	1	6.4E+00	6.4E+00				6.4E+00	6.4E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-3.

Exposure Point Concentration Summary - Beach Sediment, Transients, Recreational Users, and Bank Fishers

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: Beach Sediment, Use by Transients, Recreational Users, and Bank Fishers

Exposure Point	Chemical of Potential Concern	Units	Non-Detects	Total Samples[a]	Arithmetic Mean	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration[b] Mean	95% UCL/Max
04B023	**Metals**							Fewer than 5 detects			
	Aluminum	mg/kg	0	1	1.2E+04	1.2E+04				1.2E+04	1.2E+04
	Antimony	mg/kg	0	1	3.0E-01	3.0E-01				3.0E-01	3.0E-01
	Arsenic	mg/kg	0	1	2.7E+00	2.7E+00				2.7E+00	2.7E+00
	Copper	mg/kg	0	1	3.3E+01	3.3E+01				3.3E+01	3.3E+01
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	1	2.6E+01	2.6E+01				2.6E+01	2.6E+01
	Benzo(a)pyrene	ug/kg	0	1	4.2E+01	4.2E+01				4.2E+01	4.2E+01
	Benzo(b)fluoranthene	ug/kg	0	1	3.3E+01	3.3E+01				3.3E+01	3.3E+01
	Dibenzo(a,h)anthracene	ug/kg	0	1	1.4E+01	1.4E+01				1.4E+01	1.4E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	0	1	3.8E+01	3.8E+01				3.8E+01	3.8E+01
04B024	**Metals**							Fewer than 5 detects			
	Aluminum	mg/kg	0	1	2.1E+04	2.1E+04				2.1E+04	2.1E+04
	Antimony	mg/kg	0	1	1.3E+01	1.3E+01				1.3E+01	1.3E+01
	Arsenic	mg/kg	0	1	4.7E+00	4.7E+00				4.7E+00	4.7E+00
	Copper	mg/kg	0	1	1.9E+02	1.9E+02				1.9E+02	1.9E+02
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	1	1.8E+02	1.8E+02				1.8E+02	1.8E+02
	Benzo(a)pyrene	ug/kg	0	1	3.6E+02	3.6E+02				3.6E+02	3.6E+02
	Benzo(b)fluoranthene	ug/kg	0	1	3.0E+02	3.0E+02				3.0E+02	3.0E+02
	Dibenzo(a,h)anthracene	ug/kg	0	1	2.3E+01	2.3E+01				2.3E+01	2.3E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	0	1	2.2E+02	2.2E+02				2.2E+02	2.2E+02
05B018	**Metals**							Fewer than 5 detects			
	Aluminum	mg/kg	0	1	1.9E+04	1.9E+04				1.9E+04	1.9E+04
	Antimony	mg/kg	0	1	2.0E-01	2.0E-01				2.0E-01	2.0E-01
	Arsenic	mg/kg	0	1	2.4E+00	2.4E+00				2.4E+00	2.4E+00
	Copper	mg/kg	0	1	1.1E+02	1.1E+02				1.1E+02	1.1E+02
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	1	7.2E+01	7.2E+01				7.2E+01	7.2E+01
	Benzo(a)pyrene	ug/kg	0	1	8.6E+01	8.6E+01				8.6E+01	8.6E+01
	Benzo(b)fluoranthene	ug/kg	0	1	1.0E+02	1.0E+02				1.0E+02	1.0E+02
	Dibenzo(a,h)anthracene	ug/kg	0	1	2.6E+01	2.6E+01				2.6E+01	2.6E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	0	1	3.9E+01	3.9E+01				3.9E+01	3.9E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-3.

Exposure Point Concentration Summary - Beach Sediment, Transients, Recreational Users, and Bank Fishers

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: Beach Sediment, Use by Transients, Recreational Users, and Bank Fishers

Exposure Point	Chemical of Potential Concern	Units	Non-Detects	Total Samples[a]	Arithmetic Mean	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[b] Mean	95% UCL/Max
06B022	**Metals**							Fewer than 5 detects			
	Aluminum	mg/kg	0	1	1.5E+04	1.5E+04				1.5E+04	1.5E+04
	Antimony	mg/kg	0	1	3.0E-01	3.0E-01				3.0E-01	3.0E-01
	Arsenic	mg/kg	0	1	2.6E+00	2.6E+00				2.6E+00	2.6E+00
	Copper	mg/kg	0	1	4.3E+01	4.3E+01				4.3E+01	4.3E+01
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	1	4.8E+00	4.8E+00				4.8E+00	4.8E+00
	Benzo(a)pyrene	ug/kg	0	1	4.4E+00	4.4E+00				4.4E+00	4.4E+00
	Benzo(b)fluoranthene	ug/kg	0	1	5.6E+00	5.6E+00				5.6E+00	5.6E+00
	Dibenzo(a,h)anthracene	ug/kg	1	1	ND	ND				ND	ND
	Indeno(1,2,3-cd)pyrene	ug/kg	0	1	4.8E+00	4.8E+00				4.8E+00	4.8E+00
06B026	**Metals**							Fewer than 5 detects			
	Aluminum	mg/kg	0	1	1.2E+04	1.2E+04				1.2E+04	1.2E+04
	Antimony	mg/kg	0	1	8.0E-01	8.0E-01				8.0E-01	8.0E-01
	Arsenic	mg/kg	0	1	1.7E+00	1.7E+00				1.7E+00	1.7E+00
	Copper	mg/kg	0	1	2.0E+01	2.0E+01				2.0E+01	2.0E+01
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	1	7.9E+00	7.9E+00				7.9E+00	7.9E+00
	Benzo(a)pyrene	ug/kg	0	1	6.4E+00	6.4E+00				6.4E+00	6.4E+00
	Benzo(b)fluoranthene	ug/kg	0	1	1.0E+01	1.0E+01				1.0E+01	1.0E+01
	Dibenzo(a,h)anthracene	ug/kg	1	1	ND	ND				ND	ND
	Indeno(1,2,3-cd)pyrene	ug/kg	0	1	1.1E+01	1.1E+01				1.1E+01	1.1E+01
06B030	**Metals**							Fewer than 5 detects			
	Aluminum	mg/kg	0	1	1.8E+04	1.8E+04				1.8E+04	1.8E+04
	Antimony	mg/kg	NA	NA	NA	NA				NA	NA
	Arsenic	mg/kg	0	1	9.9E+00	9.9E+00				9.9E+00	9.9E+00
	Copper	mg/kg	0	1	6.1E+02	6.1E+02				6.1E+02	6.1E+02
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	1	4.5E+01	4.5E+01				4.5E+01	4.5E+01
	Benzo(a)pyrene	ug/kg	0	1	6.6E+01	6.6E+01				6.6E+01	6.6E+01
	Benzo(b)fluoranthene	ug/kg	0	1	8.1E+01	8.1E+01				8.1E+01	8.1E+01
	Dibenzo(a,h)anthracene	ug/kg	0	1	5.0E+00	5.0E+00				5.0E+00	5.0E+00
	Indeno(1,2,3-cd)pyrene	ug/kg	0	1	4.7E+01	4.7E+01				4.7E+01	4.7E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-3.

Exposure Point Concentration Summary - Beach Sediment, Transients, Recreational Users, and Bank Fishers

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: Beach Sediment, Use by Transients, Recreational Users, and Bank Fishers

Exposure Point	Chemical of Potential Concern	Units	Non-Detects	Total Samples[a]	Arithmetic Mean	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[b]	
							Distribution	95% UCL Method	Value	Mean	95% UCL/Max
07B023	**Metals**							Fewer than 5 detects			
	Aluminum	mg/kg	0	1	1.0E+04	1.0E+04				1.0E+04	1.0E+04
	Antimony	mg/kg	0	1	3.0E-01	3.0E-01				3.0E-01	3.0E-01
	Arsenic	mg/kg	0	1	7.0E-01	7.0E-01				7.0E-01	7.0E-01
	Copper	mg/kg	0	1	7.0E+01	7.0E+01				7.0E+01	7.0E+01
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	1	1.4E+01	1.4E+01				1.4E+01	1.4E+01
	Benzo(a)pyrene	ug/kg	0	1	1.5E+01	1.5E+01				1.5E+01	1.5E+01
	Benzo(b)fluoranthene	ug/kg	0	1	1.2E+01	1.2E+01				1.2E+01	1.2E+01
	Dibenzo(a,h)anthracene	ug/kg	0	1	2.5E+00	2.5E+00				2.5E+00	2.5E+00
	Indeno(1,2,3-cd)pyrene	ug/kg	0	1	1.3E+01	1.3E+01				1.3E+01	1.3E+01
07B024	**Metals**							Fewer than 5 detects			
	Aluminum	mg/kg	0	1	1.5E+04	1.5E+04				1.5E+04	1.5E+04
	Antimony	mg/kg	NA	NA	NA	NA				NA	NA
	Arsenic	mg/kg	0	1	1.6E+00	1.6E+00				1.6E+00	1.6E+00
	Copper	mg/kg	0	1	2.1E+01	2.1E+01				2.1E+01	2.1E+01
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	1	4.5E+01	4.5E+01				4.5E+01	4.5E+01
	Benzo(a)pyrene	ug/kg	0	1	5.3E+01	5.3E+01				5.3E+01	5.3E+01
	Benzo(b)fluoranthene	ug/kg	0	1	6.2E+01	6.2E+01				6.2E+01	6.2E+01
	Dibenzo(a,h)anthracene	ug/kg	1	1	ND	ND				ND	ND
	Indeno(1,2,3-cd)pyrene	ug/kg	0	1	2.3E+01	2.3E+01				2.3E+01	2.3E+01
09B024	**Metals**							Fewer than 5 detects			
	Aluminum	mg/kg	0	1	1.5E+04	1.5E+04				1.5E+04	1.5E+04
	Antimony	mg/kg	NA	NA	NA	NA				NA	NA
	Arsenic	mg/kg	0	1	1.1E+00	1.1E+00				1.1E+00	1.1E+00
	Copper	mg/kg	0	1	1.8E+01	1.8E+01				1.8E+01	1.8E+01
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	1	1.8E+01	1.8E+01				1.8E+01	1.8E+01
	Benzo(a)pyrene	ug/kg	0	1	1.4E+01	1.4E+01				1.4E+01	1.4E+01
	Benzo(b)fluoranthene	ug/kg	0	1	9.7E+00	9.7E+00				9.7E+00	9.7E+00
	Dibenzo(a,h)anthracene	ug/kg	0	1	2.5E+00	2.5E+00				2.5E+00	2.5E+00
	Indeno(1,2,3-cd)pyrene	ug/kg	0	1	8.7E+00	8.7E+00				8.7E+00	8.7E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-3.

Exposure Point Concentration Summary - Beach Sediment, Transients, Recreational Users, and Bank Fishers

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: Beach Sediment, Use by Transients, Recreational Users, and Bank Fishers

Exposure Point	Chemical of Potential Concern	Units	Non-Detects	Total Samples[a]	Arithmetic Mean	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[b] Mean	95% UCL/Max
09B026	**Metals**							Fewer than 5 detects			
	Aluminum	mg/kg	0	1	1.1E+04	1.1E+04				1.1E+04	1.1E+04
	Antimony	mg/kg	NA	NA	NA	NA				NA	NA
	Arsenic	mg/kg	0	1	2.4E+00	2.4E+00				2.4E+00	2.4E+00
	Copper	mg/kg	0	1	1.8E+01	1.8E+01				1.8E+01	1.8E+01
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	1	1	ND	ND				ND	ND
	Benzo(a)pyrene	ug/kg	1	1	ND	ND				ND	ND
	Benzo(b)fluoranthene	ug/kg	0	1	2.1E+00	2.1E+00				2.1E+00	2.1E+00
	Dibenzo(a,h)anthracene	ug/kg	1	1	ND	ND				ND	ND
	Indeno(1,2,3-cd)pyrene	ug/kg	1	1	ND	ND				ND	ND
09B027	**Metals**							Fewer than 5 detects			
	Aluminum	mg/kg	0	3	1.8E+04	2.0E+04				1.8E+04	2.0E+04
	Antimony	mg/kg	0	1	2.0E-01	2.0E-01				2.0E-01	2.0E-01
	Arsenic	mg/kg	0	3	1.3E+00	1.4E+00				1.3E+00	1.4E+00
	Copper	mg/kg	0	3	2.3E+01	2.4E+01				2.3E+01	2.4E+01
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	3	7.7E+00	9.8E+00				7.7E+00	9.8E+00
	Benzo(a)pyrene	ug/kg	0	3	7.0E+00	9.0E+00				7.0E+00	9.0E+00
	Benzo(b)fluoranthene	ug/kg	0	3	8.8E+00	1.0E+01				8.8E+00	1.0E+01
	Dibenzo(a,h)anthracene	ug/kg	3	3	ND	ND				ND	ND
	Indeno(1,2,3-cd)pyrene	ug/kg	0	3	5.6E+00	6.6E+00				5.6E+00	6.6E+00
09B028	**Metals**							Fewer than 5 detects			
	Aluminum	mg/kg	0	1	1.6E+04	1.6E+04				1.6E+04	1.6E+04
	Antimony	mg/kg	NA	NA	NA	NA				NA	NA
	Arsenic	mg/kg	0	1	1.3E+00	1.3E+00				1.3E+00	1.3E+00
	Copper	mg/kg	0	1	1.9E+01	1.9E+01				1.9E+01	1.9E+01
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	1	5.3E+00	5.3E+00				5.3E+00	5.3E+00
	Benzo(a)pyrene	ug/kg	0	1	4.6E+00	4.6E+00				4.6E+00	4.6E+00
	Benzo(b)fluoranthene	ug/kg	0	1	5.0E+00	5.0E+00				5.0E+00	5.0E+00
	Dibenzo(a,h)anthracene	ug/kg	1	1	ND	ND				ND	ND
	Indeno(1,2,3-cd)pyrene	ug/kg	0	1	4.6E+00	4.6E+00				4.6E+00	4.6E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-3.

Exposure Point Concentration Summary - Beach Sediment, Transients, Recreational Users, and Bank Fishers

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: Beach Sediment, Use by Transients, Recreational Users, and Bank Fishers

Exposure Point	Chemical of Potential Concern	Units	Non-Detects	Total Samples[a]	Arithmetic Mean	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[b]	
							Distribution	95% UCL Method	Value	Mean	95% UCL/Max
B001	**Metals**							Fewer than 5 detects			
	Aluminum	mg/kg	0	1	1.6E+04	1.6E+04				1.6E+04	1.6E+04
	Antimony	mg/kg	1	1	ND	ND				ND	ND
	Arsenic	mg/kg	0	1	2.3E+00	2.3E+00				2.3E+00	2.3E+00
	Copper	mg/kg	0	1	1.9E+01	1.9E+01				1.9E+01	1.9E+01
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	1	6.5E+00	6.5E+00				6.5E+00	6.5E+00
	Benzo(a)pyrene	ug/kg	0	1	1.4E+01	1.4E+01				1.4E+01	1.4E+01
	Benzo(b)fluoranthene	ug/kg	0	1	1.2E+01	1.2E+01				1.2E+01	1.2E+01
	Dibenzo(a,h)anthracene	ug/kg	0	1	2.2E+00	2.2E+00				2.2E+00	2.2E+00
	Indeno(1,2,3-cd)pyrene	ug/kg	0	1	9.7E+00	9.7E+00				9.7E+00	9.7E+00
B003	**Metals**							Fewer than 5 detects			
	Aluminum	mg/kg	0	1	1.9E+04	1.9E+04				1.9E+04	1.9E+04
	Antimony	mg/kg	1	1	ND	ND				ND	ND
	Arsenic	mg/kg	0	1	2.5E+00	2.5E+00				2.5E+00	2.5E+00
	Copper	mg/kg	0	1	2.0E+01	2.0E+01				2.0E+01	2.0E+01
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	1	2.1E+02	2.1E+02				2.1E+02	2.1E+02
	Benzo(a)pyrene	ug/kg	0	1	3.6E+02	3.6E+02				3.6E+02	3.6E+02
	Benzo(b)fluoranthene	ug/kg	0	1	3.1E+02	3.1E+02				3.1E+02	3.1E+02
	Dibenzo(a,h)anthracene	ug/kg	0	1	3.3E+01	3.3E+01				3.3E+01	3.3E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	0	1	2.8E+02	2.8E+02				2.8E+02	2.8E+02
B005	**Metals**							Fewer than 5 detects			
	Aluminum	mg/kg	0	1	1.5E+04	1.5E+04				1.5E+04	1.5E+04
	Antimony	mg/kg	1	1	ND	ND				ND	ND
	Arsenic	mg/kg	0	1	3.3E+00	3.3E+00				3.3E+00	3.3E+00
	Copper	mg/kg	0	1	1.4E+01	1.4E+01				1.4E+01	1.4E+01
	Polynuclear Aromatic Hydrocarbons										
	Benzo(a)anthracene	ug/kg	0	1	7.7E+01	7.7E+01				7.7E+01	7.7E+01
	Benzo(a)pyrene	ug/kg	0	1	1.5E+02	1.5E+02				1.5E+02	1.5E+02
	Benzo(b)fluoranthene	ug/kg	0	1	1.2E+02	1.2E+02				1.2E+02	1.2E+02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-3.

Exposure Point Concentration Summary - Beach Sediment, Transients, Recreational Users, and Bank Fishers

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: Beach Sediment, Use by Transients, Recreational Users, and Bank Fishers

Exposure Point	Chemical of Potential Concern	Units	Non-Detects	Total Samples[a]	Arithmetic Mean	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[b]	
							Distribution	95% UCL Method	Value	Mean	95% UCL/Max
	Dibenzo(a,h)anthracene	ug/kg	0	1	1.5E+01	1.5E+01				1.5E+01	1.5E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	0	1	1.3E+02	1.3E+02				1.3E+02	1.3E+02

Notes:

a Total number of samples includes number of samples in dataset, regardless of detection status. No non-detects exceeded the maximum detected concentration.

b Mean exposure point concentrations were used for Central Tendency (CT) exposure and 95% UCL/Max exposure point concentrations were used for Reasonable Maximum Exposure (RME) in the BHHRA.

c 95% UCL not calculated for analytes with fewer than five detects.

Abbreviations:

95% UCL = 95% Upper confidence limit.
mg/kg = Milligrams per kilogram.
NA = Not available. Chemical not analyzed or had rejected result for given exposure area.
ND = Not detected.
ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[e]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
RM 1 West	**Metals**											
	Arsenic	mg/kg	5	0	0	4.2E+00	5.3E+00	normal	95% Student's t-UCL	5.5E+00	4.2E+00	5.3E+00
	Lead	mg/kg	5	0	0	1.4E+01	1.6E+01	non-parametric	95% Student's t-UCL	1.7E+01	1.4E+01	1.6E+01
	Mercury	mg/kg	5	0	0	6.1E-02	7.6E-02	normal	95% Student's t-UCL	7.5E-02	6.1E-02	7.5E-02
	Vanadium	mg/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Butyltins											
	Tributyltin ion	ug/kg	1	0	0	8.4E-01	8.4E-01	--	Fewer than 5 detects[f]	--	8.4E-01	8.4E-01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	5	0	0	5.0E+01	1.5E+02	lognormal	95% H-UCL	3.5E+02	5.0E+01	1.5E+02
	Benzo(a)pyrene	ug/kg	5	0	0	7.4E+01	2.4E+02	lognormal	95% H-UCL	6.6E+02	7.4E+01	2.4E+02
	Benzo(b)fluoranthene	ug/kg	5	0	0	7.4E+01	2.3E+02	non-parametric	95% Chebyshev (Mean, Sd) UCL	2.4E+02	7.4E+01	2.3E+02
	Benzo(k)fluoranthene	ug/kg	5	0	0	3.0E+01	7.7E+01	gamma	95% Approximate Gamma UCL	7.7E+01	3.0E+01	7.7E+01
	Dibenzo(a,h)anthracene	ug/kg	5	0	0	9.4E+00	3.2E+01	lognormal	95% Chebyshev (MVUE) UCL	2.4E+01	9.4E+00	2.4E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	5	0	0	5.8E+01	2.0E+02	non-parametric	99% Chebyshev (Mean, Sd) UCL	4.1E+02	5.8E+01	2.0E+02
	Naphthalene	ug/kg	5	0	0	1.3E+01	3.1E+01	gamma	95% Approximate Gamma UCL	2.9E+01	1.3E+01	2.9E+01
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	5	4	0	1.9E+01	4.4E+01	--	Fewer than 5 detects	--	1.9E+01	4.4E+01
	Phenols											
	Pentachlorophenol	ug/kg	5	1	0	7.2E-01	1.2E+00	--	Fewer than 5 detects	--	7.2E-01	1.2E+00
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	5	1	0	1.1E+01	1.7E+01	--	Fewer than 5 detects	--	1.1E+01	1.7E+01
	Total PCB Congeners	pg/g	1	0	0	7.1E+03	7.1E+03	--	Fewer than 5 detects	--	7.1E+03	7.1E+03
	Total PCBs, Adjusted[g]	pg/g	1	0	0	6.6E+03	6.6E+03	--	Fewer than 5 detects	--	6.6E+03	6.6E+03
	Dioxin/Furans											
	Total Dioxin/Furan TEQ	pg/g	5	0	0	7.6E-01	2.7E+00	--	Fewer than 5 detects	--	7.6E-01	2.7E+00
	Total PCB TEQ	pg/g	1	0	0	3.2E-01	3.2E-01	gamma	95% Approximate Gamma UCL	3.7E+00	3.2E-01	3.2E-01
	Pesticides											
	Aldrin	ug/kg	5	4	0	1.7E-01	3.7E-01	--	Fewer than 5 detects	--	1.7E-01	3.7E-01
	Dieldrin	ug/kg	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Total DDT	ug/kg	5	0	0	2.5E+00	5.9E+00	normal	95% Student's t-UCL	4.6E+00	2.5E+00	4.6E+00
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 1 East	**Metals**											
	Arsenic	mg/kg	5	0	0	4.1E+00	6.4E+00	normal	95% Student's t-UCL	5.7E+00	4.1E+00	5.7E+00
	Lead	mg/kg	5	0	0	1.1E+01	2.8E+01	normal	95% Student's t-UCL	2.0E+01	1.1E+01	2.0E+01
	Mercury	mg/kg	5	0	0	1.4E+00	7.1E+00	non-parametric	95% Hall's Bootstrap UCL	2.0E+03	1.4E+00	7.1E+00
	Vanadium	mg/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Butyltins											
	Tributyltin ion	ug/kg	2	0	0	1.1E+00	1.2E+00	--	Fewer than 5 detects	--	1.1E+00	1.2E+00
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	5	0	0	3.1E+01	5.6E+01	normal	95% Student's t-UCL	5.3E+01	3.1E+01	5.3E+01
	Benzo(a)pyrene	ug/kg	5	0	0	4.6E+01	8.4E+01	normal	95% Student's t-UCL	8.1E+01	4.6E+01	8.1E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[e]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
	Benzo(b)fluoranthene	ug/kg	5	0	0	4.2E+01	6.9E+01	normal	95% Student's t-UCL	7.0E+01	4.2E+01	6.9E+01
	Benzo(k)fluoranthene	ug/kg	5	0	0	2.7E+01	5.1E+01	normal	95% Student's t-UCL	4.8E+01	2.7E+01	4.8E+01
	Dibenzo(a,h)anthracene	ug/kg	5	0	0	5.5E+00	9.1E+00	normal	95% Student's t-UCL	9.1E+00	5.5E+00	9.1E+00
	Indeno(1,2,3-cd)pyrene	ug/kg	5	0	0	3.3E+01	6.2E+01	normal	95% Student's t-UCL	5.6E+01	3.3E+01	5.6E+01
	Naphthalene	ug/kg	5	2	0	8.3E+00	2.3E+01	--	Fewer than 5 detects	--	8.3E+00	2.3E+01
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	5	2	1	4.0E+01	7.1E+01	--	Fewer than 5 detects	--	4.0E+01	7.1E+01
	Phenols											
	Pentachlorophenol	ug/kg	5	2	0	7.6E-01	2.5E+00	--	Fewer than 5 detects	--	7.6E-01	2.5E+00
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	5	4	0	1.0E+02	5.1E+02	--	Fewer than 5 detects	--	1.0E+02	5.1E+02
	Total PCB Congeners	pg/g	2	0	0	2.8E+03	3.7E+03	--	Fewer than 5 detects	--	2.8E+03	3.7E+03
	Total PCBs, Adjusted	pg/g	2	0	0	2.6E+03	3.5E+03	--	Fewer than 5 detects	--	2.6E+03	3.5E+03
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	5	0	0	4.7E-01	9.4E-01	normal	95% Student's t-UCL	7.5E-01	4.7E-01	7.5E-01
	Total PCB TEQ	pg/g	2	0	0	2.7E-01	2.7E-01	--	Fewer than 5 detects	--	2.7E-01	2.7E-01
	Pesticides											
	Aldrin	ug/kg	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Dieldrin	ug/kg	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Total DDT	ug/kg	5	0	0	1.8E+00	5.6E+00	normal	95% Student's t-UCL	4.0E+00	1.8E+00	4.0E+00
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 1.5 West	**Metals**											
	Arsenic	mg/kg	2	0	0	3.6E+00	4.4E+00	--	Fewer than 5 detects	--	3.6E+00	4.4E+00
	Lead	mg/kg	2	0	0	1.1E+01	1.5E+01	--	Fewer than 5 detects	--	1.1E+01	1.5E+01
	Mercury	mg/kg	2	0	0	5.1E-02	6.8E-02	--	Fewer than 5 detects	--	5.1E-02	6.8E-02
	Vanadium	mg/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Butyltins											
	Tributyltin ion	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	2	0	0	1.9E+01	3.3E+01	--	Fewer than 5 detects	--	1.9E+01	3.3E+01
	Benzo(a)pyrene	ug/kg	2	0	0	2.7E+01	4.8E+01	--	Fewer than 5 detects	--	2.7E+01	4.8E+01
	Benzo(b)fluoranthene	ug/kg	2	0	0	2.3E+01	4.1E+01	--	Fewer than 5 detects	--	2.3E+01	4.1E+01
	Benzo(k)fluoranthene	ug/kg	2	0	0	1.9E+01	3.4E+01	--	Fewer than 5 detects	--	1.9E+01	3.4E+01
	Dibenzo(a,h)anthracene	ug/kg	2	0	0	3.3E+00	5.9E+00	--	Fewer than 5 detects	--	3.3E+00	5.9E+00
	Indeno(1,2,3-cd)pyrene	ug/kg	2	0	0	2.1E+01	3.7E+01	--	Fewer than 5 detects	--	2.1E+01	3.7E+01
	Naphthalene	ug/kg	2	1	0	5.3E+00	9.6E+00	--	Fewer than 5 detects	--	5.3E+00	9.6E+00
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	2	2	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Phenols											
	Pentachlorophenol	ug/kg	2	1	0	8.1E-01	1.5E+00	--	Fewer than 5 detects	--	8.1E-01	1.5E+00
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	2	1	0	1.2E+01	2.2E+01	--	Fewer than 5 detects	--	1.2E+01	2.2E+01
	Total PCB Congeners	pg/g	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Total PCBs, Adjusted	pg/g	NA	NA	NA	NA	NA	--	--	--	NA	NA

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[e]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	2	0	0	8.5E-02	9.4E-02	--	Fewer than 5 detects	--	8.5E-02	9.4E-02
	Total PCB TEQ	pg/g	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Pesticides											
	Aldrin	ug/kg	2	2	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Dieldrin	ug/kg	2	2	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Total DDT	ug/kg	2	1	0	7.9E-01	1.1E+00	--	Fewer than 5 detects	--	7.9E-01	1.1E+00
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 1.5 East	**Metals**											
	Arsenic	mg/kg	4	0	0	4.4E+00	5.4E+00	--	Fewer than 5 detects	--	4.4E+00	5.4E+00
	Lead	mg/kg	4	0	0	1.1E+01	1.3E+01	--	Fewer than 5 detects	--	1.1E+01	1.3E+01
	Mercury	mg/kg	4	0	0	6.4E-02	1.3E-01	--	Fewer than 5 detects	--	6.4E-02	1.3E-01
	Vanadium	mg/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Butyltins											
	Tributyltin ion	ug/kg	1	0	0	3.7E-01	3.7E-01	--	Fewer than 5 detects	--	3.7E-01	3.7E-01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	4	0	0	2.5E+02	9.4E+02	--	Fewer than 5 detects	--	2.5E+02	9.4E+02
	Benzo(a)pyrene	ug/kg	4	0	0	3.7E+02	1.4E+03	--	Fewer than 5 detects	--	3.7E+02	1.4E+03
	Benzo(b)fluoranthene	ug/kg	4	0	0	2.2E+02	8.2E+02	--	Fewer than 5 detects	--	2.2E+02	8.2E+02
	Benzo(k)fluoranthene	ug/kg	4	0	0	2.2E+02	8.2E+02	--	Fewer than 5 detects	--	2.2E+02	8.2E+02
	Dibenzo(a,h)anthracene	ug/kg	4	0	0	3.7E+01	1.4E+02	--	Fewer than 5 detects	--	3.7E+01	1.4E+02
	Indeno(1,2,3-cd)pyrene	ug/kg	4	0	0	2.6E+02	1.0E+03	--	Fewer than 5 detects	--	2.6E+02	1.0E+03
	Naphthalene	ug/kg	4	1	0	9.8E+01	3.7E+02	--	Fewer than 5 detects	--	9.8E+01	3.7E+02
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	4	1	0	7.1E+01	1.7E+02	--	Fewer than 5 detects	--	7.1E+01	1.7E+02
	Phenols											
	Pentachlorophenol	ug/kg	4	2	0	1.6E+00	4.1E+00	--	Fewer than 5 detects	--	1.6E+00	4.1E+00
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	4	1	0	2.2E+01	4.1E+01	--	Fewer than 5 detects	--	2.2E+01	4.1E+01
	Total PCB Congeners	pg/g	1	0	0	3.5E+03	3.5E+03	--	Fewer than 5 detects	--	3.5E+03	3.5E+03
	Total PCBs, Adjusted	pg/g	1	0	0	3.2E+03	3.2E+03	--	Fewer than 5 detects	--	3.2E+03	3.2E+03
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	4	0	0	5.7E-01	1.8E+00	--	Fewer than 5 detects	--	5.7E-01	1.8E+00
	Total PCB TEQ	pg/g	1	0	0	1.1E-01	1.1E-01	--	Fewer than 5 detects	--	1.1E-01	1.1E-01
	Pesticides											
	Aldrin	ug/kg	4	4	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Dieldrin	ug/kg	4	3	3	6.9E-02	6.9E-02	--	Fewer than 5 detects	--	6.9E-02	6.9E-02
	Total DDT	ug/kg	4	1	0	6.8E+00	2.2E+01	--	Fewer than 5 detects	--	6.8E+00	2.2E+01
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[e]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
RM 2 West	**Metals**											
	Arsenic	mg/kg	8	0	0	3.4E+00	4.3E+00	normal	95% Student's t-UCL	3.8E+00	3.4E+00	3.8E+00
	Lead	mg/kg	8	0	0	1.1E+01	1.5E+01	normal	95% Student's t-UCL	1.4E+01	1.1E+01	1.4E+01
	Mercury	mg/kg	8	0	0	6.2E-02	8.7E-02	normal	95% Student's t-UCL	7.8E-02	6.2E-02	7.8E-02
	Vanadium	mg/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Butyltins											
	Tributyltin ion	ug/kg	1	0	0	2.1E+00	2.1E+00	--	Fewer than 5 detects	--	2.1E+00	2.1E+00
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	8	0	0	3.1E+01	9.0E+01	gamma	95% Approximate Gamma UCL	5.5E+01	3.1E+01	5.5E+01
	Benzo(a)pyrene	ug/kg	8	0	0	5.5E+01	1.7E+02	gamma	95% Approximate Gamma UCL	9.8E+01	5.5E+01	9.8E+01
	Benzo(b)fluoranthene	ug/kg	8	0	0	5.6E+01	1.6E+02	gamma	95% Approximate Gamma UCL	9.8E+01	5.6E+01	9.8E+01
	Benzo(k)fluoranthene	ug/kg	8	0	0	1.8E+01	5.3E+01	gamma	95% Approximate Gamma UCL	3.2E+01	1.8E+01	3.2E+01
	Dibenzo(a,h)anthracene	ug/kg	8	0	0	6.1E+00	1.6E+01	gamma	95% Approximate Gamma UCL	1.0E+01	6.1E+00	1.0E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	8	0	0	4.6E+01	1.3E+02	gamma	95% Approximate Gamma UCL	8.1E+01	4.6E+01	8.1E+01
	Naphthalene	ug/kg	8	2	0	7.2E+00	1.2E+01	normal	95% KM (t) UCL	1.0E+01	7.2E+00	1.0E+01
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	8	3	0	3.3E+01	6.8E+01	normal	95% KM (t) UCL	4.8E+01	3.3E+01	4.8E+01
	Phenols											
	Pentachlorophenol	ug/kg	8	8	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	8	2	0	1.3E+01	2.3E+01	normal	95% KM (t) UCL	1.8E+01	1.3E+01	1.8E+01
	Total PCB Congeners	pg/g	2	0	0	7.8E+03	1.2E+04	--	Fewer than 5 detects	--	7.8E+03	1.2E+04
	Total PCBs, Adjusted	pg/g	2	0	0	7.3E+03	1.1E+04	--	Fewer than 5 detects	--	7.3E+03	1.1E+04
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	3	0	0	8.2E-01	2.2E+00	--	Fewer than 5 detects	--	8.2E-01	2.2E+00
	Total PCB TEQ	pg/g	2	0	0	2.5E-01	3.5E-01	--	Fewer than 5 detects	--	2.5E-01	3.5E-01
	Pesticides											
	Aldrin	ug/kg	5	4	0	9.1E-02	3.6E-01	--	Fewer than 5 detects	--	9.1E-02	3.6E-01
	Dieldrin	ug/kg	8	4	0	1.1E-01	2.7E-01	--	Fewer than 5 detects	--	1.1E-01	2.7E-01
	Total DDT	ug/kg	8	0	0	1.4E+00	4.3E+00	gamma	95% Approximate Gamma UCL	3.2E+00	1.4E+00	3.2E+00
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 2 East	**Metals**											
	Arsenic	mg/kg	34	0	0	4.1E+00	5.8E+00	normal	95% Student's t-UCL	4.3E+00	4.1E+00	4.3E+00
	Lead	mg/kg	34	0	0	2.6E+01	1.1E+02	non-parametric	95% Chebyshev (Mean, Sd) UCL	4.3E+01	2.6E+01	4.3E+01
	Mercury	mg/kg	34	2	0	8.2E-02	1.5E-01	normal	95% KM (t) UCL	9.1E-02	8.2E-02	9.1E-02
	Vanadium	mg/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Butyltins											
	Tributyltin ion	ug/kg	2	1	0	2.7E+00	3.7E+00	--	Fewer than 5 detects	--	2.7E+00	3.7E+00
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	34	0	0	5.8E+01	2.0E+02	non-parametric	95% Chebyshev (Mean, Sd) UCL	9.7E+01	5.8E+01	9.7E+01
	Benzo(a)pyrene	ug/kg	34	0	0	8.6E+01	4.1E+02	lognormal	95% H-UCL	1.2E+02	8.6E+01	1.2E+02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[e] Mean	95% UCL/Max
	Benzo(b)fluoranthene	ug/kg	34	0	0	9.4E+01	4.2E+02	lognormal	95% H-UCL	1.3E+02	9.4E+01	1.3E+02
	Benzo(k)fluoranthene	ug/kg	34	0	0	4.1E+01	1.8E+02	non-parametric	95% Chebyshev (Mean, Sd) UCL	7.7E+01	4.1E+01	7.7E+01
	Dibenzo(a,h)anthracene	ug/kg	34	0	0	1.3E+01	6.0E+01	non-parametric	95% Chebyshev (Mean, Sd) UCL	2.4E+01	1.3E+01	2.4E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	34	0	0	7.5E+01	4.0E+02	lognormal	95% H-UCL	1.1E+02	7.5E+01	1.1E+02
	Naphthalene	ug/kg	34	10	0	1.4E+01	8.7E+01	non-parametric	95% KM (BCA) UCL	2.1E+01	1.4E+01	2.1E+01
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	34	10	0	9.9E+01	2.7E+02	normal	95% KM (t) UCL	1.2E+02	9.9E+01	1.2E+02
	Phenols											
	Pentachlorophenol	ug/kg	20	18	14	5.3E-01	2.2E+00	--	Fewer than 5 detects	--	5.3E-01	2.2E+00
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	34	1	0	4.3E+02	1.9E+03	non-parametric	99% KM (Chebyshev) UCL	1.5E+03	4.3E+02	1.5E+03
	Total PCB Congeners	pg/g	17	0	0	8.6E+05	9.8E+06	non-parametric	99% KM (Chebyshev) UCL	6.6E+06	8.6E+05	6.6E+06
	Total PCBs, Adjusted	pg/g	17	0	0	8.2E+05	9.4E+06	non-parametric	99% KM (Chebyshev) UCL	6.3E+06	8.2E+05	6.3E+06
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	8	0	0	1.2E+00	5.6E+00	gamma	95% KM (Chebyshev) UCL	4.0E+00	1.2E+00	4.0E+00
	Total PCB TEQ	pg/g	17	0	0	1.3E+01	1.2E+02	non-parametric	99% KM (Chebyshev) UCL	8.5E+01	1.3E+01	8.5E+01
	Pesticides											
	Aldrin	ug/kg	21	14	2	4.7E-01	2.6E+00	normal	95% KM (t) UCL	7.0E-01	4.7E-01	7.0E-01
	Dieldrin	ug/kg	34	18	2	6.0E-01	9.3E+00	lognormal	95% KM (BCA) UCL	1.2E+00	6.0E-01	1.2E+00
	Total DDT	ug/kg	34	4	1	2.6E+00	8.3E+00	gamma	95% KM (Chebyshev) UCL	4.2E+00	2.6E+00	4.2E+00
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 2.5 West	**Metals**											
	Arsenic	mg/kg	10	0	0	4.0E+00	6.5E+00	normal	95% Student's t-UCL	4.7E+00	4.0E+00	4.7E+00
	Lead	mg/kg	10	0	0	1.3E+01	3.0E+01	normal	95% Student's t-UCL	1.7E+01	1.3E+01	1.7E+01
	Mercury	mg/kg	10	0	0	5.5E-02	1.4E-01	gamma	95% Approximate Gamma UCL	9.1E-02	5.5E-02	9.1E-02
	Vanadium	mg/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Butyltins											
	Tributyltin ion	ug/kg	1	0	0	2.3E+00	2.3E+00	--	Fewer than 5 detects	--	2.3E+00	2.3E+00
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	10	0	0	2.1E+02	5.5E+02	normal	95% Student's t-UCL	3.1E+02	2.1E+02	3.1E+02
	Benzo(a)pyrene	ug/kg	10	0	0	3.7E+02	9.7E+02	normal	95% Student's t-UCL	5.5E+02	3.7E+02	5.5E+02
	Benzo(b)fluoranthene	ug/kg	10	0	0	2.8E+02	6.0E+02	normal	95% Student's t-UCL	4.0E+02	2.8E+02	4.0E+02
	Benzo(k)fluoranthene	ug/kg	10	0	0	1.2E+02	4.3E+02	gamma	95% Approximate Gamma UCL	2.5E+02	1.2E+02	2.5E+02
	Dibenzo(a,h)anthracene	ug/kg	10	0	0	4.1E+01	1.3E+02	normal	95% Student's t-UCL	6.4E+01	4.1E+01	6.4E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	10	0	0	3.1E+02	9.0E+02	normal	95% Student's t-UCL	4.7E+02	3.1E+02	4.7E+02
	Naphthalene	ug/kg	10	3	0	4.1E+01	1.6E+02	approx. gamma	95% KM (BCA) UCL	7.6E+01	4.1E+01	7.6E+01
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	10	7	2	1.5E+01	4.3E+01	--	Fewer than 5 detects	--	1.5E+01	4.3E+01
	Phenols											
	Pentachlorophenol	ug/kg	7	5	3	4.5E-01	1.2E+00	--	Fewer than 5 detects	--	4.5E-01	1.2E+00
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	10	5	0	1.1E+01	4.7E+01	normal	95% KM (t) UCL	2.1E+01	1.1E+01	2.1E+01
	Total PCB Congeners	pg/g	1	0	0	7.3E+03	7.3E+03	--	Fewer than 5 detects	--	7.3E+03	7.3E+03
	Total PCBs, Adjusted	pg/g	1	0	0	6.9E+03	6.9E+03	--	Fewer than 5 detects	--	6.9E+03	6.9E+03

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[e] Mean	95% UCL/Max
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	2	0	0	2.7E-01	4.1E-01	--	Fewer than 5 detects	--	2.7E-01	4.1E-01
	Total PCB TEQ	pg/g	1	0	0	2.1E-01	2.1E-01	--	Fewer than 5 detects	--	2.1E-01	2.1E-01
	Pesticides											
	Aldrin	ug/kg	7	3	1	9.3E-02	2.6E-01	--	Fewer than 5 detects	--	9.3E-02	2.6E-01
	Dieldrin	ug/kg	10	4	1	1.4E-01	3.5E-01	normal	95% KM (t) UCL	2.2E-01	1.4E-01	2.2E-01
	Total DDT	ug/kg	10	0	0	1.4E+00	5.3E+00	lognormal	95% H-UCL	3.4E+00	1.4E+00	3.4E+00
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 2.5 East	**Metals**											
	Arsenic	mg/kg	19	0	0	4.2E+00	1.0E+01	non-parametric	95% Student's t-UCL	4.8E+00	4.2E+00	4.8E+00
	Lead	mg/kg	19	0	0	1.4E+01	3.4E+01	non-parametric	95% Chebyshev (Mean, Sd) UCL	2.0E+01	1.4E+01	2.0E+01
	Mercury	mg/kg	19	0	0	6.8E-02	2.5E-01	gamma	95% Approximate Gamma UCL	9.1E-02	6.8E-02	9.1E-02
	Vanadium	mg/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Butyltins											
	Tributyltin ion	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	19	0	0	5.8E+02	1.0E+04	non-parametric	99% Chebyshev (Mean, Sd) UCL	5.8E+03	5.8E+02	5.8E+03
	Benzo(a)pyrene	ug/kg	19	0	0	4.8E+02	7.8E+03	non-parametric	99% Chebyshev (Mean, Sd) UCL	4.5E+03	4.8E+02	4.5E+03
	Benzo(b)fluoranthene	ug/kg	19	0	0	4.4E+02	6.7E+03	non-parametric	99% Chebyshev (Mean, Sd) UCL	3.9E+03	4.4E+02	3.9E+03
	Benzo(k)fluoranthene	ug/kg	19	0	0	1.4E+02	2.1E+03	non-parametric	99% Chebyshev (Mean, Sd) UCL	1.2E+03	1.4E+02	1.2E+03
	Dibenzo(a,h)anthracene	ug/kg	19	0	0	4.9E+01	7.7E+02	non-parametric	99% Chebyshev (Mean, Sd) UCL	4.5E+02	4.9E+01	4.5E+02
	Indeno(1,2,3-cd)pyrene	ug/kg	19	0	0	2.8E+02	4.4E+03	non-parametric	99% Chebyshev (Mean, Sd) UCL	2.6E+03	2.8E+02	2.6E+03
	Naphthalene	ug/kg	19	7	0	5.1E+01	6.9E+02	lognormal	97.5% KM (Chebyshev) UCL	2.8E+02	5.1E+01	2.8E+02
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	19	8	0	7.8E+01	2.1E+02	normal	95% KM (t) UCL	1.1E+02	7.8E+01	1.1E+02
	Phenols											
	Pentachlorophenol	ug/kg	19	18	0	4.3E+00	5.7E+01	--	Fewer than 5 detects	--	4.3E+00	5.7E+01
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	19	2	0	5.6E+01	1.7E+02	gamma	95% KM (BCA) UCL	7.7E+01	5.6E+01	7.7E+01
	Total PCB Congeners	pg/g	7	0	0	6.6E+04	2.0E+05	gamma	95% KM (Chebyshev) UCL	1.8E+05	6.6E+04	1.8E+05
	Total PCBs, Adjusted	pg/g	7	0	0	6.3E+04	1.9E+05	gamma	95% KM (Chebyshev) UCL	1.7E+05	6.3E+04	1.7E+05
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	2	0	0	6.6E-01	1.1E+00	--	Fewer than 5 detects	--	6.6E-01	1.1E+00
	Total PCB TEQ	pg/g	7	0	0	1.3E+00	3.8E+00	gamma	95% KM (Chebyshev) UCL	3.3E+00	1.3E+00	3.3E+00
	Pesticides											
	Aldrin	ug/kg	18	9	1	5.1E-01	1.3E+00	normal	95% KM (t) UCL	7.5E-01	5.1E-01	7.5E-01
	Dieldrin	ug/kg	19	13	2	1.7E-01	5.3E-01	normal	95% KM (t) UCL	3.3E-01	1.7E-01	3.3E-01
	Total DDT	ug/kg	19	4	1	2.4E+00	2.6E+01	lognormal	97.5% KM (Chebyshev) UCL	1.1E+01	2.4E+00	1.1E+01
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[e] Mean	95% UCL/Max
RM 2.5 MC	**Metals**											
	Arsenic	mg/kg	7	0	0	4.3E+00	5.2E+00	normal	95% Student's t-UCL	4.8E+00	4.3E+00	4.8E+00
	Lead	mg/kg	7	0	0	1.3E+01	2.2E+01	normal	95% Student's t-UCL	1.7E+01	1.3E+01	1.7E+01
	Mercury	mg/kg	7	0	0	7.9E-02	1.8E-01	normal	95% Student's t-UCL	1.3E-01	7.9E-02	1.3E-01
	Vanadium	mg/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Butyltins											
	Tributyltin ion	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	7	0	0	2.1E+02	4.2E+02	normal	95% Student's t-UCL	3.1E+02	2.1E+02	3.1E+02
	Benzo(a)pyrene	ug/kg	7	0	0	3.4E+02	6.9E+02	normal	95% Student's t-UCL	4.9E+02	3.4E+02	4.9E+02
	Benzo(b)fluoranthene	ug/kg	7	0	0	3.1E+02	6.4E+02	normal	95% Student's t-UCL	4.5E+02	3.1E+02	4.5E+02
	Benzo(k)fluoranthene	ug/kg	7	0	0	1.0E+02	2.1E+02	normal	95% Student's t-UCL	1.4E+02	1.0E+02	1.4E+02
	Dibenzo(a,h)anthracene	ug/kg	7	0	0	3.4E+01	6.0E+01	normal	95% Student's t-UCL	4.7E+01	3.4E+01	4.7E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	7	0	0	2.6E+02	5.4E+02	normal	95% Student's t-UCL	3.8E+02	2.6E+02	3.8E+02
	Naphthalene	ug/kg	7	0	0	5.9E+01	1.4E+02	normal	95% Student's t-UCL	9.9E+01	5.9E+01	9.9E+01
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	7	1	0	5.8E+01	1.4E+02	normal	95% KM (t) UCL	9.3E+01	5.8E+01	9.3E+01
	Phenols											
	Pentachlorophenol	ug/kg	5	3	2	5.5E-01	1.6E+00	--	Fewer than 5 detects	--	5.5E-01	1.6E+00
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	7	1	0	2.5E+01	5.9E+01	normal	95% KM (t) UCL	3.9E+01	2.5E+01	3.9E+01
	Total PCB Congeners	pg/g	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Total PCBs, Adjusted	pg/g	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Total PCB TEQ	pg/g	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Pesticides											
	Aldrin	ug/kg	7	5	0	2.0E-01	6.5E-01	--	Fewer than 5 detects	--	2.0E-01	6.5E-01
	Dieldrin	ug/kg	7	4	0	3.1E-01	9.7E-01	--	Fewer than 5 detects	--	3.1E-01	9.7E-01
	Total DDT	ug/kg	7	1	0	3.7E+00	1.3E+01	gamma	95% KM (Chebyshev) UCL	1.1E+01	3.7E+00	1.1E+01
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 3 West	**Metals**											
	Arsenic	mg/kg	15	0	0	3.7E+00	6.0E+00	normal	95% Student's-t UCL	4.1E+00	3.7E+00	4.1E+00
	Lead	mg/kg	15	0	0	1.2E+01	1.9E+01	normal	95% Student's-t UCL	1.4E+01	1.2E+01	1.4E+01
	Mercury	mg/kg	14	2	0	8.0E-02	1.9E-01	normal	95% KM (t) UCL	1.1E-01	8.0E-02	1.1E-01
	Vanadium	mg/kg	3	0	0	8.6E+01	9.3E+01	--	Fewer than 5 detects	--	8.6E+01	9.3E+01
	Butyltins											
	Tributyltin ion	ug/kg	2	0	0	1.0E+01	1.8E+01	--	Fewer than 5 detects	--	1.0E+01	1.8E+01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	15	0	0	2.9E+02	9.4E+02	gamma	95% Approximate Gamma UCL	4.7E+02	2.9E+02	4.7E+02
	Benzo(a)pyrene	ug/kg	15	0	0	4.6E+02	1.2E+03	gamma	95% Approximate Gamma UCL	7.1E+02	4.6E+02	7.1E+02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[e] Mean	95% UCL/Max
	Benzo(b)fluoranthene	ug/kg	15	0	0	4.0E+02	1.1E+03	gamma	95% Approximate Gamma UCL	6.0E+02	4.0E+02	6.0E+02
	Benzo(k)fluoranthene	ug/kg	15	0	0	2.3E+02	7.6E+02	gamma	95% Approximate Gamma UCL	4.0E+02	2.3E+02	4.0E+02
	Dibenzo(a,h)anthracene	ug/kg	15	0	0	5.3E+01	1.5E+02	gamma	95% Approximate Gamma UCL	8.2E+01	5.3E+01	8.2E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	15	0	0	3.3E+02	1.1E+03	gamma	95% Approximate Gamma UCL	4.8E+02	3.3E+02	4.8E+02
	Naphthalene	ug/kg	15	1	0	9.8E+01	3.6E+02	gamma	95% KM (Chebyshev) UCL	2.2E+02	9.8E+01	2.2E+02
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	15	9	0	4.0E+01	1.5E+02	normal	95% KM (t) UCL	5.8E+01	4.0E+01	5.8E+01
	Phenols											
	Pentachlorophenol	ug/kg	15	14	0	1.6E+01	1.1E+02	--	Fewer than 5 detects	--	1.6E+01	1.1E+02
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	13	7	1	1.1E+01	3.0E+01	normal	95% KM (t) UCL	1.8E+01	1.1E+01	1.8E+01
	Total PCB Congeners	pg/g	2	0	0	1.6E+04	1.6E+04	--	Fewer than 5 detects	--	1.6E+04	1.6E+04
	Total PCBs, Adjusted	pg/g	2	0	0	1.5E+04	1.5E+04	--	Fewer than 5 detects	--	1.5E+04	1.5E+04
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	5	0	0	6.1E-01	1.7E+00	lognormal	95% KM (Chebyshev) UCL	1.8E+00	6.1E-01	1.7E+00
	Total PCB TEQ	pg/g	2	0	0	4.1E-01	4.4E-01	--	Fewer than 5 detects	--	4.1E-01	4.4E-01
	Pesticides											
	Aldrin	ug/kg	11	5	1	3.5E-01	1.1E+00	normal	95% KM (t) UCL	5.2E-01	3.5E-01	5.2E-01
	Dieldrin	ug/kg	13	10	2	2.0E-01	1.3E+00	--	Fewer than 5 detects	--	2.0E-01	1.3E+00
	Total DDT	ug/kg	13	1	0	2.8E+01	2.3E+02	non-parametric	99% KM (Chebyshev) UCL	2.1E+02	2.8E+01	2.1E+02
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 3 East	**Metals**											
	Arsenic	mg/kg	24	2	0	4.1E+00	9.7E+00	non-parametric	95% KM (Chebyshev) UCL	5.5E+00	4.1E+00	5.5E+00
	Lead	mg/kg	24	0	0	1.2E+01	1.6E+01	non-parametric	95% Student's-t UCL	1.3E+01	1.2E+01	1.3E+01
	Mercury	mg/kg	24	6	0	5.6E-02	2.5E-01	gamma	95% KM (Percentile Bootstrap) UCL	7.5E-02	5.6E-02	7.5E-02
	Vanadium	mg/kg	4	0	0	8.8E+01	1.1E+02	--	Fewer than 5 detects	--	8.8E+01	1.1E+02
	Butyltins											
	Tributyltin ion	ug/kg	2	1	0	8.3E+00	1.6E+01	--	Fewer than 5 detects	--	8.3E+00	1.6E+01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	24	1	0	7.7E+01	3.7E+02	gamma	95% KM (Chebyshev) UCL	1.4E+02	7.7E+01	1.4E+02
	Benzo(a)pyrene	ug/kg	24	1	0	8.4E+01	2.7E+02	approx. gamma	95% KM (Chebyshev) UCL	1.4E+02	8.4E+01	1.4E+02
	Benzo(b)fluoranthene	ug/kg	24	1	0	9.9E+01	3.1E+02	approx. gamma	95% KM (Chebyshev) UCL	1.6E+02	9.9E+01	1.6E+02
	Benzo(k)fluoranthene	ug/kg	24	1	0	6.0E+01	2.5E+02	gamma	95% KM (Chebyshev) UCL	1.1E+02	6.0E+01	1.1E+02
	Dibenzo(a,h)anthracene	ug/kg	24	3	0	1.4E+01	3.0E+01	normal	95% KM (t) UCL	1.7E+01	1.4E+01	1.7E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	24	1	0	6.7E+01	1.7E+02	normal	95% KM (t) UCL	8.3E+01	6.7E+01	8.3E+01
	Naphthalene	ug/kg	24	12	2	1.3E+01	2.9E+01	normal	95% KM (t) UCL	1.7E+01	1.3E+01	1.7E+01
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	24	11	0	6.5E+01	3.2E+02	gamma	95% KM (t) UCL	8.8E+01	6.5E+01	8.8E+01
	Phenols											
	Pentachlorophenol	ug/kg	13	10	11	1.9E+00	4.6E+00	--	Fewer than 5 detects	--	1.9E+00	4.6E+00
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	21	4	1	1.9E+01	3.4E+01	normal	95% KM (t) UCL	2.3E+01	1.9E+01	2.3E+01
	Total PCB Congeners	pg/g	2	0	0	5.6E+03	9.0E+03	--	Fewer than 5 detects	--	5.6E+03	9.0E+03
	Total PCBs, Adjusted	pg/g	2	0	0	5.3E+03	8.6E+03	--	Fewer than 5 detects	--	5.3E+03	8.6E+03

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[e]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	6	0	0	2.9E+00	7.5E+00	normal	95% KM (t) UCL	5.4E+00	2.9E+00	5.4E+00
	Total PCB TEQ	pg/g	2	0	0	7.7E-02	1.0E-01	--	Fewer than 5 detects	--	7.7E-02	1.0E-01
	Pesticides											
	Aldrin	ug/kg	18	11	0	2.9E-01	1.3E+00	normal	95% KM (t) UCL	4.0E-01	2.9E-01	4.0E-01
	Dieldrin	ug/kg	20	17	7	5.7E-02	2.0E-01	--	Fewer than 5 detects	--	5.7E-02	2.0E-01
	Total DDT	ug/kg	20	5	0	1.6E+00	9.9E+00	gamma	95% KM (Chebyshev) UCL	3.8E+00	1.6E+00	3.8E+00
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 3.5 West	**Metals**											
	Arsenic	mg/kg	16	1	0	5.8E+00	1.7E+01	non-parametric	95% KM (Chebyshev) UCL	1.0E+01	5.8E+00	1.0E+01
	Lead	mg/kg	16	0	0	1.5E+01	2.6E+01	non-parametric	95% Student's-t UCL	1.6E+01	1.5E+01	1.6E+01
	Mercury	mg/kg	16	1	0	7.1E-02	2.2E-01	non-parametric	95% KM (Chebyshev) UCL	1.2E-01	7.1E-02	1.2E-01
	Vanadium	mg/kg	2	0	0	9.9E+01	1.0E+02	--	Fewer than 5 detects	--	9.9E+01	1.0E+02
	Butyltins											
	Tributyltin ion	ug/kg	1	0	0	8.1E+01	8.1E+01	--	Fewer than 5 detects	--	8.1E+01	8.1E+01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	16	0	0	2.6E+02	2.5E+03	non-parametric	99% Chebyshev (Mean, Sd) UCL	1.8E+03	2.6E+02	1.8E+03
	Benzo(a)pyrene	ug/kg	16	0	0	3.9E+02	3.6E+03	non-parametric	99% Chebyshev (Mean, Sd) UCL	2.6E+03	3.9E+02	2.6E+03
	Benzo(b)fluoranthene	ug/kg	16	0	0	3.5E+02	3.2E+03	non-parametric	99% Chebyshev (Mean, Sd) UCL	2.3E+03	3.5E+02	2.3E+03
	Benzo(k)fluoranthene	ug/kg	16	0	0	1.4E+02	1.1E+03	non-parametric	99% Chebyshev (Mean, Sd) UCL	8.0E+02	1.4E+02	8.0E+02
	Dibenzo(a,h)anthracene	ug/kg	16	0	0	4.3E+01	3.3E+02	approx. gamma	95% Approximate Gamma UCL	7.5E+01	4.3E+01	7.5E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	16	0	0	3.2E+02	2.9E+03	non-parametric	99% Chebyshev (Mean, Sd) UCL	2.1E+03	3.2E+02	2.1E+03
	Naphthalene	ug/kg	16	1	0	1.3E+02	9.8E+02	lognormal	97.5% KM (Chebyshev) UCL	5.2E+02	1.3E+02	5.2E+02
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	16	11	2	4.6E+01	1.1E+02	normal	95% KM (t) UCL	8.2E+01	4.6E+01	8.2E+01
	Phenols											
	Pentachlorophenol	ug/kg	13	11	3	2.5E+00	1.5E+01	non-parametric	95% KM (BCA) UCL	1.5E+01	2.5E+00	1.5E+01
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	15	1	1	2.3E+01	3.8E+01	normal	95% Student's-t UCL	2.7E+01	2.3E+01	2.7E+01
	Total PCB Congeners	pg/g	2	0	0	1.9E+04	3.0E+04	--	Fewer than 5 detects	--	1.9E+04	3.0E+04
	Total PCBs, Adjusted	pg/g	2	0	0	1.8E+04	2.8E+04	--	Fewer than 5 detects	--	1.8E+04	2.8E+04
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	2	0	0	9.1E-01	1.6E+00	--	Fewer than 5 detects	--	9.1E-01	1.6E+00
	Total PCB TEQ	pg/g	2	0	0	5.1E-01	7.7E-01	--	Fewer than 5 detects	--	5.1E-01	7.7E-01
	Pesticides											
	Aldrin	ug/kg	15	10	0	2.7E-01	1.1E+00	normal	95% KM (t) UCL	4.9E-01	2.7E-01	4.9E-01
	Dieldrin	ug/kg	15	8	4	1.3E-01	2.5E-01	normal	95% KM (t) UCL	1.8E-01	1.3E-01	1.8E-01
	Total DDT	ug/kg	15	1	0	5.8E+00	3.0E+01	lognormal	97.5% KM (Chebyshev) UCL	2.1E+01	5.8E+00	2.1E+01
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[e] Mean	95% UCL/Max
RM 3.5 East	**Metals**											
	Arsenic	mg/kg	39	4	0	3.7E+00	9.2E+00	lognormal	95% KM (Chebyshev) UCL	4.8E+00	3.7E+00	4.8E+00
	Lead	mg/kg	39	1	0	2.7E+01	2.0E+02	non-parametric	95% KM (Chebyshev) UCL	5.2E+01	2.7E+01	5.2E+01
	Mercury	mg/kg	39	1	0	7.9E-02	3.4E-01	lognormal	95% KM (Chebyshev) UCL	1.3E-01	7.9E-02	1.3E-01
	Vanadium	mg/kg	5	0	0	9.9E+01	1.1E+02	normal	95% Student's-t UCL	1.1E+02	9.9E+01	1.1E+02
	Butyltins											
	Tributyltin ion	ug/kg	27	1	0	1.8E+03	4.7E+04	non-parametric	99% KM (Chebyshev) UCL	1.9E+04	1.8E+03	1.9E+04
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	40	0	0	2.9E+02	6.0E+03	lognormal	97.5% KM (Chebyshev) UCL	1.2E+03	2.9E+02	1.2E+03
	Benzo(a)pyrene	ug/kg	40	0	0	2.5E+02	3.8E+03	lognormal	97.5% KM (Chebyshev) UCL	8.7E+02	2.5E+02	8.7E+02
	Benzo(b)fluoranthene	ug/kg	40	0	0	3.5E+02	5.9E+03	lognormal	97.5% KM (Chebyshev) UCL	1.3E+03	3.5E+02	1.3E+03
	Benzo(k)fluoranthene	ug/kg	40	0	0	1.7E+02	3.4E+03	lognormal	97.5% KM (Chebyshev) UCL	7.1E+02	1.7E+02	7.1E+02
	Dibenzo(a,h)anthracene	ug/kg	40	1	0	4.1E+01	4.1E+02	lognormal	97.5% KM (Chebyshev) UCL	1.3E+02	4.1E+01	1.3E+02
	Indeno(1,2,3-cd)pyrene	ug/kg	40	0	0	1.5E+02	1.1E+03	lognormal	95% KM (Chebyshev) UCL	3.3E+02	1.5E+02	3.3E+02
	Naphthalene	ug/kg	40	17	1	1.4E+01	6.4E+01	gamma	95% KM (t) UCL	1.8E+01	1.4E+01	1.8E+01
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	39	14	0	1.3E+03	1.7E+04	non-parametric	99% KM (Chebyshev) UCL	6.9E+03	1.3E+03	6.9E+03
	Phenols											
	Pentachlorophenol	ug/kg	33	26	6	2.0E+00	1.3E+01	lognormal	95% KM (t) UCL	2.5E+00	2.0E+00	2.5E+00
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	35	5	0	3.8E+02	3.5E+03	non-parametric	99% KM (Chebyshev) UCL	1.7E+03	3.8E+02	1.7E+03
	Total PCB Congeners	pg/g	13	0	0	7.7E+05	3.5E+06	non-parametric	99% KM (Chebyshev) UCL	4.4E+06	7.7E+05	3.5E+06
	Total PCBs, Adjusted	pg/g	13	0	0	7.0E+05	3.2E+06	non-parametric	99% KM (Chebyshev) UCL	4.0E+06	7.0E+05	3.2E+06
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	10	0	0	3.3E+00	1.9E+01	gamma	95% KM (Chebyshev) UCL	1.1E+01	3.3E+00	1.1E+01
	Total PCB TEQ	pg/g	13	0	0	1.7E+01	1.2E+02	non-parametric	99% KM (Chebyshev) UCL	1.1E+02	1.7E+01	1.1E+02
	Pesticides											
	Aldrin	ug/kg	34	13	1	3.7E-01	1.7E+00	gamma	95% KM (BCA) UCL	5.0E-01	3.7E-01	5.0E-01
	Dieldrin	ug/kg	37	29	2	1.3E-01	1.2E+00	approx. gamma	95% KM (t) UCL	1.5E-01	1.3E-01	1.5E-01
	Total DDT	ug/kg	37	4	0	6.2E+00	6.7E+01	lognormal	99% KM (Chebyshev) UCL	2.7E+01	6.2E+00	2.7E+01
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 4 West	**Metals**											
	Arsenic	mg/kg	32	6	0	3.4E+00	8.8E+00	non-parametric	95% KM (Chebyshev) UCL	4.4E+00	3.4E+00	4.4E+00
	Lead	mg/kg	32	0	0	1.5E+01	3.9E+01	lognormal	95% KM (Chebyshev) UCL	2.0E+01	1.5E+01	2.0E+01
	Mercury	mg/kg	32	0	0	8.2E-02	4.4E-01	non-parametric	95% KM (Chebyshev) UCL	1.4E-01	8.2E-02	1.4E-01
	Vanadium	mg/kg	6	0	0	1.0E+02	1.1E+02	normal	95% Student's-t UCL	1.1E+02	1.0E+02	1.1E+02
	Butyltins											
	Tributyltin ion	ug/kg	2	0	0	6.1E+00	8.2E+00	--	Fewer than 5 detects	--	6.1E+00	8.2E+00
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	33	0	0	2.5E+02	1.6E+03	non-parametric	99% Chebyshev (Mean, Sd) UCL	9.0E+02	2.5E+02	9.0E+02
	Benzo(a)pyrene	ug/kg	33	0	0	4.0E+02	2.5E+03	approx. gamma	95% Approximate Gamma UCL	5.8E+02	4.0E+02	5.8E+02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[e] Mean	95% UCL/Max
	Benzo(b)fluoranthene	ug/kg	33	0	0	3.6E+02	2.3E+03	gamma	95% Approximate Gamma UCL	5.2E+02	3.6E+02	5.2E+02
	Benzo(k)fluoranthene	ug/kg	28	1	0	1.3E+02	1.2E+03	lognormal	95% KM (Chebyshev) UCL	3.2E+02	1.3E+02	3.2E+02
	Dibenzo(a,h)anthracene	ug/kg	33	4	0	4.4E+01	2.5E+02	gamma	95% KM (Chebyshev) UCL	8.9E+01	4.4E+01	8.9E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	33	0	0	3.2E+02	2.3E+03	approx. gamma	95% Approximate Gamma UCL	4.6E+02	3.2E+02	4.6E+02
	Naphthalene	ug/kg	33	4	0	7.7E+01	4.6E+02	lognormal	97.5% KM (Chebyshev) UCL	1.9E+02	7.7E+01	1.9E+02
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	32	23	4	4.2E+01	1.2E+02	normal	95% KM (t) UCL	7.1E+01	4.2E+01	7.1E+01
	Phenols											
	Pentachlorophenol	ug/kg	25	19	7	4.5E+00	2.9E+01	normal	95% KM (t) UCL	6.7E+00	4.5E+00	6.7E+00
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	20	3	0	2.1E+01	5.0E+01	normal	95% KM (t) UCL	2.6E+01	2.1E+01	2.6E+01
	Total PCB Congeners	pg/g	2	0	0	1.9E+04	2.6E+04	--	Fewer than 5 detects	--	1.9E+04	2.6E+04
	Total PCBs, Adjusted	pg/g	2	0	0	1.8E+04	2.5E+04	--	Fewer than 5 detects	--	1.8E+04	2.5E+04
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	4	0	0	1.6E+00	3.3E+00	--	Fewer than 5 detects	--	1.6E+00	3.3E+00
	Total PCB TEQ	pg/g	2	0	0	4.7E-01	6.5E-01	--	Fewer than 5 detects	--	4.7E-01	6.5E-01
	Pesticides											
	Aldrin	ug/kg	25	18	0	3.9E-01	1.4E+00	gamma	95% KM (t) UCL	4.9E-01	3.9E-01	4.9E-01
	Dieldrin	ug/kg	25	23	12	7.1E-02	2.8E-01	--	Fewer than 5 detects	--	7.1E-02	2.8E-01
	Total DDT	ug/kg	25	7	0	1.9E+01	1.5E+02	approx. gamma	95% KM (Chebyshev) UCL	5.6E+01	1.9E+01	5.6E+01
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 4 East	**Metals**											
	Arsenic	mg/kg	48	3	0	4.2E+00	1.6E+01	lognormal	95% KM (Chebyshev) UCL	5.6E+00	4.2E+00	5.6E+00
	Lead	mg/kg	48	0	0	8.0E+01	2.0E+03	non-parametric	95% KM (Chebyshev) UCL	2.5E+02	8.0E+01	2.5E+02
	Mercury	mg/kg	48	5	0	6.6E-02	2.8E-01	non-parametric	95% KM (Chebyshev) UCL	9.6E-02	6.6E-02	9.6E-02
	Vanadium	mg/kg	5	0	0	1.1E+02	1.1E+02	normal	95% Student's-t UCL	1.1E+02	1.1E+02	1.1E+02
	Butyltins											
	Tributyltin ion	ug/kg	9	0	0	2.6E+01	5.9E+01	normal	95% KM (t) UCL	3.6E+01	2.6E+01	3.6E+01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	48	0	0	6.3E+02	4.3E+03	lognormal	97.5% KM (Chebyshev) UCL	1.6E+03	6.3E+02	1.6E+03
	Benzo(a)pyrene	ug/kg	48	0	0	8.8E+02	6.3E+03	lognormal	97.5% KM (Chebyshev) UCL	2.2E+03	8.8E+02	2.2E+03
	Benzo(b)fluoranthene	ug/kg	48	0	0	9.0E+02	6.2E+03	lognormal	97.5% KM (Chebyshev) UCL	2.3E+03	9.0E+02	2.3E+03
	Benzo(k)fluoranthene	ug/kg	43	0	0	7.1E+02	4.9E+03	lognormal	97.5% KM (Chebyshev) UCL	1.8E+03	7.1E+02	1.8E+03
	Dibenzo(a,h)anthracene	ug/kg	48	3	0	1.4E+02	1.1E+03	lognormal	97.5% KM (Chebyshev) UCL	3.7E+02	1.4E+02	3.7E+02
	Indeno(1,2,3-cd)pyrene	ug/kg	48	1	0	6.4E+02	4.8E+03	lognormal	97.5% KM (Chebyshev) UCL	1.7E+03	6.4E+02	1.7E+03
	Naphthalene	ug/kg	48	8	0	3.9E+01	3.6E+02	gamma	95% KM (Chebyshev) UCL	7.4E+01	3.9E+01	7.4E+01
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	49	20	1	9.1E+02	1.4E+04	lognormal	97.5% KM (Chebyshev) UCL	3.3E+03	9.1E+02	3.3E+03
	Phenols											
	Pentachlorophenol	ug/kg	22	13	0	4.5E+02	8.4E+03	non-parametric	99% KM (Chebyshev) UCL	4.3E+03	4.5E+02	4.3E+03
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	40	5	0	1.5E+02	1.7E+03	non-parametric	95% KM (Chebyshev) UCL	3.6E+02	1.5E+02	3.6E+02
	Total PCB Congeners	pg/g	5	0	0	2.2E+05	7.0E+05	normal	95% KM (t) UCL	4.9E+05	2.2E+05	4.9E+05
	Total PCBs, Adjusted	pg/g	5	0	0	2.1E+05	6.8E+05	normal	95% KM (t) UCL	4.8E+05	2.1E+05	4.8E+05

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

| Scenario Timeframe: Current/Future |
| Medium: Sediment |
| Exposure Medium: In-Water Sediment |

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[e]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	6	0	0	4.1E+00	1.0E+01	normal	95% KM (t) UCL	6.9E+00	4.1E+00	6.9E+00
	Total PCB TEQ	pg/g	5	0	0	1.9E+00	3.4E+00	normal	95% KM (t) UCL	3.4E+00	1.9E+00	3.4E+00
	Pesticides											
	Aldrin	ug/kg	17	12	2	4.7E-01	3.2E+00	gamma	95% KM (t) UCL	7.9E-01	4.7E-01	7.9E-01
	Dieldrin	ug/kg	17	14	12	8.9E-02	1.6E-01	--	Fewer than 5 detects	--	8.9E-02	1.6E-01
	Total DDT	ug/kg	44	11	0	5.4E+00	6.9E+01	lognormal	95% KM (Chebyshev) UCL	1.2E+01	5.4E+00	1.2E+01
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 4.5 West	**Metals**											
	Arsenic	mg/kg	41	4	0	3.6E+00	1.3E+01	non-parametric	95% KM (Chebyshev) UCL	4.9E+00	3.6E+00	4.9E+00
	Lead	mg/kg	41	0	0	2.8E+01	3.3E+02	non-parametric	95% KM (Chebyshev) UCL	6.3E+01	2.8E+01	6.3E+01
	Mercury	mg/kg	38	2	0	8.6E-02	7.4E-01	non-parametric	95% KM (Chebyshev) UCL	1.7E-01	8.6E-02	1.7E-01
	Vanadium	mg/kg	6	0	0	1.1E+02	1.1E+02	normal	95% Student's-t UCL	1.1E+02	1.1E+02	1.1E+02
	Butyltins											
	Tributyltin ion	ug/kg	4	0	0	7.5E+00	1.4E+01	--	Fewer than 5 detects	--	7.5E+00	1.4E+01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	42	0	0	5.5E+02	5.1E+03	non-parametric	97.5% KM (Chebyshev) UCL	1.6E+03	5.5E+02	1.6E+03
	Benzo(a)pyrene	ug/kg	42	0	0	7.6E+02	7.5E+03	non-parametric	97.5% KM (Chebyshev) UCL	2.2E+03	7.6E+02	2.2E+03
	Benzo(b)fluoranthene	ug/kg	42	0	0	6.6E+02	6.5E+03	non-parametric	95% KM (Chebyshev) UCL	1.5E+03	6.6E+02	1.5E+03
	Benzo(k)fluoranthene	ug/kg	42	0	0	2.9E+02	2.3E+03	non-parametric	95% KM (Chebyshev) UCL	6.2E+02	2.9E+02	6.2E+02
	Dibenzo(a,h)anthracene	ug/kg	42	2	0	8.5E+01	5.9E+02	non-parametric	97.5% KM (Chebyshev) UCL	2.3E+02	8.5E+01	2.3E+02
	Indeno(1,2,3-cd)pyrene	ug/kg	42	0	0	5.9E+02	5.9E+03	non-parametric	97.5% KM (Chebyshev) UCL	1.7E+03	5.9E+02	1.7E+03
	Naphthalene	ug/kg	42	7	0	1.6E+02	1.4E+03	non-parametric	95% KM (Chebyshev) UCL	3.9E+02	1.6E+02	3.9E+02
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	38	27	0	5.0E+01	2.3E+02	non-parametric	95% KM (t) UCL	7.0E+01	5.0E+01	7.0E+01
	Phenols											
	Pentachlorophenol	ug/kg	31	26	7	1.7E+00	8.8E+00	normal	95% KM (t) UCL	2.3E+00	1.7E+00	2.3E+00
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	24	9	0	2.5E+01	1.3E+02	approx. gamma	95% KM (Percentile Bootstrap) UCL	3.8E+01	2.5E+01	3.8E+01
	Total PCB Congeners	pg/g	5	0	0	8.5E+04	1.6E+05	normal	95% KM (t) UCL	1.5E+05	8.5E+04	1.5E+05
	Total PCBs, Adjusted	pg/g	5	0	0	7.9E+04	1.6E+05	normal	95% KM (t) UCL	1.4E+05	7.9E+04	1.4E+05
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	4	0	0	2.6E+00	6.8E+00	--	Fewer than 5 detects	--	2.6E+00	6.8E+00
	Total PCB TEQ	pg/g	5	0	0	1.4E+00	3.3E+00	normal	95% KM (t) UCL	2.5E+00	1.4E+00	2.5E+00
	Pesticides											
	Aldrin	ug/kg	23	19	0	1.7E-01	1.2E+00	--	Fewer than 5 detects	--	1.7E-01	1.2E+00
	Dieldrin	ug/kg	23	13	6	1.3E-01	3.9E-01	normal	95% KM (t) UCL	1.8E-01	1.3E-01	1.8E-01
	Total DDT	ug/kg	23	6	0	4.5E+00	5.0E+01	lognormal	99% KM (Chebyshev) UCL	2.7E+01	4.5E+00	2.7E+01
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[e]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
RM 4.5 East	**Metals**											
	Arsenic	mg/kg	25	5	0	4.0E+00	1.2E+01	gamma	95% KM (BCA) UCL	4.9E+00	4.0E+00	4.9E+00
	Lead	mg/kg	25	0	0	1.6E+02	1.7E+03	lognormal	95% Chebyshev (MVUE) UCL	3.5E+02	1.6E+02	3.5E+02
	Mercury	mg/kg	25	0	0	6.3E-02	1.2E-01	normal	95% Student's-t UCL	7.3E-02	6.3E-02	7.3E-02
	Vanadium	mg/kg	6	0	0	1.0E+02	1.1E+02	normal	95% Student's-t UCL	1.1E+02	1.0E+02	1.1E+02
	Butyltins											
	Tributyltin ion	ug/kg	2	0	0	4.1E+01	7.2E+01	--	Fewer than 5 detects	--	4.1E+01	7.2E+01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	25	0	0	3.3E+03	4.1E+04	lognormal	97.5% Chebyshev (MVUE) UCL	2.0E+04	3.3E+03	2.0E+04
	Benzo(a)pyrene	ug/kg	25	0	0	4.3E+03	4.8E+04	approx. gamma	95% Adjusted Gamma UCL	8.7E+03	4.3E+03	8.7E+03
	Benzo(b)fluoranthene	ug/kg	25	0	0	3.8E+03	4.4E+04	gamma	95% Adjusted Gamma UCL	7.5E+03	3.8E+03	7.5E+03
	Benzo(k)fluoranthene	ug/kg	25	0	0	3.4E+03	4.2E+04	approx. gamma	95% Adjusted Gamma UCL	6.9E+03	3.4E+03	6.9E+03
	Dibenzo(a,h)anthracene	ug/kg	25	0	0	7.1E+02	6.5E+03	gamma	95% Adjusted Gamma UCL	1.4E+03	7.1E+02	1.4E+03
	Indeno(1,2,3-cd)pyrene	ug/kg	25	0	0	3.0E+03	3.1E+04	gamma	95% Adjusted Gamma UCL	6.1E+03	3.0E+03	6.1E+03
	Naphthalene	ug/kg	25	3	0	1.5E+02	1.7E+03	gamma	95% KM (Chebyshev) UCL	4.4E+02	1.5E+02	4.4E+02
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	25	16	0	8.3E+01	5.2E+02	lognormal	95% KM (t) UCL	1.2E+02	8.3E+01	1.2E+02
	Phenols											
	Pentachlorophenol	ug/kg	2	1	7	1.8E+00	3.2E+00	--	Fewer than 5 detects	--	1.8E+00	3.2E+00
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	20	5	1	3.5E+01	8.4E+01	normal	95% KM (t) UCL	4.4E+01	3.5E+01	4.4E+01
	Total PCB Congeners	pg/g	2	0	0	1.3E+04	1.3E+04	--	Fewer than 5 detects	--	1.3E+04	1.3E+04
	Total PCBs, Adjusted	pg/g	2	0	0	1.2E+04	1.2E+04	--	Fewer than 5 detects	--	1.2E+04	1.2E+04
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	1	0	0	2.8E-01	2.8E-01	--	Fewer than 5 detects	--	2.8E-01	2.8E-01
	Total PCB TEQ	pg/g	2	0	0	3.2E-01	3.4E-01	--	Fewer than 5 detects	--	3.2E-01	3.4E-01
	Pesticides											
	Aldrin	ug/kg	4	2	2	1.1E-01	1.5E-01	--	Fewer than 5 detects	--	1.1E-01	1.5E-01
	Dieldrin	ug/kg	4	3	2	5.8E-02	8.4E-02	--	Fewer than 5 detects	--	5.8E-02	8.4E-02
	Total DDT	ug/kg	20	7	0	4.9E+00	3.1E+01	gamma	95% KM (BCA) UCL	8.7E+00	4.9E+00	8.7E+00
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 5 West	**Metals**											
	Arsenic	mg/kg	27	7	0	3.2E+00	6.1E+00	normal	95% KM (t) UCL	3.8E+00	3.2E+00	3.8E+00
	Lead	mg/kg	27	0	0	1.2E+01	1.6E+01	non-parametric	95% KM (Chebyshev) UCL	1.5E+01	1.2E+01	1.5E+01
	Mercury	mg/kg	27	0	0	5.2E-02	1.4E-01	approx. gamma	95% KM (BCA) UCL	6.0E-02	5.2E-02	6.0E-02
	Vanadium	mg/kg	8	0	0	9.8E+01	1.1E+02	normal	95% Student's-t UCL	1.0E+02	9.8E+01	1.0E+02
	Butyltins											
	Tributyltin ion	ug/kg	2	0	0	1.8E+01	2.1E+01	--	Fewer than 5 detects	--	1.8E+01	2.1E+01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	40	0	0	5.9E+02	1.0E+04	non-parametric	99% Chebyshev (Mean, Sd) UCL	3.4E+03	5.9E+02	3.4E+03
	Benzo(a)pyrene	ug/kg	40	0	0	7.9E+02	1.3E+04	non-parametric	99% Chebyshev (Mean, Sd) UCL	4.5E+03	7.9E+02	4.5E+03

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[e]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
	Benzo(b)fluoranthene	ug/kg	40	0	0	5.7E+02	7.5E+03	non-parametric	99% Chebyshev (Mean, Sd) UCL	3.0E+03	5.7E+02	3.0E+03
	Benzo(k)fluoranthene	ug/kg	40	0	0	4.1E+02	8.3E+03	lognormal	95% H-UCL	5.7E+02	4.1E+02	5.7E+02
	Dibenzo(a,h)anthracene	ug/kg	40	2	0	8.2E+01	1.2E+03	non-parametric	95% KM (Chebyshev) UCL	2.3E+02	8.2E+01	2.3E+02
	Indeno(1,2,3-cd)pyrene	ug/kg	40	0	0	5.9E+02	9.3E+03	non-parametric	99% Chebyshev (Mean, Sd) UCL	3.3E+03	5.9E+02	3.3E+03
	Naphthalene	ug/kg	40	4	0	1.4E+02	2.5E+03	non-parametric	95% KM (Chebyshev) UCL	4.2E+02	1.4E+02	4.2E+02
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	27	11	0	7.1E+01	2.5E+02	gamma	95% KM (t) UCL	9.1E+01	7.1E+01	9.1E+01
	Phenols											
	Pentachlorophenol	ug/kg	27	23	0	2.1E+01	1.4E+02	gamma	95% KM (t) UCL	1.8E+01	2.1E+01	1.8E+01
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	15	5	0	1.7E+01	5.1E+01	gamma	95% KM (Percentile Bootstrap) UCL	2.5E+01	1.7E+01	2.5E+01
	Total PCB Congeners	pg/g	2	0	0	8.0E+04	9.6E+04	--	Fewer than 5 detects	--	8.0E+04	9.6E+04
	Total PCBs, Adjusted	pg/g	2	0	0	7.8E+04	9.2E+04	--	Fewer than 5 detects	--	7.8E+04	9.2E+04
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	2	0	0	3.5E+00	5.4E+00	--	Fewer than 5 detects	--	3.5E+00	5.4E+00
	Total PCB TEQ	pg/g	2	0	0	1.2E+00	2.1E+00	--	Fewer than 5 detects	--	1.2E+00	2.1E+00
	Pesticides											
	Aldrin	ug/kg	12	8	0	4.4E-01	1.9E+00	--	Fewer than 5 detects	--	4.4E-01	1.9E+00
	Dieldrin	ug/kg	15	11	2	1.5E-01	7.8E-01	--	Fewer than 5 detects	--	1.5E-01	7.8E-01
	Total DDT	ug/kg	16	1	0	1.2E+01	1.2E+02	lognormal	99% KM (Chebyshev) UCL	8.2E+01	1.2E+01	8.2E+01
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 5 East	**Metals**											
	Arsenic	mg/kg	22	2	0	3.2E+00	6.0E+00	normal	95% KM (t) UCL	3.7E+00	3.2E+00	3.7E+00
	Lead	mg/kg	22	0	0	1.4E+01	3.9E+01	approx. gamma	95% Approximate Gamma UCL	1.7E+01	1.4E+01	1.7E+01
	Mercury	mg/kg	22	1	0	6.8E-02	2.0E-01	gamma	95% KM (BCA) UCL	8.6E-02	6.8E-02	8.6E-02
	Vanadium	mg/kg	3	0	0	1.0E+02	1.1E+02	--	Fewer than 5 detects	--	1.0E+02	1.1E+02
	Butyltins											
	Tributyltin ion	ug/kg	4	0	0	5.7E+01	1.2E+02	--	Fewer than 5 detects	--	5.7E+01	1.2E+02
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	22	0	0	2.1E+02	9.9E+02	gamma	95% Approximate Gamma UCL	3.3E+02	2.1E+02	3.3E+02
	Benzo(a)pyrene	ug/kg	22	0	0	3.0E+02	1.9E+03	approx. gamma	95% Approximate Gamma UCL	4.7E+02	3.0E+02	4.7E+02
	Benzo(b)fluoranthene	ug/kg	22	0	0	3.2E+02	1.6E+03	lognormal	95% Chebyshev (MVUE) UCL	6.7E+02	3.2E+02	6.7E+02
	Benzo(k)fluoranthene	ug/kg	17	0	0	1.5E+02	5.3E+02	gamma	95% KM (Chebyshev) UCL	3.0E+02	1.5E+02	3.0E+02
	Dibenzo(a,h)anthracene	ug/kg	22	1	0	4.3E+01	2.0E+02	gamma	95% KM (Chebyshev) UCL	9.1E+01	4.3E+01	9.1E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	22	0	0	2.4E+02	1.6E+03	lognormal	95% Chebyshev (MVUE) UCL	4.8E+02	2.4E+02	4.8E+02
	Naphthalene	ug/kg	22	4	0	5.5E+01	3.6E+02	gamma	95% KM (Chebyshev) UCL	1.3E+02	5.5E+01	1.3E+02
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	22	12	0	8.5E+01	3.9E+02	gamma	95% KM (t) UCL	1.3E+02	8.5E+01	1.3E+02
	Phenols											
	Pentachlorophenol	ug/kg	19	14	3	6.5E+00	4.7E+01	lognormal	95% KM (BCA) UCL	1.3E+01	6.5E+00	1.3E+01
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	15	3	0	2.0E+01	4.5E+01	normal	95% KM (t) UCL	2.5E+01	2.0E+01	2.5E+01
	Total PCB Congeners	pg/g	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Total PCBs, Adjusted	pg/g	NA	NA	NA	NA	NA	--	--	--	NA	NA

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[e] Mean	95% UCL/Max
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Total PCB TEQ	pg/g	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Pesticides											
	Aldrin	ug/kg	20	18	6	1.9E-01	8.0E-01	--	Fewer than 5 detects	--	1.9E-01	8.0E-01
	Dieldrin	ug/kg	20	17	7	1.9E-01	7.9E-01	--	Fewer than 5 detects	--	1.9E-01	7.9E-01
	Total DDT	ug/kg	20	10	0	1.4E+00	6.5E+00	gamma	95% KM (t) UCL	1.9E+00	1.4E+00	1.9E+00
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 5.5 West	**Metals**											
	Arsenic	mg/kg	29	4	0	4.3E+00	1.3E+01	non-parametric	95% KM (Chebyshev) UCL	6.1E+00	4.3E+00	6.1E+00
	Lead	mg/kg	29	0	0	2.0E+01	3.7E+01	normal	95% KM (t) UCL	2.3E+01	2.0E+01	2.3E+01
	Mercury	mg/kg	29	1	0	6.8E-02	1.7E-01	normal	95% KM (t) UCL	8.0E-02	6.8E-02	8.0E-02
	Vanadium	mg/kg	3	0	0	9.2E+01	1.1E+02	--	Fewer than 5 detects	--	9.2E+01	1.1E+02
	Butyltins											
	Tributyltin ion	ug/kg	17	1	0	1.7E+01	9.1E+01	gamma	95% KM (Chebyshev) UCL	4.3E+01	1.7E+01	4.3E+01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	31	0	0	1.3E+03	1.7E+04	lognormal	95% H-UCL	3.0E+03	1.3E+03	3.0E+03
	Benzo(a)pyrene	ug/kg	31	0	0	1.9E+03	2.3E+04	lognormal	95% H-UCL	4.3E+03	1.9E+03	4.3E+03
	Benzo(b)fluoranthene	ug/kg	31	0	0	1.5E+03	2.0E+04	lognormal	95% H-UCL	3.1E+03	1.5E+03	3.1E+03
	Benzo(k)fluoranthene	ug/kg	31	0	0	7.5E+02	6.0E+03	lognormal	95% Chebyshev (MVUE) UCL	2.0E+03	7.5E+02	2.0E+03
	Dibenzo(a,h)anthracene	ug/kg	31	0	0	1.7E+02	1.5E+03	lognormal	95% H-UCL	3.5E+02	1.7E+02	3.5E+02
	Indeno(1,2,3-cd)pyrene	ug/kg	31	0	0	1.5E+03	1.7E+04	lognormal	95% Chebyshev (MVUE) UCL	3.5E+03	1.5E+03	3.5E+03
	Naphthalene	ug/kg	31	4	0	1.2E+02	9.4E+02	lognormal	97.5% KM (Chebyshev) UCL	3.3E+02	1.2E+02	3.3E+02
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	29	19	0	7.4E+01	2.1E+02	non-parametric	95% KM (BCA) UCL	1.8E+01	7.4E+01	1.8E+01
	Phenols											
	Pentachlorophenol	ug/kg	29	21	0	1.2E+01	1.4E+02	non-parametric	95% KM (BCA) UCL	1.8E+01	1.2E+01	1.8E+01
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	29	12	0	3.2E+01	2.4E+02	gamma	95% KM (BCA) UCL	5.1E+01	3.2E+01	5.1E+01
	Total PCB Congeners	pg/g	4	0	0	1.8E+04	3.2E+04	--	Fewer than 5 detects	--	1.8E+04	3.2E+04
	Total PCBs, Adjusted	pg/g	4	0	0	1.7E+04	2.9E+04	--	Fewer than 5 detects	--	1.7E+04	2.9E+04
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	4	0	0	1.5E+00	2.3E+00	--	Fewer than 5 detects	--	1.5E+00	2.3E+00
	Total PCB TEQ	pg/g	4	0	0	5.8E-01	1.1E+00	--	Fewer than 5 detects	--	5.8E-01	1.1E+00
	Pesticides											
	Aldrin	ug/kg	26	21	0	4.2E-01	4.7E+00	normal	95% KM (t) UCL	6.7E-01	4.2E-01	6.7E-01
	Dieldrin	ug/kg	28	21	4	3.1E-01	1.5E+00	gamma	95% KM (t) UCL	4.1E-01	3.1E-01	4.1E-01
	Total DDT	ug/kg	28	1	0	1.9E+01	2.8E+02	approx. gamma	95% KM (Chebyshev) UCL	6.2E+01	1.9E+01	6.2E+01
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL		Exposure Point Concentration[e]		
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
RM 5.5 East	**Metals**											
	Arsenic	mg/kg	47	3	0	5.8E+00	2.2E+01	non-parametric	95% KM (Chebyshev) UCL	8.9E+00	5.8E+00	8.9E+00
	Lead	mg/kg	47	0	0	6.0E+01	3.3E+02	lognormal	95% H-UCL	7.9E+01	6.0E+01	7.9E+01
	Mercury	mg/kg	47	1	0	2.3E-01	4.8E+00	non-parametric	95% KM (Chebyshev) UCL	6.7E-01	2.3E-01	6.7E-01
	Vanadium	mg/kg	3	0	0	8.5E+01	9.1E+01	--	Fewer than 5 detects	--	8.5E+01	9.1E+01
	Butyltins											
	Tributyltin ion	ug/kg	19	0	0	1.7E+02	4.8E+02	gamma	95% KM (Chebyshev) UCL	3.2E+02	1.7E+02	3.2E+02
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	47	0	0	4.6E+02	2.6E+03	gamma	95% Approximate Gamma UCL	5.7E+02	4.6E+02	5.7E+02
	Benzo(a)pyrene	ug/kg	47	0	0	5.6E+02	2.5E+03	gamma	95% Approximate Gamma UCL	7.0E+02	5.6E+02	7.0E+02
	Benzo(b)fluoranthene	ug/kg	47	0	0	6.8E+02	4.1E+03	gamma	95% Approximate Gamma UCL	8.4E+02	6.8E+02	8.4E+02
	Benzo(k)fluoranthene	ug/kg	33	0	0	2.6E+02	1.1E+03	gamma	95% KM (Chebyshev) UCL	4.4E+02	2.6E+02	4.4E+02
	Dibenzo(a,h)anthracene	ug/kg	47	1	0	8.8E+01	4.6E+02	gamma	95% KM (Chebyshev) UCL	1.4E+02	8.8E+01	1.4E+02
	Indeno(1,2,3-cd)pyrene	ug/kg	47	0	0	4.3E+02	2.1E+03	gamma	95% Approximate Gamma UCL	5.3E+02	4.3E+02	5.3E+02
	Naphthalene	ug/kg	47	3	0	1.3E+02	2.3E+03	lognormal	95% KM (Chebyshev) UCL	3.5E+02	1.3E+02	3.5E+02
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	47	13	0	2.6E+02	1.5E+03	gamma	95% KM (Percentile Bootstrap) UCL	3.3E+02	2.6E+02	3.3E+02
	Phenols											
	Pentachlorophenol	ug/kg	39	18	8	1.3E+01	8.8E+01	gamma	95% KM (t) UCL	1.8E+01	1.3E+01	1.8E+01
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	31	1	0	1.1E+02	4.1E+02	lognormal	95% KM (Chebyshev) UCL	1.8E+02	1.1E+02	1.8E+02
	Total PCB Congeners	pg/g	8	0	0	8.1E+04	2.5E+05	gamma	95% KM (Chebyshev) UCL	2.2E+05	8.1E+04	2.2E+05
	Total PCBs, Adjusted	pg/g	8	0	0	7.7E+04	2.4E+05	gamma	95% KM (Chebyshev) UCL	2.1E+05	7.7E+04	2.1E+05
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	5	0	0	4.4E+00	1.1E+01	normal	95% KM (t) UCL	8.9E+00	4.4E+00	8.9E+00
	Total PCB TEQ	pg/g	8	0	0	2.0E+00	7.4E+00	gamma	95% KM (Chebyshev) UCL	5.8E+00	2.0E+00	5.8E+00
	Pesticides											
	Aldrin	ug/kg	44	35	1	4.1E-01	2.6E+00	normal	95% KM (t) UCL	4.0E-01	4.1E-01	4.0E-01
	Dieldrin	ug/kg	44	36	2	4.7E-01	5.3E+00	gamma	95% KM (t) UCL	6.0E-01	4.7E-01	6.0E-01
	Total DDT	ug/kg	45	10	0	8.2E+00	9.3E+01	lognormal	95% KM (Chebyshev) UCL	2.0E+01	8.2E+00	2.0E+01
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 6 West	**Metals**											
	Arsenic	mg/kg	45	7	2	3.7E+00	8.1E+00	gamma	95% KM (BCA) UCL	4.1E+00	3.7E+00	4.1E+00
	Lead	mg/kg	45	0	0	4.3E+01	6.8E+02	non-parametric	95% KM (Chebyshev) UCL	1.1E+02	4.3E+01	1.1E+02
	Mercury	mg/kg	38	2	0	1.1E-01	4.3E-01	approx. gamma	95% KM (BCA) UCL	1.4E-01	1.1E-01	1.4E-01
	Vanadium	mg/kg	6	0	0	1.2E+02	1.4E+02	normal	95% Student's-t UCL	1.3E+02	1.2E+02	1.3E+02
	Butyltins											
	Tributyltin ion	ug/kg	8	0	0	1.3E+01	3.3E+01	normal	95% KM (t) UCL	2.0E+01	1.3E+01	2.0E+01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	44	0	0	2.5E+04	1.2E+05	gamma	95% KM (Chebyshev) UCL	4.8E+04	2.5E+04	4.8E+04
	Benzo(a)pyrene	ug/kg	44	0	0	3.1E+04	1.6E+05	gamma	95% KM (Chebyshev) UCL	5.8E+04	3.1E+04	5.8E+04

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

| Scenario Timeframe: Current/Future |
| Medium: Sediment |
| Exposure Medium: In-Water Sediment |

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[e]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
	Benzo(b)fluoranthene	ug/kg	44	0	0	2.2E+04	1.3E+05	gamma	95% KM (Chebyshev) UCL	4.3E+04	2.2E+04	4.3E+04
	Benzo(k)fluoranthene	ug/kg	44	0	0	1.4E+04	8.9E+04	gamma	95% KM (Chebyshev) UCL	2.7E+04	1.4E+04	2.7E+04
	Dibenzo(a,h)anthracene	ug/kg	44	0	0	2.9E+03	1.5E+04	gamma	95% KM (Chebyshev) UCL	5.4E+03	2.9E+03	5.4E+03
	Indeno(1,2,3-cd)pyrene	ug/kg	44	0	0	2.1E+04	1.3E+05	gamma	95% KM (Chebyshev) UCL	4.0E+04	2.1E+04	4.0E+04
	Naphthalene	ug/kg	44	0	0	1.1E+04	1.0E+05	lognormal	99% KM (Chebyshev) UCL	4.4E+04	1.1E+04	4.4E+04
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	38	27	0	2.2E+02	3.2E+03	non-parametric	95% KM (BCA) UCL	3.8E+02	2.2E+02	3.8E+02
	Phenols											
	Pentachlorophenol	ug/kg	36	23	2	2.2E+01	2.9E+02	lognormal	95% KM (BCA) UCL	3.5E+01	2.2E+01	3.5E+01
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	28	13	0	4.3E+01	2.1E+02	gamma	95% KM (t) UCL	6.1E+01	4.3E+01	6.1E+01
	Total PCB Congeners	pg/g	3	0	0	8.6E+04	1.9E+05	--	Fewer than 5 detects	--	8.6E+04	1.9E+05
	Total PCBs, Adjusted	pg/g	3	0	0	8.2E+04	1.8E+05	--	Fewer than 5 detects	--	8.2E+04	1.8E+05
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	1	0	0	1.5E+00	1.5E+00	--	Fewer than 5 detects	--	1.5E+00	1.5E+00
	Total PCB TEQ	pg/g	3	0	0	1.4E+00	2.8E+00	--	Fewer than 5 detects	--	1.4E+00	2.8E+00
	Pesticides											
	Aldrin	ug/kg	23	16	0	1.2E+00	7.9E+00	normal	95% KM (t) UCL	2.3E+00	1.2E+00	2.3E+00
	Dieldrin	ug/kg	27	20	0	1.1E+00	1.1E+01	gamma	95% KM (t) UCL	1.8E+00	1.1E+00	1.8E+00
	Total DDT	ug/kg	27	0	0	3.6E+01	2.3E+02	approx. gamma	95% KM (Chebyshev) UCL	8.1E+01	3.6E+01	8.1E+01
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 6 East	**Metals**											
	Arsenic	mg/kg	22	0	0	3.7E+00	1.0E+01	gamma	95% Approximate Gamma UCL	4.4E+00	3.7E+00	4.4E+00
	Lead	mg/kg	22	0	0	1.9E+01	3.6E+01	approx. gamma	95% Approximate Gamma UCL	2.3E+01	1.9E+01	2.3E+01
	Mercury	mg/kg	22	0	0	2.9E-01	9.2E-01	gamma	95% Approximate Gamma UCL	4.0E-01	2.9E-01	4.0E-01
	Vanadium	mg/kg	2	0	0	9.1E+01	9.8E+01	--	Fewer than 5 detects	--	9.1E+01	9.8E+01
	Butyltins											
	Tributyltin ion	ug/kg	2	0	0	1.8E+02	3.5E+02	--	Fewer than 5 detects	--	1.8E+02	3.5E+02
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	22	0	0	5.3E+02	6.5E+03	lognormal	95% Chebyshev (MVUE) UCL	1.3E+03	5.3E+02	1.3E+03
	Benzo(a)pyrene	ug/kg	22	0	0	7.5E+02	9.5E+03	lognormal	95% Chebyshev (MVUE) UCL	1.9E+03	7.5E+02	1.9E+03
	Benzo(b)fluoranthene	ug/kg	22	1	0	7.3E+02	9.1E+03	non-parametric	97.5% KM (Chebyshev) UCL	3.3E+03	7.3E+02	3.3E+03
	Benzo(k)fluoranthene	ug/kg	16	0	0	4.6E+02	5.4E+03	lognormal	97.5% KM (Chebyshev) UCL	2.5E+03	4.6E+02	2.5E+03
	Dibenzo(a,h)anthracene	ug/kg	22	1	0	9.6E+01	8.8E+02	approx. gamma	95% KM (Chebyshev) UCL	2.7E+02	9.6E+01	2.7E+02
	Indeno(1,2,3-cd)pyrene	ug/kg	22	0	0	4.2E+02	4.1E+03	lognormal	95% Chebyshev (MVUE) UCL	1.1E+03	4.2E+02	1.1E+03
	Naphthalene	ug/kg	22	2	0	2.5E+02	3.0E+03	approx. gamma	95% KM (Chebyshev) UCL	8.4E+02	2.5E+02	8.4E+02
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	22	14	0	8.2E+01	5.9E+02	gamma	95% KM (t) UCL	1.4E+02	8.2E+01	1.4E+02
	Phenols											
	Pentachlorophenol	ug/kg	19	15	3	7.7E+00	4.4E+01	--	Fewer than 5 detects	--	7.7E+00	4.4E+01
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	13	0	0	7.7E+01	2.4E+02	gamma	95% KM (Chebyshev) UCL	1.8E+02	7.7E+01	1.8E+02
	Total PCB Congeners	pg/g	3	0	0	4.1E+04	1.1E+05	--	Fewer than 5 detects	--	4.1E+04	1.1E+05
	Total PCBs, Adjusted	pg/g	3	0	0	3.8E+04	1.0E+05	--	Fewer than 5 detects	--	3.8E+04	1.0E+05

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[e]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	2	0	0	3.2E+00	4.1E+00	--	Fewer than 5 detects	--	3.2E+00	4.1E+00
	Total PCB TEQ	pg/g	3	0	0	1.2E+00	3.4E+00	--	Fewer than 5 detects	--	1.2E+00	3.4E+00
	Pesticides											
	Aldrin	ug/kg	18	13	0	4.1E-01	1.7E+00	normal	95% KM (t) UCL	6.4E-01	4.1E-01	6.4E-01
	Dieldrin	ug/kg	16	15	11	4.4E-02	1.0E-01	--	Fewer than 5 detects	--	4.4E-02	1.0E-01
	Total DDT	ug/kg	19	5	0	2.9E+00	1.3E+01	gamma	95% KM (Percentile Bootstrap) UCL	4.2E+00	2.9E+00	4.2E+00
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 6.5 West RM 6.5 West	**Metals**											
	Arsenic	mg/kg	48	7	0	7.4E+00	5.4E+01	non-parametric	95% KM (Chebyshev) UCL	1.4E+01	7.4E+00	1.4E+01
	Lead	mg/kg	48	0	0	4.0E+01	2.7E+02	non-parametric	95% KM (Chebyshev) UCL	7.3E+01	4.0E+01	7.3E+01
	Mercury	mg/kg	48	2	0	1.1E-01	7.2E-01	lognormal	95% KM (Chebyshev) UCL	2.0E-01	1.1E-01	2.0E-01
	Vanadium	mg/kg	7	0	0	1.2E+02	1.5E+02	normal	95% Student's-t UCL	1.4E+02	1.2E+02	1.4E+02
	Butyltins											
	Tributyltin ion	ug/kg	5	0	0	2.6E+01	5.4E+01	normal	95% KM (t) UCL	4.6E+01	2.6E+01	4.6E+01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	49	0	0	7.4E+02	7.1E+03	gamma	95% Approximate Gamma UCL	1.0E+03	7.4E+02	1.0E+03
	Benzo(a)pyrene	ug/kg	49	0	0	9.1E+02	8.2E+03	gamma	95% Approximate Gamma UCL	1.2E+03	9.1E+02	1.2E+03
	Benzo(b)fluoranthene	ug/kg	49	0	0	1.0E+03	1.3E+04	approx. gamma	95% Approximate Gamma UCL	1.4E+03	1.0E+03	1.4E+03
	Benzo(k)fluoranthene	ug/kg	41	0	0	4.0E+02	1.4E+03	gamma	95% KM (Chebyshev) UCL	6.6E+02	4.0E+02	6.6E+02
	Dibenzo(a,h)anthracene	ug/kg	49	1	0	1.7E+02	2.9E+03	approx. gamma	95% KM (Chebyshev) UCL	4.2E+02	1.7E+02	4.2E+02
	Indeno(1,2,3-cd)pyrene	ug/kg	49	0	0	6.2E+02	5.1E+03	gamma	95% Approximate Gamma UCL	8.3E+02	6.2E+02	8.3E+02
	Naphthalene	ug/kg	49	5	0	1.1E+02	6.9E+02	approx. gamma	95% KM (BCA) UCL	1.4E+02	1.1E+02	1.4E+02
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	48	29	0	8.1E+01	7.0E+02	gamma	95% KM (t) UCL	1.1E+02	8.1E+01	1.1E+02
	Phenols											
	Pentachlorophenol	ug/kg	36	29	12	1.6E+00	9.7E+00	normal	95% KM (t) UCL	2.4E+00	1.6E+00	2.4E+00
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	32	13	2	6.4E+01	3.3E+02	gamma	95% KM (BCA) UCL	9.1E+01	6.4E+01	9.1E+01
	Total PCB Congeners	pg/g	6	0	0	1.9E+05	4.8E+05	normal	95% KM (t) UCL	3.3E+05	1.9E+05	3.3E+05
	Total PCBs, Adjusted	pg/g	6	0	0	1.8E+05	4.7E+05	normal	95% KM (t) UCL	3.2E+05	1.8E+05	3.2E+05
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	24	0	0	2.1E+01	2.2E+02	lognormal	99% KM (Chebyshev) UCL	1.1E+02	2.1E+01	1.1E+02
	Total PCB TEQ	pg/g	6	0	0	1.8E+00	3.6E+00	normal	95% KM (t) UCL	3.0E+00	1.8E+00	3.0E+00
	Pesticides											
	Aldrin	ug/kg	45	33	3	1.7E+00	2.6E+01	gamma	95% KM (t) UCL	2.5E+00	1.7E+00	2.5E+00
	Dieldrin	ug/kg	46	39	5	5.4E-01	3.9E+00	normal	95% KM (t) UCL	5.9E-01	5.4E-01	5.9E-01
	Total DDT	ug/kg	46	1	0	9.2E+01	4.9E+02	gamma	95% KM (Chebyshev) UCL	1.7E+02	9.2E+01	1.7E+02
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[e] Mean	95% UCL/Max
RM 6.5 East	**Metals**											
	Arsenic	mg/kg	37	3	0	4.2E+00	1.6E+01	non-parametric	95% KM (Chebyshev) UCL	5.8E+00	4.2E+00	5.8E+00
	Lead	mg/kg	33	0	0	4.3E+02	1.3E+04	non-parametric	97.5% KM (Chebyshev) UCL	3.0E+03	4.3E+02	3.0E+03
	Mercury	mg/kg	33	1	0	2.2E+00	6.5E+01	non-parametric	97.5% KM (Chebyshev) UCL	1.4E+01	2.2E+00	1.4E+01
	Vanadium	mg/kg	3	0	0	1.0E+02	1.1E+02	--	Fewer than 5 detects	--	1.0E+02	1.1E+02
	Butyltins											
	Tributyltin ion	ug/kg	12	1	0	4.3E+01	1.8E+02	gamma	95% KM (Chebyshev) UCL	1.1E+02	4.3E+01	1.1E+02
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	39	1	0	1.1E+02	1.1E+03	approx. gamma	95% KM (Chebyshev) UCL	2.3E+02	1.1E+02	2.3E+02
	Benzo(a)pyrene	ug/kg	39	1	0	8.6E+01	4.4E+02	gamma	95% KM (Chebyshev) UCL	1.5E+02	8.6E+01	1.5E+02
	Benzo(b)fluoranthene	ug/kg	39	1	0	1.1E+02	5.3E+02	lognormal	97.5% KM (Chebyshev) UCL	2.3E+02	1.1E+02	2.3E+02
	Benzo(k)fluoranthene	ug/kg	39	2	0	6.1E+01	3.9E+02	lognormal	97.5% KM (Chebyshev) UCL	1.5E+02	6.1E+01	1.5E+02
	Dibenzo(a,h)anthracene	ug/kg	39	6	0	1.5E+01	7.1E+01	gamma	95% KM (BCA) UCL	1.9E+01	1.5E+01	1.9E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	39	3	0	5.9E+01	3.0E+02	gamma	95% KM (Chebyshev) UCL	1.0E+02	5.9E+01	1.0E+02
	Naphthalene	ug/kg	39	6	0	6.5E+01	3.5E+02	gamma	95% KM (Chebyshev) UCL	1.2E+02	6.5E+01	1.2E+02
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	33	16	0	9.3E+01	6.1E+02	gamma	95% KM (t) UCL	1.2E+02	9.3E+01	1.2E+02
	Phenols											
	Pentachlorophenol	ug/kg	26	14	10	3.9E+00	1.4E+01	normal	95% KM (t) UCL	4.9E+00	3.9E+00	4.9E+00
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	30	9	0	2.0E+02	3.3E+03	lognormal	99% KM (Chebyshev) UCL	1.3E+03	2.0E+02	1.3E+03
	Total PCB Congeners	pg/g	22	0	0	3.9E+05	5.9E+06	lognormal	99% KM (Chebyshev) UCL	3.1E+06	3.9E+05	3.1E+06
	Total PCBs, Adjusted	pg/g	22	0	0	3.8E+05	5.8E+06	lognormal	99% KM (Chebyshev) UCL	3.0E+06	3.8E+05	3.0E+06
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	12	0	0	2.0E+01	8.9E+01	lognormal	99% KM (Chebyshev) UCL	1.0E+02	2.0E+01	8.9E+01
	Total PCB TEQ	pg/g	22	0	0	3.0E+00	3.4E+01	non-parametric	99% KM (Chebyshev) UCL	1.3E+01	3.0E+00	1.3E+01
	Pesticides											
	Aldrin	ug/kg	28	25	4	7.6E-02	2.9E-01	--	Fewer than 5 detects	--	7.6E-02	2.9E-01
	Dieldrin	ug/kg	28	23	2	1.5E-01	9.7E-01	non-parametric	95% KM (t) UCL	2.0E-01	1.5E-01	2.0E-01
	Total DDT	ug/kg	28	5	0	1.5E+01	3.2E+02	non-parametric	99% KM (Chebyshev) UCL	1.3E+02	1.5E+01	1.3E+02
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 7 West	**Metals**											
	Arsenic	mg/kg	41	8	0	4.2E+00	8.4E+00	non-parametric	95% KM (Chebyshev) UCL	5.3E+00	4.2E+00	5.3E+00
	Lead	mg/kg	41	0	0	6.9E+01	1.3E+03	non-parametric	95% KM (Chebyshev) UCL	2.1E+02	6.9E+01	2.1E+02
	Mercury	mg/kg	41	1	0	8.1E-02	3.1E-01	non-parametric	95% KM (Chebyshev) UCL	1.1E-01	8.1E-02	1.1E-01
	Vanadium	mg/kg	8	0	0	1.0E+02	1.1E+02	normal	95% Student's-t UCL	1.0E+02	1.0E+02	1.0E+02
	Butyltins											
	Tributyltin ion	ug/kg	2	0	0	6.0E+00	6.4E+00	--	Fewer than 5 detects	--	6.0E+00	6.4E+00
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	42	0	0	5.6E+02	1.6E+04	non-parametric	95% KM (Chebyshev) UCL	2.2E+03	5.6E+02	2.2E+03
	Benzo(a)pyrene	ug/kg	42	0	0	4.7E+02	1.2E+04	non-parametric	95% KM (Chebyshev) UCL	1.7E+03	4.7E+02	1.7E+03

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[e]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
	Benzo(b)fluoranthene	ug/kg	42	0	0	1.1E+03	3.3E+04	non-parametric	95% KM (Chebyshev) UCL	4.5E+03	1.1E+03	4.5E+03
	Benzo(k)fluoranthene	ug/kg	42	0	0	3.9E+02	1.0E+04	non-parametric	95% KM (Chebyshev) UCL	1.4E+03	3.9E+02	1.4E+03
	Dibenzo(a,h)anthracene	ug/kg	42	7	0	1.3E+02	3.9E+03	non-parametric	97.5% KM (Chebyshev) UCL	7.1E+02	1.3E+02	7.1E+02
	Indeno(1,2,3-cd)pyrene	ug/kg	42	0	0	3.7E+02	9.9E+03	non-parametric	95% KM (Chebyshev) UCL	1.4E+03	3.7E+02	1.4E+03
	Naphthalene	ug/kg	46	24	0	8.8E+00	4.0E+01	normal	95% KM (t) UCL	1.1E+01	8.8E+00	1.1E+01
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	41	11	0	2.1E+02	8.3E+02	lognormal	95% KM (BCA) UCL	2.7E+02	2.1E+02	2.7E+02
	Phenols											
	Pentachlorophenol	ug/kg	41	32	0	2.7E+01	3.2E+02	lognormal	95% KM (BCA) UCL	4.4E+01	2.7E+01	4.4E+01
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	28	15	6	7.1E+01	3.3E+02	gamma	95% KM (t) UCL	9.3E+01	7.1E+01	9.3E+01
	Total PCB Congeners	pg/g	7	0	0	2.7E+05	9.7E+05	gamma	95% KM (Chebyshev) UCL	8.4E+05	2.7E+05	8.4E+05
	Total PCBs, Adjusted	pg/g	7	0	0	2.6E+05	9.2E+05	gamma	95% KM (Chebyshev) UCL	8.0E+05	2.6E+05	8.0E+05
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	9	0	0	1.7E+03	1.4E+04	lognormal	99% KM (Chebyshev) UCL	1.7E+04	1.7E+03	1.4E+04
	Total PCB TEQ	pg/g	7	0	0	7.7E+00	3.3E+01	approx. gamma	95% KM (Chebyshev) UCL	2.7E+01	7.7E+00	2.7E+01
	Pesticides											
	Aldrin	ug/kg	41	27	0	2.7E+01	6.9E+02	lognormal	99% KM (Chebyshev) UCL	1.9E+02	2.7E+01	1.9E+02
	Dieldrin	ug/kg	41	34	10	1.3E+00	1.3E+01	gamma	95% KM (t) UCL	2.0E+00	1.3E+00	2.0E+00
	Total DDT	ug/kg	45	0	0	2.3E+03	2.3E+04	lognormal	97.5% KM (Chebyshev) UCL	6.3E+03	2.3E+03	6.3E+03
	Conventionals											
	Perchlorate	ug/kg	13	10	0	4.9E+04	2.7E+05	--	Fewer than 5 detects	--	4.9E+04	2.7E+05
RM 7 East	**Metals**											
	Arsenic	mg/kg	40	8	0	1.0E+01	7.6E+01	non-parametric	95% KM (BCA) UCL	1.5E+01	1.0E+01	1.5E+01
	Lead	mg/kg	32	2	0	3.6E+01	5.2E+02	non-parametric	95% KM (Chebyshev) UCL	1.1E+02	3.6E+01	1.1E+02
	Mercury	mg/kg	32	4	0	5.8E-02	1.5E-01	normal	95% KM (t) UCL	6.8E-02	5.8E-02	6.8E-02
	Vanadium	mg/kg	8	0	0	1.1E+02	1.1E+02	normal	95% Student's-t UCL	1.1E+02	1.1E+02	1.1E+02
	Butyltins											
	Tributyltin ion	ug/kg	12	0	0	2.6E+02	1.6E+03	lognormal	97.5% KM (Chebyshev) UCL	1.0E+03	2.6E+02	1.0E+03
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	40	6	0	1.2E+02	2.7E+03	lognormal	95% KM (Chebyshev) UCL	4.2E+02	1.2E+02	4.2E+02
	Benzo(a)pyrene	ug/kg	40	6	0	1.6E+02	3.9E+03	non-parametric	95% KM (Chebyshev) UCL	5.8E+02	1.6E+02	5.8E+02
	Benzo(b)fluoranthene	ug/kg	40	5	0	2.1E+02	4.1E+03	non-parametric	95% KM (Chebyshev) UCL	6.7E+02	2.1E+02	6.7E+02
	Benzo(k)fluoranthene	ug/kg	35	8	0	1.1E+02	3.0E+03	non-parametric	97.5% KM (Chebyshev) UCL	6.5E+02	1.1E+02	6.5E+02
	Dibenzo(a,h)anthracene	ug/kg	40	18	0	4.3E+01	8.6E+02	lognormal	97.5% KM (Chebyshev) UCL	1.9E+02	4.3E+01	1.9E+02
	Indeno(1,2,3-cd)pyrene	ug/kg	40	11	0	1.1E+02	2.6E+03	non-parametric	95% KM (Chebyshev) UCL	3.9E+02	1.1E+02	3.9E+02
	Naphthalene	ug/kg	40	14	0	2.2E+01	1.6E+02	lognormal	95% KM (Chebyshev) UCL	4.5E+01	2.2E+01	4.5E+01
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	32	12	0	3.0E+02	5.2E+03	lognormal	97.5% KM (Chebyshev) UCL	1.3E+03	3.0E+02	1.3E+03
	Phenols											
	Pentachlorophenol	ug/kg	38	29	0	7.7E+01	8.0E+02	gamma	95% KM (t) UCL	1.2E+02	7.7E+01	1.2E+02
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	19	4	0	4.2E+01	2.7E+02	lognormal	95% KM (BCA) UCL	7.0E+01	4.2E+01	7.0E+01
	Total PCB Congeners	pg/g	9	0	0	2.1E+04	5.0E+04	normal	95% KM (t) UCL	3.0E+04	2.1E+04	3.0E+04
	Total PCBs, Adjusted	pg/g	9	0	0	2.0E+04	4.7E+04	normal	95% KM (t) UCL	2.8E+04	2.0E+04	2.8E+04

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[e] Mean	95% UCL/Max
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	3	0	0	1.7E+01	4.0E+01	--	Fewer than 5 detects	--	1.7E+01	4.0E+01
	Total PCB TEQ	pg/g	9	0	0	5.5E-01	1.2E+00	normal	95% KM (t) UCL	7.4E-01	5.5E-01	7.4E-01
	Pesticides											
	Aldrin	ug/kg	23	19	6	1.3E-01	4.6E-01	--	Fewer than 5 detects	--	1.3E-01	4.6E-01
	Dieldrin	ug/kg	23	18	7	8.2E-02	3.5E-01	normal	95% KM (t) UCL	1.2E-01	8.2E-02	1.2E-01
	Total DDT	ug/kg	23	8	0	3.6E+00	2.7E+01	lognormal	97.5% KM (Chebyshev) UCL	1.3E+01	3.6E+00	1.3E+01
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 7.5 West	**Metals**											
	Arsenic	mg/kg	39	10	4	3.2E+00	5.4E+00	normal	95% KM (t) UCL	3.7E+00	3.2E+00	3.7E+00
	Lead	mg/kg	39	0	0	1.7E+01	7.2E+01	non-parametric	95% KM (Chebyshev) UCL	2.4E+01	1.7E+01	2.4E+01
	Mercury	mg/kg	39	1	0	7.7E-02	4.6E-01	non-parametric	95% KM (Chebyshev) UCL	1.3E-01	7.7E-02	1.3E-01
	Vanadium	mg/kg	10	0	0	9.5E+01	1.1E+02	non-parametric	95% Student's-t UCL	1.0E+02	9.5E+01	1.0E+02
	Butyltins											
	Tributyltin ion	ug/kg	4	2	0	5.4E+00	9.7E+00	--	Fewer than 5 detects	--	5.4E+00	9.7E+00
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	51	1	0	1.5E+02	3.4E+03	non-parametric	95% KM (Chebyshev) UCL	4.3E+02	1.5E+02	4.3E+02
	Benzo(a)pyrene	ug/kg	51	2	0	1.3E+02	2.5E+03	lognormal	95% KM (Chebyshev) UCL	3.4E+02	1.3E+02	3.4E+02
	Benzo(b)fluoranthene	ug/kg	51	1	0	1.7E+02	3.4E+03	lognormal	95% KM (Chebyshev) UCL	4.6E+02	1.7E+02	4.6E+02
	Benzo(k)fluoranthene	ug/kg	44	1	0	6.1E+01	6.9E+02	non-parametric	95% KM (Chebyshev) UCL	1.3E+02	6.1E+01	1.3E+02
	Dibenzo(a,h)anthracene	ug/kg	51	15	0	2.0E+01	3.5E+02	lognormal	95% KM (Chebyshev) UCL	5.0E+01	2.0E+01	5.0E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	51	2	0	8.4E+01	1.1E+03	non-parametric	95% KM (Chebyshev) UCL	1.9E+02	8.4E+01	1.9E+02
	Naphthalene	ug/kg	51	18	0	2.5E+01	1.5E+02	lognormal	95% KM (BCA) UCL	3.3E+01	2.5E+01	3.3E+01
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	39	12	0	1.4E+02	6.2E+02	gamma	95% KM (Percentile Bootstrap) UCL	1.8E+02	1.4E+02	1.8E+02
	Phenols											
	Pentachlorophenol	ug/kg	21	14	17	1.5E+00	8.2E+00	gamma	95% KM (t) UCL	2.1E+00	1.5E+00	2.1E+00
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	21	5	1	8.6E+01	7.7E+02	approx. gamma	95% KM (Chebyshev) UCL	2.5E+02	8.6E+01	2.5E+02
	Total PCB Congeners	pg/g	9	0	0	2.6E+04	6.0E+04	normal	95% KM (t) UCL	3.6E+04	2.6E+04	3.6E+04
	Total PCBs, Adjusted	pg/g	9	0	0	2.4E+04	5.7E+04	normal	95% KM (t) UCL	3.4E+04	2.4E+04	3.4E+04
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	8	0	0	9.3E-01	3.5E+00	gamma	95% KM (Chebyshev) UCL	2.6E+00	9.3E-01	2.6E+00
	Total PCB TEQ	pg/g	9	0	0	6.6E-01	1.6E+00	normal	95% KM (t) UCL	9.2E-01	6.6E-01	9.2E-01
	Pesticides											
	Aldrin	ug/kg	28	23	9	1.8E-01	9.7E-01	normal	95% KM (t) UCL	2.9E-01	1.8E-01	2.9E-01
	Dieldrin	ug/kg	28	24	9	1.8E-01	7.7E-01	--	Fewer than 5 detects	--	1.8E-01	7.7E-01
	Total DDT	ug/kg	28	8	0	2.1E+01	2.7E+02	lognormal	99% KM (Chebyshev) UCL	1.3E+02	2.1E+01	1.3E+02
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

| Exposure Point[a] | Chemical of Potential Concern | Units | Total Samples | Total Non-Detects[b] | Non-Detects greater than Maximum Detected Concentration[c] | Arithmetic Mean[d] | Maximum Detected Concentration | 95% UCL | | | Exposure Point Concentration[e] | |
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
RM 7.5 East	**Metals**											
	Arsenic	mg/kg	15	7	0	3.3E+00	5.3E+00	normal	95% KM (t) UCL	4.2E+00	3.3E+00	4.2E+00
	Lead	mg/kg	15	0	0	1.3E+01	2.3E+01	gamma	95% Approximate Gamma UCL	1.5E+01	1.3E+01	1.5E+01
	Mercury	mg/kg	15	0	0	7.6E-02	2.6E-01	non-parametric	95% Student's-t UCL	1.0E-01	7.6E-02	1.0E-01
	Vanadium	mg/kg	7	0	0	1.1E+02	1.1E+02	normal	95% Student's-t UCL	1.1E+02	1.1E+02	1.1E+02
	Butyltins											
	Tributyltin ion	ug/kg	10	0	0	1.6E+02	3.1E+02	normal	95% KM (t) UCL	2.3E+02	1.6E+02	2.3E+02
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	15	4	0	2.6E+01	1.2E+02	approx. gamma	95% KM (Percentile Bootstrap) UCL	4.0E+01	2.6E+01	4.0E+01
	Benzo(a)pyrene	ug/kg	15	3	0	2.6E+01	8.2E+01	gamma	95% KM (BCA) UCL	3.5E+01	2.6E+01	3.5E+01
	Benzo(b)fluoranthene	ug/kg	15	3	0	3.2E+01	1.0E+02	non-parametric	95% KM (BCA) UCL	4.4E+01	3.2E+01	4.4E+01
	Benzo(k)fluoranthene	ug/kg	15	4	0	2.0E+01	1.0E+02	approx. gamma	95% KM (Percentile Bootstrap) UCL	3.1E+01	2.0E+01	3.1E+01
	Dibenzo(a,h)anthracene	ug/kg	15	6	0	9.2E+00	3.0E+01	gamma	95% KM (BCA) UCL	1.1E+01	9.2E+00	1.1E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	15	6	0	1.8E+01	4.2E+01	normal	95% KM (t) UCL	2.4E+01	1.8E+01	2.4E+01
	Naphthalene	ug/kg	15	11	8	6.1E+00	1.1E+01	--	Fewer than 5 detects	--	6.1E+00	1.1E+01
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	15	4	0	6.1E+02	7.3E+03	non-parametric	97.5% KM (Chebyshev) UCL	3.7E+03	6.1E+02	3.7E+03
	Phenols											
	Pentachlorophenol	ug/kg	14	14	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	12	6	0	3.2E+01	8.7E+01	normal	95% KM (t) UCL	4.5E+01	3.2E+01	4.5E+01
	Total PCB Congeners	pg/g	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Total PCBs, Adjusted	pg/g	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Total PCB TEQ	pg/g	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Pesticides											
	Aldrin	ug/kg	7	7	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Dieldrin	ug/kg	7	5	1	1.5E-01	3.4E-01	--	Fewer than 5 detects	--	1.5E-01	3.4E-01
	Total DDT	ug/kg	7	3	0	1.1E+00	3.3E+00	--	Fewer than 5 detects	--	1.1E+00	3.3E+00
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 8 West	**Metals**											
	Arsenic	mg/kg	24	4	0	4.1E+00	2.3E+01	non-parametric	95% KM (Chebyshev) UCL	8.0E+00	4.1E+00	8.0E+00
	Lead	mg/kg	24	0	0	5.0E+01	3.5E+02	non-parametric	95% KM (Chebyshev) UCL	1.2E+02	5.0E+01	1.2E+02
	Mercury	mg/kg	24	2	0	1.7E-01	8.0E-01	approx. gamma	95% KM (Chebyshev) UCL	3.3E-01	1.7E-01	3.3E-01
	Vanadium	mg/kg	4	0	0	9.5E+01	1.0E+02	--	Fewer than 5 detects	--	9.5E+01	1.0E+02
	Butyltins											
	Tributyltin ion	ug/kg	9	3	0	1.3E+01	5.5E+01	normal	95% KM (t) UCL	2.5E+01	1.3E+01	2.5E+01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	26	0	0	1.8E+02	1.2E+03	lognormal	97.5% KM (Chebyshev) UCL	5.5E+02	1.8E+02	5.5E+02
	Benzo(a)pyrene	ug/kg	26	0	0	1.7E+02	9.1E+02	lognormal	97.5% KM (Chebyshev) UCL	4.9E+02	1.7E+02	4.9E+02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[e] Mean	95% UCL/Max
	Benzo(b)fluoranthene	ug/kg	26	0	0	2.3E+02	1.5E+03	lognormal	97.5% KM (Chebyshev) UCL	6.9E+02	2.3E+02	6.9E+02
	Benzo(k)fluoranthene	ug/kg	20	0	0	5.0E+01	3.1E+02	approx. gamma	95% KM (Chebyshev) UCL	1.2E+02	5.0E+01	1.2E+02
	Dibenzo(a,h)anthracene	ug/kg	26	8	0	3.1E+01	2.2E+02	lognormal	99% KM (Chebyshev) UCL	1.4E+02	3.1E+01	1.4E+02
	Indeno(1,2,3-cd)pyrene	ug/kg	26	1	0	1.1E+02	6.2E+02	lognormal	97.5% KM (Chebyshev) UCL	3.2E+02	1.1E+02	3.2E+02
	Naphthalene	ug/kg	26	10	0	5.1E+01	2.7E+02	gamma	95% KM (BCA) UCL	8.1E+01	5.1E+01	8.1E+01
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	24	5	0	6.0E+02	4.4E+03	lognormal	99% KM (Chebyshev) UCL	3.0E+03	6.0E+02	3.0E+03
	Phenols											
	Pentachlorophenol	ug/kg	15	11	9	3.1E+00	1.5E+01	--	Fewer than 5 detects	--	3.1E+00	1.5E+01
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	13	1	0	1.2E+02	6.2E+02	lognormal	97.5% KM (Chebyshev) UCL	4.0E+02	1.2E+02	4.0E+02
	Total PCB Congeners	pg/g	3	0	0	8.3E+04	1.2E+05	--	Fewer than 5 detects	--	8.3E+04	1.2E+05
	Total PCBs, Adjusted	pg/g	3	0	0	7.6E+04	1.0E+05	--	Fewer than 5 detects	--	7.6E+04	1.0E+05
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	2	0	0	2.6E-01	4.3E-01	--	Fewer than 5 detects	--	2.6E-01	4.3E-01
	Total PCB TEQ	pg/g	3	0	0	3.6E+00	6.1E+00	--	Fewer than 5 detects	--	3.6E+00	6.1E+00
	Pesticides											
	Aldrin	ug/kg	19	17	12	4.0E-02	1.2E-01	--	Fewer than 5 detects	--	4.0E-02	1.2E-01
	Dieldrin	ug/kg	19	12	0	2.0E+00	2.8E+01	gamma	95% KM (t) UCL	4.6E+00	2.0E+00	4.6E+00
	Total DDT	ug/kg	19	5	0	6.5E+00	6.3E+01	gamma	95% KM (Chebyshev) UCL	2.1E+01	6.5E+00	2.1E+01
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 8 East	**Metals**											
	Arsenic	mg/kg	37	4	0	6.2E+00	1.7E+01	non-parametric	95% KM (Chebyshev) UCL	9.1E+00	6.2E+00	9.1E+00
	Lead	mg/kg	37	0	0	2.8E+01	1.1E+02	non-parametric	95% KM (Chebyshev) UCL	4.6E+01	2.8E+01	4.6E+01
	Mercury	mg/kg	37	3	0	1.2E-01	8.6E-01	non-parametric	95% KM (Chebyshev) UCL	2.2E-01	1.2E-01	2.2E-01
	Vanadium	mg/kg	6	0	0	1.1E+02	1.1E+02	normal	95% Student's-t UCL	1.1E+02	1.1E+02	1.1E+02
	Butyltins											
	Tributyltin ion	ug/kg	13	0	0	2.4E+03	9.3E+03	gamma	95% KM (Chebyshev) UCL	5.8E+03	2.4E+03	5.8E+03
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	36	1	0	1.7E+02	1.5E+03	non-parametric	97.5% KM (Chebyshev) UCL	5.0E+02	1.7E+02	5.0E+02
	Benzo(a)pyrene	ug/kg	36	1	0	1.7E+02	1.6E+03	non-parametric	97.5% KM (Chebyshev) UCL	5.3E+02	1.7E+02	5.3E+02
	Benzo(b)fluoranthene	ug/kg	36	1	0	2.0E+02	1.4E+03	non-parametric	97.5% KM (Chebyshev) UCL	5.5E+02	2.0E+02	5.5E+02
	Benzo(k)fluoranthene	ug/kg	35	1	0	1.3E+02	1.1E+03	lognormal	97.5% KM (Chebyshev) UCL	3.7E+02	1.3E+02	3.7E+02
	Dibenzo(a,h)anthracene	ug/kg	36	14	0	2.6E+01	2.4E+02	gamma	95% KM (BCA) UCL	4.0E+01	2.6E+01	4.0E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	36	1	0	1.2E+02	1.1E+03	non-parametric	97.5% KM (Chebyshev) UCL	3.7E+02	1.2E+02	3.7E+02
	Naphthalene	ug/kg	36	19	0	1.6E+01	6.4E+01	gamma	95% KM (t) UCL	2.2E+01	1.6E+01	2.2E+01
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	35	0	0	7.7E+02	3.1E+03	lognormal	95% KM (Chebyshev) UCL	1.3E+03	7.7E+02	1.3E+03
	Phenols											
	Pentachlorophenol	ug/kg	15	10	19	1.3E+01	8.5E+01	normal	95% KM (t) UCL	2.7E+01	1.3E+01	2.7E+01
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	32	11	0	1.7E+02	1.6E+03	lognormal	97.5% KM (Chebyshev) UCL	5.8E+02	1.7E+02	5.8E+02
	Total PCB Congeners	pg/g	4	0	0	2.4E+05	7.3E+05	--	Fewer than 5 detects	--	2.4E+05	7.3E+05
	Total PCBs, Adjusted	pg/g	4	0	0	2.2E+05	6.7E+05	--	Fewer than 5 detects	--	2.2E+05	6.7E+05

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[e]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	3	0	0	9.3E-01	2.1E+00	--	Fewer than 5 detects	--	9.3E-01	2.1E+00
	Total PCB TEQ	pg/g	4	0	0	5.8E+00	1.7E+01	--	Fewer than 5 detects	--	5.8E+00	1.7E+01
	Pesticides											
	Aldrin	ug/kg	17	14	4	1.1E-01	4.4E-01	--	Fewer than 5 detects	--	1.1E-01	4.4E-01
	Dieldrin	ug/kg	17	12	0	7.9E-01	1.0E+01	lognormal	97.5% KM (Chebyshev) UCL	4.7E+00	7.9E-01	4.7E+00
	Total DDT	ug/kg	17	6	0	1.1E+01	1.4E+02	non-parametric	99% KM (Chebyshev) UCL	9.4E+01	1.1E+01	9.4E+01
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 8 SIL	**Metals**											
	Arsenic	mg/kg	85	6	0	5.4E+00	1.6E+01	gamma	95% KM (BCA) UCL	5.9E+00	5.4E+00	5.9E+00
	Lead	mg/kg	85	0	0	4.6E+01	9.4E+02	non-parametric	95% KM (BCA) UCL	7.0E+01	4.6E+01	7.0E+01
	Mercury	mg/kg	84	10	0	1.2E-01	7.7E-01	non-parametric	95% KM (BCA) UCL	1.4E-01	1.2E-01	1.4E-01
	Vanadium	mg/kg	6	0	0	1.1E+02	1.2E+02	normal	95% Student's-t UCL	1.2E+02	1.1E+02	1.2E+02
	Butyltins											
	Tributyltin ion	ug/kg	24	0	0	2.2E+03	4.6E+04	non-parametric	99% KM (Chebyshev) UCL	2.1E+04	2.2E+03	2.1E+04
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	86	8	0	2.4E+02	5.6E+03	lognormal	95% KM (Chebyshev) UCL	5.4E+02	2.4E+02	5.4E+02
	Benzo(a)pyrene	ug/kg	86	12	0	2.0E+02	2.6E+03	non-parametric	95% KM (Chebyshev) UCL	3.6E+02	2.0E+02	3.6E+02
	Benzo(b)fluoranthene	ug/kg	86	5	0	3.8E+02	4.5E+03	lognormal	95% KM (Chebyshev) UCL	7.0E+02	3.8E+02	7.0E+02
	Benzo(k)fluoranthene	ug/kg	61	0	0	2.1E+02	1.5E+03	gamma	95% KM (Chebyshev) UCL	3.5E+02	2.1E+02	3.5E+02
	Dibenzo(a,h)anthracene	ug/kg	86	31	0	3.6E+01	6.7E+02	lognormal	95% KM (Chebyshev) UCL	7.1E+01	3.6E+01	7.1E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	86	12	0	1.2E+02	1.1E+03	approx. gamma	95% KM (Chebyshev) UCL	2.1E+02	1.2E+02	2.1E+02
	Naphthalene	ug/kg	86	28	0	2.5E+01	2.3E+02	lognormal	95% KM (BCA) UCL	3.0E+01	2.5E+01	3.0E+01
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	84	9	0	8.1E+03	4.4E+05	lognormal	97.5% KM (Chebyshev) UCL	4.1E+04	8.1E+03	4.1E+04
	Phenols											
	Pentachlorophenol	ug/kg	81	58	1	3.9E+01	2.5E+02	gamma	95% KM (t) UCL	3.3E+01	3.9E+01	3.3E+01
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	64	6	0	2.8E+02	2.5E+03	approx. gamma	95% KM (Chebyshev) UCL	5.3E+02	2.8E+02	5.3E+02
	Total PCB Congeners	pg/g	15	0	0	1.0E+06	1.3E+07	lognormal	99% KM (Chebyshev) UCL	9.2E+06	1.0E+06	9.2E+06
	Total PCBs, Adjusted	pg/g	15	0	0	1.0E+06	1.2E+07	lognormal	99% KM (Chebyshev) UCL	9.0E+06	1.0E+06	9.0E+06
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	9	0	0	6.3E+00	4.0E+01	non-parametric	97.5% KM (Chebyshev) UCL	3.3E+01	6.3E+00	3.3E+01
	Total PCB TEQ	pg/g	15	0	0	1.2E+01	1.2E+02	lognormal	99% KM (Chebyshev) UCL	8.8E+01	1.2E+01	8.8E+01
	Pesticides											
	Aldrin	ug/kg	59	54	2	6.2E-01	6.0E+00	gamma	95% KM (t) UCL	3.6E-01	6.2E-01	3.6E-01
	Dieldrin	ug/kg	59	52	0	1.4E+00	2.2E+01	gamma	95% KM (t) UCL	1.4E+00	1.4E+00	1.4E+00
	Total DDT	ug/kg	59	31	0	5.2E+00	7.9E+01	lognormal	95% KM (Chebyshev) UCL	1.2E+01	5.2E+00	1.2E+01
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration[e] Mean	95% UCL/Max
RM 8.5 West	**Metals**											
	Arsenic	mg/kg	32	3	0	6.7E+00	3.4E+01	non-parametric	95% KM (Chebyshev) UCL	1.2E+01	6.7E+00	1.2E+01
	Lead	mg/kg	32	0	0	1.1E+02	9.6E+02	non-parametric	97.5% KM (Chebyshev) UCL	3.1E+02	1.1E+02	3.1E+02
	Mercury	mg/kg	32	1	0	2.0E-01	2.0E+00	non-parametric	95% KM (Chebyshev) UCL	4.7E-01	2.0E-01	4.7E-01
	Vanadium	mg/kg	3	0	0	1.0E+02	1.1E+02	--	Fewer than 5 detects	--	1.0E+02	1.1E+02
	Butyltins											
	Tributyltin ion	ug/kg	18	1	0	1.3E+01	3.0E+01	normal	95% KM (t) UCL	1.7E+01	1.3E+01	1.7E+01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	32	3	0	9.4E+01	4.1E+02	lognormal	95% KM (Chebyshev) UCL	1.8E+02	9.4E+01	1.8E+02
	Benzo(a)pyrene	ug/kg	32	5	0	9.1E+01	5.0E+02	lognormal	97.5% KM (Chebyshev) UCL	2.2E+02	9.1E+01	2.2E+02
	Benzo(b)fluoranthene	ug/kg	32	4	0	1.3E+02	6.0E+02	approx. gamma	95% KM (BCA) UCL	1.8E+02	1.3E+02	1.8E+02
	Benzo(k)fluoranthene	ug/kg	23	0	0	5.5E+01	2.6E+02	gamma	95% KM (Chebyshev) UCL	1.1E+02	5.5E+01	1.1E+02
	Dibenzo(a,h)anthracene	ug/kg	32	13	0	1.1E+01	7.1E+01	gamma	95% KM (BCA) UCL	1.7E+01	1.1E+01	1.7E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	32	7	0	5.2E+01	3.2E+02	approx. gamma	95% KM (BCA) UCL	7.6E+01	5.2E+01	7.6E+01
	Naphthalene	ug/kg	32	13	0	2.4E+01	1.5E+02	non-parametric	95% KM (t) UCL	3.7E+01	2.4E+01	3.7E+01
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	32	4	0	6.3E+02	4.5E+03	lognormal	97.5% KM (Chebyshev) UCL	1.7E+03	6.3E+02	1.7E+03
	Phenols											
	Pentachlorophenol	ug/kg	27	18	5	2.8E+00	1.8E+01	lognormal	95% KM (t) UCL	3.9E+00	2.8E+00	3.9E+00
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	27	0	0	1.4E+03	3.1E+04	non-parametric	97.5% KM (Chebyshev) UCL	8.5E+03	1.4E+03	8.5E+03
	Total PCB Congeners	pg/g	8	0	0	4.7E+06	3.5E+07	non-parametric	99% KM (Chebyshev) UCL	4.8E+07	4.7E+06	3.5E+07
	Total PCBs, Adjusted	pg/g	8	0	0	4.5E+06	3.4E+07	non-parametric	99% KM (Chebyshev) UCL	4.7E+07	4.5E+06	3.4E+07
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	5	0	0	5.0E+00	1.8E+01	gamma	95% KM (Chebyshev) UCL	2.0E+01	5.0E+00	1.8E+01
	Total PCB TEQ	pg/g	8	0	0	3.3E+01	2.4E+02	non-parametric	99% KM (Chebyshev) UCL	3.3E+02	3.3E+01	2.4E+02
	Pesticides											
	Aldrin	ug/kg	27	8	0	1.1E+01	1.3E+02	gamma	95% KM (Chebyshev) UCL	3.2E+01	1.1E+01	3.2E+01
	Dieldrin	ug/kg	27	20	0	1.5E+01	3.6E+02	gamma	95% KM (t) UCL	3.9E+01	1.5E+01	3.9E+01
	Total DDT	ug/kg	27	12	0	6.0E+00	6.7E+01	lognormal	97.5% KM (Chebyshev) UCL	2.2E+01	6.0E+00	2.2E+01
	Conventionals											
RM 8.5 West	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 8.5 East	**Metals**											
	Arsenic	mg/kg	13	2	0	4.7E+00	1.5E+01	non-parametric	95% KM (Chebyshev) UCL	9.0E+00	4.7E+00	9.0E+00
	Lead	mg/kg	13	0	0	2.1E+01	5.5E+01	non-parametric	95% Student's-t UCL	2.8E+01	2.1E+01	2.8E+01
	Mercury	mg/kg	13	0	0	1.2E-01	5.4E-01	approx. gamma	95% Approximate Gamma UCL	1.8E-01	1.2E-01	1.8E-01
	Vanadium	mg/kg	2	0	0	1.0E+02	1.1E+02	--	Fewer than 5 detects	--	1.0E+02	1.1E+02
	Butyltins											
	Tributyltin ion	ug/kg	4	0	0	2.3E+01	3.1E+01	--	Fewer than 5 detects	--	2.3E+01	3.1E+01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	13	1	0	4.1E+01	1.8E+02	gamma	95% KM (Chebyshev) UCL	9.7E+01	4.1E+01	9.7E+01
	Benzo(a)pyrene	ug/kg	13	1	0	4.6E+01	1.8E+02	gamma	95% KM (Chebyshev) UCL	1.0E+02	4.6E+01	1.0E+02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[e]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
	Benzo(b)fluoranthene	ug/kg	13	0	0	7.1E+01	3.5E+02	lognormal	95% H-UCL	1.4E+02	7.1E+01	1.4E+02
	Benzo(k)fluoranthene	ug/kg	13	1	0	3.6E+01	2.0E+02	approx. gamma	95% KM (Chebyshev) UCL	9.8E+01	3.6E+01	9.8E+01
	Dibenzo(a,h)anthracene	ug/kg	13	4	1	8.3E+00	2.2E+01	normal	95% KM (t) UCL	1.2E+01	8.3E+00	1.2E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	13	1	0	3.9E+01	1.3E+02	gamma	95% KM (Chebyshev) UCL	8.0E+01	3.9E+01	8.0E+01
	Naphthalene	ug/kg	13	9	0	2.0E+01	1.5E+02	--	Fewer than 5 detects	--	2.0E+01	1.5E+02
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	13	5	0	4.5E+02	2.4E+03	gamma	95% KM (BCA) UCL	9.2E+02	4.5E+02	9.2E+02
	Phenols											
	Pentachlorophenol	ug/kg	13	13	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	12	3	0	4.6E+01	1.5E+02	lognormal	95% KM (BCA) UCL	7.2E+01	4.6E+01	7.2E+01
	Total PCB Congeners	pg/g	4	0	0	2.9E+04	4.6E+04	--	Fewer than 5 detects	--	2.9E+04	4.6E+04
	Total PCBs, Adjusted	pg/g	4	0	0	2.8E+04	4.5E+04	--	Fewer than 5 detects	--	2.8E+04	4.5E+04
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	2	0	0	6.3E-01	9.4E-01	--	Fewer than 5 detects	--	6.3E-01	9.4E-01
	Total PCB TEQ	pg/g	4	0	0	4.2E-01	5.9E-01	--	Fewer than 5 detects	--	4.2E-01	5.9E-01
	Pesticides											
	Aldrin	ug/kg	10	8	7	3.2E-02	4.1E-02	--	Fewer than 5 detects	--	3.2E-02	4.1E-02
	Dieldrin	ug/kg	10	7	2	1.3E-01	4.4E-01	--	Fewer than 5 detects	--	1.3E-01	4.4E-01
	Total DDT	ug/kg	10	1	0	1.5E+00	4.0E+00	normal	95% KM (t) UCL	2.3E+00	1.5E+00	2.3E+00
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 9 West	**Metals**											
	Arsenic	mg/kg	17	2	0	4.2E+00	9.8E+00	approx. gamma	95% KM (BCA) UCL	5.0E+00	4.2E+00	5.0E+00
	Lead	mg/kg	17	0	0	4.2E+01	1.8E+02	non-parametric	95% Chebyshev (Mean, Sd) UCL	9.7E+01	4.2E+01	9.7E+01
	Mercury	mg/kg	17	0	0	1.2E-01	4.1E-01	non-parametric	95% Chebyshev (Mean, Sd) UCL	2.3E-01	1.2E-01	2.3E-01
	Vanadium	mg/kg	2	0	0	1.1E+02	1.1E+02	--	Fewer than 5 detects	--	1.1E+02	1.1E+02
	Butyltins											
	Tributyltin ion	ug/kg	9	1	0	9.9E+00	3.1E+01	normal	95% KM (t) UCL	1.7E+01	9.9E+00	1.7E+01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	17	0	0	1.5E+02	1.6E+03	approx. gamma	95% Approximate Gamma UCL	3.2E+02	1.5E+02	3.2E+02
	Benzo(a)pyrene	ug/kg	17	0	0	1.0E+02	7.9E+02	gamma	95% Approximate Gamma UCL	1.9E+02	1.0E+02	1.9E+02
	Benzo(b)fluoranthene	ug/kg	17	0	0	1.6E+02	1.0E+03	gamma	95% Approximate Gamma UCL	3.0E+02	1.6E+02	3.0E+02
	Benzo(k)fluoranthene	ug/kg	17	0	0	6.2E+01	4.0E+02	gamma	95% Approximate Gamma UCL	1.1E+02	6.2E+01	1.1E+02
	Dibenzo(a,h)anthracene	ug/kg	17	1	0	1.8E+01	1.1E+02	gamma	95% KM (Chebyshev) UCL	4.8E+01	1.8E+01	4.8E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	17	0	0	6.7E+01	3.9E+02	gamma	95% Approximate Gamma UCL	1.2E+02	6.7E+01	1.2E+02
	Naphthalene	ug/kg	17	7	0	1.7E+01	6.7E+01	normal	95% KM (t) UCL	2.5E+01	1.7E+01	2.5E+01
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	17	5	0	1.7E+02	9.8E+02	gamma	95% KM (Chebyshev) UCL	4.4E+02	1.7E+02	4.4E+02
	Phenols											
	Pentachlorophenol	ug/kg	15	13	2	4.7E+00	4.5E+01	--	Fewer than 5 detects	--	4.7E+00	4.5E+01
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	16	0	0	4.5E+02	2.5E+03	non-parametric	99% KM (Chebyshev) UCL	2.3E+03	4.5E+02	2.3E+03
	Total PCB Congeners	pg/g	6	0	0	8.9E+05	2.5E+06	normal	95% KM (t) UCL	1.8E+06	8.9E+05	1.8E+06
	Total PCBs, Adjusted	pg/g	6	0	0	8.4E+05	2.4E+06	normal	95% KM (t) UCL	1.7E+06	8.4E+05	1.7E+06

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[e]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	2	0	0	3.9E+00	6.0E+00	--	Fewer than 5 detects	--	3.9E+00	6.0E+00
	Total PCB TEQ	pg/g	6	0	0	1.6E+01	4.8E+01	normal	95% KM (t) UCL	3.2E+01	1.6E+01	3.2E+01
	Pesticides											
	Aldrin	ug/kg	16	13	1	2.2E-01	1.4E+00	--	Fewer than 5 detects	--	2.2E-01	1.4E+00
	Dieldrin	ug/kg	16	12	1	2.0E-01	6.3E-01	--	Fewer than 5 detects	--	2.0E-01	6.3E-01
	Total DDT	ug/kg	16	2	0	4.4E+00	1.9E+01	gamma	95% KM (Chebyshev) UCL	9.9E+00	4.4E+00	9.9E+00
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 9 East	**Metals**											
	Arsenic	mg/kg	16	0	0	3.8E+00	1.2E+01	non-parametric	95% Student's-t UCL	4.8E+00	3.8E+00	4.8E+00
	Lead	mg/kg	16	0	0	2.6E+01	8.7E+01	approx. gamma	95% Approximate Gamma UCL	3.5E+01	2.6E+01	3.5E+01
	Mercury	mg/kg	16	0	0	5.0E-02	9.1E-02	normal	95% Student's-t UCL	6.1E-02	5.0E-02	6.1E-02
	Vanadium	mg/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Butyltins											
	Tributyltin ion	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	16	4	1	1.0E+01	2.2E+01	normal	95% KM (t) UCL	1.4E+01	1.0E+01	1.4E+01
	Benzo(a)pyrene	ug/kg	16	4	1	1.3E+01	3.5E+01	normal	95% KM (t) UCL	1.7E+01	1.3E+01	1.7E+01
	Benzo(b)fluoranthene	ug/kg	16	3	1	1.8E+01	3.9E+01	normal	95% KM (t) UCL	2.4E+01	1.8E+01	2.4E+01
	Benzo(k)fluoranthene	ug/kg	9	0	0	8.3E+00	1.3E+01	normal	95% Student's-t UCL	1.1E+01	8.3E+00	1.1E+01
	Dibenzo(a,h)anthracene	ug/kg	16	7	2	2.1E+00	4.8E+00	normal	95% KM (t) UCL	2.9E+00	2.1E+00	2.9E+00
	Indeno(1,2,3-cd)pyrene	ug/kg	16	4	1	1.1E+01	2.6E+01	normal	95% KM (t) UCL	1.4E+01	1.1E+01	1.4E+01
	Naphthalene	ug/kg	16	12	2	2.7E+00	8.9E+00	--	Fewer than 5 detects	--	2.7E+00	8.9E+00
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	16	1	0	3.6E+02	4.2E+03	non-parametric	97.5% KM (Chebyshev) UCL	2.0E+03	3.6E+02	2.0E+03
	Phenols											
	Pentachlorophenol	ug/kg	16	16	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	9	0	0	5.2E+01	2.0E+02	lognormal	95% H-UCL	1.0E+02	5.2E+01	1.0E+02
	Total PCB Congeners	pg/g	2	0	0	6.4E+04	1.1E+05	--	Fewer than 5 detects	--	6.4E+04	1.1E+05
	Total PCBs, Adjusted	pg/g	2	0	0	6.2E+04	1.0E+05	--	Fewer than 5 detects	--	6.2E+04	1.0E+05
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	1	0	0	2.2E-01	2.2E-01	--	Fewer than 5 detects	--	2.2E-01	2.2E-01
	Total PCB TEQ	pg/g	2	0	0	6.3E-01	6.3E-01	--	Fewer than 5 detects	--	6.3E-01	6.3E-01
	Pesticides											
	Aldrin	ug/kg	16	16	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Dieldrin	ug/kg	16	15	9	8.8E-02	2.6E-01	--	Fewer than 5 detects	--	8.8E-02	2.6E-01
	Total DDT	ug/kg	16	8	0	1.4E+00	4.6E+00	normal	95% KM (t) UCL	1.9E+00	1.4E+00	1.9E+00
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[e]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
RM 9.5 West	**Metals**											
	Arsenic	mg/kg	12	0	0	3.8E+00	7.8E+00	approx. gamma	95% Approximate Gamma UCL	4.5E+00	3.8E+00	4.5E+00
	Lead	mg/kg	12	0	0	2.6E+01	7.2E+01	gamma	95% Approximate Gamma UCL	3.7E+01	2.6E+01	3.7E+01
	Mercury	mg/kg	12	1	0	6.2E-02	1.2E-01	normal	95% KM (t) UCL	7.5E-02	6.2E-02	7.5E-02
	Vanadium	mg/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Butyltins											
	Tributyltin ion	ug/kg	1	0	0	1.0E+01	1.0E+01	--	Fewer than 5 detects	--	1.0E+01	1.0E+01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	12	0	0	1.2E+02	5.7E+02	gamma	95% Approximate Gamma UCL	2.6E+02	1.2E+02	2.6E+02
	Benzo(a)pyrene	ug/kg	12	0	0	1.7E+02	8.4E+02	gamma	95% Approximate Gamma UCL	3.6E+02	1.7E+02	3.6E+02
	Benzo(b)fluoranthene	ug/kg	12	0	0	2.3E+02	1.3E+03	approx. gamma	95% Approximate Gamma UCL	5.3E+02	2.3E+02	5.3E+02
	Benzo(k)fluoranthene	ug/kg	12	0	0	1.0E+02	4.7E+02	approx. gamma	95% Approximate Gamma UCL	2.4E+02	1.0E+02	2.4E+02
	Dibenzo(a,h)anthracene	ug/kg	12	0	0	3.2E+01	1.3E+02	lognormal	99% Chebyshev (MVUE) UCL	1.7E+02	3.2E+01	1.3E+02
	Indeno(1,2,3-cd)pyrene	ug/kg	12	0	0	1.4E+02	6.8E+02	gamma	95% Approximate Gamma UCL	3.0E+02	1.4E+02	3.0E+02
	Naphthalene	ug/kg	12	5	0	4.1E+01	3.5E+02	non-parametric	97.5% KM (Chebyshev) UCL	2.2E+02	4.1E+01	2.2E+02
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	12	1	0	8.6E+02	3.9E+03	approx. gamma	95% KM (Chebyshev) UCL	2.4E+03	8.6E+02	2.4E+03
	Phenols											
	Pentachlorophenol	ug/kg	12	10	0	1.1E+01	9.8E+01	--	Fewer than 5 detects	--	1.1E+01	9.8E+01
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	12	0	0	2.1E+02	6.4E+02	normal	95% Student's-t UCL	3.0E+02	2.1E+02	3.0E+02
	Total PCB Congeners	pg/g	6	0	0	3.5E+05	6.0E+05	normal	95% KM (t) UCL	5.0E+05	3.5E+05	5.0E+05
	Total PCBs, Adjusted	pg/g	6	0	0	3.5E+05	5.9E+05	normal	95% KM (t) UCL	4.9E+05	3.5E+05	4.9E+05
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	3	0	0	8.6E+00	1.7E+01	--	Fewer than 5 detects	--	8.6E+00	1.7E+01
	Total PCB TEQ	pg/g	6	0	0	3.6E+00	6.8E+00	gamma	95% KM (BCA) UCL	4.8E+00	3.6E+00	4.8E+00
	Pesticides											
	Aldrin	ug/kg	12	9	1	5.8E-01	2.8E+00	--	Fewer than 5 detects	--	5.8E-01	2.8E+00
	Dieldrin	ug/kg	12	9	0	6.1E-01	4.9E+00	--	Fewer than 5 detects	--	6.1E-01	4.9E+00
	Total DDT	ug/kg	12	2	1	3.1E+00	9.2E+00	normal	95% KM (t) UCL	4.5E+00	3.1E+00	4.5E+00
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 9.5 East	**Metals**											
	Arsenic	mg/kg	20	0	0	3.3E+00	6.4E+00	non-parametric	95% Student's-t UCL	3.7E+00	3.3E+00	3.7E+00
	Lead	mg/kg	20	0	0	1.6E+01	5.5E+01	non-parametric	95% Student's-t UCL	2.0E+01	1.6E+01	2.0E+01
	Mercury	mg/kg	20	2	0	6.3E-02	3.1E-01	non-parametric	95% KM (Chebyshev) UCL	1.2E-01	6.3E-02	1.2E-01
	Vanadium	mg/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Butyltins											
	Tributyltin ion	ug/kg	2	0	0	2.6E+00	3.6E+00	--	Fewer than 5 detects	--	2.6E+00	3.6E+00
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	20	0	0	2.2E+01	8.4E+01	approx. gamma	95% Approximate Gamma UCL	3.0E+01	2.2E+01	3.0E+01
	Benzo(a)pyrene	ug/kg	20	0	0	2.5E+01	1.1E+02	lognormal	95% H-UCL	3.4E+01	2.5E+01	3.4E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[e]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
	Benzo(b)fluoranthene	ug/kg	20	0	0	2.9E+01	1.1E+02	approx. gamma	95% Approximate Gamma UCL	4.0E+01	2.9E+01	4.0E+01
	Benzo(k)fluoranthene	ug/kg	20	0	0	1.7E+01	7.9E+01	gamma	95% Approximate Gamma UCL	2.4E+01	1.7E+01	2.4E+01
	Dibenzo(a,h)anthracene	ug/kg	20	3	0	4.4E+00	2.2E+01	non-parametric	95% KM (Chebyshev) UCL	9.2E+00	4.4E+00	9.2E+00
	Indeno(1,2,3-cd)pyrene	ug/kg	20	0	0	2.0E+01	1.0E+02	lognormal	95% H-UCL	2.7E+01	2.0E+01	2.7E+01
	Naphthalene	ug/kg	20	14	1	3.4E+00	1.2E+01	normal	95% KM (t) UCL	4.8E+00	3.4E+00	4.8E+00
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	20	3	0	1.6E+02	9.2E+02	approx. gamma	95% KM (BCA) UCL	2.6E+02	1.6E+02	2.6E+02
	Phenols											
	Pentachlorophenol	ug/kg	13	9	7	1.1E+00	3.4E+00	--	Fewer than 5 detects	--	1.1E+00	3.4E+00
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	20	3	0	4.0E+01	1.4E+02	gamma	95% KM (BCA) UCL	5.6E+01	4.0E+01	5.6E+01
	Total PCB Congeners	pg/g	4	0	0	1.0E+04	1.3E+04	--	Fewer than 5 detects	--	1.0E+04	1.3E+04
	Total PCBs, Adjusted	pg/g	4	0	0	9.6E+03	1.2E+04	--	Fewer than 5 detects	--	9.6E+03	1.2E+04
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	2	0	0	8.9E-01	1.1E+00	--	Fewer than 5 detects	--	8.9E-01	1.1E+00
	Total PCB TEQ	pg/g	4	0	0	2.6E-01	3.3E-01	--	Fewer than 5 detects	--	2.6E-01	3.3E-01
	Pesticides											
	Aldrin	ug/kg	20	18	2	9.1E-02	4.7E-01	--	Fewer than 5 detects	--	9.1E-02	4.7E-01
	Dieldrin	ug/kg	20	19	18	3.0E-02	4.3E-02	--	Fewer than 5 detects	--	3.0E-02	4.3E-02
	Total DDT	ug/kg	20	5	3	1.1E+00	2.8E+00	normal	95% KM (t) UCL	1.6E+00	1.1E+00	1.6E+00
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 10 West	**Metals**											
	Arsenic	mg/kg	9	0	0	1.0E+01	4.3E+01	non-parametric	95% Chebyshev (Mean, Sd) UCL	2.9E+01	1.0E+01	2.9E+01
	Lead	mg/kg	9	0	0	6.6E+01	2.3E+02	gamma	95% Approximate Gamma UCL	1.3E+02	6.6E+01	1.3E+02
	Mercury	mg/kg	9	0	0	9.0E-02	1.4E-01	normal	95% Student's-t UCL	1.1E-01	9.0E-02	1.1E-01
	Vanadium	mg/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Butyltins											
	Tributyltin ion	ug/kg	3	0	0	2.4E+00	3.4E+00	--	Fewer than 5 detects	--	2.4E+00	3.4E+00
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	9	0	0	1.4E+02	6.2E+02	gamma	95% Approximate Gamma UCL	3.2E+02	1.4E+02	3.2E+02
	Benzo(a)pyrene	ug/kg	9	0	0	1.5E+02	8.1E+02	lognormal	95% Chebyshev (MVUE) UCL	3.4E+02	1.5E+02	3.4E+02
	Benzo(b)fluoranthene	ug/kg	9	0	0	1.9E+02	9.1E+02	lognormal	95% Chebyshev (MVUE) UCL	4.3E+02	1.9E+02	4.3E+02
	Benzo(k)fluoranthene	ug/kg	9	0	0	7.9E+01	3.7E+02	gamma	95% Approximate Gamma UCL	1.8E+02	7.9E+01	1.8E+02
	Dibenzo(a,h)anthracene	ug/kg	9	0	0	3.5E+01	2.3E+02	lognormal	95% Chebyshev (MVUE) UCL	7.5E+01	3.5E+01	7.5E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	9	0	0	1.4E+02	8.2E+02	lognormal	95% Chebyshev (MVUE) UCL	3.0E+02	1.4E+02	3.0E+02
	Naphthalene	ug/kg	9	2	0	2.0E+01	7.8E+01	approx. gamma	95% KM (Chebyshev) UCL	5.9E+01	2.0E+01	5.9E+01
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	9	4	0	1.2E+02	2.7E+02	normal	95% KM (t) UCL	1.8E+02	1.2E+02	1.8E+02
	Phenols											
	Pentachlorophenol	ug/kg	8	4	1	3.0E+00	7.5E+00	--	Fewer than 5 detects	--	3.0E+00	7.5E+00
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	9	0	0	1.8E+02	9.3E+02	gamma	95% Approximate Gamma UCL	4.4E+02	1.8E+02	4.4E+02
	Total PCB Congeners	pg/g	4	0	0	1.3E+05	3.4E+05	--	Fewer than 5 detects	--	1.3E+05	3.4E+05
	Total PCBs, Adjusted	pg/g	4	0	0	1.3E+05	3.3E+05	--	Fewer than 5 detects	--	1.3E+05	3.3E+05

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[e]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	3	0	0	5.1E+00	9.9E+00	--	Fewer than 5 detects	--	5.1E+00	9.9E+00
	Total PCB TEQ	pg/g	4	0	0	1.8E+00	3.0E+00	--	Fewer than 5 detects	--	1.8E+00	3.0E+00
	Pesticides											
	Aldrin	ug/kg	9	8	2	1.5E-01	5.0E-01	--	Fewer than 5 detects	--	1.5E-01	5.0E-01
	Dieldrin	ug/kg	9	9	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Total DDT	ug/kg	9	2	0	4.7E+00	9.3E+00	normal	95% KM (t) UCL	6.7E+00	4.7E+00	6.7E+00
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 10 East	**Metals**											
	Arsenic	mg/kg	9	0	0	3.0E+00	3.9E+00	non-parametric	95% Student's-t UCL	3.5E+00	3.0E+00	3.5E+00
	Lead	mg/kg	9	0	0	1.8E+01	3.0E+01	normal	95% Student's-t UCL	2.1E+01	1.8E+01	2.1E+01
	Mercury	mg/kg	9	0	0	6.8E-02	1.4E-01	normal	95% Student's-t UCL	9.0E-02	6.8E-02	9.0E-02
	Vanadium	mg/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Butyltins											
	Tributyltin ion	ug/kg	1	1	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	9	0	0	1.2E+02	4.5E+02	gamma	95% Approximate Gamma UCL	2.7E+02	1.2E+02	2.7E+02
	Benzo(a)pyrene	ug/kg	9	0	0	1.4E+02	6.1E+02	gamma	95% Approximate Gamma UCL	3.5E+02	1.4E+02	3.5E+02
	Benzo(b)fluoranthene	ug/kg	9	0	0	1.7E+02	6.5E+02	gamma	95% Approximate Gamma UCL	4.0E+02	1.7E+02	4.0E+02
	Benzo(k)fluoranthene	ug/kg	9	0	0	6.3E+01	2.0E+02	normal	95% Student's-t UCL	1.0E+02	6.3E+01	1.0E+02
	Dibenzo(a,h)anthracene	ug/kg	9	0	0	2.3E+01	8.5E+01	gamma	95% Approximate Gamma UCL	5.2E+01	2.3E+01	5.2E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	9	0	0	1.2E+02	4.8E+02	gamma	95% Approximate Gamma UCL	2.8E+02	1.2E+02	2.8E+02
	Naphthalene	ug/kg	9	3	0	1.2E+01	4.5E+01	gamma	95% KM (Percentile Bootstrap) UCL	2.2E+01	1.2E+01	2.2E+01
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	9	2	1	1.3E+02	3.4E+02	gamma	95% KM (BCA) UCL	1.9E+02	1.3E+02	1.9E+02
	Phenols											
	Pentachlorophenol	ug/kg	3	1	6	2.6E+00	3.3E+00	--	Fewer than 5 detects	--	2.6E+00	3.3E+00
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	9	0	0	3.4E+01	8.6E+01	normal	95% Student's-t UCL	4.8E+01	3.4E+01	4.8E+01
	Total PCB Congeners	pg/g	4	0	0	3.0E+04	3.8E+04	--	Fewer than 5 detects	--	3.0E+04	3.8E+04
	Total PCBs, Adjusted	pg/g	4	0	0	2.8E+04	3.7E+04	--	Fewer than 5 detects	--	2.8E+04	3.7E+04
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	1	0	0	5.4E-01	5.4E-01	--	Fewer than 5 detects	--	5.4E-01	5.4E-01
	Total PCB TEQ	pg/g	4	0	0	6.9E-01	8.0E-01	--	Fewer than 5 detects	--	6.9E-01	8.0E-01
	Pesticides											
	Aldrin	ug/kg	9	8	5	4.0E-02	8.3E-02	--	Fewer than 5 detects	--	4.0E-02	8.3E-02
	Dieldrin	ug/kg	9	8	5	4.7E-02	9.4E-02	--	Fewer than 5 detects	--	4.7E-02	9.4E-02
	Total DDT	ug/kg	9	5	4	5.3E-01	7.7E-01	--	Fewer than 5 detects	--	5.3E-01	7.7E-01
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[e]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
RM 10.5 West	**Metals**											
	Arsenic	mg/kg	11	0	0	4.0E+00	7.7E+00	non-parametric	95% Student's-t UCL	4.7E+00	4.0E+00	4.7E+00
	Lead	mg/kg	11	0	0	1.3E+01	1.8E+01	normal	95% Student's-t UCL	1.4E+01	1.3E+01	1.4E+01
	Mercury	mg/kg	11	0	0	6.9E-02	9.9E-02	normal	95% Student's-t UCL	7.7E-02	6.9E-02	7.7E-02
	Vanadium	mg/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Butyltins											
	Tributyltin ion	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	11	0	0	2.8E+01	1.3E+02	lognormal	95% Chebyshev (MVUE) UCL	6.1E+01	2.8E+01	6.1E+01
	Benzo(a)pyrene	ug/kg	11	0	0	2.6E+01	1.1E+02	gamma	95% Approximate Gamma UCL	4.8E+01	2.6E+01	4.8E+01
	Benzo(b)fluoranthene	ug/kg	11	0	0	3.5E+01	1.5E+02	gamma	95% Approximate Gamma UCL	6.8E+01	3.5E+01	6.8E+01
	Benzo(k)fluoranthene	ug/kg	11	0	0	1.3E+01	4.2E+01	approx. gamma	95% Approximate Gamma UCL	2.0E+01	1.3E+01	2.0E+01
	Dibenzo(a,h)anthracene	ug/kg	11	0	0	4.4E+00	2.0E+01	gamma	95% Approximate Gamma UCL	7.9E+00	4.4E+00	7.9E+00
	Indeno(1,2,3-cd)pyrene	ug/kg	11	0	0	2.2E+01	9.3E+01	gamma	95% Approximate Gamma UCL	3.7E+01	2.2E+01	3.7E+01
	Naphthalene	ug/kg	11	7	0	2.7E+01	2.6E+02	--	Fewer than 5 detects	--	2.7E+01	2.6E+02
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	11	4	0	1.4E+02	5.9E+02	non-parametric	95% KM (BCA) UCL	2.5E+02	1.4E+02	2.5E+02
	Phenols											
	Pentachlorophenol	ug/kg	11	7	0	8.6E+00	3.8E+01	--	Fewer than 5 detects	--	8.6E+00	3.8E+01
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	11	0	0	3.2E+01	5.6E+01	normal	95% Student's-t UCL	3.9E+01	3.2E+01	3.9E+01
	Total PCB Congeners	pg/g	1	0	0	3.1E+04	3.1E+04	--	Fewer than 5 detects	--	3.1E+04	3.1E+04
	Total PCBs, Adjusted	pg/g	1	0	0	2.9E+04	2.9E+04	--	Fewer than 5 detects	--	2.9E+04	2.9E+04
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Total PCB TEQ	pg/g	1	0	0	6.9E-01	6.9E-01	--	Fewer than 5 detects	--	6.9E-01	6.9E-01
	Pesticides											
	Aldrin	ug/kg	11	10	1	2.0E-01	9.3E-01	--	Fewer than 5 detects	--	2.0E-01	9.3E-01
	Dieldrin	ug/kg	11	11	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Total DDT	ug/kg	11	3	0	1.7E+00	6.0E+00	normal	95% KM (t) UCL	2.7E+00	1.7E+00	2.7E+00
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 10.5 East	**Metals**											
	Arsenic	mg/kg	6	0	0	3.1E+00	3.4E+00	normal	95% Student's-t UCL	3.3E+00	3.1E+00	3.3E+00
	Lead	mg/kg	6	0	0	1.2E+01	1.5E+01	normal	95% Student's-t UCL	1.4E+01	1.2E+01	1.4E+01
	Mercury	mg/kg	6	0	0	6.1E-02	8.0E-02	normal	95% Student's-t UCL	7.4E-02	6.1E-02	7.4E-02
	Vanadium	mg/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Butyltins											
	Tributyltin ion	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	6	0	0	3.9E+01	1.3E+02	gamma	95% Approximate Gamma UCL	1.0E+02	3.9E+01	1.0E+02
	Benzo(a)pyrene	ug/kg	6	0	0	3.4E+01	8.9E+01	gamma	95% Approximate Gamma UCL	7.1E+01	3.4E+01	7.1E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[e] Mean	95% UCL/Max
	Benzo(b)fluoranthene	ug/kg	6	0	0	5.0E+01	1.4E+02	gamma	95% Approximate Gamma UCL	1.1E+02	5.0E+01	1.1E+02
	Benzo(k)fluoranthene	ug/kg	6	0	0	2.5E+01	8.6E+01	gamma	95% Approximate Gamma UCL	7.2E+01	2.5E+01	7.2E+01
	Dibenzo(a,h)anthracene	ug/kg	6	0	0	5.5E+00	1.4E+01	normal	95% Student's-t UCL	9.2E+00	5.5E+00	9.2E+00
	Indeno(1,2,3-cd)pyrene	ug/kg	6	0	0	2.7E+01	7.2E+01	normal	95% Student's-t UCL	4.7E+01	2.7E+01	4.7E+01
	Naphthalene	ug/kg	6	5	4	3.5E+00	5.2E+00	--	Fewer than 5 detects	--	3.5E+00	5.2E+00
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	6	5	1	4.6E+01	1.1E+02	--	Fewer than 5 detects	--	4.6E+01	1.1E+02
	Phenols											
	Pentachlorophenol	ug/kg	6	5	0	3.2E+00	1.1E+01	--	Fewer than 5 detects	--	3.2E+00	1.1E+01
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	6	0	0	5.2E+01	2.0E+02	gamma	95% Approximate Gamma UCL	1.5E+02	5.2E+01	1.5E+02
	Total PCB Congeners	pg/g	2	0	0	2.9E+04	4.2E+04	--	Fewer than 5 detects	--	2.9E+04	4.2E+04
	Total PCBs, Adjusted	pg/g	2	0	0	2.8E+04	4.1E+04	--	Fewer than 5 detects	--	2.8E+04	4.1E+04
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Total PCB TEQ	pg/g	2	0	0	3.5E-01	3.9E-01	--	Fewer than 5 detects	--	3.5E-01	3.9E-01
	Pesticides											
	Aldrin	ug/kg	6	6	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Dieldrin	ug/kg	6	6	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Total DDT	ug/kg	6	1	0	2.8E+00	1.3E+01	gamma	95% KM (Chebyshev) UCL	1.2E+01	2.8E+00	1.2E+01
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 11 West	**Metals**											
	Arsenic	mg/kg	7	0	0	3.4E+00	4.0E+00	normal	95% Student's-t UCL	3.6E+00	3.4E+00	3.6E+00
	Lead	mg/kg	7	0	0	1.4E+01	1.9E+01	normal	95% Student's-t UCL	1.6E+01	1.4E+01	1.6E+01
	Mercury	mg/kg	7	0	0	5.6E-02	8.7E-02	normal	95% Student's-t UCL	6.9E-02	5.6E-02	6.9E-02
	Vanadium	mg/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Butyltins											
	Tributyltin ion	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	7	0	0	6.2E+01	3.0E+02	gamma	95% Approximate Gamma UCL	2.0E+02	6.2E+01	2.0E+02
	Benzo(a)pyrene	ug/kg	7	0	0	6.6E+01	3.3E+02	approx. gamma	95% Approximate Gamma UCL	2.2E+02	6.6E+01	2.2E+02
	Benzo(b)fluoranthene	ug/kg	7	0	0	4.0E+01	1.4E+02	gamma	95% Approximate Gamma UCL	1.0E+02	4.0E+01	1.0E+02
	Benzo(k)fluoranthene	ug/kg	7	0	0	3.7E+01	1.7E+02	approx. gamma	95% Approximate Gamma UCL	1.1E+02	3.7E+01	1.1E+02
	Dibenzo(a,h)anthracene	ug/kg	7	0	0	8.8E+00	4.1E+01	gamma	95% Approximate Gamma UCL	2.7E+01	8.8E+00	2.7E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	7	0	0	4.0E+01	1.8E+02	gamma	95% Approximate Gamma UCL	1.2E+02	4.0E+01	1.2E+02
	Naphthalene	ug/kg	7	5	0	5.4E+01	3.2E+02	--	Fewer than 5 detects	--	5.4E+01	3.2E+02
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	7	0	0	3.7E+02	1.1E+03	approx. gamma	95% Approximate Gamma UCL	1.0E+03	3.7E+02	1.0E+03
	Phenols											
	Pentachlorophenol	ug/kg	6	5	1	9.8E-01	3.1E+00	--	Fewer than 5 detects	--	9.8E-01	3.1E+00
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	7	0	0	2.8E+01	4.1E+01	normal	95% Student's-t UCL	3.5E+01	2.8E+01	3.5E+01
	Total PCB Congeners	pg/g	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Total PCBs, Adjusted	pg/g	NA	NA	NA	NA	NA	--	--	--	NA	NA

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[e]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Total PCB TEQ	pg/g	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Pesticides											
	Aldrin	ug/kg	7	7	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Dieldrin	ug/kg	7	6	0	5.7E-01	2.5E+00	--	Fewer than 5 detects	--	5.7E-01	2.5E+00
	Total DDT	ug/kg	7	3	0	1.3E+00	2.1E+00	--	Fewer than 5 detects	--	1.3E+00	2.1E+00
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 11 East	**Metals**											
	Arsenic	mg/kg	5	0	0	2.7E+00	3.3E+00	normal	95% Student's-t UCL	3.2E+00	2.7E+00	3.2E+00
	Lead	mg/kg	5	0	0	7.2E+01	1.8E+02	normal	95% Student's-t UCL	1.4E+02	7.2E+01	1.4E+02
	Mercury	mg/kg	5	0	0	7.0E-02	1.3E-01	normal	95% Student's-t UCL	1.1E-01	7.0E-02	1.1E-01
	Vanadium	mg/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Butyltins											
	Tributyltin ion	ug/kg	2	0	0	4.0E+00	5.8E+00	--	Fewer than 5 detects	--	4.0E+00	5.8E+00
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	5	0	0	8.3E+01	2.2E+02	normal	95% Student's-t UCL	1.6E+02	8.3E+01	1.6E+02
	Benzo(a)pyrene	ug/kg	5	0	0	5.5E+01	1.2E+02	lognormal	95% H-UCL	1.2E+02	5.5E+01	1.2E+02
	Benzo(b)fluoranthene	ug/kg	5	0	0	1.3E+02	3.4E+02	normal	95% Student's-t UCL	2.5E+02	1.3E+02	2.5E+02
	Benzo(k)fluoranthene	ug/kg	4	0	0	3.7E+01	9.4E+01	--	Fewer than 5 detects	--	3.7E+01	9.4E+01
	Dibenzo(a,h)anthracene	ug/kg	5	0	0	1.2E+01	2.2E+01	normal	95% Student's-t UCL	2.0E+01	1.2E+01	2.0E+01
	Indeno(1,2,3-cd)pyrene	ug/kg	5	0	0	3.8E+01	6.4E+01	normal	95% Student's-t UCL	5.3E+01	3.8E+01	5.3E+01
	Naphthalene	ug/kg	5	1	0	1.2E+01	3.0E+01	--	Fewer than 5 detects	--	1.2E+01	3.0E+01
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	5	2	2	9.4E+01	1.4E+02	--	Fewer than 5 detects	--	9.4E+01	1.4E+02
	Phenols											
	Pentachlorophenol	ug/kg	5	2	0	2.7E+00	8.7E+00	--	Fewer than 5 detects	--	2.7E+00	8.7E+00
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	5	0	0	1.1E+03	3.8E+03	gamma	95% Approximate Gamma UCL	6.3E+03	1.1E+03	3.8E+03
	Total PCB Congeners	pg/g	4	0	0	2.4E+06	6.6E+06	--	Fewer than 5 detects	--	2.4E+06	6.6E+06
	Total PCBs, Adjusted	pg/g	4	0	0	2.3E+06	6.5E+06	--	Fewer than 5 detects	--	2.3E+06	6.5E+06
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	2	0	0	2.0E+00	3.0E+00	--	Fewer than 5 detects	--	2.0E+00	3.0E+00
	Total PCB TEQ	pg/g	4	0	0	1.2E+01	3.1E+01	--	Fewer than 5 detects	--	1.2E+01	3.1E+01
	Pesticides											
	Aldrin	ug/kg	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Dieldrin	ug/kg	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Total DDT	ug/kg	5	1	0	9.9E+01	3.8E+02	--	Fewer than 5 detects	--	9.9E+01	3.8E+02
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[e] Mean	95% UCL/Max
RM 11.5 West	**Metals**											
	Arsenic	mg/kg	4	0	0	3.0E+00	3.5E+00	--	Fewer than 5 detects	--	3.0E+00	3.5E+00
	Lead	mg/kg	4	0	0	1.0E+01	1.2E+01	--	Fewer than 5 detects	--	1.0E+01	1.2E+01
	Mercury	mg/kg	4	1	1	3.0E-02	3.1E-02	--	Fewer than 5 detects	--	3.0E-02	3.1E-02
	Vanadium	mg/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Butyltins											
	Tributyltin ion	ug/kg	1	1	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	4	0	0	9.5E+00	1.6E+01	--	Fewer than 5 detects	--	9.5E+00	1.6E+01
	Benzo(a)pyrene	ug/kg	4	0	0	1.1E+01	1.8E+01	--	Fewer than 5 detects	--	1.1E+01	1.8E+01
	Benzo(b)fluoranthene	ug/kg	4	1	0	9.7E+00	1.7E+01	--	Fewer than 5 detects	--	9.7E+00	1.7E+01
	Benzo(k)fluoranthene	ug/kg	4	1	0	6.4E+00	1.4E+01	--	Fewer than 5 detects	--	6.4E+00	1.4E+01
	Dibenzo(a,h)anthracene	ug/kg	4	2	0	1.2E+00	2.9E+00	--	Fewer than 5 detects	--	1.2E+00	2.9E+00
	Indeno(1,2,3-cd)pyrene	ug/kg	4	0	0	7.4E+00	1.4E+01	--	Fewer than 5 detects	--	7.4E+00	1.4E+01
	Naphthalene	ug/kg	4	2	0	3.3E+00	6.4E+00	--	Fewer than 5 detects	--	3.3E+00	6.4E+00
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	4	1	0	1.8E+02	5.2E+02	--	Fewer than 5 detects	--	1.8E+02	5.2E+02
	Phenols											
	Pentachlorophenol	ug/kg	4	4	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	4	1	0	1.2E+01	2.4E+01	--	Fewer than 5 detects	--	1.2E+01	2.4E+01
	Total PCB Congeners	pg/g	1	0	0	6.3E+04	6.3E+04	--	Fewer than 5 detects	--	6.3E+04	6.3E+04
	Total PCBs, Adjusted	pg/g	1	0	0	6.2E+04	6.2E+04	--	Fewer than 5 detects	--	6.2E+04	6.2E+04
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	1	0	0	1.8E-01	1.8E-01	--	Fewer than 5 detects	--	1.8E-01	1.8E-01
	Total PCB TEQ	pg/g	1	0	0	2.9E-01	2.9E-01	--	Fewer than 5 detects	--	2.9E-01	2.9E-01
	Pesticides											
	Aldrin	ug/kg	4	4	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Dieldrin	ug/kg	4	3	3	9.0E-02	9.0E-02	--	Fewer than 5 detects	--	9.0E-02	9.0E-02
	Total DDT	ug/kg	4	1	0	9.8E-01	1.9E+00	--	Fewer than 5 detects	--	9.8E-01	1.9E+00
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 12 West	**Metals**											
	Arsenic	mg/kg	8	0	0	3.2E+00	4.9E+00	normal	95% Student's-t UCL	3.9E+00	3.2E+00	3.9E+00
	Lead	mg/kg	8	0	0	3.7E+01	8.6E+01	normal	95% Student's-t UCL	5.5E+01	3.7E+01	5.5E+01
	Mercury	mg/kg	8	0	0	2.9E-01	1.3E+00	gamma	95% Approximate Gamma UCL	7.4E-01	2.9E-01	7.4E-01
	Vanadium	mg/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Butyltins											
	Tributyltin ion	ug/kg	1	1	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	8	0	0	2.6E+02	1.7E+03	lognormal	99% Chebyshev (MVUE) UCL	1.1E+03	2.6E+02	1.1E+03
	Benzo(a)pyrene	ug/kg	8	0	0	4.1E+02	2.8E+03	lognormal	99% Chebyshev (MVUE) UCL	1.8E+03	4.1E+02	1.8E+03

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[e]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
	Benzo(b)fluoranthene	ug/kg	8	0	0	3.5E+02	2.4E+03	lognormal	99% Chebyshev (MVUE) UCL	1.4E+03	3.5E+02	1.4E+03
	Benzo(k)fluoranthene	ug/kg	8	0	0	1.2E+02	6.7E+02	gamma	95% Adjusted Gamma UCL	5.9E+02	1.2E+02	5.9E+02
	Dibenzo(a,h)anthracene	ug/kg	8	2	0	3.2E+01	2.1E+02	lognormal	99% KM (Chebyshev) UCL	2.9E+02	3.2E+01	2.1E+02
	Indeno(1,2,3-cd)pyrene	ug/kg	8	0	0	3.4E+02	2.3E+03	lognormal	99% Chebyshev (MVUE) UCL	1.5E+03	3.4E+02	1.5E+03
	Naphthalene	ug/kg	8	1	0	4.5E+01	2.0E+02	gamma	95% KM (Chebyshev) UCL	1.5E+02	4.5E+01	1.5E+02
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	8	4	2	8.0E+01	1.9E+02	--	Fewer than 5 detects	--	8.0E+01	1.9E+02
	Phenols											
	Pentachlorophenol	ug/kg	8	6	0	3.4E+00	2.0E+01	--	Fewer than 5 detects	--	3.4E+00	2.0E+01
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	8	1	0	7.0E+01	2.0E+02	normal	95% KM (t) UCL	1.2E+02	7.0E+01	1.2E+02
	Total PCB Congeners	pg/g	1	0	0	7.4E+03	7.4E+03	--	Fewer than 5 detects	--	7.4E+03	7.4E+03
	Total PCBs, Adjusted	pg/g	1	0	0	6.9E+03	6.9E+03	--	Fewer than 5 detects	--	6.9E+03	6.9E+03
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	1	0	0	1.7E-01	1.7E-01	--	Fewer than 5 detects	--	1.7E-01	1.7E-01
	Total PCB TEQ	pg/g	1	0	0	4.5E-01	4.5E-01	--	Fewer than 5 detects	--	4.5E-01	4.5E-01
	Pesticides											
	Aldrin	ug/kg	8	4	0	3.2E-01	7.0E-01	--	Fewer than 5 detects	--	3.2E-01	7.0E-01
	Dieldrin	ug/kg	8	8	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Total DDT	ug/kg	8	1	0	5.9E+00	1.7E+01	normal	95% KM (t) UCL	9.5E+00	5.9E+00	9.5E+00
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 12 East	**Metals**											
	Arsenic	mg/kg	2	0	0	2.3E+00	2.6E+00	--	Fewer than 5 detects	--	2.3E+00	2.6E+00
	Lead	mg/kg	2	0	0	7.8E+01	9.0E+01	--	Fewer than 5 detects	--	7.8E+01	9.0E+01
	Mercury	mg/kg	2	0	0	4.5E-02	6.5E-02	--	Fewer than 5 detects	--	4.5E-02	6.5E-02
	Vanadium	mg/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
	Butyltins											
	Tributyltin ion	ug/kg	2	0	0	4.0E+00	4.8E+00	--	Fewer than 5 detects	--	4.0E+00	4.8E+00
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	2	0	0	1.8E+01	1.8E+01	--	Fewer than 5 detects	--	1.8E+01	1.8E+01
	Benzo(a)pyrene	ug/kg	2	0	0	1.9E+01	1.9E+01	--	Fewer than 5 detects	--	1.9E+01	1.9E+01
	Benzo(b)fluoranthene	ug/kg	2	0	0	2.7E+01	2.7E+01	--	Fewer than 5 detects	--	2.7E+01	2.7E+01
	Benzo(k)fluoranthene	ug/kg	2	0	0	7.8E+00	8.4E+00	--	Fewer than 5 detects	--	7.8E+00	8.4E+00
	Dibenzo(a,h)anthracene	ug/kg	2	0	0	4.0E+00	4.5E+00	--	Fewer than 5 detects	--	4.0E+00	4.5E+00
	Indeno(1,2,3-cd)pyrene	ug/kg	2	0	0	1.6E+01	1.7E+01	--	Fewer than 5 detects	--	1.6E+01	1.7E+01
	Naphthalene	ug/kg	2	0	0	2.6E+01	4.2E+01	--	Fewer than 5 detects	--	2.6E+01	4.2E+01
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	2	0	0	9.2E+03	1.8E+04	--	Fewer than 5 detects	--	9.2E+03	1.8E+04
	Phenols											
	Pentachlorophenol	ug/kg	2	1	0	1.7E+00	3.2E+00	--	Fewer than 5 detects	--	1.7E+00	3.2E+00
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	2	0	0	1.6E+02	1.8E+02	--	Fewer than 5 detects	--	1.6E+02	1.8E+02
	Total PCB Congeners	pg/g	2	0	0	7.6E+05	9.1E+05	--	Fewer than 5 detects	--	7.6E+05	9.1E+05
	Total PCBs, Adjusted	pg/g	2	0	0	7.5E+05	9.0E+05	--	Fewer than 5 detects	--	7.5E+05	9.0E+05

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

| Scenario Timeframe: Current/Future |
| Medium: Sediment |
| Exposure Medium: In-Water Sediment |

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[e]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	2	0	0	1.7E+00	1.7E+00	--	Fewer than 5 detects	--	1.7E+00	1.7E+00
	Total PCB TEQ	pg/g	2	0	0	3.9E+00	4.6E+00	--	Fewer than 5 detects	--	3.9E+00	4.6E+00
	Pesticides											
	Aldrin	ug/kg	2	2	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Dieldrin	ug/kg	2	2	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Total DDT	ug/kg	2	1	1	9.4E+00	9.4E+00	--	Fewer than 5 detects	--	9.4E+00	9.4E+00
	Conventionals											
	Perchlorate	ug/kg	NA	NA	NA	NA	NA	--	--	--	NA	NA
Study Area-wide[h]	**Metals**											
	Arsenic	mg/kg	1027	112	0	4.7E+00	7.6E+01	non-parametric	95% KM (BCA) UCL	5.0E+00	4.7E+00	5.0E+00
	Lead	mg/kg	1015	3	0	5.2E+01	1.3E+04	non-parametric	95% KM (BCA) UCL	8.1E+01	5.2E+01	8.1E+01
	Mercury	mg/kg	1003	53	0	1.7E-01	6.5E+01	non-parametric	95% KM (BCA) UCL	3.0E-01	1.7E-01	3.0E-01
	Vanadium	mg/kg	128	0	0	1.0E+02	1.5E+02	non-parametric	95% Student's-t UCL	1.0E+02	1.0E+02	1.0E+02
	Butyltins											
	Tributyltin ion	ug/kg	236	13	0	6.1E+02	4.7E+04	non-parametric	97.5% KM (Chebyshev) UCL	2.4E+03	6.1E+02	2.4E+03
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/kg	1062	30	0	1.4E+03	1.2E+05	non-parametric	97.5% KM (Chebyshev) UCL	3.1E+03	1.4E+03	3.1E+03
	Benzo(a)pyrene	ug/kg	1062	36	0	1.8E+03	1.6E+05	non-parametric	97.5% KM (Chebyshev) UCL	3.7E+03	1.8E+03	3.7E+03
	Benzo(b)fluoranthene	ug/kg	1062	25	0	1.4E+03	1.3E+05	non-parametric	97.5% KM (Chebyshev) UCL	2.9E+03	1.4E+03	2.9E+03
	Benzo(k)fluoranthene	ug/kg	958	19	0	9.3E+02	8.9E+04	non-parametric	97.5% KM (Chebyshev) UCL	2.0E+03	9.3E+02	2.0E+03
	Dibenzo(a,h)anthracene	ug/kg	1062	152	0	1.9E+02	1.5E+04	non-parametric	97.5% KM (Chebyshev) UCL	3.8E+02	1.9E+02	3.8E+02
	Indeno(1,2,3-cd)pyrene	ug/kg	1062	50	0	1.2E+03	1.3E+05	non-parametric	97.5% KM (Chebyshev) UCL	2.6E+03	1.2E+03	2.6E+03
	Naphthalene	ug/kg	1066	311	0	5.0E+02	1.0E+05	non-parametric	97.5% KM (Chebyshev) UCL	1.5E+03	5.0E+02	1.5E+03
	Phthalates											
	Bis(2-ethylhexyl) phthalate	ug/kg	1003	389	0	9.6E+02	4.4E+05	non-parametric	95% KM (Chebyshev) UCL	2.9E+03	9.6E+02	2.9E+03
	Phenols											
	Pentachlorophenol	ug/kg	964	762	0	3.2E+01	8.4E+03	non-parametric	95% KM (Chebyshev) UCL	5.6E+01	3.2E+01	5.6E+01
	Polychlorinated Biphenyls											
	Total Aroclors	ug/kg	785	159	0	1.9E+02	3.1E+04	non-parametric	95% KM (Chebyshev) UCL	3.6E+02	1.9E+02	3.6E+02
	Total PCB Congeners	pg/g	200	0	0	5.6E+05	3.5E+07	non-parametric	97.5% KM (Chebyshev) UCL	1.8E+06	5.6E+05	1.8E+06
	Total PCBs, Adjusted	pg/g	200	0	0	5.4E+05	3.4E+07	non-parametric	97.5% KM (Chebyshev) UCL	1.8E+06	5.4E+05	1.8E+06
	Dioxin/Furan											
	Total Dioxin/Furan TEQ	pg/g	158	0	0	1.0E+02	1.4E+04	non-parametric	97.5% KM (Chebyshev) UCL	6.6E+02	1.0E+02	6.6E+02
	Total PCB TEQ	pg/g	200	0	0	6.6E+00	2.4E+02	non-parametric	97.5% KM (Chebyshev) UCL	1.7E+01	6.6E+00	1.7E+01
	Pesticides											
	Aldrin	ug/kg	757	567	0	2.4E+00	6.9E+02	non-parametric	95% KM (Chebyshev) UCL	5.8E+00	2.4E+00	5.8E+00
	Dieldrin	ug/kg	792	623	0	2.1E+00	3.6E+02	non-parametric	95% KM (Chebyshev) UCL	2.8E+00	2.1E+00	2.8E+00
	Total DDT	ug/kg	844	189	0	1.4E+02	2.3E+04	non-parametric	97.5% KM (Chebyshev) UCL	3.7E+02	1.4E+02	3.7E+02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-4.

Exposure Point Concentration Summary - In-water Sediment

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: In-Water Sediment

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[e]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
	Conventionals Perchlorate	ug/kg	13	10	0	4.9E+04	2.7E+05	--	Fewer than 5 detects	--	4.9E+04	2.7E+05

Notes:

a Exposure points for in-water sediment are per half river mile, per side of river. No samples within the human health data set were taken at exposure area of RM 11.5 East, and therefore it is not listed in the table. In-water sediment data set for human health includes in-water sediment samples taken from less than 30.5 centimeters in depth and outside of the navigation channel.

b Total number of non-detects in the dataset.

c Number of non-detects with detection limit exceeding the maximum detected concentration for the given exposure area. These non-detects were removed from the dataset prior to calculation of EPCs.

d Non-detects less than the maximum detected concentration for a given exposure area are included in the arithmetic mean at half the detection limit.

e Mean exposure point concentrations were used for Central Tendency (CT) exposure and 95% UCL/Max exposure point concentrations were used for Reasonable Maximum Exposure (RME) in the BHHRA.

f 95% UCL not calculated for analytes with fewer than five detects.

g "Total PCBs, Adjusted" equals "Total PCB Congeners" minus the sum of total dioxin-like PCBs concentrations.

h Study Area-wide data set includes samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable. A 95% UCL could not be computed for the given data set.

95% UCL = 95% Upper confidence limit on the mean.

DDT = Dichlorodiphenyltrichloroethane.

MC - Multnomah Channel.

mg/kg = Milligrams per kilogram.

NA = Not available. Chemical not analyzed or had rejected result for given exposure area.

ND = Not detected. Chemical not detected in given exposure area.

PCB = Polychlorinated Biphenyls.

pg/g = Picograms per gram.

RM = River mile.

SIL = Swan Island Lagoon.

TEQ = Toxic equivalents.

ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 3-5
Summary of Samples Used in the Calculation of Exposure Point Concentrations For Surface Water Scenarios

Sample Location Name	River Mile	Sample Event	Sample Date	Sample ID	Exposure Scenario			
					Diver, Direct Contact[a]	Transients, Direct Contact[b]	Recreational Beach Users, Direct Contact[c]	Surface Water for Potential Future Domestic Use[d]
Transect Stations								
W005	3.9	Round 3 surface water	September 2006, Low Flow	LW3-W2005-WS-Int[e]	Y	Y	--	Y
				LW3-W2005-WSXAD-Comb-Int[f]	Y	Y	--	Y
		Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3005-WS-Int	Y	Y	--	Y
				LW3-W3005-WSXAD-Comb-Int	Y	Y	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4005-WS-Int	Y	Y	--	Y
				LW3-W4005-WSXAD-Comb-Int	Y	Y	--	Y
		Round 3 surface water	January 2006, High Flow	LW3-W1005	Y	Y	--	Y
				LW3-W1005-WSXAD-Combo	Y	Y	--	Y
		Round 2a surface water event 1	November 2004, Low Flow	LW2-W005	Y	Y	--	Y
				LW2-W005-WSXAD-Combo	Y	Y	--	Y
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2005	Y	Y	--	Y
				LW2-W2005-WSXAD-Combo	Y	Y	--	Y
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3005	Y	Y	Y	Y
				LW2-W3005-WSXAD-Combo	Y	Y	Y	Y
W011	6.3	Round 3 surface water	September 2006, Low Flow	LW3-W2011-WS-Int	Y	Y	--	Y
				LW3-W2011-WSXAD-Comb-Int	Y	Y	--	Y
		Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3011-WS-Int	Y	Y	--	Y
				LW3-W3011-WSXAD-Comb-Int	Y	Y	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4011-WS-Int	Y	Y	--	Y
				LW3-W4011-WSXAD-Comb-Int	Y	Y	--	Y
		Round 2a surface water event 1	November 2004, Low Flow	LW2-W011	Y	Y	--	Y
				LW2-W011-WSXAD-Combo	Y	Y	--	Y
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2011-WSXAD-Combo	Y	Y	--	Y
				LW2-W2011B	Y	Y	--	Y
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3011	Y	Y	Y	Y
				LW2-W3011-WSXAD-Combo	Y	Y	Y	Y
W023	11	Round 3 surface water	September 2006, Low Flow	LW3-W2023-WS-Int	Y	Y	--	Y
				LW3-W2023-WSXAD-Comb-Int	Y	Y	--	Y
		Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3023-WS-Int	Y	Y	--	Y
				LW3-W3023-WSXAD-Comb-Int	Y	Y	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4023-WS-Int	Y	Y	--	Y
				LW3-W4023-WSXAD-Comb-Int	Y	Y	--	Y
		Round 3 surface water	January 2006, High Flow	LW3-W1023-WSXAD-Combo	Y	Y	--	Y
				LW3-W1023-1	Y	Y	--	Y
				LW3-W1023-2	Y	Y	--	Y
		Round 2a surface water event 1	November 2004, Low Flow	LW2-W023	Y	Y	--	Y
				LW2-W023-WSXAD-Combo	Y	Y	--	Y
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2023	Y	Y	--	Y
				LW2-W2023-WSXAD-Combo	Y	Y	--	Y
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3023	Y	Y	Y	Y
				LW2-W3023-WSXAD-Combo	Y	Y	Y	Y

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 3-5
Summary of Samples Used in the Calculation of Exposure Point Concentrations For Surface Water Scenarios

Sample Location Name	River Mile	Sample Event	Sample Date	Sample ID	Exposure Scenario			
					Diver, Direct Contact[a]	Transients, Direct Contact[b]	Recreational Beach Users, Direct Contact[c]	Surface Water for Potential Future Domestic Use[d]
W025	2	Round 3 surface water	September 2006, Low Flow	LW3-W2025-WS-Int	Y	Y	--	Y
				LW3-W2025-WSXAD-Comb-Int	Y	Y	--	Y
		Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3025-WS-Int	Y	Y	--	Y
				LW3-W3025-WSXAD-Comb-Int	Y	Y	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4025-WS-Int	Y	Y	--	Y
				LW3-W4025-WSXAD-Comb-Int	Y	Y	--	Y
W027	2.9 MC	Round 3 surface water	September 2006, Low Flow	LW3-W2027-WS-Int	Y	Y	--	--
				LW3-W2027-WSXAD-Comb-Int	Y	Y	--	--
		Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3027-WS-Int	Y	Y	--	--
				LW3-W3027-WSXAD-Comb-Int	Y	Y	--	--
		Round 3 surface water	January or February 2007, High Flow	LW3-W4027-WS-Int	Y	Y	--	--
				LW3-W4027-WSXAD-Comb-Int	Y	Y	--	--
W024	16	Round 3 surface water	January 2006, High Flow	LW3-W1024	--	--	--	--
				LW3-W1024-WSXAD-Combo	--	--	--	--
Single-Point Stations								
W001	2 E	Round 2a surface water event 1	November 2004, Low Flow	LW2-W001	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2001	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3001	Y	--	--	--
W002	2.2 W	Round 2a surface water event 1	November 2004, Low Flow	LW2-W002	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2002-1	Y	--	--	--
				LW2-W2002-2	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3002-1	Y	--	--	--
				LW2-W3002-2	Y	--	--	--
W003	3 W	Round 2a surface water event 1	November 2004, Low Flow	LW2-W003	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2003	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3003	Y	--	--	--
W004	3.7 E	Round 2a surface water event 1	November 2004, Low Flow	LW2-W004	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2004-1	Y	--	--	--
				LW2-W2004-2	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3004	Y	--	--	--
W006	4 W	Round 2a surface water event 1	November 2004, Low Flow	LW2-W006	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2006	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3006	Y	--	--	--
W007	4.4 E	Round 2a surface water event 1	November 2004, Low Flow	LW2-W007	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2007	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3007	Y	--	--	--
W008	4.6 E	Round 2a surface water event 1	November 2004, Low Flow	LW2-W008	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2008	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3008	Y	--	--	--
W009	5.6 W	Round 2a surface water event 1	November 2004, Low Flow	LW2-W009	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2009	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3009	Y	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 3-5
Summary of Samples Used in the Calculation of Exposure Point Concentrations For Surface Water Scenarios

Sample Location Name	River Mile	Sample Event	Sample Date	Sample ID	Exposure Scenario			
					Diver, Direct Contact[a]	Transients, Direct Contact[b]	Recreational Beach Users, Direct Contact[c]	Surface Water for Potential Future Domestic Use[d]
W010 Cathedral Park	5.7 E	Round 2a surface water event 1	November 2004, Low Flow	LW2-W010	Y	--	--	Y
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2010	Y	--	--	Y
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3010	Y	--	Y	Y
W012	6.3 W	Round 2a surface water event 1	November 2004, Low Flow	LW2-W012	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2012	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3012	Y	--	--	--
W013	6.7 E	Round 2a surface water event 1	November 2004, Low Flow	LW2-W013-1	Y	--	--	--
				LW2-W013-1-WSXAD-Combo	Y	--	--	--
				LW2-W013-2	Y	--	--	--
				LW2-W013-2-WSXAD-Combo	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2013-1	Y	--	--	--
				LW2-W2013-1-WSXAD-Combo	Y	--	--	--
				LW2-W2013-2	Y	--	--	--
				LW2-W2013-2-WSXAD-Combo	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3013-1	Y	--	--	--
				LW2-W3013-1-WSXAD-Combo	Y	--	--	--
W014 Willamette Cove	6.7 E	Round 2a surface water event 1	November 2004, Low Flow	LW2-W014	Y	Y	--	Y
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2014	Y	Y	--	Y
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3014	Y	Y	Y	Y
W015	6.9 W	Round 2a surface water event 1	November 2004, Low Flow	LW2-W015	Y	--	--	--
				LW2-W015-WSXAD-Combo	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2015	Y	--	--	--
				LW2-W2015-WSXAD-Combo	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3015	Y	--	--	--
				LW2-W3015-WSXAD-Combo	Y	--	--	--
W016	7.2 W	Round 2a surface water event 1	November 2004, Low Flow	LW2-W016-1	Y	--	--	--
				LW2-W016-WSXAD-Combo	Y	--	--	--
				LW2-W016-2	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2016-1	Y	--	--	--
				LW2-W2016-WSXAD-Combo	Y	--	--	--
				LW2-W2016-2	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3016-1	Y	--	--	--
				LW2-W3016-WSXAD-Combo	Y	--	--	--
				LW2-W3016-2	Y	--	--	--
W017	7.5 W	Round 2a surface water event 1	November 2004, Low Flow	LW2-W017	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2017	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3017	Y	--	--	--
W018 SIL	8.3 SIL	Round 2a surface water event 1	November 2004, Low Flow	LW2-W018	Y	--	--	--
				LW2-W018-WSXAD-Combo	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2018	Y	--	--	--
				LW2-W2018-WSXAD-Combo	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3018	Y	--	--	--
				LW2-W3018-WSXAD-Combo	Y	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 3-5
Summary of Samples Used in the Calculation of Exposure Point Concentrations For Surface Water Scenarios

Sample Location Name	River Mile	Sample Event	Sample Date	Sample ID	Diver, Direct Contact[a]	Transients, Direct Contact[b]	Recreational Beach Users, Direct Contact[c]	Surface Water for Potential Future Domestic Use[d]
W019	8.6 W	Round 2a surface water event 1	November 2004, Low Flow	LW2-W019	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2019	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3019	Y	--	--	--
W020 SIL	9.1 SIL	Round 2a surface water event 1	November 2004, Low Flow	LW2-W020	Y	--	--	Y
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2020	Y	--	--	Y
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3020	Y	--	Y	Y
W021 SIL	8.7 SIL	Round 2a surface water event 1	November 2004, Low Flow	LW2-W021	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2021	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3021	Y	--	--	--
W022	9.7 W	Round 2a surface water event 1	November 2004, Low Flow	LW2-W022	Y	--	--	--
		Round 2a surface water event 2	March 2005, Low Flow	LW2-W2022	Y	--	--	--
		Round 2a surface water event 3	July 2005, Low Flow	LW2-W3022	Y	--	--	--
W026	2.1 E	Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3026-WS-Int	Y	--	--	Y
				LW3-W3026-WSXAD-Comb-Int	Y	--	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4026-WS-Int	Y	--	--	Y
				LW3-W4026-WSXAD-Comb-Int	Y	--	--	Y
W028	3.6 E	Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3028-WS-Int	Y	--	--	Y
				LW3-W3028-WSXAD-Comb-Int	Y	--	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4028-WS-Int	Y	--	--	Y
				LW3-W4028-WSXAD-Comb-Int	Y	--	--	Y
W029	4.4 W	Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3029-WS-Int	Y	--	--	Y
				LW3-W3029-WSXAD-Comb-Int	Y	--	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4029-WS-Int	Y	--	--	Y
				LW3-W4029-WSXAD-Comb-Int	Y	--	--	Y
W030	5.5 E	Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3030-WS-Int	Y	--	--	Y
				LW3-W3030-WSXAD-Comb-Int	Y	--	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4030-WS-Int	Y	--	--	Y
				LW3-W4030-WSXAD-Comb-Int	Y	--	--	Y
W031	6.1 W	Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3031-WS-Int	Y	--	--	Y
				LW3-W3031-WSXAD-Comb-Int	Y	--	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4031-WS-Int	Y	--	--	Y
				LW3-W4031-WSXAD-Comb-Int	Y	--	--	Y
W032	6.7 E	Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3032-WS-Int	Y	--	--	Y
				LW3-W3032-WSXAD-Comb-Int	Y	--	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4032-WS-Int	Y	--	--	Y
				LW3-W4032-WSXAD-Comb-Int	Y	--	--	Y
W033	7.0 W	Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3033-WS-Int	Y	--	--	Y
				LW3-W3033-2-WS-Int	Y	--	--	Y
				LW3-W3033-WSXAD-Comb-Int	Y	--	--	Y
				LW3-W3033-2-WSXAD-Comb-Int	Y	--	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4033-WS-Int	Y	--	--	Y
				LW3-W4033-2-WS-Int	Y	--	--	Y
				LW3-W4033-WSXAD-Comb-Int	Y	--	--	Y

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 3-5

Summary of Samples Used in the Calculation of Exposure Point Concentrations For Surface Water Scenarios

Sample Location Name	River Mile	Sample Event	Sample Date	Sample ID	Exposure Scenario			
					Diver, Direct Contact[a]	Transients, Direct Contact[b]	Recreational Beach Users, Direct Contact[c]	Surface Water for Potential Future Domestic Use[d]
W034	7.5 W	Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3034-WS-Int	Y	--	--	Y
				LW3-W3034-WSXAD-Comb-Int	Y	--	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4034-WS-Int	Y	--	--	Y
				LW3-W4034-WSXAD-Comb-Int	Y	--	--	Y
W035 SIL	8.5 SIL	Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3035-WS-Int	Y	--	--	Y
				LW3-W3035-WSXAD-Comb-Int	Y	--	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4035-WS-Int	Y	--	--	Y
				LW3-W4035-WSXAD-Comb-Int	Y	--	--	Y
W036	8.6 W	Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3036-WS-Int	Y	--	--	Y
				LW3-W3036-2-WS-Int	Y	--	--	Y
				LW3-W3036-WSXAD-Comb-Int	Y	--	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4036-WS-Int	Y	--	--	Y
				LW3-W4036-WSXAD-Comb-Int	Y	--	--	Y
W037	9.6 W	Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3037-WS-Int	Y	--	--	Y
				LW3-W3037-WSXAD-Comb-Int	Y	--	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4037-WS-Int	Y	--	--	Y
				LW3-W4037-WSXAD-Comb-Int	Y	--	--	Y
W038	9.9 E	Round 3 surface water	November 2006, Stormwater Influenced	LW3-W3038-WS-Int	Y	--	--	Y
				LW3-W3038-WSXAD-Comb-Int	Y	--	--	Y
		Round 3 surface water	January or February 2007, High Flow	LW3-W4038-WS-Int	Y	--	--	Y
				LW3-W4038-WSXAD-Comb-Int	Y	--	--	Y

Notes:

a The surface water exposure dataset for direct contact to divers includes samples from all transects and all single point stations within the study area. In addition, EPCs were calculated for Multnomah Channel.

b The surface water exposure dataset for direct contact to transients includes year-round samples from transects and single point stations within the study area where transients exposure may occur. In addition, EPCs were calculated for Multnomah Channel.

c The surface water exposure dataset for direct contact to recreational beach users includes samples from summer sampling events at single point stations within the study area where recreational beach exposure may occur. In addition, study area wide EPCs were calculated using summer samples from all transect stations within the study area.

d The surface water exposure dataset for the scenario describing the potential future domestic use of untreated surface water includes all vertically integrated and combined transect samples within the study area.

e "Int" indicates sample results with this sample ID were combined to represent an integrated concentration before EPC calculations. Either results from a near-bottom and near-surface sample pair were combined, or results from vertically integrated samples collected from the east, west, and middle sections of the river were combined, according to the rules discussed in Section 2 of the BHHRA.

f "Comb" or "Combo" is included in sample IDs for samples collected with an XAD-2 Infiltrex™ 300 system, indicating both column and filter results were combined before EPC calculations, according to the rules discussed in Section 2 of the BHHRA.

Abbreviations:

-- = Not applicable. Sample was not used for EPC calculations for the given exposure scenario.

BHHRA = Baseline human health risk assessment.

Comb or Combo = Combined column and filter results (for XAD samples only). See footnote f.

E = East.

EPC = Exposure point concentration.

Int = Integrated sample results (calculated). See footnote e.

MC = Multnomah Channel.

SIL = Swan Island Lagoon.

W = West.

Y = sample was used for EPC calculations for the given receptor.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-6.
Exposure Point Concentration Summary - Surface Water, Transients Use

Scenario Timeframe: Current/Future
Medium: Water
Exposure Medium: Surface Water, Transients Use

Exposure Point	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[a]	Non-Detects greater than Maximum Detected Concentration[b]	Arithmetic Mean[c]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[d] Mean	95% UCL/Max
Willamette Cove W014	**Metals**								Fewer than 5 detects[e]			
	Arsenic, total	ug/l	3	0	0	4.4E-01	5.2E-01				4.4E-01	5.2E-01
	Arsenic, dissolved	ug/l	3	0	0	3.9E-01	4.6E-01				3.9E-01	4.6E-01
	Chromium, hexavalent	--	NA	NA	NA	NA	NA				NA	NA
	Herbicides											
	MCPP	ug/l	3	3	0	ND	ND				ND	ND
Transect, RM 3.9 W005	**Metals**											
	Arsenic, total	ug/l	7	0	0	4.6E-01	5.5E-01	normal	95% Student's-t UCL	5.2E-01	4.6E-01	5.2E-01
	Arsenic, dissolved	ug/l	7	1	0	3.0E-01	4.8E-01	normal	95% KM (t) UCL	3.9E-01	3.0E-01	3.9E-01
	Chromium, hexavalent	--	NA	NA	NA	NA	NA				NA	NA
	Herbicides											
	MCPP	ug/l	6	5	2	4.7E+00	9.1E+00	--	Fewer than 5 detects	--	4.7E+00	9.1E+00
Transect, RM 6.3 W011	**Metals**											
	Arsenic, total	ug/l	6	1	0	3.9E-01	5.0E-01	normal	95% KM (t) UCL	4.7E-01	3.9E-01	4.7E-01
	Arsenic, dissolved	ug/l	6	2	0	3.0E-01	4.5E-01	--	Fewer than 5 detects	--	3.0E-01	4.5E-01
	Chromium, hexavalent	ug/l	2	1	1	6.0E-01	9.0E-01	--	Fewer than 5 detcts	--	6.0E-01	9.0E-01
	Herbicides											
	MCPP	ug/l	6	6	0	ND	ND	--	Fewer than 5 detects	--	ND	ND
Transect, RM 11 W023	**Metals**											
	Arsenic, total	ug/l	9	1	0	4.0E-01	5.4E-01	normal	95% KM (t) UCL	4.7E-01	4.0E-01	4.7E-01
	Arsenic, dissolved	ug/l	9	1	0	2.8E-01	4.3E-01	non-parametric	95% KM (Chebyshev) UCL	4.4E-01	2.8E-01	4.3E-01
	Chromium, hexavalent	--	NA	NA	NA	NA	NA				NA	NA
	Herbicides											
	MCPP	ug/l	7	6	2	4.2E+00	8.0E+00	--	Fewer than 5 detects	--	4.2E+00	8.0E+00
Transect, RM 2 W025	**Metals**									Fewer than 5 detects			
	Arsenic, total	ug/l	4	1	0	3.5E-01	6.0E-01				3.5E-01	6.0E-01
	Arsenic, dissolved	ug/l	4	1	0	3.0E-01	5.7E-01				3.0E-01	5.7E-01
	Chromium, hexavalent	--	NA	NA	NA	NA	NA				NA	NA
	Herbicides											
	MCPP	ug/l	4	4	0	ND	ND				ND	ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-6.
Exposure Point Concentration Summary - Surface Water, Transients Use

Scenario Timeframe: Current/Future
Medium: Water
Exposure Medium: Surface Water, Transients Use

Exposure Point	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[a]	Non-Detects greater than Maximum Detected Concentration[b]	Arithmetic Mean[c]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[d] Mean	95% UCL/Max
Transect, MC W027	**Metals**								Fewer than 5 detects			
	Arsenic, total	ug/l	3	0	0	4.4E-01	5.0E-01				4.4E-01	5.0E-01
	Arsenic, dissolved	ug/l	3	1	0	3.1E-01	4.8E-01				3.1E-01	4.8E-01
	Chromium, hexavalent	--	NA	NA	NA	NA	NA				NA	NA
	Herbicides											
	MCPP	ug/l	3	2	0	6.3E+00	1.3E+01				6.3E+00	1.3E+01
Study Area-Wide[f] Transects	**Metals**											
	Arsenic, total	ug/l	26	3	0	4.0E-01	6.0E-01	normal	95% KM (t) UCL	4.5E-01	4.0E-01	4.5E-01
	Arsenic, dissolved	ug/l	26	5	0	2.9E-01	5.7E-01	non-parametric	95% KM (Chebyshev) UCL	4.0E-01	2.9E-01	4.0E-01
	Chromium, hexavalent	ug/l	2	1	1	6.0E-01	9.0E-01	--	Fewer than 5 detcts	--	6.0E-01	9.0E-01
	Herbicides											
	MCPP	ug/l	23	21	8	4.0E+00	9.1E+00	--	Fewer than 5 detects	--	4.0E+00	9.1E+00

Notes:

a Total number of non-detects in the dataset.

b Number of non-detects with detection limit exceeding the maximum detected concentration for a given exposure area. These non-detects were removed from the dataset prior to calculation of EPCs.

c Non-detects less than the maximum detected concentration for a given exposure area are included in the arithmetic mean at half the detection limit.

d Mean exposure point concentrations were used for Central Tendency (CT) exposure and 95% UCL/Max exposure point concentrations were used for Reasonable Maximum Exposure (RME) in the BHHRA.

e 95% UCL not calculated for analytes with fewer than five detects.

f Study Area-wide data set for transient exposure includes year-round transect samples from the following stations: W005, W011, W023, and W025.

Abbreviations:

-- = Not applicable. A 95% UCL could not be computed for the given data set.

95% UCL = 95% Upper confidence limit.

MC = Multnomah Channel.

MCPP = 2-(2-Methyl-4-chlorophenoxy)propionic acid.

NA = Not available. Chemical not analyzed or had rejected result for given exposure area.

ND = Not detected. Chemical not detected in given exposure area.

ug/l = Micrograms per liter.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-7.
Exposure Point Concentration Summary - Surface Water, Recreational Use

Scenario Timeframe: Current/Future
Medium: Water
Exposure Medium: Surface Water, Recreational Use

Exposure Point	Chemical of Potential Concern	Units	Non-Detects	Total Samples[a]	Arithmetic Mean	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration[b] Mean	Exposure Point Concentration[b] 95% UCL/Max
Cathedral Park W010	**Metals**							Fewer than 5 detects[c]			
	Arsenic, total	ug/l	0	1	5.4E-01	5.4E-01				5.4E-01	5.4E-01
	Arsenic, dissolved	ug/l	0	1	4.6E-01	4.6E-01				4.6E-01	4.6E-01
	Chromium, hexavalent[d]	--	0	0	NA	NA				NA	NA
	Herbicides										
	MCPP	ug/l	1	1	ND	ND				ND	ND
Willamette Cove W014	**Metals**							Fewer than 5 detects			
	Arsenic, total	ug/l	0	1	5.2E-01	5.2E-01				5.2E-01	5.2E-01
	Arsenic, dissolved	ug/l	0	1	4.6E-01	4.6E-01				4.6E-01	4.6E-01
	Chromium, hexavalent	--	0	0	NA	NA				NA	NA
	Herbicides										
	MCPP	ug/l	1	1	ND	ND				ND	ND
Swan Island Lagoon W020	**Metals**							Fewer than 5 detects			
	Arsenic, total	ug/l	0	1	4.7E-01	4.7E-01				4.7E-01	4.7E-01
	Arsenic, dissolved	ug/l	0	1	4.4E-01	4.4E-01				4.4E-01	4.4E-01
	Chromium, hexavalent	--	0	0	NA	NA				NA	NA
	Herbicides										
	MCPP	ug/l	1	1	ND	ND				ND	ND
Study Area-Wide Transects[e]	**Metals**							Fewer than 5 detects			
	Arsenic, total	ug/l	0	3	5.1E-01	5.5E-01				5.1E-01	5.5E-01
	Arsenic, dissolved	ug/l	0	3	4.5E-01	4.8E-01				4.5E-01	4.8E-01
	Chromium, hexavalent	--	0	0	NA	NA				NA	NA
	Herbicides										
	MCPP	ug/l	3	3	ND	ND				ND	ND

Notes:

a Total number of samples includes number of samples in dataset, regardless of detection status. No non-detects exceeded the maximum detected concentration for industrial beach sediment.

b Mean exposure point concentrations were used for Central Tendency (CT) exposure and 95% UCL/Max exposure point concentrations were used for Reasonable Maximum Exposure (RME) in the BHHRA.

c 95% UCL not calculated for analytes with fewer than five detects.

d Hexavalent chromium was selected as a Chemical of Potential Concern for the combined dataset that included samples evaulated for direct contact by transients and recreational beach users. It was not analyzed in samples evaluated only for direct contact by recreational beach users.

e Study Area-wide data set for recreational beach use exposure includes July transect samples from the following stations: W005, W011, and W023.

Abbreviations:

95% UCL = 95% Upper confidence limit.

MCPP = 2-(2-Methyl-4-chlorophenoxy)propionic acid.

ug/l = Micrograms per liter.

NA = Not available. Chemical not analyzed or had rejected result for given exposure area.

ND = Not detected. Chemical not detected in given exposure area.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-8.
Exposure Point Concentration Summary - Surface Water, Diver Use

Scenario Timeframe: Current/Future
Medium: Water
Exposure Medium: Surface Water, Divers

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[e] Mean	95% UCL/Max
Single Point Samples												
RM 2.0 E	**Metals**											
	Arsenic, total	ug/l	5	0	0	4.6E-01	7.5E-01	normal	95% Student's-t UCL	6.2E-01	4.6E-01	6.2E-01
	Arsenic, dissolved	ug/l	5	1	0	3.5E-01	6.4E-01	--	Fewer than 5 detects[f]	--	3.5E-01	6.4E-01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Benzo(a)pyrene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Benzo(b)fluoranthene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Dibenzo(a,h)anthracene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Indeno(1,2,3-cd)pyrene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Naphthalene	ug/l	5	4	3	4.1E-03	6.5E-03	--	Fewer than 5 detects	--	4.1E-03	6.5E-03
	Pesticides											
	Aldrin	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Herbicides											
	MCPP	ug/l	5	4	4	5.2E+00	5.2E+00	--	Fewer than 5 detects	--	5.2E+00	5.2E+00
	Conventionals											
	Perchlorate	NA	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 2.0 W	**Metals**											
	Arsenic, total	ug/l	5	0	0	5.6E-01	7.1E-01	normal	95% Student's-t UCL	6.9E-01	5.6E-01	6.9E-01
	Arsenic, dissolved	ug/l	5	0	0	5.0E-01	6.2E-01	normal	95% Student's-t UCL	6.3E-01	5.0E-01	6.2E-01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Benzo(a)pyrene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Benzo(b)fluoranthene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Dibenzo(a,h)anthracene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Indeno(1,2,3-cd)pyrene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Naphthalene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Pesticides											
	Aldrin	ug/l	3	3	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Herbicides											
	MCPP	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Conventionals											
	Perchlorate	NA	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 3.0 W	**Metals**											
	Arsenic, total	ug/l	3	0	0	4.3E-01	4.9E-01	--	Fewer than 5 detects	--	4.3E-01	4.9E-01
	Arsenic, dissolved	ug/l	3	0	0	3.5E-01	4.1E-01				3.5E-01	4.1E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-8.
Exposure Point Concentration Summary - Surface Water, Diver Use

Scenario Timeframe: Current/Future
Medium: Water
Exposure Medium: Surface Water, Divers

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[e] Mean	95% UCL/Max
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/l	3	2	2	3.0E-03	3.0E-03				3.0E-03	3.0E-03
	Benzo(a)pyrene	ug/l	3	2	2	2.7E-03	2.7E-03				2.7E-03	2.7E-03
	Benzo(b)fluoranthene	ug/l	3	2	2	2.8E-03	2.8E-03				2.8E-03	2.8E-03
	Dibenzo(a,h)anthracene	ug/l	3	3	ND	ND	ND				ND	ND
	Indeno(1,2,3-cd)pyrene	ug/l	3	3	ND	ND	ND				ND	ND
	Naphthalene	ug/l	3	3	ND	ND	ND				ND	ND
	Pesticides											
	Aldrin	ug/l	3	3	ND	ND	ND				ND	ND
	Herbicides											
	MCPP	ug/l	3	3	ND	ND	ND				ND	ND
	Conventionals											
	Perchlorate	NA	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 3.5 E	**Metals**											
	Arsenic, total	ug/l	5	0	0	4.3E-01	4.9E-01	normal	95% Student's-t UCL	5.0E-01	4.3E-01	4.9E-01
	Arsenic, dissolved	ug/l	5	1	0	3.1E-01	4.1E-01	--	Fewer than 5 detects	--	3.1E-01	4.1E-01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/l	5	4	0	4.6E-03	1.2E-02	--	Fewer than 5 detects	--	4.6E-03	1.2E-02
	Benzo(a)pyrene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Benzo(b)fluoranthene	ug/l	5	4	2	4.6E-03	9.0E-03	--	Fewer than 5 detects	--	4.6E-03	9.0E-03
	Dibenzo(a,h)anthracene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Indeno(1,2,3-cd)pyrene	ug/l	5	4	3	3.3E-03	5.5E-03	--	Fewer than 5 detects	--	3.3E-03	5.5E-03
	Naphthalene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Pesticides											
	Aldrin	ug/l	6	6	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Herbicides											
	MCPP	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Conventionals											
	Perchlorate	NA	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 4.0 E	**Metals**											
	Arsenic, total	ug/l	3	0	0	4.4E-01	4.8E-01	--	Fewer than 5 detects	--	4.4E-01	4.8E-01
	Arsenic, dissolved	ug/l	3	0	0	3.7E-01	4.2E-01				3.7E-01	4.2E-01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/l	3	2	0	3.6E-03	6.5E-03				3.6E-03	6.5E-03
	Benzo(a)pyrene	ug/l	3	2	0	2.4E-03	4.0E-03				2.4E-03	4.0E-03
	Benzo(b)fluoranthene	ug/l	3	2	0	2.6E-03	4.0E-03				2.6E-03	4.0E-03
	Dibenzo(a,h)anthracene	ug/l	3	3	ND	ND	ND				ND	ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-8.

Exposure Point Concentration Summary - Surface Water, Diver Use

Scenario Timeframe: Current/Future
Medium: Water
Exposure Medium: Surface Water, Divers

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[e] Mean	95% UCL/Max
	Indeno(1,2,3-cd)pyrene	ug/l	3	3	ND	ND	ND				ND	ND
	Naphthalene	ug/l	3	3	ND	ND	ND				ND	ND
	Pesticides											
	Aldrin	ug/l	3	3	ND	ND	ND				ND	ND
	Herbicides											
	MCPP	ug/l	3	3	ND	ND	ND				ND	ND
	Conventionals											
	Perchlorate	NA	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 4.0 W	**Metals**											
	Arsenic, total	ug/l	5	1	0	3.7E-01	4.9E-01	--	Fewer than 5 detects	--	3.7E-01	4.9E-01
	Arsenic, dissolved	ug/l	5	1	0	3.0E-01	4.2E-01				3.0E-01	4.2E-01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/l	5	4	2	3.4E-03	5.9E-03				3.4E-03	5.9E-03
	Benzo(a)pyrene	ug/l	5	5	ND	ND	ND				ND	ND
	Benzo(b)fluoranthene	ug/l	5	5	ND	ND	ND				ND	ND
	Dibenzo(a,h)anthracene	ug/l	5	5	ND	ND	ND				ND	ND
	Indeno(1,2,3-cd)pyrene	ug/l	5	5	ND	ND	ND				ND	ND
	Naphthalene	ug/l	5	5	ND	ND	ND				ND	ND
	Pesticides											
	Aldrin	ug/l	5	5	ND	ND	ND				ND	ND
	Herbicides											
	MCPP	ug/l	5	5	ND	ND	ND				ND	ND
	Conventionals											
	Perchlorate	NA	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 4.5 E	**Metals**											
	Arsenic, total	ug/l	3	0	0	4.3E-01	4.8E-01	--	Fewer than 5 detects	--	4.3E-01	4.8E-01
	Arsenic, dissolved	ug/l	3	0	0	3.8E-01	4.3E-01				3.8E-01	4.3E-01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/l	3	1	0	4.8E-03	7.8E-03				4.8E-03	7.8E-03
	Benzo(a)pyrene	ug/l	3	1	0	4.1E-03	7.5E-03				4.1E-03	7.5E-03
	Benzo(b)fluoranthene	ug/l	3	1	0	4.7E-03	8.0E-03				4.7E-03	8.0E-03
	Dibenzo(a,h)anthracene	ug/l	3	2	0	2.6E-03	4.4E-03				2.6E-03	4.4E-03
	Indeno(1,2,3-cd)pyrene	ug/l	3	2	0	3.3E-03	5.7E-03				3.3E-03	5.7E-03
	Naphthalene	ug/l	3	3	ND	ND	ND				ND	ND
	Pesticides											
	Aldrin	ug/l	3	3	ND	ND	ND				ND	ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-8.
Exposure Point Concentration Summary - Surface Water, Diver Use

Scenario Timeframe: Current/Future
Medium: Water
Exposure Medium: Surface Water, Divers

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration[e] Mean	Exposure Point Concentration[e] 95% UCL/Max
	Herbicides											
	MCPP	ug/l	3	3	ND	ND	ND				ND	ND
	Conventionals											
	Perchlorate	NA	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 5.5 E	**Metals**											
	Arsenic, total	ug/l	5	0	0	4.2E-01	5.4E-01	normal	95% Student's-t UCL	5.0E-01	4.2E-01	5.0E-01
	Arsenic, dissolved	ug/l	5	1	0	3.1E-01	4.6E-01	--	Fewer than 5 detects	--	3.1E-01	4.6E-01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Benzo(a)pyrene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Benzo(b)fluoranthene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Dibenzo(a,h)anthracene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Indeno(1,2,3-cd)pyrene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Naphthalene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Pesticides											
	Aldrin	ug/l	5	4	0	9.8E-04	4.1E-03	--	Fewer than 5 detects	--	9.8E-04	4.1E-03
	Herbicides											
	MCPP	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Conventionals											
	Perchlorate	NA	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 5.5 W	**Metals**											
	Arsenic, total	ug/l	3	0	0	4.3E-01	5.0E-01	--	Fewer than 5 detects	--	4.3E-01	5.0E-01
	Arsenic, dissolved	ug/l	3	0	0	3.7E-01	4.2E-01				3.7E-01	4.2E-01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/l	3	2	0	2.8E-03	4.3E-03				2.8E-03	4.3E-03
	Benzo(a)pyrene	ug/l	3	3	ND	ND	ND				ND	ND
	Benzo(b)fluoranthene	ug/l	3	3	ND	ND	ND				ND	ND
	Dibenzo(a,h)anthracene	ug/l	3	3	ND	ND	ND				ND	ND
	Indeno(1,2,3-cd)pyrene	ug/l	3	3	ND	ND	ND				ND	ND
	Naphthalene	ug/l	3	3	ND	ND	ND				ND	ND
	Pesticides											
	Aldrin	ug/l	3	3	ND	ND	ND				ND	ND
	Herbicides											
	MCPP	ug/l	3	3	ND	ND	ND				ND	ND
	Conventionals											
	Perchlorate	NA	NA	NA	NA	NA	NA	--	--	--	NA	NA

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-8.
Exposure Point Concentration Summary - Surface Water, Diver Use

Scenario Timeframe: Current/Future
Medium: Water
Exposure Medium: Surface Water, Divers

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[e] Mean	95% UCL/Max
RM 6.0 W	**Metals**											
	Arsenic, total	ug/l	5	0	0	4.4E-01	5.6E-01	normal	95% Student's-t UCL	5.2E-01	4.4E-01	5.2E-01
	Arsenic, dissolved	ug/l	5	1	0	3.2E-01	4.7E-01	--	Fewer than 5 detects	--	3.2E-01	4.7E-01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/l	5	2	0	5.5E-02	1.4E-01	--	Fewer than 5 detects	--	5.5E-02	1.4E-01
	Benzo(a)pyrene	ug/l	5	2	0	5.5E-02	1.5E-01	--	Fewer than 5 detects	--	5.5E-02	1.5E-01
	Benzo(b)fluoranthene	ug/l	5	2	0	4.1E-02	1.1E-01	--	Fewer than 5 detects	--	4.1E-02	1.1E-01
	Dibenzo(a,h)anthracene	ug/l	5	3	0	6.3E-03	1.4E-02	--	Fewer than 5 detects	--	6.3E-03	1.4E-02
	Indeno(1,2,3-cd)pyrene	ug/l	5	1	0	4.1E-02	1.1E-01	--	Fewer than 5 detects	--	4.1E-02	1.1E-01
	Naphthalene	ug/l	5	1	0	1.9E-01	7.7E-01	--	Fewer than 5 detects	--	1.9E-01	7.7E-01
	Pesticides											
	Aldrin	ug/l	5	3	3	1.6E-06	2.1E-06	--	Fewer than 5 detects	--	1.6E-06	2.1E-06
	Herbicides											
	MCPP	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Conventionals											
	Perchlorate	NA	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 6.5 E	**Metals**											
	Arsenic, total	ug/l	10	0	0	3.9E-01	5.2E-01	normal	95% KM (t) UCL	4.2E-01	3.9E-01	4.2E-01
	Arsenic, dissolved	ug/l	10	0	0	3.3E-01	4.6E-01	normal	95% KM (t) UCL	3.7E-01	3.3E-01	3.7E-01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/l	17	10	7	8.0E-04	2.8E-03	gamma	95% KM (t) UCL	1.2E-03	8.0E-04	1.2E-03
	Benzo(a)pyrene	ug/l	17	9	7	6.3E-04	2.4E-03	gamma	95% KM (t) UCL	9.4E-04	6.3E-04	9.4E-04
	Benzo(b)fluoranthene	ug/l	17	10	10	5.1E-04	1.1E-03	normal	95% KM (t) UCL	7.2E-04	5.1E-04	7.2E-04
	Dibenzo(a,h)anthracene	ug/l	17	15	10	1.6E-04	8.8E-04	--	Fewer than 5 detects	--	1.6E-04	8.8E-04
	Indeno(1,2,3-cd)pyrene	ug/l	17	11	11	3.5E-04	6.3E-04	normal	95% KM (t) UCL	4.5E-04	3.5E-04	4.5E-04
	Naphthalene	ug/l	17	13	3	6.5E-03	1.7E-02	--	Fewer than 5 detects	--	6.5E-03	1.7E-02
	Pesticides											
	Aldrin	ug/l	12	5	5	1.6E-06	2.4E-06	normal	95% KM (t) UCL	2.1E-06	1.6E-06	2.1E-06
	Herbicides											
	MCPP	ug/l	10	10	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Conventionals											
	Perchlorate	NA	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 6.5 W	**Metals**											
	Arsenic, total	ug/l	3	0	0	4.5E-01	5.2E-01	--	Fewer than 5 detects	--	4.5E-01	5.2E-01
	Arsenic, dissolved	ug/l	3	0	0	3.9E-01	4.5E-01				3.9E-01	4.5E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-8.
Exposure Point Concentration Summary - Surface Water, Diver Use

Scenario Timeframe: Current/Future
Medium: Water
Exposure Medium: Surface Water, Divers

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration[e] Mean	Exposure Point Concentration[e] 95% UCL/Max
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/l	6	3	0	2.9E-03	6.1E-03				2.9E-03	6.1E-03
	Benzo(a)pyrene	ug/l	6	3	0	2.7E-03	6.6E-03				2.7E-03	6.6E-03
	Benzo(b)fluoranthene	ug/l	6	3	0	3.0E-03	6.8E-03				3.0E-03	6.8E-03
	Dibenzo(a,h)anthracene	ug/l	6	4	3	5.0E-04	8.7E-04				5.0E-04	8.7E-04
	Indeno(1,2,3-cd)pyrene	ug/l	6	2	0	3.2E-03	6.1E-03				3.2E-03	6.1E-03
	Naphthalene	ug/l	6	3	0	1.2E-02	2.9E-02				1.2E-02	2.9E-02
	Pesticides											
	Aldrin	ug/l	3	0	0	6.9E-06	1.6E-05				6.9E-06	1.6E-05
	Herbicides											
	MCPP	ug/l	3	3	ND	ND	ND				ND	ND
	Conventionals											
	Perchlorate	NA	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 7.0 W	**Metals**											
	Arsenic, total	ug/l	8	2	0	3.5E-01	5.0E-01	normal	95% KM (t) UCL	4.5E-01	3.5E-01	4.5E-01
	Arsenic, dissolved	ug/l	8	2	0	3.0E-01	4.5E-01	normal	95% KM (t) UCL	4.0E-01	3.0E-01	4.0E-01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/l	13	6	2	2.2E-03	7.0E-03	normal	95% KM (t) UCL	3.4E-03	2.2E-03	3.4E-03
	Benzo(a)pyrene	ug/l	13	6	2	2.0E-03	6.6E-03	gamma	95% KM (BCA) UCL	2.9E-03	2.0E-03	2.9E-03
	Benzo(b)fluoranthene	ug/l	12	6	2	1.9E-03	4.9E-03	gamma	95% KM (BCA) UCL	2.4E-03	1.9E-03	2.4E-03
	Dibenzo(a,h)anthracene	ug/l	12	8	6	2.7E-04	5.4E-04	--	Fewer than 5 detects	--	2.7E-04	5.4E-04
	Indeno(1,2,3-cd)pyrene	ug/l	12	6	6	1.1E-03	2.8E-03	gamma	95% KM (Chebyshev) UCL	3.0E-03	1.1E-03	2.8E-03
	Naphthalene	ug/l	13	12	12	7.4E-04	7.4E-04	--	Fewer than 5 detects	--	7.4E-04	7.4E-04
	Pesticides											
	Aldrin	ug/l	6	0	0	2.3E-06	4.0E-06	normal	95% KM (t) UCL	3.3E-06	2.3E-06	3.3E-06
	Herbicides											
	MCPP	ug/l	7	6	5	4.6E+00	6.2E+00	--	Fewer than 5 detects	--	4.6E+00	6.2E+00
	Conventionals											
	Perchlorate	ug/l	9	3	0	2.7E+00	1.6E+01	gamma	95% KM (BCA) UCL	7.0E+00	2.7E+00	7.0E+00
RM 7.5 W	**Metals**											
	Arsenic, total	ug/l	5	0	0	4.8E-01	5.6E-01	normal	95% Student's-t UCL	5.4E-01	4.8E-01	5.4E-01
	Arsenic, dissolved	ug/l	5	0	0	3.6E-01	4.7E-01	normal	95% Student's-t UCL	4.3E-01	3.6E-01	4.3E-01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Benzo(a)pyrene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Benzo(b)fluoranthene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-8.

Exposure Point Concentration Summary - Surface Water, Diver Use

Scenario Timeframe: Current/Future
Medium: Water
Exposure Medium: Surface Water, Divers

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[e] Mean	95% UCL/Max
	Dibenzo(a,h)anthracene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Indeno(1,2,3-cd)pyrene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Naphthalene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Pesticides											
	Aldrin	ug/l	5	4	4	8.7E-07	8.7E-07	--	Fewer than 5 detects	--	8.7E-07	8.7E-07
	Herbicides											
	MCPP	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Conventionals											
	Perchlorate	NA	NA	NA	NA	NA	NA	--	--	--	NA	NA
SIL	**Metals**											
	Arsenic, total	ug/l	11	0	0	4.1E-01	4.8E-01	normal	95% KM (t) UCL	4.4E-01	4.1E-01	4.4E-01
	Arsenic, dissolved	ug/l	11	1	0	3.3E-01	4.4E-01	normal	95% KM (t) UCL	3.8E-01	3.3E-01	3.8E-01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/l	16	10	0	2.6E-03	1.1E-02	gamma	95% KM (t) UCL	2.9E-03	2.6E-03	2.9E-03
	Benzo(a)pyrene	ug/l	16	12	3	1.5E-03	4.8E-03	--	Fewer than 5 detects	--	1.5E-03	4.8E-03
	Benzo(b)fluoranthene	ug/l	16	11	10	1.5E-03	3.8E-03	normal	95% KM (t) UCL	2.6E-03	1.5E-03	2.6E-03
	Dibenzo(a,h)anthracene	ug/l	16	13	11	3.1E-04	7.8E-04	--	Fewer than 5 detects	--	3.1E-04	7.8E-04
	Indeno(1,2,3-cd)pyrene	ug/l	16	11	10	1.1E-03	2.9E-03	normal	95% KM (t) UCL	1.9E-03	1.1E-03	1.9E-03
	Naphthalene	ug/l	16	15	7	3.5E-03	6.9E-03	--	Fewer than 5 detects	--	3.5E-03	6.9E-03
	Pesticides											
	Aldrin	ug/l	12	7	7	2.2E-06	4.9E-06	normal	95% KM (t) UCL	4.0E-06	2.2E-06	4.0E-06
	Herbicides											
	MCPP	ug/l	11	10	4	7.2E+00	1.9E+01	--	Fewer than 5 detects	--	7.2E+00	1.9E+01
	Conventionals											
	Perchlorate	NA	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 8.5 W	**Metals**											
	Arsenic, total	ug/l	5	0	0	4.3E-01	5.4E-01	normal	95% Student's-t UCL	5.0E-01	4.3E-01	5.0E-01
	Arsenic, dissolved	ug/l	5	1	0	3.1E-01	4.6E-01	--	Fewer than 5 detects	--	3.1E-01	4.6E-01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Benzo(a)pyrene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Benzo(b)fluoranthene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Dibenzo(a,h)anthracene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Indeno(1,2,3-cd)pyrene	ug/l	5	4	1	2.9E-03	5.1E-03	--	Fewer than 5 detects	--	2.9E-03	5.1E-03
	Naphthalene	ug/l	5	4	0	2.1E-02	8.3E-02	--	Fewer than 5 detects	--	2.1E-02	8.3E-02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-8.
 Exposure Point Concentration Summary - Surface Water, Diver Use

Scenario Timeframe: Current/Future
Medium: Water
Exposure Medium: Surface Water, Divers

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[e] Mean	95% UCL/Max
	Pesticides											
	Aldrin	ug/l	6	6	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Herbicides											
	MCPP	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Conventionals											
	Perchlorate	NA	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 9.5 E	**Metals**											
	Arsenic, total	ug/l	2	0	0	4.1E-01	5.2E-01	--	Fewer than 5 detects	--	4.1E-01	5.2E-01
	Arsenic, dissolved	ug/l	2	0	0	2.8E-01	3.6E-01				2.8E-01	3.6E-01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/l	2	2	ND	ND	ND				ND	ND
	Benzo(a)pyrene	ug/l	2	2	ND	ND	ND				ND	ND
	Benzo(b)fluoranthene	ug/l	2	2	ND	ND	ND				ND	ND
	Dibenzo(a,h)anthracene	ug/l	2	2	ND	ND	ND				ND	ND
	Indeno(1,2,3-cd)pyrene	ug/l	2	2	ND	ND	ND				ND	ND
	Naphthalene	ug/l	2	1	0	1.3E-02	2.0E-02				1.3E-02	2.0E-02
	Pesticides											
	Aldrin	ug/l	2	2	ND	ND	ND				ND	ND
	Herbicides											
	MCPP	ug/l	2	2	ND	ND	ND				ND	ND
	Conventionals											
	Perchlorate	NA	NA	NA	NA	NA	NA	--	--	--	NA	NA
RM 9.5 W	**Metals**											
	Arsenic, total	ug/l	5	0	0	4.9E-01	6.7E-01	normal	95% Student's-t UCL	6.1E-01	4.9E-01	6.1E-01
	Arsenic, dissolved	ug/l	5	0	0	3.7E-01	4.9E-01	normal	95% Student's-t UCL	4.8E-01	3.7E-01	4.8E-01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Benzo(a)pyrene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Benzo(b)fluoranthene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Dibenzo(a,h)anthracene	ug/l	5	4	0	3.5E-03	7.2E-03	--	Fewer than 5 detects	--	3.5E-03	7.2E-03
	Indeno(1,2,3-cd)pyrene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Naphthalene	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Pesticides											
	Aldrin	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Herbicides											
	MCPP	ug/l	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-8.

Exposure Point Concentration Summary - Surface Water, Diver Use

Scenario Timeframe: Current/Future
Medium: Water
Exposure Medium: Surface Water, Divers

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[e] Mean	95% UCL/Max
	Conventionals											
	Perchlorate	NA	NA	NA	NA	NA	NA	--	--	--	NA	NA
Transect Samples												
Transect W025, RM 2	**Metals**											
	Arsenic, total	ug/l	4	1	0	3.5E-01	6.0E-01	--	Fewer than 5 detects	--	3.5E-01	6.0E-01
	Arsenic, dissolved	ug/l	4	1	0	3.0E-01	5.7E-01				3.0E-01	5.7E-01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/l	8	4	4	3.7E-04	6.2E-04				3.7E-04	6.2E-04
	Benzo(a)pyrene	ug/l	8	4	4	2.5E-04	5.1E-04				2.5E-04	5.1E-04
	Benzo(b)fluoranthene	ug/l	8	4	4	3.1E-04	6.2E-04				3.1E-04	6.2E-04
	Dibenzo(a,h)anthracene	ug/l	8	7	7	1.5E-04	1.5E-04				1.5E-04	1.5E-04
	Indeno(1,2,3-cd)pyrene	ug/l	8	6	5	1.4E-04	1.9E-04				1.4E-04	1.9E-04
	Naphthalene	ug/l	8	8	ND	ND	ND				ND	ND
	Pesticides											
	Aldrin	ug/l	4	0	0	2.6E-06	4.0E-06				2.6E-06	4.0E-06
	Herbicides											
	MCPP	ug/l	4	4	ND	ND	ND				ND	ND
	Conventionals											
	Perchlorate	NA	NA	NA	NA	NA	NA	--	--	--	NA	NA
Transect W027, MC	**Metals**											
	Arsenic, total	ug/l	3	0	0	4.4E-01	5.0E-01	--	Fewer than 5 detects	--	4.4E-01	5.0E-01
	Arsenic, dissolved	ug/l	3	1	0	3.1E-01	4.8E-01				3.1E-01	4.8E-01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/l	6	2	2	2.2E-03	5.9E-03				2.2E-03	5.9E-03
	Benzo(a)pyrene	ug/l	6	3	3	1.1E-03	1.7E-03				1.1E-03	1.7E-03
	Benzo(b)fluoranthene	ug/l	6	2	2	2.8E-03	8.3E-03				2.8E-03	8.3E-03
	Dibenzo(a,h)anthracene	ug/l	6	4	2	1.7E-03	5.6E-03				1.7E-03	5.6E-03
	Indeno(1,2,3-cd)pyrene	ug/l	6	4	4	8.1E-04	1.2E-03				8.1E-04	1.2E-03
	Naphthalene	ug/l	6	5	5	8.6E-03	8.6E-03				8.6E-03	8.6E-03
	Pesticides											
	Aldrin	ug/l	3	0	0	4.3E-06	4.5E-06				4.3E-06	4.5E-06
	Herbicides											
	MCPP	ug/l	3	2	0	6.3E+00	1.3E+01				6.3E+00	1.3E+01
	Conventionals											
	Perchlorate	NA	NA	NA	NA	NA	NA	--	--	--	NA	NA

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-8.
Exposure Point Concentration Summary - Surface Water, Diver Use

Scenario Timeframe: Current/Future
Medium: Water
Exposure Medium: Surface Water, Divers

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Mean	95% UCL/Max
Transect W005, RM 3.9	**Metals**											
	Arsenic, total	ug/l	7	0	0	4.6E-01	5.5E-01	normal	95% KM (t) UCL	5.2E-01	4.6E-01	5.2E-01
	Arsenic, dissolved	ug/l	7	1	0	3.0E-01	4.8E-01	normal	95% KM (t) UCL	3.9E-01	3.0E-01	3.9E-01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/l	14	6	6	1.1E-03	2.4E-03	normal	95% KM (t) UCL	1.6E-03	1.1E-03	1.6E-03
	Benzo(a)pyrene	ug/l	14	7	6	9.8E-04	2.1E-03	normal	95% KM (t) UCL	1.4E-03	9.8E-04	1.4E-03
	Benzo(b)fluoranthene	ug/l	14	6	6	1.1E-03	2.1E-03	normal	95% KM (t) UCL	1.5E-03	1.1E-03	1.5E-03
	Dibenzo(a,h)anthracene	ug/l	14	9	8	1.3E-04	3.3E-04	normal	95% KM (t) UCL	2.2E-04	1.3E-04	2.2E-04
	Indeno(1,2,3-cd)pyrene	ug/l	14	8	7	6.7E-04	1.5E-03	normal	95% KM (t) UCL	9.8E-04	6.7E-04	9.8E-04
	Naphthalene	ug/l	14	12	3	7.7E-03	2.4E-02	--	Fewer than 5 detects	--	7.7E-03	2.4E-02
	Pesticides											
	Aldrin	ug/l	7	0	0	2.7E-06	4.7E-06	normal	95% KM (t) UCL	3.8E-06	2.7E-06	3.8E-06
	Herbicides											
	MCPP	ug/l	6	5	2	4.7E+00	9.1E+00	--	Fewer than 5 detects	--	4.7E+00	9.1E+00
	Conventionals											
	Perchlorate	NA	NA	NA	NA	NA	NA	--	--	--	NA	NA
Transect W011, RM 6.3	**Metals**											
	Arsenic, total	ug/l	6	1	0	3.9E-01	5.0E-01	normal	95% KM (t) UCL	4.7E-01	3.9E-01	4.7E-01
	Arsenic, dissolved	ug/l	6	2	0	3.0E-01	4.5E-01	--	Fewer than 5 detects	--	3.0E-01	4.5E-01
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/l	12	5	0	2.5E-03	1.0E-02	gamma	95% KM (BCA) UCL	3.1E-03	2.5E-03	3.1E-03
	Benzo(a)pyrene	ug/l	12	6	6	8.5E-04	1.8E-03	normal	95% KM (t) UCL	1.4E-03	8.5E-04	1.4E-03
	Benzo(b)fluoranthene	ug/l	12	6	6	8.0E-04	1.5E-03	normal	95% KM (t) UCL	1.2E-03	8.0E-04	1.2E-03
	Dibenzo(a,h)anthracene	ug/l	12	10	8	1.0E-04	2.1E-04	--	Fewer than 5 detects	--	1.0E-04	2.1E-04
	Indeno(1,2,3-cd)pyrene	ug/l	12	7	7	6.5E-04	1.3E-03	normal	95% KM (t) UCL	1.1E-03	6.5E-04	1.1E-03
	Naphthalene	ug/l	12	10	5	6.0E-03	1.5E-02	--	Fewer than 5 detects	--	6.0E-03	1.5E-02
	Pesticides											
	Aldrin	ug/l	6	1	0	2.3E-06	4.4E-06	normal	95% KM (t) UCL	3.4E-06	2.3E-06	3.4E-06
	Herbicides											
	MCPP	ug/l	6	6	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
	Conventionals											
	Perchlorate	ug/l	3	3	ND	ND	ND	--	Fewer than 5 detects	--	ND	ND
Transect W023, RM 11	**Metals**											
	Arsenic, total	ug/l	9	1	0	4.0E-01	5.4E-01	normal	95% KM (t) UCL	4.7E-01	4.0E-01	4.7E-01
	Arsenic, dissolved	ug/l	9	1	0	2.8E-01	4.3E-01	non-parametric	95% KM (Chebyshev) UCL	4.4E-01	2.8E-01	4.3E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-8.

Exposure Point Concentration Summary - Surface Water, Diver Use

Scenario Timeframe: Current/Future
Medium: Water
Exposure Medium: Surface Water, Divers

Exposure Point[a]	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration[e] Mean	Exposure Point Concentration[e] 95% UCL/Max
	Polynuclear Aromatic Hydrocarbons											
	Benzo(a)anthracene	ug/l	17	8	0	2.0E-03	1.0E-02	non-parametric	97.5% KM (Chebyshev) UCL	4.5E-03	2.0E-03	4.5E-03
	Benzo(a)pyrene	ug/l	17	9	9	2.8E-04	6.3E-04	normal	95% KM (t) UCL	4.1E-04	2.8E-04	4.1E-04
	Benzo(b)fluoranthene	ug/l	17	9	9	3.6E-04	8.2E-04	normal	95% KM (t) UCL	5.2E-04	3.6E-04	5.2E-04
	Dibenzo(a,h)anthracene	ug/l	17	15	10	1.3E-04	4.5E-04	--	Fewer than 5 detects	--	1.3E-04	4.5E-04
	Indeno(1,2,3-cd)pyrene	ug/l	17	10	0	1.8E-03	8.6E-03	non-parametric	95% KM (BCA) UCL	1.7E-03	1.8E-03	1.7E-03
	Naphthalene	ug/l	17	15	2	9.0E-03	3.5E-02	--	Fewer than 5 detects	--	9.0E-03	3.5E-02
	Pesticides											
	Aldrin	ug/l	8	1	0	2.0E-06	3.9E-06	normal	95% KM (t) UCL	2.8E-06	2.0E-06	2.8E-06
	Herbicides											
	MCPP	ug/l	7	6	2	4.2E+00	8.0E+00	--	Fewer than 5 detects	--	4.2E+00	8.0E+00
	Conventionals											
	Perchlorate	NA	NA	NA	NA	NA	NA	--	--	--	NA	NA

Notes:

a Exposure areas for divers are ½ - mile reaches per side of river throughout the study area, where single point samples from RM 2.0 - 2.4 are in exposure area 2.0, samples from RM 2.5 - 2.9 are in exposure area 2.5, etc. Each transect sample represents its own exposure area, and is listed individually. River mile segments not listed indicate there are no human health surface water samples from that river reach. Swan Island Lagoon and Multnomah Channel are their own exposure areas.

b Total number of non-detects in the dataset.

c Number of non-detects with detection limit exceeding the maximum detected concentration for a given exposure area. These non-detects were removed from the dataset prior to calculation of EPCs.

d Non-detects less than the maximum detected concentration for a given exposure area are included in the arithmetic mean at half the detection limit.

e Mean exposure point concentrations were used for Central Tendency (CT) exposure and 95% UCL/Max exposure point concentrations were used for Reasonable Maximum Exposure (RME) in the BHHRA.

f 95% UCL not calculated for analytes with fewer than five detects.

Abbreviations:

-- = Not applicable. A 95% UCL could not be computed for the given data set.

95% UCL = 95% Upper confidence limit on the mean.

MCPP = 2-(2-Methyl-4-chlorophenoxy)propionic acid.

NA = Not available. Chemical not analyzed or had rejected result for given exposure area.

ND = Not detected. Chemical not detected in given exposure area.

RM = River mile.

SIL = Swan Island Lagoon.

ug/l = Micrograms per liter.

MC = Multnomah Channel.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-9.
Exposure Point Concentration Summary - Surface Water, Residential Use as a Domestic Water Source

Scenario Timeframe: Potential Future
Medium: Water
Exposure Medium: Surface Water, Domestic Water Source

Exposure Point	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[a]	Non-Detects greater than Maximum Detected Concentration[b]	Arithmetic Mean[c]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	EPC[d] Mean	EPC[d] 95% UCL/Max
Transects												
Transect, RM 2 W025	**Metals**	ug/l										
	Arsenic, total	ug/l	4	1	0	3.5E-01	6.0E-01		Fewer than 5 detects[e]		3.5E-01	6.0E-01
	Arsenic, dissolved	ug/l	4	1	0	3.0E-01	5.7E-01		Fewer than 5 detects		3.0E-01	5.7E-01
	Chromium hexavalent	ug/l	NA	NA	NA	NA	NA				NA	NA
	Polynuclear Aromatic Hydrocarbons	ug/l										
	Benzo(a)anthracene	ug/l	8	4	3	2.1E-03	6.2E-04		Fewer than 5 detects		2.1E-03	6.2E-04
	Benzo(a)pyrene	ug/l	8	4	3	2.3E-03	5.1E-04		Fewer than 5 detects		2.3E-03	5.1E-04
	Benzo(b)fluoranthene	ug/l	8	4	3	2.5E-03	6.2E-04		Fewer than 5 detects		2.5E-03	6.2E-04
	Dibenzo(a,h)anthracene	ug/l	8	7	5	2.0E-03	1.5E-04		Fewer than 5 detects		2.0E-03	1.5E-04
	Indeno(1,2,3-cd)pyrene	ug/l	8	6	4	1.8E-03	1.9E-04		Fewer than 5 detects		1.8E-03	1.9E-04
	Pesticides	ug/l										
	Aldrin	ug/l	4	0	0	2.6E-06	4.0E-06		Fewer than 5 detects		2.6E-06	4.0E-06
	Herbicides	ug/l										
	MCPP	ug/l	4	4	0	ND	ND		Fewer than 5 detects		ND	ND
Transect, RM 3.9 W005	**Metals**	ug/l										
	Arsenic, total	ug/l	7	0	0	4.6E-01	5.5E-01	normal	95% Student's t-UCL	5.2E-01	4.6E-01	5.2E-01
	Arsenic, dissolved	ug/l	7	1	0	3.0E-01	4.8E-01	normal	95% KM (t) UCL	3.9E-01	3.0E-01	3.9E-01
	Chromium hexavalent	ug/l	NA	NA	NA	NA	NA		Fewer than 5 detects		NA	NA
	Polynuclear Aromatic Hydrocarbons	ug/l										
	Benzo(a)anthracene	ug/l	14	6	6	1.9E-03	2.4E-03	normal	95% Student's-t UCL	0.00161	1.9E-03	1.6E-03
	Benzo(a)pyrene	ug/l	14	7	6	1.7E-03	2.1E-03	normal	95% KM (t) UCL	0.00138	1.7E-03	1.4E-03
	Benzo(b)fluoranthene	ug/l	14	6	6	1.9E-03	2.1E-03	normal	95% Student's-t UCL	0.00146	1.9E-03	1.5E-03
	Dibenzo(a,h)anthracene	ug/l	14	9	8	1.2E-03	3.3E-04	normal	95% KM (t) UCL	0.0002182	1.2E-03	2.2E-04
	Indeno(1,2,3-cd)pyrene	ug/l	14	8	7	1.5E-03	1.5E-03	normal	95% KM (t) UCL	0.0009765	1.5E-03	9.8E-04
	Pesticides	ug/l										
	Aldrin	ug/l	7	0	0	2.7E-06	4.7E-06	normal	95% Student's t-UCL	3.8E-06	2.7E-06	3.8E-06
	Herbicides	ug/l										
	MCPP	ug/l	6	5	2	5.9E+00	9.1E+00		Fewer than 5 detects		5.9E+00	9.1E+00
Cathedral Park, RM 5.7 W010	**Metals**											
	Arsenic, total	ug/l	3	0	0	4.5E-01	5.4E-01		Fewer than 5 detects		4.5E-01	5.4E-01
	Arsenic, dissolved	ug/l	3	0	0	3.8E-01	4.6E-01		Fewer than 5 detects		3.8E-01	4.6E-01
	Chromium hexavalent	ug/l	NA	NA	NA	NA	NA				NA	NA
	Polynuclear Aromatic Hydrocarbons	ug/l										
	Benzo(a)anthracene	ug/l	3	3	0	ND	ND		Fewer than 5 detects		ND	ND
	Benzo(a)pyrene	ug/l	3	3	0	ND	ND		Fewer than 5 detects		ND	ND
	Benzo(b)fluoranthene	ug/l	3	3	0	ND	ND		Fewer than 5 detects		ND	ND
	Dibenzo(a,h)anthracene	ug/l	3	3	0	ND	ND		Fewer than 5 detects		ND	ND
	Indeno(1,2,3-cd)pyrene	ug/l	3	3	0	ND	ND		Fewer than 5 detects		ND	ND
	Pesticides	ug/l										
	Aldrin	ug/l	3	3	0	ND	ND		Fewer than 5 detects		ND	ND
	Herbicides	ug/l										
	MCPP	ug/l	3	3	0	ND	ND		Fewer than 5 detects		ND	ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-9.
Exposure Point Concentration Summary - Surface Water, Residential Use as a Domestic Water Source

Scenario Timeframe: Potential Future
Medium: Water
Exposure Medium: Surface Water, Domestic Water Source

Exposure Point	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[a]	Non-Detects greater than Maximum Detected Concentration[b]	Arithmetic Mean[c]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[d]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
Transect, RM 6.3 W011	**Metals**											
	Arsenic, total	ug/l	6	1	0	3.9E-01	5.0E-01	normal	95% KM (t) UCL	4.7E-01	3.9E-01	4.7E-01
	Arsenic, dissolved	ug/l	6	2	0	3.0E-01	4.5E-01		Fewer than 5 detects		3.0E-01	4.5E-01
	Chromium hexavalent	ug/l	1	1	0	ND	ND		Fewer than 5 detects		ND	ND
	Polynuclear Aromatic Hydrocarbons	ug/l										
	Benzo(a)anthracene	ug/l	12	5	0	2.5E-03	1.0E-02	gamma	95% KM (BCA) UCL	3.0E-03	2.5E-03	3.0E-03
	Benzo(a)pyrene	ug/l	12	6	6	2.0E-03	1.8E-03	normal	95% Student's-t UCL	0.00136	2.0E-03	1.4E-03
	Benzo(b)fluoranthene	ug/l	12	6	6	2.2E-03	1.5E-03	normal	95% Student's-t UCL	0.00115	2.2E-03	1.2E-03
	Dibenzo(a,h)anthracene	ug/l	12	10	8	1.6E-03	2.1E-04		Fewer than 5 detects		1.6E-03	2.1E-04
	Indeno(1,2,3-cd)pyrene	ug/l	12	7	7	1.9E-03	1.3E-03	normal	95% Student's-t UCL	0.00107	1.9E-03	1.1E-03
	Pesticides	ug/l										
	Aldrin	ug/l	6	1	0	2.3E-06	4.4E-06	normal	95% KM (t) UCL	3.4E-06	2.3E-06	3.4E-06
	Herbicides	ug/l										
	MCPP	ug/l	6	6	0	ND	ND		Fewer than 5 detects		ND	ND
Willamette Cove, RM 6.9 W014	**Metals**											
	Arsenic, total	ug/l	3	0	0	4.4E-01	5.2E-01		Fewer than 5 detects		4.4E-01	5.2E-01
	Arsenic, dissolved	ug/l	3	0	0	3.9E-01	4.6E-01		Fewer than 5 detects		3.9E-01	4.6E-01
	Chromium hexavalent	ug/l	NA	NA	NA	NA	NA				NA	NA
	Polynuclear Aromatic Hydrocarbons	ug/l										
	Benzo(a)anthracene	ug/l	3	3	0	ND	ND		Fewer than 5 detects		ND	ND
	Benzo(a)pyrene	ug/l	3	3	0	ND	ND		Fewer than 5 detects		ND	ND
	Benzo(b)fluoranthene	ug/l	3	3	0	ND	ND		Fewer than 5 detects		ND	ND
	Dibenzo(a,h)anthracene	ug/l	3	3	0	ND	ND		Fewer than 5 detects		ND	ND
	Indeno(1,2,3-cd)pyrene	ug/l	3	3	0	ND	ND		Fewer than 5 detects		ND	ND
	Pesticides	ug/l										
	Aldrin	ug/l	3	3	0	ND	ND		Fewer than 5 detects		ND	ND
	Herbicides	ug/l										
	MCPP	ug/l	3	3	0	ND	ND		Fewer than 5 detects		ND	ND
Swan Island Lagoon, RM 9.1 W020	**Metals**											
	Arsenic, total	ug/l	3	0	0	4.2E-01	4.7E-01		Fewer than 5 detects		4.2E-01	4.7E-01
	Arsenic, dissolved	ug/l	3	0	0	3.7E-01	4.4E-01		Fewer than 5 detects		3.7E-01	4.4E-01
	Chromium hexavalent	ug/l	NA	NA	NA	NA	NA				NA	NA
	Polynuclear Aromatic Hydrocarbons	ug/l										
	Benzo(a)anthracene	ug/l	3	3	0	ND	ND		Fewer than 5 detects		ND	ND
	Benzo(a)pyrene	ug/l	3	3	0	ND	ND		Fewer than 5 detects		ND	ND
	Benzo(b)fluoranthene	ug/l	3	3	0	ND	ND		Fewer than 5 detects		ND	ND
	Dibenzo(a,h)anthracene	ug/l	3	3	0	ND	ND		Fewer than 5 detects		ND	ND
	Indeno(1,2,3-cd)pyrene	ug/l	3	3	0	ND	ND		Fewer than 5 detects		ND	ND
	Pesticides	ug/l										
	Aldrin	ug/l	3	3	0	ND	ND		Fewer than 5 detects		ND	ND
	Herbicides	ug/l										
	MCPP	ug/l	3	3	0	ND	ND		Fewer than 5 detects		ND	ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-9.
Exposure Point Concentration Summary - Surface Water, Residential Use as a Domestic Water Source

Scenario Timeframe: Potential Future
Medium: Water
Exposure Medium: Surface Water, Domestic Water Source

Exposure Point	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[a]	Non-Detects greater than Maximum Detected Concentration[b]	Arithmetic Mean[c]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[d]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
Transect, RM 11	**Metals**											
W023	Arsenic, total	ug/l	9	1	0	4.0E-01	5.4E-01	normal	95% KM (t) UCL	4.8E-01	4.0E-01	3.7E-01
	Arsenic, dissolved	ug/l	9	1	0	2.8E-01	4.3E-01	normal	95% KM (t) UCL	3.7E-01	2.8E-01	4.3E-01
	Chromium hexavalent	ug/l	NA	NA	NA	NA	NA				NA	NA
	Polynuclear Aromatic Hydrocarbons	ug/l										
	Benzo(a)anthracene	ug/l	17	8	0	2.0E-03	1.0E-02	lognormal	99% KM (Chebyshev) UCL	7.6E-03	2.0E-03	3.0E-03
	Benzo(a)pyrene	ug/l	17	9	8	1.6E-03	6.3E-04	normal	95% Student's-t UCL	0.0004346	1.6E-03	6.3E-04
	Benzo(b)fluoranthene	ug/l	17	9	8	1.8E-03	8.2E-04	normal	95% Student's-t UCL	0.0005526	1.8E-03	5.5E-04
	Dibenzo(a,h)anthracene	ug/l	17	15	8	1.4E-03	4.5E-04		Fewer than 5 detects		1.4E-03	4.5E-04
	Indeno(1,2,3-cd)pyrene	ug/l	17	10	0	1.8E-03	8.6E-03	normal	95% KM (t) UCL	2.5E-04	1.8E-03	2.5E-04
	Pesticides	ug/l										
	Aldrin	ug/l	8	1	0	2.0E-06	3.9E-06	normal	95% KM (t) UCL	2.9E-06	2.0E-06	2.9E-06
	Herbicides	ug/l										
	MCPP	ug/l	7	6	2	5.6E+00	8.0E+00		Fewer than 5 detects		5.6E+00	8.0E+00
Single-Point Stations												
RM 2.1	**Metals**											
W026	Arsenic, total	ug/l	2	0	0	3.9E-01	4.7E-01		Fewer than 5 detects		3.9E-01	4.7E-01
	Arsenic, dissolved	ug/l	2	1	1	2.3E-01	2.5E-01		Fewer than 5 detects		2.3E-01	2.5E-01
	Chromium hexavalent	ug/l	NA	NA	NA	NA	NA				NA	NA
	Polynuclear Aromatic Hydrocarbons	ug/l										
	Benzo(a)anthracene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Benzo(a)pyrene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Benzo(b)fluoranthene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Dibenzo(a,h)anthracene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Indeno(1,2,3-cd)pyrene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Pesticides	ug/l										
	Aldrin	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Herbicides	ug/l										
	MCPP	ug/l	2	1	1	4.2E+00	5.2E+00		Fewer than 5 detects		4.2E+00	5.2E+00
RM 2.9 (Multnomah Channel)	**Metals**											
W027	Arsenic, total	ug/l	3	0	0	4.4E-01	5.0E-01		Fewer than 5 detects		4.4E-01	5.0E-01
	Arsenic, dissolved	ug/l	3	1	0	3.1E-01	4.8E-01		Fewer than 5 detects		3.1E-01	4.8E-01
	Chromium hexavalent	ug/l	NA	NA	NA	NA	NA				NA	NA
	Polynuclear Aromatic Hydrocarbons	ug/l										
	Benzo(a)anthracene	ug/l	6	2	2	2.8E-03	5.9E-03		Fewer than 5 detects		2.8E-03	5.9E-03
	Benzo(a)pyrene	ug/l	6	3	3	2.5E-03	1.7E-03		Fewer than 5 detects		2.5E-03	1.7E-03
	Benzo(b)fluoranthene	ug/l	6	2	2	3.4E-03	8.3E-03		Fewer than 5 detects		3.4E-03	8.3E-03
	Dibenzo(a,h)anthracene	ug/l	6	4	2	2.4E-03	5.6E-03		Fewer than 5 detects		2.4E-03	5.6E-03
	Indeno(1,2,3-cd)pyrene	ug/l	6	4	4	2.1E-03	1.2E-03		Fewer than 5 detects		2.1E-03	1.2E-03
	Pesticides	ug/l										
	Aldrin	ug/l	3	0	0	4.3E-06	4.5E-06		Fewer than 5 detects		4.3E-06	4.5E-06
	Herbicides	ug/l										
	MCPP	ug/l	3	2	0	6.3E+00	1.3E+01		Fewer than 5 detects		6.3E+00	1.3E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-9.
Exposure Point Concentration Summary - Surface Water, Residential Use as a Domestic Water Source

Scenario Timeframe: Potential Future
Medium: Water
Exposure Medium: Surface Water, Domestic Water Source

Exposure Point	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[a]	Non-Detects greater than Maximum Detected Concentration[b]	Arithmetic Mean[c]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[d] Mean	95% UCL/Max
RM 3.6	**Metals**											
W028	Arsenic, total	ug/l	2	0	0	3.9E-01	4.6E-01		Fewer than 5 detects		3.9E-01	4.6E-01
	Arsenic, dissolved	ug/l	2	1	1	2.0E-01	2.1E-01		Fewer than 5 detects		2.0E-01	2.1E-01
	Chromium hexavalent	ug/l	NA	NA	NA	NA	NA				NA	NA
	Polynuclear Aromatic Hydrocarbons	ug/l										
	Benzo(a)anthracene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Benzo(a)pyrene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Benzo(b)fluoranthene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Dibenzo(a,h)anthracene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Indeno(1,2,3-cd)pyrene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Pesticides	ug/l										
	Aldrin	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Herbicides	ug/l										
	MCPP	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
RM 4.4	**Metals**											
W029	Arsenic, total	ug/l	2	1	1	2.8E-01	3.2E-01		Fewer than 5 detects		2.8E-01	3.2E-01
	Arsenic, dissolved	ug/l	2	1	1	2.1E-01	2.1E-01		Fewer than 5 detects		2.1E-01	2.1E-01
	Chromium hexavalent	ug/l	NA	NA	NA	NA	NA				NA	NA
	Polynuclear Aromatic Hydrocarbons	ug/l										
	Benzo(a)anthracene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Benzo(a)pyrene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Benzo(b)fluoranthene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Dibenzo(a,h)anthracene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Indeno(1,2,3-cd)pyrene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Pesticides	ug/l										
	Aldrin	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Herbicides	ug/l										
	MCPP	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
RM 5.5	**Metals**											
W030	Arsenic, total	ug/l	2	0	0	3.8E-01	4.4E-01		Fewer than 5 detects		3.8E-01	4.4E-01
	Arsenic, dissolved	ug/l	2	1	1	2.0E-01	2.0E-01		Fewer than 5 detects		2.0E-01	2.0E-01
	Chromium hexavalent	ug/l	NA	NA	NA	NA	NA				NA	NA
	Polynuclear Aromatic Hydrocarbons	ug/l										
	Benzo(a)anthracene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Benzo(a)pyrene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Benzo(b)fluoranthene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Dibenzo(a,h)anthracene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Indeno(1,2,3-cd)pyrene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Pesticides	ug/l										
	Aldrin	ug/l	2	1	0	2.1E-03	4.1E-03		Fewer than 5 detects		2.1E-03	4.1E-03
	Herbicides	ug/l										
	MCPP	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-9.
Exposure Point Concentration Summary - Surface Water, Residential Use as a Domestic Water Source

Scenario Timeframe: Potential Future
Medium: Water
Exposure Medium: Surface Water, Domestic Water Source

Exposure Point	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[a]	Non-Detects greater than Maximum Detected Concentration[b]	Arithmetic Mean[c]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[d]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
RM 6.1	**Metals**											
W031	Arsenic, total	ug/l	2	0	0	4.3E-01	4.5E-01		Fewer than 5 detects		4.3E-01	4.5E-01
	Arsenic, dissolved	ug/l	2	1	1	2.3E-01	2.6E-01		Fewer than 5 detects		2.3E-01	2.6E-01
	Chromium hexavalent	ug/l	NA	NA	NA	NA	NA				NA	NA
	Polynuclear Aromatic Hydrocarbons	ug/l										
	Benzo(a)anthracene	ug/l	2	1	0	7.0E-02	1.4E-01		Fewer than 5 detects		7.0E-02	1.4E-01
	Benzo(a)pyrene	ug/l	2	1	0	5.1E-02	9.7E-02		Fewer than 5 detects		5.1E-02	9.7E-02
	Benzo(b)fluoranthene	ug/l	2	1	0	3.6E-02	6.7E-02		Fewer than 5 detects		3.6E-02	6.7E-02
	Dibenzo(a,h)anthracene	ug/l	2	1	0	8.7E-03	1.4E-02		Fewer than 5 detects		8.7E-03	1.4E-02
	Indeno(1,2,3-cd)pyrene	ug/l	2	1	0	3.2E-02	6.2E-02		Fewer than 5 detects		3.2E-02	6.2E-02
	Pesticides	ug/l										
	Aldrin	ug/l	2	0	1	1.6E-06	2.1E-06		Fewer than 5 detects		1.6E-06	2.1E-06
	Herbicides	ug/l										
	MCPP	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
RM 6.7	**Metals**											
W032	Arsenic, total	ug/l	2	0	0	3.3E-01	3.4E-01		Fewer than 5 detects		3.3E-01	3.4E-01
	Arsenic, dissolved	ug/l	2	0	0	3.1E-01	3.9E-01		Fewer than 5 detects		3.1E-01	3.9E-01
	Chromium hexavalent	ug/l	NA	NA	NA	NA	NA				NA	NA
	Polynuclear Aromatic Hydrocarbons	ug/l										
	Benzo(a)anthracene	ug/l	4	3	3	1.8E-03	3.2E-04		Fewer than 5 detects		1.8E-03	3.2E-04
	Benzo(a)pyrene	ug/l	4	2	2	2.0E-03	3.3E-04		Fewer than 5 detects		2.0E-03	3.3E-04
	Benzo(b)fluoranthene	ug/l	4	2	2	2.2E-03	4.9E-04		Fewer than 5 detects		2.2E-03	4.9E-04
	Dibenzo(a,h)anthracene	ug/l	4	2	2	1.8E-03	8.8E-04		Fewer than 5 detects		1.8E-03	8.8E-04
	Indeno(1,2,3-cd)pyrene	ug/l	4	3	3	1.6E-03	2.6E-04		Fewer than 5 detects		1.6E-03	2.6E-04
	Pesticides	ug/l										
	Aldrin	ug/l	2	0	0	2.3E-06	2.4E-06		Fewer than 5 detects		2.3E-06	2.4E-06
	Herbicides	ug/l										
	MCPP	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
RM 7.0	**Metals**											
W033	Arsenic, total	ug/l	4	2	2	2.8E-01	3.4E-01		Fewer than 5 detects		2.8E-01	3.4E-01
	Arsenic, dissolved	ug/l	4	2	2	2.3E-01	2.6E-01		Fewer than 5 detects		2.3E-01	2.6E-01
	Chromium hexavalent	ug/l	4	2	0	5.0E-01	8.5E-01		Fewer than 5 detects		5.0E-01	8.5E-01
	Polynuclear Aromatic Hydrocarbons	ug/l										
	Benzo(a)anthracene	ug/l	7	3	3	3.1E-03	7.0E-03		Fewer than 5 detects		3.1E-03	7.0E-03
	Benzo(a)pyrene	ug/l	7	3	3	3.4E-03	6.6E-03		Fewer than 5 detects		3.4E-03	6.6E-03
	Benzo(b)fluoranthene	ug/l	7	4	4	3.1E-03	2.0E-03		Fewer than 5 detects		3.1E-03	2.0E-03
	Dibenzo(a,h)anthracene	ug/l	7	5	4	2.2E-03	4.6E-04		Fewer than 5 detects		2.2E-03	4.6E-04
	Indeno(1,2,3-cd)pyrene	ug/l	7	4	4	2.2E-03	1.5E-03		Fewer than 5 detects		2.2E-03	1.5E-03
	Pesticides	ug/l										
	Aldrin	ug/l	3	0	0	3.5E-06	4.0E-06		Fewer than 5 detects		3.5E-06	4.0E-06
	Herbicides	ug/l										
	MCPP	ug/l	4	3	3	4.2E+00	6.2E+00		Fewer than 5 detects		4.2E+00	6.2E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-9.
Exposure Point Concentration Summary - Surface Water, Residential Use as a Domestic Water Source

Scenario Timeframe: Potential Future
Medium: Water
Exposure Medium: Surface Water, Domestic Water Source

Exposure Point	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[a]	Non-Detects greater than Maximum Detected Concentration[b]	Arithmetic Mean[c]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[d]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
RM 7.5	**Metals**											
W034	Arsenic, total	ug/l	2	0	0	4.7E-01	4.9E-01		Fewer than 5 detects		4.7E-01	4.9E-01
	Arsenic, dissolved	ug/l	2	0	0	3.1E-01	3.1E-01		Fewer than 5 detects		3.1E-01	3.1E-01
	Chromium hexavalent	ug/l	NA	NA	NA	NA	NA				NA	NA
	Polynuclear Aromatic Hydrocarbons	ug/l										
	Benzo(a)anthracene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Benzo(a)pyrene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Benzo(b)fluoranthene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Dibenzo(a,h)anthracene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Indeno(1,2,3-cd)pyrene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Pesticides	ug/l										
	Aldrin	ug/l	2	1	1	1.3E-06	8.7E-07		Fewer than 5 detects		1.3E-06	8.7E-07
	Herbicides	ug/l										
	MCPP	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
RM 8.5	**Metals**											
W035	Arsenic, total	ug/l	2	0	0	4.1E-01	4.6E-01		Fewer than 5 detects		4.1E-01	4.6E-01
	Arsenic, dissolved	ug/l	2	1	1	2.5E-01	2.9E-01		Fewer than 5 detects		2.5E-01	2.9E-01
	Chromium hexavalent	ug/l	NA	NA	NA	NA	NA				NA	NA
	Polynuclear Aromatic Hydrocarbons	ug/l										
	Benzo(a)anthracene	ug/l	4	1	0	5.0E-03	1.1E-02		Fewer than 5 detects		5.0E-03	1.1E-02
	Benzo(a)pyrene	ug/l	4	3	2	3.4E-03	4.8E-03		Fewer than 5 detects		3.4E-03	4.8E-03
	Benzo(b)fluoranthene	ug/l	4	2	2	3.5E-03	3.8E-03		Fewer than 5 detects		3.5E-03	3.8E-03
	Dibenzo(a,h)anthracene	ug/l	4	3	2	2.1E-03	7.8E-04		Fewer than 5 detects		2.1E-03	7.8E-04
	Indeno(1,2,3-cd)pyrene	ug/l	4	2	2	2.5E-03	2.9E-03		Fewer than 5 detects		2.5E-03	2.9E-03
	Pesticides	ug/l										
	Aldrin	ug/l	2	0	0	4.1E-06	4.9E-06		Fewer than 5 detects		4.1E-06	4.9E-06
	Herbicides	ug/l										
	MCPP	ug/l	2	1	0	1.1E+01	1.9E+01		Fewer than 5 detects		1.1E+01	1.9E+01
RM 8.6	**Metals**											
W036	Arsenic, total	ug/l	2	0	0	4.1E-01	4.5E-01		Fewer than 5 detects		4.1E-01	4.5E-01
	Arsenic, dissolved	ug/l	2	1	1	2.0E-01	2.0E-01		Fewer than 5 detects		2.0E-01	2.0E-01
	Chromium hexavalent	ug/l	NA	NA	NA	NA	NA				NA	NA
	Polynuclear Aromatic Hydrocarbons	ug/l										
	Benzo(a)anthracene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Benzo(a)pyrene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Benzo(b)fluoranthene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Dibenzo(a,h)anthracene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Indeno(1,2,3-cd)pyrene	ug/l	2	1	1	4.2E-03	5.1E-03		Fewer than 5 detects		4.2E-03	5.1E-03
	Pesticides	ug/l										
	Aldrin	ug/l	3	3	0	ND	ND		Fewer than 5 detects		ND	ND
	Herbicides	ug/l										
	MCPP	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-9.
Exposure Point Concentration Summary - Surface Water, Residential Use as a Domestic Water Source

Scenario Timeframe: Potential Future
Medium: Water
Exposure Medium: Surface Water, Domestic Water Source

Exposure Point	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[a]	Non-Detects greater than Maximum Detected Concentration[b]	Arithmetic Mean[c]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[d]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
RM 9.6	**Metals**											
W037	Arsenic, total	ug/l	2	0	0	4.1E-01	4.8E-01		Fewer than 5 detects		4.1E-01	4.8E-01
	Arsenic, dissolved	ug/l	2	0	0	2.6E-01	3.1E-01		Fewer than 5 detects		2.6E-01	3.1E-01
	Chromium hexavalent	ug/l	NA	NA	NA	NA	NA				NA	NA
	Polynuclear Aromatic Hydrocarbons	ug/l										
	Benzo(a)anthracene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Benzo(a)pyrene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Benzo(b)fluoranthene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Dibenzo(a,h)anthracene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Indeno(1,2,3-cd)pyrene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Pesticides	ug/l										
	Aldrin	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Herbicides	ug/l										
	MCPP	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
RM 9.9	**Metals**											
W038	Arsenic, total	ug/l	2	0	0	4.1E-01	5.2E-01		Fewer than 5 detects		4.1E-01	5.2E-01
	Arsenic, dissolved	ug/l	2	0	0	2.8E-01	3.6E-01		Fewer than 5 detects		2.8E-01	3.6E-01
	Chromium hexavalent	ug/l	NA	NA	NA	NA	NA				NA	NA
	Polynuclear Aromatic Hydrocarbons	ug/l										
	Benzo(a)anthracene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Benzo(a)pyrene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Benzo(b)fluoranthene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Dibenzo(a,h)anthracene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Indeno(1,2,3-cd)pyrene	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Pesticides	ug/l										
	Aldrin	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
	Herbicides	ug/l										
	MCPP	ug/l	2	2	0	ND	ND		Fewer than 5 detects		ND	ND
Study Area-wide	**Metals**											
	Arsenic, total	ug/l	64	6	0	4.0E-01	6.0E-01	normal	95% KM (t) UCL	4.3E-01	4.0E-01	4.3E-01
	Arsenic, dissolved	ug/l	64	15	NA	2.8E-01	5.7E-01	nonparametric	95% KM (BCA) UCL	3.2E-01	2.8E-01	3.2E-01
	Chromium hexavalent	ug/l	7	3	1	9.0E-01	9.0E-01	5.3E-01	Fewer than 5 detects		9.0E-01	9.0E-01
	Polynuclear Aromatic Hydrocarbons	ug/l										
	Benzo(a)anthracene	ug/l	99	58	0	4.0E-03	1.4E-01	nonparametric	95% KM (Chebyshev) UCL	9.1E-03	4.0E-03	9.1E-03
	Benzo(a)pyrene	ug/l	99	63	0	3.4E-03	9.7E-02	lognormal	95% KM (Chebyshev) UCL	6.5E-03	3.4E-03	6.5E-03
	Benzo(b)fluoranthene	ug/l	99	61	0	3.4E-03	6.7E-02	nonparametric	95% KM (BCA) UCL	3.0E-03	3.4E-03	3.0E-03
	Dibenzo(a,h)anthracene	ug/l	99	81	0	2.1E-03	1.4E-02	lognormal	95% KM (BCA) UCL	6.7E-04	2.1E-03	6.7E-04
	Indeno(1,2,3-cd)pyrene	ug/l	99	69	0	2.8E-03	6.2E-02	nonparametric	95% KM (BCA) UCL	2.6E-03	2.8E-03	2.6E-03
	Pesticides	ug/l										
	Aldrin	ug/l	64	27	0	1.6E-04	4.1E-03	nonparametric	95% KM (Chebyshev) UCL	3.6E-04	1.6E-04	3.6E-04

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-9.

Exposure Point Concentration Summary - Surface Water, Residential Use as a Domestic Water Source

Scenario Timeframe: Potential Future
Medium: Water
Exposure Medium: Surface Water, Domestic Water Source

Exposure Point	Chemical of Potential Concern	Units	Total Samples	Total Non-Detects[a]	Non-Detects greater than Maximum Detected Concentration[b]	Arithmetic Mean[c]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[d]	
								Distribution	95% UCL Method	Value	Mean	95% UCL/Max
	Herbicides	ug/l										
	MCPP	ug/l	61	55	6	7.7E+00	1.9E+01	normal	95% KM (t) UCL	6.4E+00	7.7E+00	6.4E+00

Notes:

a Total number of non-detects in the dataset.

b Number of non-detects with detection limit exceeding the maximum detected concentration for the given exposure area. These non-detects were removed from the dataset prior to calculation of EPCs.

c Non-detects less than the maximum detected concentration for a given exposure area are included in the arithmetic mean at half the detection limit.

d Mean exposure point concentrations were used for Central Tendency (CT) exposure and 95% UCL/Max exposure point concentrations were used for Reasonable Maximum Exposure (RME) in the BHHRA.

e 95% UCL not calculated for analytes with fewer than five detects.

f Study Area-wide data set includes samples from all individual exposure points within the Study Area.

Abbreviations:

-- = Not Applicable. A 95% UCL could not be computed for the given data set.

95% UCL = 95% Upper confidence limit on the mean.

MCPP = 2-(2-Methyl-4-chlorophenoxy)propionic acid.

ND = Not detected. Chemical not detected in given exposure area.

ug/l = Micrograms per liter.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-10
Exposure Point Concentration Summary - Groundwater Seep

Scenario Timeframe: Current/Future
Medium: Groundwater
Exposure Medium: Groundwater Seep

Exposure Point	Chemical of Potential Concern[a]	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[d] Mean	95% UCL/Max
Outfall 22B	**Metals**											
	Arsenic, total	ug/l	2	0	0	6.9E+00	8.1E+00		Fewer than 5 detects[e]		6.9E+00	8.1E+00
	Arsenic, dissolved	ug/l	1	0	0	5.5E+00	5.5E+00				5.5E+00	5.5E+00
	Boron	ug/l	1	0	0	1.4E+03	1.4E+03				1.4E+03	1.4E+03
	Iron	ug/l	1	0	0	1.6E+04	1.6E+04				1.6E+04	1.6E+04
	Manganese	ug/l	1	0	0	2.4E+03	2.4E+03				2.4E+03	2.4E+03
	Molybdenum	ug/l	1	0	0	6.9E+02	2.4E+03				6.9E+02	2.4E+03
	Vanadium, total	ug/l	2	0	0	7.5E+00	8.9E+00				7.5E+00	8.9E+00
	Vanadium, dissolved	ug/l	1	0	0	2.3E+00	2.3E+00				2.3E+00	2.3E+00
	SVOCs											
	1,4-Dichlorobenzene	ug/l	2	0	0	1.1E+00	1.2E+00				1.1E+00	1.2E+00
	Phenols											
	2,4-Dichlorophenol	ug/l	2	0	0	1.3E+01	1.6E+01				1.3E+01	1.6E+01
	4-Nitrophenol	ug/l	2	1	1	5.7E-01	5.7E-01				5.7E-01	5.7E-01
	Pesticides											
	Aldrin	ug/l	2	1	1	4.1E-03	4.1E-03				4.1E-03	4.1E-03
	VOCs											
	Chlorobenzene	ug/l	2	0	0	8.8E+00	9.2E+00				8.8E+00	9.2E+00
	Tetrachloroethene	ug/l	2	1	0	4.5E-01	6.4E-01				4.5E-01	6.4E-01
	Trichloroethene	ug/l	2	1	1	3.4E-01	3.4E-01				3.4E-01	3.4E-01

Notes:

a When available, both total and dissolved fractions of each metal are provided. The total fraction is quoted if no further definition is provided.

b Total number of non-detects in the dataset.

c Number of non-detects with detection limit exceeding the maximum detected concentration for the given exposure area. These non-detects were removed from the dataset prior to calculation of EPCs.

d Mean exposure point concentrations were used for Central Tendency (CT) exposure and 95% UCL/Max exposure point concentrations were used for Reasonable Maximum Exposure (RME) in the BHHRA.

e 95% UCLs not calculated for analytes with fewer than 5 detects.

Abbreviations:

95% UCL = 95% Upper confidence limit on the mean.

SVOCs = Semi-volatile organic compounds.

ug/l = Micrograms per liter.

VOCs = Volatile organic compounds.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-11
Exposure Point Concentration Summary - Resident Fish Species, By River Mile

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[f]
RM 2	F	**Metals**										
		Aluminum	mg/kg	1	0	0	1.6E+00	1.6E+00		Fewer than 5 detects[g]		1.6E+00
		Antimony	mg/kg	1	1	ND	ND	ND				ND
		Arsenic, inorganic	mg/kg	1	0	0	3.4E-02	3.4E-02				3.4E-02
		Cadmium	mg/kg	1	1	ND	ND	ND				ND
		Chromium	mg/kg	1	0	0	2.0E-01	2.0E-01				2.0E-01
		Copper	mg/kg	1	0	0	3.8E-01	3.8E-01				3.8E-01
		Lead	mg/kg	1	0	0	1.1E-02	1.1E-02				1.1E-02
		Manganese	mg/kg	1	0	0	5.0E-01	5.0E-01				5.0E-01
		Mercury	mg/kg	1	0	0	6.3E-02	6.3E-02				6.3E-02
		Nickel	mg/kg	1	0	0	1.3E-01	1.3E-01				1.3E-01
		Selenium	mg/kg	1	1	ND	ND	ND				ND
		Silver	mg/kg	1	0	0	2.0E-03	2.0E-03				2.0E-03
		Thallium	mg/kg	1	0	0	6.8E-03	6.8E-03				6.8E-03
		Zinc	mg/kg	1	0	0	7.8E+00	7.8E+00				7.8E+00
		Butyltins										
		Dibutyltin ion	ug/kg	1	0	0	2.9E-01	2.9E-01				2.9E-01
		Tributyltin ion	ug/kg	1	1	ND	ND	ND				ND
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	1	0	0	1.2E+00	1.2E+00				1.2E+00
		2-Methylnaphthalene	ug/kg	1	0	0	1.3E+00	1.3E+00				1.3E+00
		Acenaphthene	ug/kg	1	1	ND	ND	ND				ND
		Acenaphthylene	ug/kg	1	0	0	2.6E-01	2.6E-01				2.6E-01
		Anthracene	ug/kg	1	0	0	5.8E-01	5.8E-01				5.8E-01
		Benzo(a)anthracene	ug/kg	1	1	ND	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	1	ND	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	ND	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	ND	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	ND	ND	ND				ND
		Chrysene	ug/kg	1	1	ND	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	ND	ND	ND				ND
		Dibenzothiophene	ug/kg	1	0	0	2.6E-01	2.6E-01				2.6E-01
		Fluoranthene	ug/kg	1	0	0	1.5E+00	1.5E+00				1.5E+00
		Fluorene	ug/kg	1	1	ND	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	ND	ND	ND				ND
		Naphthalene	ug/kg	1	0	0	7.9E-01	7.9E-01				7.9E-01
		Phenanthrene	ug/kg	1	1	ND	ND	ND				ND
		Pyrene	ug/kg	1	1	ND	ND	ND				ND
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	1	1	ND	ND	ND				ND
		Dibutyl phthalate	ug/kg	1	1	ND	ND	ND				ND
		Diethyl phthalate	ug/kg	1	1	ND	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-11
Exposure Point Concentration Summary - Resident Fish Species, By River Mile

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[f]
		Semi-Volatile Organic Compounds										
		Benzyl alcohol	ug/kg	1	1	ND	ND	ND				ND
		Hexachlorobenzene	ug/kg	1	0	0	3.4E-01	3.4E-01				3.4E-01
		Hexachlorobutadiene	ug/kg	1	1	ND	ND	ND				ND
		Phenols										
		4-Nitrophenol	ug/kg	1	1	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	1	0	0	2.0E+05	2.0E+05				2.0E+05
		Total PCBs, Adjusted[h]	pg/g	1	0	0	1.8E+05	1.8E+05				1.8E+05
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	2.2E-01	2.2E-01				2.2E-01
		Total PCB TEQ	pg/g	1	0	0	1.8E+00	1.8E+00				1.8E+00
		Pesticides										
		Aldrin	ug/kg	1	0	0	6.9E-03	6.9E-03				6.9E-03
		alpha-Hexachlorocyclohexane	ug/kg	1	0	0	5.2E-03	5.2E-03				5.2E-03
		beta-Hexachlorocyclohexane	ug/kg	1	1	ND	ND	ND				ND
		Dieldrin	ug/kg	1	0	0	4.2E-01	4.2E-01				4.2E-01
		Endrin	ug/kg	1	0	0	7.1E-03	7.1E-03				7.1E-03
		Endrin aldehyde	ug/kg	1	1	ND	ND	ND				ND
		Endrin ketone	ug/kg	1	1	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	1	1	ND	ND	ND				ND
		Heptachlor	ug/kg	1	1	ND	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	0	0	2.7E-02	2.7E-02				2.7E-02
		Total Chlordanes	ug/kg	1	0	0	1.5E+00	1.5E+00				1.5E+00
		Total DDD	ug/kg	1	0	0	2.9E+00	2.9E+00				2.9E+00
		Total DDE	ug/kg	1	0	0	1.1E+01	1.1E+01				1.1E+01
		Total DDT	ug/kg	1	0	0	7.2E-01	7.2E-01				7.2E-01
		Total Endosulfan	ug/kg	1	0	0	1.1E-01	1.1E-01				1.1E-01
RM 3	F	**Metals**										
		Aluminum	mg/kg	3	0	0	1.8E+00	3.4E+00		Fewer than 5 detects		3.4E+00
		Antimony	mg/kg	3	3	ND	ND	ND				ND
		Arsenic, inorganic	mg/kg	3	0	0	2.8E-02	2.9E-02				2.9E-02
		Cadmium	mg/kg	3	3	ND	ND	ND				ND
		Chromium	mg/kg	3	3	ND	ND	ND				ND
		Copper	mg/kg	3	0	0	5.3E-01	9.4E-01				9.4E-01
		Lead	mg/kg	3	1	0	1.9E-01	5.2E-01				5.2E-01
		Manganese	mg/kg	3	0	0	2.9E-01	4.1E-01				4.1E-01
		Mercury	mg/kg	3	0	0	1.6E-01	1.8E-01				1.8E-01
		Nickel	mg/kg	3	0	0	7.7E-02	1.2E-01				1.2E-01
		Selenium	mg/kg	3	3	ND	ND	ND				ND
		Silver	mg/kg	3	3	ND	ND	ND				ND
		Thallium	mg/kg	3	0	0	7.9E-03	1.0E-02				1.0E-02
		Zinc	mg/kg	3	0	0	8.7E+00	9.0E+00				9.0E+00
		Butyltins										
		Dibutyltin ion	ug/kg	2	0	0	4.1E-01	4.1E-01				4.1E-01
		Tributyltin ion	ug/kg	2	1	0	3.8E-01	5.8E-01				5.8E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-11
Exposure Point Concentration Summary - Resident Fish Species, By River Mile

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[f]
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	2	0	0	2.0E+00	2.4E+00				2.4E+00
		2-Methylnaphthalene	ug/kg	2	0	0	2.3E+00	2.9E+00				2.9E+00
		Acenaphthene	ug/kg	2	2	ND	ND	ND				ND
		Acenaphthylene	ug/kg	2	1	0	9.7E-02	1.6E-01				1.6E-01
		Anthracene	ug/kg	2	1	0	4.1E-01	6.8E-01				6.8E-01
		Benzo(a)anthracene	ug/kg	2	1	0	4.6E-01	8.8E-01				8.8E-01
		Benzo(a)pyrene	ug/kg	2	2	ND	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	2	2	ND	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	2	2	ND	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	2	2	ND	ND	ND				ND
		Chrysene	ug/kg	2	1	0	3.1E+00	6.2E+00				6.2E+00
		Dibenzo(a,h)anthracene	ug/kg	2	2	ND	ND	ND				ND
		Dibenzothiophene	ug/kg	2	0	0	2.7E-01	4.0E-01				4.0E-01
		Fluoranthene	ug/kg	2	1	0	3.0E+00	5.5E+00				5.5E+00
		Fluorene	ug/kg	2	2	ND	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	2	2	ND	ND	ND				ND
		Naphthalene	ug/kg	2	0	0	8.5E-01	9.5E-01				9.5E-01
		Phenanthrene	ug/kg	2	1	0	1.7E+00	2.7E+00				2.7E+00
		Pyrene	ug/kg	2	1	0	2.2E+00	4.2E+00				4.2E+00
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	2	2	ND	ND	ND				ND
		Dibutyl phthalate	ug/kg	2	2	ND	ND	ND				ND
		Diethyl phthalate	ug/kg	2	2	ND	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Benzyl alcohol	ug/kg	2	2	ND	ND	ND				ND
		Hexachlorobenzene	ug/kg	3	1	1	3.7E-01	4.3E-01				4.3E-01
		Hexachlorobutadiene	ug/kg	3	1	1	1.4E-02	2.2E-02				2.2E-02
		Phenols										
		4-Nitrophenol	ug/kg	2	2	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	0	0	6.0E+01	6.0E+01				6.0E+01
		Total PCB Congeners	pg/g	2	0	0	3.4E+04	4.1E+04				4.1E+04
		Total PCBs, Adjusted	pg/g	2	0	0	3.1E+04	3.8E+04				3.8E+04
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	2	0	0	2.2E-01	2.6E-01				2.6E-01
		Total PCB TEQ	pg/g	2	0	0	3.7E-01	4.9E-01				4.9E-01
		Pesticides										
		Aldrin	ug/kg	3	2	2	5.2E-03	5.2E-03				5.2E-03
		alpha-Hexachlorocyclohexane	ug/kg	3	2	1	3.2E-03	4.3E-03				4.3E-03
		beta-Hexachlorocyclohexane	ug/kg	3	2	0	1.5E+00	4.5E+00				4.5E+00
		Dieldrin	ug/kg	3	0	0	1.4E+00	3.3E+00				3.3E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-11
Exposure Point Concentration Summary - Resident Fish Species, By River Mile

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[f]
		Endrin	ug/kg	3	3	ND	ND	ND				ND
		Endrin aldehyde	ug/kg	3	2	0	6.7E-01	2.0E+00				2.0E+00
		Endrin ketone	ug/kg	3	3	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	3	3	ND	ND	ND				ND
		Heptachlor	ug/kg	3	3	ND	ND	ND				ND
		Heptachlor epoxide	ug/kg	3	1	1	2.2E-02	2.4E-02				2.4E-02
		Total Chlordanes	ug/kg	3	0	0	3.6E+00	7.8E+00				7.8E+00
		Total DDD	ug/kg	3	0	0	3.5E+00	4.7E+00				4.7E+00
		Total DDE	ug/kg	3	0	0	1.5E+01	2.6E+01				2.6E+01
		Total DDT	ug/kg	3	0	0	5.0E+00	1.3E+01				1.3E+01
		Total Endosulfan	ug/kg	3	3	ND	ND	ND				ND
RM 4	F	**Metals**										
		Aluminum	mg/kg	2	0	0	1.1E+00	1.4E+00		Fewer than 5 detects		1.4E+00
		Antimony	mg/kg	2	2	ND	ND	ND				ND
		Arsenic, inorganic	mg/kg	2	0	0	1.9E-02	2.2E-02				2.2E-02
		Cadmium	mg/kg	2	2	ND	ND	ND				ND
		Chromium	mg/kg	2	2	ND	ND	ND				ND
		Copper	mg/kg	2	0	0	3.1E-01	3.3E-01				3.3E-01
		Lead	mg/kg	2	0	0	5.1E-02	5.6E-02				5.6E-02
		Manganese	mg/kg	2	0	0	4.5E-01	5.3E-01				5.3E-01
		Mercury	mg/kg	2	0	0	2.0E-01	2.4E-01				2.4E-01
		Nickel	mg/kg	2	0	0	6.4E-02	7.1E-02				7.1E-02
		Selenium	mg/kg	2	2	ND	ND	ND				ND
		Silver	mg/kg	2	2	ND	ND	ND				ND
		Thallium	mg/kg	2	0	0	4.1E-03	4.4E-03				4.4E-03
		Zinc	mg/kg	2	0	0	8.6E+00	8.6E+00				8.6E+00
		Butyltins										
		Dibutyltin ion	ug/kg	2	0	0	5.5E-01	7.2E-01				7.2E-01
		Tributyltin ion	ug/kg	2	1	0	5.5E-01	9.2E-01				9.2E-01
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	2	0	0	5.4E-01	5.9E-01				5.9E-01
		2-Methylnaphthalene	ug/kg	2	0	0	7.3E-01	8.2E-01				8.2E-01
		Acenaphthene	ug/kg	2	2	ND	ND	ND				ND
		Acenaphthylene	ug/kg	2	0	0	2.8E-01	2.9E-01				2.9E-01
		Anthracene	ug/kg	2	0	0	5.5E-01	6.3E-01				6.3E-01
		Benzo(a)anthracene	ug/kg	2	0	0	2.5E-01	3.6E-01				3.6E-01
		Benzo(a)pyrene	ug/kg	2	1	0	1.4E-01	2.3E-01				2.3E-01
		Benzo(b)fluoranthene	ug/kg	2	1	0	5.2E-01	1.0E+00				1.0E+00
		Benzo(g,h,i)perylene	ug/kg	2	1	0	1.9E-01	3.4E-01				3.4E-01
		Benzo(k)fluoranthene	ug/kg	2	1	0	2.0E-01	3.7E-01				3.7E-01
		Chrysene	ug/kg	2	0	0	4.1E-01	6.1E-01				6.1E-01
		Dibenzo(a,h)anthracene	ug/kg	2	1	0	9.0E-02	1.5E-01				1.5E-01
		Dibenzothiophene	ug/kg	2	0	0	4.5E-01	5.9E-01				5.9E-01
		Fluoranthene	ug/kg	2	0	0	2.2E+00	2.5E+00				2.5E+00
		Fluorene	ug/kg	2	2	ND	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	2	1	0	1.9E-01	3.5E-01				3.5E-01
		Naphthalene	ug/kg	2	0	0	1.1E+00	1.2E+00				1.2E+00
		Phenanthrene	ug/kg	2	1	0	2.8E+00	4.3E+00				4.3E+00
		Pyrene	ug/kg	2	2	ND	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-11
Exposure Point Concentration Summary - Resident Fish Species, By River Mile

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[f]
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	2	2	ND	ND	ND				ND
		Dibutyl phthalate	ug/kg	2	1	0	3.1E+01	4.3E+01				4.3E+01
		Diethyl phthalate	ug/kg	2	1	0	1.1E+01	1.7E+01				1.7E+01
		Semi-Volatile Organic Compounds										
		Benzyl alcohol	ug/kg	2	0	0	2.4E+01	2.4E+01				2.4E+01
		Hexachlorobenzene	ug/kg	2	0	0	4.4E-01	4.6E-01				4.6E-01
		Hexachlorobutadiene	ug/kg	2	1	0	9.7E-03	1.3E-02				1.3E-02
		Phenols										
		4-Nitrophenol	ug/kg	2	1	0	9.0E+00	1.3E+01				1.3E+01
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	2	0	0	1.4E+05	2.4E+05				2.4E+05
		Total PCBs, Adjusted	pg/g	2	0	0	1.3E+05	2.2E+05				2.2E+05
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	2	0	0	3.5E-01	3.6E-01				3.6E-01
		Total PCB TEQ	pg/g	2	0	0	8.0E-01	1.3E+00				1.3E+00
		Pesticides										
		Aldrin	ug/kg	2	1	0	3.7E-03	5.8E-03				5.8E-03
		alpha-Hexachlorocyclohexane	ug/kg	2	1	0	2.9E-03	3.9E-03				3.9E-03
		beta-Hexachlorocyclohexane	ug/kg	2	1	0	2.0E-03	2.8E-03				2.8E-03
		Dieldrin	ug/kg	2	0	0	3.8E-01	3.8E-01				3.8E-01
		Endrin	ug/kg	2	2	ND	ND	ND				ND
		Endrin aldehyde	ug/kg	2	2	ND	ND	ND				ND
		Endrin ketone	ug/kg	2	2	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	2	2	ND	ND	ND				ND
		Heptachlor	ug/kg	2	2	ND	ND	ND				ND
		Heptachlor epoxide	ug/kg	2	0	0	2.0E-02	2.2E-02				2.2E-02
		Total Chlordanes	ug/kg	2	0	0	2.1E+00	2.3E+00				2.3E+00
		Total DDD	ug/kg	2	0	0	3.8E+00	4.4E+00				4.4E+00
		Total DDE	ug/kg	2	0	0	1.1E+01	1.2E+01				1.2E+01
		Total DDT	ug/kg	2	0	0	1.6E+00	2.0E+00				2.0E+00
		Total Endosulfan	ug/kg	2	1	1	9.2E-02	9.2E-02				9.2E-02
RM 5	F	**Metals**										
		Aluminum	mg/kg	2	0	0	2.8E+00	3.8E+00		Fewer than 5 detects		3.8E+00
		Antimony	mg/kg	2	2	ND	ND	ND				ND
		Arsenic, inorganic	mg/kg	2	0	0	2.0E-02	2.0E-02				2.0E-02
		Cadmium	mg/kg	2	2	ND	ND	ND				ND
		Chromium	mg/kg	2	2	ND	ND	ND				ND
		Copper	mg/kg	2	0	0	7.2E-01	1.1E+00				1.1E+00
		Lead	mg/kg	2	0	0	1.7E-02	2.2E-02				2.2E-02
		Manganese	mg/kg	2	0	0	2.3E-01	3.9E-01				3.9E-01
		Mercury	mg/kg	2	0	0	1.5E-01	2.1E-01				2.1E-01
		Nickel	mg/kg	2	0	0	1.4E-01	2.2E-01				2.2E-01
		Selenium	mg/kg	2	2	ND	ND	ND				ND
		Silver	mg/kg	2	2	ND	ND	ND				ND
		Thallium	mg/kg	2	0	0	3.4E-03	3.5E-03				3.5E-03
		Zinc	mg/kg	2	0	0	9.5E+00	1.1E+01				1.1E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-11
Exposure Point Concentration Summary - Resident Fish Species, By River Mile

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[f]
									Distribution	95% UCL Method	Value	
		Butyltins										
		Dibutyltin ion	ug/kg	1	0	0	7.7E-01	7.7E-01				7.7E-01
		Tributyltin ion	ug/kg	1	1	ND	ND	ND				ND
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	1	0	0	5.4E-01	5.4E-01				5.4E-01
		2-Methylnaphthalene	ug/kg	1	0	0	9.1E-01	9.1E-01				9.1E-01
		Acenaphthene	ug/kg	1	1	ND	ND	ND				ND
		Acenaphthylene	ug/kg	1	0	0	1.4E+00	1.4E+00				1.4E+00
		Anthracene	ug/kg	1	0	0	2.0E+00	2.0E+00				2.0E+00
		Benzo(a)anthracene	ug/kg	1	0	0	1.9E+00	1.9E+00				1.9E+00
		Benzo(a)pyrene	ug/kg	1	0	0	2.2E+00	2.2E+00				2.2E+00
		Benzo(b)fluoranthene	ug/kg	1	0	0	1.4E+00	1.4E+00				1.4E+00
		Benzo(g,h,i)perylene	ug/kg	1	0	0	2.0E+00	2.0E+00				2.0E+00
		Benzo(k)fluoranthene	ug/kg	1	0	0	1.2E+00	1.2E+00				1.2E+00
		Chrysene	ug/kg	1	0	0	2.3E+00	2.3E+00				2.3E+00
		Dibenzo(a,h)anthracene	ug/kg	1	0	0	1.8E-01	1.8E-01				1.8E-01
		Dibenzothiophene	ug/kg	1	0	0	1.5E+00	1.5E+00				1.5E+00
		Fluoranthene	ug/kg	1	0	0	8.0E+00	8.0E+00				8.0E+00
		Fluorene	ug/kg	1	0	0	1.8E+00	1.8E+00				1.8E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	1	0	0	1.7E+00	1.7E+00				1.7E+00
		Naphthalene	ug/kg	1	0	0	2.9E+00	2.9E+00				2.9E+00
		Phenanthrene	ug/kg	1	0	0	1.2E+01	1.2E+01				1.2E+01
		Pyrene	ug/kg	1	0	0	8.6E+00	8.6E+00				8.6E+00
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	1	1	ND	ND	ND				ND
		Dibutyl phthalate	ug/kg	1	1	ND	ND	ND				ND
		Diethyl phthalate	ug/kg	1	1	ND	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Benzyl alcohol	ug/kg	1	0	0	2.3E+01	2.3E+01				2.3E+01
		Hexachlorobenzene	ug/kg	2	1	1	3.9E-01	3.9E-01				3.9E-01
		Hexachlorobutadiene	ug/kg	2	2	ND	ND	ND				ND
		Phenols										
		4-Nitrophenol	ug/kg	1	1	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	0	0	4.6E+01	4.6E+01				4.6E+01
		Total PCB Congeners	pg/g	1	0	0	3.4E+04	3.4E+04				3.4E+04
		Total PCBs, Adjusted	pg/g	1	0	0	3.1E+04	3.1E+04				3.1E+04
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	2.5E-01	2.5E-01				2.5E-01
		Total PCB TEQ	pg/g	1	0	0	3.2E-01	3.2E-01				3.2E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-11

Exposure Point Concentration Summary - Resident Fish Species, By River Mile

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[f]
		Pesticides										
		Aldrin	ug/kg	2	2	ND	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	2	2	ND	ND	ND				ND
		beta-Hexachlorocyclohexane	ug/kg	2	2	ND	ND	ND				ND
		Dieldrin	ug/kg	2	1	1	3.7E-01	3.7E-01				3.7E-01
		Endrin	ug/kg	2	2	ND	ND	ND				ND
		Endrin aldehyde	ug/kg	2	1	0	7.5E-01	1.5E+00				1.5E+00
		Endrin ketone	ug/kg	2	2	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	2	1	1	9.0E-03	9.0E-03				9.0E-03
		Heptachlor	ug/kg	2	2	ND	ND	ND				ND
		Heptachlor epoxide	ug/kg	2	1	1	2.0E-02	2.0E-02				2.0E-02
		Total Chlordanes	ug/kg	2	1	1	1.7E+00	1.7E+00				1.7E+00
		Total DDD	ug/kg	2	0	0	4.4E+00	4.8E+00				4.8E+00
		Total DDE	ug/kg	2	0	0	1.2E+01	1.5E+01				1.5E+01
		Total DDT	ug/kg	2	0	0	6.1E+00	9.5E+00				9.5E+00
		Total Endosulfan	ug/kg	2	1	1	1.1E-01	1.1E-01				1.1E-01
RM 6	F	**Metals**										
		Aluminum	mg/kg	3	0	0	3.1E+00	7.2E+00		Fewer than 5 detects		7.2E+00
		Antimony	mg/kg	3	3	ND	ND	ND				ND
		Arsenic, inorganic	mg/kg	3	0	0	1.8E-02	2.0E-02				2.0E-02
		Cadmium	mg/kg	3	2	2	1.0E-03	1.0E-03				1.0E-03
		Chromium	mg/kg	3	3	ND	ND	ND				ND
		Copper	mg/kg	3	0	0	3.3E-01	3.8E-01				3.8E-01
		Lead	mg/kg	3	1	0	2.3E-02	4.3E-02				4.3E-02
		Manganese	mg/kg	3	0	0	3.2E-01	5.0E-01				5.0E-01
		Mercury	mg/kg	3	0	0	1.1E-01	1.5E-01				1.5E-01
		Nickel	mg/kg	3	0	0	3.4E-02	5.6E-02				5.6E-02
		Selenium	mg/kg	3	3	ND	ND	ND				ND
		Silver	mg/kg	3	3	ND	ND	ND				ND
		Thallium	mg/kg	3	0	0	3.4E-03	3.9E-03				3.9E-03
		Zinc	mg/kg	3	0	0	8.9E+00	9.6E+00				9.6E+00
		Butyltins										
		Dibutyltin ion	ug/kg	2	0	0	7.3E-01	9.2E-01				9.2E-01
		Tributyltin ion	ug/kg	2	1	0	4.6E-01	7.4E-01				7.4E-01
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	2	0	0	8.0E-01	1.2E+00				1.2E+00
		2-Methylnaphthalene	ug/kg	2	0	0	9.6E-01	1.4E+00				1.4E+00
		Acenaphthene	ug/kg	2	1	0	3.0E+00	5.4E+00				5.4E+00
		Acenaphthylene	ug/kg	2	0	0	2.9E-01	4.0E-01				4.0E-01
		Anthracene	ug/kg	2	1	0	6.9E-01	1.2E+00				1.2E+00
		Benzo(a)anthracene	ug/kg	2	1	0	1.2E-01	2.0E-01				2.0E-01
		Benzo(a)pyrene	ug/kg	2	1	0	6.6E-02	9.1E-02				9.1E-02
		Benzo(b)fluoranthene	ug/kg	2	1	0	9.3E-02	1.5E-01				1.5E-01
		Benzo(g,h,i)perylene	ug/kg	2	1	0	6.0E-02	8.4E-02				8.4E-02
		Benzo(k)fluoranthene	ug/kg	2	1	0	6.2E-02	9.6E-02				9.6E-02
		Chrysene	ug/kg	2	0	0	2.0E-01	3.0E-01				3.0E-01
		Dibenzo(a,h)anthracene	ug/kg	2	2	ND	ND	ND				ND
		Dibenzothiophene	ug/kg	2	0	0	1.0E+00	1.7E+00				1.7E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-11
Exposure Point Concentration Summary - Resident Fish Species, By River Mile

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[f]
									Distribution	95% UCL Method	Value	
		Fluoranthene	ug/kg	2	1	0	1.0E+00	1.4E+00				1.4E+00
		Fluorene	ug/kg	2	1	0	1.6E+00	2.8E+00				2.8E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	2	0	0	8.0E-02	8.0E-02				8.0E-02
		Naphthalene	ug/kg	2	0	0	1.8E+00	2.7E+00				2.7E+00
		Phenanthrene	ug/kg	2	1	0	4.0E+00	7.0E+00				7.0E+00
		Pyrene	ug/kg	2	2	ND	ND	ND				ND
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	2	1	0	6.3E+01	9.3E+01				9.3E+01
		Dibutyl phthalate	ug/kg	2	2	ND	ND	ND				ND
		Diethyl phthalate	ug/kg	2	2	ND	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Benzyl alcohol	ug/kg	2	2	ND	ND	ND				ND
		Hexachlorobenzene	ug/kg	3	1	1	3.0E-01	3.6E-01				3.6E-01
		Hexachlorobutadiene	ug/kg	3	3	ND	ND	ND				ND
		Phenols										
		4-Nitrophenol	ug/kg	2	2	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	0	0	3.9E+01	3.9E+01				3.9E+01
		Total PCB Congeners	pg/g	2	0	0	5.6E+04	8.2E+04				8.2E+04
		Total PCBs, Adjusted	pg/g	2	0	0	5.2E+04	7.8E+04				7.8E+04
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	2	0	0	2.9E-01	3.5E-01				3.5E-01
		Total PCB TEQ	pg/g	2	0	0	3.3E-01	3.9E-01				3.9E-01
		Pesticides										
		Aldrin	ug/kg	3	3	ND	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	3	3	ND	ND	ND				ND
		beta-Hexachlorocyclohexane	ug/kg	3	3	ND	ND	ND				ND
		Dieldrin	ug/kg	3	1	1	2.8E-01	3.6E-01				3.6E-01
		Endrin	ug/kg	3	2	1	2.3E-03	3.0E-03				3.0E-03
		Endrin aldehyde	ug/kg	3	3	ND	ND	ND				ND
		Endrin ketone	ug/kg	3	3	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	3	2	2	4.0E-03	4.0E-03				4.0E-03
		Heptachlor	ug/kg	3	3	ND	ND	ND				ND
		Heptachlor epoxide	ug/kg	3	1	1	1.4E-02	1.8E-02				1.8E-02
		Total Chlordanes	ug/kg	3	0	0	2.3E+00	4.5E+00				4.5E+00
		Total DDD	ug/kg	3	0	0	5.7E+00	8.5E+00				8.5E+00
		Total DDE	ug/kg	3	0	0	9.6E+00	1.3E+01				1.3E+01
		Total DDT	ug/kg	3	0	0	4.1E+00	7.6E+00				7.6E+00
		Total Endosulfan	ug/kg	3	2	1	6.4E-02	8.5E-02				8.5E-02
RM 7	F	**Metals**										
		Aluminum	mg/kg	2	0	0	1.2E+00	1.3E+00		Fewer than 5 detects		1.3E+00
		Antimony	mg/kg	2	2	ND	ND	ND				ND
		Arsenic, inorganic	mg/kg	2	0	0	1.8E-02	1.9E-02				1.9E-02
		Cadmium	mg/kg	2	2	ND	ND	ND				ND
		Chromium	mg/kg	2	2	ND	ND	ND				ND
		Copper	mg/kg	2	0	0	4.0E-01	4.9E-01				4.9E-01
		Lead	mg/kg	2	0	0	9.5E-03	1.0E-02				1.0E-02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-11
Exposure Point Concentration Summary - Resident Fish Species, By River Mile

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[f]
		Manganese	mg/kg	2	0	0	4.2E-01	5.5E-01				5.5E-01
		Mercury	mg/kg	2	0	0	2.2E-01	2.5E-01				2.5E-01
		Nickel	mg/kg	2	0	0	4.6E-02	5.8E-02				5.8E-02
		Selenium	mg/kg	2	2	ND	ND	ND				ND
		Silver	mg/kg	2	2	ND	ND	ND				ND
		Thallium	mg/kg	2	0	0	3.3E-03	3.4E-03				3.4E-03
		Zinc	mg/kg	2	0	0	8.6E+00	9.3E+00				9.3E+00
		Butyltins										
		Dibutyltin ion	ug/kg	2	1	0	4.8E-01	8.8E-01				8.8E-01
		Tributyltin ion	ug/kg	2	1	0	3.3E-01	4.8E-01				4.8E-01
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	4	0	0	4.9E-01	6.6E-01				6.6E-01
		2-Methylnaphthalene	ug/kg	2	1	0	5.0E-01	7.7E-01				7.7E-01
		Acenaphthene	ug/kg	2	1	0	1.5E+00	2.6E+00				2.6E+00
		Acenaphthylene	ug/kg	2	1	0	1.6E-01	2.9E-01				2.9E-01
		Anthracene	ug/kg	2	1	0	4.7E-01	8.2E-01				8.2E-01
		Benzo(a)anthracene	ug/kg	2	1	0	1.1E-01	1.9E-01				1.9E-01
		Benzo(a)pyrene	ug/kg	2	2	ND	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	2	1	0	8.3E-02	1.3E-01				1.3E-01
		Benzo(g,h,i)perylene	ug/kg	2	1	0	6.5E-02	9.3E-02				9.3E-02
		Benzo(k)fluoranthene	ug/kg	2	1	0	6.4E-02	1.0E-01				1.0E-01
		Chrysene	ug/kg	2	1	0	1.5E-01	2.7E-01				2.7E-01
		Dibenzo(a,h)anthracene	ug/kg	2	2	ND	ND	ND				ND
		Dibenzothiophene	ug/kg	2	1	0	5.2E-01	1.0E+00				1.0E+00
		Fluoranthene	ug/kg	2	1	0	9.5E-01	1.6E+00				1.6E+00
		Fluorene	ug/kg	2	1	0	9.5E-01	1.6E+00				1.6E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	2	1	0	7.1E-02	1.1E-01				1.1E-01
		Naphthalene	ug/kg	2	0	0	1.1E+00	1.4E+00				1.4E+00
		Phenanthrene	ug/kg	2	1	0	2.7E+00	5.2E+00				5.2E+00
		Pyrene	ug/kg	2	2	ND	ND	ND				ND
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	2	2	ND	ND	ND				ND
		Dibutyl phthalate	ug/kg	2	2	ND	ND	ND				ND
		Diethyl phthalate	ug/kg	2	2	ND	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Benzyl alcohol	ug/kg	2	0	0	2.9E+01	2.9E+01				2.9E+01
		Hexachlorobenzene	ug/kg	2	0	0	6.0E-01	8.8E-01				8.8E-01
		Hexachlorobutadiene	ug/kg	2	1	0	8.5E-02	1.7E-01				1.7E-01
		Phenols										
		4-Nitrophenol	ug/kg	2	2	ND	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-11
Exposure Point Concentration Summary - Resident Fish Species, By River Mile

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[f]
									Distribution	95% UCL Method	Value	
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	2	0	0	1.4E+05	2.1E+05				2.1E+05
		Total PCBs, Adjusted	pg/g	2	0	0	1.3E+05	2.0E+05				2.0E+05
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	2	0	0	5.5E+00	8.7E+00				8.7E+00
		Total PCB TEQ	pg/g	2	0	0	6.2E-01	7.0E-01				7.0E-01
		Pesticides										
		Aldrin	ug/kg	2	2	ND	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	2	2	ND	ND	ND				ND
		beta-Hexachlorocyclohexane	ug/kg	2	1	1	5.0E-03	5.0E-03				5.0E-03
		Dieldrin	ug/kg	2	0	0	2.9E-01	3.1E-01				3.1E-01
		Endrin	ug/kg	2	1	0	2.8E-03	4.0E-03				4.0E-03
		Endrin aldehyde	ug/kg	2	2	ND	ND	ND				ND
		Endrin ketone	ug/kg	2	2	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	2	2	ND	ND	ND				ND
		Heptachlor	ug/kg	2	2	ND	ND	ND				ND
		Heptachlor epoxide	ug/kg	2	1	0	1.0E-02	1.4E-02				1.4E-02
		Total Chlordanes	ug/kg	2	0	0	1.5E+00	1.5E+00				1.5E+00
		Total DDD	ug/kg	2	0	0	3.2E+01	6.3E+01				6.3E+01
		Total DDE	ug/kg	2	0	0	3.4E+01	5.9E+01				5.9E+01
		Total DDT	ug/kg	2	0	0	3.0E+01	5.9E+01				5.9E+01
		Total Endosulfan	ug/kg	2	2	ND	ND	ND				ND
RM 8	F	**Metals**										
		Aluminum	mg/kg	3	0	0	2.3E+00	3.5E+00		Fewer than 5 detects		3.5E+00
		Antimony	mg/kg	3	3	ND	ND	ND				ND
		Arsenic, inorganic	mg/kg	3	0	0	1.7E-02	1.8E-02				1.8E-02
		Cadmium	mg/kg	3	2	2	1.0E-03	1.0E-03				1.0E-03
		Chromium	mg/kg	3	3	ND	ND	ND				ND
		Copper	mg/kg	3	0	0	3.0E-01	3.6E-01				3.6E-01
		Lead	mg/kg	3	1	0	5.3E-03	7.0E-03				7.0E-03
		Manganese	mg/kg	3	0	0	2.7E-01	3.8E-01				3.8E-01
		Mercury	mg/kg	3	0	0	9.0E-02	1.1E-01				1.1E-01
		Nickel	mg/kg	3	0	0	3.7E-02	6.4E-02				6.4E-02
		Selenium	mg/kg	3	3	ND	ND	ND				ND
		Silver	mg/kg	3	3	ND	ND	ND				ND
		Thallium	mg/kg	3	0	0	3.0E-03	3.9E-03				3.9E-03
		Zinc	mg/kg	3	0	0	8.8E+00	9.2E+00				9.2E+00
		Butyltins										
		Dibutyltin ion	ug/kg	2	1	0	2.9E-01	5.0E-01				5.0E-01
		Tributyltin ion	ug/kg	2	2	ND	ND	ND				ND
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	2	1	0	5.8E-01	1.0E+00				1.0E+00
		2-Methylnaphthalene	ug/kg	2	0	0	1.2E+00	1.8E+00				1.8E+00
		Acenaphthene	ug/kg	2	2	ND	ND	ND				ND
		Acenaphthylene	ug/kg	2	1	0	1.3E+00	2.5E+00				2.5E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-11
Exposure Point Concentration Summary - Resident Fish Species, By River Mile

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[f]
		Anthracene	ug/kg	2	1	0	1.9E+00	3.6E+00				3.6E+00
		Benzo(a)anthracene	ug/kg	2	1	0	1.3E+00	2.6E+00				2.6E+00
		Benzo(a)pyrene	ug/kg	2	1	0	1.3E+00	2.5E+00				2.5E+00
		Benzo(b)fluoranthene	ug/kg	2	1	0	8.7E-01	1.7E+00				1.7E+00
		Benzo(g,h,i)perylene	ug/kg	2	1	0	1.0E+00	2.0E+00				2.0E+00
		Benzo(k)fluoranthene	ug/kg	2	1	0	7.1E-01	1.4E+00				1.4E+00
		Chrysene	ug/kg	2	1	0	1.5E+00	2.9E+00				2.9E+00
		Dibenzo(a,h)anthracene	ug/kg	2	1	0	1.3E-01	2.4E-01				2.4E-01
		Dibenzothiophene	ug/kg	2	1	0	1.1E+00	2.1E+00				2.1E+00
		Fluoranthene	ug/kg	2	1	0	6.2E+00	1.2E+01				1.2E+01
		Fluorene	ug/kg	2	1	0	1.4E+00	2.5E+00				2.5E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	2	1	0	9.7E-01	1.9E+00				1.9E+00
		Naphthalene	ug/kg	2	0	0	5.8E+00	1.1E+01				1.1E+01
		Phenanthrene	ug/kg	2	1	0	1.1E+01	2.2E+01				2.2E+01
		Pyrene	ug/kg	2	1	0	6.6E+00	1.3E+01				1.3E+01
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	2	2	ND	ND	ND				ND
		Dibutyl phthalate	ug/kg	2	2	ND	ND	ND				ND
		Diethyl phthalate	ug/kg	2	2	ND	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Benzyl alcohol	ug/kg	2	0	0	2.6E+01	2.6E+01				2.6E+01
		Hexachlorobenzene	ug/kg	3	1	1	3.4E-01	3.5E-01				3.5E-01
		Hexachlorobutadiene	ug/kg	3	3	ND	ND	ND				ND
		Phenols										
		4-Nitrophenol	ug/kg	2	2	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	0	0	9.3E+01	9.3E+01				9.3E+01
		Total PCB Congeners	pg/g	2	0	0	4.7E+04	5.2E+04				5.2E+04
		Total PCBs, Adjusted	pg/g	2	0	0	4.4E+04	4.7E+04				4.7E+04
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	2	0	0	5.4E-01	6.2E-01				6.2E-01
		Total PCB TEQ	pg/g	2	0	0	3.6E-01	4.0E-01				4.0E-01
		Pesticides										
		Aldrin	ug/kg	3	2	2	5.0E-03	5.0E-03				5.0E-03
		alpha-Hexachlorocyclohexane	ug/kg	3	3	ND	ND	ND				ND
		beta-Hexachlorocyclohexane	ug/kg	3	3	ND	ND	ND				ND
		Dieldrin	ug/kg	3	0	0	6.6E-01	1.4E+00				1.4E+00
		Endrin	ug/kg	3	3	ND	ND	ND				ND
		Endrin aldehyde	ug/kg	3	3	ND	ND	ND				ND
		Endrin ketone	ug/kg	3	3	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	3	2	2	3.0E-03	3.0E-03				3.0E-03
		Heptachlor	ug/kg	3	3	ND	ND	ND				ND
		Heptachlor epoxide	ug/kg	3	1	1	1.4E-02	1.6E-02				1.6E-02
		Total Chlordanes	ug/kg	3	0	0	2.8E+00	5.4E+00				5.4E+00
		Total DDD	ug/kg	3	0	0	5.7E+00	1.3E+01				1.3E+01
		Total DDE	ug/kg	3	0	0	1.5E+01	2.2E+01				2.2E+01
		Total DDT	ug/kg	3	0	0	1.0E+01	1.5E+01				1.5E+01
		Total Endosulfan	ug/kg	3	1	1	6.9E-02	7.7E-02				7.7E-02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-11
Exposure Point Concentration Summary - Resident Fish Species, By River Mile

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[f]
RM 8	F[i]	**Metals**										
Swan Island Lagoon		Aluminum	mg/kg									3.0E+00
		Antimony	mg/kg									ND
		Arsenic, inorganic	mg/kg									1.6E-02
		Cadmium	mg/kg									5.6E-04
		Chromium	mg/kg									3.6E-01
		Copper	mg/kg									4.7E-01
		Lead	mg/kg									3.4E-04
		Manganese	mg/kg									3.7E-01
		Mercury	mg/kg									1.3E-01
		Nickel	mg/kg									ND
		Selenium	mg/kg									ND
		Silver	mg/kg									ND
		Thallium	mg/kg									2.8E-03
		Zinc	mg/kg									9.5E+00
		Butyltins										
		Dibutyltin ion	ug/kg									NA
		Tributyltin ion	ug/kg									NA
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg									NA
		2-Methylnaphthalene	ug/kg									3.3E+00
		Acenaphthene	ug/kg									1.9E+00
		Acenaphthylene	ug/kg									ND
		Anthracene	ug/kg									ND
		Benzo(a)anthracene	ug/kg									ND
		Benzo(a)pyrene	ug/kg									ND
		Benzo(b)fluoranthene	ug/kg									ND
		Benzo(g,h,i)perylene	ug/kg									ND
		Benzo(k)fluoranthene	ug/kg									ND
		Chrysene	ug/kg									ND
		Dibenzo(a,h)anthracene	ug/kg									ND
		Dibenzothiophene	ug/kg									NA
		Fluoranthene	ug/kg									ND
		Fluorene	ug/kg									ND
		Indeno(1,2,3-cd)pyrene	ug/kg									ND
		Naphthalene	ug/kg									ND
		Phenanthrene	ug/kg									ND
		Pyrene	ug/kg									ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-11
Exposure Point Concentration Summary - Resident Fish Species, By River Mile

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[f]
									Distribution	95% UCL Method	Value	
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg									ND
		Dibutyl phthalate	ug/kg									ND
		Diethyl phthalate	ug/kg									ND
		Semi-Volatile Organic Compounds										
		Benzyl alcohol	ug/kg									ND
		Hexachlorobenzene	ug/kg									ND
		Hexachlorobutadiene	ug/kg									ND
		Phenols										
		4-Nitrophenol	ug/kg									ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg									2.6E+02
		Total PCB Congeners	pg/g									7.2E+05
		Total PCBs, Adjusted	pg/g									7.0E+05
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g									7.5E-01
		Total PCB TEQ	pg/g									1.2E+00
		Pesticides										
		Aldrin	ug/kg									ND
		alpha-Hexachlorocyclohexane	ug/kg									ND
		beta-Hexachlorocyclohexane	ug/kg									ND
		Dieldrin	ug/kg									ND
		Endrin	ug/kg									ND
		Endrin aldehyde	ug/kg									ND
		Endrin ketone	ug/kg									ND
		gamma-Hexachlorocyclohexane	ug/kg									ND
		Heptachlor	ug/kg									ND
		Heptachlor epoxide	ug/kg									ND
		Total Chlordanes	ug/kg									ND
		Total DDD	ug/kg									3.5E+00
		Total DDE	ug/kg									1.1E+01
		Total DDT	ug/kg									1.9E+00
		Total Endosulfan	ug/kg									8.8E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-11
Exposure Point Concentration Summary - Resident Fish Species, By River Mile

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[f]
RM 8 Swan Island Lagoon	WB	**Metals**										
		Aluminum	mg/kg	3	0	0	6.4E+00	7.7E+00		Fewer than 5 detects		7.7E+00
		Antimony	mg/kg	3	3	ND	ND	ND				ND
		Arsenic, inorganic	mg/kg	3	0	0	1.8E-02	2.0E-02				2.0E-02
		Cadmium	mg/kg	3	0	0	5.3E-03	9.0E-03				9.0E-03
		Chromium	mg/kg	3	1	0	7.4E-01	1.1E+00				1.1E+00
		Copper	mg/kg	3	0	0	8.2E-01	9.5E-01				9.5E-01
		Lead	mg/kg	3	0	0	1.5E-01	3.0E-01				3.0E-01
		Manganese	mg/kg	3	0	0	1.3E+00	1.8E+00				1.8E+00
		Mercury	mg/kg	3	0	0	6.0E-02	7.6E-02				7.6E-02
		Nickel	mg/kg	3	3	ND	ND	ND				ND
		Selenium	mg/kg	3	3	ND	ND	ND				ND
		Silver	mg/kg	3	3	ND	ND	ND				ND
		Thallium	mg/kg	3	0	0	2.7E-03	3.0E-03				3.0E-03
		Zinc	mg/kg	3	0	0	1.4E+01	1.5E+01				1.5E+01
		Butyltins										
		Dibutyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Tributyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	NA	NA	NA	NA	NA				NA
		2-Methylnaphthalene	ug/kg	3	2	0	2.6E+01	4.5E+01				4.5E+01
		Acenaphthene	ug/kg	3	2	0	2.4E+01	4.0E+01				4.0E+01
		Acenaphthylene	ug/kg	3	3	ND	ND	ND				ND
		Anthracene	ug/kg	3	3	ND	ND	ND				ND
		Benzo(a)anthracene	ug/kg	3	3	ND	ND	ND				ND
		Benzo(a)pyrene	ug/kg	3	3	ND	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	3	3	ND	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	3	3	ND	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	3	3	ND	ND	ND				ND
		Chrysene	ug/kg	3	3	ND	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	3	3	ND	ND	ND				ND
		Dibenzothiophene	ug/kg	NA	NA	NA	NA	NA				NA
		Fluoranthene	ug/kg	3	3	ND	ND	ND				ND
		Fluorene	ug/kg	3	3	ND	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	3	3	ND	ND	ND				ND
		Naphthalene	ug/kg	3	3	ND	ND	ND				ND
		Phenanthrene	ug/kg	3	3	ND	ND	ND				ND
		Pyrene	ug/kg	3	3	ND	ND	ND				ND
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	3	3	ND	ND	ND				ND
		Dibutyl phthalate	ug/kg	3	3	ND	ND	ND				ND
		Diethyl phthalate	ug/kg	3	3	ND	ND	ND				ND
		Di-n-octyl phthalate	ug/kg	3	3	ND	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-11
Exposure Point Concentration Summary - Resident Fish Species, By River Mile

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[f]
		Semi-Volatile Organic Compounds										
		Benzoic acid	ug/kg	3	3	ND	ND	ND				ND
		Benzyl alcohol	ug/kg	3	3	ND	ND	ND				ND
		Bis(2-chloroethoxy) methane	ug/kg	3	3	ND	ND	ND				ND
		Dibenzofuran	ug/kg	3	3	ND	ND	ND				ND
		Hexachlorobenzene	ug/kg	3	3	ND	ND	ND				ND
		Hexachlorobutadiene	ug/kg	3	3	ND	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	3	3	ND	ND	ND				ND
		4-Nitrophenol	ug/kg	3	3	ND	ND	ND				ND
		Phenol	ug/kg	3	3	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	3	0	0	3.2E+03	4.9E+03				4.9E+03
		Total PCB Congeners	pg/g	3	0	0	3.0E+06	4.5E+06				4.5E+06
		Total PCBs, Adjusted	pg/g	3	0	0	2.9E+06	4.4E+06				4.4E+06
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	3	0	0	3.3E+00	3.9E+00				3.9E+00
		Total PCB TEQ	pg/g	3	0	0	1.1E+01	1.4E+01				1.4E+01
		Pesticides										
		Aldrin	ug/kg	3	3	ND	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	3	3	ND	ND	ND				ND
		beta-Hexachlorocyclohexane	ug/kg	3	3	ND	ND	ND				ND
		Dieldrin	ug/kg	3	3	ND	ND	ND				ND
		Endrin	ug/kg	3	3	ND	ND	ND				ND
		Endrin aldehyde	ug/kg	3	3	ND	ND	ND				ND
		Endrin ketone	ug/kg	3	3	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	3	3	ND	ND	ND				ND
		Heptachlor	ug/kg	3	3	ND	ND	ND				ND
		Heptachlor epoxide	ug/kg	3	3	ND	ND	ND				ND
		Total Chlordanes	ug/kg	3	3	ND	ND	ND				ND
		Total DDD	ug/kg	3	0	0	2.0E+01	3.0E+01				3.0E+01
		Total DDE	ug/kg	3	0	0	7.9E+01	9.6E+01				9.6E+01
		Total DDT	ug/kg	3	2	0	5.9E+00	1.1E+01				1.1E+01
		Total Endosulfan	ug/kg	3	2	0	1.4E+01	2.8E+01				2.8E+01
RM 9	F	**Metals**										
		Aluminum	mg/kg	3	0	0	2.3E+00	3.4E+00		Fewer than 5 detects		3.4E+00
		Antimony	mg/kg	3	2	0	2.8E-03	5.0E-03				5.0E-03
		Arsenic, inorganic	mg/kg	3	0	0	1.7E-02	1.9E-02				1.9E-02
		Cadmium	mg/kg	3	3	ND	ND	ND				ND
		Chromium	mg/kg	3	2	0	3.3E-01	9.0E-01				9.0E-01
		Copper	mg/kg	3	0	0	3.2E-01	3.9E-01				3.9E-01
		Lead	mg/kg	3	1	0	5.8E-03	9.0E-03				9.0E-03

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-11
Exposure Point Concentration Summary - Resident Fish Species, By River Mile

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[f]
									Distribution	95% UCL Method	Value	
		Manganese	mg/kg	3	0	0	2.9E-01	4.6E-01				4.6E-01
		Mercury	mg/kg	3	0	0	1.9E-01	3.5E-01				3.5E-01
		Nickel	mg/kg	3	0	0	4.0E-02	7.4E-02				7.4E-02
		Selenium	mg/kg	3	3	ND	ND	ND				ND
		Silver	mg/kg	3	3	ND	ND	ND				ND
		Thallium	mg/kg	3	0	0	2.6E-03	2.7E-03				2.7E-03
		Zinc	mg/kg	3	0	0	8.9E+00	9.6E+00				9.6E+00
		Butyltins										
		Dibutyltin ion	ug/kg	2	0	0	5.0E-01	5.6E-01				5.6E-01
		Tributyltin ion	ug/kg	2	2	ND	ND	ND				ND
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	2	1	0	2.5E-01	3.5E-01				3.5E-01
		2-Methylnaphthalene	ug/kg	2	0	0	7.0E-01	9.5E-01				9.5E-01
		Acenaphthene	ug/kg	2	2	ND	ND	ND				ND
		Acenaphthylene	ug/kg	2	0	0	3.7E-01	5.3E-01				5.3E-01
		Anthracene	ug/kg	2	0	0	5.0E-01	5.5E-01				5.5E-01
		Benzo(a)anthracene	ug/kg	2	1	0	3.8E-01	7.3E-01				7.3E-01
		Benzo(a)pyrene	ug/kg	2	1	0	2.6E-01	4.8E-01				4.8E-01
		Benzo(b)fluoranthene	ug/kg	2	1	0	1.7E-01	3.0E-01				3.0E-01
		Benzo(g,h,i)perylene	ug/kg	2	1	0	3.8E-01	7.2E-01				7.2E-01
		Benzo(k)fluoranthene	ug/kg	2	1	0	2.5E-01	4.7E-01				4.7E-01
		Chrysene	ug/kg	2	1	0	3.8E-01	7.2E-01				7.2E-01
		Dibenzo(a,h)anthracene	ug/kg	2	2	ND	ND	ND				ND
		Dibenzothiophene	ug/kg	2	1	0	2.3E-01	4.3E-01				4.3E-01
		Fluoranthene	ug/kg	2	0	0	2.0E+00	2.5E+00				2.5E+00
		Fluorene	ug/kg	2	2	ND	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	2	1	0	4.5E-01	8.7E-01				8.7E-01
		Naphthalene	ug/kg	2	0	0	1.3E+00	1.8E+00				1.8E+00
		Phenanthrene	ug/kg	2	0	0	3.7E+00	4.4E+00				4.4E+00
		Pyrene	ug/kg	2	1	0	1.7E+00	2.8E+00				2.8E+00
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	2	1	0	8.2E+01	1.3E+02				1.3E+02
		Dibutyl phthalate	ug/kg	2	2	ND	ND	ND				ND
		Diethyl phthalate	ug/kg	2	2	ND	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Benzyl alcohol	ug/kg	2	0	0	2.6E+01	2.8E+01				2.8E+01
		Hexachlorobenzene	ug/kg	3	1	1	4.2E-01	5.2E-01				5.2E-01
		Hexachlorobutadiene	ug/kg	3	3	ND	ND	ND				ND
		Phenols										
		4-Nitrophenol	ug/kg	2	2	ND	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-11
Exposure Point Concentration Summary - Resident Fish Species, By River Mile

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[f]
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	0	0	7.2E+01	7.2E+01				7.2E+01
		Total PCB Congeners	pg/g	2	0	0	7.9E+04	1.0E+05				1.0E+05
		Total PCBs, Adjusted	pg/g	2	0	0	7.3E+04	9.6E+04				9.6E+04
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	2	0	0	4.2E-01	4.5E-01				4.5E-01
		Total PCB TEQ	pg/g	2	0	0	7.1E-01	1.0E+00				1.0E+00
		Pesticides										
		Aldrin	ug/kg	3	1	1	8.5E-03	1.1E-02				1.1E-02
		alpha-Hexachlorocyclohexane	ug/kg	3	2	1	4.5E-03	6.0E-03				6.0E-03
		beta-Hexachlorocyclohexane	ug/kg	3	3	ND	ND	ND				ND
		Dieldrin	ug/kg	3	0	0	6.3E-01	1.0E+00				1.0E+00
		Endrin	ug/kg	3	2	1	3.5E-03	5.0E-03				5.0E-03
		Endrin aldehyde	ug/kg	3	3	ND	ND	ND				ND
		Endrin ketone	ug/kg	3	3	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	3	2	2	5.0E-03	5.0E-03				5.0E-03
		Heptachlor	ug/kg	3	3	ND	ND	ND				ND
		Heptachlor epoxide	ug/kg	3	1	1	1.9E-02	2.4E-02				2.4E-02
		Total Chlordanes	ug/kg	3	1	0	1.6E+00	2.5E+00				2.5E+00
		Total DDD	ug/kg	3	0	0	2.3E+00	3.2E+00				3.2E+00
		Total DDE	ug/kg	3	0	0	1.3E+01	1.6E+01				1.6E+01
		Total DDT	ug/kg	3	0	0	3.7E+00	9.3E+00				9.3E+00
		Total Endosulfan	ug/kg	3	1	1	8.4E-02	9.8E-02				9.8E-02
RM 10	F	**Metals**										
		Aluminum	mg/kg	2	0	0	2.4E+00	4.1E+00		Fewer than 5 detects		4.1E+00
		Antimony	mg/kg	2	2	ND	ND	ND				ND
		Arsenic, inorganic	mg/kg	2	0	0	1.5E-02	1.5E-02				1.5E-02
		Cadmium	mg/kg	2	2	ND	ND	ND				ND
		Chromium	mg/kg	2	2	ND	ND	ND				ND
		Copper	mg/kg	2	0	0	3.4E-01	3.5E-01				3.5E-01
		Lead	mg/kg	2	0	0	1.7E-02	2.2E-02				2.2E-02
		Manganese	mg/kg	2	0	0	3.8E-01	4.7E-01				4.7E-01
		Mercury	mg/kg	2	0	0	1.7E-01	2.4E-01				2.4E-01
		Nickel	mg/kg	2	0	0	4.0E-02	4.5E-02				4.5E-02
		Selenium	mg/kg	2	2	ND	ND	ND				ND
		Silver	mg/kg	2	2	ND	ND	ND				ND
		Thallium	mg/kg	2	0	0	2.3E-03	2.6E-03				2.6E-03
		Zinc	mg/kg	2	0	0	7.5E+00	7.9E+00				7.9E+00
		Butyltins										
		Dibutyltin ion	ug/kg	2	0	0	3.5E-01	4.4E-01				4.4E-01
		Tributyltin ion	ug/kg	2	2	ND	ND	ND				ND
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	2	0	0	5.5E-01	7.3E-01				7.3E-01
		2-Methylnaphthalene	ug/kg	2	0	0	5.7E-01	6.5E-01				6.5E-01
		Acenaphthene	ug/kg	2	2	ND	ND	ND				ND
		Acenaphthylene	ug/kg	2	1	0	1.1E-01	1.8E-01				1.8E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-11
Exposure Point Concentration Summary - Resident Fish Species, By River Mile

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[f]
									Distribution	95% UCL Method	Value	
		Anthracene	ug/kg	2	2	ND	ND	ND				ND
		Benzo(a)anthracene	ug/kg	2	2	ND	ND	ND				ND
		Benzo(a)pyrene	ug/kg	2	2	ND	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	2	2	ND	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	2	2	ND	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	2	2	ND	ND	ND				ND
		Chrysene	ug/kg	2	2	ND	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	2	2	ND	ND	ND				ND
		Dibenzothiophene	ug/kg	2	2	ND	ND	ND				ND
		Fluoranthene	ug/kg	2	2	ND	ND	ND				ND
		Fluorene	ug/kg	2	2	ND	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	2	2	ND	ND	ND				ND
		Naphthalene	ug/kg	2	0	0	6.3E-01	6.7E-01				6.7E-01
		Phenanthrene	ug/kg	2	2	ND	ND	ND				ND
		Pyrene	ug/kg	2	2	ND	ND	ND				ND
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	2	1	0	5.1E+01	6.9E+01				6.9E+01
		Dibutyl phthalate	ug/kg	2	2	ND	ND	ND				ND
		Diethyl phthalate	ug/kg	2	2	ND	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Benzyl alcohol	ug/kg	2	2	ND	ND	ND				ND
		Hexachlorobenzene	ug/kg	2	0	0	3.2E-01	3.3E-01				3.3E-01
		Hexachlorobutadiene	ug/kg	2	1	1	6.0E-03	6.0E-03				6.0E-03
		Phenols										
		4-Nitrophenol	ug/kg	2	2	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	2	0	0	1.0E+05	1.2E+05				1.2E+05
		Total PCBs, Adjusted	pg/g	2	0	0	9.7E+04	1.2E+05				1.2E+05
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	2	0	0	3.4E-01	4.3E-01				4.3E-01
		Total PCB TEQ	pg/g	2	0	0	4.9E-01	6.1E-01				6.1E-01
		Pesticides										
		Aldrin	ug/kg	2	2	ND	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	2	1	1	5.0E-03	5.0E-03				5.0E-03
		beta-Hexachlorocyclohexane	ug/kg	2	2	ND	ND	ND				ND
		Dieldrin	ug/kg	2	0	0	2.7E-01	2.8E-01				2.8E-01
		Endrin	ug/kg	2	1	0	3.3E-03	4.5E-03				4.5E-03
		Endrin aldehyde	ug/kg	2	2	ND	ND	ND				ND
		Endrin ketone	ug/kg	2	1	1	1.1E-02	1.1E-02				1.1E-02
		gamma-Hexachlorocyclohexane	ug/kg	2	1	1	1.1E-02	1.1E-02				1.1E-02
		Heptachlor	ug/kg	2	2	ND	ND	ND				ND
		Heptachlor epoxide	ug/kg	2	0	0	1.5E-02	1.6E-02				1.6E-02
		Total Chlordanes	ug/kg	2	0	0	1.3E+00	1.3E+00				1.3E+00
		Total DDD	ug/kg	2	0	0	1.9E+00	3.0E+00				3.0E+00
		Total DDE	ug/kg	2	0	0	7.5E+00	8.6E+00				8.6E+00
		Total DDT	ug/kg	2	0	0	2.3E+00	3.9E+00				3.9E+00
		Total Endosulfan	ug/kg	2	0	0	6.5E-02	6.6E-02				6.6E-02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-11
Exposure Point Concentration Summary - Resident Fish Species, By River Mile

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[f]
RM 11	F	**Metals**										
		Aluminum	mg/kg	2	0	0	1.1E+00	1.3E+00		Fewer than 5 detects		1.3E+00
		Antimony	mg/kg	2	2	ND	ND	ND				ND
		Arsenic, inorganic	mg/kg	2	0	0	1.6E-02	1.6E-02				1.6E-02
		Cadmium	mg/kg	2	2	ND	ND	ND				ND
		Chromium	mg/kg	2	2	ND	ND	ND				ND
		Copper	mg/kg	2	0	0	3.6E-01	4.0E-01				4.0E-01
		Lead	mg/kg	2	0	0	1.8E-02	2.3E-02				2.3E-02
		Manganese	mg/kg	2	0	0	4.1E-01	4.4E-01				4.4E-01
		Mercury	mg/kg	2	0	0	1.9E-01	1.9E-01				1.9E-01
		Nickel	mg/kg	2	0	0	5.3E-02	5.5E-02				5.5E-02
		Selenium	mg/kg	2	1	0	2.3E+00	4.5E+00				4.5E+00
		Silver	mg/kg	2	2	ND	ND	ND				ND
		Thallium	mg/kg	2	0	0	2.7E-03	2.7E-03				2.7E-03
		Zinc	mg/kg	2	0	0	8.5E+00	9.2E+00				9.2E+00
		Butyltins										
		Dibutyltin ion	ug/kg	2	0	0	2.8E-01	2.8E-01				2.8E-01
		Tributyltin ion	ug/kg	2	2	ND	ND	ND				ND
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	2	1	0	2.8E-01	4.1E-01				4.1E-01
		2-Methylnaphthalene	ug/kg	2	1	0	3.7E-01	5.2E-01				5.2E-01
		Acenaphthene	ug/kg	2	2	ND	ND	ND				ND
		Acenaphthylene	ug/kg	2	1	0	8.7E-02	1.4E-01				1.4E-01
		Anthracene	ug/kg	2	2	ND	ND	ND				ND
		Benzo(a)anthracene	ug/kg	2	2	ND	ND	ND				ND
		Benzo(a)pyrene	ug/kg	2	2	ND	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	2	2	ND	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	2	2	ND	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	2	2	ND	ND	ND				ND
		Chrysene	ug/kg	2	2	ND	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	2	2	ND	ND	ND				ND
		Dibenzothiophene	ug/kg	2	1	0	9.4E-02	1.5E-01				1.5E-01
		Fluoranthene	ug/kg	2	2	ND	ND	ND				ND
		Fluorene	ug/kg	2	2	ND	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	2	2	ND	ND	ND				ND
		Naphthalene	ug/kg	2	0	0	6.9E-01	7.9E-01				7.9E-01
		Phenanthrene	ug/kg	2	2	ND	ND	ND				ND
		Pyrene	ug/kg	2	2	ND	ND	ND				ND
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	2	2	ND	ND	ND				ND
		Dibutyl phthalate	ug/kg	2	0	0	3.9E+01	3.9E+01				3.9E+01
		Diethyl phthalate	ug/kg	2	2	ND	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-11
Exposure Point Concentration Summary - Resident Fish Species, By River Mile

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Smallmouth Bass

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[f]
		Semi-Volatile Organic Compounds										
		Benzyl alcohol	ug/kg	2	1	0	1.8E+01	2.5E+01				2.5E+01
		Hexachlorobenzene	ug/kg	2	0	0	3.4E-01	3.7E-01				3.7E-01
		Hexachlorobutadiene	ug/kg	2	2	ND	ND	ND				ND
		Phenols										
		4-Nitrophenol	ug/kg	2	2	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	2	0	0	7.8E+05	1.5E+06				1.5E+06
		Total PCBs, Adjusted	pg/g	2	0	0	7.7E+05	1.5E+06				1.5E+06
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	2	0	0	4.4E-01	4.7E-01				4.7E-01
		Total PCB TEQ	pg/g	2	0	0	1.2E+00	2.1E+00				2.1E+00
		Pesticides										
		Aldrin	ug/kg	2	2	ND	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	2	2	ND	ND	ND				ND
		beta-Hexachlorocyclohexane	ug/kg	2	1	1	5.0E-03	5.0E-03				5.0E-03
		Dieldrin	ug/kg	2	0	0	2.5E-01	3.3E-01				3.3E-01
		Endrin	ug/kg	2	1	0	6.8E-03	1.1E-02				1.1E-02
		Endrin aldehyde	ug/kg	2	2	ND	ND	ND				ND
		Endrin ketone	ug/kg	2	2	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	2	0	0	5.5E-03	6.0E-03				6.0E-03
		Heptachlor	ug/kg	2	1	1	5.0E-03	5.0E-03				5.0E-03
		Heptachlor epoxide	ug/kg	2	0	0	1.4E-02	1.8E-02				1.8E-02
		Total Chlordanes	ug/kg	2	0	0	1.3E+00	1.4E+00				1.4E+00
		Total DDD	ug/kg	2	0	0	7.5E-01	7.5E-01				7.5E-01
		Total DDE	ug/kg	2	0	0	5.4E+00	5.8E+00				5.8E+00
		Total DDT	ug/kg	2	0	0	7.4E-01	8.1E-01				8.1E-01
		Total Endosulfan	ug/kg	2	0	0	6.2E-02	7.6E-02				7.6E-02

Notes:

a Exposure areas for smallmouth bass tissue are on a RM basis, such that samples collected from RM 1.5 - 2.5 are included in exposure area RM 2, samples collected from RM 2.5-3.5 are included in exposure area RM 3, etc. Swan Island Lagoon is its own exposure area.

b Chemicals listed are analytes detected in each tissue type at least once within the Study Area.

c Total number of non-detects in the dataset.

d Number of non-detects with detection limit exceeding the maximum detected concentration for the exposure area. These non-detects were removed from the dataset prior to calculation of EPCs.

e Non-detects less than the maximum detected concentration for a given exposure area are included in the arithmetic mean at half the detection limit.

f Exposure point concentration is the lesser value of maximum or 95%UCL.

g 95% UCL not calculated for analytes with fewer than five detects.

h "Total PCBs, Adjusted" equals "Total PCB Congeners" minus the sum of total dioxin-like PCBs concentrations.

i Swan Island Lagoon EPCs for fillet tissue calculated by applying ratio of Study-area Wide Fillet mean concentration/Study-are Wide Whole Body mean concentration to the Swan Island Lagoon Whole Body EPC.

Abbreviations:

-- = Not applicable. A 95% UCL could not be computed for the given data set.

95% UCL = 95% Upper confidence limit on the mean.

DDD = Dichlorodiphenyldichloroethane.

DDE = Dichlorodiphenyldichloroethylene.

DDT = Dichlorodiphenyltrichloroethane.

F = Fillet tissue. All smallmouth bass fillet tissue was analyzed as fillet with skin, except mercury, which was analyzed as fillet without skin.

mg/kg = Milligrams per kilogram.

NA = Not available. Chemical not analyzed or had rejected result for given exposure area.

ND = Not detected in the given exposure area.

PCB = Polychlorinated biphenyls.

pg/g = Picograms per gram.

RM = River mile.

TEQ = Toxic equivalents.

ug/kg = Micrograms per kilogram.

WB= Whole body.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-12
Exposure Point Concentration Summary - Resident Fish Species, Study Area-Wide

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Resident Fish Species (Smallmouth Bass, Carp, Brown Bullhead, and Black Crappie)

Exposure Point	Species	Tissue Type	Chemical of Potential Concern[a]	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	Distribution	95% UCL Method	Value	Exposure Point Concentration[e]
Study Area-wide	Smallmouth Bass	F	**Metals**										
			Aluminum	mg/kg	23	0	0	2.1E+00	7.2E+00	lognormal	95% H-UCL	2.7E+00	2.7E+00
			Antimony	mg/kg	23	22	0	2.2E-03	5.0E-03	--	Fewer than 5 detects[f]	--	5.0E-03
			Arsenic, inorganic	mg/kg	23	0	0	1.9E-02	3.4E-02	non-parametric	95% Student's-t UCL	2.1E-02	2.1E-02
			Cadmium	mg/kg	23	21	18	7.0E-04	1.0E-03	--	Fewer than 5 detects	--	1.0E-03
			Chromium	mg/kg	23	21	0	9.0E-02	9.0E-01	--	Fewer than 5 detects	--	9.0E-01
			Copper	mg/kg	23	0	0	3.9E-01	1.1E+00	non-parametric	95% Student's-t UCL	4.7E-01	4.7E-01
			Lead	mg/kg	23	4	0	3.9E-02	5.2E-01	non-parametric	97.5% KM (Chebyshev) UCL	1.8E-01	1.8E-01
			Manganese	mg/kg	23	0	0	3.4E-01	5.5E-01	non-parametric	95% Chebyshev (Mean, Sd) UCL	4.8E-01	4.8E-01
			Mercury	mg/kg	23	0	0	1.5E-01	3.5E-01	normal	95% KM (t) UCL	2.0E-01	2.0E-01
			Nickel	mg/kg	23	0	0	6.0E-02	2.2E-01	non-parametric	95% Chebyshev (Mean, Sd) UCL	1.0E-01	1.0E-01
			Selenium	mg/kg	23	22	0	2.7E-01	4.5E+00	--	Fewer than 5 detects	--	4.5E+00
			Silver	mg/kg	23	22	0	5.7E-04	2.0E-03	--	Fewer than 5 detects	--	2.0E-03
			Thallium	mg/kg	23	0	0	3.9E-03	1.0E-02	non-parametric	95% Student's-t UCL	4.6E-03	4.6E-03
			Zinc	mg/kg	23	0	0	8.7E+00	1.1E+01	normal	95% Student's-t UCL	8.9E+00	8.9E+00
			Butyltins										
			Dibutyltin ion	ug/kg	18	2	0	4.6E-01	9.2E-01	normal	95% KM (t) UCL	5.7E-01	5.7E-01
			Tributyltin ion	ug/kg	18	14	0	2.9E-01	9.2E-01	--	Fewer than 5 detects	--	9.2E-01
			Polynuclear Aromatic Hydrocarbons										
			1-Methylnaphthalene	ug/kg	18	3	0	7.0E-01	2.4E+00	gamma	95% KM (BCA) UCL	9.8E-01	9.8E-01
			2-Methylnaphthalene	ug/kg	18	2	0	9.3E-01	2.9E+00	gamma	95% KM (BCA) UCL	1.3E+00	1.3E+00
			Acenaphthene	ug/kg	18	16	0	8.3E-01	5.4E+00	--	Fewer than 5 detects	--	5.4E+00
			Acenaphthylene	ug/kg	18	5	0	3.9E-01	2.5E+00	non-parametric	95% KM (BCA) UCL	6.7E-01	6.7E-01
			Anthracene	ug/kg	18	8	0	6.6E-01	3.6E+00	approx. gamma	95% KM (t) UCL	1.1E+00	1.1E+00
			Benzo(a)anthracene	ug/kg	18	10	0	4.1E-01	2.6E+00	gamma	95% KM (t) UCL	7.6E-01	7.6E-01
			Benzo(a)pyrene	ug/kg	18	13	0	3.3E-01	2.5E+00	normal	95% KM (t) UCL	7.0E-01	7.0E-01
			Benzo(b)fluoranthene	ug/kg	18	12	0	2.8E-01	1.7E+00	normal	95% KM (t) UCL	5.6E-01	5.6E-01
			Benzo(g,h,i)perylene	ug/kg	18	12	0	3.2E-01	2.0E+00	normal	95% KM (t) UCL	6.2E-01	6.2E-01
			Benzo(k)fluoranthene	ug/kg	18	12	0	2.2E-01	1.4E+00	normal	95% KM (t) UCL	4.4E-01	4.4E-01
			Chrysene	ug/kg	18	9	0	7.7E-01	6.2E+00	gamma	95% KM (t) UCL	1.5E+00	1.5E+00
			Dibenzo(a,h)anthracene	ug/kg	18	15	0	5.6E-02	2.4E-01	--	Fewer than 5 detects	--	2.4E-01
			Dibenzothiophene	ug/kg	18	6	0	5.1E-01	2.1E+00	gamma	95% KM (Percentile Bootstrap) UCL	8.0E-01	8.0E-01
			Fluoranthene	ug/kg	18	8	0	2.3E+00	1.2E+01	non-parametric	95% KM (t) UCL	4.0E+00	4.0E+00
			Fluorene	ug/kg	18	14	0	8.1E-01	2.8E+00	--	Fewer than 5 detects	--	2.8E+00
			Indeno(1,2,3-cd)pyrene	ug/kg	18	11	0	3.0E-01	1.9E+00	normal	95% KM (t) UCL	5.8E-01	5.8E-01
			Naphthalene	ug/kg	18	0	0	1.7E+00	1.1E+01	non-parametric	95% KM (Chebyshev) UCL	4.2E+00	4.2E+00
			Phenanthrene	ug/kg	18	10	0	3.8E+00	2.2E+01	gamma	95% KM (t) UCL	6.9E+00	6.9E+00
			Pyrene	ug/kg	18	14	0	1.8E+00	1.3E+01	--	Fewer than 5 detects	--	1.3E+01
			Phthalates										
			Bis(2-ethylhexyl) phthalate	ug/kg	18	15	0	4.4E+01	1.3E+02	--	Fewer than 5 detects	--	1.3E+02
			Dibutyl phthalate	ug/kg	18	15	11	2.8E+01	4.3E+01	--	Fewer than 5 detects	--	4.3E+01
			Diethyl phthalate	ug/kg	18	17	4	6.8E+00	1.7E+01	--	Fewer than 5 detects	--	1.7E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-12
Exposure Point Concentration Summary - Resident Fish Species, Study Area-Wide

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Resident Fish Species (Smallmouth Bass, Carp, Brown Bullhead, and Black Crappie)

Exposure Point	Species	Tissue Type	Chemical of Potential Concern[a]	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration[e]
			Semi-Volatile Organic Compounds										
			Benzyl alcohol	ug/kg	18	8	0	1.9E+01	2.9E+01	normal	95% KM (t) UCL	2.5E+01	2.5E+01
			Hexachlorobenzene	ug/kg	23	5	5	3.9E-01	8.8E-01	approx. gamma	95% KM (BCA) UCL	4.5E-01	4.5E-01
			Hexachlorobutadiene	ug/kg	23	18	5	1.7E-02	1.7E-01	gamma	95% KM (t) UCL	3.4E-02	3.4E-02
			Phenols										
			4-Nitrophenol	ug/kg	18	17	5	6.4E+00	1.3E+01	--	Fewer than 5 detects	--	1.3E+01
			Polychlorinated Biphenyls										
			Total Aroclors	ug/kg	5	0	0	6.2E+01	9.3E+01	normal	95% KM (t) UCL	8.3E+01	8.3E+01
			Total PCB Congeners	pg/g	18	0	0	1.7E+05	1.5E+06	non-parametric	95% KM (Chebyshev) UCL	5.1E+05	5.1E+05
			Total PCBs, Adjusted[g]	pg/g	18	0	0	1.6E+05	1.5E+06	non-parametric	95% KM (Chebyshev) UCL	5.0E+05	5.0E+05
			Dioxin/Furans										
			Total Dioxin/Furan TEQ	pg/g	18	0	0	9.3E-01	8.7E+00	non-parametric	95% KM (Chebyshev) UCL	3.0E+00	3.0E+00
			Total PCB TEQ	pg/g	18	0	0	6.7E-01	2.1E+00	non-parametric	95% KM (Chebyshev) UCL	1.2E+00	1.2E+00
			Pesticides										
			Aldrin	ug/kg	23	17	15	5.6E-03	1.1E-02	gamma	95% KM (Percentile Bootstrap) UCL	7.6E-03	7.6E-03
			alpha-Hexachlorocyclohexane	ug/kg	23	18	9	3.4E-03	6.0E-03	normal	95% KM (t) UCL	4.8E-03	4.8E-03
			beta-Hexachlorocyclohexane	ug/kg	23	19	0	2.9E-01	4.5E+00	--	Fewer than 5 detects	--	4.5E+00
			Dieldrin	ug/kg	23	2	0	5.5E-01	3.3E+00	non-parametric	95% KM (Chebyshev) UCL	1.1E+00	1.1E+00
			Endrin	ug/kg	23	17	5	3.3E-03	1.1E-02	normal	95% KM (t) UCL	4.9E-03	4.9E-03
			Endrin aldehyde	ug/kg	23	21	0	2.2E-01	2.0E+00	--	Fewer than 5 detects	--	2.0E+00
			Endrin ketone	ug/kg	23	22	21	5.7E-03	1.1E-02	--	Fewer than 5 detects	--	1.1E-02
			gamma-Hexachlorocyclohexane	ug/kg	23	16	6	4.1E-03	1.1E-02	normal	95% KM (t) UCL	5.6E-03	5.6E-03
			Heptachlor	ug/kg	23	22	16	2.6E-03	5.0E-03	--	Fewer than 5 detects	--	5.0E-03
			Heptachlor epoxide	ug/kg	23	6	5	1.7E-02	2.7E-02	normal	95% KM (t) UCL	1.9E-02	1.9E-02
			Total Chlordanes	ug/kg	23	2	0	2.1E+00	7.8E+00	non-parametric	95% KM (Chebyshev) UCL	3.6E+00	3.6E+00
			Total DDD	ug/kg	23	0	0	6.1E+00	6.3E+01	non-parametric	95% Chebyshev (Mean, Sd) UCL	1.8E+01	1.8E+01
			Total DDE	ug/kg	23	0	0	1.3E+01	5.9E+01	approx. gamma	95% Approximate Gamma UCL	1.7E+01	1.7E+01
			Total DDT	ug/kg	23	0	0	6.6E+00	5.9E+01	non-parametric	99% Chebyshev (Mean, Sd) UCL	3.2E+01	3.2E+01
			Total Endosulfan	ug/kg	23	11	6	6.8E-02	1.1E-01	normal	95% KM (t) UCL	8.3E-02	8.3E-02
Study Area-wide	Smallmouth Bass	WB	**Metals**										
			Aluminum	mg/kg	32	0	0	5.3E+00	1.1E+01	gamma	95% Approximate Gamma UCL	6.0E+00	6.0E+00
			Antimony	mg/kg	32	27	0	1.9E-01	5.9E+00	gamma	95% KM (t) UCL	5.3E-01	5.3E-01
			Arsenic, inorganic	mg/kg	32	0	0	2.5E-02	3.9E-02	normal	95% Student's-t UCL	2.7E-02	2.7E-02
			Cadmium	mg/kg	32	6	0	1.1E-02	2.0E-01	non-parametric	95% KM (Chebyshev) UCL	3.8E-02	3.8E-02
			Chromium	mg/kg	32	11	0	2.8E-01	1.1E+00	non-parametric	95% KM (BCA) UCL	4.2E-01	4.2E-01
			Copper	mg/kg	32	0	0	8.1E-01	1.9E+00	gamma	95% Approximate Gamma UCL	9.2E-01	9.2E-01
			Lead	mg/kg	32	0	0	3.5E+01	1.1E+03	non-parametric	99% Chebyshev (Mean, Sd) UCL	3.8E+02	3.8E+02
			Manganese	mg/kg	32	0	0	1.7E+00	3.1E+00	normal	95% Student's-t UCL	1.9E+00	1.9E+00
			Mercury	mg/kg	32	0	0	9.3E-02	1.7E-01	normal	95% Student's-t UCL	1.0E-01	1.0E-01
			Nickel	mg/kg	32	7	0	9.6E-02	2.0E-01	non-parametric	95% KM (BCA) UCL	1.2E-01	1.2E-01
			Selenium	mg/kg	32	28	0	1.7E-01	1.2E+00	--	Fewer than 5 detects	--	1.2E+00
			Silver	mg/kg	32	23	0	3.6E-03	6.4E-02	non-parametric	95% KM (BCA) UCL	7.9E-03	7.9E-03
			Thallium	mg/kg	32	0	0	4.1E-03	8.5E-03	lognormal	95% Student's-t UCL	4.6E-03	4.6E-03
			Zinc	mg/kg	32	0	0	1.3E+01	1.6E+01	normal	95% Student's-t UCL	1.4E+01	1.4E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-12
Exposure Point Concentration Summary - Resident Fish Species, Study Area-Wide

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Resident Fish Species (Smallmouth Bass, Carp, Brown Bullhead, and Black Crappie)

Exposure Point	Species	Tissue Type	Chemical of Potential Concern[a]	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[e]
			Butyltins										
			Dibutyltin ion	ug/kg	18	2	0	5.0E-01	1.1E+00	non-parametric	95% KM (Chebyshev) UCL	7.1E-01	7.1E-01
			Tributyltin ion	ug/kg	18	14	2	7.8E-01	1.6E+00	--	Fewer than 5 detects	--	1.6E+00
			Polynuclear Aromatic Hydrocarbons										
			1-Methylnaphthalene	ug/kg	18	3	0	2.6E+00	1.0E+01	gamma	95% KM (BCA) UCL	3.5E+00	3.5E+00
			2-Methylnaphthalene	ug/kg	32	11	0	1.3E+01	5.9E+01	non-parametric	97.5% KM (Chebyshev) UCL	2.6E+01	2.6E+01
			Acenaphthene	ug/kg	32	10	0	1.7E+01	9.5E+01	lognormal	97.5% KM (Chebyshev) UCL	3.7E+01	3.7E+01
			Acenaphthylene	ug/kg	32	18	14	7.0E-01	2.9E+00	gamma	95% KM (BCA) UCL	1.0E+00	1.0E+00
			Anthracene	ug/kg	32	15	14	1.6E+00	6.8E+00	lognormal	95% KM (Chebyshev) UCL	3.2E+00	3.2E+00
			Benzo(a)anthracene	ug/kg	32	24	14	2.9E-01	1.1E+00	normal	95% KM (t) UCL	4.2E-01	4.2E-01
			Benzo(a)pyrene	ug/kg	32	27	14	3.1E-01	1.3E+00	normal	95% KM (t) UCL	4.4E-01	4.4E-01
			Benzo(b)fluoranthene	ug/kg	32	26	14	2.6E-01	1.0E+00	normal	95% KM (t) UCL	3.6E-01	3.6E-01
			Benzo(g,h,i)perylene	ug/kg	32	26	14	3.8E-01	2.5E+00	normal	95% KM (t) UCL	6.3E-01	6.3E-01
			Benzo(k)fluoranthene	ug/kg	32	26	14	2.1E-01	9.2E-01	normal	95% KM (t) UCL	3.0E-01	3.0E-01
			Chrysene	ug/kg	32	23	14	4.2E-01	2.0E+00	gamma	95% KM (t) UCL	6.4E-01	6.4E-01
			Dibenzo(a,h)anthracene	ug/kg	32	29	29	1.4E-01	1.6E-01	--	Fewer than 5 detects	--	1.6E-01
			Dibenzothiophene	ug/kg	18	6	0	1.8E+00	1.1E+01	gamma	95% KM (BCA) UCL	3.1E+00	3.1E+00
			Fluoranthene	ug/kg	32	21	0	9.7E+00	3.6E+01	gamma	95% KM (t) UCL	7.9E+00	7.9E+00
			Fluorene	ug/kg	32	12	0	1.3E+01	6.9E+01	non-parametric	95% KM (BCA) UCL	1.5E+01	1.5E+01
			Indeno(1,2,3-cd)pyrene	ug/kg	32	25	14	3.2E-01	1.8E+00	gamma	95% KM (t) UCL	5.1E-01	5.1E-01
			Naphthalene	ug/kg	32	12	0	1.2E+01	8.6E+01	non-parametric	97.5% KM (Chebyshev) UCL	2.7E+01	2.7E+01
			Phenanthrene	ug/kg	32	12	0	1.8E+01	8.5E+01	lognormal	95% KM (BCA) UCL	2.2E+01	2.2E+01
			Pyrene	ug/kg	32	25	0	1.0E+01	4.9E+01	gamma	95% KM (t) UCL	9.3E+00	9.3E+00
			Phthalates										
			Bis(2-ethylhexyl) phthalate	ug/kg	31	25	0	4.1E+03	8.7E+04	gamma	95% KM (t) UCL	9.5E+03	9.5E+03
			Dibutyl phthalate	ug/kg	32	29	19	1.8E+01	3.7E+01	--	Fewer than 5 detects	--	3.7E+01
			Diethyl phthalate	ug/kg	32	31	31	1.0E+01	1.0E+01	--	Fewer than 5 detects	--	1.0E+01
			Di-n-octyl phthalate	ug/kg	32	29	0	1.7E+02	2.1E+03	--	Fewer than 5 detects	--	2.1E+03
			Semi-Volatile Organic Compounds										
			Benzoic acid	ug/kg	32	16	14	4.4E+02	6.1E+02	normal	95% KM (t) UCL	4.9E+02	4.9E+02
			Benzyl alcohol	ug/kg	32	16	14	2.5E+01	3.3E+01	normal	95% KM (t) UCL	2.8E+01	2.8E+01
			Bis(2-chloroethoxy) methane	ug/kg	32	16	14	1.2E+01	2.2E+01	non-parametric	95% KM (Chebyshev) UCL	1.6E+01	1.6E+01
			Dibenzofuran	ug/kg	32	13	0	1.0E+01	5.2E+01	non-parametric	97.5% KM (Chebyshev) UCL	1.8E+01	1.8E+01
			Hexachlorobenzene	ug/kg	32	14	12	2.1E+00	4.8E+00	non-parametric	95% KM (Chebyshev) UCL	2.8E+00	2.8E+00
			Hexachlorobutadiene	ug/kg	32	21	13	1.4E-01	1.4E+00	approx. gamma	95% KM (BCA) UCL	2.7E-01	2.7E-01
			Phenols										
			4-Methylphenol	ug/kg	32	29	14	5.3E+00	1.3E+01	--	Fewer than 5 detects	--	1.3E+01
			4-Nitrophenol	ug/kg	32	26	14	7.5E+00	1.4E+01	non-parametric	95% KM (t) UCL	9.8E+00	9.8E+00
			Phenol	ug/kg	32	31	13	4.5E+01	2.7E+02	--	Fewer than 5 detects	--	2.7E+02
			Polychlorinated Biphenyls										
			Total Aroclors	ug/kg	14	0	0	1.2E+03	4.9E+03	gamma	95% KM (Chebyshev) UCL	2.7E+03	2.7E+03
			Total PCB Congeners	pg/g	32	0	0	1.1E+06	6.6E+06	non-parametric	95% Chebyshev (Mean, Sd) UCL	2.1E+06	2.1E+06
			Total PCBs, Adjusted	pg/g	32	0	0	1.0E+06	6.4E+06	non-parametric	95% Chebyshev (Mean, Sd) UCL	2.0E+06	2.0E+06

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-12
Exposure Point Concentration Summary - Resident Fish Species, Study Area-Wide

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Resident Fish Species (Smallmouth Bass, Carp, Brown Bullhead, and Black Crappie)

Exposure Point	Species	Tissue Type	Chemical of Potential Concern[a]	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[e]
										Distribution	95% UCL Method	Value	
			Dioxin/Furans										
			Total Dioxin/Furan TEQ	pg/g	32	0	0	4.8E+00	5.2E+01	non-parametric	95% Chebyshev (Mean, Sd) UCL	1.2E+01	1.2E+01
			Total PCB TEQ	pg/g	32	0	0	7.8E+00	3.6E+01	gamma	95% Approximate Gamma UCL	9.7E+00	9.7E+00
			Pesticides										
			Aldrin	ug/kg	32	17	14	2.0E-02	4.0E-02	normal	95% KM (t) UCL	2.5E-02	2.5E-02
			alpha-Hexachlorocyclohexane	ug/kg	32	17	14	2.6E-02	4.2E-02	normal	95% KM (t) UCL	3.1E-02	3.1E-02
			beta-Hexachlorocyclohexane	ug/kg	32	24	15	1.3E-02	3.6E-02	normal	95% KM (t) UCL	1.7E-02	1.7E-02
			Dieldrin	ug/kg	32	13	10	2.4E+00	7.3E+00	non-parametric	95% KM (Chebyshev) UCL	3.5E+00	3.5E+00
			Endrin	ug/kg	32	17	14	2.0E-02	5.4E-02	non-parametric	95% KM (Chebyshev) UCL	3.2E-02	3.2E-02
			Endrin aldehyde	ug/kg	32	30	29	4.6E-03	6.2E-03	--	Fewer than 5 detects	--	6.2E-03
			Endrin ketone	ug/kg	32	28	19	4.5E-03	1.5E-02	--	Fewer than 5 detects	--	1.5E-02
			gamma-Hexachlorocyclohexane	ug/kg	32	20	14	2.0E-02	3.5E-02	normal	95% KM (t) UCL	2.5E-02	2.5E-02
			Heptachlor	ug/kg	32	23	15	9.2E-03	2.7E-02	gamma	95% KM (t) UCL	1.2E-02	1.2E-02
			Heptachlor epoxide	ug/kg	32	14	14	1.1E-01	1.8E-01	normal	95% Student's-t UCL	1.3E-01	1.3E-01
			Total Chlordanes	ug/kg	32	12	1	1.0E+01	2.2E+01	gamma	95% KM (Percentile Bootstrap) UCL	1.2E+01	1.2E+01
			Total DDD	ug/kg	32	0	0	5.2E+01	5.2E+02	lognormal	95% H-UCL	7.1E+01	7.1E+01
			Total DDE	ug/kg	32	0	0	1.2E+02	4.7E+02	gamma	95% Approximate Gamma UCL	1.4E+02	1.4E+02
			Total DDT	ug/kg	32	5	0	3.8E+01	4.6E+02	lognormal	97.5% KM (Chebyshev) UCL	1.3E+02	1.3E+02
			Total Endosulfan	ug/kg	32	13	0	2.2E+00	2.8E+01	non-parametric	95% KM (t) UCL	2.9E+00	2.9E+00
Study Area-wide	Carp	F	**Metals**										
			Aluminum	mg/kg	15	0	0	1.7E+00	2.8E+00	normal	95% KM (t) UCL	2.0E+00	2.0E+00
			Arsenic, inorganic	mg/kg	15	0	0	9.7E-03	2.1E-02	gamma	95% KM (BCA) UCL	1.2E-02	1.2E-02
			Cadmium	mg/kg	15	4	0	3.7E-03	9.0E-03	normal	95% KM (t) UCL	4.8E-03	4.8E-03
			Chromium	mg/kg	15	11	0	2.0E-01	1.5E+00	--	Fewer than 5 detectsf	--	1.5E+00
			Copper	mg/kg	15	0	0	4.6E-01	6.9E-01	normal	95% KM (t) UCL	5.1E-01	5.1E-01
			Lead	mg/kg	15	4	0	5.7E-02	3.6E-01	non-parametric	95% KM (BCA) UCL	1.1E-01	1.1E-01
			Manganese	mg/kg	15	0	0	1.4E+00	2.8E+00	non-parametric	97.5% KM (Chebyshev) UCL	3.1E+00	2.8E+00
			Mercury	mg/kg	15	0	0	8.7E-02	1.9E-01	lognormal	95% KM (Chebyshev) UCL	1.5E-01	1.5E-01
			Nickel	mg/kg	15	1	0	6.6E-02	4.0E-01	lognormal	95% KM (Chebyshev) UCL	1.7E-01	1.7E-01
			Selenium	mg/kg	15	6	2	2.0E-01	3.0E-01	non-parametric	95% KM (BCA) UCL	N/A	3.0E-01
			Thallium	mg/kg	15	4	0	1.9E-03	6.2E-03	normal	95% KM (t) UCL	2.7E-03	2.7E-03
			Zinc	mg/kg	15	0	0	2.6E+01	3.1E+01	normal	95% KM (t) UCL	2.8E+01	2.8E+01
			Butyltins										
			Butyltin ion	ug/kg	9	7	1	4.0E-01	1.2E+00	--	Fewer than 5 detects	--	1.2E+00
			Dibutyltin ion	ug/kg	9	5	0	1.5E+00	7.3E+00	--	Fewer than 5 detects	--	7.3E+00
			Tributyltin ion	ug/kg	9	1	0	4.9E+00	1.1E+01	normal	95% KM (t) UCL	6.8E+00	6.8E+00
			Polynuclear Aromatic Hydrocarbons										
			1-Methylnaphthalene	ug/kg	9	0	0	3.4E+00	5.9E+00	normal	95% Student's-t UCL	4.3E+00	4.3E+00
			2-Methylnaphthalene	ug/kg	9	0	0	2.5E+00	3.7E+00	normal	95% Student's-t UCL	3.0E+00	3.0E+00
			Acenaphthene	ug/kg	9	0	0	2.1E+01	8.4E+01	gamma	95% Approximate Gamma UCL	4.3E+01	4.3E+01
			Acenaphthylene	ug/kg	9	0	0	2.0E+00	4.1E+00	gamma	95% Approximate Gamma UCL	2.7E+00	2.7E+00
			Anthracene	ug/kg	9	0	0	3.7E+00	9.0E+00	gamma	95% Approximate Gamma UCL	5.8E+00	5.8E+00
			Benzo(a)anthracene	ug/kg	9	8	0	6.0E-02	2.8E-01	--	Fewer than 5 detects	--	2.8E-01
			Benzo(b)fluoranthene	ug/kg	9	8	0	6.7E-02	3.2E-01	--	Fewer than 5 detects	--	3.2E-01
			Benzo(g,h,i)perylene	ug/kg	9	8	0	5.1E-02	1.7E-01	--	Fewer than 5 detects	--	1.7E-01
			Benzo(k)fluoranthene	ug/kg	9	8	0	4.5E-02	1.8E-01	--	Fewer than 5 detects	--	1.8E-01
			Dibenzo(a,h)anthracene	ug/kg	9	8	0	3.5E-02	7.5E-02	--	Fewer than 5 detects	--	7.5E-02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-12

Exposure Point Concentration Summary - Resident Fish Species, Study Area-Wide

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Resident Fish Species (Smallmouth Bass, Carp, Brown Bullhead, and Black Crappie)

Exposure Point	Species	Tissue Type	Chemical of Potential Concern[a]	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[e]
			Dibenzothiophene	ug/kg	9	1	0	1.1E+00	3.0E+00	normal	95% KM (t) UCL	1.7E+00	1.7E+00
			Fluoranthene	ug/kg	9	3	0	2.7E+00	5.4E+00	normal	95% KM (t) UCL	4.0E+00	4.0E+00
			Fluorene	ug/kg	9	0	0	5.4E+00	1.3E+01	normal	95% Student's-t UCL	7.8E+00	7.8E+00
			Indeno(1,2,3-cd)pyrene	ug/kg	9	8	0	4.2E-02	1.2E-01	--	Fewer than 5 detects	--	1.2E-01
			Naphthalene	ug/kg	9	5	0	2.7E+00	6.8E+00	--	Fewer than 5 detects	--	6.8E+00
			Phenanthrene	ug/kg	9	4	0	5.5E+00	1.3E+01	normal	95% KM (t) UCL	9.2E+00	9.2E+00
			Pyrene	ug/kg	9	0	0	2.4E+00	4.5E+00	normal	95% Student's-t UCL	3.3E+00	3.3E+00
			Semi-Volatile Organic Compounds										
			Benzyl alcohol	ug/kg	9	4	0	2.2E+01	3.7E+01	normal	95% KM (t) UCL	3.1E+01	3.1E+01
			Dibenzofuran	ug/kg	9	0	0	1.7E+00	3.6E+00	normal	95% Student's-t UCL	2.4E+00	2.4E+00
			Hexachlorobenzene	ug/kg	15	4	0	1.2E+01	1.4E+02	non-parametric	97.5% KM (Chebyshev) UCL	7.0E+01	7.0E+01
			Hexachlorobutadiene	ug/kg	15	7	6	5.5E-02	1.7E-01	gamma	95% KM (Chebyshev) UCL	1.5E-01	1.5E-01
			Isophorone	ug/kg	9	6	0	6.2E+00	9.8E+00	--	Fewer than 5 detects	--	9.8E+00
			Phenols										
			4-Nitrophenol	ug/kg	9	1	0	1.3E+01	1.9E+01	normal	95% KM (t) UCL	1.5E+01	1.5E+01
			Polychlorinated Biphenyls										
			Total Aroclors	ug/kg	6	0	0	8.4E+02	1.3E+03	normal	95% KM (t) UCL	1.2E+03	1.2E+03
			Total PCB Congeners	pg/g	9	0	0	2.5E+06	2.0E+07	non-parametric	99% Chebyshev (Mean, Sd) UCL	2.4E+07	2.0E+07
			Total PCBs, Adjusted[g]	pg/g	9	0	0	2.5E+06	1.9E+07	non-parametric	99% Chebyshev (Mean, Sd) UCL	2.4E+07	1.9E+07
			Dioxin/Furans										
			Total Dioxin/Furan TEQ	pg/g	9	0	0	2.8E+00	4.4E+00	gamma	95% Approximate Gamma UCL	3.5E+00	3.5E+00
			Total PCB TEQ	pg/g	9	0	0	3.3E+00	1.6E+01	non-parametric	95% Chebyshev (Mean, Sd) UCL	1.1E+01	1.1E+01
			Pesticides										
			Aldrin	ug/kg	15	6	6	8.4E-02	1.2E-01	normal	95% Student's-t UCL	1.0E-01	1.0E-01
			alpha-Hexachlorocyclohexane	ug/kg	15	9	6	2.2E-02	4.0E-02	normal	95% KM (t) UCL	2.9E-02	2.9E-02
			beta-Hexachlorocyclohexane	ug/kg	15	9	6	1.1E-02	2.3E-02	normal	95% KM (t) UCL	1.6E-02	1.6E-02
			Dieldrin	ug/kg	15	6	6	1.7E+00	2.3E+00	normal	95% Student's-t UCL	1.9E+00	1.9E+00
			Endrin	ug/kg	15	9	8	1.6E-02	2.2E-02	normal	95% KM (t) UCL	2.1E-02	2.1E-02
			Endrin aldehyde	ug/kg	15	13	8	1.3E-03	3.4E-03	--	Fewer than 5 detects	--	3.4E-03
			Endrin ketone	ug/kg	15	13	10	2.0E-03	6.7E-03	--	Fewer than 5 detects	--	6.7E-03
			gamma-Hexachlorocyclohexane	ug/kg	15	7	6	2.4E-02	3.6E-02	normal	95% KM (t) UCL	2.9E-02	2.9E-02
			Heptachlor epoxide	ug/kg	15	6	6	1.0E-01	1.5E-01	normal	95% Student's-t UCL	1.3E-01	1.3E-01
			Methoxychlor	ug/kg	15	13	0	1.2E+00	7.2E+00	--	Fewer than 5 detects	--	7.2E+00
			Total Chlordanes	ug/kg	15	5	2	8.9E+00	1.5E+01	normal	95% KM (t) UCL	1.1E+01	1.1E+01
			Total DDD	ug/kg	15	0	0	5.0E+01	2.0E+02	gamma	95% KM (Chebyshev) UCL	1.1E+02	1.1E+02
			Total DDE	ug/kg	15	0	0	9.4E+01	2.5E+02	gamma	95% KM (BCA) UCL	1.2E+02	1.2E+02
			Total DDT	ug/kg	15	5	0	1.0E+01	6.3E+01	gamma	95% KM (BCA) UCL	1.8E+01	1.8E+01
			Total Endosulfan	ug/kg	15	5	2	1.5E+00	8.1E+00	non-parametric	95% KM (BCA) UCL	2.3E+00	2.3E+00
Study Area-wide	Carp	WB	**Metals**										
			Aluminum	mg/kg	15	0	0	7.7E+01	1.3E+02	normal	95% Student's-t UCL	9.1E+01	9.1E+01
			Antimony	mg/kg	15	12	0	2.2E-03	6.4E-03	--	Fewer than 5 detects	--	6.4E-03
			Arsenic, inorganic	mg/kg	15	0	0	1.3E-02	2.3E-02	normal	95% Student's-t UCL	1.6E-02	1.6E-02
			Cadmium	mg/kg	15	0	0	6.0E-02	1.1E-01	normal	95% Student's-t UCL	6.9E-02	6.9E-02
			Chromium	mg/kg	15	0	0	8.4E-01	2.0E+00	normal	95% Student's-t UCL	1.1E+00	1.1E+00
			Copper	mg/kg	15	0	0	1.1E+00	1.4E+00	normal	95% Student's-t UCL	1.2E+00	1.2E+00
			Lead	mg/kg	15	0	0	2.0E-01	1.1E+00	non-parametric	95% Chebyshev (Mean, Sd) UCL	4.8E-01	4.8E-01
			Manganese	mg/kg	15	0	0	6.4E+00	8.5E+00	normal	95% Student's-t UCL	6.8E+00	6.8E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-12
Exposure Point Concentration Summary - Resident Fish Species, Study Area-Wide

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Resident Fish Species (Smallmouth Bass, Carp, Brown Bullhead, and Black Crappie)

Exposure Point	Species	Tissue Type	Chemical of Potential Concern[a]	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[e]
			Mercury	mg/kg	15	0	0	4.5E-02	5.7E-02	normal	95% Student's-t UCL	4.9E-02	4.9E-02
			Nickel	mg/kg	15	0	0	5.6E-01	1.4E+00	gamma	95% Approximate Gamma UCL	6.9E-01	6.9E-01
			Selenium	mg/kg	15	0	0	3.2E-01	4.0E-01	non-parametric	95% Student's-t UCL	3.4E-01	3.4E-01
			Silver	mg/kg	15	2	0	6.8E-03	1.7E-02	gamma	95% KM (BCA) UCL	9.0E-03	9.0E-03
			Thallium	mg/kg	15	0	0	2.5E-03	5.4E-03	approx. gamma	95% Approximate Gamma UCL	3.6E-03	3.6E-03
			Zinc	mg/kg	15	0	0	9.2E+01	1.1E+02	normal	95% Student's-t UCL	9.8E+01	9.8E+01
			Butyltins										
			Butyltin ion	ug/kg	9	1	0	4.7E+00	2.7E+01	non-parametric	97.5% KM (Chebyshev) UCL	2.2E+01	2.2E+01
			Dibutyltin ion	ug/kg	9	0	0	1.9E+00	5.1E+00	gamma	95% KM (Chebyshev) UCL	4.0E+00	4.0E+00
			Tributyltin ion	ug/kg	9	0	0	5.6E+00	8.6E+00	normal	95% KM (t) UCL	6.9E+00	6.9E+00
			Polynuclear Aromatic Hydrocarbons										
			1-Methylnaphthalene	ug/kg	9	0	0	5.4E+00	1.2E+01	normal	95% Student's-t UCL	7.3E+00	7.3E+00
			2-Methylnaphthalene	ug/kg	15	5	0	1.0E+01	3.8E+01	non-parametric	95% KM (BCA) UCL	1.1E+01	1.1E+01
			Acenaphthene	ug/kg	15	4	0	3.3E+01	1.2E+02	normal	95% KM (t) UCL	4.8E+01	4.8E+01
			Acenaphthylene	ug/kg	15	6	6	1.6E+00	4.2E+00	gamma	95% KM (Chebyshev) UCL	3.2E+00	3.2E+00
			Anthracene	ug/kg	15	6	6	2.7E+00	7.6E+00	normal	95% KM (t) UCL	4.1E+00	4.1E+00
			Benzo(a)anthracene	ug/kg	15	14	10	1.5E-01	3.2E-01	--	Fewer than 5 detects	--	3.2E-01
			Benzo(a)pyrene	ug/kg	15	14	11	2.2E-01	5.4E-01	--	Fewer than 5 detects	--	5.4E-01
			Benzo(b)fluoranthene	ug/kg	15	13	8	3.1E-01	1.0E+00	--	Fewer than 5 detects	--	1.0E+00
			Benzo(g,h,i)perylene	ug/kg	15	13	8	2.5E-01	5.6E-01	--	Fewer than 5 detects	--	5.6E-01
			Benzo(k)fluoranthene	ug/kg	14	12	9	1.8E-01	4.1E-01	--	Fewer than 5 detects	--	4.1E-01
			Dibenzo(a,h)anthracene	ug/kg	15	13	10	1.5E-01	2.5E-01	--	Fewer than 5 detects	--	2.5E-01
			Dibenzothiophene	ug/kg	9	0	0	3.7E+00	2.1E+01	gamma	95% KM (Chebyshev) UCL	1.3E+01	1.3E+01
			Fluoranthene	ug/kg	15	9	6	5.7E+00	2.4E+01	normal	95% KM (t) UCL	1.1E+01	1.1E+01
			Fluorene	ug/kg	15	5	0	1.4E+01	5.3E+01	gamma	95% KM (BCA) UCL	1.9E+01	1.9E+01
			Indeno(1,2,3-cd)pyrene	ug/kg	15	13	8	2.3E-01	6.0E-01	--	Fewer than 5 detects	--	6.0E-01
			Naphthalene	ug/kg	15	8	0	1.4E+01	5.6E+01	gamma	95% KM (t) UCL	1.9E+01	1.9E+01
			Phenanthrene	ug/kg	15	10	6	6.7E+00	1.6E+01	normal	95% KM (t) UCL	1.0E+01	1.0E+01
			Pyrene	ug/kg	15	6	6	2.0E+00	7.3E+00	gamma	95% KM (Chebyshev) UCL	5.1E+00	5.1E+00
			Semi-Volatile Organic Compounds										
			Benzoic acid	ug/kg	15	8	6	3.7E+02	4.7E+02	normal	95% KM (t) UCL	4.3E+02	4.3E+02
			Benzyl alcohol	ug/kg	15	10	9	3.7E+01	8.0E+01	non-parametric	95% KM (Chebyshev) UCL	7.6E+01	7.6E+01
			Bis(2-chloroethoxy) methane	ug/kg	15	10	6	1.3E+01	3.0E+01	normal	95% KM (t) UCL	2.1E+01	2.1E+01
			Dibenzofuran	ug/kg	15	6	6	2.6E+00	6.0E+00	approx. gamma	95% KM (Chebyshev) UCL	5.7E+00	5.7E+00
			Hexachlorobenzene	ug/kg	15	6	5	2.9E+00	4.5E+00	normal	95% KM (t) UCL	3.4E+00	3.4E+00
			Hexachlorobutadiene	ug/kg	15	6	6	7.9E-02	2.6E-01	gamma	95% KM (Chebyshev) UCL	2.1E-01	2.1E-01
			Isophorone	ug/kg	15	12	12	5.9E+00	5.9E+00	--	Fewer than 5 detects	--	5.9E+00
			Phenols										
			4-Nitrophenol	ug/kg	15	7	7	8.1E+00	9.5E+00	normal	95% KM (t) UCL	8.6E+00	8.6E+00
			Phenol	ug/kg	15	14	14	4.3E+01	4.3E+01	--	Fewer than 5 detects	--	4.3E+01
			Polychlorinated Biphenyls										
			Total Aroclors	ug/kg	6	0	0	1.7E+03	6.9E+03	gamma	95% KM (Chebyshev) UCL	6.3E+03	6.3E+03
			Total PCB Congeners	pg/g	15	0	0	2.8E+06	2.5E+07	non-parametric	99% Chebyshev (Mean, Sd) UCL	1.9E+07	1.9E+07
			Total PCBs, Adjusted	pg/g	15	0	0	2.7E+06	2.5E+07	non-parametric	99% Chebyshev (Mean, Sd) UCL	1.9E+07	1.9E+07
			Dioxin/Furans										
			Total Dioxin/Furan TEQ	pg/g	15	0	0	4.1E+00	8.5E+00	approx. gamma	95% Approximate Gamma UCL	5.0E+00	5.0E+00
			Total PCB TEQ	pg/g	15	0	0	1.2E+01	1.1E+02	non-parametric	95% Chebyshev (Mean, Sd) UCL	2.5E+01	2.5E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-12

Exposure Point Concentration Summary - Resident Fish Species, Study Area-Wide

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Resident Fish Species (Smallmouth Bass, Carp, Brown Bullhead, and Black Crappie)

Exposure Point	Species	Tissue Type	Chemical of Potential Concern[a]	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[e]
			Pesticides										
			Aldrin	ug/kg	15	6	6	1.2E-01	1.6E-01	normal	95% KM (t) UCL	1.5E-01	1.5E-01
			alpha-Hexachlorocyclohexane	ug/kg	15	6	6	3.5E-02	5.0E-02	normal	95% KM (t) UCL	3.9E-02	3.9E-02
			beta-Hexachlorocyclohexane	ug/kg	15	6	6	1.9E-02	4.2E-02	non-parametric	95% KM (Chebyshev) UCL	3.3E-02	3.3E-02
			delta-Hexachlorocyclohexane	ug/kg	15	10	6	2.3E-03	4.0E-03	normal	95% KM (t) UCL	3.1E-03	3.1E-03
			Dieldrin	ug/kg	15	6	5	2.1E+00	3.0E+00	normal	95% KM (t) UCL	2.5E+00	2.5E+00
			Endrin	ug/kg	15	6	6	2.3E-02	2.9E-02	normal	95% KM (t) UCL	2.7E-02	2.7E-02
			Endrin aldehyde	ug/kg	15	13	11	3.5E-03	7.4E-03	--	Fewer than 5 detects	--	7.4E-03
			Endrin ketone	ug/kg	15	12	9	4.3E-03	1.5E-02	--	Fewer than 5 detects	--	1.5E-02
			gamma-Hexachlorocyclohexane	ug/kg	15	6	6	3.1E-02	4.6E-02	normal	95% KM (t) UCL	3.7E-02	3.7E-02
			Heptachlor	ug/kg	15	10	8	4.1E-03	7.1E-03	normal	95% KM (t) UCL	5.9E-03	5.9E-03
			Heptachlor epoxide	ug/kg	15	6	6	1.5E-01	2.1E-01	normal	95% KM (t) UCL	1.7E-01	1.7E-01
			Methoxychlor	ug/kg	15	13	4	5.7E-01	4.2E+00		Fewer than 5 detects	--	4.2E+00
			Total Chlordanes	ug/kg	15	3	0	1.3E+01	2.4E+01	approx. gamma	95% KM (BCA) UCL	1.6E+01	1.6E+01
			Total DDD	ug/kg	15	0	0	7.5E+01	2.9E+02	approx. gamma	95% Approximate Gamma UCL	1.2E+02	1.2E+02
			Total DDE	ug/kg	15	0	0	1.3E+02	3.2E+02	gamma	95% Approximate Gamma UCL	1.7E+02	1.7E+02
			Total DDT	ug/kg	15	5	0	6.0E+00	4.7E+01	lognormal	99% KM (Chebyshev) UCL	3.7E+01	3.7E+01
			Total Endosulfan	ug/kg	15	5	2	2.4E+00	1.4E+01	non-parametric	95% KM (BCA) UCL	3.7E+00	3.7E+00
Study Area-wide	Brown Bullhead	F	**Metals**										
			Aluminum	mg/kg	6	0	0	5.5E+00	1.1E+01	normal	95% Student's t-UCL	8.3E+00	8.3E+00
			Arsenic, inorganic	mg/kg	6	0	0	2.0E-03	2.0E-03	--	--	--	2.0E-03
			Cadmium	mg/kg	6	1	1	1.0E-03	1.0E-03	--	--	--	1.0E-03
			Chromium	mg/kg	6	3	0	7.3E-02	2.3E-01	--	Fewer than 5 detectsf	--	2.3E-01
			Copper	mg/kg	6	0	0	2.5E-01	2.9E-01	normal	95% Student's t-UCL	2.7E-01	2.7E-01
			Manganese	mg/kg	6	0	0	1.1E-01	1.8E-01	approx. gamma	95% Approximate Gamma UCL	1.4E-01	1.4E-01
			Mercury	mg/kg	6	0	0	6.1E-02	9.4E-02	normal	95% Student's t-UCL	7.8E-02	7.8E-02
			Nickel	mg/kg	6	0	0	2.1E-02	5.5E-02	normal	95% Student's t-UCL	3.6E-02	3.6E-02
			Thallium	mg/kg	6	0	0	2.1E-03	3.0E-03	approx. gamma	95% Approximate Gamma UCL	3.2E-03	3.0E-03
			Zinc	mg/kg	6	0	0	5.2E+00	6.5E+00	normal	95% Student's t-UCL	5.9E+00	5.9E+00
			Polynuclear Aromatic Hydrocarbons										
			Fluoranthene	ug/kg	6	5	0	4.4E+01	1.1E+02	--	Fewer than 5 detects	--	1.1E+02
			Phenanthrene	ug/kg	6	4	0	5.8E+01	1.4E+02	--	Fewer than 5 detects	--	1.4E+02
			Phthalates										
			Bis(2-ethylhexyl) phthalate	ug/kg	6	5	1	6.0E+01	1.0E+02	--	Fewer than 5 detects	--	1.0E+02
			Polychlorinated Biphenyls										
			Total Aroclors	ug/kg	6	0	0	3.6E+02	1.3E+03	gamma	95% Approximate Gamma UCL	1.5E+03	1.3E+03
			Pesticides										
			Dieldrin	ug/kg	6	5	2	9.0E-01	2.1E+00	--	Fewer than 5 detects	--	2.1E+00
			Total Chlordanes	ug/kg	6	2	2	1.4E+00	1.6E+00	--	Fewer than 5 detects	--	1.6E+00
			Total DDD	ug/kg	6	2	2	3.4E+00	4.3E+00	--	Fewer than 5 detects	--	4.3E+00
			Total DDE	ug/kg	6	0	0	1.4E+01	2.7E+01	normal	95% Student's t-UCL	1.9E+01	1.9E+01
			Total DDT	ug/kg	6	2	0	6.4E+00	1.2E+01	--	Less than 5 detects	--	1.2E+01
Study Area-wide	Brown Bullhead	WB	**Metals**										
			Aluminum	mg/kg	6	0	0	9.8E+00	3.2E+01	non-parametric	95% Chebyshev (Mean, Sd) UCL	2.9E+01	2.9E+01
			Arsenic, inorganic	mg/kg	6	0	0	5.6E-03	8.0E-03	normal	95% Student's t-UCL	6.8E-03	6.8E-03
			Cadmium	mg/kg	6	0	0	1.2E-02	1.4E-02	normal	95% Student's t-UCL	1.4E-02	1.4E-02
			Chromium	mg/kg	6	0	0	7.3E-01	1.3E+00	normal	95% Student's t-UCL	1.0E+00	1.0E+00
			Copper	mg/kg	6	0	0	6.9E-01	8.0E-01	normal	95% Student's t-UCL	7.6E-01	7.6E-01
			Lead	mg/kg	6	1	0	2.5E-02	4.4E-02	non-parametric	95% KM (Chebyshev) UCL	4.2E-02	4.2E-02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-12

Exposure Point Concentration Summary - Resident Fish Species, Study Area-Wide

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Resident Fish Species (Smallmouth Bass, Carp, Brown Bullhead, and Black Crappie)

Exposure Point	Species	Tissue Type	Chemical of Potential Concern[a]	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration[e]
			Manganese	mg/kg	6	0	0	5.1E+00	1.1E+01	gamma	95% Approximate Gamma UCL	8.2E+00	8.2E+00
			Mercury	mg/kg	6	0	0	3.7E-02	5.4E-02	normal	95% Student's t-UCL	4.6E-02	4.6E-02
			Nickel	mg/kg	6	1	1	2.6E-01	3.2E-01	normal	95% Student's t-UCL	3.1E-01	3.1E-01
			Selenium	mg/kg	6	4	0	1.8E-01	3.0E-01	--	Fewer than 5 detects	--	3.0E-01
			Silver	mg/kg	6	5	0	1.6E-03	4.1E-03	--	Fewer than 5 detects	--	4.1E-03
			Thallium	mg/kg	6	2	0	2.3E-03	3.9E-03	--	Fewer than 5 detects	--	3.9E-03
			Zinc	mg/kg	6	0	0	1.4E+01	1.6E+01	normal	95% Student's t-UCL	1.5E+01	1.5E+01
			Polynuclear Aromatic Hydrocarbons										
			Fluoranthene	ug/kg	6	5	0	2.0E+01	4.0E+01	--	Fewer than 5 detects	--	4.0E+01
			Phenanthrene	ug/kg	6	5	0	2.4E+01	6.0E+01	--	Fewer than 5 detects	--	6.0E+01
			Phthalates										
			Bis(2-ethylhexyl) phthalate	ug/kg	6	5	0	4.9E+02	2.7E+03	--	Fewer than 5 detects	--	2.7E+03
			Polychlorinated Biphenyls										
			Total Aroclors	ug/kg	6	0	0	4.2E+02	1.7E+03	approx. gamma	95% Approximate Gamma UCL	1.4E+03	1.4E+03
			Total PCB Congeners	pg/g	6	0	0	5.1E+05	2.0E+06	gamma	95% Approximate Gamma UCL	1.6E+06	1.6E+06
			Total PCBs, Adjusted	pg/g	6	0	0	4.9E+05	1.9E+06	gamma	95% Approximate Gamma UCL	1.5E+06	1.5E+06
			Dioxin/Furans										
			Total Dioxin/Furan TEQ	pg/g	6	0	0	1.6E+00	2.1E+00	normal	95% Student's t-UCL	1.8E+00	1.8E+00
			Total PCB TEQ	pg/g	6	0	0	3.5E+00	6.0E+00	normal	95% Student's t-UCL	4.8E+00	4.8E+00
			Pesticides										
			Dieldrin	ug/kg	6	4	2	1.5E+00	2.6E+00	--	Fewer than 5 detects	--	2.6E+00
			gamma-Hexachlorocyclohexane	ug/kg	6	3	2	1.3E+00	1.9E+00	--	Fewer than 5 detects	--	1.9E+00
			Methoxychlor	ug/kg	6	5	2	6.6E-01	1.1E+00	--	Fewer than 5 detects	--	1.1E+00
			Total Chlordanes	ug/kg	6	2	0	1.6E+01	6.7E+01	--	Fewer than 5 detects	--	6.7E+01
			Total DDD	ug/kg	6	0	0	1.3E+01	2.5E+01	normal	95% Student's t-UCL	1.8E+01	1.8E+01
			Total DDE	ug/kg	6	0	0	4.7E+01	7.0E+01	normal	95% Student's t-UCL	6.0E+01	6.0E+01
			Total DDT	ug/kg	6	1	0	2.7E+01	5.8E+01	normal	95% KM (t) UCL	4.4E+01	4.4E+01
			Total Endosulfan	ug/kg	6	4	1	3.2E+00	8.6E+00	--	Fewer than 5 detects	--	8.6E+00
Study Area-wide	Black Crappie	F	**Metals**									
			Aluminum	mg/kg	4	0	0	5.2E+00	7.0E+00		Fewer than 5 detects		7.0E+00
			Arsenic, inorganic	mg/kg	4	0	0	1.4E-02	1.8E-02				1.8E-02
			Cadmium	mg/kg	4	2	0	7.5E-04	1.0E-03				1.0E-03
			Chromium	mg/kg	4	2	0	1.2E-01	2.8E-01				2.8E-01
			Copper	mg/kg	4	0	0	1.8E-01	1.8E-01				1.8E-01
			Manganese	mg/kg	4	0	0	1.3E-01	1.7E-01				1.7E-01
			Mercury	mg/kg	4	0	0	8.6E-02	1.0E-01				1.0E-01
			Nickel	mg/kg	4	2	0	3.1E-02	6.4E-02				6.4E-02
			Thallium	mg/kg	4	0	0	7.1E-03	9.9E-03				9.9E-03
			Zinc	mg/kg	4	0	0	8.2E+00	9.0E+00				9.0E+00
			Polychlorinated Biphenyls										
			Total Aroclors	ug/kg	4	0	0	2.4E+01	3.2E+01				3.2E+01
			Pesticides										
			Total Chlordanes	ug/kg	4	3	0	6.5E-01	1.1E+00				1.1E+00
			Total DDD	ug/kg	4	0	0	2.2E+00	2.7E+00				2.7E+00
			Total DDE	ug/kg	4	0	0	6.7E+00	7.8E+00				7.8E+00
			Total DDT	ug/kg	4	0	0	2.7E+00	3.4E+00				3.4E+00
Study Area-wide	Black Crappie	WB	**Metals**									
			Aluminum	mg/kg	4	0	0	2.2E+01	6.9E+01		Fewer than 5 detects		6.9E+01
			Arsenic, inorganic	mg/kg	4	0	0	2.8E-02	4.2E-02				4.2E-02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-12

Exposure Point Concentration Summary - Resident Fish Species, Study Area-Wide

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Resident Fish Species (Smallmouth Bass, Carp, Brown Bullhead, and Black Crappie)

Exposure Point	Species	Tissue Type	Chemical of Potential Concern[a]	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[e]
			Cadmium	mg/kg	4	0	0	3.9E-03	6.0E-03				6.0E-03
			Copper	mg/kg	4	0	0	8.2E-01	9.5E-01				9.5E-01
			Lead	mg/kg	4	3	0	6.6E-03	1.9E-02				1.9E-02
			Manganese	mg/kg	4	0	0	3.1E+00	3.4E+00				3.4E+00
			Mercury	mg/kg	4	0	0	3.9E-02	4.4E-02				4.4E-02
			Nickel	mg/kg	4	0	0	3.4E-01	3.6E-01				3.6E-01
			Thallium	mg/kg	4	0	0	1.1E-02	1.7E-02				1.7E-02
			Zinc	mg/kg	4	0	0	1.5E+01	1.7E+01				1.7E+01
			Semi-Volatile Organic Compounds										
			Hexachlorobenzene	ug/kg	4	2	0	3.7E+00	8.1E+00				8.1E+00
			Hexachlorobutadiene	ug/kg	4	1	0	1.4E+00	2.3E+00				2.3E+00
			Polychlorinated Biphenyls										
			Total Aroclors	ug/kg	4	0	0	1.3E+02	2.5E+02				2.5E+02
			Total PCB Congeners	pg/g	4	0	0	1.6E+05	3.0E+05				3.0E+05
			Total PCBs, Adjusted[g]	pg/g	4	0	0	1.5E+05	2.8E+05				2.8E+05
			Dioxin/Furans										
			Total Dioxin/Furan TEQ	pg/g	4	0	0	1.2E+00	1.3E+00				1.3E+00
			Total PCB TEQ	pg/g	4	0	0	2.2E+00	3.2E+00				3.2E+00
			Pesticides										
			alpha-Hexachlorocyclohexane	ug/kg	4	3	0	7.3E-01	1.4E+00				1.4E+00
			Dieldrin	ug/kg	4	3	1	1.5E+00	2.5E+00				2.5E+00
			Heptachlor	ug/kg	4	3	0	8.6E-01	1.8E+00				1.8E+00
			Total Chlordanes	ug/kg	4	0	0	7.5E+00	9.7E+00				9.7E+00
			Total DDD	ug/kg	4	0	0	1.2E+01	1.9E+01				1.9E+01
			Total DDE	ug/kg	4	0	0	5.6E+01	8.1E+01				8.1E+01
			Total DDT	ug/kg	4	1	0	1.3E+01	2.2E+01				2.2E+01
			Total Endosulfan	ug/kg	4	3	1	7.0E-01	1.1E+00				1.1E+00

Notes:

a Chemicals listed are analytes detected in each tissue type at least once within the Study Area.

b Total number of non-detects in the dataset.

c Number of non-detects with detection limit exceeding the maximum detected concentration for the exposure area. These non-detects were removed from the dataset prior to calculation of EPCs.

d Non-detects less than the maximum detected concentration for a given exposure area are included in the arithmetic mean at half the detection limit.

e Exposure point concentration is the lesser value of maximum or 95%UCL.

f 95% UCL not calculated for analytes with fewer than five detects.

g "Total PCBs, Adjusted" equals "Total PCB Congeners" minus the sum of total dioxin-like PCBs concentrations.

Abbreviations:

-- = Not applicable. A 95% UCL could not be computed for the given data set.

95% UCL = 95% Upper confidence limit on the mean.

DDD = Dichlorodiphenyldichloroethane.

DDE = Dichlorodiphenyldichloroethylene.

DDT = Dichlorodiphenyltrichloroethane.

F = Fillet tissue. All smallmouth bass, carp, and crapppie fillet tissue was analyzed as fillet with skin, except mercury, which was analyzed as fillet without skin. All brown bullhead fillet tissue was analyzed as fillet without skin.

mg/kg = Milligrams per kilogram.

PCB = Polychlorinated biphenyls.

pg/g = Picograms per gram.

TEQ = Toxic equivalents.

ug/kg = Micrograms per kilogram.

WB= Whole body.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-13
Exposure Point Concentration Summary - Pacific Lamprey Tissue

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Pacific Lamprey Tissue

Exposure Point[a]	Tissue Type[f]	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[f]
									Distribution	95% UCL Method	Value	
Study Area-wide	WB	**Metals**										
		Antimony	mg/kg	4	2	0	8.9E-01	2.1E+00		Fewer than 5 detects[g]		2.1E+00
		Arsenic, inorganic	mg/kg	4	0	0	2.4E-02	2.7E-02				2.7E-02
		Cadmium	mg/kg	4	0	0	6.0E-02	6.5E-02				6.5E-02
		Chromium	mg/kg	4	0	0	3.0E-01	4.5E-01				4.5E-01
		Cobalt	mg/kg	4	0	0	5.7E-02	7.2E-02				7.2E-02
		Copper	mg/kg	4	0	0	4.4E+00	4.8E+00				4.8E+00
		Iron	mg/kg	4	0	0	7.3E+01	8.2E+01				8.2E+01
		Lead	mg/kg	4	3	0	3.8E-02	1.3E-01				1.3E-01
		Manganese	mg/kg	4	0	0	1.6E+00	5.2E+00				5.2E+00
		Mercury	mg/kg	4	0	0	1.4E-01	1.7E-01				1.7E-01
		Nickel	mg/kg	4	3	0	3.1E-02	5.5E-02				5.5E-02
		Selenium	mg/kg	4	0	0	4.2E-01	4.8E-01				4.8E-01
		Silver	mg/kg	4	0	0	8.1E-02	8.9E-02				8.9E-02
		Zinc	mg/kg	4	0	0	1.9E+01	2.0E+01				2.0E+01
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	4	2	0	9.3E+00	1.5E+01				1.5E+01
		2-Methylnaphthalene	ug/kg	4	2	0	1.6E+01	2.6E+01				2.6E+01
		Acenaphthene	ug/kg	4	3	3	2.5E+00	2.5E+00				2.5E+00
		Acenaphthylene	ug/kg	4	3	3	1.0E+00	1.0E+00				1.0E+00
		Anthracene	ug/kg	4	3	3	1.7E+00	1.7E+00				1.7E+00
		Fluoranthene	ug/kg	4	2	0	5.9E+00	1.1E+01				1.1E+01
		Fluorene	ug/kg	4	2	0	3.2E+00	4.8E+00				4.8E+00
		Naphthalene	ug/kg	4	2	0	6.4E+00	1.1E+01				1.1E+01
		Phenanthrene	ug/kg	4	2	1	4.8E+00	8.2E+00				8.2E+00
		Pyrene	ug/kg	4	2	2	1.7E+00	2.0E+00				2.0E+00
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	4	3	3	2.9E+00	2.9E+00				2.9E+00
		Hexachlorobenzene	ug/kg	4	0	0	9.1E+00	1.1E+01				1.1E+01
		Retene	ug/kg	4	3	0	3.5E+00	7.8E+00				7.8E+00
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	4	0	0	4.4E+01	5.0E+01				5.0E+01
		Total PCB Congeners	pg/g	4	0	0	4.5E+04	4.9E+04				4.9E+04
		Total PCBs, Adjusted[h]	pg/g	4	0	0	4.1E+04	4.5E+04				4.5E+04

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-13

Exposure Point Concentration Summary - Pacific Lamprey Tissue

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Pacific Lamprey Tissue

Exposure Point[a]	Tissue Type[f]	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[f]
									Distribution	95% UCL Method	Value	
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	4	0	0	2.8E-01	3.1E-01				3.1E-01
		Total PCB TEQ	pg/g	4	0	0	9.0E-01	9.7E-01				9.7E-01

Notes:

a Lamprey samples were taken at Willamette Falls, outside of initial study area; samples represent EPCs for Study Area locations.

b Chemicals listed are analytes detected at least once within the BHHRA data set for this species.

c Total number of non-detects in the dataset.

d Number of non-detects with detection limit exceeding the maximum detected concentration for the exposure area. These non-detects were removed from the dataset prior to calculation of EPCs.

e Non-detects less than the maximum detected concentration for a given exposure area are included in the arithmetic mean at half the detection limit.

f Exposure point concentration is lesser value of the 95% UCL or maximum.

g 95% UCL not calculated for analytes with fewer than five detects.

h "Total PCBs, Adjusted" equals "Total PCB Congeners" minus the sum of total dioxin-like PCBs concentrations.

Abbreviations:

95% UCL = 95% Upper confidence limit on the mean.

BHHRA = Baseline human health risk assessment.

mg/kg = Milligrams per kilogram.

PCB = Polychlorinated biphenyl.

pg/g = Picograms per gram.

TEQ = Toxic equivalents.

ug/kg = Micrograms per kilogram.

WB = Whole body tissue.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-14
Exposure Point Concentration Summary - Sturgeon Tissue

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Sturgeon Tissue

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[f]
Study Area-wide	FNS	**Metals**										
		Aluminum	mg/kg	5	4	0	1.2E+00	2.2E+00	--	Fewer than 5 detects[g]	--	2.2E+00
		Arsenic, inorganic	mg/kg	5	0	0	3.4E-02	5.4E-02	normal	95% Student's-t UCL	4.8E-02	4.8E-02
		Barium	mg/kg	5	1	0	6.5E-02	9.5E-02	--	Fewer than 5 detects	--	9.5E-02
		Chromium	mg/kg	5	0	0	1.5E+00	3.3E+00	normal	95% Student's-t UCL	2.7E+00	2.7E+00
		Cobalt	mg/kg	5	0	0	2.8E-01	4.0E-01	normal	95% Student's-t UCL	4.1E-01	4.0E-01
		Copper	mg/kg	5	0	0	1.9E-01	2.5E-01	normal	95% Student's-t UCL	2.4E-01	2.4E-01
		Iron	mg/kg	5	0	0	8.2E+00	1.6E+01	normal	95% Student's-t UCL	1.3E+01	1.3E+01
		Lead	mg/kg	5	4	0	7.3E-03	1.7E-02	--	Fewer than 5 detects	--	1.7E-02
		Manganese	mg/kg	5	0	0	5.2E-01	1.1E+00	gamma	95% Approximate Gamma UCL	9.7E-01	9.7E-01
		Mercury	mg/kg	5	0	0	2.4E-01	3.2E-01	normal	95% Student's-t UCL	3.3E-01	3.2E-01
		Nickel	mg/kg	5	0	0	7.3E-01	1.7E+00	normal	95% Student's-t UCL	1.4E+00	1.4E+00
		Selenium	mg/kg	5	0	0	4.2E-01	5.3E-01	normal	95% Student's-t UCL	5.2E-01	5.2E-01
		Zinc	mg/kg	5	0	0	2.6E+00	2.9E+00	normal	95% Student's-t UCL	2.9E+00	2.9E+00
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	5	2	0	2.9E+00	3.9E+00	--	Fewer than 5 detects	--	3.9E+00
		2-Methylnaphthalene	ug/kg	5	4	0	2.4E+00	4.4E+00	--	Fewer than 5 detects	--	4.4E+00
		Acenaphthene	ug/kg	5	2	0	3.6E+00	8.4E+00	--	Fewer than 5 detects	--	8.4E+00
		Acenaphthylene	ug/kg	5	4	4	1.0E+00	1.0E+00	--	Fewer than 5 detects	--	1.0E+00
		Anthracene	ug/kg	5	4	0	2.6E+00	5.1E+00	--	Fewer than 5 detects	--	5.1E+00
		Fluoranthene	ug/kg	5	3	3	1.1E+00	1.3E+00	--	Fewer than 5 detects	--	1.3E+00
		Fluorene	ug/kg	5	4	0	2.6E+00	5.2E+00	--	Fewer than 5 detects	--	5.2E+00
		Pyrene	ug/kg	5	4	4	1.2E+00	1.2E+00	--	Fewer than 5 detects	--	1.2E+00
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	5	2	2	1.8E+00	3.6E+00	--	Fewer than 5 detects	--	3.6E+00
		Hexachlorobenzene	ug/kg	5	2	2	1.6E+00	1.6E+00	--	Fewer than 5 detects	--	1.6E+00
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	5	0	0	1.3E+02	4.3E+02	gamma	95% Approximate Gamma UCL	4.7E+02	4.3E+02
		Total PCB Congeners	pg/g	5	0	0	2.9E+05	9.6E+05	gamma	95% Approximate Gamma UCL	1.1E+06	9.6E+05
		Total PCBs, Adjusted[h]	pg/g	5	0	0	2.8E+05	9.5E+05	gamma	95% Approximate Gamma UCL	1.1E+06	9.5E+05
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	5	0	0	5.8E-01	1.3E+00	normal	95% Student's-t UCL	1.0E+00	1.0E+00
		Total PCB TEQ	pg/g	5	0	0	5.2E-01	8.7E-01	normal	95% Student's-t UCL	7.6E-01	7.6E-01
		Pesticides										
		Dieldrin	ug/kg	5	3	0	7.0E-01	1.4E+00	--	Fewer than 5 detects	--	1.4E+00
		Methoxychlor	ug/kg	5	4	0	2.4E+00	4.4E+00	--	Fewer than 5 detects	--	4.4E+00
		Total Chlordanes	ug/kg	5	1	0	3.6E+00	5.6E+00	--	Fewer than 5 detects	--	5.6E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-14
Exposure Point Concentration Summary - Sturgeon Tissue

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Sturgeon Tissue

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration[f]
7.6E+01	+	Total DDE	ug/kg	5	0	0	5.0E+01	9.4E+01	normal	95% Student's-t UCL	7.6E+01	7.6E+01
		Total DDT	ug/kg	5	0	0	2.7E+01	7.4E+01	gamma	95% Approximate Gamma UCL	7.8E+01	7.4E+01
--		Total Endosulfan	ug/kg	5	4	0	6.0E-01	1.1E+00	--	Fewer than 5 detects	--	1.1E+00

Notes:

a Sturgeon samples were taken between Willamette River miles 3.5 and 9.2.

b Chemicals listed are analytes detected at least once within the BHHRA data set for this species.

c Total number of non-detects in the dataset.

d Number of non-detects with detection limit exceeding the maximum detected concentration for the exposure area. These non-detects were removed from the dataset prior to calculation of EPCs.

e Non-detects less than the maximum detected concentration for a given exposure area are included in the arithmetic mean at half the detection limit.

f Exposure point concentration is lesser value of the 95% UCL or maximum.

g 95% UCL not calculated for analytes with fewer than five detects.

h "Total PCBs, Adjusted" equals "Total PCB Congeners" minus the sum of total dioxin-like PCBs concentrations.

Abbreviations:

-- = Not applicable. A 95% UCL could not be computed for the given data set.

95% UCL = 95% Upper confidence limit on the mean.

DDE = Dichlorodiphenyldichloroethylene.

DDT = Dichlorodiphenyltrichloroethane.

FNS = Fillet tissue without skin.

mg/kg = Milligrams per kilogram.

PCB = Polychlorinated biphenyl.

pg/g = Picograms per gram.

TEQ = Toxic equivalents.

ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-15
Exposure Point Concentration Summary - Adult Chinook Tissue

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Adult Chinook Tissue

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	Distribution	95% UCL Method	Value	Exposure Point Concentration[f]
Study Area-wide	FS	**Metals**										
		Arsenic, inorganic	mg/kg	3	0	0	1.0E-01	1.3E-01		Fewer than 5 detects[g]		1.3E-01
		Chromium	mg/kg	3	0	0	3.1E-01	3.3E-01				3.3E-01
		Cobalt	mg/kg	3	0	0	1.5E-01	2.7E-01				2.7E-01
		Copper	mg/kg	3	0	0	5.2E-01	5.3E-01				5.3E-01
		Iron	mg/kg	3	0	0	4.0E+00	4.3E+00				4.3E+00
		Manganese	mg/kg	3	0	0	9.1E-02	9.5E-02				9.5E-02
		Selenium	mg/kg	3	0	0	3.1E-01	3.4E-01				3.4E-01
		Zinc	mg/kg	3	0	0	4.6E+00	4.6E+00				4.6E+00
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	3	2	0	3.1E+00	5.4E+00				5.4E+00
		Fluorene	ug/kg	3	2	2	1.8E+00	1.8E+00				1.8E+00
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	3	0	0	1.5E+01	2.0E+01				2.0E+01
		Total PCB Congeners	pg/g	3	0	0	1.3E+04	1.5E+04				1.5E+04
		Total PCBs, Adjusted[h]	pg/g	3	0	0	1.2E+04	1.4E+04				1.4E+04
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	3	0	0	1.7E-01	1.9E-01				1.9E-01
		Total PCB TEQ	pg/g	3	0	0	1.7E-01	2.0E-01				2.0E-01
		Pesticides										
		Dieldrin	ug/kg	3	2	1	1.4E+00	2.0E+00				2.0E+00
		Total DDE	ug/kg	3	1	0	7.2E+00	1.1E+01				1.1E+01
		Total DDT	ug/kg	3	1	0	1.2E+00	2.0E+00				2.0E+00
		Total Endosulfan	ug/kg	3	2	1	8.3E-01	1.2E+00				1.2E+00
	FNS	**Metals**										
		Mercury	mg/kg	3	0	0	8.1E-02	1.0E-01		Fewer than 5 detects		1.0E-01
		Polychlorinated Biphenyls										
		Total PCB Congeners	pg/g	3	0	0	1.0E+04	1.2E+04				1.2E+04
		Total PCBs, Adjusted	pg/g	3	0	0	9.5E+03	1.2E+04				1.2E+04
		Dioxins/Furans										
		Total Dioxin/Furan TEQ	pg/g	3	0	0	1.4E-01	1.7E-01				1.7E-01
		Total PCB TEQ	pg/g	3	0	0	1.5E-01	1.8E-01				1.8E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-15
Exposure Point Concentration Summary - Adult Chinook Tissue

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Adult Chinook Tissue

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	Distribution	95% UCL Method	Value	Exposure Point Concentration[f]
	WB	**Metals**										
		Aluminum	mg/kg	4	0	0	4.9E+00	5.6E+00		Fewer than 5 detects		5.6E+00
		Antimony	mg/kg	4	3	0	1.2E-01	2.8E-01				2.8E-01
		Arsenic, inorganic	mg/kg	4	0	0	9.0E-02	9.8E-02				9.8E-02
		Chromium	mg/kg	4	0	0	3.1E-01	4.0E-01				4.0E-01
		Cobalt	mg/kg	4	0	0	6.8E-02	8.4E-02				8.4E-02
		Copper	mg/kg	4	0	0	1.4E+00	1.5E+00				1.5E+00
		Iron	mg/kg	4	0	0	2.0E+01	2.1E+01				2.1E+01
		Manganese	mg/kg	4	0	0	3.0E-01	3.4E-01				3.4E-01
		Mercury	mg/kg	4	0	0	5.7E-02	6.2E-02				6.2E-02
		Nickel	mg/kg	4	0	0	1.3E-01	2.2E-01				2.2E-01
		Selenium	mg/kg	4	0	0	4.7E-01	5.1E-01				5.1E-01
		Silver	mg/kg	4	3	0	1.0E-02	1.7E-02				1.7E-02
		Zinc	mg/kg	4	0	0	2.8E+01	3.8E+01				3.8E+01
		Polynuclear Aromatic Hydrocarbons										
		1-Methyl-naphthalene	ug/kg	4	1	1	2.6E+00	2.8E+00				2.8E+00
		2-Methyl-naphthalene	ug/kg	4	1	0	4.6E+00	5.7E+00				5.7E+00
		Fluoranthene	ug/kg	4	3	3	1.0E+00	1.0E+00				1.0E+00
		Fluorene	ug/kg	4	3	3	8.0E-01	8.0E-01				8.0E-01
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	4	3	3	7.0E-01	7.0E-01				7.0E-01
		Hexachlorobenzene	ug/kg	4	1	1	2.2E+00	2.6E+00				2.6E+00
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	4	0	0	1.7E+01	1.9E+01				1.9E+01
		Total PCB Congeners	pg/g	4	0	0	1.5E+04	1.7E+04				1.7E+04
		Total PCBs, Adjusted	pg/g	4	0	0	1.4E+04	1.6E+04				1.6E+04
		Dioxins/Furans										
		Total Dioxin/Furan TEQ	pg/g	4	0	0	2.1E-01	2.6E-01				2.6E-01
		Total PCB TEQ	pg/g	4	0	0	2.2E-01	2.5E-01				2.5E-01
		Pesticides										
		Dieldrin	ug/kg	4	0	0	1.4E+00	1.6E+00				1.6E+00
		Heptachlor	ug/kg	4	3	0	7.8E-01	1.7E+00				1.7E+00
		Methoxychlor	ug/kg	4	3	2	2.8E+00	3.7E+00				3.7E+00
		Total Chlordane	ug/kg	4	3	2	8.4E-01	1.2E+00				1.2E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-15

Exposure Point Concentration Summary - Adult Chinook Tissue

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Adult Chinook Tissue

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration[f]
									Distribution	95% UCL Method	Value	
		Total DDE	ug/kg	4	0	0	6.4E+00	7.9E+00				7.9E+00
		Total DDT	ug/kg	4	3	3	1.4E+00	1.4E+00				1.4E+00
		Total Endosulfan	ug/kg	4	3	2	7.3E-01	9.9E-01				9.9E-01

Notes:

a Chinook salmon samples were taken at Clackamas fish hatchery, outside of initial study area; samples represent EPCs for Study Area locations.

b Chemicals listed are analytes detected in each tissue type at least once within the BHHRA data set for this species.

c Total number of non-detects in the dataset.

d Number of non-detects with detection limit exceeding the maximum detected concentration for the exposure area. These non-detects were removed from the dataset prior to calculation of EPCs.

e Non-detects less than the maximum detected concentration for a given exposure area are included in the arithmetic mean at half the detection limit.

f Exposure point concentration is lesser value of the 95% UCL or maximum.

g 95% UCL not calculated for analytes with fewer than five detects.

h "Total PCBs, Adjusted" equals "Total PCB Congeners" minus the sum of total dioxin-like PCBs concentrations.

Abbreviations:

95% UCL = 95% Upper confidence limit on the mean.
DDE = Dichlorodiphenyldichloroethylene.
DDT = Dichlorodiphenyltrichloroethane.
FNS = Fillet tissue without skin.
FS = Fillet tissue with skin.
mg/kg = Milligrams per kilogram.
PCB = Polychlorinated biphenyl.
pg/g = Picograms per gram.
TEQ = Toxic equivalents.
ug/kg = Micrograms per kilogram.
WB = Whole body tissue.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-16
Exposure Point Concentration Summary - Multi-Species Diet, Study Area-Wide

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Multi-species

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Units	Recreational and Subsistence Fishers[b]					Tribal Fishers[b]							
				Smallmouth Bass	Common Carp	Brown Bullhead	Black Crappie	Multi-Species EPC[c,d]	Smallmouth Bass	Common Carp	Brown Bullhead	Black Crappie	Salmon[e]	Lamprey[f]	Sturgeon[g]	Multi-Species EPC[h,i,j]
Study Area-wide	F	**Metals**														
		Aluminum	mg/kg	6.7E-01	4.9E-01	2.1E+00	1.8E+00	5.0E+00	3.3E-01	2.4E-01	1.0E+00	8.7E-01	ND	ND	1.1E-01	2.6E+00
		Antimony	mg/kg	1.3E-03	ND	ND	ND	1.3E-03	6.2E-04	ND	ND	ND	ND	1.4E-01	ND	1.4E-01
		Arsenic, inorganic	mg/kg	5.4E-03	3.0E-03	5.0E-04	4.5E-03	1.3E-02	2.7E-03	1.5E-03	2.5E-04	2.2E-03	4.8E-02	1.9E-03	2.4E-03	5.9E-02
		Cadmium	mg/kg	2.5E-04	1.2E-03	2.5E-04	2.5E-04	2.0E-03	1.2E-04	6.0E-04	1.2E-04	1.2E-04	ND	4.6E-03	ND	5.5E-03
		Chromium	mg/kg	2.3E-01	3.7E-01	5.8E-02	7.0E-02	7.3E-01	1.1E-01	1.8E-01	2.9E-02	3.5E-02	1.3E-01	3.1E-02	1.3E-01	6.5E-01
		Copper	mg/kg	1.2E-01	1.3E-01	6.9E-02	4.6E-02	3.6E-01	5.8E-02	6.3E-02	3.4E-02	2.3E-02	2.0E-01	3.4E-01	1.2E-02	7.3E-01
		Lead	mg/kg	4.5E-02	2.8E-02	ND	ND	7.3E-02	2.2E-02	1.4E-02	ND	ND	ND	9.0E-03	8.1E-04	4.6E-02
		Manganese	mg/kg	1.2E-01	7.0E-01	3.5E-02	4.2E-02	9.0E-01	6.0E-02	3.5E-01	1.7E-02	2.1E-02	3.7E-02	3.6E-01	4.8E-02	8.9E-01
		Mercury	mg/kg	5.0E-02	3.8E-02	2.0E-02	2.5E-02	1.3E-01	2.5E-02	1.9E-02	9.7E-03	1.3E-02	ND	1.2E-02	1.6E-02	9.4E-02
		Nickel	mg/kg	2.6E-02	4.3E-02	9.1E-03	1.6E-02	9.4E-02	1.3E-02	2.1E-02	4.5E-03	7.9E-03	ND	3.8E-03	7.0E-02	1.2E-01
		Selenium	mg/kg	1.1E+00	7.5E-02	ND	ND	1.2E+00	5.6E-01	3.7E-02	ND	ND	1.3E-01	3.4E-02	2.6E-02	7.9E-01
		Silver	mg/kg	5.0E-04	ND	ND	ND	5.0E-04	2.5E-04	ND	ND	ND	ND	6.2E-03	ND	6.4E-03
		Thallium	mg/kg	1.1E-03	6.8E-04	7.5E-04	2.5E-03	5.1E-03	5.7E-04	3.4E-04	3.7E-04	1.2E-03	ND	ND	ND	2.5E-03
		Zinc	mg/kg	2.2E+00	6.9E+00	1.5E+00	2.3E+00	1.3E+01	1.1E+00	3.4E+00	7.3E-01	1.1E+00	1.8E+00	1.4E+00	1.4E-01	9.7E+00
		Butyltins														
		Butyltin ion	ug/kg	ND	3.0E-01	NA	NA	3.0E-01	ND	1.5E-01	NA	NA	ND	ND	NA	1.5E-01
		Dibutyltin ion	ug/kg	1.4E-01	1.8E+00	NA	NA	2.0E+00	7.0E-02	9.1E-01	NA	NA	ND	ND	NA	9.8E-01
		Tributyltin ion	ug/kg	2.3E-01	1.7E+00	NA	NA	1.9E+00	1.1E-01	8.4E-01	NA	NA	ND	ND	NA	9.6E-01
		Polynuclear Aromatic Hydrocarbons														
		1-Methylnaphthalene	ug/kg	2.5E-01	1.1E+00	NA	NA	1.3E+00	1.2E-01	5.4E-01	NA	NA	ND	1.1E+00	1.9E-01	1.9E+00
		2-Methylnaphthalene	ug/kg	3.2E-01	7.6E-01	ND	NA	1.1E+00	1.6E-01	3.7E-01	ND	NA	2.1E+00	1.8E+00	2.2E-01	4.6E+00
		Acenaphthene	ug/kg	1.4E+00	1.1E+01	ND	NA	1.2E+01	6.7E-01	5.3E+00	ND	NA	ND	1.8E-01	4.1E-01	6.6E+00
		Acenaphthylene	ug/kg	1.7E-01	6.9E-01	ND	NA	8.5E-01	8.3E-02	3.4E-01	ND	NA	ND	7.0E-02	4.9E-02	5.4E-01
		Anthracene	ug/kg	2.9E-01	1.4E+00	ND	NA	1.7E+00	1.4E-01	7.1E-01	ND	NA	ND	1.2E-01	2.5E-01	1.2E+00
		Benzo(a)anthracene	ug/kg	1.9E-01	7.0E-02	ND	NA	2.6E-01	9.4E-02	3.5E-02	ND	NA	ND	ND	ND	1.3E-01
		Benzo(a)pyrene	ug/kg	1.7E-01	ND	ND	NA	1.7E-01	8.6E-02	ND	ND	NA	ND	ND	ND	8.6E-02
		Benzo(b)fluoranthene	ug/kg	1.4E-01	8.0E-02	ND	NA	2.2E-01	6.9E-02	4.0E-02	ND	NA	ND	ND	ND	1.1E-01
		Benzo(g,h,i)perylene	ug/kg	1.5E-01	4.3E-02	ND	NA	2.0E-01	7.7E-02	2.1E-02	ND	NA	ND	ND	ND	9.8E-02
		Benzo(k)fluoranthene	ug/kg	1.1E-01	4.5E-02	ND	NA	1.5E-01	5.4E-02	2.2E-02	ND	NA	ND	ND	ND	7.7E-02
		Chrysene	ug/kg	3.7E-01	ND	ND	NA	3.7E-01	1.8E-01	ND	ND	NA	ND	ND	ND	1.8E-01
		Dibenzo(a,h)anthracene	ug/kg	6.0E-02	1.9E-02	ND	NA	7.9E-02	3.0E-02	9.3E-03	ND	NA	ND	ND	ND	3.9E-02
		Dibenzothiophene	ug/kg	2.0E-01	4.2E-01	NA	NA	6.2E-01	9.9E-02	2.1E-01	NA	NA	NA	NA	NA	3.1E-01
		Fluoranthene	ug/kg	9.9E-01	1.0E+00	2.8E+01	NA	3.0E+01	4.9E-01	5.0E-01	1.4E+01	NA	ND	7.7E-01	6.4E-02	1.5E+01
		Fluorene	ug/kg	7.0E-01	2.0E+00	ND	NA	2.7E+00	3.5E-01	9.7E-01	ND	NA	6.9E-01	3.4E-01	2.5E-01	2.6E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	1.4E-01	3.0E-02	ND	NA	1.7E-01	7.1E-02	1.5E-02	ND	NA	ND	ND	ND	8.6E-02
		Naphthalene	ug/kg	1.0E+00	1.7E+00	ND	NA	2.7E+00	5.2E-01	8.4E-01	ND	NA	ND	7.7E-01	ND	2.1E+00
		Phenanthrene	ug/kg	1.7E+00	2.3E+01	3.5E+01	NA	3.9E+01	8.6E-01	1.1E+00	1.7E+01	NA	ND	5.7E-01	ND	2.0E+01
		Pyrene	ug/kg	3.3E+00	8.3E-01	ND	NA	4.1E+00	1.6E+00	4.1E-01	ND	NA	ND	1.4E-01	5.9E-02	2.2E+00
		Phthalates														
		Bis(2-ethylhexyl) phthalate	ug/kg	3.3E+01	ND	2.5E+01	NA	5.8E+01	1.6E+01	ND	1.2E+01	NA	ND	ND	NA	2.9E+01
		Dibutyl phthalate	ug/kg	1.1E+01	ND	ND	NA	1.1E+01	5.3E+00	ND	ND	NA	ND	NA	NA	5.3E+00
		Diethyl phthalate	ug/kg	4.3E+00	ND	ND	NA	4.3E+00	2.1E+00	ND	ND	NA	ND	ND	NA	2.1E+00
		Semi-Volatile Organic Compounds	ug/kg													
		Benzyl alcohol	ug/kg	6.3E+00	7.7E+00	ND	NA	1.4E+01	3.1E+00	3.8E+00	ND	NA	ND	ND	NA	6.9E+00
		Dibenzofuran	ug/kg	ND	6.1E-01	ND	NA	6.1E-01	ND	3.0E-01	ND	NA	ND	2.0E-01	1.8E-01	6.8E-01
		Hexachlorobenzene	ug/kg	1.1E-01	1.7E+01	ND	ND	1.8E+01	5.6E-02	8.6E+00	ND	ND	ND	7.7E-01	7.8E-02	9.5E+00
		Hexachlorobutadiene	ug/kg	8.4E-03	3.7E-02	ND	ND	4.5E-02	4.2E-03	1.8E-02	ND	ND	ND	ND	ND	2.2E-02
		Isophorone	ug/kg	ND	2.5E+00	ND	NA	2.5E+00	ND	1.2E+00	ND	NA	NA	NA	NA	1.2E+00
		Phenols														
		4-Nitrophenol	ug/kg	3.3E+00	3.8E+00	ND	NA	7.1E+00	1.6E+00	1.9E+00	ND	NA	ND	NA	NA	3.5E+00
		Polychlorinated Biphenyls														
		Total Aroclors	ug/kg	2.1E+01	3.0E+02	3.3E+02	8.0E+00	6.6E+02	1.0E+01	1.5E+02	1.7E+02	4.0E+00	7.7E+00	3.5E+00	2.1E+01	3.6E+02
		Total PCB Congeners	pg/g	1.3E+05	4.9E+06	NA	NA	5.1E+06	6.3E+04	2.4E+06	NA	NA	5.9E+03	3.4E+03	4.7E+04	2.6E+06
		Total PCBs, Adjusted[k]	pg/g	1.2E+05	4.9E+06	NA	NA	5.0E+06	6.1E+04	2.4E+06	NA	NA	5.5E+03	3.1E+03	4.7E+04	2.5E+06

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-16
Exposure Point Concentration Summary - Multi-Species Diet, Study Area-Wide

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Multi-species

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Units	Recreational and Subsistence Fishers[b]					Tribal Fishers[b]							
				Smallmouth Bass	Common Carp	Brown Bullhead	Black Crappie	Multi-Species EPC[c,d]	Smallmouth Bass	Common Carp	Brown Bullhead	Black Crappie	Salmon[e]	Lamprey[f]	Sturgeon[g]	Multi-Species EPC[h,i,j]
		Dioxin/Furans														
		Total Dioxin/Furan TEQ	pg/g	7.5E-01	8.8E-01	NA	NA	1.6E+00	3.7E-01	4.4E-01	NA	NA	7.3E-02	2.2E-02	4.9E-02	9.5E-01
		Total PCB TEQ	pg/g	3.1E-01	2.6E+00	NA	NA	2.9E+00	1.5E-01	1.3E+00	NA	NA	7.7E-02	6.8E-02	3.7E-02	1.6E+00
		Pesticides														
		Aldrin	ug/kg	1.9E-03	2.5E-02	ND	ND	2.7E-02	9.4E-04	1.3E-02	ND	ND	ND	ND	ND	1.3E-02
		alpha-Hexachlorocyclohexane	ug/kg	1.2E-03	7.2E-03	ND	ND	8.4E-03	6.0E-04	3.6E-03	ND	ND	ND	ND	ND	4.2E-03
		beta-Hexachlorocyclohexane	ug/kg	1.1E+00	4.0E-03	ND	ND	1.1E+00	5.6E-01	2.0E-03	ND	ND	ND	ND	ND	5.6E-01
		Dieldrin	ug/kg	2.8E-01	4.7E-01	5.3E-01	ND	1.3E+00	1.4E-01	2.3E-01	2.6E-01	ND	7.7E-01	ND	6.9E-02	1.5E+00
		Endrin	ug/kg	1.2E-03	5.2E-03	ND	ND	6.4E-03	6.1E-04	2.6E-03	ND	ND	ND	ND	ND	3.2E-03
		Endrin aldehyde	ug/kg	5.0E-01	8.5E-04	ND	ND	5.0E-01	2.5E-01	4.2E-04	ND	ND	ND	ND	ND	2.5E-01
		Endrin ketone	ug/kg	2.7E-03	1.7E-03	ND	ND	4.4E-03	1.3E-03	8.3E-04	ND	ND	ND	ND	ND	2.2E-03
		gamma-Hexachlorocyclohexane	ug/kg	1.4E-03	7.2E-03	ND	ND	8.6E-03	6.9E-04	3.6E-03	ND	ND	ND	ND	ND	4.3E-03
		Heptachlor	ug/kg	1.3E-03	ND	ND	ND	1.3E-03	6.2E-04	ND	ND	ND	ND	ND	ND	6.2E-04
		Heptachlor epoxide	ug/kg	4.8E-03	3.1E-02	ND	ND	3.6E-02	2.4E-03	1.6E-02	ND	ND	ND	ND	ND	1.8E-02
		Methoxychlor	ug/kg	ND	1.8E+00	ND	ND	1.8E+00	ND	8.9E-01	ND	ND	ND	ND	2.2E-01	1.1E+00
		Total Chlordanes	ug/kg	9.0E-01	2.7E+00	4.0E-01	2.8E-01	4.3E+00	4.4E-01	1.3E+00	2.0E-01	1.4E-01	ND	ND	2.7E-01	2.4E+00
		Total DDD	ug/kg	4.4E+00	2.7E+01	1.1E+00	6.8E-01	3.3E+01	2.2E+00	1.3E+01	5.3E-01	3.3E-01	ND	ND	ND	1.6E+01
		Total DDE	ug/kg	4.2E+00	2.9E+01	4.8E+00	2.0E+00	4.0E+01	2.1E+00	1.5E+01	2.4E+00	9.7E-01	4.2E+00	ND	3.7E+00	2.8E+01
		Total DDT	ug/kg	8.1E+00	4.5E+00	2.9E+00	8.5E-01	1.6E+01	4.0E+00	2.2E+00	1.4E+00	4.2E-01	7.7E-01	ND	3.6E+00	1.2E+01
		Total Endosulfan	ug/kg	2.1E-02	5.9E-01	ND	ND	6.1E-01	1.0E-02	2.9E-01	ND	ND	4.6E-01	ND	5.4E-02	8.2E-01
Study Area-wide	WB	**Metals**														
		Aluminum	mg/kg	NC	NC	NC	NC	NC	7.4E-01	1.1E+01	3.6E+00	8.5E+00	2.2E+00	ND	1.1E-01	2.6E+01
		Antimony	mg/kg	NC	NC	NC	NC	NC	6.6E-02	7.9E-04	ND	ND	1.1E-01	1.4E-01	ND	3.2E-01
		Arsenic, inorganic	mg/kg	NC	NC	NC	NC	NC	3.3E-03	2.0E-03	8.4E-04	5.2E-03	3.8E-02	1.9E-03	2.4E-03	5.3E-02
		Cadmium	mg/kg	NC	NC	NC	NC	NC	4.7E-03	8.6E-03	1.7E-03	7.4E-04	ND	4.6E-03	ND	2.0E-02
		Chromium	mg/kg	NC	NC	NC	NC	NC	5.2E-02	1.3E-01	1.3E-01	ND	1.5E-01	3.1E-02	1.3E-01	6.3E-01
		Copper	mg/kg	NC	NC	NC	NC	NC	1.1E-01	1.5E-01	9.4E-02	1.2E-01	5.8E-01	3.4E-01	1.2E-02	1.4E+00
		Lead	mg/kg	NC	NC	NC	NC	NC	4.7E+01	6.0E-02	5.2E-03	2.3E-03	ND	9.0E-03	8.1E-04	4.7E+01
		Manganese	mg/kg	NC	NC	NC	NC	NC	2.4E-01	8.5E-01	1.0E+00	4.2E-01	1.3E-01	3.6E-01	4.8E-02	3.1E+00
		Mercury	mg/kg	NC	NC	NC	NC	NC	1.3E-02	6.0E-03	5.7E-03	5.5E-03	2.4E-02	1.2E-02	1.6E-02	8.1E-02
		Nickel	mg/kg	NC	NC	NC	NC	NC	1.5E-02	8.6E-02	3.8E-02	4.4E-02	8.4E-02	3.8E-03	7.0E-02	3.4E-01
		Selenium	mg/kg	NC	NC	NC	NC	NC	1.5E-01	4.2E-02	3.7E-02	ND	1.9E-01	3.4E-02	2.6E-02	4.8E-01
		Silver	mg/kg	NC	NC	NC	NC	NC	9.8E-04	1.1E-03	5.0E-04	ND	6.6E-03	6.2E-03	ND	1.5E-02
		Thallium	mg/kg	NC	NC	NC	NC	NC	5.8E-04	4.5E-04	4.8E-04	2.1E-03	ND	ND	ND	3.6E-03
		Zinc	mg/kg	NC	NC	NC	NC	NC	1.7E+00	1.2E+01	1.9E+00	2.1E+00	1.4E+01	1.4E+00	1.4E-01	3.4E+01
		Butyltins														
		Butyltin ion	ug/kg	NC	NC	NC	NC	NC	ND	2.8E+00	NA	NA	ND	ND	NA	2.8E+00
		Dibutyltin ion	ug/kg	NC	NC	NC	NC	NC	8.8E-02	4.9E-01	NA	NA	ND	ND	NA	5.8E-01
		Tributyltin ion	ug/kg	NC	NC	NC	NC	NC	2.0E-01	8.6E-01	NA	NA	ND	ND	NA	1.1E+00
		Polynuclear Aromatic Hydrocarbons														
		1-Methylnaphthalene	ug/kg	NC	NC	NC	NC	NC	4.3E-01	9.0E-01	ND	NA	1.1E+00	1.1E+00	1.9E-01	3.7E+00
		2-Methylnaphthalene	ug/kg	NC	NC	NC	NC	NC	3.2E+00	1.4E+00	ND	NA	2.2E+00	1.8E+00	2.2E-01	8.9E+00
		Acenaphthene	ug/kg	NC	NC	NC	NC	NC	4.6E+00	6.0E+00	ND	NA	ND	1.8E-01	4.1E-01	1.1E+01
		Acenaphthylene	ug/kg	NC	NC	NC	NC	NC	1.3E-01	4.0E-01	ND	NA	ND	7.0E-02	4.9E-02	6.5E-01
		Anthracene	ug/kg	NC	NC	NC	NC	NC	3.9E-01	5.1E-01	ND	NA	ND	1.2E-01	2.5E-01	1.3E+00
		Benzo(a)anthracene	ug/kg	NC	NC	NC	NC	NC	5.2E-02	4.0E-02	ND	NA	ND	ND	ND	9.2E-02
		Benzo(a)pyrene	ug/kg	NC	NC	NC	NC	NC	5.5E-02	6.7E-02	ND	NA	ND	ND	ND	1.2E-01
		Benzo(b)fluoranthene	ug/kg	NC	NC	NC	NC	NC	4.5E-02	1.2E-01	ND	NA	ND	ND	ND	1.7E-01
		Benzo(g,h,i)perylene	ug/kg	NC	NC	NC	NC	NC	7.8E-02	6.9E-02	ND	NA	ND	ND	ND	1.5E-01
		Benzo(k)fluoranthene	ug/kg	NC	NC	NC	NC	NC	3.8E-02	5.1E-02	ND	NA	ND	ND	ND	8.8E-02
		Chrysene	ug/kg	NC	NC	NC	NC	NC	8.0E-02	0.0E+00	ND	NA	ND	ND	ND	8.0E-02
		Dibenzo(a,h)anthracene	ug/kg	NC	NC	NC	NC	NC	2.0E-02	3.1E-02	ND	NA	ND	ND	ND	5.1E-02
		Dibenzothiophene	ug/kg	NC	NC	NC	NC	NC	3.9E-01	1.6E+00	NA	NA	NA	NA	NA	2.0E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-16
Exposure Point Concentration Summary - Multi-Species Diet, Study Area-Wide

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Multi-species

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Units	Recreational and Subsistence Fishers[b]					Tribal Fishers[b]							
				Smallmouth Bass	Common Carp	Brown Bullhead	Black Crappie	Multi-Species EPC[c,d]	Smallmouth Bass	Common Carp	Brown Bullhead	Black Crappie	Salmon[e]	Lamprey[f]	Sturgeon[g]	Multi-Species EPC[h,i,j]
		Fluoranthene	ug/kg	NC	NC	NC	NC	NC	9.8E-01	1.3E+00	5.0E+00	NA	3.8E-01	7.7E-01	6.4E-02	8.5E+00
		Fluorene	ug/kg	NC	NC	NC	NC	NC	1.9E+00	2.4E+00	ND	NA	3.1E-01	3.4E-01	2.5E-01	5.2E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	NC	NC	NC	NC	NC	6.3E-02	7.4E-02	ND	NA	ND	NA	ND	1.4E-01
		Naphthalene	ug/kg	NC	NC	NC	NC	NC	3.4E+00	2.4E+00	ND	NA	ND	7.7E-01	ND	6.5E+00
		Phenanthrene	ug/kg	NC	NC	NC	NC	NC	2.8E+00	1.3E+00	7.4E+00	NA	ND	5.7E-01	ND	1.2E+01
		Pyrene	ug/kg	NC	NC	NC	NC	NC	1.1E+00	6.3E-01	ND	NA	ND	1.4E-01	5.9E-02	2.0E+00
		Phthalates														
		Bis(2-ethylhexyl) phthalate	ug/kg	NC	NC	NC	NC	NC	1.2E+03	ND	3.3E+02	NA	ND	ND	NA	1.5E+03
		Dibutyl phthalate	ug/kg	NC	NC	NC	NC	NC	4.6E+00	ND	ND	NA	ND	NA	NA	4.6E+00
		Diethyl phthalate	ug/kg	NC	NC	NC	NC	NC	1.2E+00	ND	ND	NA	ND	ND	NA	1.2E+00
		Di-n-octyl phthalate	ug/kg	NC	NC	NC	NC	NC	2.6E+02	ND	ND	NA	ND	ND	NA	2.6E+02
		Semi-Volatile Organic Compounds														
		Benzoic acid	ug/kg	NC	NC	NC	NC	NC	6.1E+01	5.3E+01	ND	NA	NA	NA	NA	1.1E+02
		Benzyl alcohol	ug/kg	NC	NC	NC	NC	NC	3.4E+00	9.4E+00	ND	NA	ND	ND	NA	1.3E+01
		Bis(2-chloroethoxy) methane	ug/kg	NC	NC	NC	NC	NC	2.0E+00	2.6E+00	ND	NA	ND	ND	ND	4.6E+00
		Dibenzofuran	ug/kg	NC	NC	NC	NC	NC	2.3E+00	7.1E-01	ND	NA	2.7E-01	2.0E-01	1.8E-01	3.6E+00
		Hexachlorobenzene	ug/kg	NC	NC	NC	NC	NC	3.5E-01	4.2E-01	ND	1.0E+00	1.0E+00	7.7E-01	7.8E-02	3.6E+00
		Hexachlorobutadiene	ug/kg	NC	NC	NC	NC	NC	3.3E-02	2.6E-02	ND	2.9E-01	ND	ND	ND	3.4E-01
		Isophorone	ug/kg	NC	NC	NC	NC	NC	ND	7.3E-01	ND	NA	NA	NA	NA	7.3E-01
		Phenols														
		4-Methylphenol	ug/kg	NC	NC	NC	NC	NC	1.6E+00	ND	ND	NA	ND	ND	NA	1.6E+00
		4-Nitrophenol	ug/kg	NC	NC	NC	NC	NC	1.2E+00	1.1E+00	ND	NA	ND	ND	NA	2.3E+00
		Phenol	ug/kg	NC	NC	NC	NC	NC	3.3E+01	5.3E+00	ND	NA	ND	ND	ND	3.9E+01
		Polychlorinated Biphenyls														
		Total Aroclors	ug/kg	NC	NC	NC	NC	NC	3.4E+02	7.8E+02	1.8E+02	3.1E+01	7.3E+00	3.5E+00	2.1E+01	1.4E+03
		Total PCB Congeners	pg/g	NC	NC	NC	NC	NC	2.6E+05	2.4E+06	1.9E+05	3.7E+04	6.6E+03	3.4E+03	4.7E+04	3.0E+06
		Total PCBs, Adjusted	pg/g	NC	NC	NC	NC	NC	2.5E+05	2.4E+06	1.9E+05	3.5E+04	6.2E+03	3.1E+03	4.7E+04	2.9E+06
		Dioxin/Furans														
		Total Dioxin/Furan TEQ	pg/g	NC	NC	NC	NC	NC	1.5E+00	6.2E-01	2.3E-01	1.6E-01	1.0E-01	2.2E-02	4.9E-02	2.6E+00
		Total PCB TEQ	pg/g	NC	NC	NC	NC	NC	1.2E+00	3.2E+00	6.0E-01	4.0E-01	9.5E-02	6.8E-02	3.7E-02	5.6E+00
		Pesticides														
		Aldrin	ug/kg	NC	NC	NC	NC	NC	3.1E-03	1.8E-02	ND	ND	ND	ND	ND	2.1E-02
		alpha-Hexachlorocyclohexane	ug/kg	NC	NC	NC	NC	NC	3.8E-03	4.9E-03	ND	1.7E-01	ND	ND	ND	1.8E-01
		beta-Hexachlorocyclohexane	ug/kg	NC	NC	NC	NC	NC	2.1E-03	4.1E-03	ND	ND	ND	ND	ND	6.2E-03
		delta-Hexachlorocyclohexane	ug/kg	NC	NC	NC	NC	NC	ND	3.8E-04	ND	ND	ND	ND	ND	3.8E-04
		Dieldrin	ug/kg	NC	NC	NC	NC	NC	4.4E-01	3.1E-01	3.2E-01	3.1E-01	6.1E-01	ND	6.9E-02	2.1E+00
		Endrin	ug/kg	NC	NC	NC	NC	NC	4.0E-03	3.3E-03	ND	ND	ND	ND	ND	7.2E-03
		Endrin aldehyde	ug/kg	NC	NC	NC	NC	NC	7.7E-04	9.2E-04	ND	ND	ND	ND	ND	1.7E-03
		Endrin ketone	ug/kg	NC	NC	NC	NC	NC	1.9E-03	1.9E-03	ND	ND	ND	ND	ND	3.8E-03
		gamma-Hexachlorocyclohexane	ug/kg	NC	NC	NC	NC	NC	3.1E-03	4.6E-03	2.4E-01	ND	ND	ND	ND	2.4E-01
		Heptachlor	ug/kg	NC	NC	NC	NC	NC	1.5E-03	7.3E-04	ND	2.2E-01	6.5E-01	ND	ND	8.8E-01
		Heptachlor epoxide	ug/kg	NC	NC	NC	NC	NC	1.6E-02	2.1E-02	ND	ND	ND	ND	ND	3.6E-02
		Methoxychlor	ug/kg	NC	NC	NC	NC	NC	ND	5.2E-01	1.4E-01	ND	1.4E-01	ND	2.2E-01	2.3E+00
		Total Chlordanes	ug/kg	NC	NC	NC	NC	NC	1.5E+00	2.0E+00	8.3E+00	1.2E+00	4.6E-01	ND	2.7E-01	1.4E+01
		Total DDD	ug/kg	NC	NC	NC	NC	NC	8.8E+00	1.5E+01	2.2E+00	2.3E+00	ND	ND	ND	2.8E+01
		Total DDE	ug/kg	NC	NC	NC	NC	NC	1.7E+01	2.1E+01	7.5E+00	1.0E+01	3.0E+00	ND	3.7E+00	6.2E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-16

Exposure Point Concentration Summary - Multi-Species Diet, Study Area-Wide

Scenario Timeframe: Current/Future
Medium: Fish Tissue
Exposure Medium: Multi-species

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Units	Recreational and Subsistence Fishers[b]					Tribal Fishers[b]							
				Smallmouth Bass	Common Carp	Brown Bullhead	Black Crappie	Multi-Species EPC[c,d]	Smallmouth Bass	Common Carp	Brown Bullhead	Black Crappie	Salmon[e]	Lamprey[f]	Sturgeon[g]	Multi-Species EPC[h,i,j]
		Total DDT	ug/kg	NC	NC	NC	NC	NC	1.6E+01	4.6E+00	5.5E+00	2.7E+00	5.2E-01	ND	3.6E+00	3.3E+01
		Total Endosulfan	ug/kg	NC	NC	NC	NC	NC	3.6E-01	4.6E-01	1.1E+00	1.4E-01	3.8E-01	ND	5.4E-02	2.5E+00

Notes:

a Chemicals listed for fillet exposure are analytes detected in Study Area-wide fillet tissue samples of resident species. Chemicals listed for whole body exposure are analytes detected Study Area-wide in whole body tissue samples resident species (smallmouth bass, black crappie, common carp, brown bullhead).

b EPC values represent the lower value of the calculated maximum or 95% Upper confidence limit on the mean.

c For recreational and subsistence non-tribal fishers, EPCs for the multi-species diet were calculated assuming each of the four target fish species (smallmouth bass, black crappie, common carp, and brown bullhead) represent 1/4 of a person's diet, according to the Portland Harbor RI/FS Programmatic Work Plan.

d Numbers presented are rounded values. Sums calculated before rounding.

e Chinook salmon samples were taken at Clackamas fish hatchery, outside of initial study area; samples represent EPCs for Study Area locations.

f Lamprey samples were taken at Willamette Falls, outside of initial study area; samples represent EPCs for Study Area locations.

g Sturgeon samples were taken between Willamette River miles 3.5 and 9.2.

h The Tribal multi-species fish diet EPCs were calculated assuming different ingestion rates for each of seven fish species, which can also be represented by that species' percent of total fish diet. The EPCs shown in the table are the weighted sums of the EPCs for the individual species based on the following percentages:

     (38.4% x Salmon EPC)
   + (7.0% x Lamprey EPC)
   + (4.9% x Sturgeon EPC)
   + (12.4% x Smallmouth Bass EPC)
   + (12.4% x Black Crappie EPC)
   + (12.4% x Common Carp EPC)
   + (12.4% x Brown Bullhead EPC)
   100% Tribal fish tissue diet EPC

i Fillet Tissue EPCs are based on Study Area-wide fillet tissue EPCs for each of the target resident species (smallmouth bass, black crappie, common carp, brown bullhead), and the available tissue data from the ODHS sampling effort, which are: fillet (with skin) Chinook salmon, whole body lamprey, and fillet (no skin) sturgeon.

j Whole Body Tissue EPCs are based on Study Area-wide whole body EPCs for each of the target resident species (smallmouth bass, black crappie, common carp, brown bullhead), and the available tissue data from the ODHS sampling effort, which are: whole body Chinook salmon, whole body lamprey, and fillet tissue (no skin) sturgeon.

k "Total PCBs, Adjusted" equals "Total PCB Congeners" minus the sum of total dioxin-like PCBs concentrations.

Abbreviations:

DDD = Dichlorodiphenyldichloroethane.
DDE = Dichlorodiphenyldichloroethylene.
DDT = Dichlorodiphenyltrichloroethane.
F = Fillet tissue. All resident fish fillet tissue was analyzed as fillet with skin, except mercury, which was analyzed as fillet without skin.
mg/kg = Milligrams per kilogram.
NA = Not analyzed.
NC = Not calculated. Multi-species EPCs based on resident fish WB EPCs calculated for tribal fisher scenarios only.

ND = Not detected in the given species and tissue type.
PCB = Polychlorinated biphenyls.
pg/g = Picograms per gram.
TEQ = Toxic equivalents.
ug/kg = Micrograms per kilogram.
WB= Whole body.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
RM 1, Station: CR01EA	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	5.0E+01	5.0E+01		Fewer than 5 detects[f]		5.0E+01
		Antimony	mg/kg	1	1	0	ND	ND				ND
		Arsenic, inorganic	mg/kg	1	0	0	3.4E-02	3.4E-02				3.4E-02
		Cadmium	mg/kg	1	0	0	2.4E-02	2.4E-02				2.4E-02
		Chromium	mg/kg	1	0	0	2.0E-01	2.0E-01				2.0E-01
		Copper	mg/kg	1	0	0	1.6E+01	1.6E+01				1.6E+01
		Lead	mg/kg	1	0	0	4.7E-02	4.7E-02				4.7E-02
		Manganese	mg/kg	1	0	0	2.5E+01	2.5E+01				2.5E+01
		Mercury	mg/kg	1	0	0	1.9E-02	1.9E-02				1.9E-02
		Nickel	mg/kg	1	0	0	2.4E-01	2.4E-01				2.4E-01
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	1	0	ND	ND				ND
		Thallium	mg/kg	1	0	0	7.0E-03	7.0E-03				7.0E-03
		Zinc	mg/kg	1	0	0	1.5E+01	1.5E+01				1.5E+01
		Butyltins										
		Butyltin ion	ug/kg	1	0	0	2.8E-01	2.8E-01				2.8E-01
		Dibutyltin ion	ug/kg	1	0	0	9.2E-01	9.2E-01				9.2E-01
		Tributyltin ion	ug/kg	1	0	0	1.3E+00	1.3E+00				1.3E+00
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	0	0	5.0E-01	5.0E-01				5.0E-01
		Acenaphthene	ug/kg	1	0	0	9.4E-01	9.4E-01				9.4E-01
		Acenaphthylene	ug/kg	1	0	0	1.4E-01	1.4E-01				1.4E-01
		Anthracene	ug/kg	1	0	0	2.9E-01	2.9E-01				2.9E-01
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	0	0	3.2E-01	3.2E-01				3.2E-01
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	0	0	6.7E-01	6.7E-01				6.7E-01
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	0	0	6.4E-01	6.4E-01				6.4E-01
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	0	0	3.8E-01	3.8E-01				3.8E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	Distribution	95% UCL Method	Value	Exposure Point Concentration
		Hexachlorobenzene	ug/kg	1	0	0	3.6E-02	3.6E-02				3.6E-02
		Hexachlorobutadiene	ug/kg	1	0	0	2.1E-03	2.1E-03				2.1E-03
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	0	0	5.0E+01	5.0E+01				5.0E+01
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	1	0	0	7.2E+03	7.2E+03				7.2E+03
		Total PCBs, Adjusted[g]	pg/g	1	0	0	6.2E+03	6.2E+03				6.2E+03
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	2.5E-01	2.5E-01				2.5E-01
		Total PCB TEQ	pg/g	1	0	0	3.1E-01	3.1E-01				3.1E-01
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND
		Dieldrin	ug/kg	1	1	0	ND	ND				ND
		Endrin	ug/kg	1	1	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	0	0	8.4E-04	8.4E-04				8.4E-04
		Total DDD	ug/kg	1	0	0	1.7E-01	1.7E-01				1.7E-01
		Total DDE	ug/kg	1	0	0	3.0E+00	3.0E+00				3.0E+00
		Total DDT	ug/kg	1	1	0	ND	ND				ND
		Total Chlordane	ug/kg	1	0	0	2.1E-01	2.1E-01				2.1E-01
		Total Endosulfan	ug/kg	1	1	0	ND	ND				ND
RM 1, Station: CR01W	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	8.0E+01	8.0E+01		Fewer than 5 detects		8.0E+01
		Antimony	mg/kg	1	1	0	ND	ND				ND
		Arsenic, inorganic	mg/kg	1	0	0	4.0E-02	4.0E-02				4.0E-02
		Cadmium	mg/kg	1	0	0	1.8E-02	1.8E-02				1.8E-02
		Chromium	mg/kg	1	0	0	4.0E-01	4.0E-01				4.0E-01
		Copper	mg/kg	1	0	0	1.4E+01	1.4E+01				1.4E+01
		Lead	mg/kg	1	0	0	4.6E-02	4.6E-02				4.6E-02
		Manganese	mg/kg	1	0	0	3.1E+01	3.1E+01				3.1E+01
		Mercury	mg/kg	1	0	0	2.1E-02	2.1E-02				2.1E-02
		Nickel	mg/kg	1	0	0	3.4E-01	3.4E-01				3.4E-01
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	1	0	ND	ND				ND
		Thallium	mg/kg	1	0	0	5.4E-03	5.4E-03				5.4E-03
		Zinc	mg/kg	1	0	0	1.6E+01	1.6E+01				1.6E+01
		Butyltins										
		Butyltin ion	ug/kg	1	1	0	ND	ND				ND
		Dibutyltin ion	ug/kg	1	1	0	ND	ND				ND
		Tributyltin ion	ug/kg	1	1	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	Distribution	95% UCL Method	Value	Exposure Point Concentration
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	0	0	9.5E-02	9.5E-02				9.5E-02
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	0	0	1.2E-01	1.2E-01				1.2E-01
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	0	0	1.6E-01	1.6E-01				1.6E-01
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	0	0	6.1E-01	6.1E-01				6.1E-01
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	0	0	1.5E-01	1.5E-01				1.5E-01
		Hexachlorobenzene	ug/kg	1	0	0	4.9E-02	4.9E-02				4.9E-02
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	0	0	7.4E+01	7.4E+01				7.4E+01
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	1	0	0	7.1E+03	7.1E+03				7.1E+03
		Total PCBs, Adjusted	pg/g	1	0	0	6.1E+03	6.1E+03				6.1E+03
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	3.3E-01	3.3E-01				3.3E-01
		Total PCB TEQ	pg/g	1	0	0	1.8E-01	1.8E-01				1.8E-01
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND
		Dieldrin	ug/kg	1	0	0	1.3E-02	1.3E-02				1.3E-02
		Endrin	ug/kg	1	1	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	1	0	ND	ND				ND
		Total DDD	ug/kg	1	0	0	1.8E-01	1.8E-01				1.8E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	Distribution	95% UCL Method	Value	Exposure Point Concentration
		Total DDE	ug/kg	1	0	0	2.4E+00	2.4E+00				2.4E+00
		Total DDT	ug/kg	1	1	0	ND	ND				ND
		Total Chlordane	ug/kg	1	0	0	2.1E-01	2.1E-01				2.1E-01
		Total Endosulfan	ug/kg	1	0	0	1.4E-01	1.4E-01				1.4E-01
RM 2, Station: 02R001	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	1.0E+02	1.0E+02		Fewer than 5 detects		1.0E+02
		Antimony	mg/kg	1	0	0	7.0E-03	7.0E-03				7.0E-03
		Arsenic, inorganic	mg/kg	1	0	0	3.7E-02	3.7E-02				3.7E-02
		Cadmium	mg/kg	1	0	0	2.8E-02	2.8E-02				2.8E-02
		Chromium	mg/kg	1	0	0	9.0E-01	9.0E-01				9.0E-01
		Copper	mg/kg	1	0	0	1.3E+01	1.3E+01				1.3E+01
		Lead	mg/kg	1	0	0	5.9E-02	5.9E-02				5.9E-02
		Manganese	mg/kg	1	0	0	1.5E+02	1.5E+02				1.5E+02
		Mercury	mg/kg	1	0	0	2.4E-02	2.4E-02				2.4E-02
		Nickel	mg/kg	1	0	0	5.4E-01	5.4E-01				5.4E-01
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	0	0	2.7E-02	2.7E-02				2.7E-02
		Thallium	mg/kg	1	0	0	7.9E-03	7.9E-03				7.9E-03
		Zinc	mg/kg	1	0	0	1.7E+01	1.7E+01				1.7E+01
		Butyltins										
		Butyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Dibutyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Tributyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	1	0	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	1	0	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	1	0	ND	ND				ND
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	Distribution	95% UCL Method	Value	Exposure Point Concentration
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobenzene	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	1	0	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	0	0	2.1E+01	2.1E+01				2.1E+01
		Total PCB Congeners	pg/g	1	0	0	6.1E+04	6.1E+04				6.1E+04
		Total PCBs, Adjusted	pg/g	1	0	0	4.6E+04	4.6E+04				4.6E+04
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	4.2E-01	4.2E-01				4.2E-01
		Total PCB TEQ	pg/g	1	0	0	3.1E+00	3.1E+00				3.1E+00
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND
		Dieldrin	ug/kg	1	1	0	ND	ND				ND
		Endrin	ug/kg	1	1	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	1	0	ND	ND				ND
		Total DDD	ug/kg	1	1	0	ND	ND				ND
		Total DDE	ug/kg	1	0	0	3.4E+00	3.4E+00				3.4E+00
		Total DDT	ug/kg	1	0	0	8.2E+00	8.2E+00				8.2E+00
		Total Chlordane	ug/kg	1	0	0	3.1E+00	3.1E+00				3.1E+00
		Total Endosulfan	ug/kg	1	1	0	ND	ND				ND
RM 2, Station: 02R015	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	9.0E+01	9.0E+01		Fewer than 5 detects		9.0E+01
		Antimony	mg/kg	1	0	0	9.0E-03	9.0E-03				9.0E-03
		Arsenic, inorganic	mg/kg	1	0	0	4.0E-02	4.0E-02				4.0E-02
		Cadmium	mg/kg	1	0	0	1.7E-02	1.7E-02				1.7E-02
		Chromium	mg/kg	1	0	0	7.0E-01	7.0E-01				7.0E-01
		Copper	mg/kg	1	0	0	1.1E+01	1.1E+01				1.1E+01
		Lead	mg/kg	1	0	0	7.8E-02	7.8E-02				7.8E-02
		Manganese	mg/kg	1	0	0	1.8E+02	1.8E+02				1.8E+02
		Mercury	mg/kg	1	0	0	2.3E-02	2.3E-02				2.3E-02
		Nickel	mg/kg	1	0	0	4.7E-01	4.7E-01				4.7E-01
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	0	0	2.6E-02	2.6E-02				2.6E-02
		Thallium	mg/kg	1	0	0	6.8E-03	6.8E-03				6.8E-03
		Zinc	mg/kg	1	0	0	1.6E+01	1.6E+01				1.6E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	Distribution	95% UCL Method	Value	Exposure Point Concentration
		Butyltins										
		Butyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Dibutyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Tributyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	1	0	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	1	0	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	1	0	ND	ND				ND
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobenzene	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	1	0	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	0	0	2.8E+01	2.8E+01				2.8E+01
		Total PCB Congeners	pg/g	NA	NA	NA	NA	NA				NA
		Total PCBs, Adjusted	pg/g	NA	NA	NA	NA	NA				NA
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Total PCB TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	Distribution	95% UCL Method	Value	Exposure Point Concentration
		Dieldrin	ug/kg	1	1	0	ND	ND				ND
		Endrin	ug/kg	1	0	0	1.8E+00	1.8E+00				1.8E+00
		Heptachlor epoxide	ug/kg	1	1	0	ND	ND				ND
		Total DDD	ug/kg	1	1	0	ND	ND				ND
		Total DDE	ug/kg	1	0	0	4.6E+00	4.6E+00				4.6E+00
		Total DDT	ug/kg	1	0	0	1.0E+01	1.0E+01				1.0E+01
		Total Chlordane	ug/kg	1	0	0	3.3E+00	3.3E+00				3.3E+00
		Total Endosulfan	ug/kg	1	1	0	ND	ND				ND
RM: 3, Station: 03R001	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	1.0E+02	1.0E+02		Fewer than 5 detects		1.0E+02
		Antimony	mg/kg	1	0	0	7.0E-03	7.0E-03				7.0E-03
		Arsenic, inorganic	mg/kg	1	0	0	3.5E-02	3.5E-02				3.5E-02
		Cadmium	mg/kg	1	0	0	1.6E-02	1.6E-02				1.6E-02
		Chromium	mg/kg	1	0	0	4.0E-01	4.0E-01				4.0E-01
		Copper	mg/kg	1	0	0	1.2E+01	1.2E+01				1.2E+01
		Lead	mg/kg	1	0	0	6.9E-02	6.9E-02				6.9E-02
		Manganese	mg/kg	1	0	0	1.4E+02	1.4E+02				1.4E+02
		Mercury	mg/kg	1	0	0	2.4E-02	2.4E-02				2.4E-02
		Nickel	mg/kg	1	0	0	3.0E-01	3.0E-01				3.0E-01
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	0	0	2.9E-02	2.9E-02				2.9E-02
		Thallium	mg/kg	1	0	0	5.4E-03	5.4E-03				5.4E-03
		Zinc	mg/kg	1	0	0	1.8E+01	1.8E+01				1.8E+01
		Butyltins										
		Butyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Dibutyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Tributyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	1	0	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	1	0	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Naphthalene	ug/kg	1	1	0	ND	ND				ND
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobenzene	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	1	0	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	1	0	ND	ND				ND
		Total PCB Congeners	pg/g	NA	NA	NA	NA	NA				NA
		Total PCBs, Adjusted	pg/g	NA	NA	NA	NA	NA				NA
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Total PCB TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND
		Dieldrin	ug/kg	1	1	0	ND	ND				ND
		Endrin	ug/kg	1	1	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	1	0	ND	ND				ND
		Total DDD	ug/kg	1	1	0	ND	ND				ND
		Total DDE	ug/kg	1	0	0	5.3E+00	5.3E+00				5.3E+00
		Total DDT	ug/kg	1	0	0	2.7E+00	2.7E+00				2.7E+00
		Total Chlordane	ug/kg	1	1	0	ND	ND				ND
		Total Endosulfan	ug/kg	1	0	0	1.0E+00	1.0E+00				1.0E+00
RM: 3, Station: 03R002	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	9.3E+01	9.3E+01		Fewer than 5 detects		9.3E+01
		Antimony	mg/kg	1	0	0	6.0E-03	6.0E-03				6.0E-03
		Arsenic, inorganic	mg/kg	1	0	0	4.1E-02	4.1E-02				4.1E-02
		Cadmium	mg/kg	1	0	0	1.8E-02	1.8E-02				1.8E-02
		Chromium	mg/kg	1	0	0	4.0E-01	4.0E-01				4.0E-01
		Copper	mg/kg	1	0	0	1.5E+01	1.5E+01				1.5E+01
		Lead	mg/kg	1	0	0	4.4E-02	4.4E-02				4.4E-02
		Manganese	mg/kg	1	0	0	1.6E+02	1.6E+02				1.6E+02
		Mercury	mg/kg	1	0	0	2.7E-02	2.7E-02				2.7E-02
		Nickel	mg/kg	1	0	0	3.6E-01	3.6E-01				3.6E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	0	0	2.9E-02	2.9E-02				2.9E-02
		Thallium	mg/kg	1	0	0	5.2E-03	5.2E-03				5.2E-03
		Zinc	mg/kg	1	0	0	1.8E+01	1.8E+01				1.8E+01
		Butyltins										
		Butyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Dibutyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Tributyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	1	0	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	1	0	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	1	0	ND	ND				ND
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobenzene	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	1	0	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	1	0	ND	ND				ND
		Total PCB Congeners	pg/g	NA	NA	NA	NA	NA				NA
		Total PCBs, Adjusted	pg/g	NA	NA	NA	NA	NA				NA
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Total PCB TEQ	pg/g	NA	NA	NA	NA	NA				NA

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	Distribution	95% UCL Method	Value	Exposure Point Concentration
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND
		Dieldrin	ug/kg	1	1	0	ND	ND				ND
		Endrin	ug/kg	1	0	0	1.3E+00	1.3E+00				1.3E+00
		Heptachlor epoxide	ug/kg	1	1	0	ND	ND				ND
		Total DDD	ug/kg	1	1	0	ND	ND				ND
		Total DDE	ug/kg	1	0	0	4.3E+00	4.3E+00				4.3E+00
		Total DDT	ug/kg	1	0	0	2.6E+00	2.6E+00				2.6E+00
		Total Chlordane	ug/kg	1	1	0	ND	ND				ND
		Total Endosulfan	ug/kg	1	0	0	1.4E+00	1.4E+00				1.4E+00
RM: 3, Station: 03R003	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	1.5E+02	1.5E+02		Fewer than 5 detects		1.5E+02
		Antimony	mg/kg	1	0	0	6.0E-03	6.0E-03				6.0E-03
		Arsenic, inorganic	mg/kg	1	0	0	3.8E-02	3.8E-02				3.8E-02
		Cadmium	mg/kg	1	0	0	2.9E-02	2.9E-02				2.9E-02
		Chromium	mg/kg	1	0	0	5.0E-01	5.0E-01				5.0E-01
		Copper	mg/kg	1	0	0	1.7E+01	1.7E+01				1.7E+01
		Lead	mg/kg	1	0	0	8.8E-02	8.8E-02				8.8E-02
		Manganese	mg/kg	1	0	0	1.6E+02	1.6E+02				1.6E+02
		Mercury	mg/kg	1	0	0	2.9E-02	2.9E-02				2.9E-02
		Nickel	mg/kg	1	0	0	4.2E-01	4.2E-01				4.2E-01
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	0	0	4.2E-02	4.2E-02				4.2E-02
		Thallium	mg/kg	1	0	0	5.1E-03	5.1E-03				5.1E-03
		Zinc	mg/kg	1	0	0	2.0E+01	2.0E+01				2.0E+01
		Butyltins										
		Butyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Dibutyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Tributyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	1	0	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	1	0	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	1	0	ND	ND				ND
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobenzene	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	1	0	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	1	0	ND	ND				ND
		Total PCB Congeners	pg/g	1	0	0	7.6E+04	7.6E+04				7.6E+04
		Total PCBs, Adjusted	pg/g	1	0	0	7.0E+04	7.0E+04				7.0E+04
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	6.1E-01	6.1E-01				6.1E-01
		Total PCB TEQ	pg/g	1	0	0	1.2E+00	1.2E+00				1.2E+00
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND
		Dieldrin	ug/kg	1	1	0	ND	ND				ND
		Endrin	ug/kg	1	0	0	1.1E+00	1.1E+00				1.1E+00
		Heptachlor epoxide	ug/kg	1	1	0	ND	ND				ND
		Total DDD	ug/kg	1	1	0	ND	ND				ND
		Total DDE	ug/kg	1	0	0	4.0E+00	4.0E+00				4.0E+00
		Total DDT	ug/kg	1	0	0	6.9E+00	6.9E+00				6.9E+00
		Total Chlordane	ug/kg	1	1	0	ND	ND				ND
		Total Endosulfan	ug/kg	1	0	0	1.1E+00	1.1E+00				1.1E+00
RM: 3, Station: 03R004	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	1.1E+02	1.1E+02		Fewer than 5 detects		1.1E+02
		Antimony	mg/kg	1	0	0	1.4E-02	1.4E-02				1.4E-02
		Arsenic, inorganic	mg/kg	1	0	0	3.6E-02	3.6E-02				3.6E-02
		Cadmium	mg/kg	1	0	0	2.0E-02	2.0E-02				2.0E-02
		Chromium	mg/kg	1	0	0	6.0E-01	6.0E-01				6.0E-01
		Copper	mg/kg	1	0	0	1.6E+01	1.6E+01				1.6E+01
		Lead	mg/kg	1	0	0	1.0E-01	1.0E-01				1.0E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Manganese	mg/kg	1	0	0	9.0E+01	9.0E+01				9.0E+01
		Mercury	mg/kg	1	0	0	2.5E-02	2.5E-02				2.5E-02
		Nickel	mg/kg	1	0	0	4.0E-01	4.0E-01				4.0E-01
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	0	0	4.6E-02	4.6E-02				4.6E-02
		Thallium	mg/kg	1	0	0	3.0E-03	3.0E-03				3.0E-03
		Zinc	mg/kg	1	0	0	1.8E+01	1.8E+01				1.8E+01
		Butyltins										
		Butyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Dibutyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Tributyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	1	0	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	1	0	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	1	0	ND	ND				ND
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobenzene	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	1	0	0	1.9E+02	1.9E+02				1.9E+02
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	0	0	5.2E+02	5.2E+02				5.2E+02
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	1	0	ND	ND				ND
		Total PCB Congeners	pg/g	1	0	0	3.2E+04	3.2E+04				3.2E+04
		Total PCBs, Adjusted	pg/g	1	0	0	2.7E+04	2.7E+04				2.7E+04

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	Distribution	95% UCL Method	Value	Exposure Point Concentration
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	6.1E-01	6.1E-01				6.1E-01
		Total PCB TEQ	pg/g	1	0	0	1.1E+00	1.1E+00				1.1E+00
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND
		Dieldrin	ug/kg	1	1	0	ND	ND				ND
		Endrin	ug/kg	1	1	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	1	0	ND	ND				ND
		Total DDD	ug/kg	1	1	0	ND	ND				ND
		Total DDE	ug/kg	1	0	0	4.2E+00	4.2E+00				4.2E+00
		Total DDT	ug/kg	1	0	0	5.2E+00	5.2E+00				5.2E+00
		Total Chlordane	ug/kg	1	1	0	ND	ND				ND
		Total Endosulfan	ug/kg	1	0	0	3.1E+00	3.1E+00				3.1E+00
RM: 3, Station: 03R005	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	6.6E+01	6.6E+01		Fewer than 5 detects		6.6E+01
		Antimony	mg/kg	1	0	0	1.5E-02	1.5E-02				1.5E-02
		Arsenic, inorganic	mg/kg	1	0	0	3.0E-02	3.0E-02				3.0E-02
		Cadmium	mg/kg	1	0	0	3.0E-02	3.0E-02				3.0E-02
		Chromium	mg/kg	1	0	0	3.0E-01	3.0E-01				3.0E-01
		Copper	mg/kg	1	0	0	1.2E+01	1.2E+01				1.2E+01
		Lead	mg/kg	1	0	0	1.5E-01	1.5E-01				1.5E-01
		Manganese	mg/kg	1	0	0	1.9E+02	1.9E+02				1.9E+02
		Mercury	mg/kg	1	0	0	2.2E-02	2.2E-02				2.2E-02
		Nickel	mg/kg	1	0	0	3.0E-01	3.0E-01				3.0E-01
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	0	0	1.5E-02	1.5E-02				1.5E-02
		Thallium	mg/kg	1	0	0	2.1E-03	2.1E-03				2.1E-03
		Zinc	mg/kg	1	0	0	1.5E+01	1.5E+01				1.5E+01
		Butyltins										
		Butyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Dibutyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Tributyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	1	0	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	1	0	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	1	0	ND	ND				ND
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobenzene	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	1	0	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	0	0	2.8E+02	2.8E+02				2.8E+02
		Total PCB Congeners	pg/g	1	0	0	2.1E+05	2.1E+05				2.1E+05
		Total PCBs, Adjusted	pg/g	1	0	0	1.9E+05	1.9E+05				1.9E+05
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	5.9E-01	5.9E-01				5.9E-01
		Total PCB TEQ	pg/g	1	0	0	2.7E+00	2.7E+00				2.7E+00
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND
		Dieldrin	ug/kg	1	1	0	ND	ND				ND
		Endrin	ug/kg	1	0	0	2.8E+00	2.8E+00				2.8E+00
		Heptachlor epoxide	ug/kg	1	1	0	ND	ND				ND
		Total DDD	ug/kg	1	1	0	ND	ND				ND
		Total DDE	ug/kg	1	0	0	4.0E+00	4.0E+00				4.0E+00
		Total DDT	ug/kg	1	1	0	ND	ND				ND
		Total Chlordane	ug/kg	1	0	0	3.0E+00	3.0E+00				3.0E+00
		Total Endosulfan	ug/kg	1	0	0	1.6E+00	1.6E+00				1.6E+00
RM: 3, Station: 03R032	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	5.9E+01	5.9E+01		Fewer than 5 detects		5.9E+01
		Antimony	mg/kg	1	0	0	6.0E-03	6.0E-03				6.0E-03
		Arsenic, inorganic	mg/kg	1	0	0	4.5E-02	4.5E-02				4.5E-02
		Cadmium	mg/kg	1	0	0	1.2E-02	1.2E-02				1.2E-02
		Chromium	mg/kg	1	0	0	5.0E-01	5.0E-01				5.0E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	Distribution	95% UCL Method	Value	Exposure Point Concentration
		Copper	mg/kg	1	0	0	1.3E+01	1.3E+01				1.3E+01
		Lead	mg/kg	1	0	0	4.1E-02	4.1E-02				4.1E-02
		Manganese	mg/kg	1	0	0	1.3E+02	1.3E+02				1.3E+02
		Mercury	mg/kg	1	0	0	2.8E-02	2.8E-02				2.8E-02
		Nickel	mg/kg	1	0	0	3.8E-01	3.8E-01				3.8E-01
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	0	0	3.5E-02	3.5E-02				3.5E-02
		Thallium	mg/kg	1	0	0	4.0E-03	4.0E-03				4.0E-03
		Zinc	mg/kg	1	0	0	1.7E+01	1.7E+01				1.7E+01
		Butyltins										
		Butyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Dibutyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Tributyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	1	0	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	1	0	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	1	0	ND	ND				ND
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobenzene	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	1	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	1	0	ND	ND				ND
		Total PCB Congeners	pg/g	NA	NA	NA	NA	NA				NA
		Total PCBs, Adjusted	pg/g	NA	NA	NA	NA	NA				NA
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Total PCB TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND
		Dieldrin	ug/kg	1	1	0	ND	ND				ND
		Endrin	ug/kg	1	1	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	1	0	ND	ND				ND
		Total DDD	ug/kg	1	1	0	ND	ND				ND
		Total DDE	ug/kg	1	0	0	3.9E+00	3.9E+00				3.9E+00
		Total DDT	ug/kg	1	0	0	3.6E+00	3.6E+00				3.6E+00
		Total Chlordane	ug/kg	1	1	0	ND	ND				ND
		Total Endosulfan	ug/kg	1	1	0	ND	ND				ND
RM: 4, Station: 04R002	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	8.6E+01	8.6E+01		Fewer than 5 detects		8.6E+01
		Antimony	mg/kg	1	0	0	9.0E-03	9.0E-03				9.0E-03
		Arsenic, inorganic	mg/kg	1	0	0	3.9E-02	3.9E-02				3.9E-02
		Cadmium	mg/kg	1	0	0	2.2E-02	2.2E-02				2.2E-02
		Chromium	mg/kg	1	0	0	2.0E-01	2.0E-01				2.0E-01
		Copper	mg/kg	1	0	0	1.5E+01	1.5E+01				1.5E+01
		Lead	mg/kg	1	0	0	1.3E+00	1.3E+00				1.3E+00
		Manganese	mg/kg	1	0	0	1.2E+02	1.2E+02				1.2E+02
		Mercury	mg/kg	1	0	0	3.5E-02	3.5E-02				3.5E-02
		Nickel	mg/kg	1	0	0	2.8E-01	2.8E-01				2.8E-01
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	0	0	4.3E-02	4.3E-02				4.3E-02
		Thallium	mg/kg	1	0	0	2.5E-03	2.5E-03				2.5E-03
		Zinc	mg/kg	1	0	0	1.7E+01	1.7E+01				1.7E+01
		Butyltins										
		Butyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Dibutyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Tributyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	1	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	1	0	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	1	0	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	1	0	ND	ND				ND
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobenzene	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	1	0	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	1	0	ND	ND				ND
		Total PCB Congeners	pg/g	NA	NA	NA	NA	NA				NA
		Total PCBs, Adjusted	pg/g	NA	NA	NA	NA	NA				NA
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Total PCB TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND
		Dieldrin	ug/kg	1	1	0	ND	ND				ND
		Endrin	ug/kg	1	1	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	1	0	ND	ND				ND
		Total DDD	ug/kg	1	1	0	ND	ND				ND
		Total DDE	ug/kg	1	0	0	4.5E+00	4.5E+00				4.5E+00
		Total DDT	ug/kg	1	0	0	2.4E+00	2.4E+00				2.4E+00
		Total Chlordane	ug/kg	1	1	0	ND	ND				ND
		Total Endosulfan	ug/kg	1	1	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	Distribution	95% UCL Method	Value	Exposure Point Concentration
RM: 4, Station: 04R003	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	6.3E+01	6.3E+01		Fewer than 5 detects		6.3E+01
		Antimony	mg/kg	1	0	0	1.0E-02	1.0E-02				1.0E-02
		Arsenic, inorganic	mg/kg	1	0	0	3.7E-02	3.7E-02				3.7E-02
		Cadmium	mg/kg	1	0	0	2.5E-02	2.5E-02				2.5E-02
		Chromium	mg/kg	1	0	0	2.0E-01	2.0E-01				2.0E-01
		Copper	mg/kg	1	0	0	1.5E+01	1.5E+01				1.5E+01
		Lead	mg/kg	1	0	0	2.3E-01	2.3E-01				2.3E-01
		Manganese	mg/kg	1	0	0	1.1E+02	1.1E+02				1.1E+02
		Mercury	mg/kg	1	0	0	2.2E-02	2.2E-02				2.2E-02
		Nickel	mg/kg	1	1	0	ND	ND				ND
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	0	0	4.7E-02	4.7E-02				4.7E-02
		Thallium	mg/kg	1	0	0	2.4E-03	2.4E-03				2.4E-03
		Zinc	mg/kg	1	0	0	1.7E+01	1.7E+01				1.7E+01
		Butyltins										
		Butyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Dibutyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Tributyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	1	0	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	0	0	9.3E+01	9.3E+01				9.3E+01
		Fluorene	ug/kg	1	1	0	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	1	0	ND	ND				ND
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobenzene	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	1	0	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	1	0	ND	ND				ND
		Total PCB Congeners	pg/g	NA	NA	NA	NA	NA				NA
		Total PCBs, Adjusted	pg/g	NA	NA	NA	NA	NA				NA
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Total PCB TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND
		Dieldrin	ug/kg	1	1	0	ND	ND				ND
		Endrin	ug/kg	1	1	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	1	0	ND	ND				ND
		Total DDD	ug/kg	1	0	0	1.7E+00	1.7E+00				1.7E+00
		Total DDE	ug/kg	1	0	0	7.2E+00	7.2E+00				7.2E+00
		Total DDT	ug/kg	1	0	0	1.2E+01	1.2E+01				1.2E+01
		Total Chlordane	ug/kg	1	1	0	ND	ND				ND
		Total Endosulfan	ug/kg	1	0	0	1.6E+00	1.6E+00				1.6E+00
RM: 4, Station: 04R004	WB	**Metals**										
		Aluminum	mg/kg	2	0	0	1.1E+02	1.3E+02		Fewer than 5 detects		1.3E+02
		Antimony	mg/kg	2	0	0	8.0E-03	1.0E-02				1.0E-02
		Arsenic, inorganic	mg/kg	2	0	0	3.7E-02	3.9E-02				3.9E-02
		Cadmium	mg/kg	2	0	0	1.3E-02	1.3E-02				1.3E-02
		Chromium	mg/kg	2	0	0	3.0E-01	4.0E-01				4.0E-01
		Copper	mg/kg	2	0	0	1.2E+01	1.2E+01				1.2E+01
		Lead	mg/kg	2	0	0	1.0E-01	1.1E-01				1.1E-01
		Manganese	mg/kg	2	0	0	1.6E+02	1.7E+02				1.7E+02
		Mercury	mg/kg	2	0	0	3.1E-02	3.7E-02				3.7E-02
		Nickel	mg/kg	2	0	0	3.1E-01	3.9E-01				3.9E-01
		Selenium	mg/kg	2	2	0	ND	ND				ND
		Silver	mg/kg	2	0	0	2.8E-02	3.2E-02				3.2E-02
		Thallium	mg/kg	2	0	0	2.8E-03	3.1E-03				3.1E-03
		Zinc	mg/kg	2	0	0	1.5E+01	1.6E+01				1.6E+01
		Butyltins										
		Butyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Dibutyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Tributyltin ion	ug/kg	NA	NA	NA	NA	NA				NA

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	Distribution	95% UCL Method	Value	Exposure Point Concentration
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	2	2	0	ND	ND				ND
		Acenaphthene	ug/kg	2	2	0	ND	ND				ND
		Acenaphthylene	ug/kg	2	2	0	ND	ND				ND
		Anthracene	ug/kg	2	2	0	ND	ND				ND
		Benzo(a)anthracene	ug/kg	2	2	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	2	2	0	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	2	2	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	2	2	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	2	2	0	ND	ND				ND
		Chrysene	ug/kg	2	2	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	2	2	0	ND	ND				ND
		Fluoranthene	ug/kg	2	1	0	7.8E+01	1.1E+02				1.1E+02
		Fluorene	ug/kg	2	2	0	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	2	2	0	ND	ND				ND
		Naphthalene	ug/kg	2	2	0	ND	ND				ND
		Phenanthrene	ug/kg	2	2	0	ND	ND				ND
		Pyrene	ug/kg	2	1	0	4.3E+01	6.0E+01				6.0E+01
		Phthalates										
		Butylbenzyl phthalate	ug/kg	2	2	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	2	2	0	ND	ND				ND
		Hexachlorobenzene	ug/kg	2	2	0	ND	ND				ND
		Hexachlorobutadiene	ug/kg	2	2	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	2	2	0	ND	ND				ND
		Pentachlorophenol	ug/kg	2	2	0	ND	ND				ND
		Phenol	ug/kg	2	2	0	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	2	2	0	ND	ND				ND
		Total PCB Congeners	pg/g	NA	NA	NA	NA	NA				NA
		Total PCBs, Adjusted	pg/g	NA	NA	NA	NA	NA				NA
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Total PCB TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Pesticides										
		Aldrin	ug/kg	2	2	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	2	2	0	ND	ND				ND
		Dieldrin	ug/kg	2	2	0	ND	ND				ND
		Endrin	ug/kg	2	2	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	2	2	0	ND	ND				ND
		Total DDD	ug/kg	2	2	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Total DDE	ug/kg	2	0	0	5.0E+00	7.4E+00				7.4E+00
		Total DDT	ug/kg	2	1	0	1.6E+00	2.6E+00				2.6E+00
		Total Chlordane	ug/kg	2	1	0	2.6E+00	4.7E+00				4.7E+00
		Total Endosulfan	ug/kg	2	2	0	ND	ND				ND
RM: 5, Station: 05R001	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	8.9E+01	8.9E+01		Fewer than 5 detects		8.9E+01
		Antimony	mg/kg	1	0	0	6.0E-03	6.0E-03				6.0E-03
		Arsenic, inorganic	mg/kg	1	0	0	3.5E-02	3.5E-02				3.5E-02
		Cadmium	mg/kg	1	0	0	9.0E-03	9.0E-03				9.0E-03
		Chromium	mg/kg	1	0	0	4.0E-01	4.0E-01				4.0E-01
		Copper	mg/kg	1	0	0	1.3E+01	1.3E+01				1.3E+01
		Lead	mg/kg	1	0	0	8.3E-02	8.3E-02				8.3E-02
		Manganese	mg/kg	1	0	0	1.1E+02	1.1E+02				1.1E+02
		Mercury	mg/kg	1	0	0	3.1E-02	3.1E-02				3.1E-02
		Nickel	mg/kg	1	0	0	2.9E-01	2.9E-01				2.9E-01
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	0	0	2.8E-02	2.8E-02				2.8E-02
		Thallium	mg/kg	1	0	0	2.5E-03	2.5E-03				2.5E-03
		Zinc	mg/kg	1	0	0	1.6E+01	1.6E+01				1.6E+01
		Butyltins										
		Butyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Dibutyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Tributyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	1	0	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	1	0	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	1	0	ND	ND				ND
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobenzene	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	1	0	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	1	0	ND	ND				ND
		Total PCB Congeners	pg/g	NA	NA	NA	NA	NA				NA
		Total PCBs, Adjusted	pg/g	NA	NA	NA	NA	NA				NA
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Total PCB TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND
		Dieldrin	ug/kg	1	1	0	ND	ND				ND
		Endrin	ug/kg	1	1	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	1	0	ND	ND				ND
		Total DDD	ug/kg	1	1	0	ND	ND				ND
		Total DDE	ug/kg	1	0	0	5.7E+00	5.7E+00				5.7E+00
		Total DDT	ug/kg	1	0	0	2.2E+00	2.2E+00				2.2E+00
		Total Chlordane	ug/kg	1	0	0	3.9E+00	3.9E+00				3.9E+00
		Total Endosulfan	ug/kg	1	0	0	1.7E+00	1.7E+00				1.7E+00
RM: 5, Station: 05R003	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	9.7E+01	9.7E+01		Fewer than 5 detects		9.7E+01
		Antimony	mg/kg	1	0	0	2.0E-02	2.0E-02				2.0E-02
		Arsenic, inorganic	mg/kg	1	0	0	3.5E-02	3.5E-02				3.5E-02
		Cadmium	mg/kg	1	0	0	3.6E-02	3.6E-02				3.6E-02
		Chromium	mg/kg	1	0	0	9.0E-01	9.0E-01				9.0E-01
		Copper	mg/kg	1	0	0	1.7E+01	1.7E+01				1.7E+01
		Lead	mg/kg	1	0	0	1.1E-01	1.1E-01				1.1E-01
		Manganese	mg/kg	1	0	0	1.1E+02	1.1E+02				1.1E+02
		Mercury	mg/kg	1	0	0	3.9E-02	3.9E-02				3.9E-02
		Nickel	mg/kg	1	0	0	5.9E-01	5.9E-01				5.9E-01
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	0	0	2.4E-02	2.4E-02				2.4E-02
		Thallium	mg/kg	1	0	0	3.3E-03	3.3E-03				3.3E-03
		Zinc	mg/kg	1	0	0	1.9E+01	1.9E+01				1.9E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	Distribution	95% UCL Method	Value	Exposure Point Concentration
		Butyltins										
		Butyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Dibutyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Tributyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	1	0	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	1	0	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	1	0	ND	ND				ND
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobenzene	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	1	0	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	0	0	2.7E+01	2.7E+01				2.7E+01
		Total PCB Congeners	pg/g	NA	NA	NA	NA	NA				NA
		Total PCBs, Adjusted	pg/g	NA	NA	NA	NA	NA				NA
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Total PCB TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	Distribution	95% UCL Method	Value	Exposure Point Concentration
		Dieldrin	ug/kg	1	1	0	ND	ND				ND
		Endrin	ug/kg	1	0	0	1.2E+00	1.2E+00				1.2E+00
		Heptachlor epoxide	ug/kg	1	1	0	ND	ND				ND
		Total DDD	ug/kg	1	1	0	ND	ND				ND
		Total DDE	ug/kg	1	0	0	8.0E+00	8.0E+00				8.0E+00
		Total DDT	ug/kg	1	1	0	ND	ND				ND
		Total Chlordane	ug/kg	1	1	0	ND	ND				ND
		Total Endosulfan	ug/kg	1	0	0	1.3E+00	1.3E+00				1.3E+00
RM: 5, Station: CR05W	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	8.1E+01	8.1E+01		Fewer than 5 detects		8.1E+01
		Antimony	mg/kg	1	1	0	ND	ND				ND
		Arsenic, inorganic	mg/kg	1	0	0	3.0E-02	3.0E-02				3.0E-02
		Cadmium	mg/kg	1	0	0	1.9E-02	1.9E-02				1.9E-02
		Chromium	mg/kg	1	0	0	2.0E-01	2.0E-01				2.0E-01
		Copper	mg/kg	1	0	0	1.8E+01	1.8E+01				1.8E+01
		Lead	mg/kg	1	0	0	1.1E-01	1.1E-01				1.1E-01
		Manganese	mg/kg	1	0	0	9.3E+01	9.3E+01				9.3E+01
		Mercury	mg/kg	1	0	0	3.4E-02	3.4E-02				3.4E-02
		Nickel	mg/kg	1	0	0	2.9E-01	2.9E-01				2.9E-01
		Selenium	mg/kg	1	0	0	2.1E-01	2.1E-01				2.1E-01
		Silver	mg/kg	1	1	0	ND	ND				ND
		Thallium	mg/kg	1	1	0	ND	ND				ND
		Zinc	mg/kg	1	0	0	1.8E+01	1.8E+01				1.8E+01
		Butyltins										
		Butyltin ion	ug/kg	1	0	0	3.6E-01	3.6E-01				3.6E-01
		Dibutyltin ion	ug/kg	1	0	0	3.9E-01	3.9E-01				3.9E-01
		Tributyltin ion	ug/kg	1	0	0	7.0E-01	7.0E-01				7.0E-01
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	0	0	3.2E-01	3.2E-01				3.2E-01
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	0	0	1.8E-01	1.8E-01				1.8E-01
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	0	0	5.4E-01	5.4E-01				5.4E-01
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	0	0	2.1E-01	2.1E-01				2.1E-01
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Naphthalene	ug/kg	1	0	0	6.0E-01	6.0E-01				6.0E-01
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	0	0	1.5E+01	1.5E+01				1.5E+01
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	0	0	1.3E-01	1.3E-01				1.3E-01
		Hexachlorobenzene	ug/kg	1	0	0	4.2E-02	4.2E-02				4.2E-02
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	0	0	4.5E+01	4.5E+01				4.5E+01
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	1	0	0	1.0E+04	1.0E+04				1.0E+04
		Total PCBs, Adjusted	pg/g	1	0	0	7.4E+03	7.4E+03				7.4E+03
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	2.1E-01	2.1E-01				2.1E-01
		Total PCB TEQ	pg/g	1	0	0	3.3E-01	3.3E-01				3.3E-01
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND
		Dieldrin	ug/kg	1	0	0	1.4E-02	1.4E-02				1.4E-02
		Endrin	ug/kg	1	1	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	1	0	ND	ND				ND
		Total DDD	ug/kg	1	0	0	2.9E-01	2.9E-01				2.9E-01
		Total DDE	ug/kg	1	0	0	1.6E+00	1.6E+00				1.6E+00
		Total DDT	ug/kg	1	1	0	ND	ND				ND
		Total Chlordane	ug/kg	1	0	0	2.6E-01	2.6E-01				2.6E-01
		Total Endosulfan	ug/kg	1	1	0	ND	ND				ND
RM: 6, Station: 06R001	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	1.1E+02	1.1E+02		Fewer than 5 detects		1.1E+02
		Antimony	mg/kg	1	1	0	ND	ND				ND
		Arsenic, inorganic	mg/kg	1	0	0	3.2E-02	3.2E-02				3.2E-02
		Cadmium	mg/kg	1	0	0	1.1E-02	1.1E-02				1.1E-02
		Chromium	mg/kg	1	0	0	9.0E-01	9.0E-01				9.0E-01
		Copper	mg/kg	1	0	0	1.5E+01	1.5E+01				1.5E+01
		Lead	mg/kg	1	0	0	7.1E-02	7.1E-02				7.1E-02
		Manganese	mg/kg	1	0	0	1.2E+02	1.2E+02				1.2E+02
		Mercury	mg/kg	1	0	0	4.1E-02	4.1E-02				4.1E-02
		Nickel	mg/kg	1	0	0	5.1E-01	5.1E-01				5.1E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	0	0	3.2E-02	3.2E-02				3.2E-02
		Thallium	mg/kg	1	0	0	2.0E-03	2.0E-03				2.0E-03
		Zinc	mg/kg	1	0	0	1.5E+01	1.5E+01				1.5E+01
		Butyltins										
		Butyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Dibutyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Tributyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	1	0	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	1	0	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	1	0	ND	ND				ND
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobenzene	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	1	0	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	1	0	ND	ND				ND
		Total PCB Congeners	pg/g	NA	NA	NA	NA	NA				NA
		Total PCBs, Adjusted	pg/g	NA	NA	NA	NA	NA				NA
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Total PCB TEQ	pg/g	NA	NA	NA	NA	NA				NA

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	Distribution	95% UCL Method	Value	Exposure Point Concentration
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND
		Dieldrin	ug/kg	1	1	0	ND	ND				ND
		Endrin	ug/kg	1	1	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	1	0	ND	ND				ND
		Total DDD	ug/kg	1	1	0	ND	ND				ND
		Total DDE	ug/kg	1	0	0	5.1E+00	5.1E+00				5.1E+00
		Total DDT	ug/kg	1	0	0	1.8E+00	1.8E+00				1.8E+00
		Total Chlordane	ug/kg	1	1	0	ND	ND				ND
		Total Endosulfan	ug/kg	1	0	0	2.1E+00	2.1E+00				2.1E+00
RM: 6, Station: 06R004	WB	**Metals**										
		Aluminum	mg/kg	2	0	0	1.4E+02	1.5E+02		Fewer than 5 detects		1.5E+02
		Antimony	mg/kg	2	0	0	6.0E-03	6.0E-03				6.0E-03
		Arsenic, inorganic	mg/kg	2	0	0	3.7E-02	3.8E-02				3.8E-02
		Cadmium	mg/kg	2	0	0	1.9E-02	2.0E-02				2.0E-02
		Chromium	mg/kg	2	0	0	6.5E-01	8.0E-01				8.0E-01
		Copper	mg/kg	2	0	0	1.5E+01	1.6E+01				1.6E+01
		Lead	mg/kg	2	0	0	8.5E-02	8.8E-02				8.8E-02
		Manganese	mg/kg	2	0	0	2.0E+02	2.1E+02				2.1E+02
		Mercury	mg/kg	2	0	0	3.2E-02	3.4E-02				3.4E-02
		Nickel	mg/kg	2	0	0	4.6E-01	5.0E-01				5.0E-01
		Selenium	mg/kg	2	2	0	ND	ND				ND
		Silver	mg/kg	2	0	0	3.0E-02	3.1E-02				3.1E-02
		Thallium	mg/kg	2	0	0	3.5E-03	3.7E-03				3.7E-03
		Zinc	mg/kg	2	0	0	1.9E+01	2.0E+01				2.0E+01
		Butyltins										
		Butyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Dibutyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Tributyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	2	2	0	ND	ND				ND
		Acenaphthene	ug/kg	2	2	0	ND	ND				ND
		Acenaphthylene	ug/kg	2	2	0	ND	ND				ND
		Anthracene	ug/kg	2	2	0	ND	ND				ND
		Benzo(a)anthracene	ug/kg	2	1	0	4.8E+01	8.0E+01				8.0E+01
		Benzo(a)pyrene	ug/kg	2	2	0	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	2	2	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	2	2	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	2	2	0	ND	ND				ND
		Chrysene	ug/kg	2	1	0	5.2E+01	8.7E+01				8.7E+01
		Dibenzo(a,h)anthracene	ug/kg	2	2	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Fluoranthene	ug/kg	2	1	0	7.3E+01	1.3E+02				1.3E+02
		Fluorene	ug/kg	2	2	0	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	2	2	0	ND	ND				ND
		Naphthalene	ug/kg	2	2	0	ND	ND				ND
		Phenanthrene	ug/kg	2	1	0	5.7E+01	9.7E+01				9.7E+01
		Pyrene	ug/kg	2	1	0	5.4E+01	8.3E+01				8.3E+01
		Phthalates										
		Butylbenzyl phthalate	ug/kg	2	2	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	2	2	0	ND	ND				ND
		Hexachlorobenzene	ug/kg	2	2	0	ND	ND				ND
		Hexachlorobutadiene	ug/kg	2	2	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	2	2	0	ND	ND				ND
		Pentachlorophenol	ug/kg	2	2	0	ND	ND				ND
		Phenol	ug/kg	2	2	0	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	2	2	0	ND	ND				ND
		Total PCB Congeners	pg/g	2	0	0	1.6E+04	1.7E+04				1.7E+04
		Total PCBs, Adjusted	pg/g	2	0	0	1.4E+04	1.5E+04				1.5E+04
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	2	0	0	1.3E+00	1.4E+00				1.4E+00
		Total PCB TEQ	pg/g	2	0	0	3.0E-01	3.5E-01				3.5E-01
		Pesticides										
		Aldrin	ug/kg	2	2	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	2	2	0	ND	ND				ND
		Dieldrin	ug/kg	2	2	0	ND	ND				ND
		Endrin	ug/kg	2	2	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	2	2	0	ND	ND				ND
		Total DDD	ug/kg	2	0	0	6.8E+00	1.0E+01				1.0E+01
		Total DDE	ug/kg	2	0	0	6.6E+00	9.3E+00				9.3E+00
		Total DDT	ug/kg	2	0	0	2.4E+00	3.1E+00				3.1E+00
		Total Chlordane	ug/kg	2	2	0	ND	ND				ND
		Total Endosulfan	ug/kg	2	2	0	ND	ND				ND
RM: 6, Station: CR06W	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	1.4E+02	1.4E+02		Fewer than 5 detects		1.4E+02
		Antimony	mg/kg	1	1	0	ND	ND				ND
		Arsenic, inorganic	mg/kg	1	0	0	3.4E-02	3.4E-02				3.4E-02
		Cadmium	mg/kg	1	0	0	9.0E-03	9.0E-03				9.0E-03
		Chromium	mg/kg	1	0	0	4.0E-01	4.0E-01				4.0E-01
		Copper	mg/kg	1	0	0	1.5E+01	1.5E+01				1.5E+01
		Lead	mg/kg	1	0	0	9.8E-02	9.8E-02				9.8E-02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Manganese	mg/kg	1	0	0	1.7E+02	1.7E+02				1.7E+02
		Mercury	mg/kg	1	0	0	3.9E-02	3.9E-02				3.9E-02
		Nickel	mg/kg	1	0	0	4.8E-01	4.8E-01				4.8E-01
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	1	0	ND	ND				ND
		Thallium	mg/kg	1	1	0	ND	ND				ND
		Zinc	mg/kg	1	0	0	1.8E+01	1.8E+01				1.8E+01
		Butyltins										
		Butyltin ion	ug/kg	1	0	0	4.6E+00	4.6E+00				4.6E+00
		Dibutyltin ion	ug/kg	1	0	0	3.3E+02	3.3E+02				3.3E+02
		Tributyltin ion	ug/kg	1	0	0	2.3E+00	2.3E+00				2.3E+00
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	0	0	1.1E+00	1.1E+00				1.1E+00
		Acenaphthene	ug/kg	1	0	0	4.2E+00	4.2E+00				4.2E+00
		Acenaphthylene	ug/kg	1	0	0	1.1E+00	1.1E+00				1.1E+00
		Anthracene	ug/kg	1	0	0	2.9E+00	2.9E+00				2.9E+00
		Benzo(a)anthracene	ug/kg	1	0	0	7.5E+00	7.5E+00				7.5E+00
		Benzo(a)pyrene	ug/kg	1	0	0	7.5E+00	7.5E+00				7.5E+00
		Benzo(b)fluoranthene	ug/kg	1	0	0	5.3E+00	5.3E+00				5.3E+00
		Benzo(g,h,i)perylene	ug/kg	1	0	0	5.6E+00	5.6E+00				5.6E+00
		Benzo(k)fluoranthene	ug/kg	1	0	0	5.0E+00	5.0E+00				5.0E+00
		Chrysene	ug/kg	1	0	0	1.2E+01	1.2E+01				1.2E+01
		Dibenzo(a,h)anthracene	ug/kg	1	0	0	7.1E-01	7.1E-01				7.1E-01
		Fluoranthene	ug/kg	1	0	0	1.2E+01	1.2E+01				1.2E+01
		Fluorene	ug/kg	1	0	0	1.8E+00	1.8E+00				1.8E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	1	0	0	5.3E+00	5.3E+00				5.3E+00
		Naphthalene	ug/kg	1	0	0	2.9E+00	2.9E+00				2.9E+00
		Phenanthrene	ug/kg	1	0	0	7.6E+00	7.6E+00				7.6E+00
		Pyrene	ug/kg	1	0	0	1.5E+01	1.5E+01				1.5E+01
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	0	0	3.5E-01	3.5E-01				3.5E-01
		Hexachlorobenzene	ug/kg	1	0	0	5.1E-02	5.1E-02				5.1E-02
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	0	0	6.1E+01	6.1E+01				6.1E+01
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	1	0	0	4.4E+04	4.4E+04				4.4E+04
		Total PCBs, Adjusted	pg/g	1	0	0	4.2E+04	4.2E+04				4.2E+04

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	5.5E-01	5.5E-01				5.5E-01
		Total PCB TEQ	pg/g	1	0	0	3.2E-01	3.2E-01				3.2E-01
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND
		Dieldrin	ug/kg	1	0	0	1.5E-02	1.5E-02				1.5E-02
		Endrin	ug/kg	1	1	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	1	0	ND	ND				ND
		Total DDD	ug/kg	1	0	0	7.4E-01	7.4E-01				7.4E-01
		Total DDE	ug/kg	1	0	0	2.1E+00	2.1E+00				2.1E+00
		Total DDT	ug/kg	1	0	0	1.2E-01	1.2E-01				1.2E-01
		Total Chlordane	ug/kg	1	0	0	1.7E-01	1.7E-01				1.7E-01
		Total Endosulfan	ug/kg	1	1	0	ND	ND				ND
RM: 7, Station: 07R003	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	9.8E+01	9.8E+01		Fewer than 5 detects		9.8E+01
		Antimony	mg/kg	1	1	0	ND	ND				ND
		Arsenic, inorganic	mg/kg	1	0	0	3.0E-02	3.0E-02				3.0E-02
		Cadmium	mg/kg	1	0	0	1.5E-02	1.5E-02				1.5E-02
		Chromium	mg/kg	1	0	0	3.0E-01	3.0E-01				3.0E-01
		Copper	mg/kg	1	0	0	1.4E+01	1.4E+01				1.4E+01
		Lead	mg/kg	1	0	0	9.1E-02	9.1E-02				9.1E-02
		Manganese	mg/kg	1	0	0	1.2E+02	1.2E+02				1.2E+02
		Mercury	mg/kg	1	0	0	3.0E-02	3.0E-02				3.0E-02
		Nickel	mg/kg	1	0	0	3.0E-01	3.0E-01				3.0E-01
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	0	0	1.9E-02	1.9E-02				1.9E-02
		Thallium	mg/kg	1	0	0	2.4E-03	2.4E-03				2.4E-03
		Zinc	mg/kg	1	0	0	1.6E+01	1.6E+01				1.6E+01
		Butyltins										
		Butyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Dibutyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Tributyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	1	0	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	1	0	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	1	0	ND	ND				ND
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobenzene	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	1	0	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	0	0	3.9E+01	3.9E+01				3.9E+01
		Total PCB Congeners	pg/g	NA	NA	NA	NA	NA				NA
		Total PCBs, Adjusted	pg/g	NA	NA	NA	NA	NA				NA
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Total PCB TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND
		Dieldrin	ug/kg	1	1	0	ND	ND				ND
		Endrin	ug/kg	1	1	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	1	0	ND	ND				ND
		Total DDD	ug/kg	1	0	0	4.1E+00	4.1E+00				4.1E+00
		Total DDE	ug/kg	1	0	0	1.6E+01	1.6E+01				1.6E+01
		Total DDT	ug/kg	1	0	0	1.8E+01	1.8E+01				1.8E+01
		Total Chlordane	ug/kg	1	1	0	ND	ND				ND
		Total Endosulfan	ug/kg	1	1	0	ND	ND				ND
RM: 7, Station: 07R004	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	2.0E+02	2.0E+02		Fewer than 5 detects		2.0E+02
		Antimony	mg/kg	1	0	0	9.0E-03	9.0E-03				9.0E-03
		Arsenic, inorganic	mg/kg	1	0	0	5.0E-02	5.0E-02				5.0E-02
		Cadmium	mg/kg	1	0	0	1.6E-02	1.6E-02				1.6E-02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	Distribution	95% UCL 95% UCL Method	Value	Exposure Point Concentration
		Chromium	mg/kg	1	0	0	9.0E-01	9.0E-01				9.0E-01
		Copper	mg/kg	1	0	0	1.8E+01	1.8E+01				1.8E+01
		Lead	mg/kg	1	0	0	2.0E-01	2.0E-01				2.0E-01
		Manganese	mg/kg	1	0	0	1.7E+02	1.7E+02				1.7E+02
		Mercury	mg/kg	1	0	0	3.6E-02	3.6E-02				3.6E-02
		Nickel	mg/kg	1	0	0	5.5E-01	5.5E-01				5.5E-01
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	0	0	3.9E-02	3.9E-02				3.9E-02
		Thallium	mg/kg	1	0	0	3.2E-03	3.2E-03				3.2E-03
		Zinc	mg/kg	1	0	0	1.9E+01	1.9E+01				1.9E+01
		Butyltins										
		Butyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Dibutyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Tributyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	1	0	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	1	0	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	1	0	ND	ND				ND
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobenzene	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	1	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	Distribution	95% UCL Method	Value	Exposure Point Concentration
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	1	0	ND	ND				ND
		Total PCB Congeners	pg/g	NA	NA	NA	NA	NA				NA
		Total PCBs, Adjusted	pg/g	NA	NA	NA	NA	NA				NA
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Total PCB TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND
		Dieldrin	ug/kg	1	1	0	ND	ND				ND
		Endrin	ug/kg	1	1	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	1	0	ND	ND				ND
		Total DDD	ug/kg	1	1	0	ND	ND				ND
		Total DDE	ug/kg	1	0	0	6.9E+00	6.9E+00				6.9E+00
		Total DDT	ug/kg	1	0	0	2.0E+00	2.0E+00				2.0E+00
		Total Chlordane	ug/kg	1	1	0	ND	ND				ND
		Total Endosulfan	ug/kg	1	0	0	2.2E+00	2.2E+00				2.2E+00
RM: 7, Station: 07R006	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	5.9E+01	5.9E+01		Fewer than 5 detects		5.9E+01
		Antimony	mg/kg	1	0	0	6.0E-03	6.0E-03				6.0E-03
		Arsenic, inorganic	mg/kg	1	0	0	3.2E-02	3.2E-02				3.2E-02
		Cadmium	mg/kg	1	0	0	9.0E-03	9.0E-03				9.0E-03
		Chromium	mg/kg	1	0	0	5.4E-01	5.4E-01				5.4E-01
		Copper	mg/kg	1	0	0	1.3E+01	1.3E+01				1.3E+01
		Lead	mg/kg	1	0	0	2.4E-01	2.4E-01				2.4E-01
		Manganese	mg/kg	1	0	0	1.3E+02	1.3E+02				1.3E+02
		Mercury	mg/kg	1	0	0	2.4E-02	2.4E-02				2.4E-02
		Nickel	mg/kg	1	0	0	8.3E-01	8.3E-01				8.3E-01
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	0	0	3.2E-02	3.2E-02				3.2E-02
		Thallium	mg/kg	1	0	0	2.2E-03	2.2E-03				2.2E-03
		Zinc	mg/kg	1	0	0	1.6E+01	1.6E+01				1.6E+01
		Butyltins										
		Butyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Dibutyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Tributyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	1	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration
									Distribution	95% UCL Method	Value	
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	1	0	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	1	0	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	1	0	ND	ND				ND
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobenzene	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	1	0	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	0	0	4.5E+01	4.5E+01				4.5E+01
		Total PCB Congeners	pg/g	1	0	0	2.8E+04	2.8E+04				2.8E+04
		Total PCBs, Adjusted	pg/g	1	0	0	2.5E+04	2.5E+04				2.5E+04
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	1.8E+01	1.8E+01				1.8E+01
		Total PCB TEQ	pg/g	1	0	0	7.5E-01	7.5E-01				7.5E-01
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND
		Dieldrin	ug/kg	1	1	0	ND	ND				ND
		Endrin	ug/kg	1	1	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	1	0	ND	ND				ND
		Total DDD	ug/kg	1	0	0	2.1E+01	2.1E+01				2.1E+01
		Total DDE	ug/kg	1	0	0	5.2E+01	5.2E+01				5.2E+01
		Total DDT	ug/kg	1	0	0	1.3E+01	1.3E+01				1.3E+01
		Total Chlordane	ug/kg	1	1	0	ND	ND				ND
		Total Endosulfan	ug/kg	1	1	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	Distribution	95% UCL Method	Value	Exposure Point Concentration
RM: 8, Station: 08R001	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	6.8E+01	6.8E+01		Fewer than 5 detects		6.8E+01
		Antimony	mg/kg	1	0	0	7.0E-03	7.0E-03				7.0E-03
		Arsenic, inorganic	mg/kg	1	0	0	3.5E-02	3.5E-02				3.5E-02
		Cadmium	mg/kg	1	0	0	1.3E-02	1.3E-02				1.3E-02
		Chromium	mg/kg	1	0	0	2.8E-01	2.8E-01				2.8E-01
		Copper	mg/kg	1	0	0	1.5E+01	1.5E+01				1.5E+01
		Lead	mg/kg	1	0	0	7.6E-02	7.6E-02				7.6E-02
		Manganese	mg/kg	1	0	0	1.2E+02	1.2E+02				1.2E+02
		Mercury	mg/kg	1	0	0	2.2E-02	2.2E-02				2.2E-02
		Nickel	mg/kg	1	0	0	2.8E-01	2.8E-01				2.8E-01
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	0	0	2.4E-02	2.4E-02				2.4E-02
		Thallium	mg/kg	1	0	0	2.4E-03	2.4E-03				2.4E-03
		Zinc	mg/kg	1	0	0	1.5E+01	1.5E+01				1.5E+01
		Butyltins										
		Butyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Dibutyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Tributyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	1	0	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	1	0	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	1	0	ND	ND				ND
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobenzene	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Phenols										
		4-Methylphenol	ug/kg	1	0	0	3.3E+01	3.3E+01				3.3E+01
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	1	0	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	0	0	5.9E+01	5.9E+01				5.9E+01
		Total PCB Congeners	pg/g	NA	NA	NA	NA	NA				NA
		Total PCBs, Adjusted	pg/g	NA	NA	NA	NA	NA				NA
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Total PCB TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND
		Dieldrin	ug/kg	1	1	0	ND	ND				ND
		Endrin	ug/kg	1	1	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	1	0	ND	ND				ND
		Total DDD	ug/kg	1	1	0	ND	ND				ND
		Total DDE	ug/kg	1	0	0	6.8E+00	6.8E+00				6.8E+00
		Total DDT	ug/kg	1	0	0	8.7E+00	8.7E+00				8.7E+00
		Total Chlordane	ug/kg	1	1	0	ND	ND				ND
		Total Endosulfan	ug/kg	1	1	0	ND	ND				ND
RM: 8, Station: 08R002	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	8.7E+01	8.7E+01		Fewer than 5 detects		8.7E+01
		Antimony	mg/kg	1	0	0	5.0E-03	5.0E-03				5.0E-03
		Arsenic, inorganic	mg/kg	1	0	0	2.8E-02	2.8E-02				2.8E-02
		Cadmium	mg/kg	1	0	0	1.3E-02	1.3E-02				1.3E-02
		Chromium	mg/kg	1	0	0	3.8E-01	3.8E-01				3.8E-01
		Copper	mg/kg	1	0	0	1.0E+01	1.0E+01				1.0E+01
		Lead	mg/kg	1	0	0	1.0E-01	1.0E-01				1.0E-01
		Manganese	mg/kg	1	0	0	1.6E+02	1.6E+02				1.6E+02
		Mercury	mg/kg	1	0	0	3.3E-02	3.3E-02				3.3E-02
		Nickel	mg/kg	1	0	0	3.2E-01	3.2E-01				3.2E-01
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	1	0	ND	ND				ND
		Thallium	mg/kg	1	0	0	2.1E-03	2.1E-03				2.1E-03
		Zinc	mg/kg	1	0	0	1.4E+01	1.4E+01				1.4E+01
		Butyltins										
		Butyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Dibutyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Tributyltin ion	ug/kg	NA	NA	NA	NA	NA				NA

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration
									Distribution	95% UCL Method	Value	
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	1	0	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	1	0	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	1	0	ND	ND				ND
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobenzene	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	1	0	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	0	0	1.6E+01	1.6E+01				1.6E+01
		Total PCB Congeners	pg/g	NA	NA	NA	NA	NA				NA
		Total PCBs, Adjusted	pg/g	NA	NA	NA	NA	NA				NA
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Total PCB TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND
		Dieldrin	ug/kg	1	1	0	ND	ND				ND
		Endrin	ug/kg	1	1	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	1	0	ND	ND				ND
		Total DDD	ug/kg	1	1	0	ND	ND				ND
		Total DDE	ug/kg	1	0	0	3.5E+00	3.5E+00				3.5E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration
		Total DDT	ug/kg	1	0	0	3.4E+00	3.4E+00				3.4E+00
		Total Chlordane	ug/kg	1	1	0	ND	ND				ND
		Total Endosulfan	ug/kg	1	1	0	ND	ND				ND
RM: 8, Station: 08R003	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	6.7E+01	6.7E+01		Fewer than 5 detects		6.7E+01
		Antimony	mg/kg	1	0	0	5.0E-03	5.0E-03				5.0E-03
		Arsenic, inorganic	mg/kg	1	0	0	2.8E-02	2.8E-02				2.8E-02
		Cadmium	mg/kg	1	0	0	1.6E-02	1.6E-02				1.6E-02
		Chromium	mg/kg	1	0	0	4.1E-01	4.1E-01				4.1E-01
		Copper	mg/kg	1	0	0	1.7E+01	1.7E+01				1.7E+01
		Lead	mg/kg	1	0	0	7.6E-02	7.6E-02				7.6E-02
		Manganese	mg/kg	1	0	0	7.2E+01	7.2E+01				7.2E+01
		Mercury	mg/kg	1	0	0	2.2E-02	2.2E-02				2.2E-02
		Nickel	mg/kg	1	0	0	2.7E-01	2.7E-01				2.7E-01
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	0	0	2.2E-02	2.2E-02				2.2E-02
		Thallium	mg/kg	1	0	0	2.1E-03	2.1E-03				2.1E-03
		Zinc	mg/kg	1	0	0	1.6E+01	1.6E+01				1.6E+01
		Butyltins										
		Butyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Dibutyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Tributyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	1	0	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	1	0	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	1	0	ND	ND				ND
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobenzene	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	0	0	1.3E+02	1.3E+02				1.3E+02
		Phenol	ug/kg	1	1	0	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	0	0	4.3E+01	4.3E+01				4.3E+01
		Total PCB Congeners	pg/g	1	0	0	3.9E+04	3.9E+04				3.9E+04
		Total PCBs, Adjusted	pg/g	1	0	0	3.6E+04	3.6E+04				3.6E+04
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	9.6E-01	9.6E-01				9.6E-01
		Total PCB TEQ	pg/g	1	0	0	6.9E-01	6.9E-01				6.9E-01
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND
		Dieldrin	ug/kg	1	1	0	ND	ND				ND
		Endrin	ug/kg	1	1	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	1	0	ND	ND				ND
		Total DDD	ug/kg	1	1	0	ND	ND				ND
		Total DDE	ug/kg	1	0	0	3.9E+00	3.9E+00				3.9E+00
		Total DDT	ug/kg	1	1	0	ND	ND				ND
		Total Chlordane	ug/kg	1	1	0	ND	ND				ND
		Total Endosulfan	ug/kg	1	1	0	ND	ND				ND
RM: 8, Station: CR08W	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	1.4E+02	1.4E+02		Fewer than 5 detects		1.4E+02
		Antimony	mg/kg	1	0	0	6.0E-03	6.0E-03				6.0E-03
		Arsenic, inorganic	mg/kg	1	1	0	ND	ND				ND
		Cadmium	mg/kg	1	0	0	1.2E-02	1.2E-02				1.2E-02
		Chromium	mg/kg	1	0	0	4.0E-01	4.0E-01				4.0E-01
		Copper	mg/kg	1	0	0	1.6E+01	1.6E+01				1.6E+01
		Lead	mg/kg	1	0	0	1.6E-01	1.6E-01				1.6E-01
		Manganese	mg/kg	1	0	0	1.4E+02	1.4E+02				1.4E+02
		Mercury	mg/kg	1	0	0	2.4E-02	2.4E-02				2.4E-02
		Nickel	mg/kg	1	0	0	3.7E-01	3.7E-01				3.7E-01
		Selenium	mg/kg	1	0	0	3.9E-01	3.9E-01				3.9E-01
		Silver	mg/kg	1	1	0	ND	ND				ND
		Thallium	mg/kg	1	1	0	ND	ND				ND
		Zinc	mg/kg	1	0	0	1.7E+01	1.7E+01				1.7E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	Distribution	95% UCL Method	Value	Exposure Point Concentration
		Butyltins										
		Butyltin ion	ug/kg	1	0	0	2.8E-01	2.8E-01				2.8E-01
		Dibutyltin ion	ug/kg	1	0	0	3.3E-01	3.3E-01				3.3E-01
		Tributyltin ion	ug/kg	1	0	0	5.6E-01	5.6E-01				5.6E-01
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	0	0	4.7E-01	4.7E-01				4.7E-01
		Acenaphthene	ug/kg	1	0	0	9.9E-01	9.9E-01				9.9E-01
		Acenaphthylene	ug/kg	1	0	0	2.0E-01	2.0E-01				2.0E-01
		Anthracene	ug/kg	1	0	0	4.3E-01	4.3E-01				4.3E-01
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	0	0	2.8E-01	2.8E-01				2.8E-01
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	0	0	8.1E-01	8.1E-01				8.1E-01
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	0	0	6.1E-01	6.1E-01				6.1E-01
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	0	0	4.8E-01	4.8E-01				4.8E-01
		Hexachlorobenzene	ug/kg	1	0	0	6.6E-02	6.6E-02				6.6E-02
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	0	0	9.4E+01	9.4E+01				9.4E+01
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	1	0	0	3.0E+04	3.0E+04				3.0E+04
		Total PCBs, Adjusted	pg/g	1	0	0	2.7E+04	2.7E+04				2.7E+04
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	4.9E-01	4.9E-01				4.9E-01
		Total PCB TEQ	pg/g	1	0	0	4.6E-01	4.6E-01				4.6E-01
		Pesticides										
		Aldrin	ug/kg	1	0	0	3.7E-02	3.7E-02				3.7E-02
		alpha-Hexachlorocyclohexane	ug/kg	1	0	0	2.5E-03	2.5E-03				2.5E-03

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Dieldrin	ug/kg	1	0	0	4.7E-02	4.7E-02				4.7E-02
		Endrin	ug/kg	1	0	0	1.2E-03	1.2E-03				1.2E-03
		Heptachlor epoxide	ug/kg	1	0	0	1.8E-03	1.8E-03				1.8E-03
		Total DDD	ug/kg	1	0	0	2.8E-01	2.8E-01				2.8E-01
		Total DDE	ug/kg	1	0	0	4.4E+00	4.4E+00				4.4E+00
		Total DDT	ug/kg	1	1	0	ND	ND				ND
		Total Chlordane	ug/kg	1	0	0	5.6E-01	5.6E-01				5.6E-01
		Total Endosulfan	ug/kg	1	1	0	ND	ND				ND
RM: 9, Station: 09R001	WB	**Metals**										
		Aluminum	mg/kg	2	0	0	5.1E+01	6.8E+01		Fewer than 5 detects		6.8E+01
		Antimony	mg/kg	2	0	0	5.5E-03	7.0E-03				7.0E-03
		Arsenic, inorganic	mg/kg	2	0	0	3.0E-02	3.4E-02				3.4E-02
		Cadmium	mg/kg	2	0	0	2.2E-02	2.3E-02				2.3E-02
		Chromium	mg/kg	2	0	0	1.3E-01	1.6E-01				1.6E-01
		Copper	mg/kg	2	0	0	1.6E+01	1.8E+01				1.8E+01
		Lead	mg/kg	2	0	0	1.0E-01	1.1E-01				1.1E-01
		Manganese	mg/kg	2	0	0	6.0E+01	6.1E+01				6.1E+01
		Mercury	mg/kg	2	0	0	2.2E-02	2.3E-02				2.3E-02
		Nickel	mg/kg	2	0	0	2.0E-01	2.2E-01				2.2E-01
		Selenium	mg/kg	2	2	0	ND	ND				ND
		Silver	mg/kg	2	1	0	2.0E-02	3.1E-02				3.1E-02
		Thallium	mg/kg	2	0	0	1.6E-03	1.7E-03				1.7E-03
		Zinc	mg/kg	2	0	0	1.6E+01	1.7E+01				1.7E+01
		Butyltins										
		Butyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Dibutyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Tributyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	2	2	0	ND	ND				ND
		Acenaphthene	ug/kg	2	2	0	ND	ND				ND
		Acenaphthylene	ug/kg	2	2	0	ND	ND				ND
		Anthracene	ug/kg	2	2	0	ND	ND				ND
		Benzo(a)anthracene	ug/kg	2	2	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	2	2	0	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	2	2	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	2	2	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	2	2	0	ND	ND				ND
		Chrysene	ug/kg	2	2	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	2	2	0	ND	ND				ND
		Fluoranthene	ug/kg	2	2	0	ND	ND				ND
		Fluorene	ug/kg	2	2	0	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	2	2	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Naphthalene	ug/kg	2	2	0	ND	ND				ND
		Phenanthrene	ug/kg	2	2	0	ND	ND				ND
		Pyrene	ug/kg	2	2	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	2	2	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	2	2	0	ND	ND				ND
		Hexachlorobenzene	ug/kg	2	2	0	ND	ND				ND
		Hexachlorobutadiene	ug/kg	2	2	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	2	2	0	ND	ND				ND
		Pentachlorophenol	ug/kg	2	2	0	ND	ND				ND
		Phenol	ug/kg	2	2	0	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	2	0	0	4.8E+01	4.9E+01				4.9E+01
		Total PCB Congeners	pg/g	NA	NA	NA	NA	NA				NA
		Total PCBs, Adjusted	pg/g	NA	NA	NA	NA	NA				NA
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Total PCB TEQ	pg/g	NA	NA	NA	NA	NA				NA
		Pesticides										
		Aldrin	ug/kg	2	2	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	2	2	0	ND	ND				ND
		Dieldrin	ug/kg	2	2	0	ND	ND				ND
		Endrin	ug/kg	2	2	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	2	2	0	ND	ND				ND
		Total DDD	ug/kg	2	2	0	ND	ND				ND
		Total DDE	ug/kg	2	0	0	2.3E+00	2.4E+00				2.4E+00
		Total DDT	ug/kg	2	2	0	ND	ND				ND
		Total Chlordane	ug/kg	2	2	0	ND	ND				ND
		Total Endosulfan	ug/kg	2	2	0	ND	ND				ND
RM: 9, Station: 09R002	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	6.6E+01	6.6E+01		Fewer than 5 detects		6.6E+01
		Antimony	mg/kg	1	0	0	8.0E-03	8.0E-03				8.0E-03
		Arsenic, inorganic	mg/kg	1	0	0	3.5E-02	3.5E-02				3.5E-02
		Cadmium	mg/kg	1	0	0	1.1E-02	1.1E-02				1.1E-02
		Chromium	mg/kg	1	0	0	2.6E-01	2.6E-01				2.6E-01
		Copper	mg/kg	1	0	0	1.4E+01	1.4E+01				1.4E+01
		Lead	mg/kg	1	0	0	9.8E-02	9.8E-02				9.8E-02
		Manganese	mg/kg	1	0	0	1.5E+02	1.5E+02				1.5E+02
		Mercury	mg/kg	1	0	0	3.0E-02	3.0E-02				3.0E-02
		Nickel	mg/kg	1	0	0	4.0E-01	4.0E-01				4.0E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	0	0	3.5E-02	3.5E-02				3.5E-02
		Thallium	mg/kg	1	0	0	2.7E-03	2.7E-03				2.7E-03
		Zinc	mg/kg	1	0	0	1.9E+01	1.9E+01				1.9E+01
		Butyltins										
		Butyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Dibutyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Tributyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	1	0	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	1	0	ND	ND				ND
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	1	0	ND	ND				ND
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobenzene	ug/kg	1	1	0	ND	ND				ND
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	1	0	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	0	0	1.1E+02	1.1E+02				1.1E+02
		Total PCB Congeners	pg/g	1	0	0	8.3E+04	8.3E+04				8.3E+04
		Total PCBs, Adjusted	pg/g	1	0	0	7.9E+04	7.9E+04				7.9E+04
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	7.5E-01	7.5E-01				7.5E-01
		Total PCB TEQ	pg/g	1	0	0	9.1E-01	9.1E-01				9.1E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND
		Dieldrin	ug/kg	1	1	0	ND	ND				ND
		Endrin	ug/kg	1	1	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	1	0	ND	ND				ND
		Total DDD	ug/kg	1	1	0	ND	ND				ND
		Total DDE	ug/kg	1	0	0	3.0E+00	3.0E+00				3.0E+00
		Total DDT	ug/kg	1	1	0	ND	ND				ND
		Total Chlordane	ug/kg	1	1	0	ND	ND				ND
		Total Endosulfan	ug/kg	1	1	0	ND	ND				ND
RM: 10, Station: CR10W	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	7.2E+01	7.2E+01		Fewer than 5 detects		7.2E+01
		Antimony	mg/kg	1	1	0	ND	ND				ND
		Arsenic, inorganic	mg/kg	1	0	0	3.4E-02	3.4E-02				3.4E-02
		Cadmium	mg/kg	1	0	0	1.1E-02	1.1E-02				1.1E-02
		Chromium	mg/kg	1	0	0	2.0E-01	2.0E-01				2.0E-01
		Copper	mg/kg	1	0	0	1.7E+01	1.7E+01				1.7E+01
		Lead	mg/kg	1	0	0	1.5E-01	1.5E-01				1.5E-01
		Manganese	mg/kg	1	0	0	9.9E+01	9.9E+01				9.9E+01
		Mercury	mg/kg	1	0	0	3.3E-02	3.3E-02				3.3E-02
		Nickel	mg/kg	1	0	0	3.1E-01	3.1E-01				3.1E-01
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	1	0	ND	ND				ND
		Thallium	mg/kg	1	1	0	ND	ND				ND
		Zinc	mg/kg	1	0	0	2.0E+01	2.0E+01				2.0E+01
		Butyltins										
		Butyltin ion	ug/kg	1	0	0	2.1E-01	2.1E-01				2.1E-01
		Dibutyltin ion	ug/kg	1	1	0	ND	ND				ND
		Tributyltin ion	ug/kg	1	1	0	ND	ND				ND
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	0	0	3.5E-01	3.5E-01				3.5E-01
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	0	0	1.5E-01	1.5E-01				1.5E-01
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	0	0	2.5E-01	2.5E-01				2.5E-01
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	0	0	3.6E-01	3.6E-01				3.6E-01
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	0	0	5.0E-01	5.0E-01				5.0E-01
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	0	0	1.9E-01	1.9E-01				1.9E-01
		Hexachlorobenzene	ug/kg	1	0	0	3.6E-02	3.6E-02				3.6E-02
		Hexachlorobutadiene	ug/kg	1	0	0	1.9E-03	1.9E-03				1.9E-03
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	0	0	5.6E+01	5.6E+01				5.6E+01
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	1	0	0	5.1E+04	5.1E+04				5.1E+04
		Total PCBs, Adjusted	pg/g	1	0	0	4.2E+04	4.2E+04				4.2E+04
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	2.3E-01	2.3E-01				2.3E-01
		Total PCB TEQ	pg/g	1	0	0	7.1E-01	7.1E-01				7.1E-01
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	0	0	2.8E-03	2.8E-03				2.8E-03
		Dieldrin	ug/kg	1	0	0	1.5E-02	1.5E-02				1.5E-02
		Endrin	ug/kg	1	1	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	1	0	ND	ND				ND
		Total DDD	ug/kg	1	0	0	6.5E-02	6.5E-02				6.5E-02
		Total DDE	ug/kg	1	0	0	1.1E+00	1.1E+00				1.1E+00
		Total DDT	ug/kg	1	1	0	ND	ND				ND
		Total Chlordane	ug/kg	1	0	0	1.7E-01	1.7E-01				1.7E-01
		Total Endosulfan	ug/kg	1	1	0	ND	ND				ND
RM: 11, Station: CR11E	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	4.1E+01	4.1E+01		Fewer than 5 detects		4.1E+01
		Antimony	mg/kg	1	1	0	ND	ND				ND
		Arsenic, inorganic	mg/kg	1	0	0	2.4E-02	2.4E-02				2.4E-02
		Cadmium	mg/kg	1	0	0	2.2E-02	2.2E-02				2.2E-02
		Chromium	mg/kg	1	0	0	1.5E-01	1.5E-01				1.5E-01
		Copper	mg/kg	1	0	0	2.0E+01	2.0E+01				2.0E+01
		Lead	mg/kg	1	0	0	1.4E-01	1.4E-01				1.4E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	Distribution	95% UCL 95% UCL Method	Value	Exposure Point Concentration
		Manganese	mg/kg	1	0	0	3.9E+01	3.9E+01				3.9E+01
		Mercury	mg/kg	1	0	0	2.4E-02	2.4E-02				2.4E-02
		Nickel	mg/kg	1	0	0	2.4E-01	2.4E-01				2.4E-01
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	1	0	ND	ND				ND
		Thallium	mg/kg	1	1	0	ND	ND				ND
		Zinc	mg/kg	1	0	0	2.0E+01	2.0E+01				2.0E+01
		Butyltins										
		Butyltin ion	ug/kg	1	0	0	2.2E-01	2.2E-01				2.2E-01
		Dibutyltin ion	ug/kg	1	0	0	3.5E-01	3.5E-01				3.5E-01
		Tributyltin ion	ug/kg	1	1	0	ND	ND				ND
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	0	0	1.5E-01	1.5E-01				1.5E-01
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	0	0	1.1E-01	1.1E-01				1.1E-01
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	0	0	2.2E-01	2.2E-01				2.2E-01
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	0	0	2.3E-01	2.3E-01				2.3E-01
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	0	0	4.7E-01	4.7E-01				4.7E-01
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	0	0	7.1E+01	7.1E+01				7.1E+01
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	0	0	2.2E-01	2.2E-01				2.2E-01
		Hexachlorobenzene	ug/kg	1	0	0	5.7E-02	5.7E-02				5.7E-02
		Hexachlorobutadiene	ug/kg	1	1	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	0	0	4.7E+01	4.7E+01				4.7E+01
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	1	0	0	1.2E+06	1.2E+06				1.2E+06
		Total PCBs, Adjusted	pg/g	1	0	0	1.1E+06	1.1E+06				1.1E+06

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration
									Distribution	95% UCL Method	Value	
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	6.1E-01	6.1E-01				6.1E-01
		Total PCB TEQ	pg/g	1	0	0	5.1E+00	5.1E+00				5.1E+00
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	ND	ND				ND
		Dieldrin	ug/kg	1	0	0	9.4E-03	9.4E-03				9.4E-03
		Endrin	ug/kg	1	1	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	0	0	5.9E-04	5.9E-04				5.9E-04
		Total DDD	ug/kg	1	0	0	3.7E-02	3.7E-02				3.7E-02
		Total DDE	ug/kg	1	0	0	1.8E+00	1.8E+00				1.8E+00
		Total DDT	ug/kg	1	1	0	ND	ND				ND
		Total Chlordane	ug/kg	1	0	0	3.4E-01	3.4E-01				3.4E-01
		Total Endosulfan	ug/kg	1	1	0	ND	ND				ND
RM: 12, Station: CR12W	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	6.9E+01	6.9E+01		Fewer than 5 detects		6.9E+01
		Antimony	mg/kg	1	1	0	ND	ND				ND
		Arsenic, inorganic	mg/kg	1	0	0	2.9E-02	2.9E-02				2.9E-02
		Cadmium	mg/kg	1	0	0	1.0E-02	1.0E-02				1.0E-02
		Chromium	mg/kg	1	0	0	3.0E-01	3.0E-01				3.0E-01
		Copper	mg/kg	1	0	0	1.8E+01	1.8E+01				1.8E+01
		Lead	mg/kg	1	0	0	7.9E-02	7.9E-02				7.9E-02
		Manganese	mg/kg	1	0	0	6.9E+01	6.9E+01				6.9E+01
		Mercury	mg/kg	1	0	0	2.7E-02	2.7E-02				2.7E-02
		Nickel	mg/kg	1	0	0	2.7E-01	2.7E-01				2.7E-01
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	1	0	ND	ND				ND
		Thallium	mg/kg	1	1	0	ND	ND				ND
		Zinc	mg/kg	1	0	0	1.9E+01	1.9E+01				1.9E+01
		Butyltins										
		Butyltin ion	ug/kg	1	0	0	5.5E-01	5.5E-01				5.5E-01
		Dibutyltin ion	ug/kg	1	1	0	5.6E-01	5.6E-01				5.6E-01
		Tributyltin ion	ug/kg	1	1	0	1.6E+00	1.6E+00				1.6E+00
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	1	0	2.3E-01	2.3E-01				2.3E-01
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	0	0	1.7E-01	1.7E-01				1.7E-01
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	0	0	1.4E-01	1.4E-01				1.4E-01
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	Distribution	95% UCL Method	Value	Exposure Point Concentration
		Benzo(k)fluoranthene	ug/kg	1	0	0	ND	ND				ND
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	0	0	1.9E-01	1.9E-01				1.9E-01
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	0	0	5.4E-01	5.4E-01				5.4E-01
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	0	0	ND	ND				ND
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	1	0	1.3E-01	1.3E-01				1.3E-01
		Hexachlorobenzene	ug/kg	1	0	0	9.1E-02	9.1E-02				9.1E-02
		Hexachlorobutadiene	ug/kg	1	1	0	1.7E-03	1.7E-03				1.7E-03
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	0	0	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	1	0	0	7.4E+03	7.4E+03				7.4E+03
		Total PCBs, Adjusted	pg/g	1	0	0	6.5E+03	6.5E+03				6.5E+03
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	2.9E-01	2.9E-01				2.9E-01
		Total PCB TEQ	pg/g	1	0	0	2.0E-01	2.0E-01				2.0E-01
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	0	2.0E-03	2.0E-03				2.0E-03
		Dieldrin	ug/kg	1	0	0	1.6E-02	1.6E-02				1.6E-02
		Endrin	ug/kg	1	1	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	1	0	1.5E-03	1.5E-03				1.5E-03
		Total DDD	ug/kg	1	0	0	6.3E-02	6.3E-02				6.3E-02
		Total DDE	ug/kg	1	0	0	1.7E+00	1.7E+00				1.7E+00
		Total DDT	ug/kg	1	1	0	ND	ND				ND
		Total Chlordane	ug/kg	1	0	0	2.4E-01	2.4E-01				2.4E-01
		Total Endosulfan	ug/kg	1	1	0	ND	ND				ND
RM: 12, Station: CR12E	WB	**Metals**										
		Aluminum	mg/kg	1	0	0	5.6E+01	5.6E+01		Fewer than 5 detects		5.6E+01
		Antimony	mg/kg	1	1	0	ND	ND				ND
		Arsenic, inorganic	mg/kg	1	0	0	2.9E-02	2.9E-02				2.9E-02
		Cadmium	mg/kg	1	0	0	1.1E-02	1.1E-02				1.1E-02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Chromium	mg/kg	1	0	0	4.0E-01	4.0E-01				4.0E-01
		Copper	mg/kg	1	0	0	1.7E+01	1.7E+01				1.7E+01
		Lead	mg/kg	1	0	0	1.4E-01	1.4E-01				1.4E-01
		Manganese	mg/kg	1	0	0	8.2E+01	8.2E+01				8.2E+01
		Mercury	mg/kg	1	0	0	2.7E-02	2.7E-02				2.7E-02
		Nickel	mg/kg	1	0	0	3.2E-01	3.2E-01				3.2E-01
		Selenium	mg/kg	1	1	0	ND	ND				ND
		Silver	mg/kg	1	1	0	ND	ND				ND
		Thallium	mg/kg	1	1	0	ND	ND				ND
		Zinc	mg/kg	1	0	0	1.9E+01	1.9E+01				1.9E+01
		Butyltins										
		Butyltin ion	ug/kg	1	0	0	2.0E-01	2.0E-01				2.0E-01
		Dibutyltin ion	ug/kg	1	0	0	ND	ND				ND
		Tributyltin ion	ug/kg	1	0	0	ND	ND				ND
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	1	1	0	ND	ND				ND
		Acenaphthene	ug/kg	1	0	0	ND	ND				ND
		Acenaphthylene	ug/kg	1	1	0	ND	ND				ND
		Anthracene	ug/kg	1	0	0	1.2E-01	1.2E-01				1.2E-01
		Benzo(a)anthracene	ug/kg	1	1	0	ND	ND				ND
		Benzo(a)pyrene	ug/kg	1	0	0	3.0E-01	3.0E-01				3.0E-01
		Benzo(b)fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Benzo(g,h,i)perylene	ug/kg	1	1	0	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	0	5.7E-01	5.7E-01				5.7E-01
		Chrysene	ug/kg	1	1	0	ND	ND				ND
		Dibenzo(a,h)anthracene	ug/kg	1	1	0	ND	ND				ND
		Fluoranthene	ug/kg	1	1	0	ND	ND				ND
		Fluorene	ug/kg	1	0	0	1.6E-01	1.6E-01				1.6E-01
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	0	ND	ND				ND
		Naphthalene	ug/kg	1	0	0	5.2E-01	5.2E-01				5.2E-01
		Phenanthrene	ug/kg	1	1	0	ND	ND				ND
		Pyrene	ug/kg	1	1	0	ND	ND				ND
		Phthalates										
		Butylbenzyl phthalate	ug/kg	1	1	0	2.7E+01	2.7E+01				2.7E+01
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	1	0	0	ND	ND				ND
		Hexachlorobenzene	ug/kg	1	0	0	8.5E-02	8.5E-02				8.5E-02
		Hexachlorobutadiene	ug/kg	1	0	0	ND	ND				ND
		Phenols										
		4-Methylphenol	ug/kg	1	1	0	ND	ND				ND
		Pentachlorophenol	ug/kg	1	1	0	ND	ND				ND
		Phenol	ug/kg	1	1	0	7.4E+01	7.4E+01				7.4E+01
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-17
Exposure Point Concentration Summary - Crayfish, by Station

Scenario Timeframe: Current/Future
Medium: Shellfish tissue
Exposure Medium: Crayfish, by Station

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	Distribution	95% UCL — 95% UCL Method	Value	Exposure Point Concentration
		Total PCB Congeners	pg/g	1	0	0	1.9E+04	1.9E+04				1.9E+04
		Total PCBs, Adjusted[f]	pg/g	1	0	0	1.8E+04	1.8E+04				1.8E+04
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	4.9E-01	4.9E-01				4.9E-01
		Total PCB TEQ	pg/g	1	0	0	5.1E-01	5.1E-01				5.1E-01
		Pesticides										
		Aldrin	ug/kg	1	1	0	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	0	0	ND	ND				ND
		Dieldrin	ug/kg	1	0	0	1.1E-02	1.1E-02				1.1E-02
		Endrin	ug/kg	1	1	0	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	0	0	ND	ND				ND
		Total DDD	ug/kg	1	0	0	5.5E-02	5.5E-02				5.5E-02
		Total DDE	ug/kg	1	0	0	2.4E+00	2.4E+00				2.4E+00
		Total DDT	ug/kg	1	1	0	ND	ND				ND
		Total Chlordane	ug/kg	1	0	0	4.0E-01	4.0E-01				4.0E-01
		Total Endosulfan	ug/kg	1	1	0	ND	ND				ND

Notes:

a Each crayfish sampling location is its own exposure area.

b Chemicals listed are analytes detected at least once within the Study Area.

c Total number of non-detects in the dataset.

d Number of non-detects with detection limit exceeding the maximum detected concentration for the exposure area. These non-detects were removed from the dataset prior to calculation of EPCs.

e Non-detects less than the maximum detected concentration for a given exposure area are included in the arithmetic mean at half the detection limit.

f 95% UCL not calculated for analytes with fewer than five detects.

g "Total PCBs, Adjusted" equals "Total PCB Congeners" minus the sum of total dioxin-like PCBs concentrations.

Abbreviations:

95% UCL = 95% Upper confidence limit on the mean.

DDD = Dichlorodiphenyldichloroethane.

DDE = Dichlorodiphenyldichloroethylene.

DDT = Dichlorodiphenyltrichloroethane.

mg/kg = Milligrams per kilogram.

NA = Not available. Chemical not analyzed or had rejected result for given exposure area.

ND = Not detected in the given exposure area.

PCB = Polychlorinated biphenyls.

pg/g = Picograms per gram.

RM = River mile.

SIL = Swan Island Lagoon.

TEQ = Toxic equivalents.

ug/kg = Micrograms per kilogram.

WB= Whole body.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-18
Exposure Point Concentration Summary - Crayfish, Study Area-Wide

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Crayfish, Study Area-Wide

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
Study Area-wide	WB	**Metals**										
		Aluminum	mg/kg	31	0	0	9.4E+01	2.0E+02	normal	95% Student's-t UCL	1.1E+02	1.1E+02
		Antimony	mg/kg	31	6	0	6.9E-03	2.0E-02	non-parametric	95% KM (Chebyshev) UCL	1.0E-02	1.0E-02
		Arsenic, inorganic	mg/kg	31	1	0	3.4E-02	5.0E-02	normal	95% KM (t) UCL	3.6E-02	3.6E-02
		Cadmium	mg/kg	31	0	0	1.8E-02	3.6E-02	gamma	95% Approximate Gamma UCL	2.0E-02	2.0E-02
		Chromium	mg/kg	31	0	0	4.3E-01	9.0E-01	gamma	95% Approximate Gamma UCL	5.2E-01	5.2E-01
		Copper	mg/kg	31	0	0	1.5E+01	2.0E+01	normal	95% Student's-t UCL	1.5E+01	1.5E+01
		Lead	mg/kg	31	0	0	1.5E-01	1.3E+00	non-parametric	95% Chebyshev(Mean, Sd) UCL	3.2E-01	3.2E-01
		Manganese	mg/kg	31	0	0	1.3E+02	2.1E+02	normal	95% Student's-t UCL	1.4E+02	1.4E+02
		Mercury	mg/kg	31	0	0	2.9E-02	4.1E-02	lognormal	95% Student's-t UCL	3.1E-02	3.1E-02
		Nickel	mg/kg	31	1	0	3.7E-01	8.3E-01	gamma	95% KM (BCA) UCL	4.2E-01	4.2E-01
		Selenium	mg/kg	31	29	0	1.4E-01	3.9E-01	--	Fewer than 5 detects[e]	--	3.9E-01
		Silver	mg/kg	31	7	0	2.7E-02	4.7E-02	normal	95% KM (t) UCL	3.2E-02	3.2E-02
		Thallium	mg/kg	31	5	0	3.0E-03	7.9E-03	lognormal	95% KM (Chebyshev) UCL	4.3E-03	4.3E-03
		Zinc	mg/kg	31	0	0	1.7E+01	2.0E+01	normal	95% Student's-t UCL	1.8E+01	1.8E+01
		Butyltins										
		Butyltin ion	ug/kg	5	0	0	1.1E+00	4.6E+00	non-parametric	99% Chebyshev (Mean, Sd) UCL	9.8E+00	4.6E+00
		Dibutyltin ion	ug/kg	5	1	0	6.6E+01	3.3E+02	--	Fewer than 5 detects	--	3.3E+02
		Tributyltin ion	ug/kg	5	2	0	7.8E-01	2.3E+00	--	Fewer than 5 detects	--	2.3E+00
		Polynuclear Aromatic Hydrocarbons										
		2-Methylnaphthalene	ug/kg	31	29	26	4.5E-01	1.1E+00	--	Fewer than 5 detects	--	1.1E+00
		Acenaphthene	ug/kg	31	26	26	1.2E+00	4.2E+00	gamma	95% Approximate Gamma UCL	5.6E+00	4.2E+00
		Acenaphthylene	ug/kg	31	29	26	2.8E-01	1.1E+00	--	Fewer than 5 detects	--	1.1E+00
		Anthracene	ug/kg	31	26	26	7.5E-01	2.9E+00	gamma	95% Approximate Gamma UCL	3.9E+00	2.9E+00
		Benzo(a)anthracene	ug/kg	31	29	0	1.6E+01	8.0E+01	--	Fewer than 5 detects	--	8.0E+01
		Benzo(a)pyrene	ug/kg	31	26	26	1.8E+00	7.5E+00	non-parametric	99% Chebyshev (Mean, Sd) UCL	1.6E+01	7.5E+00
		Benzo(b)fluoranthene	ug/kg	31	30	26	1.2E+00	5.3E+00	--	Fewer than 5 detects	--	5.3E+00
		Benzo(g,h,i)perylene	ug/kg	31	30	26	1.3E+00	5.6E+00	--	Fewer than 5 detects	--	5.6E+00
		Benzo(k)fluoranthene	ug/kg	31	30	26	1.1E+00	5.0E+00	--	Fewer than 5 detects	--	5.0E+00
		Chrysene	ug/kg	31	29	0	1.6E+01	8.7E+01	--	Fewer than 5 detects	--	8.7E+01
		Dibenzo(a,h)anthracene	ug/kg	31	30	26	1.7E-01	7.1E-01	--	Fewer than 5 detects	--	7.1E-01
		Fluoranthene	ug/kg	31	27	0	2.9E+01	1.3E+02	--	Fewer than 5 detects	--	1.3E+02
		Fluorene	ug/kg	31	26	26	6.8E-01	1.8E+00	normal	95% Student's-t UCL	1.3E+00	1.3E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	31	30	26	1.2E+00	5.3E+00	--	Fewer than 5 detects	--	5.3E+00
		Naphthalene	ug/kg	31	26	26	1.0E+00	2.9E+00	non-parametric	95% Chebyshev (Mean, Sd) UCL	3.1E+00	2.9E+00
		Phenanthrene	ug/kg	31	29	0	1.8E+01	9.7E+01	--	Fewer than 5 detects	--	9.7E+01
		Pyrene	ug/kg	31	28	0	2.1E+01	8.3E+01	--	Fewer than 5 detects	--	8.3E+01
		Phthalates										
		Butylbenzyl phthalate	ug/kg	31	29	26	1.9E+01	7.1E+01	--	Fewer than 5 detects	--	7.1E+01
		Semi-Volatile Organic Compounds										
		Dibenzofuran	ug/kg	31	26	26	2.7E-01	4.8E-01	normal	95% Student's-t UCL	4.1E-01	4.1E-01
		Hexachlorobenzene	ug/kg	31	26	26	5.0E-02	6.6E-02	normal	95% Student's-t UCL	6.2E-02	6.2E-02
		Hexachlorobutadiene	ug/kg	31	30	30	1.9E-03	1.9E-03	--	Fewer than 5 detects	--	1.9E-03

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-18

Exposure Point Concentration Summary - Crayfish, Study Area-Wide

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Crayfish, Study Area-Wide

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration
		Phenols										
		4-Methylphenol	ug/kg	31	29	0	3.3E+01	1.9E+02	--	Fewer than 5 detects	--	1.9E+02
		Pentachlorophenol	ug/kg	31	30	25	3.4E+01	1.3E+02	--	Fewer than 5 detects	--	1.3E+02
		Phenol	ug/kg	31	25	0	1.6E+02	5.2E+02	non-parametric	95% KM (t) UCL	1.1E+02	1.1E+02
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	26	14	0	3.0E+01	2.8E+02	lognormal	95% KM (t) UCL	5.6E+01	5.6E+01
		Total PCB Congeners	pg/g	14	0	0	1.3E+05	1.2E+06	lognormal	97.5% KM (Chebyshev) UCL	6.5E+05	6.5E+05
		Total PCBs, Adjusted[f]	pg/g	14	0	0	1.3E+05	1.1E+06	lognormal	97.5% KM (Chebyshev) UCL	6.2E+05	6.2E+05
		Dioxin/Furans										
		Total Dioxin/Furan TEQ	pg/g	14	0	0	1.9E+00	1.8E+01	non-parametric	97.5% KM (Chebyshev) UCL	9.8E+00	9.8E+00
		Total PCB TEQ	pg/g	14	0	0	1.3E+00	5.1E+00	gamma	95% KM (Chebyshev) UCL	2.9E+00	2.9E+00
		Pesticides										
		Aldrin	ug/kg	31	30	26	8.5E-03	3.7E-02	--	Fewer than 5 detects	--	3.7E-02
		alpha-Hexachlorocyclohexane	ug/kg	31	29	27	1.7E-03	2.8E-03	--	Fewer than 5 detects	--	2.8E-03
		Dieldrin	ug/kg	31	26	26	2.0E-02	4.7E-02	lognormal	95% H-UCL	5.5E-02	4.7E-02
		Endrin	ug/kg	31	25	0	6.3E-01	2.8E+00	normal	95% KM (t) UCL	5.0E-01	5.0E-01
		Heptachlor epoxide	ug/kg	31	29	27	8.4E-04	1.8E-03	--	Fewer than 5 detects	--	1.8E-03
		Total DDD	ug/kg	31	21	0	1.7E+00	2.1E+01	gamma	95% KM (t) UCL	2.9E+00	2.9E+00
		Total DDE	ug/kg	31	0	0	6.3E+00	5.2E+01	non-parametric	95% Chebyshev (Mean, Sd) UCL	1.3E+01	1.3E+01
		Total DDT	ug/kg	31	11	0	3.9E+00	1.8E+01	gamma	95% KM (Percentile Bootstrap) UCL	5.3E+00	5.3E+00
		Total Chlordane	ug/kg	31	21	0	1.0E+00	4.7E+00	non-parametric	95% KM (BCA) UCL	1.3E+00	1.3E+00
		Total Endosulfan	ug/kg	31	21	0	8.4E-01	3.1E+00	normal	95% KM (t) UCL	1.4E+00	1.4E+00

Notes:

a Chemicals listed are analytes detected in each tissue type at least once within the Study Area.

b Total number of non-detects in the dataset.

c Number of non-detects with detection limit exceeding the maximum detected concentration for the exposure area. These non-detects were removed from the dataset prior to calculation of EPCs.

d Non-detects less than the maximum detected concentration for a given exposure area are included in the arithmetic mean at half the detection limit.

e 95% UCL not calculated for analytes with fewer than five detects.

f "Total PCBs, Adjusted" equals "Total PCB Congeners" minus the sum of total dioxin-like PCBs concentrations.

Abbreviations:

95% UCL = 95% Upper confidence limit on the mean.

-- = Not applicable. A 95% UCL could not be computed for the given data set.

DDD = Dichlorodiphenyldichloroethane.

DDE = Dichlorodiphenyldichloroethylene.

DDT = Dichlorodiphenyltrichloroethane.

mg/kg = Milligrams per kilogram.

PCB = Polychlorinated biphenyls.

pg/g = Picograms per gram.

TEQ = Toxic equivalents.

ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

| Scenario Timeframe: Current/Future |
| Medium: Shellfish Tissue |
| Exposure Medium: Clam, by River Mile |

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
RM 1 East	D	**Metals**										
		Aluminum	mg/kg	1	0	0	2.1E+01	2.1E+01		Fewer than 5 detects[f]		2.1E+01
		Arsenic, inorganic	mg/kg	1	0	0	1.0E-01	1.0E-01				1.0E-01
		Cadmium	mg/kg	1	0	0	1.0E-01	1.0E-01				1.0E-01
		Chromium	mg/kg	1	0	0	4.0E-01	4.0E-01				4.0E-01
		Copper	mg/kg	1	0	0	7.6E+00	7.6E+00				7.6E+00
		Lead	mg/kg	1	0	0	2.3E-02	2.3E-02				2.3E-02
		Manganese	mg/kg	1	0	0	4.1E+00	4.1E+00				4.1E+00
		Mercury	mg/kg	1	0	0	1.6E-02	1.6E-02				1.6E-02
		Nickel	mg/kg	1	0	0	1.2E-01	1.2E-01				1.2E-01
		Selenium	mg/kg	1	0	0	1.6E-01	1.6E-01				1.6E-01
		Silver	mg/kg	1	0	0	2.1E-02	2.1E-02				2.1E-02
		Thallium	mg/kg	1	0	0	2.0E-03	2.0E-03				2.0E-03
		Zinc	mg/kg	1	0	0	2.1E+01	2.1E+01				2.1E+01
		Butyltins										
		Butyltin ion	ug/kg	1	0	0	2.8E+00	2.8E+00				2.8E+00
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	1	1	ND	ND	ND				ND
		2-Methylnaphthalene	ug/kg	1	0	0	9.7E-01	9.7E-01				9.7E-01
		Acenaphthene	ug/kg	1	0	0	6.8E-01	6.8E-01				6.8E-01
		Acenaphthylene	ug/kg	1	1	ND	ND	ND				ND
		Anthracene	ug/kg	1	0	0	1.8E+00	1.8E+00				1.8E+00
		Benzo(a)anthracene	ug/kg	1	0	0	4.3E+00	4.3E+00				4.3E+00
		Benzo(a)pyrene	ug/kg	1	0	0	4.3E-01	4.3E-01				4.3E-01
		Benzo(b)fluoranthene	ug/kg	1	0	0	9.0E-01	9.0E-01				9.0E-01
		Benzo(e)pyrene	ug/kg	1	0	0	2.4E+00	2.4E+00				2.4E+00
		Benzo(g,h,i)perylene	ug/kg	1	1	ND	ND	ND				ND
		Chrysene	ug/kg	1	0	0	8.2E+00	8.2E+00				8.2E+00
		Dibenzothiophene	ug/kg	1	1	ND	ND	ND				ND
		Fluoranthene	ug/kg	1	0	0	2.8E+01	2.8E+01				2.8E+01
		Fluorene	ug/kg	1	0	0	1.5E+00	1.5E+00				1.5E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	ND	ND	ND				ND
		Perylene	ug/kg	1	1	ND	ND	ND				ND
		Phenanthrene	ug/kg	1	0	0	7.6E+00	7.6E+00				7.6E+00
		Pyrene	ug/kg	1	0	0	2.2E+01	2.2E+01				2.2E+01
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	1	0	0	3.0E+03	3.0E+03				3.0E+03
		Dibenzofuran	ug/kg	1	0	0	6.6E-01	6.6E-01				6.6E-01
		Hexachlorobenzene	ug/kg	1	0	0	4.8E-01	4.8E-01				4.8E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration
		Hexachlorobutadiene	ug/kg	1	1	ND	ND	ND				ND
		Nitrobenzene	ug/kg	1	0	0	2.9E+02	2.9E+02				2.9E+02
		Phenols										
		2-Methylphenol	ug/kg	1	1	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total PCB Congeners	pg/g	1	0	0	1.1E+05	1.1E+05				1.1E+05
		Total PCBs, Adjusted[g]	pg/g	1	0	0	1.0E+05	1.0E+05				1.0E+05
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	2.9E-01	2.9E-01				2.9E-01
		Total PCB TEQ	pg/g	1	0	0	1.2E+00	1.2E+00				1.2E+00
		Pesticides										
		Aldrin	ug/kg	1	0	0	1.9E-01	1.9E-01				1.9E-01
		Dieldrin	ug/kg	1	0	0	5.0E-01	5.0E-01				5.0E-01
		gamma-Hexachlorocyclohexane	ug/kg	1	0	0	2.9E-02	2.9E-02				2.9E-02
		Heptachlor epoxide	ug/kg	1	0	0	4.3E-02	4.3E-02				4.3E-02
		Total Chlordanes	ug/kg	1	0	0	2.5E+00	2.5E+00				2.5E+00
		Total DDD	ug/kg	1	0	0	8.2E+00	8.2E+00				8.2E+00
		Total DDE	ug/kg	1	0	0	1.4E+01	1.4E+01				1.4E+01
		Total DDT	ug/kg	1	0	0	1.4E+00	1.4E+00				1.4E+00
		Total Endosulfan	ug/kg	1	0	0	4.3E-01	4.3E-01				4.3E-01
RM 1 East	UD	**Metals**										
		Aluminum	mg/kg	1	0	0	7.6E+01	7.6E+01		Fewer than 5 detects		7.6E+01
		Antimony	mg/kg	1	1	ND	ND	ND				ND
		Arsenic, inorganic	mg/kg	1	0	0	1.1E-01	1.1E-01				1.1E-01
		Cadmium	mg/kg	1	0	0	1.1E-01	1.1E-01				1.1E-01
		Chromium	mg/kg	1	0	0	5.0E-01	5.0E-01				5.0E-01
		Copper	mg/kg	1	0	0	8.2E+00	8.2E+00				8.2E+00
		Lead	mg/kg	1	0	0	3.7E-02	3.7E-02				3.7E-02
		Manganese	mg/kg	1	0	0	5.2E+00	5.2E+00				5.2E+00
		Mercury	mg/kg	1	0	0	1.2E-02	1.2E-02				1.2E-02
		Nickel	mg/kg	1	0	0	1.8E-01	1.8E-01				1.8E-01
		Selenium	mg/kg	1	0	0	2.2E-01	2.2E-01				2.2E-01
		Silver	mg/kg	1	0	0	2.5E-02	2.5E-02				2.5E-02
		Thallium	mg/kg	1	0	0	2.2E-03	2.2E-03				2.2E-03
		Zinc	mg/kg	1	0	0	2.5E+01	2.5E+01				2.5E+01
		Butyltins										
		Butyltin ion	ug/kg	1	0	0	2.9E+00	2.9E+00				2.9E+00
		Dibutyltin ion	ug/kg	1	0	0	3.4E+00	3.4E+00				3.4E+00
		Tributyltin ion	ug/kg	1	1	ND	ND	ND				ND

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	1	0	0	8.2E-01	8.2E-01				8.2E-01
		2-Methylnaphthalene	ug/kg	1	0	0	1.2E+00	1.2E+00				1.2E+00
		Acenaphthene	ug/kg	1	0	0	7.3E-01	7.3E-01				7.3E-01
		Acenaphthylene	ug/kg	1	0	0	3.1E-01	3.1E-01				3.1E-01
		Anthracene	ug/kg	1	0	0	1.9E+00	1.9E+00				1.9E+00
		Benzo(a)anthracene	ug/kg	1	0	0	5.5E+00	5.5E+00				5.5E+00
		Benzo(a)pyrene	ug/kg	1	0	0	8.8E-01	8.8E-01				8.8E-01
		Benzo(b)fluoranthene	ug/kg	1	0	0	1.5E+00	1.5E+00				1.5E+00
		Benzo(e)pyrene	ug/kg	1	0	0	2.9E+00	2.9E+00				2.9E+00
		Benzo(g,h,i)perylene	ug/kg	1	0	0	1.2E+00	1.2E+00				1.2E+00
		Benzo(k)fluoranthene	ug/kg	1	0	0	9.7E-01	9.7E-01				9.7E-01
		Chrysene	ug/kg	1	0	0	1.1E+01	1.1E+01				1.1E+01
		Dibenzo(a,h)anthracene	ug/kg	1	0	0	8.7E-01	8.7E-01				8.7E-01
		Dibenzothiophene	ug/kg	1	0	0	7.0E-01	7.0E-01				7.0E-01
		Fluoranthene	ug/kg	1	0	0	3.1E+01	3.1E+01				3.1E+01
		Fluorene	ug/kg	1	0	0	1.7E+00	1.7E+00				1.7E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	1	0	0	5.5E-01	5.5E-01				5.5E-01
		Naphthalene	ug/kg	1	1	ND	ND	ND				ND
		Perylene	ug/kg	1	0	0	2.7E-01	2.7E-01				2.7E-01
		Phenanthrene	ug/kg	1	0	0	8.5E+00	8.5E+00				8.5E+00
		Pyrene	ug/kg	1	0	0	2.7E+01	2.7E+01				2.7E+01
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	1	1	ND	ND	ND				ND
		Dibutyl phthalate	ug/kg	1	1	ND	ND	ND				ND
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	1	0	0	2.8E+03	2.8E+03				2.8E+03
		Benzyl alcohol	ug/kg	1	0	0	2.6E+01	2.6E+01				2.6E+01
		Bis(2-chloroethoxy) methane	ug/kg	1	1	ND	ND	ND				ND
		Dibenzofuran	ug/kg	1	0	0	8.1E-01	8.1E-01				8.1E-01
		Hexachlorobenzene	ug/kg	1	0	0	5.8E-01	5.8E-01				5.8E-01
		Hexachlorobutadiene	ug/kg	1	0	0	9.3E-03	9.3E-03				9.3E-03
		Nitrobenzene	ug/kg	1	0	0	3.2E+02	3.2E+02				3.2E+02
		Phenols										
		4-Nitrophenol	ug/kg	1	1	ND	ND	ND				ND
		Phenol	ug/kg	1	1	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	1	0	0	1.3E+05	1.3E+05				1.3E+05
		Total PCBs, Adjusted	pg/g	1	0	0	1.2E+05	1.2E+05				1.2E+05

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

| Scenario Timeframe: Current/Future |
| Medium: Shellfish Tissue |
| Exposure Medium: Clam, by River Mile |

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration
									Distribution	95% UCL Method	Value	
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	5.1E-01	5.1E-01				5.1E-01
		Total PCB TEQ	pg/g	1	0	0	1.4E+00	1.4E+00				1.4E+00
		Pesticides										
		Aldrin	ug/kg	1	0	0	2.3E-01	2.3E-01				2.3E-01
		alpha-Hexachlorocyclohexane	ug/kg	1	1	ND	ND	ND				ND
		beta-Hexachlorocyclohexane	ug/kg	1	1	ND	ND	ND				ND
		Dieldrin	ug/kg	1	0	0	5.9E-01	5.9E-01				5.9E-01
		Endrin	ug/kg	1	1	ND	ND	ND				ND
		Endrin aldehyde	ug/kg	1	1	ND	ND	ND				ND
		Endrin ketone	ug/kg	1	1	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	1	0	0	3.6E-02	3.6E-02				3.6E-02
		Heptachlor	ug/kg	1	1	ND	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	0	0	4.9E-02	4.9E-02				4.9E-02
		Methoxychlor	ug/kg	1	1	ND	ND	ND				ND
		Total Chlordanes	ug/kg	1	0	0	3.0E+00	3.0E+00				3.0E+00
		Total DDD	ug/kg	1	0	0	1.0E+01	1.0E+01				1.0E+01
		Total DDE	ug/kg	1	0	0	1.7E+01	1.7E+01				1.7E+01
		Total DDT	ug/kg	1	0	0	1.8E+00	1.8E+00				1.8E+00
		Total Endosulfan	ug/kg	1	0	0	6.0E-01	6.0E-01				6.0E-01
RM 2 East	UD	**Metals**										
		Aluminum	mg/kg	2	0	0	4.0E+01	4.8E+01		Fewer than 5 detects		4.8E+01
		Antimony	mg/kg	2	1	0	1.3E-03	2.0E-03				2.0E-03
		Arsenic, inorganic	mg/kg	2	0	0	1.2E-01	1.3E-01				1.3E-01
		Cadmium	mg/kg	2	0	0	1.7E-01	2.2E-01				2.2E-01
		Chromium	mg/kg	2	0	0	7.5E-01	7.9E-01				7.9E-01
		Copper	mg/kg	2	0	0	1.0E+01	1.1E+01				1.1E+01
		Lead	mg/kg	2	0	0	5.4E-02	7.1E-02				7.1E-02
		Manganese	mg/kg	NA	NA	NA	NA	NA				NA
		Mercury	mg/kg	2	0	0	7.0E-03	8.0E-03				8.0E-03
		Nickel	mg/kg	2	0	0	2.6E-01	2.9E-01				2.9E-01
		Selenium	mg/kg	2	0	0	1.4E-01	1.7E-01				1.7E-01
		Silver	mg/kg	2	0	0	4.5E-02	5.2E-02				5.2E-02
		Thallium	mg/kg	NA	NA	NA	NA	NA				NA
		Zinc	mg/kg	2	0	0	3.7E+01	4.0E+01				4.0E+01
		Butyltins										
		Butyltin ion	ug/kg	2	0	0	3.1E+00	4.5E+00				4.5E+00
		Dibutyltin ion	ug/kg	2	0	0	4.5E+00	5.4E+00				5.4E+00
		Tributyltin ion	ug/kg	2	0	0	5.9E+00	6.7E+00				6.7E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	NA	NA	NA	NA	NA				NA
		2-Methylnaphthalene	ug/kg	2	0	0	1.5E+00	1.5E+00				1.5E+00
		Acenaphthene	ug/kg	2	0	0	9.9E-01	1.3E+00				1.3E+00
		Acenaphthylene	ug/kg	2	0	0	1.6E+00	2.0E+00				2.0E+00
		Anthracene	ug/kg	2	0	0	6.7E+00	7.0E+00				7.0E+00
		Benzo(a)anthracene	ug/kg	2	0	0	4.0E+01	4.8E+01				4.8E+01
		Benzo(a)pyrene	ug/kg	2	0	0	6.2E+00	7.7E+00				7.7E+00
		Benzo(b)fluoranthene	ug/kg	2	0	0	8.5E+00	1.1E+01				1.1E+01
		Benzo(e)pyrene	ug/kg	NA	NA	NA	NA	NA				NA
		Benzo(g,h,i)perylene	ug/kg	2	0	0	2.8E+00	3.2E+00				3.2E+00
		Benzo(k)fluoranthene	ug/kg	2	0	0	4.2E+00	5.4E+00				5.4E+00
		Chrysene	ug/kg	2	0	0	4.6E+01	5.4E+01				5.4E+01
		Dibenzo(a,h)anthracene	ug/kg	2	2	ND	ND	ND				ND
		Dibenzothiophene	ug/kg	NA	NA	NA	NA	NA				NA
		Fluoranthene	ug/kg	2	0	0	8.3E+01	8.3E+01				8.3E+01
		Fluorene	ug/kg	2	0	0	2.2E+00	2.4E+00				2.4E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	2	0	0	1.9E+00	2.0E+00				2.0E+00
		Naphthalene	ug/kg	2	2	ND	ND	ND				ND
		Perylene	ug/kg	NA	NA	NA	NA	NA				NA
		Phenanthrene	ug/kg	2	0	0	2.1E+01	2.1E+01				2.1E+01
		Pyrene	ug/kg	2	0	0	1.0E+02	1.0E+02				1.0E+02
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	2	2	ND	ND	ND				ND
		Dibutyl phthalate	ug/kg	2	2	ND	ND	ND				ND
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	NA	NA	NA	NA	NA				NA
		Benzyl alcohol	ug/kg	2	0	0	1.0E+01	1.1E+01				1.1E+01
		Bis(2-chloroethoxy) methane	ug/kg	NA	NA	NA	NA	NA				NA
		Dibenzofuran	ug/kg	2	2	ND	ND	ND				ND
		Hexachlorobenzene	ug/kg	2	0	0	5.6E-01	6.3E-01				6.3E-01
		Hexachlorobutadiene	ug/kg	2	2	ND	ND	ND				ND
		Nitrobenzene	ug/kg	NA	NA	NA	NA	NA				NA
		Phenols										
		4-Nitrophenol	ug/kg	NA	NA	NA	NA	NA				NA
		Phenol	ug/kg	2	2	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	2	0	0	2.4E+05	3.3E+05				3.3E+05
		Total PCBs, Adjusted	pg/g	2	0	0	2.2E+05	3.0E+05				3.0E+05

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	2	0	0	5.2E-01	5.9E-01				5.9E-01
		Total PCB TEQ	pg/g	2	0	0	2.5E+00	3.3E+00				3.3E+00
		Pesticides										
		Aldrin	ug/kg	2	0	0	2.0E-01	2.2E-01				2.2E-01
		alpha-Hexachlorocyclohexane	ug/kg	2	2	ND	ND	ND				ND
		beta-Hexachlorocyclohexane	ug/kg	2	2	ND	ND	ND				ND
		Dieldrin	ug/kg	2	0	0	8.2E-01	9.4E-01				9.4E-01
		Endrin	ug/kg	2	1	0	6.0E-03	8.2E-03				8.2E-03
		Endrin aldehyde	ug/kg	2	2	ND	ND	ND				ND
		Endrin ketone	ug/kg	2	2	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	2	0	0	6.6E-02	6.6E-02				6.6E-02
		Heptachlor	ug/kg	2	0	0	9.9E-03	1.2E-02				1.2E-02
		Heptachlor epoxide	ug/kg	2	0	0	6.0E-02	6.7E-02				6.7E-02
		Methoxychlor	ug/kg	2	2	ND	ND	ND				ND
		Total Chlordanes	ug/kg	2	0	0	3.2E+00	3.5E+00				3.5E+00
		Total DDD	ug/kg	2	0	0	1.1E+01	1.2E+01				1.2E+01
		Total DDE	ug/kg	2	0	0	1.3E+01	1.5E+01				1.5E+01
		Total DDT	ug/kg	2	0	0	1.9E+00	2.2E+00				2.2E+00
		Total Endosulfan	ug/kg	2	0	0	9.8E-01	1.1E+00				1.1E+00
RM 2 West	D	**Metals**										
		Aluminum	mg/kg	1	0	0	2.1E+01	2.1E+01		Fewer than 5 detects		2.1E+01
		Arsenic, inorganic	mg/kg	1	0	0	1.4E-01	1.4E-01				1.4E-01
		Cadmium	mg/kg	1	0	0	9.0E-02	9.0E-02				9.0E-02
		Chromium	mg/kg	1	0	0	5.0E-01	5.0E-01				5.0E-01
		Copper	mg/kg	1	0	0	9.0E+00	9.0E+00				9.0E+00
		Lead	mg/kg	1	0	0	3.3E-02	3.3E-02				3.3E-02
		Manganese	mg/kg	1	0	0	4.3E+00	4.3E+00				4.3E+00
		Mercury	mg/kg	1	0	0	2.2E-02	2.2E-02				2.2E-02
		Nickel	mg/kg	1	0	0	1.8E-01	1.8E-01				1.8E-01
		Selenium	mg/kg	1	0	0	1.5E-01	1.5E-01				1.5E-01
		Silver	mg/kg	1	0	0	2.5E-02	2.5E-02				2.5E-02
		Thallium	mg/kg	1	0	0	2.7E-03	2.7E-03				2.7E-03
		Zinc	mg/kg	1	0	0	2.2E+01	2.2E+01				2.2E+01
		Butyltins										
		Butyltin ion	ug/kg	1	1	ND	ND	ND				ND
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	1	0	0	1.0E+00	1.0E+00				1.0E+00
		2-Methylnaphthalene	ug/kg	1	0	0	1.6E+00	1.6E+00				1.6E+00
		Acenaphthene	ug/kg	1	0	0	4.8E+00	4.8E+00				4.8E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19

Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Acenaphthylene	ug/kg	1	0	0	6.2E-01	6.2E-01				6.2E-01
		Anthracene	ug/kg	1	0	0	4.4E+00	4.4E+00				4.4E+00
		Benzo(a)anthracene	ug/kg	1	0	0	8.2E+00	8.2E+00				8.2E+00
		Benzo(a)pyrene	ug/kg	1	1	ND	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	0	0	1.8E+00	1.8E+00				1.8E+00
		Benzo(e)pyrene	ug/kg	1	0	0	4.6E+00	4.6E+00				4.6E+00
		Benzo(g,h,i)perylene	ug/kg	1	0	0	8.6E-01	8.6E-01				8.6E-01
		Chrysene	ug/kg	1	0	0	1.6E+01	1.6E+01				1.6E+01
		Dibenzothiophene	ug/kg	1	0	0	2.1E+00	2.1E+00				2.1E+00
		Fluoranthene	ug/kg	1	0	0	8.4E+01	8.4E+01				8.4E+01
		Fluorene	ug/kg	1	0	0	4.7E+00	4.7E+00				4.7E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	1	0	0	3.0E-01	3.0E-01				3.0E-01
		Perylene	ug/kg	1	0	0	9.1E-01	9.1E-01				9.1E-01
		Phenanthrene	ug/kg	1	0	0	2.5E+01	2.5E+01				2.5E+01
		Pyrene	ug/kg	1	0	0	6.8E+01	6.8E+01				6.8E+01
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	1	0	0	3.2E+03	3.2E+03				3.2E+03
		Dibenzofuran	ug/kg	1	0	0	1.3E+00	1.3E+00				1.3E+00
		Hexachlorobenzene	ug/kg	1	0	0	5.5E-01	5.5E-01				5.5E-01
		Hexachlorobutadiene	ug/kg	1	0	0	9.8E-03	9.8E-03				9.8E-03
		Nitrobenzene	ug/kg	1	0	0	6.0E+01	6.0E+01				6.0E+01
		Phenols										
		2-Methylphenol	ug/kg	1	0	0	9.7E+00	9.7E+00				9.7E+00
		Polychlorinated Biphenyls										
		Total PCB Congeners	pg/g	1	0	0	8.3E+04	8.3E+04				8.3E+04
		Total PCBs, Adjusted	pg/g	1	0	0	7.7E+04	7.7E+04				7.7E+04
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	3.7E-01	3.7E-01				3.7E-01
		Total PCB TEQ	pg/g	1	0	0	8.6E-01	8.6E-01				8.6E-01
		Pesticides										
		Aldrin	ug/kg	1	0	0	2.8E-01	2.8E-01				2.8E-01
		Dieldrin	ug/kg	1	0	0	5.9E-01	5.9E-01				5.9E-01
		gamma-Hexachlorocyclohexane	ug/kg	1	0	0	3.3E-02	3.3E-02				3.3E-02
		Heptachlor epoxide	ug/kg	1	0	0	4.5E-02	4.5E-02				4.5E-02
		Total Chlordanes	ug/kg	1	0	0	3.1E+00	3.1E+00				3.1E+00
		Total DDD	ug/kg	1	0	0	1.1E+01	1.1E+01				1.1E+01
		Total DDE	ug/kg	1	0	0	1.5E+01	1.5E+01				1.5E+01
		Total DDT	ug/kg	1	0	0	1.7E+00	1.7E+00				1.7E+00
		Total Endosulfan	ug/kg	1	0	0	5.1E-01	5.1E-01				5.1E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
RM 2 West	UD	**Metals**										
		Aluminum	mg/kg	2	0	0	4.3E+01	6.5E+01		Fewer than 5 detects		6.5E+01
		Antimony	mg/kg	2	2	ND	ND	ND				ND
		Arsenic, inorganic	mg/kg	2	0	0	9.7E-02	1.0E-01				1.0E-01
		Cadmium	mg/kg	2	0	0	8.5E-02	1.0E-01				1.0E-01
		Chromium	mg/kg	2	0	0	5.1E-01	6.2E-01				6.2E-01
		Copper	mg/kg	2	0	0	7.7E+00	9.4E+00				9.4E+00
		Lead	mg/kg	2	0	0	3.1E-02	3.8E-02				3.8E-02
		Manganese	mg/kg	1	0	0	3.9E+00	3.9E+00				3.9E+00
		Mercury	mg/kg	2	0	0	9.2E-03	1.0E-02				1.0E-02
		Nickel	mg/kg	2	0	0	2.1E-01	2.6E-01				2.6E-01
		Selenium	mg/kg	2	0	0	1.5E-01	1.9E-01				1.9E-01
		Silver	mg/kg	2	0	0	3.5E-02	5.0E-02				5.0E-02
		Thallium	mg/kg	1	0	0	2.0E-03	2.0E-03				2.0E-03
		Zinc	mg/kg	2	0	0	2.9E+01	3.1E+01				3.1E+01
		Butyltins										
		Butyltin ion	ug/kg	2	1	0	1.0E+00	1.4E+00				1.4E+00
		Dibutyltin ion	ug/kg	2	0	0	3.4E+00	3.7E+00				3.7E+00
		Tributyltin ion	ug/kg	2	1	0	3.4E+00	4.7E+00				4.7E+00
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	1	0	0	1.2E+00	1.2E+00				1.2E+00
		2-Methylnaphthalene	ug/kg	2	0	0	1.6E+00	1.8E+00				1.8E+00
		Acenaphthene	ug/kg	2	0	0	2.2E+00	3.3E+00				3.3E+00
		Acenaphthylene	ug/kg	2	0	0	1.2E+00	1.8E+00				1.8E+00
		Anthracene	ug/kg	2	0	0	1.0E+01	1.7E+01				1.7E+01
		Benzo(a)anthracene	ug/kg	2	0	0	3.3E+01	6.0E+01				6.0E+01
		Benzo(a)pyrene	ug/kg	2	0	0	6.9E+00	1.3E+01				1.3E+01
		Benzo(b)fluoranthene	ug/kg	2	0	0	8.3E+00	1.5E+01				1.5E+01
		Benzo(e)pyrene	ug/kg	1	0	0	3.5E+00	3.5E+00				3.5E+00
		Benzo(g,h,i)perylene	ug/kg	2	0	0	3.4E+00	6.1E+00				6.1E+00
		Benzo(k)fluoranthene	ug/kg	2	1	0	4.0E+00	7.7E+00				7.7E+00
		Chrysene	ug/kg	2	0	0	3.7E+01	6.1E+01				6.1E+01
		Dibenzo(a,h)anthracene	ug/kg	2	2	ND	ND	ND				ND
		Dibenzothiophene	ug/kg	1	0	0	1.4E+00	1.4E+00				1.4E+00
		Fluoranthene	ug/kg	2	0	0	1.0E+02	1.5E+02				1.5E+02
		Fluorene	ug/kg	2	0	0	3.6E+00	3.9E+00				3.9E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	2	0	0	2.1E+00	3.9E+00				3.9E+00
		Naphthalene	ug/kg	2	2	ND	ND	ND				ND
		Perylene	ug/kg	1	0	0	6.0E-01	6.0E-01				6.0E-01
		Phenanthrene	ug/kg	2	0	0	3.8E+01	5.9E+01				5.9E+01
		Pyrene	ug/kg	2	0	0	9.8E+01	1.5E+02				1.5E+02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	2	2	ND	ND	ND				ND
		Dibutyl phthalate	ug/kg	2	2	ND	ND	ND				ND
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	1	0	0	1.9E+03	1.9E+03				1.9E+03
		Benzyl alcohol	ug/kg	2	1	1	1.2E+01	1.2E+01				1.2E+01
		Bis(2-chloroethoxy) methane	ug/kg	1	1	ND	ND	ND				ND
		Dibenzofuran	ug/kg	2	0	0	1.0E+00	1.1E+00				1.1E+00
		Hexachlorobenzene	ug/kg	2	0	0	5.2E-01	6.1E-01				6.1E-01
		Hexachlorobutadiene	ug/kg	2	2	ND	ND	ND				ND
		Nitrobenzene	ug/kg	1	0	0	2.8E+02	2.8E+02				2.8E+02
		Phenols										
		4-Nitrophenol	ug/kg	1	0	0	1.9E+01	1.9E+01				1.9E+01
		Phenol	ug/kg	2	2	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	2	0	0	7.7E+04	8.3E+04				8.3E+04
		Total PCBs, Adjusted	pg/g	2	0	0	7.2E+04	7.8E+04				7.8E+04
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	2	0	0	4.8E-01	5.6E-01				5.6E-01
		Total PCB TEQ	pg/g	2	0	0	7.8E-01	9.0E-01				9.0E-01
		Pesticides										
		Aldrin	ug/kg	2	0	0	2.2E-01	2.9E-01				2.9E-01
		alpha-Hexachlorocyclohexane	ug/kg	2	2	ND	ND	ND				ND
		beta-Hexachlorocyclohexane	ug/kg	2	2	ND	ND	ND				ND
		Dieldrin	ug/kg	2	0	0	6.3E-01	6.5E-01				6.5E-01
		Endrin	ug/kg	2	1	1	5.7E-03	5.7E-03				5.7E-03
		Endrin aldehyde	ug/kg	2	2	ND	ND	ND				ND
		Endrin ketone	ug/kg	2	2	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	2	0	0	5.0E-02	5.5E-02				5.5E-02
		Heptachlor	ug/kg	2	1	1	7.3E-03	7.3E-03				7.3E-03
		Heptachlor epoxide	ug/kg	2	0	0	4.7E-02	5.0E-02				5.0E-02
		Methoxychlor	ug/kg	2	2	ND	ND	ND				ND
		Total Chlordanes	ug/kg	2	0	0	2.8E+00	3.3E+00				3.3E+00
		Total DDD	ug/kg	2	0	0	1.1E+01	1.2E+01				1.2E+01
		Total DDE	ug/kg	2	0	0	1.3E+01	1.6E+01				1.6E+01
		Total DDT	ug/kg	2	0	0	1.8E+00	1.9E+00				1.9E+00
		Total Endosulfan	ug/kg	2	0	0	6.7E-01	7.2E-01				7.2E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration
RM 3 East	UD	**Metals**										
		Aluminum	mg/kg	3	0	0	5.5E+01	8.0E+01		Fewer than 5 detects		8.0E+01
		Antimony	mg/kg	3	1	0	1.8E-03	2.8E-03				2.8E-03
		Arsenic, inorganic	mg/kg	3	0	0	8.8E-02	9.6E-02				9.6E-02
		Cadmium	mg/kg	3	0	0	1.4E-01	1.7E-01				1.7E-01
		Chromium	mg/kg	3	0	0	7.8E-01	1.1E+00				1.1E+00
		Copper	mg/kg	3	0	0	9.8E+00	1.0E+01				1.0E+01
		Lead	mg/kg	3	0	0	7.9E-02	1.1E-01				1.1E-01
		Manganese	mg/kg	NA	NA	NA	NA	NA				NA
		Mercury	mg/kg	3	0	0	7.0E-03	8.0E-03				8.0E-03
		Nickel	mg/kg	3	0	0	3.0E-01	3.1E-01				3.1E-01
		Selenium	mg/kg	3	0	0	1.0E-01	1.2E-01				1.2E-01
		Silver	mg/kg	3	0	0	3.9E-02	5.6E-02				5.6E-02
		Thallium	mg/kg	NA	NA	NA	NA	NA				NA
		Zinc	mg/kg	3	0	0	4.2E+01	4.8E+01				4.8E+01
		Butyltins										
		Butyltin ion	ug/kg	3	1	0	1.8E+00	3.7E+00				3.7E+00
		Dibutyltin ion	ug/kg	3	0	0	2.3E+01	5.4E+01				5.4E+01
		Tributyltin ion	ug/kg	3	0	0	2.5E+01	6.3E+01				6.3E+01
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	NA	NA	NA	NA	NA				NA
		2-Methylnaphthalene	ug/kg	3	0	0	1.6E+00	2.0E+00				2.0E+00
		Acenaphthene	ug/kg	3	0	0	1.2E+00	1.7E+00				1.7E+00
		Acenaphthylene	ug/kg	3	0	0	1.4E+00	1.8E+00				1.8E+00
		Anthracene	ug/kg	3	0	0	8.3E+00	1.0E+01				1.0E+01
		Benzo(a)anthracene	ug/kg	3	0	0	5.6E+01	6.7E+01				6.7E+01
		Benzo(a)pyrene	ug/kg	3	0	0	1.3E+01	1.6E+01				1.6E+01
		Benzo(b)fluoranthene	ug/kg	3	0	0	2.6E+01	3.9E+01				3.9E+01
		Benzo(e)pyrene	ug/kg	NA	NA	NA	NA	NA				NA
		Benzo(g,h,i)perylene	ug/kg	3	0	0	6.9E+00	9.6E+00				9.6E+00
		Benzo(k)fluoranthene	ug/kg	3	0	0	1.1E+01	1.5E+01				1.5E+01
		Chrysene	ug/kg	3	0	0	8.6E+01	1.1E+02				1.1E+02
		Dibenzo(a,h)anthracene	ug/kg	3	2	0	9.7E-01	2.8E+00				2.8E+00
		Dibenzothiophene	ug/kg	NA	NA	NA	NA	NA				NA
		Fluoranthene	ug/kg	3	0	0	8.3E+01	9.3E+01				9.3E+01
		Fluorene	ug/kg	3	0	0	3.5E+00	4.7E+00				4.7E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	3	0	0	4.5E+00	5.7E+00				5.7E+00
		Naphthalene	ug/kg	3	3	ND	ND	ND				ND
		Perylene	ug/kg	NA	NA	NA	NA	NA				NA
		Phenanthrene	ug/kg	3	0	0	2.4E+01	3.0E+01				3.0E+01
		Pyrene	ug/kg	3	0	0	1.1E+02	1.5E+02				1.5E+02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	3	3	ND	ND	ND				ND
		Dibutyl phthalate	ug/kg	3	3	ND	ND	ND				ND
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	NA	NA	NA	NA	NA				NA
		Benzyl alcohol	ug/kg	3	1	0	1.1E+01	1.7E+01				1.7E+01
		Bis(2-chloroethoxy) methane	ug/kg	NA	NA	NA	NA	NA				NA
		Dibenzofuran	ug/kg	3	0	0	1.4E+00	2.1E+00				2.1E+00
		Hexachlorobenzene	ug/kg	3	0	0	5.0E-01	5.6E-01				5.6E-01
		Hexachlorobutadiene	ug/kg	3	3	ND	ND	ND				ND
		Nitrobenzene	ug/kg	NA	NA	NA	NA	NA				NA
		Phenols										
		4-Nitrophenol	ug/kg	NA	NA	NA	NA	NA				NA
		Phenol	ug/kg	3	3	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	3	0	0	3.1E+05	5.1E+05				5.1E+05
		Total PCBs, Adjusted	pg/g	3	0	0	2.9E+05	4.7E+05				4.7E+05
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	3	0	0	6.4E-01	8.4E-01				8.4E-01
		Total PCB TEQ	pg/g	3	0	0	3.0E+00	5.4E+00				5.4E+00
		Pesticides										
		Aldrin	ug/kg	3	0	0	1.6E-01	1.9E-01				1.9E-01
		alpha-Hexachlorocyclohexane	ug/kg	3	2	2	5.7E-03	5.7E-03				5.7E-03
		beta-Hexachlorocyclohexane	ug/kg	3	3	ND	ND	ND				ND
		Dieldrin	ug/kg	3	0	0	7.5E-01	8.9E-01				8.9E-01
		Endrin	ug/kg	3	2	0	6.0E-03	1.0E-02				1.0E-02
		Endrin aldehyde	ug/kg	3	3	ND	ND	ND				ND
		Endrin ketone	ug/kg	3	2	1	2.1E-03	3.0E-03				3.0E-03
		gamma-Hexachlorocyclohexane	ug/kg	3	1	1	4.7E-02	5.4E-02				5.4E-02
		Heptachlor	ug/kg	3	0	0	1.4E-02	2.0E-02				2.0E-02
		Heptachlor epoxide	ug/kg	3	0	0	5.2E-02	6.1E-02				6.1E-02
		Methoxychlor	ug/kg	3	3	ND	ND	ND				ND
		Total Chlordanes	ug/kg	3	0	0	2.8E+00	3.1E+00				3.1E+00
		Total DDD	ug/kg	3	0	0	1.0E+01	1.1E+01				1.1E+01
		Total DDE	ug/kg	3	0	0	1.1E+01	1.2E+01				1.2E+01
		Total DDT	ug/kg	3	0	0	2.5E+00	3.4E+00				3.4E+00
		Total Endosulfan	ug/kg	3	0	0	8.3E-01	9.3E-01				9.3E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration
RM 3 West	UD	**Metals**										
		Aluminum	mg/kg	1	0	0	2.0E+02	2.0E+02		Fewer than 5 detects		2.0E+02
		Antimony	mg/kg	1	1	ND	ND	ND				ND
		Arsenic, inorganic	mg/kg	1	0	0	8.9E-02	8.9E-02				8.9E-02
		Cadmium	mg/kg	1	0	0	6.1E-02	6.1E-02				6.1E-02
		Chromium	mg/kg	1	0	0	6.0E-01	6.0E-01				6.0E-01
		Copper	mg/kg	1	0	0	7.7E+00	7.7E+00				7.7E+00
		Lead	mg/kg	1	0	0	8.9E-02	8.9E-02				8.9E-02
		Manganese	mg/kg	1	0	0	7.8E+00	7.8E+00				7.8E+00
		Mercury	mg/kg	1	0	0	1.6E-02	1.6E-02				1.6E-02
		Nickel	mg/kg	1	0	0	2.5E-01	2.5E-01				2.5E-01
		Selenium	mg/kg	1	0	0	2.2E-01	2.2E-01				2.2E-01
		Silver	mg/kg	1	0	0	3.5E-02	3.5E-02				3.5E-02
		Thallium	mg/kg	1	0	0	1.8E-03	1.8E-03				1.8E-03
		Zinc	mg/kg	1	0	0	3.3E+01	3.3E+01				3.3E+01
		Butyltins										
		Butyltin ion	ug/kg	1	1	ND	ND	ND				ND
		Dibutyltin ion	ug/kg	1	1	ND	ND	ND				ND
		Tributyltin ion	ug/kg	1	1	ND	ND	ND				ND
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	1	0	0	1.5E+00	1.5E+00				1.5E+00
		2-Methylnaphthalene	ug/kg	1	0	0	2.0E+00	2.0E+00				2.0E+00
		Acenaphthene	ug/kg	1	0	0	1.5E+00	1.5E+00				1.5E+00
		Acenaphthylene	ug/kg	1	0	0	5.5E-01	5.5E-01				5.5E-01
		Anthracene	ug/kg	1	0	0	3.2E+00	3.2E+00				3.2E+00
		Benzo(a)anthracene	ug/kg	1	0	0	1.1E+01	1.1E+01				1.1E+01
		Benzo(a)pyrene	ug/kg	1	0	0	1.5E+00	1.5E+00				1.5E+00
		Benzo(b)fluoranthene	ug/kg	1	0	0	2.5E+00	2.5E+00				2.5E+00
		Benzo(e)pyrene	ug/kg	1	0	0	6.0E+00	6.0E+00				6.0E+00
		Benzo(g,h,i)perylene	ug/kg	1	0	0	1.8E+00	1.8E+00				1.8E+00
		Benzo(k)fluoranthene	ug/kg	1	0	0	9.6E-01	9.6E-01				9.6E-01
		Chrysene	ug/kg	1	0	0	1.8E+01	1.8E+01				1.8E+01
		Dibenzo(a,h)anthracene	ug/kg	1	1	ND	ND	ND				ND
		Dibenzothiophene	ug/kg	1	0	0	1.3E+00	1.3E+00				1.3E+00
		Fluoranthene	ug/kg	1	0	0	4.2E+01	4.2E+01				4.2E+01
		Fluorene	ug/kg	1	0	0	2.5E+00	2.5E+00				2.5E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	1	0	0	9.0E-01	9.0E-01				9.0E-01
		Naphthalene	ug/kg	1	1	ND	ND	ND				ND
		Perylene	ug/kg	1	0	0	5.9E-01	5.9E-01				5.9E-01
		Phenanthrene	ug/kg	1	0	0	1.4E+01	1.4E+01				1.4E+01
		Pyrene	ug/kg	1	0	0	4.7E+01	4.7E+01				4.7E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	1	0	0	9.9E+01	9.9E+01				9.9E+01
		Dibutyl phthalate	ug/kg	1	1	ND	ND	ND				ND
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	1	0	0	5.9E+03	5.9E+03				5.9E+03
		Benzyl alcohol	ug/kg	1	0	0	2.9E+01	2.9E+01				2.9E+01
		Bis(2-chloroethoxy) methane	ug/kg	1	0	0	4.6E+01	4.6E+01				4.6E+01
		Dibenzofuran	ug/kg	1	0	0	1.0E+00	1.0E+00				1.0E+00
		Hexachlorobenzene	ug/kg	1	0	0	7.9E-01	7.9E-01				7.9E-01
		Hexachlorobutadiene	ug/kg	1	1	ND	ND	ND				ND
		Nitrobenzene	ug/kg	1	0	0	5.2E+02	5.2E+02				5.2E+02
		Phenols										
		4-Nitrophenol	ug/kg	1	1	ND	ND	ND				ND
		Phenol	ug/kg	1	1	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	1	0	0	1.0E+05	1.0E+05				1.0E+05
		Total PCBs, Adjusted	pg/g	1	0	0	9.4E+04	9.4E+04				9.4E+04
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	8.6E-01	8.6E-01				8.6E-01
		Total PCB TEQ	pg/g	1	0	0	9.8E-01	9.8E-01				9.8E-01
		Pesticides										
		Aldrin	ug/kg	1	0	0	3.8E-01	3.8E-01				3.8E-01
		alpha-Hexachlorocyclohexane	ug/kg	1	1	ND	ND	ND				ND
		beta-Hexachlorocyclohexane	ug/kg	1	1	ND	ND	ND				ND
		Dieldrin	ug/kg	1	0	0	6.7E-01	6.7E-01				6.7E-01
		Endrin	ug/kg	1	1	ND	ND	ND				ND
		Endrin aldehyde	ug/kg	1	1	ND	ND	ND				ND
		Endrin ketone	ug/kg	1	1	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	1	1	ND	ND	ND				ND
		Heptachlor	ug/kg	1	1	ND	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	1	ND	ND	ND				ND
		Methoxychlor	ug/kg	1	1	ND	ND	ND				ND
		Total Chlordanes	ug/kg	1	0	0	3.8E+00	3.8E+00				3.8E+00
		Total DDD	ug/kg	1	0	0	1.7E+01	1.7E+01				1.7E+01
		Total DDE	ug/kg	1	0	0	1.7E+01	1.7E+01				1.7E+01
		Total DDT	ug/kg	1	0	0	3.0E+00	3.0E+00				3.0E+00
		Total Endosulfan	ug/kg	1	0	0	6.9E-01	6.9E-01				6.9E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19

Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
RM 4 East	UD	**Metals**										
		Aluminum	mg/kg	4	0	0	4.9E+01	7.3E+01		Fewer than 5 detects		7.3E+01
		Antimony	mg/kg	4	2	0	1.0E-03	2.0E-03				2.0E-03
		Arsenic, inorganic	mg/kg	4	0	0	9.0E-02	9.5E-02				9.5E-02
		Cadmium	mg/kg	4	0	0	1.1E-01	1.5E-01				1.5E-01
		Chromium	mg/kg	4	0	0	5.6E-01	7.3E-01				7.3E-01
		Copper	mg/kg	4	0	0	9.3E+00	1.1E+01				1.1E+01
		Lead	mg/kg	4	0	0	1.2E-01	2.6E-01				2.6E-01
		Manganese	mg/kg	NA	NA	NA	NA	NA				NA
		Mercury	mg/kg	4	0	0	9.4E-03	1.1E-02				1.1E-02
		Nickel	mg/kg	4	0	0	3.3E-01	4.6E-01				4.6E-01
		Selenium	mg/kg	4	0	0	8.6E-02	9.8E-02				9.8E-02
		Silver	mg/kg	4	0	0	5.3E-02	5.8E-02				5.8E-02
		Thallium	mg/kg	NA	NA	NA	NA	NA				NA
		Zinc	mg/kg	4	0	0	3.0E+01	3.4E+01				3.4E+01
		Butyltins										
		Butyltin ion	ug/kg	4	0	0	4.4E+00	5.7E+00				5.7E+00
		Dibutyltin ion	ug/kg	4	0	0	5.4E+00	5.9E+00				5.9E+00
		Tributyltin ion	ug/kg	4	0	0	7.6E+00	8.7E+00				8.7E+00
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	NA	NA	NA	NA	NA				NA
		2-Methylnaphthalene	ug/kg	4	0	0	1.5E+00	1.8E+00				1.8E+00
		Acenaphthene	ug/kg	4	0	0	1.8E+00	3.0E+00				3.0E+00
		Acenaphthylene	ug/kg	4	0	0	1.6E+00	1.9E+00				1.9E+00
		Anthracene	ug/kg	4	0	0	6.3E+00	8.9E+00				8.9E+00
		Benzo(a)anthracene	ug/kg	4	0	0	3.8E+01	4.4E+01				4.4E+01
		Benzo(a)pyrene	ug/kg	4	0	0	8.0E+00	9.8E+00				9.8E+00
		Benzo(b)fluoranthene	ug/kg	4	0	0	1.2E+01	2.0E+01				2.0E+01
		Benzo(e)pyrene	ug/kg	NA	NA	NA	NA	NA				NA
		Benzo(g,h,i)perylene	ug/kg	4	0	0	3.6E+00	4.1E+00				4.1E+00
		Benzo(k)fluoranthene	ug/kg	4	0	0	6.3E+00	8.7E+00				8.7E+00
		Chrysene	ug/kg	4	0	0	4.2E+01	5.4E+01				5.4E+01
		Dibenzo(a,h)anthracene	ug/kg	4	1	0	7.9E-01	1.3E+00				1.3E+00
		Dibenzothiophene	ug/kg	NA	NA	NA	NA	NA				NA
		Fluoranthene	ug/kg	4	0	0	5.8E+01	6.7E+01				6.7E+01
		Fluorene	ug/kg	4	0	0	2.1E+00	2.4E+00				2.4E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	4	0	0	2.6E+00	3.3E+00				3.3E+00
		Naphthalene	ug/kg	4	4	ND	ND	ND				ND
		Perylene	ug/kg	NA	NA	NA	NA	NA				NA
		Phenanthrene	ug/kg	4	0	0	1.7E+01	2.4E+01				2.4E+01
		Pyrene	ug/kg	4	0	0	6.0E+01	6.9E+01				6.9E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration
									Distribution	95% UCL Method	Value	
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	4	4	ND	ND	ND				ND
		Dibutyl phthalate	ug/kg	4	4	ND	ND	ND				ND
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	NA	NA	NA	NA	NA				NA
		Benzyl alcohol	ug/kg	4	1	1	9.9E+00	1.1E+01				1.1E+01
		Bis(2-chloroethoxy) methane	ug/kg	NA	NA	NA	NA	NA				NA
		Dibenzofuran	ug/kg	4	0	0	8.5E-01	1.1E+00				1.1E+00
		Hexachlorobenzene	ug/kg	4	1	1	4.2E-01	4.7E-01				4.7E-01
		Hexachlorobutadiene	ug/kg	4	4	ND	ND	ND				ND
		Nitrobenzene	ug/kg	NA	NA	NA	NA	NA				NA
		Phenols										
		4-Nitrophenol	ug/kg	NA	NA	NA	NA	NA				NA
		Phenol	ug/kg	4	4	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	3	0	0	9.6E+04	1.1E+05				1.1E+05
		Total PCBs, Adjusted	pg/g	3	0	0	9.0E+04	1.0E+05				1.0E+05
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	4	0	0	1.2E+00	3.3E+00				3.3E+00
		Total PCB TEQ	pg/g	3	0	0	1.0E+00	1.4E+00				1.4E+00
		Pesticides										
		Aldrin	ug/kg	3	0	0	1.5E-01	1.7E-01				1.7E-01
		alpha-Hexachlorocyclohexane	ug/kg	3	2	2	6.1E-03	6.1E-03				6.1E-03
		beta-Hexachlorocyclohexane	ug/kg	3	3	ND	ND	ND				ND
		Dieldrin	ug/kg	3	0	0	6.7E-01	6.9E-01				6.9E-01
		Endrin	ug/kg	3	1	0	4.7E-03	6.9E-03				6.9E-03
		Endrin aldehyde	ug/kg	3	3	ND	ND	ND				ND
		Endrin ketone	ug/kg	3	3	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	3	0	0	4.5E-02	6.4E-02				6.4E-02
		Heptachlor	ug/kg	3	3	ND	ND	ND				ND
		Heptachlor epoxide	ug/kg	3	1	1	4.7E-02	4.8E-02				4.8E-02
		Methoxychlor	ug/kg	3	3	ND	ND	ND				ND
		Total Chlordanes	ug/kg	3	0	0	2.6E+00	2.7E+00				2.7E+00
		Total DDD	ug/kg	3	0	0	6.8E+00	7.4E+00				7.4E+00
		Total DDE	ug/kg	3	0	0	9.3E+00	9.7E+00				9.7E+00
		Total DDT	ug/kg	3	0	0	2.1E+00	2.2E+00				2.2E+00
		Total Endosulfan	ug/kg	3	0	0	7.8E-01	8.0E-01				8.0E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
RM 4 West	UD	**Metals**										
		Aluminum	mg/kg	2	0	0	7.1E+01	7.2E+01		Fewer than 5 detects		7.2E+01
		Antimony	mg/kg	2	2	ND	ND	ND				ND
		Arsenic, inorganic	mg/kg	2	0	0	8.8E-02	1.0E-01				1.0E-01
		Cadmium	mg/kg	2	0	0	6.6E-02	7.6E-02				7.6E-02
		Chromium	mg/kg	2	0	0	5.2E-01	6.3E-01				6.3E-01
		Copper	mg/kg	2	0	0	8.0E+00	9.5E+00				9.5E+00
		Lead	mg/kg	2	0	0	5.7E-02	6.6E-02				6.6E-02
		Manganese	mg/kg	1	0	0	5.3E+00	5.3E+00				5.3E+00
		Mercury	mg/kg	2	0	0	1.1E-02	1.3E-02				1.3E-02
		Nickel	mg/kg	2	0	0	2.3E-01	2.9E-01				2.9E-01
		Selenium	mg/kg	2	0	0	1.3E-01	1.8E-01				1.8E-01
		Silver	mg/kg	2	0	0	4.9E-02	6.7E-02				6.7E-02
		Thallium	mg/kg	1	0	0	1.0E-03	1.0E-03				1.0E-03
		Zinc	mg/kg	2	0	0	3.3E+01	3.8E+01				3.8E+01
		Butyltins										
		Butyltin ion	ug/kg	2	1	0	9.8E-01	1.3E+00				1.3E+00
		Dibutyltin ion	ug/kg	2	1	0	1.7E+00	2.4E+00				2.4E+00
		Tributyltin ion	ug/kg	2	1	0	3.0E+00	4.0E+00				4.0E+00
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	1	0	0	1.7E+00	1.7E+00				1.7E+00
		2-Methylnaphthalene	ug/kg	2	0	0	2.4E+00	2.4E+00				2.4E+00
		Acenaphthene	ug/kg	2	1	0	2.3E+00	4.6E+00				4.6E+00
		Acenaphthylene	ug/kg	2	0	0	2.6E+00	3.8E+00				3.8E+00
		Anthracene	ug/kg	2	0	0	1.7E+01	3.0E+01				3.0E+01
		Benzo(a)anthracene	ug/kg	2	0	0	8.4E+01	1.5E+02				1.5E+02
		Benzo(a)pyrene	ug/kg	2	0	0	2.2E+01	3.9E+01				3.9E+01
		Benzo(b)fluoranthene	ug/kg	2	0	0	2.4E+01	4.3E+01				4.3E+01
		Benzo(e)pyrene	ug/kg	1	0	0	9.1E+00	9.1E+00				9.1E+00
		Benzo(g,h,i)perylene	ug/kg	2	0	0	1.1E+01	1.6E+01				1.6E+01
		Benzo(k)fluoranthene	ug/kg	2	0	0	1.6E+01	2.8E+01				2.8E+01
		Chrysene	ug/kg	2	0	0	8.6E+01	1.5E+02				1.5E+02
		Dibenzo(a,h)anthracene	ug/kg	2	0	0	2.3E+00	3.8E+00				3.8E+00
		Dibenzothiophene	ug/kg	1	0	0	3.2E+00	3.2E+00				3.2E+00
		Fluoranthene	ug/kg	2	0	0	1.3E+02	2.2E+02				2.2E+02
		Fluorene	ug/kg	2	0	0	6.9E+00	9.2E+00				9.2E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	2	0	0	6.9E+00	9.6E+00				9.6E+00
		Naphthalene	ug/kg	2	2	ND	ND	ND				ND
		Perylene	ug/kg	1	0	0	1.3E+00	1.3E+00				1.3E+00
		Phenanthrene	ug/kg	2	0	0	4.8E+01	6.6E+01				6.6E+01
		Pyrene	ug/kg	2	0	0	1.5E+02	2.4E+02				2.4E+02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration
									Distribution	95% UCL Method	Value	
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	3	2	1	5.6E+01	8.5E+01				8.5E+01
		Dibutyl phthalate	ug/kg	3	3	ND	ND	ND				ND
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	1	0	0	3.7E+03	3.7E+03				3.7E+03
		Benzyl alcohol	ug/kg	3	1	0	4.5E+01	1.1E+02				1.1E+02
		Bis(2-chloroethoxy) methane	ug/kg	1	1	ND	ND	ND				ND
		Dibenzofuran	ug/kg	2	0	0	8.3E-01	1.2E+00				1.2E+00
		Hexachlorobenzene	ug/kg	3	0	0	6.3E-01	6.4E-01				6.4E-01
		Hexachlorobutadiene	ug/kg	3	3	ND	ND	ND				ND
		Nitrobenzene	ug/kg	1	0	0	1.9E+02	1.9E+02				1.9E+02
		Phenols										
		4-Nitrophenol	ug/kg	1	1	ND	ND	ND				ND
		Phenol	ug/kg	3	3	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	3	0	0	9.7E+04	1.3E+05				1.3E+05
		Total PCBs, Adjusted	pg/g	3	0	0	9.1E+04	1.2E+05				1.2E+05
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	3	0	0	8.2E-01	9.5E-01				9.5E-01
		Total PCB TEQ	pg/g	3	0	0	1.1E+00	1.6E+00				1.6E+00
		Pesticides										
		Aldrin	ug/kg	3	0	0	2.3E-01	2.5E-01				2.5E-01
		alpha-Hexachlorocyclohexane	ug/kg	3	2	1	8.7E-03	1.4E-02				1.4E-02
		beta-Hexachlorocyclohexane	ug/kg	3	3	ND	ND	ND				ND
		Dieldrin	ug/kg	3	0	0	7.7E-01	9.4E-01				9.4E-01
		Endrin	ug/kg	3	2	0	8.6E-03	1.7E-02				1.7E-02
		Endrin aldehyde	ug/kg	3	3	ND	ND	ND				ND
		Endrin ketone	ug/kg	3	3	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	3	0	0	5.4E-02	6.8E-02				6.8E-02
		Heptachlor	ug/kg	3	2	1	9.4E-03	1.4E-02				1.4E-02
		Heptachlor epoxide	ug/kg	3	0	0	5.4E-02	6.7E-02				6.7E-02
		Methoxychlor	ug/kg	3	2	0	1.2E-01	3.2E-01				3.2E-01
		Total Chlordanes	ug/kg	3	0	0	3.2E+00	3.4E+00				3.4E+00
		Total DDD	ug/kg	3	0	0	1.6E+01	1.8E+01				1.8E+01
		Total DDE	ug/kg	3	0	0	1.4E+01	1.5E+01				1.5E+01
		Total DDT	ug/kg	3	0	0	3.5E+00	4.1E+00				4.1E+00
		Total Endosulfan	ug/kg	3	0	0	9.1E-01	1.2E+00				1.2E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration
RM 5 East	UD	**Metals**										
		Aluminum	mg/kg	2	0	0	1.1E+02	1.2E+02		Fewer than 5 detects		1.2E+02
		Antimony	mg/kg	2	2	ND	ND	ND				ND
		Arsenic, inorganic	mg/kg	2	0	0	8.0E-02	8.3E-02				8.3E-02
		Cadmium	mg/kg	2	0	0	6.0E-02	6.9E-02				6.9E-02
		Chromium	mg/kg	2	0	0	4.5E-01	5.1E-01				5.1E-01
		Copper	mg/kg	2	0	0	8.2E+00	9.1E+00				9.1E+00
		Lead	mg/kg	2	0	0	6.4E-02	6.9E-02				6.9E-02
		Manganese	mg/kg	1	0	0	6.6E+00	6.6E+00				6.6E+00
		Mercury	mg/kg	2	0	0	1.4E-02	1.9E-02				1.9E-02
		Nickel	mg/kg	2	0	0	2.7E-01	3.6E-01				3.6E-01
		Selenium	mg/kg	2	0	0	1.6E-01	1.7E-01				1.7E-01
		Silver	mg/kg	2	0	0	4.8E-02	6.2E-02				6.2E-02
		Thallium	mg/kg	1	0	0	1.2E-03	1.2E-03				1.2E-03
		Zinc	mg/kg	2	0	0	3.1E+01	3.2E+01				3.2E+01
		Butyltins										
		Butyltin ion	ug/kg	2	0	0	2.2E+00	2.4E+00				2.4E+00
		Dibutyltin ion	ug/kg	2	0	0	3.6E+00	3.6E+00				3.6E+00
		Tributyltin ion	ug/kg	2	0	0	7.2E+00	8.9E+00				8.9E+00
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	1	0	0	1.2E+00	1.2E+00				1.2E+00
		2-Methylnaphthalene	ug/kg	2	0	0	2.1E+00	2.3E+00				2.3E+00
		Acenaphthene	ug/kg	2	0	0	1.2E+00	1.3E+00				1.3E+00
		Acenaphthylene	ug/kg	2	0	0	9.3E-01	1.4E+00				1.4E+00
		Anthracene	ug/kg	2	0	0	4.2E+00	5.6E+00				5.6E+00
		Benzo(a)anthracene	ug/kg	2	0	0	1.5E+01	2.2E+01				2.2E+01
		Benzo(a)pyrene	ug/kg	2	0	0	2.7E+00	4.6E+00				4.6E+00
		Benzo(b)fluoranthene	ug/kg	2	0	0	3.1E+00	4.7E+00				4.7E+00
		Benzo(e)pyrene	ug/kg	1	0	0	3.1E+00	3.1E+00				3.1E+00
		Benzo(g,h,i)perylene	ug/kg	2	0	0	1.3E+00	1.6E+00				1.6E+00
		Benzo(k)fluoranthene	ug/kg	2	1	0	1.8E+00	3.3E+00				3.3E+00
		Chrysene	ug/kg	2	0	0	1.8E+01	2.4E+01				2.4E+01
		Dibenzo(a,h)anthracene	ug/kg	2	1	0	3.1E-01	5.0E-01				5.0E-01
		Dibenzothiophene	ug/kg	1	1	ND	ND	ND				ND
		Fluoranthene	ug/kg	2	0	0	3.1E+01	3.7E+01				3.7E+01
		Fluorene	ug/kg	2	0	0	2.5E+00	3.0E+00				3.0E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	2	0	0	7.1E-01	9.5E-01				9.5E-01
		Naphthalene	ug/kg	2	2	ND	ND	ND				ND
		Perylene	ug/kg	1	0	0	2.6E-01	2.6E-01				2.6E-01
		Phenanthrene	ug/kg	2	0	0	1.3E+01	1.6E+01				1.6E+01
		Pyrene	ug/kg	2	0	0	2.9E+01	3.6E+01				3.6E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration
									Distribution	95% UCL Method	Value	
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	2	1	1	7.7E+01	7.7E+01				7.7E+01
		Dibutyl phthalate	ug/kg	2	2	ND	ND	ND				ND
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	1	0	0	3.9E+03	3.9E+03				3.9E+03
		Benzyl alcohol	ug/kg	2	1	0	4.2E+01	7.2E+01				7.2E+01
		Bis(2-chloroethoxy) methane	ug/kg	1	1	ND	ND	ND				ND
		Dibenzofuran	ug/kg	2	0	0	1.2E+00	1.4E+00				1.4E+00
		Hexachlorobenzene	ug/kg	2	0	0	5.9E-01	7.4E-01				7.4E-01
		Hexachlorobutadiene	ug/kg	2	1	1	5.3E-03	5.3E-03				5.3E-03
		Nitrobenzene	ug/kg	1	0	0	4.1E+02	4.1E+02				4.1E+02
		Phenols										
		4-Nitrophenol	ug/kg	1	1	ND	ND	ND				ND
		Phenol	ug/kg	2	2	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	2	0	0	1.3E+05	1.5E+05				1.5E+05
		Total PCBs, Adjusted	pg/g	2	0	0	1.2E+05	1.5E+05				1.5E+05
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	2	0	0	5.8E-01	6.1E-01				6.1E-01
		Total PCB TEQ	pg/g	2	0	0	1.2E+00	1.5E+00				1.5E+00
		Pesticides										
		Aldrin	ug/kg	2	0	0	3.0E-01	3.8E-01				3.8E-01
		alpha-Hexachlorocyclohexane	ug/kg	2	2	ND	ND	ND				ND
		beta-Hexachlorocyclohexane	ug/kg	2	2	ND	ND	ND				ND
		Dieldrin	ug/kg	2	0	0	6.9E-01	7.2E-01				7.2E-01
		Endrin	ug/kg	2	2	ND	ND	ND				ND
		Endrin aldehyde	ug/kg	2	2	ND	ND	ND				ND
		Endrin ketone	ug/kg	2	2	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	2	0	0	3.7E-02	3.8E-02				3.8E-02
		Heptachlor	ug/kg	2	1	0	7.2E-03	1.1E-02				1.1E-02
		Heptachlor epoxide	ug/kg	2	0	0	4.7E-02	5.1E-02				5.1E-02
		Methoxychlor	ug/kg	2	2	ND	ND	ND				ND
		Total Chlordanes	ug/kg	2	0	0	3.8E+00	4.6E+00				4.6E+00
		Total DDD	ug/kg	2	0	0	9.9E+00	1.1E+01				1.1E+01
		Total DDE	ug/kg	2	0	0	1.3E+01	1.5E+01				1.5E+01
		Total DDT	ug/kg	2	0	0	1.9E+00	2.3E+00				2.3E+00
		Total Endosulfan	ug/kg	2	0	0	5.9E-01	7.4E-01				7.4E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19

Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration
RM 5 West	UD	**Metals**										1.3E+02
		Aluminum	mg/kg	2	0	0	9.2E+01	1.3E+02		Fewer than 5 detects		1.3E+02
		Antimony	mg/kg	2	2	ND	ND	ND				ND
		Arsenic, inorganic	mg/kg	2	0	0	9.8E-02	1.1E-01				1.1E-01
		Cadmium	mg/kg	2	0	0	7.2E-02	7.7E-02				7.7E-02
		Chromium	mg/kg	2	0	0	6.3E-01	7.5E-01				7.5E-01
		Copper	mg/kg	2	0	0	1.1E+01	1.2E+01				1.2E+01
		Lead	mg/kg	2	0	0	6.0E-02	7.1E-02				7.1E-02
		Manganese	mg/kg	1	0	0	7.4E+00	7.4E+00				7.4E+00
		Mercury	mg/kg	2	0	0	2.1E-02	2.6E-02				2.6E-02
		Nickel	mg/kg	2	0	0	2.7E-01	3.1E-01				3.1E-01
		Selenium	mg/kg	2	0	0	1.5E-01	1.9E-01				1.9E-01
		Silver	mg/kg	2	0	0	6.5E-02	8.3E-02				8.3E-02
		Thallium	mg/kg	1	0	0	1.1E-03	1.1E-03				1.1E-03
		Zinc	mg/kg	2	0	0	3.0E+01	3.1E+01				3.1E+01
		Butyltins										
		Butyltin ion	ug/kg	2	1	0	1.5E+00	2.9E+00				2.9E+00
		Dibutyltin ion	ug/kg	2	1	0	1.7E+00	2.5E+00				2.5E+00
		Tributyltin ion	ug/kg	2	2	ND	ND	ND				ND
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	1	0	0	1.7E+00	1.7E+00				1.7E+00
		2-Methylnaphthalene	ug/kg	2	0	0	2.2E+00	2.3E+00				2.3E+00
		Acenaphthene	ug/kg	2	0	0	1.2E+01	2.1E+01				2.1E+01
		Acenaphthylene	ug/kg	2	0	0	7.6E+00	1.4E+01				1.4E+01
		Anthracene	ug/kg	2	0	0	3.6E+01	6.5E+01				6.5E+01
		Benzo(a)anthracene	ug/kg	2	0	0	3.5E+02	6.7E+02				6.7E+02
		Benzo(a)pyrene	ug/kg	2	0	0	2.3E+02	4.6E+02				4.6E+02
		Benzo(b)fluoranthene	ug/kg	2	0	0	2.2E+02	4.3E+02				4.3E+02
		Benzo(e)pyrene	ug/kg	1	0	0	1.1E+01	1.1E+01				1.1E+01
		Benzo(g,h,i)perylene	ug/kg	2	0	0	1.2E+02	2.3E+02				2.3E+02
		Benzo(k)fluoranthene	ug/kg	2	0	0	1.4E+02	2.8E+02				2.8E+02
		Chrysene	ug/kg	2	0	0	2.9E+02	5.6E+02				5.6E+02
		Dibenzo(a,h)anthracene	ug/kg	2	1	0	1.9E+01	3.7E+01				3.7E+01
		Dibenzothiophene	ug/kg	1	0	0	2.4E+00	2.4E+00				2.4E+00
		Fluoranthene	ug/kg	2	0	0	4.2E+02	7.7E+02				7.7E+02
		Fluorene	ug/kg	2	0	0	1.0E+01	1.6E+01				1.6E+01
		Indeno(1,2,3-cd)pyrene	ug/kg	2	0	0	8.1E+01	1.6E+02				1.6E+02
		Naphthalene	ug/kg	2	1	0	2.2E+00	3.0E+00				3.0E+00
		Perylene	ug/kg	1	0	0	1.0E+00	1.0E+00				1.0E+00
		Phenanthrene	ug/kg	2	0	0	1.1E+02	1.9E+02				1.9E+02
		Pyrene	ug/kg	2	0	0	4.6E+02	8.5E+02				8.5E+02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	2	1	0	8.8E+01	1.5E+02				1.5E+02
		Dibutyl phthalate	ug/kg	2	2	ND	ND	ND				ND
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	1	0	0	4.7E+03	4.7E+03				4.7E+03
		Benzyl alcohol	ug/kg	2	1	1	9.4E+00	9.4E+00				9.4E+00
		Bis(2-chloroethoxy) methane	ug/kg	1	1	ND	ND	ND				ND
		Dibenzofuran	ug/kg	2	1	0	6.7E-01	1.3E+00				1.3E+00
		Hexachlorobenzene	ug/kg	2	0	0	6.2E-01	6.8E-01				6.8E-01
		Hexachlorobutadiene	ug/kg	2	1	1	2.5E-02	2.5E-02				2.5E-02
		Nitrobenzene	ug/kg	1	0	0	1.9E+02	1.9E+02				1.9E+02
		Phenols										
		4-Nitrophenol	ug/kg	1	1	ND	ND	ND				ND
		Phenol	ug/kg	2	2	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	2	0	0	7.5E+04	8.0E+04				8.0E+04
		Total PCBs, Adjusted	pg/g	2	0	0	7.1E+04	7.5E+04				7.5E+04
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	2	0	0	1.3E+00	1.5E+00				1.5E+00
		Total PCB TEQ	pg/g	2	0	0	8.7E-01	9.6E-01				9.6E-01
		Pesticides										
		Aldrin	ug/kg	2	0	0	2.4E-01	2.5E-01				2.5E-01
		alpha-Hexachlorocyclohexane	ug/kg	2	2	ND	ND	ND				ND
		beta-Hexachlorocyclohexane	ug/kg	2	2	ND	ND	ND				ND
		Dieldrin	ug/kg	2	0	0	7.2E-01	8.7E-01				8.7E-01
		Endrin	ug/kg	2	2	ND	ND	ND				ND
		Endrin aldehyde	ug/kg	2	2	ND	ND	ND				ND
		Endrin ketone	ug/kg	2	2	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	2	0	0	4.8E-02	6.5E-02				6.5E-02
		Heptachlor	ug/kg	2	1	0	2.1E-02	3.8E-02				3.8E-02
		Heptachlor epoxide	ug/kg	2	0	0	5.2E-02	6.1E-02				6.1E-02
		Methoxychlor	ug/kg	2	2	ND	ND	ND				ND
		Total Chlordanes	ug/kg	2	0	0	3.0E+00	3.3E+00				3.3E+00
		Total DDD	ug/kg	2	0	0	2.3E+01	2.4E+01				2.4E+01
		Total DDE	ug/kg	2	0	0	1.6E+01	1.7E+01				1.7E+01
		Total DDT	ug/kg	2	0	0	5.6E+00	6.8E+00				6.8E+00
		Total Endosulfan	ug/kg	2	0	0	6.3E-01	8.9E-01				8.9E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration
RM 6 East	UD	**Metals**										
		Aluminum	mg/kg	2	0	0	7.5E+01	9.7E+01		Fewer than 5 detects		9.7E+01
		Antimony	mg/kg	2	1	1	1.0E-03	1.0E-03				1.0E-03
		Arsenic, inorganic	mg/kg	2	0	0	9.0E-02	9.7E-02				9.7E-02
		Cadmium	mg/kg	2	0	0	5.6E-02	5.8E-02				5.8E-02
		Chromium	mg/kg	2	0	0	5.1E-01	5.9E-01				5.9E-01
		Copper	mg/kg	2	0	0	9.5E+00	1.1E+01				1.1E+01
		Lead	mg/kg	2	0	0	9.3E-02	1.2E-01				1.2E-01
		Manganese	mg/kg	1	0	0	4.2E+00	4.2E+00				4.2E+00
		Mercury	mg/kg	2	0	0	1.2E-02	1.2E-02				1.2E-02
		Nickel	mg/kg	2	0	0	2.3E-01	3.0E-01				3.0E-01
		Selenium	mg/kg	2	0	0	1.1E-01	1.2E-01				1.2E-01
		Silver	mg/kg	2	0	0	4.9E-02	5.0E-02				5.0E-02
		Thallium	mg/kg	1	0	0	3.5E-04	3.5E-04				3.5E-04
		Zinc	mg/kg	2	0	0	2.5E+01	2.7E+01				2.7E+01
		Butyltins										
		Butyltin ion	ug/kg	1	0	0	3.7E+00	3.7E+00				3.7E+00
		Dibutyltin ion	ug/kg	1	0	0	7.9E+00	7.9E+00				7.9E+00
		Tributyltin ion	ug/kg	1	0	0	7.6E+00	7.6E+00				7.6E+00
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	NA	NA	NA	NA	NA				NA
		2-Methylnaphthalene	ug/kg	2	1	1	1.8E+00	1.8E+00				1.8E+00
		Acenaphthene	ug/kg	2	1	1	9.7E-01	9.7E-01				9.7E-01
		Acenaphthylene	ug/kg	2	1	1	1.2E+00	1.2E+00				1.2E+00
		Anthracene	ug/kg	2	1	1	5.5E+00	5.5E+00				5.5E+00
		Benzo(a)anthracene	ug/kg	2	1	1	1.8E+01	1.8E+01				1.8E+01
		Benzo(a)pyrene	ug/kg	2	1	1	3.8E+00	3.8E+00				3.8E+00
		Benzo(b)fluoranthene	ug/kg	2	1	1	4.2E+00	4.2E+00				4.2E+00
		Benzo(e)pyrene	ug/kg	NA	NA	NA	NA	NA				NA
		Benzo(g,h,i)perylene	ug/kg	2	1	1	1.5E+00	1.5E+00				1.5E+00
		Benzo(k)fluoranthene	ug/kg	2	1	1	2.8E+00	2.8E+00				2.8E+00
		Chrysene	ug/kg	2	1	1	2.2E+01	2.2E+01				2.2E+01
		Dibenzo(a,h)anthracene	ug/kg	2	2	ND	ND	ND				ND
		Dibenzothiophene	ug/kg	NA	NA	NA	NA	NA				NA
		Fluoranthene	ug/kg	2	0	0	4.2E+01	4.2E+01				4.2E+01
		Fluorene	ug/kg	2	1	1	2.4E+00	2.4E+00				2.4E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	2	1	1	1.2E+00	1.2E+00				1.2E+00
		Naphthalene	ug/kg	2	2	ND	ND	ND				ND
		Perylene	ug/kg	NA	NA	NA	NA	NA				NA
		Phenanthrene	ug/kg	2	1	1	1.6E+01	1.6E+01				1.6E+01
		Pyrene	ug/kg	2	0	0	4.0E+01	4.2E+01				4.2E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19

Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration
									Distribution	95% UCL Method	Value	
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	2	2	ND	ND	ND				ND
		Dibutyl phthalate	ug/kg	2	2	ND	ND	ND				ND
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	NA	NA	NA	NA	NA				NA
		Benzyl alcohol	ug/kg	2	1	1	2.7E+01	2.7E+01				2.7E+01
		Bis(2-chloroethoxy) methane	ug/kg	1	1	ND	ND	ND				ND
		Dibenzofuran	ug/kg	2	1	1	1.1E+00	1.1E+00				1.1E+00
		Hexachlorobenzene	ug/kg	2	1	1	5.5E-01	5.5E-01				5.5E-01
		Hexachlorobutadiene	ug/kg	2	2	ND	ND	ND				ND
		Nitrobenzene	ug/kg	1	1	ND	ND	ND				ND
		Phenols										
		4-Nitrophenol	ug/kg	1	1	ND	ND	ND				ND
		Phenol	ug/kg	2	2	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	1	0	0	9.8E+01	9.8E+01				9.8E+01
		Total PCB Congeners	pg/g	1	0	0	2.7E+06	2.7E+06				2.7E+06
		Total PCBs, Adjusted	pg/g	1	0	0	2.6E+06	2.6E+06				2.6E+06
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	7.0E-01	7.0E-01				7.0E-01
		Total PCB TEQ	pg/g	1	0	0	8.6E+00	8.6E+00				8.6E+00
		Pesticides										
		Aldrin	ug/kg	2	1	1	2.1E-01	2.1E-01				2.1E-01
		alpha-Hexachlorocyclohexane	ug/kg	2	1	1	1.1E-02	1.1E-02				1.1E-02
		beta-Hexachlorocyclohexane	ug/kg	2	1	0	6.1E-01	1.2E+00				1.2E+00
		Dieldrin	ug/kg	2	1	1	7.7E-01	7.7E-01				7.7E-01
		Endrin	ug/kg	2	2	ND	ND	ND				ND
		Endrin aldehyde	ug/kg	2	2	ND	ND	ND				ND
		Endrin ketone	ug/kg	2	2	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	2	1	1	7.1E-02	7.1E-02				7.1E-02
		Heptachlor	ug/kg	2	1	1	8.3E-03	8.3E-03				8.3E-03
		Heptachlor epoxide	ug/kg	2	0	0	1.1E+00	2.1E+00				2.1E+00
		Methoxychlor	ug/kg	2	2	ND	ND	ND				ND
		Total Chlordanes	ug/kg	2	0	0	4.5E+00	6.1E+00				6.1E+00
		Total DDD	ug/kg	2	0	0	5.6E+00	6.4E+00				6.4E+00
		Total DDE	ug/kg	2	0	0	8.7E+00	9.4E+00				9.4E+00
		Total DDT	ug/kg	2	1	1	1.6E+00	1.6E+00				1.6E+00
		Total Endosulfan	ug/kg	2	1	0	7.6E-01	1.0E+00				1.0E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration
RM 6 West	UD	**Metals**										
		Aluminum	mg/kg	2	0	0	7.5E+01	8.0E+01		Fewer than 5 detects		8.0E+01
		Antimony	mg/kg	2	2	ND	ND	ND				ND
		Arsenic, inorganic	mg/kg	2	0	0	1.0E-01	1.1E-01				1.1E-01
		Cadmium	mg/kg	2	0	0	7.7E-02	7.8E-02				7.8E-02
		Chromium	mg/kg	2	0	0	7.0E-01	7.3E-01				7.3E-01
		Copper	mg/kg	2	0	0	1.2E+01	1.2E+01				1.2E+01
		Lead	mg/kg	2	0	0	6.3E-02	7.2E-02				7.2E-02
		Manganese	mg/kg	NA	NA	NA	NA	NA				NA
		Mercury	mg/kg	1	0	0	1.3E-02	1.3E-02				1.3E-02
		Nickel	mg/kg	2	0	0	4.4E-01	4.4E-01				4.4E-01
		Selenium	mg/kg	2	0	0	1.2E-01	1.4E-01				1.4E-01
		Silver	mg/kg	2	0	0	7.3E-02	7.5E-02				7.5E-02
		Thallium	mg/kg	NA	NA	NA	NA	NA				NA
		Zinc	mg/kg	2	0	0	3.7E+01	3.8E+01				3.8E+01
		Butyltins										
		Butyltin ion	ug/kg	1	0	0	3.5E+00	3.5E+00				3.5E+00
		Dibutyltin ion	ug/kg	1	0	0	2.9E+00	2.9E+00				2.9E+00
		Tributyltin ion	ug/kg	1	1	ND	ND	ND				ND
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	NA	NA	NA	NA	NA				NA
		2-Methylnaphthalene	ug/kg	2	0	0	1.1E+01	2.0E+01				2.0E+01
		Acenaphthene	ug/kg	2	0	0	3.2E+01	6.1E+01				6.1E+01
		Acenaphthylene	ug/kg	2	0	0	9.3E+00	1.4E+01				1.4E+01
		Anthracene	ug/kg	2	0	0	5.1E+01	7.8E+01				7.8E+01
		Benzo(a)anthracene	ug/kg	2	0	0	4.0E+02	6.3E+02				6.3E+02
		Benzo(a)pyrene	ug/kg	2	0	0	2.8E+02	4.9E+02				4.9E+02
		Benzo(b)fluoranthene	ug/kg	2	0	0	2.6E+02	4.6E+02				4.6E+02
		Benzo(e)pyrene	ug/kg	NA	NA	NA	NA	NA				NA
		Benzo(g,h,i)perylene	ug/kg	2	0	0	1.3E+02	2.3E+02				2.3E+02
		Benzo(k)fluoranthene	ug/kg	2	0	0	1.8E+02	3.1E+02				3.1E+02
		Chrysene	ug/kg	2	0	0	3.6E+02	5.6E+02				5.6E+02
		Dibenzo(a,h)anthracene	ug/kg	2	0	0	2.5E+01	4.3E+01				4.3E+01
		Dibenzothiophene	ug/kg	NA	NA	NA	NA	NA				NA
		Fluoranthene	ug/kg	2	0	0	4.9E+02	7.2E+02				7.2E+02
		Fluorene	ug/kg	2	0	0	2.1E+01	3.6E+01				3.6E+01
		Indeno(1,2,3-cd)pyrene	ug/kg	2	0	0	9.3E+01	1.7E+02				1.7E+02
		Naphthalene	ug/kg	2	1	0	1.7E+01	3.3E+01				3.3E+01
		Perylene	ug/kg	NA	NA	NA	NA	NA				NA
		Phenanthrene	ug/kg	2	0	0	1.9E+02	3.0E+02				3.0E+02
		Pyrene	ug/kg	2	0	0	5.5E+02	8.2E+02				8.2E+02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19

Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	2	2	ND	ND	ND				ND
		Dibutyl phthalate	ug/kg	2	2	ND	ND	ND				ND
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	NA	NA	NA	NA	NA				NA
		Benzyl alcohol	ug/kg	2	0	0	2.4E+01	3.5E+01				3.5E+01
		Bis(2-chloroethoxy) methane	ug/kg	NA	NA	NA	NA	NA				NA
		Dibenzofuran	ug/kg	2	0	0	3.4E+00	5.2E+00				5.2E+00
		Hexachlorobenzene	ug/kg	2	0	0	8.6E-01	1.1E+00				1.1E+00
		Hexachlorobutadiene	ug/kg	2	2	ND	ND	ND				ND
		Nitrobenzene	ug/kg	NA	NA	NA	NA	NA				NA
		Phenols										
		4-Nitrophenol	ug/kg	NA	NA	NA	NA	NA				NA
		Phenol	ug/kg	2	2	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	2	0	0	9.5E+04	1.1E+05				1.1E+05
		Total PCBs, Adjusted	pg/g	2	0	0	8.9E+04	1.0E+05				1.0E+05
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	2	0	0	3.2E+00	4.0E+00				4.0E+00
		Total PCB TEQ	pg/g	2	0	0	1.3E+00	1.4E+00				1.4E+00
		Pesticides										
		Aldrin	ug/kg	2	0	0	3.1E-01	3.6E-01				3.6E-01
		alpha-Hexachlorocyclohexane	ug/kg	2	1	1	1.1E-02	1.1E-02				1.1E-02
		beta-Hexachlorocyclohexane	ug/kg	2	2	ND	ND	ND				ND
		Dieldrin	ug/kg	2	0	0	1.1E+00	1.3E+00				1.3E+00
		Endrin	ug/kg	2	1	1	4.4E-02	4.4E-02				4.4E-02
		Endrin aldehyde	ug/kg	2	2	ND	ND	ND				ND
		Endrin ketone	ug/kg	2	0	0	6.2E-03	8.6E-03				8.6E-03
		gamma-Hexachlorocyclohexane	ug/kg	2	0	0	7.3E-02	8.4E-02				8.4E-02
		Heptachlor	ug/kg	2	0	0	2.4E-01	4.2E-01				4.2E-01
		Heptachlor epoxide	ug/kg	2	0	0	8.7E-02	1.1E-01				1.1E-01
		Methoxychlor	ug/kg	2	1	0	5.4E-02	9.4E-02				9.4E-02
		Total Chlordanes	ug/kg	2	0	0	6.8E+00	9.9E+00				9.9E+00
		Total DDD	ug/kg	2	0	0	1.2E+02	2.0E+02				2.0E+02
		Total DDE	ug/kg	2	0	0	4.1E+01	6.3E+01				6.3E+01
		Total DDT	ug/kg	2	0	0	2.6E+01	4.4E+01				4.4E+01
		Total Endosulfan	ug/kg	2	0	0	1.2E+00	1.4E+00				1.4E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

| Scenario Timeframe: Current/Future |
| Medium: Shellfish Tissue |
| Exposure Medium: Clam, by River Mile |

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
RM 7 East	UD	**Metals**										
		Aluminum	mg/kg	1	0	0	1.1E+02	1.1E+02		Fewer than 5 detects		1.1E+02
		Antimony	mg/kg	1	1	ND	ND	ND				ND
		Arsenic, inorganic	mg/kg	1	0	0	9.1E-02	9.1E-02				9.1E-02
		Cadmium	mg/kg	1	0	0	7.5E-02	7.5E-02				7.5E-02
		Chromium	mg/kg	1	0	0	9.0E-01	9.0E-01				9.0E-01
		Copper	mg/kg	1	0	0	1.0E+01	1.0E+01				1.0E+01
		Lead	mg/kg	1	0	0	7.3E-02	7.3E-02				7.3E-02
		Manganese	mg/kg	NA	NA	NA	NA	NA				NA
		Mercury	mg/kg	1	0	0	1.1E-02	1.1E-02				1.1E-02
		Nickel	mg/kg	1	0	0	4.4E-01	4.4E-01				4.4E-01
		Selenium	mg/kg	1	0	0	1.4E-01	1.4E-01				1.4E-01
		Silver	mg/kg	1	0	0	5.9E-02	5.9E-02				5.9E-02
		Thallium	mg/kg	NA	NA	NA	NA	NA				NA
		Zinc	mg/kg	1	0	0	2.8E+01	2.8E+01				2.8E+01
		Butyltins										
		Butyltin ion	ug/kg	1	0	0	8.4E+00	8.4E+00				8.4E+00
		Dibutyltin ion	ug/kg	1	0	0	8.1E+00	8.1E+00				8.1E+00
		Tributyltin ion	ug/kg	1	0	0	1.7E+01	1.7E+01				1.7E+01
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	NA	NA	NA	NA	NA				NA
		2-Methylnaphthalene	ug/kg	1	0	0	2.1E+00	2.1E+00				2.1E+00
		Acenaphthene	ug/kg	1	0	0	1.7E+00	1.7E+00				1.7E+00
		Acenaphthylene	ug/kg	1	0	0	7.9E-01	7.9E-01				7.9E-01
		Anthracene	ug/kg	1	0	0	3.4E+00	3.4E+00				3.4E+00
		Benzo(a)anthracene	ug/kg	1	0	0	1.2E+01	1.2E+01				1.2E+01
		Benzo(a)pyrene	ug/kg	1	0	0	2.4E+00	2.4E+00				2.4E+00
		Benzo(b)fluoranthene	ug/kg	1	0	0	3.6E+00	3.6E+00				3.6E+00
		Benzo(e)pyrene	ug/kg	NA	NA	NA	NA	NA				NA
		Benzo(g,h,i)perylene	ug/kg	1	0	0	1.2E+00	1.2E+00				1.2E+00
		Benzo(k)fluoranthene	ug/kg	1	0	0	2.0E+00	2.0E+00				2.0E+00
		Chrysene	ug/kg	1	0	0	1.9E+01	1.9E+01				1.9E+01
		Dibenzo(a,h)anthracene	ug/kg	1	1	ND	ND	ND				ND
		Dibenzothiophene	ug/kg	NA	NA	NA	NA	NA				NA
		Fluoranthene	ug/kg	1	0	0	4.1E+01	4.1E+01				4.1E+01
		Fluorene	ug/kg	1	0	0	2.9E+00	2.9E+00				2.9E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	ND	ND	ND				ND
		Naphthalene	ug/kg	1	1	ND	ND	ND				ND
		Perylene	ug/kg	NA	NA	NA	NA	NA				NA
		Phenanthrene	ug/kg	1	0	0	1.6E+01	1.6E+01				1.6E+01
		Pyrene	ug/kg	1	0	0	3.3E+01	3.3E+01				3.3E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration
									Distribution	95% UCL Method	Value	
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	1	1	ND	ND	ND				ND
		Dibutyl phthalate	ug/kg	1	1	ND	ND	ND				ND
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	NA	NA	NA	NA	NA				NA
		Benzyl alcohol	ug/kg	1	0	0	9.5E+01	9.5E+01				9.5E+01
		Bis(2-chloroethoxy) methane	ug/kg	NA	NA	NA	NA	NA				NA
		Dibenzofuran	ug/kg	1	0	0	1.9E+00	1.9E+00				1.9E+00
		Hexachlorobenzene	ug/kg	1	0	0	5.2E-01	5.2E-01				5.2E-01
		Hexachlorobutadiene	ug/kg	1	1	ND	ND	ND				ND
		Nitrobenzene	ug/kg	NA	NA	NA	NA	NA				NA
		Phenols										
		4-Nitrophenol	ug/kg	NA	NA	NA	NA	NA				NA
		Phenol	ug/kg	1	1	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	1	0	0	9.7E+04	9.7E+04				9.7E+04
		Total PCBs, Adjusted	pg/g	1	0	0	9.2E+04	9.2E+04				9.2E+04
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	1.0E+00	1.0E+00				1.0E+00
		Total PCB TEQ	pg/g	1	0	0	8.7E-01	8.7E-01				8.7E-01
		Pesticides										
		Aldrin	ug/kg	1	0	0	1.9E-01	1.9E-01				1.9E-01
		alpha-Hexachlorocyclohexane	ug/kg	1	1	ND	ND	ND				ND
		beta-Hexachlorocyclohexane	ug/kg	1	1	ND	ND	ND				ND
		Dieldrin	ug/kg	1	0	0	7.3E-01	7.3E-01				7.3E-01
		Endrin	ug/kg	1	1	ND	ND	ND				ND
		Endrin aldehyde	ug/kg	1	1	ND	ND	ND				ND
		Endrin ketone	ug/kg	1	0	0	2.4E-03	2.4E-03				2.4E-03
		gamma-Hexachlorocyclohexane	ug/kg	1	0	0	6.5E-02	6.5E-02				6.5E-02
		Heptachlor	ug/kg	1	1	ND	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	0	0	5.2E-02	5.2E-02				5.2E-02
		Methoxychlor	ug/kg	1	1	ND	ND	ND				ND
		Total Chlordanes	ug/kg	1	0	0	2.9E+00	2.9E+00				2.9E+00
		Total DDD	ug/kg	1	0	0	4.5E+00	4.5E+00				4.5E+00
		Total DDE	ug/kg	1	0	0	8.5E+00	8.5E+00				8.5E+00
		Total DDT	ug/kg	1	0	0	1.3E+00	1.3E+00				1.3E+00
		Total Endosulfan	ug/kg	1	0	0	9.5E-01	9.5E-01				9.5E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
RM 7 West	UD	**Metals**										
		Aluminum	mg/kg	4	0	0	9.1E+01	1.7E+02	--	Fewer than 5 detects	--	1.7E+02
		Antimony	mg/kg	4	1	0	1.1E-03	2.0E-03	--	Fewer than 5 detects	--	2.0E-03
		Arsenic, inorganic	mg/kg	4	0	0	8.9E-02	9.5E-02	--	Fewer than 5 detects	--	9.5E-02
		Cadmium	mg/kg	4	0	0	6.7E-02	7.6E-02	--	Fewer than 5 detects	--	7.6E-02
		Chromium	mg/kg	4	0	0	5.7E-01	6.5E-01	--	Fewer than 5 detects	--	6.5E-01
		Copper	mg/kg	4	0	0	8.5E+00	9.5E+00	--	Fewer than 5 detects	--	9.5E+00
		Lead	mg/kg	4	0	0	1.4E-01	3.2E-01	--	Fewer than 5 detects	--	3.2E-01
		Manganese	mg/kg	2	0	0	6.2E+00	7.6E+00	--	Fewer than 5 detects	--	7.6E+00
		Mercury	mg/kg	4	0	0	8.5E-03	1.1E-02	--	Fewer than 5 detects	--	1.1E-02
		Nickel	mg/kg	4	0	0	2.6E-01	3.4E-01	--	Fewer than 5 detects	--	3.4E-01
		Selenium	mg/kg	4	2	0	8.9E-02	1.7E-01	--	Fewer than 5 detects	--	1.7E-01
		Silver	mg/kg	4	0	0	4.7E-02	5.6E-02	--	Fewer than 5 detects	--	5.6E-02
		Thallium	mg/kg	2	0	0	5.5E-04	7.0E-04	--	Fewer than 5 detects	--	7.0E-04
		Zinc	mg/kg	4	0	0	2.9E+01	4.0E+01	--	Fewer than 5 detects	--	4.0E+01
		Butyltins										
		Butyltin ion	ug/kg	3	1	0	1.4E+00	2.9E+00	--	Fewer than 5 detects	--	2.9E+00
		Dibutyltin ion	ug/kg	3	0	0	3.2E+00	5.6E+00	--	Fewer than 5 detects	--	5.6E+00
		Tributyltin ion	ug/kg	3	0	0	3.5E+00	4.4E+00	--	Fewer than 5 detects	--	4.4E+00
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	NA	NA	NA	NA	NA	--	Fewer than 5 detects	--	NA
		2-Methylnaphthalene	ug/kg	5	2	2	2.3E+00	3.3E+00	--	Fewer than 5 detects	--	3.3E+00
		Acenaphthene	ug/kg	5	2	2	2.7E+00	4.7E+00	--	Fewer than 5 detects	--	4.7E+00
		Acenaphthylene	ug/kg	5	2	2	1.9E+00	2.4E+00	--	Fewer than 5 detects	--	2.4E+00
		Anthracene	ug/kg	5	2	2	6.1E+00	8.6E+00	--	Fewer than 5 detects	--	8.6E+00
		Benzo(a)anthracene	ug/kg	5	1	0	3.6E+01	8.2E+01	--	Fewer than 5 detects	--	8.2E+01
		Benzo(a)pyrene	ug/kg	5	2	2	8.3E+00	1.9E+01	--	Fewer than 5 detects	--	1.9E+01
		Benzo(b)fluoranthene	ug/kg	5	2	2	1.3E+01	3.0E+01	--	Fewer than 5 detects	--	3.0E+01
		Benzo(e)pyrene	ug/kg	NA	NA	NA	NA	NA	--	Fewer than 5 detects	--	NA
		Benzo(g,h,i)perylene	ug/kg	5	2	2	3.5E+00	7.3E+00	--	Fewer than 5 detects	--	7.3E+00
		Benzo(k)fluoranthene	ug/kg	5	2	2	8.0E+00	2.0E+01	--	Fewer than 5 detects	--	2.0E+01
		Chrysene	ug/kg	5	1	0	3.6E+01	6.6E+01	--	Fewer than 5 detects	--	6.6E+01
		Dibenzo(a,h)anthracene	ug/kg	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND
		Dibenzothiophene	ug/kg	NA	NA	NA	NA	NA	--	Fewer than 5 detects	--	NA
		Fluoranthene	ug/kg	5	0	0	7.4E+01	1.4E+02	normal	95% Student's-t UCL	1.1E+02	1.1E+02
		Fluorene	ug/kg	5	2	2	3.7E+00	5.2E+00	--	Fewer than 5 detects	--	5.2E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	5	3	2	2.8E+00	6.8E+00	--	Fewer than 5 detects	--	6.8E+00
		Naphthalene	ug/kg	5	4	2	1.4E+00	2.6E+00	--	Fewer than 5 detects	--	2.6E+00
		Perylene	ug/kg	NA	NA	NA	NA	NA	--	Fewer than 5 detects	--	NA
		Phenanthrene	ug/kg	5	2	0	2.0E+01	3.6E+01	--	Fewer than 5 detects	--	3.6E+01
		Pyrene	ug/kg	5	0	0	7.8E+01	1.4E+02	normal	95% Student's-t UCL	1.2E+02	1.2E+02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	4	4	ND	ND	ND	--	Fewer than 5 detects	--	ND
		Dibutyl phthalate	ug/kg	4	4	ND	ND	ND	--	Fewer than 5 detects	--	ND
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	NA	NA	NA	NA	NA	--	Fewer than 5 detects	--	NA
		Benzyl alcohol	ug/kg	4	1	0	3.7E+02	1.3E+03	--	Fewer than 5 detects	--	1.3E+03
		Bis(2-chloroethoxy) methane	ug/kg	2	2	ND	ND	ND	--	Fewer than 5 detects	--	ND
		Dibenzofuran	ug/kg	5	2	2	1.8E+00	2.5E+00	--	Fewer than 5 detects	--	2.5E+00
		Hexachlorobenzene	ug/kg	5	2	2	6.5E-01	7.9E-01	--	Fewer than 5 detects	--	7.9E-01
		Hexachlorobutadiene	ug/kg	4	4	ND	ND	ND	--	Fewer than 5 detects	--	ND
		Nitrobenzene	ug/kg	2	2	ND	ND	ND	--	Fewer than 5 detects	--	ND
		Phenols										
		4-Nitrophenol	ug/kg	2	2	ND	ND	ND	--	Fewer than 5 detects	--	ND
		Phenol	ug/kg	4	3	0	6.9E+02	2.6E+03	--	Fewer than 5 detects	--	2.6E+03
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	2	0	0	9.7E+01	1.3E+02	--	Fewer than 5 detects	--	1.3E+02
		Total PCB Congeners	pg/g	3	0	0	9.3E+04	9.9E+04	--	Fewer than 5 detects	--	9.9E+04
		Total PCBs, Adjusted	pg/g	3	0	0	8.7E+04	9.3E+04	--	Fewer than 5 detects	--	9.3E+04
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	2	0	0	3.3E+00	5.6E+00	--	Fewer than 5 detects	--	5.6E+00
		Total PCB TEQ	pg/g	3	0	0	1.1E+00	1.2E+00	--	Fewer than 5 detects	--	1.2E+00
		Pesticides										
		Aldrin	ug/kg	5	2	2	3.0E-01	4.0E-01	--	Fewer than 5 detects	--	4.0E-01
		alpha-Hexachlorocyclohexane	ug/kg	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND
		beta-Hexachlorocyclohexane	ug/kg	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND
		Dieldrin	ug/kg	5	2	0	7.7E-01	1.2E+00	--	Fewer than 5 detects	--	1.2E+00
		Endrin	ug/kg	5	2	2	2.3E-02	4.9E-02	--	Fewer than 5 detects	--	4.9E-02
		Endrin aldehyde	ug/kg	5	4	1	1.0E-01	3.9E-01	--	Fewer than 5 detects	--	3.9E-01
		Endrin ketone	ug/kg	5	2	2	6.7E-03	1.4E-02	--	Fewer than 5 detects	--	1.4E-02
		gamma-Hexachlorocyclohexane	ug/kg	5	3	2	5.0E-02	6.4E-02	--	Fewer than 5 detects	--	6.4E-02
		Heptachlor	ug/kg	5	3	3	1.8E-02	2.4E-02	--	Fewer than 5 detects	--	2.4E-02
		Heptachlor epoxide	ug/kg	5	1	1	3.8E-01	1.3E+00	--	Fewer than 5 detects	--	1.3E+00
		Methoxychlor	ug/kg	5	5	ND	ND	ND	--	Fewer than 5 detects	--	ND
		Total Chlordanes	ug/kg	5	0	0	5.5E+00	8.6E+00	normal	95% Student's-t UCL	7.8E+00	7.8E+00
		Total DDD	ug/kg	5	0	0	8.9E+01	2.4E+02	normal	95% Student's-t UCL	1.8E+02	1.8E+02
		Total DDE	ug/kg	5	0	0	4.3E+01	1.1E+02	normal	95% Student's-t UCL	7.8E+01	7.8E+01
		Total DDT	ug/kg	5	0	0	4.5E+01	1.1E+02	normal	95% Student's-t UCL	8.9E+01	8.9E+01
		Total Endosulfan	ug/kg	5	2	1	9.6E-01	1.4E+00	--	Fewer than 5 detects	--	1.4E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
RM 8 East	UD	**Metals**										
		Aluminum	mg/kg	2	0	0	1.1E+02	1.5E+02		Fewer than 5 detects		1.5E+02
		Antimony	mg/kg	2	1	1	1.0E-03	1.0E-03				1.0E-03
		Arsenic, inorganic	mg/kg	2	0	0	7.8E-02	8.7E-02				8.7E-02
		Cadmium	mg/kg	2	0	0	7.3E-02	8.4E-02				8.4E-02
		Chromium	mg/kg	2	0	0	6.7E-01	7.1E-01				7.1E-01
		Copper	mg/kg	2	0	0	1.1E+01	1.4E+01				1.4E+01
		Lead	mg/kg	2	0	0	8.5E-02	1.2E-01				1.2E-01
		Manganese	mg/kg	NA	NA	NA	NA	NA				NA
		Mercury	mg/kg	1	0	0	8.0E-03	8.0E-03				8.0E-03
		Nickel	mg/kg	2	0	0	3.5E-01	3.9E-01				3.9E-01
		Selenium	mg/kg	2	0	0	1.4E-01	1.9E-01				1.9E-01
		Silver	mg/kg	2	0	0	5.6E-02	7.9E-02				7.9E-02
		Thallium	mg/kg	NA	NA	NA	NA	NA				NA
		Zinc	mg/kg	2	0	0	4.3E+01	5.4E+01				5.4E+01
		Butyltins										
		Butyltin ion	ug/kg	2	0	0	5.0E+01	9.7E+01				9.7E+01
		Dibutyltin ion	ug/kg	2	0	0	2.8E+02	5.6E+02				5.6E+02
		Tributyltin ion	ug/kg	2	0	0	2.7E+02	5.3E+02				5.3E+02
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	NA	NA	NA	NA	NA				NA
		2-Methylnaphthalene	ug/kg	1	0	0	1.3E+00	1.3E+00				1.3E+00
		Acenaphthene	ug/kg	1	0	0	2.2E-01	2.2E-01				2.2E-01
		Acenaphthylene	ug/kg	1	0	0	2.8E-01	2.8E-01				2.8E-01
		Anthracene	ug/kg	1	0	0	1.3E+00	1.3E+00				1.3E+00
		Benzo(a)anthracene	ug/kg	1	0	0	3.0E+00	3.0E+00				3.0E+00
		Benzo(a)pyrene	ug/kg	1	0	0	1.4E+00	1.4E+00				1.4E+00
		Benzo(b)fluoranthene	ug/kg	1	0	0	9.6E-01	9.6E-01				9.6E-01
		Benzo(e)pyrene	ug/kg	NA	NA	NA	NA	NA				NA
		Benzo(g,h,i)perylene	ug/kg	1	0	0	4.9E-01	4.9E-01				4.9E-01
		Benzo(k)fluoranthene	ug/kg	1	0	0	4.7E-01	4.7E-01				4.7E-01
		Chrysene	ug/kg	1	0	0	5.1E+00	5.1E+00				5.1E+00
		Dibenzo(a,h)anthracene	ug/kg	1	1	ND	ND	ND				ND
		Dibenzothiophene	ug/kg	NA	NA	NA	NA	NA				NA
		Fluoranthene	ug/kg	1	0	0	7.9E+00	7.9E+00				7.9E+00
		Fluorene	ug/kg	1	0	0	9.7E-01	9.7E-01				9.7E-01
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	ND	ND	ND				ND
		Naphthalene	ug/kg	1	1	ND	ND	ND				ND
		Perylene	ug/kg	NA	NA	NA	NA	NA				NA
		Phenanthrene	ug/kg	1	0	0	4.1E+00	4.1E+00				4.1E+00
		Pyrene	ug/kg	1	0	0	6.9E+00	6.9E+00				6.9E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

| Scenario Timeframe: Current/Future |
| Medium: Shellfish Tissue |
| Exposure Medium: Clam, by River Mile |

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	1	1	ND	ND	ND				ND
		Dibutyl phthalate	ug/kg	1	1	ND	ND	ND				ND
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	NA	NA	NA	NA	NA				NA
		Benzyl alcohol	ug/kg	1	0	0	1.4E+01	1.4E+01				1.4E+01
		Bis(2-chloroethoxy) methane	ug/kg	NA	NA	NA	NA	NA				NA
		Dibenzofuran	ug/kg	1	0	0	5.0E-01	5.0E-01				5.0E-01
		Hexachlorobenzene	ug/kg	1	0	0	4.4E-01	4.4E-01				4.4E-01
		Hexachlorobutadiene	ug/kg	1	0	0	3.4E-03	3.4E-03				3.4E-03
		Nitrobenzene	ug/kg	NA	NA	NA	NA	NA				NA
		Phenols										
		4-Nitrophenol	ug/kg	NA	NA	NA	NA	NA				NA
		Phenol	ug/kg	1	1	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	1	0	0	8.5E+04	8.5E+04				8.5E+04
		Total PCBs, Adjusted	pg/g	1	0	0	8.2E+04	8.2E+04				8.2E+04
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	4.3E-01	4.3E-01				4.3E-01
		Total PCB TEQ	pg/g	1	0	0	6.3E-01	6.3E-01				6.3E-01
		Pesticides										
		Aldrin	ug/kg	1	0	0	1.4E-01	1.4E-01				1.4E-01
		alpha-Hexachlorocyclohexane	ug/kg	1	0	0	6.8E-03	6.8E-03				6.8E-03
		beta-Hexachlorocyclohexane	ug/kg	1	1	ND	ND	ND				ND
		Dieldrin	ug/kg	1	0	0	6.2E-01	6.2E-01				6.2E-01
		Endrin	ug/kg	1	0	0	6.5E-03	6.5E-03				6.5E-03
		Endrin aldehyde	ug/kg	1	1	ND	ND	ND				ND
		Endrin ketone	ug/kg	1	0	0	1.8E-03	1.8E-03				1.8E-03
		gamma-Hexachlorocyclohexane	ug/kg	1	0	0	5.0E-02	5.0E-02				5.0E-02
		Heptachlor	ug/kg	1	0	0	9.3E-03	9.3E-03				9.3E-03
		Heptachlor epoxide	ug/kg	1	0	0	4.5E-02	4.5E-02				4.5E-02
		Methoxychlor	ug/kg	1	1	ND	ND	ND				ND
		Total Chlordanes	ug/kg	1	0	0	2.5E+00	2.5E+00				2.5E+00
		Total DDD	ug/kg	1	0	0	2.7E+00	2.7E+00				2.7E+00
		Total DDE	ug/kg	1	0	0	6.3E+00	6.3E+00				6.3E+00
		Total DDT	ug/kg	1	0	0	8.1E-01	8.1E-01				8.1E-01
		Total Endosulfan	ug/kg	1	0	0	8.3E-01	8.3E-01				8.3E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration
									Distribution	95% UCL Method	Value	
RM 8 West	UD	**Metals**										
		Aluminum	mg/kg	3	0	0	7.2E+01	1.2E+02		Fewer than 5 detects		1.2E+02
		Antimony	mg/kg	3	0	0	2.0E-03	3.0E-03				3.0E-03
		Arsenic, inorganic	mg/kg	3	0	0	9.4E-02	9.6E-02				9.6E-02
		Cadmium	mg/kg	3	0	0	9.3E-02	1.1E-01				1.1E-01
		Chromium	mg/kg	3	0	0	5.8E-01	6.7E-01				6.7E-01
		Copper	mg/kg	3	0	0	9.1E+00	9.3E+00				9.3E+00
		Lead	mg/kg	3	0	0	1.0E-01	1.5E-01				1.5E-01
		Manganese	mg/kg	NA	NA	NA	NA	NA				NA
		Mercury	mg/kg	3	0	0	9.0E-03	1.1E-02				1.1E-02
		Nickel	mg/kg	3	0	0	2.9E-01	3.0E-01				3.0E-01
		Selenium	mg/kg	3	0	0	1.2E-01	1.5E-01				1.5E-01
		Silver	mg/kg	3	0	0	6.0E-02	7.8E-02				7.8E-02
		Thallium	mg/kg	NA	NA	NA	NA	NA				NA
		Zinc	mg/kg	3	0	0	4.1E+01	4.7E+01				4.7E+01
		Butyltins										
		Butyltin ion	ug/kg	3	2	0	7.5E-01	1.4E+00				1.4E+00
		Dibutyltin ion	ug/kg	3	0	0	2.0E+00	2.3E+00				2.3E+00
		Tributyltin ion	ug/kg	3	2	1	2.2E+00	3.1E+00				3.1E+00
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	NA	NA	NA	NA	NA				NA
		2-Methylnaphthalene	ug/kg	3	0	0	8.6E+00	2.2E+01				2.2E+01
		Acenaphthene	ug/kg	3	0	0	7.8E+00	2.1E+01				2.1E+01
		Acenaphthylene	ug/kg	3	0	0	1.9E+00	3.1E+00				3.1E+00
		Anthracene	ug/kg	3	0	0	4.7E+00	5.0E+00				5.0E+00
		Benzo(a)anthracene	ug/kg	3	0	0	1.4E+01	1.7E+01				1.7E+01
		Benzo(a)pyrene	ug/kg	3	0	0	3.2E+00	5.0E+00				5.0E+00
		Benzo(b)fluoranthene	ug/kg	3	0	0	8.4E+00	1.8E+01				1.8E+01
		Benzo(e)pyrene	ug/kg	NA	NA	NA	NA	NA				NA
		Benzo(g,h,i)perylene	ug/kg	3	0	0	1.9E+00	3.3E+00				3.3E+00
		Benzo(k)fluoranthene	ug/kg	3	0	0	5.4E+00	1.3E+01				1.3E+01
		Chrysene	ug/kg	3	0	0	2.8E+01	4.7E+01				4.7E+01
		Dibenzo(a,h)anthracene	ug/kg	3	3	ND	ND	ND				ND
		Dibenzothiophene	ug/kg	NA	NA	NA	NA	NA				NA
		Fluoranthene	ug/kg	3	0	0	1.1E+02	2.4E+02				2.4E+02
		Fluorene	ug/kg	3	0	0	8.8E+00	2.0E+01				2.0E+01
		Indeno(1,2,3-cd)pyrene	ug/kg	3	1	0	2.6E+00	6.8E+00				6.8E+00
		Naphthalene	ug/kg	3	2	0	3.5E+00	9.0E+00				9.0E+00
		Perylene	ug/kg	NA	NA	NA	NA	NA				NA
		Phenanthrene	ug/kg	3	0	0	6.5E+01	1.6E+02				1.6E+02
		Pyrene	ug/kg	3	0	0	6.6E+01	1.3E+02				1.3E+02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	3	3	ND	ND	ND				ND
		Dibutyl phthalate	ug/kg	3	3	ND	ND	ND				ND
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	NA	NA	NA	NA	NA				NA
		Benzyl alcohol	ug/kg	3	0	0	1.8E+01	2.3E+01				2.3E+01
		Bis(2-chloroethoxy) methane	ug/kg	NA	NA	NA	NA	NA				NA
		Dibenzofuran	ug/kg	3	1	0	6.2E+00	1.7E+01				1.7E+01
		Hexachlorobenzene	ug/kg	3	0	0	7.1E-01	8.4E-01				8.4E-01
		Hexachlorobutadiene	ug/kg	3	3	ND	ND	ND				ND
		Nitrobenzene	ug/kg	NA	NA	NA	NA	NA				NA
		Phenols										
		4-Nitrophenol	ug/kg	NA	NA	NA	NA	NA				NA
		Phenol	ug/kg	3	3	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	3	0	0	2.5E+05	4.2E+05				4.2E+05
		Total PCBs, Adjusted	pg/g	3	0	0	2.4E+05	4.0E+05				4.0E+05
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	2	0	0	1.0E+00	1.4E+00				1.4E+00
		Total PCB TEQ	pg/g	3	0	0	2.3E+00	3.6E+00				3.6E+00
		Pesticides										
		Aldrin	ug/kg	3	0	0	2.0E+00	5.1E+00				5.1E+00
		alpha-Hexachlorocyclohexane	ug/kg	3	0	0	1.5E-02	1.8E-02				1.8E-02
		beta-Hexachlorocyclohexane	ug/kg	3	3	ND	ND	ND				ND
		Dieldrin	ug/kg	3	0	0	1.5E+00	2.6E+00				2.6E+00
		Endrin	ug/kg	3	0	0	2.8E-02	6.4E-02				6.4E-02
		Endrin aldehyde	ug/kg	3	3	ND	ND	ND				ND
		Endrin ketone	ug/kg	3	0	0	3.7E-03	4.6E-03				4.6E-03
		gamma-Hexachlorocyclohexane	ug/kg	3	0	0	7.8E-02	8.1E-02				8.1E-02
		Heptachlor	ug/kg	3	0	0	3.3E-02	5.3E-02				5.3E-02
		Heptachlor epoxide	ug/kg	3	0	0	7.0E-02	8.6E-02				8.6E-02
		Methoxychlor	ug/kg	3	3	ND	ND	ND				ND
		Total Chlordanes	ug/kg	3	0	0	8.6E+00	1.6E+01				1.6E+01
		Total DDD	ug/kg	3	0	0	1.7E+01	3.0E+01				3.0E+01
		Total DDE	ug/kg	3	0	0	3.3E+01	6.7E+01				6.7E+01
		Total DDT	ug/kg	3	0	0	1.6E+00	2.1E+00				2.1E+00
		Total Endosulfan	ug/kg	3	0	0	1.3E+00	1.5E+00				1.5E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19

Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
RM 8 SIL	UD	**Metals**										
		Aluminum	mg/kg	2	0	0	1.9E+02	2.0E+02		Fewer than 5 detects		2.0E+02
		Antimony	mg/kg	2	1	1	4.0E-03	4.0E-03				4.0E-03
		Arsenic, inorganic	mg/kg	2	0	0	8.7E-02	9.2E-02				9.2E-02
		Cadmium	mg/kg	2	0	0	1.2E-01	1.4E-01				1.4E-01
		Chromium	mg/kg	2	0	0	5.1E-01	5.7E-01				5.7E-01
		Copper	mg/kg	2	0	0	8.9E+00	9.4E+00				9.4E+00
		Lead	mg/kg	2	0	0	1.6E-01	1.9E-01				1.9E-01
		Manganese	mg/kg	NA	NA	NA	NA	NA				NA
		Mercury	mg/kg	1	0	0	1.1E-02	1.1E-02				1.1E-02
		Nickel	mg/kg	2	0	0	3.7E-01	3.9E-01				3.9E-01
		Selenium	mg/kg	2	0	0	1.5E-01	2.1E-01				2.1E-01
		Silver	mg/kg	2	0	0	4.1E-02	4.4E-02				4.4E-02
		Thallium	mg/kg	NA	NA	NA	NA	NA				NA
		Zinc	mg/kg	2	0	0	3.7E+01	4.2E+01				4.2E+01
		Butyltins										
		Butyltin ion	ug/kg	1	0	0	7.3E+00	7.3E+00				7.3E+00
		Dibutyltin ion	ug/kg	1	0	0	1.2E+01	1.2E+01				1.2E+01
		Tributyltin ion	ug/kg	1	0	0	3.3E+01	3.3E+01				3.3E+01
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	NA	NA	NA	NA	NA				NA
		2-Methylnaphthalene	ug/kg	2	0	0	2.4E+00	3.0E+00				3.0E+00
		Acenaphthene	ug/kg	2	0	0	9.9E-01	1.2E+00				1.2E+00
		Acenaphthylene	ug/kg	2	0	0	1.3E+00	1.4E+00				1.4E+00
		Anthracene	ug/kg	2	0	0	5.0E+00	6.8E+00				6.8E+00
		Benzo(a)anthracene	ug/kg	2	0	0	1.4E+01	2.0E+01				2.0E+01
		Benzo(a)pyrene	ug/kg	2	0	0	3.1E+00	3.9E+00				3.9E+00
		Benzo(b)fluoranthene	ug/kg	2	0	0	6.1E+00	8.8E+00				8.8E+00
		Benzo(e)pyrene	ug/kg	NA	NA	NA	NA	NA				NA
		Benzo(g,h,i)perylene	ug/kg	2	0	0	2.1E+00	2.7E+00				2.7E+00
		Benzo(k)fluoranthene	ug/kg	2	0	0	2.9E+00	4.2E+00				4.2E+00
		Chrysene	ug/kg	2	0	0	3.1E+01	4.5E+01				4.5E+01
		Dibenzo(a,h)anthracene	ug/kg	2	2	ND	ND	ND				ND
		Dibenzothiophene	ug/kg	NA	NA	NA	NA	NA				NA
		Fluoranthene	ug/kg	2	0	0	4.0E+01	5.6E+01				5.6E+01
		Fluorene	ug/kg	2	0	0	2.8E+00	3.6E+00				3.6E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	2	1	0	1.6E+00	3.1E+00				3.1E+00
		Naphthalene	ug/kg	2	2	ND	ND	ND				ND
		Perylene	ug/kg	NA	NA	NA	NA	NA				NA
		Phenanthrene	ug/kg	2	0	0	1.2E+01	1.6E+01				1.6E+01
		Pyrene	ug/kg	2	0	0	4.8E+01	7.1E+01				7.1E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration
									Distribution	95% UCL Method	Value	
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	2	0	0	1.3E+02	1.4E+02				1.4E+02
		Dibutyl phthalate	ug/kg	2	1	0	6.6E+02	1.3E+03				1.3E+03
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	NA	NA	NA	NA	NA				NA
		Benzyl alcohol	ug/kg	2	0	0	7.7E+01	1.2E+02				1.2E+02
		Bis(2-chloroethoxy) methane	ug/kg	NA	NA	NA	NA	NA				NA
		Dibenzofuran	ug/kg	2	0	0	1.3E+00	1.5E+00				1.5E+00
		Hexachlorobenzene	ug/kg	3	0	0	7.3E-01	7.6E-01				7.6E-01
		Hexachlorobutadiene	ug/kg	2	2	ND	ND	ND				ND
		Nitrobenzene	ug/kg	NA	NA	NA	NA	NA				NA
		Phenols										
		4-Nitrophenol	ug/kg	NA	NA	NA	NA	NA				NA
		Phenol	ug/kg	2	2	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	3	0	0	3.0E+05	3.9E+05				3.9E+05
		Total PCBs, Adjusted	pg/g	3	0	0	2.9E+05	3.7E+05				3.7E+05
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	2	0	0	1.2E+00	1.3E+00				1.3E+00
		Total PCB TEQ	pg/g	3	0	0	2.6E+00	3.4E+00				3.4E+00
		Pesticides										
		Aldrin	ug/kg	3	0	0	3.2E-01	3.8E-01				3.8E-01
		alpha-Hexachlorocyclohexane	ug/kg	3	1	0	1.6E-02	2.1E-02				2.1E-02
		beta-Hexachlorocyclohexane	ug/kg	3	3	ND	ND	ND				ND
		Dieldrin	ug/kg	3	0	0	1.1E+00	1.1E+00				1.1E+00
		Endrin	ug/kg	3	1	1	1.3E-02	2.0E-02				2.0E-02
		Endrin aldehyde	ug/kg	3	3	ND	ND	ND				ND
		Endrin ketone	ug/kg	3	2	1	2.5E-03	3.9E-03				3.9E-03
		gamma-Hexachlorocyclohexane	ug/kg	3	0	0	7.7E-02	7.8E-02				7.8E-02
		Heptachlor	ug/kg	3	3	ND	ND	ND				ND
		Heptachlor epoxide	ug/kg	3	0	0	8.0E-02	8.2E-02				8.2E-02
		Methoxychlor	ug/kg	3	3	ND	ND	ND				ND
		Total Chlordanes	ug/kg	3	0	0	5.1E+00	6.3E+00				6.3E+00
		Total DDD	ug/kg	3	0	0	7.6E+00	8.1E+00				8.1E+00
		Total DDE	ug/kg	3	0	0	1.1E+01	1.3E+01				1.3E+01
		Total DDT	ug/kg	3	0	0	1.8E+00	2.4E+00				2.4E+00
		Total Endosulfan	ug/kg	3	0	0	1.3E+00	1.4E+00				1.4E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19

Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
RM 9 East	UD	**Metals**										
		Aluminum	mg/kg	1	0	0	1.4E+02	1.4E+02		Fewer than 5 detects		1.4E+02
		Antimony	mg/kg	1	0	0	2.0E-03	2.0E-03				2.0E-03
		Arsenic, inorganic	mg/kg	1	0	0	1.0E-01	1.0E-01				1.0E-01
		Cadmium	mg/kg	1	0	0	6.6E-02	6.6E-02				6.6E-02
		Chromium	mg/kg	1	0	0	9.4E-01	9.4E-01				9.4E-01
		Copper	mg/kg	1	0	0	9.5E+00	9.5E+00				9.5E+00
		Lead	mg/kg	1	0	0	7.6E-02	7.6E-02				7.6E-02
		Manganese	mg/kg	NA	NA	NA	NA	NA				NA
		Mercury	mg/kg	1	0	0	1.2E-02	1.2E-02				1.2E-02
		Nickel	mg/kg	1	0	0	3.4E-01	3.4E-01				3.4E-01
		Selenium	mg/kg	1	0	0	8.8E-02	8.8E-02				8.8E-02
		Silver	mg/kg	1	0	0	1.0E-01	1.0E-01				1.0E-01
		Thallium	mg/kg	NA	NA	NA	NA	NA				NA
		Zinc	mg/kg	1	0	0	3.8E+01	3.8E+01				3.8E+01
		Butyltins										
		Butyltin ion	ug/kg	1	1	ND	ND	ND				ND
		Dibutyltin ion	ug/kg	1	0	0	1.5E+00	1.5E+00				1.5E+00
		Tributyltin ion	ug/kg	1	1	ND	ND	ND				ND
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	NA	NA	NA	NA	NA				NA
		2-Methylnaphthalene	ug/kg	2	0	0	1.7E+00	1.7E+00				1.7E+00
		Acenaphthene	ug/kg	2	0	0	8.6E-01	1.1E+00				1.1E+00
		Acenaphthylene	ug/kg	2	2	ND	ND	ND				ND
		Anthracene	ug/kg	2	0	0	1.5E+00	1.7E+00				1.7E+00
		Benzo(a)anthracene	ug/kg	2	0	0	5.3E+00	5.9E+00				5.9E+00
		Benzo(a)pyrene	ug/kg	2	0	0	1.8E+00	1.8E+00				1.8E+00
		Benzo(b)fluoranthene	ug/kg	2	0	0	1.9E+00	2.3E+00				2.3E+00
		Benzo(e)pyrene	ug/kg	NA	NA	NA	NA	NA				NA
		Benzo(g,h,i)perylene	ug/kg	2	0	0	8.0E-01	8.0E-01				8.0E-01
		Benzo(k)fluoranthene	ug/kg	2	0	0	9.9E-01	1.3E+00				1.3E+00
		Chrysene	ug/kg	2	0	0	8.7E+00	1.0E+01				1.0E+01
		Dibenzo(a,h)anthracene	ug/kg	2	2	ND	ND	ND				ND
		Dibenzothiophene	ug/kg	NA	NA	NA	NA	NA				NA
		Fluoranthene	ug/kg	2	0	0	1.2E+01	1.3E+01				1.3E+01
		Fluorene	ug/kg	2	0	0	1.6E+00	1.7E+00				1.7E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	2	2	ND	ND	ND				ND
		Naphthalene	ug/kg	2	2	ND	ND	ND				ND
		Perylene	ug/kg	NA	NA	NA	NA	NA				NA
		Phenanthrene	ug/kg	2	0	0	5.9E+00	6.0E+00				6.0E+00
		Pyrene	ug/kg	2	0	0	1.1E+01	1.2E+01				1.2E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration
									Distribution	95% UCL Method	Value	
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	1	1	ND	ND	ND				ND
		Dibutyl phthalate	ug/kg	1	1	ND	ND	ND				ND
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	NA	NA	NA	NA	NA				NA
		Benzyl alcohol	ug/kg	1	0	0	1.8E+01	1.8E+01				1.8E+01
		Bis(2-chloroethoxy) methane	ug/kg	NA	NA	NA	NA	NA				NA
		Dibenzofuran	ug/kg	2	0	0	8.7E-01	1.2E+00				1.2E+00
		Hexachlorobenzene	ug/kg	2	0	0	4.9E-01	6.0E-01				6.0E-01
		Hexachlorobutadiene	ug/kg	1	1	ND	ND	ND				ND
		Nitrobenzene	ug/kg	NA	NA	NA	NA	NA				NA
		Phenols										
		4-Nitrophenol	ug/kg	NA	NA	NA	NA	NA				NA
		Phenol	ug/kg	1	1	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	2	0	0	5.6E+04	6.1E+04				6.1E+04
		Total PCBs, Adjusted	pg/g	2	0	0	5.2E+04	5.7E+04				5.7E+04
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	2	0	0	4.7E-01	5.4E-01				5.4E-01
		Total PCB TEQ	pg/g	2	0	0	6.6E-01	7.8E-01				7.8E-01
		Pesticides										
		Aldrin	ug/kg	2	0	0	1.5E-01	1.7E-01				1.7E-01
		alpha-Hexachlorocyclohexane	ug/kg	2	1	1	7.4E-03	7.4E-03				7.4E-03
		beta-Hexachlorocyclohexane	ug/kg	2	2	ND	ND	ND				ND
		Dieldrin	ug/kg	2	0	0	7.2E-01	8.8E-01				8.8E-01
		Endrin	ug/kg	2	1	0	5.4E-03	8.2E-03				8.2E-03
		Endrin aldehyde	ug/kg	2	2	ND	ND	ND				ND
		Endrin ketone	ug/kg	2	2	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	2	0	0	6.1E-02	7.5E-02				7.5E-02
		Heptachlor	ug/kg	2	2	ND	ND	ND				ND
		Heptachlor epoxide	ug/kg	2	0	0	4.9E-02	6.1E-02				6.1E-02
		Methoxychlor	ug/kg	2	2	ND	ND	ND				ND
		Total Chlordanes	ug/kg	2	0	0	2.8E+00	3.2E+00				3.2E+00
		Total DDD	ug/kg	2	0	0	2.6E+00	3.0E+00				3.0E+00
		Total DDE	ug/kg	2	0	0	6.4E+00	8.0E+00				8.0E+00
		Total DDT	ug/kg	2	0	0	1.0E+00	1.3E+00				1.3E+00
		Total Endosulfan	ug/kg	2	0	0	9.7E-01	1.1E+00				1.1E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration
RM 9 West	UD	**Metals**										
		Aluminum	mg/kg	1	0	0	1.7E+02	1.7E+02		Fewer than 5 detects		1.7E+02
		Antimony	mg/kg	1	0	0	3.0E-03	3.0E-03				3.0E-03
		Arsenic, inorganic	mg/kg	1	0	0	9.0E-02	9.0E-02				9.0E-02
		Cadmium	mg/kg	1	0	0	6.4E-02	6.4E-02				6.4E-02
		Chromium	mg/kg	1	0	0	9.2E-01	9.2E-01				9.2E-01
		Copper	mg/kg	1	0	0	9.0E+00	9.0E+00				9.0E+00
		Lead	mg/kg	1	0	0	9.7E-02	9.7E-02				9.7E-02
		Manganese	mg/kg	NA	NA	NA	NA	NA				NA
		Mercury	mg/kg	1	0	0	9.0E-03	9.0E-03				9.0E-03
		Nickel	mg/kg	1	0	0	4.9E-01	4.9E-01				4.9E-01
		Selenium	mg/kg	1	0	0	1.1E-01	1.1E-01				1.1E-01
		Silver	mg/kg	1	0	0	6.8E-02	6.8E-02				6.8E-02
		Thallium	mg/kg	NA	NA	NA	NA	NA				NA
		Zinc	mg/kg	1	0	0	4.0E+01	4.0E+01				4.0E+01
		Butyltins										
		Butyltin ion	ug/kg	1	1	ND	ND	ND				ND
		Dibutyltin ion	ug/kg	1	0	0	1.1E+00	1.1E+00				1.1E+00
		Tributyltin ion	ug/kg	1	1	ND	ND	ND				ND
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	NA	NA	NA	NA	NA				NA
		2-Methylnaphthalene	ug/kg	1	0	0	1.8E+00	1.8E+00				1.8E+00
		Acenaphthene	ug/kg	1	0	0	3.4E+00	3.4E+00				3.4E+00
		Acenaphthylene	ug/kg	1	0	0	8.9E-01	8.9E-01				8.9E-01
		Anthracene	ug/kg	1	0	0	4.1E+00	4.1E+00				4.1E+00
		Benzo(a)anthracene	ug/kg	1	0	0	8.4E+00	8.4E+00				8.4E+00
		Benzo(a)pyrene	ug/kg	1	0	0	1.9E+00	1.9E+00				1.9E+00
		Benzo(b)fluoranthene	ug/kg	1	0	0	2.0E+00	2.0E+00				2.0E+00
		Benzo(e)pyrene	ug/kg	NA	NA	NA	NA	NA				NA
		Benzo(g,h,i)perylene	ug/kg	1	0	0	7.1E-01	7.1E-01				7.1E-01
		Benzo(k)fluoranthene	ug/kg	1	0	0	1.0E+00	1.0E+00				1.0E+00
		Chrysene	ug/kg	1	0	0	1.2E+01	1.2E+01				1.2E+01
		Dibenzo(a,h)anthracene	ug/kg	1	1	ND	ND	ND				ND
		Dibenzothiophene	ug/kg	NA	NA	NA	NA	NA				NA
		Fluoranthene	ug/kg	1	0	0	2.9E+01	2.9E+01				2.9E+01
		Fluorene	ug/kg	1	0	0	5.2E+00	5.2E+00				5.2E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	ND	ND	ND				ND
		Naphthalene	ug/kg	1	1	ND	ND	ND				ND
		Perylene	ug/kg	NA	NA	NA	NA	NA				NA
		Phenanthrene	ug/kg	1	0	0	1.9E+01	1.9E+01				1.9E+01
		Pyrene	ug/kg	1	0	0	2.1E+01	2.1E+01				2.1E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	1	1	ND	ND	ND				ND
		Dibutyl phthalate	ug/kg	1	1	ND	ND	ND				ND
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	NA	NA	NA	NA	NA				NA
		Benzyl alcohol	ug/kg	1	0	0	1.8E+01	1.8E+01				1.8E+01
		Bis(2-chloroethoxy) methane	ug/kg	NA	NA	NA	NA	NA				NA
		Dibenzofuran	ug/kg	1	0	0	2.5E+00	2.5E+00				2.5E+00
		Hexachlorobenzene	ug/kg	2	0	0	7.6E-01	8.4E-01				8.4E-01
		Hexachlorobutadiene	ug/kg	1	1	ND	ND	ND				ND
		Nitrobenzene	ug/kg	NA	NA	NA	NA	NA				NA
		Phenols										
		4-Nitrophenol	ug/kg	NA	NA	NA	NA	NA				NA
		Phenol	ug/kg	1	1	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	2	0	0	3.1E+05	4.6E+05				4.6E+05
		Total PCBs, Adjusted	pg/g	2	0	0	3.0E+05	4.5E+05				4.5E+05
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	2	0	0	1.7E+00	2.7E+00				2.7E+00
		Total PCB TEQ	pg/g	2	0	0	2.6E+00	3.9E+00				3.9E+00
		Pesticides										
		Aldrin	ug/kg	2	0	0	3.6E-01	3.7E-01				3.7E-01
		alpha-Hexachlorocyclohexane	ug/kg	2	1	1	1.5E-02	1.5E-02				1.5E-02
		beta-Hexachlorocyclohexane	ug/kg	2	2	ND	ND	ND				ND
		Dieldrin	ug/kg	2	0	0	1.0E+00	1.1E+00				1.1E+00
		Endrin	ug/kg	2	0	0	3.0E-02	5.5E-02				5.5E-02
		Endrin aldehyde	ug/kg	2	2	ND	ND	ND				ND
		Endrin ketone	ug/kg	2	2	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	2	1	1	6.6E-02	6.6E-02				6.6E-02
		Heptachlor	ug/kg	2	1	1	1.6E-02	1.6E-02				1.6E-02
		Heptachlor epoxide	ug/kg	2	0	0	7.7E-02	8.9E-02				8.9E-02
		Methoxychlor	ug/kg	2	2	ND	ND	ND				ND
		Total Chlordanes	ug/kg	2	0	0	5.3E+00	6.3E+00				6.3E+00
		Total DDD	ug/kg	2	0	0	5.3E+00	5.8E+00				5.8E+00
		Total DDE	ug/kg	2	0	0	1.1E+01	1.3E+01				1.3E+01
		Total DDT	ug/kg	2	0	0	1.7E+00	2.3E+00				2.3E+00
		Total Endosulfan	ug/kg	2	0	0	1.2E+00	1.4E+00				1.4E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
RM 10 West	D	**Metals**										
		Aluminum	mg/kg	1	0	0	4.7E+01	4.7E+01		Fewer than 5 detects		4.7E+01
		Arsenic, inorganic	mg/kg	1	0	0	8.0E-02	8.0E-02				8.0E-02
		Cadmium	mg/kg	1	0	0	5.2E-02	5.2E-02				5.2E-02
		Chromium	mg/kg	1	0	0	5.0E-01	5.0E-01				5.0E-01
		Copper	mg/kg	1	0	0	6.9E+00	6.9E+00				6.9E+00
		Lead	mg/kg	1	0	0	5.8E-02	5.8E-02				5.8E-02
		Manganese	mg/kg	1	0	0	5.1E+00	5.1E+00				5.1E+00
		Mercury	mg/kg	NA	NA	NA	NA	NA				NA
		Nickel	mg/kg	1	0	0	2.0E-01	2.0E-01				2.0E-01
		Selenium	mg/kg	1	0	0	1.8E-01	1.8E-01				1.8E-01
		Silver	mg/kg	1	0	0	5.6E-02	5.6E-02				5.6E-02
		Thallium	mg/kg	1	0	0	1.0E-03	1.0E-03				1.0E-03
		Zinc	mg/kg	1	0	0	2.8E+01	2.8E+01				2.8E+01
		Butyltins										
		Butyltin ion	ug/kg	NA	NA	NA	NA	NA				NA
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	1	0	0	7.7E-01	7.7E-01				7.7E-01
		2-Methylnaphthalene	ug/kg	1	0	0	1.2E+00	1.2E+00				1.2E+00
		Acenaphthene	ug/kg	1	0	0	4.3E-01	4.3E-01				4.3E-01
		Acenaphthylene	ug/kg	1	0	0	1.7E-01	1.7E-01				1.7E-01
		Anthracene	ug/kg	1	0	0	1.2E+00	1.2E+00				1.2E+00
		Benzo(a)anthracene	ug/kg	1	0	0	2.9E+00	2.9E+00				2.9E+00
		Benzo(a)pyrene	ug/kg	1	1	ND	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	ND	ND	ND				ND
		Benzo(e)pyrene	ug/kg	1	0	0	1.3E+00	1.3E+00				1.3E+00
		Benzo(g,h,i)perylene	ug/kg	1	1	ND	ND	ND				ND
		Chrysene	ug/kg	1	0	0	4.2E+00	4.2E+00				4.2E+00
		Dibenzothiophene	ug/kg	1	0	0	3.4E-01	3.4E-01				3.4E-01
		Fluoranthene	ug/kg	1	0	0	8.4E+00	8.4E+00				8.4E+00
		Fluorene	ug/kg	1	0	0	8.0E-01	8.0E-01				8.0E-01
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	ND	ND	ND				ND
		Perylene	ug/kg	1	1	ND	ND	ND				ND
		Phenanthrene	ug/kg	1	0	0	4.2E+00	4.2E+00				4.2E+00
		Pyrene	ug/kg	1	0	0	6.9E+00	6.9E+00				6.9E+00
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	NA	NA	NA	NA	NA				NA
		Dibenzofuran	ug/kg	1	0	0	5.7E-01	5.7E-01				5.7E-01
		Hexachlorobenzene	ug/kg	1	0	0	6.6E-01	6.6E-01				6.6E-01
		Hexachlorobutadiene	ug/kg	1	1	ND	ND	ND				ND
		Nitrobenzene	ug/kg	NA	NA	NA	NA	NA				NA

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Phenols										
		2-Methylphenol	ug/kg	NA	NA	NA	NA	NA				NA
		Polychlorinated Biphenyls										
		Total PCB Congeners	pg/g	1	0	0	1.5E+05	1.5E+05				1.5E+05
		Total PCBs, Adjusted	pg/g	1	0	0	1.4E+05	1.4E+05				1.4E+05
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	3.1E-01	3.1E-01				3.1E-01
		Total PCB TEQ	pg/g	1	0	0	7.1E-01	7.1E-01				7.1E-01
		Pesticides										
		Aldrin	ug/kg	1	0	0	1.7E-01	1.7E-01				1.7E-01
		Dieldrin	ug/kg	1	0	0	5.9E-01	5.9E-01				5.9E-01
		gamma-Hexachlorocyclohexane	ug/kg	1	0	0	3.7E-02	3.7E-02				3.7E-02
		Heptachlor epoxide	ug/kg	1	0	0	3.5E-02	3.5E-02				3.5E-02
		Total Chlordanes	ug/kg	1	0	0	2.5E+00	2.5E+00				2.5E+00
		Total DDD	ug/kg	1	0	0	2.5E+00	2.5E+00				2.5E+00
		Total DDE	ug/kg	1	0	0	8.2E+00	8.2E+00				8.2E+00
		Total DDT	ug/kg	1	0	0	7.3E-01	7.3E-01				7.3E-01
		Total Endosulfan	ug/kg	1	0	0	3.4E-01	3.4E-01				3.4E-01
RM 10 West	UD	**Metals**										
		Aluminum	mg/kg	1	0	0	5.3E+01	5.3E+01		Fewer than 5 detects		5.3E+01
		Antimony	mg/kg	1	1	ND	ND	ND				ND
		Arsenic, inorganic	mg/kg	1	0	0	6.5E-02	6.5E-02				6.5E-02
		Cadmium	mg/kg	1	0	0	4.0E-02	4.0E-02				4.0E-02
		Chromium	mg/kg	1	0	0	4.0E-01	4.0E-01				4.0E-01
		Copper	mg/kg	1	0	0	6.3E+00	6.3E+00				6.3E+00
		Lead	mg/kg	1	0	0	5.0E-02	5.0E-02				5.0E-02
		Manganese	mg/kg	1	0	0	4.0E+00	4.0E+00				4.0E+00
		Mercury	mg/kg	1	0	0	2.0E-02	2.0E-02				2.0E-02
		Nickel	mg/kg	1	0	0	1.5E-01	1.5E-01				1.5E-01
		Selenium	mg/kg	1	0	0	1.0E-01	1.0E-01				1.0E-01
		Silver	mg/kg	1	0	0	4.4E-02	4.4E-02				4.4E-02
		Thallium	mg/kg	1	0	0	9.0E-04	9.0E-04				9.0E-04
		Zinc	mg/kg	1	0	0	2.0E+01	2.0E+01				2.0E+01
		Butyltins										
		Butyltin ion	ug/kg	1	1	ND	ND	ND				ND
		Dibutyltin ion	ug/kg	1	1	ND	ND	ND				ND
		Tributyltin ion	ug/kg	1	1	ND	ND	ND				ND
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	1	0	0	9.0E-01	9.0E-01				9.0E-01
		2-Methylnaphthalene	ug/kg	1	0	0	1.3E+00	1.3E+00				1.3E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Acenaphthene	ug/kg	1	0	0	5.1E-01	5.1E-01				5.1E-01
		Acenaphthylene	ug/kg	1	1	ND	ND	ND				ND
		Anthracene	ug/kg	1	0	0	1.1E+00	1.1E+00				1.1E+00
		Benzo(a)anthracene	ug/kg	1	0	0	2.5E+00	2.5E+00				2.5E+00
		Benzo(a)pyrene	ug/kg	1	1	ND	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	ND	ND	ND				ND
		Benzo(e)pyrene	ug/kg	1	0	0	1.3E+00	1.3E+00				1.3E+00
		Benzo(g,h,i)perylene	ug/kg	1	1	ND	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	ND	ND	ND				ND
		Chrysene	ug/kg	1	0	0	4.1E+00	4.1E+00				4.1E+00
		Dibenzo(a,h)anthracene	ug/kg	1	1	ND	ND	ND				ND
		Dibenzothiophene	ug/kg	1	1	ND	ND	ND				ND
		Fluoranthene	ug/kg	1	0	0	8.5E+00	8.5E+00				8.5E+00
		Fluorene	ug/kg	1	0	0	7.6E-01	7.6E-01				7.6E-01
		Indeno(1,2,3-cd)pyrene	ug/kg	1	0	0	1.9E-01	1.9E-01				1.9E-01
		Naphthalene	ug/kg	1	1	ND	ND	ND				ND
		Perylene	ug/kg	1	1	ND	ND	ND				ND
		Phenanthrene	ug/kg	1	0	0	3.8E+00	3.8E+00				3.8E+00
		Pyrene	ug/kg	1	0	0	7.4E+00	7.4E+00				7.4E+00
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	1	1	ND	ND	ND				ND
		Dibutyl phthalate	ug/kg	1	1	ND	ND	ND				ND
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	1	0	0	2.5E+03	2.5E+03				2.5E+03
		Benzyl alcohol	ug/kg	1	1	ND	ND	ND				ND
		Bis(2-chloroethoxy) methane	ug/kg	1	1	ND	ND	ND				ND
		Dibenzofuran	ug/kg	1	0	0	5.5E-01	5.5E-01				5.5E-01
		Hexachlorobenzene	ug/kg	1	0	0	4.4E-01	4.4E-01				4.4E-01
		Hexachlorobutadiene	ug/kg	1	1	ND	ND	ND				ND
		Nitrobenzene	ug/kg	1	0	0	8.3E+01	8.3E+01				8.3E+01
		Phenols										
		4-Nitrophenol	ug/kg	1	1	ND	ND	ND				ND
		Phenol	ug/kg	1	1	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	1	0	0	8.5E+04	8.5E+04				8.5E+04
		Total PCBs, Adjusted	pg/g	1	0	0	7.8E+04	7.8E+04				7.8E+04
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	3.9E-01	3.9E-01				3.9E-01
		Total PCB TEQ	pg/g	1	0	0	6.9E-01	6.9E-01				6.9E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration
									Distribution	95% UCL Method	Value	
		Pesticides										
		Aldrin	ug/kg	1	0	0	1.3E-01	1.3E-01				1.3E-01
		alpha-Hexachlorocyclohexane	ug/kg	1	1	ND	ND	ND				ND
		beta-Hexachlorocyclohexane	ug/kg	1	1	ND	ND	ND				ND
		Dieldrin	ug/kg	1	0	0	3.4E-01	3.4E-01				3.4E-01
		Endrin	ug/kg	1	1	ND	ND	ND				ND
		Endrin aldehyde	ug/kg	1	1	ND	ND	ND				ND
		Endrin ketone	ug/kg	1	1	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	1	1	ND	ND	ND				ND
		Heptachlor	ug/kg	1	1	ND	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	1	ND	ND	ND				ND
		Methoxychlor	ug/kg	1	1	ND	ND	ND				ND
		Total Chlordanes	ug/kg	1	0	0	1.6E+00	1.6E+00				1.6E+00
		Total DDD	ug/kg	1	0	0	1.7E+00	1.7E+00				1.7E+00
		Total DDE	ug/kg	1	0	0	5.3E+00	5.3E+00				5.3E+00
		Total DDT	ug/kg	1	0	0	4.6E-01	4.6E-01				4.6E-01
		Total Endosulfan	ug/kg	1	1	ND	ND	ND				ND
RM 11 East	D	**Metals**										
		Aluminum	mg/kg	1	0	0	3.2E+01	3.2E+01		Fewer than 5 detects		3.2E+01
		Arsenic, inorganic	mg/kg	1	0	0	8.2E-02	8.2E-02				8.2E-02
		Cadmium	mg/kg	1	0	0	1.0E-01	1.0E-01				1.0E-01
		Chromium	mg/kg	1	0	0	4.0E-01	4.0E-01				4.0E-01
		Copper	mg/kg	1	0	0	7.1E+00	7.1E+00				7.1E+00
		Lead	mg/kg	1	0	0	5.4E-02	5.4E-02				5.4E-02
		Manganese	mg/kg	1	0	0	4.5E+00	4.5E+00				4.5E+00
		Mercury	mg/kg	1	0	0	2.0E-02	2.0E-02				2.0E-02
		Nickel	mg/kg	1	0	0	2.0E-01	2.0E-01				2.0E-01
		Selenium	mg/kg	1	0	0	1.2E-01	1.2E-01				1.2E-01
		Silver	mg/kg	1	0	0	6.2E-02	6.2E-02				6.2E-02
		Thallium	mg/kg	1	0	0	6.0E-04	6.0E-04				6.0E-04
		Zinc	mg/kg	1	0	0	1.9E+01	1.9E+01				1.9E+01
		Butyltins										
		Butyltin ion	ug/kg	1	0	0	1.5E+00	1.5E+00				1.5E+00
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	1	1	ND	ND	ND				ND
		2-Methylnaphthalene	ug/kg	1	1	ND	ND	ND				ND
		Acenaphthene	ug/kg	1	0	0	3.6E-01	3.6E-01				3.6E-01
		Acenaphthylene	ug/kg	1	1	ND	ND	ND				ND
		Anthracene	ug/kg	1	0	0	1.3E+00	1.3E+00				1.3E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Benzo(a)anthracene	ug/kg	1	0	0	1.6E+00	1.6E+00				1.6E+00
		Benzo(a)pyrene	ug/kg	1	0	0	4.3E-01	4.3E-01				4.3E-01
		Benzo(b)fluoranthene	ug/kg	1	0	0	9.7E-01	9.7E-01				9.7E-01
		Benzo(e)pyrene	ug/kg	1	0	0	1.3E+00	1.3E+00				1.3E+00
		Benzo(g,h,i)perylene	ug/kg	1	1	ND	ND	ND				ND
		Chrysene	ug/kg	1	0	0	3.7E+00	3.7E+00				3.7E+00
		Dibenzothiophene	ug/kg	1	0	0	3.6E-01	3.6E-01				3.6E-01
		Fluoranthene	ug/kg	1	0	0	9.9E+00	9.9E+00				9.9E+00
		Fluorene	ug/kg	1	0	0	8.2E-01	8.2E-01				8.2E-01
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	ND	ND	ND				ND
		Perylene	ug/kg	1	1	ND	ND	ND				ND
		Phenanthrene	ug/kg	1	0	0	4.2E+00	4.2E+00				4.2E+00
		Pyrene	ug/kg	1	0	0	7.0E+00	7.0E+00				7.0E+00
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	1	0	0	1.9E+03	1.9E+03				1.9E+03
		Dibenzofuran	ug/kg	1	0	0	4.3E-01	4.3E-01				4.3E-01
		Hexachlorobenzene	ug/kg	1	0	0	4.3E-01	4.3E-01				4.3E-01
		Hexachlorobutadiene	ug/kg	1	1	ND	ND	ND				ND
		Nitrobenzene	ug/kg	1	0	0	8.6E+01	8.6E+01				8.6E+01
		Phenols										
		2-Methylphenol	ug/kg	1	1	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total PCB Congeners	pg/g	1	0	0	4.8E+05	4.8E+05				4.8E+05
		Total PCBs, Adjusted	pg/g	1	0	0	4.7E+05	4.7E+05				4.7E+05
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	2.0E-01	2.0E-01				2.0E-01
		Total PCB TEQ	pg/g	1	0	0	6.5E-01	6.5E-01				6.5E-01
		Pesticides										
		Aldrin	ug/kg	1	1	ND	ND	ND				ND
		Dieldrin	ug/kg	1	0	0	3.4E-01	3.4E-01				3.4E-01
		gamma-Hexachlorocyclohexane	ug/kg	1	1	ND	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	0	0	2.5E-02	2.5E-02				2.5E-02
		Total Chlordanes	ug/kg	1	0	0	1.4E+00	1.4E+00				1.4E+00
		Total DDD	ug/kg	1	0	0	1.3E+00	1.3E+00				1.3E+00
		Total DDE	ug/kg	1	0	0	4.1E+00	4.1E+00				4.1E+00
		Total DDT	ug/kg	1	0	0	6.3E-01	6.3E-01				6.3E-01
		Total Endosulfan	ug/kg	1	0	0	3.6E-01	3.6E-01				3.6E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

| Scenario Timeframe: Current/Future |
| Medium: Shellfish Tissue |
| Exposure Medium: Clam, by River Mile |

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
RM 11 East	UD	**Metals**										
		Aluminum	mg/kg	1	0	0	2.0E+02	2.0E+02		Fewer than 5 detects		2.0E+02
		Antimony	mg/kg	1	1	ND	ND	ND				ND
		Arsenic, inorganic	mg/kg	1	0	0	7.7E-02	7.7E-02				7.7E-02
		Cadmium	mg/kg	1	0	0	7.8E-02	7.8E-02				7.8E-02
		Chromium	mg/kg	1	0	0	7.0E-01	7.0E-01				7.0E-01
		Copper	mg/kg	1	0	0	6.6E+00	6.6E+00				6.6E+00
		Lead	mg/kg	1	0	0	1.8E-01	1.8E-01				1.8E-01
		Manganese	mg/kg	1	0	0	7.5E+00	7.5E+00				7.5E+00
		Mercury	mg/kg	1	0	0	2.6E-02	2.6E-02				2.6E-02
		Nickel	mg/kg	1	0	0	3.2E-01	3.2E-01				3.2E-01
		Selenium	mg/kg	1	0	0	1.4E-01	1.4E-01				1.4E-01
		Silver	mg/kg	1	0	0	5.6E-02	5.6E-02				5.6E-02
		Thallium	mg/kg	1	0	0	1.1E-03	1.1E-03				1.1E-03
		Zinc	mg/kg	1	0	0	2.6E+01	2.6E+01				2.6E+01
		Butyltins										
		Butyltin ion	ug/kg	1	0	0	2.1E+00	2.1E+00				2.1E+00
		Dibutyltin ion	ug/kg	1	1	ND	ND	ND				ND
		Tributyltin ion	ug/kg	1	1	ND	ND	ND				ND
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	1	0	0	9.3E-01	9.3E-01				9.3E-01
		2-Methylnaphthalene	ug/kg	1	0	0	1.3E+00	1.3E+00				1.3E+00
		Acenaphthene	ug/kg	1	0	0	3.0E-01	3.0E-01				3.0E-01
		Acenaphthylene	ug/kg	1	1	ND	ND	ND				ND
		Anthracene	ug/kg	1	0	0	1.2E+00	1.2E+00				1.2E+00
		Benzo(a)anthracene	ug/kg	1	0	0	1.9E+00	1.9E+00				1.9E+00
		Benzo(a)pyrene	ug/kg	1	1	ND	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	ND	ND	ND				ND
		Benzo(e)pyrene	ug/kg	1	0	0	1.2E+00	1.2E+00				1.2E+00
		Benzo(g,h,i)perylene	ug/kg	1	1	ND	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	ND	ND	ND				ND
		Chrysene	ug/kg	1	0	0	3.8E+00	3.8E+00				3.8E+00
		Dibenzo(a,h)anthracene	ug/kg	1	1	ND	ND	ND				ND
		Dibenzothiophene	ug/kg	1	1	ND	ND	ND				ND
		Fluoranthene	ug/kg	1	0	0	5.5E+00	5.5E+00				5.5E+00
		Fluorene	ug/kg	1	0	0	6.3E-01	6.3E-01				6.3E-01
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	ND	ND	ND				ND
		Naphthalene	ug/kg	1	1	ND	ND	ND				ND
		Perylene	ug/kg	1	1	ND	ND	ND				ND
		Phenanthrene	ug/kg	1	0	0	2.7E+00	2.7E+00				2.7E+00
		Pyrene	ug/kg	1	0	0	5.5E+00	5.5E+00				5.5E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	1	1	ND	ND	ND				ND
		Dibutyl phthalate	ug/kg	1	1	ND	ND	ND				ND
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	1	0	0	4.0E+03	4.0E+03				4.0E+03
		Benzyl alcohol	ug/kg	1	0	0	2.3E+01	2.3E+01				2.3E+01
		Bis(2-chloroethoxy) methane	ug/kg	1	1	ND	ND	ND				ND
		Dibenzofuran	ug/kg	1	0	0	5.1E-01	5.1E-01				5.1E-01
		Hexachlorobenzene	ug/kg	1	0	0	5.5E-01	5.5E-01				5.5E-01
		Hexachlorobutadiene	ug/kg	1	1	ND	ND	ND				ND
		Nitrobenzene	ug/kg	1	0	0	7.8E+01	7.8E+01				7.8E+01
		Phenols										
		4-Nitrophenol	ug/kg	1	1	ND	ND	ND				ND
		Phenol	ug/kg	1	1	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	1	0	0	8.6E+05	8.6E+05				8.6E+05
		Total PCBs, Adjusted	pg/g	1	0	0	8.4E+05	8.4E+05				8.4E+05
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	5.3E-01	5.3E-01				5.3E-01
		Total PCB TEQ	pg/g	1	0	0	1.7E+00	1.7E+00				1.7E+00
		Pesticides										
		Aldrin	ug/kg	1	1	ND	ND	ND				ND
		alpha-Hexachlorocyclohexane	ug/kg	1	1	ND	ND	ND				ND
		beta-Hexachlorocyclohexane	ug/kg	1	1	ND	ND	ND				ND
		Dieldrin	ug/kg	1	0	0	4.5E-01	4.5E-01				4.5E-01
		Endrin	ug/kg	1	1	ND	ND	ND				ND
		Endrin aldehyde	ug/kg	1	1	ND	ND	ND				ND
		Endrin ketone	ug/kg	1	1	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	1	0	0	2.6E-02	2.6E-02				2.6E-02
		Heptachlor	ug/kg	1	1	ND	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	0	0	3.3E-02	3.3E-02				3.3E-02
		Methoxychlor	ug/kg	1	1	ND	ND	ND				ND
		Total Chlordanes	ug/kg	1	0	0	1.8E+00	1.8E+00				1.8E+00
		Total DDD	ug/kg	1	0	0	1.7E+00	1.7E+00				1.7E+00
		Total DDE	ug/kg	1	0	0	5.4E+00	5.4E+00				5.4E+00
		Total DDT	ug/kg	1	0	0	7.6E-01	7.6E-01				7.6E-01
		Total Endosulfan	ug/kg	1	0	0	4.5E-01	4.5E-01				4.5E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19

Exposure Point Concentration Summary - Clam, by River Mile

| Scenario Timeframe: Current/Future |
| Medium: Shellfish Tissue |
| Exposure Medium: Clam, by River Mile |

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration
RM 11 West	UD	**Metals**										
		Aluminum	mg/kg	1	0	0	1.5E+02	1.5E+02		Fewer than 5 detects		1.5E+02
		Antimony	mg/kg	1	1	ND	ND	ND				ND
		Arsenic, inorganic	mg/kg	1	0	0	6.2E-02	6.2E-02				6.2E-02
		Cadmium	mg/kg	1	0	0	3.5E-02	3.5E-02				3.5E-02
		Chromium	mg/kg	1	0	0	5.0E-01	5.0E-01				5.0E-01
		Copper	mg/kg	1	0	0	4.6E+00	4.6E+00				4.6E+00
		Lead	mg/kg	1	0	0	7.0E-02	7.0E-02				7.0E-02
		Manganese	mg/kg	1	0	0	7.8E+00	7.8E+00				7.8E+00
		Mercury	mg/kg	1	0	0	2.0E-02	2.0E-02				2.0E-02
		Nickel	mg/kg	1	0	0	2.5E-01	2.5E-01				2.5E-01
		Selenium	mg/kg	1	0	0	1.4E-01	1.4E-01				1.4E-01
		Silver	mg/kg	1	0	0	4.4E-02	4.4E-02				4.4E-02
		Thallium	mg/kg	1	0	0	1.0E-03	1.0E-03				1.0E-03
		Zinc	mg/kg	1	0	0	2.8E+01	2.8E+01				2.8E+01
		Butyltins										
		Butyltin ion	ug/kg	1	1	ND	ND	ND				ND
		Dibutyltin ion	ug/kg	1	1	ND	ND	ND				ND
		Tributyltin ion	ug/kg	1	1	ND	ND	ND				ND
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	1	1	ND	ND	ND				ND
		2-Methylnaphthalene	ug/kg	1	1	ND	ND	ND				ND
		Acenaphthene	ug/kg	1	0	0	4.0E-01	4.0E-01				4.0E-01
		Acenaphthylene	ug/kg	1	1	ND	ND	ND				ND
		Anthracene	ug/kg	1	0	0	1.4E+00	1.4E+00				1.4E+00
		Benzo(a)anthracene	ug/kg	1	0	0	2.1E+00	2.1E+00				2.1E+00
		Benzo(a)pyrene	ug/kg	1	0	0	3.2E-01	3.2E-01				3.2E-01
		Benzo(b)fluoranthene	ug/kg	1	1	ND	ND	ND				ND
		Benzo(e)pyrene	ug/kg	1	0	0	1.2E+00	1.2E+00				1.2E+00
		Benzo(g,h,i)perylene	ug/kg	1	1	ND	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	ND	ND	ND				ND
		Chrysene	ug/kg	1	0	0	3.2E+00	3.2E+00				3.2E+00
		Dibenzo(a,h)anthracene	ug/kg	1	1	ND	ND	ND				ND
		Dibenzothiophene	ug/kg	1	1	ND	ND	ND				ND
		Fluoranthene	ug/kg	1	0	0	5.6E+00	5.6E+00				5.6E+00
		Fluorene	ug/kg	1	0	0	8.2E-01	8.2E-01				8.2E-01
		Indeno(1,2,3-cd)pyrene	ug/kg	1	0	0	1.5E-01	1.5E-01				1.5E-01
		Naphthalene	ug/kg	1	1	ND	ND	ND				ND
		Perylene	ug/kg	1	1	ND	ND	ND				ND
		Phenanthrene	ug/kg	1	0	0	3.6E+00	3.6E+00				3.6E+00
		Pyrene	ug/kg	1	0	0	4.9E+00	4.9E+00				4.9E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	1	1	ND	ND	ND				ND
		Dibutyl phthalate	ug/kg	1	1	ND	ND	ND				ND
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	1	0	0	5.2E+03	5.2E+03				5.2E+03
		Benzyl alcohol	ug/kg	1	0	0	2.3E+01	2.3E+01				2.3E+01
		Bis(2-chloroethoxy) methane	ug/kg	1	1	ND	ND	ND				ND
		Dibenzofuran	ug/kg	1	0	0	6.1E-01	6.1E-01				6.1E-01
		Hexachlorobenzene	ug/kg	1	0	0	6.7E-01	6.7E-01				6.7E-01
		Hexachlorobutadiene	ug/kg	1	1	ND	ND	ND				ND
		Nitrobenzene	ug/kg	1	0	0	2.3E+02	2.3E+02				2.3E+02
		Phenols										
		4-Nitrophenol	ug/kg	1	1	ND	ND	ND				ND
		Phenol	ug/kg	1	1	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	1	0	0	3.9E+04	3.9E+04				3.9E+04
		Total PCBs, Adjusted	pg/g	1	0	0	3.6E+04	3.6E+04				3.6E+04
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	5.8E-01	5.8E-01				5.8E-01
		Total PCB TEQ	pg/g	1	0	0	4.9E-01	4.9E-01				4.9E-01
		Pesticides										
		Aldrin	ug/kg	1	0	0	1.3E-01	1.3E-01				1.3E-01
		alpha-Hexachlorocyclohexane	ug/kg	1	1	ND	ND	ND				ND
		beta-Hexachlorocyclohexane	ug/kg	1	1	ND	ND	ND				ND
		Dieldrin	ug/kg	1	0	0	5.0E-01	5.0E-01				5.0E-01
		Endrin	ug/kg	1	1	ND	ND	ND				ND
		Endrin aldehyde	ug/kg	1	1	ND	ND	ND				ND
		Endrin ketone	ug/kg	1	1	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	1	0	0	1.8E-02	1.8E-02				1.8E-02
		Heptachlor	ug/kg	1	1	ND	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	0	0	4.7E-02	4.7E-02				4.7E-02
		Methoxychlor	ug/kg	1	1	ND	ND	ND				ND
		Total Chlordanes	ug/kg	1	0	0	2.0E+00	2.0E+00				2.0E+00
		Total DDD	ug/kg	1	0	0	1.6E+00	1.6E+00				1.6E+00
		Total DDE	ug/kg	1	0	0	6.0E+00	6.0E+00				6.0E+00
		Total DDT	ug/kg	1	0	0	9.8E-01	9.8E-01				9.8E-01
		Total Endosulfan	ug/kg	1	0	0	2.4E-01	2.4E-01				2.4E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	95% UCL Value	Exposure Point Concentration
RM 12 East	D	**Metals**										
		Aluminum	mg/kg	1	0	0	6.2E+01	6.2E+01		Fewer than 5 detects		6.2E+01
		Arsenic, inorganic	mg/kg	1	0	0	7.6E-02	7.6E-02				7.6E-02
		Cadmium	mg/kg	1	0	0	5.8E-02	5.8E-02				5.8E-02
		Chromium	mg/kg	1	0	0	5.0E-01	5.0E-01				5.0E-01
		Copper	mg/kg	1	0	0	7.6E+00	7.6E+00				7.6E+00
		Lead	mg/kg	1	0	0	1.1E-01	1.1E-01				1.1E-01
		Manganese	mg/kg	1	0	0	5.0E+00	5.0E+00				5.0E+00
		Mercury	mg/kg	1	0	0	2.2E-02	2.2E-02				2.2E-02
		Nickel	mg/kg	1	0	0	1.9E-01	1.9E-01				1.9E-01
		Selenium	mg/kg	1	0	0	1.2E-01	1.2E-01				1.2E-01
		Silver	mg/kg	1	0	0	7.5E-02	7.5E-02				7.5E-02
		Thallium	mg/kg	1	0	0	9.0E-04	9.0E-04				9.0E-04
		Zinc	mg/kg	1	0	0	2.4E+01	2.4E+01				2.4E+01
		Butyltins										
		Butyltin ion	ug/kg	1	1	ND	ND	ND				ND
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	1	1	ND	ND	ND				ND
		2-Methylnaphthalene	ug/kg	1	1	ND	ND	ND				ND
		Acenaphthene	ug/kg	1	1	ND	ND	ND				ND
		Acenaphthylene	ug/kg	1	0	0	2.3E-01	2.3E-01				2.3E-01
		Anthracene	ug/kg	1	0	0	1.2E+00	1.2E+00				1.2E+00
		Benzo(a)anthracene	ug/kg	1	0	0	1.7E+00	1.7E+00				1.7E+00
		Benzo(a)pyrene	ug/kg	1	0	0	3.1E-01	3.1E-01				3.1E-01
		Benzo(b)fluoranthene	ug/kg	1	1	ND	ND	ND				ND
		Benzo(e)pyrene	ug/kg	1	0	0	1.6E+00	1.6E+00				1.6E+00
		Benzo(g,h,i)perylene	ug/kg	1	1	ND	ND	ND				ND
		Chrysene	ug/kg	1	0	0	4.2E+00	4.2E+00				4.2E+00
		Dibenzothiophene	ug/kg	1	1	ND	ND	ND				ND
		Fluoranthene	ug/kg	1	0	0	5.9E+00	5.9E+00				5.9E+00
		Fluorene	ug/kg	1	0	0	6.0E-01	6.0E-01				6.0E-01
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	ND	ND	ND				ND
		Perylene	ug/kg	1	1	ND	ND	ND				ND
		Phenanthrene	ug/kg	1	0	0	2.6E+00	2.6E+00				2.6E+00
		Pyrene	ug/kg	1	0	0	5.9E+00	5.9E+00				5.9E+00
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	1	0	0	2.7E+03	2.7E+03				2.7E+03
		Dibenzofuran	ug/kg	1	0	0	4.6E-01	4.6E-01				4.6E-01
		Hexachlorobenzene	ug/kg	1	0	0	5.5E-01	5.5E-01				5.5E-01
		Hexachlorobutadiene	ug/kg	1	1	ND	ND	ND				ND
		Nitrobenzene	ug/kg	1	0	0	9.6E+01	9.6E+01				9.6E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Phenols										
		2-Methylphenol	ug/kg	1	1	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total PCB Congeners	pg/g	1	0	0	8.7E+04	8.7E+04				8.7E+04
		Total PCBs, Adjusted	pg/g	1	0	0	8.3E+04	8.3E+04				8.3E+04
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	2.6E-01	2.6E-01				2.6E-01
		Total PCB TEQ	pg/g	1	0	0	5.2E-01	5.2E-01				5.2E-01
		Pesticides										
		Aldrin	ug/kg	1	1	ND	ND	ND				ND
		Dieldrin	ug/kg	1	0	0	4.3E-01	4.3E-01				4.3E-01
		gamma-Hexachlorocyclohexane	ug/kg	1	0	0	2.2E-02	2.2E-02				2.2E-02
		Heptachlor epoxide	ug/kg	1	0	0	3.7E-02	3.7E-02				3.7E-02
		Total Chlordanes	ug/kg	1	0	0	1.9E+00	1.9E+00				1.9E+00
		Total DDD	ug/kg	1	0	0	1.5E+00	1.5E+00				1.5E+00
		Total DDE	ug/kg	1	0	0	4.8E+00	4.8E+00				4.8E+00
		Total DDT	ug/kg	1	0	0	7.9E-01	7.9E-01				7.9E-01
		Total Endosulfan	ug/kg	1	0	0	5.0E-01	5.0E-01				5.0E-01
RM 12 East	UD	**Metals**										
		Aluminum	mg/kg	1	0	0	1.1E+02	1.1E+02		Fewer than 5 detects		1.1E+02
		Antimony	mg/kg	1	1	ND	ND	ND				ND
		Arsenic, inorganic	mg/kg	1	0	0	8.0E-02	8.0E-02				8.0E-02
		Cadmium	mg/kg	1	0	0	5.3E-02	5.3E-02				5.3E-02
		Chromium	mg/kg	1	0	0	7.0E-01	7.0E-01				7.0E-01
		Copper	mg/kg	1	0	0	7.0E+00	7.0E+00				7.0E+00
		Lead	mg/kg	1	0	0	1.8E-01	1.8E-01				1.8E-01
		Manganese	mg/kg	1	0	0	6.5E+00	6.5E+00				6.5E+00
		Mercury	mg/kg	1	0	0	2.5E-02	2.5E-02				2.5E-02
		Nickel	mg/kg	1	0	0	2.2E-01	2.2E-01				2.2E-01
		Selenium	mg/kg	1	0	0	1.4E-01	1.4E-01				1.4E-01
		Silver	mg/kg	1	0	0	6.4E-02	6.4E-02				6.4E-02
		Thallium	mg/kg	1	0	0	1.1E-03	1.1E-03				1.1E-03
		Zinc	mg/kg	1	0	0	3.0E+01	3.0E+01				3.0E+01
		Butyltins										
		Butyltin ion	ug/kg	1	1	ND	ND	ND				ND
		Dibutyltin ion	ug/kg	1	1	ND	ND	ND				ND
		Tributyltin ion	ug/kg	1	1	ND	ND	ND				ND
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	1	0	0	8.1E-01	8.1E-01				8.1E-01
		2-Methylnaphthalene	ug/kg	1	0	0	1.7E+00	1.7E+00				1.7E+00

LWG
Lower Willamette Group

TABLE 3-19
Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Acenaphthene	ug/kg	1	0	0	7.3E-01	7.3E-01				7.3E-01
		Acenaphthylene	ug/kg	1	1	ND	ND	ND				ND
		Anthracene	ug/kg	1	0	0	1.8E+00	1.8E+00				1.8E+00
		Benzo(a)anthracene	ug/kg	1	0	0	2.6E+00	2.6E+00				2.6E+00
		Benzo(a)pyrene	ug/kg	1	1	ND	ND	ND				ND
		Benzo(b)fluoranthene	ug/kg	1	1	ND	ND	ND				ND
		Benzo(e)pyrene	ug/kg	1	0	0	2.3E+00	2.3E+00				2.3E+00
		Benzo(g,h,i)perylene	ug/kg	1	1	ND	ND	ND				ND
		Benzo(k)fluoranthene	ug/kg	1	1	ND	ND	ND				ND
		Chrysene	ug/kg	1	0	0	6.3E+00	6.3E+00				6.3E+00
		Dibenzo(a,h)anthracene	ug/kg	1	1	ND	ND	ND				ND
		Dibenzothiophene	ug/kg	1	1	ND	ND	ND				ND
		Fluoranthene	ug/kg	1	0	0	7.8E+00	7.8E+00				7.8E+00
		Fluorene	ug/kg	1	0	0	9.6E-01	9.6E-01				9.6E-01
		Indeno(1,2,3-cd)pyrene	ug/kg	1	1	ND	ND	ND				ND
		Naphthalene	ug/kg	1	0	0	7.8E+01	7.8E+01				7.8E+01
		Perylene	ug/kg	1	1	ND	ND	ND				ND
		Phenanthrene	ug/kg	1	0	0	4.2E+00	4.2E+00				4.2E+00
		Pyrene	ug/kg	1	0	0	8.9E+00	8.9E+00				8.9E+00
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	1	0	0	1.5E+02	1.5E+02				1.5E+02
		Dibutyl phthalate	ug/kg	1	1	ND	ND	ND				ND
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	1	0	0	3.4E+03	3.4E+03				3.4E+03
		Benzyl alcohol	ug/kg	1	1	ND	ND	ND				ND
		Bis(2-chloroethoxy) methane	ug/kg	1	1	ND	ND	ND				ND
		Dibenzofuran	ug/kg	1	0	0	6.3E-01	6.3E-01				6.3E-01
		Hexachlorobenzene	ug/kg	1	0	0	7.8E-01	7.8E-01				7.8E-01
		Hexachlorobutadiene	ug/kg	1	0	0	4.0E-03	4.0E-03				4.0E-03
		Nitrobenzene	ug/kg	1	0	0	1.7E+02	1.7E+02				1.7E+02
		Phenols										
		4-Nitrophenol	ug/kg	1	1	ND	ND	ND				ND
		Phenol	ug/kg	1	1	ND	ND	ND				ND
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	NA	NA	NA	NA	NA				NA
		Total PCB Congeners	pg/g	1	0	0	1.4E+05	1.4E+05				1.4E+05
		Total PCBs, Adjusted	pg/g	1	0	0	1.4E+05	1.4E+05				1.4E+05
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	1	0	0	6.8E-01	6.8E-01				6.8E-01
		Total PCB TEQ	pg/g	1	0	0	9.2E-01	9.2E-01				9.2E-01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-19

Exposure Point Concentration Summary - Clam, by River Mile

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, by River Mile

Exposure Point[a]	Tissue Type	Chemical of Potential Concern[b]	Units	Total Samples	Total Non-Detects[c]	Non-Detects greater than Maximum Detected Concentration[d]	Arithmetic Mean[e]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Pesticides										
		Aldrin	ug/kg	1	0	0	1.1E-01	1.1E-01				1.1E-01
		alpha-Hexachlorocyclohexane	ug/kg	1	1	ND	ND	ND				ND
		beta-Hexachlorocyclohexane	ug/kg	1	1	ND	ND	ND				ND
		Dieldrin	ug/kg	1	0	0	6.1E-01	6.1E-01				6.1E-01
		Endrin	ug/kg	1	1	ND	ND	ND				ND
		Endrin aldehyde	ug/kg	1	1	ND	ND	ND				ND
		Endrin ketone	ug/kg	1	1	ND	ND	ND				ND
		gamma-Hexachlorocyclohexane	ug/kg	1	0	0	3.6E-02	3.6E-02				3.6E-02
		Heptachlor	ug/kg	1	1	ND	ND	ND				ND
		Heptachlor epoxide	ug/kg	1	1	ND	ND	ND				ND
		Methoxychlor	ug/kg	1	1	ND	ND	ND				ND
		Total Chlordanes	ug/kg	1	0	0	2.5E+00	2.5E+00				2.5E+00
		Total DDD	ug/kg	1	0	0	2.0E+00	2.0E+00				2.0E+00
		Total DDE	ug/kg	1	0	0	6.3E+00	6.3E+00				6.3E+00
		Total DDT	ug/kg	1	0	0	1.1E+00	1.1E+00				1.1E+00
		Total Endosulfan	ug/kg	1	0	0	4.4E-01	4.4E-01				4.4E-01

Notes:

a Exposure areas for clam tissue are on a RM basis per side of river, such that samples collected from RM 3.0 - 3.9 west of the navigation channel are included in exposure area RM 3 West, etc. Swan Island Lagoon is its own exposure area.

b Chemicals listed are analytes detected in each tissue type at least once within the Study Area.

c Total number of non-detects in the dataset.

d Number of non-detects with detection limit exceeding the maximum detected concentration for the exposure area. These non-detects were removed from the dataset prior to calculation of EPCs.

e Non-detects less than the maximum detected concentration for a given exposure area are included in the arithmetic mean at half the detection limit.

f 95% UCL not calculated for analytes with fewer than five detects.

g "Total PCBs, Adjusted" equals "Total PCB Congeners" minus the sum of total dioxin-like PCBs concentrations.

Abbreviations:

-- = Not applicable. A 95% UCL could not be computed for the given data set.

95% UCL = 95% Upper confidence limit on the mean.

D = Depurated tissue.

DDD = Dichlorodiphenyldichloroethane.

DDE = Dichlorodiphenyldichloroethylene.

DDT = Dichlorodiphenyltrichloroethane.

mg/kg = Milligrams per kilogram.

NA = Not available. Chemical not analyzed or had rejected result for given exposure area.

ND = Not detected in the given exposure area.

PCB = Polychlorinated biphenyls.

pg/g = Picograms per gram.

RM = River mile.

TEQ = Toxic equivalents.

UD = Undepurated tissue.

ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-20
Exposure Point Concentration Summary - Clam, Study Area-Wide

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, Study Area-Wide

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
Study Area-wide	D	**Metals**										
		Aluminum	mg/kg	3	0	0	3.4E+01	4.7E+01		Fewer than 5 detects[e]		4.7E+01
		Arsenic, inorganic	mg/kg	3	0	0	9.9E-02	1.4E-01				1.4E-01
		Cadmium	mg/kg	3	0	0	8.1E-02	1.0E-01				1.0E-01
		Chromium	mg/kg	3	0	0	4.7E-01	5.0E-01				5.0E-01
		Copper	mg/kg	3	0	0	7.6E+00	9.0E+00				9.0E+00
		Lead	mg/kg	3	0	0	4.8E-02	5.8E-02				5.8E-02
		Manganese	mg/kg	3	0	0	4.6E+00	5.1E+00				5.1E+00
		Mercury	mg/kg	2	0	0	2.1E-02	2.2E-02				2.2E-02
		Nickel	mg/kg	3	0	0	1.9E-01	2.0E-01				2.0E-01
		Selenium	mg/kg	3	0	0	1.5E-01	1.8E-01				1.8E-01
		Silver	mg/kg	3	0	0	4.8E-02	6.2E-02				6.2E-02
		Thallium	mg/kg	3	0	0	1.4E-03	2.7E-03				2.7E-03
		Zinc	mg/kg	3	0	0	2.3E+01	2.8E+01				2.8E+01
		Butyltins										
		Butyltin ion	ug/kg	2	1	1	1.5E+00	1.5E+00				1.5E+00
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	3	1	0	6.9E-01	1.0E+00				1.0E+00
		2-Methylnaphthalene	ug/kg	3	1	0	1.1E+00	1.6E+00				1.6E+00
		Acenaphthene	ug/kg	3	0	0	1.9E+00	4.8E+00				4.8E+00
		Acenaphthylene	ug/kg	3	1	0	2.9E-01	6.2E-01				6.2E-01
		Anthracene	ug/kg	3	0	0	2.3E+00	4.4E+00				4.4E+00
		Benzo(a)anthracene	ug/kg	3	0	0	4.2E+00	8.2E+00				8.2E+00
		Benzo(a)pyrene	ug/kg	3	2	0	2.1E-01	4.3E-01				4.3E-01
		Benzo(b)fluoranthene	ug/kg	3	1	0	1.0E+00	1.8E+00				1.8E+00
		Benzo(e)pyrene	ug/kg	3	0	0	2.4E+00	4.6E+00				4.6E+00
		Benzo(g,h,i)perylene	ug/kg	3	2	0	4.2E-01	8.6E-01				8.6E-01
		Chrysene	ug/kg	3	0	0	8.0E+00	1.6E+01				1.6E+01
		Dibenzothiophene	ug/kg	3	0	0	9.3E-01	2.1E+00				2.1E+00
		Fluoranthene	ug/kg	3	0	0	3.4E+01	8.4E+01				8.4E+01
		Fluorene	ug/kg	3	0	0	2.1E+00	4.7E+00				4.7E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	3	2	0	1.5E-01	3.0E-01				3.0E-01
		Perylene	ug/kg	3	2	0	3.5E-01	9.1E-01				9.1E-01
		Phenanthrene	ug/kg	3	0	0	1.1E+01	2.5E+01				2.5E+01
		Pyrene	ug/kg	3	0	0	2.7E+01	6.8E+01				6.8E+01
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	2	0	0	2.6E+03	3.2E+03				3.2E+03
		Dibenzofuran	ug/kg	3	0	0	7.7E-01	1.3E+00				1.3E+00
		Hexachlorobenzene	ug/kg	3	0	0	5.5E-01	6.6E-01				6.6E-01
		Hexachlorobutadiene	ug/kg	3	2	1	6.1E-03	9.8E-03				9.8E-03
		Nitrobenzene	ug/kg	2	0	0	7.3E+01	8.6E+01				8.6E+01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-20

Exposure Point Concentration Summary - Clam, Study Area-Wide

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, Study Area-Wide

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	Distribution	95% UCL Method	Value	Exposure Point Concentration
		Phenols										
		2-Methylphenol	ug/kg	2	1	0	6.9E+00	9.7E+00				9.7E+00
		Polychlorinated Biphenyls										
		Total PCB Congeners	pg/g	3	0	0	2.4E+05	4.8E+05				4.8E+05
		Total PCBs, Adjusted[f]	pg/g	3	0	0	2.3E+05	4.7E+05				4.7E+05
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	3	0	0	2.9E-01	3.7E-01				3.7E-01
		Total PCB TEQ	pg/g	3	0	0	7.4E-01	8.6E-01				8.6E-01
		Pesticides										
		Aldrin	ug/kg	3	1	0	1.6E-01	2.8E-01				2.8E-01
		Dieldrin	ug/kg	3	0	0	5.1E-01	5.9E-01				5.9E-01
		gamma-Hexachlorocyclohexane	ug/kg	3	1	0	2.6E-02	3.7E-02				3.7E-02
		Heptachlor epoxide	ug/kg	3	0	0	3.5E-02	4.5E-02				4.5E-02
		Total Chlordanes	ug/kg	3	0	0	2.3E+00	3.1E+00				3.1E+00
		Total DDD	ug/kg	3	0	0	4.9E+00	1.1E+01				1.1E+01
		Total DDE	ug/kg	3	0	0	9.2E+00	1.5E+01				1.5E+01
		Total DDT	ug/kg	3	0	0	1.0E+00	1.7E+00				1.7E+00
		Total Endosulfan	ug/kg	3	0	0	4.1E-01	5.1E-01				5.1E-01
Study Area-wide	UD	**Metals**										
		Aluminum	mg/kg	38	0	0	9.0E+01	2.0E+02	gamma	95% KM (BCA) UCL	1.0E+02	1.0E+02
		Antimony	mg/kg	38	22	1	1.4E-03	4.0E-03	non-parametric	95% KM (t) UCL	1.7E-03	1.7E-03
		Arsenic, inorganic	mg/kg	38	0	0	9.1E-02	1.3E-01	normal	95% KM (t) UCL	9.4E-02	9.4E-02
		Cadmium	mg/kg	38	0	0	8.8E-02	2.2E-01	lognormal	95% KM (Chebyshev) UCL	1.1E-01	1.1E-01
		Chromium	mg/kg	38	0	0	6.2E-01	1.1E+00	gamma	95% KM (BCA) UCL	6.6E-01	6.6E-01
		Copper	mg/kg	38	0	0	9.2E+00	1.4E+01	normal	95% KM (t) UCL	9.6E+00	9.6E+00
		Lead	mg/kg	38	0	0	9.1E-02	3.2E-01	lognormal	95% KM (Chebyshev) UCL	1.3E-01	1.3E-01
		Manganese	mg/kg	10	0	0	5.9E+00	7.8E+00	normal	95% KM (t) UCL	6.9E+00	6.9E+00
		Mercury	mg/kg	35	0	0	1.1E-02	2.6E-02	lognormal	95% KM (Chebyshev) UCL	1.5E-02	1.5E-02
		Nickel	mg/kg	38	0	0	3.0E-01	4.9E-01	normal	95% KM (t) UCL	3.2E-01	3.2E-01
		Selenium	mg/kg	38	2	0	1.2E-01	2.2E-01	lognormal	95% KM (Chebyshev) UCL	1.6E-01	1.6E-01
		Silver	mg/kg	38	0	0	5.2E-02	1.0E-01	normal	95% KM (t) UCL	5.7E-02	5.7E-02
		Thallium	mg/kg	10	0	0	1.1E-03	2.0E-03	normal	95% KM (t) UCL	1.4E-03	1.4E-03
		Zinc	mg/kg	38	0	0	3.4E+01	5.4E+01	normal	95% KM (t) UCL	3.6E+01	3.6E+01
		Butyltins										
		Butyltin ion	ug/kg	34	11	0	5.1E+00	9.7E+01	non-parametric	95% KM (BCA) UCL	1.1E+01	1.1E+01
		Dibutyltin ion	ug/kg	34	5	0	2.2E+01	5.6E+02	non-parametric	97.5% KM (Chebyshev) UCL	1.2E+02	1.2E+02
		Tributyltin ion	ug/kg	34	12	0	2.3E+01	5.3E+02	non-parametric	97.5% KM (Chebyshev) UCL	1.2E+02	1.2E+02
		Polynuclear Aromatic Hydrocarbons										
		1-Methylnaphthalene	ug/kg	7	0	0	1.3E+00	1.7E+00	normal	95% KM (t) UCL	1.6E+00	1.6E+00
		2-Methylnaphthalene	ug/kg	39	3	3	2.9E+00	2.2E+01	non-parametric	95% KM (Chebyshev) UCL	6.2E+00	6.2E+00
		Acenaphthene	ug/kg	39	4	0	5.6E+00	6.1E+01	non-parametric	97.5% KM (Chebyshev) UCL	1.5E+01	1.5E+01
		Acenaphthylene	ug/kg	39	7	3	2.1E+00	1.4E+01	non-parametric	95% KM (Chebyshev) UCL	4.3E+00	4.3E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-20
Exposure Point Concentration Summary - Clam, Study Area-Wide

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, Study Area-Wide

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL Distribution	95% UCL Method	Value	Exposure Point Concentration
		Anthracene	ug/kg	39	3	0	1.1E+01	7.8E+01	non-parametric	95% KM (Chebyshev) UCL	2.1E+01	2.1E+01
		Benzo(a)anthracene	ug/kg	39	2	0	6.3E+01	6.7E+02	lognormal	97.5% KM (Chebyshev) UCL	2.1E+02	2.1E+02
		Benzo(a)pyrene	ug/kg	39	5	0	3.2E+01	4.9E+02	non-parametric	97.5% KM (Chebyshev) UCL	1.4E+02	1.4E+02
		Benzo(b)fluoranthene	ug/kg	39	5	0	3.4E+01	4.6E+02	non-parametric	97.5% KM (Chebyshev) UCL	1.3E+02	1.3E+02
		Benzo(e)pyrene	ug/kg	7	0	0	5.0E+00	1.1E+01	normal	95% KM (t) UCL	7.8E+00	7.8E+00
		Benzo(g,h,i)perylene	ug/kg	39	5	0	1.9E+01	2.3E+02	non-parametric	97.5% KM (Chebyshev) UCL	6.6E+01	6.6E+01
		Benzo(k)fluoranthene	ug/kg	39	7	0	2.2E+01	3.1E+02	non-parametric	99% KM (Chebyshev) UCL	1.3E+02	1.3E+02
		Chrysene	ug/kg	39	2	0	6.5E+01	5.6E+02	lognormal	97.5% KM (Chebyshev) UCL	1.9E+02	1.9E+02
		Dibenzo(a,h)anthracene	ug/kg	39	29	0	3.8E+00	4.3E+01	approx. gamma	95% KM (t) UCL	5.4E+00	5.4E+00
		Dibenzothiophene	ug/kg	7	3	0	1.2E+00	3.2E+00	--	Fewer than 5 detects	--	3.2E+00
		Fluoranthene	ug/kg	39	0	0	1.0E+02	7.7E+02	lognormal	97.5% KM (Chebyshev) UCL	2.6E+02	2.6E+02
		Fluorene	ug/kg	39	3	0	5.6E+00	3.6E+01	non-parametric	95% KM (Chebyshev) UCL	9.3E+00	9.3E+00
		Indeno(1,2,3-cd)pyrene	ug/kg	39	12	0	1.2E+01	1.7E+02	non-parametric	99% KM (Chebyshev) UCL	6.9E+01	6.9E+01
		Naphthalene	ug/kg	39	35	0	3.2E+00	3.3E+01	--	Fewer than 5 detects	--	3.3E+01
		Perylene	ug/kg	7	2	0	5.5E-01	1.3E+00	normal	95% KM (t) UCL	9.2E-01	9.2E-01
		Phenanthrene	ug/kg	39	3	0	3.6E+01	3.0E+02	lognormal	97.5% KM (Chebyshev) UCL	9.4E+01	9.4E+01
		Pyrene	ug/kg	39	0	0	1.1E+02	8.5E+02	lognormal	97.5% KM (Chebyshev) UCL	2.9E+02	2.9E+02
		Phthalates										
		Bis(2-ethylhexyl) phthalate	ug/kg	38	32	2	4.8E+01	1.5E+02	normal	95% KM (t) UCL	8.8E+01	8.8E+01
		Dibutyl phthalate	ug/kg	38	37	0	6.1E+01	1.3E+03	--	Fewer than 5 detects	--	1.3E+03
		Semivolatile Organic Compounds										
		Benzoic acid	ug/kg	7	0	0	3.8E+03	5.9E+03	normal	95% KM (t) UCL	4.8E+03	4.8E+03
		Benzyl alcohol	ug/kg	38	9	0	6.5E+01	1.3E+03	non-parametric	97.5% KM (Chebyshev) UCL	2.7E+02	2.7E+02
		Bis(2-chloroethoxy) methane	ug/kg	10	9	3	1.0E+01	4.6E+01	--	Fewer than 5 detects	--	4.6E+01
		Dibenzofuran	ug/kg	39	7	3	1.6E+00	1.7E+01	non-parametric	95% KM (Chebyshev) UCL	3.7E+00	3.7E+00
		Hexachlorobenzene	ug/kg	42	4	3	6.0E-01	1.1E+00	normal	95% KM (t) UCL	6.5E-01	6.5E-01
		Hexachlorobutadiene	ug/kg	38	35	29	7.6E-03	2.5E-02	--	Fewer than 5 detects	--	2.5E-02
		Nitrobenzene	ug/kg	10	3	0	1.8E+02	5.2E+02	normal	95% KM (t) UCL	2.9E+02	2.9E+02
		Phenols										
		4-Nitrophenol	ug/kg	10	9	3	7.0E+00	1.9E+01	--	Fewer than 5 detects	--	1.9E+01
		Phenol	ug/kg	38	37	0	9.0E+01	2.6E+03	--	Fewer than 5 detects	--	2.6E+03
		Polychlorinated Biphenyls										
		Total Aroclors	ug/kg	3	0	0	9.7E+01	1.3E+02	--	Fewer than 5 detects	--	1.3E+02
		Total PCB Congeners	pg/g	38	0	0	2.4E+05	2.7E+06	non-parametric	95% KM (Chebyshev) UCL	5.5E+05	5.5E+05
		Total PCBs, Adjusted	pg/g	38	0	0	2.3E+05	2.6E+06	non-parametric	95% KM (Chebyshev) UCL	5.4E+05	5.4E+05
		Dioxin/Furan										
		Total Dioxin/Furan TEQ	pg/g	36	0	0	1.1E+00	5.6E+00	non-parametric	95% KM (Chebyshev) UCL	1.9E+00	1.9E+00
		Total PCB TEQ	pg/g	38	0	0	1.8E+00	8.6E+00	non-parametric	95% KM (Chebyshev) UCL	2.9E+00	2.9E+00
		Pesticides										
		Aldrin	ug/kg	41	4	0	3.8E-01	5.1E+00	non-parametric	95% KM (Chebyshev) UCL	8.8E-01	8.8E-01
		alpha-Hexachlorocyclohexane	ug/kg	41	28	7	8.1E-03	2.1E-02	normal	95% KM (t) UCL	1.0E-02	1.0E-02
		beta-Hexachlorocyclohexane	ug/kg	41	40	1	6.8E-02	1.2E+00	--	Fewer than 5 detects	--	1.2E+00

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 3-20

Exposure Point Concentration Summary - Clam, Study Area-Wide

Scenario Timeframe: Current/Future
Medium: Shellfish Tissue
Exposure Medium: Clam, Study Area-Wide

Exposure Point	Tissue Type	Chemical of Potential Concern[a]	Units	Total Samples	Total Non-Detects[b]	Non-Detects greater than Maximum Detected Concentration[c]	Arithmetic Mean[d]	Maximum Detected Concentration	95% UCL			Exposure Point Concentration
									Distribution	95% UCL Method	Value	
		Dieldrin	ug/kg	41	3	0	8.2E-01	2.6E+00	lognormal	95% KM (Chebyshev) UCL	1.1E+00	1.1E+00
		Endrin	ug/kg	41	22	3	1.3E-02	6.4E-02	non-parametric	95% KM (t) UCL	1.7E-02	1.7E-02
		Endrin aldehyde	ug/kg	41	40	2	3.1E-02	3.9E-01	--	Fewer than 5 detects	--	3.9E-01
		Endrin ketone	ug/kg	41	29	14	2.9E-03	1.4E-02	lognormal	95% KM (t) UCL	4.0E-03	4.0E-03
		gamma-Hexachlorocyclohexane	ug/kg	41	8	4	5.4E-02	8.4E-02	non-parametric	95% KM (Chebyshev) UCL	6.9E-02	6.9E-02
		Heptachlor	ug/kg	41	22	3	2.4E-02	4.2E-01	non-parametric	95% KM (t) UCL	4.3E-02	4.3E-02
		Heptachlor epoxide	ug/kg	41	4	1	1.4E-01	2.1E+00	non-parametric	95% KM (Chebyshev) UCL	4.0E-01	4.0E-01
		Methoxychlor	ug/kg	41	39	3	2.6E-02	3.2E-01	--	Fewer than 5 detects	--	3.2E-01
		Total Chlordanes	ug/kg	41	0	0	4.2E+00	1.6E+01	non-parametric	95% KM (Chebyshev) UCL	5.9E+00	5.9E+00
		Total DDD	ug/kg	41	0	0	2.5E+01	2.4E+02	non-parametric	95% KM (Chebyshev) UCL	5.8E+01	5.8E+01
		Total DDE	ug/kg	41	0	0	1.8E+01	1.1E+02	non-parametric	95% KM (Chebyshev) UCL	3.1E+01	3.1E+01
		Total DDT	ug/kg	41	1	0	8.6E+00	1.1E+02	non-parametric	95% KM (Chebyshev) UCL	2.3E+01	2.3E+01
		Total Endosulfan	ug/kg	41	4	1	9.0E-01	1.5E+00	normal	95% KM (t) UCL	1.0E+00	1.0E+00

Notes:

a Chemicals listed are analytes detected in each tissue type at least once within the Study Area.

b Total number of non-detects in the dataset.

c Number of non-detects with detection limit exceeding the maximum detected concentration for the exposure area. These non-detects were removed from the dataset prior to calculation of EPCs.

d Non-detects less than the maximum detected concentration for a given exposure area are included in the arithmetic mean at half the detection limit.

e 95% UCL not calculated for analytes with fewer than five detects.

f "Total PCBs, Adjusted" equals "Total PCB Congeners" minus the sum of total dioxin-like PCBs concentrations.

Abbreviations:

-- = Not applicable. A 95% UCL could not be computed for the given data set.

95% UCL = 95% Upper confidence limit on the mean.

D = Depurated tissue.

DDD = Dichlorodiphenyldichloroethane.

DDE = Dichlorodiphenyldichloroethylene.

DDT = Dichlorodiphenyltrichloroethane.

mg/kg = Milligrams per kilogram.

PCB = Polychlorinated biphenyls.

pg/g = Picograms per gram.

RM = River mile.

TEQ = Toxic equivalents.

UD = Undepurated tissue.

ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 3-21
Values for Daily Intake Calculations
Beach Sediment Exposures

Exposure Route	Daily Intake Equation (mg/kg-day)	Parameter Code	Parameter Definition	Units	Dockside Worker RME Value	Source	Dockside Worker CT Value	Source	Transients RME Value	Source	Transients CT Value	Source	Adult Recreational Beach User RME Value	Source	Adult Recreational Beach User CT Value	Source	Child Recreational Beach User RME Value	Source	Child Recreational Beach User CT Value	Source	Tribal Fisher RME Value	Source	Tribal Fisher CT Value	Source	Fisher High frequency RME Value	Source	Fisher High frequency CT Value	Source	Fisher Low frequency RME Value	Source	Fisher Low frequency CT Value	Source
		EPC	Exposure Point Concentration	mg/kg	CS, see Table 3-2				CS, see Table 3-3				CS, see Table 3-3				CS, see Table 3-3				CS, see Table 3-3				CS, see Table 3-3				CS, see Table 3-3		
General and Chemical-Specific Exposure Parameters		BW	Body weight	kg	70	a	70	a	70	a	70	a	70	a	70	a	15	b	15	b	70	a	70	a	70	a	70	a	70	a	70	a
		EF	Exposure frequency	days/year	50	c	44	d	365	e	183	f	94	g	38	h	94	g	38	h	260	i	104	j	156	k	52	l	104	j	26	m
		ED	Exposure duration	years	25	n	9	n	2	o	1	o	30	p	9	p	6	q	6	q	70	r	30	s	30	p	9	p	30	p	9	p
		ATc	Averaging time, cancer	days	25,550	a	25,550	a	25,550	a	25,550	a	25,550	a	25,550	a	25,550	a	25,550	a	25,550	a	25,550	a	25,550	a	25,550	a	25,550	a	25,550	a
		ATnc	Averaging time, noncancer	days	9,125	a	3,285	a	730	a	365	a	10,950	a	3,285	a	2,190	a	2,190	a	25,550	a	10,950	a	10,950	a	3,285	a	10,950	a	3,285	a
		ABS	Absorption factor	--	CS		CS		CS		CS		CS		CS		CS		CS		CS		CS		CS		CS		CS		CS	
Beach Sediment - Ingestion	EPC x SIR x EF x ED x CF x 1/BW x 1/AT	SIR	Sediment ingestion rate	mg/day	200	t	50	t	200	u	50	v	100	v	50	v	200	w	100	w	100	v	50	v	100	v	50	v	100	v	50	v
		CF	Conversion Factor	kg/mg	1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06	
Beach Sediment - Dermal	EPC x SA x AF x ABS x EV x EF x ED x CF x 1/BW x 1/AT	SA	Skin surface area	cm2	3,300	x	3,300	x	5,700	v	5,700	v	5,700	v	5,700	v	2,800	w	2,800	w	5,700	v	5,700	v	5,700	v	5,700	v	5,700	v	5,700	v
		AF	Adherence factor	mg/cm2-event	0.2	x	0.02	x	0.3	y	0.07	z	0.3	y	0.07	z	3.3	aa	0.2	ab	0.3	y	0.07	z	0.3	y	0.07	z	0.3	y	0.07	z
		EV	Event Frequency	events/day	1		1		1		1		1		1		1		1		1		1		1		1		1		1	
		CF	Conversion Factor	kg/mg	1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06	

Notes:
a Recommended value (EPA 1989).
b Recommended value for children (EPA 1991).
c BPJ. Equivalent to 1 day /wk with direct sediment contact during 250 days/yr at facility, which is recommended for occupational exposure (EPA 1991).
d BPJ. Equivalent to 1 day /wk with direct sediment contact during 219 days/yr at facility, which is recommended for occupational exposure (EPA 1991).
e BPJ. Equivalent to every day during the entire year.
f BPJ. Equivalent to every day for half the year.
g BPJ. 5 days per week during summer (13 weeks), 1 day per week during spring/fall (26 weeks), 1 day per month during winter (3 months).
h BPJ. 2 days per week during summer (13 weeks), 2 days per month during spring/fall (6 months).
i Required by Region 10. 5 days per week for entire year.
j Required by Region 10. 2 days per week for entire year.
k Required by Region 10. 3 days per week for entire year.
l Required by Region 10. 1 day per week for entire year.
m Required by Region 10. 1 day every other week for entire year.
n Recommended value for occupational exposures (EPA 1991).
o BPJ.
p Recomennded value for residential occupancy (EPA 1997).
q Recommended value for children (EPA 1991).
r Conventional lifetime (EPA 1989).
s 95th percentile for time at one residence (same as recommended RME for resiential adults (EPA 1997)).
t Recommended value for occupational exposures (EPA 2000a).
u Required by EPA Region 10.
v Recommended value for residential adult exposures (EPA 2000a).
w Recommended value for residential child exposures (EPA 2000a).
x Recommended value for adult industrial scenario (EPA 2004a).
y Value for residential adults as gardeners (EPA 2004a).
z Value for residential adults as gardeners (same as recommende/d RME for residential adults) (EPA 2004a).
aa Value for children playing in wet soil (EPA 2004a).
bb Value for children playing in wet soil (same as recommended RME for residential children (EPA 2004a)).

Abbreviations:
-- = Not applicable.
BPJ = Best Professional Judgement.
cm2 = squared centimeter.
CS = Chemical-specific value.
CT = Central Tendency Exposure.
kg = kilogram.
mg = milligram.
RME = Reasonable Maximum Exposure.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 3-22
Values for Daily Intake Calculations
In-water Sediment Exposures

Exposure Route	Daily Intake Equation (mg/kg-day)	Parameter Code	Parameter Definition	Units	In-water Worker RME Value	Source	In-water Worker CT Value	Source	Tribal Fisher RME Value	Source	Tribal Fisher CT Value	Source	Fisher High frequency RME Value	Source	Fisher High frequency CT Value	Source	Fisher Low frequency RME Value	Source	Fisher Low frequency CT Value	Source	Diver in Wet Suit RME Value	Source	Diver in Wet Suit CT Value	Source	Diver in Dry Suit RME Value	Source
General and Chemical-Specific Exposure Parameters		EPC	Exposure Point Concentration	mg/kg	CS, see Table 3-4				CS, see Table 3-4				CS, see Table 3-4				CS, see Table 3-4				CS, see Table 3-4				CS, see Table 3-4	
		BW	Body weight	kg	70	a	70	a	70	a	70	a	70	a	70	a	70	a	70	a	70	a	70	a	70	a
		EF	Exposure frequency	days/year	10	b	10	b	260	c	104	d	156	e	52	f	104	d	26	g	5	h	2	h	5	h
		ED	Exposure duration	years	10	i	4	j	70	k	30	l	30	m	9	m	30	m	9	m	25	h	9	h	25	h
		ATc	Averaging time, cancer	days	25,550	a	25,550	a	25,550	a	25,550	a	25,550	a	25,550	a	25,550	a	25,550	a	25550	a	25,550	a	25,550	a
		ATnc	Averaging time, noncancer	days	3,650	a	1,460	a	25,550	a	10,950	a	10,950	a	3,285	a	10,950	a	3,285	a	9,125	a	3,285	a	9,125	a
		ABS	Absorption factor	--	CS		CS		CS		CS		CS		CS		CS		CS		CS		CS		CS	
		SF	Sediment contact frequency	percent	--		--		25%	n	25%	n	25%	n	25%	n	25%	n	25%	n	--		--		--	
Ingestion	EPC x SIR x EF x ED x CF x SF x 1/BW x 1/AT	SIR	Sediment ingestion rate	mg/day	200	o	50	o	50	p	25	p	50	p	25	p	50	p	25	p	50	p	25	p	50	p
		CF	Conversion Factor	kg/mg	1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06	
Dermal Contact	EPC x SA x AF x ABS x EV x EF x ED x SF x CF x 1/BW x 1/AT	SA	Skin surface area	cm2	3,300	q	3,300	q	1,980	r	1,980	r	1,980	r	1,980	r	1,980	r	1,980	r	18,150	h	18,150	h	2,510	h
		AF	Adherence factor	mg/cm2-event	0.2	q	0.02	q	0.3	s	0.07	t	0.3	s	0.07	t	0.3	s	0.07	t	0.3	h	0.07	h	0.3	h
		EV	Event frequency	events/day	1		1		1		1		1		1		1		1		1		1		1	
		CF	Conversion Factor	kg/mg	1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06		1.E-06	

Notes:

a Recommended value (EPA 1989).
b From interviews with workers at Terminal 4. Frequency for repair/removal of fender piles or maintenance dredging activities.
c Required by Region 10. 5 days per week for entire year.
d Required by Region 10. 2 days per week for entire year.
e Required by Region 10. 3 days per week for entire year.
f Required by Region 10. 1 day per week for entire year.
g Required by Region 10. 1 day every other week for entire year.
h Required by Region 10.
i Assumes frequency of every 2-3 years over an employment duration of 25 years.
j Assumes frequency of every 2-3 years over an employment duration of 9 years.
k Conventional lifetime (EPA 1989).
l 95th percentile for time at one residence (same as recommended RME for residential adults (EPA 1997)).
m Recommended value for residential occupancy (EPA 1997).
n Represents the percent of time spent fishing in a single area within the study area. Recommended by EPA Region 10.
o Recommended value for occupational exposures (EPA 2000a).
p Recommended by EPA Region 10. Assumed to be 50% of soil ingestion.
q Recommended value for adult industrial scenario (EPA 2004a).
r Average surface area for hands and forearms of men (EPA 1997).
s Value for residential adults as gardeners (EPA 2004a).
t Value for residential adults as gardeners (same as recommended RME for residential adults (EPA 2004a)).
  CT exposure parameters are not listed for diver in dry suit, as required by EPA Region 10.

Abbreviations:

-- = Not applicable.
cm2 = squared centimeter.
CS = Chemical-specific value.
CT = Central Tendency Exposure.
kg = kilogram.
mg = milligram.
RME = Reasonable Maximum Exposure.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 3-23
Values for Daily Intake Calculations
Surface Water and Groundwater Seep Exposures

Exposure Route	Daily Intake Equation (mg/kg-day)	Parameter Code	Parameter Definition	Units	Transients RME Value	Source	Transients CT Value	Source	Adult Recreational Beach User RME Value	Source	Adult CT Value	Source	Child Recreational Beach User RME Value	Source	Child CT Value	Source	Diver in Wet Suit RME Value	Source	Diver Wet CT Value	Source	Diver in Dry Suit RME Value	Source
General and Chemical-Specific Exposure Parameters		EPC	Exposure Point Concentration	mg/l	CS, see Table 3-6 and 3-10				CS, see Table 3-7				CS, see Table 3-7				CS, see Table 3-8				CS, see Table 3-8	
		BW	Body weight	kg	70	a	70	a	70	a	70	a	15	b	15	b	70	a	70	a	70	a
		ED	Exposure duration	years	2	c	1	c	30	d	9	d	6	b	6	b	25	e	9	e	25	e
		ATc	Averaging time, cancer	days	25,550	a	25,550	a	25,550	a	25,550	a	25,550	a	25,550	a	25,550	a	25,550	a	25,550	a
		ATnc	Averaging time, noncancer	days	730	a	365	a	10,950	a	3,285	a	2,190	a	2,190	a	9,125	a	3,285	a	9,125	a
		DA	Absorbed dose per event	mg/cm2-event	CS		CS		CS		CS		CS		CS		CS		CS		CS	
Surface Water - Ingestion	EPC x WIR x tev x EF x ED x CF x 1/BW x 1/AT	WIR	Water ingestion rate, non-transients	mL/hour	--		--		50	f	50	f	50	f	50	f	50	f	50	f	50	f
		WIRt	Water ingestion rate - transients	L/day	2	g	1.4	g	--		--		--		--		--		--		--	
		EF	Exposure frequency, non-transients	events/yr	--		--		26	h	13	i	65	j	26	h	5	e	2	e	5	e
		EFt	Exposure frequency-transients	days/yr	365	k	183	l	--		--		--		--		--		--		--	
		t_{ev}	Event duration	hr/event	--		--		1	c	0.5	c	1	c	0.5	c	4	e	2	e	4	e
		CF	Conversion Factor	L/mL	--		--		1.00E-03		1.00E-03		1.00E-03		1.00E-03		1.E-03		1.E-03		1.E-03	
Surface Water - Dermal	DA x SA x EF x ED x 1/BW x 1/AT	t_{ev}	Event duration	hr/event	0.25	m	0.16	n	1	c	0.5	c	1	c	0.5	c	4	e	2	e	4	e
		EF	Exposure frequency	events/yr	104	o	52	p	26	h	13	i	65	j	26	h	5	e	2	e	5	e
		SA	Skin surface area	cm2	18,000	q	18,000	q	18,000	q	18,000	q	6,600	r	6,600	r	18,150	e	18,150	e	2,510	e
Groundwater Seep - Ingestion	EPC x WIR x tev x EF x ED x CF x 1/BW x 1/AT	WIR	Water ingestion rate	mL/hour	50	f	50	f	--				--				--				--	
		t_{ev}	Event duration	hr/event	0.08	s	0.02	t														
		EF	Exposure frequency	events/yr	26	h	26	h														
		CF	Conversion Factor	L/mL	1.00E-03		1.00E-03															
Groundwater Seep - Dermal	DA x SA x EF x ED x 1/BW x 1/AT	t_{ev}	Event duration	hr/event	0.08	s	0.02	t	--				--				--				--	
		EF	Exposure frequency	events/yr	26	h	26	h														
		SA	Skin surface area	cm2	5,700	u	5,700	u														

Notes:
a Recommended value (EPA 1989)
b Recommended value for children (EPA 1991).
c BPJ.
d Recommended value for residential occupancy (EPA 1997).
e Required by Region 10.
f Recommended value for ingestion while swimming (EPA 1989).
g Recommended for residential ingestion of drinking water (EPA 1989).
h BPJ. 2 days per week during summer (13 weeks).
i BPJ. 1 day per week during summer (13 weeks).
j BPJ. 5 days per week during summer (13 weeks).
k BPJ. Equivalent to every day during the entire year.
l BPJ. Equivalent to every day for half the year.
m BPJ. Bathing in river; equivalent to 15 minutes per bathing event (same as the CT value for residential showering/bathing (EPA 2004b)).
n BPJ. Bathing in river; equivalent to 9 minutes per bathing event.
o BPJ. Assumes 2 days per week during entire year.
p BPJ. Assumes 2 days per week during half the year.
q Recommended for adults while showering/bathing, and swimming (EPA 2004a).
r Recommended value for children while swimming (EPA 2004a).
s BPJ. 5 minutes
t BPJ. 1 minute.
u Recommended for residential adults (EPA 2004a).

Abbreviations:
-- = Not applicable.
BPJ = Best Professional Judgement.
cm2 = squared centimeter.
CS = Chemical-specific value.
CT = Central Tendency Exposure.
DA = DAw x EPC, where DAw = absorbed dose per event in l/cm^2-ev. DAw calculations are shown in Table 3-32.
hr = hour.
kg = kilogram.
L = liter.
mg = milligram.
mL = milliliter.
RME = Reasonable Maximum Exposure.
yr = year.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 3-24
Values for Daily Intake Calculations
Tissue Exposures

Exposure Route	Daily Intake Equation (mg/kg-day)	Parameter Code	Parameter Definition	Units	Tribal Fisher, Adult RME Value	Source	Tribal Fisher, Child RME Value	Source	Subsistence Fisher, Adult RME Value	Source	Recreational Fisher, Adult RME Value	Source	Recreational Fisher, Adult CT Value	Source	Subsistence Fisher, Child RME Value	Source	Recreational Fisher, Child RME Value	Source	Recreational Fisher, Child CT Value	Source
General and Chemical-Specific Exposure Parameters		EPC	Exposure Point Concentration	mg/kg	CS, see Tables 3-12 to 3-16		CS, see Tables 3-12 to 3-16		CS, see Tables 3-11, 3-12, 3-16 to 3-20								CS, see Tables 3-11, 3-12, 3-16			
		BW	Body weight	kg	70	a	15	b	70	a	70	a	70	a	15	b	15	b	15	b
		EF	Exposure frequency	days/year	365	c	365	c	365	c	365	c	365	c	365	c	365	c	365	c
		ED	Exposure duration	years	70	d	6	b	30	e	30	e	30	e	6	b	6	b	6	b
		ATc	Averaging time, cancer	days	25,550	a	25,550	a	25,550	a	25,550	a	25,550	a	25,550	a	25,550	a	25,550	a
		ATnc	Averaging time, noncancer	days	25,550	a	2,190	a	10,950	a	10,950	a	10,950	a	2,190	a	2,190	a	2,190	a
		CF	Conversion Factor	kg/g	1.00E-03		1.00E-03		1.00E-03		1.00E-03		1.00E-03		1.00E-03		1.00E-03		1.00E-03	
Fish Tissue - Ingestion (multi-species diet):		IRfish	Ingestion rate of fish (total)	g/day	175		73		142	f	48.9	g	17.5	h	60	i	20.5	i	7	i
[(EPCbb*IRbb)+ (EPCbc*IRbc)+ (EPCcp*IRcp)+		IRbb	Ingestion rate of brownbullhead, multi-species diet	g/day	21.7	j	9.1	k	35.5	l	12.2	l	4.4	l	15	m	5.1	m	1.8	m
(EPCsmb*IRsmb)]+ (EPCsa*IRsa)+ (EPCla*IRla)+		IRbc	Ingestion rate of black crappie, multi-species diet	g/day	21.7	j	9.1	k	35.5	l	12.2	l	4.4	l	15	m	5.1	m	1.8	m
(EPCst*IRst)] x EF x ED x CF x 1/BW x 1/AT		IRcp	Ingestion rate of carp, multi-species diet	g/day	21.7	j	9.1	k	35.5	l	12.2	l	4.4	l	15	m	5.1	m	1.8	m
		IRsmb	Ingestion rate of smallmouth bass, multi-species diet	g/day	21.7	j	9.1	k	35.5	l	12.2	l	4.4	l	15	m	5.1	m	1.8	m
		IRsa	Ingestion rate of salmon, Tribal multi-species diet	g/day	67	n	27.9	o	--		--		--		--		--		--	
		IRla	Ingestion rate of lamprey, Tribal multi-species diet	g/day	12.3	n	5.1	o	--		--		--		--		--		--	
		IRst	Ingestion rate of sturgeon, Tribal multi-species diet	g/day	8.6	n	3.6	o	--		--		--		--		--		--	
Shellfish - Ingestion[p]:		IRshell	Ingestion rate of crayfish or clam	g/day	--		--		18	p	--		3.3	q	--		--		--	
EPC x IRshell x EF x ED x CF x 1/BW x 1/AT																				

Notes:
a Recommended value (EPA 1989)
b Recommended value for children (EPA 1991).
c Basis of ingestion rates.
d Conventional lifetime (EPA 1989).
e Recommended value for residential occupancy (EPA 1997)
f 99th percentile (EPA 2002b).
g 95% UCL for ingestion of 50% of total fish (Adolfson 1996).
h 90th percentile (EPA 2002b)
i Adjusted from the adult ingestion rate using a factor of 0.42 (ratio of adult to child ingestion from CRITFC 1994).
j Ingestion rate for species that are not salmon, lamprey, or sturgeon, 86.9 g/day, divided by 4.
k Same dietary percentages as adult Tribal fisher but with total ingestion rate of 73 g/day.
l Adult Nontribal ingestion rate for single species divided by 4.
m Child Nontribal ingestion rate for single species divided by 4.
n CRITFC 1994.
o Same dietary percentages as adult Tribal fisher but with total ingestion rate of 73 g/day.
p 95th percentile (EPA 2002b).
q 50th percentile (EPA 2002b)

Abbreviations:
-- = Not applicable.   CT = Central Tendency Exposure.
CS = Chemical-specific value.   RME = Reasonable Maximum Exposure.
g = gram.
kg = kilogram.
mg = milligram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 3-25
Values for Daily Intake Calculations
Potential Future Domestic Water Exposures

Exposure Route	Daily Intake Equation (mg/kg-day)	Parameter Code	Parameter Definition	Units	Adult Resident RME Value	Source	Adult Resident CT Value	Source	Child Resident RME Value	Source	Child Resident CT Value	Source
General and Chemical-Specific Exposure Parameters		EPC	Exposure Point Concentration	mg/l	CS, see Table 3-9				CS, see Table 3-9			
		BW	Body weight	kg	70	a	70	a	15	b	15	b
		EF	Exposure frequency	days/yr	350	c	350	c	350	c	350	c
		ED	Exposure duration	years	30	d	9	e	6	b	6	b
		ATc	Averaging time, cancer	days	25,550	a	25,550	a	25,550	a	25,550	a
		ATnc	Averaging time, noncancer	days	10,950	a	3,285	a	2,190	a	2,190	a
Surface Water - Ingestion	EPC x WIR x EF x ED x 1/BW x 1/AT	WIR	Water ingestion rate	L/day	2	f	1.4	f	1.5	f	0.9	f
Surface Water - Dermal Contact	DA x SA x EF x ED x EV x 1/BW x 1/AT	t_{ev}	Event duration	hr/ev	0.58	g	0.25	g	1	h	0.33	h
		SA	Skin surface area	cm2	18,000	g	18,000	g	6,600	h	6,600	h
		EV	Event frequency	event/day	1	i	1	i	1	i	1	i
		DA^j	Absorbed dose per event	mg/cm2-ev	CS		CS		CS		CS	

Notes:

a Recommended value (EPA 1989)
b Recommended value for children (EPA 1991).
c EPA 1991b
d National upper-bound time (90th percentile) at one residence (EPA 1989).
e National median time (50th percentile) at one residence (EPA 1989).
f Recommended for residential ingestion of drinking water (EPA 1989).
g Recommended for adults while showering/bathing (EPA 2004a).
h Recommended value for children while showering/bathing (EPA 2004a).
i BPJ.
j DA = dermal absorbed dose for water (DAw, l/cm2-ev) multiplied by the EPC (mg/l). DAw calculations are shown in Table 3-33.

Abbreviations:

-- = Not applicable.
BPJ = Best Professional Judgement.
cm2 = squared centimeter.
CS = Chemical-specific value.
CT = Central Tendency Exposure.
ev = event.
hr = hour.
kg = kilogram.
L = liter.
mg = milligram.
mL = milliliter.
RME = Reasonable Maximum Exposure.
yr = year.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 3-26
Chemical-Specific Dermal Absorption Factors for Sediment Contact

Chemical	Absorption Factor (ABS)
Arsenic	0.03
Cadmium	0.001
Chlordane	0.04
2,4-Dichlorophenoxyacetic acid	0.05
DDT	0.03
TCDD and other dioxins	0.03
if soil organic content is > 10%	0.001
Lindane	0.04
Benzo(a)pyrene and other PAHs	0.13
Aroclors 1254/1242 and other PCBs	0.14
Pentachlorophenol	0.25
Semivolatile organic compounds	0.1

Source: EPA 2004a

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 3-27
Chemical-Specific Parameters for Dermal Exposure to Surface Water and Groundwater Seeps

Chemical of Potential Concern	Kp (cm/hr)	B (unitless)	FA (unitless)	τ (hr/event)	t* (hr)	Adult Beach User, RME Tevent (hr/event)	DAw[c] (l/cm²-event)	Child Beach User, RME Tevent (hr/event)	DAw (l/cm²-event)	Transients, RME Tevent (hr/event)	DAw (l/cm²-event)	Diver[a], RME Tevent (hr/event)	DAw (l/cm²-event)	Adult Beach User, CT Tevent (hr/event)	DAw (l/cm²-event)	Child Beach User, CT Tevent (hr/event)	DAw (l/cm²-event)	Transients, CT Tevent (hr/event)	DAw (l/cm²-event)	Diver[a], CT Tevent (hr/event)	DAw (l/cm²-event)
Surface Water[b]																					
Metals																					
Arsenic	1.00E-03	--	--	--	--	1	1.00E-06	1	1.00E-06	0.25	2.50E-07	4	4.00E-06	0.5	5.00E-07	0.5	5.00E-07	0.16	1.60E-07	2	2.00E-06
Hexavalent chromium	1.00E-03	--	--	--	--	1	1.00E-06	1	1.00E-06	0.25	2.50E-07	4	4.00E-06	0.5	5.00E-07	0.5	5.00E-07	0.16	1.60E-07	2	2.00E-06
Polynuclear Aromatic Hydrocarbons																					
Benzo(a)anthracene	4.74E-01	2.8	1.0	2.03	8.53	--	--	--	--	--	--	4	3.73E-03	--	--	--	--	--	--	2	2.64E-03
Benzo(a)pyrene	7.02E-01	4.3	1.0	2.69	11.67	--	--	--	--	--	--	4	6.37E-03	--	--	--	--	--	--	2	4.50E-03
Benzo(b)fluoranthene	7.02E-01	4.3	1.0	2.77	12.03	--	--	--	--	--	--	4	6.46E-03	--	--	--	--	--	--	2	4.57E-03
Indeno(1,2,3-cd)pyrene	1.00E+00	6.7	0.6	3.78	16.83	--	--	--	--	--	--	4	6.45E-03	--	--	--	--	--	--	2	4.56E-03
Dibenzo(a,h)anthracene	1.51E+00	9.7	0.6	3.88	17.57	--	--	--	--	--	--	4	9.86E-03	--	--	--	--	--	--	2	6.97E-03
Naphthalene	4.66E-02	0.2	1.0	0.56	1.34	--	--	--	--	--	--	4	2.17E-04	--	--	--	--	--	--	2	1.40E-04
Pesticides																					
Aldrin	1.4E-03	0.0	1.0	11.89	28.54	--	--	--	--	--	--	4	2.67E-05	--	--	--	--	--	--	2	1.89E-05
Herbicides																					
MCPP	1.16E-02	0.1	1.0	1.67	4.01	1	4.14E-05	1	4.14E-05	0.25	2.07E-05	4	8.28E-05	0.5	2.93E-05	0.5	2.93E-05	0.16	1.66E-05	2	5.86E-05
Conventionals																					
Perchlorate	6.01E-08	0.0	1.0	0.39	0.93	--	--	--	--	--	--	4	2.87E-10	--	--	--	--	--	--	2	1.67E-10
Seep Water[b]																					
Metals																					
Arsenic	1.00E-03	--	--	--	--	Not a receptor population for groundwater seep exposure		Not a receptor population for groundwater seep exposure		0.08	8.00E-08	Not a receptor population for groundwater seep exposure		Not a receptor population for groundwater seep exposure		Not a receptor population for groundwater seep exposure		0.02	2.00E-08	Not a receptor population for groundwater seep exposure	
Boron	1.00E-03	--	--	--	--					0.08	8.00E-08							0.02	2.00E-08		
Iron	1.00E-03	--	--	--	--					0.08	8.00E-08							0.02	2.00E-08		
Manganese	1.00E-03	--	--	--	--					0.08	8.00E-08							0.02	2.00E-08		
Molybdenum	1.00E-03	--	--	--	--					0.08	8.00E-08							0.02	2.00E-08		
Vanadium	1.00E-03	--	--	--	--					0.08	8.00E-08							0.02	2.00E-08		
Semi-Volatile Organic Compounds																					
1,4-Dichlorobenzene	4.20E-02	0.2	1.0	0.71	1.71					0.08	2.77E-05							0.02	1.38E-05		
Phenols																					
2,4-Dichlorophenol	2.10E-02	0.1	1.0	0.87	2.10					0.08	1.54E-05							0.02	7.68E-06		
4-Nitrophenol	4.80E-03	0.0	1.0	0.64	1.54					0.08	3.01E-06							0.02	1.50E-06		
Pesticides																					
Aldrin	1.40E-03	0.0	1.0	11.89	28.54					0.08	3.77E-06							0.02	1.89E-06		
Volatile Organic Compounds																					
Chlorobenzene	2.82E-02	0.1	1.0	0.46	1.09					0.08	1.49E-05							0.02	7.45E-06		
Tetrachloroethene	3.28E-02	0.2	1.0	0.91	2.18					0.08	2.44E-05							0.02	1.22E-05		
Trichloroethene	1.15E-02	0.1	1.0	0.58	1.39					0.08	6.87E-06							0.02	3.43E-06		

Notes:

(a) DA_W for both wet suit diver exposure scenario and dry suit diver exposure scenario.

(b) Values for ABS_d, Kp, B, τ, and t* from Exhibit 3-3, Exhibit B-3 of EPA RAGS PART E (EPA 2004a), or calculated using equations from EPA RAGS PART E (EPA 2004a).

(c) DAw calculated as follows (EPA 2004a):

For organics, where Tevent ≤ t*: $DAw = 2 \times FA \times Kp \times [(6 \times \tau \times Tevent)/\pi]^{0.5} \times 10^{-3}$ l/cm³

For organics, where Tevent > t*: $DAw = FA \times Kp \times [(Tevent/(1+B)) + 2 \times \tau \times ((1+3B+3B^2)/(1+B)^2)] \times 10^{-3}$ l/cm³

For inorganics: $DAw = Kp \times Tevent \times 10^{-3}$ l/cm³

Abbreviations:

-- = Not applicable.
cm = Centimeters.
hr = Hours.
l = Liters.
Kp = Dermal permeability constant.
FA = Fraction absorbed water.
B = Relative contribution of permeability coefficients.
τ = Lag time.
t* = Time to reach steady state.
Tevent = Event time.
RAGS = Risk Assessment Guidance for Superfund.
EPA = United States Environmental Protection Agency.
RME = Reasonable Maximum Exposure.
CT = Central Tendency Exposure.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
February 11, 2013

Table 3-28
Chemical-Specific Parameters for Dermal Exposure to Surface Water as a Potential Future Domestic Water Source

Chemical of Potential Concern	Kp (cm/hr)	B (unitless)	FA (unitless)	τ (hr)	t* (hr)	Adult Resident, RME		Child Resident, RME		Adult Resident, CT		Child Resident, CT	
						Tevent - (hr/event)	DAw[a] - (l/cm²-event)	Tevent - (hr/event)	DAw - (l/cm²-event)	Tevent - (hr/event)	DAw - (l/cm²-event)	Tevent - (hr/event)	DAw - (l/cm²-event)
Surface Water[b]													
Metals													
Arsenic	1.00E-03	--	--	--	--	0.58	5.80E-07	1	1.00E-06	0.25	2.50E-07	0.33	3.30E-07
Hexavalent chromium	1.00E-03	--	--	--	--	0.58	5.80E-07	1	1.00E-06	0.25	2.50E-07	0.33	3.30E-07
Polynuclear Aromatic Hydrocarbons													
Benzo(a)anthracene	4.74E-01	2.8	1.0	2.03	8.53	0.58	1.42E-03	1	1.87E-03	0.25	9.33E-04	0.33	1.07E-03
Benzo(a)pyrene	7.02E-01	4.3	1.0	2.69	11.67	0.58	2.42E-03	1	3.18E-03	0.25	1.59E-03	0.33	1.83E-03
Benzo(b)fluoranthene	7.02E-01	4.3	1.0	2.77	12.03	0.58	2.46E-03	1	3.23E-03	0.25	1.62E-03	0.33	1.86E-03
Indeno(1,2,3-cd)pyrene	1.00E+00	6.7	0.6	3.78	16.83	0.58	2.46E-03	1	3.22E-03	0.25	1.61E-03	0.33	1.85E-03
Dibenzo(a,h)anthracene	1.51E+00	9.7	0.6	3.88	17.57	0.58	3.75E-03	1	4.93E-03	0.25	2.46E-03	0.33	2.83E-03
Pesticides													
Aldrin	1.4E-03	0.0	1.0	11.89	28.54	0.58	1.02E-05	1	1.34E-05	0.25	6.69E-06	0.33	7.68E-06
Herbicides												0.33	
MCPP	1.16E-02	0.1	1.0	1.67	4.01	0.58	3.15E-05	1	4.14E-05	0.25	2.07E-05	0.33	2.38E-05

Notes:

(a) Values for ABS$_d$, Kp, B, τ, and t* from Exhibit 3-3, Exhibit B-3 of EPA RAGS PART E (EPA 2004a), or calculated using equations from EPA RAGS PART E (EPA 2004a).

(b) DAw calculated as follows (EPA 2004a):

For organics, where Tevent ≤ t*: $DAw = 2 \times FA \times Kp \times [(6 \times \tau \times Tevent)/\pi]^{0.5} \times 10^{-3}$ l/cm^3

For organics, where Tevent > t*: $DAw = FA \times Kp \times [(Tevent/(1 + B)) + 2 \times \tau \times ((1 + 3B + 3B^2)/(1 + B)^2)] \times 10^{-3}$ l/cm^3

For inorganics: $DAw = Kp \times Tevent \times 10^{-3}$ l/cm^3

Abbreviations:

-- = Not applicable.
B = Relative contribution of permeability coefficients.
cm = Centimeters.
CT = Central Tendency Exposure.
EPA = United States Environmental Protection Agency.
FA = Fraction absorbed water.
hr = Hours.
Kp = Dermal permeability constant.
l = Liters.
RAGS = Risk Assessment Guidance for Superfund.
RME = Reasonable Maximum Exposure.
t* = Time to reach steady state.
Tevent = Event time.
τ = Lag time.

LWG
LOWER WILLAMETTE GROUP

FINAL REMEDIAL INVESTIGATION REPORT

APPENDIX F
BASELINE HUMAN HEALTH RISK ASSESSMENT

SECTION 4 TABLES

March 28, 2013

Produced for
The Lower Willamette Group and
United States Environmental Protection Agency

Produced by
Kennedy/Jenks Consultants

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 4-1

Cancer Toxicity Data - Oral/Dermal

CAS Number	Chemical of Potential Concern	Notes	Oral Cancer Slope Factor (mg/kg-day)-1	Oral Absorption Efficiency for	Absorbed Cancer Slope Factor for Dermal (mg/kg-day)-1	Oral CSF Source(s), Date[2]	Weight of Evidence for Carcinogenicity, listed under IRIS
	Metals						
7429-90-5	Aluminum		--	1	--	--	Not listed under IRIS program.
7440-36-0	Antimony		--	0.15	--	--	Not assessed under IRIS program.
7440-38-2	Arsenic		1.5E+00	1	1.5E+00	IRIS, Nov 2010	A, Human Carcinogen
7440-39-3	Barium		--	0.07	--	--	D, Not classifiable as to human carcinogenicity
7440-42-8	Boron		--	1	--	--	Not assessed under IRIS program.
7440-43-9	Cadmium	a	--	0.05	--	--	B1, Probable human carcinogen - based on limited evidence of carcinogenicity in humans
16065-83-1	Chromium, trivalent		--	0.013	--	--	D, Not classifiable as to human carcinogenicity
18540-29-9	Chromium, hexavalent		5.0E-01	0.025	1.3E-02	J, Nov 2010	D, Not classifiable as to human carcinogenicity (Oral route)
7440-48-4	Cobalt		--	1	--	--	Not listed under IRIS program.
7440-50-8	Copper		--	1	--	--	D, Not classifiable as to human carcinogenicity
7439-89-6	Iron		--	1	--	--	Not listed under IRIS program.
7439-92-1	Lead	b	NL	NL	NL	NL	B2, Probable human carcinogen - based on sufficient evidence of carcinogenicity in animals
7439-96-5	Manganese		--	0.04	--	--	D, Not classifiable as to human carcinogenicity
7439-97-6	Mercury (tissue)	c	--	1	--	--	C, Possible human carcinogen
7439-97-6	Mercury (sediment)	d	--	0.07	--	--	C, Possible human carcinogen
7439-98-7	Molybdenum		--	1	--	--	Not assessed under IRIS program.
7440-02-0	Nickel		--	0.04	--	--	Information reviewed but value not estimated.
7782-49-2	Selenium		--	1	--	--	D, Not classifiable as to human carcinogenicity
7440-22-4	Silver		--	0.04	--	--	D, Not classifiable as to human carcinogenicity
7440-28-0	Thallium	e	NL	1	NL	NL	Inadequate information to assess carcinogenic potential
7440-32-6	Titanium	e	NL	NL	NL	NL	Not listed under IRIS program.
7440-62-2	Vanadium		--	0.026	--	--	Not listed under IRIS program.
7440-66-6	Zinc		--	1	--	--	D, Not classifiable as to human carcinogenicity
	Butyltins						
78763-54-9	Butyltin ion	f	--	1	--	--	Not listed under IRIS program.
14488-53-0	Dibutyltin ion	f	--	1	--	--	Not listed under IRIS program.
36643-28-4	Tributyltin ion	f	--	1	--	--	D, Not classifiable as to human carcinogenicity
	Polynuclear Aromatic Hydrocarbons						
90-12-0	1-Methylnaphthalene		2.9E-02	1	2.9E-02	P, Nov 2010	Not listed under IRIS program.
91-57-6	2-Methylnaphthalene		--	1	--	--	Not assessed under IRIS program.
83-32-9	Acenaphthene		--	1	--	--	Not assessed under IRIS program.
208-96-8	Acenaphthylene	g	--	1	--	--	D, Not classifiable as to human carcinogenicity
120-12-7	Anthracene		--	1	--	--	D, Not classifiable as to human carcinogenicity
56-55-3	Benzo(a)anthracene		7.3E-01	1	7.3E-01	E, Nov 2010	B2, Probable human carcinogen - based on sufficient evidence of carcinogenicity in animals
50-32-8	Benzo(a)pyrene		7.3E+00	1	7.3E+00	IRIS, Nov 2010	B2, Probable human carcinogen - based on sufficient evidence of carcinogenicity in animals

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 4-1

Cancer Toxicity Data - Oral/Dermal

CAS Number	Chemical of Potential Concern	Notes	Oral Cancer Slope Factor (mg/kg-day)-1	Oral Absorption Efficiency for	Absorbed Cancer Slope Factor for Dermal (mg/kg-day)-1	Oral CSF Source(s), Date[2]	Weight of Evidence for Carcinogenicity, listed under IRIS
205-99-2	Benzo(b)fluoranthene		7.3E-01	1	7.3E-01	E, Nov 2010	B2, Probable human carcinogen - based on sufficient evidence of carcinogenicity in animals
192-97-2	Benzo(e)pyrene	h	--	1	--	--	D, Not classifiable as to human carcinogenicity
191-24-2	Benzo(g,h,i)perylene	h	--	1	--	--	D, Not classifiable as to human carcinogenicity
207-08-9	Benzo(k)fluoranthene		7.3E-02	1	7.3E-02	E, Nov 2010	B2, Probable human carcinogen - based on sufficient evidence of carcinogenicity in animals
218-01-9	Chrysene		7.3E-03	1	7.3E-03	E, Nov 2010	B2, Probable human carcinogen - based on sufficient evidence of carcinogenicity in animals
53-70-3	Dibenzo(a,h)anthracene		7.3E+00	1	7.3E+00	E, Nov 2010	B2, Probable human carcinogen - based on sufficient evidence of carcinogenicity in animals
132-65-0	Dibenzothiophene	i	--	1	--	--	D, Not classifiable as to human carcinogenicity
206-44-0	Fluoranthene		--	1	--	--	D, Not classifiable as to human carcinogenicity
86-73-7	Fluorene		--	1	--	--	D, Not classifiable as to human carcinogenicity
193-39-5	Indeno(1,2,3-cd)pyrene		7.3E-01	1	7.3E-01	E, Nov 2010	B2, Probable human carcinogen - based on sufficient evidence of carcinogenicity in animals
91-20-3	Naphthalene		--	1	--	--	C, Possible human carcinogen
198-55-0	Perylene	h	--	1	--	--	D, Not classifiable as to human carcinogenicity
85-01-8	Phenanthrene	h	--	1	--	--	D, Not classifiable as to human carcinogenicity
129-00-0	Pyrene		--	1	--	--	D, Not classifiable as to human carcinogenicity
	Phthalates						
117-81-7	Bis(2-ethylhexyl) phthalate		1.4E-02	1	1.4E-02	IRIS, Nov 2010	B2, Probable human carcinogen - based on sufficient evidence of carcinogenicity in animals
85-68-7	Butylbenzyl phthalate		1.9E-03	1	1.9E-03	P, Nov 2010	C, Possible human carcinogen
84-74-2	Dibutyl phthalate		--	1	--	--	D, Not classifiable as to human carcinogenicity
84-66-2	Diethyl phthalate		--	1	--	--	D, Not classifiable as to human carcinogenicity
117-84-0	Di-n-octyl phthalate	j	--	1	--	--	Not listed under IRIS program.
	Semivolatile Organic Compounds						
106-46-7	1,4-Dichlorobenzene		5.4E-03	1	5.4E-03	C, Nov 2010	Not assessed under IRIS program.
65-85-0	Benzoic acid		--	1	--	--	D, Not classifiable as to human carcinogenicity
100-51-6	Benzyl alcohol		--	1	--	--	Not listed under IRIS program.
111-91-1	Bis(2-chloroethoxy) methane		--	2	--	--	Not listed under IRIS program.
132-64-9	Dibenzofuran		--	1	--	--	D, Not classifiable as to human carcinogenicity
118-74-1	Hexachlorobenzene		1.6E+00	1	1.6E+00	IRIS, Nov 2010	B2, Probable human carcinogen - based on sufficient evidence of carcinogenicity in animals
87-68-3	Hexachlorobutadiene		7.8E-02	1	7.8E-02	IRIS, Nov 2010	C, Possible human carcinogen
78-59-1	Isophorone		9.5E-04	1	9.5E-04	IRIS, Nov 2010	C, Possible human carcinogen
98-95-3	Nitrobenzene		--	1	--	--	D, Not classifiable as to human carcinogenicity
483-65-8	Retene	h	--	1	--	--	D, Not classifiable as to human carcinogenicity
	Phenols						
120-83-2	2,4-Dichlorophenol		--	1	--	--	Not assessed under IRIS program.
105-67-9	2,4-Dimethylphenol		--	1	--	--	Not assessed under IRIS program.
95-48-7	2-Methylphenol		--	1	--	--	C, Possible human carcinogen
106-44-5	4-Methylphenol		--	1	--	--	C, Possible human carcinogen
100-02-7	4-Nitrophenol	k	--	1	--	--	Not assessed under IRIS program.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 4-1

Cancer Toxicity Data - Oral/Dermal

CAS Number	Chemical of Potential Concern	Notes	Oral Cancer Slope Factor (mg/kg-day)-1	Oral Absorption Efficiency for	Absorbed Cancer Slope Factor for Dermal (mg/kg-day)-1	Oral CSF Source(s), Date[2]	Weight of Evidence for Carcinogenicity, listed under IRIS
87-86-5	Pentachlorophenol		4.0E-01	1	4.0E-01	IRIS, Nov 2010	B2, Probable human carcinogen - based on sufficient evidence of carcinogenicity in animals
108-95-2	Phenol		--	1	--	--	D, Not classifiable as to human carcinogenicity
	Polychlorinated Biphenyls Aroclors						
Total Aroclors	Total PCB Aroclors	m	2.0E+00	1	2.0E+00	IRIS, Nov 2010	B2, Probable human carcinogen - based on sufficient evidence of carcinogenicity in animals
	Polychlorinated Biphenyls Congeners						
Total PCB_Congeners	Total PCB Congeners	l	NA	1	NA	IRIS, Nov 2010	NA
Total PCBs, Adjusted	Total PCB Congeners, adjusted	m	2.0E+00	1	2.0E+00	IRIS, Nov 2010	B2, Probable human carcinogen - based on sufficient evidence of carcinogenicity in animals
	Dioxins/Furans						
Total Dioxin/Furan TE	Total Dioxin TEQ	n	1.3E+05	1	1.3E+05	C, Nov 2010	Not listed under IRIS program.
Total PCB TEQ	Total PCB TEQ	n	1.3E+05	1	1.3E+05	C, Nov 2010	Not listed under IRIS program.
	Pesticides						
309-00-2	Aldrin		1.7E+01	1	1.7E+01	IRIS, Nov 2010	B2, Probable human carcinogen - based on sufficient evidence of carcinogenicity in animals
319-84-6	alpha-Hexachlorocyclohexane		6.3E+00	1	6.3E+00	IRIS, Nov 2010	B2, Probable human carcinogen - based on sufficient evidence of carcinogenicity in animals
319-85-7	beta-Hexachlorocyclohexane		1.8E+00	1	1.8E+00	IRIS, Nov 2010	C, Possible human carcinogen
319-86-8	delta-Hexachlorocyclohexane	e	NL	1	NL	NL	D, Not classifiable as to human carcinogenicity
60-57-1	Dieldrin		1.6E+01	1	1.6E+01	IRIS, Nov 2010	B2, Probable human carcinogen - based on sufficient evidence of carcinogenicity in animals
72-20-8	Endrin		--	1	--	--	D, Not classifiable as to human carcinogenicity
7421-93-4	Endrin aldehyde	o	--	1	--	--	D, Not classifiable as to human carcinogenicity
53494-70-5	Endrin ketone	o	--	1	--	--	D, Not classifiable as to human carcinogenicity
58-89-9	gamma-Hexachlorocyclohexane		1.1E+00	1	1.1E+00	C, Nov 2010	Not assessed under IRIS program.
76-44-8	Heptachlor		4.5E+00	1	4.5E+00	IRIS, Nov 2010	B2, Probable human carcinogen - based on sufficient evidence of carcinogenicity in animals
1024-57-3	Heptachlor epoxide		9.1E+00	1	9.1E+00	IRIS, Nov 2010	B2, Probable human carcinogen - based on sufficient evidence of carcinogenicity in animals
72-43-5	Methoxychlor		--	1	--	--	D, Not classifiable as to human carcinogenicity
12789-03-6	Total Chlordane		3.5E-01	1	3.5E-01	IRIS, Nov 2010	B2, Probable human carcinogen - based on sufficient evidence of carcinogenicity in animals
Total DDD	Total DDD		2.4E-01	1	2.4E-01	IRIS, Nov 2010	B2, Probable human carcinogen - based on sufficient evidence of carcinogenicity in animals
Total DDE	Total DDE	p	3.4E-01	1	3.4E-01	IRIS, Nov 2010	B2, Probable human carcinogen - based on sufficient evidence of carcinogenicity in animals
Total DDT	Total DDT		3.4E-01	1	3.4E-01	IRIS, Nov 2010	B2, Probable human carcinogen - based on sufficient evidence of carcinogenicity in animals
115-29-7	Total Endosulfan		--	1	--	--	Not assessed under IRIS program.
	Herbicides						
93-65-2	MCPP		--	1	--	--	Not assessed under IRIS program.
	Volatile Organic Compounds						
108-90-7	Chlorobenzene		--	1	--	--	D, Not classifiable as to human carcinogenicity
127-18-4	Tetrachloroethene		5.4E-01	1	5.4E-01	C, Nov 2010	Not assessed under IRIS program.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 4-1

Cancer Toxicity Data - Oral/Dermal

CAS Number	Chemical of Potential Concern	Notes	Oral Cancer Slope Factor (mg/kg-day)-1	Oral Absorption Efficiency for[1]	Absorbed Cancer Slope Factor for Dermal (mg/kg-day)-1	Oral CSF Source(s), Date[2]	Weight of Evidence for Carcinogenicity, listed under IRIS
79-01-6	Trichloroethene	q	8.9E-02	1	8.9E-02	C, Nov 2010	Information reviewed but value not estimated.
	Conventionals						
14797-73-0	Perchlorate		--	1	--	--	Not assessed under IRIS program.

Footnotes:

1 Exhibit 4-1. Risk Assessment Guidance for Superfund. Volume I: Human Health Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment) Final, July 2004. EPA/540/R/99/005.

2 Oral cancer slope factors were retrieved from the EPA Regional Screening Levels (RSL) Tables (November 2010), which uses the EPA recommended hierarchy for toxicity value sources. Sources listed above are those listed in the RSL table.

Acronyms:

-- Not evaluated as a carcinogen

A Agency for Toxic Substances and Disease Registry Minimum Risk Level

C California EPA Office of Environmental Health Hazard Assessment, as referenced in RSL table

CAS Chemical Abstracts Service

CSF cancer slope factor

E Environmental Criteria and Assessment Office, as referenced in RSL table

EPA United States Environmental Protection Agency

IRIS Integrated Risk Information System, Accessed online November 2010.

J New Jersey Department of Environmental Protection, as referenced in RSL table

mg/kg-day milligram per kilogram per day

NA Not applicable. Chemical is not assessed individually for cancer risk.

NL Not Listed

P Provisional Peer Reviewed Toxicity Value

TEQ Toxic equivalency quotient

Notes:

a EPA lists an oral absorption efficiency of 2.5% and 5% for water and diet dosing regimens, respectively. The higher value of 5% is listed.

b Lead not evaluated using cancer slope factor.

c Methylmercury toxicity value used for tissue evaluation.

d Toxicity value for mercuric chloride (and other Mercury salts) used for evaluation of mercury in sediment.

e A toxicity value was not available from the recommended hierarchy and a surrogate chemical could not be identified. Analyte is discussed qualitatively in text.

f Surrogate: Tributyltin oxide

g Surrogate: Acenaphthene

h Surrogate: Pyrene

i Surrogate: Fluorene

j Surrogate: Dibutyl phthalate

k Surrogate: 4-Methylphenol

l Not applicable. PCB Congeners are not assessed as a total sum for cancer risk. Adjusted PCBs and PCB TEQ assessed for cancer risk.

m Toxicity value used for PCB congeners is the upper bound slope factor, based on high risk and persistence.

n TEQ approach based on 2,3,7,8-TCDD toxicity

o Surrogate: Endrin

p Cancer slope factor is for the 4,4' isomer

q Per an agreement with EPA, toxicity value for trichloroethene is based on EPA. 2001b. Trichloroethylene Health Risk Assessment: Synthesis and Characterization, August 2001, EPA/600/P-01/0002A – External Review Draft. The toxicity value for trichloroethene represents an older value that is superceded by more recent guidance. The use of the older toxicity value does not impact the conclusions of the risk assessment.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 4-2
Non-Cancer Toxicity Data - Oral/Dermal

CAS Number	Chemical of Potential Concern	Notes	Oral RfD mg/kg-day	Oral Absorption Efficiency for Dermal[1]	Absorbed RfD for Dermal mg/kg-day	Primary Target Organ(s)	Combined Uncertainty/Modifying Factors	Oral RfD Source(s), Date[2]
	Metals							
7429-90-5	Aluminum		1.0E+00	1	1.0E+00	--	--	P, Nov 2010
7440-36-0	Antimony		4.0E-04	0.15	6.0E-05	blood	1000	IRIS, Nov 2010
7440-38-2	Arsenic		3.0E-04	1	3.0E-04	skin, blood	3	IRIS, Nov 2010
7440-39-3	Barium		2.0E-01	0.07	1.4E-02	kidney	300	IRIS, Nov 2010
7440-42-8	Boron		2.0E-01	1	2.0E-01	developmental	66	IRIS, Nov 2010
7440-43-9	Cadmium	a	1.0E-03	0.05	5.0E-05	kidney	10	IRIS, Nov 2010
16065-83-1	Chromium, trivalent		1.5E+00	0.013	2.0E-02	no effects observed	1000	IRIS, Nov 2010
18540-29-9	Chromium, hexavalent		3.0E-03	0.025	7.5E-05	none reported	900	IRIS, Nov 2010
7440-48-4	Cobalt		3.0E-04	1	3.0E-04	blood	100	P, Nov 2010
7440-50-8	Copper		4.0E-02	1	4.0E-02	--	NA	H, Nov 2010
7439-89-6	Iron		7.0E-01	1	7.0E-01	--	--	P, Nov 2010
7439-92-1	Lead	b	--	NL	--	NL	NL	NL
7439-96-5	Manganese		1.4E-01	0.04	5.6E-03	CNS	1	IRIS, Nov 2010
7439-97-6	Mercury (tissue)	c	1.0E-04	1	1.0E-04	CNS, developmental	10	IRIS, Nov 2010
7439-97-6	Mercury (sediment)	d	3.0E-04	0.07	2.1E-05	immunological	1000	IRIS, Nov 2010
7439-98-7	Molybdenum		5.0E-03	1	5.0E-03	increased uric acid levels	30	IRIS, Nov 2010
7440-02-0	Nickel		2.0E-02	0.04	8.0E-04	whole body	300	IRIS, Nov 2010
7782-49-2	Selenium		5.0E-03	1	5.0E-03	whole body	3	IRIS, Nov 2010
7440-22-4	Silver		5.0E-03	0.04	2.0E-04	skin	3	IRIS, Nov 2010
7440-28-0	Thallium	e	NL	1	NL	NL	NL	NL
7440-32-6	Titanium	e	NL	NL	NL	NL	NL	NL
7440-62-2	Vanadium	f	7.0E-05	0.026	1.8E-06	decreased hair cysteine	--	P, Nov 2010
7440-66-6	Zinc		3.0E-01	1	3.0E-01	blood	3	IRIS, Nov 2010
	Butyltins							
78763-54-9	Butyltin ion	g	3.0E-04	1	3.0E-04	immunological	1000	IRIS, Nov 2010
14488-53-0	Dibutyltin ion	g	3.0E-04	1	3.0E-04	immunological	1000	IRIS, Nov 2010
36643-28-4	Tributyltin ion	g	3.0E-04	1	3.0E-04	immunological	1000	IRIS, Nov 2010
	Polynuclear Aromatic Hydrocarbons							
90-12-0	1-Methylnaphthalene		7.0E-02	1	7.0E-02	lungs	--	A, Nov 2010
91-57-6	2-Methylnaphthalene		4.0E-03	1	4.0E-03	lungs	1000	IRIS, Nov 2010
83-32-9	Acenaphthene		6.0E-02	1	6.0E-02	liver	3000	IRIS, Nov 2010
208-96-8	Acenaphthylene	h	6.0E-02	1	6.0E-02	liver	3000	IRIS, Nov 2010
120-12-7	Anthracene		3.0E-01	1	3.0E-01	no effects observed	3000	IRIS, Nov 2010
56-55-3	Benzo(a)anthracene		--	1	--	--	--	--
50-32-8	Benzo(a)pyrene		--	1	--	--	--	--
205-99-2	Benzo(b)fluoranthene		--	1	--	--	--	--
192-97-2	Benzo(e)pyrene	i	3.0E-02	1	3.0E-02	kidney	3000	IRIS, Nov 2010
191-24-2	Benzo(g,h,i)perylene	i	3.0E-02	1	3.0E-02	kidney	3000	IRIS, Nov 2010
207-08-9	Benzo(k)fluoranthene		--	1	--	--	--	--
218-01-9	Chrysene		--	1	--	--	--	--
53-70-3	Dibenzo(a,h)anthracene		--	1	--	--	--	--
132-65-0	Dibenzothiophene	j	4.0E-02	1	4.0E-02	blood	3000	IRIS, Nov 2010
206-44-0	Fluoranthene		4.0E-02	1	4.0E-02	kidney, liver, blood	3000	IRIS, Nov 2010
86-73-7	Fluorene		4.0E-02	1	4.0E-02	blood	3000	IRIS, Nov 2010
193-39-5	Indeno(1,2,3-cd)pyrene		--	1	--	--	--	--
91-20-3	Naphthalene		2.0E-02	1	2.0E-02	whole body, body weight	3000	IRIS, Nov 2010
198-55-0	Perylene	i	3.0E-02	1	3.0E-02	kidney	3000	IRIS, Nov 2010
85-01-8	Phenanthrene	i	3.0E-02	1	3.0E-02	kidney	3000	IRIS, Nov 2010
129-00-0	Pyrene		3.0E-02	1	3.0E-02	kidney	3000	IRIS, Nov 2010
	Phthalates							
117-81-7	Bis(2-ethylhexyl) phthalate		2.0E-02	1	2.0E-02	liver	1000	IRIS, Nov 2010
85-68-7	Butylbenzyl phthalate		2.0E-01	1	2.0E-01	liver	1000	IRIS, Nov 2010
84-66-2	Diethyl phthalate		8.0E-01	1	8.0E-01	whole body, developmental	1000	IRIS, Nov 2010
84-74-2	Dibutyl phthalate		1.0E-01	1	1.0E-01	increased mortality	1000	IRIS, Nov 2010
117-84-0	Di-n-octyl phthalate	k	1.0E-01	1	1.0E-01	liver	1000	IRIS, Nov 2010
	Semivolatile Organic Compounds							
106-46-7	1,4-Dichlorobenzene		7.0E-02	1	7.0E-02	--	--	A, Nov 2010
65-85-0	Benzoic acid		4.0E+00	1	4.0E+00	no effects observed	1	IRIS, Nov 2010
100-51-6	Benzyl alcohol		1.0E-01	1	1.0E-01	forestomach	1000	P, Nov 2010
111-91-1	Bis(2-chloroethoxy) methane		3.0E-03	1	3.0E-03	liver	3000	P, Nov 2010
132-64-9	Dibenzofuran		1.0E-03	1	1.0E-03	blood	3000	X, Nov 2010
118-74-1	Hexachlorobenzene		8.0E-04	1	8.0E-04	liver	100	IRIS, Nov 2010
87-68-3	Hexachlorobutadiene		1.0E-03	1	1.0E-03	--	1000	P, Nov 2010
78-59-1	Isophorone		2.0E-01	1	2.0E-01	kidney	1000	IRIS, Nov 2010
98-95-3	Nitrobenzene		2.0E-03	1	2.0E-03	blood	1000	IRIS, Nov 2010
483-65-8	Retene	i	3.0E-02	1	3.0E-02	kidney	3000	IRIS, Nov 2010
	Phenols							
120-83-2	2,4-Dichlorophenol		3.0E-03	1	3.0E-03	decreased hypersensitivity response	100	IRIS, Nov 2010
105-67-9	2,4-Dimethylphenol		2.0E-02	1	2.0E-02	lethargy, prostration, ataxia, blood	3000	IRIS, Nov 2010
95-48-7	2-Methylphenol		5.0E-02	1	5.0E-02	decreased body weight, brain	1000	IRIS, Nov 2010
106-44-5	4-Methylphenol		5.0E-03	1	5.0E-03	whole body, CNS	1000	H, Nov 2010
100-02-7	4-Nitrophenol	l	5.0E-03	1	5.0E-03	whole body, CNS	1000	H, Nov 2010
87-86-5	Pentachlorophenol		5.0E-03	1	5.0E-03	liver, kidney	100	IRIS, Nov 2010
108-95-2	Phenol		3.0E-01	1	3.0E-01	whole body	300	IRIS, Nov 2010
	Polychlorinated Biphenyls Aroclors							
Total Aroclors	Total PCB Aroclors	m	2.0E-05	1	2.0E-05	immune system, dermal system	300	IRIS, Nov 2010
	Polychlorinated Biphenyls Congeners							
Total PCB_Congeners	Total PCB Congeners	n	NA	1	NA	NA	NA	IRIS, Nov 2010
Total PCBs, Adjusted	Total PCB Congeners, adjusted	m	2.0E-05	1	2.0E-05	immune system, dermal system	300	IRIS, Nov 2010
	Dioxins/Furans							
Total Dioxin/Furan TEQ	Total Dioxin TEQ	o	1.0E-09	1	1.0E-09	reproduction	1000	A, Nov 2010
Total PCB TEQ	Total PCB TEQ	o	1.0E-09	1	1.0E-09	reproduction	1000	A, Nov 2010
	Pesticides							
309-00-2	Aldrin		3.0E-05	1	3.0E-05	liver	1000	IRIS, Nov 2010
319-84-6	alpha-Hexachlorocyclohexane		8.0E-03	1	8.0E-03	liver	100	A, Nov 2010
319-85-7	beta-Hexachlorocyclohexane		6.0E-04	1	6.0E-04	liver	300	ATSDR MRL, Oct 2005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 4-2
Non-Cancer Toxicity Data - Oral/Dermal

CAS Number	Chemical of Potential Concern	Notes	Oral RfD mg/kg-day	Oral Absorption Efficiency for Dermal[1]	Absorbed RfD for Dermal mg/kg-day	Primary Target Organ(s)	Combined Uncertainty/Modifying Factors	Oral RfD Source(s), Date[2]
319-86-8	delta-Hexachlorocyclohexane	e	NL	NL	NL	NL	NL	P, Nov 2010
60-57-1	Dieldrin		5.0E-05	1	5.0E-05	liver	100	IRIS, Nov 2010
72-20-8	Endrin		3.0E-04	1	3.0E-04	liver	100	IRIS, Nov 2010
7421-93-4	Endrin aldehyde	p	3.0E-04	1	3.0E-04	liver	100	IRIS, Nov 2010
53494-70-5	Endrin ketone	p	3.0E-04	1	3.0E-04	liver	100	IRIS, Nov 2010
58-89-9	gamma-Hexachlorocyclohexane		3.0E-04	1	3.0E-04	liver, kidney	1000	IRIS, Nov 2010
76-44-8	Heptachlor		5.0E-04	1	5.0E-04	liver	300	IRIS, Nov 2010
1024-57-3	Heptachlor epoxide		1.3E-05	1	1.3E-05	liver	1000	IRIS, Nov 2010
72-43-5	Methoxychlor		5.0E-03	1	5.0E-03	reproduction, endocrine	1000	IRIS, Nov 2010
12789-03-6	Total Chlordane		5.0E-04	1	5.0E-04	liver	300	IRIS, Nov 2010
Total DDD	Total DDD	q	5.0E-04	1	5.0E-04	liver	100	IRIS, Nov 2010
Total DDE	Total DDE	q	5.0E-04	1	5.0E-04	liver	100	IRIS, Nov 2010
Total DDT	Total DDT		5.0E-04	1	5.0E-04	liver	100	IRIS, Nov 2010
115-29-7	Total Endosulfan		6.0E-03	1	6.0E-03	whole body, CNS, blood vessels	100	IRIS, Nov 2010
	Herbicides							
93-65-2	MCPP		1.0E-03	1	1.0E-03	liver	3000	IRIS, Nov 2010
	Volatile Organic Compounds							
108-90-7	Chlorobenzene		2.0E-02	1	2.0E-02	liver	1000	IRIS, Nov 2010
127-18-4	Tetrachloroethene		1.0E-02	1	1.0E-02	liver, weight gain	1000	IRIS, Nov 2010
79-01-6	Trichloroethene	r	--	1	--	--	--	EPA, 2001b
	Conventionals							
14797-73-0	Perchlorate		7.0E-04	1	7.0E-04	thyroid (endocrine)	10	IRIS, Nov 2010

Footnotes:

1 Source: Exhibit 4-1. Risk Assessment Guidance for Superfund. Volume I: Human Health Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment) Final, July 2004. EPA/540/R/99/005.

2 Oral RfD toxicity values were retrieved from the EPA Regional Screening Levels (RSLs) Table (November 2010), which uses the EPA recommended hierarchy for toxicity value sources. Sources listed above are those listed in the RSL table.

Acronyms:

-- Not available
A Agency for Toxic Substances and Disease Registry, as referenced in RSL table
ATSDR MRL Agency for Toxic Substances and Disease Registry Minimum Risk Level
CAS Chemical Abstracts Service
CNS Central Nervous System
EPA United States Environmental Protection Agency
H Health Effects Assessment Summary Table, July 1997
IRIS Integrated Risk Information System, Accessed online November 2010.
mg/kg-day milligram per kilogram per day
NA Not applicable. Chemical will not be assessed individually for noncancer risk.
NL Not Listed
P Provisional Peer Reviewed Toxicity Value
RfD Reference Dose
TEQ Toxic equivalency quotient
X Provisional Peer Reviewed Toxicity Value Appendix, as referenced in RSL table

Notes:

a EPA lists an oral absorption efficiency of 2.5% and 5% for water and diet dosing regimens, respectively. The higher value of 5% is listed.
b Lead not evaluated using reference dose.
c Methylmercury toxicity value used for tissue evaluation.
d Toxicity value for mercuric chloride (and other mercury salts) used for mercury in sediment evaluation.
e A toxicity value was not available from the recommended hierarchy and a surrogate chemical could not be identified. Analyte is discussed qualitatively in text.
f Toxicity value calculated from vanadium pentoxide. Critical effect listed is for vanadium pentoxide.
g Surrogate: Tributyltin Oxide
h Surrogate: Acenaphthene
i Surrogate: Pyrene
j Surrogate: Fluorene
k Surrogate: Dibutyl phthalate
l Surrogate: 4-Methylphenol
m RfDo for Aroclor 1254
n Not applicable. Chemical will not be assessed individually for noncancer risk.
o TEQ approach based on 2,3,7,8-TCDD toxicity
p Surrogate: Endrin
q RfDo for DDT
r Per an agreement with EPA, toxicity value for trichloroethene is based on EPA. 2001b. Trichloroethylene Health Risk Assessment: Synthesis and Characterization, August 2001, EPA/600/P-01/0002A – External Review Draft. The toxicity value for trichloroethene represents an older value that is superceded by more recent guidance. The use of the older toxicity value does not impact the conclusions of the risk assessment.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 4-3: Toxic Equivalency Factors

Chemical Class	Compound	TEF[1]
Dioxins	2,3,7,8-TCDD	1
	1,2,3,7,8-PeCDD	1
	1,2,3,4,7,8-HxCDD	0.1
	1,2,3,7,8,9-HxCDD	0.1
	1,2,3,6,7,8-HxCDD	0.1
	1,2,3,4,6,7,8-HpCDD	0.01
	OCDD	0.0003
Furans	2,3,7,8-TCDF	0.1
	1,2,3,7,8-PeCDF	0.03
	2,3,4,7,8-PeCDF	0.3
	1,2,3,4,7,8-HxCDF	0.1
	1,2,3,7,8,9-HxCDF	0.1
	1,2,3,6,7,8-HxCDF	0.1
	2,3,4,6,7,8-HxCDF	0.1
	1,2,3,4,6,7,8-HpCDF	0.01
	1,2,3,4,7,8,9-HpCDF	0.01
	OCDF	0.0003
Coplanar PCBs	3,3',4,4'-TCB (77)	0.0001
	3,4,4',5-TCB (81)	0.0003
	2,3,3',4,4'-PeCB (105)	0.00003
	2,3,4,4',5-PeCB (114)	0.00003
	2,3',4,4',5-PeCB (118)	0.00003
	2',3,4,4',5-PeCB (123)	0.00003
	3,3',4,4',5-PeCB (126)	0.1
	2,3,3',4,4',5'-HxCB (156)	0.00003
	2,3,3',4,4',5-HxCB (157)	0.00003
	2,3',4,4',5,5'-HxCB (167)	0.00003
	3,3',4,4',5,5'-HxCB (169)	0.03
	2,3,3',4,4',5,5'-HpCB (189)	0.00003
	2,2',3,3',4,4',5-HpCB (170)	--
	2,2',3,4,4',5,5'-HpCB (180)	--

(1) World Health Organization 2005 toxicity equivalent factor (TEF).

PORTLAND HARBOR RI/FS
FINAL REMEDIAL INVESTIGATION REPORT

APPENDIX F

BASELINE HUMAN HEALTH RISK ASSESSMENT

SECTION 5 TABLES

March 28, 2013

Produced for
The Lower Willamette Group and
United States Environmental Protection Agency

Produced by
Kennedy/Jenks Consultants

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-1.
Toxicity Endpoints for BHHRA COPCs[a]

Analyte	Blood[b]	Skin[c]	Kidney[d]	Gastrointestinal[e]	CNS[f]	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change[g]	Fetus	Lethargy[h]	Endocrine[i]	No effects observed
Metals																
Aluminum					x											
Antimony	x															
Arsenic	x	x														
Barium			x													
Boron												x				
Cadmium			x													
Chromium, trivalent																x
Chromium, hexavalent																x
Cobalt	x															
Copper				x												
Manganese					x											
Mercury (tissue)					x											
Mercury (sediment)							x									
Molybdenum			x													
Nickel						x										
Selenium						x										
Silver		x														
Vanadium		x														
Zinc	x															
Butyltins																
Butyltin ion							x									
Dibutyltin ion							x									
Tributyltin ion							x									
Polynuclear Aromatic Hydrocarbons																
2-Methylnaphthalene								x								
Acenaphthene							x									
Acenaphthylene							x									
Anthracene																x
Benzo(e)pyrene			x													
Benzo(g,h,i)perylene			x													
Dibenzothiophene	x															
Fluoranthene	x		x				x									
Fluorene	x															
Naphthalene						x						x				
Perylene			x													
Phenanthrene			x													
Pyrene			x													
Phthalates																
Bis(2-ethylhexyl) phthalate							x									
Butylbenzyl phthalate							x									
Diethyl phthalate						x							x			
Dibutyl phthalate						x										
Di-n-octyl phthalate							x									
Semivolatile Organic Compounds																
Benzoic acid																x
Benzyl alcohol				x												
Bis(2-chloroethoxy) methane							x									
Dibenzofuran	x															
Hexachlorobenzene							x									
Hexachlorobutadiene			x													
Isophorone			x													
Nitrobenzene	x															
Retene			x													
Phenols																
2,4-Dichlorophenol										x						
2,4-Dimethylphenol	x				x									x		
2-Methylphenol					x							x				
4-Methylphenol					x	x										
4-Nitrophenol					x	x										
Pentachlorophenol			x				x									
Phenol					x											
Polychlorinated Biphenyls Aroclors																
Total PCB Aroclors		x						x								

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-1.
Toxicity Endpoints for BHHRA COPCs[a]

Analyte	Blood[b]	Skin[c]	Kidney[d]	Gastrointestinal[e]	CNS[f]	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change[g]	Fetus	Lethargy[h]	Endocrine[i]	No effects observed
Polychlorinated Biphenyls Congeners																
Total PCB Congeners[j]																
Total PCBs, Adjusted		x						x								
Dioxins/Furans																
Total Dioxin TEQ											x					
Total PCB TEQ											x					
Total TEQ											x					
Pesticides																
Aldrin							x									
alpha-Hexachlorocyclohexane							x									
beta-Hexachlorocyclohexane							x									
Dieldrin							x									
Endrin							x									
Endrin aldehyde							x									
Endrin ketone							x									
gamma-Hexachlorocyclohexane			x				x									
Heptachlor							x									
Heptachlor epoxide							x									
Methoxychlor											x				x	
Total Chlordane							x									
Total DDD							x									
Total DDE							x									
Total DDT							x									
Total Endosulfan	x				x	x										
Herbicides																
MCPP							x					x				
Volatile Organic Compounds																
Chlorobenzene							x									
Tetrachloroethene							x					x				
Trichloroethene			x				x						x			
Conventionals																
Perchlorate															x	

Notes:
a Chemical list includes chemicals of potential concern within the study area which have known toxicity endpoints.
b Blood vessels are included in the blood endpoint.
c Hair, nails, and sebaceous eyelid glands are included in skin endpoint.
d Adrenal and increased uric acid levels are included in the kidney endpoint.
e Forestomach is included in the gastrointestinal endpoint.
f Brain and ataxia are included in the CNS endpoint.
g Weight gain and weight loss are included in the weight change endpoint.
h Thyroid is included in the endocrine endpoint.
i Prostration is included in the lethargy endpoint.
j Noncancer hazard quotient for PCB congeners was evaluated separately as total PCB TEQ and total PCBs, adjusted ('total PCBs, adjusted' equals the difference of total PCB congeners and total dioxin-like PCB congeners).

Acronyms:
BHHRA = Baseline human health risk assessment.
CNS = Central Nervous System.
COPC = Chemical of Potential Concern.
DDD = Dichlorodiphenyldichloroethane.
DDE = Dichlorodiphenyldichloroethylene.
DDT = Dichlorodiphenyltrichloroethane.
MCPP = 2-(2-Methyl-4-chlorophenoxy)propionic acid.
PCB = Polychlorinated Biphenyls.
TEQ = Toxic Equivalents.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-2.

Calculation of Cancer Risks and Noncancer Hazards - Dockside Worker, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Dockside Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
05B019	**Metals**																
	Arsenic	2.6E+00	mg/kg	1.5E+00	1.5E+00	3.6E-08	3.6E-07	5.4E-08	5.5E-07	6.E-07	3.0E-04	3.0E-04	1.0E-07	1.0E-06	3.4E-04	3.4E-03	0.004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.4E+00	ug/kg	7.3E-01	7.3E-01	3.8E-10	8.9E-10	2.8E-10	6.5E-10	9.E-10	--	--	1.1E-09	2.5E-09	--	--	--
	Benzo(a)pyrene	4.2E+00	ug/kg	7.3E+00	7.3E+00	2.5E-10	5.9E-10	1.8E-09	4.3E-09	6.E-09	--	--	7.1E-10	1.6E-09	--	--	--
	Benzo(b)fluoranthene	7.3E+00	ug/kg	7.3E-01	7.3E-01	4.4E-10	1.0E-09	3.2E-10	7.4E-10	1.E-09	--	--	1.2E-09	2.9E-09	--	--	--
	Benzo(k)fluoranthene	7.5E+00	ug/kg	7.3E-02	7.3E-02	4.5E-10	1.0E-09	3.3E-11	7.7E-11	1.E-10	--	--	1.3E-09	2.9E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	5.2E+00	ug/kg	7.3E-01	7.3E-01	3.1E-10	7.3E-10	2.3E-10	5.3E-10	8.E-10	--	--	8.7E-10	2.0E-09	--	--	--
Exposure Point Total										**6.E-07**							**0.004**
06B025	**Metals**																
	Arsenic	2.3E+00	mg/kg	1.5E+00	1.5E+00	3.2E-08	3.2E-07	4.8E-08	4.8E-07	5.E-07	3.0E-04	3.0E-04	8.9E-08	9.0E-07	3.0E-04	3.0E-03	0.003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.9E+04	ug/kg	7.3E-01	7.3E-01	1.7E-06	4.1E-06	1.3E-06	3.0E-06	4.E-06	--	--	4.9E-06	1.1E-05	--	--	--
	Benzo(a)pyrene	4.1E+04	ug/kg	7.3E+00	7.3E+00	2.5E-06	5.7E-06	1.8E-05	4.2E-05	6.E-05	--	--	6.9E-06	1.6E-05	--	--	--
	Benzo(b)fluoranthene	3.1E+04	ug/kg	7.3E-01	7.3E-01	1.9E-06	4.3E-06	1.4E-06	3.2E-06	5.E-06	--	--	5.2E-06	1.2E-05	--	--	--
	Benzo(k)fluoranthene	2.4E+04	ug/kg	7.3E-02	7.3E-02	1.4E-06	3.4E-06	1.1E-07	2.4E-07	3.E-07	--	--	4.0E-06	9.4E-06	--	--	--
	Dibenzo(a,h)anthracene	9.5E+03	ug/kg	7.3E+00	7.3E+00	5.7E-07	1.3E-06	4.2E-06	9.7E-06	1.E-05	--	--	1.6E-06	3.7E-06	--	--	--
	Indeno(1,2,3-cd)pyrene	3.1E+04	ug/kg	7.3E-01	7.3E-01	1.9E-06	4.3E-06	1.4E-06	3.2E-06	5.E-06	--	--	5.2E-06	1.2E-05	--	--	--
	Polychlorinated Biphenyls																
	Total Aroclors	4.3E+01	ug/kg	2.0E+00	2.0E+00	2.8E-09	6.1E-09	5.6E-09	1.2E-08	2.E-08	2.0E-05	2.0E-05	7.9E-09	1.7E-08	3.9E-04	8.5E-04	0.001
Exposure Point Total										**9.E-05**							**0.005**
06B029	**Metals**																
	Arsenic	1.7E+00	mg/kg	1.5E+00	1.5E+00	2.4E-08	2.4E-07	3.5E-08	3.6E-07	4.E-07	3.0E-04	3.0E-04	6.6E-08	6.7E-07	2.2E-04	2.2E-03	0.002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+02	ug/kg	7.3E-01	7.3E-01	8.4E-09	2.0E-08	6.1E-09	1.4E-08	2.E-08	--	--	2.4E-08	5.5E-08	--	--	--
	Benzo(a)pyrene	3.2E+02	ug/kg	7.3E+00	7.3E+00	1.9E-08	4.5E-08	1.4E-07	3.3E-07	5.E-07	--	--	5.4E-08	1.3E-07	--	--	--
	Benzo(b)fluoranthene	2.5E+02	ug/kg	7.3E-01	7.3E-01	1.5E-08	3.5E-08	1.1E-08	2.6E-08	4.E-08	--	--	4.2E-08	9.8E-08	--	--	--
	Benzo(k)fluoranthene	2.2E+02	ug/kg	7.3E-02	7.3E-02	1.3E-08	3.1E-08	9.6E-10	2.2E-09	3.E-09	--	--	3.7E-08	8.6E-08	--	--	--
	Dibenzo(a,h)anthracene	5.9E+01	ug/kg	7.3E+00	7.3E+00	3.5E-09	8.2E-09	2.6E-08	6.0E-08	9.E-08	--	--	9.9E-09	2.3E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.6E+02	ug/kg	7.3E-01	7.3E-01	1.6E-08	3.6E-08	1.1E-08	2.7E-08	4.E-08	--	--	4.4E-08	1.0E-07	--	--	--
Exposure Point Total										**1.E-06**							**0.002**

Cancer Risk Calculations[a] *Noncancer Hazard Quotient Calculations*[a]

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-2.
Calculation of Cancer Risks and Noncancer Hazards - Dockside Worker, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Dockside Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
07B022	**Metals**																
	Arsenic	2.0E+00	mg/kg	1.5E+00	1.5E+00	2.8E-08	2.8E-07	4.2E-08	4.2E-07	5.E-07	3.0E-04	3.0E-04	7.7E-08	7.8E-07	2.6E-04	2.6E-03	0.003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.5E+00	ug/kg	7.3E-01	7.3E-01	4.5E-10	1.0E-09	3.3E-10	7.7E-10	1.E-09	--	--	1.3E-09	2.9E-09	--	--	--
	Benzo(a)pyrene	7.1E+00	ug/kg	7.3E+00	7.3E+00	4.3E-10	9.9E-10	3.1E-09	7.2E-09	1.E-08	--	--	1.2E-09	2.8E-09	--	--	--
	Benzo(b)fluoranthene	6.3E+00	ug/kg	7.3E-01	7.3E-01	3.8E-10	8.8E-10	2.8E-10	6.4E-10	9.E-10	--	--	1.1E-09	2.5E-09	--	--	--
	Benzo(k)fluoranthene	7.1E+00	ug/kg	7.3E-02	7.3E-02	4.3E-10	9.9E-10	3.1E-11	7.2E-11	1.E-10	--	--	1.2E-09	2.8E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	6.3E+00	ug/kg	7.3E-01	7.3E-01	3.8E-10	8.8E-10	2.8E-10	6.4E-10	9.E-10	--	--	1.1E-09	2.5E-09	--	--	--
Exposure Point Total										5.E-07							0.003
08B032	**Metals**																
	Arsenic	2.2E+00	mg/kg	1.5E+00	1.5E+00	3.0E-08	3.1E-07	4.6E-08	4.6E-07	5.E-07	3.0E-04	3.0E-04	8.5E-08	8.6E-07	2.8E-04	2.9E-03	0.003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.3E+01	ug/kg	7.3E-01	7.3E-01	7.8E-10	1.8E-09	5.7E-10	1.3E-09	2.E-09	--	--	2.2E-09	5.1E-09	--	--	--
	Benzo(a)pyrene	1.6E+01	ug/kg	7.3E+00	7.3E+00	9.6E-10	2.2E-09	7.0E-09	1.6E-08	2.E-08	--	--	2.7E-09	6.3E-09	--	--	--
	Benzo(b)fluoranthene	1.4E+01	ug/kg	7.3E-01	7.3E-01	8.4E-10	2.0E-09	6.1E-10	1.4E-09	2.E-09	--	--	2.4E-09	5.5E-09	--	--	--
	Benzo(k)fluoranthene	1.0E+01	ug/kg	7.3E-02	7.3E-02	6.0E-10	1.4E-09	4.4E-11	1.0E-10	1.E-10	--	--	1.7E-09	3.9E-09	--	--	--
	Dibenzo(a,h)anthracene	1.9E+00	ug/kg	7.3E+00	7.3E+00	1.1E-10	2.7E-10	8.3E-10	1.9E-09	3.E-09	--	--	3.2E-10	7.4E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.3E+01	ug/kg	7.3E-01	7.3E-01	7.8E-10	1.8E-09	5.7E-10	1.3E-09	2.E-09	--	--	2.2E-09	5.1E-09	--	--	--
	Polychlorinated Biphenyls																
	Total Aroclors	1.9E+01	ug/kg	2.0E+00	2.0E+00	1.2E-09	2.6E-09	2.4E-09	5.2E-09	8.E-09	2.0E-05	2.0E-05	3.4E-09	7.3E-09	1.7E-04	3.7E-04	0.001
Exposure Point Total										5.E-07							0.004
B002	**Metals**																
	Arsenic	2.4E+00	mg/kg	1.5E+00	1.5E+00	3.3E-08	3.4E-07	5.0E-08	5.0E-07	6.E-07	3.0E-04	3.0E-04	9.3E-08	9.4E-07	3.1E-04	3.1E-03	0.003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.8E+00	ug/kg	7.3E-01	7.3E-01	2.3E-10	5.3E-10	1.7E-10	3.9E-10	6.E-10	--	--	6.4E-10	1.5E-09	--	--	--
	Benzo(a)pyrene	6.6E+00	ug/kg	7.3E+00	7.3E+00	4.0E-10	9.2E-10	2.9E-09	6.7E-09	1.E-08	--	--	1.1E-09	2.6E-09	--	--	--
	Benzo(b)fluoranthene	7.4E+00	ug/kg	7.3E-01	7.3E-01	4.4E-10	1.0E-09	3.2E-10	7.6E-10	1.E-09	--	--	1.2E-09	2.9E-09	--	--	--
	Benzo(k)fluoranthene	2.2E+00	ug/kg	7.3E-02	7.3E-02	1.3E-10	3.1E-10	9.6E-12	2.2E-11	3.E-11	--	--	3.7E-10	8.6E-10	--	--	--
	Dibenzo(a,h)anthracene	1.5E+00	ug/kg	7.3E+00	7.3E+00	9.0E-11	2.1E-10	6.6E-10	1.5E-09	2.E-09	--	--	2.5E-10	5.9E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	6.4E+00	ug/kg	7.3E-01	7.3E-01	3.8E-10	8.9E-10	2.8E-10	6.5E-10	9.E-10	--	--	1.1E-09	2.5E-09	--	--	--
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+02	ug/kg	2.0E+00	2.0E+00	1.1E-08	2.3E-08	2.1E-08	4.6E-08	7.E-08	2.0E-05	2.0E-05	3.0E-08	6.5E-08	1.5E-03	3.2E-03	0.005
	Dioxin/Furan																
	Total PCB TEQ	3.8E+00	pg/g	1.3E+05	1.3E+05	2.4E-13	5.3E-13	3.2E-08	6.9E-08	1.E-07	1.0E-09	1.0E-09	6.8E-13	1.5E-12	6.8E-04	1.5E-03	0.002
Exposure Point Total										7.E-07							0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-2.
Calculation of Cancer Risks and Noncancer Hazards - Dockside Worker, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Dockside Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
B004	**Metals**																
	Arsenic	2.7E+00	mg/kg	1.5E+00	1.5E+00	3.7E-08	3.8E-07	5.6E-08	5.7E-07	6.E-07	3.0E-04	3.0E-04	1.0E-07	1.1E-06	3.5E-04	3.5E-03	0.004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.3E+01	ug/kg	7.3E-01	7.3E-01	2.6E-09	6.0E-09	1.9E-09	4.4E-09	6.E-09	--	--	7.2E-09	1.7E-08	--	--	--
	Benzo(a)pyrene	8.2E+01	ug/kg	7.3E+00	7.3E+00	4.9E-09	1.1E-08	3.6E-08	8.4E-08	1.E-07	--	--	1.4E-08	3.2E-08	--	--	--
	Benzo(b)fluoranthene	9.9E+01	ug/kg	7.3E-01	7.3E-01	5.9E-09	1.4E-08	4.3E-09	1.0E-08	1.E-08	--	--	1.7E-08	3.9E-08	--	--	--
	Benzo(k)fluoranthene	3.1E+01	ug/kg	7.3E-02	7.3E-02	1.9E-09	4.3E-09	1.4E-10	3.2E-10	5.E-10	--	--	5.2E-09	1.2E-08	--	--	--
	Dibenzo(a,h)anthracene	1.3E+01	ug/kg	7.3E+00	7.3E+00	7.8E-10	1.8E-09	5.7E-09	1.3E-08	2.E-08	--	--	2.2E-09	5.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	9.8E+01	ug/kg	7.3E-01	7.3E-01	5.9E-09	1.4E-08	4.3E-09	1.0E-08	1.E-08	--	--	1.6E-08	3.8E-08	--	--	--
	Polychlorinated Biphenyls																
	Total Aroclors	1.6E+03	ug/kg	2.0E+00	2.0E+00	1.0E-07	2.2E-07	2.0E-07	4.4E-07	6.E-07	2.0E-05	2.0E-05	2.8E-07	6.1E-07	1.4E-02	3.1E-02	0.04
	Dioxin/Furan																
	Total PCB TEQ	3.1E+01	pg/g	1.3E+05	1.3E+05	2.0E-12	4.4E-12	2.6E-07	5.7E-07	8.E-07	1.0E-09	1.0E-09	5.7E-12	1.2E-11	5.7E-03	1.2E-02	0.02
Exposure Point Total										2.E-06							0.07
B006	**Metals**																
	Arsenic	2.5E+00	mg/kg	1.5E+00	1.5E+00	3.5E-08	3.5E-07	5.2E-08	5.3E-07	6.E-07	3.0E-04	3.0E-04	9.8E-08	9.9E-07	3.3E-04	3.3E-03	0.004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+00	ug/kg	7.3E-01	7.3E-01	1.1E-10	2.5E-10	7.9E-11	1.8E-10	3.E-10	--	--	3.0E-10	7.0E-10	--	--	--
	Benzo(a)pyrene	1.3E+00	ug/kg	7.3E+00	7.3E+00	7.8E-11	1.8E-10	5.7E-10	1.3E-09	2.E-09	--	--	2.2E-10	5.1E-10	--	--	--
	Benzo(b)fluoranthene	3.1E+00	ug/kg	7.3E-01	7.3E-01	1.9E-10	4.3E-10	1.4E-10	3.2E-10	5.E-10	--	--	5.2E-10	1.2E-09	--	--	--
	Benzo(k)fluoranthene	1.1E+00	ug/kg	7.3E-02	7.3E-02	6.6E-11	1.5E-10	4.8E-12	1.1E-11	2.E-11	--	--	1.8E-10	4.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+00	ug/kg	7.3E-01	7.3E-01	7.2E-11	1.7E-10	5.3E-11	1.2E-10	2.E-10	--	--	2.0E-10	4.7E-10	--	--	--
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+01	ug/kg	2.0E+00	2.0E+00	1.1E-09	2.4E-09	2.2E-09	4.8E-09	7.E-09	2.0E-05	2.0E-05	3.1E-09	6.8E-09	1.6E-04	3.4E-04	0.0005
Exposure Point Total										6.E-07							0.004

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

Abbreviations: -- = Not Applicable
CDI = Chronic Daily Intake
EPC = Exposure Point Concentration
HQ = Hazard Quotient
LADI = Lifetime Average Daily Intake
mg/kg = milligram per kilogram
RfD = Reference Dose
ug/kg = microgram per kilogram

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-3.

Calculation of Cancer Risks and Noncancer Hazards - Dockside Worker, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Dockside Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
05B019	**Metals**																
	Arsenic	2.6E+00	mg/kg	1.5E+00	1.5E+00	1.1E-09	2.9E-08	1.7E-09	4.3E-08	4.E-08	3.0E-04	3.0E-04	8.9E-09	2.2E-07	3.0E-05	7.5E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.4E+00	ug/kg	7.3E-01	7.3E-01	1.2E-11	7.1E-11	8.9E-12	5.2E-11	6.E-11	--	--	9.5E-11	5.5E-10	--	--	--
	Benzo(a)pyrene	4.2E+00	ug/kg	7.3E+00	7.3E+00	8.0E-12	4.6E-11	5.8E-11	3.4E-10	4.E-10	--	--	6.2E-11	3.6E-10	--	--	--
	Benzo(b)fluoranthene	7.3E+00	ug/kg	7.3E-01	7.3E-01	1.4E-11	8.1E-11	1.0E-11	5.9E-11	7.E-11	--	--	1.1E-10	6.3E-10	--	--	--
	Benzo(k)fluoranthene	7.5E+00	ug/kg	7.3E-02	7.3E-02	1.4E-11	8.3E-11	1.0E-12	6.1E-12	7.E-12	--	--	1.1E-10	6.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	5.2E+00	ug/kg	7.3E-01	7.3E-01	9.9E-12	5.8E-11	7.2E-12	4.2E-11	5.E-11	--	--	7.7E-11	4.5E-10	--	--	--
Exposure Point Total										5.E-08							0.001
06B025	**Metals**																
	Arsenic	2.3E+00	mg/kg	1.5E+00	1.5E+00	1.0E-09	2.5E-08	1.5E-09	3.8E-08	4.E-08	3.0E-04	3.0E-04	7.8E-09	2.0E-07	2.6E-05	6.6E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.9E+04	ug/kg	7.3E-01	7.3E-01	5.5E-08	3.2E-07	4.0E-08	2.3E-07	3.E-07	--	--	4.3E-07	2.5E-06	--	--	--
	Benzo(a)pyrene	4.1E+04	ug/kg	7.3E+00	7.3E+00	7.8E-08	4.5E-07	5.7E-07	3.3E-06	4.E-06	--	--	6.1E-07	3.5E-06	--	--	--
	Benzo(b)fluoranthene	3.1E+04	ug/kg	7.3E-01	7.3E-01	5.9E-08	3.4E-07	4.3E-08	2.5E-07	3.E-07	--	--	4.6E-07	2.7E-06	--	--	--
	Benzo(k)fluoranthene	2.4E+04	ug/kg	7.3E-02	7.3E-02	4.6E-08	2.7E-07	3.3E-09	1.9E-08	2.E-08	--	--	3.5E-07	2.1E-06	--	--	--
	Dibenzo(a,h)anthracene	9.5E+03	ug/kg	7.3E+00	7.3E+00	1.8E-08	1.1E-07	1.3E-07	7.7E-07	9.E-07	--	--	1.4E-07	8.2E-07	--	--	--
	Indeno(1,2,3-cd)pyrene	3.1E+04	ug/kg	7.3E-01	7.3E-01	5.9E-08	3.4E-07	4.3E-08	2.5E-07	3.E-07	--	--	4.6E-07	2.7E-06	--	--	--
	Polychlorinated Biphenyls																
	Total Aroclors	4.3E+01	ug/kg	2.0E+00	2.0E+00	8.9E-11	4.8E-10	1.8E-10	9.6E-10	1.E-09	2.0E-05	2.0E-05	6.9E-10	3.7E-09	3.5E-05	1.9E-04	0.0002
Exposure Point Total										6.E-06							0.001
06B029	**Metals**																
	Arsenic	1.7E+00	mg/kg	1.5E+00	1.5E+00	7.5E-10	1.9E-08	1.1E-09	2.8E-08	3.E-08	3.0E-04	3.0E-04	5.8E-09	1.5E-07	1.9E-05	4.9E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+02	ug/kg	7.3E-01	7.3E-01	2.7E-10	1.5E-09	1.9E-10	1.1E-09	1.E-09	--	--	2.1E-09	1.2E-08	--	--	--
	Benzo(a)pyrene	3.2E+02	ug/kg	7.3E+00	7.3E+00	6.1E-10	3.5E-09	4.4E-09	2.6E-08	3.E-08	--	--	4.7E-09	2.8E-08	--	--	--
	Benzo(b)fluoranthene	2.5E+02	ug/kg	7.3E-01	7.3E-01	4.7E-10	2.8E-09	3.5E-10	2.0E-09	2.E-09	--	--	3.7E-09	2.2E-08	--	--	--
	Benzo(k)fluoranthene	2.2E+02	ug/kg	7.3E-02	7.3E-02	4.2E-10	2.4E-09	3.1E-11	1.8E-10	2.E-10	--	--	3.3E-09	1.9E-08	--	--	--
	Dibenzo(a,h)anthracene	5.9E+01	ug/kg	7.3E+00	7.3E+00	1.1E-10	6.5E-10	8.2E-10	4.8E-09	6.E-09	--	--	8.7E-10	5.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.6E+02	ug/kg	7.3E-01	7.3E-01	4.9E-10	2.9E-09	3.6E-10	2.1E-09	2.E-09	--	--	3.8E-09	2.2E-08	--	--	--
Exposure Point Total										7.E-08							0.001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-3.
Calculation of Cancer Risks and Noncancer Hazards - Dockside Worker, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Dockside Worker   Exposure Medium: Beach Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(\text{mg/kg-day})^{-1}$	Oral Cancer Slope Factor $(\text{mg/kg-day})^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
07B022	**Metals**																
	Arsenic	2.0E+00	mg/kg	1.5E+00	1.5E+00	8.8E-10	2.2E-08	1.3E-09	3.3E-08	3.E-08	3.0E-04	3.0E-04	6.8E-09	1.7E-07	2.3E-05	5.7E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.5E+00	ug/kg	7.3E-01	7.3E-01	1.4E-11	8.3E-11	1.0E-11	6.1E-11	7.E-11	--	--	1.1E-10	6.5E-10	--	--	--
	Benzo(a)pyrene	7.1E+00	ug/kg	7.3E+00	7.3E+00	1.3E-11	7.9E-11	9.8E-11	5.7E-10	7.E-10	--	--	1.0E-10	6.1E-10	--	--	--
	Benzo(b)fluoranthene	6.3E+00	ug/kg	7.3E-01	7.3E-01	1.2E-11	7.0E-11	8.7E-12	5.1E-11	6.E-11	--	--	9.3E-11	5.4E-10	--	--	--
	Benzo(k)fluoranthene	7.1E+00	ug/kg	7.3E-02	7.3E-02	1.3E-11	7.9E-11	9.8E-13	5.7E-12	7.E-12	--	--	1.0E-10	6.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	6.3E+00	ug/kg	7.3E-01	7.3E-01	1.2E-11	7.0E-11	8.7E-12	5.1E-11	6.E-11	--	--	9.3E-11	5.4E-10	--	--	--
Exposure Point Total										4.E-08							0.001
08B032	**Metals**																
	Arsenic	2.2E+00	mg/kg	1.5E+00	1.5E+00	9.6E-10	2.4E-08	1.4E-09	3.7E-08	4.E-08	3.0E-04	3.0E-04	7.5E-09	1.9E-07	2.5E-05	6.3E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.3E+01	ug/kg	7.3E-01	7.3E-01	2.5E-11	1.4E-10	1.8E-11	1.1E-10	1.E-10	--	--	1.9E-10	1.1E-09	--	--	--
	Benzo(a)pyrene	1.6E+01	ug/kg	7.3E+00	7.3E+00	3.0E-11	1.8E-10	2.2E-10	1.3E-09	2.E-09	--	--	2.4E-10	1.4E-09	--	--	--
	Benzo(b)fluoranthene	1.4E+01	ug/kg	7.3E-01	7.3E-01	2.7E-11	1.5E-10	1.9E-11	1.1E-10	1.E-10	--	--	2.1E-10	1.2E-09	--	--	--
	Benzo(k)fluoranthene	1.0E+01	ug/kg	7.3E-02	7.3E-02	1.9E-11	1.1E-10	1.4E-12	8.1E-12	9.E-12	--	--	1.5E-10	8.6E-10	--	--	--
	Dibenzo(a,h)anthracene	1.9E+00	ug/kg	7.3E+00	7.3E+00	3.6E-12	2.1E-11	2.6E-11	1.5E-10	2.E-10	--	--	2.8E-11	1.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.3E+01	ug/kg	7.3E-01	7.3E-01	2.5E-11	1.4E-10	1.8E-11	1.1E-10	1.E-10	--	--	1.9E-10	1.1E-09	--	--	--
	Polychlorinated Biphenyls																
	Total Aroclors	1.9E+01	ug/kg	2.0E+00	2.0E+00	3.8E-11	2.1E-10	7.7E-11	4.2E-10	5.E-10	2.0E-05	2.0E-05	3.0E-10	1.6E-09	1.5E-05	8.1E-05	0.0001
Exposure Point Total										4.E-08							0.001
B002	**Metals**																
	Arsenic	2.4E+00	mg/kg	1.5E+00	1.5E+00	1.1E-09	2.7E-08	1.6E-09	4.0E-08	4.E-08	3.0E-04	3.0E-04	8.2E-09	2.1E-07	2.7E-05	6.9E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.8E+00	ug/kg	7.3E-01	7.3E-01	7.2E-12	4.2E-11	5.3E-12	3.1E-11	4.E-11	--	--	5.6E-11	3.3E-10	--	--	--
	Benzo(a)pyrene	6.6E+00	ug/kg	7.3E+00	7.3E+00	1.3E-11	7.3E-11	9.2E-11	5.3E-10	6.E-10	--	--	9.8E-11	5.7E-10	--	--	--
	Benzo(b)fluoranthene	7.4E+00	ug/kg	7.3E-01	7.3E-01	1.4E-11	8.2E-11	1.0E-11	6.0E-11	7.E-11	--	--	1.1E-10	6.4E-10	--	--	--
	Benzo(k)fluoranthene	2.2E+00	ug/kg	7.3E-02	7.3E-02	4.2E-12	2.4E-11	3.1E-13	1.8E-12	2.E-12	--	--	3.3E-11	1.9E-10	--	--	--
	Dibenzo(a,h)anthracene	1.5E+00	ug/kg	7.3E+00	7.3E+00	2.8E-12	1.7E-11	2.1E-11	1.2E-10	1.E-10	--	--	2.2E-11	1.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	6.4E+00	ug/kg	7.3E-01	7.3E-01	1.2E-11	7.1E-11	8.9E-12	5.2E-11	6.E-11	--	--	9.5E-11	5.5E-10	--	--	--
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+02	ug/kg	2.0E+00	2.0E+00	3.4E-10	1.8E-09	6.8E-10	3.7E-09	4.E-09	2.0E-05	2.0E-05	2.6E-09	1.4E-08	1.3E-04	7.1E-04	0.001
	Dioxin/Furan																
	Total PCB TEQ	3.8E+00	pg/g	1.3E+05	1.3E+05	7.7E-15	4.2E-14	1.0E-09	5.4E-09	6.E-09	1.0E-09	1.0E-09	6.0E-14	3.2E-13	6.0E-05	3.2E-04	0.0004
Exposure Point Total										5.E-08							0.002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-3.
Calculation of Cancer Risks and Noncancer Hazards - Dockside Worker, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Dockside Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
B004	**Metals**																
	Arsenic	2.7E+00	mg/kg	1.5E+00	1.5E+00	1.2E-09	3.0E-08	1.8E-09	4.5E-08	5.E-08	3.0E-04	3.0E-04	9.2E-09	2.3E-07	3.1E-05	7.7E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.3E+01	ug/kg	7.3E-01	7.3E-01	8.2E-11	4.8E-10	6.0E-11	3.5E-10	4.E-10	--	--	6.4E-10	3.7E-09	--	--	--
	Benzo(a)pyrene	8.2E+01	ug/kg	7.3E+00	7.3E+00	1.6E-10	9.1E-10	1.1E-09	6.6E-09	8.E-09	--	--	1.2E-09	7.1E-09	--	--	--
	Benzo(b)fluoranthene	9.9E+01	ug/kg	7.3E-01	7.3E-01	1.9E-10	1.1E-09	1.4E-10	8.0E-10	9.E-10	--	--	1.5E-09	8.5E-09	--	--	--
	Benzo(k)fluoranthene	3.1E+01	ug/kg	7.3E-02	7.3E-02	5.9E-11	3.4E-10	4.3E-12	2.5E-11	3.E-11	--	--	4.6E-10	2.7E-09	--	--	--
	Dibenzo(a,h)anthracene	1.3E+01	ug/kg	7.3E+00	7.3E+00	2.5E-11	1.4E-10	1.8E-10	1.1E-09	1.E-09	--	--	1.9E-10	1.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	9.8E+01	ug/kg	7.3E-01	7.3E-01	1.9E-10	1.1E-09	1.4E-10	7.9E-10	9.E-10	--	--	1.4E-09	8.4E-09	--	--	--
	Polychlorinated Biphenyls																
	Total Aroclors	1.6E+03	ug/kg	2.0E+00	2.0E+00	3.2E-09	1.7E-08	6.4E-09	3.5E-08	4.E-08	2.0E-05	2.0E-05	2.5E-08	1.4E-07	1.2E-03	6.8E-03	0.008
	Dioxin/Furan																
	Total PCB TEQ	3.1E+01	pg/g	1.3E+05	1.3E+05	6.4E-14	3.5E-13	8.3E-09	4.5E-08	5.E-08	1.0E-09	1.0E-09	5.0E-13	2.7E-12	5.0E-04	2.7E-03	0.003
Exposure Point Total										2.E-07							0.01
B006	**Metals**																
	Arsenic	2.5E+00	mg/kg	1.5E+00	1.5E+00	1.1E-09	2.8E-08	1.7E-09	4.2E-08	4.E-08	3.0E-04	3.0E-04	8.6E-09	2.2E-07	2.9E-05	7.2E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+00	ug/kg	7.3E-01	7.3E-01	3.4E-12	2.0E-11	2.5E-12	1.5E-11	2.E-11	--	--	2.7E-11	1.5E-10	--	--	--
	Benzo(a)pyrene	1.3E+00	ug/kg	7.3E+00	7.3E+00	2.5E-12	1.4E-11	1.8E-11	1.1E-10	1.E-10	--	--	1.9E-11	1.1E-10	--	--	--
	Benzo(b)fluoranthene	3.1E+00	ug/kg	7.3E-01	7.3E-01	5.9E-12	3.4E-11	4.3E-12	2.5E-11	3.E-11	--	--	4.6E-11	2.7E-10	--	--	--
	Benzo(k)fluoranthene	1.1E+00	ug/kg	7.3E-02	7.3E-02	2.1E-12	1.2E-11	1.5E-13	8.9E-13	1.E-12	--	--	1.6E-11	9.5E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+00	ug/kg	7.3E-01	7.3E-01	2.3E-12	1.3E-11	1.7E-12	9.7E-12	1.E-11	--	--	1.8E-11	1.0E-10	--	--	--
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+01	ug/kg	2.0E+00	2.0E+00	3.5E-11	1.9E-10	7.1E-11	3.8E-10	5.E-10	2.0E-05	2.0E-05	2.8E-10	1.5E-09	1.4E-05	7.4E-05	0.0001
Exposure Point Total										4.E-08							0.001

Cancer Risk Calculations[a]

Noncancer Hazard Quotient Calculations[a]

Notes:
  a Numbers presented are rounded values. Sums calculated before rounding.

Abbreviations: -- = Not Applicable
  CDI = Chronic Daily Intake
  EPC = Exposure Point Concentration
  HQ = Hazard Quotient
  LADI = Lifetime Average Daily Intake
  mg/kg = milligram per kilogram
  RfD = Reference Dose
  ug/kg = microgram per kilogram

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-4.

Calculation of Cancer Risks and Noncancer Hazards - Transients, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Transient
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
03B030	**Metals**																
	Aluminum	1.2E+04	mg/kg	--	--	0.0E+00	9.7E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	3.4E-02	0.0E+00	3.4E-02	0.03
	Arsenic	1.9E+00	mg/kg	1.5E+00	1.5E+00	4.0E-08	1.6E-07	6.0E-08	2.3E-07	3.E-07	3.0E-04	3.0E-04	1.4E-06	5.4E-06	4.6E-03	1.8E-02	0.02
	Copper	1.4E+01	mg/kg	--	--	0.0E+00	1.2E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	4.1E-05	0.0E+00	1.0E-03	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.2E+00	ug/kg	7.3E-01	7.3E-01	5.6E-10	5.1E-10	4.1E-10	3.7E-10	8.E-10	--	--	2.0E-08	1.8E-08	--	--	--
	Benzo(a)pyrene	7.9E+00	ug/kg	7.3E+00	7.3E+00	7.2E-10	6.4E-10	5.2E-09	4.7E-09	1.E-08	--	--	2.5E-08	2.3E-08	--	--	--
	Benzo(b)fluoranthene	1.0E+01	ug/kg	7.3E-01	7.3E-01	9.1E-10	8.2E-10	6.6E-10	6.0E-10	1.E-09	--	--	3.2E-08	2.9E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.6E+01	ug/kg	7.3E-01	7.3E-01	1.5E-09	1.3E-09	1.1E-09	9.5E-10	2.E-09	--	--	5.1E-08	4.6E-08	--	--	--
Exposure Point Total										**3.E-07**							**0.06**
03B031	**Metals**																
	Aluminum	2.2E+04	mg/kg	--	--	0.0E+00	1.8E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	6.3E-02	0.0E+00	6.3E-02	0.06
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	6.7E-08	2.6E-07	1.0E-07	3.9E-07	5.E-07	3.0E-04	3.0E-04	2.3E-06	9.1E-06	7.8E-03	3.0E-02	0.04
	Copper	2.3E+01	mg/kg	--	--	0.0E+00	1.9E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	6.5E-05	0.0E+00	1.6E-03	0.002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.8E+01	ug/kg	7.3E-01	7.3E-01	3.4E-09	3.1E-09	2.5E-09	2.3E-09	5.E-09	--	--	1.2E-07	1.1E-07	--	--	--
	Benzo(a)pyrene	5.3E+01	ug/kg	7.3E+00	7.3E+00	4.8E-09	4.3E-09	3.5E-08	3.2E-08	7.E-08	--	--	1.7E-07	1.5E-07	--	--	--
	Benzo(b)fluoranthene	3.5E+01	ug/kg	7.3E-01	7.3E-01	3.2E-09	2.9E-09	2.3E-09	2.1E-09	4.E-09	--	--	1.1E-07	1.0E-07	--	--	--
	Dibenzo(a,h)anthracene	1.2E+01	ug/kg	7.3E+00	7.3E+00	1.1E-09	9.8E-10	7.9E-09	7.2E-09	2.E-08	--	--	3.8E-08	3.4E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+01	ug/kg	7.3E-01	7.3E-01	4.3E-09	3.8E-09	3.1E-09	2.8E-09	6.E-09	--	--	1.5E-07	1.3E-07	--	--	--
Exposure Point Total										**6.E-07**							**0.1**
06B022	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	1.3E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	4.4E-02	0.0E+00	4.4E-02	0.04
	Antimony	3.0E-01	mg/kg	--	--	0.0E+00	2.4E-08	--	--	--	6.0E-05	4.0E-04	0.0E+00	8.6E-07	0.0E+00	2.1E-03	0.002
	Arsenic	2.6E+00	mg/kg	1.5E+00	1.5E+00	5.4E-08	2.1E-07	8.2E-08	3.2E-07	4.E-07	3.0E-04	3.0E-04	1.9E-06	7.4E-06	6.4E-03	2.5E-02	0.03
	Copper	4.3E+01	mg/kg	--	--	0.0E+00	3.5E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.2E-04	0.0E+00	3.1E-03	0.003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.8E+00	ug/kg	7.3E-01	7.3E-01	4.4E-10	3.9E-10	3.2E-10	2.9E-10	6.E-10	--	--	1.5E-08	1.4E-08	--	--	--
	Benzo(a)pyrene	4.4E+00	ug/kg	7.3E+00	7.3E+00	4.0E-10	3.6E-10	2.9E-09	2.6E-09	6.E-09	--	--	1.4E-08	1.3E-08	--	--	--
	Benzo(b)fluoranthene	5.6E+00	ug/kg	7.3E-01	7.3E-01	5.1E-10	4.6E-10	3.7E-10	3.3E-10	7.E-10	--	--	1.8E-08	1.6E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	4.8E+00	ug/kg	7.3E-01	7.3E-01	4.4E-10	3.9E-10	3.2E-10	2.9E-10	6.E-10	--	--	1.5E-08	1.4E-08	--	--	--
Exposure Point Total										**4.E-07**							**0.08**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-4.

Calculation of Cancer Risks and Noncancer Hazards - Transients, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Transient
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
07B023	**Metals**																
	Aluminum	1.0E+04	mg/kg	--	--	0.0E+00	8.2E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	2.9E-02	0.0E+00	2.9E-02	0.03
	Antimony	3.0E-01	mg/kg	--	--	0.0E+00	2.4E-08	--	--	--	6.0E-05	4.0E-04	0.0E+00	8.6E-07	0.0E+00	2.1E-03	0.002
	Arsenic	7.0E-01	mg/kg	1.5E+00	1.5E+00	1.5E-08	5.7E-08	2.2E-08	8.6E-08	1.E-07	3.0E-04	3.0E-04	5.1E-07	2.0E-06	1.7E-03	6.7E-03	0.008
	Copper	7.0E+01	mg/kg	--	--	0.0E+00	5.7E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.0E-04	0.0E+00	5.0E-03	0.005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+01	ug/kg	7.3E-01	7.3E-01	1.3E-09	1.1E-09	9.3E-10	8.3E-10	2.E-09	--	--	4.4E-08	4.0E-08	--	--	--
	Benzo(a)pyrene	1.5E+01	ug/kg	7.3E+00	7.3E+00	1.4E-09	1.2E-09	9.9E-09	8.9E-09	2.E-08	--	--	4.8E-08	4.3E-08	--	--	--
	Benzo(b)fluoranthene	1.2E+01	ug/kg	7.3E-01	7.3E-01	1.1E-09	9.8E-10	7.9E-10	7.2E-10	2.E-09	--	--	3.8E-08	3.4E-08	--	--	--
	Dibenzo(a,h)anthracene	2.5E+00	ug/kg	7.3E+00	7.3E+00	2.3E-10	2.0E-10	1.7E-09	1.5E-09	3.E-09	--	--	7.9E-09	7.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.3E+01	ug/kg	7.3E-01	7.3E-01	1.2E-09	1.1E-09	8.6E-10	7.7E-10	2.E-09	--	--	4.1E-08	3.7E-08	--	--	--
Exposure Point Total										1.E-07							0.04
07B024	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	1.2E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	4.3E-02	0.0E+00	4.3E-02	0.04
	Arsenic	1.6E+00	mg/kg	1.5E+00	1.5E+00	3.2E-08	1.3E-07	4.9E-08	1.9E-07	2.E-07	3.0E-04	3.0E-04	1.1E-06	4.4E-06	3.8E-03	1.5E-02	0.02
	Copper	2.1E+01	mg/kg	--	--	0.0E+00	1.7E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	5.9E-05	0.0E+00	1.5E-03	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.5E+01	ug/kg	7.3E-01	7.3E-01	4.1E-09	3.7E-09	3.0E-09	2.7E-09	6.E-09	--	--	1.4E-07	1.3E-07	--	--	--
	Benzo(a)pyrene	5.3E+01	ug/kg	7.3E+00	7.3E+00	4.8E-09	4.3E-09	3.5E-08	3.2E-08	7.E-08	--	--	1.7E-07	1.5E-07	--	--	--
	Benzo(b)fluoranthene	6.2E+01	ug/kg	7.3E-01	7.3E-01	5.6E-09	5.1E-09	4.1E-09	3.7E-09	8.E-09	--	--	2.0E-07	1.8E-07	--	--	--
	Indeno(1,2,3-cd)pyrene	2.3E+01	ug/kg	7.3E-01	7.3E-01	2.1E-09	1.9E-09	1.5E-09	1.4E-09	3.E-09	--	--	7.3E-08	6.6E-08	--	--	--
Exposure Point Total										3.E-07							0.06
09B026	**Metals**																
	Aluminum	1.1E+04	mg/kg	--	--	0.0E+00	9.2E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	3.2E-02	0.0E+00	3.2E-02	0.03
	Arsenic	2.4E+00	mg/kg	1.5E+00	1.5E+00	5.0E-08	2.0E-07	7.5E-08	2.9E-07	4.E-07	3.0E-04	3.0E-04	1.8E-06	6.9E-06	5.9E-03	2.3E-02	0.03
	Copper	1.8E+01	mg/kg	--	--	0.0E+00	1.5E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	5.2E-05	0.0E+00	1.3E-03	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(b)fluoranthene	2.1E+00	ug/kg	7.3E-01	7.3E-01	1.9E-10	1.7E-10	1.4E-10	1.3E-10	3.E-10	--	--	6.7E-09	6.0E-09	--	--	--
Exposure Point Total										4.E-07							0.06

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-4.

Calculation of Cancer Risks and Noncancer Hazards - Transients, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Transient   Exposure Medium: Beach Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
09B027	**Metals**																
	Aluminum	2.0E+04	mg/kg	--	--	0.0E+00	1.6E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	5.7E-02	0.0E+00	5.7E-02	0.06
	Antimony	2.0E-01	mg/kg	--	--	0.0E+00	1.6E-08	--	--	--	6.0E-05	4.0E-04	0.0E+00	5.7E-07	0.0E+00	1.4E-03	0.001
	Arsenic	1.4E+00	mg/kg	1.5E+00	1.5E+00	2.9E-08	1.1E-07	4.4E-08	1.7E-07	2.E-07	3.0E-04	3.0E-04	1.0E-06	4.0E-06	3.4E-03	1.3E-02	0.02
	Copper	2.4E+01	mg/kg	--	--	0.0E+00	2.0E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	6.9E-05	0.0E+00	1.7E-03	0.002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.8E+00	ug/kg	7.3E-01	7.3E-01	8.9E-10	8.0E-10	6.5E-10	5.8E-10	1.E-09	--	--	3.1E-08	2.8E-08	--	--	--
	Benzo(a)pyrene	9.0E+00	ug/kg	7.3E+00	7.3E+00	8.2E-10	7.3E-10	6.0E-09	5.4E-09	1.E-08	--	--	2.9E-08	2.6E-08	--	--	--
	Benzo(b)fluoranthene	1.0E+01	ug/kg	7.3E-01	7.3E-01	9.4E-10	8.5E-10	6.9E-10	6.2E-10	1.E-09	--	--	3.3E-08	3.0E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	6.6E+00	ug/kg	7.3E-01	7.3E-01	6.0E-10	5.4E-10	4.4E-10	3.9E-10	8.E-10	--	--	2.1E-08	1.9E-08	--	--	--
Exposure Point Total										2.E-07							0.08

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

Abbreviations: -- = Not Applicable
CDI = Chronic Daily Intake
EPC = Exposure Point Concentration
HQ = Hazard Quotient
LADI = Lifetime Average Daily Intake
mg/kg = milligram per kilogram
RfD = Reference Dose
ug/kg = microgram per kilogram

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-5.

Calculation of Cancer Risks and Noncancer Hazards - Transients, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Transient   Exposure Medium: Beach Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
03B030	**Metals**																
	Aluminum	1.2E+04	mg/kg	--	--	0.0E+00	6.1E-05	--	--	--	1.0E+00	1.0E+00	0.0E+00	4.3E-03	0.0E+00	4.3E-03	0.004
	Arsenic	1.9E+00	mg/kg	1.5E+00	1.5E+00	2.3E-09	9.7E-09	3.5E-09	1.5E-08	2.E-08	3.0E-04	3.0E-04	1.6E-07	6.8E-07	5.4E-04	2.3E-03	0.003
	Copper	1.4E+01	mg/kg	--	--	0.0E+00	7.4E-08	--	--	--	4.0E-02	4.0E-02	0.0E+00	5.2E-06	0.0E+00	1.3E-04	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.2E+00	ug/kg	7.3E-01	7.3E-01	3.3E-11	3.2E-11	2.4E-11	2.3E-11	5.E-11	--	--	2.3E-09	2.2E-09	--	--	--
	Benzo(a)pyrene	7.9E+00	ug/kg	7.3E+00	7.3E+00	4.2E-11	4.0E-11	3.1E-10	3.0E-10	6.E-10	--	--	2.9E-09	2.8E-09	--	--	--
	Benzo(b)fluoranthene	1.0E+01	ug/kg	7.3E-01	7.3E-01	5.3E-11	5.1E-11	3.9E-11	3.7E-11	8.E-11	--	--	3.7E-09	3.6E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.6E+01	ug/kg	7.3E-01	7.3E-01	8.5E-11	8.2E-11	6.2E-11	6.0E-11	1.E-10	--	--	5.9E-09	5.7E-09	--	--	--
Exposure Point Total										2.E-08							0.007
03B031	**Metals**																
	Aluminum	2.2E+04	mg/kg	--	--	0.0E+00	1.1E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	7.9E-03	0.0E+00	7.9E-03	0.008
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	3.9E-09	1.6E-08	5.9E-09	2.5E-08	3.E-08	3.0E-04	3.0E-04	2.7E-07	1.1E-06	9.1E-04	3.8E-03	0.005
	Copper	2.3E+01	mg/kg	--	--	0.0E+00	1.2E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	8.2E-06	0.0E+00	2.0E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.8E+01	ug/kg	7.3E-01	7.3E-01	2.0E-10	1.9E-10	1.5E-10	1.4E-10	3.E-10	--	--	1.4E-08	1.4E-08	--	--	--
	Benzo(a)pyrene	5.3E+01	ug/kg	7.3E+00	7.3E+00	2.8E-10	2.7E-10	2.1E-09	2.0E-09	4.E-09	--	--	2.0E-08	1.9E-08	--	--	--
	Benzo(b)fluoranthene	3.5E+01	ug/kg	7.3E-01	7.3E-01	1.9E-10	1.8E-10	1.4E-10	1.3E-10	3.E-10	--	--	1.3E-08	1.3E-08	--	--	--
	Dibenzo(a,h)anthracene	1.2E+01	ug/kg	7.3E+00	7.3E+00	6.4E-11	6.1E-11	4.6E-10	4.5E-10	9.E-10	--	--	4.5E-09	4.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+01	ug/kg	7.3E-01	7.3E-01	2.5E-10	2.4E-10	1.8E-10	1.8E-10	4.E-10	--	--	1.7E-08	1.7E-08	--	--	--
Exposure Point Total										4.E-08							0.01
06B022	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	7.9E-05	--	--	--	1.0E+00	1.0E+00	0.0E+00	5.5E-03	0.0E+00	5.5E-03	0.006
	Antimony	3.0E-01	mg/kg	--	--	0.0E+00	1.5E-09	--	--	--	6.0E-05	4.0E-04	0.0E+00	1.1E-07	0.0E+00	2.7E-04	0.0003
	Arsenic	2.6E+00	mg/kg	1.5E+00	1.5E+00	3.2E-09	1.3E-08	4.8E-09	2.0E-08	2.E-08	3.0E-04	3.0E-04	2.2E-07	9.3E-07	7.4E-04	3.1E-03	0.004
	Copper	4.3E+01	mg/kg	--	--	0.0E+00	2.2E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.5E-05	0.0E+00	3.8E-04	0.0004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.8E+00	ug/kg	7.3E-01	7.3E-01	2.5E-11	2.5E-11	1.9E-11	1.8E-11	4.E-11	--	--	1.8E-09	1.7E-09	--	--	--
	Benzo(a)pyrene	4.4E+00	ug/kg	7.3E+00	7.3E+00	2.3E-11	2.3E-11	1.7E-10	1.6E-10	3.E-10	--	--	1.6E-09	1.6E-09	--	--	--
	Benzo(b)fluoranthene	5.6E+00	ug/kg	7.3E-01	7.3E-01	3.0E-11	2.9E-11	2.2E-11	2.1E-11	4.E-11	--	--	2.1E-09	2.0E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.8E+00	ug/kg	7.3E-01	7.3E-01	2.5E-11	2.5E-11	1.9E-11	1.8E-11	4.E-11	--	--	1.8E-09	1.7E-09	--	--	--
Exposure Point Total										3.E-08							0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-5.

Calculation of Cancer Risks and Noncancer Hazards - Transients, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: Transient Exposure Medium: Beach Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
07B023	**Metals**																
	Aluminum	1.0E+04	mg/kg	--	--	0.0E+00	5.2E-05	--	--	--	1.0E+00	1.0E+00	0.0E+00	3.6E-03	0.0E+00	3.6E-03	0.004
	Antimony	3.0E-01	mg/kg	--	--	0.0E+00	1.5E-09	--	--	--	6.0E-05	4.0E-04	0.0E+00	1.1E-07	0.0E+00	2.7E-04	0.0003
	Arsenic	7.0E-01	mg/kg	1.5E+00	1.5E+00	8.6E-10	3.6E-09	1.3E-09	5.4E-09	7.E-09	3.0E-04	3.0E-04	6.0E-08	2.5E-07	2.0E-04	8.4E-04	0.001
	Copper	7.0E+01	mg/kg	--	--	0.0E+00	3.6E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.5E-05	0.0E+00	6.2E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+01	ug/kg	7.3E-01	7.3E-01	7.4E-11	7.2E-11	5.4E-11	5.2E-11	1.E-10	--	--	5.2E-09	5.0E-09	--	--	--
	Benzo(a)pyrene	1.5E+01	ug/kg	7.3E+00	7.3E+00	8.0E-11	7.7E-11	5.8E-10	5.6E-10	1.E-09	--	--	5.6E-09	5.4E-09	--	--	--
	Benzo(b)fluoranthene	1.2E+01	ug/kg	7.3E-01	7.3E-01	6.4E-11	6.1E-11	4.6E-11	4.5E-11	9.E-11	--	--	4.5E-09	4.3E-09	--	--	--
	Dibenzo(a,h)anthracene	2.5E+00	ug/kg	7.3E+00	7.3E+00	1.3E-11	1.3E-11	9.7E-11	9.3E-11	2.E-10	--	--	9.3E-10	9.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.3E+01	ug/kg	7.3E-01	7.3E-01	6.9E-11	6.7E-11	5.0E-11	4.9E-11	1.E-10	--	--	4.8E-09	4.7E-09	--	--	--
Exposure Point Total										8.E-09							0.006
07B024	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	7.8E-05	--	--	--	1.0E+00	1.0E+00	0.0E+00	5.4E-03	0.0E+00	5.4E-03	0.005
	Arsenic	1.6E+00	mg/kg	1.5E+00	1.5E+00	1.9E-09	7.9E-09	2.8E-09	1.2E-08	1.E-08	3.0E-04	3.0E-04	1.3E-07	5.6E-07	4.4E-04	1.9E-03	0.002
	Copper	2.1E+01	mg/kg	--	--	0.0E+00	1.1E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	7.4E-06	0.0E+00	1.8E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.5E+01	ug/kg	7.3E-01	7.3E-01	2.4E-10	2.3E-10	1.7E-10	1.7E-10	3.E-10	--	--	1.7E-08	1.6E-08	--	--	--
	Benzo(a)pyrene	5.3E+01	ug/kg	7.3E+00	7.3E+00	2.8E-10	2.7E-10	2.1E-09	2.0E-09	4.E-09	--	--	2.0E-08	1.9E-08	--	--	--
	Benzo(b)fluoranthene	6.2E+01	ug/kg	7.3E-01	7.3E-01	3.3E-10	3.2E-10	2.4E-10	2.3E-10	5.E-10	--	--	2.3E-08	2.2E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.3E+01	ug/kg	7.3E-01	7.3E-01	1.2E-10	1.2E-10	8.9E-11	8.6E-11	2.E-10	--	--	8.5E-09	8.2E-09	--	--	--
Exposure Point Total										2.E-08							0.008
09B026	**Metals**																
	Aluminum	1.1E+04	mg/kg	--	--	0.0E+00	5.8E-05	--	--	--	1.0E+00	1.0E+00	0.0E+00	4.0E-03	0.0E+00	4.0E-03	0.004
	Arsenic	2.4E+00	mg/kg	1.5E+00	1.5E+00	2.9E-09	1.2E-08	4.4E-09	1.8E-08	2.E-08	3.0E-04	3.0E-04	2.1E-07	8.6E-07	6.9E-04	2.9E-03	0.004
	Copper	1.8E+01	mg/kg	--	--	0.0E+00	9.4E-08	--	--	--	4.0E-02	4.0E-02	0.0E+00	6.6E-06	0.0E+00	1.6E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(b)fluoranthene	2.1E+00	ug/kg	7.3E-01	7.3E-01	1.1E-11	1.1E-11	8.1E-12	7.8E-12	2.E-11	--	--	7.8E-10	7.5E-10	--	--	--
Exposure Point Total										2.E-08							0.008

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-5.

Calculation of Cancer Risks and Noncancer Hazards - Transients, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Transient   Exposure Medium: Beach Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
09B027	**Metals**																
	Aluminum	1.8E+04	mg/kg	--	--	0.0E+00	9.4E-05	--	--	--	1.0E+00	1.0E+00	0.0E+00	6.6E-03	0.0E+00	6.6E-03	0.007
	Antimony	2.0E-01	mg/kg	--	--	0.0E+00	1.0E-09	--	--	--	6.0E-05	4.0E-04	0.0E+00	7.2E-08	0.0E+00	1.8E-04	0.0002
	Arsenic	1.3E+00	mg/kg	1.5E+00	1.5E+00	1.6E-09	6.8E-09	2.4E-09	1.0E-08	1.E-08	3.0E-04	3.0E-04	1.1E-07	4.8E-07	3.8E-04	1.6E-03	0.002
	Copper	2.3E+01	mg/kg	--	--	0.0E+00	1.2E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	8.2E-06	0.0E+00	2.0E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.7E+00	ug/kg	7.3E-01	7.3E-01	4.1E-11	3.9E-11	3.0E-11	2.9E-11	6.E-11	--	--	2.9E-09	2.8E-09	--	--	--
	Benzo(a)pyrene	7.0E+00	ug/kg	7.3E+00	7.3E+00	3.7E-11	3.6E-11	2.7E-10	2.6E-10	5.E-10	--	--	2.6E-09	2.5E-09	--	--	--
	Benzo(b)fluoranthene	8.8E+00	ug/kg	7.3E-01	7.3E-01	4.7E-11	4.5E-11	3.4E-11	3.3E-11	7.E-11	--	--	3.3E-09	3.2E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	5.6E+00	ug/kg	7.3E-01	7.3E-01	3.0E-11	2.9E-11	2.2E-11	2.1E-11	4.E-11	--	--	2.1E-09	2.0E-09	--	--	--
Exposure Point Total										1.E-08							0.009

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

Abbreviations: -- = Not Applicable
CDI = Chronic Daily Intake
EPC = Exposure Point Concentration
HQ = Hazard Quotient
LADI = Lifetime Average Daily Intake
mg/kg = milligram per kilogram
RfD = Reference Dose
ug/kg = microgram per kilogram

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-6.
Calculation of Noncancer Hazards - Child Recreational Beach User, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Child Recreational Beach User
Population Age: Child

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
03B031	**Metals**									
	Aluminum	2.2E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	7.6E-02	0.0E+00	7.6E-02	0.1
	Arsenic	3.2E+00	mg/kg	3.0E-04	3.0E-04	1.5E-05	1.1E-05	5.1E-02	3.7E-02	0.1
	Copper	2.3E+01	mg/kg	4.0E-02	4.0E-02	0.0E+00	7.8E-05	0.0E+00	2.0E-03	0.002
Exposure Point Total										0.2
03B033	**Metals**									
	Aluminum	1.4E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	4.8E-02	0.0E+00	4.8E-02	0.05
	Arsenic	4.0E+00	mg/kg	3.0E-04	3.0E-04	1.9E-05	1.4E-05	6.3E-02	4.6E-02	0.1
	Copper	1.6E+01	mg/kg	4.0E-02	4.0E-02	0.0E+00	5.4E-05	0.0E+00	1.4E-03	0.001
Exposure Point Total										0.2
04B023	**Metals**									
	Aluminum	1.2E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	4.2E-02	0.0E+00	4.2E-02	0.04
	Antimony	3.0E-01	mg/kg	6.0E-05	4.0E-04	0.0E+00	1.0E-06	0.0E+00	2.6E-03	0.003
	Arsenic	2.7E+00	mg/kg	3.0E-04	3.0E-04	1.3E-05	9.3E-06	4.3E-02	3.1E-02	0.1
	Copper	3.3E+01	mg/kg	4.0E-02	4.0E-02	0.0E+00	1.1E-04	0.0E+00	2.9E-03	0.003
Exposure Point Total										0.1
04B024	**Metals**									
	Aluminum	2.1E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	7.2E-02	0.0E+00	7.2E-02	0.1
	Antimony	1.3E+01	mg/kg	6.0E-05	4.0E-04	0.0E+00	4.5E-05	0.0E+00	1.1E-01	0.1
	Arsenic	4.7E+00	mg/kg	3.0E-04	3.0E-04	2.2E-05	1.6E-05	7.5E-02	5.4E-02	0.1
	Copper	1.9E+02	mg/kg	4.0E-02	4.0E-02	0.0E+00	6.7E-04	0.0E+00	1.7E-02	0.02
Exposure Point Total										0.3
05B018	**Metals**									
	Aluminum	1.9E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	6.5E-02	0.0E+00	6.5E-02	0.1
	Antimony	2.0E-01	mg/kg	6.0E-05	4.0E-04	0.0E+00	6.9E-07	0.0E+00	1.7E-03	0.002
	Arsenic	2.4E+00	mg/kg	3.0E-04	3.0E-04	1.1E-05	8.2E-06	3.8E-02	2.7E-02	0.1
	Copper	1.1E+02	mg/kg	4.0E-02	4.0E-02	0.0E+00	3.7E-04	0.0E+00	9.3E-03	0.01
Exposure Point Total										0.1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-6.
Calculation of Noncancer Hazards - Child Recreational Beach User, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Child Recreational Beach User
Population Age: Child

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Noncancer Hazard Quotient Calculations[a]						
		Value	Units	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
06B022	**Metals**									
	Aluminum	1.5E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	5.3E-02	0.0E+00	5.3E-02	0.1
	Antimony	3.0E-01	mg/kg	6.0E-05	4.0E-04	0.0E+00	1.0E-06	0.0E+00	2.6E-03	0.003
	Arsenic	2.6E+00	mg/kg	3.0E-04	3.0E-04	1.2E-05	8.9E-06	4.1E-02	3.0E-02	0.1
	Copper	4.3E+01	mg/kg	4.0E-02	4.0E-02	0.0E+00	1.5E-04	0.0E+00	3.7E-03	0.004
Exposure Point Total										0.1
06B026	**Metals**									
	Aluminum	1.2E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	4.2E-02	0.0E+00	4.2E-02	0.04
	Antimony	8.0E-01	mg/kg	6.0E-05	4.0E-04	0.0E+00	2.7E-06	0.0E+00	6.9E-03	0.01
	Arsenic	1.7E+00	mg/kg	3.0E-04	3.0E-04	8.1E-06	5.8E-06	2.7E-02	1.9E-02	0.05
	Copper	2.0E+01	mg/kg	4.0E-02	4.0E-02	0.0E+00	6.8E-05	0.0E+00	1.7E-03	0.002
Exposure Point Total										0.1
06B030	**Metals**									
	Aluminum	1.8E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	6.0E-02	0.0E+00	6.0E-02	0.1
	Arsenic	9.9E+00	mg/kg	3.0E-04	3.0E-04	4.7E-05	3.4E-05	1.6E-01	1.1E-01	0.3
	Copper	6.1E+02	mg/kg	4.0E-02	4.0E-02	0.0E+00	2.1E-03	0.0E+00	5.2E-02	0.1
Exposure Point Total										0.4
09B024	**Metals**									
	Aluminum	1.5E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	5.3E-02	0.0E+00	5.3E-02	0.1
	Arsenic	1.1E+00	mg/kg	3.0E-04	3.0E-04	5.2E-06	3.8E-06	1.7E-02	1.3E-02	0.03
	Copper	1.8E+01	mg/kg	4.0E-02	4.0E-02	0.0E+00	6.2E-05	0.0E+00	1.6E-03	0.002
Exposure Point Total										0.1
09B026	**Metals**									
	Aluminum	1.1E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	3.9E-02	0.0E+00	3.9E-02	0.04
	Arsenic	2.4E+00	mg/kg	3.0E-04	3.0E-04	1.1E-05	8.2E-06	3.8E-02	2.7E-02	0.1
	Copper	1.8E+01	mg/kg	4.0E-02	4.0E-02	0.0E+00	6.3E-05	0.0E+00	1.6E-03	0.002
Exposure Point Total										0.1
09B027	**Metals**									
	Aluminum	2.0E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	6.8E-02	0.0E+00	6.8E-02	0.1
	Antimony	2.0E-01	mg/kg	6.0E-05	4.0E-04	0.0E+00	6.9E-07	0.0E+00	1.7E-03	0.002
	Arsenic	1.4E+00	mg/kg	3.0E-04	3.0E-04	6.7E-06	4.8E-06	2.2E-02	1.6E-02	0.04
	Copper	2.4E+01	mg/kg	4.0E-02	4.0E-02	0.0E+00	8.2E-05	0.0E+00	2.1E-03	0.002
Exposure Point Total										0.1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-6.
Calculation of Noncancer Hazards - Child Recreational Beach User, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Child Recreational Beach User
Population Age: Child

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Noncancer Hazard Quotient Calculations[a]						
		Value	Units	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
09B028	**Metals**									
	Aluminum	1.6E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	5.5E-02	0.0E+00	5.5E-02	0.1
	Arsenic	1.3E+00	mg/kg	3.0E-04	3.0E-04	6.2E-06	4.5E-06	2.1E-02	1.5E-02	0.04
	Copper	1.9E+01	mg/kg	4.0E-02	4.0E-02	0.0E+00	6.5E-05	0.0E+00	1.6E-03	0.002
Exposure Point Total										0.1
B001	**Metals**									
	Aluminum	1.6E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	5.6E-02	0.0E+00	5.6E-02	0.1
	Arsenic	2.3E+00	mg/kg	3.0E-04	3.0E-04	1.1E-05	7.7E-06	3.6E-02	2.6E-02	0.1
	Copper	1.9E+01	mg/kg	4.0E-02	4.0E-02	0.0E+00	6.6E-05	0.0E+00	1.7E-03	0.002
Exposure Point Total										0.1
B003	**Metals**									
	Aluminum	1.9E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	6.5E-02	0.0E+00	6.5E-02	0.1
	Arsenic	2.5E+00	mg/kg	3.0E-04	3.0E-04	1.2E-05	8.7E-06	4.0E-02	2.9E-02	0.1
	Copper	2.0E+01	mg/kg	4.0E-02	4.0E-02	0.0E+00	6.8E-05	0.0E+00	1.7E-03	0.002
Exposure Point Total										0.1
B005	**Metals**									
	Aluminum	1.5E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	5.0E-02	0.0E+00	5.0E-02	0.1
	Arsenic	3.3E+00	mg/kg	3.0E-04	3.0E-04	1.6E-05	1.1E-05	5.2E-02	3.7E-02	0.1
	Copper	1.4E+01	mg/kg	4.0E-02	4.0E-02	0.0E+00	4.9E-05	0.0E+00	1.2E-03	0.001
Exposure Point Total										0.1

Notes:
   a Numbers presented are rounded values. Sums calculated before rounding.

Abbreviations: CDI = Chronic Daily Intake
   EPC = Exposure Point Concentration
   HQ = Hazard Quotient
   mg/kg = milligram per kilogram
   RfD = Reference Dose

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-7.
Calculation of Noncancer Hazards - Child Recreational Beach User, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Child Recreational Beach User
Population Age: Child

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
03B031	**Metals**									
	Aluminum	2.2E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	1.5E-02	0.0E+00	1.5E-02	0.02
	Arsenic	3.2E+00	mg/kg	3.0E-04	3.0E-04	3.7E-07	2.2E-06	1.2E-03	7.4E-03	0.01
	Copper	2.3E+01	mg/kg	4.0E-02	4.0E-02	0.0E+00	1.6E-05	0.0E+00	4.0E-04	0.0004
Exposure Point Total										0.02
03B033	**Metals**									
	Aluminum	1.4E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	9.7E-03	0.0E+00	9.7E-03	0.01
	Arsenic	4.0E+00	mg/kg	3.0E-04	3.0E-04	4.7E-07	2.8E-06	1.6E-03	9.3E-03	0.01
	Copper	1.6E+01	mg/kg	4.0E-02	4.0E-02	0.0E+00	1.1E-05	0.0E+00	2.7E-04	0.0003
Exposure Point Total										0.02
04B023	**Metals**									
	Aluminum	1.2E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	8.5E-03	0.0E+00	8.5E-03	0.01
	Antimony	3.0E-01	mg/kg	6.0E-05	4.0E-04	0.0E+00	2.1E-07	0.0E+00	5.2E-04	0.001
	Arsenic	2.7E+00	mg/kg	3.0E-04	3.0E-04	3.1E-07	1.9E-06	1.0E-03	6.2E-03	0.01
	Copper	3.3E+01	mg/kg	4.0E-02	4.0E-02	0.0E+00	2.3E-05	0.0E+00	5.8E-04	0.001
Exposure Point Total										0.02
04B024	**Metals**									
	Aluminum	2.1E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	1.5E-02	0.0E+00	1.5E-02	0.01
	Antimony	1.3E+01	mg/kg	6.0E-05	4.0E-04	0.0E+00	9.0E-06	0.0E+00	2.3E-02	0.02
	Arsenic	4.7E+00	mg/kg	3.0E-04	3.0E-04	5.5E-07	3.3E-06	1.8E-03	1.1E-02	0.01
	Copper	1.9E+02	mg/kg	4.0E-02	4.0E-02	0.0E+00	1.3E-04	0.0E+00	3.4E-03	0.003
Exposure Point Total										0.05
05B018	**Metals**									
	Aluminum	1.9E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	1.3E-02	0.0E+00	1.3E-02	0.01
	Antimony	2.0E-01	mg/kg	6.0E-05	4.0E-04	0.0E+00	1.4E-07	0.0E+00	3.5E-04	0.0003
	Arsenic	2.4E+00	mg/kg	3.0E-04	3.0E-04	2.8E-07	1.7E-06	9.3E-04	5.6E-03	0.01
	Copper	1.1E+02	mg/kg	4.0E-02	4.0E-02	0.0E+00	7.5E-05	0.0E+00	1.9E-03	0.002
Exposure Point Total										0.02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-7.
Calculation of Noncancer Hazards - Child Recreational Beach User, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Child Recreational Beach User
Population Age: Child

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Noncancer Hazard Quotient Calculations[a]						
		Value	Units	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
06B022	**Metals**									
	Aluminum	1.5E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	1.1E-02	0.0E+00	1.1E-02	0.01
	Antimony	3.0E-01	mg/kg	6.0E-05	4.0E-04	0.0E+00	2.1E-07	0.0E+00	5.2E-04	0.001
	Arsenic	2.6E+00	mg/kg	3.0E-04	3.0E-04	3.0E-07	1.8E-06	1.0E-03	6.0E-03	0.01
	Copper	4.3E+01	mg/kg	4.0E-02	4.0E-02	0.0E+00	3.0E-05	0.0E+00	7.4E-04	0.001
Exposure Point Total										0.02
06B026	**Metals**									
	Aluminum	1.2E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	8.5E-03	0.0E+00	8.5E-03	0.01
	Antimony	8.0E-01	mg/kg	6.0E-05	4.0E-04	0.0E+00	5.6E-07	0.0E+00	1.4E-03	0.001
	Arsenic	1.7E+00	mg/kg	3.0E-04	3.0E-04	2.0E-07	1.2E-06	6.6E-04	3.9E-03	0.005
	Copper	2.0E+01	mg/kg	4.0E-02	4.0E-02	0.0E+00	1.4E-05	0.0E+00	3.5E-04	0.0003
Exposure Point Total										0.01
06B030	**Metals**									
	Aluminum	1.8E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	1.2E-02	0.0E+00	1.2E-02	0.01
	Arsenic	9.9E+00	mg/kg	3.0E-04	3.0E-04	1.2E-06	6.9E-06	3.8E-03	2.3E-02	0.03
	Copper	6.1E+02	mg/kg	4.0E-02	4.0E-02	0.0E+00	4.2E-04	0.0E+00	1.1E-02	0.01
Exposure Point Total										0.05
09B024	**Metals**									
	Aluminum	1.5E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	1.1E-02	0.0E+00	1.1E-02	0.01
	Arsenic	1.1E+00	mg/kg	3.0E-04	3.0E-04	1.3E-07	7.6E-07	4.3E-04	2.5E-03	0.003
	Copper	1.8E+01	mg/kg	4.0E-02	4.0E-02	0.0E+00	1.3E-05	0.0E+00	3.2E-04	0.0003
Exposure Point Total										0.01
09B026	**Metals**									
	Aluminum	1.1E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	7.8E-03	0.0E+00	7.8E-03	0.01
	Arsenic	2.4E+00	mg/kg	3.0E-04	3.0E-04	2.8E-07	1.7E-06	9.3E-04	5.6E-03	0.01
	Copper	1.8E+01	mg/kg	4.0E-02	4.0E-02	0.0E+00	1.3E-05	0.0E+00	3.2E-04	0.0003
Exposure Point Total										0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-7.
Calculation of Noncancer Hazards - Child Recreational Beach User, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Child Recreational Beach User
Population Age: Child

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
09B027	**Metals**									
	Aluminum	1.8E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	1.3E-02	0.0E+00	1.3E-02	0.01
	Antimony	2.0E-01	mg/kg	6.0E-05	4.0E-04	0.0E+00	1.4E-07	0.0E+00	3.5E-04	0.0003
	Arsenic	1.3E+00	mg/kg	3.0E-04	3.0E-04	1.6E-07	9.3E-07	5.2E-04	3.1E-03	0.004
	Copper	2.3E+01	mg/kg	4.0E-02	4.0E-02	0.0E+00	1.6E-05	0.0E+00	4.0E-04	0.0004
Exposure Point Total										0.02
09B028	**Metals**									
	Aluminum	1.6E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	1.1E-02	0.0E+00	1.1E-02	0.01
	Arsenic	1.3E+00	mg/kg	3.0E-04	3.0E-04	1.5E-07	9.0E-07	5.1E-04	3.0E-03	0.004
	Copper	1.9E+01	mg/kg	4.0E-02	4.0E-02	0.0E+00	1.3E-05	0.0E+00	3.3E-04	0.0003
Exposure Point Total										0.01
B001	**Metals**									
	Aluminum	1.6E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	1.1E-02	0.0E+00	1.1E-02	0.01
	Arsenic	2.3E+00	mg/kg	3.0E-04	3.0E-04	2.6E-07	1.6E-06	8.7E-04	5.2E-03	0.01
	Copper	1.9E+01	mg/kg	4.0E-02	4.0E-02	0.0E+00	1.3E-05	0.0E+00	3.3E-04	0.0003
Exposure Point Total										0.02
B003	**Metals**									
	Aluminum	1.9E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	1.3E-02	0.0E+00	1.3E-02	0.01
	Arsenic	2.5E+00	mg/kg	3.0E-04	3.0E-04	3.0E-07	1.8E-06	9.9E-04	5.9E-03	0.01
	Copper	2.0E+01	mg/kg	4.0E-02	4.0E-02	0.0E+00	1.4E-05	0.0E+00	3.4E-04	0.0003
Exposure Point Total										0.02
B005	**Metals**									
	Aluminum	1.5E+04	mg/kg	1.0E+00	1.0E+00	0.0E+00	1.0E-02	0.0E+00	1.0E-02	0.01
	Arsenic	3.3E+00	mg/kg	3.0E-04	3.0E-04	3.8E-07	2.3E-06	1.3E-03	7.5E-03	0.01
	Copper	1.4E+01	mg/kg	4.0E-02	4.0E-02	0.0E+00	1.0E-05	0.0E+00	2.5E-04	0.0002
Exposure Point Total										0.02

Notes:
a Numbers presented are rounded values. Sums calculated before rounding.

Abbreviations: CDI = Chronic Daily Intake
EPC = Exposure Point Concentration
HQ = Hazard Quotient
mg/kg = milligram per kilogram
RfD = Reference Dose

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-8.
Calculation of Cancer Risks - Combined Adult/Child Recreational Beach User, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Combined Adult/Child Recreational Beach User
Population Age: Adult (age-adjusted)

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Adult Total Cancer Risk[a]	Child Total Cancer Risk[a]	Combined Adult and Child Cancer Risk[a,b]
03B031	**Metals**					
	Arsenic	3.2E+00	mg/kg	1.E-06	3.E-06	4E-06
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	3.8E+01	ug/kg	1.E-08	3.E-07	3E-07
	Benzo(a)pyrene	5.3E+01	ug/kg	2.E-07	4.E-06	5E-06
	Benzo(b)fluoranthene	3.5E+01	ug/kg	1.E-08	3.E-07	3E-07
	Dibenzo(a,h)anthracene	1.2E+01	ug/kg	4.E-08	1.E-06	1E-06
	Indeno(1,2,3-cd)pyrene	4.7E+01	ug/kg	2.E-08	4.E-07	4E-07
Exposure Point Total				1.E-06	1.E-05	1.E-05
03B033	**Metals**					
	Arsenic	4.0E+00	mg/kg	1.E-06	4.E-06	5E-06
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	5.2E+00	ug/kg	2.E-09	4.E-08	4E-08
	Benzo(a)pyrene	5.2E+00	ug/kg	2.E-08	4.E-07	4E-07
	Benzo(b)fluoranthene	5.2E+00	ug/kg	2.E-09	4.E-08	4E-08
	Indeno(1,2,3-cd)pyrene	6.4E+00	ug/kg	2.E-09	5.E-08	5E-08
Exposure Point Total				1.E-06	5.E-06	6E-06
04B023	**Metals**					
	Arsenic	2.7E+00	mg/kg	1.E-06	3.E-06	4E-06
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	2.6E+01	ug/kg	1.E-08	2.E-07	2E-07
	Benzo(a)pyrene	4.2E+01	ug/kg	2.E-07	3.E-06	4E-06
	Benzo(b)fluoranthene	3.3E+01	ug/kg	1.E-08	3.E-07	3E-07
	Dibenzo(a,h)anthracene	1.4E+01	ug/kg	5.E-08	1.E-06	1E-06
	Indeno(1,2,3-cd)pyrene	3.8E+01	ug/kg	1.E-08	3.E-07	3E-07
Exposure Point Total				1.E-06	8.E-06	9E-06
04B024	**Metals**					
	Arsenic	4.7E+00	mg/kg	2.E-06	5.E-06	6E-06
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	1.8E+02	ug/kg	7.E-08	1.E-06	2E-06
	Benzo(a)pyrene	3.6E+02	ug/kg	1.E-06	3.E-05	3E-05
	Benzo(b)fluoranthene	3.0E+02	ug/kg	1.E-07	2.E-06	3E-06
	Dibenzo(a,h)anthracene	2.3E+01	ug/kg	9.E-08	2.E-06	2E-06
	Indeno(1,2,3-cd)pyrene	2.2E+02	ug/kg	8.E-08	2.E-06	2E-06
Exposure Point Total				3.E-06	4.E-05	5E-05
05B018	**Metals**					
	Arsenic	2.4E+00	mg/kg	9.E-07	3.E-06	3E-06
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	7.2E+01	ug/kg	3.E-08	6.E-07	6E-07
	Benzo(a)pyrene	8.6E+01	ug/kg	3.E-07	7.E-06	7E-06
	Benzo(b)fluoranthene	1.0E+02	ug/kg	4.E-08	8.E-07	9E-07
	Dibenzo(a,h)anthracene	2.6E+01	ug/kg	1.E-07	2.E-06	2E-06
	Indeno(1,2,3-cd)pyrene	3.9E+01	ug/kg	1.E-08	3.E-07	3E-07
Exposure Point Total				1.E-06	1.E-05	1E-05
06B022	**Metals**					
	Arsenic	2.6E+00	mg/kg	9.E-07	3.E-06	3E-06
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	4.8E+00	ug/kg	2.E-09	4.E-08	4E-08
	Benzo(a)pyrene	4.4E+00	ug/kg	2.E-08	4.E-07	4E-07
	Benzo(b)fluoranthene	5.6E+00	ug/kg	2.E-09	4.E-08	5E-08
	Indeno(1,2,3-cd)pyrene	4.8E+00	ug/kg	2.E-09	4.E-08	4E-08
Exposure Point Total				1.E-06	3.E-06	4E-06
06B026	**Metals**					
	Arsenic	1.7E+00	mg/kg	6.E-07	2.E-06	2E-06
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	7.9E+00	ug/kg	3.E-09	6.E-08	7E-08
	Benzo(a)pyrene	6.4E+00	ug/kg	2.E-08	5.E-07	5E-07
	Benzo(b)fluoranthene	1.0E+01	ug/kg	4.E-09	8.E-08	9E-08
	Indeno(1,2,3-cd)pyrene	1.1E+01	ug/kg	4.E-09	9.E-08	9E-08
Exposure Point Total				6.E-07	3.E-06	3E-06
06B030	**Metals**					
	Arsenic	9.9E+00	mg/kg	4.E-06	1.E-05	1E-05
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	4.5E+01	ug/kg	2.E-08	4.E-07	4E-07
	Benzo(a)pyrene	6.6E+01	ug/kg	2.E-07	5.E-06	6E-06
	Benzo(b)fluoranthene	8.1E+01	ug/kg	3.E-08	7.E-07	7E-07
	Dibenzo(a,h)anthracene	5.0E+00	ug/kg	2.E-08	4.E-07	4E-07
	Indeno(1,2,3-cd)pyrene	4.7E+01	ug/kg	2.E-08	4.E-07	4E-07
Exposure Point Total				4.E-06	2.E-05	2E-05

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-8.
Calculation of Cancer Risks - Combined Adult/Child Recreational Beach User, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Combined Adult/Child Recreational Beach User
Population Age: Adult (age-adjusted)

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Adult Total Cancer Risk[a]	Child Total Cancer Risk[a]	Combined Adult and Child Cancer Risk[a,b]
09B024	**Metals**					
	Arsenic	1.1E+00	mg/kg	4.E-07	1.E-06	1E-06
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	1.8E+01	ug/kg	7.E-09	1.E-07	2E-07
	Benzo(a)pyrene	1.4E+01	ug/kg	5.E-08	1.E-06	1E-06
	Benzo(b)fluoranthene	9.7E+00	ug/kg	4.E-09	8.E-08	8E-08
	Dibenzo(a,h)anthracene	2.5E+00	ug/kg	9.E-09	2.E-07	2E-07
	Indeno(1,2,3-cd)pyrene	8.7E+00	ug/kg	3.E-09	7.E-08	7E-08
Exposure Point Total				5.E-07	3.E-06	3E-06
09B026	**Metals**					
	Arsenic	2.4E+00	mg/kg	9.E-07	3.E-06	3E-06
	Polynuclear Aromatic Hydrocarbons					
	Benzo(b)fluoranthene	2.1E+00	ug/kg	8.E-10	2.E-08	2E-08
Exposure Point Total				9.E-07	3.E-06	3E-06
09B027	**Metals**					
	Arsenic	1.4E+00	mg/kg	5.E-07	1.E-06	2E-06
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	9.8E+00	ug/kg	4.E-09	8.E-08	8E-08
	Benzo(a)pyrene	9.0E+00	ug/kg	3.E-08	7.E-07	8E-07
	Benzo(b)fluoranthene	1.0E+01	ug/kg	4.E-09	8.E-08	9E-08
	Indeno(1,2,3-cd)pyrene	6.6E+00	ug/kg	2.E-09	5.E-08	6E-08
Exposure Point Total				5.E-07	2.E-06	3E-06
09B028	**Metals**					
	Arsenic	1.3E+00	mg/kg	5.E-07	1.E-06	2E-06
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	5.3E+00	ug/kg	2.E-09	4.E-08	5E-08
	Benzo(a)pyrene	4.6E+00	ug/kg	2.E-08	4.E-07	4E-07
	Benzo(b)fluoranthene	5.0E+00	ug/kg	2.E-09	4.E-08	4E-08
	Indeno(1,2,3-cd)pyrene	4.6E+00	ug/kg	2.E-09	4.E-08	4E-08
Exposure Point Total				5.E-07	2.E-06	2E-06
B001	**Metals**					
	Arsenic	2.3E+00	mg/kg	8.E-07	2.E-06	3E-06
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	6.5E+00	ug/kg	2.E-09	5.E-08	6E-08
	Benzo(a)pyrene	1.4E+01	ug/kg	5.E-08	1.E-06	1E-06
	Benzo(b)fluoranthene	1.2E+01	ug/kg	4.E-09	1.E-07	1E-07
	Dibenzo(a,h)anthracene	2.2E+00	ug/kg	8.E-09	2.E-07	2E-07
	Indeno(1,2,3-cd)pyrene	9.7E+00	ug/kg	4.E-09	8.E-08	8E-08
Exposure Point Total				9.E-07	4.E-06	5E-06
B003	**Metals**					
	Arsenic	2.5E+00	mg/kg	9.E-07	3.E-06	3E-06
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	2.1E+02	ug/kg	8.E-08	2.E-06	2E-06
	Benzo(a)pyrene	3.6E+02	ug/kg	1.E-06	3.E-05	3E-05
	Benzo(b)fluoranthene	3.1E+02	ug/kg	1.E-07	2.E-06	3E-06
	Dibenzo(a,h)anthracene	3.3E+01	ug/kg	1.E-07	3.E-06	3E-06
	Indeno(1,2,3-cd)pyrene	2.8E+02	ug/kg	1.E-07	2.E-06	2E-06
Exposure Point Total				3.E-06	4.E-05	4E-05
B005	**Metals**					
	Arsenic	3.3E+00	mg/kg	1.E-06	3.E-06	4E-06
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	7.7E+01	ug/kg	3.E-08	6.E-07	7E-07
	Benzo(a)pyrene	1.5E+02	ug/kg	6.E-07	1.E-05	1E-05
	Benzo(b)fluoranthene	1.2E+02	ug/kg	4.E-08	1.E-06	1E-06
	Dibenzo(a,h)anthracene	1.5E+01	ug/kg	6.E-08	1.E-06	1E-06
	Indeno(1,2,3-cd)pyrene	1.3E+02	ug/kg	5.E-08	1.E-06	1E-06
Exposure Point Total				2.E-06	2.E-05	2E-05

Notes:
a Numbers presented are rounded values. Sums calculated before rounding.
b Combined adult and child cancer risks calculated based on child exposure of 6 years and weighted adult exposure of 24 years for an adult recreational beach user. For carcinogenic polynuclear aromatic hydrocarbons (benzo[a]anthracene, benzo[a]pyrene, benzo[b]fluoranthene, dibenzo[a,h]anthracene, and indeno[1,2,3-cd]pyrene), early life exposure was considered and age dependent adjustment factors were applied to the exposure parameters as described in EPA's Supplemental Guidance for Assessing Susceptibility from Early-Life Exposure to Carcinogens, Risk Assessment Forum, March 2005, EPA/630/R-03/003F.

Abbreviations:
-- = Not Applicable
EPC = Exposure Point Concentration
mg/kg = milligram per kilogram
ug/kg = microgram per kilogram

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-9.
Calculation of Cancer Risks - Combined Adult/Child Recreational Beach User, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Combined Adult/Child Recreational Beach User
Population Age: Adult (age-adjusted)

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Adult Total Cancer Risk[a]	Child Total Cancer Risk[a]	Combined Adult and Child Cancer Risk[a,b]
03B031	**Metals**					
	Arsenic	3.2E+00	mg/kg	6.E-08	3.E-07	4E-07
	Polynuclear Aromatic Hydrocarbons[b]					
	Benzo(a)anthracene	3.8E+01	ug/kg	5.E-10	2.E-08	2E-08
	Benzo(a)pyrene	5.3E+01	ug/kg	8.E-09	2.E-07	2E-07
	Benzo(b)fluoranthene	3.5E+01	ug/kg	5.E-10	1.E-08	1E-08
	Dibenzo(a,h)anthracene	1.2E+01	ug/kg	2.E-09	5.E-08	5E-08
	Indeno(1,2,3-cd)pyrene	4.7E+01	ug/kg	7.E-10	2.E-08	2E-08
Exposure Point Total				7.E-08	1.E-05	7E-07
03B033	**Metals**					
	Arsenic	4.0E+00	mg/kg	7.E-08	4.E-07	5E-07
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	5.2E+00	ug/kg	7.E-11	2.E-09	2E-09
	Benzo(a)pyrene	5.2E+00	ug/kg	7.E-10	2.E-08	2E-08
	Benzo(b)fluoranthene	5.2E+00	ug/kg	7.E-11	2.E-09	2E-09
	Indeno(1,2,3-cd)pyrene	6.4E+00	ug/kg	9.E-11	3.E-09	3E-09
Exposure Point Total				7.E-08	5.E-06	5E-07
04B023	**Metals**					
	Arsenic	2.7E+00	mg/kg	5.E-08	3.E-07	3E-07
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	2.6E+01	ug/kg	4.E-10	1.E-08	1E-08
	Benzo(a)pyrene	4.2E+01	ug/kg	6.E-09	2.E-07	2E-07
	Benzo(b)fluoranthene	3.3E+01	ug/kg	5.E-10	1.E-08	1E-08
	Dibenzo(a,h)anthracene	1.4E+01	ug/kg	2.E-09	6.E-08	6E-08
	Indeno(1,2,3-cd)pyrene	3.8E+01	ug/kg	5.E-10	2.E-08	2E-08
Exposure Point Total				6.E-08	8.E-06	6E-07
04B024	**Metals**					
	Arsenic	4.7E+00	mg/kg	8.E-08	5.E-07	6E-07
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	1.8E+02	ug/kg	3.E-09	7.E-08	7E-08
	Benzo(a)pyrene	3.6E+02	ug/kg	5.E-08	1.E-06	1E-06
	Benzo(b)fluoranthene	3.0E+02	ug/kg	4.E-09	1.E-07	1E-07
	Dibenzo(a,h)anthracene	2.3E+01	ug/kg	3.E-09	9.E-08	1E-07
	Indeno(1,2,3-cd)pyrene	2.2E+02	ug/kg	3.E-09	9.E-08	9E-08
Exposure Point Total				1.E-07	4.E-05	2E-06
05B018	**Metals**					
	Arsenic	2.4E+00	mg/kg	4.E-08	3.E-07	3E-07
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	7.2E+01	ug/kg	1.E-09	3.E-08	3E-08
	Benzo(a)pyrene	8.6E+01	ug/kg	1.E-08	3.E-07	4E-07
	Benzo(b)fluoranthene	1.0E+02	ug/kg	1.E-09	4.E-08	4E-08
	Dibenzo(a,h)anthracene	2.6E+01	ug/kg	4.E-09	1.E-07	1E-07
	Indeno(1,2,3-cd)pyrene	3.9E+01	ug/kg	6.E-10	2.E-08	2E-08
Exposure Point Total				6.E-08	1.E-05	8E-07
06B022	**Metals**					
	Arsenic	2.6E+00	mg/kg	5.E-08	3.E-07	3E-07
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	4.8E+00	ug/kg	7.E-11	2.E-09	2E-09
	Benzo(a)pyrene	4.4E+00	ug/kg	6.E-10	2.E-08	2E-08
	Benzo(b)fluoranthene	5.6E+00	ug/kg	8.E-11	2.E-09	2E-09
	Indeno(1,2,3-cd)pyrene	4.8E+00	ug/kg	7.E-11	2.E-09	2E-09
Exposure Point Total				5.E-08	3.E-06	3E-07
06B026	**Metals**					
	Arsenic	1.7E+00	mg/kg	3.E-08	2.E-07	2E-07
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	7.9E+00	ug/kg	1.E-10	3.E-09	3E-09
	Benzo(a)pyrene	6.4E+00	ug/kg	9.E-10	3.E-08	3E-08
	Benzo(b)fluoranthene	1.0E+01	ug/kg	1.E-10	4.E-09	4E-09
	Indeno(1,2,3-cd)pyrene	1.1E+01	ug/kg	2.E-10	4.E-09	5E-09
Exposure Point Total				3.E-08	3.E-06	2E-07
06B030	**Metals**					
	Arsenic	9.9E+00	mg/kg	2.E-07	1.E-06	1E-06
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	4.5E+01	ug/kg	6.E-10	2.E-08	2E-08
	Benzo(a)pyrene	6.6E+01	ug/kg	9.E-09	3.E-07	3E-07
	Benzo(b)fluoranthene	8.1E+01	ug/kg	1.E-09	3.E-08	3E-08
	Dibenzo(a,h)anthracene	5.0E+00	ug/kg	7.E-10	2.E-08	2E-08
	Indeno(1,2,3-cd)pyrene	4.7E+01	ug/kg	7.E-10	2.E-08	2E-08
Exposure Point Total				2.E-07	2.E-05	2E-06

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-9.
Calculation of Cancer Risks - Combined Adult/Child Recreational Beach User, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Combined Adult/Child Recreational Beach User
Population Age: Adult (age-adjusted)

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Adult Total Cancer Risk[a]	Child Total Cancer Risk[a]	Combined Adult and Child Cancer Risk[a,b]
		Value	Units			
09B024	**Metals**					
	Arsenic	1.1E+00	mg/kg	2.E-08	1.E-07	1E-07
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	1.8E+01	ug/kg	3.E-10	7.E-09	7E-09
	Benzo(a)pyrene	1.4E+01	ug/kg	2.E-09	6.E-08	6E-08
	Benzo(b)fluoranthene	9.7E+00	ug/kg	1.E-10	4.E-09	4E-09
	Dibenzo(a,h)anthracene	2.5E+00	ug/kg	4.E-10	1.E-08	1E-08
	Indeno(1,2,3-cd)pyrene	8.7E+00	ug/kg	1.E-10	3.E-09	4E-09
Exposure Point Total				2.E-08	3.E-06	2E-07
09B026	**Metals**					
	Arsenic	2.4E+00	mg/kg	4.E-08	3.E-07	3E-07
	Polynuclear Aromatic Hydrocarbons					
	Benzo(b)fluoranthene	2.1E+00	ug/kg	3.E-11	8.E-10	9E-10
Exposure Point Total				4.E-08	3.E-06	3E-07
09B027	**Metals**					
	Arsenic	1.3E+00	mg/kg	2.E-08	1.E-07	2E-07
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	7.7E+00	ug/kg	1.E-10	3.E-09	3E-09
	Benzo(a)pyrene	7.0E+00	ug/kg	1.E-09	3.E-08	3E-08
	Benzo(b)fluoranthene	8.8E+00	ug/kg	1.E-10	4.E-09	4E-09
	Indeno(1,2,3-cd)pyrene	5.6E+00	ug/kg	8.E-11	2.E-09	2E-09
Exposure Point Total				3.E-08	2.E-06	2E-07
09B028	**Metals**					
	Arsenic	1.3E+00	mg/kg	2.E-08	1.E-07	2E-07
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	5.3E+00	ug/kg	8.E-11	2.E-09	2E-09
	Benzo(a)pyrene	4.6E+00	ug/kg	7.E-10	2.E-08	2E-08
	Benzo(b)fluoranthene	5.0E+00	ug/kg	7.E-11	2.E-09	2E-09
	Indeno(1,2,3-cd)pyrene	4.6E+00	ug/kg	7.E-11	2.E-09	2E-09
Exposure Point Total				2.E-08	2.E-06	2E-07
B001	**Metals**					
	Arsenic	2.3E+00	mg/kg	4.E-08	2.E-07	3E-07
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	6.5E+00	ug/kg	9.E-11	3.E-09	3E-09
	Benzo(a)pyrene	1.4E+01	ug/kg	2.E-09	6.E-08	6E-08
	Benzo(b)fluoranthene	1.2E+01	ug/kg	2.E-10	5.E-09	5E-09
	Dibenzo(a,h)anthracene	2.2E+00	ug/kg	3.E-10	9.E-09	9E-09
	Indeno(1,2,3-cd)pyrene	9.7E+00	ug/kg	1.E-10	4.E-09	4E-09
Exposure Point Total				4.E-08	4.E-06	4E-07
B003	**Metals**					
	Arsenic	2.5E+00	mg/kg	5.E-08	3.E-07	3E-07
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	2.1E+02	ug/kg	3.E-09	8.E-08	9E-08
	Benzo(a)pyrene	3.6E+02	ug/kg	5.E-08	1.E-06	1E-06
	Benzo(b)fluoranthene	3.1E+02	ug/kg	4.E-09	1.E-07	1E-07
	Dibenzo(a,h)anthracene	3.3E+01	ug/kg	5.E-09	1.E-07	1E-07
	Indeno(1,2,3-cd)pyrene	2.8E+02	ug/kg	4.E-09	1.E-07	1E-07
Exposure Point Total				1.E-07	4.E-05	2E-06
B005	**Metals**					
	Arsenic	3.3E+00	mg/kg	6.E-08	3.E-07	4E-07
	Polynuclear Aromatic Hydrocarbons					
	Benzo(a)anthracene	7.7E+01	ug/kg	1.E-09	3.E-08	3E-08
	Benzo(a)pyrene	1.5E+02	ug/kg	2.E-08	6.E-07	6E-07
	Benzo(b)fluoranthene	1.2E+02	ug/kg	2.E-09	5.E-08	5E-08
	Dibenzo(a,h)anthracene	1.5E+01	ug/kg	2.E-09	6.E-08	6E-08
	Indeno(1,2,3-cd)pyrene	1.3E+02	ug/kg	2.E-09	5.E-08	5E-08
Exposure Point Total				9.E-08	2.E-05	1E-06

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Combined adult and child cancer risks calculated based on child exposure of 6 years and weighted adult exposure of 24 years for an adult recreational beach user. For carcinogenic polynuclear aromatic hydrocarbons (benzo[a]anthracene, benzo[a]pyrene, benzo[b]fluoranthene, dibenzo[a,h]anthracene, and indeno[1,2,3-cd]pyrene), early life exposure was considered and age dependent adjustment factors were applied to the exposure parameters as described in EPA's Supplemental Guidance for Assessing Susceptibility from Early-Life Exposure to Carcinogens, Risk Assessment Forum, March 2005, EPA/630/R-03/003F.

Abbreviations:

-- = Not Applicable
EPC = Exposure Point Concentration
mg/kg = milligram per kilogram
ug/kg = microgram per kilogram

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-10.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	EPC Units	Dermal Cancer Slope Factor $(\text{mg/kg-day})^{-1}$	Oral Cancer Slope Factor $(\text{mg/kg-day})^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
03B030	**Metals**																
	Aluminum	1.2E+04	mg/kg	--	--	0.0E+00	1.2E-02	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.2E-02	0.0E+00	1.2E-02	0.01
	Arsenic	1.9E+00	mg/kg	1.5E+00	1.5E+00	9.9E-07	1.9E-06	1.5E-06	2.9E-06	4.E-06	3.0E-04	3.0E-04	9.9E-07	1.9E-06	3.3E-03	6.4E-03	0.01
	Copper	1.4E+01	mg/kg	--	--	0.0E+00	1.5E-05	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.5E-05	0.0E+00	3.7E-04	0.0004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.2E+00	ug/kg	7.3E-01	7.3E-01	1.4E-08	6.3E-09	1.0E-08	4.6E-09	1.E-08	--	--	1.4E-08	6.3E-09	--	--	--
	Benzo(a)pyrene	7.9E+00	ug/kg	7.3E+00	7.3E+00	1.8E-08	8.0E-09	1.3E-07	5.9E-08	2.E-07	--	--	1.8E-08	8.0E-09	--	--	--
	Benzo(b)fluoranthene	1.0E+01	ug/kg	7.3E-01	7.3E-01	2.3E-08	1.0E-08	1.7E-08	7.4E-09	2.E-08	--	--	2.3E-08	1.0E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.6E+01	ug/kg	7.3E-01	7.3E-01	3.6E-08	1.6E-08	2.6E-08	1.2E-08	4.E-08	--	--	3.6E-08	1.6E-08	--	--	--
Exposure Point Total										5.E-06							0.02
03B031	**Metals**																
	Aluminum	2.2E+04	mg/kg	--	--	0.0E+00	2.2E-02	--	--	--	1.0E+00	1.0E+00	0.0E+00	2.2E-02	0.0E+00	2.2E-02	0.02
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	1.7E-06	3.3E-06	2.5E-06	4.9E-06	7.E-06	3.0E-04	3.0E-04	1.7E-06	3.3E-06	5.6E-03	1.1E-02	0.02
	Copper	2.3E+01	mg/kg	--	--	0.0E+00	2.3E-05	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.3E-05	0.0E+00	5.8E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.8E+01	ug/kg	7.3E-01	7.3E-01	8.6E-08	3.9E-08	6.3E-08	2.8E-08	9.E-08	--	--	8.6E-08	3.9E-08	--	--	--
	Benzo(a)pyrene	5.3E+01	ug/kg	7.3E+00	7.3E+00	1.2E-07	5.4E-08	8.8E-07	3.9E-07	1.E-06	--	--	1.2E-07	5.4E-08	--	--	--
	Benzo(b)fluoranthene	3.5E+01	ug/kg	7.3E-01	7.3E-01	7.9E-08	3.6E-08	5.8E-08	2.6E-08	8.E-08	--	--	7.9E-08	3.6E-08	--	--	--
	Dibenzo(a,h)anthracene	1.2E+01	ug/kg	7.3E+00	7.3E+00	2.7E-08	1.2E-08	2.0E-07	8.9E-08	3.E-07	--	--	2.7E-08	1.2E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+01	ug/kg	7.3E-01	7.3E-01	1.1E-07	4.8E-08	7.8E-08	3.5E-08	1.E-07	--	--	1.1E-07	4.8E-08	--	--	--
Exposure Point Total										9.E-06							0.04
03B033	**Metals**																
	Aluminum	1.4E+04	mg/kg	--	--	0.0E+00	1.4E-02	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.4E-02	0.0E+00	1.4E-02	0.01
	Arsenic	4.0E+00	mg/kg	1.5E+00	1.5E+00	2.1E-06	4.1E-06	3.1E-06	6.1E-06	9.E-06	3.0E-04	3.0E-04	2.1E-06	4.1E-06	7.0E-03	1.4E-02	0.02
	Copper	1.6E+01	mg/kg	--	--	0.0E+00	1.6E-05	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.6E-05	0.0E+00	4.0E-04	0.0004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.2E+00	ug/kg	7.3E-01	7.3E-01	1.2E-08	5.3E-09	8.6E-09	3.9E-09	1.E-08	--	--	1.2E-08	5.3E-09	--	--	--
	Benzo(a)pyrene	5.2E+00	ug/kg	7.3E+00	7.3E+00	1.2E-08	5.3E-09	8.6E-08	3.9E-08	1.E-07	--	--	1.2E-08	5.3E-09	--	--	--
	Benzo(b)fluoranthene	5.2E+00	ug/kg	7.3E-01	7.3E-01	1.2E-08	5.3E-09	8.6E-09	3.9E-09	1.E-08	--	--	1.2E-08	5.3E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-10.

Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Indeno(1,2,3-cd)pyrene	6.4E+00	ug/kg	7.3E-01	7.3E-01	1.4E-08	6.5E-09	1.1E-08	4.8E-09	2.E-08	--	--	1.4E-08	6.5E-09	--	--	--
Exposure Point Total										9.E-06							0.04
04B023	**Metals**																
	Aluminum	1.2E+04	mg/kg	--	--	0.0E+00	1.2E-02	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.2E-02	0.0E+00	1.2E-02	0.01
	Antimony	3.0E-01	mg/kg	--	--	0.0E+00	3.1E-07	--	--	--	6.0E-05	4.0E-04	0.0E+00	3.1E-07	0.0E+00	7.6E-04	0.001
	Arsenic	2.7E+00	mg/kg	1.5E+00	1.5E+00	1.4E-06	2.7E-06	2.1E-06	4.1E-06	6.E-06	3.0E-04	3.0E-04	1.4E-06	2.7E-06	4.7E-03	9.2E-03	0.01
	Copper	3.3E+01	mg/kg	--	--	0.0E+00	3.4E-05	--	--	--	4.0E-02	4.0E-02	0.0E+00	3.4E-05	0.0E+00	8.5E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+01	ug/kg	7.3E-01	7.3E-01	5.9E-08	2.6E-08	4.3E-08	1.9E-08	6.E-08	--	--	5.9E-08	2.6E-08	--	--	--
	Benzo(a)pyrene	4.2E+01	ug/kg	7.3E+00	7.3E+00	9.5E-08	4.3E-08	6.9E-07	3.1E-07	1.E-06	--	--	9.5E-08	4.3E-08	--	--	--
	Benzo(b)fluoranthene	3.3E+01	ug/kg	7.3E-01	7.3E-01	7.5E-08	3.4E-08	5.4E-08	2.5E-08	8.E-08	--	--	7.5E-08	3.4E-08	--	--	--
	Dibenzo(a,h)anthracene	1.4E+01	ug/kg	7.3E+00	7.3E+00	3.2E-08	1.4E-08	2.3E-07	1.0E-07	3.E-07	--	--	3.2E-08	1.4E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.8E+01	ug/kg	7.3E-01	7.3E-01	8.6E-08	3.9E-08	6.3E-08	2.8E-08	9.E-08	--	--	8.6E-08	3.9E-08	--	--	--
Exposure Point Total										8.E-06							0.03
04B024	**Metals**																
	Aluminum	2.1E+04	mg/kg	--	--	0.0E+00	2.1E-02	--	--	--	1.0E+00	1.0E+00	0.0E+00	2.1E-02	0.0E+00	2.1E-02	0.02
	Antimony	1.3E+01	mg/kg	--	--	0.0E+00	1.3E-05	--	--	--	6.0E-05	4.0E-04	0.0E+00	1.3E-05	0.0E+00	3.3E-02	0.03
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	2.5E-06	4.8E-06	3.7E-06	7.2E-06	1.E-05	3.0E-04	3.0E-04	2.5E-06	4.8E-06	8.2E-03	1.6E-02	0.02
	Copper	1.9E+02	mg/kg	--	--	0.0E+00	2.0E-04	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.0E-04	0.0E+00	4.9E-03	0.005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+02	ug/kg	7.3E-01	7.3E-01	4.1E-07	1.8E-07	3.0E-07	1.3E-07	4.E-07	--	--	4.1E-07	1.8E-07	--	--	--
	Benzo(a)pyrene	3.6E+02	ug/kg	7.3E+00	7.3E+00	8.1E-07	3.7E-07	5.9E-06	2.7E-06	9.E-06	--	--	8.1E-07	3.7E-07	--	--	--
	Benzo(b)fluoranthene	3.0E+02	ug/kg	7.3E-01	7.3E-01	6.8E-07	3.1E-07	5.0E-07	2.2E-07	7.E-07	--	--	6.8E-07	3.1E-07	--	--	--
	Dibenzo(a,h)anthracene	2.3E+01	ug/kg	7.3E+00	7.3E+00	5.2E-08	2.3E-08	3.8E-07	1.7E-07	6.E-07	--	--	5.2E-08	2.3E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.2E+02	ug/kg	7.3E-01	7.3E-01	5.0E-07	2.2E-07	3.6E-07	1.6E-07	5.E-07	--	--	5.0E-07	2.2E-07	--	--	--
Exposure Point Total										2.E-05							0.08
05B018	**Metals**																
	Aluminum	1.9E+04	mg/kg	--	--	0.0E+00	1.9E-02	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.9E-02	0.0E+00	1.9E-02	0.02
	Antimony	2.0E-01	mg/kg	--	--	0.0E+00	2.0E-07	--	--	--	6.0E-05	4.0E-04	0.0E+00	2.0E-07	0.0E+00	5.1E-04	0.001
	Arsenic	2.4E+00	mg/kg	1.5E+00	1.5E+00	1.3E-06	2.4E-06	1.9E-06	3.7E-06	6.E-06	3.0E-04	3.0E-04	1.3E-06	2.4E-06	4.2E-03	8.1E-03	0.01
	Copper	1.1E+02	mg/kg	--	--	0.0E+00	1.1E-04	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.1E-04	0.0E+00	2.7E-03	0.003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.2E+01	ug/kg	7.3E-01	7.3E-01	1.6E-07	7.3E-08	1.2E-07	5.3E-08	2.E-07	--	--	1.6E-07	7.3E-08	--	--	--
	Benzo(a)pyrene	8.6E+01	ug/kg	7.3E+00	7.3E+00	1.9E-07	8.8E-08	1.4E-06	6.4E-07	2.E-06	--	--	1.9E-07	8.8E-08	--	--	--
	Benzo(b)fluoranthene	1.0E+02	ug/kg	7.3E-01	7.3E-01	2.3E-07	1.0E-07	1.7E-07	7.4E-08	2.E-07	--	--	2.3E-07	1.0E-07	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-10.

Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	2.6E+01	ug/kg	7.3E+00	7.3E+00	5.9E-08	2.6E-08	4.3E-07	1.9E-07	6.E-07	--	--	5.9E-08	2.6E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.9E+01	ug/kg	7.3E-01	7.3E-01	8.8E-08	4.0E-08	6.4E-08	2.9E-08	9.E-08	--	--	8.8E-08	4.0E-08	--	--	--
Exposure Point Total										9.E-06							0.03
06B022	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	1.6E-02	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.6E-02	0.0E+00	1.6E-02	0.02
	Antimony	3.0E-01	mg/kg	--	--	0.0E+00	3.1E-07	--	--	--	6.0E-05	4.0E-04	0.0E+00	3.1E-07	0.0E+00	7.6E-04	0.001
	Arsenic	2.6E+00	mg/kg	1.5E+00	1.5E+00	1.4E-06	2.6E-06	2.0E-06	4.0E-06	6.E-06	3.0E-04	3.0E-04	1.4E-06	2.6E-06	4.5E-03	8.8E-03	0.01
	Copper	4.3E+01	mg/kg	--	--	0.0E+00	4.3E-05	--	--	--	4.0E-02	4.0E-02	0.0E+00	4.3E-05	0.0E+00	1.1E-03	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.8E+00	ug/kg	7.3E-01	7.3E-01	1.1E-08	4.9E-09	7.9E-09	3.6E-09	1.E-08	--	--	1.1E-08	4.9E-09	--	--	--
	Benzo(a)pyrene	4.4E+00	ug/kg	7.3E+00	7.3E+00	1.0E-08	4.5E-09	7.3E-08	3.3E-08	1.E-07	--	--	1.0E-08	4.5E-09	--	--	--
	Benzo(b)fluoranthene	5.6E+00	ug/kg	7.3E-01	7.3E-01	1.3E-08	5.7E-09	9.2E-09	4.2E-09	1.E-08	--	--	1.3E-08	5.7E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.8E+00	ug/kg	7.3E-01	7.3E-01	1.1E-08	4.9E-09	7.9E-09	3.6E-09	1.E-08	--	--	1.1E-08	4.9E-09	--	--	--
Exposure Point Total										6.E-06							0.03
06B026	**Metals**																
	Aluminum	1.2E+04	mg/kg	--	--	0.0E+00	1.3E-02	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.3E-02	0.0E+00	1.3E-02	0.01
	Antimony	8.0E-01	mg/kg	--	--	0.0E+00	8.1E-07	--	--	--	6.0E-05	4.0E-04	0.0E+00	8.1E-07	0.0E+00	2.0E-03	0.002
	Arsenic	1.7E+00	mg/kg	1.5E+00	1.5E+00	8.9E-07	1.7E-06	1.3E-06	2.6E-06	4.E-06	3.0E-04	3.0E-04	8.9E-07	1.7E-06	3.0E-03	5.8E-03	0.01
	Copper	2.0E+01	mg/kg	--	--	0.0E+00	2.0E-05	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.0E-05	0.0E+00	5.1E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.9E+00	ug/kg	7.3E-01	7.3E-01	1.8E-08	8.0E-09	1.3E-08	5.9E-09	2.E-08	--	--	1.8E-08	8.0E-09	--	--	--
	Benzo(a)pyrene	6.4E+00	ug/kg	7.3E+00	7.3E+00	1.4E-08	6.5E-09	1.1E-07	4.8E-08	2.E-07	--	--	1.4E-08	6.5E-09	--	--	--
	Benzo(b)fluoranthene	1.0E+01	ug/kg	7.3E-01	7.3E-01	2.3E-08	1.0E-08	1.7E-08	7.4E-09	2.E-08	--	--	2.3E-08	1.0E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+01	ug/kg	7.3E-01	7.3E-01	2.5E-08	1.1E-08	1.8E-08	8.2E-09	3.E-08	--	--	2.5E-08	1.1E-08	--	--	--
Exposure Point Total										4.E-06							0.02
06B030	**Metals**																
	Aluminum	1.8E+04	mg/kg	--	--	0.0E+00	1.8E-02	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.8E-02	0.0E+00	1.8E-02	0.02
	Arsenic	9.9E+00	mg/kg	1.5E+00	1.5E+00	5.2E-06	1.0E-05	7.8E-06	1.5E-05	2.E-05	3.0E-04	3.0E-04	5.2E-06	1.0E-05	1.7E-02	3.4E-02	0.05
	Copper	6.1E+02	mg/kg	--	--	0.0E+00	6.2E-04	--	--	--	4.0E-02	4.0E-02	0.0E+00	6.2E-04	0.0E+00	1.5E-02	0.02
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.5E+01	ug/kg	7.3E-01	7.3E-01	1.0E-07	4.6E-08	7.4E-08	3.3E-08	1.E-07	--	--	1.0E-07	4.6E-08	--	--	--
	Benzo(a)pyrene	6.6E+01	ug/kg	7.3E+00	7.3E+00	1.5E-07	6.7E-08	1.1E-06	4.9E-07	2.E-06	--	--	1.5E-07	6.7E-08	--	--	--
	Benzo(b)fluoranthene	8.1E+01	ug/kg	7.3E-01	7.3E-01	1.8E-07	8.2E-08	1.3E-07	6.0E-08	2.E-07	--	--	1.8E-07	8.2E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-10.

Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Tribal Fisher   Exposure Medium: Beach Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	5.0E+00	ug/kg	7.3E+00	7.3E+00	1.1E-08	5.1E-09	8.3E-08	3.7E-08	1.E-07	--	--	1.1E-08	5.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+01	ug/kg	7.3E-01	7.3E-01	1.1E-07	4.8E-08	7.8E-08	3.5E-08	1.E-07	--	--	1.1E-07	4.8E-08	--	--	--
Exposure Point Total										2.E-05							0.08
07B023	**Metals**																
	Aluminum	1.0E+04	mg/kg	--	--	0.0E+00	1.0E-02	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.0E-02	0.0E+00	1.0E-02	0.01
	Antimony	3.0E-01	mg/kg	--	--	0.0E+00	3.1E-07	--	--	--	6.0E-05	4.0E-04	0.0E+00	3.1E-07	0.0E+00	7.6E-04	0.001
	Arsenic	7.0E-01	mg/kg	1.5E+00	1.5E+00	3.7E-07	7.1E-07	5.5E-07	1.1E-06	2.E-06	3.0E-04	3.0E-04	3.7E-07	7.1E-07	1.2E-03	2.4E-03	0.004
	Copper	7.0E+01	mg/kg	--	--	0.0E+00	7.1E-05	--	--	--	4.0E-02	4.0E-02	0.0E+00	7.1E-05	0.0E+00	1.8E-03	0.002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+01	ug/kg	7.3E-01	7.3E-01	3.2E-08	1.4E-08	2.3E-08	1.0E-08	3.E-08	--	--	3.2E-08	1.4E-08	--	--	--
	Benzo(a)pyrene	1.5E+01	ug/kg	7.3E+00	7.3E+00	3.4E-08	1.5E-08	2.5E-07	1.1E-07	4.E-07	--	--	3.4E-08	1.5E-08	--	--	--
	Benzo(b)fluoranthene	1.2E+01	ug/kg	7.3E-01	7.3E-01	2.7E-08	1.2E-08	2.0E-08	8.9E-09	3.E-08	--	--	2.7E-08	1.2E-08	--	--	--
	Dibenzo(a,h)anthracene	2.5E+00	ug/kg	7.3E+00	7.3E+00	5.7E-09	2.5E-09	4.1E-08	1.9E-08	6.E-08	--	--	5.7E-09	2.5E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.3E+01	ug/kg	7.3E-01	7.3E-01	2.9E-08	1.3E-08	2.1E-08	9.7E-09	3.E-08	--	--	2.9E-08	1.3E-08	--	--	--
Exposure Point Total										2.E-06							0.02
07B024	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	1.5E-02	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.5E-02	0.0E+00	1.5E-02	0.02
	Arsenic	1.6E+00	mg/kg	1.5E+00	1.5E+00	8.1E-07	1.6E-06	1.2E-06	2.4E-06	4.E-06	3.0E-04	3.0E-04	8.1E-07	1.6E-06	2.7E-03	5.3E-03	0.01
	Copper	2.1E+01	mg/kg	--	--	0.0E+00	2.1E-05	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.1E-05	0.0E+00	5.2E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.5E+01	ug/kg	7.3E-01	7.3E-01	1.0E-07	4.6E-08	7.4E-08	3.3E-08	1.E-07	--	--	1.0E-07	4.6E-08	--	--	--
	Benzo(a)pyrene	5.3E+01	ug/kg	7.3E+00	7.3E+00	1.2E-07	5.4E-08	8.8E-07	3.9E-07	1.E-06	--	--	1.2E-07	5.4E-08	--	--	--
	Benzo(b)fluoranthene	6.2E+01	ug/kg	7.3E-01	7.3E-01	1.4E-07	6.3E-08	1.0E-07	4.6E-08	1.E-07	--	--	1.4E-07	6.3E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.3E+01	ug/kg	7.3E-01	7.3E-01	5.2E-08	2.3E-08	3.8E-08	1.7E-08	6.E-08	--	--	5.2E-08	2.3E-08	--	--	--
Exposure Point Total										5.E-06							0.02
09B024	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	1.6E-02	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.6E-02	0.0E+00	1.6E-02	0.02
	Arsenic	1.1E+00	mg/kg	1.5E+00	1.5E+00	5.7E-07	1.1E-06	8.6E-07	1.7E-06	3.E-06	3.0E-04	3.0E-04	5.7E-07	1.1E-06	1.9E-03	3.7E-03	0.01
	Copper	1.8E+01	mg/kg	--	--	0.0E+00	1.9E-05	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.9E-05	0.0E+00	4.6E-04	0.0005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+01	ug/kg	7.3E-01	7.3E-01	4.1E-08	1.8E-08	3.0E-08	1.3E-08	4.E-08	--	--	4.1E-08	1.8E-08	--	--	--
	Benzo(a)pyrene	1.4E+01	ug/kg	7.3E+00	7.3E+00	3.2E-08	1.4E-08	2.3E-07	1.0E-07	3.E-07	--	--	3.2E-08	1.4E-08	--	--	--
	Benzo(b)fluoranthene	9.7E+00	ug/kg	7.3E-01	7.3E-01	2.2E-08	9.9E-09	1.6E-08	7.2E-09	2.E-08	--	--	2.2E-08	9.9E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-10.

Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future

Receptor Population: Tribal Fisher

Population Age: Adult

Medium: Sediment

Exposure Medium: Beach Sediment

Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	2.5E+00	ug/kg	7.3E+00	7.3E+00	5.7E-09	2.5E-09	4.1E-08	1.9E-08	6.E-08	--	--	5.7E-09	2.5E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	8.7E+00	ug/kg	7.3E-01	7.3E-01	2.0E-08	8.9E-09	1.4E-08	6.5E-09	2.E-08	--	--	2.0E-08	8.9E-09	--	--	--
Exposure Point Total										3.E-06							0.02
09B026	**Metals**																
	Aluminum	1.1E+04	mg/kg	--	--	0.0E+00	1.1E-02	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.1E-02	0.0E+00	1.1E-02	0.01
	Arsenic	2.4E+00	mg/kg	1.5E+00	1.5E+00	1.3E-06	2.4E-06	1.9E-06	3.7E-06	6.E-06	3.0E-04	3.0E-04	1.3E-06	2.4E-06	4.2E-03	8.1E-03	0.01
	Copper	1.8E+01	mg/kg	--	--	0.0E+00	1.9E-05	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.9E-05	0.0E+00	4.7E-04	0.0005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(b)fluoranthene	2.1E+00	ug/kg	7.3E-01	7.3E-01	4.8E-09	2.1E-09	3.5E-09	1.6E-09	5.E-09	--	--	4.8E-09	2.1E-09	--	--	--
Exposure Point Total										6.E-06							0.02
09B027	**Metals**																
	Aluminum	2.0E+04	mg/kg	--	--	0.0E+00	2.0E-02	--	--	--	1.0E+00	1.0E+00	0.0E+00	2.0E-02	0.0E+00	2.0E-02	0.02
	Antimony	2.0E-01	mg/kg	--	--	0.0E+00	2.0E-07	--	--	--	6.0E-05	4.0E-04	0.0E+00	2.0E-07	0.0E+00	5.1E-04	0.001
	Arsenic	1.4E+00	mg/kg	1.5E+00	1.5E+00	7.3E-07	1.4E-06	1.1E-06	2.1E-06	3.E-06	3.0E-04	3.0E-04	7.3E-07	1.4E-06	2.4E-03	4.7E-03	0.01
	Copper	2.4E+01	mg/kg	--	--	0.0E+00	2.4E-05	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.4E-05	0.0E+00	6.1E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.8E+00	ug/kg	7.3E-01	7.3E-01	2.2E-08	1.0E-08	1.6E-08	7.3E-09	2.E-08	--	--	2.2E-08	1.0E-08	--	--	--
	Benzo(a)pyrene	9.0E+00	ug/kg	7.3E+00	7.3E+00	2.0E-08	9.2E-09	1.5E-07	6.7E-08	2.E-07	--	--	2.0E-08	9.2E-09	--	--	--
	Benzo(b)fluoranthene	1.0E+01	ug/kg	7.3E-01	7.3E-01	2.4E-08	1.1E-08	1.7E-08	7.7E-09	2.E-08	--	--	2.4E-08	1.1E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	6.6E+00	ug/kg	7.3E-01	7.3E-01	1.5E-08	6.7E-09	1.1E-08	4.9E-09	2.E-08	--	--	1.5E-08	6.7E-09	--	--	--
Exposure Point Total										4.E-06							0.03
09B028	**Metals**																
	Aluminum	1.6E+04	mg/kg	--	--	0.0E+00	1.6E-02	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.6E-02	0.0E+00	1.6E-02	0.02
	Arsenic	1.3E+00	mg/kg	1.5E+00	1.5E+00	6.8E-07	1.3E-06	1.0E-06	2.0E-06	3.E-06	3.0E-04	3.0E-04	6.8E-07	1.3E-06	2.3E-03	4.4E-03	0.01
	Copper	1.9E+01	mg/kg	--	--	0.0E+00	1.9E-05	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.9E-05	0.0E+00	4.8E-04	0.0005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.3E+00	ug/kg	7.3E-01	7.3E-01	1.2E-08	5.4E-09	8.8E-09	3.9E-09	1.E-08	--	--	1.2E-08	5.4E-09	--	--	--
	Benzo(a)pyrene	4.6E+00	ug/kg	7.3E+00	7.3E+00	1.0E-08	4.7E-09	7.6E-08	3.4E-08	1.E-07	--	--	1.0E-08	4.7E-09	--	--	--
	Benzo(b)fluoranthene	5.0E+00	ug/kg	7.3E-01	7.3E-01	1.1E-08	5.1E-09	8.3E-09	3.7E-09	1.E-08	--	--	1.1E-08	5.1E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-10.

Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Indeno(1,2,3-cd)pyrene	4.6E+00	ug/kg	7.3E-01	7.3E-01	1.0E-08	4.7E-09	7.6E-09	3.4E-09	1.E-08	--	--	1.0E-08	4.7E-09	--	--	--
Exposure Point Total										3.E-06							0.02
B001	**Metals**																
	Aluminum	1.6E+04	mg/kg	--	--	0.0E+00	1.7E-02	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.7E-02	0.0E+00	1.7E-02	0.02
	Arsenic	2.3E+00	mg/kg	1.5E+00	1.5E+00	1.2E-06	2.3E-06	1.8E-06	3.4E-06	5.E-06	3.0E-04	3.0E-04	1.2E-06	2.3E-06	3.9E-03	7.6E-03	0.01
	Copper	1.9E+01	mg/kg	--	--	0.0E+00	2.0E-05	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.0E-05	0.0E+00	4.9E-04	0.0005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.5E+00	ug/kg	7.3E-01	7.3E-01	1.5E-08	6.6E-09	1.1E-08	4.8E-09	2.E-08	--	--	1.5E-08	6.6E-09	--	--	--
	Benzo(a)pyrene	1.4E+01	ug/kg	7.3E+00	7.3E+00	3.2E-08	1.4E-08	2.3E-07	1.0E-07	3.E-07	--	--	3.2E-08	1.4E-08	--	--	--
	Benzo(b)fluoranthene	1.2E+01	ug/kg	7.3E-01	7.3E-01	2.7E-08	1.2E-08	2.0E-08	8.9E-09	3.E-08	--	--	2.7E-08	1.2E-08	--	--	--
	Dibenzo(a,h)anthracene	2.2E+00	ug/kg	7.3E+00	7.3E+00	5.0E-09	2.2E-09	3.6E-08	1.6E-08	5.E-08	--	--	5.0E-09	2.2E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	9.7E+00	ug/kg	7.3E-01	7.3E-01	2.2E-08	9.9E-09	1.6E-08	7.2E-09	2.E-08	--	--	2.2E-08	9.9E-09	--	--	--
Exposure Point Total										6.E-06							0.03
B003	**Metals**																
	Aluminum	1.9E+04	mg/kg	--	--	0.0E+00	1.9E-02	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.9E-02	0.0E+00	1.9E-02	0.02
	Arsenic	2.5E+00	mg/kg	1.5E+00	1.5E+00	1.3E-06	2.6E-06	2.0E-06	3.9E-06	6.E-06	3.0E-04	3.0E-04	1.3E-06	2.6E-06	4.4E-03	8.6E-03	0.01
	Copper	2.0E+01	mg/kg	--	--	0.0E+00	2.0E-05	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.0E-05	0.0E+00	5.0E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.1E+02	ug/kg	7.3E-01	7.3E-01	4.8E-07	2.1E-07	3.5E-07	1.6E-07	5.E-07	--	--	4.8E-07	2.1E-07	--	--	--
	Benzo(a)pyrene	3.6E+02	ug/kg	7.3E+00	7.3E+00	8.1E-07	3.7E-07	5.9E-06	2.7E-06	9.E-06	--	--	8.1E-07	3.7E-07	--	--	--
	Benzo(b)fluoranthene	3.1E+02	ug/kg	7.3E-01	7.3E-01	7.0E-07	3.2E-07	5.1E-07	2.3E-07	7.E-07	--	--	7.0E-07	3.2E-07	--	--	--
	Dibenzo(a,h)anthracene	3.3E+01	ug/kg	7.3E+00	7.3E+00	7.5E-08	3.4E-08	5.4E-07	2.5E-07	8.E-07	--	--	7.5E-08	3.4E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.8E+02	ug/kg	7.3E-01	7.3E-01	6.3E-07	2.8E-07	4.6E-07	2.1E-07	7.E-07	--	--	6.3E-07	2.8E-07	--	--	--
Exposure Point Total										2.E-05							0.03
B005	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	1.5E-02	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.5E-02	0.0E+00	1.5E-02	0.01
	Arsenic	3.3E+00	mg/kg	1.5E+00	1.5E+00	1.7E-06	3.3E-06	2.6E-06	5.0E-06	8.E-06	3.0E-04	3.0E-04	1.7E-06	3.3E-06	5.7E-03	1.1E-02	0.02
	Copper	1.4E+01	mg/kg	--	--	0.0E+00	1.5E-05	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.5E-05	0.0E+00	3.7E-04	0.0004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.7E+01	ug/kg	7.3E-01	7.3E-01	1.7E-07	7.8E-08	1.3E-07	5.7E-08	2.E-07	--	--	1.7E-07	7.8E-08	--	--	--
	Benzo(a)pyrene	1.5E+02	ug/kg	7.3E+00	7.3E+00	3.4E-07	1.5E-07	2.5E-06	1.1E-06	4.E-06	--	--	3.4E-07	1.5E-07	--	--	--
	Benzo(b)fluoranthene	1.2E+02	ug/kg	7.3E-01	7.3E-01	2.7E-07	1.2E-07	2.0E-07	8.9E-08	3.E-07	--	--	2.7E-07	1.2E-07	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-10.

Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	1.5E+01	ug/kg	7.3E+00	7.3E+00	3.4E-08	1.5E-08	2.5E-07	1.1E-07	4.E-07	--	--	3.4E-08	1.5E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.3E+02	ug/kg	7.3E-01	7.3E-01	2.9E-07	1.3E-07	2.1E-07	9.7E-08	3.E-07	--	--	2.9E-07	1.3E-07	--	--	--
Exposure Point Total		0.03								1.E-05							0.03

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

Abbreviations: -- = Not Applicable
CDI = Chronic Daily Intake
EPC = Exposure Point Concentration
HQ = Hazard Quotient
LADI = Lifetime Average Daily Intake
mg/kg = milligram per kilogram
RfD = Reference Dose
ug/kg = microgram per kilogram

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-11.

Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Cancer Risk Calculations[a]							Noncancer Hazard Quotient Calculations[a]						
		Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
03B030	**Metals**																
	Aluminum	1.2E+04	mg/kg	--	--	0.0E+00	1.0E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	2.4E-03	0.0E+00	2.4E-03	0.002
	Arsenic	1.9E+00	mg/kg	1.5E+00	1.5E+00	4.0E-08	1.7E-07	6.0E-08	2.5E-07	3.E-07	3.0E-04	3.0E-04	9.3E-08	3.9E-07	3.1E-04	1.3E-03	0.002
	Copper	1.4E+01	mg/kg	--	--	0.0E+00	1.3E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.9E-06	0.0E+00	7.3E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.2E+00	ug/kg	7.3E-01	7.3E-01	5.6E-10	5.4E-10	4.1E-10	3.9E-10	8.E-10	--	--	1.3E-09	1.3E-09	--	--	--
	Benzo(a)pyrene	7.9E+00	ug/kg	7.3E+00	7.3E+00	7.1E-10	6.9E-10	5.2E-09	5.0E-09	1.E-08	--	--	1.7E-09	1.6E-09	--	--	--
	Benzo(b)fluoranthene	1.0E+01	ug/kg	7.3E-01	7.3E-01	9.0E-10	8.7E-10	6.6E-10	6.4E-10	1.E-09	--	--	2.1E-09	2.0E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.6E+01	ug/kg	7.3E-01	7.3E-01	1.4E-09	1.4E-09	1.1E-09	1.0E-09	2.E-09	--	--	3.4E-09	3.3E-09	--	--	--
Exposure Point Total										3.E-07							0.004
03B031	**Metals**																
	Aluminum	2.2E+04	mg/kg	--	--	0.0E+00	1.9E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	4.5E-03	0.0E+00	4.5E-03	0.004
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	6.7E-08	2.8E-07	1.0E-07	4.2E-07	5.E-07	3.0E-04	3.0E-04	1.6E-07	6.5E-07	5.2E-04	2.2E-03	0.003
	Copper	2.3E+01	mg/kg	--	--	0.0E+00	2.0E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	4.6E-06	0.0E+00	1.2E-04	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.8E+01	ug/kg	7.3E-01	7.3E-01	3.4E-09	3.3E-09	2.5E-09	2.4E-09	5.E-09	--	--	8.0E-09	7.7E-09	--	--	--
	Benzo(a)pyrene	5.3E+01	ug/kg	7.3E+00	7.3E+00	4.8E-09	4.6E-09	3.5E-08	3.4E-08	7.E-08	--	--	1.1E-08	1.1E-08	--	--	--
	Benzo(b)fluoranthene	3.5E+01	ug/kg	7.3E-01	7.3E-01	3.2E-09	3.1E-09	2.3E-09	2.2E-09	5.E-09	--	--	7.4E-09	7.1E-09	--	--	--
	Dibenzo(a,h)anthracene	1.2E+01	ug/kg	7.3E+00	7.3E+00	1.1E-09	1.0E-09	7.9E-09	7.6E-09	2.E-08	--	--	2.5E-09	2.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+01	ug/kg	7.3E-01	7.3E-01	4.3E-09	4.1E-09	3.1E-09	3.0E-09	6.E-09	--	--	9.9E-09	9.6E-09	--	--	--
Exposure Point Total										6.E-07							0.007
03B033	**Metals**																
	Aluminum	1.4E+04	mg/kg	--	--	0.0E+00	1.2E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	2.8E-03	0.0E+00	2.8E-03	0.003
	Arsenic	4.0E+00	mg/kg	1.5E+00	1.5E+00	8.4E-08	3.5E-07	1.3E-07	5.2E-07	6.E-07	3.0E-04	3.0E-04	1.9E-07	8.1E-07	6.5E-04	2.7E-03	0.003
	Copper	1.6E+01	mg/kg	--	--	0.0E+00	1.4E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	3.2E-06	0.0E+00	8.0E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.2E+00	ug/kg	7.3E-01	7.3E-01	4.7E-10	4.5E-10	3.4E-10	3.3E-10	7.E-10	--	--	1.1E-09	1.1E-09	--	--	--
	Benzo(a)pyrene	5.2E+00	ug/kg	7.3E+00	7.3E+00	4.7E-10	4.5E-10	3.4E-09	3.3E-09	7.E-09	--	--	1.1E-09	1.1E-09	--	--	--
	Benzo(b)fluoranthene	5.2E+00	ug/kg	7.3E-01	7.3E-01	4.7E-10	4.5E-10	3.4E-10	3.3E-10	7.E-10	--	--	1.1E-09	1.1E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-11.

Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Indeno(1,2,3-cd)pyrene	6.4E+00	ug/kg	7.3E-01	7.3E-01	5.8E-10	5.6E-10	4.2E-10	4.1E-10	8.E-10	--	--	1.4E-09	1.3E-09	--	--	--
Exposure Point Total										7.E-07							0.006
04B023	**Metals**																
	Aluminum	1.2E+04	mg/kg	--	--	0.0E+00	1.1E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	2.5E-03	0.0E+00	2.5E-03	0.002
	Antimony	3.0E-01	mg/kg	--	--	0.0E+00	2.6E-08	--	--	--	6.0E-05	4.0E-04	0.0E+00	6.1E-08	0.0E+00	1.5E-04	0.0002
	Arsenic	2.7E+00	mg/kg	1.5E+00	1.5E+00	5.6E-08	2.4E-07	8.5E-08	3.5E-07	4.E-07	3.0E-04	3.0E-04	1.3E-07	5.5E-07	4.4E-04	1.8E-03	0.002
	Copper	3.3E+01	mg/kg	--	--	0.0E+00	2.9E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	6.8E-06	0.0E+00	1.7E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+01	ug/kg	7.3E-01	7.3E-01	2.4E-09	2.3E-09	1.7E-09	1.7E-09	3.E-09	--	--	5.5E-09	5.3E-09	--	--	--
	Benzo(a)pyrene	4.2E+01	ug/kg	7.3E+00	7.3E+00	3.8E-09	3.7E-09	2.8E-08	2.7E-08	5.E-08	--	--	8.9E-09	8.5E-09	--	--	--
	Benzo(b)fluoranthene	3.3E+01	ug/kg	7.3E-01	7.3E-01	3.0E-09	2.9E-09	2.2E-09	2.1E-09	4.E-09	--	--	7.0E-09	6.7E-09	--	--	--
	Dibenzo(a,h)anthracene	1.4E+01	ug/kg	7.3E+00	7.3E+00	1.3E-09	1.2E-09	9.2E-09	8.9E-09	2.E-08	--	--	3.0E-09	2.8E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.8E+01	ug/kg	7.3E-01	7.3E-01	3.4E-09	3.3E-09	2.5E-09	2.4E-09	5.E-09	--	--	8.0E-09	7.7E-09	--	--	--
Exposure Point Total										5.E-07							0.005
04B024	**Metals**																
	Aluminum	2.1E+04	mg/kg	--	--	0.0E+00	1.8E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	4.3E-03	0.0E+00	4.3E-03	0.004
	Antimony	1.3E+01	mg/kg	--	--	0.0E+00	1.1E-06	--	--	--	6.0E-05	4.0E-04	0.0E+00	2.6E-06	0.0E+00	6.6E-03	0.007
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	9.8E-08	4.1E-07	1.5E-07	6.1E-07	8.E-07	3.0E-04	3.0E-04	2.3E-07	9.6E-07	7.6E-04	3.2E-03	0.004
	Copper	1.9E+02	mg/kg	--	--	0.0E+00	1.7E-05	--	--	--	4.0E-02	4.0E-02	0.0E+00	3.9E-05	0.0E+00	9.9E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+02	ug/kg	7.3E-01	7.3E-01	1.6E-08	1.6E-08	1.2E-08	1.1E-08	2.E-08	--	--	3.8E-08	3.7E-08	--	--	--
	Benzo(a)pyrene	3.6E+02	ug/kg	7.3E+00	7.3E+00	3.3E-08	3.1E-08	2.4E-07	2.3E-07	5.E-07	--	--	7.6E-08	7.3E-08	--	--	--
	Benzo(b)fluoranthene	3.0E+02	ug/kg	7.3E-01	7.3E-01	2.7E-08	2.6E-08	2.0E-08	1.9E-08	4.E-08	--	--	6.3E-08	6.1E-08	--	--	--
	Dibenzo(a,h)anthracene	2.3E+01	ug/kg	7.3E+00	7.3E+00	2.1E-09	2.0E-09	1.5E-08	1.5E-08	3.E-08	--	--	4.9E-09	4.7E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.2E+02	ug/kg	7.3E-01	7.3E-01	2.0E-08	1.9E-08	1.5E-08	1.4E-08	3.E-08	--	--	4.6E-08	4.5E-08	--	--	--
Exposure Point Total										1.E-06							0.02
05B018	**Metals**																
	Aluminum	1.9E+04	mg/kg	--	--	0.0E+00	1.6E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	3.8E-03	0.0E+00	3.8E-03	0.004
	Antimony	2.0E-01	mg/kg	--	--	0.0E+00	1.7E-08	--	--	--	6.0E-05	4.0E-04	0.0E+00	4.1E-08	0.0E+00	1.0E-04	0.0001
	Arsenic	2.4E+00	mg/kg	1.5E+00	1.5E+00	5.0E-08	2.1E-07	7.5E-08	3.1E-07	4.E-07	3.0E-04	3.0E-04	1.2E-07	4.9E-07	3.9E-04	1.6E-03	0.002
	Copper	1.1E+02	mg/kg	--	--	0.0E+00	9.4E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.2E-05	0.0E+00	5.5E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.2E+01	ug/kg	7.3E-01	7.3E-01	6.5E-09	6.3E-09	4.8E-09	4.6E-09	9.E-09	--	--	1.5E-08	1.5E-08	--	--	--
	Benzo(a)pyrene	8.6E+01	ug/kg	7.3E+00	7.3E+00	7.8E-09	7.5E-09	5.7E-08	5.5E-08	1.E-07	--	--	1.8E-08	1.8E-08	--	--	--
	Benzo(b)fluoranthene	1.0E+02	ug/kg	7.3E-01	7.3E-01	9.0E-09	8.7E-09	6.6E-09	6.4E-09	1.E-08	--	--	2.1E-08	2.0E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-11.

Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	2.6E+01	ug/kg	7.3E+00	7.3E+00	2.4E-09	2.3E-09	1.7E-08	1.7E-08	3.E-08	--	--	5.5E-09	5.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.9E+01	ug/kg	7.3E-01	7.3E-01	3.5E-09	3.4E-09	2.6E-09	2.5E-09	5.E-09	--	--	8.2E-09	7.9E-09	--	--	--
Exposure Point Total										6.E-07							0.006
06B022	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	1.3E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	3.1E-03	0.0E+00	3.1E-03	0.003
	Antimony	3.0E-01	mg/kg	--	--	0.0E+00	2.6E-08	--	--	--	6.0E-05	4.0E-04	0.0E+00	6.1E-08	0.0E+00	1.5E-04	0.0002
	Arsenic	2.6E+00	mg/kg	1.5E+00	1.5E+00	5.4E-08	2.3E-07	8.1E-08	3.4E-07	4.E-07	3.0E-04	3.0E-04	1.3E-07	5.3E-07	4.2E-04	1.8E-03	0.002
	Copper	4.3E+01	mg/kg	--	--	0.0E+00	3.7E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	8.7E-06	0.0E+00	2.2E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.8E+00	ug/kg	7.3E-01	7.3E-01	4.3E-10	4.2E-10	3.2E-10	3.1E-10	6.E-10	--	--	1.0E-09	9.8E-10	--	--	--
	Benzo(a)pyrene	4.4E+00	ug/kg	7.3E+00	7.3E+00	4.0E-10	3.8E-10	2.9E-09	2.8E-09	6.E-09	--	--	9.3E-10	9.0E-10	--	--	--
	Benzo(b)fluoranthene	5.6E+00	ug/kg	7.3E-01	7.3E-01	5.1E-10	4.9E-10	3.7E-10	3.6E-10	7.E-10	--	--	1.2E-09	1.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.8E+00	ug/kg	7.3E-01	7.3E-01	4.3E-10	4.2E-10	3.2E-10	3.1E-10	6.E-10	--	--	1.0E-09	9.8E-10	--	--	--
Exposure Point Total										4.E-07							0.006
06B026	**Metals**																
	Aluminum	1.2E+04	mg/kg	--	--	0.0E+00	1.1E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	2.5E-03	0.0E+00	2.5E-03	0.003
	Antimony	8.0E-01	mg/kg	--	--	0.0E+00	7.0E-08	--	--	--	6.0E-05	4.0E-04	0.0E+00	1.6E-07	0.0E+00	4.1E-04	0.0004
	Arsenic	1.7E+00	mg/kg	1.5E+00	1.5E+00	3.5E-08	1.5E-07	5.3E-08	2.2E-07	3.E-07	3.0E-04	3.0E-04	8.3E-08	3.5E-07	2.8E-04	1.2E-03	0.001
	Copper	2.0E+01	mg/kg	--	--	0.0E+00	1.7E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	4.1E-06	0.0E+00	1.0E-04	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.9E+00	ug/kg	7.3E-01	7.3E-01	7.1E-10	6.9E-10	5.2E-10	5.0E-10	1.E-09	--	--	1.7E-09	1.6E-09	--	--	--
	Benzo(a)pyrene	6.4E+00	ug/kg	7.3E+00	7.3E+00	5.8E-10	5.6E-10	4.2E-09	4.1E-09	8.E-09	--	--	1.4E-09	1.3E-09	--	--	--
	Benzo(b)fluoranthene	1.0E+01	ug/kg	7.3E-01	7.3E-01	9.0E-10	8.7E-10	6.6E-10	6.4E-10	1.E-09	--	--	2.1E-09	2.0E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+01	ug/kg	7.3E-01	7.3E-01	1.0E-09	9.6E-10	7.3E-10	7.0E-10	1.E-09	--	--	2.3E-09	2.2E-09	--	--	--
Exposure Point Total										3.E-07							0.004
06B030	**Metals**																
	Aluminum	1.8E+04	mg/kg	--	--	0.0E+00	1.5E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	3.6E-03	0.0E+00	3.6E-03	0.004
	Arsenic	9.9E+00	mg/kg	1.5E+00	1.5E+00	2.1E-07	8.6E-07	3.1E-07	1.3E-06	2.E-06	3.0E-04	3.0E-04	4.8E-07	2.0E-06	1.6E-03	6.7E-03	0.008
	Copper	6.1E+02	mg/kg	--	--	0.0E+00	5.3E-05	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.2E-04	0.0E+00	3.1E-03	0.003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.5E+01	ug/kg	7.3E-01	7.3E-01	4.1E-09	3.9E-09	3.0E-09	2.9E-09	6.E-09	--	--	9.5E-09	9.2E-09	--	--	--
	Benzo(a)pyrene	6.6E+01	ug/kg	7.3E+00	7.3E+00	6.0E-09	5.8E-09	4.4E-08	4.2E-08	9.E-08	--	--	1.4E-08	1.3E-08	--	--	--
	Benzo(b)fluoranthene	8.1E+01	ug/kg	7.3E-01	7.3E-01	7.3E-09	7.1E-09	5.4E-09	5.2E-09	1.E-08	--	--	1.7E-08	1.6E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-11.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	5.0E+00	ug/kg	7.3E+00	7.3E+00	4.5E-10	4.4E-10	3.3E-09	3.2E-09	6.E-09	--	--	1.1E-09	1.0E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+01	ug/kg	7.3E-01	7.3E-01	4.3E-09	4.1E-09	3.1E-09	3.0E-09	6.E-09	--	--	9.9E-09	9.6E-09	--	--	--
Exposure Point Total										2.E-06							0.01
07B023	**Metals**																
	Aluminum	1.0E+04	mg/kg	--	--	0.0E+00	8.8E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	2.1E-03	0.0E+00	2.1E-03	0.002
	Antimony	3.0E-01	mg/kg	--	--	0.0E+00	2.6E-08	--	--	--	6.0E-05	4.0E-04	0.0E+00	6.1E-08	0.0E+00	1.5E-04	0.0002
	Arsenic	7.0E-01	mg/kg	1.5E+00	1.5E+00	1.5E-08	6.1E-08	2.2E-08	9.2E-08	1.E-07	3.0E-04	3.0E-04	3.4E-08	1.4E-07	1.1E-04	4.7E-04	0.001
	Copper	7.0E+01	mg/kg	--	--	0.0E+00	6.1E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.4E-05	0.0E+00	3.5E-04	0.0004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+01	ug/kg	7.3E-01	7.3E-01	1.3E-09	1.2E-09	9.2E-10	8.9E-10	2.E-09	--	--	3.0E-09	2.8E-09	--	--	--
	Benzo(a)pyrene	1.5E+01	ug/kg	7.3E+00	7.3E+00	1.4E-09	1.3E-09	9.9E-09	9.6E-09	2.E-08	--	--	3.2E-09	3.1E-09	--	--	--
	Benzo(b)fluoranthene	1.2E+01	ug/kg	7.3E-01	7.3E-01	1.1E-09	1.0E-09	7.9E-10	7.6E-10	2.E-09	--	--	2.5E-09	2.4E-09	--	--	--
	Dibenzo(a,h)anthracene	2.5E+00	ug/kg	7.3E+00	7.3E+00	2.3E-10	2.2E-10	1.7E-09	1.6E-09	3.E-09	--	--	5.3E-10	5.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.3E+01	ug/kg	7.3E-01	7.3E-01	1.2E-09	1.1E-09	8.6E-10	8.3E-10	2.E-09	--	--	2.7E-09	2.6E-09	--	--	--
Exposure Point Total										1.E-07							0.003
07B024	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	1.3E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	3.1E-03	0.0E+00	3.1E-03	0.003
	Arsenic	1.6E+00	mg/kg	1.5E+00	1.5E+00	3.2E-08	1.4E-07	4.9E-08	2.0E-07	3.E-07	3.0E-04	3.0E-04	7.6E-08	3.2E-07	2.5E-04	1.1E-03	0.001
	Copper	2.1E+01	mg/kg	--	--	0.0E+00	1.8E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	4.2E-06	0.0E+00	1.0E-04	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.5E+01	ug/kg	7.3E-01	7.3E-01	4.1E-09	3.9E-09	3.0E-09	2.9E-09	6.E-09	--	--	9.5E-09	9.2E-09	--	--	--
	Benzo(a)pyrene	5.3E+01	ug/kg	7.3E+00	7.3E+00	4.8E-09	4.6E-09	3.5E-08	3.4E-08	7.E-08	--	--	1.1E-08	1.1E-08	--	--	--
	Benzo(b)fluoranthene	6.2E+01	ug/kg	7.3E-01	7.3E-01	5.6E-09	5.4E-09	4.1E-09	3.9E-09	8.E-09	--	--	1.3E-08	1.3E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.3E+01	ug/kg	7.3E-01	7.3E-01	2.1E-09	2.0E-09	1.5E-09	1.5E-09	3.E-09	--	--	4.9E-09	4.7E-09	--	--	--
Exposure Point Total										3.E-07							0.005
09B024	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	1.3E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	3.1E-03	0.0E+00	3.1E-03	0.003
	Arsenic	1.1E+00	mg/kg	1.5E+00	1.5E+00	2.3E-08	9.6E-08	3.4E-08	1.4E-07	2.E-07	3.0E-04	3.0E-04	5.4E-08	2.2E-07	1.8E-04	7.5E-04	0.001
	Copper	1.8E+01	mg/kg	--	--	0.0E+00	1.6E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	3.7E-06	0.0E+00	9.3E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+01	ug/kg	7.3E-01	7.3E-01	1.6E-09	1.6E-09	1.2E-09	1.1E-09	2.E-09	--	--	3.8E-09	3.7E-09	--	--	--
	Benzo(a)pyrene	1.4E+01	ug/kg	7.3E+00	7.3E+00	1.3E-09	1.2E-09	9.2E-09	8.9E-09	2.E-08	--	--	3.0E-09	2.8E-09	--	--	--
	Benzo(b)fluoranthene	9.7E+00	ug/kg	7.3E-01	7.3E-01	8.8E-10	8.5E-10	6.4E-10	6.2E-10	1.E-09	--	--	2.0E-09	2.0E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-11.

Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	2.5E+00	ug/kg	7.3E+00	7.3E+00	2.3E-10	2.2E-10	1.7E-09	1.6E-09	3.E-09	--	--	5.3E-10	5.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	8.7E+00	ug/kg	7.3E-01	7.3E-01	7.9E-10	7.6E-10	5.7E-10	5.5E-10	1.E-09	--	--	1.8E-09	1.8E-09	--	--	--
Exposure Point Total										**2.E-07**							**0.004**
09B026	**Metals**																
	Aluminum	1.1E+04	mg/kg	--	--	0.0E+00	9.9E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	2.3E-03	0.0E+00	2.3E-03	0.002
	Arsenic	2.4E+00	mg/kg	1.5E+00	1.5E+00	5.0E-08	2.1E-07	7.5E-08	3.1E-07	4.E-07	3.0E-04	3.0E-04	1.2E-07	4.9E-07	3.9E-04	1.6E-03	0.002
	Copper	1.8E+01	mg/kg	--	--	0.0E+00	1.6E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	3.7E-06	0.0E+00	9.3E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(b)fluoranthene	2.1E+00	ug/kg	7.3E-01	7.3E-01	1.9E-10	1.8E-10	1.4E-10	1.3E-10	3.E-10	--	--	4.4E-10	4.3E-10	--	--	--
Exposure Point Total										**4.E-07**							**0.004**
09B027	**Metals**																
	Aluminum	1.8E+04	mg/kg	--	--	0.0E+00	1.6E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	3.7E-03	0.0E+00	3.7E-03	0.004
	Antimony	2.0E-01	mg/kg	--	--	0.0E+00	1.7E-08	--	--	--	6.0E-05	4.0E-04	0.0E+00	4.1E-08	0.0E+00	1.0E-04	0.0001
	Arsenic	1.3E+00	mg/kg	1.5E+00	1.5E+00	2.8E-08	1.2E-07	4.2E-08	1.7E-07	2.E-07	3.0E-04	3.0E-04	6.5E-08	2.7E-07	2.2E-04	9.0E-04	0.001
	Copper	2.3E+01	mg/kg	--	--	0.0E+00	2.0E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	4.6E-06	0.0E+00	1.2E-04	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.7E+00	ug/kg	7.3E-01	7.3E-01	7.0E-10	6.7E-10	5.1E-10	4.9E-10	1.E-09	--	--	1.6E-09	1.6E-09	--	--	--
	Benzo(a)pyrene	7.0E+00	ug/kg	7.3E+00	7.3E+00	6.3E-10	6.1E-10	4.6E-09	4.4E-09	9.E-09	--	--	1.5E-09	1.4E-09	--	--	--
	Benzo(b)fluoranthene	8.8E+00	ug/kg	7.3E-01	7.3E-01	8.0E-10	7.7E-10	5.8E-10	5.6E-10	1.E-09	--	--	1.9E-09	1.8E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	5.6E+00	ug/kg	7.3E-01	7.3E-01	5.1E-10	4.9E-10	3.7E-10	3.6E-10	7.E-10	--	--	1.2E-09	1.1E-09	--	--	--
Exposure Point Total										**2.E-07**							**0.005**
09B028	**Metals**																
	Aluminum	1.6E+04	mg/kg	--	--	0.0E+00	1.4E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	3.3E-03	0.0E+00	3.3E-03	0.003
	Arsenic	1.3E+00	mg/kg	1.5E+00	1.5E+00	2.7E-08	1.1E-07	4.1E-08	1.7E-07	2.E-07	3.0E-04	3.0E-04	6.3E-08	2.6E-07	2.1E-04	8.8E-04	0.001
	Copper	1.9E+01	mg/kg	--	--	0.0E+00	1.6E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	3.8E-06	0.0E+00	9.6E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.3E+00	ug/kg	7.3E-01	7.3E-01	4.8E-10	4.6E-10	3.5E-10	3.4E-10	7.E-10	--	--	1.1E-09	1.1E-09	--	--	--
	Benzo(a)pyrene	4.6E+00	ug/kg	7.3E+00	7.3E+00	4.2E-10	4.0E-10	3.0E-09	2.9E-09	6.E-09	--	--	9.7E-10	9.4E-10	--	--	--
	Benzo(b)fluoranthene	5.0E+00	ug/kg	7.3E-01	7.3E-01	4.5E-10	4.4E-10	3.3E-10	3.2E-10	6.E-10	--	--	1.1E-09	1.0E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-11.

Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future　　　　　　Medium: Sediment
Receptor Population: Tribal Fisher　　　　　　Exposure Medium: Beach Sediment
Population Age: Adult　　　　　　　　　　　　Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Indeno(1,2,3-cd)pyrene	4.6E+00	ug/kg	7.3E-01	7.3E-01	4.2E-10	4.0E-10	3.0E-10	2.9E-10	6.E-10	--	--	9.7E-10	9.4E-10	--	--	--
Exposure Point Total										2.E-07							0.004
B001	**Metals**																
	Aluminum	1.6E+04	mg/kg	--	--	0.0E+00	1.4E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	3.3E-03	0.0E+00	3.3E-03	0.003
	Arsenic	2.3E+00	mg/kg	1.5E+00	1.5E+00	4.7E-08	2.0E-07	7.0E-08	2.9E-07	4.E-07	3.0E-04	3.0E-04	1.1E-07	4.6E-07	3.7E-04	1.5E-03	0.002
	Copper	1.9E+01	mg/kg	--	--	0.0E+00	1.7E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	3.9E-06	0.0E+00	9.8E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.5E+00	ug/kg	7.3E-01	7.3E-01	5.9E-10	5.7E-10	4.3E-10	4.1E-10	8.E-10	--	--	1.4E-09	1.3E-09	--	--	--
	Benzo(a)pyrene	1.4E+01	ug/kg	7.3E+00	7.3E+00	1.3E-09	1.2E-09	9.2E-09	8.9E-09	2.E-08	--	--	3.0E-09	2.8E-09	--	--	--
	Benzo(b)fluoranthene	1.2E+01	ug/kg	7.3E-01	7.3E-01	1.1E-09	1.0E-09	7.9E-10	7.6E-10	2.E-09	--	--	2.5E-09	2.4E-09	--	--	--
	Dibenzo(a,h)anthracene	2.2E+00	ug/kg	7.3E+00	7.3E+00	2.0E-10	1.9E-10	1.5E-09	1.4E-09	3.E-09	--	--	4.6E-10	4.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	9.7E+00	ug/kg	7.3E-01	7.3E-01	8.8E-10	8.5E-10	6.4E-10	6.2E-10	1.E-09	--	--	2.0E-09	2.0E-09	--	--	--
Exposure Point Total										4.E-07							0.005
B003	**Metals**																
	Aluminum	1.9E+04	mg/kg	--	--	0.0E+00	1.6E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.9E-02	0.0E+00	1.9E-02	0.02
	Arsenic	2.5E+00	mg/kg	1.5E+00	1.5E+00	5.3E-08	2.2E-07	8.0E-08	3.3E-07	4.E-07	3.0E-04	3.0E-04	1.3E-06	2.6E-06	4.4E-03	8.6E-03	0.01
	Copper	2.0E+01	mg/kg	--	--	0.0E+00	1.7E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.0E-05	0.0E+00	5.0E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.1E+02	ug/kg	7.3E-01	7.3E-01	1.9E-08	1.8E-08	1.4E-08	1.3E-08	3.E-08	--	--	4.8E-07	2.1E-07	--	--	--
	Benzo(a)pyrene	3.6E+02	ug/kg	7.3E+00	7.3E+00	3.3E-08	3.1E-08	2.4E-07	2.3E-07	5.E-07	--	--	8.1E-07	3.7E-07	--	--	--
	Benzo(b)fluoranthene	3.1E+02	ug/kg	7.3E-01	7.3E-01	2.8E-08	2.7E-08	2.0E-08	2.0E-08	4.E-08	--	--	7.0E-07	3.2E-07	--	--	--
	Dibenzo(a,h)anthracene	3.3E+01	ug/kg	7.3E+00	7.3E+00	3.0E-09	2.9E-09	2.2E-08	2.1E-08	4.E-08	--	--	7.5E-08	3.4E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.8E+02	ug/kg	7.3E-01	7.3E-01	2.5E-08	2.4E-08	1.8E-08	1.8E-08	4.E-08	--	--	6.3E-07	2.8E-07	--	--	--
Exposure Point Total										1.E-06							0.03
B005	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	1.3E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.5E-02	0.0E+00	1.5E-02	0.01
	Arsenic	3.3E+00	mg/kg	1.5E+00	1.5E+00	6.8E-08	2.8E-07	1.0E-07	4.3E-07	5.E-07	3.0E-04	3.0E-04	1.7E-06	3.3E-06	5.7E-03	1.1E-02	0.02
	Copper	1.4E+01	mg/kg	--	--	0.0E+00	1.3E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.5E-05	0.0E+00	3.7E-04	0.0004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.7E+01	ug/kg	7.3E-01	7.3E-01	7.0E-09	6.7E-09	5.1E-09	4.9E-09	1.E-08	--	--	1.7E-07	7.8E-08	--	--	--
	Benzo(a)pyrene	1.5E+02	ug/kg	7.3E+00	7.3E+00	1.4E-08	1.3E-08	9.9E-08	9.6E-08	2.E-07	--	--	3.4E-07	1.5E-07	--	--	--
	Benzo(b)fluoranthene	1.2E+02	ug/kg	7.3E-01	7.3E-01	1.1E-08	1.0E-08	7.9E-09	7.6E-09	2.E-08	--	--	2.7E-07	1.2E-07	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-11.

Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	1.5E+01	ug/kg	7.3E+00	7.3E+00	1.4E-09	1.3E-09	9.9E-09	9.6E-09	2.E-08	--	--	3.4E-08	1.5E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.3E+02	ug/kg	7.3E-01	7.3E-01	1.2E-08	1.1E-08	8.6E-09	8.3E-09	2.E-08	--	--	2.9E-07	1.3E-07	--	--	--
Exposure Point Total		0.03								8.E-07							0.03

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

Abbreviations: -- = Not Applicable
CDI = Chronic Daily Intake
EPC = Exposure Point Concentration
HQ = Hazard Quotient
LADI = Lifetime Average Daily Intake
mg/kg = milligram per kilogram
RfD = Reference Dose
ug/kg = microgram per kilogram

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-12.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
03B030	**Metals**																
	Aluminum	1.2E+04	mg/kg	--	--	0.0E+00	3.1E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	7.3E-03	0.0E+00	7.3E-03	0.01
	Arsenic	1.9E+00	mg/kg	1.5E+00	1.5E+00	2.6E-07	5.0E-07	3.8E-07	7.5E-07	1.E-06	3.0E-04	3.0E-04	6.0E-07	1.2E-06	2.0E-03	3.9E-03	0.01
	Copper	1.4E+01	mg/kg	--	--	0.0E+00	3.8E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	8.8E-06	0.0E+00	2.2E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.2E+00	ug/kg	7.3E-01	7.3E-01	3.6E-09	1.6E-09	2.6E-09	1.2E-09	4.E-09	--	--	8.4E-09	3.8E-09	--	--	--
	Benzo(a)pyrene	7.9E+00	ug/kg	7.3E+00	7.3E+00	4.6E-09	2.1E-09	3.4E-08	1.5E-08	5.E-08	--	--	1.1E-08	4.8E-09	--	--	--
	Benzo(b)fluoranthene	1.0E+01	ug/kg	7.3E-01	7.3E-01	5.8E-09	2.6E-09	4.2E-09	1.9E-09	6.E-09	--	--	1.4E-08	6.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.6E+01	ug/kg	7.3E-01	7.3E-01	9.3E-09	4.2E-09	6.8E-09	3.1E-09	1.E-08	--	--	2.2E-08	9.8E-09	--	--	--
Exposure Point Total										1.E-06							0.01
03B031	**Metals**																
	Aluminum	2.2E+04	mg/kg	--	--	0.0E+00	5.8E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.3E-02	0.0E+00	1.3E-02	0.01
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	4.3E-07	8.4E-07	6.4E-07	1.3E-06	2.E-06	3.0E-04	3.0E-04	1.0E-06	2.0E-06	3.3E-03	6.5E-03	0.01
	Copper	2.3E+01	mg/kg	--	--	0.0E+00	6.0E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.4E-05	0.0E+00	3.5E-04	0.0003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.8E+01	ug/kg	7.3E-01	7.3E-01	2.2E-08	9.9E-09	1.6E-08	7.3E-09	2.E-08	--	--	5.2E-08	2.3E-08	--	--	--
	Benzo(a)pyrene	5.3E+01	ug/kg	7.3E+00	7.3E+00	3.1E-08	1.4E-08	2.3E-07	1.0E-07	3.E-07	--	--	7.2E-08	3.2E-08	--	--	--
	Benzo(b)fluoranthene	3.5E+01	ug/kg	7.3E-01	7.3E-01	2.0E-08	9.2E-09	1.5E-08	6.7E-09	2.E-08	--	--	4.8E-08	2.1E-08	--	--	--
	Dibenzo(a,h)anthracene	1.2E+01	ug/kg	7.3E+00	7.3E+00	7.0E-09	3.1E-09	5.1E-08	2.3E-08	7.E-08	--	--	1.6E-08	7.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+01	ug/kg	7.3E-01	7.3E-01	2.7E-08	1.2E-08	2.0E-08	9.0E-09	3.E-08	--	--	6.4E-08	2.9E-08	--	--	--
Exposure Point Total										2.E-06							0.02
03B033	**Metals**																
	Aluminum	1.4E+04	mg/kg	--	--	0.0E+00	3.7E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	8.5E-03	0.0E+00	8.5E-03	0.01
	Arsenic	4.0E+00	mg/kg	1.5E+00	1.5E+00	5.4E-07	1.0E-06	8.1E-07	1.6E-06	2.E-06	3.0E-04	3.0E-04	1.3E-06	2.4E-06	4.2E-03	8.1E-03	0.01
	Copper	1.6E+01	mg/kg	--	--	0.0E+00	4.1E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	9.6E-06	0.0E+00	2.4E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.2E+00	ug/kg	7.3E-01	7.3E-01	3.0E-09	1.4E-09	2.2E-09	9.9E-10	3.E-09	--	--	7.1E-09	3.2E-09	--	--	--
	Benzo(a)pyrene	5.2E+00	ug/kg	7.3E+00	7.3E+00	3.0E-09	1.4E-09	2.2E-08	9.9E-09	3.E-08	--	--	7.1E-09	3.2E-09	--	--	--
	Benzo(b)fluoranthene	5.2E+00	ug/kg	7.3E-01	7.3E-01	3.0E-09	1.4E-09	2.2E-09	9.9E-10	3.E-09	--	--	7.1E-09	3.2E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-12.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future

Receptor Population: High frequency Fisher

Population Age: Adult

Medium: Sediment

Exposure Medium: Beach Sediment

Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Indeno(1,2,3-cd)pyrene	6.4E+00	ug/kg	7.3E-01	7.3E-01	3.7E-09	1.7E-09	2.7E-09	1.2E-09	4.E-09	--	--	8.7E-09	3.9E-09	--	--	--
Exposure Point Total										2.E-06							0.02
04B023	**Metals**																
	Aluminum	1.2E+04	mg/kg	--	--	0.0E+00	3.2E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	7.4E-03	0.0E+00	7.4E-03	0.01
	Antimony	3.0E-01	mg/kg	--	--	0.0E+00	7.9E-08	--	--	--	6.0E-05	4.0E-04	0.0E+00	1.8E-07	0.0E+00	4.6E-04	0.0005
	Arsenic	2.7E+00	mg/kg	1.5E+00	1.5E+00	3.6E-07	7.1E-07	5.4E-07	1.1E-06	2.E-06	3.0E-04	3.0E-04	8.5E-07	1.6E-06	2.8E-03	5.5E-03	0.01
	Copper	3.3E+01	mg/kg	--	--	0.0E+00	8.7E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.0E-05	0.0E+00	5.1E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+01	ug/kg	7.3E-01	7.3E-01	1.5E-08	6.8E-09	1.1E-08	5.0E-09	2.E-08	--	--	3.5E-08	1.6E-08	--	--	--
	Benzo(a)pyrene	4.2E+01	ug/kg	7.3E+00	7.3E+00	2.4E-08	1.1E-08	1.8E-07	8.0E-08	3.E-07	--	--	5.7E-08	2.6E-08	--	--	--
	Benzo(b)fluoranthene	3.3E+01	ug/kg	7.3E-01	7.3E-01	1.9E-08	8.6E-09	1.4E-08	6.3E-09	2.E-08	--	--	4.5E-08	2.0E-08	--	--	--
	Dibenzo(a,h)anthracene	1.4E+01	ug/kg	7.3E+00	7.3E+00	8.1E-09	3.7E-09	5.9E-08	2.7E-08	9.E-08	--	--	1.9E-08	8.5E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.8E+01	ug/kg	7.3E-01	7.3E-01	2.2E-08	9.9E-09	1.6E-08	7.3E-09	2.E-08	--	--	5.2E-08	2.3E-08	--	--	--
Exposure Point Total										2.E-06							0.02
04B024	**Metals**																
	Aluminum	2.1E+04	mg/kg	--	--	0.0E+00	5.5E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.3E-02	0.0E+00	1.3E-02	0.01
	Antimony	1.3E+01	mg/kg	--	--	0.0E+00	3.4E-06	--	--	--	6.0E-05	4.0E-04	0.0E+00	7.9E-06	0.0E+00	2.0E-02	0.02
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	6.3E-07	1.2E-06	9.5E-07	1.8E-06	3.E-06	3.0E-04	3.0E-04	1.5E-06	2.9E-06	4.9E-03	9.6E-03	0.01
	Copper	1.9E+02	mg/kg	--	--	0.0E+00	5.1E-05	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.2E-04	0.0E+00	3.0E-03	0.003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+02	ug/kg	7.3E-01	7.3E-01	1.0E-07	4.7E-08	7.6E-08	3.4E-08	1.E-07	--	--	2.4E-07	1.1E-07	--	--	--
	Benzo(a)pyrene	3.6E+02	ug/kg	7.3E+00	7.3E+00	2.1E-07	9.4E-08	1.5E-06	6.9E-07	2.E-06	--	--	4.9E-07	2.2E-07	--	--	--
	Benzo(b)fluoranthene	3.0E+02	ug/kg	7.3E-01	7.3E-01	1.7E-07	7.9E-08	1.3E-07	5.7E-08	2.E-07	--	--	4.1E-07	1.8E-07	--	--	--
	Dibenzo(a,h)anthracene	2.3E+01	ug/kg	7.3E+00	7.3E+00	1.3E-08	6.0E-09	9.8E-08	4.4E-08	1.E-07	--	--	3.1E-08	1.4E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.2E+02	ug/kg	7.3E-01	7.3E-01	1.3E-07	5.8E-08	9.3E-08	4.2E-08	1.E-07	--	--	3.0E-07	1.3E-07	--	--	--
Exposure Point Total										6.E-06							0.05
05B018	**Metals**																
	Aluminum	1.9E+04	mg/kg	--	--	0.0E+00	4.9E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.1E-02	0.0E+00	1.1E-02	0.01
	Antimony	2.0E-01	mg/kg	--	--	0.0E+00	5.2E-08	--	--	--	6.0E-05	4.0E-04	0.0E+00	1.2E-07	0.0E+00	3.1E-04	0.0003
	Arsenic	2.4E+00	mg/kg	1.5E+00	1.5E+00	3.2E-07	6.3E-07	4.8E-07	9.4E-07	1.E-06	3.0E-04	3.0E-04	7.5E-07	1.5E-06	2.5E-03	4.9E-03	0.01
	Copper	1.1E+02	mg/kg	--	--	0.0E+00	2.8E-05	--	--	--	4.0E-02	4.0E-02	0.0E+00	6.6E-05	0.0E+00	1.6E-03	0.002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.2E+01	ug/kg	7.3E-01	7.3E-01	4.2E-08	1.9E-08	3.1E-08	1.4E-08	4.E-08	--	--	9.8E-08	4.4E-08	--	--	--
	Benzo(a)pyrene	8.6E+01	ug/kg	7.3E+00	7.3E+00	5.0E-08	2.3E-08	3.7E-07	1.6E-07	5.E-07	--	--	1.2E-07	5.3E-08	--	--	--
	Benzo(b)fluoranthene	1.0E+02	ug/kg	7.3E-01	7.3E-01	5.8E-08	2.6E-08	4.2E-08	1.9E-08	6.E-08	--	--	1.4E-07	6.1E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-12.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)^-1	Oral Cancer Slope Factor (mg/kg-day)^-1	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	2.6E+01	ug/kg	7.3E+00	7.3E+00	1.5E-08	6.8E-09	1.1E-07	5.0E-08	2.E-07	--	--	3.5E-08	1.6E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.9E+01	ug/kg	7.3E-01	7.3E-01	2.3E-08	1.0E-08	1.7E-08	7.4E-09	2.E-08	--	--	5.3E-08	2.4E-08	--	--	--
Exposure Point Total										2.E-06							0.02
06B022	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	4.0E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	9.4E-03	0.0E+00	9.4E-03	0.01
	Antimony	3.0E-01	mg/kg	--	--	0.0E+00	7.9E-08	--	--	--	6.0E-05	4.0E-04	0.0E+00	1.8E-07	0.0E+00	4.6E-04	0.0005
	Arsenic	2.6E+00	mg/kg	1.5E+00	1.5E+00	3.5E-07	6.8E-07	5.2E-07	1.0E-06	2.E-06	3.0E-04	3.0E-04	8.1E-07	1.6E-06	2.7E-03	5.3E-03	0.01
	Copper	4.3E+01	mg/kg	--	--	0.0E+00	1.1E-05	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.6E-05	0.0E+00	6.5E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.8E+00	ug/kg	7.3E-01	7.3E-01	2.8E-09	1.3E-09	2.0E-09	9.2E-10	3.E-09	--	--	6.5E-09	2.9E-09	--	--	--
	Benzo(a)pyrene	4.4E+00	ug/kg	7.3E+00	7.3E+00	2.6E-09	1.2E-09	1.9E-08	8.4E-09	3.E-08	--	--	6.0E-09	2.7E-09	--	--	--
	Benzo(b)fluoranthene	5.6E+00	ug/kg	7.3E-01	7.3E-01	3.3E-09	1.5E-09	2.4E-09	1.1E-09	3.E-09	--	--	7.6E-09	3.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.8E+00	ug/kg	7.3E-01	7.3E-01	2.8E-09	1.3E-09	2.0E-09	9.2E-10	3.E-09	--	--	6.5E-09	2.9E-09	--	--	--
Exposure Point Total										2.E-06							0.02
06B026	**Metals**																
	Aluminum	1.2E+04	mg/kg	--	--	0.0E+00	3.2E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	7.5E-03	0.0E+00	7.5E-03	0.01
	Antimony	8.0E-01	mg/kg	--	--	0.0E+00	2.1E-07	--	--	--	6.0E-05	4.0E-04	0.0E+00	4.9E-07	0.0E+00	1.2E-03	0.001
	Arsenic	1.7E+00	mg/kg	1.5E+00	1.5E+00	2.3E-07	4.4E-07	3.4E-07	6.7E-07	1.E-06	3.0E-04	3.0E-04	5.3E-07	1.0E-06	1.8E-03	3.5E-03	0.01
	Copper	2.0E+01	mg/kg	--	--	0.0E+00	5.2E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.2E-05	0.0E+00	3.0E-04	0.0003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.9E+00	ug/kg	7.3E-01	7.3E-01	4.6E-09	2.1E-09	3.4E-09	1.5E-09	5.E-09	--	--	1.1E-08	4.8E-09	--	--	--
	Benzo(a)pyrene	6.4E+00	ug/kg	7.3E+00	7.3E+00	3.7E-09	1.7E-09	2.7E-08	1.2E-08	4.E-08	--	--	8.7E-09	3.9E-09	--	--	--
	Benzo(b)fluoranthene	1.0E+01	ug/kg	7.3E-01	7.3E-01	5.8E-09	2.6E-09	4.2E-09	1.9E-09	6.E-09	--	--	1.4E-08	6.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+01	ug/kg	7.3E-01	7.3E-01	6.4E-09	2.9E-09	4.7E-09	2.1E-09	7.E-09	--	--	1.5E-08	6.7E-09	--	--	--
Exposure Point Total										1.E-06							0.01
06B030	**Metals**																
	Aluminum	1.8E+04	mg/kg	--	--	0.0E+00	4.6E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.1E-02	0.0E+00	1.1E-02	0.01
	Arsenic	9.9E+00	mg/kg	1.5E+00	1.5E+00	1.3E-06	2.6E-06	2.0E-06	3.9E-06	6.E-06	3.0E-04	3.0E-04	3.1E-06	6.0E-06	1.0E-02	2.0E-02	0.03
	Copper	6.1E+02	mg/kg	--	--	0.0E+00	1.6E-04	--	--	--	4.0E-02	4.0E-02	0.0E+00	3.7E-04	0.0E+00	9.3E-03	0.01
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.5E+01	ug/kg	7.3E-01	7.3E-01	2.6E-08	1.2E-08	1.9E-08	8.6E-09	3.E-08	--	--	6.1E-08	2.7E-08	--	--	--
	Benzo(a)pyrene	6.6E+01	ug/kg	7.3E+00	7.3E+00	3.8E-08	1.7E-08	2.8E-07	1.3E-07	4.E-07	--	--	9.0E-08	4.0E-08	--	--	--
	Benzo(b)fluoranthene	8.1E+01	ug/kg	7.3E-01	7.3E-01	4.7E-08	2.1E-08	3.4E-08	1.5E-08	5.E-08	--	--	1.1E-07	4.9E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-12.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	5.0E+00	ug/kg	7.3E+00	7.3E+00	2.9E-09	1.3E-09	2.1E-08	9.6E-09	3.E-08	--	--	6.8E-09	3.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+01	ug/kg	7.3E-01	7.3E-01	2.7E-08	1.2E-08	2.0E-08	9.0E-09	3.E-08	--	--	6.4E-08	2.9E-08	--	--	--
Exposure Point Total										6.E-06							0.05
07B023	**Metals**																
	Aluminum	1.0E+04	mg/kg	--	--	0.0E+00	2.6E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	6.2E-03	0.0E+00	6.2E-03	0.01
	Antimony	3.0E-01	mg/kg	--	--	0.0E+00	7.9E-08	--	--	--	6.0E-05	4.0E-04	0.0E+00	1.8E-07	0.0E+00	4.6E-04	0.0005
	Arsenic	7.0E-01	mg/kg	1.5E+00	1.5E+00	9.4E-08	1.8E-07	1.4E-07	2.7E-07	4.E-07	3.0E-04	3.0E-04	2.2E-07	4.3E-07	7.3E-04	1.4E-03	0.002
	Copper	7.0E+01	mg/kg	--	--	0.0E+00	1.8E-05	--	--	--	4.0E-02	4.0E-02	0.0E+00	4.2E-05	0.0E+00	1.1E-03	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+01	ug/kg	7.3E-01	7.3E-01	8.1E-09	3.7E-09	5.9E-09	2.7E-09	9.E-09	--	--	1.9E-08	8.5E-09	--	--	--
	Benzo(a)pyrene	1.5E+01	ug/kg	7.3E+00	7.3E+00	8.7E-09	3.9E-09	6.4E-08	2.9E-08	9.E-08	--	--	2.0E-08	9.2E-09	--	--	--
	Benzo(b)fluoranthene	1.2E+01	ug/kg	7.3E-01	7.3E-01	7.0E-09	3.1E-09	5.1E-09	2.3E-09	7.E-09	--	--	1.6E-08	7.3E-09	--	--	--
	Dibenzo(a,h)anthracene	2.5E+00	ug/kg	7.3E+00	7.3E+00	1.5E-09	6.5E-10	1.1E-08	4.8E-09	2.E-08	--	--	3.4E-09	1.5E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.3E+01	ug/kg	7.3E-01	7.3E-01	7.6E-09	3.4E-09	5.5E-09	2.5E-09	8.E-09	--	--	1.8E-08	7.9E-09	--	--	--
Exposure Point Total										5.E-07							0.01
07B024	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	4.0E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	9.3E-03	0.0E+00	9.3E-03	0.01
	Arsenic	1.6E+00	mg/kg	1.5E+00	1.5E+00	2.1E-07	4.1E-07	3.1E-07	6.1E-07	9.E-07	3.0E-04	3.0E-04	4.9E-07	9.5E-07	1.6E-03	3.2E-03	0.005
	Copper	2.1E+01	mg/kg	--	--	0.0E+00	5.4E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.3E-05	0.0E+00	3.1E-04	0.0003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.5E+01	ug/kg	7.3E-01	7.3E-01	2.6E-08	1.2E-08	1.9E-08	8.6E-09	3.E-08	--	--	6.1E-08	2.7E-08	--	--	--
	Benzo(a)pyrene	5.3E+01	ug/kg	7.3E+00	7.3E+00	3.1E-08	1.4E-08	2.3E-07	1.0E-07	3.E-07	--	--	7.2E-08	3.2E-08	--	--	--
	Benzo(b)fluoranthene	6.2E+01	ug/kg	7.3E-01	7.3E-01	3.6E-08	1.6E-08	2.6E-08	1.2E-08	4.E-08	--	--	8.4E-08	3.8E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.3E+01	ug/kg	7.3E-01	7.3E-01	1.3E-08	6.0E-09	9.8E-09	4.4E-09	1.E-08	--	--	3.1E-08	1.4E-08	--	--	--
Exposure Point Total										1.E-06							0.01
09B024	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	4.0E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	9.3E-03	0.0E+00	9.3E-03	0.01
	Arsenic	1.1E+00	mg/kg	1.5E+00	1.5E+00	1.5E-07	2.9E-07	2.2E-07	4.3E-07	7.E-07	3.0E-04	3.0E-04	3.4E-07	6.7E-07	1.1E-03	2.2E-03	0.003
	Copper	1.8E+01	mg/kg	--	--	0.0E+00	4.8E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.1E-05	0.0E+00	2.8E-04	0.0003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+01	ug/kg	7.3E-01	7.3E-01	1.0E-08	4.7E-09	7.6E-09	3.4E-09	1.E-08	--	--	2.4E-08	1.1E-08	--	--	--
	Benzo(a)pyrene	1.4E+01	ug/kg	7.3E+00	7.3E+00	8.1E-09	3.7E-09	5.9E-08	2.7E-08	9.E-08	--	--	1.9E-08	8.5E-09	--	--	--
	Benzo(b)fluoranthene	9.7E+00	ug/kg	7.3E-01	7.3E-01	5.6E-09	2.5E-09	4.1E-09	1.9E-09	6.E-09	--	--	1.3E-08	5.9E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-12.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	2.5E+00	ug/kg	7.3E+00	7.3E+00	1.5E-09	6.5E-10	1.1E-08	4.8E-09	2.E-08	--	--	3.4E-09	1.5E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	8.7E+00	ug/kg	7.3E-01	7.3E-01	5.1E-09	2.3E-09	3.7E-09	1.7E-09	5.E-09	--	--	1.2E-08	5.3E-09	--	--	--
Exposure Point Total										8.E-07							0.01
09B026	**Metals**																
	Aluminum	1.1E+04	mg/kg	--	--	0.0E+00	3.0E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	6.9E-03	0.0E+00	6.9E-03	0.01
	Arsenic	2.4E+00	mg/kg	1.5E+00	1.5E+00	3.2E-07	6.3E-07	4.8E-07	9.4E-07	1.E-06	3.0E-04	3.0E-04	7.5E-07	1.5E-06	2.5E-03	4.9E-03	0.01
	Copper	1.8E+01	mg/kg	--	--	0.0E+00	4.8E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.1E-05	0.0E+00	2.8E-04	0.0003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(b)fluoranthene	2.1E+00	ug/kg	7.3E-01	7.3E-01	1.2E-09	5.5E-10	8.9E-10	4.0E-10	1.E-09	--	--	2.9E-09	1.3E-09	--	--	--
Exposure Point Total										1.E-06							0.01
09B027	**Metals**																
	Aluminum	2.0E+04	mg/kg	--	--	0.0E+00	5.2E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.2E-02	0.0E+00	1.2E-02	0.01
	Antimony	2.0E-01	mg/kg	--	--	0.0E+00	5.2E-08	--	--	--	6.0E-05	4.0E-04	0.0E+00	1.2E-07	0.0E+00	3.1E-04	0.0003
	Arsenic	1.4E+00	mg/kg	1.5E+00	1.5E+00	1.9E-07	3.7E-07	2.8E-07	5.5E-07	8.E-07	3.0E-04	3.0E-04	4.4E-07	8.5E-07	1.5E-03	2.8E-03	0.004
	Copper	2.4E+01	mg/kg	--	--	0.0E+00	6.3E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.5E-05	0.0E+00	3.7E-04	0.0004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.8E+00	ug/kg	7.3E-01	7.3E-01	5.7E-09	2.6E-09	4.2E-09	1.9E-09	6.E-09	--	--	1.3E-08	6.0E-09	--	--	--
	Benzo(a)pyrene	9.0E+00	ug/kg	7.3E+00	7.3E+00	5.2E-09	2.4E-09	3.8E-08	1.7E-08	6.E-08	--	--	1.2E-08	5.5E-09	--	--	--
	Benzo(b)fluoranthene	1.0E+01	ug/kg	7.3E-01	7.3E-01	6.0E-09	2.7E-09	4.4E-09	2.0E-09	6.E-09	--	--	1.4E-08	6.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	6.6E+00	ug/kg	7.3E-01	7.3E-01	3.8E-09	1.7E-09	2.8E-09	1.3E-09	4.E-09	--	--	9.0E-09	4.0E-09	--	--	--
Exposure Point Total										9.E-07							0.02
09B028	**Metals**																
	Aluminum	1.6E+04	mg/kg	--	--	0.0E+00	4.2E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	9.8E-03	0.0E+00	9.8E-03	0.01
	Arsenic	1.3E+00	mg/kg	1.5E+00	1.5E+00	1.7E-07	3.4E-07	2.6E-07	5.1E-07	8.E-07	3.0E-04	3.0E-04	4.1E-07	7.9E-07	1.4E-03	2.6E-03	0.004
	Copper	1.9E+01	mg/kg	--	--	0.0E+00	4.9E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.2E-05	0.0E+00	2.9E-04	0.0003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.3E+00	ug/kg	7.3E-01	7.3E-01	3.1E-09	1.4E-09	2.3E-09	1.0E-09	3.E-09	--	--	7.2E-09	3.2E-09	--	--	--
	Benzo(a)pyrene	4.6E+00	ug/kg	7.3E+00	7.3E+00	2.7E-09	1.2E-09	2.0E-08	8.8E-09	3.E-08	--	--	6.2E-09	2.8E-09	--	--	--
	Benzo(b)fluoranthene	5.0E+00	ug/kg	7.3E-01	7.3E-01	2.9E-09	1.3E-09	2.1E-09	9.6E-10	3.E-09	--	--	6.8E-09	3.1E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-12.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Indeno(1,2,3-cd)pyrene	4.6E+00	ug/kg	7.3E-01	7.3E-01	2.7E-09	1.2E-09	2.0E-09	8.8E-10	3.E-09	--	--	6.2E-09	2.8E-09	--	--	--
Exposure Point Total										8.E-07							0.01
B001	**Metals**																
	Aluminum	1.6E+04	mg/kg	--	--	0.0E+00	4.3E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.0E-02	0.0E+00	1.0E-02	0.01
	Arsenic	2.3E+00	mg/kg	1.5E+00	1.5E+00	3.0E-07	5.9E-07	4.5E-07	8.8E-07	1.E-06	3.0E-04	3.0E-04	7.0E-07	1.4E-06	2.3E-03	4.6E-03	0.01
	Copper	1.9E+01	mg/kg	--	--	0.0E+00	5.1E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.2E-05	0.0E+00	2.9E-04	0.0003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.5E+00	ug/kg	7.3E-01	7.3E-01	3.8E-09	1.7E-09	2.8E-09	1.2E-09	4.E-09	--	--	8.8E-09	4.0E-09	--	--	--
	Benzo(a)pyrene	1.4E+01	ug/kg	7.3E+00	7.3E+00	8.1E-09	3.7E-09	5.9E-08	2.7E-08	9.E-08	--	--	1.9E-08	8.5E-09	--	--	--
	Benzo(b)fluoranthene	1.2E+01	ug/kg	7.3E-01	7.3E-01	7.0E-09	3.1E-09	5.1E-09	2.3E-09	7.E-09	--	--	1.6E-08	7.3E-09	--	--	--
	Dibenzo(a,h)anthracene	2.2E+00	ug/kg	7.3E+00	7.3E+00	1.3E-09	5.8E-10	9.3E-09	4.2E-09	1.E-08	--	--	3.0E-09	1.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	9.7E+00	ug/kg	7.3E-01	7.3E-01	5.6E-09	2.5E-09	4.1E-09	1.9E-09	6.E-09	--	--	1.3E-08	5.9E-09	--	--	--
Exposure Point Total										1.E-06							0.02
B003	**Metals**																
	Aluminum	1.9E+04	mg/kg	--	--	0.0E+00	4.9E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.9E-02	0.0E+00	1.9E-02	0.02
	Arsenic	2.5E+00	mg/kg	1.5E+00	1.5E+00	3.4E-07	6.6E-07	5.1E-07	1.0E-06	2.E-06	3.0E-04	3.0E-04	1.3E-06	2.6E-06	4.4E-03	8.6E-03	0.01
	Copper	2.0E+01	mg/kg	--	--	0.0E+00	5.2E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.0E-05	0.0E+00	5.0E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.1E+02	ug/kg	7.3E-01	7.3E-01	1.2E-07	5.5E-08	8.9E-08	4.0E-08	1.E-07	--	--	4.8E-07	2.1E-07	--	--	--
	Benzo(a)pyrene	3.6E+02	ug/kg	7.3E+00	7.3E+00	2.1E-07	9.4E-08	1.5E-06	6.9E-07	2.E-06	--	--	8.1E-07	3.7E-07	--	--	--
	Benzo(b)fluoranthene	3.1E+02	ug/kg	7.3E-01	7.3E-01	1.8E-07	8.1E-08	1.3E-07	5.9E-08	2.E-07	--	--	7.0E-07	3.2E-07	--	--	--
	Dibenzo(a,h)anthracene	3.3E+01	ug/kg	7.3E+00	7.3E+00	1.9E-08	8.6E-09	1.4E-07	6.3E-08	2.E-07	--	--	7.5E-08	3.4E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.8E+02	ug/kg	7.3E-01	7.3E-01	1.6E-07	7.3E-08	1.2E-07	5.3E-08	2.E-07	--	--	6.3E-07	2.8E-07	--	--	--
Exposure Point Total										4.E-06							0.03
B005	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	3.8E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.5E-02	0.0E+00	1.5E-02	0.01
	Arsenic	3.3E+00	mg/kg	1.5E+00	1.5E+00	4.4E-07	8.5E-07	6.6E-07	1.3E-06	2.E-06	3.0E-04	3.0E-04	1.7E-06	3.3E-06	5.7E-03	1.1E-02	0.02
	Copper	1.4E+01	mg/kg	--	--	0.0E+00	3.8E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.5E-05	0.0E+00	3.7E-04	0.0004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.7E+01	ug/kg	7.3E-01	7.3E-01	4.5E-08	2.0E-08	3.3E-08	1.5E-08	5.E-08	--	--	1.7E-07	7.8E-08	--	--	--
	Benzo(a)pyrene	1.5E+02	ug/kg	7.3E+00	7.3E+00	8.7E-08	3.9E-08	6.4E-07	2.9E-07	9.E-07	--	--	3.4E-07	1.5E-07	--	--	--
	Benzo(b)fluoranthene	1.2E+02	ug/kg	7.3E-01	7.3E-01	7.0E-08	3.1E-08	5.1E-08	2.3E-08	7.E-08	--	--	2.7E-07	1.2E-07	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-12.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	1.5E+01	ug/kg	7.3E+00	7.3E+00	8.7E-09	3.9E-09	6.4E-08	2.9E-08	9.E-08	--	--	3.4E-08	1.5E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.3E+02	ug/kg	7.3E-01	7.3E-01	7.6E-08	3.4E-08	5.5E-08	2.5E-08	8.E-08	--	--	2.9E-07	1.3E-07	--	--	--
Exposure Point Total										3.E-06							0.03

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

Abbreviations: -- = Not Applicable
CDI = Chronic Daily Intake
EPC = Exposure Point Concentration
HQ = Hazard Quotient
LADI = Lifetime Average Daily Intake
mg/kg = milligram per kilogram
RfD = Reference Dose
ug/kg = microgram per kilogram

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-13.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: High frequency Fisher   Exposure Medium: Beach Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
03B030	**Metals**																
	Aluminum	1.2E+04	mg/kg	--	--	0.0E+00	1.6E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.2E-03	0.0E+00	1.2E-03	0.001
	Arsenic	1.9E+00	mg/kg	1.5E+00	1.5E+00	6.0E-09	2.5E-08	8.9E-09	3.7E-08	5.E-08	3.0E-04	3.0E-04	4.6E-08	1.9E-07	1.5E-04	6.4E-04	0.001
	Copper	1.4E+01	mg/kg	--	--	0.0E+00	1.9E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.5E-06	0.0E+00	3.7E-05	0.00004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.2E+00	ug/kg	7.3E-01	7.3E-01	8.4E-11	8.1E-11	6.1E-11	5.9E-11	1.E-10	--	--	6.5E-10	6.3E-10	--	--	--
	Benzo(a)pyrene	7.9E+00	ug/kg	7.3E+00	7.3E+00	1.1E-10	1.0E-10	7.8E-10	7.5E-10	2.E-09	--	--	8.3E-10	8.0E-10	--	--	--
	Benzo(b)fluoranthene	1.0E+01	ug/kg	7.3E-01	7.3E-01	1.4E-10	1.3E-10	9.9E-11	9.6E-11	2.E-10	--	--	1.1E-09	1.0E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.6E+01	ug/kg	7.3E-01	7.3E-01	2.2E-10	2.1E-10	1.6E-10	1.5E-10	3.E-10	--	--	1.7E-09	1.6E-09	--	--	--
Exposure Point Total										**5.E-08**							**0.002**
03B031	**Metals**																
	Aluminum	2.2E+04	mg/kg	--	--	0.0E+00	2.9E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	2.2E-03	0.0E+00	2.2E-03	0.002
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	1.0E-08	4.2E-08	1.5E-08	6.3E-08	8.E-08	3.0E-04	3.0E-04	7.8E-08	3.3E-07	2.6E-04	1.1E-03	0.001
	Copper	2.3E+01	mg/kg	--	--	0.0E+00	3.0E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.3E-06	0.0E+00	5.8E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.8E+01	ug/kg	7.3E-01	7.3E-01	5.2E-10	5.0E-10	3.8E-10	3.6E-10	7.E-10	--	--	4.0E-09	3.9E-09	--	--	--
	Benzo(a)pyrene	5.3E+01	ug/kg	7.3E+00	7.3E+00	7.2E-10	6.9E-10	5.3E-09	5.1E-09	1.E-08	--	--	5.6E-09	5.4E-09	--	--	--
	Benzo(b)fluoranthene	3.5E+01	ug/kg	7.3E-01	7.3E-01	4.8E-10	4.6E-10	3.5E-10	3.3E-10	7.E-10	--	--	3.7E-09	3.6E-09	--	--	--
	Dibenzo(a,h)anthracene	1.2E+01	ug/kg	7.3E+00	7.3E+00	1.6E-10	1.6E-10	1.2E-09	1.1E-09	2.E-09	--	--	1.3E-09	1.2E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+01	ug/kg	7.3E-01	7.3E-01	6.4E-10	6.1E-10	4.7E-10	4.5E-10	9.E-10	--	--	5.0E-09	4.8E-09	--	--	--
Exposure Point Total										**9.E-08**							**0.004**
03B033	**Metals**																
	Aluminum	1.4E+04	mg/kg	--	--	0.0E+00	1.8E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.4E-03	0.0E+00	1.4E-03	0.001
	Arsenic	4.0E+00	mg/kg	1.5E+00	1.5E+00	1.3E-08	5.2E-08	1.9E-08	7.9E-08	1.E-07	3.0E-04	3.0E-04	9.7E-08	4.1E-07	3.2E-04	1.4E-03	0.002
	Copper	1.6E+01	mg/kg	--	--	0.0E+00	2.1E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.6E-06	0.0E+00	4.0E-05	0.00004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.2E+00	ug/kg	7.3E-01	7.3E-01	7.1E-11	6.8E-11	5.2E-11	5.0E-11	1.E-10	--	--	5.5E-10	5.3E-10	--	--	--
	Benzo(a)pyrene	5.2E+00	ug/kg	7.3E+00	7.3E+00	7.1E-11	6.8E-11	5.2E-10	5.0E-10	1.E-09	--	--	5.5E-10	5.3E-10	--	--	--
	Benzo(b)fluoranthene	5.2E+00	ug/kg	7.3E-01	7.3E-01	7.1E-11	6.8E-11	5.2E-11	5.0E-11	1.E-10	--	--	5.5E-10	5.3E-10	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-13.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Indeno(1,2,3-cd)pyrene	6.4E+00	ug/kg	7.3E-01	7.3E-01	8.7E-11	8.4E-11	6.3E-11	6.1E-11	1.E-10	--	--	6.8E-10	6.5E-10	--	--	--
Exposure Point Total										1.E-07							0.003
04B023	**Metals**																
	Aluminum	1.2E+04	mg/kg	--	--	0.0E+00	1.6E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.2E-03	0.0E+00	1.2E-03	0.001
	Antimony	3.0E-01	mg/kg	--	--	0.0E+00	3.9E-09	--	--	--	6.0E-05	4.0E-04	0.0E+00	3.1E-08	0.0E+00	7.6E-05	0.0001
	Arsenic	2.7E+00	mg/kg	1.5E+00	1.5E+00	8.5E-09	3.5E-08	1.3E-08	5.3E-08	7.E-08	3.0E-04	3.0E-04	6.6E-08	2.7E-07	2.2E-04	9.2E-04	0.001
	Copper	3.3E+01	mg/kg	--	--	0.0E+00	4.4E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	3.4E-06	0.0E+00	8.5E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+01	ug/kg	7.3E-01	7.3E-01	3.5E-10	3.4E-10	2.6E-10	2.5E-10	5.E-10	--	--	2.7E-09	2.6E-09	--	--	--
	Benzo(a)pyrene	4.2E+01	ug/kg	7.3E+00	7.3E+00	5.7E-10	5.5E-10	4.2E-09	4.0E-09	8.E-09	--	--	4.4E-09	4.3E-09	--	--	--
	Benzo(b)fluoranthene	3.3E+01	ug/kg	7.3E-01	7.3E-01	4.5E-10	4.3E-10	3.3E-10	3.2E-10	6.E-10	--	--	3.5E-09	3.4E-09	--	--	--
	Dibenzo(a,h)anthracene	1.4E+01	ug/kg	7.3E+00	7.3E+00	1.9E-10	1.8E-10	1.4E-09	1.3E-09	3.E-09	--	--	1.5E-09	1.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.8E+01	ug/kg	7.3E-01	7.3E-01	5.2E-10	5.0E-10	3.8E-10	3.6E-10	7.E-10	--	--	4.0E-09	3.9E-09	--	--	--
Exposure Point Total										8.E-08							0.003
04B024	**Metals**																
	Aluminum	2.1E+04	mg/kg	--	--	0.0E+00	2.8E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	2.1E-03	0.0E+00	2.1E-03	0.002
	Antimony	1.3E+01	mg/kg	--	--	0.0E+00	1.7E-07	--	--	--	6.0E-05	4.0E-04	0.0E+00	1.3E-06	0.0E+00	3.3E-03	0.003
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	1.5E-08	6.1E-08	2.2E-08	9.2E-08	1.E-07	3.0E-04	3.0E-04	1.1E-07	4.8E-07	3.8E-04	1.6E-03	0.002
	Copper	1.9E+02	mg/kg	--	--	0.0E+00	2.5E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.0E-05	0.0E+00	4.9E-04	0.0005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+02	ug/kg	7.3E-01	7.3E-01	2.4E-09	2.4E-09	1.8E-09	1.7E-09	4.E-09	--	--	1.9E-08	1.8E-08	--	--	--
	Benzo(a)pyrene	3.6E+02	ug/kg	7.3E+00	7.3E+00	4.9E-09	4.7E-09	3.6E-08	3.4E-08	7.E-08	--	--	3.8E-08	3.7E-08	--	--	--
	Benzo(b)fluoranthene	3.0E+02	ug/kg	7.3E-01	7.3E-01	4.1E-09	3.9E-09	3.0E-09	2.9E-09	6.E-09	--	--	3.2E-08	3.1E-08	--	--	--
	Dibenzo(a,h)anthracene	2.3E+01	ug/kg	7.3E+00	7.3E+00	3.1E-10	3.0E-10	2.3E-09	2.2E-09	4.E-09	--	--	2.4E-09	2.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.2E+02	ug/kg	7.3E-01	7.3E-01	3.0E-09	2.9E-09	2.2E-09	2.1E-09	4.E-09	--	--	2.3E-08	2.2E-08	--	--	--
Exposure Point Total										2.E-07							0.01
05B018	**Metals**																
	Aluminum	1.9E+04	mg/kg	--	--	0.0E+00	2.5E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.9E-03	0.0E+00	1.9E-03	0.002
	Antimony	2.0E-01	mg/kg	--	--	0.0E+00	2.6E-09	--	--	--	6.0E-05	4.0E-04	0.0E+00	2.0E-08	0.0E+00	5.1E-05	0.0001
	Arsenic	2.4E+00	mg/kg	1.5E+00	1.5E+00	7.5E-09	3.1E-08	1.1E-08	4.7E-08	6.E-08	3.0E-04	3.0E-04	5.8E-08	2.4E-07	1.9E-04	8.1E-04	0.001
	Copper	1.1E+02	mg/kg	--	--	0.0E+00	1.4E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.1E-05	0.0E+00	2.7E-04	0.0003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.2E+01	ug/kg	7.3E-01	7.3E-01	9.8E-10	9.4E-10	7.1E-10	6.9E-10	1.E-09	--	--	7.6E-09	7.3E-09	--	--	--
	Benzo(a)pyrene	8.6E+01	ug/kg	7.3E+00	7.3E+00	1.2E-09	1.1E-09	8.5E-09	8.2E-09	2.E-08	--	--	9.1E-09	8.8E-09	--	--	--
	Benzo(b)fluoranthene	1.0E+02	ug/kg	7.3E-01	7.3E-01	1.4E-09	1.3E-09	9.9E-10	9.6E-10	2.E-09	--	--	1.1E-08	1.0E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-13.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	2.6E+01	ug/kg	7.3E+00	7.3E+00	3.5E-10	3.4E-10	2.6E-09	2.5E-09	5.E-09	--	--	2.7E-09	2.6E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.9E+01	ug/kg	7.3E-01	7.3E-01	5.3E-10	5.1E-10	3.9E-10	3.7E-10	8.E-10	--	--	4.1E-09	4.0E-09	--	--	--
Exposure Point Total										8.E-08							0.003
06B022	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	2.0E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.6E-03	0.0E+00	1.6E-03	0.002
	Antimony	3.0E-01	mg/kg	--	--	0.0E+00	3.9E-09	--	--	--	6.0E-05	4.0E-04	0.0E+00	3.1E-08	0.0E+00	7.6E-05	0.0001
	Arsenic	2.6E+00	mg/kg	1.5E+00	1.5E+00	8.1E-09	3.4E-08	1.2E-08	5.1E-08	6.E-08	3.0E-04	3.0E-04	6.3E-08	2.6E-07	2.1E-04	8.8E-04	0.001
	Copper	4.3E+01	mg/kg	--	--	0.0E+00	5.6E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	4.3E-06	0.0E+00	1.1E-04	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.8E+00	ug/kg	7.3E-01	7.3E-01	6.5E-11	6.3E-11	4.8E-11	4.6E-11	9.E-11	--	--	5.1E-10	4.9E-10	--	--	--
	Benzo(a)pyrene	4.4E+00	ug/kg	7.3E+00	7.3E+00	6.0E-11	5.8E-11	4.4E-10	4.2E-10	9.E-10	--	--	4.6E-10	4.5E-10	--	--	--
	Benzo(b)fluoranthene	5.6E+00	ug/kg	7.3E-01	7.3E-01	7.6E-11	7.3E-11	5.5E-11	5.3E-11	1.E-10	--	--	5.9E-10	5.7E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	4.8E+00	ug/kg	7.3E-01	7.3E-01	6.5E-11	6.3E-11	4.8E-11	4.6E-11	9.E-11	--	--	5.1E-10	4.9E-10	--	--	--
Exposure Point Total										6.E-08							0.003
06B026	**Metals**																
	Aluminum	1.2E+04	mg/kg	--	--	0.0E+00	1.6E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.3E-03	0.0E+00	1.3E-03	0.001
	Antimony	8.0E-01	mg/kg	--	--	0.0E+00	1.0E-08	--	--	--	6.0E-05	4.0E-04	0.0E+00	8.1E-08	0.0E+00	2.0E-04	0.0002
	Arsenic	1.7E+00	mg/kg	1.5E+00	1.5E+00	5.3E-09	2.2E-08	8.0E-09	3.3E-08	4.E-08	3.0E-04	3.0E-04	4.1E-08	1.7E-07	1.4E-04	5.8E-04	0.001
	Copper	2.0E+01	mg/kg	--	--	0.0E+00	2.6E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.0E-06	0.0E+00	5.1E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.9E+00	ug/kg	7.3E-01	7.3E-01	1.1E-10	1.0E-10	7.8E-11	7.5E-11	2.E-10	--	--	8.3E-10	8.0E-10	--	--	--
	Benzo(a)pyrene	6.4E+00	ug/kg	7.3E+00	7.3E+00	8.7E-11	8.4E-11	6.3E-10	6.1E-10	1.E-09	--	--	6.8E-10	6.5E-10	--	--	--
	Benzo(b)fluoranthene	1.0E+01	ug/kg	7.3E-01	7.3E-01	1.4E-10	1.3E-10	9.9E-11	9.6E-11	2.E-10	--	--	1.1E-09	1.0E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+01	ug/kg	7.3E-01	7.3E-01	1.5E-10	1.4E-10	1.1E-10	1.1E-10	2.E-10	--	--	1.2E-09	1.1E-09	--	--	--
Exposure Point Total										4.E-08							0.002
06B030	**Metals**																
	Aluminum	1.8E+04	mg/kg	--	--	0.0E+00	2.3E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.8E-03	0.0E+00	1.8E-03	0.002
	Arsenic	9.9E+00	mg/kg	1.5E+00	1.5E+00	3.1E-08	1.3E-07	4.7E-08	1.9E-07	2.E-07	3.0E-04	3.0E-04	2.4E-07	1.0E-06	8.0E-04	3.4E-03	0.004
	Copper	6.1E+02	mg/kg	--	--	0.0E+00	7.9E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	6.2E-05	0.0E+00	1.5E-03	0.002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.5E+01	ug/kg	7.3E-01	7.3E-01	6.1E-10	5.9E-10	4.5E-10	4.3E-10	9.E-10	--	--	4.8E-09	4.6E-09	--	--	--
	Benzo(a)pyrene	6.6E+01	ug/kg	7.3E+00	7.3E+00	9.0E-10	8.6E-10	6.5E-09	6.3E-09	1.E-08	--	--	7.0E-09	6.7E-09	--	--	--
	Benzo(b)fluoranthene	8.1E+01	ug/kg	7.3E-01	7.3E-01	1.1E-09	1.1E-09	8.0E-10	7.7E-10	2.E-09	--	--	8.6E-09	8.2E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-13.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	5.0E+00	ug/kg	7.3E+00	7.3E+00	6.8E-11	6.5E-11	5.0E-10	4.8E-10	1.E-09	--	--	5.3E-10	5.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+01	ug/kg	7.3E-01	7.3E-01	6.4E-10	6.1E-10	4.7E-10	4.5E-10	9.E-10	--	--	5.0E-09	4.8E-09	--	--	--
Exposure Point Total										3.E-07							0.01
07B023	**Metals**																
	Aluminum	1.0E+04	mg/kg	--	--	0.0E+00	1.3E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.0E-03	0.0E+00	1.0E-03	0.001
	Antimony	3.0E-01	mg/kg	--	--	0.0E+00	3.9E-09	--	--	--	6.0E-05	4.0E-04	0.0E+00	3.1E-08	0.0E+00	7.6E-05	0.0001
	Arsenic	7.0E-01	mg/kg	1.5E+00	1.5E+00	2.2E-09	9.2E-09	3.3E-09	1.4E-08	2.E-08	3.0E-04	3.0E-04	1.7E-08	7.1E-08	5.7E-05	2.4E-04	0.0003
	Copper	7.0E+01	mg/kg	--	--	0.0E+00	9.1E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	7.1E-06	0.0E+00	1.8E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+01	ug/kg	7.3E-01	7.3E-01	1.9E-10	1.8E-10	1.4E-10	1.3E-10	3.E-10	--	--	1.5E-09	1.4E-09	--	--	--
	Benzo(a)pyrene	1.5E+01	ug/kg	7.3E+00	7.3E+00	2.0E-10	2.0E-10	1.5E-09	1.4E-09	3.E-09	--	--	1.6E-09	1.5E-09	--	--	--
	Benzo(b)fluoranthene	1.2E+01	ug/kg	7.3E-01	7.3E-01	1.6E-10	1.6E-10	1.2E-10	1.1E-10	2.E-10	--	--	1.3E-09	1.2E-09	--	--	--
	Dibenzo(a,h)anthracene	2.5E+00	ug/kg	7.3E+00	7.3E+00	3.4E-11	3.3E-11	2.5E-10	2.4E-10	5.E-10	--	--	2.6E-10	2.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.3E+01	ug/kg	7.3E-01	7.3E-01	1.8E-10	1.7E-10	1.3E-10	1.2E-10	3.E-10	--	--	1.4E-09	1.3E-09	--	--	--
Exposure Point Total										2.E-08							0.002
07B024	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	2.0E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.5E-03	0.0E+00	1.5E-03	0.002
	Arsenic	1.6E+00	mg/kg	1.5E+00	1.5E+00	4.9E-09	2.0E-08	7.3E-09	3.0E-08	4.E-08	3.0E-04	3.0E-04	3.8E-08	1.6E-07	1.3E-04	5.3E-04	0.001
	Copper	2.1E+01	mg/kg	--	--	0.0E+00	2.7E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.1E-06	0.0E+00	5.2E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.5E+01	ug/kg	7.3E-01	7.3E-01	6.1E-10	5.9E-10	4.5E-10	4.3E-10	9.E-10	--	--	4.8E-09	4.6E-09	--	--	--
	Benzo(a)pyrene	5.3E+01	ug/kg	7.3E+00	7.3E+00	7.2E-10	6.9E-10	5.3E-09	5.1E-09	1.E-08	--	--	5.6E-09	5.4E-09	--	--	--
	Benzo(b)fluoranthene	6.2E+01	ug/kg	7.3E-01	7.3E-01	8.4E-10	8.1E-10	6.1E-10	5.9E-10	1.E-09	--	--	6.5E-09	6.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.3E+01	ug/kg	7.3E-01	7.3E-01	3.1E-10	3.0E-10	2.3E-10	2.2E-10	4.E-10	--	--	2.4E-09	2.3E-09	--	--	--
Exposure Point Total										5.E-08							0.002
09B024	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	2.0E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.6E-03	0.0E+00	1.6E-03	0.002
	Arsenic	1.1E+00	mg/kg	1.5E+00	1.5E+00	3.4E-09	1.4E-08	5.2E-09	2.2E-08	3.E-08	3.0E-04	3.0E-04	2.7E-08	1.1E-07	8.9E-05	3.7E-04	0.0005
	Copper	1.8E+01	mg/kg	--	--	0.0E+00	2.4E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.9E-06	0.0E+00	4.6E-05	0.00005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+01	ug/kg	7.3E-01	7.3E-01	2.4E-10	2.4E-10	1.8E-10	1.7E-10	4.E-10	--	--	1.9E-09	1.8E-09	--	--	--
	Benzo(a)pyrene	1.4E+01	ug/kg	7.3E+00	7.3E+00	1.9E-10	1.8E-10	1.4E-09	1.3E-09	3.E-09	--	--	1.5E-09	1.4E-09	--	--	--
	Benzo(b)fluoranthene	9.7E+00	ug/kg	7.3E-01	7.3E-01	1.3E-10	1.3E-10	9.6E-11	9.3E-11	2.E-10	--	--	1.0E-09	9.9E-10	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-13.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: High frequency Fisher   Exposure Medium: Beach Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	2.5E+00	ug/kg	7.3E+00	7.3E+00	3.4E-11	3.3E-11	2.5E-10	2.4E-10	5.E-10	--	--	2.6E-10	2.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	8.7E+00	ug/kg	7.3E-01	7.3E-01	1.2E-10	1.1E-10	8.6E-11	8.3E-11	2.E-10	--	--	9.2E-10	8.9E-10	--	--	--
Exposure Point Total										3.E-08							0.002
09B026	**Metals**																
	Aluminum	1.1E+04	mg/kg	--	--	0.0E+00	1.5E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.1E-03	0.0E+00	1.1E-03	0.001
	Arsenic	2.4E+00	mg/kg	1.5E+00	1.5E+00	7.5E-09	3.1E-08	1.1E-08	4.7E-08	6.E-08	3.0E-04	3.0E-04	5.8E-08	2.4E-07	1.9E-04	8.1E-04	0.001
	Copper	1.8E+01	mg/kg	--	--	0.0E+00	2.4E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.9E-06	0.0E+00	4.7E-05	0.00005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(b)fluoranthene	2.1E+00	ug/kg	7.3E-01	7.3E-01	2.9E-11	2.7E-11	2.1E-11	2.0E-11	4.E-11	--	--	2.2E-10	2.1E-10	--	--	--
Exposure Point Total										6.E-08							0.002
09B027	**Metals**																
	Aluminum	1.8E+04	mg/kg	--	--	0.0E+00	2.4E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.9E-03	0.0E+00	1.9E-03	0.002
	Antimony	2.0E-01	mg/kg	--	--	0.0E+00	2.6E-09	--	--	--	6.0E-05	4.0E-04	0.0E+00	2.0E-08	0.0E+00	5.1E-05	0.0001
	Arsenic	1.3E+00	mg/kg	1.5E+00	1.5E+00	4.2E-09	1.7E-08	6.3E-09	2.6E-08	3.E-08	3.0E-04	3.0E-04	3.2E-08	1.4E-07	1.1E-04	4.5E-04	0.001
	Copper	2.3E+01	mg/kg	--	--	0.0E+00	3.0E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.3E-06	0.0E+00	5.8E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.7E+00	ug/kg	7.3E-01	7.3E-01	1.0E-10	1.0E-10	7.6E-11	7.3E-11	1.E-10	--	--	8.1E-10	7.8E-10	--	--	--
	Benzo(a)pyrene	7.0E+00	ug/kg	7.3E+00	7.3E+00	9.4E-11	9.1E-11	6.9E-10	6.6E-10	1.E-09	--	--	7.3E-10	7.1E-10	--	--	--
	Benzo(b)fluoranthene	8.8E+00	ug/kg	7.3E-01	7.3E-01	1.2E-10	1.2E-10	8.7E-11	8.4E-11	2.E-10	--	--	9.3E-10	9.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	5.6E+00	ug/kg	7.3E-01	7.3E-01	7.6E-11	7.4E-11	5.6E-11	5.4E-11	1.E-10	--	--	5.9E-10	5.7E-10	--	--	--
Exposure Point Total										3.E-08							0.003
09B028	**Metals**																
	Aluminum	1.6E+04	mg/kg	--	--	0.0E+00	2.1E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.6E-03	0.0E+00	1.6E-03	0.002
	Arsenic	1.3E+00	mg/kg	1.5E+00	1.5E+00	4.1E-09	1.7E-08	6.1E-09	2.6E-08	3.E-08	3.0E-04	3.0E-04	3.2E-08	1.3E-07	1.1E-04	4.4E-04	0.001
	Copper	1.9E+01	mg/kg	--	--	0.0E+00	2.5E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.9E-06	0.0E+00	4.8E-05	0.00005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.3E+00	ug/kg	7.3E-01	7.3E-01	7.2E-11	6.9E-11	5.3E-11	5.1E-11	1.E-10	--	--	5.6E-10	5.4E-10	--	--	--
	Benzo(a)pyrene	4.6E+00	ug/kg	7.3E+00	7.3E+00	6.2E-11	6.0E-11	4.6E-10	4.4E-10	9.E-10	--	--	4.9E-10	4.7E-10	--	--	--
	Benzo(b)fluoranthene	5.0E+00	ug/kg	7.3E-01	7.3E-01	6.8E-11	6.5E-11	5.0E-11	4.8E-11	1.E-10	--	--	5.3E-10	5.1E-10	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-13.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Indeno(1,2,3-cd)pyrene	4.6E+00	ug/kg	7.3E-01	7.3E-01	6.2E-11	6.0E-11	4.6E-11	4.4E-11	9.E-11	--	--	4.9E-10	4.7E-10	--	--	--
Exposure Point Total										3.E-08							0.002
B001	**Metals**																
	Aluminum	1.6E+04	mg/kg	--	--	0.0E+00	2.1E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.7E-03	0.0E+00	1.7E-03	0.002
	Arsenic	2.3E+00	mg/kg	1.5E+00	1.5E+00	7.0E-09	2.9E-08	1.1E-08	4.4E-08	5.E-08	3.0E-04	3.0E-04	5.5E-08	2.3E-07	1.8E-04	7.6E-04	0.001
	Copper	1.9E+01	mg/kg	--	--	0.0E+00	2.5E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.0E-06	0.0E+00	4.9E-05	0.00005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.5E+00	ug/kg	7.3E-01	7.3E-01	8.8E-11	8.5E-11	6.4E-11	6.2E-11	1.E-10	--	--	6.9E-10	6.6E-10	--	--	--
	Benzo(a)pyrene	1.4E+01	ug/kg	7.3E+00	7.3E+00	1.9E-10	1.8E-10	1.4E-09	1.3E-09	3.E-09	--	--	1.5E-09	1.4E-09	--	--	--
	Benzo(b)fluoranthene	1.2E+01	ug/kg	7.3E-01	7.3E-01	1.6E-10	1.6E-10	1.2E-10	1.1E-10	2.E-10	--	--	1.3E-09	1.2E-09	--	--	--
	Dibenzo(a,h)anthracene	2.2E+00	ug/kg	7.3E+00	7.3E+00	3.0E-11	2.9E-11	2.2E-10	2.1E-10	4.E-10	--	--	2.3E-10	2.2E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	9.7E+00	ug/kg	7.3E-01	7.3E-01	1.3E-10	1.3E-10	9.6E-11	9.3E-11	2.E-10	--	--	1.0E-09	9.9E-10	--	--	--
Exposure Point Total										6.E-08							0.003
B003	**Metals**																
	Aluminum	1.9E+04	mg/kg	--	--	0.0E+00	2.5E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.9E-02	0.0E+00	1.9E-02	0.02
	Arsenic	2.5E+00	mg/kg	1.5E+00	1.5E+00	8.0E-09	3.3E-08	1.2E-08	5.0E-08	6.E-08	3.0E-04	3.0E-04	1.3E-06	2.6E-06	4.4E-03	8.6E-03	0.01
	Copper	2.0E+01	mg/kg	--	--	0.0E+00	2.6E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.0E-05	0.0E+00	5.0E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.1E+02	ug/kg	7.3E-01	7.3E-01	2.9E-09	2.7E-09	2.1E-09	2.0E-09	4.E-09	--	--	4.8E-07	2.1E-07	--	--	--
	Benzo(a)pyrene	3.6E+02	ug/kg	7.3E+00	7.3E+00	4.9E-09	4.7E-09	3.6E-08	3.4E-08	7.E-08	--	--	8.1E-07	3.7E-07	--	--	--
	Benzo(b)fluoranthene	3.1E+02	ug/kg	7.3E-01	7.3E-01	4.2E-09	4.1E-09	3.1E-09	3.0E-09	6.E-09	--	--	7.0E-07	3.2E-07	--	--	--
	Dibenzo(a,h)anthracene	3.3E+01	ug/kg	7.3E+00	7.3E+00	4.5E-10	4.3E-10	3.3E-09	3.2E-09	6.E-09	--	--	7.5E-08	3.4E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.8E+02	ug/kg	7.3E-01	7.3E-01	3.8E-09	3.7E-09	2.8E-09	2.7E-09	5.E-09	--	--	6.3E-07	2.8E-07	--	--	--
Exposure Point Total										2.E-07							0.03
B005	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	1.9E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.5E-02	0.0E+00	1.5E-02	0.01
	Arsenic	3.3E+00	mg/kg	1.5E+00	1.5E+00	1.0E-08	4.3E-08	1.5E-08	6.4E-08	8.E-08	3.0E-04	3.0E-04	1.7E-06	3.3E-06	5.7E-03	1.1E-02	0.02
	Copper	1.4E+01	mg/kg	--	--	0.0E+00	1.9E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.5E-05	0.0E+00	3.7E-04	0.0004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.7E+01	ug/kg	7.3E-01	7.3E-01	1.0E-09	1.0E-09	7.6E-10	7.4E-10	1.E-09	--	--	1.7E-07	7.8E-08	--	--	--
	Benzo(a)pyrene	1.5E+02	ug/kg	7.3E+00	7.3E+00	2.0E-09	2.0E-09	1.5E-08	1.4E-08	3.E-08	--	--	3.4E-07	1.5E-07	--	--	--
	Benzo(b)fluoranthene	1.2E+02	ug/kg	7.3E-01	7.3E-01	1.6E-09	1.6E-09	1.2E-09	1.1E-09	2.E-09	--	--	2.7E-07	1.2E-07	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-13.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Cancer Risk Calculations[a]							Noncancer Hazard Quotient Calculations[a]						
		Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	1.5E+01	ug/kg	7.3E+00	7.3E+00	2.0E-10	2.0E-10	1.5E-09	1.4E-09	3.E-09	--	--	3.4E-08	1.5E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.3E+02	ug/kg	7.3E-01	7.3E-01	1.8E-09	1.7E-09	1.3E-09	1.2E-09	3.E-09	--	--	2.9E-07	1.3E-07	--	--	--
Exposure Point Total		0.03								1.E-07							0.03

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

Abbreviations: -- = Not Applicable
CDI = Chronic Daily Intake
EPC = Exposure Point Concentration
HQ = Hazard Quotient
LADI = Lifetime Average Daily Intake
mg/kg = milligram per kilogram
RfD = Reference Dose
ug/kg = microgram per kilogram

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-14.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
03B030	**Metals**																
	Aluminum	1.2E+04	mg/kg	--	--	0.0E+00	2.1E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	4.8E-03	0.0E+00	4.8E-03	0.005
	Arsenic	1.9E+00	mg/kg	1.5E+00	1.5E+00	1.7E-07	3.3E-07	2.6E-07	5.0E-07	8.E-07	3.0E-04	3.0E-04	4.0E-07	7.7E-07	1.3E-03	2.6E-03	0.004
	Copper	1.4E+01	mg/kg	--	--	0.0E+00	2.5E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	5.9E-06	0.0E+00	1.5E-04	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.2E+00	ug/kg	7.3E-01	7.3E-01	2.4E-09	1.1E-09	1.8E-09	7.9E-10	3.E-09	--	--	5.6E-09	2.5E-09	--	--	--
	Benzo(a)pyrene	7.9E+00	ug/kg	7.3E+00	7.3E+00	3.1E-09	1.4E-09	2.2E-08	1.0E-08	3.E-08	--	--	7.1E-09	3.2E-09	--	--	--
	Benzo(b)fluoranthene	1.0E+01	ug/kg	7.3E-01	7.3E-01	3.9E-09	1.7E-09	2.8E-09	1.3E-09	4.E-09	--	--	9.0E-09	4.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.6E+01	ug/kg	7.3E-01	7.3E-01	6.2E-09	2.8E-09	4.5E-09	2.0E-09	7.E-09	--	--	1.4E-08	6.5E-09	--	--	--
Exposure Point Total										**8.E-07**							**0.01**
03B031	**Metals**																
	Aluminum	2.2E+04	mg/kg	--	--	0.0E+00	3.9E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	9.0E-03	0.0E+00	9.0E-03	0.01
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	2.9E-07	5.6E-07	4.3E-07	8.4E-07	1.E-06	3.0E-04	3.0E-04	6.7E-07	1.3E-06	2.2E-03	4.3E-03	0.01
	Copper	2.3E+01	mg/kg	--	--	0.0E+00	4.0E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	9.3E-06	0.0E+00	2.3E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.8E+01	ug/kg	7.3E-01	7.3E-01	1.5E-08	6.6E-09	1.1E-08	4.8E-09	2.E-08	--	--	3.4E-08	1.5E-08	--	--	--
	Benzo(a)pyrene	5.3E+01	ug/kg	7.3E+00	7.3E+00	2.1E-08	9.2E-09	1.5E-07	6.7E-08	2.E-07	--	--	4.8E-08	2.2E-08	--	--	--
	Benzo(b)fluoranthene	3.5E+01	ug/kg	7.3E-01	7.3E-01	1.4E-08	6.1E-09	9.9E-09	4.5E-09	1.E-08	--	--	3.2E-08	1.4E-08	--	--	--
	Dibenzo(a,h)anthracene	1.2E+01	ug/kg	7.3E+00	7.3E+00	4.7E-09	2.1E-09	3.4E-08	1.5E-08	5.E-08	--	--	1.1E-08	4.9E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+01	ug/kg	7.3E-01	7.3E-01	1.8E-08	8.2E-09	1.3E-08	6.0E-09	2.E-08	--	--	4.3E-08	1.9E-08	--	--	--
Exposure Point Total										**2.E-06**							**0.02**
03B033	**Metals**																
	Aluminum	1.4E+04	mg/kg	--	--	0.0E+00	2.4E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	5.7E-03	0.0E+00	5.7E-03	0.01
	Arsenic	4.0E+00	mg/kg	1.5E+00	1.5E+00	3.6E-07	7.0E-07	5.4E-07	1.0E-06	2.E-06	3.0E-04	3.0E-04	8.4E-07	1.6E-06	2.8E-03	5.4E-03	0.01
	Copper	1.6E+01	mg/kg	--	--	0.0E+00	2.8E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	6.4E-06	0.0E+00	1.6E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.2E+00	ug/kg	7.3E-01	7.3E-01	2.0E-09	9.1E-10	1.5E-09	6.6E-10	2.E-09	--	--	4.7E-09	2.1E-09	--	--	--
	Benzo(a)pyrene	5.2E+00	ug/kg	7.3E+00	7.3E+00	2.0E-09	9.1E-10	1.5E-08	6.6E-09	2.E-08	--	--	4.7E-09	2.1E-09	--	--	--
	Benzo(b)fluoranthene	5.2E+00	ug/kg	7.3E-01	7.3E-01	2.0E-09	9.1E-10	1.5E-09	6.6E-10	2.E-09	--	--	4.7E-09	2.1E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-14.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
							Cancer Risk Calculations[a]						Noncancer Hazard Quotient Calculations[a]				
	Indeno(1,2,3-cd)pyrene	6.4E+00	ug/kg	7.3E-01	7.3E-01	2.5E-09	1.1E-09	1.8E-09	8.2E-10	3.E-09	--	--	5.8E-09	2.6E-09	--	--	--
Exposure Point Total										2.E-06							0.01
04B023	**Metals**																
	Aluminum	1.2E+04	mg/kg	--	--	0.0E+00	2.1E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	5.0E-03	0.0E+00	5.0E-03	0.005
	Antimony	3.0E-01	mg/kg	--	--	0.0E+00	5.2E-08	--	--	--	6.0E-05	4.0E-04	0.0E+00	1.2E-07	0.0E+00	3.1E-04	0.0003
	Arsenic	2.7E+00	mg/kg	1.5E+00	1.5E+00	2.4E-07	4.7E-07	3.6E-07	7.1E-07	1.E-06	3.0E-04	3.0E-04	5.6E-07	1.1E-06	1.9E-03	3.7E-03	0.01
	Copper	3.3E+01	mg/kg	--	--	0.0E+00	5.8E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.4E-05	0.0E+00	3.4E-04	0.0003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+01	ug/kg	7.3E-01	7.3E-01	1.0E-08	4.5E-09	7.4E-09	3.3E-09	1.E-08	--	--	2.4E-08	1.1E-08	--	--	--
	Benzo(a)pyrene	4.2E+01	ug/kg	7.3E+00	7.3E+00	1.6E-08	7.3E-09	1.2E-07	5.3E-08	2.E-07	--	--	3.8E-08	1.7E-08	--	--	--
	Benzo(b)fluoranthene	3.3E+01	ug/kg	7.3E-01	7.3E-01	1.3E-08	5.8E-09	9.3E-09	4.2E-09	1.E-08	--	--	3.0E-08	1.3E-08	--	--	--
	Dibenzo(a,h)anthracene	1.4E+01	ug/kg	7.3E+00	7.3E+00	5.4E-09	2.4E-09	4.0E-08	1.8E-08	6.E-08	--	--	1.3E-08	5.7E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.8E+01	ug/kg	7.3E-01	7.3E-01	1.5E-08	6.6E-09	1.1E-08	4.8E-09	2.E-08	--	--	3.4E-08	1.5E-08	--	--	--
Exposure Point Total										1.E-06							0.01
04B024	**Metals**																
	Aluminum	2.1E+04	mg/kg	--	--	0.0E+00	3.7E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	8.6E-03	0.0E+00	8.6E-03	0.01
	Antimony	1.3E+01	mg/kg	--	--	0.0E+00	2.3E-06	--	--	--	6.0E-05	4.0E-04	0.0E+00	5.3E-06	0.0E+00	1.3E-02	0.01
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	4.2E-07	8.2E-07	6.3E-07	1.2E-06	2.E-06	3.0E-04	3.0E-04	9.8E-07	1.9E-06	3.3E-03	6.4E-03	0.01
	Copper	1.9E+02	mg/kg	--	--	0.0E+00	3.4E-05	--	--	--	4.0E-02	4.0E-02	0.0E+00	7.9E-05	0.0E+00	2.0E-03	0.002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+02	ug/kg	7.3E-01	7.3E-01	7.0E-08	3.1E-08	5.1E-08	2.3E-08	7.E-08	--	--	1.6E-07	7.3E-08	--	--	--
	Benzo(a)pyrene	3.6E+02	ug/kg	7.3E+00	7.3E+00	1.4E-07	6.3E-08	1.0E-06	4.6E-07	1.E-06	--	--	3.3E-07	1.5E-07	--	--	--
	Benzo(b)fluoranthene	3.0E+02	ug/kg	7.3E-01	7.3E-01	1.2E-07	5.2E-08	8.5E-08	3.8E-08	1.E-07	--	--	2.7E-07	1.2E-07	--	--	--
	Dibenzo(a,h)anthracene	2.3E+01	ug/kg	7.3E+00	7.3E+00	8.9E-09	4.0E-09	6.5E-08	2.9E-08	9.E-08	--	--	2.1E-08	9.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.2E+02	ug/kg	7.3E-01	7.3E-01	8.5E-08	3.8E-08	6.2E-08	2.8E-08	9.E-08	--	--	2.0E-07	9.0E-08	--	--	--
Exposure Point Total										4.E-06							0.03
05B018	**Metals**																
	Aluminum	1.9E+04	mg/kg	--	--	0.0E+00	3.3E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	7.7E-03	0.0E+00	7.7E-03	0.01
	Antimony	2.0E-01	mg/kg	--	--	0.0E+00	3.5E-08	--	--	--	6.0E-05	4.0E-04	0.0E+00	8.1E-08	0.0E+00	2.0E-04	0.0002
	Arsenic	2.4E+00	mg/kg	1.5E+00	1.5E+00	2.1E-07	4.2E-07	3.2E-07	6.3E-07	1.E-06	3.0E-04	3.0E-04	5.0E-07	9.8E-07	1.7E-03	3.3E-03	0.005
	Copper	1.1E+02	mg/kg	--	--	0.0E+00	1.9E-05	--	--	--	4.0E-02	4.0E-02	0.0E+00	4.4E-05	0.0E+00	1.1E-03	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.2E+01	ug/kg	7.3E-01	7.3E-01	2.8E-08	1.3E-08	2.0E-08	9.2E-09	3.E-08	--	--	6.5E-08	2.9E-08	--	--	--
	Benzo(a)pyrene	8.6E+01	ug/kg	7.3E+00	7.3E+00	3.3E-08	1.5E-08	2.4E-07	1.1E-07	4.E-07	--	--	7.8E-08	3.5E-08	--	--	--
	Benzo(b)fluoranthene	1.0E+02	ug/kg	7.3E-01	7.3E-01	3.9E-08	1.7E-08	2.8E-08	1.3E-08	4.E-08	--	--	9.0E-08	4.1E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-14.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	2.6E+01	ug/kg	7.3E+00	7.3E+00	1.0E-08	4.5E-09	7.4E-08	3.3E-08	1.E-07	--	--	2.4E-08	1.1E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.9E+01	ug/kg	7.3E-01	7.3E-01	1.5E-08	6.8E-09	1.1E-08	5.0E-09	2.E-08	--	--	3.5E-08	1.6E-08	--	--	--
Exposure Point Total										1.E-06							0.01
06B022	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	2.7E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	6.3E-03	0.0E+00	6.3E-03	0.01
	Antimony	3.0E-01	mg/kg	--	--	0.0E+00	5.2E-08	--	--	--	6.0E-05	4.0E-04	0.0E+00	1.2E-07	0.0E+00	3.1E-04	0.0003
	Arsenic	2.6E+00	mg/kg	1.5E+00	1.5E+00	2.3E-07	4.5E-07	3.5E-07	6.8E-07	1.E-06	3.0E-04	3.0E-04	5.4E-07	1.1E-06	1.8E-03	3.5E-03	0.01
	Copper	4.3E+01	mg/kg	--	--	0.0E+00	7.4E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.7E-05	0.0E+00	4.3E-04	0.0004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.8E+00	ug/kg	7.3E-01	7.3E-01	1.9E-09	8.4E-10	1.4E-09	6.1E-10	2.E-09	--	--	4.3E-09	2.0E-09	--	--	--
	Benzo(a)pyrene	4.4E+00	ug/kg	7.3E+00	7.3E+00	1.7E-09	7.7E-10	1.2E-08	5.6E-09	2.E-08	--	--	4.0E-09	1.8E-09	--	--	--
	Benzo(b)fluoranthene	5.6E+00	ug/kg	7.3E-01	7.3E-01	2.2E-09	9.8E-10	1.6E-09	7.1E-10	2.E-09	--	--	5.1E-09	2.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.8E+00	ug/kg	7.3E-01	7.3E-01	1.9E-09	8.4E-10	1.4E-09	6.1E-10	2.E-09	--	--	4.3E-09	2.0E-09	--	--	--
Exposure Point Total										1.E-06							0.01
06B026	**Metals**																
	Aluminum	1.2E+04	mg/kg	--	--	0.0E+00	2.1E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	5.0E-03	0.0E+00	5.0E-03	0.01
	Antimony	8.0E-01	mg/kg	--	--	0.0E+00	1.4E-07	--	--	--	6.0E-05	4.0E-04	0.0E+00	3.3E-07	0.0E+00	8.1E-04	0.001
	Arsenic	1.7E+00	mg/kg	1.5E+00	1.5E+00	1.5E-07	3.0E-07	2.3E-07	4.4E-07	7.E-07	3.0E-04	3.0E-04	3.5E-07	6.9E-07	1.2E-03	2.3E-03	0.003
	Copper	2.0E+01	mg/kg	--	--	0.0E+00	3.5E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	8.1E-06	0.0E+00	2.0E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.9E+00	ug/kg	7.3E-01	7.3E-01	3.1E-09	1.4E-09	2.2E-09	1.0E-09	3.E-09	--	--	7.1E-09	3.2E-09	--	--	--
	Benzo(a)pyrene	6.4E+00	ug/kg	7.3E+00	7.3E+00	2.5E-09	1.1E-09	1.8E-08	8.2E-09	3.E-08	--	--	5.8E-09	2.6E-09	--	--	--
	Benzo(b)fluoranthene	1.0E+01	ug/kg	7.3E-01	7.3E-01	3.9E-09	1.7E-09	2.8E-09	1.3E-09	4.E-09	--	--	9.0E-09	4.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+01	ug/kg	7.3E-01	7.3E-01	4.3E-09	1.9E-09	3.1E-09	1.4E-09	5.E-09	--	--	1.0E-08	4.5E-09	--	--	--
Exposure Point Total										7.E-07							0.01
06B030	**Metals**																
	Aluminum	1.8E+04	mg/kg	--	--	0.0E+00	3.1E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	7.1E-03	0.0E+00	7.1E-03	0.01
	Arsenic	9.9E+00	mg/kg	1.5E+00	1.5E+00	8.9E-07	1.7E-06	1.3E-06	2.6E-06	4.E-06	3.0E-04	3.0E-04	2.1E-06	4.0E-06	6.9E-03	1.3E-02	0.02
	Copper	6.1E+02	mg/kg	--	--	0.0E+00	1.1E-04	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.5E-04	0.0E+00	6.2E-03	0.01
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.5E+01	ug/kg	7.3E-01	7.3E-01	1.7E-08	7.9E-09	1.3E-08	5.7E-09	2.E-08	--	--	4.1E-08	1.8E-08	--	--	--
	Benzo(a)pyrene	6.6E+01	ug/kg	7.3E+00	7.3E+00	2.6E-08	1.2E-08	1.9E-07	8.4E-08	3.E-07	--	--	6.0E-08	2.7E-08	--	--	--
	Benzo(b)fluoranthene	8.1E+01	ug/kg	7.3E-01	7.3E-01	3.1E-08	1.4E-08	2.3E-08	1.0E-08	3.E-08	--	--	7.3E-08	3.3E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-14.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Low frequency Fisher   Exposure Medium: Beach Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	5.0E+00	ug/kg	7.3E+00	7.3E+00	1.9E-09	8.7E-10	1.4E-08	6.4E-09	2.E-08	--	--	4.5E-09	2.0E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+01	ug/kg	7.3E-01	7.3E-01	1.8E-08	8.2E-09	1.3E-08	6.0E-09	2.E-08	--	--	4.3E-08	1.9E-08	--	--	--
Exposure Point Total										4.E-06							0.03
07B023	**Metals**																
	Aluminum	1.0E+04	mg/kg	--	--	0.0E+00	1.8E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	4.1E-03	0.0E+00	4.1E-03	0.004
	Antimony	3.0E-01	mg/kg	--	--	0.0E+00	5.2E-08	--	--	--	6.0E-05	4.0E-04	0.0E+00	1.2E-07	0.0E+00	3.1E-04	0.0003
	Arsenic	7.0E-01	mg/kg	1.5E+00	1.5E+00	6.3E-08	1.2E-07	9.4E-08	1.8E-07	3.E-07	3.0E-04	3.0E-04	1.5E-07	2.8E-07	4.9E-04	9.5E-04	0.001
	Copper	7.0E+01	mg/kg	--	--	0.0E+00	1.2E-05	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.8E-05	0.0E+00	7.1E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+01	ug/kg	7.3E-01	7.3E-01	5.4E-09	2.4E-09	4.0E-09	1.8E-09	6.E-09	--	--	1.3E-08	5.7E-09	--	--	--
	Benzo(a)pyrene	1.5E+01	ug/kg	7.3E+00	7.3E+00	5.8E-09	2.6E-09	4.2E-08	1.9E-08	6.E-08	--	--	1.4E-08	6.1E-09	--	--	--
	Benzo(b)fluoranthene	1.2E+01	ug/kg	7.3E-01	7.3E-01	4.7E-09	2.1E-09	3.4E-09	1.5E-09	5.E-09	--	--	1.1E-08	4.9E-09	--	--	--
	Dibenzo(a,h)anthracene	2.5E+00	ug/kg	7.3E+00	7.3E+00	9.7E-10	4.4E-10	7.1E-09	3.2E-09	1.E-08	--	--	2.3E-09	1.0E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.3E+01	ug/kg	7.3E-01	7.3E-01	5.0E-09	2.3E-09	3.7E-09	1.7E-09	5.E-09	--	--	1.2E-08	5.3E-09	--	--	--
Exposure Point Total										4.E-07							0.01
07B024	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	2.7E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	6.2E-03	0.0E+00	6.2E-03	0.01
	Arsenic	1.6E+00	mg/kg	1.5E+00	1.5E+00	1.4E-07	2.7E-07	2.1E-07	4.1E-07	6.E-07	3.0E-04	3.0E-04	3.2E-07	6.3E-07	1.1E-03	2.1E-03	0.003
	Copper	2.1E+01	mg/kg	--	--	0.0E+00	3.6E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	8.4E-06	0.0E+00	2.1E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.5E+01	ug/kg	7.3E-01	7.3E-01	1.7E-08	7.9E-09	1.3E-08	5.7E-09	2.E-08	--	--	4.1E-08	1.8E-08	--	--	--
	Benzo(a)pyrene	5.3E+01	ug/kg	7.3E+00	7.3E+00	2.1E-08	9.2E-09	1.5E-07	6.7E-08	2.E-07	--	--	4.8E-08	2.2E-08	--	--	--
	Benzo(b)fluoranthene	6.2E+01	ug/kg	7.3E-01	7.3E-01	2.4E-08	1.1E-08	1.8E-08	7.9E-09	3.E-08	--	--	5.6E-08	2.5E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.3E+01	ug/kg	7.3E-01	7.3E-01	8.9E-09	4.0E-09	6.5E-09	2.9E-09	9.E-09	--	--	2.1E-08	9.4E-09	--	--	--
Exposure Point Total										9.E-07							0.01
09B024	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	2.7E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	6.2E-03	0.0E+00	6.2E-03	0.01
	Arsenic	1.1E+00	mg/kg	1.5E+00	1.5E+00	9.8E-08	1.9E-07	1.5E-07	2.9E-07	4.E-07	3.0E-04	3.0E-04	2.3E-07	4.5E-07	7.7E-04	1.5E-03	0.002
	Copper	1.8E+01	mg/kg	--	--	0.0E+00	3.2E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	7.4E-06	0.0E+00	1.9E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+01	ug/kg	7.3E-01	7.3E-01	7.0E-09	3.1E-09	5.1E-09	2.3E-09	7.E-09	--	--	1.6E-08	7.3E-09	--	--	--
	Benzo(a)pyrene	1.4E+01	ug/kg	7.3E+00	7.3E+00	5.4E-09	2.4E-09	4.0E-08	1.8E-08	6.E-08	--	--	1.3E-08	5.7E-09	--	--	--
	Benzo(b)fluoranthene	9.7E+00	ug/kg	7.3E-01	7.3E-01	3.8E-09	1.7E-09	2.7E-09	1.2E-09	4.E-09	--	--	8.8E-09	3.9E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-14.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: Low frequency Fisher Exposure Medium: Beach Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg-day)^{-1}$	Oral Cancer Slope Factor $(mg/kg-day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	2.5E+00	ug/kg	7.3E+00	7.3E+00	9.7E-10	4.4E-10	7.1E-09	3.2E-09	1.E-08	--	--	2.3E-09	1.0E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	8.7E+00	ug/kg	7.3E-01	7.3E-01	3.4E-09	1.5E-09	2.5E-09	1.1E-09	4.E-09	--	--	7.9E-09	3.5E-09	--	--	--
Exposure Point Total										5.E-07							0.01
09B026	**Metals**																
	Aluminum	1.1E+04	mg/kg	--	--	0.0E+00	2.0E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	4.6E-03	0.0E+00	4.6E-03	0.005
	Arsenic	2.4E+00	mg/kg	1.5E+00	1.5E+00	2.1E-07	4.2E-07	3.2E-07	6.3E-07	1.E-06	3.0E-04	3.0E-04	5.0E-07	9.8E-07	1.7E-03	3.3E-03	0.005
	Copper	1.8E+01	mg/kg	--	--	0.0E+00	3.2E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	7.4E-06	0.0E+00	1.9E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(b)fluoranthene	2.1E+00	ug/kg	7.3E-01	7.3E-01	8.1E-10	3.7E-10	5.9E-10	2.7E-10	9.E-10	--	--	1.9E-09	8.5E-10	--	--	--
Exposure Point Total										1.E-06							0.01
09B027	**Metals**																
	Aluminum	2.0E+04	mg/kg	--	--	0.0E+00	3.5E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	8.1E-03	0.0E+00	8.1E-03	0.01
	Antimony	2.0E-01	mg/kg	--	--	0.0E+00	3.5E-08	--	--	--	6.0E-05	4.0E-04	0.0E+00	8.1E-08	0.0E+00	2.0E-04	0.0002
	Arsenic	1.4E+00	mg/kg	1.5E+00	1.5E+00	1.3E-07	2.4E-07	1.9E-07	3.7E-07	6.E-07	3.0E-04	3.0E-04	2.9E-07	5.7E-07	9.7E-04	1.9E-03	0.003
	Copper	2.4E+01	mg/kg	--	--	0.0E+00	4.2E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	9.8E-06	0.0E+00	2.4E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.8E+00	ug/kg	7.3E-01	7.3E-01	3.8E-09	1.7E-09	2.8E-09	1.2E-09	4.E-09	--	--	8.9E-09	4.0E-09	--	--	--
	Benzo(a)pyrene	9.0E+00	ug/kg	7.3E+00	7.3E+00	3.5E-09	1.6E-09	2.5E-08	1.1E-08	4.E-08	--	--	8.1E-09	3.7E-09	--	--	--
	Benzo(b)fluoranthene	1.0E+01	ug/kg	7.3E-01	7.3E-01	4.0E-09	1.8E-09	2.9E-09	1.3E-09	4.E-09	--	--	9.4E-09	4.2E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	6.6E+00	ug/kg	7.3E-01	7.3E-01	2.6E-09	1.2E-09	1.9E-09	8.4E-10	3.E-09	--	--	6.0E-09	2.7E-09	--	--	--
Exposure Point Total										6.E-07							0.01
09B028	**Metals**																
	Aluminum	1.6E+04	mg/kg	--	--	0.0E+00	2.8E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	6.5E-03	0.0E+00	6.5E-03	0.01
	Arsenic	1.3E+00	mg/kg	1.5E+00	1.5E+00	1.2E-07	2.3E-07	1.7E-07	3.4E-07	5.E-07	3.0E-04	3.0E-04	2.7E-07	5.3E-07	9.0E-04	1.8E-03	0.003
	Copper	1.9E+01	mg/kg	--	--	0.0E+00	3.3E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	7.7E-06	0.0E+00	1.9E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.3E+00	ug/kg	7.3E-01	7.3E-01	2.1E-09	9.2E-10	1.5E-09	6.7E-10	2.E-09	--	--	4.8E-09	2.2E-09	--	--	--
	Benzo(a)pyrene	4.6E+00	ug/kg	7.3E+00	7.3E+00	1.8E-09	8.0E-10	1.3E-08	5.9E-09	2.E-08	--	--	4.2E-09	1.9E-09	--	--	--
	Benzo(b)fluoranthene	5.0E+00	ug/kg	7.3E-01	7.3E-01	1.9E-09	8.7E-10	1.4E-09	6.4E-10	2.E-09	--	--	4.5E-09	2.0E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-14.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Indeno(1,2,3-cd)pyrene	4.6E+00	ug/kg	7.3E-01	7.3E-01	1.8E-09	8.0E-10	1.3E-09	5.9E-10	2.E-09	--	--	4.2E-09	1.9E-09	--	--	--
Exposure Point Total										5.E-07							0.01
B001	**Metals**																
	Aluminum	1.6E+04	mg/kg	--	--	0.0E+00	2.9E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	6.7E-03	0.0E+00	6.7E-03	0.01
	Arsenic	2.3E+00	mg/kg	1.5E+00	1.5E+00	2.0E-07	3.9E-07	3.0E-07	5.9E-07	9.E-07	3.0E-04	3.0E-04	4.7E-07	9.2E-07	1.6E-03	3.1E-03	0.005
	Copper	1.9E+01	mg/kg	--	--	0.0E+00	3.4E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	7.9E-06	0.0E+00	2.0E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.5E+00	ug/kg	7.3E-01	7.3E-01	2.5E-09	1.1E-09	1.8E-09	8.3E-10	3.E-09	--	--	5.9E-09	2.6E-09	--	--	--
	Benzo(a)pyrene	1.4E+01	ug/kg	7.3E+00	7.3E+00	5.4E-09	2.4E-09	4.0E-08	1.8E-08	6.E-08	--	--	1.3E-08	5.7E-09	--	--	--
	Benzo(b)fluoranthene	1.2E+01	ug/kg	7.3E-01	7.3E-01	4.7E-09	2.1E-09	3.4E-09	1.5E-09	5.E-09	--	--	1.1E-08	4.9E-09	--	--	--
	Dibenzo(a,h)anthracene	2.2E+00	ug/kg	7.3E+00	7.3E+00	8.5E-10	3.8E-10	6.2E-09	2.8E-09	9.E-09	--	--	2.0E-09	9.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	9.7E+00	ug/kg	7.3E-01	7.3E-01	3.8E-09	1.7E-09	2.7E-09	1.2E-09	4.E-09	--	--	8.8E-09	3.9E-09	--	--	--
Exposure Point Total										1.E-06							0.01
B003	**Metals**																
	Aluminum	1.9E+04	mg/kg	--	--	0.0E+00	3.3E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.9E-02	0.0E+00	1.9E-02	0.02
	Arsenic	2.5E+00	mg/kg	1.5E+00	1.5E+00	2.3E-07	4.4E-07	3.4E-07	6.6E-07	1.E-06	3.0E-04	3.0E-04	1.3E-06	2.6E-06	4.4E-03	8.6E-03	0.01
	Copper	2.0E+01	mg/kg	--	--	0.0E+00	3.5E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.0E-05	0.0E+00	5.0E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.1E+02	ug/kg	7.3E-01	7.3E-01	8.1E-08	3.7E-08	5.9E-08	2.7E-08	9.E-08	--	--	4.8E-07	2.1E-07	--	--	--
	Benzo(a)pyrene	3.6E+02	ug/kg	7.3E+00	7.3E+00	1.4E-07	6.3E-08	1.0E-06	4.6E-07	1.E-06	--	--	8.1E-07	3.7E-07	--	--	--
	Benzo(b)fluoranthene	3.1E+02	ug/kg	7.3E-01	7.3E-01	1.2E-07	5.4E-08	8.8E-08	3.9E-08	1.E-07	--	--	7.0E-07	3.2E-07	--	--	--
	Dibenzo(a,h)anthracene	3.3E+01	ug/kg	7.3E+00	7.3E+00	1.3E-08	5.8E-09	9.3E-08	4.2E-08	1.E-07	--	--	7.5E-08	3.4E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.8E+02	ug/kg	7.3E-01	7.3E-01	1.1E-07	4.9E-08	7.9E-08	3.6E-08	1.E-07	--	--	6.3E-07	2.8E-07	--	--	--
Exposure Point Total										3.E-06							0.03
B005	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	2.5E-03	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.5E-02	0.0E+00	1.5E-02	0.01
	Arsenic	3.3E+00	mg/kg	1.5E+00	1.5E+00	2.9E-07	5.7E-07	4.4E-07	8.5E-07	1.E-06	3.0E-04	3.0E-04	1.7E-06	3.3E-06	5.7E-03	1.1E-02	0.02
	Copper	1.4E+01	mg/kg	--	--	0.0E+00	2.5E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.5E-05	0.0E+00	3.7E-04	0.0004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.7E+01	ug/kg	7.3E-01	7.3E-01	3.0E-08	1.3E-08	2.2E-08	9.8E-09	3.E-08	--	--	1.7E-07	7.8E-08	--	--	--
	Benzo(a)pyrene	1.5E+02	ug/kg	7.3E+00	7.3E+00	5.8E-08	2.6E-08	4.2E-07	1.9E-07	6.E-07	--	--	3.4E-07	1.5E-07	--	--	--
	Benzo(b)fluoranthene	1.2E+02	ug/kg	7.3E-01	7.3E-01	4.7E-08	2.1E-08	3.4E-08	1.5E-08	5.E-08	--	--	2.7E-07	1.2E-07	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-14.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, Beach Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	1.5E+01	ug/kg	7.3E+00	7.3E+00	5.8E-09	2.6E-09	4.2E-08	1.9E-08	6.E-08	--	--	3.4E-08	1.5E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.3E+02	ug/kg	7.3E-01	7.3E-01	5.0E-08	2.3E-08	3.7E-08	1.7E-08	5.E-08	--	--	2.9E-07	1.3E-07	--	--	--
Exposure Point Total										2.E-06							0.03

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

Abbreviations: -- = Not Applicable
CDI = Chronic Daily Intake
EPC = Exposure Point Concentration
HQ = Hazard Quotient
LADI = Lifetime Average Daily Intake
mg/kg = milligram per kilogram
RfD = Reference Dose
ug/kg = microgram per kilogram

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-15.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Low frequency Fisher   Exposure Medium: Beach Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
03B030	**Metals**																
	Aluminum	1.2E+04	mg/kg	--	--	0.0E+00	7.8E-05	--	--	--	1.0E+00	1.0E+00	0.0E+00	6.1E-04	0.0E+00	6.1E-04	0.001
	Arsenic	1.9E+00	mg/kg	1.5E+00	1.5E+00	3.0E-09	1.2E-08	4.5E-09	1.9E-08	2.E-08	3.0E-04	3.0E-04	2.3E-08	9.7E-08	7.7E-05	3.2E-04	0.0004
	Copper	1.4E+01	mg/kg	--	--	0.0E+00	9.4E-08	--	--	--	4.0E-02	4.0E-02	0.0E+00	7.3E-07	0.0E+00	1.8E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.2E+00	ug/kg	7.3E-01	7.3E-01	4.2E-11	4.1E-11	3.1E-11	3.0E-11	6.E-11	--	--	3.3E-10	3.2E-10	--	--	--
	Benzo(a)pyrene	7.9E+00	ug/kg	7.3E+00	7.3E+00	5.4E-11	5.2E-11	3.9E-10	3.8E-10	8.E-10	--	--	4.2E-10	4.0E-10	--	--	--
	Benzo(b)fluoranthene	1.0E+01	ug/kg	7.3E-01	7.3E-01	6.8E-11	6.5E-11	5.0E-11	4.8E-11	1.E-10	--	--	5.3E-10	5.1E-10	--	--	--
	Dibenzo(a,h)anthracene	ND	ug/kg	7.3E+00	7.3E+00	ND	ND	ND	ND	ND	--	--	ND	ND	ND	ND	ND
	Indeno(1,2,3-cd)pyrene	1.6E+01	ug/kg	7.3E-01	7.3E-01	1.1E-10	1.0E-10	7.9E-11	7.6E-11	2.E-10	--	--	8.4E-10	8.1E-10	--	--	--
Exposure Point Total										2.E-08							0.001
03B031	**Metals**																
	Aluminum	2.2E+04	mg/kg	--	--	0.0E+00	1.4E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.1E-03	0.0E+00	1.1E-03	0.001
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	5.0E-09	2.1E-08	7.5E-09	3.1E-08	4.E-08	3.0E-04	3.0E-04	3.9E-08	1.6E-07	1.3E-04	5.4E-04	0.001
	Copper	2.3E+01	mg/kg	--	--	0.0E+00	1.5E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.2E-06	0.0E+00	2.9E-05	0.00003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.8E+01	ug/kg	7.3E-01	7.3E-01	2.6E-10	2.5E-10	1.9E-10	1.8E-10	4.E-10	--	--	2.0E-09	1.9E-09	--	--	--
	Benzo(a)pyrene	5.3E+01	ug/kg	7.3E+00	7.3E+00	3.6E-10	3.5E-10	2.6E-09	2.5E-09	5.E-09	--	--	2.8E-09	2.7E-09	--	--	--
	Benzo(b)fluoranthene	3.5E+01	ug/kg	7.3E-01	7.3E-01	2.4E-10	2.3E-10	1.7E-10	1.7E-10	3.E-10	--	--	1.8E-09	1.8E-09	--	--	--
	Dibenzo(a,h)anthracene	1.2E+01	ug/kg	7.3E+00	7.3E+00	8.1E-11	7.9E-11	5.9E-10	5.7E-10	1.E-09	--	--	6.3E-10	6.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+01	ug/kg	7.3E-01	7.3E-01	3.2E-10	3.1E-10	2.3E-10	2.2E-10	5.E-10	--	--	2.5E-09	2.4E-09	--	--	--
Exposure Point Total										5.E-08							0.002
03B033	**Metals**																
	Aluminum	1.4E+04	mg/kg	--	--	0.0E+00	9.2E-05	--	--	--	1.0E+00	1.0E+00	0.0E+00	7.1E-04	0.0E+00	7.1E-04	0.001
	Arsenic	4.0E+00	mg/kg	1.5E+00	1.5E+00	6.3E-09	2.6E-08	9.4E-09	3.9E-08	5.E-08	3.0E-04	3.0E-04	4.9E-08	2.0E-07	1.6E-04	6.8E-04	0.001
	Copper	1.6E+01	mg/kg	--	--	0.0E+00	1.0E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	8.0E-07	0.0E+00	2.0E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.2E+00	ug/kg	7.3E-01	7.3E-01	3.5E-11	3.4E-11	2.6E-11	2.5E-11	5.E-11	--	--	2.7E-10	2.6E-10	--	--	--
	Benzo(a)pyrene	5.2E+00	ug/kg	7.3E+00	7.3E+00	3.5E-11	3.4E-11	2.6E-10	2.5E-10	5.E-10	--	--	2.7E-10	2.6E-10	--	--	--
	Benzo(b)fluoranthene	5.2E+00	ug/kg	7.3E-01	7.3E-01	3.5E-11	3.4E-11	2.6E-11	2.5E-11	5.E-11	--	--	2.7E-10	2.6E-10	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-15.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Indeno(1,2,3-cd)pyrene	6.4E+00	ug/kg	7.3E-01	7.3E-01	4.3E-11	4.2E-11	3.2E-11	3.1E-11	6.E-11	--	--	3.4E-10	3.3E-10	--	--	--
Exposure Point Total										5.E-08							0.002
04B023	**Metals**																
	Aluminum	1.2E+04	mg/kg	--	--	0.0E+00	8.0E-05	--	--	--	1.0E+00	1.0E+00	0.0E+00	6.2E-04	0.0E+00	6.2E-04	0.001
	Antimony	3.0E-01	mg/kg	--	--	0.0E+00	2.0E-09	--	--	--	6.0E-05	4.0E-04	0.0E+00	1.5E-08	0.0E+00	3.8E-05	0.00004
	Arsenic	2.7E+00	mg/kg	1.5E+00	1.5E+00	4.2E-09	1.8E-08	6.3E-09	2.6E-08	3.E-08	3.0E-04	3.0E-04	3.3E-08	1.4E-07	1.1E-04	4.6E-04	0.001
	Copper	3.3E+01	mg/kg	--	--	0.0E+00	2.2E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.7E-06	0.0E+00	4.2E-05	0.00004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+01	ug/kg	7.3E-01	7.3E-01	1.8E-10	1.7E-10	1.3E-10	1.2E-10	3.E-10	--	--	1.4E-09	1.3E-09	--	--	--
	Benzo(a)pyrene	4.2E+01	ug/kg	7.3E+00	7.3E+00	2.9E-10	2.7E-10	2.1E-09	2.0E-09	4.E-09	--	--	2.2E-09	2.1E-09	--	--	--
	Benzo(b)fluoranthene	3.3E+01	ug/kg	7.3E-01	7.3E-01	2.2E-10	2.2E-10	1.6E-10	1.6E-10	3.E-10	--	--	1.7E-09	1.7E-09	--	--	--
	Dibenzo(a,h)anthracene	1.4E+01	ug/kg	7.3E+00	7.3E+00	9.5E-11	9.2E-11	6.9E-10	6.7E-10	1.E-09	--	--	7.4E-10	7.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.8E+01	ug/kg	7.3E-01	7.3E-01	2.6E-10	2.5E-10	1.9E-10	1.8E-10	4.E-10	--	--	2.0E-09	1.9E-09	--	--	--
Exposure Point Total										4.E-08							0.001
04B024	**Metals**																
	Aluminum	2.1E+04	mg/kg	--	--	0.0E+00	1.4E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.1E-03	0.0E+00	1.1E-03	0.001
	Antimony	1.3E+01	mg/kg	--	--	0.0E+00	8.5E-08	--	--	--	6.0E-05	4.0E-04	0.0E+00	6.6E-07	0.0E+00	1.7E-03	0.002
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	7.4E-09	3.1E-08	1.1E-08	4.6E-08	6.E-08	3.0E-04	3.0E-04	5.7E-08	2.4E-07	1.9E-04	8.0E-04	0.001
	Copper	1.9E+02	mg/kg	--	--	0.0E+00	1.3E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	9.9E-06	0.0E+00	2.5E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+02	ug/kg	7.3E-01	7.3E-01	1.2E-09	1.2E-09	8.9E-10	8.6E-10	2.E-09	--	--	9.5E-09	9.2E-09	--	--	--
	Benzo(a)pyrene	3.6E+02	ug/kg	7.3E+00	7.3E+00	2.4E-09	2.4E-09	1.8E-08	1.7E-08	4.E-08	--	--	1.9E-08	1.8E-08	--	--	--
	Benzo(b)fluoranthene	3.0E+02	ug/kg	7.3E-01	7.3E-01	2.0E-09	2.0E-09	1.5E-09	1.4E-09	3.E-09	--	--	1.6E-08	1.5E-08	--	--	--
	Dibenzo(a,h)anthracene	2.3E+01	ug/kg	7.3E+00	7.3E+00	1.6E-10	1.5E-10	1.1E-09	1.1E-09	2.E-09	--	--	1.2E-09	1.2E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.2E+02	ug/kg	7.3E-01	7.3E-01	1.5E-09	1.4E-09	1.1E-09	1.1E-09	2.E-09	--	--	1.2E-08	1.1E-08	--	--	--
Exposure Point Total										1.E-07							0.004
05B018	**Metals**																
	Aluminum	1.9E+04	mg/kg	--	--	0.0E+00	1.2E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	9.6E-04	0.0E+00	9.6E-04	0.001
	Antimony	2.0E-01	mg/kg	--	--	0.0E+00	1.3E-09	--	--	--	6.0E-05	4.0E-04	0.0E+00	1.0E-08	0.0E+00	2.5E-05	0.00003
	Arsenic	2.4E+00	mg/kg	1.5E+00	1.5E+00	3.8E-09	1.6E-08	5.6E-09	2.4E-08	3.E-08	3.0E-04	3.0E-04	2.9E-08	1.2E-07	9.7E-05	4.1E-04	0.001
	Copper	1.1E+02	mg/kg	--	--	0.0E+00	7.1E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	5.5E-06	0.0E+00	1.4E-04	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.2E+01	ug/kg	7.3E-01	7.3E-01	4.9E-10	4.7E-10	3.6E-10	3.4E-10	7.E-10	--	--	3.8E-09	3.7E-09	--	--	--
	Benzo(a)pyrene	8.6E+01	ug/kg	7.3E+00	7.3E+00	5.8E-10	5.6E-10	4.3E-09	4.1E-09	8.E-09	--	--	4.5E-09	4.4E-09	--	--	--
	Benzo(b)fluoranthene	1.0E+02	ug/kg	7.3E-01	7.3E-01	6.8E-10	6.5E-10	5.0E-10	4.8E-10	1.E-09	--	--	5.3E-09	5.1E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-15.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)^-1	Oral Cancer Slope Factor (mg/kg-day)^-1	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	2.6E+01	ug/kg	7.3E+00	7.3E+00	1.8E-10	1.7E-10	1.3E-09	1.2E-09	3.E-09	--	--	1.4E-09	1.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.9E+01	ug/kg	7.3E-01	7.3E-01	2.6E-10	2.6E-10	1.9E-10	1.9E-10	4.E-10	--	--	2.1E-09	2.0E-09	--	--	--
Exposure Point Total										4.E-08							0.002
06B022	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	1.0E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	7.8E-04	0.0E+00	7.8E-04	0.001
	Antimony	3.0E-01	mg/kg	--	--	0.0E+00	2.0E-09	--	--	--	6.0E-05	4.0E-04	0.0E+00	1.5E-08	0.0E+00	3.8E-05	0.00004
	Arsenic	2.6E+00	mg/kg	1.5E+00	1.5E+00	4.1E-09	1.7E-08	6.1E-09	2.6E-08	3.E-08	3.0E-04	3.0E-04	3.2E-08	1.3E-07	1.1E-04	4.4E-04	0.001
	Copper	4.3E+01	mg/kg	--	--	0.0E+00	2.8E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.2E-06	0.0E+00	5.4E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.8E+00	ug/kg	7.3E-01	7.3E-01	3.3E-11	3.1E-11	2.4E-11	2.3E-11	5.E-11	--	--	2.5E-10	2.4E-10	--	--	--
	Benzo(a)pyrene	4.4E+00	ug/kg	7.3E+00	7.3E+00	3.0E-11	2.9E-11	2.2E-10	2.1E-10	4.E-10	--	--	2.3E-10	2.2E-10	--	--	--
	Benzo(b)fluoranthene	5.6E+00	ug/kg	7.3E-01	7.3E-01	3.8E-11	3.7E-11	2.8E-11	2.7E-11	5.E-11	--	--	3.0E-10	2.8E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	4.8E+00	ug/kg	7.3E-01	7.3E-01	3.3E-11	3.1E-11	2.4E-11	2.3E-11	5.E-11	--	--	2.5E-10	2.4E-10	--	--	--
Exposure Point Total										3.E-08							0.001
06B026	**Metals**																
	Aluminum	1.2E+04	mg/kg	--	--	0.0E+00	8.0E-05	--	--	--	1.0E+00	1.0E+00	0.0E+00	6.3E-04	0.0E+00	6.3E-04	0.001
	Antimony	8.0E-01	mg/kg	--	--	0.0E+00	5.2E-09	--	--	--	6.0E-05	4.0E-04	0.0E+00	4.1E-08	0.0E+00	1.0E-04	0.0001
	Arsenic	1.7E+00	mg/kg	1.5E+00	1.5E+00	2.7E-09	1.1E-08	4.0E-09	1.7E-08	2.E-08	3.0E-04	3.0E-04	2.1E-08	8.6E-08	6.9E-05	2.9E-04	0.0004
	Copper	2.0E+01	mg/kg	--	--	0.0E+00	1.3E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.0E-06	0.0E+00	2.5E-05	0.00003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.9E+00	ug/kg	7.3E-01	7.3E-01	5.4E-11	5.2E-11	3.9E-11	3.8E-11	8.E-11	--	--	4.2E-10	4.0E-10	--	--	--
	Benzo(a)pyrene	6.4E+00	ug/kg	7.3E+00	7.3E+00	4.3E-11	4.2E-11	3.2E-10	3.1E-10	6.E-10	--	--	3.4E-10	3.3E-10	--	--	--
	Benzo(b)fluoranthene	1.0E+01	ug/kg	7.3E-01	7.3E-01	6.8E-11	6.5E-11	5.0E-11	4.8E-11	1.E-10	--	--	5.3E-10	5.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+01	ug/kg	7.3E-01	7.3E-01	7.5E-11	7.2E-11	5.4E-11	5.3E-11	1.E-10	--	--	5.8E-10	5.6E-10	--	--	--
Exposure Point Total										2.E-08							0.001
06B030	**Metals**																
	Aluminum	1.8E+04	mg/kg	--	--	0.0E+00	1.1E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	8.9E-04	0.0E+00	8.9E-04	0.001
	Arsenic	9.9E+00	mg/kg	1.5E+00	1.5E+00	1.6E-08	6.5E-08	2.3E-08	9.7E-08	1.E-07	3.0E-04	3.0E-04	1.2E-07	5.0E-07	4.0E-04	1.7E-03	0.002
	Copper	6.1E+02	mg/kg	--	--	0.0E+00	4.0E-06	--	--	--	4.0E-02	4.0E-02	0.0E+00	3.1E-05	0.0E+00	7.7E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.5E+01	ug/kg	7.3E-01	7.3E-01	3.1E-10	2.9E-10	2.2E-10	2.1E-10	4.E-10	--	--	2.4E-09	2.3E-09	--	--	--
	Benzo(a)pyrene	6.6E+01	ug/kg	7.3E+00	7.3E+00	4.5E-10	4.3E-10	3.3E-09	3.2E-09	6.E-09	--	--	3.5E-09	3.4E-09	--	--	--
	Benzo(b)fluoranthene	8.1E+01	ug/kg	7.3E-01	7.3E-01	5.5E-10	5.3E-10	4.0E-10	3.9E-10	8.E-10	--	--	4.3E-09	4.1E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-15.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	5.0E+00	ug/kg	7.3E+00	7.3E+00	3.4E-11	3.3E-11	2.5E-10	2.4E-10	5.E-10	--	--	2.6E-10	2.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+01	ug/kg	7.3E-01	7.3E-01	3.2E-10	3.1E-10	2.3E-10	2.2E-10	5.E-10	--	--	2.5E-09	2.4E-09	--	--	--
Exposure Point Total										1.E-07							0.004
07B023	**Metals**																
	Aluminum	1.0E+04	mg/kg	--	--	0.0E+00	6.6E-05	--	--	--	1.0E+00	1.0E+00	0.0E+00	5.1E-04	0.0E+00	5.1E-04	0.001
	Antimony	3.0E-01	mg/kg	--	--	0.0E+00	2.0E-09	--	--	--	6.0E-05	4.0E-04	0.0E+00	1.5E-08	0.0E+00	3.8E-05	0.00004
	Arsenic	7.0E-01	mg/kg	1.5E+00	1.5E+00	1.1E-09	4.6E-09	1.6E-09	6.9E-09	9.E-09	3.0E-04	3.0E-04	8.5E-09	3.6E-08	2.8E-05	1.2E-04	0.0001
	Copper	7.0E+01	mg/kg	--	--	0.0E+00	4.6E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	3.5E-06	0.0E+00	8.9E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+01	ug/kg	7.3E-01	7.3E-01	9.5E-11	9.2E-11	6.9E-11	6.7E-11	1.E-10	--	--	7.4E-10	7.1E-10	--	--	--
	Benzo(a)pyrene	1.5E+01	ug/kg	7.3E+00	7.3E+00	1.0E-10	9.8E-11	7.4E-10	7.2E-10	1.E-09	--	--	7.9E-10	7.6E-10	--	--	--
	Benzo(b)fluoranthene	1.2E+01	ug/kg	7.3E-01	7.3E-01	8.1E-11	7.9E-11	5.9E-11	5.7E-11	1.E-10	--	--	6.3E-10	6.1E-10	--	--	--
	Dibenzo(a,h)anthracene	2.5E+00	ug/kg	7.3E+00	7.3E+00	1.7E-11	1.6E-11	1.2E-10	1.2E-10	2.E-10	--	--	1.3E-10	1.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.3E+01	ug/kg	7.3E-01	7.3E-01	8.8E-11	8.5E-11	6.4E-11	6.2E-11	1.E-10	--	--	6.9E-10	6.6E-10	--	--	--
Exposure Point Total										1.E-08							0.001
07B024	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	9.9E-05	--	--	--	1.0E+00	1.0E+00	0.0E+00	7.7E-04	0.0E+00	7.7E-04	0.001
	Arsenic	1.6E+00	mg/kg	1.5E+00	1.5E+00	2.4E-09	1.0E-08	3.6E-09	1.5E-08	2.E-08	3.0E-04	3.0E-04	1.9E-08	7.9E-08	6.3E-05	2.6E-04	0.0003
	Copper	2.1E+01	mg/kg	--	--	0.0E+00	1.3E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.0E-06	0.0E+00	2.6E-05	0.00003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.5E+01	ug/kg	7.3E-01	7.3E-01	3.1E-10	2.9E-10	2.2E-10	2.1E-10	4.E-10	--	--	2.4E-09	2.3E-09	--	--	--
	Benzo(a)pyrene	5.3E+01	ug/kg	7.3E+00	7.3E+00	3.6E-10	3.5E-10	2.6E-09	2.5E-09	5.E-09	--	--	2.8E-09	2.7E-09	--	--	--
	Benzo(b)fluoranthene	6.2E+01	ug/kg	7.3E-01	7.3E-01	4.2E-10	4.1E-10	3.1E-10	3.0E-10	6.E-10	--	--	3.3E-09	3.2E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.3E+01	ug/kg	7.3E-01	7.3E-01	1.6E-10	1.5E-10	1.1E-10	1.1E-10	2.E-10	--	--	1.2E-09	1.2E-09	--	--	--
Exposure Point Total										3.E-08							0.001
09B024	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	1.0E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	7.8E-04	0.0E+00	7.8E-04	0.001
	Arsenic	1.1E+00	mg/kg	1.5E+00	1.5E+00	1.7E-09	7.2E-09	2.6E-09	1.1E-08	1.E-08	3.0E-04	3.0E-04	1.3E-08	5.6E-08	4.5E-05	1.9E-04	0.0002
	Copper	1.8E+01	mg/kg	--	--	0.0E+00	1.2E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	9.3E-07	0.0E+00	2.3E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+01	ug/kg	7.3E-01	7.3E-01	1.2E-10	1.2E-10	8.9E-11	8.6E-11	2.E-10	--	--	9.5E-10	9.2E-10	--	--	--
	Benzo(a)pyrene	1.4E+01	ug/kg	7.3E+00	7.3E+00	9.5E-11	9.2E-11	6.9E-10	6.7E-10	1.E-09	--	--	7.4E-10	7.1E-10	--	--	--
	Benzo(b)fluoranthene	9.7E+00	ug/kg	7.3E-01	7.3E-01	6.6E-11	6.3E-11	4.8E-11	4.6E-11	9.E-11	--	--	5.1E-10	4.9E-10	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-15.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	2.5E+00	ug/kg	7.3E+00	7.3E+00	1.7E-11	1.6E-11	1.2E-10	1.2E-10	2.E-10	--	--	1.3E-10	1.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	8.7E+00	ug/kg	7.3E-01	7.3E-01	5.9E-11	5.7E-11	4.3E-11	4.2E-11	8.E-11	--	--	4.6E-10	4.4E-10	--	--	--
Exposure Point Total										2.E-08							0.001
09B026	**Metals**																
	Aluminum	1.1E+04	mg/kg	--	--	0.0E+00	7.4E-05	--	--	--	1.0E+00	1.0E+00	0.0E+00	5.7E-04	0.0E+00	5.7E-04	0.001
	Arsenic	2.4E+00	mg/kg	1.5E+00	1.5E+00	3.8E-09	1.6E-08	5.6E-09	2.4E-08	3.E-08	3.0E-04	3.0E-04	2.9E-08	1.2E-07	9.7E-05	4.1E-04	0.001
	Copper	1.8E+01	mg/kg	--	--	0.0E+00	1.2E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	9.3E-07	0.0E+00	2.3E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(b)fluoranthene	2.1E+00	ug/kg	7.3E-01	7.3E-01	1.4E-11	1.4E-11	1.0E-11	1.0E-11	2.E-11	--	--	1.1E-10	1.1E-10	--	--	--
Exposure Point Total										3.E-08							0.001
09B027	**Metals**																
	Aluminum	1.8E+04	mg/kg	--	--	0.0E+00	1.2E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	9.3E-04	0.0E+00	9.3E-04	0.001
	Antimony	2.0E-01	mg/kg	--	--	0.0E+00	1.3E-09	--	--	--	6.0E-05	4.0E-04	0.0E+00	1.0E-08	0.0E+00	2.5E-05	0.00003
	Arsenic	1.3E+00	mg/kg	1.5E+00	1.5E+00	2.1E-09	8.7E-09	3.1E-09	1.3E-08	2.E-08	3.0E-04	3.0E-04	1.6E-08	6.8E-08	5.4E-05	2.3E-04	0.0003
	Copper	2.3E+01	mg/kg	--	--	0.0E+00	1.5E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.2E-06	0.0E+00	2.9E-05	0.00003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.7E+00	ug/kg	7.3E-01	7.3E-01	5.2E-11	5.0E-11	3.8E-11	3.7E-11	7.E-11	--	--	4.1E-10	3.9E-10	--	--	--
	Benzo(a)pyrene	7.0E+00	ug/kg	7.3E+00	7.3E+00	4.7E-11	4.5E-11	3.4E-10	3.3E-10	7.E-10	--	--	3.7E-10	3.5E-10	--	--	--
	Benzo(b)fluoranthene	8.8E+00	ug/kg	7.3E-01	7.3E-01	6.0E-11	5.8E-11	4.4E-11	4.2E-11	9.E-11	--	--	4.6E-10	4.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	5.6E+00	ug/kg	7.3E-01	7.3E-01	3.8E-11	3.7E-11	2.8E-11	2.7E-11	5.E-11	--	--	3.0E-10	2.9E-10	--	--	--
Exposure Point Total										2.E-08							0.001
09B028	**Metals**																
	Aluminum	1.6E+04	mg/kg	--	--	0.0E+00	1.0E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	8.1E-04	0.0E+00	8.1E-04	0.001
	Arsenic	1.3E+00	mg/kg	1.5E+00	1.5E+00	2.0E-09	8.5E-09	3.1E-09	1.3E-08	2.E-08	3.0E-04	3.0E-04	1.6E-08	6.6E-08	5.3E-05	2.2E-04	0.0003
	Copper	1.9E+01	mg/kg	--	--	0.0E+00	1.2E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	9.6E-07	0.0E+00	2.4E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.3E+00	ug/kg	7.3E-01	7.3E-01	3.6E-11	3.5E-11	2.6E-11	2.5E-11	5.E-11	--	--	2.8E-10	2.7E-10	--	--	--
	Benzo(a)pyrene	4.6E+00	ug/kg	7.3E+00	7.3E+00	3.1E-11	3.0E-11	2.3E-10	2.2E-10	4.E-10	--	--	2.4E-10	2.3E-10	--	--	--
	Benzo(b)fluoranthene	5.0E+00	ug/kg	7.3E-01	7.3E-01	3.4E-11	3.3E-11	2.5E-11	2.4E-11	5.E-11	--	--	2.6E-10	2.5E-10	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-15.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Indeno(1,2,3-cd)pyrene	4.6E+00	ug/kg	7.3E-01	7.3E-01	3.1E-11	3.0E-11	2.3E-11	2.2E-11	4.E-11	--	--	2.4E-10	2.3E-10	--	--	--
Exposure Point Total										2.E-08							0.001
B001	**Metals**																
	Aluminum	1.6E+04	mg/kg	--	--	0.0E+00	1.1E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	8.3E-04	0.0E+00	8.3E-04	0.001
	Arsenic	2.3E+00	mg/kg	1.5E+00	1.5E+00	3.5E-09	1.5E-08	5.3E-09	2.2E-08	3.E-08	3.0E-04	3.0E-04	2.7E-08	1.1E-07	9.1E-05	3.8E-04	0.0005
	Copper	1.9E+01	mg/kg	--	--	0.0E+00	1.3E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	9.8E-07	0.0E+00	2.5E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.5E+00	ug/kg	7.3E-01	7.3E-01	4.4E-11	4.3E-11	3.2E-11	3.1E-11	6.E-11	--	--	3.4E-10	3.3E-10	--	--	--
	Benzo(a)pyrene	1.4E+01	ug/kg	7.3E+00	7.3E+00	9.5E-11	9.2E-11	6.9E-10	6.7E-10	1.E-09	--	--	7.4E-10	7.1E-10	--	--	--
	Benzo(b)fluoranthene	1.2E+01	ug/kg	7.3E-01	7.3E-01	8.1E-11	7.9E-11	5.9E-11	5.7E-11	1.E-10	--	--	6.3E-10	6.1E-10	--	--	--
	Dibenzo(a,h)anthracene	2.2E+00	ug/kg	7.3E+00	7.3E+00	1.5E-11	1.4E-11	1.1E-10	1.1E-10	2.E-10	--	--	1.2E-10	1.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	9.7E+00	ug/kg	7.3E-01	7.3E-01	6.6E-11	6.3E-11	4.8E-11	4.6E-11	9.E-11	--	--	5.1E-10	4.9E-10	--	--	--
Exposure Point Total										3.E-08							0.001
B003	**Metals**																
	Aluminum	1.9E+04	mg/kg	--	--	0.0E+00	1.2E-04	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.9E-02	0.0E+00	1.9E-02	0.02
	Arsenic	2.5E+00	mg/kg	1.5E+00	1.5E+00	4.0E-09	1.7E-08	6.0E-09	2.5E-08	3.E-08	3.0E-04	3.0E-04	1.3E-06	2.6E-06	4.4E-03	8.6E-03	0.01
	Copper	2.0E+01	mg/kg	--	--	0.0E+00	1.3E-07	--	--	--	4.0E-02	4.0E-02	0.0E+00	2.0E-05	0.0E+00	5.0E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.1E+02	ug/kg	7.3E-01	7.3E-01	1.4E-09	1.4E-09	1.0E-09	1.0E-09	2.E-09	--	--	4.8E-07	2.1E-07	--	--	--
	Benzo(a)pyrene	3.6E+02	ug/kg	7.3E+00	7.3E+00	2.4E-09	2.4E-09	1.8E-08	1.7E-08	4.E-08	--	--	8.1E-07	3.7E-07	--	--	--
	Benzo(b)fluoranthene	3.1E+02	ug/kg	7.3E-01	7.3E-01	2.1E-09	2.0E-09	1.5E-09	1.5E-09	3.E-09	--	--	7.0E-07	3.2E-07	--	--	--
	Dibenzo(a,h)anthracene	3.3E+01	ug/kg	7.3E+00	7.3E+00	2.2E-10	2.2E-10	1.6E-09	1.6E-09	3.E-09	--	--	7.5E-08	3.4E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.8E+02	ug/kg	7.3E-01	7.3E-01	1.9E-09	1.8E-09	1.4E-09	1.3E-09	3.E-09	--	--	6.3E-07	2.8E-07	--	--	--
Exposure Point Total										8.E-08							0.033
B005	**Metals**																
	Aluminum	1.5E+04	mg/kg	--	--	0.0E+00	9.6E-05	--	--	--	1.0E+00	1.0E+00	0.0E+00	1.5E-02	0.0E+00	1.5E-02	0.01
	Arsenic	3.3E+00	mg/kg	1.5E+00	1.5E+00	5.1E-09	2.1E-08	7.7E-09	3.2E-08	4.E-08	3.0E-04	3.0E-04	1.7E-06	3.3E-06	5.7E-03	1.1E-02	0.02
	Copper	1.4E+01	mg/kg	--	--	0.0E+00	9.4E-08	--	--	--	4.0E-02	4.0E-02	0.0E+00	1.5E-05	0.0E+00	3.7E-04	0.0004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.7E+01	ug/kg	7.3E-01	7.3E-01	5.2E-10	5.0E-10	3.8E-10	3.7E-10	7.E-10	--	--	1.7E-07	7.8E-08	--	--	--
	Benzo(a)pyrene	1.5E+02	ug/kg	7.3E+00	7.3E+00	1.0E-09	9.8E-10	7.4E-09	7.2E-09	1.E-08	--	--	3.4E-07	1.5E-07	--	--	--
	Benzo(b)fluoranthene	1.2E+02	ug/kg	7.3E-01	7.3E-01	8.1E-10	7.9E-10	5.9E-10	5.7E-10	1.E-09	--	--	2.7E-07	1.2E-07	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-15.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: Beach Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	1.5E+01	ug/kg	7.3E+00	7.3E+00	1.0E-10	9.8E-11	7.4E-10	7.2E-10	1.E-09	--	--	3.4E-08	1.5E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.3E+02	ug/kg	7.3E-01	7.3E-01	8.8E-10	8.5E-10	6.4E-10	6.2E-10	1.E-09	--	--	2.9E-07	1.3E-07	--	--	--
Exposure Point Total										6.E-08							0.03

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

Abbreviations: -- = Not Applicable
CDI = Chronic Daily Intake
EPC = Exposure Point Concentration
HQ = Hazard Quotient
LADI = Lifetime Average Daily Intake
mg/kg = milligram per kilogram
RfD = Reference Dose
ug/kg = microgram per kilogram

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-16.

Calculation of Noncancer Hazards - Breastfeeding Infant of a Dockside Worker, Beach Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant of Dockside Worker
Population Age: Infant

Medium: Beach Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC		Noncancer Hazard Calculations[a]		
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
06B025	Total Aroclors	4.3E+01	ug/kg	25	1.E-03	0.03
Exposure Point Total						0.03
08B032	Total Aroclors	1.9E+01	ug/kg	25	5.E-04	0.01
Exposure Point Total						0.01
B002	Total Aroclors	1.7E+02	ug/kg	25	5.E-03	0.1
	Total PCB TEQ	3.8E+00	pg/g	2	2.E-03	0.004
Exposure Point Total						0.1
B004	Total Aroclors	1.6E+03	ug/kg	25	4.E-02	1
	Total PCB TEQ	3.1E+01	pg/g	2	2.E-02	0.04
Exposure Point Total						1
B006	Total Aroclors	1.7E+01	ug/kg	25	5.E-04	0.01
Exposure Point Total						0.01

Notes

a Numbers presented are rounded values. Sums calculated before rounding.

Abbreviations

EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor.
mg/kg = Milligrams per kilogram.
PCB = Polychlorinated Biphenyls.
pg/g = Picograms per gram.
TEQ = Toxic equivalents.
ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-17.

Calculation of Noncancer Hazards - Breastfeeding Infant of a Dockside Worker, Beach Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant of Dockside Worker
Population Age: Infant

Medium: Beach Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC		Noncancer Hazard Calculations[a]		
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
06B025	Total Aroclors	4.3E+01	ug/kg	25	2.E-04	0.01
Exposure Point Total						0.01
08B032	Total Aroclors	1.9E+01	ug/kg	25	1.E-04	0.002
Exposure Point Total						0.002
B002	Total Aroclors	1.7E+02	ug/kg	25	8.E-04	0.02
	Total PCB TEQ	3.8E+00	pg/g	2	4.E-04	0.001
Exposure Point Total						0.02
B004	Total Aroclors	1.6E+03	ug/kg	25	8.E-03	0.2
	Total PCB TEQ	3.1E+01	pg/g	2	3.E-03	0.01
Exposure Point Total						0.2
B006	Total Aroclors	1.7E+01	ug/kg	25	9.E-05	0.002
Exposure Point Total						0.002

Notes

a Numbers presented are rounded values. Sums calculated before rounding.

Abbreviations

EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor.
mg/kg = Milligrams per kilogram.
PCB = Polychlorinated Biphenyls.
pg/g = Picograms per gram.
TEQ = Toxic equivalents.
ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-18. Summary of Risks From Exposures to Beach Sediment[a]

Beach Location	Dockside Worker	Transients	Child Recreational Beach User[b]	Combined Adult and Child Recreational Beach User	Tribal Fisher	High Frequency Fisher	Low Frequency Fisher	Breastfeeding Infant[b]
B001W	NA	NA	--	5E-06	6E-06	--	--	NA
B002	--	NA	NA	NA	NA	NA	NA	--
B003W	NA	NA	--	4E-05	2E-05	4E-06	3E-06	NA
B004E	2E-06	NA	NA	NA	NA	NA	NA	--
B005W	NA	NA	--	2E-05	1E-05	3E-06	2E-06	NA
B006	--	NA	NA	NA	NA	NA	NA	--
03B030E	NA	--	NA	NA	5E-06	--	--	NA
03B031W	NA	--	--	1E-05	9E-06	2E-06	2E-06	NA
03B033W	NA	NA	--	6E-06	9E-06	2E-06	2E-06	NA
04B024W	NA	NA	--	5E-05	2E-05	6E-06	4.E-06	NA
04B023W	NA	NA	--	9E-06	8E-06	2E-06	--	NA
05B018E	NA	NA	--	1E-05	9E-06	2E-06	--	NA
05B019	--	NA	NA	NA	NA	NA	NA	--
06B025W	9E-05	NA	NA	NA	NA	NA	NA	--
06B030E	NA	NA	--	2E-05	2E-05	6E-06	4E-06	NA
06B026E	NA	NA	--	3E-06	4E-06	--	--	NA
06B029W	--	NA	NA	NA	NA	NA	NA	--
06B022E	NA	--	--	4E-06	6E-06	2E-06	--	NA
07B022	--	NA	NA	NA	NA	NA	NA	--
07B024W	NA	--	NA	NA	5E-06	--	--	NA
07B023E	NA	--	NA	NA	2E-06	--	--	NA
08B032	--	NA	NA	NA	NA	NA	NA	--
09B028E	NA	NA	--	2E-06	3E-06	--	--	NA
09B024E	NA	NA	--	3E-06	3E-06	--	--	NA
09B026E	NA	--	--	3E-06	6E-06	--	--	NA
09B027E	NA	--	--	3.E-06	4E-06	--	--	NA

Notes:

a Table presents cumulative risk (or cumulative hazard indices) per exposure area for reasonable maximum exposure scenarios, per beach location and per receptor

b Only hazard indices values are presented for child and breastfeeding infant exposure scenarios.

Abbreviations:

-- Exposure area does not result in risk greater than 1 x 10^{-6} or hazard index greater than 1.

NA Beach use does not coincide with exposure by a given receptor

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 1 West	**Metals**																
	Arsenic	5.3E+00	mg/kg	1.5E+00	1.5E+00	5.8E-09	5.9E-08	9.E-09	9.E-08	1.E-07	3.0E-04	3.0E-04	4.1E-08	4.1E-07	1.E-04	1.E-03	0.002
	Mercury	7.5E-02	mg/kg	--	--	0.0E+00	8.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.9E-09	0.E+00	6.E-05	0.00006
	Butyltins																
	Tributyltin ion	8.4E-01	ug/kg	--	--	3.1E-12	9.4E-12	--	--	--	3.0E-04	3.0E-04	2.2E-11	6.6E-11	7.E-08	2.E-07	0.0000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.5E+02	ug/kg	7.3E-01	7.3E-01	7.2E-10	1.7E-09	5.E-10	1.E-09	2.E-09	--	--	5.0E-09	1.2E-08	--	--	--
	Benzo(a)pyrene	2.4E+02	ug/kg	7.3E+00	7.3E+00	1.2E-09	2.7E-09	8.E-09	2.E-08	3.E-08	--	--	8.1E-09	1.9E-08	--	--	--
	Benzo(b)fluoranthene	2.3E+02	ug/kg	7.3E-01	7.3E-01	1.1E-09	2.6E-09	8.E-10	2.E-09	3.E-09	--	--	7.7E-09	1.8E-08	--	--	--
	Benzo(k)fluoranthene	7.7E+01	ug/kg	7.3E-02	7.3E-02	3.7E-10	8.6E-10	3.E-11	6.E-11	9.E-11	--	--	2.6E-09	6.0E-09	--	--	--
	Dibenzo(a,h)anthracene	2.4E+01	ug/kg	7.3E+00	7.3E+00	1.2E-10	2.7E-10	9.E-10	2.E-09	3.E-09	--	--	8.2E-10	1.9E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.0E+02	ug/kg	7.3E-01	7.3E-01	9.6E-10	2.2E-09	7.E-10	2.E-09	2.E-09	--	--	6.7E-09	1.6E-08	--	--	--
	Naphthalene	2.9E+01	ug/kg	--	--	1.4E-10	3.2E-10	--	--	--	2.0E-02	2.0E-02	9.7E-10	2.3E-09	5.E-08	1.E-07	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.4E+01	ug/kg	1.4E-02	1.4E-02	1.6E-10	4.9E-10	2.E-12	7.E-12	9.E-12	2.0E-02	2.0E-02	1.1E-09	3.4E-09	6.E-08	2.E-07	0.0000002
	Phenols																
	Pentachlorophenol	1.2E+00	ug/kg	4.0E-01	4.0E-01	1.1E-11	1.3E-11	4.E-12	5.E-12	1.E-11	5.0E-03	5.0E-03	7.7E-11	9.4E-11	2.E-08	2.E-08	0.00000003
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+01	ug/kg	2.0E+00	2.0E+00	8.8E-11	1.9E-10	2.E-10	4.E-10	6.E-10	2.0E-05	2.0E-05	6.1E-10	1.3E-09	3.E-05	7.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.7E+00	pg/g	1.3E+05	1.3E+05	3.0E-15	3.0E-14	4.E-10	4.E-09	4.E-09	1.0E-09	1.0E-09	2.1E-14	2.1E-13	2.E-05	2.E-04	0.0002
	Total PCB TEQ	3.2E-01	pg/g	1.3E+05	1.3E+05	1.6E-15	3.5E-15	2.E-10	5.E-10	7.E-10	1.0E-09	1.0E-09	1.1E-14	2.5E-14	1.E-05	2.E-05	0.00004
	Pesticides																
	Aldrin	3.7E-01	ug/kg	1.7E+01	1.7E+01	1.4E-12	4.1E-12	2.E-11	7.E-11	9.E-11	3.0E-05	3.0E-05	9.6E-12	2.9E-11	3.E-07	1.E-06	0.000001
	Total DDT	4.6E+00	ug/kg	3.4E-01	3.4E-01	5.1E-12	5.1E-11	2.E-12	2.E-11	2.E-11	5.0E-04	5.0E-04	3.6E-11	3.6E-10	7.E-08	7.E-07	0.000001
Exposure Point Total[b]										1.E-07							0.002
RM 1 East	**Metals**																
	Arsenic	5.7E+00	mg/kg	1.5E+00	1.5E+00	6.3E-09	6.4E-08	9.E-09	1.E-07	1.E-07	3.0E-04	3.0E-04	4.4E-08	4.5E-07	1.E-04	1.E-03	0.002
	Mercury	7.1E+00	mg/kg	--	--	0.0E+00	8.0E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.6E-07	0.E+00	6.E-03	0.006
	Butyltins																
	Tributyltin ion	1.2E+00	ug/kg	--	--	4.4E-12	1.3E-11	--	--	--	3.0E-04	3.0E-04	3.1E-11	9.4E-11	1.E-07	3.E-07	0.0000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.3E+01	ug/kg	7.3E-01	7.3E-01	2.5E-10	5.9E-10	2.E-10	4.E-10	6.E-10	--	--	1.8E-09	4.1E-09	--	--	--
	Benzo(a)pyrene	8.1E+01	ug/kg	7.3E+00	7.3E+00	3.9E-10	9.1E-10	3.E-09	7.E-09	9.E-09	--	--	2.7E-09	6.3E-09	--	--	--
	Benzo(b)fluoranthene	6.9E+01	ug/kg	7.3E-01	7.3E-01	3.3E-10	7.7E-10	2.E-10	6.E-10	8.E-10	--	--	2.3E-09	5.4E-09	--	--	--
	Benzo(k)fluoranthene	4.8E+01	ug/kg	7.3E-02	7.3E-02	2.3E-10	5.3E-10	2.E-11	4.E-11	6.E-11	--	--	1.6E-09	3.7E-09	--	--	--
	Dibenzo(a,h)anthracene	9.1E+00	ug/kg	7.3E+00	7.3E+00	4.4E-11	1.0E-10	3.E-10	7.E-10	1.E-09	--	--	3.1E-10	7.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	5.6E+01	ug/kg	7.3E-01	7.3E-01	2.7E-10	6.3E-10	2.E-10	5.E-10	7.E-10	--	--	1.9E-09	4.4E-09	--	--	--
	Naphthalene	2.3E+01	ug/kg	--	--	1.1E-10	2.6E-10	--	--	--	2.0E-02	2.0E-02	7.7E-10	1.8E-09	4.E-08	9.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.1E+01	ug/kg	1.4E-02	1.4E-02	2.6E-10	7.9E-10	4.E-12	1.E-11	1.E-11	2.0E-02	2.0E-02	1.8E-09	5.6E-09	9.E-08	3.E-07	0.0000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phenols																
	Pentachlorophenol	2.5E+00	ug/kg	4.0E-01	4.0E-01	2.3E-11	2.8E-11	9.E-12	1.E-11	2.E-11	5.0E-03	5.0E-03	1.6E-10	2.0E-10	3.E-08	4.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	5.1E+02	ug/kg	2.0E+00	2.0E+00	2.6E-09	5.7E-09	5.E-09	1.E-08	2.E-08	2.0E-05	2.0E-05	1.8E-08	4.0E-08	9.E-04	2.E-03	0.003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	7.5E-01	pg/g	1.3E+05	1.3E+05	8.3E-16	8.3E-15	1.E-10	1.E-09	1.E-09	1.0E-09	1.0E-09	5.8E-15	5.8E-14	6.E-06	6.E-05	0.00006
	Total PCB TEQ	2.7E-01	pg/g	1.3E+05	1.3E+05	1.4E-15	3.0E-15	2.E-10	4.E-10	6.E-10	1.0E-09	1.0E-09	9.8E-15	2.1E-14	1.E-05	2.E-05	0.00003
	Pesticides																
	Total DDT	4.0E+00	ug/kg	3.4E-01	3.4E-01	4.4E-12	4.4E-11	1.E-12	2.E-11	2.E-11	5.0E-04	5.0E-04	3.1E-11	3.1E-10	6.E-08	6.E-07	0.000001
Exposure Point Total										1.E-07							0.01
RM 1.5 West	**Metals**																
	Arsenic	4.4E+00	mg/kg	1.5E+00	1.5E+00	4.9E-09	4.9E-08	7.E-09	7.E-08	8.E-08	3.0E-04	3.0E-04	3.4E-08	3.4E-07	1.E-04	1.E-03	0.001
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	7.6E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.3E-09	0.E+00	5.E-05	0.00005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.3E+01	ug/kg	7.3E-01	7.3E-01	1.6E-10	3.7E-10	1.E-10	3.E-10	4.E-10	--	--	1.1E-09	2.6E-09	--	--	--
	Benzo(a)pyrene	4.8E+01	ug/kg	7.3E+00	7.3E+00	2.3E-10	5.4E-10	2.E-09	4.E-09	6.E-09	--	--	1.6E-09	3.8E-09	--	--	--
	Benzo(b)fluoranthene	4.1E+01	ug/kg	7.3E-01	7.3E-01	2.0E-10	4.6E-10	1.E-10	3.E-10	5.E-10	--	--	1.4E-09	3.2E-09	--	--	--
	Benzo(k)fluoranthene	3.4E+01	ug/kg	7.3E-02	7.3E-02	1.6E-10	3.8E-10	1.E-11	3.E-11	4.E-11	--	--	1.1E-09	2.7E-09	--	--	--
	Dibenzo(a,h)anthracene	5.9E+00	ug/kg	7.3E+00	7.3E+00	2.8E-11	6.6E-11	2.E-10	5.E-10	7.E-10	--	--	2.0E-10	4.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.7E+01	ug/kg	7.3E-01	7.3E-01	1.8E-10	4.1E-10	1.E-10	3.E-10	4.E-10	--	--	1.2E-09	2.9E-09	--	--	--
	Naphthalene	9.6E+00	ug/kg	--	--	4.6E-11	1.1E-10	--	--	--	2.0E-02	2.0E-02	3.2E-10	7.5E-10	2.E-08	4.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.5E+00	ug/kg	4.0E-01	4.0E-01	1.4E-11	1.7E-11	6.E-12	7.E-12	1.E-11	5.0E-03	5.0E-03	9.7E-11	1.2E-10	2.E-08	2.E-08	0.00000004
	Polychlorinated Biphenyls																
	Total Aroclors	2.2E+01	ug/kg	2.0E+00	2.0E+00	1.1E-10	2.4E-10	2.E-10	5.E-10	7.E-10	2.0E-05	2.0E-05	7.8E-10	1.7E-09	4.E-05	8.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.4E-02	pg/g	1.3E+05	1.3E+05	1.0E-16	1.1E-15	1.E-11	1.E-10	2.E-10	1.0E-09	1.0E-09	7.3E-16	7.4E-15	7.E-07	7.E-06	0.00001
	Pesticides																
	Total DDT	1.1E+00	ug/kg	3.4E-01	3.4E-01	1.2E-12	1.2E-11	4.E-13	4.E-12	5.E-12	5.0E-04	5.0E-04	8.4E-12	8.5E-11	2.E-08	2.E-07	0.0000002
Exposure Point Total										9.E-08							0.001
RM 1.5 East	**Metals**																
	Arsenic	5.4E+00	mg/kg	1.5E+00	1.5E+00	6.0E-09	6.0E-08	9.E-09	9.E-08	1.E-07	3.0E-04	3.0E-04	4.2E-08	4.2E-07	1.E-04	1.E-03	0.002
	Mercury	1.3E-01	mg/kg	--	--	0.0E+00	1.4E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.9E-09	0.E+00	1.E-04	0.0001
	Butyltins																
	Tributyltin ion	3.7E-01	ug/kg	--	--	1.4E-12	4.1E-12	--	--	--	3.0E-04	3.0E-04	9.6E-12	2.9E-11	3.E-08	1.E-07	0.0000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.4E+02	ug/kg	7.3E-01	7.3E-01	4.5E-09	1.1E-08	3.E-09	8.E-09	1.E-08	--	--	3.2E-08	7.4E-08	--	--	--
	Benzo(a)pyrene	1.4E+03	ug/kg	7.3E+00	7.3E+00	6.7E-09	1.6E-08	5.E-08	1.E-07	2.E-07	--	--	4.7E-08	1.1E-07	--	--	--
	Benzo(b)fluoranthene	8.2E+02	ug/kg	7.3E-01	7.3E-01	3.9E-09	9.2E-09	3.E-09	7.E-09	1.E-08	--	--	2.8E-08	6.4E-08	--	--	--
	Benzo(k)fluoranthene	8.2E+02	ug/kg	7.3E-02	7.3E-02	3.9E-09	9.2E-09	3.E-10	7.E-10	1.E-09	--	--	2.8E-08	6.4E-08	--	--	--
	Dibenzo(a,h)anthracene	1.4E+02	ug/kg	7.3E+00	7.3E+00	6.7E-10	1.6E-09	5.E-09	1.E-08	2.E-08	--	--	4.7E-09	1.1E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.0E+03	ug/kg	7.3E-01	7.3E-01	4.8E-09	1.1E-08	4.E-09	8.E-09	1.E-08	--	--	3.4E-08	7.8E-08	--	--	--
	Naphthalene	3.7E+02	ug/kg	--	--	1.8E-09	4.1E-09	--	--	--	2.0E-02	2.0E-02	1.2E-08	2.9E-08	6.E-07	1.E-06	0.000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.7E+02	ug/kg	1.4E-02	1.4E-02	6.3E-10	1.9E-09	9.E-12	3.E-11	4.E-11	2.0E-02	2.0E-02	4.4E-09	1.3E-08	2.E-07	7.E-07	0.000001
	Phenols																
	Pentachlorophenol	4.1E+00	ug/kg	4.0E-01	4.0E-01	3.8E-11	4.6E-11	2.E-11	2.E-11	3.E-11	5.0E-03	5.0E-03	2.6E-10	3.2E-10	5.E-08	6.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	4.1E+01	ug/kg	2.0E+00	2.0E+00	2.1E-10	4.5E-10	4.E-10	9.E-10	1.E-09	2.0E-05	2.0E-05	1.5E-09	3.2E-09	7.E-05	2.E-04	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.8E+00	pg/g	1.3E+05	1.3E+05	2.0E-15	2.0E-14	3.E-10	3.E-09	3.E-09	1.0E-09	1.0E-09	1.4E-14	1.4E-13	1.E-05	1.E-04	0.0002
	Total PCB TEQ	1.1E-01	pg/g	1.3E+05	1.3E+05	5.4E-16	1.2E-15	7.E-11	2.E-10	2.E-10	1.0E-09	1.0E-09	3.8E-15	8.2E-15	4.E-06	8.E-06	0.00001
	Pesticides																
	Dieldrin	6.9E-02	ug/kg	1.6E+01	1.6E+01	2.5E-13	7.7E-13	4.E-12	1.E-11	2.E-11	5.0E-05	5.0E-05	1.8E-12	5.4E-12	4.E-08	1.E-07	0.0000001
	Total DDT	2.2E+01	ug/kg	3.4E-01	3.4E-01	2.4E-11	2.4E-10	8.E-12	8.E-11	9.E-11	5.0E-04	5.0E-04	1.7E-10	1.7E-09	3.E-07	3.E-06	0.000004
Exposure Point Total										3.E-07							0.002
RM 2 West	**Metals**																
	Arsenic	3.8E+00	mg/kg	1.5E+00	1.5E+00	4.3E-09	4.3E-08	6.E-09	6.E-08	7.E-08	3.0E-04	3.0E-04	3.0E-08	3.0E-07	1.E-04	1.E-03	0.001
	Mercury	7.8E-02	mg/kg	--	--	0.0E+00	8.7E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.1E-09	0.E+00	6.E-05	0.00006
	Butyltins																
	Tributyltin ion	2.1E+00	ug/kg	--	--	7.7E-12	2.3E-11	--	--	--	3.0E-04	3.0E-04	5.4E-11	1.6E-10	2.E-07	5.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.5E+01	ug/kg	7.3E-01	7.3E-01	2.6E-10	6.1E-10	2.E-10	4.E-10	6.E-10	--	--	1.8E-09	4.3E-09	--	--	--
	Benzo(a)pyrene	9.8E+01	ug/kg	7.3E+00	7.3E+00	4.7E-10	1.1E-09	3.E-09	8.E-09	1.E-08	--	--	3.3E-09	7.7E-09	--	--	--
	Benzo(b)fluoranthene	9.8E+01	ug/kg	7.3E-01	7.3E-01	4.7E-10	1.1E-09	3.E-10	8.E-10	1.E-09	--	--	3.3E-09	7.7E-09	--	--	--
	Benzo(k)fluoranthene	3.2E+01	ug/kg	7.3E-02	7.3E-02	1.5E-10	3.6E-10	1.E-11	3.E-11	4.E-11	--	--	1.1E-09	2.5E-09	--	--	--
	Dibenzo(a,h)anthracene	1.0E+01	ug/kg	7.3E+00	7.3E+00	5.0E-11	1.2E-10	4.E-10	8.E-10	1.E-09	--	--	3.5E-10	8.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	8.1E+01	ug/kg	7.3E-01	7.3E-01	3.9E-10	9.1E-10	3.E-10	7.E-10	9.E-10	--	--	2.7E-09	6.4E-09	--	--	--
	Naphthalene	1.0E+01	ug/kg	--	--	4.8E-11	1.1E-10	--	--	--	2.0E-02	2.0E-02	3.4E-10	7.8E-10	2.E-08	4.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.8E+01	ug/kg	1.4E-02	1.4E-02	1.8E-10	5.4E-10	2.E-12	8.E-12	1.E-11	2.0E-02	2.0E-02	1.2E-09	3.8E-09	6.E-08	2.E-07	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+01	ug/kg	2.0E+00	2.0E+00	9.4E-11	2.0E-10	2.E-10	4.E-10	6.E-10	2.0E-05	2.0E-05	6.6E-10	1.4E-09	3.E-05	7.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.2E+00	pg/g	1.3E+05	1.3E+05	2.4E-15	2.4E-14	3.E-10	3.E-09	3.E-09	1.0E-09	1.0E-09	1.7E-14	1.7E-13	2.E-05	2.E-04	0.0002
	Total PCB TEQ	3.5E-01	pg/g	1.3E+05	1.3E+05	1.8E-15	3.9E-15	2.E-10	5.E-10	7.E-10	1.0E-09	1.0E-09	1.3E-14	2.8E-14	1.E-05	3.E-05	0.00004
	Pesticides																
	Aldrin	3.6E-01	ug/kg	1.7E+01	1.7E+01	1.3E-12	4.0E-12	2.E-11	7.E-11	9.E-11	3.0E-05	3.0E-05	9.3E-12	2.8E-11	3.E-07	9.E-07	0.000001
	Dieldrin	2.7E-01	ug/kg	1.6E+01	1.6E+01	9.9E-13	3.0E-12	2.E-11	5.E-11	6.E-11	5.0E-05	5.0E-05	6.9E-12	2.1E-11	1.E-07	4.E-07	0.000001
	Total DDT	3.2E+00	ug/kg	3.4E-01	3.4E-01	3.5E-12	3.6E-11	1.E-12	1.E-11	1.E-11	5.0E-04	5.0E-04	2.5E-11	2.5E-10	5.E-08	5.E-07	0.000001
Exposure Point Total										9.E-08							0.001
RM 2 East	**Metals**																
	Arsenic	4.3E+00	mg/kg	1.5E+00	1.5E+00	4.7E-09	4.8E-08	7.E-09	7.E-08	8.E-08	3.0E-04	3.0E-04	3.3E-08	3.4E-07	1.E-04	1.E-03	0.001
	Mercury	9.1E-02	mg/kg	--	--	0.0E+00	1.0E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.1E-09	0.E+00	7.E-05	0.00007
	Butyltins																
	Tributyltin ion	3.7E+00	ug/kg	--	--	1.4E-11	4.1E-11	--	--	--	3.0E-04	3.0E-04	9.6E-11	2.9E-10	3.E-07	1.E-06	0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.7E+01	ug/kg	7.3E-01	7.3E-01	4.7E-10	1.1E-09	3.E-10	8.E-10	1.E-09	--	--	3.3E-09	7.6E-09	--	--	--
	Benzo(a)pyrene	1.2E+02	ug/kg	7.3E+00	7.3E+00	5.7E-10	1.3E-09	4.E-09	1.E-08	1.E-08	--	--	4.0E-09	9.4E-09	--	--	--
	Benzo(b)fluoranthene	1.3E+02	ug/kg	7.3E-01	7.3E-01	6.3E-10	1.5E-09	5.E-10	1.E-09	2.E-09	--	--	4.4E-09	1.0E-08	--	--	--
	Benzo(k)fluoranthene	7.7E+01	ug/kg	7.3E-02	7.3E-02	3.7E-10	8.7E-10	3.E-11	6.E-11	9.E-11	--	--	2.6E-09	6.1E-09	--	--	--
	Dibenzo(a,h)anthracene	2.4E+01	ug/kg	7.3E+00	7.3E+00	1.1E-10	2.6E-10	8.E-10	2.E-09	3.E-09	--	--	7.9E-10	1.8E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+02	ug/kg	7.3E-01	7.3E-01	5.1E-10	1.2E-09	4.E-10	9.E-10	1.E-09	--	--	3.6E-09	8.3E-09	--	--	--
	Naphthalene	2.1E+01	ug/kg	--	--	1.0E-10	2.3E-10	--	--	--	2.0E-02	2.0E-02	7.0E-10	1.6E-09	4.E-08	8.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.2E+02	ug/kg	1.4E-02	1.4E-02	4.4E-10	1.3E-09	6.E-12	2.E-11	3.E-11	2.0E-02	2.0E-02	3.1E-09	9.4E-09	2.E-07	5.E-07	0.000001
	Phenols																
	Pentachlorophenol	2.2E+00	ug/kg	4.0E-01	4.0E-01	2.0E-11	2.5E-11	8.E-12	1.E-11	2.E-11	5.0E-03	5.0E-03	1.4E-10	1.7E-10	3.E-08	3.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.5E+03	ug/kg	2.0E+00	2.0E+00	7.9E-09	1.7E-08	2.E-08	3.E-08	5.E-08	2.0E-05	2.0E-05	5.5E-08	1.2E-07	3.E-03	6.E-03	0.009
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.0E+00	pg/g	1.3E+05	1.3E+05	4.4E-15	4.5E-14	6.E-10	6.E-09	6.E-09	1.0E-09	1.0E-09	3.1E-14	3.1E-13	3.E-05	3.E-04	0.0003
	Total PCB TEQ	8.5E+01	pg/g	1.3E+05	1.3E+05	4.4E-13	9.5E-13	6.E-08	1.E-07	2.E-07	1.0E-09	1.0E-09	3.1E-12	6.6E-12	3.E-03	7.E-03	0.01
	Pesticides																
	Aldrin	7.0E-01	ug/kg	1.7E+01	1.7E+01	2.6E-12	7.8E-12	4.E-11	1.E-10	2.E-10	3.0E-05	3.0E-05	1.8E-11	5.4E-11	6.E-07	2.E-06	0.000002
	Dieldrin	1.2E+00	ug/kg	1.6E+01	1.6E+01	4.6E-12	1.4E-11	7.E-11	2.E-10	3.E-10	5.0E-05	5.0E-05	3.2E-11	9.8E-11	6.E-07	2.E-06	0.000003
	Total DDT	4.2E+00	ug/kg	3.4E-01	3.4E-01	4.6E-12	4.7E-11	2.E-12	2.E-11	2.E-11	5.0E-04	5.0E-04	3.3E-11	3.3E-10	7.E-08	7.E-07	0.000001
Exposure Point Total										3.E-07							0.02
RM 2.5 West	**Metals**																
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	5.2E-09	5.2E-08	8.E-09	8.E-08	9.E-08	3.0E-04	3.0E-04	3.6E-08	3.7E-07	1.E-04	1.E-03	0.001
	Mercury	9.1E-02	mg/kg	--	--	0.0E+00	1.0E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.1E-09	0.E+00	7.E-05	0.00007
	Butyltins																
	Tributyltin ion	2.3E+00	ug/kg	--	--	8.5E-12	2.6E-11	--	--	--	3.0E-04	3.0E-04	5.9E-11	1.8E-10	2.E-07	6.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+02	ug/kg	7.3E-01	7.3E-01	1.5E-09	3.4E-09	1.E-09	3.E-09	4.E-09	--	--	1.0E-08	2.4E-08	--	--	--
	Benzo(a)pyrene	5.5E+02	ug/kg	7.3E+00	7.3E+00	2.6E-09	6.1E-09	2.E-08	4.E-08	6.E-08	--	--	1.8E-08	4.3E-08	--	--	--
	Benzo(b)fluoranthene	4.0E+02	ug/kg	7.3E-01	7.3E-01	1.9E-09	4.4E-09	1.E-09	3.E-09	5.E-09	--	--	1.3E-08	3.1E-08	--	--	--
	Benzo(k)fluoranthene	2.5E+02	ug/kg	7.3E-02	7.3E-02	1.2E-09	2.8E-09	9.E-11	2.E-10	3.E-10	--	--	8.5E-09	2.0E-08	--	--	--
	Dibenzo(a,h)anthracene	6.4E+01	ug/kg	7.3E+00	7.3E+00	3.1E-10	7.1E-10	2.E-09	5.E-09	7.E-09	--	--	2.1E-09	5.0E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+02	ug/kg	7.3E-01	7.3E-01	2.3E-09	5.2E-09	2.E-09	4.E-09	5.E-09	--	--	1.6E-08	3.7E-08	--	--	--
	Naphthalene	7.6E+01	ug/kg	--	--	3.6E-10	8.5E-10	--	--	--	2.0E-02	2.0E-02	2.5E-09	5.9E-09	1.E-07	3.E-07	0.0000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.3E+01	ug/kg	1.4E-02	1.4E-02	1.6E-10	4.8E-10	2.E-12	7.E-12	9.E-12	2.0E-02	2.0E-02	1.1E-09	3.4E-09	6.E-08	2.E-07	0.0000002
	Phenols																
	Pentachlorophenol	1.2E+00	ug/kg	4.0E-01	4.0E-01	1.1E-11	1.3E-11	4.E-12	5.E-12	1.E-11	5.0E-03	5.0E-03	7.7E-11	9.4E-11	2.E-08	2.E-08	0.00000003
	Polychlorinated Biphenyls																
	Total Aroclors	2.1E+01	ug/kg	2.0E+00	2.0E+00	1.1E-10	2.4E-10	2.E-10	5.E-10	7.E-10	2.0E-05	2.0E-05	7.7E-10	1.7E-09	4.E-05	8.E-05	0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: In-water Worker   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.1E-01	pg/g	1.3E+05	1.3E+05	4.6E-16	4.6E-15	6.E-11	6.E-10	7.E-10	1.0E-09	1.0E-09	3.2E-15	3.2E-14	3.E-06	3.E-05	0.00004
	Total PCB TEQ	2.1E-01	pg/g	1.3E+05	1.3E+05	1.1E-15	2.3E-15	1.E-10	3.E-10	4.E-10	1.0E-09	1.0E-09	7.5E-15	1.6E-14	7.E-06	2.E-05	0.00002
	Pesticides																
	Aldrin	2.6E-01	ug/kg	1.7E+01	1.7E+01	9.5E-13	2.9E-12	2.E-11	5.E-11	6.E-11	3.0E-05	3.0E-05	6.6E-12	2.0E-11	2.E-07	7.E-07	0.000001
	Dieldrin	2.2E-01	ug/kg	1.6E+01	1.6E+01	8.1E-13	2.5E-12	1.E-11	4.E-11	5.E-11	5.0E-05	5.0E-05	5.7E-12	1.7E-11	1.E-07	3.E-07	0.0000005
	Total DDT	3.4E+00	ug/kg	3.4E-01	3.4E-01	3.8E-12	3.8E-11	1.E-12	1.E-11	1.E-11	5.0E-04	5.0E-04	2.6E-11	2.7E-10	5.E-08	5.E-07	0.000001
Exposure Point Total										2.E-07							0.002
RM 2.5 East	**Metals**																
	Arsenic	4.8E+00	mg/kg	1.5E+00	1.5E+00	5.3E-09	5.4E-08	8.E-09	8.E-08	9.E-08	3.0E-04	3.0E-04	3.7E-08	3.8E-07	1.E-04	1.E-03	0.001
	Mercury	9.1E-02	mg/kg	--	--	0.0E+00	1.0E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.1E-09	0.E+00	7.E-05	0.00007
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.8E+03	ug/kg	7.3E-01	7.3E-01	2.8E-08	6.5E-08	2.E-08	5.E-08	7.E-08	--	--	1.9E-07	4.5E-07	--	--	--
	Benzo(a)pyrene	4.5E+03	ug/kg	7.3E+00	7.3E+00	2.2E-08	5.1E-08	2.E-07	4.E-07	5.E-07	--	--	1.5E-07	3.5E-07	--	--	--
	Benzo(b)fluoranthene	3.9E+03	ug/kg	7.3E-01	7.3E-01	1.9E-08	4.4E-08	1.E-08	3.E-08	5.E-08	--	--	1.3E-07	3.1E-07	--	--	--
	Benzo(k)fluoranthene	1.2E+03	ug/kg	7.3E-02	7.3E-02	5.9E-09	1.4E-08	4.E-10	1.E-09	1.E-09	--	--	4.1E-08	9.6E-08	--	--	--
	Dibenzo(a,h)anthracene	4.5E+02	ug/kg	7.3E+00	7.3E+00	2.1E-09	5.0E-09	2.E-08	4.E-08	5.E-08	--	--	1.5E-08	3.5E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.6E+03	ug/kg	7.3E-01	7.3E-01	1.2E-08	2.9E-08	9.E-09	2.E-08	3.E-08	--	--	8.6E-08	2.0E-07	--	--	--
	Naphthalene	2.8E+02	ug/kg	--	--	1.3E-09	3.1E-09	--	--	--	2.0E-02	2.0E-02	9.3E-09	2.2E-08	5.E-07	1.E-06	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.1E+02	ug/kg	1.4E-02	1.4E-02	3.9E-10	1.2E-09	5.E-12	2.E-11	2.E-11	2.0E-02	2.0E-02	2.7E-09	8.3E-09	1.E-07	4.E-07	0.000001
	Phenols																
	Pentachlorophenol	5.7E+01	ug/kg	4.0E-01	4.0E-01	5.3E-10	6.4E-10	2.E-10	3.E-10	5.E-10	5.0E-03	5.0E-03	3.7E-09	4.5E-09	7.E-07	9.E-07	0.000002
	Polychlorinated Biphenyls																
	Total Aroclors	7.7E+01	ug/kg	2.0E+00	2.0E+00	4.0E-10	8.7E-10	8.E-10	2.E-09	3.E-09	2.0E-05	2.0E-05	2.8E-09	6.1E-09	1.E-04	3.E-04	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.1E+00	pg/g	1.3E+05	1.3E+05	1.2E-15	1.2E-14	2.E-10	2.E-09	2.E-09	1.0E-09	1.0E-09	8.2E-15	8.3E-14	8.E-06	8.E-05	0.00009
	Total PCB TEQ	3.3E+00	pg/g	1.3E+05	1.3E+05	1.7E-14	3.7E-14	2.E-09	5.E-09	7.E-09	1.0E-09	1.0E-09	1.2E-13	2.6E-13	1.E-04	3.E-04	0.0004
	Pesticides																
	Aldrin	7.5E-01	ug/kg	1.7E+01	1.7E+01	2.8E-12	8.4E-12	5.E-11	1.E-10	2.E-10	3.0E-05	3.0E-05	1.9E-11	5.9E-11	6.E-07	2.E-06	0.000003
	Dieldrin	3.3E-01	ug/kg	1.6E+01	1.6E+01	1.2E-12	3.7E-12	2.E-11	6.E-11	8.E-11	5.0E-05	5.0E-05	8.5E-12	2.6E-11	2.E-07	5.E-07	0.000001
	Total DDT	1.1E+01	ug/kg	3.4E-01	3.4E-01	1.2E-11	1.3E-10	4.E-12	4.E-11	5.E-11	5.0E-04	5.0E-04	8.7E-11	8.8E-10	2.E-07	2.E-06	0.000002
Exposure Point Total										8.E-07							0.002
RM 2.5 MC	**Metals**																
	Arsenic	4.8E+00	mg/kg	1.5E+00	1.5E+00	5.3E-09	5.3E-08	8.E-09	8.E-08	9.E-08	3.0E-04	3.0E-04	3.7E-08	3.7E-07	1.E-04	1.E-03	0.001
	Mercury	1.3E-01	mg/kg	--	--	0.0E+00	1.4E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.0E-08	0.E+00	1.E-04	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+02	ug/kg	7.3E-01	7.3E-01	1.5E-09	3.4E-09	1.E-09	2.E-09	4.E-09	--	--	1.0E-08	2.4E-08	--	--	--
	Benzo(a)pyrene	4.9E+02	ug/kg	7.3E+00	7.3E+00	2.3E-09	5.5E-09	2.E-08	4.E-08	6.E-08	--	--	1.6E-08	3.8E-08	--	--	--
	Benzo(b)fluoranthene	4.5E+02	ug/kg	7.3E-01	7.3E-01	2.1E-09	5.0E-09	2.E-09	4.E-09	5.E-09	--	--	1.5E-08	3.5E-08	--	--	--
	Benzo(k)fluoranthene	1.4E+02	ug/kg	7.3E-02	7.3E-02	6.9E-10	1.6E-09	5.E-11	1.E-10	2.E-10	--	--	4.8E-09	1.1E-08	--	--	--
	Dibenzo(a,h)anthracene	4.7E+01	ug/kg	7.3E+00	7.3E+00	2.3E-10	5.3E-10	2.E-09	4.E-09	6.E-09	--	--	1.6E-09	3.7E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Indeno(1,2,3-cd)pyrene	3.8E+02	ug/kg	7.3E-01	7.3E-01	1.8E-09	4.2E-09	1.E-09	3.E-09	4.E-09	--	--	1.3E-08	3.0E-08	--	--	--
	Naphthalene	9.9E+01	ug/kg	--	--	4.8E-10	1.1E-09	--	--	--	2.0E-02	2.0E-02	3.3E-09	7.8E-09	2.E-07	4.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.3E+01	ug/kg	1.4E-02	1.4E-02	3.4E-10	1.0E-09	5.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	2.4E-09	7.3E-09	1.E-07	4.E-07	0.0000005
	Phenols																
	Pentachlorophenol	1.6E+00	ug/kg	4.0E-01	4.0E-01	1.5E-11	1.8E-11	6.E-12	7.E-12	1.E-11	5.0E-03	5.0E-03	1.0E-10	1.3E-10	2.E-08	3.E-08	0.00000005
	Polychlorinated Biphenyls																
	Total Aroclors	3.9E+01	ug/kg	2.0E+00	2.0E+00	2.0E-10	4.3E-10	4.E-10	9.E-10	1.E-09	2.0E-05	2.0E-05	1.4E-09	3.0E-09	7.E-05	2.E-04	0.0002
	Pesticides																
	Aldrin	6.5E-01	ug/kg	1.7E+01	1.7E+01	2.4E-12	7.3E-12	4.E-11	1.E-10	2.E-10	3.0E-05	3.0E-05	1.7E-11	5.1E-11	6.E-07	2.E-06	0.000002
	Dieldrin	9.7E+01	ug/kg	1.6E+01	1.6E+01	3.6E-12	1.1E-11	6.E-11	2.E-10	2.E-10	5.0E-05	5.0E-05	2.5E-11	7.6E-11	5.E-07	2.E-06	0.000002
	Total DDT	1.1E+01	ug/kg	3.4E-01	3.4E-01	1.2E-11	1.2E-10	4.E-12	4.E-11	5.E-11	5.0E-04	5.0E-04	8.5E-11	8.5E-10	2.E-07	2.E-06	0.000002
Exposure Point Total										2.E-07							0.002
RM 3 West	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	4.5E-09	4.6E-08	7.E-09	7.E-08	8.E-08	3.0E-04	3.0E-04	3.2E-08	3.2E-07	1.E-04	1.E-03	0.001
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	1.2E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.4E-09	0.E+00	8.E-05	0.00008
	Butyltins																
	Tributyltin ion	1.8E+01	ug/kg	--	--	6.6E-11	2.0E-10	--	--	--	3.0E-04	3.0E-04	4.6E-10	1.4E-09	2.E-06	5.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.7E+02	ug/kg	7.3E-01	7.3E-01	2.2E-09	5.2E-09	2.E-09	4.E-09	5.E-09	--	--	1.6E-08	3.7E-08	--	--	--
	Benzo(a)pyrene	7.1E+02	ug/kg	7.3E+00	7.3E+00	3.4E-09	7.9E-09	2.E-08	6.E-08	8.E-08	--	--	2.4E-08	5.5E-08	--	--	--
	Benzo(b)fluoranthene	6.0E+02	ug/kg	7.3E-01	7.3E-01	2.9E-09	6.8E-09	2.E-09	5.E-09	7.E-09	--	--	2.0E-08	4.7E-08	--	--	--
	Benzo(k)fluoranthene	4.0E+02	ug/kg	7.3E-02	7.3E-02	1.9E-09	4.4E-09	1.E-10	3.E-10	5.E-10	--	--	1.3E-08	3.1E-08	--	--	--
	Dibenzo(a,h)anthracene	8.2E+01	ug/kg	7.3E+00	7.3E+00	3.9E-10	9.1E-10	3.E-09	7.E-09	1.E-08	--	--	2.7E-09	6.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.8E+02	ug/kg	7.3E-01	7.3E-01	2.3E-09	5.3E-09	2.E-09	4.E-09	6.E-09	--	--	1.6E-08	3.7E-08	--	--	--
	Naphthalene	2.2E+02	ug/kg	--	--	1.1E-09	2.5E-09	--	--	--	2.0E-02	2.0E-02	7.5E-09	1.7E-08	4.E-07	9.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	5.8E+01	ug/kg	1.4E-02	1.4E-02	2.1E-10	6.4E-10	3.E-12	9.E-12	1.E-11	2.0E-02	2.0E-02	1.5E-09	4.5E-09	7.E-08	2.E-07	0.0000003
	Phenols																
	Pentachlorophenol	1.1E+02	ug/kg	4.0E-01	4.0E-01	1.0E-09	1.2E-09	4.E-10	5.E-10	9.E-10	5.0E-03	5.0E-03	7.1E-09	8.6E-09	1.E-06	2.E-06	0.000003
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+01	ug/kg	2.0E+00	2.0E+00	9.1E-11	2.0E-10	2.E-10	4.E-10	6.E-10	2.0E-05	2.0E-05	6.4E-10	1.4E-09	3.E-05	7.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	1.3E+05	1.3E+05	1.8E-15	1.8E-14	2.E-10	2.E-09	3.E-09	1.0E-09	1.0E-09	1.3E-14	1.3E-13	1.E-05	1.E-04	0.0001
	Total PCB TEQ	4.4E-01	pg/g	1.3E+05	1.3E+05	2.3E-15	5.0E-15	3.E-10	6.E-10	9.E-10	1.0E-09	1.0E-09	1.6E-14	3.5E-14	2.E-05	3.E-05	0.00005
	Pesticides																
	Aldrin	5.2E-01	ug/kg	1.7E+01	1.7E+01	1.9E-12	5.8E-12	3.E-11	1.E-10	1.E-10	3.0E-05	3.0E-05	1.3E-11	4.1E-11	4.E-07	1.E-06	0.000002
	Dieldrin	1.3E+00	ug/kg	1.6E+01	1.6E+01	4.9E-12	1.5E-11	8.E-11	2.E-10	3.E-10	5.0E-05	5.0E-05	3.4E-11	1.0E-10	7.E-07	2.E-06	0.000003
	Total DDT	2.1E+02	ug/kg	3.4E-01	3.4E-01	2.3E-10	2.4E-09	8.E-11	8.E-10	9.E-10	5.0E-04	5.0E-04	1.6E-09	1.7E-08	3.E-06	3.E-05	0.00004
Exposure Point Total										2.E-07							0.1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.

Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 3 East	**Metals**																
	Arsenic	5.5E+00	mg/kg	1.5E+00	1.5E+00	6.0E-09	6.1E-08	9.E-09	9.E-08	1.E-07	3.0E-04	3.0E-04	4.2E-08	4.3E-07	1.E-04	1.E-03	0.002
	Mercury	7.5E-02	mg/kg	--	--	0.0E+00	8.3E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.8E-09	0.E+00	6.E-05	0.00006
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.4E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	1.6E+01	ug/kg	--	--	5.9E-11	1.8E-10	--	--	--	3.0E-04	3.0E-04	4.1E-10	1.3E-09	1.E-06	4.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+02	ug/kg	7.3E-01	7.3E-01	6.9E-10	1.6E-09	5.E-10	1.E-09	2.E-09	--	--	4.9E-09	1.1E-08	--	--	--
	Benzo(a)pyrene	1.4E+02	ug/kg	7.3E+00	7.3E+00	6.5E-10	1.5E-09	5.E-09	1.E-08	2.E-08	--	--	4.5E-09	1.1E-08	--	--	--
	Benzo(b)fluoranthene	1.6E+02	ug/kg	7.3E-01	7.3E-01	7.6E-10	1.8E-09	6.E-10	1.E-09	2.E-09	--	--	5.3E-09	1.2E-08	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	5.3E-10	1.2E-09	4.E-11	9.E-11	1.E-10	--	--	3.7E-09	8.7E-09	--	--	--
	Dibenzo(a,h)anthracene	1.7E+01	ug/kg	7.3E+00	7.3E+00	8.1E-11	1.9E-10	6.E-10	1.E-09	2.E-09	--	--	5.7E-10	1.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	8.3E+01	ug/kg	7.3E-01	7.3E-01	4.0E-10	9.3E-10	3.E-10	7.E-10	1.E-09	--	--	2.8E-09	6.5E-09	--	--	--
	Naphthalene	1.7E+01	ug/kg	--	--	8.1E-11	1.9E-10	--	--	--	2.0E-02	2.0E-02	5.7E-10	1.3E-09	3.E-08	7.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.8E+01	ug/kg	1.4E-02	1.4E-02	3.2E-10	9.8E-10	5.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	2.3E-09	6.9E-09	1.E-07	3.E-07	0.0000005
	Phenols																
	Pentachlorophenol	4.6E+00	ug/kg	4.0E-01	4.0E-01	4.2E-11	5.1E-11	2.E-11	2.E-11	4.E-11	5.0E-03	5.0E-03	3.0E-10	3.6E-10	6.E-08	7.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.3E+01	ug/kg	2.0E+00	2.0E+00	1.2E-10	2.6E-10	2.E-10	5.E-10	7.E-10	2.0E-05	2.0E-05	8.3E-10	1.8E-09	4.E-05	9.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.4E+00	pg/g	1.3E+05	1.3E+05	5.9E-15	6.0E-14	8.E-10	8.E-09	9.E-09	1.0E-09	1.0E-09	4.2E-14	4.2E-13	4.E-05	4.E-04	0.0005
	Total PCB TEQ	1.0E-01	pg/g	1.3E+05	1.3E+05	5.2E-16	1.1E-15	7.E-11	1.E-10	2.E-10	1.0E-09	1.0E-09	3.7E-15	7.9E-15	4.E-06	8.E-06	0.00001
	Pesticides																
	Aldrin	4.0E-01	ug/kg	1.7E+01	1.7E+01	1.5E-12	4.4E-12	2.E-11	8.E-11	1.E-10	3.0E-05	3.0E-05	1.0E-11	3.1E-11	3.E-07	1.E-06	0.000001
	Dieldrin	2.0E-01	ug/kg	1.6E+01	1.6E+01	7.2E-13	2.2E-12	1.E-11	4.E-11	5.E-11	5.0E-05	5.0E-05	5.1E-12	1.5E-11	1.E-07	3.E-07	0.0000004
	Total DDT	3.8E+00	ug/kg	3.4E-01	3.4E-01	4.2E-12	4.3E-11	1.E-12	1.E-11	2.E-11	5.0E-04	5.0E-04	2.9E-11	3.0E-10	6.E-08	6.E-07	0.000001
Exposure Point Total										1.E-07							0.1
RM 3.5 West	**Metals**																
	Arsenic	1.0E+01	mg/kg	1.5E+00	1.5E+00	1.2E-08	1.2E-07	2.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	8.1E-08	8.2E-07	3.E-04	3.E-03	0.003
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	1.3E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.2E-09	0.E+00	9.E-05	0.00009
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.1E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	7.8E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	8.1E+01	ug/kg	--	--	3.0E-10	9.1E-10	--	--	--	3.0E-04	3.0E-04	2.1E-09	6.3E-09	7.E-06	2.E-05	0.00003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+03	ug/kg	7.3E-01	7.3E-01	8.5E-09	2.0E-08	6.E-09	1.E-08	2.E-08	--	--	5.9E-08	1.4E-07	--	--	--
	Benzo(a)pyrene	2.6E+03	ug/kg	7.3E+00	7.3E+00	1.2E-08	2.9E-08	9.E-08	2.E-07	3.E-07	--	--	8.6E-08	2.0E-07	--	--	--
	Benzo(b)fluoranthene	2.3E+03	ug/kg	7.3E-01	7.3E-01	1.1E-08	2.5E-08	8.E-09	2.E-08	3.E-08	--	--	7.6E-08	1.8E-07	--	--	--
	Benzo(k)fluoranthene	8.0E+02	ug/kg	7.3E-02	7.3E-02	3.8E-09	8.9E-09	3.E-10	7.E-10	9.E-10	--	--	2.7E-08	6.3E-08	--	--	--
	Dibenzo(a,h)anthracene	7.5E+01	ug/kg	7.3E+00	7.3E+00	3.6E-10	8.4E-10	3.E-09	6.E-09	9.E-09	--	--	2.5E-09	5.9E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.1E+03	ug/kg	7.3E-01	7.3E-01	9.9E-09	2.3E-08	7.E-09	2.E-08	2.E-08	--	--	6.9E-08	1.6E-07	--	--	--
	Naphthalene	5.2E+02	ug/kg	--	--	2.5E-09	5.8E-09	--	--	--	2.0E-02	2.0E-02	1.8E-08	4.1E-08	9.E-07	2.E-06	0.000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.2E+01	ug/kg	1.4E-02	1.4E-02	3.0E-10	9.2E-10	4.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	2.1E-09	6.4E-09	1.E-07	3.E-07	0.0000004
	Phenols																
	Pentachlorophenol	1.5E+01	ug/kg	4.0E-01	4.0E-01	1.4E-10	1.6E-10	5.E-11	7.E-11	1.E-10	5.0E-03	5.0E-03	9.5E-10	1.2E-09	2.E-07	2.E-07	0.0000004
	Polychlorinated Biphenyls																
	Total Aroclors	2.7E+01	ug/kg	2.0E+00	2.0E+00	1.4E-10	3.0E-10	3.E-10	6.E-10	9.E-10	2.0E-05	2.0E-05	9.7E-10	2.1E-09	5.E-05	1.E-04	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.6E+00	pg/g	1.3E+05	1.3E+05	1.8E-15	1.8E-14	2.E-10	2.E-09	3.E-09	1.0E-09	1.0E-09	1.2E-14	1.3E-13	1.E-05	1.E-04	0.0001
	Total PCB TEQ	7.7E-01	pg/g	1.3E+05	1.3E+05	4.0E-15	8.7E-15	5.E-10	1.E-09	2.E-09	1.0E-09	1.0E-09	2.8E-14	6.1E-14	3.E-05	6.E-05	0.00009
	Pesticides																
	Aldrin	4.9E-01	ug/kg	1.7E+01	1.7E+01	1.8E-12	5.5E-12	3.E-11	9.E-11	1.E-10	3.0E-05	3.0E-05	1.3E-11	3.8E-11	4.E-07	1.E-06	0.000002
	Dieldrin	1.8E-01	ug/kg	1.6E+01	1.6E+01	6.7E-13	2.0E-12	1.E-11	3.E-11	4.E-11	5.0E-05	5.0E-05	4.7E-12	1.4E-11	9.E-08	3.E-07	0.0000004
	Total DDT	2.1E+01	ug/kg	3.4E-01	3.4E-01	2.3E-11	2.3E-10	8.E-12	8.E-11	9.E-11	5.0E-04	5.0E-04	1.6E-10	1.6E-09	3.E-07	3.E-06	0.000004
Exposure Point Total										6.E-07							0.1
RM 3.5 East	**Metals**																
	Arsenic	4.8E+00	mg/kg	1.5E+00	1.5E+00	5.3E-09	5.4E-08	8.E-09	8.E-08	9.E-08	3.0E-04	3.0E-04	3.7E-08	3.8E-07	1.E-04	1.E-03	0.001
	Mercury	1.3E-01	mg/kg	--	--	0.0E+00	1.4E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.0E-08	0.E+00	1.E-04	0.0001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.7E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	1.9E+04	ug/kg	--	--	7.0E-08	2.1E-07	--	--	--	3.0E-04	3.0E-04	4.9E-07	1.5E-06	2.E-03	5.E-03	0.007
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E+03	ug/kg	7.3E-01	7.3E-01	6.0E-09	1.4E-08	4.E-09	1.E-08	1.E-08	--	--	4.2E-08	9.8E-08	--	--	--
	Benzo(a)pyrene	8.7E+02	ug/kg	7.3E+00	7.3E+00	4.2E-09	9.8E-09	3.E-08	7.E-08	1.E-07	--	--	2.9E-08	6.8E-08	--	--	--
	Benzo(b)fluoranthene	1.3E+03	ug/kg	7.3E-01	7.3E-01	6.3E-09	1.5E-08	5.E-09	1.E-08	2.E-08	--	--	4.4E-08	1.0E-07	--	--	--
	Benzo(k)fluoranthene	7.1E+02	ug/kg	7.3E-02	7.3E-02	3.4E-09	7.9E-09	2.E-10	6.E-10	8.E-10	--	--	2.4E-08	5.5E-08	--	--	--
	Dibenzo(a,h)anthracene	1.3E+02	ug/kg	7.3E+00	7.3E+00	6.3E-10	1.5E-09	5.E-09	1.E-08	2.E-08	--	--	4.4E-09	1.0E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.3E+02	ug/kg	7.3E-01	7.3E-01	1.6E-09	3.7E-09	1.E-09	3.E-09	4.E-09	--	--	1.1E-08	2.6E-08	--	--	--
	Naphthalene	1.8E+01	ug/kg	--	--	8.7E-11	2.0E-10	--	--	--	2.0E-02	2.0E-02	6.1E-10	1.4E-09	3.E-08	7.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.9E+03	ug/kg	1.4E-02	1.4E-02	2.6E-08	7.7E-08	4.E-10	1.E-09	1.E-09	2.0E-02	2.0E-02	1.8E-07	5.4E-07	9.E-06	3.E-05	0.00004
	Phenols																
	Pentachlorophenol	2.5E+00	ug/kg	4.0E-01	4.0E-01	2.3E-11	2.8E-11	9.E-12	1.E-11	2.E-11	5.0E-03	5.0E-03	1.6E-10	2.0E-10	3.E-08	4.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+03	ug/kg	2.0E+00	2.0E+00	8.6E-09	1.9E-08	2.E-08	4.E-08	5.E-08	2.0E-05	2.0E-05	6.0E-08	1.3E-07	3.E-03	7.E-03	0.01
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.1E+01	pg/g	1.3E+05	1.3E+05	1.2E-14	1.2E-13	2.E-09	2.E-08	2.E-08	1.0E-09	1.0E-09	8.6E-14	8.7E-13	9.E-05	9.E-04	0.001
	Total PCB TEQ	1.1E+02	pg/g	1.3E+05	1.3E+05	5.9E-13	1.3E-12	8.E-08	2.E-07	2.E-07	1.0E-09	1.0E-09	4.1E-12	8.9E-12	4.E-03	9.E-03	0.01
	Pesticides																
	Aldrin	5.0E-01	ug/kg	1.7E+01	1.7E+01	1.8E-12	5.5E-12	3.E-11	9.E-11	1.E-10	3.0E-05	3.0E-05	1.3E-11	3.9E-11	4.E-07	1.E-06	0.000002
	Dieldrin	1.5E-01	ug/kg	1.6E+01	1.6E+01	5.5E-13	1.7E-12	9.E-12	3.E-11	4.E-11	5.0E-05	5.0E-05	3.8E-12	1.2E-11	8.E-08	2.E-07	0.0000003
	Total DDT	2.7E+01	ug/kg	3.4E-01	3.4E-01	3.0E-11	3.0E-10	1.E-11	1.E-10	1.E-10	5.0E-04	5.0E-04	2.1E-10	2.1E-09	4.E-07	4.E-06	0.000005
Exposure Point Total										6.E-07							0.2

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)^-1	Oral Cancer Slope Factor (mg/kg-day)^-1	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 4 West	**Metals**																
	Arsenic	4.4E+00	mg/kg	1.5E+00	1.5E+00	4.8E-09	4.9E-08	7.E-09	7.E-08	8.E-08	3.0E-04	3.0E-04	3.4E-08	3.4E-07	1.E-04	1.E-03	0.001
	Mercury	1.4E-01	mg/kg	--	--	0.0E+00	1.6E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-08	0.E+00	1.E-04	0.0001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.3E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	8.2E+00	ug/kg	--	--	3.0E-11	9.2E-11	--	--	--	3.0E-04	3.0E-04	2.1E-10	6.4E-10	7.E-07	2.E-06	0.000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.0E+02	ug/kg	7.3E-01	7.3E-01	4.3E-09	1.0E-08	3.E-09	7.E-09	1.E-08	--	--	3.0E-08	7.0E-08	--	--	--
	Benzo(a)pyrene	5.8E+02	ug/kg	7.3E+00	7.3E+00	2.8E-09	6.5E-09	2.E-08	5.E-08	7.E-08	--	--	2.0E-08	4.6E-08	--	--	--
	Benzo(b)fluoranthene	5.2E+02	ug/kg	7.3E-01	7.3E-01	2.5E-09	5.8E-09	2.E-09	4.E-09	6.E-09	--	--	1.7E-08	4.1E-08	--	--	--
	Benzo(k)fluoranthene	3.2E+02	ug/kg	7.3E-02	7.3E-02	1.5E-09	3.5E-09	1.E-10	3.E-10	4.E-10	--	--	1.1E-08	2.5E-08	--	--	--
	Dibenzo(a,h)anthracene	8.9E+01	ug/kg	7.3E+00	7.3E+00	4.3E-10	1.0E-09	3.E-09	7.E-09	1.E-08	--	--	3.0E-09	7.0E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.6E+02	ug/kg	7.3E-01	7.3E-01	2.2E-09	5.2E-09	2.E-09	4.E-09	5.E-09	--	--	1.6E-08	3.6E-08	--	--	--
	Naphthalene	1.9E+02	ug/kg	--	--	9.2E-10	2.1E-09	--	--	--	2.0E-02	2.0E-02	6.4E-09	1.5E-08	3.E-07	7.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.1E+01	ug/kg	1.4E-02	1.4E-02	2.6E-10	8.0E-10	4.E-12	1.E-11	1.E-11	2.0E-02	2.0E-02	1.8E-09	5.6E-09	9.E-08	3.E-07	0.0000004
	Phenols																
	Pentachlorophenol	6.7E+00	ug/kg	4.0E-01	4.0E-01	6.2E-11	7.5E-11	2.E-11	3.E-11	5.E-11	5.0E-03	5.0E-03	4.3E-10	5.2E-10	9.E-08	1.E-07	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	2.6E+01	ug/kg	2.0E+00	2.0E+00	1.4E-10	3.0E-10	3.E-10	6.E-10	9.E-10	2.0E-05	2.0E-05	9.6E-10	2.1E-09	5.E-05	1.E-04	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.3E+00	pg/g	1.3E+05	1.3E+05	3.6E-15	3.6E-14	5.E-10	5.E-09	5.E-09	1.0E-09	1.0E-09	2.5E-14	2.5E-13	3.E-05	3.E-04	0.0003
	Total PCB TEQ	6.5E-01	pg/g	1.3E+05	1.3E+05	3.4E-15	7.3E-15	4.E-10	9.E-10	1.E-09	1.0E-09	1.0E-09	2.4E-14	5.1E-14	2.E-05	5.E-05	0.00007
	Pesticides																
	Aldrin	4.9E-01	ug/kg	1.7E+01	1.7E+01	1.8E-12	5.4E-12	3.E-11	9.E-11	1.E-10	3.0E-05	3.0E-05	1.3E-11	3.8E-11	4.E-07	1.E-06	0.000002
	Dieldrin	2.8E-01	ug/kg	1.6E+01	1.6E+01	1.0E-12	3.1E-12	2.E-11	5.E-11	7.E-11	5.0E-05	5.0E-05	7.2E-12	2.2E-11	1.E-07	4.E-07	0.000001
	Total DDT	5.6E+01	ug/kg	3.4E-01	3.4E-01	6.1E-11	6.2E-10	2.E-11	2.E-10	2.E-10	5.0E-04	5.0E-04	4.3E-10	4.3E-09	9.E-07	9.E-06	0.00001
Exposure Point Total										**2.E-07**							**0.1**
RM 4 East	**Metals**																
	Arsenic	5.6E+00	mg/kg	1.5E+00	1.5E+00	6.2E-09	6.3E-08	9.E-09	9.E-08	1.E-07	3.0E-04	3.0E-04	4.4E-08	4.4E-07	1.E-04	1.E-03	0.002
	Mercury	9.6E-02	mg/kg	--	--	0.0E+00	1.1E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.5E-09	0.E+00	8.E-05	0.00008
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.7E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	3.6E+01	ug/kg	--	--	1.3E-10	4.1E-10	--	--	--	3.0E-04	3.0E-04	9.4E-10	2.9E-09	3.E-06	1.E-05	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E+03	ug/kg	7.3E-01	7.3E-01	7.5E-09	1.7E-08	5.E-09	1.E-08	2.E-08	--	--	5.2E-08	1.2E-07	--	--	--
	Benzo(a)pyrene	2.2E+03	ug/kg	7.3E+00	7.3E+00	1.1E-08	2.5E-08	8.E-08	2.E-07	3.E-07	--	--	7.5E-08	1.7E-07	--	--	--
	Benzo(b)fluoranthene	2.3E+03	ug/kg	7.3E-01	7.3E-01	1.1E-08	2.5E-08	8.E-09	2.E-08	3.E-08	--	--	7.6E-08	1.8E-07	--	--	--
	Benzo(k)fluoranthene	1.8E+03	ug/kg	7.3E-02	7.3E-02	8.8E-09	2.0E-08	6.E-10	1.E-09	2.E-09	--	--	6.1E-08	1.4E-07	--	--	--
	Dibenzo(a,h)anthracene	3.7E+02	ug/kg	7.3E+00	7.3E+00	1.8E-09	4.1E-09	1.E-08	3.E-08	4.E-08	--	--	1.2E-08	2.9E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.7E+03	ug/kg	7.3E-01	7.3E-01	8.0E-09	1.9E-08	6.E-09	1.E-08	2.E-08	--	--	5.6E-08	1.3E-07	--	--	--
	Naphthalene	7.4E+01	ug/kg	--	--	3.5E-10	8.3E-10	--	--	--	2.0E-02	2.0E-02	2.5E-09	5.8E-09	1.E-07	3.E-07	0.0000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.3E+03	ug/kg	1.4E-02	1.4E-02	1.2E-08	3.7E-08	2.E-10	5.E-10	7.E-10	2.0E-02	2.0E-02	8.4E-08	2.6E-07	4.E-06	1.E-05	0.00002
	Phenols																
	Pentachlorophenol	4.3E+03	ug/kg	4.0E-01	4.0E-01	4.0E-08	4.8E-08	2.E-08	2.E-08	4.E-08	5.0E-03	5.0E-03	2.8E-07	3.4E-07	6.E-05	7.E-05	0.0001
	Polychlorinated Biphenyls																
	Total Aroclors	3.6E+02	ug/kg	2.0E+00	2.0E+00	1.9E-09	4.0E-09	4.E-09	8.E-09	1.E-08	2.0E-05	2.0E-05	1.3E-08	2.8E-08	7.E-04	1.E-03	0.002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.9E+00	pg/g	1.3E+05	1.3E+05	7.7E-15	7.8E-14	1.E-09	1.E-08	1.E-08	1.0E-09	1.0E-09	5.4E-14	5.4E-13	5.E-05	5.E-04	0.0006
	Total PCB TEQ	3.4E+00	pg/g	1.3E+05	1.3E+05	1.7E-14	3.8E-14	2.E-09	5.E-09	7.E-09	1.0E-09	1.0E-09	1.2E-13	2.6E-13	1.E-04	3.E-04	0.0004
	Pesticides																
	Aldrin	7.9E-01	ug/kg	1.7E+01	1.7E+01	2.9E-12	8.8E-12	5.E-11	1.E-10	2.E-10	3.0E-05	3.0E-05	2.0E-11	6.1E-11	7.E-07	2.E-06	0.000003
	Dieldrin	1.6E-01	ug/kg	1.6E+01	1.6E+01	5.8E-13	1.7E-12	9.E-12	3.E-11	4.E-11	5.0E-05	5.0E-05	4.0E-12	1.2E-11	8.E-08	2.E-07	0.0000003
	Total DDT	1.2E+01	ug/kg	3.4E-01	3.4E-01	1.3E-11	1.3E-10	4.E-12	5.E-11	5.E-11	5.0E-04	5.0E-04	9.2E-11	9.3E-10	2.E-07	2.E-06	0.000002
Exposure Point Total										5.E-07							0.1
RM 4.5 West	**Metals**																
	Arsenic	4.9E+00	mg/kg	1.5E+00	1.5E+00	5.4E-09	5.5E-08	8.E-09	8.E-08	9.E-08	3.0E-04	3.0E-04	3.8E-08	3.8E-07	1.E-04	1.E-03	0.001
	Mercury	1.7E-01	mg/kg	--	--	0.0E+00	1.9E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-08	0.E+00	1.E-04	0.0001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.6E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	1.4E+01	ug/kg	--	--	5.2E-11	1.6E-10	--	--	--	3.0E-04	3.0E-04	3.6E-10	1.1E-09	1.E-06	4.E-06	0.000005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E+03	ug/kg	7.3E-01	7.3E-01	7.5E-09	1.7E-08	5.E-09	1.E-08	2.E-08	--	--	5.2E-08	1.2E-07	--	--	--
	Benzo(a)pyrene	2.2E+03	ug/kg	7.3E+00	7.3E+00	1.0E-08	2.4E-08	8.E-08	2.E-07	3.E-07	--	--	7.2E-08	1.7E-07	--	--	--
	Benzo(b)fluoranthene	1.5E+03	ug/kg	7.3E-01	7.3E-01	7.2E-09	1.7E-08	5.E-09	1.E-08	2.E-08	--	--	5.0E-08	1.2E-07	--	--	--
	Benzo(k)fluoranthene	6.2E+02	ug/kg	7.3E-02	7.3E-02	3.0E-09	7.0E-09	2.E-10	5.E-10	7.E-10	--	--	2.1E-08	4.9E-08	--	--	--
	Dibenzo(a,h)anthracene	2.3E+02	ug/kg	7.3E+00	7.3E+00	1.1E-09	2.6E-09	8.E-09	2.E-08	3.E-08	--	--	7.8E-09	1.8E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.7E+03	ug/kg	7.3E-01	7.3E-01	8.0E-09	1.9E-08	6.E-09	1.E-08	2.E-08	--	--	5.6E-08	1.3E-07	--	--	--
	Naphthalene	3.9E+02	ug/kg	--	--	1.9E-09	4.4E-09	--	--	--	2.0E-02	2.0E-02	1.3E-08	3.1E-08	7.E-07	2.E-06	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.0E+01	ug/kg	1.4E-02	1.4E-02	2.6E-10	7.8E-10	4.E-12	1.E-11	1.E-11	2.0E-02	2.0E-02	1.8E-09	5.5E-09	9.E-08	3.E-07	0.0000004
	Phenols																
	Pentachlorophenol	2.3E+00	ug/kg	4.0E-01	4.0E-01	2.1E-11	2.5E-11	8.E-12	1.E-11	2.E-11	5.0E-03	5.0E-03	1.5E-10	1.8E-10	3.E-08	4.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.8E+01	ug/kg	2.0E+00	2.0E+00	2.0E-10	4.3E-10	4.E-10	9.E-10	1.E-09	2.0E-05	2.0E-05	1.4E-09	3.0E-09	7.E-05	2.E-04	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.8E+00	pg/g	1.3E+05	1.3E+05	7.5E-15	7.6E-14	1.E-09	1.E-08	1.E-08	1.0E-09	1.0E-09	5.3E-14	5.3E-13	5.E-05	5.E-04	0.0006
	Total PCB TEQ	2.5E+00	pg/g	1.3E+05	1.3E+05	1.3E-14	2.8E-14	2.E-09	4.E-09	5.E-09	1.0E-09	1.0E-09	9.0E-14	2.0E-13	9.E-05	2.E-04	0.0003
	Pesticides																
	Aldrin	1.2E+00	ug/kg	1.7E+01	1.7E+01	4.4E-12	1.3E-11	8.E-11	2.E-10	3.E-10	3.0E-05	3.0E-05	3.1E-11	9.4E-11	1.E-06	3.E-06	0.000004
	Dieldrin	1.8E-01	ug/kg	1.6E+01	1.6E+01	6.8E-13	2.1E-12	1.E-11	3.E-11	4.E-11	5.0E-05	5.0E-05	4.8E-12	1.4E-11	1.E-07	3.E-07	0.0000004
	Total DDT	2.7E+01	ug/kg	3.4E-01	3.4E-01	3.0E-11	3.1E-10	1.E-11	1.E-10	1.E-10	5.0E-04	5.0E-04	2.1E-10	2.1E-09	4.E-07	4.E-06	0.000005
Exposure Point Total										4.E-07							0.1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 4.5 East	**Metals**																
	Arsenic	4.9E+00	mg/kg	1.5E+00	1.5E+00	5.4E-09	5.5E-08	8.E-09	8.E-08	9.E-08	3.0E-04	3.0E-04	3.8E-08	3.9E-07	1.E-04	1.E-03	0.001
	Mercury	7.3E-02	mg/kg	--	--	0.0E+00	8.2E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.7E-09	0.E+00	6.E-05	0.00006
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.5E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	7.2E+01	ug/kg	--	--	2.7E-10	8.1E-10	--	--	--	3.0E-04	3.0E-04	1.9E-09	5.6E-09	6.E-06	2.E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.0E+04	ug/kg	7.3E-01	7.3E-01	9.5E-08	2.2E-07	7.E-08	2.E-07	2.E-07	--	--	6.7E-07	1.6E-06	--	--	--
	Benzo(a)pyrene	8.7E+03	ug/kg	7.3E+00	7.3E+00	4.2E-08	9.7E-08	3.E-07	7.E-07	1.E-06	--	--	2.9E-07	6.8E-07	--	--	--
	Benzo(b)fluoranthene	7.5E+03	ug/kg	7.3E-01	7.3E-01	3.6E-08	8.4E-08	3.E-08	6.E-08	9.E-08	--	--	2.5E-07	5.9E-07	--	--	--
	Benzo(k)fluoranthene	6.9E+03	ug/kg	7.3E-02	7.3E-02	3.3E-08	7.7E-08	2.E-09	6.E-09	8.E-09	--	--	2.3E-07	5.4E-07	--	--	--
	Dibenzo(a,h)anthracene	1.4E+03	ug/kg	7.3E+00	7.3E+00	6.9E-09	1.6E-08	5.E-08	1.E-07	2.E-07	--	--	4.8E-08	1.1E-07	--	--	--
	Indeno(1,2,3-cd)pyrene	6.1E+03	ug/kg	7.3E-01	7.3E-01	2.9E-08	6.8E-08	2.E-08	5.E-08	7.E-08	--	--	2.0E-07	4.7E-07	--	--	--
	Naphthalene	4.4E+02	ug/kg	--	--	2.1E-09	4.9E-09	--	--	--	2.0E-02	2.0E-02	1.5E-08	3.4E-08	7.E-07	2.E-06	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.2E+02	ug/kg	1.4E-02	1.4E-02	4.6E-10	1.4E-09	6.E-12	2.E-11	3.E-11	2.0E-02	2.0E-02	3.2E-09	9.7E-09	2.E-07	5.E-07	0.000001
	Phenols																
	Pentachlorophenol	3.2E+00	ug/kg	4.0E-01	4.0E-01	3.0E-11	3.6E-11	1.E-11	1.E-11	3.E-11	5.0E-03	5.0E-03	2.1E-10	2.5E-10	4.E-08	5.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	4.4E+01	ug/kg	2.0E+00	2.0E+00	2.3E-10	4.9E-10	5.E-10	1.E-09	1.E-09	2.0E-05	2.0E-05	1.6E-09	3.5E-09	8.E-05	2.E-04	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.8E-01	pg/g	1.3E+05	1.3E+05	3.1E-16	3.1E-15	4.E-11	4.E-10	4.E-10	1.0E-09	1.0E-09	2.1E-15	2.2E-14	2.E-06	2.E-05	0.00002
	Total PCB TEQ	3.4E-01	pg/g	1.3E+05	1.3E+05	1.7E-15	3.8E-15	2.E-10	5.E-10	7.E-10	1.0E-09	1.0E-09	1.2E-14	2.6E-14	1.E-05	3.E-05	0.00004
	Pesticides																
	Aldrin	1.5E-01	ug/kg	1.7E+01	1.7E+01	5.6E-13	1.7E-12	1.E-11	3.E-11	4.E-11	3.0E-05	3.0E-05	3.9E-12	1.2E-11	1.E-07	4.E-07	0.000001
	Dieldrin	8.4E-02	ug/kg	1.6E+01	1.6E+01	3.1E-13	9.3E-13	5.E-12	1.E-11	2.E-11	5.0E-05	5.0E-05	2.2E-12	6.5E-12	4.E-08	1.E-07	0.000002
	Total DDT	8.7E+00	ug/kg	3.4E-01	3.4E-01	9.6E-12	9.7E-11	3.E-12	3.E-11	4.E-11	5.0E-04	5.0E-04	6.7E-11	6.8E-10	1.E-07	1.E-06	0.000001
Exposure Point Total										2.E-06							0.1
RM 5 West	**Metals**																
	Arsenic	3.8E+00	mg/kg	1.5E+00	1.5E+00	4.2E-09	4.2E-08	6.E-09	6.E-08	7.E-08	3.0E-04	3.0E-04	2.9E-08	3.0E-07	1.E-04	1.E-03	0.001
	Mercury	6.0E-02	mg/kg	--	--	0.0E+00	6.8E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.7E-09	0.E+00	5.E-05	0.00005
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.1E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.0E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	2.1E+01	ug/kg	--	--	7.7E-11	2.3E-10	--	--	--	3.0E-04	3.0E-04	5.4E-10	1.6E-09	2.E-06	5.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.4E+03	ug/kg	7.3E-01	7.3E-01	1.6E-08	3.8E-08	1.E-08	3.E-08	4.E-08	--	--	1.2E-07	2.7E-07	--	--	--
	Benzo(a)pyrene	4.5E+03	ug/kg	7.3E+00	7.3E+00	2.2E-08	5.0E-08	2.E-07	4.E-07	5.E-07	--	--	1.5E-07	3.5E-07	--	--	--
	Benzo(b)fluoranthene	3.0E+03	ug/kg	7.3E-01	7.3E-01	1.4E-08	3.3E-08	1.E-08	2.E-08	3.E-08	--	--	1.0E-07	2.3E-07	--	--	--
	Benzo(k)fluoranthene	5.7E+02	ug/kg	7.3E-02	7.3E-02	2.7E-09	6.4E-09	2.E-10	5.E-10	7.E-10	--	--	1.9E-08	4.5E-08	--	--	--
	Dibenzo(a,h)anthracene	2.3E+02	ug/kg	7.3E+00	7.3E+00	1.1E-09	2.6E-09	8.E-09	2.E-08	3.E-08	--	--	7.7E-09	1.8E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.3E+03	ug/kg	7.3E-01	7.3E-01	1.6E-08	3.7E-08	1.E-08	3.E-08	4.E-08	--	--	1.1E-07	2.6E-07	--	--	--
	Naphthalene	4.2E+02	ug/kg	--	--	2.0E-09	4.7E-09	--	--	--	2.0E-02	2.0E-02	1.4E-08	3.3E-08	7.E-07	2.E-06	0.000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.

Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.1E+01	ug/kg	1.4E-02	1.4E-02	3.4E-10	1.0E-09	5.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	2.3E-09	7.1E-09	1.E-07	4.E-07	0.0000005
	Phenols																
	Pentachlorophenol	1.8E+01	ug/kg	4.0E-01	4.0E-01	1.7E-10	2.0E-10	7.E-11	8.E-11	1.E-10	5.0E-03	5.0E-03	1.2E-09	1.4E-09	2.E-07	3.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+01	ug/kg	2.0E+00	2.0E+00	1.3E-10	2.8E-10	3.E-10	6.E-10	8.E-10	2.0E-05	2.0E-05	9.1E-10	2.0E-09	5.E-05	1.E-04	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.4E+00	pg/g	1.3E+05	1.3E+05	6.0E-15	6.1E-14	8.E-10	8.E-09	9.E-09	1.0E-09	1.0E-09	4.2E-14	4.2E-13	4.E-05	4.E-04	0.0005
	Total PCB TEQ	2.1E+00	pg/g	1.3E+05	1.3E+05	1.1E-14	2.3E-14	1.E-09	3.E-09	4.E-09	1.0E-09	1.0E-09	7.5E-14	1.6E-13	8.E-05	2.E-04	0.0002
	Pesticides																
	Aldrin	1.9E+00	ug/kg	1.7E+01	1.7E+01	7.0E-12	2.1E-11	1.E-10	4.E-10	5.E-10	3.0E-05	3.0E-05	4.9E-11	1.5E-10	2.E-06	5.E-06	0.00001
	Dieldrin	7.8E-01	ug/kg	1.6E+01	1.6E+01	2.9E-12	8.7E-12	5.E-11	1.E-10	2.E-10	5.0E-05	5.0E-05	2.0E-11	6.1E-11	4.E-07	1.E-06	0.000002
	Total DDT	8.2E+01	ug/kg	3.4E-01	3.4E-01	9.1E-11	9.2E-10	3.E-11	3.E-10	3.E-10	5.0E-04	5.0E-04	6.3E-10	6.4E-09	1.E-06	1.E-05	0.00001
Exposure Point Total										7.E-07							0.1
RM 5 East	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	4.1E-09	4.1E-08	6.6E-09	6.6E-08	7.E-08	3.0E-04	3.0E-04	2.8E-08	2.9E-07	9.E-05	1.E-03	0.001
	Mercury	8.6E-02	mg/kg	--	--	0.0E+00	9.6E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.7E-09	0.E+00	7.E-05	0.00007
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.5E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	1.2E+02	ug/kg	--	--	4.4E-10	1.3E-09	--	--	--	3.0E-04	3.0E-04	3.1E-09	9.4E-09	1.E-05	3.E-05	0.00004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.3E+02	ug/kg	7.3E-01	7.3E-01	1.6E-09	3.7E-09	1.E-09	3.E-09	4.E-09	--	--	1.1E-08	2.6E-08	--	--	--
	Benzo(a)pyrene	4.7E+02	ug/kg	7.3E+00	7.3E+00	2.3E-09	5.3E-09	2.E-08	4.E-08	6.E-08	--	--	1.6E-08	3.7E-08	--	--	--
	Benzo(b)fluoranthene	6.7E+02	ug/kg	7.3E-01	7.3E-01	3.2E-09	7.5E-09	2.E-09	5.E-09	8.E-09	--	--	2.2E-08	5.2E-08	--	--	--
	Benzo(k)fluoranthene	3.0E+02	ug/kg	7.3E-02	7.3E-02	1.5E-09	3.4E-09	1.E-10	2.E-10	4.E-10	--	--	1.0E-08	2.4E-08	--	--	--
	Dibenzo(a,h)anthracene	9.1E+01	ug/kg	7.3E+00	7.3E+00	4.4E-10	1.0E-09	3.E-09	7.E-09	1.E-08	--	--	3.1E-09	7.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.8E+02	ug/kg	7.3E-01	7.3E-01	2.3E-09	5.4E-09	2.E-09	4.E-09	6.E-09	--	--	1.6E-08	3.8E-08	--	--	--
	Naphthalene	1.3E+02	ug/kg	--	--	6.4E-10	1.5E-09	--	--	--	2.0E-02	2.0E-02	4.5E-09	1.1E-08	2.E-07	5.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+02	ug/kg	1.4E-02	1.4E-02	4.8E-10	1.5E-09	7.E-12	2.E-11	3.E-11	2.0E-02	2.0E-02	3.4E-09	1.0E-08	2.E-07	5.E-07	0.000001
	Phenols																
	Pentachlorophenol	1.3E+01	ug/kg	4.0E-01	4.0E-01	1.2E-10	1.5E-10	5.E-11	6.E-11	1.E-10	5.0E-03	5.0E-03	8.7E-10	1.1E-09	2.E-07	2.E-07	0.0000004
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+01	ug/kg	2.0E+00	2.0E+00	1.3E-10	2.8E-10	3.E-10	6.E-10	8.E-10	2.0E-05	2.0E-05	9.2E-10	2.0E-09	5.E-05	1.E-04	0.0001
	Pesticides																
	Aldrin	8.0E-01	ug/kg	1.7E+01	1.7E+01	2.9E-12	8.9E-12	5.E-11	2.E-10	2.E-10	3.0E-05	3.0E-05	2.1E-11	6.3E-11	7.E-07	2.E-06	0.000003
	Dieldrin	7.9E-01	ug/kg	1.6E+01	1.6E+01	2.9E-12	8.8E-12	5.E-11	1.E-10	2.E-10	5.0E-05	5.0E-05	2.0E-11	6.2E-11	4.E-07	1.E-06	0.000002
	Total DDT	1.9E+00	ug/kg	3.4E-01	3.4E-01	2.1E-12	2.1E-11	7.E-13	7.E-12	8.E-12	5.0E-04	5.0E-04	1.5E-11	1.5E-10	3.E-08	3.E-07	0.0000003
Exposure Point Total										2.E-07							0.1
RM 5.5 West	**Metals**																
	Arsenic	6.1E+00	mg/kg	1.5E+00	1.5E+00	6.7E-09	6.8E-08	1.E-08	1.E-07	1.E-07	3.0E-04	3.0E-04	4.7E-08	4.8E-07	2.E-04	2.E-03	0.002
	Mercury	8.0E-02	mg/kg	--	--	0.0E+00	9.0E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.3E-09	0.E+00	6.E-05	0.00006
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.2E-06	0.E+00	1.E-01	0.1

Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg-day)^{-1}$	Oral Cancer Slope Factor $(mg/kg-day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	4.3E+01	ug/kg	--	--	1.6E-10	4.9E-10	--	--	--	3.0E-04	3.0E-04	1.1E-09	3.4E-09	4.E-06	1.E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.0E+03	ug/kg	7.3E-01	7.3E-01	1.5E-08	3.4E-08	1.E-08	2.E-08	4.E-08	--	--	1.0E-07	2.4E-07	--	--	--
	Benzo(a)pyrene	4.3E+03	ug/kg	7.3E+00	7.3E+00	2.1E-08	4.9E-08	2.E-07	4.E-07	5.E-07	--	--	1.5E-07	3.4E-07	--	--	--
	Benzo(b)fluoranthene	3.1E+03	ug/kg	7.3E-01	7.3E-01	1.5E-08	3.5E-08	1.E-08	3.E-08	4.E-08	--	--	1.0E-07	2.4E-07	--	--	--
	Benzo(k)fluoranthene	2.0E+03	ug/kg	7.3E-02	7.3E-02	9.8E-09	2.3E-08	7.E-10	2.E-09	2.E-09	--	--	6.8E-08	1.6E-07	--	--	--
	Dibenzo(a,h)anthracene	3.5E+02	ug/kg	7.3E+00	7.3E+00	1.7E-09	3.9E-09	1.E-08	3.E-08	4.E-08	--	--	1.2E-08	2.8E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.5E+03	ug/kg	7.3E-01	7.3E-01	1.7E-08	3.9E-08	1.E-08	3.E-08	4.E-08	--	--	1.2E-07	2.7E-07	--	--	--
	Naphthalene	3.3E+02	ug/kg	--	--	1.6E-09	3.7E-09	--	--	--	2.0E-02	2.0E-02	1.1E-08	2.6E-08	6.E-07	1.E-06	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+01	ug/kg	1.4E-02	1.4E-02	6.6E-11	2.0E-10	9.E-13	3.E-12	4.E-12	2.0E-02	2.0E-02	4.7E-10	1.4E-09	2.E-08	7.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.8E+01	ug/kg	4.0E-01	4.0E-01	1.7E-10	2.0E-10	7.E-11	8.E-11	1.E-10	5.0E-03	5.0E-03	1.2E-09	1.4E-09	2.E-07	3.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	5.1E+01	ug/kg	2.0E+00	2.0E+00	2.7E-10	5.7E-10	5.E-10	1.E-09	2.E-09	2.0E-05	2.0E-05	1.9E-09	4.0E-09	9.E-05	2.E-04	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.3E+00	pg/g	1.3E+05	1.3E+05	2.6E-15	2.6E-14	3.E-10	3.E-09	4.E-09	1.0E-09	1.0E-09	1.8E-14	1.8E-13	2.E-05	2.E-04	0.0002
	Total PCB TEQ	1.1E+00	pg/g	1.3E+05	1.3E+05	5.6E-15	1.2E-14	7.E-10	2.E-09	2.E-09	1.0E-09	1.0E-09	3.9E-14	8.5E-14	4.E-05	9.E-05	0.0001
	Pesticides																
	Aldrin	6.7E-01	ug/kg	1.7E+01	1.7E+01	2.5E-12	7.5E-12	4.E-11	1.E-10	2.E-10	3.0E-05	3.0E-05	1.7E-11	5.3E-11	6.E-07	2.E-06	0.000002
	Dieldrin	4.1E-01	ug/kg	1.6E+01	1.6E+01	1.5E-12	4.6E-12	2.E-11	7.E-11	1.E-10	5.0E-05	5.0E-05	1.1E-11	3.2E-11	2.E-07	6.E-07	0.000001
	Total DDT	6.2E+01	ug/kg	3.4E-01	3.4E-01	6.8E-11	6.9E-10	2.E-11	2.E-10	3.E-10	5.0E-04	5.0E-04	4.8E-10	4.8E-09	1.E-06	1.E-05	0.00001
Exposure Point Total										8.E-07							0.1
RM 5.5 East	**Metals**																
	Arsenic	8.9E+00	mg/kg	1.5E+00	1.5E+00	9.8E-09	9.9E-08	1.E-08	1.E-07	2.E-07	3.0E-04	3.0E-04	6.9E-08	6.9E-07	2.E-04	2.E-03	0.003
	Mercury	6.7E-01	mg/kg	--	--	0.0E+00	7.5E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.2E-08	0.E+00	5.E-04	0.0005
	Vanadium	9.1E+01	mg/kg	--	--	0.0E+00	1.0E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	7.1E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	3.2E+02	ug/kg	--	--	1.2E-09	3.6E-09	--	--	--	3.0E-04	3.0E-04	8.3E-09	2.5E-08	3.E-05	8.E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.7E+02	ug/kg	7.3E-01	7.3E-01	2.8E-09	6.4E-09	2.E-09	5.E-09	7.E-09	--	--	1.9E-08	4.5E-08	--	--	--
	Benzo(a)pyrene	7.0E+02	ug/kg	7.3E+00	7.3E+00	3.4E-09	7.8E-09	2.E-08	6.E-08	8.E-08	--	--	2.3E-08	5.5E-08	--	--	--
	Benzo(b)fluoranthene	8.4E+02	ug/kg	7.3E-01	7.3E-01	4.0E-09	9.4E-09	3.E-09	7.E-09	1.E-08	--	--	2.8E-08	6.6E-08	--	--	--
	Benzo(k)fluoranthene	4.4E+02	ug/kg	7.3E-02	7.3E-02	2.1E-09	4.9E-09	2.E-10	4.E-10	5.E-10	--	--	1.5E-08	3.5E-08	--	--	--
	Dibenzo(a,h)anthracene	1.4E+02	ug/kg	7.3E+00	7.3E+00	6.7E-10	1.6E-09	5.E-09	1.E-08	2.E-08	--	--	4.7E-09	1.1E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	5.3E+02	ug/kg	7.3E-01	7.3E-01	2.5E-09	5.9E-09	2.E-09	4.E-09	6.E-09	--	--	1.8E-08	4.1E-08	--	--	--
	Naphthalene	3.5E+02	ug/kg	--	--	1.7E-09	3.9E-09	--	--	--	2.0E-02	2.0E-02	1.2E-08	2.7E-08	6.E-07	1.E-06	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.3E+02	ug/kg	1.4E-02	1.4E-02	1.2E-09	3.7E-09	2.E-11	5.E-11	7.E-11	2.0E-02	2.0E-02	8.5E-09	2.6E-08	4.E-07	1.E-06	0.000002
	Phenols																
	Pentachlorophenol	1.8E+01	ug/kg	4.0E-01	4.0E-01	1.6E-10	2.0E-10	6.E-11	8.E-11	1.E-10	5.0E-03	5.0E-03	1.1E-09	1.4E-09	2.E-07	3.E-07	0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+02	ug/kg	2.0E+00	2.0E+00	9.3E-10	2.0E-09	2.E-09	4.E-09	6.E-09	2.0E-05	2.0E-05	6.5E-09	1.4E-08	3.E-04	7.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.9E+00	pg/g	1.3E+05	1.3E+05	9.8E-15	9.9E-14	1.E-09	1.E-08	1.E-08	1.0E-09	1.0E-09	6.9E-14	6.9E-13	7.E-05	7.E-04	0.0008
	Total PCB TEQ	5.8E+00	pg/g	1.3E+05	1.3E+05	3.0E-14	6.5E-14	4.E-09	8.E-09	1.E-08	1.0E-09	1.0E-09	2.1E-13	4.6E-13	2.E-04	5.E-04	0.0007
	Pesticides																
	Aldrin	4.0E-01	ug/kg	1.7E+01	1.7E+01	1.5E-12	4.5E-12	3.E-11	8.E-11	1.E-10	3.0E-05	3.0E-05	1.0E-11	3.1E-11	3.E-07	1.E-06	0.000001
	Dieldrin	6.0E-01	ug/kg	1.6E+01	1.6E+01	2.2E-12	6.7E-12	4.E-11	1.E-10	1.E-10	5.0E-05	5.0E-05	1.5E-11	4.7E-11	3.E-07	9.E-07	0.000001
	Total DDT	2.0E+01	ug/kg	3.4E-01	3.4E-01	2.2E-11	2.2E-10	7.E-12	7.E-11	8.E-11	5.0E-04	5.0E-04	1.5E-10	1.5E-09	3.E-07	3.E-06	0.000003
Exposure Point Total										**3.E-07**							**0.1**
RM 6 West	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	4.5E-09	4.6E-08	7.E-09	7.E-08	8.E-08	3.0E-04	3.0E-04	3.2E-08	3.2E-07	1.E-04	1.E-03	0.001
	Mercury	1.4E-01	mg/kg	--	--	0.0E+00	1.5E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-08	0.E+00	1.E-04	0.0001
	Vanadium	1.3E+02	mg/kg	--	--	0.0E+00	1.4E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	9.9E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	2.0E+01	ug/kg	--	--	7.3E-11	2.2E-10	--	--	--	3.0E-04	3.0E-04	5.1E-10	1.5E-09	2.E-06	5.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.8E+04	ug/kg	7.3E-01	7.3E-01	2.3E-07	5.3E-07	2.E-07	4.E-07	6.E-07	--	--	1.6E-06	3.7E-06	--	--	--
	Benzo(a)pyrene	5.8E+04	ug/kg	7.3E+00	7.3E+00	2.8E-07	6.4E-07	2.E-06	5.E-06	7.E-06	--	--	1.9E-06	4.5E-06	--	--	--
	Benzo(b)fluoranthene	4.3E+04	ug/kg	7.3E-01	7.3E-01	2.0E-07	4.8E-07	1.E-07	3.E-07	5.E-07	--	--	1.4E-06	3.3E-06	--	--	--
	Benzo(k)fluoranthene	2.7E+04	ug/kg	7.3E-02	7.3E-02	1.3E-07	3.0E-07	9.E-09	2.E-08	3.E-08	--	--	9.0E-07	2.1E-06	--	--	--
	Dibenzo(a,h)anthracene	5.4E+03	ug/kg	7.3E+00	7.3E+00	2.6E-08	6.0E-08	2.E-07	4.E-07	6.E-07	--	--	1.8E-07	4.2E-07	--	--	--
	Indeno(1,2,3-cd)pyrene	4.0E+04	ug/kg	7.3E-01	7.3E-01	1.9E-07	4.5E-07	1.E-07	3.E-07	5.E-07	--	--	1.3E-06	3.1E-06	--	--	--
	Naphthalene	4.4E+04	ug/kg	--	--	2.1E-07	5.0E-07	--	--	--	2.0E-02	2.0E-02	1.5E-06	3.5E-06	7.E-05	2.E-04	0.0002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.8E+02	ug/kg	1.4E-02	1.4E-02	1.4E-09	4.2E-09	2.E-11	6.E-11	8.E-11	2.0E-02	2.0E-02	9.7E-09	2.9E-08	5.E-07	1.E-06	0.000002
	Phenols																
	Pentachlorophenol	3.5E+01	ug/kg	4.0E-01	4.0E-01	3.2E-10	3.9E-10	1.E-10	2.E-10	3.E-10	5.0E-03	5.0E-03	2.2E-09	2.7E-09	4.E-07	5.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	6.1E+01	ug/kg	2.0E+00	2.0E+00	3.2E-10	6.8E-10	6.E-10	1.E-09	2.E-09	2.0E-05	2.0E-05	2.2E-09	4.8E-09	1.E-04	2.E-04	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	1.3E+05	1.3E+05	1.7E-15	1.7E-14	2.E-10	2.E-09	2.E-09	1.0E-09	1.0E-09	1.2E-14	1.2E-13	1.E-05	1.E-04	0.0001
	Total PCB TEQ	2.8E+00	pg/g	1.3E+05	1.3E+05	1.5E-14	3.2E-14	2.E-09	4.E-09	6.E-09	1.0E-09	1.0E-09	1.0E-13	2.2E-13	1.E-04	2.E-04	0.0003
	Pesticides																
	Aldrin	2.3E+00	ug/kg	1.7E+01	1.7E+01	8.6E-12	2.6E-11	1.E-10	4.E-10	6.E-10	3.0E-05	3.0E-05	6.0E-11	1.8E-10	2.E-06	6.E-06	0.00001
	Dieldrin	1.8E+00	ug/kg	1.6E+01	1.6E+01	6.8E-12	2.0E-11	1.E-10	3.E-10	4.E-10	5.0E-05	5.0E-05	4.7E-11	1.4E-10	9.E-07	3.E-06	0.000004
	Total DDT	8.1E+01	ug/kg	3.4E-01	3.4E-01	9.0E-11	9.1E-10	3.E-11	3.E-10	3.E-10	5.0E-04	5.0E-04	6.3E-10	6.4E-09	1.E-06	1.E-05	0.00001
Exposure Point Total										**9.E-06**							**0.1**
RM 6 East	**Metals**																
	Arsenic	4.4E+00	mg/kg	1.5E+00	1.5E+00	4.8E-09	4.9E-08	7.E-09	7.E-08	8.E-08	3.0E-04	3.0E-04	3.4E-08	3.4E-07	1.E-04	1.E-03	0.001
	Mercury	4.0E-01	mg/kg	--	--	0.0E+00	4.5E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.1E-08	0.E+00	3.E-04	0.0003
	Vanadium	9.8E+01	mg/kg	--	--	0.0E+00	1.1E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	7.6E-06	0.E+00	1.E-01	0.1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	3.5E+02	ug/kg	--	--	1.3E-09	3.9E-09	--	--	--	3.0E-04	3.0E-04	9.0E-09	2.7E-08	3.E-05	9.E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.3E+03	ug/kg	7.3E-01	7.3E-01	6.4E-09	1.5E-08	5.E-09	1.E-08	2.E-08	--	--	4.5E-08	1.1E-07	--	--	--
	Benzo(a)pyrene	1.9E+03	ug/kg	7.3E+00	7.3E+00	9.3E-09	2.2E-08	7.E-08	2.E-07	2.E-07	--	--	6.5E-08	1.5E-07	--	--	--
	Benzo(b)fluoranthene	3.3E+03	ug/kg	7.3E-01	7.3E-01	1.6E-08	3.6E-08	1.E-08	3.E-08	4.E-08	--	--	1.1E-07	2.5E-07	--	--	--
	Benzo(k)fluoranthene	2.5E+03	ug/kg	7.3E-02	7.3E-02	1.2E-08	2.8E-08	9.E-10	2.E-09	3.E-09	--	--	8.5E-08	2.0E-07	--	--	--
	Dibenzo(a,h)anthracene	2.7E+02	ug/kg	7.3E+00	7.3E+00	1.3E-09	3.0E-09	9.E-09	2.E-08	3.E-08	--	--	9.1E-09	2.1E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+03	ug/kg	7.3E-01	7.3E-01	5.4E-09	1.3E-08	4.E-09	9.E-09	1.E-08	--	--	3.8E-08	8.8E-08	--	--	--
	Naphthalene	8.4E+02	ug/kg	--	--	4.0E-09	9.4E-09	--	--	--	2.0E-02	2.0E-02	2.8E-08	6.6E-08	1.E-06	3.E-06	0.000005
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.4E+02	ug/kg	1.4E-02	1.4E-02	5.2E-10	1.6E-09	7.E-12	2.E-11	3.E-11	2.0E-02	2.0E-02	3.6E-09	1.1E-08	2.E-07	5.E-07	0.000001
	Phenols																
	Pentachlorophenol	4.4E+01	ug/kg	4.0E-01	4.0E-01	4.1E-10	4.9E-10	2.E-10	2.E-10	4.E-10	5.0E-03	5.0E-03	2.8E-09	3.4E-09	6.E-07	7.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+02	ug/kg	2.0E+00	2.0E+00	9.1E-10	2.0E-09	2.E-09	4.E-09	6.E-09	2.0E-05	2.0E-05	6.3E-09	1.4E-08	3.E-04	7.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.1E+00	pg/g	1.3E+05	1.3E+05	4.6E-15	4.6E-14	6.E-10	6.E-09	7.E-09	1.0E-09	1.0E-09	3.2E-14	3.2E-13	3.E-05	3.E-04	0.0004
	Total PCB TEQ	3.4E+00	pg/g	1.3E+05	1.3E+05	1.8E-14	3.8E-14	2.E-09	5.E-09	7.E-09	1.0E-09	1.0E-09	1.2E-13	2.7E-13	1.E-04	3.E-04	0.0004
	Pesticides																
	Aldrin	6.4E-01	ug/kg	1.7E+01	1.7E+01	2.4E-12	7.1E-12	4.E-11	1.E-10	2.E-10	3.0E-05	3.0E-05	1.6E-11	5.0E-11	5.E-07	2.E-06	0.000002
	Dieldrin	1.0E-01	ug/kg	1.6E+01	1.6E+01	3.7E-13	1.1E-12	6.E-12	2.E-11	2.E-11	5.0E-05	5.0E-05	2.6E-12	7.8E-12	5.E-08	2.E-07	0.0000002
	Total DDT	4.2E+00	ug/kg	3.4E-01	3.4E-01	4.7E-12	4.8E-11	2.E-12	2.E-11	2.E-11	5.0E-04	5.0E-04	3.3E-11	3.3E-10	7.E-08	7.E-07	0.000001
Exposure Point Total										4.E-07							0.1
RM 6.5 West	**Metals**																
	Arsenic	1.4E+01	mg/kg	1.5E+00	1.5E+00	1.6E-08	1.6E-07	2.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.1E-07	1.1E-06	4.E-04	4.E-03	0.004
	Mercury	2.0E-01	mg/kg	--	--	0.0E+00	2.3E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.6E-08	0.E+00	2.E-04	0.0002
	Vanadium	1.4E+02	mg/kg	--	--	0.0E+00	1.6E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	4.6E+01	ug/kg	--	--	1.7E-10	5.2E-10	--	--	--	3.0E-04	3.0E-04	1.2E-09	3.6E-09	4.E-06	1.E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.0E+03	ug/kg	7.3E-01	7.3E-01	4.8E-09	1.1E-08	4.E-09	8.E-09	1.E-08	--	--	3.4E-08	7.9E-08	--	--	--
	Benzo(a)pyrene	1.2E+03	ug/kg	7.3E+00	7.3E+00	5.9E-09	1.4E-08	4.E-08	1.E-07	1.E-07	--	--	4.1E-08	9.6E-08	--	--	--
	Benzo(b)fluoranthene	1.4E+03	ug/kg	7.3E-01	7.3E-01	6.6E-09	1.5E-08	5.E-09	1.E-08	2.E-08	--	--	4.7E-08	1.1E-07	--	--	--
	Benzo(k)fluoranthene	6.6E+02	ug/kg	7.3E-02	7.3E-02	3.2E-09	7.4E-09	2.E-10	5.E-10	8.E-10	--	--	2.2E-08	5.2E-08	--	--	--
	Dibenzo(a,h)anthracene	4.2E+02	ug/kg	7.3E+00	7.3E+00	2.0E-09	4.7E-09	1.E-08	3.E-08	5.E-08	--	--	1.4E-08	3.3E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	8.3E+02	ug/kg	7.3E-01	7.3E-01	4.0E-09	9.3E-09	3.E-09	7.E-09	1.E-08	--	--	2.8E-08	6.5E-08	--	--	--
	Naphthalene	1.4E+02	ug/kg	--	--	6.7E-10	1.6E-09	--	--	--	2.0E-02	2.0E-02	4.7E-09	1.1E-08	2.E-07	5.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.1E+02	ug/kg	1.4E-02	1.4E-02	3.9E-10	1.2E-09	5.E-12	2.E-11	2.E-11	2.0E-02	2.0E-02	2.7E-09	8.3E-09	1.E-07	4.E-07	0.000001
	Phenols																
	Pentachlorophenol	2.4E+00	ug/kg	4.0E-01	4.0E-01	2.2E-11	2.7E-11	9.E-12	1.E-11	2.E-11	5.0E-03	5.0E-03	1.5E-10	1.9E-10	3.E-08	4.E-08	0.0000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polychlorinated Biphenyls																
	Total Aroclors	9.1E+01	ug/kg	2.0E+00	2.0E+00	4.7E-10	1.0E-09	9.E-10	2.E-09	3.E-09	2.0E-05	2.0E-05	3.3E-09	7.2E-09	2.E-04	4.E-04	0.0005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.1E+02	pg/g	1.3E+05	1.3E+05	1.3E-13	1.3E-12	2.E-08	2.E-07	2.E-07	1.0E-09	1.0E-09	8.8E-13	8.9E-12	9.E-04	9.E-03	0.01
	Total PCB TEQ	3.0E+00	pg/g	1.3E+05	1.3E+05	1.5E-14	3.3E-14	2.E-09	4.E-09	6.E-09	1.0E-09	1.0E-09	1.1E-13	2.3E-13	1.E-04	2.E-04	0.0003
	Pesticides																
	Aldrin	2.5E+00	ug/kg	1.7E+01	1.7E+01	9.2E-12	2.8E-11	2.E-10	5.E-10	6.E-10	3.0E-05	3.0E-05	6.5E-11	2.0E-10	2.E-06	7.E-06	0.00001
	Dieldrin	5.9E-01	ug/kg	1.6E+01	1.6E+01	2.2E-12	6.6E-12	3.E-11	1.E-10	1.E-10	5.0E-05	5.0E-05	1.5E-11	4.6E-11	3.E-07	9.E-07	0.000001
	Total DDT	1.7E+02	ug/kg	3.4E-01	3.4E-01	1.9E-10	1.9E-09	6.E-11	6.E-10	7.E-10	5.0E-04	5.0E-04	1.3E-09	1.3E-08	3.E-06	3.E-05	0.00003
	Conventionals																
	Perchlorate	NA	ug/kg	--	--	NA	NA	NA	NA	NA	7.0E-04	7.0E-04	NA	NA	NA	NA	NA
Exposure Point Total										7.E-07							0.2
RM 6.5 East	**Metals**																
	Arsenic	5.8E+00	mg/kg	1.5E+00	1.5E+00	6.4E-09	6.5E-08	1.E-08	1.E-07	1.E-07	3.0E-04	3.0E-04	4.5E-08	4.5E-07	1.E-04	2.E-03	0.002
	Mercury	1.4E+01	mg/kg	--	--	0.0E+00	1.6E-07	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-06	0.E+00	1.E-02	0.01
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.3E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.8E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	1.1E+02	ug/kg	--	--	3.9E-10	1.2E-09	--	--	--	3.0E-04	3.0E-04	2.7E-09	8.2E-09	9.E-06	3.E-05	0.00004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.3E+02	ug/kg	7.3E-01	7.3E-01	1.1E-09	2.6E-09	8.E-10	2.E-09	3.E-09	--	--	7.8E-09	1.8E-08	--	--	--
	Benzo(a)pyrene	1.5E+02	ug/kg	7.3E+00	7.3E+00	7.1E-10	1.7E-09	5.E-09	1.E-08	2.E-08	--	--	5.0E-09	1.2E-08	--	--	--
	Benzo(b)fluoranthene	2.3E+02	ug/kg	7.3E-01	7.3E-01	1.1E-09	2.6E-09	8.E-10	2.E-09	3.E-09	--	--	7.8E-09	1.8E-08	--	--	--
	Benzo(k)fluoranthene	1.5E+02	ug/kg	7.3E-02	7.3E-02	7.0E-10	1.6E-09	5.E-11	1.E-10	2.E-10	--	--	4.9E-09	1.1E-08	--	--	--
	Dibenzo(a,h)anthracene	1.9E+01	ug/kg	7.3E+00	7.3E+00	9.1E-11	2.1E-10	7.E-10	2.E-09	2.E-09	--	--	6.4E-10	1.5E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.0E+02	ug/kg	7.3E-01	7.3E-01	4.9E-10	1.1E-09	4.E-10	8.E-10	1.E-09	--	--	3.4E-09	8.0E-09	--	--	--
	Naphthalene	1.2E+02	ug/kg	--	--	5.9E-10	1.4E-09	--	--	--	2.0E-02	2.0E-02	4.1E-09	9.6E-09	2.E-07	5.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.2E+02	ug/kg	1.4E-02	1.4E-02	4.6E-10	1.4E-09	6.E-12	2.E-11	3.E-11	2.0E-02	2.0E-02	3.2E-09	9.7E-09	2.E-07	5.E-07	0.000001
	Phenols																
	Pentachlorophenol	4.9E+00	ug/kg	4.0E-01	4.0E-01	4.6E-11	5.5E-11	2.E-11	2.E-11	4.E-11	5.0E-03	5.0E-03	3.2E-10	3.9E-10	6.E-08	8.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.3E+03	ug/kg	2.0E+00	2.0E+00	6.8E-09	1.5E-08	1.E-08	3.E-08	4.E-08	2.0E-05	2.0E-05	4.8E-08	1.0E-07	2.E-03	5.E-03	0.008
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.9E+01	pg/g	1.3E+05	1.3E+05	9.8E-14	9.9E-13	1.E-08	1.E-07	1.E-07	1.0E-09	1.0E-09	6.9E-13	6.9E-12	7.E-04	7.E-03	0.008
	Total PCB TEQ	1.3E+01	pg/g	1.3E+05	1.3E+05	6.9E-14	1.5E-13	9.E-09	2.E-08	3.E-08	1.0E-09	1.0E-09	4.8E-13	1.0E-12	5.E-04	1.E-03	0.002
	Pesticides																
	Aldrin	2.9E-01	ug/kg	1.7E+01	1.7E+01	1.1E-12	3.3E-12	2.E-11	6.E-11	7.E-11	3.0E-05	3.0E-05	7.5E-12	2.3E-11	3.E-07	8.E-07	0.000001
	Dieldrin	2.0E-01	ug/kg	1.6E+01	1.6E+01	7.2E-13	2.2E-12	1.E-11	4.E-11	5.E-11	5.0E-05	5.0E-05	5.1E-12	1.5E-11	1.E-07	3.E-07	0.0000004
	Total DDT	1.3E+02	ug/kg	3.4E-01	3.4E-01	1.4E-10	1.4E-09	5.E-11	5.E-10	5.E-10	5.0E-04	5.0E-04	1.0E-09	1.0E-08	2.E-06	2.E-05	0.00002
Exposure Point Total										3.E-07							0.2

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 7 West	**Metals**																
	Arsenic	5.3E+00	mg/kg	1.5E+00	1.5E+00	5.8E-09	5.9E-08	9.E-09	9.E-08	1.E-07	3.0E-04	3.0E-04	4.1E-08	4.1E-07	1.E-04	1.E-03	0.002
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	1.3E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.8E-09	0.E+00	9.E-05	0.00009
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.1E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	6.4E+00	ug/kg	--	--	2.4E-11	7.2E-11	--	--	--	3.0E-04	3.0E-04	1.7E-10	5.0E-10	6.E-07	2.E-06	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.2E+03	ug/kg	7.3E-01	7.3E-01	1.1E-08	2.5E-08	8.E-09	2.E-08	3.E-08	--	--	7.4E-08	1.7E-07	--	--	--
	Benzo(a)pyrene	1.7E+03	ug/kg	7.3E+00	7.3E+00	8.2E-09	1.9E-08	6.E-08	1.E-07	2.E-07	--	--	5.7E-08	1.3E-07	--	--	--
	Benzo(b)fluoranthene	4.5E+03	ug/kg	7.3E-01	7.3E-01	2.2E-08	5.0E-08	2.E-08	4.E-08	5.E-08	--	--	1.5E-07	3.5E-07	--	--	--
	Benzo(k)fluoranthene	1.4E+03	ug/kg	7.3E-02	7.3E-02	6.9E-09	1.6E-08	5.E-10	1.E-09	2.E-09	--	--	4.8E-08	1.1E-07	--	--	--
	Dibenzo(a,h)anthracene	7.1E+02	ug/kg	7.3E+00	7.3E+00	3.4E-09	7.9E-09	2.E-08	6.E-08	8.E-08	--	--	2.4E-08	5.6E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+03	ug/kg	7.3E-01	7.3E-01	6.7E-09	1.6E-08	5.E-09	1.E-08	2.E-08	--	--	4.7E-08	1.1E-07	--	--	--
	Naphthalene	1.1E+01	ug/kg	--	--	5.3E-11	1.2E-10	--	--	--	2.0E-02	2.0E-02	3.7E-10	8.6E-10	2.E-08	4.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.7E+02	ug/kg	1.4E-02	1.4E-02	1.0E-09	3.1E-09	1.E-11	4.E-11	6.E-11	2.0E-02	2.0E-02	7.1E-09	2.1E-08	4.E-07	1.E-06	0.000001
	Phenols																
	Pentachlorophenol	4.4E+01	ug/kg	4.0E-01	4.0E-01	4.1E-10	4.9E-10	2.E-10	2.E-10	4.E-10	5.0E-03	5.0E-03	2.8E-09	3.4E-09	6.E-07	7.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	9.3E+01	ug/kg	2.0E+00	2.0E+00	4.8E-10	1.0E-09	1.E-09	2.E-09	3.E-09	2.0E-05	2.0E-05	3.4E-09	7.3E-09	2.E-04	4.E-04	0.00053
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.4E+04	pg/g	1.3E+05	1.3E+05	1.6E-11	1.6E-10	2.E-06	2.E-05	2.E-05	1.0E-09	1.0E-09	1.1E-10	1.1E-09	1.E-01	1.E+00	1
	Total PCB TEQ	2.7E+01	pg/g	1.3E+05	1.3E+05	1.4E-13	3.0E-13	2.E-08	4.E-08	6.E-08	1.0E-09	1.0E-09	9.6E-13	2.1E-12	1.E-03	2.E-03	0.003
	Pesticides																
	Aldrin	1.9E+02	ug/kg	1.7E+01	1.7E+01	7.1E-10	2.1E-09	1.E-08	4.E-08	5.E-08	3.0E-05	3.0E-05	5.0E-09	1.5E-08	2.E-04	5.E-04	0.0007
	Dieldrin	2.0E+00	ug/kg	1.6E+01	1.6E+01	7.5E-12	2.3E-11	1.E-10	4.E-10	5.E-10	5.0E-05	5.0E-05	5.3E-11	1.6E-10	1.E-06	3.E-06	0.000004
	Total DDT	6.3E+03	ug/kg	3.4E-01	3.4E-01	7.0E-09	7.0E-08	2.E-09	2.E-08	3.E-08	5.0E-04	5.0E-04	4.9E-08	4.9E-07	1.E-04	1.E-03	0.001
	Conventionals																
	Perchlorate	2.7E+05	ug/kg	--	--	0.0E+00	3.1E-06	--	--	--	7.0E-04	7.0E-04	0.0E+00	2.1E-05	0.E+00	3.E-02	0.03
Exposure Point Total										2.E-05							1
RM 7 East	**Metals**																
	Arsenic	1.5E+01	mg/kg	1.5E+00	1.5E+00	1.6E-08	1.6E-07	2.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.1E-07	1.2E-06	4.E-04	4.E-03	0.004
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	7.5E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.3E-09	0.E+00	5.E-05	0.00005
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.5E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	1.0E+03	ug/kg	--	--	3.8E-09	1.2E-08	--	--	--	3.0E-04	3.0E-04	2.7E-08	8.1E-08	9.E-05	3.E-04	0.0004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.2E+02	ug/kg	7.3E-01	7.3E-01	2.0E-09	4.7E-09	1.E-09	3.E-09	5.E-09	--	--	1.4E-08	3.3E-08	--	--	--
	Benzo(a)pyrene	5.8E+02	ug/kg	7.3E+00	7.3E+00	2.8E-09	6.5E-09	2.E-08	5.E-08	7.E-08	--	--	2.0E-08	4.6E-08	--	--	--
	Benzo(b)fluoranthene	6.7E+02	ug/kg	7.3E-01	7.3E-01	3.2E-09	7.5E-09	2.E-09	5.E-09	8.E-09	--	--	2.2E-08	5.2E-08	--	--	--
	Benzo(k)fluoranthene	6.5E+02	ug/kg	7.3E-02	7.3E-02	3.1E-09	7.3E-09	2.E-10	5.E-10	8.E-10	--	--	2.2E-08	5.1E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)^-1	Oral Cancer Slope Factor (mg/kg-day)^-1	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dibenzo(a,h)anthracene	1.9E+02	ug/kg	7.3E+00	7.3E+00	9.0E-10	2.1E-09	7.E-09	2.E-08	2.E-08	--	--	6.3E-09	1.5E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.9E+02	ug/kg	7.3E-01	7.3E-01	1.9E-09	4.4E-09	1.E-09	3.E-09	5.E-09	--	--	1.3E-08	3.1E-08	--	--	--
	Naphthalene	4.5E+01	ug/kg	--	--	2.2E-10	5.0E-10	--	--	--	2.0E-02	2.0E-02	1.5E-09	3.5E-09	8.E-08	2.E-07	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+03	ug/kg	1.4E-02	1.4E-02	4.8E-09	1.5E-08	7.E-11	2.E-10	3.E-10	2.0E-02	2.0E-02	3.4E-08	1.0E-07	2.E-06	5.E-06	0.00001
	Phenols																
	Pentachlorophenol	1.2E+02	ug/kg	4.0E-01	4.0E-01	1.1E-09	1.3E-09	4.E-10	5.E-10	1.E-09	5.0E-03	5.0E-03	7.6E-09	9.2E-09	2.E-06	2.E-06	0.000003
	Polychlorinated Biphenyls																
	Total Aroclors	7.0E+01	ug/kg	2.0E+00	2.0E+00	3.6E-10	7.9E-10	7.E-10	2.E-09	2.E-09	2.0E-05	2.0E-05	2.5E-09	5.5E-09	1.E-04	3.E-04	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.0E+01	pg/g	1.3E+05	1.3E+05	4.4E-14	4.5E-13	6.E-09	6.E-08	6.E-08	1.0E-09	1.0E-09	3.1E-13	3.1E-12	3.E-04	3.E-03	0.003
	Total PCB TEQ	7.4E-01	pg/g	1.3E+05	1.3E+05	3.8E-15	8.3E-15	5.E-10	1.E-09	2.E-09	1.0E-09	1.0E-09	2.7E-14	5.8E-14	3.E-05	6.E-05	0.00008
	Pesticides																
	Aldrin	4.6E-01	ug/kg	1.7E+01	1.7E+01	1.7E-12	5.1E-12	3.E-11	9.E-11	1.E-10	3.0E-05	3.0E-05	1.2E-11	3.6E-11	4.E-07	1.E-06	0.000002
	Dieldrin	1.2E-01	ug/kg	1.6E+01	1.6E+01	4.2E-13	1.3E-12	7.E-12	2.E-11	3.E-11	5.0E-05	5.0E-05	3.0E-12	9.0E-12	6.E-08	2.E-07	0.0000002
	Total DDT	1.3E+01	ug/kg	3.4E-01	3.4E-01	1.4E-11	1.4E-10	5.E-12	5.E-11	5.E-11	5.0E-04	5.0E-04	9.9E-11	1.0E-09	2.E-07	2.E-06	0.000002
Exposure Point Total										**4.E-07**							**0.1**
RM 7.5 West	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	4.1E-09	4.1E-08	6.E-09	6.E-08	7.E-08	3.0E-04	3.0E-04	2.8E-08	2.9E-07	9.E-05	1.E-03	0.001
	Mercury	1.3E-01	mg/kg	--	--	0.0E+00	1.5E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.0E-08	0.E+00	1.E-04	0.0001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.2E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	9.7E+00	ug/kg	--	--	3.6E-11	1.1E-10	--	--	--	3.0E-04	3.0E-04	2.5E-10	7.6E-10	8.E-07	3.E-06	0.000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.3E+02	ug/kg	7.3E-01	7.3E-01	2.1E-09	4.9E-09	2.E-09	4.E-09	5.E-09	--	--	1.5E-08	3.4E-08	--	--	--
	Benzo(a)pyrene	3.4E+02	ug/kg	7.3E+00	7.3E+00	1.6E-09	3.8E-09	1.E-08	3.E-08	4.E-08	--	--	1.1E-08	2.7E-08	--	--	--
	Benzo(b)fluoranthene	4.6E+02	ug/kg	7.3E-01	7.3E-01	2.2E-09	5.2E-09	2.E-09	4.E-09	5.E-09	--	--	1.6E-08	3.6E-08	--	--	--
	Benzo(k)fluoranthene	1.3E+02	ug/kg	7.3E-02	7.3E-02	6.2E-10	1.4E-09	5.E-11	1.E-10	2.E-10	--	--	4.3E-09	1.0E-08	--	--	--
	Dibenzo(a,h)anthracene	5.0E+01	ug/kg	7.3E+00	7.3E+00	2.4E-10	5.6E-10	2.E-09	4.E-09	6.E-09	--	--	1.7E-09	3.9E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.9E+02	ug/kg	7.3E-01	7.3E-01	9.1E-10	2.1E-09	7.E-10	2.E-09	2.E-09	--	--	6.4E-09	1.5E-08	--	--	--
	Naphthalene	3.3E+01	ug/kg	--	--	1.6E-10	3.7E-10	--	--	--	2.0E-02	2.0E-02	1.1E-09	2.6E-09	6.E-08	1.E-07	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+02	ug/kg	1.4E-02	1.4E-02	6.8E-10	2.1E-09	9.E-12	3.E-11	4.E-11	2.0E-02	2.0E-02	4.7E-09	1.4E-08	2.E-07	7.E-07	0.000001
	Phenols																
	Pentachlorophenol	2.1E+00	ug/kg	4.0E-01	4.0E-01	1.9E-11	2.3E-11	8.E-12	9.E-12	2.E-11	5.0E-03	5.0E-03	1.3E-10	1.6E-10	3.E-08	3.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+02	ug/kg	2.0E+00	2.0E+00	1.3E-09	2.8E-09	3.E-09	6.E-09	8.E-09	2.0E-05	2.0E-05	9.0E-09	2.0E-08	5.E-04	1.E-03	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.6E+00	pg/g	1.3E+05	1.3E+05	2.9E-15	2.9E-14	4.E-10	4.E-09	4.E-09	1.0E-09	1.0E-09	2.0E-14	2.0E-13	2.E-05	2.E-04	0.0002
	Total PCB TEQ	9.2E-01	pg/g	1.3E+05	1.3E+05	4.8E-15	1.0E-14	6.E-10	1.E-09	2.E-09	1.0E-09	1.0E-09	3.3E-14	7.2E-14	3.E-05	7.E-05	0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	2.9E-01	ug/kg	1.7E+01	1.7E+01	1.1E-12	3.2E-12	2.E-11	5.E-11	7.E-11	3.0E-05	3.0E-05	7.4E-12	2.2E-11	2.E-07	7.E-07	0.000001
	Dieldrin	7.7E-01	ug/kg	1.6E+01	1.6E+01	2.8E-12	8.6E-12	5.E-11	1.E-10	2.E-10	5.0E-05	5.0E-05	2.0E-11	6.0E-11	4.E-07	1.E-06	0.000002
	Total DDT	1.3E+02	ug/kg	3.4E-01	3.4E-01	1.4E-10	1.4E-09	5.E-11	5.E-10	5.E-10	5.0E-04	5.0E-04	9.9E-10	1.0E-08	2.E-06	2.E-05	0.00002
Exposure Point Total										1.E-07							0.1
RM 7.5 East	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	4.7E-09	4.7E-08	7.E-09	7.E-08	8.E-08	3.0E-04	3.0E-04	3.3E-08	3.3E-07	1.E-04	1.E-03	0.001
	Mercury	1.0E-01	mg/kg	--	--	0.0E+00	1.1E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.8E-09	0.E+00	8.E-05	0.00008
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.4E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	2.3E+02	ug/kg	--	--	8.4E-10	2.6E-09	--	--	--	3.0E-04	3.0E-04	5.9E-09	1.8E-08	2.E-05	6.E-05	0.00008
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.0E+01	ug/kg	7.3E-01	7.3E-01	1.9E-10	4.4E-10	1.E-10	3.E-10	5.E-10	--	--	1.3E-09	3.1E-09	--	--	--
	Benzo(a)pyrene	3.5E+01	ug/kg	7.3E+00	7.3E+00	1.7E-10	3.9E-10	1.E-09	3.E-09	4.E-09	--	--	1.2E-09	2.8E-09	--	--	--
	Benzo(b)fluoranthene	4.4E+01	ug/kg	7.3E-01	7.3E-01	2.1E-10	5.0E-10	2.E-10	4.E-10	5.E-10	--	--	1.5E-09	3.5E-09	--	--	--
	Benzo(k)fluoranthene	3.1E+01	ug/kg	7.3E-02	7.3E-02	1.5E-10	3.5E-10	1.E-11	3.E-11	4.E-11	--	--	1.0E-09	2.4E-09	--	--	--
	Dibenzo(a,h)anthracene	1.1E+01	ug/kg	7.3E+00	7.3E+00	5.2E-11	1.2E-10	4.E-10	9.E-10	1.E-09	--	--	3.7E-10	8.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.4E+01	ug/kg	7.3E-01	7.3E-01	1.1E-10	2.7E-10	8.E-11	2.E-10	3.E-10	--	--	8.0E-10	1.9E-09	--	--	--
	Naphthalene	1.1E+01	ug/kg	--	--	5.3E-11	1.2E-10	--	--	--	2.0E-02	2.0E-02	3.7E-10	8.6E-10	2.E-08	4.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.7E+03	ug/kg	1.4E-02	1.4E-02	1.3E-08	4.1E-08	2.E-10	6.E-10	8.E-10	2.0E-02	2.0E-02	9.4E-08	2.9E-07	5.E-06	1.E-05	0.00002
	Polychlorinated Biphenyls																
	Total Aroclors	4.5E+01	ug/kg	2.0E+00	2.0E+00	2.3E-10	5.0E-10	5.E-10	1.E-09	1.E-09	2.0E-05	2.0E-05	1.6E-09	3.5E-09	8.E-05	2.E-04	0.0003
	Pesticides																
	Dieldrin	3.4E-01	ug/kg	1.6E+01	1.6E+01	1.3E-12	3.8E-12	2.E-11	6.E-11	8.E-11	5.0E-05	5.0E-05	8.8E-12	2.7E-11	2.E-07	5.E-07	0.000001
	Total DDT	3.3E+00	ug/kg	3.4E-01	3.4E-01	3.7E-12	3.7E-11	1.E-12	1.E-11	1.E-11	5.0E-04	5.0E-04	2.6E-11	2.6E-10	5.E-08	5.E-07	0.000001
Exposure Point Total										9.E-08							0.1
RM 8 West	**Metals**																
	Arsenic	8.0E+00	mg/kg	1.5E+00	1.5E+00	8.9E-09	9.0E-08	1.E-08	1.E-07	1.E-07	3.0E-04	3.0E-04	6.2E-08	6.3E-07	2.E-04	2.E-03	0.002
	Mercury	3.3E-01	mg/kg	--	--	0.0E+00	3.6E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.5E-08	0.E+00	3.E-04	0.0003
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.1E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.0E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	2.5E+01	ug/kg	--	--	9.1E-11	2.8E-10	--	--	--	3.0E-04	3.0E-04	6.4E-10	1.9E-09	2.E-06	6.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.5E+02	ug/kg	7.3E-01	7.3E-01	2.6E-09	6.2E-09	2.E-09	5.E-09	6.E-09	--	--	1.9E-08	4.3E-08	--	--	--
	Benzo(a)pyrene	4.9E+02	ug/kg	7.3E+00	7.3E+00	2.3E-09	5.5E-09	2.E-08	4.E-08	6.E-08	--	--	1.6E-08	3.8E-08	--	--	--
	Benzo(b)fluoranthene	6.9E+02	ug/kg	7.3E-01	7.3E-01	3.3E-09	7.7E-09	2.E-09	6.E-09	8.E-09	--	--	2.3E-08	5.4E-08	--	--	--
	Benzo(k)fluoranthene	1.2E+02	ug/kg	7.3E-02	7.3E-02	5.9E-10	1.4E-09	4.E-11	1.E-10	1.E-10	--	--	4.1E-09	9.7E-09	--	--	--
	Dibenzo(a,h)anthracene	1.4E+02	ug/kg	7.3E+00	7.3E+00	6.6E-10	1.5E-09	5.E-09	1.E-08	2.E-08	--	--	4.6E-09	1.1E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.2E+02	ug/kg	7.3E-01	7.3E-01	1.5E-09	3.5E-09	1.E-09	3.E-09	4.E-09	--	--	1.1E-08	2.5E-08	--	--	--
	Naphthalene	8.1E+01	ug/kg	--	--	3.9E-10	9.0E-10	--	--	--	2.0E-02	2.0E-02	2.7E-09	6.3E-09	1.E-07	3.E-07	0.0000005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.0E+03	ug/kg	1.4E-02	1.4E-02	1.1E-08	3.4E-08	2.E-10	5.E-10	6.E-10	2.0E-02	2.0E-02	7.8E-08	2.4E-07	4.E-06	1.E-05	0.00002
	Phenols																
	Pentachlorophenol	1.5E+01	ug/kg	4.0E-01	4.0E-01	1.4E-10	1.7E-10	6.E-11	7.E-11	1.E-10	5.0E-03	5.0E-03	9.8E-10	1.2E-09	2.E-07	2.E-07	0.0000004
	Polychlorinated Biphenyls																
	Total Aroclors	4.0E+02	ug/kg	2.0E+00	2.0E+00	2.1E-09	4.5E-09	4.E-09	9.E-09	1.E-08	2.0E-05	2.0E-05	1.5E-08	3.1E-08	7.E-04	2.E-03	0.002
	Total PCB Congeners	1.2E+05	pg/g	NA	NA	6.0E-10	1.3E-09	NA	NA	--	NA	NA	4.2E-09	9.1E-09	NA	NA	--
	Total PCBs, Adjusted	1.0E+05	pg/g	2.0E+00	2.0E+00	5.3E-10	1.1E-09	1.E-09	2.E-09	3.E-09	2.0E-05	2.0E-05	3.7E-09	8.0E-09	2.E-04	4.E-04	0.0006
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.3E-01	pg/g	1.3E+05	1.3E+05	4.7E-16	4.8E-15	6.E-11	6.E-10	7.E-10	1.0E-09	1.0E-09	3.3E-15	3.3E-14	3.E-06	3.E-05	0.00004
	Total PCB TEQ	6.1E+00	pg/g	1.3E+05	1.3E+05	3.1E-14	6.8E-14	4.E-09	9.E-09	1.E-08	1.0E-09	1.0E-09	2.2E-13	4.7E-13	2.E-04	5.E-04	0.0007
	Total TEQ	--	pg/g	--	--	--	--	4.E-09	9.E-09	1.E-08	--	--	--	--	2.E-04	5.E-04	0.0007
	Pesticides																
	Aldrin	1.2E-01	ug/kg	1.7E+01	1.7E+01	4.2E-13	1.3E-12	7.E-12	2.E-11	3.E-11	3.0E-05	3.0E-05	3.0E-12	9.0E-12	1.E-07	3.E-07	0.0000004
	Dieldrin	4.6E+00	ug/kg	1.6E+01	1.6E+01	1.7E-11	5.1E-11	3.E-10	8.E-10	1.E-09	5.0E-05	5.0E-05	1.2E-10	3.6E-10	2.E-06	7.E-06	0.00001
	Total DDT	2.1E+01	ug/kg	3.4E-01	3.4E-01	2.3E-11	2.4E-10	8.E-12	8.E-11	9.E-11	5.0E-04	5.0E-04	1.6E-10	1.7E-09	3.E-07	3.E-06	0.000004
Exposure Point Total										3.E-07							0.1
RM 8 East	**Metals**																
	Arsenic	9.1E+00	mg/kg	1.5E+00	1.5E+00	1.0E-08	1.0E-07	2.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	7.1E-08	7.1E-07	2.E-04	2.E-03	0.003
	Mercury	2.2E-01	mg/kg	--	--	0.0E+00	2.5E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.7E-08	0.E+00	2.E-04	0.0002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.5E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	5.8E+03	ug/kg	--	--	2.1E-08	6.5E-08	--	--	--	3.0E-04	3.0E-04	1.5E-07	4.5E-07	5.E-04	2.E-03	0.002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.0E+02	ug/kg	7.3E-01	7.3E-01	2.4E-09	5.5E-09	2.E-09	4.E-09	6.E-09	--	--	1.7E-08	3.9E-08	--	--	--
	Benzo(a)pyrene	5.3E+02	ug/kg	7.3E+00	7.3E+00	2.5E-09	5.9E-09	2.E-08	4.E-08	6.E-08	--	--	1.8E-08	4.1E-08	--	--	--
	Benzo(b)fluoranthene	5.5E+02	ug/kg	7.3E-01	7.3E-01	2.6E-09	6.1E-09	2.E-09	4.E-09	6.E-09	--	--	1.8E-08	4.3E-08	--	--	--
	Benzo(k)fluoranthene	3.7E+02	ug/kg	7.3E-02	7.3E-02	1.8E-09	4.1E-09	1.E-10	3.E-10	4.E-10	--	--	1.2E-08	2.9E-08	--	--	--
	Dibenzo(a,h)anthracene	4.0E+01	ug/kg	7.3E+00	7.3E+00	1.9E-10	4.5E-10	1.E-09	3.E-09	5.E-09	--	--	1.4E-09	3.2E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.7E+02	ug/kg	7.3E-01	7.3E-01	1.8E-09	4.1E-09	1.E-09	3.E-09	4.E-09	--	--	1.2E-08	2.9E-08	--	--	--
	Naphthalene	2.2E+01	ug/kg	--	--	1.0E-10	2.4E-10	--	--	--	2.0E-02	2.0E-02	7.3E-10	1.7E-09	4.E-08	9.E-08	0.00000
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+03	ug/kg	1.4E-02	1.4E-02	4.8E-09	1.5E-08	7.E-11	2.E-10	3.E-10	2.0E-02	2.0E-02	3.4E-08	1.0E-07	2.E-06	5.E-06	0.00001
	Phenols																
	Pentachlorophenol	2.7E+01	ug/kg	4.0E-01	4.0E-01	2.5E-10	3.0E-10	1.E-10	1.E-10	2.E-10	5.0E-03	5.0E-03	1.7E-09	2.1E-09	3.E-07	4.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	5.8E+02	ug/kg	2.0E+00	2.0E+00	3.0E-09	6.5E-09	6.E-09	1.E-08	2.E-08	2.0E-05	2.0E-05	2.1E-08	4.5E-08	1.E-03	2.E-03	0.003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.1E+00	pg/g	1.3E+05	1.3E+05	2.3E-15	2.3E-14	3.E-10	3.E-09	3.E-09	1.0E-09	1.0E-09	1.6E-14	1.6E-13	2.E-05	2.E-04	0.0002
	Total PCB TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	9.0E-14	1.9E-13	1.E-08	3.E-08	4.E-08	1.0E-09	1.0E-09	6.3E-13	1.4E-12	6.E-04	1.E-03	0.002
	Pesticides																
	Aldrin	4.4E-01	ug/kg	1.7E+01	1.7E+01	1.6E-12	5.0E-12	3.E-11	8.E-11	1.E-10	3.0E-05	3.0E-05	1.1E-11	3.5E-11	4.E-07	1.E-06	0.000002
	Dieldrin	4.7E+00	ug/kg	1.6E+01	1.6E+01	1.7E-11	5.2E-11	3.E-10	8.E-10	1.E-09	5.0E-05	5.0E-05	1.2E-10	3.6E-10	2.E-06	7.E-06	0.00001
	Total DDT	9.4E+01	ug/kg	3.4E-01	3.4E-01	1.0E-10	1.0E-09	4.E-11	4.E-10	4.E-10	5.0E-04	5.0E-04	7.3E-10	7.3E-09	1.E-06	1.E-05	0.00002
Exposure Point Total										3.E-07							0.1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 8 SIL	**Metals**																
	Arsenic	5.9E+00	mg/kg	1.5E+00	1.5E+00	6.6E-09	6.7E-08	1.E-08	1.E-07	1.E-07	3.0E-04	3.0E-04	4.6E-08	4.7E-07	2.E-04	2.E-03	0.002
	Mercury	1.4E-01	mg/kg	--	--	0.0E+00	1.6E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-08	0.E+00	1.E-04	0.0001
	Vanadium	1.2E+02	mg/kg	--	--	0.0E+00	1.4E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	9.6E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	2.1E+04	ug/kg	--	--	7.8E-08	2.4E-07	--	--	--	3.0E-04	3.0E-04	5.5E-07	1.7E-06	2.E-03	6.E-03	0.007
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.4E+02	ug/kg	7.3E-01	7.3E-01	2.6E-09	6.0E-09	2.E-09	4.E-09	6.E-09	--	--	1.8E-08	4.2E-08	--	--	--
	Benzo(a)pyrene	3.6E+02	ug/kg	7.3E+00	7.3E+00	1.7E-09	4.0E-09	1.E-08	3.E-08	4.E-08	--	--	1.2E-08	2.8E-08	--	--	--
	Benzo(b)fluoranthene	7.0E+02	ug/kg	7.3E-01	7.3E-01	3.4E-09	7.8E-09	2.E-09	6.E-09	8.E-09	--	--	2.3E-08	5.5E-08	--	--	--
	Benzo(k)fluoranthene	3.5E+02	ug/kg	7.3E-02	7.3E-02	1.7E-09	3.9E-09	1.E-10	3.E-10	4.E-10	--	--	1.2E-08	2.7E-08	--	--	--
	Dibenzo(a,h)anthracene	7.1E+01	ug/kg	7.3E+00	7.3E+00	3.4E-10	8.0E-10	2.E-09	6.E-09	8.E-09	--	--	2.4E-09	5.6E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.1E+02	ug/kg	7.3E-01	7.3E-01	1.0E-09	2.3E-09	7.E-10	2.E-09	2.E-09	--	--	7.0E-09	1.6E-08	--	--	--
	Naphthalene	3.0E+01	ug/kg	--	--	1.5E-10	3.4E-10	--	--	--	2.0E-02	2.0E-02	1.0E-09	2.4E-09	5.E-08	1.E-07	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.1E+04	ug/kg	1.4E-02	1.4E-02	1.5E-07	4.6E-07	2.E-09	6.E-09	9.E-09	2.0E-02	2.0E-02	1.1E-06	3.2E-06	5.E-05	2.E-04	0.0002
	Phenols																
	Pentachlorophenol	3.3E+01	ug/kg	4.0E-01	4.0E-01	3.0E-10	3.6E-10	1.E-10	1.E-10	3.E-10	5.0E-03	5.0E-03	2.1E-09	2.5E-09	4.E-07	5.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	5.3E+02	ug/kg	2.0E+00	2.0E+00	2.7E-09	5.9E-09	5.E-09	1.E-08	2.E-08	2.0E-05	2.0E-05	1.9E-08	4.1E-08	1.E-03	2.E-03	0.003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.3E+01	pg/g	1.3E+05	1.3E+05	3.7E-14	3.7E-13	5.E-09	5.E-08	5.E-08	1.0E-09	1.0E-09	2.6E-13	2.6E-12	3.E-04	3.E-03	0.003
	Total PCB TEQ	8.8E+01	pg/g	1.3E+05	1.3E+05	4.5E-13	9.8E-13	6.E-08	1.E-07	2.E-07	1.0E-09	1.0E-09	3.2E-12	6.9E-12	3.E-03	7.E-03	0.01
	Pesticides																
	Aldrin	3.6E-01	ug/kg	1.7E+01	1.7E+01	1.3E-12	4.0E-12	2.E-11	7.E-11	9.E-11	3.0E-05	3.0E-05	9.2E-12	2.8E-11	3.E-07	9.E-07	0.000001
	Dieldrin	1.4E+00	ug/kg	1.6E+01	1.6E+01	5.2E-12	1.6E-11	8.E-11	3.E-10	3.E-10	5.0E-05	5.0E-05	3.7E-11	1.1E-10	7.E-07	2.E-06	0.000003
	Total DDT	1.2E+01	ug/kg	3.4E-01	3.4E-01	1.3E-11	1.3E-10	4.E-12	5.E-11	5.E-11	5.0E-04	5.0E-04	9.2E-11	9.3E-10	2.E-07	2.E-06	0.000002
Exposure Point Total										4.E-07							0.2
RM 8.5 West	**Metals**																
	Arsenic	1.2E+01	mg/kg	1.5E+00	1.5E+00	1.3E-08	1.3E-07	2.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	9.0E-08	9.1E-07	3.E-04	3.E-03	0.003
	Mercury	4.7E-01	mg/kg	--	--	0.0E+00	5.3E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.7E-08	0.E+00	4.E-04	0.0004
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.5E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	1.7E+01	ug/kg	--	--	6.1E-11	1.9E-10	--	--	--	3.0E-04	3.0E-04	4.3E-10	1.3E-09	1.E-06	4.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+02	ug/kg	7.3E-01	7.3E-01	8.5E-10	2.0E-09	6.E-10	1.E-09	2.E-09	--	--	5.9E-09	1.4E-08	--	--	--
	Benzo(a)pyrene	2.2E+02	ug/kg	7.3E+00	7.3E+00	1.1E-09	2.5E-09	8.E-09	2.E-08	3.E-08	--	--	7.5E-09	1.7E-08	--	--	--
	Benzo(b)fluoranthene	1.8E+02	ug/kg	7.3E-01	7.3E-01	8.7E-10	2.0E-09	6.E-10	1.E-09	2.E-09	--	--	6.1E-09	1.4E-08	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	5.4E-10	1.3E-09	4.E-11	9.E-11	1.E-10	--	--	3.8E-09	8.8E-09	--	--	--
	Dibenzo(a,h)anthracene	1.7E+01	ug/kg	7.3E+00	7.3E+00	8.0E-11	1.9E-10	6.E-10	1.E-09	2.E-09	--	--	5.6E-10	1.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	7.6E+01	ug/kg	7.3E-01	7.3E-01	3.6E-10	8.5E-10	3.E-10	6.E-10	9.E-10	--	--	2.5E-09	5.9E-09	--	--	--
	Naphthalene	3.7E+01	ug/kg	--	--	1.8E-10	4.1E-10	--	--	--	2.0E-02	2.0E-02	1.2E-09	2.9E-09	6.E-08	1.E-07	0.0000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.7E+03	ug/kg	1.4E-02	1.4E-02	6.4E-09	1.9E-08	9.E-11	3.E-10	4.E-10	2.0E-02	2.0E-02	4.5E-08	1.4E-07	2.E-06	7.E-06	0.00001
	Phenols																
	Pentachlorophenol	3.9E+00	ug/kg	4.0E-01	4.0E-01	3.6E-11	4.3E-11	1.E-11	2.E-11	3.E-11	5.0E-03	5.0E-03	2.5E-10	3.0E-10	5.E-08	6.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	8.5E+03	ug/kg	2.0E+00	2.0E+00	4.4E-08	9.5E-08	9.E-08	2.E-07	3.E-07	2.0E-05	2.0E-05	3.1E-07	6.6E-07	2.E-02	3.E-02	0.05
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.8E+01	pg/g	1.3E+05	1.3E+05	2.0E-14	2.0E-13	3.E-09	3.E-08	3.E-08	1.0E-09	1.0E-09	1.4E-13	1.4E-12	1.E-04	1.E-03	0.002
	Total PCB TEQ	2.4E+02	pg/g	1.3E+05	1.3E+05	1.2E-12	2.7E-12	2.E-07	3.E-07	5.E-07	1.0E-09	1.0E-09	8.6E-12	1.9E-11	9.E-03	2.E-02	0.03
	Pesticides																
	Aldrin	3.2E+01	ug/kg	1.7E+01	1.7E+01	1.2E-10	3.6E-10	2.E-09	6.E-09	8.E-09	3.0E-05	3.0E-05	8.4E-10	2.5E-09	3.E-05	8.E-05	0.0001
	Dieldrin	3.9E+01	ug/kg	1.6E+01	1.6E+01	1.4E-10	4.3E-10	2.E-09	7.E-09	9.E-09	5.0E-05	5.0E-05	1.0E-09	3.0E-09	2.E-05	6.E-05	0.00008
	Total DDT	2.2E+01	ug/kg	3.4E-01	3.4E-01	2.5E-11	2.5E-10	8.E-12	8.E-11	9.E-11	5.0E-04	5.0E-04	1.7E-10	1.7E-09	3.E-07	3.E-06	0.000004
Exposure Point Total										1.E-06							0.2
RM 8.5 East	**Metals**																
	Arsenic	9.0E+00	mg/kg	1.5E+00	1.5E+00	1.0E-08	1.0E-07	2.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	7.0E-08	7.1E-07	2.E-04	2.E-03	0.003
	Mercury	1.8E-01	mg/kg	--	--	0.0E+00	2.1E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-08	0.E+00	1.E-04	0.0001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.2E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	3.1E+01	ug/kg	--	--	1.1E-10	3.4E-10	--	--	--	3.0E-04	3.0E-04	7.9E-10	2.4E-09	3.E-06	8.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.7E+01	ug/kg	7.3E-01	7.3E-01	4.7E-10	1.1E-09	3.E-10	8.E-10	1.E-09	--	--	3.3E-09	7.6E-09	--	--	--
	Benzo(a)pyrene	1.0E+02	ug/kg	7.3E+00	7.3E+00	4.8E-10	1.1E-09	4.E-09	8.E-09	1.E-08	--	--	3.4E-09	7.9E-09	--	--	--
	Benzo(b)fluoranthene	1.4E+02	ug/kg	7.3E-01	7.3E-01	6.5E-10	1.5E-09	5.E-10	1.E-09	2.E-09	--	--	4.6E-09	1.1E-08	--	--	--
	Benzo(k)fluoranthene	9.8E+01	ug/kg	7.3E-02	7.3E-02	4.7E-10	1.1E-09	3.E-11	8.E-11	1.E-10	--	--	3.3E-09	7.6E-09	--	--	--
	Dibenzo(a,h)anthracene	1.2E+01	ug/kg	7.3E+00	7.3E+00	5.6E-11	1.3E-10	4.E-10	9.E-10	1.E-09	--	--	3.9E-10	9.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	8.0E+01	ug/kg	7.3E-01	7.3E-01	3.8E-10	9.0E-10	3.E-10	7.E-10	9.E-10	--	--	2.7E-09	6.3E-09	--	--	--
	Naphthalene	1.5E+02	ug/kg	--	--	7.1E-10	1.7E-09	--	--	--	2.0E-02	2.0E-02	5.0E-09	1.2E-08	2.E-07	6.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.2E+02	ug/kg	1.4E-02	1.4E-02	3.4E-09	1.0E-08	5.E-11	1.E-10	2.E-10	2.0E-02	2.0E-02	2.4E-08	7.2E-08	1.E-06	4.E-06	0.000005
	Polychlorinated Biphenyls																
	Total Aroclors	7.2E+01	ug/kg	2.0E+00	2.0E+00	3.7E-10	8.1E-10	7.E-10	2.E-09	2.E-09	2.0E-05	2.0E-05	2.6E-09	5.7E-09	1.E-04	3.E-04	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.4E-01	pg/g	1.3E+05	1.3E+05	1.0E-15	1.1E-14	1.E-10	1.E-09	2.E-09	1.0E-09	1.0E-09	7.3E-15	7.4E-14	7.E-06	7.E-05	0.00008
	Total PCB TEQ	5.9E-01	pg/g	1.3E+05	1.3E+05	3.1E-15	6.6E-15	4.E-10	9.E-10	1.E-09	1.0E-09	1.0E-09	2.1E-14	4.6E-14	2.E-05	5.E-05	0.00007
	Pesticides																
	Aldrin	4.1E-02	ug/kg	1.7E+01	1.7E+01	1.5E-13	4.6E-13	3.E-12	8.E-12	1.E-11	3.0E-05	3.0E-05	1.1E-12	3.2E-12	4.E-08	1.E-07	0.0000001
	Dieldrin	4.4E-01	ug/kg	1.6E+01	1.6E+01	1.6E-12	4.9E-12	3.E-11	8.E-11	1.E-10	5.0E-05	5.0E-05	1.1E-11	3.4E-11	2.E-07	7.E-07	0.000001
	Total DDT	2.3E+00	ug/kg	3.4E-01	3.4E-01	2.5E-12	2.6E-11	9.E-13	9.E-12	1.E-11	5.0E-04	5.0E-04	1.8E-11	1.8E-10	4.E-08	4.E-07	0.0000004
Exposure Point Total										2.E-07							0.1
RM 9 West	**Metals**																
	Arsenic	5.0E+00	mg/kg	1.5E+00	1.5E+00	5.5E-09	5.5E-08	8.E-09	8.E-08	9.E-08	3.0E-04	3.0E-04	3.8E-08	3.9E-07	1.E-04	1.E-03	0.001
	Mercury	2.3E-01	mg/kg	--	--	0.0E+00	2.6E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.8E-08	0.E+00	2.E-04	0.0002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.3E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.8E-06	0.E+00	1.E-01	0.1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	1.7E+01	ug/kg	--	--	6.1E-11	1.9E-10	--	--	--	3.0E-04	3.0E-04	4.3E-10	1.3E-09	1.E-06	4.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.2E+02	ug/kg	7.3E-01	7.3E-01	1.5E-09	3.5E-09	1.E-09	3.E-09	4.E-09	--	--	1.1E-08	2.5E-08	--	--	--
	Benzo(a)pyrene	1.9E+02	ug/kg	7.3E+00	7.3E+00	9.2E-10	2.2E-09	7.E-09	2.E-08	2.E-08	--	--	6.5E-09	1.5E-08	--	--	--
	Benzo(b)fluoranthene	3.0E+02	ug/kg	7.3E-01	7.3E-01	1.5E-09	3.4E-09	1.E-09	2.E-09	4.E-09	--	--	1.0E-08	2.4E-08	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	5.5E-10	1.3E-09	4.E-11	9.E-11	1.E-10	--	--	3.8E-09	8.9E-09	--	--	--
	Dibenzo(a,h)anthracene	4.8E+01	ug/kg	7.3E+00	7.3E+00	2.3E-10	5.3E-10	2.E-09	4.E-09	6.E-09	--	--	1.6E-09	3.7E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	5.7E-10	1.3E-09	4.E-10	1.E-09	1.E-09	--	--	4.0E-09	9.3E-09	--	--	--
	Naphthalene	2.5E+01	ug/kg	--	--	1.2E-10	2.8E-10	--	--	--	2.0E-02	2.0E-02	8.4E-10	2.0E-09	4.E-08	1.E-07	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.4E+02	ug/kg	1.4E-02	1.4E-02	1.6E-09	5.0E-09	2.E-11	7.E-11	9.E-11	2.0E-02	2.0E-02	1.1E-08	3.5E-08	6.E-07	2.E-06	0.000002
	Phenols																
	Pentachlorophenol	4.5E+01	ug/kg	4.0E-01	4.0E-01	4.2E-10	5.0E-10	2.E-10	2.E-10	4.E-10	5.0E-03	5.0E-03	2.9E-09	3.5E-09	6.E-07	7.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.3E+03	ug/kg	2.0E+00	2.0E+00	1.2E-08	2.6E-08	2.E-08	5.E-08	8.E-08	2.0E-05	2.0E-05	8.4E-08	1.8E-07	4.E-03	9.E-03	0.01
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.0E+00	pg/g	1.3E+05	1.3E+05	6.6E-15	6.7E-14	9.E-10	9.E-09	1.E-08	1.0E-09	1.0E-09	4.6E-14	4.7E-13	5.E-05	5.E-04	0.0005
	Total PCB TEQ	3.2E+01	pg/g	1.3E+05	1.3E+05	1.7E-13	3.6E-13	2.E-08	5.E-08	7.E-08	1.0E-09	1.0E-09	1.2E-12	2.5E-12	1.E-03	3.E-03	0.004
	Pesticides																
	Aldrin	1.4E+00	ug/kg	1.7E+01	1.7E+01	5.2E-12	1.6E-11	9.E-11	3.E-10	4.E-10	3.0E-05	3.0E-05	3.7E-11	1.1E-10	1.E-06	4.E-06	0.000005
	Dieldrin	6.3E-01	ug/kg	1.6E+01	1.6E+01	2.3E-12	7.0E-12	4.E-11	1.E-10	1.E-10	5.0E-05	5.0E-05	1.6E-11	4.9E-11	3.E-07	1.E-06	0.000001
	Total DDT	9.9E+00	ug/kg	3.4E-01	3.4E-01	1.1E-11	1.1E-10	4.E-12	4.E-11	4.E-11	5.0E-04	5.0E-04	7.7E-11	7.7E-10	2.E-07	2.E-06	0.000002
Exposure Point Total										3.E-07							0.1
RM 9 East	**Metals**																
	Arsenic	4.8E+00	mg/kg	1.5E+00	1.5E+00	5.3E-09	5.4E-08	8.E-09	8.E-08	9.E-08	3.0E-04	3.0E-04	3.7E-08	3.8E-07	1.E-04	1.E-03	0.001
	Mercury	6.1E-02	mg/kg	--	--	0.0E+00	6.8E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.8E-09	0.E+00	5.E-05	0.00005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+01	ug/kg	7.3E-01	7.3E-01	6.7E-11	1.6E-10	5.E-11	1.E-10	2.E-10	--	--	4.7E-10	1.1E-09	--	--	--
	Benzo(a)pyrene	1.7E+01	ug/kg	7.3E+00	7.3E+00	8.4E-11	2.0E-10	6.E-10	1.E-09	2.E-09	--	--	5.9E-10	1.4E-09	--	--	--
	Benzo(b)fluoranthene	2.4E+01	ug/kg	7.3E-01	7.3E-01	1.1E-10	2.7E-10	8.E-11	2.E-10	3.E-10	--	--	8.0E-10	1.9E-09	--	--	--
	Benzo(k)fluoranthene	1.1E+01	ug/kg	7.3E-02	7.3E-02	5.1E-11	1.2E-10	4.E-12	9.E-12	1.E-11	--	--	3.6E-10	8.3E-10	--	--	--
	Dibenzo(a,h)anthracene	2.9E+00	ug/kg	7.3E+00	7.3E+00	1.4E-11	3.3E-11	1.E-10	2.E-10	3.E-10	--	--	9.8E-11	2.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+01	ug/kg	7.3E-01	7.3E-01	6.9E-11	1.6E-10	5.E-11	1.E-10	2.E-10	--	--	4.8E-10	1.1E-09	--	--	--
	Naphthalene	8.9E+00	ug/kg	--	--	4.3E-11	1.0E-10	--	--	--	2.0E-02	2.0E-02	3.0E-10	7.0E-10	1.E-08	3.E-08	0.00000005
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.0E+03	ug/kg	1.4E-02	1.4E-02	7.3E-09	2.2E-08	1.E-10	3.E-10	4.E-10	2.0E-02	2.0E-02	5.1E-08	1.6E-07	3.E-06	8.E-06	0.00001
	Polychlorinated Biphenyls																
	Total Aroclors	1.0E+02	ug/kg	2.0E+00	2.0E+00	5.2E-10	1.1E-09	1.E-09	2.E-09	3.E-09	2.0E-05	2.0E-05	3.6E-09	7.9E-09	2.E-04	4.E-04	0.0006
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.2E-01	pg/g	1.3E+05	1.3E+05	2.4E-16	2.4E-15	3.E-11	3.E-10	3.E-10	1.0E-09	1.0E-09	1.7E-15	1.7E-14	2.E-06	2.E-05	0.00002
	Total PCB TEQ	6.3E-01	pg/g	1.3E+05	1.3E+05	3.3E-15	7.1E-15	4.E-10	9.E-10	1.E-09	1.0E-09	1.0E-09	2.3E-14	4.9E-14	2.E-05	5.E-05	0.00007

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Dieldrin	2.6E-01	ug/kg	1.6E+01	1.6E+01	9.6E-13	2.9E-12	2.E-11	5.E-11	6.E-11	5.0E-05	5.0E-05	6.7E-12	2.0E-11	1.E-07	4.E-07	0.000001
	Total DDT	1.9E+00	ug/kg	3.4E-01	3.4E-01	2.1E-12	2.2E-11	7.E-13	7.E-12	8.E-12	5.0E-04	5.0E-04	1.5E-11	1.5E-10	3.E-08	3.E-07	0.0000003
Exposure Point Total										1.E-07							0.002
RM 9.5 West	**Metals**																
	Arsenic	4.5E+00	mg/kg	1.5E+00	1.5E+00	5.0E-09	5.0E-08	7.E-09	8.E-08	8.E-08	3.0E-04	3.0E-04	3.5E-08	3.5E-07	1.E-04	1.E-03	0.001
	Mercury	7.5E-02	mg/kg	--	--	0.0E+00	8.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.9E-09	0.E+00	6.E-05	0.00006
	Butyltins																
	Tributyltin ion	1.0E+01	ug/kg	--	--	3.7E-11	1.1E-10	--	--	--	3.0E-04	3.0E-04	2.6E-10	7.8E-10	9.E-07	3.E-06	0.000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+02	ug/kg	7.3E-01	7.3E-01	1.2E-09	2.9E-09	9.E-10	2.E-09	3.E-09	--	--	8.6E-09	2.0E-08	--	--	--
	Benzo(a)pyrene	3.6E+02	ug/kg	7.3E+00	7.3E+00	1.7E-09	4.0E-09	1.E-08	3.E-08	4.E-08	--	--	1.2E-08	2.8E-08	--	--	--
	Benzo(b)fluoranthene	5.3E+02	ug/kg	7.3E-01	7.3E-01	2.5E-09	5.9E-09	2.E-09	4.E-09	6.E-09	--	--	1.8E-08	4.1E-08	--	--	--
	Benzo(k)fluoranthene	2.4E+02	ug/kg	7.3E-02	7.3E-02	1.1E-09	2.6E-09	8.E-11	2.E-10	3.E-10	--	--	7.9E-09	1.9E-08	--	--	--
	Dibenzo(a,h)anthracene	1.3E+02	ug/kg	7.3E+00	7.3E+00	6.2E-10	1.5E-09	5.E-09	1.E-08	2.E-08	--	--	4.4E-09	1.0E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.0E+02	ug/kg	7.3E-01	7.3E-01	1.4E-09	3.3E-09	1.E-09	2.E-09	3.E-09	--	--	1.0E-08	2.3E-08	--	--	--
	Naphthalene	2.2E+02	ug/kg	--	--	1.1E-09	2.5E-09	--	--	--	2.0E-02	2.0E-02	7.5E-09	1.7E-08	4.E-07	9.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.4E+03	ug/kg	1.4E-02	1.4E-02	8.7E-09	2.6E-08	1.E-10	4.E-10	5.E-10	2.0E-02	2.0E-02	6.1E-08	1.8E-07	3.E-06	9.E-06	0.00001
	Phenols																
	Pentachlorophenol	9.8E+01	ug/kg	4.0E-01	4.0E-01	9.0E-10	1.1E-09	4.E-10	4.E-10	8.E-10	5.0E-03	5.0E-03	6.3E-09	7.7E-09	1.E-06	2.E-06	0.000003
	Polychlorinated Biphenyls																
	Total Aroclors	3.0E+02	ug/kg	2.0E+00	2.0E+00	1.6E-09	3.4E-09	3.E-09	7.E-09	1.E-08	2.0E-05	2.0E-05	1.1E-08	2.4E-08	5.E-04	1.E-03	0.002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	1.8E-14	1.8E-13	2.E-09	2.E-08	3.E-08	1.0E-09	1.0E-09	1.3E-13	1.3E-12	1.E-04	1.E-03	0.001
	Total PCB TEQ	4.8E+00	pg/g	1.3E+05	1.3E+05	2.5E-14	5.3E-14	3.E-09	7.E-09	1.E-08	1.0E-09	1.0E-09	1.7E-13	3.7E-13	2.E-04	4.E-04	0.0005
	Pesticides																
	Aldrin	2.8E+00	ug/kg	1.7E+01	1.7E+01	1.0E-11	3.1E-11	2.E-10	5.E-10	7.E-10	3.0E-05	3.0E-05	7.2E-11	2.2E-10	2.E-06	7.E-06	0.00001
	Dieldrin	4.9E+00	ug/kg	1.6E+01	1.6E+01	1.8E-11	5.4E-11	3.E-10	9.E-10	1.E-09	5.0E-05	5.0E-05	1.3E-10	3.8E-10	3.E-06	8.E-06	0.00001
	Total DDT	4.5E+00	ug/kg	3.4E-01	3.4E-01	5.0E-12	5.1E-11	2.E-12	2.E-11	2.E-11	5.0E-04	5.0E-04	3.5E-11	3.5E-10	7.E-08	7.E-07	0.000001
Exposure Point Total										2.E-07							0.005
RM 9.5 East	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	4.0E-09	4.1E-08	6.E-09	6.E-08	7.E-08	3.0E-04	3.0E-04	2.8E-08	2.9E-07	9.E-05	1.E-03	0.001
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	1.4E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.6E-09	0.E+00	1.E-04	0.0001
	Butyltins																
	Tributyltin ion	3.6E+00	ug/kg	--	--	1.3E-11	4.0E-11	--	--	--	3.0E-04	3.0E-04	9.3E-11	2.8E-10	3.E-07	9.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.0E+01	ug/kg	7.3E-01	7.3E-01	1.4E-10	3.4E-10	1.E-10	2.E-10	4.E-10	--	--	1.0E-09	2.4E-09	--	--	--
	Benzo(a)pyrene	3.4E+01	ug/kg	7.3E+00	7.3E+00	1.6E-10	3.8E-10	1.E-09	3.E-09	4.E-09	--	--	1.2E-09	2.7E-09	--	--	--
	Benzo(b)fluoranthene	4.0E+01	ug/kg	7.3E-01	7.3E-01	1.9E-10	4.5E-10	1.E-10	3.E-10	5.E-10	--	--	1.3E-09	3.1E-09	--	--	--
	Benzo(k)fluoranthene	2.4E+01	ug/kg	7.3E-02	7.3E-02	1.1E-10	2.7E-10	8.E-12	2.E-11	3.E-11	--	--	8.0E-10	1.9E-09	--	--	--
	Dibenzo(a,h)anthracene	9.2E+00	ug/kg	7.3E+00	7.3E+00	4.4E-11	1.0E-10	3.E-10	7.E-10	1.E-09	--	--	3.1E-10	7.2E-10	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Indeno(1,2,3-cd)pyrene	2.7E+01	ug/kg	7.3E-01	7.3E-01	1.3E-10	3.1E-10	1.E-10	2.E-10	3.E-10	--	--	9.2E-10	2.1E-09	--	--	--
	Naphthalene	4.8E+00	ug/kg	--	--	2.3E-11	5.4E-11	--	--	--	2.0E-02	2.0E-02	1.6E-10	3.8E-10	8.E-09	2.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.6E+02	ug/kg	1.4E-02	1.4E-02	9.5E-10	2.9E-09	1.E-11	4.E-11	5.E-11	2.0E-02	2.0E-02	6.7E-09	2.0E-08	3.E-07	1.E-06	0.000001
	Phenols																
	Pentachlorophenol	3.4E+00	ug/kg	4.0E-01	4.0E-01	3.1E-11	3.8E-11	1.E-11	2.E-11	3.E-11	5.0E-03	5.0E-03	2.2E-10	2.7E-10	4.E-08	5.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	5.6E+01	ug/kg	2.0E+00	2.0E+00	2.9E-10	6.3E-10	6.E-10	1.E-09	2.E-09	2.0E-05	2.0E-05	2.0E-09	4.4E-09	1.E-04	2.E-04	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.1E+00	pg/g	1.3E+05	1.3E+05	1.3E-15	1.3E-14	2.E-10	2.E-09	2.E-09	1.0E-09	1.0E-09	8.9E-15	9.0E-14	9.E-06	9.E-05	0.0001
	Total PCB TEQ	3.3E-01	pg/g	1.3E+05	1.3E+05	1.7E-15	3.7E-15	2.E-10	5.E-10	7.E-10	1.0E-09	1.0E-09	1.2E-14	2.6E-14	1.E-05	3.E-05	0.00004
	Pesticides																
	Aldrin	4.7E-01	ug/kg	1.7E+01	1.7E+01	1.7E-12	5.3E-12	3.E-11	9.E-11	1.E-10	3.0E-05	3.0E-05	1.2E-11	3.7E-11	4.E-07	1.E-06	0.000002
	Dieldrin	4.3E-02	ug/kg	1.6E+01	1.6E+01	1.6E-13	4.8E-13	3.E-12	8.E-12	1.E-11	5.0E-05	5.0E-05	1.1E-12	3.4E-12	2.E-08	7.E-08	0.0000001
	Total DDT	1.6E+00	ug/kg	3.4E-01	3.4E-01	1.7E-12	1.7E-11	6.E-13	6.E-12	6.E-12	5.0E-04	5.0E-04	1.2E-11	1.2E-10	2.E-08	2.E-07	0.0000003
Exposure Point Total										**8.E-08**							**0.002**
RM 10 West	**Metals**																
	Arsenic	2.9E+01	mg/kg	1.5E+00	1.5E+00	3.2E-08	3.2E-07	5.E-08	5.E-07	5.E-07	3.0E-04	3.0E-04	2.2E-07	2.3E-06	7.E-04	8.E-03	0.008
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	1.2E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.6E-09	0.E+00	9.E-05	0.00009
	Butyltins																
	Tributyltin ion	3.4E+00	ug/kg	--	--	1.3E-11	3.8E-11	--	--	--	3.0E-04	3.0E-04	8.8E-11	2.7E-10	3.E-07	9.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.2E+02	ug/kg	7.3E-01	7.3E-01	1.5E-09	3.6E-09	1.E-09	3.E-09	4.E-09	--	--	1.1E-08	2.5E-08	--	--	--
	Benzo(a)pyrene	3.4E+02	ug/kg	7.3E+00	7.3E+00	1.6E-09	3.8E-09	1.E-08	3.E-08	4.E-08	--	--	1.1E-08	2.7E-08	--	--	--
	Benzo(b)fluoranthene	4.3E+02	ug/kg	7.3E-01	7.3E-01	2.1E-09	4.8E-09	2.E-09	4.E-09	5.E-09	--	--	1.4E-08	3.4E-08	--	--	--
	Benzo(k)fluoranthene	1.8E+02	ug/kg	7.3E-02	7.3E-02	8.9E-10	2.1E-09	6.E-11	2.E-10	2.E-10	--	--	6.2E-09	1.4E-08	--	--	--
	Dibenzo(a,h)anthracene	7.5E+01	ug/kg	7.3E+00	7.3E+00	3.6E-10	8.4E-10	3.E-09	6.E-09	9.E-09	--	--	2.5E-09	5.9E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.0E+02	ug/kg	7.3E-01	7.3E-01	1.5E-09	3.4E-09	1.E-09	2.E-09	4.E-09	--	--	1.0E-08	2.4E-08	--	--	--
	Naphthalene	5.9E+01	ug/kg	--	--	2.8E-10	6.5E-10	--	--	--	2.0E-02	2.0E-02	2.0E-09	4.6E-09	1.E-07	2.E-07	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+02	ug/kg	1.4E-02	1.4E-02	6.7E-10	2.0E-09	9.E-12	3.E-11	4.E-11	2.0E-02	2.0E-02	4.7E-09	1.4E-08	2.E-07	7.E-07	0.000001
	Phenols																
	Pentachlorophenol	7.5E+00	ug/kg	4.0E-01	4.0E-01	6.9E-11	8.4E-11	3.E-11	3.E-11	6.E-11	5.0E-03	5.0E-03	4.8E-10	5.9E-10	1.E-07	1.E-07	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	4.4E+02	ug/kg	2.0E+00	2.0E+00	2.3E-09	5.0E-09	5.E-09	1.E-08	1.E-08	2.0E-05	2.0E-05	1.6E-08	3.5E-08	8.E-04	2.E-03	0.003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.9E+00	pg/g	1.3E+05	1.3E+05	1.1E-14	1.1E-13	1.E-09	1.E-08	2.E-08	1.0E-09	1.0E-09	7.7E-14	7.7E-13	8.E-05	8.E-04	0.0009
	Total PCB TEQ	3.0E+00	pg/g	1.3E+05	1.3E+05	1.5E-14	3.3E-14	2.E-09	4.E-09	6.E-09	1.0E-09	1.0E-09	1.1E-13	2.3E-13	1.E-04	2.E-04	0.0003
	Pesticides																
	Aldrin	5.0E-01	ug/kg	1.7E+01	1.7E+01	1.9E-12	5.6E-12	3.E-11	1.E-10	1.E-10	3.0E-05	3.0E-05	1.3E-11	3.9E-11	4.E-07	1.E-06	0.000002
	Total DDT	6.7E+00	ug/kg	3.4E-01	3.4E-01	7.4E-12	7.5E-11	3.E-12	3.E-11	3.E-11	5.0E-04	5.0E-04	5.2E-11	5.2E-10	1.E-07	1.E-06	0.000001
Exposure Point Total										**6.E-07**							**0.01**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future　　　　　Medium: Sediment
Receptor Population: In-water Worker　　　　Exposure Medium: In-water Sediment
Population Age: Adult　　　　　　　　　　　Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 10 East	**Metals**																
	Arsenic	3.5E+00	mg/kg	1.5E+00	1.5E+00	3.9E-09	3.9E-08	6.E-09	6.E-08	6.E-08	3.0E-04	3.0E-04	2.7E-08	2.7E-07	9.E-05	9.E-04	0.00100
	Mercury	9.0E-02	mg/kg	--	--	0.0E+00	1.0E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.0E-09	0.E+00	7.E-05	0.00007
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.7E+02	ug/kg	7.3E-01	7.3E-01	1.3E-09	3.1E-09	1.E-09	2.E-09	3.E-09	--	--	9.2E-09	2.1E-08	--	--	--
	Benzo(a)pyrene	3.5E+02	ug/kg	7.3E+00	7.3E+00	1.7E-09	3.9E-09	1.E-08	3.E-08	4.E-08	--	--	1.2E-08	2.7E-08	--	--	--
	Benzo(b)fluoranthene	4.0E+02	ug/kg	7.3E-01	7.3E-01	1.9E-09	4.5E-09	1.E-09	3.E-09	5.E-09	--	--	1.4E-08	3.2E-08	--	--	--
	Benzo(k)fluoranthene	1.0E+02	ug/kg	7.3E-02	7.3E-02	4.9E-10	1.2E-09	4.E-11	8.E-11	1.E-10	--	--	3.5E-09	8.1E-09	--	--	--
	Dibenzo(a,h)anthracene	5.2E+01	ug/kg	7.3E+00	7.3E+00	2.5E-10	5.8E-10	2.E-09	4.E-09	6.E-09	--	--	1.7E-09	4.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.8E+02	ug/kg	7.3E-01	7.3E-01	1.3E-09	3.1E-09	1.E-09	2.E-09	3.E-09	--	--	9.3E-09	2.2E-08	--	--	--
	Naphthalene	2.2E+01	ug/kg	--	--	1.1E-10	2.5E-10	--	--	--	2.0E-02	2.0E-02	7.5E-10	1.7E-09	4.E-08	9.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.9E+02	ug/kg	1.4E-02	1.4E-02	7.1E-10	2.1E-09	1.E-11	3.E-11	4.E-11	2.0E-02	2.0E-02	4.9E-09	1.5E-08	2.E-07	7.E-07	0.000001
	Phenols																
	Pentachlorophenol	3.3E+00	ug/kg	4.0E-01	4.0E-01	3.0E-11	3.7E-11	1.E-11	1.E-11	3.E-11	5.0E-03	5.0E-03	2.1E-10	2.6E-10	4.E-08	5.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	4.8E+01	ug/kg	2.0E+00	2.0E+00	2.5E-10	5.4E-10	5.E-10	1.E-09	2.E-09	2.0E-05	2.0E-05	1.7E-09	3.8E-09	9.E-05	2.E-04	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.4E-01	pg/g	1.3E+05	1.3E+05	6.0E-16	6.1E-15	8.E-11	8.E-10	9.E-10	1.0E-09	1.0E-09	4.2E-15	4.3E-14	4.E-06	4.E-05	0.00005
	Total PCB TEQ	8.0E-01	pg/g	1.3E+05	1.3E+05	4.2E-15	9.0E-15	5.E-10	1.E-09	2.E-09	1.0E-09	1.0E-09	2.9E-14	6.3E-14	3.E-05	6.E-05	0.00009
	Pesticides																
	Aldrin	8.3E-02	ug/kg	1.7E+01	1.7E+01	3.1E-13	9.3E-13	5.E-12	2.E-11	2.E-11	3.0E-05	3.0E-05	2.1E-12	6.5E-12	7.E-08	2.E-07	0.0000003
	Dieldrin	9.4E-02	ug/kg	1.6E+01	1.6E+01	3.5E-13	1.0E-12	6.E-12	2.E-11	2.E-11	5.0E-05	5.0E-05	2.4E-12	7.3E-12	5.E-08	1.E-07	0.0000002
	Total DDT	7.7E-01	ug/kg	3.4E-01	3.4E-01	8.6E-13	8.7E-12	3.E-13	3.E-12	3.E-12	5.0E-04	5.0E-04	6.0E-12	6.1E-11	1.E-08	1.E-07	0.0000001
Exposure Point Total										1.E-07							0.001
RM 10.5 West	**Metals**																
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	5.2E-09	5.2E-08	8.E-09	8.E-08	9.E-08	3.0E-04	3.0E-04	3.6E-08	3.7E-07	1.E-04	1.E-03	0.001
	Mercury	7.7E-02	mg/kg	--	--	0.0E+00	8.6E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.0E-09	0.E+00	6.E-05	0.00006
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.1E+01	ug/kg	7.3E-01	7.3E-01	2.9E-10	6.8E-10	2.E-10	5.E-10	7.E-10	--	--	2.0E-09	4.8E-09	--	--	--
	Benzo(a)pyrene	4.8E+01	ug/kg	7.3E+00	7.3E+00	2.3E-10	5.4E-10	2.E-09	4.E-09	6.E-09	--	--	1.6E-09	3.8E-09	--	--	--
	Benzo(b)fluoranthene	6.8E+01	ug/kg	7.3E-01	7.3E-01	3.3E-10	7.6E-10	2.E-10	6.E-10	8.E-10	--	--	2.3E-09	5.3E-09	--	--	--
	Benzo(k)fluoranthene	2.0E+01	ug/kg	7.3E-02	7.3E-02	9.7E-11	2.3E-10	7.E-12	2.E-11	2.E-11	--	--	6.8E-10	1.6E-09	--	--	--
	Dibenzo(a,h)anthracene	7.9E+00	ug/kg	7.3E+00	7.3E+00	3.8E-11	8.8E-11	3.E-10	6.E-10	9.E-10	--	--	2.7E-10	6.2E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.7E+01	ug/kg	7.3E-01	7.3E-01	1.8E-10	4.2E-10	1.E-10	3.E-10	4.E-10	--	--	1.3E-09	2.9E-09	--	--	--
	Naphthalene	2.6E+02	ug/kg	--	--	1.2E-09	2.9E-09	--	--	--	2.0E-02	2.0E-02	8.7E-09	2.0E-08	4.E-07	1.E-06	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.5E+02	ug/kg	1.4E-02	1.4E-02	9.0E-10	2.7E-09	1.E-11	4.E-11	5.E-11	2.0E-02	2.0E-02	6.3E-09	1.9E-08	3.E-07	1.E-06	0.000001
	Phenols																
	Pentachlorophenol	3.8E+01	ug/kg	4.0E-01	4.0E-01	3.5E-10	4.2E-10	1.E-10	2.E-10	3.E-10	5.0E-03	5.0E-03	2.5E-09	3.0E-09	5.E-07	6.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.9E+01	ug/kg	2.0E+00	2.0E+00	2.0E-10	4.4E-10	4.E-10	9.E-10	1.E-09	2.0E-05	2.0E-05	1.4E-09	3.1E-09	7.E-05	2.E-04	0.0002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total PCB TEQ	6.9E-01	pg/g	1.3E+05	1.3E+05	3.6E-15	7.7E-15	5.E-10	1.E-09	1.E-09	1.0E-09	1.0E-09	2.5E-14	5.4E-14	2.E-05	5.E-05	0.00008
	Pesticides																
	Aldrin	9.3E-01	ug/kg	1.7E+01	1.7E+01	3.4E-12	1.0E-11	6.E-11	2.E-10	2.E-10	3.0E-05	3.0E-05	2.4E-11	7.3E-11	8.E-07	2.E-06	0.000003
	Total DDT	2.7E+00	ug/kg	3.4E-01	3.4E-01	2.9E-12	3.0E-11	1.E-12	1.E-11	1.E-11	5.0E-04	5.0E-04	2.1E-11	2.1E-10	4.E-08	4.E-07	0.0000005
Exposure Point Total										1.E-07							0.002
RM 10.5 East	**Metals**																
	Arsenic	3.3E+00	mg/kg	1.5E+00	1.5E+00	3.7E-09	3.7E-08	6.E-09	6.E-08	6.E-08	3.0E-04	3.0E-04	2.6E-08	2.6E-07	9.E-05	9.E-04	0.001
	Mercury	7.4E-02	mg/kg	--	--	0.0E+00	8.2E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.8E-09	0.E+00	6.E-05	0.00006
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.0E+02	ug/kg	7.3E-01	7.3E-01	4.9E-10	1.1E-09	4.E-10	8.E-10	1.E-09	--	--	3.4E-09	7.9E-09	--	--	--
	Benzo(a)pyrene	7.1E+01	ug/kg	7.3E+00	7.3E+00	3.4E-10	7.9E-10	2.E-09	6.E-09	8.E-09	--	--	2.4E-09	5.5E-09	--	--	--
	Benzo(b)fluoranthene	1.1E+02	ug/kg	7.3E-01	7.3E-01	5.3E-10	1.2E-09	4.E-10	9.E-10	1.E-09	--	--	3.7E-09	8.7E-09	--	--	--
	Benzo(k)fluoranthene	7.2E+01	ug/kg	7.3E-02	7.3E-02	3.4E-10	8.0E-10	3.E-11	6.E-11	8.E-11	--	--	2.4E-09	5.6E-09	--	--	--
	Dibenzo(a,h)anthracene	9.2E+00	ug/kg	7.3E+00	7.3E+00	4.4E-11	1.0E-10	3.E-10	8.E-10	1.E-09	--	--	3.1E-10	7.2E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+01	ug/kg	7.3E-01	7.3E-01	2.2E-10	5.2E-10	2.E-10	4.E-10	5.E-10	--	--	1.6E-09	3.7E-09	--	--	--
	Naphthalene	5.2E+00	ug/kg	--	--	2.5E-11	5.8E-11	--	--	--	2.0E-02	2.0E-02	1.7E-10	4.1E-10	9.E-09	2.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.1E+02	ug/kg	1.4E-02	1.4E-02	4.1E-10	1.2E-09	6.E-12	2.E-11	2.E-11	2.0E-02	2.0E-02	2.8E-09	8.6E-09	1.E-07	4.E-07	0.000001
	Phenols																
	Pentachlorophenol	1.1E+01	ug/kg	4.0E-01	4.0E-01	1.0E-10	1.2E-10	4.E-11	5.E-11	9.E-11	5.0E-03	5.0E-03	7.1E-10	8.6E-10	1.E-07	2.E-07	0.0000003
	Polychlorinated Biphenyls																
	Total Aroclors	1.5E+02	ug/kg	2.0E+00	2.0E+00	8.0E-10	1.7E-09	2.E-09	3.E-09	5.E-09	2.0E-05	2.0E-05	5.6E-09	1.2E-08	3.E-04	6.E-04	0.0009
	Dioxin/Furan																
	Total PCB TEQ	3.9E-01	pg/g	1.3E+05	1.3E+05	2.0E-15	4.3E-15	3.E-10	6.E-10	8.E-10	1.0E-09	1.0E-09	1.4E-14	3.0E-14	1.E-05	3.E-05	0.00004
	Pesticides																
	Total DDT	1.2E+01	ug/kg	3.4E-01	3.4E-01	1.3E-11	1.3E-10	5.E-12	5.E-11	5.E-11	5.0E-04	5.0E-04	9.4E-11	9.4E-10	2.E-07	2.E-06	0.000002
Exposure Point Total										8.E-08							0.002
RM 11 West	**Metals**																
	Arsenic	3.6E+00	mg/kg	1.5E+00	1.5E+00	4.0E-09	4.1E-08	6.E-09	6.E-08	7.E-08	3.0E-04	3.0E-04	2.8E-08	2.8E-07	9.E-05	9.E-04	0.001
	Mercury	6.9E-02	mg/kg	--	--	0.0E+00	7.7E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.4E-09	0.E+00	5.E-05	0.00005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.0E+02	ug/kg	7.3E-01	7.3E-01	9.5E-10	2.2E-09	7.E-10	2.E-09	2.E-09	--	--	6.7E-09	1.6E-08	--	--	--
	Benzo(a)pyrene	2.2E+02	ug/kg	7.3E+00	7.3E+00	1.0E-09	2.4E-09	8.E-09	2.E-08	3.E-08	--	--	7.3E-09	1.7E-08	--	--	--
	Benzo(b)fluoranthene	1.0E+02	ug/kg	7.3E-01	7.3E-01	4.8E-10	1.1E-09	4.E-10	8.E-10	1.E-09	--	--	3.4E-09	7.9E-09	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	5.0E-10	1.2E-09	4.E-11	9.E-11	1.E-10	--	--	3.5E-09	8.2E-09	--	--	--
	Dibenzo(a,h)anthracene	2.7E+01	ug/kg	7.3E+00	7.3E+00	1.3E-10	3.0E-10	9.E-10	2.E-09	3.E-09	--	--	9.0E-10	2.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	5.6E-10	1.3E-09	4.E-10	1.E-09	1.E-09	--	--	3.9E-09	9.1E-09	--	--	--
	Naphthalene	3.2E+02	ug/kg	--	--	1.5E-09	3.6E-09	--	--	--	2.0E-02	2.0E-02	1.1E-08	2.5E-08	5.E-07	1.E-06	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.0E+03	ug/kg	1.4E-02	1.4E-02	3.8E-09	1.2E-08	5.E-11	2.E-10	2.E-10	2.0E-02	2.0E-02	2.7E-08	8.1E-08	1.E-06	4.E-06	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phenols																
	Pentachlorophenol	3.1E+00	ug/kg	4.0E-01	4.0E-01	2.9E-11	3.5E-11	1.E-11	1.E-11	3.E-11	5.0E-03	5.0E-03	2.0E-10	2.4E-10	4.E-08	5.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.5E+01	ug/kg	2.0E+00	2.0E+00	1.8E-10	3.9E-10	4.E-10	8.E-10	1.E-09	2.0E-05	2.0E-05	1.3E-09	2.7E-09	6.E-05	1.E-04	0.0002
	Pesticides																
	Dieldrin	2.5E+00	ug/kg	1.6E+01	1.6E+01	9.2E-12	2.8E-11	1.E-10	4.E-10	6.E-10	5.0E-05	5.0E-05	6.5E-11	2.0E-10	1.E-06	4.E-06	0.00001
	Total DDT	2.1E+00	ug/kg	3.4E-01	3.4E-01	2.3E-12	2.3E-11	8.E-13	8.E-12	9.E-12	5.0E-04	5.0E-04	1.6E-11	1.6E-10	3.E-08	3.E-07	0.0000004
	Conventionals																
	Perchlorate	NA	ug/kg	--	--	NA	NA	NA	NA	NA	7.0E-04	7.0E-04	NA	NA	NA	NA	NA
Exposure Point Total										1.E-07							0.001
RM 11 East	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	3.6E-09	3.6E-08	5.E-09	5.E-08	6.E-08	3.0E-04	3.0E-04	2.5E-08	2.5E-07	8.E-05	8.E-04	0.00092
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	1.2E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.5E-09	0.E+00	9.E-05	0.00009
	Butyltins																
	Tributyltin ion	5.8E+00	ug/kg	--	--	2.1E-11	6.5E-11	--	--	--	3.0E-04	3.0E-04	1.5E-10	4.5E-10	5.E-07	2.E-06	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E+02	ug/kg	7.3E-01	7.3E-01	7.6E-10	1.8E-09	6.E-10	1.E-09	2.E-09	--	--	5.3E-09	1.2E-08	--	--	--
	Benzo(a)pyrene	1.2E+02	ug/kg	7.3E+00	7.3E+00	5.8E-10	1.3E-09	4.E-09	1.E-08	1.E-08	--	--	4.0E-09	9.4E-09	--	--	--
	Benzo(b)fluoranthene	2.5E+02	ug/kg	7.3E-01	7.3E-01	1.2E-09	2.8E-09	9.E-10	2.E-09	3.E-09	--	--	8.4E-09	1.9E-08	--	--	--
	Benzo(k)fluoranthene	9.4E+01	ug/kg	7.3E-02	7.3E-02	4.5E-10	1.1E-09	3.E-11	8.E-11	1.E-10	--	--	3.2E-09	7.4E-09	--	--	--
	Dibenzo(a,h)anthracene	2.0E+01	ug/kg	7.3E+00	7.3E+00	9.6E-11	2.2E-10	7.E-10	2.E-09	2.E-09	--	--	6.7E-10	1.6E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	5.3E+01	ug/kg	7.3E-01	7.3E-01	2.6E-10	6.0E-10	2.E-10	4.E-10	6.E-10	--	--	1.8E-09	4.2E-09	--	--	--
	Naphthalene	3.0E+01	ug/kg	--	--	1.4E-10	3.4E-10	--	--	--	2.0E-02	2.0E-02	1.0E-09	2.3E-09	5.E-08	1.E-07	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.4E+02	ug/kg	1.4E-02	1.4E-02	5.2E-10	1.6E-09	7.E-12	2.E-11	3.E-11	2.0E-02	2.0E-02	3.6E-09	1.1E-08	2.E-07	5.E-07	0.000001
	Phenols																
	Pentachlorophenol	8.7E+00	ug/kg	4.0E-01	4.0E-01	8.0E-11	9.7E-11	3.E-11	4.E-11	7.E-11	5.0E-03	5.0E-03	5.6E-10	6.8E-10	1.E-07	1.E-07	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	3.8E+03	ug/kg	2.0E+00	2.0E+00	2.0E-08	4.3E-08	4.E-08	9.E-08	1.E-07	2.0E-05	2.0E-05	1.4E-07	3.0E-07	7.E-03	2.E-02	0.02
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.0E+00	pg/g	1.3E+05	1.3E+05	3.3E-15	3.4E-14	4.E-10	4.E-09	5.E-09	1.0E-09	1.0E-09	2.3E-14	2.4E-13	2.E-05	2.E-04	0.0003
	Total PCB TEQ	3.1E+01	pg/g	1.3E+05	1.3E+05	1.6E-13	3.5E-13	2.E-08	5.E-08	7.E-08	1.0E-09	1.0E-09	1.1E-12	2.4E-12	1.E-03	2.E-03	0.004
	Pesticides																
	Total DDT	3.8E+02	ug/kg	3.4E-01	3.4E-01	4.2E-10	4.3E-09	1.E-10	1.E-09	2.E-09	5.0E-04	5.0E-04	3.0E-09	3.0E-08	6.E-06	6.E-05	0.00007
Exposure Point Total										3.E-07							0.03
RM 11.5 West	**Metals**																
	Arsenic	3.5E+00	mg/kg	1.5E+00	1.5E+00	3.9E-09	3.9E-08	6.E-09	6.E-08	6.E-08	3.0E-04	3.0E-04	2.7E-08	2.7E-07	9.E-05	9.E-04	0.001
	Mercury	3.1E-02	mg/kg	--	--	0.0E+00	3.5E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.4E-09	0.E+00	2.E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E+01	ug/kg	7.3E-01	7.3E-01	7.7E-11	1.8E-10	6.E-11	1.E-10	2.E-10	--	--	5.4E-10	1.3E-09	--	--	--
	Benzo(a)pyrene	1.8E+01	ug/kg	7.3E+00	7.3E+00	8.6E-11	2.0E-10	6.E-10	1.E-09	2.E-09	--	--	6.0E-10	1.4E-09	--	--	--
	Benzo(b)fluoranthene	1.7E+01	ug/kg	7.3E-01	7.3E-01	8.2E-11	1.9E-10	6.E-11	1.E-10	2.E-10	--	--	5.7E-10	1.3E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(k)fluoranthene	1.4E+01	ug/kg	7.3E-02	7.3E-02	6.7E-11	1.6E-10	5.E-12	1.E-11	2.E-11	--	--	4.7E-10	1.1E-09	--	--	--
	Dibenzo(a,h)anthracene	2.9E+00	ug/kg	7.3E+00	7.3E+00	1.4E-11	3.2E-11	1.E-10	2.E-10	3.E-10	--	--	9.7E-11	2.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+01	ug/kg	7.3E-01	7.3E-01	6.7E-11	1.6E-10	5.E-11	1.E-10	2.E-10	--	--	4.7E-10	1.1E-09	--	--	--
	Naphthalene	6.4E+00	ug/kg	--	--	3.1E-11	7.2E-11	--	--	--	2.0E-02	2.0E-02	2.1E-10	5.0E-10	1.E-08	3.E-08	0.00000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	5.2E+02	ug/kg	1.4E-02	1.4E-02	1.9E-09	5.8E-09	3.E-11	8.E-11	1.E-10	2.0E-02	2.0E-02	1.3E-08	4.1E-08	7.E-07	2.E-06	0.000003
	Polychlorinated Biphenyls																
	Total Aroclors	2.4E+01	ug/kg	2.0E+00	2.0E+00	1.2E-10	2.7E-10	2.E-10	5.E-10	8.E-10	2.0E-05	2.0E-05	8.6E-10	1.9E-09	4.E-05	9.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.8E-01	pg/g	1.3E+05	1.3E+05	2.0E-16	2.0E-15	3.E-11	3.E-10	3.E-10	1.0E-09	1.0E-09	1.4E-15	1.4E-14	1.E-06	1.E-05	0.00002
	Total PCB TEQ	2.9E-01	pg/g	1.3E+05	1.3E+05	1.5E-15	3.3E-15	2.E-10	4.E-10	6.E-10	1.0E-09	1.0E-09	1.1E-14	2.3E-14	1.E-05	2.E-05	0.00003
	Pesticides																
	Dieldrin	9.0E-02	ug/kg	1.6E+01	1.6E+01	3.3E-13	1.0E-12	5.E-12	2.E-11	2.E-11	5.0E-05	5.0E-05	2.3E-12	7.0E-12	5.E-08	1.E-07	0.0000002
	Total DDT	1.9E+00	ug/kg	3.4E-01	3.4E-01	2.1E-12	2.2E-11	7.E-13	7.E-12	8.E-12	5.0E-04	5.0E-04	1.5E-11	1.5E-10	3.E-08	3.E-07	0.0000003
Exposure Point Total										**7.E-08**							**0.001**
RM 12 West	**Metals**																
	Arsenic	3.9E+00	mg/kg	1.5E+00	1.5E+00	4.3E-09	4.3E-08	6.E-09	6.E-08	7.E-08	3.0E-04	3.0E-04	3.0E-08	3.0E-07	1.E-04	1.E-03	0.001
	Mercury	7.4E-01	mg/kg	--	--	0.0E+00	8.2E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.8E-08	0.E+00	6.E-04	0.0006
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.1E+03	ug/kg	7.3E-01	7.3E-01	5.3E-09	1.2E-08	4.E-09	9.E-09	1.E-08	--	--	3.7E-08	8.7E-08	--	--	--
	Benzo(a)pyrene	1.8E+03	ug/kg	7.3E+00	7.3E+00	8.6E-09	2.0E-08	6.E-08	1.E-07	2.E-07	--	--	6.1E-08	1.4E-07	--	--	--
	Benzo(b)fluoranthene	1.4E+03	ug/kg	7.3E-01	7.3E-01	6.8E-09	1.6E-08	5.E-09	1.E-08	2.E-08	--	--	4.8E-08	1.1E-07	--	--	--
	Benzo(k)fluoranthene	5.9E+02	ug/kg	7.3E-02	7.3E-02	2.8E-09	6.6E-09	2.E-10	5.E-10	7.E-10	--	--	2.0E-08	4.6E-08	--	--	--
	Dibenzo(a,h)anthracene	2.1E+02	ug/kg	7.3E+00	7.3E+00	1.0E-09	2.3E-09	7.E-09	2.E-08	2.E-08	--	--	7.1E-09	1.6E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.5E+03	ug/kg	7.3E-01	7.3E-01	7.1E-09	1.6E-08	5.E-09	1.E-08	2.E-08	--	--	4.9E-08	1.2E-07	--	--	--
	Naphthalene	1.5E+02	ug/kg	--	--	7.1E-10	1.7E-09	--	--	--	2.0E-02	2.0E-02	5.0E-09	1.2E-08	2.E-07	6.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.9E+02	ug/kg	1.4E-02	1.4E-02	7.0E-10	2.1E-09	1.E-11	3.E-11	4.E-11	2.0E-02	2.0E-02	4.9E-09	1.5E-08	2.E-07	7.E-07	0.000001
	Phenols																
	Pentachlorophenol	2.0E+01	ug/kg	4.0E-01	4.0E-01	1.8E-10	2.2E-10	7.E-11	9.E-11	2.E-10	5.0E-03	5.0E-03	1.3E-09	1.6E-09	3.E-07	3.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.2E+02	ug/kg	2.0E+00	2.0E+00	6.2E-10	1.4E-09	1.E-09	3.E-09	4.E-09	2.0E-05	2.0E-05	4.4E-09	9.5E-09	2.E-04	5.E-04	0.0007
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E-01	pg/g	1.3E+05	1.3E+05	1.8E-16	1.9E-15	2.E-11	2.E-10	3.E-10	1.0E-09	1.0E-09	1.3E-15	1.3E-14	1.E-06	1.E-05	0.00001
	Total PCB TEQ	4.5E-01	pg/g	1.3E+05	1.3E+05	2.3E-15	5.1E-15	3.E-10	7.E-10	1.E-09	1.0E-09	1.0E-09	1.6E-14	3.5E-14	2.E-05	4.E-05	0.00005
	Pesticides																
	Aldrin	7.0E-01	ug/kg	1.7E+01	1.7E+01	2.6E-12	7.8E-12	4.E-11	1.E-10	2.E-10	3.0E-05	3.0E-05	1.8E-11	5.5E-11	6.E-07	2.E-06	0.000002
	Total DDT	9.5E+00	ug/kg	3.4E-01	3.4E-01	1.0E-11	1.1E-10	4.E-12	4.E-11	4.E-11	5.0E-04	5.0E-04	7.3E-11	7.4E-10	1.E-07	1.E-06	0.000002
Exposure Point Total										**4.E-07**							**0.002**
RM 12 East	**Metals**																
	Arsenic	2.6E+00	mg/kg	1.5E+00	1.5E+00	2.9E-09	2.9E-08	4.E-09	4.E-08	5.E-08	3.0E-04	3.0E-04	2.0E-08	2.1E-07	7.E-05	7.E-04	0.0008
	Mercury	6.5E-02	mg/kg	--	--	0.0E+00	7.3E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.1E-09	0.E+00	5.E-05	0.00005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	4.8E+00	ug/kg	--	--	1.8E-11	5.4E-11	--	--	--	3.0E-04	3.0E-04	1.2E-10	3.8E-10	4.E-07	1.E-06	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+01	ug/kg	7.3E-01	7.3E-01	8.6E-11	2.0E-10	6.E-11	1.E-10	2.E-10	--	--	6.0E-10	1.4E-09	--	--	--
	Benzo(a)pyrene	1.9E+01	ug/kg	7.3E+00	7.3E+00	9.1E-11	2.1E-10	7.E-10	2.E-09	2.E-09	--	--	6.4E-10	1.5E-09	--	--	--
	Benzo(b)fluoranthene	2.7E+01	ug/kg	7.3E-01	7.3E-01	1.3E-10	3.0E-10	9.E-11	2.E-10	3.E-10	--	--	9.1E-10	2.1E-09	--	--	--
	Benzo(k)fluoranthene	8.4E+00	ug/kg	7.3E-02	7.3E-02	4.0E-11	9.4E-11	3.E-12	7.E-12	1.E-11	--	--	2.8E-10	6.6E-10	--	--	--
	Dibenzo(a,h)anthracene	4.5E+00	ug/kg	7.3E+00	7.3E+00	2.2E-11	5.0E-11	2.E-10	4.E-10	5.E-10	--	--	1.5E-10	3.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.7E+01	ug/kg	7.3E-01	7.3E-01	8.2E-11	1.9E-10	6.E-11	1.E-10	2.E-10	--	--	5.7E-10	1.3E-09	--	--	--
	Naphthalene	4.2E+01	ug/kg	--	--	2.0E-10	4.7E-10	--	--	--	2.0E-02	2.0E-02	1.4E-09	3.3E-09	7.E-08	2.E-07	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+04	ug/kg	1.4E-02	1.4E-02	6.6E-08	2.0E-07	9.E-10	3.E-09	4.E-09	2.0E-02	2.0E-02	4.6E-07	1.4E-06	2.E-05	7.E-05	0.00009
	Phenols																
	Pentachlorophenol	3.2E+00	ug/kg	4.0E-01	4.0E-01	3.0E-11	3.6E-11	1.E-11	1.E-11	3.E-11	5.0E-03	5.0E-03	2.1E-10	2.5E-10	4.E-08	5.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+02	ug/kg	2.0E+00	2.0E+00	9.4E-10	2.0E-09	2.E-09	4.E-09	6.E-09	2.0E-05	2.0E-05	6.5E-09	1.4E-08	3.E-04	7.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	1.3E+05	1.3E+05	1.9E-15	2.0E-14	3.E-10	3.E-09	3.E-09	1.0E-09	1.0E-09	1.4E-14	1.4E-13	1.E-05	1.E-04	0.0002
	Total PCB TEQ	4.6E+00	pg/g	1.3E+05	1.3E+05	2.4E-14	5.1E-14	3.E-09	7.E-09	1.E-08	1.0E-09	1.0E-09	1.6E-13	3.6E-13	2.E-04	4.E-04	0.0005
	Pesticides																
	Total DDT	9.4E+00	ug/kg	3.4E-01	3.4E-01	1.0E-11	1.1E-10	4.E-12	4.E-11	4.E-11	5.0E-04	5.0E-04	7.3E-11	7.4E-10	1.E-07	1.E-06	0.000002
Exposure Point Total										7.E-08							0.003
Study Area-wide[c]	**Metals**																
	Arsenic	5.0E+00	mg/kg	1.5E+00	1.5E+00	5.6E-09	5.6E-08	8.E-09	8.E-08	9.E-08	3.0E-04	3.0E-04	3.9E-08	3.9E-07	1.E-04	1.E-03	0.001
	Mercury	3.0E-01	mg/kg	--	--	0.0E+00	3.4E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.4E-08	0.E+00	2.E-04	0.0002
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.2E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	2.4E+03	ug/kg	--	--	8.7E-09	2.7E-08	--	--	--	3.0E-04	3.0E-04	6.1E-08	1.9E-07	2.E-04	6.E-04	0.0008
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+03	ug/kg	7.3E-01	7.3E-01	1.5E-08	3.4E-08	1.E-08	3.E-08	4.E-08	--	--	1.0E-07	2.4E-07	--	--	--
	Benzo(a)pyrene	3.7E+03	ug/kg	7.3E+00	7.3E+00	1.8E-08	4.2E-08	1.E-07	3.E-07	4.E-07	--	--	1.3E-07	2.9E-07	--	--	--
	Benzo(b)fluoranthene	2.9E+03	ug/kg	7.3E-01	7.3E-01	1.4E-08	3.3E-08	1.E-08	2.E-08	3.E-08	--	--	9.8E-08	2.3E-07	--	--	--
	Benzo(k)fluoranthene	2.0E+03	ug/kg	7.3E-02	7.3E-02	9.6E-09	2.2E-08	7.E-10	2.E-09	2.E-09	--	--	6.7E-08	1.6E-07	--	--	--
	Dibenzo(a,h)anthracene	3.8E+02	ug/kg	7.3E+00	7.3E+00	1.8E-09	4.2E-09	1.E-08	3.E-08	4.E-08	--	--	1.3E-08	3.0E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.6E+03	ug/kg	7.3E-01	7.3E-01	1.3E-08	2.9E-08	9.E-09	2.E-08	3.E-08	--	--	8.8E-08	2.0E-07	--	--	--
	Naphthalene	1.5E+03	ug/kg	--	--	7.0E-09	1.6E-08	--	--	--	2.0E-02	2.0E-02	4.9E-08	1.1E-07	2.E-06	6.E-06	0.00001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.9E+03	ug/kg	1.4E-02	1.4E-02	1.1E-08	3.2E-08	1.E-10	5.E-10	6.E-10	2.0E-02	2.0E-02	7.4E-08	2.3E-07	4.E-06	1.E-05	0.00001
	Phenols																
	Pentachlorophenol	5.6E+01	ug/kg	4.0E-01	4.0E-01	5.2E-10	6.3E-10	2.E-10	3.E-10	5.E-10	5.0E-03	5.0E-03	3.6E-09	4.4E-09	7.E-07	9.E-07	0.000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-19.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Cancer Risk Calculations[a]							Noncancer Hazard Calculations[a]						
		Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polychlorinated Biphenyls																
	Total Aroclors	3.6E+02	ug/kg	2.0E+00	2.0E+00	1.9E-09	4.0E-09	4.E-09	8.E-09	1.E-08	2.0E-05	2.0E-05	1.3E-08	2.8E-08	6.E-04	1.E-03	0.002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.6E+02	pg/g	1.3E+05	1.3E+05	7.3E-13	7.4E-12	9.E-08	1.E-06	1.E-06	1.0E-09	1.0E-09	5.1E-12	5.2E-11	5.E-03	5.E-02	0.06
	Total PCB TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	8.7E-14	1.9E-13	1.E-08	2.E-08	4.E-08	1.0E-09	1.0E-09	6.1E-13	1.3E-12	6.E-04	1.E-03	0.002
	Pesticides																
	Aldrin	5.8E+00	ug/kg	1.7E+01	1.7E+01	2.1E-11	6.5E-11	4.E-10	1.E-09	1.E-09	3.0E-05	3.0E-05	1.5E-10	4.5E-10	5.E-06	2.E-05	0.00002
	Dieldrin	2.8E+00	ug/kg	1.6E+01	1.6E+01	1.0E-11	3.1E-11	2.E-10	5.E-10	7.E-10	5.0E-05	5.0E-05	7.2E-11	2.2E-10	1.E-06	4.E-06	0.00001
	Total DDT	3.7E+02	ug/kg	3.4E-01	3.4E-01	4.1E-10	4.2E-09	1.E-10	1.E-09	2.E-09	5.0E-04	5.0E-04	2.9E-09	2.9E-08	6.E-06	6.E-05	0.00006
	Conventionals																
	Perchlorate	2.7E+05	ug/kg	--	--	0.0E+00	3.1E-06	--	--	--	7.0E-04	7.0E-04	0.0E+00	2.1E-05	0.E+00	3.E-02	0.03
Exposure Point Total										2.E-06							0.2

Notes:
a Numbers presented are rounded values. Sums calculated before rounding.
b Cumulative risk sums calculated using PCB Aroclor data.
c Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:
-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
LADI = Lifetime Average Daily Intake.
mg/kg = Milligrams per kilogram.

PCB = Polychlorinated Biphenyls.
pg/g = Picograms per gram.
RfD = Reference dose.
RM = River mile.
TEQ = Toxic equivalents.
ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
						Cancer Risk Calculations[a]								Noncancer Hazard Calculations[a]			
RM 1 West	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	1.9E-10	4.7E-09	3.E-10	7.E-09	7.E-09	3.0E-04	3.0E-04	3.3E-09	8.2E-08	1.E-05	3.E-04	0.0003
	Mercury	6.1E-02	mg/kg	--	--	0.0E+00	6.8E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.2E-09	0.E+00	1.E-05	0.00001
	Butyltins																
	Tributyltin ion	8.4E-01	ug/kg	--	--	1.2E-13	9.4E-13	--	--	--	3.0E-04	3.0E-04	2.2E-12	1.6E-11	7.E-09	5.E-08	0.0000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.0E+01	ug/kg	7.3E-01	7.3E-01	9.6E-12	5.6E-11	7.E-12	4.E-11	5.E-11	--	--	1.7E-10	9.8E-10	--	--	--
	Benzo(a)pyrene	7.4E+01	ug/kg	7.3E+00	7.3E+00	1.4E-11	8.3E-11	1.E-10	6.E-10	7.E-10	--	--	2.5E-10	1.5E-09	--	--	--
	Benzo(b)fluoranthene	7.4E+01	ug/kg	7.3E-01	7.3E-01	1.4E-11	8.3E-11	1.E-11	6.E-11	7.E-11	--	--	2.5E-10	1.4E-09	--	--	--
	Benzo(k)fluoranthene	3.0E+01	ug/kg	7.3E-02	7.3E-02	5.8E-12	3.4E-11	4.E-13	2.E-12	3.E-12	--	--	1.0E-10	5.9E-10	--	--	--
	Dibenzo(a,h)anthracene	9.4E+00	ug/kg	7.3E+00	7.3E+00	1.8E-12	1.1E-11	1.E-11	8.E-11	9.E-11	--	--	3.2E-11	1.8E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	5.8E+01	ug/kg	7.3E-01	7.3E-01	1.1E-11	6.5E-11	8.E-12	5.E-11	6.E-11	--	--	1.9E-10	1.1E-09	--	--	--
	Naphthalene	1.3E+01	ug/kg	--	--	2.5E-12	1.5E-11	--	--	--	2.0E-02	2.0E-02	4.4E-11	2.6E-10	2.E-09	1.E-08	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.9E+01	ug/kg	1.4E-02	1.4E-02	2.7E-12	2.1E-11	4.E-14	3.E-13	3.E-13	2.0E-02	2.0E-02	4.8E-11	3.6E-10	2.E-09	2.E-08	0.00000002
	Phenols																
	Pentachlorophenol	7.2E-01	ug/kg	4.0E-01	4.0E-01	2.6E-13	8.0E-13	1.E-13	3.E-13	4.E-13	5.0E-03	5.0E-03	4.6E-12	1.4E-11	9.E-10	3.E-09	0.000000004
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+01	ug/kg	2.0E+00	2.0E+00	2.3E-12	1.3E-11	5.E-12	3.E-11	3.E-11	2.0E-05	2.0E-05	4.1E-11	2.2E-10	2.E-06	1.E-05	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	7.6E-01	pg/g	1.3E+05	1.3E+05	3.4E-17	8.5E-16	4.E-12	1.E-10	1.E-10	1.0E-09	1.0E-09	5.9E-16	1.5E-14	6.E-07	1.E-05	0.00002
	Pesticides																
	Aldrin	1.7E-01	ug/kg	1.7E+01	1.7E+01	2.5E-14	1.9E-13	4.E-13	3.E-12	4.E-12	3.0E-05	3.0E-05	4.4E-13	3.3E-12	1.E-08	1.E-07	0.0000001
	Total DDT	2.5E+00	ug/kg	3.4E-01	3.4E-01	1.1E-13	2.8E-12	4.E-14	9.E-13	1.E-12	5.0E-04	5.0E-04	1.9E-12	4.9E-11	4.E-09	1.E-07	0.0000001
	Conventionals																
	Perchlorate	NA	ug/kg	--	--	NA	NA	NA	NA	NA	7.0E-04	7.0E-04	NA	NA	NA	NA	NA
Exposure Point Total[b]										9.E-09							0.0003
RM 1 East	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	1.8E-10	4.6E-09	3.E-10	7.E-09	7.E-09	3.0E-04	3.0E-04	3.2E-09	8.0E-08	1.E-05	3.E-04	0.0003
	Mercury	1.4E+00	mg/kg	--	--	0.0E+00	1.6E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.8E-08	0.E+00	3.E-04	0.0003
	Butyltins																
	Tributyltin ion	1.1E+00	ug/kg	--	--	1.6E-13	1.2E-12	--	--	--	3.0E-04	3.0E-04	2.8E-12	2.2E-11	9.E-09	7.E-08	0.00000008
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+01	ug/kg	7.3E-01	7.3E-01	6.0E-12	3.5E-11	4.E-12	3.E-11	3.E-11	--	--	1.1E-10	6.2E-10	--	--	--
	Benzo(a)pyrene	4.6E+01	ug/kg	7.3E+00	7.3E+00	8.9E-12	5.2E-11	6.E-11	4.E-10	4.E-10	--	--	1.6E-10	9.1E-10	--	--	--
	Benzo(b)fluoranthene	4.2E+01	ug/kg	7.3E-01	7.3E-01	8.1E-12	4.7E-11	6.E-12	3.E-11	4.E-11	--	--	1.4E-10	8.2E-10	--	--	--
	Benzo(k)fluoranthene	2.7E+01	ug/kg	7.3E-02	7.3E-02	5.1E-12	3.0E-11	4.E-13	2.E-12	3.E-12	--	--	8.9E-11	5.2E-10	--	--	--
	Dibenzo(a,h)anthracene	5.5E+00	ug/kg	7.3E+00	7.3E+00	1.1E-12	6.2E-12	8.E-12	4.E-11	5.E-11	--	--	1.8E-11	1.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.3E+01	ug/kg	7.3E-01	7.3E-01	6.3E-12	3.7E-11	5.E-12	3.E-11	3.E-11	--	--	1.1E-10	6.4E-10	--	--	--
	Naphthalene	8.3E+00	ug/kg	--	--	1.6E-12	9.2E-12	--	--	--	2.0E-02	2.0E-02	2.8E-11	1.6E-10	1.E-09	8.E-09	0.00000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: In-water Worker   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.0E+01	ug/kg	1.4E-02	1.4E-02	5.9E-12	4.4E-11	8.E-14	6.E-13	7.E-13	2.0E-02	2.0E-02	1.0E-10	7.8E-10	5.E-09	4.E-08	0.00000004
	Phenols																
	Pentachlorophenol	7.6E-01	ug/kg	4.0E-01	4.0E-01	2.8E-13	8.4E-13	1.E-13	3.E-13	4.E-13	5.0E-03	5.0E-03	4.9E-12	1.5E-11	1.E-09	3.E-09	0.000000004
	Polychlorinated Biphenyls																
	Total Aroclors	1.0E+02	ug/kg	2.0E+00	2.0E+00	2.1E-11	1.1E-10	4.E-11	2.E-10	3.E-10	2.0E-05	2.0E-05	3.7E-10	2.0E-09	2.E-05	1.E-04	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.7E-01	pg/g	1.3E+05	1.3E+05	2.1E-17	5.2E-16	3.E-12	7.E-11	7.E-11	1.0E-09	1.0E-09	3.6E-16	9.2E-15	4.E-07	9.E-06	0.00001
	Total PCB TEQ	2.7E-01	pg/g	1.3E+05	1.3E+05	5.5E-17	3.0E-16	7.E-12	4.E-11	5.E-11	1.0E-09	1.0E-09	9.7E-16	5.2E-15	1.E-06	5.E-06	0.00001
	Pesticides																
	Total DDT	1.8E+00	ug/kg	3.4E-01	3.4E-01	7.9E-14	2.0E-12	3.E-14	7.E-13	7.E-13	5.0E-04	5.0E-04	1.4E-12	3.5E-11	3.E-09	7.E-08	0.0000001
Exposure Point Total										8.E-09							0.0007
RM 1.5 West	**Metals**																
	Arsenic	3.6E+00	mg/kg	1.5E+00	1.5E+00	1.6E-10	4.0E-09	2.E-10	6.E-09	6.E-09	3.0E-04	3.0E-04	2.8E-09	7.1E-08	9.E-06	2.E-04	0.0002
	Mercury	5.1E-02	mg/kg	--	--	0.0E+00	5.6E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.9E-10	0.E+00	1.E-05	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.9E+01	ug/kg	7.3E-01	7.3E-01	3.6E-12	2.1E-11	3.E-12	2.E-11	2.E-11	--	--	6.2E-11	3.6E-10	--	--	--
	Benzo(a)pyrene	2.7E+01	ug/kg	7.3E+00	7.3E+00	5.2E-12	3.0E-11	4.E-11	2.E-10	3.E-10	--	--	9.1E-11	5.3E-10	--	--	--
	Benzo(b)fluoranthene	2.3E+01	ug/kg	7.3E-01	7.3E-01	4.4E-12	2.6E-11	3.E-12	2.E-11	2.E-11	--	--	7.7E-11	4.5E-10	--	--	--
	Benzo(k)fluoranthene	1.9E+01	ug/kg	7.3E-02	7.3E-02	3.7E-12	2.1E-11	3.E-13	2.E-12	2.E-12	--	--	6.4E-11	3.7E-10	--	--	--
	Dibenzo(a,h)anthracene	3.3E+00	ug/kg	7.3E+00	7.3E+00	6.2E-13	3.6E-12	5.E-12	3.E-11	3.E-11	--	--	1.1E-11	6.4E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	2.1E+01	ug/kg	7.3E-01	7.3E-01	4.0E-12	2.4E-11	3.E-12	2.E-11	2.E-11	--	--	7.1E-11	4.1E-10	--	--	--
	Naphthalene	5.3E+00	ug/kg	--	--	1.0E-12	6.0E-12	--	--	--	2.0E-02	2.0E-02	1.8E-11	1.0E-10	9.E-10	5.E-09	0.00000001
	Phenols																
	Pentachlorophenol	8.1E-01	ug/kg	4.0E-01	4.0E-01	3.0E-13	9.0E-13	1.E-13	4.E-13	5.E-13	5.0E-03	5.0E-03	5.2E-12	1.6E-11	1.E-09	3.E-09	0.000000004
	Polychlorinated Biphenyls																
	Total Aroclors	1.2E+01	ug/kg	2.0E+00	2.0E+00	2.4E-12	1.3E-11	5.E-12	3.E-11	3.E-11	2.0E-05	2.0E-05	4.2E-11	2.3E-10	2.E-06	1.E-05	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.5E-02	pg/g	1.3E+05	1.3E+05	3.8E-18	9.5E-17	5.E-13	1.E-11	1.E-11	1.0E-09	1.0E-09	6.6E-17	1.7E-15	7.E-08	2.E-06	0.000002
	Pesticides																
	Total DDT	7.9E-01	ug/kg	3.4E-01	3.4E-01	3.5E-14	8.9E-13	1.E-14	3.E-13	3.E-13	5.0E-04	5.0E-04	6.1E-13	1.6E-11	1.E-09	3.E-08	0.00000003
Exposure Point Total										7.E-09							0.0003
RM 1.5 East	**Metals**																
	Arsenic	4.4E+00	mg/kg	1.5E+00	1.5E+00	1.9E-10	4.9E-09	3.E-10	7.E-09	8.E-09	3.0E-04	3.0E-04	3.4E-09	8.5E-08	1.E-05	3.E-04	0.0003
	Mercury	6.4E-02	mg/kg	--	--	0.0E+00	7.2E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-09	0.E+00	1.E-05	0.00001
	Butyltins																
	Tributyltin ion	3.7E-01	ug/kg	--	--	5.5E-14	4.1E-13	--	--	--	3.0E-04	3.0E-04	9.6E-13	7.2E-12	3.E-09	2.E-08	0.00000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.

Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: In-water Worker   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)^-1	Oral Cancer Slope Factor (mg/kg-day)^-1	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.5E+02	ug/kg	7.3E-01	7.3E-01	4.8E-11	2.8E-10	3.E-11	2.E-10	2.E-10	--	--	8.3E-10	4.9E-09	--	--	--
	Benzo(a)pyrene	3.7E+02	ug/kg	7.3E+00	7.3E+00	7.0E-11	4.1E-10	5.E-10	3.E-09	4.E-09	--	--	1.2E-09	7.2E-09	--	--	--
	Benzo(b)fluoranthene	2.2E+02	ug/kg	7.3E-01	7.3E-01	4.2E-11	2.5E-10	3.E-11	2.E-10	2.E-10	--	--	7.4E-10	4.3E-09	--	--	--
	Benzo(k)fluoranthene	2.2E+02	ug/kg	7.3E-02	7.3E-02	4.1E-11	2.4E-10	3.E-12	2.E-11	2.E-11	--	--	7.2E-10	4.2E-09	--	--	--
	Dibenzo(a,h)anthracene	3.7E+01	ug/kg	7.3E+00	7.3E+00	7.1E-12	4.1E-11	5.E-11	3.E-10	4.E-10	--	--	1.2E-10	7.2E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.6E+02	ug/kg	7.3E-01	7.3E-01	5.0E-11	2.9E-10	4.E-11	2.E-10	3.E-10	--	--	8.8E-10	5.1E-09	--	--	--
	Naphthalene	9.8E+01	ug/kg	--	--	1.9E-11	1.1E-10	--	--	--	2.0E-02	2.0E-02	3.3E-10	1.9E-09	2.E-08	1.E-07	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.1E+01	ug/kg	1.4E-02	1.4E-02	1.1E-11	8.0E-11	1.E-13	1.E-12	1.E-12	2.0E-02	2.0E-02	1.8E-10	1.4E-09	9.E-09	7.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.6E+00	ug/kg	4.0E-01	4.0E-01	6.0E-13	1.8E-12	2.E-13	7.E-13	1.E-12	5.0E-03	5.0E-03	1.1E-11	3.2E-11	2.E-09	6.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.2E+01	ug/kg	2.0E+00	2.0E+00	4.5E-12	2.4E-11	9.E-12	5.E-11	6.E-11	2.0E-05	2.0E-05	7.8E-11	4.2E-10	4.E-06	2.E-05	0.00003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.7E-01	pg/g	1.3E+05	1.3E+05	2.5E-17	6.4E-16	3.E-12	8.E-11	9.E-11	1.0E-09	1.0E-09	4.5E-16	1.1E-14	4.E-07	1.E-05	0.00001
	Total PCB TEQ	1.1E-01	pg/g	1.3E+05	1.3E+05	2.2E-17	1.2E-16	3.E-12	2.E-11	2.E-11	1.0E-09	1.0E-09	3.8E-16	2.1E-15	4.E-07	2.E-06	0.000002
	Pesticides																
	Dieldrin	6.9E-02	ug/kg	1.6E+01	1.6E+01	1.0E-14	7.7E-14	2.E-13	1.E-12	1.E-12	5.0E-05	5.0E-05	1.8E-13	1.4E-12	4.E-09	3.E-08	0.00000003
	Total DDT	6.8E+00	ug/kg	3.4E-01	3.4E-01	3.0E-13	7.6E-12	1.E-13	3.E-12	3.E-12	5.0E-04	5.0E-04	5.3E-12	1.3E-10	1.E-08	3.E-07	0.0000003
Exposure Point Total										1.E-08							0.0003
RM 2 West	**Metals**																
	Arsenic	3.4E+00	mg/kg	1.5E+00	1.5E+00	1.5E-10	3.8E-09	2.E-10	6.E-09	6.E-09	3.0E-04	3.0E-04	2.7E-09	6.7E-08	9.E-06	2.E-04	0.0002
	Mercury	6.2E-02	mg/kg	--	--	0.0E+00	7.0E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.2E-09	0.E+00	1.E-05	0.00001
	Butyltins																
	Tributyltin ion	2.1E+00	ug/kg	--	--	3.1E-13	2.3E-12	--	--	--	3.0E-04	3.0E-04	5.4E-12	4.1E-11	2.E-08	1.E-07	0.0000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+01	ug/kg	7.3E-01	7.3E-01	5.9E-12	3.4E-11	4.E-12	3.E-11	3.E-11	--	--	1.0E-10	6.0E-10	--	--	--
	Benzo(a)pyrene	5.5E+01	ug/kg	7.3E+00	7.3E+00	1.1E-11	6.2E-11	8.E-11	5.E-10	5.E-10	--	--	1.9E-10	1.1E-09	--	--	--
	Benzo(b)fluoranthene	5.6E+01	ug/kg	7.3E-01	7.3E-01	1.1E-11	6.3E-11	8.E-12	5.E-11	5.E-11	--	--	1.9E-10	1.1E-09	--	--	--
	Benzo(k)fluoranthene	1.8E+00	ug/kg	7.3E-02	7.3E-02	3.4E-12	2.0E-11	2.E-13	1.E-12	2.E-12	--	--	6.0E-11	3.5E-10	--	--	--
	Dibenzo(a,h)anthracene	6.1E+00	ug/kg	7.3E+00	7.3E+00	1.2E-12	6.8E-12	9.E-12	5.E-11	6.E-11	--	--	2.0E-11	1.2E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	4.6E+01	ug/kg	7.3E-01	7.3E-01	8.8E-12	5.1E-11	6.E-12	4.E-11	4.E-11	--	--	1.5E-10	9.0E-10	--	--	--
	Naphthalene	7.2E+00	ug/kg	--	--	1.4E-12	8.0E-12	--	--	--	2.0E-02	2.0E-02	2.4E-11	1.4E-10	1.E-09	7.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.3E+01	ug/kg	1.4E-02	1.4E-02	4.9E-12	3.7E-11	7.E-14	5.E-13	6.E-13	2.0E-02	2.0E-02	8.5E-11	6.5E-10	4.E-09	3.E-08	0.00000004
	Polychlorinated Biphenyls																
	Total Aroclors	1.3E+01	ug/kg	2.0E+00	2.0E+00	2.7E-12	1.5E-11	5.E-12	3.E-11	3.E-11	2.0E-05	2.0E-05	4.7E-11	2.5E-10	2.E-06	1.E-05	0.00002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: In-water Worker   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)^-1	Oral Cancer Slope Factor (mg/kg-day)^-1	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.2E-01	pg/g	1.3E+05	1.3E+05	3.6E-17	9.1E-16	5.E-12	1.E-10	1.E-10	1.0E-09	1.0E-09	6.3E-16	1.6E-14	6.E-07	2.E-05	0.00002
	Total PCB TEQ	2.5E-01	pg/g	1.3E+05	1.3E+05	5.2E-17	2.8E-16	7.E-12	4.E-11	4.E-11	1.0E-09	1.0E-09	9.1E-16	4.9E-15	9.E-07	5.E-06	0.00001
	Pesticides																
	Aldrin	9.1E-02	ug/kg	1.7E+01	1.7E+01	1.3E-14	1.0E-13	2.E-13	2.E-12	2.E-12	3.0E-05	3.0E-05	2.3E-13	1.8E-12	8.E-09	6.E-08	0.0000001
	Dieldrin	1.1E-01	ug/kg	1.6E+01	1.6E+01	1.7E-14	1.3E-13	3.E-13	2.E-12	2.E-12	5.0E-05	5.0E-05	2.9E-13	2.2E-12	6.E-09	4.E-08	0.0000001
	Total DDT	1.4E+00	ug/kg	3.4E-01	3.4E-01	6.1E-14	1.5E-12	2.E-14	5.E-13	5.E-13	5.0E-04	5.0E-04	1.1E-12	2.7E-11	2.E-09	5.E-08	0.0000001
Exposure Point Total										7.E-09							0.0003
RM 2 East	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	1.8E-10	4.6E-09	3.E-10	7.E-09	7.E-09	3.0E-04	3.0E-04	3.2E-09	8.0E-08	1.E-05	3.E-04	0.0003
	Mercury	8.2E-02	mg/kg	--	--	0.0E+00	9.2E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.6E-09	0.E+00	2.E-05	0.00002
	Butyltins																
	Tributyltin ion	2.7E+00	ug/kg	--	--	3.9E-13	3.0E-12	--	--	--	3.0E-04	3.0E-04	6.8E-12	5.2E-11	2.E-08	2.E-07	0.0000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.8E+01	ug/kg	7.3E-01	7.3E-01	1.1E-11	6.5E-11	8.E-12	5.E-11	6.E-11	--	--	1.9E-10	1.1E-09	--	--	--
	Benzo(a)pyrene	8.6E+01	ug/kg	7.3E+00	7.3E+00	1.7E-11	9.6E-11	1.E-10	7.E-10	8.E-10	--	--	2.9E-10	1.7E-09	--	--	--
	Benzo(b)fluoranthene	9.4E+01	ug/kg	7.3E-01	7.3E-01	1.8E-11	1.0E-10	1.E-11	8.E-11	9.E-11	--	--	3.1E-10	1.8E-09	--	--	--
	Benzo(k)fluoranthene	4.1E+01	ug/kg	7.3E-02	7.3E-02	7.9E-12	4.6E-11	6.E-13	3.E-12	4.E-12	--	--	1.4E-10	8.1E-10	--	--	--
	Dibenzo(a,h)anthracene	1.3E+01	ug/kg	7.3E+00	7.3E+00	2.5E-12	1.4E-11	2.E-11	1.E-10	1.E-10	--	--	4.3E-11	2.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	7.5E+01	ug/kg	7.3E-01	7.3E-01	1.4E-11	8.4E-11	1.E-11	6.E-11	7.E-11	--	--	2.5E-10	1.5E-09	--	--	--
	Naphthalene	1.4E+01	ug/kg	--	--	2.8E-12	1.6E-11	--	--	--	2.0E-02	2.0E-02	4.9E-11	2.8E-10	2.E-09	1.E-08	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.9E+01	ug/kg	1.4E-02	1.4E-02	1.5E-11	1.1E-10	2.E-13	2.E-12	2.E-12	2.0E-02	2.0E-02	2.6E-10	1.9E-09	1.E-08	1.E-07	0.0000001
	Phenols																
	Pentachlorophenol	5.3E-01	ug/kg	4.0E-01	4.0E-01	2.0E-13	6.0E-13	8.E-14	2.E-13	3.E-13	5.0E-03	5.0E-03	3.4E-12	1.0E-11	7.E-10	2.E-09	0.000000003
	Polychlorinated Biphenyls																
	Total Aroclors	4.3E+02	ug/kg	2.0E+00	2.0E+00	8.9E-11	4.8E-10	2.E-10	1.E-09	1.E-09	2.0E-05	2.0E-05	1.6E-09	8.5E-09	8.E-05	4.E-04	0.00050
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.2E+00	pg/g	1.3E+05	1.3E+05	5.4E-17	1.4E-15	7.E-12	2.E-10	2.E-10	1.0E-09	1.0E-09	9.5E-16	2.4E-14	9.E-07	2.E-05	0.00002
	Total PCB TEQ	1.3E+01	pg/g	1.3E+05	1.3E+05	2.8E-15	1.5E-14	4.E-10	2.E-09	2.E-09	1.0E-09	1.0E-09	4.9E-14	2.6E-13	5.E-05	3.E-04	0.00031
	Pesticides																
	Aldrin	4.7E-01	ug/kg	1.7E+01	1.7E+01	6.9E-14	5.2E-13	1.E-12	9.E-12	1.E-11	3.0E-05	3.0E-05	1.2E-12	9.1E-12	4.E-08	3.E-07	0.0000003
	Dieldrin	6.0E-01	ug/kg	1.6E+01	1.6E+01	8.8E-14	6.7E-13	1.E-12	1.E-11	1.E-11	5.0E-05	5.0E-05	1.5E-12	1.2E-11	3.E-08	2.E-07	0.0000003
	Total DDT	2.6E+00	ug/kg	3.4E-01	3.4E-01	1.1E-13	2.9E-12	4.E-14	1.E-12	1.E-12	5.0E-04	5.0E-04	2.0E-12	5.1E-11	4.E-09	1.E-07	0.0000001
Exposure Point Total										1.E-08							0.001
RM 2.5 West	**Metals**																
	Arsenic	4.0E+00	mg/kg	1.5E+00	1.5E+00	1.8E-10	4.5E-09	3.E-10	7.E-09	7.E-09	3.0E-04	3.0E-04	3.1E-09	7.9E-08	1.E-05	3.E-04	0.0003
	Mercury	5.5E-02	mg/kg	--	--	0.0E+00	6.2E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-09	0.E+00	1.E-05	0.00001
	Butyltins																
	Tributyltin ion	2.3E+00	ug/kg	--	--	3.4E-13	2.6E-12	--	--	--	3.0E-04	3.0E-04	5.9E-12	4.5E-11	2.E-08	2.E-07	0.0000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.1E+02	ug/kg	7.3E-01	7.3E-01	3.9E-11	2.3E-10	3.E-11	2.E-10	2.E-10	--	--	6.9E-10	4.0E-09	--	--	--
	Benzo(a)pyrene	3.7E+02	ug/kg	7.3E+00	7.3E+00	7.1E-11	4.1E-10	5.E-10	3.E-09	4.E-09	--	--	1.2E-09	7.2E-09	--	--	--
	Benzo(b)fluoranthene	2.8E+02	ug/kg	7.3E-01	7.3E-01	5.3E-11	3.1E-10	4.E-11	2.E-10	3.E-10	--	--	9.2E-10	5.4E-09	--	--	--
	Benzo(k)fluoranthene	1.2E+02	ug/kg	7.3E-02	7.3E-02	2.4E-11	1.4E-10	2.E-12	1.E-11	1.E-11	--	--	4.2E-10	2.4E-09	--	--	--
	Dibenzo(a,h)anthracene	4.1E+01	ug/kg	7.3E+00	7.3E+00	7.8E-12	4.6E-11	6.E-11	3.E-10	4.E-10	--	--	1.4E-10	8.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.1E+02	ug/kg	7.3E-01	7.3E-01	5.9E-11	3.5E-10	4.E-11	3.E-10	3.E-10	--	--	1.0E-09	6.1E-09	--	--	--
	Naphthalene	4.1E+01	ug/kg	--	--	7.8E-12	4.5E-11	--	--	--	2.0E-02	2.0E-02	1.4E-10	7.9E-10	7.E-09	4.E-08	0.00000005
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.5E+01	ug/kg	1.4E-02	1.4E-02	2.3E-12	1.7E-11	3.E-14	2.E-13	3.E-13	2.0E-02	2.0E-02	4.0E-11	3.0E-10	2.E-09	2.E-08	0.00000002
	Phenols																
	Pentachlorophenol	4.5E-01	ug/kg	4.0E-01	4.0E-01	1.6E-13	5.0E-13	7.E-14	2.E-13	3.E-13	5.0E-03	5.0E-03	2.9E-12	8.7E-12	6.E-10	2.E-09	0.000000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+01	ug/kg	2.0E+00	2.0E+00	2.2E-12	1.2E-11	4.E-12	2.E-11	3.E-11	2.0E-05	2.0E-05	3.9E-11	2.1E-10	2.E-06	1.E-05	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.7E-01	pg/g	1.3E+05	1.3E+05	1.2E-17	3.0E-16	2.E-12	4.E-11	4.E-11	1.0E-09	1.0E-09	2.1E-16	5.2E-15	2.E-07	5.E-06	0.00001
	Total PCB TEQ	2.1E-01	pg/g	1.3E+05	1.3E+05	4.3E-17	2.3E-16	6.E-12	3.E-11	4.E-11	1.0E-09	1.0E-09	7.5E-16	4.0E-15	7.E-07	4.E-06	0.000005
	Pesticides																
	Aldrin	9.3E-02	ug/kg	1.7E+01	1.7E+01	1.4E-14	1.0E-13	2.E-13	2.E-12	2.E-12	3.0E-05	3.0E-05	2.4E-13	1.8E-12	8.E-09	6.E-08	0.0000001
	Dieldrin	1.4E-01	ug/kg	1.6E+01	1.6E+01	2.0E-14	1.5E-13	3.E-13	2.E-12	3.E-12	5.0E-05	5.0E-05	3.5E-13	2.7E-12	7.E-09	5.E-08	0.0000001
	Total DDT	1.4E+00	ug/kg	3.4E-01	3.4E-01	6.4E-14	1.6E-12	2.E-14	6.E-13	6.E-13	5.0E-04	5.0E-04	1.1E-12	2.8E-11	2.E-09	6.E-08	0.000000
Exposure Point Total										**1.E-08**							**0.0003**
RM 2.5 East	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	1.9E-10	4.7E-09	3.E-10	7.E-09	7.E-09	3.0E-04	3.0E-04	3.3E-09	8.3E-08	1.E-05	3.E-04	0.0003
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	7.6E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-09	0.E+00	1.E-05	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.8E+02	ug/kg	7.3E-01	7.3E-01	1.1E-10	6.5E-10	8.E-11	5.E-10	6.E-10	--	--	2.0E-09	1.1E-08	--	--	--
	Benzo(a)pyrene	4.8E+02	ug/kg	7.3E+00	7.3E+00	9.2E-11	5.4E-10	7.E-10	4.E-09	5.E-09	--	--	1.6E-09	9.4E-09	--	--	--
	Benzo(b)fluoranthene	4.4E+02	ug/kg	7.3E-01	7.3E-01	8.5E-11	4.9E-10	6.E-11	4.E-10	4.E-10	--	--	1.5E-09	8.6E-09	--	--	--
	Benzo(k)fluoranthene	1.4E+02	ug/kg	7.3E-02	7.3E-02	2.7E-11	1.6E-10	2.E-12	1.E-11	1.E-11	--	--	4.7E-10	2.7E-09	--	--	--
	Dibenzo(a,h)anthracene	4.9E+01	ug/kg	7.3E+00	7.3E+00	9.4E-12	5.5E-11	7.E-11	4.E-10	5.E-10	--	--	1.6E-10	9.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.8E+02	ug/kg	7.3E-01	7.3E-01	5.5E-11	3.2E-10	4.E-11	2.E-10	3.E-10	--	--	9.6E-10	5.6E-09	--	--	--
	Naphthalene	5.1E+01	ug/kg	--	--	9.8E-12	5.7E-11	--	--	--	2.0E-02	2.0E-02	1.7E-10	9.9E-10	9.E-09	5.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.8E+01	ug/kg	1.4E-02	1.4E-02	1.2E-11	8.7E-11	2.E-13	1.E-12	1.E-12	2.0E-02	2.0E-02	2.0E-10	1.5E-09	1.E-08	8.E-08	0.0000001
	Phenols																
	Pentachlorophenol	4.3E+00	ug/kg	4.0E-01	4.0E-01	1.6E-12	4.8E-12	6.E-13	2.E-12	3.E-12	5.0E-03	5.0E-03	2.7E-11	8.3E-11	5.E-09	2.E-08	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	5.6E+01	ug/kg	2.0E+00	2.0E+00	1.2E-11	6.2E-11	2.E-11	1.E-10	1.E-10	2.0E-05	2.0E-05	2.0E-10	1.1E-09	1.E-05	5.E-05	0.00006

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.6E-01	pg/g	1.3E+05	1.3E+05	2.9E-17	7.4E-16	4.E-12	1.E-10	1.E-10	1.0E-09	1.0E-09	5.1E-16	1.3E-14	5.E-07	1.E-05	0.00001
	Total PCB TEQ	1.3E+00	pg/g	1.3E+05	1.3E+05	2.8E-16	1.5E-15	4.E-11	2.E-10	2.E-10	1.0E-09	1.0E-09	4.8E-15	2.6E-14	5.E-06	3.E-05	0.00003
	Pesticides																
	Aldrin	5.1E-01	ug/kg	1.7E+01	1.7E+01	7.5E-14	5.6E-13	1.E-12	1.E-11	1.E-11	3.0E-05	3.0E-05	1.3E-12	9.9E-12	4.E-08	3.E-07	0.0000004
	Dieldrin	1.7E-01	ug/kg	1.6E+01	1.6E+01	2.4E-14	1.8E-13	4.E-13	3.E-12	3.E-12	5.0E-05	5.0E-05	4.3E-13	3.2E-12	9.E-09	6.E-08	0.0000001
	Total DDT	2.4E+00	ug/kg	3.4E-01	3.4E-01	1.1E-13	2.7E-12	4.E-14	9.E-13	9.E-13	5.0E-04	5.0E-04	1.8E-12	4.7E-11	4.E-09	9.E-08	0.0000001
Exposure Point Total										1.E-08							0.0004
RM 2.5 MC	**Metals**																
	Arsenic	4.3E+00	mg/kg	1.5E+00	1.5E+00	1.9E-10	4.8E-09	3.E-10	7.E-09	7.E-09	3.0E-04	3.0E-04	3.3E-09	8.3E-08	1.E-05	3.E-04	0.0003
	Mercury	7.9E-02	mg/kg	--	--	0.0E+00	8.8E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.5E-09	0.E+00	2.E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.1E+02	ug/kg	7.3E-01	7.3E-01	4.1E-11	2.4E-10	3.E-11	2.E-10	2.E-10	--	--	7.1E-10	4.2E-09	--	--	--
	Benzo(a)pyrene	3.4E+02	ug/kg	7.3E+00	7.3E+00	6.6E-11	3.8E-10	5.E-10	3.E-09	3.E-09	--	--	1.1E-09	6.7E-09	--	--	--
	Benzo(b)fluoranthene	3.1E+02	ug/kg	7.3E-01	7.3E-01	6.0E-11	3.5E-10	4.E-11	3.E-10	3.E-10	--	--	1.1E-09	6.1E-09	--	--	--
	Benzo(k)fluoranthene	1.0E+02	ug/kg	7.3E-02	7.3E-02	1.9E-11	1.1E-10	1.E-12	8.E-12	1.E-11	--	--	3.4E-10	2.0E-09	--	--	--
	Dibenzo(a,h)anthracene	3.4E+01	ug/kg	7.3E+00	7.3E+00	6.4E-12	3.8E-11	5.E-11	3.E-10	3.E-10	--	--	1.1E-10	6.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.6E+02	ug/kg	7.3E-01	7.3E-01	5.0E-11	2.9E-10	4.E-11	2.E-10	2.E-10	--	--	8.8E-10	5.1E-09	--	--	--
	Naphthalene	5.9E+01	ug/kg	--	--	1.1E-11	6.6E-11	--	--	--	2.0E-02	2.0E-02	2.0E-10	1.1E-09	1.E-08	6.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	5.8E+01	ug/kg	1.4E-02	1.4E-02	8.5E-12	6.4E-11	1.E-13	9.E-13	1.E-12	2.0E-02	2.0E-02	1.5E-10	1.1E-09	7.E-09	6.E-08	0.0000001
	Phenols																
	Pentachlorophenol	5.5E-01	ug/kg	4.0E-01	4.0E-01	2.0E-13	6.2E-13	8.E-14	2.E-13	3.E-13	5.0E-03	5.0E-03	3.6E-12	1.1E-11	7.E-10	2.E-09	0.000000003
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+01	ug/kg	2.0E+00	2.0E+00	5.2E-12	2.8E-11	1.E-11	6.E-11	7.E-11	2.0E-05	2.0E-05	9.2E-11	5.0E-10	5.E-06	2.E-05	0.00003
	Pesticides																
	Aldrin	2.0E-01	ug/kg	1.7E+01	1.7E+01	3.0E-14	2.3E-13	5.E-13	4.E-12	4.E-12	3.0E-05	3.0E-05	5.3E-13	4.0E-12	2.E-08	1.E-07	0.0000002
	Dieldrin	3.1E-01	ug/kg	1.6E+01	1.6E+01	4.5E-14	3.4E-13	7.E-13	5.E-12	6.E-12	5.0E-05	5.0E-05	7.9E-13	6.0E-12	2.E-08	1.E-07	0.0000001
	Total DDT	3.7E+00	ug/kg	3.4E-01	3.4E-01	1.7E-13	4.2E-12	6.E-14	1.E-12	1.E-12	5.0E-04	5.0E-04	2.9E-12	7.3E-11	6.E-09	1.E-07	0.0000002
Exposure Point Total										1.E-08							0.0003
RM 3 West	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	1.6E-10	4.1E-09	2.E-10	6.E-09	6.E-09	3.0E-04	3.0E-04	2.8E-09	7.2E-08	9.E-06	2.E-04	0.00025
	Mercury	8.0E-02	mg/kg	--	--	0.0E+00	8.9E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.6E-09	0.E+00	2.E-05	0.00002
	Vanadium	8.6E+01	mg/kg	--	--	0.0E+00	9.6E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.7E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	1.0E+01	ug/kg	--	--	1.5E-12	1.2E-11	--	--	--	3.0E-04	3.0E-04	2.7E-11	2.0E-10	9.E-08	7.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.9E+02	ug/kg	7.3E-01	7.3E-01	5.6E-11	3.2E-10	4.E-11	2.E-10	3.E-10	--	--	9.7E-10	5.7E-09	--	--	--
	Benzo(a)pyrene	4.6E+02	ug/kg	7.3E+00	7.3E+00	8.9E-11	5.2E-10	6.E-10	4.E-09	4.E-09	--	--	1.6E-09	9.0E-09	--	--	--
	Benzo(b)fluoranthene	4.0E+02	ug/kg	7.3E-01	7.3E-01	7.6E-11	4.4E-10	6.E-11	3.E-10	4.E-10	--	--	1.3E-09	7.7E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.

Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure

Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(k)fluoranthene	2.3E+02	ug/kg	7.3E-02	7.3E-02	4.4E-11	2.6E-10	3.E-12	2.E-11	2.E-11	--	--	7.8E-10	4.5E-09	--	--	--
	Dibenzo(a,h)anthracene	5.3E+01	ug/kg	7.3E+00	7.3E+00	1.0E-11	5.9E-11	7.E-11	4.E-10	5.E-10	--	--	1.8E-10	1.0E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.3E+02	ug/kg	7.3E-01	7.3E-01	6.3E-11	3.7E-10	5.E-11	3.E-10	3.E-10	--	--	1.1E-09	6.4E-09	--	--	--
	Naphthalene	9.8E+01	ug/kg	--	--	1.9E-11	1.1E-10	--	--	--	2.0E-02	2.0E-02	3.3E-10	1.9E-09	2.E-08	1.E-07	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.0E+01	ug/kg	1.4E-02	1.4E-02	5.9E-12	4.5E-11	8.E-14	6.E-13	7.E-13	2.0E-02	2.0E-02	1.0E-10	7.9E-10	5.E-09	4.E-08	0.00000004
	Phenols																
	Pentachlorophenol	1.6E+01	ug/kg	4.0E-01	4.0E-01	6.0E-12	1.8E-11	2.E-12	7.E-12	1.E-11	5.0E-03	5.0E-03	1.1E-10	3.2E-10	2.E-08	6.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+01	ug/kg	2.0E+00	2.0E+00	2.3E-12	1.3E-11	5.E-12	3.E-11	3.E-11	2.0E-05	2.0E-05	4.1E-11	2.2E-10	2.E-06	1.E-05	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.1E-01	pg/g	1.3E+05	1.3E+05	2.7E-17	6.8E-16	3.E-12	9.E-11	9.E-11	1.0E-09	1.0E-09	4.7E-16	1.2E-14	5.E-07	1.E-05	0.00001
	Total PCB TEQ	4.1E-01	pg/g	1.3E+05	1.3E+05	8.5E-17	4.6E-16	1.E-11	6.E-11	7.E-11	1.0E-09	1.0E-09	1.5E-15	8.0E-15	1.E-06	8.E-06	0.00001
	Pesticides																
	Aldrin	3.5E-01	ug/kg	1.7E+01	1.7E+01	5.2E-14	3.9E-13	9.E-13	7.E-12	8.E-12	3.0E-05	3.0E-05	9.1E-13	6.9E-12	3.E-08	2.E-07	0.0000003
	Dieldrin	2.0E-01	ug/kg	1.6E+01	1.6E+01	2.9E-14	2.2E-13	5.E-13	4.E-12	4.E-12	5.0E-05	5.0E-05	5.1E-13	3.8E-12	1.E-08	8.E-08	0.000001
	Total DDT	2.8E+01	ug/kg	3.4E-01	3.4E-01	1.3E-12	3.2E-11	4.E-13	1.E-11	1.E-11	5.0E-04	5.0E-04	2.2E-11	5.5E-10	4.E-08	1.E-06	0.000001
Exposure Point Total										1.E-08							0.02
RM 3 East	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	1.8E-10	4.6E-09	3.E-10	7.E-09	7.E-09	3.0E-04	3.0E-04	3.2E-09	8.1E-08	1.E-05	3.E-04	0.00028
	Mercury	5.6E-02	mg/kg	--	--	0.0E+00	6.3E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-09	0.E+00	1.E-05	0.00001
	Vanadium	8.8E+01	mg/kg	--	--	0.0E+00	9.9E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.7E-06	0.E+00	2.E-02	0.02471
	Butyltins																
	Tributyltin ion	8.3E+00	ug/kg	--	--	1.2E-12	9.2E-12	--	--	--	3.0E-04	3.0E-04	2.1E-11	1.6E-10	7.E-08	5.E-07	0.0000006
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.7E+01	ug/kg	7.3E-01	7.3E-01	1.5E-11	8.6E-11	1.E-11	6.E-11	7.E-11	--	--	2.6E-10	1.5E-09	--	--	--
	Benzo(a)pyrene	8.4E+01	ug/kg	7.3E+00	7.3E+00	1.6E-11	9.4E-11	1.E-10	7.E-10	8.E-10	--	--	2.8E-10	1.6E-09	--	--	--
	Benzo(b)fluoranthene	9.9E+01	ug/kg	7.3E-01	7.3E-01	1.9E-11	1.1E-10	1.E-11	8.E-11	9.E-11	--	--	3.3E-10	1.9E-09	--	--	--
	Benzo(k)fluoranthene	6.0E+01	ug/kg	7.3E-02	7.3E-02	1.2E-11	6.7E-11	8.E-13	5.E-12	6.E-12	--	--	2.0E-10	1.2E-09	--	--	--
	Dibenzo(a,h)anthracene	1.4E+01	ug/kg	7.3E+00	7.3E+00	2.6E-12	1.5E-11	2.E-11	1.E-10	1.E-10	--	--	4.6E-11	2.7E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	6.7E+01	ug/kg	7.3E-01	7.3E-01	1.3E-11	7.5E-11	9.E-12	6.E-11	6.E-11	--	--	2.3E-10	1.3E-09	--	--	--
	Naphthalene	1.3E+01	ug/kg	--	--	2.4E-12	1.4E-11	--	--	--	2.0E-02	2.0E-02	4.2E-11	2.5E-10	2.E-09	1.E-08	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.5E+01	ug/kg	1.4E-02	1.4E-02	9.5E-12	7.2E-11	1.E-13	1.E-12	1.E-12	2.0E-02	2.0E-02	1.7E-10	1.3E-09	8.E-09	6.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.9E+00	ug/kg	4.0E-01	4.0E-01	7.1E-13	2.2E-12	3.E-13	9.E-13	1.E-12	5.0E-03	5.0E-03	1.3E-11	3.8E-11	3.E-09	8.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.9E+01	ug/kg	2.0E+00	2.0E+00	3.9E-12	2.1E-11	8.E-12	4.E-11	5.E-11	2.0E-05	2.0E-05	6.9E-11	3.7E-10	3.E-06	2.E-05	0.00002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.

Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure

Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.9E+00	pg/g	1.3E+05	1.3E+05	1.3E-16	3.2E-15	2.E-11	4.E-10	4.E-10	1.0E-09	1.0E-09	2.2E-15	5.6E-14	2.E-06	6.E-05	0.00006
	Total PCB TEQ	7.7E-02	pg/g	1.3E+05	1.3E+05	1.6E-17	8.6E-17	2.E-12	1.E-11	1.E-11	1.0E-09	1.0E-09	2.8E-16	1.5E-15	3.E-07	1.E-06	0.000002
	Pesticides																
	Aldrin	2.9E-01	ug/kg	1.7E+01	1.7E+01	4.2E-14	3.2E-13	7.E-13	5.E-12	6.E-12	3.0E-05	3.0E-05	7.4E-13	5.6E-12	2.E-08	2.E-07	0.0000002
	Dieldrin	5.7E-02	ug/kg	1.6E+01	1.6E+01	8.5E-15	6.4E-14	1.E-13	1.E-12	1.E-12	5.0E-05	5.0E-05	1.5E-13	1.1E-12	3.E-09	2.E-08	0.00000003
	Total DDT	1.6E+00	ug/kg	3.4E-01	3.4E-01	7.0E-14	1.8E-12	2.E-14	6.E-13	6.E-13	5.0E-04	5.0E-04	1.2E-12	3.1E-11	2.E-09	6.E-08	0.00000006
Exposure Point Total										9.E-09							0.03
RM 3.5 West	**Metals**																
	Arsenic	5.8E+00	mg/kg	1.5E+00	1.5E+00	2.6E-10	6.5E-09	4.E-10	1.E-08	1.E-08	3.0E-04	3.0E-04	4.5E-09	1.1E-07	1.E-05	4.E-04	0.0004
	Mercury	7.1E-02	mg/kg	--	--	0.0E+00	7.9E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-09	0.E+00	1.E-05	0.00001
	Vanadium	9.9E+01	mg/kg	--	--	0.0E+00	1.1E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.9E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	8.1E+01	ug/kg	--	--	1.2E-11	9.1E-11	--	--	--	3.0E-04	3.0E-04	2.1E-10	1.6E-09	7.E-07	5.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+02	ug/kg	7.3E-01	7.3E-01	5.0E-11	2.9E-10	4.E-11	2.E-10	2.E-10	--	--	8.7E-10	5.1E-09	--	--	--
	Benzo(a)pyrene	3.9E+02	ug/kg	7.3E+00	7.3E+00	7.5E-11	4.4E-10	5.E-10	3.E-09	4.E-09	--	--	1.3E-09	7.7E-09	--	--	--
	Benzo(b)fluoranthene	3.5E+02	ug/kg	7.3E-01	7.3E-01	6.7E-11	3.9E-10	5.E-11	3.E-10	3.E-10	--	--	1.2E-09	6.8E-09	--	--	--
	Benzo(k)fluoranthene	1.4E+02	ug/kg	7.3E-02	7.3E-02	2.8E-11	1.6E-10	2.E-12	1.E-11	1.E-11	--	--	4.8E-10	2.8E-09	--	--	--
	Dibenzo(a,h)anthracene	4.3E+01	ug/kg	7.3E+00	7.3E+00	8.3E-12	4.8E-11	6.E-11	4.E-10	4.E-10	--	--	1.4E-10	8.4E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.2E+02	ug/kg	7.3E-01	7.3E-01	6.2E-11	3.6E-10	4.E-11	3.E-10	3.E-10	--	--	1.1E-09	6.3E-09	--	--	--
	Naphthalene	1.3E+02	ug/kg	--	--	2.5E-11	1.5E-10	--	--	--	2.0E-02	2.0E-02	4.4E-10	2.6E-09	2.E-08	1.E-07	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.6E+01	ug/kg	1.4E-02	1.4E-02	6.9E-12	5.2E-11	1.E-13	7.E-13	8.E-13	2.0E-02	2.0E-02	1.2E-10	9.1E-10	6.E-09	5.E-08	0.00000001
	Phenols																
	Pentachlorophenol	2.5E+00	ug/kg	4.0E-01	4.0E-01	9.1E-13	2.8E-12	4.E-13	1.E-12	1.E-12	5.0E-03	5.0E-03	1.6E-11	4.8E-11	3.E-09	1.E-08	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.3E+01	ug/kg	2.0E+00	2.0E+00	4.7E-12	2.5E-11	9.E-12	5.E-11	6.E-11	2.0E-05	2.0E-05	8.2E-11	4.4E-10	4.E-06	2.E-05	0.00003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.1E-01	pg/g	1.3E+05	1.3E+05	4.0E-17	1.0E-15	5.E-12	1.E-10	1.E-10	1.0E-09	1.0E-09	7.0E-16	1.8E-14	7.E-07	2.E-05	0.00002
	Total PCB TEQ	5.1E-01	pg/g	1.3E+05	1.3E+05	1.1E-16	5.7E-16	1.E-11	7.E-11	9.E-11	1.0E-09	1.0E-09	1.8E-15	1.0E-14	2.E-06	1.E-05	0.00001
	Pesticides																
	Aldrin	2.7E-01	ug/kg	1.7E+01	1.7E+01	3.9E-14	3.0E-13	7.E-13	5.E-12	6.E-12	3.0E-05	3.0E-05	6.8E-13	5.2E-12	2.E-08	2.E-07	0.0000002
	Dieldrin	1.3E-01	ug/kg	1.6E+01	1.6E+01	1.9E-14	1.4E-13	3.E-13	2.E-12	3.E-12	5.0E-05	5.0E-05	3.2E-13	2.5E-12	6.E-09	5.E-08	0.0000001
	Total DDT	5.8E+00	ug/kg	3.4E-01	3.4E-01	2.6E-13	6.5E-12	9.E-14	2.E-12	2.E-12	5.0E-04	5.0E-04	4.5E-12	1.1E-10	9.E-09	2.E-07	0.0000002
Exposure Point Total										2.E-08							0.03
RM 3.5 East	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	1.6E-10	4.1E-09	2.E-10	6.E-09	6.E-09	3.0E-04	3.0E-04	2.9E-09	7.2E-08	1.E-05	2.E-04	0.00025
	Mercury	7.9E-02	mg/kg	--	--	0.0E+00	8.8E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.5E-09	0.E+00	2.E-05	0.00002
	Vanadium	9.9E+01	mg/kg	--	--	0.0E+00	1.1E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.9E-06	0.E+00	3.E-02	0.03

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.

Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure

Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	1.8E+03	ug/kg	--	--	2.6E-10	2.0E-09	--	--	--	3.0E-04	3.0E-04	4.6E-09	3.5E-08	2.E-05	1.E-04	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.9E+02	ug/kg	7.3E-01	7.3E-01	5.6E-11	3.3E-10	4.E-11	2.E-10	3.E-10	--	--	9.8E-10	5.7E-09	--	--	--
	Benzo(a)pyrene	2.5E+02	ug/kg	7.3E+00	7.3E+00	4.7E-11	2.8E-10	3.E-10	2.E-09	2.E-09	--	--	8.3E-10	4.8E-09	--	--	--
	Benzo(b)fluoranthene	3.5E+02	ug/kg	7.3E-01	7.3E-01	6.7E-11	3.9E-10	5.E-11	3.E-10	3.E-10	--	--	1.2E-09	6.9E-09	--	--	--
	Benzo(k)fluoranthene	1.7E+02	ug/kg	7.3E-02	7.3E-02	3.3E-11	1.9E-10	2.E-12	1.E-11	2.E-11	--	--	5.7E-10	3.3E-09	--	--	--
	Dibenzo(a,h)anthracene	4.1E+01	ug/kg	7.3E+00	7.3E+00	7.9E-12	4.6E-11	6.E-11	3.E-10	4.E-10	--	--	1.4E-10	8.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.5E+02	ug/kg	7.3E-01	7.3E-01	2.9E-11	1.7E-10	2.E-11	1.E-10	1.E-10	--	--	5.0E-10	2.9E-09	--	--	--
	Naphthalene	1.4E+01	ug/kg	--	--	2.7E-12	1.6E-11	--	--	--	2.0E-02	2.0E-02	4.7E-11	2.7E-10	2.E-09	1.E-08	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+03	ug/kg	1.4E-02	1.4E-02	2.0E-10	1.5E-09	3.E-12	2.E-11	2.E-11	2.0E-02	2.0E-02	3.4E-09	2.6E-08	2.E-07	1.E-06	0.00001
	Phenols																
	Pentachlorophenol	2.0E+00	ug/kg	4.0E-01	4.0E-01	7.5E-13	2.3E-12	3.E-13	9.E-13	1.E-12	5.0E-03	5.0E-03	1.3E-11	4.0E-11	3.E-09	8.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.8E+02	ug/kg	2.0E+00	2.0E+00	7.8E-11	4.2E-10	2.E-10	8.E-10	1.E-09	2.0E-05	2.0E-05	1.4E-09	7.3E-09	7.E-05	4.E-04	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.3E+00	pg/g	1.3E+05	1.3E+05	1.5E-16	3.7E-15	2.E-11	5.E-10	5.E-10	1.0E-09	1.0E-09	2.6E-15	6.5E-14	3.E-06	7.E-05	0.00007
	Total PCB TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	3.6E-15	1.9E-14	5.E-10	3.E-09	3.E-09	1.0E-09	1.0E-09	6.3E-14	3.4E-13	6.E-05	3.E-04	0.0004
	Pesticides																
	Aldrin	3.7E-01	ug/kg	1.7E+01	1.7E+01	5.5E-14	4.2E-13	9.E-13	7.E-12	8.E-12	3.0E-05	3.0E-05	9.6E-13	7.3E-12	3.E-08	2.E-07	0.0000003
	Dieldrin	1.3E-01	ug/kg	1.6E+01	1.6E+01	1.9E-14	1.4E-13	3.E-13	2.E-12	3.E-12	5.0E-05	5.0E-05	3.2E-13	2.5E-12	6.E-09	5.E-08	0.0000001
	Total DDT	6.2E+00	ug/kg	3.4E-01	3.4E-01	2.7E-13	6.9E-12	9.E-14	2.E-12	2.E-12	5.0E-04	5.0E-04	4.8E-12	1.2E-10	1.E-08	2.E-07	0.0000003
Exposure Point Total										1.E-08							0.03
RM 4 West	**Metals**																
	Arsenic	3.4E+00	mg/kg	1.5E+00	1.5E+00	1.5E-10	3.8E-09	2.E-10	6.E-09	6.E-09	3.0E-04	3.0E-04	2.6E-09	6.6E-08	9.E-06	2.E-04	0.0002
	Mercury	8.2E-02	mg/kg	--	--	0.0E+00	9.2E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.6E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.1E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.0E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	6.1E+00	ug/kg	--	--	9.0E-13	6.8E-12	--	--	--	3.0E-04	3.0E-04	1.6E-11	1.2E-10	5.E-08	4.E-07	0.0000005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.5E+02	ug/kg	7.3E-01	7.3E-01	4.9E-11	2.9E-10	4.E-11	2.E-10	2.E-10	--	--	8.6E-10	5.0E-09	--	--	--
	Benzo(a)pyrene	4.0E+02	ug/kg	7.3E+00	7.3E+00	7.6E-11	4.4E-10	6.E-10	3.E-09	4.E-09	--	--	1.3E-09	7.8E-09	--	--	--
	Benzo(b)fluoranthene	3.6E+02	ug/kg	7.3E-01	7.3E-01	6.8E-11	4.0E-10	5.E-11	3.E-10	3.E-10	--	--	1.2E-09	7.0E-09	--	--	--
	Benzo(k)fluoranthene	1.3E+02	ug/kg	7.3E-02	7.3E-02	2.5E-11	1.5E-10	2.E-12	1.E-11	1.E-11	--	--	4.5E-10	2.6E-09	--	--	--
	Dibenzo(a,h)anthracene	4.4E+01	ug/kg	7.3E+00	7.3E+00	8.4E-12	4.9E-11	6.E-11	4.E-10	4.E-10	--	--	1.5E-10	8.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.2E+02	ug/kg	7.3E-01	7.3E-01	6.1E-11	3.5E-10	4.E-11	3.E-10	3.E-10	--	--	1.1E-09	6.2E-09	--	--	--
	Naphthalene	7.7E+01	ug/kg	--	--	1.5E-11	8.6E-11	--	--	--	2.0E-02	2.0E-02	2.6E-10	1.5E-09	1.E-08	8.E-08	0.0000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.2E+01	ug/kg	1.4E-02	1.4E-02	6.2E-12	4.7E-11	9.E-14	7.E-13	7.E-13	2.0E-02	2.0E-02	1.1E-10	8.2E-10	5.E-09	4.E-08	0.00000005
	Phenols																
	Pentachlorophenol	4.5E+00	ug/kg	4.0E-01	4.0E-01	1.7E-12	5.0E-12	7.E-13	2.E-12	3.E-12	5.0E-03	5.0E-03	2.9E-11	8.8E-11	6.E-09	2.E-08	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	2.1E+01	ug/kg	2.0E+00	2.0E+00	4.4E-12	2.4E-11	9.E-12	5.E-11	6.E-11	2.0E-05	2.0E-05	7.7E-11	4.2E-10	4.E-06	2.E-05	0.00002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.6E+00	pg/g	1.3E+05	1.3E+05	7.2E-17	1.8E-15	9.E-12	2.E-10	2.E-10	1.0E-09	1.0E-09	1.3E-15	3.2E-14	1.E-06	3.E-05	0.00003
	Total PCB TEQ	4.7E-01	pg/g	1.3E+05	1.3E+05	9.7E-17	5.3E-16	1.E-11	7.E-11	8.E-11	1.0E-09	1.0E-09	1.7E-15	9.2E-15	2.E-06	9.E-06	0.00001
	Pesticides																
	Aldrin	3.9E-01	ug/kg	1.7E+01	1.7E+01	5.7E-14	4.3E-13	1.E-12	7.E-12	8.E-12	3.0E-05	3.0E-05	1.0E-12	7.6E-12	3.E-08	3.E-07	0.0000003
	Dieldrin	7.1E-02	ug/kg	1.6E+01	1.6E+01	1.1E-14	8.0E-14	2.E-13	1.E-12	1.E-12	5.0E-05	5.0E-05	1.8E-13	1.4E-12	4.E-09	3.E-08	0.00000003
	Total DDT	1.9E+01	ug/kg	3.4E-01	3.4E-01	8.4E-13	2.1E-11	3.E-13	7.E-12	7.E-12	5.0E-04	5.0E-04	1.5E-11	3.7E-10	3.E-08	7.E-07	0.000001
Exposure Point Total										**1.E-08**							**0.03**
RM 4 East	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	1.9E-10	4.7E-09	3.E-10	7.E-09	7.E-09	3.0E-04	3.0E-04	3.3E-09	8.3E-08	1.E-05	3.E-04	0.0003
	Mercury	6.6E-02	mg/kg	--	--	0.0E+00	7.4E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.1E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	2.6E+01	ug/kg	--	--	3.9E-12	2.9E-11	--	--	--	3.0E-04	3.0E-04	6.8E-11	5.1E-10	2.E-07	2.E-06	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.3E+02	ug/kg	7.3E-01	7.3E-01	1.2E-10	7.1E-10	9.E-11	5.E-10	6.E-10	--	--	2.1E-09	1.2E-08	--	--	--
	Benzo(a)pyrene	8.8E+02	ug/kg	7.3E+00	7.3E+00	1.7E-10	9.8E-10	1.E-09	7.E-09	8.E-09	--	--	2.9E-09	1.7E-08	--	--	--
	Benzo(b)fluoranthene	9.0E+02	ug/kg	7.3E-01	7.3E-01	1.7E-10	1.0E-09	1.E-10	7.E-10	9.E-10	--	--	3.0E-09	1.8E-08	--	--	--
	Benzo(k)fluoranthene	7.1E+02	ug/kg	7.3E-02	7.3E-02	1.4E-10	8.0E-10	1.E-11	6.E-11	7.E-11	--	--	2.4E-09	1.4E-08	--	--	--
	Dibenzo(a,h)anthracene	1.4E+02	ug/kg	7.3E+00	7.3E+00	2.7E-11	1.6E-10	2.E-10	1.E-09	1.E-09	--	--	4.7E-10	2.8E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	6.4E+02	ug/kg	7.3E-01	7.3E-01	1.2E-10	7.2E-10	9.E-11	5.E-10	6.E-10	--	--	2.2E-09	1.3E-08	--	--	--
	Naphthalene	3.9E+01	ug/kg	--	--	7.4E-12	4.3E-11	--	--	--	2.0E-02	2.0E-02	1.3E-10	7.5E-10	6.E-09	4.E-08	0.00000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.1E+02	ug/kg	1.4E-02	1.4E-02	1.4E-10	1.0E-09	2.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	2.4E-09	1.8E-08	1.E-07	9.E-07	0.000001
	Phenols																
	Pentachlorophenol	4.5E+02	ug/kg	4.0E-01	4.0E-01	1.7E-10	5.0E-10	7.E-11	2.E-10	3.E-10	5.0E-03	5.0E-03	2.9E-09	8.8E-09	6.E-07	2.E-06	0.000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.5E+02	ug/kg	2.0E+00	2.0E+00	3.1E-11	1.7E-10	6.E-11	3.E-10	4.E-10	2.0E-05	2.0E-05	5.5E-10	3.0E-09	3.E-05	1.E-04	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.1E+00	pg/g	1.3E+05	1.3E+05	1.8E-16	4.6E-15	2.E-11	6.E-10	6.E-10	1.0E-09	1.0E-09	3.2E-15	8.1E-14	3.E-06	8.E-05	0.00008
	Total PCB TEQ	1.9E+00	pg/g	1.3E+05	1.3E+05	4.0E-16	2.1E-15	5.E-11	3.E-10	3.E-10	1.0E-09	1.0E-09	6.9E-15	3.7E-14	7.E-06	4.E-05	0.00004
	Pesticides																
	Aldrin	4.7E-01	ug/kg	1.7E+01	1.7E+01	7.0E-14	5.3E-13	1.E-12	9.E-12	1.E-11	3.0E-05	3.0E-05	1.2E-12	9.3E-12	4.E-08	3.E-07	0.0000003
	Dieldrin	8.9E-02	ug/kg	1.6E+01	1.6E+01	1.3E-14	9.9E-14	2.E-13	2.E-12	2.E-12	5.0E-05	5.0E-05	2.3E-13	1.7E-12	5.E-09	3.E-08	0.00000004
	Total DDT	5.4E+00	ug/kg	3.4E-01	3.4E-01	2.4E-13	6.1E-12	8.E-14	2.E-12	2.E-12	5.0E-04	5.0E-04	4.2E-12	1.1E-10	8.E-09	2.E-07	0.0000002
Exposure Point Total										**2.E-08**							**0.03**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 4.5 West	**Metals**																
	Arsenic	3.6E+00	mg/kg	1.5E+00	1.5E+00	1.6E-10	4.0E-09	2.E-10	6.E-09	6.E-09	3.0E-04	3.0E-04	2.8E-09	7.0E-08	9.E-06	2.E-04	0.0002
	Mercury	8.6E-02	mg/kg	--	--	0.0E+00	9.6E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.7E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.1E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	7.5E+00	ug/kg	--	--	1.1E-12	8.4E-12	--	--	--	3.0E-04	3.0E-04	1.9E-11	1.5E-10	6.E-08	5.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.5E+02	ug/kg	7.3E-01	7.3E-01	1.1E-10	6.2E-10	8.E-11	5.E-10	5.E-10	--	--	1.9E-09	1.1E-08	--	--	--
	Benzo(a)pyrene	7.6E+02	ug/kg	7.3E+00	7.3E+00	1.5E-10	8.5E-10	1.E-09	6.E-09	7.E-09	--	--	2.5E-09	1.5E-08	--	--	--
	Benzo(b)fluoranthene	6.6E+02	ug/kg	7.3E-01	7.3E-01	1.3E-10	7.4E-10	9.E-11	5.E-10	6.E-10	--	--	2.2E-09	1.3E-08	--	--	--
	Benzo(k)fluoranthene	2.9E+02	ug/kg	7.3E-02	7.3E-02	5.6E-11	3.3E-10	4.E-12	2.E-11	3.E-11	--	--	9.8E-10	5.7E-09	--	--	--
	Dibenzo(a,h)anthracene	8.5E+01	ug/kg	7.3E+00	7.3E+00	1.6E-11	9.5E-11	1.E-10	7.E-10	8.E-10	--	--	2.8E-10	1.7E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	5.9E+02	ug/kg	7.3E-01	7.3E-01	1.1E-10	6.7E-10	8.E-11	5.E-10	6.E-10	--	--	2.0E-09	1.2E-08	--	--	--
	Naphthalene	1.6E+02	ug/kg	--	--	3.1E-11	1.8E-10	--	--	--	2.0E-02	2.0E-02	5.5E-10	3.2E-09	3.E-08	2.E-07	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	5.0E+01	ug/kg	1.4E-02	1.4E-02	7.3E-12	5.5E-11	1.E-13	8.E-13	9.E-13	2.0E-02	2.0E-02	1.3E-10	9.7E-10	6.E-09	5.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.7E+00	ug/kg	4.0E-01	4.0E-01	6.3E-13	1.9E-12	3.E-13	8.E-13	1.E-12	5.0E-03	5.0E-03	1.1E-11	3.3E-11	2.E-09	7.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+01	ug/kg	2.0E+00	2.0E+00	5.1E-12	2.7E-11	1.E-11	5.E-11	7.E-11	2.0E-05	2.0E-05	8.9E-11	4.8E-10	4.E-06	2.E-05	0.00003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.6E+00	pg/g	1.3E+05	1.3E+05	1.2E-16	2.9E-15	2.E-11	4.E-10	4.E-10	1.0E-09	1.0E-09	2.0E-15	5.1E-14	2.E-06	5.E-05	0.00005
	Total PCB TEQ	1.4E+00	pg/g	1.3E+05	1.3E+05	2.9E-16	1.6E-15	4.E-11	2.E-10	2.E-10	1.0E-09	1.0E-09	5.1E-15	2.8E-14	5.E-06	3.E-05	0.00003
	Pesticides																
	Aldrin	1.7E-01	ug/kg	1.7E+01	1.7E+01	2.5E-14	1.9E-13	4.E-13	3.E-12	4.E-12	3.0E-05	3.0E-05	4.3E-13	3.3E-12	1.E-08	1.E-07	0.0000001
	Dieldrin	1.3E-01	ug/kg	1.6E+01	1.6E+01	2.0E-14	1.5E-13	3.E-13	2.E-12	3.E-12	5.0E-05	5.0E-05	3.4E-13	2.6E-12	7.E-09	5.E-08	0.0000001
	Total DDT	4.5E+00	ug/kg	3.4E-01	3.4E-01	2.0E-13	5.1E-12	7.E-14	2.E-12	2.E-12	5.0E-04	5.0E-04	3.5E-12	8.9E-11	7.E-09	2.E-07	0.0000002
Exposure Point Total										2.E-08							0.03
RM 4.5 East	**Metals**																
	Arsenic	4.0E+00	mg/kg	1.5E+00	1.5E+00	1.8E-10	4.4E-09	3.E-10	7.E-09	7.E-09	3.0E-04	3.0E-04	3.1E-09	7.8E-08	1.E-05	3.E-04	0.0003
	Mercury	6.3E-02	mg/kg	--	--	0.0E+00	7.1E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.2E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.2E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.1E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	4.1E+01	ug/kg	--	--	6.0E-12	4.5E-11	--	--	--	3.0E-04	3.0E-04	1.0E-10	7.9E-10	3.E-07	3.E-06	0.000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.3E+03	ug/kg	7.3E-01	7.3E-01	6.4E-10	3.7E-09	5.E-10	3.E-09	3.E-09	--	--	1.1E-08	6.5E-08	--	--	--
	Benzo(a)pyrene	4.3E+03	ug/kg	7.3E+00	7.3E+00	8.2E-10	4.8E-09	6.E-09	4.E-08	4.E-08	--	--	1.4E-08	8.4E-08	--	--	--
	Benzo(b)fluoranthene	3.8E+03	ug/kg	7.3E-01	7.3E-01	7.2E-10	4.2E-09	5.E-10	3.E-09	4.E-09	--	--	1.3E-08	7.4E-08	--	--	--
	Benzo(k)fluoranthene	3.4E+03	ug/kg	7.3E-02	7.3E-02	6.5E-10	3.8E-09	5.E-11	3.E-10	3.E-10	--	--	1.1E-08	6.6E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point[a]	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dibenzo(a,h)anthracene	7.1E+02	ug/kg	7.3E+00	7.3E+00	1.4E-10	7.9E-10	1.E-09	6.E-09	7.E-09	--	--	2.4E-09	1.4E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.0E+03	ug/kg	7.3E-01	7.3E-01	5.8E-10	3.4E-09	4.E-10	2.E-09	3.E-09	--	--	1.0E-08	5.9E-08	--	--	--
	Naphthalene	1.5E+02	ug/kg	--	--	2.8E-11	1.6E-10	--	--	--	2.0E-02	2.0E-02	4.9E-10	2.9E-09	2.E-08	1.E-07	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.3E+01	ug/kg	1.4E-02	1.4E-02	1.2E-11	9.3E-11	2.E-13	1.E-12	1.E-12	2.0E-02	2.0E-02	2.2E-10	1.6E-09	1.E-08	8.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.8E+00	ug/kg	4.0E-01	4.0E-01	6.6E-13	2.0E-12	3.E-13	8.E-13	1.E-12	5.0E-03	5.0E-03	1.1E-11	3.5E-11	2.E-09	7.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.5E+01	ug/kg	2.0E+00	2.0E+00	7.1E-12	3.9E-11	1.E-11	8.E-11	9.E-11	2.0E-05	2.0E-05	1.2E-10	6.8E-10	6.6E-06	3.E-05	0.00004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.8E-01	pg/g	1.3E+05	1.3E+05	1.2E-17	3.1E-16	2.E-12	4.E-11	4.E-11	1.0E-09	1.0E-09	2.1E-16	5.4E-15	2.E-07	5.E-06	0.00001
	Total PCB TEQ	3.2E-01	pg/g	1.3E+05	1.3E+05	6.7E-17	3.6E-16	9.E-12	5.E-11	6.E-11	1.0E-09	1.0E-09	1.2E-15	6.3E-15	1.E-06	6.E-06	0.00001
	Pesticides																
	Aldrin	1.1E-01	ug/kg	1.7E+01	1.7E+01	1.6E-14	1.2E-13	3.E-13	2.E-12	2.E-12	3.0E-05	3.0E-05	2.8E-13	2.1E-12	9.E-09	7.E-08	0.0000001
	Dieldrin	5.8E-02	ug/kg	1.6E+01	1.6E+01	8.6E-15	6.5E-14	1.E-13	1.E-12	1.E-12	5.0E-05	5.0E-05	1.5E-13	1.1E-12	3.E-09	2.E-08	0.00000003
	Total DDT	4.9E+00	ug/kg	3.4E-01	3.4E-01	2.2E-13	5.4E-12	7.E-14	2.E-12	2.E-12	5.0E-04	5.0E-04	3.8E-12	9.5E-11	8.E-09	2.E-07	0.0000002
Exposure Point Total										**6.E-08**							**0.03**
RM 5 West	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	1.4E-10	3.6E-09	2.E-10	5.E-09	6.E-09	3.0E-04	3.0E-04	2.5E-09	6.4E-08	8.E-06	2.E-04	0.0002
	Mercury	5.2E-02	mg/kg	--	--	0.0E+00	5.9E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.0E-09	0.E+00	1.E-05	0.00001
	Vanadium	9.8E+01	mg/kg	--	--	0.0E+00	1.1E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.9E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	1.8E+01	ug/kg	--	--	2.7E-12	2.0E-11	--	--	--	3.0E-04	3.0E-04	4.6E-11	3.5E-10	2.E-07	1.E-06	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.9E+02	ug/kg	7.3E-01	7.3E-01	1.1E-10	6.6E-10	8.E-11	5.E-10	6.E-10	--	--	2.0E-09	1.2E-08	--	--	--
	Benzo(a)pyrene	7.9E+02	ug/kg	7.3E+00	7.3E+00	1.5E-10	8.9E-10	1.E-09	6.E-09	8.E-09	--	--	2.7E-09	1.6E-08	--	--	--
	Benzo(b)fluoranthene	5.7E+02	ug/kg	7.3E-01	7.3E-01	1.1E-10	6.3E-10	8.E-11	5.E-10	5.E-10	--	--	1.9E-09	1.1E-08	--	--	--
	Benzo(k)fluoranthene	4.1E+02	ug/kg	7.3E-02	7.3E-02	7.9E-11	4.6E-10	6.E-12	3.E-11	4.E-11	--	--	1.4E-09	8.1E-09	--	--	--
	Dibenzo(a,h)anthracene	8.2E+01	ug/kg	7.3E+00	7.3E+00	1.6E-11	9.1E-11	1.E-10	7.E-10	8.E-10	--	--	2.7E-10	1.6E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	5.9E+02	ug/kg	7.3E-01	7.3E-01	1.1E-10	6.6E-10	8.E-11	5.E-10	6.E-10	--	--	2.0E-09	1.1E-08	--	--	--
	Naphthalene	1.4E+02	ug/kg	--	--	2.6E-11	1.5E-10	--	--	--	2.0E-02	2.0E-02	4.6E-10	2.7E-09	2.E-08	1.E-07	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.1E+01	ug/kg	1.4E-02	1.4E-02	1.0E-11	7.9E-11	1.E-13	1.E-12	1.E-12	2.0E-02	2.0E-02	1.8E-10	1.4E-09	9.E-09	7.E-08	0.0000001
	Phenols																
	Pentachlorophenol	2.1E+01	ug/kg	4.0E-01	4.0E-01	7.7E-12	2.3E-11	3.E-12	9.E-12	1.E-11	5.0E-03	5.0E-03	1.3E-10	4.1E-10	3.E-08	8.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+01	ug/kg	2.0E+00	2.0E+00	3.5E-12	1.9E-11	7.E-12	4.E-11	4.E-11	2.0E-05	2.0E-05	6.1E-11	3.3E-10	3.E-06	2.E-05	0.00002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: In-water Worker   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.5E+00	pg/g	1.3E+05	1.3E+05	1.5E-16	3.9E-15	2.E-11	5.E-10	5.E-10	1.0E-09	1.0E-09	2.7E-15	6.8E-14	3.E-06	7.E-05	0.00007
	Total PCB TEQ	1.2E+00	pg/g	1.3E+05	1.3E+05	2.4E-16	1.3E-15	3.E-11	2.E-10	2.E-10	1.0E-09	1.0E-09	4.2E-15	2.3E-14	4.E-06	2.E-05	0.00003
	Pesticides																
	Aldrin	4.4E-01	ug/kg	1.7E+01	1.7E+01	6.5E-14	4.9E-13	1.E-12	8.E-12	1.E-11	3.0E-05	3.0E-05	1.1E-12	8.6E-12	4.E-08	3.E-07	0.0000003
	Dieldrin	1.5E-01	ug/kg	1.6E+01	1.6E+01	2.2E-14	1.6E-13	3.E-13	3.E-12	3.E-12	5.0E-05	5.0E-05	3.8E-13	2.9E-12	8.E-09	6.E-08	0.0000001
	Total DDT	1.2E+01	ug/kg	3.4E-01	3.4E-01	5.1E-13	1.3E-11	2.E-13	4.E-12	5.E-12	5.0E-04	5.0E-04	9.0E-12	2.3E-10	2.E-08	5.E-07	0.0000005
Exposure Point Total										2.E-08							0.03
RM 5 East	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	1.4E-10	3.6E-09	2.E-10	5.E-09	6.E-09	3.0E-04	3.0E-04	2.5E-09	6.3E-08	8.E-06	2.E-04	0.000220
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	7.6E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.2E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.0E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	5.7E+01	ug/kg	--	--	8.4E-12	6.4E-11	--	--	--	3.0E-04	3.0E-04	1.5E-10	1.1E-09	5.E-07	4.E-06	0.000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.1E+02	ug/kg	7.3E-01	7.3E-01	4.1E-11	2.4E-10	3.E-11	2.E-10	2.E-10	--	--	7.2E-10	4.2E-09	--	--	--
	Benzo(a)pyrene	3.0E+02	ug/kg	7.3E+00	7.3E+00	5.7E-11	3.3E-10	4.E-10	2.E-09	3.E-09	--	--	1.0E-09	5.8E-09	--	--	--
	Benzo(b)fluoranthene	3.2E+02	ug/kg	7.3E-01	7.3E-01	6.1E-11	3.6E-10	4.E-11	3.E-10	3.E-10	--	--	1.1E-09	6.2E-09	--	--	--
	Benzo(k)fluoranthene	1.5E+02	ug/kg	7.3E-02	7.3E-02	2.9E-11	1.7E-10	2.E-12	1.E-11	1.E-11	--	--	5.1E-10	3.0E-09	--	--	--
	Dibenzo(a,h)anthracene	4.3E+01	ug/kg	7.3E+00	7.3E+00	8.2E-12	4.8E-11	6.E-11	3.E-10	4.E-10	--	--	1.4E-10	8.4E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.4E+02	ug/kg	7.3E-01	7.3E-01	4.6E-11	2.7E-10	3.E-11	2.E-10	2.E-10	--	--	8.1E-10	4.7E-09	--	--	--
	Naphthalene	5.5E+01	ug/kg	--	--	1.0E-11	6.1E-11	--	--	--	2.0E-02	2.0E-02	1.8E-10	1.1E-09	9.E-09	5.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.5E+01	ug/kg	1.4E-02	1.4E-02	1.3E-11	9.5E-11	2.E-13	1.E-12	2.E-12	2.0E-02	2.0E-02	2.2E-10	1.7E-09	1.E-08	8.E-08	0.00000001
	Phenols																
	Pentachlorophenol	6.5E+00	ug/kg	4.0E-01	4.0E-01	2.4E-12	7.3E-12	1.E-12	3.E-12	4.E-12	5.0E-03	5.0E-03	4.2E-11	1.3E-10	8.E-09	3.E-08	0.00000003
	Polychlorinated Biphenyls																
	Total Aroclors	2.0E+01	ug/kg	2.0E+00	2.0E+00	4.1E-12	2.2E-11	8.E-12	4.E-11	5.E-11	2.0E-05	2.0E-05	7.1E-11	3.8E-10	4.E-06	2.E-05	0.00002
	Pesticides																
	Aldrin	1.9E-01	ug/kg	1.7E+01	1.7E+01	2.8E-14	2.1E-13	5.E-13	4.E-12	4.E-12	3.0E-05	3.0E-05	4.9E-13	3.7E-12	2.E-08	1.E-07	0.0000001
	Dieldrin	1.9E-01	ug/kg	1.6E+01	1.6E+01	2.8E-14	2.1E-13	4.E-13	3.E-12	4.E-12	5.0E-05	5.0E-05	4.9E-13	3.7E-12	1.E-08	7.E-08	0.0000001
	Total DDT	1.4E+00	ug/kg	3.4E-01	3.4E-01	6.1E-14	1.5E-12	2.E-14	5.E-13	5.E-13	5.0E-04	5.0E-04	1.1E-12	2.7E-11	2.E-09	5.E-08	0.0000001
Exposure Point Total										1.E-08							0.03
RM 5.5 West	**Metals**																
	Arsenic	4.3E+00	mg/kg	1.5E+00	1.5E+00	1.9E-10	4.8E-09	3.E-10	7.E-09	7.E-09	3.0E-04	3.0E-04	3.3E-09	8.3E-08	1.E-05	3.E-04	0.0003
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	7.6E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-09	0.E+00	1.E-05	0.00001
	Vanadium	9.2E+01	mg/kg	--	--	0.0E+00	1.0E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.8E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	1.7E+01	ug/kg	--	--	2.6E-12	1.9E-11	--	--	--	3.0E-04	3.0E-04	4.5E-11	3.4E-10	1.E-07	1.E-06	0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.3E+03	ug/kg	7.3E-01	7.3E-01	2.6E-10	1.5E-09	2.E-10	1.E-09	1.E-09	--	--	4.5E-09	2.6E-08	--	--	--
	Benzo(a)pyrene	1.9E+03	ug/kg	7.3E+00	7.3E+00	3.6E-10	2.1E-09	3.E-09	2.E-08	2.E-08	--	--	6.3E-09	3.7E-08	--	--	--
	Benzo(b)fluoranthene	1.5E+03	ug/kg	7.3E-01	7.3E-01	2.9E-10	1.7E-09	2.E-10	1.E-09	1.E-09	--	--	5.2E-09	3.0E-08	--	--	--
	Benzo(k)fluoranthene	7.5E+02	ug/kg	7.3E-02	7.3E-02	1.4E-10	8.4E-10	1.E-11	6.E-11	7.E-11	--	--	2.5E-09	1.5E-08	--	--	--
	Dibenzo(a,h)anthracene	1.7E+02	ug/kg	7.3E+00	7.3E+00	3.3E-11	1.9E-10	2.E-10	1.E-09	2.E-09	--	--	5.7E-10	3.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.5E+03	ug/kg	7.3E-01	7.3E-01	2.8E-10	1.7E-09	2.E-10	1.E-09	1.E-09	--	--	5.0E-09	2.9E-08	--	--	--
	Naphthalene	1.2E+02	ug/kg	--	--	2.3E-11	1.3E-10	--	--	--	2.0E-02	2.0E-02	3.9E-10	2.3E-09	2.E-08	1.E-07	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.4E+01	ug/kg	1.4E-02	1.4E-02	1.1E-11	8.3E-11	2.E-13	1.E-12	1.E-12	2.0E-02	2.0E-02	1.9E-10	1.5E-09	1.E-08	7.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.2E+01	ug/kg	4.0E-01	4.0E-01	4.5E-12	1.4E-11	2.E-12	5.E-12	7.E-12	5.0E-03	5.0E-03	7.8E-11	2.4E-10	2.E-08	5.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.2E+01	ug/kg	2.0E+00	2.0E+00	6.7E-12	3.6E-11	1.E-11	7.E-11	9.E-11	2.0E-05	2.0E-05	1.2E-10	6.3E-10	6.6E-06	3.E-05	0.00004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	1.3E+05	1.3E+05	6.5E-17	1.6E-15	8.E-12	2.E-10	2.E-10	1.0E-09	1.0E-09	1.1E-15	2.9E-14	1.E-06	3.E-05	0.00003
	Total PCB TEQ	5.8E-01	pg/g	1.3E+05	1.3E+05	1.2E-16	6.5E-16	2.E-11	8.E-11	1.E-10	1.0E-09	1.0E-09	2.1E-15	1.1E-14	2.E-06	1.E-05	0.00001
	Pesticides																
	Aldrin	4.2E-01	ug/kg	1.7E+01	1.7E+01	6.2E-14	4.7E-13	1.E-12	8.E-12	9.E-12	3.0E-05	3.0E-05	1.1E-12	8.2E-12	4.E-08	3.E-07	0.0000003
	Dieldrin	3.1E-01	ug/kg	1.6E+01	1.6E+01	4.6E-14	3.5E-13	7.E-13	6.E-12	6.E-12	5.0E-05	5.0E-05	8.1E-13	6.1E-12	2.E-08	1.E-07	0.0000001
	Total DDT	1.9E+01	ug/kg	3.4E-01	3.4E-01	8.5E-13	2.1E-11	3.E-13	7.E-12	8.E-12	5.0E-04	5.0E-04	1.5E-11	3.8E-10	3.E-08	8.E-07	0.000001
Exposure Point Total										3.E-08							0.03
RM 5.5 East	**Metals**																
	Arsenic	5.8E+00	mg/kg	1.5E+00	1.5E+00	2.6E-10	6.4E-09	4.E-10	1.E-08	1.E-08	3.0E-04	3.0E-04	4.5E-09	1.1E-07	1.E-05	4.E-04	0.0004
	Mercury	2.3E-01	mg/kg	--	--	0.0E+00	2.5E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.4E-09	0.E+00	4.E-05	0.00004
	Vanadium	8.5E+01	mg/kg	--	--	0.0E+00	9.5E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.7E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	1.7E+02	ug/kg	--	--	2.6E-11	1.9E-10	--	--	--	3.0E-04	3.0E-04	4.5E-10	3.4E-09	1.E-06	1.E-05	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.6E+02	ug/kg	7.3E-01	7.3E-01	8.9E-11	5.2E-10	6.E-11	4.E-10	4.E-10	--	--	1.6E-09	9.0E-09	--	--	--
	Benzo(a)pyrene	5.6E+02	ug/kg	7.3E+00	7.3E+00	1.1E-10	6.3E-10	8.E-10	5.E-09	5.E-09	--	--	1.9E-09	1.1E-08	--	--	--
	Benzo(b)fluoranthene	6.8E+02	ug/kg	7.3E-01	7.3E-01	1.3E-10	7.6E-10	9.E-11	6.E-10	6.E-10	--	--	2.3E-09	1.3E-08	--	--	--
	Benzo(k)fluoranthene	2.6E+02	ug/kg	7.3E-02	7.3E-02	5.0E-11	2.9E-10	4.E-12	2.E-11	3.E-11	--	--	8.8E-10	5.1E-09	--	--	--
	Dibenzo(a,h)anthracene	8.8E+01	ug/kg	7.3E+00	7.3E+00	1.7E-11	9.8E-11	1.E-10	7.E-10	8.E-10	--	--	3.0E-10	1.7E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.3E+02	ug/kg	7.3E-01	7.3E-01	8.2E-11	4.8E-10	6.E-11	3.E-10	4.E-10	--	--	1.4E-09	8.3E-09	--	--	--
	Naphthalene	1.3E+02	ug/kg	--	--	2.6E-11	1.5E-10	--	--	--	2.0E-02	2.0E-02	4.5E-10	2.6E-09	2.E-08	1.E-07	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.6E+02	ug/kg	1.4E-02	1.4E-02	3.8E-11	2.9E-10	5.E-13	4.E-12	5.E-12	2.0E-02	2.0E-02	6.6E-10	5.0E-09	3.E-08	3.E-07	0.0000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.

Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phenols																
	Pentachlorophenol	1.3E+01	ug/kg	4.0E-01	4.0E-01	5.0E-12	1.5E-11	2.E-12	6.E-12	8.E-12	5.0E-03	5.0E-03	8.7E-11	2.6E-10	2.E-08	5.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+02	ug/kg	2.0E+00	2.0E+00	2.2E-11	1.2E-10	4.E-11	2.E-10	3.E-10	2.0E-05	2.0E-05	3.8E-10	2.1E-09	2.E-05	1.E-04	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.4E+00	pg/g	1.3E+05	1.3E+05	2.0E-16	5.0E-15	3.E-11	6.E-10	7.E-10	1.0E-09	1.0E-09	3.4E-15	8.7E-14	3.E-06	9.E-05	0.00009
	Total PCB TEQ	2.0E+00	pg/g	1.3E+05	1.3E+05	4.2E-16	2.3E-15	5.E-11	3.E-10	4.E-10	1.0E-09	1.0E-09	7.4E-15	4.0E-14	7.E-06	4.E-05	0.00005
	Pesticides																
	Aldrin	4.1E-01	ug/kg	1.7E+01	1.7E+01	6.0E-14	4.6E-13	1.E-12	8.E-12	9.E-12	3.0E-05	3.0E-05	1.1E-12	8.0E-12	4.E-08	3.E-07	0.0000003
	Dieldrin	4.7E-01	ug/kg	1.6E+01	1.6E+01	7.0E-14	5.3E-13	1.E-12	8.E-12	1.E-11	5.0E-05	5.0E-05	1.2E-12	9.2E-12	2.E-08	2.E-07	0.0000002
	Total DDT	8.2E+00	ug/kg	3.4E-01	3.4E-01	3.6E-13	9.2E-12	1.E-13	3.E-12	3.E-12	5.0E-04	5.0E-04	6.4E-12	1.6E-10	1.E-08	3.E-07	0.0000003
Exposure Point Total										**2.E-08**							**0.02**
RM 6 West	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	1.6E-10	4.1E-09	2.E-10	6.E-09	6.E-09	3.0E-04	3.0E-04	2.8E-09	7.2E-08	9.E-06	2.E-04	0.0002
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	1.3E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.2E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.2E+02	mg/kg	--	--	0.0E+00	1.3E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.3E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	1.3E+01	ug/kg	--	--	1.9E-12	1.4E-11	--	--	--	3.0E-04	3.0E-04	3.3E-11	2.5E-10	1.E-07	8.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.5E+04	ug/kg	7.3E-01	7.3E-01	4.9E-09	2.8E-08	4.E-09	2.E-08	2.E-08	--	--	8.5E-08	5.0E-07	--	--	--
	Benzo(a)pyrene	3.1E+04	ug/kg	7.3E+00	7.3E+00	5.9E-09	3.5E-08	4.E-08	3.E-07	3.E-07	--	--	1.0E-07	6.1E-07	--	--	--
	Benzo(b)fluoranthene	2.2E+04	ug/kg	7.3E-01	7.3E-01	4.3E-09	2.5E-08	3.E-09	2.E-08	2.E-08	--	--	7.5E-08	4.4E-07	--	--	--
	Benzo(k)fluoranthene	1.4E+04	ug/kg	7.3E-02	7.3E-02	2.7E-09	1.6E-08	2.E-10	1.E-09	1.E-09	--	--	4.7E-08	2.7E-07	--	--	--
	Dibenzo(a,h)anthracene	2.9E+03	ug/kg	7.3E+00	7.3E+00	5.6E-10	3.3E-09	4.E-09	2.E-08	3.E-08	--	--	9.8E-09	5.7E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.1E+04	ug/kg	7.3E-01	7.3E-01	4.1E-09	2.4E-08	3.E-09	2.E-08	2.E-08	--	--	7.1E-08	4.1E-07	--	--	--
	Naphthalene	1.1E+04	ug/kg	--	--	2.1E-09	1.2E-08	--	--	--	2.0E-02	2.0E-02	3.6E-08	2.1E-07	2.E-06	1.E-05	0.00001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.2E+02	ug/kg	1.4E-02	1.4E-02	3.2E-11	2.5E-10	5.E-13	3.E-12	4.E-12	2.0E-02	2.0E-02	5.7E-10	4.3E-09	3.E-08	2.E-07	0.0000002
	Phenols																
	Pentachlorophenol	2.2E+01	ug/kg	4.0E-01	4.0E-01	8.1E-12	2.5E-11	3.E-12	1.E-11	1.E-11	5.0E-03	5.0E-03	1.4E-10	4.3E-10	3.E-08	9.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	4.3E+01	ug/kg	2.0E+00	2.0E+00	8.8E-12	4.8E-11	2.E-11	1.E-10	1.E-10	2.0E-05	2.0E-05	1.5E-10	8.3E-10	8.E-06	4.E-05	0.00005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	1.3E+05	1.3E+05	6.8E-17	1.7E-15	9.E-12	2.E-10	2.E-10	1.0E-09	1.0E-09	1.2E-15	3.0E-14	1.E-06	3.E-05	0.00003
	Total PCB TEQ	1.4E+00	pg/g	1.3E+05	1.3E+05	3.0E-16	1.6E-15	4.E-11	2.E-10	2.E-10	1.0E-09	1.0E-09	5.2E-15	2.8E-14	5.E-06	3.E-05	0.00003
	Pesticides																
	Aldrin	1.2E+00	ug/kg	1.7E+01	1.7E+01	1.8E-13	1.4E-12	3.E-12	2.E-11	3.E-11	3.0E-05	3.0E-05	3.2E-12	2.4E-11	1.E-07	8.E-07	0.000001
	Dieldrin	1.1E+00	ug/kg	1.6E+01	1.6E+01	1.7E-13	1.3E-12	3.E-12	2.E-11	2.E-11	5.0E-05	5.0E-05	2.9E-12	2.2E-11	6.E-08	4.E-07	0.0000005
	Total DDT	3.6E+01	ug/kg	3.4E-01	3.4E-01	1.6E-12	4.0E-11	5.E-13	1.E-11	1.E-11	5.0E-04	5.0E-04	2.8E-11	7.0E-10	6.E-08	1.E-06	0.000001
Exposure Point Total										**4.E-07**							**0.03**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 6 East	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	1.6E-10	4.1E-09	2.E-10	6.E-09	6.E-09	3.0E-04	3.0E-04	2.9E-09	7.2E-08	1.E-05	2.E-04	0.0003
	Mercury	2.9E-01	mg/kg	--	--	0.0E+00	3.2E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.6E-09	0.E+00	6.E-05	0.00006
	Vanadium	9.1E+01	mg/kg	--	--	0.0E+00	1.0E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.8E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	1.8E+02	ug/kg	--	--	2.6E-11	2.0E-10	--	--	--	3.0E-04	3.0E-04	4.6E-10	3.5E-09	2.E-06	1.E-05	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.3E+02	ug/kg	7.3E-01	7.3E-01	1.0E-10	5.9E-10	7.E-11	4.E-10	5.E-10	--	--	1.8E-09	1.0E-08	--	--	--
	Benzo(a)pyrene	7.5E+02	ug/kg	7.3E+00	7.3E+00	1.4E-10	8.4E-10	1.E-09	6.E-09	7.E-09	--	--	2.5E-09	1.5E-08	--	--	--
	Benzo(b)fluoranthene	7.3E+02	ug/kg	7.3E-01	7.3E-01	1.4E-10	8.1E-10	1.E-10	6.E-10	7.E-10	--	--	2.4E-09	1.4E-08	--	--	--
	Benzo(k)fluoranthene	4.6E+02	ug/kg	7.3E-02	7.3E-02	8.8E-11	5.2E-10	6.E-12	4.E-11	4.E-11	--	--	1.5E-09	9.0E-09	--	--	--
	Dibenzo(a,h)anthracene	9.6E+01	ug/kg	7.3E+00	7.3E+00	1.8E-11	1.1E-10	1.E-10	8.E-10	9.E-10	--	--	3.2E-10	1.9E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.2E+02	ug/kg	7.3E-01	7.3E-01	8.1E-11	4.7E-10	6.E-11	3.E-10	4.E-10	--	--	1.4E-09	8.2E-09	--	--	--
	Naphthalene	2.5E+02	ug/kg	--	--	4.8E-11	2.8E-10	--	--	--	2.0E-02	2.0E-02	8.3E-10	4.9E-09	4.E-08	2.E-07	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.2E+01	ug/kg	1.4E-02	1.4E-02	1.2E-11	9.1E-11	2.E-13	1.E-12	1.E-12	2.0E-02	2.0E-02	2.1E-10	1.6E-09	1.E-08	8.E-08	0.0000001
	Phenols																
	Pentachlorophenol	7.7E+00	ug/kg	4.0E-01	4.0E-01	2.8E-12	8.6E-12	1.E-12	3.E-12	5.E-12	5.0E-03	5.0E-03	5.0E-11	1.5E-10	1.E-08	3.E-08	0.00000004
	Polychlorinated Biphenyls																
	Total Aroclors	7.7E+01	ug/kg	2.0E+00	2.0E+00	1.6E-11	8.6E-11	3.E-11	2.E-10	2.E-10	2.0E-05	2.0E-05	2.8E-10	1.5E-09	1.E-05	7.E-05	0.00009
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.2E+00	pg/g	1.3E+05	1.3E+05	1.4E-16	3.5E-15	2.E-11	5.E-10	5.E-10	1.0E-09	1.0E-09	2.5E-15	6.2E-14	2.E-06	6.E-05	0.00006
	Total PCB TEQ	1.2E+00	pg/g	1.3E+05	1.3E+05	2.6E-16	1.4E-15	3.E-11	2.E-10	2.E-10	1.0E-09	1.0E-09	4.5E-15	2.4E-14	4.E-06	2.E-05	0.00003
	Pesticides																
	Aldrin	4.1E-01	ug/kg	1.7E+01	1.7E+01	6.0E-14	4.6E-13	1.E-12	8.E-12	9.E-12	3.0E-05	3.0E-05	1.1E-12	8.0E-12	4.E-08	3.E-07	0.0000003
	Dieldrin	4.4E-02	ug/kg	1.6E+01	1.6E+01	6.6E-15	5.0E-14	1.E-13	8.E-13	9.E-13	5.0E-05	5.0E-05	1.1E-13	8.7E-13	2.E-09	2.E-08	0.00000002
	Total DDT	2.9E+00	ug/kg	3.4E-01	3.4E-01	1.3E-13	3.3E-12	4.E-14	1.E-12	1.E-12	5.0E-04	5.0E-04	2.3E-12	5.7E-11	5.E-09	1.E-07	0.0000001
Exposure Point Total										**2.E-08**							**0.03**
RM 6.5 West	**Metals**																
	Arsenic	7.4E+00	mg/kg	1.5E+00	1.5E+00	3.3E-10	8.3E-09	5.E-10	1.E-08	1.E-08	3.0E-04	3.0E-04	5.7E-09	1.5E-07	2.E-05	5.E-04	0.0005
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	1.2E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.1E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.2E+02	mg/kg	--	--	0.0E+00	1.4E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.4E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	2.6E+01	ug/kg	--	--	3.9E-12	2.9E-11	--	--	--	3.0E-04	3.0E-04	6.8E-11	5.1E-10	2.E-07	2.E-06	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.4E+02	ug/kg	7.3E-01	7.3E-01	1.4E-10	8.3E-10	1.E-10	6.E-10	7.E-10	--	--	2.5E-09	1.5E-08	--	--	--
	Benzo(a)pyrene	9.1E+02	ug/kg	7.3E+00	7.3E+00	1.7E-10	1.0E-09	1.E-09	7.E-09	9.E-09	--	--	3.1E-09	1.8E-08	--	--	--
	Benzo(b)fluoranthene	1.0E+03	ug/kg	7.3E-01	7.3E-01	1.9E-10	1.1E-09	1.E-10	8.E-10	1.E-09	--	--	3.4E-09	2.0E-08	--	--	--
	Benzo(k)fluoranthene	4.0E+02	ug/kg	7.3E-02	7.3E-02	7.8E-11	4.5E-10	6.E-12	3.E-11	4.E-11	--	--	1.4E-09	7.9E-09	--	--	--
	Dibenzo(a,h)anthracene	1.7E+02	ug/kg	7.3E+00	7.3E+00	3.2E-11	1.9E-10	2.E-10	1.E-09	2.E-09	--	--	5.7E-10	3.3E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Indeno(1,2,3-cd)pyrene	6.2E+02	ug/kg	7.3E-01	7.3E-01	1.2E-10	7.0E-10	9.E-11	5.E-10	6.E-10	--	--	2.1E-09	1.2E-08	--	--	--
	Naphthalene	1.1E+02	ug/kg	--	--	2.0E-11	1.2E-10	--	--	--	2.0E-02	2.0E-02	3.5E-10	2.1E-09	2.E-08	1.E-07	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.1E+01	ug/kg	1.4E-02	1.4E-02	1.2E-11	9.1E-11	2.E-13	1.E-12	1.E-12	2.0E-02	2.0E-02	2.1E-10	1.6E-09	1.E-08	8.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.6E+00	ug/kg	4.0E-01	4.0E-01	5.9E-13	1.8E-12	2.E-13	7.E-13	9.E-13	5.0E-03	5.0E-03	1.0E-11	3.1E-11	2.E-09	6.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	6.4E+01	ug/kg	2.0E+00	2.0E+00	1.3E-11	7.1E-11	3.E-11	1.E-10	2.E-10	2.0E-05	2.0E-05	2.3E-10	1.2E-09	1.E-05	6.E-05	0.00007
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.1E+01	pg/g	1.3E+05	1.3E+05	9.2E-16	2.3E-14	1.E-10	3.E-09	3.E-09	1.0E-09	1.0E-09	1.6E-14	4.1E-13	2.E-05	4.E-04	0.0004
	Total PCB TEQ	1.8E+00	pg/g	1.3E+05	1.3E+05	3.7E-16	2.0E-15	5.E-11	3.E-10	3.E-10	1.0E-09	1.0E-09	6.5E-15	3.5E-14	6.E-06	4.E-05	0.00004
	Pesticides																
	Aldrin	1.7E+00	ug/kg	1.7E+01	1.7E+01	2.6E-13	1.9E-12	4.E-12	3.E-11	4.E-11	3.0E-05	3.0E-05	4.5E-12	3.4E-11	1.E-07	1.E-06	0.000001
	Dieldrin	5.4E-01	ug/kg	1.6E+01	1.6E+01	8.0E-14	6.1E-13	1.E-12	1.E-11	1.E-11	5.0E-05	5.0E-05	1.4E-12	1.1E-11	3.E-08	2.E-07	0.0000002
	Total DDT	9.2E+01	ug/kg	3.4E-01	3.4E-01	4.1E-12	1.0E-10	1.E-12	4.E-11	4.E-11	5.0E-04	5.0E-04	7.1E-11	1.8E-09	1.E-07	4.E-06	0.000004
Exposure Point Total										3.E-08							0.03
RM 6.5 East	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	1.8E-10	4.7E-09	3.E-10	7.E-09	7.E-09	3.0E-04	3.0E-04	3.2E-09	8.2E-08	1.E-05	3.E-04	0.0003
	Mercury	2.2E+00	mg/kg	--	--	0.0E+00	2.4E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.2E-08	0.E+00	4.E-04	0.0004
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.2E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.1E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	4.3E+01	ug/kg	--	--	6.3E-12	4.8E-11	--	--	--	3.0E-04	3.0E-04	1.1E-10	8.4E-10	4.E-07	3.E-06	0.000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.1E+02	ug/kg	7.3E-01	7.3E-01	2.1E-11	1.2E-10	2.E-11	9.E-11	1.E-10	--	--	3.6E-10	2.1E-09	--	--	--
	Benzo(a)pyrene	8.6E+01	ug/kg	7.3E+00	7.3E+00	1.7E-11	9.6E-11	1.E-10	7.E-10	8.E-10	--	--	2.9E-10	1.7E-09	--	--	--
	Benzo(b)fluoranthene	1.1E+02	ug/kg	7.3E-01	7.3E-01	2.2E-11	1.3E-10	2.E-11	9.E-11	1.E-10	--	--	3.8E-10	2.2E-09	--	--	--
	Benzo(k)fluoranthene	6.1E+01	ug/kg	7.3E-02	7.3E-02	1.2E-11	6.8E-11	9.E-13	5.E-12	6.E-12	--	--	2.0E-10	1.2E-09	--	--	--
	Dibenzo(a,h)anthracene	1.5E+01	ug/kg	7.3E+00	7.3E+00	2.8E-12	1.7E-11	2.E-11	1.E-10	1.E-10	--	--	5.0E-11	2.9E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	5.9E+01	ug/kg	7.3E-01	7.3E-01	1.1E-11	6.5E-11	8.E-12	5.E-11	6.E-11	--	--	2.0E-10	1.1E-09	--	--	--
	Naphthalene	6.5E+01	ug/kg	--	--	1.2E-11	7.2E-11	--	--	--	2.0E-02	2.0E-02	2.2E-10	1.3E-09	1.E-08	6.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.3E+01	ug/kg	1.4E-02	1.4E-02	1.4E-11	1.0E-10	2.E-13	1.E-12	2.E-12	2.0E-02	2.0E-02	2.4E-10	1.8E-09	1.E-08	9.E-08	0.0000001
	Phenols																
	Pentachlorophenol	3.9E+00	ug/kg	4.0E-01	4.0E-01	1.4E-12	4.4E-12	6.E-13	2.E-12	2.E-12	5.0E-03	5.0E-03	2.5E-11	7.7E-11	5.E-09	2.E-08	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	2.0E+02	ug/kg	2.0E+00	2.0E+00	4.2E-11	2.3E-10	8.E-11	5.E-10	5.E-10	2.0E-05	2.0E-05	7.3E-10	4.0E-09	4.E-05	2.E-04	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.0E+01	pg/g	1.3E+05	1.3E+05	8.9E-16	2.2E-14	1.E-10	3.E-09	3.E-09	1.0E-09	1.0E-09	1.6E-14	3.9E-13	2.E-05	4.E-04	0.0004
	Total PCB TEQ	3.0E+00	pg/g	1.3E+05	1.3E+05	6.2E-16	3.4E-15	8.E-11	4.E-10	5.E-10	1.0E-09	1.0E-09	1.1E-14	5.9E-14	1.E-05	6.E-05	0.00007

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.

Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: In-water Worker Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	7.6E-02	ug/kg	1.7E+01	1.7E+01	1.1E-14	8.5E-14	2.E-13	1.E-12	2.E-12	3.0E-05	3.0E-05	2.0E-13	1.5E-12	7.E-09	5.E-08	0.0000001
	Dieldrin	1.5E-01	ug/kg	1.6E+01	1.6E+01	2.2E-14	1.7E-13	4.E-13	3.E-12	3.E-12	5.0E-05	5.0E-05	3.9E-13	2.9E-12	8.E-09	6.E-08	0.0000001
	Total DDT	1.5E+01	ug/kg	3.4E-01	3.4E-01	6.7E-13	1.7E-11	2.E-13	6.E-12	6.E-12	5.0E-04	5.0E-04	1.2E-11	2.9E-10	2.E-08	6.E-07	0.000001
Exposure Point Total										**1.E-08**							**0.03**
RM 7 West	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	1.8E-10	4.6E-09	3.E-10	7.E-09	7.E-09	3.0E-04	3.0E-04	3.2E-09	8.1E-08	1.E-05	3.E-04	0.0003
	Mercury	8.1E-02	mg/kg	--	--	0.0E+00	9.1E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.6E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.1E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.0E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	6.0E+00	ug/kg	--	--	8.8E-13	6.7E-12	--	--	--	3.0E-04	3.0E-04	1.5E-11	1.2E-10	5.E-08	4.E-07	0.0000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.6E+02	ug/kg	7.3E-01	7.3E-01	1.1E-10	6.3E-10	8.E-11	5.E-10	5.E-10	--	--	1.9E-09	1.1E-08	--	--	--
	Benzo(a)pyrene	4.7E+02	ug/kg	7.3E+00	7.3E+00	8.9E-11	5.2E-10	7.E-10	4.E-09	4.E-09	--	--	1.6E-09	9.1E-09	--	--	--
	Benzo(b)fluoranthene	1.1E+03	ug/kg	7.3E-01	7.3E-01	2.1E-10	1.2E-09	1.E-10	9.E-10	1.E-09	--	--	3.6E-09	2.1E-08	--	--	--
	Benzo(k)fluoranthene	3.9E+02	ug/kg	7.3E-02	7.3E-02	7.5E-11	4.4E-10	5.E-12	3.E-11	4.E-11	--	--	1.3E-09	7.6E-09	--	--	--
	Dibenzo(a,h)anthracene	1.3E+02	ug/kg	7.3E+00	7.3E+00	2.5E-11	1.4E-10	2.E-10	1.E-09	1.E-09	--	--	4.3E-10	2.5E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.7E+02	ug/kg	7.3E-01	7.3E-01	7.1E-11	4.1E-10	5.E-11	3.E-10	4.E-10	--	--	1.2E-09	7.2E-09	--	--	--
	Naphthalene	8.8E+00	ug/kg	--	--	1.7E-12	9.8E-12	--	--	--	2.0E-02	2.0E-02	3.0E-11	1.7E-10	1.E-09	9.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.1E+02	ug/kg	1.4E-02	1.4E-02	3.1E-11	2.3E-10	4.E-13	3.E-12	4.E-12	2.0E-02	2.0E-02	5.4E-10	4.1E-09	3.E-08	2.E-07	0.0000002
	Phenols																
	Pentachlorophenol	2.7E+01	ug/kg	4.0E-01	4.0E-01	1.0E-11	3.1E-11	4.E-12	1.E-11	2.E-11	5.0E-03	5.0E-03	1.8E-10	5.4E-10	4.E-08	1.E-07	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	7.1E+01	ug/kg	2.0E+00	2.0E+00	1.5E-11	7.9E-11	3.E-11	2.E-10	2.E-10	2.0E-05	2.0E-05	2.6E-10	1.4E-09	1.E-05	7.E-05	0.00008
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+03	pg/g	1.3E+05	1.3E+05	7.3E-14	1.9E-12	1.E-08	2.E-07	3.E-07	1.0E-09	1.0E-09	1.3E-12	3.2E-11	1.E-03	3.E-02	0.03
	Total PCB TEQ	7.7E+00	pg/g	1.3E+05	1.3E+05	1.6E-15	8.6E-15	2.E-10	1.E-09	1.E-09	1.0E-09	1.0E-09	2.8E-14	1.5E-13	3.E-05	1.E-04	0.0002
	Pesticides																
	Aldrin	2.7E+01	ug/kg	1.7E+01	1.7E+01	3.9E-12	3.0E-11	7.E-11	5.E-10	6.E-10	3.0E-05	3.0E-05	6.9E-11	5.2E-10	2.E-06	2.E-05	0.00002
	Dieldrin	1.3E+00	ug/kg	1.6E+01	1.6E+01	1.9E-13	1.4E-12	3.E-12	2.E-11	3.E-11	5.0E-05	5.0E-05	3.3E-12	2.5E-11	7.E-08	5.E-07	0.000001
	Total DDT	2.3E+03	ug/kg	3.4E-01	3.4E-01	1.0E-10	2.6E-09	4.E-11	9.E-10	9.E-10	5.0E-04	5.0E-04	1.8E-09	4.6E-08	4.E-06	9.E-05	0.0001
	Conventionals																
	Perchlorate	4.9E+04	ug/kg	--	--	0.0E+00	5.5E-08	--	--	--	7.0E-04	7.0E-04	0.0E+00	9.6E-07	0.E+00	1.E-03	0.001
Exposure Point Total										**3.E-07**							**0.06**
RM 7 East	**Metals**																
	Arsenic	1.0E+01	mg/kg	1.5E+00	1.5E+00	4.5E-10	1.1E-08	7.E-10	2.E-08	2.E-08	3.0E-04	3.0E-04	7.8E-09	2.0E-07	3.E-05	7.E-04	0.0007
	Mercury	5.8E-02	mg/kg	--	--	0.0E+00	6.4E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.1E-06	0.E+00	3.E-02	0.03

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	2.6E+02	ug/kg	--	--	3.9E-11	3.0E-10	--	--	--	3.0E-04	3.0E-04	6.8E-10	5.2E-09	2.E-06	2.E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E+02	ug/kg	7.3E-01	7.3E-01	2.4E-11	1.4E-10	2.E-11	1.E-10	1.E-10	--	--	4.1E-10	2.4E-09	--	--	--
	Benzo(a)pyrene	1.6E+02	ug/kg	7.3E+00	7.3E+00	3.0E-11	1.8E-10	2.E-10	1.E-09	2.E-09	--	--	5.3E-10	3.1E-09	--	--	--
	Benzo(b)fluoranthene	2.1E+02	ug/kg	7.3E-01	7.3E-01	4.0E-11	2.3E-10	3.E-11	2.E-10	2.E-10	--	--	7.1E-10	4.1E-09	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	2.2E-11	1.3E-10	2.E-12	9.E-12	1.E-11	--	--	3.8E-10	2.2E-09	--	--	--
	Dibenzo(a,h)anthracene	4.3E+01	ug/kg	7.3E+00	7.3E+00	8.2E-12	4.8E-11	6.E-11	3.E-10	4.E-10	--	--	1.4E-10	8.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+02	ug/kg	7.3E-01	7.3E-01	2.0E-11	1.2E-10	1.E-11	9.E-11	1.E-10	--	--	3.6E-10	2.1E-09	--	--	--
	Naphthalene	2.2E+01	ug/kg	--	--	4.2E-12	2.4E-11	--	--	--	2.0E-02	2.0E-02	7.3E-11	4.3E-10	4.E-09	2.E-08	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.0E+02	ug/kg	1.4E-02	1.4E-02	4.5E-11	3.4E-10	6.E-13	5.E-12	5.E-12	2.0E-02	2.0E-02	7.8E-10	5.9E-09	4.E-08	3.E-07	0.000(0003
	Phenols																
	Pentachlorophenol	7.7E+01	ug/kg	4.0E-01	4.0E-01	2.8E-11	8.6E-11	1.E-11	3.E-11	5.E-11	5.0E-03	5.0E-03	5.0E-10	1.5E-09	1.E-07	3.E-07	0.0000004
	Polychlorinated Biphenyls																
	Total Aroclors	4.2E+01	ug/kg	2.0E+00	2.0E+00	8.7E-12	4.7E-11	2.E-11	9.E-11	1.E-10	2.0E-05	2.0E-05	1.5E-10	8.2E-10	8.E-06	4.E-05	0.00005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	7.4E-16	1.9E-14	1.E-10	2.E-09	3.E-09	1.0E-09	1.0E-09	1.3E-14	3.3E-13	1.E-05	3.E-04	0.0003
	Total PCB TEQ	5.5E-01	pg/g	1.3E+05	1.3E+05	1.1E-16	6.2E-16	1.E-11	8.E-11	1.E-10	1.0E-09	1.0E-09	2.0E-15	1.1E-14	2.E-06	1.E-05	0.00001
	Pesticides																
	Aldrin	1.3E-01	ug/kg	1.7E+01	1.7E+01	2.0E-14	1.5E-13	3.E-13	3.E-12	3.E-12	3.0E-05	3.0E-05	3.4E-13	2.6E-12	1.E-08	9.E-08	0.0000001
	Dieldrin	8.2E-02	ug/kg	1.6E+01	1.6E+01	1.2E-14	9.1E-14	2.E-13	1.E-12	2.E-12	5.0E-05	5.0E-05	2.1E-13	1.6E-12	4.E-09	3.E-08	0.00000004
	Total DDT	3.6E+00	ug/kg	3.4E-01	3.4E-01	1.6E-13	4.0E-12	5.E-14	1.E-12	1.E-12	5.0E-04	5.0E-04	2.8E-12	7.0E-11	6.E-09	1.E-07	0.0000001
Exposure Point Total										2.E-08							0.03
RM 7.5 West	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	1.4E-10	3.6E-09	2.E-10	5.E-09	6.E-09	3.0E-04	3.0E-04	2.5E-09	6.3E-08	8.E-06	2.E-04	0.0002
	Mercury	7.7E-02	mg/kg	--	--	0.0E+00	8.6E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.5E-09	0.E+00	2.E-05	0.00002
	Vanadium	9.5E+01	mg/kg	--	--	0.0E+00	1.1E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.9E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	5.4E+00	ug/kg	--	--	8.0E-13	6.0E-12	--	--	--	3.0E-04	3.0E-04	1.4E-11	1.1E-10	5.E-08	4.E-07	0.0000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.5E+02	ug/kg	7.3E-01	7.3E-01	2.8E-11	1.7E-10	2.E-11	1.E-10	1.E-10	--	--	5.0E-10	2.9E-09	--	--	--
	Benzo(a)pyrene	1.3E+02	ug/kg	7.3E+00	7.3E+00	2.5E-11	1.4E-10	2.E-10	1.E-09	1.E-09	--	--	4.3E-10	2.5E-09	--	--	--
	Benzo(b)fluoranthene	1.7E+02	ug/kg	7.3E-01	7.3E-01	3.3E-11	1.9E-10	2.E-11	1.E-10	2.E-10	--	--	5.7E-10	3.3E-09	--	--	--
	Benzo(k)fluoranthene	6.1E+01	ug/kg	7.3E-02	7.3E-02	1.2E-11	6.8E-11	9.E-13	5.E-12	6.E-12	--	--	2.0E-10	1.2E-09	--	--	--
	Dibenzo(a,h)anthracene	2.0E+01	ug/kg	7.3E+00	7.3E+00	3.8E-12	2.2E-11	3.E-11	2.E-10	2.E-10	--	--	6.7E-11	3.9E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	8.4E+01	ug/kg	7.3E-01	7.3E-01	1.6E-11	9.4E-11	1.E-11	7.E-11	8.E-11	--	--	2.8E-10	1.6E-09	--	--	--
	Naphthalene	2.5E+01	ug/kg	--	--	4.8E-12	2.8E-11	--	--	--	2.0E-02	2.0E-02	8.4E-11	4.9E-10	4.E-09	2.E-08	0.00000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: In-water Worker   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)^-1	Oral Cancer Slope Factor (mg/kg-day)^-1	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.4E+02	ug/kg	1.4E-02	1.4E-02	2.1E-11	1.6E-10	3.E-13	2.E-12	3.E-12	2.0E-02	2.0E-02	3.7E-10	2.8E-09	2.E-08	1.E-07	0.0000002
	Phenols																
	Pentachlorophenol	1.5E+00	ug/kg	4.0E-01	4.0E-01	5.6E-13	1.7E-12	2.E-13	7.E-13	9.E-13	5.0E-03	5.0E-03	9.9E-12	3.0E-11	2.E-09	6.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	8.6E+01	ug/kg	2.0E+00	2.0E+00	1.8E-11	9.6E-11	4.E-11	2.E-10	2.E-10	2.0E-05	2.0E-05	3.1E-10	1.7E-09	2.E-05	8.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.3E-01	pg/g	1.3E+05	1.3E+05	4.1E-17	1.0E-15	5.E-12	1.E-10	1.E-10	1.0E-09	1.0E-09	7.2E-16	1.8E-14	7.E-07	2.E-05	0.00002
	Total PCB TEQ	6.6E-01	pg/g	1.3E+05	1.3E+05	1.4E-16	7.4E-16	2.E-11	1.E-10	1.E-10	1.0E-09	1.0E-09	2.4E-15	1.3E-14	2.E-06	1.E-05	0.00002
	Pesticides																
	Aldrin	1.8E-01	ug/kg	1.7E+01	1.7E+01	2.7E-14	2.1E-13	5.E-13	4.E-12	4.E-12	3.0E-05	3.0E-05	4.8E-13	3.6E-12	2.E-08	1.E-07	0.0000001
	Dieldrin	1.8E-01	ug/kg	1.6E+01	1.6E+01	2.6E-14	2.0E-13	4.E-13	3.E-12	4.E-12	5.0E-05	5.0E-05	4.6E-13	3.5E-12	9.E-09	7.E-08	0.0000001
	Total DDT	2.1E+01	ug/kg	3.4E-01	3.4E-01	9.3E-13	2.3E-11	3.E-13	8.E-12	8.E-12	5.0E-04	5.0E-04	1.6E-11	4.1E-10	3.E-08	8.E-07	0.000001
Exposure Point Total										**8.E-09**							**0.03**
RM 7.5 East	**Metals**																
	Arsenic	3.3E+00	mg/kg	1.5E+00	1.5E+00	1.5E-10	3.7E-09	2.E-10	6.E-09	6.E-09	3.0E-04	3.0E-04	2.5E-09	6.4E-08	8.E-06	2.E-04	0.0002
	Mercury	7.6E-02	mg/kg	--	--	0.0E+00	8.5E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.5E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.1E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	1.6E+02	ug/kg	--	--	2.4E-11	1.8E-10	--	--	--	3.0E-04	3.0E-04	4.2E-10	3.2E-09	1.E-06	1.E-05	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+01	ug/kg	7.3E-01	7.3E-01	4.9E-12	2.9E-11	4.E-12	2.E-11	2.E-11	--	--	8.6E-11	5.0E-10	--	--	--
	Benzo(a)pyrene	2.6E+01	ug/kg	7.3E+00	7.3E+00	4.9E-12	2.9E-11	4.E-11	2.E-10	2.E-10	--	--	8.6E-11	5.0E-10	--	--	--
	Benzo(b)fluoranthene	3.2E+01	ug/kg	7.3E-01	7.3E-01	6.2E-12	3.6E-11	5.E-12	3.E-11	3.E-11	--	--	1.1E-10	6.3E-10	--	--	--
	Benzo(k)fluoranthene	2.0E+01	ug/kg	7.3E-02	7.3E-02	3.8E-12	2.2E-11	3.E-13	2.E-12	2.E-12	--	--	6.7E-11	3.9E-10	--	--	--
	Dibenzo(a,h)anthracene	9.2E+00	ug/kg	7.3E+00	7.3E+00	1.8E-12	1.0E-11	1.E-11	7.E-11	9.E-11	--	--	3.1E-11	1.8E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.8E+01	ug/kg	7.3E-01	7.3E-01	3.4E-12	2.0E-11	3.E-12	1.E-11	2.E-11	--	--	6.0E-11	3.5E-10	--	--	--
	Naphthalene	6.1E+00	ug/kg	--	--	1.2E-12	6.8E-12	--	--	--	2.0E-02	2.0E-02	2.0E-11	1.2E-10	1.E-09	6.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.1E+02	ug/kg	1.4E-02	1.4E-02	9.0E-11	6.8E-10	1.E-12	1.E-11	1.E-11	2.0E-02	2.0E-02	1.6E-09	1.2E-08	8.E-08	6.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.2E+01	ug/kg	2.0E+00	2.0E+00	6.5E-12	3.5E-11	1.E-11	7.E-11	8.E-11	2.0E-05	2.0E-05	1.1E-10	6.2E-10	6.E-06	3.E-05	0.00004
	Pesticides																
	Dieldrin	1.5E-01	ug/kg	1.6E+01	1.6E+01	2.2E-14	1.6E-13	3.E-13	3.E-12	3.E-12	5.0E-05	5.0E-05	3.8E-13	2.9E-12	8.E-09	6.E-08	0.0000001
	Total DDT	1.1E+00	ug/kg	3.4E-01	3.4E-01	4.7E-14	1.2E-12	2.E-14	4.E-13	4.E-13	5.0E-04	5.0E-04	8.2E-13	2.1E-11	2.E-09	4.E-08	0.00000004
Exposure Point Total										**6.E-09**							**0.03**
RM 8 West	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	1.8E-10	4.6E-09	3.E-10	7.E-09	7.E-09	3.0E-04	3.0E-04	3.2E-09	8.1E-08	1.E-05	3.E-04	0.0003
	Mercury	1.7E-01	mg/kg	--	--	0.0E+00	1.9E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.2E-09	0.E+00	3.E-05	0.00003
	Vanadium	9.5E+01	mg/kg	--	--	0.0E+00	1.1E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.8E-06	0.E+00	3.E-02	0.03

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.

Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: In-water Worker   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	1.3E+01	ug/kg	--	--	2.0E-12	1.5E-11	--	--	--	3.0E-04	3.0E-04	3.4E-11	2.6E-10	1.E-07	9.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+02	ug/kg	7.3E-01	7.3E-01	3.4E-11	2.0E-10	2.E-11	1.E-10	2.E-10	--	--	5.9E-10	3.5E-09	--	--	--
	Benzo(a)pyrene	1.7E+02	ug/kg	7.3E+00	7.3E+00	3.2E-11	1.9E-10	2.E-10	1.E-09	2.E-09	--	--	5.6E-10	3.3E-09	--	--	--
	Benzo(b)fluoranthene	2.3E+02	ug/kg	7.3E-01	7.3E-01	4.4E-11	2.6E-10	3.E-11	2.E-10	2.E-10	--	--	7.7E-10	4.5E-09	--	--	--
	Benzo(k)fluoranthene	5.0E+01	ug/kg	7.3E-02	7.3E-02	9.7E-12	5.6E-11	7.E-13	4.E-12	5.E-12	--	--	1.7E-10	9.9E-10	--	--	--
	Dibenzo(a,h)anthracene	3.1E+01	ug/kg	7.3E+00	7.3E+00	5.9E-12	3.4E-11	4.E-11	3.E-10	3.E-10	--	--	1.0E-10	6.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+02	ug/kg	7.3E-01	7.3E-01	2.2E-11	1.3E-10	2.E-11	9.E-11	1.E-10	--	--	3.8E-10	2.2E-09	--	--	--
	Naphthalene	5.1E+01	ug/kg	--	--	9.8E-12	5.7E-11	--	--	--	2.0E-02	2.0E-02	1.7E-10	1.0E-09	9.E-09	5.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.0E+02	ug/kg	1.4E-02	1.4E-02	8.9E-11	6.7E-10	1.E-12	9.E-12	1.E-11	2.0E-02	2.0E-02	1.6E-09	1.2E-08	8.E-08	6.E-07	0.00001
	Phenols																
	Pentachlorophenol	3.1E+00	ug/kg	4.0E-01	4.0E-01	1.2E-12	3.5E-12	5.E-13	1.E-12	2.E-12	5.0E-03	5.0E-03	2.0E-11	6.1E-11	4.E-09	1.E-08	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.2E+02	ug/kg	2.0E+00	2.0E+00	2.5E-11	1.3E-10	5.E-11	3.E-10	3.E-10	2.0E-05	2.0E-05	4.3E-10	2.3E-09	2.E-05	1.E-04	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.6E-01	pg/g	1.3E+05	1.3E+05	1.2E-17	2.9E-16	2.E-12	4.E-11	4.E-11	1.0E-09	1.0E-09	2.0E-16	5.1E-15	2.E-07	5.E-06	0.00001
	Total PCB TEQ	3.6E+00	pg/g	1.3E+05	1.3E+05	7.3E-16	4.0E-15	1.E-10	5.E-10	6.E-10	1.0E-09	1.0E-09	1.3E-14	6.9E-14	1.E-05	7.E-05	0.00008
	Pesticides																
	Aldrin	4.0E-02	ug/kg	1.7E+01	1.7E+01	5.9E-15	4.5E-14	1.E-13	8.E-13	9.E-13	3.0E-05	3.0E-05	1.0E-13	7.9E-13	3.E-09	3.E-08	0.00000003
	Dieldrin	2.0E+00	ug/kg	1.6E+01	1.6E+01	2.9E-13	2.2E-12	5.E-12	4.E-11	4.E-11	5.0E-05	5.0E-05	5.1E-12	3.9E-11	1.E-07	8.E-07	0.000001
	Total DDT	6.5E+00	ug/kg	3.4E-01	3.4E-01	2.9E-13	7.3E-12	1.E-13	2.E-12	3.E-12	5.0E-04	5.0E-04	5.0E-12	1.3E-10	1.E-08	3.E-07	0.0000003
Exposure Point Total										1.E-08							0.03
RM 8 East	**Metals**																
	Arsenic	6.2E+00	mg/kg	1.5E+00	1.5E+00	2.7E-10	6.9E-09	4.E-10	1.E-08	1.E-08	3.0E-04	3.0E-04	4.8E-09	1.2E-07	2.E-05	4.E-04	0.0004
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	1.3E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.3E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.1E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	2.4E+03	ug/kg	--	--	3.5E-10	2.7E-09	--	--	--	3.0E-04	3.0E-04	6.1E-09	4.7E-08	2.E-05	2.E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.7E+02	ug/kg	7.3E-01	7.3E-01	3.2E-11	1.9E-10	2.E-11	1.E-10	2.E-10	--	--	5.6E-10	3.3E-09	--	--	--
	Benzo(a)pyrene	1.7E+02	ug/kg	7.3E+00	7.3E+00	3.3E-11	2.0E-10	2.E-10	1.E-09	2.E-09	--	--	5.9E-10	3.4E-09	--	--	--
	Benzo(b)fluoranthene	2.0E+02	ug/kg	7.3E-01	7.3E-01	3.8E-11	2.2E-10	3.E-11	2.E-10	2.E-10	--	--	6.6E-10	3.9E-09	--	--	--
	Benzo(k)fluoranthene	1.3E+02	ug/kg	7.3E-02	7.3E-02	2.5E-11	1.4E-10	2.E-12	1.E-11	1.E-11	--	--	4.3E-10	2.5E-09	--	--	--
	Dibenzo(a,h)anthracene	2.6E+01	ug/kg	7.3E+00	7.3E+00	4.9E-12	2.9E-11	4.E-11	2.E-10	2.E-10	--	--	8.6E-11	5.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	2.3E-11	1.4E-10	2.E-11	1.E-10	1.E-10	--	--	4.1E-10	2.4E-09	--	--	--
	Naphthalene	1.6E+01	ug/kg	--	--	3.1E-12	1.8E-11	--	--	--	2.0E-02	2.0E-02	5.5E-11	3.2E-10	3.E-09	2.E-08	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.7E+02	ug/kg	1.4E-02	1.4E-02	1.1E-10	8.7E-10	2.E-12	1.E-11	1.E-11	2.0E-02	2.0E-02	2.0E-09	1.5E-08	1.E-07	8.E-07	0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.

Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure

Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phenols																
	Pentachlorophenol	1.3E+01	ug/kg	4.0E-01	4.0E-01	4.9E-12	1.5E-11	2.E-12	6.E-12	8.E-12	5.0E-03	5.0E-03	8.5E-11	2.6E-10	2.E-08	5.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+02	ug/kg	2.0E+00	2.0E+00	3.6E-11	1.9E-10	7.E-11	4.E-10	5.E-10	2.0E-05	2.0E-05	6.2E-10	3.4E-09	3.E-05	2.E-04	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.3E-01	pg/g	1.3E+05	1.3E+05	4.1E-17	1.0E-15	5.E-12	1.E-10	1.E-10	1.0E-09	1.0E-09	7.2E-16	1.8E-14	7.E-07	2.E-05	0.00002
	Total PCB TEQ	5.8E+00	pg/g	1.3E+05	1.3E+05	1.2E-15	6.5E-15	2.E-10	8.E-10	1.E-09	1.0E-09	1.0E-09	2.1E-14	1.1E-13	2.E-05	1.E-04	0.0001
	Pesticides																
	Aldrin	1.1E-01	ug/kg	1.7E+01	1.7E+01	1.7E-14	1.3E-13	3.E-13	2.E-12	2.E-12	3.0E-05	3.0E-05	2.9E-13	2.2E-12	1.E-08	7.E-08	0.0000001
	Dieldrin	7.9E-01	ug/kg	1.6E+01	1.6E+01	1.2E-13	8.8E-13	2.E-12	1.E-11	2.E-11	5.0E-05	5.0E-05	2.0E-12	1.5E-11	4.E-08	3.E-07	0.0000003
	Total DDT	1.1E+01	ug/kg	3.4E-01	3.4E-01	4.7E-13	1.2E-11	2.E-13	4.E-12	4.E-12	5.0E-04	5.0E-04	8.2E-12	2.1E-10	2.E-08	4.E-07	0.0000004
Exposure Point Total										**1.E-08**							**0.03**
RM 8 SIL	**Metals**																
	Arsenic	5.4E+00	mg/kg	1.5E+00	1.5E+00	2.4E-10	6.0E-09	4.E-10	9.E-09	9.E-09	3.0E-04	3.0E-04	4.2E-09	1.1E-07	1.E-05	4.E-04	0.0004
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	1.3E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.3E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.1E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	2.2E+03	ug/kg	--	--	3.3E-10	2.5E-09	--	--	--	3.0E-04	3.0E-04	5.8E-09	4.4E-08	2.E-05	1.E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.4E+02	ug/kg	7.3E-01	7.3E-01	4.6E-11	2.7E-10	3.E-11	2.E-10	2.E-10	--	--	8.0E-10	4.7E-09	--	--	--
	Benzo(a)pyrene	2.0E+02	ug/kg	7.3E+00	7.3E+00	3.8E-11	2.2E-10	3.E-10	2.E-09	2.E-09	--	--	6.6E-10	3.8E-09	--	--	--
	Benzo(b)fluoranthene	3.8E+02	ug/kg	7.3E-01	7.3E-01	7.3E-11	4.2E-10	5.E-11	3.E-10	4.E-10	--	--	1.3E-09	7.4E-09	--	--	--
	Benzo(k)fluoranthene	2.1E+02	ug/kg	7.3E-02	7.3E-02	4.0E-11	2.3E-10	3.E-12	2.E-11	2.E-11	--	--	6.9E-10	4.0E-09	--	--	--
	Dibenzo(a,h)anthracene	3.6E+01	ug/kg	7.3E+00	7.3E+00	6.8E-12	4.0E-11	5.E-11	3.E-10	3.E-10	--	--	1.2E-10	6.9E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	2.4E-11	1.4E-10	2.E-11	1.E-10	1.E-10	--	--	4.2E-10	2.4E-09	--	--	--
	Naphthalene	2.5E+01	ug/kg	--	--	4.8E-12	2.8E-11	--	--	--	2.0E-02	2.0E-02	8.5E-11	4.9E-10	4.E-09	2.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.1E+03	ug/kg	1.4E-02	1.4E-02	1.2E-09	9.1E-09	2.E-11	1.E-10	1.E-10	2.0E-02	2.0E-02	2.1E-08	1.6E-07	1.E-06	8.E-06	0.00001
	Phenols																
	Pentachlorophenol	3.9E+01	ug/kg	4.0E-01	4.0E-01	1.5E-11	4.4E-11	6.E-12	2.E-11	2.E-11	5.0E-03	5.0E-03	2.5E-10	7.7E-10	5.E-08	2.E-07	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	2.8E+02	ug/kg	2.0E+00	2.0E+00	5.8E-11	3.1E-10	1.E-10	6.E-10	7.E-10	2.0E-05	2.0E-05	1.0E-09	5.5E-09	5.E-05	3.E-04	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.3E+00	pg/g	1.3E+05	1.3E+05	2.8E-16	7.0E-15	4.E-11	9.E-10	1.E-09	1.0E-09	1.0E-09	4.9E-15	1.2E-13	5.E-06	1.E-04	0.0001
	Total PCB TEQ	1.2E+01	pg/g	1.3E+05	1.3E+05	2.5E-15	1.3E-14	3.E-10	2.E-09	2.E-09	1.0E-09	1.0E-09	4.4E-14	2.4E-13	4.E-05	2.E-04	0.0003
	Pesticides																
	Aldrin	6.2E-01	ug/kg	1.7E+01	1.7E+01	9.1E-14	6.9E-13	2.E-12	1.E-11	1.E-11	3.0E-05	3.0E-05	1.6E-12	1.2E-11	5.E-08	4.E-07	0.0000005
	Dieldrin	1.4E+00	ug/kg	1.6E+01	1.6E+01	2.0E-13	1.5E-12	3.E-12	2.E-11	3.E-11	5.0E-05	5.0E-05	3.6E-12	2.7E-11	7.E-08	5.E-07	0.000001
	Total DDT	5.2E+00	ug/kg	3.4E-01	3.4E-01	2.3E-13	5.9E-12	8.E-14	2.E-12	2.E-12	5.0E-04	5.0E-04	4.1E-12	1.0E-10	8.E-09	2.E-07	0.0000002
Exposure Point Total										**2.E-08**							**0.03**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.

Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future

Receptor Population: In-water Worker

Population Age: Adult

Medium: Sediment

Exposure Medium: In-water Sediment

Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 8.5 West	**Metals**																
	Arsenic	6.7E+00	mg/kg	1.5E+00	1.5E+00	3.0E-10	7.5E-09	4.E-10	1.E-08	1.E-08	3.0E-04	3.0E-04	5.2E-09	1.3E-07	2.E-05	4.E-04	0.0005
	Mercury	2.0E-01	mg/kg	--	--	0.0E+00	2.3E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.9E-09	0.E+00	4.E-05	0.00004
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.1E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.0E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	1.3E+01	ug/kg	--	--	1.9E-12	1.4E-11	--	--	--	3.0E-04	3.0E-04	3.3E-11	2.5E-10	1.E-07	8.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.4E+01	ug/kg	7.3E-01	7.3E-01	1.8E-11	1.0E-10	1.E-11	8.E-11	9.E-11	--	--	3.1E-10	1.8E-09	--	--	--
	Benzo(a)pyrene	9.1E+01	ug/kg	7.3E+00	7.3E+00	1.7E-11	1.0E-10	1.E-10	7.E-10	9.E-10	--	--	3.0E-10	1.8E-09	--	--	--
	Benzo(b)fluoranthene	1.3E+02	ug/kg	7.3E-01	7.3E-01	2.5E-11	1.5E-10	2.E-11	1.E-10	1.E-10	--	--	4.4E-10	2.6E-09	--	--	--
	Benzo(k)fluoranthene	5.5E+01	ug/kg	7.3E-02	7.3E-02	1.1E-11	6.2E-11	8.E-13	5.E-12	5.E-12	--	--	1.9E-10	1.1E-09	--	--	--
	Dibenzo(a,h)anthracene	1.1E+01	ug/kg	7.3E+00	7.3E+00	2.2E-12	1.3E-11	2.E-11	9.E-11	1.E-10	--	--	3.8E-11	2.2E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	5.2E+01	ug/kg	7.3E-01	7.3E-01	1.0E-11	5.8E-11	7.E-12	4.E-11	5.E-11	--	--	1.7E-10	1.0E-09	--	--	--
	Naphthalene	2.4E+01	ug/kg	--	--	4.7E-12	2.7E-11	--	--	--	2.0E-02	2.0E-02	8.2E-11	4.8E-10	4.E-09	2.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.3E+02	ug/kg	1.4E-02	1.4E-02	9.3E-11	7.1E-10	1.E-12	1.E-11	1.E-11	2.0E-02	2.0E-02	1.6E-09	1.2E-08	8.E-08	6.E-07	0.000001
	Phenols																
	Pentachlorophenol	2.8E+00	ug/kg	4.0E-01	4.0E-01	1.0E-12	3.1E-12	4.E-13	1.E-12	2.E-12	5.0E-03	5.0E-03	1.8E-11	5.4E-11	4.E-09	1.E-08	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.4E+03	ug/kg	2.0E+00	2.0E+00	2.9E-10	1.5E-09	6.E-10	3.E-09	4.E-09	2.0E-05	2.0E-05	5.0E-09	2.7E-08	2.E-04	1.E-03	0.002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.0E+00	pg/g	1.3E+05	1.3E+05	2.2E-16	5.6E-15	3.E-11	7.E-10	8.E-10	1.0E-09	1.0E-09	3.9E-15	9.8E-14	4.E-06	1.E-04	0.0001
	Total PCB TEQ	3.3E+01	pg/g	1.3E+05	1.3E+05	6.8E-15	3.7E-14	9.E-10	5.E-09	6.E-09	1.0E-09	1.0E-09	1.2E-13	6.4E-13	1.E-04	6.E-04	0.0008
	Pesticides																
	Aldrin	1.1E+01	ug/kg	1.7E+01	1.7E+01	1.6E-12	1.2E-11	3.E-11	2.E-10	2.E-10	3.0E-05	3.0E-05	2.8E-11	2.1E-10	9.E-07	7.E-06	0.00001
	Dieldrin	1.5E+01	ug/kg	1.6E+01	1.6E+01	2.2E-12	1.7E-11	4.E-11	3.E-10	3.E-10	5.0E-05	5.0E-05	3.8E-11	2.9E-10	8.E-07	6.E-06	0.00001
	Total DDT	6.0E+00	ug/kg	3.4E-01	3.4E-01	2.7E-13	6.8E-12	9.E-14	2.E-12	2.E-12	5.0E-04	5.0E-04	4.7E-12	1.2E-10	9.E-09	2.E-07	0.0000002
Exposure Point Total										2.E-08							0.03
RM 8.5 East	**Metals**																
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	2.1E-10	5.2E-09	3.E-10	8.E-09	8.E-09	3.0E-04	3.0E-04	3.6E-09	9.2E-08	1.E-05	3.E-04	0.0003
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	1.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.4E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.1E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.0E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	2.3E+01	ug/kg	--	--	3.5E-12	2.6E-11	--	--	--	3.0E-04	3.0E-04	6.0E-11	4.6E-10	2.E-07	2.E-06	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.1E+01	ug/kg	7.3E-01	7.3E-01	7.9E-12	4.6E-11	6.E-12	3.E-11	4.E-11	--	--	1.4E-10	8.1E-10	--	--	--
	Benzo(a)pyrene	4.6E+01	ug/kg	7.3E+00	7.3E+00	8.8E-12	5.2E-11	6.E-11	4.E-10	4.E-10	--	--	1.5E-10	9.0E-10	--	--	--
	Benzo(b)fluoranthene	7.1E+01	ug/kg	7.3E-01	7.3E-01	1.4E-11	7.9E-11	1.E-11	6.E-11	7.E-11	--	--	2.4E-10	1.4E-09	--	--	--
	Benzo(k)fluoranthene	3.6E+01	ug/kg	7.3E-02	7.3E-02	6.8E-12	4.0E-11	5.E-13	3.E-12	3.E-12	--	--	1.2E-10	7.0E-10	--	--	--
	Dibenzo(a,h)anthracene	8.3E+00	ug/kg	7.3E+00	7.3E+00	1.6E-12	9.3E-12	1.E-11	7.E-11	8.E-11	--	--	2.8E-11	1.6E-10	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Indeno(1,2,3-cd)pyrene	3.9E+01	ug/kg	7.3E-01	7.3E-01	7.6E-12	4.4E-11	6.E-12	3.E-11	4.E-11	--	--	1.3E-10	7.7E-10	--	--	--
	Naphthalene	2.0E+01	ug/kg	--	--	3.8E-12	2.2E-11	--	--	--	2.0E-02	2.0E-02	6.6E-11	3.8E-10	3.E-09	2.E-08	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.5E+02	ug/kg	1.4E-02	1.4E-02	6.7E-11	5.0E-10	9.E-13	7.E-12	8.E-12	2.0E-02	2.0E-02	1.2E-09	8.8E-09	6.E-08	4.E-07	0.0000005
	Polychlorinated Biphenyls																
	Total Aroclors	4.6E+01	ug/kg	2.0E+00	2.0E+00	9.6E-12	5.2E-11	2.E-11	1.E-10	1.E-10	2.0E-05	2.0E-05	1.7E-10	9.0E-10	8.E-06	5.E-05	0.00005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.3E-01	pg/g	1.3E+05	1.3E+05	2.8E-17	7.0E-16	4.E-12	9.E-11	1.E-10	1.0E-09	1.0E-09	4.9E-16	1.2E-14	5.E-07	1.E-05	0.00001
	Total PCB TEQ	4.2E-01	pg/g	1.3E+05	1.3E+05	8.7E-17	4.7E-16	1.E-11	6.E-11	7.E-11	1.0E-09	1.0E-09	1.5E-15	8.3E-15	2.E-06	8.E-06	0.00001
	Pesticides																
	Aldrin	3.2E-02	ug/kg	1.7E+01	1.7E+01	4.7E-15	3.6E-14	8.E-14	6.E-13	7.E-13	3.0E-05	3.0E-05	8.3E-14	6.3E-13	3.E-09	2.E-08	0.00000002
	Dieldrin	1.3E-01	ug/kg	1.6E+01	1.6E+01	2.0E-14	1.5E-13	3.E-13	2.E-12	3.E-12	5.0E-05	5.0E-05	3.5E-13	2.6E-12	7.E-09	5.E-08	0.0000001
	Total DDT	1.5E+00	ug/kg	3.4E-01	3.4E-01	6.6E-14	1.7E-12	2.E-14	6.E-13	6.E-13	5.0E-04	5.0E-04	1.2E-12	2.9E-11	2.E-09	6.E-08	0.0000001
Exposure Point Total										9.E-09							0.03
RM 9 West	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	1.8E-10	4.6E-09	3.E-10	7.E-09	7.E-09	3.0E-04	3.0E-04	3.2E-09	8.1E-08	1.E-05	3.E-04	0.0003
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	1.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.4E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.1E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	9.9E+00	ug/kg	--	--	1.5E-12	1.1E-11	--	--	--	3.0E-04	3.0E-04	2.5E-11	1.9E-10	8.E-08	6.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.5E+02	ug/kg	7.3E-01	7.3E-01	3.0E-11	1.7E-10	2.E-11	1.E-10	1.E-10	--	--	5.2E-10	3.0E-09	--	--	--
	Benzo(a)pyrene	1.0E+02	ug/kg	7.3E+00	7.3E+00	2.0E-11	1.2E-10	1.E-10	8.E-10	1.E-09	--	--	3.5E-10	2.0E-09	--	--	--
	Benzo(b)fluoranthene	1.6E+02	ug/kg	7.3E-01	7.3E-01	3.1E-11	1.8E-10	2.E-11	1.E-10	2.E-10	--	--	5.4E-10	3.1E-09	--	--	--
	Benzo(k)fluoranthene	6.2E+01	ug/kg	7.3E-02	7.3E-02	1.2E-11	6.9E-11	9.E-13	5.E-12	6.E-12	--	--	2.1E-10	1.2E-09	--	--	--
	Dibenzo(a,h)anthracene	1.8E+01	ug/kg	7.3E+00	7.3E+00	3.4E-12	2.0E-11	2.E-11	1.E-10	2.E-10	--	--	5.9E-11	3.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	6.7E+01	ug/kg	7.3E-01	7.3E-01	1.3E-11	7.5E-11	9.E-12	5.E-11	6.E-11	--	--	2.2E-10	1.3E-09	--	--	--
	Naphthalene	1.7E+01	ug/kg	--	--	3.2E-12	1.9E-11	--	--	--	2.0E-02	2.0E-02	5.7E-11	3.3E-10	3.E-09	2.E-08	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.7E+02	ug/kg	1.4E-02	1.4E-02	2.6E-11	1.9E-10	4.E-13	3.E-12	3.E-12	2.0E-02	2.0E-02	4.5E-10	3.4E-09	2.E-08	2.E-07	0.0000002
	Phenols																
	Pentachlorophenol	4.7E+00	ug/kg	4.0E-01	4.0E-01	1.7E-12	5.2E-12	7.E-13	2.E-12	3.E-12	5.0E-03	5.0E-03	3.0E-11	9.1E-11	6.E-09	2.E-08	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	4.5E+02	ug/kg	2.0E+00	2.0E+00	9.4E-11	5.1E-10	2.E-10	1.E-09	1.E-09	2.0E-05	2.0E-05	1.6E-09	8.9E-09	8.E-05	4.E-04	0.0005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.9E+00	pg/g	1.3E+05	1.3E+05	1.7E-16	4.4E-15	2.E-11	6.E-10	6.E-10	1.0E-09	1.0E-09	3.0E-15	7.7E-14	3.E-06	8.E-05	0.00008
	Total PCB TEQ	1.6E+01	pg/g	1.3E+05	1.3E+05	3.2E-15	1.7E-14	4.E-10	2.E-09	3.E-09	1.0E-09	1.0E-09	5.7E-14	3.1E-13	6.E-05	3.E-04	0.0004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.

Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: In-water Worker   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	2.2E-01	ug/kg	1.7E+01	1.7E+01	3.3E-14	2.5E-13	6.E-13	4.E-12	5.E-12	3.0E-05	3.0E-05	5.8E-13	4.4E-12	2.E-08	1.E-07	0.0000002
	Dieldrin	2.0E-01	ug/kg	1.6E+01	1.6E+01	3.0E-14	2.3E-13	5.E-13	4.E-12	4.E-12	5.0E-05	5.0E-05	5.3E-13	4.0E-12	1.E-08	8.E-08	0.0000001
	Total DDT	4.4E+00	ug/kg	3.4E-01	3.4E-01	1.9E-13	4.9E-12	7.E-14	2.E-12	2.E-12	5.0E-04	5.0E-04	3.4E-12	8.6E-11	7.E-09	2.E-07	0.0000002
Exposure Point Total										**1.E-08**							**0.03**
RM 9 East	**Metals**																
	Arsenic	3.8E+00	mg/kg	1.5E+00	1.5E+00	1.7E-10	4.2E-09	3.E-10	6.E-09	7.E-09	3.0E-04	3.0E-04	2.9E-09	7.4E-08	1.E-05	2.E-04	0.0003
	Mercury	5.0E-02	mg/kg	--	--	0.0E+00	5.6E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.8E-10	0.E+00	1.E-05	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.0E+01	ug/kg	7.3E-01	7.3E-01	2.0E-12	1.1E-11	1.E-12	8.E-12	1.E-11	--	--	3.4E-11	2.0E-10	--	--	--
	Benzo(a)pyrene	1.3E+01	ug/kg	7.3E+00	7.3E+00	2.4E-12	1.4E-11	2.E-11	1.E-10	1.E-10	--	--	4.2E-11	2.5E-10	--	--	--
	Benzo(b)fluoranthene	1.8E+01	ug/kg	7.3E-01	7.3E-01	3.5E-12	2.0E-11	3.E-12	1.E-11	2.E-11	--	--	6.1E-11	3.5E-10	--	--	--
	Benzo(k)fluoranthene	8.3E+00	ug/kg	7.3E-02	7.3E-02	1.6E-12	9.2E-12	1.E-13	7.E-13	8.E-13	--	--	2.8E-11	1.6E-10	--	--	--
	Dibenzo(a,h)anthracene	2.1E+00	ug/kg	7.3E+00	7.3E+00	4.1E-13	2.4E-12	3.E-12	2.E-11	2.E-11	--	--	7.2E-12	4.2E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+01	ug/kg	7.3E-01	7.3E-01	2.0E-12	1.2E-11	1.E-12	9.E-12	1.E-11	--	--	3.6E-11	2.1E-10	--	--	--
	Naphthalene	2.7E+00	ug/kg	--	--	5.2E-13	3.0E-12	--	--	--	2.0E-02	2.0E-02	9.1E-12	5.3E-11	5.E-10	3.E-09	0.000000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.6E+02	ug/kg	1.4E-02	1.4E-02	5.3E-11	4.0E-10	7.E-13	6.E-12	6.E-12	2.0E-02	2.0E-02	9.3E-10	7.0E-09	5.E-08	4.E-07	0.0000004
	Polychlorinated Biphenyls																
	Total Aroclors	5.2E+01	ug/kg	2.0E+00	2.0E+00	1.1E-11	5.8E-11	2.E-11	1.E-10	1.E-10	2.0E-05	2.0E-05	1.9E-10	1.0E-09	9.E-06	5.E-05	0.00006
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.2E-01	pg/g	1.3E+05	1.3E+05	9.6E-18	2.4E-16	1.E-12	3.E-11	3.E-11	1.0E-09	1.0E-09	1.7E-16	4.2E-15	2.E-07	4.E-06	0.000004
	Total PCB TEQ	6.3E-01	pg/g	1.3E+05	1.3E+05	1.3E-16	7.0E-16	2.E-11	9.E-11	1.E-10	1.0E-09	1.0E-09	2.3E-15	1.2E-14	2.E-06	1.E-05	0.00001
	Pesticides																
	Dieldrin	8.8E-02	ug/kg	1.6E+01	1.6E+01	1.3E-14	9.8E-14	2.E-13	2.E-12	2.E-12	5.0E-05	5.0E-05	2.3E-13	1.7E-12	5.E-09	3.E-08	0.00000004
	Total DDT	1.4E+00	ug/kg	3.4E-01	3.4E-01	6.4E-14	1.6E-12	2.E-14	5.E-13	6.E-13	5.0E-04	5.0E-04	1.1E-12	2.8E-11	2.E-09	6.E-08	0.0000001
Exposure Point Total										**7.E-09**							**0.0003**
RM 9.5 West	**Metals**																
	Arsenic	3.8E+00	mg/kg	1.5E+00	1.5E+00	1.7E-10	4.2E-09	3.E-10	6.E-09	7.E-09	3.0E-04	3.0E-04	2.9E-09	7.4E-08	1.E-05	2.E-04	0.0003
	Mercury	6.2E-02	mg/kg	--	--	0.0E+00	7.0E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.2E-09	0.E+00	1.E-05	0.00001
	Butyltins																
	Tributyltin ion	1.0E+01	ug/kg	--	--	1.5E-12	1.1E-11	--	--	--	3.0E-04	3.0E-04	2.6E-11	2.0E-10	9.E-08	7.E-07	0.0000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E+02	ug/kg	7.3E-01	7.3E-01	2.3E-11	1.4E-10	2.E-11	1.E-10	1.E-10	--	--	4.1E-10	2.4E-09	--	--	--
	Benzo(a)pyrene	1.7E+02	ug/kg	7.3E+00	7.3E+00	3.2E-11	1.9E-10	2.E-10	1.E-09	2.E-09	--	--	5.6E-10	3.2E-09	--	--	--
	Benzo(b)fluoranthene	2.3E+02	ug/kg	7.3E-01	7.3E-01	4.4E-11	2.6E-10	3.E-11	2.E-10	2.E-10	--	--	7.7E-10	4.5E-09	--	--	--
	Benzo(k)fluoranthene	1.0E+02	ug/kg	7.3E-02	7.3E-02	2.0E-11	1.2E-10	1.E-12	8.E-12	1.E-11	--	--	3.5E-10	2.0E-09	--	--	--
	Dibenzo(a,h)anthracene	3.2E+01	ug/kg	7.3E+00	7.3E+00	6.1E-12	3.6E-11	4.E-11	3.E-10	3.E-10	--	--	1.1E-10	6.2E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+02	ug/kg	7.3E-01	7.3E-01	2.7E-11	1.5E-10	2.E-11	1.E-10	1.E-10	--	--	4.6E-10	2.7E-09	--	--	--
	Naphthalene	4.1E+01	ug/kg	--	--	7.9E-12	4.6E-11	--	--	--	2.0E-02	2.0E-02	1.4E-10	8.0E-10	7.E-09	4.E-08	0.00000005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.6E+02	ug/kg	1.4E-02	1.4E-02	1.3E-10	9.6E-10	2.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	2.2E-09	1.7E-08	1.E-07	8.E-07	0.000001
	Phenols																
	Pentachlorophenol	1.1E+01	ug/kg	4.0E-01	4.0E-01	4.1E-12	1.2E-11	2.E-12	5.E-12	7.E-12	5.0E-03	5.0E-03	7.2E-11	2.2E-10	1.E-08	4.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.1E+02	ug/kg	2.0E+00	2.0E+00	4.4E-11	2.4E-10	9.E-11	5.E-10	6.E-10	2.0E-05	2.0E-05	7.6E-10	4.1E-09	4.E-05	2.E-04	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.6E+00	pg/g	1.3E+05	1.3E+05	3.8E-16	9.6E-15	5.E-11	1.E-09	1.E-09	1.0E-09	1.0E-09	6.6E-15	1.7E-13	7.E-06	2.E-04	0.0002
	Total PCB TEQ	3.6E+00	pg/g	1.3E+05	1.3E+05	7.5E-16	4.1E-15	1.E-10	5.E-10	6.E-10	1.0E-09	1.0E-09	1.3E-14	7.1E-14	1.E-05	7.E-05	0.00008
	Pesticides																
	Aldrin	5.8E-01	ug/kg	1.7E+01	1.7E+01	8.6E-14	6.5E-13	1.E-12	1.E-11	1.E-11	3.0E-05	3.0E-05	1.5E-12	1.1E-11	5.E-08	4.E-07	0.0000004
	Dieldrin	6.1E-01	ug/kg	1.6E+01	1.6E+01	9.0E-14	6.8E-13	1.E-12	1.E-11	1.E-11	5.0E-05	5.0E-05	1.6E-12	1.2E-11	3.E-08	2.E-07	0.0000003
	Total DDT	3.1E+00	ug/kg	3.4E-01	3.4E-01	1.4E-13	3.4E-12	5.E-14	1.E-12	1.E-12	5.0E-04	5.0E-04	2.4E-12	6.0E-11	5.E-09	1.E-07	0.0000001
Exposure Point Total										**1.E-08**							**0.0008**
RM 9.5 East	**Metals**																
	Arsenic	3.3E+00	mg/kg	1.5E+00	1.5E+00	1.5E-10	3.7E-09	2.E-10	6.E-09	6.E-09	3.0E-04	3.0E-04	2.5E-09	6.4E-08	8.E-06	2.E-04	0.0002
	Mercury	6.3E-02	mg/kg	--	--	0.0E+00	7.0E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.2E-09	0.E+00	1.E-05	0.00001
	Butyltins																
	Tributyltin ion	2.6E+00	ug/kg	--	--	3.8E-13	2.9E-12	--	--	--	3.0E-04	3.0E-04	6.6E-12	5.0E-11	2.E-08	2.E-07	0.0000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.2E+01	ug/kg	7.3E-01	7.3E-01	4.2E-12	2.4E-11	3.E-12	2.E-11	2.E-11	--	--	7.3E-11	4.3E-10	--	--	--
	Benzo(a)pyrene	2.5E+01	ug/kg	7.3E+00	7.3E+00	4.7E-12	2.7E-11	3.E-11	2.E-10	2.E-10	--	--	8.3E-11	4.8E-10	--	--	--
	Benzo(b)fluoranthene	2.9E+01	ug/kg	7.3E-01	7.3E-01	5.6E-12	3.3E-11	4.E-12	2.E-11	3.E-11	--	--	9.8E-11	5.7E-10	--	--	--
	Benzo(k)fluoranthene	1.7E+01	ug/kg	7.3E-02	7.3E-02	3.3E-12	1.9E-11	2.E-13	1.E-12	2.E-12	--	--	5.7E-11	3.3E-10	--	--	--
	Dibenzo(a,h)anthracene	4.4E+00	ug/kg	7.3E+00	7.3E+00	8.4E-13	4.9E-12	6.E-12	4.E-11	4.E-11	--	--	1.5E-11	8.5E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	2.0E+01	ug/kg	7.3E-01	7.3E-01	3.8E-12	2.2E-11	3.E-12	2.E-11	2.E-11	--	--	6.6E-11	3.9E-10	--	--	--
	Naphthalene	3.4E+00	ug/kg	--	--	6.5E-13	3.8E-12	--	--	--	2.0E-02	2.0E-02	1.1E-11	6.6E-11	6.E-10	3.E-09	0.000000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.6E+02	ug/kg	1.4E-02	1.4E-02	2.4E-11	1.8E-10	3.E-13	3.E-12	3.E-12	2.0E-02	2.0E-02	4.3E-10	3.2E-09	2.E-08	2.E-07	0.0000002
	Phenols																
	Pentachlorophenol	1.1E+00	ug/kg	4.0E-01	4.0E-01	4.1E-13	1.3E-12	2.E-13	5.E-13	7.E-13	5.0E-03	5.0E-03	7.2E-12	2.2E-11	1.E-09	4.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	4.0E+01	ug/kg	2.0E+00	2.0E+00	8.3E-12	4.5E-11	2.E-11	9.E-11	1.E-10	2.0E-05	2.0E-05	1.5E-10	7.9E-10	7.E-06	4.E-05	0.00005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.9E-01	pg/g	1.3E+05	1.3E+05	3.9E-17	9.9E-16	5.E-12	1.E-10	1.E-10	1.0E-09	1.0E-09	6.9E-16	1.7E-14	7.E-07	2.E-05	0.00002
	Total PCB TEQ	2.6E-01	pg/g	1.3E+05	1.3E+05	5.4E-17	2.9E-16	7.E-12	4.E-11	4.E-11	1.0E-09	1.0E-09	9.4E-16	5.1E-15	9.E-07	5.E-06	0.00001
	Pesticides																
	Aldrin	9.1E-02	ug/kg	1.7E+01	1.7E+01	1.3E-14	1.0E-13	2.E-13	2.E-12	2.E-12	3.0E-05	3.0E-05	2.4E-13	1.8E-12	8.E-09	6.E-08	0.0000001
	Dieldrin	3.0E-02	ug/kg	1.6E+01	1.6E+01	4.4E-15	3.3E-14	7.E-14	5.E-13	6.E-13	5.0E-05	5.0E-05	7.6E-14	5.8E-13	2.E-09	1.E-08	0.00000001
	Total DDT	1.1E+00	ug/kg	3.4E-01	3.4E-01	5.0E-14	1.3E-12	2.E-14	4.E-13	4.E-13	5.0E-04	5.0E-04	8.8E-13	2.2E-11	2.E-09	4.E-08	0.00000005
Exposure Point Total										**6.E-09**							**0.0003**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point[a]	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 10 West	**Metals**																
	Arsenic	1.0E+01	mg/kg	1.5E+00	1.5E+00	4.5E-10	1.1E-08	7.E-10	2.E-08	2.E-08	3.0E-04	3.0E-04	7.9E-09	2.0E-07	3.E-05	7.E-04	0.0007
	Mercury	9.0E-02	mg/kg	--	--	0.0E+00	1.0E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.8E-09	0.E+00	2.E-05	0.00002
	Butyltins																
	Tributyltin ion	2.4E+00	ug/kg	--	--	3.6E-13	2.7E-12	--	--	--	3.0E-04	3.0E-04	6.3E-12	4.8E-11	2.E-08	2.E-07	0.0000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+02	ug/kg	7.3E-01	7.3E-01	2.7E-11	1.6E-10	2.E-11	1.E-10	1.E-10	--	--	4.7E-10	2.8E-09	--	--	--
	Benzo(a)pyrene	1.5E+02	ug/kg	7.3E+00	7.3E+00	2.9E-11	1.7E-10	2.E-10	1.E-09	1.E-09	--	--	5.0E-10	2.9E-09	--	--	--
	Benzo(b)fluoranthene	1.9E+02	ug/kg	7.3E-01	7.3E-01	3.6E-11	2.1E-10	3.E-11	2.E-10	2.E-10	--	--	6.3E-10	3.7E-09	--	--	--
	Benzo(k)fluoranthene	7.9E+01	ug/kg	7.3E-02	7.3E-02	1.5E-11	8.8E-11	1.E-12	6.E-12	8.E-12	--	--	2.6E-10	1.5E-09	--	--	--
	Dibenzo(a,h)anthracene	3.5E+01	ug/kg	7.3E+00	7.3E+00	6.8E-12	4.0E-11	5.E-11	3.E-10	3.E-10	--	--	1.2E-10	6.9E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+02	ug/kg	7.3E-01	7.3E-01	2.7E-11	1.5E-10	2.E-11	1.E-10	1.E-10	--	--	4.6E-10	2.7E-09	--	--	--
	Naphthalene	2.0E+01	ug/kg	--	--	3.8E-12	2.2E-11	--	--	--	2.0E-02	2.0E-02	6.6E-11	3.8E-10	3.E-09	2.E-08	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.2E+02	ug/kg	1.4E-02	1.4E-02	1.8E-11	1.3E-10	2.E-13	2.E-12	2.E-12	2.0E-02	2.0E-02	3.1E-10	2.4E-09	2.E-08	1.E-07	0.0000001
	Phenols																
	Pentachlorophenol	3.0E+00	ug/kg	4.0E-01	4.0E-01	1.1E-12	3.3E-12	4.E-13	1.E-12	2.E-12	5.0E-03	5.0E-03	1.9E-11	5.8E-11	4.E-09	1.E-08	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+02	ug/kg	2.0E+00	2.0E+00	3.8E-11	2.0E-10	8.E-11	4.E-10	5.E-10	2.0E-05	2.0E-05	6.6E-10	3.6E-09	3.E-05	2.E-04	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.1E+00	pg/g	1.3E+05	1.3E+05	2.3E-16	5.7E-15	3.E-11	7.E-10	8.E-10	1.0E-09	1.0E-09	4.0E-15	1.0E-13	4.E-06	1.E-04	0.0001
	Total PCB TEQ	1.8E+00	pg/g	1.3E+05	1.3E+05	3.8E-16	2.0E-15	5.E-11	3.E-10	3.E-10	1.0E-09	1.0E-09	6.6E-15	3.6E-14	7.E-06	4.E-05	0.00004
	Pesticides																
	Aldrin	1.5E-01	ug/kg	1.7E+01	1.7E+01	2.2E-14	1.6E-13	4.E-13	3.E-12	3.E-12	3.0E-05	3.0E-05	3.8E-13	2.9E-12	1.E-08	1.E-07	0.0000001
	Total DDT	4.7E+00	ug/kg	3.4E-01	3.4E-01	2.1E-13	5.2E-12	7.E-14	2.E-12	2.E-12	5.0E-04	5.0E-04	3.6E-12	9.2E-11	7.E-09	2.E-07	0.0000002
Exposure Point Total										**2.E-08**							**0.001**
RM 10 East	**Metals**																
	Arsenic	3.0E+00	mg/kg	1.5E+00	1.5E+00	1.3E-10	3.4E-09	2.E-10	5.E-09	5.E-09	3.0E-04	3.0E-04	2.4E-09	6.0E-08	8.E-06	2.E-04	0.0002
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	7.6E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-09	0.E+00	1.E-05	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E+02	ug/kg	7.3E-01	7.3E-01	2.2E-11	1.3E-10	2.E-11	9.E-11	1.E-10	--	--	3.9E-10	2.3E-09	--	--	--
	Benzo(a)pyrene	1.4E+02	ug/kg	7.3E+00	7.3E+00	2.8E-11	1.6E-10	2.E-10	1.E-09	1.E-09	--	--	4.9E-10	2.8E-09	--	--	--
	Benzo(b)fluoranthene	1.7E+02	ug/kg	7.3E-01	7.3E-01	3.3E-11	1.9E-10	2.E-11	1.E-10	2.E-10	--	--	5.8E-10	3.4E-09	--	--	--
	Benzo(k)fluoranthene	6.3E+01	ug/kg	7.3E-02	7.3E-02	1.2E-11	7.0E-11	9.E-13	5.E-12	6.E-12	--	--	2.1E-10	1.2E-09	--	--	--
	Dibenzo(a,h)anthracene	2.3E+01	ug/kg	7.3E+00	7.3E+00	4.5E-12	2.6E-11	3.E-11	2.E-10	2.E-10	--	--	7.8E-11	4.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	2.3E-11	1.3E-10	2.E-11	1.E-10	1.E-10	--	--	4.0E-10	2.3E-09	--	--	--
	Naphthalene	1.2E+01	ug/kg	--	--	2.4E-12	1.4E-11	--	--	--	2.0E-02	2.0E-02	4.2E-11	2.4E-10	2.E-09	1.E-08	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+02	ug/kg	1.4E-02	1.4E-02	1.9E-11	1.4E-10	3.E-13	2.E-12	2.E-12	2.0E-02	2.0E-02	3.3E-10	2.5E-09	2.E-08	1.E-07	0.0000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: In-water Worker   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point[a]	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phenols																
	Pentachlorophenol	2.6E+00	ug/kg	4.0E-01	4.0E-01	9.7E-13	2.9E-12	4.E-13	1.E-12	2.E-12	5.0E-03	5.0E-03	1.7E-11	5.1E-11	3.E-09	1.E-08	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.4E+01	ug/kg	2.0E+00	2.0E+00	7.1E-12	3.8E-11	1.E-11	8.E-11	9.E-11	2.0E-05	2.0E-05	1.2E-10	6.7E-10	6.E-06	3.E-05	0.00004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.4E-01	pg/g	1.3E+05	1.3E+05	2.4E-17	6.1E-16	3.E-12	8.E-11	8.E-11	1.0E-09	1.0E-09	4.2E-16	1.1E-14	4.E-07	1.E-05	0.00001
	Total PCB TEQ	6.9E-01	pg/g	1.3E+05	1.3E+05	1.4E-16	7.7E-16	2.E-11	1.E-10	1.E-10	1.0E-09	1.0E-09	2.5E-15	1.3E-14	2.E-06	1.E-05	0.00002
	Pesticides																
	Aldrin	4.0E-02	ug/kg	1.7E+01	1.7E+01	5.9E-15	4.5E-14	1.E-13	8.E-13	9.E-13	3.0E-05	3.0E-05	1.0E-13	7.9E-13	3.E-09	3.E-08	0.00000003
	Dieldrin	4.7E-02	ug/kg	1.6E+01	1.6E+01	7.0E-15	5.3E-14	1.E-13	8.E-13	1.E-12	5.0E-05	5.0E-05	1.2E-13	9.2E-13	2.E-09	2.E-08	0.00000002
	Total DDT	5.3E-01	ug/kg	3.4E-01	3.4E-01	2.3E-14	5.9E-13	8.E-15	2.E-13	2.E-13	5.0E-04	5.0E-04	4.1E-13	1.0E-11	8.E-10	2.E-08	0.00000002
Exposure Point Total										8.E-09							0.0003
RM 10.5 West	**Metals**																
	Arsenic	4.0E+00	mg/kg	1.5E+00	1.5E+00	1.8E-10	4.4E-09	3.E-10	7.E-09	7.E-09	3.0E-04	3.0E-04	3.1E-09	7.8E-08	1.E-05	3.E-04	0.0003
	Mercury	6.9E-02	mg/kg	--	--	0.0E+00	7.7E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-09	0.E+00	1.E-05	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.8E+01	ug/kg	7.3E-01	7.3E-01	5.3E-12	3.1E-11	4.E-12	2.E-11	3.E-11	--	--	9.3E-11	5.4E-10	--	--	--
	Benzo(a)pyrene	2.6E+01	ug/kg	7.3E+00	7.3E+00	5.1E-12	3.0E-11	4.E-11	2.E-10	3.E-10	--	--	8.9E-11	5.2E-10	--	--	--
	Benzo(b)fluoranthene	3.5E+01	ug/kg	7.3E-01	7.3E-01	6.8E-12	4.0E-11	5.E-12	3.E-11	3.E-11	--	--	1.2E-10	6.9E-10	--	--	--
	Benzo(k)fluoranthene	1.3E+01	ug/kg	7.3E-02	7.3E-02	2.5E-12	1.4E-11	2.E-13	1.E-12	1.E-12	--	--	4.3E-11	2.5E-10	--	--	--
	Dibenzo(a,h)anthracene	4.4E+00	ug/kg	7.3E+00	7.3E+00	8.5E-13	4.9E-12	6.E-12	4.E-11	4.E-11	--	--	1.5E-11	8.6E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	2.2E+01	ug/kg	7.3E-01	7.3E-01	4.1E-12	2.4E-11	3.E-12	2.E-11	2.E-11	--	--	7.2E-11	4.2E-10	--	--	--
	Naphthalene	2.7E+01	ug/kg	--	--	5.2E-12	3.0E-11	--	--	--	2.0E-02	2.0E-02	9.1E-11	5.3E-10	5.E-09	3.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.4E+02	ug/kg	1.4E-02	1.4E-02	2.0E-11	1.5E-10	3.E-13	2.E-12	2.E-12	2.0E-02	2.0E-02	3.5E-10	2.7E-09	2.E-08	1.E-07	0.0000002
	Phenols																
	Pentachlorophenol	8.6E+00	ug/kg	4.0E-01	4.0E-01	3.2E-12	9.6E-12	1.E-12	4.E-12	5.E-12	5.0E-03	5.0E-03	5.5E-11	1.7E-10	1.E-08	3.E-08	0.00000004
	Polychlorinated Biphenyls																
	Total Aroclors	3.2E+01	ug/kg	2.0E+00	2.0E+00	6.6E-12	3.5E-11	1.E-11	7.E-11	8.E-11	2.0E-05	2.0E-05	1.1E-10	6.2E-10	6.E-06	3.E-05	0.00004
	Dioxin/Furan																
	Total PCB TEQ	6.9E-01	pg/g	1.3E+05	1.3E+05	1.4E-16	7.7E-16	2.E-11	1.E-10	1.E-10	1.0E-09	1.0E-09	2.5E-15	1.3E-14	2.E-06	1.E-05	0.00002
	Pesticides																
	Aldrin	2.0E-01	ug/kg	1.7E+01	1.7E+01	3.0E-14	2.3E-13	5.E-13	4.E-12	4.E-12	3.0E-05	3.0E-05	5.2E-13	3.9E-12	2.E-08	1.E-07	0.0000001
	Total DDT	1.7E+00	ug/kg	3.4E-01	3.4E-01	7.4E-14	1.9E-12	3.E-14	6.E-13	7.E-13	5.0E-04	5.0E-04	1.3E-12	3.3E-11	3.E-09	7.E-08	0.0000001
Exposure Point Total										8.E-09							0.0003
RM 10.5 East	**Metals**																
	Arsenic	3.1E+00	mg/kg	1.5E+00	1.5E+00	1.4E-10	3.4E-09	2.E-10	5.E-09	5.E-09	3.0E-04	3.0E-04	2.4E-09	6.0E-08	8.E-06	2.E-04	0.00021
	Mercury	6.1E-02	mg/kg	--	--	0.0E+00	6.8E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.2E-09	0.E+00	1.E-05	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.

Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure

Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment

Receptor Population: In-water Worker   Exposure Medium: In-water Sediment

Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.9E+01	ug/kg	7.3E-01	7.3E-01	7.4E-12	4.3E-11	5.E-12	3.E-11	4.E-11	--	--	1.3E-10	7.6E-10	--	--	--
	Benzo(a)pyrene	3.4E+01	ug/kg	7.3E+00	7.3E+00	6.5E-12	3.8E-11	5.E-11	3.E-10	3.E-10	--	--	1.1E-10	6.6E-10	--	--	--
	Benzo(b)fluoranthene	5.0E+01	ug/kg	7.3E-01	7.3E-01	9.6E-12	5.6E-11	7.E-12	4.E-11	5.E-11	--	--	1.7E-10	9.8E-10	--	--	--
	Benzo(k)fluoranthene	2.5E+01	ug/kg	7.3E-02	7.3E-02	4.8E-12	2.8E-11	4.E-13	2.E-12	2.E-12	--	--	8.5E-11	4.9E-10	--	--	--
	Dibenzo(a,h)anthracene	5.5E+00	ug/kg	7.3E+00	7.3E+00	1.1E-12	6.2E-12	8.E-12	4.E-11	5.E-11	--	--	1.8E-11	1.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.7E+01	ug/kg	7.3E-01	7.3E-01	5.3E-12	3.1E-11	4.E-12	2.E-11	3.E-11	--	--	9.2E-11	5.4E-10	--	--	--
	Naphthalene	3.5E+00	ug/kg	--	--	6.8E-13	3.9E-12	--	--	--	2.0E-02	2.0E-02	1.2E-11	6.9E-11	6.E-10	3.E-09	0.000000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.6E+01	ug/kg	1.4E-02	1.4E-02	6.8E-12	5.1E-11	9.E-14	7.E-13	8.E-13	2.0E-02	2.0E-02	1.2E-10	9.0E-10	6.E-09	4.E-08	0.0000001
	Phenols																
	Pentachlorophenol	3.2E+00	ug/kg	4.0E-01	4.0E-01	1.2E-12	3.6E-12	5.E-13	1.E-12	2.E-12	5.0E-03	5.0E-03	2.1E-11	6.2E-11	4.E-09	1.E-08	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	5.2E+01	ug/kg	2.0E+00	2.0E+00	1.1E-11	5.8E-11	2.E-11	1.E-10	1.E-10	2.0E-05	2.0E-05	1.9E-10	1.0E-09	9.E-06	5.E-05	0.00006
	Dioxin/Furan																
	Total PCB TEQ	3.5E-01	pg/g	1.3E+05	1.3E+05	7.3E-17	4.0E-16	1.E-11	5.E-11	6.E-11	1.0E-09	1.0E-09	1.3E-15	6.9E-15	1.E-06	7.E-06	0.00001
	Pesticides																
	Total DDT	2.8E+00	ug/kg	3.4E-01	3.4E-01	1.2E-13	3.1E-12	4.E-14	1.E-12	1.E-12	5.0E-04	5.0E-04	2.2E-12	5.5E-11	4.E-09	1.E-07	0.0000001
Exposure Point Total										6.E-09							0.0003
RM 11 West	**Metals**																
	Arsenic	3.4E+00	mg/kg	1.5E+00	1.5E+00	1.5E-10	3.8E-09	2.E-10	6.E-09	6.E-09	3.0E-04	3.0E-04	2.6E-09	6.7E-08	9.E-06	2.E-04	0.0002
	Mercury	5.6E-02	mg/kg	--	--	0.0E+00	6.3E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-09	0.E+00	1.E-05	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.2E+01	ug/kg	7.3E-01	7.3E-01	1.2E-11	7.0E-11	9.E-12	5.E-11	6.E-11	--	--	2.1E-10	1.2E-09	--	--	--
	Benzo(a)pyrene	6.6E+01	ug/kg	7.3E+00	7.3E+00	1.3E-11	7.4E-11	9.E-11	5.E-10	6.E-10	--	--	2.2E-10	1.3E-09	--	--	--
	Benzo(b)fluoranthene	4.0E+01	ug/kg	7.3E-01	7.3E-01	7.7E-12	4.5E-11	6.E-12	3.E-11	4.E-11	--	--	1.3E-10	7.8E-10	--	--	--
	Benzo(k)fluoranthene	3.7E+01	ug/kg	7.3E-02	7.3E-02	7.1E-12	4.1E-11	5.E-13	3.E-12	4.E-12	--	--	1.2E-10	7.2E-10	--	--	--
	Dibenzo(a,h)anthracene	8.8E+00	ug/kg	7.3E+00	7.3E+00	1.7E-12	9.8E-12	1.E-11	7.E-11	8.E-11	--	--	3.0E-11	1.7E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	4.0E+01	ug/kg	7.3E-01	7.3E-01	7.7E-12	4.5E-11	6.E-12	3.E-11	4.E-11	--	--	1.4E-10	7.9E-10	--	--	--
	Naphthalene	5.4E+01	ug/kg	--	--	1.0E-11	6.0E-11	--	--	--	2.0E-02	2.0E-02	1.8E-10	1.1E-09	9.E-09	5.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.7E+02	ug/kg	1.4E-02	1.4E-02	5.5E-11	4.2E-10	8.E-13	6.E-12	7.E-12	2.0E-02	2.0E-02	9.6E-10	7.3E-09	5.E-08	4.E-07	0.0000004
	Phenols																
	Pentachlorophenol	9.8E-01	ug/kg	4.0E-01	4.0E-01	3.6E-13	1.1E-12	1.E-13	4.E-13	6.E-13	5.0E-03	5.0E-03	6.3E-12	1.9E-11	1.E-09	4.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.8E+01	ug/kg	2.0E+00	2.0E+00	5.7E-12	3.1E-11	1.E-11	6.E-11	7.E-11	2.0E-05	2.0E-05	1.0E-10	5.4E-10	5.E-06	3.E-05	0.00003
	Pesticides																
	Dieldrin	5.7E-01	ug/kg	1.6E+01	1.6E+01	8.3E-14	6.3E-13	1.E-12	1.E-11	1.E-11	5.0E-05	5.0E-05	1.5E-12	1.1E-11	3.E-08	2.E-07	0.0000003
	Total DDT	1.3E+00	ug/kg	3.4E-01	3.4E-01	5.8E-14	1.5E-12	2.E-14	5.E-13	5.E-13	5.0E-04	5.0E-04	1.0E-12	2.6E-11	2.E-09	5.E-08	0.0000001
Exposure Point Total										7.E-09							0.0003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 11 East	**Metals**																
	Arsenic	2.7E+00	mg/kg	1.5E+00	1.5E+00	1.2E-10	3.0E-09	2.E-10	5.E-09	5.E-09	3.0E-04	3.0E-04	2.1E-09	5.3E-08	7.E-06	2.E-04	0.0002
	Mercury	7.0E-02	mg/kg	--	--	0.0E+00	7.9E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-09	0.E+00	1.E-05	0.00001
	Butyltins																
	Tributyltin ion	4.0E+00	ug/kg	--	--	5.9E-13	4.5E-12	--	--	--	3.0E-04	3.0E-04	1.0E-11	7.8E-11	3.E-08	3.E-07	0.0000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	8.3E+01	ug/kg	7.3E-01	7.3E-01	1.6E-11	9.3E-11	1.E-11	7.E-11	8.E-11	--	--	2.8E-10	1.6E-09	--	--	--
	Benzo(a)pyrene	5.5E+01	ug/kg	7.3E+00	7.3E+00	1.1E-11	6.2E-11	8.E-11	5.E-10	5.E-10	--	--	1.9E-10	1.1E-09	--	--	--
	Benzo(b)fluoranthene	1.3E+02	ug/kg	7.3E-01	7.3E-01	2.5E-11	1.4E-10	2.E-11	1.E-10	1.E-10	--	--	4.3E-10	2.5E-09	--	--	--
	Benzo(k)fluoranthene	3.7E+01	ug/kg	7.3E-02	7.3E-02	7.1E-12	4.1E-11	5.E-13	3.E-12	4.E-12	--	--	1.2E-10	7.2E-10	--	--	--
	Dibenzo(a,h)anthracene	1.2E+01	ug/kg	7.3E+00	7.3E+00	2.3E-12	1.4E-11	2.E-11	1.E-10	1.E-10	--	--	4.1E-11	2.4E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.8E+01	ug/kg	7.3E-01	7.3E-01	7.3E-12	4.3E-11	5.E-12	3.E-11	4.E-11	--	--	1.3E-10	7.5E-10	--	--	--
	Naphthalene	1.2E+01	ug/kg	--	--	2.3E-12	1.3E-11	--	--	--	2.0E-02	2.0E-02	4.0E-11	2.3E-10	2.E-09	1.E-08	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.4E+01	ug/kg	1.4E-02	1.4E-02	1.4E-11	1.0E-10	2.E-13	1.E-12	2.E-12	2.0E-02	2.0E-02	2.4E-10	1.8E-09	1.E-08	9.E-08	0.0000001
	Phenols																
	Pentachlorophenol	2.7E+00	ug/kg	4.0E-01	4.0E-01	9.8E-13	3.0E-12	4.E-13	1.E-12	2.E-12	5.0E-03	5.0E-03	1.7E-11	5.2E-11	3.E-09	1.E-08	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+03	ug/kg	2.0E+00	2.0E+00	2.3E-10	1.3E-09	5.E-10	3.E-09	3.E-09	2.0E-05	2.0E-05	4.1E-09	2.2E-08	2.E-04	1.E-03	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.0E+00	pg/g	1.3E+05	1.3E+05	9.0E-17	2.3E-15	1.E-11	3.E-10	3.E-10	1.0E-09	1.0E-09	1.6E-15	4.0E-14	2.E-06	4.E-05	0.00004
	Total PCB TEQ	1.2E+01	pg/g	1.3E+05	1.3E+05	2.6E-15	1.4E-14	3.E-10	2.E-09	2.E-09	1.0E-09	1.0E-09	4.5E-14	2.4E-13	4.E-05	2.E-04	0.0003
	Pesticides																
	Total DDT	9.9E+01	ug/kg	3.4E-01	3.4E-01	4.4E-12	1.1E-10	1.E-12	4.E-11	4.E-11	5.0E-04	5.0E-04	7.7E-11	1.9E-09	2.E-07	4.E-06	0.000004
Exposure Point Total										1.E-08							0.002
RM 11.5 West	**Metals**																
	Arsenic	3.0E+00	mg/kg	1.5E+00	1.5E+00	1.3E-10	3.3E-09	2.E-10	5.E-09	5.E-09	3.0E-04	3.0E-04	2.3E-09	5.8E-08	8.E-06	2.E-04	0.0002
	Mercury	3.0E-02	mg/kg	--	--	0.0E+00	3.4E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.9E-10	0.E+00	6.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.5E+00	ug/kg	7.3E-01	7.3E-01	1.8E-12	1.1E-11	1.E-12	8.E-12	9.E-12	--	--	3.2E-11	1.9E-10	--	--	--
	Benzo(a)pyrene	1.1E+01	ug/kg	7.3E+00	7.3E+00	2.0E-12	1.2E-11	1.E-11	9.E-11	1.E-10	--	--	3.5E-11	2.1E-10	--	--	--
	Benzo(b)fluoranthene	9.7E+00	ug/kg	7.3E-01	7.3E-01	1.9E-12	1.1E-11	1.E-12	8.E-12	9.E-12	--	--	3.3E-11	1.9E-10	--	--	--
	Benzo(k)fluoranthene	6.4E+00	ug/kg	7.3E-02	7.3E-02	1.2E-12	7.1E-12	9.E-14	5.E-13	6.E-13	--	--	2.1E-11	1.3E-10	--	--	--
	Dibenzo(a,h)anthracene	1.2E+00	ug/kg	7.3E+00	7.3E+00	2.2E-13	1.3E-12	2.E-12	1.E-11	1.E-11	--	--	3.9E-12	2.3E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	7.4E+00	ug/kg	7.3E-01	7.3E-01	1.4E-12	8.3E-12	1.E-12	6.E-12	7.E-12	--	--	2.5E-11	1.4E-10	--	--	--
	Naphthalene	3.3E+00	ug/kg	--	--	6.4E-13	3.7E-12	--	--	--	2.0E-02	2.0E-02	1.1E-11	6.5E-11	6.E-10	3.E-09	0.000000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+02	ug/kg	1.4E-02	1.4E-02	2.7E-11	2.0E-10	4.E-13	3.E-12	3.E-12	2.0E-02	2.0E-02	4.7E-10	3.5E-09	2.E-08	2.E-07	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.2E+01	ug/kg	2.0E+00	2.0E+00	2.5E-12	1.4E-11	5.E-12	3.E-11	3.E-11	2.0E-05	2.0E-05	4.4E-11	2.4E-10	2.E-06	1.E-05	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.8E-01	pg/g	1.3E+05	1.3E+05	7.8E-18	2.0E-16	1.E-12	3.E-11	3.E-11	1.0E-09	1.0E-09	1.4E-16	3.5E-15	1.E-07	3.E-06	0.000004
	Total PCB TEQ	2.9E-01	pg/g	1.3E+05	1.3E+05	6.1E-17	3.3E-16	8.E-12	4.E-11	5.E-11	1.0E-09	1.0E-09	1.1E-15	5.8E-15	1.E-06	6.E-06	0.00001
	Pesticides																
	Dieldrin	9.0E-02	ug/kg	1.6E+01	1.6E+01	1.3E-14	1.0E-13	2.E-13	2.E-12	2.E-12	5.0E-05	5.0E-05	2.3E-13	1.8E-12	5.E-09	4.E-08	0.00000004
	Total DDT	9.8E-01	ug/kg	3.4E-01	3.4E-01	4.3E-14	1.1E-12	1.E-14	4.E-13	4.E-13	5.0E-04	5.0E-04	7.6E-13	1.9E-11	2.E-09	4.E-08	0.00000004
Exposure Point Total										5.E-09							0.0002
RM 12 West	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	1.4E-10	3.5E-09	2.E-10	5.E-09	6.E-09	3.0E-04	3.0E-04	2.4E-09	6.2E-08	8.E-06	2.E-04	0.0002
	Mercury	2.9E-01	mg/kg	--	--	0.0E+00	3.3E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.7E-09	0.E+00	6.E-05	0.00006
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+02	ug/kg	7.3E-01	7.3E-01	5.0E-11	2.9E-10	4.E-11	2.E-10	2.E-10	--	--	8.7E-10	5.1E-09	--	--	--
	Benzo(a)pyrene	4.1E+02	ug/kg	7.3E+00	7.3E+00	7.9E-11	4.6E-10	6.E-10	3.E-09	4.E-09	--	--	1.4E-09	8.0E-09	--	--	--
	Benzo(b)fluoranthene	3.5E+02	ug/kg	7.3E-01	7.3E-01	6.7E-11	3.9E-10	5.E-11	3.E-10	3.E-10	--	--	1.2E-09	6.9E-09	--	--	--
	Benzo(k)fluoranthene	1.2E+02	ug/kg	7.3E-02	7.3E-02	2.3E-11	1.3E-10	2.E-12	1.E-11	1.E-11	--	--	4.0E-10	2.3E-09	--	--	--
	Dibenzo(a,h)anthracene	3.2E+01	ug/kg	7.3E+00	7.3E+00	6.2E-12	3.6E-11	5.E-11	3.E-10	3.E-10	--	--	1.1E-10	6.4E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.4E+02	ug/kg	7.3E-01	7.3E-01	6.4E-11	3.7E-10	5.E-11	3.E-10	3.E-10	--	--	1.1E-09	6.6E-09	--	--	--
	Naphthalene	4.5E+01	ug/kg	--	--	8.6E-12	5.0E-11	--	--	--	2.0E-02	2.0E-02	1.5E-10	8.8E-10	8.E-09	4.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.0E+01	ug/kg	1.4E-02	1.4E-02	1.2E-11	8.9E-11	2.E-13	1.E-12	1.E-12	2.0E-02	2.0E-02	2.1E-10	1.6E-09	1.E-08	8.E-08	0.0000001
	Phenols																
	Pentachlorophenol	3.4E+00	ug/kg	4.0E-01	4.0E-01	1.2E-12	3.8E-12	5.E-13	2.E-12	2.E-12	5.0E-03	5.0E-03	2.2E-11	6.6E-11	4.E-09	1.E-08	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	7.0E+01	ug/kg	2.0E+00	2.0E+00	1.4E-11	7.8E-11	3.E-11	2.E-10	2.E-10	2.0E-05	2.0E-05	2.5E-10	1.4E-09	1.E-05	7.E-05	0.00008
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E-01	pg/g	1.3E+05	1.3E+05	7.4E-18	1.9E-16	1.E-12	2.E-11	3.E-11	1.0E-09	1.0E-09	1.3E-16	3.3E-15	1.E-07	3.E-06	0.000003
	Total PCB TEQ	4.5E-01	pg/g	1.3E+05	1.3E+05	9.4E-17	5.1E-16	1.E-11	7.E-11	8.E-11	1.0E-09	1.0E-09	1.6E-15	8.9E-15	2.E-06	9.E-06	0.00001
	Pesticides																
	Aldrin	3.2E-01	ug/kg	1.7E+01	1.7E+01	4.7E-14	3.6E-13	8.E-13	6.E-12	7.E-12	3.0E-05	3.0E-05	8.3E-13	6.3E-12	3.E-08	2.E-07	0.0000002
	Total DDT	5.9E+00	ug/kg	3.4E-01	3.4E-01	2.6E-13	6.6E-12	9.E-14	2.E-12	2.E-12	5.0E-04	5.0E-04	4.6E-12	1.2E-10	9.E-09	2.E-07	0.0000002
Exposure Point Total										1.E-08							0.0004
RM 12 East	**Metals**																
	Arsenic	2.3E+00	mg/kg	1.5E+00	1.5E+00	1.0E-10	2.5E-09	2.E-10	4.E-09	4.E-09	3.0E-04	3.0E-04	1.8E-09	4.4E-08	6.E-06	1.E-04	0.0002
	Mercury	4.5E-02	mg/kg	--	--	0.0E+00	5.0E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.7E-10	0.E+00	9.E-06	0.00001
	Butyltins																
	Tributyltin ion	4.0E+00	ug/kg	--	--	5.8E-13	4.4E-12	--	--	--	3.0E-04	3.0E-04	1.0E-11	7.7E-11	3.E-08	3.E-07	0.0000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+01	ug/kg	7.3E-01	7.3E-01	3.5E-12	2.0E-11	3.E-12	1.E-11	2.E-11	--	--	6.0E-11	3.5E-10	--	--	--
	Benzo(a)pyrene	1.9E+01	ug/kg	7.3E+00	7.3E+00	3.6E-12	2.1E-11	3.E-11	2.E-10	2.E-10	--	--	6.2E-11	3.6E-10	--	--	--
	Benzo(b)fluoranthene	2.7E+01	ug/kg	7.3E-01	7.3E-01	5.1E-12	3.0E-11	4.E-12	2.E-11	3.E-11	--	--	8.9E-11	5.2E-10	--	--	--
	Benzo(k)fluoranthene	7.8E+00	ug/kg	7.3E-02	7.3E-02	1.5E-12	8.7E-12	1.E-13	6.E-13	7.E-13	--	--	2.6E-11	1.5E-10	--	--	--
	Dibenzo(a,h)anthracene	4.0E+00	ug/kg	7.3E+00	7.3E+00	7.6E-13	4.4E-12	6.E-12	3.E-11	4.E-11	--	--	1.3E-11	7.7E-11	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Indeno(1,2,3-cd)pyrene	1.6E+01	ug/kg	7.3E-01	7.3E-01	3.1E-12	1.8E-11	2.E-12	1.E-11	2.E-11	--	--	5.4E-11	3.1E-10	--	--	--
	Naphthalene	2.6E+01	ug/kg	--	--	5.0E-12	2.9E-11	--	--	--	2.0E-02	2.0E-02	8.7E-11	5.0E-10	4.E-09	3.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.2E+03	ug/kg	1.4E-02	1.4E-02	1.4E-09	1.0E-08	2.E-11	1.E-10	2.E-10	2.0E-02	2.0E-02	2.4E-08	1.8E-07	1.E-06	9.E-06	0.00001
	Phenols																
	Pentachlorophenol	1.7E+00	ug/kg	4.0E-01	4.0E-01	6.1E-13	1.9E-12	2.E-13	7.E-13	1.E-12	5.0E-03	5.0E-03	1.1E-11	3.2E-11	2.E-09	6.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.6E+02	ug/kg	2.0E+00	2.0E+00	3.3E-11	1.8E-10	7.E-11	4.E-10	4.E-10	2.0E-05	2.0E-05	5.8E-10	3.1E-09	3.E-05	2.E-04	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	1.3E+05	1.3E+05	7.7E-17	1.9E-15	1.E-11	3.E-10	3.E-10	1.0E-09	1.0E-09	1.3E-15	3.4E-14	1.E-06	3.E-05	0.00004
	Total PCB TEQ	3.9E+00	pg/g	1.3E+05	1.3E+05	8.0E-16	4.3E-15	1.E-10	6.E-10	7.E-10	1.0E-09	1.0E-09	1.4E-14	7.6E-14	1.E-05	8.E-05	0.00009
	Pesticides																
	Total DDT	9.4E+00	ug/kg	3.4E-01	3.4E-01	4.2E-13	1.1E-11	1.E-13	4.E-12	4.E-12	5.0E-04	5.0E-04	7.3E-12	1.8E-10	1.E-08	4.E-07	0.0000004
Exposure Point Total										6.E-09							0.0005
Study Area-wide[c]	**Metals**																
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	2.1E-10	5.2E-09	3.E-10	8.E-09	8.E-09	3.0E-04	3.0E-04	3.6E-09	9.2E-08	1.E-05	3.E-04	0.0003
	Mercury	1.7E-01	mg/kg	--	--	0.0E+00	1.9E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.3E-09	0.E+00	3.E-05	0.00003
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.1E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.0E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	6.1E+02	ug/kg	--	--	9.0E-11	6.8E-10	--	--	--	3.0E-04	3.0E-04	1.6E-09	1.2E-08	5.E-06	4.E-05	0.00004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+03	ug/kg	7.3E-01	7.3E-01	2.7E-10	1.6E-09	2.E-10	1.E-09	1.E-09	--	--	4.8E-09	2.8E-08	--	--	--
	Benzo(a)pyrene	1.8E+03	ug/kg	7.3E+00	7.3E+00	3.4E-10	2.0E-09	2.E-09	1.E-08	2.E-08	--	--	5.9E-09	3.4E-08	--	--	--
	Benzo(b)fluoranthene	1.4E+03	ug/kg	7.3E-01	7.3E-01	2.7E-10	1.6E-09	2.E-10	1.E-09	1.E-09	--	--	4.7E-09	2.8E-08	--	--	--
	Benzo(k)fluoranthene	9.3E+02	ug/kg	7.3E-02	7.3E-02	1.8E-10	1.0E-09	1.E-11	8.E-11	9.E-11	--	--	3.1E-09	1.8E-08	--	--	--
	Dibenzo(a,h)anthracene	1.9E+02	ug/kg	7.3E+00	7.3E+00	3.7E-11	2.1E-10	3.E-10	2.E-09	2.E-09	--	--	6.4E-10	3.7E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+03	ug/kg	7.3E-01	7.3E-01	2.3E-10	1.4E-09	2.E-10	1.E-09	1.E-09	--	--	4.1E-09	2.4E-08	--	--	--
	Naphthalene	5.0E+02	ug/kg	--	--	9.7E-11	5.6E-10	--	--	--	2.0E-02	2.0E-02	1.7E-09	9.9E-09	8.E-08	5.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.6E+02	ug/kg	1.4E-02	1.4E-02	1.4E-10	1.1E-09	2.E-12	2.E-11	2.E-11	2.0E-02	2.0E-02	2.5E-09	1.9E-08	1.E-07	9.E-07	0.000001
	Phenols																
	Pentachlorophenol	3.2E+01	ug/kg	4.0E-01	4.0E-01	1.2E-11	3.6E-11	5.E-12	1.E-11	2.E-11	5.0E-03	5.0E-03	2.1E-10	6.3E-10	4.E-08	1.E-07	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.9E+02	ug/kg	2.0E+00	2.0E+00	3.9E-11	2.1E-10	8.E-11	4.E-10	5.E-10	2.0E-05	2.0E-05	6.8E-10	3.7E-09	3.E-05	2.E-04	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.0E+02	pg/g	1.3E+05	1.3E+05	4.5E-15	1.1E-13	6.E-10	1.E-08	2.E-08	1.0E-09	1.0E-09	7.9E-14	2.0E-12	8.E-05	2.E-03	0.002
	Total PCB TEQ	6.6E+00	pg/g	1.3E+05	1.3E+05	1.4E-15	7.3E-15	2.E-10	1.E-09	1.E-09	1.0E-09	1.0E-09	2.4E-14	1.3E-13	2.E-05	1.E-04	0.0002
	Pesticides																
	Aldrin	2.4E+00	ug/kg	1.7E+01	1.7E+01	3.6E-13	2.7E-12	6.E-12	5.E-11	5.E-11	3.0E-05	3.0E-05	6.3E-12	4.8E-11	2.E-07	2.E-06	0.000002
	Dieldrin	2.1E+00	ug/kg	1.6E+01	1.6E+01	3.1E-13	2.4E-12	5.E-12	4.E-11	4.E-11	5.0E-05	5.0E-05	5.5E-12	4.2E-11	1.E-07	8.E-07	0.000001
	Total DDT	1.4E+02	ug/kg	3.4E-01	3.4E-01	6.1E-12	1.5E-10	2.E-12	5.E-11	5.E-11	5.0E-04	5.0E-04	1.1E-10	2.7E-09	2.E-07	5.E-06	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-20.
Calculation of Cancer Risks and Noncancer Hazards - In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: In-water Worker
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Conventionals																
	Perchlorate	4.9E+04	ug/kg	--	--	0.0E+00	5.5E-08	--	--	--	7.0E-04	7.0E-04	0.0E+00	9.6E-07	0.E+00	1.E-03	0.001
Exposure Point Total										5.E-08							0.03

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Cumulative risk sums calculated using PCB Aroclor data.

c Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
LADI = Lifetime Average Daily Intake.
mg/kg = Milligrams per kilogram.

PCB = Polychlorinated Biphenyls.
pg/g = Picograms per gram.
RfD = Reference dose.
RM = River mile.
TEQ = Toxic equivalents.
ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future　　　　　Medium: Sediment
Receptor Population: Tribal Fisher　　　　　Exposure Medium: In-water Sediment
Population Age: Adult　　　　　Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 1 West	**Metals**																
	Arsenic	5.3E+00	mg/kg	1.5E+00	1.5E+00	2.4E-07	6.7E-07	4.E-07	1.E-06	1.E-06	3.0E-04	3.0E-04	2.4E-07	6.7E-07	8.E-04	2.E-03	0.003
	Mercury	7.5E-02	mg/kg	--	--	0.0E+00	9.6E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.6E-09	0.E+00	1.E-04	0.0001
	Butyltins																
	Tributyltin ion	8.4E-01	ug/kg	--	--	1.3E-10	1.1E-10	--	--	--	3.0E-04	3.0E-04	1.3E-10	1.1E-10	4.E-07	4.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.5E+02	ug/kg	7.3E-01	7.3E-01	2.9E-08	1.9E-08	2.E-08	1.E-08	4.E-08	--	--	2.9E-08	1.9E-08	--	--	---
	Benzo(a)pyrene	2.4E+02	ug/kg	7.3E+00	7.3E+00	4.7E-08	3.1E-08	3.E-07	2.E-07	6.E-07	--	--	4.7E-08	3.1E-08	--	--	---
	Benzo(b)fluoranthene	2.3E+02	ug/kg	7.3E-01	7.3E-01	4.5E-08	2.9E-08	3.E-08	2.E-08	5.E-08	--	--	4.5E-08	2.9E-08	--	--	---
	Benzo(k)fluoranthene	7.7E+01	ug/kg	7.3E-02	7.3E-02	1.5E-08	9.8E-09	1.E-09	7.E-10	2.E-09	--	--	1.5E-08	9.8E-09	--	--	---
	Dibenzo(a,h)anthracene	2.4E+01	ug/kg	7.3E+00	7.3E+00	4.8E-08	3.1E-08	4.E-08	2.E-08	6.E-08	--	--	4.8E-08	3.1E-08	--	--	---
	Indeno(1,2,3-cd)pyrene	2.0E+02	ug/kg	7.3E-01	7.3E-01	3.9E-08	2.5E-08	3.E-08	2.E-08	5.E-08	--	--	3.9E-08	2.5E-08	--	--	---
	Naphthalene	2.9E+01	ug/kg	--	--	5.7E-09	3.7E-09	--	--	--	2.0E-02	2.0E-02	5.7E-09	3.7E-09	3.E-07	2.E-07	0.0000005
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.4E+01	ug/kg	1.4E-02	1.4E-02	6.6E-09	5.6E-09	9.E-11	8.E-11	2.E-10	2.0E-02	2.0E-02	6.6E-09	5.6E-09	3.E-07	3.E-07	0.000001
	Phenols																
	Pentachlorophenol	1.2E+00	ug/kg	4.0E-01	4.0E-01	4.5E-10	1.5E-10	2.E-10	6.E-11	2.E-10	5.0E-03	5.0E-03	4.5E-10	1.5E-10	9.E-08	3.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+01	ug/kg	2.0E+00	2.0E+00	3.6E-09	2.2E-09	7.E-09	4.E-09	1.E-08	2.0E-05	2.0E-05	3.6E-09	2.2E-09	2.E-04	1.E-04	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.7E+00	pg/g	1.3E+05	1.3E+05	1.2E-13	3.4E-13	2.E-08	4.E-08	6.E-08	1.0E-09	1.0E-09	1.2E-13	3.4E-13	1.E-04	3.E-04	0.0005
	Total PCB TEQ	3.2E-01	pg/g	1.3E+05	1.3E+05	6.7E-14	4.0E-14	9.E-09	5.E-09	1.E-08	1.0E-09	1.0E-09	6.7E-14	4.0E-14	7.E-05	4.E-05	0.0001
	Pesticides																
	Aldrin	3.7E-01	ug/kg	1.7E+01	1.7E+01	5.6E-11	4.7E-11	1.E-09	8.E-10	2.E-09	3.0E-05	3.0E-05	5.6E-11	4.7E-11	2.E-06	2.E-06	0.000003
	Total DDT	4.6E+00	ug/kg	3.4E-01	3.4E-01	2.1E-10	5.8E-10	7.E-11	2.E-10	3.E-10	5.0E-04	5.0E-04	2.1E-10	5.8E-10	4.E-07	1.E-06	0.000002
Exposure Point Total[c]										**2.E-06**							**0.004**
RM 1 East	**Metals**																
	Arsenic	5.7E+00	mg/kg	1.5E+00	1.5E+00	2.6E-07	7.3E-07	4.E-07	1.E-06	1.E-06	3.0E-04	3.0E-04	2.6E-07	7.3E-07	9.E-04	2.E-03	0.003
	Mercury	7.1E+00	mg/kg	--	--	0.0E+00	9.0E-07	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.0E-07	0.E+00	9.E-03	0.009
	Butyltins																
	Tributyltin ion	1.2E+00	ug/kg	--	--	1.8E-10	1.5E-10	--	--	--	3.0E-04	3.0E-04	1.8E-10	1.5E-10	6.E-07	5.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.3E+01	ug/kg	7.3E-01	7.3E-01	1.0E-08	6.7E-09	8.E-09	5.E-09	1.E-08	--	--	1.0E-08	6.7E-09	--	--	---
	Benzo(a)pyrene	8.1E+01	ug/kg	7.3E+00	7.3E+00	1.6E-08	1.0E-08	1.E-07	8.E-08	2.E-07	--	--	1.6E-08	1.0E-08	--	--	---
	Benzo(b)fluoranthene	6.9E+01	ug/kg	7.3E-01	7.3E-01	1.4E-08	8.8E-09	1.E-08	6.E-09	2.E-08	--	--	1.4E-08	8.8E-09	--	--	---
	Benzo(k)fluoranthene	4.8E+01	ug/kg	7.3E-02	7.3E-02	9.4E-09	6.1E-09	7.E-10	4.E-10	1.E-09	--	--	9.4E-09	6.1E-09	--	--	---
	Dibenzo(a,h)anthracene	9.1E+00	ug/kg	7.3E+00	7.3E+00	1.8E-09	1.2E-09	1.E-08	8.E-09	2.E-08	--	--	1.8E-09	1.2E-09	--	--	---
	Indeno(1,2,3-cd)pyrene	5.6E+01	ug/kg	7.3E-01	7.3E-01	1.1E-08	7.2E-09	8.E-09	5.E-09	1.E-08	--	--	1.1E-08	7.2E-09	--	--	---
	Naphthalene	2.3E+01	ug/kg	--	--	4.5E-09	2.9E-09	--	--	--	2.0E-02	2.0E-02	4.5E-09	2.9E-09	2.E-07	1.E-07	0.0000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.

Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future

Receptor Population: Tribal Fisher

Population Age: Adult

Medium: Sediment

Exposure Medium: In-water Sediment

Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.1E+01	ug/kg	1.4E-02	1.4E-02	1.1E-08	9.0E-09	2.E-10	1.E-10	3.E-10	2.0E-02	2.0E-02	1.1E-08	9.0E-09	5.E-07	5.E-07	0.000001
	Phenols																
	Pentachlorophenol	2.5E+00	ug/kg	4.0E-01	4.0E-01	9.4E-10	3.2E-10	4.E-10	1.E-10	5.E-10	5.0E-03	5.0E-03	9.4E-10	3.2E-10	2.E-07	6.E-08	0.0000003
	Polychlorinated Biphenyls																
	Total Aroclors	5.1E+02	ug/kg	2.0E+00	2.0E+00	1.1E-07	6.5E-08	2.E-07	1.E-07	3.E-07	2.0E-05	2.0E-05	1.1E-07	6.5E-08	5.E-03	3.E-03	0.009
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	7.5E-01	pg/g	1.3E+05	1.3E+05	3.4E-14	9.5E-14	4.E-09	1.E-08	2.E-08	1.0E-09	1.0E-09	3.4E-14	9.5E-14	3.E-05	9.E-05	0.0001
	Total PCB TEQ	2.7E-01	pg/g	1.3E+05	1.3E+05	5.7E-14	3.5E-14	7.E-09	4.E-09	1.E-08	1.0E-09	1.0E-09	5.7E-14	3.5E-14	6.E-05	3.E-05	0.00009
	Pesticides																
	Total DDT	4.0E+00	ug/kg	3.4E-01	3.4E-01	1.8E-10	5.1E-10	6.E-11	2.E-10	2.E-10	5.0E-04	5.0E-04	1.8E-10	5.1E-10	4.E-07	1.E-06	0.000001
Exposure Point Total										2.E-06							0.02
RM 1.5 West	**Metals**																
	Arsenic	4.4E+00	mg/kg	1.5E+00	1.5E+00	2.0E-07	5.6E-07	3.E-07	8.E-07	1.E-06	3.0E-04	3.0E-04	2.0E-07	5.6E-07	7.E-04	2.E-03	0.003
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	8.6E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.6E-09	0.E+00	9.E-05	0.00009
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.3E+01	ug/kg	7.3E-01	7.3E-01	6.5E-09	4.2E-09	5.E-09	3.E-09	8.E-09	--	--	6.5E-09	4.2E-09	--	--	--
	Benzo(a)pyrene	4.8E+01	ug/kg	7.3E+00	7.3E+00	9.4E-09	6.1E-09	7.E-08	4.E-08	1.E-07	--	--	9.4E-09	6.1E-09	--	--	--
	Benzo(b)fluoranthene	4.1E+01	ug/kg	7.3E-01	7.3E-01	8.1E-09	5.2E-09	6.E-09	4.E-09	1.E-08	--	--	8.1E-09	5.2E-09	--	--	--
	Benzo(k)fluoranthene	3.4E+01	ug/kg	7.3E-02	7.3E-02	6.7E-09	4.3E-09	5.E-10	3.E-10	8.E-10	--	--	6.7E-09	4.3E-09	--	--	--
	Dibenzo(a,h)anthracene	5.9E+00	ug/kg	7.3E+00	7.3E+00	1.2E-09	7.5E-10	8.E-09	5.E-09	1.E-08	--	--	1.2E-09	7.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.7E+01	ug/kg	7.3E-01	7.3E-01	7.3E-09	4.7E-09	5.E-09	3.E-09	9.E-09	--	--	7.3E-09	4.7E-09	--	--	--
	Naphthalene	9.6E+00	ug/kg	--	--	1.9E-09	1.2E-09	--	--	--	2.0E-02	2.0E-02	1.9E-09	1.2E-09	9.E-08	6.E-08	0.0000002
	Phenols																
	Pentachlorophenol	1.5E+00	ug/kg	4.0E-01	4.0E-01	5.7E-10	1.9E-10	2.E-10	8.E-11	3.E-10	5.0E-03	5.0E-03	5.7E-10	1.9E-10	1.E-07	4.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	2.2E+01	ug/kg	2.0E+00	2.0E+00	4.6E-09	2.8E-09	9.E-09	6.E-09	1.E-08	2.0E-05	2.0E-05	4.6E-09	2.8E-09	2.E-04	1.E-04	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.4E-02	pg/g	1.3E+05	1.3E+05	4.3E-15	1.2E-14	6.E-10	2.E-09	2.E-09	1.0E-09	1.0E-09	4.3E-15	1.2E-14	4.E-06	1.E-05	0.00002
	Pesticides																
	Total DDT	1.1E+00	ug/kg	3.4E-01	3.4E-01	4.9E-11	1.4E-10	2.E-11	5.E-11	6.E-11	5.0E-04	5.0E-04	4.9E-11	1.4E-10	1.E-07	3.E-07	0.0000004
Exposure Point Total										1.E-06							0.003
RM 1.5 East	**Metals**																
	Arsenic	5.4E+00	mg/kg	1.5E+00	1.5E+00	2.4E-07	6.9E-07	4.E-07	1.E-06	1.E-06	3.0E-04	3.0E-04	2.4E-07	6.9E-07	8.E-04	2.E-03	0.003
	Mercury	1.3E-01	mg/kg	--	--	0.0E+00	1.6E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.6E-08	0.E+00	2.E-04	0.0002
	Butyltins																
	Tributyltin ion	3.7E-01	ug/kg	--	--	5.6E-11	4.7E-11	--	--	--	3.0E-04	3.0E-04	5.6E-11	4.7E-11	2.E-07	2.E-07	0.0000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.4E+02	ug/kg	7.3E-01	7.3E-01	1.8E-07	1.2E-07	1.E-07	9.E-08	2.E-07	--	--	1.8E-07	1.2E-07	--	--	--
	Benzo(a)pyrene	1.4E+03	ug/kg	7.3E+00	7.3E+00	2.8E-07	1.8E-07	2.E-06	1.E-06	3.E-06	--	--	2.8E-07	1.8E-07	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(b)fluoranthene	8.2E+02	ug/kg	7.3E-01	7.3E-01	1.6E-07	1.0E-07	1.E-07	8.E-08	2.E-07	--	--	1.6E-07	1.0E-07	--	--	--
	Benzo(k)fluoranthene	8.2E+02	ug/kg	7.3E-02	7.3E-02	1.6E-07	1.0E-07	1.E-08	8.E-09	2.E-08	--	--	1.6E-07	1.0E-07	--	--	--
	Dibenzo(a,h)anthracene	1.4E+02	ug/kg	7.3E+00	7.3E+00	2.8E-08	1.8E-08	2.E-07	1.E-07	3.E-07	--	--	2.8E-08	1.8E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.0E+03	ug/kg	7.3E-01	7.3E-01	2.0E-07	1.3E-07	1.E-07	9.E-08	2.E-07	--	--	2.0E-07	1.3E-07	--	--	--
	Naphthalene	3.7E+02	ug/kg	--	--	7.3E-08	4.7E-08	--	--	--	2.0E-02	2.0E-02	7.3E-08	4.7E-08	4.E-06	2.E-06	0.00001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.7E+02	ug/kg	1.4E-02	1.4E-02	2.6E-08	2.2E-08	4.E-10	3.E-10	7.E-10	2.0E-02	2.0E-02	2.6E-08	2.2E-08	1.E-06	1.E-06	0.000002
	Phenols																
	Pentachlorophenol	4.1E+00	ug/kg	4.0E-01	4.0E-01	1.5E-09	5.2E-10	6.E-10	2.E-10	8.E-10	5.0E-03	5.0E-03	1.5E-09	5.2E-10	3.E-07	1.E-07	0.0000004
	Polychlorinated Biphenyls																
	Total Aroclors	4.1E+01	ug/kg	2.0E+00	2.0E+00	8.6E-09	5.2E-09	2.E-08	1.E-08	3.E-08	2.0E-05	2.0E-05	8.6E-09	5.2E-09	4.E-04	3.E-04	0.0007
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.8E+00	pg/g	1.3E+05	1.3E+05	8.2E-14	2.3E-13	1.E-08	3.E-08	4.E-08	1.0E-09	1.0E-09	8.2E-14	2.3E-13	8.E-05	2.E-04	0.0003
	Pesticides																
	Dieldrin	6.9E-02	ug/kg	1.6E+01	1.6E+01	1.0E-11	8.8E-12	2.E-10	1.E-10	3.E-10	5.0E-05	5.0E-05	1.0E-11	8.8E-12	2.E-07	2.E-07	0.0000004
	Total DDT	2.2E+01	ug/kg	3.4E-01	3.4E-01	9.9E-10	2.8E-09	3.E-10	9.E-10	1.E-09	5.0E-04	5.0E-04	9.9E-10	2.8E-09	2.E-06	6.E-06	0.00001
Exposure Point Total										6.E-06							0.004
RM 2 West	**Metals**																
	Arsenic	3.8E+00	mg/kg	1.5E+00	1.5E+00	1.7E-07	4.9E-07	3.E-07	7.E-07	1.E-06	3.0E-04	3.0E-04	1.7E-07	4.9E-07	6.E-04	2.E-03	0.002
	Mercury	7.8E-02	mg/kg	--	--	0.0E+00	9.9E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.9E-09	0.E+00	1.E-04	0.0001
	Butyltins																
	Tributyltin ion	2.1E+00	ug/kg	--	--	3.2E-10	2.7E-10	--	--	--	3.0E-04	3.0E-04	3.2E-10	2.7E-10	1.E-06	9.E-07	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.5E+01	ug/kg	7.3E-01	7.3E-01	1.1E-08	7.0E-09	8.E-09	5.E-09	1.E-08	--	--	1.1E-08	7.0E-09	--	--	--
	Benzo(a)pyrene	9.8E+01	ug/kg	7.3E+00	7.3E+00	1.9E-08	1.3E-08	1.E-07	9.E-08	2.E-07	--	--	1.9E-08	1.3E-08	--	--	--
	Benzo(b)fluoranthene	9.8E+01	ug/kg	7.3E-01	7.3E-01	1.9E-08	1.2E-08	1.E-08	9.E-09	2.E-08	--	--	1.9E-08	1.2E-08	--	--	--
	Benzo(k)fluoranthene	3.2E+01	ug/kg	7.3E-02	7.3E-02	6.3E-09	4.1E-09	5.E-10	3.E-10	8.E-10	--	--	6.3E-09	4.1E-09	--	--	--
	Dibenzo(a,h)anthracene	1.0E+01	ug/kg	7.3E+00	7.3E+00	2.0E-09	1.3E-09	1.E-08	1.E-08	2.E-08	--	--	2.0E-09	1.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	8.1E+01	ug/kg	7.3E-01	7.3E-01	1.6E-08	1.0E-08	1.E-08	8.E-09	2.E-08	--	--	1.6E-08	1.0E-08	--	--	--
	Naphthalene	1.0E+01	ug/kg	--	--	2.0E-09	1.3E-09	--	--	--	2.0E-02	2.0E-02	2.0E-09	1.3E-09	1.E-07	6.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.8E+01	ug/kg	1.4E-02	1.4E-02	7.2E-09	6.1E-09	1.E-10	9.E-11	2.E-10	2.0E-02	2.0E-02	7.2E-09	6.1E-09	4.E-07	3.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+01	ug/kg	2.0E+00	2.0E+00	3.9E-09	2.3E-09	8.E-09	5.E-09	1.E-08	2.0E-05	2.0E-05	3.9E-09	2.3E-09	2.E-04	1.E-04	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.2E+00	pg/g	1.3E+05	1.3E+05	9.9E-14	2.8E-13	1.E-08	4.E-08	5.E-08	1.0E-09	1.0E-09	9.9E-14	2.8E-13	1.E-04	3.E-04	0.0004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	3.6E-01	ug/kg	1.7E+01	1.7E+01	5.4E-11	4.6E-11	9.E-10	8.E-10	2.E-09	3.0E-05	3.0E-05	5.4E-11	4.6E-11	2.E-06	2.E-06	0.000003
	Dieldrin	2.7E-01	ug/kg	1.6E+01	1.6E+01	4.1E-11	3.4E-11	7.E-10	5.E-10	1.E-09	5.0E-05	5.0E-05	4.1E-11	3.4E-11	8.E-07	7.E-07	0.000001
	Total DDT	3.2E+00	ug/kg	3.4E-01	3.4E-01	1.4E-10	4.0E-10	5.E-11	1.E-10	2.E-10	5.0E-04	5.0E-04	1.4E-10	4.0E-10	3.E-07	8.E-07	0.000001
Exposure Point Total										1.E-06							0.003
RM 2 East	**Metals**																
	Arsenic	4.3E+00	mg/kg	1.5E+00	1.5E+00	1.9E-07	5.4E-07	3.E-07	8.E-07	1.E-06	3.0E-04	3.0E-04	1.9E-07	5.4E-07	6.E-04	2.E-03	0.002
	Mercury	9.1E-02	mg/kg	--	--	0.0E+00	1.2E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.2E-08	0.E+00	1.E-04	0.0001
	Butyltins																
	Tributyltin ion	3.7E+00	ug/kg	--	--	5.6E-10	4.7E-10	--	--	--	3.0E-04	3.0E-04	5.6E-10	4.7E-10	2.E-06	2.E-06	0.000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.7E+01	ug/kg	7.3E-01	7.3E-01	1.9E-08	1.2E-08	1.E-08	9.E-09	2.E-08	--	--	1.9E-08	1.2E-08	--	--	---
	Benzo(a)pyrene	1.2E+02	ug/kg	7.3E+00	7.3E+00	2.4E-08	1.5E-08	2.E-07	1.E-07	3.E-07	--	--	2.4E-08	1.5E-08	--	--	---
	Benzo(b)fluoranthene	1.3E+02	ug/kg	7.3E-01	7.3E-01	2.6E-08	1.7E-08	2.E-08	1.E-08	3.E-08	--	--	2.6E-08	1.7E-08	--	--	---
	Benzo(k)fluoranthene	7.7E+01	ug/kg	7.3E-02	7.3E-02	1.5E-08	9.8E-09	1.E-09	7.E-10	2.E-09	--	--	1.5E-08	9.8E-09	--	--	---
	Dibenzo(a,h)anthracene	2.4E+01	ug/kg	7.3E+00	7.3E+00	4.6E-09	3.0E-09	3.E-08	2.E-08	6.E-08	--	--	4.6E-09	3.0E-09	--	--	---
	Indeno(1,2,3-cd)pyrene	1.1E+02	ug/kg	7.3E-01	7.3E-01	2.1E-08	1.3E-08	2.E-08	1.E-08	3.E-08	--	--	2.1E-08	1.3E-08	--	--	---
	Naphthalene	2.1E+01	ug/kg	--	--	4.1E-09	2.7E-09	--	--	--	2.0E-02	2.0E-02	4.1E-09	2.7E-09	2.E-07	1.E-07	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.2E+02	ug/kg	1.4E-02	1.4E-02	1.8E-08	1.5E-08	3.E-10	2.E-10	5.E-10	2.0E-02	2.0E-02	1.8E-08	1.5E-08	9.E-07	8.E-07	0.000002
	Phenols																
	Pentachlorophenol	2.2E+00	ug/kg	4.0E-01	4.0E-01	8.3E-10	2.8E-10	3.E-10	1.E-10	4.E-10	5.0E-03	5.0E-03	8.3E-10	2.8E-10	2.E-07	6.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.5E+03	ug/kg	2.0E+00	2.0E+00	3.2E-07	1.9E-07	6.E-07	4.E-07	1.E-06	2.0E-05	2.0E-05	3.2E-07	1.9E-07	2.E-02	1.E-02	0.03
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.0E+00	pg/g	1.3E+05	1.3E+05	1.8E-13	5.1E-13	2.E-08	7.E-08	9.E-08	1.0E-09	1.0E-09	1.8E-13	5.1E-13	2.E-04	5.E-04	0.0007
	Total PCB TEQ	8.5E+01	pg/g	1.3E+05	1.3E+05	1.8E-11	1.1E-11	2.E-06	1.E-06	4.E-06	1.0E-09	1.0E-09	1.8E-11	1.1E-11	2.E-02	1.E-02	0.03
	Pesticides																
	Aldrin	7.0E-01	ug/kg	1.7E+01	1.7E+01	1.1E-10	8.8E-11	2.E-09	2.E-09	3.E-09	3.0E-05	3.0E-05	1.1E-10	8.8E-11	4.E-06	3.E-06	0.00001
	Dieldrin	1.2E+00	ug/kg	1.6E+01	1.6E+01	1.9E-10	1.6E-10	3.E-09	3.E-09	6.E-09	5.0E-05	5.0E-05	1.9E-10	1.6E-10	4.E-06	3.E-06	0.00001
	Total DDT	4.2E+00	ug/kg	3.4E-01	3.4E-01	1.9E-10	5.3E-10	6.E-11	2.E-10	2.E-10	5.0E-04	5.0E-04	1.9E-10	5.3E-10	4.E-07	1.E-06	0.000001
Exposure Point Total										6.E-06							0.06
RM 2.5 West	**Metals**																
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	2.1E-07	6.0E-07	3.E-07	9.E-07	1.E-06	3.0E-04	3.0E-04	2.1E-07	6.0E-07	7.E-04	2.E-03	0.003
	Mercury	9.1E-02	mg/kg	--	--	0.0E+00	1.2E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.2E-08	0.E+00	1.E-04	0.0001
	Butyltins																
	Tributyltin ion	2.3E+00	ug/kg	--	--	3.5E-10	2.9E-10	--	--	--	3.0E-04	3.0E-04	3.5E-10	2.9E-10	1.E-06	1.E-06	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+02	ug/kg	7.3E-01	7.3E-01	6.0E-08	3.9E-08	4.E-08	3.E-08	7.E-08	--	--	6.0E-08	3.9E-08	--	--	---
	Benzo(a)pyrene	5.5E+02	ug/kg	7.3E+00	7.3E+00	1.1E-07	7.0E-08	8.E-07	5.E-07	1.E-06	--	--	1.1E-07	7.0E-08	--	--	---

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future　　　　　Medium: Sediment
Receptor Population: Tribal Fisher　　　　　Exposure Medium: In-water Sediment
Population Age: Adult　　　　　Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(b)fluoranthene	4.0E+02	ug/kg	7.3E-01	7.3E-01	7.8E-08	5.0E-08	6.E-08	4.E-08	9.E-08	--	--	7.8E-08	5.0E-08	--	--	--
	Benzo(k)fluoranthene	2.5E+02	ug/kg	7.3E-02	7.3E-02	5.0E-08	3.2E-08	4.E-09	2.E-09	6.E-09	--	--	5.0E-08	3.2E-08	--	--	--
	Dibenzo(a,h)anthracene	6.4E+01	ug/kg	7.3E+00	7.3E+00	1.3E-08	8.1E-09	9.E-08	6.E-08	2.E-07	--	--	1.3E-08	8.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+02	ug/kg	7.3E-01	7.3E-01	9.2E-08	6.0E-08	7.E-08	4.E-08	1.E-07	--	--	9.2E-08	6.0E-08	--	--	--
	Naphthalene	7.6E+01	ug/kg	--	--	1.5E-08	9.7E-09	--	--	--	2.0E-02	2.0E-02	1.5E-08	9.7E-09	7.E-07	5.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.3E+01	ug/kg	1.4E-02	1.4E-02	6.5E-09	5.5E-09	9.E-11	8.E-11	2.E-10	2.0E-02	2.0E-02	6.5E-09	5.5E-09	3.E-07	3.E-07	0.000001
	Phenols																
	Pentachlorophenol	1.2E+00	ug/kg	4.0E-01	4.0E-01	4.5E-10	1.5E-10	2.E-10	6.E-11	2.E-10	5.0E-03	5.0E-03	4.5E-10	1.5E-10	9.E-08	3.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.1E+01	ug/kg	2.0E+00	2.0E+00	4.5E-09	2.7E-09	9.E-09	5.E-09	1.E-08	2.0E-05	2.0E-05	4.5E-09	2.7E-09	2.E-04	1.E-04	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.1E-01	pg/g	1.3E+05	1.3E+05	1.9E-14	5.3E-14	2.E-09	7.E-09	9.E-09	1.0E-09	1.0E-09	1.9E-14	5.3E-14	2.E-05	5.E-05	0.00007
	Total PCB TEQ	2.1E-01	pg/g	1.3E+05	1.3E+05	4.4E-14	2.6E-14	6.E-09	3.E-09	9.E-09	1.0E-09	1.0E-09	4.4E-14	2.6E-14	4.E-05	3.E-05	0.00007
	Pesticides																
	Aldrin	2.6E-01	ug/kg	1.7E+01	1.7E+01	3.9E-11	3.3E-11	7.E-10	6.E-10	1.E-09	3.0E-05	3.0E-05	3.9E-11	3.3E-11	1.E-06	1.E-06	0.000002
	Dieldrin	2.2E-01	ug/kg	1.6E+01	1.6E+01	3.3E-11	2.8E-11	5.E-10	4.E-10	1.E-09	5.0E-05	5.0E-05	3.3E-11	2.8E-11	7.E-07	6.E-07	0.000001
	Total DDT	3.4E+00	ug/kg	3.4E-01	3.4E-01	1.5E-10	4.3E-10	5.E-11	1.E-10	2.E-10	5.0E-04	5.0E-04	1.5E-10	4.3E-10	3.E-07	9.E-07	0.000001
Exposure Point Total										**3.E-06**							**0.003**
RM 2.5 East	**Metals**																
	Arsenic	4.8E+00	mg/kg	1.5E+00	1.5E+00	2.2E-07	6.1E-07	3.E-07	9.E-07	1.E-06	3.0E-04	3.0E-04	2.2E-07	6.1E-07	7.E-04	2.E-03	0.003
	Mercury	9.1E-02	mg/kg	--	--	0.0E+00	1.2E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.2E-08	0.E+00	1.E-04	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.8E+03	ug/kg	7.3E-01	7.3E-01	1.1E-06	7.4E-07	8.E-07	5.E-07	1.E-06	--	--	1.1E-06	7.4E-07	--	--	--
	Benzo(a)pyrene	4.5E+03	ug/kg	7.3E+00	7.3E+00	8.9E-07	5.8E-07	6.E-06	4.E-06	1.E-05	--	--	8.9E-07	5.8E-07	--	--	--
	Benzo(b)fluoranthene	3.9E+03	ug/kg	7.3E-01	7.3E-01	7.7E-07	5.0E-07	6.E-07	4.E-07	9.E-07	--	--	7.7E-07	5.0E-07	--	--	--
	Benzo(k)fluoranthene	1.2E+03	ug/kg	7.3E-02	7.3E-02	2.4E-07	1.6E-07	2.E-08	1.E-08	3.E-08	--	--	2.4E-07	1.6E-07	--	--	--
	Dibenzo(a,h)anthracene	4.5E+02	ug/kg	7.3E+00	7.3E+00	8.8E-08	5.7E-08	6.E-07	4.E-07	1.E-06	--	--	8.8E-08	5.7E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.6E+03	ug/kg	7.3E-01	7.3E-01	5.0E-07	3.3E-07	4.E-07	2.E-07	6.E-07	--	--	5.0E-07	3.3E-07	--	--	--
	Naphthalene	2.8E+02	ug/kg	--	--	5.5E-08	3.5E-08	--	--	--	2.0E-02	2.0E-02	5.5E-08	3.5E-08	3.E-06	2.E-06	0.000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.1E+02	ug/kg	1.4E-02	1.4E-02	1.6E-08	1.3E-08	2.E-10	2.E-10	4.E-10	2.0E-02	2.0E-02	1.6E-08	1.3E-08	8.E-07	7.E-07	0.000001
	Phenols																
	Pentachlorophenol	5.7E+01	ug/kg	4.0E-01	4.0E-01	2.2E-08	7.3E-09	9.E-09	3.E-09	1.E-08	5.0E-03	5.0E-03	2.2E-08	7.3E-09	4.E-06	1.E-06	0.00001
	Polychlorinated Biphenyls																
	Total Aroclors	7.7E+01	ug/kg	2.0E+00	2.0E+00	1.6E-08	9.9E-09	3.E-08	2.E-08	5.E-08	2.0E-05	2.0E-05	1.6E-08	9.9E-09	8.E-04	5.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.1E+00	pg/g	1.3E+05	1.3E+05	4.8E-14	1.3E-13	6.E-09	2.E-08	2.E-08	1.0E-09	1.0E-09	4.8E-14	1.3E-13	5.E-05	1.E-04	0.0002
	Total PCB TEQ	3.3E+00	pg/g	1.3E+05	1.3E+05	7.0E-13	4.2E-13	9.E-08	5.E-08	1.E-07	1.0E-09	1.0E-09	7.0E-13	4.2E-13	7.E-04	4.E-04	0.001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Tribal Fisher   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	7.5E-01	ug/kg	1.7E+01	1.7E+01	1.1E-10	9.6E-11	2.E-09	2.E-09	4.E-09	3.0E-05	3.0E-05	1.1E-10	9.6E-11	4.E-06	3.E-06	0.00001
	Dieldrin	3.3E-01	ug/kg	1.6E+01	1.6E+01	5.0E-11	4.2E-11	8.E-10	7.E-10	1.E-09	5.0E-05	5.0E-05	5.0E-11	4.2E-11	1.E-06	8.E-07	0.000002
	Total DDT	1.1E+01	ug/kg	3.4E-01	3.4E-01	5.1E-10	1.4E-09	2.E-10	5.E-10	7.E-10	5.0E-04	5.0E-04	5.1E-10	1.4E-09	1.E-06	3.E-06	0.000004
Exposure Point Total										**2.E-05**							**0.006**
RM 2.5 MC	**Metals**																
	Arsenic	4.8E+00	mg/kg	1.5E+00	1.5E+00	2.2E-07	6.1E-07	3.E-07	9.E-07	1.E-06	3.0E-04	3.0E-04	2.2E-07	6.1E-07	7.E-04	2.E-03	0.003
	Mercury	1.3E-01	mg/kg	--	--	0.0E+00	1.6E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.6E-08	0.E+00	2.E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+02	ug/kg	7.3E-01	7.3E-01	6.0E-08	3.9E-08	4.E-08	3.E-08	7.E-08	--	--	6.0E-08	3.9E-08	--	--	--
	Benzo(a)pyrene	4.9E+02	ug/kg	7.3E+00	7.3E+00	9.6E-08	6.2E-08	7.E-07	5.E-07	1.E-06	--	--	9.6E-08	6.2E-08	--	--	--
	Benzo(b)fluoranthene	4.5E+02	ug/kg	7.3E-01	7.3E-01	8.8E-08	5.7E-08	6.E-08	4.E-08	1.E-07	--	--	8.8E-08	5.7E-08	--	--	--
	Benzo(k)fluoranthene	1.4E+02	ug/kg	7.3E-02	7.3E-02	2.8E-08	1.8E-08	2.E-09	1.E-09	3.E-09	--	--	2.8E-08	1.8E-08	--	--	--
	Dibenzo(a,h)anthracene	4.7E+01	ug/kg	7.3E+00	7.3E+00	9.3E-09	6.0E-09	7.E-08	4.E-08	1.E-07	--	--	9.3E-09	6.0E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.8E+02	ug/kg	7.3E-01	7.3E-01	7.4E-08	4.8E-08	5.E-08	4.E-08	9.E-08	--	--	7.4E-08	4.8E-08	--	--	--
	Naphthalene	9.9E+01	ug/kg	--	--	1.9E-08	1.3E-08	--	--	--	2.0E-02	2.0E-02	1.9E-08	1.3E-08	1.E-06	6.E-07	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.3E+01	ug/kg	1.4E-02	1.4E-02	1.4E-08	1.2E-08	2.E-10	2.E-10	4.E-10	2.0E-02	2.0E-02	1.4E-08	1.2E-08	7.E-07	6.E-07	0.000001
	Phenols																
	Pentachlorophenol	1.6E+00	ug/kg	4.0E-01	4.0E-01	6.0E-10	2.0E-10	2.E-10	8.E-11	3.E-10	5.0E-03	5.0E-03	6.0E-10	2.0E-10	1.E-07	4.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	3.9E+01	ug/kg	2.0E+00	2.0E+00	8.2E-09	4.9E-09	2.E-08	1.E-08	3.E-08	2.0E-05	2.0E-05	8.2E-09	4.9E-09	4.E-04	2.E-04	0.0007
	Pesticides																
	Aldrin	6.5E-01	ug/kg	1.7E+01	1.7E+01	9.8E-11	8.3E-11	2.E-09	1.E-09	3.E-09	3.0E-05	3.0E-05	9.8E-11	8.3E-11	3.E-06	3.E-06	0.00001
	Dieldrin	9.7E-01	ug/kg	1.6E+01	1.6E+01	1.5E-10	1.2E-10	2.E-09	2.E-09	4.E-09	5.0E-05	5.0E-05	1.5E-10	1.2E-10	3.E-06	2.E-06	0.00001
	Total DDT	1.1E+01	ug/kg	3.4E-01	3.4E-01	5.0E-10	1.4E-09	2.E-10	5.E-10	6.E-10	5.0E-04	5.0E-04	5.0E-10	1.4E-09	1.E-06	3.E-06	0.000004
Exposure Point Total										**3.E-06**							**0.004**
RM 3 West	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	1.9E-07	5.2E-07	3.E-07	8.E-07	1.E-06	3.0E-04	3.0E-04	1.9E-07	5.2E-07	6.E-04	2.E-03	0.002
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	1.4E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-08	0.E+00	1.E-04	0.0001
	Vanadium	9.3E+01	mg/kg	--	--	0.0E+00	1.2E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.2E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	1.8E+01	ug/kg	--	--	2.7E-09	2.3E-09	--	--	--	3.0E-04	3.0E-04	2.7E-09	2.3E-09	9.E-06	8.E-06	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.7E+02	ug/kg	7.3E-01	7.3E-01	9.2E-08	5.9E-08	7.E-08	4.E-08	1.E-07	--	--	9.2E-08	5.9E-08	--	--	--
	Benzo(a)pyrene	7.1E+02	ug/kg	7.3E+00	7.3E+00	1.4E-07	9.0E-08	1.E-06	7.E-07	2.E-06	--	--	1.4E-07	9.0E-08	--	--	--
	Benzo(b)fluoranthene	6.0E+02	ug/kg	7.3E-01	7.3E-01	1.2E-07	7.7E-08	9.E-08	6.E-08	1.E-07	--	--	1.2E-07	7.7E-08	--	--	--
	Benzo(k)fluoranthene	4.0E+02	ug/kg	7.3E-02	7.3E-02	7.8E-08	5.1E-08	6.E-09	4.E-09	9.E-09	--	--	7.8E-08	5.1E-08	--	--	--
	Dibenzo(a,h)anthracene	8.2E+01	ug/kg	7.3E+00	7.3E+00	1.6E-08	1.0E-08	1.E-07	8.E-08	2.E-07	--	--	1.6E-08	1.0E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	4.8E+02	ug/kg	7.3E-01	7.3E-01	9.4E-08	6.1E-08	7.E-08	4.E-08	1.E-07	--	--	9.4E-08	6.1E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Naphthalene	2.2E+02	ug/kg	--	--	4.4E-08	2.8E-08	--	--	--	2.0E-02	2.0E-02	4.4E-08	2.8E-08	2.E-06	1.E-06	0.000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	5.8E+01	ug/kg	1.4E-02	1.4E-02	8.7E-09	7.3E-09	1.E-10	1.E-10	2.E-10	2.0E-02	2.0E-02	8.7E-09	7.3E-09	4.E-07	4.E-07	0.000001
	Phenols																
	Pentachlorophenol	1.1E+02	ug/kg	4.0E-01	4.0E-01	4.2E-08	1.4E-08	2.E-08	6.E-09	2.E-08	5.0E-03	5.0E-03	4.2E-08	1.4E-08	8.E-06	3.E-06	0.00001
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+01	ug/kg	2.0E+00	2.0E+00	3.7E-09	2.2E-09	7.E-09	4.E-09	1.E-08	2.0E-05	2.0E-05	3.7E-09	2.2E-09	2.E-04	1.E-04	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	1.3E+05	1.3E+05	7.5E-14	2.1E-13	1.E-08	3.E-08	4.E-08	1.0E-09	1.0E-09	7.5E-14	2.1E-13	7.E-05	2.E-04	0.0003
	Total PCB TEQ	4.4E-01	pg/g	1.3E+05	1.3E+05	9.4E-14	5.6E-14	1.E-08	7.E-09	2.E-08	1.0E-09	1.0E-09	9.4E-14	5.6E-14	9.E-05	6.E-05	0.0002
	Pesticides																
	Aldrin	5.2E-01	ug/kg	1.7E+01	1.7E+01	7.9E-11	6.6E-11	1.E-09	1.E-09	2.E-09	3.0E-05	3.0E-05	7.9E-11	6.6E-11	3.E-06	2.E-06	0.000005
	Dieldrin	1.3E+00	ug/kg	1.6E+01	1.6E+01	2.0E-10	1.7E-10	3.E-09	3.E-09	6.E-09	5.0E-05	5.0E-05	2.0E-10	1.7E-10	4.E-06	3.E-06	0.00001
	Total DDT	2.1E+02	ug/kg	3.4E-01	3.4E-01	9.6E-09	2.7E-08	3.E-09	9.E-09	1.E-08	5.0E-04	5.0E-04	9.6E-09	2.7E-08	2.E-05	5.E-05	0.00007
Exposure Point Total										3.E-06							0.2
RM 3 East	**Metals**																
	Arsenic	5.5E+00	mg/kg	1.5E+00	1.5E+00	2.5E-07	6.9E-07	4.E-07	1.E-06	1.E-06	3.0E-04	3.0E-04	2.5E-07	6.9E-07	8.E-04	2.E-03	0.003
	Mercury	7.5E-02	mg/kg	--	--	0.0E+00	9.5E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.5E-09	0.E+00	9.E-05	0.00009
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.4E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.4E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	1.6E+01	ug/kg	--	--	2.4E-09	2.0E-09	--	--	--	3.0E-04	3.0E-04	2.4E-09	2.0E-09	8.E-06	7.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+02	ug/kg	7.3E-01	7.3E-01	2.8E-08	1.8E-08	2.E-08	1.E-08	3.E-08	--	--	2.8E-08	1.8E-08	--	--	---
	Benzo(a)pyrene	1.4E+02	ug/kg	7.3E+00	7.3E+00	2.7E-08	1.7E-08	2.E-07	1.E-07	3.E-07	--	--	2.7E-08	1.7E-08	--	--	---
	Benzo(b)fluoranthene	1.6E+02	ug/kg	7.3E-01	7.3E-01	3.1E-08	2.0E-08	2.E-08	1.E-08	4.E-08	--	--	3.1E-08	2.0E-08	--	--	---
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	2.2E-08	1.4E-08	2.E-09	1.E-09	3.E-09	--	--	2.2E-08	1.4E-08	--	--	---
	Dibenzo(a,h)anthracene	1.7E+01	ug/kg	7.3E+00	7.3E+00	3.3E-09	2.1E-09	2.E-08	2.E-08	4.E-08	--	--	3.3E-09	2.1E-09	--	--	---
	Indeno(1,2,3-cd)pyrene	8.3E+01	ug/kg	7.3E-01	7.3E-01	1.6E-08	1.1E-08	1.E-08	8.E-09	2.E-08	--	--	1.6E-08	1.1E-08	--	--	---
	Naphthalene	1.7E+01	ug/kg	--	--	3.3E-09	2.1E-09	--	--	--	2.0E-02	2.0E-02	3.3E-09	2.1E-09	2.E-07	1.E-07	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.8E+01	ug/kg	1.4E-02	1.4E-02	1.3E-08	1.1E-08	2.E-10	2.E-10	3.E-10	2.0E-02	2.0E-02	1.3E-08	1.1E-08	7.E-07	6.E-07	0.000001
	Phenols																
	Pentachlorophenol	4.6E+00	ug/kg	4.0E-01	4.0E-01	1.7E-09	5.9E-10	7.E-10	2.E-10	9.E-10	5.0E-03	5.0E-03	1.7E-09	5.9E-10	3.E-07	1.E-07	0.0000005
	Polychlorinated Biphenyls																
	Total Aroclors	2.3E+01	ug/kg	2.0E+00	2.0E+00	4.8E-09	2.9E-09	1.E-08	6.E-09	2.E-08	2.0E-05	2.0E-05	4.8E-09	2.9E-09	2.E-04	1.E-04	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.4E+00	pg/g	1.3E+05	1.3E+05	2.4E-13	6.8E-13	3.E-08	9.E-08	1.E-07	1.0E-09	1.0E-09	2.4E-13	6.8E-13	2.E-04	7.E-04	0.0009
	Total PCB TEQ	1.0E-01	pg/g	1.3E+05	1.3E+05	2.1E-14	1.3E-14	3.E-09	2.E-09	4.E-09	1.0E-09	1.0E-09	2.1E-14	1.3E-14	2.E-05	1.E-05	0.00003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	4.0E-01	ug/kg	1.7E+01	1.7E+01	6.0E-11	5.0E-11	1.E-09	9.E-10	2.E-09	3.0E-05	3.0E-05	6.0E-11	5.0E-11	2.E-06	2.E-06	0.000004
	Dieldrin	2.0E-01	ug/kg	1.6E+01	1.6E+01	3.0E-11	2.5E-11	5.E-10	4.E-10	9.E-10	5.0E-05	5.0E-05	3.0E-11	2.5E-11	6.E-07	5.E-07	0.000001
	Total DDT	3.8E+00	ug/kg	3.4E-01	3.4E-01	1.7E-10	4.8E-10	6.E-11	2.E-10	2.E-10	5.0E-04	5.0E-04	1.7E-10	4.8E-10	3.E-07	1.E-06	0.000001
Exposure Point Total										2.E-06							0.2
RM 3.5 West	**Metals**																
	Arsenic	1.0E+01	mg/kg	1.5E+00	1.5E+00	4.7E-07	1.3E-06	7.E-07	2.E-06	3.E-06	3.0E-04	3.0E-04	4.7E-07	1.3E-06	2.E-03	4.E-03	0.006
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	1.5E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.5E-08	0.E+00	2.E-04	0.0002
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.3E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.3E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	8.1E+01	ug/kg	--	--	1.2E-08	1.0E-08	--	--	--	3.0E-04	3.0E-04	1.2E-08	1.0E-08	4.E-05	3.E-05	0.00008
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+03	ug/kg	7.3E-01	7.3E-01	3.5E-07	2.2E-07	3.E-07	2.E-07	4.E-07	--	--	3.5E-07	2.2E-07	--	--	--
	Benzo(a)pyrene	2.6E+03	ug/kg	7.3E+00	7.3E+00	5.0E-07	3.2E-07	4.E-06	2.E-06	6.E-06	--	--	5.0E-07	3.2E-07	--	--	--
	Benzo(b)fluoranthene	2.3E+03	ug/kg	7.3E-01	7.3E-01	4.5E-07	2.9E-07	3.E-07	2.E-07	5.E-07	--	--	4.5E-07	2.9E-07	--	--	--
	Benzo(k)fluoranthene	8.0E+02	ug/kg	7.3E-02	7.3E-02	1.6E-07	1.0E-07	1.E-08	7.E-09	2.E-08	--	--	1.6E-07	1.0E-07	--	--	--
	Dibenzo(a,h)anthracene	7.5E+01	ug/kg	7.3E+00	7.3E+00	1.5E-08	9.5E-09	1.E-07	7.E-08	2.E-07	--	--	1.5E-08	9.5E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.1E+03	ug/kg	7.3E-01	7.3E-01	4.0E-07	2.6E-07	3.E-07	2.E-07	5.E-07	--	--	4.0E-07	2.6E-07	--	--	--
	Naphthalene	5.2E+02	ug/kg	--	--	1.0E-07	6.6E-08	--	--	--	2.0E-02	2.0E-02	1.0E-07	6.6E-08	5.E-06	3.E-06	0.00001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.2E+01	ug/kg	1.4E-02	1.4E-02	1.2E-08	1.0E-08	2.E-10	1.E-10	3.E-10	2.0E-02	2.0E-02	1.2E-08	1.0E-08	6.E-07	5.E-07	0.00000
	Phenols																
	Pentachlorophenol	1.5E+01	ug/kg	4.0E-01	4.0E-01	5.6E-09	1.9E-09	2.E-09	7.E-10	3.E-09	5.0E-03	5.0E-03	5.6E-09	1.9E-09	1.E-06	4.E-07	0.00000
	Polychlorinated Biphenyls																
	Total Aroclors	2.7E+01	ug/kg	2.0E+00	2.0E+00	5.7E-09	3.4E-09	1.E-08	7.E-09	2.E-08	2.0E-05	2.0E-05	5.7E-09	3.4E-09	3.E-04	2.E-04	0.0005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.6E+00	pg/g	1.3E+05	1.3E+05	7.3E-14	2.0E-13	9.E-09	3.E-08	4.E-08	1.0E-09	1.0E-09	7.3E-14	2.0E-13	7.E-05	2.E-04	0.0003
	Total PCB TEQ	7.7E-01	pg/g	1.3E+05	1.3E+05	1.6E-13	9.9E-14	2.E-08	1.E-08	3.E-08	1.0E-09	1.0E-09	1.6E-13	9.9E-14	2.E-04	1.E-04	0.0003
	Pesticides																
	Aldrin	4.9E-01	ug/kg	1.7E+01	1.7E+01	7.4E-11	6.2E-11	1.E-09	1.E-09	2.E-09	3.0E-05	3.0E-05	7.4E-11	6.2E-11	2.E-06	2.E-06	0.000005
	Dieldrin	1.8E-01	ug/kg	1.6E+01	1.6E+01	2.8E-11	2.3E-11	4.E-10	4.E-10	8.E-10	5.0E-05	5.0E-05	2.8E-11	2.3E-11	6.E-07	5.E-07	0.000001
	Total DDT	2.1E+01	ug/kg	3.4E-01	3.4E-01	9.5E-10	2.7E-09	3.E-10	9.E-10	1.E-09	5.0E-04	5.0E-04	9.5E-10	2.7E-09	2.E-06	5.E-06	0.00001
Exposure Point Total										1.E-05							0.2
RM 3.5 East	**Metals**																
	Arsenic	4.8E+00	mg/kg	1.5E+00	1.5E+00	2.2E-07	6.1E-07	3.E-07	9.E-07	1.E-06	3.0E-04	3.0E-04	2.2E-07	6.1E-07	7.E-04	2.E-03	0.003
	Mercury	1.3E-01	mg/kg	--	--	0.0E+00	1.6E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.6E-08	0.E+00	2.E-04	0.0002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.4E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.4E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	1.9E+04	ug/kg	--	--	2.9E-06	2.4E-06	--	--	--	3.0E-04	3.0E-04	2.9E-06	2.4E-06	1.E-02	8.E-03	0.02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E+03	ug/kg	7.3E-01	7.3E-01	2.4E-07	1.6E-07	2.E-07	1.E-07	3.E-07	--	--	2.4E-07	1.6E-07	--	--	--
	Benzo(a)pyrene	8.7E+02	ug/kg	7.3E+00	7.3E+00	1.7E-07	1.1E-07	1.E-06	8.E-07	2.E-06	--	--	1.7E-07	1.1E-07	--	--	--
	Benzo(b)fluoranthene	1.3E+03	ug/kg	7.3E-01	7.3E-01	2.6E-07	1.7E-07	2.E-07	1.E-07	3.E-07	--	--	2.6E-07	1.7E-07	--	--	--
	Benzo(k)fluoranthene	7.1E+02	ug/kg	7.3E-02	7.3E-02	1.4E-07	9.0E-08	1.E-08	7.E-09	2.E-08	--	--	1.4E-07	9.0E-08	--	--	--
	Dibenzo(a,h)anthracene	1.3E+02	ug/kg	7.3E+00	7.3E+00	2.6E-08	1.7E-08	2.E-07	1.E-07	3.E-07	--	--	2.6E-08	1.7E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.3E+02	ug/kg	7.3E-01	7.3E-01	6.5E-08	4.2E-08	5.E-08	3.E-08	8.E-08	--	--	6.5E-08	4.2E-08	--	--	--
	Naphthalene	1.8E+01	ug/kg	--	--	3.6E-09	2.3E-09	--	--	--	2.0E-02	2.0E-02	3.6E-09	2.3E-09	2.E-07	1.E-07	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.9E+03	ug/kg	1.4E-02	1.4E-02	1.0E-06	8.8E-07	1.E-08	1.E-08	3.E-08	2.0E-02	2.0E-02	1.0E-06	8.8E-07	5.E-05	4.E-05	0.0001
	Phenols																
	Pentachlorophenol	2.5E+00	ug/kg	4.0E-01	4.0E-01	9.4E-10	3.2E-10	4.E-10	1.E-10	5.E-10	5.0E-03	5.0E-03	9.4E-10	3.2E-10	2.E-07	6.E-08	0.0000003
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+03	ug/kg	2.0E+00	2.0E+00	3.5E-07	2.1E-07	7.E-07	4.E-07	1.E-06	2.0E-05	2.0E-05	3.5E-07	2.1E-07	2.E-02	1.E-02	0.03
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.1E+01	pg/g	1.3E+05	1.3E+05	5.1E-13	1.4E-12	7.E-08	2.E-07	3.E-07	1.0E-09	1.0E-09	5.1E-13	1.4E-12	5.E-04	1.E-03	0.002
	Total PCB TEQ	1.1E+02	pg/g	1.3E+05	1.3E+05	2.4E-11	1.5E-11	3.E-06	2.E-06	5.E-06	1.0E-09	1.0E-09	2.4E-11	1.5E-11	2.E-02	1.E-02	0.04
	Pesticides																
	Aldrin	5.0E-01	ug/kg	1.7E+01	1.7E+01	7.5E-11	6.3E-11	1.E-09	1.E-09	2.E-09	3.0E-05	3.0E-05	7.5E-11	6.3E-11	2.E-06	2.E-06	0.000005
	Dieldrin	1.5E-01	ug/kg	1.6E+01	1.6E+01	2.2E-11	1.9E-11	4.E-10	3.E-10	7.E-10	5.0E-05	5.0E-05	2.2E-11	1.9E-11	4.E-07	4.E-07	0.000001
	Total DDT	2.7E+01	ug/kg	3.4E-01	3.4E-01	1.2E-09	3.5E-09	4.E-10	1.E-09	2.E-09	5.0E-04	5.0E-04	1.2E-09	3.5E-09	2.E-06	7.E-06	0.00001
Exposure Point Total										1.E-05							0.3
RM 4 West	**Metals**																
	Arsenic	4.4E+00	mg/kg	1.5E+00	1.5E+00	2.0E-07	5.6E-07	3.E-07	8.E-07	1.E-06	3.0E-04	3.0E-04	2.0E-07	5.6E-07	7.E-04	2.E-03	0.003
	Mercury	1.4E-01	mg/kg	--	--	0.0E+00	1.8E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.8E-08	0.E+00	2.E-04	0.0002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.3E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.3E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	8.2E+00	ug/kg	--	--	1.2E-09	1.0E-09	--	--	--	3.0E-04	3.0E-04	1.2E-09	1.0E-09	4.E-06	3.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.0E+02	ug/kg	7.3E-01	7.3E-01	1.8E-07	1.1E-07	1.E-07	8.E-08	2.E-07	--	--	1.8E-07	1.1E-07	--	--	--
	Benzo(a)pyrene	5.8E+02	ug/kg	7.3E+00	7.3E+00	1.1E-07	7.4E-08	8.E-07	5.E-07	1.E-06	--	--	1.1E-07	7.4E-08	--	--	--
	Benzo(b)fluoranthene	5.2E+02	ug/kg	7.3E-01	7.3E-01	1.0E-07	6.6E-08	7.E-08	5.E-08	1.E-07	--	--	1.0E-07	6.6E-08	--	--	--
	Benzo(k)fluoranthene	3.2E+02	ug/kg	7.3E-02	7.3E-02	6.2E-08	4.0E-08	5.E-09	3.E-09	7.E-09	--	--	6.2E-08	4.0E-08	--	--	--
	Dibenzo(a,h)anthracene	8.9E+01	ug/kg	7.3E+00	7.3E+00	1.8E-08	1.1E-08	1.E-07	8.E-08	2.E-07	--	--	1.8E-08	1.1E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	4.6E+02	ug/kg	7.3E-01	7.3E-01	9.1E-08	5.9E-08	7.E-08	4.E-08	1.E-07	--	--	9.1E-08	5.9E-08	--	--	--
	Naphthalene	1.9E+02	ug/kg	--	--	3.8E-08	2.4E-08	--	--	--	2.0E-02	2.0E-02	3.8E-08	2.4E-08	2.E-06	1.E-06	0.000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.1E+01	ug/kg	1.4E-02	1.4E-02	1.1E-08	9.1E-09	2.E-10	1.E-10	3.E-10	2.0E-02	2.0E-02	1.1E-08	9.1E-09	5.E-07	5.E-07	0.000001
	Phenols																
	Pentachlorophenol	6.7E+00	ug/kg	4.0E-01	4.0E-01	2.5E-09	8.5E-10	1.E-09	3.E-10	1.E-09	5.0E-03	5.0E-03	2.5E-09	8.5E-10	5.E-07	2.E-07	0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: Tribal Fisher Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polychlorinated Biphenyls																
	Total Aroclors	2.6E+01	ug/kg	2.0E+00	2.0E+00	5.6E-09	3.4E-09	1.E-08	7.E-09	2.E-08	2.0E-05	2.0E-05	5.6E-09	3.4E-09	3.E-04	2.E-04	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.3E+00	pg/g	1.3E+05	1.3E+05	1.5E-13	4.1E-13	2.E-08	5.E-08	7.E-08	1.0E-09	1.0E-09	1.5E-13	4.1E-13	1.E-04	4.E-04	0.0006
	Total PCB TEQ	6.5E-01	pg/g	1.3E+05	1.3E+05	1.4E-13	8.3E-14	2.E-08	1.E-08	3.E-08	1.0E-09	1.0E-09	1.4E-13	8.3E-14	1.E-04	8.E-05	0.0002
	Pesticides																
	Aldrin	4.9E-01	ug/kg	1.7E+01	1.7E+01	7.4E-11	6.2E-11	1.E-09	1.E-09	2.E-09	3.0E-05	3.0E-05	7.4E-11	6.2E-11	2.E-06	2.E-06	0.000005
	Dieldrin	2.8E-01	ug/kg	1.6E+01	1.6E+01	4.2E-11	3.6E-11	7.E-10	6.E-10	1.E-09	5.0E-05	5.0E-05	4.2E-11	3.6E-11	8.E-07	7.E-07	0.000002
	Total DDT	5.6E+01	ug/kg	3.4E-01	3.4E-01	2.5E-09	7.1E-09	9.E-10	2.E-09	3.E-09	5.0E-04	5.0E-04	2.5E-09	7.1E-09	5.E-06	1.E-05	0.00002
Exposure Point Total										3.E-06							0.2
RM 4 East	**Metals**																
	Arsenic	5.6E+00	mg/kg	1.5E+00	1.5E+00	2.5E-07	7.2E-07	4.E-07	1.E-06	1.E-06	3.0E-04	3.0E-04	2.5E-07	7.2E-07	8.E-04	2.E-03	0.003
	Mercury	9.6E-02	mg/kg	--	--	0.0E+00	1.2E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.2E-08	0.E+00	1.E-04	0.0001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.4E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.4E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	3.6E+01	ug/kg	--	--	5.5E-09	4.6E-09	--	--	--	3.0E-04	3.0E-04	5.5E-09	4.6E-09	2.E-05	2.E-05	0.00003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E+03	ug/kg	7.3E-01	7.3E-01	3.1E-07	2.0E-07	2.E-07	1.E-07	4.E-07	--	--	3.1E-07	2.0E-07	--	--	--
	Benzo(a)pyrene	2.2E+03	ug/kg	7.3E+00	7.3E+00	4.4E-07	2.8E-07	3.E-06	2.E-06	5.E-06	--	--	4.4E-07	2.8E-07	--	--	--
	Benzo(b)fluoranthene	2.3E+03	ug/kg	7.3E-01	7.3E-01	4.5E-07	2.9E-07	3.E-07	2.E-07	5.E-07	--	--	4.5E-07	2.9E-07	--	--	--
	Benzo(k)fluoranthene	1.8E+03	ug/kg	7.3E-02	7.3E-02	3.6E-07	2.3E-07	3.E-08	2.E-08	4.E-08	--	--	3.6E-07	2.3E-07	--	--	--
	Dibenzo(a,h)anthracene	3.7E+02	ug/kg	7.3E+00	7.3E+00	7.2E-08	4.6E-08	5.E-07	3.E-07	9.E-07	--	--	7.2E-08	4.6E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.7E+03	ug/kg	7.3E-01	7.3E-01	3.3E-07	2.1E-07	2.E-07	2.E-07	4.E-07	--	--	3.3E-07	2.1E-07	--	--	--
	Naphthalene	7.4E+01	ug/kg	--	--	1.5E-08	9.4E-09	--	--	--	2.0E-02	2.0E-02	1.5E-08	9.4E-09	7.E-07	5.E-07	0.00000
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.3E+03	ug/kg	1.4E-02	1.4E-02	4.9E-07	4.2E-07	7.E-09	6.E-09	1.E-08	2.0E-02	2.0E-02	4.9E-07	4.2E-07	2.E-05	2.E-05	0.00005
	Phenols																
	Pentachlorophenol	4.3E+03	ug/kg	4.0E-01	4.0E-01	1.6E-06	5.5E-07	7.E-07	2.E-07	9.E-07	5.0E-03	5.0E-03	1.6E-06	5.5E-07	3.E-04	1.E-04	0.0004
	Polychlorinated Biphenyls																
	Total Aroclors	3.6E+02	ug/kg	2.0E+00	2.0E+00	7.6E-08	4.6E-08	2.E-07	9.E-08	2.E-07	2.0E-05	2.0E-05	7.6E-08	4.6E-08	4.E-03	2.E-03	0.006
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.9E+00	pg/g	1.3E+05	1.3E+05	3.1E-13	8.8E-13	4.E-08	1.E-07	2.E-07	1.0E-09	1.0E-09	3.1E-13	8.8E-13	3.E-04	9.E-04	0.001
	Total PCB TEQ	3.4E+00	pg/g	1.3E+05	1.3E+05	7.1E-13	4.3E-13	9.E-08	6.E-08	1.E-07	1.0E-09	1.0E-09	7.1E-13	4.3E-13	7.E-04	4.E-04	0.001
	Pesticides																
	Aldrin	7.9E-01	ug/kg	1.7E+01	1.7E+01	1.2E-10	1.0E-10	2.E-09	2.E-09	4.E-09	3.0E-05	3.0E-05	1.2E-10	1.0E-10	4.E-06	3.E-06	0.00001
	Dieldrin	1.6E-01	ug/kg	1.6E+01	1.6E+01	2.4E-11	2.0E-11	4.E-10	3.E-10	7.E-10	5.0E-05	5.0E-05	2.4E-11	2.0E-11	5.E-07	4.E-07	0.000001
	Total DDT	1.2E+01	ug/kg	3.4E-01	3.4E-01	5.4E-10	1.5E-09	2.E-10	5.E-10	7.E-10	5.0E-04	5.0E-04	5.4E-10	1.5E-09	1.E-06	3.E-06	0.000004
Exposure Point Total										1.E-05							0.2

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Tribal Fisher   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 4.5 West	**Metals**																
	Arsenic	4.9E+00	mg/kg	1.5E+00	1.5E+00	2.2E-07	6.2E-07	3.E-07	9.E-07	1.E-06	3.0E-04	3.0E-04	2.2E-07	6.2E-07	7.E-04	2.E-03	0.003
	Mercury	1.7E-01	mg/kg	--	--	0.0E+00	2.2E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.2E-08	0.E+00	2.E-04	0.0002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.4E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.4E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	1.4E+01	ug/kg	--	--	2.1E-09	1.8E-09	--	--	--	3.0E-04	3.0E-04	2.1E-09	1.8E-09	7.E-06	6.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E+03	ug/kg	7.3E-01	7.3E-01	3.1E-07	2.0E-07	2.E-07	1.E-07	4.E-07	--	--	3.1E-07	2.0E-07	--	--	--
	Benzo(a)pyrene	2.2E+03	ug/kg	7.3E+00	7.3E+00	4.2E-07	2.7E-07	3.E-06	2.E-06	5.E-06	--	--	4.2E-07	2.7E-07	--	--	--
	Benzo(b)fluoranthene	1.5E+03	ug/kg	7.3E-01	7.3E-01	2.9E-07	1.9E-07	2.E-07	1.E-07	4.E-07	--	--	2.9E-07	1.9E-07	--	--	--
	Benzo(k)fluoranthene	6.2E+02	ug/kg	7.3E-02	7.3E-02	1.2E-07	7.9E-08	9.E-09	6.E-09	1.E-08	--	--	1.2E-07	7.9E-08	--	--	--
	Dibenzo(a,h)anthracene	2.3E+02	ug/kg	7.3E+00	7.3E+00	4.5E-08	2.9E-08	3.E-07	2.E-07	5.E-07	--	--	4.5E-08	2.9E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.7E+03	ug/kg	7.3E-01	7.3E-01	3.3E-07	2.1E-07	2.E-07	2.E-07	4.E-07	--	--	3.3E-07	2.1E-07	--	--	--
	Naphthalene	3.9E+02	ug/kg	--	--	7.7E-08	5.0E-08	--	--	--	2.0E-02	2.0E-02	7.7E-08	5.0E-08	4.E-06	2.E-06	0.00001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.0E+01	ug/kg	1.4E-02	1.4E-02	1.1E-08	8.9E-09	1.E-10	1.E-10	3.E-10	2.0E-02	2.0E-02	1.1E-08	8.9E-09	5.E-07	4.E-07	0.00001
	Phenols																
	Pentachlorophenol	2.3E+00	ug/kg	4.0E-01	4.0E-01	8.5E-10	2.9E-10	3.E-10	1.E-10	5.E-10	5.0E-03	5.0E-03	8.5E-10	2.9E-10	2.E-07	6.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	3.8E+01	ug/kg	2.0E+00	2.0E+00	8.1E-09	4.9E-09	2.E-08	1.E-08	3.E-08	2.0E-05	2.0E-05	8.1E-09	4.9E-09	4.E-04	2.E-04	0.0006
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.8E+00	pg/g	1.3E+05	1.3E+05	3.1E-13	8.7E-13	4.E-08	1.E-07	2.E-07	1.0E-09	1.0E-09	3.1E-13	8.7E-13	3.E-04	9.E-04	0.001
	Total PCB TEQ	2.5E+00	pg/g	1.3E+05	1.3E+05	5.3E-13	3.2E-13	7.E-08	4.E-08	1.E-07	1.0E-09	1.0E-09	5.3E-13	3.2E-13	5.E-04	3.E-04	0.0008
	Pesticides																
	Aldrin	1.2E+00	ug/kg	1.7E+01	1.7E+01	1.8E-10	1.5E-10	3.E-09	3.E-09	6.E-09	3.0E-05	3.0E-05	1.8E-10	1.5E-10	6.E-06	5.E-06	0.00001
	Dieldrin	1.8E-01	ug/kg	1.6E+01	1.6E+01	2.8E-11	2.3E-11	4.E-10	4.E-10	8.E-10	5.0E-05	5.0E-05	2.8E-11	2.3E-11	6.E-07	5.E-07	0.000001
	Total DDT	2.7E+01	ug/kg	3.4E-01	3.4E-01	1.2E-09	3.5E-09	4.E-10	1.E-09	2.E-09	5.0E-04	5.0E-04	1.2E-09	3.5E-09	2.E-06	7.E-06	0.00001
Exposure Point Total										8.E-06							0.2
RM 4.5 East	**Metals**																
	Arsenic	4.9E+00	mg/kg	1.5E+00	1.5E+00	2.2E-07	6.3E-07	3.E-07	9.E-07	1.E-06	3.0E-04	3.0E-04	2.2E-07	6.3E-07	7.E-04	2.E-03	0.003
	Mercury	7.3E-02	mg/kg	--	--	0.0E+00	9.3E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.3E-09	0.E+00	9.E-05	0.00009
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.4E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.4E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	7.2E+01	ug/kg	--	--	1.1E-08	9.2E-09	--	--	--	3.0E-04	3.0E-04	1.1E-08	9.2E-09	4.E-05	3.E-05	0.00007
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.0E+04	ug/kg	7.3E-01	7.3E-01	3.9E-06	2.5E-06	3.E-06	2.E-06	5.E-06	--	--	3.9E-06	2.5E-06	--	--	--
	Benzo(a)pyrene	8.7E+03	ug/kg	7.3E+00	7.3E+00	1.7E-06	1.1E-06	1.E-05	8.E-06	2.E-05	--	--	1.7E-06	1.1E-06	--	--	--
	Benzo(b)fluoranthene	7.5E+03	ug/kg	7.3E-01	7.3E-01	1.5E-06	9.6E-07	1.E-06	7.E-07	2.E-06	--	--	1.5E-06	9.6E-07	--	--	--
	Benzo(k)fluoranthene	6.9E+03	ug/kg	7.3E-02	7.3E-02	1.4E-06	8.8E-07	1.E-07	6.E-08	2.E-07	--	--	1.4E-06	8.8E-07	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dibenzo(a,h)anthracene	1.4E+03	ug/kg	7.3E+00	7.3E+00	2.8E-07	1.8E-07	2.E-06	1.E-06	3.E-06	--	--	2.8E-07	1.8E-07	--	--	--
	Indeno(1,2,3-cd)pyrene	6.1E+03	ug/kg	7.3E-01	7.3E-01	1.2E-06	7.7E-07	9.E-07	6.E-07	1.E-06	--	--	1.2E-06	7.7E-07	--	--	--
	Naphthalene	4.4E+02	ug/kg	--	--	8.6E-08	5.6E-08	--	--	--	2.0E-02	2.0E-02	8.6E-08	5.6E-08	4.E-06	3.E-06	0.00001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.2E+02	ug/kg	1.4E-02	1.4E-02	1.9E-08	1.6E-08	3.E-10	2.E-10	5.E-10	2.0E-02	2.0E-02	1.9E-08	1.6E-08	9.E-07	8.E-07	0.000002
	Phenols																
	Pentachlorophenol	3.2E+00	ug/kg	4.0E-01	4.0E-01	1.2E-09	4.1E-10	5.E-10	2.E-10	6.E-10	5.0E-03	5.0E-03	1.2E-09	4.1E-10	2.E-07	8.E-08	0.0000003
	Polychlorinated Biphenyls																
	Total Aroclors	4.4E+01	ug/kg	2.0E+00	2.0E+00	9.3E-09	5.6E-09	2.E-08	1.E-08	3.E-08	2.0E-05	2.0E-05	9.3E-09	5.6E-09	5.E-04	3.E-04	0.0007
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.8E-01	pg/g	1.3E+05	1.3E+05	1.3E-14	3.5E-14	2.E-09	5.E-09	6.E-09	1.0E-09	1.0E-09	1.3E-14	3.5E-14	1.E-05	4.E-05	0.00005
	Total PCB TEQ	3.4E-01	pg/g	1.3E+05	1.3E+05	7.1E-14	4.3E-14	9.E-09	6.E-09	1.E-08	1.0E-09	1.0E-09	7.1E-14	4.3E-14	7.E-05	4.E-05	0.0001
	Pesticides																
	Aldrin	1.5E-01	ug/kg	1.7E+01	1.7E+01	2.3E-11	1.9E-11	4.E-10	3.E-10	7.E-10	3.0E-05	3.0E-05	2.3E-11	1.9E-11	8.E-07	6.E-07	0.000001
	Dieldrin	8.4E-02	ug/kg	1.6E+01	1.6E+01	1.3E-11	1.1E-11	2.E-10	2.E-10	4.E-10	5.0E-05	5.0E-05	1.3E-11	1.1E-11	3.E-07	2.E-07	0.0000005
	Total DDT	8.7E+00	ug/kg	3.4E-01	3.4E-01	3.9E-10	1.1E-09	1.E-10	4.E-10	5.E-10	5.0E-04	5.0E-04	3.9E-10	1.1E-09	8.E-07	2.E-06	0.000003
Exposure Point Total										3.E-05							0.2
RM 5 West	**Metals**																
	Arsenic	3.8E+00	mg/kg	1.5E+00	1.5E+00	1.7E-07	4.8E-07	3.E-07	7.E-07	1.E-06	3.0E-04	3.0E-04	1.7E-07	4.8E-07	6.E-04	2.E-03	0.002
	Mercury	6.0E-02	mg/kg	--	--	0.0E+00	7.7E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.7E-09	0.E+00	8.E-05	0.00008
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.3E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.3E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	2.1E+01	ug/kg	--	--	3.2E-09	2.7E-09	--	--	--	3.0E-04	3.0E-04	3.2E-09	2.7E-09	1.E-05	9.E-06	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.4E+03	ug/kg	7.3E-01	7.3E-01	6.7E-07	4.4E-07	5.E-07	3.E-07	8.E-07	--	--	6.7E-07	4.4E-07	--	--	--
	Benzo(a)pyrene	4.5E+03	ug/kg	7.3E+00	7.3E+00	8.8E-07	5.7E-07	6.6E-06	4.E-06	1.E-05	--	--	8.8E-07	5.7E-07	--	--	--
	Benzo(b)fluoranthene	3.0E+03	ug/kg	7.3E-01	7.3E-01	5.9E-07	3.8E-07	4.E-07	3.E-07	7.E-07	--	--	5.9E-07	3.8E-07	--	--	--
	Benzo(k)fluoranthene	5.7E+02	ug/kg	7.3E-02	7.3E-02	1.1E-07	7.3E-08	8.E-09	5.E-09	1.E-08	--	--	1.1E-07	7.3E-08	--	--	--
	Dibenzo(a,h)anthracene	2.3E+02	ug/kg	7.3E+00	7.3E+00	4.5E-08	2.9E-08	3.E-07	2.E-07	5.E-07	--	--	4.5E-08	2.9E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.3E+03	ug/kg	7.3E-01	7.3E-01	6.4E-07	4.2E-07	5.E-07	3.E-07	8.E-07	--	--	6.4E-07	4.2E-07	--	--	--
	Naphthalene	4.2E+02	ug/kg	--	--	8.3E-08	5.4E-08	--	--	--	2.0E-02	2.0E-02	8.3E-08	5.4E-08	4.E-06	3.E-06	0.00001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.1E+01	ug/kg	1.4E-02	1.4E-02	1.4E-08	1.2E-08	2.E-10	2.E-10	4.E-10	2.0E-02	2.0E-02	1.4E-08	1.2E-08	7.E-07	6.E-07	0.000001
	Phenols																
	Pentachlorophenol	1.8E+01	ug/kg	4.0E-01	4.0E-01	6.9E-09	2.3E-09	3.E-09	9.E-10	4.E-09	5.0E-03	5.0E-03	6.9E-09	2.3E-09	1.E-06	5.E-07	0.000002
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+01	ug/kg	2.0E+00	2.0E+00	5.3E-09	3.2E-09	1.E-08	6.E-09	2.E-08	2.0E-05	2.0E-05	5.3E-09	3.2E-09	3.E-04	2.E-04	0.0004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.4E+00	pg/g	1.3E+05	1.3E+05	2.5E-13	6.9E-13	3.E-08	9.E-08	1.E-07	1.0E-09	1.0E-09	2.5E-13	6.9E-13	2.E-04	7.E-04	0.0009
	Total PCB TEQ	2.1E+00	pg/g	1.3E+05	1.3E+05	4.4E-13	2.7E-13	6.E-08	3.E-08	9.E-08	1.0E-09	1.0E-09	4.4E-13	2.7E-13	4.E-04	3.E-04	0.0007
	Pesticides																
	Aldrin	1.9E+00	ug/kg	1.7E+01	1.7E+01	2.9E-10	2.4E-10	5.E-09	4.E-09	9.E-09	3.0E-05	3.0E-05	2.9E-10	2.4E-10	1.E-05	8.E-06	0.00002
	Dieldrin	7.8E-01	ug/kg	1.6E+01	1.6E+01	1.2E-10	9.9E-11	2.E-09	2.E-09	3.E-09	5.0E-05	5.0E-05	1.2E-10	9.9E-11	2.E-06	2.E-06	0.000004
	Total DDT	8.2E+01	ug/kg	3.4E-01	3.4E-01	3.7E-09	1.0E-08	1.E-09	4.E-09	5.E-09	5.0E-04	5.0E-04	3.7E-09	1.0E-08	7.E-06	2.E-05	0.00003
Exposure Point Total										**1.E-05**							**0.2**
RM 5 East	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	1.7E-07	4.7E-07	2.E-07	7.E-07	9.E-07	3.0E-04	3.0E-04	1.7E-07	4.7E-07	6.E-04	2.E-03	0.002
	Mercury	8.6E-02	mg/kg	--	--	0.0E+00	1.1E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-08	0.E+00	1.E-04	0.0001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.4E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.4E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	1.2E+02	ug/kg	--	--	1.8E-08	1.5E-08	--	--	--	3.0E-04	3.0E-04	1.8E-08	1.5E-08	6.E-05	5.E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.3E+02	ug/kg	7.3E-01	7.3E-01	6.5E-08	4.2E-08	5.E-08	3.E-08	8.E-08	--	--	6.5E-08	4.2E-08	--	--	--
	Benzo(a)pyrene	4.7E+02	ug/kg	7.3E+00	7.3E+00	9.3E-08	6.0E-08	7.E-07	4.E-07	1.E-06	--	--	9.3E-08	6.0E-08	--	--	--
	Benzo(b)fluoranthene	6.7E+02	ug/kg	7.3E-01	7.3E-01	1.3E-07	8.5E-08	1.E-07	6.E-08	2.E-07	--	--	1.3E-07	8.5E-08	--	--	--
	Benzo(k)fluoranthene	3.0E+02	ug/kg	7.3E-02	7.3E-02	6.0E-08	3.9E-08	4.E-09	3.E-09	7.E-09	--	--	6.0E-08	3.9E-08	--	--	--
	Dibenzo(a,h)anthracene	9.1E+01	ug/kg	7.3E+00	7.3E+00	1.8E-08	1.2E-08	1.E-07	8.E-08	2.E-07	--	--	1.8E-08	1.2E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	4.8E+02	ug/kg	7.3E-01	7.3E-01	9.5E-08	6.1E-08	7.E-08	4.E-08	1.E-07	--	--	9.5E-08	6.1E-08	--	--	--
	Naphthalene	1.3E+02	ug/kg	--	--	2.6E-08	1.7E-08	--	--	--	2.0E-02	2.0E-02	2.6E-08	1.7E-08	1.E-06	9.E-07	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+02	ug/kg	1.4E-02	1.4E-02	2.0E-08	1.7E-08	3.E-10	2.E-10	5.E-10	2.0E-02	2.0E-02	2.0E-08	1.7E-08	1.E-06	8.E-07	0.000002
	Phenols																
	Pentachlorophenol	1.3E+01	ug/kg	4.0E-01	4.0E-01	5.1E-09	1.7E-09	2.E-09	7.E-10	3.E-09	5.0E-03	5.0E-03	5.1E-09	1.7E-09	1.E-06	3.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+01	ug/kg	2.0E+00	2.0E+00	5.4E-09	3.2E-09	1.E-08	6.E-09	2.E-08	2.0E-05	2.0E-05	5.4E-09	3.2E-09	3.E-04	2.E-04	0.0004
	Pesticides																
	Aldrin	8.0E-01	ug/kg	1.7E+01	1.7E+01	1.2E-10	1.0E-10	2.E-09	2.E-09	4.E-09	3.0E-05	3.0E-05	1.2E-10	1.0E-10	4.E-06	3.E-06	0.00001
	Dieldrin	7.9E-01	ug/kg	1.6E+01	1.6E+01	1.2E-10	1.0E-10	2.E-09	2.E-09	4.E-09	5.0E-05	5.0E-05	1.2E-10	1.0E-10	2.E-06	2.E-06	0.000004
	Total DDT	1.9E+00	ug/kg	3.4E-01	3.4E-01	8.5E-11	2.4E-10	3.E-11	8.E-11	1.E-10	5.0E-04	5.0E-04	8.5E-11	2.4E-10	2.E-07	5.E-07	0.000001
Exposure Point Total										**3.E-06**							**0.2**
RM 5.5 West	**Metals**																
	Arsenic	6.1E+00	mg/kg	1.5E+00	1.5E+00	2.8E-07	7.7E-07	4.E-07	1.E-06	2.E-06	3.0E-04	3.0E-04	2.8E-07	7.7E-07	9.E-04	3.E-03	0.003
	Mercury	8.0E-02	mg/kg	--	--	0.0E+00	1.0E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.0E-08	0.E+00	1.E-04	0.0001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.3E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.3E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	4.3E+01	ug/kg	--	--	6.6E-09	5.5E-09	--	--	--	3.0E-04	3.0E-04	6.6E-09	5.5E-09	2.E-05	2.E-05	0.00004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.0E+03	ug/kg	7.3E-01	7.3E-01	6.0E-07	3.9E-07	4.E-07	3.E-07	7.E-07	--	--	6.0E-07	3.9E-07	--	--	--
	Benzo(a)pyrene	4.3E+03	ug/kg	7.3E+00	7.3E+00	8.5E-07	5.5E-07	6.E-06	4.E-06	1.E-05	--	--	8.5E-07	5.5E-07	--	--	--
	Benzo(b)fluoranthene	3.1E+03	ug/kg	7.3E-01	7.3E-01	6.1E-07	3.9E-07	4.E-07	3.E-07	7.E-07	--	--	6.1E-07	3.9E-07	--	--	--
	Benzo(k)fluoranthene	2.0E+03	ug/kg	7.3E-02	7.3E-02	4.0E-07	2.6E-07	3.E-08	2.E-08	5.E-08	--	--	4.0E-07	2.6E-07	--	--	--
	Dibenzo(a,h)anthracene	3.5E+02	ug/kg	7.3E+00	7.3E+00	6.9E-08	4.5E-08	5.E-07	3.E-07	8.E-07	--	--	6.9E-08	4.5E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.5E+03	ug/kg	7.3E-01	7.3E-01	6.8E-07	4.4E-07	5.E-07	3.E-07	8.E-07	--	--	6.8E-07	4.4E-07	--	--	--
	Naphthalene	3.3E+02	ug/kg	--	--	6.5E-08	4.2E-08	--	--	--	2.0E-02	2.0E-02	6.5E-08	4.2E-08	3.E-06	2.E-06	0.00001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+01	ug/kg	1.4E-02	1.4E-02	2.7E-09	2.3E-09	4.E-11	3.E-11	7.E-11	2.0E-02	2.0E-02	2.7E-09	2.3E-09	1.E-07	1.E-07	0.0000003
	Phenols																
	Pentachlorophenol	1.8E+01	ug/kg	4.0E-01	4.0E-01	6.8E-09	2.3E-09	3.E-09	9.E-10	4.E-09	5.0E-03	5.0E-03	6.8E-09	2.3E-09	1.E-06	5.E-07	0.000002
	Polychlorinated Biphenyls																
	Total Aroclors	5.1E+01	ug/kg	2.0E+00	2.0E+00	1.1E-08	6.5E-09	2.E-08	1.E-08	3.E-08	2.0E-05	2.0E-05	1.1E-08	6.5E-09	5.E-04	3.E-04	0.0009
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.3E+00	pg/g	1.3E+05	1.3E+05	1.1E-13	3.0E-13	1.E-08	4.E-08	5.E-08	1.0E-09	1.0E-09	1.1E-13	3.0E-13	1.E-04	3.E-04	0.0004
	Total PCB TEQ	1.1E+00	pg/g	1.3E+05	1.3E+05	2.3E-13	1.4E-13	3.E-08	2.E-08	5.E-08	1.0E-09	1.0E-09	2.3E-13	1.4E-13	2.E-04	1.E-04	0.0004
	Pesticides																
	Aldrin	6.7E-01	ug/kg	1.7E+01	1.7E+01	1.0E-10	8.5E-11	2.E-09	1.E-09	3.E-09	3.0E-05	3.0E-05	1.0E-10	8.5E-11	3.E-06	3.E-06	0.00001
	Dieldrin	4.1E-01	ug/kg	1.6E+01	1.6E+01	6.2E-11	5.2E-11	1.E-09	8.E-10	2.E-09	5.0E-05	5.0E-05	6.2E-11	5.2E-11	1.E-06	1.E-06	0.000002
	Total DDT	6.2E+01	ug/kg	3.4E-01	3.4E-01	2.8E-09	7.8E-09	9.E-10	3.E-09	4.E-09	5.0E-04	5.0E-04	2.8E-09	7.8E-09	6.E-06	2.E-05	0.00002
Exposure Point Total										2.E-05							0.2
RM 5.5 East	**Metals**																
	Arsenic	8.9E+00	mg/kg	1.5E+00	1.5E+00	4.0E-07	1.1E-06	6.E-07	2.E-06	2.E-06	3.0E-04	3.0E-04	4.0E-07	1.1E-06	1.E-03	4.E-03	0.005
	Mercury	6.7E-01	mg/kg	--	--	0.0E+00	8.5E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.5E-08	0.E+00	8.E-04	0.0008
	Vanadium	9.1E+01	mg/kg	--	--	0.0E+00	1.2E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.2E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	3.2E+02	ug/kg	--	--	4.8E-08	4.1E-08	--	--	--	3.0E-04	3.0E-04	4.8E-08	4.1E-08	2.E-04	1.E-04	0.0003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.7E+02	ug/kg	7.3E-01	7.3E-01	1.1E-07	7.3E-08	8.E-08	5.E-08	1.E-07	--	--	1.1E-07	7.3E-08	--	--	--
	Benzo(a)pyrene	7.0E+02	ug/kg	7.3E+00	7.3E+00	1.4E-07	8.9E-08	1.E-06	6.E-07	2.E-06	--	--	1.4E-07	8.9E-08	--	--	--
	Benzo(b)fluoranthene	8.4E+02	ug/kg	7.3E-01	7.3E-01	1.6E-07	1.1E-07	1.E-07	8.E-08	2.E-07	--	--	1.6E-07	1.1E-07	--	--	--
	Benzo(k)fluoranthene	4.4E+02	ug/kg	7.3E-02	7.3E-02	8.7E-08	5.6E-08	6.E-09	4.E-09	1.E-08	--	--	8.7E-08	5.6E-08	--	--	--
	Dibenzo(a,h)anthracene	1.4E+02	ug/kg	7.3E+00	7.3E+00	2.7E-08	1.8E-08	2.E-07	1.E-07	3.E-07	--	--	2.7E-08	1.8E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	5.3E+02	ug/kg	7.3E-01	7.3E-01	1.0E-07	6.7E-08	8.E-08	5.E-08	1.E-07	--	--	1.0E-07	6.7E-08	--	--	--
	Naphthalene	3.5E+02	ug/kg	--	--	6.9E-08	4.5E-08	--	--	--	2.0E-02	2.0E-02	6.9E-08	4.5E-08	3.E-06	2.E-06	0.00001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.3E+02	ug/kg	1.4E-02	1.4E-02	5.0E-08	4.2E-08	7.E-10	6.E-10	1.E-09	2.0E-02	2.0E-02	5.0E-08	4.2E-08	2.E-06	2.E-06	0.000005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phenols																
	Pentachlorophenol	1.8E+01	ug/kg	4.0E-01	4.0E-01	6.6E-09	2.2E-09	3.E-09	9.E-10	4.E-09	5.0E-03	5.0E-03	6.6E-09	2.2E-09	1.E-06	4.E-07	0.000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+02	ug/kg	2.0E+00	2.0E+00	3.8E-08	2.3E-08	8.E-08	5.E-08	1.E-07	2.0E-05	2.0E-05	3.8E-08	2.3E-08	2.E-03	1.E-03	0.003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.9E+00	pg/g	1.3E+05	1.3E+05	4.0E-13	1.1E-12	5.E-08	1.E-07	2.E-07	1.0E-09	1.0E-09	4.0E-13	1.1E-12	4.E-04	1.E-03	0.002
	Total PCB TEQ	5.8E+00	pg/g	1.3E+05	1.3E+05	1.2E-12	7.4E-13	2.E-07	1.E-07	3.E-07	1.0E-09	1.0E-09	1.2E-12	7.4E-13	1.E-03	7.E-04	0.002
	Pesticides																
	Aldrin	4.0E-01	ug/kg	1.7E+01	1.7E+01	6.0E-11	5.1E-11	1.E-09	9.E-10	2.E-09	3.0E-05	3.0E-05	6.0E-11	5.1E-11	2.E-06	2.E-06	0.000004
	Dieldrin	6.0E-01	ug/kg	1.6E+01	1.6E+01	9.0E-11	7.6E-11	1.E-09	1.E-09	3.E-09	5.0E-05	5.0E-05	9.0E-11	7.6E-11	2.E-06	2.E-06	0.000003
	Total DDT	2.0E+01	ug/kg	3.4E-01	3.4E-01	8.9E-10	2.5E-09	3.E-10	9.E-10	1.E-09	5.0E-04	5.0E-04	8.9E-10	2.5E-09	2.E-06	5.E-06	0.00001
Exposure Point Total										**5.E-06**							**0.2**
RM 6 West	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	1.9E-07	5.2E-07	3.E-07	8.E-07	1.E-06	3.0E-04	3.0E-04	1.9E-07	5.2E-07	6.E-04	2.E-03	0.002
	Mercury	1.4E-01	mg/kg	--	--	0.0E+00	1.8E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.8E-08	0.E+00	2.E-04	0.0002
	Vanadium	1.3E+02	mg/kg	--	--	0.0E+00	1.6E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.6E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	2.0E+01	ug/kg	--	--	3.0E-09	2.5E-09	--	--	--	3.0E-04	3.0E-04	3.0E-09	2.5E-09	1.E-05	8.E-06	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.8E+04	ug/kg	7.3E-01	7.3E-01	9.4E-06	6.1E-06	7.E-06	4.E-06	1.E-05	--	--	9.4E-06	6.1E-06	--	--	--
	Benzo(a)pyrene	5.8E+04	ug/kg	7.3E+00	7.3E+00	1.1E-05	7.3E-06	8.E-05	5.E-05	1.E-04	--	--	1.1E-05	7.3E-06	--	--	--
	Benzo(b)fluoranthene	4.3E+04	ug/kg	7.3E-01	7.3E-01	8.4E-06	5.4E-06	6.E-06	4.E-06	1.E-05	--	--	8.4E-06	5.4E-06	--	--	--
	Benzo(k)fluoranthene	2.7E+04	ug/kg	7.3E-02	7.3E-02	5.3E-06	3.4E-06	4.E-07	3.E-07	6.E-07	--	--	5.3E-06	3.4E-06	--	--	--
	Dibenzo(a,h)anthracene	5.4E+03	ug/kg	7.3E+00	7.3E+00	1.1E-06	6.8E-07	8.E-06	5.E-06	1.E-05	--	--	1.1E-06	6.8E-07	--	--	--
	Indeno(1,2,3-cd)pyrene	4.0E+04	ug/kg	7.3E-01	7.3E-01	7.9E-06	5.1E-06	6.E-06	4.E-06	9.E-06	--	--	7.9E-06	5.1E-06	--	--	--
	Naphthalene	4.4E+04	ug/kg	--	--	8.7E-06	5.6E-06	--	--	--	2.0E-02	2.0E-02	8.7E-06	5.6E-06	4.E-04	3.E-04	0.0007
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.8E+02	ug/kg	1.4E-02	1.4E-02	5.7E-08	4.8E-08	8.E-10	7.E-10	1.E-09	2.0E-02	2.0E-02	5.7E-08	4.8E-08	3.E-06	2.E-06	0.00001
	Phenols																
	Pentachlorophenol	3.5E+01	ug/kg	4.0E-01	4.0E-01	1.3E-08	4.4E-09	5.E-09	2.E-09	7.E-09	5.0E-03	5.0E-03	1.3E-08	4.4E-09	3.E-06	9.E-07	0.000003
	Polychlorinated Biphenyls																
	Total Aroclors	6.1E+01	ug/kg	2.0E+00	2.0E+00	1.3E-08	7.8E-09	3.E-08	2.E-08	4.E-08	2.0E-05	2.0E-05	1.3E-08	7.8E-09	6.E-04	4.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	1.3E+05	1.3E+05	6.9E-14	1.9E-13	9.E-09	3.E-08	3.E-08	1.0E-09	1.0E-09	6.9E-14	1.9E-13	7.E-05	2.E-04	0.0003
	Total PCB TEQ	2.8E+00	pg/g	1.3E+05	1.3E+05	6.0E-13	3.6E-13	8.E-08	5.E-08	1.E-07	1.0E-09	1.0E-09	6.0E-13	3.6E-13	6.E-04	4.E-04	0.001
	Pesticides																
	Aldrin	2.3E+00	ug/kg	1.7E+01	1.7E+01	3.5E-10	3.0E-10	6.E-09	5.E-09	1.E-08	3.0E-05	3.0E-05	3.5E-10	3.0E-10	1.E-05	1.E-05	0.00002
	Dieldrin	1.8E+00	ug/kg	1.6E+01	1.6E+01	2.8E-10	2.3E-10	4.E-09	4.E-09	8.E-09	5.0E-05	5.0E-05	2.8E-10	2.3E-10	6.E-06	5.E-06	0.00001
	Total DDT	8.1E+01	ug/kg	3.4E-01	3.4E-01	3.7E-09	1.0E-08	1.E-09	4.E-09	5.E-09	5.0E-04	5.0E-04	3.7E-09	1.0E-08	7.E-06	2.E-05	0.00003
Exposure Point Total										**2.E-04**							**0.2**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 6 East	**Metals**																
	Arsenic	4.4E+00	mg/kg	1.5E+00	1.5E+00	2.0E-07	5.5E-07	3.E-07	8.E-07	1.E-06	3.0E-04	3.0E-04	2.0E-07	5.5E-07	7.E-04	2.E-03	0.003
	Mercury	4.0E-01	mg/kg	--	--	0.0E+00	5.1E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.1E-08	0.E+00	5.E-04	0.0005
	Vanadium	9.8E+01	mg/kg	--	--	0.0E+00	1.2E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.2E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	3.5E+02	ug/kg	--	--	5.3E-08	4.5E-08	--	--	--	3.0E-04	3.0E-04	5.3E-08	4.5E-08	2.E-04	1.E-04	0.0003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.3E+03	ug/kg	7.3E-01	7.3E-01	2.6E-07	1.7E-07	2.E-07	1.E-07	3.E-07	--	--	2.6E-07	1.7E-07	--	--	--
	Benzo(a)pyrene	1.9E+03	ug/kg	7.3E+00	7.3E+00	3.8E-07	2.5E-07	3.E-06	2.E-06	5.E-06	--	--	3.8E-07	2.5E-07	--	--	--
	Benzo(b)fluoranthene	3.3E+03	ug/kg	7.3E-01	7.3E-01	6.4E-07	4.1E-07	5.E-07	3.E-07	8.E-07	--	--	6.4E-07	4.1E-07	--	--	--
	Benzo(k)fluoranthene	2.5E+03	ug/kg	7.3E-02	7.3E-02	5.0E-07	3.2E-07	4.E-08	2.E-08	6.E-08	--	--	5.0E-07	3.2E-07	--	--	--
	Dibenzo(a,h)anthracene	2.7E+02	ug/kg	7.3E+00	7.3E+00	5.3E-08	3.4E-08	4.E-07	3.E-07	6.E-07	--	--	5.3E-08	3.4E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+03	ug/kg	7.3E-01	7.3E-01	2.2E-07	1.4E-07	2.E-07	1.E-07	3.E-07	--	--	2.2E-07	1.4E-07	--	--	--
	Naphthalene	8.4E+02	ug/kg	--	--	1.6E-07	1.1E-07	--	--	--	2.0E-02	2.0E-02	1.6E-07	1.1E-07	8.E-06	5.E-06	0.00001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.4E+02	ug/kg	1.4E-02	1.4E-02	2.1E-08	1.8E-08	3.E-10	2.E-10	5.E-10	2.0E-02	2.0E-02	2.1E-08	1.8E-08	1.E-06	9.E-07	0.000002
	Phenols																
	Pentachlorophenol	4.4E+01	ug/kg	4.0E-01	4.0E-01	1.7E-08	5.6E-09	7.E-09	2.E-09	9.E-09	5.0E-03	5.0E-03	1.7E-08	5.6E-09	3.E-06	1.E-06	0.000004
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+02	ug/kg	2.0E+00	2.0E+00	3.7E-08	2.2E-08	7.E-08	4.E-08	1.E-07	2.0E-05	2.0E-05	3.7E-08	2.2E-08	2.E-03	1.E-03	0.003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.1E+00	pg/g	1.3E+05	1.3E+05	1.9E-13	5.2E-13	2.E-08	7.E-08	9.E-08	1.0E-09	1.0E-09	1.9E-13	5.2E-13	2.E-04	5.E-04	0.0007
	Total PCB TEQ	3.4E+00	pg/g	1.3E+05	1.3E+05	7.2E-13	4.3E-13	9.E-08	6.E-08	1.E-07	1.0E-09	1.0E-09	7.2E-13	4.3E-13	7.E-04	4.E-04	0.001
	Pesticides																
	Aldrin	6.4E-01	ug/kg	1.7E+01	1.7E+01	9.6E-11	8.1E-11	2.E-09	1.E-09	3.E-09	3.0E-05	3.0E-05	9.6E-11	8.1E-11	3.E-06	3.E-06	0.00001
	Dieldrin	1.0E-01	ug/kg	1.6E+01	1.6E+01	1.5E-11	1.3E-11	2.E-10	2.E-10	4.E-10	5.0E-05	5.0E-05	1.5E-11	1.3E-11	3.E-07	3.E-07	0.000001
	Total DDT	4.2E+00	ug/kg	3.4E-01	3.4E-01	1.9E-10	5.4E-10	7.E-11	2.E-10	2.E-10	5.0E-04	5.0E-04	1.9E-10	5.4E-10	4.E-07	1.E-06	0.000001
Exposure Point Total										8.E-06							0.2
RM 6.5 West	**Metals**																
	Arsenic	1.4E+01	mg/kg	1.5E+00	1.5E+00	6.4E-07	1.8E-06	1.E-06	3.E-06	4.E-06	3.0E-04	3.0E-04	6.4E-07	1.8E-06	2.E-03	6.E-03	0.008
	Mercury	2.0E-01	mg/kg	--	--	0.0E+00	2.6E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.6E-08	0.E+00	3.E-04	0.0003
	Vanadium	1.4E+02	mg/kg	--	--	0.0E+00	1.8E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.8E-05	0.E+00	3.E-01	0.3
	Butyltins																
	Tributyltin ion	4.6E+01	ug/kg	--	--	7.0E-09	5.9E-09	--	--	--	3.0E-04	3.0E-04	7.0E-09	5.9E-09	2.E-05	2.E-05	0.00004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.0E+03	ug/kg	7.3E-01	7.3E-01	2.0E-07	1.3E-07	1.E-07	9.E-08	2.E-07	--	--	2.0E-07	1.3E-07	--	--	--
	Benzo(a)pyrene	1.2E+03	ug/kg	7.3E+00	7.3E+00	2.4E-07	1.6E-07	2.E-06	1.E-06	3.E-06	--	--	2.4E-07	1.6E-07	--	--	--
	Benzo(b)fluoranthene	1.4E+03	ug/kg	7.3E-01	7.3E-01	2.7E-07	1.8E-07	2.E-07	1.E-07	3.E-07	--	--	2.7E-07	1.8E-07	--	--	--
	Benzo(k)fluoranthene	6.6E+02	ug/kg	7.3E-02	7.3E-02	1.3E-07	8.4E-08	9.E-09	6.E-09	2.E-08	--	--	1.3E-07	8.4E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future

Receptor Population: Tribal Fisher

Population Age: Adult

Medium: Sediment

Exposure Medium: In-water Sediment

Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dibenzo(a,h)anthracene	4.2E+02	ug/kg	7.3E+00	7.3E+00	8.3E-08	5.4E-08	6.E-07	4.E-07	1.E-06	--	--	8.3E-08	5.4E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	8.3E+02	ug/kg	7.3E-01	7.3E-01	1.6E-07	1.1E-07	1.E-07	8.E-08	2.E-07	--	--	1.6E-07	1.1E-07	--	--	--
	Naphthalene	1.4E+02	ug/kg	--	--	2.7E-08	1.8E-08	--	--	--	2.0E-02	2.0E-02	2.7E-08	1.8E-08	1.E-06	9.E-07	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.1E+02	ug/kg	1.4E-02	1.4E-02	1.6E-08	1.3E-08	2.E-10	2.E-10	4.E-10	2.0E-02	2.0E-02	1.6E-08	1.3E-08	8.E-07	7.E-07	0.000001
	Phenols																
	Pentachlorophenol	2.4E+00	ug/kg	4.0E-01	4.0E-01	9.1E-10	3.1E-10	4.E-10	1.E-10	5.E-10	5.0E-03	5.0E-03	9.1E-10	3.1E-10	2.E-07	6.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	9.1E+01	ug/kg	2.0E+00	2.0E+00	1.9E-08	1.2E-08	4.E-08	2.E-08	6.E-08	2.0E-05	2.0E-05	1.9E-08	1.2E-08	1.E-03	6.E-04	0.002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.1E+02	pg/g	1.3E+05	1.3E+05	5.1E-12	1.4E-11	7.E-07	2.E-06	3.E-06	1.0E-09	1.0E-09	5.1E-12	1.4E-11	5.E-03	1.E-02	0.02
	Total PCB TEQ	3.0E+00	pg/g	1.3E+05	1.3E+05	6.3E-13	3.8E-13	8.E-08	5.E-08	1.E-07	1.0E-09	1.0E-09	6.3E-13	3.8E-13	6.E-04	4.E-04	0.001
	Pesticides																
	Aldrin	2.5E+00	ug/kg	1.7E+01	1.7E+01	3.8E-10	3.2E-10	6.E-09	5.E-09	1.E-08	3.0E-05	3.0E-05	3.8E-10	3.2E-10	1.E-05	1.E-05	0.00002
	Dieldrin	5.9E-01	ug/kg	1.6E+01	1.6E+01	8.9E-11	7.5E-11	1.E-09	1.E-09	3.E-09	5.0E-05	5.0E-05	8.9E-11	7.5E-11	2.E-06	2.E-06	0.000003
	Total DDT	1.7E+02	ug/kg	3.4E-01	3.4E-01	7.6E-09	2.1E-08	3.E-09	7.E-09	1.E-08	5.0E-04	5.0E-04	7.6E-09	2.1E-08	2.E-05	4.E-05	0.00006
Exposure Point Total										1.E-05							0.3
RM 6.5 East	**Metals**																
	Arsenic	5.8E+00	mg/kg	1.5E+00	1.5E+00	2.6E-07	7.4E-07	4.E-07	1.E-06	2.E-06	3.0E-04	3.0E-04	2.6E-07	7.4E-07	9.E-04	2.E-03	0.003
	Mercury	1.4E+01	mg/kg	--	--	0.0E+00	1.8E-06	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.8E-06	0.E+00	2.E-02	0.02
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.4E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.4E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	1.1E+02	ug/kg	--	--	1.6E-08	1.3E-08	--	--	--	3.0E-04	3.0E-04	1.6E-08	1.3E-08	5.E-05	4.E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.3E+02	ug/kg	7.3E-01	7.3E-01	4.6E-08	3.0E-08	3.E-08	2.E-08	6.E-08	--	--	4.6E-08	3.0E-08	--	--	--
	Benzo(a)pyrene	1.5E+02	ug/kg	7.3E+00	7.3E+00	2.9E-08	1.9E-08	2.E-07	1.E-07	3.E-07	--	--	2.9E-08	1.9E-08	--	--	--
	Benzo(b)fluoranthene	2.3E+02	ug/kg	7.3E-01	7.3E-01	4.6E-08	3.0E-08	3.E-08	2.E-08	6.E-08	--	--	4.6E-08	3.0E-08	--	--	--
	Benzo(k)fluoranthene	1.5E+02	ug/kg	7.3E-02	7.3E-02	2.9E-08	1.9E-08	2.E-09	1.E-09	3.E-09	--	--	2.9E-08	1.9E-08	--	--	--
	Dibenzo(a,h)anthracene	1.9E+01	ug/kg	7.3E+00	7.3E+00	3.7E-09	2.4E-09	3.E-08	2.E-08	4.E-08	--	--	3.7E-09	2.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.0E+02	ug/kg	7.3E-01	7.3E-01	2.0E-08	1.3E-08	1.E-08	1.E-08	2.E-08	--	--	2.0E-08	1.3E-08	--	--	--
	Naphthalene	1.2E+02	ug/kg	--	--	2.4E-08	1.6E-08	--	--	--	2.0E-02	2.0E-02	2.4E-08	1.6E-08	1.E-06	8.E-07	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.2E+02	ug/kg	1.4E-02	1.4E-02	1.9E-08	1.6E-08	3.E-10	2.E-10	5.E-10	2.0E-02	2.0E-02	1.9E-08	1.6E-08	9.E-07	8.E-07	0.000002
	Phenols																
	Pentachlorophenol	4.9E+00	ug/kg	4.0E-01	4.0E-01	1.9E-09	6.3E-10	7.E-10	3.E-10	1.E-09	5.0E-03	5.0E-03	1.9E-09	6.3E-10	4.E-07	1.E-07	0.0000005
	Polychlorinated Biphenyls																
	Total Aroclors	1.3E+03	ug/kg	2.0E+00	2.0E+00	2.8E-07	1.7E-07	6.E-07	3.E-07	9.E-07	2.0E-05	2.0E-05	2.8E-07	1.7E-07	1.E-02	8.E-03	0.02
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.9E+01	pg/g	1.3E+05	1.3E+05	4.0E-12	1.1E-11	5.E-07	1.E-06	2.E-06	1.0E-09	1.0E-09	4.0E-12	1.1E-11	4.E-03	1.E-02	0.02
	Total PCB TEQ	1.3E+01	pg/g	1.3E+05	1.3E+05	2.8E-12	1.7E-12	4.E-07	2.E-07	6.E-07	1.0E-09	1.0E-09	2.8E-12	1.7E-12	3.E-03	2.E-03	0.005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	2.9E-01	ug/kg	1.7E+01	1.7E+01	4.4E-11	3.7E-11	7.E-10	6.E-10	1.E-09	3.0E-05	3.0E-05	4.4E-11	3.7E-11	1.E-06	1.E-06	0.000003
	Dieldrin	2.0E-01	ug/kg	1.6E+01	1.6E+01	3.0E-11	2.5E-11	5.E-10	4.E-10	9.E-10	5.0E-05	5.0E-05	3.0E-11	2.5E-11	6.E-07	5.E-07	0.000001
	Total DDT	1.3E+02	ug/kg	3.4E-01	3.4E-01	5.8E-09	1.6E-08	2.E-09	6.E-09	8.E-09	5.0E-04	5.0E-04	5.8E-09	1.6E-08	1.E-05	3.E-05	0.00004
Exposure Point Total										6.E-06							0.3
RM 7 West	**Metals**																
	Arsenic	5.3E+00	mg/kg	1.5E+00	1.5E+00	2.4E-07	6.7E-07	4.E-07	1.E-06	1.E-06	3.0E-04	3.0E-04	2.4E-07	6.7E-07	8.E-04	2.E-03	0.003
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	1.4E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-08	0.E+00	1.E-04	0.0001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.3E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.3E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	6.4E+00	ug/kg	--	--	9.7E-10	8.1E-10	--	--	--	3.0E-04	3.0E-04	9.7E-10	8.1E-10	3.E-06	3.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.2E+03	ug/kg	7.3E-01	7.3E-01	4.4E-07	2.8E-07	3.E-07	2.E-07	5.E-07	--	--	4.4E-07	2.8E-07	--	--	--
	Benzo(a)pyrene	1.7E+03	ug/kg	7.3E+00	7.3E+00	3.3E-07	2.2E-07	2.E-06	2.E-06	4.E-06	--	--	3.3E-07	2.2E-07	--	--	--
	Benzo(b)fluoranthene	4.5E+03	ug/kg	7.3E-01	7.3E-01	8.8E-07	5.7E-07	6.E-07	4.E-07	1.E-06	--	--	8.8E-07	5.7E-07	--	--	--
	Benzo(k)fluoranthene	1.4E+03	ug/kg	7.3E-02	7.3E-02	2.8E-07	1.8E-07	2.E-08	1.E-08	3.E-08	--	--	2.8E-07	1.8E-07	--	--	--
	Dibenzo(a,h)anthracene	7.1E+02	ug/kg	7.3E+00	7.3E+00	1.4E-07	9.0E-08	1.E-06	7.E-07	2.E-06	--	--	1.4E-07	9.0E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+03	ug/kg	7.3E-01	7.3E-01	2.7E-07	1.8E-07	2.E-07	1.E-07	3.E-07	--	--	2.7E-07	1.8E-07	--	--	--
	Naphthalene	1.1E+01	ug/kg	--	--	2.2E-09	1.4E-09	--	--	--	2.0E-02	2.0E-02	2.2E-09	1.4E-09	1.E-07	7.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.7E+02	ug/kg	1.4E-02	1.4E-02	4.1E-08	3.5E-08	6.E-10	5.E-10	1.E-09	2.0E-02	2.0E-02	4.1E-08	3.5E-08	2.E-06	2.E-06	0.000004
	Phenols																
	Pentachlorophenol	4.4E+01	ug/kg	4.0E-01	4.0E-01	1.7E-08	5.6E-09	7.E-09	2.E-09	9.E-09	5.0E-03	5.0E-03	1.7E-08	5.6E-09	3.E-06	1.E-06	0.000004
	Polychlorinated Biphenyls																
	Total Aroclors	9.3E+01	ug/kg	2.0E+00	2.0E+00	2.0E-08	1.2E-08	4.E-08	2.E-08	6.E-08	2.0E-05	2.0E-05	2.0E-08	1.2E-08	1.E-03	6.E-04	0.002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.4E+04	pg/g	1.3E+05	1.3E+05	6.4E-10	1.8E-09	8.E-05	2.E-04	3.E-04	1.0E-09	1.0E-09	6.4E-10	1.8E-09	6.E-01	2.E+00	2
	Total PCB TEQ	2.7E+01	pg/g	1.3E+05	1.3E+05	5.6E-12	3.4E-12	7.E-07	4.E-07	1.E-06	1.0E-09	1.0E-09	5.6E-12	3.4E-12	6.E-03	3.E-03	0.009
	Pesticides																
	Aldrin	1.9E+02	ug/kg	1.7E+01	1.7E+01	2.9E-08	2.4E-08	5.E-07	4.E-07	9.E-07	3.0E-05	3.0E-05	2.9E-08	2.4E-08	1.E-03	8.E-04	0.002
	Dieldrin	2.0E+00	ug/kg	1.6E+01	1.6E+01	3.1E-10	2.6E-10	5.E-09	4.E-09	9.E-09	5.0E-05	5.0E-05	3.1E-10	2.6E-10	6.E-06	5.E-06	0.00001
	Total DDT	6.3E+03	ug/kg	3.4E-01	3.4E-01	2.9E-07	8.0E-07	1.E-07	3.E-07	4.E-07	5.0E-04	5.0E-04	2.9E-07	8.0E-07	6.E-04	2.E-03	0.002
	Conventionals																
	Perchlorate	2.7E+05	ug/kg	--	--	0.0E+00	3.5E-05	--	--	--	7.0E-04	7.0E-04	0.0E+00	3.5E-05	0.E+00	5.E-02	0.05
Exposure Point Total										3.E-04							3
RM 7 East	**Metals**																
	Arsenic	1.5E+01	mg/kg	1.5E+00	1.5E+00	6.7E-07	1.9E-06	1.E-06	3.E-06	4.E-06	3.0E-04	3.0E-04	6.7E-07	1.9E-06	2.E-03	6.E-03	0.008
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	8.6E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.6E-09	0.E+00	9.E-05	0.00009
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.4E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.4E-05	0.E+00	2.E-01	0.2

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	1.0E+03	ug/kg	--	--	1.6E-07	1.3E-07	--	--	--	3.0E-04	3.0E-04	1.6E-07	1.3E-07	5.E-04	4.E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.2E+02	ug/kg	7.3E-01	7.3E-01	8.2E-08	5.3E-08	6.E-08	4.E-08	1.E-07	--	--	8.2E-08	5.3E-08	--	--	--
	Benzo(a)pyrene	5.8E+02	ug/kg	7.3E+00	7.3E+00	1.1E-07	7.4E-08	8.E-07	5.E-07	1.E-06	--	--	1.1E-07	7.4E-08	--	--	--
	Benzo(b)fluoranthene	6.7E+02	ug/kg	7.3E-01	7.3E-01	1.3E-07	8.5E-08	1.E-07	6.E-08	2.E-07	--	--	1.3E-07	8.5E-08	--	--	--
	Benzo(k)fluoranthene	6.5E+02	ug/kg	7.3E-02	7.3E-02	1.3E-07	8.2E-08	9.E-09	6.E-09	2.E-08	--	--	1.3E-07	8.2E-08	--	--	--
	Dibenzo(a,h)anthracene	1.9E+02	ug/kg	7.3E+00	7.3E+00	3.7E-08	2.4E-08	3.E-07	2.E-07	4.E-07	--	--	3.7E-08	2.4E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.9E+02	ug/kg	7.3E-01	7.3E-01	7.7E-08	5.0E-08	6.E-08	4.E-08	9.E-08	--	--	7.7E-08	5.0E-08	--	--	--
	Naphthalene	4.5E+01	ug/kg	--	--	8.9E-09	5.7E-09	--	--	--	2.0E-02	2.0E-02	8.9E-09	5.7E-09	4.E-07	3.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+03	ug/kg	1.4E-02	1.4E-02	2.0E-07	1.7E-07	3.E-09	2.E-09	5.E-09	2.0E-02	2.0E-02	2.0E-07	1.7E-07	1.E-05	8.E-06	0.00002
	Phenols																
	Pentachlorophenol	1.2E+02	ug/kg	4.0E-01	4.0E-01	4.5E-08	1.5E-08	2.E-08	6.E-09	2.E-08	5.0E-03	5.0E-03	4.5E-08	1.5E-08	9.E-06	3.E-06	0.00001
	Polychlorinated Biphenyls																
	Total Aroclors	7.0E+01	ug/kg	2.0E+00	2.0E+00	1.5E-08	8.9E-09	3.E-08	2.E-08	5.E-08	2.0E-05	2.0E-05	1.5E-08	8.9E-09	7.E-04	4.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.0E+01	pg/g	1.3E+05	1.3E+05	1.8E-12	5.1E-12	2.E-07	7.E-07	9.E-07	1.0E-09	1.0E-09	1.8E-12	5.1E-12	2.E-03	5.E-03	0.007
	Total PCB TEQ	7.4E-01	pg/g	1.3E+05	1.3E+05	1.6E-13	9.4E-14	2.E-08	1.E-08	3.E-08	1.0E-09	1.0E-09	1.6E-13	9.4E-14	2.E-04	9.E-05	0.0003
	Pesticides																
	Aldrin	4.6E-01	ug/kg	1.7E+01	1.7E+01	7.0E-11	5.9E-11	1.E-09	1.E-09	2.E-09	3.0E-05	3.0E-05	7.0E-11	5.9E-11	2.E-06	2.E-06	0.000004
	Dieldrin	1.2E-01	ug/kg	1.6E+01	1.6E+01	1.7E-11	1.5E-11	3.E-10	2.E-10	5.E-10	5.0E-05	5.0E-05	1.7E-11	1.5E-11	3.E-07	3.E-07	0.000001
	Total DDT	1.3E+01	ug/kg	3.4E-01	3.4E-01	5.8E-10	1.6E-09	2.E-10	6.E-10	8.E-10	5.0E-04	5.0E-04	5.8E-10	1.6E-09	1.E-06	3.E-06	0.000004
Exposure Point Total										**7.E-06**							**0.2**
RM 7.5 West	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	1.7E-07	4.7E-07	2.E-07	7.E-07	1.E-06	3.0E-04	3.0E-04	1.7E-07	4.7E-07	6.E-04	2.E-03	0.002
	Mercury	1.3E-01	mg/kg	--	--	0.0E+00	1.7E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.7E-08	0.E+00	2.E-04	0.0002
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.3E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.3E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	9.7E+00	ug/kg	--	--	1.5E-09	1.2E-09	--	--	--	3.0E-04	3.0E-04	1.5E-09	1.2E-09	5.E-06	4.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.3E+02	ug/kg	7.3E-01	7.3E-01	8.5E-08	5.5E-08	6.E-08	4.E-08	1.E-07	--	--	8.5E-08	5.5E-08	--	--	--
	Benzo(a)pyrene	3.4E+02	ug/kg	7.3E+00	7.3E+00	6.7E-08	4.4E-08	5.E-07	3.E-07	8.E-07	--	--	6.7E-08	4.4E-08	--	--	--
	Benzo(b)fluoranthene	4.6E+02	ug/kg	7.3E-01	7.3E-01	9.1E-08	5.9E-08	7.E-08	4.E-08	1.E-07	--	--	9.1E-08	5.9E-08	--	--	--
	Benzo(k)fluoranthene	1.3E+02	ug/kg	7.3E-02	7.3E-02	2.5E-08	1.6E-08	2.E-09	1.E-09	3.E-09	--	--	2.5E-08	1.6E-08	--	--	--
	Dibenzo(a,h)anthracene	5.0E+01	ug/kg	7.3E+00	7.3E+00	9.8E-09	6.3E-09	7.E-08	5.E-08	1.E-07	--	--	9.8E-09	6.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.9E+02	ug/kg	7.3E-01	7.3E-01	3.7E-08	2.4E-08	3.E-08	2.E-08	4.E-08	--	--	3.7E-08	2.4E-08	--	--	--
	Naphthalene	3.3E+01	ug/kg	--	--	6.5E-09	4.2E-09	--	--	--	2.0E-02	2.0E-02	6.5E-09	4.2E-09	3.E-07	2.E-07	0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+02	ug/kg	1.4E-02	1.4E-02	2.8E-08	2.3E-08	4.E-10	3.E-10	7.E-10	2.0E-02	2.0E-02	2.8E-08	2.3E-08	1.E-06	1.E-06	0.000003
	Phenols																
	Pentachlorophenol	2.1E+00	ug/kg	4.0E-01	4.0E-01	7.8E-10	2.6E-10	3.E-10	1.E-10	4.E-10	5.0E-03	5.0E-03	7.8E-10	2.6E-10	2.E-07	5.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+02	ug/kg	2.0E+00	2.0E+00	5.3E-08	3.2E-08	1.E-07	6.E-08	2.E-07	2.0E-05	2.0E-05	5.3E-08	3.2E-08	3.E-03	2.E-03	0.004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.6E+00	pg/g	1.3E+05	1.3E+05	1.2E-13	3.3E-13	2.E-08	4.E-08	6.E-08	1.0E-09	1.0E-09	1.2E-13	3.3E-13	1.E-04	3.E-04	0.0005
	Total PCB TEQ	9.2E-01	pg/g	1.3E+05	1.3E+05	2.0E-13	1.2E-13	3.E-08	2.E-08	4.E-08	1.0E-09	1.0E-09	2.0E-13	1.2E-13	2.E-04	1.E-04	0.0003
	Pesticides																
	Aldrin	2.9E-01	ug/kg	1.7E+01	1.7E+01	4.3E-11	3.6E-11	7.E-10	6.E-10	1.E-09	3.0E-05	3.0E-05	4.3E-11	3.6E-11	1.E-06	1.E-06	0.000003
	Dieldrin	7.7E-01	ug/kg	1.6E+01	1.6E+01	1.2E-10	9.8E-11	2.E-09	2.E-09	3.E-09	5.0E-05	5.0E-05	1.2E-10	9.8E-11	2.E-06	2.E-06	0.000004
	Total DDT	1.3E+02	ug/kg	3.4E-01	3.4E-01	5.8E-09	1.6E-08	2.E-09	6.E-09	8.E-09	5.0E-04	5.0E-04	5.8E-09	1.6E-08	1.E-05	3.E-05	0.00004
Exposure Point Total										2.E-06							0.2
RM 7.5 East	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	1.9E-07	5.3E-07	3.E-07	8.E-07	1.E-06	3.0E-04	3.0E-04	1.9E-07	5.3E-07	6.E-04	2.E-03	0.002
	Mercury	1.0E-01	mg/kg	--	--	0.0E+00	1.3E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-08	0.E+00	1.E-04	0.0001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.4E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.4E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	2.3E+02	ug/kg	--	--	3.4E-08	2.9E-08	--	--	--	3.0E-04	3.0E-04	3.4E-08	2.9E-08	1.E-04	1.E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.0E+01	ug/kg	7.3E-01	7.3E-01	7.8E-09	5.0E-09	6.E-09	4.E-09	9.E-09	--	--	7.8E-09	5.0E-09	--	--	--
	Benzo(a)pyrene	3.5E+01	ug/kg	7.3E+00	7.3E+00	6.9E-09	4.5E-09	5.E-08	3.E-08	8.E-08	--	--	6.9E-09	4.5E-09	--	--	--
	Benzo(b)fluoranthene	4.4E+01	ug/kg	7.3E-01	7.3E-01	8.7E-09	5.6E-09	6.E-09	4.E-09	1.E-08	--	--	8.7E-09	5.6E-09	--	--	--
	Benzo(k)fluoranthene	3.1E+01	ug/kg	7.3E-02	7.3E-02	6.1E-09	3.9E-09	4.E-10	3.E-10	7.E-10	--	--	6.1E-09	3.9E-09	--	--	--
	Dibenzo(a,h)anthracene	1.1E+01	ug/kg	7.3E+00	7.3E+00	2.1E-09	1.4E-09	2.E-08	1.E-08	3.E-08	--	--	2.1E-09	1.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.4E+01	ug/kg	7.3E-01	7.3E-01	4.7E-09	3.0E-09	3.E-09	2.E-09	6.E-09	--	--	4.7E-09	3.0E-09	--	--	--
	Naphthalene	1.1E+01	ug/kg	--	--	2.2E-09	1.4E-09	--	--	--	2.0E-02	2.0E-02	2.2E-09	1.4E-09	1.E-07	7.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.7E+03	ug/kg	1.4E-02	1.4E-02	5.5E-07	4.6E-07	8.E-09	7.E-09	1.E-08	2.0E-02	2.0E-02	5.5E-07	4.6E-07	3.E-05	2.E-05	0.00005
	Polychlorinated Biphenyls																
	Total Aroclors	4.5E+01	ug/kg	2.0E+00	2.0E+00	9.5E-09	5.7E-09	2.E-08	1.E-08	3.E-08	2.0E-05	2.0E-05	9.5E-09	5.7E-09	5.E-04	3.E-04	0.0008
	Pesticides																
	Dieldrin	3.4E-01	ug/kg	1.6E+01	1.6E+01	5.1E-11	4.3E-11	8.E-10	7.E-10	2.E-09	5.0E-05	5.0E-05	5.1E-11	4.3E-11	1.E-06	9.E-07	0.000002
	Total DDT	3.3E+00	ug/kg	3.4E-01	3.4E-01	1.5E-10	4.2E-10	5.E-11	1.E-10	2.E-10	5.0E-04	5.0E-04	1.5E-10	4.2E-10	3.E-07	8.E-07	0.000001
Exposure Point Total										1.E-06							0.2
RM 8 West	**Metals**																
	Arsenic	8.0E+00	mg/kg	1.5E+00	1.5E+00	3.6E-07	1.0E-06	5.E-07	2.E-06	2.E-06	3.0E-04	3.0E-04	3.6E-07	1.0E-06	1.E-03	3.E-03	0.005
	Mercury	3.3E-01	mg/kg	--	--	0.0E+00	4.1E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.1E-08	0.E+00	4.E-04	0.0004
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.3E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.3E-05	0.E+00	2.E-01	0.2

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	2.5E+01	ug/kg	--	--	3.7E-09	3.1E-09	--	--	--	3.0E-04	3.0E-04	3.7E-09	3.1E-09	1.E-05	1.E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.5E+02	ug/kg	7.3E-01	7.3E-01	1.1E-07	7.0E-08	8.E-08	5.E-08	1.E-07	--	--	1.1E-07	7.0E-08	--	--	--
	Benzo(a)pyrene	4.9E+02	ug/kg	7.3E+00	7.3E+00	9.6E-08	6.2E-08	7.E-07	5.E-07	1.E-06	--	--	9.6E-08	6.2E-08	--	--	--
	Benzo(b)fluoranthene	6.9E+02	ug/kg	7.3E-01	7.3E-01	1.4E-07	8.7E-08	1.E-07	6.E-08	2.E-07	--	--	1.4E-07	8.7E-08	--	--	--
	Benzo(k)fluoranthene	1.2E+02	ug/kg	7.3E-02	7.3E-02	2.4E-08	1.6E-08	2.E-09	1.E-09	3.E-09	--	--	2.4E-08	1.6E-08	--	--	--
	Dibenzo(a,h)anthracene	1.4E+02	ug/kg	7.3E+00	7.3E+00	2.7E-08	1.8E-08	2.E-07	1.E-07	3.E-07	--	--	2.7E-08	1.8E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.2E+02	ug/kg	7.3E-01	7.3E-01	6.2E-08	4.0E-08	5.E-08	3.E-08	7.E-08	--	--	6.2E-08	4.0E-08	--	--	--
	Naphthalene	8.1E+01	ug/kg	--	--	1.6E-08	1.0E-08	--	--	--	2.0E-02	2.0E-02	1.6E-08	1.0E-08	8.E-07	5.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.0E+03	ug/kg	1.4E-02	1.4E-02	4.5E-07	3.8E-07	6.E-09	5.E-09	1.E-08	2.0E-02	2.0E-02	4.5E-07	3.8E-07	2.E-05	2.E-05	0.00004
	Phenols																
	Pentachlorophenol	1.5E+01	ug/kg	4.0E-01	4.0E-01	5.7E-09	1.9E-09	2.E-09	8.E-10	3.E-09	5.0E-03	5.0E-03	5.7E-09	1.9E-09	1.E-06	4.E-07	0.000002
	Polychlorinated Biphenyls																
	Total Aroclors	4.0E+02	ug/kg	2.0E+00	2.0E+00	8.5E-08	5.1E-08	2.E-07	1.E-07	3.E-07	2.0E-05	2.0E-05	8.5E-08	5.1E-08	4.E-03	3.E-03	0.007
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.3E-01	pg/g	1.3E+05	1.3E+05	1.9E-14	5.4E-14	3.E-09	7.E-09	1.E-08	1.0E-09	1.0E-09	1.9E-14	5.4E-14	2.E-05	5.E-05	0.00007
	Total PCB TEQ	6.1E+00	pg/g	1.3E+05	1.3E+05	1.3E-12	7.7E-13	2.E-07	1.E-07	3.E-07	1.0E-09	1.0E-09	1.3E-12	7.7E-13	1.E-03	8.E-04	0.002
	Pesticides																
	Aldrin	1.2E-01	ug/kg	1.7E+01	1.7E+01	1.7E-11	1.5E-11	3.E-10	2.E-10	5.E-10	3.0E-05	3.0E-05	1.7E-11	1.5E-11	6.E-07	5.E-07	0.000001
	Dieldrin	4.6E+00	ug/kg	1.6E+01	1.6E+01	6.9E-10	5.8E-10	1.E-08	9.E-09	2.E-08	5.0E-05	5.0E-05	6.9E-10	5.8E-10	1.E-05	1.E-05	0.00003
	Total DDT	2.1E+01	ug/kg	3.4E-01	3.4E-01	9.6E-10	2.7E-09	3.E-10	9.E-10	1.E-09	5.0E-04	5.0E-04	9.6E-10	2.7E-09	2.E-06	5.E-06	0.00001
Exposure Point Total										5.E-06							0.2
RM 8 East	**Metals**																
	Arsenic	9.1E+00	mg/kg	1.5E+00	1.5E+00	4.1E-07	1.2E-06	6.E-07	2.E-06	2.E-06	3.0E-04	3.0E-04	4.1E-07	1.2E-06	1.E-03	4.E-03	0.005
	Mercury	2.2E-01	mg/kg	--	--	0.0E+00	2.8E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.8E-08	0.E+00	3.E-04	0.0003
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.4E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.4E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	5.8E+03	ug/kg	--	--	8.8E-07	7.4E-07	--	--	--	3.0E-04	3.0E-04	8.8E-07	7.4E-07	3.E-03	2.E-03	0.005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.0E+02	ug/kg	7.3E-01	7.3E-01	9.7E-08	6.3E-08	7.E-08	5.E-08	1.E-07	--	--	9.7E-08	6.3E-08	--	--	--
	Benzo(a)pyrene	5.3E+02	ug/kg	7.3E+00	7.3E+00	1.0E-07	6.7E-08	8.E-07	5.E-07	1.E-06	--	--	1.0E-07	6.7E-08	--	--	--
	Benzo(b)fluoranthene	5.5E+02	ug/kg	7.3E-01	7.3E-01	1.1E-07	7.0E-08	8.E-08	5.E-08	1.E-07	--	--	1.1E-07	7.0E-08	--	--	--
	Benzo(k)fluoranthene	3.7E+02	ug/kg	7.3E-02	7.3E-02	7.2E-08	4.7E-08	5.E-09	3.E-09	9.E-09	--	--	7.2E-08	4.7E-08	--	--	--
	Dibenzo(a,h)anthracene	4.0E+01	ug/kg	7.3E+00	7.3E+00	7.9E-09	5.1E-09	6.E-08	4.E-08	1.E-07	--	--	7.9E-09	5.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.7E+02	ug/kg	7.3E-01	7.3E-01	7.2E-08	4.7E-08	5.E-08	3.E-08	9.E-08	--	--	7.2E-08	4.7E-08	--	--	--
	Naphthalene	2.2E+01	ug/kg	--	--	4.3E-09	2.8E-09	--	--	--	2.0E-02	2.0E-02	4.3E-09	2.8E-09	2.E-07	1.E-07	0.0000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+03	ug/kg	1.4E-02	1.4E-02	2.0E-07	1.7E-07	3.E-09	2.E-09	5.E-09	2.0E-02	2.0E-02	2.0E-07	1.7E-07	1.E-05	8.E-06	0.00002
	Phenols																
	Pentachlorophenol	2.7E+01	ug/kg	4.0E-01	4.0E-01	1.0E-08	3.4E-09	4.E-09	1.E-09	5.E-09	5.0E-03	5.0E-03	1.0E-08	3.4E-09	2.E-06	7.E-07	0.000003
	Polychlorinated Biphenyls																
	Total Aroclors	5.8E+02	ug/kg	2.0E+00	2.0E+00	1.2E-07	7.4E-08	2.E-07	1.E-07	4.E-07	2.0E-05	2.0E-05	1.2E-07	7.4E-08	6.E-03	4.E-03	0.01
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.1E+00	pg/g	1.3E+05	1.3E+05	9.4E-14	2.6E-13	1.E-08	3.E-08	5.E-08	1.0E-09	1.0E-09	9.4E-14	2.6E-13	9.E-05	3.E-04	0.0004
	Total PCB TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	3.7E-12	2.2E-12	5.E-07	3.E-07	8.E-07	1.0E-09	1.0E-09	3.7E-12	2.2E-12	4.E-03	2.E-03	0.006
	Pesticides																
	Aldrin	4.4E-01	ug/kg	1.7E+01	1.7E+01	6.7E-11	5.6E-11	1.E-09	1.E-09	2.E-09	3.0E-05	3.0E-05	6.7E-11	5.6E-11	2.E-06	2.E-06	0.000004
	Dieldrin	4.7E+00	ug/kg	1.6E+01	1.6E+01	7.0E-10	5.9E-10	1.E-08	9.E-09	2.E-08	5.0E-05	5.0E-05	7.0E-10	5.9E-10	1.E-05	1.E-05	0.00003
	Total DDT	9.4E+01	ug/kg	3.4E-01	3.4E-01	4.2E-09	1.2E-08	1.E-09	4.E-09	5.E-09	5.0E-04	5.0E-04	4.2E-09	1.2E-08	8.E-06	2.E-05	0.00003
Exposure Point Total										5.E-06							0.2
RM 8 SIL	**Metals**																
	Arsenic	5.9E+00	mg/kg	1.5E+00	1.5E+00	2.7E-07	7.6E-07	4.E-07	1.E-06	2.E-06	3.0E-04	3.0E-04	2.7E-07	7.6E-07	9.E-04	3.E-03	0.003
	Mercury	1.4E-01	mg/kg	--	--	0.0E+00	1.8E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.8E-08	0.E+00	2.E-04	0.0002
	Vanadium	1.2E+02	mg/kg	--	--	0.0E+00	1.6E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.6E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	2.1E+04	ug/kg	--	--	3.2E-06	2.7E-06	--	--	--	3.0E-04	3.0E-04	3.2E-06	2.7E-06	1.E-02	9.E-03	0.02
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.4E+02	ug/kg	7.3E-01	7.3E-01	1.1E-07	6.8E-08	8.E-08	5.E-08	1.E-07	--	--	1.1E-07	6.8E-08	--	--	--
	Benzo(a)pyrene	3.6E+02	ug/kg	7.3E+00	7.3E+00	7.1E-08	4.6E-08	5.E-07	3.E-07	8.E-07	--	--	7.1E-08	4.6E-08	--	--	--
	Benzo(b)fluoranthene	7.0E+02	ug/kg	7.3E-01	7.3E-01	1.4E-07	8.9E-08	1.E-07	6.E-08	2.E-07	--	--	1.4E-07	8.9E-08	--	--	--
	Benzo(k)fluoranthene	3.5E+02	ug/kg	7.3E-02	7.3E-02	6.8E-08	4.4E-08	5.E-09	3.E-09	8.E-09	--	--	6.8E-08	4.4E-08	--	--	--
	Dibenzo(a,h)anthracene	7.1E+01	ug/kg	7.3E+00	7.3E+00	1.4E-08	9.1E-09	1.E-07	7.E-08	2.E-07	--	--	1.4E-08	9.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.1E+02	ug/kg	7.3E-01	7.3E-01	4.1E-08	2.6E-08	3.E-08	2.E-08	5.E-08	--	--	4.1E-08	2.6E-08	--	--	--
	Naphthalene	3.0E+01	ug/kg	--	--	6.0E-09	3.9E-09	--	--	--	2.0E-02	2.0E-02	6.0E-09	3.9E-09	3.E-07	2.E-07	0.0000005
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.1E+04	ug/kg	1.4E-02	1.4E-02	6.2E-06	5.2E-06	9.E-08	7.E-08	2.E-07	2.0E-02	2.0E-02	6.2E-06	5.2E-06	3.E-04	3.E-04	0.0006
	Phenols																
	Pentachlorophenol	3.3E+01	ug/kg	4.0E-01	4.0E-01	1.2E-08	4.1E-09	5.E-09	2.E-09	7.E-09	5.0E-03	5.0E-03	1.2E-08	4.1E-09	2.E-06	8.E-07	0.000003
	Polychlorinated Biphenyls																
	Total Aroclors	5.3E+02	ug/kg	2.0E+00	2.0E+00	1.1E-07	6.7E-08	2.E-07	1.E-07	4.E-07	2.0E-05	2.0E-05	1.1E-07	6.7E-08	6.E-03	3.E-03	0.009
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.3E+01	pg/g	1.3E+05	1.3E+05	1.5E-12	4.2E-12	2.E-07	5.E-07	7.E-07	1.0E-09	1.0E-09	1.5E-12	4.2E-12	1.E-03	4.E-03	0.006
	Total PCB TEQ	8.8E+01	pg/g	1.3E+05	1.3E+05	1.9E-11	1.1E-11	2.E-06	1.E-06	4.E-06	1.0E-09	1.0E-09	1.9E-11	1.1E-11	2.E-02	1.E-02	0.03

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	3.6E-01	ug/kg	1.7E+01	1.7E+01	5.4E-11	4.5E-11	9.E-10	8.E-10	2.E-09	3.0E-05	3.0E-05	5.4E-11	4.5E-11	2.E-06	2.E-06	0.000003
	Dieldrin	1.4E+00	ug/kg	1.6E+01	1.6E+01	2.1E-10	1.8E-10	3.E-09	3.E-09	6.E-09	5.0E-05	5.0E-05	2.1E-10	1.8E-10	4.E-06	4.E-06	0.00001
	Total DDT	1.2E+01	ug/kg	3.4E-01	3.4E-01	5.4E-10	1.5E-09	2.E-10	5.E-10	7.E-10	5.0E-04	5.0E-04	5.4E-10	1.5E-09	1.E-06	3.E-06	0.000004
Exposure Point Total										8.E-06							0.3
RM 8.5 West	**Metals**																
	Arsenic	1.2E+01	mg/kg	1.5E+00	1.5E+00	5.3E-07	1.5E-06	8.E-07	2.E-06	3.E-06	3.0E-04	3.0E-04	5.3E-07	1.5E-06	2.E-03	5.E-03	0.007
	Mercury	4.7E-01	mg/kg	--	--	0.0E+00	6.0E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.0E-08	0.E+00	6.E-04	0.0006
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.4E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.4E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	1.7E+01	ug/kg	--	--	2.5E-09	2.1E-09	--	--	--	3.0E-04	3.0E-04	2.5E-09	2.1E-09	8.E-06	7.E-06	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+02	ug/kg	7.3E-01	7.3E-01	3.5E-08	2.3E-08	3.E-08	2.E-08	4.E-08	--	--	3.5E-08	2.3E-08	--	--	--
	Benzo(a)pyrene	2.2E+02	ug/kg	7.3E+00	7.3E+00	4.4E-08	2.8E-08	3.E-07	2.E-07	5.E-07	--	--	4.4E-08	2.8E-08	--	--	--
	Benzo(b)fluoranthene	1.8E+02	ug/kg	7.3E-01	7.3E-01	3.6E-08	2.3E-08	3.E-08	2.E-08	4.E-08	--	--	3.6E-08	2.3E-08	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	2.2E-08	1.4E-08	2.E-09	1.E-09	3.E-09	--	--	2.2E-08	1.4E-08	--	--	--
	Dibenzo(a,h)anthracene	1.7E+01	ug/kg	7.3E+00	7.3E+00	3.3E-09	2.1E-09	2.E-08	2.E-08	4.E-08	--	--	3.3E-09	2.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	7.6E+01	ug/kg	7.3E-01	7.3E-01	1.5E-08	9.6E-09	1.E-08	7.E-09	2.E-08	--	--	1.5E-08	9.6E-09	--	--	--
	Naphthalene	3.7E+01	ug/kg	--	--	7.2E-09	4.7E-09	--	--	--	2.0E-02	2.0E-02	7.2E-09	4.7E-09	4.E-07	2.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.7E+03	ug/kg	1.4E-02	1.4E-02	2.6E-07	2.2E-07	4.E-09	3.E-09	7.E-09	2.0E-02	2.0E-02	2.6E-07	2.2E-07	1.E-05	1.E-05	0.00002
	Phenols																
	Pentachlorophenol	3.9E+00	ug/kg	4.0E-01	4.0E-01	1.5E-09	4.9E-10	6.E-10	2.E-10	8.E-10	5.0E-03	5.0E-03	1.5E-09	4.9E-10	3.E-07	1.E-07	0.0000004
	Polychlorinated Biphenyls																
	Total Aroclors	8.5E+03	ug/kg	2.0E+00	2.0E+00	1.8E-06	1.1E-06	4.E-06	2.E-06	6.E-06	2.0E-05	2.0E-05	1.8E-06	1.1E-06	9.E-02	5.E-02	0.1
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.8E+01	pg/g	1.3E+05	1.3E+05	8.2E-13	2.3E-12	1.E-07	3.E-07	4.E-07	1.0E-09	1.0E-09	8.2E-13	2.3E-12	8.E-04	2.E-03	0.003
	Total PCB TEQ	2.4E+02	pg/g	1.3E+05	1.3E+05	5.1E-11	3.0E-11	7.E-06	4.E-06	1.E-05	1.0E-09	1.0E-09	5.1E-11	3.0E-11	5.E-02	3.E-02	0.08
	Pesticides																
	Aldrin	3.2E+01	ug/kg	1.7E+01	1.7E+01	4.9E-09	4.1E-09	8.E-08	7.E-08	2.E-07	3.0E-05	3.0E-05	4.9E-09	4.1E-09	2.E-04	1.E-04	0.0003
	Dieldrin	3.9E+01	ug/kg	1.6E+01	1.6E+01	5.8E-09	4.9E-09	9.E-08	8.E-08	2.E-07	5.0E-05	5.0E-05	5.8E-09	4.9E-09	1.E-04	1.E-04	0.0002
	Total DDT	2.2E+01	ug/kg	3.4E-01	3.4E-01	1.0E-09	2.8E-09	3.E-10	1.E-09	1.E-09	5.0E-04	5.0E-04	1.0E-09	2.8E-09	2.E-06	6.E-06	0.00001
Exposure Point Total										2.E-05							0.4
RM 8.5 East	**Metals**																
	Arsenic	9.0E+00	mg/kg	1.5E+00	1.5E+00	4.1E-07	1.2E-06	6.E-07	2.E-06	2.E-06	3.0E-04	3.0E-04	4.1E-07	1.2E-06	1.E-03	4.E-03	0.005
	Mercury	1.8E-01	mg/kg	--	--	0.0E+00	2.3E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.3E-08	0.E+00	2.E-04	0.0002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.3E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.3E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	3.1E+01	ug/kg	--	--	4.6E-09	3.9E-09	--	--	--	3.0E-04	3.0E-04	4.6E-09	3.9E-09	2.E-05	1.E-05	0.00003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.7E+01	ug/kg	7.3E-01	7.3E-01	1.9E-08	1.2E-08	1.E-08	9.E-09	2.E-08	--	--	1.9E-08	1.2E-08	--	--	--
	Benzo(a)pyrene	1.0E+02	ug/kg	7.3E+00	7.3E+00	2.0E-08	1.3E-08	1.E-07	9.E-08	2.E-07	--	--	2.0E-08	1.3E-08	--	--	--
	Benzo(b)fluoranthene	1.4E+02	ug/kg	7.3E-01	7.3E-01	2.7E-08	1.7E-08	2.E-08	1.E-08	3.E-08	--	--	2.7E-08	1.7E-08	--	--	--
	Benzo(k)fluoranthene	9.8E+01	ug/kg	7.3E-02	7.3E-02	1.9E-08	1.2E-08	1.E-09	9.E-10	2.E-09	--	--	1.9E-08	1.2E-08	--	--	--
	Dibenzo(a,h)anthracene	1.2E+01	ug/kg	7.3E+00	7.3E+00	2.3E-09	1.5E-09	2.E-08	1.E-08	3.E-08	--	--	2.3E-09	1.5E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	8.0E+01	ug/kg	7.3E-01	7.3E-01	1.6E-08	1.0E-08	1.E-08	7.E-09	2.E-08	--	--	1.6E-08	1.0E-08	--	--	--
	Naphthalene	1.5E+02	ug/kg	--	--	2.9E-08	1.9E-08	--	--	--	2.0E-02	2.0E-02	2.9E-08	1.9E-08	1.E-06	9.E-07	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.2E+02	ug/kg	1.4E-02	1.4E-02	1.4E-07	1.2E-07	2.E-09	2.E-09	4.E-09	2.0E-02	2.0E-02	1.4E-07	1.2E-07	7.E-06	6.E-06	0.00001
	Polychlorinated Biphenyls																
	Total Aroclors	7.2E+01	ug/kg	2.0E+00	2.0E+00	1.5E-08	9.2E-09	3.E-08	2.E-08	5.E-08	2.0E-05	2.0E-05	1.5E-08	9.2E-09	8.E-04	5.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.4E-01	pg/g	1.3E+05	1.3E+05	4.3E-14	1.2E-13	6.E-09	2.E-08	2.E-08	1.0E-09	1.0E-09	4.3E-14	1.2E-13	4.E-05	1.E-04	0.0002
	Total PCB TEQ	5.9E-01	pg/g	1.3E+05	1.3E+05	1.3E-13	7.5E-14	2.E-08	1.E-08	3.E-08	1.0E-09	1.0E-09	1.3E-13	7.5E-14	1.E-04	8.E-05	0.0002
	Pesticides																
	Aldrin	4.1E-02	ug/kg	1.7E+01	1.7E+01	6.2E-12	5.2E-12	1.E-10	9.E-11	2.E-10	3.0E-05	3.0E-05	6.2E-12	5.2E-12	2.E-07	2.E-07	0.0000004
	Dieldrin	4.4E-01	ug/kg	1.6E+01	1.6E+01	6.6E-11	5.6E-11	1.E-09	9.E-10	2.E-09	5.0E-05	5.0E-05	6.6E-11	5.6E-11	1.E-06	1.E-06	0.000002
	Total DDT	2.3E+00	ug/kg	3.4E-01	3.4E-01	1.0E-10	2.9E-10	4.E-11	1.E-10	1.E-10	5.0E-04	5.0E-04	1.0E-10	2.9E-10	2.E-07	6.E-07	0.000001
Exposure Point Total										3.E-06							0.2
RM 9 West	**Metals**																
	Arsenic	5.0E+00	mg/kg	1.5E+00	1.5E+00	2.2E-07	6.3E-07	3.E-07	9.E-07	1.E-06	3.0E-04	3.0E-04	2.2E-07	6.3E-07	7.E-04	2.E-03	0.003
	Mercury	2.3E-01	mg/kg	--	--	0.0E+00	3.0E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.0E-08	0.E+00	3.E-04	0.0003
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.4E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.4E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	1.7E+01	ug/kg	--	--	2.5E-09	2.1E-09	--	--	--	3.0E-04	3.0E-04	2.5E-09	2.1E-09	8.E-06	7.E-06	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.2E+02	ug/kg	7.3E-01	7.3E-01	6.2E-08	4.0E-08	5.E-08	3.E-08	7.E-08	--	--	6.2E-08	4.0E-08	--	--	--
	Benzo(a)pyrene	1.9E+02	ug/kg	7.3E+00	7.3E+00	3.8E-08	2.4E-08	3.E-07	2.E-07	5.E-07	--	--	3.8E-08	2.4E-08	--	--	--
	Benzo(b)fluoranthene	3.0E+02	ug/kg	7.3E-01	7.3E-01	6.0E-08	3.9E-08	4.E-08	3.E-08	7.E-08	--	--	6.0E-08	3.9E-08	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	2.2E-08	1.5E-08	2.E-09	1.E-09	3.E-09	--	--	2.2E-08	1.5E-08	--	--	--
	Dibenzo(a,h)anthracene	4.8E+01	ug/kg	7.3E+00	7.3E+00	9.4E-09	6.1E-09	7.E-08	4.E-08	1.E-07	--	--	9.4E-09	6.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	2.3E-08	1.5E-08	2.E-08	1.E-08	3.E-08	--	--	2.3E-08	1.5E-08	--	--	--
	Naphthalene	2.5E+01	ug/kg	--	--	4.9E-09	3.2E-09	--	--	--	2.0E-02	2.0E-02	4.9E-09	3.2E-09	2.E-07	2.E-07	0.0000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.4E+02	ug/kg	1.4E-02	1.4E-02	6.7E-08	5.6E-08	9.E-10	8.E-10	2.E-09	2.0E-02	2.0E-02	6.7E-08	5.6E-08	3.E-06	3.E-06	0.00001
	Phenols																
	Pentachlorophenol	4.5E+01	ug/kg	4.0E-01	4.0E-01	1.7E-08	5.7E-09	7.E-09	2.E-09	9.E-09	5.0E-03	5.0E-03	1.7E-08	5.7E-09	3.E-06	1.E-06	0.000005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polychlorinated Biphenyls																
	Total Aroclors	2.3E+03	ug/kg	2.0E+00	2.0E+00	4.9E-07	3.0E-07	1.E-06	6.E-07	2.E-06	2.0E-05	2.0E-05	4.9E-07	3.0E-07	2.E-02	1.E-02	0.04
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.0E+00	pg/g	1.3E+05	1.3E+05	2.7E-13	7.6E-13	4.E-08	1.E-07	1.E-07	1.0E-09	1.0E-09	2.7E-13	7.6E-13	3.E-04	8.E-04	0.001
	Total PCB TEQ	3.2E+01	pg/g	1.3E+05	1.3E+05	6.8E-12	4.1E-12	9.E-07	5.E-07	1.E-06	1.0E-09	1.0E-09	6.8E-12	4.1E-12	7.E-03	4.E-03	0.01
	Pesticides																
	Aldrin	1.4E+00	ug/kg	1.7E+01	1.7E+01	2.1E-10	1.8E-10	4.E-09	3.E-09	7.E-09	3.0E-05	3.0E-05	2.1E-10	1.8E-10	7.E-06	6.E-06	0.00001
	Dieldrin	6.3E-01	ug/kg	1.6E+01	1.6E+01	9.5E-11	8.0E-11	2.E-09	1.E-09	3.E-09	5.0E-05	5.0E-05	9.5E-11	8.0E-11	2.E-06	2.E-06	0.000003
	Total DDT	9.9E+00	ug/kg	3.4E-01	3.4E-01	4.5E-10	1.3E-09	2.E-10	4.E-10	6.E-10	5.0E-04	5.0E-04	4.5E-10	1.3E-09	9.E-07	3.E-06	0.000003
Exposure Point Total										5.E-06							0.3
RM 9 East	**Metals**																
	Arsenic	4.8E+00	mg/kg	1.5E+00	1.5E+00	2.2E-07	6.1E-07	3.E-07	9.E-07	1.E-06	3.0E-04	3.0E-04	2.2E-07	6.1E-07	7.E-04	2.E-03	0.003
	Mercury	6.1E-02	mg/kg	--	--	0.0E+00	7.8E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.8E-09	0.E+00	8.E-05	0.00008
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+01	ug/kg	7.3E-01	7.3E-01	2.7E-09	1.8E-09	2.E-09	1.E-09	3.E-09	--	--	2.7E-09	1.8E-09	--	--	--
	Benzo(a)pyrene	1.7E+01	ug/kg	7.3E+00	7.3E+00	3.4E-09	2.2E-09	3.E-08	2.E-08	4.E-08	--	--	3.4E-09	2.2E-09	--	--	--
	Benzo(b)fluoranthene	2.4E+01	ug/kg	7.3E-01	7.3E-01	4.7E-09	3.0E-09	3.E-09	2.E-09	6.E-09	--	--	4.7E-09	3.0E-09	--	--	--
	Benzo(k)fluoranthene	1.1E+01	ug/kg	7.3E-02	7.3E-02	2.1E-09	1.3E-09	2.E-10	1.E-10	2.E-10	--	--	2.1E-09	1.3E-09	--	--	--
	Dibenzo(a,h)anthracene	2.9E+00	ug/kg	7.3E+00	7.3E+00	5.7E-10	3.7E-10	4.E-09	3.E-09	7.E-09	--	--	5.7E-10	3.7E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+01	ug/kg	7.3E-01	7.3E-01	2.8E-09	1.8E-09	2.E-09	1.E-09	3.E-09	--	--	2.8E-09	1.8E-09	--	--	--
	Naphthalene	8.9E+00	ug/kg	--	--	1.7E-09	1.1E-09	--	--	--	2.0E-02	2.0E-02	1.7E-09	1.1E-09	9.E-08	6.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.0E+03	ug/kg	1.4E-02	1.4E-02	3.0E-07	2.5E-07	4.E-09	4.E-09	8.E-09	2.0E-02	2.0E-02	3.0E-07	2.5E-07	1.E-05	1.E-05	0.00003
	Polychlorinated Biphenyls																
	Total Aroclors	1.0E+02	ug/kg	2.0E+00	2.0E+00	2.1E-08	1.3E-08	4.E-08	3.E-08	7.E-08	2.0E-05	2.0E-05	2.1E-08	1.3E-08	1.E-03	6.E-04	0.002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.2E-01	pg/g	1.3E+05	1.3E+05	9.8E-15	2.7E-14	1.E-09	4.E-09	5.E-09	1.0E-09	1.0E-09	9.8E-15	2.7E-14	1.E-05	3.E-05	0.00004
	Total PCB TEQ	6.3E-01	pg/g	1.3E+05	1.3E+05	1.3E-13	8.0E-14	2.E-08	1.E-08	3.E-08	1.0E-09	1.0E-09	1.3E-13	8.0E-14	1.E-04	8.E-05	0.0002
	Pesticides																
	Dieldrin	2.6E-01	ug/kg	1.6E+01	1.6E+01	3.9E-11	3.3E-11	6.E-10	5.E-10	1.E-09	5.0E-05	5.0E-05	3.9E-11	3.3E-11	8.E-07	7.E-07	0.000001
	Total DDT	1.9E+00	ug/kg	3.4E-01	3.4E-01	8.8E-11	2.5E-10	3.E-11	8.E-11	1.E-10	5.0E-04	5.0E-04	8.8E-11	2.5E-10	2.E-07	5.E-07	0.000001
Exposure Point Total										1.E-06							0.005
RM 9.5 West	**Metals**																
	Arsenic	4.5E+00	mg/kg	1.5E+00	1.5E+00	2.0E-07	5.7E-07	3.E-07	9.E-07	1.E-06	3.0E-04	3.0E-04	2.0E-07	5.7E-07	7.E-04	2.E-03	0.003
	Mercury	7.5E-02	mg/kg	--	--	0.0E+00	9.5E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.5E-09	0.E+00	1.E-04	0.0001
	Butyltins																
	Tributyltin ion	1.0E+01	ug/kg	--	--	1.5E-09	1.3E-09	--	--	--	3.0E-04	3.0E-04	1.5E-09	1.3E-09	5.E-06	4.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+02	ug/kg	7.3E-01	7.3E-01	5.0E-08	3.3E-08	4.E-08	2.E-08	6.E-08	--	--	5.0E-08	3.3E-08	--	--	--
	Benzo(a)pyrene	3.6E+02	ug/kg	7.3E+00	7.3E+00	7.1E-08	4.6E-08	5.E-07	3.E-07	8.E-07	--	--	7.1E-08	4.6E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future　　　　Medium: Sediment
Receptor Population: Tribal Fisher　　　　Exposure Medium: In-water Sediment
Population Age: Adult　　　　Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(b)fluoranthene	5.3E+02	ug/kg	7.3E-01	7.3E-01	1.0E-07	6.7E-08	8.E-08	5.E-08	1.E-07	--	--	1.0E-07	6.7E-08	--	--	--
	Benzo(k)fluoranthene	2.4E+02	ug/kg	7.3E-02	7.3E-02	4.6E-08	3.0E-08	3.E-09	2.E-09	6.E-09	--	--	4.6E-08	3.0E-08	--	--	--
	Dibenzo(a,h)anthracene	1.3E+02	ug/kg	7.3E+00	7.3E+00	2.6E-08	1.7E-08	2.E-07	1.E-07	3.E-07	--	--	2.6E-08	1.7E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.0E+02	ug/kg	7.3E-01	7.3E-01	5.9E-08	3.8E-08	4.E-08	3.E-08	7.E-08	--	--	5.9E-08	3.8E-08	--	--	--
	Naphthalene	2.2E+02	ug/kg	--	--	4.4E-08	2.8E-08	--	--	--	2.0E-02	2.0E-02	4.4E-08	2.8E-08	2.E-06	1.E-06	0.000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.4E+03	ug/kg	1.4E-02	1.4E-02	3.6E-07	3.0E-07	5.E-09	4.E-09	9.E-09	2.0E-02	2.0E-02	3.6E-07	3.0E-07	2.E-05	2.E-05	0.00003
	Phenols																
	Pentachlorophenol	9.8E+01	ug/kg	4.0E-01	4.0E-01	3.7E-08	1.2E-08	1.E-08	5.E-09	2.E-08	5.0E-03	5.0E-03	3.7E-08	1.2E-08	7.E-06	2.E-06	0.00001
	Polychlorinated Biphenyls																
	Total Aroclors	3.0E+02	ug/kg	2.0E+00	2.0E+00	6.4E-08	3.8E-08	1.E-07	8.E-08	2.E-07	2.0E-05	2.0E-05	6.4E-08	3.8E-08	3.E-03	2.E-03	0.005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	7.5E-13	2.1E-12	1.E-07	3.E-07	4.E-07	1.0E-09	1.0E-09	7.5E-13	2.1E-12	7.E-04	2.E-03	0.003
	Total PCB TEQ	4.8E+00	pg/g	1.3E+05	1.3E+05	1.0E-12	6.1E-13	1.E-07	8.E-08	2.E-07	1.0E-09	1.0E-09	1.0E-12	6.1E-13	1.E-03	6.E-04	0.002
	Pesticides																
	Aldrin	2.8E+00	ug/kg	1.7E+01	1.7E+01	4.2E-10	3.5E-10	7.E-09	6.E-09	1.E-08	3.0E-05	3.0E-05	4.2E-10	3.5E-10	1.E-05	1.E-05	0.00003
	Dieldrin	4.9E+00	ug/kg	1.6E+01	1.6E+01	7.3E-10	6.2E-10	1.E-08	1.E-08	2.E-08	5.0E-05	5.0E-05	7.3E-10	6.2E-10	1.E-05	1.E-05	0.00003
	Total DDT	4.5E+00	ug/kg	3.4E-01	3.4E-01	2.0E-10	5.7E-10	7.E-11	2.E-10	3.E-10	5.0E-04	5.0E-04	2.0E-10	5.7E-10	4.E-07	1.E-06	0.000002
Exposure Point Total										3.E-06							0.01
RM 9.5 East	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	1.7E-07	4.6E-07	2.E-07	7.E-07	9.E-07	3.0E-04	3.0E-04	1.7E-07	4.6E-07	6.E-04	2.E-03	0.002
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	1.6E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.6E-08	0.E+00	2.E-04	0.0002
	Butyltins																
	Tributyltin ion	3.6E+00	ug/kg	--	--	5.4E-10	4.6E-10	--	--	--	3.0E-04	3.0E-04	5.4E-10	4.6E-10	2.E-06	2.E-06	0.000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.0E+01	ug/kg	7.3E-01	7.3E-01	5.9E-09	3.8E-09	4.E-09	3.E-09	7.E-09	--	--	5.9E-09	3.8E-09	--	--	--
	Benzo(a)pyrene	3.4E+01	ug/kg	7.3E+00	7.3E+00	6.8E-09	4.4E-09	5.E-08	3.E-08	8.E-08	--	--	6.8E-09	4.4E-09	--	--	--
	Benzo(b)fluoranthene	4.0E+01	ug/kg	7.3E-01	7.3E-01	7.8E-09	5.1E-09	6.E-09	4.E-09	9.E-09	--	--	7.8E-09	5.1E-09	--	--	--
	Benzo(k)fluoranthene	2.4E+01	ug/kg	7.3E-02	7.3E-02	4.7E-09	3.0E-09	3.E-10	2.E-10	6.E-10	--	--	4.7E-09	3.0E-09	--	--	--
	Dibenzo(a,h)anthracene	9.2E+00	ug/kg	7.3E+00	7.3E+00	1.8E-09	1.2E-09	1.E-08	8.E-09	2.E-08	--	--	1.8E-09	1.2E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.7E+01	ug/kg	7.3E-01	7.3E-01	5.4E-09	3.5E-09	4.E-09	3.E-09	6.E-09	--	--	5.4E-09	3.5E-09	--	--	--
	Naphthalene	4.8E+00	ug/kg	--	--	9.5E-10	6.1E-10	--	--	--	2.0E-02	2.0E-02	9.5E-10	6.1E-10	5.E-08	3.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.6E+02	ug/kg	1.4E-02	1.4E-02	3.9E-08	3.3E-08	5.E-10	5.E-10	1.E-09	2.0E-02	2.0E-02	3.9E-08	3.3E-08	2.E-06	2.E-06	0.000004
	Phenols																
	Pentachlorophenol	3.4E+00	ug/kg	4.0E-01	4.0E-01	1.3E-09	4.3E-10	5.E-10	2.E-10	7.E-10	5.0E-03	5.0E-03	1.3E-09	4.3E-10	3.E-07	9.E-08	0.0000003
	Polychlorinated Biphenyls																
	Total Aroclors	5.6E+01	ug/kg	2.0E+00	2.0E+00	1.2E-08	7.1E-09	2.E-08	1.E-08	4.E-08	2.0E-05	2.0E-05	1.2E-08	7.1E-09	6.E-04	4.E-04	0.001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.1E+00	pg/g	1.3E+05	1.3E+05	5.2E-14	1.5E-13	7.E-09	2.E-08	3.E-08	1.0E-09	1.0E-09	5.2E-14	1.5E-13	5.E-05	1.E-04	0.0002
	Total PCB TEQ	3.3E-01	pg/g	1.3E+05	1.3E+05	6.9E-14	4.2E-14	9.E-09	5.E-09	1.E-08	1.0E-09	1.0E-09	6.9E-14	4.2E-14	7.E-05	4.E-05	0.0001
	Pesticides																
	Aldrin	4.7E-01	ug/kg	1.7E+01	1.7E+01	7.1E-11	6.0E-11	1.E-09	1.E-09	2.E-09	3.0E-05	3.0E-05	7.1E-11	6.0E-11	2.E-06	2.E-06	0.000004
	Dieldrin	4.3E-02	ug/kg	1.6E+01	1.6E+01	6.5E-12	5.5E-12	1.E-10	9.E-11	2.E-10	5.0E-05	5.0E-05	6.5E-12	5.5E-12	1.E-07	1.E-07	0.0000002
	Total DDT	1.6E+00	ug/kg	3.4E-01	3.4E-01	7.0E-11	2.0E-10	2.E-11	7.E-11	9.E-11	5.0E-04	5.0E-04	7.0E-11	2.0E-10	1.E-07	4.E-07	0.000001
Exposure Point Total										1.E-06							0.004
RM 10 West	**Metals**																
	Arsenic	2.9E+01	mg/kg	1.5E+00	1.5E+00	1.3E-06	3.7E-06	2.E-06	6.E-06	7.E-06	3.0E-04	3.0E-04	1.3E-06	3.7E-06	4.E-03	1.E-02	0.02
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	1.4E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-08	0.E+00	1.E-04	0.0001
	Butyltins																
	Tributyltin ion	3.4E+00	ug/kg	--	--	5.1E-10	4.3E-10	--	--	--	3.0E-04	3.0E-04	5.1E-10	4.3E-10	2.E-06	1.E-06	0.000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.2E+02	ug/kg	7.3E-01	7.3E-01	6.3E-08	4.1E-08	5.E-08	3.E-08	8.E-08	--	--	6.3E-08	4.1E-08	--	--	--
	Benzo(a)pyrene	3.4E+02	ug/kg	7.3E+00	7.3E+00	6.7E-08	4.3E-08	5.E-07	3.E-07	8.E-07	--	--	6.7E-08	4.3E-08	--	--	--
	Benzo(b)fluoranthene	4.3E+02	ug/kg	7.3E-01	7.3E-01	8.5E-08	5.5E-08	6.E-08	4.E-08	1.E-07	--	--	8.5E-08	5.5E-08	--	--	--
	Benzo(k)fluoranthene	1.8E+02	ug/kg	7.3E-02	7.3E-02	3.6E-08	2.3E-08	3.E-09	2.E-09	4.E-09	--	--	3.6E-08	2.3E-08	--	--	--
	Dibenzo(a,h)anthracene	7.5E+01	ug/kg	7.3E+00	7.3E+00	1.5E-08	9.5E-09	1.E-07	7.E-08	2.E-07	--	--	1.5E-08	9.5E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.0E+02	ug/kg	7.3E-01	7.3E-01	6.0E-08	3.9E-08	4.E-08	3.E-08	7.E-08	--	--	6.0E-08	3.9E-08	--	--	--
	Naphthalene	5.9E+01	ug/kg	--	--	1.2E-08	7.4E-09	--	--	--	2.0E-02	2.0E-02	1.2E-08	7.4E-09	6.E-07	4.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+02	ug/kg	1.4E-02	1.4E-02	2.8E-08	2.3E-08	4.E-10	3.E-10	7.E-10	2.0E-02	2.0E-02	2.8E-08	2.3E-08	1.E-06	1.E-06	0.000003
	Phenols																
	Pentachlorophenol	7.5E+00	ug/kg	4.0E-01	4.0E-01	2.8E-09	9.5E-10	1.E-09	4.E-10	2.E-09	5.0E-03	5.0E-03	2.8E-09	9.5E-10	6.E-07	2.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	4.4E+02	ug/kg	2.0E+00	2.0E+00	9.4E-08	5.6E-08	2.E-07	1.E-07	3.E-07	2.0E-05	2.0E-05	9.4E-08	5.6E-08	5.E-03	3.E-03	0.008
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.9E+00	pg/g	1.3E+05	1.3E+05	4.5E-13	1.3E-12	6.E-08	2.E-07	2.E-07	1.0E-09	1.0E-09	4.5E-13	1.3E-12	4.E-04	1.E-03	0.002
	Total PCB TEQ	3.0E+00	pg/g	1.3E+05	1.3E+05	6.3E-13	3.8E-13	8.E-08	5.E-08	1.E-07	1.0E-09	1.0E-09	6.3E-13	3.8E-13	6.E-04	4.E-04	0.001
	Pesticides																
	Aldrin	5.0E-01	ug/kg	1.7E+01	1.7E+01	7.6E-11	6.4E-11	1.E-09	1.E-09	2.E-09	3.0E-05	3.0E-05	7.6E-11	6.4E-11	3.E-06	2.E-06	0.000005
	Total DDT	6.7E+00	ug/kg	3.4E-01	3.4E-01	3.0E-10	8.5E-10	1.E-10	3.E-10	4.E-10	5.0E-04	5.0E-04	3.0E-10	8.5E-10	6.E-07	2.E-06	0.000002
Exposure Point Total										9.E-06							0.03
RM 10 East	**Metals**																
	Arsenic	3.5E+00	mg/kg	1.5E+00	1.5E+00	1.6E-07	4.5E-07	2.E-07	7.E-07	9.E-07	3.0E-04	3.0E-04	1.6E-07	4.5E-07	5.E-04	1.E-03	0.002
	Mercury	9.0E-02	mg/kg	--	--	0.0E+00	1.1E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-08	0.E+00	1.E-04	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.7E+02	ug/kg	7.3E-01	7.3E-01	5.4E-08	3.5E-08	4.E-08	3.E-08	6.E-08	--	--	5.4E-08	3.5E-08	--	--	--
	Benzo(a)pyrene	3.5E+02	ug/kg	7.3E+00	7.3E+00	6.9E-08	4.5E-08	5.E-07	3.E-07	8.E-07	--	--	6.9E-08	4.5E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.

Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(b)fluoranthene	4.0E+02	ug/kg	7.3E-01	7.3E-01	7.9E-08	5.1E-08	6.E-08	4.E-08	1.E-07	--	--	7.9E-08	5.1E-08	--	--	--
	Benzo(k)fluoranthene	1.0E+02	ug/kg	7.3E-02	7.3E-02	2.0E-08	1.3E-08	1.E-09	1.E-09	2.E-09	--	--	2.0E-08	1.3E-08	--	--	--
	Dibenzo(a,h)anthracene	5.2E+01	ug/kg	7.3E+00	7.3E+00	1.0E-08	6.6E-09	7.E-08	5.E-08	1.E-07	--	--	1.0E-08	6.6E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.8E+02	ug/kg	7.3E-01	7.3E-01	5.4E-08	3.5E-08	4.E-08	3.E-08	7.E-08	--	--	5.4E-08	3.5E-08	--	--	--
	Naphthalene	2.2E+01	ug/kg	--	--	4.4E-09	2.8E-09	--	--	--	2.0E-02	2.0E-02	4.4E-09	2.8E-09	2.E-07	1.E-07	0.0000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.9E+02	ug/kg	1.4E-02	1.4E-02	2.9E-08	2.4E-08	4.E-10	3.E-10	7.E-10	2.0E-02	2.0E-02	2.9E-08	2.4E-08	1.E-06	1.E-06	0.000003
	Phenols																
	Pentachlorophenol	3.3E+00	ug/kg	4.0E-01	4.0E-01	1.2E-09	4.2E-10	5.E-10	2.E-10	7.E-10	5.0E-03	5.0E-03	1.2E-09	4.2E-10	2.E-07	8.E-08	0.0000003
	Polychlorinated Biphenyls																
	Total Aroclors	4.8E+01	ug/kg	2.0E+00	2.0E+00	1.0E-08	6.1E-09	2.E-08	1.E-08	3.E-08	2.0E-05	2.0E-05	1.0E-08	6.1E-09	5.E-04	3.E-04	0.0008
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.4E-01	pg/g	1.3E+05	1.3E+05	2.5E-14	6.9E-14	3.E-09	9.E-09	1.E-08	1.0E-09	1.0E-09	2.5E-14	6.9E-14	2.E-05	7.E-05	0.00009
	Total PCB TEQ	8.0E-01	pg/g	1.3E+05	1.3E+05	1.7E-13	1.0E-13	2.E-08	1.E-08	4.E-08	1.0E-09	1.0E-09	1.7E-13	1.0E-13	2.E-04	1.E-04	0.0003
	Pesticides																
	Aldrin	8.3E-02	ug/kg	1.7E+01	1.7E+01	1.3E-11	1.1E-11	2.E-10	2.E-10	4.E-10	3.0E-05	3.0E-05	1.3E-11	1.1E-11	4.E-07	4.E-07	0.000001
	Dieldrin	9.4E-02	ug/kg	1.6E+01	1.6E+01	1.4E-11	1.2E-11	2.E-10	2.E-10	4.E-10	5.0E-05	5.0E-05	1.4E-11	1.2E-11	3.E-07	2.E-07	0.000001
	Total DDT	7.7E-01	ug/kg	3.4E-01	3.4E-01	3.5E-11	9.8E-11	1.E-11	3.E-11	5.E-11	5.0E-04	5.0E-04	3.5E-11	9.8E-11	7.E-08	2.E-07	0.0000003
Exposure Point Total										2.E-06							0.003
RM 10.5 West	**Metals**																
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	2.1E-07	6.0E-07	3.E-07	9.E-07	1.E-06	3.0E-04	3.0E-04	2.1E-07	6.0E-07	7.E-04	2.E-03	0.003
	Lead	1.4E+01	mg/kg	NL	NL	0.0E+00	1.8E-06	NL	NL	--	--	--	0.0E+00	1.8E-06	--	--	--
	Mercury	7.7E-02	mg/kg	--	--	0.0E+00	9.8E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.8E-09	0.E+00	1.E-04	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.1E+01	ug/kg	7.3E-01	7.3E-01	1.2E-08	7.7E-09	9.E-09	6.E-09	1.E-08	--	--	1.2E-08	7.7E-09	--	--	--
	Benzo(a)pyrene	4.8E+01	ug/kg	7.3E+00	7.3E+00	9.4E-09	6.1E-09	7.E-08	4.E-08	1.E-07	--	--	9.4E-09	6.1E-09	--	--	--
	Benzo(b)fluoranthene	6.8E+01	ug/kg	7.3E-01	7.3E-01	1.3E-08	8.6E-09	1.E-08	6.E-09	2.E-08	--	--	1.3E-08	8.6E-09	--	--	--
	Benzo(k)fluoranthene	2.0E+01	ug/kg	7.3E-02	7.3E-02	4.0E-09	2.6E-09	3.E-10	2.E-10	5.E-10	--	--	4.0E-09	2.6E-09	--	--	--
	Dibenzo(a,h)anthracene	7.9E+00	ug/kg	7.3E+00	7.3E+00	1.6E-09	1.0E-09	1.E-08	7.E-09	2.E-08	--	--	1.6E-09	1.0E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.7E+01	ug/kg	7.3E-01	7.3E-01	7.3E-09	4.8E-09	5.E-09	3.E-09	9.E-09	--	--	7.3E-09	4.8E-09	--	--	--
	Naphthalene	2.6E+02	ug/kg	--	--	5.1E-08	3.3E-08	--	--	--	2.0E-02	2.0E-02	5.1E-08	3.3E-08	3.E-06	2.E-06	0.000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.5E+02	ug/kg	1.4E-02	1.4E-02	3.7E-08	3.1E-08	5.E-10	4.E-10	1.E-09	2.0E-02	2.0E-02	3.7E-08	3.1E-08	2.E-06	2.E-06	0.000003
	Phenols																
	Pentachlorophenol	3.8E+01	ug/kg	4.0E-01	4.0E-01	1.4E-08	4.8E-09	6.E-09	2.E-09	8.E-09	5.0E-03	5.0E-03	1.4E-08	4.8E-09	3.E-06	1.E-06	0.000004
	Polychlorinated Biphenyls																
	Total Aroclors	3.9E+01	ug/kg	2.0E+00	2.0E+00	8.2E-09	5.0E-09	2.E-08	1.E-08	3.E-08	2.0E-05	2.0E-05	8.2E-09	5.0E-09	4.E-04	2.E-04	0.0007
	Dioxin/Furan																
	Total PCB TEQ	6.9E-01	pg/g	1.3E+05	1.3E+05	1.5E-13	8.8E-14	2.E-08	1.E-08	3.E-08	1.0E-09	1.0E-09	1.5E-13	8.8E-14	1.E-04	9.E-05	0.0002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	9.3E-01	ug/kg	1.7E+01	1.7E+01	1.4E-10	1.2E-10	2.E-09	2.E-09	4.E-09	3.0E-05	3.0E-05	1.4E-10	1.2E-10	5.E-06	4.E-06	0.00001
	Total DDT	2.7E+00	ug/kg	3.4E-01	3.4E-01	1.2E-10	3.4E-10	4.E-11	1.E-10	2.E-10	5.0E-04	5.0E-04	1.2E-10	3.4E-10	2.E-07	7.E-07	0.000001
Exposure Point Total										1.E-06							0.004
RM 10.5 East	**Metals**																
	Arsenic	3.3E+00	mg/kg	1.5E+00	1.5E+00	1.5E-07	4.2E-07	2.E-07	6.E-07	9.E-07	3.0E-04	3.0E-04	1.5E-07	4.2E-07	5.E-04	1.E-03	0.002
	Mercury	7.4E-02	mg/kg	--	--	0.0E+00	9.4E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.4E-09	0.E+00	9.E-05	0.00009
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.0E+02	ug/kg	7.3E-01	7.3E-01	2.0E-08	1.3E-08	1.E-08	9.E-09	2.E-08	--	--	2.0E-08	1.3E-08	--	--	--
	Benzo(a)pyrene	7.1E+01	ug/kg	7.3E+00	7.3E+00	1.4E-08	9.0E-09	1.E-07	7.E-08	2.E-07	--	--	1.4E-08	9.0E-09	--	--	--
	Benzo(b)fluoranthene	1.1E+02	ug/kg	7.3E-01	7.3E-01	2.2E-08	1.4E-08	2.E-08	1.E-08	3.E-08	--	--	2.2E-08	1.4E-08	--	--	--
	Benzo(k)fluoranthene	7.2E+01	ug/kg	7.3E-02	7.3E-02	1.4E-08	9.1E-09	1.E-09	7.E-10	2.E-09	--	--	1.4E-08	9.1E-09	--	--	--
	Dibenzo(a,h)anthracene	9.2E+00	ug/kg	7.3E+00	7.3E+00	1.8E-09	1.2E-09	1.E-08	9.E-09	2.E-08	--	--	1.8E-09	1.2E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+01	ug/kg	7.3E-01	7.3E-01	9.2E-09	5.9E-09	7.E-09	4.E-09	1.E-08	--	--	9.2E-09	5.9E-09	--	--	--
	Naphthalene	5.2E+00	ug/kg	--	--	1.0E-09	6.6E-10	--	--	--	2.0E-02	2.0E-02	1.0E-09	6.6E-10	5.E-08	3.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.1E+02	ug/kg	1.4E-02	1.4E-02	1.7E-08	1.4E-08	2.E-10	2.E-10	4.E-10	2.0E-02	2.0E-02	1.7E-08	1.4E-08	8.E-07	7.E-07	0.000002
	Phenols																
	Pentachlorophenol	1.1E+01	ug/kg	4.0E-01	4.0E-01	4.2E-09	1.4E-09	2.E-09	6.E-10	2.E-09	5.0E-03	5.0E-03	4.2E-09	1.4E-09	8.E-07	3.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.5E+02	ug/kg	2.0E+00	2.0E+00	3.3E-08	2.0E-08	7.E-08	4.E-08	1.E-07	2.0E-05	2.0E-05	3.3E-08	2.0E-08	2.E-03	1.E-03	0.003
	Dioxin/Furan																
	Total PCB TEQ	3.9E-01	pg/g	1.3E+05	1.3E+05	8.2E-14	4.9E-14	1.E-08	6.E-09	2.E-08	1.0E-09	1.0E-09	8.2E-14	4.9E-14	8.E-05	5.E-05	0.0001
	Pesticides																
	Total DDT	1.2E+01	ug/kg	3.4E-01	3.4E-01	5.5E-10	1.5E-09	2.E-10	5.E-10	7.E-10	5.0E-04	5.0E-04	5.5E-10	1.5E-09	1.E-06	3.E-06	0.000004
Exposure Point Total										1.E-06							0.005
RM 11 West	**Metals**																
	Arsenic	3.6E+00	mg/kg	1.5E+00	1.5E+00	1.6E-07	4.6E-07	2.E-07	7.E-07	9.E-07	3.0E-04	3.0E-04	1.6E-07	4.6E-07	5.E-04	2.E-03	0.002
	Mercury	6.9E-02	mg/kg	--	--	0.0E+00	8.7E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.7E-09	0.E+00	9.E-05	0.00009
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.0E+02	ug/kg	7.3E-01	7.3E-01	3.9E-08	2.5E-08	3.E-08	2.E-08	5.E-08	--	--	3.9E-08	2.5E-08	--	--	--
	Benzo(a)pyrene	2.2E+02	ug/kg	7.3E+00	7.3E+00	4.3E-08	2.8E-08	3.E-07	2.E-07	5.E-07	--	--	4.3E-08	2.8E-08	--	--	--
	Benzo(b)fluoranthene	1.0E+02	ug/kg	7.3E-01	7.3E-01	2.0E-08	1.3E-08	1.E-08	9.E-09	2.E-08	--	--	2.0E-08	1.3E-08	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	2.1E-08	1.3E-08	2.E-09	1.E-09	2.E-09	--	--	2.1E-08	1.3E-08	--	--	--
	Dibenzo(a,h)anthracene	2.7E+01	ug/kg	7.3E+00	7.3E+00	5.3E-09	3.4E-09	4.E-08	2.E-08	6.E-08	--	--	5.3E-09	3.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	2.3E-08	1.5E-08	2.E-08	1.E-08	3.E-08	--	--	2.3E-08	1.5E-08	--	--	--
	Naphthalene	3.2E+02	ug/kg	--	--	6.3E-08	4.1E-08	--	--	--	2.0E-02	2.0E-02	6.3E-08	4.1E-08	3.E-06	2.E-06	0.00001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.0E+03	ug/kg	1.4E-02	1.4E-02	1.6E-07	1.3E-07	2.E-09	2.E-09	4.E-09	2.0E-02	2.0E-02	1.6E-07	1.3E-07	8.E-06	7.E-06	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Tribal Fisher   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phenols																
	Pentachlorophenol	3.1E+00	ug/kg	4.0E-01	4.0E-01	1.2E-09	3.9E-10	5.E-10	2.E-10	6.E-10	5.0E-03	5.0E-03	1.2E-09	3.9E-10	2.E-07	8.E-08	0.0000003
	Polychlorinated Biphenyls																
	Total Aroclors	3.5E+01	ug/kg	2.0E+00	2.0E+00	7.3E-09	4.4E-09	1.E-08	9.E-09	2.E-08	2.0E-05	2.0E-05	7.3E-09	4.4E-09	4.E-04	2.E-04	0.0006
	Pesticides																
	Dieldrin	2.5E+00	ug/kg	1.6E+01	1.6E+01	3.8E-10	3.2E-10	6.E-09	5.E-09	1.E-08	5.0E-05	5.0E-05	3.8E-10	3.2E-10	8.E-06	6.E-06	0.00001
	Total DDT	2.1E+00	ug/kg	3.4E-01	3.4E-01	9.5E-11	2.7E-10	3.E-11	9.E-11	1.E-10	5.0E-04	5.0E-04	9.5E-11	2.7E-10	2.E-07	5.E-07	0.000001
Exposure Point Total										2.E-06							0.003
RM 11 East	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	1.5E-07	4.1E-07	2.E-07	6.E-07	8.E-07	3.0E-04	3.0E-04	1.5E-07	4.1E-07	5.E-04	1.E-03	0.002
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	1.4E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-08	0.E+00	1.E-04	0.0001
	Butyltins																
	Tributyltin ion	5.8E+00	ug/kg	--	--	8.8E-10	7.4E-10	--	--	--	3.0E-04	3.0E-04	8.8E-10	7.4E-10	3.E-06	2.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E+02	ug/kg	7.3E-01	7.3E-01	3.1E-08	2.0E-08	2.E-08	1.E-08	4.E-08	--	--	3.1E-08	2.0E-08	--	--	--
	Benzo(a)pyrene	1.2E+02	ug/kg	7.3E+00	7.3E+00	2.4E-08	1.5E-08	2.E-07	1.E-07	3.E-07	--	--	2.4E-08	1.5E-08	--	--	--
	Benzo(b)fluoranthene	2.5E+02	ug/kg	7.3E-01	7.3E-01	4.9E-08	3.2E-08	4.E-08	2.E-08	6.E-08	--	--	4.9E-08	3.2E-08	--	--	--
	Benzo(k)fluoranthene	9.4E+01	ug/kg	7.3E-02	7.3E-02	1.8E-08	1.2E-08	1.E-09	9.E-10	2.E-09	--	--	1.8E-08	1.2E-08	--	--	--
	Dibenzo(a,h)anthracene	2.0E+01	ug/kg	7.3E+00	7.3E+00	3.9E-09	2.5E-09	3.E-08	2.E-08	5.E-08	--	--	3.9E-09	2.5E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	5.3E+01	ug/kg	7.3E-01	7.3E-01	1.0E-08	6.8E-09	8.E-09	5.E-09	1.E-08	--	--	1.0E-08	6.8E-09	--	--	--
	Naphthalene	3.0E+01	ug/kg	--	--	5.9E-09	3.8E-09	--	--	--	2.0E-02	2.0E-02	5.9E-09	3.8E-09	3.E-07	2.E-07	0.0000005
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.4E+02	ug/kg	1.4E-02	1.4E-02	2.1E-08	1.8E-08	3.E-10	2.E-10	5.E-10	2.0E-02	2.0E-02	2.1E-08	1.8E-08	1.E-06	9.E-07	0.000002
	Phenols																
	Pentachlorophenol	8.7E+00	ug/kg	4.0E-01	4.0E-01	3.3E-09	1.1E-09	1.E-09	4.E-10	2.E-09	5.0E-03	5.0E-03	3.3E-09	1.1E-09	7.E-07	2.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.8E+03	ug/kg	2.0E+00	2.0E+00	8.1E-07	4.9E-07	2.E-06	1.E-06	3.E-06	2.0E-05	2.0E-05	8.1E-07	4.9E-07	4.E-02	2.E-02	0.07
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.0E+00	pg/g	1.3E+05	1.3E+05	1.4E-13	3.8E-13	2.E-08	5.E-08	7.E-08	1.0E-09	1.0E-09	1.4E-13	3.8E-13	1.E-04	4.E-04	0.0005
	Total PCB TEQ	3.1E+01	pg/g	1.3E+05	1.3E+05	6.6E-12	4.0E-12	9.E-07	5.E-07	1.E-06	1.0E-09	1.0E-09	6.6E-12	4.0E-12	7.E-03	4.E-03	0.01
	Pesticides																
	Total DDT	3.8E+02	ug/kg	3.4E-01	3.4E-01	1.7E-08	4.9E-08	6.E-09	2.E-08	2.E-08	5.0E-04	5.0E-04	1.7E-08	4.9E-08	3.E-05	1.E-04	0.0001
Exposure Point Total										5.E-06							0.08
RM 11.5 West	**Metals**																
	Arsenic	3.5E+00	mg/kg	1.5E+00	1.5E+00	1.6E-07	4.5E-07	2.E-07	7.E-07	9.E-07	3.0E-04	3.0E-04	1.6E-07	4.5E-07	5.E-04	1.E-03	0.002
	Mercury	3.1E-02	mg/kg	--	--	0.0E+00	3.9E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.9E-09	0.E+00	4.E-05	0.00004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E+01	ug/kg	7.3E-01	7.3E-01	3.1E-09	2.0E-09	2.E-09	1.E-09	4.E-09	--	--	3.1E-09	2.0E-09	--	--	--
	Benzo(a)pyrene	1.8E+01	ug/kg	7.3E+00	7.3E+00	3.5E-09	2.3E-09	3.E-08	2.E-08	4.E-08	--	--	3.5E-09	2.3E-09	--	--	--
	Benzo(b)fluoranthene	1.7E+01	ug/kg	7.3E-01	7.3E-01	3.3E-09	2.2E-09	2.E-09	2.E-09	4.E-09	--	--	3.3E-09	2.2E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(k)fluoranthene	1.4E+01	ug/kg	7.3E-02	7.3E-02	2.8E-09	1.8E-09	2.E-10	1.E-10	3.E-10	--	--	2.8E-09	1.8E-09	--	--	--
	Dibenzo(a,h)anthracene	2.9E+00	ug/kg	7.3E+00	7.3E+00	5.7E-10	3.7E-10	4.E-09	3.E-09	7.E-09	--	--	5.7E-10	3.7E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+01	ug/kg	7.3E-01	7.3E-01	2.8E-09	1.8E-09	2.E-09	1.E-09	3.E-09	--	--	2.8E-09	1.8E-09	--	--	--
	Naphthalene	6.4E+00	ug/kg	--	--	1.3E-09	8.1E-10	--	--	--	2.0E-02	2.0E-02	1.3E-09	8.1E-10	6.E-08	4.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	5.2E+02	ug/kg	1.4E-02	1.4E-02	7.9E-08	6.6E-08	1.E-09	9.E-10	2.E-09	2.0E-02	2.0E-02	7.9E-08	6.6E-08	4.E-06	3.E-06	0.00001
	Polychlorinated Biphenyls																
	Total Aroclors	2.4E+01	ug/kg	2.0E+00	2.0E+00	5.0E-09	3.0E-09	1.E-08	6.E-09	2.E-08	2.0E-05	2.0E-05	5.0E-09	3.0E-09	3.E-04	2.E-04	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.8E-01	pg/g	1.3E+05	1.3E+05	8.0E-15	2.2E-14	1.E-09	3.E-09	4.E-09	1.0E-09	1.0E-09	8.0E-15	2.2E-14	8.E-06	2.E-05	0.00003
	Total PCB TEQ	2.9E-01	pg/g	1.3E+05	1.3E+05	6.2E-14	3.7E-14	8.E-09	5.E-09	1.E-08	1.0E-09	1.0E-09	6.2E-14	3.7E-14	6.E-05	4.E-05	0.0001
	Pesticides																
	Dieldrin	9.0E-02	ug/kg	1.6E+01	1.6E+01	1.4E-11	1.1E-11	2.E-10	2.E-10	4.E-10	5.0E-05	5.0E-05	1.4E-11	1.1E-11	3.E-07	2.E-07	0.000001
	Total DDT	1.9E+00	ug/kg	3.4E-01	3.4E-01	8.7E-11	2.5E-10	3.E-11	8.E-11	1.E-10	5.0E-04	5.0E-04	8.7E-11	2.5E-10	2.E-07	5.E-07	0.000001
Exposure Point Total										1.E-06							0.003
RM 12 West	**Metals**																
	Arsenic	3.9E+00	mg/kg	1.5E+00	1.5E+00	1.7E-07	4.9E-07	3.E-07	7.E-07	1.E-06	3.0E-04	3.0E-04	1.7E-07	4.9E-07	6.E-04	2.E-03	0.002
	Mercury	7.4E-01	mg/kg	--	--	0.0E+00	9.4E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.4E-08	0.E+00	9.E-04	0.0009
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.1E+03	ug/kg	7.3E-01	7.3E-01	2.2E-07	1.4E-07	2.E-07	1.E-07	3.E-07	--	--	2.2E-07	1.4E-07	--	--	--
	Benzo(a)pyrene	1.8E+03	ug/kg	7.3E+00	7.3E+00	3.5E-07	2.3E-07	3.E-06	2.E-06	4.E-06	--	--	3.5E-07	2.3E-07	--	--	--
	Benzo(b)fluoranthene	1.4E+03	ug/kg	7.3E-01	7.3E-01	2.8E-07	1.8E-07	2.E-07	1.E-07	3.E-07	--	--	2.8E-07	1.8E-07	--	--	--
	Benzo(k)fluoranthene	5.9E+02	ug/kg	7.3E-02	7.3E-02	1.2E-07	7.6E-08	9.E-09	6.E-09	1.E-08	--	--	1.2E-07	7.6E-08	--	--	--
	Dibenzo(a,h)anthracene	2.1E+02	ug/kg	7.3E+00	7.3E+00	4.1E-08	2.7E-08	3.E-07	2.E-07	5.E-07	--	--	4.1E-08	2.7E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.5E+03	ug/kg	7.3E-01	7.3E-01	2.9E-07	1.9E-07	2.E-07	1.E-07	3.E-07	--	--	2.9E-07	1.9E-07	--	--	--
	Naphthalene	1.5E+02	ug/kg	--	--	2.9E-08	1.9E-08	--	--	--	2.0E-02	2.0E-02	2.9E-08	1.9E-08	1.E-06	9.E-07	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.9E+02	ug/kg	1.4E-02	1.4E-02	2.9E-08	2.4E-08	4.E-10	3.E-10	7.E-10	2.0E-02	2.0E-02	2.9E-08	2.4E-08	1.E-06	1.E-06	0.000003
	Phenols																
	Pentachlorophenol	2.0E+01	ug/kg	4.0E-01	4.0E-01	7.6E-09	2.5E-09	3.E-09	1.E-09	4.E-09	5.0E-03	5.0E-03	7.6E-09	2.5E-09	2.E-06	5.E-07	0.000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.2E+02	ug/kg	2.0E+00	2.0E+00	2.6E-08	1.5E-08	5.E-08	3.E-08	8.E-08	2.0E-05	2.0E-05	2.6E-08	1.5E-08	1.E-03	8.E-04	0.002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E-01	pg/g	1.3E+05	1.3E+05	7.5E-15	2.1E-14	1.E-09	3.E-09	4.E-09	1.0E-09	1.0E-09	7.5E-15	2.1E-14	8.E-06	2.E-05	0.00003
	Total PCB TEQ	4.5E-01	pg/g	1.3E+05	1.3E+05	9.6E-14	5.8E-14	1.E-08	7.E-09	2.E-08	1.0E-09	1.0E-09	9.6E-14	5.8E-14	1.E-04	6.E-05	0.0002
	Pesticides																
	Aldrin	7.0E-01	ug/kg	1.7E+01	1.7E+01	1.1E-10	8.9E-11	2.E-09	2.E-09	3.E-09	3.0E-05	3.0E-05	1.1E-10	8.9E-11	4.E-06	3.E-06	0.00001
	Total DDT	9.5E+00	ug/kg	3.4E-01	3.4E-01	4.3E-10	1.2E-09	1.E-10	4.E-10	6.E-10	5.0E-04	5.0E-04	4.3E-10	1.2E-09	9.E-07	2.E-06	0.000003
Exposure Point Total										7.E-06							0.005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 12 East	**Metals**																
	Arsenic	2.6E+00	mg/kg	1.5E+00	1.5E+00	1.2E-07	3.3E-07	2.E-07	5.E-07	7.E-07	3.0E-04	3.0E-04	1.2E-07	3.3E-07	4.E-04	1.E-03	0.002
	Mercury	6.5E-02	mg/kg	--	--	0.0E+00	8.3E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.3E-09	0.E+00	8.E-05	0.00008
	Butyltins																
	Tributyltin ion	4.8E+00	ug/kg	--	--	7.3E-10	6.1E-10	--	--	--	3.0E-04	3.0E-04	7.3E-10	6.1E-10	2.E-06	2.E-06	0.000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+01	ug/kg	7.3E-01	7.3E-01	3.5E-09	2.3E-09	3.E-09	2.E-09	4.E-09	--	--	3.5E-09	2.3E-09	--	--	--
	Benzo(a)pyrene	1.9E+01	ug/kg	7.3E+00	7.3E+00	3.7E-09	2.4E-09	3.E-08	2.E-08	4.E-08	--	--	3.7E-09	2.4E-09	--	--	--
	Benzo(b)fluoranthene	2.7E+01	ug/kg	7.3E-01	7.3E-01	5.3E-09	3.4E-09	4.E-09	3.E-09	6.E-09	--	--	5.3E-09	3.4E-09	--	--	--
	Benzo(k)fluoranthene	8.4E+00	ug/kg	7.3E-02	7.3E-02	1.7E-09	1.1E-09	1.E-10	8.E-11	2.E-10	--	--	1.7E-09	1.1E-09	--	--	--
	Dibenzo(a,h)anthracene	4.5E+00	ug/kg	7.3E+00	7.3E+00	8.8E-10	5.7E-10	6.E-09	4.E-09	1.E-08	--	--	8.8E-10	5.7E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.7E+01	ug/kg	7.3E-01	7.3E-01	3.3E-09	2.2E-09	2.E-09	2.E-09	4.E-09	--	--	3.3E-09	2.2E-09	--	--	--
	Naphthalene	4.2E+01	ug/kg	--	--	8.3E-09	5.3E-09	--	--	--	2.0E-02	2.0E-02	8.3E-09	5.3E-09	4.E-07	3.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+04	ug/kg	1.4E-02	1.4E-02	2.7E-06	2.3E-06	4.E-08	3.E-08	7.E-08	2.0E-02	2.0E-02	2.7E-06	2.3E-06	1.E-04	1.E-04	0.0003
	Phenols																
	Pentachlorophenol	3.2E+00	ug/kg	4.0E-01	4.0E-01	1.2E-09	4.1E-10	5.E-10	2.E-10	6.E-10	5.0E-03	5.0E-03	1.2E-09	4.1E-10	2.E-07	8.E-08	0.0000003
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+02	ug/kg	2.0E+00	2.0E+00	3.8E-08	2.3E-08	8.E-08	5.E-08	1.E-07	2.0E-05	2.0E-05	3.8E-08	2.3E-08	2.E-03	1.E-03	0.003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	1.3E+05	1.3E+05	7.9E-14	2.2E-13	1.E-08	3.E-08	4.E-08	1.0E-09	1.0E-09	7.9E-14	2.2E-13	8.E-05	2.E-04	0.0003
	Total PCB TEQ	4.6E+00	pg/g	1.3E+05	1.3E+05	9.6E-13	5.8E-13	1.E-07	8.E-08	2.E-07	1.0E-09	1.0E-09	9.6E-13	5.8E-13	1.E-03	6.E-04	0.002
	Pesticides																
	Total DDT	9.4E+00	ug/kg	3.4E-01	3.4E-01	4.3E-10	1.2E-09	1.E-10	4.E-10	6.E-10	5.0E-04	5.0E-04	4.3E-10	1.2E-09	9.E-07	2.E-06	0.000003
Exposure Point Total										**1.E-06**							**0.007**
Study Area-wide[d]	**Metals**																
	Arsenic	5.0E+00	mg/kg	1.5E+00	1.5E+00	2.3E-07	6.4E-07	3.E-07	1.E-06	1.E-06	3.0E-04	3.0E-04	2.3E-07	6.4E-07	8.E-04	2.E-03	0.003
	Mercury	3.0E-01	mg/kg	--	--	0.0E+00	3.8E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.8E-08	0.E+00	4.E-04	0.0004
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.3E-05	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.3E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	2.4E+03	ug/kg	--	--	3.6E-07	3.0E-07	--	--	--	3.0E-04	3.0E-04	3.6E-07	3.0E-07	1.E-03	1.E-03	0.002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+03	ug/kg	7.3E-01	7.3E-01	6.1E-07	3.9E-07	4.E-07	3.E-07	7.E-07	--	--	6.1E-07	3.9E-07	--	--	--
	Benzo(a)pyrene	3.7E+03	ug/kg	7.3E+00	7.3E+00	7.3E-07	4.8E-07	5.E-06	3.E-06	9.E-06	--	--	7.3E-07	4.8E-07	--	--	--
	Benzo(b)fluoranthene	2.9E+03	ug/kg	7.3E-01	7.3E-01	5.7E-07	3.7E-07	4.E-07	3.E-07	7.E-07	--	--	5.7E-07	3.7E-07	--	--	--
	Benzo(k)fluoranthene	2.0E+03	ug/kg	7.3E-02	7.3E-02	3.9E-07	2.5E-07	3.E-08	2.E-08	5.E-08	--	--	3.9E-07	2.5E-07	--	--	--
	Dibenzo(a,h)anthracene	3.8E+02	ug/kg	7.3E+00	7.3E+00	7.5E-08	4.8E-08	5.E-07	4.E-07	9.E-07	--	--	7.5E-08	4.8E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.6E+03	ug/kg	7.3E-01	7.3E-01	5.1E-07	3.3E-07	4.E-07	2.E-07	6.E-07	--	--	5.1E-07	3.3E-07	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-21.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Naphthalene	1.5E+03	ug/kg	--	--	2.9E-07	1.9E-07	--	--	--	2.0E-02	2.0E-02	2.9E-07	1.9E-07	1.E-05	9.E-06	0.00002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.9E+03	ug/kg	1.4E-02	1.4E-02	4.4E-07	3.7E-07	6.E-09	5.E-09	1.E-08	2.0E-02	2.0E-02	4.4E-07	3.7E-07	2.E-05	2.E-05	0.00004
	Phenols																
	Pentachlorophenol	5.6E+01	ug/kg	4.0E-01	4.0E-01	2.1E-08	7.1E-09	8.E-09	3.E-09	1.E-08	5.0E-03	5.0E-03	2.1E-08	7.1E-09	4.E-06	1.E-06	0.00001
	Polychlorinated Biphenyls																
	Total Aroclors	3.6E+02	ug/kg	2.0E+00	2.0E+00	7.6E-08	4.6E-08	2.E-07	9.E-08	2.E-07	2.0E-05	2.0E-05	7.6E-08	4.6E-08	4.E-03	2.E-03	0.006
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.6E+02	pg/g	1.3E+05	1.3E+05	3.0E-11	8.4E-11	4.E-06	1.E-05	1.E-05	1.0E-09	1.0E-09	3.0E-11	8.4E-11	3.E-02	8.E-02	0.1
	Total PCB TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	3.6E-12	2.1E-12	5.E-07	3.E-07	7.E-07	1.0E-09	1.0E-09	3.6E-12	2.1E-12	4.E-03	2.E-03	0.006
	Pesticides																
	Aldrin	5.8E+00	ug/kg	1.7E+01	1.7E+01	8.8E-10	7.4E-10	1.E-08	1.E-08	3.E-08	3.0E-05	3.0E-05	8.8E-10	7.4E-10	3.E-05	2.E-05	0.00005
	Dieldrin	2.8E+00	ug/kg	1.6E+01	1.6E+01	4.2E-10	3.6E-10	7.E-09	6.E-09	1.E-08	5.0E-05	5.0E-05	4.2E-10	3.6E-10	8.E-06	7.E-06	0.00002
	Total DDT	3.7E+02	ug/kg	3.4E-01	3.4E-01	1.7E-08	4.8E-08	6.E-09	2.E-08	2.E-08	5.0E-04	5.0E-04	1.7E-08	4.8E-08	3.E-05	1.E-04	0.0001
	Conventionals																
	Perchlorate	2.7E+05	ug/kg	--	--	0.0E+00	3.5E-05	--	--	--	7.0E-04	7.0E-04	0.0E+00	3.5E-05	0.E+00	5.E-02	0.05
Exposure Point Total										**3.E-05**							**0.4**

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Cumulative risk sums calculated using PCB Aroclor data.

c Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
LADI = Lifetime Average Daily Intake.
mg/kg = Milligrams per kilogram.

PCB = Polychlorinated Biphenyls.
pg/g = Picograms per gram.
RfD = Reference dose.
RM = River mile.
TEQ = Toxic equivalents.
ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: Tribal Fisher Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 1 West	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	7.6E-09	4.6E-08	1.E-08	7.E-08	8.E-08	3.0E-04	3.0E-04	1.8E-08	1.1E-07	6.E-05	4.E-04	0.0004
	Mercury	6.1E-02	mg/kg	--	--	0.0E+00	6.6E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.5E-09	0.E+00	2.E-05	0.00002
	Butyltins																
	Tributyltin ion	8.4E-01	ug/kg	--	--	5.1E-12	9.2E-12	--	--	--	3.0E-04	3.0E-04	1.2E-11	2.1E-11	4.E-08	7.E-08	0.0000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.0E+01	ug/kg	7.3E-01	7.3E-01	3.9E-10	5.5E-10	3.E-10	4.E-10	7.E-10	--	--	9.2E-10	1.3E-09	--	--	--
	Benzo(a)pyrene	7.4E+01	ug/kg	7.3E+00	7.3E+00	5.8E-10	8.1E-10	4.E-09	6.E-09	1.E-08	--	--	1.4E-09	1.9E-09	--	--	--
	Benzo(b)fluoranthene	7.4E+01	ug/kg	7.3E-01	7.3E-01	5.8E-10	8.0E-10	4.E-10	6.E-10	1.E-09	--	--	1.4E-09	1.9E-09	--	--	--
	Benzo(k)fluoranthene	3.0E+01	ug/kg	7.3E-02	7.3E-02	2.4E-10	3.3E-10	2.E-11	2.E-11	4.E-11	--	--	5.5E-10	7.7E-10	--	--	--
	Dibenzo(a,h)anthracene	9.4E+00	ug/kg	7.3E+00	7.3E+00	7.4E-11	1.0E-10	5.E-10	7.E-10	1.E-09	--	--	1.7E-10	2.4E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	5.8E+01	ug/kg	7.3E-01	7.3E-01	4.5E-10	6.3E-10	3.E-10	5.E-10	8.E-10	--	--	1.1E-09	1.5E-09	--	--	--
	Naphthalene	1.3E+01	ug/kg	--	--	1.0E-10	1.4E-10	--	--	--	2.0E-02	2.0E-02	2.4E-10	3.3E-10	1.E-08	2.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.9E+01	ug/kg	1.4E-02	1.4E-02	1.1E-10	2.0E-10	2.E-12	3.E-12	4.E-12	2.0E-02	2.0E-02	2.6E-10	4.7E-10	1.E-08	2.E-08	0.00000004
	Phenols																
	Pentachlorophenol	7.2E-01	ug/kg	4.0E-01	4.0E-01	1.1E-11	7.8E-12	4.E-12	3.E-12	7.E-12	5.0E-03	5.0E-03	2.5E-11	1.8E-11	5.E-09	4.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+01	ug/kg	2.0E+00	2.0E+00	9.6E-11	1.2E-10	2.E-10	2.E-10	4.E-10	2.0E-05	2.0E-05	2.2E-10	2.9E-10	1.E-05	1.E-05	0.00003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	7.6E-01	pg/g	1.3E+05	1.3E+05	1.4E-15	8.3E-15	2.E-10	1.E-09	1.E-09	1.0E-09	1.0E-09	3.2E-15	1.9E-14	3.E-06	2.E-05	0.00002
	Total PCB TEQ	3.2E-01	pg/g	1.3E+05	1.3E+05	2.7E-15	3.5E-15	3.E-10	4.E-10	8.E-10	1.0E-09	1.0E-09	6.3E-15	8.1E-15	6.E-06	8.E-06	0.00001
	Pesticides																
	Aldrin	1.7E-01	ug/kg	1.7E+01	1.7E+01	1.0E-12	1.9E-12	2.E-11	3.E-11	5.E-11	3.0E-05	3.0E-05	2.4E-12	4.4E-12	8.E-08	1.E-07	0.0000002
	Total DDT	2.5E+00	ug/kg	3.4E-01	3.4E-01	4.5E-12	2.7E-11	2.E-12	9.E-12	1.E-11	5.0E-04	5.0E-04	1.1E-11	6.3E-11	2.E-08	1.E-07	0.0000001
Exposure Point Total[b]										1.E-07							0.0005
RM 1 East	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	7.4E-09	4.5E-08	1.E-08	7.E-08	8.E-08	3.0E-04	3.0E-04	1.7E-08	1.0E-07	6.E-05	3.E-04	0.0004
	Mercury	1.4E+00	mg/kg	--	--	0.0E+00	1.6E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.7E-08	0.E+00	4.E-04	0.0004
	Butyltins																
	Tributyltin ion	1.1E+00	ug/kg	--	--	6.6E-12	1.2E-11	--	--	--	3.0E-04	3.0E-04	1.6E-11	2.8E-11	5.E-08	9.E-08	0.0000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+01	ug/kg	7.3E-01	7.3E-01	2.5E-10	3.4E-10	2.E-10	3.E-10	4.E-10	--	--	5.8E-10	8.0E-10	--	--	--
	Benzo(a)pyrene	4.6E+01	ug/kg	7.3E+00	7.3E+00	3.6E-10	5.1E-10	3.E-09	4.E-09	6.E-09	--	--	8.5E-10	1.2E-09	--	--	--
	Benzo(b)fluoranthene	4.2E+01	ug/kg	7.3E-01	7.3E-01	3.3E-10	4.6E-10	2.E-10	3.E-10	6.E-10	--	--	7.7E-10	1.1E-09	--	--	--
	Benzo(k)fluoranthene	2.7E+01	ug/kg	7.3E-02	7.3E-02	2.1E-10	2.9E-10	2.E-11	2.E-11	4.E-11	--	--	4.9E-10	6.7E-10	--	--	--

LWG
Lower Willamette Group

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
							Cancer Risk Calculations[a]						Noncancer Hazard Calculations[a]				
	Dibenzo(a,h)anthracene	5.5E+00	ug/kg	7.3E+00	7.3E+00	4.3E-11	6.0E-11	3.E-10	4.E-10	8.E-10	--	--	1.0E-10	1.4E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.3E+01	ug/kg	7.3E-01	7.3E-01	2.6E-10	3.6E-10	2.E-10	3.E-10	5.E-10	--	--	6.0E-10	8.4E-10	--	--	--
	Naphthalene	8.3E+00	ug/kg	--	--	6.5E-11	9.0E-11	--	--	--	2.0E-02	2.0E-02	1.5E-10	2.1E-10	8.E-09	1.E-08	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.0E+01	ug/kg	1.4E-02	1.4E-02	2.4E-10	4.3E-10	3.E-12	6.E-12	9.E-12	2.0E-02	2.0E-02	5.6E-10	1.0E-09	3.E-08	5.E-08	0.0000001
	Phenols																
	Pentachlorophenol	7.6E-01	ug/kg	4.0E-01	4.0E-01	1.1E-11	8.2E-12	5.E-12	3.E-12	8.E-12	5.0E-03	5.0E-03	2.7E-11	1.9E-11	5.E-09	4.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.0E+02	ug/kg	2.0E+00	2.0E+00	8.7E-10	1.1E-09	2.E-09	2.E-09	4.E-09	2.0E-05	2.0E-05	2.0E-09	2.6E-09	1.E-04	1.E-04	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.7E-01	pg/g	1.3E+05	1.3E+05	8.5E-16	5.1E-15	1.E-10	7.E-10	8.E-10	1.0E-09	1.0E-09	2.0E-15	1.2E-14	2.E-06	1.E-05	0.00001
	Total PCB TEQ	2.7E-01	pg/g	1.3E+05	1.3E+05	2.3E-15	2.9E-15	3.E-10	4.E-10	7.E-10	1.0E-09	1.0E-09	5.3E-15	6.8E-15	5.E-06	7.E-06	0.00001
	Pesticides																
	Total DDT	1.8E+00	ug/kg	3.4E-01	3.4E-01	3.2E-12	2.0E-11	1.E-12	7.E-12	8.E-12	5.0E-04	5.0E-04	7.6E-12	4.6E-11	2.E-08	9.E-08	0.0000001
Exposure Point Total										**9.E-08**							**0.001**
RM 1.5 West	**Metals**																
	Arsenic	3.6E+00	mg/kg	1.5E+00	1.5E+00	6.5E-09	3.9E-08	1.E-08	6.E-08	7.E-08	3.0E-04	3.0E-04	1.5E-08	9.2E-08	5.E-05	3.E-04	0.0004
	Mercury	5.1E-02	mg/kg	--	--	0.0E+00	5.5E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-09	0.E+00	1.E-05	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.9E+01	ug/kg	7.3E-01	7.3E-01	1.5E-10	2.0E-10	1.E-10	1.E-10	3.E-10	--	--	3.4E-10	4.7E-10	--	--	--
	Benzo(a)pyrene	2.7E+01	ug/kg	7.3E+00	7.3E+00	2.1E-10	2.9E-10	2.E-09	2.E-09	4.E-09	--	--	4.9E-10	6.9E-10	--	--	--
	Benzo(b)fluoranthene	2.3E+01	ug/kg	7.3E-01	7.3E-01	1.8E-10	2.5E-10	1.E-10	2.E-10	3.E-10	--	--	4.2E-10	5.9E-10	--	--	--
	Benzo(k)fluoranthene	1.9E+01	ug/kg	7.3E-02	7.3E-02	1.5E-10	2.1E-10	1.E-11	2.E-11	3.E-11	--	--	3.5E-10	4.9E-10	--	--	--
	Dibenzo(a,h)anthracene	3.3E+00	ug/kg	7.3E+00	7.3E+00	2.6E-11	3.5E-11	2.E-10	3.E-10	4.E-10	--	--	6.0E-11	8.3E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	2.1E+01	ug/kg	7.3E-01	7.3E-01	1.7E-10	2.3E-10	1.E-10	2.E-10	3.E-10	--	--	3.9E-10	5.4E-10	--	--	--
	Naphthalene	5.3E+00	ug/kg	--	--	4.2E-11	5.8E-11	--	--	--	2.0E-02	2.0E-02	9.8E-11	1.4E-10	5.E-09	7.E-09	0.00000001
	Phenols																
	Pentachlorophenol	8.1E-01	ug/kg	4.0E-01	4.0E-01	1.2E-11	8.8E-12	5.E-12	4.E-12	8.E-12	5.0E-03	5.0E-03	2.8E-11	2.0E-11	6.E-09	4.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.2E+01	ug/kg	2.0E+00	2.0E+00	9.8E-11	1.3E-10	2.E-10	3.E-10	4.E-10	2.0E-05	2.0E-05	2.3E-10	2.9E-10	1.E-05	1.E-05	0.00003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.5E-02	pg/g	1.3E+05	1.3E+05	1.5E-16	9.3E-16	2.E-11	1.E-10	1.E-10	1.0E-09	1.0E-09	3.6E-16	2.2E-15	4.E-07	2.E-06	0.000003
	Pesticides																
	Total DDT	7.9E-01	ug/kg	3.4E-01	3.4E-01	1.4E-12	8.6E-12	5.E-13	3.E-12	3.E-12	5.0E-04	5.0E-04	3.4E-12	2.0E-11	7.E-09	4.E-08	0.00000005
Exposure Point Total										**7.E-08**							**0.0004**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.

Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure

Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
								Cancer Risk Calculations[a]						Noncancer Hazard Calculations[a]			
RM 1.5 East	**Metals**																
	Arsenic	4.4E+00	mg/kg	1.5E+00	1.5E+00	7.9E-09	4.8E-08	1.E-08	7.E-08	8.E-08	3.0E-04	3.0E-04	1.8E-08	1.1E-07	6.E-05	4.E-04	0.0004
	Mercury	6.4E-02	mg/kg	--	--	0.0E+00	7.0E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.6E-09	0.E+00	2.E-05	0.00002
	Butyltins																
	Tributyltin ion	3.7E-01	ug/kg	--	--	2.2E-12	4.0E-12	--	--	--	3.0E-04	3.0E-04	5.2E-12	9.4E-12	2.E-08	3.E-08	0.00000005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.5E+02	ug/kg	7.3E-01	7.3E-01	2.0E-09	2.7E-09	1.E-09	2.E-09	3.E-09	--	--	4.6E-09	6.3E-09	--	--	--
	Benzo(a)pyrene	3.7E+02	ug/kg	7.3E+00	7.3E+00	2.9E-09	4.0E-09	2.E-08	3.E-08	5.E-08	--	--	6.7E-09	9.3E-09	--	--	--
	Benzo(b)fluoranthene	2.2E+02	ug/kg	7.3E-01	7.3E-01	1.7E-09	2.4E-09	1.E-09	2.E-09	3.E-09	--	--	4.0E-09	5.6E-09	--	--	--
	Benzo(k)fluoranthene	2.2E+02	ug/kg	7.3E-02	7.3E-02	1.7E-09	2.3E-09	1.E-10	2.E-10	3.E-10	--	--	3.9E-09	5.5E-09	--	--	--
	Dibenzo(a,h)anthracene	3.7E+01	ug/kg	7.3E+00	7.3E+00	2.9E-10	4.0E-10	2.E-09	3.E-09	5.E-09	--	--	6.8E-10	9.4E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.6E+02	ug/kg	7.3E-01	7.3E-01	2.1E-09	2.9E-09	2.E-09	2.E-09	4.E-09	--	--	4.8E-09	6.7E-09	--	--	--
	Naphthalene	9.8E+01	ug/kg	--	--	7.7E-10	1.1E-09	--	--	--	2.0E-02	2.0E-02	1.8E-09	2.5E-09	9.E-08	1.E-07	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.1E+01	ug/kg	1.4E-02	1.4E-02	4.3E-10	7.8E-10	6.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	1.0E-09	1.8E-09	5.E-08	9.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.6E+00	ug/kg	4.0E-01	4.0E-01	2.5E-11	1.8E-11	1.E-11	7.E-12	2.E-11	5.0E-03	5.0E-03	5.8E-11	4.1E-11	1.E-08	8.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	2.2E+01	ug/kg	2.0E+00	2.0E+00	1.8E-10	2.4E-10	4.E-10	5.E-10	8.E-10	2.0E-05	2.0E-05	4.3E-10	5.5E-10	2.E-05	3.E-05	0.00005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.7E-01	pg/g	1.3E+05	1.3E+05	1.0E-15	6.3E-15	1.E-10	8.E-10	1.E-09	1.0E-09	1.0E-09	2.4E-15	1.5E-14	2.E-06	1.E-05	0.00002
	Total PCB TEQ	1.1E-01	pg/g	1.3E+05	1.3E+05	8.9E-16	1.1E-15	1.E-10	1.E-10	3.E-10	1.0E-09	1.0E-09	2.1E-15	2.7E-15	2.E-06	3.E-06	0.000005
	Pesticides																
	Dieldrin	6.9E-02	ug/kg	1.6E+01	1.6E+01	4.2E-13	7.5E-13	7.E-12	1.E-11	2.E-11	5.0E-05	5.0E-05	9.7E-13	1.8E-12	2.E-08	4.E-08	0.0000001
	Total DDT	6.8E+00	ug/kg	3.4E-01	3.4E-01	1.2E-11	7.4E-11	4.E-12	3.E-11	3.E-11	5.0E-04	5.0E-04	2.9E-11	1.7E-10	6.E-08	3.E-07	0.0000004
Exposure Point Total										2.E-07							0.0005
RM 2 West	**Metals**																
	Arsenic	3.4E+00	mg/kg	1.5E+00	1.5E+00	6.2E-09	3.7E-08	9.E-09	6.E-08	7.E-08	3.0E-04	3.0E-04	1.4E-08	8.7E-08	5.E-05	3.E-04	0.0003
	Mercury	6.2E-02	mg/kg	--	--	0.0E+00	6.8E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.6E-09	0.E+00	2.E-05	0.00002
	Butyltins																
	Tributyltin ion	2.1E+00	ug/kg	--	--	1.3E-11	2.3E-11	--	--	--	3.0E-04	3.0E-04	3.0E-11	5.3E-11	1.E-07	2.E-07	0.0000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+01	ug/kg	7.3E-01	7.3E-01	2.4E-10	3.3E-10	2.E-10	2.E-10	4.E-10	--	--	5.6E-10	7.8E-10	--	--	--
	Benzo(a)pyrene	5.5E+01	ug/kg	7.3E+00	7.3E+00	4.3E-10	6.0E-10	3.E-09	4.E-09	8.E-09	--	--	1.0E-09	1.4E-09	--	--	--
	Benzo(b)fluoranthene	5.6E+01	ug/kg	7.3E-01	7.3E-01	4.4E-10	6.1E-10	3.E-10	4.E-10	8.E-10	--	--	1.0E-09	1.4E-09	--	--	--
	Benzo(k)fluoranthene	1.8E+01	ug/kg	7.3E-02	7.3E-02	1.4E-10	1.9E-10	1.E-11	1.E-11	2.E-11	--	--	3.3E-10	4.5E-10	--	--	--
	Dibenzo(a,h)anthracene	6.1E+00	ug/kg	7.3E+00	7.3E+00	4.8E-11	6.6E-11	3.E-10	5.E-10	8.E-10	--	--	1.1E-10	1.5E-10	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Indeno(1,2,3-cd)pyrene	4.6E+01	ug/kg	7.3E-01	7.3E-01	3.6E-10	5.0E-10	3.E-10	4.E-10	6.E-10	--	--	8.4E-10	1.2E-09	--	--	--
	Naphthalene	7.2E+00	ug/kg	--	--	5.6E-11	7.8E-11	--	--	--	2.0E-02	2.0E-02	1.3E-10	1.8E-10	7.E-09	9.E-09	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.3E+01	ug/kg	1.4E-02	1.4E-02	2.0E-10	3.6E-10	3.E-12	5.E-12	8.E-12	2.0E-02	2.0E-02	4.7E-10	8.4E-10	2.E-08	4.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.3E+01	ug/kg	2.0E+00	2.0E+00	1.1E-10	1.4E-10	2.E-10	3.E-10	5.E-10	2.0E-05	2.0E-05	2.6E-10	3.3E-10	1.E-05	2.E-05	0.00003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.2E-01	pg/g	1.3E+05	1.3E+05	1.5E-15	8.9E-15	2.E-10	1.E-09	1.E-09	1.0E-09	1.0E-09	3.4E-15	2.1E-14	3.E-06	2.E-05	0.00002
	Total PCB TEQ	2.5E-01	pg/g	1.3E+05	1.3E+05	2.1E-15	2.7E-15	3.E-10	4.E-10	6.E-10	1.0E-09	1.0E-09	4.9E-15	6.4E-15	5.E-06	6.E-06	0.00001
	Pesticides																
	Aldrin	9.1E-02	ug/kg	1.7E+01	1.7E+01	5.5E-13	9.9E-13	9.E-12	2.E-11	3.E-11	3.0E-05	3.0E-05	1.3E-12	2.3E-12	4.E-08	8.E-08	0.0000001
	Dieldrin	1.1E-01	ug/kg	1.6E+01	1.6E+01	6.9E-13	1.2E-12	1.E-11	2.E-11	3.E-11	5.0E-05	5.0E-05	1.6E-12	2.9E-12	3.E-08	6.E-08	0.0000001
	Total DDT	1.4E+00	ug/kg	3.4E-01	3.4E-01	2.5E-12	1.5E-11	8.E-13	5.E-12	6.E-12	5.0E-04	5.0E-04	5.8E-12	3.5E-11	1.E-08	7.E-08	0.0000001
Exposure Point Total										**8.E-08**							**0.0004**
RM 2 East	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	7.4E-09	4.4E-08	1.E-08	7.E-08	8.E-08	3.0E-04	3.0E-04	1.7E-08	1.0E-07	6.E-05	3.E-04	0.0004
	Mercury	8.2E-02	mg/kg	--	--	0.0E+00	9.0E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.1E-09	0.E+00	2.E-05	0.00002
	Butyltins																
	Tributyltin ion	2.7E+00	ug/kg	--	--	1.6E-11	2.9E-11	--	--	--	3.0E-04	3.0E-04	3.7E-11	6.7E-11	1.E-07	2.E-07	0.0000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.8E+01	ug/kg	7.3E-01	7.3E-01	4.5E-10	6.3E-10	3.E-10	5.E-10	8.E-10	--	--	1.1E-09	1.5E-09	--	--	--
	Benzo(a)pyrene	8.6E+01	ug/kg	7.3E+00	7.3E+00	6.8E-10	9.4E-10	5.E-09	7.E-09	1.E-08	--	--	1.6E-09	2.2E-09	--	--	--
	Benzo(b)fluoranthene	9.4E+01	ug/kg	7.3E-01	7.3E-01	7.4E-10	1.0E-09	5.E-10	7.E-10	1.E-09	--	--	1.7E-09	2.4E-09	--	--	--
	Benzo(k)fluoranthene	4.1E+01	ug/kg	7.3E-02	7.3E-02	3.2E-10	4.5E-10	2.E-11	3.E-11	6.E-11	--	--	7.6E-10	1.1E-09	--	--	--
	Dibenzo(a,h)anthracene	1.3E+01	ug/kg	7.3E+00	7.3E+00	1.0E-10	1.4E-10	7.E-10	1.E-09	2.E-09	--	--	2.4E-10	3.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	7.5E+01	ug/kg	7.3E-01	7.3E-01	5.9E-10	8.2E-10	4.E-10	6.E-10	1.E-09	--	--	1.4E-09	1.9E-09	--	--	--
	Naphthalene	1.4E+01	ug/kg	--	--	1.1E-10	1.6E-10	--	--	--	2.0E-02	2.0E-02	2.7E-10	3.7E-10	1.E-08	2.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.9E+01	ug/kg	1.4E-02	1.4E-02	6.0E-10	1.1E-09	8.E-12	2.E-11	2.E-11	2.0E-02	2.0E-02	1.4E-09	2.5E-09	7.E-08	1.E-07	0.0000002
	Phenols																
	Pentachlorophenol	5.3E-01	ug/kg	4.0E-01	4.0E-01	8.1E-12	5.8E-12	3.E-12	2.E-12	6.E-12	5.0E-03	5.0E-03	1.9E-11	1.4E-11	4.E-09	3.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	4.3E+02	ug/kg	2.0E+00	2.0E+00	3.7E-09	4.7E-09	7.E-09	9.E-09	2.E-08	2.0E-05	2.0E-05	8.5E-09	1.1E-08	4.E-04	5.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.2E+00	pg/g	1.3E+05	1.3E+05	2.2E-15	1.3E-14	3.E-10	2.E-09	2.E-09	1.0E-09	1.0E-09	5.2E-15	3.1E-14	5.E-06	3.E-05	0.00004
	Total PCB TEQ	1.3E+01	pg/g	1.3E+05	1.3E+05	1.1E-13	1.5E-13	1.E-08	2.E-08	3.E-08	1.0E-09	1.0E-09	2.6E-13	3.4E-13	3.E-04	3.E-04	0.0006

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future　　　Medium: Sediment
Receptor Population: Tribal Fisher　　　Exposure Medium: In-water Sediment
Population Age: Adult　　　Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	4.7E-01	ug/kg	1.7E+01	1.7E+01	2.8E-12	5.1E-12	5.E-11	9.E-11	1.E-10	3.0E-05	3.0E-05	6.6E-12	1.2E-11	2.E-07	4.E-07	0.000001
	Dieldrin	6.0E-01	ug/kg	1.6E+01	1.6E+01	3.6E-12	6.5E-12	6.E-11	1.E-10	2.E-10	5.0E-05	5.0E-05	8.4E-12	1.5E-11	2.E-07	3.E-07	0.0000005
	Total DDT	2.6E+00	ug/kg	3.4E-01	3.4E-01	4.7E-12	2.8E-11	2.E-12	1.E-11	1.E-11	5.0E-04	5.0E-04	1.1E-11	6.6E-11	2.E-08	1.E-07	0.0000002
Exposure Point Total										1.E-07							0.002
RM 2.5 West	**Metals**																
	Arsenic	4.0E+00	mg/kg	1.5E+00	1.5E+00	7.3E-09	4.4E-08	1.E-08	7.E-08	8.E-08	3.0E-04	3.0E-04	1.7E-08	1.0E-07	6.E-05	3.E-04	0.0004
	Mercury	5.5E-02	mg/kg	--	--	0.0E+00	6.0E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-09	0.E+00	1.E-05	0.00001
	Butyltins																
	Tributyltin ion	2.3E+00	ug/kg	--	--	1.4E-11	2.5E-11	--	--	--	3.0E-04	3.0E-04	3.2E-11	5.9E-11	1.E-07	2.E-07	0.0000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.1E+02	ug/kg	7.3E-01	7.3E-01	1.6E-09	2.2E-09	1.E-09	2.E-09	3.E-09	--	--	3.8E-09	5.2E-09	--	--	--
	Benzo(a)pyrene	3.7E+02	ug/kg	7.3E+00	7.3E+00	2.9E-09	4.0E-09	2.E-08	3.E-08	5.E-08	--	--	6.8E-09	9.4E-09	--	--	--
	Benzo(b)fluoranthene	2.8E+02	ug/kg	7.3E-01	7.3E-01	2.2E-09	3.0E-09	2.E-09	2.E-09	4.E-09	--	--	5.0E-09	7.0E-09	--	--	--
	Benzo(k)fluoranthene	1.2E+02	ug/kg	7.3E-02	7.3E-02	9.8E-10	1.4E-09	7.E-11	1.E-10	2.E-10	--	--	2.3E-09	3.2E-09	--	--	--
	Dibenzo(a,h)anthracene	4.1E+01	ug/kg	7.3E+00	7.3E+00	3.2E-10	4.5E-10	2.E-09	3.E-09	6.E-09	--	--	7.5E-10	1.0E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.1E+02	ug/kg	7.3E-01	7.3E-01	2.4E-09	3.4E-09	2.E-09	2.E-09	4.E-09	--	--	5.7E-09	7.9E-09	--	--	--
	Naphthalene	4.1E+01	ug/kg	--	--	3.2E-10	4.4E-10	--	--	--	2.0E-02	2.0E-02	7.4E-10	1.0E-09	4.E-08	5.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.5E+01	ug/kg	1.4E-02	1.4E-02	9.3E-11	1.7E-10	1.E-12	2.E-12	4.E-12	2.0E-02	2.0E-02	2.2E-10	3.9E-10	1.E-08	2.E-08	0.00000003
	Phenols																
	Pentachlorophenol	4.5E-01	ug/kg	4.0E-01	4.0E-01	6.7E-12	4.9E-12	3.E-12	2.E-12	5.E-12	5.0E-03	5.0E-03	1.6E-11	1.1E-11	3.E-09	2.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+01	ug/kg	2.0E+00	2.0E+00	9.1E-11	1.2E-10	2.E-10	2.E-10	4.E-10	2.0E-05	2.0E-05	2.1E-10	2.7E-10	1.E-05	1.E-05	0.00002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.7E-01	pg/g	1.3E+05	1.3E+05	4.8E-16	2.9E-15	6.E-11	4.E-10	4.E-10	1.0E-09	1.0E-09	1.1E-15	6.8E-15	1.E-06	7.E-06	0.00001
	Total PCB TEQ	2.1E-01	pg/g	1.3E+05	1.3E+05	1.7E-15	2.3E-15	2.E-10	3.E-10	5.E-10	1.0E-09	1.0E-09	4.1E-15	5.3E-15	4.E-06	5.E-06	0.00001
	Pesticides																
	Aldrin	9.3E-02	ug/kg	1.7E+01	1.7E+01	5.6E-13	1.0E-12	1.E-11	2.E-11	3.E-11	3.0E-05	3.0E-05	1.3E-12	2.4E-12	4.E-08	8.E-08	0.0000001
	Dieldrin	1.4E-01	ug/kg	1.6E+01	1.6E+01	8.3E-13	1.5E-12	1.E-11	2.E-11	4.E-11	5.0E-05	5.0E-05	1.9E-12	3.5E-12	4.E-08	7.E-08	0.0000001
	Total DDT	1.4E+00	ug/kg	3.4E-01	3.4E-01	2.6E-12	1.6E-11	9.E-13	5.E-12	6.E-12	5.0E-04	5.0E-04	6.1E-12	3.7E-11	1.E-08	7.E-08	0.0000001
Exposure Point Total										1.E-07							0.0005
RM 2.5 East	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	7.6E-09	4.6E-08	1.E-08	7.E-08	8.E-08	3.0E-04	3.0E-04	1.8E-08	1.1E-07	6.E-05	4.E-04	0.0004
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	7.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.7E-09	0.E+00	2.E-05	0.00002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Tribal Fisher   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.8E+02	ug/kg	7.3E-01	7.3E-01	4.6E-09	6.4E-09	3.E-09	5.E-09	8.E-09	--	--	1.1E-08	1.5E-08	--	--	--
	Benzo(a)pyrene	4.8E+02	ug/kg	7.3E+00	7.3E+00	3.8E-09	5.2E-09	3.E-08	4.E-08	7.E-08	--	--	8.8E-09	1.2E-08	--	--	--
	Benzo(b)fluoranthene	4.4E+02	ug/kg	7.3E-01	7.3E-01	3.5E-09	4.8E-09	3.E-09	4.E-09	6.E-09	--	--	8.1E-09	1.1E-08	--	--	--
	Benzo(k)fluoranthene	1.4E+02	ug/kg	7.3E-02	7.3E-02	1.1E-09	1.5E-09	8.E-11	1.E-10	2.E-10	--	--	2.6E-09	3.6E-09	--	--	--
	Dibenzo(a,h)anthracene	4.9E+01	ug/kg	7.3E+00	7.3E+00	3.8E-10	5.3E-10	3.E-09	4.E-09	7.E-09	--	--	9.0E-10	1.2E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.8E+02	ug/kg	7.3E-01	7.3E-01	2.2E-09	3.1E-09	2.E-09	2.E-09	4.E-09	--	--	5.2E-09	7.2E-09	--	--	--
	Naphthalene	5.1E+01	ug/kg	--	--	4.0E-10	5.5E-10	--	--	--	2.0E-02	2.0E-02	9.3E-10	1.3E-09	5.E-08	6.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.8E+01	ug/kg	1.4E-02	1.4E-02	4.7E-10	8.5E-10	7.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	1.1E-09	2.0E-09	5.E-08	1.E-07	0.0000002
	Phenols																
	Pentachlorophenol	4.3E+00	ug/kg	4.0E-01	4.0E-01	6.4E-11	4.6E-11	3.E-11	2.E-11	4.E-11	5.0E-03	5.0E-03	1.5E-10	1.1E-10	3.E-08	2.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	5.6E+01	ug/kg	2.0E+00	2.0E+00	4.7E-10	6.1E-10	9.E-10	1.E-09	2.E-09	2.0E-05	2.0E-05	1.1E-09	1.4E-09	6.E-05	7.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.6E-01	pg/g	1.3E+05	1.3E+05	1.2E-15	7.2E-15	2.E-10	9.E-10	1.E-09	1.0E-09	1.0E-09	2.8E-15	1.7E-14	3.E-06	2.E-05	0.00002
	Total PCB TEQ	1.3E+00	pg/g	1.3E+05	1.3E+05	1.1E-14	1.5E-14	1.E-09	2.E-09	3.E-09	1.0E-09	1.0E-09	2.6E-14	3.4E-14	3.E-05	3.E-05	0.00006
	Pesticides																
	Aldrin	5.1E-01	ug/kg	1.7E+01	1.7E+01	3.1E-12	5.5E-12	5.E-11	9.E-11	1.E-10	3.0E-05	3.0E-05	7.1E-12	1.3E-11	2.E-07	4.E-07	0.000001
	Dieldrin	1.7E-01	ug/kg	1.6E+01	1.6E+01	1.0E-12	1.8E-12	2.E-11	3.E-11	4.E-11	5.0E-05	5.0E-05	2.3E-12	4.2E-12	5.E-08	8.E-08	0.0000001
	Total DDT	2.4E+00	ug/kg	3.4E-01	3.4E-01	4.3E-12	2.6E-11	1.E-12	9.E-12	1.E-11	5.0E-04	5.0E-04	1.0E-11	6.1E-11	2.E-08	1.E-07	0.0000001
Exposure Point Total										2.E-07							0.0006
RM 2.5 MC	**Metals**																
	Arsenic	4.3E+00	mg/kg	1.5E+00	1.5E+00	7.7E-09	4.6E-08	1.E-08	7.E-08	8.E-08	3.0E-04	3.0E-04	1.8E-08	1.1E-07	6.E-05	4.E-04	0.0004
	Mercury	7.9E-02	mg/kg	--	--	0.0E+00	8.6E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.0E-09	0.E+00	2.E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.1E+02	ug/kg	7.3E-01	7.3E-01	1.7E-09	2.3E-09	1.E-09	2.E-09	3.E-09	--	--	3.9E-09	5.4E-09	--	--	--
	Benzo(a)pyrene	3.4E+02	ug/kg	7.3E+00	7.3E+00	2.7E-09	3.7E-09	2.E-08	3.E-08	5.E-08	--	--	6.3E-09	8.7E-09	--	--	--
	Benzo(b)fluoranthene	3.1E+02	ug/kg	7.3E-01	7.3E-01	2.5E-09	3.4E-09	2.E-09	2.E-09	4.E-09	--	--	5.7E-09	8.0E-09	--	--	--
	Benzo(k)fluoranthene	1.0E+02	ug/kg	7.3E-02	7.3E-02	7.9E-10	1.1E-09	6.E-11	8.E-11	1.E-10	--	--	1.8E-09	2.5E-09	--	--	--
	Dibenzo(a,h)anthracene	3.4E+01	ug/kg	7.3E+00	7.3E+00	2.6E-10	3.7E-10	2.E-09	3.E-09	5.E-09	--	--	6.2E-10	8.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.6E+02	ug/kg	7.3E-01	7.3E-01	2.1E-09	2.8E-09	1.E-09	2.E-09	4.E-09	--	--	4.8E-09	6.6E-09	--	--	--
	Naphthalene	5.9E+01	ug/kg	--	--	4.6E-10	6.4E-10	--	--	--	2.0E-02	2.0E-02	1.1E-09	1.5E-09	5.E-08	7.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	5.8E+01	ug/kg	1.4E-02	1.4E-02	3.5E-10	6.3E-10	5.E-12	9.E-12	1.E-11	2.0E-02	2.0E-02	8.1E-10	1.5E-09	4.E-08	7.E-08	0.0000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phenols																
	Pentachlorophenol	5.5E-01	ug/kg	4.0E-01	4.0E-01	8.3E-12	6.0E-12	3.E-12	2.E-12	6.E-12	5.0E-03	5.0E-03	1.9E-11	1.4E-11	4.E-09	3.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+01	ug/kg	2.0E+00	2.0E+00	2.1E-10	2.8E-10	4.E-10	6.E-10	1.E-09	2.0E-05	2.0E-05	5.0E-10	6.4E-10	3.E-05	3.E-05	0.00006
	Pesticides																
	Aldrin	2.0E-01	ug/kg	1.7E+01	1.7E+01	1.2E-12	2.2E-12	2.E-11	4.E-11	6.E-11	3.0E-05	3.0E-05	2.9E-12	5.2E-12	1.E-07	2.E-07	0.0000003
	Dieldrin	3.1E-01	ug/kg	1.6E+01	1.6E+01	1.9E-12	3.3E-12	3.E-11	5.E-11	8.E-11	5.0E-05	5.0E-05	4.3E-12	7.8E-12	9.E-08	2.E-07	0.0000002
	Total DDT	3.7E+00	ug/kg	3.4E-01	3.4E-01	6.8E-12	4.1E-11	2.E-12	1.E-11	2.E-11	5.0E-04	5.0E-04	1.6E-11	9.5E-11	3.E-08	2.E-07	0.0000002
Exposure Point Total										1.E-07							0.0005
RM 3 West	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	6.6E-09	4.0E-08	1.E-08	6.E-08	7.E-08	3.0E-04	3.0E-04	1.5E-08	9.3E-08	5.E-05	3.E-04	0.0004
	Mercury	8.0E-02	mg/kg	--	--	0.0E+00	8.7E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.0E-09	0.E+00	2.E-05	0.00002
	Vanadium	8.6E+01	mg/kg	--	--	0.0E+00	9.4E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.2E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	1.0E+01	ug/kg	--	--	6.2E-11	1.1E-10	--	--	--	3.0E-04	3.0E-04	1.5E-10	2.6E-10	5.E-07	9.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.9E+02	ug/kg	7.3E-01	7.3E-01	2.3E-09	3.2E-09	2.E-09	2.E-09	4.E-09	--	--	5.3E-09	7.4E-09	--	--	--
	Benzo(a)pyrene	4.6E+02	ug/kg	7.3E+00	7.3E+00	3.6E-09	5.0E-09	3.E-08	4.E-08	6.E-08	--	--	8.5E-09	1.2E-08	--	--	--
	Benzo(b)fluoranthene	4.0E+02	ug/kg	7.3E-01	7.3E-01	3.1E-09	4.3E-09	2.E-09	3.E-09	5.E-09	--	--	7.2E-09	1.0E-08	--	--	--
	Benzo(k)fluoranthene	2.3E+02	ug/kg	7.3E-02	7.3E-02	1.8E-09	2.5E-09	1.E-10	2.E-10	3.E-10	--	--	4.2E-09	5.9E-09	--	--	--
	Dibenzo(a,h)anthracene	5.3E+01	ug/kg	7.3E+00	7.3E+00	4.1E-10	5.7E-10	3.E-09	4.E-09	7.E-09	--	--	9.7E-10	1.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.3E+02	ug/kg	7.3E-01	7.3E-01	2.6E-09	3.6E-09	2.E-09	3.E-09	4.E-09	--	--	6.0E-09	8.3E-09	--	--	--
	Naphthalene	9.8E+01	ug/kg	--	--	7.7E-10	1.1E-09	--	--	--	2.0E-02	2.0E-02	1.8E-09	2.5E-09	9.E-08	1.E-07	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.0E+01	ug/kg	1.4E-02	1.4E-02	2.4E-10	4.4E-10	3.E-12	6.E-12	1.E-11	2.0E-02	2.0E-02	5.7E-10	1.0E-09	3.E-08	5.E-08	0.00000001
	Phenols																
	Pentachlorophenol	1.6E+01	ug/kg	4.0E-01	4.0E-01	2.5E-10	1.8E-10	1.E-10	7.E-11	2.E-10	5.0E-03	5.0E-03	5.8E-10	4.2E-10	1.E-07	8.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+01	ug/kg	2.0E+00	2.0E+00	9.5E-11	1.2E-10	2.E-10	2.E-10	4.E-10	2.0E-05	2.0E-05	2.2E-10	2.9E-10	1.E-05	1.E-05	0.00003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.1E-01	pg/g	1.3E+05	1.3E+05	1.1E-15	6.6E-15	1.E-10	9.E-10	1.E-09	1.0E-09	1.0E-09	2.6E-15	1.5E-14	3.E-06	2.E-05	0.00002
	Total PCB TEQ	4.1E-01	pg/g	1.3E+05	1.3E+05	3.5E-15	4.5E-15	5.E-10	6.E-10	1.E-09	1.0E-09	1.0E-09	8.1E-15	1.0E-14	8.E-06	1.E-05	0.0002
	Pesticides																
	Aldrin	3.5E-01	ug/kg	1.7E+01	1.7E+01	2.1E-12	3.8E-12	4.E-11	7.E-11	1.E-10	3.0E-05	3.0E-05	5.0E-12	9.0E-12	2.E-07	3.E-07	0.0000005
	Dieldrin	2.0E-01	ug/kg	1.6E+01	1.6E+01	1.2E-12	2.1E-12	2.E-11	3.E-11	5.E-11	5.0E-05	5.0E-05	2.8E-12	5.0E-12	6.E-08	1.E-07	0.0000002
	Total DDT	2.8E+01	ug/kg	3.4E-01	3.4E-01	5.1E-11	3.1E-10	2.E-11	1.E-10	1.E-10	5.0E-04	5.0E-04	1.2E-10	7.2E-10	2.E-07	1.E-06	0.000002
Exposure Point Total										2.E-07							0.03

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: Tribal Fisher Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 3 East	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	7.5E-09	4.5E-08	1.E-08	7.E-08	8.E-08	3.0E-04	3.0E-04	1.7E-08	1.0E-07	6.E-05	3.E-04	0.0004
	Mercury	5.6E-02	mg/kg	--	--	0.0E+00	6.1E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-09	0.E+00	1.E-05	0.00001
	Vanadium	8.8E+01	mg/kg	--	--	0.0E+00	9.6E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.2E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	8.3E+00	ug/kg	--	--	5.0E-11	9.0E-11	--	--	--	3.0E-04	3.0E-04	1.2E-10	2.1E-10	4.E-07	7.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.7E+01	ug/kg	7.3E-01	7.3E-01	6.1E-10	8.4E-10	4.E-10	6.E-10	1.E-09	--	--	1.4E-09	2.0E-09	--	--	--
	Benzo(a)pyrene	8.4E+01	ug/kg	7.3E+00	7.3E+00	6.6E-10	9.1E-10	5.E-09	7.E-09	1.E-08	--	--	1.5E-09	2.1E-09	--	--	--
	Benzo(b)fluoranthene	9.9E+01	ug/kg	7.3E-01	7.3E-01	7.8E-10	1.1E-09	6.E-10	8.E-10	1.E-09	--	--	1.8E-09	2.5E-09	--	--	--
	Benzo(k)fluoranthene	6.0E+01	ug/kg	7.3E-02	7.3E-02	4.7E-10	6.6E-10	3.E-11	5.E-11	8.E-11	--	--	1.1E-09	1.5E-09	--	--	--
	Dibenzo(a,h)anthracene	1.4E+01	ug/kg	7.3E+00	7.3E+00	1.1E-10	1.5E-10	8.E-10	1.E-09	2.E-09	--	--	2.5E-10	3.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	6.7E+01	ug/kg	7.3E-01	7.3E-01	5.3E-10	7.4E-10	4.E-10	5.E-10	9.E-10	--	--	1.2E-09	1.7E-09	--	--	--
	Naphthalene	1.3E+01	ug/kg	--	--	9.9E-11	1.4E-10	--	--	--	2.0E-02	2.0E-02	2.3E-10	3.2E-10	1.E-08	2.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.5E+01	ug/kg	1.4E-02	1.4E-02	3.9E-10	7.0E-10	5.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	9.1E-10	1.6E-09	5.E-08	8.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.9E+00	ug/kg	4.0E-01	4.0E-01	2.9E-11	2.1E-11	1.E-11	8.E-12	2.E-11	5.0E-03	5.0E-03	6.8E-11	4.9E-11	1.E-08	1.E-08	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.9E+01	ug/kg	2.0E+00	2.0E+00	1.6E-10	2.1E-10	3.E-10	4.E-10	7.E-10	2.0E-05	2.0E-05	3.8E-10	4.8E-10	2.E-05	2.E-05	0.00004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.9E+00	pg/g	1.3E+05	1.3E+05	5.2E-15	3.1E-14	7.E-10	4.E-09	5.E-09	1.0E-09	1.0E-09	1.2E-14	7.3E-14	1.E-05	7.E-05	0.00008
	Total PCB TEQ	7.7E-02	pg/g	1.3E+05	1.3E+05	6.5E-16	8.3E-16	8.E-11	1.E-10	2.E-10	1.0E-09	1.0E-09	1.5E-15	1.9E-15	2.E-06	2.E-06	0.000003
	Pesticides																
	Aldrin	2.9E-01	ug/kg	1.7E+01	1.7E+01	1.7E-12	3.1E-12	3.E-11	5.E-11	8.E-11	3.0E-05	3.0E-05	4.0E-12	7.3E-12	1.E-07	2.E-07	0.0000004
	Dieldrin	5.7E-02	ug/kg	1.6E+01	1.6E+01	3.5E-13	6.3E-13	6.E-12	1.E-11	2.E-11	5.0E-05	5.0E-05	8.1E-13	1.5E-12	2.E-08	3.E-08	0.00000005
	Total DDT	1.6E+00	ug/kg	3.4E-01	3.4E-01	2.9E-12	1.7E-11	1.E-12	6.E-12	7.E-12	5.0E-04	5.0E-04	6.7E-12	4.0E-11	1.E-08	8.E-08	0.0000001
Exposure Point Total										**1.E-07**							**0.03**
RM 3.5 West	**Metals**																
	Arsenic	5.8E+00	mg/kg	1.5E+00	1.5E+00	1.0E-08	6.3E-08	2.E-08	9.E-08	1.E-07	3.0E-04	3.0E-04	2.4E-08	1.5E-07	8.E-05	5.E-04	0.0006
	Mercury	7.1E-02	mg/kg	--	--	0.0E+00	7.7E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.8E-09	0.E+00	2.E-05	0.00002
	Vanadium	9.9E+01	mg/kg	--	--	0.0E+00	1.1E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.5E-06	0.E+00	4.E-02	0.04
	Butyltins																
	Tributyltin ion	8.1E+01	ug/kg	--	--	4.9E-10	8.8E-10	--	--	--	3.0E-04	3.0E-04	1.1E-09	2.1E-09	4.E-06	7.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+02	ug/kg	7.3E-01	7.3E-01	2.0E-09	2.8E-09	1.E-09	2.E-09	4.E-09	--	--	4.8E-09	6.6E-09	--	--	--
	Benzo(a)pyrene	3.9E+02	ug/kg	7.3E+00	7.3E+00	3.1E-09	4.3E-09	2.E-08	3.E-08	5.E-08	--	--	7.2E-09	1.0E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: Tribal Fisher Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(b)fluoranthene	3.5E+02	ug/kg	7.3E-01	7.3E-01	2.7E-09	3.8E-09	2.E-09	3.E-09	5.E-09	--	--	6.4E-09	8.9E-09	--	--	--
	Benzo(k)fluoranthene	1.4E+02	ug/kg	7.3E-02	7.3E-02	1.1E-09	1.6E-09	8.E-11	1.E-10	2.E-10	--	--	2.6E-09	3.7E-09	--	--	--
	Dibenzo(a,h)anthracene	4.3E+01	ug/kg	7.3E+00	7.3E+00	3.4E-10	4.7E-10	2.E-09	3.E-09	6.E-09	--	--	7.9E-10	1.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.2E+02	ug/kg	7.3E-01	7.3E-01	2.5E-09	3.5E-09	2.E-09	3.E-09	4.E-09	--	--	5.9E-09	8.2E-09	--	--	--
	Naphthalene	1.3E+02	ug/kg	--	--	1.0E-09	1.4E-09	--	--	--	2.0E-02	2.0E-02	2.4E-09	3.4E-09	1.E-07	2.E-07	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.6E+01	ug/kg	1.4E-02	1.4E-02	2.8E-10	5.1E-10	4.E-12	7.E-12	1.E-11	2.0E-02	2.0E-02	6.5E-10	1.2E-09	3.E-08	6.E-08	0.0000001
	Phenols																
	Pentachlorophenol	2.5E+00	ug/kg	4.0E-01	4.0E-01	3.7E-11	2.7E-11	1.E-11	1.E-11	3.E-11	5.0E-03	5.0E-03	8.7E-11	6.3E-11	2.E-08	1.E-08	0.00000003
	Polychlorinated Biphenyls																
	Total Aroclors	2.3E+01	ug/kg	2.0E+00	2.0E+00	1.9E-10	2.5E-10	4.E-10	5.E-10	9.E-10	2.0E-05	2.0E-05	4.5E-10	5.8E-10	2.E-05	3.E-05	0.00005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.1E-01	pg/g	1.3E+05	1.3E+05	1.6E-15	9.9E-15	2.E-10	1.E-09	2.E-09	1.0E-09	1.0E-09	3.8E-15	2.3E-14	4.E-06	2.E-05	0.00003
	Total PCB TEQ	5.1E-01	pg/g	1.3E+05	1.3E+05	4.3E-15	5.6E-15	6.E-10	7.E-10	1.E-09	1.0E-09	1.0E-09	1.0E-14	1.3E-14	1.E-05	1.E-05	0.00002
	Pesticides																
	Aldrin	2.7E-01	ug/kg	1.7E+01	1.7E+01	1.6E-12	2.9E-12	3.E-11	5.E-11	8.E-11	3.0E-05	3.0E-05	3.7E-12	6.7E-12	1.E-07	2.E-07	0.0000003
	Dieldrin	1.3E-01	ug/kg	1.6E+01	1.6E+01	7.6E-13	1.4E-12	1.E-11	2.E-11	3.E-11	5.0E-05	5.0E-05	1.8E-12	3.2E-12	4.E-08	6.E-08	0.0000001
	Total DDT	5.8E+00	ug/kg	3.4E-01	3.4E-01	1.1E-11	6.3E-11	4.E-12	2.E-11	3.E-11	5.0E-04	5.0E-04	2.5E-11	1.5E-10	5.E-08	3.E-07	0.0000003
Exposure Point Total										2.E-07							0.04
RM 3.5 East	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	6.7E-09	4.0E-08	1.E-08	6.E-08	7.E-08	3.0E-04	3.0E-04	1.6E-08	9.4E-08	5.E-05	3.E-04	0.0004
	Mercury	7.9E-02	mg/kg	--	--	0.0E+00	8.6E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.0E-09	0.E+00	2.E-05	0.00002
	Vanadium	9.9E+01	mg/kg	--	--	0.0E+00	1.1E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.5E-06	0.E+00	4.E-02	0.04
	Butyltins																
	Tributyltin ion	1.8E+03	ug/kg	--	--	1.1E-08	1.9E-08	--	--	--	3.0E-04	3.0E-04	2.5E-08	4.5E-08	8.E-05	2.E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.9E+02	ug/kg	7.3E-01	7.3E-01	2.3E-09	3.2E-09	2.E-09	2.E-09	4.E-09	--	--	5.3E-09	7.4E-09	--	--	--
	Benzo(a)pyrene	2.5E+02	ug/kg	7.3E+00	7.3E+00	1.9E-09	2.7E-09	1.E-08	2.E-08	3.E-08	--	--	4.5E-09	6.3E-09	--	--	--
	Benzo(b)fluoranthene	3.5E+02	ug/kg	7.3E-01	7.3E-01	2.8E-09	3.8E-09	2.E-09	3.E-09	5.E-09	--	--	6.4E-09	8.9E-09	--	--	--
	Benzo(k)fluoranthene	1.7E+02	ug/kg	7.3E-02	7.3E-02	1.3E-09	1.9E-09	1.E-10	1.E-10	2.E-10	--	--	3.1E-09	4.3E-09	--	--	--
	Dibenzo(a,h)anthracene	4.1E+01	ug/kg	7.3E+00	7.3E+00	3.2E-10	4.5E-10	2.E-09	3.E-09	6.E-09	--	--	7.5E-10	1.0E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.5E+02	ug/kg	7.3E-01	7.3E-01	1.2E-09	1.6E-09	9.E-10	1.E-09	2.E-09	--	--	2.7E-09	3.8E-09	--	--	--
	Naphthalene	1.4E+01	ug/kg	--	--	1.1E-10	1.5E-10	--	--	--	2.0E-02	2.0E-02	2.6E-10	3.5E-10	1.E-08	2.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+03	ug/kg	1.4E-02	1.4E-02	8.0E-09	1.4E-08	1.E-10	2.E-10	3.E-10	2.0E-02	2.0E-02	1.9E-08	3.4E-08	9.E-07	2.E-06	0.000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phenols																
	Pentachlorophenol	2.0E+00	ug/kg	4.0E-01	4.0E-01	3.1E-11	2.2E-11	1.E-11	9.E-12	2.E-11	5.0E-03	5.0E-03	7.1E-11	5.1E-11	1.E-08	1.E-08	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	3.8E+02	ug/kg	2.0E+00	2.0E+00	3.2E-09	4.1E-09	6.E-09	8.E-09	1.E-08	2.0E-05	2.0E-05	7.4E-09	9.5E-09	4.E-04	5.E-04	0.0008
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.3E+00	pg/g	1.3E+05	1.3E+05	6.0E-15	3.6E-14	8.E-10	5.E-09	6.E-09	1.0E-09	1.0E-09	1.4E-14	8.5E-14	1.E-05	8.E-05	0.0001
	Total PCB TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	1.5E-13	1.9E-13	2.E-08	2.E-08	4.E-08	1.0E-09	1.0E-09	3.4E-13	4.4E-13	3.E-04	4.E-04	0.0008
	Pesticides																
	Aldrin	3.7E-01	ug/kg	1.7E+01	1.7E+01	2.3E-12	4.1E-12	4.E-11	7.E-11	1.E-10	3.0E-05	3.0E-05	5.3E-12	9.5E-12	2.E-07	3.E-07	0.0000005
	Dieldrin	1.3E-01	ug/kg	1.6E+01	1.6E+01	7.6E-13	1.4E-12	1.E-11	2.E-11	3.E-11	5.0E-05	5.0E-05	1.8E-12	3.2E-12	4.E-08	6.E-08	0.0000001
	Total DDT	6.2E+00	ug/kg	3.4E-01	3.4E-01	1.1E-11	6.7E-11	4.E-12	2.E-11	3.E-11	5.0E-04	5.0E-04	2.6E-11	1.6E-10	5.E-08	3.E-07	0.0000004
Exposure Point Total										2.E-07							0.04
RM 4 West	**Metals**																
	Arsenic	3.4E+00	mg/kg	1.5E+00	1.5E+00	6.1E-09	3.7E-08	9.E-09	6.E-08	6.E-08	3.0E-04	3.0E-04	1.4E-08	8.6E-08	5.E-05	3.E-04	0.0003
	Mercury	8.2E-02	mg/kg	--	--	0.0E+00	9.0E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.1E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.1E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.6E-06	0.E+00	4.E-02	0.04
	Butyltins																
	Tributyltin ion	6.1E+00	ug/kg	--	--	3.7E-11	6.7E-11	--	--	--	3.0E-04	3.0E-04	8.6E-11	1.6E-10	3.E-07	5.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.5E+02	ug/kg	7.3E-01	7.3E-01	2.0E-09	2.8E-09	1.E-09	2.E-09	3.E-09	--	--	4.7E-09	6.5E-09	--	--	--
	Benzo(a)pyrene	4.0E+02	ug/kg	7.3E+00	7.3E+00	3.1E-09	4.3E-09	2.E-08	3.E-08	5.E-08	--	--	7.3E-09	1.0E-08	--	--	--
	Benzo(b)fluoranthene	3.6E+02	ug/kg	7.3E-01	7.3E-01	2.8E-09	3.9E-09	2.E-09	3.E-09	5.E-09	--	--	6.5E-09	9.1E-09	--	--	--
	Benzo(k)fluoranthene	1.3E+02	ug/kg	7.3E-02	7.3E-02	1.0E-09	1.4E-09	8.E-11	1.E-10	2.E-10	--	--	2.4E-09	3.4E-09	--	--	--
	Dibenzo(a,h)anthracene	4.4E+01	ug/kg	7.3E+00	7.3E+00	3.5E-10	4.8E-10	3.E-09	3.E-09	6.E-09	--	--	8.1E-10	1.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.2E+02	ug/kg	7.3E-01	7.3E-01	2.5E-09	3.4E-09	2.E-09	3.E-09	4.E-09	--	--	5.8E-09	8.0E-09	--	--	--
	Naphthalene	7.7E+01	ug/kg	--	--	6.1E-10	8.4E-10	--	--	--	2.0E-02	2.0E-02	1.4E-09	2.0E-09	7.E-08	1.E-07	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.2E+01	ug/kg	1.4E-02	1.4E-02	2.5E-10	4.5E-10	4.E-12	6.E-12	1.E-11	2.0E-02	2.0E-02	5.9E-10	1.1E-09	3.E-08	5.E-08	0.0000001
	Phenols																
	Pentachlorophenol	4.5E+00	ug/kg	4.0E-01	4.0E-01	6.8E-11	4.9E-11	3.E-11	2.E-11	5.E-11	5.0E-03	5.0E-03	1.6E-10	1.1E-10	3.E-08	2.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.1E+01	ug/kg	2.0E+00	2.0E+00	1.8E-10	2.3E-10	4.E-10	5.E-10	8.E-10	2.0E-05	2.0E-05	4.2E-10	5.4E-10	2.E-05	3.E-05	0.00005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.6E+00	pg/g	1.3E+05	1.3E+05	2.9E-15	1.8E-14	4.E-10	2.E-09	3.E-09	1.0E-09	1.0E-09	6.9E-15	4.1E-14	7.E-06	4.E-05	0.00005
	Total PCB TEQ	4.7E-01	pg/g	1.3E+05	1.3E+05	4.0E-15	5.1E-15	5.E-10	7.E-10	1.E-09	1.0E-09	1.0E-09	9.3E-15	1.2E-14	9.E-06	1.E-05	0.00002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: Tribal Fisher Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	3.9E-01	ug/kg	1.7E+01	1.7E+01	2.3E-12	4.2E-12	4.E-11	7.E-11	1.E-10	3.0E-05	3.0E-05	5.5E-12	9.9E-12	2.E-07	3.E-07	0.000001
	Dieldrin	7.1E-02	ug/kg	1.6E+01	1.6E+01	4.3E-13	7.8E-13	7.E-12	1.E-11	2.E-11	5.0E-05	5.0E-05	1.0E-12	1.8E-12	2.E-08	4.E-08	0.0000001
	Total DDT	1.9E+01	ug/kg	3.4E-01	3.4E-01	3.4E-11	2.1E-10	1.E-11	7.E-11	8.E-11	5.0E-04	5.0E-04	8.0E-11	4.8E-10	2.E-07	1.E-06	0.000001
Exposure Point Total										1.E-07							0.04
RM 4 East	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	7.7E-09	4.6E-08	1.E-08	7.E-08	8.E-08	3.0E-04	3.0E-04	1.8E-08	1.1E-07	6.E-05	4.E-04	0.0004
	Mercury	6.6E-02	mg/kg	--	--	0.0E+00	7.2E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.7E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.7E-06	0.E+00	4.E-02	0.04
	Butyltins																
	Tributyltin ion	2.6E+01	ug/kg	--	--	1.6E-10	2.9E-10	--	--	--	3.0E-04	3.0E-04	3.7E-10	6.7E-10	1.E-06	2.E-06	0.000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.3E+02	ug/kg	7.3E-01	7.3E-01	5.0E-09	6.9E-09	4.E-09	5.E-09	9.E-09	--	--	1.2E-08	1.6E-08	--	--	--
	Benzo(a)pyrene	8.8E+02	ug/kg	7.3E+00	7.3E+00	6.9E-09	9.5E-09	5.E-08	7.E-08	1.E-07	--	--	1.6E-08	2.2E-08	--	--	--
	Benzo(b)fluoranthene	9.0E+02	ug/kg	7.3E-01	7.3E-01	7.1E-09	9.9E-09	5.E-09	7.E-09	1.E-08	--	--	1.7E-08	2.3E-08	--	--	--
	Benzo(k)fluoranthene	7.1E+02	ug/kg	7.3E-02	7.3E-02	5.6E-09	7.8E-09	4.E-10	6.E-10	1.E-09	--	--	1.3E-08	1.8E-08	--	--	--
	Dibenzo(a,h)anthracene	1.4E+02	ug/kg	7.3E+00	7.3E+00	1.1E-09	1.5E-09	8.E-09	1.E-08	2.E-08	--	--	2.6E-09	3.6E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	6.4E+02	ug/kg	7.3E-01	7.3E-01	5.0E-09	7.0E-09	4.E-09	5.E-09	9.E-09	--	--	1.2E-08	1.6E-08	--	--	--
	Naphthalene	3.9E+01	ug/kg	--	--	3.0E-10	4.2E-10	--	--	--	2.0E-02	2.0E-02	7.1E-10	9.8E-10	4.E-08	5.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.1E+02	ug/kg	1.4E-02	1.4E-02	5.5E-09	1.0E-08	8.E-11	1.E-10	2.E-10	2.0E-02	2.0E-02	1.3E-08	2.3E-08	6.E-07	1.E-06	0.000002
	Phenols																
	Pentachlorophenol	4.5E+02	ug/kg	4.0E-01	4.0E-01	6.8E-09	4.9E-09	3.E-09	2.E-09	5.E-09	5.0E-03	5.0E-03	1.6E-08	1.1E-08	3.E-06	2.E-06	0.00001
	Polychlorinated Biphenyls																
	Total Aroclors	1.5E+02	ug/kg	2.0E+00	2.0E+00	1.3E-09	1.6E-09	3.E-09	3.E-09	6.E-09	2.0E-05	2.0E-05	3.0E-09	3.8E-09	1.E-04	2.E-04	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.1E+00	pg/g	1.3E+05	1.3E+05	7.5E-15	4.5E-14	1.E-09	6.E-09	7.E-09	1.0E-09	1.0E-09	1.7E-14	1.1E-13	2.E-05	1.E-04	0.0001
	Total PCB TEQ	1.9E+00	pg/g	1.3E+05	1.3E+05	1.6E-14	2.1E-14	2.E-09	3.E-09	5.E-09	1.0E-09	1.0E-09	3.8E-14	4.9E-14	4.E-05	5.E-05	0.00009
	Pesticides																
	Aldrin	4.7E-01	ug/kg	1.7E+01	1.7E+01	2.9E-12	5.2E-12	5.E-11	9.E-11	1.E-10	3.0E-05	3.0E-05	6.7E-12	1.2E-11	2.E-07	4.E-07	0.000001
	Dieldrin	8.9E-02	ug/kg	1.6E+01	1.6E+01	5.4E-13	9.7E-13	9.E-12	2.E-11	2.E-11	5.0E-05	5.0E-05	1.3E-12	2.3E-12	3.E-08	5.E-08	0.0000001
	Total DDT	5.4E+00	ug/kg	3.4E-01	3.4E-01	9.8E-12	5.9E-11	3.E-12	2.E-11	2.E-11	5.0E-04	5.0E-04	2.3E-11	1.4E-10	5.E-08	3.E-07	0.0000003
Exposure Point Total										3.E-07							0.04
RM 4.5 West	**Metals**																
	Arsenic	3.6E+00	mg/kg	1.5E+00	1.5E+00	6.5E-09	3.9E-08	1.E-08	6.E-08	7.E-08	3.0E-04	3.0E-04	1.5E-08	9.1E-08	5.E-05	3.E-04	0.0004
	Mercury	8.6E-02	mg/kg	--	--	0.0E+00	9.3E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.2E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.7E-06	0.E+00	4.E-02	0.04

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	7.5E+00	ug/kg	--	--	4.5E-11	8.2E-11	--	--	--	3.0E-04	3.0E-04	1.1E-10	1.9E-10	4.E-07	6.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.5E+02	ug/kg	7.3E-01	7.3E-01	4.3E-09	6.0E-09	3.E-09	4.E-09	8.E-09	--	--	1.0E-08	1.4E-08	--	--	--
	Benzo(a)pyrene	7.6E+02	ug/kg	7.3E+00	7.3E+00	6.0E-09	8.3E-09	4.E-08	6.E-08	1.E-07	--	--	1.4E-08	1.9E-08	--	--	--
	Benzo(b)fluoranthene	6.6E+02	ug/kg	7.3E-01	7.3E-01	5.2E-09	7.2E-09	4.E-09	5.E-09	9.E-09	--	--	1.2E-08	1.7E-08	--	--	--
	Benzo(k)fluoranthene	2.9E+02	ug/kg	7.3E-02	7.3E-02	2.3E-09	3.2E-09	2.E-10	2.E-10	4.E-10	--	--	5.3E-09	7.4E-09	--	--	--
	Dibenzo(a,h)anthracene	8.5E+01	ug/kg	7.3E+00	7.3E+00	6.6E-10	9.2E-10	5.E-09	7.E-09	1.E-08	--	--	1.6E-09	2.2E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	5.9E+02	ug/kg	7.3E-01	7.3E-01	4.7E-09	6.5E-09	3.E-09	5.E-09	8.E-09	--	--	1.1E-08	1.5E-08	--	--	--
	Naphthalene	1.6E+02	ug/kg	--	--	1.3E-09	1.8E-09	--	--	--	2.0E-02	2.0E-02	3.0E-09	4.2E-09	2.E-07	2.E-07	0.0000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	5.0E+01	ug/kg	1.4E-02	1.4E-02	3.0E-10	5.4E-10	4.E-12	8.E-12	1.E-11	2.0E-02	2.0E-02	7.0E-10	1.3E-09	3.E-08	6.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.7E+00	ug/kg	4.0E-01	4.0E-01	2.6E-11	1.9E-11	1.E-11	7.E-12	2.E-11	5.0E-03	5.0E-03	6.0E-11	4.4E-11	1.E-08	9.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+01	ug/kg	2.0E+00	2.0E+00	2.1E-10	2.7E-10	4.E-10	5.E-10	1.E-09	2.0E-05	2.0E-05	4.8E-10	6.2E-10	2.E-05	3.E-05	0.00006
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.6E+00	pg/g	1.3E+05	1.3E+05	4.7E-15	2.8E-14	6.E-10	4.E-09	4.E-09	1.0E-09	1.0E-09	1.1E-14	6.6E-14	1.E-05	7.E-05	0.00008
	Total PCB TEQ	1.4E+00	pg/g	1.3E+05	1.3E+05	1.2E-14	1.5E-14	2.E-09	2.E-09	4.E-09	1.0E-09	1.0E-09	2.8E-14	3.6E-14	3.E-05	4.E-05	0.00006
	Pesticides																
	Aldrin	1.7E-01	ug/kg	1.7E+01	1.7E+01	1.0E-12	1.8E-12	2.E-11	3.E-11	5.E-11	3.0E-05	3.0E-05	2.4E-12	4.3E-12	8.E-08	1.E-07	0.0000002
	Dieldrin	1.3E-01	ug/kg	1.6E+01	1.6E+01	8.1E-13	1.5E-12	1.E-11	2.E-11	4.E-11	5.0E-05	5.0E-05	1.9E-12	3.4E-12	4.E-08	7.E-08	0.0000001
	Total DDT	4.5E+00	ug/kg	3.4E-01	3.4E-01	8.2E-12	4.9E-11	3.E-12	2.E-11	2.E-11	5.0E-04	5.0E-04	1.9E-11	1.2E-10	4.E-08	2.E-07	0.0000003
Exposure Point Total										2.E-07							0.04
RM 4.5 East	**Metals**																
	Arsenic	4.0E+00	mg/kg	1.5E+00	1.5E+00	7.2E-09	4.3E-08	1.E-08	7.E-08	8.E-08	3.0E-04	3.0E-04	1.7E-08	1.0E-07	6.E-05	3.E-04	0.0004
	Mercury	6.3E-02	mg/kg	--	--	0.0E+00	6.9E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.6E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.1E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.7E-06	0.E+00	4.E-02	0.04
	Butyltins																
	Tributyltin ion	4.1E+01	ug/kg	--	--	2.5E-10	4.4E-10	--	--	--	3.0E-04	3.0E-04	5.7E-10	1.0E-09	2.E-06	3.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.3E+03	ug/kg	7.3E-01	7.3E-01	2.6E-08	3.6E-08	2.E-08	3.E-08	5.E-08	--	--	6.1E-08	8.4E-08	--	--	--
	Benzo(a)pyrene	4.3E+03	ug/kg	7.3E+00	7.3E+00	3.4E-08	4.7E-08	2.E-07	3.E-07	6.E-07	--	--	7.9E-08	1.1E-07	--	--	--
	Benzo(b)fluoranthene	3.8E+03	ug/kg	7.3E-01	7.3E-01	3.0E-08	4.1E-08	2.E-08	3.E-08	5.E-08	--	--	6.9E-08	9.6E-08	--	--	--
	Benzo(k)fluoranthene	3.4E+03	ug/kg	7.3E-02	7.3E-02	2.7E-08	3.7E-08	2.E-09	3.E-09	5.E-09	--	--	6.2E-08	8.6E-08	--	--	--
	Dibenzo(a,h)anthracene	7.1E+02	ug/kg	7.3E+00	7.3E+00	5.6E-09	7.7E-09	4.E-08	6.E-08	1.E-07	--	--	1.3E-08	1.8E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.0E+03	ug/kg	7.3E-01	7.3E-01	2.4E-08	3.3E-08	2.E-08	2.E-08	4.E-08	--	--	5.6E-08	7.7E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Naphthalene	1.5E+02	ug/kg	--	--	1.1E-09	1.6E-09	--	--	--	2.0E-02	2.0E-02	2.7E-09	3.7E-09	1.E-07	2.E-07	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.3E+01	ug/kg	1.4E-02	1.4E-02	5.0E-10	9.1E-10	7.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	1.2E-09	2.1E-09	6.E-08	1.E-07	0.0000002
	Phenols																
	Pentachlorophenol	1.8E+00	ug/kg	4.0E-01	4.0E-01	2.7E-11	1.9E-11	1.E-11	8.E-12	2.E-11	5.0E-03	5.0E-03	6.3E-11	4.5E-11	1.E-08	9.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	3.5E+01	ug/kg	2.0E+00	2.0E+00	2.9E-10	3.8E-10	6.E-10	8.E-10	1.E-09	2.0E-05	2.0E-05	6.8E-10	8.8E-10	3.E-05	4.E-05	0.00008
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.8E-01	pg/g	1.3E+05	1.3E+05	5.0E-16	3.0E-15	7.E-11	4.E-10	5.E-10	1.0E-09	1.0E-09	1.2E-15	7.0E-15	1.E-06	7.E-06	0.00001
	Total PCB TEQ	3.2E-01	pg/g	1.3E+05	1.3E+05	2.7E-15	3.5E-15	4.E-10	5.E-10	8.E-10	1.0E-09	1.0E-09	6.4E-15	8.2E-15	6.E-06	8.E-06	0.00001
	Pesticides																
	Aldrin	1.1E-01	ug/kg	1.7E+01	1.7E+01	6.5E-13	1.2E-12	1.E-11	2.E-11	3.E-11	3.0E-05	3.0E-05	1.5E-12	2.7E-12	5.E-08	9.E-08	0.0000001
	Dieldrin	5.8E-02	ug/kg	1.6E+01	1.6E+01	3.5E-13	6.3E-13	6.E-12	1.E-11	2.E-11	5.0E-05	5.0E-05	8.2E-13	1.5E-12	2.E-08	3.E-08	0.00000005
	Total DDT	4.9E+00	ug/kg	3.4E-01	3.4E-01	8.8E-12	5.3E-11	3.E-12	2.E-11	2.E-11	5.0E-04	5.0E-04	2.1E-11	1.2E-10	4.E-08	2.E-07	0.0000003
Exposure Point Total										9.E-07							0.04
RM 5 West	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	5.9E-09	3.5E-08	9.E-09	5.E-08	6.E-08	3.0E-04	3.0E-04	1.4E-08	8.3E-08	5.E-05	3.E-04	0.0003
	Mercury	5.2E-02	mg/kg	--	--	0.0E+00	5.7E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-09	0.E+00	1.E-05	0.00001
	Vanadium	9.8E+01	mg/kg	--	--	0.0E+00	1.1E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.5E-06	0.E+00	4.E-02	0.04
	Butyltins																
	Tributyltin ion	1.8E+01	ug/kg	--	--	1.1E-10	2.0E-10	--	--	--	3.0E-04	3.0E-04	2.5E-10	4.6E-10	8.E-07	2.E-06	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.9E+02	ug/kg	7.3E-01	7.3E-01	4.6E-09	6.4E-09	3.E-09	5.E-09	8.E-09	--	--	1.1E-08	1.5E-08	--	--	--
	Benzo(a)pyrene	7.9E+02	ug/kg	7.3E+00	7.3E+00	6.2E-09	8.6E-09	5.E-08	6.E-08	1.E-07	--	--	1.5E-08	2.0E-08	--	--	--
	Benzo(b)fluoranthene	5.7E+02	ug/kg	7.3E-01	7.3E-01	4.5E-09	6.2E-09	3.E-09	5.E-09	8.E-09	--	--	1.0E-08	1.4E-08	--	--	--
	Benzo(k)fluoranthene	4.1E+02	ug/kg	7.3E-02	7.3E-02	3.2E-09	4.5E-09	2.E-10	3.E-10	6.E-10	--	--	7.6E-09	1.0E-08	--	--	--
	Dibenzo(a,h)anthracene	8.2E+01	ug/kg	7.3E+00	7.3E+00	6.4E-10	8.9E-10	5.E-09	7.E-09	1.E-08	--	--	1.5E-09	2.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	5.9E+02	ug/kg	7.3E-01	7.3E-01	4.6E-09	6.4E-09	3.E-09	5.E-09	8.E-09	--	--	1.1E-08	1.5E-08	--	--	--
	Naphthalene	1.4E+02	ug/kg	--	--	1.1E-09	1.5E-09	--	--	--	2.0E-02	2.0E-02	2.5E-09	3.5E-09	1.E-07	2.E-07	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.1E+01	ug/kg	1.4E-02	1.4E-02	4.3E-10	7.7E-10	6.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	1.0E-09	1.8E-09	5.E-08	9.E-08	0.0000001
	Phenols																
	Pentachlorophenol	2.1E+01	ug/kg	4.0E-01	4.0E-01	3.2E-10	2.3E-10	1.E-10	9.E-11	2.E-10	5.0E-03	5.0E-03	7.4E-10	5.3E-10	1.E-07	1.E-07	0.0000003
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+01	ug/kg	2.0E+00	2.0E+00	1.4E-10	1.8E-10	3.E-10	4.E-10	7.E-10	2.0E-05	2.0E-05	3.3E-10	4.3E-10	2.E-05	2.E-05	0.00004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.5E+00	pg/g	1.3E+05	1.3E+05	6.3E-15	3.8E-14	8.E-10	5.E-09	6.E-09	1.0E-09	1.0E-09	1.5E-14	8.8E-14	1.E-05	9.E-05	0.0001
	Total PCB TEQ	1.2E+00	pg/g	1.3E+05	1.3E+05	9.9E-15	1.3E-14	1.E-09	2.E-09	3.E-09	1.0E-09	1.0E-09	2.3E-14	3.0E-14	2.E-05	3.E-05	0.00005
	Pesticides																
	Aldrin	4.4E-01	ug/kg	1.7E+01	1.7E+01	2.7E-12	4.8E-12	5.E-11	8.E-11	1.E-10	3.0E-05	3.0E-05	6.2E-12	1.1E-11	2.E-07	4.E-07	0.000001
	Dieldrin	1.5E-01	ug/kg	1.6E+01	1.6E+01	8.9E-13	1.6E-12	1.E-11	3.E-11	4.E-11	5.0E-05	5.0E-05	2.1E-12	3.7E-12	4.E-08	7.E-08	0.0000001
	Total DDT	1.2E+01	ug/kg	3.4E-01	3.4E-01	2.1E-11	1.3E-10	7.E-12	4.E-11	5.E-11	5.0E-04	5.0E-04	4.9E-11	2.9E-10	1.E-07	6.E-07	0.000001
Exposure Point Total										**2.E-07**							**0.04**
RM 5 East	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	5.9E-09	3.5E-08	9.E-09	5.E-08	6.E-08	3.0E-04	3.0E-04	1.4E-08	8.2E-08	5.E-05	3.E-04	0.0003
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	7.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.7E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.1E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.6E-06	0.E+00	4.E-02	0.04
	Butyltins																
	Tributyltin ion	5.7E+01	ug/kg	--	--	3.4E-10	6.2E-10	--	--	--	3.0E-04	3.0E-04	8.0E-10	1.5E-09	3.E-06	5.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.1E+02	ug/kg	7.3E-01	7.3E-01	1.7E-09	2.3E-09	1.E-09	2.E-09	3.E-09	--	--	3.9E-09	5.4E-09	--	--	--
	Benzo(a)pyrene	3.0E+02	ug/kg	7.3E+00	7.3E+00	2.3E-09	3.2E-09	2.E-08	2.E-08	4.E-08	--	--	5.5E-09	7.6E-09	--	--	--
	Benzo(b)fluoranthene	3.2E+02	ug/kg	7.3E-01	7.3E-01	2.5E-09	3.5E-09	2.E-09	3.E-09	4.E-09	--	--	5.9E-09	8.1E-09	--	--	--
	Benzo(k)fluoranthene	1.5E+02	ug/kg	7.3E-02	7.3E-02	1.2E-09	1.6E-09	9.E-11	1.E-10	2.E-10	--	--	2.8E-09	3.8E-09	--	--	--
	Dibenzo(a,h)anthracene	4.3E+01	ug/kg	7.3E+00	7.3E+00	3.4E-10	4.7E-10	2.E-09	3.E-09	6.E-09	--	--	7.9E-10	1.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.4E+02	ug/kg	7.3E-01	7.3E-01	1.9E-09	2.6E-09	1.E-09	2.E-09	3.E-09	--	--	4.4E-09	6.1E-09	--	--	--
	Naphthalene	5.5E+01	ug/kg	--	--	4.3E-10	5.9E-10	--	--	--	2.0E-02	2.0E-02	1.0E-09	1.4E-09	5.E-08	7.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.5E+01	ug/kg	1.4E-02	1.4E-02	5.1E-10	9.3E-10	7.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	1.2E-09	2.2E-09	6.E-08	1.E-07	0.0000002
	Phenols																
	Pentachlorophenol	6.5E+00	ug/kg	4.0E-01	4.0E-01	9.9E-11	7.1E-11	4.E-11	3.E-11	7.E-11	5.0E-03	5.0E-03	2.3E-10	1.7E-10	5.E-08	3.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.0E+01	ug/kg	2.0E+00	2.0E+00	1.7E-10	2.1E-10	3.E-10	4.E-10	8.E-10	2.0E-05	2.0E-05	3.9E-10	5.0E-10	2.E-05	2.E-05	0.00004
	Pesticides																
	Aldrin	1.9E-01	ug/kg	1.7E+01	1.7E+01	1.2E-12	2.1E-12	2.E-11	4.E-11	5.E-11	3.0E-05	3.0E-05	2.7E-12	4.8E-12	9.E-08	2.E-07	0.0000003
	Dieldrin	1.9E-01	ug/kg	1.6E+01	1.6E+01	1.1E-12	2.1E-12	2.E-11	3.E-11	5.E-11	5.0E-05	5.0E-05	2.7E-12	4.8E-12	5.E-08	1.E-07	0.0000001
	Total DDT	1.4E+00	ug/kg	3.4E-01	3.4E-01	2.5E-12	1.5E-11	8.E-13	5.E-12	6.E-12	5.0E-04	5.0E-04	5.8E-12	3.5E-11	1.E-08	7.E-08	0.0000001
Exposure Point Total										**1.E-07**							**0.04**
RM 5.5 West	**Metals**																
	Arsenic	4.3E+00	mg/kg	1.5E+00	1.5E+00	7.7E-09	4.6E-08	1.E-08	7.E-08	8.E-08	3.0E-04	3.0E-04	1.8E-08	1.1E-07	6.E-05	4.E-04	0.0004
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	7.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.7E-09	0.E+00	2.E-05	0.00002
	Vanadium	9.2E+01	mg/kg	--	--	0.0E+00	1.0E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.3E-06	0.E+00	3.E-02	0.03

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	1.7E+01	ug/kg	--	--	1.1E-10	1.9E-10	--	--	--	3.0E-04	3.0E-04	2.5E-10	4.4E-10	8.E-07	1.E-06	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.3E+03	ug/kg	7.3E-01	7.3E-01	1.0E-08	1.5E-08	8.E-09	1.E-08	2.E-08	--	--	2.4E-08	3.4E-08	--	--	--
	Benzo(a)pyrene	1.9E+03	ug/kg	7.3E+00	7.3E+00	1.5E-08	2.1E-08	1.E-07	2.E-07	3.E-07	--	--	3.5E-08	4.8E-08	--	--	--
	Benzo(b)fluoranthene	1.5E+03	ug/kg	7.3E-01	7.3E-01	1.2E-08	1.7E-08	9.E-09	1.E-08	2.E-08	--	--	2.8E-08	3.9E-08	--	--	--
	Benzo(k)fluoranthene	7.5E+02	ug/kg	7.3E-02	7.3E-02	5.9E-09	8.1E-09	4.E-10	6.E-10	1.E-09	--	--	1.4E-08	1.9E-08	--	--	--
	Dibenzo(a,h)anthracene	1.7E+02	ug/kg	7.3E+00	7.3E+00	1.3E-09	1.8E-09	1.E-08	1.E-08	2.E-08	--	--	3.1E-09	4.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.5E+03	ug/kg	7.3E-01	7.3E-01	1.2E-08	1.6E-08	9.E-09	1.E-08	2.E-08	--	--	2.7E-08	3.8E-08	--	--	--
	Naphthalene	1.2E+02	ug/kg	--	--	9.2E-10	1.3E-09	--	--	--	2.0E-02	2.0E-02	2.2E-09	3.0E-09	1.E-07	1.E-07	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.4E+01	ug/kg	1.4E-02	1.4E-02	4.5E-10	8.1E-10	6.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	1.1E-09	1.9E-09	5.E-08	9.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.2E+01	ug/kg	4.0E-01	4.0E-01	1.8E-10	1.3E-10	7.E-11	5.E-11	1.E-10	5.0E-03	5.0E-03	4.3E-10	3.1E-10	9.E-08	6.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.2E+01	ug/kg	2.0E+00	2.0E+00	2.7E-10	3.5E-10	5.E-10	7.E-10	1.E-09	2.0E-05	2.0E-05	6.4E-10	8.2E-10	3.E-05	4.E-05	0.00007
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	1.3E+05	1.3E+05	2.6E-15	1.6E-14	3.E-10	2.E-09	2.E-09	1.0E-09	1.0E-09	6.2E-15	3.7E-14	6.E-06	4.E-05	0.00004
	Total PCB TEQ	5.8E-01	pg/g	1.3E+05	1.3E+05	4.9E-15	6.3E-15	6.E-10	8.E-10	1.E-09	1.0E-09	1.0E-09	1.1E-14	1.5E-14	1.E-05	1.E-05	0.00003
	Pesticides																
	Aldrin	4.2E-01	ug/kg	1.7E+01	1.7E+01	2.5E-12	4.6E-12	4.E-11	8.E-11	1.E-10	3.0E-05	3.0E-05	5.9E-12	1.1E-11	2.E-07	4.E-07	0.000001
	Dieldrin	3.1E-01	ug/kg	1.6E+01	1.6E+01	1.9E-12	3.4E-12	3.E-11	5.E-11	8.E-11	5.0E-05	5.0E-05	4.4E-12	8.0E-12	9.E-08	2.E-07	0.0000002
	Total DDT	1.9E+01	ug/kg	3.4E-01	3.4E-01	3.5E-11	2.1E-10	1.E-11	7.E-11	8.E-11	5.0E-04	5.0E-04	8.1E-11	4.9E-10	2.E-07	1.E-06	0.000001
Exposure Point Total										4.E-07							0.03
RM 5.5 East	**Metals**																
	Arsenic	5.8E+00	mg/kg	1.5E+00	1.5E+00	1.0E-08	6.3E-08	2.E-08	9.E-08	1.E-07	3.0E-04	3.0E-04	2.4E-08	1.5E-07	8.E-05	5.E-04	0.0006
	Mercury	2.3E-01	mg/kg	--	--	0.0E+00	2.5E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.7E-09	0.E+00	6.E-05	0.00006
	Vanadium	8.5E+01	mg/kg	--	--	0.0E+00	9.3E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.2E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	1.7E+02	ug/kg	--	--	1.0E-09	1.9E-09	--	--	--	3.0E-04	3.0E-04	2.4E-09	4.4E-09	8.E-06	1.E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.6E+02	ug/kg	7.3E-01	7.3E-01	3.6E-09	5.0E-09	3.E-09	4.E-09	6.E-09	--	--	8.5E-09	1.2E-08	--	--	--
	Benzo(a)pyrene	5.6E+02	ug/kg	7.3E+00	7.3E+00	4.4E-09	6.1E-09	3.E-08	4.E-08	8.E-08	--	--	1.0E-08	1.4E-08	--	--	--
	Benzo(b)fluoranthene	6.8E+02	ug/kg	7.3E-01	7.3E-01	5.3E-09	7.4E-09	4.E-09	5.E-09	9.E-09	--	--	1.2E-08	1.7E-08	--	--	--
	Benzo(k)fluoranthene	2.6E+02	ug/kg	7.3E-02	7.3E-02	2.1E-09	2.9E-09	2.E-10	2.E-10	4.E-10	--	--	4.8E-09	6.7E-09	--	--	--
	Dibenzo(a,h)anthracene	8.8E+01	ug/kg	7.3E+00	7.3E+00	6.9E-10	9.6E-10	5.E-09	7.E-09	1.E-08	--	--	1.6E-09	2.2E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.3E+02	ug/kg	7.3E-01	7.3E-01	3.3E-09	4.6E-09	2.E-09	3.E-09	6.E-09	--	--	7.8E-09	1.1E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Naphthalene	1.3E+02	ug/kg	--	--	1.1E-09	1.5E-09	--	--	--	2.0E-02	2.0E-02	2.5E-09	3.4E-09	1.E-07	2.E-07	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.6E+02	ug/kg	1.4E-02	1.4E-02	1.6E-09	2.8E-09	2.E-11	4.E-11	6.E-11	2.0E-02	2.0E-02	3.6E-09	6.5E-09	2.E-07	3.E-07	0.000001
	Phenols																
	Pentachlorophenol	1.3E+01	ug/kg	4.0E-01	4.0E-01	2.0E-10	1.5E-10	8.E-11	6.E-11	1.E-10	5.0E-03	5.0E-03	4.8E-10	3.4E-10	1.E-07	7.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+02	ug/kg	2.0E+00	2.0E+00	8.9E-10	1.1E-09	2.E-09	2.E-09	4.E-09	2.0E-05	2.0E-05	2.1E-09	2.7E-09	1.E-04	1.E-04	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.4E+00	pg/g	1.3E+05	1.3E+05	8.1E-15	4.9E-14	1.E-09	6.E-09	7.E-09	1.0E-09	1.0E-09	1.9E-14	1.1E-13	2.E-05	1.E-04	0.0001
	Total PCB TEQ	2.0E+00	pg/g	1.3E+05	1.3E+05	1.7E-14	2.2E-14	2.E-09	3.E-09	5.E-09	1.0E-09	1.0E-09	4.0E-14	5.2E-14	4.E-05	5.E-05	0.00009
	Pesticides																
	Aldrin	4.1E-01	ug/kg	1.7E+01	1.7E+01	2.5E-12	4.5E-12	4.E-11	8.E-11	1.E-10	3.0E-05	3.0E-05	5.8E-12	1.0E-11	2.E-07	3.E-07	0.000001
	Dieldrin	4.7E-01	ug/kg	1.6E+01	1.6E+01	2.8E-12	5.1E-12	5.E-11	8.E-11	1.E-10	5.0E-05	5.0E-05	6.6E-12	1.2E-11	1.E-07	2.E-07	0.0000004
	Total DDT	8.2E+00	ug/kg	3.4E-01	3.4E-01	1.5E-11	9.0E-11	5.E-12	3.E-11	4.E-11	5.0E-04	5.0E-04	3.5E-11	2.1E-10	7.E-08	4.E-07	0.0000005
Exposure Point Total										2.E-07							0.03
RM 6 West	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	6.6E-09	4.0E-08	1.E-08	6.E-08	7.E-08	3.0E-04	3.0E-04	1.5E-08	9.3E-08	5.E-05	3.E-04	0.0004
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	1.2E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.9E-09	0.E+00	3.E-05	0.00003
	Vanadium	1.2E+02	mg/kg	--	--	0.0E+00	1.3E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	3.0E-06	0.E+00	4.E-02	0.04
	Butyltins																
	Tributyltin ion	1.3E+01	ug/kg	--	--	7.8E-11	1.4E-10	--	--	--	3.0E-04	3.0E-04	1.8E-10	3.3E-10	6.E-07	1.E-06	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.5E+04	ug/kg	7.3E-01	7.3E-01	2.0E-07	2.8E-07	1.E-07	2.E-07	3.E-07	--	--	4.6E-07	6.4E-07	--	--	--
	Benzo(a)pyrene	3.1E+04	ug/kg	7.3E+00	7.3E+00	2.4E-07	3.4E-07	2.E-06	2.E-06	4.E-06	--	--	5.7E-07	7.9E-07	--	--	--
	Benzo(b)fluoranthene	2.2E+04	ug/kg	7.3E-01	7.3E-01	1.7E-07	2.4E-07	1.E-07	2.E-07	3.E-07	--	--	4.1E-07	5.7E-07	--	--	--
	Benzo(k)fluoranthene	1.4E+04	ug/kg	7.3E-02	7.3E-02	1.1E-07	1.5E-07	8.E-09	1.E-08	2.E-08	--	--	2.6E-07	3.6E-07	--	--	--
	Dibenzo(a,h)anthracene	2.9E+03	ug/kg	7.3E+00	7.3E+00	2.3E-08	3.2E-08	2.E-07	2.E-07	4.E-07	--	--	5.3E-08	7.4E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.1E+04	ug/kg	7.3E-01	7.3E-01	1.7E-07	2.3E-07	1.E-07	2.E-07	3.E-07	--	--	3.9E-07	5.4E-07	--	--	--
	Naphthalene	1.1E+04	ug/kg	--	--	8.5E-08	1.2E-07	--	--	--	2.0E-02	2.0E-02	2.0E-07	2.8E-07	1.E-05	1.E-05	0.00002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.2E+02	ug/kg	1.4E-02	1.4E-02	1.3E-09	2.4E-09	2.E-11	3.E-11	5.E-11	2.0E-02	2.0E-02	3.1E-09	5.6E-09	2.E-07	3.E-07	0.0000004
	Phenols																
	Pentachlorophenol	2.2E+01	ug/kg	4.0E-01	4.0E-01	3.3E-10	2.4E-10	1.E-10	1.E-10	2.E-10	5.0E-03	5.0E-03	7.8E-10	5.6E-10	2.E-07	1.E-07	0.0000003
	Polychlorinated Biphenyls																
	Total Aroclors	4.3E+01	ug/kg	2.0E+00	2.0E+00	3.6E-10	4.6E-10	7.E-10	9.E-10	2.E-09	2.0E-05	2.0E-05	8.4E-10	1.1E-09	4.E-05	5.E-05	0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: Tribal Fisher Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	1.3E+05	1.3E+05	2.8E-15	1.7E-14	4.E-10	2.E-09	3.E-09	1.0E-09	1.0E-09	6.5E-15	3.9E-14	6.E-06	4.E-05	0.00005
	Total PCB TEQ	1.4E+00	pg/g	1.3E+05	1.3E+05	1.2E-14	1.6E-14	2.E-09	2.E-09	4.E-09	1.0E-09	1.0E-09	2.8E-14	3.7E-14	3.E-05	4.E-05	0.00006
	Pesticides																
	Aldrin	1.2E+00	ug/kg	1.7E+01	1.7E+01	7.5E-12	1.4E-11	1.E-10	2.E-10	4.E-10	3.0E-05	3.0E-05	1.8E-11	3.2E-11	6.E-07	1.E-06	0.000002
	Dieldrin	1.1E+00	ug/kg	1.6E+01	1.6E+01	6.8E-12	1.2E-11	1.E-10	2.E-10	3.E-10	5.0E-05	5.0E-05	1.6E-11	2.8E-11	3.E-07	6.E-07	0.000001
	Total DDT	3.6E+01	ug/kg	3.4E-01	3.4E-01	6.5E-11	3.9E-10	2.E-11	1.E-10	2.E-10	5.0E-04	5.0E-04	1.5E-10	9.1E-10	3.E-07	2.E-06	0.000002
Exposure Point Total										**6.E-06**							**0.04**
RM 6 East	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	6.7E-09	4.0E-08	1.E-08	6.E-08	7.E-08	3.0E-04	3.0E-04	1.6E-08	9.4E-08	5.E-05	3.E-04	0.0004
	Mercury	2.9E-01	mg/kg	--	--	0.0E+00	3.1E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.3E-09	0.E+00	7.E-05	0.00007
	Vanadium	9.1E+01	mg/kg	--	--	0.0E+00	1.0E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.3E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	1.8E+02	ug/kg	--	--	1.1E-09	1.9E-09	--	--	--	3.0E-04	3.0E-04	2.5E-09	4.5E-09	8.E-06	2.E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.3E+02	ug/kg	7.3E-01	7.3E-01	4.2E-09	5.8E-09	3.E-09	4.E-09	7.E-09	--	--	9.7E-09	1.3E-08	--	--	--
	Benzo(a)pyrene	7.5E+02	ug/kg	7.3E+00	7.3E+00	5.9E-09	8.2E-09	4.E-08	6.E-08	1.E-07	--	--	1.4E-08	1.9E-08	--	--	--
	Benzo(b)fluoranthene	7.3E+02	ug/kg	7.3E-01	7.3E-01	5.7E-09	7.9E-09	4.E-09	6.E-09	1.E-08	--	--	1.3E-08	1.9E-08	--	--	--
	Benzo(k)fluoranthene	4.6E+02	ug/kg	7.3E-02	7.3E-02	3.6E-09	5.0E-09	3.E-10	4.E-10	6.E-10	--	--	8.5E-09	1.2E-08	--	--	--
	Dibenzo(a,h)anthracene	9.6E+01	ug/kg	7.3E+00	7.3E+00	7.5E-10	1.0E-09	5.E-09	8.E-09	1.E-08	--	--	1.8E-09	2.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.2E+02	ug/kg	7.3E-01	7.3E-01	3.3E-09	4.6E-09	2.E-09	3.E-09	6.E-09	--	--	7.7E-09	1.1E-08	--	--	--
	Naphthalene	2.5E+02	ug/kg	--	--	1.9E-09	2.7E-09	--	--	--	2.0E-02	2.0E-02	4.5E-09	6.3E-09	2.E-07	3.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.2E+01	ug/kg	1.4E-02	1.4E-02	4.9E-10	8.9E-10	7.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	1.2E-09	2.1E-09	6.E-08	1.E-07	0.0000002
	Phenols																
	Pentachlorophenol	7.7E+00	ug/kg	4.0E-01	4.0E-01	1.2E-10	8.4E-11	5.E-11	3.E-11	8.E-11	5.0E-03	5.0E-03	2.7E-10	2.0E-10	5.E-08	4.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	7.7E+01	ug/kg	2.0E+00	2.0E+00	6.5E-10	8.3E-10	1.E-09	2.E-09	3.E-09	2.0E-05	2.0E-05	1.5E-09	1.9E-09	8.E-05	1.E-04	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.2E+00	pg/g	1.3E+05	1.3E+05	5.8E-15	3.5E-14	7.E-10	4.E-09	5.E-09	1.0E-09	1.0E-09	1.3E-14	8.1E-14	1.E-05	8.E-05	0.00009
	Total PCB TEQ	1.2E+00	pg/g	1.3E+05	1.3E+05	1.0E-14	1.3E-14	1.E-09	2.E-09	3.E-09	1.0E-09	1.0E-09	2.4E-14	3.1E-14	2.E-05	3.E-05	0.00006
	Pesticides																
	Aldrin	4.1E-01	ug/kg	1.7E+01	1.7E+01	2.5E-12	4.5E-12	4.E-11	8.E-11	1.E-10	3.0E-05	3.0E-05	5.8E-12	1.0E-11	2.E-07	3.E-07	0.000001
	Dieldrin	4.4E-02	ug/kg	1.6E+01	1.6E+01	2.7E-13	4.8E-13	4.E-12	8.E-12	1.E-11	5.0E-05	5.0E-05	6.3E-13	1.1E-12	1.E-08	2.E-08	0.00000004
	Total DDT	2.9E+00	ug/kg	3.4E-01	3.4E-01	5.3E-12	3.2E-11	2.E-12	1.E-11	1.E-11	5.0E-04	5.0E-04	1.2E-11	7.4E-11	2.E-08	1.E-07	0.0000002
Exposure Point Total										**2.E-07**							**0.03**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Tribal Fisher   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 6.5 West	**Metals**																
	Arsenic	7.4E+00	mg/kg	1.5E+00	1.5E+00	1.3E-08	8.1E-08	2.E-08	1.E-07	1.E-07	3.0E-04	3.0E-04	3.1E-08	1.9E-07	1.E-04	6.E-04	0.0007
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	1.2E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.8E-09	0.E+00	3.E-05	0.00003
	Vanadium	1.2E+02	mg/kg	--	--	0.0E+00	1.3E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	3.1E-06	0.E+00	4.E-02	0.04
	Butyltins																
	Tributyltin ion	2.6E+01	ug/kg	--	--	1.6E-10	2.9E-10	--	--	--	3.0E-04	3.0E-04	3.7E-10	6.7E-10	1.E-06	2.E-06	0.000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.4E+02	ug/kg	7.3E-01	7.3E-01	5.8E-09	8.1E-09	4.E-09	6.E-09	1.E-08	--	--	1.4E-08	1.9E-08	--	--	--
	Benzo(a)pyrene	9.1E+02	ug/kg	7.3E+00	7.3E+00	7.2E-09	9.9E-09	5.E-08	7.E-08	1.E-07	--	--	1.7E-08	2.3E-08	--	--	--
	Benzo(b)fluoranthene	1.0E+03	ug/kg	7.3E-01	7.3E-01	8.0E-09	1.1E-08	6.E-09	8.E-09	1.E-08	--	--	1.9E-08	2.6E-08	--	--	--
	Benzo(k)fluoranthene	4.0E+02	ug/kg	7.3E-02	7.3E-02	3.2E-09	4.4E-09	2.E-10	3.E-10	6.E-10	--	--	7.4E-09	1.0E-08	--	--	--
	Dibenzo(a,h)anthracene	1.7E+02	ug/kg	7.3E+00	7.3E+00	1.3E-09	1.8E-09	1.E-08	1.E-08	2.E-08	--	--	3.1E-09	4.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	6.2E+02	ug/kg	7.3E-01	7.3E-01	4.9E-09	6.8E-09	4.E-09	5.E-09	9.E-09	--	--	1.1E-08	1.6E-08	--	--	--
	Naphthalene	1.1E+02	ug/kg	--	--	8.3E-10	1.2E-09	--	--	--	2.0E-02	2.0E-02	1.9E-09	2.7E-09	1.E-07	1.E-07	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.1E+01	ug/kg	1.4E-02	1.4E-02	4.9E-10	8.8E-10	7.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	1.1E-09	2.1E-09	6.E-08	1.E-07	0.0000002
	Phenols																
	Pentachlorophenol	1.6E+00	ug/kg	4.0E-01	4.0E-01	2.4E-11	1.7E-11	1.E-11	7.E-12	2.E-11	5.0E-03	5.0E-03	5.6E-11	4.0E-11	1.E-08	8.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	6.4E+01	ug/kg	2.0E+00	2.0E+00	5.4E-10	6.9E-10	1.E-09	1.E-09	2.E-09	2.0E-05	2.0E-05	1.3E-09	1.6E-09	6.E-05	8.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.1E+01	pg/g	1.3E+05	1.3E+05	3.8E-14	2.3E-13	5.E-09	3.E-08	3.E-08	1.0E-09	1.0E-09	8.8E-14	5.3E-13	9.E-05	5.E-04	0.0006
	Total PCB TEQ	1.8E+00	pg/g	1.3E+05	1.3E+05	1.5E-14	2.0E-14	2.E-09	3.E-09	5.E-09	1.0E-09	1.0E-09	3.5E-14	4.6E-14	4.E-05	5.E-05	0.00008
	Pesticides																
	Aldrin	1.7E+00	ug/kg	1.7E+01	1.7E+01	1.1E-11	1.9E-11	2.E-10	3.E-10	5.E-10	3.0E-05	3.0E-05	2.5E-11	4.4E-11	8.E-07	1.E-06	0.000002
	Dieldrin	5.4E-01	ug/kg	1.6E+01	1.6E+01	3.3E-12	5.9E-12	5.E-11	9.E-11	1.E-10	5.0E-05	5.0E-05	7.6E-12	1.4E-11	2.E-07	3.E-07	0.0000004
	Total DDT	9.2E+01	ug/kg	3.4E-01	3.4E-01	1.7E-10	1.0E-09	6.E-11	3.E-10	4.E-10	5.0E-04	5.0E-04	3.9E-10	2.3E-09	8.E-07	5.E-06	0.00001
Exposure Point Total										4.E-07							0.05
RM 6.5 East	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	7.6E-09	4.5E-08	1.E-08	7.E-08	8.E-08	3.0E-04	3.0E-04	1.8E-08	1.1E-07	6.E-05	4.E-04	0.0004
	Mercury	2.2E+00	mg/kg	--	--	0.0E+00	2.4E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.5E-08	0.E+00	6.E-04	0.0006
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.1E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.7E-06	0.E+00	4.E-02	0.04
	Butyltins																
	Tributyltin ion	4.3E+01	ug/kg	--	--	2.6E-10	4.7E-10	--	--	--	3.0E-04	3.0E-04	6.0E-10	1.1E-09	2.E-06	4.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.1E+02	ug/kg	7.3E-01	7.3E-01	8.5E-10	1.2E-09	6.E-10	9.E-10	1.E-09	--	--	2.0E-09	2.8E-09	--	--	--
	Benzo(a)pyrene	8.6E+01	ug/kg	7.3E+00	7.3E+00	6.8E-10	9.4E-10	5.E-09	7.E-09	1.E-08	--	--	1.6E-09	2.2E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(b)fluoranthene	1.1E+02	ug/kg	7.3E-01	7.3E-01	8.9E-10	1.2E-09	6.E-10	9.E-10	2.E-09	--	--	2.1E-09	2.9E-09	--	--	--
	Benzo(k)fluoranthene	6.1E+01	ug/kg	7.3E-02	7.3E-02	4.8E-10	6.6E-10	3.E-11	5.E-11	8.E-11	--	--	1.1E-09	1.5E-09	--	--	--
	Dibenzo(a,h)anthracene	1.5E+01	ug/kg	7.3E+00	7.3E+00	1.2E-10	1.6E-10	9.E-10	1.E-09	2.E-09	--	--	2.7E-10	3.8E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	5.9E+01	ug/kg	7.3E-01	7.3E-01	4.6E-10	6.4E-10	3.E-10	5.E-10	8.E-10	--	--	1.1E-09	1.5E-09	--	--	--
	Naphthalene	6.5E+01	ug/kg	--	--	5.1E-10	7.0E-10	--	--	--	2.0E-02	2.0E-02	1.2E-09	1.6E-09	6.E-08	8.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.3E+01	ug/kg	1.4E-02	1.4E-02	5.6E-10	1.0E-09	8.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	1.3E-09	2.4E-09	7.E-08	1.E-07	0.0000002
	Phenols																
	Pentachlorophenol	3.9E+00	ug/kg	4.0E-01	4.0E-01	5.9E-11	4.3E-11	2.E-11	2.E-11	4.E-11	5.0E-03	5.0E-03	1.4E-10	1.0E-10	3.E-08	2.E-08	0.00000005
	Polychlorinated Biphenyls																
	Total Aroclors	2.0E+02	ug/kg	2.0E+00	2.0E+00	1.7E-09	2.2E-09	3.E-09	4.E-09	8.E-09	2.0E-05	2.0E-05	4.0E-09	5.1E-09	2.E-04	3.E-04	0.0005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.0E+01	pg/g	1.3E+05	1.3E+05	3.6E-14	2.2E-13	5.E-09	3.E-08	3.E-08	1.0E-09	1.0E-09	8.5E-14	5.1E-13	8.E-05	5.E-04	0.0006
	Total PCB TEQ	3.0E+00	pg/g	1.3E+05	1.3E+05	2.6E-14	3.3E-14	3.E-09	4.E-09	8.E-09	1.0E-09	1.0E-09	6.0E-14	7.7E-14	6.E-05	8.E-05	0.0001
	Pesticides																
	Aldrin	7.6E-02	ug/kg	1.7E+01	1.7E+01	4.6E-13	8.3E-13	8.E-12	1.E-11	2.E-11	3.0E-05	3.0E-05	1.1E-12	1.9E-12	4.E-08	6.E-08	0.0000001
	Dieldrin	1.5E-01	ug/kg	1.6E+01	1.6E+01	9.1E-13	1.6E-12	1.E-11	3.E-11	4.E-11	5.0E-05	5.0E-05	2.1E-12	3.8E-12	4.E-08	8.E-08	0.0000001
	Total DDT	1.5E+01	ug/kg	3.4E-01	3.4E-01	2.7E-11	1.6E-10	9.E-12	6.E-11	7.E-11	5.0E-04	5.0E-04	6.4E-11	3.8E-10	1.E-07	8.E-07	0.000001
Exposure Point Total										**1.E-07**							**0.04**
RM 7 West	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	7.5E-09	4.5E-08	1.E-08	7.E-08	8.E-08	3.0E-04	3.0E-04	1.8E-08	1.1E-07	6.E-05	4.E-04	0.0004
	Mercury	8.1E-02	mg/kg	--	--	0.0E+00	8.9E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.1E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.1E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.5E-06	0.E+00	4.E-02	0.04
	Butyltins																
	Tributyltin ion	6.0E+00	ug/kg	--	--	3.6E-11	6.5E-11	--	--	--	3.0E-04	3.0E-04	8.4E-11	1.5E-10	3.E-07	5.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.6E+02	ug/kg	7.3E-01	7.3E-01	4.4E-09	6.1E-09	3.E-09	4.E-09	8.E-09	--	--	1.0E-08	1.4E-08	--	--	--
	Benzo(a)pyrene	4.7E+02	ug/kg	7.3E+00	7.3E+00	3.7E-09	5.1E-09	3.E-08	4.E-08	6.E-08	--	--	8.5E-09	1.2E-08	--	--	--
	Benzo(b)fluoranthene	1.1E+03	ug/kg	7.3E-01	7.3E-01	8.4E-09	1.2E-08	6.E-09	9.E-09	1.E-08	--	--	2.0E-08	2.7E-08	--	--	--
	Benzo(k)fluoranthene	3.9E+02	ug/kg	7.3E-02	7.3E-02	3.1E-09	4.3E-09	2.E-10	3.E-10	5.E-10	--	--	7.2E-09	9.9E-09	--	--	--
	Dibenzo(a,h)anthracene	1.3E+02	ug/kg	7.3E+00	7.3E+00	1.0E-09	1.4E-09	7.E-09	1.E-08	2.E-08	--	--	2.3E-09	3.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.7E+02	ug/kg	7.3E-01	7.3E-01	2.9E-09	4.0E-09	2.E-09	3.E-09	5.E-09	--	--	6.7E-09	9.4E-09	--	--	--
	Naphthalene	8.8E+00	ug/kg	--	--	6.9E-11	9.6E-11	--	--	--	2.0E-02	2.0E-02	1.6E-10	2.2E-10	8.E-09	1.E-08	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.1E+02	ug/kg	1.4E-02	1.4E-02	1.3E-09	2.3E-09	2.E-11	3.E-11	5.E-11	2.0E-02	2.0E-02	2.9E-09	5.3E-09	1.E-07	3.E-07	0.0000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phenols																
	Pentachlorophenol	2.7E+01	ug/kg	4.0E-01	4.0E-01	4.1E-10	3.0E-10	2.E-10	1.E-10	3.E-10	5.0E-03	5.0E-03	9.6E-10	7.0E-10	2.E-07	1.E-07	0.0000003
	Polychlorinated Biphenyls																
	Total Aroclors	7.1E+01	ug/kg	2.0E+00	2.0E+00	6.0E-10	7.7E-10	1.E-09	2.E-09	3.E-09	2.0E-05	2.0E-05	1.4E-09	1.8E-09	7.E-05	9.E-05	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+03	pg/g	1.3E+05	1.3E+05	3.0E-12	1.8E-11	4.E-07	2.E-06	3.E-06	1.0E-09	1.0E-09	7.0E-12	4.2E-11	7.E-03	4.E-02	0.05
	Total PCB TEQ	7.7E+00	pg/g	1.3E+05	1.3E+05	6.5E-14	8.3E-14	8.E-09	1.E-08	2.E-08	1.0E-09	1.0E-09	1.5E-13	1.9E-13	2.E-04	2.E-04	0.0003
	Pesticides																
	Aldrin	2.7E+01	ug/kg	1.7E+01	1.7E+01	1.6E-10	2.9E-10	3.E-09	5.E-09	8.E-09	3.0E-05	3.0E-05	3.8E-10	6.8E-10	1.E-05	2.E-05	0.00004
	Dieldrin	1.3E+00	ug/kg	1.6E+01	1.6E+01	7.7E-12	1.4E-11	1.E-10	2.E-10	3.E-10	5.0E-05	5.0E-05	1.8E-11	3.2E-11	4.E-07	6.E-07	0.000001
	Total DDT	2.3E+03	ug/kg	3.4E-01	3.4E-01	4.3E-09	2.6E-08	1.E-09	9.E-09	1.E-08	5.0E-04	5.0E-04	9.9E-09	6.0E-08	2.E-05	1.E-04	0.0001
	Conventionals																
	Perchlorate	4.9E+04	ug/kg	--	--	0.0E+00	5.4E-07	--	--	--	7.0E-04	7.0E-04	0.0E+00	1.3E-06	0.E+00	2.E-03	0.002
Exposure Point Total										3.E-06							0.09
RM 7 East	**Metals**																
	Arsenic	1.0E+01	mg/kg	1.5E+00	1.5E+00	1.8E-08	1.1E-07	3.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	4.3E-08	2.6E-07	1.E-04	9.E-04	0.001
	Mercury	5.8E-02	mg/kg	--	--	0.0E+00	6.3E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.5E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.1E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.7E-06	0.E+00	4.E-02	0.04
	Butyltins																
	Tributyltin ion	2.6E+02	ug/kg	--	--	1.6E-09	2.9E-09	--	--	--	3.0E-04	3.0E-04	3.7E-09	6.7E-09	1.E-05	2.E-05	0.00003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E+02	ug/kg	7.3E-01	7.3E-01	9.7E-10	1.3E-09	7.E-10	1.E-09	2.E-09	--	--	2.3E-09	3.1E-09	--	--	--
	Benzo(a)pyrene	1.6E+02	ug/kg	7.3E+00	7.3E+00	1.2E-09	1.7E-09	9.E-09	1.E-08	2.E-08	--	--	2.9E-09	4.0E-09	--	--	--
	Benzo(b)fluoranthene	2.1E+02	ug/kg	7.3E-01	7.3E-01	1.6E-09	2.3E-09	1.E-09	2.E-09	3.E-09	--	--	3.8E-09	5.3E-09	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	8.9E-10	1.2E-09	7.E-11	9.E-11	2.E-10	--	--	2.1E-09	2.9E-09	--	--	--
	Dibenzo(a,h)anthracene	4.3E+01	ug/kg	7.3E+00	7.3E+00	3.3E-10	4.6E-10	2.E-09	3.E-09	6.E-09	--	--	7.8E-10	1.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+02	ug/kg	7.3E-01	7.3E-01	8.3E-10	1.2E-09	6.E-10	8.E-10	1.E-09	--	--	1.9E-09	2.7E-09	--	--	--
	Naphthalene	2.2E+01	ug/kg	--	--	1.7E-10	2.4E-10	--	--	--	2.0E-02	2.0E-02	4.0E-10	5.5E-10	2.E-08	3.E-08	0.00000005
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.0E+02	ug/kg	1.4E-02	1.4E-02	1.8E-09	3.3E-09	3.E-11	5.E-11	7.E-11	2.0E-02	2.0E-02	4.3E-09	7.7E-09	2.E-07	4.E-07	0.000001
	Phenols																
	Pentachlorophenol	7.7E+01	ug/kg	4.0E-01	4.0E-01	1.2E-09	8.4E-10	5.E-10	3.E-10	8.E-10	5.0E-03	5.0E-03	2.7E-09	2.0E-09	5.E-07	4.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	4.2E+01	ug/kg	2.0E+00	2.0E+00	3.5E-10	4.6E-10	7.E-10	9.E-10	2.E-09	2.0E-05	2.0E-05	8.3E-10	1.1E-09	4.E-05	5.E-05	0.00009
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	3.0E-14	1.8E-13	4.E-09	2.E-08	3.E-08	1.0E-09	1.0E-09	7.1E-14	4.2E-13	7.E-05	4.E-04	0.0005
	Total PCB TEQ	5.5E-01	pg/g	1.3E+05	1.3E+05	4.7E-15	6.0E-15	6.E-10	8.E-10	1.E-09	1.0E-09	1.0E-09	1.1E-14	1.4E-14	1.E-05	1.E-05	0.00002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	1.3E-01	ug/kg	1.7E+01	1.7E+01	8.0E-13	1.4E-12	1.E-11	2.E-11	4.E-11	3.0E-05	3.0E-05	1.9E-12	3.4E-12	6.E-08	1.E-07	0.0000002
	Dieldrin	8.2E-02	ug/kg	1.6E+01	1.6E+01	4.9E-13	8.9E-13	8.E-12	1.E-11	2.E-11	5.0E-05	5.0E-05	1.2E-12	2.1E-12	2.E-08	4.E-08	0.0000001
	Total DDT	3.6E+00	ug/kg	3.4E-01	3.4E-01	6.4E-12	3.9E-11	2.E-12	1.E-11	2.E-11	5.0E-04	5.0E-04	1.5E-11	9.0E-11	3.E-08	2.E-07	0.0000002
Exposure Point Total										**3.E-07**							**0.04**
RM 7.5 West	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	5.9E-09	3.5E-08	9.E-09	5.E-08	6.E-08	3.0E-04	3.0E-04	1.4E-08	8.2E-08	5.E-05	3.E-04	0.0003
	Mercury	7.7E-02	mg/kg	--	--	0.0E+00	8.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.0E-09	0.E+00	2.E-05	0.00002
	Vanadium	9.5E+01	mg/kg	--	--	0.0E+00	1.0E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.4E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	5.4E+00	ug/kg	--	--	3.3E-11	5.9E-11	--	--	--	3.0E-04	3.0E-04	7.6E-11	1.4E-10	3.E-07	5.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.5E+02	ug/kg	7.3E-01	7.3E-01	1.2E-09	1.6E-09	8.E-10	1.E-09	2.E-09	--	--	2.7E-09	3.8E-09	--	--	--
	Benzo(a)pyrene	1.3E+02	ug/kg	7.3E+00	7.3E+00	1.0E-09	1.4E-09	7.E-09	1.E-08	2.E-08	--	--	2.4E-09	3.3E-09	--	--	--
	Benzo(b)fluoranthene	1.7E+02	ug/kg	7.3E-01	7.3E-01	1.3E-09	1.9E-09	1.E-09	1.E-09	2.E-09	--	--	3.1E-09	4.3E-09	--	--	--
	Benzo(k)fluoranthene	6.1E+01	ug/kg	7.3E-02	7.3E-02	4.8E-10	6.6E-10	3.E-11	5.E-11	8.E-11	--	--	1.1E-09	1.5E-09	--	--	--
	Dibenzo(a,h)anthracene	2.0E+01	ug/kg	7.3E+00	7.3E+00	1.6E-10	2.2E-10	1.E-09	2.E-09	3.E-09	--	--	3.6E-10	5.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	8.4E+01	ug/kg	7.3E-01	7.3E-01	6.6E-10	9.1E-10	5.E-10	7.E-10	1.E-09	--	--	1.5E-09	2.1E-09	--	--	--
	Naphthalene	2.5E+01	ug/kg	--	--	2.0E-10	2.7E-10	--	--	--	2.0E-02	2.0E-02	4.6E-10	6.4E-10	2.E-08	3.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.4E+02	ug/kg	1.4E-02	1.4E-02	8.6E-10	1.5E-09	1.E-11	2.E-11	3.E-11	2.0E-02	2.0E-02	2.0E-09	3.6E-09	1.E-07	2.E-07	0.0000003
	Phenols																
	Pentachlorophenol	1.5E+00	ug/kg	4.0E-01	4.0E-01	2.3E-11	1.7E-11	9.E-12	7.E-12	2.E-11	5.0E-03	5.0E-03	5.4E-11	3.9E-11	1.E-08	8.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	8.6E+01	ug/kg	2.0E+00	2.0E+00	7.3E-10	9.3E-10	1.E-09	2.E-09	3.E-09	2.0E-05	2.0E-05	1.7E-09	2.2E-09	8.E-05	1.E-04	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.3E-01	pg/g	1.3E+05	1.3E+05	1.7E-15	1.0E-14	2.E-10	1.E-09	2.E-09	1.0E-09	1.0E-09	3.9E-15	2.4E-14	4.E-06	2.E-05	0.00003
	Total PCB TEQ	6.6E-01	pg/g	1.3E+05	1.3E+05	5.6E-15	7.2E-15	7.E-10	9.E-10	2.E-09	1.0E-09	1.0E-09	1.3E-14	1.7E-14	1.E-05	2.E-05	0.00003
	Pesticides																
	Aldrin	1.8E-01	ug/kg	1.7E+01	1.7E+01	1.1E-12	2.0E-12	2.E-11	3.E-11	5.E-11	3.0E-05	3.0E-05	2.6E-12	4.7E-12	9.E-08	2.E-07	0.0000002
	Dieldrin	1.8E-01	ug/kg	1.6E+01	1.6E+01	1.1E-12	1.9E-12	2.E-11	3.E-11	5.E-11	5.0E-05	5.0E-05	2.5E-12	4.5E-12	5.E-08	9.E-08	0.0000001
	Total DDT	2.1E+01	ug/kg	3.4E-01	3.4E-01	3.8E-11	2.3E-10	1.E-11	8.E-11	9.E-11	5.0E-04	5.0E-04	8.9E-11	5.3E-10	2.E-07	1.E-06	0.000001
Exposure Point Total										**9.E-08**							**0.04**
RM 7.5 East	**Metals**																
	Arsenic	3.3E+00	mg/kg	1.5E+00	1.5E+00	6.0E-09	3.6E-08	9.E-09	5.E-08	6.E-08	3.0E-04	3.0E-04	1.4E-08	8.4E-08	5.E-05	3.E-04	0.0003
	Mercury	7.6E-02	mg/kg	--	--	0.0E+00	8.3E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.9E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.7E-06	0.E+00	4.E-02	0.04

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.

Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure

Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	1.6E+02	ug/kg	--	--	9.8E-10	1.8E-09	--	--	--	3.0E-04	3.0E-04	2.3E-09	4.1E-09	8.E-06	1.E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+01	ug/kg	7.3E-01	7.3E-01	2.0E-10	2.8E-10	1.E-10	2.E-10	3.E-10	--	--	4.7E-10	6.5E-10	--	--	--
	Benzo(a)pyrene	2.6E+01	ug/kg	7.3E+00	7.3E+00	2.0E-10	2.8E-10	1.E-09	2.E-09	4.E-09	--	--	4.7E-10	6.6E-10	--	--	--
	Benzo(b)fluoranthene	3.2E+01	ug/kg	7.3E-01	7.3E-01	2.5E-10	3.5E-10	2.E-10	3.E-10	4.E-10	--	--	5.9E-10	8.2E-10	--	--	--
	Benzo(k)fluoranthene	2.0E+01	ug/kg	7.3E-02	7.3E-02	1.6E-10	2.2E-10	1.E-11	2.E-11	3.E-11	--	--	3.7E-10	5.1E-10	--	--	--
	Dibenzo(a,h)anthracene	9.2E+00	ug/kg	7.3E+00	7.3E+00	7.2E-11	1.0E-10	5.E-10	7.E-10	1.E-09	--	--	1.7E-10	2.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.8E+01	ug/kg	7.3E-01	7.3E-01	1.4E-10	2.0E-10	1.E-10	1.E-10	2.E-10	--	--	3.3E-10	4.6E-10	--	--	--
	Naphthalene	6.1E+00	ug/kg	--	--	4.8E-11	6.6E-11	--	--	--	2.0E-02	2.0E-02	1.1E-10	1.5E-10	6.E-09	8.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.1E+02	ug/kg	1.4E-02	1.4E-02	3.7E-09	6.6E-09	5.E-11	9.E-11	1.E-10	2.0E-02	2.0E-02	8.6E-09	1.6E-08	4.E-07	8.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.2E+01	ug/kg	2.0E+00	2.0E+00	2.7E-10	3.5E-10	5.E-10	7.E-10	1.E-09	2.0E-05	2.0E-05	6.3E-10	8.1E-10	3.E-05	4.E-05	0.00007
	Pesticides																
	Dieldrin	1.5E-01	ug/kg	1.6E+01	1.6E+01	8.8E-13	1.6E-12	1.E-11	3.E-11	4.E-11	5.0E-05	5.0E-05	2.1E-12	3.7E-12	4.E-08	7.E-08	0.0000001
	Total DDT	1.1E+00	ug/kg	3.4E-01	3.4E-01	1.9E-12	1.2E-11	7.E-13	4.E-12	5.E-12	5.0E-04	5.0E-04	4.5E-12	2.7E-11	9.E-09	5.E-08	0.0000001
Exposure Point Total										7.E-08							0.04
RM 8 West	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	7.5E-09	4.5E-08	1.E-08	7.E-08	8.E-08	3.0E-04	3.0E-04	1.8E-08	1.1E-07	6.E-05	4.E-04	0.0004
	Mercury	1.7E-01	mg/kg	--	--	0.0E+00	1.8E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.2E-09	0.E+00	4.E-05	0.00004
	Vanadium	9.5E+01	mg/kg	--	--	0.0E+00	1.0E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.4E-06	0.E+00	3.E-02	0.03
	Butyltins																
	Tributyltin ion	1.3E+01	ug/kg	--	--	8.0E-11	1.4E-10	--	--	--	3.0E-04	3.0E-04	1.9E-10	3.4E-10	6.E-07	1.E-06	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+02	ug/kg	7.3E-01	7.3E-01	1.4E-09	1.9E-09	1.E-09	1.E-09	2.E-09	--	--	3.2E-09	4.5E-09	--	--	--
	Benzo(a)pyrene	1.7E+02	ug/kg	7.3E+00	7.3E+00	1.3E-09	1.8E-09	1.E-08	1.E-08	2.E-08	--	--	3.1E-09	4.3E-09	--	--	--
	Benzo(b)fluoranthene	2.3E+02	ug/kg	7.3E-01	7.3E-01	1.8E-09	2.5E-09	1.E-09	2.E-09	3.E-09	--	--	4.2E-09	5.8E-09	--	--	--
	Benzo(k)fluoranthene	5.0E+01	ug/kg	7.3E-02	7.3E-02	4.0E-10	5.5E-10	3.E-11	4.E-11	7.E-11	--	--	9.2E-10	1.3E-09	--	--	--
	Dibenzo(a,h)anthracene	3.1E+01	ug/kg	7.3E+00	7.3E+00	2.4E-10	3.4E-10	2.E-09	2.E-09	4.E-09	--	--	5.7E-10	7.8E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+02	ug/kg	7.3E-01	7.3E-01	8.9E-10	1.2E-09	6.E-10	9.E-10	2.E-09	--	--	2.1E-09	2.9E-09	--	--	--
	Naphthalene	5.1E+01	ug/kg	--	--	4.0E-10	5.6E-10	--	--	--	2.0E-02	2.0E-02	9.4E-10	1.3E-09	5.E-08	7.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.0E+02	ug/kg	1.4E-02	1.4E-02	3.6E-09	6.6E-09	5.E-11	9.E-11	1.E-10	2.0E-02	2.0E-02	8.5E-09	1.5E-08	4.E-07	8.E-07	0.000001
	Phenols																
	Pentachlorophenol	3.1E+00	ug/kg	4.0E-01	4.0E-01	4.7E-11	3.4E-11	2.E-11	1.E-11	3.E-11	5.0E-03	5.0E-03	1.1E-10	7.9E-11	2.E-08	2.E-08	0.00000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polychlorinated Biphenyls																
	Total Aroclors	1.2E+02	ug/kg	2.0E+00	2.0E+00	1.0E-09	1.3E-09	2.E-09	3.E-09	5.E-09	2.0E-05	2.0E-05	2.3E-09	3.0E-09	1.E-04	2.E-04	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.6E-01	pg/g	1.3E+05	1.3E+05	4.8E-16	2.9E-15	6.E-11	4.E-10	4.E-10	1.0E-09	1.0E-09	1.1E-15	6.7E-15	1.E-06	7.E-06	0.00001
	Total PCB TEQ	3.6E+00	pg/g	1.3E+05	1.3E+05	3.0E-14	3.9E-14	4.E-09	5.E-09	9.E-09	1.0E-09	1.0E-09	7.0E-14	9.0E-14	7.E-05	9.E-05	0.0002
	Pesticides																
	Aldrin	4.0E-02	ug/kg	1.7E+01	1.7E+01	2.4E-13	4.4E-13	4.E-12	7.E-12	1.E-11	3.0E-05	3.0E-05	5.7E-13	1.0E-12	2.E-08	3.E-08	0.0000001
	Dieldrin	2.0E+00	ug/kg	1.6E+01	1.6E+01	1.2E-11	2.2E-11	2.E-10	3.E-10	5.E-10	5.0E-05	5.0E-05	2.8E-11	5.1E-11	6.E-07	1.E-06	0.000002
	Total DDT	6.5E+00	ug/kg	3.4E-01	3.4E-01	1.2E-11	7.1E-11	4.E-12	2.E-11	3.E-11	5.0E-04	5.0E-04	2.7E-11	1.7E-10	5.E-08	3.E-07	0.0000004
Exposure Point Total										1.E-07							0.04
RM 8 East	**Metals**																
	Arsenic	6.2E+00	mg/kg	1.5E+00	1.5E+00	1.1E-08	6.7E-08	2.E-08	1.E-07	1.E-07	3.0E-04	3.0E-04	2.6E-08	1.6E-07	9.E-05	5.E-04	0.0006
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	1.3E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.0E-09	0.E+00	3.E-05	0.00003
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.7E-06	0.E+00	4.E-02	0.04
	Butyltins																
	Tributyltin ion	2.4E+03	ug/kg	--	--	1.4E-08	2.6E-08	--	--	--	3.0E-04	3.0E-04	3.4E-08	6.1E-08	1.E-04	2.E-04	0.0003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.7E+02	ug/kg	7.3E-01	7.3E-01	1.3E-09	1.8E-09	1.E-09	1.E-09	2.E-09	--	--	3.1E-09	4.2E-09	--	--	--
	Benzo(a)pyrene	1.7E+02	ug/kg	7.3E+00	7.3E+00	1.4E-09	1.9E-09	1.E-08	1.E-08	2.E-08	--	--	3.2E-09	4.4E-09	--	--	--
	Benzo(b)fluoranthene	2.0E+02	ug/kg	7.3E-01	7.3E-01	1.5E-09	2.1E-09	1.E-09	2.E-09	3.E-09	--	--	3.6E-09	5.0E-09	--	--	--
	Benzo(k)fluoranthene	1.3E+02	ug/kg	7.3E-02	7.3E-02	1.0E-09	1.4E-09	7.E-11	1.E-10	2.E-10	--	--	2.4E-09	3.3E-09	--	--	--
	Dibenzo(a,h)anthracene	2.6E+01	ug/kg	7.3E+00	7.3E+00	2.0E-10	2.8E-10	1.E-09	2.E-09	4.E-09	--	--	4.7E-10	6.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	9.6E-10	1.3E-09	7.E-10	1.E-09	2.E-09	--	--	2.2E-09	3.1E-09	--	--	--
	Naphthalene	1.6E+01	ug/kg	--	--	1.3E-10	1.8E-10	--	--	--	2.0E-02	2.0E-02	3.0E-10	4.2E-10	1.E-08	2.E-08	0.00000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.7E+02	ug/kg	1.4E-02	1.4E-02	4.7E-09	8.4E-09	7.E-11	1.E-10	2.E-10	2.0E-02	2.0E-02	1.1E-08	2.0E-08	5.E-07	1.E-06	0.000002
	Phenols																
	Pentachlorophenol	1.3E+01	ug/kg	4.0E-01	4.0E-01	2.0E-10	1.4E-10	8.E-11	6.E-11	1.E-10	5.0E-03	5.0E-03	4.6E-10	3.4E-10	9.E-08	7.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+02	ug/kg	2.0E+00	2.0E+00	1.5E-09	1.9E-09	3.E-09	4.E-09	7.E-09	2.0E-05	2.0E-05	3.4E-09	4.4E-09	2.E-04	2.E-04	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.3E-01	pg/g	1.3E+05	1.3E+05	1.7E-15	1.0E-14	2.E-10	1.E-09	2.E-09	1.0E-09	1.0E-09	3.9E-15	2.4E-14	4.E-06	2.E-05	0.00003
	Total PCB TEQ	5.8E+00	pg/g	1.3E+05	1.3E+05	4.9E-14	6.4E-14	6.E-09	8.E-09	1.E-08	1.0E-09	1.0E-09	1.2E-13	1.5E-13	1.E-04	1.E-04	0.0003
	Pesticides																
	Aldrin	1.1E-01	ug/kg	1.7E+01	1.7E+01	6.9E-13	1.2E-12	1.E-11	2.E-11	3.E-11	3.0E-05	3.0E-05	1.6E-12	2.9E-12	5.E-08	1.E-07	0.0000002
	Dieldrin	7.9E-01	ug/kg	1.6E+01	1.6E+01	4.7E-12	8.6E-12	8.E-11	1.E-10	2.E-10	5.0E-05	5.0E-05	1.1E-11	2.0E-11	2.E-07	4.E-07	0.000001
	Total DDT	1.1E+01	ug/kg	3.4E-01	3.4E-01	1.9E-11	1.2E-10	7.E-12	4.E-11	5.E-11	5.0E-04	5.0E-04	4.5E-11	2.7E-10	9.E-08	5.E-07	0.000001
Exposure Point Total										2.E-07							0.04

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 8 SIL	**Metals**																
	Arsenic	5.4E+00	mg/kg	1.5E+00	1.5E+00	9.8E-09	5.9E-08	1.E-08	9.E-08	1.E-07	3.0E-04	3.0E-04	2.3E-08	1.4E-07	8.E-05	5.E-04	0.0005
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	1.3E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.9E-09	0.E+00	3.E-05	0.00003
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.7E-06	0.E+00	4.E-02	0.04
	Butyltins																
	Tributyltin ion	2.2E+03	ug/kg	--	--	1.3E-08	2.4E-08	--	--	--	3.0E-04	3.0E-04	3.1E-08	5.7E-08	1.E-04	2.E-04	0.0003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.4E+02	ug/kg	7.3E-01	7.3E-01	1.9E-09	2.6E-09	1.E-09	2.E-09	3.E-09	--	--	4.4E-09	6.1E-09	--	--	--
	Benzo(a)pyrene	2.0E+02	ug/kg	7.3E+00	7.3E+00	1.5E-09	2.1E-09	1.E-08	2.E-08	3.E-08	--	--	3.6E-09	5.0E-09	--	--	--
	Benzo(b)fluoranthene	3.8E+02	ug/kg	7.3E-01	7.3E-01	3.0E-09	4.1E-09	2.E-09	3.E-09	5.E-09	--	--	6.9E-09	9.6E-09	--	--	--
	Benzo(k)fluoranthene	2.1E+02	ug/kg	7.3E-02	7.3E-02	1.6E-09	2.3E-09	1.E-10	2.E-10	3.E-10	--	--	3.8E-09	5.3E-09	--	--	--
	Dibenzo(a,h)anthracene	3.6E+01	ug/kg	7.3E+00	7.3E+00	2.8E-10	3.9E-10	2.E-09	3.E-09	5.E-09	--	--	6.5E-10	9.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	9.8E-10	1.4E-09	7.E-10	1.E-09	2.E-09	--	--	2.3E-09	3.2E-09	--	--	--
	Naphthalene	2.5E+01	ug/kg	--	--	2.0E-10	2.8E-10	--	--	--	2.0E-02	2.0E-02	4.6E-10	6.4E-10	2.E-08	3.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.1E+03	ug/kg	1.4E-02	1.4E-02	4.9E-08	8.8E-08	7.E-10	1.E-09	2.E-09	2.0E-02	2.0E-02	1.1E-07	2.1E-07	6.E-06	1.E-05	0.00002
	Phenols																
	Pentachlorophenol	3.9E+01	ug/kg	4.0E-01	4.0E-01	5.9E-10	4.3E-10	2.E-10	2.E-10	4.E-10	5.0E-03	5.0E-03	1.4E-09	1.0E-09	3.E-07	2.E-07	0.0000005
	Polychlorinated Biphenyls																
	Total Aroclors	2.8E+02	ug/kg	2.0E+00	2.0E+00	2.4E-09	3.1E-09	5.E-09	6.E-09	1.E-08	2.0E-05	2.0E-05	5.5E-09	7.1E-09	3.E-04	4.E-04	0.0006
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.3E+00	pg/g	1.3E+05	1.3E+05	1.1E-14	6.9E-14	1.E-09	9.E-09	1.E-08	1.0E-09	1.0E-09	2.7E-14	1.6E-13	3.E-05	2.E-04	0.0002
	Total PCB TEQ	1.2E+01	pg/g	1.3E+05	1.3E+05	1.0E-13	1.3E-13	1.E-08	2.E-08	3.E-08	1.0E-09	1.0E-09	2.4E-13	3.1E-13	2.E-04	3.E-04	0.0005
	Pesticides																
	Aldrin	6.2E-01	ug/kg	1.7E+01	1.7E+01	3.7E-12	6.7E-12	6.E-11	1.E-10	2.E-10	3.0E-05	3.0E-05	8.7E-12	1.6E-11	3.E-07	5.E-07	0.000001
	Dieldrin	1.4E+00	ug/kg	1.6E+01	1.6E+01	8.4E-12	1.5E-11	1.E-10	2.E-10	4.E-10	5.0E-05	5.0E-05	2.0E-11	3.5E-11	4.E-07	7.E-07	0.000001
	Total DDT	5.2E+00	ug/kg	3.4E-01	3.4E-01	9.5E-12	5.7E-11	3.E-12	2.E-11	2.E-11	5.0E-04	5.0E-04	2.2E-11	1.3E-10	4.E-08	3.E-07	0.0000003
Exposure Point Total										**2.E-07**							**0.04**
RM 8.5 West	**Metals**																
	Arsenic	6.7E+00	mg/kg	1.5E+00	1.5E+00	1.2E-08	7.3E-08	2.E-08	1.E-07	1.E-07	3.0E-04	3.0E-04	2.8E-08	1.7E-07	9.E-05	6.E-04	0.0007
	Mercury	2.0E-01	mg/kg	--	--	0.0E+00	2.2E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.1E-09	0.E+00	5.E-05	0.00005
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.1E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.5E-06	0.E+00	4.E-02	0.04
	Butyltins																
	Tributyltin ion	1.3E+01	ug/kg	--	--	7.6E-11	1.4E-10	--	--	--	3.0E-04	3.0E-04	1.8E-10	3.2E-10	6.E-07	1.E-06	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.4E+01	ug/kg	7.3E-01	7.3E-01	7.4E-10	1.0E-09	5.E-10	7.E-10	1.E-09	--	--	1.7E-09	2.4E-09	--	--	--
	Benzo(a)pyrene	9.1E+01	ug/kg	7.3E+00	7.3E+00	7.1E-10	9.9E-10	5.E-09	7.E-09	1.E-08	--	--	1.7E-09	2.3E-09	--	--	--
	Benzo(b)fluoranthene	1.3E+02	ug/kg	7.3E-01	7.3E-01	1.0E-09	1.4E-09	7.E-10	1.E-09	2.E-09	--	--	2.4E-09	3.3E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	EPC Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(k)fluoranthene	5.5E+01	ug/kg	7.3E-02	7.3E-02	4.4E-10	6.0E-10	3.E-11	4.E-11	8.E-11	--	--	1.0E-09	1.4E-09	--	--	--
	Dibenzo(a,h)anthracene	1.1E+01	ug/kg	7.3E+00	7.3E+00	9.0E-11	1.2E-10	7.E-10	9.E-10	2.E-09	--	--	2.1E-10	2.9E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	5.2E+01	ug/kg	7.3E-01	7.3E-01	4.1E-10	5.7E-10	3.E-10	4.E-10	7.E-10	--	--	9.5E-10	1.3E-09	--	--	--
	Naphthalene	2.4E+01	ug/kg	--	--	1.9E-10	2.7E-10	--	--	--	2.0E-02	2.0E-02	4.5E-10	6.2E-10	2.E-08	3.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.3E+02	ug/kg	1.4E-02	1.4E-02	3.8E-09	6.9E-09	5.E-11	1.E-10	1.E-10	2.0E-02	2.0E-02	8.9E-09	1.6E-08	4.E-07	8.E-07	0.000001
	Phenols																
	Pentachlorophenol	2.8E+00	ug/kg	4.0E-01	4.0E-01	4.2E-11	3.0E-11	2.E-11	1.E-11	3.E-11	5.0E-03	5.0E-03	9.7E-11	7.0E-11	2.E-08	1.E-08	0.00000003
	Polychlorinated Biphenyls																
	Total Aroclors	1.4E+03	ug/kg	2.0E+00	2.0E+00	1.2E-08	1.5E-08	2.E-08	3.E-08	5.E-08	2.0E-05	2.0E-05	2.7E-08	3.5E-08	1.E-03	2.E-03	0.003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.0E+00	pg/g	1.3E+05	1.3E+05	9.1E-15	5.5E-14	1.E-09	7.E-09	8.E-09	1.0E-09	1.0E-09	2.1E-14	1.3E-13	2.E-05	1.E-04	0.0001
	Total PCB TEQ	3.3E+01	pg/g	1.3E+05	1.3E+05	2.8E-13	3.6E-13	4.E-08	5.E-08	8.E-08	1.0E-09	1.0E-09	6.5E-13	8.4E-13	7.E-04	8.E-04	0.001
	Pesticides																
	Aldrin	1.1E+01	ug/kg	1.7E+01	1.7E+01	6.4E-11	1.2E-10	1.E-09	2.E-09	3.E-09	3.0E-05	3.0E-05	1.5E-10	2.7E-10	5.E-06	9.E-06	0.00001
	Dieldrin	1.5E+01	ug/kg	1.6E+01	1.6E+01	9.0E-11	1.6E-10	1.E-09	3.E-09	4.E-09	5.0E-05	5.0E-05	2.1E-10	3.8E-10	4.E-06	8.E-06	0.00001
	Total DDT	6.0E+00	ug/kg	3.4E-01	3.4E-01	1.1E-11	6.6E-11	4.E-12	2.E-11	3.E-11	5.0E-04	5.0E-04	2.6E-11	1.5E-10	5.E-08	3.E-07	0.0000004
Exposure Point Total										3.E-07							0.04
RM 8.5 East	**Metals**																
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	8.5E-09	5.1E-08	1.E-08	8.E-08	9.E-08	3.0E-04	3.0E-04	2.0E-08	1.2E-07	7.E-05	4.E-04	0.0005
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	1.3E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.1E-09	0.E+00	3.E-05	0.00003
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.1E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.6E-06	0.E+00	4.E-02	0.04
	Butyltins																
	Tributyltin ion	2.3E+01	ug/kg	--	--	1.4E-10	2.5E-10	--	--	--	3.0E-04	3.0E-04	3.3E-10	5.9E-10	1.E-06	2.E-06	0.000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.1E+01	ug/kg	7.3E-01	7.3E-01	3.3E-10	4.5E-10	2.E-10	3.E-10	6.E-10	--	--	7.6E-10	1.1E-09	--	--	--
	Benzo(a)pyrene	4.6E+01	ug/kg	7.3E+00	7.3E+00	3.6E-10	5.0E-10	3.E-09	4.E-09	6.E-09	--	--	8.4E-10	1.2E-09	--	--	--
	Benzo(b)fluoranthene	7.1E+01	ug/kg	7.3E-01	7.3E-01	5.5E-10	7.7E-10	4.E-10	6.E-10	1.E-09	--	--	1.3E-09	1.8E-09	--	--	--
	Benzo(k)fluoranthene	3.6E+01	ug/kg	7.3E-02	7.3E-02	2.8E-10	3.9E-10	2.E-11	3.E-11	5.E-11	--	--	6.5E-10	9.0E-10	--	--	--
	Dibenzo(a,h)anthracene	8.3E+00	ug/kg	7.3E+00	7.3E+00	6.6E-11	9.1E-11	5.E-10	7.E-10	1.E-09	--	--	1.5E-10	2.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.9E+01	ug/kg	7.3E-01	7.3E-01	3.1E-10	4.3E-10	2.E-10	3.E-10	5.E-10	--	--	7.2E-10	1.0E-09	--	--	--
	Naphthalene	2.0E+01	ug/kg	--	--	1.5E-10	2.1E-10	--	--	--	2.0E-02	2.0E-02	3.6E-10	5.0E-10	2.E-08	2.E-08	0.00000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.5E+02	ug/kg	1.4E-02	1.4E-02	2.7E-09	4.9E-09	4.E-11	7.E-11	1.E-10	2.0E-02	2.0E-02	6.4E-09	1.1E-08	3.E-07	6.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	4.6E+01	ug/kg	2.0E+00	2.0E+00	3.9E-10	5.0E-10	8.E-10	1.E-09	2.E-09	2.0E-05	2.0E-05	9.1E-10	1.2E-09	5.E-05	6.E-05	0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.3E-01	pg/g	1.3E+05	1.3E+05	1.1E-15	6.9E-15	1.E-10	9.E-10	1.E-09	1.0E-09	1.0E-09	2.7E-15	1.6E-14	3.E-06	2.E-05	0.00002
	Total PCB TEQ	4.2E-01	pg/g	1.3E+05	1.3E+05	3.6E-15	4.6E-15	5.E-10	6.E-10	1.E-09	1.0E-09	1.0E-09	8.3E-15	1.1E-14	8.E-06	1.E-05	0.0002
	Pesticides																
	Aldrin	3.2E-02	ug/kg	1.7E+01	1.7E+01	1.9E-13	3.5E-13	3.E-12	6.E-12	9.E-12	3.0E-05	3.0E-05	4.5E-13	8.1E-13	2.E-08	3.E-08	0.00000004
	Dieldrin	1.3E-01	ug/kg	1.6E+01	1.6E+01	8.2E-13	1.5E-12	1.E-11	2.E-11	4.E-11	5.0E-05	5.0E-05	1.9E-12	3.4E-12	4.E-08	7.E-08	0.0000001
	Total DDT	1.5E+00	ug/kg	3.4E-01	3.4E-01	2.7E-12	1.6E-11	9.E-13	6.E-12	6.E-12	5.0E-04	5.0E-04	6.3E-12	3.8E-11	1.E-08	8.E-08	0.0000001
Exposure Point Total										**1.E-07**							**0.04**
RM 9 West	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	7.5E-09	4.5E-08	1.E-08	7.E-08	8.E-08	3.0E-04	3.0E-04	1.8E-08	1.1E-07	6.E-05	4.E-04	0.0004
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	1.3E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.1E-09	0.E+00	3.E-05	0.00003
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.7E-06	0.E+00	4.E-02	0.04
	Butyltins																
	Tributyltin ion	9.9E+00	ug/kg	--	--	6.0E-11	1.1E-10	--	--	--	3.0E-04	3.0E-04	1.4E-10	2.5E-10	5.E-07	8.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.5E+02	ug/kg	7.3E-01	7.3E-01	1.2E-09	1.7E-09	9.E-10	1.E-09	2.E-09	--	--	2.8E-09	3.9E-09	--	--	--
	Benzo(a)pyrene	1.0E+02	ug/kg	7.3E+00	7.3E+00	8.1E-10	1.1E-09	6.E-09	8.E-09	1.E-08	--	--	1.9E-09	2.6E-09	--	--	--
	Benzo(b)fluoranthene	1.6E+02	ug/kg	7.3E-01	7.3E-01	1.3E-09	1.7E-09	9.E-10	1.E-09	2.E-09	--	--	2.9E-09	4.1E-09	--	--	--
	Benzo(k)fluoranthene	6.2E+01	ug/kg	7.3E-02	7.3E-02	4.8E-10	6.7E-10	4.E-11	5.E-11	8.E-11	--	--	1.1E-09	1.6E-09	--	--	--
	Dibenzo(a,h)anthracene	1.8E+01	ug/kg	7.3E+00	7.3E+00	1.4E-10	1.9E-10	1.E-09	1.E-09	2.E-09	--	--	3.2E-10	4.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	6.7E+01	ug/kg	7.3E-01	7.3E-01	5.2E-10	7.3E-10	4.E-10	5.E-10	9.E-10	--	--	1.2E-09	1.7E-09	--	--	--
	Naphthalene	1.7E+01	ug/kg	--	--	1.3E-10	1.8E-10	--	--	--	2.0E-02	2.0E-02	3.1E-10	4.3E-10	2.E-08	2.E-08	0.00000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.7E+02	ug/kg	1.4E-02	1.4E-02	1.0E-09	1.9E-09	1.E-11	3.E-11	4.E-11	2.0E-02	2.0E-02	2.4E-09	4.4E-09	1.E-07	2.E-07	0.0000003
	Phenols																
	Pentachlorophenol	4.7E+00	ug/kg	4.0E-01	4.0E-01	7.0E-11	5.1E-11	3.E-11	2.E-11	5.E-11	5.0E-03	5.0E-03	1.6E-10	1.2E-10	3.E-08	2.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	4.5E+02	ug/kg	2.0E+00	2.0E+00	3.8E-09	4.9E-09	8.E-09	1.E-08	2.E-08	2.0E-05	2.0E-05	8.9E-09	1.2E-08	4.E-04	6.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.9E+00	pg/g	1.3E+05	1.3E+05	7.1E-15	4.3E-14	9.E-10	6.E-09	6.E-09	1.0E-09	1.0E-09	1.7E-14	1.0E-13	2.E-05	1.E-04	0.0001
	Total PCB TEQ	1.6E+01	pg/g	1.3E+05	1.3E+05	1.3E-13	1.7E-13	2.E-08	2.E-08	4.E-08	1.0E-09	1.0E-09	3.1E-13	4.0E-13	3.E-04	4.E-04	0.0007
	Pesticides																
	Aldrin	2.2E-01	ug/kg	1.7E+01	1.7E+01	1.4E-12	2.4E-12	2.E-11	4.E-11	6.E-11	3.0E-05	3.0E-05	3.2E-12	5.7E-12	1.E-07	2.E-07	0.0000003
	Dieldrin	2.0E-01	ug/kg	1.6E+01	1.6E+01	1.2E-12	2.2E-12	2.E-11	4.E-11	6.E-11	5.0E-05	5.0E-05	2.9E-12	5.2E-12	6.E-08	1.E-07	0.0000002
	Total DDT	4.4E+00	ug/kg	3.4E-01	3.4E-01	7.9E-12	4.8E-11	3.E-12	2.E-11	2.E-11	5.0E-04	5.0E-04	1.9E-11	1.1E-10	4.E-08	2.E-07	0.0000003
Exposure Point Total										**2.E-07**							**0.04**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Tribal Fisher   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 9 East	**Metals**																
	Arsenic	3.8E+00	mg/kg	1.5E+00	1.5E+00	6.9E-09	4.1E-08	1.E-08	6.E-08	7.E-08	3.0E-04	3.0E-04	1.6E-08	9.7E-08	5.E-05	3.E-04	0.0004
	Mercury	5.0E-02	mg/kg	--	--	0.0E+00	5.5E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-09	0.E+00	1.E-05	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.0E+01	ug/kg	7.3E-01	7.3E-01	8.0E-11	1.1E-10	6.E-11	8.E-11	1.E-10	--	--	1.9E-10	2.6E-10	--	--	--
	Benzo(a)pyrene	1.3E+01	ug/kg	7.3E+00	7.3E+00	9.9E-11	1.4E-10	7.E-10	1.E-09	2.E-09	--	--	2.3E-10	3.2E-10	--	--	--
	Benzo(b)fluoranthene	1.8E+01	ug/kg	7.3E-01	7.3E-01	1.4E-10	2.0E-10	1.E-10	1.E-10	2.E-10	--	--	3.3E-10	4.6E-10	--	--	--
	Benzo(k)fluoranthene	8.3E+00	ug/kg	7.3E-02	7.3E-02	6.5E-11	9.0E-11	5.E-12	7.E-12	1.E-11	--	--	1.5E-10	2.1E-10	--	--	--
	Dibenzo(a,h)anthracene	2.1E+00	ug/kg	7.3E+00	7.3E+00	1.7E-11	2.3E-11	1.E-10	2.E-10	3.E-10	--	--	3.9E-11	5.5E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+01	ug/kg	7.3E-01	7.3E-01	8.4E-11	1.2E-10	6.E-11	8.E-11	1.E-10	--	--	2.0E-10	2.7E-10	--	--	--
	Naphthalene	2.7E+00	ug/kg	--	--	2.1E-11	3.0E-11	--	--	--	2.0E-02	2.0E-02	5.0E-11	6.9E-11	2.E-09	3.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.6E+02	ug/kg	1.4E-02	1.4E-02	2.2E-09	3.9E-09	3.E-11	5.E-11	9.E-11	2.0E-02	2.0E-02	5.1E-09	9.1E-09	3.E-07	5.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	5.2E+01	ug/kg	2.0E+00	2.0E+00	4.4E-10	5.7E-10	9.E-10	1.E-09	2.E-09	2.0E-05	2.0E-05	1.0E-09	1.3E-09	5.E-05	7.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.2E-01	pg/g	1.3E+05	1.3E+05	3.9E-16	2.4E-15	5.E-11	3.E-10	4.E-10	1.0E-09	1.0E-09	9.1E-16	5.5E-15	9.E-07	5.E-06	0.00001
	Total PCB TEQ	6.3E-01	pg/g	1.3E+05	1.3E+05	5.3E-15	6.9E-15	7.E-10	9.E-10	2.E-09	1.0E-09	1.0E-09	1.2E-14	1.6E-14	1.E-05	2.E-05	0.00003
	Pesticides																
	Dieldrin	8.8E-02	ug/kg	1.6E+01	1.6E+01	5.3E-13	9.6E-13	9.E-12	2.E-11	2.E-11	5.0E-05	5.0E-05	1.2E-12	2.2E-12	2.E-08	4.E-08	0.0000001
	Total DDT	1.4E+00	ug/kg	3.4E-01	3.4E-01	2.6E-12	1.6E-11	9.E-13	5.E-12	6.E-12	5.0E-04	5.0E-04	6.1E-12	3.7E-11	1.E-08	7.E-08	0.0000001
Exposure Point Total										8.E-08							0.0005
RM 9.5 West	**Metals**																
	Arsenic	3.8E+00	mg/kg	1.5E+00	1.5E+00	6.8E-09	4.1E-08	1.E-08	6.E-08	7.E-08	3.0E-04	3.0E-04	1.6E-08	9.6E-08	5.E-05	3.E-04	0.0004
	Mercury	6.2E-02	mg/kg	--	--	0.0E+00	6.8E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.6E-09	0.E+00	2.E-05	0.00002
	Butyltins																
	Tributyltin ion	1.0E+01	ug/kg	--	--	6.0E-11	1.1E-10	--	--	--	3.0E-04	3.0E-04	1.4E-10	2.5E-10	5.E-07	8.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E+02	ug/kg	7.3E-01	7.3E-01	9.5E-10	1.3E-09	7.E-10	1.E-09	2.E-09	--	--	2.2E-09	3.1E-09	--	--	--
	Benzo(a)pyrene	1.7E+02	ug/kg	7.3E+00	7.3E+00	1.3E-09	1.8E-09	1.E-08	1.E-08	2.E-08	--	--	3.0E-09	4.2E-09	--	--	--
	Benzo(b)fluoranthene	2.3E+02	ug/kg	7.3E-01	7.3E-01	1.8E-09	2.5E-09	1.E-09	2.E-09	3.E-09	--	--	4.2E-09	5.9E-09	--	--	--
	Benzo(k)fluoranthene	1.0E+02	ug/kg	7.3E-02	7.3E-02	8.1E-10	1.1E-09	6.E-11	8.E-11	1.E-10	--	--	1.9E-09	2.6E-09	--	--	--
	Dibenzo(a,h)anthracene	3.2E+01	ug/kg	7.3E+00	7.3E+00	2.5E-10	3.5E-10	2.E-09	3.E-09	4.E-09	--	--	5.8E-10	8.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+02	ug/kg	7.3E-01	7.3E-01	1.1E-09	1.5E-09	8.E-10	1.E-09	2.E-09	--	--	2.5E-09	3.5E-09	--	--	--
	Naphthalene	4.1E+01	ug/kg	--	--	3.2E-10	4.5E-10	--	--	--	2.0E-02	2.0E-02	7.5E-10	1.0E-09	4.E-08	5.E-08	0.0000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future　　　　Medium: Sediment
Receptor Population: Tribal Fisher　　　　Exposure Medium: In-water Sediment
Population Age: Adult　　　　Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Cancer Risk Calculations[a]							Noncancer Hazard Calculations[a]						
		Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.6E+02	ug/kg	1.4E-02	1.4E-02	5.2E-09	9.3E-09	7.E-11	1.E-10	2.E-10	2.0E-02	2.0E-02	1.2E-08	2.2E-08	6.E-07	1.E-06	0.000002
	Phenols																
	Pentachlorophenol	1.1E+01	ug/kg	4.0E-01	4.0E-01	1.7E-10	1.2E-10	7.E-11	5.E-11	1.E-10	5.0E-03	5.0E-03	3.9E-10	2.8E-10	8.E-08	6.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.1E+02	ug/kg	2.0E+00	2.0E+00	1.8E-09	2.3E-09	4.E-09	5.E-09	8.E-09	2.0E-05	2.0E-05	4.2E-09	5.4E-09	2.E-04	3.E-04	0.0005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.6E+00	pg/g	1.3E+05	1.3E+05	1.6E-14	9.3E-14	2.E-09	1.E-08	1.E-08	1.0E-09	1.0E-09	3.6E-14	2.2E-13	4.E-05	2.E-04	0.0003
	Total PCB TEQ	3.6E+00	pg/g	1.3E+05	1.3E+05	3.1E-14	4.0E-14	4.E-09	5.E-09	9.E-09	1.0E-09	1.0E-09	7.2E-14	9.3E-14	7.E-05	9.E-05	0.0002
	Pesticides																
	Aldrin	5.8E-01	ug/kg	1.7E+01	1.7E+01	3.5E-12	6.4E-12	6.E-11	1.E-10	2.E-10	3.0E-05	3.0E-05	8.3E-12	1.5E-11	3.E-07	5.E-07	0.000001
	Dieldrin	6.1E-01	ug/kg	1.6E+01	1.6E+01	3.7E-12	6.6E-12	6.E-11	1.E-10	2.E-10	5.0E-05	5.0E-05	8.6E-12	1.5E-11	2.E-07	3.E-07	0.0000005
	Total DDT	3.1E+00	ug/kg	3.4E-01	3.4E-01	5.5E-12	3.3E-11	2.E-12	1.E-11	1.E-11	5.0E-04	5.0E-04	1.3E-11	7.8E-11	3.E-08	2.E-07	0.0000002
Exposure Point Total										1.E-07							0.001
RM 9.5 East	**Metals**																
	Arsenic	3.3E+00	mg/kg	1.5E+00	1.5E+00	6.0E-09	3.6E-08	9.E-09	5.E-08	6.E-08	3.0E-04	3.0E-04	1.4E-08	8.3E-08	5.E-05	3.E-04	0.0003
	Mercury	6.3E-02	mg/kg	--	--	0.0E+00	6.8E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.6E-09	0.E+00	2.E-05	0.00002
	Butyltins																
	Tributyltin ion	2.6E+00	ug/kg	--	--	1.5E-11	2.8E-11	--	--	--	3.0E-04	3.0E-04	3.6E-11	6.5E-11	1.E-07	2.E-07	0.0000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.2E+01	ug/kg	7.3E-01	7.3E-01	1.7E-10	2.4E-10	1.E-10	2.E-10	3.E-10	--	--	4.0E-10	5.6E-10	--	--	--
	Benzo(a)pyrene	2.5E+01	ug/kg	7.3E+00	7.3E+00	1.9E-10	2.7E-10	1.E-09	2.E-09	3.E-09	--	--	4.5E-10	6.3E-10	--	--	--
	Benzo(b)fluoranthene	2.9E+01	ug/kg	7.3E-01	7.3E-01	2.3E-10	3.2E-10	2.E-10	2.E-10	4.E-10	--	--	5.4E-10	7.5E-10	--	--	--
	Benzo(k)fluoranthene	1.7E+01	ug/kg	7.3E-02	7.3E-02	1.3E-10	1.8E-10	1.E-11	1.E-11	2.E-11	--	--	3.1E-10	4.3E-10	--	--	--
	Dibenzo(a,h)anthracene	4.4E+00	ug/kg	7.3E+00	7.3E+00	3.4E-11	4.8E-11	3.E-10	3.E-10	6.E-10	--	--	8.0E-11	1.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.0E+01	ug/kg	7.3E-01	7.3E-01	1.6E-10	2.2E-10	1.E-10	2.E-10	3.E-10	--	--	3.6E-10	5.0E-10	--	--	--
	Naphthalene	3.4E+00	ug/kg	--	--	2.7E-11	3.7E-11	--	--	--	2.0E-02	2.0E-02	6.2E-11	8.6E-11	3.E-09	4.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.6E+02	ug/kg	1.4E-02	1.4E-02	9.9E-10	1.8E-09	1.E-11	3.E-11	4.E-11	2.0E-02	2.0E-02	2.3E-09	4.2E-09	1.E-07	2.E-07	0.0000003
	Phenols																
	Pentachlorophenol	1.1E+00	ug/kg	4.0E-01	4.0E-01	1.7E-11	1.2E-11	7.E-12	5.E-12	1.E-11	5.0E-03	5.0E-03	4.0E-11	2.9E-11	8.E-09	6.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	4.0E+01	ug/kg	2.0E+00	2.0E+00	3.4E-10	4.4E-10	7.E-10	9.E-10	2.E-09	2.0E-05	2.0E-05	7.9E-10	1.0E-09	4.E-05	5.E-05	0.00009
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.9E-01	pg/g	1.3E+05	1.3E+05	1.6E-15	9.7E-15	2.E-10	1.E-09	1.E-09	1.0E-09	1.0E-09	3.8E-15	2.3E-14	4.E-06	2.E-05	0.00003
	Total PCB TEQ	2.6E-01	pg/g	1.3E+05	1.3E+05	2.2E-15	2.8E-15	3.E-10	4.E-10	7.E-10	1.0E-09	1.0E-09	5.1E-15	6.6E-15	5.E-06	7.E-06	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	9.1E-02	ug/kg	1.7E+01	1.7E+01	5.5E-13	9.9E-13	9.E-12	2.E-11	3.E-11	3.0E-05	3.0E-05	1.3E-12	2.3E-12	4.E-08	8.E-08	0.0000001
	Dieldrin	3.0E-02	ug/kg	1.6E+01	1.6E+01	1.8E-13	3.2E-13	3.E-12	5.E-12	8.E-12	5.0E-05	5.0E-05	4.2E-13	7.5E-13	8.E-09	2.E-08	0.00000002
	Total DDT	1.1E+00	ug/kg	3.4E-01	3.4E-01	2.1E-12	1.2E-11	7.E-13	4.E-12	5.E-12	5.0E-04	5.0E-04	4.8E-12	2.9E-11	1.E-08	6.E-08	0.0000001
Exposure Point Total										7.E-08							0.0005
RM 10 West	**Metals**																
	Arsenic	1.0E+01	mg/kg	1.5E+00	1.5E+00	1.9E-08	1.1E-07	3.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	4.3E-08	2.6E-07	1.E-04	9.E-04	0.001
	Mercury	9.0E-02	mg/kg	--	--	0.0E+00	9.8E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.3E-09	0.E+00	2.E-05	0.00002
	Butyltins																
	Tributyltin ion	2.4E+00	ug/kg	--	--	1.5E-11	2.7E-11	--	--	--	3.0E-04	3.0E-04	3.4E-11	6.2E-11	1.E-07	2.E-07	0.0000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+02	ug/kg	7.3E-01	7.3E-01	1.1E-09	1.5E-09	8.E-10	1.E-09	2.E-09	--	--	2.6E-09	3.6E-09	--	--	--
	Benzo(a)pyrene	1.5E+02	ug/kg	7.3E+00	7.3E+00	1.2E-09	1.6E-09	9.E-09	1.E-08	2.E-08	--	--	2.7E-09	3.8E-09	--	--	--
	Benzo(b)fluoranthene	1.9E+02	ug/kg	7.3E-01	7.3E-01	1.5E-09	2.0E-09	1.E-09	1.E-09	3.E-09	--	--	3.4E-09	4.8E-09	--	--	--
	Benzo(k)fluoranthene	7.9E+01	ug/kg	7.3E-02	7.3E-02	6.2E-10	8.6E-10	5.E-11	6.E-11	1.E-10	--	--	1.4E-09	2.0E-09	--	--	--
	Dibenzo(a,h)anthracene	3.5E+01	ug/kg	7.3E+00	7.3E+00	2.8E-10	3.9E-10	2.E-09	3.E-09	5.E-09	--	--	6.5E-10	9.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+02	ug/kg	7.3E-01	7.3E-01	1.1E-09	1.5E-09	8.E-10	1.E-09	2.E-09	--	--	2.5E-09	3.5E-09	--	--	--
	Naphthalene	2.0E+01	ug/kg	--	--	1.5E-10	2.1E-10	--	--	--	2.0E-02	2.0E-02	3.6E-10	5.0E-10	2.E-08	2.E-08	0.00000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.2E+02	ug/kg	1.4E-02	1.4E-02	7.3E-10	1.3E-09	1.E-11	2.E-11	3.E-11	2.0E-02	2.0E-02	1.7E-09	3.1E-09	9.E-08	2.E-07	0.0000002
	Phenols																
	Pentachlorophenol	3.0E+00	ug/kg	4.0E-01	4.0E-01	4.5E-11	3.3E-11	2.E-11	1.E-11	3.E-11	5.0E-03	5.0E-03	1.1E-10	7.6E-11	2.E-08	2.E-08	0.00000004
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+02	ug/kg	2.0E+00	2.0E+00	1.5E-09	2.0E-09	3.E-09	4.E-09	7.E-09	2.0E-05	2.0E-05	3.6E-09	4.6E-09	2.E-04	2.E-04	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.1E+00	pg/g	1.3E+05	1.3E+05	9.3E-15	5.6E-14	1.E-09	7.E-09	8.E-09	1.0E-09	1.0E-09	2.2E-14	1.3E-13	2.E-05	1.E-04	0.0002
	Total PCB TEQ	1.8E+00	pg/g	1.3E+05	1.3E+05	1.5E-14	2.0E-14	2.E-09	3.E-09	5.E-09	1.0E-09	1.0E-09	3.6E-14	4.6E-14	4.E-05	5.E-05	0.00008
	Pesticides																
	Aldrin	1.5E-01	ug/kg	1.7E+01	1.7E+01	8.9E-13	1.6E-12	2.E-11	3.E-11	4.E-11	3.0E-05	3.0E-05	2.1E-12	3.7E-12	7.E-08	1.E-07	0.0000002
	Total DDT	4.7E+00	ug/kg	3.4E-01	3.4E-01	8.5E-12	5.1E-11	3.E-12	2.E-11	2.E-11	5.0E-04	5.0E-04	2.0E-11	1.2E-10	4.E-08	2.E-07	0.0000003
Exposure Point Total										2.E-07							0.002
RM 10 East	**Metals**																
	Arsenic	3.0E+00	mg/kg	1.5E+00	1.5E+00	5.5E-09	3.3E-08	8.E-09	5.E-08	6.E-08	3.0E-04	3.0E-04	1.3E-08	7.7E-08	4.E-05	3.E-04	0.0003
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	7.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.7E-09	0.E+00	2.E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E+02	ug/kg	7.3E-01	7.3E-01	9.1E-10	1.3E-09	7.E-10	9.E-10	2.E-09	--	--	2.1E-09	2.9E-09	--	--	--
	Benzo(a)pyrene	1.4E+02	ug/kg	7.3E+00	7.3E+00	1.1E-09	1.6E-09	8.E-09	1.E-08	2.E-08	--	--	2.6E-09	3.7E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(b)fluoranthene	1.7E+02	ug/kg	7.3E-01	7.3E-01	1.4E-09	1.9E-09	1.E-09	1.E-09	2.E-09	--	--	3.2E-09	4.4E-09	--	--	--
	Benzo(k)fluoranthene	6.3E+01	ug/kg	7.3E-02	7.3E-02	4.9E-10	6.9E-10	4.E-11	5.E-11	9.E-11	--	--	1.2E-09	1.6E-09	--	--	--
	Dibenzo(a,h)anthracene	2.3E+01	ug/kg	7.3E+00	7.3E+00	1.8E-10	2.5E-10	1.E-09	2.E-09	3.E-09	--	--	4.3E-10	5.9E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	9.3E-10	1.3E-09	7.E-10	9.E-10	2.E-09	--	--	2.2E-09	3.0E-09	--	--	--
	Naphthalene	1.2E+01	ug/kg	--	--	9.7E-11	1.4E-10	--	--	--	2.0E-02	2.0E-02	2.3E-10	3.2E-10	1.E-08	2.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+02	ug/kg	1.4E-02	1.4E-02	7.8E-10	1.4E-09	1.E-11	2.E-11	3.E-11	2.0E-02	2.0E-02	1.8E-09	3.3E-09	9.E-08	2.E-07	0.0000003
	Phenols																
	Pentachlorophenol	2.6E+00	ug/kg	4.0E-01	4.0E-01	4.0E-11	2.9E-11	2.E-11	1.E-11	3.E-11	5.0E-03	5.0E-03	9.2E-11	6.7E-11	2.E-08	1.E-08	0.00000003
	Polychlorinated Biphenyls																
	Total Aroclors	3.4E+01	ug/kg	2.0E+00	2.0E+00	2.9E-10	3.7E-10	6.E-10	7.E-10	1.E-09	2.0E-05	2.0E-05	6.8E-10	8.7E-10	3.E-05	4.E-05	0.00008
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.4E-01	pg/g	1.3E+05	1.3E+05	9.8E-16	5.9E-15	1.E-10	8.E-10	9.E-10	1.0E-09	1.0E-09	2.3E-15	1.4E-14	2.E-06	1.E-05	0.00002
	Total PCB TEQ	6.9E-01	pg/g	1.3E+05	1.3E+05	5.8E-15	7.5E-15	8.E-10	1.E-09	2.E-09	1.0E-09	1.0E-09	1.4E-14	1.7E-14	1.E-05	2.E-05	0.00003
	Pesticides																
	Aldrin	4.0E-02	ug/kg	1.7E+01	1.7E+01	2.4E-13	4.4E-13	4.E-12	7.E-12	1.E-11	3.0E-05	3.0E-05	5.7E-13	1.0E-12	2.E-08	3.E-08	0.0000001
	Dieldrin	4.7E-02	ug/kg	1.6E+01	1.6E+01	2.8E-13	5.1E-13	5.E-12	8.E-12	1.E-11	5.0E-05	5.0E-05	6.6E-13	1.2E-12	1.E-08	2.E-08	0.00000004
	Total DDT	5.3E-01	ug/kg	3.4E-01	3.4E-01	9.6E-13	5.8E-12	3.E-13	2.E-12	2.E-12	5.0E-04	5.0E-04	2.2E-12	1.3E-11	4.E-09	3.E-08	0.00000003
Exposure Point Total										**9.E-08**							**0.0004**
RM 10.5 West	**Metals**																
	Arsenic	4.0E+00	mg/kg	1.5E+00	1.5E+00	7.2E-09	4.3E-08	1.E-08	6.E-08	8.E-08	3.0E-04	3.0E-04	1.7E-08	1.0E-07	6.E-05	3.E-04	0.0004
	Mercury	6.9E-02	mg/kg	--	--	0.0E+00	7.5E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.8E-09	0.E+00	2.E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.8E+01	ug/kg	7.3E-01	7.3E-01	2.2E-10	3.0E-10	2.E-10	2.E-10	4.E-10	--	--	5.1E-10	7.0E-10	--	--	--
	Benzo(a)pyrene	2.6E+01	ug/kg	7.3E+00	7.3E+00	2.1E-10	2.9E-10	2.E-09	2.E-09	4.E-09	--	--	4.8E-10	6.7E-10	--	--	--
	Benzo(b)fluoranthene	3.5E+01	ug/kg	7.3E-01	7.3E-01	2.8E-10	3.9E-10	2.E-10	3.E-10	5.E-10	--	--	6.5E-10	9.0E-10	--	--	--
	Benzo(k)fluoranthene	1.3E+01	ug/kg	7.3E-02	7.3E-02	1.0E-10	1.4E-10	7.E-12	1.E-11	2.E-11	--	--	2.4E-10	3.3E-10	--	--	--
	Dibenzo(a,h)anthracene	4.4E+00	ug/kg	7.3E+00	7.3E+00	3.5E-11	4.8E-11	3.E-10	4.E-10	6.E-10	--	--	8.1E-11	1.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.2E+01	ug/kg	7.3E-01	7.3E-01	1.7E-10	2.3E-10	1.E-10	2.E-10	3.E-10	--	--	3.9E-10	5.5E-10	--	--	--
	Naphthalene	2.7E+01	ug/kg	--	--	2.1E-10	2.9E-10	--	--	--	2.0E-02	2.0E-02	5.0E-10	6.9E-10	2.E-08	3.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.4E+02	ug/kg	1.4E-02	1.4E-02	8.3E-10	1.5E-09	1.E-11	2.E-11	3.E-11	2.0E-02	2.0E-02	1.9E-09	3.5E-09	1.E-07	2.E-07	0.0000003
	Phenols																
	Pentachlorophenol	8.6E+00	ug/kg	4.0E-01	4.0E-01	1.3E-10	9.4E-11	5.E-11	4.E-11	9.E-11	5.0E-03	5.0E-03	3.0E-10	2.2E-10	6.E-08	4.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.2E+01	ug/kg	2.0E+00	2.0E+00	2.7E-10	3.5E-10	5.E-10	7.E-10	1.E-09	2.0E-05	2.0E-05	6.3E-10	8.1E-10	3.E-05	4.E-05	0.00007

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total PCB TEQ	6.9E-01	pg/g	1.3E+05	1.3E+05	5.8E-15	7.5E-15	8.E-10	1.E-09	2.E-09	1.0E-09	1.0E-09	1.4E-14	1.8E-14	1.E-05	2.E-05	0.00003
	Pesticides																
	Aldrin	2.0E-01	ug/kg	1.7E+01	1.7E+01	1.2E-12	2.2E-12	2.E-11	4.E-11	6.E-11	3.0E-05	3.0E-05	2.8E-12	5.1E-12	9.E-08	2.E-07	0.0000003
	Total DDT	1.7E+00	ug/kg	3.4E-01	3.4E-01	3.0E-12	1.8E-11	1.E-12	6.E-12	7.E-12	5.0E-04	5.0E-04	7.1E-12	4.2E-11	1.E-08	8.E-08	0.0000001
Exposure Point Total										8.E-08							0.0005
RM 10.5 East	**Metals**																
	Arsenic	3.1E+00	mg/kg	1.5E+00	1.5E+00	5.6E-09	3.4E-08	8.E-09	5.E-08	6.E-08	3.0E-04	3.0E-04	1.3E-08	7.8E-08	4.E-05	3.E-04	0.0003
	Mercury	6.1E-02	mg/kg	--	--	0.0E+00	6.7E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.6E-09	0.E+00	2.E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.9E+01	ug/kg	7.3E-01	7.3E-01	3.0E-10	4.2E-10	2.E-10	3.E-10	5.E-10	--	--	7.1E-10	9.8E-10	--	--	--
	Benzo(a)pyrene	3.4E+01	ug/kg	7.3E+00	7.3E+00	2.7E-10	3.7E-10	2.E-09	3.E-09	5.E-09	--	--	6.2E-10	8.6E-10	--	--	--
	Benzo(b)fluoranthene	5.0E+01	ug/kg	7.3E-01	7.3E-01	3.9E-10	5.5E-10	3.E-10	4.E-10	7.E-10	--	--	9.2E-10	1.3E-09	--	--	--
	Benzo(k)fluoranthene	2.5E+01	ug/kg	7.3E-02	7.3E-02	2.0E-10	2.7E-10	1.E-11	2.E-11	3.E-11	--	--	4.6E-10	6.4E-10	--	--	--
	Dibenzo(a,h)anthracene	5.5E+00	ug/kg	7.3E+00	7.3E+00	4.3E-11	6.0E-11	3.E-10	4.E-10	8.E-10	--	--	1.0E-10	1.4E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.7E+01	ug/kg	7.3E-01	7.3E-01	2.2E-10	3.0E-10	2.E-10	2.E-10	4.E-10	--	--	5.0E-10	7.0E-10	--	--	--
	Naphthalene	3.5E+00	ug/kg	--	--	2.8E-11	3.8E-11	--	--	--	2.0E-02	2.0E-02	6.5E-11	9.0E-11	3.E-09	4.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.6E+01	ug/kg	1.4E-02	1.4E-02	2.8E-10	5.0E-10	4.E-12	7.E-12	1.E-11	2.0E-02	2.0E-02	6.5E-10	1.2E-09	3.E-08	6.E-08	0.0000001
	Phenols																
	Pentachlorophenol	3.2E+00	ug/kg	4.0E-01	4.0E-01	4.8E-11	3.5E-11	2.E-11	1.E-11	3.E-11	5.0E-03	5.0E-03	1.1E-10	8.1E-11	2.E-08	2.E-08	0.00000004
	Polychlorinated Biphenyls																
	Total Aroclors	5.2E+01	ug/kg	2.0E+00	2.0E+00	4.4E-10	5.6E-10	9.E-10	1.E-09	2.E-09	2.0E-05	2.0E-05	1.0E-09	1.3E-09	5.E-05	7.E-05	0.0001
	Dioxin/Furan																
	Total PCB TEQ	3.5E-01	pg/g	1.3E+05	1.3E+05	3.0E-15	3.9E-15	4.E-10	5.E-10	9.E-10	1.0E-09	1.0E-09	7.0E-15	9.0E-15	7.E-06	9.E-06	0.00002
	Pesticides																
	Total DDT	2.8E+00	ug/kg	3.4E-01	3.4E-01	5.1E-12	3.0E-11	2.E-12	1.E-11	1.E-11	5.0E-04	5.0E-04	1.2E-11	7.1E-11	2.E-08	1.E-07	0.0000002
Exposure Point Total										7.E-08							0.0005
RM 11 West	**Metals**																
	Arsenic	3.4E+00	mg/kg	1.5E+00	1.5E+00	6.2E-09	3.7E-08	9.E-09	6.E-08	7.E-08	3.0E-04	3.0E-04	1.4E-08	8.7E-08	5.E-05	3.E-04	0.0003
	Mercury	5.6E-02	mg/kg	--	--	0.0E+00	6.1E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-09	0.E+00	1.E-05	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.2E+01	ug/kg	7.3E-01	7.3E-01	4.9E-10	6.8E-10	4.E-10	5.E-10	9.E-10	--	--	1.1E-09	1.6E-09	--	--	--
	Benzo(a)pyrene	6.6E+01	ug/kg	7.3E+00	7.3E+00	5.2E-10	7.2E-10	4.E-09	5.E-09	9.E-09	--	--	1.2E-09	1.7E-09	--	--	--
	Benzo(b)fluoranthene	4.0E+01	ug/kg	7.3E-01	7.3E-01	3.1E-10	4.4E-10	2.E-10	3.E-10	5.E-10	--	--	7.3E-10	1.0E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Tribal Fisher   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(k)fluoranthene	3.7E+01	ug/kg	7.3E-02	7.3E-02	2.9E-10	4.0E-10	2.E-11	3.E-11	5.E-11	--	--	6.7E-10	9.4E-10	--	--	--
	Dibenzo(a,h)anthracene	8.8E+00	ug/kg	7.3E+00	7.3E+00	6.9E-11	9.6E-11	5.E-10	7.E-10	1.E-09	--	--	1.6E-10	2.2E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	4.0E+01	ug/kg	7.3E-01	7.3E-01	3.2E-10	4.4E-10	2.E-10	3.E-10	6.E-10	--	--	7.4E-10	1.0E-09	--	--	--
	Naphthalene	5.4E+01	ug/kg	--	--	4.2E-10	5.9E-10	--	--	--	2.0E-02	2.0E-02	9.9E-10	1.4E-09	5.E-08	7.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.7E+02	ug/kg	1.4E-02	1.4E-02	2.3E-09	4.1E-09	3.E-11	6.E-11	9.E-11	2.0E-02	2.0E-02	5.3E-09	9.5E-09	3.E-07	5.E-07	0.000001
	Phenols																
	Pentachlorophenol	9.8E-01	ug/kg	4.0E-01	4.0E-01	1.5E-11	1.1E-11	6.E-12	4.E-12	1.E-11	5.0E-03	5.0E-03	3.4E-11	2.5E-11	7.E-09	5.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.8E+01	ug/kg	2.0E+00	2.0E+00	2.3E-10	3.0E-10	5.E-10	6.E-10	1.E-09	2.0E-05	2.0E-05	5.5E-10	7.1E-10	3.E-05	4.E-05	0.00006
	Pesticides																
	Dieldrin	5.7E-01	ug/kg	1.6E+01	1.6E+01	3.4E-12	6.2E-12	5.E-11	1.E-10	2.E-10	5.0E-05	5.0E-05	8.0E-12	1.4E-11	2.E-07	3.E-07	0.0000004
	Total DDT	1.3E+00	ug/kg	3.4E-01	3.4E-01	2.4E-12	1.4E-11	8.E-13	5.E-12	6.E-12	5.0E-04	5.0E-04	5.6E-12	3.3E-11	1.E-08	7.E-08	0.0000001
Exposure Point Total										8.E-08							0.0004
RM 11 East	**Metals**																
	Arsenic	2.7E+00	mg/kg	1.5E+00	1.5E+00	4.9E-09	3.0E-08	7.E-09	4.E-08	5.E-08	3.0E-04	3.0E-04	1.1E-08	6.9E-08	4.E-05	2.E-04	0.0003
	Mercury	7.0E-02	mg/kg	--	--	0.0E+00	7.7E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.8E-09	0.E+00	2.E-05	0.00002
	Butyltins																
	Tributyltin ion	4.0E+00	ug/kg	--	--	2.4E-11	4.4E-11	--	--	--	3.0E-04	3.0E-04	5.6E-11	1.0E-10	2.E-07	3.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	8.3E+01	ug/kg	7.3E-01	7.3E-01	6.6E-10	9.1E-10	5.E-10	7.E-10	1.E-09	--	--	1.5E-09	2.1E-09	--	--	--
	Benzo(a)pyrene	5.5E+01	ug/kg	7.3E+00	7.3E+00	4.4E-10	6.0E-10	3.E-09	4.E-09	8.E-09	--	--	1.0E-09	1.4E-09	--	--	--
	Benzo(b)fluoranthene	1.3E+02	ug/kg	7.3E-01	7.3E-01	1.0E-09	1.4E-09	7.E-10	1.E-09	2.E-09	--	--	2.4E-09	3.3E-09	--	--	--
	Benzo(k)fluoranthene	3.7E+01	ug/kg	7.3E-02	7.3E-02	2.9E-10	4.0E-10	2.E-11	3.E-11	5.E-11	--	--	6.7E-10	9.3E-10	--	--	--
	Dibenzo(a,h)anthracene	1.2E+01	ug/kg	7.3E+00	7.3E+00	9.5E-11	1.3E-10	7.E-10	1.E-09	2.E-09	--	--	2.2E-10	3.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.8E+01	ug/kg	7.3E-01	7.3E-01	3.0E-10	4.2E-10	2.E-10	3.E-10	5.E-10	--	--	7.0E-10	9.7E-10	--	--	--
	Naphthalene	1.2E+01	ug/kg	--	--	9.3E-11	1.3E-10	--	--	--	2.0E-02	2.0E-02	2.2E-10	3.0E-10	1.E-08	2.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.4E+01	ug/kg	1.4E-02	1.4E-02	5.7E-10	1.0E-09	8.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	1.3E-09	2.4E-09	7.E-08	1.E-07	0.0000002
	Phenols																
	Pentachlorophenol	2.7E+00	ug/kg	4.0E-01	4.0E-01	4.0E-11	2.9E-11	2.E-11	1.E-11	3.E-11	5.0E-03	5.0E-03	9.3E-11	6.7E-11	2.E-08	1.E-08	0.00000003
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+03	ug/kg	2.0E+00	2.0E+00	9.5E-09	1.2E-08	2.E-08	2.E-08	4.E-08	2.0E-05	2.0E-05	2.2E-08	2.9E-08	1.E-03	1.E-03	0.003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.0E+00	pg/g	1.3E+05	1.3E+05	3.7E-15	2.2E-14	5.E-10	3.E-09	3.E-09	1.0E-09	1.0E-09	8.6E-15	5.2E-14	9.E-06	5.E-05	0.00006
	Total PCB TEQ	1.2E+01	pg/g	1.3E+05	1.3E+05	1.1E-13	1.4E-13	1.E-08	2.E-08	3.E-08	1.0E-09	1.0E-09	2.5E-13	3.2E-13	2.E-04	3.E-04	0.0006

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Total DDT	9.9E+01	ug/kg	3.4E-01	3.4E-01	1.8E-10	1.1E-09	6.E-11	4.E-10	4.E-10	5.0E-04	5.0E-04	4.2E-10	2.5E-09	8.E-07	5.E-06	0.00001
Exposure Point Total										1.E-07							0.003
RM 11.5 West	**Metals**																
	Arsenic	3.0E+00	mg/kg	1.5E+00	1.5E+00	5.4E-09	3.2E-08	8.E-09	5.E-08	6.E-08	3.0E-04	3.0E-04	1.3E-08	7.6E-08	4.E-05	3.E-04	0.0003
	Mercury	3.0E-02	mg/kg	--	--	0.0E+00	3.3E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.7E-10	0.E+00	8.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.5E+00	ug/kg	7.3E-01	7.3E-01	7.4E-11	1.0E-10	5.E-11	8.E-11	1.E-10	--	--	1.7E-10	2.4E-10	--	--	--
	Benzo(a)pyrene	1.1E+01	ug/kg	7.3E+00	7.3E+00	8.3E-11	1.1E-10	6.E-10	8.E-10	1.E-09	--	--	1.9E-10	2.7E-10	--	--	--
	Benzo(b)fluoranthene	9.7E+00	ug/kg	7.3E-01	7.3E-01	7.6E-11	1.1E-10	6.E-11	8.E-11	1.E-10	--	--	1.8E-10	2.5E-10	--	--	--
	Benzo(k)fluoranthene	6.4E+00	ug/kg	7.3E-02	7.3E-02	5.0E-11	7.0E-11	4.E-12	5.E-12	9.E-12	--	--	1.2E-10	1.6E-10	--	--	--
	Dibenzo(a,h)anthracene	1.2E+00	ug/kg	7.3E+00	7.3E+00	9.2E-12	1.3E-11	7.E-11	9.E-11	2.E-10	--	--	2.1E-11	3.0E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	7.4E+00	ug/kg	7.3E-01	7.3E-01	5.8E-11	8.1E-11	4.E-11	6.E-11	1.E-10	--	--	1.4E-10	1.9E-10	--	--	--
	Naphthalene	3.3E+00	ug/kg	--	--	2.6E-11	3.6E-11	--	--	--	2.0E-02	2.0E-02	6.1E-11	8.5E-11	3.E-09	4.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+02	ug/kg	1.4E-02	1.4E-02	1.1E-09	2.0E-09	2.E-11	3.E-11	4.E-11	2.0E-02	2.0E-02	2.6E-09	4.6E-09	1.E-07	2.E-07	0.0000004
	Polychlorinated Biphenyls																
	Total Aroclors	1.2E+01	ug/kg	2.0E+00	2.0E+00	1.0E-10	1.3E-10	2.E-10	3.E-10	5.E-10	2.0E-05	2.0E-05	2.4E-10	3.1E-10	1.E-05	2.E-05	0.00003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.8E-01	pg/g	1.3E+05	1.3E+05	3.2E-16	1.9E-15	4.E-11	3.E-10	3.E-10	1.0E-09	1.0E-09	7.5E-16	4.5E-15	7.E-07	4.E-06	0.00001
	Total PCB TEQ	2.9E-01	pg/g	1.3E+05	1.3E+05	2.5E-15	3.2E-15	3.E-10	4.E-10	7.E-10	1.0E-09	1.0E-09	5.8E-15	7.5E-15	6.E-06	7.E-06	0.00001
	Pesticides																
	Dieldrin	9.0E-02	ug/kg	1.6E+01	1.6E+01	5.4E-13	9.8E-13	9.E-12	2.E-11	2.E-11	5.0E-05	5.0E-05	1.3E-12	2.3E-12	3.E-08	5.E-08	0.0000001
	Total DDT	9.8E-01	ug/kg	3.4E-01	3.4E-01	1.8E-12	1.1E-11	6.E-13	4.E-12	4.E-12	5.0E-04	5.0E-04	4.1E-12	2.5E-11	8.E-09	5.E-08	0.0000001
Exposure Point Total										6.E-08							0.0003
RM 12 West	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	5.7E-09	3.4E-08	9.E-09	5.E-08	6.E-08	3.0E-04	3.0E-04	1.3E-08	8.0E-08	4.E-05	3.E-04	0.0003
	Mercury	2.9E-01	mg/kg	--	--	0.0E+00	3.2E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.4E-09	0.E+00	7.E-05	0.00007
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+02	ug/kg	7.3E-01	7.3E-01	2.0E-09	2.8E-09	1.E-09	2.E-09	4.E-09	--	--	4.7E-09	6.6E-09	--	--	--
	Benzo(a)pyrene	4.1E+02	ug/kg	7.3E+00	7.3E+00	3.2E-09	4.5E-09	2.E-08	3.E-08	6.E-08	--	--	7.5E-09	1.0E-08	--	--	--
	Benzo(b)fluoranthene	3.5E+02	ug/kg	7.3E-01	7.3E-01	2.8E-09	3.8E-09	2.E-09	3.E-09	5.E-09	--	--	6.4E-09	8.9E-09	--	--	--
	Benzo(k)fluoranthene	1.2E+02	ug/kg	7.3E-02	7.3E-02	9.3E-10	1.3E-09	7.E-11	9.E-11	2.E-10	--	--	2.2E-09	3.0E-09	--	--	--
	Dibenzo(a,h)anthracene	3.2E+01	ug/kg	7.3E+00	7.3E+00	2.6E-10	3.5E-10	2.E-09	3.E-09	4.E-09	--	--	6.0E-10	8.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.4E+02	ug/kg	7.3E-01	7.3E-01	2.6E-09	3.7E-09	2.E-09	3.E-09	5.E-09	--	--	6.1E-09	8.5E-09	--	--	--
	Naphthalene	4.5E+01	ug/kg	--	--	3.5E-10	4.9E-10	--	--	--	2.0E-02	2.0E-02	8.2E-10	1.1E-09	4.E-08	6.E-08	0.0000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.0E+01	ug/kg	1.4E-02	1.4E-02	4.8E-10	8.7E-10	7.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	1.1E-09	2.0E-09	6.E-08	1.E-07	0.0000002
	Phenols																
	Pentachlorophenol	3.4E+00	ug/kg	4.0E-01	4.0E-01	5.1E-11	3.7E-11	2.E-11	1.E-11	3.E-11	5.0E-03	5.0E-03	1.2E-10	8.6E-11	2.E-08	2.E-08	0.00000004
	Polychlorinated Biphenyls																
	Total Aroclors	7.0E+01	ug/kg	2.0E+00	2.0E+00	5.9E-10	7.6E-10	1.E-09	2.E-09	3.E-09	2.0E-05	2.0E-05	1.4E-09	1.8E-09	7.E-05	9.E-05	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E-01	pg/g	1.3E+05	1.3E+05	3.0E-16	1.8E-15	4.E-11	2.E-10	3.E-10	1.0E-09	1.0E-09	7.0E-16	4.2E-15	7.E-07	4.E-06	0.000005
	Total PCB TEQ	4.5E-01	pg/g	1.3E+05	1.3E+05	3.8E-15	4.9E-15	5.E-10	6.E-10	1.E-09	1.0E-09	1.0E-09	8.9E-15	1.2E-14	9.E-06	1.E-05	0.00002
	Pesticides																
	Aldrin	3.2E-01	ug/kg	1.7E+01	1.7E+01	1.9E-12	3.5E-12	3.E-11	6.E-11	9.E-11	3.0E-05	3.0E-05	4.5E-12	8.2E-12	2.E-07	3.E-07	0.0000004
	Total DDT	5.9E+00	ug/kg	3.4E-01	3.4E-01	1.1E-11	6.4E-11	4.E-12	2.E-11	3.E-11	5.0E-04	5.0E-04	2.5E-11	1.5E-10	5.E-08	3.E-07	0.0000004
Exposure Point Total										1.E-07							0.0006
RM 12 East	**Metals**																
	Arsenic	2.3E+00	mg/kg	1.5E+00	1.5E+00	4.1E-09	2.5E-08	6.E-09	4.E-08	4.E-08	3.0E-04	3.0E-04	9.6E-09	5.8E-08	3.E-05	2.E-04	0.0002
	Mercury	4.5E-02	mg/kg	--	--	0.0E+00	4.9E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-09	0.E+00	1.E-05	0.00001
	Butyltins																
	Tributyltin ion	4.0E+00	ug/kg	--	--	2.4E-11	4.3E-11	--	--	--	3.0E-04	3.0E-04	5.6E-11	1.0E-10	2.E-07	3.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+01	ug/kg	7.3E-01	7.3E-01	1.4E-10	2.0E-10	1.E-10	1.E-10	2.E-10	--	--	3.3E-10	4.6E-10	--	--	--
	Benzo(a)pyrene	1.9E+01	ug/kg	7.3E+00	7.3E+00	1.5E-10	2.0E-10	1.E-09	1.E-09	3.E-09	--	--	3.4E-10	4.7E-10	--	--	--
	Benzo(b)fluoranthene	2.7E+01	ug/kg	7.3E-01	7.3E-01	2.1E-10	2.9E-10	2.E-10	2.E-10	4.E-10	--	--	4.9E-10	6.7E-10	--	--	--
	Benzo(k)fluoranthene	7.8E+00	ug/kg	7.3E-02	7.3E-02	6.1E-11	8.4E-11	4.E-12	6.E-12	1.E-11	--	--	1.4E-10	2.0E-10	--	--	--
	Dibenzo(a,h)anthracene	4.0E+00	ug/kg	7.3E+00	7.3E+00	3.1E-11	4.3E-11	2.E-10	3.E-10	5.E-10	--	--	7.2E-11	1.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.6E+01	ug/kg	7.3E-01	7.3E-01	1.3E-10	1.7E-10	9.E-11	1.E-10	2.E-10	--	--	2.9E-10	4.1E-10	--	--	--
	Naphthalene	2.6E+01	ug/kg	--	--	2.0E-10	2.8E-10	--	--	--	2.0E-02	2.0E-02	4.7E-10	6.6E-10	2.E-08	3.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.2E+03	ug/kg	1.4E-02	1.4E-02	5.6E-08	1.0E-07	8.E-10	1.E-09	2.E-09	2.0E-02	2.0E-02	1.3E-07	2.3E-07	6.E-06	1.E-05	0.00002
	Phenols																
	Pentachlorophenol	1.7E+00	ug/kg	4.0E-01	4.0E-01	2.5E-11	1.8E-11	1.E-11	7.E-12	2.E-11	5.0E-03	5.0E-03	5.9E-11	4.2E-11	1.E-08	8.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.6E+02	ug/kg	2.0E+00	2.0E+00	1.3E-09	1.7E-09	3.E-09	3.E-09	6.E-09	2.0E-05	2.0E-05	3.1E-09	4.0E-09	2.E-04	2.E-04	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	1.3E+05	1.3E+05	3.1E-15	1.9E-14	4.E-10	2.E-09	3.E-09	1.0E-09	1.0E-09	7.3E-15	4.4E-14	7.E-06	4.E-05	0.00005
	Total PCB TEQ	3.9E+00	pg/g	1.3E+05	1.3E+05	3.3E-14	4.2E-14	4.E-09	5.E-09	1.E-08	1.0E-09	1.0E-09	7.7E-14	9.9E-14	8.E-05	1.E-04	0.0002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Total DDT	9.4E+00	ug/kg	3.4E-01	3.4E-01	1.7E-11	1.0E-10	6.E-12	3.E-11	4.E-11	5.0E-04	5.0E-04	4.0E-11	2.4E-10	8.E-08	5.E-07	0.000001
Exposure Point Total										7.E-08							0.0008
Study Area-wide[c]	**Metals**																
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	8.5E-09	5.1E-08	1.E-08	8.E-08	9.E-08	3.0E-04	3.0E-04	2.0E-08	1.2E-07	7.E-05	4.E-04	0.0005
	Mercury	1.7E-01	mg/kg	--	--	0.0E+00	1.8E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.3E-09	0.E+00	4.E-05	0.00004
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.1E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.6E-06	0.E+00	4.E-02	0.04
	Butyltins																
	Tributyltin ion	6.1E+02	ug/kg	--	--	3.7E-09	6.6E-09	--	--	--	3.0E-04	3.0E-04	8.6E-09	1.5E-08	3.E-05	5.E-05	0.00008
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+03	ug/kg	7.3E-01	7.3E-01	1.1E-08	1.6E-08	8.E-09	1.E-08	2.E-08	--	--	2.6E-08	3.6E-08	--	--	--
	Benzo(a)pyrene	1.8E+03	ug/kg	7.3E+00	7.3E+00	1.4E-08	1.9E-08	1.E-07	1.E-07	2.E-07	--	--	3.2E-08	4.5E-08	--	--	--
	Benzo(b)fluoranthene	1.4E+03	ug/kg	7.3E-01	7.3E-01	1.1E-08	1.5E-08	8.E-09	1.E-08	2.E-08	--	--	2.6E-08	3.6E-08	--	--	--
	Benzo(k)fluoranthene	9.3E+02	ug/kg	7.3E-02	7.3E-02	7.3E-09	1.0E-08	5.E-10	7.E-10	1.E-09	--	--	1.7E-08	2.4E-08	--	--	--
	Dibenzo(a,h)anthracene	1.9E+02	ug/kg	7.3E+00	7.3E+00	1.5E-09	2.1E-09	1.E-08	2.E-08	3.E-08	--	--	3.5E-09	4.9E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+03	ug/kg	7.3E-01	7.3E-01	9.6E-09	1.3E-08	7.E-09	1.E-08	2.E-08	--	--	2.2E-08	3.1E-08	--	--	--
	Naphthalene	5.0E+02	ug/kg	--	--	4.0E-09	5.5E-09	--	--	--	2.0E-02	2.0E-02	9.3E-09	1.3E-08	5.E-07	6.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.6E+02	ug/kg	1.4E-02	1.4E-02	5.8E-09	1.0E-08	8.E-11	1.E-10	2.E-10	2.0E-02	2.0E-02	1.4E-08	2.4E-08	7.E-07	1.E-06	0.000002
	Phenols																
	Pentachlorophenol	3.2E+01	ug/kg	4.0E-01	4.0E-01	4.8E-10	3.5E-10	2.E-10	1.E-10	3.E-10	5.0E-03	5.0E-03	1.1E-09	8.2E-10	2.E-07	2.E-07	0.0000004
	Polychlorinated Biphenyls																
	Total Aroclors	1.9E+02	ug/kg	2.0E+00	2.0E+00	1.6E-09	2.1E-09	3.E-09	4.E-09	7.E-09	2.0E-05	2.0E-05	3.7E-09	4.8E-09	2.E-04	2.E-04	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.0E+02	pg/g	1.3E+05	1.3E+05	1.8E-13	1.1E-12	2.E-08	1.E-07	2.E-07	1.0E-09	1.0E-09	4.3E-13	2.6E-12	4.E-04	3.E-03	0.003
	Total PCB TEQ	6.6E+00	pg/g	1.3E+05	1.3E+05	5.6E-14	7.2E-14	7.E-09	9.E-09	2.E-08	1.0E-09	1.0E-09	1.3E-13	1.7E-13	1.E-04	2.E-04	0.0003
	Pesticides																
	Aldrin	2.4E+00	ug/kg	1.7E+01	1.7E+01	1.5E-11	2.7E-11	3.E-10	5.E-10	7.E-10	3.0E-05	3.0E-05	3.5E-11	6.2E-11	1.E-06	2.E-06	0.000003
	Dieldrin	2.1E+00	ug/kg	1.6E+01	1.6E+01	1.3E-11	2.3E-11	2.E-10	4.E-10	6.E-10	5.0E-05	5.0E-05	3.0E-11	5.4E-11	6.E-07	1.E-06	0.000002
	Total DDT	1.4E+02	ug/kg	3.4E-01	3.4E-01	2.5E-10	1.5E-09	9.E-11	5.E-10	6.E-10	5.0E-04	5.0E-04	5.8E-10	3.5E-09	1.E-06	7.E-06	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-22.
Calculation of Cancer Risks and Noncancer Hazards - Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Conventionals																
	Perchlorate	4.9E+04	ug/kg	--	--	0.0E+00	5.4E-07	--	--	--	7.0E-04	7.0E-04	0.0E+00	1.3E-06	0.E+00	2.E-03	0.002
Exposure Point Total										6.E-07							0.04

Notes:
　a Numbers presented are rounded values. Sums calculated before rounding.
　b Cumulative risk sums calculated using PCB Aroclor data.
　c Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
LADI = Lifetime Average Daily Intake.
mg/kg = Milligrams per kilogram.

PCB = Polychlorinated Biphenyls.
pg/g = Picograms per gram.
RfD = Reference dose.
RM = River mile.
TEQ = Toxic equivalents.
ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-23.

Calculation of Endpoint-Specific Hazard Indices - Tribal Fisher, In-water Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	Total Noncancer HQ[a]	Endpoint-Specific Hazard Indices														
			Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
RM 7 West	**Metals**																
	Arsenic	0.003	0.003	0.003													
	Mercury	0.0001					0.0001										
	Vanadium	0.2		0.2													
	Butyltins																
	Tributyltin ion	0.00001								0.00001							
	Polynuclear Aromatic Hydrocarbons																
	Naphthalene	0.0000002						0.0000002						0.0000002			
	Phthalates																
	Bis(2-ethylhexyl) phthalate	0.000004							0.000004								
	Phenols																
	Pentachlorophenol	0.000004			0.000004				0.000004								
	Polychlorinated Biphenyls																
	Total Aroclors	0.002		0.002						0.002							
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2											2				
	Total PCB TEQ	0.009											0.009				
	Pesticides																
	Aldrin	0.0018							0.002								
	Dieldrin	0.00001							0.00001								
	Total DDT	0.002							0.002								
	Conventionals																
	Perchlorate	0.05															0.05
Exposure Point Total[b]			0.003	0.2	0.000004		0.0001	0.0000002	0.004	0.002			2	0.0000002			0.05

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Sums calculated using PCB Aroclor data.

Abbreviations:

HI = Hazard Index.
HQ = Hazard Quotient.
PAH = Polynuclear Aromatic Hydrocarbons.
PCB = Polychlorinated Biphenyls.
RM = River mile.
TEQ = Toxic equivalency quotient.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 1 West	**Metals**																
	Arsenic	5.3E+00	mg/kg	1.5E+00	1.5E+00	6.2E-08	1.7E-07	9.E-08	3.E-07	4.E-07	3.0E-04	3.0E-04	1.4E-07	4.0E-07	5.E-04	1.E-03	0.002
	Mercury	7.5E-02	mg/kg	--	--	0.0E+00	2.5E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.8E-09	0.E+00	6.E-05	0.00006
	Butyltins																
	Tributyltin ion	8.4E-01	ug/kg	--	--	3.3E-11	2.7E-11	--	--	--	3.0E-04	3.0E-04	7.6E-11	6.4E-11	3.E-07	2.E-07	0.0000005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.5E+02	ug/kg	7.3E-01	7.3E-01	7.6E-09	4.9E-09	6.E-09	4.E-09	9.E-09	--	--	1.8E-08	1.1E-08	--	--	--
	Benzo(a)pyrene	2.4E+02	ug/kg	7.3E+00	7.3E+00	1.2E-08	7.9E-09	9.E-08	6.E-08	1.E-07	--	--	2.8E-08	1.8E-08	--	--	--
	Benzo(b)fluoranthene	2.3E+02	ug/kg	7.3E-01	7.3E-01	1.2E-08	7.5E-09	8.E-09	5.E-09	1.E-08	--	--	2.7E-08	1.8E-08	--	--	--
	Benzo(k)fluoranthene	7.7E+01	ug/kg	7.3E-02	7.3E-02	3.9E-09	2.5E-09	3.E-10	2.E-10	5.E-10	--	--	9.1E-09	5.9E-09	--	--	--
	Dibenzo(a,h)anthracene	2.4E+01	ug/kg	7.3E+00	7.3E+00	1.2E-09	8.0E-10	9.E-09	6.E-09	1.E-08	--	--	2.9E-09	1.9E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.0E+02	ug/kg	7.3E-01	7.3E-01	1.0E-08	6.5E-09	7.E-09	5.E-09	1.E-08	--	--	2.4E-08	1.5E-08	--	--	--
	Naphthalene	2.9E+01	ug/kg	--	--	1.5E-09	9.5E-10	--	--	--	2.0E-02	2.0E-02	3.4E-09	2.2E-09	2.E-07	1.E-07	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.4E+01	ug/kg	1.4E-02	1.4E-02	1.7E-09	1.4E-09	2.E-11	2.E-11	4.E-11	2.0E-02	2.0E-02	4.0E-09	3.4E-09	2.E-07	2.E-07	0.0000004
	Phenols																
	Pentachlorophenol	1.2E+00	ug/kg	4.0E-01	4.0E-01	1.2E-10	3.9E-11	5.E-11	2.E-11	6.E-11	5.0E-03	5.0E-03	2.7E-10	9.2E-11	5.E-08	2.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+01	ug/kg	2.0E+00	2.0E+00	9.2E-10	5.6E-10	2.E-09	1.E-09	3.E-09	2.0E-05	2.0E-05	2.2E-09	1.3E-09	1.E-04	6.E-05	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.7E+00	pg/g	1.3E+05	1.3E+05	3.1E-14	8.7E-14	4.E-09	1.E-08	2.E-08	1.0E-09	1.0E-09	7.3E-14	2.0E-13	7.E-05	2.E-04	0.0003
	Total PCB TEQ	3.2E-01	pg/g	1.3E+05	1.3E+05	1.7E-14	1.0E-14	2.E-09	1.E-09	4.E-09	1.0E-09	1.0E-09	4.0E-14	2.4E-14	4.E-05	2.E-05	0.00006
	Pesticides																
	Aldrin	3.7E-01	ug/kg	1.7E+01	1.7E+01	1.4E-11	1.2E-11	2.E-10	2.E-10	5.E-10	3.0E-05	3.0E-05	3.4E-11	2.8E-11	1.E-06	9.E-07	0.000002
	Total DDT	4.6E+00	ug/kg	3.4E-01	3.4E-01	5.3E-11	1.5E-10	2.E-11	5.E-11	7.E-11	5.0E-04	5.0E-04	1.2E-10	3.5E-10	2.E-07	7.E-07	0.000001
Exposure Point Total[b]										6.E-07							0.002
RM 1 East	**Metals**																
	Arsenic	5.7E+00	mg/kg	1.5E+00	1.5E+00	6.7E-08	1.9E-07	1.E-07	3.E-07	4.E-07	3.0E-04	3.0E-04	1.6E-07	4.4E-07	5.E-04	1.E-03	0.002
	Mercury	7.1E+00	mg/kg	--	--	0.0E+00	2.3E-07	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.4E-07	0.E+00	5.E-03	0.005
	Butyltins																
	Tributyltin ion	1.2E+00	ug/kg	--	--	4.7E-11	3.9E-11	--	--	--	3.0E-04	3.0E-04	1.1E-10	9.2E-11	4.E-07	3.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.3E+01	ug/kg	7.3E-01	7.3E-01	2.7E-09	1.7E-09	2.E-09	1.E-09	3.E-09	--	--	6.2E-09	4.0E-09	--	--	--
	Benzo(a)pyrene	8.1E+01	ug/kg	7.3E+00	7.3E+00	4.1E-09	2.6E-09	3.E-08	2.E-08	5.E-08	--	--	9.5E-09	6.2E-09	--	--	--
	Benzo(b)fluoranthene	6.9E+01	ug/kg	7.3E-01	7.3E-01	3.5E-09	2.3E-09	3.E-09	2.E-09	4.E-09	--	--	8.1E-09	5.3E-09	--	--	--
	Benzo(k)fluoranthene	4.8E+01	ug/kg	7.3E-02	7.3E-02	2.4E-09	1.6E-09	2.E-10	1.E-10	3.E-10	--	--	5.6E-09	3.6E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future　　　　　Medium: Sediment
Receptor Population: High frequency Fisher　　　Exposure Medium: In-water Sediment
Population Age: Adult　　　　　　　　　　　Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dibenzo(a,h)anthracene	9.1E+00	ug/kg	7.3E+00	7.3E+00	4.6E-10	3.0E-10	3.E-09	2.E-09	6.E-09	--	--	1.1E-09	6.9E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	5.6E+01	ug/kg	7.3E-01	7.3E-01	2.8E-09	1.8E-09	2.E-09	1.E-09	3.E-09	--	--	6.6E-09	4.3E-09	--	--	--
	Naphthalene	2.3E+01	ug/kg	--	--	1.2E-09	7.5E-10	--	--	--	2.0E-02	2.0E-02	2.7E-09	1.8E-09	1.E-07	9.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.1E+01	ug/kg	1.4E-02	1.4E-02	2.8E-09	2.3E-09	4.E-11	3.E-11	7.E-11	2.0E-02	2.0E-02	6.4E-09	5.4E-09	3.E-07	3.E-07	0.000001
	Phenols																
	Pentachlorophenol	2.5E+00	ug/kg	4.0E-01	4.0E-01	2.4E-10	8.2E-11	1.E-10	3.E-11	1.E-10	5.0E-03	5.0E-03	5.7E-10	1.9E-10	1.E-07	4.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	5.1E+02	ug/kg	2.0E+00	2.0E+00	2.8E-08	1.7E-08	6.E-08	3.E-08	9.E-08	2.0E-05	2.0E-05	6.4E-08	3.9E-08	3.E-03	2.E-03	0.005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	7.5E-01	pg/g	1.3E+05	1.3E+05	8.7E-15	2.4E-14	1.E-09	3.E-09	4.E-09	1.0E-09	1.0E-09	2.0E-14	5.7E-14	2.E-05	6.E-05	0.00008
	Total PCB TEQ	2.7E-01	pg/g	1.3E+05	1.3E+05	1.5E-14	8.9E-15	2.E-09	1.E-09	3.E-09	1.0E-09	1.0E-09	3.4E-14	2.1E-14	3.E-05	2.E-05	0.00006
	Pesticides																
	Total DDT	4.0E+00	ug/kg	3.4E-01	3.4E-01	4.6E-11	1.3E-10	2.E-11	4.E-11	6.E-11	5.0E-04	5.0E-04	1.1E-10	3.0E-10	2.E-07	6.E-07	0.000001
Exposure Point Total										5.E-07							0.01
RM 1.5 West	**Metals**																
	Arsenic	4.4E+00	mg/kg	1.5E+00	1.5E+00	5.1E-08	1.4E-07	8.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.2E-07	3.4E-07	4.E-04	1.E-03	0.002
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	2.2E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.2E-09	0.E+00	5.E-05	0.00005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.3E+01	ug/kg	7.3E-01	7.3E-01	1.7E-09	1.1E-09	1.E-09	8.E-10	2.E-09	--	--	3.9E-09	2.5E-09	--	--	--
	Benzo(a)pyrene	4.8E+01	ug/kg	7.3E+00	7.3E+00	2.4E-09	1.6E-09	2.E-08	1.E-08	3.E-08	--	--	5.7E-09	3.7E-09	--	--	--
	Benzo(b)fluoranthene	4.1E+01	ug/kg	7.3E-01	7.3E-01	2.1E-09	1.3E-09	2.E-09	1.E-09	2.E-09	--	--	4.8E-09	3.1E-09	--	--	--
	Benzo(k)fluoranthene	3.4E+01	ug/kg	7.3E-02	7.3E-02	1.7E-09	1.1E-09	1.E-10	8.E-11	2.E-10	--	--	4.0E-09	2.6E-09	--	--	--
	Dibenzo(a,h)anthracene	5.9E+01	ug/kg	7.3E+00	7.3E+00	3.0E-09	1.9E-09	2.E-09	1.E-09	4.E-09	--	--	7.0E-09	4.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.7E+01	ug/kg	7.3E-01	7.3E-01	1.9E-09	1.2E-09	1.E-09	9.E-10	2.E-09	--	--	4.4E-09	2.8E-09	--	--	--
	Naphthalene	9.6E+00	ug/kg	--	--	4.8E-10	3.1E-10	--	--	--	2.0E-02	2.0E-02	1.1E-09	7.3E-10	6.E-08	4.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.5E+00	ug/kg	4.0E-01	4.0E-01	1.5E-10	4.9E-11	6.E-11	2.E-11	8.E-11	5.0E-03	5.0E-03	3.4E-10	1.1E-10	7.E-08	2.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.2E+01	ug/kg	2.0E+00	2.0E+00	1.2E-09	7.1E-10	2.E-09	1.E-09	4.E-09	2.0E-05	2.0E-05	2.8E-09	1.7E-09	1.E-04	8.E-05	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.4E-02	pg/g	1.3E+05	1.3E+05	1.1E-15	3.1E-15	1.E-10	4.E-10	5.E-10	1.0E-09	1.0E-09	2.6E-15	7.2E-15	3.E-06	7.E-06	0.00001
	Pesticides																
	Total DDT	1.1E+00	ug/kg	3.4E-01	3.4E-01	1.3E-11	3.5E-11	4.E-12	1.E-11	2.E-11	5.0E-04	5.0E-04	3.0E-11	8.3E-11	6.E-08	2.E-07	0.0000002
Exposure Point Total										3.E-07							0.002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 1.5 East	**Metals**																
	Arsenic	5.4E+00	mg/kg	1.5E+00	1.5E+00	6.3E-08	1.8E-07	9.E-08	3.E-07	4.E-07	3.0E-04	3.0E-04	1.5E-07	4.1E-07	5.E-04	1.E-03	0.002
	Mercury	1.3E-01	mg/kg	--	--	0.0E+00	4.1E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.6E-09	0.E+00	1.E-04	0.00010
	Butyltins																
	Tributyltin ion	3.7E-01	ug/kg	--	--	1.4E-11	1.2E-11	--	--	--	3.0E-04	3.0E-04	3.4E-11	2.8E-11	1.E-07	9.E-08	0.0000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.4E+02	ug/kg	7.3E-01	7.3E-01	4.7E-08	3.1E-08	3.E-08	2.E-08	6.E-08	--	--	1.1E-07	7.2E-08	--	--	--
	Benzo(a)pyrene	1.4E+03	ug/kg	7.3E+00	7.3E+00	7.1E-08	4.6E-08	5.E-07	3.E-07	9.E-07	--	--	1.7E-07	1.1E-07	--	--	--
	Benzo(b)fluoranthene	8.2E+02	ug/kg	7.3E-01	7.3E-01	4.1E-08	2.7E-08	3.E-08	2.E-08	5.E-08	--	--	9.7E-08	6.3E-08	--	--	--
	Benzo(k)fluoranthene	8.2E+02	ug/kg	7.3E-02	7.3E-02	4.1E-08	2.7E-08	3.E-09	2.E-09	5.E-09	--	--	9.7E-08	6.3E-08	--	--	--
	Dibenzo(a,h)anthracene	1.4E+02	ug/kg	7.3E+00	7.3E+00	7.1E-09	4.6E-09	5.E-08	3.E-08	9.E-08	--	--	1.7E-08	1.1E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.0E+03	ug/kg	7.3E-01	7.3E-01	5.1E-08	3.3E-08	4.E-08	2.E-08	6.E-08	--	--	1.2E-07	7.6E-08	--	--	--
	Naphthalene	3.7E+02	ug/kg	--	--	1.9E-08	1.2E-08	--	--	--	2.0E-02	2.0E-02	4.4E-08	2.8E-08	2.E-06	1.E-06	0.000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.7E+02	ug/kg	1.4E-02	1.4E-02	6.6E-09	5.6E-09	9.E-11	8.E-11	2.E-10	2.0E-02	2.0E-02	1.5E-08	1.3E-08	8.E-07	6.E-07	0.000001
	Phenols																
	Pentachlorophenol	4.1E+00	ug/kg	4.0E-01	4.0E-01	4.0E-10	1.3E-10	2.E-10	5.E-11	2.E-10	5.0E-03	5.0E-03	9.3E-10	3.1E-10	2.E-07	6.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	4.1E+01	ug/kg	2.0E+00	2.0E+00	2.2E-09	1.3E-09	4.E-09	3.E-09	7.E-09	2.0E-05	2.0E-05	5.1E-09	3.1E-09	3.E-04	2.E-04	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.8E+00	pg/g	1.3E+05	1.3E+05	2.1E-14	5.9E-14	3.E-09	8.E-09	1.E-08	1.0E-09	1.0E-09	4.9E-14	1.4E-13	5.E-05	1.E-04	0.0002
	Total PCB TEQ	1.1E-01	pg/g	1.3E+05	1.3E+05	5.7E-15	3.4E-15	7.E-10	4.E-10	1.E-09	1.0E-09	1.0E-09	1.3E-14	8.0E-15	1.E-05	8.E-06	0.00002
	Pesticides																
	Dieldrin	6.9E-02	ug/kg	1.6E+01	1.6E+01	2.7E-12	2.3E-12	4.E-11	4.E-11	8.E-11	5.0E-05	5.0E-05	6.3E-12	5.3E-12	1.E-07	1.E-07	0.0000002
	Total DDT	2.2E+01	ug/kg	3.4E-01	3.4E-01	2.5E-10	7.1E-10	9.E-11	2.E-10	3.E-10	5.0E-04	5.0E-04	5.9E-10	1.7E-09	1.E-06	3.E-06	0.000005
Exposure Point Total										1.E-06							0.003
RM 2 West	**Metals**																
	Arsenic	3.8E+00	mg/kg	1.5E+00	1.5E+00	4.5E-08	1.3E-07	7.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.0E-07	2.9E-07	3.E-04	1.E-03	0.001
	Mercury	7.8E-02	mg/kg	--	--	0.0E+00	2.5E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.9E-09	0.E+00	6.E-05	0.00006
	Butyltins																
	Tributyltin ion	2.1E+00	ug/kg	--	--	8.2E-11	6.9E-11	--	--	--	3.0E-04	3.0E-04	1.9E-10	1.6E-10	6.E-07	5.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.5E+01	ug/kg	7.3E-01	7.3E-01	2.8E-09	1.8E-09	2.E-09	1.E-09	3.E-09	--	--	6.4E-09	4.2E-09	--	--	--
	Benzo(a)pyrene	9.8E+01	ug/kg	7.3E+00	7.3E+00	5.0E-09	3.2E-09	4.E-08	2.E-08	6.E-08	--	--	1.2E-08	7.5E-09	--	--	--
	Benzo(b)fluoranthene	9.8E+01	ug/kg	7.3E-01	7.3E-01	4.9E-09	3.2E-09	4.E-09	2.E-09	6.E-09	--	--	1.2E-08	7.5E-09	--	--	--
	Benzo(k)fluoranthene	3.2E+01	ug/kg	7.3E-02	7.3E-02	1.6E-09	1.0E-09	1.E-10	8.E-11	2.E-10	--	--	3.8E-09	2.4E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dibenzo(a,h)anthracene	1.0E+01	ug/kg	7.3E+00	7.3E+00	5.2E-10	3.4E-10	4.E-09	2.E-09	6.E-09	--	--	1.2E-09	7.9E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	8.1E+01	ug/kg	7.3E-01	7.3E-01	4.1E-09	2.7E-09	3.E-09	2.E-09	5.E-09	--	--	9.6E-09	6.2E-09	--	--	--
	Naphthalene	1.0E+01	ug/kg	--	--	5.1E-10	3.3E-10	--	--	--	2.0E-02	2.0E-02	1.2E-09	7.6E-10	6.E-08	4.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.8E+01	ug/kg	1.4E-02	1.4E-02	1.9E-09	1.6E-09	3.E-11	2.E-11	5.E-11	2.0E-02	2.0E-02	4.3E-09	3.7E-09	2.E-07	2.E-07	0.0000004
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+01	ug/kg	2.0E+00	2.0E+00	1.0E-09	6.0E-10	2.E-09	1.E-09	3.E-09	2.0E-05	2.0E-05	2.3E-09	1.4E-09	1.E-04	7.E-05	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.2E+00	pg/g	1.3E+05	1.3E+05	2.5E-14	7.1E-14	3.E-09	9.E-09	1.E-08	1.0E-09	1.0E-09	5.9E-14	1.7E-13	6.E-05	2.E-04	0.0002
	Total PCB TEQ	3.5E-01	pg/g	1.3E+05	1.3E+05	1.9E-14	1.2E-14	2.E-09	1.E-09	4.E-09	1.0E-09	1.0E-09	4.5E-14	2.7E-14	4.E-05	3.E-05	0.00007
	Pesticides																
	Aldrin	3.6E-01	ug/kg	1.7E+01	1.7E+01	1.4E-11	1.2E-11	2.E-10	2.E-10	4.E-10	3.0E-05	3.0E-05	3.3E-11	2.7E-11	1.E-06	9.E-07	0.000002
	Dieldrin	2.7E-01	ug/kg	1.6E+01	1.6E+01	1.0E-11	8.8E-12	2.E-10	1.E-10	3.E-10	5.0E-05	5.0E-05	2.4E-11	2.1E-11	5.E-07	4.E-07	0.000001
	Total DDT	3.2E+00	ug/kg	3.4E-01	3.4E-01	3.7E-11	1.0E-10	1.E-11	4.E-11	5.E-11	5.0E-04	5.0E-04	8.6E-11	2.4E-10	2.E-07	5.E-07	0.000001
Exposure Point Total										4.E-07							0.002
RM 2 East	**Metals**																
	Arsenic	4.3E+00	mg/kg	1.5E+00	1.5E+00	5.0E-08	1.4E-07	7.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.2E-07	3.3E-07	4.E-04	1.E-03	0.001
	Mercury	9.1E-02	mg/kg	--	--	0.0E+00	3.0E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.9E-09	0.E+00	7.E-05	0.00007
	Butyltins																
	Tributyltin ion	3.7E+00	ug/kg	--	--	1.4E-10	1.2E-10	--	--	--	3.0E-04	3.0E-04	3.4E-10	2.8E-10	1.E-06	9.E-07	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.7E+01	ug/kg	7.3E-01	7.3E-01	4.9E-09	3.2E-09	4.E-09	2.E-09	6.E-09	--	--	1.1E-08	7.4E-09	--	--	--
	Benzo(a)pyrene	1.2E+02	ug/kg	7.3E+00	7.3E+00	6.1E-09	3.9E-09	4.E-08	3.E-08	7.E-08	--	--	1.4E-08	9.1E-09	--	--	--
	Benzo(b)fluoranthene	1.3E+02	ug/kg	7.3E-01	7.3E-01	6.6E-09	4.3E-09	5.E-09	3.E-09	8.E-09	--	--	1.5E-08	1.0E-08	--	--	--
	Benzo(k)fluoranthene	7.7E+01	ug/kg	7.3E-02	7.3E-02	3.9E-09	2.5E-09	3.E-10	2.E-10	5.E-10	--	--	9.1E-09	5.9E-09	--	--	--
	Dibenzo(a,h)anthracene	2.4E+01	ug/kg	7.3E+00	7.3E+00	1.2E-09	7.7E-10	9.E-09	6.E-09	1.E-08	--	--	2.8E-09	1.8E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+02	ug/kg	7.3E-01	7.3E-01	5.4E-09	3.5E-09	4.E-09	3.E-09	6.E-09	--	--	1.3E-08	8.1E-09	--	--	--
	Naphthalene	2.1E+01	ug/kg	--	--	1.1E-09	6.9E-10	--	--	--	2.0E-02	2.0E-02	2.5E-09	1.6E-09	1.E-07	8.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.2E+02	ug/kg	1.4E-02	1.4E-02	4.7E-09	3.9E-09	7.E-11	6.E-11	1.E-10	2.0E-02	2.0E-02	1.1E-08	9.2E-09	5.E-07	5.E-07	0.000001
	Phenols																
	Pentachlorophenol	2.2E+00	ug/kg	4.0E-01	4.0E-01	2.1E-10	7.2E-11	9.E-11	3.E-11	1.E-10	5.0E-03	5.0E-03	5.0E-10	1.7E-10	1.E-07	3.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.5E+03	ug/kg	2.0E+00	2.0E+00	8.3E-08	5.0E-08	2.E-07	1.E-07	3.E-07	2.0E-05	2.0E-05	1.9E-07	1.2E-07	1.E-02	6.E-03	0.02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.0E+00	pg/g	1.3E+05	1.3E+05	4.7E-14	1.3E-13	6.E-09	2.E-08	2.E-08	1.0E-09	1.0E-09	1.1E-13	3.1E-13	1.E-04	3.E-04	0.0004
	Total PCB TEQ	8.5E+01	pg/g	1.3E+05	1.3E+05	4.6E-12	2.8E-12	6.E-07	4.E-07	1.E-06	1.0E-09	1.0E-09	1.1E-11	6.5E-12	1.E-02	6.E-03	0.02
	Pesticides																
	Aldrin	7.0E-01	ug/kg	1.7E+01	1.7E+01	2.7E-11	2.3E-11	5.E-10	4.E-10	8.E-10	3.0E-05	3.0E-05	6.3E-11	5.3E-11	2.E-06	2.E-06	0.000004
	Dieldrin	1.2E+00	ug/kg	1.6E+01	1.6E+01	4.8E-11	4.1E-11	8.E-10	7.E-10	1.E-09	5.0E-05	5.0E-05	1.1E-10	9.5E-11	2.E-06	2.E-06	0.000004
	Total DDT	4.2E+00	ug/kg	3.4E-01	3.4E-01	4.9E-11	1.4E-10	2.E-11	5.E-11	6.E-11	5.0E-04	5.0E-04	1.1E-10	3.2E-10	2.E-07	6.E-07	0.000001
Exposure Point Total										2.E-06							0.03
RM 2.5 West	**Metals**																
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	5.5E-08	1.5E-07	8.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.3E-07	3.6E-07	4.E-04	1.E-03	0.002
	Mercury	9.1E-02	mg/kg	--	--	0.0E+00	3.0E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.9E-09	0.E+00	7.E-05	0.00007
	Butyltins																
	Tributyltin ion	2.3E+00	ug/kg	--	--	8.9E-11	7.5E-11	--	--	--	3.0E-04	3.0E-04	2.1E-10	1.8E-10	7.E-07	6.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+02	ug/kg	7.3E-01	7.3E-01	1.5E-08	1.0E-08	1.E-08	7.E-09	2.E-08	--	--	3.6E-08	2.3E-08	--	--	--
	Benzo(a)pyrene	5.5E+02	ug/kg	7.3E+00	7.3E+00	2.8E-08	1.8E-08	2.E-07	1.E-07	3.E-07	--	--	6.4E-08	4.2E-08	--	--	--
	Benzo(b)fluoranthene	4.0E+02	ug/kg	7.3E-01	7.3E-01	2.0E-08	1.3E-08	1.E-08	9.E-09	2.E-08	--	--	4.7E-08	3.0E-08	--	--	--
	Benzo(k)fluoranthene	2.5E+02	ug/kg	7.3E-02	7.3E-02	1.3E-08	8.3E-09	9.E-10	6.E-10	2.E-09	--	--	3.0E-08	1.9E-08	--	--	--
	Dibenzo(a,h)anthracene	6.4E+01	ug/kg	7.3E+00	7.3E+00	3.2E-09	2.1E-09	2.E-08	2.E-08	4.E-08	--	--	7.5E-09	4.9E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+02	ug/kg	7.3E-01	7.3E-01	2.4E-08	1.5E-08	2.E-08	1.E-08	3.E-08	--	--	5.5E-08	3.6E-08	--	--	--
	Naphthalene	7.6E+01	ug/kg	--	--	3.8E-09	2.5E-09	--	--	--	2.0E-02	2.0E-02	8.9E-09	5.8E-09	4.E-07	3.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.3E+01	ug/kg	1.4E-02	1.4E-02	1.7E-09	1.4E-09	2.E-11	2.E-11	4.E-11	2.0E-02	2.0E-02	3.9E-09	3.3E-09	2.E-07	2.E-07	0.0000004
	Phenols																
	Pentachlorophenol	1.2E+00	ug/kg	4.0E-01	4.0E-01	1.2E-10	3.9E-11	5.E-11	2.E-11	6.E-11	5.0E-03	5.0E-03	2.7E-10	9.2E-11	5.E-08	2.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.1E+01	ug/kg	2.0E+00	2.0E+00	1.2E-09	7.0E-10	2.E-09	1.E-09	4.E-09	2.0E-05	2.0E-05	2.7E-09	1.6E-09	1.E-04	8.E-05	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.1E-01	pg/g	1.3E+05	1.3E+05	4.8E-15	1.4E-14	6.E-10	2.E-09	2.E-09	1.0E-09	1.0E-09	1.1E-14	3.2E-14	1.E-05	3.E-05	0.00004
	Total PCB TEQ	2.1E-01	pg/g	1.3E+05	1.3E+05	1.1E-14	6.8E-15	1.E-09	9.E-10	2.E-09	1.0E-09	1.0E-09	2.6E-14	1.6E-14	3.E-05	2.E-05	0.00004
	Pesticides																
	Aldrin	2.6E-01	ug/kg	1.7E+01	1.7E+01	1.0E-11	8.4E-12	2.E-10	1.E-10	3.E-10	3.0E-05	3.0E-05	2.3E-11	2.0E-11	8.E-07	7.E-07	0.000001
	Dieldrin	2.2E-01	ug/kg	1.6E+01	1.6E+01	8.5E-12	7.2E-12	1.E-10	1.E-10	3.E-10	5.0E-05	5.0E-05	2.0E-11	1.7E-11	4.E-07	3.E-07	0.000001
	Total DDT	3.4E+00	ug/kg	3.4E-01	3.4E-01	4.0E-11	1.1E-10	1.E-11	4.E-11	5.E-11	5.0E-04	5.0E-04	9.3E-11	2.6E-10	2.E-07	5.E-07	0.000001
Exposure Point Total										8.E-07							0.002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 2.5 East	**Metals**																
	Arsenic	4.8E+00	mg/kg	1.5E+00	1.5E+00	5.6E-08	1.6E-07	8.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.3E-07	3.7E-07	4.E-04	1.E-03	0.002
	Mercury	9.1E-02	mg/kg	--	--	0.0E+00	3.0E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.9E-09	0.E+00	7.E-05	0.00007
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.8E+03	ug/kg	7.3E-01	7.3E-01	2.9E-07	1.9E-07	2.E-07	1.E-07	4.E-07	--	--	6.8E-07	4.4E-07	--	--	--
	Benzo(a)pyrene	4.5E+03	ug/kg	7.3E+00	7.3E+00	2.3E-07	1.5E-07	2.E-06	1.E-06	3.E-06	--	--	5.3E-07	3.5E-07	--	--	--
	Benzo(b)fluoranthene	3.9E+03	ug/kg	7.3E-01	7.3E-01	2.0E-07	1.3E-07	1.E-07	9.E-08	2.E-07	--	--	4.6E-07	3.0E-07	--	--	--
	Benzo(k)fluoranthene	1.2E+03	ug/kg	7.3E-02	7.3E-02	6.2E-08	4.0E-08	5.E-09	3.E-09	7.E-09	--	--	1.4E-07	9.4E-08	--	--	--
	Dibenzo(a,h)anthracene	4.5E+02	ug/kg	7.3E+00	7.3E+00	2.3E-08	1.5E-08	2.E-07	1.E-07	3.E-07	--	--	5.3E-08	3.4E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.6E+03	ug/kg	7.3E-01	7.3E-01	1.3E-07	8.4E-08	9.E-08	6.E-08	2.E-07	--	--	3.0E-07	2.0E-07	--	--	--
	Naphthalene	2.8E+02	ug/kg	--	--	1.4E-08	9.1E-09	--	--	--	2.0E-02	2.0E-02	3.3E-08	2.1E-08	2.E-06	1.E-06	0.000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.1E+02	ug/kg	1.4E-02	1.4E-02	4.1E-09	3.5E-09	6.E-11	5.E-11	1.E-10	2.0E-02	2.0E-02	9.6E-09	8.1E-09	5.E-07	4.E-07	0.000001
	Phenols																
	Pentachlorophenol	5.7E+01	ug/kg	4.0E-01	4.0E-01	5.5E-09	1.9E-09	2.E-09	7.E-10	3.E-09	5.0E-03	5.0E-03	1.3E-08	4.4E-09	3.E-06	9.E-07	0.000003
	Polychlorinated Biphenyls																
	Total Aroclors	7.7E+01	ug/kg	2.0E+00	2.0E+00	4.2E-09	2.5E-09	8.E-09	5.E-09	1.E-08	2.0E-05	2.0E-05	9.8E-09	5.9E-09	5.E-04	3.E-04	0.0008
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.1E+00	pg/g	1.3E+05	1.3E+05	1.2E-14	3.5E-14	2.E-09	4.E-09	6.E-09	1.0E-09	1.0E-09	2.9E-14	8.1E-14	3.E-05	8.E-05	0.0001
	Total PCB TEQ	3.3E+00	pg/g	1.3E+05	1.3E+05	1.8E-13	1.1E-13	2.E-08	1.E-08	4.E-08	1.0E-09	1.0E-09	4.2E-13	2.5E-13	4.E-04	3.E-04	0.0007
	Pesticides																
	Aldrin	7.5E-01	ug/kg	1.7E+01	1.7E+01	2.9E-11	2.5E-11	5.E-10	4.E-10	9.E-10	3.0E-05	3.0E-05	6.8E-11	5.7E-11	2.E-06	2.E-06	0.000004
	Dieldrin	3.3E-01	ug/kg	1.6E+01	1.6E+01	1.3E-11	1.1E-11	2.E-10	2.E-10	4.E-10	5.0E-05	5.0E-05	3.0E-11	2.5E-11	6.E-07	5.E-07	0.000001
	Total DDT	1.1E+01	ug/kg	3.4E-01	3.4E-01	1.3E-10	3.7E-10	4.E-11	1.E-10	2.E-10	5.0E-04	5.0E-04	3.0E-10	8.5E-10	6.E-07	2.E-06	0.000002
Exposure Point Total										4.E-06							0.003
RM 2.5 MC	**Metals**																
	Arsenic	4.8E+00	mg/kg	1.5E+00	1.5E+00	5.6E-08	1.6E-07	8.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.3E-07	3.6E-07	4.E-04	1.E-03	0.002
	Mercury	1.3E-01	mg/kg	--	--	0.0E+00	4.2E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.8E-09	0.E+00	1.E-04	0.00010
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+02	ug/kg	7.3E-01	7.3E-01	1.5E-08	1.0E-08	1.E-08	7.E-09	2.E-08	--	--	3.6E-08	2.3E-08	--	--	--
	Benzo(a)pyrene	4.9E+02	ug/kg	7.3E+00	7.3E+00	2.5E-08	1.6E-08	2.E-07	1.E-07	3.E-07	--	--	5.8E-08	3.7E-08	--	--	--
	Benzo(b)fluoranthene	4.5E+02	ug/kg	7.3E-01	7.3E-01	2.3E-08	1.5E-08	2.E-08	1.E-08	3.E-08	--	--	5.3E-08	3.4E-08	--	--	--
	Benzo(k)fluoranthene	1.4E+02	ug/kg	7.3E-02	7.3E-02	7.3E-09	4.7E-09	5.E-10	3.E-10	9.E-10	--	--	1.7E-08	1.1E-08	--	--	--
	Dibenzo(a,h)anthracene	4.7E+01	ug/kg	7.3E+00	7.3E+00	2.4E-09	1.5E-09	2.E-08	1.E-08	3.E-08	--	--	5.6E-09	3.6E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.8E+02	ug/kg	7.3E-01	7.3E-01	1.9E-08	1.2E-08	1.E-08	9.E-09	2.E-08	--	--	4.4E-08	2.9E-08	--	--	--
	Naphthalene	9.9E+01	ug/kg	--	--	5.0E-09	3.2E-09	--	--	--	2.0E-02	2.0E-02	1.2E-08	7.6E-09	6.E-07	4.E-07	0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future　　　　Medium: Sediment
Receptor Population: High frequency Fisher　　　　Exposure Medium: In-water Sediment
Population Age: Adult　　　　Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.3E+01	ug/kg	1.4E-02	1.4E-02	3.6E-09	3.0E-09	5.E-11	4.E-11	9.E-11	2.0E-02	2.0E-02	8.5E-09	7.1E-09	4.E-07	4.E-07	0.000001
	Phenols																
	Pentachlorophenol	1.6E+00	ug/kg	4.0E-01	4.0E-01	1.6E-10	5.2E-11	6.E-11	2.E-11	8.E-11	5.0E-03	5.0E-03	3.6E-10	1.2E-10	7.E-08	2.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.9E+01	ug/kg	2.0E+00	2.0E+00	2.1E-09	1.3E-09	4.E-09	3.E-09	7.E-09	2.0E-05	2.0E-05	4.9E-09	2.9E-09	2.E-04	1.E-04	0.0004
	Pesticides																
	Aldrin	6.5E-01	ug/kg	1.7E+01	1.7E+01	2.5E-11	2.1E-11	4.E-10	4.E-10	8.E-10	3.0E-05	3.0E-05	5.9E-11	5.0E-11	2.E-06	2.E-06	0.000004
	Dieldrin	9.7E-01	ug/kg	1.6E+01	1.6E+01	3.8E-11	3.2E-11	6.E-10	5.E-10	1.E-09	5.0E-05	5.0E-05	8.8E-11	7.4E-11	2.E-06	1.E-06	0.000003
	Total DDT	1.1E+01	ug/kg	3.4E-01	3.4E-01	1.3E-10	3.6E-10	4.E-11	1.E-10	2.E-10	5.0E-04	5.0E-04	3.0E-10	8.3E-10	6.E-07	2.E-06	0.000002
Exposure Point Total										7.E-07							0.002
RM 3 West	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	4.8E-08	1.3E-07	7.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.1E-07	3.1E-07	4.E-04	1.E-03	0.001
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	3.5E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.2E-09	0.E+00	8.E-05	0.00008
	Vanadium	9.3E+01	mg/kg	--	--	0.0E+00	3.0E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	7.1E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	1.8E+01	ug/kg	--	--	7.0E-10	5.9E-10	--	--	--	3.0E-04	3.0E-04	1.6E-09	1.4E-09	5.E-06	5.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.7E+02	ug/kg	7.3E-01	7.3E-01	2.4E-08	1.5E-08	2.E-08	1.E-08	3.E-08	--	--	5.5E-08	3.6E-08	--	--	--
	Benzo(a)pyrene	7.1E+02	ug/kg	7.3E+00	7.3E+00	3.6E-08	2.3E-08	3.E-07	2.E-07	4.E-07	--	--	8.3E-08	5.4E-08	--	--	--
	Benzo(b)fluoranthene	6.0E+02	ug/kg	7.3E-01	7.3E-01	3.0E-08	2.0E-08	2.E-08	1.E-08	4.E-08	--	--	7.1E-08	4.6E-08	--	--	--
	Benzo(k)fluoranthene	4.0E+02	ug/kg	7.3E-02	7.3E-02	2.0E-08	1.3E-08	1.E-09	9.E-10	2.E-09	--	--	4.7E-08	3.0E-08	--	--	--
	Dibenzo(a,h)anthracene	8.2E+01	ug/kg	7.3E+00	7.3E+00	4.1E-09	2.7E-09	3.E-08	2.E-08	5.E-08	--	--	9.6E-09	6.2E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.8E+02	ug/kg	7.3E-01	7.3E-01	2.4E-08	1.6E-08	2.E-08	1.E-08	3.E-08	--	--	5.6E-08	3.6E-08	--	--	--
	Naphthalene	2.2E+02	ug/kg	--	--	1.1E-08	7.3E-09	--	--	--	2.0E-02	2.0E-02	2.6E-08	1.7E-08	1.E-06	9.E-07	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	5.8E+01	ug/kg	1.4E-02	1.4E-02	2.2E-09	1.9E-09	3.E-11	3.E-11	6.E-11	2.0E-02	2.0E-02	5.2E-09	4.4E-09	3.E-07	2.E-07	0.0000005
	Phenols																
	Pentachlorophenol	1.1E+02	ug/kg	4.0E-01	4.0E-01	1.1E-08	3.6E-09	4.E-09	1.E-09	6.E-09	5.0E-03	5.0E-03	2.5E-08	8.4E-09	5.E-06	2.E-06	0.00001
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+01	ug/kg	2.0E+00	2.0E+00	9.6E-10	5.8E-10	2.E-09	1.E-09	3.E-09	2.0E-05	2.0E-05	2.2E-09	1.3E-09	1.E-04	7.E-05	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	1.3E+05	1.3E+05	1.9E-14	5.4E-14	3.E-09	7.E-09	1.E-08	1.0E-09	1.0E-09	4.5E-14	1.3E-13	4.E-05	1.E-04	0.0002
	Total PCB TEQ	4.4E-01	pg/g	1.3E+05	1.3E+05	2.4E-14	1.4E-14	3.E-09	2.E-09	5.E-09	1.0E-09	1.0E-09	5.6E-14	3.4E-14	6.E-05	3.E-05	0.00009

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	5.2E-01	ug/kg	1.7E+01	1.7E+01	2.0E-11	1.7E-11	3.E-10	3.E-10	6.E-10	3.0E-05	3.0E-05	4.7E-11	4.0E-11	2.E-06	1.E-06	0.000003
	Dieldrin	1.3E+00	ug/kg	1.6E+01	1.6E+01	5.1E-11	4.3E-11	8.E-10	7.E-10	2.E-09	5.0E-05	5.0E-05	1.2E-10	1.0E-10	2.E-06	2.E-06	0.000004
	Total DDT	2.1E+02	ug/kg	3.4E-01	3.4E-01	2.5E-09	6.9E-09	8.E-10	2.E-09	3.E-09	5.0E-04	5.0E-04	5.8E-09	1.6E-08	1.E-05	3.E-05	0.00004
Exposure Point Total										9.E-07							0.1
RM 3 East	**Metals**																
	Arsenic	5.5E+00	mg/kg	1.5E+00	1.5E+00	6.4E-08	1.8E-07	1.E-07	3.E-07	4.E-07	3.0E-04	3.0E-04	1.5E-07	4.2E-07	5.E-04	1.E-03	0.002
	Mercury	7.5E-02	mg/kg	--	--	0.0E+00	2.4E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.7E-09	0.E+00	6.E-05	0.00006
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.5E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.2E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	1.6E+01	ug/kg	--	--	6.2E-10	5.2E-10	--	--	--	3.0E-04	3.0E-04	1.5E-09	1.2E-09	5.E-06	4.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+02	ug/kg	7.3E-01	7.3E-01	7.3E-09	4.7E-09	5.E-09	3.E-09	9.E-09	--	--	1.7E-08	1.1E-08	--	--	--
	Benzo(a)pyrene	1.4E+02	ug/kg	7.3E+00	7.3E+00	6.8E-09	4.4E-09	5.E-08	3.E-08	8.E-08	--	--	1.6E-08	1.0E-08	--	--	--
	Benzo(b)fluoranthene	1.6E+02	ug/kg	7.3E-01	7.3E-01	8.0E-09	5.2E-09	6.E-09	4.E-09	1.E-08	--	--	1.9E-08	1.2E-08	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	5.6E-09	3.6E-09	4.E-10	3.E-10	7.E-10	--	--	1.3E-08	8.5E-09	--	--	--
	Dibenzo(a,h)anthracene	1.7E+01	ug/kg	7.3E+00	7.3E+00	8.5E-10	5.5E-10	6.E-09	4.E-09	1.E-08	--	--	2.0E-09	1.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	8.3E+01	ug/kg	7.3E-01	7.3E-01	4.2E-09	2.7E-09	3.E-09	2.E-09	5.E-09	--	--	9.8E-09	6.3E-09	--	--	--
	Naphthalene	1.7E+01	ug/kg	--	--	8.5E-10	5.5E-10	--	--	--	2.0E-02	2.0E-02	2.0E-09	1.3E-09	1.E-07	6.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.8E+01	ug/kg	1.4E-02	1.4E-02	3.4E-09	2.9E-09	5.E-11	4.E-11	9.E-11	2.0E-02	2.0E-02	8.0E-09	6.7E-09	4.E-07	3.E-07	0.000001
	Phenols																
	Pentachlorophenol	4.6E+00	ug/kg	4.0E-01	4.0E-01	4.5E-10	1.5E-10	2.E-10	6.E-11	2.E-10	5.0E-03	5.0E-03	1.0E-09	3.5E-10	2.E-07	7.E-08	0.0000003
	Polychlorinated Biphenyls																
	Total Aroclors	2.3E+01	ug/kg	2.0E+00	2.0E+00	1.2E-09	7.5E-10	2.E-09	1.E-09	4.E-09	2.0E-05	2.0E-05	2.9E-09	1.7E-09	1.E-04	9.E-05	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.4E+00	pg/g	1.3E+05	1.3E+05	6.3E-14	1.8E-13	8.E-09	2.E-08	3.E-08	1.0E-09	1.0E-09	1.5E-13	4.1E-13	1.E-04	4.E-04	0.0006
	Total PCB TEQ	1.0E-01	pg/g	1.3E+05	1.3E+05	5.5E-15	3.3E-15	7.E-10	4.E-10	1.E-09	1.0E-09	1.0E-09	1.3E-14	7.7E-15	1.E-05	8.E-06	0.00002
	Pesticides																
	Aldrin	4.0E-01	ug/kg	1.7E+01	1.7E+01	1.5E-11	1.3E-11	3.E-10	2.E-10	5.E-10	3.0E-05	3.0E-05	3.6E-11	3.0E-11	1.E-06	1.E-06	0.000002
	Dieldrin	2.0E-01	ug/kg	1.6E+01	1.6E+01	7.6E-12	6.4E-12	1.E-10	1.E-10	2.E-10	5.0E-05	5.0E-05	1.8E-11	1.5E-11	4.E-07	3.E-07	0.000001
	Total DDT	3.8E+00	ug/kg	3.4E-01	3.4E-01	4.4E-11	1.2E-10	2.E-11	4.E-11	6.E-11	5.0E-04	5.0E-04	1.0E-10	2.9E-10	2.E-07	6.E-07	0.000001
Exposure Point Total										5.E-07							0.1
RM 3.5 West	**Metals**																
	Arsenic	1.0E+01	mg/kg	1.5E+00	1.5E+00	1.2E-07	3.4E-07	2.E-07	5.E-07	7.E-07	3.0E-04	3.0E-04	2.8E-07	8.0E-07	9.E-04	3.E-03	0.004
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	3.9E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.0E-09	0.E+00	9.E-05	0.00009
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	3.3E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	7.6E-06	0.E+00	1.E-01	0.1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: High frequency Fisher   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	8.1E+01	ug/kg	--	--	3.1E-09	2.6E-09	--	--	--	3.0E-04	3.0E-04	7.3E-09	6.2E-09	2.E-05	2.E-05	0.00005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+03	ug/kg	7.3E-01	7.3E-01	8.9E-08	5.8E-08	7.E-08	4.E-08	1.E-07	--	--	2.1E-07	1.3E-07	--	--	--
	Benzo(a)pyrene	2.6E+03	ug/kg	7.3E+00	7.3E+00	1.3E-07	8.3E-08	9.E-07	6.E-07	2.E-06	--	--	3.0E-07	1.9E-07	--	--	--
	Benzo(b)fluoranthene	2.3E+03	ug/kg	7.3E-01	7.3E-01	1.1E-07	7.4E-08	8.E-08	5.E-08	1.E-07	--	--	2.7E-07	1.7E-07	--	--	--
	Benzo(k)fluoranthene	8.0E+02	ug/kg	7.3E-02	7.3E-02	4.0E-08	2.6E-08	3.E-09	2.E-09	5.E-09	--	--	9.4E-08	6.1E-08	--	--	--
	Dibenzo(a,h)anthracene	7.5E+01	ug/kg	7.3E+00	7.3E+00	3.8E-09	2.5E-09	3.E-08	2.E-08	5.E-08	--	--	8.8E-09	5.7E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.1E+03	ug/kg	7.3E-01	7.3E-01	1.0E-07	6.7E-08	8.E-08	5.E-08	1.E-07	--	--	2.4E-07	1.6E-07	--	--	--
	Naphthalene	5.2E+02	ug/kg	--	--	2.6E-08	1.7E-08	--	--	--	2.0E-02	2.0E-02	6.1E-08	4.0E-08	3.E-06	2.E-06	0.00001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.2E+01	ug/kg	1.4E-02	1.4E-02	3.2E-09	2.7E-09	4.E-11	4.E-11	8.E-11	2.0E-02	2.0E-02	7.5E-09	6.3E-09	4.E-07	3.E-07	0.000001
	Phenols																
	Pentachlorophenol	1.5E+01	ug/kg	4.0E-01	4.0E-01	1.4E-09	4.8E-10	6.E-10	2.E-10	8.E-10	5.0E-03	5.0E-03	3.3E-09	1.1E-09	7.E-07	2.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.7E+01	ug/kg	2.0E+00	2.0E+00	1.5E-09	8.7E-10	3.E-09	2.E-09	5.E-09	2.0E-05	2.0E-05	3.4E-09	2.0E-09	2.E-04	1.E-04	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.6E+00	pg/g	1.3E+05	1.3E+05	1.9E-14	5.3E-14	2.E-09	7.E-09	9.E-09	1.0E-09	1.0E-09	4.4E-14	1.2E-13	4.E-05	1.E-04	0.0002
	Total PCB TEQ	7.7E-01	pg/g	1.3E+05	1.3E+05	4.2E-14	2.5E-14	5.E-09	3.E-09	9.E-09	1.0E-09	1.0E-09	9.8E-14	5.9E-14	1.E-04	6.E-05	0.0002
	Pesticides																
	Aldrin	4.9E-01	ug/kg	1.7E+01	1.7E+01	1.9E-11	1.6E-11	3.E-10	3.E-10	6.E-10	3.0E-05	3.0E-05	4.4E-11	3.7E-11	1.E-06	1.E-06	0.000003
	Dieldrin	1.8E-01	ug/kg	1.6E+01	1.6E+01	7.1E-12	6.0E-12	1.E-10	1.E-10	2.E-10	5.0E-05	5.0E-05	1.7E-11	1.4E-11	3.E-07	3.E-07	0.000001
	Total DDT	2.1E+01	ug/kg	3.4E-01	3.4E-01	2.4E-10	6.8E-10	8.E-11	2.E-10	3.E-10	5.0E-04	5.0E-04	5.7E-10	1.6E-09	1.E-06	3.E-06	0.000004
Exposure Point Total										**3.E-06**							**0.1**
RM 3.5 East	**Metals**																
	Arsenic	4.8E+00	mg/kg	1.5E+00	1.5E+00	5.6E-08	1.6E-07	8.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.3E-07	3.7E-07	4.E-04	1.E-03	0.002
	Mercury	1.3E-01	mg/kg	--	--	0.0E+00	4.2E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.8E-09	0.E+00	1.E-04	0.00010
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.6E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.5E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	1.9E+04	ug/kg	--	--	7.4E-07	6.2E-07	--	--	--	3.0E-04	3.0E-04	1.7E-06	1.5E-06	6.E-03	5.E-03	0.01
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E+03	ug/kg	7.3E-01	7.3E-01	6.3E-08	4.1E-08	5.E-08	3.E-08	8.E-08	--	--	1.5E-07	9.5E-08	--	--	--
	Benzo(a)pyrene	8.7E+02	ug/kg	7.3E+00	7.3E+00	4.4E-08	2.9E-08	3.E-07	2.E-07	5.E-07	--	--	1.0E-07	6.7E-08	--	--	--
	Benzo(b)fluoranthene	1.3E+03	ug/kg	7.3E-01	7.3E-01	6.7E-08	4.3E-08	5.E-08	3.E-08	8.E-08	--	--	1.6E-07	1.0E-07	--	--	--
	Benzo(k)fluoranthene	7.1E+02	ug/kg	7.3E-02	7.3E-02	3.6E-08	2.3E-08	3.E-09	2.E-09	4.E-09	--	--	8.3E-08	5.4E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dibenzo(a,h)anthracene	1.3E+02	ug/kg	7.3E+00	7.3E+00	6.6E-09	4.3E-09	5.E-08	3.E-08	8.E-08	--	--	1.5E-08	1.0E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.3E+02	ug/kg	7.3E-01	7.3E-01	1.7E-08	1.1E-08	1.E-08	8.E-09	2.E-08	--	--	3.9E-08	2.5E-08	--	--	--
	Naphthalene	1.8E+01	ug/kg	--	--	9.1E-10	5.9E-10	--	--	--	2.0E-02	2.0E-02	2.1E-09	1.4E-09	1.E-07	7.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.9E+03	ug/kg	1.4E-02	1.4E-02	2.7E-07	2.3E-07	4.E-09	3.E-09	7.E-09	2.0E-02	2.0E-02	6.3E-07	5.3E-07	3.E-05	3.E-05	0.00006
	Phenols																
	Pentachlorophenol	2.5E+00	ug/kg	4.0E-01	4.0E-01	2.4E-10	8.2E-11	1.E-10	3.E-11	1.E-10	5.0E-03	5.0E-03	5.6E-10	1.9E-10	1.E-07	4.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+03	ug/kg	2.0E+00	2.0E+00	9.1E-08	5.4E-08	2.E-07	1.E-07	3.E-07	2.0E-05	2.0E-05	2.1E-07	1.3E-07	1.E-02	6.E-03	0.02
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.1E+01	pg/g	1.3E+05	1.3E+05	1.3E-13	3.7E-13	2.E-08	5.E-08	6.E-08	1.0E-09	1.0E-09	3.0E-13	8.5E-13	3.E-04	9.E-04	0.001
	Total PCB TEQ	1.1E+02	pg/g	1.3E+05	1.3E+05	6.2E-12	3.7E-12	8.E-07	5.E-07	1.E-06	1.0E-09	1.0E-09	1.4E-11	8.7E-12	1.E-02	9.E-03	0.02
	Pesticides																
	Aldrin	5.0E-01	ug/kg	1.7E+01	1.7E+01	1.9E-11	1.6E-11	3.E-10	3.E-10	6.E-10	3.0E-05	3.0E-05	4.5E-11	3.8E-11	1.E-06	1.E-06	0.000003
	Dieldrin	1.5E-01	ug/kg	1.6E+01	1.6E+01	5.8E-12	4.8E-12	9.E-11	8.E-11	2.E-10	5.0E-05	5.0E-05	1.3E-11	1.1E-11	3.E-07	2.E-07	0.0000005
	Total DDT	2.7E+01	ug/kg	3.4E-01	3.4E-01	3.2E-10	8.9E-10	1.E-10	3.E-10	4.E-10	5.0E-04	5.0E-04	7.4E-10	2.1E-09	1.E-06	4.E-06	0.00001
Exposure Point Total										3.E-06							0.2
RM 4 West	**Metals**																
	Arsenic	4.4E+00	mg/kg	1.5E+00	1.5E+00	5.1E-08	1.4E-07	8.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.2E-07	3.3E-07	4.E-04	1.E-03	0.002
	Mercury	1.4E-01	mg/kg	--	--	0.0E+00	4.5E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-08	0.E+00	1.E-04	0.0001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.5E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.1E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	8.2E+00	ug/kg	--	--	3.2E-10	2.7E-10	--	--	--	3.0E-04	3.0E-04	7.4E-10	6.3E-10	2.E-06	2.E-06	0.000005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.0E+02	ug/kg	7.3E-01	7.3E-01	4.5E-08	2.9E-08	3.E-08	2.E-08	5.E-08	--	--	1.1E-07	6.9E-08	--	--	--
	Benzo(a)pyrene	5.8E+02	ug/kg	7.3E+00	7.3E+00	2.9E-08	1.9E-08	2.E-07	1.E-07	4.E-07	--	--	6.9E-08	4.4E-08	--	--	--
	Benzo(b)fluoranthene	5.2E+02	ug/kg	7.3E-01	7.3E-01	2.6E-08	1.7E-08	2.E-08	1.E-08	3.E-08	--	--	6.1E-08	4.0E-08	--	--	--
	Benzo(k)fluoranthene	3.2E+02	ug/kg	7.3E-02	7.3E-02	1.6E-08	1.0E-08	1.E-09	8.E-10	2.E-09	--	--	3.7E-08	2.4E-08	--	--	--
	Dibenzo(a,h)anthracene	8.9E+01	ug/kg	7.3E+00	7.3E+00	4.5E-09	2.9E-09	3.E-08	2.E-08	5.E-08	--	--	1.1E-08	6.8E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.6E+02	ug/kg	7.3E-01	7.3E-01	2.3E-08	1.5E-08	2.E-08	1.E-08	3.E-08	--	--	5.5E-08	3.5E-08	--	--	--
	Naphthalene	1.9E+02	ug/kg	--	--	9.7E-09	6.3E-09	--	--	--	2.0E-02	2.0E-02	2.3E-08	1.5E-08	1.E-06	7.E-07	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.1E+01	ug/kg	1.4E-02	1.4E-02	2.8E-09	2.3E-09	4.E-11	3.E-11	7.E-11	2.0E-02	2.0E-02	6.5E-09	5.4E-09	3.E-07	3.E-07	0.000001
	Phenols																
	Pentachlorophenol	6.7E+00	ug/kg	4.0E-01	4.0E-01	6.5E-10	2.2E-10	3.E-10	9.E-11	3.E-10	5.0E-03	5.0E-03	1.5E-09	5.1E-10	3.E-07	1.E-07	0.0000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polychlorinated Biphenyls																
	Total Aroclors	2.6E+01	ug/kg	2.0E+00	2.0E+00	1.4E-09	8.7E-10	3.E-09	2.E-09	5.E-09	2.0E-05	2.0E-05	3.4E-09	2.0E-09	2.E-04	1.E-04	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.3E+00	pg/g	1.3E+05	1.3E+05	3.8E-14	1.1E-13	5.E-09	1.E-08	2.E-08	1.0E-09	1.0E-09	8.8E-14	2.5E-13	9.E-05	2.E-04	0.0003
	Total PCB TEQ	6.5E-01	pg/g	1.3E+05	1.3E+05	3.5E-14	2.1E-14	5.E-09	3.E-09	7.E-09	1.0E-09	1.0E-09	8.3E-14	5.0E-14	8.E-05	5.E-05	0.0001
	Pesticides																
	Aldrin	4.9E-01	ug/kg	1.7E+01	1.7E+01	1.9E-11	1.6E-11	3.E-10	3.E-10	6.E-10	3.0E-05	3.0E-05	4.4E-11	3.7E-11	1.E-06	1.E-06	0.000003
	Dieldrin	2.8E-01	ug/kg	1.6E+01	1.6E+01	1.1E-11	9.2E-12	2.E-10	1.E-10	3.E-10	5.0E-05	5.0E-05	2.5E-11	2.1E-11	5.E-07	4.E-07	0.000001
	Total DDT	5.6E+01	ug/kg	3.4E-01	3.4E-01	6.5E-10	1.8E-09	2.E-10	6.E-10	8.E-10	5.0E-04	5.0E-04	1.5E-09	4.2E-09	3.E-06	8.E-06	0.00001
Exposure Point Total										8.E-07							0.1
RM 4 East	**Metals**																
	Arsenic	5.6E+00	mg/kg	1.5E+00	1.5E+00	6.6E-08	1.8E-07	1.E-07	3.E-07	4.E-07	3.0E-04	3.0E-04	1.5E-07	4.3E-07	5.E-04	1.E-03	0.002
	Mercury	9.6E-02	mg/kg	--	--	0.0E+00	3.1E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.3E-09	0.E+00	7.E-05	0.00007
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.7E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.5E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	3.6E+01	ug/kg	--	--	1.4E-09	1.2E-09	--	--	--	3.0E-04	3.0E-04	3.3E-09	2.8E-09	1.E-05	9.E-06	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E+03	ug/kg	7.3E-01	7.3E-01	7.9E-08	5.1E-08	6.E-08	4.E-08	9.E-08	--	--	1.8E-07	1.2E-07	--	--	--
	Benzo(a)pyrene	2.2E+03	ug/kg	7.3E+00	7.3E+00	1.1E-07	7.3E-08	8.E-07	5.E-07	1.E-06	--	--	2.6E-07	1.7E-07	--	--	--
	Benzo(b)fluoranthene	2.3E+03	ug/kg	7.3E-01	7.3E-01	1.1E-07	7.4E-08	8.E-08	5.E-08	1.E-07	--	--	2.7E-07	1.7E-07	--	--	--
	Benzo(k)fluoranthene	1.8E+03	ug/kg	7.3E-02	7.3E-02	9.2E-08	6.0E-08	7.E-09	4.E-09	1.E-08	--	--	2.2E-07	1.4E-07	--	--	--
	Dibenzo(a,h)anthracene	3.7E+02	ug/kg	7.3E+00	7.3E+00	1.8E-08	1.2E-08	1.E-07	9.E-08	2.E-07	--	--	4.3E-08	2.8E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.7E+03	ug/kg	7.3E-01	7.3E-01	8.5E-08	5.5E-08	6.E-08	4.E-08	1.E-07	--	--	2.0E-07	1.3E-07	--	--	--
	Naphthalene	7.4E+01	ug/kg	--	--	3.7E-09	2.4E-09	--	--	--	2.0E-02	2.0E-02	8.7E-09	5.6E-09	4.E-07	3.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.3E+03	ug/kg	1.4E-02	1.4E-02	1.3E-07	1.1E-07	2.E-09	1.E-09	3.E-09	2.0E-02	2.0E-02	3.0E-07	2.5E-07	1.E-05	1.E-05	0.00003
	Phenols																
	Pentachlorophenol	4.3E+03	ug/kg	4.0E-01	4.0E-01	4.2E-07	1.4E-07	2.E-07	6.E-08	2.E-07	5.0E-03	5.0E-03	9.8E-07	3.3E-07	2.E-04	7.E-05	0.0003
	Polychlorinated Biphenyls																
	Total Aroclors	3.6E+02	ug/kg	2.0E+00	2.0E+00	2.0E-08	1.2E-08	4.E-08	2.E-08	6.E-08	2.0E-05	2.0E-05	4.6E-08	2.7E-08	2.E-03	1.E-03	0.004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.9E+00	pg/g	1.3E+05	1.3E+05	8.1E-14	2.3E-13	1.E-08	3.E-08	4.E-08	1.0E-09	1.0E-09	1.9E-13	5.3E-13	2.E-04	5.E-04	0.0007
	Total PCB TEQ	3.4E+00	pg/g	1.3E+05	1.3E+05	1.8E-13	1.1E-13	2.E-08	1.E-08	4.E-08	1.0E-09	1.0E-09	4.3E-13	2.6E-13	4.E-04	3.E-04	0.0007

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: High frequency Fisher Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	7.9E-01	ug/kg	1.7E+01	1.7E+01	3.1E-11	2.6E-11	5.E-10	4.E-10	1.E-09	3.0E-05	3.0E-05	7.1E-11	6.0E-11	2.E-06	2.E-06	0.000004
	Dieldrin	1.6E-01	ug/kg	1.6E+01	1.6E+01	6.1E-12	5.1E-12	1.E-10	8.E-11	2.E-10	5.0E-05	5.0E-05	1.4E-11	1.2E-11	3.E-07	2.E-07	0.000001
	Total DDT	1.2E+01	ug/kg	3.4E-01	3.4E-01	1.4E-10	3.9E-10	5.E-11	1.E-10	2.E-10	5.0E-04	5.0E-04	3.2E-10	9.0E-10	6.E-07	2.E-06	0.000002
Exposure Point Total										3.E-06							0.1
RM 4.5 West	**Metals**																
	Arsenic	4.9E+00	mg/kg	1.5E+00	1.5E+00	5.7E-08	1.6E-07	9.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.3E-07	3.7E-07	4.E-04	1.E-03	0.002
	Mercury	1.7E-01	mg/kg	--	--	0.0E+00	5.6E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-08	0.E+00	1.E-04	0.0001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.6E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.4E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	1.4E+01	ug/kg	--	--	5.4E-10	4.6E-10	--	--	--	3.0E-04	3.0E-04	1.3E-09	1.1E-09	4.E-06	4.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E+03	ug/kg	7.3E-01	7.3E-01	7.9E-08	5.1E-08	6.E-08	4.E-08	9.E-08	--	--	1.8E-07	1.2E-07	--	--	--
	Benzo(a)pyrene	2.2E+03	ug/kg	7.3E+00	7.3E+00	1.1E-07	7.1E-08	8.E-07	5.E-07	1.E-06	--	--	2.5E-07	1.6E-07	--	--	--
	Benzo(b)fluoranthene	1.5E+03	ug/kg	7.3E-01	7.3E-01	7.6E-08	4.9E-08	6.E-08	4.E-08	9.E-08	--	--	1.8E-07	1.1E-07	--	--	--
	Benzo(k)fluoranthene	6.2E+02	ug/kg	7.3E-02	7.3E-02	3.2E-08	2.0E-08	2.E-09	1.E-09	4.E-09	--	--	7.4E-08	4.8E-08	--	--	--
	Dibenzo(a,h)anthracene	2.3E+02	ug/kg	7.3E+00	7.3E+00	1.2E-08	7.6E-09	9.E-08	6.E-08	1.E-07	--	--	2.7E-08	1.8E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.7E+03	ug/kg	7.3E-01	7.3E-01	8.4E-08	5.5E-08	6.E-08	4.E-08	1.E-07	--	--	2.0E-07	1.3E-07	--	--	--
	Naphthalene	3.9E+02	ug/kg	--	--	2.0E-08	1.3E-08	--	--	--	2.0E-02	2.0E-02	4.6E-08	3.0E-08	2.E-06	1.E-06	0.000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.0E+01	ug/kg	1.4E-02	1.4E-02	2.7E-09	2.3E-09	4.E-11	3.E-11	7.E-11	2.0E-02	2.0E-02	6.3E-09	5.3E-09	3.E-07	3.E-07	0.000001
	Phenols																
	Pentachlorophenol	2.3E+00	ug/kg	4.0E-01	4.0E-01	2.2E-10	7.4E-11	9.E-11	3.E-11	1.E-10	5.0E-03	5.0E-03	5.1E-10	1.7E-10	1.E-07	3.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.8E+01	ug/kg	2.0E+00	2.0E+00	2.1E-09	1.3E-09	4.E-09	3.E-09	7.E-09	2.0E-05	2.0E-05	4.9E-09	2.9E-09	2.E-04	1.E-04	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.8E+00	pg/g	1.3E+05	1.3E+05	7.9E-14	2.2E-13	1.E-08	3.E-08	4.E-08	1.0E-09	1.0E-09	1.9E-13	5.2E-13	2.E-04	5.E-04	0.0007
	Total PCB TEQ	2.5E+00	pg/g	1.3E+05	1.3E+05	1.4E-13	8.2E-14	2.E-08	1.E-08	3.E-08	1.0E-09	1.0E-09	3.2E-13	1.9E-13	3.E-04	2.E-04	0.0005
	Pesticides																
	Aldrin	1.2E+00	ug/kg	1.7E+01	1.7E+01	4.7E-11	3.9E-11	8.E-10	7.E-10	1.E-09	3.0E-05	3.0E-05	1.1E-10	9.2E-11	4.E-06	3.E-06	0.00001
	Dieldrin	1.8E-01	ug/kg	1.6E+01	1.6E+01	7.1E-12	6.0E-12	1.E-10	1.E-10	2.E-10	5.0E-05	5.0E-05	1.7E-11	1.4E-11	3.E-07	3.E-07	0.000001
	Total DDT	2.7E+01	ug/kg	3.4E-01	3.4E-01	3.2E-10	9.0E-10	1.E-10	3.E-10	4.E-10	5.0E-04	5.0E-04	7.5E-10	2.1E-09	1.E-06	4.E-06	0.00001
Exposure Point Total										2.E-06							0.1
RM 4.5 East	**Metals**																
	Arsenic	4.9E+00	mg/kg	1.5E+00	1.5E+00	5.7E-08	1.6E-07	9.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.3E-07	3.8E-07	4.E-04	1.E-03	0.002
	Mercury	7.3E-02	mg/kg	--	--	0.0E+00	2.4E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.6E-09	0.E+00	6.E-05	0.00006
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.5E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.3E-06	0.E+00	1.E-01	0.1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment

Receptor Population: High frequency Fisher   Exposure Medium: In-water Sediment

Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	7.2E+01	ug/kg	--	--	2.8E-09	2.4E-09	--	--	--	3.0E-04	3.0E-04	6.5E-09	5.5E-09	2.E-05	2.E-05	0.00004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.0E+04	ug/kg	7.3E-01	7.3E-01	1.0E-06	6.5E-07	7.E-07	5.E-07	1.E-06	--	--	2.3E-06	1.5E-06	--	--	--
	Benzo(a)pyrene	8.7E+03	ug/kg	7.3E+00	7.3E+00	4.4E-07	2.8E-07	3.E-06	2.E-06	5.E-06	--	--	1.0E-06	6.6E-07	--	--	--
	Benzo(b)fluoranthene	7.5E+03	ug/kg	7.3E-01	7.3E-01	3.8E-07	2.5E-07	3.E-07	2.E-07	5.E-07	--	--	8.9E-07	5.7E-07	--	--	--
	Benzo(k)fluoranthene	6.9E+03	ug/kg	7.3E-02	7.3E-02	3.5E-07	2.3E-07	3.E-08	2.E-08	4.E-08	--	--	8.2E-07	5.3E-07	--	--	--
	Dibenzo(a,h)anthracene	1.4E+03	ug/kg	7.3E+00	7.3E+00	7.2E-08	4.7E-08	5.E-07	3.E-07	9.E-07	--	--	1.7E-07	1.1E-07	--	--	--
	Indeno(1,2,3-cd)pyrene	6.1E+03	ug/kg	7.3E-01	7.3E-01	3.1E-07	2.0E-07	2.E-07	1.E-07	4.E-07	--	--	7.1E-07	4.6E-07	--	--	--
	Naphthalene	4.4E+02	ug/kg	--	--	2.2E-08	1.4E-08	--	--	--	2.0E-02	2.0E-02	5.2E-08	3.4E-08	3.E-06	2.E-06	0.000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.2E+02	ug/kg	1.4E-02	1.4E-02	4.8E-09	4.1E-09	7.E-11	6.E-11	1.E-10	2.0E-02	2.0E-02	1.1E-08	9.5E-09	6.E-07	5.E-07	0.000001
	Phenols																
	Pentachlorophenol	3.2E+00	ug/kg	4.0E-01	4.0E-01	3.1E-10	1.0E-10	1.E-10	4.E-11	2.E-10	5.0E-03	5.0E-03	7.3E-10	2.4E-10	1.E-07	5.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	4.4E+01	ug/kg	2.0E+00	2.0E+00	2.4E-09	1.4E-09	5.E-09	3.E-09	8.E-09	2.0E-05	2.0E-05	5.6E-09	3.4E-09	3.E-04	2.E-04	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.8E-01	pg/g	1.3E+05	1.3E+05	3.2E-15	9.0E-15	4.E-10	1.E-09	2.E-09	1.0E-09	1.0E-09	7.5E-15	2.1E-14	8.E-06	2.E-05	0.00003
	Total PCB TEQ	3.4E-01	pg/g	1.3E+05	1.3E+05	1.8E-14	1.1E-14	2.E-09	1.E-09	4.E-09	1.0E-09	1.0E-09	4.3E-14	2.6E-14	4.E-05	3.E-05	0.00007
	Pesticides																
	Aldrin	1.5E-01	ug/kg	1.7E+01	1.7E+01	5.9E-12	5.0E-12	1.E-10	8.E-11	2.E-10	3.0E-05	3.0E-05	1.4E-11	1.2E-11	5.E-07	4.E-07	0.000001
	Dieldrin	8.4E-02	ug/kg	1.6E+01	1.6E+01	3.2E-12	2.7E-12	5.E-11	4.E-11	1.E-10	5.0E-05	5.0E-05	7.6E-12	6.4E-12	2.E-07	1.E-07	0.0000003
	Total DDT	8.7E+00	ug/kg	3.4E-01	3.4E-01	1.0E-10	2.8E-10	3.E-11	1.E-10	1.E-10	5.0E-04	5.0E-04	2.4E-10	6.6E-10	5.E-07	1.E-06	0.000002
Exposure Point Total										9.E-06							0.1
RM 5 West	**Metals**																
	Arsenic	3.8E+00	mg/kg	1.5E+00	1.5E+00	4.4E-08	1.2E-07	7.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.0E-07	2.9E-07	3.E-04	1.E-03	0.001
	Mercury	6.0E-02	mg/kg	--	--	0.0E+00	2.0E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.6E-09	0.E+00	5.E-05	0.00005
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	3.4E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	7.8E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	2.1E+01	ug/kg	--	--	8.2E-10	6.9E-10	--	--	--	3.0E-04	3.0E-04	1.9E-09	1.6E-09	6.E-06	5.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.4E+03	ug/kg	7.3E-01	7.3E-01	1.7E-07	1.1E-07	1.E-07	8.E-08	2.E-07	--	--	4.0E-07	2.6E-07	--	--	--
	Benzo(a)pyrene	4.5E+03	ug/kg	7.3E+00	7.3E+00	2.3E-07	1.5E-07	2.E-06	1.E-06	3.E-06	--	--	5.3E-07	3.4E-07	--	--	--
	Benzo(b)fluoranthene	3.0E+03	ug/kg	7.3E-01	7.3E-01	1.5E-07	9.8E-08	1.E-07	7.E-08	2.E-07	--	--	3.5E-07	2.3E-07	--	--	--
	Benzo(k)fluoranthene	5.7E+02	ug/kg	7.3E-02	7.3E-02	2.9E-08	1.9E-08	2.E-09	1.E-09	3.E-09	--	--	6.7E-08	4.4E-08	--	--	--

LWG
Lower Willamette Group

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dibenzo(a,h)anthracene	2.3E+02	ug/kg	7.3E+00	7.3E+00	1.2E-08	7.5E-09	8.E-08	5.E-08	1.E-07	--	--	2.7E-08	1.8E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.3E+03	ug/kg	7.3E-01	7.3E-01	1.7E-07	1.1E-07	1.E-07	8.E-08	2.E-07	--	--	3.9E-07	2.5E-07	--	--	--
	Naphthalene	4.2E+02	ug/kg	--	--	2.1E-08	1.4E-08	--	--	--	2.0E-02	2.0E-02	5.0E-08	3.2E-08	2.E-06	2.E-06	0.000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.1E+01	ug/kg	1.4E-02	1.4E-02	3.5E-09	3.0E-09	5.E-11	4.E-11	9.E-11	2.0E-02	2.0E-02	8.2E-09	6.9E-09	4.E-07	3.E-07	0.000001
	Phenols																
	Pentachlorophenol	1.8E+01	ug/kg	4.0E-01	4.0E-01	1.8E-09	6.0E-10	7.E-10	2.E-10	9.E-10	5.0E-03	5.0E-03	4.1E-09	1.4E-09	8.E-07	3.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+01	ug/kg	2.0E+00	2.0E+00	1.4E-09	8.3E-10	3.E-09	2.E-09	4.E-09	2.0E-05	2.0E-05	3.2E-09	1.9E-09	2.E-04	1.E-04	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.4E+00	pg/g	1.3E+05	1.3E+05	6.3E-14	1.8E-13	8.E-09	2.E-08	3.E-08	1.0E-09	1.0E-09	1.5E-13	4.1E-13	1.E-04	4.E-04	0.0006
	Total PCB TEQ	2.1E+00	pg/g	1.3E+05	1.3E+05	1.1E-13	6.8E-14	1.E-08	9.E-09	2.E-08	1.0E-09	1.0E-09	2.6E-13	1.6E-13	3.E-04	2.E-04	0.0004
	Pesticides																
	Aldrin	1.9E+00	ug/kg	1.7E+01	1.7E+01	7.4E-11	6.2E-11	1.E-09	1.E-09	2.E-09	3.0E-05	3.0E-05	1.7E-10	1.5E-10	6.E-06	5.E-06	0.00001
	Dieldrin	7.8E-01	ug/kg	1.6E+01	1.6E+01	3.0E-11	2.5E-11	5.E-10	4.E-10	9.E-10	5.0E-05	5.0E-05	7.1E-11	5.9E-11	1.E-06	1.E-06	0.000003
	Total DDT	8.2E+01	ug/kg	3.4E-01	3.4E-01	9.5E-10	2.7E-09	3.E-10	9.E-10	1.E-09	5.0E-04	5.0E-04	2.2E-09	6.2E-09	4.E-06	1.E-05	0.00002
Exposure Point Total										**4.E-06**							**0.1**
RM 5 East	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	4.3E-08	1.2E-07	6.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	1.0E-07	2.8E-07	3.E-04	9.E-04	0.001
	Mercury	8.6E-02	mg/kg	--	--	0.0E+00	2.8E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.6E-09	0.E+00	7.E-05	0.00007
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.5E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.2E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	1.2E+02	ug/kg	--	--	4.7E-09	3.9E-09	--	--	--	3.0E-04	3.0E-04	1.1E-08	9.2E-09	4.E-05	3.E-05	0.00007
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.3E+02	ug/kg	7.3E-01	7.3E-01	1.7E-08	1.1E-08	1.E-08	8.E-09	2.E-08	--	--	3.9E-08	2.5E-08	--	--	--
	Benzo(a)pyrene	4.7E+02	ug/kg	7.3E+00	7.3E+00	2.4E-08	1.5E-08	2.E-07	1.E-07	3.E-07	--	--	5.6E-08	3.6E-08	--	--	--
	Benzo(b)fluoranthene	6.7E+02	ug/kg	7.3E-01	7.3E-01	3.4E-08	2.2E-08	2.E-08	2.E-08	4.E-08	--	--	7.9E-08	5.1E-08	--	--	--
	Benzo(k)fluoranthene	3.0E+02	ug/kg	7.3E-02	7.3E-02	1.5E-08	9.9E-09	1.E-09	7.E-10	2.E-09	--	--	3.6E-08	2.3E-08	--	--	--
	Dibenzo(a,h)anthracene	9.1E+01	ug/kg	7.3E+00	7.3E+00	4.6E-09	3.0E-09	3.E-08	2.E-08	6.E-08	--	--	1.1E-08	7.0E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.8E+02	ug/kg	7.3E-01	7.3E-01	2.4E-08	1.6E-08	2.E-08	1.E-08	3.E-08	--	--	5.7E-08	3.7E-08	--	--	--
	Naphthalene	1.3E+02	ug/kg	--	--	6.8E-09	4.4E-09	--	--	--	2.0E-02	2.0E-02	1.6E-08	1.0E-08	8.E-07	5.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+02	ug/kg	1.4E-02	1.4E-02	5.1E-09	4.3E-09	7.E-11	6.E-11	1.E-10	2.0E-02	2.0E-02	1.2E-08	1.0E-08	6.E-07	5.E-07	0.000001
	Phenols																
	Pentachlorophenol	1.3E+01	ug/kg	4.0E-01	4.0E-01	1.3E-09	4.4E-10	5.E-10	2.E-10	7.E-10	5.0E-03	5.0E-03	3.1E-09	1.0E-09	6.E-07	2.E-07	0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+01	ug/kg	2.0E+00	2.0E+00	1.4E-09	8.3E-10	3.E-09	2.E-09	4.E-09	2.0E-05	2.0E-05	3.2E-09	1.9E-09	2.E-04	1.E-04	0.0003
	Pesticides																
	Aldrin	8.0E-01	ug/kg	1.7E+01	1.7E+01	3.1E-11	2.6E-11	5.E-10	4.E-10	1.E-09	3.0E-05	3.0E-05	7.2E-11	6.1E-11	2.E-06	2.E-06	0.000004
	Dieldrin	7.9E-01	ug/kg	1.6E+01	1.6E+01	3.1E-11	2.6E-11	5.E-10	4.E-10	9.E-10	5.0E-05	5.0E-05	7.2E-11	6.0E-11	1.E-06	1.E-06	0.000003
	Total DDT	1.9E+00	ug/kg	3.4E-01	3.4E-01	2.2E-11	6.1E-11	7.E-12	2.E-11	3.E-11	5.0E-04	5.0E-04	5.1E-11	1.4E-10	1.E-07	3.E-07	0.0000004
Exposure Point Total										7.E-07							0.1
RM 5.5 West	**Metals**																
	Arsenic	6.1E+00	mg/kg	1.5E+00	1.5E+00	7.1E-08	2.0E-07	1.E-07	3.E-07	4.E-07	3.0E-04	3.0E-04	1.7E-07	4.6E-07	6.E-04	2.E-03	0.002
	Mercury	8.0E-02	mg/kg	--	--	0.0E+00	2.6E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.1E-09	0.E+00	6.E-05	0.00006
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.4E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.0E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	4.3E+01	ug/kg	--	--	1.7E-09	1.4E-09	--	--	--	3.0E-04	3.0E-04	3.9E-09	3.3E-09	1.E-05	1.E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.0E+03	ug/kg	7.3E-01	7.3E-01	1.5E-07	9.9E-08	1.E-07	7.E-08	2.E-07	--	--	3.6E-07	2.3E-07	--	--	--
	Benzo(a)pyrene	4.3E+03	ug/kg	7.3E+00	7.3E+00	2.2E-07	1.4E-07	2.E-06	1.E-06	3.E-06	--	--	5.1E-07	3.3E-07	--	--	--
	Benzo(b)fluoranthene	3.1E+03	ug/kg	7.3E-01	7.3E-01	1.6E-07	1.0E-07	1.E-07	7.E-08	2.E-07	--	--	3.6E-07	2.4E-07	--	--	--
	Benzo(k)fluoranthene	2.0E+03	ug/kg	7.3E-02	7.3E-02	1.0E-07	6.6E-08	7.E-09	5.E-09	1.E-08	--	--	2.4E-07	1.6E-07	--	--	--
	Dibenzo(a,h)anthracene	3.5E+02	ug/kg	7.3E+00	7.3E+00	1.8E-08	1.2E-08	1.E-07	8.E-08	2.E-07	--	--	4.1E-08	2.7E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.5E+03	ug/kg	7.3E-01	7.3E-01	1.8E-07	1.1E-07	1.E-07	8.E-08	2.E-07	--	--	4.1E-07	2.7E-07	--	--	--
	Naphthalene	3.3E+02	ug/kg	--	--	1.7E-08	1.1E-08	--	--	--	2.0E-02	2.0E-02	3.9E-08	2.5E-08	2.E-06	1.E-06	0.000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+01	ug/kg	1.4E-02	1.4E-02	7.0E-10	5.9E-10	1.E-11	8.E-12	2.E-11	2.0E-02	2.0E-02	1.6E-09	1.4E-09	8.E-08	7.E-08	0.0000002
	Phenols																
	Pentachlorophenol	1.8E+01	ug/kg	4.0E-01	4.0E-01	1.8E-09	5.9E-10	7.E-10	2.E-10	9.E-10	5.0E-03	5.0E-03	4.1E-09	1.4E-09	8.E-07	3.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	5.1E+01	ug/kg	2.0E+00	2.0E+00	2.8E-09	1.7E-09	6.E-09	3.E-09	9.E-09	2.0E-05	2.0E-05	6.5E-09	3.9E-09	3.E-04	2.E-04	0.0005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.3E+00	pg/g	1.3E+05	1.3E+05	2.7E-14	7.6E-14	4.E-09	1.E-08	1.E-08	1.0E-09	1.0E-09	6.3E-14	1.8E-13	6.E-05	2.E-04	0.0002
	Total PCB TEQ	1.1E+00	pg/g	1.3E+05	1.3E+05	5.9E-14	3.6E-14	8.E-09	5.E-09	1.E-08	1.0E-09	1.0E-09	1.4E-13	8.3E-14	1.E-04	8.E-05	0.0002
	Pesticides																
	Aldrin	6.7E-01	ug/kg	1.7E+01	1.7E+01	2.6E-11	2.2E-11	4.E-10	4.E-10	8.E-10	3.0E-05	3.0E-05	6.1E-11	5.1E-11	2.E-06	2.E-06	0.000004
	Dieldrin	4.1E-01	ug/kg	1.6E+01	1.6E+01	1.6E-11	1.3E-11	3.E-10	2.E-10	5.E-10	5.0E-05	5.0E-05	3.7E-11	3.1E-11	7.E-07	6.E-07	0.000001
	Total DDT	6.2E+01	ug/kg	3.4E-01	3.4E-01	7.2E-10	2.0E-09	2.E-10	7.E-10	9.E-10	5.0E-04	5.0E-04	1.7E-09	4.7E-09	3.E-06	9.E-06	0.00001
Exposure Point Total										4.E-06							0.1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: High frequency Fisher   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 5.5 East	**Metals**																
	Arsenic	8.9E+00	mg/kg	1.5E+00	1.5E+00	1.0E-07	2.9E-07	2.E-07	4.E-07	6.E-07	3.0E-04	3.0E-04	2.4E-07	6.8E-07	8.E-04	2.E-03	0.003
	Mercury	6.7E-01	mg/kg	--	--	0.0E+00	2.2E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.1E-08	0.E+00	5.E-04	0.0005
	Vanadium	9.1E+01	mg/kg	--	--	0.0E+00	3.0E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	6.9E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	3.2E+02	ug/kg	--	--	1.2E-08	1.0E-08	--	--	--	3.0E-04	3.0E-04	2.9E-08	2.4E-08	1.E-04	8.E-05	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.7E+02	ug/kg	7.3E-01	7.3E-01	2.9E-08	1.9E-08	2.E-08	1.E-08	3.E-08	--	--	6.8E-08	4.4E-08	--	--	--
	Benzo(a)pyrene	7.0E+02	ug/kg	7.3E+00	7.3E+00	3.5E-08	2.3E-08	3.E-07	2.E-07	4.E-07	--	--	8.2E-08	5.3E-08	--	--	--
	Benzo(b)fluoranthene	8.4E+02	ug/kg	7.3E-01	7.3E-01	4.2E-08	2.7E-08	3.E-08	2.E-08	5.E-08	--	--	9.9E-08	6.4E-08	--	--	--
	Benzo(k)fluoranthene	4.4E+02	ug/kg	7.3E-02	7.3E-02	2.2E-08	1.4E-08	2.E-09	1.E-09	3.E-09	--	--	5.2E-08	3.4E-08	--	--	--
	Dibenzo(a,h)anthracene	1.4E+02	ug/kg	7.3E+00	7.3E+00	7.1E-09	4.6E-09	5.E-08	3.E-08	8.E-08	--	--	1.6E-08	1.1E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	5.3E+02	ug/kg	7.3E-01	7.3E-01	2.7E-08	1.7E-08	2.E-08	1.E-08	3.E-08	--	--	6.2E-08	4.0E-08	--	--	--
	Naphthalene	3.5E+02	ug/kg	--	--	1.8E-08	1.1E-08	--	--	--	2.0E-02	2.0E-02	4.1E-08	2.7E-08	2.E-06	1.E-06	0.000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.3E+02	ug/kg	1.4E-02	1.4E-02	1.3E-08	1.1E-08	2.E-10	2.E-10	3.E-10	2.0E-02	2.0E-02	3.0E-08	2.5E-08	1.E-06	1.E-06	0.000003
	Phenols																
	Pentachlorophenol	1.8E+01	ug/kg	4.0E-01	4.0E-01	1.7E-09	5.7E-10	7.E-10	2.E-10	9.E-10	5.0E-03	5.0E-03	4.0E-09	1.3E-09	8.E-07	3.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+02	ug/kg	2.0E+00	2.0E+00	9.8E-09	5.9E-09	2.E-08	1.E-08	3.E-08	2.0E-05	2.0E-05	2.3E-08	1.4E-08	1.E-03	7.E-04	0.002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.9E+00	pg/g	1.3E+05	1.3E+05	1.0E-13	2.9E-13	1.E-08	4.E-08	5.E-08	1.0E-09	1.0E-09	2.4E-13	6.8E-13	2.E-04	7.E-04	0.0009
	Total PCB TEQ	5.8E+00	pg/g	1.3E+05	1.3E+05	3.2E-13	1.9E-13	4.E-08	2.E-08	7.E-08	1.0E-09	1.0E-09	7.4E-13	4.4E-13	7.E-04	4.E-04	0.001
	Pesticides																
	Aldrin	4.0E-01	ug/kg	1.7E+01	1.7E+01	1.6E-11	1.3E-11	3.E-10	2.E-10	5.E-10	3.0E-05	3.0E-05	3.6E-11	3.0E-11	1.E-06	1.E-06	0.000002
	Dieldrin	6.0E-01	ug/kg	1.6E+01	1.6E+01	2.3E-11	2.0E-11	4.E-10	3.E-10	7.E-10	5.0E-05	5.0E-05	5.4E-11	4.6E-11	1.E-06	9.E-07	0.000002
	Total DDT	2.0E+01	ug/kg	3.4E-01	3.4E-01	2.3E-10	6.4E-10	8.E-11	2.E-10	3.E-10	5.0E-04	5.0E-04	5.3E-10	1.5E-09	1.E-06	3.E-06	0.000004
Exposure Point Total										**1.E-06**							**0.1**
RM 6 West	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	4.8E-08	1.3E-07	7.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.1E-07	3.1E-07	4.E-04	1.E-03	0.001
	Mercury	1.4E-01	mg/kg	--	--	0.0E+00	4.5E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-08	0.E+00	1.E-04	0.0001
	Vanadium	1.3E+02	mg/kg	--	--	0.0E+00	4.1E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	9.6E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	2.0E+01	ug/kg	--	--	7.7E-10	6.5E-10	--	--	--	3.0E-04	3.0E-04	1.8E-09	1.5E-09	6.E-06	5.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.8E+04	ug/kg	7.3E-01	7.3E-01	2.4E-06	1.6E-06	2.E-06	1.E-06	3.E-06	--	--	5.6E-06	3.6E-06	--	--	--
	Benzo(a)pyrene	5.8E+04	ug/kg	7.3E+00	7.3E+00	2.9E-06	1.9E-06	2.E-05	1.E-05	4.E-05	--	--	6.8E-06	4.4E-06	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(b)fluoranthene	4.3E+04	ug/kg	7.3E-01	7.3E-01	2.2E-06	1.4E-06	2.E-06	1.E-06	3.E-06	--	--	5.0E-06	3.3E-06	--	--	--
	Benzo(k)fluoranthene	2.7E+04	ug/kg	7.3E-02	7.3E-02	1.4E-06	8.8E-07	1.E-07	6.E-08	2.E-07	--	--	3.2E-06	2.1E-06	--	--	--
	Dibenzo(a,h)anthracene	5.4E+03	ug/kg	7.3E+00	7.3E+00	2.7E-07	1.8E-07	2.E-06	1.E-06	3.E-06	--	--	6.3E-07	4.1E-07	--	--	--
	Indeno(1,2,3-cd)pyrene	4.0E+04	ug/kg	7.3E-01	7.3E-01	2.0E-06	1.3E-06	1.E-06	1.E-06	2.E-06	--	--	4.7E-06	3.1E-06	--	--	--
	Naphthalene	4.4E+04	ug/kg	--	--	2.2E-06	1.5E-06	--	--	--	2.0E-02	2.0E-02	5.2E-06	3.4E-06	3.E-04	2.E-04	0.0004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.8E+02	ug/kg	1.4E-02	1.4E-02	1.5E-08	1.2E-08	2.E-10	2.E-10	4.E-10	2.0E-02	2.0E-02	3.4E-08	2.9E-08	2.E-06	1.E-06	0.000003
	Phenols																
	Pentachlorophenol	3.5E+01	ug/kg	4.0E-01	4.0E-01	3.4E-09	1.1E-09	1.E-09	5.E-10	2.E-09	5.0E-03	5.0E-03	7.9E-09	2.6E-09	2.E-06	5.E-07	0.000002
	Polychlorinated Biphenyls																
	Total Aroclors	6.1E+01	ug/kg	2.0E+00	2.0E+00	3.3E-09	2.0E-09	7.E-09	4.E-09	1.E-08	2.0E-05	2.0E-05	7.8E-09	4.7E-09	4.E-04	2.E-04	0.0006
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	1.3E+05	1.3E+05	1.8E-14	5.0E-14	2.E-09	6.E-09	9.E-09	1.0E-09	1.0E-09	4.2E-14	1.2E-13	4.E-05	1.E-04	0.0002
	Total PCB TEQ	2.8E+00	pg/g	1.3E+05	1.3E+05	1.5E-13	9.2E-14	2.E-08	1.E-08	3.E-08	1.0E-09	1.0E-09	3.6E-13	2.2E-13	4.E-04	2.E-04	0.0006
	Pesticides																
	Aldrin	2.3E+00	ug/kg	1.7E+01	1.7E+01	9.1E-11	7.7E-11	2.E-09	1.E-09	3.E-09	3.0E-05	3.0E-05	2.1E-10	1.8E-10	7.E-06	6.E-06	0.00001
	Dieldrin	1.8E+00	ug/kg	1.6E+01	1.6E+01	7.1E-11	6.0E-11	1.E-09	1.E-09	2.E-09	5.0E-05	5.0E-05	1.7E-10	1.4E-10	3.E-06	3.E-06	0.00001
	Total DDT	8.1E+01	ug/kg	3.4E-01	3.4E-01	9.5E-10	2.7E-09	3.E-10	9.E-10	1.E-09	5.0E-04	5.0E-04	2.2E-09	6.2E-09	4.E-06	1.E-05	0.00002
Exposure Point Total										5.E-05							0.1
RM 6 East	**Metals**																
	Arsenic	4.4E+00	mg/kg	1.5E+00	1.5E+00	5.1E-08	1.4E-07	8.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.2E-07	3.3E-07	4.E-04	1.E-03	0.002
	Mercury	4.0E-01	mg/kg	--	--	0.0E+00	1.3E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.1E-08	0.E+00	3.E-04	0.0003
	Vanadium	9.8E+01	mg/kg	--	--	0.0E+00	3.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	7.5E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	3.5E+02	ug/kg	--	--	1.4E-08	1.1E-08	--	--	--	3.0E-04	3.0E-04	3.2E-08	2.7E-08	1.E-04	9.E-05	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.3E+03	ug/kg	7.3E-01	7.3E-01	6.8E-08	4.4E-08	5.E-08	3.E-08	8.E-08	--	--	1.6E-07	1.0E-07	--	--	--
	Benzo(a)pyrene	1.9E+03	ug/kg	7.3E+00	7.3E+00	9.7E-08	6.3E-08	7.E-07	5.E-07	1.E-06	--	--	2.3E-07	1.5E-07	--	--	--
	Benzo(b)fluoranthene	3.3E+03	ug/kg	7.3E-01	7.3E-01	1.6E-07	1.1E-07	1.E-07	8.E-08	2.E-07	--	--	3.8E-07	2.5E-07	--	--	--
	Benzo(k)fluoranthene	2.5E+03	ug/kg	7.3E-02	7.3E-02	1.3E-07	8.3E-08	9.E-09	6.E-09	2.E-08	--	--	3.0E-07	1.9E-07	--	--	--
	Dibenzo(a,h)anthracene	2.7E+02	ug/kg	7.3E+00	7.3E+00	1.4E-08	8.8E-09	1.E-07	6.E-08	2.E-07	--	--	3.2E-08	2.1E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+03	ug/kg	7.3E-01	7.3E-01	5.7E-08	3.7E-08	4.E-08	3.E-08	7.E-08	--	--	1.3E-07	8.6E-08	--	--	--
	Naphthalene	8.4E+02	ug/kg	--	--	4.2E-08	2.7E-08	--	--	--	2.0E-02	2.0E-02	9.9E-08	6.4E-08	5.E-06	3.E-06	0.00001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.4E+02	ug/kg	1.4E-02	1.4E-02	5.4E-09	4.6E-09	8.E-11	6.E-11	1.E-10	2.0E-02	2.0E-02	1.3E-08	1.1E-08	6.E-07	5.E-07	0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment

Receptor Population: High frequency Fisher   Exposure Medium: In-water Sediment

Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phenols																
	Pentachlorophenol	4.4E+01	ug/kg	4.0E-01	4.0E-01	4.3E-09	1.4E-09	2.E-09	6.E-10	2.E-09	5.0E-03	5.0E-03	1.0E-08	3.4E-09	2.E-06	7.E-07	0.000003
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+02	ug/kg	2.0E+00	2.0E+00	9.5E-09	5.7E-09	2.E-08	1.E-08	3.E-08	2.0E-05	2.0E-05	2.2E-08	1.3E-08	1.E-03	7.E-04	0.002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.1E+00	pg/g	1.3E+05	1.3E+05	4.8E-14	1.3E-13	6.E-09	2.E-08	2.E-08	1.0E-09	1.0E-09	1.1E-13	3.1E-13	1.E-04	3.E-04	0.0004
	Total PCB TEQ	3.4E+00	pg/g	1.3E+05	1.3E+05	1.9E-13	1.1E-13	2.E-08	1.E-08	4.E-08	1.0E-09	1.0E-09	4.3E-13	2.6E-13	4.E-04	3.E-04	0.0007
	Pesticides																
	Aldrin	6.4E-01	ug/kg	1.7E+01	1.7E+01	2.5E-11	2.1E-11	4.E-10	4.E-10	8.E-10	3.0E-05	3.0E-05	5.8E-11	4.9E-11	2.E-06	2.E-06	0.000004
	Dieldrin	1.0E-01	ug/kg	1.6E+01	1.6E+01	3.9E-12	3.3E-12	6.E-11	5.E-11	1.E-10	5.0E-05	5.0E-05	9.1E-12	7.6E-12	2.E-07	2.E-07	0.0000003
	Total DDT	4.2E+00	ug/kg	3.4E-01	3.4E-01	5.0E-11	1.4E-10	2.E-11	5.E-11	6.E-11	5.0E-04	5.0E-04	1.2E-10	3.2E-10	2.E-07	6.E-07	0.000001
Exposure Point Total										2.E-06							0.1
RM 6.5 West	**Metals**																
	Arsenic	1.4E+01	mg/kg	1.5E+00	1.5E+00	1.6E-07	4.6E-07	2.E-07	7.E-07	9.E-07	3.0E-04	3.0E-04	3.8E-07	1.1E-06	1.E-03	4.E-03	0.005
	Mercury	2.0E-01	mg/kg	--	--	0.0E+00	6.6E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.5E-08	0.E+00	2.E-04	0.0002
	Vanadium	1.4E+02	mg/kg	--	--	0.0E+00	4.5E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-05	0.E+00	2.E-01	0.2
	Butyltins																
	Tributyltin ion	4.6E+01	ug/kg	--	--	1.8E-09	1.5E-09	--	--	--	3.0E-04	3.0E-04	4.2E-09	3.5E-09	1.E-05	1.E-05	0.00003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.0E+03	ug/kg	7.3E-01	7.3E-01	5.1E-08	3.3E-08	4.E-08	2.E-08	6.E-08	--	--	1.2E-07	7.7E-08	--	--	--
	Benzo(a)pyrene	1.2E+03	ug/kg	7.3E+00	7.3E+00	6.2E-08	4.0E-08	5.E-07	3.E-07	7.E-07	--	--	1.4E-07	9.3E-08	--	--	--
	Benzo(b)fluoranthene	1.4E+03	ug/kg	7.3E-01	7.3E-01	7.0E-08	4.5E-08	5.E-08	3.E-08	8.E-08	--	--	1.6E-07	1.1E-07	--	--	--
	Benzo(k)fluoranthene	6.6E+02	ug/kg	7.3E-02	7.3E-02	3.3E-08	2.2E-08	2.E-09	2.E-09	4.E-09	--	--	7.8E-08	5.0E-08	--	--	--
	Dibenzo(a,h)anthracene	4.2E+02	ug/kg	7.3E+00	7.3E+00	2.1E-08	1.4E-08	2.E-07	1.E-07	3.E-07	--	--	5.0E-08	3.2E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	8.3E+02	ug/kg	7.3E-01	7.3E-01	4.2E-08	2.7E-08	3.E-08	2.E-08	5.E-08	--	--	9.8E-08	6.3E-08	--	--	--
	Naphthalene	1.4E+02	ug/kg	--	--	7.0E-09	4.6E-09	--	--	--	2.0E-02	2.0E-02	1.6E-08	1.1E-08	8.E-07	5.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.1E+02	ug/kg	1.4E-02	1.4E-02	4.1E-09	3.5E-09	6.E-11	5.E-11	1.E-10	2.0E-02	2.0E-02	9.6E-09	8.1E-09	5.E-07	4.E-07	0.000001
	Phenols																
	Pentachlorophenol	2.4E+00	ug/kg	4.0E-01	4.0E-01	2.3E-10	7.9E-11	9.E-11	3.E-11	1.E-10	5.0E-03	5.0E-03	5.4E-10	1.8E-10	1.E-07	4.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	9.1E+01	ug/kg	2.0E+00	2.0E+00	5.0E-09	3.0E-09	1.E-08	6.E-09	2.E-08	2.0E-05	2.0E-05	1.2E-08	7.0E-09	6.E-04	3.E-04	0.0009
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.1E+02	pg/g	1.3E+05	1.3E+05	1.3E-12	3.7E-12	2.E-07	5.E-07	7.E-07	1.0E-09	1.0E-09	3.1E-12	8.6E-12	3.E-03	9.E-03	0.01
	Total PCB TEQ	3.0E+00	pg/g	1.3E+05	1.3E+05	1.6E-13	9.7E-14	2.E-08	1.E-08	3.E-08	1.0E-09	1.0E-09	3.8E-13	2.3E-13	4.E-04	2.E-04	0.0006

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	2.5E+00	ug/kg	1.7E+01	1.7E+01	9.7E-11	8.2E-11	2.E-09	1.E-09	3.E-09	3.0E-05	3.0E-05	2.3E-10	1.9E-10	8.E-06	6.E-06	0.00001
	Dieldrin	5.9E-01	ug/kg	1.6E+01	1.6E+01	2.3E-11	1.9E-11	4.E-10	3.E-10	7.E-10	5.0E-05	5.0E-05	5.4E-11	4.5E-11	1.E-06	9.E-07	0.000002
	Total DDT	1.7E+02	ug/kg	3.4E-01	3.4E-01	2.0E-09	5.5E-09	7.E-10	2.E-09	3.E-09	5.0E-04	5.0E-04	4.6E-09	1.3E-08	9.E-06	3.E-05	0.00003
Exposure Point Total										**3.E-06**							**0.2**
RM 6.5 East	**Metals**																
	Arsenic	5.8E+00	mg/kg	1.5E+00	1.5E+00	6.8E-08	1.9E-07	1.E-07	3.E-07	4.E-07	3.0E-04	3.0E-04	1.6E-07	4.4E-07	5.E-04	1.E-03	0.002
	Mercury	1.4E+01	mg/kg	--	--	0.0E+00	4.7E-07	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-06	0.E+00	1.E-02	0.01
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.7E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.5E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	1.1E+02	ug/kg	--	--	4.1E-09	3.4E-09	--	--	--	3.0E-04	3.0E-04	9.5E-09	8.0E-09	3.E-05	3.E-05	0.00006
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.3E+02	ug/kg	7.3E-01	7.3E-01	1.2E-08	7.6E-09	9.E-09	6.E-09	1.E-08	--	--	2.8E-08	1.8E-08	--	--	--
	Benzo(a)pyrene	1.5E+02	ug/kg	7.3E+00	7.3E+00	7.5E-09	4.8E-09	5.E-08	4.E-08	9.E-08	--	--	1.7E-08	1.1E-08	--	--	--
	Benzo(b)fluoranthene	2.3E+02	ug/kg	7.3E-01	7.3E-01	1.2E-08	7.6E-09	9.E-09	6.E-09	1.E-08	--	--	2.8E-08	1.8E-08	--	--	--
	Benzo(k)fluoranthene	1.5E+02	ug/kg	7.3E-02	7.3E-02	7.4E-09	4.8E-09	5.E-10	4.E-10	9.E-10	--	--	1.7E-08	1.1E-08	--	--	--
	Dibenzo(a,h)anthracene	1.9E+01	ug/kg	7.3E+00	7.3E+00	9.6E-10	6.2E-10	7.E-09	5.E-09	1.E-08	--	--	2.2E-09	1.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.0E+02	ug/kg	7.3E-01	7.3E-01	5.2E-09	3.4E-09	4.E-09	2.E-09	6.E-09	--	--	1.2E-08	7.8E-09	--	--	--
	Naphthalene	1.2E+02	ug/kg	--	--	6.2E-09	4.0E-09	--	--	--	2.0E-02	2.0E-02	1.4E-08	9.4E-09	7.E-07	5.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.2E+02	ug/kg	1.4E-02	1.4E-02	4.8E-09	4.0E-09	7.E-11	6.E-11	1.E-10	2.0E-02	2.0E-02	1.1E-08	9.4E-09	6.E-07	5.E-07	0.000001
	Phenols																
	Pentachlorophenol	4.9E+00	ug/kg	4.0E-01	4.0E-01	4.8E-10	1.6E-10	2.E-10	6.E-11	3.E-10	5.0E-03	5.0E-03	1.1E-09	3.8E-10	2.E-07	8.E-08	0.0000003
	Polychlorinated Biphenyls																
	Total Aroclors	1.3E+03	ug/kg	2.0E+00	2.0E+00	7.2E-08	4.3E-08	1.E-07	9.E-08	2.E-07	2.0E-05	2.0E-05	1.7E-07	1.0E-07	8.E-03	5.E-03	0.01
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.9E+01	pg/g	1.3E+05	1.3E+05	1.0E-12	2.9E-12	1.E-07	4.E-07	5.E-07	1.0E-09	1.0E-09	2.4E-12	6.8E-12	2.E-03	7.E-03	0.009
	Total PCB TEQ	1.3E+01	pg/g	1.3E+05	1.3E+05	7.2E-13	4.4E-13	9.E-08	6.E-08	2.E-07	1.0E-09	1.0E-09	1.7E-12	1.0E-12	2.E-03	1.E-03	0.003
	Pesticides																
	Aldrin	2.9E-01	ug/kg	1.7E+01	1.7E+01	1.1E-11	9.5E-12	2.E-10	2.E-10	4.E-10	3.0E-05	3.0E-05	2.6E-11	2.2E-11	9.E-07	7.E-07	0.000002
	Dieldrin	2.0E-01	ug/kg	1.6E+01	1.6E+01	7.6E-12	6.4E-12	1.E-10	1.E-10	2.E-10	5.0E-05	5.0E-05	1.8E-11	1.5E-11	4.E-07	3.E-07	0.000001
	Total DDT	1.3E+02	ug/kg	3.4E-01	3.4E-01	1.5E-09	4.2E-09	5.E-10	1.E-09	2.E-09	5.0E-04	5.0E-04	3.5E-09	9.8E-09	7.E-06	2.E-05	0.00003
Exposure Point Total										**1.E-06**							**0.2**
RM 7 West	**Metals**																
	Arsenic	5.3E+00	mg/kg	1.5E+00	1.5E+00	6.2E-08	1.7E-07	9.E-08	3.E-07	4.E-07	3.0E-04	3.0E-04	1.4E-07	4.0E-07	5.E-04	1.E-03	0.002
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	3.7E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.5E-09	0.E+00	9.E-05	0.00009
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	3.4E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	7.9E-06	0.E+00	1.E-01	0.1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: High frequency Fisher Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	6.4E+00	ug/kg	--	--	2.5E-10	2.1E-10	--	--	--	3.0E-04	3.0E-04	5.8E-10	4.9E-10	2.E-06	2.E-06	0.000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.2E+03	ug/kg	7.3E-01	7.3E-01	1.1E-07	7.2E-08	8.E-08	5.E-08	1.E-07	--	--	2.6E-07	1.7E-07	--	--	--
	Benzo(a)pyrene	1.7E+03	ug/kg	7.3E+00	7.3E+00	8.6E-08	5.6E-08	6.E-07	4.E-07	1.E-06	--	--	2.0E-07	1.3E-07	--	--	--
	Benzo(b)fluoranthene	4.5E+03	ug/kg	7.3E-01	7.3E-01	2.3E-07	1.5E-07	2.E-07	1.E-07	3.E-07	--	--	5.3E-07	3.4E-07	--	--	--
	Benzo(k)fluoranthene	1.4E+03	ug/kg	7.3E-02	7.3E-02	7.2E-08	4.7E-08	5.E-09	3.E-09	9.E-09	--	--	1.7E-07	1.1E-07	--	--	--
	Dibenzo(a,h)anthracene	7.1E+02	ug/kg	7.3E+00	7.3E+00	3.6E-08	2.3E-08	3.E-07	2.E-07	4.E-07	--	--	8.4E-08	5.4E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+03	ug/kg	7.3E-01	7.3E-01	7.0E-08	4.5E-08	5.E-08	3.E-08	8.E-08	--	--	1.6E-07	1.1E-07	--	--	--
	Naphthalene	1.1E+01	ug/kg	--	--	5.5E-10	3.6E-10	--	--	--	2.0E-02	2.0E-02	1.3E-09	8.4E-10	6.E-08	4.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.7E+02	ug/kg	1.4E-02	1.4E-02	1.1E-08	9.0E-09	1.E-10	1.E-10	3.E-10	2.0E-02	2.0E-02	2.5E-08	2.1E-08	1.E-06	1.E-06	0.000002
	Phenols																
	Pentachlorophenol	4.4E+01	ug/kg	4.0E-01	4.0E-01	4.3E-09	1.4E-09	2.E-09	6.E-10	2.E-09	5.0E-03	5.0E-03	1.0E-08	3.4E-09	2.E-06	7.E-07	0.000003
	Polychlorinated Biphenyls																
	Total Aroclors	9.3E+01	ug/kg	2.0E+00	2.0E+00	5.0E-09	3.0E-09	1.E-08	6.E-09	2.E-08	2.0E-05	2.0E-05	1.2E-08	7.1E-09	6.E-04	4.E-04	0.0009
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.4E+04	pg/g	1.3E+05	1.3E+05	1.6E-10	4.6E-10	2.E-05	6.E-05	8.E-05	1.0E-09	1.0E-09	3.8E-10	1.1E-09	4.E-01	1.E+00	1
	Total PCB TEQ	2.7E+01	pg/g	1.3E+05	1.3E+05	1.4E-12	8.7E-13	2.E-07	1.E-07	3.E-07	1.0E-09	1.0E-09	3.4E-12	2.0E-12	3.E-03	2.E-03	0.005
	Pesticides																
	Aldrin	1.9E+02	ug/kg	1.7E+01	1.7E+01	7.5E-09	6.3E-09	1.E-07	1.E-07	2.E-07	3.0E-05	3.0E-05	1.7E-08	1.5E-08	6.E-04	5.E-04	0.001
	Dieldrin	2.0E+00	ug/kg	1.6E+01	1.6E+01	7.9E-11	6.7E-11	1.E-09	1.E-09	2.E-09	5.0E-05	5.0E-05	1.8E-10	1.6E-10	4.E-06	3.E-06	0.00001
	Total DDT	6.3E+03	ug/kg	3.4E-01	3.4E-01	7.3E-08	2.1E-07	2.E-08	7.E-08	9.E-08	5.0E-04	5.0E-04	1.7E-07	4.8E-07	3.E-04	1.E-03	0.001
	Conventionals																
	Perchlorate	2.7E+05	ug/kg	--	--	0.0E+00	9.0E-06	--	--	--	7.0E-04	7.0E-04	0.0E+00	2.1E-05	0.E+00	3.E-02	0.03
Exposure Point Total										8.E-05							2
RM 7 East	**Metals**																
	Arsenic	1.5E+01	mg/kg	1.5E+00	1.5E+00	1.7E-07	4.8E-07	3.E-07	7.E-07	1.E-06	3.0E-04	3.0E-04	4.0E-07	1.1E-06	1.E-03	4.E-03	0.005
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	2.2E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.2E-09	0.E+00	5.E-05	0.00005
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.5E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.3E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	1.0E+03	ug/kg	--	--	4.0E-08	3.4E-08	--	--	--	3.0E-04	3.0E-04	9.4E-08	7.9E-08	3.E-04	3.E-04	0.0006
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.2E+02	ug/kg	7.3E-01	7.3E-01	2.1E-08	1.4E-08	2.E-08	1.E-08	3.E-08	--	--	4.9E-08	3.2E-08	--	--	--
	Benzo(a)pyrene	5.8E+02	ug/kg	7.3E+00	7.3E+00	2.9E-08	1.9E-08	2.E-07	1.E-07	4.E-07	--	--	6.9E-08	4.5E-08	--	--	--
	Benzo(b)fluoranthene	6.7E+02	ug/kg	7.3E-01	7.3E-01	3.4E-08	2.2E-08	2.E-08	2.E-08	4.E-08	--	--	7.9E-08	5.1E-08	--	--	--
	Benzo(k)fluoranthene	6.5E+02	ug/kg	7.3E-02	7.3E-02	3.3E-08	2.1E-08	2.E-09	2.E-09	4.E-09	--	--	7.6E-08	4.9E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: High frequency Fisher Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dibenzo(a,h)anthracene	1.9E+02	ug/kg	7.3E+00	7.3E+00	9.5E-09	6.1E-09	7.E-08	4.E-08	1.E-07	--	--	2.2E-08	1.4E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.9E+02	ug/kg	7.3E-01	7.3E-01	2.0E-08	1.3E-08	1.E-08	9.E-09	2.E-08	--	--	4.6E-08	3.0E-08	--	--	--
	Naphthalene	4.5E+01	ug/kg	--	--	2.3E-09	1.5E-09	--	--	--	2.0E-02	2.0E-02	5.3E-09	3.4E-09	3.E-07	2.E-07	0.0000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+03	ug/kg	1.4E-02	1.4E-02	5.1E-08	4.3E-08	7.E-10	6.E-10	1.E-09	2.0E-02	2.0E-02	1.2E-07	1.0E-07	6.E-06	5.E-06	0.00001
	Phenols																
	Pentachlorophenol	1.2E+02	ug/kg	4.0E-01	4.0E-01	1.1E-08	3.9E-09	5.E-09	2.E-09	6.E-09	5.0E-03	5.0E-03	2.7E-08	9.0E-09	5.E-06	2.E-06	0.00001
	Polychlorinated Biphenyls																
	Total Aroclors	7.0E+01	ug/kg	2.0E+00	2.0E+00	3.8E-09	2.3E-09	8.E-09	5.E-09	1.E-08	2.0E-05	2.0E-05	8.9E-09	5.4E-09	4.E-04	3.E-04	0.0007
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.0E+01	pg/g	1.3E+05	1.3E+05	4.7E-13	1.3E-12	6.E-08	2.E-07	2.E-07	1.0E-09	1.0E-09	1.1E-12	3.0E-12	1.E-03	3.E-03	0.004
	Total PCB TEQ	7.4E-01	pg/g	1.3E+05	1.3E+05	4.0E-14	2.4E-14	5.E-09	3.E-09	8.E-09	1.0E-09	1.0E-09	9.4E-14	5.6E-14	9.E-05	6.E-05	0.0002
	Pesticides																
	Aldrin	4.6E-01	ug/kg	1.7E+01	1.7E+01	1.8E-11	1.5E-11	3.E-10	3.E-10	6.E-10	3.0E-05	3.0E-05	4.2E-11	3.5E-11	1.E-06	1.E-06	0.000003
	Dieldrin	1.2E-01	ug/kg	1.6E+01	1.6E+01	4.5E-12	3.8E-12	7.E-11	6.E-11	1.E-10	5.0E-05	5.0E-05	1.0E-11	8.8E-12	2.E-07	2.E-07	0.0000004
	Total DDT	1.3E+01	ug/kg	3.4E-01	3.4E-01	1.5E-10	4.2E-10	5.E-11	1.E-10	2.E-10	5.0E-04	5.0E-04	3.5E-10	9.8E-10	7.E-07	2.E-06	0.000003
Exposure Point Total										**2.E-06**							**0.1**
RM 7.5 West	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	4.3E-08	1.2E-07	6.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	1.0E-07	2.8E-07	3.E-04	9.E-04	0.001
	Mercury	1.3E-01	mg/kg	--	--	0.0E+00	4.3E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.0E-08	0.E+00	1.E-04	0.0001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	3.4E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.0E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	9.7E+00	ug/kg	--	--	3.8E-10	3.2E-10	--	--	--	3.0E-04	3.0E-04	8.8E-10	7.4E-10	3.E-06	2.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.3E+02	ug/kg	7.3E-01	7.3E-01	2.2E-08	1.4E-08	2.E-08	1.E-08	3.E-08	--	--	5.1E-08	3.3E-08	--	--	--
	Benzo(a)pyrene	3.4E+02	ug/kg	7.3E+00	7.3E+00	1.7E-08	1.1E-08	1.E-07	8.E-08	2.E-07	--	--	4.0E-08	2.6E-08	--	--	--
	Benzo(b)fluoranthene	4.6E+02	ug/kg	7.3E-01	7.3E-01	2.3E-08	1.5E-08	2.E-08	1.E-08	3.E-08	--	--	5.5E-08	3.5E-08	--	--	--
	Benzo(k)fluoranthene	1.3E+02	ug/kg	7.3E-02	7.3E-02	6.5E-09	4.2E-09	5.E-10	3.E-10	8.E-10	--	--	1.5E-08	9.9E-09	--	--	--
	Dibenzo(a,h)anthracene	5.0E+01	ug/kg	7.3E+00	7.3E+00	2.5E-09	1.6E-09	2.E-08	1.E-08	3.E-08	--	--	5.9E-09	3.8E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.9E+02	ug/kg	7.3E-01	7.3E-01	9.6E-09	6.2E-09	7.E-09	5.E-09	1.E-08	--	--	2.2E-08	1.4E-08	--	--	--
	Naphthalene	3.3E+01	ug/kg	--	--	1.7E-09	1.1E-09	--	--	--	2.0E-02	2.0E-02	3.9E-09	2.5E-09	2.E-07	1.E-07	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+02	ug/kg	1.4E-02	1.4E-02	7.1E-09	6.0E-09	1.E-10	8.E-11	2.E-10	2.0E-02	2.0E-02	1.7E-08	1.4E-08	8.E-07	7.E-07	0.000002
	Phenols																
	Pentachlorophenol	2.1E+00	ug/kg	4.0E-01	4.0E-01	2.0E-10	6.8E-11	8.E-11	3.E-11	1.E-10	5.0E-03	5.0E-03	4.7E-10	1.6E-10	9.E-08	3.E-08	0.0000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+02	ug/kg	2.0E+00	2.0E+00	1.4E-08	8.2E-09	3.E-08	2.E-08	4.E-08	2.0E-05	2.0E-05	3.2E-08	1.9E-08	2.E-03	1.E-03	0.003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.6E+00	pg/g	1.3E+05	1.3E+05	3.0E-14	8.5E-14	4.E-09	1.E-08	2.E-08	1.0E-09	1.0E-09	7.1E-14	2.0E-13	7.E-05	2.E-04	0.0003
	Total PCB TEQ	9.2E-01	pg/g	1.3E+05	1.3E+05	5.0E-14	3.0E-14	7.E-09	4.E-09	1.E-08	1.0E-09	1.0E-09	1.2E-13	7.0E-14	1.E-04	7.E-05	0.0002
	Pesticides																
	Aldrin	2.9E-01	ug/kg	1.7E+01	1.7E+01	1.1E-11	9.4E-12	2.E-10	2.E-10	3.E-10	3.0E-05	3.0E-05	2.6E-11	2.2E-11	9.E-07	7.E-07	0.000002
	Dieldrin	7.7E-01	ug/kg	1.6E+01	1.6E+01	3.0E-11	2.5E-11	5.E-10	4.E-10	9.E-10	5.0E-05	5.0E-05	7.0E-11	5.9E-11	1.E-06	1.E-06	0.000003
	Total DDT	1.3E+02	ug/kg	3.4E-01	3.4E-01	1.5E-09	4.2E-09	5.E-10	1.E-09	2.E-09	5.0E-04	5.0E-04	3.5E-09	9.8E-09	7.E-06	2.E-05	0.00003
Exposure Point Total										6.E-07							0.1
RM 7.5 East	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	4.9E-08	1.4E-07	7.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.1E-07	3.2E-07	4.E-04	1.E-03	0.001
	Mercury	1.0E-01	mg/kg	--	--	0.0E+00	3.3E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.6E-09	0.E+00	8.E-05	0.00008
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.5E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.2E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	2.3E+02	ug/kg	--	--	8.9E-09	7.5E-09	--	--	--	3.0E-04	3.0E-04	2.1E-08	1.7E-08	7.E-05	6.E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.0E+01	ug/kg	7.3E-01	7.3E-01	2.0E-09	1.3E-09	1.E-09	9.E-10	2.E-09	--	--	4.7E-09	3.0E-09	--	--	--
	Benzo(a)pyrene	3.5E+01	ug/kg	7.3E+00	7.3E+00	1.8E-09	1.2E-09	1.E-08	8.E-09	2.E-08	--	--	4.2E-09	2.7E-09	--	--	--
	Benzo(b)fluoranthene	4.4E+01	ug/kg	7.3E-01	7.3E-01	2.2E-09	1.4E-09	2.E-09	1.E-09	3.E-09	--	--	5.2E-09	3.4E-09	--	--	--
	Benzo(k)fluoranthene	3.1E+01	ug/kg	7.3E-02	7.3E-02	1.6E-09	1.0E-09	1.E-10	7.E-11	2.E-10	--	--	3.7E-09	2.4E-09	--	--	--
	Dibenzo(a,h)anthracene	1.1E+01	ug/kg	7.3E+00	7.3E+00	5.5E-10	3.6E-10	4.E-09	3.E-09	7.E-09	--	--	1.3E-09	8.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.4E+01	ug/kg	7.3E-01	7.3E-01	1.2E-09	7.8E-10	9.E-10	6.E-10	1.E-09	--	--	2.8E-09	1.8E-09	--	--	--
	Naphthalene	1.1E+01	ug/kg	--	--	5.6E-10	3.6E-10	--	--	--	2.0E-02	2.0E-02	1.3E-09	8.4E-10	6.E-08	4.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.7E+03	ug/kg	1.4E-02	1.4E-02	1.4E-07	1.2E-07	2.E-09	2.E-09	4.E-09	2.0E-02	2.0E-02	3.3E-07	2.8E-07	2.E-05	1.E-05	0.00003
	Polychlorinated Biphenyls																
	Total Aroclors	4.5E+01	ug/kg	2.0E+00	2.0E+00	2.5E-09	1.5E-09	5.E-09	3.E-09	8.E-09	2.0E-05	2.0E-05	5.7E-09	3.4E-09	3.E-04	2.E-04	0.0005
	Pesticides																
	Dieldrin	3.4E-01	ug/kg	1.6E+01	1.6E+01	1.3E-11	1.1E-11	2.E-10	2.E-10	4.E-10	5.0E-05	5.0E-05	3.1E-11	2.6E-11	6.E-07	5.E-07	0.000001
	Total DDT	3.3E+00	ug/kg	3.4E-01	3.4E-01	3.9E-11	1.1E-10	1.E-11	4.E-11	5.E-11	5.0E-04	5.0E-04	9.1E-11	2.5E-10	2.E-07	5.E-07	0.000001
Exposure Point Total										3.E-07							0.1
RM 8 West	**Metals**																
	Arsenic	8.0E+00	mg/kg	1.5E+00	1.5E+00	9.3E-08	2.6E-07	1.E-07	4.E-07	5.E-07	3.0E-04	3.0E-04	2.2E-07	6.1E-07	7.E-04	2.E-03	0.003
	Mercury	3.3E-01	mg/kg	--	--	0.0E+00	1.1E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.5E-08	0.E+00	2.E-04	0.0002
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	3.3E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	7.8E-06	0.E+00	1.E-01	0.1

LWG
Lower Willamette Group

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: High frequency Fisher Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	2.5E+01	ug/kg	--	--	9.6E-10	8.1E-10	--	--	--	3.0E-04	3.0E-04	2.2E-09	1.9E-09	7.E-06	6.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.5E+02	ug/kg	7.3E-01	7.3E-01	2.8E-08	1.8E-08	2.E-08	1.E-08	3.E-08	--	--	6.5E-08	4.2E-08	--	--	--
	Benzo(a)pyrene	4.9E+02	ug/kg	7.3E+00	7.3E+00	2.5E-08	1.6E-08	2.E-07	1.E-07	3.E-07	--	--	5.8E-08	3.7E-08	--	--	--
	Benzo(b)fluoranthene	6.9E+02	ug/kg	7.3E-01	7.3E-01	3.5E-08	2.2E-08	3.E-08	2.E-08	4.E-08	--	--	8.1E-08	5.2E-08	--	--	--
	Benzo(k)fluoranthene	1.2E+02	ug/kg	7.3E-02	7.3E-02	6.2E-09	4.0E-09	5.E-10	3.E-10	7.E-10	--	--	1.5E-08	9.4E-09	--	--	--
	Dibenzo(a,h)anthracene	1.4E+02	ug/kg	7.3E+00	7.3E+00	7.0E-09	4.5E-09	5.E-08	3.E-08	8.E-08	--	--	1.6E-08	1.1E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.2E+02	ug/kg	7.3E-01	7.3E-01	1.6E-08	1.0E-08	1.E-08	8.E-09	2.E-08	--	--	3.7E-08	2.4E-08	--	--	--
	Naphthalene	8.1E+01	ug/kg	--	--	4.1E-09	2.6E-09	--	--	--	2.0E-02	2.0E-02	9.5E-09	6.2E-09	5.E-07	3.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.0E+03	ug/kg	1.4E-02	1.4E-02	1.2E-07	9.8E-08	2.E-09	1.E-09	3.E-09	2.0E-02	2.0E-02	2.7E-07	2.3E-07	1.E-05	1.E-05	0.00003
	Phenols																
	Pentachlorophenol	1.5E+01	ug/kg	4.0E-01	4.0E-01	1.5E-09	4.9E-10	6.E-10	2.E-10	8.E-10	5.0E-03	5.0E-03	3.4E-09	1.2E-09	7.E-07	2.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	4.0E+02	ug/kg	2.0E+00	2.0E+00	2.2E-08	1.3E-08	4.E-08	3.E-08	7.E-08	2.0E-05	2.0E-05	5.1E-08	3.1E-08	3.E-03	2.E-03	0.004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.3E-01	pg/g	1.3E+05	1.3E+05	5.0E-15	1.4E-14	6.E-10	2.E-09	2.E-09	1.0E-09	1.0E-09	1.2E-14	3.2E-14	1.E-05	3.E-05	0.00004
	Total PCB TEQ	6.1E+00	pg/g	1.3E+05	1.3E+05	3.3E-13	2.0E-13	4.E-08	3.E-08	7.E-08	1.0E-09	1.0E-09	7.7E-13	4.6E-13	8.E-04	5.E-04	0.001
	Pesticides																
	Aldrin	1.2E-01	ug/kg	1.7E+01	1.7E+01	4.5E-12	3.8E-12	8.E-11	6.E-11	1.E-10	3.0E-05	3.0E-05	1.0E-11	8.8E-12	3.E-07	3.E-07	0.000001
	Dieldrin	4.6E+00	ug/kg	1.6E+01	1.6E+01	1.8E-10	1.5E-10	3.E-09	2.E-09	5.E-09	5.0E-05	5.0E-05	4.1E-10	3.5E-10	8.E-06	7.E-06	0.00002
	Total DDT	2.1E+01	ug/kg	3.4E-01	3.4E-01	2.5E-10	6.9E-10	8.E-11	2.E-10	3.E-10	5.0E-04	5.0E-04	5.8E-10	1.6E-09	1.E-06	3.E-06	0.000004
Exposure Point Total										1.E-06							0.1
RM 8 East	**Metals**																
	Arsenic	9.1E+00	mg/kg	1.5E+00	1.5E+00	1.1E-07	3.0E-07	2.E-07	4.E-07	6.E-07	3.0E-04	3.0E-04	2.5E-07	6.9E-07	8.E-04	2.E-03	0.003
	Mercury	2.2E-01	mg/kg	--	--	0.0E+00	7.3E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.7E-08	0.E+00	2.E-04	0.0002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.5E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.3E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	5.8E+03	ug/kg	--	--	2.3E-07	1.9E-07	--	--	--	3.0E-04	3.0E-04	5.3E-07	4.4E-07	2.E-03	1.E-03	0.003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.0E+02	ug/kg	7.3E-01	7.3E-01	2.5E-08	1.6E-08	2.E-08	1.E-08	3.E-08	--	--	5.8E-08	3.8E-08	--	--	--
	Benzo(a)pyrene	5.3E+02	ug/kg	7.3E+00	7.3E+00	2.7E-08	1.7E-08	2.E-07	1.E-07	3.E-07	--	--	6.2E-08	4.0E-08	--	--	--
	Benzo(b)fluoranthene	5.5E+02	ug/kg	7.3E-01	7.3E-01	2.8E-08	1.8E-08	2.E-08	1.E-08	3.E-08	--	--	6.5E-08	4.2E-08	--	--	--
	Benzo(k)fluoranthene	3.7E+02	ug/kg	7.3E-02	7.3E-02	1.9E-08	1.2E-08	1.E-09	9.E-10	2.E-09	--	--	4.3E-08	2.8E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dibenzo(a,h)anthracene	4.0E+01	ug/kg	7.3E+00	7.3E+00	2.0E-09	1.3E-09	1.E-08	1.E-08	2.E-08	--	--	4.7E-09	3.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.7E+02	ug/kg	7.3E-01	7.3E-01	1.9E-08	1.2E-08	1.E-08	9.E-09	2.E-08	--	--	4.3E-08	2.8E-08	--	--	--
	Naphthalene	2.2E+01	ug/kg	--	--	1.1E-09	7.1E-10	--	--	--	2.0E-02	2.0E-02	2.6E-09	1.7E-09	1.E-07	8.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+03	ug/kg	1.4E-02	1.4E-02	5.1E-08	4.3E-08	7.E-10	6.E-10	1.E-09	2.0E-02	2.0E-02	1.2E-07	1.0E-07	6.E-06	5.E-06	0.00001
	Phenols																
	Pentachlorophenol	2.7E+01	ug/kg	4.0E-01	4.0E-01	2.6E-09	8.8E-10	1.E-09	4.E-10	1.E-09	5.0E-03	5.0E-03	6.1E-09	2.0E-09	1.E-06	4.E-07	0.000002
	Polychlorinated Biphenyls																
	Total Aroclors	5.8E+02	ug/kg	2.0E+00	2.0E+00	3.1E-08	1.9E-08	6.E-08	4.E-08	1.E-07	2.0E-05	2.0E-05	7.3E-08	4.4E-08	4.E-03	2.E-03	0.006
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.1E+00	pg/g	1.3E+05	1.3E+05	2.4E-14	6.8E-14	3.E-09	9.E-09	1.E-08	1.0E-09	1.0E-09	5.7E-14	1.6E-13	6.E-05	2.E-04	0.0002
	Total PCB TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	9.5E-13	5.7E-13	1.E-07	7.E-08	2.E-07	1.0E-09	1.0E-09	2.2E-12	1.3E-12	2.E-03	1.E-03	0.004
	Pesticides																
	Aldrin	4.4E-01	ug/kg	1.7E+01	1.7E+01	1.7E-11	1.5E-11	3.E-10	2.E-10	5.E-10	3.0E-05	3.0E-05	4.0E-11	3.4E-11	1.E-06	1.E-06	0.000002
	Dieldrin	4.7E+00	ug/kg	1.6E+01	1.6E+01	1.8E-10	1.5E-10	3.E-09	2.E-09	5.E-09	5.0E-05	5.0E-05	4.2E-10	3.6E-10	8.E-06	7.E-06	0.00002
	Total DDT	9.4E+01	ug/kg	3.4E-01	3.4E-01	1.1E-09	3.1E-09	4.E-10	1.E-09	1.E-09	5.0E-04	5.0E-04	2.5E-09	7.2E-09	5.E-06	1.E-05	0.00002
Exposure Point Total										1.E-06							0.1
RM 8 SIL	**Metals**																
	Arsenic	5.9E+00	mg/kg	1.5E+00	1.5E+00	6.9E-08	1.9E-07	1.E-07	3.E-07	4.E-07	3.0E-04	3.0E-04	1.6E-07	4.5E-07	5.E-04	2.E-03	0.002
	Mercury	1.4E-01	mg/kg	--	--	0.0E+00	4.5E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-08	0.E+00	1.E-04	0.0001
	Vanadium	1.2E+02	mg/kg	--	--	0.0E+00	4.0E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	9.4E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	2.1E+04	ug/kg	--	--	8.2E-07	6.9E-07	--	--	--	3.0E-04	3.0E-04	1.9E-06	1.6E-06	6.E-03	5.E-03	0.01
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.4E+02	ug/kg	7.3E-01	7.3E-01	2.7E-08	1.8E-08	2.E-08	1.E-08	3.E-08	--	--	6.3E-08	4.1E-08	--	--	--
	Benzo(a)pyrene	3.6E+02	ug/kg	7.3E+00	7.3E+00	1.8E-08	1.2E-08	1.E-07	9.E-08	2.E-07	--	--	4.2E-08	2.7E-08	--	--	--
	Benzo(b)fluoranthene	7.0E+02	ug/kg	7.3E-01	7.3E-01	3.5E-08	2.3E-08	3.E-08	2.E-08	4.E-08	--	--	8.2E-08	5.3E-08	--	--	--
	Benzo(k)fluoranthene	3.5E+02	ug/kg	7.3E-02	7.3E-02	1.8E-08	1.1E-08	1.E-09	8.E-10	2.E-09	--	--	4.1E-08	2.6E-08	--	--	--
	Dibenzo(a,h)anthracene	7.1E+01	ug/kg	7.3E+00	7.3E+00	3.6E-09	2.3E-09	3.E-08	2.E-08	4.E-08	--	--	8.4E-09	5.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.1E+02	ug/kg	7.3E-01	7.3E-01	1.0E-08	6.8E-09	8.E-09	5.E-09	1.E-08	--	--	2.4E-08	1.6E-08	--	--	--
	Naphthalene	3.0E+01	ug/kg	--	--	1.5E-09	9.9E-10	--	--	--	2.0E-02	2.0E-02	3.6E-09	2.3E-09	2.E-07	1.E-07	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.1E+04	ug/kg	1.4E-02	1.4E-02	1.6E-06	1.3E-06	2.E-08	2.E-08	4.E-08	2.0E-02	2.0E-02	3.7E-06	3.1E-06	2.E-04	2.E-04	0.0003
	Phenols																
	Pentachlorophenol	3.3E+01	ug/kg	4.0E-01	4.0E-01	3.2E-09	1.1E-09	1.E-09	4.E-10	2.E-09	5.0E-03	5.0E-03	7.4E-09	2.5E-09	1.E-06	5.E-07	0.000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polychlorinated Biphenyls																
	Total Aroclors	5.3E+02	ug/kg	2.0E+00	2.0E+00	2.9E-08	1.7E-08	6.E-08	3.E-08	9.E-08	2.0E-05	2.0E-05	6.7E-08	4.0E-08	3.E-03	2.E-03	0.005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.3E+01	pg/g	1.3E+05	1.3E+05	3.9E-13	1.1E-12	5.E-08	1.E-07	2.E-07	1.0E-09	1.0E-09	9.0E-13	2.5E-12	9.E-04	3.E-03	0.003
	Total PCB TEQ	8.8E+01	pg/g	1.3E+05	1.3E+05	4.8E-12	2.9E-12	6.E-07	4.E-07	1.E-06	1.0E-09	1.0E-09	1.1E-11	6.7E-12	1.E-02	7.E-03	0.02
	Pesticides																
	Aldrin	3.6E-01	ug/kg	1.7E+01	1.7E+01	1.4E-11	1.2E-11	2.E-10	2.E-10	4.E-10	3.0E-05	3.0E-05	3.2E-11	2.7E-11	1.E-06	9.E-07	0.000002
	Dieldrin	1.4E+00	ug/kg	1.6E+01	1.6E+01	5.5E-11	4.6E-11	9.E-10	7.E-10	2.E-09	5.0E-05	5.0E-05	1.3E-10	1.1E-10	3.E-06	2.E-06	0.000005
	Total DDT	1.2E+01	ug/kg	3.4E-01	3.4E-01	1.4E-10	3.9E-10	5.E-11	1.E-10	2.E-10	5.0E-04	5.0E-04	3.2E-10	9.1E-10	6.E-07	2.E-06	0.000002
Exposure Point Total										2.E-06							0.2
RM 8.5 West	**Metals**																
	Arsenic	1.2E+01	mg/kg	1.5E+00	1.5E+00	1.4E-07	3.8E-07	2.E-07	6.E-07	8.E-07	3.0E-04	3.0E-04	3.2E-07	8.9E-07	1.E-03	3.E-03	0.004
	Mercury	4.7E-01	mg/kg	--	--	0.0E+00	1.5E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.6E-08	0.E+00	4.E-04	0.0004
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.5E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.2E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	1.7E+01	ug/kg	--	--	6.5E-10	5.4E-10	--	--	--	3.0E-04	3.0E-04	1.5E-09	1.3E-09	5.E-06	4.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+02	ug/kg	7.3E-01	7.3E-01	8.9E-09	5.8E-09	7.E-09	4.E-09	1.E-08	--	--	2.1E-08	1.4E-08	--	--	--
	Benzo(a)pyrene	2.2E+02	ug/kg	7.3E+00	7.3E+00	1.1E-08	7.3E-09	8.E-08	5.E-08	1.E-07	--	--	2.6E-08	1.7E-08	--	--	--
	Benzo(b)fluoranthene	1.8E+02	ug/kg	7.3E-01	7.3E-01	9.2E-09	6.0E-09	7.E-09	4.E-09	1.E-08	--	--	2.1E-08	1.4E-08	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	5.7E-09	3.7E-09	4.E-10	3.E-10	7.E-10	--	--	1.3E-08	8.6E-09	--	--	--
	Dibenzo(a,h)anthracene	1.7E+01	ug/kg	7.3E+00	7.3E+00	8.4E-10	5.4E-10	6.E-09	4.E-09	1.E-08	--	--	2.0E-09	1.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	7.6E+01	ug/kg	7.3E-01	7.3E-01	3.8E-09	2.5E-09	3.E-09	2.E-09	5.E-09	--	--	8.9E-09	5.8E-09	--	--	--
	Naphthalene	3.7E+01	ug/kg	--	--	1.9E-09	1.2E-09	--	--	--	2.0E-02	2.0E-02	4.3E-09	2.8E-09	2.E-07	1.E-07	0.0000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.7E+03	ug/kg	1.4E-02	1.4E-02	6.7E-08	5.7E-08	9.E-10	8.E-10	2.E-09	2.0E-02	2.0E-02	1.6E-07	1.3E-07	8.E-06	7.E-06	0.00001
	Phenols																
	Pentachlorophenol	3.9E+00	ug/kg	4.0E-01	4.0E-01	3.8E-10	1.3E-10	2.E-10	5.E-11	2.E-10	5.0E-03	5.0E-03	8.8E-10	3.0E-10	2.E-07	6.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	8.5E+03	ug/kg	2.0E+00	2.0E+00	4.6E-07	2.8E-07	9.E-07	6.E-07	1.E-06	2.0E-05	2.0E-05	1.1E-06	6.5E-07	5.E-02	3.E-02	0.09
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.8E+01	pg/g	1.3E+05	1.3E+05	2.1E-13	6.0E-13	3.E-08	8.E-08	1.E-07	1.0E-09	1.0E-09	4.9E-13	1.4E-12	5.E-04	1.E-03	0.002
	Total PCB TEQ	2.4E+02	pg/g	1.3E+05	1.3E+05	1.3E-11	7.8E-12	2.E-06	1.E-06	3.E-06	1.0E-09	1.0E-09	3.0E-11	1.8E-11	3.E-02	2.E-02	0.05

LWG
Lower Willamette Group

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	3.2E+01	ug/kg	1.7E+01	1.7E+01	1.3E-09	1.1E-09	2.E-08	2.E-08	4.E-08	3.0E-05	3.0E-05	2.9E-09	2.5E-09	1.E-04	8.E-05	0.0002
	Dieldrin	3.9E+01	ug/kg	1.6E+01	1.6E+01	1.5E-09	1.3E-09	2.E-08	2.E-08	4.E-08	5.0E-05	5.0E-05	3.5E-09	2.9E-09	7.E-05	6.E-05	0.0001
	Total DDT	2.2E+01	ug/kg	3.4E-01	3.4E-01	2.6E-10	7.3E-10	9.E-11	2.E-10	3.E-10	5.0E-04	5.0E-04	6.0E-10	1.7E-09	1.E-06	3.E-06	0.000005
Exposure Point Total										5.E-06							0.3
RM 8.5 East	**Metals**																
	Arsenic	9.0E+00	mg/kg	1.5E+00	1.5E+00	1.1E-07	3.0E-07	2.E-07	4.E-07	6.E-07	3.0E-04	3.0E-04	2.5E-07	6.9E-07	8.E-04	2.E-03	0.003
	Mercury	1.8E-01	mg/kg	--	--	0.0E+00	6.0E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-08	0.E+00	1.E-04	0.0001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.4E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.0E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	3.1E+01	ug/kg	--	--	1.2E-09	1.0E-09	--	--	--	3.0E-04	3.0E-04	2.8E-09	2.3E-09	9.E-06	8.E-06	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.7E+01	ug/kg	7.3E-01	7.3E-01	4.9E-09	3.2E-09	4.E-09	2.E-09	6.E-09	--	--	1.1E-08	7.4E-09	--	--	--
	Benzo(a)pyrene	1.0E+02	ug/kg	7.3E+00	7.3E+00	5.1E-09	3.3E-09	4.E-08	2.E-08	6.E-08	--	--	1.2E-08	7.7E-09	--	--	--
	Benzo(b)fluoranthene	1.4E+02	ug/kg	7.3E-01	7.3E-01	6.9E-09	4.4E-09	5.E-09	3.E-09	8.E-09	--	--	1.6E-08	1.0E-08	--	--	--
	Benzo(k)fluoranthene	9.8E+01	ug/kg	7.3E-02	7.3E-02	4.9E-09	3.2E-09	4.E-10	2.E-10	6.E-10	--	--	1.2E-08	7.5E-09	--	--	--
	Dibenzo(a,h)anthracene	1.2E+01	ug/kg	7.3E+00	7.3E+00	5.8E-10	3.8E-10	4.E-09	3.E-09	7.E-09	--	--	1.4E-09	8.8E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	8.0E+01	ug/kg	7.3E-01	7.3E-01	4.1E-09	2.6E-09	3.E-09	2.E-09	5.E-09	--	--	9.5E-09	6.1E-09	--	--	--
	Naphthalene	1.5E+02	ug/kg	--	--	7.5E-09	4.8E-09	--	--	--	2.0E-02	2.0E-02	1.7E-08	1.1E-08	9.E-07	6.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.2E+02	ug/kg	1.4E-02	1.4E-02	3.6E-08	3.0E-08	5.E-10	4.E-10	9.E-10	2.0E-02	2.0E-02	8.4E-08	7.1E-08	4.E-06	4.E-06	0.00001
	Polychlorinated Biphenyls																
	Total Aroclors	7.2E+01	ug/kg	2.0E+00	2.0E+00	3.9E-09	2.4E-09	8.E-09	5.E-09	1.E-08	2.0E-05	2.0E-05	9.2E-09	5.5E-09	5.E-04	3.E-04	0.0007
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.4E-01	pg/g	1.3E+05	1.3E+05	1.1E-14	3.1E-14	1.E-09	4.E-09	5.E-09	1.0E-09	1.0E-09	2.6E-14	7.2E-14	3.E-05	7.E-05	0.0001
	Total PCB TEQ	5.9E-01	pg/g	1.3E+05	1.3E+05	3.2E-14	1.9E-14	4.E-09	3.E-09	7.E-09	1.0E-09	1.0E-09	7.5E-14	4.5E-14	8.E-05	5.E-05	0.0001
	Pesticides																
	Aldrin	4.1E-02	ug/kg	1.7E+01	1.7E+01	1.6E-12	1.3E-12	3.E-11	2.E-11	5.E-11	3.0E-05	3.0E-05	3.7E-12	3.1E-12	1.E-07	1.E-07	0.0000002
	Dieldrin	4.4E-01	ug/kg	1.6E+01	1.6E+01	1.7E-11	1.4E-11	3.E-10	2.E-10	5.E-10	5.0E-05	5.0E-05	4.0E-11	3.3E-11	8.E-07	7.E-07	0.000001
	Total DDT	2.3E+00	ug/kg	3.4E-01	3.4E-01	2.7E-11	7.5E-11	9.E-12	3.E-11	5.E-11	5.0E-04	5.0E-04	6.2E-11	1.7E-10	1.E-07	3.E-07	0.0000005
Exposure Point Total										7.E-07							0.1
RM 9 West	**Metals**																
	Arsenic	5.0E+00	mg/kg	1.5E+00	1.5E+00	5.8E-08	1.6E-07	9.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.3E-07	3.8E-07	4.E-04	1.E-03	0.002
	Mercury	2.3E-01	mg/kg	--	--	0.0E+00	7.7E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.8E-08	0.E+00	2.E-04	0.0002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.7E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.6E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	1.7E+01	ug/kg	--	--	6.5E-10	5.4E-10	--	--	--	3.0E-04	3.0E-04	1.5E-09	1.3E-09	5.E-06	4.E-06	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.2E+02	ug/kg	7.3E-01	7.3E-01	1.6E-08	1.0E-08	1.E-08	8.E-09	2.E-08	--	--	3.7E-08	2.4E-08	--	--	--
	Benzo(a)pyrene	1.9E+02	ug/kg	7.3E+00	7.3E+00	9.7E-09	6.3E-09	7.E-08	5.E-08	1.E-07	--	--	2.3E-08	1.5E-08	--	--	--
	Benzo(b)fluoranthene	3.0E+02	ug/kg	7.3E-01	7.3E-01	1.5E-08	1.0E-08	1.E-08	7.E-09	2.E-08	--	--	3.6E-08	2.3E-08	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	5.8E-09	3.7E-09	4.E-10	3.E-10	7.E-10	--	--	1.3E-08	8.7E-09	--	--	--
	Dibenzo(a,h)anthracene	4.8E+01	ug/kg	7.3E+00	7.3E+00	2.4E-09	1.6E-09	2.E-08	1.E-08	3.E-08	--	--	5.6E-09	3.6E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	6.0E-09	3.9E-09	4.E-09	3.E-09	7.E-09	--	--	1.4E-08	9.1E-09	--	--	--
	Naphthalene	2.5E+01	ug/kg	--	--	1.3E-09	8.2E-10	--	--	--	2.0E-02	2.0E-02	2.9E-09	1.9E-09	1.E-07	1.E-07	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.4E+02	ug/kg	1.4E-02	1.4E-02	1.7E-08	1.5E-08	2.E-10	2.E-10	4.E-10	2.0E-02	2.0E-02	4.0E-08	3.4E-08	2.E-06	2.E-06	0.000004
	Phenols																
	Pentachlorophenol	4.5E+01	ug/kg	4.0E-01	4.0E-01	4.4E-09	1.5E-09	2.E-09	6.E-10	2.E-09	5.0E-03	5.0E-03	1.0E-08	3.4E-09	2.E-06	7.E-07	0.000003
	Polychlorinated Biphenyls																
	Total Aroclors	2.3E+03	ug/kg	2.0E+00	2.0E+00	1.3E-07	7.6E-08	3.E-07	2.E-07	4.E-07	2.0E-05	2.0E-05	2.9E-07	1.8E-07	1.E-02	9.E-03	0.02
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.0E+00	pg/g	1.3E+05	1.3E+05	6.9E-14	1.9E-13	9.E-09	3.E-08	3.E-08	1.0E-09	1.0E-09	1.6E-13	4.5E-13	2.E-04	5.E-04	0.0006
	Total PCB TEQ	3.2E+01	pg/g	1.3E+05	1.3E+05	1.7E-12	1.0E-12	2.E-07	1.E-07	4.E-07	1.0E-09	1.0E-09	4.1E-12	2.4E-12	4.E-03	2.E-03	0.007
	Pesticides																
	Aldrin	1.4E+00	ug/kg	1.7E+01	1.7E+01	5.5E-11	4.6E-11	9.E-10	8.E-10	2.E-09	3.0E-05	3.0E-05	1.3E-10	1.1E-10	4.E-06	4.E-06	0.00001
	Dieldrin	6.3E-01	ug/kg	1.6E+01	1.6E+01	2.4E-11	2.1E-11	4.E-10	3.E-10	7.E-10	5.0E-05	5.0E-05	5.7E-11	4.8E-11	1.E-06	1.E-06	0.000002
	Total DDT	9.9E+00	ug/kg	3.4E-01	3.4E-01	1.2E-10	3.2E-10	4.E-11	1.E-10	1.E-10	5.0E-04	5.0E-04	2.7E-10	7.6E-10	5.E-07	2.E-06	0.000002
Exposure Point Total										**1.E-06**							**0.2**
RM 9 East	**Metals**																
	Arsenic	4.8E+00	mg/kg	1.5E+00	1.5E+00	5.6E-08	1.6E-07	8.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.3E-07	3.7E-07	4.E-04	1.E-03	0.002
	Mercury	6.1E-02	mg/kg	--	--	0.0E+00	2.0E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.7E-09	0.E+00	5.E-05	0.00005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+01	ug/kg	7.3E-01	7.3E-01	7.0E-10	4.5E-10	5.E-10	3.E-10	8.E-10	--	--	1.6E-09	1.1E-09	--	--	--
	Benzo(a)pyrene	1.7E+01	ug/kg	7.3E+00	7.3E+00	8.8E-10	5.7E-10	6.E-09	4.E-09	1.E-08	--	--	2.1E-09	1.3E-09	--	--	--
	Benzo(b)fluoranthene	2.4E+01	ug/kg	7.3E-01	7.3E-01	1.2E-09	7.8E-10	9.E-10	6.E-10	1.E-09	--	--	2.8E-09	1.8E-09	--	--	--
	Benzo(k)fluoranthene	1.1E+01	ug/kg	7.3E-02	7.3E-02	5.3E-10	3.5E-10	4.E-11	3.E-11	6.E-11	--	--	1.2E-09	8.1E-10	--	--	--
	Dibenzo(a,h)anthracene	2.9E+00	ug/kg	7.3E+00	7.3E+00	1.5E-10	9.5E-11	1.E-09	7.E-10	2.E-09	--	--	3.4E-10	2.2E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+01	ug/kg	7.3E-01	7.3E-01	7.3E-10	4.7E-10	5.E-10	3.E-10	9.E-10	--	--	1.7E-09	1.1E-09	--	--	--
	Naphthalene	8.9E+00	ug/kg	--	--	4.5E-10	2.9E-10	--	--	--	2.0E-02	2.0E-02	1.0E-09	6.8E-10	5.E-08	3.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.0E+03	ug/kg	1.4E-02	1.4E-02	7.7E-08	6.5E-08	1.E-09	9.E-10	2.E-09	2.0E-02	2.0E-02	1.8E-07	1.5E-07	9.E-06	8.E-06	0.00002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polychlorinated Biphenyls																
	Total Aroclors	1.0E+02	ug/kg	2.0E+00	2.0E+00	5.5E-09	3.3E-09	1.E-08	7.E-09	2.E-08	2.0E-05	2.0E-05	1.3E-08	7.7E-09	6.E-04	4.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.2E-01	pg/g	1.3E+05	1.3E+05	2.5E-15	7.1E-15	3.E-10	9.E-10	1.E-09	1.0E-09	1.0E-09	5.9E-15	1.6E-14	6.E-06	2.E-05	0.00002
	Total PCB TEQ	6.3E-01	pg/g	1.3E+05	1.3E+05	3.4E-14	2.1E-14	4.E-09	3.E-09	7.E-09	1.0E-09	1.0E-09	8.0E-14	4.8E-14	8.E-05	5.E-05	0.0001
	Pesticides																
	Dieldrin	2.6E-01	ug/kg	1.6E+01	1.6E+01	1.0E-11	8.5E-12	2.E-10	1.E-10	3.E-10	5.0E-05	5.0E-05	2.4E-11	2.0E-11	5.E-07	4.E-07	0.000001
	Total DDT	1.9E+00	ug/kg	3.4E-01	3.4E-01	2.3E-11	6.3E-11	8.E-12	2.E-11	3.E-11	5.0E-04	5.0E-04	5.3E-11	1.5E-10	1.E-07	3.E-07	0.0000004
Exposure Point Total										4.E-07							0.003
RM 9.5 West	**Metals**																
	Arsenic	4.5E+00	mg/kg	1.5E+00	1.5E+00	5.3E-08	1.5E-07	8.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.2E-07	3.4E-07	4.E-04	1.E-03	0.002
	Mercury	7.5E-02	mg/kg	--	--	0.0E+00	2.4E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.7E-09	0.E+00	6.E-05	0.00006
	Butyltins																
	Tributyltin ion	1.0E+01	ug/kg	--	--	3.9E-10	3.3E-10	--	--	--	3.0E-04	3.0E-04	9.1E-10	7.6E-10	3.E-06	3.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+02	ug/kg	7.3E-01	7.3E-01	1.3E-08	8.4E-09	9.E-09	6.E-09	2.E-08	--	--	3.0E-08	2.0E-08	--	--	--
	Benzo(a)pyrene	3.6E+02	ug/kg	7.3E+00	7.3E+00	1.8E-08	1.2E-08	1.E-07	9.E-08	2.E-07	--	--	4.2E-08	2.7E-08	--	--	--
	Benzo(b)fluoranthene	5.3E+02	ug/kg	7.3E-01	7.3E-01	2.7E-08	1.7E-08	2.E-08	1.E-08	3.E-08	--	--	6.2E-08	4.0E-08	--	--	--
	Benzo(k)fluoranthene	2.4E+02	ug/kg	7.3E-02	7.3E-02	1.2E-08	7.7E-09	9.E-10	6.E-10	1.E-09	--	--	2.8E-08	1.8E-08	--	--	--
	Dibenzo(a,h)anthracene	1.3E+02	ug/kg	7.3E+00	7.3E+00	6.6E-09	4.3E-09	5.E-08	3.E-08	8.E-08	--	--	1.5E-08	9.9E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.0E+02	ug/kg	7.3E-01	7.3E-01	1.5E-08	9.8E-09	1.E-08	7.E-09	2.E-08	--	--	3.5E-08	2.3E-08	--	--	--
	Naphthalene	2.2E+02	ug/kg	--	--	1.1E-08	7.3E-09	--	--	--	2.0E-02	2.0E-02	2.6E-08	1.7E-08	1.E-06	8.E-07	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.4E+03	ug/kg	1.4E-02	1.4E-02	9.2E-08	7.7E-08	1.E-09	1.E-09	2.E-09	2.0E-02	2.0E-02	2.1E-07	1.8E-07	1.E-05	9.E-06	0.00002
	Phenols																
	Pentachlorophenol	9.8E+01	ug/kg	4.0E-01	4.0E-01	9.5E-09	3.2E-09	4.E-09	1.E-09	5.E-09	5.0E-03	5.0E-03	2.2E-08	7.5E-09	4.E-06	1.E-06	0.00001
	Polychlorinated Biphenyls																
	Total Aroclors	3.0E+02	ug/kg	2.0E+00	2.0E+00	1.6E-08	9.9E-09	3.E-08	2.E-08	5.E-08	2.0E-05	2.0E-05	3.8E-08	2.3E-08	2.E-03	1.E-03	0.003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	1.9E-13	5.4E-13	3.E-08	7.E-08	1.E-07	1.0E-09	1.0E-09	4.5E-13	1.3E-12	4.E-04	1.E-03	0.002
	Total PCB TEQ	4.8E+00	pg/g	1.3E+05	1.3E+05	2.6E-13	1.6E-13	3.E-08	2.E-08	5.E-08	1.0E-09	1.0E-09	6.1E-13	3.6E-13	6.E-04	4.E-04	0.001
	Pesticides																
	Aldrin	2.8E+00	ug/kg	1.7E+01	1.7E+01	1.1E-10	9.1E-11	2.E-09	2.E-09	3.E-09	3.0E-05	3.0E-05	2.5E-10	2.1E-10	8.E-06	7.E-06	0.00002
	Dieldrin	4.9E+00	ug/kg	1.6E+01	1.6E+01	1.9E-10	1.6E-10	3.E-09	3.E-09	6.E-09	5.0E-05	5.0E-05	4.4E-10	3.7E-10	9.E-06	7.E-06	0.00002
	Total DDT	4.5E+00	ug/kg	3.4E-01	3.4E-01	5.3E-11	1.5E-10	2.E-11	5.E-11	7.E-11	5.0E-04	5.0E-04	1.2E-10	3.4E-10	2.E-07	7.E-07	0.000001
Exposure Point Total										9.E-07							0.007

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 9.5 East	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	4.3E-08	1.2E-07	6.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	9.9E-08	2.8E-07	3.E-04	9.E-04	0.001
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	4.0E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.4E-09	0.E+00	9.E-05	0.00009
	Butyltins																
	Tributyltin ion	3.6E+00	ug/kg	--	--	1.4E-10	1.2E-10	--	--	--	3.0E-04	3.0E-04	3.3E-10	2.7E-10	1.E-06	9.E-07	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.0E+01	ug/kg	7.3E-01	7.3E-01	1.5E-09	9.8E-10	1.E-09	7.E-10	2.E-09	--	--	3.5E-09	2.3E-09	--	--	--
	Benzo(a)pyrene	3.4E+01	ug/kg	7.3E+00	7.3E+00	1.7E-09	1.1E-09	1.E-08	8.E-09	2.E-08	--	--	4.1E-09	2.6E-09	--	--	--
	Benzo(b)fluoranthene	4.0E+01	ug/kg	7.3E-01	7.3E-01	2.0E-09	1.3E-09	1.E-09	1.E-09	2.E-09	--	--	4.7E-09	3.0E-09	--	--	--
	Benzo(k)fluoranthene	2.4E+01	ug/kg	7.3E-02	7.3E-02	1.2E-09	7.8E-10	9.E-11	6.E-11	1.E-10	--	--	2.8E-09	1.8E-09	--	--	--
	Dibenzo(a,h)anthracene	9.2E+00	ug/kg	7.3E+00	7.3E+00	4.6E-10	3.0E-10	3.E-09	2.E-09	6.E-09	--	--	1.1E-09	7.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.7E+01	ug/kg	7.3E-01	7.3E-01	1.4E-09	8.9E-10	1.E-09	7.E-10	2.E-09	--	--	3.2E-09	2.1E-09	--	--	--
	Naphthalene	4.8E+00	ug/kg	--	--	2.4E-10	1.6E-10	--	--	--	2.0E-02	2.0E-02	5.7E-10	3.7E-10	3.E-08	2.E-08	0.00000005
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.6E+02	ug/kg	1.4E-02	1.4E-02	1.0E-08	8.5E-09	1.E-10	1.E-10	3.E-10	2.0E-02	2.0E-02	2.3E-08	2.0E-08	1.E-06	1.E-06	0.000002
	Phenols																
	Pentachlorophenol	3.4E+00	ug/kg	4.0E-01	4.0E-01	3.3E-10	1.1E-10	1.E-10	4.E-11	2.E-10	5.0E-03	5.0E-03	7.7E-10	2.6E-10	2.E-07	5.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	5.6E+01	ug/kg	2.0E+00	2.0E+00	3.1E-09	1.8E-09	6.E-09	4.E-09	1.E-08	2.0E-05	2.0E-05	7.1E-09	4.3E-09	4.E-04	2.E-04	0.0006
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.1E+00	pg/g	1.3E+05	1.3E+05	1.3E-14	3.7E-14	2.E-09	5.E-09	7.E-09	1.0E-09	1.0E-09	3.1E-14	8.7E-14	3.E-05	9.E-05	0.0001
	Total PCB TEQ	3.3E-01	pg/g	1.3E+05	1.3E+05	1.8E-14	1.1E-14	2.E-09	1.E-09	4.E-09	1.0E-09	1.0E-09	4.1E-14	2.5E-14	4.E-05	2.E-05	0.00007
	Pesticides																
	Aldrin	4.7E-01	ug/kg	1.7E+01	1.7E+01	1.8E-11	1.5E-11	3.E-10	3.E-10	6.E-10	3.0E-05	3.0E-05	4.3E-11	3.6E-11	1.E-06	1.E-06	0.000003
	Dieldrin	4.3E-02	ug/kg	1.6E+01	1.6E+01	1.7E-12	1.4E-12	3.E-11	2.E-11	5.E-11	5.0E-05	5.0E-05	3.9E-12	3.3E-12	8.E-08	7.E-08	0.0000001
	Total DDT	1.6E+00	ug/kg	3.4E-01	3.4E-01	1.8E-11	5.1E-11	6.E-12	2.E-11	2.E-11	5.0E-04	5.0E-04	4.2E-11	1.2E-10	8.E-08	2.E-07	0.0000003
Exposure Point Total										3.E-07							0.002
RM 10 West	**Metals**																
	Arsenic	2.9E+01	mg/kg	1.5E+00	1.5E+00	3.4E-07	9.4E-07	5.E-07	1.E-06	2.E-06	3.0E-04	3.0E-04	7.8E-07	2.2E-06	3.E-03	7.E-03	0.01
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	3.6E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.4E-09	0.E+00	8.E-05	0.00008
	Butyltins																
	Tributyltin ion	3.4E+00	ug/kg	--	--	1.3E-10	1.1E-10	--	--	--	3.0E-04	3.0E-04	3.1E-10	2.6E-10	1.E-06	9.E-07	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.2E+02	ug/kg	7.3E-01	7.3E-01	1.6E-08	1.1E-08	1.E-08	8.E-09	2.E-08	--	--	3.8E-08	2.5E-08	--	--	--
	Benzo(a)pyrene	3.4E+02	ug/kg	7.3E+00	7.3E+00	1.7E-08	1.1E-08	1.E-07	8.E-08	2.E-07	--	--	4.0E-08	2.6E-08	--	--	--
	Benzo(b)fluoranthene	4.3E+02	ug/kg	7.3E-01	7.3E-01	2.2E-08	1.4E-08	2.E-08	1.E-08	3.E-08	--	--	5.1E-08	3.3E-08	--	--	--
	Benzo(k)fluoranthene	1.8E+02	ug/kg	7.3E-02	7.3E-02	9.3E-09	6.0E-09	7.E-10	4.E-10	1.E-09	--	--	2.2E-08	1.4E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future　　　　　　Medium: Sediment
Receptor Population: High frequency Fisher　　　Exposure Medium: In-water Sediment
Population Age: Adult　　　　　　　　　　　　Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dibenzo(a,h)anthracene	7.5E+01	ug/kg	7.3E+00	7.3E+00	3.8E-09	2.4E-09	3.E-08	2.E-08	5.E-08	--	--	8.8E-09	5.7E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.0E+02	ug/kg	7.3E-01	7.3E-01	1.5E-08	9.9E-09	1.E-08	7.E-09	2.E-08	--	--	3.6E-08	2.3E-08	--	--	--
	Naphthalene	5.9E+01	ug/kg	--	--	3.0E-09	1.9E-09	--	--	--	2.0E-02	2.0E-02	6.9E-09	4.5E-09	3.E-07	2.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+02	ug/kg	1.4E-02	1.4E-02	7.1E-09	6.0E-09	1.E-10	8.E-11	2.E-10	2.0E-02	2.0E-02	1.7E-08	1.4E-08	8.E-07	7.E-07	0.000002
	Phenols																
	Pentachlorophenol	7.5E+00	ug/kg	4.0E-01	4.0E-01	7.3E-10	2.5E-10	3.E-10	1.E-10	4.E-10	5.0E-03	5.0E-03	1.7E-09	5.7E-10	3.E-07	1.E-07	0.0000005
	Polychlorinated Biphenyls																
	Total Aroclors	4.4E+02	ug/kg	2.0E+00	2.0E+00	2.4E-08	1.4E-08	5.E-08	3.E-08	8.E-08	2.0E-05	2.0E-05	5.6E-08	3.4E-08	3.E-03	2.E-03	0.005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.9E+00	pg/g	1.3E+05	1.3E+05	1.2E-13	3.2E-13	1.E-08	4.E-08	6.E-08	1.0E-09	1.0E-09	2.7E-13	7.5E-13	3.E-04	8.E-04	0.001
	Total PCB TEQ	3.0E+00	pg/g	1.3E+05	1.3E+05	1.6E-13	9.7E-14	2.E-08	1.E-08	3.E-08	1.0E-09	1.0E-09	3.8E-13	2.3E-13	4.E-04	2.E-04	0.0006
	Pesticides																
	Aldrin	5.0E-01	ug/kg	1.7E+01	1.7E+01	2.0E-11	1.6E-11	3.E-10	3.E-10	6.E-10	3.0E-05	3.0E-05	4.6E-11	3.8E-11	2.E-06	1.E-06	0.000003
	Total DDT	6.7E+00	ug/kg	3.4E-01	3.4E-01	7.8E-11	2.2E-10	3.E-11	7.E-11	1.E-10	5.0E-04	5.0E-04	1.8E-10	5.1E-10	4.E-07	1.E-06	0.000001
Exposure Point Total										**2.E-06**							**0.02**
RM 10 East	**Metals**																
	Arsenic	3.5E+00	mg/kg	1.5E+00	1.5E+00	4.1E-08	1.1E-07	6.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	9.5E-08	2.7E-07	3.E-04	9.E-04	0.001
	Mercury	9.0E-02	mg/kg	--	--	0.0E+00	2.9E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.9E-09	0.E+00	7.E-05	0.00007
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.7E+02	ug/kg	7.3E-01	7.3E-01	1.4E-08	9.0E-09	1.E-08	7.E-09	2.E-08	--	--	3.2E-08	2.1E-08	--	--	--
	Benzo(a)pyrene	3.5E+02	ug/kg	7.3E+00	7.3E+00	1.8E-08	1.1E-08	1.E-07	8.E-08	2.E-07	--	--	4.1E-08	2.7E-08	--	--	--
	Benzo(b)fluoranthene	4.0E+02	ug/kg	7.3E-01	7.3E-01	2.0E-08	1.3E-08	1.E-08	1.E-08	2.E-08	--	--	4.8E-08	3.1E-08	--	--	--
	Benzo(k)fluoranthene	1.0E+02	ug/kg	7.3E-02	7.3E-02	5.2E-09	3.4E-09	4.E-10	2.E-10	6.E-10	--	--	1.2E-08	7.9E-09	--	--	--
	Dibenzo(a,h)anthracene	5.2E+01	ug/kg	7.3E+00	7.3E+00	2.6E-09	1.7E-09	2.E-08	1.E-08	3.E-08	--	--	6.1E-09	4.0E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.8E+02	ug/kg	7.3E-01	7.3E-01	1.4E-08	9.1E-09	1.E-08	7.E-09	2.E-08	--	--	3.3E-08	2.1E-08	--	--	--
	Naphthalene	2.2E+01	ug/kg	--	--	1.1E-09	7.3E-10	--	--	--	2.0E-02	2.0E-02	2.6E-09	1.7E-09	1.E-07	9.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.9E+02	ug/kg	1.4E-02	1.4E-02	7.4E-09	6.3E-09	1.E-10	9.E-11	2.E-10	2.0E-02	2.0E-02	1.7E-08	1.5E-08	9.E-07	7.E-07	0.000002
	Phenols																
	Pentachlorophenol	3.3E+00	ug/kg	4.0E-01	4.0E-01	3.2E-10	1.1E-10	1.E-10	4.E-11	2.E-10	5.0E-03	5.0E-03	7.5E-10	2.5E-10	1.E-07	5.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	4.8E+01	ug/kg	2.0E+00	2.0E+00	2.6E-09	1.6E-09	5.E-09	3.E-09	8.E-09	2.0E-05	2.0E-05	6.1E-09	3.7E-09	3.E-04	2.E-04	0.0005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.4E-01	pg/g	1.3E+05	1.3E+05	6.3E-15	1.8E-14	8.E-10	2.E-09	3.E-09	1.0E-09	1.0E-09	1.5E-14	4.1E-14	1.E-05	4.E-05	0.00006
	Total PCB TEQ	8.0E-01	pg/g	1.3E+05	1.3E+05	4.4E-14	2.6E-14	6.E-09	3.E-09	9.E-09	1.0E-09	1.0E-09	1.0E-13	6.1E-14	1.E-04	6.E-05	0.0002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	8.3E-02	ug/kg	1.7E+01	1.7E+01	3.2E-12	2.7E-12	5.E-11	5.E-11	1.E-10	3.0E-05	3.0E-05	7.5E-12	6.3E-12	3.E-07	2.E-07	0.0000005
	Dieldrin	9.4E-02	ug/kg	1.6E+01	1.6E+01	3.6E-12	3.1E-12	6.E-11	5.E-11	1.E-10	5.0E-05	5.0E-05	8.5E-12	7.1E-12	2.E-07	1.E-07	0.0000003
	Total DDT	7.7E-01	ug/kg	3.4E-01	3.4E-01	9.0E-12	2.5E-11	3.E-12	9.E-12	1.E-11	5.0E-04	5.0E-04	2.1E-11	5.9E-11	4.E-08	1.E-07	0.0000002
Exposure Point Total										**6.E-07**							**0.002**
RM 10.5 West	**Metals**																
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	5.5E-08	1.5E-07	8.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.3E-07	3.6E-07	4.E-04	1.E-03	0.002
	Mercury	7.7E-02	mg/kg	--	--	0.0E+00	2.5E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.9E-09	0.E+00	6.E-05	0.00006
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.1E+01	ug/kg	7.3E-01	7.3E-01	3.1E-09	2.0E-09	2.E-09	1.E-09	4.E-09	--	--	7.2E-09	4.6E-09	--	--	--
	Benzo(a)pyrene	4.8E+01	ug/kg	7.3E+00	7.3E+00	2.4E-09	1.6E-09	2.E-08	1.E-08	3.E-08	--	--	5.7E-09	3.7E-09	--	--	--
	Benzo(b)fluoranthene	6.8E+01	ug/kg	7.3E-01	7.3E-01	3.4E-09	2.2E-09	2.E-09	2.E-09	4.E-09	--	--	8.0E-09	5.2E-09	--	--	--
	Benzo(k)fluoranthene	2.0E+01	ug/kg	7.3E-02	7.3E-02	1.0E-09	6.6E-10	7.E-11	5.E-11	1.E-10	--	--	2.4E-09	1.5E-09	--	--	--
	Dibenzo(a,h)anthracene	7.9E+00	ug/kg	7.3E+00	7.3E+00	4.0E-10	2.6E-10	3.E-09	2.E-09	5.E-09	--	--	9.3E-10	6.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.7E+01	ug/kg	7.3E-01	7.3E-01	1.9E-09	1.2E-09	1.E-09	9.E-10	2.E-09	--	--	4.4E-09	2.9E-09	--	--	--
	Naphthalene	2.6E+02	ug/kg	--	--	1.3E-08	8.5E-09	--	--	--	2.0E-02	2.0E-02	3.1E-08	2.0E-08	2.E-06	1.E-06	0.000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.5E+02	ug/kg	1.4E-02	1.4E-02	9.5E-09	8.0E-09	1.E-10	1.E-10	2.E-10	2.0E-02	2.0E-02	2.2E-08	1.9E-08	1.E-06	9.E-07	0.000002
	Phenols																
	Pentachlorophenol	3.8E+01	ug/kg	4.0E-01	4.0E-01	3.7E-09	1.2E-09	1.E-09	5.E-10	2.E-09	5.0E-03	5.0E-03	8.6E-09	2.9E-09	2.E-06	6.E-07	0.000002
	Polychlorinated Biphenyls																
	Total Aroclors	3.9E+01	ug/kg	2.0E+00	2.0E+00	2.1E-09	1.3E-09	4.E-09	3.E-09	7.E-09	2.0E-05	2.0E-05	4.9E-09	3.0E-09	2.E-04	1.E-04	0.0004
	Dioxin/Furan																
	Total PCB TEQ	6.9E-01	pg/g	1.3E+05	1.3E+05	3.7E-14	2.3E-14	5.E-09	3.E-09	8.E-09	1.0E-09	1.0E-09	8.7E-14	5.3E-14	9.E-05	5.E-05	0.0001
	Pesticides																
	Aldrin	9.3E-01	ug/kg	1.7E+01	1.7E+01	3.6E-11	3.0E-11	6.E-10	5.E-10	1.E-09	3.0E-05	3.0E-05	8.4E-11	7.1E-11	3.E-06	2.E-06	0.00001
	Total DDT	2.7E+00	ug/kg	3.4E-01	3.4E-01	3.1E-11	8.7E-11	1.E-11	3.E-11	4.E-11	5.0E-04	5.0E-04	7.2E-11	2.0E-10	1.E-07	4.E-07	0.000001
Exposure Point Total										**4.E-07**							**0.002**
RM 10.5 East	**Metals**																
	Arsenic	3.3E+00	mg/kg	1.5E+00	1.5E+00	3.9E-08	1.1E-07	6.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	9.1E-08	2.5E-07	3.E-04	8.E-04	0.001
	Mercury	7.4E-02	mg/kg	--	--	0.0E+00	2.4E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.6E-09	0.E+00	6.E-05	0.00006
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.0E+02	ug/kg	7.3E-01	7.3E-01	5.1E-09	3.3E-09	4.E-09	2.E-09	6.E-09	--	--	1.2E-08	7.7E-09	--	--	--
	Benzo(a)pyrene	7.1E+01	ug/kg	7.3E+00	7.3E+00	3.6E-09	2.3E-09	3.E-08	2.E-08	4.E-08	--	--	8.3E-09	5.4E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(b)fluoranthene	1.1E+02	ug/kg	7.3E-01	7.3E-01	5.6E-09	3.6E-09	4.E-09	3.E-09	7.E-09	--	--	1.3E-08	8.4E-09	--	--	--
	Benzo(k)fluoranthene	7.2E+01	ug/kg	7.3E-02	7.3E-02	3.6E-09	2.3E-09	3.E-10	2.E-10	4.E-10	--	--	8.4E-09	5.5E-09	--	--	--
	Dibenzo(a,h)anthracene	9.2E+00	ug/kg	7.3E+00	7.3E+00	4.7E-10	3.0E-10	3.E-09	2.E-09	6.E-09	--	--	1.1E-09	7.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+01	ug/kg	7.3E-01	7.3E-01	2.4E-09	1.5E-09	2.E-09	1.E-09	3.E-09	--	--	5.5E-09	3.6E-09	--	--	--
	Naphthalene	5.2E+00	ug/kg	--	--	2.6E-10	1.7E-10	--	--	--	2.0E-02	2.0E-02	6.1E-10	4.0E-10	3.E-08	2.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.1E+02	ug/kg	1.4E-02	1.4E-02	4.3E-09	3.6E-09	6.E-11	5.E-11	1.E-10	2.0E-02	2.0E-02	1.0E-08	8.4E-09	5.E-07	4.E-07	0.000001
	Phenols																
	Pentachlorophenol	1.1E+01	ug/kg	4.0E-01	4.0E-01	1.1E-09	3.6E-10	4.E-10	1.E-10	6.E-10	5.0E-03	5.0E-03	2.5E-09	8.4E-10	5.E-07	2.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.5E+02	ug/kg	2.0E+00	2.0E+00	8.4E-09	5.1E-09	2.E-08	1.E-08	3.E-08	2.0E-05	2.0E-05	2.0E-08	1.2E-08	1.E-03	6.E-04	0.002
	Dioxin/Furan																
	Total PCB TEQ	3.9E-01	pg/g	1.3E+05	1.3E+05	2.1E-14	1.3E-14	3.E-09	2.E-09	4.E-09	1.0E-09	1.0E-09	4.9E-14	3.0E-14	5.E-05	3.E-05	0.00008
	Pesticides																
	Total DDT	1.2E+01	ug/kg	3.4E-01	3.4E-01	1.4E-10	3.9E-10	5.E-11	1.E-10	2.E-10	5.0E-04	5.0E-04	3.3E-10	9.2E-10	7.E-07	2.E-06	0.000002
Exposure Point Total										3.E-07							0.003
RM 11 West	**Metals**																
	Arsenic	3.6E+00	mg/kg	1.5E+00	1.5E+00	4.2E-08	1.2E-07	6.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	9.9E-08	2.8E-07	3.E-04	9.E-04	0.001
	Mercury	6.9E-02	mg/kg	--	--	0.0E+00	2.2E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.2E-09	0.E+00	5.E-05	0.00005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.0E+02	ug/kg	7.3E-01	7.3E-01	1.0E-08	6.5E-09	7.E-09	5.E-09	1.E-08	--	--	2.3E-08	1.5E-08	--	--	--
	Benzo(a)pyrene	2.2E+02	ug/kg	7.3E+00	7.3E+00	1.1E-08	7.1E-09	8.E-08	5.E-08	1.E-07	--	--	2.6E-08	1.7E-08	--	--	--
	Benzo(b)fluoranthene	1.0E+02	ug/kg	7.3E-01	7.3E-01	5.1E-09	3.3E-09	4.E-09	2.E-09	6.E-09	--	--	1.2E-08	7.7E-09	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	5.3E-09	3.4E-09	4.E-10	3.E-10	6.E-10	--	--	1.2E-08	8.0E-09	--	--	--
	Dibenzo(a,h)anthracene	2.7E+01	ug/kg	7.3E+00	7.3E+00	1.4E-09	8.8E-10	1.E-08	6.E-09	2.E-08	--	--	3.2E-09	2.0E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	5.9E-09	3.8E-09	4.E-09	3.E-09	7.E-09	--	--	1.4E-08	8.9E-09	--	--	--
	Naphthalene	3.2E+02	ug/kg	--	--	1.6E-08	1.0E-08	--	--	--	2.0E-02	2.0E-02	3.8E-08	2.4E-08	2.E-06	1.E-06	0.000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.0E+03	ug/kg	1.4E-02	1.4E-02	4.0E-08	3.4E-08	6.E-10	5.E-10	1.E-09	2.0E-02	2.0E-02	9.4E-08	7.9E-08	5.E-06	4.E-06	0.00001
	Phenols																
	Pentachlorophenol	3.1E+00	ug/kg	4.0E-01	4.0E-01	3.0E-10	1.0E-10	1.E-10	4.E-11	2.E-10	5.0E-03	5.0E-03	7.0E-10	2.4E-10	1.E-07	5.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	3.5E+01	ug/kg	2.0E+00	2.0E+00	1.9E-09	1.1E-09	4.E-09	2.E-09	6.E-09	2.0E-05	2.0E-05	4.4E-09	2.6E-09	2.E-04	1.E-04	0.0004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Dieldrin	2.5E+00	ug/kg	1.6E+01	1.6E+01	9.7E-11	8.2E-11	2.E-09	1.E-09	3.E-09	5.0E-05	5.0E-05	2.3E-10	1.9E-10	5.E-06	4.E-06	0.00001
	Total DDT	2.1E+00	ug/kg	3.4E-01	3.4E-01	2.4E-11	6.8E-11	8.E-12	2.E-11	3.E-11	5.0E-04	5.0E-04	5.7E-11	1.6E-10	1.E-07	3.E-07	0.0000004
Exposure Point Total										4.E-07							0.002
RM 11 East	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	3.7E-08	1.1E-07	6.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	8.7E-08	2.5E-07	3.E-04	8.E-04	0.001
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	3.6E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.3E-09	0.E+00	8.E-05	0.00008
	Butyltins																
	Tributyltin ion	5.8E+00	ug/kg	--	--	2.3E-10	1.9E-10	--	--	--	3.0E-04	3.0E-04	5.3E-10	4.4E-10	2.E-06	1.E-06	0.000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E+02	ug/kg	7.3E-01	7.3E-01	8.0E-09	5.2E-09	6.E-09	4.E-09	1.E-08	--	--	1.9E-08	1.2E-08	--	--	--
	Benzo(a)pyrene	1.2E+02	ug/kg	7.3E+00	7.3E+00	6.1E-09	3.9E-09	4.E-08	3.E-08	7.E-08	--	--	1.4E-08	9.2E-09	--	--	--
	Benzo(b)fluoranthene	2.5E+02	ug/kg	7.3E-01	7.3E-01	1.3E-08	8.1E-09	9.E-09	6.E-09	2.E-08	--	--	2.9E-08	1.9E-08	--	--	--
	Benzo(k)fluoranthene	9.4E+01	ug/kg	7.3E-02	7.3E-02	4.7E-09	3.1E-09	3.E-10	2.E-10	6.E-10	--	--	1.1E-08	7.2E-09	--	--	--
	Dibenzo(a,h)anthracene	2.0E+01	ug/kg	7.3E+00	7.3E+00	1.0E-09	6.5E-10	7.E-09	5.E-09	1.E-08	--	--	2.4E-09	1.5E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	5.3E+01	ug/kg	7.3E-01	7.3E-01	2.7E-09	1.7E-09	2.E-09	1.E-09	3.E-09	--	--	6.3E-09	4.1E-09	--	--	--
	Naphthalene	3.0E+01	ug/kg	--	--	1.5E-09	9.8E-10	--	--	--	2.0E-02	2.0E-02	3.5E-09	2.3E-09	2.E-07	1.E-07	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.4E+02	ug/kg	1.4E-02	1.4E-02	5.4E-09	4.6E-09	8.E-11	6.E-11	1.E-10	2.0E-02	2.0E-02	1.3E-08	1.1E-08	6.E-07	5.E-07	0.000001
	Phenols																
	Pentachlorophenol	8.7E+00	ug/kg	4.0E-01	4.0E-01	8.5E-10	2.8E-10	3.E-10	1.E-10	5.E-10	5.0E-03	5.0E-03	2.0E-09	6.6E-10	4.E-07	1.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.8E+03	ug/kg	2.0E+00	2.0E+00	2.1E-07	1.3E-07	4.E-07	3.E-07	7.E-07	2.0E-05	2.0E-05	4.9E-07	2.9E-07	2.E-02	1.E-02	0.04
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.0E+00	pg/g	1.3E+05	1.3E+05	3.5E-14	9.8E-14	5.E-09	1.E-08	2.E-08	1.0E-09	1.0E-09	8.2E-14	2.3E-13	8.E-05	2.E-04	0.0003
	Total PCB TEQ	3.1E+01	pg/g	1.3E+05	1.3E+05	1.7E-12	1.0E-12	2.E-07	1.E-07	4.E-07	1.0E-09	1.0E-09	4.0E-12	2.4E-12	4.E-03	2.E-03	0.006
	Pesticides																
	Total DDT	3.8E+02	ug/kg	3.4E-01	3.4E-01	4.5E-09	1.2E-08	2.E-09	4.E-09	6.E-09	5.0E-04	5.0E-04	1.0E-08	2.9E-08	2.E-05	6.E-05	0.00008
Exposure Point Total										1.E-06							0.05
RM 11.5 West	**Metals**																
	Arsenic	3.5E+00	mg/kg	1.5E+00	1.5E+00	4.1E-08	1.1E-07	6.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	9.5E-08	2.7E-07	3.E-04	9.E-04	0.001
	Mercury	3.1E-02	mg/kg	--	--	0.0E+00	1.0E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.4E-09	0.E+00	2.E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E+01	ug/kg	7.3E-01	7.3E-01	8.1E-10	5.2E-10	6.E-10	4.E-10	1.E-09	--	--	1.9E-09	1.2E-09	--	--	--
	Benzo(a)pyrene	1.8E+01	ug/kg	7.3E+00	7.3E+00	9.1E-10	5.9E-10	7.E-09	4.E-09	1.E-08	--	--	2.1E-09	1.4E-09	--	--	--
	Benzo(b)fluoranthene	1.7E+01	ug/kg	7.3E-01	7.3E-01	8.6E-10	5.6E-10	6.E-10	4.E-10	1.E-09	--	--	2.0E-09	1.3E-09	--	--	--
	Benzo(k)fluoranthene	1.4E+01	ug/kg	7.3E-02	7.3E-02	7.1E-10	4.6E-10	5.E-11	3.E-11	9.E-11	--	--	1.7E-09	1.1E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future

Receptor Population: High frequency Fisher

Population Age: Adult

Medium: Sediment

Exposure Medium: In-water Sediment

Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
								Cancer Risk Calculations[a]					Noncancer Hazard Calculations[a]				
	Dibenzo(a,h)anthracene	2.9E+00	ug/kg	7.3E+00	7.3E+00	1.5E-10	9.5E-11	1.E-09	7.E-10	2.E-09	--	--	3.4E-10	2.2E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+01	ug/kg	7.3E-01	7.3E-01	7.1E-10	4.6E-10	5.E-10	3.E-10	9.E-10	--	--	1.7E-09	1.1E-09	--	--	--
	Naphthalene	6.4E+00	ug/kg	--	--	3.2E-10	2.1E-10	--	--	--	2.0E-02	2.0E-02	7.5E-10	4.9E-10	4.E-08	2.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	5.2E+02	ug/kg	1.4E-02	1.4E-02	2.0E-08	1.7E-08	3.E-10	2.E-10	5.E-10	2.0E-02	2.0E-02	4.7E-08	4.0E-08	2.E-06	2.E-06	0.000004
	Polychlorinated Biphenyls																
	Total Aroclors	2.4E+01	ug/kg	2.0E+00	2.0E+00	1.3E-09	7.8E-10	3.E-09	2.E-09	4.E-09	2.0E-05	2.0E-05	3.0E-09	1.8E-09	2.E-04	9.E-05	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.8E-01	pg/g	1.3E+05	1.3E+05	2.1E-15	5.8E-15	3.E-10	8.E-10	1.E-09	1.0E-09	1.0E-09	4.8E-15	1.3E-14	5.E-06	1.E-05	0.00002
	Total PCB TEQ	2.9E-01	pg/g	1.3E+05	1.3E+05	1.6E-14	9.6E-15	2.E-09	1.E-09	3.E-09	1.0E-09	1.0E-09	3.7E-14	2.2E-14	4.E-05	2.E-05	0.00006
	Pesticides																
	Dieldrin	9.0E-02	ug/kg	1.6E+01	1.6E+01	3.5E-12	2.9E-12	6.E-11	5.E-11	1.E-10	5.0E-05	5.0E-05	8.2E-12	6.9E-12	2.E-07	1.E-07	0.0000003
	Total DDT	1.9E+00	ug/kg	3.4E-01	3.4E-01	2.2E-11	6.3E-11	8.E-12	2.E-11	3.E-11	5.0E-04	5.0E-04	5.2E-11	1.5E-10	1.E-07	3.E-07	0.0000004
Exposure Point Total										3.E-07							0.002
RM 12 West	**Metals**																
	Arsenic	3.9E+00	mg/kg	1.5E+00	1.5E+00	4.5E-08	1.3E-07	7.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.0E-07	2.9E-07	3.E-04	1.E-03	0.001
	Mercury	7.4E-01	mg/kg	--	--	0.0E+00	2.4E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.6E-08	0.E+00	6.E-04	0.0006
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.1E+03	ug/kg	7.3E-01	7.3E-01	5.6E-08	3.6E-08	4.E-08	3.E-08	7.E-08	--	--	1.3E-07	8.5E-08	--	--	--
	Benzo(a)pyrene	1.8E+03	ug/kg	7.3E+00	7.3E+00	9.1E-08	5.9E-08	7.E-07	4.E-07	1.E-06	--	--	2.1E-07	1.4E-07	--	--	--
	Benzo(b)fluoranthene	1.4E+03	ug/kg	7.3E-01	7.3E-01	7.2E-08	4.7E-08	5.E-08	3.E-08	9.E-08	--	--	1.7E-07	1.1E-07	--	--	--
	Benzo(k)fluoranthene	5.9E+02	ug/kg	7.3E-02	7.3E-02	3.0E-08	1.9E-08	2.E-09	1.E-09	4.E-09	--	--	7.0E-08	4.5E-08	--	--	--
	Dibenzo(a,h)anthracene	2.1E+02	ug/kg	7.3E+00	7.3E+00	1.1E-08	6.9E-09	8.E-08	5.E-08	1.E-07	--	--	2.5E-08	1.6E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.5E+03	ug/kg	7.3E-01	7.3E-01	7.4E-08	4.8E-08	5.E-08	4.E-08	9.E-08	--	--	1.7E-07	1.1E-07	--	--	--
	Naphthalene	1.5E+02	ug/kg	--	--	7.5E-09	4.8E-09	--	--	--	2.0E-02	2.0E-02	1.7E-08	1.1E-08	9.E-07	6.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.9E+02	ug/kg	1.4E-02	1.4E-02	7.4E-09	6.2E-09	1.E-10	9.E-11	2.E-10	2.0E-02	2.0E-02	1.7E-08	1.5E-08	9.E-07	7.E-07	0.000002
	Phenols																
	Pentachlorophenol	2.0E+01	ug/kg	4.0E-01	4.0E-01	1.9E-09	6.5E-10	8.E-10	3.E-10	1.E-09	5.0E-03	5.0E-03	4.5E-09	1.5E-09	9.E-07	3.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.2E+02	ug/kg	2.0E+00	2.0E+00	6.6E-09	4.0E-09	1.E-08	8.E-09	2.E-08	2.0E-05	2.0E-05	1.5E-08	9.2E-09	8.E-04	5.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E-01	pg/g	1.3E+05	1.3E+05	1.9E-15	5.4E-15	3.E-10	7.E-10	1.E-09	1.0E-09	1.0E-09	4.5E-15	1.3E-14	5.E-06	1.E-05	0.00002
	Total PCB TEQ	4.5E-01	pg/g	1.3E+05	1.3E+05	2.5E-14	1.5E-14	3.E-09	2.E-09	5.E-09	1.0E-09	1.0E-09	5.7E-14	3.5E-14	6.E-05	3.E-05	0.00009

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	7.0E-01	ug/kg	1.7E+01	1.7E+01	2.7E-11	2.3E-11	5.E-10	4.E-10	9.E-10	3.0E-05	3.0E-05	6.3E-11	5.3E-11	2.E-06	2.E-06	0.000004
	Total DDT	9.5E+00	ug/kg	3.4E-01	3.4E-01	1.1E-10	3.1E-10	4.E-11	1.E-10	1.E-10	5.0E-04	5.0E-04	2.6E-10	7.2E-10	5.E-07	1.E-06	0.000002
Exposure Point Total										2.E-06							0.003
RM 12 East	**Metals**																
	Arsenic	2.6E+00	mg/kg	1.5E+00	1.5E+00	3.1E-08	8.6E-08	5.E-08	1.E-07	2.E-07	3.0E-04	3.0E-04	7.2E-08	2.0E-07	2.E-04	7.E-04	0.0009
	Mercury	6.5E-02	mg/kg	--	--	0.0E+00	2.1E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.0E-09	0.E+00	5.E-05	0.00005
	Butyltins																
	Tributyltin ion	4.8E+00	ug/kg	--	--	1.9E-10	1.6E-10	--	--	--	3.0E-04	3.0E-04	4.4E-10	3.7E-10	1.E-06	1.E-06	0.000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+01	ug/kg	7.3E-01	7.3E-01	9.1E-10	5.9E-10	7.E-10	4.E-10	1.E-09	--	--	2.1E-09	1.4E-09	--	--	--
	Benzo(a)pyrene	1.9E+01	ug/kg	7.3E+00	7.3E+00	9.6E-10	6.2E-10	7.E-09	5.E-09	1.E-08	--	--	2.2E-09	1.5E-09	--	--	--
	Benzo(b)fluoranthene	2.7E+01	ug/kg	7.3E-01	7.3E-01	1.4E-09	8.8E-10	1.E-09	6.E-10	2.E-09	--	--	3.2E-09	2.1E-09	--	--	--
	Benzo(k)fluoranthene	8.4E+00	ug/kg	7.3E-02	7.3E-02	4.2E-10	2.7E-10	3.E-11	2.E-11	5.E-11	--	--	9.9E-10	6.4E-10	--	--	--
	Dibenzo(a,h)anthracene	4.5E+00	ug/kg	7.3E+00	7.3E+00	2.3E-10	1.5E-10	2.E-09	1.E-09	3.E-09	--	--	5.3E-10	3.4E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.7E+01	ug/kg	7.3E-01	7.3E-01	8.6E-10	5.6E-10	6.E-10	4.E-10	1.E-09	--	--	2.0E-09	1.3E-09	--	--	--
	Naphthalene	4.2E+01	ug/kg	--	--	2.1E-09	1.4E-09	--	--	--	2.0E-02	2.0E-02	5.0E-09	3.2E-09	2.E-07	2.E-07	0.0000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+04	ug/kg	1.4E-02	1.4E-02	7.0E-07	5.9E-07	1.E-08	8.E-09	2.E-08	2.0E-02	2.0E-02	1.6E-06	1.4E-06	8.E-05	7.E-05	0.0002
	Phenols																
	Pentachlorophenol	3.2E+00	ug/kg	4.0E-01	4.0E-01	3.1E-10	1.0E-10	1.E-10	4.E-11	2.E-10	5.0E-03	5.0E-03	7.3E-10	2.4E-10	1.E-07	5.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+02	ug/kg	2.0E+00	2.0E+00	9.9E-09	5.9E-09	2.E-08	1.E-08	3.E-08	2.0E-05	2.0E-05	2.3E-08	1.4E-08	1.E-03	7.E-04	0.002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	1.3E+05	1.3E+05	2.0E-14	5.7E-14	3.E-09	7.E-09	1.E-08	1.0E-09	1.0E-09	4.8E-14	1.3E-13	5.E-05	1.E-04	0.0002
	Total PCB TEQ	4.6E+00	pg/g	1.3E+05	1.3E+05	2.5E-13	1.5E-13	3.E-08	2.E-08	5.E-08	1.0E-09	1.0E-09	5.8E-13	3.5E-13	6.E-04	3.E-04	0.0009
	Pesticides																
	Total DDT	9.4E+00	ug/kg	3.4E-01	3.4E-01	1.1E-10	3.1E-10	4.E-11	1.E-10	1.E-10	5.0E-04	5.0E-04	2.6E-10	7.2E-10	5.E-07	1.E-06	0.000002
Exposure Point Total										3.E-07							0.004
Study Area-wide[c]	**Metals**																
	Arsenic	5.0E+00	mg/kg	1.5E+00	1.5E+00	5.9E-08	1.6E-07	9.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.4E-07	3.8E-07	5.E-04	1.E-03	0.002
	Mercury	3.0E-01	mg/kg	--	--	0.0E+00	9.8E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.3E-08	0.E+00	2.E-04	0.0002
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	3.4E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.0E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	2.4E+03	ug/kg	--	--	9.2E-08	7.8E-08	--	--	--	3.0E-04	3.0E-04	2.1E-07	1.8E-07	7.E-04	6.E-04	0.001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-24.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+03	ug/kg	7.3E-01	7.3E-01	1.6E-07	1.0E-07	1.E-07	7.E-08	2.E-07	--	--	3.6E-07	2.4E-07	--	--	--
	Benzo(a)pyrene	3.7E+03	ug/kg	7.3E+00	7.3E+00	1.9E-07	1.2E-07	1.E-06	9.E-07	2.E-06	--	--	4.4E-07	2.9E-07	--	--	--
	Benzo(b)fluoranthene	2.9E+03	ug/kg	7.3E-01	7.3E-01	1.5E-07	9.6E-08	1.E-07	7.E-08	2.E-07	--	--	3.4E-07	2.2E-07	--	--	--
	Benzo(k)fluoranthene	2.0E+03	ug/kg	7.3E-02	7.3E-02	1.0E-07	6.5E-08	7.E-09	5.E-09	1.E-08	--	--	2.4E-07	1.5E-07	--	--	--
	Dibenzo(a,h)anthracene	3.8E+02	ug/kg	7.3E+00	7.3E+00	1.9E-08	1.2E-08	1.E-07	9.E-08	2.E-07	--	--	4.5E-08	2.9E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.6E+03	ug/kg	7.3E-01	7.3E-01	1.3E-07	8.5E-08	1.E-07	6.E-08	2.E-07	--	--	3.1E-07	2.0E-07	--	--	--
	Naphthalene	1.5E+03	ug/kg	--	--	7.4E-08	4.8E-08	--	--	--	2.0E-02	2.0E-02	1.7E-07	1.1E-07	9.E-06	6.E-06	0.00001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.9E+03	ug/kg	1.4E-02	1.4E-02	1.1E-07	9.4E-08	2.E-09	1.E-09	3.E-09	2.0E-02	2.0E-02	2.6E-07	2.2E-07	1.E-05	1.E-05	0.00002
	Phenols																
	Pentachlorophenol	5.6E+01	ug/kg	4.0E-01	4.0E-01	5.4E-09	1.8E-09	2.E-09	7.E-10	3.E-09	5.0E-03	5.0E-03	1.3E-08	4.3E-09	3.E-06	9.E-07	0.000003
	Polychlorinated Biphenyls																
	Total Aroclors	3.6E+02	ug/kg	2.0E+00	2.0E+00	2.0E-08	1.2E-08	4.E-08	2.E-08	6.E-08	2.0E-05	2.0E-05	4.6E-08	2.7E-08	2.E-03	1.E-03	0.004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.6E+02	pg/g	1.3E+05	1.3E+05	7.7E-12	2.2E-11	1.E-06	3.E-06	4.E-06	1.0E-09	1.0E-09	1.8E-11	5.0E-11	2.E-02	5.E-02	0.07
	Total PCB TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	9.1E-13	5.5E-13	1.E-07	7.E-08	2.E-07	1.0E-09	1.0E-09	2.1E-12	1.3E-12	2.E-03	1.E-03	0.003
	Pesticides																
	Aldrin	5.8E+00	ug/kg	1.7E+01	1.7E+01	2.3E-10	1.9E-10	4.E-09	3.E-09	7.E-09	3.0E-05	3.0E-05	5.3E-10	4.4E-10	2.E-05	1.E-05	0.00003
	Dieldrin	2.8E+00	ug/kg	1.6E+01	1.6E+01	1.1E-10	9.1E-11	2.E-09	1.E-09	3.E-09	5.0E-05	5.0E-05	2.5E-10	2.1E-10	5.E-06	4.E-06	0.00001
	Total DDT	3.7E+02	ug/kg	3.4E-01	3.4E-01	4.4E-09	1.2E-08	1.E-09	4.E-09	6.E-09	5.0E-04	5.0E-04	1.0E-08	2.9E-08	2.E-05	6.E-05	0.00008
	Conventionals																
	Perchlorate	2.7E+05	ug/kg	--	--	0.0E+00	9.0E-06	--	--	--	7.0E-04	7.0E-04	0.0E+00	2.1E-05	0.E+00	3.E-02	0.03
Exposure Point Total										**7.E-06**							**0.2**

Notes:
  a Numbers presented are rounded values. Sums calculated before rounding.
  b Cumulative risk sums calculated using PCB Aroclor data.
  c Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:
  -- = Not Applicable.
  CDI = Chronic Daily Intake.
  EPC = Exposure Point Concentration.
  HQ = Hazard Quotient.
  LADI = Lifetime Average Daily Intake.
  mg/kg = Milligrams per kilogram.

  PCB = Polychlorinated Biphenyls.
  pg/g = Picograms per gram.
  RfD = Reference dose.
  RM = River mile.
  TEQ = Toxic equivalents.
  ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 1 West	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	1.1E-09	6.9E-09	2.E-09	1.E-08	1.E-08	3.0E-04	3.0E-04	8.9E-09	5.4E-08	3.E-05	2.E-04	0.0002
	Mercury	6.1E-02	mg/kg	--	--	0.0E+00	9.9E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.7E-10	0.E+00	8.E-06	0.00001
	Butyltins																
	Tributyltin ion	8.4E-01	ug/kg	--	--	7.6E-13	1.4E-12	--	--	--	3.0E-04	3.0E-04	5.9E-12	1.1E-11	2.E-08	4.E-08	0.0000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.0E+01	ug/kg	7.3E-01	7.3E-01	5.9E-11	8.2E-11	4.E-11	6.E-11	1.E-10	--	--	4.6E-10	6.4E-10	--	--	--
	Benzo(a)pyrene	7.4E+01	ug/kg	7.3E+00	7.3E+00	8.7E-11	1.2E-10	6.E-10	9.E-10	2.E-09	--	--	6.8E-10	9.4E-10	--	--	--
	Benzo(b)fluoranthene	7.4E+01	ug/kg	7.3E-01	7.3E-01	8.7E-11	1.2E-10	6.E-11	9.E-11	2.E-10	--	--	6.8E-10	9.4E-10	--	--	--
	Benzo(k)fluoranthene	3.0E+01	ug/kg	7.3E-02	7.3E-02	3.6E-11	4.9E-11	3.E-12	4.E-12	6.E-12	--	--	2.8E-10	3.8E-10	--	--	--
	Dibenzo(a,h)anthracene	9.4E+00	ug/kg	7.3E+00	7.3E+00	1.1E-11	1.5E-11	8.E-11	1.E-10	2.E-10	--	--	8.6E-11	1.2E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	5.8E+01	ug/kg	7.3E-01	7.3E-01	6.8E-11	9.5E-11	5.E-11	7.E-11	1.E-10	--	--	5.3E-10	7.4E-10	--	--	--
	Naphthalene	1.3E+01	ug/kg	--	--	1.6E-11	2.2E-11	--	--	--	2.0E-02	2.0E-02	1.2E-10	1.7E-10	6.E-09	8.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.9E+01	ug/kg	1.4E-02	1.4E-02	1.7E-11	3.0E-11	2.E-13	4.E-13	7.E-13	2.0E-02	2.0E-02	1.3E-10	2.4E-10	7.E-09	1.E-08	0.00000002
	Phenols																
	Pentachlorophenol	7.2E-01	ug/kg	4.0E-01	4.0E-01	1.6E-12	1.2E-12	6.E-13	5.E-13	1.E-12	5.0E-03	5.0E-03	1.3E-11	9.1E-12	3.E-09	2.E-09	0.000000004
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+01	ug/kg	2.0E+00	2.0E+00	1.4E-11	1.9E-11	3.E-11	4.E-11	7.E-11	2.0E-05	2.0E-05	1.1E-10	1.4E-10	6.E-06	7.E-06	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	7.6E-01	pg/g	1.3E+05	1.3E+05	2.1E-16	1.2E-15	3.E-11	2.E-10	2.E-10	1.0E-09	1.0E-09	1.6E-15	9.6E-15	2.E-06	1.E-05	0.00001
	Total PCB TEQ	3.2E-01	pg/g	1.3E+05	1.3E+05	4.0E-16	5.2E-16	5.E-11	7.E-11	1.E-10	1.0E-09	1.0E-09	3.1E-15	4.0E-15	3.E-06	4.E-06	0.00001
	Pesticides																
	Aldrin	1.7E-01	ug/kg	1.7E+01	1.7E+01	1.6E-13	2.8E-13	3.E-12	5.E-12	7.E-12	3.0E-05	3.0E-05	1.2E-12	2.2E-12	4.E-08	7.E-08	0.0000001
	Total DDT	2.5E+00	ug/kg	3.4E-01	3.4E-01	6.8E-13	4.1E-12	2.E-13	1.E-12	2.E-12	5.0E-04	5.0E-04	5.3E-12	3.2E-11	1.E-08	6.E-08	0.0000001
Exposure Point Total[b]										**1.E-08**							**0.0002**
RM 1 East	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	1.1E-09	6.7E-09	2.E-09	1.E-08	1.E-08	3.0E-04	3.0E-04	8.6E-09	5.2E-08	3.E-05	2.E-04	0.0002
	Mercury	1.4E+00	mg/kg	--	--	0.0E+00	2.4E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.8E-08	0.E+00	2.E-04	0.0002
	Butyltins																
	Tributyltin ion	1.1E+00	ug/kg	--	--	1.0E-12	1.8E-12	--	--	--	3.0E-04	3.0E-04	7.8E-12	1.4E-11	3.E-08	5.E-08	0.0000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+01	ug/kg	7.3E-01	7.3E-01	3.7E-11	5.1E-11	3.E-11	4.E-11	6.E-11	--	--	2.9E-10	4.0E-10	--	--	--
	Benzo(a)pyrene	4.6E+01	ug/kg	7.3E+00	7.3E+00	5.5E-11	7.6E-11	4.E-10	6.E-10	1.E-09	--	--	4.3E-10	5.9E-10	--	--	--
	Benzo(b)fluoranthene	4.2E+01	ug/kg	7.3E-01	7.3E-01	5.0E-11	6.9E-11	4.E-11	5.E-11	9.E-11	--	--	3.9E-10	5.3E-10	--	--	--
	Benzo(k)fluoranthene	2.7E+01	ug/kg	7.3E-02	7.3E-02	3.1E-11	4.3E-11	2.E-12	3.E-12	5.E-12	--	--	2.4E-10	3.4E-10	--	--	--
	Dibenzo(a,h)anthracene	5.5E+00	ug/kg	7.3E+00	7.3E+00	6.5E-12	9.0E-12	5.E-11	7.E-11	1.E-10	--	--	5.0E-11	7.0E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	3.3E+01	ug/kg	7.3E-01	7.3E-01	3.9E-11	5.4E-11	3.E-11	4.E-11	7.E-11	--	--	3.0E-10	4.2E-10	--	--	--
	Naphthalene	8.3E+00	ug/kg	--	--	9.7E-12	1.4E-11	--	--	--	2.0E-02	2.0E-02	7.6E-11	1.1E-10	4.E-09	5.E-09	0.00000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: High frequency Fisher   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Cancer Risk Calculations[a]							Noncancer Hazard Calculations[a]						
		Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.0E+01	ug/kg	1.4E-02	1.4E-02	3.6E-11	6.5E-11	5.E-13	9.E-13	1.E-12	2.0E-02	2.0E-02	2.8E-10	5.1E-10	1.E-08	3.E-08	0.00000004
	Phenols																
	Pentachlorophenol	7.6E-01	ug/kg	4.0E-01	4.0E-01	1.7E-12	1.2E-12	7.E-13	5.E-13	1.E-12	5.0E-03	5.0E-03	1.3E-11	9.6E-12	3.E-09	2.E-09	0.000000005
	Polychlorinated Biphenyls																
	Total Aroclors	1.0E+02	ug/kg	2.0E+00	2.0E+00	1.3E-10	1.7E-10	3.E-10	3.E-10	6.E-10	2.0E-05	2.0E-05	1.0E-09	1.3E-09	5.E-05	7.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.7E-01	pg/g	1.3E+05	1.3E+05	1.3E-16	7.7E-16	2.E-11	1.E-10	1.E-10	1.0E-09	1.0E-09	9.9E-16	6.0E-15	1.E-06	6.E-06	0.00001
	Total PCB TEQ	2.7E-01	pg/g	1.3E+05	1.3E+05	3.4E-16	4.4E-16	4.E-11	6.E-11	1.E-10	1.0E-09	1.0E-09	2.6E-15	3.4E-15	3.E-06	3.E-06	0.00001
	Pesticides																
	Total DDT	1.8E+00	ug/kg	3.4E-01	3.4E-01	4.9E-13	2.9E-12	2.E-13	1.E-12	1.E-12	5.0E-04	5.0E-04	3.8E-12	2.3E-11	8.E-09	5.E-08	0.0000001
Exposure Point Total										1.E-08							0.0005
RM 1.5 West	**Metals**																
	Arsenic	3.6E+00	mg/kg	1.5E+00	1.5E+00	9.8E-10	5.9E-09	1.E-09	9.E-09	1.E-08	3.0E-04	3.0E-04	7.6E-09	4.6E-08	3.E-05	2.E-04	0.0002
	Mercury	5.1E-02	mg/kg	--	--	0.0E+00	8.3E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.4E-10	0.E+00	6.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.9E+01	ug/kg	7.3E-01	7.3E-01	2.2E-11	3.0E-11	2.E-11	2.E-11	4.E-11	--	--	1.7E-10	2.4E-10	--	--	--
	Benzo(a)pyrene	2.7E+01	ug/kg	7.3E+00	7.3E+00	3.2E-11	4.4E-11	2.E-10	3.E-10	6.E-10	--	--	2.5E-10	3.4E-10	--	--	--
	Benzo(b)fluoranthene	2.3E+01	ug/kg	7.3E-01	7.3E-01	2.7E-11	3.8E-11	2.E-11	3.E-11	5.E-11	--	--	2.1E-10	2.9E-10	--	--	--
	Benzo(k)fluoranthene	1.9E+01	ug/kg	7.3E-02	7.3E-02	2.3E-11	3.1E-11	2.E-12	2.E-12	4.E-12	--	--	1.8E-10	2.4E-10	--	--	--
	Dibenzo(a,h)anthracene	3.3E+00	ug/kg	7.3E+00	7.3E+00	3.8E-12	5.3E-12	3.E-11	4.E-11	7.E-11	--	--	3.0E-11	4.1E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	2.1E+01	ug/kg	7.3E-01	7.3E-01	2.5E-11	3.5E-11	2.E-11	3.E-11	4.E-11	--	--	1.9E-10	2.7E-10	--	--	--
	Naphthalene	5.3E+00	ug/kg	--	--	6.3E-12	8.7E-12	--	--	--	2.0E-02	2.0E-02	4.9E-11	6.8E-11	2.E-09	3.E-09	0.00000001
	Phenols																
	Pentachlorophenol	8.1E-01	ug/kg	4.0E-01	4.0E-01	1.8E-12	1.3E-12	7.E-13	5.E-13	1.E-12	5.0E-03	5.0E-03	1.4E-11	1.0E-11	3.E-09	2.E-09	0.000000005
	Polychlorinated Biphenyls																
	Total Aroclors	1.2E+01	ug/kg	2.0E+00	2.0E+00	1.5E-11	1.9E-11	3.E-11	4.E-11	7.E-11	2.0E-05	2.0E-05	1.1E-10	1.5E-10	6.E-06	7.E-06	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.5E-02	pg/g	1.3E+05	1.3E+05	2.3E-17	1.4E-16	3.E-12	2.E-11	2.E-11	1.0E-09	1.0E-09	1.8E-16	1.1E-15	2.E-07	1.E-06	0.000001
	Pesticides																
	Total DDT	7.9E-01	ug/kg	3.4E-01	3.4E-01	2.2E-13	1.3E-12	7.E-14	4.E-13	5.E-13	5.0E-04	5.0E-04	1.7E-12	1.0E-11	3.E-09	2.E-08	0.00000002
Exposure Point Total										1.E-08							0.0002
RM 1.5 East	**Metals**																
	Arsenic	4.4E+00	mg/kg	1.5E+00	1.5E+00	1.2E-09	7.1E-09	2.E-09	1.E-08	1.E-08	3.0E-04	3.0E-04	9.2E-09	5.5E-08	3.E-05	2.E-04	0.0002
	Mercury	6.4E-02	mg/kg	--	--	0.0E+00	1.0E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.1E-10	0.E+00	8.E-06	0.00001
	Butyltins																
	Tributyltin ion	3.7E-01	ug/kg	--	--	3.4E-13	6.1E-13	--	--	--	3.0E-04	3.0E-04	2.6E-12	4.7E-12	9.E-09	2.E-08	0.00000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.5E+02	ug/kg	7.3E-01	7.3E-01	2.9E-10	4.1E-10	2.E-10	3.E-10	5.E-10	--	--	2.3E-09	3.2E-09	--	--	--
	Benzo(a)pyrene	3.7E+02	ug/kg	7.3E+00	7.3E+00	4.3E-10	6.0E-10	3.E-09	4.E-09	8.E-09	--	--	3.4E-09	4.7E-09	--	--	--
	Benzo(b)fluoranthene	2.2E+02	ug/kg	7.3E-01	7.3E-01	2.6E-10	3.6E-10	2.E-10	3.E-10	5.E-10	--	--	2.0E-09	2.8E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: High frequency Fisher   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(k)fluoranthene	2.2E+02	ug/kg	7.3E-02	7.3E-02	2.5E-10	3.5E-10	2.E-11	3.E-11	4.E-11	--	--	2.0E-09	2.7E-09	--	--	--
	Dibenzo(a,h)anthracene	3.7E+01	ug/kg	7.3E+00	7.3E+00	4.3E-11	6.0E-11	3.E-10	4.E-10	8.E-10	--	--	3.4E-10	4.7E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.6E+02	ug/kg	7.3E-01	7.3E-01	3.1E-10	4.3E-10	2.E-10	3.E-10	5.E-10	--	--	2.4E-09	3.3E-09	--	--	--
	Naphthalene	9.8E+01	ug/kg	--	--	1.2E-10	1.6E-10	--	--	--	2.0E-02	2.0E-02	9.0E-10	1.2E-09	4.E-08	6.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.1E+01	ug/kg	1.4E-02	1.4E-02	6.5E-11	1.2E-10	9.E-13	2.E-12	3.E-12	2.0E-02	2.0E-02	5.0E-10	9.1E-10	3.E-08	5.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.6E+00	ug/kg	4.0E-01	4.0E-01	3.7E-12	2.7E-12	1.E-12	1.E-12	3.E-12	5.0E-03	5.0E-03	2.9E-11	2.1E-11	6.E-09	4.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.2E+01	ug/kg	2.0E+00	2.0E+00	2.7E-11	3.5E-11	5.E-11	7.E-11	1.E-10	2.0E-05	2.0E-05	2.1E-10	2.7E-10	1.E-05	1.E-05	0.00002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.7E-01	pg/g	1.3E+05	1.3E+05	1.6E-16	9.4E-16	2.E-11	1.E-10	1.E-10	1.0E-09	1.0E-09	1.2E-15	7.3E-15	1.E-06	7.E-06	0.00001
	Total PCB TEQ	1.1E-01	pg/g	1.3E+05	1.3E+05	1.3E-16	1.7E-16	2.E-11	2.E-11	4.E-11	1.0E-09	1.0E-09	1.0E-15	1.3E-15	1.E-06	1.E-06	0.000002
	Pesticides																
	Dieldrin	6.9E-02	ug/kg	1.6E+01	1.6E+01	6.3E-14	1.1E-13	1.E-12	2.E-12	3.E-12	5.0E-05	5.0E-05	4.9E-13	8.8E-13	1.E-08	2.E-08	0.00000003
	Total DDT	6.8E+00	ug/kg	3.4E-01	3.4E-01	1.9E-12	1.1E-11	6.E-13	4.E-12	4.E-12	5.0E-04	5.0E-04	1.4E-11	8.7E-11	3.E-08	2.E-07	0.0000002
Exposure Point Total										2.E-08							0.0003
RM 2 West	**Metals**																
	Arsenic	3.4E+00	mg/kg	1.5E+00	1.5E+00	9.3E-10	5.6E-09	1.E-09	8.E-09	1.E-08	3.0E-04	3.0E-04	7.2E-09	4.4E-08	2.E-05	1.E-04	0.0002
	Mercury	6.2E-02	mg/kg	--	--	0.0E+00	1.0E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.9E-10	0.E+00	8.E-06	0.00001
	Butyltins																
	Tributyltin ion	2.1E+00	ug/kg	--	--	1.9E-12	3.4E-12	--	--	--	3.0E-04	3.0E-04	1.5E-11	2.7E-11	5.E-08	9.E-08	0.0000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+01	ug/kg	7.3E-01	7.3E-01	3.6E-11	5.0E-11	3.E-11	4.E-11	6.E-11	--	--	2.8E-10	3.9E-10	--	--	--
	Benzo(a)pyrene	5.5E+01	ug/kg	7.3E+00	7.3E+00	6.5E-11	9.0E-11	5.E-10	7.E-10	1.E-09	--	--	5.1E-10	7.0E-10	--	--	--
	Benzo(b)fluoranthene	5.6E+01	ug/kg	7.3E-01	7.3E-01	6.6E-11	9.2E-11	5.E-11	7.E-11	1.E-10	--	--	5.1E-10	7.1E-10	--	--	--
	Benzo(k)fluoranthene	1.8E+01	ug/kg	7.3E-02	7.3E-02	2.1E-11	2.9E-11	2.E-12	2.E-12	4.E-12	--	--	1.6E-10	2.3E-10	--	--	--
	Dibenzo(a,h)anthracene	6.1E+00	ug/kg	7.3E+00	7.3E+00	7.2E-12	9.9E-12	5.E-11	7.E-11	1.E-10	--	--	5.6E-11	7.7E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	4.6E+01	ug/kg	7.3E-01	7.3E-01	5.4E-11	7.5E-11	4.E-11	5.E-11	9.E-11	--	--	4.2E-10	5.8E-10	--	--	--
	Naphthalene	7.2E+00	ug/kg	--	--	8.4E-12	1.2E-11	--	--	--	2.0E-02	2.0E-02	6.6E-11	9.1E-11	3.E-09	5.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.3E+01	ug/kg	1.4E-02	1.4E-02	3.0E-11	5.4E-11	4.E-13	8.E-13	1.E-12	2.0E-02	2.0E-02	2.3E-10	4.2E-10	1.E-08	2.E-08	0.00000003
	Polychlorinated Biphenyls																
	Total Aroclors	1.3E+01	ug/kg	2.0E+00	2.0E+00	1.7E-11	2.1E-11	3.E-11	4.E-11	8.E-11	2.0E-05	2.0E-05	1.3E-10	1.7E-10	6.E-06	8.E-06	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.2E-01	pg/g	1.3E+05	1.3E+05	2.2E-16	1.3E-15	3.E-11	2.E-10	2.E-10	1.0E-09	1.0E-09	1.7E-15	1.0E-14	2.E-06	1.E-05	0.00001
	Total PCB TEQ	2.5E-01	pg/g	1.3E+05	1.3E+05	3.2E-16	4.1E-16	4.E-11	5.E-11	9.E-11	1.0E-09	1.0E-09	2.5E-15	3.2E-15	2.E-06	3.E-06	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	9.1E-02	ug/kg	1.7E+01	1.7E+01	8.2E-14	1.5E-13	1.E-12	3.E-12	4.E-12	3.0E-05	3.0E-05	6.4E-13	1.2E-12	2.E-08	4.E-08	0.0000001
	Dieldrin	1.1E-01	ug/kg	1.6E+01	1.6E+01	1.0E-13	1.9E-13	2.E-12	3.E-12	5.E-12	5.0E-05	5.0E-05	8.0E-13	1.4E-12	2.E-08	3.E-08	0.00000004
	Total DDT	1.4E+00	ug/kg	3.4E-01	3.4E-01	3.7E-13	2.2E-12	1.E-13	8.E-13	9.E-13	5.0E-04	5.0E-04	2.9E-12	1.7E-11	6.E-09	3.E-08	0.00000004
Exposure Point Total										1.E-08							0.0002
RM 2 East	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	1.1E-09	6.7E-09	2.E-09	1.E-08	1.E-08	3.0E-04	3.0E-04	8.6E-09	5.2E-08	3.E-05	2.E-04	0.0002
	Mercury	8.2E-02	mg/kg	--	--	0.0E+00	1.3E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.0E-09	0.E+00	1.E-05	0.00001
	Butyltins																
	Tributyltin ion	2.7E+00	ug/kg	--	--	2.4E-12	4.3E-12	--	--	--	3.0E-04	3.0E-04	1.9E-11	3.4E-11	6.E-08	1.E-07	0.0000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.8E+01	ug/kg	7.3E-01	7.3E-01	6.8E-11	9.4E-11	5.E-11	7.E-11	1.E-10	--	--	5.3E-10	7.3E-10	--	--	--
	Benzo(a)pyrene	8.6E+01	ug/kg	7.3E+00	7.3E+00	1.0E-10	1.4E-10	7.E-10	1.E-09	2.E-09	--	--	7.9E-10	1.1E-09	--	--	--
	Benzo(b)fluoranthene	9.4E+01	ug/kg	7.3E-01	7.3E-01	1.1E-10	1.5E-10	8.E-11	1.E-10	2.E-10	--	--	8.6E-10	1.2E-09	--	--	--
	Benzo(k)fluoranthene	4.1E+01	ug/kg	7.3E-02	7.3E-02	4.9E-11	6.8E-11	4.E-12	5.E-12	8.E-12	--	--	3.8E-10	5.3E-10	--	--	--
	Dibenzo(a,h)anthracene	1.3E+01	ug/kg	7.3E+00	7.3E+00	1.5E-11	2.1E-11	1.E-10	2.E-10	3.E-10	--	--	1.2E-10	1.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	7.5E+01	ug/kg	7.3E-01	7.3E-01	8.9E-11	1.2E-10	6.E-11	9.E-11	2.E-10	--	--	6.9E-10	9.6E-10	--	--	--
	Naphthalene	1.4E+01	ug/kg	--	--	1.7E-11	2.4E-11	--	--	--	2.0E-02	2.0E-02	1.3E-10	1.8E-10	7.E-09	9.E-09	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.9E+01	ug/kg	1.4E-02	1.4E-02	9.0E-11	1.6E-10	1.E-12	2.E-12	4.E-12	2.0E-02	2.0E-02	7.0E-10	1.3E-09	3.E-08	6.E-08	0.0000001
	Phenols																
	Pentachlorophenol	5.3E-01	ug/kg	4.0E-01	4.0E-01	1.2E-12	8.7E-13	5.E-13	3.E-13	8.E-13	5.0E-03	5.0E-03	9.4E-12	6.8E-12	2.E-09	1.E-09	0.000000003
	Polychlorinated Biphenyls																
	Total Aroclors	4.3E+02	ug/kg	2.0E+00	2.0E+00	5.5E-10	7.1E-10	1.E-09	1.E-09	3.E-09	2.0E-05	2.0E-05	4.3E-09	5.5E-09	2.E-04	3.E-04	0.0005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.2E+00	pg/g	1.3E+05	1.3E+05	3.3E-16	2.0E-15	4.E-11	3.E-10	3.E-10	1.0E-09	1.0E-09	2.6E-15	1.6E-14	3.E-06	2.E-05	0.00002
	Total PCB TEQ	1.3E+01	pg/g	1.3E+05	1.3E+05	1.7E-14	2.2E-14	2.E-09	3.E-09	5.E-09	1.0E-09	1.0E-09	1.3E-13	1.7E-13	1.E-04	2.E-04	0.0003
	Pesticides																
	Aldrin	4.7E-01	ug/kg	1.7E+01	1.7E+01	4.2E-13	7.6E-13	7.E-12	1.E-11	2.E-11	3.0E-05	3.0E-05	3.3E-12	5.9E-12	1.E-07	2.E-07	0.0000003
	Dieldrin	6.0E-01	ug/kg	1.6E+01	1.6E+01	5.4E-13	9.7E-13	9.E-12	2.E-11	2.E-11	5.0E-05	5.0E-05	4.2E-12	7.6E-12	8.E-08	2.E-07	0.0000002
	Total DDT	2.6E+00	ug/kg	3.4E-01	3.4E-01	7.0E-13	4.2E-12	2.E-13	1.E-12	2.E-12	5.0E-04	5.0E-04	5.5E-12	3.3E-11	1.E-08	7.E-08	0.0000001
Exposure Point Total										2.E-08							0.001
RM 2.5 West	**Metals**																
	Arsenic	4.0E+00	mg/kg	1.5E+00	1.5E+00	1.1E-09	6.6E-09	2.E-09	1.E-08	1.E-08	3.0E-04	3.0E-04	8.5E-09	5.1E-08	3.E-05	2.E-04	0.0002
	Mercury	5.5E-02	mg/kg	--	--	0.0E+00	9.0E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.0E-10	0.E+00	7.E-06	0.00001
	Butyltins																
	Tributyltin ion	2.3E+00	ug/kg	--	--	2.1E-12	3.8E-12	--	--	--	3.0E-04	3.0E-04	1.6E-11	2.9E-11	5.E-08	1.E-07	0.0000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure

Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.1E+02	ug/kg	7.3E-01	7.3E-01	2.4E-10	3.4E-10	2.E-10	2.E-10	4.E-10	--	--	1.9E-09	2.6E-09	--	--	--
	Benzo(a)pyrene	3.7E+02	ug/kg	7.3E+00	7.3E+00	4.4E-10	6.0E-10	3.E-09	4.E-09	8.E-09	--	--	3.4E-09	4.7E-09	--	--	--
	Benzo(b)fluoranthene	2.8E+02	ug/kg	7.3E-01	7.3E-01	3.2E-10	4.5E-10	2.E-10	3.E-10	6.E-10	--	--	2.5E-09	3.5E-09	--	--	--
	Benzo(k)fluoranthene	1.2E+02	ug/kg	7.3E-02	7.3E-02	1.5E-10	2.0E-10	1.E-11	1.E-11	3.E-11	--	--	1.1E-09	1.6E-09	--	--	--
	Dibenzo(a,h)anthracene	4.1E+01	ug/kg	7.3E+00	7.3E+00	4.8E-11	6.7E-11	4.E-10	5.E-10	8.E-10	--	--	3.7E-10	5.2E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.1E+02	ug/kg	7.3E-01	7.3E-01	3.6E-10	5.1E-10	3.E-10	4.E-10	6.E-10	--	--	2.8E-09	3.9E-09	--	--	--
	Naphthalene	4.1E+01	ug/kg	--	--	4.8E-11	6.6E-11	--	--	--	2.0E-02	2.0E-02	3.7E-10	5.2E-10	2.E-08	3.E-08	0.00000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.5E+01	ug/kg	1.4E-02	1.4E-02	1.4E-11	2.5E-11	2.E-13	4.E-13	5.E-13	2.0E-02	2.0E-02	1.1E-10	2.0E-10	5.E-09	1.E-08	0.00000002
	Phenols																
	Pentachlorophenol	4.5E-01	ug/kg	4.0E-01	4.0E-01	1.0E-12	7.3E-13	4.E-13	3.E-13	7.E-13	5.0E-03	5.0E-03	7.9E-12	5.7E-12	2.E-09	1.E-09	0.000000003
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+01	ug/kg	2.0E+00	2.0E+00	1.4E-11	1.7E-11	3.E-11	3.E-11	6.E-11	2.0E-05	2.0E-05	1.1E-10	1.4E-10	5.E-06	7.E-06	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.7E-01	pg/g	1.3E+05	1.3E+05	7.3E-17	4.4E-16	9.E-12	6.E-11	7.E-11	1.0E-09	1.0E-09	5.7E-16	3.4E-15	6.E-07	3.E-06	0.000004
	Total PCB TEQ	2.1E-01	pg/g	1.3E+05	1.3E+05	2.6E-16	3.4E-16	3.E-11	4.E-11	8.E-11	1.0E-09	1.0E-09	2.0E-15	2.6E-15	2.E-06	3.E-06	0.000005
	Pesticides																
	Aldrin	9.3E-02	ug/kg	1.7E+01	1.7E+01	8.4E-14	1.5E-13	1.E-12	3.E-12	4.E-12	3.0E-05	3.0E-05	6.6E-13	1.2E-12	2.E-08	4.E-08	0.0000001
	Dieldrin	1.4E-01	ug/kg	1.6E+01	1.6E+01	1.2E-13	2.2E-13	2.E-12	4.E-12	6.E-12	5.0E-05	5.0E-05	9.7E-13	1.7E-12	2.E-08	3.E-08	0.0000001
	Total DDT	1.4E+00	ug/kg	3.4E-01	3.4E-01	3.9E-13	2.4E-12	1.E-13	8.E-13	9.E-13	5.0E-04	5.0E-04	3.1E-12	1.8E-11	6.E-09	4.E-08	0.00000004
Exposure Point Total										2.E-08							0.0002
RM 2.5 East	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	1.1E-09	6.9E-09	2.E-09	1.E-08	1.E-08	3.0E-04	3.0E-04	8.9E-09	5.4E-08	3.E-05	2.E-04	0.0002
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	1.1E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.6E-10	0.E+00	9.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.8E+02	ug/kg	7.3E-01	7.3E-01	6.9E-10	9.5E-10	5.E-10	7.E-10	1.E-09	--	--	5.4E-09	7.4E-09	--	--	--
	Benzo(a)pyrene	4.8E+02	ug/kg	7.3E+00	7.3E+00	5.6E-10	7.8E-10	4.E-09	6.E-09	1.E-08	--	--	4.4E-09	6.1E-09	--	--	--
	Benzo(b)fluoranthene	4.4E+02	ug/kg	7.3E-01	7.3E-01	5.2E-10	7.2E-10	4.E-10	5.E-10	9.E-10	--	--	4.0E-09	5.6E-09	--	--	--
	Benzo(k)fluoranthene	1.4E+02	ug/kg	7.3E-02	7.3E-02	1.7E-10	2.3E-10	1.E-11	2.E-11	3.E-11	--	--	1.3E-09	1.8E-09	--	--	--
	Dibenzo(a,h)anthracene	4.9E+01	ug/kg	7.3E+00	7.3E+00	5.8E-11	8.0E-11	4.E-10	6.E-10	1.E-09	--	--	4.5E-10	6.2E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.8E+02	ug/kg	7.3E-01	7.3E-01	3.4E-10	4.7E-10	2.E-10	3.E-10	6.E-10	--	--	2.6E-09	3.6E-09	--	--	--
	Naphthalene	5.1E+01	ug/kg	--	--	6.0E-11	8.3E-11	--	--	--	2.0E-02	2.0E-02	4.7E-10	6.5E-10	2.E-08	3.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.8E+01	ug/kg	1.4E-02	1.4E-02	7.1E-11	1.3E-10	1.E-12	2.E-12	3.E-12	2.0E-02	2.0E-02	5.5E-10	9.9E-10	3.E-08	5.E-08	0.0000001
	Phenols																
	Pentachlorophenol	4.3E+00	ug/kg	4.0E-01	4.0E-01	9.6E-12	7.0E-12	4.E-12	3.E-12	7.E-12	5.0E-03	5.0E-03	7.5E-11	5.4E-11	1.E-08	1.E-08	0.00000003
	Polychlorinated Biphenyls																
	Total Aroclors	5.6E+01	ug/kg	2.0E+00	2.0E+00	7.1E-11	9.1E-11	1.E-10	2.E-10	3.E-10	2.0E-05	2.0E-05	5.5E-10	7.1E-10	3.E-05	4.E-05	0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: High frequency Fisher   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.6E-01	pg/g	1.3E+05	1.3E+05	1.8E-16	1.1E-15	2.E-11	1.E-10	2.E-10	1.0E-09	1.0E-09	1.4E-15	8.4E-15	1.E-06	8.E-06	0.00001
	Total PCB TEQ	1.3E+00	pg/g	1.3E+05	1.3E+05	1.7E-15	2.2E-15	2.E-10	3.E-10	5.E-10	1.0E-09	1.0E-09	1.3E-14	1.7E-14	1.E-05	2.E-05	0.00003
	Pesticides																
	Aldrin	5.1E-01	ug/kg	1.7E+01	1.7E+01	4.6E-13	8.3E-13	8.E-12	1.E-11	2.E-11	3.0E-05	3.0E-05	3.6E-12	6.4E-12	1.E-07	2.E-07	0.0000003
	Dieldrin	1.7E-01	ug/kg	1.6E+01	1.6E+01	1.5E-13	2.7E-13	2.E-12	4.E-12	7.E-12	5.0E-05	5.0E-05	1.2E-12	2.1E-12	2.E-08	4.E-08	0.0000001
	Total DDT	2.4E+00	ug/kg	3.4E-01	3.4E-01	6.5E-13	3.9E-12	2.E-13	1.E-12	2.E-12	5.0E-04	5.0E-04	5.0E-12	3.0E-11	1.E-08	6.E-08	0.0000001
Exposure Point Total										**3.E-08**							**0.0003**
RM 2.5 MC	**Metals**																
	Arsenic	4.3E+00	mg/kg	1.5E+00	1.5E+00	1.2E-09	7.0E-09	2.E-09	1.E-08	1.E-08	3.0E-04	3.0E-04	9.0E-09	5.4E-08	3.E-05	2.E-04	0.0002
	Mercury	7.9E-02	mg/kg	--	--	0.0E+00	1.3E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.0E-09	0.E+00	1.E-05	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.1E+02	ug/kg	7.3E-01	7.3E-01	2.5E-10	3.5E-10	2.E-10	3.E-10	4.E-10	--	--	1.9E-09	2.7E-09	--	--	--
	Benzo(a)pyrene	3.4E+02	ug/kg	7.3E+00	7.3E+00	4.0E-10	5.6E-10	3.E-09	4.E-09	7.E-09	--	--	3.1E-09	4.3E-09	--	--	--
	Benzo(b)fluoranthene	3.1E+02	ug/kg	7.3E-01	7.3E-01	3.7E-10	5.1E-10	3.E-10	4.E-10	6.E-10	--	--	2.9E-09	4.0E-09	--	--	--
	Benzo(k)fluoranthene	1.0E+02	ug/kg	7.3E-02	7.3E-02	1.2E-10	1.6E-10	9.E-12	1.E-11	2.E-11	--	--	9.2E-10	1.3E-09	--	--	--
	Dibenzo(a,h)anthracene	3.4E+01	ug/kg	7.3E+00	7.3E+00	4.0E-11	5.5E-11	3.E-10	4.E-10	7.E-10	--	--	3.1E-10	4.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.6E+02	ug/kg	7.3E-01	7.3E-01	3.1E-10	4.3E-10	2.E-10	3.E-10	5.E-10	--	--	2.4E-09	3.3E-09	--	--	--
	Naphthalene	5.9E+01	ug/kg	--	--	6.9E-11	9.6E-11	--	--	--	2.0E-02	2.0E-02	5.4E-10	7.5E-10	3.E-08	4.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	5.8E+01	ug/kg	1.4E-02	1.4E-02	5.2E-11	9.4E-11	7.E-13	1.E-12	2.E-12	2.0E-02	2.0E-02	4.1E-10	7.3E-10	2.E-08	4.E-08	0.0000001
	Phenols																
	Pentachlorophenol	5.5E-01	ug/kg	4.0E-01	4.0E-01	1.2E-12	9.0E-13	5.E-13	4.E-13	9.E-13	5.0E-03	5.0E-03	9.7E-12	7.0E-12	2.E-09	1.E-09	0.000000003
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+01	ug/kg	2.0E+00	2.0E+00	3.2E-11	4.1E-11	6.E-11	8.E-11	1.E-10	2.0E-05	2.0E-05	2.5E-10	3.2E-10	1.E-05	2.E-05	0.00003
	Pesticides																
	Aldrin	2.0E-01	ug/kg	1.7E+01	1.7E+01	1.9E-13	3.3E-13	3.E-12	6.E-12	9.E-12	3.0E-05	3.0E-05	1.4E-12	2.6E-12	5.E-08	9.E-08	0.0000001
	Dieldrin	3.1E-01	ug/kg	1.6E+01	1.6E+01	2.8E-13	5.0E-13	4.E-12	8.E-12	1.E-11	5.0E-05	5.0E-05	2.2E-12	3.9E-12	4.E-08	8.E-08	0.0000001
	Total DDT	3.7E+00	ug/kg	3.4E-01	3.4E-01	1.0E-12	6.1E-12	3.E-13	2.E-12	2.E-12	5.0E-04	5.0E-04	7.9E-12	4.8E-11	2.E-08	1.E-07	0.0000001
Exposure Point Total										**2.E-08**							**0.0002**
RM 3 West	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	1.0E-09	6.0E-09	1.E-09	9.E-09	1.E-08	3.0E-04	3.0E-04	7.7E-09	4.7E-08	3.E-05	2.E-04	0.0002
	Mercury	8.0E-02	mg/kg	--	--	0.0E+00	1.3E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.0E-09	0.E+00	1.E-05	0.00001
	Vanadium	8.6E+01	mg/kg	--	--	0.0E+00	1.4E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	1.0E+01	ug/kg	--	--	9.3E-12	1.7E-11	--	--	--	3.0E-04	3.0E-04	7.3E-11	1.3E-10	2.E-07	4.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.9E+02	ug/kg	7.3E-01	7.3E-01	3.4E-10	4.7E-10	2.E-10	3.E-10	6.E-10	--	--	2.7E-09	3.7E-09	--	--	--
	Benzo(a)pyrene	4.6E+02	ug/kg	7.3E+00	7.3E+00	5.4E-10	7.6E-10	4.E-09	6.E-09	9.E-09	--	--	4.2E-09	5.9E-09	--	--	--
	Benzo(b)fluoranthene	4.0E+02	ug/kg	7.3E-01	7.3E-01	4.7E-10	6.5E-10	3.E-10	5.E-10	8.E-10	--	--	3.6E-09	5.0E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(k)fluoranthene	2.3E+02	ug/kg	7.3E-02	7.3E-02	2.7E-10	3.8E-10	2.E-11	3.E-11	5.E-11	--	--	2.1E-09	2.9E-09	--	--	--
	Dibenzo(a,h)anthracene	5.3E+01	ug/kg	7.3E+00	7.3E+00	6.2E-11	8.6E-11	5.E-10	6.E-10	1.E-09	--	--	4.8E-10	6.7E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.3E+02	ug/kg	7.3E-01	7.3E-01	3.9E-10	5.4E-10	3.E-10	4.E-10	7.E-10	--	--	3.0E-09	4.2E-09	--	--	--
	Naphthalene	9.8E+01	ug/kg	--	--	1.2E-10	1.6E-10	--	--	--	2.0E-02	2.0E-02	9.0E-10	1.3E-09	5.E-08	6.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.0E+01	ug/kg	1.4E-02	1.4E-02	3.6E-11	6.6E-11	5.E-13	9.E-13	1.E-12	2.0E-02	2.0E-02	2.8E-10	5.1E-10	1.E-08	3.E-08	0.00000004
	Phenols																
	Pentachlorophenol	1.6E+01	ug/kg	4.0E-01	4.0E-01	3.7E-11	2.7E-11	1.E-11	1.E-11	3.E-11	5.0E-03	5.0E-03	2.9E-10	2.1E-10	6.E-08	4.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+01	ug/kg	2.0E+00	2.0E+00	1.4E-11	1.8E-11	3.E-11	4.E-11	7.E-11	2.0E-05	2.0E-05	1.1E-10	1.4E-10	6.E-06	7.E-06	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.1E-01	pg/g	1.3E+05	1.3E+05	1.6E-16	9.9E-16	2.E-11	1.E-10	2.E-10	1.0E-09	1.0E-09	1.3E-15	7.7E-15	1.E-06	8.E-06	0.00001
	Total PCB TEQ	4.1E-01	pg/g	1.3E+05	1.3E+05	5.2E-16	6.7E-16	7.E-11	9.E-11	2.E-10	1.0E-09	1.0E-09	4.1E-15	5.2E-15	4.E-06	5.E-06	0.00001
	Pesticides																
	Aldrin	3.5E-01	ug/kg	1.7E+01	1.7E+01	3.2E-13	5.8E-13	5.E-12	1.E-11	2.E-11	3.0E-05	3.0E-05	2.5E-12	4.5E-12	8.E-08	1.E-07	0.0000002
	Dieldrin	2.0E-01	ug/kg	1.6E+01	1.6E+01	1.8E-13	3.2E-13	3.E-12	5.E-12	8.E-12	5.0E-05	5.0E-05	1.4E-12	2.5E-12	3.E-08	5.E-08	0.0000001
	Total DDT	2.8E+01	ug/kg	3.4E-01	3.4E-01	7.7E-12	4.6E-11	3.E-12	2.E-11	2.E-11	5.0E-04	5.0E-04	6.0E-11	3.6E-10	1.E-07	7.E-07	0.000001
Exposure Point Total										2.E-08							0.02
RM 3 East	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	1.1E-09	6.7E-09	2.E-09	1.E-08	1.E-08	3.0E-04	3.0E-04	8.7E-09	5.2E-08	3.E-05	2.E-04	0.0002
	Mercury	5.6E-02	mg/kg	--	--	0.0E+00	9.2E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.1E-10	0.E+00	7.E-06	0.00001
	Vanadium	8.8E+01	mg/kg	--	--	0.0E+00	1.4E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	8.3E+00	ug/kg	--	--	7.5E-12	1.3E-11	--	--	--	3.0E-04	3.0E-04	5.8E-11	1.0E-10	2.E-07	3.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.7E+01	ug/kg	7.3E-01	7.3E-01	9.1E-11	1.3E-10	7.E-11	9.E-11	2.E-10	--	--	7.1E-10	9.8E-10	--	--	--
	Benzo(a)pyrene	8.4E+01	ug/kg	7.3E+00	7.3E+00	9.9E-11	1.4E-10	7.E-10	1.E-09	2.E-09	--	--	7.7E-10	1.1E-09	--	--	--
	Benzo(b)fluoranthene	9.9E+01	ug/kg	7.3E-01	7.3E-01	1.2E-10	1.6E-10	9.E-11	1.E-10	2.E-10	--	--	9.1E-10	1.3E-09	--	--	--
	Benzo(k)fluoranthene	6.0E+01	ug/kg	7.3E-02	7.3E-02	7.1E-11	9.9E-11	5.E-12	7.E-12	1.E-11	--	--	5.5E-10	7.7E-10	--	--	--
	Dibenzo(a,h)anthracene	1.4E+01	ug/kg	7.3E+00	7.3E+00	1.6E-11	2.2E-11	1.E-10	2.E-10	3.E-10	--	--	1.3E-10	1.7E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	6.7E+01	ug/kg	7.3E-01	7.3E-01	8.0E-11	1.1E-10	6.E-11	8.E-11	1.E-10	--	--	6.2E-10	8.6E-10	--	--	--
	Naphthalene	1.3E+01	ug/kg	--	--	1.5E-11	2.1E-11	--	--	--	2.0E-02	2.0E-02	1.2E-10	1.6E-10	6.E-09	8.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.5E+01	ug/kg	1.4E-02	1.4E-02	5.9E-11	1.1E-10	8.E-13	1.E-12	2.E-12	2.0E-02	2.0E-02	4.6E-10	8.2E-10	2.E-08	4.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.9E+00	ug/kg	4.0E-01	4.0E-01	4.4E-12	3.2E-12	2.E-12	1.E-12	3.E-12	5.0E-03	5.0E-03	3.4E-11	2.5E-11	7.E-09	5.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.9E+01	ug/kg	2.0E+00	2.0E+00	2.4E-11	3.1E-11	5.E-11	6.E-11	1.E-10	2.0E-05	2.0E-05	1.9E-10	2.4E-10	9.E-06	1.E-05	0.00002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: High frequency Fisher   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.9E+00	pg/g	1.3E+05	1.3E+05	7.8E-16	4.7E-15	1.E-10	6.E-10	7.E-10	1.0E-09	1.0E-09	6.0E-15	3.6E-14	6.E-06	4.E-05	0.00004
	Total PCB TEQ	7.7E-02	pg/g	1.3E+05	1.3E+05	9.7E-17	1.3E-16	1.E-11	2.E-11	3.E-11	1.0E-09	1.0E-09	7.6E-16	9.7E-16	8.E-07	1.E-06	0.000002
	Pesticides																
	Aldrin	2.9E-01	ug/kg	1.7E+01	1.7E+01	2.6E-13	4.7E-13	4.E-12	8.E-12	1.E-11	3.0E-05	3.0E-05	2.0E-12	3.6E-12	7.E-08	1.E-07	0.0000002
	Dieldrin	5.7E-02	ug/kg	1.6E+01	1.6E+01	5.2E-14	9.4E-14	8.E-13	2.E-12	2.E-12	5.0E-05	5.0E-05	4.1E-13	7.3E-13	8.E-09	1.E-08	0.00000002
	Total DDT	1.6E+00	ug/kg	3.4E-01	3.4E-01	4.3E-13	2.6E-12	1.E-13	9.E-13	1.E-12	5.0E-04	5.0E-04	3.3E-12	2.0E-11	7.E-09	4.E-08	0.00000005
Exposure Point Total										**2.E-08**							**0.02**
RM 3.5 West	**Metals**																
	Arsenic	5.8E+00	mg/kg	1.5E+00	1.5E+00	1.6E-09	9.4E-09	2.E-09	1.E-08	2.E-08	3.0E-04	3.0E-04	1.2E-08	7.3E-08	4.E-05	2.E-04	0.0003
	Mercury	7.1E-02	mg/kg	--	--	0.0E+00	1.2E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.0E-10	0.E+00	9.E-06	0.00001
	Vanadium	9.9E+01	mg/kg	--	--	0.0E+00	1.6E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.3E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	8.1E+01	ug/kg	--	--	7.3E-11	1.3E-10	--	--	--	3.0E-04	3.0E-04	5.7E-10	1.0E-09	2.E-06	3.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+02	ug/kg	7.3E-01	7.3E-01	3.1E-10	4.3E-10	2.E-10	3.E-10	5.E-10	--	--	2.4E-09	3.3E-09	--	--	--
	Benzo(a)pyrene	3.9E+02	ug/kg	7.3E+00	7.3E+00	4.6E-10	6.4E-10	3.E-09	5.E-09	8.E-09	--	--	3.6E-09	5.0E-09	--	--	--
	Benzo(b)fluoranthene	3.5E+02	ug/kg	7.3E-01	7.3E-01	4.1E-10	5.7E-10	3.E-10	4.E-10	7.E-10	--	--	3.2E-09	4.5E-09	--	--	--
	Benzo(k)fluoranthene	1.4E+02	ug/kg	7.3E-02	7.3E-02	1.7E-10	2.4E-10	1.E-11	2.E-11	3.E-11	--	--	1.3E-09	1.8E-09	--	--	--
	Dibenzo(a,h)anthracene	4.3E+01	ug/kg	7.3E+00	7.3E+00	5.1E-11	7.1E-11	4.E-10	5.E-10	9.E-10	--	--	4.0E-10	5.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.2E+02	ug/kg	7.3E-01	7.3E-01	3.8E-10	5.3E-10	3.E-10	4.E-10	7.E-10	--	--	2.9E-09	4.1E-09	--	--	--
	Naphthalene	1.3E+02	ug/kg	--	--	1.6E-10	2.2E-10	--	--	--	2.0E-02	2.0E-02	1.2E-09	1.7E-09	6.E-08	8.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.6E+01	ug/kg	1.4E-02	1.4E-02	4.2E-11	7.6E-11	6.E-13	1.E-12	2.E-12	2.0E-02	2.0E-02	3.3E-10	5.9E-10	2.E-08	3.E-08	0.00000005
	Phenols																
	Pentachlorophenol	2.5E+00	ug/kg	4.0E-01	4.0E-01	5.6E-12	4.0E-12	2.E-12	2.E-12	4.E-12	5.0E-03	5.0E-03	4.3E-11	3.1E-11	9.E-09	6.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.3E+01	ug/kg	2.0E+00	2.0E+00	2.9E-11	3.7E-11	6.E-11	7.E-11	1.E-10	2.0E-05	2.0E-05	2.2E-10	2.9E-10	1.E-05	1.E-05	0.00003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.1E-01	pg/g	1.3E+05	1.3E+05	2.5E-16	1.5E-15	3.E-11	2.E-10	2.E-10	1.0E-09	1.0E-09	1.9E-15	1.2E-14	2.E-06	1.E-05	0.00001
	Total PCB TEQ	5.1E-01	pg/g	1.3E+05	1.3E+05	6.5E-16	8.4E-16	8.E-11	1.E-10	2.E-10	1.0E-09	1.0E-09	5.0E-15	6.5E-15	5.E-06	7.E-06	0.00001
	Pesticides																
	Aldrin	2.7E-01	ug/kg	1.7E+01	1.7E+01	2.4E-13	4.3E-13	4.E-12	7.E-12	1.E-11	3.0E-05	3.0E-05	1.9E-12	3.4E-12	6.E-08	1.E-07	0.0000002
	Dieldrin	1.3E-01	ug/kg	1.6E+01	1.6E+01	1.1E-13	2.1E-13	2.E-12	3.E-12	5.E-12	5.0E-05	5.0E-05	8.8E-13	1.6E-12	2.E-08	3.E-08	0.0000005
	Total DDT	5.8E+00	ug/kg	3.4E-01	3.4E-01	1.6E-12	9.5E-12	5.E-13	3.E-12	4.E-12	5.0E-04	5.0E-04	1.2E-11	7.4E-11	2.E-08	1.E-07	0.0000002
Exposure Point Total										**3.E-08**							**0.02**
RM 3.5 East	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	1.0E-09	6.0E-09	2.E-09	9.E-09	1.E-08	3.0E-04	3.0E-04	7.8E-09	4.7E-08	3.E-05	2.E-04	0.0002
	Mercury	7.9E-02	mg/kg	--	--	0.0E+00	1.3E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.0E-09	0.E+00	1.E-05	0.00001
	Vanadium	9.9E+01	mg/kg	--	--	0.0E+00	1.6E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.3E-06	0.E+00	2.E-02	0.02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	1.8E+03	ug/kg	--	--	1.6E-09	2.9E-09	--	--	--	3.0E-04	3.0E-04	1.3E-08	2.3E-08	4.E-05	8.E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.9E+02	ug/kg	7.3E-01	7.3E-01	3.4E-10	4.8E-10	3.E-10	3.E-10	6.E-10	--	--	2.7E-09	3.7E-09	--	--	--
	Benzo(a)pyrene	2.5E+02	ug/kg	7.3E+00	7.3E+00	2.9E-10	4.0E-10	2.E-09	3.E-09	5.E-09	--	--	2.3E-09	3.1E-09	--	--	--
	Benzo(b)fluoranthene	3.5E+02	ug/kg	7.3E-01	7.3E-01	4.1E-10	5.7E-10	3.E-10	4.E-10	7.E-10	--	--	3.2E-09	4.5E-09	--	--	--
	Benzo(k)fluoranthene	1.7E+02	ug/kg	7.3E-02	7.3E-02	2.0E-10	2.8E-10	1.E-11	2.E-11	4.E-11	--	--	1.6E-09	2.2E-09	--	--	--
	Dibenzo(a,h)anthracene	4.1E+01	ug/kg	7.3E+00	7.3E+00	4.8E-11	6.7E-11	4.E-10	5.E-10	8.E-10	--	--	3.8E-10	5.2E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.5E+02	ug/kg	7.3E-01	7.3E-01	1.8E-10	2.4E-10	1.E-10	2.E-10	3.E-10	--	--	1.4E-09	1.9E-09	--	--	--
	Naphthalene	1.4E+01	ug/kg	--	--	1.6E-11	2.3E-11	--	--	--	2.0E-02	2.0E-02	1.3E-10	1.8E-10	6.E-09	9.E-09	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+03	ug/kg	1.4E-02	1.4E-02	1.2E-09	2.2E-09	2.E-11	3.E-11	5.E-11	2.0E-02	2.0E-02	9.3E-09	1.7E-08	5.E-07	8.E-07	0.000001
	Phenols																
	Pentachlorophenol	2.0E+00	ug/kg	4.0E-01	4.0E-01	4.6E-12	3.3E-12	2.E-12	1.E-12	3.E-12	5.0E-03	5.0E-03	3.6E-11	2.6E-11	7.E-09	5.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.8E+02	ug/kg	2.0E+00	2.0E+00	4.8E-10	6.1E-10	1.E-09	1.E-09	2.E-09	2.0E-05	2.0E-05	3.7E-09	4.8E-09	2.E-04	2.E-04	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.3E+00	pg/g	1.3E+05	1.3E+05	9.1E-16	5.4E-15	1.E-10	7.E-10	8.E-10	1.0E-09	1.0E-09	7.0E-15	4.2E-14	7.E-06	4.E-05	0.00005
	Total PCB TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	2.2E-14	2.8E-14	3.E-09	4.E-09	7.E-09	1.0E-09	1.0E-09	1.7E-13	2.2E-13	2.E-04	2.E-04	0.0004
	Pesticides																
	Aldrin	3.7E-01	ug/kg	1.7E+01	1.7E+01	3.4E-13	6.1E-13	6.E-12	1.E-11	2.E-11	3.0E-05	3.0E-05	2.6E-12	4.7E-12	9.E-08	2.E-07	0.0000002
	Dieldrin	1.3E-01	ug/kg	1.6E+01	1.6E+01	1.1E-13	2.1E-13	2.E-12	3.E-12	5.E-12	5.0E-05	5.0E-05	8.8E-13	1.6E-12	2.E-08	3.E-08	0.0000005
	Total DDT	6.2E+00	ug/kg	3.4E-01	3.4E-01	1.7E-12	1.0E-11	6.E-13	3.E-12	4.E-12	5.0E-04	5.0E-04	1.3E-11	7.8E-11	3.E-08	2.E-07	0.0000002
Exposure Point Total										3.E-08							0.02
RM 4 West	**Metals**																
	Arsenic	3.4E+00	mg/kg	1.5E+00	1.5E+00	9.2E-10	5.5E-09	1.E-09	8.E-09	1.E-08	3.0E-04	3.0E-04	7.2E-09	4.3E-08	2.E-05	1.E-04	0.0002
	Mercury	8.2E-02	mg/kg	--	--	0.0E+00	1.3E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.0E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.7E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.3E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	6.1E+00	ug/kg	--	--	5.5E-12	1.0E-11	--	--	--	3.0E-04	3.0E-04	4.3E-11	7.8E-11	1.E-07	3.E-07	0.0000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.5E+02	ug/kg	7.3E-01	7.3E-01	3.0E-10	4.2E-10	2.E-10	3.E-10	5.E-10	--	--	2.3E-09	3.2E-09	--	--	--
	Benzo(a)pyrene	4.0E+02	ug/kg	7.3E+00	7.3E+00	4.7E-10	6.5E-10	3.E-09	5.E-09	8.E-09	--	--	3.6E-09	5.0E-09	--	--	--
	Benzo(b)fluoranthene	3.6E+02	ug/kg	7.3E-01	7.3E-01	4.2E-10	5.8E-10	3.E-10	4.E-10	7.E-10	--	--	3.3E-09	4.5E-09	--	--	--
	Benzo(k)fluoranthene	1.3E+02	ug/kg	7.3E-02	7.3E-02	1.6E-10	2.2E-10	1.E-11	2.E-11	3.E-11	--	--	1.2E-09	1.7E-09	--	--	--
	Dibenzo(a,h)anthracene	4.4E+01	ug/kg	7.3E+00	7.3E+00	5.2E-11	7.2E-11	4.E-10	5.E-10	9.E-10	--	--	4.0E-10	5.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.2E+02	ug/kg	7.3E-01	7.3E-01	3.7E-10	5.2E-10	3.E-10	4.E-10	6.E-10	--	--	2.9E-09	4.0E-09	--	--	--
	Naphthalene	7.7E+01	ug/kg	--	--	9.1E-11	1.3E-10	--	--	--	2.0E-02	2.0E-02	7.1E-10	9.8E-10	4.E-08	5.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.2E+01	ug/kg	1.4E-02	1.4E-02	3.8E-11	6.8E-11	5.E-13	1.E-12	1.E-12	2.0E-02	2.0E-02	2.9E-10	5.3E-10	1.E-08	3.E-08	0.00000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phenols																
	Pentachlorophenol	4.5E+00	ug/kg	4.0E-01	4.0E-01	1.0E-11	7.3E-12	4.E-12	3.E-12	7.E-12	5.0E-03	5.0E-03	7.9E-11	5.7E-11	2.E-08	1.E-08	0.00000003
	Polychlorinated Biphenyls																
	Total Aroclors	2.1E+01	ug/kg	2.0E+00	2.0E+00	2.7E-11	3.5E-11	5.E-11	7.E-11	1.E-10	2.0E-05	2.0E-05	2.1E-10	2.7E-10	1.E-05	1.E-05	0.00002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.6E+00	pg/g	1.3E+05	1.3E+05	4.4E-16	2.6E-15	6.E-11	3.E-10	4.E-10	1.0E-09	1.0E-09	3.4E-15	2.1E-14	3.E-06	2.E-05	0.00002
	Total PCB TEQ	4.7E-01	pg/g	1.3E+05	1.3E+05	6.0E-16	7.7E-16	8.E-11	1.E-10	2.E-10	1.0E-09	1.0E-09	4.6E-15	6.0E-15	5.E-06	6.E-06	0.00001
	Pesticides																
	Aldrin	3.9E-01	ug/kg	1.7E+01	1.7E+01	3.5E-13	6.3E-13	6.E-12	1.E-11	2.E-11	3.0E-05	3.0E-05	2.7E-12	4.9E-12	9.E-08	2.E-07	0.0000003
	Dieldrin	7.1E-02	ug/kg	1.6E+01	1.6E+01	6.5E-14	1.2E-13	1.E-12	2.E-12	3.E-12	5.0E-05	5.0E-05	5.0E-13	9.1E-13	1.E-08	2.E-08	0.00000003
	Total DDT	1.9E+01	ug/kg	3.4E-01	3.4E-01	5.2E-12	3.1E-11	2.E-12	1.E-11	1.E-11	5.0E-04	5.0E-04	4.0E-11	2.4E-10	8.E-08	5.E-07	0.000001
Exposure Point Total										2.E-08							0.02
RM 4 East	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	1.1E-09	6.9E-09	2.E-09	1.E-08	1.E-08	3.0E-04	3.0E-04	8.9E-09	5.4E-08	3.E-05	2.E-04	0.0002
	Mercury	6.6E-02	mg/kg	--	--	0.0E+00	1.1E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.4E-10	0.E+00	8.E-06	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.7E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.4E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	2.6E+01	ug/kg	--	--	2.4E-11	4.3E-11	--	--	--	3.0E-04	3.0E-04	1.8E-10	3.3E-10	6.E-07	1.E-06	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.3E+02	ug/kg	7.3E-01	7.3E-01	7.5E-10	1.0E-09	5.E-10	8.E-10	1.E-09	--	--	5.8E-09	8.1E-09	--	--	--
	Benzo(a)pyrene	8.8E+02	ug/kg	7.3E+00	7.3E+00	1.0E-09	1.4E-09	8.E-09	1.E-08	2.E-08	--	--	8.0E-09	1.1E-08	--	--	--
	Benzo(b)fluoranthene	9.0E+02	ug/kg	7.3E-01	7.3E-01	1.1E-09	1.5E-09	8.E-10	1.E-09	2.E-09	--	--	8.3E-09	1.2E-08	--	--	--
	Benzo(k)fluoranthene	7.1E+02	ug/kg	7.3E-02	7.3E-02	8.4E-10	1.2E-09	6.E-11	8.E-11	1.E-10	--	--	6.5E-09	9.0E-09	--	--	--
	Dibenzo(a,h)anthracene	1.4E+02	ug/kg	7.3E+00	7.3E+00	1.7E-10	2.3E-10	1.E-09	2.E-09	3.E-09	--	--	1.3E-09	1.8E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	6.4E+02	ug/kg	7.3E-01	7.3E-01	7.6E-10	1.0E-09	6.E-10	8.E-10	1.E-09	--	--	5.9E-09	8.2E-09	--	--	--
	Naphthalene	3.9E+01	ug/kg	--	--	4.5E-11	6.3E-11	--	--	--	2.0E-02	2.0E-02	3.5E-10	4.9E-10	2.E-08	2.E-08	0.00000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.1E+02	ug/kg	1.4E-02	1.4E-02	8.3E-10	1.5E-09	1.E-11	2.E-11	3.E-11	2.0E-02	2.0E-02	6.4E-09	1.2E-08	3.E-07	6.E-07	0.000001
	Phenols																
	Pentachlorophenol	4.5E+02	ug/kg	4.0E-01	4.0E-01	1.0E-09	7.4E-10	4.E-10	3.E-10	7.E-10	5.0E-03	5.0E-03	7.9E-09	5.7E-09	2.E-06	1.E-06	0.000003
	Polychlorinated Biphenyls																
	Total Aroclors	1.5E+02	ug/kg	2.0E+00	2.0E+00	1.9E-10	2.5E-10	4.E-10	5.E-10	9.E-10	2.0E-05	2.0E-05	1.5E-09	1.9E-09	7.E-05	1.E-04	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.1E+00	pg/g	1.3E+05	1.3E+05	1.1E-15	6.8E-15	1.E-10	9.E-10	1.E-09	1.0E-09	1.0E-09	8.7E-15	5.3E-14	9.E-06	5.E-05	0.0001
	Total PCB TEQ	1.9E+00	pg/g	1.3E+05	1.3E+05	2.4E-15	3.1E-15	3.E-10	4.E-10	7.E-10	1.0E-09	1.0E-09	1.9E-14	2.4E-14	2.E-05	2.E-05	0.00004
	Pesticides																
	Aldrin	4.7E-01	ug/kg	1.7E+01	1.7E+01	4.3E-13	7.7E-13	7.E-12	1.E-11	2.E-11	3.0E-05	3.0E-05	3.3E-12	6.0E-12	1.E-07	2.E-07	0.0000003
	Dieldrin	8.9E-02	ug/kg	1.6E+01	1.6E+01	8.0E-14	1.5E-13	1.E-12	2.E-12	4.E-12	5.0E-05	5.0E-05	6.3E-13	1.1E-12	1.E-08	2.E-08	0.00000004
	Total DDT	5.4E+00	ug/kg	3.4E-01	3.4E-01	1.5E-12	8.9E-12	5.E-13	3.E-12	4.E-12	5.0E-04	5.0E-04	1.1E-11	6.9E-11	2.E-08	1.E-07	0.0000002
Exposure Point Total										4.E-08							0.02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 4.5 West	**Metals**																
	Arsenic	3.6E+00	mg/kg	1.5E+00	1.5E+00	9.8E-10	5.9E-09	1.E-09	9.E-09	1.E-08	3.0E-04	3.0E-04	7.6E-09	4.6E-08	3.E-05	2.E-04	0.0002
	Mercury	8.6E-02	mg/kg	--	--	0.0E+00	1.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.7E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.4E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	7.5E+00	ug/kg	--	--	6.8E-12	1.2E-11	--	--	--	3.0E-04	3.0E-04	5.3E-11	9.5E-11	2.E-07	3.E-07	0.0000005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.5E+02	ug/kg	7.3E-01	7.3E-01	6.5E-10	9.0E-10	5.E-10	7.E-10	1.E-09	--	--	5.1E-09	7.0E-09	--	--	--
	Benzo(a)pyrene	7.6E+02	ug/kg	7.3E+00	7.3E+00	8.9E-10	1.2E-09	7.E-09	9.E-09	2.E-08	--	--	7.0E-09	9.7E-09	--	--	--
	Benzo(b)fluoranthene	6.6E+02	ug/kg	7.3E-01	7.3E-01	7.8E-10	1.1E-09	6.E-10	8.E-10	1.E-09	--	--	6.0E-09	8.4E-09	--	--	--
	Benzo(k)fluoranthene	2.9E+02	ug/kg	7.3E-02	7.3E-02	3.4E-10	4.8E-10	3.E-11	3.E-11	6.E-11	--	--	2.7E-09	3.7E-09	--	--	--
	Dibenzo(a,h)anthracene	8.5E+01	ug/kg	7.3E+00	7.3E+00	1.0E-10	1.4E-10	7.E-10	1.E-09	2.E-09	--	--	7.8E-10	1.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	5.9E+02	ug/kg	7.3E-01	7.3E-01	7.0E-10	9.7E-10	5.E-10	7.E-10	1.E-09	--	--	5.5E-09	7.6E-09	--	--	--
	Naphthalene	1.6E+02	ug/kg	--	--	1.9E-10	2.7E-10	--	--	--	2.0E-02	2.0E-02	1.5E-09	2.1E-09	8.E-08	1.E-07	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	5.0E+01	ug/kg	1.4E-02	1.4E-02	4.5E-11	8.1E-11	6.E-13	1.E-12	2.E-12	2.0E-02	2.0E-02	3.5E-10	6.3E-10	2.E-08	3.E-08	0.00000005
	Phenols																
	Pentachlorophenol	1.7E+00	ug/kg	4.0E-01	4.0E-01	3.9E-12	2.8E-12	2.E-12	1.E-12	3.E-12	5.0E-03	5.0E-03	3.0E-11	2.2E-11	6.E-09	4.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+01	ug/kg	2.0E+00	2.0E+00	3.1E-11	4.0E-11	6.E-11	8.E-11	1.E-10	2.0E-05	2.0E-05	2.4E-10	3.1E-10	1.E-05	2.E-05	0.00003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.6E+00	pg/g	1.3E+05	1.3E+05	7.1E-16	4.3E-15	9.E-11	6.E-10	6.E-10	1.0E-09	1.0E-09	5.5E-15	3.3E-14	6.E-06	3.E-05	0.00004
	Total PCB TEQ	1.4E+00	pg/g	1.3E+05	1.3E+05	1.8E-15	2.3E-15	2.E-10	3.E-10	5.E-10	1.0E-09	1.0E-09	1.4E-14	1.8E-14	1.E-05	2.E-05	0.00003
	Pesticides																
	Aldrin	1.7E-01	ug/kg	1.7E+01	1.7E+01	1.5E-13	2.7E-13	3.E-12	5.E-12	7.E-12	3.0E-05	3.0E-05	1.2E-12	2.1E-12	4.E-08	7.E-08	0.0000001
	Dieldrin	1.3E-01	ug/kg	1.6E+01	1.6E+01	1.2E-13	2.2E-13	2.E-12	3.E-12	5.E-12	5.0E-05	5.0E-05	9.4E-13	1.7E-12	2.E-08	3.E-08	0.0000001
	Total DDT	4.5E+00	ug/kg	3.4E-01	3.4E-01	1.2E-12	7.4E-12	4.E-13	3.E-12	3.E-12	5.0E-04	5.0E-04	9.6E-12	5.8E-11	2.E-08	1.E-07	0.0000001
Exposure Point Total										3.E-08							0.02
RM 4.5 East	**Metals**																
	Arsenic	4.0E+00	mg/kg	1.5E+00	1.5E+00	1.1E-09	6.5E-09	2.E-09	1.E-08	1.E-08	3.0E-04	3.0E-04	8.4E-09	5.1E-08	3.E-05	2.E-04	0.0002
	Mercury	6.3E-02	mg/kg	--	--	0.0E+00	1.0E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.0E-10	0.E+00	8.E-06	0.00001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.7E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.3E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	4.1E+01	ug/kg	--	--	3.7E-11	6.6E-11	--	--	--	3.0E-04	3.0E-04	2.9E-10	5.2E-10	1.E-06	2.E-06	0.000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.3E+03	ug/kg	7.3E-01	7.3E-01	3.9E-09	5.4E-09	3.E-09	4.E-09	7.E-09	--	--	3.0E-08	4.2E-08	--	--	--
	Benzo(a)pyrene	4.3E+03	ug/kg	7.3E+00	7.3E+00	5.1E-09	7.0E-09	4.E-08	5.E-08	9.E-08	--	--	3.9E-08	5.5E-08	--	--	--
	Benzo(b)fluoranthene	3.8E+03	ug/kg	7.3E-01	7.3E-01	4.4E-09	6.1E-09	3.E-09	4.E-09	8.E-09	--	--	3.4E-08	4.8E-08	--	--	--
	Benzo(k)fluoranthene	3.4E+03	ug/kg	7.3E-02	7.3E-02	4.0E-09	5.5E-09	3.E-10	4.E-10	7.E-10	--	--	3.1E-08	4.3E-08	--	--	--
	Dibenzo(a,h)anthracene	7.1E+02	ug/kg	7.3E+00	7.3E+00	8.4E-10	1.2E-09	6.E-09	8.E-09	1.E-08	--	--	6.5E-09	9.0E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Indeno(1,2,3-cd)pyrene	3.0E+03	ug/kg	7.3E-01	7.3E-01	3.6E-09	5.0E-09	3.E-09	4.E-09	6.E-09	--	--	2.8E-08	3.9E-08	--	--	--
	Naphthalene	1.5E+02	ug/kg	--	--	1.7E-10	2.4E-10	--	--	--	2.0E-02	2.0E-02	1.3E-09	1.9E-09	7.E-08	9.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.3E+01	ug/kg	1.4E-02	1.4E-02	7.6E-11	1.4E-10	1.E-12	2.E-12	3.E-12	2.0E-02	2.0E-02	5.9E-10	1.1E-09	3.E-08	5.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.8E+00	ug/kg	4.0E-01	4.0E-01	4.0E-12	2.9E-12	2.E-12	1.E-12	3.E-12	5.0E-03	5.0E-03	3.1E-11	2.3E-11	6.E-09	5.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.5E+01	ug/kg	2.0E+00	2.0E+00	4.4E-11	5.6E-11	9.E-11	1.E-10	2.E-10	2.0E-05	2.0E-05	3.4E-10	4.4E-10	2.E-05	2.E-05	0.00004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.8E-01	pg/g	1.3E+05	1.3E+05	7.5E-17	4.5E-16	1.E-11	6.E-11	7.E-11	1.0E-09	1.0E-09	5.8E-16	3.5E-15	6.E-07	4.E-06	0.000004
	Total PCB TEQ	3.2E-01	pg/g	1.3E+05	1.3E+05	4.1E-16	5.3E-16	5.E-11	7.E-11	1.E-10	1.0E-09	1.0E-09	3.2E-15	4.1E-15	3.E-06	4.E-06	0.00001
	Pesticides																
	Aldrin	1.1E-01	ug/kg	1.7E+01	1.7E+01	9.7E-14	1.8E-13	2.E-12	3.E-12	5.E-12	3.0E-05	3.0E-05	7.6E-13	1.4E-12	3.E-08	5.E-08	0.0000000
	Dieldrin	5.8E-02	ug/kg	1.6E+01	1.6E+01	5.3E-14	9.5E-14	8.E-13	2.E-12	2.E-12	5.0E-05	5.0E-05	4.1E-13	7.4E-13	8.E-09	1.E-08	0.00000002
	Total DDT	4.9E+00	ug/kg	3.4E-01	3.4E-01	1.3E-12	8.0E-12	4.E-13	3.E-12	3.E-12	5.0E-04	5.0E-04	1.0E-11	6.2E-11	2.E-08	1.E-07	0.0000001
Exposure Point Total										1.E-07							0.02
RM 5 West	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	8.8E-10	5.3E-09	1.E-09	8.E-09	9.E-09	3.0E-04	3.0E-04	6.9E-09	4.1E-08	2.E-05	1.E-04	0.0002
	Mercury	5.2E-02	mg/kg	--	--	0.0E+00	8.6E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.7E-10	0.E+00	7.E-06	0.00001
	Vanadium	9.8E+01	mg/kg	--	--	0.0E+00	1.6E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.3E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	1.8E+01	ug/kg	--	--	1.6E-11	2.9E-11	--	--	--	3.0E-04	3.0E-04	1.3E-10	2.3E-10	4.E-07	8.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.9E+02	ug/kg	7.3E-01	7.3E-01	7.0E-10	9.7E-10	5.E-10	7.E-10	1.E-09	--	--	5.4E-09	7.5E-09	--	--	--
	Benzo(a)pyrene	7.9E+02	ug/kg	7.3E+00	7.3E+00	9.3E-10	1.3E-09	7.E-09	9.E-09	2.E-08	--	--	7.3E-09	1.0E-08	--	--	--
	Benzo(b)fluoranthene	5.7E+02	ug/kg	7.3E-01	7.3E-01	6.7E-10	9.3E-10	5.E-10	7.E-10	1.E-09	--	--	5.2E-09	7.2E-09	--	--	--
	Benzo(k)fluoranthene	4.1E+02	ug/kg	7.3E-02	7.3E-02	4.9E-10	6.7E-10	4.E-11	5.E-11	8.E-11	--	--	3.8E-09	5.2E-09	--	--	--
	Dibenzo(a,h)anthracene	8.2E+01	ug/kg	7.3E+00	7.3E+00	9.6E-11	1.3E-10	7.E-10	1.E-09	2.E-09	--	--	7.5E-10	1.0E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	5.9E+02	ug/kg	7.3E-01	7.3E-01	6.9E-10	9.6E-10	5.E-10	7.E-10	1.E-09	--	--	5.4E-09	7.5E-09	--	--	--
	Naphthalene	1.4E+02	ug/kg	--	--	1.6E-10	2.2E-10	--	--	--	2.0E-02	2.0E-02	1.3E-09	1.7E-09	6.E-08	9.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.1E+01	ug/kg	1.4E-02	1.4E-02	6.4E-11	1.2E-10	9.E-13	2.E-12	3.E-12	2.0E-02	2.0E-02	5.0E-10	9.0E-10	3.E-08	5.E-08	0.0000001
	Phenols																
	Pentachlorophenol	2.1E+01	ug/kg	4.0E-01	4.0E-01	4.7E-11	3.4E-11	2.E-11	1.E-11	3.E-11	5.0E-03	5.0E-03	3.7E-10	2.7E-10	7.E-08	5.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+01	ug/kg	2.0E+00	2.0E+00	2.1E-11	2.8E-11	4.E-11	6.E-11	1.E-10	2.0E-05	2.0E-05	1.7E-10	2.2E-10	8.E-06	1.E-05	0.00002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.5E+00	pg/g	1.3E+05	1.3E+05	9.4E-16	5.7E-15	1.E-10	7.E-10	9.E-10	1.0E-09	1.0E-09	7.3E-15	4.4E-14	7.E-06	4.E-05	0.0001
	Total PCB TEQ	1.2E+00	pg/g	1.3E+05	1.3E+05	1.5E-15	1.9E-15	2.E-10	2.E-10	4.E-10	1.0E-09	1.0E-09	1.2E-14	1.5E-14	1.E-05	1.E-05	0.00003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	4.4E-01	ug/kg	1.7E+01	1.7E+01	4.0E-13	7.2E-13	7.E-12	1.E-11	2.E-11	3.0E-05	3.0E-05	3.1E-12	5.6E-12	1.E-07	2.E-07	0.0000003
	Dieldrin	1.5E-01	ug/kg	1.6E+01	1.6E+01	1.3E-13	2.4E-13	2.E-12	4.E-12	6.E-12	5.0E-05	5.0E-05	1.0E-12	1.9E-12	2.E-08	4.E-08	0.0000001
	Total DDT	1.2E+01	ug/kg	3.4E-01	3.4E-01	3.1E-12	1.9E-11	1.E-12	6.E-12	7.E-12	5.0E-04	5.0E-04	2.4E-11	1.5E-10	5.E-08	3.E-07	0.0000003
Exposure Point Total										3.E-08							0.02
RM 5 East	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	8.8E-10	5.3E-09	1.E-09	8.E-09	9.E-09	3.0E-04	3.0E-04	6.9E-09	4.1E-08	2.E-05	1.E-04	0.0002
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	1.1E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.7E-10	0.E+00	9.E-06	0.00001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.7E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.3E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	5.7E+01	ug/kg	--	--	5.2E-11	9.3E-11	--	--	--	3.0E-04	3.0E-04	4.0E-10	7.3E-10	1.E-06	2.E-06	0.000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.1E+02	ug/kg	7.3E-01	7.3E-01	2.5E-10	3.5E-10	2.E-10	3.E-10	4.E-10	--	--	2.0E-09	2.7E-09	--	--	--
	Benzo(a)pyrene	3.0E+02	ug/kg	7.3E+00	7.3E+00	3.5E-10	4.9E-10	3.E-09	4.E-09	6.E-09	--	--	2.7E-09	3.8E-09	--	--	--
	Benzo(b)fluoranthene	3.2E+02	ug/kg	7.3E-01	7.3E-01	3.8E-10	5.2E-10	3.E-10	4.E-10	7.E-10	--	--	2.9E-09	4.1E-09	--	--	--
	Benzo(k)fluoranthene	1.5E+02	ug/kg	7.3E-02	7.3E-02	1.8E-10	2.5E-10	1.E-11	2.E-11	3.E-11	--	--	1.4E-09	1.9E-09	--	--	--
	Dibenzo(a,h)anthracene	4.3E+01	ug/kg	7.3E+00	7.3E+00	5.1E-11	7.0E-11	4.E-10	5.E-10	9.E-10	--	--	3.9E-10	5.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.4E+02	ug/kg	7.3E-01	7.3E-01	2.8E-10	3.9E-10	2.E-10	3.E-10	5.E-10	--	--	2.2E-09	3.1E-09	--	--	--
	Naphthalene	5.5E+01	ug/kg	--	--	6.4E-11	8.9E-11	--	--	--	2.0E-02	2.0E-02	5.0E-10	6.9E-10	2.E-08	3.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.5E+01	ug/kg	1.4E-02	1.4E-02	7.7E-11	1.4E-10	1.E-12	2.E-12	3.E-12	2.0E-02	2.0E-02	6.0E-10	1.1E-09	3.E-08	5.E-08	0.0000001
	Phenols																
	Pentachlorophenol	6.5E+00	ug/kg	4.0E-01	4.0E-01	1.5E-11	1.1E-11	6.E-12	4.E-12	1.E-11	5.0E-03	5.0E-03	1.2E-10	8.3E-11	2.E-08	2.E-08	0.00000004
	Polychlorinated Biphenyls																
	Total Aroclors	2.0E+01	ug/kg	2.0E+00	2.0E+00	2.5E-11	3.2E-11	5.E-11	6.E-11	1.E-10	2.0E-05	2.0E-05	1.9E-10	2.5E-10	1.E-05	1.E-05	0.00002
	Pesticides																
	Aldrin	1.9E-01	ug/kg	1.7E+01	1.7E+01	1.7E-13	3.1E-13	3.E-12	5.E-12	8.E-12	3.0E-05	3.0E-05	1.3E-12	2.4E-12	4.E-08	8.E-08	0.0000001
	Dieldrin	1.9E-01	ug/kg	1.6E+01	1.6E+01	1.7E-13	3.1E-13	3.E-12	5.E-12	8.E-12	5.0E-05	5.0E-05	1.3E-12	2.4E-12	3.E-08	5.E-08	0.0000001
	Total DDT	1.4E+00	ug/kg	3.4E-01	3.4E-01	3.7E-13	2.2E-12	1.E-13	8.E-13	9.E-13	5.0E-04	5.0E-04	2.9E-12	1.7E-11	6.E-09	3.E-08	0.00000004
Exposure Point Total										2.E-08							0.02
RM 5.5 West	**Metals**																
	Arsenic	4.3E+00	mg/kg	1.5E+00	1.5E+00	1.2E-09	7.0E-09	2.E-09	1.E-08	1.E-08	3.0E-04	3.0E-04	9.0E-09	5.4E-08	3.E-05	2.E-04	0.0002
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	1.1E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.7E-10	0.E+00	9.E-06	0.00001
	Vanadium	9.2E+01	mg/kg	--	--	0.0E+00	1.5E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.2E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	1.7E+01	ug/kg	--	--	1.6E-11	2.8E-11	--	--	--	3.0E-04	3.0E-04	1.2E-10	2.2E-10	4.E-07	7.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.3E+03	ug/kg	7.3E-01	7.3E-01	1.6E-09	2.2E-09	1.E-09	2.E-09	3.E-09	--	--	1.2E-08	1.7E-08	--	--	--
	Benzo(a)pyrene	1.9E+03	ug/kg	7.3E+00	7.3E+00	2.2E-09	3.1E-09	2.E-08	2.E-08	4.E-08	--	--	1.7E-08	2.4E-08	--	--	--
	Benzo(b)fluoranthene	1.5E+03	ug/kg	7.3E-01	7.3E-01	1.8E-09	2.5E-09	1.E-09	2.E-09	3.E-09	--	--	1.4E-08	2.0E-08	--	--	--
	Benzo(k)fluoranthene	7.5E+02	ug/kg	7.3E-02	7.3E-02	8.8E-10	1.2E-09	6.E-11	9.E-11	2.E-10	--	--	6.9E-09	9.5E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dibenzo(a,h)anthracene	1.7E+02	ug/kg	7.3E+00	7.3E+00	2.0E-10	2.8E-10	1.E-09	2.E-09	3.E-09	--	--	1.6E-09	2.2E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.5E+03	ug/kg	7.3E-01	7.3E-01	1.7E-09	2.4E-09	1.E-09	2.E-09	3.E-09	--	--	1.4E-08	1.9E-08	--	--	--
	Naphthalene	1.2E+02	ug/kg	--	--	1.4E-10	1.9E-10	--	--	--	2.0E-02	2.0E-02	1.1E-09	1.5E-09	5.E-08	7.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.4E+01	ug/kg	1.4E-02	1.4E-02	6.8E-11	1.2E-10	9.E-13	2.E-12	3.E-12	2.0E-02	2.0E-02	5.3E-10	9.5E-10	3.E-08	5.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.2E+01	ug/kg	4.0E-01	4.0E-01	2.7E-11	2.0E-11	1.E-11	8.E-12	2.E-11	5.0E-03	5.0E-03	2.1E-10	1.5E-10	4.E-08	3.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.2E+01	ug/kg	2.0E+00	2.0E+00	4.1E-11	5.3E-11	8.E-11	1.E-10	2.E-10	2.0E-05	2.0E-05	3.2E-10	4.1E-10	2.E-05	2.E-05	0.00004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	1.3E+05	1.3E+05	4.0E-16	2.4E-15	5.E-11	3.E-10	4.E-10	1.0E-09	1.0E-09	3.1E-15	1.9E-14	3.E-06	2.E-05	0.00002
	Total PCB TEQ	5.8E-01	pg/g	1.3E+05	1.3E+05	7.4E-16	9.5E-16	1.E-10	1.E-10	2.E-10	1.0E-09	1.0E-09	5.7E-15	7.4E-15	6.E-06	7.E-06	0.00001
	Pesticides																
	Aldrin	4.2E-01	ug/kg	1.7E+01	1.7E+01	3.8E-13	6.8E-13	6.E-12	1.E-11	2.E-11	3.0E-05	3.0E-05	2.9E-12	5.3E-12	1.E-07	2.E-07	0.0000003
	Dieldrin	3.1E-01	ug/kg	1.6E+01	1.6E+01	2.8E-13	5.1E-13	5.E-12	8.E-12	1.E-11	5.0E-05	5.0E-05	2.2E-12	4.0E-12	4.E-08	8.E-08	0.0000001
	Total DDT	1.9E+01	ug/kg	3.4E-01	3.4E-01	5.2E-12	3.1E-11	2.E-12	1.E-11	1.E-11	5.0E-04	5.0E-04	4.1E-11	2.4E-10	8.E-08	5.E-07	0.000001
Exposure Point Total										6.E-08							0.02
RM 5.5 East	**Metals**																
	Arsenic	5.8E+00	mg/kg	1.5E+00	1.5E+00	1.6E-09	9.4E-09	2.E-09	1.E-08	2.E-08	3.0E-04	3.0E-04	1.2E-08	7.3E-08	4.E-05	2.E-04	0.0003
	Mercury	2.3E-01	mg/kg	--	--	0.0E+00	3.7E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.9E-09	0.E+00	3.E-05	0.00003
	Vanadium	8.5E+01	mg/kg	--	--	0.0E+00	1.4E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	1.7E+02	ug/kg	--	--	1.6E-10	2.8E-10	--	--	--	3.0E-04	3.0E-04	1.2E-09	2.2E-09	4.E-06	7.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.6E+02	ug/kg	7.3E-01	7.3E-01	5.4E-10	7.6E-10	4.E-10	6.E-10	9.E-10	--	--	4.2E-09	5.9E-09	--	--	--
	Benzo(a)pyrene	5.6E+02	ug/kg	7.3E+00	7.3E+00	6.6E-10	9.2E-10	5.E-09	7.E-09	1.E-08	--	--	5.1E-09	7.1E-09	--	--	--
	Benzo(b)fluoranthene	6.8E+02	ug/kg	7.3E-01	7.3E-01	8.0E-10	1.1E-09	6.E-10	8.E-10	1.E-09	--	--	6.2E-09	8.6E-09	--	--	--
	Benzo(k)fluoranthene	2.6E+02	ug/kg	7.3E-02	7.3E-02	3.1E-10	4.3E-10	2.E-11	3.E-11	5.E-11	--	--	2.4E-09	3.3E-09	--	--	--
	Dibenzo(a,h)anthracene	8.8E+01	ug/kg	7.3E+00	7.3E+00	1.0E-10	1.4E-10	8.E-10	1.E-09	2.E-09	--	--	8.1E-10	1.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.3E+02	ug/kg	7.3E-01	7.3E-01	5.0E-10	7.0E-10	4.E-10	5.E-10	9.E-10	--	--	3.9E-09	5.4E-09	--	--	--
	Naphthalene	1.3E+02	ug/kg	--	--	1.6E-10	2.2E-10	--	--	--	2.0E-02	2.0E-02	1.2E-09	1.7E-09	6.E-08	9.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.6E+02	ug/kg	1.4E-02	1.4E-02	2.3E-10	4.2E-10	3.E-12	6.E-12	9.E-12	2.0E-02	2.0E-02	1.8E-09	3.3E-09	9.E-08	2.E-07	0.0000003
	Phenols																
	Pentachlorophenol	1.3E+01	ug/kg	4.0E-01	4.0E-01	3.1E-11	2.2E-11	1.E-11	9.E-12	2.E-11	5.0E-03	5.0E-03	2.4E-10	1.7E-10	5.E-08	3.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+02	ug/kg	2.0E+00	2.0E+00	1.3E-10	1.7E-10	3.E-10	3.E-10	6.E-10	2.0E-05	2.0E-05	1.0E-09	1.3E-09	5.E-05	7.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.4E+00	pg/g	1.3E+05	1.3E+05	1.2E-15	7.3E-15	2.E-10	9.E-10	1.E-09	1.0E-09	1.0E-09	9.4E-15	5.7E-14	9.E-06	6.E-05	0.0001
	Total PCB TEQ	2.0E+00	pg/g	1.3E+05	1.3E+05	2.6E-15	3.3E-15	3.E-10	4.E-10	8.E-10	1.0E-09	1.0E-09	2.0E-14	2.6E-14	2.E-05	3.E-05	0.00005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	4.1E-01	ug/kg	1.7E+01	1.7E+01	3.7E-13	6.7E-13	6.E-12	1.E-11	2.E-11	3.0E-05	3.0E-05	2.9E-12	5.2E-12	1.E-07	2.E-07	0.0000003
	Dieldrin	4.7E-01	ug/kg	1.6E+01	1.6E+01	4.3E-13	7.7E-13	7.E-12	1.E-11	2.E-11	5.0E-05	5.0E-05	3.3E-12	6.0E-12	7.E-08	1.E-07	0.0000002
	Total DDT	8.2E+00	ug/kg	3.4E-01	3.4E-01	2.2E-12	1.3E-11	8.E-13	5.E-12	5.E-12	5.0E-04	5.0E-04	1.7E-11	1.0E-10	3.E-08	2.E-07	0.0000002
Exposure Point Total										**4.E-08**							**0.02**
RM 6 West	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	9.9E-10	6.0E-09	1.E-09	9.E-09	1.E-08	3.0E-04	3.0E-04	7.7E-09	4.7E-08	3.E-05	2.E-04	0.0002
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	1.9E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.2E+02	mg/kg	--	--	0.0E+00	1.9E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.5E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	1.3E+01	ug/kg	--	--	1.2E-11	2.1E-11	--	--	--	3.0E-04	3.0E-04	9.1E-11	1.6E-10	3.E-07	5.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.5E+04	ug/kg	7.3E-01	7.3E-01	3.0E-08	4.1E-08	2.E-08	3.E-08	5.E-08	--	--	2.3E-07	3.2E-07	--	--	--
	Benzo(a)pyrene	3.1E+04	ug/kg	7.3E+00	7.3E+00	3.7E-08	5.1E-08	3.E-07	4.E-07	6.E-07	--	--	2.8E-07	3.9E-07	--	--	--
	Benzo(b)fluoranthene	2.2E+04	ug/kg	7.3E-01	7.3E-01	2.6E-08	3.6E-08	2.E-08	3.E-08	5.E-08	--	--	2.0E-07	2.8E-07	--	--	--
	Benzo(k)fluoranthene	1.4E+04	ug/kg	7.3E-02	7.3E-02	1.7E-08	2.3E-08	1.E-09	2.E-09	3.E-09	--	--	1.3E-07	1.8E-07	--	--	--
	Dibenzo(a,h)anthracene	2.9E+03	ug/kg	7.3E+00	7.3E+00	3.4E-09	4.8E-09	3.E-08	3.E-08	6.E-08	--	--	2.7E-08	3.7E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.1E+04	ug/kg	7.3E-01	7.3E-01	2.5E-08	3.5E-08	2.E-08	3.E-08	4.E-08	--	--	1.9E-07	2.7E-07	--	--	--
	Naphthalene	1.1E+04	ug/kg	--	--	1.3E-08	1.8E-08	--	--	--	2.0E-02	2.0E-02	9.9E-08	1.4E-07	5.E-06	7.E-06	0.00001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.2E+02	ug/kg	1.4E-02	1.4E-02	2.0E-10	3.6E-10	3.E-12	5.E-12	8.E-12	2.0E-02	2.0E-02	1.5E-09	2.8E-09	8.E-08	1.E-07	0.0000002
	Phenols																
	Pentachlorophenol	2.2E+01	ug/kg	4.0E-01	4.0E-01	5.0E-11	3.6E-11	2.E-11	1.E-11	3.E-11	5.0E-03	5.0E-03	3.9E-10	2.8E-10	8.E-08	6.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	4.3E+01	ug/kg	2.0E+00	2.0E+00	5.4E-11	7.0E-11	1.E-10	1.E-10	2.E-10	2.0E-05	2.0E-05	4.2E-10	5.4E-10	2.E-05	3.E-05	0.00005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	1.3E+05	1.3E+05	4.2E-16	2.5E-15	5.E-11	3.E-10	4.E-10	1.0E-09	1.0E-09	3.2E-15	1.9E-14	3.E-06	2.E-05	0.00002
	Total PCB TEQ	1.4E+00	pg/g	1.3E+05	1.3E+05	1.8E-15	2.4E-15	2.E-10	3.E-10	5.E-10	1.0E-09	1.0E-09	1.4E-14	1.8E-14	1.E-05	2.E-05	0.00003
	Pesticides																
	Aldrin	1.2E+00	ug/kg	1.7E+01	1.7E+01	1.1E-12	2.0E-12	2.E-11	3.E-11	5.E-11	3.0E-05	3.0E-05	8.8E-12	1.6E-11	3.E-07	5.E-07	0.000001
	Dieldrin	1.1E+00	ug/kg	1.6E+01	1.6E+01	1.0E-12	1.8E-12	2.E-11	3.E-11	5.E-11	5.0E-05	5.0E-05	7.9E-12	1.4E-11	2.E-07	3.E-07	0.0000004
	Total DDT	3.6E+01	ug/kg	3.4E-01	3.4E-01	9.7E-12	5.9E-11	3.E-12	2.E-11	2.E-11	5.0E-04	5.0E-04	7.6E-11	4.6E-10	2.E-07	9.E-07	0.000001
Exposure Point Total										**9.E-07**							**0.02**
RM 6 East	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	1.0E-09	6.0E-09	2.E-09	9.E-09	1.E-08	3.0E-04	3.0E-04	7.8E-09	4.7E-08	3.E-05	2.E-04	0.0002
	Mercury	2.9E-01	mg/kg	--	--	0.0E+00	4.7E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.7E-09	0.E+00	4.E-05	0.00004
	Vanadium	9.1E+01	mg/kg	--	--	0.0E+00	1.5E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.2E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	1.8E+02	ug/kg	--	--	1.6E-10	2.9E-10	--	--	--	3.0E-04	3.0E-04	1.3E-09	2.3E-09	4.E-06	8.E-06	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.3E+02	ug/kg	7.3E-01	7.3E-01	6.2E-10	8.7E-10	5.E-10	6.E-10	1.E-09	--	--	4.9E-09	6.7E-09	--	--	--
	Benzo(a)pyrene	7.5E+02	ug/kg	7.3E+00	7.3E+00	8.8E-10	1.2E-09	6.E-09	9.E-09	2.E-08	--	--	6.9E-09	9.5E-09	--	--	--
	Benzo(b)fluoranthene	7.3E+02	ug/kg	7.3E-01	7.3E-01	8.6E-10	1.2E-09	6.E-10	9.E-10	1.E-09	--	--	6.7E-09	9.3E-09	--	--	--
	Benzo(k)fluoranthene	4.6E+02	ug/kg	7.3E-02	7.3E-02	5.4E-10	7.5E-10	4.E-11	6.E-11	9.E-11	--	--	4.2E-09	5.9E-09	--	--	--
	Dibenzo(a,h)anthracene	9.6E+01	ug/kg	7.3E+00	7.3E+00	1.1E-10	1.6E-10	8.E-10	1.E-09	2.E-09	--	--	8.8E-10	1.2E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.2E+02	ug/kg	7.3E-01	7.3E-01	5.0E-10	6.9E-10	4.E-10	5.E-10	9.E-10	--	--	3.9E-09	5.4E-09	--	--	--
	Naphthalene	2.5E+02	ug/kg	--	--	2.9E-10	4.1E-10	--	--	--	2.0E-02	2.0E-02	2.3E-09	3.2E-09	1.E-07	2.E-07	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.2E+01	ug/kg	1.4E-02	1.4E-02	7.4E-11	1.3E-10	1.E-12	2.E-12	3.E-12	2.0E-02	2.0E-02	5.8E-10	1.0E-09	3.E-08	5.E-08	0.0000001
	Phenols																
	Pentachlorophenol	7.7E+00	ug/kg	4.0E-01	4.0E-01	1.8E-11	1.3E-11	7.E-12	5.E-12	1.E-11	5.0E-03	5.0E-03	1.4E-10	9.8E-11	3.E-08	2.E-08	0.00000005
	Polychlorinated Biphenyls																
	Total Aroclors	7.7E+01	ug/kg	2.0E+00	2.0E+00	9.7E-11	1.3E-10	2.E-10	3.E-10	4.E-10	2.0E-05	2.0E-05	7.6E-10	9.7E-10	4.E-05	5.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.2E+00	pg/g	1.3E+05	1.3E+05	8.6E-16	5.2E-15	1.E-10	7.E-10	8.E-10	1.0E-09	1.0E-09	6.7E-15	4.0E-14	7.E-06	4.E-05	0.00005
	Total PCB TEQ	1.2E+00	pg/g	1.3E+05	1.3E+05	1.6E-15	2.0E-15	2.E-10	3.E-10	5.E-10	1.0E-09	1.0E-09	1.2E-14	1.6E-14	1.E-05	2.E-05	0.00003
	Pesticides																
	Aldrin	4.1E-01	ug/kg	1.7E+01	1.7E+01	3.7E-13	6.7E-13	6.E-12	1.E-11	2.E-11	3.0E-05	3.0E-05	2.9E-12	5.2E-12	1.E-07	2.E-07	0.0000003
	Dieldrin	4.4E-02	ug/kg	1.6E+01	1.6E+01	4.0E-14	7.3E-14	6.E-13	1.E-12	2.E-12	5.0E-05	5.0E-05	3.1E-13	5.7E-13	6.E-09	1.E-08	0.00000002
	Total DDT	2.9E+00	ug/kg	3.4E-01	3.4E-01	8.0E-13	4.8E-12	3.E-13	2.E-12	2.E-12	5.0E-04	5.0E-04	6.2E-12	3.7E-11	1.E-08	7.E-08	0.0000001
Exposure Point Total										3.E-08							0.02
RM 6.5 West	**Metals**																
	Arsenic	7.4E+00	mg/kg	1.5E+00	1.5E+00	2.0E-09	1.2E-08	3.E-09	2.E-08	2.E-08	3.0E-04	3.0E-04	1.6E-08	9.4E-08	5.E-05	3.E-04	0.0004
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	1.8E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.2E+02	mg/kg	--	--	0.0E+00	2.0E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.5E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	2.6E+01	ug/kg	--	--	2.4E-11	4.3E-11	--	--	--	3.0E-04	3.0E-04	1.9E-10	3.3E-10	6.E-07	1.E-06	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.4E+02	ug/kg	7.3E-01	7.3E-01	8.8E-10	1.2E-09	6.E-10	9.E-10	2.E-09	--	--	6.8E-09	9.5E-09	--	--	--
	Benzo(a)pyrene	9.1E+02	ug/kg	7.3E+00	7.3E+00	1.1E-09	1.5E-09	8.E-09	1.E-08	2.E-08	--	--	8.4E-09	1.2E-08	--	--	--
	Benzo(b)fluoranthene	1.0E+03	ug/kg	7.3E-01	7.3E-01	1.2E-09	1.7E-09	9.E-10	1.E-09	2.E-09	--	--	9.3E-09	1.3E-08	--	--	--
	Benzo(k)fluoranthene	4.0E+02	ug/kg	7.3E-02	7.3E-02	4.8E-10	6.6E-10	3.E-11	5.E-11	8.E-11	--	--	3.7E-09	5.1E-09	--	--	--
	Dibenzo(a,h)anthracene	1.7E+02	ug/kg	7.3E+00	7.3E+00	2.0E-10	2.8E-10	1.E-09	2.E-09	3.E-09	--	--	1.5E-09	2.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	6.2E+02	ug/kg	7.3E-01	7.3E-01	7.3E-10	1.0E-09	5.E-10	7.E-10	1.E-09	--	--	5.7E-09	7.9E-09	--	--	--
	Naphthalene	1.1E+02	ug/kg	--	--	1.2E-10	1.7E-10	--	--	--	2.0E-02	2.0E-02	9.7E-10	1.3E-09	5.E-08	7.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.1E+01	ug/kg	1.4E-02	1.4E-02	7.3E-11	1.3E-10	1.E-12	2.E-12	3.E-12	2.0E-02	2.0E-02	5.7E-10	1.0E-09	3.E-08	5.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.6E+00	ug/kg	4.0E-01	4.0E-01	3.6E-12	2.6E-12	1.E-12	1.E-12	2.E-12	5.0E-03	5.0E-03	2.8E-11	2.0E-11	6.E-09	4.E-09	0.00000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polychlorinated Biphenyls																
	Total Aroclors	6.4E+01	ug/kg	2.0E+00	2.0E+00	8.1E-11	1.0E-10	2.E-10	2.E-10	4.E-10	2.0E-05	2.0E-05	6.3E-10	8.1E-10	3.E-05	4.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.1E+01	pg/g	1.3E+05	1.3E+05	5.7E-15	3.4E-14	7.E-10	4.E-09	5.E-09	1.0E-09	1.0E-09	4.4E-14	2.7E-13	4.E-05	3.E-04	0.0003
	Total PCB TEQ	1.8E+00	pg/g	1.3E+05	1.3E+05	2.3E-15	2.9E-15	3.E-10	4.E-10	7.E-10	1.0E-09	1.0E-09	1.8E-14	2.3E-14	2.E-05	2.E-05	0.00004
	Pesticides																
	Aldrin	1.7E+00	ug/kg	1.7E+01	1.7E+01	1.6E-12	2.8E-12	3.E-11	5.E-11	8.E-11	3.0E-05	3.0E-05	1.2E-11	2.2E-11	4.E-07	7.E-07	0.000001
	Dieldrin	5.4E-01	ug/kg	1.6E+01	1.6E+01	4.9E-13	8.9E-13	8.E-12	1.E-11	2.E-11	5.0E-05	5.0E-05	3.8E-12	6.9E-12	8.E-08	1.E-07	0.0000002
	Total DDT	9.2E+01	ug/kg	3.4E-01	3.4E-01	2.5E-11	1.5E-10	9.E-12	5.E-11	6.E-11	5.0E-04	5.0E-04	1.9E-10	1.2E-09	4.E-07	2.E-06	0.000003
Exposure Point Total										**5.E-08**							**0.02**
RM 6.5 East	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	1.1E-09	6.8E-09	2.E-09	1.E-08	1.E-08	3.0E-04	3.0E-04	8.8E-09	5.3E-08	3.E-05	2.E-04	0.0002
	Mercury	2.2E+00	mg/kg	--	--	0.0E+00	3.5E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.8E-08	0.E+00	3.E-04	0.0003
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.7E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.3E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	4.3E+01	ug/kg	--	--	3.9E-11	7.0E-11	--	--	--	3.0E-04	3.0E-04	3.0E-10	5.4E-10	1.E-06	2.E-06	0.000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.1E+02	ug/kg	7.3E-01	7.3E-01	1.3E-10	1.8E-10	9.E-11	1.E-10	2.E-10	--	--	1.0E-09	1.4E-09	--	--	--
	Benzo(a)pyrene	8.6E+01	ug/kg	7.3E+00	7.3E+00	1.0E-10	1.4E-10	7.E-10	1.E-09	2.E-09	--	--	7.9E-10	1.1E-09	--	--	--
	Benzo(b)fluoranthene	1.1E+02	ug/kg	7.3E-01	7.3E-01	1.3E-10	1.8E-10	1.E-10	1.E-10	2.E-10	--	--	1.0E-09	1.4E-09	--	--	--
	Benzo(k)fluoranthene	6.1E+01	ug/kg	7.3E-02	7.3E-02	7.2E-11	1.0E-10	5.E-12	7.E-12	1.E-11	--	--	5.6E-10	7.7E-10	--	--	--
	Dibenzo(a,h)anthracene	1.5E+01	ug/kg	7.3E+00	7.3E+00	1.7E-11	2.4E-11	1.E-10	2.E-10	3.E-10	--	--	1.4E-10	1.9E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	5.9E+01	ug/kg	7.3E-01	7.3E-01	6.9E-11	9.6E-11	5.E-11	7.E-11	1.E-10	--	--	5.4E-10	7.4E-10	--	--	--
	Naphthalene	6.5E+01	ug/kg	--	--	7.6E-11	1.1E-10	--	--	--	2.0E-02	2.0E-02	5.9E-10	8.2E-10	3.E-08	4.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.3E+01	ug/kg	1.4E-02	1.4E-02	8.5E-11	1.5E-10	1.E-12	2.E-12	3.E-12	2.0E-02	2.0E-02	6.6E-10	1.2E-09	3.E-08	6.E-08	0.0000001
	Phenols																
	Pentachlorophenol	3.9E+00	ug/kg	4.0E-01	4.0E-01	8.9E-12	6.4E-12	4.E-12	3.E-12	6.E-12	5.0E-03	5.0E-03	6.9E-11	5.0E-11	1.E-08	1.E-08	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	2.0E+02	ug/kg	2.0E+00	2.0E+00	2.6E-10	3.3E-10	5.E-10	7.E-10	1.E-09	2.0E-05	2.0E-05	2.0E-09	2.6E-09	1.E-04	1.E-04	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.0E+01	pg/g	1.3E+05	1.3E+05	5.5E-15	3.3E-14	7.E-10	4.E-09	5.E-09	1.0E-09	1.0E-09	4.2E-14	2.6E-13	4.E-05	3.E-04	0.0003
	Total PCB TEQ	3.0E+00	pg/g	1.3E+05	1.3E+05	3.8E-15	4.9E-15	5.E-10	6.E-10	1.E-09	1.0E-09	1.0E-09	3.0E-14	3.8E-14	3.E-05	4.E-05	0.0001
	Pesticides																
	Aldrin	7.6E-02	ug/kg	1.7E+01	1.7E+01	6.9E-14	1.2E-13	1.E-12	2.E-12	3.E-12	3.0E-05	3.0E-05	5.4E-13	9.7E-13	2.E-08	3.E-08	0.0000001
	Dieldrin	1.5E-01	ug/kg	1.6E+01	1.6E+01	1.4E-13	2.5E-13	2.E-12	4.E-12	6.E-12	5.0E-05	5.0E-05	1.1E-12	1.9E-12	2.E-08	4.E-08	0.0000001
	Total DDT	1.5E+01	ug/kg	3.4E-01	3.4E-01	4.1E-12	2.5E-11	1.E-12	8.E-12	1.E-11	5.0E-04	5.0E-04	3.2E-11	1.9E-10	6.E-08	4.E-07	0.0000004
Exposure Point Total										**2.E-08**							**0.02**
RM 7 West	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	1.1E-09	6.8E-09	2.E-09	1.E-08	1.E-08	3.0E-04	3.0E-04	8.8E-09	5.3E-08	3.E-05	2.E-04	0.0002
	Mercury	8.1E-02	mg/kg	--	--	0.0E+00	1.3E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.0E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.6E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.3E-06	0.E+00	2.E-02	0.02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.

Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure

Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
						Cancer Risk Calculations[a]					Noncancer Hazard Calculations[a]						
	Butyltins																
	Tributyltin ion	6.0E+00	ug/kg	--	--	5.4E-12	9.7E-12	--	--	--	3.0E-04	3.0E-04	4.2E-11	7.6E-11	1.E-07	3.E-07	0.0000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.6E+02	ug/kg	7.3E-01	7.3E-01	6.6E-10	9.2E-10	5.E-10	7.E-10	1.E-09	--	--	5.2E-09	7.2E-09	--	--	--
	Benzo(a)pyrene	4.7E+02	ug/kg	7.3E+00	7.3E+00	5.5E-10	7.6E-10	4.E-09	6.E-09	1.E-08	--	--	4.3E-09	5.9E-09	--	--	--
	Benzo(b)fluoranthene	1.1E+03	ug/kg	7.3E-01	7.3E-01	1.3E-09	1.7E-09	9.E-10	1.E-09	2.E-09	--	--	9.8E-09	1.4E-08	--	--	--
	Benzo(k)fluoranthene	3.9E+02	ug/kg	7.3E-02	7.3E-02	4.6E-10	6.4E-10	3.E-11	5.E-11	8.E-11	--	--	3.6E-09	5.0E-09	--	--	--
	Dibenzo(a,h)anthracene	1.3E+02	ug/kg	7.3E+00	7.3E+00	1.5E-10	2.1E-10	1.E-09	2.E-09	3.E-09	--	--	1.2E-09	1.6E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.7E+02	ug/kg	7.3E-01	7.3E-01	4.3E-10	6.0E-10	3.E-10	4.E-10	8.E-10	--	--	3.4E-09	4.7E-09	--	--	--
	Naphthalene	8.8E+00	ug/kg	--	--	1.0E-11	1.4E-11	--	--	--	2.0E-02	2.0E-02	8.1E-11	1.1E-10	4.E-09	6.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.1E+02	ug/kg	1.4E-02	1.4E-02	1.9E-10	3.4E-10	3.E-12	5.E-12	7.E-12	2.0E-02	2.0E-02	1.5E-09	2.7E-09	7.E-08	1.E-07	0.0000002
	Phenols																
	Pentachlorophenol	2.7E+01	ug/kg	4.0E-01	4.0E-01	6.2E-11	4.5E-11	2.E-11	2.E-11	4.E-11	5.0E-03	5.0E-03	4.8E-10	3.5E-10	1.E-07	7.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	7.1E+01	ug/kg	2.0E+00	2.0E+00	9.0E-11	1.2E-10	2.E-10	2.E-10	4.E-10	2.0E-05	2.0E-05	7.0E-10	9.0E-10	3.E-05	5.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+03	pg/g	1.3E+05	1.3E+05	4.5E-13	2.7E-12	6.E-08	4.E-07	4.E-07	1.0E-09	1.0E-09	3.5E-12	2.1E-11	4.E-03	2.E-02	0.02
	Total PCB TEQ	7.7E+00	pg/g	1.3E+05	1.3E+05	9.7E-15	1.3E-14	1.E-09	2.E-09	3.E-09	1.0E-09	1.0E-09	7.6E-14	9.7E-14	8.E-05	1.E-04	0.0002
	Pesticides																
	Aldrin	2.7E+01	ug/kg	1.7E+01	1.7E+01	2.4E-11	4.4E-11	4.E-10	7.E-10	1.E-09	3.0E-05	3.0E-05	1.9E-10	3.4E-10	6.E-06	1.E-05	0.00002
	Dieldrin	1.3E+00	ug/kg	1.6E+01	1.6E+01	1.2E-12	2.1E-12	2.E-11	3.E-11	5.E-11	5.0E-05	5.0E-05	9.0E-12	1.6E-11	2.E-07	3.E-07	0.000001
	Total DDT	2.3E+03	ug/kg	3.4E-01	3.4E-01	6.4E-10	3.8E-09	2.E-10	1.E-09	2.E-09	5.0E-04	5.0E-04	5.0E-09	3.0E-08	1.E-05	6.E-05	0.0001
	Conventionals																
	Perchlorate	4.9E+04	ug/kg	--	--	0.0E+00	8.0E-08	--	--	--	7.0E-04	7.0E-04	0.0E+00	6.3E-07	0.E+00	9.E-04	0.001
Exposure Point Total										4.E-07							0.04
RM 7 East	**Metals**																
	Arsenic	1.0E+01	mg/kg	1.5E+00	1.5E+00	2.7E-09	1.6E-08	4.E-09	2.E-08	3.E-08	3.0E-04	3.0E-04	2.1E-08	1.3E-07	7.E-05	4.E-04	0.0005
	Mercury	5.8E-02	mg/kg	--	--	0.0E+00	9.4E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.3E-10	0.E+00	7.E-06	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.7E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.3E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	2.6E+02	ug/kg	--	--	2.4E-10	4.3E-10	--	--	--	3.0E-04	3.0E-04	1.9E-09	3.4E-09	6.E-06	1.E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E+02	ug/kg	7.3E-01	7.3E-01	1.5E-10	2.0E-10	1.E-10	1.E-10	3.E-10	--	--	1.1E-09	1.6E-09	--	--	--
	Benzo(a)pyrene	1.6E+02	ug/kg	7.3E+00	7.3E+00	1.9E-10	2.6E-10	1.E-09	2.E-09	3.E-09	--	--	1.4E-09	2.0E-09	--	--	--
	Benzo(b)fluoranthene	2.1E+02	ug/kg	7.3E-01	7.3E-01	2.5E-10	3.4E-10	2.E-10	3.E-10	4.E-10	--	--	1.9E-09	2.7E-09	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	1.3E-10	1.9E-10	1.E-11	1.E-11	2.E-11	--	--	1.0E-09	1.4E-09	--	--	--
	Dibenzo(a,h)anthracene	4.3E+01	ug/kg	7.3E+00	7.3E+00	5.0E-11	7.0E-11	4.E-10	5.E-10	9.E-10	--	--	3.9E-10	5.4E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+02	ug/kg	7.3E-01	7.3E-01	1.2E-10	1.7E-10	9.E-11	1.E-10	2.E-10	--	--	9.7E-10	1.3E-09	--	--	--
	Naphthalene	2.2E+01	ug/kg	--	--	2.6E-11	3.6E-11	--	--	--	2.0E-02	2.0E-02	2.0E-10	2.8E-10	1.E-08	1.E-08	0.00000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.0E+02	ug/kg	1.4E-02	1.4E-02	2.7E-10	5.0E-10	4.E-12	7.E-12	1.E-11	2.0E-02	2.0E-02	2.1E-09	3.9E-09	1.E-07	2.E-07	0.0000003
	Phenols																
	Pentachlorophenol	7.7E+01	ug/kg	4.0E-01	4.0E-01	1.7E-10	1.3E-10	7.E-11	5.E-11	1.E-10	5.0E-03	5.0E-03	1.4E-09	9.8E-10	3.E-07	2.E-07	0.0000005
	Polychlorinated Biphenyls																
	Total Aroclors	4.2E+01	ug/kg	2.0E+00	2.0E+00	5.3E-11	6.9E-11	1.E-10	1.E-10	2.E-10	2.0E-05	2.0E-05	4.1E-10	5.3E-10	2.E-05	3.E-05	0.00005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	4.5E-15	2.7E-14	6.E-10	4.E-09	4.E-09	1.0E-09	1.0E-09	3.5E-14	2.1E-13	4.E-05	2.E-04	0.0002
	Total PCB TEQ	5.5E-01	pg/g	1.3E+05	1.3E+05	7.0E-16	9.0E-16	9.E-11	1.E-10	2.E-10	1.0E-09	1.0E-09	5.4E-15	7.0E-15	5.E-06	7.E-06	0.00001
	Pesticides																
	Aldrin	1.3E-01	ug/kg	1.7E+01	1.7E+01	1.2E-13	2.2E-13	2.E-12	4.E-12	6.E-12	3.0E-05	3.0E-05	9.4E-13	1.7E-12	3.E-08	6.E-08	0.0000001
	Dieldrin	8.2E-02	ug/kg	1.6E+01	1.6E+01	7.4E-14	1.3E-13	1.E-12	2.E-12	3.E-12	5.0E-05	5.0E-05	5.8E-13	1.0E-12	1.E-08	2.E-08	0.00000003
	Total DDT	3.6E+00	ug/kg	3.4E-01	3.4E-01	9.7E-13	5.8E-12	3.E-13	2.E-12	2.E-12	5.0E-04	5.0E-04	7.5E-12	4.5E-11	2.E-08	9.E-08	0.0000001
Exposure Point Total										4.E-08							0.02
RM 7.5 West	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	8.8E-10	5.3E-09	1.E-09	8.E-09	9.E-09	3.0E-04	3.0E-04	6.8E-09	4.1E-08	2.E-05	1.E-04	0.0002
	Mercury	7.7E-02	mg/kg	--	--	0.0E+00	1.3E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.8E-10	0.E+00	1.E-05	0.00001
	Vanadium	9.5E+01	mg/kg	--	--	0.0E+00	1.6E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.2E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	5.4E+00	ug/kg	--	--	4.9E-12	8.8E-12	--	--	--	3.0E-04	3.0E-04	3.8E-11	6.9E-11	1.E-07	2.E-07	0.0000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.5E+02	ug/kg	7.3E-01	7.3E-01	1.7E-10	2.4E-10	1.E-10	2.E-10	3.E-10	--	--	1.4E-09	1.9E-09	--	--	--
	Benzo(a)pyrene	1.3E+02	ug/kg	7.3E+00	7.3E+00	1.5E-10	2.1E-10	1.E-09	2.E-09	3.E-09	--	--	1.2E-09	1.6E-09	--	--	--
	Benzo(b)fluoranthene	1.7E+02	ug/kg	7.3E-01	7.3E-01	2.0E-10	2.8E-10	1.E-10	2.E-10	3.E-10	--	--	1.6E-09	2.2E-09	--	--	--
	Benzo(k)fluoranthene	6.1E+01	ug/kg	7.3E-02	7.3E-02	7.2E-11	9.9E-11	5.E-12	7.E-12	1.E-11	--	--	5.6E-10	7.7E-10	--	--	--
	Dibenzo(a,h)anthracene	2.0E+01	ug/kg	7.3E+00	7.3E+00	2.3E-11	3.2E-11	2.E-10	2.E-10	4.E-10	--	--	1.8E-10	2.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	8.4E+01	ug/kg	7.3E-01	7.3E-01	9.9E-11	1.4E-10	7.E-11	1.E-10	2.E-10	--	--	7.7E-10	1.1E-09	--	--	--
	Naphthalene	2.5E+01	ug/kg	--	--	2.9E-11	4.1E-11	--	--	--	2.0E-02	2.0E-02	2.3E-10	3.2E-10	1.E-08	2.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.4E+02	ug/kg	1.4E-02	1.4E-02	1.3E-10	2.3E-10	2.E-12	3.E-12	5.E-12	2.0E-02	2.0E-02	1.0E-09	1.8E-09	5.E-08	9.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.5E+00	ug/kg	4.0E-01	4.0E-01	3.5E-12	2.5E-12	1.E-12	1.E-12	2.E-12	5.0E-03	5.0E-03	2.7E-11	1.9E-11	5.E-09	4.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	8.6E+01	ug/kg	2.0E+00	2.0E+00	1.1E-10	1.4E-10	2.E-10	3.E-10	5.E-10	2.0E-05	2.0E-05	8.5E-10	1.1E-09	4.E-05	5.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.3E-01	pg/g	1.3E+05	1.3E+05	2.5E-16	1.5E-15	3.E-11	2.E-10	2.E-10	1.0E-09	1.0E-09	2.0E-15	1.2E-14	2.E-06	1.E-05	0.00001
	Total PCB TEQ	6.6E-01	pg/g	1.3E+05	1.3E+05	8.4E-16	1.1E-15	1.E-10	1.E-10	3.E-10	1.0E-09	1.0E-09	6.6E-15	8.5E-15	7.E-06	8.E-06	0.00002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	1.8E-01	ug/kg	1.7E+01	1.7E+01	1.7E-13	3.0E-13	3.E-12	5.E-12	8.E-12	3.0E-05	3.0E-05	1.3E-12	2.3E-12	4.E-08	8.E-08	0.0000001
	Dieldrin	1.8E-01	ug/kg	1.6E+01	1.6E+01	1.6E-13	2.9E-13	3.E-12	5.E-12	7.E-12	5.0E-05	5.0E-05	1.3E-12	2.3E-12	3.E-08	5.E-08	0.0000001
	Total DDT	2.1E+01	ug/kg	3.4E-01	3.4E-01	5.7E-12	3.4E-11	2.E-12	1.E-11	1.E-11	5.0E-04	5.0E-04	4.4E-11	2.7E-10	9.E-08	5.E-07	0.00001
Exposure Point Total										**1.E-08**							**0.02**
RM 7.5 East	**Metals**																
	Arsenic	3.3E+00	mg/kg	1.5E+00	1.5E+00	8.9E-10	5.4E-09	1.E-09	8.E-09	9.E-09	3.0E-04	3.0E-04	6.9E-09	4.2E-08	2.E-05	1.E-04	0.0002
	Mercury	7.6E-02	mg/kg	--	--	0.0E+00	1.2E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.7E-10	0.E+00	1.E-05	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.7E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.4E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	1.6E+02	ug/kg	--	--	1.5E-10	2.6E-10	--	--	--	3.0E-04	3.0E-04	1.1E-09	2.1E-09	4.E-06	7.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+01	ug/kg	7.3E-01	7.3E-01	3.0E-11	4.2E-11	2.E-11	3.E-11	5.E-11	--	--	2.3E-10	3.2E-10	--	--	--
	Benzo(a)pyrene	2.6E+01	ug/kg	7.3E+00	7.3E+00	3.0E-11	4.2E-11	2.E-10	3.E-10	5.E-10	--	--	2.4E-10	3.3E-10	--	--	--
	Benzo(b)fluoranthene	3.2E+01	ug/kg	7.3E-01	7.3E-01	3.8E-11	5.3E-11	3.E-11	4.E-11	7.E-11	--	--	3.0E-10	4.1E-10	--	--	--
	Benzo(k)fluoranthene	2.0E+01	ug/kg	7.3E-02	7.3E-02	2.3E-11	3.3E-11	2.E-12	2.E-12	4.E-12	--	--	1.8E-10	2.5E-10	--	--	--
	Dibenzo(a,h)anthracene	9.2E+00	ug/kg	7.3E+00	7.3E+00	1.1E-11	1.5E-11	8.E-11	1.E-10	2.E-10	--	--	8.4E-11	1.2E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.8E+01	ug/kg	7.3E-01	7.3E-01	2.1E-11	2.9E-11	2.E-11	2.E-11	4.E-11	--	--	1.6E-10	2.3E-10	--	--	--
	Naphthalene	6.1E+00	ug/kg	--	--	7.2E-12	1.0E-11	--	--	--	2.0E-02	2.0E-02	5.6E-11	7.7E-11	3.E-09	4.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.1E+02	ug/kg	1.4E-02	1.4E-02	5.5E-10	1.0E-09	8.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	4.3E-09	7.8E-09	2.E-07	4.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.2E+01	ug/kg	2.0E+00	2.0E+00	4.0E-11	5.2E-11	8.E-11	1.E-10	2.E-10	2.0E-05	2.0E-05	3.1E-10	4.0E-10	2.E-05	2.E-05	0.00004
	Pesticides																
	Dieldrin	1.5E-01	ug/kg	1.6E+01	1.6E+01	1.3E-13	2.4E-13	2.E-12	4.E-12	6.E-12	5.0E-05	5.0E-05	1.0E-12	1.9E-12	2.E-08	4.E-08	0.0000001
	Total DDT	1.1E+00	ug/kg	3.4E-01	3.4E-01	2.9E-13	1.7E-12	1.E-13	6.E-13	7.E-13	5.0E-04	5.0E-04	2.2E-12	1.3E-11	4.E-09	3.E-08	0.00000003
Exposure Point Total										**1.E-08**							**0.02**
RM 8 West	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	1.1E-09	6.8E-09	2.E-09	1.E-08	1.E-08	3.0E-04	3.0E-04	8.8E-09	5.3E-08	3.E-05	2.E-04	0.0002
	Mercury	1.7E-01	mg/kg	--	--	0.0E+00	2.7E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.1E-09	0.E+00	2.E-05	0.00002
	Vanadium	9.5E+01	mg/kg	--	--	0.0E+00	1.5E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.2E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	1.3E+01	ug/kg	--	--	1.2E-11	2.2E-11	--	--	--	3.0E-04	3.0E-04	9.4E-11	1.7E-10	3.E-07	6.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+02	ug/kg	7.3E-01	7.3E-01	2.1E-10	2.9E-10	2.E-10	2.E-10	4.E-10	--	--	1.6E-09	2.3E-09	--	--	--
	Benzo(a)pyrene	1.7E+02	ug/kg	7.3E+00	7.3E+00	2.0E-10	2.7E-10	1.E-09	2.E-09	3.E-09	--	--	1.5E-09	2.1E-09	--	--	--
	Benzo(b)fluoranthene	2.3E+02	ug/kg	7.3E-01	7.3E-01	2.7E-10	3.7E-10	2.E-10	3.E-10	5.E-10	--	--	2.1E-09	2.9E-09	--	--	--
	Benzo(k)fluoranthene	5.0E+01	ug/kg	7.3E-02	7.3E-02	5.9E-11	8.2E-11	4.E-12	6.E-12	1.E-11	--	--	4.6E-10	6.4E-10	--	--	--
	Dibenzo(a,h)anthracene	3.1E+01	ug/kg	7.3E+00	7.3E+00	3.6E-11	5.0E-11	3.E-10	4.E-10	6.E-10	--	--	2.8E-10	3.9E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+02	ug/kg	7.3E-01	7.3E-01	1.3E-10	1.8E-10	1.E-10	1.E-10	2.E-10	--	--	1.0E-09	1.4E-09	--	--	--
	Naphthalene	5.1E+01	ug/kg	--	--	6.0E-11	8.4E-11	--	--	--	2.0E-02	2.0E-02	4.7E-10	6.5E-10	2.E-08	3.E-08	0.0000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: High frequency Fisher Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.0E+02	ug/kg	1.4E-02	1.4E-02	5.5E-10	9.9E-10	8.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	4.2E-09	7.7E-09	2.E-07	4.E-07	0.000001
	Phenols																
	Pentachlorophenol	3.1E+00	ug/kg	4.0E-01	4.0E-01	7.1E-12	5.1E-12	3.E-12	2.E-12	5.E-12	5.0E-03	5.0E-03	5.5E-11	4.0E-11	1.E-08	8.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.2E+02	ug/kg	2.0E+00	2.0E+00	1.5E-10	1.9E-10	3.E-10	4.E-10	7.E-10	2.0E-05	2.0E-05	1.2E-09	1.5E-09	6.E-05	8.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.6E-01	pg/g	1.3E+05	1.3E+05	7.2E-17	4.3E-16	9.E-12	6.E-11	7.E-11	1.0E-09	1.0E-09	5.6E-16	3.3E-15	6.E-07	3.E-06	0.000004
	Total PCB TEQ	3.6E+00	pg/g	1.3E+05	1.3E+05	4.5E-15	5.8E-15	6.E-10	8.E-10	1.E-09	1.0E-09	1.0E-09	3.5E-14	4.5E-14	4.E-05	5.E-05	0.0001
	Pesticides																
	Aldrin	4.0E-02	ug/kg	1.7E+01	1.7E+01	3.7E-14	6.6E-14	6.E-13	1.E-12	2.E-12	3.0E-05	3.0E-05	2.8E-13	5.1E-13	9.E-09	2.E-08	0.00000003
	Dieldrin	2.0E+00	ug/kg	1.6E+01	1.6E+01	1.8E-12	3.3E-12	3.E-11	5.E-11	8.E-11	5.0E-05	5.0E-05	1.4E-11	2.5E-11	3.E-07	5.E-07	0.000001
	Total DDT	6.5E+00	ug/kg	3.4E-01	3.4E-01	1.8E-12	1.1E-11	6.E-13	4.E-12	4.E-12	5.0E-04	5.0E-04	1.4E-11	8.3E-11	3.E-08	2.E-07	0.0000002
Exposure Point Total										**2.E-08**							**0.02**
RM 8 East	**Metals**																
	Arsenic	6.2E+00	mg/kg	1.5E+00	1.5E+00	1.7E-09	1.0E-08	3.E-09	2.E-08	2.E-08	3.0E-04	3.0E-04	1.3E-08	7.8E-08	4.E-05	3.E-04	0.0003
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	1.9E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.5E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.7E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.3E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	2.4E+03	ug/kg	--	--	2.2E-09	3.9E-09	--	--	--	3.0E-04	3.0E-04	1.7E-08	3.0E-08	6.E-05	1.E-04	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.7E+02	ug/kg	7.3E-01	7.3E-01	2.0E-10	2.7E-10	1.E-10	2.E-10	3.E-10	--	--	1.5E-09	2.1E-09	--	--	--
	Benzo(a)pyrene	1.7E+02	ug/kg	7.3E+00	7.3E+00	2.1E-10	2.9E-10	2.E-09	2.E-09	4.E-09	--	--	1.6E-09	2.2E-09	--	--	--
	Benzo(b)fluoranthene	2.0E+02	ug/kg	7.3E-01	7.3E-01	2.3E-10	3.2E-10	2.E-10	2.E-10	4.E-10	--	--	1.8E-09	2.5E-09	--	--	--
	Benzo(k)fluoranthene	1.3E+02	ug/kg	7.3E-02	7.3E-02	1.5E-10	2.1E-10	1.E-11	2.E-11	3.E-11	--	--	1.2E-09	1.6E-09	--	--	--
	Dibenzo(a,h)anthracene	2.6E+01	ug/kg	7.3E+00	7.3E+00	3.0E-11	4.2E-11	2.E-10	3.E-10	5.E-10	--	--	2.4E-10	3.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	1.4E-10	2.0E-10	1.E-10	1.E-10	3.E-10	--	--	1.1E-09	1.6E-09	--	--	--
	Naphthalene	1.6E+01	ug/kg	--	--	1.9E-11	2.7E-11	--	--	--	2.0E-02	2.0E-02	1.5E-10	2.1E-10	7.E-09	1.E-08	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.7E+02	ug/kg	1.4E-02	1.4E-02	7.0E-10	1.3E-09	1.E-11	2.E-11	3.E-11	2.0E-02	2.0E-02	5.5E-09	9.9E-09	3.E-07	5.E-07	0.000001
	Phenols																
	Pentachlorophenol	1.3E+01	ug/kg	4.0E-01	4.0E-01	3.0E-11	2.2E-11	1.E-11	9.E-12	2.E-11	5.0E-03	5.0E-03	2.3E-10	1.7E-10	5.E-08	3.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+02	ug/kg	2.0E+00	2.0E+00	2.2E-10	2.8E-10	4.E-10	6.E-10	1.E-09	2.0E-05	2.0E-05	1.7E-09	2.2E-09	8.E-05	1.E-04	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.3E-01	pg/g	1.3E+05	1.3E+05	2.5E-16	1.5E-15	3.E-11	2.E-10	2.E-10	1.0E-09	1.0E-09	2.0E-15	1.2E-14	2.E-06	1.E-05	0.00001
	Total PCB TEQ	5.8E+00	pg/g	1.3E+05	1.3E+05	7.4E-15	9.5E-15	1.E-09	1.E-09	2.E-09	1.0E-09	1.0E-09	5.8E-14	7.4E-14	6.E-05	7.E-05	0.0001
	Pesticides																
	Aldrin	1.1E-01	ug/kg	1.7E+01	1.7E+01	1.0E-13	1.9E-13	2.E-12	3.E-12	5.E-12	3.0E-05	3.0E-05	8.0E-13	1.5E-12	3.E-08	5.E-08	0.0000001
	Dieldrin	7.9E-01	ug/kg	1.6E+01	1.6E+01	7.1E-13	1.3E-12	1.E-11	2.E-11	3.E-11	5.0E-05	5.0E-05	5.5E-12	1.0E-11	1.E-07	2.E-07	0.0000003
	Total DDT	1.1E+01	ug/kg	3.4E-01	3.4E-01	2.9E-12	1.7E-11	1.E-12	6.E-12	7.E-12	5.0E-04	5.0E-04	2.2E-11	1.4E-10	4.E-08	3.E-07	0.0000003
Exposure Point Total										**3.E-08**							**0.02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 8 SIL	**Metals**																
	Arsenic	5.4E+00	mg/kg	1.5E+00	1.5E+00	1.5E-09	8.8E-09	2.E-09	1.E-08	2.E-08	3.0E-04	3.0E-04	1.1E-08	6.8E-08	4.E-05	2.E-04	0.0003
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	1.9E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.5E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.7E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.4E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	2.2E+03	ug/kg	--	--	2.0E-09	3.6E-09	--	--	--	3.0E-04	3.0E-04	1.6E-08	2.8E-08	5.E-05	9.E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.4E+02	ug/kg	7.3E-01	7.3E-01	2.8E-10	3.9E-10	2.E-10	3.E-10	5.E-10	--	--	2.2E-09	3.0E-09	--	--	--
	Benzo(a)pyrene	2.0E+02	ug/kg	7.3E+00	7.3E+00	2.3E-10	3.2E-10	2.E-09	2.E-09	4.E-09	--	--	1.8E-09	2.5E-09	--	--	--
	Benzo(b)fluoranthene	3.8E+02	ug/kg	7.3E-01	7.3E-01	4.5E-10	6.2E-10	3.E-10	5.E-10	8.E-10	--	--	3.5E-09	4.8E-09	--	--	--
	Benzo(k)fluoranthene	2.1E+02	ug/kg	7.3E-02	7.3E-02	2.4E-10	3.4E-10	2.E-11	2.E-11	4.E-11	--	--	1.9E-09	2.6E-09	--	--	--
	Dibenzo(a,h)anthracene	3.6E+01	ug/kg	7.3E+00	7.3E+00	4.2E-11	5.8E-11	3.E-10	4.E-10	7.E-10	--	--	3.3E-10	4.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	1.5E-10	2.0E-10	1.E-10	1.E-10	3.E-10	--	--	1.1E-09	1.6E-09	--	--	--
	Naphthalene	2.5E+01	ug/kg	--	--	3.0E-11	4.1E-11	--	--	--	2.0E-02	2.0E-02	2.3E-10	3.2E-10	1.E-08	2.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.1E+03	ug/kg	1.4E-02	1.4E-02	7.3E-09	1.3E-08	1.E-10	2.E-10	3.E-10	2.0E-02	2.0E-02	5.7E-08	1.0E-07	3.E-06	5.E-06	0.00001
	Phenols																
	Pentachlorophenol	3.9E+01	ug/kg	4.0E-01	4.0E-01	8.9E-11	6.4E-11	4.E-11	3.E-11	6.E-11	5.0E-03	5.0E-03	6.9E-10	5.0E-10	1.E-07	1.E-07	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	2.8E+02	ug/kg	2.0E+00	2.0E+00	3.6E-10	4.6E-10	7.E-10	9.E-10	2.E-09	2.0E-05	2.0E-05	2.8E-09	3.6E-09	1.E-04	2.E-04	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.3E+00	pg/g	1.3E+05	1.3E+05	1.7E-15	1.0E-14	2.E-10	1.E-09	2.E-09	1.0E-09	1.0E-09	1.3E-14	8.0E-14	1.E-05	8.E-05	0.0001
	Total PCB TEQ	1.2E+01	pg/g	1.3E+05	1.3E+05	1.5E-14	2.0E-14	2.E-09	3.E-09	5.E-09	1.0E-09	1.0E-09	1.2E-13	1.5E-13	1.E-04	2.E-04	0.0003
	Pesticides																
	Aldrin	6.2E-01	ug/kg	1.7E+01	1.7E+01	5.6E-13	1.0E-12	9.E-12	2.E-11	3.E-11	3.0E-05	3.0E-05	4.3E-12	7.8E-12	1.E-07	3.E-07	0.0000004
	Dieldrin	1.4E+00	ug/kg	1.6E+01	1.6E+01	1.3E-12	2.3E-12	2.E-11	4.E-11	6.E-11	5.0E-05	5.0E-05	9.8E-12	1.8E-11	2.E-07	4.E-07	0.000001
	Total DDT	5.2E+00	ug/kg	3.4E-01	3.4E-01	1.4E-12	8.6E-12	5.E-13	3.E-12	3.E-12	5.0E-04	5.0E-04	1.1E-11	6.7E-11	2.E-08	1.E-07	0.0000002
Exposure Point Total										**3.E-08**							**0.02**
RM 8.5 West	**Metals**																
	Arsenic	6.7E+00	mg/kg	1.5E+00	1.5E+00	1.8E-09	1.1E-08	3.E-09	2.E-08	2.E-08	3.0E-04	3.0E-04	1.4E-08	8.5E-08	5.E-05	3.E-04	0.0003
	Mercury	2.0E-01	mg/kg	--	--	0.0E+00	3.3E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.6E-09	0.E+00	3.E-05	0.00003
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.6E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.3E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	1.3E+01	ug/kg	--	--	1.1E-11	2.1E-11	--	--	--	3.0E-04	3.0E-04	8.9E-11	1.6E-10	3.E-07	5.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.4E+01	ug/kg	7.3E-01	7.3E-01	1.1E-10	1.5E-10	8.E-11	1.E-10	2.E-10	--	--	8.6E-10	1.2E-09	--	--	--
	Benzo(a)pyrene	9.1E+01	ug/kg	7.3E+00	7.3E+00	1.1E-10	1.5E-10	8.E-10	1.E-09	2.E-09	--	--	8.3E-10	1.2E-09	--	--	--
	Benzo(b)fluoranthene	1.3E+02	ug/kg	7.3E-01	7.3E-01	1.5E-10	2.1E-10	1.E-10	2.E-10	3.E-10	--	--	1.2E-09	1.7E-09	--	--	--
	Benzo(k)fluoranthene	5.5E+01	ug/kg	7.3E-02	7.3E-02	6.5E-11	9.1E-11	5.E-12	7.E-12	1.E-11	--	--	5.1E-10	7.1E-10	--	--	--
	Dibenzo(a,h)anthracene	1.1E+01	ug/kg	7.3E+00	7.3E+00	1.3E-11	1.9E-11	1.E-10	1.E-10	2.E-10	--	--	1.0E-10	1.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	5.2E+01	ug/kg	7.3E-01	7.3E-01	6.1E-11	8.5E-11	4.E-11	6.E-11	1.E-10	--	--	4.8E-10	6.6E-10	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg-day)^{-1}$	Oral Cancer Slope Factor $(mg/kg-day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Naphthalene	2.4E+01	ug/kg	--	--	2.9E-11	4.0E-11	--	--	--	2.0E-02	2.0E-02	2.2E-10	3.1E-10	1.E-08	2.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.3E+02	ug/kg	1.4E-02	1.4E-02	5.7E-10	1.0E-09	8.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	4.4E-09	8.0E-09	2.E-07	4.E-07	0.000001
	Phenols																
	Pentachlorophenol	2.8E+00	ug/kg	4.0E-01	4.0E-01	6.2E-12	4.5E-12	2.E-12	2.E-12	4.E-12	5.0E-03	5.0E-03	4.9E-11	3.5E-11	1.E-08	7.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.4E+03	ug/kg	2.0E+00	2.0E+00	1.8E-09	2.3E-09	4.E-09	5.E-09	8.E-09	2.0E-05	2.0E-05	1.4E-08	1.8E-08	7.E-04	9.E-04	0.002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.0E+00	pg/g	1.3E+05	1.3E+05	1.4E-15	8.2E-15	2.E-10	1.E-09	1.E-09	1.0E-09	1.0E-09	1.1E-14	6.4E-14	1.E-05	6.E-05	0.0001
	Total PCB TEQ	3.3E+01	pg/g	1.3E+05	1.3E+05	4.2E-14	5.4E-14	5.E-09	7.E-09	1.E-08	1.0E-09	1.0E-09	3.3E-13	4.2E-13	3.E-04	4.E-04	0.001
	Pesticides																
	Aldrin	1.1E+01	ug/kg	1.7E+01	1.7E+01	9.7E-12	1.7E-11	2.E-10	3.E-10	5.E-10	3.0E-05	3.0E-05	7.5E-11	1.4E-10	3.E-06	5.E-06	0.00001
	Dieldrin	1.5E+01	ug/kg	1.6E+01	1.6E+01	1.3E-11	2.4E-11	2.E-10	4.E-10	6.E-10	5.0E-05	5.0E-05	1.0E-10	1.9E-10	2.E-06	4.E-06	0.00001
	Total DDT	6.0E+00	ug/kg	3.4E-01	3.4E-01	1.6E-12	9.9E-12	6.E-13	3.E-12	4.E-12	5.0E-04	5.0E-04	1.3E-11	7.7E-11	3.E-08	2.E-07	0.0000002
Exposure Point Total										4.E-08							0.02
RM 8.5 East	**Metals**																
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	1.3E-09	7.7E-09	2.E-09	1.E-08	1.E-08	3.0E-04	3.0E-04	9.9E-09	6.0E-08	3.E-05	2.E-04	0.0002
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	2.0E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.6E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.6E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.3E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	2.3E+01	ug/kg	--	--	2.1E-11	3.8E-11	--	--	--	3.0E-04	3.0E-04	1.6E-10	3.0E-10	5.E-07	1.E-06	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.1E+01	ug/kg	7.3E-01	7.3E-01	4.9E-11	6.8E-11	4.E-11	5.E-11	9.E-11	--	--	3.8E-10	5.3E-10	--	--	--
	Benzo(a)pyrene	4.6E+01	ug/kg	7.3E+00	7.3E+00	5.4E-11	7.5E-11	4.E-10	6.E-10	9.E-10	--	--	4.2E-10	5.9E-10	--	--	--
	Benzo(b)fluoranthene	7.1E+01	ug/kg	7.3E-01	7.3E-01	8.3E-11	1.2E-10	6.E-11	8.E-11	1.E-10	--	--	6.5E-10	9.0E-10	--	--	--
	Benzo(k)fluoranthene	3.6E+01	ug/kg	7.3E-02	7.3E-02	4.2E-11	5.8E-11	3.E-12	4.E-12	7.E-12	--	--	3.3E-10	4.5E-10	--	--	--
	Dibenzo(a,h)anthracene	8.3E+00	ug/kg	7.3E+00	7.3E+00	9.8E-12	1.4E-11	7.E-11	1.E-10	2.E-10	--	--	7.6E-11	1.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.9E+01	ug/kg	7.3E-01	7.3E-01	4.6E-11	6.4E-11	3.E-11	5.E-11	8.E-11	--	--	3.6E-10	5.0E-10	--	--	--
	Naphthalene	2.0E+01	ug/kg	--	--	2.3E-11	3.2E-11	--	--	--	2.0E-02	2.0E-02	1.8E-10	2.5E-10	9.E-09	1.E-08	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.5E+02	ug/kg	1.4E-02	1.4E-02	4.1E-10	7.4E-10	6.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	3.2E-09	5.7E-09	2.E-07	3.E-07	0.0000004
	Polychlorinated Biphenyls																
	Total Aroclors	4.6E+01	ug/kg	2.0E+00	2.0E+00	5.9E-11	7.6E-11	1.E-10	2.E-10	3.E-10	2.0E-05	2.0E-05	4.6E-10	5.9E-10	2.E-05	3.E-05	0.00005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.3E-01	pg/g	1.3E+05	1.3E+05	1.7E-16	1.0E-15	2.E-11	1.E-10	2.E-10	1.0E-09	1.0E-09	1.3E-15	8.0E-15	1.E-06	8.E-06	0.00001
	Total PCB TEQ	4.2E-01	pg/g	1.3E+05	1.3E+05	5.4E-16	6.9E-16	7.E-11	9.E-11	2.E-10	1.0E-09	1.0E-09	4.2E-15	5.4E-15	4.E-06	5.E-06	0.00001
	Pesticides																
	Aldrin	3.2E-02	ug/kg	1.7E+01	1.7E+01	2.9E-14	5.2E-14	5.E-13	9.E-13	1.E-12	3.0E-05	3.0E-05	2.3E-13	4.1E-13	8.E-09	1.E-08	0.00000002
	Dieldrin	1.3E-01	ug/kg	1.6E+01	1.6E+01	1.2E-13	2.2E-13	2.E-12	4.E-12	5.E-12	5.0E-05	5.0E-05	9.5E-13	1.7E-12	2.E-08	3.E-08	0.0000001
	Total DDT	1.5E+00	ug/kg	3.4E-01	3.4E-01	4.1E-13	2.5E-12	1.E-13	8.E-13	1.E-12	5.0E-04	5.0E-04	3.2E-12	1.9E-11	6.E-09	4.E-08	0.00000004
Exposure Point Total										2.E-08							0.02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 9 West	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	1.1E-09	6.8E-09	2.E-09	1.E-08	1.E-08	3.0E-04	3.0E-04	8.8E-09	5.3E-08	3.E-05	2.E-04	0.0002
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	2.0E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.6E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	1.8E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.4E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	9.9E+00	ug/kg	--	--	8.9E-12	1.6E-11	--	--	--	3.0E-04	3.0E-04	7.0E-11	1.3E-10	2.E-07	4.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.5E+02	ug/kg	7.3E-01	7.3E-01	1.8E-10	2.5E-10	1.E-10	2.E-10	3.E-10	--	--	1.4E-09	2.0E-09	--	--	--
	Benzo(a)pyrene	1.0E+02	ug/kg	7.3E+00	7.3E+00	1.2E-10	1.7E-10	9.E-10	1.E-09	2.E-09	--	--	9.4E-10	1.3E-09	--	--	--
	Benzo(b)fluoranthene	1.6E+02	ug/kg	7.3E-01	7.3E-01	1.9E-10	2.6E-10	1.E-10	2.E-10	3.E-10	--	--	1.5E-09	2.0E-09	--	--	--
	Benzo(k)fluoranthene	6.2E+01	ug/kg	7.3E-02	7.3E-02	7.3E-11	1.0E-10	5.E-12	7.E-12	1.E-11	--	--	5.6E-10	7.8E-10	--	--	--
	Dibenzo(a,h)anthracene	1.8E+01	ug/kg	7.3E+00	7.3E+00	2.1E-11	2.9E-11	2.E-10	2.E-10	4.E-10	--	--	1.6E-10	2.2E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	6.7E+01	ug/kg	7.3E-01	7.3E-01	7.9E-11	1.1E-10	6.E-11	8.E-11	1.E-10	--	--	6.1E-10	8.5E-10	--	--	--
	Naphthalene	1.7E+01	ug/kg	--	--	2.0E-11	2.8E-11	--	--	--	2.0E-02	2.0E-02	1.5E-10	2.1E-10	8.E-09	1.E-08	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.7E+02	ug/kg	1.4E-02	1.4E-02	1.6E-10	2.8E-10	2.E-12	4.E-12	6.E-12	2.0E-02	2.0E-02	1.2E-09	2.2E-09	6.E-08	1.E-07	0.0000002
	Phenols																
	Pentachlorophenol	4.7E+00	ug/kg	4.0E-01	4.0E-01	1.1E-11	7.6E-12	4.E-12	3.E-12	7.E-12	5.0E-03	5.0E-03	8.2E-11	5.9E-11	2.E-08	1.E-08	0.00000003
	Polychlorinated Biphenyls																
	Total Aroclors	4.5E+02	ug/kg	2.0E+00	2.0E+00	5.7E-10	7.4E-10	1.E-09	1.E-09	3.E-09	2.0E-05	2.0E-05	4.5E-09	5.8E-09	2.E-04	3.E-04	0.0005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.9E+00	pg/g	1.3E+05	1.3E+05	1.1E-15	6.4E-15	1.E-10	8.E-10	1.E-09	1.0E-09	1.0E-09	8.3E-15	5.0E-14	8.E-06	5.E-05	0.0001
	Total PCB TEQ	1.6E+01	pg/g	1.3E+05	1.3E+05	2.0E-14	2.6E-14	3.E-09	3.E-09	6.E-09	1.0E-09	1.0E-09	1.5E-13	2.0E-13	2.E-04	2.E-04	0.0004
	Pesticides																
	Aldrin	2.2E-01	ug/kg	1.7E+01	1.7E+01	2.0E-13	3.7E-13	3.E-12	6.E-12	1.E-11	3.0E-05	3.0E-05	1.6E-12	2.9E-12	5.E-08	1.E-07	0.0000001
	Dieldrin	2.0E-01	ug/kg	1.6E+01	1.6E+01	1.8E-13	3.3E-13	3.E-12	5.E-12	8.E-12	5.0E-05	5.0E-05	1.4E-12	2.6E-12	3.E-08	5.E-08	0.0000001
	Total DDT	4.4E+00	ug/kg	3.4E-01	3.4E-01	1.2E-12	7.2E-12	4.E-13	2.E-12	3.E-12	5.0E-04	5.0E-04	9.3E-12	5.6E-11	2.E-08	1.E-07	0.0000001
Exposure Point Total										2.E-08							0.02
RM 9 East	**Metals**																
	Arsenic	3.8E+00	mg/kg	1.5E+00	1.5E+00	1.0E-09	6.2E-09	2.E-09	9.E-09	1.E-08	3.0E-04	3.0E-04	8.0E-09	4.8E-08	3.E-05	2.E-04	0.0002
	Mercury	5.0E-02	mg/kg	--	--	0.0E+00	8.2E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.4E-10	0.E+00	6.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.0E+01	ug/kg	7.3E-01	7.3E-01	1.2E-11	1.7E-11	9.E-12	1.E-11	2.E-11	--	--	9.4E-11	1.3E-10	--	--	--
	Benzo(a)pyrene	1.3E+01	ug/kg	7.3E+00	7.3E+00	1.5E-11	2.1E-11	1.E-10	2.E-10	3.E-10	--	--	1.2E-10	1.6E-10	--	--	--
	Benzo(b)fluoranthene	1.8E+01	ug/kg	7.3E-01	7.3E-01	2.1E-11	3.0E-11	2.E-11	2.E-11	4.E-11	--	--	1.7E-10	2.3E-10	--	--	--
	Benzo(k)fluoranthene	8.3E+00	ug/kg	7.3E-02	7.3E-02	9.7E-12	1.4E-11	7.E-13	1.E-12	2.E-12	--	--	7.6E-11	1.1E-10	--	--	--
	Dibenzo(a,h)anthracene	2.1E+00	ug/kg	7.3E+00	7.3E+00	2.5E-12	3.5E-12	2.E-11	3.E-11	4.E-11	--	--	2.0E-11	2.7E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+01	ug/kg	7.3E-01	7.3E-01	1.3E-11	1.7E-11	9.E-12	1.E-11	2.E-11	--	--	9.8E-11	1.4E-10	--	--	--
	Naphthalene	2.7E+00	ug/kg	--	--	3.2E-12	4.4E-12	--	--	--	2.0E-02	2.0E-02	2.5E-11	3.5E-11	1.E-09	2.E-09	0.000000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.6E+02	ug/kg	1.4E-02	1.4E-02	3.3E-10	5.9E-10	5.E-12	8.E-12	1.E-11	2.0E-02	2.0E-02	2.5E-09	4.6E-09	1.E-07	2.E-07	0.0000004
	Polychlorinated Biphenyls																
	Total Aroclors	5.2E+01	ug/kg	2.0E+00	2.0E+00	6.6E-11	8.5E-11	1.E-10	2.E-10	3.E-10	2.0E-05	2.0E-05	5.1E-10	6.6E-10	3.E-05	3.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.2E-01	pg/g	1.3E+05	1.3E+05	5.9E-17	3.5E-16	8.E-12	5.E-11	5.E-11	1.0E-09	1.0E-09	4.6E-16	2.7E-15	5.E-07	3.E-06	0.000003
	Total PCB TEQ	6.3E-01	pg/g	1.3E+05	1.3E+05	8.0E-16	1.0E-15	1.E-10	1.E-10	2.E-10	1.0E-09	1.0E-09	6.2E-15	8.0E-15	6.E-06	8.E-06	0.00001
	Pesticides																
	Dieldrin	8.8E-02	ug/kg	1.6E+01	1.6E+01	8.0E-14	1.4E-13	1.E-12	2.E-12	4.E-12	5.0E-05	5.0E-05	6.2E-13	1.1E-12	1.E-08	2.E-08	0.00000003
	Total DDT	1.4E+00	ug/kg	3.4E-01	3.4E-01	3.9E-13	2.4E-12	1.E-13	8.E-13	9.E-13	5.0E-04	5.0E-04	3.1E-12	1.8E-11	6.E-09	4.E-08	0.00000004
Exposure Point Total										1.E-08							0.0003
RM 9.5 West	**Metals**																
	Arsenic	3.8E+00	mg/kg	1.5E+00	1.5E+00	1.0E-09	6.2E-09	2.E-09	9.E-09	1.E-08	3.0E-04	3.0E-04	8.0E-09	4.8E-08	3.E-05	2.E-04	0.0002
	Mercury	6.2E-02	mg/kg	--	--	0.0E+00	1.0E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.9E-10	0.E+00	8.E-06	0.00001
	Butyltins																
	Tributyltin ion	1.0E+01	ug/kg	--	--	9.1E-12	1.6E-11	--	--	--	3.0E-04	3.0E-04	7.1E-11	1.3E-10	2.E-07	4.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E+02	ug/kg	7.3E-01	7.3E-01	1.4E-10	2.0E-10	1.E-10	1.E-10	2.E-10	--	--	1.1E-09	1.5E-09	--	--	--
	Benzo(a)pyrene	1.7E+02	ug/kg	7.3E+00	7.3E+00	2.0E-10	2.7E-10	1.E-09	2.E-09	3.E-09	--	--	1.5E-09	2.1E-09	--	--	--
	Benzo(b)fluoranthene	2.3E+02	ug/kg	7.3E-01	7.3E-01	2.7E-10	3.8E-10	2.E-10	3.E-10	5.E-10	--	--	2.1E-09	2.9E-09	--	--	--
	Benzo(k)fluoranthene	1.0E+02	ug/kg	7.3E-02	7.3E-02	1.2E-10	1.7E-10	9.E-12	1.E-11	2.E-11	--	--	9.5E-10	1.3E-09	--	--	--
	Dibenzo(a,h)anthracene	3.2E+01	ug/kg	7.3E+00	7.3E+00	3.8E-11	5.2E-11	3.E-10	4.E-10	7.E-10	--	--	2.9E-10	4.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+02	ug/kg	7.3E-01	7.3E-01	1.6E-10	2.3E-10	1.E-10	2.E-10	3.E-10	--	--	1.3E-09	1.8E-09	--	--	--
	Naphthalene	4.1E+01	ug/kg	--	--	4.8E-11	6.7E-11	--	--	--	2.0E-02	2.0E-02	3.8E-10	5.2E-10	2.E-08	3.E-08	0.00000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.6E+02	ug/kg	1.4E-02	1.4E-02	7.8E-10	1.4E-09	1.E-11	2.E-11	3.E-11	2.0E-02	2.0E-02	6.0E-09	1.1E-08	3.E-07	5.E-07	0.000001
	Phenols																
	Pentachlorophenol	1.1E+01	ug/kg	4.0E-01	4.0E-01	2.5E-11	1.8E-11	1.E-11	7.E-12	2.E-11	5.0E-03	5.0E-03	2.0E-10	1.4E-10	4.E-08	3.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.1E+02	ug/kg	2.0E+00	2.0E+00	2.7E-10	3.5E-10	5.E-10	7.E-10	1.E-09	2.0E-05	2.0E-05	2.1E-09	2.7E-09	1.E-04	1.E-04	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.6E+00	pg/g	1.3E+05	1.3E+05	2.3E-15	1.4E-14	3.E-10	2.E-09	2.E-09	1.0E-09	1.0E-09	1.8E-14	1.1E-13	2.E-05	1.E-04	0.0001
	Total PCB TEQ	3.6E+00	pg/g	1.3E+05	1.3E+05	4.6E-15	6.0E-15	6.E-10	8.E-10	1.E-09	1.0E-09	1.0E-09	3.6E-14	4.6E-14	4.E-05	5.E-05	0.0001
	Pesticides																
	Aldrin	5.8E-01	ug/kg	1.7E+01	1.7E+01	5.3E-13	9.6E-13	9.E-12	2.E-11	3.E-11	3.0E-05	3.0E-05	4.1E-12	7.4E-12	1.E-07	2.E-07	0.0000004
	Dieldrin	6.1E-01	ug/kg	1.6E+01	1.6E+01	5.5E-13	9.9E-13	9.E-12	2.E-11	2.E-11	5.0E-05	5.0E-05	4.3E-12	7.7E-12	9.E-08	2.E-07	0.0000002
	Total DDT	3.1E+00	ug/kg	3.4E-01	3.4E-01	8.3E-13	5.0E-12	3.E-13	2.E-12	2.E-12	5.0E-04	5.0E-04	6.5E-12	3.9E-11	1.E-08	8.E-08	0.0000001
Exposure Point Total										2.E-08							0.0006
RM 9.5 East	**Metals**																
	Arsenic	3.3E+00	mg/kg	1.5E+00	1.5E+00	8.9E-10	5.4E-09	1.E-09	8.E-09	9.E-09	3.0E-04	3.0E-04	6.9E-09	4.2E-08	2.E-05	1.E-04	0.0002
	Mercury	6.3E-02	mg/kg	--	--	0.0E+00	1.0E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.0E-10	0.E+00	8.E-06	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	2.6E+00	ug/kg	--	--	2.3E-12	4.2E-12	--	--	--	3.0E-04	3.0E-04	1.8E-11	3.2E-11	6.E-08	1.E-07	0.0000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.2E+01	ug/kg	7.3E-01	7.3E-01	2.6E-11	3.6E-11	2.E-11	3.E-11	4.E-11	--	--	2.0E-10	2.8E-10	--	--	--
	Benzo(a)pyrene	2.5E+01	ug/kg	7.3E+00	7.3E+00	2.9E-11	4.0E-11	2.E-10	3.E-10	5.E-10	--	--	2.3E-10	3.1E-10	--	--	--
	Benzo(b)fluoranthene	2.9E+01	ug/kg	7.3E-01	7.3E-01	3.5E-11	4.8E-11	3.E-11	3.E-11	6.E-11	--	--	2.7E-10	3.7E-10	--	--	--
	Benzo(k)fluoranthene	1.7E+01	ug/kg	7.3E-02	7.3E-02	2.0E-11	2.8E-11	1.E-12	2.E-12	3.E-12	--	--	1.6E-10	2.2E-10	--	--	--
	Dibenzo(a,h)anthracene	4.4E+00	ug/kg	7.3E+00	7.3E+00	5.1E-12	7.1E-12	4.E-11	5.E-11	9.E-11	--	--	4.0E-11	5.6E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	2.0E+01	ug/kg	7.3E-01	7.3E-01	2.3E-11	3.2E-11	2.E-11	2.E-11	4.E-11	--	--	1.8E-10	2.5E-10	--	--	--
	Naphthalene	3.4E+00	ug/kg	--	--	4.0E-12	5.5E-12	--	--	--	2.0E-02	2.0E-02	3.1E-11	4.3E-11	2.E-09	2.E-09	0.000000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.6E+02	ug/kg	1.4E-02	1.4E-02	1.5E-10	2.7E-10	2.E-12	4.E-12	6.E-12	2.0E-02	2.0E-02	1.2E-09	2.1E-09	6.E-08	1.E-07	0.0000002
	Phenols																
	Pentachlorophenol	1.1E+00	ug/kg	4.0E-01	4.0E-01	2.5E-12	1.8E-12	1.E-12	7.E-13	2.E-12	5.0E-03	5.0E-03	2.0E-11	1.4E-11	4.E-09	3.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	4.0E+01	ug/kg	2.0E+00	2.0E+00	5.1E-11	6.6E-11	1.E-10	1.E-10	2.E-10	2.0E-05	2.0E-05	4.0E-10	5.1E-10	2.E-05	3.E-05	0.00005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.9E-01	pg/g	1.3E+05	1.3E+05	2.4E-16	1.5E-15	3.E-11	2.E-10	2.E-10	1.0E-09	1.0E-09	1.9E-15	1.1E-14	2.E-06	1.E-05	0.00001
	Total PCB TEQ	2.6E-01	pg/g	1.3E+05	1.3E+05	3.3E-16	4.3E-16	4.E-11	6.E-11	1.E-10	1.0E-09	1.0E-09	2.6E-15	3.3E-15	3.E-06	3.E-06	0.00001
	Pesticides																
	Aldrin	9.1E-02	ug/kg	1.7E+01	1.7E+01	8.3E-14	1.5E-13	1.E-12	3.E-12	4.E-12	3.0E-05	3.0E-05	6.4E-13	1.2E-12	2.E-08	4.E-08	0.0000001
	Dieldrin	3.0E-02	ug/kg	1.6E+01	1.6E+01	2.7E-14	4.8E-14	4.E-13	8.E-13	1.E-12	5.0E-05	5.0E-05	2.1E-13	3.8E-13	4.E-09	8.E-09	0.0000001
	Total DDT	1.1E+00	ug/kg	3.4E-01	3.4E-01	3.1E-13	1.9E-12	1.E-13	6.E-13	7.E-13	5.0E-04	5.0E-04	2.4E-12	1.4E-11	5.E-09	3.E-08	0.00000003
Exposure Point Total										1.E-08							0.0002
RM 10 West	**Metals**																
	Arsenic	1.0E+01	mg/kg	1.5E+00	1.5E+00	2.8E-09	1.7E-08	4.E-09	3.E-08	3.E-08	3.0E-04	3.0E-04	2.2E-08	1.3E-07	7.E-05	4.E-04	0.0005
	Mercury	9.0E-02	mg/kg	--	--	0.0E+00	1.5E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-09	0.E+00	1.E-05	0.00001
	Butyltins																
	Tributyltin ion	2.4E+00	ug/kg	--	--	2.2E-12	4.0E-12	--	--	--	3.0E-04	3.0E-04	1.7E-11	3.1E-11	6.E-08	1.E-07	0.0000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+02	ug/kg	7.3E-01	7.3E-01	1.7E-10	2.3E-10	1.E-10	2.E-10	3.E-10	--	--	1.3E-09	1.8E-09	--	--	--
	Benzo(a)pyrene	1.5E+02	ug/kg	7.3E+00	7.3E+00	1.8E-10	2.4E-10	1.E-09	2.E-09	3.E-09	--	--	1.4E-09	1.9E-09	--	--	--
	Benzo(b)fluoranthene	1.9E+02	ug/kg	7.3E-01	7.3E-01	2.2E-10	3.1E-10	2.E-10	2.E-10	4.E-10	--	--	1.7E-09	2.4E-09	--	--	--
	Benzo(k)fluoranthene	7.9E+01	ug/kg	7.3E-02	7.3E-02	9.3E-11	1.3E-10	7.E-12	9.E-12	2.E-11	--	--	7.2E-10	1.0E-09	--	--	--
	Dibenzo(a,h)anthracene	3.5E+01	ug/kg	7.3E+00	7.3E+00	4.2E-11	5.8E-11	3.E-10	4.E-10	7.E-10	--	--	3.2E-10	4.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+02	ug/kg	7.3E-01	7.3E-01	1.6E-10	2.3E-10	1.E-10	2.E-10	3.E-10	--	--	1.3E-09	1.8E-09	--	--	--
	Naphthalene	2.0E+01	ug/kg	--	--	2.3E-11	3.2E-11	--	--	--	2.0E-02	2.0E-02	1.8E-10	2.5E-10	9.E-09	1.E-08	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.2E+02	ug/kg	1.4E-02	1.4E-02	1.1E-10	2.0E-10	2.E-12	3.E-12	4.E-12	2.0E-02	2.0E-02	8.5E-10	1.5E-09	4.E-08	8.E-08	0.0000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(\text{mg/kg-day})^{-1}$	Oral Cancer Slope Factor $(\text{mg/kg-day})^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phenols																
	Pentachlorophenol	3.0E+00	ug/kg	4.0E-01	4.0E-01	6.8E-12	4.9E-12	3.E-12	2.E-12	5.E-12	5.0E-03	5.0E-03	5.3E-11	3.8E-11	1.E-08	8.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+02	ug/kg	2.0E+00	2.0E+00	2.3E-10	3.0E-10	5.E-10	6.E-10	1.E-09	2.0E-05	2.0E-05	1.8E-09	2.3E-09	9.E-05	1.E-04	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.1E+00	pg/g	1.3E+05	1.3E+05	1.4E-15	8.4E-15	2.E-10	1.E-09	1.E-09	1.0E-09	1.0E-09	1.1E-14	6.5E-14	1.E-05	7.E-05	0.00008
	Total PCB TEQ	1.8E+00	pg/g	1.3E+05	1.3E+05	2.3E-15	3.0E-15	3.E-10	4.E-10	7.E-10	1.0E-09	1.0E-09	1.8E-14	2.3E-14	2.E-05	2.E-05	0.00004
	Pesticides																
	Aldrin	1.5E-01	ug/kg	1.7E+01	1.7E+01	1.3E-13	2.4E-13	2.E-12	4.E-12	6.E-12	3.0E-05	3.0E-05	1.0E-12	1.9E-12	3.E-08	6.E-08	0.0000001
	Total DDT	4.7E+00	ug/kg	3.4E-01	3.4E-01	1.3E-12	7.6E-12	4.E-13	3.E-12	3.E-12	5.0E-04	5.0E-04	9.9E-12	5.9E-11	2.E-08	1.E-07	0.0000001
Exposure Point Total										4.E-08							0.001
RM 10 East	**Metals**																
	Arsenic	3.0E+00	mg/kg	1.5E+00	1.5E+00	8.3E-10	5.0E-09	1.E-09	7.E-09	9.E-09	3.0E-04	3.0E-04	6.4E-09	3.9E-08	2.E-05	1.E-04	0.0002
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	1.1E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.6E-10	0.E+00	9.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E+02	ug/kg	7.3E-01	7.3E-01	1.4E-10	1.9E-10	1.E-10	1.E-10	2.E-10	--	--	1.1E-09	1.5E-09	--	--	--
	Benzo(a)pyrene	1.4E+02	ug/kg	7.3E+00	7.3E+00	1.7E-10	2.4E-10	1.E-09	2.E-09	3.E-09	--	--	1.3E-09	1.8E-09	--	--	--
	Benzo(b)fluoranthene	1.7E+02	ug/kg	7.3E-01	7.3E-01	2.0E-10	2.8E-10	1.E-10	2.E-10	4.E-10	--	--	1.6E-09	2.2E-09	--	--	--
	Benzo(k)fluoranthene	6.3E+01	ug/kg	7.3E-02	7.3E-02	7.4E-11	1.0E-10	5.E-12	8.E-12	1.E-11	--	--	5.8E-10	8.0E-10	--	--	--
	Dibenzo(a,h)anthracene	2.3E+01	ug/kg	7.3E+00	7.3E+00	2.8E-11	3.8E-11	2.E-10	3.E-10	5.E-10	--	--	2.1E-10	3.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	1.4E-10	1.9E-10	1.E-10	1.E-10	2.E-10	--	--	1.1E-09	1.5E-09	--	--	--
	Naphthalene	1.2E+01	ug/kg	--	--	1.5E-11	2.0E-11	--	--	--	2.0E-02	2.0E-02	1.1E-10	1.6E-10	6.E-09	8.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+02	ug/kg	1.4E-02	1.4E-02	1.2E-10	2.1E-10	2.E-12	3.E-12	5.E-12	2.0E-02	2.0E-02	9.1E-10	1.6E-09	5.E-08	8.E-08	0.0000001
	Phenols																
	Pentachlorophenol	2.6E+00	ug/kg	4.0E-01	4.0E-01	5.9E-12	4.3E-12	2.E-12	2.E-12	4.E-12	5.0E-03	5.0E-03	4.6E-11	3.3E-11	9.E-09	7.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	3.4E+01	ug/kg	2.0E+00	2.0E+00	4.3E-11	5.6E-11	9.E-11	1.E-10	2.E-10	2.0E-05	2.0E-05	3.4E-10	4.3E-10	2.E-05	2.E-05	0.00004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.4E-01	pg/g	1.3E+05	1.3E+05	1.5E-16	8.9E-16	2.E-11	1.E-10	1.E-10	1.0E-09	1.0E-09	1.1E-15	6.9E-15	1.E-06	7.E-06	0.00001
	Total PCB TEQ	6.9E-01	pg/g	1.3E+05	1.3E+05	8.7E-16	1.1E-15	1.E-10	1.E-10	3.E-10	1.0E-09	1.0E-09	6.8E-15	8.7E-15	7.E-06	9.E-06	0.00002
	Pesticides																
	Aldrin	4.0E-02	ug/kg	1.7E+01	1.7E+01	3.6E-14	6.6E-14	6.E-13	1.E-12	2.E-12	3.0E-05	3.0E-05	2.8E-13	5.1E-13	9.E-09	2.E-08	0.00000003
	Dieldrin	4.7E-02	ug/kg	1.6E+01	1.6E+01	4.3E-14	7.7E-14	7.E-13	1.E-12	2.E-12	5.0E-05	5.0E-05	3.3E-13	6.0E-13	7.E-09	1.E-08	0.00000002
	Total DDT	5.3E-01	ug/kg	3.4E-01	3.4E-01	1.4E-13	8.7E-13	5.E-14	3.E-13	3.E-13	5.0E-04	5.0E-04	1.1E-12	6.7E-12	2.E-09	1.E-08	0.00000002
Exposure Point Total										1.E-08							0.0002
RM 10.5 West	**Metals**																
	Arsenic	4.0E+00	mg/kg	1.5E+00	1.5E+00	1.1E-09	6.5E-09	2.E-09	1.E-08	1.E-08	3.0E-04	3.0E-04	8.4E-09	5.1E-08	3.E-05	2.E-04	0.0002
	Mercury	6.9E-02	mg/kg	--	--	0.0E+00	1.1E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.8E-10	0.E+00	9.E-06	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.8E+01	ug/kg	7.3E-01	7.3E-01	3.3E-11	4.5E-11	2.E-11	3.E-11	6.E-11	--	--	2.5E-10	3.5E-10	--	--	--
	Benzo(a)pyrene	2.6E+01	ug/kg	7.3E+00	7.3E+00	3.1E-11	4.3E-11	2.E-10	3.E-10	5.E-10	--	--	2.4E-10	3.4E-10	--	--	--
	Benzo(b)fluoranthene	3.5E+01	ug/kg	7.3E-01	7.3E-01	4.2E-11	5.8E-11	3.E-11	4.E-11	7.E-11	--	--	3.2E-10	4.5E-10	--	--	--
	Benzo(k)fluoranthene	1.3E+01	ug/kg	7.3E-02	7.3E-02	1.5E-11	2.1E-11	1.E-12	2.E-12	3.E-12	--	--	1.2E-10	1.6E-10	--	--	--
	Dibenzo(a,h)anthracene	4.4E+00	ug/kg	7.3E+00	7.3E+00	5.2E-12	7.2E-12	4.E-11	5.E-11	9.E-11	--	--	4.0E-11	5.6E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	2.2E+01	ug/kg	7.3E-01	7.3E-01	2.5E-11	3.5E-11	2.E-11	3.E-11	4.E-11	--	--	2.0E-10	2.7E-10	--	--	--
	Naphthalene	2.7E+01	ug/kg	--	--	3.2E-11	4.4E-11	--	--	--	2.0E-02	2.0E-02	2.5E-10	3.4E-10	1.E-08	2.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.4E+02	ug/kg	1.4E-02	1.4E-02	1.2E-10	2.2E-10	2.E-12	3.E-12	5.E-12	2.0E-02	2.0E-02	9.6E-10	1.7E-09	5.E-08	9.E-08	0.0000001
	Phenols																
	Pentachlorophenol	8.6E+00	ug/kg	4.0E-01	4.0E-01	1.9E-11	1.4E-11	8.E-12	6.E-12	1.E-11	5.0E-03	5.0E-03	1.5E-10	1.1E-10	3.E-08	2.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.2E+01	ug/kg	2.0E+00	2.0E+00	4.0E-11	5.2E-11	8.E-11	1.E-10	2.E-10	2.0E-05	2.0E-05	3.1E-10	4.0E-10	2.E-05	2.E-05	0.00004
	Dioxin/Furan																
	Total PCB TEQ	6.9E-01	pg/g	1.3E+05	1.3E+05	8.7E-16	1.1E-15	1.E-10	1.E-10	3.E-10	1.0E-09	1.0E-09	6.8E-15	8.8E-15	7.E-06	9.E-06	0.00002
	Pesticides																
	Aldrin	2.0E-01	ug/kg	1.7E+01	1.7E+01	1.8E-13	3.3E-13	3.E-12	6.E-12	9.E-12	3.0E-05	3.0E-05	1.4E-12	2.6E-12	5.E-08	9.E-08	0.0000001
	Total DDT	1.7E+00	ug/kg	3.4E-01	3.4E-01	4.5E-13	2.7E-12	2.E-13	9.E-13	1.E-12	5.0E-04	5.0E-04	3.5E-12	2.1E-11	7.E-09	4.E-08	0.00000005
Exposure Point Total										**1.E-08**							**0.0003**
RM 10.5 East	**Metals**																
	Arsenic	3.1E+00	mg/kg	1.5E+00	1.5E+00	8.4E-10	5.0E-09	1.E-09	8.E-09	9.E-09	3.0E-04	3.0E-04	6.5E-09	3.9E-08	2.E-05	1.E-04	0.0002
	Mercury	6.1E-02	mg/kg	--	--	0.0E+00	1.0E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.8E-10	0.E+00	8.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.9E+01	ug/kg	7.3E-01	7.3E-01	4.6E-11	6.3E-11	3.E-11	5.E-11	8.E-11	--	--	3.5E-10	4.9E-10	--	--	--
	Benzo(a)pyrene	3.4E+01	ug/kg	7.3E+00	7.3E+00	4.0E-11	5.5E-11	3.E-10	4.E-10	7.E-10	--	--	3.1E-10	4.3E-10	--	--	--
	Benzo(b)fluoranthene	5.0E+01	ug/kg	7.3E-01	7.3E-01	5.9E-11	8.2E-11	4.E-11	6.E-11	1.E-10	--	--	4.6E-10	6.4E-10	--	--	--
	Benzo(k)fluoranthene	2.5E+01	ug/kg	7.3E-02	7.3E-02	3.0E-11	4.1E-11	2.E-12	3.E-12	5.E-12	--	--	2.3E-10	3.2E-10	--	--	--
	Dibenzo(a,h)anthracene	5.5E+00	ug/kg	7.3E+00	7.3E+00	6.5E-12	9.0E-12	5.E-11	7.E-11	1.E-10	--	--	5.0E-11	7.0E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	2.7E+01	ug/kg	7.3E-01	7.3E-01	3.2E-11	4.5E-11	2.E-11	3.E-11	6.E-11	--	--	2.5E-10	3.5E-10	--	--	--
	Naphthalene	3.5E+00	ug/kg	--	--	4.2E-12	5.8E-12	--	--	--	2.0E-02	2.0E-02	3.2E-11	4.5E-11	2.E-09	2.E-09	0.000000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.6E+01	ug/kg	1.4E-02	1.4E-02	4.2E-11	7.5E-11	6.E-13	1.E-12	2.E-12	2.0E-02	2.0E-02	3.2E-10	5.8E-10	2.E-08	3.E-08	0.00000005
	Phenols																
	Pentachlorophenol	3.2E+00	ug/kg	4.0E-01	4.0E-01	7.2E-12	5.2E-12	3.E-12	2.E-12	5.E-12	5.0E-03	5.0E-03	5.6E-11	4.0E-11	1.E-08	8.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	5.2E+01	ug/kg	2.0E+00	2.0E+00	6.5E-11	8.4E-11	1.E-10	2.E-10	3.E-10	2.0E-05	2.0E-05	5.1E-10	6.6E-10	3.E-05	3.E-05	0.00006
	Dioxin/Furan																
	Total PCB TEQ	3.5E-01	pg/g	1.3E+05	1.3E+05	4.5E-16	5.8E-16	6.E-11	8.E-11	1.E-10	1.0E-09	1.0E-09	3.5E-15	4.5E-15	4.E-06	5.E-06	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: High frequency Fisher Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Total DDT	2.8E+00	ug/kg	3.4E-01	3.4E-01	7.6E-13	4.6E-12	3.E-13	2.E-12	2.E-12	5.0E-04	5.0E-04	5.9E-12	3.5E-11	1.E-08	7.E-08	0.0000001
Exposure Point Total										**1.E-08**							**0.0002**
RM 11 West	**Metals**																
	Arsenic	3.4E+00	mg/kg	1.5E+00	1.5E+00	9.3E-10	5.6E-09	1.E-09	8.E-09	1.E-08	3.0E-04	3.0E-04	7.2E-09	4.3E-08	2.E-05	1.E-04	0.0002
	Mercury	5.6E-02	mg/kg	--	--	0.0E+00	9.2E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.2E-10	0.E+00	7.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.2E+01	ug/kg	7.3E-01	7.3E-01	7.3E-11	1.0E-10	5.E-11	7.E-11	1.E-10	--	--	5.7E-10	7.9E-10	--	--	--
	Benzo(a)pyrene	6.6E+01	ug/kg	7.3E+00	7.3E+00	7.8E-11	1.1E-10	6.E-10	8.E-10	1.E-09	--	--	6.1E-10	8.5E-10	--	--	--
	Benzo(b)fluoranthene	4.0E+01	ug/kg	7.3E-01	7.3E-01	4.7E-11	6.5E-11	3.E-11	5.E-11	8.E-11	--	--	3.7E-10	5.1E-10	--	--	--
	Benzo(k)fluoranthene	3.7E+01	ug/kg	7.3E-02	7.3E-02	4.3E-11	6.0E-11	3.E-12	4.E-12	8.E-12	--	--	3.4E-10	4.7E-10	--	--	--
	Dibenzo(a,h)anthracene	8.8E+00	ug/kg	7.3E+00	7.3E+00	1.0E-11	1.4E-11	8.E-11	1.E-10	2.E-10	--	--	8.1E-11	1.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	4.0E+01	ug/kg	7.3E-01	7.3E-01	4.8E-11	6.6E-11	3.E-11	5.E-11	8.E-11	--	--	3.7E-10	5.1E-10	--	--	--
	Naphthalene	5.4E+01	ug/kg	--	--	6.4E-11	8.8E-11	--	--	--	2.0E-02	2.0E-02	4.9E-10	6.9E-10	2.E-08	3.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.7E+02	ug/kg	1.4E-02	1.4E-02	3.4E-10	6.1E-10	5.E-12	9.E-12	1.E-11	2.0E-02	2.0E-02	2.6E-09	4.7E-09	1.E-07	2.E-07	0.0000004
	Phenols																
	Pentachlorophenol	9.8E-01	ug/kg	4.0E-01	4.0E-01	2.2E-12	1.6E-12	9.E-13	6.E-13	2.E-12	5.0E-03	5.0E-03	1.7E-11	1.2E-11	3.E-09	2.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.8E+01	ug/kg	2.0E+00	2.0E+00	3.5E-11	4.5E-11	7.E-11	9.E-11	2.E-10	2.0E-05	2.0E-05	2.7E-10	3.5E-10	1.E-05	2.E-05	0.00003
	Pesticides																
	Dieldrin	5.7E-01	ug/kg	1.6E+01	1.6E+01	5.1E-13	9.2E-13	8.E-12	1.E-11	2.E-11	5.0E-05	5.0E-05	4.0E-12	7.2E-12	8.E-08	1.E-07	0.0000002
	Total DDT	1.3E+00	ug/kg	3.4E-01	3.4E-01	3.6E-13	2.2E-12	1.E-13	7.E-13	9.E-13	5.0E-04	5.0E-04	2.8E-12	1.7E-11	6.E-09	3.E-08	0.00000004
Exposure Point Total										**1.E-08**							**0.0002**
RM 11 East	**Metals**																
	Arsenic	2.7E+00	mg/kg	1.5E+00	1.5E+00	7.4E-10	4.4E-09	1.E-09	7.E-09	8.E-09	3.0E-04	3.0E-04	5.7E-09	3.4E-08	2.E-05	1.E-04	0.0001
	Mercury	7.0E-02	mg/kg	--	--	0.0E+00	1.1E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.9E-10	0.E+00	9.E-06	0.00001
	Butyltins																
	Tributyltin ion	4.0E+00	ug/kg	--	--	3.6E-12	6.5E-12	--	--	--	3.0E-04	3.0E-04	2.8E-11	5.1E-11	9.E-08	2.E-07	0.0000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	8.3E+01	ug/kg	7.3E-01	7.3E-01	9.8E-11	1.4E-10	7.E-11	1.E-10	2.E-10	--	--	7.6E-10	1.1E-09	--	--	--
	Benzo(a)pyrene	5.5E+01	ug/kg	7.3E+00	7.3E+00	6.5E-11	9.1E-11	5.E-10	7.E-10	1.E-09	--	--	5.1E-10	7.0E-10	--	--	--
	Benzo(b)fluoranthene	1.3E+02	ug/kg	7.3E-01	7.3E-01	1.5E-10	2.1E-10	1.E-10	2.E-10	3.E-10	--	--	1.2E-09	1.6E-09	--	--	--
	Benzo(k)fluoranthene	3.7E+01	ug/kg	7.3E-02	7.3E-02	4.3E-11	6.0E-11	3.E-12	4.E-12	8.E-12	--	--	3.4E-10	4.7E-10	--	--	--
	Dibenzo(a,h)anthracene	1.2E+01	ug/kg	7.3E+00	7.3E+00	1.4E-11	2.0E-11	1.E-10	1.E-10	2.E-10	--	--	1.1E-10	1.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.8E+01	ug/kg	7.3E-01	7.3E-01	4.5E-11	6.2E-11	3.E-11	5.E-11	8.E-11	--	--	3.5E-10	4.9E-10	--	--	--
	Naphthalene	1.2E+01	ug/kg	--	--	1.4E-11	1.9E-11	--	--	--	2.0E-02	2.0E-02	1.1E-10	1.5E-10	5.E-09	8.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.4E+01	ug/kg	1.4E-02	1.4E-02	8.5E-11	1.5E-10	1.E-12	2.E-12	3.E-12	2.0E-02	2.0E-02	6.6E-10	1.2E-09	3.E-08	6.E-08	0.0000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: High frequency Fisher   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phenols																
	Pentachlorophenol	2.7E+00	ug/kg	4.0E-01	4.0E-01	6.0E-12	4.3E-12	2.E-12	2.E-12	4.E-12	5.0E-03	5.0E-03	4.7E-11	3.4E-11	9.E-09	7.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+03	ug/kg	2.0E+00	2.0E+00	1.4E-09	1.8E-09	3.E-09	4.E-09	7.E-09	2.0E-05	2.0E-05	1.1E-08	1.4E-08	6.E-04	7.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.0E+00	pg/g	1.3E+05	1.3E+05	5.5E-16	3.3E-15	7.E-11	4.E-10	5.E-10	1.0E-09	1.0E-09	4.3E-15	2.6E-14	4.E-06	3.E-05	0.00003
	Total PCB TEQ	1.2E+01	pg/g	1.3E+05	1.3E+05	1.6E-14	2.0E-14	2.E-09	3.E-09	5.E-09	1.0E-09	1.0E-09	1.2E-13	1.6E-13	1.E-04	2.E-04	0.0003
	Pesticides																
	Total DDT	9.9E+01	ug/kg	3.4E-01	3.4E-01	2.7E-11	1.6E-10	9.E-12	6.E-11	6.E-11	5.0E-04	5.0E-04	2.1E-10	1.3E-09	4.E-07	3.E-06	0.000003
Exposure Point Total										2.E-08							0.002
RM 11.5 West	**Metals**																
	Arsenic	3.0E+00	mg/kg	1.5E+00	1.5E+00	8.1E-10	4.9E-09	1.E-09	7.E-09	9.E-09	3.0E-04	3.0E-04	6.3E-09	3.8E-08	2.E-05	1.E-04	0.0001
	Mercury	3.0E-02	mg/kg	--	--	0.0E+00	5.0E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.9E-10	0.E+00	4.E-06	0.000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.5E+00	ug/kg	7.3E-01	7.3E-01	1.1E-11	1.5E-11	8.E-12	1.E-11	2.E-11	--	--	8.7E-11	1.2E-10	--	--	--
	Benzo(a)pyrene	1.1E+01	ug/kg	7.3E+00	7.3E+00	1.2E-11	1.7E-11	9.E-11	1.E-10	2.E-10	--	--	9.6E-11	1.3E-10	--	--	--
	Benzo(b)fluoranthene	9.7E+00	ug/kg	7.3E-01	7.3E-01	1.1E-11	1.6E-11	8.E-12	1.E-11	2.E-11	--	--	8.9E-11	1.2E-10	--	--	--
	Benzo(k)fluoranthene	6.4E+00	ug/kg	7.3E-02	7.3E-02	7.5E-12	1.0E-11	5.E-13	8.E-13	1.E-12	--	--	5.9E-11	8.1E-11	--	--	--
	Dibenzo(a,h)anthracene	1.2E+00	ug/kg	7.3E+00	7.3E+00	1.4E-12	1.9E-12	1.E-11	1.E-11	2.E-11	--	--	1.1E-11	1.5E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	7.4E+00	ug/kg	7.3E-01	7.3E-01	8.7E-12	1.2E-11	6.E-12	9.E-12	2.E-11	--	--	6.8E-11	9.4E-11	--	--	--
	Naphthalene	3.3E+00	ug/kg	--	--	3.9E-12	5.5E-12	--	--	--	2.0E-02	2.0E-02	3.1E-11	4.2E-11	2.E-09	2.E-09	0.000000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+02	ug/kg	1.4E-02	1.4E-02	1.6E-10	3.0E-10	2.E-12	4.E-12	6.E-12	2.0E-02	2.0E-02	1.3E-09	2.3E-09	6.E-08	1.E-07	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.2E+01	ug/kg	2.0E+00	2.0E+00	1.6E-11	2.0E-11	3.E-11	4.E-11	7.E-11	2.0E-05	2.0E-05	1.2E-10	1.6E-10	6.E-06	8.E-06	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.8E-01	pg/g	1.3E+05	1.3E+05	4.8E-17	2.9E-16	6.E-12	4.E-11	4.E-11	1.0E-09	1.0E-09	3.7E-16	2.2E-15	4.E-07	2.E-06	0.000003
	Total PCB TEQ	2.9E-01	pg/g	1.3E+05	1.3E+05	3.7E-16	4.8E-16	5.E-11	6.E-11	1.E-10	1.0E-09	1.0E-09	2.9E-15	3.7E-15	3.E-06	4.E-06	0.00001
	Pesticides																
	Dieldrin	9.0E-02	ug/kg	1.6E+01	1.6E+01	8.2E-14	1.5E-13	1.E-12	2.E-12	4.E-12	5.0E-05	5.0E-05	6.3E-13	1.1E-12	1.E-08	2.E-08	0.00000004
	Total DDT	9.8E-01	ug/kg	3.4E-01	3.4E-01	2.7E-13	1.6E-12	9.E-14	5.E-13	6.E-13	5.0E-04	5.0E-04	2.1E-12	1.2E-11	4.E-09	2.E-08	0.00000003
Exposure Point Total										9.E-09							0.0002
RM 12 West	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	8.6E-10	5.2E-09	1.E-09	8.E-09	9.E-09	3.0E-04	3.0E-04	6.7E-09	4.0E-08	2.E-05	1.E-04	0.0002
	Mercury	2.9E-01	mg/kg	--	--	0.0E+00	4.8E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.7E-09	0.E+00	4.E-05	0.00004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+02	ug/kg	7.3E-01	7.3E-01	3.0E-10	4.2E-10	2.E-10	3.E-10	5.E-10	--	--	2.4E-09	3.3E-09	--	--	--
	Benzo(a)pyrene	4.1E+02	ug/kg	7.3E+00	7.3E+00	4.8E-10	6.7E-10	4.E-09	5.E-09	8.E-09	--	--	3.8E-09	5.2E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(b)fluoranthene	3.5E+02	ug/kg	7.3E-01	7.3E-01	4.1E-10	5.7E-10	3.E-10	4.E-10	7.E-10	--	--	3.2E-09	4.5E-09	--	--	--
	Benzo(k)fluoranthene	1.2E+02	ug/kg	7.3E-02	7.3E-02	1.4E-10	1.9E-10	1.E-11	1.E-11	2.E-11	--	--	1.1E-09	1.5E-09	--	--	--
	Dibenzo(a,h)anthracene	3.2E+01	ug/kg	7.3E+00	7.3E+00	3.8E-11	5.3E-11	3.E-10	4.E-10	7.E-10	--	--	3.0E-10	4.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.4E+02	ug/kg	7.3E-01	7.3E-01	4.0E-10	5.5E-10	3.E-10	4.E-10	7.E-10	--	--	3.1E-09	4.3E-09	--	--	--
	Naphthalene	4.5E+01	ug/kg	--	--	5.3E-11	7.4E-11	--	--	--	2.0E-02	2.0E-02	4.1E-10	5.7E-10	2.E-08	3.E-08	0.00000005
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.0E+01	ug/kg	1.4E-02	1.4E-02	7.2E-11	1.3E-10	1.E-12	2.E-12	3.E-12	2.0E-02	2.0E-02	5.6E-10	1.0E-09	3.E-08	5.E-08	0.0000001
	Phenols																
	Pentachlorophenol	3.4E+00	ug/kg	4.0E-01	4.0E-01	7.6E-12	5.5E-12	3.E-12	2.E-12	5.E-12	5.0E-03	5.0E-03	5.9E-11	4.3E-11	1.E-08	9.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	7.0E+01	ug/kg	2.0E+00	2.0E+00	8.9E-11	1.1E-10	2.E-10	2.E-10	4.E-10	2.0E-05	2.0E-05	6.9E-10	8.9E-10	3.E-05	4.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E-01	pg/g	1.3E+05	1.3E+05	4.5E-17	2.7E-16	6.E-12	4.E-11	4.E-11	1.0E-09	1.0E-09	3.5E-16	2.1E-15	4.E-07	2.E-06	0.000002
	Total PCB TEQ	4.5E-01	pg/g	1.3E+05	1.3E+05	5.7E-16	7.4E-16	7.E-11	1.E-10	2.E-10	1.0E-09	1.0E-09	4.5E-15	5.8E-15	4.E-06	6.E-06	0.00001
	Pesticides																
	Aldrin	3.2E-01	ug/kg	1.7E+01	1.7E+01	2.9E-13	5.2E-13	5.E-12	9.E-12	1.E-11	3.0E-05	3.0E-05	2.3E-12	4.1E-12	8.E-08	1.E-07	0.0000002
	Total DDT	5.9E+00	ug/kg	3.4E-01	3.4E-01	1.6E-12	9.7E-12	5.E-13	3.E-12	4.E-12	5.0E-04	5.0E-04	1.3E-11	7.5E-11	3.E-08	2.E-07	0.0000002
Exposure Point Total										2.E-08							0.0003
RM 12 East	**Metals**																
	Arsenic	2.3E+00	mg/kg	1.5E+00	1.5E+00	6.2E-10	3.7E-09	9.E-10	6.E-09	6.E-09	3.0E-04	3.0E-04	4.8E-09	2.9E-08	2.E-05	1.E-04	0.0001
	Mercury	4.5E-02	mg/kg	--	--	0.0E+00	7.3E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.7E-10	0.E+00	6.E-06	0.00001
	Butyltins																
	Tributyltin ion	4.0E+00	ug/kg	--	--	3.6E-12	6.5E-12	--	--	--	3.0E-04	3.0E-04	2.8E-11	5.0E-11	9.E-08	2.E-07	0.0000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+01	ug/kg	7.3E-01	7.3E-01	2.1E-11	2.9E-11	2.E-11	2.E-11	4.E-11	--	--	1.7E-10	2.3E-10	--	--	--
	Benzo(a)pyrene	1.9E+01	ug/kg	7.3E+00	7.3E+00	2.2E-11	3.0E-11	2.E-10	2.E-10	4.E-10	--	--	1.7E-10	2.4E-10	--	--	--
	Benzo(b)fluoranthene	2.7E+01	ug/kg	7.3E-01	7.3E-01	3.1E-11	4.3E-11	2.E-11	3.E-11	5.E-11	--	--	2.4E-10	3.4E-10	--	--	--
	Benzo(k)fluoranthene	7.8E+00	ug/kg	7.3E-02	7.3E-02	9.1E-12	1.3E-11	7.E-13	9.E-13	2.E-12	--	--	7.1E-11	9.9E-11	--	--	--
	Dibenzo(a,h)anthracene	4.0E+00	ug/kg	7.3E+00	7.3E+00	4.7E-12	6.5E-12	3.E-11	5.E-11	8.E-11	--	--	3.6E-11	5.0E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.6E+01	ug/kg	7.3E-01	7.3E-01	1.9E-11	2.6E-11	1.E-11	2.E-11	3.E-11	--	--	1.5E-10	2.0E-10	--	--	--
	Naphthalene	2.6E+01	ug/kg	--	--	3.0E-11	4.2E-11	--	--	--	2.0E-02	2.0E-02	2.4E-10	3.3E-10	1.E-08	2.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.2E+03	ug/kg	1.4E-02	1.4E-02	8.3E-09	1.5E-08	1.E-10	2.E-10	3.E-10	2.0E-02	2.0E-02	6.5E-08	1.2E-07	3.E-06	6.E-06	0.00001
	Phenols																
	Pentachlorophenol	1.7E+00	ug/kg	4.0E-01	4.0E-01	3.8E-12	2.7E-12	2.E-12	1.E-12	3.E-12	5.0E-03	5.0E-03	2.9E-11	2.1E-11	6.E-09	4.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.6E+02	ug/kg	2.0E+00	2.0E+00	2.0E-10	2.6E-10	4.E-10	5.E-10	9.E-10	2.0E-05	2.0E-05	1.6E-09	2.0E-09	8.E-05	1.E-04	0.0002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: High frequency Fisher Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	1.3E+05	1.3E+05	4.7E-16	2.8E-15	6.E-11	4.E-10	4.E-10	1.0E-09	1.0E-09	3.7E-15	2.2E-14	4.E-06	2.E-05	0.00003
	Total PCB TEQ	3.9E+00	pg/g	1.3E+05	1.3E+05	4.9E-15	6.3E-15	6.E-10	8.E-10	1.E-09	1.0E-09	1.0E-09	3.8E-14	4.9E-14	4.E-05	5.E-05	0.0001
	Pesticides																
	Total DDT	9.4E+00	ug/kg	3.4E-01	3.4E-01	2.6E-12	1.5E-11	9.E-13	5.E-12	6.E-12	5.0E-04	5.0E-04	2.0E-11	1.2E-10	4.E-08	2.E-07	0.0000003
Exposure Point Total										1.E-08							0.0004
Study Area-wide[c]	**Metals**																
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	1.3E-09	7.7E-09	2.E-09	1.E-08	1.E-08	3.0E-04	3.0E-04	9.9E-09	6.0E-08	3.E-05	2.E-04	0.0002
	Mercury	1.7E-01	mg/kg	--	--	0.0E+00	2.8E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.1E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	1.7E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.3E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	6.1E+02	ug/kg	--	--	5.5E-10	9.9E-10	--	--	--	3.0E-04	3.0E-04	4.3E-09	7.7E-09	1.E-05	3.E-05	0.00004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+03	ug/kg	7.3E-01	7.3E-01	1.7E-09	2.3E-09	1.E-09	2.E-09	3.E-09	--	--	1.3E-08	1.8E-08	--	--	--
	Benzo(a)pyrene	1.8E+03	ug/kg	7.3E+00	7.3E+00	2.1E-09	2.9E-09	2.E-08	2.E-08	4.E-08	--	--	1.6E-08	2.2E-08	--	--	--
	Benzo(b)fluoranthene	1.4E+03	ug/kg	7.3E-01	7.3E-01	1.7E-09	2.3E-09	1.E-09	2.E-09	3.E-09	--	--	1.3E-08	1.8E-08	--	--	--
	Benzo(k)fluoranthene	9.3E+02	ug/kg	7.3E-02	7.3E-02	1.1E-09	1.5E-09	8.E-11	1.E-10	2.E-10	--	--	8.6E-09	1.2E-08	--	--	--
	Dibenzo(a,h)anthracene	1.9E+02	ug/kg	7.3E+00	7.3E+00	2.3E-10	3.1E-10	2.E-09	2.E-09	4.E-09	--	--	1.8E-09	2.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+03	ug/kg	7.3E-01	7.3E-01	1.4E-09	2.0E-09	1.E-09	1.E-09	2.E-09	--	--	1.1E-08	1.5E-08	--	--	--
	Naphthalene	5.0E+02	ug/kg	--	--	5.9E-10	8.3E-10	--	--	--	2.0E-02	2.0E-02	4.6E-09	6.4E-09	2.E-07	3.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.6E+02	ug/kg	1.4E-02	1.4E-02	8.7E-10	1.6E-09	1.E-11	2.E-11	3.E-11	2.0E-02	2.0E-02	6.8E-09	1.2E-08	3.E-07	6.E-07	0.000001
	Phenols																
	Pentachlorophenol	3.2E+01	ug/kg	4.0E-01	4.0E-01	7.3E-11	5.2E-11	3.E-11	2.E-11	5.E-11	5.0E-03	5.0E-03	5.6E-10	4.1E-10	1.E-07	8.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.9E+02	ug/kg	2.0E+00	2.0E+00	2.4E-10	3.1E-10	5.E-10	6.E-10	1.E-09	2.0E-05	2.0E-05	1.9E-09	2.4E-09	9.E-05	1.E-04	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.0E+02	pg/g	1.3E+05	1.3E+05	2.8E-14	1.7E-13	4.E-09	2.E-08	3.E-08	1.0E-09	1.0E-09	2.1E-13	1.3E-12	2.E-04	1.E-03	0.002
	Total PCB TEQ	6.6E+00	pg/g	1.3E+05	1.3E+05	8.3E-15	1.1E-14	1.E-09	1.E-09	2.E-09	1.0E-09	1.0E-09	6.5E-14	8.4E-14	6.E-05	8.E-05	0.0001
	Pesticides																
	Aldrin	2.4E+00	ug/kg	1.7E+01	1.7E+01	2.2E-12	4.0E-12	4.E-11	7.E-11	1.E-10	3.0E-05	3.0E-05	1.7E-11	3.1E-11	6.E-07	1.E-06	0.000002
	Dieldrin	2.1E+00	ug/kg	1.6E+01	1.6E+01	1.9E-12	3.5E-12	3.E-11	6.E-11	9.E-11	5.0E-05	5.0E-05	1.5E-11	2.7E-11	3.E-07	5.E-07	0.000001
	Total DDT	1.4E+02	ug/kg	3.4E-01	3.4E-01	3.8E-11	2.3E-10	1.E-11	8.E-11	9.E-11	5.0E-04	5.0E-04	2.9E-10	1.8E-09	6.E-07	4.E-06	0.000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-25.
Calculation of Cancer Risks and Noncancer Hazards - High-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Cancer Risk Calculations[a]							Noncancer Hazard Calculations[a]						
		Value	Units	Dermal Cancer Slope Factor $(mg/kg-day)^{-1}$	Oral Cancer Slope Factor $(mg/kg-day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Conventionals																
	Perchlorate	4.9E+04	ug/kg	--	--	0.0E+00	8.0E-08	--	--	--	7.0E-04	7.0E-04	0.0E+00	6.3E-07	0.E+00	9.E-04	0.001
Exposure Point Total										9.E-08							0.02

Notes:
a Numbers presented are rounded values. Sums calculated before rounding.
b Cumulative risk sums calculated using PCB Aroclor data.
c Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:
-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
LADI = Lifetime Average Daily Intake.
mg/kg = Milligrams per kilogram.

PCB = Polychlorinated Biphenyls.
pg/g = Picograms per gram.
RfD = Reference dose.
RM = River mile.
TEQ = Toxic equivalents.
ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-26.
Calculation of Endpoint-Specific Hazard Indices - High-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: High frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	Total Noncancer HQ[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
RM 7 West	**Metals**																
	Arsenic	0.002	0.002	0.002													
	Mercury	0.0001					0.0001										
	Vanadium	0.1		0.1													
	Butyltins																
	Tributyltin ion	0.000004								0.000004							
	Polynuclear Aromatic Hydrocarbons																
	Naphthalene	0.0000001						0.0000001						0.0000001			
	Phthalates																
	Bis(2-ethylhexyl) phthalate	0.000002							0.000002								
	Phenols																
	Pentachlorophenol	0.000003			0.000003				0.000003								
	Polychlorinated Biphenyls																
	Total Aroclors	0.0009		0.0009						0.0009							
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1											1				
	Total PCB TEQ	0.005											0.005				
	Pesticides																
	Aldrin	0.001							0.0011								
	Dieldrin	0.00001							0.00001								
	Total DDT	0.001							0.001								
	Conventionals																
	Perchlorate	0.03															0.03
Exposure Point Total[b]			0.002	0.1	0.000003		0.0001	0.0000001	0.002	0.0009			1	0.0000001			0.03

Notes:
a Numbers presented are rounded values. Sums calculated before rounding.
b Sums calculated using PCB Aroclor data.

Abbreviations:
HI = Hazard Index.
HQ = Hazard Quotient.
PAH = Polynuclear Aromatic Hydrocarbons.
PCB = Polychlorinated Biphenyls.
RM = River mile.
TEQ = Toxic equivalency quotient.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: Low frequency Fisher Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 1 West	**Metals**																
	Arsenic	5.3E+00	mg/kg	1.5E+00	1.5E+00	4.1E-08	1.2E-07	6.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	9.6E-08	2.7E-07	3.E-04	9.E-04	0.001
	Mercury	7.5E-02	mg/kg	--	--	0.0E+00	1.6E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.8E-09	0.E+00	4.E-05	0.00004
	Butyltins																
	Tributyltin ion	8.4E-01	ug/kg	--	--	2.2E-11	1.8E-11	--	--	--	3.0E-04	3.0E-04	5.1E-11	4.3E-11	2.E-07	1.E-07	0.0000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.5E+02	ug/kg	7.3E-01	7.3E-01	5.1E-09	3.3E-09	4.E-09	2.E-09	6.E-09	--	--	1.2E-08	7.6E-09	--	--	--
	Benzo(a)pyrene	2.4E+02	ug/kg	7.3E+00	7.3E+00	8.1E-09	5.2E-09	6.E-08	4.E-08	1.E-07	--	--	1.9E-08	1.2E-08	--	--	--
	Benzo(b)fluoranthene	2.3E+02	ug/kg	7.3E-01	7.3E-01	7.7E-09	5.0E-09	6.E-09	4.E-09	9.E-09	--	--	1.8E-08	1.2E-08	--	--	--
	Benzo(k)fluoranthene	7.7E+01	ug/kg	7.3E-02	7.3E-02	2.6E-09	1.7E-09	2.E-10	1.E-10	3.E-10	--	--	6.1E-09	3.9E-09	--	--	--
	Dibenzo(a,h)anthracene	2.4E+01	ug/kg	7.3E+00	7.3E+00	8.2E-10	5.3E-10	6.E-09	4.E-09	1.E-08	--	--	1.9E-09	1.2E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.0E+02	ug/kg	7.3E-01	7.3E-01	6.7E-09	4.4E-09	5.E-09	3.E-09	8.E-09	--	--	1.6E-08	1.0E-08	--	--	--
	Naphthalene	2.9E+01	ug/kg	--	--	9.8E-10	6.3E-10	--	--	--	2.0E-02	2.0E-02	2.3E-09	1.5E-09	1.E-07	7.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.4E+01	ug/kg	1.4E-02	1.4E-02	1.1E-09	9.6E-10	2.E-11	1.E-11	3.E-11	2.0E-02	2.0E-02	2.7E-09	2.2E-09	1.E-07	1.E-07	0.00000002
	Phenols																
	Pentachlorophenol	1.2E+00	ug/kg	4.0E-01	4.0E-01	7.8E-11	2.6E-11	3.E-11	1.E-11	4.E-11	5.0E-03	5.0E-03	1.8E-10	6.1E-11	4.E-08	1.E-08	0.00000005
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+01	ug/kg	2.0E+00	2.0E+00	6.2E-10	3.7E-10	1.E-09	7.E-10	2.E-09	2.0E-05	2.0E-05	1.4E-09	8.6E-10	7.E-05	4.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.7E+00	pg/g	1.3E+05	1.3E+05	2.1E-14	5.8E-14	3.E-09	8.E-09	1.E-08	1.0E-09	1.0E-09	4.8E-14	1.4E-13	5.E-05	1.E-04	0.0002
	Total PCB TEQ	3.2E-01	pg/g	1.3E+05	1.3E+05	1.2E-14	6.9E-15	1.E-09	9.E-10	2.E-09	1.0E-09	1.0E-09	2.7E-14	1.6E-14	3.E-05	2.E-05	0.00004
	Pesticides																
	Aldrin	3.7E-01	ug/kg	1.7E+01	1.7E+01	9.6E-12	8.1E-12	2.E-10	1.E-10	3.E-10	3.0E-05	3.0E-05	2.2E-11	1.9E-11	7.E-07	6.E-07	0.000001
	Total DDT	4.6E+00	ug/kg	3.4E-01	3.4E-01	3.6E-11	1.0E-10	1.E-11	3.E-11	5.E-11	5.0E-04	5.0E-04	8.3E-11	2.3E-10	2.E-07	5.E-07	0.000001
Exposure Point Total[b]										4.E-07							0.002
RM 1 East	**Metals**																
	Arsenic	5.7E+00	mg/kg	1.5E+00	1.5E+00	4.4E-08	1.2E-07	7.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.0E-07	2.9E-07	3.E-04	1.E-03	0.001
	Mercury	7.1E+00	mg/kg	--	--	0.0E+00	1.6E-07	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.6E-07	0.E+00	4.E-03	0.004
	Butyltins																
	Tributyltin ion	1.2E+00	ug/kg	--	--	3.1E-11	2.6E-11	--	--	--	3.0E-04	3.0E-04	7.3E-11	6.1E-11	2.E-07	2.E-07	0.0000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.3E+01	ug/kg	7.3E-01	7.3E-01	1.8E-09	1.2E-09	1.E-09	8.E-10	2.E-09	--	--	4.2E-09	2.7E-09	--	--	--
	Benzo(a)pyrene	8.1E+01	ug/kg	7.3E+00	7.3E+00	2.7E-09	1.8E-09	2.E-08	1.E-08	3.E-08	--	--	6.4E-09	4.1E-09	--	--	--
	Benzo(b)fluoranthene	6.9E+01	ug/kg	7.3E-01	7.3E-01	2.3E-09	1.5E-09	2.E-09	1.E-09	3.E-09	--	--	5.4E-09	3.5E-09	--	--	--
	Benzo(k)fluoranthene	4.8E+01	ug/kg	7.3E-02	7.3E-02	1.6E-09	1.0E-09	1.E-10	8.E-11	2.E-10	--	--	3.8E-09	2.4E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dibenzo(a,h)anthracene	9.1E+00	ug/kg	7.3E+00	7.3E+00	3.1E-10	2.0E-10	2.E-09	1.E-09	4.E-09	--	--	7.2E-10	4.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	5.6E+01	ug/kg	7.3E-01	7.3E-01	1.9E-09	1.2E-09	1.E-09	9.E-10	2.E-09	--	--	4.4E-09	2.9E-09	--	--	--
	Naphthalene	2.3E+01	ug/kg	--	--	7.7E-10	5.0E-10	--	--	--	2.0E-02	2.0E-02	1.8E-09	1.2E-09	9.E-08	6.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.1E+01	ug/kg	1.4E-02	1.4E-02	1.8E-09	1.5E-09	3.E-11	2.E-11	5.E-11	2.0E-02	2.0E-02	4.3E-09	3.6E-09	2.E-07	2.E-07	0.0000004
	Phenols																
	Pentachlorophenol	2.5E+00	ug/kg	4.0E-01	4.0E-01	1.6E-10	5.5E-11	6.E-11	2.E-11	9.E-11	5.0E-03	5.0E-03	3.8E-10	1.3E-10	8.E-08	3.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	5.1E+02	ug/kg	2.0E+00	2.0E+00	1.8E-08	1.1E-08	4.E-08	2.E-08	6.E-08	2.0E-05	2.0E-05	4.3E-08	2.6E-08	2.E-03	1.E-03	0.003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	7.5E-01	pg/g	1.3E+05	1.3E+05	5.8E-15	1.6E-14	8.E-10	2.E-09	3.E-09	1.0E-09	1.0E-09	1.4E-14	3.8E-14	1.E-05	4.E-05	0.0001
	Total PCB TEQ	2.7E-01	pg/g	1.3E+05	1.3E+05	9.8E-15	5.9E-15	1.E-09	8.E-10	2.E-09	1.0E-09	1.0E-09	2.3E-14	1.4E-14	2.E-05	1.E-05	0.00004
	Pesticides																
	Total DDT	4.0E+00	ug/kg	3.4E-01	3.4E-01	3.1E-11	8.7E-11	1.E-11	3.E-11	4.E-11	5.0E-04	5.0E-04	7.2E-11	2.0E-10	1.E-07	4.E-07	0.00000
Exposure Point Total										4.E-07							0.01
RM 1.5 West	**Metals**																
	Arsenic	4.4E+00	mg/kg	1.5E+00	1.5E+00	3.4E-08	9.6E-08	5.E-08	1.E-07	2.E-07	3.0E-04	3.0E-04	8.0E-08	2.2E-07	3.E-04	7.E-04	0.001
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	1.5E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.5E-09	0.E+00	3.E-05	0.00003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.3E+01	ug/kg	7.3E-01	7.3E-01	1.1E-09	7.2E-10	8.E-10	5.E-10	1.E-09	--	--	2.6E-09	1.7E-09	--	--	--
	Benzo(a)pyrene	4.8E+01	ug/kg	7.3E+00	7.3E+00	1.6E-09	1.0E-09	1.E-08	8.E-09	2.E-08	--	--	3.8E-09	2.4E-09	--	--	--
	Benzo(b)fluoranthene	4.1E+01	ug/kg	7.3E-01	7.3E-01	1.4E-09	8.9E-10	1.E-09	7.E-10	2.E-09	--	--	3.2E-09	2.1E-09	--	--	--
	Benzo(k)fluoranthene	3.4E+01	ug/kg	7.3E-02	7.3E-02	1.1E-09	7.4E-10	8.E-11	5.E-11	1.E-10	--	--	2.7E-09	1.7E-09	--	--	--
	Dibenzo(a,h)anthracene	5.9E+00	ug/kg	7.3E+00	7.3E+00	2.0E-10	1.3E-10	1.E-09	9.E-10	2.E-09	--	--	4.6E-10	3.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.7E+01	ug/kg	7.3E-01	7.3E-01	1.2E-09	8.1E-10	9.E-10	6.E-10	1.E-09	--	--	2.9E-09	1.9E-09	--	--	--
	Naphthalene	9.6E+00	ug/kg	--	--	3.2E-10	2.1E-10	--	--	--	2.0E-02	2.0E-02	7.5E-10	4.9E-10	4.E-08	2.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.5E+00	ug/kg	4.0E-01	4.0E-01	9.7E-11	3.3E-11	4.E-11	1.E-11	5.E-11	5.0E-03	5.0E-03	2.3E-10	7.6E-11	5.E-08	2.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.2E+01	ug/kg	2.0E+00	2.0E+00	7.9E-10	4.7E-10	2.E-09	9.E-10	3.E-09	2.0E-05	2.0E-05	1.8E-09	1.1E-09	9.E-05	6.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.4E-02	pg/g	1.3E+05	1.3E+05	7.3E-16	2.1E-15	1.E-10	3.E-10	4.E-10	1.0E-09	1.0E-09	1.7E-15	4.8E-15	2.E-06	5.E-06	0.00001
	Pesticides																
	Total DDT	1.1E+00	ug/kg	3.4E-01	3.4E-01	8.4E-12	2.4E-11	3.E-12	8.E-12	1.E-11	5.0E-04	5.0E-04	2.0E-11	5.5E-11	4.E-08	1.E-07	0.0000001
Exposure Point Total										2.E-07							0.001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future　　　　Medium: Sediment
Receptor Population: Low frequency Fisher　　Exposure Medium: In-water Sediment
Population Age: Adult　　　　　　　　　　Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 1.5 East	**Metals**																
	Arsenic	5.4E+00	mg/kg	1.5E+00	1.5E+00	4.2E-08	1.2E-07	6.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	9.8E-08	2.7E-07	3.E-04	9.E-04	0.001
	Mercury	1.3E-01	mg/kg	--	--	0.0E+00	2.7E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.4E-09	0.E+00	6.E-05	0.0001
	Butyltins																
	Tributyltin ion	3.7E-01	ug/kg	--	--	9.6E-12	8.1E-12	--	--	--	3.0E-04	3.0E-04	2.2E-11	1.9E-11	7.E-08	6.E-08	0.0000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.4E+02	ug/kg	7.3E-01	7.3E-01	3.2E-08	2.0E-08	2.E-08	1.E-08	4.E-08	--	--	7.4E-08	4.8E-08	--	--	--
	Benzo(a)pyrene	1.4E+03	ug/kg	7.3E+00	7.3E+00	4.7E-08	3.1E-08	3.E-07	2.E-07	6.E-07	--	--	1.1E-07	7.1E-08	--	--	--
	Benzo(b)fluoranthene	8.2E+02	ug/kg	7.3E-01	7.3E-01	2.8E-08	1.8E-08	2.E-08	1.E-08	3.E-08	--	--	6.4E-08	4.2E-08	--	--	--
	Benzo(k)fluoranthene	8.2E+02	ug/kg	7.3E-02	7.3E-02	2.8E-08	1.8E-08	2.E-09	1.E-09	3.E-09	--	--	6.4E-08	4.2E-08	--	--	--
	Dibenzo(a,h)anthracene	1.4E+02	ug/kg	7.3E+00	7.3E+00	4.7E-09	3.1E-09	3.E-08	2.E-08	6.E-08	--	--	1.1E-08	7.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.0E+03	ug/kg	7.3E-01	7.3E-01	3.4E-08	2.2E-08	2.E-08	2.E-08	4.E-08	--	--	7.9E-08	5.1E-08	--	--	--
	Naphthalene	3.7E+02	ug/kg	--	--	1.2E-08	8.1E-09	--	--	--	2.0E-02	2.0E-02	2.9E-08	1.9E-08	1.E-06	9.E-07	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.7E+02	ug/kg	1.4E-02	1.4E-02	4.4E-09	3.7E-09	6.E-11	5.E-11	1.E-10	2.0E-02	2.0E-02	1.0E-08	8.6E-09	5.E-07	4.E-07	0.000001
	Phenols																
	Pentachlorophenol	4.1E+00	ug/kg	4.0E-01	4.0E-01	2.7E-10	8.9E-11	1.E-10	4.E-11	1.E-10	5.0E-03	5.0E-03	6.2E-10	2.1E-10	1.E-07	4.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	4.1E+01	ug/kg	2.0E+00	2.0E+00	1.5E-09	8.8E-10	3.E-09	2.E-09	5.E-09	2.0E-05	2.0E-05	3.4E-09	2.1E-09	2.E-04	1.E-04	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.8E+00	pg/g	1.3E+05	1.3E+05	1.4E-14	4.0E-14	2.E-09	5.E-09	7.E-09	1.0E-09	1.0E-09	3.3E-14	9.2E-14	3.E-05	9.E-05	0.0001
	Total PCB TEQ	1.1E-01	pg/g	1.3E+05	1.3E+05	3.8E-15	2.3E-15	5.E-10	3.E-10	8.E-10	1.0E-09	1.0E-09	8.9E-15	5.4E-15	9.E-06	5.E-06	0.00001
	Pesticides																
	Dieldrin	6.9E-02	ug/kg	1.6E+01	1.6E+01	1.8E-12	1.5E-12	3.E-11	2.E-11	5.E-11	5.0E-05	5.0E-05	4.2E-12	3.5E-12	8.E-08	7.E-08	0.0000002
	Total DDT	2.2E+01	ug/kg	3.4E-01	3.4E-01	1.7E-10	4.7E-10	6.E-11	2.E-10	2.E-10	5.0E-04	5.0E-04	3.9E-10	1.1E-09	8.E-07	2.E-06	0.000003
Exposure Point Total										1.E-06							0.002
RM 2 West	**Metals**																
	Arsenic	3.8E+00	mg/kg	1.5E+00	1.5E+00	3.0E-08	8.4E-08	4.E-08	1.E-07	2.E-07	3.0E-04	3.0E-04	7.0E-08	2.0E-07	2.E-04	7.E-04	0.001
	Mercury	7.8E-02	mg/kg	--	--	0.0E+00	1.7E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.0E-09	0.E+00	4.E-05	0.00004
	Butyltins																
	Tributyltin ion	2.1E+00	ug/kg	--	--	5.4E-11	4.6E-11	--	--	--	3.0E-04	3.0E-04	1.3E-10	1.1E-10	4.E-07	4.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.5E+01	ug/kg	7.3E-01	7.3E-01	1.8E-09	1.2E-09	1.E-09	9.E-10	2.E-09	--	--	4.3E-09	2.8E-09	--	--	--
	Benzo(a)pyrene	9.8E+01	ug/kg	7.3E+00	7.3E+00	3.3E-09	2.1E-09	2.E-08	2.E-08	4.E-08	--	--	7.7E-09	5.0E-09	--	--	--
	Benzo(b)fluoranthene	9.8E+01	ug/kg	7.3E-01	7.3E-01	3.3E-09	2.1E-09	2.E-09	2.E-09	4.E-09	--	--	7.7E-09	5.0E-09	--	--	--
	Benzo(k)fluoranthene	3.2E+01	ug/kg	7.3E-02	7.3E-02	1.1E-09	7.0E-10	8.E-11	5.E-11	1.E-10	--	--	2.5E-09	1.6E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dibenzo(a,h)anthracene	1.0E+01	ug/kg	7.3E+00	7.3E+00	3.5E-10	2.3E-10	3.E-09	2.E-09	4.E-09	--	--	8.1E-10	5.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	8.1E+01	ug/kg	7.3E-01	7.3E-01	2.7E-09	1.8E-09	2.E-09	1.E-09	3.E-09	--	--	6.4E-09	4.1E-09	--	--	--
	Naphthalene	1.0E+01	ug/kg	--	--	3.4E-10	2.2E-10	--	--	--	2.0E-02	2.0E-02	7.9E-10	5.1E-10	4.E-08	3.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.8E+01	ug/kg	1.4E-02	1.4E-02	1.2E-09	1.0E-09	2.E-11	1.E-11	3.E-11	2.0E-02	2.0E-02	2.9E-09	2.4E-09	1.E-07	1.E-07	0.0000003
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+01	ug/kg	2.0E+00	2.0E+00	6.6E-10	4.0E-10	1.E-09	8.E-10	2.E-09	2.0E-05	2.0E-05	1.5E-09	9.3E-10	8.E-05	5.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.2E+00	pg/g	1.3E+05	1.3E+05	1.7E-14	4.7E-14	2.E-09	6.E-09	8.E-09	1.0E-09	1.0E-09	3.9E-14	1.1E-13	4.E-05	1.E-04	0.0002
	Total PCB TEQ	3.5E-01	pg/g	1.3E+05	1.3E+05	1.3E-14	7.7E-15	2.E-09	1.E-09	3.E-09	1.0E-09	1.0E-09	3.0E-14	1.8E-14	3.E-05	2.E-05	0.00005
	Pesticides																
	Aldrin	3.6E-01	ug/kg	1.7E+01	1.7E+01	9.3E-12	7.9E-12	2.E-10	1.E-10	3.E-10	3.0E-05	3.0E-05	2.2E-11	1.8E-11	7.E-07	6.E-07	0.000001
	Dieldrin	2.7E-01	ug/kg	1.6E+01	1.6E+01	7.0E-12	5.9E-12	1.E-10	9.E-11	2.E-10	5.0E-05	5.0E-05	1.6E-11	1.4E-11	3.E-07	3.E-07	0.000001
	Total DDT	3.2E+00	ug/kg	3.4E-01	3.4E-01	2.5E-11	6.9E-11	8.E-12	2.E-11	3.E-11	5.0E-04	5.0E-04	5.8E-11	1.6E-10	1.E-07	3.E-07	0.0000004
Exposure Point Total										2.E-07							0.001
RM 2 East	**Metals**																
	Arsenic	4.3E+00	mg/kg	1.5E+00	1.5E+00	3.3E-08	9.3E-08	5.E-08	1.E-07	2.E-07	3.0E-04	3.0E-04	7.8E-08	2.2E-07	3.E-04	7.E-04	0.001
	Mercury	9.1E-02	mg/kg	--	--	0.0E+00	2.0E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.6E-09	0.E+00	5.E-05	0.00005
	Butyltins																
	Tributyltin ion	3.7E+00	ug/kg	--	--	9.6E-11	8.1E-11	--	--	--	3.0E-04	3.0E-04	2.2E-10	1.9E-10	7.E-07	6.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.7E+01	ug/kg	7.3E-01	7.3E-01	3.3E-09	2.1E-09	2.E-09	2.E-09	4.E-09	--	--	7.6E-09	4.9E-09	--	--	--
	Benzo(a)pyrene	1.2E+02	ug/kg	7.3E+00	7.3E+00	4.0E-09	2.6E-09	3.E-08	2.E-08	5.E-08	--	--	9.4E-09	6.1E-09	--	--	--
	Benzo(b)fluoranthene	1.3E+02	ug/kg	7.3E-01	7.3E-01	4.4E-09	2.9E-09	3.E-09	2.E-09	5.E-09	--	--	1.0E-08	6.7E-09	--	--	--
	Benzo(k)fluoranthene	7.7E+01	ug/kg	7.3E-02	7.3E-02	2.6E-09	1.7E-09	2.E-10	1.E-10	3.E-10	--	--	6.1E-09	3.9E-09	--	--	--
	Dibenzo(a,h)anthracene	2.4E+01	ug/kg	7.3E+00	7.3E+00	7.9E-10	5.1E-10	6.E-09	4.E-09	1.E-08	--	--	1.8E-09	1.2E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+02	ug/kg	7.3E-01	7.3E-01	3.6E-09	2.3E-09	3.E-09	2.E-09	4.E-09	--	--	8.3E-09	5.4E-09	--	--	--
	Naphthalene	2.1E+01	ug/kg	--	--	7.1E-10	4.6E-10	--	--	--	2.0E-02	2.0E-02	1.6E-09	1.1E-09	8.E-08	5.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.2E+02	ug/kg	1.4E-02	1.4E-02	3.1E-09	2.6E-09	4.E-11	4.E-11	8.E-11	2.0E-02	2.0E-02	7.3E-09	6.1E-09	4.E-07	3.E-07	0.000001
	Phenols																
	Pentachlorophenol	2.2E+00	ug/kg	4.0E-01	4.0E-01	1.4E-10	4.8E-11	6.E-11	2.E-11	8.E-11	5.0E-03	5.0E-03	3.3E-10	1.1E-10	7.E-08	2.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.5E+03	ug/kg	2.0E+00	2.0E+00	5.5E-08	3.3E-08	1.E-07	7.E-08	2.E-07	2.0E-05	2.0E-05	1.3E-07	7.8E-08	6.E-03	4.E-03	0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Low frequency Fisher   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.0E+00	pg/g	1.3E+05	1.3E+05	3.1E-14	8.8E-14	4.E-09	1.E-08	2.E-08	1.0E-09	1.0E-09	7.3E-14	2.0E-13	7.E-05	2.E-04	0.0003
	Total PCB TEQ	8.5E+01	pg/g	1.3E+05	1.3E+05	3.1E-12	1.8E-12	4.E-07	2.E-07	6.E-07	1.0E-09	1.0E-09	7.2E-12	4.3E-12	7.E-03	4.E-03	0.01
	Pesticides																
	Aldrin	7.0E-01	ug/kg	1.7E+01	1.7E+01	1.8E-11	1.5E-11	3.E-10	3.E-10	6.E-10	3.0E-05	3.0E-05	4.2E-11	3.5E-11	1.E-06	1.E-06	0.000003
	Dieldrin	1.2E+00	ug/kg	1.6E+01	1.6E+01	3.2E-11	2.7E-11	5.E-10	4.E-10	1.E-09	5.0E-05	5.0E-05	7.5E-11	6.3E-11	2.E-06	1.E-06	0.000003
	Total DDT	4.2E+00	ug/kg	3.4E-01	3.4E-01	3.3E-11	9.2E-11	1.E-11	3.E-11	4.E-11	5.0E-04	5.0E-04	7.6E-11	2.1E-10	2.E-07	4.E-07	0.000001
Exposure Point Total										1.E-06							0.02
RM 2.5 West	**Metals**																
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	3.6E-08	1.0E-07	5.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	8.5E-08	2.4E-07	3.E-04	8.E-04	0.001
	Mercury	9.1E-02	mg/kg	--	--	0.0E+00	2.0E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.6E-09	0.E+00	5.E-05	0.00005
	Butyltins																
	Tributyltin ion	2.3E+00	ug/kg	--	--	6.0E-11	5.0E-11	--	--	--	3.0E-04	3.0E-04	1.4E-10	1.2E-10	5.E-07	4.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+02	ug/kg	7.3E-01	7.3E-01	1.0E-08	6.7E-09	8.E-09	5.E-09	1.E-08	--	--	2.4E-08	1.6E-08	--	--	--
	Benzo(a)pyrene	5.5E+02	ug/kg	7.3E+00	7.3E+00	1.8E-08	1.2E-08	1.E-07	9.E-08	2.E-07	--	--	4.3E-08	2.8E-08	--	--	--
	Benzo(b)fluoranthene	4.0E+02	ug/kg	7.3E-01	7.3E-01	1.3E-08	8.6E-09	1.E-08	6.E-09	2.E-08	--	--	3.1E-08	2.0E-08	--	--	--
	Benzo(k)fluoranthene	2.5E+02	ug/kg	7.3E-02	7.3E-02	8.5E-09	5.5E-09	6.E-10	4.E-10	1.E-09	--	--	2.0E-08	1.3E-08	--	--	--
	Dibenzo(a,h)anthracene	6.4E+01	ug/kg	7.3E+00	7.3E+00	2.1E-09	1.4E-09	2.E-08	1.E-08	3.E-08	--	--	5.0E-09	3.2E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+02	ug/kg	7.3E-01	7.3E-01	1.6E-08	1.0E-08	1.E-08	7.E-09	2.E-08	--	--	3.7E-08	2.4E-08	--	--	--
	Naphthalene	7.6E+01	ug/kg	--	--	2.6E-09	1.7E-09	--	--	--	2.0E-02	2.0E-02	6.0E-09	3.9E-09	3.E-07	2.E-07	0.0000005
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.3E+01	ug/kg	1.4E-02	1.4E-02	1.1E-09	9.4E-10	2.E-11	1.E-11	3.E-11	2.0E-02	2.0E-02	2.6E-09	2.2E-09	1.E-07	1.E-07	0.0000002
	Phenols																
	Pentachlorophenol	1.2E+00	ug/kg	4.0E-01	4.0E-01	7.8E-11	2.6E-11	3.E-11	1.E-11	4.E-11	5.0E-03	5.0E-03	1.8E-10	6.1E-11	4.E-08	1.E-08	0.00000005
	Polychlorinated Biphenyls																
	Total Aroclors	2.1E+01	ug/kg	2.0E+00	2.0E+00	7.8E-10	4.7E-10	2.E-09	9.E-10	2.E-09	2.0E-05	2.0E-05	1.8E-09	1.1E-09	9.E-05	5.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.1E-01	pg/g	1.3E+05	1.3E+05	3.2E-15	9.0E-15	4.E-10	1.E-09	2.E-09	1.0E-09	1.0E-09	7.5E-15	2.1E-14	7.E-06	2.E-05	0.00003
	Total PCB TEQ	2.1E-01	pg/g	1.3E+05	1.3E+05	7.5E-15	4.5E-15	1.E-09	6.E-10	2.E-09	1.0E-09	1.0E-09	1.7E-14	1.1E-14	2.E-05	1.E-05	0.00003
	Pesticides																
	Aldrin	2.6E-01	ug/kg	1.7E+01	1.7E+01	6.7E-12	5.6E-12	1.E-10	1.E-10	2.E-10	3.0E-05	3.0E-05	1.6E-11	1.3E-11	5.E-07	4.E-07	0.000001
	Dieldrin	2.2E-01	ug/kg	1.6E+01	1.6E+01	5.7E-12	4.8E-12	9.E-11	8.E-11	2.E-10	5.0E-05	5.0E-05	1.3E-11	1.1E-11	3.E-07	2.E-07	0.0000005
	Total DDT	3.4E+00	ug/kg	3.4E-01	3.4E-01	2.6E-11	7.4E-11	9.E-12	3.E-11	3.E-11	5.0E-04	5.0E-04	6.2E-11	1.7E-10	1.E-07	3.E-07	0.0000005
Exposure Point Total										5.E-07							0.001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 2.5 East	**Metals**																
	Arsenic	4.8E+00	mg/kg	1.5E+00	1.5E+00	3.7E-08	1.1E-07	6.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	8.7E-08	2.5E-07	3.E-04	8.E-04	0.001
	Mercury	9.1E-02	mg/kg	--	--	0.0E+00	2.0E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.6E-09	0.E+00	5.E-05	0.00005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.8E+03	ug/kg	7.3E-01	7.3E-01	2.0E-07	1.3E-07	1.E-07	9.E-08	2.E-07	--	--	4.6E-07	2.9E-07	--	--	--
	Benzo(a)pyrene	4.5E+03	ug/kg	7.3E+00	7.3E+00	1.5E-07	9.9E-08	1.E-06	7.E-07	2.E-06	--	--	3.6E-07	2.3E-07	--	--	--
	Benzo(b)fluoranthene	3.9E+03	ug/kg	7.3E-01	7.3E-01	1.3E-07	8.5E-08	1.E-07	6.E-08	2.E-07	--	--	3.1E-07	2.0E-07	--	--	--
	Benzo(k)fluoranthene	1.2E+03	ug/kg	7.3E-02	7.3E-02	4.1E-08	2.7E-08	3.E-09	2.E-09	5.E-09	--	--	9.6E-08	6.2E-08	--	--	--
	Dibenzo(a,h)anthracene	4.5E+02	ug/kg	7.3E+00	7.3E+00	1.5E-08	9.8E-09	1.E-07	7.E-08	2.E-07	--	--	3.5E-08	2.3E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.6E+03	ug/kg	7.3E-01	7.3E-01	8.6E-08	5.6E-08	6.E-08	4.E-08	1.E-07	--	--	2.0E-07	1.3E-07	--	--	--
	Naphthalene	2.8E+02	ug/kg	--	--	9.3E-09	6.1E-09	--	--	--	2.0E-02	2.0E-02	2.2E-08	1.4E-08	1.E-06	7.E-07	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.1E+02	ug/kg	1.4E-02	1.4E-02	2.7E-09	2.3E-09	4.E-11	3.E-11	7.E-11	2.0E-02	2.0E-02	6.4E-09	5.4E-09	3.E-07	3.E-07	0.000001
	Phenols																
	Pentachlorophenol	5.7E+01	ug/kg	4.0E-01	4.0E-01	3.7E-09	1.2E-09	1.E-09	5.E-10	2.E-09	5.0E-03	5.0E-03	8.6E-09	2.9E-09	2.E-06	6.E-07	0.000002
	Polychlorinated Biphenyls																
	Total Aroclors	7.7E+01	ug/kg	2.0E+00	2.0E+00	2.8E-09	1.7E-09	6.E-09	3.E-09	9.E-09	2.0E-05	2.0E-05	6.6E-09	3.9E-09	3.E-04	2.E-04	0.0005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.1E+00	pg/g	1.3E+05	1.3E+05	8.2E-15	2.3E-14	1.E-09	3.E-09	4.E-09	1.0E-09	1.0E-09	1.9E-14	5.4E-14	2.E-05	5.E-05	0.0001
	Total PCB TEQ	3.3E+00	pg/g	1.3E+05	1.3E+05	1.2E-13	7.2E-14	2.E-08	9.E-09	3.E-08	1.0E-09	1.0E-09	2.8E-13	1.7E-13	3.E-04	2.E-04	0.0004
	Pesticides																
	Aldrin	7.5E-01	ug/kg	1.7E+01	1.7E+01	1.9E-11	1.6E-11	3.E-10	3.E-10	6.E-10	3.0E-05	3.0E-05	4.5E-11	3.8E-11	2.E-06	1.E-06	0.000003
	Dieldrin	3.3E-01	ug/kg	1.6E+01	1.6E+01	8.5E-12	7.2E-12	1.E-10	1.E-10	3.E-10	5.0E-05	5.0E-05	2.0E-11	1.7E-11	4.E-07	3.E-07	0.000001
	Total DDT	1.1E+01	ug/kg	3.4E-01	3.4E-01	8.7E-11	2.4E-10	3.E-11	8.E-11	1.E-10	5.0E-04	5.0E-04	2.0E-10	5.7E-10	4.E-07	1.E-06	0.000002
Exposure Point Total										**3.E-06**							**0.002**
RM 2.5 MC	**Metals**																
	Arsenic	4.8E+00	mg/kg	1.5E+00	1.5E+00	3.7E-08	1.0E-07	6.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	8.6E-08	2.4E-07	3.E-04	8.E-04	0.001
	Mercury	1.3E-01	mg/kg	--	--	0.0E+00	2.8E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.6E-09	0.E+00	7.E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+02	ug/kg	7.3E-01	7.3E-01	1.0E-08	6.7E-09	8.E-09	5.E-09	1.E-08	--	--	2.4E-08	1.6E-08	--	--	--
	Benzo(a)pyrene	4.9E+02	ug/kg	7.3E+00	7.3E+00	1.6E-08	1.1E-08	1.E-07	8.E-08	2.E-07	--	--	3.8E-08	2.5E-08	--	--	--
	Benzo(b)fluoranthene	4.5E+02	ug/kg	7.3E-01	7.3E-01	1.5E-08	9.7E-09	1.E-08	7.E-09	2.E-08	--	--	3.5E-08	2.3E-08	--	--	--
	Benzo(k)fluoranthene	1.4E+02	ug/kg	7.3E-02	7.3E-02	4.8E-09	3.1E-09	4.E-10	2.E-10	6.E-10	--	--	1.1E-08	7.3E-09	--	--	--
	Dibenzo(a,h)anthracene	4.7E+01	ug/kg	7.3E+00	7.3E+00	1.6E-09	1.0E-09	1.E-08	8.E-09	2.E-08	--	--	3.7E-09	2.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.8E+02	ug/kg	7.3E-01	7.3E-01	1.3E-08	8.2E-09	9.E-09	6.E-09	2.E-08	--	--	3.0E-08	1.9E-08	--	--	--
	Naphthalene	9.9E+01	ug/kg	--	--	3.3E-09	2.2E-09	--	--	--	2.0E-02	2.0E-02	7.8E-09	5.0E-09	4.E-07	3.E-07	0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Low frequency Fisher   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.3E+01	ug/kg	1.4E-02	1.4E-02	2.4E-09	2.0E-09	3.E-11	3.E-11	6.E-11	2.0E-02	2.0E-02	5.6E-09	4.7E-09	3.E-07	2.E-07	0.000001
	Phenols																
	Pentachlorophenol	1.6E+00	ug/kg	4.0E-01	4.0E-01	1.0E-10	3.5E-11	4.E-11	1.E-11	6.E-11	5.0E-03	5.0E-03	2.4E-10	8.1E-11	5.E-08	2.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.9E+01	ug/kg	2.0E+00	2.0E+00	1.4E-09	8.4E-10	3.E-09	2.E-09	4.E-09	2.0E-05	2.0E-05	3.3E-09	2.0E-09	2.E-04	1.E-04	0.0003
	Pesticides																
	Aldrin	6.5E-01	ug/kg	1.7E+01	1.7E+01	1.7E-11	1.4E-11	3.E-10	2.E-10	5.E-10	3.0E-05	3.0E-05	3.9E-11	3.3E-11	1.E-06	1.E-06	0.000002
	Dieldrin	9.7E-01	ug/kg	1.6E+01	1.6E+01	2.5E-11	2.1E-11	4.E-10	3.E-10	7.E-10	5.0E-05	5.0E-05	5.9E-11	4.9E-11	1.E-06	1.E-06	0.000002
	Total DDT	1.1E+01	ug/kg	3.4E-01	3.4E-01	8.5E-11	2.4E-10	3.E-11	8.E-11	1.E-10	5.0E-04	5.0E-04	2.0E-10	5.6E-10	4.E-07	1.E-06	0.000002
Exposure Point Total										5.E-07							0.001
RM 3 West	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	3.2E-08	8.9E-08	5.E-08	1.E-07	2.E-07	3.0E-04	3.0E-04	7.4E-08	2.1E-07	2.E-04	7.E-04	0.001
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	2.3E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.4E-09	0.E+00	5.E-05	0.0001
	Vanadium	9.3E+01	mg/kg	--	--	0.0E+00	2.0E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	4.7E-06	0.E+00	7.E-02	0.1
	Butyltins																
	Tributyltin ion	1.8E+01	ug/kg	--	--	4.7E-10	3.9E-10	--	--	--	3.0E-04	3.0E-04	1.1E-09	9.2E-10	4.E-06	3.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.7E+02	ug/kg	7.3E-01	7.3E-01	1.6E-08	1.0E-08	1.E-08	7.E-09	2.E-08	--	--	3.7E-08	2.4E-08	--	--	--
	Benzo(a)pyrene	7.1E+02	ug/kg	7.3E+00	7.3E+00	2.4E-08	1.5E-08	2.E-07	1.E-07	3.E-07	--	--	5.6E-08	3.6E-08	--	--	--
	Benzo(b)fluoranthene	6.0E+02	ug/kg	7.3E-01	7.3E-01	2.0E-08	1.3E-08	1.E-08	1.E-08	2.E-08	--	--	4.7E-08	3.1E-08	--	--	--
	Benzo(k)fluoranthene	4.0E+02	ug/kg	7.3E-02	7.3E-02	1.3E-08	8.7E-09	1.E-09	6.E-10	2.E-09	--	--	3.1E-08	2.0E-08	--	--	--
	Dibenzo(a,h)anthracene	8.2E+01	ug/kg	7.3E+00	7.3E+00	2.8E-09	1.8E-09	2.E-08	1.E-08	3.E-08	--	--	6.4E-09	4.2E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.8E+02	ug/kg	7.3E-01	7.3E-01	1.6E-08	1.0E-08	1.E-08	8.E-09	2.E-08	--	--	3.7E-08	2.4E-08	--	--	--
	Naphthalene	2.2E+02	ug/kg	--	--	7.5E-09	4.9E-09	--	--	--	2.0E-02	2.0E-02	1.8E-08	1.1E-08	9.E-07	6.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	5.8E+01	ug/kg	1.4E-02	1.4E-02	1.5E-09	1.3E-09	2.E-11	2.E-11	4.E-11	2.0E-02	2.0E-02	3.5E-09	2.9E-09	2.E-07	1.E-07	0.0000003
	Phenols																
	Pentachlorophenol	1.1E+02	ug/kg	4.0E-01	4.0E-01	7.1E-09	2.4E-09	3.E-09	1.E-09	4.E-09	5.0E-03	5.0E-03	1.7E-08	5.6E-09	3.E-06	1.E-06	0.000004
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+01	ug/kg	2.0E+00	2.0E+00	6.4E-10	3.9E-10	1.E-09	8.E-10	2.E-09	2.0E-05	2.0E-05	1.5E-09	9.0E-10	7.E-05	4.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	1.3E+05	1.3E+05	1.3E-14	3.6E-14	2.E-09	5.E-09	6.E-09	1.0E-09	1.0E-09	3.0E-14	8.4E-14	3.E-05	8.E-05	0.0001
	Total PCB TEQ	4.4E-01	pg/g	1.3E+05	1.3E+05	1.6E-14	9.7E-15	2.E-09	1.E-09	3.E-09	1.0E-09	1.0E-09	3.8E-14	2.3E-14	4.E-05	2.E-05	0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	5.2E-01	ug/kg	1.7E+01	1.7E+01	1.3E-11	1.1E-11	2.E-10	2.E-10	4.E-10	3.0E-05	3.0E-05	3.1E-11	2.6E-11	1.E-06	9.E-07	0.000002
	Dieldrin	1.3E+00	ug/kg	1.6E+01	1.6E+01	3.4E-11	2.9E-11	5.E-10	5.E-10	1.E-09	5.0E-05	5.0E-05	8.0E-11	6.7E-11	2.E-06	1.E-06	0.000003
	Total DDT	2.1E+02	ug/kg	3.4E-01	3.4E-01	1.6E-09	4.6E-09	6.E-10	2.E-09	2.E-09	5.0E-04	5.0E-04	3.8E-09	1.1E-08	8.E-06	2.E-05	0.00003
Exposure Point Total										**6.E-07**							**0.1**
RM 3 East	**Metals**																
	Arsenic	5.5E+00	mg/kg	1.5E+00	1.5E+00	4.2E-08	1.2E-07	6.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	9.9E-08	2.8E-07	3.E-04	9.E-04	0.001
	Mercury	7.5E-02	mg/kg	--	--	0.0E+00	1.6E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.8E-09	0.E+00	4.E-05	0.00004
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	2.3E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.4E-06	0.E+00	8.E-02	0.1
	Butyltins																
	Tributyltin ion	1.6E+01	ug/kg	--	--	4.1E-10	3.5E-10	--	--	--	3.0E-04	3.0E-04	9.7E-10	8.1E-10	3.E-06	3.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+02	ug/kg	7.3E-01	7.3E-01	4.9E-09	3.2E-09	4.E-09	2.E-09	6.E-09	--	--	1.1E-08	7.4E-09	--	--	--
	Benzo(a)pyrene	1.4E+02	ug/kg	7.3E+00	7.3E+00	4.5E-09	2.9E-09	3.E-08	2.E-08	5.E-08	--	--	1.1E-08	6.9E-09	--	--	--
	Benzo(b)fluoranthene	1.6E+02	ug/kg	7.3E-01	7.3E-01	5.3E-09	3.4E-09	4.E-09	3.E-09	6.E-09	--	--	1.2E-08	8.0E-09	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	3.7E-09	2.4E-09	3.E-10	2.E-10	5.E-10	--	--	8.7E-09	5.7E-09	--	--	--
	Dibenzo(a,h)anthracene	1.7E+01	ug/kg	7.3E+00	7.3E+00	5.7E-10	3.7E-10	4.E-09	3.E-09	7.E-09	--	--	1.3E-09	8.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	8.3E+01	ug/kg	7.3E-01	7.3E-01	2.8E-09	1.8E-09	2.E-09	1.E-09	3.E-09	--	--	6.5E-09	4.2E-09	--	--	--
	Naphthalene	1.7E+01	ug/kg	--	--	5.7E-10	3.7E-10	--	--	--	2.0E-02	2.0E-02	1.3E-09	8.6E-10	7.E-08	4.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.8E+01	ug/kg	1.4E-02	1.4E-02	2.3E-09	1.9E-09	3.E-11	3.E-11	6.E-11	2.0E-02	2.0E-02	5.3E-09	4.5E-09	3.E-07	2.E-07	0.0000005
	Phenols																
	Pentachlorophenol	4.6E+00	ug/kg	4.0E-01	4.0E-01	3.0E-10	1.0E-10	1.E-10	4.E-11	2.E-10	5.0E-03	5.0E-03	7.0E-10	2.3E-10	1.E-07	5.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	2.3E+01	ug/kg	2.0E+00	2.0E+00	8.3E-10	5.0E-10	2.E-09	1.E-09	3.E-09	2.0E-05	2.0E-05	1.9E-09	1.2E-09	1.E-04	6.E-05	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.4E+00	pg/g	1.3E+05	1.3E+05	4.2E-14	1.2E-13	5.E-09	2.E-08	2.E-08	1.0E-09	1.0E-09	9.7E-14	2.7E-13	1.E-04	3.E-04	0.0004
	Total PCB TEQ	1.0E-01	pg/g	1.3E+05	1.3E+05	3.7E-15	2.2E-15	5.E-10	3.E-10	8.E-10	1.0E-09	1.0E-09	8.6E-15	5.1E-15	9.E-06	5.E-06	0.00001
	Pesticides																
	Aldrin	4.0E-01	ug/kg	1.7E+01	1.7E+01	1.0E-11	8.7E-12	2.E-10	1.E-10	3.E-10	3.0E-05	3.0E-05	2.4E-11	2.0E-11	8.E-07	7.E-07	0.000001
	Dieldrin	2.0E-01	ug/kg	1.6E+01	1.6E+01	5.1E-12	4.3E-12	8.E-11	7.E-11	1.E-10	5.0E-05	5.0E-05	1.2E-11	1.0E-11	2.E-07	2.E-07	0.0000004
	Total DDT	3.8E+00	ug/kg	3.4E-01	3.4E-01	3.0E-11	8.3E-11	1.E-11	3.E-11	4.E-11	5.0E-04	5.0E-04	6.9E-11	1.9E-10	1.E-07	4.E-07	0.000001
Exposure Point Total										**3.E-07**							**0.1**
RM 3.5 West	**Metals**																
	Arsenic	1.0E+01	mg/kg	1.5E+00	1.5E+00	8.1E-08	2.3E-07	1.E-07	3.E-07	5.E-07	3.0E-04	3.0E-04	1.9E-07	5.3E-07	6.E-04	2.E-03	0.002
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	2.6E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.0E-09	0.E+00	6.E-05	0.0001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	2.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.1E-06	0.E+00	7.E-02	0.1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Low frequency Fisher   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	8.1E+01	ug/kg	--	--	2.1E-09	1.8E-09	--	--	--	3.0E-04	3.0E-04	4.9E-09	4.1E-09	2.E-05	1.E-05	0.00003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+03	ug/kg	7.3E-01	7.3E-01	5.9E-08	3.8E-08	4.E-08	3.E-08	7.E-08	--	--	1.4E-07	9.0E-08	--	--	--
	Benzo(a)pyrene	2.6E+03	ug/kg	7.3E+00	7.3E+00	8.6E-08	5.6E-08	6.E-07	4.E-07	1.E-06	--	--	2.0E-07	1.3E-07	--	--	--
	Benzo(b)fluoranthene	2.3E+03	ug/kg	7.3E-01	7.3E-01	7.6E-08	4.9E-08	6.E-08	4.E-08	9.E-08	--	--	1.8E-07	1.2E-07	--	--	--
	Benzo(k)fluoranthene	8.0E+02	ug/kg	7.3E-02	7.3E-02	2.7E-08	1.7E-08	2.E-09	1.E-09	3.E-09	--	--	6.3E-08	4.1E-08	--	--	--
	Dibenzo(a,h)anthracene	7.5E+01	ug/kg	7.3E+00	7.3E+00	2.5E-09	1.6E-09	2.E-08	1.E-08	3.E-08	--	--	5.9E-09	3.8E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.1E+03	ug/kg	7.3E-01	7.3E-01	6.9E-08	4.5E-08	5.E-08	3.E-08	8.E-08	--	--	1.6E-07	1.0E-07	--	--	--
	Naphthalene	5.2E+02	ug/kg	--	--	1.8E-08	1.1E-08	--	--	--	2.0E-02	2.0E-02	4.1E-08	2.7E-08	2.E-06	1.E-06	0.000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.2E+01	ug/kg	1.4E-02	1.4E-02	2.1E-09	1.8E-09	3.E-11	3.E-11	6.E-11	2.0E-02	2.0E-02	5.0E-09	4.2E-09	2.E-07	2.E-07	0.0000005
	Phenols																
	Pentachlorophenol	1.5E+01	ug/kg	4.0E-01	4.0E-01	9.5E-10	3.2E-10	4.E-10	1.E-10	5.E-10	5.0E-03	5.0E-03	2.2E-09	7.5E-10	4.E-07	1.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.7E+01	ug/kg	2.0E+00	2.0E+00	9.7E-10	5.8E-10	2.E-09	1.E-09	3.E-09	2.0E-05	2.0E-05	2.3E-09	1.4E-09	1.E-04	7.E-05	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.6E+00	pg/g	1.3E+05	1.3E+05	1.3E-14	3.5E-14	2.E-09	5.E-09	6.6E-09	1.0E-09	1.0E-09	2.9E-14	8.2E-14	3.E-05	8.E-05	0.0001
	Total PCB TEQ	7.7E-01	pg/g	1.3E+05	1.3E+05	2.8E-14	1.7E-14	4.E-09	2.E-09	6.E-09	1.0E-09	1.0E-09	6.6E-14	3.9E-14	7.E-05	4.E-05	0.0001
	Pesticides																
	Aldrin	4.9E-01	ug/kg	1.7E+01	1.7E+01	1.3E-11	1.1E-11	2.E-10	2.E-10	4.E-10	3.0E-05	3.0E-05	3.0E-11	2.5E-11	1.E-06	8.E-07	0.000002
	Dieldrin	1.8E-01	ug/kg	1.6E+01	1.6E+01	4.7E-12	4.0E-12	8.E-11	6.E-11	1.E-10	5.0E-05	5.0E-05	1.1E-11	9.3E-12	2.E-07	2.E-07	0.0000004
	Total DDT	2.1E+01	ug/kg	3.4E-01	3.4E-01	1.6E-10	4.6E-10	6.E-11	2.E-10	2.E-10	5.0E-04	5.0E-04	3.8E-10	1.1E-09	8.E-07	2.E-06	0.000003
Exposure Point Total										2.E-06							0.1
RM 3.5 East	**Metals**																
	Arsenic	4.8E+00	mg/kg	1.5E+00	1.5E+00	3.7E-08	1.0E-07	6.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	8.7E-08	2.4E-07	3.E-04	8.E-04	0.001
	Mercury	1.3E-01	mg/kg	--	--	0.0E+00	2.8E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.5E-09	0.E+00	7.E-05	0.0001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	2.4E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.7E-06	0.E+00	8.E-02	0.1
	Butyltins																
	Tributyltin ion	1.9E+04	ug/kg	--	--	4.9E-07	4.2E-07	--	--	--	3.0E-04	3.0E-04	1.2E-06	9.7E-07	4.E-03	3.E-03	0.01
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E+03	ug/kg	7.3E-01	7.3E-01	4.2E-08	2.7E-08	3.E-08	2.E-08	5.E-08	--	--	9.8E-08	6.3E-08	--	--	--
	Benzo(a)pyrene	8.7E+02	ug/kg	7.3E+00	7.3E+00	2.9E-08	1.9E-08	2.E-07	1.E-07	4.E-07	--	--	6.9E-08	4.4E-08	--	--	--
	Benzo(b)fluoranthene	1.3E+03	ug/kg	7.3E-01	7.3E-01	4.4E-08	2.9E-08	3.E-08	2.E-08	5.E-08	--	--	1.0E-07	6.7E-08	--	--	--
	Benzo(k)fluoranthene	7.1E+02	ug/kg	7.3E-02	7.3E-02	2.4E-08	1.5E-08	2.E-09	1.E-09	3.E-09	--	--	5.6E-08	3.6E-08	--	--	--
	Dibenzo(a,h)anthracene	1.3E+02	ug/kg	7.3E+00	7.3E+00	4.4E-09	2.9E-09	3.E-08	2.E-08	5.E-08	--	--	1.0E-08	6.7E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Indeno(1,2,3-cd)pyrene	3.3E+02	ug/kg	7.3E-01	7.3E-01	1.1E-08	7.2E-09	8.E-09	5.E-09	1.E-08	--	--	2.6E-08	1.7E-08	--	--	--
	Naphthalene	1.8E+01	ug/kg	--	--	6.1E-10	3.9E-10	--	--	--	2.0E-02	2.0E-02	1.4E-09	9.2E-10	7.E-08	5.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.9E+03	ug/kg	1.4E-02	1.4E-02	1.8E-07	1.5E-07	3.E-09	2.E-09	5.E-09	2.0E-02	2.0E-02	4.2E-07	3.5E-07	2.E-05	2.E-05	0.00004
	Phenols																
	Pentachlorophenol	2.5E+00	ug/kg	4.0E-01	4.0E-01	1.6E-10	5.4E-11	6.E-11	2.E-11	9.E-11	5.0E-03	5.0E-03	3.8E-10	1.3E-10	8.E-08	3.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+03	ug/kg	2.0E+00	2.0E+00	6.0E-08	3.6E-08	1.E-07	7.E-08	2.E-07	2.0E-05	2.0E-05	1.4E-07	8.5E-08	7.E-03	4.E-03	0.01
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.1E+01	pg/g	1.3E+05	1.3E+05	8.7E-14	2.4E-13	1.E-08	3.E-08	4.E-08	1.0E-09	1.0E-09	2.0E-13	5.7E-13	2.E-04	6.E-04	0.001
	Total PCB TEQ	1.1E+02	pg/g	1.3E+05	1.3E+05	4.1E-12	2.5E-12	5.E-07	3.E-07	9.E-07	1.0E-09	1.0E-09	9.7E-12	5.8E-12	1.E-02	6.E-03	0.02
	Pesticides																
	Aldrin	5.0E-01	ug/kg	1.7E+01	1.7E+01	1.3E-11	1.1E-11	2.E-10	2.E-10	4.E-10	3.0E-05	3.0E-05	3.0E-11	2.5E-11	1.E-06	8.E-07	0.000002
	Dieldrin	1.5E-01	ug/kg	1.6E+01	1.6E+01	3.8E-12	3.2E-12	6.E-11	5.E-11	1.E-10	5.0E-05	5.0E-05	8.9E-12	7.5E-12	2.E-07	2.E-07	0.0000003
	Total DDT	2.7E+01	ug/kg	3.4E-01	3.4E-01	2.1E-10	5.9E-10	7.E-11	2.E-10	3.E-10	5.0E-04	5.0E-04	4.9E-10	1.4E-09	1.E-06	3.E-06	0.000004
Exposure Point Total										**2.E-06**							**0.1**
RM 4 West	**Metals**																
	Arsenic	4.4E+00	mg/kg	1.5E+00	1.5E+00	3.4E-08	9.5E-08	5.E-08	1.E-07	2.E-07	3.0E-04	3.0E-04	7.9E-08	2.2E-07	3.E-04	7.E-04	0.001
	Mercury	1.4E-01	mg/kg	--	--	0.0E+00	3.0E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.1E-09	0.E+00	7.E-05	0.0001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	2.3E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.4E-06	0.E+00	8.E-02	0.1
	Butyltins																
	Tributyltin ion	8.2E+00	ug/kg	--	--	2.1E-10	1.8E-10	--	--	--	3.0E-04	3.0E-04	5.0E-10	4.2E-10	2.E-06	1.E-06	0.000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.0E+02	ug/kg	7.3E-01	7.3E-01	3.0E-08	2.0E-08	2.E-08	1.E-08	4.E-08	--	--	7.1E-08	4.6E-08	--	--	--
	Benzo(a)pyrene	5.8E+02	ug/kg	7.3E+00	7.3E+00	2.0E-08	1.3E-08	1.E-07	9.E-08	2.E-07	--	--	4.6E-08	3.0E-08	--	--	--
	Benzo(b)fluoranthene	5.2E+02	ug/kg	7.3E-01	7.3E-01	1.7E-08	1.1E-08	1.E-08	8.E-09	2.E-08	--	--	4.1E-08	2.6E-08	--	--	--
	Benzo(k)fluoranthene	3.2E+02	ug/kg	7.3E-02	7.3E-02	1.1E-08	6.9E-09	8.E-10	5.E-10	1.E-09	--	--	2.5E-08	1.6E-08	--	--	--
	Dibenzo(a,h)anthracene	8.9E+01	ug/kg	7.3E+00	7.3E+00	3.0E-09	1.9E-09	2.E-08	1.E-08	4.E-08	--	--	7.0E-09	4.5E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.6E+02	ug/kg	7.3E-01	7.3E-01	1.6E-08	1.0E-08	1.E-08	7.E-09	2.E-08	--	--	3.6E-08	2.4E-08	--	--	--
	Naphthalene	1.9E+02	ug/kg	--	--	6.4E-09	4.2E-09	--	--	--	2.0E-02	2.0E-02	1.5E-08	9.7E-09	8.E-07	5.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.1E+01	ug/kg	1.4E-02	1.4E-02	1.8E-09	1.6E-09	3.E-11	2.E-11	5.E-11	2.0E-02	2.0E-02	4.3E-09	3.6E-09	2.E-07	2.E-07	0.0000004
	Phenols																
	Pentachlorophenol	6.7E+00	ug/kg	4.0E-01	4.0E-01	4.3E-10	1.5E-10	2.E-10	6.E-11	2.E-10	5.0E-03	5.0E-03	1.0E-09	3.4E-10	2.E-07	7.E-08	0.0000003
	Polychlorinated Biphenyls																
	Total Aroclors	2.6E+01	ug/kg	2.0E+00	2.0E+00	9.6E-10	5.8E-10	2.E-09	1.E-09	3.E-09	2.0E-05	2.0E-05	2.2E-09	1.3E-09	1.E-04	7.E-05	0.0002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.3E+00	pg/g	1.3E+05	1.3E+05	2.5E-14	7.1E-14	3.E-09	9.E-09	1.E-08	1.0E-09	1.0E-09	5.9E-14	1.7E-13	6.E-05	2.E-04	0.0002
	Total PCB TEQ	6.5E-01	pg/g	1.3E+05	1.3E+05	2.4E-14	1.4E-14	3.E-09	2.E-09	5.E-09	1.0E-09	1.0E-09	5.5E-14	3.3E-14	6.E-05	3.E-05	0.0001
	Pesticides																
	Aldrin	4.9E-01	ug/kg	1.7E+01	1.7E+01	1.3E-11	1.1E-11	2.E-10	2.E-10	4.E-10	3.0E-05	3.0E-05	2.9E-11	2.5E-11	1.E-06	8.E-07	0.000002
	Dieldrin	2.8E-01	ug/kg	1.6E+01	1.6E+01	7.3E-12	6.1E-12	1.E-10	1.E-10	2.E-10	5.0E-05	5.0E-05	1.7E-11	1.4E-11	3.E-07	3.E-07	0.000001
	Total DDT	5.6E+01	ug/kg	3.4E-01	3.4E-01	4.3E-10	1.2E-09	1.E-10	4.E-10	6.E-10	5.0E-04	5.0E-04	1.0E-09	2.8E-09	2.E-06	6.E-06	0.000008
Exposure Point Total										**6.E-07**							**0.1**
RM 4 East	**Metals**																
	Arsenic	5.6E+00	mg/kg	1.5E+00	1.5E+00	4.4E-08	1.2E-07	7.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	1.0E-07	2.9E-07	3.E-04	1.E-03	0.001
	Mercury	9.6E-02	mg/kg	--	--	0.0E+00	2.1E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.9E-09	0.E+00	5.E-05	0.00005
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	2.4E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.7E-06	0.E+00	8.E-02	0.1
	Butyltins																
	Tributyltin ion	3.6E+01	ug/kg	--	--	9.4E-10	7.9E-10	--	--	--	3.0E-04	3.0E-04	2.2E-09	1.9E-09	7.E-06	6.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E+03	ug/kg	7.3E-01	7.3E-01	5.3E-08	3.4E-08	4.E-08	2.E-08	6.E-08	--	--	1.2E-07	7.9E-08	--	--	--
	Benzo(a)pyrene	2.2E+03	ug/kg	7.3E+00	7.3E+00	7.5E-08	4.9E-08	5.E-07	4.E-07	9.E-07	--	--	1.8E-07	1.1E-07	--	--	--
	Benzo(b)fluoranthene	2.3E+03	ug/kg	7.3E-01	7.3E-01	7.7E-08	5.0E-08	6.E-08	4.E-08	9.E-08	--	--	1.8E-07	1.2E-07	--	--	--
	Benzo(k)fluoranthene	1.8E+03	ug/kg	7.3E-02	7.3E-02	6.2E-08	4.0E-08	4.E-09	3.E-09	7.E-09	--	--	1.4E-07	9.3E-08	--	--	--
	Dibenzo(a,h)anthracene	3.7E+02	ug/kg	7.3E+00	7.3E+00	1.2E-08	8.0E-09	9.E-08	6.E-08	1.E-07	--	--	2.9E-08	1.9E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.7E+03	ug/kg	7.3E-01	7.3E-01	5.6E-08	3.7E-08	4.E-08	3.E-08	7.E-08	--	--	1.3E-07	8.5E-08	--	--	--
	Naphthalene	7.4E+01	ug/kg	--	--	2.5E-09	1.6E-09	--	--	--	2.0E-02	2.0E-02	5.8E-09	3.8E-09	3.E-07	2.E-07	0.0000005
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.3E+03	ug/kg	1.4E-02	1.4E-02	8.5E-08	7.1E-08	1.E-09	1.E-09	2.E-09	2.0E-02	2.0E-02	2.0E-07	1.7E-07	1.E-05	8.E-06	0.00002
	Phenols																
	Pentachlorophenol	4.3E+03	ug/kg	4.0E-01	4.0E-01	2.8E-07	9.4E-08	1.E-07	4.E-08	1.E-07	5.0E-03	5.0E-03	6.5E-07	2.2E-07	1.E-04	4.E-05	0.0002
	Polychlorinated Biphenyls																
	Total Aroclors	3.6E+02	ug/kg	2.0E+00	2.0E+00	1.3E-08	7.9E-09	3.E-08	2.E-08	4.E-08	2.0E-05	2.0E-05	3.0E-08	1.8E-08	2.E-03	9.E-04	0.002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.9E+00	pg/g	1.3E+05	1.3E+05	5.4E-14	1.5E-13	7.E-09	2.E-08	3.E-08	1.0E-09	1.0E-09	1.3E-13	3.5E-13	1.E-04	4.E-04	0.0005
	Total PCB TEQ	3.4E+00	pg/g	1.3E+05	1.3E+05	1.2E-13	7.3E-14	2.E-08	1.E-08	3.E-08	1.0E-09	1.0E-09	2.8E-13	1.7E-13	3.E-04	2.E-04	0.0005
	Pesticides																
	Aldrin	7.9E-01	ug/kg	1.7E+01	1.7E+01	2.0E-11	1.7E-11	3.E-10	3.E-10	6.E-10	3.0E-05	3.0E-05	4.7E-11	4.0E-11	2.E-06	1.E-06	0.000003
	Dieldrin	1.6E-01	ug/kg	1.6E+01	1.6E+01	4.0E-12	3.4E-12	6.E-11	5.E-11	1.E-10	5.0E-05	5.0E-05	9.4E-12	7.9E-12	2.E-07	2.E-07	0.0000003
	Total DDT	1.2E+01	ug/kg	3.4E-01	3.4E-01	9.2E-11	2.6E-10	3.E-11	9.E-11	1.E-10	5.0E-04	5.0E-04	2.1E-10	6.0E-10	4.E-07	1.E-06	0.000002
Exposure Point Total										**2.E-06**							**0.1**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 4.5 West	**Metals**																
	Arsenic	4.9E+00	mg/kg	1.5E+00	1.5E+00	3.8E-08	1.1E-07	6.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	8.8E-08	2.5E-07	3.E-04	8.E-04	0.001
	Mercury	1.7E-01	mg/kg	--	--	0.0E+00	3.7E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.7E-09	0.E+00	9.E-05	0.0001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	2.4E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.6E-06	0.E+00	8.E-02	0.1
	Butyltins																
	Tributyltin ion	1.4E+01	ug/kg	--	--	3.6E-10	3.1E-10	--	--	--	3.0E-04	3.0E-04	8.5E-10	7.1E-10	3.E-06	2.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E+03	ug/kg	7.3E-01	7.3E-01	5.2E-08	3.4E-08	4.E-08	2.E-08	6.E-08	--	--	1.2E-07	7.9E-08	--	--	--
	Benzo(a)pyrene	2.2E+03	ug/kg	7.3E+00	7.3E+00	7.3E-08	4.7E-08	5.E-07	3.E-07	9.E-07	--	--	1.7E-07	1.1E-07	--	--	--
	Benzo(b)fluoranthene	1.5E+03	ug/kg	7.3E-01	7.3E-01	5.0E-08	3.3E-08	4.E-08	2.E-08	6.E-08	--	--	1.2E-07	7.6E-08	--	--	--
	Benzo(k)fluoranthene	6.2E+02	ug/kg	7.3E-02	7.3E-02	2.1E-08	1.4E-08	2.E-09	1.E-09	3.E-09	--	--	4.9E-08	3.2E-08	--	--	--
	Dibenzo(a,h)anthracene	2.3E+02	ug/kg	7.3E+00	7.3E+00	7.8E-09	5.0E-09	6.E-08	4.E-08	9.E-08	--	--	1.8E-08	1.2E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.7E+03	ug/kg	7.3E-01	7.3E-01	5.6E-08	3.6E-08	4.E-08	3.E-08	7.E-08	--	--	1.3E-07	8.5E-08	--	--	--
	Naphthalene	3.9E+02	ug/kg	--	--	1.3E-08	8.6E-09	--	--	--	2.0E-02	2.0E-02	3.1E-08	2.0E-08	2.E-06	1.E-06	0.000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.0E+01	ug/kg	1.4E-02	1.4E-02	1.8E-09	1.5E-09	3.E-11	2.E-11	5.E-11	2.0E-02	2.0E-02	4.2E-09	3.6E-09	2.E-07	2.E-07	0.0000004
	Phenols																
	Pentachlorophenol	2.3E+00	ug/kg	4.0E-01	4.0E-01	1.5E-10	4.9E-11	6.E-11	2.E-11	8.E-11	5.0E-03	5.0E-03	3.4E-10	1.2E-10	7.E-08	2.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.8E+01	ug/kg	2.0E+00	2.0E+00	1.4E-09	8.4E-10	3.E-09	2.E-09	4.E-09	2.0E-05	2.0E-05	3.2E-09	2.0E-09	2.E-04	1.E-04	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.8E+00	pg/g	1.3E+05	1.3E+05	5.3E-14	1.5E-13	7.E-09	2.E-08	3.E-08	1.0E-09	1.0E-09	1.2E-13	3.5E-13	1.E-04	3.E-04	0.0005
	Total PCB TEQ	2.5E+00	pg/g	1.3E+05	1.3E+05	9.0E-14	5.4E-14	1.E-08	7.E-09	2.E-08	1.0E-09	1.0E-09	2.1E-13	1.3E-13	2.E-04	1.E-04	0.0003
	Pesticides																
	Aldrin	1.2E+00	ug/kg	1.7E+01	1.7E+01	3.1E-11	2.6E-11	5.E-10	4.E-10	1.E-09	3.0E-05	3.0E-05	7.3E-11	6.1E-11	2.E-06	2.E-06	0.000004
	Dieldrin	1.8E-01	ug/kg	1.6E+01	1.6E+01	4.8E-12	4.0E-12	8.E-11	6.E-11	1.E-10	5.0E-05	5.0E-05	1.1E-11	9.4E-12	2.E-07	2.E-07	0.0000004
	Total DDT	2.7E+01	ug/kg	3.4E-01	3.4E-01	2.1E-10	6.0E-10	7.E-11	2.E-10	3.E-10	5.0E-04	5.0E-04	5.0E-10	1.4E-09	1.E-06	3.E-06	0.000004
Exposure Point Total										1.E-06							0.1
RM 4.5 East	**Metals**																
	Arsenic	4.9E+00	mg/kg	1.5E+00	1.5E+00	3.8E-08	1.1E-07	6.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	8.9E-08	2.5E-07	3.E-04	8.E-04	0.001
	Mercury	7.3E-02	mg/kg	--	--	0.0E+00	1.6E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.7E-09	0.E+00	4.E-05	0.00004
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	2.4E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.5E-06	0.E+00	8.E-02	0.1
	Butyltins																
	Tributyltin ion	7.2E+01	ug/kg	--	--	1.9E-09	1.6E-09	--	--	--	3.0E-04	3.0E-04	4.4E-09	3.7E-09	1.E-05	1.E-05	0.00003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.0E+04	ug/kg	7.3E-01	7.3E-01	6.7E-07	4.3E-07	5.E-07	3.E-07	8.E-07	--	--	1.6E-06	1.0E-06	--	--	--
	Benzo(a)pyrene	8.7E+03	ug/kg	7.3E+00	7.3E+00	2.9E-07	1.9E-07	2.E-06	1.E-06	4.E-06	--	--	6.8E-07	4.4E-07	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(b)fluoranthene	7.5E+03	ug/kg	7.3E-01	7.3E-01	2.5E-07	1.6E-07	2.E-07	1.E-07	3.E-07	--	--	5.9E-07	3.8E-07	--	--	--
	Benzo(k)fluoranthene	6.9E+03	ug/kg	7.3E-02	7.3E-02	2.3E-07	1.5E-07	2.E-08	1.E-08	3.E-08	--	--	5.4E-07	3.5E-07	--	--	--
	Dibenzo(a,h)anthracene	1.4E+03	ug/kg	7.3E+00	7.3E+00	4.8E-08	3.1E-08	4.E-07	2.E-07	6.E-07	--	--	1.1E-07	7.3E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	6.1E+03	ug/kg	7.3E-01	7.3E-01	2.0E-07	1.3E-07	1.E-07	1.E-07	2.E-07	--	--	4.8E-07	3.1E-07	--	--	--
	Naphthalene	4.4E+02	ug/kg	--	--	1.5E-08	9.6E-09	--	--	--	2.0E-02	2.0E-02	3.5E-08	2.2E-08	2.E-06	1.E-06	0.000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.2E+02	ug/kg	1.4E-02	1.4E-02	3.2E-09	2.7E-09	4.E-11	4.E-11	8.E-11	2.0E-02	2.0E-02	7.5E-09	6.3E-09	4.E-07	3.E-07	0.000001
	Phenols																
	Pentachlorophenol	3.2E+00	ug/kg	4.0E-01	4.0E-01	2.1E-10	7.0E-11	8.E-11	3.E-11	1.E-10	5.0E-03	5.0E-03	4.8E-10	1.6E-10	1.E-07	3.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	4.4E+01	ug/kg	2.0E+00	2.0E+00	1.6E-09	9.6E-10	3.E-09	2.E-09	5.E-09	2.0E-05	2.0E-05	3.7E-09	2.2E-09	2.E-04	1.E-04	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.8E-01	pg/g	1.3E+05	1.3E+05	2.1E-15	6.0E-15	3.E-10	8.E-10	1.E-09	1.0E-09	1.0E-09	5.0E-15	1.4E-14	5.E-06	1.E-05	0.00002
	Total PCB TEQ	3.4E-01	pg/g	1.3E+05	1.3E+05	1.2E-14	7.3E-15	2.E-09	1.E-09	3.E-09	1.0E-09	1.0E-09	2.9E-14	1.7E-14	3.E-05	2.E-05	0.00005
	Pesticides																
	Aldrin	1.5E-01	ug/kg	1.7E+01	1.7E+01	3.9E-12	3.3E-12	7.E-11	6.E-11	1.E-10	3.0E-05	3.0E-05	9.2E-12	7.7E-12	3.E-07	3.E-07	0.000001
	Dieldrin	8.4E-02	ug/kg	1.6E+01	1.6E+01	2.2E-12	1.8E-12	3.E-11	3.E-11	6.E-11	5.0E-05	5.0E-05	5.0E-12	4.2E-12	1.E-07	8.E-08	0.0000002
	Total DDT	8.7E+00	ug/kg	3.4E-01	3.4E-01	6.8E-11	1.9E-10	2.E-11	6.E-11	9.E-11	5.0E-04	5.0E-04	1.6E-10	4.4E-10	3.E-07	9.E-07	0.000001
Exposure Point Total										6.E-06							0.1
RM 5 West	**Metals**																
	Arsenic	3.8E+00	mg/kg	1.5E+00	1.5E+00	2.9E-08	8.2E-08	4.E-08	1.E-07	2.E-07	3.0E-04	3.0E-04	6.8E-08	1.9E-07	2.E-04	6.E-04	0.001
	Mercury	6.0E-02	mg/kg	--	--	0.0E+00	1.3E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.1E-09	0.E+00	3.E-05	0.00003
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	2.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.2E-06	0.E+00	7.E-02	0.1
	Butyltins																
	Tributyltin ion	2.1E+01	ug/kg	--	--	5.4E-10	4.6E-10	--	--	--	3.0E-04	3.0E-04	1.3E-09	1.1E-09	4.E-06	4.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.4E+03	ug/kg	7.3E-01	7.3E-01	1.2E-07	7.5E-08	8.E-08	5.E-08	1.E-07	--	--	2.7E-07	1.7E-07	--	--	--
	Benzo(a)pyrene	4.5E+03	ug/kg	7.3E+00	7.3E+00	1.5E-07	9.8E-08	1.E-06	7.E-07	2.E-06	--	--	3.5E-07	2.3E-07	--	--	--
	Benzo(b)fluoranthene	3.0E+03	ug/kg	7.3E-01	7.3E-01	1.0E-07	6.5E-08	7.E-08	5.E-08	1.E-07	--	--	2.3E-07	1.5E-07	--	--	--
	Benzo(k)fluoranthene	5.7E+02	ug/kg	7.3E-02	7.3E-02	1.9E-08	1.2E-08	1.E-09	9.E-10	2.E-09	--	--	4.5E-08	2.9E-08	--	--	--
	Dibenzo(a,h)anthracene	2.3E+02	ug/kg	7.3E+00	7.3E+00	7.7E-09	5.0E-09	6.E-08	4.E-08	9.E-08	--	--	1.8E-08	1.2E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.3E+03	ug/kg	7.3E-01	7.3E-01	1.1E-07	7.1E-08	8.E-08	5.E-08	1.E-07	--	--	2.6E-07	1.7E-07	--	--	--
	Naphthalene	4.2E+02	ug/kg	--	--	1.4E-08	9.2E-09	--	--	--	2.0E-02	2.0E-02	3.3E-08	2.2E-08	2.E-06	1.E-06	0.000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.1E+01	ug/kg	1.4E-02	1.4E-02	2.4E-09	2.0E-09	3.E-11	3.E-11	6.E-11	2.0E-02	2.0E-02	5.5E-09	4.6E-09	3.E-07	2.E-07	0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phenols																
	Pentachlorophenol	1.8E+01	ug/kg	4.0E-01	4.0E-01	1.2E-09	4.0E-10	5.E-10	2.E-10	6.E-10	5.0E-03	5.0E-03	2.8E-09	9.3E-10	6.E-07	2.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+01	ug/kg	2.0E+00	2.0E+00	9.2E-10	5.5E-10	2.E-09	1.E-09	3.E-09	2.0E-05	2.0E-05	2.1E-09	1.3E-09	1.E-04	6.E-05	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.4E+00	pg/g	1.3E+05	1.3E+05	4.2E-14	1.2E-13	5.E-09	2.E-08	2.E-08	1.0E-09	1.0E-09	9.8E-14	2.8E-13	1.E-04	3.E-04	0.0004
	Total PCB TEQ	2.1E+00	pg/g	1.3E+05	1.3E+05	7.6E-14	4.5E-14	1.E-08	6.E-09	2.E-08	1.0E-09	1.0E-09	1.8E-13	1.1E-13	2.E-04	1.E-04	0.0003
	Pesticides																
	Aldrin	1.9E+00	ug/kg	1.7E+01	1.7E+01	4.9E-11	4.1E-11	8.E-10	7.E-10	2.E-09	3.0E-05	3.0E-05	1.1E-10	9.7E-11	4.E-06	3.E-06	0.00001
	Dieldrin	7.8E-01	ug/kg	1.6E+01	1.6E+01	2.0E-11	1.7E-11	3.E-10	3.E-10	6.E-10	5.0E-05	5.0E-05	4.7E-11	4.0E-11	9.E-07	8.E-07	0.000002
	Total DDT	8.2E+01	ug/kg	3.4E-01	3.4E-01	6.4E-10	1.8E-09	2.E-10	6.E-10	8.E-10	5.0E-04	5.0E-04	1.5E-09	4.2E-09	3.E-06	8.E-06	0.00001
Exposure Point Total										3.E-06							0.1
RM 5 East	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	2.8E-08	8.0E-08	4.E-08	1.E-07	2.E-07	3.0E-04	3.0E-04	6.6E-08	1.9E-07	2.E-04	6.E-04	0.0008
	Mercury	8.6E-02	mg/kg	--	--	0.0E+00	1.9E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.4E-09	0.E+00	4.E-05	0.00004
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	2.4E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.5E-06	0.E+00	8.E-02	0.1
	Butyltins																
	Tributyltin ion	1.2E+02	ug/kg	--	--	3.1E-09	2.6E-09	--	--	--	3.0E-04	3.0E-04	7.3E-09	6.1E-09	2.E-05	2.E-05	0.00004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.3E+02	ug/kg	7.3E-01	7.3E-01	1.1E-08	7.2E-09	8.E-09	5.E-09	1.E-08	--	--	2.6E-08	1.7E-08	--	--	--
	Benzo(a)pyrene	4.7E+02	ug/kg	7.3E+00	7.3E+00	1.6E-08	1.0E-08	1.E-07	8.E-08	2.E-07	--	--	3.7E-08	2.4E-08	--	--	--
	Benzo(b)fluoranthene	6.7E+02	ug/kg	7.3E-01	7.3E-01	2.3E-08	1.5E-08	2.E-08	1.E-08	3.E-08	--	--	5.3E-08	3.4E-08	--	--	--
	Benzo(k)fluoranthene	3.0E+02	ug/kg	7.3E-02	7.3E-02	1.0E-08	6.6E-09	7.E-10	5.E-10	1.E-09	--	--	2.4E-08	1.5E-08	--	--	--
	Dibenzo(a,h)anthracene	9.1E+01	ug/kg	7.3E+00	7.3E+00	3.1E-09	2.0E-09	2.E-08	1.E-08	4.E-08	--	--	7.2E-09	4.6E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	4.8E+02	ug/kg	7.3E-01	7.3E-01	1.6E-08	1.1E-08	1.E-08	8.E-09	2.E-08	--	--	3.8E-08	2.5E-08	--	--	--
	Naphthalene	1.3E+02	ug/kg	--	--	4.5E-09	2.9E-09	--	--	--	2.0E-02	2.0E-02	1.1E-08	6.8E-09	5.E-07	3.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+02	ug/kg	1.4E-02	1.4E-02	3.4E-09	2.9E-09	5.E-11	4.E-11	9.E-11	2.0E-02	2.0E-02	7.9E-09	6.7E-09	4.E-07	3.E-07	0.000001
	Phenols																
	Pentachlorophenol	1.3E+01	ug/kg	4.0E-01	4.0E-01	8.7E-10	2.9E-10	3.E-10	1.E-10	5.E-10	5.0E-03	5.0E-03	2.0E-09	6.9E-10	4.E-07	1.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+01	ug/kg	2.0E+00	2.0E+00	9.2E-10	5.5E-10	2.E-09	1.E-09	3.E-09	2.0E-05	2.0E-05	2.2E-09	1.3E-09	1.E-04	6.E-05	0.0002
	Pesticides																
	Aldrin	8.0E-01	ug/kg	1.7E+01	1.7E+01	2.1E-11	1.7E-11	4.E-10	3.E-10	6.E-10	3.0E-05	3.0E-05	4.8E-11	4.1E-11	2.E-06	1.E-06	0.000003
	Dieldrin	7.9E-01	ug/kg	1.6E+01	1.6E+01	2.0E-11	1.7E-11	3.E-10	3.E-10	6.E-10	5.0E-05	5.0E-05	4.8E-11	4.0E-11	1.E-06	8.E-07	0.000002
	Total DDT	1.9E+00	ug/kg	3.4E-01	3.4E-01	1.5E-11	4.1E-11	5.E-12	1.E-11	2.E-11	5.0E-04	5.0E-04	3.4E-11	9.5E-11	7.E-08	2.E-07	0.0000003
Exposure Point Total										5.E-07							0.1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)^-1	Oral Cancer Slope Factor (mg/kg-day)^-1	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 5.5 West	**Metals**																
	Arsenic	6.1E+00	mg/kg	1.5E+00	1.5E+00	4.7E-08	1.3E-07	7.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.1E-07	3.1E-07	4.E-04	1.E-03	0.001
	Mercury	8.0E-02	mg/kg	--	--	0.0E+00	1.8E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.1E-09	0.E+00	4.E-05	0.00004
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	2.3E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.3E-06	0.E+00	8.E-02	0.1
	Butyltins																
	Tributyltin ion	4.3E+01	ug/kg	--	--	1.1E-09	9.5E-10	--	--	--	3.0E-04	3.0E-04	2.6E-09	2.2E-09	9.E-06	7.E-06	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.0E+03	ug/kg	7.3E-01	7.3E-01	1.0E-07	6.6E-08	7.E-08	5.E-08	1.E-07	--	--	2.4E-07	1.5E-07	--	--	--
	Benzo(a)pyrene	4.3E+03	ug/kg	7.3E+00	7.3E+00	1.5E-07	9.5E-08	1.E-06	7.E-07	2.E-06	--	--	3.4E-07	2.2E-07	--	--	--
	Benzo(b)fluoranthene	3.1E+03	ug/kg	7.3E-01	7.3E-01	1.0E-07	6.7E-08	8.E-08	5.E-08	1.E-07	--	--	2.4E-07	1.6E-07	--	--	--
	Benzo(k)fluoranthene	2.0E+03	ug/kg	7.3E-02	7.3E-02	6.8E-08	4.4E-08	5.E-09	3.E-09	8.E-09	--	--	1.6E-07	1.0E-07	--	--	--
	Dibenzo(a,h)anthracene	3.5E+02	ug/kg	7.3E+00	7.3E+00	1.2E-08	7.7E-09	9.E-08	6.E-08	1.E-07	--	--	2.8E-08	1.8E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	3.5E+03	ug/kg	7.3E-01	7.3E-01	1.2E-07	7.6E-08	9.E-08	6.E-08	1.E-07	--	--	2.7E-07	1.8E-07	--	--	--
	Naphthalene	3.3E+02	ug/kg	--	--	1.1E-08	7.2E-09	--	--	--	2.0E-02	2.0E-02	2.6E-08	1.7E-08	1.E-06	8.E-07	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+01	ug/kg	1.4E-02	1.4E-02	4.7E-10	3.9E-10	7.E-12	6.E-12	1.E-11	2.0E-02	2.0E-02	1.1E-09	9.2E-10	5.E-08	5.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.8E+01	ug/kg	4.0E-01	4.0E-01	1.2E-09	3.9E-10	5.E-10	2.E-10	6.E-10	5.0E-03	5.0E-03	2.7E-09	9.2E-10	5.E-07	2.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	5.1E+01	ug/kg	2.0E+00	2.0E+00	1.9E-09	1.1E-09	4.E-09	2.E-09	6.E-09	2.0E-05	2.0E-05	4.3E-09	2.6E-09	2.E-04	1.E-04	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.3E+00	pg/g	1.3E+05	1.3E+05	1.8E-14	5.1E-14	2.E-09	7.E-09	9.E-09	1.0E-09	1.0E-09	4.2E-14	1.2E-13	4.E-05	1.E-04	0.0002
	Total PCB TEQ	1.1E+00	pg/g	1.3E+05	1.3E+05	3.9E-14	2.4E-14	5.E-09	3.E-09	8.E-09	1.0E-09	1.0E-09	9.2E-14	5.5E-14	9.E-05	6.E-05	0.0001
	Pesticides																
	Aldrin	6.7E-01	ug/kg	1.7E+01	1.7E+01	1.7E-11	1.5E-11	3.E-10	2.E-10	5.E-10	3.0E-05	3.0E-05	4.1E-11	3.4E-11	1.E-06	1.E-06	0.000002
	Dieldrin	4.1E-01	ug/kg	1.6E+01	1.6E+01	1.1E-11	8.9E-12	2.E-10	1.E-10	3.E-10	5.0E-05	5.0E-05	2.5E-11	2.1E-11	5.E-07	4.E-07	0.000001
	Total DDT	6.2E+01	ug/kg	3.4E-01	3.4E-01	4.8E-10	1.3E-09	2.E-10	5.E-10	6.E-10	5.0E-04	5.0E-04	1.1E-09	3.1E-09	2.E-06	6.E-06	0.00001
Exposure Point Total										3.E-06							0.1
RM 5.5 East	**Metals**																
	Arsenic	8.9E+00	mg/kg	1.5E+00	1.5E+00	6.9E-08	1.9E-07	1.E-07	3.E-07	4.E-07	3.0E-04	3.0E-04	1.6E-07	4.5E-07	5.E-04	2.E-03	0.002
	Mercury	6.7E-01	mg/kg	--	--	0.0E+00	1.5E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.4E-08	0.E+00	3.E-04	0.0003
	Vanadium	9.1E+01	mg/kg	--	--	0.0E+00	2.0E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	4.6E-06	0.E+00	7.E-02	0.1
	Butyltins																
	Tributyltin ion	3.2E+02	ug/kg	--	--	8.3E-09	7.0E-09	--	--	--	3.0E-04	3.0E-04	1.9E-08	1.6E-08	6.E-05	5.E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.7E+02	ug/kg	7.3E-01	7.3E-01	1.9E-08	1.3E-08	1.E-08	9.E-09	2.E-08	--	--	4.5E-08	2.9E-08	--	--	--
	Benzo(a)pyrene	7.0E+02	ug/kg	7.3E+00	7.3E+00	2.4E-08	1.5E-08	2.E-07	1.E-07	3.E-07	--	--	5.5E-08	3.6E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(b)fluoranthene	8.4E+02	ug/kg	7.3E-01	7.3E-01	2.8E-08	1.8E-08	2.E-08	1.E-08	3.E-08	--	--	6.6E-08	4.3E-08	--	--	--
	Benzo(k)fluoranthene	4.4E+02	ug/kg	7.3E-02	7.3E-02	1.5E-08	9.6E-09	1.E-09	7.E-10	2.E-09	--	--	3.5E-08	2.2E-08	--	--	--
	Dibenzo(a,h)anthracene	1.4E+02	ug/kg	7.3E+00	7.3E+00	4.7E-09	3.0E-09	3.E-08	2.E-08	6.E-08	--	--	1.1E-08	7.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	5.3E+02	ug/kg	7.3E-01	7.3E-01	1.8E-08	1.1E-08	1.E-08	8.E-09	2.E-08	--	--	4.1E-08	2.7E-08	--	--	--
	Naphthalene	3.5E+02	ug/kg	--	--	1.2E-08	7.7E-09	--	--	--	2.0E-02	2.0E-02	2.8E-08	1.8E-08	1.E-06	9.E-07	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.3E+02	ug/kg	1.4E-02	1.4E-02	8.5E-09	7.2E-09	1.E-10	1.E-10	2.E-10	2.0E-02	2.0E-02	2.0E-08	1.7E-08	1.E-06	8.E-07	0.000002
	Phenols																
	Pentachlorophenol	1.8E+01	ug/kg	4.0E-01	4.0E-01	1.1E-09	3.8E-10	5.E-10	2.E-10	6.E-10	5.0E-03	5.0E-03	2.6E-09	8.9E-10	5.E-07	2.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+02	ug/kg	2.0E+00	2.0E+00	6.5E-09	3.9E-09	1.E-08	8.E-09	2.E-08	2.0E-05	2.0E-05	1.5E-08	9.1E-09	8.E-04	5.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.9E+00	pg/g	1.3E+05	1.3E+05	6.9E-14	1.9E-13	9.E-09	3.E-08	3.E-08	1.0E-09	1.0E-09	1.6E-13	4.5E-13	2.E-04	5.E-04	0.001
	Total PCB TEQ	5.8E+00	pg/g	1.3E+05	1.3E+05	2.1E-13	1.3E-13	3.E-08	2.E-08	4.E-08	1.0E-09	1.0E-09	4.9E-13	3.0E-13	5.E-04	3.E-04	0.001
	Pesticides																
	Aldrin	4.0E-01	ug/kg	1.7E+01	1.7E+01	1.0E-11	8.7E-12	2.E-10	1.E-10	3.E-10	3.0E-05	3.0E-05	2.4E-11	2.0E-11	8.E-07	7.E-07	0.000001
	Dieldrin	6.0E-01	ug/kg	1.6E+01	1.6E+01	1.5E-11	1.3E-11	2.E-10	2.E-10	5.E-10	5.0E-05	5.0E-05	3.6E-11	3.0E-11	7.E-07	6.E-07	0.000001
	Total DDT	2.0E+01	ug/kg	3.4E-01	3.4E-01	1.5E-10	4.3E-10	5.E-11	1.E-10	2.E-10	5.0E-04	5.0E-04	3.6E-10	1.0E-09	7.E-07	2.E-06	0.000003
Exposure Point Total										9.E-07							0.1
RM 6 West	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	3.2E-08	8.9E-08	5.E-08	1.E-07	2.E-07	3.0E-04	3.0E-04	7.4E-08	2.1E-07	2.E-04	7.E-04	0.001
	Mercury	1.4E-01	mg/kg	--	--	0.0E+00	3.0E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.0E-09	0.E+00	7.E-05	0.0001
	Vanadium	1.3E+02	mg/kg	--	--	0.0E+00	2.7E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	6.4E-06	0.E+00	9.E-02	0.1
	Butyltins																
	Tributyltin ion	2.0E+01	ug/kg	--	--	5.1E-10	4.3E-10	--	--	--	3.0E-04	3.0E-04	1.2E-09	1.0E-09	4.E-06	3.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.8E+04	ug/kg	7.3E-01	7.3E-01	1.6E-06	1.0E-06	1.E-06	8.E-07	2.E-06	--	--	3.7E-06	2.4E-06	--	--	--
	Benzo(a)pyrene	5.8E+04	ug/kg	7.3E+00	7.3E+00	1.9E-06	1.3E-06	1.E-05	9.E-06	2.E-05	--	--	4.5E-06	2.9E-06	--	--	--
	Benzo(b)fluoranthene	4.3E+04	ug/kg	7.3E-01	7.3E-01	1.4E-06	9.3E-07	1.E-06	7.E-07	2.E-06	--	--	3.4E-06	2.2E-06	--	--	--
	Benzo(k)fluoranthene	2.7E+04	ug/kg	7.3E-02	7.3E-02	9.1E-07	5.9E-07	7.E-08	4.E-08	1.E-07	--	--	2.1E-06	1.4E-06	--	--	--
	Dibenzo(a,h)anthracene	5.4E+03	ug/kg	7.3E+00	7.3E+00	1.8E-07	1.2E-07	1.E-06	9.E-07	2.E-06	--	--	4.2E-07	2.7E-07	--	--	--
	Indeno(1,2,3-cd)pyrene	4.0E+04	ug/kg	7.3E-01	7.3E-01	1.4E-06	8.8E-07	1.E-06	6.E-07	2.E-06	--	--	3.2E-06	2.0E-06	--	--	--
	Naphthalene	4.4E+04	ug/kg	--	--	1.5E-06	9.7E-07	--	--	--	2.0E-02	2.0E-02	3.5E-06	2.3E-06	2.E-04	1.E-04	0.0003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.8E+02	ug/kg	1.4E-02	1.4E-02	9.7E-09	8.2E-09	1.E-10	1.E-10	3.E-10	2.0E-02	2.0E-02	2.3E-08	1.9E-08	1.E-06	1.E-06	0.000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phenols																
	Pentachlorophenol	3.5E+01	ug/kg	4.0E-01	4.0E-01	2.2E-09	7.6E-10	9.E-10	3.E-10	1.E-09	5.0E-03	5.0E-03	5.2E-09	1.8E-09	1.E-06	4.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	6.1E+01	ug/kg	2.0E+00	2.0E+00	2.2E-09	1.3E-09	4.E-09	3.E-09	7.E-09	2.0E-05	2.0E-05	5.2E-09	3.1E-09	3.E-04	2.E-04	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	1.3E+05	1.3E+05	1.2E-14	3.3E-14	2.E-09	4.E-09	6.E-09	1.0E-09	1.0E-09	2.8E-14	7.8E-14	3.E-05	8.E-05	0.0001
	Total PCB TEQ	2.8E+00	pg/g	1.3E+05	1.3E+05	1.0E-13	6.2E-14	1.E-08	8.E-09	2.E-08	1.0E-09	1.0E-09	2.4E-13	1.4E-13	2.E-04	1.E-04	0.0004
	Pesticides																
	Aldrin	2.3E+00	ug/kg	1.7E+01	1.7E+01	6.1E-11	5.1E-11	1.E-09	9.E-10	2.E-09	3.0E-05	3.0E-05	1.4E-10	1.2E-10	5.E-06	4.E-06	0.00001
	Dieldrin	1.8E+00	ug/kg	1.6E+01	1.6E+01	4.7E-11	4.0E-11	8.E-10	6.E-10	1.E-09	5.0E-05	5.0E-05	1.1E-10	9.3E-11	2.E-06	2.E-06	0.000004
	Total DDT	8.1E+01	ug/kg	3.4E-01	3.4E-01	6.3E-10	1.8E-09	2.E-10	6.E-10	8.E-10	5.0E-04	5.0E-04	1.5E-09	4.1E-09	3.E-06	8.E-06	0.00001
Exposure Point Total										**3.E-05**							**0.1**
RM 6 East	**Metals**																
	Arsenic	4.4E+00	mg/kg	1.5E+00	1.5E+00	3.4E-08	9.5E-08	5.E-08	1.E-07	2.E-07	3.0E-04	3.0E-04	7.9E-08	2.2E-07	3.E-04	7.E-04	0.001
	Mercury	4.0E-01	mg/kg	--	--	0.0E+00	8.7E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.0E-08	0.E+00	2.E-04	0.0002
	Vanadium	9.8E+01	mg/kg	--	--	0.0E+00	2.1E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.0E-06	0.E+00	7.E-02	0.07
	Butyltins																
	Tributyltin ion	3.5E+02	ug/kg	--	--	9.1E-09	7.6E-09	--	--	--	3.0E-04	3.0E-04	2.1E-08	1.8E-08	7.E-05	6.E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.3E+03	ug/kg	7.3E-01	7.3E-01	4.5E-08	2.9E-08	3.E-08	2.E-08	5.E-08	--	--	1.1E-07	6.8E-08	--	--	--
	Benzo(a)pyrene	1.9E+03	ug/kg	7.3E+00	7.3E+00	6.5E-08	4.2E-08	5.E-07	3.E-07	8.E-07	--	--	1.5E-07	9.8E-08	--	--	--
	Benzo(b)fluoranthene	3.3E+03	ug/kg	7.3E-01	7.3E-01	1.1E-07	7.1E-08	8.E-08	5.E-08	1.E-07	--	--	2.6E-07	1.7E-07	--	--	--
	Benzo(k)fluoranthene	2.5E+03	ug/kg	7.3E-02	7.3E-02	8.5E-08	5.5E-08	6.E-09	4.E-09	1.E-08	--	--	2.0E-07	1.3E-07	--	--	--
	Dibenzo(a,h)anthracene	2.7E+02	ug/kg	7.3E+00	7.3E+00	9.1E-09	5.9E-09	7.E-08	4.E-08	1.E-07	--	--	2.1E-08	1.4E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+03	ug/kg	7.3E-01	7.3E-01	3.8E-08	2.5E-08	3.E-08	2.E-08	5.E-08	--	--	8.9E-08	5.7E-08	--	--	--
	Naphthalene	8.4E+02	ug/kg	--	--	2.8E-08	1.8E-08	--	--	--	2.0E-02	2.0E-02	6.6E-08	4.3E-08	3.E-06	2.E-06	0.00001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.4E+02	ug/kg	1.4E-02	1.4E-02	3.6E-09	3.0E-09	5.E-11	4.E-11	9.E-11	2.0E-02	2.0E-02	8.4E-09	7.1E-09	4.E-07	4.E-07	0.000001
	Phenols																
	Pentachlorophenol	4.4E+01	ug/kg	4.0E-01	4.0E-01	2.8E-09	9.6E-10	1.E-09	4.E-10	2.E-09	5.0E-03	5.0E-03	6.6E-09	2.2E-09	1.E-06	4.E-07	0.000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+02	ug/kg	2.0E+00	2.0E+00	6.4E-09	3.8E-09	1.E-08	8.E-09	2.E-08	2.0E-05	2.0E-05	1.5E-08	8.9E-09	7.E-04	4.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.1E+00	pg/g	1.3E+05	1.3E+05	3.2E-14	9.0E-14	4.E-09	1.E-08	2.E-08	1.0E-09	1.0E-09	7.5E-14	2.1E-13	7.E-05	2.E-04	0.0003
	Total PCB TEQ	3.4E+00	pg/g	1.3E+05	1.3E+05	1.2E-13	7.4E-14	2.E-08	1.E-08	3.E-08	1.0E-09	1.0E-09	2.9E-13	1.7E-13	3.E-04	2.E-04	0.0005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	6.4E-01	ug/kg	1.7E+01	1.7E+01	1.7E-11	1.4E-11	3.E-10	2.E-10	5.E-10	3.0E-05	3.0E-05	3.9E-11	3.2E-11	1.E-06	1.E-06	0.000002
	Dieldrin	1.0E-01	ug/kg	1.6E+01	1.6E+01	2.6E-12	2.2E-12	4.E-11	3.E-11	8.E-11	5.0E-05	5.0E-05	6.0E-12	5.1E-12	1.E-07	1.E-07	0.0000002
	Total DDT	4.2E+00	ug/kg	3.4E-01	3.4E-01	3.3E-11	9.3E-11	1.E-11	3.E-11	4.E-11	5.0E-04	5.0E-04	7.7E-11	2.2E-10	2.E-07	4.E-07	0.000001
Exposure Point Total										**1.E-06**							**0.1**
RM 6.5 West	**Metals**																
	Arsenic	1.4E+01	mg/kg	1.5E+00	1.5E+00	1.1E-07	3.1E-07	2.E-07	5.E-07	6.E-07	3.0E-04	3.0E-04	2.6E-07	7.2E-07	9.E-04	2.E-03	0.003
	Mercury	2.0E-01	mg/kg	--	--	0.0E+00	4.4E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.0E-08	0.E+00	1.E-04	0.0001
	Vanadium	1.4E+02	mg/kg	--	--	0.0E+00	3.0E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	7.1E-06	0.E+00	1.E-01	0.1
	Butyltins																
	Tributyltin ion	4.6E+01	ug/kg	--	--	1.2E-09	1.0E-09	--	--	--	3.0E-04	3.0E-04	2.8E-09	2.4E-09	9.E-06	8.E-06	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.0E+03	ug/kg	7.3E-01	7.3E-01	3.4E-08	2.2E-08	2.E-08	2.E-08	4.E-08	--	--	7.9E-08	5.1E-08	--	--	--
	Benzo(a)pyrene	1.2E+03	ug/kg	7.3E+00	7.3E+00	4.1E-08	2.7E-08	3.E-07	2.E-07	5.E-07	--	--	9.6E-08	6.2E-08	--	--	--
	Benzo(b)fluoranthene	1.4E+03	ug/kg	7.3E-01	7.3E-01	4.7E-08	3.0E-08	3.E-08	2.E-08	6.E-08	--	--	1.1E-07	7.1E-08	--	--	--
	Benzo(k)fluoranthene	6.6E+02	ug/kg	7.3E-02	7.3E-02	2.2E-08	1.4E-08	2.E-09	1.E-09	3.E-09	--	--	5.2E-08	3.3E-08	--	--	--
	Dibenzo(a,h)anthracene	4.2E+02	ug/kg	7.3E+00	7.3E+00	1.4E-08	9.2E-09	1.E-07	7.E-08	2.E-07	--	--	3.3E-08	2.1E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	8.3E+02	ug/kg	7.3E-01	7.3E-01	2.8E-08	1.8E-08	2.E-08	1.E-08	3.E-08	--	--	6.5E-08	4.2E-08	--	--	--
	Naphthalene	1.4E+02	ug/kg	--	--	4.7E-09	3.0E-09	--	--	--	2.0E-02	2.0E-02	1.1E-08	7.1E-09	5.E-07	4.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.1E+02	ug/kg	1.4E-02	1.4E-02	2.7E-09	2.3E-09	4.E-11	3.E-11	7.E-11	2.0E-02	2.0E-02	6.4E-09	5.4E-09	3.E-07	3.E-07	0.000001
	Phenols																
	Pentachlorophenol	2.4E+00	ug/kg	4.0E-01	4.0E-01	1.6E-10	5.2E-11	6.E-11	2.E-11	8.E-11	5.0E-03	5.0E-03	3.6E-10	1.2E-10	7.E-08	2.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	9.1E+01	ug/kg	2.0E+00	2.0E+00	3.3E-09	2.0E-09	7.E-09	4.E-09	1.E-08	2.0E-05	2.0E-05	7.7E-09	4.7E-09	4.E-04	2.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.1E+02	pg/g	1.3E+05	1.3E+05	8.8E-13	2.5E-12	1.E-07	3.E-07	4.E-07	1.0E-09	1.0E-09	2.1E-12	5.8E-12	2.E-03	6.E-03	0.008
	Total PCB TEQ	3.0E+00	pg/g	1.3E+05	1.3E+05	1.1E-13	6.4E-14	1.E-08	8.E-09	2.E-08	1.0E-09	1.0E-09	2.5E-13	1.5E-13	3.E-04	2.E-04	0.0004
	Pesticides																
	Aldrin	2.5E+00	ug/kg	1.7E+01	1.7E+01	6.5E-11	5.5E-11	1.E-09	9.E-10	2.E-09	3.0E-05	3.0E-05	1.5E-10	1.3E-10	5.E-06	4.E-06	0.00001
	Dieldrin	5.9E-01	ug/kg	1.6E+01	1.6E+01	1.5E-11	1.3E-11	2.E-10	2.E-10	5.E-10	5.0E-05	5.0E-05	3.6E-11	3.0E-11	7.E-07	6.E-07	0.000001
	Total DDT	1.7E+02	ug/kg	3.4E-01	3.4E-01	1.3E-09	3.7E-09	4.E-10	1.E-09	2.E-09	5.0E-04	5.0E-04	3.0E-09	8.6E-09	6.E-06	2.E-05	0.00002
Exposure Point Total										**2.E-06**							**0.1**
RM 6.5 East	**Metals**																
	Arsenic	5.8E+00	mg/kg	1.5E+00	1.5E+00	4.5E-08	1.3E-07	7.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.1E-07	3.0E-07	4.E-04	1.E-03	0.001
	Mercury	1.4E+01	mg/kg	--	--	0.0E+00	3.2E-07	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.4E-07	0.E+00	7.E-03	0.01
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	2.4E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.7E-06	0.E+00	8.E-02	0.1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: Low frequency Fisher Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	1.1E+02	ug/kg	--	--	2.7E-09	2.3E-09	--	--	--	3.0E-04	3.0E-04	6.3E-09	5.3E-09	2.E-05	2.E-05	0.00004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.3E+02	ug/kg	7.3E-01	7.3E-01	7.9E-09	5.1E-09	6.E-09	4.E-09	9.E-09	--	--	1.8E-08	1.2E-08	--	--	--
	Benzo(a)pyrene	1.5E+02	ug/kg	7.3E+00	7.3E+00	5.0E-09	3.2E-09	4.E-08	2.E-08	6.E-08	--	--	1.2E-08	7.5E-09	--	--	--
	Benzo(b)fluoranthene	2.3E+02	ug/kg	7.3E-01	7.3E-01	7.9E-09	5.1E-09	6.E-09	4.E-09	9.E-09	--	--	1.8E-08	1.2E-08	--	--	--
	Benzo(k)fluoranthene	1.5E+02	ug/kg	7.3E-02	7.3E-02	4.9E-09	3.2E-09	4.E-10	2.E-10	6.E-10	--	--	1.2E-08	7.5E-09	--	--	--
	Dibenzo(a,h)anthracene	1.9E+01	ug/kg	7.3E+00	7.3E+00	6.4E-10	4.1E-10	5.E-09	3.E-09	8.E-09	--	--	1.5E-09	9.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.0E+02	ug/kg	7.3E-01	7.3E-01	3.5E-09	2.2E-09	3.E-09	2.E-09	4.E-09	--	--	8.1E-09	5.2E-09	--	--	--
	Naphthalene	1.2E+02	ug/kg	--	--	4.1E-09	2.7E-09	--	--	--	2.0E-02	2.0E-02	9.7E-09	6.3E-09	5.E-07	3.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.2E+02	ug/kg	1.4E-02	1.4E-02	3.2E-09	2.7E-09	4.E-11	4.E-11	8.E-11	2.0E-02	2.0E-02	7.5E-09	6.3E-09	4.E-07	3.E-07	0.000001
	Phenols																
	Pentachlorophenol	4.9E+00	ug/kg	4.0E-01	4.0E-01	3.2E-10	1.1E-10	1.E-10	4.E-11	2.E-10	5.0E-03	5.0E-03	7.5E-10	2.5E-10	1.E-07	5.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.3E+03	ug/kg	2.0E+00	2.0E+00	4.8E-08	2.9E-08	1.E-07	6.E-08	2.E-07	2.0E-05	2.0E-05	1.1E-07	6.7E-08	6.E-03	3.E-03	0.01
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.9E+01	pg/g	1.3E+05	1.3E+05	6.9E-13	1.9E-12	9.E-08	3.E-07	3.E-07	1.0E-09	1.0E-09	1.6E-12	4.5E-12	2.E-03	5.E-03	0.006
	Total PCB TEQ	1.3E+01	pg/g	1.3E+05	1.3E+05	4.8E-13	2.9E-13	6.E-08	4.E-08	1.E-07	1.0E-09	1.0E-09	1.1E-12	6.8E-13	1.E-03	7.E-04	0.002
	Pesticides																
	Aldrin	2.9E-01	ug/kg	1.7E+01	1.7E+01	7.5E-12	6.3E-12	1.E-10	1.E-10	2.E-10	3.0E-05	3.0E-05	1.8E-11	1.5E-11	6.E-07	5.E-07	0.000001
	Dieldrin	2.0E-01	ug/kg	1.6E+01	1.6E+01	5.1E-12	4.3E-12	8.E-11	7.E-11	1.E-10	5.0E-05	5.0E-05	1.2E-11	1.0E-11	2.E-07	2.E-07	0.0000004
	Total DDT	1.3E+02	ug/kg	3.4E-01	3.4E-01	1.0E-09	2.8E-09	3.E-10	1.E-09	1.E-09	5.0E-04	5.0E-04	2.3E-09	6.5E-09	5.E-06	1.E-05	0.00002
Exposure Point Total										9.E-07							0.1
RM 7 West	**Metals**																
	Arsenic	5.3E+00	mg/kg	1.5E+00	1.5E+00	4.1E-08	1.2E-07	6.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	9.6E-08	2.7E-07	3.E-04	9.E-04	0.001
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	2.4E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.7E-09	0.E+00	6.E-05	0.0001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	2.3E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.3E-06	0.E+00	8.E-02	0.1
	Butyltins																
	Tributyltin ion	6.4E+00	ug/kg	--	--	1.7E-10	1.4E-10	--	--	--	3.0E-04	3.0E-04	3.9E-10	3.3E-10	1.E-06	1.E-06	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.2E+03	ug/kg	7.3E-01	7.3E-01	7.5E-08	4.8E-08	5.E-08	4.E-08	9.E-08	--	--	1.7E-07	1.1E-07	--	--	--
	Benzo(a)pyrene	1.7E+03	ug/kg	7.3E+00	7.3E+00	5.7E-08	3.7E-08	4.E-07	3.E-07	7.E-07	--	--	1.3E-07	8.7E-08	--	--	--
	Benzo(b)fluoranthene	4.5E+03	ug/kg	7.3E-01	7.3E-01	1.5E-07	9.8E-08	1.E-07	7.E-08	2.E-07	--	--	3.5E-07	2.3E-07	--	--	--
	Benzo(k)fluoranthene	1.4E+03	ug/kg	7.3E-02	7.3E-02	4.8E-08	3.1E-08	4.E-09	2.E-09	6.E-09	--	--	1.1E-07	7.3E-08	--	--	--
	Dibenzo(a,h)anthracene	7.1E+02	ug/kg	7.3E+00	7.3E+00	2.4E-08	1.5E-08	2.E-07	1.E-07	3.E-07	--	--	5.6E-08	3.6E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Indeno(1,2,3-cd)pyrene	1.4E+03	ug/kg	7.3E-01	7.3E-01	4.7E-08	3.0E-08	3.E-08	2.E-08	6.E-08	--	--	1.1E-07	7.1E-08	--	--	--
	Naphthalene	1.1E+01	ug/kg	--	--	3.7E-10	2.4E-10	--	--	--	2.0E-02	2.0E-02	8.6E-10	5.6E-10	4.E-08	3.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.7E+02	ug/kg	1.4E-02	1.4E-02	7.1E-09	6.0E-09	1.E-10	8.E-11	2.E-10	2.0E-02	2.0E-02	1.7E-08	1.4E-08	8.E-07	7.E-07	0.000002
	Phenols																
	Pentachlorophenol	4.4E+01	ug/kg	4.0E-01	4.0E-01	2.8E-09	9.6E-10	1.E-09	4.E-10	2.E-09	5.0E-03	5.0E-03	6.6E-09	2.2E-09	1.E-06	4.E-07	0.000002
	Polychlorinated Biphenyls																
	Total Aroclors	9.3E+01	ug/kg	2.0E+00	2.0E+00	3.4E-09	2.0E-09	7.E-09	4.E-09	1.E-08	2.0E-05	2.0E-05	7.8E-09	4.7E-09	4.E-04	2.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.4E+04	pg/g	1.3E+05	1.3E+05	1.1E-10	3.1E-10	1.E-05	4.E-05	5.E-05	1.0E-09	1.0E-09	2.6E-10	7.2E-10	3.E-01	7.E-01	1
	Total PCB TEQ	2.7E+01	pg/g	1.3E+05	1.3E+05	9.7E-13	5.8E-13	1.E-07	8.E-08	2.E-07	1.0E-09	1.0E-09	2.3E-12	1.4E-12	2.E-03	1.E-03	0.004
	Pesticides																
	Aldrin	1.9E+02	ug/kg	1.7E+01	1.7E+01	5.0E-09	4.2E-09	8.E-08	7.E-08	2.E-07	3.0E-05	3.0E-05	1.2E-08	9.8E-09	4.E-04	3.E-04	0.001
	Dieldrin	2.0E+00	ug/kg	1.6E+01	1.6E+01	5.3E-11	4.4E-11	8.E-10	7.E-10	2.E-09	5.0E-05	5.0E-05	1.2E-10	1.0E-10	2.E-06	2.E-06	0.000005
	Total DDT	6.3E+03	ug/kg	3.4E-01	3.4E-01	4.9E-08	1.4E-07	2.E-08	5.E-08	6.E-08	5.0E-04	5.0E-04	1.1E-07	3.2E-07	2.E-04	6.E-04	0.001
	Conventionals																
	Perchlorate	2.7E+05	ug/kg	--	--	0.0E+00	6.0E-06	--	--	--	7.0E-04	7.0E-04	0.0E+00	1.4E-05	0.E+00	2.E-02	0.02
Exposure Point Total										6.E-05							1
RM 7 East	**Metals**																
	Arsenic	1.5E+01	mg/kg	1.5E+00	1.5E+00	1.1E-07	3.2E-07	2.E-07	5.E-07	7.E-07	3.0E-04	3.0E-04	2.7E-07	7.5E-07	9.E-04	2.E-03	0.003
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	1.5E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.4E-09	0.E+00	3.E-05	0.00003
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	2.4E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.5E-06	0.E+00	8.E-02	0.1
	Butyltins																
	Tributyltin ion	1.0E+03	ug/kg	--	--	2.7E-08	2.3E-08	--	--	--	3.0E-04	3.0E-04	6.3E-08	5.3E-08	2.E-04	2.E-04	0.0004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.2E+02	ug/kg	7.3E-01	7.3E-01	1.4E-08	9.1E-09	1.E-08	7.E-09	2.E-08	--	--	3.3E-08	2.1E-08	--	--	--
	Benzo(a)pyrene	5.8E+02	ug/kg	7.3E+00	7.3E+00	2.0E-08	1.3E-08	1.E-07	9.E-08	2.E-07	--	--	4.6E-08	3.0E-08	--	--	--
	Benzo(b)fluoranthene	6.7E+02	ug/kg	7.3E-01	7.3E-01	2.2E-08	1.5E-08	2.E-08	1.E-08	3.E-08	--	--	5.2E-08	3.4E-08	--	--	--
	Benzo(k)fluoranthene	6.5E+02	ug/kg	7.3E-02	7.3E-02	2.2E-08	1.4E-08	2.E-09	1.E-09	3.E-09	--	--	5.1E-08	3.3E-08	--	--	--
	Dibenzo(a,h)anthracene	1.9E+02	ug/kg	7.3E+00	7.3E+00	6.3E-09	4.1E-09	5.E-08	3.E-08	8.E-08	--	--	1.5E-08	9.5E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.9E+02	ug/kg	7.3E-01	7.3E-01	1.3E-08	8.5E-09	1.E-08	6.E-09	2.E-08	--	--	3.1E-08	2.0E-08	--	--	--
	Naphthalene	4.5E+01	ug/kg	--	--	1.5E-09	9.8E-10	--	--	--	2.0E-02	2.0E-02	3.5E-09	2.3E-09	2.E-07	1.E-07	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+03	ug/kg	1.4E-02	1.4E-02	3.4E-08	2.9E-08	5.E-10	4.E-10	9.E-10	2.0E-02	2.0E-02	7.9E-08	6.7E-08	4.E-06	3.E-06	0.00001
	Phenols																
	Pentachlorophenol	1.2E+02	ug/kg	4.0E-01	4.0E-01	7.6E-09	2.6E-09	3.E-09	1.E-09	4.E-09	5.0E-03	5.0E-03	1.8E-08	6.0E-09	4.E-06	1.E-06	0.000005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future

Receptor Population: Low frequency Fisher

Population Age: Adult

Medium: Sediment

Exposure Medium: In-water Sediment

Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polychlorinated Biphenyls																
	Total Aroclors	7.0E+01	ug/kg	2.0E+00	2.0E+00	2.6E-09	1.5E-09	5.E-09	3.E-09	8.E-09	2.0E-05	2.0E-05	6.0E-09	3.6E-09	3.E-04	2.E-04	0.0005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.0E+01	pg/g	1.3E+05	1.3E+05	3.1E-13	8.7E-13	4.E-08	1.E-07	2.E-07	1.0E-09	1.0E-09	7.2E-13	2.0E-12	7.E-04	2.E-03	0.003
	Total PCB TEQ	7.4E-01	pg/g	1.3E+05	1.3E+05	2.7E-14	1.6E-14	3.E-09	2.E-09	6.E-09	1.0E-09	1.0E-09	6.3E-14	3.8E-14	6.E-05	4.E-05	0.0001
	Pesticides																
	Aldrin	4.6E-01	ug/kg	1.7E+01	1.7E+01	1.2E-11	1.0E-11	2.E-10	2.E-10	4.E-10	3.0E-05	3.0E-05	2.8E-11	2.3E-11	9.E-07	8.E-07	0.000002
	Dieldrin	1.2E-01	ug/kg	1.6E+01	1.6E+01	3.0E-12	2.5E-12	5.E-11	4.E-11	9.E-11	5.0E-05	5.0E-05	7.0E-12	5.9E-12	1.E-07	1.E-07	0.0000003
	Total DDT	1.3E+01	ug/kg	3.4E-01	3.4E-01	9.9E-11	2.8E-10	3.E-11	9.E-11	1.E-10	5.0E-04	5.0E-04	2.3E-10	6.5E-10	5.E-07	1.E-06	0.000002
Exposure Point Total										1.E-06							0.1
RM 7.5 West	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	2.9E-08	8.0E-08	4.E-08	1.E-07	2.E-07	3.0E-04	3.0E-04	6.7E-08	1.9E-07	2.E-04	6.E-04	0.0008
	Mercury	1.3E-01	mg/kg	--	--	0.0E+00	2.9E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.7E-09	0.E+00	7.E-05	0.0001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	2.3E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.3E-06	0.E+00	8.E-02	0.1
	Butyltins																
	Tributyltin ion	9.7E+00	ug/kg	--	--	2.5E-10	2.1E-10	--	--	--	3.0E-04	3.0E-04	5.9E-10	4.9E-10	2.E-06	2.E-06	0.000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.3E+02	ug/kg	7.3E-01	7.3E-01	1.5E-08	9.5E-09	1.E-08	7.E-09	2.E-08	--	--	3.4E-08	2.2E-08	--	--	--
	Benzo(a)pyrene	3.4E+02	ug/kg	7.3E+00	7.3E+00	1.2E-08	7.5E-09	8.E-08	5.E-08	1.E-07	--	--	2.7E-08	1.7E-08	--	--	--
	Benzo(b)fluoranthene	4.6E+02	ug/kg	7.3E-01	7.3E-01	1.6E-08	1.0E-08	1.E-08	7.E-09	2.E-08	--	--	3.6E-08	2.4E-08	--	--	--
	Benzo(k)fluoranthene	1.3E+02	ug/kg	7.3E-02	7.3E-02	4.4E-09	2.8E-09	3.E-10	2.E-10	5.E-10	--	--	1.0E-08	6.6E-09	--	--	--
	Dibenzo(a,h)anthracene	5.0E+01	ug/kg	7.3E+00	7.3E+00	1.7E-09	1.1E-09	1.E-08	8.E-09	2.E-08	--	--	3.9E-09	2.5E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.9E+02	ug/kg	7.3E-01	7.3E-01	6.4E-09	4.1E-09	5.E-09	3.E-09	8.E-09	--	--	1.5E-08	9.7E-09	--	--	--
	Naphthalene	3.3E+01	ug/kg	--	--	1.1E-09	7.2E-10	--	--	--	2.0E-02	2.0E-02	2.6E-09	1.7E-09	1.E-07	8.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+02	ug/kg	1.4E-02	1.4E-02	4.8E-09	4.0E-09	7.E-11	6.E-11	1.E-10	2.0E-02	2.0E-02	1.1E-08	9.3E-09	6.E-07	5.E-07	0.000001
	Phenols																
	Pentachlorophenol	2.1E+00	ug/kg	4.0E-01	4.0E-01	1.3E-10	4.5E-11	5.E-11	2.E-11	7.E-11	5.0E-03	5.0E-03	3.1E-10	1.1E-10	6.E-08	2.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+02	ug/kg	2.0E+00	2.0E+00	9.1E-09	5.5E-09	2.E-08	1.E-08	3.E-08	2.0E-05	2.0E-05	2.1E-08	1.3E-08	1.E-03	6.E-04	0.002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.6E+00	pg/g	1.3E+05	1.3E+05	2.0E-14	5.7E-14	3.E-09	7.E-09	1.E-08	1.0E-09	1.0E-09	4.7E-14	1.3E-13	5.E-05	1.E-04	0.0002
	Total PCB TEQ	9.2E-01	pg/g	1.3E+05	1.3E+05	3.3E-14	2.0E-14	4.E-09	3.E-09	7.E-09	1.0E-09	1.0E-09	7.8E-14	4.7E-14	8.E-05	5.E-05	0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	2.9E-01	ug/kg	1.7E+01	1.7E+01	7.4E-12	6.2E-12	1.E-10	1.E-10	2.E-10	3.0E-05	3.0E-05	1.7E-11	1.5E-11	6.E-07	5.E-07	0.000001
	Dieldrin	7.7E-01	ug/kg	1.6E+01	1.6E+01	2.0E-11	1.7E-11	3.E-10	3.E-10	6.E-10	5.0E-05	5.0E-05	4.6E-11	3.9E-11	9.E-07	8.E-07	0.000002
	Total DDT	1.3E+02	ug/kg	3.4E-01	3.4E-01	1.0E-09	2.8E-09	3.E-10	1.E-09	1.E-09	5.0E-04	5.0E-04	2.3E-09	6.5E-09	5.E-06	1.E-05	0.00002
Exposure Point Total										**4.E-07**							**0.1**
RM 7.5 East	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	3.3E-08	9.2E-08	5.E-08	1.E-07	2.E-07	3.0E-04	3.0E-04	7.6E-08	2.1E-07	3.E-04	7.E-04	0.001
	Mercury	1.0E-01	mg/kg	--	--	0.0E+00	2.2E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.1E-09	0.E+00	5.E-05	0.0001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	2.4E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.5E-06	0.E+00	8.E-02	0.1
	Butyltins																
	Tributyltin ion	2.3E+02	ug/kg	--	--	5.9E-09	5.0E-09	--	--	--	3.0E-04	3.0E-04	1.4E-08	1.2E-08	5.E-05	4.E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.0E+01	ug/kg	7.3E-01	7.3E-01	1.3E-09	8.6E-10	1.E-09	6.E-10	2.E-09	--	--	3.1E-09	2.0E-09	--	--	--
	Benzo(a)pyrene	3.5E+01	ug/kg	7.3E+00	7.3E+00	1.2E-09	7.7E-10	9.E-09	6.E-09	1.E-08	--	--	2.8E-09	1.8E-09	--	--	--
	Benzo(b)fluoranthene	4.4E+01	ug/kg	7.3E-01	7.3E-01	1.5E-09	9.7E-10	1.E-09	7.E-10	2.E-09	--	--	3.5E-09	2.3E-09	--	--	--
	Benzo(k)fluoranthene	3.1E+01	ug/kg	7.3E-02	7.3E-02	1.0E-09	6.8E-10	8.E-11	5.E-11	1.E-10	--	--	2.4E-09	1.6E-09	--	--	--
	Dibenzo(a,h)anthracene	1.1E+01	ug/kg	7.3E+00	7.3E+00	3.7E-10	2.4E-10	3.E-09	2.E-09	4.E-09	--	--	8.6E-10	5.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.4E+01	ug/kg	7.3E-01	7.3E-01	8.0E-10	5.2E-10	6.E-10	4.E-10	1.E-09	--	--	1.9E-09	1.2E-09	--	--	--
	Naphthalene	1.1E+01	ug/kg	--	--	3.7E-10	2.4E-10	--	--	--	2.0E-02	2.0E-02	8.6E-10	5.6E-10	4.E-08	3.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.7E+03	ug/kg	1.4E-02	1.4E-02	9.5E-08	8.0E-08	1.E-09	1.E-09	2.E-09	2.0E-02	2.0E-02	2.2E-07	1.9E-07	1.E-05	9.E-06	0.00002
	Polychlorinated Biphenyls																
	Total Aroclors	4.5E+01	ug/kg	2.0E+00	2.0E+00	1.6E-09	9.8E-10	3.E-09	2.E-09	5.E-09	2.0E-05	2.0E-05	3.8E-09	2.3E-09	2.E-04	1.E-04	0.0003
	Pesticides																
	Dieldrin	3.4E-01	ug/kg	1.6E+01	1.6E+01	8.8E-12	7.4E-12	1.E-10	1.E-10	3.E-10	5.0E-05	5.0E-05	2.1E-11	1.7E-11	4.E-07	3.E-07	0.000001
	Total DDT	3.3E+00	ug/kg	3.4E-01	3.4E-01	2.6E-11	7.3E-11	9.E-12	2.E-11	3.E-11	5.0E-04	5.0E-04	6.0E-11	1.7E-10	1.E-07	3.E-07	0.0000005
Exposure Point Total										**2.E-07**							**0.1**
RM 8 West	**Metals**																
	Arsenic	8.0E+00	mg/kg	1.5E+00	1.5E+00	6.2E-08	1.7E-07	9.E-08	3.E-07	4.E-07	3.0E-04	3.0E-04	1.5E-07	4.1E-07	5.E-04	1.E-03	0.002
	Mercury	3.3E-01	mg/kg	--	--	0.0E+00	7.1E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.7E-08	0.E+00	2.E-04	0.0002
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	2.2E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.2E-06	0.E+00	7.E-02	0.1
	Butyltins																
	Tributyltin ion	2.5E+01	ug/kg	--	--	6.4E-10	5.4E-10	--	--	--	3.0E-04	3.0E-04	1.5E-09	1.3E-09	5.E-06	4.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.5E+02	ug/kg	7.3E-01	7.3E-01	1.9E-08	1.2E-08	1.E-08	9.E-09	2.E-08	--	--	4.3E-08	2.8E-08	--	--	--
	Benzo(a)pyrene	4.9E+02	ug/kg	7.3E+00	7.3E+00	1.6E-08	1.1E-08	1.E-07	8.E-08	2.E-07	--	--	3.8E-08	2.5E-08	--	--	--
	Benzo(b)fluoranthene	6.9E+02	ug/kg	7.3E-01	7.3E-01	2.3E-08	1.5E-08	2.E-08	1.E-08	3.E-08	--	--	5.4E-08	3.5E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(k)fluoranthene	1.2E+02	ug/kg	7.3E-02	7.3E-02	4.2E-09	2.7E-09	3.E-10	2.E-10	5.E-10	--	--	9.7E-09	6.3E-09	--	--	--
	Dibenzo(a,h)anthracene	1.4E+02	ug/kg	7.3E+00	7.3E+00	4.6E-09	3.0E-09	3.E-08	2.E-08	6.E-08	--	--	1.1E-08	7.0E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.2E+02	ug/kg	7.3E-01	7.3E-01	1.1E-08	6.9E-09	8.E-09	5.E-09	1.E-08	--	--	2.5E-08	1.6E-08	--	--	--
	Naphthalene	8.1E+01	ug/kg	--	--	2.7E-09	1.8E-09	--	--	--	2.0E-02	2.0E-02	6.3E-09	4.1E-09	3.E-07	2.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.0E+03	ug/kg	1.4E-02	1.4E-02	7.8E-08	6.6E-08	1.E-09	9.E-10	2.E-09	2.0E-02	2.0E-02	1.8E-07	1.5E-07	9.E-06	8.E-06	0.00002
	Phenols																
	Pentachlorophenol	1.5E+01	ug/kg	4.0E-01	4.0E-01	9.8E-10	3.3E-10	4.E-10	1.E-10	5.E-10	5.0E-03	5.0E-03	2.3E-09	7.7E-10	5.E-07	2.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	4.0E+02	ug/kg	2.0E+00	2.0E+00	1.5E-08	8.8E-09	3.E-08	2.E-08	5.E-08	2.0E-05	2.0E-05	3.4E-08	2.0E-08	2.E-03	1.E-03	0.003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.3E-01	pg/g	1.3E+05	1.3E+05	3.3E-15	9.3E-15	4.E-10	1.E-09	2.E-09	1.0E-09	1.0E-09	7.7E-15	2.2E-14	8.E-06	2.E-05	0.00003
	Total PCB TEQ	6.1E+00	pg/g	1.3E+05	1.3E+05	2.2E-13	1.3E-13	3.E-08	2.E-08	5.E-08	1.0E-09	1.0E-09	5.1E-13	3.1E-13	5.E-04	3.E-04	0.001
	Pesticides																
	Aldrin	1.2E-01	ug/kg	1.7E+01	1.7E+01	3.0E-12	2.5E-12	5.E-11	4.E-11	9.E-11	3.0E-05	3.0E-05	7.0E-12	5.9E-12	2.E-07	2.E-07	0.0000004
	Dieldrin	4.6E+00	ug/kg	1.6E+01	1.6E+01	1.2E-10	9.9E-11	2.E-09	2.E-09	3.E-09	5.0E-05	5.0E-05	2.8E-10	2.3E-10	6.E-06	5.E-06	0.00001
	Total DDT	2.1E+01	ug/kg	3.4E-01	3.4E-01	1.6E-10	4.6E-10	6.E-11	2.E-10	2.E-10	5.0E-04	5.0E-04	3.8E-10	1.1E-09	8.E-07	2.E-06	0.000003
Exposure Point Total										**8.E-07**							**0.1**
RM 8 East	**Metals**																
	Arsenic	9.1E+00	mg/kg	1.5E+00	1.5E+00	7.1E-08	2.0E-07	1.E-07	3.E-07	4.E-07	3.0E-04	3.0E-04	1.7E-07	4.6E-07	6.E-04	2.E-03	0.002
	Mercury	2.2E-01	mg/kg	--	--	0.0E+00	4.8E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-08	0.E+00	1.E-04	0.0001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	2.4E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.5E-06	0.E+00	8.E-02	0.1
	Butyltins																
	Tributyltin ion	5.8E+03	ug/kg	--	--	1.5E-07	1.3E-07	--	--	--	3.0E-04	3.0E-04	3.5E-07	2.9E-07	1.E-03	1.E-03	0.002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.0E+02	ug/kg	7.3E-01	7.3E-01	1.7E-08	1.1E-08	1.E-08	8.E-09	2.E-08	--	--	3.9E-08	2.5E-08	--	--	--
	Benzo(a)pyrene	5.3E+02	ug/kg	7.3E+00	7.3E+00	1.8E-08	1.2E-08	1.E-07	8.E-08	2.E-07	--	--	4.1E-08	2.7E-08	--	--	--
	Benzo(b)fluoranthene	5.5E+02	ug/kg	7.3E-01	7.3E-01	1.9E-08	1.2E-08	1.E-08	9.E-09	2.E-08	--	--	4.3E-08	2.8E-08	--	--	--
	Benzo(k)fluoranthene	3.7E+02	ug/kg	7.3E-02	7.3E-02	1.2E-08	8.0E-09	9.E-10	6.E-10	1.E-09	--	--	2.9E-08	1.9E-08	--	--	--
	Dibenzo(a,h)anthracene	4.0E+01	ug/kg	7.3E+00	7.3E+00	1.4E-09	8.8E-10	1.E-08	6.E-09	2.E-08	--	--	3.2E-09	2.0E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.7E+02	ug/kg	7.3E-01	7.3E-01	1.2E-08	8.0E-09	9.E-09	6.E-09	1.E-08	--	--	2.9E-08	1.9E-08	--	--	--
	Naphthalene	2.2E+01	ug/kg	--	--	7.3E-10	4.8E-10	--	--	--	2.0E-02	2.0E-02	1.7E-09	1.1E-09	9.E-08	6.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+03	ug/kg	1.4E-02	1.4E-02	3.4E-08	2.9E-08	5.E-10	4.E-10	9.E-10	2.0E-02	2.0E-02	7.9E-08	6.7E-08	4.E-06	3.E-06	0.00001
	Phenols																
	Pentachlorophenol	2.7E+01	ug/kg	4.0E-01	4.0E-01	1.7E-09	5.8E-10	7.E-10	2.E-10	9.E-10	5.0E-03	5.0E-03	4.0E-09	1.4E-09	8.E-07	3.E-07	0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future

Receptor Population: Low frequency Fisher

Population Age: Adult

Medium: Sediment

Exposure Medium: In-water Sediment

Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg-day)^{-1}$	Oral Cancer Slope Factor $(mg/kg-day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polychlorinated Biphenyls																
	Total Aroclors	5.8E+02	ug/kg	2.0E+00	2.0E+00	2.1E-08	1.3E-08	4.E-08	3.E-08	7.E-08	2.0E-05	2.0E-05	4.9E-08	2.9E-08	2.E-03	1.E-03	0.004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.1E+00	pg/g	1.3E+05	1.3E+05	1.6E-14	4.5E-14	2.E-09	6.E-09	8.E-09	1.0E-09	1.0E-09	3.8E-14	1.1E-13	4.E-05	1.E-04	0.0001
	Total PCB TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	6.3E-13	3.8E-13	8.E-08	5.E-08	1.E-07	1.0E-09	1.0E-09	1.5E-12	8.8E-13	1.E-03	9.E-04	0.002
	Pesticides																
	Aldrin	4.4E-01	ug/kg	1.7E+01	1.7E+01	1.2E-11	9.7E-12	2.E-10	2.E-10	4.E-10	3.0E-05	3.0E-05	2.7E-11	2.3E-11	9.E-07	8.E-07	0.000002
	Dieldrin	4.7E+00	ug/kg	1.6E+01	1.6E+01	1.2E-10	1.0E-10	2.E-09	2.E-09	4.E-09	5.0E-05	5.0E-05	2.8E-10	2.4E-10	6.E-06	5.E-06	0.00001
	Total DDT	9.4E+01	ug/kg	3.4E-01	3.4E-01	7.3E-10	2.0E-09	2.E-10	7.E-10	9.E-10	5.0E-04	5.0E-04	1.7E-09	4.8E-09	3.E-06	1.E-05	0.00001
Exposure Point Total										9.E-07							0.1
RM 8 SIL	**Metals**																
	Arsenic	5.9E+00	mg/kg	1.5E+00	1.5E+00	4.6E-08	1.3E-07	7.E-08	2.E-07	3.E-07	3.0E-04	3.0E-04	1.1E-07	3.0E-07	4.E-04	1.E-03	0.001
	Mercury	1.4E-01	mg/kg	--	--	0.0E+00	3.0E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.1E-09	0.E+00	7.E-05	0.0001
	Vanadium	1.2E+02	mg/kg	--	--	0.0E+00	2.7E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	6.3E-06	0.E+00	9.E-02	0.1
	Butyltins																
	Tributyltin ion	2.1E+04	ug/kg	--	--	5.5E-07	4.6E-07	--	--	--	3.0E-04	3.0E-04	1.3E-06	1.1E-06	4.E-03	4.E-03	0.01
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.4E+02	ug/kg	7.3E-01	7.3E-01	1.8E-08	1.2E-08	1.E-08	9.E-09	2.E-08	--	--	4.2E-08	2.7E-08	--	--	--
	Benzo(a)pyrene	3.6E+02	ug/kg	7.3E+00	7.3E+00	1.2E-08	7.8E-09	9.E-08	6.E-08	1.E-07	--	--	2.8E-08	1.8E-08	--	--	--
	Benzo(b)fluoranthene	7.0E+02	ug/kg	7.3E-01	7.3E-01	2.4E-08	1.5E-08	2.E-08	1.E-08	3.E-08	--	--	5.5E-08	3.6E-08	--	--	--
	Benzo(k)fluoranthene	3.5E+02	ug/kg	7.3E-02	7.3E-02	1.2E-08	7.6E-09	9.E-10	6.E-10	1.E-09	--	--	2.7E-08	1.8E-08	--	--	--
	Dibenzo(a,h)anthracene	7.1E+01	ug/kg	7.3E+00	7.3E+00	2.4E-09	1.6E-09	2.E-08	1.E-08	3.E-08	--	--	5.6E-09	3.6E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.1E+02	ug/kg	7.3E-01	7.3E-01	7.0E-09	4.5E-09	5.E-09	3.E-09	8.E-09	--	--	1.6E-08	1.1E-08	--	--	--
	Naphthalene	3.0E+01	ug/kg	--	--	1.0E-09	6.6E-10	--	--	--	2.0E-02	2.0E-02	2.4E-09	1.5E-09	1.E-07	8.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.1E+04	ug/kg	1.4E-02	1.4E-02	1.1E-06	8.9E-07	1.E-08	1.E-08	3.E-08	2.0E-02	2.0E-02	2.5E-06	2.1E-06	1.E-04	1.E-04	0.0002
	Phenols																
	Pentachlorophenol	3.3E+01	ug/kg	4.0E-01	4.0E-01	2.1E-09	7.1E-10	8.E-10	3.E-10	1.E-09	5.0E-03	5.0E-03	4.9E-09	1.7E-09	1.E-06	3.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	5.3E+02	ug/kg	2.0E+00	2.0E+00	1.9E-08	1.2E-08	4.E-08	2.E-08	6.E-08	2.0E-05	2.0E-05	4.5E-08	2.7E-08	2.E-03	1.E-03	0.004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.3E+01	pg/g	1.3E+05	1.3E+05	2.6E-13	7.2E-13	3.E-08	9.E-08	1.E-07	1.0E-09	1.0E-09	6.0E-13	1.7E-12	6.E-04	2.E-03	0.002
	Total PCB TEQ	8.8E+01	pg/g	1.3E+05	1.3E+05	3.2E-12	1.9E-12	4.E-07	2.E-07	7.E-07	1.0E-09	1.0E-09	7.4E-12	4.5E-12	7.E-03	4.E-03	0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	3.6E-01	ug/kg	1.7E+01	1.7E+01	9.2E-12	7.7E-12	2.E-10	1.E-10	3.E-10	3.0E-05	3.0E-05	2.1E-11	1.8E-11	7.E-07	6.E-07	0.000001
	Dieldrin	1.4E+00	ug/kg	1.6E+01	1.6E+01	3.7E-11	3.1E-11	6.E-10	5.E-10	1.E-09	5.0E-05	5.0E-05	8.6E-11	7.2E-11	2.E-06	1.E-06	0.000003
	Total DDT	1.2E+01	ug/kg	3.4E-01	3.4E-01	9.3E-11	2.6E-10	3.E-11	9.E-11	1.E-10	5.0E-04	5.0E-04	2.2E-10	6.1E-10	4.E-07	1.E-06	0.000002
Exposure Point Total										1.E-06							0.1
RM 8.5 West	**Metals**																
	Arsenic	1.2E+01	mg/kg	1.5E+00	1.5E+00	9.0E-08	2.5E-07	1.E-07	4.E-07	5.E-07	3.0E-04	3.0E-04	2.1E-07	5.9E-07	7.E-04	2.E-03	0.003
	Mercury	4.7E-01	mg/kg	--	--	0.0E+00	1.0E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.4E-08	0.E+00	2.E-04	0.0002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	2.4E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.5E-06	0.E+00	8.E-02	0.08
	Butyltins																
	Tributyltin ion	1.7E+01	ug/kg	--	--	4.3E-10	3.6E-10	--	--	--	3.0E-04	3.0E-04	1.0E-09	8.5E-10	3.E-06	3.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+02	ug/kg	7.3E-01	7.3E-01	6.0E-09	3.9E-09	4.E-09	3.E-09	7.E-09	--	--	1.4E-08	9.0E-09	--	--	--
	Benzo(a)pyrene	2.2E+02	ug/kg	7.3E+00	7.3E+00	7.5E-09	4.9E-09	5.E-08	4.E-08	9.E-08	--	--	1.8E-08	1.1E-08	--	--	--
	Benzo(b)fluoranthene	1.8E+02	ug/kg	7.3E-01	7.3E-01	6.1E-09	4.0E-09	4.E-09	3.E-09	7.E-09	--	--	1.4E-08	9.3E-09	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	3.8E-09	2.4E-09	3.E-10	2.E-10	5.E-10	--	--	8.8E-09	5.7E-09	--	--	--
	Dibenzo(a,h)anthracene	1.7E+01	ug/kg	7.3E+00	7.3E+00	5.6E-10	3.6E-10	4.E-09	3.E-09	7.E-09	--	--	1.3E-09	8.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	7.6E+01	ug/kg	7.3E-01	7.3E-01	2.6E-09	1.7E-09	2.E-09	1.E-09	3.E-09	--	--	6.0E-09	3.9E-09	--	--	--
	Naphthalene	3.7E+01	ug/kg	--	--	1.2E-09	8.0E-10	--	--	--	2.0E-02	2.0E-02	2.9E-09	1.9E-09	1.E-07	9.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.7E+03	ug/kg	1.4E-02	1.4E-02	4.5E-08	3.8E-08	6.E-10	5.E-10	1.E-09	2.0E-02	2.0E-02	1.0E-07	8.8E-08	5.E-06	4.E-06	0.00001
	Phenols																
	Pentachlorophenol	3.9E+00	ug/kg	4.0E-01	4.0E-01	2.5E-10	8.5E-11	1.E-10	3.E-11	1.E-10	5.0E-03	5.0E-03	5.9E-10	2.0E-10	1.E-07	4.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	8.5E+03	ug/kg	2.0E+00	2.0E+00	3.1E-07	1.8E-07	6.E-07	4.E-07	1.E-06	2.0E-05	2.0E-05	7.2E-07	4.3E-07	4.E-02	2.E-02	0.06
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.8E+01	pg/g	1.3E+05	1.3E+05	1.4E-13	4.0E-13	2.E-08	5.E-08	7.E-08	1.0E-09	1.0E-09	3.3E-13	9.3E-13	3.E-04	9.E-04	0.001
	Total PCB TEQ	2.4E+02	pg/g	1.3E+05	1.3E+05	8.7E-12	5.2E-12	1.E-06	7.E-07	2.E-06	1.0E-09	1.0E-09	2.0E-11	1.2E-11	2.E-02	1.E-02	0.03
	Pesticides																
	Aldrin	3.2E+01	ug/kg	1.7E+01	1.7E+01	8.4E-10	7.1E-10	1.E-08	1.E-08	3.E-08	3.0E-05	3.0E-05	2.0E-09	1.6E-09	7.E-05	5.E-05	0.0001
	Dieldrin	3.9E+01	ug/kg	1.6E+01	1.6E+01	1.0E-09	8.4E-10	2.E-08	1.E-08	3.E-08	5.0E-05	5.0E-05	2.3E-09	2.0E-09	5.E-05	4.E-05	0.0001
	Total DDT	2.2E+01	ug/kg	3.4E-01	3.4E-01	1.7E-10	4.8E-10	6.E-11	2.E-10	2.E-10	5.0E-04	5.0E-04	4.0E-10	1.1E-09	8.E-07	2.E-06	0.000003
Exposure Point Total										4.E-06							0.2
RM 8.5 East	**Metals**																
	Arsenic	9.0E+00	mg/kg	1.5E+00	1.5E+00	7.0E-08	2.0E-07	1.E-07	3.E-07	4.E-07	3.0E-04	3.0E-04	1.6E-07	4.6E-07	5.E-04	2.E-03	0.002
	Mercury	1.8E-01	mg/kg	--	--	0.0E+00	4.0E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.4E-09	0.E+00	9.E-05	0.0001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	2.3E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.3E-06	0.E+00	8.E-02	0.1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Low frequency Fisher   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	3.1E+01	ug/kg	--	--	7.9E-10	6.7E-10	--	--	--	3.0E-04	3.0E-04	1.8E-09	1.6E-09	6.E-06	5.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.7E+01	ug/kg	7.3E-01	7.3E-01	3.3E-09	2.1E-09	2.E-09	2.E-09	4.E-09	--	--	7.6E-09	4.9E-09	--	--	--
	Benzo(a)pyrene	1.0E+02	ug/kg	7.3E+00	7.3E+00	3.4E-09	2.2E-09	2.E-08	2.E-08	4.E-08	--	--	7.9E-09	5.1E-09	--	--	--
	Benzo(b)fluoranthene	1.4E+02	ug/kg	7.3E-01	7.3E-01	4.6E-09	3.0E-09	3.E-09	2.E-09	5.E-09	--	--	1.1E-08	6.9E-09	--	--	--
	Benzo(k)fluoranthene	9.8E+01	ug/kg	7.3E-02	7.3E-02	3.3E-09	2.1E-09	2.E-10	2.E-10	4.E-10	--	--	7.7E-09	5.0E-09	--	--	--
	Dibenzo(a,h)anthracene	1.2E+01	ug/kg	7.3E+00	7.3E+00	3.9E-10	2.5E-10	3.E-09	2.E-09	5.E-09	--	--	9.1E-10	5.9E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	8.0E+01	ug/kg	7.3E-01	7.3E-01	2.7E-09	1.7E-09	2.E-09	1.E-09	3.E-09	--	--	6.3E-09	4.1E-09	--	--	--
	Naphthalene	1.5E+02	ug/kg	--	--	5.0E-09	3.2E-09	--	--	--	2.0E-02	2.0E-02	1.2E-08	7.5E-09	6.E-07	4.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.2E+02	ug/kg	1.4E-02	1.4E-02	2.4E-08	2.0E-08	3.E-10	3.E-10	6.E-10	2.0E-02	2.0E-02	5.6E-08	4.7E-08	3.E-06	2.E-06	0.00001
	Polychlorinated Biphenyls																
	Total Aroclors	7.2E+01	ug/kg	2.0E+00	2.0E+00	2.6E-09	1.6E-09	5.E-09	3.E-09	8.E-09	2.0E-05	2.0E-05	6.1E-09	3.7E-09	3.E-04	2.E-04	0.0005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.4E-01	pg/g	1.3E+05	1.3E+05	7.3E-15	2.1E-14	1.E-09	3.E-09	4.E-09	1.0E-09	1.0E-09	1.7E-14	4.8E-14	2.E-05	5.E-05	0.0001
	Total PCB TEQ	5.9E-01	pg/g	1.3E+05	1.3E+05	2.1E-14	1.3E-14	3.E-09	2.E-09	4.E-09	1.0E-09	1.0E-09	5.0E-14	3.0E-14	5.E-05	3.E-05	0.0001
	Pesticides																
	Aldrin	4.1E-02	ug/kg	1.7E+01	1.7E+01	1.1E-12	9.0E-13	2.E-11	2.E-11	3.E-11	3.0E-05	3.0E-05	2.5E-12	2.1E-12	8.E-08	7.E-08	0.0000002
	Dieldrin	4.4E-01	ug/kg	1.6E+01	1.6E+01	1.1E-11	9.6E-12	2.E-10	2.E-10	3.E-10	5.0E-05	5.0E-05	2.6E-11	2.2E-11	5.E-07	4.E-07	0.000001
	Total DDT	2.3E+00	ug/kg	3.4E-01	3.4E-01	1.8E-11	5.0E-11	6.E-12	2.E-11	2.E-11	5.0E-04	5.0E-04	4.2E-11	1.2E-10	8.E-08	2.E-07	0.0000003
Exposure Point Total										**5.E-07**							**0.1**
RM 9 West	**Metals**																
	Arsenic	5.0E+00	mg/kg	1.5E+00	1.5E+00	3.9E-08	1.1E-07	6.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	9.0E-08	2.5E-07	3.E-04	8.E-04	0.001
	Mercury	2.3E-01	mg/kg	--	--	0.0E+00	5.1E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.2E-08	0.E+00	1.E-04	0.0001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	2.5E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.7E-06	0.E+00	8.E-02	0.1
	Butyltins																
	Tributyltin ion	1.7E+01	ug/kg	--	--	4.3E-10	3.6E-10	--	--	--	3.0E-04	3.0E-04	1.0E-09	8.5E-10	3.E-06	3.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.2E+02	ug/kg	7.3E-01	7.3E-01	1.1E-08	6.9E-09	8.E-09	5.E-09	1.E-08	--	--	2.5E-08	1.6E-08	--	--	--
	Benzo(a)pyrene	1.9E+02	ug/kg	7.3E+00	7.3E+00	6.5E-09	4.2E-09	5.E-08	3.E-08	8.E-08	--	--	1.5E-08	9.8E-09	--	--	--
	Benzo(b)fluoranthene	3.0E+02	ug/kg	7.3E-01	7.3E-01	1.0E-08	6.6E-09	7.E-09	5.E-09	1.E-08	--	--	2.4E-08	1.6E-08	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	3.8E-09	2.5E-09	3.E-10	2.E-10	5.E-10	--	--	9.0E-09	5.8E-09	--	--	--
	Dibenzo(a,h)anthracene	4.8E+01	ug/kg	7.3E+00	7.3E+00	1.6E-09	1.0E-09	1.E-08	8.E-09	2.E-08	--	--	3.7E-09	2.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	4.0E-09	2.6E-09	3.E-09	2.E-09	5.E-09	--	--	9.4E-09	6.1E-09	--	--	--
	Naphthalene	2.5E+01	ug/kg	--	--	8.4E-10	5.4E-10	--	--	--	2.0E-02	2.0E-02	2.0E-09	1.3E-09	1.E-07	6.E-08	0.0000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.4E+02	ug/kg	1.4E-02	1.4E-02	1.2E-08	9.7E-09	2.E-10	1.E-10	3.E-10	2.0E-02	2.0E-02	2.7E-08	2.3E-08	1.E-06	1.E-06	0.000002
	Phenols																
	Pentachlorophenol	4.5E+01	ug/kg	4.0E-01	4.0E-01	2.9E-09	9.8E-10	1.E-09	4.E-10	2.E-09	5.0E-03	5.0E-03	6.8E-09	2.3E-09	1.E-06	5.E-07	0.000002
	Polychlorinated Biphenyls																
	Total Aroclors	2.3E+03	ug/kg	2.0E+00	2.0E+00	8.4E-08	5.1E-08	2.E-07	1.E-07	3.E-07	2.0E-05	2.0E-05	2.0E-07	1.2E-07	1.E-02	6.E-03	0.02
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.0E+00	pg/g	1.3E+05	1.3E+05	4.6E-14	1.3E-13	6.E-09	2.E-08	2.E-08	1.0E-09	1.0E-09	1.1E-13	3.0E-13	1.E-04	3.E-04	0.0004
	Total PCB TEQ	3.2E+01	pg/g	1.3E+05	1.3E+05	1.2E-12	7.0E-13	2.E-07	9.E-08	2.E-07	1.0E-09	1.0E-09	2.7E-12	1.6E-12	3.E-03	2.E-03	0.004
	Pesticides																
	Aldrin	1.4E+00	ug/kg	1.7E+01	1.7E+01	3.7E-11	3.1E-11	6.E-10	5.E-10	1.E-09	3.0E-05	3.0E-05	8.6E-11	7.2E-11	3.E-06	2.E-06	0.00001
	Dieldrin	6.3E-01	ug/kg	1.6E+01	1.6E+01	1.6E-11	1.4E-11	3.E-10	2.E-10	5.E-10	5.0E-05	5.0E-05	3.8E-11	3.2E-11	8.E-07	6.E-07	0.000001
	Total DDT	9.9E+00	ug/kg	3.4E-01	3.4E-01	7.7E-11	2.2E-10	3.E-11	7.E-11	1.E-10	5.0E-04	5.0E-04	1.8E-10	5.0E-10	4.E-07	1.E-06	0.000001
Exposure Point Total										**9.E-07**							**0.1**
RM 9 East	**Metals**																
	Arsenic	4.8E+00	mg/kg	1.5E+00	1.5E+00	3.7E-08	1.0E-07	6.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	8.7E-08	2.4E-07	3.E-04	8.E-04	0.001
	Mercury	6.1E-02	mg/kg	--	--	0.0E+00	1.3E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.1E-09	0.E+00	3.E-05	0.00003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+01	ug/kg	7.3E-01	7.3E-01	4.7E-10	3.0E-10	3.E-10	2.E-10	6.E-10	--	--	1.1E-09	7.1E-10	--	--	--
	Benzo(a)pyrene	1.7E+01	ug/kg	7.3E+00	7.3E+00	5.9E-10	3.8E-10	4.E-09	3.E-09	7.E-09	--	--	1.4E-09	8.9E-10	--	--	--
	Benzo(b)fluoranthene	2.4E+01	ug/kg	7.3E-01	7.3E-01	8.0E-10	5.2E-10	6.E-10	4.E-10	1.E-09	--	--	1.9E-09	1.2E-09	--	--	--
	Benzo(k)fluoranthene	1.1E+01	ug/kg	7.3E-02	7.3E-02	3.6E-10	2.3E-10	3.E-11	2.E-11	4.E-11	--	--	8.3E-10	5.4E-10	--	--	--
	Dibenzo(a,h)anthracene	2.9E+00	ug/kg	7.3E+00	7.3E+00	9.8E-11	6.3E-11	7.E-10	5.E-10	1.E-09	--	--	2.3E-10	1.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+01	ug/kg	7.3E-01	7.3E-01	4.8E-10	3.1E-10	4.E-10	2.E-10	6.E-10	--	--	1.1E-09	7.3E-10	--	--	--
	Naphthalene	8.9E+00	ug/kg	--	--	3.0E-10	1.9E-10	--	--	--	2.0E-02	2.0E-02	7.0E-10	4.5E-10	3.E-08	2.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.0E+03	ug/kg	1.4E-02	1.4E-02	5.1E-08	4.3E-08	7.E-10	6.E-10	1.E-09	2.0E-02	2.0E-02	1.2E-07	1.0E-07	6.E-06	5.E-06	0.00001
	Polychlorinated Biphenyls																
	Total Aroclors	1.0E+02	ug/kg	2.0E+00	2.0E+00	3.6E-09	2.2E-09	7.E-09	4.E-09	1.E-08	2.0E-05	2.0E-05	8.5E-09	5.1E-09	4.E-04	3.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.2E-01	pg/g	1.3E+05	1.3E+05	1.7E-15	4.7E-15	2.E-10	6.E-10	8.E-10	1.0E-09	1.0E-09	3.9E-15	1.1E-14	4.E-06	1.E-05	0.00001
	Total PCB TEQ	6.3E-01	pg/g	1.3E+05	1.3E+05	2.3E-14	1.4E-14	3.E-09	2.E-09	5.E-09	1.0E-09	1.0E-09	5.3E-14	3.2E-14	5.E-05	3.E-05	0.0001
	Pesticides																
	Dieldrin	2.6E-01	ug/kg	1.6E+01	1.6E+01	6.8E-12	5.7E-12	1.E-10	9.E-11	2.E-10	5.0E-05	5.0E-05	1.6E-11	1.3E-11	3.E-07	3.E-07	0.000001
	Total DDT	1.9E+00	ug/kg	3.4E-01	3.4E-01	1.5E-11	4.2E-11	5.E-12	1.E-11	2.E-11	5.0E-04	5.0E-04	3.5E-11	9.9E-11	7.E-08	2.E-07	0.0000003
Exposure Point Total										**2.E-07**							**0.002**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 9.5 West	**Metals**																
	Arsenic	4.5E+00	mg/kg	1.5E+00	1.5E+00	3.5E-08	9.8E-08	5.E-08	1.E-07	2.E-07	3.0E-04	3.0E-04	8.2E-08	2.3E-07	3.E-04	8.E-04	0.001
	Mercury	7.5E-02	mg/kg	--	--	0.0E+00	1.6E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.8E-09	0.E+00	4.E-05	0.00004
	Butyltins																
	Tributyltin ion	1.0E+01	ug/kg	--	--	2.6E-10	2.2E-10	--	--	--	3.0E-04	3.0E-04	6.0E-10	5.1E-10	2.E-06	2.E-06	0.000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+02	ug/kg	7.3E-01	7.3E-01	8.6E-09	5.6E-09	6.E-09	4.E-09	1.E-08	--	--	2.0E-08	1.3E-08	--	--	--
	Benzo(a)pyrene	3.6E+02	ug/kg	7.3E+00	7.3E+00	1.2E-08	7.8E-09	9.E-08	6.E-08	1.E-07	--	--	2.8E-08	1.8E-08	--	--	--
	Benzo(b)fluoranthene	5.3E+02	ug/kg	7.3E-01	7.3E-01	1.8E-08	1.2E-08	1.E-08	8.E-09	2.E-08	--	--	4.2E-08	2.7E-08	--	--	--
	Benzo(k)fluoranthene	2.4E+02	ug/kg	7.3E-02	7.3E-02	8.0E-09	5.2E-09	6.E-10	4.E-10	1.E-09	--	--	1.9E-08	1.2E-08	--	--	--
	Dibenzo(a,h)anthracene	1.3E+02	ug/kg	7.3E+00	7.3E+00	4.4E-09	2.8E-09	3.E-08	2.E-08	5.E-08	--	--	1.0E-08	6.6E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.0E+02	ug/kg	7.3E-01	7.3E-01	1.0E-08	6.5E-09	7.E-09	5.E-09	1.E-08	--	--	2.4E-08	1.5E-08	--	--	--
	Naphthalene	2.2E+02	ug/kg	--	--	7.5E-09	4.9E-09	--	--	--	2.0E-02	2.0E-02	1.7E-08	1.1E-08	9.E-07	6.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.4E+03	ug/kg	1.4E-02	1.4E-02	6.1E-08	5.1E-08	9.E-10	7.E-10	2.E-09	2.0E-02	2.0E-02	1.4E-07	1.2E-07	7.E-06	6.E-06	0.00001
	Phenols																
	Pentachlorophenol	9.8E+01	ug/kg	4.0E-01	4.0E-01	6.3E-09	2.1E-09	3.E-09	9.E-10	3.E-09	5.0E-03	5.0E-03	1.5E-08	5.0E-09	3.E-06	1.E-06	0.000004
	Polychlorinated Biphenyls																
	Total Aroclors	3.0E+02	ug/kg	2.0E+00	2.0E+00	1.1E-08	6.6E-09	2.E-08	1.E-08	3.E-08	2.0E-05	2.0E-05	2.5E-08	1.5E-08	1.E-03	8.E-04	0.002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	1.3E-13	3.6E-13	2.E-08	5.E-08	6.E-08	1.0E-09	1.0E-09	3.0E-13	8.4E-13	3.E-04	8.E-04	0.001
	Total PCB TEQ	4.8E+00	pg/g	1.3E+05	1.3E+05	1.7E-13	1.0E-13	2.E-08	1.E-08	4.E-08	1.0E-09	1.0E-09	4.0E-13	2.4E-13	4.E-04	2.E-04	0.001
	Pesticides																
	Aldrin	2.8E+00	ug/kg	1.7E+01	1.7E+01	7.2E-11	6.1E-11	1.E-09	1.E-09	2.E-09	3.0E-05	3.0E-05	1.7E-10	1.4E-10	6.E-06	5.E-06	0.00001
	Dieldrin	4.9E+00	ug/kg	1.6E+01	1.6E+01	1.3E-10	1.1E-10	2.E-09	2.E-09	4.E-09	5.0E-05	5.0E-05	2.9E-10	2.5E-10	6.E-06	5.E-06	0.00001
	Total DDT	4.5E+00	ug/kg	3.4E-01	3.4E-01	3.5E-11	9.9E-11	1.E-11	3.E-11	5.E-11	5.0E-04	5.0E-04	8.2E-11	2.3E-10	2.E-07	5.E-07	0.00000
Exposure Point Total										**6.E-07**							**0.005**
RM 9.5 East	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	2.8E-08	8.0E-08	4.E-08	1.E-07	2.E-07	3.0E-04	3.0E-04	6.6E-08	1.9E-07	2.E-04	6.E-04	0.0008
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	2.7E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.3E-09	0.E+00	6.E-05	0.0001
	Butyltins																
	Tributyltin ion	3.6E+00	ug/kg	--	--	9.3E-11	7.9E-11	--	--	--	3.0E-04	3.0E-04	2.2E-10	1.8E-10	7.E-07	6.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.0E+01	ug/kg	7.3E-01	7.3E-01	1.0E-09	6.6E-10	7.E-10	5.E-10	1.E-09	--	--	2.4E-09	1.5E-09	--	--	--
	Benzo(a)pyrene	3.4E+01	ug/kg	7.3E+00	7.3E+00	1.2E-09	7.5E-10	8.E-09	5.E-09	1.E-08	--	--	2.7E-09	1.7E-09	--	--	--
	Benzo(b)fluoranthene	4.0E+01	ug/kg	7.3E-01	7.3E-01	1.3E-09	8.7E-10	1.E-09	6.E-10	2.E-09	--	--	3.1E-09	2.0E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(k)fluoranthene	2.4E+01	ug/kg	7.3E-02	7.3E-02	8.1E-10	5.2E-10	6.E-11	4.E-11	1.E-10	--	--	1.9E-09	1.2E-09	--	--	--
	Dibenzo(a,h)anthracene	9.2E+00	ug/kg	7.3E+00	7.3E+00	3.1E-10	2.0E-10	2.E-09	1.E-09	4.E-09	--	--	7.2E-10	4.7E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.7E+01	ug/kg	7.3E-01	7.3E-01	9.2E-10	6.0E-10	7.E-10	4.E-10	1.E-09	--	--	2.1E-09	1.4E-09	--	--	--
	Naphthalene	4.8E+00	ug/kg	--	--	1.6E-10	1.1E-10	--	--	--	2.0E-02	2.0E-02	3.8E-10	2.5E-10	2.E-08	1.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.6E+02	ug/kg	1.4E-02	1.4E-02	6.7E-09	5.6E-09	9.E-11	8.E-11	2.E-10	2.0E-02	2.0E-02	1.6E-08	1.3E-08	8.E-07	7.E-07	0.000001
	Phenols																
	Pentachlorophenol	3.4E+00	ug/kg	4.0E-01	4.0E-01	2.2E-10	7.4E-11	9.E-11	3.E-11	1.E-10	5.0E-03	5.0E-03	5.1E-10	1.7E-10	1.E-07	3.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	5.6E+01	ug/kg	2.0E+00	2.0E+00	2.0E-09	1.2E-09	4.E-09	2.E-09	7.E-09	2.0E-05	2.0E-05	4.8E-09	2.9E-09	2.E-04	1.E-04	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.1E+00	pg/g	1.3E+05	1.3E+05	8.9E-15	2.5E-14	1.E-09	3.E-09	4.E-09	1.0E-09	1.0E-09	2.1E-14	5.8E-14	2.E-05	6.E-05	0.0001
	Total PCB TEQ	3.3E-01	pg/g	1.3E+05	1.3E+05	1.2E-14	7.1E-15	2.E-09	9.E-10	2.E-09	1.0E-09	1.0E-09	2.8E-14	1.7E-14	3.E-05	2.E-05	0.00004
	Pesticides																
	Aldrin	4.7E-01	ug/kg	1.7E+01	1.7E+01	1.2E-11	1.0E-11	2.E-10	2.E-10	4.E-10	3.0E-05	3.0E-05	2.8E-11	2.4E-11	9.E-07	8.E-07	0.000002
	Dieldrin	4.3E-02	ug/kg	1.6E+01	1.6E+01	1.1E-12	9.4E-13	2.E-11	2.E-11	3.E-11	5.0E-05	5.0E-05	2.6E-12	2.2E-12	5.E-08	4.E-08	0.0000001
	Total DDT	1.6E+00	ug/kg	3.4E-01	3.4E-01	1.2E-11	3.4E-11	4.E-12	1.E-11	2.E-11	5.0E-04	5.0E-04	2.8E-11	7.9E-11	6.E-08	2.E-07	0.0000002
Exposure Point Total										2.E-07							0.001
RM 10 West	**Metals**																
	Arsenic	2.9E+01	mg/kg	1.5E+00	1.5E+00	2.2E-07	6.3E-07	3.E-07	9.E-07	1.E-06	3.0E-04	3.0E-04	5.2E-07	1.5E-06	2.E-03	5.E-03	0.01
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	2.4E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.6E-09	0.E+00	6.E-05	0.0001
	Butyltins																
	Tributyltin ion	3.4E+00	ug/kg	--	--	8.8E-11	7.4E-11	--	--	--	3.0E-04	3.0E-04	2.1E-10	1.7E-10	7.E-07	6.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.2E+02	ug/kg	7.3E-01	7.3E-01	1.1E-08	7.0E-09	8.E-09	5.E-09	1.E-08	--	--	2.5E-08	1.6E-08	--	--	--
	Benzo(a)pyrene	3.4E+02	ug/kg	7.3E+00	7.3E+00	1.1E-08	7.4E-09	8.E-08	5.E-08	1.E-07	--	--	2.7E-08	1.7E-08	--	--	--
	Benzo(b)fluoranthene	4.3E+02	ug/kg	7.3E-01	7.3E-01	1.5E-08	9.4E-09	1.E-08	7.E-09	2.E-08	--	--	3.4E-08	2.2E-08	--	--	--
	Benzo(k)fluoranthene	1.8E+02	ug/kg	7.3E-02	7.3E-02	6.2E-09	4.0E-09	5.E-10	3.E-10	7.E-10	--	--	1.4E-08	9.4E-09	--	--	--
	Dibenzo(a,h)anthracene	7.5E+01	ug/kg	7.3E+00	7.3E+00	2.5E-09	1.6E-09	2.E-08	1.E-08	3.E-08	--	--	5.9E-09	3.8E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.0E+02	ug/kg	7.3E-01	7.3E-01	1.0E-08	6.6E-09	7.E-09	5.E-09	1.E-08	--	--	2.4E-08	1.5E-08	--	--	--
	Naphthalene	5.9E+01	ug/kg	--	--	2.0E-09	1.3E-09	--	--	--	2.0E-02	2.0E-02	4.6E-09	3.0E-09	2.E-07	1.E-07	0.0000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+02	ug/kg	1.4E-02	1.4E-02	4.7E-09	4.0E-09	7.E-11	6.E-11	1.E-10	2.0E-02	2.0E-02	1.1E-08	9.3E-09	6.E-07	5.E-07	0.000001
	Phenols																
	Pentachlorophenol	7.5E+00	ug/kg	4.0E-01	4.0E-01	4.9E-10	1.6E-10	2.E-10	7.E-11	3.E-10	5.0E-03	5.0E-03	1.1E-09	3.8E-10	2.E-07	8.E-08	0.0000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polychlorinated Biphenyls																
	Total Aroclors	4.4E+02	ug/kg	2.0E+00	2.0E+00	1.6E-08	9.7E-09	3.E-08	2.E-08	5.E-08	2.0E-05	2.0E-05	3.7E-08	2.3E-08	2.E-03	1.E-03	0.003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.9E+00	pg/g	1.3E+05	1.3E+05	7.7E-14	2.2E-13	1.E-08	3.E-08	4.E-08	1.0E-09	1.0E-09	1.8E-13	5.0E-13	2.E-04	5.E-04	0.001
	Total PCB TEQ	3.0E+00	pg/g	1.3E+05	1.3E+05	1.1E-13	6.5E-14	1.E-08	8.E-09	2.E-08	1.0E-09	1.0E-09	2.5E-13	1.5E-13	3.E-04	2.E-04	0.0004
	Pesticides																
	Aldrin	5.0E-01	ug/kg	1.7E+01	1.7E+01	1.3E-11	1.1E-11	2.E-10	2.E-10	4.E-10	3.0E-05	3.0E-05	3.0E-11	2.6E-11	1.E-06	9.E-07	0.000002
	Total DDT	6.7E+00	ug/kg	3.4E-01	3.4E-01	5.2E-11	1.5E-10	2.E-11	5.E-11	7.E-11	5.0E-04	5.0E-04	1.2E-10	3.4E-10	2.E-07	7.E-07	0.000001
Exposure Point Total										2.E-06							0.01
RM 10 East	**Metals**																
	Arsenic	3.5E+00	mg/kg	1.5E+00	1.5E+00	2.7E-08	7.6E-08	4.E-08	1.E-07	2.E-07	3.0E-04	3.0E-04	6.4E-08	1.8E-07	2.E-04	6.E-04	0.001
	Mercury	9.0E-02	mg/kg	--	--	0.0E+00	2.0E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.6E-09	0.E+00	5.E-05	0.00005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.7E+02	ug/kg	7.3E-01	7.3E-01	9.2E-09	6.0E-09	7.E-09	4.E-09	1.E-08	--	--	2.2E-08	1.4E-08	--	--	--
	Benzo(a)pyrene	3.5E+02	ug/kg	7.3E+00	7.3E+00	1.2E-08	7.6E-09	9.E-08	6.E-08	1.E-07	--	--	2.8E-08	1.8E-08	--	--	--
	Benzo(b)fluoranthene	4.0E+02	ug/kg	7.3E-01	7.3E-01	1.4E-08	8.8E-09	1.E-08	6.E-09	2.E-08	--	--	3.2E-08	2.1E-08	--	--	--
	Benzo(k)fluoranthene	1.0E+02	ug/kg	7.3E-02	7.3E-02	3.5E-09	2.2E-09	3.E-10	2.E-10	4.E-10	--	--	8.1E-09	5.2E-09	--	--	--
	Dibenzo(a,h)anthracene	5.2E+01	ug/kg	7.3E+00	7.3E+00	1.8E-09	1.1E-09	1.E-08	8.E-09	2.E-08	--	--	4.1E-09	2.6E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.8E+02	ug/kg	7.3E-01	7.3E-01	9.3E-09	6.0E-09	7.E-09	4.E-09	1.E-08	--	--	2.2E-08	1.4E-08	--	--	--
	Naphthalene	2.2E+01	ug/kg	--	--	7.5E-10	4.9E-10	--	--	--	2.0E-02	2.0E-02	1.8E-09	1.1E-09	9.E-08	6.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.9E+02	ug/kg	1.4E-02	1.4E-02	5.0E-09	4.2E-09	7.E-11	6.E-11	1.E-10	2.0E-02	2.0E-02	1.2E-08	9.7E-09	6.E-07	5.E-07	0.000001
	Phenols																
	Pentachlorophenol	3.3E+00	ug/kg	4.0E-01	4.0E-01	2.1E-10	7.2E-11	9.E-11	3.E-11	1.E-10	5.0E-03	5.0E-03	5.0E-10	1.7E-10	1.E-07	3.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	4.8E+01	ug/kg	2.0E+00	2.0E+00	1.7E-09	1.1E-09	3.E-09	2.E-09	6.E-09	2.0E-05	2.0E-05	4.1E-09	2.5E-09	2.E-04	1.E-04	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.4E-01	pg/g	1.3E+05	1.3E+05	4.2E-15	1.2E-14	5.E-10	2.E-09	2.E-09	1.0E-09	1.0E-09	9.8E-15	2.8E-14	1.E-05	3.E-05	0.00004
	Total PCB TEQ	8.0E-01	pg/g	1.3E+05	1.3E+05	2.9E-14	1.8E-14	4.E-09	2.E-09	6.E-09	1.0E-09	1.0E-09	6.8E-14	4.1E-14	7.E-05	4.E-05	0.0001
	Pesticides																
	Aldrin	8.3E-02	ug/kg	1.7E+01	1.7E+01	2.2E-12	1.8E-12	4.E-11	3.E-11	7.E-11	3.0E-05	3.0E-05	5.0E-12	4.2E-12	2.E-07	1.E-07	0.0000003
	Dieldrin	9.4E-02	ug/kg	1.6E+01	1.6E+01	2.4E-12	2.0E-12	4.E-11	3.E-11	7.E-11	5.0E-05	5.0E-05	5.7E-12	4.8E-12	1.E-07	1.E-07	0.0000002
	Total DDT	7.7E-01	ug/kg	3.4E-01	3.4E-01	6.0E-12	1.7E-11	2.E-12	6.E-12	8.E-12	5.0E-04	5.0E-04	1.4E-11	3.9E-11	3.E-08	8.E-08	0.0000001
Exposure Point Total										4.E-07							0.001
RM 10.5 West	**Metals**																
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	3.6E-08	1.0E-07	5.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	8.5E-08	2.4E-07	3.E-04	8.E-04	0.0011
	Mercury	7.7E-02	mg/kg	--	--	0.0E+00	1.7E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.9E-09	0.E+00	4.E-05	0.00004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.1E+01	ug/kg	7.3E-01	7.3E-01	2.0E-09	1.3E-09	1.E-09	1.E-09	2.E-09	--	--	4.8E-09	3.1E-09	--	--	--
	Benzo(a)pyrene	4.8E+01	ug/kg	7.3E+00	7.3E+00	1.6E-09	1.0E-09	1.E-08	8.E-09	2.E-08	--	--	3.8E-09	2.4E-09	--	--	--
	Benzo(b)fluoranthene	6.8E+01	ug/kg	7.3E-01	7.3E-01	2.3E-09	1.5E-09	2.E-09	1.E-09	3.E-09	--	--	5.3E-09	3.4E-09	--	--	--
	Benzo(k)fluoranthene	2.0E+01	ug/kg	7.3E-02	7.3E-02	6.8E-10	4.4E-10	5.E-11	3.E-11	8.E-11	--	--	1.6E-09	1.0E-09	--	--	--
	Dibenzo(a,h)anthracene	7.9E+00	ug/kg	7.3E+00	7.3E+00	2.7E-10	1.7E-10	2.E-09	1.E-09	3.E-09	--	--	6.2E-10	4.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.7E+01	ug/kg	7.3E-01	7.3E-01	1.3E-09	8.2E-10	9.E-10	6.E-10	2.E-09	--	--	2.9E-09	1.9E-09	--	--	--
	Naphthalene	2.6E+02	ug/kg	--	--	8.8E-09	5.7E-09	--	--	--	2.0E-02	2.0E-02	2.0E-08	1.3E-08	1.E-06	7.E-07	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.5E+02	ug/kg	1.4E-02	1.4E-02	6.3E-09	5.3E-09	9.E-11	7.E-11	2.E-10	2.0E-02	2.0E-02	1.5E-08	1.2E-08	7.E-07	6.E-07	0.000001
	Phenols																
	Pentachlorophenol	3.8E+01	ug/kg	4.0E-01	4.0E-01	2.5E-09	8.3E-10	1.E-09	3.E-10	1.E-09	5.0E-03	5.0E-03	5.7E-09	1.9E-09	1.E-06	4.E-07	0.000002
	Polychlorinated Biphenyls																
	Total Aroclors	3.9E+01	ug/kg	2.0E+00	2.0E+00	1.4E-09	8.5E-10	3.E-09	2.E-09	5.E-09	2.0E-05	2.0E-05	3.3E-09	2.0E-09	2.E-04	1.E-04	0.0003
	Dioxin/Furan																
	Total PCB TEQ	6.9E-01	pg/g	1.3E+05	1.3E+05	2.5E-14	1.5E-14	3.E-09	2.E-09	5.E-09	1.0E-09	1.0E-09	5.8E-14	3.5E-14	6.E-05	4.E-05	0.0001
	Pesticides																
	Aldrin	9.3E-01	ug/kg	1.7E+01	1.7E+01	2.4E-11	2.0E-11	4.E-10	3.E-10	8.E-10	3.0E-05	3.0E-05	5.6E-11	4.7E-11	2.E-06	2.E-06	0.000003
	Total DDT	2.7E+00	ug/kg	3.4E-01	3.4E-01	2.1E-11	5.8E-11	7.E-12	2.E-11	3.E-11	5.0E-04	5.0E-04	4.8E-11	1.3E-10	1.E-07	3.E-07	0.0000004
Exposure Point Total										2.E-07							0.001
RM 10.5 East	**Metals**																
	Arsenic	3.3E+00	mg/kg	1.5E+00	1.5E+00	2.6E-08	7.3E-08	4.E-08	1.E-07	1.E-07	3.0E-04	3.0E-04	6.1E-08	1.7E-07	2.E-04	6.E-04	0.0008
	Mercury	7.4E-02	mg/kg	--	--	0.0E+00	1.6E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.7E-09	0.E+00	4.E-05	0.00004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.0E+02	ug/kg	7.3E-01	7.3E-01	3.4E-09	2.2E-09	2.E-09	2.E-09	4.E-09	--	--	8.0E-09	5.2E-09	--	--	--
	Benzo(a)pyrene	7.1E+01	ug/kg	7.3E+00	7.3E+00	2.4E-09	1.5E-09	2.E-08	1.E-08	3.E-08	--	--	5.6E-09	3.6E-09	--	--	--
	Benzo(b)fluoranthene	1.1E+02	ug/kg	7.3E-01	7.3E-01	3.7E-09	2.4E-09	3.E-09	2.E-09	4.E-09	--	--	8.7E-09	5.6E-09	--	--	--
	Benzo(k)fluoranthene	7.2E+01	ug/kg	7.3E-02	7.3E-02	2.4E-09	1.6E-09	2.E-10	1.E-10	3.E-10	--	--	5.6E-09	3.6E-09	--	--	--
	Dibenzo(a,h)anthracene	9.2E+00	ug/kg	7.3E+00	7.3E+00	3.1E-10	2.0E-10	2.E-09	1.E-09	4.E-09	--	--	7.2E-10	4.7E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+01	ug/kg	7.3E-01	7.3E-01	1.6E-09	1.0E-09	1.E-09	7.E-10	2.E-09	--	--	3.7E-09	2.4E-09	--	--	--
	Naphthalene	5.2E+00	ug/kg	--	--	1.8E-10	1.1E-10	--	--	--	2.0E-02	2.0E-02	4.1E-10	2.6E-10	2.E-08	1.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.1E+02	ug/kg	1.4E-02	1.4E-02	2.8E-09	2.4E-09	4.E-11	3.E-11	7.E-11	2.0E-02	2.0E-02	6.6E-09	5.6E-09	3.E-07	3.E-07	0.000001
	Phenols																
	Pentachlorophenol	1.1E+01	ug/kg	4.0E-01	4.0E-01	7.1E-10	2.4E-10	3.E-10	1.E-10	4.E-10	5.0E-03	5.0E-03	1.7E-09	5.6E-10	3.E-07	1.E-07	0.0000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polychlorinated Biphenyls																
	Total Aroclors	1.5E+02	ug/kg	2.0E+00	2.0E+00	5.6E-09	3.4E-09	1.E-08	7.E-09	2.E-08	2.0E-05	2.0E-05	1.3E-08	7.9E-09	7.E-04	4.E-04	0.001
	Dioxin/Furan																
	Total PCB TEQ	3.9E-01	pg/g	1.3E+05	1.3E+05	1.4E-14	8.5E-15	2.E-09	1.E-09	3.E-09	1.0E-09	1.0E-09	3.3E-14	2.0E-14	3.E-05	2.E-05	0.0001
	Pesticides																
	Total DDT	1.2E+01	ug/kg	3.4E-01	3.4E-01	9.4E-11	2.6E-10	3.E-11	9.E-11	1.E-10	5.0E-04	5.0E-04	2.2E-10	6.1E-10	4.E-07	1.E-06	0.000002
Exposure Point Total										2.E-07							0.002
RM 11 West	**Metals**																
	Arsenic	3.6E+00	mg/kg	1.5E+00	1.5E+00	2.8E-08	7.9E-08	4.E-08	1.E-07	2.E-07	3.0E-04	3.0E-04	6.6E-08	1.9E-07	2.E-04	6.E-04	0.001
	Mercury	6.9E-02	mg/kg	--	--	0.0E+00	1.5E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.5E-09	0.E+00	3.E-05	0.00003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.0E+02	ug/kg	7.3E-01	7.3E-01	6.7E-09	4.3E-09	5.E-09	3.E-09	8.E-09	--	--	1.6E-08	1.0E-08	--	--	--
	Benzo(a)pyrene	2.2E+02	ug/kg	7.3E+00	7.3E+00	7.3E-09	4.7E-09	5.E-08	3.E-08	9.E-08	--	--	1.7E-08	1.1E-08	--	--	--
	Benzo(b)fluoranthene	1.0E+02	ug/kg	7.3E-01	7.3E-01	3.4E-09	2.2E-09	2.E-09	2.E-09	4.E-09	--	--	7.9E-09	5.1E-09	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	3.5E-09	2.3E-09	3.E-10	2.E-10	4.E-10	--	--	8.3E-09	5.3E-09	--	--	--
	Dibenzo(a,h)anthracene	2.7E+01	ug/kg	7.3E+00	7.3E+00	9.0E-10	5.9E-10	7.E-09	4.E-09	1.E-08	--	--	2.1E-09	1.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	3.9E-09	2.5E-09	3.E-09	2.E-09	5.E-09	--	--	9.1E-09	5.9E-09	--	--	--
	Naphthalene	3.2E+02	ug/kg	--	--	1.1E-08	7.0E-09	--	--	--	2.0E-02	2.0E-02	2.5E-08	1.6E-08	1.E-06	8.E-07	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.0E+03	ug/kg	1.4E-02	1.4E-02	2.7E-08	2.3E-08	4.E-10	3.E-10	7.E-10	2.0E-02	2.0E-02	6.2E-08	5.3E-08	3.E-06	3.E-06	0.00001
	Phenols																
	Pentachlorophenol	3.1E+00	ug/kg	4.0E-01	4.0E-01	2.0E-10	6.8E-11	8.E-11	3.E-11	1.E-10	5.0E-03	5.0E-03	4.7E-10	1.6E-10	9.E-08	3.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.5E+01	ug/kg	2.0E+00	2.0E+00	1.3E-09	7.5E-10	3.E-09	2.E-09	4.E-09	2.0E-05	2.0E-05	2.9E-09	1.8E-09	1.E-04	9.E-05	0.0002
	Pesticides																
	Dieldrin	2.5E+00	ug/kg	1.6E+01	1.6E+01	6.5E-11	5.5E-11	1.E-09	9.E-10	2.E-09	5.0E-05	5.0E-05	1.5E-10	1.3E-10	3.E-06	3.E-06	0.00001
	Total DDT	2.1E+00	ug/kg	3.4E-01	3.4E-01	1.6E-11	4.6E-11	6.E-12	2.E-11	2.E-11	5.0E-04	5.0E-04	3.8E-11	1.1E-10	8.E-08	2.E-07	0.0000003
Exposure Point Total										3.E-07							0.001
RM 11 East	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	2.5E-08	7.0E-08	4.E-08	1.E-07	1.E-07	3.0E-04	3.0E-04	5.8E-08	1.6E-07	2.E-04	5.E-04	0.001
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	2.4E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.5E-09	0.E+00	6.E-05	0.0001
	Butyltins																
	Tributyltin ion	5.8E+00	ug/kg	--	--	1.5E-10	1.3E-10	--	--	--	3.0E-04	3.0E-04	3.5E-10	3.0E-10	1.E-06	1.E-06	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E+02	ug/kg	7.3E-01	7.3E-01	5.4E-09	3.5E-09	4.E-09	3.E-09	6.E-09	--	--	1.2E-08	8.1E-09	--	--	--
	Benzo(a)pyrene	1.2E+02	ug/kg	7.3E+00	7.3E+00	4.0E-09	2.6E-09	3.E-08	2.E-08	5.E-08	--	--	9.4E-09	6.1E-09	--	--	--
	Benzo(b)fluoranthene	2.5E+02	ug/kg	7.3E-01	7.3E-01	8.4E-09	5.4E-09	6.E-09	4.E-09	1.E-08	--	--	2.0E-08	1.3E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Low frequency Fisher   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(k)fluoranthene	9.4E+01	ug/kg	7.3E-02	7.3E-02	3.2E-09	2.0E-09	2.E-10	1.E-10	4.E-10	--	--	7.4E-09	4.8E-09	--	--	--
	Dibenzo(a,h)anthracene	2.0E+01	ug/kg	7.3E+00	7.3E+00	6.7E-10	4.4E-10	5.E-09	3.E-09	8.E-09	--	--	1.6E-09	1.0E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	5.3E+01	ug/kg	7.3E-01	7.3E-01	1.8E-09	1.2E-09	1.E-09	8.E-10	2.E-09	--	--	4.2E-09	2.7E-09	--	--	--
	Naphthalene	3.0E+01	ug/kg	--	--	1.0E-09	6.5E-10	--	--	--	2.0E-02	2.0E-02	2.4E-09	1.5E-09	1.E-07	8.E-08	0.0000002
Phthalates																	
	Bis(2-ethylhexyl) phthalate	1.4E+02	ug/kg	1.4E-02	1.4E-02	3.6E-09	3.1E-09	5.E-11	4.E-11	9.E-11	2.0E-02	2.0E-02	8.5E-09	7.1E-09	4.E-07	4.E-07	0.000001
Phenols																	
	Pentachlorophenol	8.7E+00	ug/kg	4.0E-01	4.0E-01	5.6E-10	1.9E-10	2.E-10	8.E-11	3.E-10	5.0E-03	5.0E-03	1.3E-09	4.4E-10	3.E-07	9.E-08	0.0000004
Polychlorinated Biphenyls																	
	Total Aroclors	3.8E+03	ug/kg	2.0E+00	2.0E+00	1.4E-07	8.4E-08	3.E-07	2.E-07	4.E-07	2.0E-05	2.0E-05	3.3E-07	2.0E-07	2.E-02	1.E-02	0.03
Dioxin/Furan																	
	Total Dioxin/Furan TEQ	3.0E+00	pg/g	1.3E+05	1.3E+05	2.3E-14	6.6E-14	3.E-09	9.E-09	1.E-08	1.0E-09	1.0E-09	5.5E-14	1.5E-13	5.E-05	2.E-04	0.0002
	Total PCB TEQ	3.1E+01	pg/g	1.3E+05	1.3E+05	1.1E-12	6.8E-13	1.E-07	9.E-08	2.E-07	1.0E-09	1.0E-09	2.6E-12	1.6E-12	3.E-03	2.E-03	0.004
Pesticides																	
	Total DDT	3.8E+02	ug/kg	3.4E-01	3.4E-01	3.0E-09	8.3E-09	1.E-09	3.E-09	4.E-09	5.0E-04	5.0E-04	6.9E-09	1.9E-08	1.E-05	4.E-05	0.0001
Exposure Point Total										9.E-07							0.03
RM 11.5 West	**Metals**																
	Arsenic	3.5E+00	mg/kg	1.5E+00	1.5E+00	2.7E-08	7.7E-08	4.E-08	1.E-07	2.E-07	3.0E-04	3.0E-04	6.4E-08	1.8E-07	2.E-04	6.E-04	0.001
	Mercury	3.1E-02	mg/kg	--	--	0.0E+00	6.8E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.6E-09	0.E+00	2.E-05	0.00002
Polynuclear Aromatic Hydrocarbons																	
	Benzo(a)anthracene	1.6E+01	ug/kg	7.3E-01	7.3E-01	5.4E-10	3.5E-10	4.E-10	3.E-10	6.E-10	--	--	1.3E-09	8.1E-10	--	--	--
	Benzo(a)pyrene	1.8E+01	ug/kg	7.3E+00	7.3E+00	6.1E-10	3.9E-10	4.E-09	3.E-09	7.E-09	--	--	1.4E-09	9.2E-10	--	--	--
	Benzo(b)fluoranthene	1.7E+01	ug/kg	7.3E-01	7.3E-01	5.7E-10	3.7E-10	4.E-10	3.E-10	7.E-10	--	--	1.3E-09	8.6E-10	--	--	--
	Benzo(k)fluoranthene	1.4E+01	ug/kg	7.3E-02	7.3E-02	4.7E-10	3.1E-10	3.E-11	2.E-11	6.E-11	--	--	1.1E-09	7.1E-10	--	--	--
	Dibenzo(a,h)anthracene	2.9E+00	ug/kg	7.3E+00	7.3E+00	9.8E-11	6.3E-11	7.E-10	5.E-10	1.E-09	--	--	2.3E-10	1.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+01	ug/kg	7.3E-01	7.3E-01	4.7E-10	3.1E-10	3.E-10	2.E-10	6.E-10	--	--	1.1E-09	7.1E-10	--	--	--
	Naphthalene	6.4E+00	ug/kg	--	--	2.2E-10	1.4E-10	--	--	--	2.0E-02	2.0E-02	5.0E-10	3.3E-10	3.E-08	2.E-08	0.00000004
Phthalates																	
	Bis(2-ethylhexyl) phthalate	5.2E+02	ug/kg	1.4E-02	1.4E-02	1.3E-08	1.1E-08	2.E-10	2.E-10	3.E-10	2.0E-02	2.0E-02	3.1E-08	2.6E-08	2.E-06	1.E-06	0.000003
Polychlorinated Biphenyls																	
	Total Aroclors	2.4E+01	ug/kg	2.0E+00	2.0E+00	8.6E-10	5.2E-10	2.E-09	1.E-09	3.E-09	2.0E-05	2.0E-05	2.0E-09	1.2E-09	1.E-04	6.E-05	0.0002
Dioxin/Furan																	
	Total Dioxin/Furan TEQ	1.8E-01	pg/g	1.3E+05	1.3E+05	1.4E-15	3.9E-15	2.E-10	5.E-10	7.E-10	1.0E-09	1.0E-09	3.2E-15	9.0E-15	3.E-06	9.E-06	0.00001
	Total PCB TEQ	2.9E-01	pg/g	1.3E+05	1.3E+05	1.1E-14	6.4E-15	1.E-09	8.E-10	2.E-09	1.0E-09	1.0E-09	2.5E-14	1.5E-14	2.E-05	1.E-05	0.0000

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	EPC Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Dieldrin	9.0E-02	ug/kg	1.6E+01	1.6E+01	2.3E-12	2.0E-12	4.E-11	3.E-11	7.E-11	5.0E-05	5.0E-05	5.4E-12	4.6E-12	1.E-07	9.E-08	0.0000002
	Total DDT	1.9E+00	ug/kg	3.4E-01	3.4E-01	1.5E-11	4.2E-11	5.E-12	1.E-11	2.E-11	5.0E-04	5.0E-04	3.5E-11	9.8E-11	7.E-08	2.E-07	0.0000003
Exposure Point Total										2.E-07							0.001
RM 12 West	**Metals**																
	Arsenic	3.9E+00	mg/kg	1.5E+00	1.5E+00	3.0E-08	8.4E-08	4.E-08	1.E-07	2.E-07	3.0E-04	3.0E-04	7.0E-08	2.0E-07	2.E-04	7.E-04	0.001
	Mercury	7.4E-01	mg/kg	--	--	0.0E+00	1.6E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.7E-08	0.E+00	4.E-04	0.0004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.1E+03	ug/kg	7.3E-01	7.3E-01	3.7E-08	2.4E-08	3.E-08	2.E-08	5.E-08	--	--	8.7E-08	5.7E-08	--	--	--
	Benzo(a)pyrene	1.8E+03	ug/kg	7.3E+00	7.3E+00	6.1E-08	3.9E-08	4.E-07	3.E-07	7.E-07	--	--	1.4E-07	9.2E-08	--	--	--
	Benzo(b)fluoranthene	1.4E+03	ug/kg	7.3E-01	7.3E-01	4.8E-08	3.1E-08	3.E-08	2.E-08	6.E-08	--	--	1.1E-07	7.2E-08	--	--	--
	Benzo(k)fluoranthene	5.9E+02	ug/kg	7.3E-02	7.3E-02	2.0E-08	1.3E-08	1.E-09	9.E-10	2.E-09	--	--	4.7E-08	3.0E-08	--	--	--
	Dibenzo(a,h)anthracene	2.1E+02	ug/kg	7.3E+00	7.3E+00	7.1E-09	4.6E-09	5.E-08	3.E-08	9.E-08	--	--	1.7E-08	1.1E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.5E+03	ug/kg	7.3E-01	7.3E-01	5.0E-08	3.2E-08	4.E-08	2.E-08	6.E-08	--	--	1.2E-07	7.5E-08	--	--	--
	Naphthalene	1.5E+02	ug/kg	--	--	5.0E-09	3.2E-09	--	--	--	2.0E-02	2.0E-02	1.2E-08	7.5E-09	6.E-07	4.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.9E+02	ug/kg	1.4E-02	1.4E-02	4.9E-09	4.1E-09	7.E-11	6.E-11	1.E-10	2.0E-02	2.0E-02	1.1E-08	9.7E-09	6.E-07	5.E-07	0.000001
	Phenols																
	Pentachlorophenol	2.0E+01	ug/kg	4.0E-01	4.0E-01	1.3E-09	4.4E-10	5.E-10	2.E-10	7.E-10	5.0E-03	5.0E-03	3.0E-09	1.0E-09	6.E-07	2.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.2E+02	ug/kg	2.0E+00	2.0E+00	4.4E-09	2.6E-09	9.E-09	5.E-09	1.E-08	2.0E-05	2.0E-05	1.0E-08	6.2E-09	5.E-04	3.E-04	0.0008
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E-01	pg/g	1.3E+05	1.3E+05	1.3E-15	3.6E-15	2.E-10	5.E-10	6.E-10	1.0E-09	1.0E-09	3.0E-15	8.5E-15	3.E-06	8.E-06	0.00001
	Total PCB TEQ	4.5E-01	pg/g	1.3E+05	1.3E+05	1.6E-14	9.9E-15	2.E-09	1.E-09	3.E-09	1.0E-09	1.0E-09	3.8E-14	2.3E-14	4.E-05	2.E-05	0.0001
	Pesticides																
	Aldrin	7.0E-01	ug/kg	1.7E+01	1.7E+01	1.8E-11	1.5E-11	3.E-10	3.E-10	6.E-10	3.0E-05	3.0E-05	4.2E-11	3.6E-11	1.E-06	1.E-06	0.000003
	Total DDT	9.5E+00	ug/kg	3.4E-01	3.4E-01	7.4E-11	2.1E-10	3.E-11	7.E-11	1.E-10	5.0E-04	5.0E-04	1.7E-10	4.8E-10	3.E-07	1.E-06	0.000001
Exposure Point Total										1.E-06							0.002
RM 12 East	**Metals**																
	Arsenic	2.6E+00	mg/kg	1.5E+00	1.5E+00	2.0E-08	5.7E-08	3.E-08	9.E-08	1.E-07	3.0E-04	3.0E-04	4.8E-08	1.3E-07	2.E-04	4.E-04	0.001
	Mercury	6.5E-02	mg/kg	--	--	0.0E+00	1.4E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.3E-09	0.E+00	3.E-05	0.00003
	Butyltins																
	Tributyltin ion	4.8E+00	ug/kg	--	--	1.2E-10	1.0E-10	--	--	--	3.0E-04	3.0E-04	2.9E-10	2.4E-10	1.E-06	8.E-07	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+01	ug/kg	7.3E-01	7.3E-01	6.1E-10	3.9E-10	4.E-10	3.E-10	7.E-10	--	--	1.4E-09	9.2E-10	--	--	--
	Benzo(a)pyrene	1.9E+01	ug/kg	7.3E+00	7.3E+00	6.4E-10	4.1E-10	5.E-09	3.E-09	8.E-09	--	--	1.5E-09	9.7E-10	--	--	--
	Benzo(b)fluoranthene	2.7E+01	ug/kg	7.3E-01	7.3E-01	9.1E-10	5.9E-10	7.E-10	4.E-10	1.E-09	--	--	2.1E-09	1.4E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(k)fluoranthene	8.4E+00	ug/kg	7.3E-02	7.3E-02	2.8E-10	1.8E-10	2.E-11	1.E-11	3.E-11	--	--	6.6E-10	4.3E-10	--	--	--
	Dibenzo(a,h)anthracene	4.5E+00	ug/kg	7.3E+00	7.3E+00	1.5E-10	9.8E-11	1.E-09	7.E-10	2.E-09	--	--	3.5E-10	2.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.7E+01	ug/kg	7.3E-01	7.3E-01	5.7E-10	3.7E-10	4.E-10	3.E-10	7.E-10	--	--	1.3E-09	8.6E-10	--	--	--
	Naphthalene	4.2E+01	ug/kg	--	--	1.4E-09	9.2E-10	--	--	--	2.0E-02	2.0E-02	3.3E-09	2.1E-09	2.E-07	1.E-07	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+04	ug/kg	1.4E-02	1.4E-02	4.7E-07	3.9E-07	7.E-09	5.E-09	1.E-08	2.0E-02	2.0E-02	1.1E-06	9.2E-07	5.E-05	5.E-05	0.0001
	Phenols																
	Pentachlorophenol	3.2E+00	ug/kg	4.0E-01	4.0E-01	2.1E-10	7.0E-11	8.E-11	3.E-11	1.E-10	5.0E-03	5.0E-03	4.8E-10	1.6E-10	1.E-07	3.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+02	ug/kg	2.0E+00	2.0E+00	6.6E-09	3.9E-09	1.E-08	8.E-09	2.E-08	2.0E-05	2.0E-05	1.5E-08	9.2E-09	8.E-04	5.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	1.3E+05	1.3E+05	1.4E-14	3.8E-14	2.E-09	5.E-09	7.E-09	1.0E-09	1.0E-09	3.2E-14	8.9E-14	3.E-05	9.E-05	0.0001
	Total PCB TEQ	4.6E+00	pg/g	1.3E+05	1.3E+05	1.7E-13	9.9E-14	2.E-08	1.E-08	3.E-08	1.0E-09	1.0E-09	3.9E-13	2.3E-13	4.E-04	2.E-04	0.001
	Pesticides																
	Total DDT	9.4E+00	ug/kg	3.4E-01	3.4E-01	7.3E-11	2.0E-10	2.E-11	7.E-11	9.E-11	5.0E-04	5.0E-04	1.7E-10	4.8E-10	3.E-07	1.E-06	0.000001
Exposure Point Total										**2.E-07**							**0.003**
Study Area-wide[c]	**Metals**																
	Arsenic	5.0E+00	mg/kg	1.5E+00	1.5E+00	3.9E-08	1.1E-07	6.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	9.1E-08	2.6E-07	3.E-04	9.E-04	0.001
	Mercury	3.0E-01	mg/kg	--	--	0.0E+00	6.6E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.5E-08	0.E+00	2.E-04	0.0002
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	2.3E-06	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.3E-06	0.E+00	8.E-02	0.08
	Butyltins																
	Tributyltin ion	2.4E+03	ug/kg	--	--	6.1E-08	5.2E-08	--	--	--	3.0E-04	3.0E-04	1.4E-07	1.2E-07	5.E-04	4.E-04	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+03	ug/kg	7.3E-01	7.3E-01	1.0E-07	6.7E-08	8.E-08	5.E-08	1.E-07	--	--	2.4E-07	1.6E-07	--	--	--
	Benzo(a)pyrene	3.7E+03	ug/kg	7.3E+00	7.3E+00	1.3E-07	8.2E-08	9.E-07	6.E-07	2.E-06	--	--	2.9E-07	1.9E-07	--	--	--
	Benzo(b)fluoranthene	2.9E+03	ug/kg	7.3E-01	7.3E-01	9.8E-08	6.4E-08	7.E-08	5.E-08	1.E-07	--	--	2.3E-07	1.5E-07	--	--	--
	Benzo(k)fluoranthene	2.0E+03	ug/kg	7.3E-02	7.3E-02	6.7E-08	4.4E-08	5.E-09	3.E-09	8.E-09	--	--	1.6E-07	1.0E-07	--	--	--
	Dibenzo(a,h)anthracene	3.8E+02	ug/kg	7.3E+00	7.3E+00	1.3E-08	8.3E-09	9.E-08	6.E-08	2.E-07	--	--	3.0E-08	1.9E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.6E+03	ug/kg	7.3E-01	7.3E-01	8.8E-08	5.7E-08	6.E-08	4.E-08	1.E-07	--	--	2.1E-07	1.3E-07	--	--	--
	Naphthalene	1.5E+03	ug/kg	--	--	4.9E-08	3.2E-08	--	--	--	2.0E-02	2.0E-02	1.1E-07	7.4E-08	6.E-06	4.E-06	0.00001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.9E+03	ug/kg	1.4E-02	1.4E-02	7.5E-08	6.3E-08	1.E-09	9.E-10	2.E-09	2.0E-02	2.0E-02	1.7E-07	1.5E-07	9.E-06	7.E-06	0.00002
	Phenols																
	Pentachlorophenol	5.6E+01	ug/kg	4.0E-01	4.0E-01	3.6E-09	1.2E-09	1.E-09	5.E-10	2.E-09	5.0E-03	5.0E-03	8.5E-09	2.8E-09	2.E-06	6.E-07	0.000002
	Polychlorinated Biphenyls																
	Total Aroclors	3.6E+02	ug/kg	2.0E+00	2.0E+00	1.3E-08	7.8E-09	3.E-08	2.E-08	4.E-08	2.0E-05	2.0E-05	3.0E-08	1.8E-08	2.E-03	9.E-04	0.002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-27.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.6E+02	pg/g	1.3E+05	1.3E+05	5.1E-12	1.4E-11	7.E-07	2.E-06	3.E-06	1.0E-09	1.0E-09	1.2E-11	3.4E-11	1.E-02	3.E-02	0.05
	Total PCB TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	6.1E-13	3.7E-13	8.E-08	5.E-08	1.E-07	1.0E-09	1.0E-09	1.4E-12	8.6E-13	1.E-03	9.E-04	0.002
	Pesticides																
	Aldrin	5.8E+00	ug/kg	1.7E+01	1.7E+01	1.5E-10	1.3E-10	3.E-09	2.E-09	5.E-09	3.0E-05	3.0E-05	3.5E-10	3.0E-10	1.E-05	1.E-05	0.00002
	Dieldrin	2.8E+00	ug/kg	1.6E+01	1.6E+01	7.2E-11	6.1E-11	1.E-09	1.E-09	2.E-09	5.0E-05	5.0E-05	1.7E-10	1.4E-10	3.E-06	3.E-06	0.00001
	Total DDT	3.7E+02	ug/kg	3.4E-01	3.4E-01	2.9E-09	8.2E-09	1.E-09	3.E-09	4.E-09	5.0E-04	5.0E-04	6.8E-09	1.9E-08	1.E-05	4.E-05	0.0001
	Conventionals																
	Perchlorate	2.7E+05	ug/kg	--	--	0.0E+00	6.0E-06	--	--	--	7.0E-04	7.0E-04	0.0E+00	1.4E-05	0.E+00	2.E-02	0.02
Exposure Point Total										5.E-06							0.1

Notes:
a Numbers presented are rounded values. Sums calculated before rounding.
b Cumulative risk sums calculated using PCB Aroclor data.
c Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
LADI = Lifetime Average Daily Intake.
mg/kg = Milligrams per kilogram.

PCB = Polychlorinated Biphenyls.
pg/g = Picograms per gram.
RfD = Reference dose.
RM = River mile.
TEQ = Toxic equivalents.
ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future　　　　　Medium: Sediment
Receptor Population: Low frequency Fisher　　Exposure Medium: In-water Sediment
Population Age: Adult　　　　　　　　　　　Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 1 West	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	5.7E-10	3.4E-09	9.E-10	5.E-09	6.E-09	3.0E-04	3.0E-04	4.5E-09	2.7E-08	1.E-05	9.E-05	0.0001
	Mercury	6.1E-02	mg/kg	--	--	0.0E+00	5.0E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.9E-10	0.E+00	4.E-06	0.000004
	Butyltins																
	Tributyltin ion	8.4E-01	ug/kg	--	--	3.8E-13	6.9E-13	--	--	--	3.0E-04	3.0E-04	3.0E-12	5.3E-12	1.E-08	2.E-08	0.00000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.0E+01	ug/kg	7.3E-01	7.3E-01	2.9E-11	4.1E-11	2.E-11	3.E-11	5.E-11	--	--	2.3E-10	3.2E-10	--	--	--
	Benzo(a)pyrene	7.4E+01	ug/kg	7.3E+00	7.3E+00	4.4E-11	6.1E-11	3.E-10	4.E-10	8.E-10	--	--	3.4E-10	4.7E-10	--	--	--
	Benzo(b)fluoranthene	7.4E+01	ug/kg	7.3E-01	7.3E-01	4.3E-11	6.0E-11	3.E-11	4.E-11	8.E-11	--	--	3.4E-10	4.7E-10	--	--	--
	Benzo(k)fluoranthene	3.0E+01	ug/kg	7.3E-02	7.3E-02	1.8E-11	2.5E-11	1.E-12	2.E-12	3.E-12	--	--	1.4E-10	1.9E-10	--	--	--
	Dibenzo(a,h)anthracene	9.4E+00	ug/kg	7.3E+00	7.3E+00	5.6E-12	7.7E-12	4.E-11	6.E-11	1.E-10	--	--	4.3E-11	6.0E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	5.8E+01	ug/kg	7.3E-01	7.3E-01	3.4E-11	4.7E-11	2.E-11	3.E-11	6.E-11	--	--	2.6E-10	3.7E-10	--	--	--
	Naphthalene	1.3E+01	ug/kg	--	--	7.8E-12	1.1E-11	--	--	--	2.0E-02	2.0E-02	6.0E-11	8.4E-11	3.E-09	4.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.9E+01	ug/kg	1.4E-02	1.4E-02	8.4E-12	1.5E-11	1.E-13	2.E-13	3.E-13	2.0E-02	2.0E-02	6.5E-11	1.2E-10	3.E-09	6.E-09	0.00000001
	Phenols																
	Pentachlorophenol	7.2E-01	ug/kg	4.0E-01	4.0E-01	8.1E-13	5.8E-13	3.E-13	2.E-13	6.E-13	5.0E-03	5.0E-03	6.3E-12	4.5E-12	1.E-09	9.E-10	0.000000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+01	ug/kg	2.0E+00	2.0E+00	7.2E-12	9.3E-12	1.E-11	2.E-11	3.E-11	2.0E-05	2.0E-05	5.6E-11	7.2E-11	3.E-06	4.E-06	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	7.6E-01	pg/g	1.3E+05	1.3E+05	1.0E-16	6.2E-16	1.E-11	8.E-11	9.E-11	1.0E-09	1.0E-09	8.0E-16	4.8E-15	8.E-07	5.E-06	0.00001
	Total PCB TEQ	3.2E-01	pg/g	1.3E+05	1.3E+05	2.0E-16	2.6E-16	3.E-11	3.E-11	6.E-11	1.0E-09	1.0E-09	1.6E-15	2.0E-15	2.E-06	2.E-06	0.000004
	Pesticides																
	Aldrin	1.7E-01	ug/kg	1.7E+01	1.7E+01	7.8E-14	1.4E-13	1.E-12	2.E-12	4.E-12	3.0E-05	3.0E-05	6.0E-13	1.1E-12	2.E-08	4.E-08	0.0000001
	Total DDT	2.5E+00	ug/kg	3.4E-01	3.4E-01	3.4E-13	2.0E-12	1.E-13	7.E-13	8.E-13	5.0E-04	5.0E-04	2.6E-12	1.6E-11	5.E-09	3.E-08	0.00000004
Exposure Point Total[b]										7.E-09							0.0001
RM 1 East	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	5.6E-10	3.3E-09	8.E-10	5.E-09	6.E-09	3.0E-04	3.0E-04	4.3E-09	2.6E-08	1.E-05	9.E-05	0.0001
	Mercury	1.4E+00	mg/kg	--	--	0.0E+00	1.2E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.2E-09	0.E+00	9.E-05	0.0001
	Butyltins																
	Tributyltin ion	1.1E+00	ug/kg	--	--	5.0E-13	9.0E-13	--	--	--	3.0E-04	3.0E-04	3.9E-12	7.0E-12	1.E-08	2.E-08	0.00000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+01	ug/kg	7.3E-01	7.3E-01	1.9E-11	2.6E-11	1.E-11	2.E-11	3.E-11	--	--	1.4E-10	2.0E-10	--	--	--
	Benzo(a)pyrene	4.6E+01	ug/kg	7.3E+00	7.3E+00	2.7E-11	3.8E-11	2.E-10	3.E-10	5.E-10	--	--	2.1E-10	2.9E-10	--	--	--
	Benzo(b)fluoranthene	4.2E+01	ug/kg	7.3E-01	7.3E-01	2.5E-11	3.4E-11	2.E-11	3.E-11	4.E-11	--	--	1.9E-10	2.7E-10	--	--	--
	Benzo(k)fluoranthene	2.7E+01	ug/kg	7.3E-02	7.3E-02	1.6E-11	2.2E-11	1.E-12	2.E-12	3.E-12	--	--	1.2E-10	1.7E-10	--	--	--
	Dibenzo(a,h)anthracene	5.5E+00	ug/kg	7.3E+00	7.3E+00	3.2E-12	4.5E-12	2.E-11	3.E-11	6.E-11	--	--	2.5E-11	3.5E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	3.3E+01	ug/kg	7.3E-01	7.3E-01	1.9E-11	2.7E-11	1.E-11	2.E-11	3.E-11	--	--	1.5E-10	2.1E-10	--	--	--
	Naphthalene	8.3E+00	ug/kg	--	--	4.9E-12	6.8E-12	--	--	--	2.0E-02	2.0E-02	3.8E-11	5.3E-11	2.E-09	3.E-09	0.000000005

LWG
Lower Willamette Group

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.0E+01	ug/kg	1.4E-02	1.4E-02	1.8E-11	3.3E-11	3.E-13	5.E-13	7.E-13	2.0E-02	2.0E-02	1.4E-10	2.5E-10	7.E-09	1.E-08	0.00000002
	Phenols																
	Pentachlorophenol	7.6E-01	ug/kg	4.0E-01	4.0E-01	8.6E-13	6.2E-13	3.E-13	2.E-13	6.E-13	5.0E-03	5.0E-03	6.7E-12	4.8E-12	1.E-09	1.E-09	0.000000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.0E+02	ug/kg	2.0E+00	2.0E+00	6.5E-11	8.4E-11	1.E-10	2.E-10	3.E-10	2.0E-05	2.0E-05	5.1E-10	6.5E-10	3.E-05	3.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.7E-01	pg/g	1.3E+05	1.3E+05	6.4E-17	3.8E-16	8.E-12	5.E-11	6.E-11	1.0E-09	1.0E-09	5.0E-16	3.0E-15	5.E-07	3.E-06	0.000003
	Total PCB TEQ	2.7E-01	pg/g	1.3E+05	1.3E+05	1.7E-16	2.2E-16	2.E-11	3.E-11	5.E-11	1.0E-09	1.0E-09	1.3E-15	1.7E-15	1.E-06	2.E-06	0.000003
	Pesticides																
	Total DDT	1.8E+00	ug/kg	3.4E-01	3.4E-01	2.4E-13	1.5E-12	8.E-14	5.E-13	6.E-13	5.0E-04	5.0E-04	1.9E-12	1.1E-11	4.E-09	2.E-08	0.00000003
Exposure Point Total										7.E-09							0.0003
RM 1.5 West	**Metals**																
	Arsenic	3.6E+00	mg/kg	1.5E+00	1.5E+00	4.9E-10	2.9E-09	7.E-10	4.E-09	5.E-09	3.0E-04	3.0E-04	3.8E-09	2.3E-08	1.E-05	8.E-05	0.0001
	Mercury	5.1E-02	mg/kg	--	--	0.0E+00	4.1E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.2E-10	0.E+00	3.E-06	0.000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.9E+01	ug/kg	7.3E-01	7.3E-01	1.1E-11	1.5E-11	8.E-12	1.E-11	2.E-11	--	--	8.5E-11	1.2E-10	--	--	--
	Benzo(a)pyrene	2.7E+01	ug/kg	7.3E+00	7.3E+00	1.6E-11	2.2E-11	1.E-10	2.E-10	3.E-10	--	--	1.2E-10	1.7E-10	--	--	--
	Benzo(b)fluoranthene	2.3E+01	ug/kg	7.3E-01	7.3E-01	1.4E-11	1.9E-11	1.E-11	1.E-11	2.E-11	--	--	1.1E-10	1.5E-10	--	--	--
	Benzo(k)fluoranthene	1.9E+01	ug/kg	7.3E-02	7.3E-02	1.1E-11	1.6E-11	8.E-13	1.E-12	2.E-12	--	--	8.8E-11	1.2E-10	--	--	--
	Dibenzo(a,h)anthracene	3.3E+00	ug/kg	7.3E+00	7.3E+00	1.9E-12	2.7E-12	1.E-11	2.E-11	3.E-11	--	--	1.5E-11	2.1E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	2.1E+01	ug/kg	7.3E-01	7.3E-01	1.2E-11	1.7E-11	9.E-12	1.E-11	2.E-11	--	--	9.7E-11	1.3E-10	--	--	--
	Naphthalene	5.3E+00	ug/kg	--	--	3.1E-12	4.4E-12	--	--	--	2.0E-02	2.0E-02	2.4E-11	3.4E-11	1.E-09	2.E-09	0.000000003
	Phenols																
	Pentachlorophenol	8.1E-01	ug/kg	4.0E-01	4.0E-01	9.1E-13	6.6E-13	4.E-13	3.E-13	6.E-13	5.0E-03	5.0E-03	7.1E-12	5.1E-12	1.E-09	1.E-09	0.000000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.2E+01	ug/kg	2.0E+00	2.0E+00	7.3E-12	9.4E-12	1.E-11	2.E-11	3.E-11	2.0E-05	2.0E-05	5.7E-11	7.3E-11	3.E-06	4.E-06	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.5E-02	pg/g	1.3E+05	1.3E+05	1.2E-17	7.0E-17	2.E-12	9.E-12	1.E-11	1.0E-09	1.0E-09	9.0E-17	5.4E-16	9.E-08	5.E-07	0.000001
	Pesticides																
	Total DDT	7.9E-01	ug/kg	3.4E-01	3.4E-01	1.1E-13	6.5E-13	4.E-14	2.E-13	3.E-13	5.0E-04	5.0E-04	8.4E-13	5.0E-12	2.E-09	1.E-08	0.00000001
Exposure Point Total										6.E-09							0.0001
RM 1.5 East	**Metals**																
	Arsenic	4.4E+00	mg/kg	1.5E+00	1.5E+00	5.9E-10	3.6E-09	9.E-10	5.E-09	6.E-09	3.0E-04	3.0E-04	4.6E-09	2.8E-08	2.E-05	9.E-05	0.0001
	Mercury	6.4E-02	mg/kg	--	--	0.0E+00	5.2E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.1E-10	0.E+00	4.E-06	0.000004
	Butyltins																
	Tributyltin ion	3.7E-01	ug/kg	--	--	1.7E-13	3.0E-13	--	--	--	3.0E-04	3.0E-04	1.3E-12	2.4E-12	4.E-09	8.E-09	0.00000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.5E+02	ug/kg	7.3E-01	7.3E-01	1.5E-10	2.0E-10	1.E-10	1.E-10	3.E-10	--	--	1.1E-09	1.6E-09	--	--	--
	Benzo(a)pyrene	3.7E+02	ug/kg	7.3E+00	7.3E+00	2.2E-10	3.0E-10	2.E-09	2.E-09	4.E-09	--	--	1.7E-09	2.3E-09	--	--	--
	Benzo(b)fluoranthene	2.2E+02	ug/kg	7.3E-01	7.3E-01	1.3E-10	1.8E-10	9.E-11	1.E-10	2.E-10	--	--	1.0E-09	1.4E-09	--	--	--
	Benzo(k)fluoranthene	2.2E+02	ug/kg	7.3E-02	7.3E-02	1.3E-10	1.8E-10	9.E-12	1.E-11	2.E-11	--	--	9.9E-10	1.4E-09	--	--	--
	Dibenzo(a,h)anthracene	3.7E+01	ug/kg	7.3E+00	7.3E+00	2.2E-11	3.0E-11	2.E-10	2.E-10	4.E-10	--	--	1.7E-10	2.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.6E+02	ug/kg	7.3E-01	7.3E-01	1.5E-10	2.2E-10	1.E-10	2.E-10	3.E-10	--	--	1.2E-09	1.7E-09	--	--	--
	Naphthalene	9.8E+01	ug/kg	--	--	5.8E-11	8.0E-11	--	--	--	2.0E-02	2.0E-02	4.5E-10	6.2E-10	2.E-08	3.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.1E+01	ug/kg	1.4E-02	1.4E-02	3.2E-11	5.8E-11	5.E-13	8.E-13	1.E-12	2.0E-02	2.0E-02	2.5E-10	4.5E-10	1.E-08	2.E-08	0.00000004
	Phenols																
	Pentachlorophenol	1.6E+00	ug/kg	4.0E-01	4.0E-01	1.8E-12	1.3E-12	7.E-13	5.E-13	1.E-12	5.0E-03	5.0E-03	1.4E-11	1.0E-11	3.E-09	2.E-09	0.000000005
	Polychlorinated Biphenyls																
	Total Aroclors	2.2E+01	ug/kg	2.0E+00	2.0E+00	1.4E-11	1.8E-11	3.E-11	4.E-11	6.E-11	2.0E-05	2.0E-05	1.1E-10	1.4E-10	5.E-06	7.E-06	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.7E-01	pg/g	1.3E+05	1.3E+05	7.8E-17	4.7E-16	1.E-11	6.E-11	7.E-11	1.0E-09	1.0E-09	6.1E-16	3.7E-15	6.E-07	4.E-06	0.000004
	Total PCB TEQ	1.1E-01	pg/g	1.3E+05	1.3E+05	6.7E-17	8.6E-17	9.E-12	1.E-11	2.E-11	1.0E-09	1.0E-09	5.2E-16	6.7E-16	5.E-07	7.E-07	0.000001
	Pesticides																
	Dieldrin	6.9E-02	ug/kg	1.6E+01	1.6E+01	3.1E-14	5.6E-14	5.E-13	9.E-13	1.E-12	5.0E-05	5.0E-05	2.4E-13	4.4E-13	5.E-09	9.E-09	0.00000001
	Total DDT	6.8E+00	ug/kg	3.4E-01	3.4E-01	9.3E-13	5.6E-12	3.E-13	2.E-12	2.E-12	5.0E-04	5.0E-04	7.2E-12	4.3E-11	1.E-08	9.E-08	0.0000001
Exposure Point Total										1.E-08							0.0001
RM 2 West	**Metals**																
	Arsenic	3.4E+00	mg/kg	1.5E+00	1.5E+00	4.7E-10	2.8E-09	7.E-10	4.E-09	5.E-09	3.0E-04	3.0E-04	3.6E-09	2.2E-08	1.E-05	7.E-05	0.0001
	Mercury	6.2E-02	mg/kg	--	--	0.0E+00	5.1E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.0E-10	0.E+00	4.E-06	0.000004
	Butyltins																
	Tributyltin ion	2.1E+00	ug/kg	--	--	9.5E-13	1.7E-12	--	--	--	3.0E-04	3.0E-04	7.4E-12	1.3E-11	2.E-08	4.E-08	0.0000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+01	ug/kg	7.3E-01	7.3E-01	1.8E-11	2.5E-11	1.E-11	2.E-11	3.E-11	--	--	1.4E-10	1.9E-10	--	--	--
	Benzo(a)pyrene	5.5E+01	ug/kg	7.3E+00	7.3E+00	3.3E-11	4.5E-11	2.E-10	3.E-10	6.E-10	--	--	2.5E-10	3.5E-10	--	--	--
	Benzo(b)fluoranthene	5.6E+01	ug/kg	7.3E-01	7.3E-01	3.3E-11	4.6E-11	2.E-11	3.E-11	6.E-11	--	--	2.6E-10	3.6E-10	--	--	--
	Benzo(k)fluoranthene	1.8E+01	ug/kg	7.3E-02	7.3E-02	1.0E-11	1.5E-11	8.E-13	1.E-12	2.E-12	--	--	8.2E-11	1.1E-10	--	--	--
	Dibenzo(a,h)anthracene	6.1E+00	ug/kg	7.3E+00	7.3E+00	3.6E-12	5.0E-12	3.E-11	4.E-11	6.E-11	--	--	2.8E-11	3.9E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	4.6E+01	ug/kg	7.3E-01	7.3E-01	2.7E-11	3.7E-11	2.E-11	3.E-11	5.E-11	--	--	2.1E-10	2.9E-10	--	--	--
	Naphthalene	7.2E+00	ug/kg	--	--	4.2E-12	5.9E-12	--	--	--	2.0E-02	2.0E-02	3.3E-11	4.6E-11	2.E-09	2.E-09	0.000000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.3E+01	ug/kg	1.4E-02	1.4E-02	1.5E-11	2.7E-11	2.E-13	4.E-13	6.E-13	2.0E-02	2.0E-02	1.2E-10	2.1E-10	6.E-09	1.E-08	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.3E+01	ug/kg	2.0E+00	2.0E+00	8.3E-12	1.1E-11	2.E-11	2.E-11	4.E-11	2.0E-05	2.0E-05	6.4E-11	8.3E-11	3.E-06	4.E-06	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.2E-01	pg/g	1.3E+05	1.3E+05	1.1E-16	6.7E-16	1.E-11	9.E-11	1.E-10	1.0E-09	1.0E-09	8.6E-16	5.2E-15	9.E-07	5.E-06	0.00001
	Total PCB TEQ	2.5E-01	pg/g	1.3E+05	1.3E+05	1.6E-16	2.0E-16	2.E-11	3.E-11	5.E-11	1.0E-09	1.0E-09	1.2E-15	1.6E-15	1.E-06	2.E-06	0.000003
	Pesticides																
	Aldrin	9.1E-02	ug/kg	1.7E+01	1.7E+01	4.1E-14	7.4E-14	7.E-13	1.E-12	2.E-12	3.0E-05	3.0E-05	3.2E-13	5.8E-13	1.E-08	2.E-08	0.00000003
	Dieldrin	1.1E-01	ug/kg	1.6E+01	1.6E+01	5.1E-14	9.3E-14	8.E-13	1.E-12	2.E-12	5.0E-05	5.0E-05	4.0E-13	7.2E-13	8.E-09	1.E-08	0.00000002
	Total DDT	1.4E+00	ug/kg	3.4E-01	3.4E-01	1.9E-13	1.1E-12	6.E-14	4.E-13	4.E-13	5.0E-04	5.0E-04	1.5E-12	8.7E-12	3.E-09	2.E-08	0.00000002
Exposure Point Total										6.E-09							0.0001
RM 2 East	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	5.5E-10	3.3E-09	8.E-10	5.E-09	6.E-09	3.0E-04	3.0E-04	4.3E-09	2.6E-08	1.E-05	9.E-05	0.0001
	Mercury	8.2E-02	mg/kg	--	--	0.0E+00	6.7E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.2E-10	0.E+00	5.E-06	0.00001
	Butyltins																
	Tributyltin ion	2.7E+00	ug/kg	--	--	1.2E-12	2.2E-12	--	--	--	3.0E-04	3.0E-04	9.3E-12	1.7E-11	3.E-08	6.E-08	0.0000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.8E+01	ug/kg	7.3E-01	7.3E-01	3.4E-11	4.7E-11	2.E-11	3.E-11	6.E-11	--	--	2.6E-10	3.7E-10	--	--	--
	Benzo(a)pyrene	8.6E+01	ug/kg	7.3E+00	7.3E+00	5.1E-11	7.1E-11	4.E-10	5.E-10	9.E-10	--	--	4.0E-10	5.5E-10	--	--	--
	Benzo(b)fluoranthene	9.4E+01	ug/kg	7.3E-01	7.3E-01	5.5E-11	7.7E-11	4.E-11	6.E-11	1.E-10	--	--	4.3E-10	6.0E-10	--	--	--
	Benzo(k)fluoranthene	4.1E+01	ug/kg	7.3E-02	7.3E-02	2.4E-11	3.4E-11	2.E-12	2.E-12	4.E-12	--	--	1.9E-10	2.6E-10	--	--	--
	Dibenzo(a,h)anthracene	1.3E+01	ug/kg	7.3E+00	7.3E+00	7.6E-12	1.0E-11	6.E-11	8.E-11	1.E-10	--	--	5.9E-11	8.2E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	7.5E+01	ug/kg	7.3E-01	7.3E-01	4.4E-11	6.2E-11	3.E-11	4.E-11	8.E-11	--	--	3.4E-10	4.8E-10	--	--	--
	Naphthalene	1.4E+01	ug/kg	--	--	8.5E-12	1.2E-11	--	--	--	2.0E-02	2.0E-02	6.6E-11	9.2E-11	3.E-09	5.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.9E+01	ug/kg	1.4E-02	1.4E-02	4.5E-11	8.1E-11	6.E-13	1.E-12	2.E-12	2.0E-02	2.0E-02	3.5E-10	6.3E-10	2.E-08	3.E-08	0.00000005
	Phenols																
	Pentachlorophenol	5.3E-01	ug/kg	4.0E-01	4.0E-01	6.0E-13	4.4E-13	2.E-13	2.E-13	4.E-13	5.0E-03	5.0E-03	4.7E-12	3.4E-12	9.E-10	7.E-10	0.000000002
	Polychlorinated Biphenyls																
	Total Aroclors	4.3E+02	ug/kg	2.0E+00	2.0E+00	2.7E-10	3.5E-10	5.E-10	7.E-10	1.E-09	2.0E-05	2.0E-05	2.1E-09	2.7E-09	1.E-04	1.E-04	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.2E+00	pg/g	1.3E+05	1.3E+05	1.7E-16	1.0E-15	2.E-11	1.E-10	2.E-10	1.0E-09	1.0E-09	1.3E-15	7.8E-15	1.E-06	8.E-06	0.00001
	Total PCB TEQ	1.3E+01	pg/g	1.3E+05	1.3E+05	8.5E-15	1.1E-14	1.E-09	1.E-09	3.E-09	1.0E-09	1.0E-09	6.6E-14	8.5E-14	7.E-05	9.E-05	0.0002
	Pesticides																
	Aldrin	4.7E-01	ug/kg	1.7E+01	1.7E+01	2.1E-13	3.8E-13	4.E-12	6.E-12	1.E-11	3.0E-05	3.0E-05	1.6E-12	3.0E-12	5.E-08	1.E-07	0.0000002
	Dieldrin	6.0E-01	ug/kg	1.6E+01	1.6E+01	2.7E-13	4.9E-13	4.E-12	8.E-12	1.E-11	5.0E-05	5.0E-05	2.1E-12	3.8E-12	4.E-08	8.E-08	0.0000001
	Total DDT	2.6E+00	ug/kg	3.4E-01	3.4E-01	3.5E-13	2.1E-12	1.E-13	7.E-13	8.E-13	5.0E-04	5.0E-04	2.7E-12	1.6E-11	5.E-09	3.E-08	0.00000004
Exposure Point Total										1.E-08							0.0005
RM 2.5 West	**Metals**																
	Arsenic	4.0E+00	mg/kg	1.5E+00	1.5E+00	5.5E-10	3.3E-09	8.E-10	5.E-09	6.E-09	3.0E-04	3.0E-04	4.2E-09	2.6E-08	1.E-05	9.E-05	0.0001
	Mercury	5.5E-02	mg/kg	--	--	0.0E+00	4.5E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.5E-10	0.E+00	4.E-06	0.000004
	Butyltins																
	Tributyltin ion	2.3E+00	ug/kg	--	--	1.0E-12	1.9E-12	--	--	--	3.0E-04	3.0E-04	8.1E-12	1.5E-11	3.E-08	5.E-08	0.0000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future

Receptor Population: Low frequency Fisher

Population Age: Adult

Medium: Sediment

Exposure Medium: In-water Sediment

Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.1E+02	ug/kg	7.3E-01	7.3E-01	1.2E-10	1.7E-10	9.E-11	1.E-10	2.E-10	--	--	9.4E-10	1.3E-09	--	--	--
	Benzo(a)pyrene	3.7E+02	ug/kg	7.3E+00	7.3E+00	2.2E-10	3.0E-10	2.E-09	2.E-09	4.E-09	--	--	1.7E-09	2.3E-09	--	--	--
	Benzo(b)fluoranthene	2.8E+02	ug/kg	7.3E-01	7.3E-01	1.6E-10	2.3E-10	1.E-10	2.E-10	3.E-10	--	--	1.3E-09	1.8E-09	--	--	--
	Benzo(k)fluoranthene	1.2E+02	ug/kg	7.3E-02	7.3E-02	7.4E-11	1.0E-10	5.E-12	7.E-12	1.E-11	--	--	5.7E-10	7.9E-10	--	--	--
	Dibenzo(a,h)anthracene	4.1E+01	ug/kg	7.3E+00	7.3E+00	2.4E-11	3.3E-11	2.E-10	2.E-10	4.E-10	--	--	1.9E-10	2.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.1E+02	ug/kg	7.3E-01	7.3E-01	1.8E-10	2.5E-10	1.E-10	2.E-10	3.E-10	--	--	1.4E-09	2.0E-09	--	--	--
	Naphthalene	4.1E+01	ug/kg	--	--	2.4E-11	3.3E-11	--	--	--	2.0E-02	2.0E-02	1.9E-10	2.6E-10	9.E-09	1.E-08	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.5E+01	ug/kg	1.4E-02	1.4E-02	7.0E-12	1.3E-11	1.E-13	2.E-13	3.E-13	2.0E-02	2.0E-02	5.4E-11	9.8E-11	3.E-09	5.E-09	0.00000001
	Phenols																
	Pentachlorophenol	4.5E-01	ug/kg	4.0E-01	4.0E-01	5.1E-13	3.6E-13	2.E-13	1.E-13	3.E-13	5.0E-03	5.0E-03	3.9E-12	2.8E-12	8.E-10	6.E-10	0.000000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+01	ug/kg	2.0E+00	2.0E+00	6.8E-12	8.7E-12	1.E-11	2.E-11	3.E-11	2.0E-05	2.0E-05	5.3E-11	6.8E-11	3.E-06	3.E-06	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.7E-01	pg/g	1.3E+05	1.3E+05	3.6E-17	2.2E-16	5.E-12	3.E-11	3.E-11	1.0E-09	1.0E-09	2.8E-16	1.7E-15	3.E-07	2.E-06	0.000002
	Total PCB TEQ	2.1E-01	pg/g	1.3E+05	1.3E+05	1.3E-16	1.7E-16	2.E-11	2.E-11	4.E-11	1.0E-09	1.0E-09	1.0E-15	1.3E-15	1.E-06	1.E-06	0.000002
	Pesticides																
	Aldrin	9.3E-02	ug/kg	1.7E+01	1.7E+01	4.2E-14	7.6E-14	7.E-13	1.E-12	2.E-12	3.0E-05	3.0E-05	3.3E-13	5.9E-13	1.E-08	2.E-08	0.00000003
	Dieldrin	1.4E-01	ug/kg	1.6E+01	1.6E+01	6.2E-14	1.1E-13	1.E-12	2.E-12	3.E-12	5.0E-05	5.0E-05	4.8E-13	8.7E-13	1.E-08	2.E-08	0.00000003
	Total DDT	1.4E+00	ug/kg	3.4E-01	3.4E-01	2.0E-13	1.2E-12	7.E-14	4.E-13	5.E-13	5.0E-04	5.0E-04	1.5E-12	9.2E-12	3.E-09	2.E-08	0.00000002
Exposure Point Total										**1.E-08**							**0.0001**
RM 2.5 East	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	5.7E-10	3.4E-09	9.E-10	5.E-09	6.E-09	3.0E-04	3.0E-04	4.5E-09	2.7E-08	1.E-05	9.E-05	0.0001
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	5.5E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.3E-10	0.E+00	4.E-06	0.000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.8E+02	ug/kg	7.3E-01	7.3E-01	3.4E-10	4.8E-10	3.E-10	3.E-10	6.E-10	--	--	2.7E-09	3.7E-09	--	--	--
	Benzo(a)pyrene	4.8E+02	ug/kg	7.3E+00	7.3E+00	2.8E-10	3.9E-10	2.E-09	3.E-09	5.E-09	--	--	2.2E-09	3.0E-09	--	--	--
	Benzo(b)fluoranthene	4.4E+02	ug/kg	7.3E-01	7.3E-01	2.6E-10	3.6E-10	2.E-10	3.E-10	5.E-10	--	--	2.0E-09	2.8E-09	--	--	--
	Benzo(k)fluoranthene	1.4E+02	ug/kg	7.3E-02	7.3E-02	8.3E-11	1.1E-10	6.E-12	8.E-12	1.E-11	--	--	6.4E-10	8.9E-10	--	--	--
	Dibenzo(a,h)anthracene	4.9E+01	ug/kg	7.3E+00	7.3E+00	2.9E-11	4.0E-11	2.E-10	3.E-10	5.E-10	--	--	2.2E-10	3.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.8E+02	ug/kg	7.3E-01	7.3E-01	1.7E-10	2.3E-10	1.E-10	2.E-10	3.E-10	--	--	1.3E-09	1.8E-09	--	--	--
	Naphthalene	5.1E+01	ug/kg	--	--	3.0E-11	4.2E-11	--	--	--	2.0E-02	2.0E-02	2.3E-10	3.2E-10	1.E-08	2.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.8E+01	ug/kg	1.4E-02	1.4E-02	3.5E-11	6.4E-11	5.E-13	9.E-13	1.E-12	2.0E-02	2.0E-02	2.7E-10	5.0E-10	1.E-08	2.E-08	0.00000004
	Phenols																
	Pentachlorophenol	4.3E+00	ug/kg	4.0E-01	4.0E-01	4.8E-12	3.5E-12	2.E-12	1.E-12	3.E-12	5.0E-03	5.0E-03	3.7E-11	2.7E-11	7.E-09	5.E-09	0.00000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	EPC Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polychlorinated Biphenyls																
	Total Aroclors	5.6E+01	ug/kg	2.0E+00	2.0E+00	3.5E-11	4.6E-11	7.E-11	9.E-11	2.E-10	2.0E-05	2.0E-05	2.8E-10	3.6E-10	1.E-05	2.E-05	0.00003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.6E-01	pg/g	1.3E+05	1.3E+05	9.0E-17	5.4E-16	1.E-11	7.E-11	8.E-11	1.0E-09	1.0E-09	7.0E-16	4.2E-15	7.E-07	4.E-06	0.000005
	Total PCB TEQ	1.3E+00	pg/g	1.3E+05	1.3E+05	8.5E-16	1.1E-15	1.E-10	1.E-10	3.E-10	1.0E-09	1.0E-09	6.6E-15	8.5E-15	7.E-06	8.E-06	0.00002
	Pesticides																
	Aldrin	5.1E-01	ug/kg	1.7E+01	1.7E+01	2.3E-13	4.1E-13	4.E-12	7.E-12	1.E-11	3.0E-05	3.0E-05	1.8E-12	3.2E-12	6.E-08	1.E-07	0.0000002
	Dieldrin	1.7E-01	ug/kg	1.6E+01	1.6E+01	7.5E-14	1.4E-13	1.E-12	2.E-12	3.E-12	5.0E-05	5.0E-05	5.8E-13	1.1E-12	1.E-08	2.E-08	0.00000003
	Total DDT	2.4E+00	ug/kg	3.4E-01	3.4E-01	3.2E-13	1.9E-12	1.E-13	7.E-13	8.E-13	5.0E-04	5.0E-04	2.5E-12	1.5E-11	5.E-09	3.E-08	0.0000004
Exposure Point Total										1.E-08							0.0002
RM 2.5 MC	**Metals**																
	Arsenic	4.3E+00	mg/kg	1.5E+00	1.5E+00	5.8E-10	3.5E-09	9.E-10	5.E-09	6.E-09	3.0E-04	3.0E-04	4.5E-09	2.7E-08	2.E-05	9.E-05	0.0001
	Mercury	7.9E-02	mg/kg	--	--	0.0E+00	6.4E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.0E-10	0.E+00	5.E-06	0.000005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.1E+02	ug/kg	7.3E-01	7.3E-01	1.3E-10	1.7E-10	9.E-11	1.E-10	2.E-10	--	--	9.7E-10	1.4E-09	--	--	--
	Benzo(a)pyrene	3.4E+02	ug/kg	7.3E+00	7.3E+00	2.0E-10	2.8E-10	1.E-09	2.E-09	4.E-09	--	--	1.6E-09	2.2E-09	--	--	--
	Benzo(b)fluoranthene	3.1E+02	ug/kg	7.3E-01	7.3E-01	1.8E-10	2.6E-10	1.E-10	2.E-10	3.E-10	--	--	1.4E-09	2.0E-09	--	--	--
	Benzo(k)fluoranthene	1.0E+02	ug/kg	7.3E-02	7.3E-02	5.9E-11	8.2E-11	4.E-12	6.E-12	1.E-11	--	--	4.6E-10	6.4E-10	--	--	--
	Dibenzo(a,h)anthracene	3.4E+01	ug/kg	7.3E+00	7.3E+00	2.0E-11	2.7E-11	1.E-10	2.E-10	3.E-10	--	--	1.5E-10	2.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.6E+02	ug/kg	7.3E-01	7.3E-01	1.5E-10	2.1E-10	1.E-10	2.E-10	3.E-10	--	--	1.2E-09	1.7E-09	--	--	--
	Naphthalene	5.9E+01	ug/kg	--	--	3.5E-11	4.8E-11	--	--	--	2.0E-02	2.0E-02	2.7E-10	3.7E-10	1.E-08	2.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	5.8E+01	ug/kg	1.4E-02	1.4E-02	2.6E-11	4.7E-11	4.E-13	7.E-13	1.E-12	2.0E-02	2.0E-02	2.0E-10	3.7E-10	1.E-08	2.E-08	0.00000003
	Phenols																
	Pentachlorophenol	5.5E-01	ug/kg	4.0E-01	4.0E-01	6.2E-13	4.5E-13	2.E-13	2.E-13	4.E-13	5.0E-03	5.0E-03	4.9E-12	3.5E-12	1.E-09	7.E-10	0.000000002
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+01	ug/kg	2.0E+00	2.0E+00	1.6E-11	2.1E-11	3.E-11	4.E-11	7.E-11	2.0E-05	2.0E-05	1.3E-10	1.6E-10	6.E-06	8.E-06	0.00001
	Pesticides																
	Aldrin	2.0E-01	ug/kg	1.7E+01	1.7E+01	9.3E-14	1.7E-13	2.E-12	3.E-12	4.E-12	3.0E-05	3.0E-05	7.2E-13	1.3E-12	2.E-08	4.E-08	0.0000001
	Dieldrin	3.1E-01	ug/kg	1.6E+01	1.6E+01	1.4E-13	2.5E-13	2.E-12	4.E-12	6.E-12	5.0E-05	5.0E-05	1.1E-12	2.0E-12	2.E-08	4.E-08	0.0000001
	Total DDT	3.7E+00	ug/kg	3.4E-01	3.4E-01	5.1E-13	3.1E-12	2.E-13	1.E-12	1.E-12	5.0E-04	5.0E-04	4.0E-12	2.4E-11	8.E-09	5.E-08	0.0000001
Exposure Point Total										1.E-08							0.0001
RM 3 West	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	5.0E-10	3.0E-09	7.E-10	4.E-09	5.E-09	3.0E-04	3.0E-04	3.9E-09	2.3E-08	1.E-05	8.E-05	0.0001
	Mercury	8.0E-02	mg/kg	--	--	0.0E+00	6.5E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.1E-10	0.E+00	5.E-06	0.00001
	Vanadium	8.6E+01	mg/kg	--	--	0.0E+00	7.0E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.5E-07	0.E+00	8.E-03	0.01
	Butyltins																
	Tributyltin ion	1.0E+01	ug/kg	--	--	4.7E-12	8.4E-12	--	--	--	3.0E-04	3.0E-04	3.6E-11	6.6E-11	1.E-07	2.E-07	0.0000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.9E+02	ug/kg	7.3E-01	7.3E-01	1.7E-10	2.4E-10	1.E-10	2.E-10	3.E-10	--	--	1.3E-09	1.8E-09	--	--	--
	Benzo(a)pyrene	4.6E+02	ug/kg	7.3E+00	7.3E+00	2.7E-10	3.8E-10	2.E-09	3.E-09	5.E-09	--	--	2.1E-09	2.9E-09	--	--	--
	Benzo(b)fluoranthene	4.0E+02	ug/kg	7.3E-01	7.3E-01	2.3E-10	3.2E-10	2.E-10	2.E-10	4.E-10	--	--	1.8E-09	2.5E-09	--	--	--
	Benzo(k)fluoranthene	2.3E+02	ug/kg	7.3E-02	7.3E-02	1.4E-10	1.9E-10	1.E-11	1.E-11	2.E-11	--	--	1.1E-09	1.5E-09	--	--	--
	Dibenzo(a,h)anthracene	5.3E+01	ug/kg	7.3E+00	7.3E+00	3.1E-11	4.3E-11	2.E-10	3.E-10	5.E-10	--	--	2.4E-10	3.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.3E+02	ug/kg	7.3E-01	7.3E-01	1.9E-10	2.7E-10	1.E-10	2.E-10	3.E-10	--	--	1.5E-09	2.1E-09	--	--	--
	Naphthalene	9.8E+01	ug/kg	--	--	5.8E-11	8.0E-11	--	--	--	2.0E-02	2.0E-02	4.5E-10	6.3E-10	2.E-08	3.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.0E+01	ug/kg	1.4E-02	1.4E-02	1.8E-11	3.3E-11	3.E-13	5.E-13	7.E-13	2.0E-02	2.0E-02	1.4E-10	2.6E-10	7.E-09	1.E-08	0.00000002
	Phenols																
	Pentachlorophenol	1.6E+01	ug/kg	4.0E-01	4.0E-01	1.9E-11	1.3E-11	7.E-12	5.E-12	1.E-11	5.0E-03	5.0E-03	1.4E-10	1.0E-10	3.E-08	2.E-08	0.000000005
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+01	ug/kg	2.0E+00	2.0E+00	7.2E-12	9.2E-12	1.E-11	2.E-11	3.E-11	2.0E-05	2.0E-05	5.6E-11	7.2E-11	3.E-06	4.E-06	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.1E-01	pg/g	1.3E+05	1.3E+05	8.2E-17	4.9E-16	1.E-11	6.E-11	8.E-11	1.0E-09	1.0E-09	6.4E-16	3.8E-15	6.E-07	4.E-06	0.000004
	Total PCB TEQ	4.1E-01	pg/g	1.3E+05	1.3E+05	2.6E-16	3.4E-16	3.E-11	4.E-11	8.E-11	1.0E-09	1.0E-09	2.0E-15	2.6E-15	2.E-06	3.E-06	0.000005
	Pesticides																
	Aldrin	3.5E-01	ug/kg	1.7E+01	1.7E+01	1.6E-13	2.9E-13	3.E-12	5.E-12	8.E-12	3.0E-05	3.0E-05	1.2E-12	2.2E-12	4.E-08	7.E-08	0.0000001
	Dieldrin	2.0E-01	ug/kg	1.6E+01	1.6E+01	8.9E-14	1.6E-13	1.E-12	3.E-12	4.E-12	5.0E-05	5.0E-05	6.9E-13	1.2E-12	1.E-08	2.E-08	0.00000004
	Total DDT	2.8E+01	ug/kg	3.4E-01	3.4E-01	3.8E-12	2.3E-11	1.E-12	8.E-12	9.E-12	5.0E-04	5.0E-04	3.0E-11	1.8E-10	6.E-08	4.E-07	0.0000004
Exposure Point Total										1.E-08							0.01
RM 3 East	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	5.6E-10	3.4E-09	8.E-10	5.E-09	6.E-09	3.0E-04	3.0E-04	4.4E-09	2.6E-08	1.E-05	9.E-05	0.0001
	Mercury	5.6E-02	mg/kg	--	--	0.0E+00	4.6E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.6E-10	0.E+00	4.E-06	0.000004
	Vanadium	8.8E+01	mg/kg	--	--	0.0E+00	7.2E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.6E-07	0.E+00	8.E-03	0.01
	Butyltins																
	Tributyltin ion	8.3E+00	ug/kg	--	--	3.7E-12	6.7E-12	--	--	--	3.0E-04	3.0E-04	2.9E-11	5.2E-11	1.E-07	2.E-07	0.0000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.7E+01	ug/kg	7.3E-01	7.3E-01	4.5E-11	6.3E-11	3.E-11	5.E-11	8.E-11	--	--	3.5E-10	4.9E-10	--	--	--
	Benzo(a)pyrene	8.4E+01	ug/kg	7.3E+00	7.3E+00	4.9E-11	6.9E-11	4.E-10	5.E-10	9.E-10	--	--	3.8E-10	5.3E-10	--	--	--
	Benzo(b)fluoranthene	9.9E+01	ug/kg	7.3E-01	7.3E-01	5.8E-11	8.1E-11	4.E-11	6.E-11	1.E-10	--	--	4.5E-10	6.3E-10	--	--	--
	Benzo(k)fluoranthene	6.0E+01	ug/kg	7.3E-02	7.3E-02	3.6E-11	4.9E-11	3.E-12	4.E-12	6.E-12	--	--	2.8E-10	3.8E-10	--	--	--
	Dibenzo(a,h)anthracene	1.4E+01	ug/kg	7.3E+00	7.3E+00	8.1E-12	1.1E-11	6.E-11	8.E-11	1.E-10	--	--	6.3E-11	8.7E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	6.7E+01	ug/kg	7.3E-01	7.3E-01	4.0E-11	5.5E-11	3.E-11	4.E-11	7.E-11	--	--	3.1E-10	4.3E-10	--	--	--
	Naphthalene	1.3E+01	ug/kg	--	--	7.5E-12	1.0E-11	--	--	--	2.0E-02	2.0E-02	5.8E-11	8.0E-11	3.E-09	4.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.5E+01	ug/kg	1.4E-02	1.4E-02	2.9E-11	5.3E-11	4.E-13	7.E-13	1.E-12	2.0E-02	2.0E-02	2.3E-10	4.1E-10	1.E-08	2.E-08	0.00000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phenols																
	Pentachlorophenol	1.9E+00	ug/kg	4.0E-01	4.0E-01	2.2E-12	1.6E-12	9.E-13	6.E-13	2.E-12	5.0E-03	5.0E-03	1.7E-11	1.2E-11	3.E-09	2.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.9E+01	ug/kg	2.0E+00	2.0E+00	1.2E-11	1.6E-11	2.E-11	3.E-11	6.E-11	2.0E-05	2.0E-05	9.4E-11	1.2E-10	5.E-06	6.E-06	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.9E+00	pg/g	1.3E+05	1.3E+05	3.9E-16	2.3E-15	5.E-11	3.E-10	4.E-10	1.0E-09	1.0E-09	3.0E-15	1.8E-14	3.E-06	2.E-05	0.00002
	Total PCB TEQ	7.7E-02	pg/g	1.3E+05	1.3E+05	4.9E-17	6.3E-17	6.E-12	8.E-12	1.E-11	1.0E-09	1.0E-09	3.8E-16	4.9E-16	4.E-07	5.E-07	0.000001
	Pesticides																
	Aldrin	2.9E-01	ug/kg	1.7E+01	1.7E+01	1.3E-13	2.3E-13	2.E-12	4.E-12	6.E-12	3.0E-05	3.0E-05	1.0E-12	1.8E-12	3.E-08	6.E-08	0.0000001
	Dieldrin	5.7E-02	ug/kg	1.6E+01	1.6E+01	2.6E-14	4.7E-14	4.E-13	8.E-13	1.E-12	5.0E-05	5.0E-05	2.0E-13	3.7E-13	4.E-09	7.E-09	0.00000001
	Total DDT	1.6E+00	ug/kg	3.4E-01	3.4E-01	2.2E-13	1.3E-12	7.E-14	4.E-13	5.E-13	5.0E-04	5.0E-04	1.7E-12	1.0E-11	3.E-09	2.E-08	0.00000002
Exposure Point Total										8.E-09							0.01
RM 3.5 West	**Metals**																
	Arsenic	5.8E+00	mg/kg	1.5E+00	1.5E+00	7.9E-10	4.7E-09	1.E-09	7.E-09	8.E-09	3.0E-04	3.0E-04	6.1E-09	3.7E-08	2.E-05	1.E-04	0.0001
	Mercury	7.1E-02	mg/kg	--	--	0.0E+00	5.8E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.5E-10	0.E+00	4.E-06	0.000004
	Vanadium	9.9E+01	mg/kg	--	--	0.0E+00	8.1E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	6.3E-07	0.E+00	9.E-03	0.01
	Butyltins																
	Tributyltin ion	8.1E+01	ug/kg	--	--	3.7E-11	6.6E-11	--	--	--	3.0E-04	3.0E-04	2.9E-10	5.2E-10	1.E-06	2.E-06	0.000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+02	ug/kg	7.3E-01	7.3E-01	1.5E-10	2.1E-10	1.E-10	2.E-10	3.E-10	--	--	1.2E-09	1.7E-09	--	--	--
	Benzo(a)pyrene	3.9E+02	ug/kg	7.3E+00	7.3E+00	2.3E-10	3.2E-10	2.E-09	2.E-09	4.E-09	--	--	1.8E-09	2.5E-09	--	--	--
	Benzo(b)fluoranthene	3.5E+02	ug/kg	7.3E-01	7.3E-01	2.1E-10	2.9E-10	2.E-10	2.E-10	4.E-10	--	--	1.6E-09	2.2E-09	--	--	--
	Benzo(k)fluoranthene	1.4E+02	ug/kg	7.3E-02	7.3E-02	8.5E-11	1.2E-10	6.E-12	9.E-12	1.E-11	--	--	6.6E-10	9.2E-10	--	--	--
	Dibenzo(a,h)anthracene	4.3E+01	ug/kg	7.3E+00	7.3E+00	2.5E-11	3.5E-11	2.E-10	3.E-10	4.E-10	--	--	2.0E-10	2.7E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.2E+02	ug/kg	7.3E-01	7.3E-01	1.9E-10	2.6E-10	1.E-10	2.E-10	3.E-10	--	--	1.5E-09	2.0E-09	--	--	--
	Naphthalene	1.3E+02	ug/kg	--	--	7.8E-11	1.1E-10	--	--	--	2.0E-02	2.0E-02	6.1E-10	8.4E-10	3.E-08	4.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.6E+01	ug/kg	1.4E-02	1.4E-02	2.1E-11	3.8E-11	3.E-13	5.E-13	8.E-13	2.0E-02	2.0E-02	1.6E-10	3.0E-10	8.E-09	1.E-08	0.00000002
	Phenols																
	Pentachlorophenol	2.5E+00	ug/kg	4.0E-01	4.0E-01	2.8E-12	2.0E-12	1.E-12	8.E-13	2.E-12	5.0E-03	5.0E-03	2.2E-11	1.6E-11	4.E-09	3.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.3E+01	ug/kg	2.0E+00	2.0E+00	1.4E-11	1.9E-11	3.E-11	4.E-11	7.E-11	2.0E-05	2.0E-05	1.1E-10	1.4E-10	6.E-06	7.E-06	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.1E-01	pg/g	1.3E+05	1.3E+05	1.2E-16	7.4E-16	2.E-11	1.E-10	1.E-10	1.0E-09	1.0E-09	9.6E-16	5.8E-15	1.E-06	6.E-06	0.00001
	Total PCB TEQ	5.1E-01	pg/g	1.3E+05	1.3E+05	3.2E-16	4.2E-16	4.E-11	5.E-11	1.E-10	1.0E-09	1.0E-09	2.5E-15	3.3E-15	3.E-06	3.E-06	0.00001
	Pesticides																
	Aldrin	2.7E-01	ug/kg	1.7E+01	1.7E+01	1.2E-13	2.2E-13	2.E-12	4.E-12	6.E-12	3.0E-05	3.0E-05	9.3E-13	1.7E-12	3.E-08	6.E-08	0.0000001
	Dieldrin	1.3E-01	ug/kg	1.6E+01	1.6E+01	5.7E-14	1.0E-13	9.E-13	2.E-12	3.E-12	5.0E-05	5.0E-05	4.4E-13	8.0E-13	9.E-09	2.E-08	0.00000002
	Total DDT	5.8E+00	ug/kg	3.4E-01	3.4E-01	7.9E-13	4.8E-12	3.E-13	2.E-12	2.E-12	5.0E-04	5.0E-04	6.2E-12	3.7E-11	1.E-08	7.E-08	0.0000001
Exposure Point Total										1.E-08							0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 3.5 East	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	5.0E-10	3.0E-09	8.E-10	5.E-09	5.E-09	3.0E-04	3.0E-04	3.9E-09	2.3E-08	1.E-05	8.E-05	0.0001
	Mercury	7.9E-02	mg/kg	--	--	0.0E+00	6.4E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.0E-10	0.E+00	5.E-06	0.00001
	Vanadium	9.9E+01	mg/kg	--	--	0.0E+00	8.1E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	6.3E-07	0.E+00	9.E-03	0.01
	Butyltins																
	Tributyltin ion	1.8E+03	ug/kg	--	--	8.1E-10	1.5E-09	--	--	--	3.0E-04	3.0E-04	6.3E-09	1.1E-08	2.E-05	4.E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.9E+02	ug/kg	7.3E-01	7.3E-01	1.7E-10	2.4E-10	1.E-10	2.E-10	3.E-10	--	--	1.3E-09	1.9E-09	--	--	--
	Benzo(a)pyrene	2.5E+02	ug/kg	7.3E+00	7.3E+00	1.5E-10	2.0E-10	1.E-09	1.E-09	3.E-09	--	--	1.1E-09	1.6E-09	--	--	--
	Benzo(b)fluoranthene	3.5E+02	ug/kg	7.3E-01	7.3E-01	2.1E-10	2.9E-10	2.E-10	2.E-10	4.E-10	--	--	1.6E-09	2.2E-09	--	--	--
	Benzo(k)fluoranthene	1.7E+02	ug/kg	7.3E-02	7.3E-02	1.0E-10	1.4E-10	7.E-12	1.E-11	2.E-11	--	--	7.8E-10	1.1E-09	--	--	--
	Dibenzo(a,h)anthracene	4.1E+01	ug/kg	7.3E+00	7.3E+00	2.4E-11	3.3E-11	2.E-10	2.E-10	4.E-10	--	--	1.9E-10	2.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.5E+02	ug/kg	7.3E-01	7.3E-01	8.8E-11	1.2E-10	6.E-11	9.E-11	2.E-10	--	--	6.8E-10	9.4E-10	--	--	--
	Naphthalene	1.4E+01	ug/kg	--	--	8.2E-12	1.1E-11	--	--	--	2.0E-02	2.0E-02	6.4E-11	8.8E-11	3.E-09	4.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+03	ug/kg	1.4E-02	1.4E-02	6.0E-10	1.1E-09	8.E-12	2.E-11	2.E-11	2.0E-02	2.0E-02	4.7E-09	8.4E-09	2.E-07	4.E-07	0.000001
	Phenols																
	Pentachlorophenol	2.0E+00	ug/kg	4.0E-01	4.0E-01	2.3E-12	1.7E-12	9.E-13	7.E-13	2.E-12	5.0E-03	5.0E-03	1.8E-11	1.3E-11	4.E-09	3.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.8E+02	ug/kg	2.0E+00	2.0E+00	2.4E-10	3.1E-10	5.E-10	6.E-10	1.E-09	2.0E-05	2.0E-05	1.9E-09	2.4E-09	9.E-05	1.E-04	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.3E+00	pg/g	1.3E+05	1.3E+05	4.5E-16	2.7E-15	6.E-11	4.E-10	4.E-10	1.0E-09	1.0E-09	3.5E-15	2.1E-14	4.E-06	2.E-05	0.00002
	Total PCB TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	1.1E-14	1.4E-14	1.E-09	2.E-09	3.E-09	1.0E-09	1.0E-09	8.6E-14	1.1E-13	9.E-05	1.E-04	0.0002
	Pesticides																
	Aldrin	3.7E-01	ug/kg	1.7E+01	1.7E+01	1.7E-13	3.0E-13	3.E-12	5.E-12	8.E-12	3.0E-05	3.0E-05	1.3E-12	2.4E-12	4.E-08	8.E-08	0.0000001
	Dieldrin	1.3E-01	ug/kg	1.6E+01	1.6E+01	5.7E-14	1.0E-13	9.E-13	2.E-12	3.E-12	5.0E-05	5.0E-05	4.4E-13	8.0E-13	9.E-09	2.E-08	0.00000002
	Total DDT	6.2E+00	ug/kg	3.4E-01	3.4E-01	8.4E-13	5.0E-12	3.E-13	2.E-12	2.E-12	5.0E-04	5.0E-04	6.5E-12	3.9E-11	1.E-08	8.E-08	0.0000001
Exposure Point Total										1.E-08							0.01
RM 4 West	**Metals**																
	Arsenic	3.4E+00	mg/kg	1.5E+00	1.5E+00	4.6E-10	2.8E-09	7.E-10	4.E-09	5.E-09	3.0E-04	3.0E-04	3.6E-09	2.1E-08	1.E-05	7.E-05	0.0001
	Mercury	8.2E-02	mg/kg	--	--	0.0E+00	6.7E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.2E-10	0.E+00	5.E-06	0.00001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	8.4E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	6.5E-07	0.E+00	9.E-03	0.01
	Butyltins																
	Tributyltin ion	6.1E+00	ug/kg	--	--	2.8E-12	5.0E-12	--	--	--	3.0E-04	3.0E-04	2.2E-11	3.9E-11	7.E-08	1.E-07	0.0000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.5E+02	ug/kg	7.3E-01	7.3E-01	1.5E-10	2.1E-10	1.E-10	2.E-10	3.E-10	--	--	1.2E-09	1.6E-09	--	--	--
	Benzo(a)pyrene	4.0E+02	ug/kg	7.3E+00	7.3E+00	2.3E-10	3.2E-10	2.E-09	2.E-09	4.E-09	--	--	1.8E-09	2.5E-09	--	--	--
	Benzo(b)fluoranthene	3.6E+02	ug/kg	7.3E-01	7.3E-01	2.1E-10	2.9E-10	2.E-10	2.E-10	4.E-10	--	--	1.6E-09	2.3E-09	--	--	--
	Benzo(k)fluoranthene	1.3E+02	ug/kg	7.3E-02	7.3E-02	7.8E-11	1.1E-10	6.E-12	8.E-12	1.E-11	--	--	6.1E-10	8.4E-10	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dibenzo(a,h)anthracene	4.4E+01	ug/kg	7.3E+00	7.3E+00	2.6E-11	3.6E-11	2.E-10	3.E-10	5.E-10	--	--	2.0E-10	2.8E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.2E+02	ug/kg	7.3E-01	7.3E-01	1.9E-10	2.6E-10	1.E-10	2.E-10	3.E-10	--	--	1.4E-09	2.0E-09	--	--	--
	Naphthalene	7.7E+01	ug/kg	--	--	4.5E-11	6.3E-11	--	--	--	2.0E-02	2.0E-02	3.5E-10	4.9E-10	2.E-08	2.E-08	0.00000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.2E+01	ug/kg	1.4E-02	1.4E-02	1.9E-11	3.4E-11	3.E-13	5.E-13	7.E-13	2.0E-02	2.0E-02	1.5E-10	2.7E-10	7.E-09	1.E-08	0.00000002
	Phenols																
	Pentachlorophenol	4.5E+00	ug/kg	4.0E-01	4.0E-01	5.1E-12	3.7E-12	2.E-12	1.E-12	4.E-12	5.0E-03	5.0E-03	4.0E-11	2.9E-11	8.E-09	6.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.1E+01	ug/kg	2.0E+00	2.0E+00	1.4E-11	1.7E-11	3.E-11	3.E-11	6.E-11	2.0E-05	2.0E-05	1.1E-10	1.4E-10	5.E-06	7.E-06	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.6E+00	pg/g	1.3E+05	1.3E+05	2.2E-16	1.3E-15	3.E-11	2.E-10	2.E-10	1.0E-09	1.0E-09	1.7E-15	1.0E-14	2.E-06	1.E-05	0.00001
	Total PCB TEQ	4.7E-01	pg/g	1.3E+05	1.3E+05	3.0E-16	3.9E-16	4.E-11	5.E-11	9.E-11	1.0E-09	1.0E-09	2.3E-15	3.0E-15	2.E-06	3.E-06	0.00001
	Pesticides																
	Aldrin	3.9E-01	ug/kg	1.7E+01	1.7E+01	1.8E-13	3.2E-13	3.E-12	5.E-12	8.E-12	3.0E-05	3.0E-05	1.4E-12	2.5E-12	5.E-08	8.E-08	0.0000001
	Dieldrin	7.1E-02	ug/kg	1.6E+01	1.6E+01	3.2E-14	5.8E-14	5.E-13	9.E-13	1.E-12	5.0E-05	5.0E-05	2.5E-13	4.5E-13	5.E-09	9.E-09	0.00000001
	Total DDT	1.9E+01	ug/kg	3.4E-01	3.4E-01	2.6E-12	1.5E-11	9.E-13	5.E-12	6.E-12	5.0E-04	5.0E-04	2.0E-11	1.2E-10	4.E-08	2.E-07	0.0000003
Exposure Point Total										1.E-08							0.01
RM 4 East	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	5.7E-10	3.5E-09	9.E-10	5.E-09	6.E-09	3.0E-04	3.0E-04	4.5E-09	2.7E-08	1.E-05	9.E-05	0.0001
	Mercury	6.6E-02	mg/kg	--	--	0.0E+00	5.4E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.2E-10	0.E+00	4.E-06	0.000004
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	8.7E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	6.8E-07	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	2.6E+01	ug/kg	--	--	1.2E-11	2.1E-11	--	--	--	3.0E-04	3.0E-04	9.2E-11	1.7E-10	3.E-07	6.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.3E+02	ug/kg	7.3E-01	7.3E-01	3.7E-10	5.2E-10	3.E-10	4.E-10	7.E-10	--	--	2.9E-09	4.0E-09	--	--	--
	Benzo(a)pyrene	8.8E+02	ug/kg	7.3E+00	7.3E+00	5.2E-10	7.2E-10	4.E-09	5.E-09	9.E-09	--	--	4.0E-09	5.6E-09	--	--	--
	Benzo(b)fluoranthene	9.0E+02	ug/kg	7.3E-01	7.3E-01	5.3E-10	7.4E-10	4.E-10	5.E-10	9.E-10	--	--	4.1E-09	5.8E-09	--	--	--
	Benzo(k)fluoranthene	7.1E+02	ug/kg	7.3E-02	7.3E-02	4.2E-10	5.8E-10	3.E-11	4.E-11	7.E-11	--	--	3.3E-09	4.5E-09	--	--	--
	Dibenzo(a,h)anthracene	1.4E+02	ug/kg	7.3E+00	7.3E+00	8.3E-11	1.2E-10	6.E-10	8.E-10	1.E-09	--	--	6.5E-10	9.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	6.4E+02	ug/kg	7.3E-01	7.3E-01	3.8E-10	5.2E-10	3.E-10	4.E-10	7.E-10	--	--	2.9E-09	4.1E-09	--	--	--
	Naphthalene	3.9E+01	ug/kg	--	--	2.3E-11	3.1E-11	--	--	--	2.0E-02	2.0E-02	1.8E-10	2.4E-10	9.E-09	1.E-08	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.1E+02	ug/kg	1.4E-02	1.4E-02	4.1E-10	7.5E-10	6.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	3.2E-09	5.8E-09	2.E-07	3.E-07	0.0000005
	Phenols																
	Pentachlorophenol	4.5E+02	ug/kg	4.0E-01	4.0E-01	5.1E-10	3.7E-10	2.E-10	1.E-10	4.E-10	5.0E-03	5.0E-03	4.0E-09	2.9E-09	8.E-07	6.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.5E+02	ug/kg	2.0E+00	2.0E+00	9.6E-11	1.2E-10	2.E-10	2.E-10	4.E-10	2.0E-05	2.0E-05	7.4E-10	9.6E-10	4.E-05	5.E-05	0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.1E+00	pg/g	1.3E+05	1.3E+05	5.6E-16	3.4E-15	7.E-11	4.E-10	5.E-10	1.0E-09	1.0E-09	4.4E-15	2.6E-14	4.E-06	3.E-05	0.00003
	Total PCB TEQ	1.9E+00	pg/g	1.3E+05	1.3E+05	1.2E-15	1.6E-15	2.E-10	2.E-10	4.E-10	1.0E-09	1.0E-09	9.5E-15	1.2E-14	9.E-06	1.E-05	0.00002
	Pesticides																
	Aldrin	4.7E-01	ug/kg	1.7E+01	1.7E+01	2.1E-13	3.9E-13	4.E-12	7.E-12	1.E-11	3.0E-05	3.0E-05	1.7E-12	3.0E-12	6.E-08	1.E-07	0.0000002
	Dieldrin	8.9E-02	ug/kg	1.6E+01	1.6E+01	4.0E-14	7.3E-14	6.E-13	1.E-12	2.E-12	5.0E-05	5.0E-05	3.1E-13	5.6E-13	6.E-09	1.E-08	0.00000002
	Total DDT	5.4E+00	ug/kg	3.4E-01	3.4E-01	7.4E-13	4.4E-12	3.E-13	2.E-12	2.E-12	5.0E-04	5.0E-04	5.7E-12	3.4E-11	1.E-08	7.E-08	0.0000001
Exposure Point Total										2.E-08							0.01
RM 4.5 West	**Metals**																
	Arsenic	3.6E+00	mg/kg	1.5E+00	1.5E+00	4.9E-10	2.9E-09	7.E-10	4.E-09	5.E-09	3.0E-04	3.0E-04	3.8E-09	2.3E-08	1.E-05	8.E-05	0.0001
	Mercury	8.6E-02	mg/kg	--	--	0.0E+00	7.0E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.4E-10	0.E+00	5.E-06	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	8.7E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	6.8E-07	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	7.5E+00	ug/kg	--	--	3.4E-12	6.1E-12	--	--	--	3.0E-04	3.0E-04	2.6E-11	4.8E-11	9.E-08	2.E-07	0.0000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.5E+02	ug/kg	7.3E-01	7.3E-01	3.3E-10	4.5E-10	2.E-10	3.E-10	6.E-10	--	--	2.5E-09	3.5E-09	--	--	--
	Benzo(a)pyrene	7.6E+02	ug/kg	7.3E+00	7.3E+00	4.5E-10	6.2E-10	3.E-09	5.E-09	8.E-09	--	--	3.5E-09	4.8E-09	--	--	--
	Benzo(b)fluoranthene	6.6E+02	ug/kg	7.3E-01	7.3E-01	3.9E-10	5.4E-10	3.E-10	4.E-10	7.E-10	--	--	3.0E-09	4.2E-09	--	--	--
	Benzo(k)fluoranthene	2.9E+02	ug/kg	7.3E-02	7.3E-02	1.7E-10	2.4E-10	1.E-11	2.E-11	3.E-11	--	--	1.3E-09	1.8E-09	--	--	--
	Dibenzo(a,h)anthracene	8.5E+01	ug/kg	7.3E+00	7.3E+00	5.0E-11	6.9E-11	4.E-10	5.E-10	9.E-10	--	--	3.9E-10	5.4E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	5.9E+02	ug/kg	7.3E-01	7.3E-01	3.5E-10	4.9E-10	3.E-10	4.E-10	6.E-10	--	--	2.7E-09	3.8E-09	--	--	--
	Naphthalene	1.6E+02	ug/kg	--	--	9.6E-11	1.3E-10	--	--	--	2.0E-02	2.0E-02	7.5E-10	1.0E-09	4.E-08	5.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	5.0E+01	ug/kg	1.4E-02	1.4E-02	2.2E-11	4.1E-11	3.E-13	6.E-13	9.E-13	2.0E-02	2.0E-02	1.7E-10	3.2E-10	9.E-09	2.E-08	0.00000002
	Phenols																
	Pentachlorophenol	1.7E+00	ug/kg	4.0E-01	4.0E-01	1.9E-12	1.4E-12	8.E-13	6.E-13	1.E-12	5.0E-03	5.0E-03	1.5E-11	1.1E-11	3.E-09	2.E-09	0.000000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+01	ug/kg	2.0E+00	2.0E+00	1.6E-11	2.0E-11	3.E-11	4.E-11	7.E-11	2.0E-05	2.0E-05	1.2E-10	1.6E-10	6.E-06	8.E-06	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.6E+00	pg/g	1.3E+05	1.3E+05	3.6E-16	2.1E-15	5.E-11	3.E-10	3.E-10	1.0E-09	1.0E-09	2.8E-15	1.7E-14	3.E-06	2.E-05	0.00002
	Total PCB TEQ	1.4E+00	pg/g	1.3E+05	1.3E+05	8.9E-16	1.2E-15	1.E-10	1.E-10	3.E-10	1.0E-09	1.0E-09	7.0E-15	9.0E-15	7.E-06	9.E-06	0.00002
	Pesticides																
	Aldrin	1.7E-01	ug/kg	1.7E+01	1.7E+01	7.6E-14	1.4E-13	1.E-12	2.E-12	4.E-12	3.0E-05	3.0E-05	5.9E-13	1.1E-12	2.E-08	4.E-08	0.0000001
	Dieldrin	1.3E-01	ug/kg	1.6E+01	1.6E+01	6.1E-14	1.1E-13	1.E-12	2.E-12	3.E-12	5.0E-05	5.0E-05	4.7E-13	8.5E-13	9.E-09	2.E-08	0.00000003
	Total DDT	4.5E+00	ug/kg	3.4E-01	3.4E-01	6.2E-13	3.7E-12	2.E-13	1.E-12	1.E-12	5.0E-04	5.0E-04	4.8E-12	2.9E-11	1.E-08	6.E-08	0.0000001
Exposure Point Total										2.E-08							0.01
RM 4.5 East	**Metals**																
	Arsenic	4.0E+00	mg/kg	1.5E+00	1.5E+00	5.4E-10	3.3E-09	8.E-10	5.E-09	6.E-09	3.0E-04	3.0E-04	4.2E-09	2.5E-08	1.E-05	8.E-05	0.0001
	Mercury	6.3E-02	mg/kg	--	--	0.0E+00	5.2E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.0E-10	0.E+00	4.E-06	0.000004
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	8.6E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	6.7E-07	0.E+00	1.E-02	0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	4.1E+01	ug/kg	--	--	1.8E-11	3.3E-11	--	--	--	3.0E-04	3.0E-04	1.4E-10	2.6E-10	5.E-07	9.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.3E+03	ug/kg	7.3E-01	7.3E-01	2.0E-09	2.7E-09	1.E-09	2.E-09	3.E-09	--	--	1.5E-08	2.1E-08	--	--	--
	Benzo(a)pyrene	4.3E+03	ug/kg	7.3E+00	7.3E+00	2.5E-09	3.5E-09	2.E-08	3.E-08	4.E-08	--	--	2.0E-08	2.7E-08	--	--	--
	Benzo(b)fluoranthene	3.8E+03	ug/kg	7.3E-01	7.3E-01	2.2E-09	3.1E-09	2.E-09	2.E-09	4.E-09	--	--	1.7E-08	2.4E-08	--	--	--
	Benzo(k)fluoranthene	3.4E+03	ug/kg	7.3E-02	7.3E-02	2.0E-09	2.8E-09	1.E-10	2.E-10	3.E-10	--	--	1.6E-08	2.2E-08	--	--	--
	Dibenzo(a,h)anthracene	7.1E+02	ug/kg	7.3E+00	7.3E+00	4.2E-10	5.8E-10	3.E-09	4.E-09	7.E-09	--	--	3.3E-09	4.5E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.0E+03	ug/kg	7.3E-01	7.3E-01	1.8E-09	2.5E-09	1.E-09	2.E-09	3.E-09	--	--	1.4E-08	1.9E-08	--	--	--
	Naphthalene	1.5E+02	ug/kg	--	--	8.6E-11	1.2E-10	--	--	--	2.0E-02	2.0E-02	6.7E-10	9.3E-10	3.E-08	5.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.3E+01	ug/kg	1.4E-02	1.4E-02	3.8E-11	6.8E-11	5.E-13	1.E-12	1.E-12	2.0E-02	2.0E-02	2.9E-10	5.3E-10	1.E-08	3.E-08	0.00000004
	Phenols																
	Pentachlorophenol	1.8E+00	ug/kg	4.0E-01	4.0E-01	2.0E-12	1.5E-12	8.E-13	6.E-13	1.E-12	5.0E-03	5.0E-03	1.6E-11	1.1E-11	3.E-09	2.E-09	0.000000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.5E+01	ug/kg	2.0E+00	2.0E+00	2.2E-11	2.8E-11	4.E-11	6.E-11	1.E-10	2.0E-05	2.0E-05	1.7E-10	2.2E-10	9.E-06	1.E-05	0.00002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.8E-01	pg/g	1.3E+05	1.3E+05	3.8E-17	2.3E-16	5.E-12	3.E-11	3.E-11	1.0E-09	1.0E-09	2.9E-16	1.8E-15	3.E-07	2.E-06	0.000002
	Total PCB TEQ	3.2E-01	pg/g	1.3E+05	1.3E+05	2.0E-16	2.6E-16	3.E-11	3.E-11	6.E-11	1.0E-09	1.0E-09	1.6E-15	2.0E-15	2.E-06	2.E-06	0.000004
	Pesticides																
	Aldrin	1.1E-01	ug/kg	1.7E+01	1.7E+01	4.9E-14	8.8E-14	8.E-13	1.E-12	2.E-12	3.0E-05	3.0E-05	3.8E-13	6.8E-13	1.E-08	2.E-08	0.00000004
	Dieldrin	5.8E-02	ug/kg	1.6E+01	1.6E+01	2.6E-14	4.8E-14	4.E-13	8.E-13	1.E-12	5.0E-05	5.0E-05	2.1E-13	3.7E-13	4.E-09	7.E-09	0.00000001
	Total DDT	4.9E+00	ug/kg	3.4E-01	3.4E-01	6.6E-13	4.0E-12	2.E-13	1.E-12	2.E-12	5.0E-04	5.0E-04	5.1E-12	3.1E-11	1.E-08	6.E-08	0.0000001
Exposure Point Total										**7.E-08**							**0.01**
RM 5 West	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	4.4E-10	2.7E-09	7.E-10	4.E-09	5.E-09	3.0E-04	3.0E-04	3.4E-09	2.1E-08	1.E-05	7.E-05	0.0001
	Mercury	5.2E-02	mg/kg	--	--	0.0E+00	4.3E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.3E-10	0.E+00	3.E-06	0.000003
	Vanadium	9.8E+01	mg/kg	--	--	0.0E+00	8.0E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	6.3E-07	0.E+00	9.E-03	0.01
	Butyltins																
	Tributyltin ion	1.8E+01	ug/kg	--	--	8.2E-12	1.5E-11	--	--	--	3.0E-04	3.0E-04	6.3E-11	1.1E-10	2.E-07	4.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.9E+02	ug/kg	7.3E-01	7.3E-01	3.5E-10	4.8E-10	3.E-10	4.E-10	6.E-10	--	--	2.7E-09	3.8E-09	--	--	--
	Benzo(a)pyrene	7.9E+02	ug/kg	7.3E+00	7.3E+00	4.7E-10	6.5E-10	3.E-09	5.E-09	8.E-09	--	--	3.6E-09	5.0E-09	--	--	--
	Benzo(b)fluoranthene	5.7E+02	ug/kg	7.3E-01	7.3E-01	3.3E-10	4.6E-10	2.E-10	3.E-10	6.E-10	--	--	2.6E-09	3.6E-09	--	--	--
	Benzo(k)fluoranthene	4.1E+02	ug/kg	7.3E-02	7.3E-02	2.4E-10	3.4E-10	2.E-11	2.E-11	4.E-11	--	--	1.9E-09	2.6E-09	--	--	--
	Dibenzo(a,h)anthracene	8.2E+01	ug/kg	7.3E+00	7.3E+00	4.8E-11	6.7E-11	4.E-10	5.E-10	8.E-10	--	--	3.7E-10	5.2E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	5.9E+02	ug/kg	7.3E-01	7.3E-01	3.5E-10	4.8E-10	3.E-10	3.E-10	6.E-10	--	--	2.7E-09	3.7E-09	--	--	--
	Naphthalene	1.4E+02	ug/kg	--	--	8.1E-11	1.1E-10	--	--	--	2.0E-02	2.0E-02	6.3E-10	8.7E-10	3.E-08	4.E-08	0.0000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.1E+01	ug/kg	1.4E-02	1.4E-02	3.2E-11	5.8E-11	5.E-13	8.E-13	1.E-12	2.0E-02	2.0E-02	2.5E-10	4.5E-10	1.E-08	2.E-08	0.00000004
	Phenols																
	Pentachlorophenol	2.1E+01	ug/kg	4.0E-01	4.0E-01	2.4E-11	1.7E-11	9.E-12	7.E-12	2.E-11	5.0E-03	5.0E-03	1.8E-10	1.3E-10	4.E-08	3.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+01	ug/kg	2.0E+00	2.0E+00	1.1E-11	1.4E-11	2.E-11	3.E-11	5.E-11	2.0E-05	2.0E-05	8.4E-11	1.1E-10	4.E-06	5.E-06	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.5E+00	pg/g	1.3E+05	1.3E+05	4.7E-16	2.8E-15	6.E-11	4.E-10	4.E-10	1.0E-09	1.0E-09	3.7E-15	2.2E-14	4.E-06	2.E-05	0.00003
	Total PCB TEQ	1.2E+00	pg/g	1.3E+05	1.3E+05	7.4E-16	9.5E-16	1.E-10	1.E-10	2.E-10	1.0E-09	1.0E-09	5.8E-15	7.4E-15	6.E-06	7.E-06	0.00001
	Pesticides																
	Aldrin	4.4E-01	ug/kg	1.7E+01	1.7E+01	2.0E-13	3.6E-13	3.E-12	6.E-12	1.E-11	3.0E-05	3.0E-05	1.6E-12	2.8E-12	5.E-08	9.E-08	0.0000001
	Dieldrin	1.5E-01	ug/kg	1.6E+01	1.6E+01	6.7E-14	1.2E-13	1.E-12	2.E-12	3.E-12	5.0E-05	5.0E-05	5.2E-13	9.4E-13	1.E-08	2.E-08	0.00000003
	Total DDT	1.2E+01	ug/kg	3.4E-01	3.4E-01	1.6E-12	9.5E-12	5.E-13	3.E-12	4.E-12	5.0E-04	5.0E-04	1.2E-11	7.4E-11	2.E-08	1.E-07	0.0000002
Exposure Point Total										**2.E-08**							**0.01**
RM 5 East	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	4.4E-10	2.6E-09	7.E-10	4.E-09	5.E-09	3.0E-04	3.0E-04	3.4E-09	2.1E-08	1.E-05	7.E-05	0.0001
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	5.6E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.3E-10	0.E+00	4.E-06	0.000004
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	8.4E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	6.6E-07	0.E+00	9.E-03	0.01
	Butyltins																
	Tributyltin ion	5.7E+01	ug/kg	--	--	2.6E-11	4.7E-11	--	--	--	3.0E-04	3.0E-04	2.0E-10	3.6E-10	7.E-07	1.E-06	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.1E+02	ug/kg	7.3E-01	7.3E-01	1.3E-10	1.7E-10	9.E-11	1.E-10	2.E-10	--	--	9.8E-10	1.4E-09	--	--	--
	Benzo(a)pyrene	3.0E+02	ug/kg	7.3E+00	7.3E+00	1.8E-10	2.4E-10	1.E-09	2.E-09	3.E-09	--	--	1.4E-09	1.9E-09	--	--	--
	Benzo(b)fluoranthene	3.2E+02	ug/kg	7.3E-01	7.3E-01	1.9E-10	2.6E-10	1.E-10	2.E-10	3.E-10	--	--	1.5E-09	2.0E-09	--	--	--
	Benzo(k)fluoranthene	1.5E+02	ug/kg	7.3E-02	7.3E-02	8.9E-11	1.2E-10	7.E-12	9.E-12	2.E-11	--	--	6.9E-10	9.6E-10	--	--	--
	Dibenzo(a,h)anthracene	4.3E+01	ug/kg	7.3E+00	7.3E+00	2.5E-11	3.5E-11	2.E-10	3.E-10	4.E-10	--	--	2.0E-10	2.7E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.4E+02	ug/kg	7.3E-01	7.3E-01	1.4E-10	2.0E-10	1.E-10	1.E-10	2.E-10	--	--	1.1E-09	1.5E-09	--	--	--
	Naphthalene	5.5E+01	ug/kg	--	--	3.2E-11	4.5E-11	--	--	--	2.0E-02	2.0E-02	2.5E-10	3.5E-10	1.E-08	2.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.5E+01	ug/kg	1.4E-02	1.4E-02	3.9E-11	7.0E-11	5.E-13	1.E-12	2.E-12	2.0E-02	2.0E-02	3.0E-10	5.4E-10	2.E-08	3.E-08	0.00000004
	Phenols																
	Pentachlorophenol	6.5E+00	ug/kg	4.0E-01	4.0E-01	7.4E-12	5.3E-12	3.E-12	2.E-12	5.E-12	5.0E-03	5.0E-03	5.8E-11	4.2E-11	1.E-08	8.E-09	0.000000002
	Polychlorinated Biphenyls																
	Total Aroclors	2.0E+01	ug/kg	2.0E+00	2.0E+00	1.2E-11	1.6E-11	2.E-11	3.E-11	6.E-11	2.0E-05	2.0E-05	9.7E-11	1.2E-10	5.E-06	6.E-06	0.00001
	Pesticides																
	Aldrin	1.9E-01	ug/kg	1.7E+01	1.7E+01	8.6E-14	1.6E-13	1.E-12	3.E-12	4.E-12	3.0E-05	3.0E-05	6.7E-13	1.2E-12	2.E-08	4.E-08	0.0000001
	Dieldrin	1.9E-01	ug/kg	1.6E+01	1.6E+01	8.6E-14	1.5E-13	1.E-12	2.E-12	4.E-12	5.0E-05	5.0E-05	6.7E-13	1.2E-12	1.E-08	2.E-08	0.00000004
	Total DDT	1.4E+00	ug/kg	3.4E-01	3.4E-01	1.9E-13	1.1E-12	6.E-14	4.E-13	4.E-13	5.0E-04	5.0E-04	1.5E-12	8.7E-12	3.E-09	2.E-08	0.00000002
Exposure Point Total										**9.E-09**							**0.01**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 5.5 West	**Metals**																
	Arsenic	4.3E+00	mg/kg	1.5E+00	1.5E+00	5.8E-10	3.5E-09	9.E-10	5.E-09	6.E-09	3.0E-04	3.0E-04	4.5E-09	2.7E-08	1.E-05	9.E-05	0.0001
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	5.6E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.3E-10	0.E+00	4.E-06	0.000004
	Vanadium	9.2E+01	mg/kg	--	--	0.0E+00	7.5E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.9E-07	0.E+00	8.E-03	0.01
	Butyltins																
	Tributyltin ion	1.7E+01	ug/kg	--	--	7.9E-12	1.4E-11	--	--	--	3.0E-04	3.0E-04	6.1E-11	1.1E-10	2.E-07	4.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.3E+03	ug/kg	7.3E-01	7.3E-01	7.8E-10	1.1E-09	6.E-10	8.E-10	1.E-09	--	--	6.1E-09	8.5E-09	--	--	--
	Benzo(a)pyrene	1.9E+03	ug/kg	7.3E+00	7.3E+00	1.1E-09	1.5E-09	8.E-09	1.E-08	2.E-08	--	--	8.7E-09	1.2E-08	--	--	--
	Benzo(b)fluoranthene	1.5E+03	ug/kg	7.3E-01	7.3E-01	9.0E-10	1.3E-09	7.E-10	9.E-10	2.E-09	--	--	7.0E-09	9.8E-09	--	--	--
	Benzo(k)fluoranthene	7.5E+02	ug/kg	7.3E-02	7.3E-02	4.4E-10	6.1E-10	3.E-11	4.E-11	8.E-11	--	--	3.4E-09	4.8E-09	--	--	--
	Dibenzo(a,h)anthracene	1.7E+02	ug/kg	7.3E+00	7.3E+00	1.0E-10	1.4E-10	7.E-10	1.E-09	2.E-09	--	--	7.8E-10	1.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.5E+03	ug/kg	7.3E-01	7.3E-01	8.7E-10	1.2E-09	6.E-10	9.E-10	2.E-09	--	--	6.8E-09	9.4E-09	--	--	--
	Naphthalene	1.2E+02	ug/kg	--	--	6.9E-11	9.6E-11	--	--	--	2.0E-02	2.0E-02	5.4E-10	7.5E-10	3.E-08	4.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.4E+01	ug/kg	1.4E-02	1.4E-02	3.4E-11	6.1E-11	5.E-13	9.E-13	1.E-12	2.0E-02	2.0E-02	2.6E-10	4.7E-10	1.E-08	2.E-08	0.00000004
	Phenols																
	Pentachlorophenol	1.2E+01	ug/kg	4.0E-01	4.0E-01	1.4E-11	9.9E-12	5.E-12	4.E-12	9.E-12	5.0E-03	5.0E-03	1.1E-10	7.7E-11	2.E-08	2.E-08	0.00000004
	Polychlorinated Biphenyls																
	Total Aroclors	3.2E+01	ug/kg	2.0E+00	2.0E+00	2.1E-11	2.6E-11	4.E-11	5.E-11	9.E-11	2.0E-05	2.0E-05	1.6E-10	2.1E-10	8.E-06	1.E-05	0.00002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	1.3E+05	1.3E+05	2.0E-16	1.2E-15	3.E-11	2.E-10	2.E-10	1.0E-09	1.0E-09	1.5E-15	9.3E-15	2.E-06	9.E-06	0.00001
	Total PCB TEQ	5.8E-01	pg/g	1.3E+05	1.3E+05	3.7E-16	4.7E-16	5.E-11	6.E-11	1.E-10	1.0E-09	1.0E-09	2.9E-15	3.7E-15	3.E-06	4.E-06	0.00001
	Pesticides																
	Aldrin	4.2E-01	ug/kg	1.7E+01	1.7E+01	1.9E-13	3.4E-13	3.E-12	6.E-12	9.E-12	3.0E-05	3.0E-05	1.5E-12	2.7E-12	5.E-08	9.E-08	0.0000001
	Dieldrin	3.1E-01	ug/kg	1.6E+01	1.6E+01	1.4E-13	2.6E-13	2.E-12	4.E-12	6.E-12	5.0E-05	5.0E-05	1.1E-12	2.0E-12	2.E-08	4.E-08	0.0000001
	Total DDT	1.9E+01	ug/kg	3.4E-01	3.4E-01	2.6E-12	1.6E-11	9.E-13	5.E-12	6.E-12	5.0E-04	5.0E-04	2.0E-11	1.2E-10	4.E-08	2.E-07	0.0000003
Exposure Point Total										3.E-08							0.01
RM 5.5 East	**Metals**																
	Arsenic	5.8E+00	mg/kg	1.5E+00	1.5E+00	7.8E-10	4.7E-09	1.E-09	7.E-09	8.E-09	3.0E-04	3.0E-04	6.1E-09	3.7E-08	2.E-05	1.E-04	0.0001
	Mercury	2.3E-01	mg/kg	--	--	0.0E+00	1.8E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-09	0.E+00	1.E-05	0.00001
	Vanadium	8.5E+01	mg/kg	--	--	0.0E+00	6.9E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.4E-07	0.E+00	8.E-03	0.01
	Butyltins																
	Tributyltin ion	1.7E+02	ug/kg	--	--	7.8E-11	1.4E-10	--	--	--	3.0E-04	3.0E-04	6.1E-10	1.1E-09	2.E-06	4.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.6E+02	ug/kg	7.3E-01	7.3E-01	2.7E-10	3.8E-10	2.E-10	3.E-10	5.E-10	--	--	2.1E-09	2.9E-09	--	--	--
	Benzo(a)pyrene	5.6E+02	ug/kg	7.3E+00	7.3E+00	3.3E-10	4.6E-10	2.E-09	3.E-09	6.E-09	--	--	2.6E-09	3.6E-09	--	--	--
	Benzo(b)fluoranthene	6.8E+02	ug/kg	7.3E-01	7.3E-01	4.0E-10	5.5E-10	3.E-10	4.E-10	7.E-10	--	--	3.1E-09	4.3E-09	--	--	--
	Benzo(k)fluoranthene	2.6E+02	ug/kg	7.3E-02	7.3E-02	1.5E-10	2.1E-10	1.E-11	2.E-11	3.E-11	--	--	1.2E-09	1.7E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure

Central Tendency Exposure

Scenario Timeframe: Current/Future

Receptor Population: Low frequency Fisher

Population Age: Adult

Medium: Sediment

Exposure Medium: In-water Sediment

Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dibenzo(a,h)anthracene	8.8E+01	ug/kg	7.3E+00	7.3E+00	5.2E-11	7.2E-11	4.E-10	5.E-10	9.E-10	--	--	4.0E-10	5.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	4.3E+02	ug/kg	7.3E-01	7.3E-01	2.5E-10	3.5E-10	2.E-10	3.E-10	4.E-10	--	--	2.0E-09	2.7E-09	--	--	--
	Naphthalene	1.3E+02	ug/kg	--	--	7.9E-11	1.1E-10	--	--	--	2.0E-02	2.0E-02	6.2E-10	8.5E-10	3.E-08	4.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.6E+02	ug/kg	1.4E-02	1.4E-02	1.2E-10	2.1E-10	2.E-12	3.E-12	5.E-12	2.0E-02	2.0E-02	9.1E-10	1.6E-09	5.E-08	8.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.3E+01	ug/kg	4.0E-01	4.0E-01	1.5E-11	1.1E-11	6.E-12	4.E-12	1.E-11	5.0E-03	5.0E-03	1.2E-10	8.6E-11	2.E-08	2.E-08	0.00000004
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+02	ug/kg	2.0E+00	2.0E+00	6.7E-11	8.6E-11	1.E-10	2.E-10	3.E-10	2.0E-05	2.0E-05	5.2E-10	6.7E-10	3.E-05	3.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.4E+00	pg/g	1.3E+05	1.3E+05	6.1E-16	3.6E-15	8.E-11	5.E-10	6.E-10	1.0E-09	1.0E-09	4.7E-15	2.8E-14	5.E-06	3.E-05	0.00003
	Total PCB TEQ	2.0E+00	pg/g	1.3E+05	1.3E+05	1.3E-15	1.7E-15	2.E-10	2.E-10	4.E-10	1.0E-09	1.0E-09	1.0E-14	1.3E-14	1.E-05	1.E-05	0.00002
	Pesticides																
	Aldrin	4.1E-01	ug/kg	1.7E+01	1.7E+01	1.9E-13	3.3E-13	3.E-12	6.E-12	9.E-12	3.0E-05	3.0E-05	1.4E-12	2.6E-12	5.E-08	9.E-08	0.0000001
	Dieldrin	4.7E-01	ug/kg	1.6E+01	1.6E+01	2.1E-13	3.9E-13	3.E-12	6.E-12	1.E-11	5.0E-05	5.0E-05	1.7E-12	3.0E-12	3.E-08	6.E-08	0.0000001
	Total DDT	8.2E+00	ug/kg	3.4E-01	3.4E-01	1.1E-12	6.7E-12	4.E-13	2.E-12	3.E-12	5.0E-04	5.0E-04	8.7E-12	5.2E-11	2.E-08	1.E-07	0.0000001
Exposure Point Total										**2.E-08**							**0.01**
RM 6 West	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	5.0E-10	3.0E-09	7.E-10	4.E-09	5.E-09	3.0E-04	3.0E-04	3.9E-09	2.3E-08	1.E-05	8.E-05	0.0001
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	9.3E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.2E-10	0.E+00	7.E-06	0.00001
	Vanadium	1.2E+02	mg/kg	--	--	0.0E+00	9.6E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	7.5E-07	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	1.3E+01	ug/kg	--	--	5.8E-12	1.1E-11	--	--	--	3.0E-04	3.0E-04	4.5E-11	8.2E-11	2.E-07	3.E-07	0.0000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.5E+04	ug/kg	7.3E-01	7.3E-01	1.5E-08	2.1E-08	1.E-08	2.E-08	3.E-08	--	--	1.2E-07	1.6E-07	--	--	--
	Benzo(a)pyrene	3.1E+04	ug/kg	7.3E+00	7.3E+00	1.8E-08	2.5E-08	1.E-07	2.E-07	3.E-07	--	--	1.4E-07	2.0E-07	--	--	--
	Benzo(b)fluoranthene	2.2E+04	ug/kg	7.3E-01	7.3E-01	1.3E-08	1.8E-08	1.E-08	1.E-08	2.E-08	--	--	1.0E-07	1.4E-07	--	--	--
	Benzo(k)fluoranthene	1.4E+04	ug/kg	7.3E-02	7.3E-02	8.3E-09	1.1E-08	6.E-10	8.E-10	1.E-09	--	--	6.4E-08	8.9E-08	--	--	--
	Dibenzo(a,h)anthracene	2.9E+03	ug/kg	7.3E+00	7.3E+00	1.7E-09	2.4E-09	1.E-08	2.E-08	3.E-08	--	--	1.3E-08	1.9E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	2.1E+04	ug/kg	7.3E-01	7.3E-01	1.2E-08	1.7E-08	9.E-09	1.E-08	2.E-08	--	--	9.7E-08	1.3E-07	--	--	--
	Naphthalene	1.1E+04	ug/kg	--	--	6.4E-09	8.9E-09	--	--	--	2.0E-02	2.0E-02	5.0E-08	6.9E-08	2.E-06	3.E-06	0.00001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.2E+02	ug/kg	1.4E-02	1.4E-02	1.0E-10	1.8E-10	1.E-12	3.E-12	4.E-12	2.0E-02	2.0E-02	7.7E-10	1.4E-09	4.E-08	7.E-08	0.0000001
	Phenols																
	Pentachlorophenol	2.2E+01	ug/kg	4.0E-01	4.0E-01	2.5E-11	1.8E-11	1.E-11	7.E-12	2.E-11	5.0E-03	5.0E-03	1.9E-10	1.4E-10	4.E-08	3.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	4.3E+01	ug/kg	2.0E+00	2.0E+00	2.7E-11	3.5E-11	5.E-11	7.E-11	1.E-10	2.0E-05	2.0E-05	2.1E-10	2.7E-10	1.E-05	1.E-05	0.00002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Low frequency Fisher   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	1.3E+05	1.3E+05	2.1E-16	1.2E-15	3.E-11	2.E-10	2.E-10	1.0E-09	1.0E-09	1.6E-15	9.7E-15	2.E-06	1.E-05	0.00001
	Total PCB TEQ	1.4E+00	pg/g	1.3E+05	1.3E+05	9.1E-16	1.2E-15	1.E-10	2.E-10	3.E-10	1.0E-09	1.0E-09	7.1E-15	9.1E-15	7.E-06	9.E-06	0.00002
	Pesticides																
	Aldrin	1.2E+00	ug/kg	1.7E+01	1.7E+01	5.6E-13	1.0E-12	1.E-11	2.E-11	3.E-11	3.0E-05	3.0E-05	4.4E-12	7.9E-12	1.E-07	3.E-07	0.0000004
	Dieldrin	1.1E+00	ug/kg	1.6E+01	1.6E+01	5.1E-13	9.1E-13	8.E-12	1.E-11	2.E-11	5.0E-05	5.0E-05	3.9E-12	7.1E-12	8.E-08	1.E-07	0.0000002
	Total DDT	3.6E+01	ug/kg	3.4E-01	3.4E-01	4.9E-12	2.9E-11	2.E-12	1.E-11	1.E-11	5.0E-04	5.0E-04	3.8E-11	2.3E-10	8.E-08	5.E-07	0.000001
Exposure Point Total										4.E-07							0.01
RM 6 East	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	5.0E-10	3.0E-09	8.E-10	5.E-09	5.E-09	3.0E-04	3.0E-04	3.9E-09	2.3E-08	1.E-05	8.E-05	0.0001
	Mercury	2.9E-01	mg/kg	--	--	0.0E+00	2.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.8E-09	0.E+00	2.E-05	0.00002
	Vanadium	9.1E+01	mg/kg	--	--	0.0E+00	7.5E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	5.8E-07	0.E+00	8.E-03	0.008
	Butyltins																
	Tributyltin ion	1.8E+02	ug/kg	--	--	8.1E-11	1.5E-10	--	--	--	3.0E-04	3.0E-04	6.3E-10	1.1E-09	2.E-06	4.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.3E+02	ug/kg	7.3E-01	7.3E-01	3.1E-10	4.3E-10	2.E-10	3.E-10	5.E-10	--	--	2.4E-09	3.4E-09	--	--	--
	Benzo(a)pyrene	7.5E+02	ug/kg	7.3E+00	7.3E+00	4.4E-10	6.1E-10	3.E-09	4.E-09	8.E-09	--	--	3.4E-09	4.8E-09	--	--	--
	Benzo(b)fluoranthene	7.3E+02	ug/kg	7.3E-01	7.3E-01	4.3E-10	5.9E-10	3.E-10	4.E-10	7.E-10	--	--	3.3E-09	4.6E-09	--	--	--
	Benzo(k)fluoranthene	4.6E+02	ug/kg	7.3E-02	7.3E-02	2.7E-10	3.8E-10	2.E-11	3.E-11	5.E-11	--	--	2.1E-09	2.9E-09	--	--	--
	Dibenzo(a,h)anthracene	9.6E+01	ug/kg	7.3E+00	7.3E+00	5.6E-11	7.8E-11	4.E-10	6.E-10	1.E-09	--	--	4.4E-10	6.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	4.2E+02	ug/kg	7.3E-01	7.3E-01	2.5E-10	3.4E-10	2.E-10	3.E-10	4.E-10	--	--	1.9E-09	2.7E-09	--	--	--
	Naphthalene	2.5E+02	ug/kg	--	--	1.5E-10	2.0E-10	--	--	--	2.0E-02	2.0E-02	1.1E-09	1.6E-09	6.E-08	8.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.2E+01	ug/kg	1.4E-02	1.4E-02	3.7E-11	6.7E-11	5.E-13	9.E-13	1.E-12	2.0E-02	2.0E-02	2.9E-10	5.2E-10	1.E-08	3.E-08	0.00000004
	Phenols																
	Pentachlorophenol	7.7E+00	ug/kg	4.0E-01	4.0E-01	8.8E-12	6.3E-12	4.E-12	3.E-12	6.E-12	5.0E-03	5.0E-03	6.8E-11	4.9E-11	1.E-08	1.E-08	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	7.7E+01	ug/kg	2.0E+00	2.0E+00	4.9E-11	6.3E-11	1.E-10	1.E-10	2.E-10	2.0E-05	2.0E-05	3.8E-10	4.9E-10	2.E-05	2.E-05	0.00004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.2E+00	pg/g	1.3E+05	1.3E+05	4.3E-16	2.6E-15	6.E-11	3.E-10	4.E-10	1.0E-09	1.0E-09	3.4E-15	2.0E-14	3.E-06	2.E-05	0.00002
	Total PCB TEQ	1.2E+00	pg/g	1.3E+05	1.3E+05	7.8E-16	1.0E-15	1.E-10	1.E-10	2.E-10	1.0E-09	1.0E-09	6.1E-15	7.9E-15	6.E-06	8.E-06	0.00001
	Pesticides																
	Aldrin	4.1E-01	ug/kg	1.7E+01	1.7E+01	1.9E-13	3.3E-13	3.E-12	6.E-12	9.E-12	3.0E-05	3.0E-05	1.4E-12	2.6E-12	5.E-08	9.E-08	0.0000001
	Dieldrin	4.4E-02	ug/kg	1.6E+01	1.6E+01	2.0E-14	3.6E-14	3.E-13	6.E-13	9.E-13	5.0E-05	5.0E-05	1.6E-13	2.8E-13	3.E-09	6.E-09	0.00000001
	Total DDT	2.9E+00	ug/kg	3.4E-01	3.4E-01	4.0E-13	2.4E-12	1.E-13	8.E-13	9.E-13	5.0E-04	5.0E-04	3.1E-12	1.9E-11	6.E-09	4.E-08	0.00000004
Exposure Point Total										2.E-08							0.01
RM 6.5 West	**Metals**																
	Arsenic	7.4E+00	mg/kg	1.5E+00	1.5E+00	1.0E-09	6.1E-09	2.E-09	9.E-09	1.E-08	3.0E-04	3.0E-04	7.8E-09	4.7E-08	3.E-05	2.E-04	0.0002
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	8.9E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.9E-10	0.E+00	7.E-06	0.00001
	Vanadium	1.2E+02	mg/kg	--	--	0.0E+00	9.9E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	7.7E-07	0.E+00	1.E-02	0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	2.6E+01	ug/kg	--	--	1.2E-11	2.1E-11	--	--	--	3.0E-04	3.0E-04	9.3E-11	1.7E-10	3.E-07	6.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.4E+02	ug/kg	7.3E-01	7.3E-01	4.4E-10	6.1E-10	3.E-10	4.E-10	8.E-10	--	--	3.4E-09	4.7E-09	--	--	--
	Benzo(a)pyrene	9.1E+02	ug/kg	7.3E+00	7.3E+00	5.4E-10	7.5E-10	4.E-09	5.E-09	9.E-09	--	--	4.2E-09	5.8E-09	--	--	--
	Benzo(b)fluoranthene	1.0E+03	ug/kg	7.3E-01	7.3E-01	6.0E-10	8.3E-10	4.E-10	6.E-10	1.E-09	--	--	4.6E-09	6.4E-09	--	--	--
	Benzo(k)fluoranthene	4.0E+02	ug/kg	7.3E-02	7.3E-02	2.4E-10	3.3E-10	2.E-11	2.E-11	4.E-11	--	--	1.9E-09	2.6E-09	--	--	--
	Dibenzo(a,h)anthracene	1.7E+02	ug/kg	7.3E+00	7.3E+00	9.9E-11	1.4E-10	7.E-10	1.E-09	2.E-09	--	--	7.7E-10	1.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	6.2E+02	ug/kg	7.3E-01	7.3E-01	3.7E-10	5.1E-10	3.E-10	4.E-10	6.E-10	--	--	2.9E-09	4.0E-09	--	--	--
	Naphthalene	1.1E+02	ug/kg	--	--	6.2E-11	8.6E-11	--	--	--	2.0E-02	2.0E-02	4.8E-10	6.7E-10	2.E-08	3.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.1E+01	ug/kg	1.4E-02	1.4E-02	3.7E-11	6.6E-11	5.E-13	9.E-13	1.E-12	2.0E-02	2.0E-02	2.9E-10	5.2E-10	1.E-08	3.E-08	0.00000004
	Phenols																
	Pentachlorophenol	1.6E+00	ug/kg	4.0E-01	4.0E-01	1.8E-12	1.3E-12	7.E-13	5.E-13	1.E-12	5.0E-03	5.0E-03	1.4E-11	1.0E-11	3.E-09	2.E-09	0.000000005
	Polychlorinated Biphenyls																
	Total Aroclors	6.4E+01	ug/kg	2.0E+00	2.0E+00	4.0E-11	5.2E-11	8.E-11	1.E-10	2.E-10	2.0E-05	2.0E-05	3.1E-10	4.0E-10	2.E-05	2.E-05	0.00004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.1E+01	pg/g	1.3E+05	1.3E+05	2.8E-15	1.7E-14	4.E-10	2.E-09	3.E-09	1.0E-09	1.0E-09	2.2E-14	1.3E-13	2.E-05	1.E-04	0.0002
	Total PCB TEQ	1.8E+00	pg/g	1.3E+05	1.3E+05	1.1E-15	1.5E-15	1.E-10	2.E-10	3.E-10	1.0E-09	1.0E-09	8.9E-15	1.1E-14	9.E-06	1.E-05	0.00002
	Pesticides																
	Aldrin	1.7E+00	ug/kg	1.7E+01	1.7E+01	7.9E-13	1.4E-12	1.E-11	2.E-11	4.E-11	3.0E-05	3.0E-05	6.1E-12	1.1E-11	2.E-07	4.E-07	0.000001
	Dieldrin	5.4E-01	ug/kg	1.6E+01	1.6E+01	2.5E-13	4.4E-13	4.E-12	7.E-12	1.E-11	5.0E-05	5.0E-05	1.9E-12	3.4E-12	4.E-08	7.E-08	0.0000001
	Total DDT	9.2E+01	ug/kg	3.4E-01	3.4E-01	1.3E-11	7.5E-11	4.E-12	3.E-11	4.E-12	5.0E-04	5.0E-04	9.7E-11	5.9E-10	2.E-07	1.E-06	0.000001
Exposure Point Total										3.E-08							0.01
RM 6.5 East	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	5.7E-10	3.4E-09	8.E-10	5.E-09	6.E-09	3.0E-04	3.0E-04	4.4E-09	2.6E-08	1.E-05	9.E-05	0.0001
	Mercury	2.2E+00	mg/kg	--	--	0.0E+00	1.8E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-08	0.E+00	1.E-04	0.0001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	8.6E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	6.7E-07	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	4.3E+01	ug/kg	--	--	1.9E-11	3.5E-11	--	--	--	3.0E-04	3.0E-04	1.5E-10	2.7E-10	5.E-07	9.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.1E+02	ug/kg	7.3E-01	7.3E-01	6.4E-11	8.9E-11	5.E-11	6.E-11	1.E-10	--	--	5.0E-10	6.9E-10	--	--	--
	Benzo(a)pyrene	8.6E+01	ug/kg	7.3E+00	7.3E+00	5.1E-11	7.0E-11	4.E-10	5.E-10	9.E-10	--	--	3.9E-10	5.5E-10	--	--	--
	Benzo(b)fluoranthene	1.1E+02	ug/kg	7.3E-01	7.3E-01	6.7E-11	9.2E-11	5.E-11	7.E-11	1.E-10	--	--	5.2E-10	7.2E-10	--	--	--
	Benzo(k)fluoranthene	6.1E+01	ug/kg	7.3E-02	7.3E-02	3.6E-11	5.0E-11	3.E-12	4.E-12	6.E-12	--	--	2.8E-10	3.9E-10	--	--	--
	Dibenzo(a,h)anthracene	1.5E+01	ug/kg	7.3E+00	7.3E+00	8.7E-12	1.2E-11	6.E-11	9.E-11	2.E-10	--	--	6.8E-11	9.4E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	5.9E+01	ug/kg	7.3E-01	7.3E-01	3.4E-11	4.8E-11	3.E-11	3.E-11	6.E-11	--	--	2.7E-10	3.7E-10	--	--	--
	Naphthalene	6.5E+01	ug/kg	--	--	3.8E-11	5.3E-11	--	--	--	2.0E-02	2.0E-02	3.0E-10	4.1E-10	1.E-08	2.E-08	0.00000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Low frequency Fisher   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.3E+01	ug/kg	1.4E-02	1.4E-02	4.2E-11	7.6E-11	6.E-13	1.E-12	2.E-12	2.0E-02	2.0E-02	3.3E-10	5.9E-10	2.E-08	3.E-08	0.00000005
	Phenols																
	Pentachlorophenol	3.9E+00	ug/kg	4.0E-01	4.0E-01	4.4E-12	3.2E-12	2.E-12	1.E-12	3.E-12	5.0E-03	5.0E-03	3.4E-11	2.5E-11	7.E-09	5.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.0E+02	ug/kg	2.0E+00	2.0E+00	1.3E-10	1.7E-10	3.E-10	3.E-10	6.E-10	2.0E-05	2.0E-05	1.0E-09	1.3E-09	5.E-05	6.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.0E+01	pg/g	1.3E+05	1.3E+05	2.7E-15	1.6E-14	4.E-10	2.E-09	2.E-09	1.0E-09	1.0E-09	2.1E-14	1.3E-13	2.E-05	1.E-04	0.0001
	Total PCB TEQ	3.0E+00	pg/g	1.3E+05	1.3E+05	1.9E-15	2.5E-15	2.E-10	3.E-10	6.E-10	1.0E-09	1.0E-09	1.5E-14	1.9E-14	1.E-05	2.E-05	0.00003
	Pesticides																
	Aldrin	7.6E-02	ug/kg	1.7E+01	1.7E+01	3.5E-14	6.2E-14	6.E-13	1.E-12	2.E-12	3.0E-05	3.0E-05	2.7E-13	4.8E-13	9.E-09	2.E-08	0.00000003
	Dieldrin	1.5E-01	ug/kg	1.6E+01	1.6E+01	6.8E-14	1.2E-13	1.E-12	2.E-12	3.E-12	5.0E-05	5.0E-05	5.3E-13	9.6E-13	1.E-08	2.E-08	0.00000003
	Total DDT	1.5E+01	ug/kg	3.4E-01	3.4E-01	2.0E-12	1.2E-11	7.E-13	4.E-12	5.E-12	5.0E-04	5.0E-04	1.6E-11	9.6E-11	3.E-08	2.E-07	0.0000002
Exposure Point Total										1.E-08							0.01
RM 7 West	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	5.6E-10	3.4E-09	8.E-10	5.E-09	6.E-09	3.0E-04	3.0E-04	4.4E-09	2.6E-08	1.E-05	9.E-05	0.0001
	Mercury	8.1E-02	mg/kg	--	--	0.0E+00	6.7E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.2E-10	0.E+00	5.E-06	0.00001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	8.2E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	6.3E-07	0.E+00	9.E-03	0.01
	Butyltins																
	Tributyltin ion	6.0E+00	ug/kg	--	--	2.7E-12	4.9E-12	--	--	--	3.0E-04	3.0E-04	2.1E-11	3.8E-11	7.E-08	1.E-07	0.0000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.6E+02	ug/kg	7.3E-01	7.3E-01	3.3E-10	4.6E-10	2.E-10	3.E-10	6.E-10	--	--	2.6E-09	3.6E-09	--	--	--
	Benzo(a)pyrene	4.7E+02	ug/kg	7.3E+00	7.3E+00	2.7E-10	3.8E-10	2.E-09	3.E-09	5.E-09	--	--	2.1E-09	3.0E-09	--	--	--
	Benzo(b)fluoranthene	1.1E+03	ug/kg	7.3E-01	7.3E-01	6.3E-10	8.7E-10	5.E-10	6.E-10	1.E-09	--	--	4.9E-09	6.8E-09	--	--	--
	Benzo(k)fluoranthene	3.9E+02	ug/kg	7.3E-02	7.3E-02	2.3E-10	3.2E-10	2.E-11	2.E-11	4.E-11	--	--	1.8E-09	2.5E-09	--	--	--
	Dibenzo(a,h)anthracene	1.3E+02	ug/kg	7.3E+00	7.3E+00	7.5E-11	1.0E-10	6.E-10	8.E-10	1.E-09	--	--	5.9E-10	8.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.7E+02	ug/kg	7.3E-01	7.3E-01	2.2E-10	3.0E-10	2.E-10	2.E-10	4.E-10	--	--	1.7E-09	2.3E-09	--	--	--
	Naphthalene	8.8E+00	ug/kg	--	--	5.2E-12	7.2E-12	--	--	--	2.0E-02	2.0E-02	4.0E-11	5.6E-11	2.E-09	3.E-09	0.000000005
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.1E+02	ug/kg	1.4E-02	1.4E-02	9.4E-11	1.7E-10	1.E-12	2.E-12	4.E-12	2.0E-02	2.0E-02	7.3E-10	1.3E-09	4.E-08	7.E-08	0.0000001
	Phenols																
	Pentachlorophenol	2.7E+01	ug/kg	4.0E-01	4.0E-01	3.1E-11	2.2E-11	1.E-11	9.E-12	2.E-11	5.0E-03	5.0E-03	2.4E-10	1.7E-10	5.E-08	3.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	7.1E+01	ug/kg	2.0E+00	2.0E+00	4.5E-11	5.8E-11	9.E-11	1.E-10	2.E-10	2.0E-05	2.0E-05	3.5E-10	4.5E-10	2.E-05	2.E-05	0.00004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+03	pg/g	1.3E+05	1.3E+05	2.3E-13	1.4E-12	3.E-08	2.E-07	2.E-07	1.0E-09	1.0E-09	1.8E-12	1.1E-11	2.E-03	1.E-02	0.01
	Total PCB TEQ	7.7E+00	pg/g	1.3E+05	1.3E+05	4.9E-15	6.3E-15	6.E-10	8.E-10	1.E-09	1.0E-09	1.0E-09	3.8E-14	4.9E-14	4.E-05	5.E-05	0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	2.7E+01	ug/kg	1.7E+01	1.7E+01	1.2E-11	2.2E-11	2.E-10	4.E-10	6.E-10	3.0E-05	3.0E-05	9.4E-11	1.7E-10	3.E-06	6.E-06	0.00001
	Dieldrin	1.3E+00	ug/kg	1.6E+01	1.6E+01	5.8E-13	1.0E-12	9.E-12	2.E-11	3.E-11	5.0E-05	5.0E-05	4.5E-12	8.1E-12	9.E-08	2.E-07	0.0000003
	Total DDT	2.3E+03	ug/kg	3.4E-01	3.4E-01	3.2E-10	1.9E-09	1.E-10	7.E-10	8.E-10	5.0E-04	5.0E-04	2.5E-09	1.5E-08	5.E-06	3.E-05	0.00003
	Conventionals																
	Perchlorate	4.9E+04	ug/kg	--	--	0.0E+00	4.0E-08	--	--	--	7.0E-04	7.0E-04	0.0E+00	3.1E-07	0.E+00	4.E-04	0.0004
Exposure Point Total										2.E-07							0.02
RM 7 East	**Metals**																
	Arsenic	1.0E+01	mg/kg	1.5E+00	1.5E+00	1.4E-09	8.2E-09	2.E-09	1.E-08	1.E-08	3.0E-04	3.0E-04	1.1E-08	6.4E-08	4.E-05	2.E-04	0.0002
	Mercury	5.8E-02	mg/kg	--	--	0.0E+00	4.7E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.7E-10	0.E+00	4.E-06	0.000004
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	8.6E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	6.7E-07	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	2.6E+02	ug/kg	--	--	1.2E-10	2.2E-10	--	--	--	3.0E-04	3.0E-04	9.3E-10	1.7E-09	3.E-06	6.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E+02	ug/kg	7.3E-01	7.3E-01	7.3E-11	1.0E-10	5.E-11	7.E-11	1.E-10	--	--	5.7E-10	7.9E-10	--	--	--
	Benzo(a)pyrene	1.6E+02	ug/kg	7.3E+00	7.3E+00	9.3E-11	1.3E-10	7.E-10	9.E-10	2.E-09	--	--	7.2E-10	1.0E-09	--	--	--
	Benzo(b)fluoranthene	2.1E+02	ug/kg	7.3E-01	7.3E-01	1.2E-10	1.7E-10	9.E-11	1.E-10	2.E-10	--	--	9.6E-10	1.3E-09	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	6.7E-11	9.3E-11	5.E-12	7.E-12	1.E-11	--	--	5.2E-10	7.2E-10	--	--	--
	Dibenzo(a,h)anthracene	4.3E+01	ug/kg	7.3E+00	7.3E+00	2.5E-11	3.5E-11	2.E-10	3.E-10	4.E-10	--	--	2.0E-10	2.7E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+02	ug/kg	7.3E-01	7.3E-01	6.2E-11	8.7E-11	5.E-11	6.E-11	1.E-10	--	--	4.9E-10	6.7E-10	--	--	--
	Naphthalene	2.2E+01	ug/kg	--	--	1.3E-11	1.8E-11	--	--	--	2.0E-02	2.0E-02	1.0E-10	1.4E-10	5.E-09	7.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.0E+02	ug/kg	1.4E-02	1.4E-02	1.4E-10	2.5E-10	2.E-12	3.E-12	5.E-12	2.0E-02	2.0E-02	1.1E-09	1.9E-09	5.E-08	1.E-07	0.0000001
	Phenols																
	Pentachlorophenol	7.7E+01	ug/kg	4.0E-01	4.0E-01	8.7E-11	6.3E-11	3.E-11	3.E-11	6.E-11	5.0E-03	5.0E-03	6.8E-10	4.9E-10	1.E-07	1.E-07	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	4.2E+01	ug/kg	2.0E+00	2.0E+00	2.7E-11	3.4E-11	5.E-11	7.E-11	1.E-10	2.0E-05	2.0E-05	2.1E-10	2.7E-10	1.E-05	1.E-05	0.00002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	2.3E-15	1.4E-14	3.E-10	2.E-09	2.E-09	1.0E-09	1.0E-09	1.8E-14	1.1E-13	2.E-05	1.E-04	0.0001
	Total PCB TEQ	5.5E-01	pg/g	1.3E+05	1.3E+05	3.5E-16	4.5E-16	5.E-11	6.E-11	1.E-10	1.0E-09	1.0E-09	2.7E-15	3.5E-15	3.E-06	4.E-06	0.00001
	Pesticides																
	Aldrin	1.3E-01	ug/kg	1.7E+01	1.7E+01	6.0E-14	1.1E-13	1.E-12	2.E-12	3.E-12	3.0E-05	3.0E-05	4.7E-13	8.4E-13	2.E-08	3.E-08	0.00000004
	Dieldrin	8.2E-02	ug/kg	1.6E+01	1.6E+01	3.7E-14	6.7E-14	6.E-13	1.E-12	2.E-12	5.0E-05	5.0E-05	2.9E-13	5.2E-13	6.E-09	1.E-08	0.00000002
	Total DDT	3.6E+00	ug/kg	3.4E-01	3.4E-01	4.8E-13	2.9E-12	2.E-13	1.E-12	1.E-12	5.0E-04	5.0E-04	3.8E-12	2.3E-11	8.E-09	5.E-08	0.0000001
Exposure Point Total										2.E-08							0.01
RM 7.5 West	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	4.4E-10	2.6E-09	7.E-10	4.E-09	5.E-09	3.0E-04	3.0E-04	3.4E-09	2.1E-08	1.E-05	7.E-05	0.0001
	Mercury	7.7E-02	mg/kg	--	--	0.0E+00	6.3E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.9E-10	0.E+00	5.E-06	0.000005
	Vanadium	9.5E+01	mg/kg	--	--	0.0E+00	7.8E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	6.1E-07	0.E+00	9.E-03	0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.

Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure

Central Tendency Exposure

Scenario Timeframe: Current/Future

Receptor Population: Low frequency Fisher

Population Age: Adult

Medium: Sediment

Exposure Medium: In-water Sediment

Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	5.4E+00	ug/kg	--	--	2.4E-12	4.4E-12	--	--	--	3.0E-04	3.0E-04	1.9E-11	3.4E-11	6.E-08	1.E-07	0.0000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.5E+02	ug/kg	7.3E-01	7.3E-01	8.7E-11	1.2E-10	6.E-11	9.E-11	2.E-10	--	--	6.8E-10	9.4E-10	--	--	--
	Benzo(a)pyrene	1.3E+02	ug/kg	7.3E+00	7.3E+00	7.6E-11	1.1E-10	6.E-10	8.E-10	1.E-09	--	--	5.9E-10	8.2E-10	--	--	--
	Benzo(b)fluoranthene	1.7E+02	ug/kg	7.3E-01	7.3E-01	1.0E-10	1.4E-10	7.E-11	1.E-10	2.E-10	--	--	7.8E-10	1.1E-09	--	--	--
	Benzo(k)fluoranthene	6.1E+01	ug/kg	7.3E-02	7.3E-02	3.6E-11	5.0E-11	3.E-12	4.E-12	6.E-12	--	--	2.8E-10	3.9E-10	--	--	--
	Dibenzo(a,h)anthracene	2.0E+01	ug/kg	7.3E+00	7.3E+00	1.2E-11	1.6E-11	9.E-11	1.E-10	2.E-10	--	--	9.1E-11	1.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	8.4E+01	ug/kg	7.3E-01	7.3E-01	4.9E-11	6.9E-11	4.E-11	5.E-11	9.E-11	--	--	3.8E-10	5.3E-10	--	--	--
	Naphthalene	2.5E+01	ug/kg	--	--	1.5E-11	2.0E-11	--	--	--	2.0E-02	2.0E-02	1.1E-10	1.6E-10	6.E-09	8.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.4E+02	ug/kg	1.4E-02	1.4E-02	6.4E-11	1.2E-10	9.E-13	2.E-12	3.E-12	2.0E-02	2.0E-02	5.0E-10	9.0E-10	3.E-08	5.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.5E+00	ug/kg	4.0E-01	4.0E-01	1.7E-12	1.3E-12	7.E-13	5.E-13	1.E-12	5.0E-03	5.0E-03	1.3E-11	9.7E-12	3.E-09	2.E-09	0.000000005
	Polychlorinated Biphenyls																
	Total Aroclors	8.6E+01	ug/kg	2.0E+00	2.0E+00	5.4E-11	7.0E-11	1.E-10	1.E-10	2.E-10	2.0E-05	2.0E-05	4.2E-10	5.5E-10	2.E-05	3.E-05	0.00005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.3E-01	pg/g	1.3E+05	1.3E+05	1.3E-16	7.6E-16	2.E-11	1.E-10	1.E-10	1.0E-09	1.0E-09	9.8E-16	5.9E-15	1.E-06	6.E-06	0.00001
	Total PCB TEQ	6.6E-01	pg/g	1.3E+05	1.3E+05	4.2E-16	5.4E-16	5.E-11	7.E-11	1.E-10	1.0E-09	1.0E-09	3.3E-15	4.2E-15	3.E-06	4.E-06	0.00001
	Pesticides																
	Aldrin	1.8E-01	ug/kg	1.7E+01	1.7E+01	8.3E-14	1.5E-13	1.E-12	3.E-12	4.E-12	3.0E-05	3.0E-05	6.5E-13	1.2E-12	2.E-08	4.E-08	0.0000001
	Dieldrin	1.8E-01	ug/kg	1.6E+01	1.6E+01	8.1E-14	1.5E-13	1.E-12	2.E-12	4.E-12	5.0E-05	5.0E-05	6.3E-13	1.1E-12	1.E-08	2.E-08	0.00000004
	Total DDT	2.1E+01	ug/kg	3.4E-01	3.4E-01	2.9E-12	1.7E-11	1.E-12	6.E-12	7.E-12	5.0E-04	5.0E-04	2.2E-11	1.3E-10	4.E-08	3.E-07	0.0000003
Exposure Point Total										7.E-09							0.01
RM 7.5 East	**Metals**																
	Arsenic	3.3E+00	mg/kg	1.5E+00	1.5E+00	4.5E-10	2.7E-09	7.E-10	4.E-09	5.E-09	3.0E-04	3.0E-04	3.5E-09	2.1E-08	1.E-05	7.E-05	0.0001
	Mercury	7.6E-02	mg/kg	--	--	0.0E+00	6.2E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.8E-10	0.E+00	5.E-06	0.000005
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	8.7E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	6.8E-07	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	1.6E+02	ug/kg	--	--	7.3E-11	1.3E-10	--	--	--	3.0E-04	3.0E-04	5.7E-10	1.0E-09	2.E-06	3.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+01	ug/kg	7.3E-01	7.3E-01	1.5E-11	2.1E-11	1.E-11	2.E-11	3.E-11	--	--	1.2E-10	1.6E-10	--	--	--
	Benzo(a)pyrene	2.6E+01	ug/kg	7.3E+00	7.3E+00	1.5E-11	2.1E-11	1.E-10	2.E-10	3.E-10	--	--	1.2E-10	1.6E-10	--	--	--
	Benzo(b)fluoranthene	3.2E+01	ug/kg	7.3E-01	7.3E-01	1.9E-11	2.6E-11	1.E-11	2.E-11	3.E-11	--	--	1.5E-10	2.1E-10	--	--	--
	Benzo(k)fluoranthene	2.0E+01	ug/kg	7.3E-02	7.3E-02	1.2E-11	1.6E-11	9.E-13	1.E-12	2.E-12	--	--	9.1E-11	1.3E-10	--	--	--
	Dibenzo(a,h)anthracene	9.2E+00	ug/kg	7.3E+00	7.3E+00	5.4E-12	7.5E-12	4.E-11	5.E-11	9.E-11	--	--	4.2E-11	5.8E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.8E+01	ug/kg	7.3E-01	7.3E-01	1.1E-11	1.5E-11	8.E-12	1.E-11	2.E-11	--	--	8.2E-11	1.1E-10	--	--	--
	Naphthalene	6.1E+00	ug/kg	--	--	3.6E-12	5.0E-12	--	--	--	2.0E-02	2.0E-02	2.8E-11	3.9E-11	1.E-09	2.E-09	0.000000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.1E+02	ug/kg	1.4E-02	1.4E-02	2.8E-10	5.0E-10	4.E-12	7.E-12	1.E-11	2.0E-02	2.0E-02	2.2E-09	3.9E-09	1.E-07	2.E-07	0.0000003
	Polychlorinated Biphenyls																
	Total Aroclors	3.2E+01	ug/kg	2.0E+00	2.0E+00	2.0E-11	2.6E-11	4.E-11	5.E-11	9.E-11	2.0E-05	2.0E-05	1.6E-10	2.0E-10	8.E-06	1.E-05	0.00002
	Pesticides																
	Dieldrin	1.5E-01	ug/kg	1.6E+01	1.6E+01	6.6E-14	1.2E-13	1.E-12	2.E-12	3.E-12	5.0E-05	5.0E-05	5.1E-13	9.3E-13	1.E-08	2.E-08	0.00000003
	Total DDT	1.1E+00	ug/kg	3.4E-01	3.4E-01	1.4E-13	8.6E-13	5.E-14	3.E-13	3.E-13	5.0E-04	5.0E-04	1.1E-12	6.7E-12	2.E-09	1.E-08	0.00000002
Exposure Point Total										5.E-09							0.01
RM 8 West	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	5.6E-10	3.4E-09	8.E-10	5.E-09	6.E-09	3.0E-04	3.0E-04	4.4E-09	2.6E-08	1.E-05	9.E-05	0.0001
	Mercury	1.7E-01	mg/kg	--	--	0.0E+00	1.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-09	0.E+00	1.E-05	0.00001
	Vanadium	9.5E+01	mg/kg	--	--	0.0E+00	7.7E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	6.0E-07	0.E+00	9.E-03	0.01
	Butyltins																
	Tributyltin ion	1.3E+01	ug/kg	--	--	6.0E-12	1.1E-11	--	--	--	3.0E-04	3.0E-04	4.7E-11	8.4E-11	2.E-07	3.E-07	0.0000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+02	ug/kg	7.3E-01	7.3E-01	1.0E-10	1.4E-10	8.E-11	1.E-10	2.E-10	--	--	8.1E-10	1.1E-09	--	--	--
	Benzo(a)pyrene	1.7E+02	ug/kg	7.3E+00	7.3E+00	9.8E-11	1.4E-10	7.E-10	1.E-09	2.E-09	--	--	7.7E-10	1.1E-09	--	--	--
	Benzo(b)fluoranthene	2.3E+02	ug/kg	7.3E-01	7.3E-01	1.4E-10	1.9E-10	1.E-10	1.E-10	2.E-10	--	--	1.1E-09	1.5E-09	--	--	--
	Benzo(k)fluoranthene	5.0E+01	ug/kg	7.3E-02	7.3E-02	3.0E-11	4.1E-11	2.E-12	3.E-12	5.E-12	--	--	2.3E-10	3.2E-10	--	--	--
	Dibenzo(a,h)anthracene	3.1E+01	ug/kg	7.3E+00	7.3E+00	1.8E-11	2.5E-11	1.E-10	2.E-10	3.E-10	--	--	1.4E-10	2.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+02	ug/kg	7.3E-01	7.3E-01	6.7E-11	9.2E-11	5.E-11	7.E-11	1.E-10	--	--	5.2E-10	7.2E-10	--	--	--
	Naphthalene	5.1E+01	ug/kg	--	--	3.0E-11	4.2E-11	--	--	--	2.0E-02	2.0E-02	2.4E-10	3.3E-10	1.E-08	2.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.0E+02	ug/kg	1.4E-02	1.4E-02	2.7E-10	4.9E-10	4.E-12	7.E-12	1.E-11	2.0E-02	2.0E-02	2.1E-09	3.8E-09	1.E-07	2.E-07	0.0000003
	Phenols																
	Pentachlorophenol	3.1E+00	ug/kg	4.0E-01	4.0E-01	3.5E-12	2.5E-12	1.E-12	1.E-12	2.E-12	5.0E-03	5.0E-03	2.7E-11	2.0E-11	5.E-09	4.E-09	0.000000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.2E+02	ug/kg	2.0E+00	2.0E+00	7.5E-11	9.7E-11	2.E-10	2.E-10	3.E-10	2.0E-05	2.0E-05	5.9E-10	7.6E-10	3.E-05	4.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.6E-01	pg/g	1.3E+05	1.3E+05	3.6E-17	2.1E-16	5.E-12	3.E-11	3.E-11	1.0E-09	1.0E-09	2.8E-16	1.7E-15	3.E-07	2.E-06	0.000002
	Total PCB TEQ	3.6E+00	pg/g	1.3E+05	1.3E+05	2.3E-15	2.9E-15	3.E-10	4.E-10	7.E-10	1.0E-09	1.0E-09	1.8E-14	2.3E-14	2.E-05	2.E-05	0.00004
	Pesticides																
	Aldrin	4.0E-02	ug/kg	1.7E+01	1.7E+01	1.8E-14	3.3E-14	3.E-13	6.E-13	9.E-13	3.0E-05	3.0E-05	1.4E-13	2.6E-13	5.E-09	9.E-09	0.00000001
	Dieldrin	2.0E+00	ug/kg	1.6E+01	1.6E+01	9.0E-13	1.6E-12	1.E-11	3.E-11	4.E-11	5.0E-05	5.0E-05	7.0E-12	1.3E-11	1.E-07	3.E-07	0.0000004
	Total DDT	6.5E+00	ug/kg	3.4E-01	3.4E-01	8.8E-13	5.3E-12	3.E-13	2.E-12	2.E-12	5.0E-04	5.0E-04	6.9E-12	4.1E-11	1.E-08	8.E-08	0.0000001
Exposure Point Total										1.E-08							0.01
RM 8 East	**Metals**																
	Arsenic	6.2E+00	mg/kg	1.5E+00	1.5E+00	8.4E-10	5.0E-09	1.E-09	8.E-09	9.E-09	3.0E-04	3.0E-04	6.5E-09	3.9E-08	2.E-05	1.E-04	0.0002
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	9.7E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.5E-10	0.E+00	8.E-06	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	8.6E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	6.7E-07	0.E+00	1.E-02	0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	2.4E+03	ug/kg	--	--	1.1E-09	1.9E-09	--	--	--	3.0E-04	3.0E-04	8.4E-09	1.5E-08	3.E-05	5.E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.7E+02	ug/kg	7.3E-01	7.3E-01	9.8E-11	1.4E-10	7.E-11	1.E-10	2.E-10	--	--	7.6E-10	1.1E-09	--	--	--
	Benzo(a)pyrene	1.7E+02	ug/kg	7.3E+00	7.3E+00	1.0E-10	1.4E-10	8.E-10	1.E-09	2.E-09	--	--	8.0E-10	1.1E-09	--	--	--
	Benzo(b)fluoranthene	2.0E+02	ug/kg	7.3E-01	7.3E-01	1.2E-10	1.6E-10	8.E-11	1.E-10	2.E-10	--	--	9.0E-10	1.3E-09	--	--	--
	Benzo(k)fluoranthene	1.3E+02	ug/kg	7.3E-02	7.3E-02	7.6E-11	1.1E-10	6.E-12	8.E-12	1.E-11	--	--	5.9E-10	8.2E-10	--	--	--
	Dibenzo(a,h)anthracene	2.6E+01	ug/kg	7.3E+00	7.3E+00	1.5E-11	2.1E-11	1.E-10	2.E-10	3.E-10	--	--	1.2E-10	1.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	7.2E-11	1.0E-10	5.E-11	7.E-11	1.E-10	--	--	5.6E-10	7.8E-10	--	--	--
	Naphthalene	1.6E+01	ug/kg	--	--	9.6E-12	1.3E-11	--	--	--	2.0E-02	2.0E-02	7.5E-11	1.0E-10	4.E-09	5.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.7E+02	ug/kg	1.4E-02	1.4E-02	3.5E-10	6.3E-10	5.E-12	9.E-12	1.E-11	2.0E-02	2.0E-02	2.7E-09	4.9E-09	1.E-07	2.E-07	0.0000004
	Phenols																
	Pentachlorophenol	1.3E+01	ug/kg	4.0E-01	4.0E-01	1.5E-11	1.1E-11	6.E-12	4.E-12	1.E-11	5.0E-03	5.0E-03	1.2E-10	8.4E-11	2.E-08	2.E-08	0.00000004
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+02	ug/kg	2.0E+00	2.0E+00	1.1E-10	1.4E-10	2.E-10	3.E-10	5.E-10	2.0E-05	2.0E-05	8.5E-10	1.1E-09	4.E-05	5.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.3E-01	pg/g	1.3E+05	1.3E+05	1.3E-16	7.6E-16	2.E-11	1.E-10	1.E-10	1.0E-09	1.0E-09	9.9E-16	5.9E-15	1.E-06	6.E-06	0.00001
	Total PCB TEQ	5.8E+00	pg/g	1.3E+05	1.3E+05	3.7E-15	4.8E-15	5.E-10	6.E-10	1.E-09	1.0E-09	1.0E-09	2.9E-14	3.7E-14	3.E-05	4.E-05	0.0001
	Pesticides																
	Aldrin	1.1E-01	ug/kg	1.7E+01	1.7E+01	5.2E-14	9.3E-14	9.E-13	2.E-12	2.E-12	3.0E-05	3.0E-05	4.0E-13	7.3E-13	1.E-08	2.E-08	0.00000004
	Dieldrin	7.9E-01	ug/kg	1.6E+01	1.6E+01	3.6E-13	6.4E-13	6.E-12	1.E-11	2.E-11	5.0E-05	5.0E-05	2.8E-12	5.0E-12	6.E-08	1.E-07	0.0000002
	Total DDT	1.1E+01	ug/kg	3.4E-01	3.4E-01	1.4E-12	8.7E-12	5.E-13	3.E-12	3.E-12	5.0E-04	5.0E-04	1.1E-11	6.8E-11	2.E-08	1.E-07	0.000002
Exposure Point Total										1.E-08							0.01
RM 8 SIL	**Metals**																
	Arsenic	5.4E+00	mg/kg	1.5E+00	1.5E+00	7.3E-10	4.4E-09	1.E-09	7.E-09	8.E-09	3.0E-04	3.0E-04	5.7E-09	3.4E-08	2.E-05	1.E-04	0.0001
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	9.5E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.4E-10	0.E+00	7.E-06	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	8.7E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	6.8E-07	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	2.2E+03	ug/kg	--	--	1.0E-09	1.8E-09	--	--	--	3.0E-04	3.0E-04	7.8E-09	1.4E-08	3.E-05	5.E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.4E+02	ug/kg	7.3E-01	7.3E-01	1.4E-10	2.0E-10	1.E-10	1.E-10	2.E-10	--	--	1.1E-09	1.5E-09	--	--	--
	Benzo(a)pyrene	2.0E+02	ug/kg	7.3E+00	7.3E+00	1.2E-10	1.6E-10	8.E-10	1.E-09	2.E-09	--	--	9.0E-10	1.3E-09	--	--	--
	Benzo(b)fluoranthene	3.8E+02	ug/kg	7.3E-01	7.3E-01	2.2E-10	3.1E-10	2.E-10	2.E-10	4.E-10	--	--	1.7E-09	2.4E-09	--	--	--
	Benzo(k)fluoranthene	2.1E+02	ug/kg	7.3E-02	7.3E-02	1.2E-10	1.7E-10	9.E-12	1.E-11	2.E-11	--	--	9.5E-10	1.3E-09	--	--	--
	Dibenzo(a,h)anthracene	3.6E+01	ug/kg	7.3E+00	7.3E+00	2.1E-11	2.9E-11	2.E-10	2.E-10	4.E-10	--	--	1.6E-10	2.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	7.3E-11	1.0E-10	5.E-11	7.E-11	1.E-10	--	--	5.7E-10	7.9E-10	--	--	--
	Naphthalene	2.5E+01	ug/kg	--	--	1.5E-11	2.1E-11	--	--	--	2.0E-02	2.0E-02	1.2E-10	1.6E-10	6.E-09	8.E-09	0.00000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.1E+03	ug/kg	1.4E-02	1.4E-02	3.7E-09	6.6E-09	5.E-11	9.E-11	1.E-10	2.0E-02	2.0E-02	2.9E-08	5.2E-08	1.E-06	3.E-06	0.000004
	Phenols																
	Pentachlorophenol	3.9E+01	ug/kg	4.0E-01	4.0E-01	4.5E-11	3.2E-11	2.E-11	1.E-11	3.E-11	5.0E-03	5.0E-03	3.5E-10	2.5E-10	7.E-08	5.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.8E+02	ug/kg	2.0E+00	2.0E+00	1.8E-10	2.3E-10	4.E-10	5.E-10	8.E-10	2.0E-05	2.0E-05	1.4E-09	1.8E-09	7.E-05	9.E-05	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.3E+00	pg/g	1.3E+05	1.3E+05	8.6E-16	5.1E-15	1.E-10	7.E-10	8.E-10	1.0E-09	1.0E-09	6.7E-15	4.0E-14	7.E-06	4.E-05	0.00005
	Total PCB TEQ	1.2E+01	pg/g	1.3E+05	1.3E+05	7.6E-15	9.9E-15	1.E-09	1.E-09	2.E-09	1.0E-09	1.0E-09	5.9E-14	7.7E-14	6.E-05	8.E-05	0.0001
	Pesticides																
	Aldrin	6.2E-01	ug/kg	1.7E+01	1.7E+01	2.8E-13	5.0E-13	5.E-12	9.E-12	1.E-11	3.0E-05	3.0E-05	2.2E-12	3.9E-12	7.E-08	1.E-07	0.0000002
	Dieldrin	1.4E+00	ug/kg	1.6E+01	1.6E+01	6.3E-13	1.1E-12	1.E-11	2.E-11	3.E-11	5.0E-05	5.0E-05	4.9E-12	8.8E-12	1.E-07	2.E-07	0.0000003
	Total DDT	5.2E+00	ug/kg	3.4E-01	3.4E-01	7.1E-13	4.3E-12	2.E-13	1.E-12	2.E-12	5.0E-04	5.0E-04	5.5E-12	3.3E-11	1.E-08	7.E-08	0.0000001
Exposure Point Total										1.E-08							0.01
RM 8.5 West	**Metals**																
	Arsenic	6.7E+00	mg/kg	1.5E+00	1.5E+00	9.1E-10	5.5E-09	1.E-09	8.E-09	1.E-08	3.0E-04	3.0E-04	7.1E-09	4.2E-08	2.E-05	1.E-04	0.0002
	Mercury	2.0E-01	mg/kg	--	--	0.0E+00	1.6E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	8.2E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	6.4E-07	0.E+00	9.E-03	0.01
	Butyltins																
	Tributyltin ion	1.3E+01	ug/kg	--	--	5.7E-12	1.0E-11	--	--	--	3.0E-04	3.0E-04	4.5E-11	8.0E-11	1.E-07	3.E-07	0.0000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.4E+01	ug/kg	7.3E-01	7.3E-01	5.5E-11	7.7E-11	4.E-11	6.E-11	1.E-10	--	--	4.3E-10	6.0E-10	--	--	--
	Benzo(a)pyrene	9.1E+01	ug/kg	7.3E+00	7.3E+00	5.3E-11	7.4E-11	4.E-10	5.E-10	9.E-10	--	--	4.2E-10	5.8E-10	--	--	--
	Benzo(b)fluoranthene	1.3E+02	ug/kg	7.3E-01	7.3E-01	7.7E-11	1.1E-10	6.E-11	8.E-11	1.E-10	--	--	6.0E-10	8.3E-10	--	--	--
	Benzo(k)fluoranthene	5.5E+01	ug/kg	7.3E-02	7.3E-02	3.3E-11	4.5E-11	2.E-12	3.E-12	6.E-12	--	--	2.5E-10	3.5E-10	--	--	--
	Dibenzo(a,h)anthracene	1.1E+01	ug/kg	7.3E+00	7.3E+00	6.7E-12	9.3E-12	5.E-11	7.E-11	1.E-10	--	--	5.2E-11	7.3E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	5.2E+01	ug/kg	7.3E-01	7.3E-01	3.1E-11	4.2E-11	2.E-11	3.E-11	5.E-11	--	--	2.4E-10	3.3E-10	--	--	--
	Naphthalene	2.4E+01	ug/kg	--	--	1.4E-11	2.0E-11	--	--	--	2.0E-02	2.0E-02	1.1E-10	1.6E-10	6.E-09	8.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.3E+02	ug/kg	1.4E-02	1.4E-02	2.9E-10	5.2E-10	4.E-12	7.E-12	1.E-11	2.0E-02	2.0E-02	2.2E-09	4.0E-09	1.E-07	2.E-07	0.0000003
	Phenols																
	Pentachlorophenol	2.8E+00	ug/kg	4.0E-01	4.0E-01	3.1E-12	2.3E-12	1.E-12	9.E-13	2.E-12	5.0E-03	5.0E-03	2.4E-11	1.8E-11	5.E-09	4.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.4E+03	ug/kg	2.0E+00	2.0E+00	8.8E-10	1.1E-09	2.E-09	2.E-09	4.E-09	2.0E-05	2.0E-05	6.8E-09	8.8E-09	3.E-04	4.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.0E+00	pg/g	1.3E+05	1.3E+05	6.8E-16	4.1E-15	9.E-11	5.E-10	6.E-10	1.0E-09	1.0E-09	5.3E-15	3.2E-14	5.E-06	3.E-05	0.00004
	Total PCB TEQ	3.3E+01	pg/g	1.3E+05	1.3E+05	2.1E-14	2.7E-14	3.E-09	4.E-09	6.E-09	1.0E-09	1.0E-09	1.6E-13	2.1E-13	2.E-04	2.E-04	0.0004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	1.1E+01	ug/kg	1.7E+01	1.7E+01	4.8E-12	8.7E-12	8.E-11	1.E-10	2.E-10	3.0E-05	3.0E-05	3.8E-11	6.8E-11	1.E-06	2.E-06	0.000004
	Dieldrin	1.5E+01	ug/kg	1.6E+01	1.6E+01	6.7E-12	1.2E-11	1.E-10	2.E-10	3.E-10	5.0E-05	5.0E-05	5.2E-11	9.4E-11	1.E-06	2.E-06	0.000003
	Total DDT	6.0E+00	ug/kg	3.4E-01	3.4E-01	8.2E-13	4.9E-12	3.E-13	2.E-12	2.E-12	5.0E-04	5.0E-04	6.4E-12	3.8E-11	1.E-08	8.E-08	0.0000001
Exposure Point Total										2.E-08							0.01
RM 8.5 East	**Metals**																
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	6.4E-10	3.8E-09	1.E-09	6.E-09	7.E-09	3.0E-04	3.0E-04	5.0E-09	3.0E-08	2.E-05	1.E-04	0.0001
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	1.0E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.8E-10	0.E+00	8.E-06	0.00001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	8.2E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	6.4E-07	0.E+00	9.E-03	0.01
	Butyltins																
	Tributyltin ion	2.3E+01	ug/kg	--	--	1.1E-11	1.9E-11	--	--	--	3.0E-04	3.0E-04	8.2E-11	1.5E-10	3.E-07	5.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.1E+01	ug/kg	7.3E-01	7.3E-01	2.4E-11	3.4E-11	2.E-11	2.E-11	4.E-11	--	--	1.9E-10	2.6E-10	--	--	--
	Benzo(a)pyrene	4.6E+01	ug/kg	7.3E+00	7.3E+00	2.7E-11	3.8E-11	2.E-10	3.E-10	5.E-10	--	--	2.1E-10	2.9E-10	--	--	--
	Benzo(b)fluoranthene	7.1E+01	ug/kg	7.3E-01	7.3E-01	4.2E-11	5.8E-11	3.E-11	4.E-11	7.E-11	--	--	3.2E-10	4.5E-10	--	--	--
	Benzo(k)fluoranthene	3.6E+01	ug/kg	7.3E-02	7.3E-02	2.1E-11	2.9E-11	2.E-12	2.E-12	4.E-12	--	--	1.6E-10	2.3E-10	--	--	--
	Dibenzo(a,h)anthracene	8.3E+00	ug/kg	7.3E+00	7.3E+00	4.9E-12	6.8E-12	4.E-11	5.E-11	9.E-11	--	--	3.8E-11	5.3E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	3.9E+01	ug/kg	7.3E-01	7.3E-01	2.3E-11	3.2E-11	2.E-11	2.E-11	4.E-11	--	--	1.8E-10	2.5E-10	--	--	--
	Naphthalene	2.0E+01	ug/kg	--	--	1.2E-11	1.6E-11	--	--	--	2.0E-02	2.0E-02	9.0E-11	1.2E-10	4.E-09	6.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.5E+02	ug/kg	1.4E-02	1.4E-02	2.0E-10	3.7E-10	3.E-12	5.E-12	8.E-12	2.0E-02	2.0E-02	1.6E-09	2.9E-09	8.E-08	1.E-07	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	4.6E+01	ug/kg	2.0E+00	2.0E+00	2.9E-11	3.8E-11	6.E-11	8.E-11	1.E-10	2.0E-05	2.0E-05	2.3E-10	2.9E-10	1.E-05	1.E-05	0.00003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.3E-01	pg/g	1.3E+05	1.3E+05	8.6E-17	5.2E-16	1.E-11	7.E-11	8.E-11	1.0E-09	1.0E-09	6.7E-16	4.0E-15	7.E-07	4.E-06	0.000005
	Total PCB TEQ	4.2E-01	pg/g	1.3E+05	1.3E+05	2.7E-16	3.5E-16	3.E-11	4.E-11	8.E-11	1.0E-09	1.0E-09	2.1E-15	2.7E-15	2.E-06	3.E-06	0.000005
	Pesticides																
	Aldrin	3.2E-02	ug/kg	1.7E+01	1.7E+01	1.5E-14	2.6E-14	2.E-13	4.E-13	7.E-13	3.0E-05	3.0E-05	1.1E-13	2.0E-13	4.E-09	7.E-09	0.00000001
	Dieldrin	1.3E-01	ug/kg	1.6E+01	1.6E+01	6.1E-14	1.1E-13	1.E-12	2.E-12	3.E-12	5.0E-05	5.0E-05	4.8E-13	8.6E-13	1.E-08	2.E-08	0.00000003
	Total DDT	1.5E+00	ug/kg	3.4E-01	3.4E-01	2.0E-13	1.2E-12	7.E-14	4.E-13	5.E-13	5.0E-04	5.0E-04	1.6E-12	9.5E-12	3.E-09	2.E-08	0.00000002
Exposure Point Total										8.E-09							0.01
RM 9 West	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	5.6E-10	3.4E-09	8.E-10	5.E-09	6.E-09	3.0E-04	3.0E-04	4.4E-09	2.6E-08	1.E-05	9.E-05	0.0001
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	1.0E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.8E-10	0.E+00	8.E-06	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	8.8E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	6.9E-07	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	9.9E+00	ug/kg	--	--	4.5E-12	8.1E-12	--	--	--	3.0E-04	3.0E-04	3.5E-11	6.3E-11	1.E-07	2.E-07	0.0000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.5E+02	ug/kg	7.3E-01	7.3E-01	9.1E-11	1.3E-10	7.E-11	9.E-11	2.E-10	--	--	7.1E-10	9.8E-10	--	--	--
	Benzo(a)pyrene	1.0E+02	ug/kg	7.3E+00	7.3E+00	6.1E-11	8.4E-11	4.E-10	6.E-10	1.E-09	--	--	4.7E-10	6.5E-10	--	--	--
	Benzo(b)fluoranthene	1.6E+02	ug/kg	7.3E-01	7.3E-01	9.4E-11	1.3E-10	7.E-11	1.E-10	2.E-10	--	--	7.3E-10	1.0E-09	--	--	--
	Benzo(k)fluoranthene	6.2E+01	ug/kg	7.3E-02	7.3E-02	3.6E-11	5.0E-11	3.E-12	4.E-12	6.E-12	--	--	2.8E-10	3.9E-10	--	--	--
	Dibenzo(a,h)anthracene	1.8E+01	ug/kg	7.3E+00	7.3E+00	1.0E-11	1.4E-11	8.E-11	1.E-10	2.E-10	--	--	8.1E-11	1.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	6.7E+01	ug/kg	7.3E-01	7.3E-01	3.9E-11	5.5E-11	3.E-11	4.E-11	7.E-11	--	--	3.1E-10	4.2E-10	--	--	--
	Naphthalene	1.7E+01	ug/kg	--	--	9.9E-12	1.4E-11	--	--	--	2.0E-02	2.0E-02	7.7E-11	1.1E-10	4.E-09	5.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.7E+02	ug/kg	1.4E-02	1.4E-02	7.9E-11	1.4E-10	1.E-12	2.E-12	3.E-12	2.0E-02	2.0E-02	6.1E-10	1.1E-09	3.E-08	6.E-08	0.0000001
	Phenols																
	Pentachlorophenol	4.7E+00	ug/kg	4.0E-01	4.0E-01	5.3E-12	3.8E-12	2.E-12	2.E-12	4.E-12	5.0E-03	5.0E-03	4.1E-11	3.0E-11	8.E-09	6.E-09	0.000000001
	Polychlorinated Biphenyls																
	Total Aroclors	4.5E+02	ug/kg	2.0E+00	2.0E+00	2.9E-10	3.7E-10	6.E-10	7.E-10	1.E-09	2.0E-05	2.0E-05	2.2E-09	2.9E-09	1.E-04	1.E-04	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.9E+00	pg/g	1.3E+05	1.3E+05	5.3E-16	3.2E-15	7.E-11	4.E-10	5.E-10	1.0E-09	1.0E-09	4.2E-15	2.5E-14	4.E-06	2.E-05	0.00003
	Total PCB TEQ	1.6E+01	pg/g	1.3E+05	1.3E+05	9.9E-15	1.3E-14	1.E-09	2.E-09	3.E-09	1.0E-09	1.0E-09	7.7E-14	9.9E-14	8.E-05	1.E-04	0.0002
	Pesticides																
	Aldrin	2.2E-01	ug/kg	1.7E+01	1.7E+01	1.0E-13	1.8E-13	2.E-12	3.E-12	5.E-12	3.0E-05	3.0E-05	7.9E-13	1.4E-12	3.E-08	5.E-08	0.0000001
	Dieldrin	2.0E-01	ug/kg	1.6E+01	1.6E+01	9.2E-14	1.7E-13	1.E-12	3.E-12	4.E-12	5.0E-05	5.0E-05	7.2E-13	1.3E-12	1.E-08	3.E-08	0.00000004
	Total DDT	4.4E+00	ug/kg	3.4E-01	3.4E-01	6.0E-13	3.6E-12	2.E-13	1.E-12	1.E-12	5.0E-04	5.0E-04	4.6E-12	2.8E-11	9.E-09	6.E-08	0.0000001
Exposure Point Total										1.E-08							0.01
RM 9 East	**Metals**																
	Arsenic	3.8E+00	mg/kg	1.5E+00	1.5E+00	5.2E-10	3.1E-09	8.E-10	5.E-09	5.E-09	3.0E-04	3.0E-04	4.0E-09	2.4E-08	1.E-05	8.E-05	0.0001
	Mercury	5.0E-02	mg/kg	--	--	0.0E+00	4.1E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.2E-10	0.E+00	3.E-06	0.000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.0E+01	ug/kg	7.3E-01	7.3E-01	6.0E-12	8.3E-12	4.E-12	6.E-12	1.E-11	--	--	4.7E-11	6.5E-11	--	--	--
	Benzo(a)pyrene	1.3E+01	ug/kg	7.3E+00	7.3E+00	7.4E-12	1.0E-11	5.E-11	8.E-11	1.E-10	--	--	5.8E-11	8.0E-11	--	--	--
	Benzo(b)fluoranthene	1.8E+01	ug/kg	7.3E-01	7.3E-01	1.1E-11	1.5E-11	8.E-12	1.E-11	2.E-11	--	--	8.3E-11	1.2E-10	--	--	--
	Benzo(k)fluoranthene	8.3E+00	ug/kg	7.3E-02	7.3E-02	4.9E-12	6.8E-12	4.E-13	5.E-13	8.E-13	--	--	3.8E-11	5.3E-11	--	--	--
	Dibenzo(a,h)anthracene	2.1E+00	ug/kg	7.3E+00	7.3E+00	1.3E-12	1.8E-12	9.E-12	1.E-11	2.E-11	--	--	9.8E-12	1.4E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+01	ug/kg	7.3E-01	7.3E-01	6.3E-12	8.7E-12	5.E-12	6.E-12	1.E-11	--	--	4.9E-11	6.8E-11	--	--	--
	Naphthalene	2.7E+00	ug/kg	--	--	1.6E-12	2.2E-12	--	--	--	2.0E-02	2.0E-02	1.2E-11	1.7E-11	6.E-10	9.E-10	0.000000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.6E+02	ug/kg	1.4E-02	1.4E-02	1.6E-10	2.9E-10	2.E-12	4.E-12	6.E-12	2.0E-02	2.0E-02	1.3E-09	2.3E-09	6.E-08	1.E-07	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	5.2E+01	ug/kg	2.0E+00	2.0E+00	3.3E-11	4.3E-11	7.E-11	9.E-11	2.E-10	2.0E-05	2.0E-05	2.6E-10	3.3E-10	1.E-05	2.E-05	0.00003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.2E-01	pg/g	1.3E+05	1.3E+05	2.9E-17	1.8E-16	4.E-12	2.E-11	3.E-11	1.0E-09	1.0E-09	2.3E-16	1.4E-15	2.E-07	1.E-06	0.000002
	Total PCB TEQ	6.3E-01	pg/g	1.3E+05	1.3E+05	4.0E-16	5.2E-16	5.E-11	7.E-11	1.E-10	1.0E-09	1.0E-09	3.1E-15	4.0E-15	3.E-06	4.E-06	0.00001
	Pesticides																
	Dieldrin	8.8E-02	ug/kg	1.6E+01	1.6E+01	4.0E-14	7.2E-14	6.E-13	1.E-12	2.E-12	5.0E-05	5.0E-05	3.1E-13	5.6E-13	6.E-09	1.E-08	0.00000002
	Total DDT	1.4E+00	ug/kg	3.4E-01	3.4E-01	2.0E-13	1.2E-12	7.E-14	4.E-13	5.E-13	5.0E-04	5.0E-04	1.5E-12	9.2E-12	3.E-09	2.E-08	0.00000002
Exposure Point Total										6.E-09							0.0001
RM 9.5 West	**Metals**																
	Arsenic	3.8E+00	mg/kg	1.5E+00	1.5E+00	5.1E-10	3.1E-09	8.E-10	5.E-09	5.E-09	3.0E-04	3.0E-04	4.0E-09	2.4E-08	1.E-05	8.E-05	0.0001
	Mercury	6.2E-02	mg/kg	--	--	0.0E+00	5.1E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.0E-10	0.E+00	4.E-06	0.000004
	Butyltins																
	Tributyltin ion	1.0E+01	ug/kg	--	--	4.5E-12	8.2E-12	--	--	--	3.0E-04	3.0E-04	3.5E-11	6.4E-11	1.E-07	2.E-07	0.0000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E+02	ug/kg	7.3E-01	7.3E-01	7.1E-11	9.9E-11	5.E-11	7.E-11	1.E-10	--	--	5.5E-10	7.7E-10	--	--	--
	Benzo(a)pyrene	1.7E+02	ug/kg	7.3E+00	7.3E+00	9.8E-11	1.4E-10	7.E-10	1.E-09	2.E-09	--	--	7.6E-10	1.1E-09	--	--	--
	Benzo(b)fluoranthene	2.3E+02	ug/kg	7.3E-01	7.3E-01	1.4E-10	1.9E-10	1.E-10	1.E-10	2.E-10	--	--	1.1E-09	1.5E-09	--	--	--
	Benzo(k)fluoranthene	1.0E+02	ug/kg	7.3E-02	7.3E-02	6.1E-11	8.5E-11	4.E-12	6.E-12	1.E-11	--	--	4.8E-10	6.6E-10	--	--	--
	Dibenzo(a,h)anthracene	3.2E+01	ug/kg	7.3E+00	7.3E+00	1.9E-11	2.6E-11	1.E-10	2.E-10	3.E-10	--	--	1.5E-10	2.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+02	ug/kg	7.3E-01	7.3E-01	8.1E-11	1.1E-10	6.E-11	8.E-11	1.E-10	--	--	6.3E-10	8.8E-10	--	--	--
	Naphthalene	4.1E+01	ug/kg	--	--	2.4E-11	3.4E-11	--	--	--	2.0E-02	2.0E-02	1.9E-10	2.6E-10	9.E-09	1.E-08	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.6E+02	ug/kg	1.4E-02	1.4E-02	3.9E-10	7.0E-10	5.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	3.0E-09	5.4E-09	2.E-07	3.E-07	0.0000004
	Phenols																
	Pentachlorophenol	1.1E+01	ug/kg	4.0E-01	4.0E-01	1.3E-11	9.1E-12	5.E-12	4.E-12	9.E-12	5.0E-03	5.0E-03	9.8E-11	7.1E-11	2.E-08	1.E-08	0.00000003
	Polychlorinated Biphenyls																
	Total Aroclors	2.1E+02	ug/kg	2.0E+00	2.0E+00	1.3E-10	1.7E-10	3.E-10	3.E-10	6.E-10	2.0E-05	2.0E-05	1.0E-09	1.3E-09	5.E-05	7.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.6E+00	pg/g	1.3E+05	1.3E+05	1.2E-15	7.0E-15	2.E-10	9.E-10	1.E-09	1.0E-09	1.0E-09	9.1E-15	5.4E-14	9.E-06	5.E-05	0.0001
	Total PCB TEQ	3.6E+00	pg/g	1.3E+05	1.3E+05	2.3E-15	3.0E-15	3.E-10	4.E-10	7.E-10	1.0E-09	1.0E-09	1.8E-14	2.3E-14	2.E-05	2.E-05	0.00004
	Pesticides																
	Aldrin	5.8E-01	ug/kg	1.7E+01	1.7E+01	2.7E-13	4.8E-13	5.E-12	8.E-12	1.E-11	3.0E-05	3.0E-05	2.1E-12	3.7E-12	7.E-08	1.E-07	0.0000002
	Dieldrin	6.1E-01	ug/kg	1.6E+01	1.6E+01	2.8E-13	5.0E-13	4.E-12	8.E-12	1.E-11	5.0E-05	5.0E-05	2.1E-12	3.9E-12	4.E-08	8.E-08	0.0000001
	Total DDT	3.1E+00	ug/kg	3.4E-01	3.4E-01	4.2E-13	2.5E-12	1.E-13	8.E-13	1.E-12	5.0E-04	5.0E-04	3.2E-12	1.9E-11	6.E-09	4.E-08	0.00000005
Exposure Point Total										1.E-08							0.0003
RM 9.5 East	**Metals**																
	Arsenic	3.3E+00	mg/kg	1.5E+00	1.5E+00	4.5E-10	2.7E-09	7.E-10	4.E-09	5.E-09	3.0E-04	3.0E-04	3.5E-09	2.1E-08	1.E-05	7.E-05	0.0001
	Mercury	6.3E-02	mg/kg	--	--	0.0E+00	5.1E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.0E-10	0.E+00	4.E-06	0.000004
	Butyltins																
	Tributyltin ion	2.6E+00	ug/kg	--	--	1.2E-12	2.1E-12	--	--	--	3.0E-04	3.0E-04	9.0E-12	1.6E-11	3.E-08	5.E-08	0.0000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future

Receptor Population: Low frequency Fisher

Population Age: Adult

Medium: Sediment

Exposure Medium: In-water Sediment

Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.2E+01	ug/kg	7.3E-01	7.3E-01	1.3E-11	1.8E-11	9.E-12	1.E-11	2.E-11	--	--	1.0E-10	1.4E-10	--	--	--
	Benzo(a)pyrene	2.5E+01	ug/kg	7.3E+00	7.3E+00	1.4E-11	2.0E-11	1.E-10	1.E-10	3.E-10	--	--	1.1E-10	1.6E-10	--	--	--
	Benzo(b)fluoranthene	2.9E+01	ug/kg	7.3E-01	7.3E-01	1.7E-11	2.4E-11	1.E-11	2.E-11	3.E-11	--	--	1.3E-10	1.9E-10	--	--	--
	Benzo(k)fluoranthene	1.7E+01	ug/kg	7.3E-02	7.3E-02	1.0E-11	1.4E-11	7.E-13	1.E-12	2.E-12	--	--	7.8E-11	1.1E-10	--	--	--
	Dibenzo(a,h)anthracene	4.4E+00	ug/kg	7.3E+00	7.3E+00	2.6E-12	3.6E-12	2.E-11	3.E-11	4.E-11	--	--	2.0E-11	2.8E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	2.0E+01	ug/kg	7.3E-01	7.3E-01	1.2E-11	1.6E-11	8.E-12	1.E-11	2.E-11	--	--	9.0E-11	1.3E-10	--	--	--
	Naphthalene	3.4E+00	ug/kg	--	--	2.0E-12	2.8E-12	--	--	--	2.0E-02	2.0E-02	1.6E-11	2.2E-11	8.E-10	1.E-09	0.000000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.6E+02	ug/kg	1.4E-02	1.4E-02	7.5E-11	1.3E-10	1.E-12	2.E-12	3.E-12	2.0E-02	2.0E-02	5.8E-10	1.0E-09	3.E-08	5.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.1E+00	ug/kg	4.0E-01	4.0E-01	1.3E-12	9.2E-13	5.E-13	4.E-13	9.E-13	5.0E-03	5.0E-03	9.9E-12	7.1E-12	2.E-09	1.E-09	0.000000003
	Polychlorinated Biphenyls																
	Total Aroclors	4.0E+01	ug/kg	2.0E+00	2.0E+00	2.5E-11	3.3E-11	5.E-11	7.E-11	1.E-10	2.0E-05	2.0E-05	2.0E-10	2.6E-10	1.E-05	1.E-05	0.00002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.9E-01	pg/g	1.3E+05	1.3E+05	1.2E-16	7.3E-16	2.E-11	9.E-11	1.E-10	1.0E-09	1.0E-09	9.4E-16	5.6E-15	9.E-07	6.E-06	0.00001
	Total PCB TEQ	2.6E-01	pg/g	1.3E+05	1.3E+05	1.7E-16	2.1E-16	2.E-11	3.E-11	5.E-11	1.0E-09	1.0E-09	1.3E-15	1.7E-15	1.E-06	2.E-06	0.000003
	Pesticides																
	Aldrin	9.1E-02	ug/kg	1.7E+01	1.7E+01	4.1E-14	7.5E-14	7.E-13	1.E-12	2.E-12	3.0E-05	3.0E-05	3.2E-13	5.8E-13	1.E-08	2.E-08	0.00000003
	Dieldrin	3.0E-02	ug/kg	1.6E+01	1.6E+01	1.3E-14	2.4E-14	2.E-13	4.E-13	6.E-13	5.0E-05	5.0E-05	1.0E-13	1.9E-13	2.E-09	4.E-09	0.00000001
	Total DDT	1.1E+00	ug/kg	3.4E-01	3.4E-01	1.5E-13	9.3E-13	5.E-14	3.E-13	4.E-13	5.0E-04	5.0E-04	1.2E-12	7.2E-12	2.E-09	1.E-08	0.00000002
Exposure Point Total										**5.E-09**							**0.0001**
RM 10 West	**Metals**																
	Arsenic	1.0E+01	mg/kg	1.5E+00	1.5E+00	1.4E-09	8.3E-09	2.E-09	1.E-08	1.E-08	3.0E-04	3.0E-04	1.1E-08	6.5E-08	4.E-05	2.E-04	0.0003
	Mercury	9.0E-02	mg/kg	--	--	0.0E+00	7.3E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.7E-10	0.E+00	6.E-06	0.00001
	Butyltins																
	Tributyltin ion	2.4E+00	ug/kg	--	--	1.1E-12	2.0E-12	--	--	--	3.0E-04	3.0E-04	8.6E-12	1.5E-11	3.E-08	5.E-08	0.0000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+02	ug/kg	7.3E-01	7.3E-01	8.3E-11	1.2E-10	6.E-11	8.E-11	1.E-10	--	--	6.5E-10	9.0E-10	--	--	--
	Benzo(a)pyrene	1.5E+02	ug/kg	7.3E+00	7.3E+00	8.8E-11	1.2E-10	6.E-10	9.E-10	2.E-09	--	--	6.9E-10	9.5E-10	--	--	--
	Benzo(b)fluoranthene	1.9E+02	ug/kg	7.3E-01	7.3E-01	1.1E-10	1.5E-10	8.E-11	1.E-10	2.E-10	--	--	8.6E-10	1.2E-09	--	--	--
	Benzo(k)fluoranthene	7.9E+01	ug/kg	7.3E-02	7.3E-02	4.6E-11	6.4E-11	3.E-12	5.E-12	8.E-12	--	--	3.6E-10	5.0E-10	--	--	--
	Dibenzo(a,h)anthracene	3.5E+01	ug/kg	7.3E+00	7.3E+00	2.1E-11	2.9E-11	2.E-10	2.E-10	4.E-10	--	--	1.6E-10	2.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+02	ug/kg	7.3E-01	7.3E-01	8.1E-11	1.1E-10	6.E-11	8.E-11	1.E-10	--	--	6.3E-10	8.8E-10	--	--	--
	Naphthalene	2.0E+01	ug/kg	--	--	1.2E-11	1.6E-11	--	--	--	2.0E-02	2.0E-02	9.0E-11	1.2E-10	4.E-09	6.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.2E+02	ug/kg	1.4E-02	1.4E-02	5.5E-11	9.9E-11	8.E-13	1.E-12	2.E-12	2.0E-02	2.0E-02	4.3E-10	7.7E-10	2.E-08	4.E-08	0.0000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phenols																
	Pentachlorophenol	3.0E+00	ug/kg	4.0E-01	4.0E-01	3.4E-12	2.4E-12	1.E-12	1.E-12	2.E-12	5.0E-03	5.0E-03	2.6E-11	1.9E-11	5.E-09	4.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+02	ug/kg	2.0E+00	2.0E+00	1.2E-10	1.5E-10	2.E-10	3.E-10	5.E-10	2.0E-05	2.0E-05	9.0E-10	1.2E-09	4.E-05	6.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.1E+00	pg/g	1.3E+05	1.3E+05	7.0E-16	4.2E-15	9.E-11	5.E-10	6.E-10	1.0E-09	1.0E-09	5.4E-15	3.3E-14	5.E-06	3.E-05	0.00004
	Total PCB TEQ	1.8E+00	pg/g	1.3E+05	1.3E+05	1.2E-15	1.5E-15	1.E-10	2.E-10	3.E-10	1.0E-09	1.0E-09	9.0E-15	1.2E-14	9.E-06	1.E-05	0.00002
	Pesticides																
	Aldrin	1.5E-01	ug/kg	1.7E+01	1.7E+01	6.6E-14	1.2E-13	1.E-12	2.E-12	3.E-12	3.0E-05	3.0E-05	5.2E-13	9.3E-13	2.E-08	3.E-08	0.00000005
	Total DDT	4.7E+00	ug/kg	3.4E-01	3.4E-01	6.4E-13	3.8E-12	2.E-13	1.E-12	2.E-12	5.0E-04	5.0E-04	4.9E-12	3.0E-11	1.E-08	6.E-08	0.0000001
Exposure Point Total										2.E-08							0.0004
RM 10 East	**Metals**																
	Arsenic	3.0E+00	mg/kg	1.5E+00	1.5E+00	4.1E-10	2.5E-09	6.E-10	4.E-09	4.E-09	3.0E-04	3.0E-04	3.2E-09	1.9E-08	1.E-05	6.E-05	0.0001
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	5.5E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.3E-10	0.E+00	4.E-06	0.000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E+02	ug/kg	7.3E-01	7.3E-01	6.8E-11	9.5E-11	5.E-11	7.E-11	1.E-10	--	--	5.3E-10	7.4E-10	--	--	--
	Benzo(a)pyrene	1.4E+02	ug/kg	7.3E+00	7.3E+00	8.5E-11	1.2E-10	6.E-10	9.E-10	1.E-09	--	--	6.6E-10	9.2E-10	--	--	--
	Benzo(b)fluoranthene	1.7E+02	ug/kg	7.3E-01	7.3E-01	1.0E-10	1.4E-10	7.E-11	1.E-10	2.E-10	--	--	7.9E-10	1.1E-09	--	--	--
	Benzo(k)fluoranthene	6.3E+01	ug/kg	7.3E-02	7.3E-02	3.7E-11	5.1E-11	3.E-12	4.E-12	6.E-12	--	--	2.9E-10	4.0E-10	--	--	--
	Dibenzo(a,h)anthracene	2.3E+01	ug/kg	7.3E+00	7.3E+00	1.4E-11	1.9E-11	1.E-10	1.E-10	2.E-10	--	--	1.1E-10	1.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	7.0E-11	9.7E-11	5.E-11	7.E-11	1.E-10	--	--	5.4E-10	7.6E-10	--	--	--
	Naphthalene	1.2E+01	ug/kg	--	--	7.3E-12	1.0E-11	--	--	--	2.0E-02	2.0E-02	5.7E-11	7.9E-11	3.E-09	4.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+02	ug/kg	1.4E-02	1.4E-02	5.8E-11	1.1E-10	8.E-13	1.E-12	2.E-12	2.0E-02	2.0E-02	4.5E-10	8.2E-10	2.E-08	4.E-08	0.00000001
	Phenols																
	Pentachlorophenol	2.6E+00	ug/kg	4.0E-01	4.0E-01	3.0E-12	2.1E-12	1.E-12	9.E-13	2.E-12	5.0E-03	5.0E-03	2.3E-11	1.7E-11	5.E-09	3.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.4E+01	ug/kg	2.0E+00	2.0E+00	2.2E-11	2.8E-11	4.E-11	6.E-11	1.E-10	2.0E-05	2.0E-05	1.7E-10	2.2E-10	8.E-06	1.E-05	0.00002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.4E-01	pg/g	1.3E+05	1.3E+05	7.4E-17	4.4E-16	1.E-11	6.E-11	7.E-11	1.0E-09	1.0E-09	5.7E-16	3.5E-15	6.E-07	3.E-06	0.000004
	Total PCB TEQ	6.9E-01	pg/g	1.3E+05	1.3E+05	4.4E-16	5.6E-16	6.E-11	7.E-11	1.E-10	1.0E-09	1.0E-09	3.4E-15	4.4E-15	3.E-06	4.E-06	0.00001
	Pesticides																
	Aldrin	4.0E-02	ug/kg	1.7E+01	1.7E+01	1.8E-14	3.3E-14	3.E-13	6.E-13	9.E-13	3.0E-05	3.0E-05	1.4E-13	2.6E-13	5.E-09	9.E-09	0.00000001
	Dieldrin	4.7E-02	ug/kg	1.6E+01	1.6E+01	2.1E-14	3.9E-14	3.E-13	6.E-13	1.E-12	5.0E-05	5.0E-05	1.7E-13	3.0E-13	3.E-09	6.E-09	0.00000001
	Total DDT	5.3E-01	ug/kg	3.4E-01	3.4E-01	7.2E-14	4.3E-13	2.E-14	1.E-13	2.E-13	5.0E-04	5.0E-04	5.6E-13	3.4E-12	1.E-09	7.E-09	0.00000001
Exposure Point Total										7.E-09							0.0001
RM 10.5 West	**Metals**																
	Arsenic	4.0E+00	mg/kg	1.5E+00	1.5E+00	5.4E-10	3.2E-09	8.E-10	5.E-09	6.E-09	3.0E-04	3.0E-04	4.2E-09	2.5E-08	1.E-05	8.E-05	0.0001
	Mercury	6.9E-02	mg/kg	--	--	0.0E+00	5.6E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.4E-10	0.E+00	4.E-06	0.000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.8E+01	ug/kg	7.3E-01	7.3E-01	1.6E-11	2.3E-11	1.E-11	2.E-11	3.E-11	--	--	1.3E-10	1.8E-10	--	--	--
	Benzo(a)pyrene	2.6E+01	ug/kg	7.3E+00	7.3E+00	1.6E-11	2.2E-11	1.E-10	2.E-10	3.E-10	--	--	1.2E-10	1.7E-10	--	--	--
	Benzo(b)fluoranthene	3.5E+01	ug/kg	7.3E-01	7.3E-01	2.1E-11	2.9E-11	2.E-11	2.E-11	4.E-11	--	--	1.6E-10	2.3E-10	--	--	--
	Benzo(k)fluoranthene	1.3E+01	ug/kg	7.3E-02	7.3E-02	7.6E-12	1.0E-11	6.E-13	8.E-13	1.E-12	--	--	5.9E-11	8.2E-11	--	--	--
	Dibenzo(a,h)anthracene	4.4E+00	ug/kg	7.3E+00	7.3E+00	2.6E-12	3.6E-12	2.E-11	3.E-11	5.E-11	--	--	2.0E-11	2.8E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	2.2E+01	ug/kg	7.3E-01	7.3E-01	1.3E-11	1.8E-11	9.E-12	1.E-11	2.E-11	--	--	9.9E-11	1.4E-10	--	--	--
	Naphthalene	2.7E+01	ug/kg	--	--	1.6E-11	2.2E-11	--	--	--	2.0E-02	2.0E-02	1.2E-10	1.7E-10	6.E-09	9.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.4E+02	ug/kg	1.4E-02	1.4E-02	6.2E-11	1.1E-10	9.E-13	2.E-12	2.E-12	2.0E-02	2.0E-02	4.8E-10	8.7E-10	2.E-08	4.E-08	0.0000001
	Phenols																
	Pentachlorophenol	8.6E+00	ug/kg	4.0E-01	4.0E-01	9.7E-12	7.0E-12	4.E-12	3.E-12	7.E-12	5.0E-03	5.0E-03	7.6E-11	5.5E-11	2.E-08	1.E-08	0.00000003
	Polychlorinated Biphenyls																
	Total Aroclors	3.2E+01	ug/kg	2.0E+00	2.0E+00	2.0E-11	2.6E-11	4.E-11	5.E-11	9.E-11	2.0E-05	2.0E-05	1.6E-10	2.0E-10	8.E-06	1.E-05	0.00002
	Dioxin/Furan																
	Total PCB TEQ	6.9E-01	pg/g	1.3E+05	1.3E+05	4.4E-16	5.6E-16	6.E-11	7.E-11	1.E-10	1.0E-09	1.0E-09	3.4E-15	4.4E-15	3.E-06	4.E-06	0.00001
	Pesticides																
	Aldrin	2.0E-01	ug/kg	1.7E+01	1.7E+01	9.1E-14	1.6E-13	2.E-12	3.E-12	4.E-12	3.0E-05	3.0E-05	7.1E-13	1.3E-12	2.E-08	4.E-08	0.0000001
	Total DDT	1.7E+00	ug/kg	3.4E-01	3.4E-01	2.3E-13	1.4E-12	8.E-14	5.E-13	5.E-13	5.0E-04	5.0E-04	1.8E-12	1.1E-11	4.E-09	2.E-08	0.00000002
Exposure Point Total										6.E-09							0.0001
RM 10.5 East	**Metals**																
	Arsenic	3.1E+00	mg/kg	1.5E+00	1.5E+00	4.2E-10	2.5E-09	6.E-10	4.E-09	4.E-09	3.0E-04	3.0E-04	3.3E-09	2.0E-08	1.E-05	7.E-05	0.0001
	Mercury	6.1E-02	mg/kg	--	--	0.0E+00	5.0E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.9E-10	0.E+00	4.E-06	0.000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.9E+01	ug/kg	7.3E-01	7.3E-01	2.3E-11	3.2E-11	2.E-11	2.E-11	4.E-11	--	--	1.8E-10	2.5E-10	--	--	--
	Benzo(a)pyrene	3.4E+01	ug/kg	7.3E+00	7.3E+00	2.0E-11	2.8E-11	1.E-10	2.E-10	3.E-10	--	--	1.6E-10	2.2E-10	--	--	--
	Benzo(b)fluoranthene	5.0E+01	ug/kg	7.3E-01	7.3E-01	3.0E-11	4.1E-11	2.E-11	3.E-11	5.E-11	--	--	2.3E-10	3.2E-10	--	--	--
	Benzo(k)fluoranthene	2.5E+01	ug/kg	7.3E-02	7.3E-02	1.5E-11	2.1E-11	1.E-12	2.E-12	3.E-12	--	--	1.2E-10	1.6E-10	--	--	--
	Dibenzo(a,h)anthracene	5.5E+00	ug/kg	7.3E+00	7.3E+00	3.2E-12	4.5E-12	2.E-11	3.E-11	6.E-11	--	--	2.5E-11	3.5E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	2.7E+01	ug/kg	7.3E-01	7.3E-01	1.6E-11	2.2E-11	1.E-11	2.E-11	3.E-11	--	--	1.3E-10	1.7E-10	--	--	--
	Naphthalene	3.5E+00	ug/kg	--	--	2.1E-12	2.9E-12	--	--	--	2.0E-02	2.0E-02	1.6E-11	2.2E-11	8.E-10	1.E-09	0.000000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.6E+01	ug/kg	1.4E-02	1.4E-02	2.1E-11	3.7E-11	3.E-13	5.E-13	8.E-13	2.0E-02	2.0E-02	1.6E-10	2.9E-10	8.E-09	1.E-08	0.00000002
	Phenols																
	Pentachlorophenol	3.2E+00	ug/kg	4.0E-01	4.0E-01	3.6E-12	2.6E-12	1.E-12	1.E-12	2.E-12	5.0E-03	5.0E-03	2.8E-11	2.0E-11	6.E-09	4.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	5.2E+01	ug/kg	2.0E+00	2.0E+00	3.3E-11	4.2E-11	7.E-11	8.E-11	1.E-10	2.0E-05	2.0E-05	2.5E-10	3.3E-10	1.E-05	2.E-05	0.00003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: Low frequency Fisher Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total PCB TEQ	3.5E-01	pg/g	1.3E+05	1.3E+05	2.3E-16	2.9E-16	3.E-11	4.E-11	7.E-11	1.0E-09	1.0E-09	1.8E-15	2.3E-15	2.E-06	2.E-06	0.000004
	Pesticides																
	Total DDT	2.8E+00	ug/kg	3.4E-01	3.4E-01	3.8E-13	2.3E-12	1.E-13	8.E-13	9.E-13	5.0E-04	5.0E-04	3.0E-12	1.8E-11	6.E-09	4.E-08	0.00000004
Exposure Point Total										**5.E-09**							**0.0001**
RM 11 West	**Metals**																
	Arsenic	3.4E+00	mg/kg	1.5E+00	1.5E+00	4.6E-10	2.8E-09	7.E-10	4.E-09	5.E-09	3.0E-04	3.0E-04	3.6E-09	2.2E-08	1.E-05	7.E-05	0.0001
	Mercury	5.6E-02	mg/kg	--	--	0.0E+00	4.6E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.6E-10	0.E+00	4.E-06	0.000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.2E+01	ug/kg	7.3E-01	7.3E-01	3.7E-11	5.1E-11	3.E-11	4.E-11	6.E-11	--	--	2.9E-10	4.0E-10	--	--	--
	Benzo(a)pyrene	6.6E+01	ug/kg	7.3E+00	7.3E+00	3.9E-11	5.4E-11	3.E-10	4.E-10	7.E-10	--	--	3.0E-10	4.2E-10	--	--	--
	Benzo(b)fluoranthene	4.0E+01	ug/kg	7.3E-01	7.3E-01	2.4E-11	3.3E-11	2.E-11	2.E-11	4.E-11	--	--	1.8E-10	2.5E-10	--	--	--
	Benzo(k)fluoranthene	3.7E+01	ug/kg	7.3E-02	7.3E-02	2.2E-11	3.0E-11	2.E-12	2.E-12	4.E-12	--	--	1.7E-10	2.3E-10	--	--	--
	Dibenzo(a,h)anthracene	8.8E+00	ug/kg	7.3E+00	7.3E+00	5.2E-12	7.2E-12	4.E-11	5.E-11	9.E-11	--	--	4.0E-11	5.6E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	4.0E+01	ug/kg	7.3E-01	7.3E-01	2.4E-11	3.3E-11	2.E-11	2.E-11	4.E-11	--	--	1.8E-10	2.6E-10	--	--	--
	Naphthalene	5.4E+01	ug/kg	--	--	3.2E-11	4.4E-11	--	--	--	2.0E-02	2.0E-02	2.5E-10	3.4E-10	1.E-08	2.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.7E+02	ug/kg	1.4E-02	1.4E-02	1.7E-10	3.1E-10	2.E-12	4.E-12	7.E-12	2.0E-02	2.0E-02	1.3E-09	2.4E-09	7.E-08	1.E-07	0.0000002
	Phenols																
	Pentachlorophenol	9.8E-01	ug/kg	4.0E-01	4.0E-01	1.1E-12	8.0E-13	4.E-13	3.E-13	8.E-13	5.0E-03	5.0E-03	8.6E-12	6.2E-12	2.E-09	1.E-09	0.000000003
	Polychlorinated Biphenyls																
	Total Aroclors	2.8E+01	ug/kg	2.0E+00	2.0E+00	1.8E-11	2.3E-11	4.E-11	5.E-11	8.E-11	2.0E-05	2.0E-05	1.4E-10	1.8E-10	7.E-06	9.E-06	0.00002
	Pesticides																
	Dieldrin	5.7E-01	ug/kg	1.6E+01	1.6E+01	2.6E-13	4.6E-13	4.E-12	7.E-12	1.E-11	5.0E-05	5.0E-05	2.0E-12	3.6E-12	4.E-08	7.E-08	0.0000001
	Total DDT	1.3E+00	ug/kg	3.4E-01	3.4E-01	1.8E-13	1.1E-12	6.E-14	4.E-13	4.E-13	5.0E-04	5.0E-04	1.4E-12	8.4E-12	3.E-09	2.E-08	0.00000002
Exposure Point Total										**6.E-09**							**0.0001**
RM 11 East	**Metals**																
	Arsenic	2.7E+00	mg/kg	1.5E+00	1.5E+00	3.7E-10	2.2E-09	6.E-10	3.E-09	4.E-09	3.0E-04	3.0E-04	2.9E-09	1.7E-08	1.E-05	6.E-05	0.0001
	Mercury	7.0E-02	mg/kg	--	--	0.0E+00	5.7E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.5E-10	0.E+00	4.E-06	0.000004
	Butyltins																
	Tributyltin ion	4.0E+00	ug/kg	--	--	1.8E-12	3.3E-12	--	--	--	3.0E-04	3.0E-04	1.4E-11	2.5E-11	5.E-08	8.E-08	0.0000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	8.3E+01	ug/kg	7.3E-01	7.3E-01	4.9E-11	6.8E-11	4.E-11	5.E-11	9.E-11	--	--	3.8E-10	5.3E-10	--	--	--
	Benzo(a)pyrene	5.5E+01	ug/kg	7.3E+00	7.3E+00	3.3E-11	4.5E-11	2.E-10	3.E-10	6.E-10	--	--	2.5E-10	3.5E-10	--	--	--
	Benzo(b)fluoranthene	1.3E+02	ug/kg	7.3E-01	7.3E-01	7.6E-11	1.0E-10	6.E-11	8.E-11	1.E-10	--	--	5.9E-10	8.2E-10	--	--	--
	Benzo(k)fluoranthene	3.7E+01	ug/kg	7.3E-02	7.3E-02	2.2E-11	3.0E-11	2.E-12	2.E-12	4.E-12	--	--	1.7E-10	2.3E-10	--	--	--
	Dibenzo(a,h)anthracene	1.2E+01	ug/kg	7.3E+00	7.3E+00	7.1E-12	9.9E-12	5.E-11	7.E-11	1.E-10	--	--	5.6E-11	7.7E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	3.8E+01	ug/kg	7.3E-01	7.3E-01	2.3E-11	3.1E-11	2.E-11	2.E-11	4.E-11	--	--	1.8E-10	2.4E-10	--	--	--
	Naphthalene	1.2E+01	ug/kg	--	--	7.0E-12	9.7E-12	--	--	--	2.0E-02	2.0E-02	5.4E-11	7.5E-11	3.E-09	4.E-09	0.00000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Low frequency Fisher   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.4E+01	ug/kg	1.4E-02	1.4E-02	4.2E-11	7.7E-11	6.E-13	1.E-12	2.E-12	2.0E-02	2.0E-02	3.3E-10	6.0E-10	2.E-08	3.E-08	0.00000005
	Phenols																
	Pentachlorophenol	2.7E+00	ug/kg	4.0E-01	4.0E-01	3.0E-12	2.2E-12	1.E-12	9.E-13	2.E-12	5.0E-03	5.0E-03	2.3E-11	1.7E-11	5.E-09	3.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+03	ug/kg	2.0E+00	2.0E+00	7.2E-10	9.2E-10	1.E-09	2.E-09	3.E-09	2.0E-05	2.0E-05	5.6E-09	7.2E-09	3.E-04	4.E-04	0.0006
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.0E+00	pg/g	1.3E+05	1.3E+05	2.8E-16	1.7E-15	4.E-11	2.E-10	3.E-10	1.0E-09	1.0E-09	2.2E-15	1.3E-14	2.E-06	1.E-05	0.00002
	Total PCB TEQ	1.2E+01	pg/g	1.3E+05	1.3E+05	7.9E-15	1.0E-14	1.E-09	1.E-09	2.E-09	1.0E-09	1.0E-09	6.1E-14	7.9E-14	6.E-05	8.E-05	0.0001
	Pesticides																
	Total DDT	9.9E+01	ug/kg	3.4E-01	3.4E-01	1.3E-11	8.1E-11	5.E-12	3.E-11	3.E-11	5.0E-04	5.0E-04	1.0E-10	6.3E-10	2.E-07	1.E-06	0.000001
Exposure Point Total										1.E-08							0.001
RM 11.5 West	**Metals**																
	Arsenic	3.0E+00	mg/kg	1.5E+00	1.5E+00	4.0E-10	2.4E-09	6.E-10	4.E-09	4.E-09	3.0E-04	3.0E-04	3.1E-09	1.9E-08	1.E-05	6.E-05	0.0001
	Mercury	3.0E-02	mg/kg	--	--	0.0E+00	2.5E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.9E-10	0.E+00	2.E-06	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.5E+00	ug/kg	7.3E-01	7.3E-01	5.6E-12	7.7E-12	4.E-12	6.E-12	1.E-11	--	--	4.3E-11	6.0E-11	--	--	--
	Benzo(a)pyrene	1.1E+01	ug/kg	7.3E+00	7.3E+00	6.2E-12	8.6E-12	5.E-11	6.E-11	1.E-10	--	--	4.8E-11	6.7E-11	--	--	--
	Benzo(b)fluoranthene	9.7E+00	ug/kg	7.3E-01	7.3E-01	5.7E-12	7.9E-12	4.E-12	6.E-12	1.E-11	--	--	4.4E-11	6.2E-11	--	--	--
	Benzo(k)fluoranthene	6.4E+00	ug/kg	7.3E-02	7.3E-02	3.8E-12	5.2E-12	3.E-13	4.E-13	7.E-13	--	--	2.9E-11	4.1E-11	--	--	--
	Dibenzo(a,h)anthracene	1.2E+00	ug/kg	7.3E+00	7.3E+00	6.9E-13	9.5E-13	5.E-12	7.E-12	1.E-11	--	--	5.4E-12	7.4E-12	--	--	--
	Indeno(1,2,3-cd)pyrene	7.4E+00	ug/kg	7.3E-01	7.3E-01	4.4E-12	6.1E-12	3.E-12	4.E-12	8.E-12	--	--	3.4E-11	4.7E-11	--	--	--
	Naphthalene	3.3E+00	ug/kg	--	--	2.0E-12	2.7E-12	--	--	--	2.0E-02	2.0E-02	1.5E-11	2.1E-11	8.E-10	1.E-09	0.000000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+02	ug/kg	1.4E-02	1.4E-02	8.2E-11	1.5E-10	1.E-12	2.E-12	3.E-12	2.0E-02	2.0E-02	6.4E-10	1.2E-09	3.E-08	6.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.2E+01	ug/kg	2.0E+00	2.0E+00	7.8E-12	1.0E-11	2.E-11	2.E-11	4.E-11	2.0E-05	2.0E-05	6.0E-11	7.8E-11	3.E-06	4.E-06	0.00001
	Total PCB Congeners	6.3E+04	pg/g	NA	NA	4.0E-11	5.1E-11	NA	NA	--	NA	NA	3.1E-10	4.0E-10	NA	NA	--
	Total PCBs, Adjusted	6.2E+04	pg/g	2.0E+00	2.0E+00	3.9E-11	5.1E-11	8.E-11	1.E-10	2.E-10	2.0E-05	2.0E-05	3.1E-10	3.9E-10	2.E-05	2.E-05	0.00003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.8E-01	pg/g	1.3E+05	1.3E+05	2.4E-17	1.4E-16	3.E-12	2.E-11	2.E-11	1.0E-09	1.0E-09	1.9E-16	1.1E-15	2.E-07	1.E-06	0.000001
	Total PCB TEQ	2.9E-01	pg/g	1.3E+05	1.3E+05	1.9E-16	2.4E-16	2.E-11	3.E-11	6.E-11	1.0E-09	1.0E-09	1.5E-15	1.9E-15	1.E-06	2.E-06	0.000003
	Total TEQ	--	pg/g	--	--	--	--	3.E-11	5.E-11	8.E-11	--	--	--	--	2.E-06	3.E-06	0.000005
	Pesticides																
	Dieldrin	9.0E-02	ug/kg	1.6E+01	1.6E+01	4.1E-14	7.4E-14	7.E-13	1.E-12	2.E-12	5.0E-05	5.0E-05	3.2E-13	5.7E-13	6.E-09	1.E-08	0.00000002
	Total DDT	9.8E-01	ug/kg	3.4E-01	3.4E-01	1.3E-13	8.0E-13	5.E-14	3.E-13	3.E-13	5.0E-04	5.0E-04	1.0E-12	6.2E-12	2.E-09	1.E-08	0.00000001
Exposure Point Total										5.E-09							0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 12 West	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	4.3E-10	2.6E-09	6.E-10	4.E-09	5.E-09	3.0E-04	3.0E-04	3.3E-09	2.0E-08	1.E-05	7.E-05	0.0001
	Mercury	2.9E-01	mg/kg	--	--	0.0E+00	2.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.9E-09	0.E+00	2.E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+02	ug/kg	7.3E-01	7.3E-01	1.5E-10	2.1E-10	1.E-10	2.E-10	3.E-10	--	--	1.2E-09	1.6E-09	--	--	--
	Benzo(a)pyrene	4.1E+02	ug/kg	7.3E+00	7.3E+00	2.4E-10	3.4E-10	2.E-09	2.E-09	4.E-09	--	--	1.9E-09	2.6E-09	--	--	--
	Benzo(b)fluoranthene	3.5E+02	ug/kg	7.3E-01	7.3E-01	2.1E-10	2.9E-10	2.E-10	2.E-10	4.E-10	--	--	1.6E-09	2.2E-09	--	--	--
	Benzo(k)fluoranthene	1.2E+02	ug/kg	7.3E-02	7.3E-02	7.0E-11	9.7E-11	5.E-12	7.E-12	1.E-11	--	--	5.4E-10	7.5E-10	--	--	--
	Dibenzo(a,h)anthracene	3.2E+01	ug/kg	7.3E+00	7.3E+00	1.9E-11	2.7E-11	1.E-10	2.E-10	3.E-10	--	--	1.5E-10	2.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.4E+02	ug/kg	7.3E-01	7.3E-01	2.0E-10	2.7E-10	1.E-10	2.E-10	3.E-10	--	--	1.5E-09	2.1E-09	--	--	--
	Naphthalene	4.5E+01	ug/kg	--	--	2.6E-11	3.7E-11	--	--	--	2.0E-02	2.0E-02	2.1E-10	2.9E-10	1.E-08	1.E-08	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.0E+01	ug/kg	1.4E-02	1.4E-02	3.6E-11	6.5E-11	5.E-13	9.E-13	1.E-12	2.0E-02	2.0E-02	2.8E-10	5.1E-10	1.E-08	3.E-08	0.00000004
	Phenols																
	Pentachlorophenol	3.4E+00	ug/kg	4.0E-01	4.0E-01	3.8E-12	2.8E-12	2.E-12	1.E-12	3.E-12	5.0E-03	5.0E-03	3.0E-11	2.1E-11	6.E-09	4.E-09	0.000000001
	Polychlorinated Biphenyls																
	Total Aroclors	7.0E+01	ug/kg	2.0E+00	2.0E+00	4.4E-11	5.7E-11	9.E-11	1.E-10	2.E-10	2.0E-05	2.0E-05	3.5E-10	4.5E-10	2.E-05	2.E-05	0.00004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E-01	pg/g	1.3E+05	1.3E+05	2.3E-17	1.4E-16	3.E-12	2.E-11	2.E-11	1.0E-09	1.0E-09	1.8E-16	1.1E-15	2.E-07	1.E-06	0.000001
	Total PCB TEQ	4.5E-01	pg/g	1.3E+05	1.3E+05	2.9E-16	3.7E-16	4.E-11	5.E-11	9.E-11	1.0E-09	1.0E-09	2.2E-15	2.9E-15	2.E-06	3.E-06	0.00001
	Pesticides																
	Aldrin	3.2E-01	ug/kg	1.7E+01	1.7E+01	1.5E-13	2.6E-13	2.E-12	4.E-12	7.E-12	3.0E-05	3.0E-05	1.1E-12	2.0E-12	4.E-08	7.E-08	0.0000001
	Total DDT	5.9E+00	ug/kg	3.4E-01	3.4E-01	8.0E-13	4.8E-12	3.E-13	2.E-12	2.E-12	5.0E-04	5.0E-04	6.3E-12	3.8E-11	1.E-08	8.E-08	0.0000001
Exposure Point Total										1.E-08							0.0001
RM 12 East	**Metals**																
	Arsenic	2.3E+00	mg/kg	1.5E+00	1.5E+00	3.1E-10	1.9E-09	5.E-10	3.E-09	3.E-09	3.0E-04	3.0E-04	2.4E-09	1.4E-08	8.E-06	5.E-05	0.0001
	Mercury	4.5E-02	mg/kg	--	--	0.0E+00	3.6E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.8E-10	0.E+00	3.E-06	0.000003
	Butyltins																
	Tributyltin ion	4.0E+00	ug/kg	--	--	1.8E-12	3.2E-12	--	--	--	3.0E-04	3.0E-04	1.4E-11	2.5E-11	5.E-08	8.E-08	0.0000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+01	ug/kg	7.3E-01	7.3E-01	1.1E-11	1.5E-11	8.E-12	1.E-11	2.E-11	--	--	8.3E-11	1.1E-10	--	--	--
	Benzo(a)pyrene	1.9E+01	ug/kg	7.3E+00	7.3E+00	1.1E-11	1.5E-11	8.E-11	1.E-10	2.E-10	--	--	8.5E-11	1.2E-10	--	--	--
	Benzo(b)fluoranthene	2.7E+01	ug/kg	7.3E-01	7.3E-01	1.6E-11	2.2E-11	1.E-11	2.E-11	3.E-11	--	--	1.2E-10	1.7E-10	--	--	--
	Benzo(k)fluoranthene	7.8E+00	ug/kg	7.3E-02	7.3E-02	4.6E-12	6.3E-12	3.E-13	5.E-13	8.E-13	--	--	3.6E-11	4.9E-11	--	--	--
	Dibenzo(a,h)anthracene	4.0E+00	ug/kg	7.3E+00	7.3E+00	2.3E-12	3.2E-12	2.E-11	2.E-11	4.E-11	--	--	1.8E-11	2.5E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.6E+01	ug/kg	7.3E-01	7.3E-01	9.4E-12	1.3E-11	7.E-12	1.E-11	2.E-11	--	--	7.3E-11	1.0E-10	--	--	--
	Naphthalene	2.6E+01	ug/kg	--	--	1.5E-11	2.1E-11	--	--	--	2.0E-02	2.0E-02	1.2E-10	1.6E-10	6.E-09	8.E-09	0.00000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Low frequency Fisher
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.2E+03	ug/kg	1.4E-02	1.4E-02	4.2E-09	7.5E-09	6.E-11	1.E-10	2.E-10	2.0E-02	2.0E-02	3.2E-08	5.8E-08	2.E-06	3.E-06	0.000005
	Phenols																
	Pentachlorophenol	1.7E+00	ug/kg	4.0E-01	4.0E-01	1.9E-12	1.4E-12	8.E-13	5.E-13	1.E-12	5.0E-03	5.0E-03	1.5E-11	1.1E-11	3.E-09	2.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.6E+02	ug/kg	2.0E+00	2.0E+00	1.0E-10	1.3E-10	2.E-10	3.E-10	5.E-10	2.0E-05	2.0E-05	7.9E-10	1.0E-09	4.E-05	5.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	1.3E+05	1.3E+05	2.4E-16	1.4E-15	3.E-11	2.E-10	2.E-10	1.0E-09	1.0E-09	1.8E-15	1.1E-14	2.E-06	1.E-05	0.00001
	Total PCB TEQ	3.9E+00	pg/g	1.3E+05	1.3E+05	2.5E-15	3.2E-15	3.E-10	4.E-10	7.E-10	1.0E-09	1.0E-09	1.9E-14	2.5E-14	2.E-05	2.E-05	0.00004
	Pesticides																
	Total DDT	9.4E+00	ug/kg	3.4E-01	3.4E-01	1.3E-12	7.7E-12	4.E-13	3.E-12	3.E-12	5.0E-04	5.0E-04	9.9E-12	6.0E-11	2.E-08	1.E-07	0.0000001
Exposure Point Total										5.E-09							0.0002
Study Area-wide[c]	**Metals**																
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	6.4E-10	3.8E-09	1.E-09	6.E-09	7.E-09	3.0E-04	3.0E-04	5.0E-09	3.0E-08	2.E-05	1.E-04	0.0001
	Mercury	1.7E-01	mg/kg	--	--	0.0E+00	1.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	8.4E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	6.5E-07	0.E+00	9.E-03	0.009
	Butyltins																
	Tributyltin ion	6.1E+02	ug/kg	--	--	2.8E-10	5.0E-10	--	--	--	3.0E-04	3.0E-04	2.1E-09	3.9E-09	7.E-06	1.E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+03	ug/kg	7.3E-01	7.3E-01	8.4E-10	1.2E-09	6.E-10	9.E-10	1.E-09	--	--	6.6E-09	9.1E-09	--	--	--
	Benzo(a)pyrene	1.8E+03	ug/kg	7.3E+00	7.3E+00	1.0E-09	1.4E-09	8.E-09	1.E-08	2.E-08	--	--	8.0E-09	1.1E-08	--	--	--
	Benzo(b)fluoranthene	1.4E+03	ug/kg	7.3E-01	7.3E-01	8.3E-10	1.2E-09	6.E-10	8.E-10	1.E-09	--	--	6.5E-09	9.0E-09	--	--	--
	Benzo(k)fluoranthene	9.3E+02	ug/kg	7.3E-02	7.3E-02	5.5E-10	7.6E-10	4.E-11	6.E-11	1.E-10	--	--	4.3E-09	5.9E-09	--	--	--
	Dibenzo(a,h)anthracene	1.9E+02	ug/kg	7.3E+00	7.3E+00	1.1E-10	1.6E-10	8.E-10	1.E-09	2.E-09	--	--	8.8E-10	1.2E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+03	ug/kg	7.3E-01	7.3E-01	7.2E-10	9.9E-10	5.E-10	7.E-10	1.E-09	--	--	5.6E-09	7.7E-09	--	--	--
	Naphthalene	5.0E+02	ug/kg	--	--	3.0E-10	4.1E-10	--	--	--	2.0E-02	2.0E-02	2.3E-09	3.2E-09	1.E-07	2.E-07	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.6E+02	ug/kg	1.4E-02	1.4E-02	4.4E-10	7.9E-10	6.E-12	1.E-11	2.E-11	2.0E-02	2.0E-02	3.4E-09	6.1E-09	2.E-07	3.E-07	0.0000005
	Phenols																
	Pentachlorophenol	3.2E+01	ug/kg	4.0E-01	4.0E-01	3.6E-11	2.6E-11	1.E-11	1.E-11	3.E-11	5.0E-03	5.0E-03	2.8E-10	2.0E-10	6.E-08	4.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.9E+02	ug/kg	2.0E+00	2.0E+00	1.2E-10	1.5E-10	2.E-10	3.E-10	5.E-10	2.0E-05	2.0E-05	9.3E-10	1.2E-09	5.E-05	6.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.0E+02	pg/g	1.3E+05	1.3E+05	1.4E-14	8.3E-14	2.E-09	1.E-08	1.E-08	1.0E-09	1.0E-09	1.1E-13	6.4E-13	1.E-04	6.E-04	0.001
	Total PCB TEQ	6.6E+00	pg/g	1.3E+05	1.3E+05	4.2E-15	5.4E-15	5.E-10	7.E-10	1.E-09	1.0E-09	1.0E-09	3.2E-14	4.2E-14	3.E-05	4.E-05	0.0001
	Pesticides																
	Aldrin	2.4E+00	ug/kg	1.7E+01	1.7E+01	1.1E-12	2.0E-12	2.E-11	3.E-11	5.E-11	3.0E-05	3.0E-05	8.6E-12	1.6E-11	3.E-07	5.E-07	0.000001
	Dieldrin	2.1E+00	ug/kg	1.6E+01	1.6E+01	9.7E-13	1.7E-12	2.E-11	3.E-11	4.E-11	5.0E-05	5.0E-05	7.5E-12	1.4E-11	2.E-07	3.E-07	0.0000004
	Total DDT	1.4E+02	ug/kg	3.4E-01	3.4E-01	1.9E-11	1.1E-10	6.E-12	4.E-11	4.E-11	5.0E-04	5.0E-04	1.5E-10	8.8E-10	3.E-07	2.E-06	0.000002

—

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-28.
Calculation of Cancer Risks and Noncancer Hazards - Low-Frequency Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future　　　　　　Medium: Sediment
Receptor Population: Low frequency Fisher　　　Exposure Medium: In-water Sediment
Population Age: Adult　　　　　　　　　　　　Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Cancer Risk Calculations[a]							Noncancer Hazard Calculations[a]						
		Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Conventionals																
	Perchlorate	4.9E+04	ug/kg	--	--	0.0E+00	4.0E-08	--	--	--	7.0E-04	7.0E-04	0.0E+00	3.1E-07	0.E+00	4.E-04	0.0004
Exposure Point Total										5.E-08							0.01

Notes:

　　a Numbers presented are rounded values. Sums calculated before rounding.

　　b Cumulative risk sums calculated using PCB Aroclor data.

　　c Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

　　-- = Not Applicable.
　　CDI = Chronic Daily Intake.
　　EPC = Exposure Point Concentration.
　　HQ = Hazard Quotient.
　　LADI = Lifetime Average Daily Intake.
　　mg/kg = Milligrams per kilogram.

　　PCB = Polychlorinated Biphenyls.
　　pg/g = Picograms per gram.
　　RfD = Reference dose.
　　RM = River mile.
　　TEQ = Toxic equivalents.
　　ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Diver in Wet Suit   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 1 West	**Metals**																
	Arsenic	5.3E+00	mg/kg	1.5E+00	1.5E+00	6.0E-08	1.8E-08	9.E-08	3.E-08	1.E-07	3.0E-04	3.0E-04	1.7E-07	5.2E-08	6.E-04	2.E-04	0.001
	Mercury	7.5E-02	mg/kg	--	--	0.0E+00	2.6E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.4E-10	0.E+00	7.E-06	0.00001
	Butyltins																
	Tributyltin ion	8.4E-01	ug/kg	--	--	3.2E-11	2.9E-12	--	--	--	3.0E-04	3.0E-04	9.0E-11	8.2E-12	3.E-07	3.E-08	0.0000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.5E+02	ug/kg	7.3E-01	7.3E-01	7.4E-09	5.2E-10	5.E-09	4.E-10	6.E-09	--	--	2.1E-08	1.5E-09	--	--	--
	Benzo(a)pyrene	2.4E+02	ug/kg	7.3E+00	7.3E+00	1.2E-08	8.4E-10	9.E-08	6.E-09	9.E-08	--	--	3.3E-08	2.3E-09	--	--	--
	Benzo(b)fluoranthene	2.3E+02	ug/kg	7.3E-01	7.3E-01	1.1E-08	8.0E-10	8.E-09	6.E-10	9.E-09	--	--	3.2E-08	2.3E-09	--	--	--
	Benzo(k)fluoranthene	7.7E+01	ug/kg	7.3E-02	7.3E-02	3.8E-09	2.7E-10	3.E-10	2.E-11	3.E-10	--	--	1.1E-08	7.5E-10	--	--	--
	Dibenzo(a,h)anthracene	2.4E+01	ug/kg	7.3E+00	7.3E+00	1.2E-09	8.6E-11	9.E-09	6.E-10	9.E-09	--	--	3.4E-09	2.4E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.0E+02	ug/kg	7.3E-01	7.3E-01	9.9E-09	7.0E-10	7.E-09	5.E-10	8.E-09	--	--	2.8E-08	2.0E-09	--	--	--
	Naphthalene	2.9E+01	ug/kg	--	--	1.4E-09	1.0E-10	--	--	--	2.0E-02	2.0E-02	4.0E-09	2.8E-10	2.E-07	1.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.4E+01	ug/kg	1.4E-02	1.4E-02	1.7E-09	1.5E-10	2.E-11	2.E-12	3.E-11	2.0E-02	2.0E-02	4.7E-09	4.3E-10	2.E-07	2.E-08	0.0000003
	Phenols																
	Pentachlorophenol	1.2E+00	ug/kg	4.0E-01	4.0E-01	1.1E-10	4.2E-12	5.E-11	2.E-12	5.E-11	5.0E-03	5.0E-03	3.2E-10	1.2E-11	6.E-08	2.E-09	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+01	ug/kg	2.0E+00	2.0E+00	9.1E-10	5.9E-11	2.E-09	1.E-10	2.E-09	2.0E-05	2.0E-05	2.5E-09	1.7E-10	1.E-04	8.E-06	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.7E+00	pg/g	1.3E+05	1.3E+05	3.0E-14	9.3E-15	4.E-09	1.E-09	5.E-09	1.0E-09	1.0E-09	8.5E-14	2.6E-14	9.E-05	3.E-05	0.0001
	Total PCB TEQ	3.2E-01	pg/g	1.3E+05	1.3E+05	1.7E-14	1.1E-15	2.E-09	1.E-10	2.E-09	1.0E-09	1.0E-09	4.7E-14	3.1E-15	5.E-05	3.E-06	0.0001
	Pesticides																
	Aldrin	3.7E-01	ug/kg	1.7E+01	1.7E+01	1.4E-11	1.3E-12	2.E-10	2.E-11	3.E-10	3.0E-05	3.0E-05	3.9E-11	3.6E-12	1.E-06	1.E-07	0.000001
	Total DDT	4.6E+00	ug/kg	3.4E-01	3.4E-01	5.2E-11	1.6E-11	2.E-11	5.E-12	2.E-11	5.0E-04	5.0E-04	1.5E-10	4.5E-11	3.E-07	9.E-08	0.0000004
Exposure Point Total[b]										3.E-07							0.001
RM 1 East	**Metals**																
	Arsenic	5.7E+00	mg/kg	1.5E+00	1.5E+00	6.5E-08	2.0E-08	1.E-07	3.E-08	1.E-07	3.0E-04	3.0E-04	1.8E-07	5.6E-08	6.E-04	2.E-04	0.001
	Mercury	7.1E+00	mg/kg	--	--	0.0E+00	2.5E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.0E-08	0.E+00	7.E-04	0.001
	Butyltins																
	Tributyltin ion	1.2E+00	ug/kg	--	--	4.6E-11	4.2E-12	--	--	--	3.0E-04	3.0E-04	1.3E-10	1.2E-11	4.E-07	4.E-08	0.0000005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.3E+01	ug/kg	7.3E-01	7.3E-01	2.6E-09	1.8E-10	2.E-09	1.E-10	2.E-09	--	--	7.3E-09	5.2E-10	--	--	--
	Benzo(a)pyrene	8.1E+01	ug/kg	7.3E+00	7.3E+00	4.0E-09	2.8E-10	3.E-08	2.E-09	3.E-08	--	--	1.1E-08	7.9E-10	--	--	--
	Benzo(b)fluoranthene	6.9E+01	ug/kg	7.3E-01	7.3E-01	3.4E-09	2.4E-10	2.E-09	2.E-10	3.E-09	--	--	9.6E-09	6.8E-10	--	--	--
	Benzo(k)fluoranthene	4.8E+01	ug/kg	7.3E-02	7.3E-02	2.4E-09	1.7E-10	2.E-10	1.E-11	2.E-10	--	--	6.6E-09	4.7E-10	--	--	--
	Dibenzo(a,h)anthracene	9.1E+00	ug/kg	7.3E+00	7.3E+00	4.5E-10	3.2E-11	3.E-09	2.E-10	4.E-09	--	--	1.3E-09	8.9E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	5.6E+01	ug/kg	7.3E-01	7.3E-01	2.8E-09	2.0E-10	2.E-09	1.E-10	2.E-09	--	--	7.8E-09	5.5E-10	--	--	--
	Naphthalene	2.3E+01	ug/kg	--	--	1.1E-09	8.0E-11	--	--	--	2.0E-02	2.0E-02	3.2E-09	2.3E-10	2.E-07	1.E-08	0.0000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.1E+01	ug/kg	1.4E-02	1.4E-02	2.7E-09	2.5E-10	4.E-11	3.E-12	4.E-11	2.0E-02	2.0E-02	7.6E-09	6.9E-10	4.E-07	3.E-08	0.0000004
	Phenols																
	Pentachlorophenol	2.5E+00	ug/kg	4.0E-01	4.0E-01	2.4E-10	8.7E-12	1.E-10	3.E-12	1.E-10	5.0E-03	5.0E-03	6.7E-10	2.4E-11	1.E-07	5.E-09	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	5.1E+02	ug/kg	2.0E+00	2.0E+00	2.7E-08	1.8E-09	5.E-08	4.E-09	6.E-08	2.0E-05	2.0E-05	7.6E-08	5.0E-09	4.E-03	2.E-04	0.004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	7.5E-01	pg/g	1.3E+05	1.3E+05	8.5E-15	2.6E-15	1.E-09	3.E-10	1.E-09	1.0E-09	1.0E-09	2.4E-14	7.3E-15	2.E-05	7.E-06	0.00003
	Total PCB TEQ	2.7E-01	pg/g	1.3E+05	1.3E+05	1.4E-14	9.5E-16	2.E-09	1.E-10	2.E-09	1.0E-09	1.0E-09	4.0E-14	2.7E-15	4.E-05	3.E-06	0.00004
	Pesticides																
	Total DDT	4.0E+00	ug/kg	3.4E-01	3.4E-01	4.5E-11	1.4E-11	2.E-11	5.E-12	2.E-11	5.0E-04	5.0E-04	1.3E-10	3.9E-11	3.E-07	8.E-08	0.0000003
Exposure Point Total										2.E-07							0.01
RM 1.5 West	**Metals**																
	Arsenic	4.4E+00	mg/kg	1.5E+00	1.5E+00	5.0E-08	1.5E-08	8.E-08	2.E-08	1.E-07	3.0E-04	3.0E-04	1.4E-07	4.3E-08	5.E-04	1.E-04	0.001
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	2.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.7E-10	0.E+00	7.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.3E+01	ug/kg	7.3E-01	7.3E-01	1.6E-09	1.2E-10	1.E-09	8.E-11	1.E-09	--	--	4.6E-09	3.2E-10	--	--	--
	Benzo(a)pyrene	4.8E+01	ug/kg	7.3E+00	7.3E+00	2.4E-09	1.7E-10	2.E-08	1.E-09	2.E-08	--	--	6.6E-09	4.7E-10	--	--	--
	Benzo(b)fluoranthene	4.1E+01	ug/kg	7.3E-01	7.3E-01	2.0E-09	1.4E-10	1.E-09	1.E-10	2.E-09	--	--	5.7E-09	4.0E-10	--	--	--
	Benzo(k)fluoranthene	3.4E+01	ug/kg	7.3E-02	7.3E-02	1.7E-09	1.2E-10	1.E-10	9.E-12	1.E-10	--	--	4.7E-09	3.3E-10	--	--	--
	Dibenzo(a,h)anthracene	5.9E+00	ug/kg	7.3E+00	7.3E+00	2.9E-10	2.1E-11	2.E-09	2.E-10	2.E-09	--	--	8.2E-10	5.8E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	3.7E+01	ug/kg	7.3E-01	7.3E-01	1.8E-09	1.3E-10	1.E-09	9.E-11	1.E-09	--	--	5.1E-09	3.6E-10	--	--	--
	Naphthalene	9.6E+00	ug/kg	--	--	4.7E-10	3.4E-11	--	--	--	2.0E-02	2.0E-02	1.3E-09	9.4E-11	7.E-08	5.E-09	0.0000001
	Phenols																
	Pentachlorophenol	1.5E+00	ug/kg	4.0E-01	4.0E-01	1.4E-10	5.2E-12	6.E-11	2.E-12	6.E-11	5.0E-03	5.0E-03	4.0E-10	1.5E-11	8.E-08	3.E-09	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.2E+01	ug/kg	2.0E+00	2.0E+00	1.2E-09	7.6E-11	2.E-09	2.E-10	2.E-09	2.0E-05	2.0E-05	3.2E-09	2.1E-10	2.E-04	1.E-05	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.4E-02	pg/g	1.3E+05	1.3E+05	1.1E-15	3.3E-16	1.E-10	4.E-11	2.E-10	1.0E-09	1.0E-09	3.0E-15	9.2E-16	3.E-06	9.E-07	0.000004
	Pesticides																
	Total DDT	1.1E+00	ug/kg	3.4E-01	3.4E-01	1.2E-11	3.8E-12	4.E-12	1.E-12	6.E-12	5.0E-04	5.0E-04	3.5E-11	1.1E-11	7.E-08	2.E-08	0.0000001
Exposure Point Total										1.E-07							0.001
RM 1.5 East	**Metals**																
	Arsenic	5.4E+00	mg/kg	1.5E+00	1.5E+00	6.2E-08	1.9E-08	9.E-08	3.E-08	1.E-07	3.0E-04	3.0E-04	1.7E-07	5.3E-08	6.E-04	2.E-04	0.001
	Mercury	1.3E-01	mg/kg	--	--	0.0E+00	4.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.2E-09	0.E+00	1.E-05	0.00001
	Butyltins																
	Tributyltin ion	3.7E-01	ug/kg	--	--	1.4E-11	1.3E-12	--	--	--	3.0E-04	3.0E-04	3.9E-11	3.6E-12	1.E-07	1.E-08	0.0000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.4E+02	ug/kg	7.3E-01	7.3E-01	4.7E-08	3.3E-09	3.E-08	2.E-09	4.E-08	--	--	1.3E-07	9.2E-09	--	--	--
	Benzo(a)pyrene	1.4E+03	ug/kg	7.3E+00	7.3E+00	6.9E-08	4.9E-09	5.E-07	4.E-08	5.E-07	--	--	1.9E-07	1.4E-08	--	--	--
	Benzo(b)fluoranthene	8.2E+02	ug/kg	7.3E-01	7.3E-01	4.1E-08	2.9E-09	3.E-08	2.E-09	3.E-08	--	--	1.1E-07	8.0E-09	--	--	--
	Benzo(k)fluoranthene	8.2E+02	ug/kg	7.3E-02	7.3E-02	4.1E-08	2.9E-09	3.E-09	2.E-10	3.E-09	--	--	1.1E-07	8.0E-09	--	--	--
	Dibenzo(a,h)anthracene	1.4E+02	ug/kg	7.3E+00	7.3E+00	6.9E-09	4.9E-10	5.E-08	4.E-09	5.E-08	--	--	1.9E-08	1.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.0E+03	ug/kg	7.3E-01	7.3E-01	4.9E-08	3.5E-09	4.E-08	3.E-09	4.E-08	--	--	1.4E-07	9.8E-09	--	--	--
	Naphthalene	3.7E+02	ug/kg	--	--	1.8E-08	1.3E-09	--	--	--	2.0E-02	2.0E-02	5.1E-08	3.6E-09	3.E-06	2.E-07	0.000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.7E+02	ug/kg	1.4E-02	1.4E-02	6.5E-09	5.9E-10	9.E-11	8.E-12	1.E-10	2.0E-02	2.0E-02	1.8E-08	1.7E-09	9.E-07	8.E-08	0.000001
	Phenols																
	Pentachlorophenol	4.1E+00	ug/kg	4.0E-01	4.0E-01	3.9E-10	1.4E-11	2.E-10	6.E-12	2.E-10	5.0E-03	5.0E-03	1.1E-09	4.0E-11	2.E-07	8.E-09	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	4.1E+01	ug/kg	2.0E+00	2.0E+00	2.2E-09	1.4E-10	4.E-09	3.E-10	5.E-09	2.0E-05	2.0E-05	6.0E-09	4.0E-10	3.E-04	2.E-05	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.8E+00	pg/g	1.3E+05	1.3E+05	2.1E-14	6.3E-15	3.E-09	8.E-10	4.E-09	1.0E-09	1.0E-09	5.8E-14	1.8E-14	6.E-05	2.E-05	0.0001
	Total PCB TEQ	1.1E-01	pg/g	1.3E+05	1.3E+05	5.6E-15	3.7E-16	7.E-10	5.E-11	8.E-10	1.0E-09	1.0E-09	1.6E-14	1.0E-15	2.E-05	1.E-06	0.00002
	Pesticides																
	Dieldrin	6.9E-02	ug/kg	1.6E+01	1.6E+01	2.6E-12	2.4E-13	4.E-11	4.E-12	5.E-11	5.0E-05	5.0E-05	7.4E-12	6.8E-13	1.E-07	1.E-08	0.0000002
	Total DDT	2.2E+01	ug/kg	3.4E-01	3.4E-01	2.5E-10	7.6E-11	8.E-11	3.E-11	1.E-10	5.0E-04	5.0E-04	7.0E-10	2.1E-10	1.E-06	4.E-07	0.000002
Exposure Point Total										**8.E-07**							**0.001**
RM 2 West	**Metals**																
	Arsenic	3.8E+00	mg/kg	1.5E+00	1.5E+00	4.4E-08	1.3E-08	7.E-08	2.E-08	9.E-08	3.0E-04	3.0E-04	1.2E-07	3.8E-08	4.E-04	1.E-04	0.001
	Mercury	7.8E-02	mg/kg	--	--	0.0E+00	2.7E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.6E-10	0.E+00	8.E-06	0.00001
	Butyltins																
	Tributyltin ion	2.1E+00	ug/kg	--	--	8.0E-11	7.3E-12	--	--	--	3.0E-04	3.0E-04	2.2E-10	2.1E-11	7.E-07	7.E-08	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.5E+01	ug/kg	7.3E-01	7.3E-01	2.7E-09	1.9E-10	2.E-09	1.E-10	2.E-09	--	--	7.6E-09	5.3E-10	--	--	--
	Benzo(a)pyrene	9.8E+01	ug/kg	7.3E+00	7.3E+00	4.9E-09	3.4E-10	4.E-08	3.E-09	4.E-08	--	--	1.4E-08	9.6E-10	--	--	--
	Benzo(b)fluoranthene	9.8E+01	ug/kg	7.3E-01	7.3E-01	4.8E-09	3.4E-10	4.E-09	2.E-10	4.E-09	--	--	1.4E-08	9.6E-10	--	--	--
	Benzo(k)fluoranthene	3.2E+01	ug/kg	7.3E-02	7.3E-02	1.6E-09	1.1E-10	1.E-10	8.E-12	1.E-10	--	--	4.4E-09	3.1E-10	--	--	--
	Dibenzo(a,h)anthracene	1.0E+01	ug/kg	7.3E+00	7.3E+00	5.1E-10	3.6E-11	4.E-09	3.E-10	4.E-09	--	--	1.4E-09	1.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	8.1E+01	ug/kg	7.3E-01	7.3E-01	4.0E-09	2.8E-10	3.E-09	2.E-10	3.E-09	--	--	1.1E-08	7.9E-10	--	--	--
	Naphthalene	1.0E+01	ug/kg	--	--	4.9E-10	3.5E-11	--	--	--	2.0E-02	2.0E-02	1.4E-09	9.8E-11	7.E-08	5.E-09	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.8E+01	ug/kg	1.4E-02	1.4E-02	1.8E-09	1.7E-10	3.E-11	2.E-12	3.E-11	2.0E-02	2.0E-02	5.1E-09	4.7E-10	3.E-07	2.E-08	0.0000003
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+01	ug/kg	2.0E+00	2.0E+00	9.7E-10	6.4E-11	2.E-09	1.E-10	2.E-09	2.0E-05	2.0E-05	2.7E-09	1.8E-10	1.E-04	9.E-06	0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.2E+00	pg/g	1.3E+05	1.3E+05	2.5E-14	7.6E-15	3.E-09	1.E-09	4.E-09	1.0E-09	1.0E-09	7.0E-14	2.1E-14	7.E-05	2.E-05	0.0001
	Total PCB TEQ	3.5E-01	pg/g	1.3E+05	1.3E+05	1.9E-14	1.2E-15	2.E-09	2.E-10	3.E-09	1.0E-09	1.0E-09	5.3E-14	3.5E-15	5.E-05	3.E-06	0.0001
	Pesticides																
	Aldrin	3.6E-01	ug/kg	1.7E+01	1.7E+01	1.4E-11	1.3E-12	2.E-10	2.E-11	3.E-10	3.0E-05	3.0E-05	3.8E-11	3.5E-12	1.E-06	1.E-07	0.000001
	Dieldrin	2.7E-01	ug/kg	1.6E+01	1.6E+01	1.0E-11	9.4E-13	2.E-10	2.E-11	2.E-10	5.0E-05	5.0E-05	2.9E-11	2.6E-12	6.E-07	5.E-08	0.000001
	Total DDT	3.2E+00	ug/kg	3.4E-01	3.4E-01	3.6E-11	1.1E-11	1.E-11	4.E-12	2.E-11	5.0E-04	5.0E-04	1.0E-10	3.1E-11	2.E-07	6.E-08	0.0000003
Exposure Point Total										1.E-07							0.001
RM 2 East	**Metals**																
	Arsenic	4.3E+00	mg/kg	1.5E+00	1.5E+00	4.9E-08	1.5E-08	7.E-08	2.E-08	1.E-07	3.0E-04	3.0E-04	1.4E-07	4.2E-08	5.E-04	1.E-04	0.001
	Mercury	9.1E-02	mg/kg	--	--	0.0E+00	3.2E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.9E-10	0.E+00	9.E-06	0.00001
	Butyltins																
	Tributyltin ion	3.7E+00	ug/kg	--	--	1.4E-10	1.3E-11	--	--	--	3.0E-04	3.0E-04	3.9E-10	3.6E-11	1.E-06	1.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.7E+01	ug/kg	7.3E-01	7.3E-01	4.8E-09	3.4E-10	4.E-09	2.E-10	4.E-09	--	--	1.3E-08	9.5E-10	--	--	--
	Benzo(a)pyrene	1.2E+02	ug/kg	7.3E+00	7.3E+00	5.9E-09	4.2E-10	4.E-08	3.E-09	5.E-08	--	--	1.7E-08	1.2E-09	--	--	--
	Benzo(b)fluoranthene	1.3E+02	ug/kg	7.3E-01	7.3E-01	6.5E-09	4.6E-10	5.E-09	3.E-10	5.E-09	--	--	1.8E-08	1.3E-09	--	--	--
	Benzo(k)fluoranthene	7.7E+01	ug/kg	7.3E-02	7.3E-02	3.8E-09	2.7E-10	3.E-10	2.E-11	3.E-10	--	--	1.1E-08	7.6E-10	--	--	--
	Dibenzo(a,h)anthracene	2.4E+01	ug/kg	7.3E+00	7.3E+00	1.2E-09	8.2E-11	8.E-09	6.E-10	9.E-09	--	--	3.3E-09	2.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+02	ug/kg	7.3E-01	7.3E-01	5.2E-09	3.7E-10	4.E-09	3.E-10	4.E-09	--	--	1.5E-08	1.0E-09	--	--	--
	Naphthalene	2.1E+01	ug/kg	--	--	1.0E-09	7.3E-11	--	--	--	2.0E-02	2.0E-02	2.9E-09	2.1E-10	1.E-07	1.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.2E+02	ug/kg	1.4E-02	1.4E-02	4.6E-09	4.2E-10	6.E-11	6.E-12	7.E-11	2.0E-02	2.0E-02	1.3E-08	1.2E-09	6.E-07	6.E-08	0.000001
	Phenols																
	Pentachlorophenol	2.2E+00	ug/kg	4.0E-01	4.0E-01	2.1E-10	7.7E-12	8.E-11	3.E-12	9.E-11	5.0E-03	5.0E-03	5.9E-10	2.2E-11	1.E-07	4.E-09	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.5E+03	ug/kg	2.0E+00	2.0E+00	8.1E-08	5.3E-09	2.E-07	1.E-08	2.E-07	2.0E-05	2.0E-05	2.3E-07	1.5E-08	1.E-02	7.E-04	0.01
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.0E+00	pg/g	1.3E+05	1.3E+05	4.6E-14	1.4E-14	6.E-09	2.E-09	8.E-09	1.0E-09	1.0E-09	1.3E-13	3.9E-14	1.E-04	4.E-05	0.0002
	Total PCB TEQ	8.5E+01	pg/g	1.3E+05	1.3E+05	4.5E-12	3.0E-13	6.E-07	4.E-08	6.E-07	1.0E-09	1.0E-09	1.3E-11	8.3E-13	1.E-02	8.E-04	0.01
	Pesticides																
	Aldrin	7.0E-01	ug/kg	1.7E+01	1.7E+01	2.6E-11	2.4E-12	4.E-10	4.E-11	5.E-10	3.0E-05	3.0E-05	7.4E-11	6.8E-12	2.E-06	2.E-07	0.000003
	Dieldrin	1.2E+00	ug/kg	1.6E+01	1.6E+01	4.7E-11	4.4E-12	8.E-10	7.E-11	8.E-10	5.0E-05	5.0E-05	1.3E-10	1.2E-11	3.E-06	2.E-07	0.000003
	Total DDT	4.2E+00	ug/kg	3.4E-01	3.4E-01	4.8E-11	1.5E-11	2.E-11	5.E-12	2.E-11	5.0E-04	5.0E-04	1.3E-10	4.1E-11	3.E-07	8.E-08	0.0000004
Exposure Point Total										1.E-06							0.03
RM 2.5 West	**Metals**																
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	5.4E-08	1.6E-08	8.E-08	2.E-08	1.E-07	3.0E-04	3.0E-04	1.5E-07	4.6E-08	5.E-04	2.E-04	0.001
	Mercury	9.1E-02	mg/kg	--	--	0.0E+00	3.2E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.9E-10	0.E+00	9.E-06	0.00001
	Butyltins																
	Tributyltin ion	2.3E+00	ug/kg	--	--	8.8E-11	8.0E-12	--	--	--	3.0E-04	3.0E-04	2.5E-10	2.3E-11	8.E-07	8.E-08	0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Diver in Wet Suit   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+02	ug/kg	7.3E-01	7.3E-01	1.5E-08	1.1E-09	1.E-08	8.E-10	1.E-08	--	--	4.2E-08	3.0E-09	--	--	--
	Benzo(a)pyrene	5.5E+02	ug/kg	7.3E+00	7.3E+00	2.7E-08	1.9E-09	2.E-07	1.E-08	2.E-07	--	--	7.6E-08	5.3E-09	--	--	--
	Benzo(b)fluoranthene	4.0E+02	ug/kg	7.3E-01	7.3E-01	2.0E-08	1.4E-09	1.E-08	1.E-09	2.E-08	--	--	5.5E-08	3.9E-09	--	--	--
	Benzo(k)fluoranthene	2.5E+02	ug/kg	7.3E-02	7.3E-02	1.3E-08	8.9E-10	9.E-10	6.E-11	1.E-09	--	--	3.5E-08	2.5E-09	--	--	--
	Dibenzo(a,h)anthracene	6.4E+01	ug/kg	7.3E+00	7.3E+00	3.2E-09	2.2E-10	2.E-08	2.E-09	2.E-08	--	--	8.8E-09	6.2E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+02	ug/kg	7.3E-01	7.3E-01	2.3E-08	1.6E-09	2.E-08	1.E-09	2.E-08	--	--	6.5E-08	4.6E-09	--	--	--
	Naphthalene	7.6E+01	ug/kg	--	--	3.8E-09	2.7E-10	--	--	--	2.0E-02	2.0E-02	1.1E-08	7.4E-10	5.E-07	4.E-08	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.3E+01	ug/kg	1.4E-02	1.4E-02	1.6E-09	1.5E-10	2.E-11	2.E-12	3.E-11	2.0E-02	2.0E-02	4.6E-09	4.2E-10	2.E-07	2.E-08	0.0000003
	Phenols																
	Pentachlorophenol	1.2E+00	ug/kg	4.0E-01	4.0E-01	1.1E-10	4.2E-12	5.E-11	2.E-12	5.E-11	5.0E-03	5.0E-03	3.2E-10	1.2E-11	6.E-08	2.E-09	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.1E+01	ug/kg	2.0E+00	2.0E+00	1.1E-09	7.5E-11	2.E-09	1.E-10	2.E-09	2.0E-05	2.0E-05	3.2E-09	2.1E-10	2.E-04	1.E-05	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.1E-01	pg/g	1.3E+05	1.3E+05	4.7E-15	1.4E-15	6.E-10	2.E-10	8.E-10	1.0E-09	1.0E-09	1.3E-14	4.0E-15	1.E-05	4.E-06	0.00002
	Total PCB TEQ	2.1E-01	pg/g	1.3E+05	1.3E+05	1.1E-14	7.2E-16	1.E-09	9.E-11	2.E-09	1.0E-09	1.0E-09	3.1E-14	2.0E-15	3.E-05	2.E-06	0.00003
	Pesticides																
	Aldrin	2.6E-01	ug/kg	1.7E+01	1.7E+01	9.8E-12	9.0E-13	2.E-10	2.E-11	2.E-10	3.0E-05	3.0E-05	2.7E-11	2.5E-12	9.E-07	8.E-08	0.000001
	Dieldrin	2.2E-01	ug/kg	1.6E+01	1.6E+01	8.4E-12	7.7E-13	1.E-10	1.E-11	1.E-10	5.0E-05	5.0E-05	2.3E-11	2.2E-12	5.E-07	4.E-08	0.000001
	Total DDT	3.4E+00	ug/kg	3.4E-01	3.4E-01	3.9E-11	1.2E-11	1.E-11	4.E-12	2.E-11	5.0E-04	5.0E-04	1.1E-10	3.3E-11	2.E-07	7.E-08	0.0000003
Exposure Point Total										**4.E-07**							**0.001**
RM 2.5 East	**Metals**																
	Arsenic	4.8E+00	mg/kg	1.5E+00	1.5E+00	5.5E-08	1.7E-08	8.E-08	3.E-08	1.E-07	3.0E-04	3.0E-04	1.5E-07	4.7E-08	5.E-04	2.E-04	0.001
	Mercury	9.1E-02	mg/kg	--	--	0.0E+00	3.2E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.9E-10	0.E+00	9.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.8E+03	ug/kg	7.3E-01	7.3E-01	2.9E-07	2.0E-08	2.E-07	1.E-08	2.E-07	--	--	8.0E-07	5.7E-08	--	--	--
	Benzo(a)pyrene	4.5E+03	ug/kg	7.3E+00	7.3E+00	2.2E-07	1.6E-08	2.E-06	1.E-07	2.E-06	--	--	6.3E-07	4.4E-08	--	--	--
	Benzo(b)fluoranthene	3.9E+03	ug/kg	7.3E-01	7.3E-01	1.9E-07	1.4E-08	1.E-07	1.E-08	2.E-07	--	--	5.4E-07	3.8E-08	--	--	--
	Benzo(k)fluoranthene	1.2E+03	ug/kg	7.3E-02	7.3E-02	6.1E-08	4.3E-09	4.E-09	3.E-10	5.E-09	--	--	1.7E-07	1.2E-08	--	--	--
	Dibenzo(a,h)anthracene	4.5E+02	ug/kg	7.3E+00	7.3E+00	2.2E-08	1.6E-09	2.E-07	1.E-08	2.E-07	--	--	6.2E-08	4.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.6E+03	ug/kg	7.3E-01	7.3E-01	1.3E-07	9.0E-09	9.E-08	7.E-09	1.E-07	--	--	3.5E-07	2.5E-08	--	--	--
	Naphthalene	2.8E+02	ug/kg	--	--	1.4E-08	9.7E-10	--	--	--	2.0E-02	2.0E-02	3.8E-08	2.7E-09	2.E-06	1.E-07	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.1E+02	ug/kg	1.4E-02	1.4E-02	4.0E-09	3.7E-10	6.E-11	5.E-12	6.E-11	2.0E-02	2.0E-02	1.1E-08	1.0E-09	6.E-07	5.E-08	0.000001
	Phenols																
	Pentachlorophenol	5.7E+01	ug/kg	4.0E-01	4.0E-01	5.4E-09	2.0E-10	2.E-09	8.E-11	2.E-09	5.0E-03	5.0E-03	1.5E-08	5.6E-10	3.E-06	1.E-07	0.000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polychlorinated Biphenyls																
	Total Aroclors	7.7E+01	ug/kg	2.0E+00	2.0E+00	4.1E-09	2.7E-10	8.E-09	5.E-10	9.E-09	2.0E-05	2.0E-05	1.2E-08	7.6E-10	6.E-04	4.E-05	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.1E+00	pg/g	1.3E+05	1.3E+05	1.2E-14	3.7E-15	2.E-09	5.E-10	2.E-09	1.0E-09	1.0E-09	3.4E-14	1.0E-14	3.E-05	1.E-05	0.00004
	Total PCB TEQ	3.3E+00	pg/g	1.3E+05	1.3E+05	1.8E-13	1.2E-14	2.E-08	2.E-09	2.E-08	1.0E-09	1.0E-09	4.9E-13	3.2E-14	5.E-04	3.E-05	0.0005
	Pesticides																
	Aldrin	7.5E-01	ug/kg	1.7E+01	1.7E+01	2.9E-11	2.6E-12	5.E-10	4.E-11	5.E-10	3.0E-05	3.0E-05	8.0E-11	7.4E-12	3.E-06	2.E-07	0.000003
	Dieldrin	3.3E-01	ug/kg	1.6E+01	1.6E+01	1.3E-11	1.1E-12	2.E-10	2.E-11	2.E-10	5.0E-05	5.0E-05	3.5E-11	3.2E-12	7.E-07	6.E-08	0.000001
	Total DDT	1.1E+01	ug/kg	3.4E-01	3.4E-01	1.3E-10	3.9E-11	4.E-11	1.E-11	6.E-11	5.0E-04	5.0E-04	3.6E-10	1.1E-10	7.E-07	2.E-07	0.000001
Exposure Point Total										**3.E-06**							**0.002**
RM 2.5 MC	**Metals**																
	Arsenic	4.8E+00	mg/kg	1.5E+00	1.5E+00	5.4E-08	1.7E-08	8.E-08	2.E-08	1.E-07	3.0E-04	3.0E-04	1.5E-07	4.7E-08	5.E-04	2.E-04	0.001
	Mercury	1.3E-01	mg/kg	--	--	0.0E+00	4.5E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-09	0.E+00	1.E-05	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+02	ug/kg	7.3E-01	7.3E-01	1.5E-08	1.1E-09	1.E-08	8.E-10	1.E-08	--	--	4.2E-08	3.0E-09	--	--	--
	Benzo(a)pyrene	4.9E+02	ug/kg	7.3E+00	7.3E+00	2.4E-08	1.7E-09	2.E-07	1.E-08	2.E-07	--	--	6.8E-08	4.8E-09	--	--	--
	Benzo(b)fluoranthene	4.5E+02	ug/kg	7.3E-01	7.3E-01	2.2E-08	1.6E-09	2.E-08	1.E-09	2.E-08	--	--	6.2E-08	4.4E-09	--	--	--
	Benzo(k)fluoranthene	1.4E+02	ug/kg	7.3E-02	7.3E-02	7.1E-09	5.0E-10	5.E-10	4.E-11	6.E-10	--	--	2.0E-08	1.4E-09	--	--	--
	Dibenzo(a,h)anthracene	4.7E+01	ug/kg	7.3E+00	7.3E+00	2.3E-09	1.6E-10	2.E-08	1.E-09	2.E-08	--	--	6.5E-09	4.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.8E+02	ug/kg	7.3E-01	7.3E-01	1.9E-08	1.3E-09	1.E-08	1.E-09	1.E-08	--	--	5.2E-08	3.7E-09	--	--	--
	Naphthalene	9.9E+01	ug/kg	--	--	4.9E-09	3.5E-10	--	--	--	2.0E-02	2.0E-02	1.4E-08	9.7E-10	7.E-07	5.E-08	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.3E+01	ug/kg	1.4E-02	1.4E-02	3.5E-09	3.3E-10	5.E-11	5.E-12	5.E-11	2.0E-02	2.0E-02	9.9E-09	9.1E-10	5.E-07	5.E-08	0.000001
	Phenols																
	Pentachlorophenol	1.6E+00	ug/kg	4.0E-01	4.0E-01	1.5E-10	5.6E-12	6.E-11	2.E-12	6.E-11	5.0E-03	5.0E-03	4.3E-10	1.6E-11	9.E-08	3.E-09	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.9E+01	ug/kg	2.0E+00	2.0E+00	2.1E-09	1.4E-10	4.E-09	3.E-10	4.E-09	2.0E-05	2.0E-05	5.8E-09	3.8E-10	3.E-04	2.E-05	0.0003
	Pesticides																
	Aldrin	6.5E-01	ug/kg	1.7E+01	1.7E+01	2.5E-11	2.3E-12	4.E-10	4.E-11	5.E-10	3.0E-05	3.0E-05	6.9E-11	6.4E-12	2.E-06	2.E-07	0.000003
	Dieldrin	9.7E-01	ug/kg	1.6E+01	1.6E+01	3.7E-11	3.4E-12	6.E-10	5.E-11	6.E-10	5.0E-05	5.0E-05	1.0E-10	9.5E-12	2.E-06	2.E-07	0.000002
	Total DDT	1.1E+01	ug/kg	3.4E-01	3.4E-01	1.2E-10	3.8E-11	4.E-11	1.E-11	6.E-11	5.0E-04	5.0E-04	3.5E-10	1.1E-10	7.E-07	2.E-07	0.000001
Exposure Point Total										**4.E-07**							**0.001**
RM 3 West	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	4.7E-08	1.4E-08	7.E-08	2.E-08	9.E-08	3.0E-04	3.0E-04	1.3E-07	4.0E-08	4.E-04	1.E-04	0.001
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	3.7E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.0E-09	0.E+00	1.E-05	0.00001
	Vanadium	9.3E+01	mg/kg	--	--	0.0E+00	3.2E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	9.1E-07	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	1.8E+01	ug/kg	--	--	6.9E-10	6.3E-11	--	--	--	3.0E-04	3.0E-04	1.9E-09	1.8E-10	6.E-06	6.E-07	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: Diver in Wet Suit Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.7E+02	ug/kg	7.3E-01	7.3E-01	2.3E-08	1.6E-09	2.E-08	1.E-09	2.E-08	--	--	6.5E-08	4.6E-09	--	--	--
	Benzo(a)pyrene	7.1E+02	ug/kg	7.3E+00	7.3E+00	3.5E-08	2.5E-09	3.E-07	2.E-08	3.E-07	--	--	9.8E-08	6.9E-09	--	--	--
	Benzo(b)fluoranthene	6.0E+02	ug/kg	7.3E-01	7.3E-01	3.0E-08	2.1E-09	2.E-08	2.E-09	2.E-08	--	--	8.4E-08	5.9E-09	--	--	--
	Benzo(k)fluoranthene	4.0E+02	ug/kg	7.3E-02	7.3E-02	2.0E-08	1.4E-09	1.E-09	1.E-10	2.E-09	--	--	5.5E-08	3.9E-09	--	--	--
	Dibenzo(a,h)anthracene	8.2E+01	ug/kg	7.3E+00	7.3E+00	4.0E-09	2.9E-10	3.E-08	2.E-09	3.E-08	--	--	1.1E-08	8.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	4.8E+02	ug/kg	7.3E-01	7.3E-01	2.4E-08	1.7E-09	2.E-08	1.E-09	2.E-08	--	--	6.6E-08	4.7E-09	--	--	--
	Naphthalene	2.2E+02	ug/kg	--	--	1.1E-08	7.8E-10	--	--	--	2.0E-02	2.0E-02	3.1E-08	2.2E-09	2.E-06	1.E-07	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	5.8E+01	ug/kg	1.4E-02	1.4E-02	2.2E-09	2.0E-10	3.E-11	3.E-12	3.E-11	2.0E-02	2.0E-02	6.1E-09	5.6E-10	3.E-07	3.E-08	0.0000003
	Phenols																
	Pentachlorophenol	1.1E+02	ug/kg	4.0E-01	4.0E-01	1.0E-08	3.8E-10	4.E-09	2.E-10	4.E-09	5.0E-03	5.0E-03	2.9E-08	1.1E-09	6.E-06	2.E-07	0.00001
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+01	ug/kg	2.0E+00	2.0E+00	9.4E-10	6.2E-11	2.E-09	1.E-10	2.E-09	2.0E-05	2.0E-05	2.6E-09	1.7E-10	1.E-04	9.E-06	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	1.3E+05	1.3E+05	1.9E-14	5.8E-15	2.E-09	8.E-10	3.E-09	1.0E-09	1.0E-09	5.3E-14	1.6E-14	5.E-05	2.E-05	0.0001
	Total PCB TEQ	4.4E-01	pg/g	1.3E+05	1.3E+05	2.4E-14	1.5E-15	3.E-09	2.E-10	3.E-09	1.0E-09	1.0E-09	6.6E-14	4.3E-15	7.E-05	4.E-06	0.0001
	Pesticides																
	Aldrin	5.2E-01	ug/kg	1.7E+01	1.7E+01	2.0E-11	1.8E-12	3.E-10	3.E-11	4.E-10	3.0E-05	3.0E-05	5.5E-11	5.1E-12	2.E-06	2.E-07	0.000002
	Dieldrin	1.3E+00	ug/kg	1.6E+01	1.6E+01	5.0E-11	4.6E-12	8.E-10	7.E-11	9.E-10	5.0E-05	5.0E-05	1.4E-10	1.3E-11	3.E-06	3.E-07	0.000003
	Total DDT	2.1E+02	ug/kg	3.4E-01	3.4E-01	2.4E-09	7.4E-10	8.E-10	3.E-10	1.E-09	5.0E-04	5.0E-04	6.8E-09	2.1E-09	1.E-05	4.E-06	0.00002
Exposure Point Total										5.E-07							0.01
RM 3 East	**Metals**																
	Arsenic	5.5E+00	mg/kg	1.5E+00	1.5E+00	6.2E-08	1.9E-08	9.E-08	3.E-08	1.E-07	3.0E-04	3.0E-04	1.7E-07	5.3E-08	6.E-04	2.E-04	0.0008
	Mercury	7.5E-02	mg/kg	--	--	0.0E+00	2.6E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.3E-10	0.E+00	7.E-06	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.7E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.0E-06	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	1.6E+01	ug/kg	--	--	6.1E-10	5.6E-11	--	--	--	3.0E-04	3.0E-04	1.7E-09	1.6E-10	6.E-06	5.E-07	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+02	ug/kg	7.3E-01	7.3E-01	7.2E-09	5.1E-10	5.E-09	4.E-10	6.E-09	--	--	2.0E-08	1.4E-09	--	--	--
	Benzo(a)pyrene	1.4E+02	ug/kg	7.3E+00	7.3E+00	6.7E-09	4.7E-10	5.E-08	3.E-09	5.E-08	--	--	1.9E-08	1.3E-09	--	--	--
	Benzo(b)fluoranthene	1.6E+02	ug/kg	7.3E-01	7.3E-01	7.8E-09	5.5E-10	6.E-09	4.E-10	6.E-09	--	--	2.2E-08	1.5E-09	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	5.5E-09	3.9E-10	4.E-10	3.E-11	4.E-10	--	--	1.5E-08	1.1E-09	--	--	--
	Dibenzo(a,h)anthracene	1.7E+01	ug/kg	7.3E+00	7.3E+00	8.3E-10	5.9E-11	6.E-09	4.E-10	7.E-09	--	--	2.3E-09	1.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	8.3E+01	ug/kg	7.3E-01	7.3E-01	4.1E-09	2.9E-10	3.E-09	2.E-10	3.E-09	--	--	1.2E-08	8.1E-10	--	--	--
	Naphthalene	1.7E+01	ug/kg	--	--	8.3E-10	5.9E-11	--	--	--	2.0E-02	2.0E-02	2.3E-09	1.6E-10	1.E-07	8.E-09	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.8E+01	ug/kg	1.4E-02	1.4E-02	3.3E-09	3.1E-10	5.E-11	4.E-12	5.E-11	2.0E-02	2.0E-02	9.4E-09	8.6E-10	5.E-07	4.E-08	0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phenols																
	Pentachlorophenol	4.6E+00	ug/kg	4.0E-01	4.0E-01	4.4E-10	1.6E-11	2.E-10	6.E-12	2.E-10	5.0E-03	5.0E-03	1.2E-09	4.5E-11	2.E-07	9.E-09	0.0000003
	Polychlorinated Biphenyls																
	Total Aroclors	2.3E+01	ug/kg	2.0E+00	2.0E+00	1.2E-09	8.0E-11	2.E-09	2.E-10	3.E-09	2.0E-05	2.0E-05	3.4E-09	2.2E-10	2.E-04	1.E-05	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.4E+00	pg/g	1.3E+05	1.3E+05	6.1E-14	1.9E-14	8.E-09	2.E-09	1.E-08	1.0E-09	1.0E-09	1.7E-13	5.3E-14	2.E-04	5.E-05	0.0002
	Total PCB TEQ	1.0E-01	pg/g	1.3E+05	1.3E+05	5.4E-15	3.5E-16	7.E-10	5.E-11	7.E-10	1.0E-09	1.0E-09	1.5E-14	9.9E-16	2.E-05	1.E-06	0.00002
	Pesticides																
	Aldrin	4.0E-01	ug/kg	1.7E+01	1.7E+01	1.5E-11	1.4E-12	3.E-10	2.E-11	3.E-10	3.0E-05	3.0E-05	4.2E-11	3.9E-12	1.E-06	1.E-07	0.000002
	Dieldrin	2.0E-01	ug/kg	1.6E+01	1.6E+01	7.5E-12	6.8E-13	1.E-10	1.E-11	1.E-10	5.0E-05	5.0E-05	2.1E-11	1.9E-12	4.E-07	4.E-08	0.0000005
	Total DDT	3.8E+00	ug/kg	3.4E-01	3.4E-01	4.3E-11	1.3E-11	1.E-11	5.E-12	2.E-11	5.0E-04	5.0E-04	1.2E-10	3.7E-11	2.E-07	7.E-08	0.0000003
Exposure Point Total										2.E-07							0.02
RM 3.5 West	**Metals**																
	Arsenic	1.0E+01	mg/kg	1.5E+00	1.5E+00	1.2E-07	3.7E-08	2.E-07	5.E-08	2.E-07	3.0E-04	3.0E-04	3.3E-07	1.0E-07	1.E-03	3.E-04	0.001
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	4.1E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.2E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	3.5E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	9.7E-07	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	8.1E+01	ug/kg	--	--	3.1E-09	2.8E-10	--	--	--	3.0E-04	3.0E-04	8.6E-09	7.9E-10	3.E-05	3.E-06	0.00003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+03	ug/kg	7.3E-01	7.3E-01	8.7E-08	6.2E-09	6.E-08	5.E-09	7.E-08	--	--	2.4E-07	1.7E-08	--	--	--
	Benzo(a)pyrene	2.6E+03	ug/kg	7.3E+00	7.3E+00	1.3E-07	8.9E-09	9.E-07	7.E-08	1.E-06	--	--	3.5E-07	2.5E-08	--	--	--
	Benzo(b)fluoranthene	2.3E+03	ug/kg	7.3E-01	7.3E-01	1.1E-07	7.9E-09	8.E-08	6.E-09	9.E-08	--	--	3.1E-07	2.2E-08	--	--	--
	Benzo(k)fluoranthene	8.0E+02	ug/kg	7.3E-02	7.3E-02	4.0E-08	2.8E-09	3.E-09	2.E-10	3.E-09	--	--	1.1E-07	7.8E-09	--	--	--
	Dibenzo(a,h)anthracene	7.5E+01	ug/kg	7.3E+00	7.3E+00	3.7E-09	2.6E-10	3.E-08	2.E-09	3.E-08	--	--	1.0E-08	7.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.1E+03	ug/kg	7.3E-01	7.3E-01	1.0E-07	7.2E-09	7.E-08	5.E-09	8.E-08	--	--	2.9E-07	2.0E-08	--	--	--
	Naphthalene	5.2E+02	ug/kg	--	--	2.6E-08	1.8E-09	--	--	--	2.0E-02	2.0E-02	7.2E-08	5.1E-09	4.E-06	3.E-07	0.000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.2E+01	ug/kg	1.4E-02	1.4E-02	3.1E-09	2.9E-10	4.E-11	4.E-12	5.E-11	2.0E-02	2.0E-02	8.8E-09	8.1E-10	4.E-07	4.E-08	0.0000005
	Phenols																
	Pentachlorophenol	1.5E+01	ug/kg	4.0E-01	4.0E-01	1.4E-09	5.1E-11	6.E-10	2.E-11	6.E-10	5.0E-03	5.0E-03	3.9E-09	1.4E-10	8.E-07	3.E-08	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.7E+01	ug/kg	2.0E+00	2.0E+00	1.4E-09	9.3E-11	3.E-09	2.E-10	3.E-09	2.0E-05	2.0E-05	4.0E-09	2.6E-10	2.E-04	1.E-05	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.6E+00	pg/g	1.3E+05	1.3E+05	1.8E-14	5.6E-15	2.E-09	7.E-10	3.E-09	1.0E-09	1.0E-09	5.1E-14	1.6E-14	5.E-05	2.E-05	0.0001
	Total PCB TEQ	7.7E-01	pg/g	1.3E+05	1.3E+05	4.1E-14	2.7E-15	5.E-09	4.E-10	6.E-09	1.0E-09	1.0E-09	1.2E-13	7.6E-15	1.E-04	8.E-06	0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	4.9E-01	ug/kg	1.7E+01	1.7E+01	1.9E-11	1.7E-12	3.E-10	3.E-11	3.E-10	3.0E-05	3.0E-05	5.2E-11	4.8E-12	2.E-06	2.E-07	0.000002
	Dieldrin	1.8E-01	ug/kg	1.6E+01	1.6E+01	6.9E-12	6.4E-13	1.E-10	1.E-11	1.E-10	5.0E-05	5.0E-05	1.9E-11	1.8E-12	4.E-07	4.E-08	0.0000004
	Total DDT	2.1E+01	ug/kg	3.4E-01	3.4E-01	2.4E-10	7.3E-11	8.E-11	2.E-11	1.E-10	5.0E-04	5.0E-04	6.7E-10	2.0E-10	1.E-06	4.E-07	0.000002
Exposure Point Total										2.E-06							0.02
RM 3.5 East	**Metals**																
	Arsenic	4.8E+00	mg/kg	1.5E+00	1.5E+00	5.5E-08	1.7E-08	8.E-08	3.E-08	1.E-07	3.0E-04	3.0E-04	1.5E-07	4.7E-08	5.E-04	2.E-04	0.001
	Mercury	1.3E-01	mg/kg	--	--	0.0E+00	4.5E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.9E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	1.9E+04	ug/kg	--	--	7.3E-07	6.7E-08	--	--	--	3.0E-04	3.0E-04	2.0E-06	1.9E-07	7.E-03	6.E-04	0.01
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E+03	ug/kg	7.3E-01	7.3E-01	6.2E-08	4.4E-09	5.E-08	3.E-09	5.E-08	--	--	1.7E-07	1.2E-08	--	--	--
	Benzo(a)pyrene	8.7E+02	ug/kg	7.3E+00	7.3E+00	4.3E-08	3.1E-09	3.E-07	2.E-08	3.E-07	--	--	1.2E-07	8.6E-09	--	--	--
	Benzo(b)fluoranthene	1.3E+03	ug/kg	7.3E-01	7.3E-01	6.5E-08	4.6E-09	5.E-08	3.E-09	5.E-08	--	--	1.8E-07	1.3E-08	--	--	--
	Benzo(k)fluoranthene	7.1E+02	ug/kg	7.3E-02	7.3E-02	3.5E-08	2.5E-09	3.E-09	2.E-10	3.E-09	--	--	9.8E-08	6.9E-09	--	--	--
	Dibenzo(a,h)anthracene	1.3E+02	ug/kg	7.3E+00	7.3E+00	6.5E-09	4.6E-10	5.E-08	3.E-09	5.E-08	--	--	1.8E-08	1.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.3E+02	ug/kg	7.3E-01	7.3E-01	1.6E-08	1.2E-09	1.E-08	8.E-10	1.E-08	--	--	4.6E-08	3.2E-09	--	--	--
	Naphthalene	1.8E+01	ug/kg	--	--	8.9E-10	6.3E-11	--	--	--	2.0E-02	2.0E-02	2.5E-09	1.8E-10	1.E-07	9.E-09	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.9E+03	ug/kg	1.4E-02	1.4E-02	2.6E-07	2.4E-08	4.E-09	3.E-10	4.E-09	2.0E-02	2.0E-02	7.4E-07	6.8E-08	4.E-05	3.E-06	0.00004
	Phenols																
	Pentachlorophenol	2.5E+00	ug/kg	4.0E-01	4.0E-01	2.4E-10	8.7E-12	9.E-11	3.E-12	1.E-10	5.0E-03	5.0E-03	6.6E-10	2.4E-11	1.E-07	5.E-09	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+03	ug/kg	2.0E+00	2.0E+00	8.9E-08	5.8E-09	2.E-07	1.E-08	2.E-07	2.0E-05	2.0E-05	2.5E-07	1.6E-08	1.E-02	8.E-04	0.01
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.1E+01	pg/g	1.3E+05	1.3E+05	1.3E-13	3.9E-14	2.E-08	5.E-09	2.E-08	1.0E-09	1.0E-09	3.6E-13	1.1E-13	4.E-04	1.E-04	0.0005
	Total PCB TEQ	1.1E+02	pg/g	1.3E+05	1.3E+05	6.1E-12	4.0E-13	8.E-07	5.E-08	8.E-07	1.0E-09	1.0E-09	1.7E-11	1.1E-12	2.E-02	1.E-03	0.02
	Pesticides																
	Aldrin	5.0E-01	ug/kg	1.7E+01	1.7E+01	1.9E-11	1.7E-12	3.E-10	3.E-11	4.E-10	3.0E-05	3.0E-05	5.3E-11	4.9E-12	2.E-06	2.E-07	0.000002
	Dieldrin	1.5E-01	ug/kg	1.6E+01	1.6E+01	5.6E-12	5.2E-13	9.E-11	8.E-12	1.E-10	5.0E-05	5.0E-05	1.6E-11	1.4E-12	3.E-07	3.E-08	0.0000003
	Total DDT	2.7E+01	ug/kg	3.4E-01	3.4E-01	3.1E-10	9.5E-11	1.E-10	3.E-11	1.E-10	5.0E-04	5.0E-04	8.7E-10	2.7E-10	2.E-06	5.E-07	0.000002
Exposure Point Total										2.E-06							0.1
RM 4 West	**Metals**																
	Arsenic	4.4E+00	mg/kg	1.5E+00	1.5E+00	5.0E-08	1.5E-08	7.E-08	2.E-08	1.E-07	3.0E-04	3.0E-04	1.4E-07	4.3E-08	5.E-04	1.E-04	0.001
	Mercury	1.4E-01	mg/kg	--	--	0.0E+00	4.9E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.7E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.0E-06	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	8.2E+00	ug/kg	--	--	3.1E-10	2.9E-11	--	--	--	3.0E-04	3.0E-04	8.7E-10	8.0E-11	3.E-06	3.E-07	0.000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: Diver in Wet Suit Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.0E+02	ug/kg	7.3E-01	7.3E-01	4.4E-08	3.1E-09	3.E-08	2.E-09	3.E-08	--	--	1.2E-07	8.8E-09	--	--	--
	Benzo(a)pyrene	5.8E+02	ug/kg	7.3E+00	7.3E+00	2.9E-08	2.0E-09	2.E-07	1.E-08	2.E-07	--	--	8.1E-08	5.7E-09	--	--	--
	Benzo(b)fluoranthene	5.2E+02	ug/kg	7.3E-01	7.3E-01	2.6E-08	1.8E-09	2.E-08	1.E-09	2.E-08	--	--	7.2E-08	5.1E-09	--	--	--
	Benzo(k)fluoranthene	3.2E+02	ug/kg	7.3E-02	7.3E-02	1.6E-08	1.1E-09	1.E-09	8.E-11	1.E-09	--	--	4.4E-08	3.1E-09	--	--	--
	Dibenzo(a,h)anthracene	8.9E+01	ug/kg	7.3E+00	7.3E+00	4.4E-09	3.1E-10	3.E-08	2.E-09	3.E-08	--	--	1.2E-08	8.7E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	4.6E+02	ug/kg	7.3E-01	7.3E-01	2.3E-08	1.6E-09	2.E-08	1.E-09	2.E-08	--	--	6.4E-08	4.5E-09	--	--	--
	Naphthalene	1.9E+02	ug/kg	--	--	9.5E-09	6.7E-10	--	--	--	2.0E-02	2.0E-02	2.7E-08	1.9E-09	1.E-06	9.E-08	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.1E+01	ug/kg	1.4E-02	1.4E-02	2.7E-09	2.5E-10	4.E-11	3.E-12	4.E-11	2.0E-02	2.0E-02	7.6E-09	7.0E-10	4.E-07	3.E-08	0.0000004
	Phenols																
	Pentachlorophenol	6.7E+00	ug/kg	4.0E-01	4.0E-01	6.4E-10	2.3E-11	3.E-10	9.E-12	3.E-10	5.0E-03	5.0E-03	1.8E-09	6.5E-11	4.E-07	1.E-08	0.0000004
	Polychlorinated Biphenyls																
	Total Aroclors	2.6E+01	ug/kg	2.0E+00	2.0E+00	1.4E-09	9.3E-11	3.E-09	2.E-10	3.E-09	2.0E-05	2.0E-05	3.9E-09	2.6E-10	2.E-04	1.E-05	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.3E+00	pg/g	1.3E+05	1.3E+05	3.7E-14	1.1E-14	5.E-09	1.E-09	6.E-09	1.0E-09	1.0E-09	1.0E-13	3.2E-14	1.E-04	3.E-05	0.0001
	Total PCB TEQ	6.5E-01	pg/g	1.3E+05	1.3E+05	3.5E-14	2.3E-15	5.E-09	3.E-10	5.E-09	1.0E-09	1.0E-09	9.7E-14	6.4E-15	1.E-04	6.E-06	0.0001
	Pesticides																
	Aldrin	4.9E-01	ug/kg	1.7E+01	1.7E+01	1.9E-11	1.7E-12	3.E-10	3.E-11	3.E-10	3.0E-05	3.0E-05	5.2E-11	4.8E-12	2.E-06	2.E-07	0.000002
	Dieldrin	2.8E-01	ug/kg	1.6E+01	1.6E+01	1.1E-11	9.8E-13	2.E-10	2.E-11	2.E-10	5.0E-05	5.0E-05	3.0E-11	2.7E-12	6.E-07	5.E-08	0.000001
	Total DDT	5.6E+01	ug/kg	3.4E-01	3.4E-01	6.3E-10	1.9E-10	2.E-10	7.E-11	3.E-10	5.0E-04	5.0E-04	1.8E-09	5.4E-10	4.E-06	1.E-06	0.000005
Exposure Point Total										4.E-07							0.02
RM 4 East	**Metals**																
	Arsenic	5.6E+00	mg/kg	1.5E+00	1.5E+00	6.4E-08	2.0E-08	1.E-07	3.E-08	1.E-07	3.0E-04	3.0E-04	1.8E-07	5.5E-08	6.E-04	2.E-04	0.001
	Mercury	9.6E-02	mg/kg	--	--	0.0E+00	3.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.4E-10	0.E+00	9.E-06	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.9E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	3.6E+01	ug/kg	--	--	1.4E-09	1.3E-10	--	--	--	3.0E-04	3.0E-04	3.9E-09	3.6E-10	1.E-05	1.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E+03	ug/kg	7.3E-01	7.3E-01	7.7E-08	5.4E-09	6.E-08	4.E-09	6.E-08	--	--	2.2E-07	1.5E-08	--	--	--
	Benzo(a)pyrene	2.2E+03	ug/kg	7.3E+00	7.3E+00	1.1E-07	7.8E-09	8.E-07	6.E-08	9.E-07	--	--	3.1E-07	2.2E-08	--	--	--
	Benzo(b)fluoranthene	2.3E+03	ug/kg	7.3E-01	7.3E-01	1.1E-07	8.0E-09	8.E-08	6.E-09	9.E-08	--	--	3.2E-07	2.2E-08	--	--	--
	Benzo(k)fluoranthene	1.8E+03	ug/kg	7.3E-02	7.3E-02	9.1E-08	6.4E-09	7.E-09	5.E-10	7.E-09	--	--	2.5E-07	1.8E-08	--	--	--
	Dibenzo(a,h)anthracene	3.7E+02	ug/kg	7.3E+00	7.3E+00	1.8E-08	1.3E-09	1.E-07	9.E-09	1.E-07	--	--	5.1E-08	3.6E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.7E+03	ug/kg	7.3E-01	7.3E-01	8.3E-08	5.9E-09	6.E-08	4.E-09	6.E-08	--	--	2.3E-07	1.6E-08	--	--	--
	Naphthalene	7.4E+01	ug/kg	--	--	3.7E-09	2.6E-10	--	--	--	2.0E-02	2.0E-02	1.0E-08	7.2E-10	5.E-07	4.E-08	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.3E+03	ug/kg	1.4E-02	1.4E-02	1.2E-07	1.1E-08	2.E-09	2.E-10	2.E-09	2.0E-02	2.0E-02	3.5E-07	3.2E-08	2.E-05	2.E-06	0.00002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future　　　　　　　Medium: Sediment
Receptor Population: Diver in Wet Suit　　　　　　Exposure Medium: In-water Sediment
Population Age: Adult　　　　　　　　　　　　　Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	EPC Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phenols																
	Pentachlorophenol	4.3E+03	ug/kg	4.0E-01	4.0E-01	4.1E-07	1.5E-08	2.E-07	6.E-09	2.E-07	5.0E-03	5.0E-03	1.2E-06	4.2E-08	2.E-04	8.E-06	0.0002
	Polychlorinated Biphenyls																
	Total Aroclors	3.6E+02	ug/kg	2.0E+00	2.0E+00	1.9E-08	1.3E-09	4.E-08	3.E-09	4.E-08	2.0E-05	2.0E-05	5.4E-08	3.5E-09	3.E-03	2.E-04	0.003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.9E+00	pg/g	1.3E+05	1.3E+05	7.9E-14	2.4E-14	1.E-08	3.E-09	1.E-08	1.0E-09	1.0E-09	2.2E-13	6.8E-14	2.E-04	7.E-05	0.0003
	Total PCB TEQ	3.4E+00	pg/g	1.3E+05	1.3E+05	1.8E-13	1.2E-14	2.E-08	2.E-09	2.E-08	1.0E-09	1.0E-09	5.0E-13	3.3E-14	5.E-04	3.E-05	0.001
	Pesticides																
	Aldrin	7.9E-01	ug/kg	1.7E+01	1.7E+01	3.0E-11	2.7E-12	5.E-10	5.E-11	6.E-10	3.0E-05	3.0E-05	8.4E-11	7.7E-12	3.E-06	3.E-07	0.000003
	Dieldrin	1.6E-01	ug/kg	1.6E+01	1.6E+01	5.9E-12	5.5E-13	9.E-11	9.E-12	1.E-10	5.0E-05	5.0E-05	1.7E-11	1.5E-12	3.E-07	3.E-08	0.0000004
	Total DDT	1.2E+01	ug/kg	3.4E-01	3.4E-01	1.4E-10	4.1E-11	5.E-11	1.E-11	6.E-11	5.0E-04	5.0E-04	3.8E-10	1.2E-10	8.E-07	2.E-07	0.000001
Exposure Point Total										2.E-06							0.02
RM 4.5 West	**Metals**																
	Arsenic	4.9E+00	mg/kg	1.5E+00	1.5E+00	5.6E-08	1.7E-08	8.E-08	3.E-08	1.E-07	3.0E-04	3.0E-04	1.6E-07	4.8E-08	5.E-04	2.E-04	0.001
	Mercury	1.7E-01	mg/kg	--	--	0.0E+00	6.0E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.7E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.8E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	1.4E+01	ug/kg	--	--	5.3E-10	4.9E-11	--	--	--	3.0E-04	3.0E-04	1.5E-09	1.4E-10	5.E-06	5.E-07	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E+03	ug/kg	7.3E-01	7.3E-01	7.7E-08	5.4E-09	6.E-08	4.E-09	6.E-08	--	--	2.2E-07	1.5E-08	--	--	--
	Benzo(a)pyrene	2.2E+03	ug/kg	7.3E+00	7.3E+00	1.1E-07	7.5E-09	8.E-07	6.E-08	8.E-07	--	--	3.0E-07	2.1E-08	--	--	--
	Benzo(b)fluoranthene	1.5E+03	ug/kg	7.3E-01	7.3E-01	7.4E-08	5.2E-09	5.E-08	4.E-09	6.E-08	--	--	2.1E-07	1.5E-08	--	--	--
	Benzo(k)fluoranthene	6.2E+02	ug/kg	7.3E-02	7.3E-02	3.1E-08	2.2E-09	2.E-09	2.E-10	2.E-09	--	--	8.7E-08	6.1E-09	--	--	--
	Dibenzo(a,h)anthracene	2.3E+02	ug/kg	7.3E+00	7.3E+00	1.1E-08	8.1E-10	8.E-08	6.E-09	9.E-08	--	--	3.2E-08	2.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.7E+03	ug/kg	7.3E-01	7.3E-01	8.3E-08	5.8E-09	6.E-08	4.E-09	6.E-08	--	--	2.3E-07	1.6E-08	--	--	--
	Naphthalene	3.9E+02	ug/kg	--	--	1.9E-08	1.4E-09	--	--	--	2.0E-02	2.0E-02	5.4E-08	3.8E-09	3.E-06	2.E-07	0.000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.0E+01	ug/kg	1.4E-02	1.4E-02	2.7E-09	2.4E-10	4.E-11	3.E-12	4.E-11	2.0E-02	2.0E-02	7.5E-09	6.8E-10	4.E-07	3.E-08	0.0000004
	Phenols																
	Pentachlorophenol	2.3E+00	ug/kg	4.0E-01	4.0E-01	2.2E-10	7.9E-12	9.E-11	3.E-12	9.E-11	5.0E-03	5.0E-03	6.0E-10	2.2E-11	1.E-07	4.E-09	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.8E+01	ug/kg	2.0E+00	2.0E+00	2.0E-09	1.3E-10	4.E-09	3.E-10	4.E-09	2.0E-05	2.0E-05	5.7E-09	3.8E-10	3.E-04	2.E-05	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.8E+00	pg/g	1.3E+05	1.3E+05	7.8E-14	2.4E-14	1.E-08	3.E-09	1.E-08	1.0E-09	1.0E-09	2.2E-13	6.7E-14	2.E-04	7.E-05	0.0003
	Total PCB TEQ	2.5E+00	pg/g	1.3E+05	1.3E+05	1.3E-13	8.7E-15	2.E-08	1.E-09	2.E-08	1.0E-09	1.0E-09	3.7E-13	2.4E-14	4.E-04	2.E-05	0.0004
	Pesticides																
	Aldrin	1.2E+00	ug/kg	1.7E+01	1.7E+01	4.6E-11	4.2E-12	8.E-10	7.E-11	8.E-10	3.0E-05	3.0E-05	1.3E-10	1.2E-11	4.E-06	4.E-07	0.000005
	Dieldrin	1.8E-01	ug/kg	1.6E+01	1.6E+01	7.0E-12	6.4E-13	1.E-10	1.E-11	1.E-10	5.0E-05	5.0E-05	2.0E-11	1.8E-12	4.E-07	4.E-08	0.0000004
	Total DDT	2.7E+01	ug/kg	3.4E-01	3.4E-01	3.1E-10	9.6E-11	1.E-10	3.E-11	1.E-10	5.0E-04	5.0E-04	8.8E-10	2.7E-10	2.E-06	5.E-07	0.000002
Exposure Point Total										1.E-06							0.02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Diver in Wet Suit   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 4.5 East	**Metals**																
	Arsenic	4.9E+00	mg/kg	1.5E+00	1.5E+00	5.6E-08	1.7E-08	8.E-08	3.E-08	1.E-07	3.0E-04	3.0E-04	1.6E-07	4.8E-08	5.E-04	2.E-04	0.001
	Mercury	7.3E-02	mg/kg	--	--	0.0E+00	2.6E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.1E-10	0.E+00	7.E-06	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.8E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	7.2E+01	ug/kg	--	--	2.7E-09	2.5E-10	--	--	--	3.0E-04	3.0E-04	7.7E-09	7.0E-10	3.E-05	2.E-06	0.00003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.0E+04	ug/kg	7.3E-01	7.3E-01	9.8E-07	6.9E-08	7.E-07	5.E-08	8.E-07	--	--	2.7E-06	1.9E-07	--	--	--
	Benzo(a)pyrene	8.7E+03	ug/kg	7.3E+00	7.3E+00	4.3E-07	3.0E-08	3.E-06	2.E-07	3.E-06	--	--	1.2E-06	8.5E-08	--	--	--
	Benzo(b)fluoranthene	7.5E+03	ug/kg	7.3E-01	7.3E-01	3.7E-07	2.6E-08	3.E-07	2.E-08	3.E-07	--	--	1.0E-06	7.4E-08	--	--	--
	Benzo(k)fluoranthene	6.9E+03	ug/kg	7.3E-02	7.3E-02	3.4E-07	2.4E-08	3.E-08	2.E-09	3.E-08	--	--	9.6E-07	6.8E-08	--	--	--
	Dibenzo(a,h)anthracene	1.4E+03	ug/kg	7.3E+00	7.3E+00	7.1E-08	5.0E-09	5.E-07	4.E-08	6.E-07	--	--	2.0E-07	1.4E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	6.1E+03	ug/kg	7.3E-01	7.3E-01	3.0E-07	2.1E-08	2.E-07	2.E-08	2.E-07	--	--	8.4E-07	5.9E-08	--	--	--
	Naphthalene	4.4E+02	ug/kg	--	--	2.2E-08	1.5E-09	--	--	--	2.0E-02	2.0E-02	6.1E-08	4.3E-09	3.E-06	2.E-07	0.000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.2E+02	ug/kg	1.4E-02	1.4E-02	4.7E-09	4.3E-10	7.E-11	6.E-12	7.E-11	2.0E-02	2.0E-02	1.3E-08	1.2E-09	7.E-07	6.E-08	0.000001
	Phenols																
	Pentachlorophenol	3.2E+00	ug/kg	4.0E-01	4.0E-01	3.0E-10	1.1E-11	1.E-10	4.E-12	1.E-10	5.0E-03	5.0E-03	8.5E-10	3.1E-11	2.E-07	6.E-09	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	4.4E+01	ug/kg	2.0E+00	2.0E+00	2.4E-09	1.5E-10	5.E-09	3.E-10	5.E-09	2.0E-05	2.0E-05	6.6E-09	4.3E-10	3.E-04	2.E-05	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.8E-01	pg/g	1.3E+05	1.3E+05	3.2E-15	9.6E-16	4.E-10	1.E-10	5.E-10	1.0E-09	1.0E-09	8.8E-15	2.7E-15	9.E-06	3.E-06	0.00001
	Total PCB TEQ	3.4E-01	pg/g	1.3E+05	1.3E+05	1.8E-14	1.2E-15	2.E-09	2.E-10	2.E-09	1.0E-09	1.0E-09	5.0E-14	3.3E-15	5.E-05	3.E-06	0.0001
	Pesticides																
	Aldrin	1.5E-01	ug/kg	1.7E+01	1.7E+01	5.8E-12	5.3E-13	1.E-10	9.E-12	1.E-10	3.0E-05	3.0E-05	1.6E-11	1.5E-12	5.E-07	5.E-08	0.000001
	Dieldrin	8.4E-02	ug/kg	1.6E+01	1.6E+01	3.2E-12	2.9E-13	5.E-11	5.E-12	6.E-11	5.0E-05	5.0E-05	8.9E-12	8.2E-13	2.E-07	2.E-08	0.0000002
	Total DDT	8.7E+00	ug/kg	3.4E-01	3.4E-01	9.9E-11	3.0E-11	3.E-11	1.E-11	4.E-11	5.0E-04	5.0E-04	2.8E-10	8.5E-11	6.E-07	2.E-07	0.000001
Exposure Point Total										5.E-06							0.02
RM 5 West	**Metals**																
	Arsenic	3.8E+00	mg/kg	1.5E+00	1.5E+00	4.3E-08	1.3E-08	6.E-08	2.E-08	8.E-08	3.0E-04	3.0E-04	1.2E-07	3.7E-08	4.E-04	1.E-04	0.0005
	Mercury	6.0E-02	mg/kg	--	--	0.0E+00	2.1E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.9E-10	0.E+00	6.E-06	0.00001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	3.6E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.0E-06	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	2.1E+01	ug/kg	--	--	8.0E-10	7.3E-11	--	--	--	3.0E-04	3.0E-04	2.2E-09	2.1E-10	7.E-06	7.E-07	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.4E+03	ug/kg	7.3E-01	7.3E-01	1.7E-07	1.2E-08	1.E-07	9.E-09	1.E-07	--	--	4.7E-07	3.4E-08	--	--	--
	Benzo(a)pyrene	4.5E+03	ug/kg	7.3E+00	7.3E+00	2.2E-07	1.6E-08	2.E-06	1.E-07	2.E-06	--	--	6.2E-07	4.4E-08	--	--	--
	Benzo(b)fluoranthene	3.0E+03	ug/kg	7.3E-01	7.3E-01	1.5E-07	1.0E-08	1.E-07	8.E-09	1.E-07	--	--	4.1E-07	2.9E-08	--	--	--
	Benzo(k)fluoranthene	5.7E+02	ug/kg	7.3E-02	7.3E-02	2.8E-08	2.0E-09	2.E-09	1.E-10	2.E-09	--	--	7.9E-08	5.6E-09	--	--	--
	Dibenzo(a,h)anthracene	2.3E+02	ug/kg	7.3E+00	7.3E+00	1.1E-08	8.0E-10	8.E-08	6.E-09	9.E-08	--	--	3.2E-08	2.2E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Diver in Wet Suit   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Indeno(1,2,3-cd)pyrene	3.3E+03	ug/kg	7.3E-01	7.3E-01	1.6E-07	1.1E-08	1.E-07	8.E-09	1.E-07	--	--	4.5E-07	3.2E-08	--	--	--
	Naphthalene	4.2E+02	ug/kg	--	--	2.1E-08	1.5E-09	--	--	--	2.0E-02	2.0E-02	5.9E-08	4.1E-09	3.E-06	2.E-07	0.000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.1E+01	ug/kg	1.4E-02	1.4E-02	3.5E-09	3.2E-10	5.E-11	4.E-12	5.E-11	2.0E-02	2.0E-02	9.7E-09	8.9E-10	5.E-07	4.E-08	0.000001
	Phenols																
	Pentachlorophenol	1.8E+01	ug/kg	4.0E-01	4.0E-01	1.7E-09	6.4E-11	7.E-10	3.E-11	7.E-10	5.0E-03	5.0E-03	4.9E-09	1.8E-10	1.E-06	4.E-08	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+01	ug/kg	2.0E+00	2.0E+00	1.3E-09	8.8E-11	3.E-09	2.E-10	3.E-09	2.0E-05	2.0E-05	3.8E-09	2.5E-10	2.E-04	1.E-05	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.4E+00	pg/g	1.3E+05	1.3E+05	6.2E-14	1.9E-14	8.E-09	2.E-09	1.E-08	1.0E-09	1.0E-09	1.7E-13	5.3E-14	2.E-04	5.E-05	0.0002
	Total PCB TEQ	2.1E+00	pg/g	1.3E+05	1.3E+05	1.1E-13	7.3E-15	1.E-08	9.E-10	2.E-08	1.0E-09	1.0E-09	3.1E-13	2.0E-14	3.E-04	2.E-05	0.0003
	Pesticides																
	Aldrin	1.9E+00	ug/kg	1.7E+01	1.7E+01	7.2E-11	6.6E-12	1.E-09	1.E-10	1.E-09	3.0E-05	3.0E-05	2.0E-10	1.9E-11	7.E-06	6.E-07	0.00001
	Dieldrin	7.8E-01	ug/kg	1.6E+01	1.6E+01	3.0E-11	2.7E-12	5.E-10	4.E-11	5.E-10	5.0E-05	5.0E-05	8.3E-11	7.6E-12	2.E-06	2.E-07	0.000002
	Total DDT	8.2E+01	ug/kg	3.4E-01	3.4E-01	9.3E-10	2.9E-10	3.E-10	1.E-10	4.E-10	5.0E-04	5.0E-04	2.6E-09	8.0E-10	5.E-06	2.E-06	0.00001
Exposure Point Total										2.E-06							0.02
RM 5 East	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	4.2E-08	1.3E-08	6.E-08	2.E-08	8.E-08	3.0E-04	3.0E-04	1.2E-07	3.6E-08	4.E-04	1.E-04	0.001
	Mercury	8.6E-02	mg/kg	--	--	0.0E+00	3.0E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.4E-10	0.E+00	8.E-06	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.8E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	1.2E+02	ug/kg	--	--	4.6E-09	4.2E-10	--	--	--	3.0E-04	3.0E-04	1.3E-08	1.2E-09	4.E-05	4.E-06	0.00005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.3E+02	ug/kg	7.3E-01	7.3E-01	1.6E-08	1.2E-09	1.E-08	8.E-10	1.E-08	--	--	4.6E-08	3.2E-09	--	--	--
	Benzo(a)pyrene	4.7E+02	ug/kg	7.3E+00	7.3E+00	2.3E-08	1.7E-09	2.E-07	1.E-08	2.E-07	--	--	6.6E-08	4.6E-09	--	--	--
	Benzo(b)fluoranthene	6.7E+02	ug/kg	7.3E-01	7.3E-01	3.3E-08	2.3E-09	2.E-08	2.E-09	3.E-08	--	--	9.3E-08	6.5E-09	--	--	--
	Benzo(k)fluoranthene	3.0E+02	ug/kg	7.3E-02	7.3E-02	1.5E-08	1.1E-09	1.E-09	8.E-11	1.E-09	--	--	4.2E-08	3.0E-09	--	--	--
	Dibenzo(a,h)anthracene	9.1E+01	ug/kg	7.3E+00	7.3E+00	4.5E-09	3.2E-10	3.E-08	2.E-09	4.E-08	--	--	1.3E-08	8.9E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	4.8E+02	ug/kg	7.3E-01	7.3E-01	2.4E-08	1.7E-09	2.E-08	1.E-09	2.E-08	--	--	6.7E-08	4.7E-09	--	--	--
	Naphthalene	1.3E+02	ug/kg	--	--	6.6E-09	4.7E-10	--	--	--	2.0E-02	2.0E-02	1.9E-08	1.3E-09	9.E-07	7.E-08	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+02	ug/kg	1.4E-02	1.4E-02	5.0E-09	4.6E-10	7.E-11	6.E-12	8.E-11	2.0E-02	2.0E-02	1.4E-08	1.3E-09	7.E-07	6.E-08	0.000001
	Phenols																
	Pentachlorophenol	1.3E+01	ug/kg	4.0E-01	4.0E-01	1.3E-09	4.7E-11	5.E-10	2.E-11	5.E-10	5.0E-03	5.0E-03	3.6E-09	1.3E-10	7.E-07	3.E-08	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+01	ug/kg	2.0E+00	2.0E+00	1.4E-09	8.9E-11	3.E-09	2.E-10	3.E-09	2.0E-05	2.0E-05	3.8E-09	2.5E-10	2.E-04	1.E-05	0.0002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Diver in Wet Suit   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	8.0E-01	ug/kg	1.7E+01	1.7E+01	3.0E-11	2.8E-12	5.E-10	5.E-11	6.E-10	3.0E-05	3.0E-05	8.5E-11	7.8E-12	3.E-06	3.E-07	0.000003
	Dieldrin	7.9E-01	ug/kg	1.6E+01	1.6E+01	3.0E-11	2.8E-12	5.E-10	4.E-11	5.E-10	5.0E-05	5.0E-05	8.4E-11	7.7E-12	2.E-06	2.E-07	0.000002
	Total DDT	1.9E+00	ug/kg	3.4E-01	3.4E-01	2.1E-11	6.5E-12	7.E-12	2.E-12	9.E-12	5.0E-04	5.0E-04	6.0E-11	1.8E-11	1.E-07	4.E-08	0.0000002
Exposure Point Total										4.E-07							0.02
RM 5.5 West	**Metals**																
	Arsenic	6.1E+00	mg/kg	1.5E+00	1.5E+00	6.9E-08	2.1E-08	1.E-07	3.E-08	1.E-07	3.0E-04	3.0E-04	1.9E-07	6.0E-08	6.E-04	2.E-04	0.001
	Mercury	8.0E-02	mg/kg	--	--	0.0E+00	2.8E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.9E-10	0.E+00	8.E-06	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.7E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.0E-06	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	4.3E+01	ug/kg	--	--	1.7E-09	1.5E-10	--	--	--	3.0E-04	3.0E-04	4.6E-09	4.2E-10	2.E-05	1.E-06	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.0E+03	ug/kg	7.3E-01	7.3E-01	1.5E-07	1.1E-08	1.E-07	8.E-09	1.E-07	--	--	4.2E-07	3.0E-08	--	--	--
	Benzo(a)pyrene	4.3E+03	ug/kg	7.3E+00	7.3E+00	2.1E-07	1.5E-08	2.E-06	1.E-07	2.E-06	--	--	6.0E-07	4.2E-08	--	--	--
	Benzo(b)fluoranthene	3.1E+03	ug/kg	7.3E-01	7.3E-01	1.5E-07	1.1E-08	1.E-07	8.E-09	1.E-07	--	--	4.3E-07	3.0E-08	--	--	--
	Benzo(k)fluoranthene	2.0E+03	ug/kg	7.3E-02	7.3E-02	1.0E-07	7.1E-09	7.E-09	5.E-10	8.E-09	--	--	2.8E-07	2.0E-08	--	--	--
	Dibenzo(a,h)anthracene	3.5E+02	ug/kg	7.3E+00	7.3E+00	1.7E-08	1.2E-09	1.E-07	9.E-09	1.E-07	--	--	4.9E-08	3.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.5E+03	ug/kg	7.3E-01	7.3E-01	1.7E-07	1.2E-08	1.E-07	9.E-09	1.E-07	--	--	4.8E-07	3.4E-08	--	--	--
	Naphthalene	3.3E+02	ug/kg	--	--	1.6E-08	1.2E-09	--	--	--	2.0E-02	2.0E-02	4.6E-08	3.2E-09	2.E-06	2.E-07	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+01	ug/kg	1.4E-02	1.4E-02	6.9E-10	6.3E-11	1.E-11	9.E-13	1.E-11	2.0E-02	2.0E-02	1.9E-09	1.8E-10	1.E-07	9.E-09	0.0000001
	Phenols																
	Pentachlorophenol	1.8E+01	ug/kg	4.0E-01	4.0E-01	1.7E-09	6.3E-11	7.E-10	3.E-11	7.E-10	5.0E-03	5.0E-03	4.8E-09	1.8E-10	1.E-06	4.E-08	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	5.1E+01	ug/kg	2.0E+00	2.0E+00	2.7E-09	1.8E-10	5.E-09	4.E-10	6.E-09	2.0E-05	2.0E-05	7.7E-09	5.0E-10	4.E-04	3.E-05	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.3E+00	pg/g	1.3E+05	1.3E+05	2.7E-14	8.2E-15	3.E-09	1.E-09	5.E-09	1.0E-09	1.0E-09	7.5E-14	2.3E-14	7.E-05	2.E-05	0.0001
	Total PCB TEQ	1.1E+00	pg/g	1.3E+05	1.3E+05	5.8E-14	3.8E-15	8.E-09	5.E-10	8.E-09	1.0E-09	1.0E-09	1.6E-13	1.1E-14	2.E-04	1.E-05	0.0002
	Pesticides																
	Aldrin	6.7E-01	ug/kg	1.7E+01	1.7E+01	2.6E-11	2.3E-12	4.E-10	4.E-11	5.E-10	3.0E-05	3.0E-05	7.2E-11	6.6E-12	2.E-06	2.E-07	0.000003
	Dieldrin	4.1E-01	ug/kg	1.6E+01	1.6E+01	1.6E-11	1.4E-12	2.E-10	2.E-11	3.E-10	5.0E-05	5.0E-05	4.3E-11	4.0E-12	9.E-07	8.E-08	0.000001
	Total DDT	6.2E+01	ug/kg	3.4E-01	3.4E-01	7.0E-10	2.1E-10	2.E-10	7.E-11	3.E-10	5.0E-04	5.0E-04	2.0E-09	6.0E-10	4.E-06	1.E-06	0.00001
Exposure Point Total										2.E-06							0.02
RM 5.5 East	**Metals**																
	Arsenic	8.9E+00	mg/kg	1.5E+00	1.5E+00	1.0E-07	3.1E-08	2.E-07	5.E-08	2.E-07	3.0E-04	3.0E-04	2.8E-07	8.7E-08	9.E-04	3.E-04	0.001
	Mercury	6.7E-01	mg/kg	--	--	0.0E+00	2.3E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.5E-09	0.E+00	7.E-05	0.0001
	Vanadium	9.1E+01	mg/kg	--	--	0.0E+00	3.2E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.9E-07	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	3.2E+02	ug/kg	--	--	1.2E-08	1.1E-09	--	--	--	3.0E-04	3.0E-04	3.4E-08	3.1E-09	1.E-04	1.E-05	0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.7E+02	ug/kg	7.3E-01	7.3E-01	2.8E-08	2.0E-09	2.E-08	1.E-09	2.E-08	--	--	8.0E-08	5.6E-09	--	--	--
	Benzo(a)pyrene	7.0E+02	ug/kg	7.3E+00	7.3E+00	3.5E-08	2.4E-09	3.E-07	2.E-08	3.E-07	--	--	9.7E-08	6.8E-09	--	--	--
	Benzo(b)fluoranthene	8.4E+02	ug/kg	7.3E-01	7.3E-01	4.1E-08	2.9E-09	3.E-08	2.E-09	3.E-08	--	--	1.2E-07	8.2E-09	--	--	--
	Benzo(k)fluoranthene	4.4E+02	ug/kg	7.3E-02	7.3E-02	2.2E-08	1.5E-09	2.E-09	1.E-10	2.E-09	--	--	6.1E-08	4.3E-09	--	--	--
	Dibenzo(a,h)anthracene	1.4E+02	ug/kg	7.3E+00	7.3E+00	6.9E-09	4.9E-10	5.E-08	4.E-09	5.E-08	--	--	1.9E-08	1.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	5.3E+02	ug/kg	7.3E-01	7.3E-01	2.6E-08	1.8E-09	2.E-08	1.E-09	2.E-08	--	--	7.3E-08	5.2E-09	--	--	--
	Naphthalene	3.5E+02	ug/kg	--	--	1.7E-08	1.2E-09	--	--	--	2.0E-02	2.0E-02	4.9E-08	3.4E-09	2.E-06	2.E-07	0.000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.3E+02	ug/kg	1.4E-02	1.4E-02	1.3E-08	1.2E-09	2.E-10	2.E-11	2.E-10	2.0E-02	2.0E-02	3.5E-08	3.2E-09	2.E-06	2.E-07	0.000002
	Phenols																
	Pentachlorophenol	1.8E+01	ug/kg	4.0E-01	4.0E-01	1.7E-09	6.1E-11	7.E-10	2.E-11	7.E-10	5.0E-03	5.0E-03	4.7E-09	1.7E-10	9.E-07	3.E-08	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+02	ug/kg	2.0E+00	2.0E+00	9.6E-09	6.3E-10	2.E-08	1.E-09	2.E-08	2.0E-05	2.0E-05	2.7E-08	1.8E-09	1.E-03	9.E-05	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.9E+00	pg/g	1.3E+05	1.3E+05	1.0E-13	3.1E-14	1.E-08	4.E-09	2.E-08	1.0E-09	1.0E-09	2.8E-13	8.7E-14	3.E-04	9.E-05	0.0004
	Total PCB TEQ	5.8E+00	pg/g	1.3E+05	1.3E+05	3.1E-13	2.0E-14	4.E-08	3.E-09	4.E-08	1.0E-09	1.0E-09	8.7E-13	5.7E-14	9.E-04	6.E-05	0.001
	Pesticides																
	Aldrin	4.0E-01	ug/kg	1.7E+01	1.7E+01	1.5E-11	1.4E-12	3.E-10	2.E-11	3.E-10	3.0E-05	3.0E-05	4.3E-11	3.9E-12	1.E-06	1.E-07	0.000002
	Dieldrin	6.0E-01	ug/kg	1.6E+01	1.6E+01	2.3E-11	2.1E-12	4.E-10	3.E-11	4.E-10	5.0E-05	5.0E-05	6.4E-11	5.9E-12	1.E-06	1.E-07	0.000001
	Total DDT	2.0E+01	ug/kg	3.4E-01	3.4E-01	2.2E-10	6.9E-11	8.E-11	2.E-11	1.E-10	5.0E-04	5.0E-04	6.3E-10	1.9E-10	1.E-06	4.E-07	0.000002
Exposure Point Total										7.E-07							0.02
RM 6 West	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	4.7E-08	1.4E-08	7.E-08	2.E-08	9.E-08	3.0E-04	3.0E-04	1.3E-07	4.0E-08	4.E-04	1.E-04	0.001
	Mercury	1.4E-01	mg/kg	--	--	0.0E+00	4.8E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.3E+02	mg/kg	--	--	0.0E+00	4.4E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.2E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	2.0E+01	ug/kg	--	--	7.5E-10	6.9E-11	--	--	--	3.0E-04	3.0E-04	2.1E-09	1.9E-10	7.E-06	6.E-07	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.8E+04	ug/kg	7.3E-01	7.3E-01	2.4E-06	1.7E-07	2.E-06	1.E-07	2.E-06	--	--	6.6E-06	4.7E-07	--	--	--
	Benzo(a)pyrene	5.8E+04	ug/kg	7.3E+00	7.3E+00	2.9E-06	2.0E-07	2.E-05	1.E-06	2.E-05	--	--	8.0E-06	5.6E-07	--	--	--
	Benzo(b)fluoranthene	4.3E+04	ug/kg	7.3E-01	7.3E-01	2.1E-06	1.5E-07	2.E-06	1.E-07	2.E-06	--	--	5.9E-06	4.2E-07	--	--	--
	Benzo(k)fluoranthene	2.7E+04	ug/kg	7.3E-02	7.3E-02	1.3E-06	9.4E-08	1.E-07	7.E-09	1.E-07	--	--	3.7E-06	2.6E-07	--	--	--
	Dibenzo(a,h)anthracene	5.4E+03	ug/kg	7.3E+00	7.3E+00	2.6E-07	1.9E-08	2.E-06	1.E-07	2.E-06	--	--	7.4E-07	5.2E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	4.0E+04	ug/kg	7.3E-01	7.3E-01	2.0E-06	1.4E-07	1.E-06	1.E-07	2.E-06	--	--	5.6E-06	3.9E-07	--	--	--
	Naphthalene	4.4E+04	ug/kg	--	--	2.2E-06	1.6E-07	--	--	--	2.0E-02	2.0E-02	6.2E-06	4.3E-07	3.E-04	2.E-05	0.0003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.8E+02	ug/kg	1.4E-02	1.4E-02	1.4E-08	1.3E-09	2.E-10	2.E-11	2.E-10	2.0E-02	2.0E-02	4.0E-08	3.7E-09	2.E-06	2.E-07	0.000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phenols																
	Pentachlorophenol	3.5E+01	ug/kg	4.0E-01	4.0E-01	3.3E-09	1.2E-10	1.E-09	5.E-11	1.E-09	5.0E-03	5.0E-03	9.2E-09	3.4E-10	2.E-06	7.E-08	0.000002
	Polychlorinated Biphenyls																
	Total Aroclors	6.1E+01	ug/kg	2.0E+00	2.0E+00	3.3E-09	2.1E-10	7.E-09	4.E-10	7.E-09	2.0E-05	2.0E-05	9.1E-09	6.0E-10	5.E-04	3.E-05	0.0005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	1.3E+05	1.3E+05	1.7E-14	5.3E-15	2.E-09	7.E-10	3.E-09	1.0E-09	1.0E-09	4.9E-14	1.5E-14	5.E-05	1.E-05	0.0001
	Total PCB TEQ	2.8E+00	pg/g	1.3E+05	1.3E+05	1.5E-13	9.9E-15	2.E-08	1.E-09	2.E-08	1.0E-09	1.0E-09	4.2E-13	2.8E-14	4.E-04	3.E-05	0.0004
	Pesticides																
	Aldrin	2.3E+00	ug/kg	1.7E+01	1.7E+01	8.9E-11	8.2E-12	2.E-09	1.E-10	2.E-09	3.0E-05	3.0E-05	2.5E-10	2.3E-11	8.E-06	8.E-07	0.00001
	Dieldrin	1.8E+00	ug/kg	1.6E+01	1.6E+01	7.0E-11	6.4E-12	1.E-09	1.E-10	1.E-09	5.0E-05	5.0E-05	1.9E-10	1.8E-11	4.E-06	4.E-07	0.000004
	Total DDT	8.1E+01	ug/kg	3.4E-01	3.4E-01	9.3E-10	2.8E-10	3.E-10	1.E-10	4.E-10	5.0E-04	5.0E-04	2.6E-09	8.0E-10	5.E-06	2.E-06	0.00001
Exposure Point Total										3.E-05							0.02
RM 6 East	**Metals**																
	Arsenic	4.4E+00	mg/kg	1.5E+00	1.5E+00	5.0E-08	1.5E-08	7.E-08	2.E-08	1.E-07	3.0E-04	3.0E-04	1.4E-07	4.3E-08	5.E-04	1.E-04	0.0006
	Mercury	4.0E-01	mg/kg	--	--	0.0E+00	1.4E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.9E-09	0.E+00	4.E-05	0.00004
	Vanadium	9.8E+01	mg/kg	--	--	0.0E+00	3.4E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	9.6E-07	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	3.5E+02	ug/kg	--	--	1.3E-08	1.2E-09	--	--	--	3.0E-04	3.0E-04	3.7E-08	3.4E-09	1.E-04	1.E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.3E+03	ug/kg	7.3E-01	7.3E-01	6.6E-08	4.7E-09	5.E-08	3.E-09	5.E-08	--	--	1.9E-07	1.3E-08	--	--	--
	Benzo(a)pyrene	1.9E+03	ug/kg	7.3E+00	7.3E+00	9.5E-08	6.7E-09	7.E-07	5.E-08	7.E-07	--	--	2.7E-07	1.9E-08	--	--	--
	Benzo(b)fluoranthene	3.3E+03	ug/kg	7.3E-01	7.3E-01	1.6E-07	1.1E-08	1.E-07	8.E-09	1.E-07	--	--	4.5E-07	3.2E-08	--	--	--
	Benzo(k)fluoranthene	2.5E+03	ug/kg	7.3E-02	7.3E-02	1.2E-07	8.8E-09	9.E-09	6.E-10	1.E-08	--	--	3.5E-07	2.5E-08	--	--	--
	Dibenzo(a,h)anthracene	2.7E+02	ug/kg	7.3E+00	7.3E+00	1.3E-08	9.4E-10	1.E-07	7.E-09	1.E-07	--	--	3.7E-08	2.6E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+03	ug/kg	7.3E-01	7.3E-01	5.6E-08	3.9E-09	4.E-08	3.E-09	4.E-08	--	--	1.6E-07	1.1E-08	--	--	--
	Naphthalene	8.4E+02	ug/kg	--	--	4.1E-08	2.9E-09	--	--	--	2.0E-02	2.0E-02	1.2E-07	8.2E-09	6.E-06	4.E-07	0.00001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.4E+02	ug/kg	1.4E-02	1.4E-02	5.3E-09	4.9E-10	7.E-11	7.E-12	8.E-11	2.0E-02	2.0E-02	1.5E-08	1.4E-09	7.E-07	7.E-08	0.000001
	Phenols																
	Pentachlorophenol	4.4E+01	ug/kg	4.0E-01	4.0E-01	4.2E-09	1.5E-10	2.E-09	6.E-11	2.E-09	5.0E-03	5.0E-03	1.2E-08	4.3E-10	2.E-06	9.E-08	0.000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+02	ug/kg	2.0E+00	2.0E+00	9.3E-09	6.1E-10	2.E-08	1.E-09	2.E-08	2.0E-05	2.0E-05	2.6E-08	1.7E-09	1.E-03	9.E-05	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.1E+00	pg/g	1.3E+05	1.3E+05	4.7E-14	1.4E-14	6.E-09	2.E-09	8.E-09	1.0E-09	1.0E-09	1.3E-13	4.0E-14	1.E-04	4.E-05	0.0002
	Total PCB TEQ	3.4E+00	pg/g	1.3E+05	1.3E+05	1.8E-13	1.2E-14	2.E-08	2.E-09	3.E-08	1.0E-09	1.0E-09	5.1E-13	3.3E-14	5.E-04	3.E-05	0.001
	Pesticides																
	Aldrin	6.4E-01	ug/kg	1.7E+01	1.7E+01	2.4E-11	2.2E-12	4.E-10	4.E-11	5.E-10	3.0E-05	3.0E-05	6.8E-11	6.2E-12	2.E-06	2.E-07	0.000002
	Dieldrin	1.0E-01	ug/kg	1.6E+01	1.6E+01	3.8E-12	3.5E-13	6.E-11	6.E-12	7.E-11	5.0E-05	5.0E-05	1.1E-11	9.8E-13	2.E-07	2.E-08	0.0000002
	Total DDT	4.2E+00	ug/kg	3.4E-01	3.4E-01	4.9E-11	1.5E-11	2.E-11	5.E-12	2.E-11	5.0E-04	5.0E-04	1.4E-10	4.2E-11	3.E-07	8.E-08	0.0000004
Exposure Point Total										1.E-06							0.02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 6.5 West	**Metals**																
	Arsenic	1.4E+01	mg/kg	1.5E+00	1.5E+00	1.6E-07	4.9E-08	2.E-07	7.E-08	3.E-07	3.0E-04	3.0E-04	4.5E-07	1.4E-07	2.E-03	5.E-04	0.002
	Mercury	2.0E-01	mg/kg	--	--	0.0E+00	7.1E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.0E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.4E+02	mg/kg	--	--	0.0E+00	4.9E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.4E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	4.6E+01	ug/kg	--	--	1.8E-09	1.6E-10	--	--	--	3.0E-04	3.0E-04	5.0E-09	4.5E-10	2.E-05	2.E-06	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.0E+03	ug/kg	7.3E-01	7.3E-01	5.0E-08	3.5E-09	4.E-08	3.E-09	4.E-08	--	--	1.4E-07	9.9E-09	--	--	--
	Benzo(a)pyrene	1.2E+03	ug/kg	7.3E+00	7.3E+00	6.1E-08	4.3E-09	4.E-07	3.E-08	5.E-07	--	--	1.7E-07	1.2E-08	--	--	--
	Benzo(b)fluoranthene	1.4E+03	ug/kg	7.3E-01	7.3E-01	6.9E-08	4.8E-09	5.E-08	4.E-09	5.E-08	--	--	1.9E-07	1.4E-08	--	--	--
	Benzo(k)fluoranthene	6.6E+02	ug/kg	7.3E-02	7.3E-02	3.3E-08	2.3E-09	2.E-09	2.E-10	3.E-09	--	--	9.1E-08	6.4E-09	--	--	--
	Dibenzo(a,h)anthracene	4.2E+02	ug/kg	7.3E+00	7.3E+00	2.1E-08	1.5E-09	2.E-07	1.E-08	2.E-07	--	--	5.9E-08	4.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	8.3E+02	ug/kg	7.3E-01	7.3E-01	4.1E-08	2.9E-09	3.E-08	2.E-09	3.E-08	--	--	1.1E-07	8.1E-09	--	--	--
	Naphthalene	1.4E+02	ug/kg	--	--	6.9E-09	4.9E-10	--	--	--	2.0E-02	2.0E-02	1.9E-08	1.4E-09	1.E-06	7.E-08	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.1E+02	ug/kg	1.4E-02	1.4E-02	4.0E-09	3.7E-10	6.E-11	5.E-12	6.E-11	2.0E-02	2.0E-02	1.1E-08	1.0E-09	6.E-07	5.E-08	0.000001
	Phenols																
	Pentachlorophenol	2.4E+00	ug/kg	4.0E-01	4.0E-01	2.3E-10	8.4E-12	9.E-11	3.E-12	9.E-11	5.0E-03	5.0E-03	6.4E-10	2.3E-11	1.E-07	5.E-09	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	9.1E+01	ug/kg	2.0E+00	2.0E+00	4.9E-09	3.2E-10	1.E-08	6.E-10	1.E-08	2.0E-05	2.0E-05	1.4E-08	8.9E-10	7.E-04	4.E-05	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.1E+02	pg/g	1.3E+05	1.3E+05	1.3E-12	4.0E-13	2.E-07	5.E-08	2.E-07	1.0E-09	1.0E-09	3.6E-12	1.1E-12	4.E-03	1.E-03	0.005
	Total PCB TEQ	3.0E+00	pg/g	1.3E+05	1.3E+05	1.6E-13	1.0E-14	2.E-08	1.E-09	2.E-08	1.0E-09	1.0E-09	4.4E-13	2.9E-14	4.E-04	3.E-05	0.0005
	Pesticides																
	Aldrin	2.5E+00	ug/kg	1.7E+01	1.7E+01	9.5E-11	8.7E-12	2.E-09	1.E-10	2.E-09	3.0E-05	3.0E-05	2.7E-10	2.4E-11	9.E-06	8.E-07	0.00001
	Dieldrin	5.9E-01	ug/kg	1.6E+01	1.6E+01	2.3E-11	2.1E-12	4.E-10	3.E-11	4.E-10	5.0E-05	5.0E-05	6.3E-11	5.8E-12	1.E-06	1.E-07	0.000001
	Total DDT	1.7E+02	ug/kg	3.4E-01	3.4E-01	1.9E-09	5.9E-10	7.E-10	2.E-10	9.E-10	5.0E-04	5.0E-04	5.4E-09	1.6E-09	1.E-05	3.E-06	0.00001
Exposure Point Total										**1.E-06**							**0.03**
RM 6.5 East	**Metals**																
	Arsenic	5.8E+00	mg/kg	1.5E+00	1.5E+00	6.6E-08	2.0E-08	1.E-07	3.E-08	1.E-07	3.0E-04	3.0E-04	1.9E-07	5.7E-08	6.E-04	2.E-04	0.001
	Mercury	1.4E+01	mg/kg	--	--	0.0E+00	5.1E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-07	0.E+00	1.E-03	0.001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.9E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	1.1E+02	ug/kg	--	--	4.0E-09	3.7E-10	--	--	--	3.0E-04	3.0E-04	1.1E-08	1.0E-09	4.E-05	3.E-06	0.00004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.3E+02	ug/kg	7.3E-01	7.3E-01	1.2E-08	8.2E-10	8.E-09	6.E-10	9.E-09	--	--	3.2E-08	2.3E-09	--	--	--
	Benzo(a)pyrene	1.5E+02	ug/kg	7.3E+00	7.3E+00	7.3E-09	5.2E-10	5.E-08	4.E-09	6.E-08	--	--	2.0E-08	1.4E-09	--	--	--
	Benzo(b)fluoranthene	2.3E+02	ug/kg	7.3E-01	7.3E-01	1.2E-08	8.2E-10	8.E-09	6.E-10	9.E-09	--	--	3.2E-08	2.3E-09	--	--	--
	Benzo(k)fluoranthene	1.5E+02	ug/kg	7.3E-02	7.3E-02	7.3E-09	5.1E-10	5.E-10	4.E-11	6.E-10	--	--	2.0E-08	1.4E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dibenzo(a,h)anthracene	1.9E+01	ug/kg	7.3E+00	7.3E+00	9.4E-10	6.6E-11	7.E-09	5.E-10	7.E-09	--	--	2.6E-09	1.9E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.0E+02	ug/kg	7.3E-01	7.3E-01	5.1E-09	3.6E-10	4.E-09	3.E-10	4.E-09	--	--	1.4E-08	1.0E-09	--	--	--
	Naphthalene	1.2E+02	ug/kg	--	--	6.1E-09	4.3E-10	--	--	--	2.0E-02	2.0E-02	1.7E-08	1.2E-09	9.E-07	6.E-08	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.2E+02	ug/kg	1.4E-02	1.4E-02	4.7E-09	4.3E-10	7.E-11	6.E-12	7.E-11	2.0E-02	2.0E-02	1.3E-08	1.2E-09	7.E-07	6.E-08	0.000001
	Phenols																
	Pentachlorophenol	4.9E+00	ug/kg	4.0E-01	4.0E-01	4.7E-10	1.7E-11	2.E-10	7.E-12	2.E-10	5.0E-03	5.0E-03	1.3E-09	4.8E-11	3.E-07	1.E-08	0.0000003
	Polychlorinated Biphenyls																
	Total Aroclors	1.3E+03	ug/kg	2.0E+00	2.0E+00	7.0E-08	4.6E-09	1.E-07	9.E-09	1.E-07	2.0E-05	2.0E-05	2.0E-07	1.3E-08	1.E-02	6.E-04	0.01
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.9E+01	pg/g	1.3E+05	1.3E+05	1.0E-12	3.1E-13	1.E-07	4.E-08	2.E-07	1.0E-09	1.0E-09	2.8E-12	8.7E-13	3.E-03	9.E-04	0.004
	Total PCB TEQ	1.3E+01	pg/g	1.3E+05	1.3E+05	7.1E-13	4.7E-14	9.E-08	6.E-09	1.E-07	1.0E-09	1.0E-09	2.0E-12	1.3E-13	2.E-03	1.E-04	0.002
	Pesticides																
	Aldrin	2.9E-01	ug/kg	1.7E+01	1.7E+01	1.1E-11	1.0E-12	2.E-10	2.E-11	2.E-10	3.0E-05	3.0E-05	3.1E-11	2.8E-12	1.E-06	9.E-08	0.000001
	Dieldrin	2.0E-01	ug/kg	1.6E+01	1.6E+01	7.5E-12	6.8E-13	1.E-10	1.E-11	1.E-10	5.0E-05	5.0E-05	2.1E-11	1.9E-12	4.E-07	4.E-08	0.0000005
	Total DDT	1.3E+02	ug/kg	3.4E-01	3.4E-01	1.5E-09	4.5E-10	5.E-10	2.E-10	7.E-10	5.0E-04	5.0E-04	4.1E-09	1.3E-09	8.E-06	3.E-06	0.00001
Exposure Point Total										6.E-07							0.03
RM 7 West	**Metals**																
	Arsenic	5.3E+00	mg/kg	1.5E+00	1.5E+00	6.0E-08	1.8E-08	9.E-08	3.E-08	1.E-07	3.0E-04	3.0E-04	1.7E-07	5.2E-08	6.E-04	2.E-04	0.001
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	3.9E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	3.6E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.0E-06	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	6.4E+00	ug/kg	--	--	2.4E-10	2.2E-11	--	--	--	3.0E-04	3.0E-04	6.8E-10	6.3E-11	2.E-06	2.E-07	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.2E+03	ug/kg	7.3E-01	7.3E-01	1.1E-07	7.7E-09	8.E-08	6.E-09	9.E-08	--	--	3.1E-07	2.2E-08	--	--	--
	Benzo(a)pyrene	1.7E+03	ug/kg	7.3E+00	7.3E+00	8.4E-08	6.0E-09	6.E-07	4.E-08	7.E-07	--	--	2.4E-07	1.7E-08	--	--	--
	Benzo(b)fluoranthene	4.5E+03	ug/kg	7.3E-01	7.3E-01	2.2E-07	1.6E-08	2.E-07	1.E-08	2.E-07	--	--	6.2E-07	4.4E-08	--	--	--
	Benzo(k)fluoranthene	1.4E+03	ug/kg	7.3E-02	7.3E-02	7.1E-08	5.0E-09	5.E-09	4.E-10	6.E-09	--	--	2.0E-07	1.4E-08	--	--	--
	Dibenzo(a,h)anthracene	7.1E+02	ug/kg	7.3E+00	7.3E+00	3.5E-08	2.5E-09	3.E-07	2.E-08	3.E-07	--	--	9.8E-08	6.9E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+03	ug/kg	7.3E-01	7.3E-01	6.9E-08	4.9E-09	5.E-08	4.E-09	5.E-08	--	--	1.9E-07	1.4E-08	--	--	--
	Naphthalene	1.1E+01	ug/kg	--	--	5.4E-10	3.8E-11	--	--	--	2.0E-02	2.0E-02	1.5E-09	1.1E-10	8.E-08	5.E-09	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.7E+02	ug/kg	1.4E-02	1.4E-02	1.0E-08	9.6E-10	1.E-10	1.E-11	2.E-10	2.0E-02	2.0E-02	2.9E-08	2.7E-09	1.E-06	1.E-07	0.000002
	Phenols																
	Pentachlorophenol	4.4E+01	ug/kg	4.0E-01	4.0E-01	4.2E-09	1.5E-10	2.E-09	6.E-11	2.E-09	5.0E-03	5.0E-03	1.2E-08	4.3E-10	2.E-06	9.E-08	0.000002
	Polychlorinated Biphenyls																
	Total Aroclors	9.3E+01	ug/kg	2.0E+00	2.0E+00	4.9E-09	3.2E-10	1.E-08	6.E-10	1.E-08	2.0E-05	2.0E-05	1.4E-08	9.1E-10	7.E-04	5.E-05	0.0007

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Diver in Wet Suit   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.4E+04	pg/g	1.3E+05	1.3E+05	1.6E-10	4.9E-11	2.E-05	6.E-06	3.E-05	1.0E-09	1.0E-09	4.5E-10	1.4E-10	5.E-01	1.E-01	0.6
	Total PCB TEQ	2.7E+01	pg/g	1.3E+05	1.3E+05	1.4E-12	9.3E-14	2.E-07	1.E-08	2.E-07	1.0E-09	1.0E-09	4.0E-12	2.6E-13	4.E-03	3.E-04	0.004
	Pesticides																
	Aldrin	1.9E+02	ug/kg	1.7E+01	1.7E+01	7.3E-09	6.7E-10	1.E-07	1.E-08	1.E-07	3.0E-05	3.0E-05	2.0E-08	1.9E-09	7.E-04	6.E-05	0.001
	Dieldrin	2.0E+00	ug/kg	1.6E+01	1.6E+01	7.8E-11	7.1E-12	1.E-09	1.E-10	1.E-09	5.0E-05	5.0E-05	2.2E-10	2.0E-11	4.E-06	4.E-07	0.000005
	Total DDT	6.3E+03	ug/kg	3.4E-01	3.4E-01	7.2E-08	2.2E-08	2.E-08	7.E-09	3.E-08	5.0E-04	5.0E-04	2.0E-07	6.2E-08	4.E-04	1.E-04	0.0005
	Conventionals																
	Perchlorate	2.7E+05	ug/kg	--	--	0.0E+00	9.6E-07	--	--	--	7.0E-04	7.0E-04	0.0E+00	2.7E-06	0.E+00	4.E-03	0.004
Exposure Point Total										3.E-05							0.6
RM 7 East	**Metals**																
	Arsenic	1.5E+01	mg/kg	1.5E+00	1.5E+00	1.7E-07	5.2E-08	3.E-07	8.E-08	3.E-07	3.0E-04	3.0E-04	4.7E-07	1.4E-07	2.E-03	5.E-04	0.002
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	2.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.6E-10	0.E+00	7.E-06	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.8E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	1.0E+03	ug/kg	--	--	3.9E-08	3.6E-09	--	--	--	3.0E-04	3.0E-04	1.1E-07	1.0E-08	4.E-04	3.E-05	0.0004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.2E+02	ug/kg	7.3E-01	7.3E-01	2.1E-08	1.5E-09	2.E-08	1.E-09	2.E-08	--	--	5.8E-08	4.1E-09	--	--	--
	Benzo(a)pyrene	5.8E+02	ug/kg	7.3E+00	7.3E+00	2.9E-08	2.0E-09	2.E-07	1.E-08	2.E-07	--	--	8.1E-08	5.7E-09	--	--	--
	Benzo(b)fluoranthene	6.7E+02	ug/kg	7.3E-01	7.3E-01	3.3E-08	2.3E-09	2.E-08	2.E-09	3.E-08	--	--	9.3E-08	6.5E-09	--	--	--
	Benzo(k)fluoranthene	6.5E+02	ug/kg	7.3E-02	7.3E-02	3.2E-08	2.3E-09	2.E-09	2.E-10	3.E-09	--	--	9.0E-08	6.3E-09	--	--	--
	Dibenzo(a,h)anthracene	1.9E+02	ug/kg	7.3E+00	7.3E+00	9.3E-09	6.5E-10	7.E-08	5.E-09	7.E-08	--	--	2.6E-08	1.8E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.9E+02	ug/kg	7.3E-01	7.3E-01	1.9E-08	1.4E-09	1.E-08	1.E-09	2.E-08	--	--	5.4E-08	3.8E-09	--	--	--
	Naphthalene	4.5E+01	ug/kg	--	--	2.2E-09	1.6E-10	--	--	--	2.0E-02	2.0E-02	6.3E-09	4.4E-10	3.E-07	2.E-08	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+03	ug/kg	1.4E-02	1.4E-02	5.0E-08	4.6E-09	7.E-10	6.E-11	8.E-10	2.0E-02	2.0E-02	1.4E-07	1.3E-08	7.E-06	6.E-07	0.00001
	Phenols																
	Pentachlorophenol	1.2E+02	ug/kg	4.0E-01	4.0E-01	1.1E-08	4.1E-10	4.E-09	2.E-10	5.E-09	5.0E-03	5.0E-03	3.1E-08	1.2E-09	6.E-06	2.E-07	0.00001
	Polychlorinated Biphenyls																
	Total Aroclors	7.0E+01	ug/kg	2.0E+00	2.0E+00	3.7E-09	2.5E-10	7.E-09	5.E-10	8.E-09	2.0E-05	2.0E-05	1.0E-08	6.9E-10	5.E-04	3.E-05	0.0006
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.0E+01	pg/g	1.3E+05	1.3E+05	4.6E-13	1.4E-13	6.E-08	2.E-08	8.E-08	1.0E-09	1.0E-09	1.3E-12	3.9E-13	1.E-03	4.E-04	0.002
	Total PCB TEQ	7.4E-01	pg/g	1.3E+05	1.3E+05	3.9E-14	2.6E-15	5.E-09	3.E-10	5.E-09	1.0E-09	1.0E-09	1.1E-13	7.2E-15	1.E-04	7.E-06	0.0001
	Pesticides																
	Aldrin	4.6E-01	ug/kg	1.7E+01	1.7E+01	1.8E-11	1.6E-12	3.E-10	3.E-11	3.E-10	3.0E-05	3.0E-05	4.9E-11	4.5E-12	2.E-06	2.E-07	0.000002
	Dieldrin	1.2E-01	ug/kg	1.6E+01	1.6E+01	4.4E-12	4.0E-13	7.E-11	6.E-12	8.E-11	5.0E-05	5.0E-05	1.2E-11	1.1E-12	2.E-07	2.E-08	0.0000003
	Total DDT	1.3E+01	ug/kg	3.4E-01	3.4E-01	1.5E-10	4.5E-11	5.E-11	2.E-11	6.E-11	5.0E-04	5.0E-04	4.1E-10	1.3E-10	8.E-07	3.E-07	0.000001
Exposure Point Total										8.E-07							0.02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 7.5 West	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	4.2E-08	1.3E-08	6.E-08	2.E-08	8.E-08	3.0E-04	3.0E-04	1.2E-07	3.6E-08	4.E-04	1.E-04	0.0005
	Mercury	1.3E-01	mg/kg	--	--	0.0E+00	4.6E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	3.6E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.0E-06	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	9.7E+00	ug/kg	--	--	3.7E-10	3.4E-11	--	--	--	3.0E-04	3.0E-04	1.0E-09	9.5E-11	3.E-06	3.E-07	0.000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.3E+02	ug/kg	7.3E-01	7.3E-01	2.1E-08	1.5E-09	2.E-08	1.E-09	2.E-08	--	--	6.0E-08	4.2E-09	--	--	--
	Benzo(a)pyrene	3.4E+02	ug/kg	7.3E+00	7.3E+00	1.7E-08	1.2E-09	1.E-07	9.E-09	1.E-07	--	--	4.7E-08	3.3E-09	--	--	--
	Benzo(b)fluoranthene	4.6E+02	ug/kg	7.3E-01	7.3E-01	2.3E-08	1.6E-09	2.E-08	1.E-09	2.E-08	--	--	6.4E-08	4.5E-09	--	--	--
	Benzo(k)fluoranthene	1.3E+02	ug/kg	7.3E-02	7.3E-02	6.4E-09	4.5E-10	5.E-10	3.E-11	5.E-10	--	--	1.8E-08	1.3E-09	--	--	--
	Dibenzo(a,h)anthracene	5.0E+01	ug/kg	7.3E+00	7.3E+00	2.5E-09	1.7E-10	2.E-08	1.E-09	2.E-08	--	--	6.9E-09	4.9E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.9E+02	ug/kg	7.3E-01	7.3E-01	9.4E-09	6.6E-10	7.E-09	5.E-10	7.E-09	--	--	2.6E-08	1.9E-09	--	--	--
	Naphthalene	3.3E+01	ug/kg	--	--	1.6E-09	1.2E-10	--	--	--	2.0E-02	2.0E-02	4.6E-09	3.2E-10	2.E-07	2.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+02	ug/kg	1.4E-02	1.4E-02	7.0E-09	6.4E-10	1.E-10	9.E-12	1.E-10	2.0E-02	2.0E-02	2.0E-08	1.8E-09	1.E-06	9.E-08	0.000001
	Phenols																
	Pentachlorophenol	2.1E+00	ug/kg	4.0E-01	4.0E-01	2.0E-10	7.2E-12	8.E-11	3.E-12	8.E-11	5.0E-03	5.0E-03	5.5E-10	2.0E-11	1.E-07	4.E-09	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+02	ug/kg	2.0E+00	2.0E+00	1.3E-08	8.7E-10	3.E-08	2.E-09	3.E-08	2.0E-05	2.0E-05	3.7E-08	2.4E-09	2.E-03	1.E-04	0.002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.6E+00	pg/g	1.3E+05	1.3E+05	3.0E-14	9.1E-15	4.E-09	1.E-09	5.E-09	1.0E-09	1.0E-09	8.3E-14	2.6E-14	8.E-05	3.E-05	0.0001
	Total PCB TEQ	9.2E-01	pg/g	1.3E+05	1.3E+05	4.9E-14	3.2E-15	6.E-09	4.E-10	7.E-09	1.0E-09	1.0E-09	1.4E-13	9.0E-15	1.E-04	9.E-06	0.0001
	Pesticides																
	Aldrin	2.9E-01	ug/kg	1.7E+01	1.7E+01	1.1E-11	1.0E-12	2.E-10	2.E-11	2.E-10	3.0E-05	3.0E-05	3.0E-11	2.8E-12	1.E-06	9.E-08	0.000001
	Dieldrin	7.7E-01	ug/kg	1.6E+01	1.6E+01	2.9E-11	2.7E-12	5.E-10	4.E-11	5.E-10	5.0E-05	5.0E-05	8.2E-11	7.5E-12	2.E-06	2.E-07	0.000002
	Total DDT	1.3E+02	ug/kg	3.4E-01	3.4E-01	1.5E-09	4.5E-10	5.E-10	2.E-10	6.E-10	5.0E-04	5.0E-04	4.1E-09	1.3E-09	8.E-06	3.E-06	0.00001
Exposure Point Total										**3.E-07**							**0.02**
RM 7.5 East	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	4.8E-08	1.5E-08	7.E-08	2.E-08	9.E-08	3.0E-04	3.0E-04	1.3E-07	4.1E-08	4.E-04	1.E-04	0.0006
	Mercury	1.0E-01	mg/kg	--	--	0.0E+00	3.5E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.8E-10	0.E+00	1.E-05	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.8E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	2.3E+02	ug/kg	--	--	8.7E-09	8.0E-10	--	--	--	3.0E-04	3.0E-04	2.4E-08	2.2E-09	8.E-05	7.E-06	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.0E+01	ug/kg	7.3E-01	7.3E-01	2.0E-09	1.4E-10	1.E-09	1.E-10	2.E-09	--	--	5.5E-09	3.9E-10	--	--	--
	Benzo(a)pyrene	3.5E+01	ug/kg	7.3E+00	7.3E+00	1.7E-09	1.2E-10	1.E-08	9.E-10	1.E-08	--	--	4.9E-09	3.4E-10	--	--	--
	Benzo(b)fluoranthene	4.4E+01	ug/kg	7.3E-01	7.3E-01	2.2E-09	1.5E-10	2.E-09	1.E-10	2.E-09	--	--	6.1E-09	4.3E-10	--	--	--
	Benzo(k)fluoranthene	3.1E+01	ug/kg	7.3E-02	7.3E-02	1.5E-09	1.1E-10	1.E-10	8.E-12	1.E-10	--	--	4.3E-09	3.0E-10	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Diver in Wet Suit   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dibenzo(a,h)anthracene	1.1E+01	ug/kg	7.3E+00	7.3E+00	5.4E-10	3.8E-11	4.E-09	3.E-10	4.E-09	--	--	1.5E-09	1.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.4E+01	ug/kg	7.3E-01	7.3E-01	1.2E-09	8.3E-11	9.E-10	6.E-11	9.E-10	--	--	3.3E-09	2.3E-10	--	--	--
	Naphthalene	1.1E+01	ug/kg	--	--	5.4E-10	3.8E-11	--	--	--	2.0E-02	2.0E-02	1.5E-09	1.1E-10	8.E-08	5.E-09	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.7E+03	ug/kg	1.4E-02	1.4E-02	1.4E-07	1.3E-08	2.E-09	2.E-10	2.E-09	2.0E-02	2.0E-02	3.9E-07	3.6E-08	2.E-05	2.E-06	0.00002
	Polychlorinated Biphenyls																
	Total Aroclors	4.5E+01	ug/kg	2.0E+00	2.0E+00	2.4E-09	1.6E-10	5.E-09	3.E-10	5.E-09	2.0E-05	2.0E-05	6.7E-09	4.4E-10	3.E-04	2.E-05	0.0004
	Pesticides																
	Dieldrin	3.4E-01	ug/kg	1.6E+01	1.6E+01	1.3E-11	1.2E-12	2.E-10	2.E-11	2.E-10	5.0E-05	5.0E-05	3.6E-11	3.3E-12	7.E-07	7.E-08	0.000001
	Total DDT	3.3E+00	ug/kg	3.4E-01	3.4E-01	3.8E-11	1.2E-11	1.E-11	4.E-12	2.E-11	5.0E-04	5.0E-04	1.1E-10	3.3E-11	2.E-07	7.E-08	0.0000003
Exposure Point Total										**1.E-07**							**0.02**
RM 8 West	**Metals**																
	Arsenic	8.0E+00	mg/kg	1.5E+00	1.5E+00	9.1E-08	2.8E-08	1.E-07	4.E-08	2.E-07	3.0E-04	3.0E-04	2.6E-07	7.8E-08	9.E-04	3.E-04	0.001
	Mercury	3.3E-01	mg/kg	--	--	0.0E+00	1.1E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.2E-09	0.E+00	3.E-05	0.00003
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	3.6E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.0E-06	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	2.5E+01	ug/kg	--	--	9.4E-10	8.6E-11	--	--	--	3.0E-04	3.0E-04	2.6E-09	2.4E-10	9.E-06	8.E-07	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.5E+02	ug/kg	7.3E-01	7.3E-01	2.7E-08	1.9E-09	2.E-08	1.E-09	2.E-08	--	--	7.6E-08	5.4E-09	--	--	--
	Benzo(a)pyrene	4.9E+02	ug/kg	7.3E+00	7.3E+00	2.4E-08	1.7E-09	2.E-07	1.E-08	2.E-07	--	--	6.8E-08	4.8E-09	--	--	--
	Benzo(b)fluoranthene	6.9E+02	ug/kg	7.3E-01	7.3E-01	3.4E-08	2.4E-09	2.E-08	2.E-09	3.E-08	--	--	9.5E-08	6.7E-09	--	--	--
	Benzo(k)fluoranthene	1.2E+02	ug/kg	7.3E-02	7.3E-02	6.1E-09	4.3E-10	4.E-10	3.E-11	5.E-10	--	--	1.7E-08	1.2E-09	--	--	--
	Dibenzo(a,h)anthracene	1.4E+02	ug/kg	7.3E+00	7.3E+00	6.8E-09	4.8E-10	5.E-08	4.E-09	5.E-08	--	--	1.9E-08	1.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.2E+02	ug/kg	7.3E-01	7.3E-01	1.6E-08	1.1E-09	1.E-08	8.E-10	1.E-08	--	--	4.4E-08	3.1E-09	--	--	--
	Naphthalene	8.1E+01	ug/kg	--	--	4.0E-09	2.8E-10	--	--	--	2.0E-02	2.0E-02	1.1E-08	7.9E-10	6.E-07	4.E-08	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.0E+03	ug/kg	1.4E-02	1.4E-02	1.1E-07	1.1E-08	2.E-09	1.E-10	2.E-09	2.0E-02	2.0E-02	3.2E-07	2.9E-08	2.E-05	1.E-06	0.00002
	Phenols																
	Pentachlorophenol	1.5E+01	ug/kg	4.0E-01	4.0E-01	1.4E-09	5.3E-11	6.E-10	2.E-11	6.E-10	5.0E-03	5.0E-03	4.0E-09	1.5E-10	8.E-07	3.E-08	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	4.0E+02	ug/kg	2.0E+00	2.0E+00	2.1E-08	1.4E-09	4.E-08	3.E-09	5.E-08	2.0E-05	2.0E-05	6.0E-08	3.9E-09	3.E-03	2.E-04	0.003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.3E-01	pg/g	1.3E+05	1.3E+05	4.9E-15	1.5E-15	6.E-10	2.E-10	8.E-10	1.0E-09	1.0E-09	1.4E-14	4.2E-15	1.E-05	4.E-06	0.00002
	Total PCB TEQ	6.1E+00	pg/g	1.3E+05	1.3E+05	3.2E-13	2.1E-14	4.E-08	3.E-09	4.E-08	1.0E-09	1.0E-09	9.0E-13	5.9E-14	9.E-04	6.E-05	0.001
	Pesticides																
	Aldrin	1.2E-01	ug/kg	1.7E+01	1.7E+01	4.4E-12	4.0E-13	7.E-11	7.E-12	8.E-11	3.0E-05	3.0E-05	1.2E-11	1.1E-12	4.E-07	4.E-08	0.0000004
	Dieldrin	4.6E+00	ug/kg	1.6E+01	1.6E+01	1.7E-10	1.6E-11	3.E-09	3.E-10	3.E-09	5.0E-05	5.0E-05	4.9E-10	4.5E-11	1.E-05	9.E-07	0.00001
	Total DDT	2.1E+01	ug/kg	3.4E-01	3.4E-01	2.4E-10	7.4E-11	8.E-11	3.E-11	1.E-10	5.0E-04	5.0E-04	6.8E-10	2.1E-10	1.E-06	4.E-07	0.000002
Exposure Point Total										**6.E-07**							**0.02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Diver in Wet Suit   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 8 East	**Metals**																
	Arsenic	9.1E+00	mg/kg	1.5E+00	1.5E+00	1.0E-07	3.2E-08	2.E-07	5.E-08	2.E-07	3.0E-04	3.0E-04	2.9E-07	8.9E-08	1.E-03	3.E-04	0.001
	Mercury	2.2E-01	mg/kg	--	--	0.0E+00	7.8E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.2E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.8E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	5.8E+03	ug/kg	--	--	2.2E-07	2.0E-08	--	--	--	3.0E-04	3.0E-04	6.2E-07	5.7E-08	2.E-03	2.E-04	0.002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.0E+02	ug/kg	7.3E-01	7.3E-01	2.5E-08	1.7E-09	2.E-08	1.E-09	2.E-08	--	--	6.9E-08	4.9E-09	--	--	--
	Benzo(a)pyrene	5.3E+02	ug/kg	7.3E+00	7.3E+00	2.6E-08	1.8E-09	2.E-07	1.E-08	2.E-07	--	--	7.3E-08	5.2E-09	--	--	--
	Benzo(b)fluoranthene	5.5E+02	ug/kg	7.3E-01	7.3E-01	2.7E-08	1.9E-09	2.E-08	1.E-09	2.E-08	--	--	7.6E-08	5.4E-09	--	--	--
	Benzo(k)fluoranthene	3.7E+02	ug/kg	7.3E-02	7.3E-02	1.8E-08	1.3E-09	1.E-09	9.E-11	1.E-09	--	--	5.1E-08	3.6E-09	--	--	--
	Dibenzo(a,h)anthracene	4.0E+01	ug/kg	7.3E+00	7.3E+00	2.0E-09	1.4E-10	1.E-08	1.E-09	2.E-08	--	--	5.6E-09	3.9E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.7E+02	ug/kg	7.3E-01	7.3E-01	1.8E-08	1.3E-09	1.E-08	9.E-10	1.E-08	--	--	5.1E-08	3.6E-09	--	--	--
	Naphthalene	2.2E+01	ug/kg	--	--	1.1E-09	7.6E-11	--	--	--	2.0E-02	2.0E-02	3.0E-09	2.1E-10	2.E-07	1.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+03	ug/kg	1.4E-02	1.4E-02	5.0E-08	4.6E-09	7.E-10	6.E-11	8.E-10	2.0E-02	2.0E-02	1.4E-07	1.3E-08	7.E-06	6.E-07	0.00001
	Phenols																
	Pentachlorophenol	2.7E+01	ug/kg	4.0E-01	4.0E-01	2.5E-09	9.4E-11	1.E-09	4.E-11	1.E-09	5.0E-03	5.0E-03	7.1E-09	2.6E-10	1.E-06	5.E-08	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	5.8E+02	ug/kg	2.0E+00	2.0E+00	3.1E-08	2.0E-09	6.E-08	4.E-09	7.E-08	2.0E-05	2.0E-05	8.6E-08	5.7E-09	4.E-03	3.E-04	0.005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.1E+00	pg/g	1.3E+05	1.3E+05	2.4E-14	7.3E-15	3.E-09	9.E-10	4.E-09	1.0E-09	1.0E-09	6.7E-14	2.0E-14	7.E-05	2.E-05	0.0001
	Total PCB TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	9.3E-13	6.1E-14	1.E-07	8.E-09	1.E-07	1.0E-09	1.0E-09	2.6E-12	1.7E-13	3.E-03	2.E-04	0.003
	Pesticides																
	Aldrin	4.4E-01	ug/kg	1.7E+01	1.7E+01	1.7E-11	1.6E-12	3.E-10	3.E-11	3.E-10	3.0E-05	3.0E-05	4.7E-11	4.3E-12	2.E-06	1.E-07	0.000002
	Dieldrin	4.7E+00	ug/kg	1.6E+01	1.6E+01	1.8E-10	1.6E-11	3.E-09	3.E-10	3.E-09	5.0E-05	5.0E-05	5.0E-10	4.6E-11	1.E-05	9.E-07	0.00001
	Total DDT	9.4E+01	ug/kg	3.4E-01	3.4E-01	1.1E-09	3.3E-10	4.E-10	1.E-10	5.E-10	5.0E-04	5.0E-04	3.0E-09	9.2E-10	6.E-06	2.E-06	0.00001
Exposure Point Total										7.E-07							0.03
RM 8 SIL	**Metals**																
	Arsenic	5.9E+00	mg/kg	1.5E+00	1.5E+00	6.8E-08	2.1E-08	1.E-07	3.E-08	1.E-07	3.0E-04	3.0E-04	1.9E-07	5.8E-08	6.E-04	2.E-04	0.001
	Mercury	1.4E-01	mg/kg	--	--	0.0E+00	4.9E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.2E+02	mg/kg	--	--	0.0E+00	4.3E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.2E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	2.1E+04	ug/kg	--	--	8.1E-07	7.4E-08	--	--	--	3.0E-04	3.0E-04	2.3E-06	2.1E-07	8.E-03	7.E-04	0.01
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.4E+02	ug/kg	7.3E-01	7.3E-01	2.7E-08	1.9E-09	2.E-08	1.E-09	2.E-08	--	--	7.4E-08	5.2E-09	--	--	--
	Benzo(a)pyrene	3.6E+02	ug/kg	7.3E+00	7.3E+00	1.8E-08	1.3E-09	1.E-07	9.E-09	1.E-07	--	--	5.0E-08	3.5E-09	--	--	--
	Benzo(b)fluoranthene	7.0E+02	ug/kg	7.3E-01	7.3E-01	3.5E-08	2.4E-09	3.E-08	2.E-09	3.E-08	--	--	9.7E-08	6.8E-09	--	--	--
	Benzo(k)fluoranthene	3.5E+02	ug/kg	7.3E-02	7.3E-02	1.7E-08	1.2E-09	1.E-09	9.E-11	1.E-09	--	--	4.8E-08	3.4E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Diver in Wet Suit   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dibenzo(a,h)anthracene	7.1E+01	ug/kg	7.3E+00	7.3E+00	3.5E-09	2.5E-10	3.E-08	2.E-09	3.E-08	--	--	9.9E-09	7.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.1E+02	ug/kg	7.3E-01	7.3E-01	1.0E-08	7.3E-10	8.E-09	5.E-10	8.E-09	--	--	2.9E-08	2.0E-09	--	--	--
	Naphthalene	3.0E+01	ug/kg	--	--	1.5E-09	1.1E-10	--	--	--	2.0E-02	2.0E-02	4.2E-09	3.0E-10	2.E-07	1.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.1E+04	ug/kg	1.4E-02	1.4E-02	1.6E-06	1.4E-07	2.E-08	2.E-09	2.E-08	2.0E-02	2.0E-02	4.4E-06	4.0E-07	2.E-04	2.E-05	0.0002
	Phenols																
	Pentachlorophenol	3.3E+01	ug/kg	4.0E-01	4.0E-01	3.1E-09	1.1E-10	1.E-09	5.E-11	1.E-09	5.0E-03	5.0E-03	8.7E-09	3.2E-10	2.E-06	6.E-08	0.000002
	Polychlorinated Biphenyls																
	Total Aroclors	5.3E+02	ug/kg	2.0E+00	2.0E+00	2.8E-08	1.8E-09	6.E-08	4.E-09	6.E-08	2.0E-05	2.0E-05	7.9E-08	5.2E-09	4.E-03	3.E-04	0.004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.3E+01	pg/g	1.3E+05	1.3E+05	3.8E-13	1.2E-13	5.E-08	2.E-08	6.E-08	1.0E-09	1.0E-09	1.1E-12	3.2E-13	1.E-03	3.E-04	0.001
	Total PCB TEQ	8.8E+01	pg/g	1.3E+05	1.3E+05	4.7E-12	3.1E-13	6.E-07	4.E-08	6.E-07	1.0E-09	1.0E-09	1.3E-11	8.6E-13	1.E-02	9.E-04	0.01
	Pesticides																
	Aldrin	3.6E-01	ug/kg	1.7E+01	1.7E+01	1.4E-11	1.2E-12	2.E-10	2.E-11	3.E-10	3.0E-05	3.0E-05	3.8E-11	3.5E-12	1.E-06	1.E-07	0.000001
	Dieldrin	1.4E+00	ug/kg	1.6E+01	1.6E+01	5.4E-11	5.0E-12	9.E-10	8.E-11	9.E-10	5.0E-05	5.0E-05	1.5E-10	1.4E-11	3.E-06	3.E-07	0.000003
	Total DDT	1.2E+01	ug/kg	3.4E-01	3.4E-01	1.4E-10	4.2E-11	5.E-11	1.E-11	6.E-11	5.0E-04	5.0E-04	3.8E-10	1.2E-10	8.E-07	2.E-07	0.000001
Exposure Point Total										1.E-06							0.05
RM 8.5 West	**Metals**																
	Arsenic	1.2E+01	mg/kg	1.5E+00	1.5E+00	1.3E-07	4.1E-08	2.E-07	6.E-08	3.E-07	3.0E-04	3.0E-04	3.7E-07	1.1E-07	1.E-03	4.E-04	0.002
	Mercury	4.7E-01	mg/kg	--	--	0.0E+00	1.6E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.6E-09	0.E+00	5.E-05	0.00005
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.8E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	1.7E+01	ug/kg	--	--	6.3E-10	5.8E-11	--	--	--	3.0E-04	3.0E-04	1.8E-09	1.6E-10	6.E-06	5.E-07	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+02	ug/kg	7.3E-01	7.3E-01	8.8E-09	6.2E-10	6.E-09	5.E-10	7.E-09	--	--	2.5E-08	1.7E-09	--	--	--
	Benzo(a)pyrene	2.2E+02	ug/kg	7.3E+00	7.3E+00	1.1E-08	7.8E-10	8.E-08	6.E-09	9.E-08	--	--	3.1E-08	2.2E-09	--	--	--
	Benzo(b)fluoranthene	1.8E+02	ug/kg	7.3E-01	7.3E-01	9.0E-09	6.4E-10	7.E-09	5.E-10	7.E-09	--	--	2.5E-08	1.8E-09	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	5.6E-09	3.9E-10	4.E-10	3.E-11	4.E-10	--	--	1.6E-08	1.1E-09	--	--	--
	Dibenzo(a,h)anthracene	1.7E+01	ug/kg	7.3E+00	7.3E+00	8.2E-10	5.8E-11	6.E-09	4.E-10	6.E-09	--	--	2.3E-09	1.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	7.6E+01	ug/kg	7.3E-01	7.3E-01	3.8E-09	2.6E-10	3.E-09	2.E-10	3.E-09	--	--	1.1E-08	7.4E-10	--	--	--
	Naphthalene	3.7E+01	ug/kg	--	--	1.8E-09	1.3E-10	--	--	--	2.0E-02	2.0E-02	5.1E-09	3.6E-10	3.E-07	2.E-08	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.7E+03	ug/kg	1.4E-02	1.4E-02	6.6E-08	6.1E-09	9.E-10	8.E-11	1.E-09	2.0E-02	2.0E-02	1.8E-07	1.7E-08	9.E-06	8.E-07	0.00001
	Phenols																
	Pentachlorophenol	3.9E+00	ug/kg	4.0E-01	4.0E-01	3.7E-10	1.4E-11	1.E-10	5.E-12	2.E-10	5.0E-03	5.0E-03	1.0E-09	3.8E-11	2.E-07	8.E-09	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	8.5E+03	ug/kg	2.0E+00	2.0E+00	4.5E-07	3.0E-08	9.E-07	6.E-08	1.E-06	2.0E-05	2.0E-05	1.3E-06	8.3E-08	6.E-02	4.E-03	0.1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	EPC Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.8E+01	pg/g	1.3E+05	1.3E+05	2.1E-13	6.4E-14	3.E-08	8.E-09	4.E-08	1.0E-09	1.0E-09	5.8E-13	1.8E-13	6.E-04	2.E-04	0.001
	Total PCB TEQ	2.4E+02	pg/g	1.3E+05	1.3E+05	1.3E-11	8.4E-13	2.E-06	1.E-07	2.E-06	1.0E-09	1.0E-09	3.6E-11	2.3E-12	4.E-02	2.E-03	0.04
	Pesticides																
	Aldrin	3.2E+01	ug/kg	1.7E+01	1.7E+01	1.2E-09	1.1E-10	2.E-08	2.E-09	2.E-08	3.0E-05	3.0E-05	3.5E-09	3.2E-10	1.E-04	1.E-05	0.0001
	Dieldrin	3.9E+01	ug/kg	1.6E+01	1.6E+01	1.5E-09	1.3E-10	2.E-08	2.E-09	3.E-08	5.0E-05	5.0E-05	4.1E-09	3.8E-10	8.E-05	8.E-06	0.0001
	Total DDT	2.2E+01	ug/kg	3.4E-01	3.4E-01	2.5E-10	7.7E-11	9.E-11	3.E-11	1.E-10	5.0E-04	5.0E-04	7.1E-10	2.2E-10	1.E-06	4.E-07	0.000002
Exposure Point Total										3.E-06							0.1
RM 8.5 East	**Metals**																
	Arsenic	9.0E+00	mg/kg	1.5E+00	1.5E+00	1.0E-07	3.2E-08	2.E-07	5.E-08	2.E-07	3.0E-04	3.0E-04	2.9E-07	8.9E-08	1.E-03	3.E-04	0.001
	Mercury	1.8E-01	mg/kg	--	--	0.0E+00	6.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.8E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.7E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.0E-06	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	3.1E+01	ug/kg	--	--	1.2E-09	1.1E-10	--	--	--	3.0E-04	3.0E-04	3.2E-09	3.0E-10	1.E-05	1.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.7E+01	ug/kg	7.3E-01	7.3E-01	4.8E-09	3.4E-10	4.E-09	2.E-10	4.E-09	--	--	1.3E-08	9.5E-10	--	--	--
	Benzo(a)pyrene	1.0E+02	ug/kg	7.3E+00	7.3E+00	5.0E-09	3.5E-10	4.E-08	3.E-09	4.E-08	--	--	1.4E-08	9.9E-10	--	--	--
	Benzo(b)fluoranthene	1.4E+02	ug/kg	7.3E-01	7.3E-01	6.7E-09	4.7E-10	5.E-09	3.E-10	5.E-09	--	--	1.9E-08	1.3E-09	--	--	--
	Benzo(k)fluoranthene	9.8E+01	ug/kg	7.3E-02	7.3E-02	4.8E-09	3.4E-10	4.E-10	2.E-11	4.E-10	--	--	1.4E-08	9.6E-10	--	--	--
	Dibenzo(a,h)anthracene	1.2E+01	ug/kg	7.3E+00	7.3E+00	5.7E-10	4.0E-11	4.E-09	3.E-10	4.E-09	--	--	1.6E-09	1.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	8.0E+01	ug/kg	7.3E-01	7.3E-01	4.0E-09	2.8E-10	3.E-09	2.E-10	3.E-09	--	--	1.1E-08	7.9E-10	--	--	--
	Naphthalene	1.5E+02	ug/kg	--	--	7.3E-09	5.2E-10	--	--	--	2.0E-02	2.0E-02	2.1E-08	1.4E-09	1.E-06	7.E-08	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.2E+02	ug/kg	1.4E-02	1.4E-02	3.5E-08	3.2E-09	5.E-10	5.E-11	5.E-10	2.0E-02	2.0E-02	9.9E-08	9.0E-09	5.E-06	5.E-07	0.00001
	Polychlorinated Biphenyls																
	Total Aroclors	7.2E+01	ug/kg	2.0E+00	2.0E+00	3.9E-09	2.5E-10	8.E-09	5.E-10	8.E-09	2.0E-05	2.0E-05	1.1E-08	7.1E-10	5.E-04	4.E-05	0.0006
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.4E-01	pg/g	1.3E+05	1.3E+05	1.1E-14	3.3E-15	1.E-09	4.E-10	2.E-09	1.0E-09	1.0E-09	3.0E-14	9.2E-15	3.E-05	9.E-06	0.00004
	Total PCB TEQ	5.9E-01	pg/g	1.3E+05	1.3E+05	3.2E-14	2.1E-15	4.E-09	3.E-10	4.E-09	1.0E-09	1.0E-09	8.8E-14	5.8E-15	9.E-05	6.E-06	0.0001
	Pesticides																
	Aldrin	4.1E-02	ug/kg	1.7E+01	1.7E+01	1.6E-12	1.4E-13	3.E-11	2.E-12	3.E-11	3.0E-05	3.0E-05	4.4E-12	4.0E-13	1.E-07	1.E-08	0.0000002
	Dieldrin	4.4E-01	ug/kg	1.6E+01	1.6E+01	1.7E-11	1.5E-12	3.E-10	2.E-11	3.E-10	5.0E-05	5.0E-05	4.7E-11	4.3E-12	9.E-07	9.E-08	0.000001
	Total DDT	2.3E+00	ug/kg	3.4E-01	3.4E-01	2.6E-11	8.0E-12	9.E-12	3.E-12	1.E-11	5.0E-04	5.0E-04	7.3E-11	2.2E-11	1.E-07	4.E-08	0.0000002
Exposure Point Total										3.E-07							0.02
RM 9 West	**Metals**																
	Arsenic	5.0E+00	mg/kg	1.5E+00	1.5E+00	5.7E-08	1.7E-08	8.E-08	3.E-08	1.E-07	3.0E-04	3.0E-04	1.6E-07	4.9E-08	5.E-04	2.E-04	0.001
	Mercury	2.3E-01	mg/kg	--	--	0.0E+00	8.2E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.3E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.9E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	1.7E+01	ug/kg	--	--	6.3E-10	5.8E-11	--	--	--	3.0E-04	3.0E-04	1.8E-09	1.6E-10	6.E-06	5.E-07	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.2E+02	ug/kg	7.3E-01	7.3E-01	1.6E-08	1.1E-09	1.E-08	8.E-10	1.E-08	--	--	4.4E-08	3.1E-09	--	--	--
	Benzo(a)pyrene	1.9E+02	ug/kg	7.3E+00	7.3E+00	9.5E-09	6.7E-10	7.E-08	5.E-09	7.E-08	--	--	2.7E-08	1.9E-09	--	--	--
	Benzo(b)fluoranthene	3.0E+02	ug/kg	7.3E-01	7.3E-01	1.5E-08	1.1E-09	1.E-08	8.E-10	1.E-08	--	--	4.2E-08	3.0E-09	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	5.6E-09	4.0E-10	4.E-10	3.E-11	4.E-10	--	--	1.6E-08	1.1E-09	--	--	--
	Dibenzo(a,h)anthracene	4.8E+01	ug/kg	7.3E+00	7.3E+00	2.4E-09	1.7E-10	2.E-08	1.E-09	2.E-08	--	--	6.6E-09	4.7E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	5.9E-09	4.2E-10	4.E-09	3.E-10	5.E-09	--	--	1.6E-08	1.2E-09	--	--	--
	Naphthalene	2.5E+01	ug/kg	--	--	1.2E-09	8.7E-11	--	--	--	2.0E-02	2.0E-02	3.5E-09	2.4E-10	2.E-07	1.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.4E+02	ug/kg	1.4E-02	1.4E-02	1.7E-08	1.6E-09	2.E-10	2.E-11	3.E-10	2.0E-02	2.0E-02	4.7E-08	4.3E-09	2.E-06	2.E-07	0.000003
	Phenols																
	Pentachlorophenol	4.5E+01	ug/kg	4.0E-01	4.0E-01	4.3E-09	1.6E-10	2.E-09	6.E-11	2.E-09	5.0E-03	5.0E-03	1.2E-08	4.4E-10	2.E-06	9.E-08	0.000002
	Polychlorinated Biphenyls																
	Total Aroclors	2.3E+03	ug/kg	2.0E+00	2.0E+00	1.2E-07	8.1E-09	2.E-07	2.E-08	3.E-07	2.0E-05	2.0E-05	3.5E-07	2.3E-08	2.E-02	1.E-03	0.02
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.0E+00	pg/g	1.3E+05	1.3E+05	6.8E-14	2.1E-14	9.E-09	3.E-09	1.E-08	1.0E-09	1.0E-09	1.9E-13	5.8E-14	2.E-04	6.E-05	0.0002
	Total PCB TEQ	3.2E+01	pg/g	1.3E+05	1.3E+05	1.7E-12	1.1E-13	2.E-07	1.E-08	2.E-07	1.0E-09	1.0E-09	4.8E-12	3.1E-13	5.E-03	3.E-04	0.01
	Pesticides																
	Aldrin	1.4E+00	ug/kg	1.7E+01	1.7E+01	5.4E-11	5.0E-12	9.E-10	8.E-11	1.E-09	3.0E-05	3.0E-05	1.5E-10	1.4E-11	5.E-06	5.E-07	0.00001
	Dieldrin	6.3E-01	ug/kg	1.6E+01	1.6E+01	2.4E-11	2.2E-12	4.E-10	4.E-11	4.E-10	5.0E-05	5.0E-05	6.7E-11	6.1E-12	1.E-06	1.E-07	0.000001
	Total DDT	9.9E+00	ug/kg	3.4E-01	3.4E-01	1.1E-10	3.5E-11	4.E-11	1.E-11	5.E-11	5.0E-04	5.0E-04	3.2E-10	9.7E-11	6.E-07	2.E-07	0.000001
Exposure Point Total										7.E-07							0.04
RM 9 East	**Metals**																
	Arsenic	4.8E+00	mg/kg	1.5E+00	1.5E+00	5.5E-08	1.7E-08	8.E-08	3.E-08	1.E-07	3.0E-04	3.0E-04	1.5E-07	4.7E-08	5.E-04	2.E-04	0.001
	Mercury	6.1E-02	mg/kg	--	--	0.0E+00	2.1E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.0E-10	0.E+00	6.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+01	ug/kg	7.3E-01	7.3E-01	6.9E-10	4.9E-11	5.E-10	4.E-11	5.E-10	--	--	1.9E-09	1.4E-10	--	--	--
	Benzo(a)pyrene	1.7E+01	ug/kg	7.3E+00	7.3E+00	8.6E-10	6.1E-11	6.E-09	4.E-10	7.E-09	--	--	2.4E-09	1.7E-10	--	--	--
	Benzo(b)fluoranthene	2.4E+01	ug/kg	7.3E-01	7.3E-01	1.2E-09	8.3E-11	9.E-10	6.E-11	9.E-10	--	--	3.3E-09	2.3E-10	--	--	--
	Benzo(k)fluoranthene	1.1E+01	ug/kg	7.3E-02	7.3E-02	5.2E-10	3.7E-11	4.E-11	3.E-12	4.E-11	--	--	1.5E-09	1.0E-10	--	--	--
	Dibenzo(a,h)anthracene	2.9E+00	ug/kg	7.3E+00	7.3E+00	1.4E-10	1.0E-11	1.E-09	7.E-11	1.E-09	--	--	4.0E-10	2.8E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+01	ug/kg	7.3E-01	7.3E-01	7.1E-10	5.0E-11	5.E-10	4.E-11	6.E-10	--	--	2.0E-09	1.4E-10	--	--	--
	Naphthalene	8.9E+00	ug/kg	--	--	4.4E-10	3.1E-11	--	--	--	2.0E-02	2.0E-02	1.2E-09	8.7E-11	6.E-08	4.E-09	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.0E+03	ug/kg	1.4E-02	1.4E-02	7.5E-08	6.9E-09	1.E-09	1.E-10	1.E-09	2.0E-02	2.0E-02	2.1E-07	1.9E-08	1.E-05	1.E-06	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polychlorinated Biphenyls																
	Total Aroclors	1.0E+02	ug/kg	2.0E+00	2.0E+00	5.4E-09	3.5E-10	1.E-08	7.E-10	1.E-08	2.0E-05	2.0E-05	1.5E-08	9.8E-10	8.E-04	5.E-05	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.2E-01	pg/g	1.3E+05	1.3E+05	2.5E-15	7.5E-16	3.E-10	1.E-10	4.E-10	1.0E-09	1.0E-09	6.9E-15	2.1E-15	7.E-06	2.E-06	0.00001
	Total PCB TEQ	6.3E-01	pg/g	1.3E+05	1.3E+05	3.4E-14	2.2E-15	4.E-09	3.E-10	5.E-09	1.0E-09	1.0E-09	9.4E-14	6.2E-15	9.E-05	6.E-06	0.0001
	Pesticides																
	Dieldrin	2.6E-01	ug/kg	1.6E+01	1.6E+01	9.9E-12	9.1E-13	2.E-10	1.E-11	2.E-10	5.0E-05	5.0E-05	2.8E-11	2.6E-12	6.E-07	5.E-08	0.000001
	Total DDT	1.9E+00	ug/kg	3.4E-01	3.4E-01	2.2E-11	6.8E-12	8.E-12	2.E-12	1.E-11	5.0E-04	5.0E-04	6.2E-11	1.9E-11	1.E-07	4.E-08	0.0000002
Exposure Point Total										1.E-07							0.002
RM 9.5 West	**Metals**																
	Arsenic	4.5E+00	mg/kg	1.5E+00	1.5E+00	5.2E-08	1.6E-08	8.E-08	2.E-08	1.E-07	3.0E-04	3.0E-04	1.4E-07	4.4E-08	5.E-04	1.E-04	0.001
	Mercury	7.5E-02	mg/kg	--	--	0.0E+00	2.6E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.3E-10	0.E+00	7.E-06	0.00001
	Butyltins																
	Tributyltin ion	1.0E+01	ug/kg	--	--	3.8E-10	3.5E-11	--	--	--	3.0E-04	3.0E-04	1.1E-09	9.8E-11	4.E-06	3.E-07	0.000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+02	ug/kg	7.3E-01	7.3E-01	1.3E-08	8.9E-10	9.E-09	7.E-10	1.E-08	--	--	3.5E-08	2.5E-09	--	--	--
	Benzo(a)pyrene	3.6E+02	ug/kg	7.3E+00	7.3E+00	1.8E-08	1.3E-09	1.E-07	9.E-09	1.E-07	--	--	5.0E-08	3.5E-09	--	--	--
	Benzo(b)fluoranthene	5.3E+02	ug/kg	7.3E-01	7.3E-01	2.6E-08	1.8E-09	2.E-08	1.E-09	2.E-08	--	--	7.3E-08	5.2E-09	--	--	--
	Benzo(k)fluoranthene	2.4E+02	ug/kg	7.3E-02	7.3E-02	1.2E-08	8.3E-10	9.E-10	6.E-11	9.E-10	--	--	3.3E-08	2.3E-09	--	--	--
	Dibenzo(a,h)anthracene	1.3E+02	ug/kg	7.3E+00	7.3E+00	6.4E-09	4.5E-10	5.E-08	3.E-09	5.E-08	--	--	1.8E-08	1.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.0E+02	ug/kg	7.3E-01	7.3E-01	1.5E-08	1.0E-09	1.E-08	8.E-10	1.E-08	--	--	4.1E-08	2.9E-09	--	--	--
	Naphthalene	2.2E+02	ug/kg	--	--	1.1E-08	7.8E-10	--	--	--	2.0E-02	2.0E-02	3.1E-08	2.2E-09	2.E-06	1.E-07	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.4E+03	ug/kg	1.4E-02	1.4E-02	9.0E-08	8.2E-09	1.E-09	1.E-10	1.E-09	2.0E-02	2.0E-02	2.5E-07	2.3E-08	1.E-05	1.E-06	0.00001
	Phenols																
	Pentachlorophenol	9.8E+01	ug/kg	4.0E-01	4.0E-01	9.3E-09	3.4E-10	4.E-09	1.E-10	4.E-09	5.0E-03	5.0E-03	2.6E-08	9.6E-10	5.E-06	2.E-07	0.00001
	Polychlorinated Biphenyls																
	Total Aroclors	3.0E+02	ug/kg	2.0E+00	2.0E+00	1.6E-08	1.1E-09	3.E-08	2.E-09	3.E-08	2.0E-05	2.0E-05	4.5E-08	2.9E-09	2.E-03	1.E-04	0.002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	1.9E-13	5.8E-14	2.E-08	8.E-09	3.E-08	1.0E-09	1.0E-09	5.3E-13	1.6E-13	5.E-04	2.E-04	0.001
	Total PCB TEQ	4.8E+00	pg/g	1.3E+05	1.3E+05	2.5E-13	1.7E-14	3.E-08	2.E-09	4.E-08	1.0E-09	1.0E-09	7.1E-13	4.7E-14	7.E-04	5.E-05	0.001
	Pesticides																
	Aldrin	2.8E+00	ug/kg	1.7E+01	1.7E+01	1.1E-10	9.7E-12	2.E-09	2.E-10	2.E-09	3.0E-05	3.0E-05	3.0E-10	2.7E-11	1.E-05	9.E-07	0.00001
	Dieldrin	4.9E+00	ug/kg	1.6E+01	1.6E+01	1.8E-10	1.7E-11	3.E-09	3.E-10	3.E-09	5.0E-05	5.0E-05	5.2E-10	4.7E-11	1.E-05	9.E-07	0.00001
	Total DDT	4.5E+00	ug/kg	3.4E-01	3.4E-01	5.2E-11	1.6E-11	2.E-11	5.E-12	2.E-11	5.0E-04	5.0E-04	1.4E-10	4.4E-11	3.E-07	9.E-08	0.0000004
Exposure Point Total										4.E-07							0.005
RM 9.5 East	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	4.2E-08	1.3E-08	6.E-08	2.E-08	8.E-08	3.0E-04	3.0E-04	1.2E-07	3.6E-08	4.E-04	1.E-04	0.0005
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	4.3E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.2E-09	0.E+00	1.E-05	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future

Medium: Sediment

Receptor Population: Diver in Wet Suit

Exposure Medium: In-water Sediment

Population Age: Adult

Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	EPC Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	3.6E+00	ug/kg	--	--	1.4E-10	1.3E-11	--	--	--	3.0E-04	3.0E-04	3.8E-10	3.5E-11	1.E-06	1.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.0E+01	ug/kg	7.3E-01	7.3E-01	1.5E-09	1.1E-10	1.E-09	8.E-11	1.E-09	--	--	4.2E-09	2.9E-10	--	--	--
	Benzo(a)pyrene	3.4E+01	ug/kg	7.3E+00	7.3E+00	1.7E-09	1.2E-10	1.E-08	9.E-10	1.E-08	--	--	4.8E-09	3.4E-10	--	--	--
	Benzo(b)fluoranthene	4.0E+01	ug/kg	7.3E-01	7.3E-01	2.0E-09	1.4E-10	1.E-09	1.E-10	2.E-09	--	--	5.5E-09	3.9E-10	--	--	--
	Benzo(k)fluoranthene	2.4E+01	ug/kg	7.3E-02	7.3E-02	1.2E-09	8.4E-11	9.E-11	6.E-12	9.E-11	--	--	3.3E-09	2.3E-10	--	--	--
	Dibenzo(a,h)anthracene	9.2E+00	ug/kg	7.3E+00	7.3E+00	4.5E-10	3.2E-11	3.E-09	2.E-10	4.E-09	--	--	1.3E-09	9.0E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	2.7E+01	ug/kg	7.3E-01	7.3E-01	1.4E-09	9.5E-11	1.E-09	7.E-11	1.E-09	--	--	3.8E-09	2.7E-10	--	--	--
	Naphthalene	4.8E+00	ug/kg	--	--	2.4E-10	1.7E-11	--	--	--	2.0E-02	2.0E-02	6.7E-10	4.7E-11	3.E-08	2.E-09	0.00000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.6E+02	ug/kg	1.4E-02	1.4E-02	9.8E-09	9.0E-10	1.E-10	1.E-11	2.E-10	2.0E-02	2.0E-02	2.8E-08	2.5E-09	1.E-06	1.E-07	0.000002
	Phenols																
	Pentachlorophenol	3.4E+00	ug/kg	4.0E-01	4.0E-01	3.2E-10	1.2E-11	1.E-10	5.E-12	1.E-10	5.0E-03	5.0E-03	9.1E-10	3.3E-11	2.E-07	7.E-09	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	5.6E+01	ug/kg	2.0E+00	2.0E+00	3.0E-09	2.0E-10	6.E-09	4.E-10	6.E-09	2.0E-05	2.0E-05	8.4E-09	5.5E-10	4.E-04	3.E-05	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.1E+00	pg/g	1.3E+05	1.3E+05	1.3E-14	4.0E-15	2.E-09	5.E-10	2.E-09	1.0E-09	1.0E-09	3.7E-14	1.1E-14	4.E-05	1.E-05	0.00005
	Total PCB TEQ	3.3E-01	pg/g	1.3E+05	1.3E+05	1.7E-14	1.1E-15	2.E-09	1.E-10	2.E-09	1.0E-09	1.0E-09	4.9E-14	3.2E-15	5.E-05	3.E-06	0.0001
	Pesticides																
	Aldrin	4.7E-01	ug/kg	1.7E+01	1.7E+01	1.8E-11	1.6E-12	3.E-10	3.E-11	3.E-10	3.0E-05	3.0E-05	5.0E-11	4.6E-12	2.E-06	2.E-07	0.000002
	Dieldrin	4.3E-02	ug/kg	1.6E+01	1.6E+01	1.6E-12	1.5E-13	3.E-11	2.E-12	3.E-11	5.0E-05	5.0E-05	4.6E-12	4.2E-13	9.E-08	8.E-09	0.0000001
	Total DDT	1.6E+00	ug/kg	3.4E-01	3.4E-01	1.8E-11	5.4E-12	6.E-12	2.E-12	8.E-12	5.0E-04	5.0E-04	5.0E-11	1.5E-11	1.E-07	3.E-08	0.0000001
Exposure Point Total										**1.E-07**							**0.001**
RM 10 West	**Metals**																
	Arsenic	2.9E+01	mg/kg	1.5E+00	1.5E+00	3.3E-07	1.0E-07	5.E-07	2.E-07	6.E-07	3.0E-04	3.0E-04	9.2E-07	2.8E-07	3.E-03	9.E-04	0.004
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	3.8E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-09	0.E+00	1.E-05	0.00001
	Butyltins																
	Tributyltin ion	3.4E+00	ug/kg	--	--	1.3E-10	1.2E-11	--	--	--	3.0E-04	3.0E-04	3.6E-10	3.3E-11	1.E-06	1.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.2E+02	ug/kg	7.3E-01	7.3E-01	1.6E-08	1.1E-09	1.E-08	8.E-10	1.E-08	--	--	4.5E-08	3.1E-09	--	--	--
	Benzo(a)pyrene	3.4E+02	ug/kg	7.3E+00	7.3E+00	1.7E-08	1.2E-09	1.E-07	9.E-09	1.E-07	--	--	4.7E-08	3.3E-09	--	--	--
	Benzo(b)fluoranthene	4.3E+02	ug/kg	7.3E-01	7.3E-01	2.1E-08	1.5E-09	2.E-08	1.E-09	2.E-08	--	--	6.0E-08	4.2E-09	--	--	--
	Benzo(k)fluoranthene	1.8E+02	ug/kg	7.3E-02	7.3E-02	9.1E-09	6.4E-10	7.E-10	5.E-11	7.E-10	--	--	2.6E-08	1.8E-09	--	--	--
	Dibenzo(a,h)anthracene	7.5E+01	ug/kg	7.3E+00	7.3E+00	3.7E-09	2.6E-10	3.E-08	2.E-09	3.E-08	--	--	1.0E-08	7.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.0E+02	ug/kg	7.3E-01	7.3E-01	1.5E-08	1.1E-09	1.E-08	8.E-10	1.E-08	--	--	4.2E-08	3.0E-09	--	--	--
	Naphthalene	5.9E+01	ug/kg	--	--	2.9E-09	2.0E-10	--	--	--	2.0E-02	2.0E-02	8.1E-09	5.7E-10	4.E-07	3.E-08	0.0000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+02	ug/kg	1.4E-02	1.4E-02	6.9E-09	6.4E-10	1.E-10	9.E-12	1.E-10	2.0E-02	2.0E-02	1.9E-08	1.8E-09	1.E-06	9.E-08	0.000001
	Phenols																
	Pentachlorophenol	7.5E+00	ug/kg	4.0E-01	4.0E-01	7.1E-10	2.6E-11	3.E-10	1.E-11	3.E-10	5.0E-03	5.0E-03	2.0E-09	7.3E-11	4.E-07	1.E-08	0.0000004
	Polychlorinated Biphenyls																
	Total Aroclors	4.4E+02	ug/kg	2.0E+00	2.0E+00	2.4E-08	1.5E-09	5.E-08	3.E-09	5.E-08	2.0E-05	2.0E-05	6.6E-08	4.3E-09	3.E-03	2.E-04	0.004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.9E+00	pg/g	1.3E+05	1.3E+05	1.1E-13	3.5E-14	1.E-08	4.E-09	2.E-08	1.0E-09	1.0E-09	3.2E-13	9.7E-14	3.E-04	1.E-04	0.0004
	Total PCB TEQ	3.0E+00	pg/g	1.3E+05	1.3E+05	1.6E-13	1.0E-14	2.E-08	1.E-09	2.E-08	1.0E-09	1.0E-09	4.4E-13	2.9E-14	4.E-04	3.E-05	0.0005
	Pesticides																
	Aldrin	5.0E-01	ug/kg	1.7E+01	1.7E+01	1.9E-11	1.8E-12	3.E-10	3.E-11	4.E-10	3.0E-05	3.0E-05	5.4E-11	4.9E-12	2.E-06	2.E-07	0.000002
	Total DDT	6.7E+00	ug/kg	3.4E-01	3.4E-01	7.6E-11	2.3E-11	3.E-11	8.E-12	3.E-11	5.0E-04	5.0E-04	2.1E-10	6.5E-11	4.E-07	1.E-07	0.000001
Exposure Point Total										9.E-07							0.01
RM 10 East	**Metals**																
	Arsenic	3.5E+00	mg/kg	1.5E+00	1.5E+00	4.0E-08	1.2E-08	6.E-08	2.E-08	8.E-08	3.0E-04	3.0E-04	1.1E-07	3.4E-08	4.E-04	1.E-04	0.0005
	Mercury	9.0E-02	mg/kg	--	--	0.0E+00	3.1E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.8E-10	0.E+00	9.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.7E+02	ug/kg	7.3E-01	7.3E-01	1.4E-08	9.6E-10	1.E-08	7.E-10	1.E-08	--	--	3.8E-08	2.7E-09	--	--	--
	Benzo(a)pyrene	3.5E+02	ug/kg	7.3E+00	7.3E+00	1.7E-08	1.2E-09	1.E-07	9.E-09	1.E-07	--	--	4.9E-08	3.4E-09	--	--	--
	Benzo(b)fluoranthene	4.0E+02	ug/kg	7.3E-01	7.3E-01	2.0E-08	1.4E-09	1.E-08	1.E-09	2.E-08	--	--	5.6E-08	3.9E-09	--	--	--
	Benzo(k)fluoranthene	1.0E+02	ug/kg	7.3E-02	7.3E-02	5.1E-09	3.6E-10	4.E-10	3.E-11	4.E-10	--	--	1.4E-08	1.0E-09	--	--	--
	Dibenzo(a,h)anthracene	5.2E+01	ug/kg	7.3E+00	7.3E+00	2.6E-09	1.8E-10	2.E-08	1.E-09	2.E-08	--	--	7.2E-09	5.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.8E+02	ug/kg	7.3E-01	7.3E-01	1.4E-08	9.7E-10	1.E-08	7.E-10	1.E-08	--	--	3.8E-08	2.7E-09	--	--	--
	Naphthalene	2.2E+01	ug/kg	--	--	1.1E-09	7.8E-11	--	--	--	2.0E-02	2.0E-02	3.1E-09	2.2E-10	2.E-07	1.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.9E+02	ug/kg	1.4E-02	1.4E-02	7.3E-09	6.7E-10	1.E-10	9.E-12	1.E-10	2.0E-02	2.0E-02	2.0E-08	1.9E-09	1.E-06	9.E-08	0.000001
	Phenols																
	Pentachlorophenol	3.3E+00	ug/kg	4.0E-01	4.0E-01	3.1E-10	1.2E-11	1.E-10	5.E-12	1.E-10	5.0E-03	5.0E-03	8.8E-10	3.2E-11	2.E-07	6.E-09	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	4.8E+01	ug/kg	2.0E+00	2.0E+00	2.6E-09	1.7E-10	5.E-09	3.E-10	5.E-09	2.0E-05	2.0E-05	7.2E-09	4.7E-10	4.E-04	2.E-05	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.4E-01	pg/g	1.3E+05	1.3E+05	6.2E-15	1.9E-15	8.E-10	2.E-10	1.E-09	1.0E-09	1.0E-09	1.7E-14	5.3E-15	2.E-05	5.E-06	0.00002
	Total PCB TEQ	8.0E-01	pg/g	1.3E+05	1.3E+05	4.3E-14	2.8E-15	6.E-09	4.E-10	6.E-09	1.0E-09	1.0E-09	1.2E-13	7.9E-15	1.E-04	8.E-06	0.0001
	Pesticides																
	Aldrin	8.3E-02	ug/kg	1.7E+01	1.7E+01	3.2E-12	2.9E-13	5.E-11	5.E-12	6.E-11	3.0E-05	3.0E-05	8.8E-12	8.1E-13	3.E-07	3.E-08	0.0000003
	Dieldrin	9.4E-02	ug/kg	1.6E+01	1.6E+01	3.6E-12	3.3E-13	6.E-11	5.E-12	6.E-11	5.0E-05	5.0E-05	1.0E-11	9.2E-13	2.E-07	2.E-08	0.0000002
	Total DDT	7.7E-01	ug/kg	3.4E-01	3.4E-01	8.8E-12	2.7E-12	3.E-12	9.E-13	4.E-12	5.0E-04	5.0E-04	2.5E-11	7.6E-12	5.E-08	2.E-08	0.0000001
Exposure Point Total										3.E-07							0.001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: Diver in Wet Suit Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 10.5 West	**Metals**																
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	5.3E-08	1.6E-08	8.E-08	2.E-08	1.E-07	3.0E-04	3.0E-04	1.5E-07	4.6E-08	5.E-04	2.E-04	0.0007
	Mercury	7.7E-02	mg/kg	--	--	0.0E+00	2.7E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.5E-10	0.E+00	8.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.1E+01	ug/kg	7.3E-01	7.3E-01	3.0E-09	2.1E-10	2.E-09	2.E-10	2.E-09	--	--	8.4E-09	5.9E-10	--	--	--
	Benzo(a)pyrene	4.8E+01	ug/kg	7.3E+00	7.3E+00	2.4E-09	1.7E-10	2.E-08	1.E-09	2.E-08	--	--	6.6E-09	4.7E-10	--	--	--
	Benzo(b)fluoranthene	6.8E+01	ug/kg	7.3E-01	7.3E-01	3.4E-09	2.4E-10	2.E-09	2.E-10	3.E-09	--	--	9.4E-09	6.6E-10	--	--	--
	Benzo(k)fluoranthene	2.0E+01	ug/kg	7.3E-02	7.3E-02	1.0E-09	7.1E-11	7.E-11	5.E-12	8.E-11	--	--	2.8E-09	2.0E-10	--	--	--
	Dibenzo(a,h)anthracene	7.9E+00	ug/kg	7.3E+00	7.3E+00	3.9E-10	2.8E-11	3.E-09	2.E-10	3.E-09	--	--	1.1E-09	7.7E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	3.7E+01	ug/kg	7.3E-01	7.3E-01	1.9E-09	1.3E-10	1.E-09	1.E-10	1.E-09	--	--	5.2E-09	3.7E-10	--	--	--
	Naphthalene	2.6E+02	ug/kg	--	--	1.3E-08	9.1E-10	--	--	--	2.0E-02	2.0E-02	3.6E-08	2.5E-09	2.E-06	1.E-07	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.5E+02	ug/kg	1.4E-02	1.4E-02	9.3E-09	8.6E-10	1.E-10	1.E-11	1.E-10	2.0E-02	2.0E-02	2.6E-08	2.4E-09	1.E-06	1.E-07	0.000001
	Phenols																
	Pentachlorophenol	3.8E+01	ug/kg	4.0E-01	4.0E-01	3.6E-09	1.3E-10	1.E-09	5.E-11	1.E-09	5.0E-03	5.0E-03	1.0E-08	3.7E-10	2.E-06	7.E-08	0.000002
	Polychlorinated Biphenyls																
	Total Aroclors	3.9E+01	ug/kg	2.0E+00	2.0E+00	2.1E-09	1.4E-10	4.E-09	3.E-10	4.E-09	2.0E-05	2.0E-05	5.8E-09	3.8E-10	3.E-04	2.E-05	0.0003
	Dioxin/Furan																
	Total PCB TEQ	6.9E-01	pg/g	1.3E+05	1.3E+05	3.7E-14	2.4E-15	5.E-09	3.E-10	5.E-09	1.0E-09	1.0E-09	1.0E-13	6.7E-15	1.E-04	7.E-06	0.0001
	Pesticides																
	Aldrin	9.3E-01	ug/kg	1.7E+01	1.7E+01	3.5E-11	3.2E-12	6.E-10	6.E-11	7.E-10	3.0E-05	3.0E-05	9.9E-11	9.1E-12	3.E-06	3.E-07	0.000004
	Total DDT	2.7E+00	ug/kg	3.4E-01	3.4E-01	3.0E-11	9.3E-12	1.E-11	3.E-12	1.E-11	5.0E-04	5.0E-04	8.5E-11	2.6E-11	2.E-07	5.E-08	0.0000002
Exposure Point Total										**1.E-07**							**0.001**
RM 10.5 East	**Metals**																
	Arsenic	3.3E+00	mg/kg	1.5E+00	1.5E+00	3.8E-08	1.2E-08	6.E-08	2.E-08	7.E-08	3.0E-04	3.0E-04	1.1E-07	3.3E-08	4.E-04	1.E-04	0.0005
	Mercury	7.4E-02	mg/kg	--	--	0.0E+00	2.6E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.2E-10	0.E+00	7.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.0E+02	ug/kg	7.3E-01	7.3E-01	5.0E-09	3.5E-10	4.E-09	3.E-10	4.E-09	--	--	1.4E-08	9.9E-10	--	--	--
	Benzo(a)pyrene	7.1E+01	ug/kg	7.3E+00	7.3E+00	3.5E-09	2.5E-10	3.E-08	2.E-09	3.E-08	--	--	9.8E-09	6.9E-10	--	--	--
	Benzo(b)fluoranthene	1.1E+02	ug/kg	7.3E-01	7.3E-01	5.5E-09	3.9E-10	4.E-09	3.E-10	4.E-09	--	--	1.5E-08	1.1E-09	--	--	--
	Benzo(k)fluoranthene	7.2E+01	ug/kg	7.3E-02	7.3E-02	3.5E-09	2.5E-10	3.E-10	2.E-11	3.E-10	--	--	9.9E-09	7.0E-10	--	--	--
	Dibenzo(a,h)anthracene	9.2E+00	ug/kg	7.3E+00	7.3E+00	4.6E-10	3.2E-11	3.E-09	2.E-10	4.E-09	--	--	1.3E-09	9.0E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+01	ug/kg	7.3E-01	7.3E-01	2.3E-09	1.6E-10	2.E-09	1.E-10	2.E-09	--	--	6.5E-09	4.6E-10	--	--	--
	Naphthalene	5.2E+00	ug/kg	--	--	2.6E-10	1.8E-11	--	--	--	2.0E-02	2.0E-02	7.2E-10	5.1E-11	4.E-08	3.E-09	0.00000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.1E+02	ug/kg	1.4E-02	1.4E-02	4.2E-09	3.8E-10	6.E-11	5.E-12	6.E-11	2.0E-02	2.0E-02	1.2E-08	1.1E-09	6.E-07	5.E-08	0.000001
	Phenols																
	Pentachlorophenol	1.1E+01	ug/kg	4.0E-01	4.0E-01	1.0E-09	3.8E-11	4.E-10	2.E-11	4.E-10	5.0E-03	5.0E-03	2.9E-09	1.1E-10	6.E-07	2.E-08	0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polychlorinated Biphenyls																
	Total Aroclors	1.5E+02	ug/kg	2.0E+00	2.0E+00	8.3E-09	5.4E-10	2.E-08	1.E-09	2.E-08	2.0E-05	2.0E-05	2.3E-08	1.5E-09	1.E-03	8.E-05	0.001
	Dioxin/Furan																
	Total PCB TEQ	3.9E-01	pg/g	1.3E+05	1.3E+05	2.1E-14	1.4E-15	3.E-09	2.E-10	3.E-09	1.0E-09	1.0E-09	5.8E-14	3.8E-15	6.E-05	4.E-06	0.0001
	Pesticides																
	Total DDT	1.2E+01	ug/kg	3.4E-01	3.4E-01	1.4E-10	4.2E-11	5.E-11	1.E-11	6.E-11	5.0E-04	5.0E-04	3.9E-10	1.2E-10	8.E-07	2.E-07	0.000001
Exposure Point Total										**1.E-07**							**0.002**
RM 11 West	**Metals**																
	Arsenic	3.6E+00	mg/kg	1.5E+00	1.5E+00	4.2E-08	1.3E-08	6.E-08	2.E-08	8.E-08	3.0E-04	3.0E-04	1.2E-07	3.6E-08	4.E-04	1.E-04	0.0005
	Mercury	6.9E-02	mg/kg	--	--	0.0E+00	2.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.7E-10	0.E+00	7.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.0E+02	ug/kg	7.3E-01	7.3E-01	9.8E-09	6.9E-10	7.E-09	5.E-10	8.E-09	--	--	2.8E-08	1.9E-09	--	--	--
	Benzo(a)pyrene	2.2E+02	ug/kg	7.3E+00	7.3E+00	1.1E-08	7.6E-10	8.E-08	6.E-09	8.E-08	--	--	3.0E-08	2.1E-09	--	--	--
	Benzo(b)fluoranthene	1.0E+02	ug/kg	7.3E-01	7.3E-01	5.0E-09	3.5E-10	4.E-09	3.E-10	4.E-09	--	--	1.4E-08	9.9E-10	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	5.2E-09	3.7E-10	4.E-10	3.E-11	4.E-10	--	--	1.5E-08	1.0E-09	--	--	--
	Dibenzo(a,h)anthracene	2.7E+01	ug/kg	7.3E+00	7.3E+00	1.3E-09	9.4E-11	1.E-08	7.E-10	1.E-08	--	--	3.7E-09	2.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	5.8E-09	4.1E-10	4.E-09	3.E-10	5.E-09	--	--	1.6E-08	1.1E-09	--	--	--
	Naphthalene	3.2E+02	ug/kg	--	--	1.6E-08	1.1E-09	--	--	--	2.0E-02	2.0E-02	4.4E-08	3.1E-09	2.E-06	2.E-07	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.0E+03	ug/kg	1.4E-02	1.4E-02	3.9E-08	3.6E-09	5.E-10	5.E-11	6.E-10	2.0E-02	2.0E-02	1.1E-07	1.0E-08	5.E-06	5.E-07	0.00001
	Phenols																
	Pentachlorophenol	3.1E+00	ug/kg	4.0E-01	4.0E-01	2.9E-10	1.1E-11	1.E-10	4.E-12	1.E-10	5.0E-03	5.0E-03	8.3E-10	3.0E-11	2.E-07	6.E-09	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	3.5E+01	ug/kg	2.0E+00	2.0E+00	1.8E-09	1.2E-10	4.E-09	2.E-10	4.E-09	2.0E-05	2.0E-05	5.2E-09	3.4E-10	3.E-04	2.E-05	0.0003
	Pesticides																
	Dieldrin	2.5E+00	ug/kg	1.6E+01	1.6E+01	9.5E-11	8.7E-12	2.E-09	1.E-10	2.E-09	5.0E-05	5.0E-05	2.7E-10	2.4E-11	5.E-06	5.E-07	0.00001
	Total DDT	2.1E+00	ug/kg	3.4E-01	3.4E-01	2.4E-11	7.3E-12	8.E-12	2.E-12	1.E-11	5.0E-04	5.0E-04	6.7E-11	2.0E-11	1.E-07	4.E-08	0.0000002
Exposure Point Total										**2.E-07**							**0.001**
RM 11 East	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	3.7E-08	1.1E-08	6.E-08	2.E-08	7.E-08	3.0E-04	3.0E-04	1.0E-07	3.1E-08	3.E-04	1.E-04	0.0004
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	3.8E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-09	0.E+00	1.E-05	0.00001
	Butyltins																
	Tributyltin ion	5.8E+00	ug/kg	--	--	2.2E-10	2.0E-11	--	--	--	3.0E-04	3.0E-04	6.2E-10	5.7E-11	2.E-06	2.E-07	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E+02	ug/kg	7.3E-01	7.3E-01	7.9E-09	5.6E-10	6.E-09	4.E-10	6.E-09	--	--	2.2E-08	1.6E-09	--	--	--
	Benzo(a)pyrene	1.2E+02	ug/kg	7.3E+00	7.3E+00	5.9E-09	4.2E-10	4.E-08	3.E-09	5.E-08	--	--	1.7E-08	1.2E-09	--	--	--
	Benzo(b)fluoranthene	2.5E+02	ug/kg	7.3E-01	7.3E-01	1.2E-08	8.7E-10	9.E-09	6.E-10	1.E-08	--	--	3.4E-08	2.4E-09	--	--	--
	Benzo(k)fluoranthene	9.4E+01	ug/kg	7.3E-02	7.3E-02	4.7E-09	3.3E-10	3.E-10	2.E-11	4.E-10	--	--	1.3E-08	9.2E-10	--	--	--
	Dibenzo(a,h)anthracene	2.0E+01	ug/kg	7.3E+00	7.3E+00	9.9E-10	7.0E-11	7.E-09	5.E-10	8.E-09	--	--	2.8E-09	2.0E-10	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Indeno(1,2,3-cd)pyrene	5.3E+01	ug/kg	7.3E-01	7.3E-01	2.6E-09	1.9E-10	2.E-09	1.E-10	2.E-09	--	--	7.4E-09	5.2E-10	--	--	--
	Naphthalene	3.0E+01	ug/kg	--	--	1.5E-09	1.0E-10	--	--	--	2.0E-02	2.0E-02	4.2E-09	2.9E-10	2.E-07	1.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.4E+02	ug/kg	1.4E-02	1.4E-02	5.3E-09	4.9E-10	7.E-11	7.E-12	8.E-11	2.0E-02	2.0E-02	1.5E-08	1.4E-09	7.E-07	7.E-08	0.000001
	Phenols																
	Pentachlorophenol	8.7E+00	ug/kg	4.0E-01	4.0E-01	8.3E-10	3.0E-11	3.E-10	1.E-11	3.E-10	5.0E-03	5.0E-03	2.3E-09	8.5E-11	5.E-07	2.E-08	0.0000005
	Polychlorinated Biphenyls																
	Total Aroclors	3.8E+03	ug/kg	2.0E+00	2.0E+00	2.0E-07	1.3E-08	4.E-07	3.E-08	4.E-07	2.0E-05	2.0E-05	5.7E-07	3.8E-08	3.E-02	2.E-03	0.03
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.0E+00	pg/g	1.3E+05	1.3E+05	3.4E-14	1.1E-14	4.E-09	1.E-09	6.E-09	1.0E-09	1.0E-09	9.6E-14	2.9E-14	1.E-04	3.E-05	0.0001
	Total PCB TEQ	3.1E+01	pg/g	1.3E+05	1.3E+05	1.7E-12	1.1E-13	2.E-07	1.E-08	2.E-07	1.0E-09	1.0E-09	4.6E-12	3.0E-13	5.E-03	3.E-04	0.005
	Pesticides																
	Total DDT	3.8E+02	ug/kg	3.4E-01	3.4E-01	4.4E-09	1.3E-09	1.E-09	5.E-10	2.E-09	5.0E-04	5.0E-04	1.2E-08	3.7E-09	2.E-05	7.E-06	0.00003
Exposure Point Total										8.E-07							0.04
RM 11.5 West	**Metals**																
	Arsenic	3.5E+00	mg/kg	1.5E+00	1.5E+00	4.0E-08	1.2E-08	6.E-08	2.E-08	8.E-08	3.0E-04	3.0E-04	1.1E-07	3.4E-08	4.E-04	1.E-04	0.0005
	Mercury	3.1E-02	mg/kg	--	--	0.0E+00	1.1E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.0E-10	0.E+00	3.E-06	0.000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E+01	ug/kg	7.3E-01	7.3E-01	7.9E-10	5.6E-11	6.E-10	4.E-11	6.E-10	--	--	2.2E-09	1.6E-10	--	--	--
	Benzo(a)pyrene	1.8E+01	ug/kg	7.3E+00	7.3E+00	8.9E-10	6.3E-11	7.E-09	5.E-10	7.E-09	--	--	2.5E-09	1.8E-10	--	--	--
	Benzo(b)fluoranthene	1.7E+01	ug/kg	7.3E-01	7.3E-01	8.4E-10	5.9E-11	6.E-10	4.E-11	7.E-10	--	--	2.4E-09	1.7E-10	--	--	--
	Benzo(k)fluoranthene	1.4E+01	ug/kg	7.3E-02	7.3E-02	6.9E-10	4.9E-11	5.E-11	4.E-12	5.E-11	--	--	1.9E-09	1.4E-10	--	--	--
	Dibenzo(a,h)anthracene	2.9E+00	ug/kg	7.3E+00	7.3E+00	1.4E-10	1.0E-11	1.E-09	7.E-11	1.E-09	--	--	4.0E-10	2.8E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+01	ug/kg	7.3E-01	7.3E-01	6.9E-10	4.9E-11	5.E-10	4.E-11	5.E-10	--	--	1.9E-09	1.4E-10	--	--	--
	Naphthalene	6.4E+00	ug/kg	--	--	3.2E-10	2.2E-11	--	--	--	2.0E-02	2.0E-02	8.9E-10	6.3E-11	4.E-08	3.E-09	0.00000005
	Phthalates																
	Bis(2-ethylhexyl) phthalate	5.2E+02	ug/kg	1.4E-02	1.4E-02	2.0E-08	1.8E-09	3.E-10	3.E-11	3.E-10	2.0E-02	2.0E-02	5.5E-08	5.1E-09	3.E-06	3.E-07	0.000003
	Polychlorinated Biphenyls																
	Total Aroclors	2.4E+01	ug/kg	2.0E+00	2.0E+00	1.3E-09	8.3E-11	3.E-09	2.E-10	3.E-09	2.0E-05	2.0E-05	3.6E-09	2.3E-10	2.E-04	1.E-05	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.8E-01	pg/g	1.3E+05	1.3E+05	2.0E-15	6.2E-16	3.E-10	8.E-11	3.E-10	1.0E-09	1.0E-09	5.6E-15	1.7E-15	6.E-06	2.E-06	0.00001
	Total PCB TEQ	2.9E-01	pg/g	1.3E+05	1.3E+05	1.6E-14	1.0E-15	2.E-09	1.E-10	2.E-09	1.0E-09	1.0E-09	4.4E-14	2.9E-15	4.E-05	3.E-06	0.00005
	Pesticides																
	Dieldrin	9.0E-02	ug/kg	1.6E+01	1.6E+01	3.4E-12	3.1E-13	5.E-11	5.E-12	6.E-11	5.0E-05	5.0E-05	9.6E-12	8.8E-13	2.E-07	2.E-08	0.0000002
	Total DDT	1.9E+00	ug/kg	3.4E-01	3.4E-01	2.2E-11	6.7E-12	7.E-12	2.E-12	1.E-11	5.0E-04	5.0E-04	6.2E-11	1.9E-11	1.E-07	4.E-08	0.0000002
Exposure Point Total										9.E-08							0.001
RM 12 West	**Metals**																
	Arsenic	3.9E+00	mg/kg	1.5E+00	1.5E+00	4.4E-08	1.3E-08	7.E-08	2.E-08	9.E-08	3.0E-04	3.0E-04	1.2E-07	3.8E-08	4.E-04	1.E-04	0.0005
	Mercury	7.4E-01	mg/kg	--	--	0.0E+00	2.6E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.2E-09	0.E+00	7.E-05	0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.1E+03	ug/kg	7.3E-01	7.3E-01	5.5E-08	3.9E-09	4.E-08	3.E-09	4.E-08	--	--	1.5E-07	1.1E-08	--	--	--
	Benzo(a)pyrene	1.8E+03	ug/kg	7.3E+00	7.3E+00	8.9E-08	6.3E-09	7.E-07	5.E-08	7.E-07	--	--	2.5E-07	1.8E-08	--	--	--
	Benzo(b)fluoranthene	1.4E+03	ug/kg	7.3E-01	7.3E-01	7.0E-08	5.0E-09	5.E-08	4.E-09	6.E-08	--	--	2.0E-07	1.4E-08	--	--	--
	Benzo(k)fluoranthene	5.9E+02	ug/kg	7.3E-02	7.3E-02	2.9E-08	2.1E-09	2.E-09	2.E-10	2.E-09	--	--	8.2E-08	5.8E-09	--	--	--
	Dibenzo(a,h)anthracene	2.1E+02	ug/kg	7.3E+00	7.3E+00	1.0E-08	7.3E-10	8.E-08	5.E-09	8.E-08	--	--	2.9E-08	2.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.5E+03	ug/kg	7.3E-01	7.3E-01	7.3E-08	5.1E-09	5.E-08	4.E-09	6.E-08	--	--	2.0E-07	1.4E-08	--	--	--
	Naphthalene	1.5E+02	ug/kg	--	--	7.3E-09	5.2E-10	--	--	--	2.0E-02	2.0E-02	2.0E-08	1.4E-09	1.E-06	7.E-08	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.9E+02	ug/kg	1.4E-02	1.4E-02	7.2E-09	6.6E-10	1.E-10	9.E-12	1.E-10	2.0E-02	2.0E-02	2.0E-08	1.9E-09	1.E-06	9.E-08	0.000001
	Phenols																
	Pentachlorophenol	2.0E+01	ug/kg	4.0E-01	4.0E-01	1.9E-09	7.0E-11	8.E-10	3.E-11	8.E-10	5.0E-03	5.0E-03	5.3E-09	2.0E-10	1.E-06	4.E-08	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.2E+02	ug/kg	2.0E+00	2.0E+00	6.4E-09	4.2E-10	1.E-08	8.E-10	1.E-08	2.0E-05	2.0E-05	1.8E-08	1.2E-09	9.E-04	6.E-05	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E-01	pg/g	1.3E+05	1.3E+05	1.9E-15	5.8E-16	2.E-10	8.E-11	3.E-10	1.0E-09	1.0E-09	5.3E-15	1.6E-15	5.E-06	2.E-06	0.00001
	Total PCB TEQ	4.5E-01	pg/g	1.3E+05	1.3E+05	2.4E-14	1.6E-15	3.E-09	2.E-10	3.E-09	1.0E-09	1.0E-09	6.8E-14	4.4E-15	7.E-05	4.E-06	0.0001
	Pesticides																
	Aldrin	7.0E-01	ug/kg	1.7E+01	1.7E+01	2.7E-11	2.4E-12	5.E-10	4.E-11	5.E-10	3.0E-05	3.0E-05	7.5E-11	6.8E-12	2.E-06	2.E-07	0.000003
	Total DDT	9.5E+00	ug/kg	3.4E-01	3.4E-01	1.1E-10	3.3E-11	4.E-11	1.E-11	5.E-11	5.0E-04	5.0E-04	3.0E-10	9.3E-11	6.E-07	2.E-07	0.000001
Exposure Point Total										**1.E-06**							**0.002**
RM 12 East	**Metals**																
	Arsenic	2.6E+00	mg/kg	1.5E+00	1.5E+00	3.0E-08	9.2E-09	5.E-08	1.E-08	6.E-08	3.0E-04	3.0E-04	8.4E-08	2.6E-08	3.E-04	9.E-05	0.0004
	Mercury	6.5E-02	mg/kg	--	--	0.0E+00	2.3E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.4E-10	0.E+00	6.E-06	0.00001
	Butyltins																
	Tributyltin ion	4.8E+00	ug/kg	--	--	1.8E-10	1.7E-11	--	--	--	3.0E-04	3.0E-04	5.1E-10	4.7E-11	2.E-06	2.E-07	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+01	ug/kg	7.3E-01	7.3E-01	8.9E-10	6.3E-11	7.E-10	5.E-11	7.E-10	--	--	2.5E-09	1.8E-10	--	--	--
	Benzo(a)pyrene	1.9E+01	ug/kg	7.3E+00	7.3E+00	9.4E-10	6.6E-11	7.E-09	5.E-10	7.E-09	--	--	2.6E-09	1.9E-10	--	--	--
	Benzo(b)fluoranthene	2.7E+01	ug/kg	7.3E-01	7.3E-01	1.3E-09	9.4E-11	1.E-09	7.E-11	1.E-09	--	--	3.7E-09	2.6E-10	--	--	--
	Benzo(k)fluoranthene	8.4E+00	ug/kg	7.3E-02	7.3E-02	4.2E-10	2.9E-11	3.E-11	2.E-12	3.E-11	--	--	1.2E-09	8.2E-11	--	--	--
	Dibenzo(a,h)anthracene	4.5E+00	ug/kg	7.3E+00	7.3E+00	2.2E-10	1.6E-11	2.E-09	1.E-10	2.E-09	--	--	6.2E-10	4.4E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.7E+01	ug/kg	7.3E-01	7.3E-01	8.4E-10	5.9E-11	6.E-10	4.E-11	7.E-10	--	--	2.4E-09	1.7E-10	--	--	--
	Naphthalene	4.2E+01	ug/kg	--	--	2.1E-09	1.5E-10	--	--	--	2.0E-02	2.0E-02	5.8E-09	4.1E-10	3.E-07	2.E-08	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+04	ug/kg	1.4E-02	1.4E-02	6.9E-07	6.3E-08	1.E-08	9.E-10	1.E-08	2.0E-02	2.0E-02	1.9E-06	1.8E-07	1.E-04	9.E-06	0.0001
	Phenols																
	Pentachlorophenol	3.2E+00	ug/kg	4.0E-01	4.0E-01	3.0E-10	1.1E-11	1.E-10	4.E-12	1.E-10	5.0E-03	5.0E-03	8.5E-10	3.1E-11	2.E-07	6.E-09	0.0000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+02	ug/kg	2.0E+00	2.0E+00	9.6E-09	6.3E-10	2.E-08	1.E-09	2.E-08	2.0E-05	2.0E-05	2.7E-08	1.8E-09	1.E-03	9.E-05	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	1.3E+05	1.3E+05	2.0E-14	6.1E-15	3.E-09	8.E-10	3.E-09	1.0E-09	1.0E-09	5.6E-14	1.7E-14	6.E-05	2.E-05	0.0001
	Total PCB TEQ	4.6E+00	pg/g	1.3E+05	1.3E+05	2.4E-13	1.6E-14	3.E-08	2.E-09	3.E-08	1.0E-09	1.0E-09	6.8E-13	4.5E-14	7.E-04	4.E-05	0.001
	Pesticides																
	Total DDT	9.4E+00	ug/kg	3.4E-01	3.4E-01	1.1E-10	3.3E-11	4.E-11	1.E-11	5.E-11	5.0E-04	5.0E-04	3.0E-10	9.2E-11	6.E-07	2.E-07	0.000001
Exposure Point Total										1.E-07							0.003
Study Area-wide[c]	**Metals**																
	Arsenic	5.0E+00	mg/kg	1.5E+00	1.5E+00	5.8E-08	1.8E-08	9.E-08	3.E-08	1.E-07	3.0E-04	3.0E-04	1.6E-07	4.9E-08	5.E-04	2.E-04	0.001
	Mercury	3.0E-01	mg/kg	--	--	0.0E+00	1.1E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.9E-09	0.E+00	3.E-05	0.00003
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	3.6E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.0E-06	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	2.4E+03	ug/kg	--	--	9.0E-08	8.3E-09	--	--	--	3.0E-04	3.0E-04	2.5E-07	2.3E-08	8.E-04	8.E-05	0.001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+03	ug/kg	7.3E-01	7.3E-01	1.5E-07	1.1E-08	1.E-07	8.E-09	1.E-07	--	--	4.3E-07	3.0E-08	--	--	--
	Benzo(a)pyrene	3.7E+03	ug/kg	7.3E+00	7.3E+00	1.9E-07	1.3E-08	1.E-06	1.E-07	1.E-06	--	--	5.2E-07	3.7E-08	--	--	--
	Benzo(b)fluoranthene	2.9E+03	ug/kg	7.3E-01	7.3E-01	1.4E-07	1.0E-08	1.E-07	7.E-09	1.E-07	--	--	4.1E-07	2.9E-08	--	--	--
	Benzo(k)fluoranthene	2.0E+03	ug/kg	7.3E-02	7.3E-02	9.9E-08	7.0E-09	7.E-09	5.E-10	8.E-09	--	--	2.8E-07	2.0E-08	--	--	--
	Dibenzo(a,h)anthracene	3.8E+02	ug/kg	7.3E+00	7.3E+00	1.9E-08	1.3E-09	1.E-07	1.E-08	1.E-07	--	--	5.3E-08	3.7E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.6E+03	ug/kg	7.3E-01	7.3E-01	1.3E-07	9.1E-09	9.E-08	7.E-09	1.E-07	--	--	3.6E-07	2.6E-08	--	--	--
	Naphthalene	1.5E+03	ug/kg	--	--	7.2E-08	5.1E-09	--	--	--	2.0E-02	2.0E-02	2.0E-07	1.4E-08	1.E-05	7.E-07	0.00001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.9E+03	ug/kg	1.4E-02	1.4E-02	1.1E-07	1.0E-08	2.E-09	1.E-10	2.E-09	2.0E-02	2.0E-02	3.1E-07	2.8E-08	2.E-05	1.E-06	0.00002
	Phenols																
	Pentachlorophenol	5.6E+01	ug/kg	4.0E-01	4.0E-01	5.3E-09	2.0E-10	2.E-09	8.E-11	2.E-09	5.0E-03	5.0E-03	1.5E-08	5.5E-10	3.E-06	1.E-07	0.000003
	Polychlorinated Biphenyls																
	Total Aroclors	3.6E+02	ug/kg	2.0E+00	2.0E+00	1.9E-08	1.3E-09	4.E-08	3.E-09	4.E-08	2.0E-05	2.0E-05	5.3E-08	3.5E-09	3.E-03	2.E-04	0.003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.6E+02	pg/g	1.3E+05	1.3E+05	7.5E-12	2.3E-12	1.E-06	3.E-07	1.E-06	1.0E-09	1.0E-09	2.1E-11	6.4E-12	2.E-02	6.E-03	0.03
	Total PCB TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	9.0E-13	5.9E-14	1.E-07	8.E-09	1.E-07	1.0E-09	1.0E-09	2.5E-12	1.6E-13	3.E-03	2.E-04	0.003
	Pesticides																
	Aldrin	5.8E+00	ug/kg	1.7E+01	1.7E+01	2.2E-10	2.0E-11	4.E-09	3.E-10	4.E-09	3.0E-05	3.0E-05	6.2E-10	5.7E-11	2.E-05	2.E-06	0.00002
	Dieldrin	2.8E+00	ug/kg	1.6E+01	1.6E+01	1.1E-10	9.8E-12	2.E-09	2.E-10	2.E-09	5.0E-05	5.0E-05	3.0E-10	2.7E-11	6.E-06	5.E-07	0.00001
	Total DDT	3.7E+02	ug/kg	3.4E-01	3.4E-01	4.3E-09	1.3E-09	1.E-09	4.E-10	2.E-09	5.0E-04	5.0E-04	1.2E-08	3.7E-09	2.E-05	7.E-06	0.00003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-29.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Cancer Risk Calculations[a]							Noncancer Hazard Calculations[a]						
		Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Conventionals																
	Perchlorate	2.7E+05	ug/kg	--	--	0.0E+00	9.6E-07	--	--	--	7.0E-04	7.0E-04	0.0E+00	2.7E-06	0.E+00	4.E-03	0.004
Exposure Point Total										4.E-06							0.1

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Cumulative risk sums calculated using PCB Aroclor data.

c Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
LADI = Lifetime Average Daily Intake.
mg/kg = Milligrams per kilogram.

PCB = Polychlorinated Biphenyls.
pg/g = Picograms per gram.
RfD = Reference dose.
RM = River mile.
TEQ = Toxic equivalents.
ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 1 West	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	1.6E-09	1.1E-09	2.E-09	2.E-09	4.E-09	3.0E-04	3.0E-04	1.3E-08	8.2E-09	4.E-05	3.E-05	0.0001
	Mercury	6.1E-02	mg/kg	--	--	0.0E+00	1.5E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.2E-10	0.E+00	1.E-06	0.000001
	Butyltins																
	Tributyltin ion	8.4E-01	ug/kg	--	--	1.1E-12	2.1E-13	--	--	--	3.0E-04	3.0E-04	8.4E-12	1.6E-12	3.E-08	5.E-09	0.00000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.0E+01	ug/kg	7.3E-01	7.3E-01	8.3E-11	1.3E-11	6.E-11	9.E-12	7.E-11	--	--	6.5E-10	9.8E-11	--	--	--
	Benzo(a)pyrene	7.4E+01	ug/kg	7.3E+00	7.3E+00	1.2E-10	1.9E-11	9.E-10	1.E-10	1.E-09	--	--	9.6E-10	1.5E-10	--	--	--
	Benzo(b)fluoranthene	7.4E+01	ug/kg	7.3E-01	7.3E-01	1.2E-10	1.9E-11	9.E-11	1.E-11	1.E-10	--	--	9.5E-10	1.4E-10	--	--	--
	Benzo(k)fluoranthene	3.0E+01	ug/kg	7.3E-02	7.3E-02	5.0E-11	7.6E-12	4.E-12	6.E-13	4.E-12	--	--	3.9E-10	5.9E-11	--	--	--
	Dibenzo(a,h)anthracene	9.4E+00	ug/kg	7.3E+00	7.3E+00	1.6E-11	2.4E-12	1.E-10	2.E-11	1.E-10	--	--	1.2E-10	1.8E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	5.8E+01	ug/kg	7.3E-01	7.3E-01	9.6E-11	1.5E-11	7.E-11	1.E-11	8.E-11	--	--	7.5E-10	1.1E-10	--	--	--
	Naphthalene	1.3E+01	ug/kg	--	--	2.2E-11	3.3E-12	--	--	--	2.0E-02	2.0E-02	1.7E-10	2.6E-11	9.E-09	1.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.9E+01	ug/kg	1.4E-02	1.4E-02	2.4E-11	4.7E-12	3.E-13	7.E-14	4.E-13	2.0E-02	2.0E-02	1.8E-10	3.6E-11	9.E-09	2.E-09	0.00000001
	Phenols																
	Pentachlorophenol	7.2E-01	ug/kg	4.0E-01	4.0E-01	2.3E-12	1.8E-13	9.E-13	7.E-14	1.E-12	5.0E-03	5.0E-03	1.8E-11	1.4E-12	4.E-09	3.E-10	0.000000004
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+01	ug/kg	2.0E+00	2.0E+00	2.0E-11	2.9E-12	4.E-11	6.E-12	5.E-11	2.0E-05	2.0E-05	1.6E-10	2.2E-11	8.E-06	1.E-06	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	7.6E-01	pg/g	1.3E+05	1.3E+05	2.9E-16	1.9E-16	4.E-11	2.E-11	6.E-11	1.0E-09	1.0E-09	2.3E-15	1.5E-15	2.E-06	1.E-06	0.000004
	Total PCB TEQ	3.2E-01	pg/g	1.3E+05	1.3E+05	5.7E-16	8.0E-17	7.E-11	1.E-11	8.E-11	1.0E-09	1.0E-09	4.4E-15	6.2E-16	4.E-06	6.E-07	0.00001
	Pesticides																
	Aldrin	1.7E-01	ug/kg	1.7E+01	1.7E+01	2.2E-13	4.3E-14	4.E-12	7.E-13	4.E-12	3.0E-05	3.0E-05	1.7E-12	3.3E-13	6.E-08	1.E-08	0.0000001
	Total DDT	2.5E+00	ug/kg	3.4E-01	3.4E-01	9.5E-13	6.3E-13	3.E-13	2.E-13	5.E-13	5.0E-04	5.0E-04	7.4E-12	4.9E-12	1.E-08	1.E-08	0.00000002
Exposure Point Total[b]										6.E-09							0.0001
RM 1 East	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	1.6E-09	1.0E-09	2.E-09	2.E-09	4.E-09	3.0E-04	3.0E-04	1.2E-08	8.0E-09	4.E-05	3.E-05	0.0001
	Mercury	1.4E+00	mg/kg	--	--	0.0E+00	3.6E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.8E-09	0.E+00	3.E-05	0.00003
	Butyltins																
	Tributyltin ion	1.1E+00	ug/kg	--	--	1.4E-12	2.8E-13	--	--	--	3.0E-04	3.0E-04	1.1E-11	2.2E-12	4.E-08	7.E-09	0.00000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+01	ug/kg	7.3E-01	7.3E-01	5.2E-11	7.9E-12	4.E-11	6.E-12	4.E-11	--	--	4.1E-10	6.2E-11	--	--	--
	Benzo(a)pyrene	4.6E+01	ug/kg	7.3E+00	7.3E+00	7.7E-11	1.2E-11	6.E-10	9.E-11	6.E-10	--	--	6.0E-10	9.1E-11	--	--	--
	Benzo(b)fluoranthene	4.2E+01	ug/kg	7.3E-01	7.3E-01	7.0E-11	1.1E-11	5.E-11	8.E-12	6.E-11	--	--	5.4E-10	8.2E-11	--	--	--
	Benzo(k)fluoranthene	2.7E+01	ug/kg	7.3E-02	7.3E-02	4.4E-11	6.7E-12	3.E-12	5.E-13	4.E-12	--	--	3.4E-10	5.2E-11	--	--	--
	Dibenzo(a,h)anthracene	5.5E+00	ug/kg	7.3E+00	7.3E+00	9.1E-12	1.4E-12	7.E-11	1.E-11	8.E-11	--	--	7.1E-11	1.1E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	3.3E+01	ug/kg	7.3E-01	7.3E-01	5.5E-11	8.3E-12	4.E-11	6.E-12	5.E-11	--	--	4.3E-10	6.4E-11	--	--	--
	Naphthalene	8.3E+00	ug/kg	--	--	1.4E-11	2.1E-12	--	--	--	2.0E-02	2.0E-02	1.1E-10	1.6E-11	5.E-09	8.E-10	0.00000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure

Central Tendency Exposure

Scenario Timeframe: Current/Future

Receptor Population: Diver in Wet Suit

Population Age: Adult

Medium: Sediment

Exposure Medium: In-water Sediment

Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.0E+01	ug/kg	1.4E-02	1.4E-02	5.1E-11	1.0E-11	7.E-13	1.E-13	9.E-13	2.0E-02	2.0E-02	4.0E-10	7.8E-11	2.E-08	4.E-09	0.00000002
	Phenols																
	Pentachlorophenol	7.6E-01	ug/kg	4.0E-01	4.0E-01	2.4E-12	1.9E-13	1.E-12	8.E-14	1.E-12	5.0E-03	5.0E-03	1.9E-11	1.5E-12	4.E-09	3.E-10	0.000000004
	Polychlorinated Biphenyls																
	Total Aroclors	1.0E+02	ug/kg	2.0E+00	2.0E+00	1.8E-10	2.6E-11	4.E-10	5.E-11	4.E-10	2.0E-05	2.0E-05	1.4E-09	2.0E-10	7.E-05	1.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.7E-01	pg/g	1.3E+05	1.3E+05	1.8E-16	1.2E-16	2.E-11	2.E-11	4.E-11	1.0E-09	1.0E-09	1.4E-15	9.2E-16	1.E-06	9.E-07	0.000002
	Total PCB TEQ	2.7E-01	pg/g	1.3E+05	1.3E+05	4.8E-16	6.7E-17	6.E-11	9.E-12	7.E-11	1.0E-09	1.0E-09	3.7E-15	5.2E-16	4.E-06	5.E-07	0.00004
	Pesticides																
	Total DDT	1.8E+00	ug/kg	3.4E-01	3.4E-01	6.9E-13	4.5E-13	2.E-13	2.E-13	4.E-13	5.0E-04	5.0E-04	5.3E-12	3.5E-12	1.E-08	7.E-09	0.00000002
Exposure Point Total										5.E-09							0.0002
RM 1.5 West	**Metals**																
	Arsenic	3.6E+00	mg/kg	1.5E+00	1.5E+00	1.4E-09	9.1E-10	2.E-09	1.E-09	3.E-09	3.0E-04	3.0E-04	1.1E-08	7.1E-09	4.E-05	2.E-05	0.0001
	Mercury	5.1E-02	mg/kg	--	--	0.0E+00	1.3E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.9E-11	0.E+00	1.E-06	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.9E+01	ug/kg	7.3E-01	7.3E-01	3.1E-11	4.7E-12	2.E-11	3.E-12	3.E-11	--	--	2.4E-10	3.6E-11	--	--	--
	Benzo(a)pyrene	2.7E+01	ug/kg	7.3E+00	7.3E+00	4.5E-11	6.8E-12	3.E-10	5.E-11	4.E-10	--	--	3.5E-10	5.3E-11	--	--	--
	Benzo(b)fluoranthene	2.3E+01	ug/kg	7.3E-01	7.3E-01	3.8E-11	5.8E-12	3.E-11	4.E-12	3.E-11	--	--	3.0E-10	4.5E-11	--	--	--
	Benzo(k)fluoranthene	1.9E+01	ug/kg	7.3E-02	7.3E-02	3.2E-11	4.8E-12	2.E-12	4.E-13	3.E-12	--	--	2.5E-10	3.7E-11	--	--	--
	Dibenzo(a,h)anthracene	3.3E+00	ug/kg	7.3E+00	7.3E+00	5.4E-12	8.2E-13	4.E-11	6.E-12	5.E-11	--	--	4.2E-11	6.4E-12	--	--	--
	Indeno(1,2,3-cd)pyrene	2.1E+01	ug/kg	7.3E-01	7.3E-01	3.5E-11	5.3E-12	3.E-11	4.E-12	3.E-11	--	--	2.7E-10	4.1E-11	--	--	--
	Naphthalene	5.3E+00	ug/kg	--	--	8.9E-12	1.3E-12	--	--	--	2.0E-02	2.0E-02	6.9E-11	1.0E-11	3.E-09	5.E-10	0.000000004
	Phenols																
	Pentachlorophenol	8.1E-01	ug/kg	4.0E-01	4.0E-01	2.6E-12	2.0E-13	1.E-12	8.E-14	1.E-12	5.0E-03	5.0E-03	2.0E-11	1.6E-12	4.E-09	3.E-10	0.000000004
	Polychlorinated Biphenyls																
	Total Aroclors	1.2E+01	ug/kg	2.0E+00	2.0E+00	2.1E-11	2.9E-12	4.E-11	6.E-12	5.E-11	2.0E-05	2.0E-05	1.6E-10	2.3E-11	8.E-06	1.E-06	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.5E-02	pg/g	1.3E+05	1.3E+05	3.3E-17	2.1E-17	4.E-12	3.E-12	7.E-12	1.0E-09	1.0E-09	2.5E-16	1.7E-16	3.E-07	2.E-07	0.0000004
	Pesticides																
	Total DDT	7.9E-01	ug/kg	3.4E-01	3.4E-01	3.0E-13	2.0E-13	1.E-13	7.E-14	2.E-13	5.0E-04	5.0E-04	2.4E-12	1.6E-12	5.E-09	3.E-09	0.00000001
Exposure Point Total										4.E-09							0.0001
RM 1.5 East	**Metals**																
	Arsenic	4.4E+00	mg/kg	1.5E+00	1.5E+00	1.7E-09	1.1E-09	3.E-09	2.E-09	4.E-09	3.0E-04	3.0E-04	1.3E-08	8.5E-09	4.E-05	3.E-05	0.00007
	Mercury	6.4E-02	mg/kg	--	--	0.0E+00	1.6E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-10	0.E+00	1.E-06	0.000001
	Butyltins																
	Tributyltin ion	3.7E-01	ug/kg	--	--	4.7E-13	9.3E-14	--	--	--	3.0E-04	3.0E-04	3.7E-12	7.2E-13	1.E-08	2.E-09	0.00000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.5E+02	ug/kg	7.3E-01	7.3E-01	4.1E-10	6.3E-11	3.E-10	5.E-11	3.E-10	--	--	3.2E-09	4.9E-10	--	--	--
	Benzo(a)pyrene	3.7E+02	ug/kg	7.3E+00	7.3E+00	6.1E-10	9.2E-11	4.E-09	7.E-10	5.E-09	--	--	4.7E-09	7.2E-10	--	--	--
	Benzo(b)fluoranthene	2.2E+02	ug/kg	7.3E-01	7.3E-01	3.7E-10	5.5E-11	3.E-10	4.E-11	3.E-10	--	--	2.8E-09	4.3E-10	--	--	--
	Benzo(k)fluoranthene	2.2E+02	ug/kg	7.3E-02	7.3E-02	3.6E-10	5.4E-11	3.E-11	4.E-12	3.E-11	--	--	2.8E-09	4.2E-10	--	--	--
	Dibenzo(a,h)anthracene	3.7E+01	ug/kg	7.3E+00	7.3E+00	6.1E-11	9.3E-12	4.E-10	7.E-11	5.E-10	--	--	4.8E-10	7.2E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	2.6E+02	ug/kg	7.3E-01	7.3E-01	4.4E-10	6.6E-11	3.E-10	5.E-11	4.E-10	--	--	3.4E-09	5.1E-10	--	--	--
	Naphthalene	9.8E+01	ug/kg	--	--	1.6E-10	2.5E-11	--	--	--	2.0E-02	2.0E-02	1.3E-09	1.9E-10	6.E-08	1.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.1E+01	ug/kg	1.4E-02	1.4E-02	9.1E-11	1.8E-11	1.E-12	3.E-13	2.E-12	2.0E-02	2.0E-02	7.1E-10	1.4E-10	4.E-08	7.E-09	0.00000004
	Phenols																
	Pentachlorophenol	1.6E+00	ug/kg	4.0E-01	4.0E-01	5.2E-12	4.1E-13	2.E-12	2.E-13	2.E-12	5.0E-03	5.0E-03	4.1E-11	3.2E-12	8.E-09	6.E-10	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.2E+01	ug/kg	2.0E+00	2.0E+00	3.9E-11	5.4E-12	8.E-11	1.E-11	9.E-11	2.0E-05	2.0E-05	3.0E-10	4.2E-11	2.E-05	2.E-06	0.00002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.7E-01	pg/g	1.3E+05	1.3E+05	2.2E-16	1.4E-16	3.E-11	2.E-11	5.E-11	1.0E-09	1.0E-09	1.7E-15	1.1E-15	2.E-06	1.E-06	0.000003
	Total PCB TEQ	1.1E-01	pg/g	1.3E+05	1.3E+05	1.9E-16	2.7E-17	2.E-11	3.E-12	3.E-11	1.0E-09	1.0E-09	1.5E-15	2.1E-16	1.E-06	2.E-07	0.000002
	Pesticides																
	Dieldrin	6.9E-02	ug/kg	1.6E+01	1.6E+01	8.8E-14	1.7E-14	1.E-12	3.E-13	2.E-12	5.0E-05	5.0E-05	6.9E-13	1.4E-13	1.E-08	3.E-09	0.00000002
	Total DDT	6.8E+00	ug/kg	3.4E-01	3.4E-01	2.6E-12	1.7E-12	9.E-13	6.E-13	1.E-12	5.0E-04	5.0E-04	2.0E-11	1.3E-11	4.E-08	3.E-08	0.0000001
Exposure Point Total										1.E-08							0.0001
RM 2 West	**Metals**																
	Arsenic	3.4E+00	mg/kg	1.5E+00	1.5E+00	1.3E-09	8.6E-10	2.E-09	1.E-09	3.E-09	3.0E-04	3.0E-04	1.0E-08	6.7E-09	3.E-05	2.E-05	0.0001
	Mercury	6.2E-02	mg/kg	--	--	0.0E+00	1.6E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.2E-10	0.E+00	1.E-06	0.000001
	Butyltins																
	Tributyltin ion	2.1E+00	ug/kg	--	--	2.7E-12	5.3E-13	--	--	--	3.0E-04	3.0E-04	2.1E-11	4.1E-12	7.E-08	1.E-08	0.0000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+01	ug/kg	7.3E-01	7.3E-01	5.1E-11	7.7E-12	4.E-11	6.E-12	4.E-11	--	--	4.0E-10	6.0E-11	--	--	--
	Benzo(a)pyrene	5.5E+01	ug/kg	7.3E+00	7.3E+00	9.2E-11	1.4E-11	7.E-10	1.E-10	8.E-10	--	--	7.1E-10	1.1E-10	--	--	--
	Benzo(b)fluoranthene	5.6E+01	ug/kg	7.3E-01	7.3E-01	9.3E-11	1.4E-11	7.E-11	1.E-11	8.E-11	--	--	7.2E-10	1.1E-10	--	--	--
	Benzo(k)fluoranthene	1.8E+01	ug/kg	7.3E-02	7.3E-02	3.0E-11	4.5E-12	2.E-12	3.E-13	2.E-12	--	--	2.3E-10	3.5E-11	--	--	--
	Dibenzo(a,h)anthracene	6.1E+00	ug/kg	7.3E+00	7.3E+00	1.0E-11	1.5E-12	7.E-11	1.E-11	8.E-11	--	--	7.8E-11	1.2E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	4.6E+01	ug/kg	7.3E-01	7.3E-01	7.6E-11	1.2E-11	6.E-11	8.E-12	6.E-11	--	--	5.9E-10	9.0E-11	--	--	--
	Naphthalene	7.2E+00	ug/kg	--	--	1.2E-11	1.8E-12	--	--	--	2.0E-02	2.0E-02	9.3E-11	1.4E-11	5.E-09	7.E-10	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.3E+01	ug/kg	1.4E-02	1.4E-02	4.2E-11	8.3E-12	6.E-13	1.E-13	7.E-13	2.0E-02	2.0E-02	3.3E-10	6.5E-11	2.E-08	3.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.3E+01	ug/kg	2.0E+00	2.0E+00	2.3E-11	3.3E-12	5.E-11	7.E-12	5.E-11	2.0E-05	2.0E-05	1.8E-10	2.5E-11	9.E-06	1.E-06	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.2E-01	pg/g	1.3E+05	1.3E+05	3.1E-16	2.1E-16	4.E-11	3.E-11	7.E-11	1.0E-09	1.0E-09	2.4E-15	1.6E-15	2.E-06	2.E-06	0.000004
	Total PCB TEQ	2.5E-01	pg/g	1.3E+05	1.3E+05	4.5E-16	6.3E-17	6.E-11	8.E-12	7.E-11	1.0E-09	1.0E-09	3.5E-15	4.9E-16	3.E-06	5.E-07	0.000004
	Pesticides																
	Aldrin	9.1E-02	ug/kg	1.7E+01	1.7E+01	1.2E-13	2.3E-14	2.E-12	4.E-13	2.E-12	3.0E-05	3.0E-05	9.0E-13	1.8E-13	3.E-08	6.E-09	0.00000004
	Dieldrin	1.1E-01	ug/kg	1.6E+01	1.6E+01	1.5E-13	2.9E-14	2.E-12	5.E-13	3.E-12	5.0E-05	5.0E-05	1.1E-12	2.2E-13	2.E-08	4.E-09	0.00000003
	Total DDT	1.4E+00	ug/kg	3.4E-01	3.4E-01	5.3E-13	3.5E-13	2.E-13	1.E-13	3.E-13	5.0E-04	5.0E-04	4.1E-12	2.7E-12	8.E-09	5.E-09	0.00000001
Exposure Point Total										5.E-09							0.0001
RM 2 East	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	1.6E-09	1.0E-09	2.E-09	2.E-09	4.E-09	3.0E-04	3.0E-04	1.2E-08	8.0E-09	4.E-05	3.E-05	0.0001
	Mercury	8.2E-02	mg/kg	--	--	0.0E+00	2.1E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.6E-10	0.E+00	2.E-06	0.000002
	Butyltins																
	Tributyltin ion	2.7E+00	ug/kg	--	--	3.4E-12	6.7E-13	--	--	--	3.0E-04	3.0E-04	2.6E-11	5.2E-12	9.E-08	2.E-08	0.0000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.8E+01	ug/kg	7.3E-01	7.3E-01	9.6E-11	1.5E-11	7.E-11	1.E-11	8.E-11	--	--	7.5E-10	1.1E-10	--	--	--
	Benzo(a)pyrene	8.6E+01	ug/kg	7.3E+00	7.3E+00	1.4E-10	2.2E-11	1.E-09	2.E-10	1.E-09	--	--	1.1E-09	1.7E-10	--	--	--
	Benzo(b)fluoranthene	9.4E+01	ug/kg	7.3E-01	7.3E-01	1.6E-10	2.4E-11	1.E-10	2.E-11	1.E-10	--	--	1.2E-09	1.8E-10	--	--	--
	Benzo(k)fluoranthene	4.1E+01	ug/kg	7.3E-02	7.3E-02	6.9E-11	1.0E-11	5.E-12	8.E-13	6.E-12	--	--	5.3E-10	8.1E-11	--	--	--
	Dibenzo(a,h)anthracene	1.3E+01	ug/kg	7.3E+00	7.3E+00	2.1E-11	3.2E-12	2.E-10	2.E-11	2.E-10	--	--	1.7E-10	2.5E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	7.5E+01	ug/kg	7.3E-01	7.3E-01	1.3E-10	1.9E-11	9.E-11	1.E-11	1.E-10	--	--	9.7E-10	1.5E-10	--	--	--
	Naphthalene	1.4E+01	ug/kg	--	--	2.4E-11	3.6E-12	--	--	--	2.0E-02	2.0E-02	1.9E-10	2.8E-11	9.E-09	1.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.9E+01	ug/kg	1.4E-02	1.4E-02	1.3E-10	2.5E-11	2.E-12	3.E-13	2.E-12	2.0E-02	2.0E-02	9.8E-10	1.9E-10	5.E-08	1.E-08	0.00000001
	Phenols																
	Pentachlorophenol	5.3E-01	ug/kg	4.0E-01	4.0E-01	1.7E-12	1.3E-13	7.E-13	5.E-14	7.E-13	5.0E-03	5.0E-03	1.3E-11	1.0E-12	3.E-09	2.E-10	0.000000003
	Polychlorinated Biphenyls																
	Total Aroclors	4.3E+02	ug/kg	2.0E+00	2.0E+00	7.7E-10	1.1E-10	2.E-09	2.E-10	2.E-09	2.0E-05	2.0E-05	6.0E-09	8.5E-10	3.E-04	4.E-05	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.2E+00	pg/g	1.3E+05	1.3E+05	4.7E-16	3.1E-16	6.E-11	4.E-11	1.E-10	1.0E-09	1.0E-09	3.7E-15	2.4E-15	4.E-06	2.E-06	0.00001
	Total PCB TEQ	1.3E+01	pg/g	1.3E+05	1.3E+05	2.4E-14	3.4E-15	3.E-09	4.E-10	4.E-09	1.0E-09	1.0E-09	1.9E-13	2.6E-14	2.E-04	3.E-05	0.0002
	Pesticides																
	Aldrin	4.7E-01	ug/kg	1.7E+01	1.7E+01	6.0E-13	1.2E-13	1.E-11	2.E-12	1.E-11	3.0E-05	3.0E-05	4.6E-12	9.1E-13	2.E-07	3.E-08	0.0000002
	Dieldrin	6.0E-01	ug/kg	1.6E+01	1.6E+01	7.6E-13	1.5E-13	1.E-11	2.E-12	1.E-11	5.0E-05	5.0E-05	5.9E-12	1.2E-12	1.E-07	2.E-08	0.0000001
	Total DDT	2.6E+00	ug/kg	3.4E-01	3.4E-01	9.9E-13	6.5E-13	3.E-13	2.E-13	6.E-13	5.0E-04	5.0E-04	7.7E-12	5.1E-12	2.E-08	1.E-08	0.00000003
Exposure Point Total										1.E-08							0.0006
RM 2.5 West	**Metals**																
	Arsenic	4.0E+00	mg/kg	1.5E+00	1.5E+00	1.5E-09	1.0E-09	2.E-09	2.E-09	4.E-09	3.0E-04	3.0E-04	1.2E-08	7.9E-09	4.E-05	3.E-05	0.0001
	Mercury	5.5E-02	mg/kg	--	--	0.0E+00	1.4E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-10	0.E+00	1.E-06	0.000001
	Butyltins																
	Tributyltin ion	2.3E+00	ug/kg	--	--	2.9E-12	5.8E-13	--	--	--	3.0E-04	3.0E-04	2.3E-11	4.5E-12	8.E-08	2.E-08	0.0000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.1E+02	ug/kg	7.3E-01	7.3E-01	3.4E-10	5.2E-11	2.E-10	4.E-11	3.E-10	--	--	2.7E-09	4.0E-10	--	--	--
	Benzo(a)pyrene	3.7E+02	ug/kg	7.3E+00	7.3E+00	6.1E-10	9.3E-11	4.E-09	7.E-10	5.E-09	--	--	4.8E-09	7.2E-10	--	--	--
	Benzo(b)fluoranthene	2.8E+02	ug/kg	7.3E-01	7.3E-01	4.6E-10	6.9E-11	3.E-10	5.E-11	4.E-10	--	--	3.6E-09	5.4E-10	--	--	--
	Benzo(k)fluoranthene	1.2E+02	ug/kg	7.3E-02	7.3E-02	2.1E-10	3.1E-11	2.E-11	2.E-12	2.E-11	--	--	1.6E-09	2.4E-10	--	--	--
	Dibenzo(a,h)anthracene	4.1E+01	ug/kg	7.3E+00	7.3E+00	6.8E-11	1.0E-11	5.E-10	8.E-11	6.E-10	--	--	5.3E-10	8.0E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	3.1E+02	ug/kg	7.3E-01	7.3E-01	5.1E-10	7.8E-11	4.E-10	6.E-11	4.E-10	--	--	4.0E-09	6.1E-10	--	--	--
	Naphthalene	4.1E+01	ug/kg	--	--	6.8E-11	1.0E-11	--	--	--	2.0E-02	2.0E-02	5.3E-10	7.9E-11	3.E-08	4.E-09	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.5E+01	ug/kg	1.4E-02	1.4E-02	2.0E-11	3.9E-12	3.E-13	5.E-14	3.E-13	2.0E-02	2.0E-02	1.5E-10	3.0E-11	8.E-09	2.E-09	0.00000001
	Phenols																
	Pentachlorophenol	4.5E-01	ug/kg	4.0E-01	4.0E-01	1.4E-12	1.1E-13	6.E-13	4.E-14	6.E-13	5.0E-03	5.0E-03	1.1E-11	8.7E-13	2.E-09	2.E-10	0.000000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+01	ug/kg	2.0E+00	2.0E+00	1.9E-11	2.7E-12	4.E-11	5.E-12	4.E-11	2.0E-05	2.0E-05	1.5E-10	2.1E-11	7.E-06	1.E-06	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.7E-01	pg/g	1.3E+05	1.3E+05	1.0E-16	6.7E-17	1.E-11	9.E-12	2.E-11	1.0E-09	1.0E-09	8.0E-16	5.2E-16	8.E-07	5.E-07	0.000001
	Total PCB TEQ	2.1E-01	pg/g	1.3E+05	1.3E+05	3.7E-16	5.2E-17	5.E-11	7.E-12	5.E-11	1.0E-09	1.0E-09	2.9E-15	4.0E-16	3.E-06	4.E-07	0.000003
	Pesticides																
	Aldrin	9.3E-02	ug/kg	1.7E+01	1.7E+01	1.2E-13	2.3E-14	2.E-12	4.E-13	2.E-12	3.0E-05	3.0E-05	9.3E-13	1.8E-13	3.E-08	6.E-09	0.00000004
	Dieldrin	1.4E-01	ug/kg	1.6E+01	1.6E+01	1.7E-13	3.4E-14	3.E-12	6.E-13	3.E-12	5.0E-05	5.0E-05	1.4E-12	2.7E-13	3.E-08	5.E-09	0.00000003
	Total DDT	1.4E+00	ug/kg	3.4E-01	3.4E-01	5.6E-13	3.6E-13	2.E-13	1.E-13	3.E-13	5.0E-04	5.0E-04	4.3E-12	2.8E-12	9.E-09	6.E-09	0.00000001
Exposure Point Total										**1.E-08**							**0.0001**
RM 2.5 East	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	1.6E-09	1.1E-09	2.E-09	2.E-09	4.E-09	3.0E-04	3.0E-04	1.3E-08	8.3E-09	4.E-05	3.E-05	0.0001
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	1.7E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-10	0.E+00	1.E-06	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.8E+02	ug/kg	7.3E-01	7.3E-01	9.7E-10	1.5E-10	7.E-10	1.E-10	8.E-10	--	--	7.5E-09	1.1E-09	--	--	--
	Benzo(a)pyrene	4.8E+02	ug/kg	7.3E+00	7.3E+00	8.0E-10	1.2E-10	6.E-09	9.E-10	7.E-09	--	--	6.2E-09	9.4E-10	--	--	--
	Benzo(b)fluoranthene	4.4E+02	ug/kg	7.3E-01	7.3E-01	7.3E-10	1.1E-10	5.E-10	8.E-11	6.E-10	--	--	5.7E-09	8.6E-10	--	--	--
	Benzo(k)fluoranthene	1.4E+02	ug/kg	7.3E-02	7.3E-02	2.3E-10	3.5E-11	2.E-11	3.E-12	2.E-11	--	--	1.8E-09	2.7E-10	--	--	--
	Dibenzo(a,h)anthracene	4.9E+01	ug/kg	7.3E+00	7.3E+00	8.1E-11	1.2E-11	6.E-10	9.E-11	7.E-10	--	--	6.3E-10	9.6E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	2.8E+02	ug/kg	7.3E-01	7.3E-01	4.7E-10	7.2E-11	3.E-10	5.E-11	4.E-10	--	--	3.7E-09	5.6E-10	--	--	--
	Naphthalene	5.1E+01	ug/kg	--	--	8.5E-11	1.3E-11	--	--	--	2.0E-02	2.0E-02	6.6E-10	9.9E-11	3.E-08	5.E-09	0.00000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.8E+01	ug/kg	1.4E-02	1.4E-02	1.0E-10	2.0E-11	1.E-12	3.E-13	2.E-12	2.0E-02	2.0E-02	7.8E-10	1.5E-10	4.E-08	8.E-09	0.00000005
	Phenols																
	Pentachlorophenol	4.3E+00	ug/kg	4.0E-01	4.0E-01	1.4E-11	1.1E-12	5.E-12	4.E-13	6.E-12	5.0E-03	5.0E-03	1.1E-10	8.3E-12	2.E-08	2.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	5.6E+01	ug/kg	2.0E+00	2.0E+00	1.0E-10	1.4E-11	2.E-10	3.E-11	2.E-10	2.0E-05	2.0E-05	7.8E-10	1.1E-10	4.E-05	5.E-06	0.00004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.6E-01	pg/g	1.3E+05	1.3E+05	2.5E-16	1.7E-16	3.E-11	2.E-11	5.E-11	1.0E-09	1.0E-09	2.0E-15	1.3E-15	2.E-06	1.E-06	0.000003
	Total PCB TEQ	1.3E+00	pg/g	1.3E+05	1.3E+05	2.4E-15	3.4E-16	3.E-10	4.E-11	4.E-10	1.0E-09	1.0E-09	1.9E-14	2.6E-15	2.E-05	3.E-06	0.00002
	Pesticides																
	Aldrin	5.1E-01	ug/kg	1.7E+01	1.7E+01	6.5E-13	1.3E-13	1.E-11	2.E-12	1.E-11	3.0E-05	3.0E-05	5.0E-12	9.9E-13	2.E-07	3.E-08	0.0000002
	Dieldrin	1.7E-01	ug/kg	1.6E+01	1.6E+01	2.1E-13	4.2E-14	3.E-12	7.E-13	4.E-12	5.0E-05	5.0E-05	1.6E-12	3.2E-13	3.E-08	6.E-09	0.00000004
	Total DDT	2.4E+00	ug/kg	3.4E-01	3.4E-01	9.1E-13	6.0E-13	3.E-13	2.E-13	5.E-13	5.0E-04	5.0E-04	7.1E-12	4.7E-12	1.E-08	9.E-09	0.00000002
Exposure Point Total										**1.E-08**							**0.0001**
RM 2.5 MC	**Metals**																
	Arsenic	4.3E+00	mg/kg	1.5E+00	1.5E+00	1.6E-09	1.1E-09	2.E-09	2.E-09	4.E-09	3.0E-04	3.0E-04	1.3E-08	8.3E-09	4.E-05	3.E-05	0.0001
	Mercury	7.9E-02	mg/kg	--	--	0.0E+00	2.0E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.5E-10	0.E+00	2.E-06	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.1E+02	ug/kg	7.3E-01	7.3E-01	3.5E-10	5.3E-11	3.E-10	4.E-11	3.E-10	--	--	2.7E-09	4.2E-10	--	--	--
	Benzo(a)pyrene	3.4E+02	ug/kg	7.3E+00	7.3E+00	5.7E-10	8.6E-11	4.E-09	6.E-10	5.E-09	--	--	4.4E-09	6.7E-10	--	--	--
	Benzo(b)fluoranthene	3.1E+02	ug/kg	7.3E-01	7.3E-01	5.2E-10	7.9E-11	4.E-10	6.E-11	4.E-10	--	--	4.0E-09	6.1E-10	--	--	--
	Benzo(k)fluoranthene	1.0E+02	ug/kg	7.3E-02	7.3E-02	1.7E-10	2.5E-11	1.E-11	2.E-12	1.E-11	--	--	1.3E-09	2.0E-10	--	--	--
	Dibenzo(a,h)anthracene	3.4E+01	ug/kg	7.3E+00	7.3E+00	5.6E-11	8.4E-12	4.E-10	6.E-11	5.E-10	--	--	4.3E-10	6.6E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	2.6E+02	ug/kg	7.3E-01	7.3E-01	4.3E-10	6.6E-11	3.E-10	5.E-11	4.E-10	--	--	3.4E-09	5.1E-10	--	--	--
	Naphthalene	5.9E+01	ug/kg	--	--	9.8E-11	1.5E-11	--	--	--	2.0E-02	2.0E-02	7.6E-10	1.1E-10	4.E-08	6.E-09	0.00000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	5.8E+01	ug/kg	1.4E-02	1.4E-02	7.4E-11	1.5E-11	1.E-12	2.E-13	1.E-12	2.0E-02	2.0E-02	5.7E-10	1.1E-10	3.E-08	6.E-09	0.00000003
	Phenols																
	Pentachlorophenol	5.5E-01	ug/kg	4.0E-01	4.0E-01	1.8E-12	1.4E-13	7.E-13	6.E-14	8.E-13	5.0E-03	5.0E-03	1.4E-11	1.1E-12	3.E-09	2.E-10	0.000000003
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+01	ug/kg	2.0E+00	2.0E+00	4.5E-11	6.4E-12	9.E-11	1.E-11	1.E-10	2.0E-05	2.0E-05	3.5E-10	5.0E-11	2.E-05	2.E-06	0.00002
	Pesticides																
	Aldrin	2.0E-01	ug/kg	1.7E+01	1.7E+01	2.6E-13	5.1E-14	4.E-12	9.E-13	5.E-12	3.0E-05	3.0E-05	2.0E-12	4.0E-13	7.E-08	1.E-08	0.0000001
	Dieldrin	3.1E-01	ug/kg	1.6E+01	1.6E+01	3.9E-13	7.7E-14	6.E-12	1.E-12	8.E-12	5.0E-05	5.0E-05	3.1E-12	6.0E-13	6.E-08	1.E-08	0.0000001
	Total DDT	3.7E+00	ug/kg	3.4E-01	3.4E-01	1.4E-12	9.4E-13	5.E-13	3.E-13	8.E-13	5.0E-04	5.0E-04	1.1E-11	7.3E-12	2.E-08	1.E-08	0.00000004
Exposure Point Total										**1.E-08**							**0.0001**
RM 3 West	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	1.4E-09	9.2E-10	2.E-09	1.E-09	3.E-09	3.0E-04	3.0E-04	1.1E-08	7.2E-09	4.E-05	2.E-05	0.0001
	Mercury	8.0E-02	mg/kg	--	--	0.0E+00	2.0E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.6E-10	0.E+00	2.E-06	0.000002
	Vanadium	8.6E+01	mg/kg	--	--	0.0E+00	2.2E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.7E-07	0.E+00	2.E-03	0.002
	Butyltins																
	Tributyltin ion	1.0E+01	ug/kg	--	--	1.3E-11	2.6E-12	--	--	--	3.0E-04	3.0E-04	1.0E-10	2.0E-11	3.E-07	7.E-08	0.0000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.9E+02	ug/kg	7.3E-01	7.3E-01	4.8E-10	7.3E-11	4.E-10	5.E-11	4.E-10	--	--	3.8E-09	5.7E-10	--	--	--
	Benzo(a)pyrene	4.6E+02	ug/kg	7.3E+00	7.3E+00	7.7E-10	1.2E-10	6.E-09	8.E-10	6.E-09	--	--	6.0E-09	9.0E-10	--	--	--
	Benzo(b)fluoranthene	4.0E+02	ug/kg	7.3E-01	7.3E-01	6.6E-10	9.9E-11	5.E-10	7.E-11	6.E-10	--	--	5.1E-09	7.7E-10	--	--	--
	Benzo(k)fluoranthene	2.3E+02	ug/kg	7.3E-02	7.3E-02	3.8E-10	5.8E-11	3.E-11	4.E-12	3.E-11	--	--	3.0E-09	4.5E-10	--	--	--
	Dibenzo(a,h)anthracene	5.3E+01	ug/kg	7.3E+00	7.3E+00	8.8E-11	1.3E-11	6.E-10	1.E-10	7.E-10	--	--	6.8E-10	1.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.3E+02	ug/kg	7.3E-01	7.3E-01	5.4E-10	8.2E-11	4.E-10	6.E-11	5.E-10	--	--	4.2E-09	6.4E-10	--	--	--
	Naphthalene	9.8E+01	ug/kg	--	--	1.6E-10	2.5E-11	--	--	--	2.0E-02	2.0E-02	1.3E-09	1.9E-10	6.E-08	1.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.0E+01	ug/kg	1.4E-02	1.4E-02	5.1E-11	1.0E-11	7.E-13	1.E-13	9.E-13	2.0E-02	2.0E-02	4.0E-10	7.9E-11	2.E-08	4.E-09	0.00000002
	Phenols																
	Pentachlorophenol	1.6E+01	ug/kg	4.0E-01	4.0E-01	5.2E-11	4.1E-12	2.E-11	2.E-12	2.E-11	5.0E-03	5.0E-03	4.1E-10	3.2E-11	8.E-08	6.E-09	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+01	ug/kg	2.0E+00	2.0E+00	2.0E-11	2.8E-12	4.E-11	6.E-12	5.E-11	2.0E-05	2.0E-05	1.6E-10	2.2E-11	8.E-06	1.E-06	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.1E-01	pg/g	1.3E+05	1.3E+05	2.3E-16	1.5E-16	3.E-11	2.E-11	5.E-11	1.0E-09	1.0E-09	1.8E-15	1.2E-15	2.E-06	1.E-06	0.000003
	Total PCB TEQ	4.1E-01	pg/g	1.3E+05	1.3E+05	7.4E-16	1.0E-16	1.E-10	1.E-11	1.E-10	1.0E-09	1.0E-09	5.7E-15	8.0E-16	6.E-06	8.E-07	0.00001
	Pesticides																
	Aldrin	3.5E-01	ug/kg	1.7E+01	1.7E+01	4.5E-13	8.9E-14	8.E-12	2.E-12	9.E-12	3.0E-05	3.0E-05	3.5E-12	6.9E-13	1.E-07	2.E-08	0.0000001
	Dieldrin	2.0E-01	ug/kg	1.6E+01	1.6E+01	2.5E-13	4.9E-14	4.E-12	8.E-13	5.E-12	5.0E-05	5.0E-05	1.9E-12	3.8E-13	4.E-08	8.E-09	0.00000005
	Total DDT	2.8E+01	ug/kg	3.4E-01	3.4E-01	1.1E-11	7.1E-12	4.E-12	2.E-12	6.E-12	5.0E-04	5.0E-04	8.4E-11	5.5E-11	2.E-07	1.E-07	0.0000003
Exposure Point Total										1.E-08							0.002
RM 3 East	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	1.6E-09	1.0E-09	2.E-09	2.E-09	4.E-09	3.0E-04	3.0E-04	1.2E-08	8.1E-09	4.E-05	3.E-05	0.0001
	Mercury	5.6E-02	mg/kg	--	--	0.0E+00	1.4E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-10	0.E+00	1.E-06	0.000001
	Vanadium	8.8E+01	mg/kg	--	--	0.0E+00	2.2E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.7E-07	0.E+00	2.E-03	0.002
	Butyltins																
	Tributyltin ion	8.3E+00	ug/kg	--	--	1.1E-11	2.1E-12	--	--	--	3.0E-04	3.0E-04	8.2E-11	1.6E-11	3.E-07	5.E-08	0.0000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.7E+01	ug/kg	7.3E-01	7.3E-01	1.3E-10	1.9E-11	9.E-11	1.E-11	1.E-10	--	--	1.0E-09	1.5E-10	--	--	--
	Benzo(a)pyrene	8.4E+01	ug/kg	7.3E+00	7.3E+00	1.4E-10	2.1E-11	1.E-09	2.E-10	1.E-09	--	--	1.1E-09	1.6E-10	--	--	--
	Benzo(b)fluoranthene	9.9E+01	ug/kg	7.3E-01	7.3E-01	1.6E-10	2.5E-11	1.E-10	2.E-11	1.E-10	--	--	1.3E-09	1.9E-10	--	--	--
	Benzo(k)fluoranthene	6.0E+01	ug/kg	7.3E-02	7.3E-02	1.0E-10	1.5E-11	7.E-12	1.E-12	8.E-12	--	--	7.8E-10	1.2E-10	--	--	--
	Dibenzo(a,h)anthracene	1.4E+01	ug/kg	7.3E+00	7.3E+00	2.3E-11	3.5E-12	2.E-10	3.E-11	2.E-10	--	--	1.8E-10	2.7E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	6.7E+01	ug/kg	7.3E-01	7.3E-01	1.1E-10	1.7E-11	8.E-11	1.E-11	9.E-11	--	--	8.7E-10	1.3E-10	--	--	--
	Naphthalene	1.3E+01	ug/kg	--	--	2.1E-11	3.2E-12	--	--	--	2.0E-02	2.0E-02	1.6E-10	2.5E-11	8.E-09	1.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.5E+01	ug/kg	1.4E-02	1.4E-02	8.3E-11	1.6E-11	1.E-12	2.E-13	1.E-12	2.0E-02	2.0E-02	6.4E-10	1.3E-10	3.E-08	6.E-09	0.00000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phenols																
	Pentachlorophenol	1.9E+00	ug/kg	4.0E-01	4.0E-01	6.2E-12	4.9E-13	2.E-12	2.E-13	3.E-12	5.0E-03	5.0E-03	4.8E-11	3.8E-12	1.E-08	8.E-10	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.9E+01	ug/kg	2.0E+00	2.0E+00	3.4E-11	4.8E-12	7.E-11	1.E-11	8.E-11	2.0E-05	2.0E-05	2.6E-10	3.7E-11	1.E-05	2.E-06	0.00002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.9E+00	pg/g	1.3E+05	1.3E+05	1.1E-15	7.2E-16	1.E-10	9.E-11	2.E-10	1.0E-09	1.0E-09	8.5E-15	5.6E-15	9.E-06	6.E-06	0.00001
	Total PCB TEQ	7.7E-02	pg/g	1.3E+05	1.3E+05	1.4E-16	1.9E-17	2.E-11	3.E-12	2.E-11	1.0E-09	1.0E-09	1.1E-15	1.5E-16	1.E-06	1.E-07	0.0000012
	Pesticides																
	Aldrin	2.9E-01	ug/kg	1.7E+01	1.7E+01	3.7E-13	7.2E-14	6.E-12	1.E-12	7.E-12	3.0E-05	3.0E-05	2.8E-12	5.6E-13	9.E-08	2.E-08	0.0000001
	Dieldrin	5.7E-02	ug/kg	1.6E+01	1.6E+01	7.3E-14	1.4E-14	1.E-12	2.E-13	1.E-12	5.0E-05	5.0E-05	5.7E-13	1.1E-13	1.E-08	2.E-09	0.00000001
	Total DDT	1.6E+00	ug/kg	3.4E-01	3.4E-01	6.1E-13	4.0E-13	2.E-13	1.E-13	3.E-13	5.0E-04	5.0E-04	4.7E-12	3.1E-12	9.E-09	6.E-09	0.00000002
Exposure Point Total										**6.E-09**							**0.003**
RM 3.5 West	**Metals**																
	Arsenic	5.8E+00	mg/kg	1.5E+00	1.5E+00	2.2E-09	1.5E-09	3.E-09	2.E-09	6.E-09	3.0E-04	3.0E-04	1.7E-08	1.1E-08	6.E-05	4.E-05	0.0001
	Mercury	7.1E-02	mg/kg	--	--	0.0E+00	1.8E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-10	0.E+00	1.E-06	0.000001
	Vanadium	9.9E+01	mg/kg	--	--	0.0E+00	2.5E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.9E-07	0.E+00	3.E-03	0.003
	Butyltins																
	Tributyltin ion	8.1E+01	ug/kg	--	--	1.0E-10	2.0E-11	--	--	--	3.0E-04	3.0E-04	8.1E-10	1.6E-10	3.E-06	5.E-07	0.000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+02	ug/kg	7.3E-01	7.3E-01	4.3E-10	6.5E-11	3.E-10	5.E-11	4.E-10	--	--	3.4E-09	5.1E-10	--	--	--
	Benzo(a)pyrene	3.9E+02	ug/kg	7.3E+00	7.3E+00	6.5E-10	9.9E-11	5.E-09	7.E-10	5.E-09	--	--	5.1E-09	7.7E-10	--	--	--
	Benzo(b)fluoranthene	3.5E+02	ug/kg	7.3E-01	7.3E-01	5.8E-10	8.8E-11	4.E-10	6.E-11	5.E-10	--	--	4.5E-09	6.8E-10	--	--	--
	Benzo(k)fluoranthene	1.4E+02	ug/kg	7.3E-02	7.3E-02	2.4E-10	3.6E-11	2.E-11	3.E-12	2.E-11	--	--	1.9E-09	2.8E-10	--	--	--
	Dibenzo(a,h)anthracene	4.3E+01	ug/kg	7.3E+00	7.3E+00	7.2E-11	1.1E-11	5.E-10	8.E-11	6.E-10	--	--	5.6E-10	8.4E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	3.2E+02	ug/kg	7.3E-01	7.3E-01	5.3E-10	8.1E-11	4.E-10	6.E-11	4.E-10	--	--	4.2E-09	6.3E-10	--	--	--
	Naphthalene	1.3E+02	ug/kg	--	--	2.2E-10	3.3E-11	--	--	--	2.0E-02	2.0E-02	1.7E-09	2.6E-10	9.E-08	1.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.6E+01	ug/kg	1.4E-02	1.4E-02	5.9E-11	1.2E-11	8.E-13	2.E-13	1.E-12	2.0E-02	2.0E-02	4.6E-10	9.1E-11	2.E-08	5.E-09	0.00000003
	Phenols																
	Pentachlorophenol	2.5E+00	ug/kg	4.0E-01	4.0E-01	7.9E-12	6.2E-13	3.E-12	2.E-13	3.E-12	5.0E-03	5.0E-03	6.1E-11	4.8E-12	1.E-08	1.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.3E+01	ug/kg	2.0E+00	2.0E+00	4.1E-11	5.7E-12	8.E-11	1.E-11	9.E-11	2.0E-05	2.0E-05	3.2E-10	4.4E-11	2.E-05	2.E-06	0.00002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.1E-01	pg/g	1.3E+05	1.3E+05	3.5E-16	2.3E-16	5.E-11	3.E-11	8.E-11	1.0E-09	1.0E-09	2.7E-15	1.8E-15	3.E-06	2.E-06	0.000004
	Total PCB TEQ	5.1E-01	pg/g	1.3E+05	1.3E+05	9.2E-16	1.3E-16	1.E-10	2.E-11	1.E-10	1.0E-09	1.0E-09	7.1E-15	1.0E-15	7.E-06	1.E-06	0.00001
	Pesticides																
	Aldrin	2.7E-01	ug/kg	1.7E+01	1.7E+01	3.4E-13	6.7E-14	6.E-12	1.E-12	7.E-12	3.0E-05	3.0E-05	2.6E-12	5.2E-13	9.E-08	2.E-08	0.0000001
	Dieldrin	1.3E-01	ug/kg	1.6E+01	1.6E+01	1.6E-13	3.2E-14	3.E-12	5.E-13	3.E-12	5.0E-05	5.0E-05	1.2E-12	2.5E-13	2.E-08	5.E-09	0.00000003
	Total DDT	5.8E+00	ug/kg	3.4E-01	3.4E-01	2.2E-12	1.5E-12	8.E-13	5.E-13	1.E-12	5.0E-04	5.0E-04	1.7E-11	1.1E-11	3.E-08	2.E-08	0.0000001
Exposure Point Total										**1.E-08**							**0.003**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 3.5 East	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	1.4E-09	9.3E-10	2.E-09	1.E-09	4.E-09	3.0E-04	3.0E-04	1.1E-08	7.2E-09	4.E-05	2.E-05	0.0001
	Mercury	7.9E-02	mg/kg	--	--	0.0E+00	2.0E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.5E-10	0.E+00	2.E-06	0.000002
	Vanadium	9.9E+01	mg/kg	--	--	0.0E+00	2.5E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.9E-07	0.E+00	3.E-03	0.003
	Butyltins																
	Tributyltin ion	1.8E+03	ug/kg	--	--	2.3E-09	4.5E-10	--	--	--	3.0E-04	3.0E-04	1.8E-08	3.5E-09	6.E-05	1.E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.9E+02	ug/kg	7.3E-01	7.3E-01	4.8E-10	7.3E-11	4.E-10	5.E-11	4.E-10	--	--	3.8E-09	5.7E-10	--	--	--
	Benzo(a)pyrene	2.5E+02	ug/kg	7.3E+00	7.3E+00	4.1E-10	6.2E-11	3.E-09	5.E-10	3.E-09	--	--	3.2E-09	4.8E-10	--	--	--
	Benzo(b)fluoranthene	3.5E+02	ug/kg	7.3E-01	7.3E-01	5.8E-10	8.8E-11	4.E-10	6.E-11	5.E-10	--	--	4.5E-09	6.9E-10	--	--	--
	Benzo(k)fluoranthene	1.7E+02	ug/kg	7.3E-02	7.3E-02	2.8E-10	4.3E-11	2.E-11	3.E-12	2.E-11	--	--	2.2E-09	3.3E-10	--	--	--
	Dibenzo(a,h)anthracene	4.1E+01	ug/kg	7.3E+00	7.3E+00	6.8E-11	1.0E-11	5.E-10	8.E-11	6.E-10	--	--	5.3E-10	8.0E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.5E+02	ug/kg	7.3E-01	7.3E-01	2.5E-10	3.7E-11	2.E-10	3.E-11	2.E-10	--	--	1.9E-09	2.9E-10	--	--	--
	Naphthalene	1.4E+01	ug/kg	--	--	2.3E-11	3.5E-12	--	--	--	2.0E-02	2.0E-02	1.8E-10	2.7E-11	9.E-09	1.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+03	ug/kg	1.4E-02	1.4E-02	1.7E-09	3.3E-10	2.E-11	5.E-12	3.E-11	2.0E-02	2.0E-02	1.3E-08	2.6E-09	7.E-07	1.E-07	0.000001
	Phenols																
	Pentachlorophenol	2.0E+00	ug/kg	4.0E-01	4.0E-01	6.5E-12	5.1E-13	3.E-12	2.E-13	3.E-12	5.0E-03	5.0E-03	5.0E-11	4.0E-12	1.E-08	8.E-10	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.8E+02	ug/kg	2.0E+00	2.0E+00	6.7E-10	9.4E-11	1.E-09	2.E-10	2.E-09	2.0E-05	2.0E-05	5.2E-09	7.3E-10	3.E-04	4.E-05	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.3E+00	pg/g	1.3E+05	1.3E+05	1.3E-15	8.4E-16	2.E-10	1.E-10	3.E-10	1.0E-09	1.0E-09	9.9E-15	6.5E-15	1.E-05	7.E-06	0.00002
	Total PCB TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	3.1E-14	4.4E-15	4.E-09	6.E-10	5.E-09	1.0E-09	1.0E-09	2.4E-13	3.4E-14	2.E-04	3.E-05	0.0003
	Pesticides																
	Aldrin	3.7E-01	ug/kg	1.7E+01	1.7E+01	4.8E-13	9.4E-14	8.E-12	2.E-12	1.E-11	3.0E-05	3.0E-05	3.7E-12	7.3E-13	1.E-07	2.E-08	0.0000001
	Dieldrin	1.3E-01	ug/kg	1.6E+01	1.6E+01	1.6E-13	3.2E-14	3.E-12	5.E-13	3.E-12	5.0E-05	5.0E-05	1.2E-12	2.5E-13	2.E-08	5.E-09	0.00000003
	Total DDT	6.2E+00	ug/kg	3.4E-01	3.4E-01	2.4E-12	1.6E-12	8.E-13	5.E-13	1.E-12	5.0E-04	5.0E-04	1.8E-11	1.2E-11	4.E-08	2.E-08	0.0000001
Exposure Point Total										2.E-08							0.003
RM 4 West	**Metals**																
	Arsenic	3.4E+00	mg/kg	1.5E+00	1.5E+00	1.3E-09	8.5E-10	2.E-09	1.E-09	3.E-09	3.0E-04	3.0E-04	1.0E-08	6.6E-09	3.E-05	2.E-05	0.00006
	Mercury	8.2E-02	mg/kg	--	--	0.0E+00	2.1E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.6E-10	0.E+00	2.E-06	0.000002
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	2.6E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.0E-07	0.E+00	3.E-03	0.003
	Butyltins																
	Tributyltin ion	6.1E+00	ug/kg	--	--	7.8E-12	1.5E-12	--	--	--	3.0E-04	3.0E-04	6.1E-11	1.2E-11	2.E-07	4.E-08	0.0000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.5E+02	ug/kg	7.3E-01	7.3E-01	4.2E-10	6.4E-11	3.E-10	5.E-11	4.E-10	--	--	3.3E-09	5.0E-10	--	--	--
	Benzo(a)pyrene	4.0E+02	ug/kg	7.3E+00	7.3E+00	6.6E-10	1.0E-10	5.E-09	7.E-10	6.E-09	--	--	5.1E-09	7.8E-10	--	--	--
	Benzo(b)fluoranthene	3.6E+02	ug/kg	7.3E-01	7.3E-01	5.9E-10	9.0E-11	4.E-10	7.E-11	5.E-10	--	--	4.6E-09	7.0E-10	--	--	--
	Benzo(k)fluoranthene	1.3E+02	ug/kg	7.3E-02	7.3E-02	2.2E-10	3.3E-11	2.E-11	2.E-12	2.E-11	--	--	1.7E-09	2.6E-10	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: Diver in Wet Suit Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dibenzo(a,h)anthracene	4.4E+01	ug/kg	7.3E+00	7.3E+00	7.3E-11	1.1E-11	5.E-10	8.E-11	6.E-10	--	--	5.7E-10	8.6E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	3.2E+02	ug/kg	7.3E-01	7.3E-01	5.2E-10	7.9E-11	4.E-10	6.E-11	4.E-10	--	--	4.1E-09	6.2E-10	--	--	--
	Naphthalene	7.7E+01	ug/kg	--	--	1.3E-10	1.9E-11	--	--	--	2.0E-02	2.0E-02	1.0E-09	1.5E-10	5.E-08	8.E-09	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.2E+01	ug/kg	1.4E-02	1.4E-02	5.3E-11	1.0E-11	7.E-13	1.E-13	9.E-13	2.0E-02	2.0E-02	4.1E-10	8.2E-11	2.E-08	4.E-09	0.00000002
	Phenols																
	Pentachlorophenol	4.5E+00	ug/kg	4.0E-01	4.0E-01	1.4E-11	1.1E-12	6.E-12	5.E-13	6.E-12	5.0E-03	5.0E-03	1.1E-10	8.8E-12	2.E-08	2.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	2.1E+01	ug/kg	2.0E+00	2.0E+00	3.8E-11	5.4E-12	8.E-11	1.E-11	9.E-11	2.0E-05	2.0E-05	3.0E-10	4.2E-11	1.E-05	2.E-06	0.00002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.6E+00	pg/g	1.3E+05	1.3E+05	6.2E-16	4.1E-16	8.E-11	5.E-11	1.E-10	1.0E-09	1.0E-09	4.8E-15	3.2E-15	5.E-06	3.E-06	0.00001
	Total PCB TEQ	4.7E-01	pg/g	1.3E+05	1.3E+05	8.4E-16	1.2E-16	1.E-10	2.E-11	1.E-10	1.0E-09	1.0E-09	6.6E-15	9.2E-16	7.E-06	9.E-07	0.00001
	Pesticides																
	Aldrin	3.9E-01	ug/kg	1.7E+01	1.7E+01	5.0E-13	9.8E-14	8.E-12	2.E-12	1.E-11	3.0E-05	3.0E-05	3.9E-12	7.6E-13	1.E-07	3.E-08	0.0000002
	Dieldrin	7.1E-02	ug/kg	1.6E+01	1.6E+01	9.1E-14	1.8E-14	1.E-12	3.E-13	2.E-12	5.0E-05	5.0E-05	7.1E-13	1.4E-13	1.E-08	3.E-09	0.00000002
	Total DDT	1.9E+01	ug/kg	3.4E-01	3.4E-01	7.3E-12	4.8E-12	2.E-12	2.E-12	4.E-12	5.0E-04	5.0E-04	5.7E-11	3.7E-11	1.E-07	7.E-08	0.0000002
Exposure Point Total										1.E-08							0.003
RM 4 East	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	1.6E-09	1.1E-09	2.E-09	2.E-09	4.E-09	3.0E-04	3.0E-04	1.3E-08	8.3E-09	4.E-05	3.E-05	0.0001
	Mercury	6.6E-02	mg/kg	--	--	0.0E+00	1.7E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-10	0.E+00	1.E-06	0.000001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	2.7E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.1E-07	0.E+00	3.E-03	0.003
	Butyltins																
	Tributyltin ion	2.6E+01	ug/kg	--	--	3.3E-11	6.6E-12	--	--	--	3.0E-04	3.0E-04	2.6E-10	5.1E-11	9.E-07	2.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.3E+02	ug/kg	7.3E-01	7.3E-01	1.1E-09	1.6E-10	8.E-10	1.E-10	9.E-10	--	--	8.2E-09	1.2E-09	--	--	--
	Benzo(a)pyrene	8.8E+02	ug/kg	7.3E+00	7.3E+00	1.5E-09	2.2E-10	1.E-08	2.E-09	1.E-08	--	--	1.1E-08	1.7E-09	--	--	--
	Benzo(b)fluoranthene	9.0E+02	ug/kg	7.3E-01	7.3E-01	1.5E-09	2.3E-10	1.E-09	2.E-10	1.E-09	--	--	1.2E-08	1.8E-09	--	--	--
	Benzo(k)fluoranthene	7.1E+02	ug/kg	7.3E-02	7.3E-02	1.2E-09	1.8E-10	9.E-11	1.E-11	1.E-10	--	--	9.2E-09	1.4E-09	--	--	--
	Dibenzo(a,h)anthracene	1.4E+02	ug/kg	7.3E+00	7.3E+00	2.3E-10	3.6E-11	2.E-09	3.E-10	2.E-09	--	--	1.8E-09	2.8E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	6.4E+02	ug/kg	7.3E-01	7.3E-01	1.1E-09	1.6E-10	8.E-10	1.E-10	9.E-10	--	--	8.3E-09	1.3E-09	--	--	--
	Naphthalene	3.9E+01	ug/kg	--	--	6.4E-11	9.7E-12	--	--	--	2.0E-02	2.0E-02	5.0E-10	7.5E-11	2.E-08	4.E-09	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.1E+02	ug/kg	1.4E-02	1.4E-02	1.2E-09	2.3E-10	2.E-11	3.E-12	2.E-11	2.0E-02	2.0E-02	9.1E-09	1.8E-09	5.E-07	9.E-08	0.000001
	Phenols																
	Pentachlorophenol	4.5E+02	ug/kg	4.0E-01	4.0E-01	1.4E-09	1.1E-10	6.E-10	5.E-11	6.E-10	5.0E-03	5.0E-03	1.1E-08	8.8E-10	2.E-06	2.E-07	0.000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.5E+02	ug/kg	2.0E+00	2.0E+00	2.7E-10	3.8E-11	5.E-10	8.E-11	6.E-10	2.0E-05	2.0E-05	2.1E-09	3.0E-10	1.E-04	1.E-05	0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure

Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.1E+00	pg/g	1.3E+05	1.3E+05	1.6E-15	1.0E-15	2.E-10	1.E-10	3.E-10	1.0E-09	1.0E-09	1.2E-14	8.1E-15	1.E-05	8.E-06	0.00002
	Total PCB TEQ	1.9E+00	pg/g	1.3E+05	1.3E+05	3.4E-15	4.8E-16	4.E-10	6.E-11	5.E-10	1.0E-09	1.0E-09	2.7E-14	3.7E-15	3.E-05	4.E-06	0.00003
	Pesticides																
	Aldrin	4.7E-01	ug/kg	1.7E+01	1.7E+01	6.1E-13	1.2E-13	1.E-11	2.E-12	1.E-11	3.0E-05	3.0E-05	4.7E-12	9.3E-13	2.E-07	3.E-08	0.0000002
	Dieldrin	8.9E-02	ug/kg	1.6E+01	1.6E+01	1.1E-13	2.2E-14	2.E-12	4.E-13	2.E-12	5.0E-05	5.0E-05	8.8E-13	1.7E-13	2.E-08	3.E-09	0.00000002
	Total DDT	5.4E+00	ug/kg	3.4E-01	3.4E-01	2.1E-12	1.4E-12	7.E-13	5.E-13	1.E-12	5.0E-04	5.0E-04	1.6E-11	1.1E-11	3.E-08	2.E-08	0.0000001
Exposure Point Total										2.E-08							0.003
RM 4.5 West	**Metals**																
	Arsenic	3.6E+00	mg/kg	1.5E+00	1.5E+00	1.4E-09	9.0E-10	2.E-09	1.E-09	3.E-09	3.0E-04	3.0E-04	1.1E-08	7.0E-09	4.E-05	2.E-05	0.0001
	Mercury	8.6E-02	mg/kg	--	--	0.0E+00	2.2E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.7E-10	0.E+00	2.E-06	0.000002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	2.7E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.1E-07	0.E+00	3.E-03	0.003
	Butyltins																
	Tributyltin ion	7.5E+00	ug/kg	--	--	9.6E-12	1.9E-12	--	--	--	3.0E-04	3.0E-04	7.5E-11	1.5E-11	2.E-07	5.E-08	0.0000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.5E+02	ug/kg	7.3E-01	7.3E-01	9.2E-10	1.4E-10	7.E-10	1.E-10	8.E-10	--	--	7.1E-09	1.1E-09	--	--	--
	Benzo(a)pyrene	7.6E+02	ug/kg	7.3E+00	7.3E+00	1.3E-09	1.9E-10	9.E-09	1.E-09	1.E-08	--	--	9.8E-09	1.5E-09	--	--	--
	Benzo(b)fluoranthene	6.6E+02	ug/kg	7.3E-01	7.3E-01	1.1E-09	1.7E-10	8.E-10	1.E-10	9.E-10	--	--	8.5E-09	1.3E-09	--	--	--
	Benzo(k)fluoranthene	2.9E+02	ug/kg	7.3E-02	7.3E-02	4.8E-10	7.3E-11	4.E-11	5.E-12	4.E-11	--	--	3.8E-09	5.7E-10	--	--	--
	Dibenzo(a,h)anthracene	8.5E+01	ug/kg	7.3E+00	7.3E+00	1.4E-10	2.1E-11	1.E-09	2.E-10	1.E-09	--	--	1.1E-09	1.7E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	5.9E+02	ug/kg	7.3E-01	7.3E-01	9.9E-10	1.5E-10	7.E-10	1.E-10	8.E-10	--	--	7.7E-09	1.2E-09	--	--	--
	Naphthalene	1.6E+02	ug/kg	--	--	2.7E-10	4.1E-11	--	--	--	2.0E-02	2.0E-02	2.1E-09	3.2E-10	1.E-07	2.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	5.0E+01	ug/kg	1.4E-02	1.4E-02	6.3E-11	1.2E-11	9.E-13	2.E-13	1.E-12	2.0E-02	2.0E-02	4.9E-10	9.7E-11	2.E-08	5.E-09	0.00000003
	Phenols																
	Pentachlorophenol	1.7E+00	ug/kg	4.0E-01	4.0E-01	5.5E-12	4.3E-13	2.E-12	2.E-13	2.E-12	5.0E-03	5.0E-03	4.3E-11	3.3E-12	9.E-09	7.E-10	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+01	ug/kg	2.0E+00	2.0E+00	4.4E-11	6.2E-12	9.E-11	1.E-11	1.E-10	2.0E-05	2.0E-05	3.4E-10	4.8E-11	2.E-05	2.E-06	0.00002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.6E+00	pg/g	1.3E+05	1.3E+05	1.0E-15	6.6E-16	1.E-10	9.E-11	2.E-10	1.0E-09	1.0E-09	7.8E-15	5.1E-15	8.E-06	5.E-06	0.00001
	Total PCB TEQ	1.4E+00	pg/g	1.3E+05	1.3E+05	2.5E-15	3.5E-16	3.E-10	5.E-11	4.E-10	1.0E-09	1.0E-09	2.0E-14	2.8E-15	2.E-05	3.E-06	0.00002
	Pesticides																
	Aldrin	1.7E-01	ug/kg	1.7E+01	1.7E+01	2.1E-13	4.2E-14	4.E-12	7.E-13	4.E-12	3.0E-05	3.0E-05	1.7E-12	3.3E-13	6.E-08	1.E-08	0.0000001
	Dieldrin	1.3E-01	ug/kg	1.6E+01	1.6E+01	1.7E-13	3.4E-14	3.E-12	5.E-13	3.E-12	5.0E-05	5.0E-05	1.3E-12	2.6E-13	3.E-08	5.E-09	0.00000003
	Total DDT	4.5E+00	ug/kg	3.4E-01	3.4E-01	1.7E-12	1.1E-12	6.E-13	4.E-13	1.E-12	5.0E-04	5.0E-04	1.3E-11	8.9E-12	3.E-08	2.E-08	0.00000004
Exposure Point Total										2.E-08							0.003
RM 4.5 East	**Metals**																
	Arsenic	4.0E+00	mg/kg	1.5E+00	1.5E+00	1.5E-09	1.0E-09	2.E-09	2.E-09	4.E-09	3.0E-04	3.0E-04	1.2E-08	7.8E-09	4.E-05	3.E-05	0.0001
	Mercury	6.3E-02	mg/kg	--	--	0.0E+00	1.6E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.2E-10	0.E+00	1.E-06	0.000001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	2.6E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.1E-07	0.E+00	3.E-03	0.003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	4.1E+01	ug/kg	--	--	5.2E-11	1.0E-11	--	--	--	3.0E-04	3.0E-04	4.0E-10	7.9E-11	1.E-06	3.E-07	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.3E+03	ug/kg	7.3E-01	7.3E-01	5.5E-09	8.3E-10	4.E-09	6.E-10	5.E-09	--	--	4.3E-08	6.5E-09	--	--	--
	Benzo(a)pyrene	4.3E+03	ug/kg	7.3E+00	7.3E+00	7.1E-09	1.1E-09	5.E-08	8.E-09	6.E-08	--	--	5.6E-08	8.4E-09	--	--	--
	Benzo(b)fluoranthene	3.8E+03	ug/kg	7.3E-01	7.3E-01	6.2E-09	9.5E-10	5.E-09	7.E-10	5.E-09	--	--	4.9E-08	7.4E-09	--	--	--
	Benzo(k)fluoranthene	3.4E+03	ug/kg	7.3E-02	7.3E-02	5.6E-09	8.5E-10	4.E-10	6.E-11	5.E-10	--	--	4.4E-08	6.6E-09	--	--	--
	Dibenzo(a,h)anthracene	7.1E+02	ug/kg	7.3E+00	7.3E+00	1.2E-09	1.8E-10	9.E-09	1.E-09	1.E-08	--	--	9.2E-09	1.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.0E+03	ug/kg	7.3E-01	7.3E-01	5.0E-09	7.6E-10	4.E-09	6.E-10	4.E-09	--	--	3.9E-08	5.9E-09	--	--	--
	Naphthalene	1.5E+02	ug/kg	--	--	2.4E-10	3.7E-11	--	--	--	2.0E-02	2.0E-02	1.9E-09	2.9E-10	9.E-08	1.E-08	0.00001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.3E+01	ug/kg	1.4E-02	1.4E-02	1.1E-10	2.1E-11	1.E-12	3.E-13	2.E-12	2.0E-02	2.0E-02	8.3E-10	1.6E-10	4.E-08	8.E-09	0.00000005
	Phenols																
	Pentachlorophenol	1.8E+00	ug/kg	4.0E-01	4.0E-01	5.7E-12	4.5E-13	2.E-12	2.E-13	2.E-12	5.0E-03	5.0E-03	4.4E-11	3.5E-12	9.E-09	7.E-10	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.5E+01	ug/kg	2.0E+00	2.0E+00	6.2E-11	8.7E-12	1.E-10	2.E-11	1.E-10	2.0E-05	2.0E-05	4.8E-10	6.8E-11	2.E-05	3.E-06	0.00003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.8E-01	pg/g	1.3E+05	1.3E+05	1.1E-16	6.9E-17	1.E-11	9.E-12	2.E-11	1.0E-09	1.0E-09	8.2E-16	5.4E-16	8.E-07	5.E-07	0.000001
	Total PCB TEQ	3.2E-01	pg/g	1.3E+05	1.3E+05	5.8E-16	8.1E-17	7.E-11	1.E-11	9.E-11	1.0E-09	1.0E-09	4.5E-15	6.3E-16	4.E-06	6.E-07	0.00001
	Pesticides																
	Aldrin	1.1E-01	ug/kg	1.7E+01	1.7E+01	1.4E-13	2.7E-14	2.E-12	5.E-13	3.E-12	3.0E-05	3.0E-05	1.1E-12	2.1E-13	4.E-08	7.E-09	0.00000004
	Dieldrin	5.8E-02	ug/kg	1.6E+01	1.6E+01	7.4E-14	1.5E-14	1.E-12	2.E-13	1.E-12	5.0E-05	5.0E-05	5.8E-13	1.1E-13	1.E-08	2.E-09	0.00000001
	Total DDT	4.9E+00	ug/kg	3.4E-01	3.4E-01	1.9E-12	1.2E-12	6.E-13	4.E-13	1.E-12	5.0E-04	5.0E-04	1.5E-11	9.5E-12	3.E-08	2.E-08	0.00000005
Exposure Point Total										9.E-08							0.003
RM 5 West	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	1.2E-09	8.2E-10	2.E-09	1.E-09	3.E-09	3.0E-04	3.0E-04	9.7E-09	6.4E-09	3.E-05	2.E-05	0.0001
	Mercury	5.2E-02	mg/kg	--	--	0.0E+00	1.3E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.0E-10	0.E+00	1.E-06	0.000001
	Vanadium	9.8E+01	mg/kg	--	--	0.0E+00	2.5E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.9E-07	0.E+00	3.E-03	0.003
	Butyltins																
	Tributyltin ion	1.8E+01	ug/kg	--	--	2.3E-11	4.5E-12	--	--	--	3.0E-04	3.0E-04	1.8E-10	3.5E-11	6.E-07	1.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.9E+02	ug/kg	7.3E-01	7.3E-01	9.8E-10	1.5E-10	7.E-10	1.E-10	8.E-10	--	--	7.6E-09	1.2E-09	--	--	--
	Benzo(a)pyrene	7.9E+02	ug/kg	7.3E+00	7.3E+00	1.3E-09	2.0E-10	1.E-08	1.E-09	1.E-08	--	--	1.0E-08	1.6E-09	--	--	--
	Benzo(b)fluoranthene	5.7E+02	ug/kg	7.3E-01	7.3E-01	9.4E-10	1.4E-10	7.E-10	1.E-10	8.E-10	--	--	7.3E-09	1.1E-09	--	--	--
	Benzo(k)fluoranthene	4.1E+02	ug/kg	7.3E-02	7.3E-02	6.9E-10	1.0E-10	5.E-11	8.E-12	6.E-11	--	--	5.3E-09	8.1E-10	--	--	--
	Dibenzo(a,h)anthracene	8.2E+01	ug/kg	7.3E+00	7.3E+00	1.4E-10	2.1E-11	1.E-09	2.E-10	1.E-09	--	--	1.1E-09	1.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	5.9E+02	ug/kg	7.3E-01	7.3E-01	9.7E-10	1.5E-10	7.E-10	1.E-10	8.E-10	--	--	7.6E-09	1.1E-09	--	--	--
	Naphthalene	1.4E+02	ug/kg	--	--	2.3E-10	3.4E-11	--	--	--	2.0E-02	2.0E-02	1.8E-09	2.7E-10	9.E-08	1.E-08	0.0000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.1E+01	ug/kg	1.4E-02	1.4E-02	9.1E-11	1.8E-11	1.E-12	3.E-13	2.E-12	2.0E-02	2.0E-02	7.1E-10	1.4E-10	4.E-08	7.E-09	0.00000004
	Phenols																
	Pentachlorophenol	2.1E+01	ug/kg	4.0E-01	4.0E-01	6.7E-11	5.3E-12	3.E-11	2.E-12	3.E-11	5.0E-03	5.0E-03	5.2E-10	4.1E-11	1.E-07	8.E-09	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+01	ug/kg	2.0E+00	2.0E+00	3.0E-11	4.3E-12	6.E-11	9.E-12	7.E-11	2.0E-05	2.0E-05	2.4E-10	3.3E-11	1.E-05	2.E-06	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.5E+00	pg/g	1.3E+05	1.3E+05	1.3E-15	8.7E-16	2.E-10	1.E-10	3.E-10	1.0E-09	1.0E-09	1.0E-14	6.8E-15	1.E-05	7.E-06	0.00002
	Total PCB TEQ	1.2E+00	pg/g	1.3E+05	1.3E+05	2.1E-15	2.9E-16	3.E-10	4.E-11	3.E-10	1.0E-09	1.0E-09	1.6E-14	2.3E-15	2.E-05	2.E-06	0.00002
	Pesticides																
	Aldrin	4.4E-01	ug/kg	1.7E+01	1.7E+01	5.6E-13	1.1E-13	1.E-11	2.E-12	1.E-11	3.0E-05	3.0E-05	4.4E-12	8.6E-13	1.E-07	3.E-08	0.0000002
	Dieldrin	1.5E-01	ug/kg	1.6E+01	1.6E+01	1.9E-13	3.7E-14	3.E-12	6.E-13	4.E-12	5.0E-05	5.0E-05	1.5E-12	2.9E-13	3.E-08	6.E-09	0.00000004
	Total DDT	1.2E+01	ug/kg	3.4E-01	3.4E-01	4.4E-12	2.9E-12	2.E-12	1.E-12	2.E-12	5.0E-04	5.0E-04	3.4E-11	2.3E-11	7.E-08	5.E-08	0.0000001
Exposure Point Total										**2.E-08**							**0.003**
RM 5 East	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	1.2E-09	8.1E-10	2.E-09	1.E-09	3.E-09	3.0E-04	3.0E-04	9.7E-09	6.3E-09	3.E-05	2.E-05	0.0001
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	1.7E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-10	0.E+00	1.E-06	0.000001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	2.6E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.0E-07	0.E+00	3.E-03	0.003
	Butyltins																
	Tributyltin ion	5.7E+01	ug/kg	--	--	7.3E-11	1.4E-11	--	--	--	3.0E-04	3.0E-04	5.7E-10	1.1E-10	2.E-06	4.E-07	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.1E+02	ug/kg	7.3E-01	7.3E-01	3.6E-10	5.4E-11	3.E-10	4.E-11	3.E-10	--	--	2.8E-09	4.2E-10	--	--	--
	Benzo(a)pyrene	3.0E+02	ug/kg	7.3E+00	7.3E+00	5.0E-10	7.5E-11	4.E-09	5.E-10	4.E-09	--	--	3.9E-09	5.8E-10	--	--	--
	Benzo(b)fluoranthene	3.2E+02	ug/kg	7.3E-01	7.3E-01	5.3E-10	8.0E-11	4.E-10	6.E-11	4.E-10	--	--	4.1E-09	6.2E-10	--	--	--
	Benzo(k)fluoranthene	1.5E+02	ug/kg	7.3E-02	7.3E-02	2.5E-10	3.8E-11	2.E-11	3.E-12	2.E-11	--	--	2.0E-09	3.0E-10	--	--	--
	Dibenzo(a,h)anthracene	4.3E+01	ug/kg	7.3E+00	7.3E+00	7.1E-11	1.1E-11	5.E-10	8.E-11	6.E-10	--	--	5.5E-10	8.4E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	2.4E+02	ug/kg	7.3E-01	7.3E-01	4.0E-10	6.1E-11	3.E-10	4.E-11	3.E-10	--	--	3.1E-09	4.7E-10	--	--	--
	Naphthalene	5.5E+01	ug/kg	--	--	9.1E-11	1.4E-11	--	--	--	2.0E-02	2.0E-02	7.0E-10	1.1E-10	4.E-08	5.E-09	0.00000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.5E+01	ug/kg	1.4E-02	1.4E-02	1.1E-10	2.1E-11	2.E-12	3.E-13	2.E-12	2.0E-02	2.0E-02	8.5E-10	1.7E-10	4.E-08	8.E-09	0.0000001
	Phenols																
	Pentachlorophenol	6.5E+00	ug/kg	4.0E-01	4.0E-01	2.1E-11	1.6E-12	8.E-12	7.E-13	9.E-12	5.0E-03	5.0E-03	1.6E-10	1.3E-11	3.E-08	3.E-09	0.00000004
	Polychlorinated Biphenyls																
	Total Aroclors	2.0E+01	ug/kg	2.0E+00	2.0E+00	3.5E-11	4.9E-12	7.E-11	1.E-11	8.E-11	2.0E-05	2.0E-05	2.7E-10	3.8E-11	1.E-05	2.E-06	0.00002
	Pesticides																
	Aldrin	1.9E-01	ug/kg	1.7E+01	1.7E+01	2.4E-13	4.8E-14	4.E-12	8.E-13	5.E-12	3.0E-05	3.0E-05	1.9E-12	3.7E-13	6.E-08	1.E-08	0.0000001
	Dieldrin	1.9E-01	ug/kg	1.6E+01	1.6E+01	2.4E-13	4.8E-14	4.E-12	8.E-13	5.E-12	5.0E-05	5.0E-05	1.9E-12	3.7E-13	4.E-08	7.E-09	0.00000005
	Total DDT	1.4E+00	ug/kg	3.4E-01	3.4E-01	5.3E-13	3.5E-13	2.E-13	1.E-13	3.E-13	5.0E-04	5.0E-04	4.1E-12	2.7E-12	8.E-09	5.E-09	0.00000001
Exposure Point Total										**9.E-09**							**0.003**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure

Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 5.5 West	**Metals**																
	Arsenic	4.3E+00	mg/kg	1.5E+00	1.5E+00	1.6E-09	1.1E-09	2.E-09	2.E-09	4.E-09	3.0E-04	3.0E-04	1.3E-08	8.3E-09	4.E-05	3.E-05	0.0001
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	1.7E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-10	0.E+00	1.E-06	0.000001
	Vanadium	9.2E+01	mg/kg	--	--	0.0E+00	2.3E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.8E-07	0.E+00	3.E-03	0.003
	Butyltins																
	Tributyltin ion	1.7E+01	ug/kg	--	--	2.2E-11	4.4E-12	--	--	--	3.0E-04	3.0E-04	1.7E-10	3.4E-11	6.E-07	1.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.3E+03	ug/kg	7.3E-01	7.3E-01	2.2E-09	3.3E-10	2.E-09	2.E-10	2.E-09	--	--	1.7E-08	2.6E-09	--	--	--
	Benzo(a)pyrene	1.9E+03	ug/kg	7.3E+00	7.3E+00	3.1E-09	4.7E-10	2.E-08	3.E-09	3.E-08	--	--	2.4E-08	3.7E-09	--	--	--
	Benzo(b)fluoranthene	1.5E+03	ug/kg	7.3E-01	7.3E-01	2.6E-09	3.9E-10	2.E-09	3.E-10	2.E-09	--	--	2.0E-08	3.0E-09	--	--	--
	Benzo(k)fluoranthene	7.5E+02	ug/kg	7.3E-02	7.3E-02	1.2E-09	1.9E-10	9.E-11	1.E-11	1.E-10	--	--	9.7E-09	1.5E-09	--	--	--
	Dibenzo(a,h)anthracene	1.7E+02	ug/kg	7.3E+00	7.3E+00	2.8E-10	4.3E-11	2.E-09	3.E-10	2.E-09	--	--	2.2E-09	3.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.5E+03	ug/kg	7.3E-01	7.3E-01	2.5E-09	3.7E-10	2.E-09	3.E-10	2.E-09	--	--	1.9E-08	2.9E-09	--	--	--
	Naphthalene	1.2E+02	ug/kg	--	--	2.0E-10	3.0E-11	--	--	--	2.0E-02	2.0E-02	1.5E-09	2.3E-10	8.E-08	1.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.4E+01	ug/kg	1.4E-02	1.4E-02	9.5E-11	1.9E-11	1.E-12	3.E-13	2.E-12	2.0E-02	2.0E-02	7.4E-10	1.5E-10	4.E-08	7.E-09	0.00000004
	Phenols																
	Pentachlorophenol	1.2E+01	ug/kg	4.0E-01	4.0E-01	3.9E-11	3.0E-12	2.E-11	1.E-12	2.E-11	5.0E-03	5.0E-03	3.0E-10	2.4E-11	6.E-08	5.E-09	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.2E+01	ug/kg	2.0E+00	2.0E+00	5.8E-11	8.1E-12	1.E-10	2.E-11	1.E-10	2.0E-05	2.0E-05	4.5E-10	6.3E-11	2.E-05	3.E-06	0.00003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	1.3E+05	1.3E+05	5.6E-16	3.7E-16	7.E-11	5.E-11	1.E-10	1.0E-09	1.0E-09	4.4E-15	2.9E-15	4.E-06	3.E-06	0.00001
	Total PCB TEQ	5.8E-01	pg/g	1.3E+05	1.3E+05	1.0E-15	1.5E-16	1.E-10	2.E-11	2.E-10	1.0E-09	1.0E-09	8.1E-15	1.1E-15	8.E-06	1.E-06	0.00001
	Pesticides																
	Aldrin	4.2E-01	ug/kg	1.7E+01	1.7E+01	5.3E-13	1.1E-13	9.E-12	2.E-12	1.E-11	3.0E-05	3.0E-05	4.2E-12	8.2E-13	1.E-07	3.E-08	0.0000002
	Dieldrin	3.1E-01	ug/kg	1.6E+01	1.6E+01	4.0E-13	7.9E-14	6.E-12	1.E-12	8.E-12	5.0E-05	5.0E-05	3.1E-12	6.1E-13	6.E-08	1.E-08	0.0000001
	Total DDT	1.9E+01	ug/kg	3.4E-01	3.4E-01	7.4E-12	4.8E-12	3.E-12	2.E-12	4.E-12	5.0E-04	5.0E-04	5.7E-11	3.8E-11	1.E-07	8.E-08	0.0000002
Exposure Point Total										4.E-08							0.003
RM 5.5 East	**Metals**																
	Arsenic	5.8E+00	mg/kg	1.5E+00	1.5E+00	2.2E-09	1.5E-09	3.E-09	2.E-09	5.E-09	3.0E-04	3.0E-04	1.7E-08	1.1E-08	6.E-05	4.E-05	0.0001
	Mercury	2.3E-01	mg/kg	--	--	0.0E+00	5.7E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.4E-10	0.E+00	4.E-06	0.000004
	Vanadium	8.5E+01	mg/kg	--	--	0.0E+00	2.1E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.7E-07	0.E+00	2.E-03	0.002
	Butyltins																
	Tributyltin ion	1.7E+02	ug/kg	--	--	2.2E-10	4.4E-11	--	--	--	3.0E-04	3.0E-04	1.7E-09	3.4E-10	6.E-06	1.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.6E+02	ug/kg	7.3E-01	7.3E-01	7.7E-10	1.2E-10	6.E-10	8.E-11	6.E-10	--	--	6.0E-09	9.0E-10	--	--	--
	Benzo(a)pyrene	5.6E+02	ug/kg	7.3E+00	7.3E+00	9.3E-10	1.4E-10	7.E-09	1.E-09	8.E-09	--	--	7.3E-09	1.1E-09	--	--	--
	Benzo(b)fluoranthene	6.8E+02	ug/kg	7.3E-01	7.3E-01	1.1E-09	1.7E-10	8.E-10	1.E-10	9.E-10	--	--	8.8E-09	1.3E-09	--	--	--
	Benzo(k)fluoranthene	2.6E+02	ug/kg	7.3E-02	7.3E-02	4.3E-10	6.6E-11	3.E-11	5.E-12	4.E-11	--	--	3.4E-09	5.1E-10	--	--	--
	Dibenzo(a,h)anthracene	8.8E+01	ug/kg	7.3E+00	7.3E+00	1.5E-10	2.2E-11	1.E-09	2.E-10	1.E-09	--	--	1.1E-09	1.7E-10	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Indeno(1,2,3-cd)pyrene	4.3E+02	ug/kg	7.3E-01	7.3E-01	7.1E-10	1.1E-10	5.E-10	8.E-11	6.E-10	--	--	5.5E-09	8.3E-10	--	--	--
	Naphthalene	1.3E+02	ug/kg	--	--	2.2E-10	3.4E-11	--	--	--	2.0E-02	2.0E-02	1.7E-09	2.6E-10	9.E-08	1.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.6E+02	ug/kg	1.4E-02	1.4E-02	3.3E-10	6.5E-11	5.E-12	9.E-13	6.E-12	2.0E-02	2.0E-02	2.6E-09	5.0E-10	1.E-07	3.E-08	0.0000002
	Phenols																
	Pentachlorophenol	1.3E+01	ug/kg	4.0E-01	4.0E-01	4.3E-11	3.4E-12	2.E-11	1.E-12	2.E-11	5.0E-03	5.0E-03	3.4E-10	2.6E-11	7.E-08	5.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+02	ug/kg	2.0E+00	2.0E+00	1.9E-10	2.6E-11	4.E-10	5.E-11	4.E-10	2.0E-05	2.0E-05	1.5E-09	2.1E-10	7.E-05	1.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.4E+00	pg/g	1.3E+05	1.3E+05	1.7E-15	1.1E-15	2.E-10	1.E-10	4.E-10	1.0E-09	1.0E-09	1.3E-14	8.7E-15	1.E-05	9.E-06	0.00002
	Total PCB TEQ	2.0E+00	pg/g	1.3E+05	1.3E+05	3.7E-15	5.1E-16	5.E-10	7.E-11	5.E-10	1.0E-09	1.0E-09	2.8E-14	4.0E-15	3.E-05	4.E-06	0.00003
	Pesticides																
	Aldrin	4.1E-01	ug/kg	1.7E+01	1.7E+01	5.2E-13	1.0E-13	9.E-12	2.E-12	1.E-11	3.0E-05	3.0E-05	4.1E-12	8.0E-13	1.E-07	3.E-08	0.0000002
	Dieldrin	4.7E-01	ug/kg	1.6E+01	1.6E+01	6.0E-13	1.2E-13	1.E-11	2.E-12	1.E-11	5.0E-05	5.0E-05	4.7E-12	9.2E-13	9.E-08	2.E-08	0.0000001
	Total DDT	8.2E+00	ug/kg	3.4E-01	3.4E-01	3.2E-12	2.1E-12	1.E-12	7.E-13	2.E-12	5.0E-04	5.0E-04	2.5E-11	1.6E-11	5.E-08	3.E-08	0.0000001
Exposure Point Total										2.E-08							0.003
RM 6 West	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	1.4E-09	9.2E-10	2.E-09	1.E-09	3.E-09	3.0E-04	3.0E-04	1.1E-08	7.2E-09	4.E-05	2.E-05	0.0001
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	2.9E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.2E-10	0.E+00	2.E-06	0.000002
	Vanadium	1.2E+02	mg/kg	--	--	0.0E+00	3.0E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.3E-07	0.E+00	3.E-03	0.003
	Butyltins																
	Tributyltin ion	1.3E+01	ug/kg	--	--	1.6E-11	3.2E-12	--	--	--	3.0E-04	3.0E-04	1.3E-10	2.5E-11	4.E-07	8.E-08	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.5E+04	ug/kg	7.3E-01	7.3E-01	4.2E-08	6.4E-09	3.E-08	5.E-09	4.E-08	--	--	3.3E-07	5.0E-08	--	--	--
	Benzo(a)pyrene	3.1E+04	ug/kg	7.3E+00	7.3E+00	5.2E-08	7.8E-09	4.E-07	6.E-08	4.E-07	--	--	4.0E-07	6.1E-08	--	--	--
	Benzo(b)fluoranthene	2.2E+04	ug/kg	7.3E-01	7.3E-01	3.7E-08	5.6E-09	3.E-08	4.E-09	3.E-08	--	--	2.9E-07	4.4E-08	--	--	--
	Benzo(k)fluoranthene	1.4E+04	ug/kg	7.3E-02	7.3E-02	2.3E-08	3.5E-09	2.E-09	3.E-10	2.E-09	--	--	1.8E-07	2.7E-08	--	--	--
	Dibenzo(a,h)anthracene	2.9E+03	ug/kg	7.3E+00	7.3E+00	4.8E-09	7.3E-10	4.E-08	5.E-09	4.E-08	--	--	3.8E-08	5.7E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.1E+04	ug/kg	7.3E-01	7.3E-01	3.5E-08	5.3E-09	3.E-08	4.E-09	3.E-08	--	--	2.7E-07	4.1E-08	--	--	--
	Naphthalene	1.1E+04	ug/kg	--	--	1.8E-08	2.7E-09	--	--	--	2.0E-02	2.0E-02	1.4E-07	2.1E-08	7.E-06	1.E-06	0.00001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.2E+02	ug/kg	1.4E-02	1.4E-02	2.8E-10	5.5E-11	4.E-12	8.E-13	5.E-12	2.0E-02	2.0E-02	2.2E-09	4.3E-10	1.E-07	2.E-08	0.0000001
	Phenols																
	Pentachlorophenol	2.2E+01	ug/kg	4.0E-01	4.0E-01	7.0E-11	5.5E-12	3.E-11	2.E-12	3.E-11	5.0E-03	5.0E-03	5.5E-10	4.3E-11	1.E-07	9.E-09	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	4.3E+01	ug/kg	2.0E+00	2.0E+00	7.6E-11	1.1E-11	2.E-10	2.E-11	2.E-10	2.0E-05	2.0E-05	5.9E-10	8.3E-11	3.E-05	4.E-06	0.00003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	1.3E+05	1.3E+05	5.9E-16	3.8E-16	8.E-11	5.E-11	1.E-10	1.0E-09	1.0E-09	4.6E-15	3.0E-15	5.E-06	3.E-06	0.00001
	Total PCB TEQ	1.4E+00	pg/g	1.3E+05	1.3E+05	2.6E-15	3.6E-16	3.E-10	5.E-11	4.E-10	1.0E-09	1.0E-09	2.0E-14	2.8E-15	2.E-05	3.E-06	0.00002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future

Medium: Sediment

Receptor Population: Diver in Wet Suit

Exposure Medium: In-water Sediment

Population Age: Adult

Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	1.2E+00	ug/kg	1.7E+01	1.7E+01	1.6E-12	3.1E-13	3.E-11	5.E-12	3.E-11	3.0E-05	3.0E-05	1.2E-11	2.4E-12	4.E-07	8.E-08	0.0000005
	Dieldrin	1.1E+00	ug/kg	1.6E+01	1.6E+01	1.4E-12	2.8E-13	2.E-11	5.E-12	3.E-11	5.0E-05	5.0E-05	1.1E-11	2.2E-12	2.E-07	4.E-08	0.0000003
	Total DDT	3.6E+01	ug/kg	3.4E-01	3.4E-01	1.4E-11	9.0E-12	5.E-12	3.E-12	8.E-12	5.0E-04	5.0E-04	1.1E-10	7.0E-11	2.E-07	1.E-07	0.0000004
Exposure Point Total										**6.E-07**							**0.003**
RM 6 East	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	1.4E-09	9.3E-10	2.E-09	1.E-09	4.E-09	3.0E-04	3.0E-04	1.1E-08	7.2E-09	4.E-05	2.E-05	0.0001
	Mercury	2.9E-01	mg/kg	--	--	0.0E+00	7.3E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.6E-10	0.E+00	6.E-06	0.00001
	Vanadium	9.1E+01	mg/kg	--	--	0.0E+00	2.3E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.8E-07	0.E+00	3.E-03	0.003
	Butyltins																
	Tributyltin ion	1.8E+02	ug/kg	--	--	2.3E-10	4.5E-11	--	--	--	3.0E-04	3.0E-04	1.8E-09	3.5E-10	6.E-06	1.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.3E+02	ug/kg	7.3E-01	7.3E-01	8.8E-10	1.3E-10	6.E-10	1.E-10	7.E-10	--	--	6.8E-09	1.0E-09	--	--	--
	Benzo(a)pyrene	7.5E+02	ug/kg	7.3E+00	7.3E+00	1.2E-09	1.9E-10	9.E-09	1.E-09	1.E-08	--	--	9.7E-09	1.5E-09	--	--	--
	Benzo(b)fluoranthene	7.3E+02	ug/kg	7.3E-01	7.3E-01	1.2E-09	1.8E-10	9.E-10	1.E-10	1.E-09	--	--	9.4E-09	1.4E-09	--	--	--
	Benzo(k)fluoranthene	4.6E+02	ug/kg	7.3E-02	7.3E-02	7.7E-10	1.2E-10	6.E-11	8.E-12	6.E-11	--	--	6.0E-09	9.0E-10	--	--	--
	Dibenzo(a,h)anthracene	9.6E+01	ug/kg	7.3E+00	7.3E+00	1.6E-10	2.4E-11	1.E-09	2.E-10	1.E-09	--	--	1.2E-09	1.9E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	4.2E+02	ug/kg	7.3E-01	7.3E-01	7.0E-10	1.1E-10	5.E-10	8.E-11	6.E-10	--	--	5.4E-09	8.2E-10	--	--	--
	Naphthalene	2.5E+02	ug/kg	--	--	4.1E-10	6.2E-11	--	--	--	2.0E-02	2.0E-02	3.2E-09	4.9E-10	2.E-07	2.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.2E+01	ug/kg	1.4E-02	1.4E-02	1.0E-10	2.1E-11	1.E-12	3.E-13	2.E-12	2.0E-02	2.0E-02	8.1E-10	1.6E-10	4.E-08	8.E-09	0.00000005
	Phenols																
	Pentachlorophenol	7.7E+00	ug/kg	4.0E-01	4.0E-01	2.5E-11	1.9E-12	1.E-11	8.E-13	1.E-11	5.0E-03	5.0E-03	1.9E-10	1.5E-11	4.E-08	3.E-09	0.00000004
	Polychlorinated Biphenyls																
	Total Aroclors	7.7E+01	ug/kg	2.0E+00	2.0E+00	1.4E-10	1.9E-11	3.E-10	4.E-11	3.E-10	2.0E-05	2.0E-05	1.1E-09	1.5E-10	5.E-05	7.E-06	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.2E+00	pg/g	1.3E+05	1.3E+05	1.2E-15	8.0E-16	2.E-10	1.E-10	3.E-10	1.0E-09	1.0E-09	9.5E-15	6.2E-15	9.E-06	6.E-06	0.00002
	Total PCB TEQ	1.2E+00	pg/g	1.3E+05	1.3E+05	2.2E-15	3.1E-16	3.E-10	4.E-11	3.E-10	1.0E-09	1.0E-09	1.7E-14	2.4E-15	2.E-05	2.E-06	0.00002
	Pesticides																
	Aldrin	4.1E-01	ug/kg	1.7E+01	1.7E+01	5.2E-13	1.0E-13	9.E-12	2.E-12	1.E-11	3.0E-05	3.0E-05	4.1E-12	8.0E-13	1.E-07	3.E-08	0.0000002
	Dieldrin	4.4E-02	ug/kg	1.6E+01	1.6E+01	5.7E-14	1.1E-14	9.E-13	2.E-13	1.E-12	5.0E-05	5.0E-05	4.4E-13	8.7E-14	9.E-09	2.E-09	0.00000001
	Total DDT	2.9E+00	ug/kg	3.4E-01	3.4E-01	1.1E-12	7.4E-13	4.E-13	3.E-13	6.E-13	5.0E-04	5.0E-04	8.7E-12	5.7E-12	2.E-08	1.E-08	0.00000003
Exposure Point Total										**2.E-08**							**0.003**
RM 6.5 West	**Metals**																
	Arsenic	7.4E+00	mg/kg	1.5E+00	1.5E+00	2.8E-09	1.9E-09	4.E-09	3.E-09	7.E-09	3.0E-04	3.0E-04	2.2E-08	1.5E-08	7.E-05	5.E-05	0.0001
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	2.7E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.1E-10	0.E+00	2.E-06	0.000002
	Vanadium	1.2E+02	mg/kg	--	--	0.0E+00	3.1E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.4E-07	0.E+00	3.E-03	0.003
	Butyltins																
	Tributyltin ion	2.6E+01	ug/kg	--	--	3.4E-11	6.6E-12	--	--	--	3.0E-04	3.0E-04	2.6E-10	5.1E-11	9.E-07	2.E-07	0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure

Central Tendency Exposure

Scenario Timeframe: Current/Future

Receptor Population: Diver in Wet Suit

Population Age: Adult

Medium: Sediment

Exposure Medium: In-water Sediment

Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	EPC Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.4E+02	ug/kg	7.3E-01	7.3E-01	1.2E-09	1.9E-10	9.E-10	1.E-10	1.E-09	--	--	9.6E-09	1.5E-09	--	--	--
	Benzo(a)pyrene	9.1E+02	ug/kg	7.3E+00	7.3E+00	1.5E-09	2.3E-10	1.E-08	2.E-09	1.E-08	--	--	1.2E-08	1.8E-09	--	--	--
	Benzo(b)fluoranthene	1.0E+03	ug/kg	7.3E-01	7.3E-01	1.7E-09	2.6E-10	1.E-09	2.E-10	1.E-09	--	--	1.3E-08	2.0E-09	--	--	--
	Benzo(k)fluoranthene	4.0E+02	ug/kg	7.3E-02	7.3E-02	6.7E-10	1.0E-10	5.E-11	7.E-12	6.E-11	--	--	5.2E-09	7.9E-10	--	--	--
	Dibenzo(a,h)anthracene	1.7E+02	ug/kg	7.3E+00	7.3E+00	2.8E-10	4.2E-11	2.E-09	3.E-10	2.E-09	--	--	2.2E-09	3.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	6.2E+02	ug/kg	7.3E-01	7.3E-01	1.0E-09	1.6E-10	8.E-10	1.E-10	9.E-10	--	--	8.0E-09	1.2E-09	--	--	--
	Naphthalene	1.1E+02	ug/kg	--	--	1.8E-10	2.7E-11	--	--	--	2.0E-02	2.0E-02	1.4E-09	2.1E-10	7.E-08	1.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.1E+01	ug/kg	1.4E-02	1.4E-02	1.0E-10	2.0E-11	1.E-12	3.E-13	2.E-12	2.0E-02	2.0E-02	8.1E-10	1.6E-10	4.E-08	8.E-09	0.00000005
	Phenols																
	Pentachlorophenol	1.6E+00	ug/kg	4.0E-01	4.0E-01	5.1E-12	4.0E-13	2.E-12	2.E-13	2.E-12	5.0E-03	5.0E-03	4.0E-11	3.1E-12	8.E-09	6.E-10	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	6.4E+01	ug/kg	2.0E+00	2.0E+00	1.1E-10	1.6E-11	2.E-10	3.E-11	3.E-10	2.0E-05	2.0E-05	8.8E-10	1.2E-10	4.E-05	6.E-06	0.00005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.1E+01	pg/g	1.3E+05	1.3E+05	8.0E-15	5.2E-15	1.E-09	7.E-10	2.E-09	1.0E-09	1.0E-09	6.2E-14	4.1E-14	6.E-05	4.E-05	0.0001
	Total PCB TEQ	1.8E+00	pg/g	1.3E+05	1.3E+05	3.2E-15	4.5E-16	4.E-10	6.E-11	5.E-10	1.0E-09	1.0E-09	2.5E-14	3.5E-15	3.E-05	4.E-06	0.00003
	Pesticides																
	Aldrin	1.7E+00	ug/kg	1.7E+01	1.7E+01	2.2E-12	4.4E-13	4.E-11	7.E-12	5.E-11	3.0E-05	3.0E-05	1.7E-11	3.4E-12	6.E-07	1.E-07	0.000001
	Dieldrin	5.4E-01	ug/kg	1.6E+01	1.6E+01	6.9E-13	1.4E-13	1.E-11	2.E-12	1.E-11	5.0E-05	5.0E-05	5.4E-12	1.1E-12	1.E-07	2.E-08	0.0000001
	Total DDT	9.2E+01	ug/kg	3.4E-01	3.4E-01	3.5E-11	2.3E-11	1.E-11	8.E-12	2.E-11	5.0E-04	5.0E-04	2.7E-10	1.8E-10	5.E-07	4.E-07	0.000001
Exposure Point Total										3.E-08							0.004
RM 6.5 East	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	1.6E-09	1.0E-09	2.E-09	2.E-09	4.E-09	3.0E-04	3.0E-04	1.2E-08	8.2E-09	4.E-05	3.E-05	0.0001
	Mercury	2.2E+00	mg/kg	--	--	0.0E+00	5.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.2E-09	0.E+00	4.E-05	0.00004
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	2.6E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.1E-07	0.E+00	3.E-03	0.003
	Butyltins																
	Tributyltin ion	4.3E+01	ug/kg	--	--	5.5E-11	1.1E-11	--	--	--	3.0E-04	3.0E-04	4.3E-10	8.4E-11	1.E-06	3.E-07	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.1E+02	ug/kg	7.3E-01	7.3E-01	1.8E-10	2.7E-11	1.E-10	2.E-11	2.E-10	--	--	1.4E-09	2.1E-10	--	--	--
	Benzo(a)pyrene	8.6E+01	ug/kg	7.3E+00	7.3E+00	1.4E-10	2.2E-11	1.E-09	2.E-10	1.E-09	--	--	1.1E-09	1.7E-10	--	--	--
	Benzo(b)fluoranthene	1.1E+02	ug/kg	7.3E-01	7.3E-01	1.9E-10	2.8E-11	1.E-10	2.E-11	2.E-10	--	--	1.5E-09	2.2E-10	--	--	--
	Benzo(k)fluoranthene	6.1E+01	ug/kg	7.3E-02	7.3E-02	1.0E-10	1.5E-11	7.E-12	1.E-12	9.E-12	--	--	7.9E-10	1.2E-10	--	--	--
	Dibenzo(a,h)anthracene	1.5E+01	ug/kg	7.3E+00	7.3E+00	2.5E-11	3.7E-12	2.E-10	3.E-11	2.E-10	--	--	1.9E-10	2.9E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	5.9E+01	ug/kg	7.3E-01	7.3E-01	9.7E-11	1.5E-11	7.E-11	1.E-11	8.E-11	--	--	7.6E-10	1.1E-10	--	--	--
	Naphthalene	6.5E+01	ug/kg	--	--	1.1E-10	1.6E-11	--	--	--	2.0E-02	2.0E-02	8.4E-10	1.3E-10	4.E-08	6.E-09	0.00000005
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.3E+01	ug/kg	1.4E-02	1.4E-02	1.2E-10	2.3E-11	2.E-12	3.E-13	2.E-12	2.0E-02	2.0E-02	9.3E-10	1.8E-10	5.E-08	9.E-09	0.0000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure

Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phenols																
	Pentachlorophenol	3.9E+00	ug/kg	4.0E-01	4.0E-01	1.3E-11	9.8E-13	5.E-12	4.E-13	5.E-12	5.0E-03	5.0E-03	9.7E-11	7.7E-12	2.E-08	2.E-09	0.00000
	Polychlorinated Biphenyls																
	Total Aroclors	2.0E+02	ug/kg	2.0E+00	2.0E+00	3.6E-10	5.1E-11	7.E-10	1.E-10	8.E-10	2.0E-05	2.0E-05	2.8E-09	4.0E-10	1.E-04	2.E-05	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.0E+01	pg/g	1.3E+05	1.3E+05	7.7E-15	5.0E-15	1.E-09	7.E-10	2.E-09	1.0E-09	1.0E-09	6.0E-14	3.9E-14	6.6E-05	4.E-05	0.0001
	Total PCB TEQ	3.0E+00	pg/g	1.3E+05	1.3E+05	5.4E-15	7.6E-16	7.E-10	1.E-10	8.E-10	1.0E-09	1.0E-09	4.2E-14	5.9E-15	4.E-05	6.E-06	0.00005
	Pesticides																
	Aldrin	7.6E-02	ug/kg	1.7E+01	1.7E+01	9.7E-14	1.9E-14	2.E-12	3.E-13	2.E-12	3.0E-05	3.0E-05	7.6E-13	1.5E-13	3.E-08	5.E-09	0.00000003
	Dieldrin	1.5E-01	ug/kg	1.6E+01	1.6E+01	1.9E-13	3.8E-14	3.E-12	6.E-13	4.E-12	5.0E-05	5.0E-05	1.5E-12	2.9E-13	3.E-08	6.E-09	0.00000004
	Total DDT	1.5E+01	ug/kg	3.4E-01	3.4E-01	5.8E-12	3.8E-12	2.E-12	1.E-12	3.E-12	5.0E-04	5.0E-04	4.5E-11	2.9E-11	9.E-08	6.E-08	0.0000001
Exposure Point Total										9.E-09							0.003
RM 7 West	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	1.6E-09	1.0E-09	2.E-09	2.E-09	4.E-09	3.0E-04	3.0E-04	1.2E-08	8.1E-09	4.E-05	3.E-05	0.0001
	Mercury	8.1E-02	mg/kg	--	--	0.0E+00	2.0E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.6E-10	0.E+00	2.E-06	0.000002
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	2.5E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.0E-07	0.E+00	3.E-03	0.003
	Butyltins																
	Tributyltin ion	6.0E+00	ug/kg	--	--	7.6E-12	1.5E-12	--	--	--	3.0E-04	3.0E-04	5.9E-11	1.2E-11	2.E-07	4.E-08	0.0000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.6E+02	ug/kg	7.3E-01	7.3E-01	9.4E-10	1.4E-10	7.E-10	1.E-10	8.E-10	--	--	7.3E-09	1.1E-09	--	--	--
	Benzo(a)pyrene	4.7E+02	ug/kg	7.3E+00	7.3E+00	7.7E-10	1.2E-10	6.E-09	9.E-10	7.E-09	--	--	6.0E-09	9.1E-10	--	--	--
	Benzo(b)fluoranthene	1.1E+03	ug/kg	7.3E-01	7.3E-01	1.8E-09	2.7E-10	1.E-09	2.E-10	1.E-09	--	--	1.4E-08	2.1E-09	--	--	--
	Benzo(k)fluoranthene	3.9E+02	ug/kg	7.3E-02	7.3E-02	6.5E-10	9.8E-11	5.E-11	7.E-12	5.E-11	--	--	5.0E-09	7.6E-10	--	--	--
	Dibenzo(a,h)anthracene	1.3E+02	ug/kg	7.3E+00	7.3E+00	2.1E-10	3.2E-11	2.E-09	2.E-10	2.E-09	--	--	1.7E-09	2.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.7E+02	ug/kg	7.3E-01	7.3E-01	6.1E-10	9.2E-11	4.E-10	7.E-11	5.E-10	--	--	4.8E-09	7.2E-10	--	--	--
	Naphthalene	8.8E+00	ug/kg	--	--	1.5E-11	2.2E-12	--	--	--	2.0E-02	2.0E-02	1.1E-10	1.7E-11	6.6E-09	9.E-10	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.1E+02	ug/kg	1.4E-02	1.4E-02	2.7E-10	5.2E-11	4.E-12	7.E-13	4.E-12	2.0E-02	2.0E-02	2.1E-09	4.1E-10	1.E-07	2.E-08	0.0000001
	Phenols																
	Pentachlorophenol	2.7E+01	ug/kg	4.0E-01	4.0E-01	8.7E-11	6.9E-12	3.E-11	3.E-12	4.E-11	5.0E-03	5.0E-03	6.8E-10	5.4E-11	1.E-07	1.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	7.1E+01	ug/kg	2.0E+00	2.0E+00	1.3E-10	1.8E-11	3.E-10	4.E-11	3.E-10	2.0E-05	2.0E-05	9.9E-10	1.4E-10	5.E-05	7.E-06	0.00006
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+03	pg/g	1.3E+05	1.3E+05	6.4E-13	4.2E-13	8.E-08	5.E-08	1.E-07	1.0E-09	1.0E-09	4.9E-12	3.2E-12	5.E-03	3.E-03	0.01
	Total PCB TEQ	7.7E+00	pg/g	1.3E+05	1.3E+05	1.4E-14	1.9E-15	2.E-09	3.E-10	2.E-09	1.0E-09	1.0E-09	1.1E-13	1.5E-14	1.E-04	1.E-05	0.0001
	Pesticides																
	Aldrin	2.7E+01	ug/kg	1.7E+01	1.7E+01	3.4E-11	6.7E-12	6.E-10	1.E-10	7.E-10	3.0E-05	3.0E-05	2.7E-10	5.2E-11	9.E-06	2.E-06	0.00001
	Dieldrin	1.3E+00	ug/kg	1.6E+01	1.6E+01	1.6E-12	3.2E-13	3.E-11	5.E-12	3.E-11	5.0E-05	5.0E-05	1.3E-11	2.5E-12	3.E-07	5.E-08	0.0000003
	Total DDT	2.3E+03	ug/kg	3.4E-01	3.4E-01	9.0E-10	5.9E-10	3.E-10	2.E-10	5.E-10	5.0E-04	5.0E-04	7.0E-09	4.6E-09	1.E-05	9.E-06	0.00002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Conventionals																
	Perchlorate	4.9E+04	ug/kg	--	--	0.0E+00	1.2E-08	--	--	--	7.0E-04	7.0E-04	0.0E+00	9.6E-08	0.E+00	1.E-04	0.0001
Exposure Point Total										**2.E-07**							**0.01**
RM 7 East	**Metals**																
	Arsenic	1.0E+01	mg/kg	1.5E+00	1.5E+00	3.9E-09	2.5E-09	6.E-09	4.E-09	1.E-08	3.0E-04	3.0E-04	3.0E-08	2.0E-08	1.E-04	7.E-05	0.0002
	Mercury	5.8E-02	mg/kg	--	--	0.0E+00	1.4E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-10	0.E+00	1.E-06	0.000001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	2.7E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.1E-07	0.E+00	3.E-03	0.003
	Butyltins																
	Tributyltin ion	2.6E+02	ug/kg	--	--	3.4E-10	6.7E-11	--	--	--	3.0E-04	3.0E-04	2.6E-09	5.2E-10	9.E-06	2.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E+02	ug/kg	7.3E-01	7.3E-01	2.1E-10	3.1E-11	1.E-10	2.E-11	2.E-10	--	--	1.6E-09	2.4E-10	--	--	--
	Benzo(a)pyrene	1.6E+02	ug/kg	7.3E+00	7.3E+00	2.6E-10	4.0E-11	2.E-09	3.E-10	2.E-09	--	--	2.0E-09	3.1E-10	--	--	--
	Benzo(b)fluoranthene	2.1E+02	ug/kg	7.3E-01	7.3E-01	3.5E-10	5.3E-11	3.E-10	4.E-11	3.E-10	--	--	2.7E-09	4.1E-10	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	1.9E-10	2.9E-11	1.E-11	2.E-12	2.E-11	--	--	1.5E-09	2.2E-10	--	--	--
	Dibenzo(a,h)anthracene	4.3E+01	ug/kg	7.3E+00	7.3E+00	7.1E-11	1.1E-11	5.E-10	8.E-11	6.E-10	--	--	5.5E-10	8.3E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+02	ug/kg	7.3E-01	7.3E-01	1.8E-10	2.7E-11	1.E-10	2.E-11	1.E-10	--	--	1.4E-09	2.1E-10	--	--	--
	Naphthalene	2.2E+01	ug/kg	--	--	3.6E-11	5.5E-12	--	--	--	2.0E-02	2.0E-02	2.8E-10	4.3E-11	1.E-08	2.E-09	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.0E+02	ug/kg	1.4E-02	1.4E-02	3.9E-10	7.6E-11	5.E-12	1.E-12	6.E-12	2.0E-02	2.0E-02	3.0E-09	5.9E-10	2.E-07	3.E-08	0.0000002
	Phenols																
	Pentachlorophenol	7.7E+01	ug/kg	4.0E-01	4.0E-01	2.5E-10	1.9E-11	1.E-10	8.E-12	1.E-10	5.0E-03	5.0E-03	1.9E-09	1.5E-10	4.E-07	3.E-08	0.0000004
	Polychlorinated Biphenyls																
	Total Aroclors	4.2E+01	ug/kg	2.0E+00	2.0E+00	7.5E-11	1.1E-11	2.E-10	2.E-11	2.E-10	2.0E-05	2.0E-05	5.8E-10	8.2E-11	3.E-05	4.E-06	0.00003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	6.4E-15	4.2E-15	8.E-10	5.E-10	1.E-09	1.0E-09	1.0E-09	5.0E-14	3.3E-14	5.E-05	3.E-05	0.0001
	Total PCB TEQ	5.5E-01	pg/g	1.3E+05	1.3E+05	9.9E-16	1.4E-16	1.E-10	2.E-11	1.E-10	1.0E-09	1.0E-09	7.7E-15	1.1E-15	8.E-06	1.E-06	0.00001
	Pesticides																
	Aldrin	1.3E-01	ug/kg	1.7E+01	1.7E+01	1.7E-13	3.3E-14	3.E-12	6.E-13	3.E-12	3.0E-05	3.0E-05	1.3E-12	2.6E-13	4.E-08	9.E-09	0.0000001
	Dieldrin	8.2E-02	ug/kg	1.6E+01	1.6E+01	1.0E-13	2.1E-14	2.E-12	3.E-13	2.E-12	5.0E-05	5.0E-05	8.1E-13	1.6E-13	2.E-08	3.E-09	0.00000002
	Total DDT	3.6E+00	ug/kg	3.4E-01	3.4E-01	1.4E-12	8.9E-13	5.E-13	3.E-13	8.E-13	5.0E-04	5.0E-04	1.1E-11	7.0E-12	2.E-08	1.E-08	0.00000004
Exposure Point Total										**1.E-08**							**0.003**
RM 7.5 West	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	1.2E-09	8.1E-10	2.E-09	1.E-09	3.E-09	3.0E-04	3.0E-04	9.6E-09	6.3E-09	3.E-05	2.E-05	0.0001
	Mercury	7.7E-02	mg/kg	--	--	0.0E+00	1.9E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.5E-10	0.E+00	2.E-06	0.000002
	Vanadium	9.5E+01	mg/kg	--	--	0.0E+00	2.4E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.9E-07	0.E+00	3.E-03	0.003
	Butyltins																
	Tributyltin ion	5.4E+00	ug/kg	--	--	6.9E-12	1.4E-12	--	--	--	3.0E-04	3.0E-04	5.4E-11	1.1E-11	2.E-07	4.E-08	0.0000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(\text{mg/kg-day})^{-1}$	Oral Cancer Slope Factor $(\text{mg/kg-day})^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.5E+02	ug/kg	7.3E-01	7.3E-01	2.5E-10	3.7E-11	2.E-10	3.E-11	2.E-10	--	--	1.9E-09	2.9E-10	--	--	--
	Benzo(a)pyrene	1.3E+02	ug/kg	7.3E+00	7.3E+00	2.1E-10	3.2E-11	2.E-09	2.E-10	2.E-09	--	--	1.7E-09	2.5E-10	--	--	--
	Benzo(b)fluoranthene	1.7E+02	ug/kg	7.3E-01	7.3E-01	2.8E-10	4.3E-11	2.E-10	3.E-11	2.E-10	--	--	2.2E-09	3.3E-10	--	--	--
	Benzo(k)fluoranthene	6.1E+01	ug/kg	7.3E-02	7.3E-02	1.0E-10	1.5E-11	7.E-12	1.E-12	8.E-12	--	--	7.8E-10	1.2E-10	--	--	--
	Dibenzo(a,h)anthracene	2.0E+01	ug/kg	7.3E+00	7.3E+00	3.3E-11	5.0E-12	2.E-10	4.E-11	3.E-10	--	--	2.6E-10	3.9E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	8.4E+01	ug/kg	7.3E-01	7.3E-01	1.4E-10	2.1E-11	1.E-10	2.E-11	1.E-10	--	--	1.1E-09	1.6E-10	--	--	--
	Naphthalene	2.5E+01	ug/kg	--	--	4.2E-11	6.3E-12	--	--	--	2.0E-02	2.0E-02	3.2E-10	4.9E-11	2.E-08	2.E-09	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.4E+02	ug/kg	1.4E-02	1.4E-02	1.8E-10	3.6E-11	3.E-12	5.E-13	3.E-12	2.0E-02	2.0E-02	1.4E-09	2.8E-10	7.E-08	1.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.5E+00	ug/kg	4.0E-01	4.0E-01	4.9E-12	3.9E-13	2.E-12	2.E-13	2.E-12	5.0E-03	5.0E-03	3.8E-11	3.0E-12	8.E-09	6.E-10	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	8.6E+01	ug/kg	2.0E+00	2.0E+00	1.5E-10	2.2E-11	3.E-10	4.E-11	4.E-10	2.0E-05	2.0E-05	1.2E-09	1.7E-10	6.E-05	8.E-06	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.3E-01	pg/g	1.3E+05	1.3E+05	3.6E-16	2.3E-16	5.E-11	3.E-11	8.E-11	1.0E-09	1.0E-09	2.8E-15	1.8E-15	3.E-06	2.E-06	0.000005
	Total PCB TEQ	6.6E-01	pg/g	1.3E+05	1.3E+05	1.2E-15	1.7E-16	2.E-10	2.E-11	2.E-10	1.0E-09	1.0E-09	9.3E-15	1.3E-15	9.E-06	1.E-06	0.00001
	Pesticides																
	Aldrin	1.8E-01	ug/kg	1.7E+01	1.7E+01	2.4E-13	4.6E-14	4.E-12	8.E-13	5.E-12	3.0E-05	3.0E-05	1.8E-12	3.6E-13	6.E-08	1.E-08	0.0000001
	Dieldrin	1.8E-01	ug/kg	1.6E+01	1.6E+01	2.3E-13	4.5E-14	4.E-12	7.E-13	4.E-12	5.0E-05	5.0E-05	1.8E-12	3.5E-13	4.E-08	7.E-09	0.00000004
	Total DDT	2.1E+01	ug/kg	3.4E-01	3.4E-01	8.0E-12	5.3E-12	3.E-12	2.E-12	5.E-12	5.0E-04	5.0E-04	6.3E-11	4.1E-11	1.E-07	8.E-08	0.0000002
Exposure Point Total										**6.E-09**							**0.003**
RM 7.5 East	**Metals**																
	Arsenic	3.3E+00	mg/kg	1.5E+00	1.5E+00	1.3E-09	8.3E-10	2.E-09	1.E-09	3.E-09	3.0E-04	3.0E-04	9.8E-09	6.4E-09	3.E-05	2.E-05	0.0001
	Mercury	7.6E-02	mg/kg	--	--	0.0E+00	1.9E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.5E-10	0.E+00	1.E-06	0.000001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	2.7E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.1E-07	0.E+00	3.E-03	0.003
	Butyltins																
	Tributyltin ion	1.6E+02	ug/kg	--	--	2.1E-10	4.1E-11	--	--	--	3.0E-04	3.0E-04	1.6E-09	3.2E-10	5.E-06	1.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+01	ug/kg	7.3E-01	7.3E-01	4.2E-11	6.4E-12	3.E-11	5.E-12	4.E-11	--	--	3.3E-10	5.0E-11	--	--	--
	Benzo(a)pyrene	2.6E+01	ug/kg	7.3E+00	7.3E+00	4.3E-11	6.5E-12	3.E-10	5.E-11	4.E-10	--	--	3.3E-10	5.0E-11	--	--	--
	Benzo(b)fluoranthene	3.2E+01	ug/kg	7.3E-01	7.3E-01	5.4E-11	8.1E-12	4.E-11	6.E-12	5.E-11	--	--	4.2E-10	6.3E-11	--	--	--
	Benzo(k)fluoranthene	2.0E+01	ug/kg	7.3E-02	7.3E-02	3.3E-11	5.0E-12	2.E-12	4.E-13	3.E-12	--	--	2.6E-10	3.9E-11	--	--	--
	Dibenzo(a,h)anthracene	9.2E+00	ug/kg	7.3E+00	7.3E+00	1.5E-11	2.3E-12	1.E-10	2.E-11	1.E-10	--	--	1.2E-10	1.8E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.8E+01	ug/kg	7.3E-01	7.3E-01	3.0E-11	4.5E-12	2.E-11	3.E-12	2.E-11	--	--	2.3E-10	3.5E-11	--	--	--
	Naphthalene	6.1E+00	ug/kg	--	--	1.0E-11	1.5E-12	--	--	--	2.0E-02	2.0E-02	7.9E-11	1.2E-11	4.E-09	6.E-10	0.000000005
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.1E+02	ug/kg	1.4E-02	1.4E-02	7.8E-10	1.5E-10	1.E-11	2.E-12	1.E-11	2.0E-02	2.0E-02	6.1E-09	1.2E-09	3.E-07	6.E-08	0.0000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polychlorinated Biphenyls																
	Total Aroclors	3.2E+01	ug/kg	2.0E+00	2.0E+00	5.7E-11	8.0E-12	1.E-10	2.E-11	1.E-10	2.0E-05	2.0E-05	4.4E-10	6.2E-11	2.E-05	3.E-06	0.00003
	Pesticides																
	Dieldrin	1.5E-01	ug/kg	1.6E+01	1.6E+01	1.9E-13	3.7E-14	3.E-12	6.E-13	4.E-12	5.0E-05	5.0E-05	1.5E-12	2.9E-13	3.E-08	6.E-09	0.00000003
	Total DDT	1.1E+00	ug/kg	3.4E-01	3.4E-01	4.1E-13	2.7E-13	1.E-13	9.E-14	2.E-13	5.0E-04	5.0E-04	3.2E-12	2.1E-12	6.E-09	4.E-09	0.00000001
Exposure Point Total										4.E-09							0.003
RM 8 West	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	1.6E-09	1.0E-09	2.E-09	2.E-09	4.E-09	3.0E-04	3.0E-04	1.2E-08	8.1E-09	4.E-05	3.E-05	0.0001
	Mercury	1.7E-01	mg/kg	--	--	0.0E+00	4.2E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.2E-10	0.E+00	3.E-06	0.000003
	Vanadium	9.5E+01	mg/kg	--	--	0.0E+00	2.4E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.8E-07	0.E+00	3.E-03	0.003
	Butyltins																
	Tributyltin ion	1.3E+01	ug/kg	--	--	1.7E-11	3.3E-12	--	--	--	3.0E-04	3.0E-04	1.3E-10	2.6E-11	4.E-07	9.E-08	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+02	ug/kg	7.3E-01	7.3E-01	2.9E-10	4.5E-11	2.E-10	3.E-11	2.E-10	--	--	2.3E-09	3.5E-10	--	--	--
	Benzo(a)pyrene	1.7E+02	ug/kg	7.3E+00	7.3E+00	2.8E-10	4.2E-11	2.E-09	3.E-10	2.E-09	--	--	2.2E-09	3.3E-10	--	--	--
	Benzo(b)fluoranthene	2.3E+02	ug/kg	7.3E-01	7.3E-01	3.8E-10	5.8E-11	3.E-10	4.E-11	3.E-10	--	--	3.0E-09	4.5E-10	--	--	--
	Benzo(k)fluoranthene	5.0E+01	ug/kg	7.3E-02	7.3E-02	8.4E-11	1.3E-11	6.E-12	9.E-13	7.E-12	--	--	6.5E-10	9.9E-11	--	--	--
	Dibenzo(a,h)anthracene	3.1E+01	ug/kg	7.3E+00	7.3E+00	5.1E-11	7.8E-12	4.E-10	6.E-11	4.E-10	--	--	4.0E-10	6.0E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+02	ug/kg	7.3E-01	7.3E-01	1.9E-10	2.8E-11	1.E-10	2.E-11	2.E-10	--	--	1.5E-09	2.2E-10	--	--	--
	Naphthalene	5.1E+01	ug/kg	--	--	8.5E-11	1.3E-11	--	--	--	2.0E-02	2.0E-02	6.6E-10	1.0E-10	3.E-08	5.E-09	0.00000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.0E+02	ug/kg	1.4E-02	1.4E-02	7.7E-10	1.5E-10	1.E-11	2.E-12	1.E-11	2.0E-02	2.0E-02	6.0E-09	1.2E-09	3.E-07	6.E-08	0.0000004
	Phenols																
	Pentachlorophenol	3.1E+00	ug/kg	4.0E-01	4.0E-01	1.0E-11	7.8E-13	4.E-12	3.E-13	4.E-12	5.0E-03	5.0E-03	7.8E-11	6.1E-12	2.E-08	1.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.2E+02	ug/kg	2.0E+00	2.0E+00	2.1E-10	3.0E-11	4.E-10	6.E-11	5.E-10	2.0E-05	2.0E-05	1.7E-09	2.3E-10	8.E-05	1.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.6E-01	pg/g	1.3E+05	1.3E+05	1.0E-16	6.6E-17	1.E-11	9.E-12	2.E-11	1.0E-09	1.0E-09	7.8E-16	5.1E-16	8.E-07	5.E-07	0.000001
	Total PCB TEQ	3.6E+00	pg/g	1.3E+05	1.3E+05	6.4E-15	8.9E-16	8.E-10	1.E-10	9.E-10	1.0E-09	1.0E-09	4.9E-14	6.9E-15	5.E-05	7.E-06	0.0001
	Pesticides																
	Aldrin	4.0E-02	ug/kg	1.7E+01	1.7E+01	5.1E-14	1.0E-14	9.E-13	2.E-13	1.E-12	3.0E-05	3.0E-05	4.0E-13	7.9E-14	1.E-08	3.E-09	0.00000002
	Dieldrin	2.0E+00	ug/kg	1.6E+01	1.6E+01	2.5E-12	5.0E-13	4.E-11	8.E-12	5.E-11	5.0E-05	5.0E-05	2.0E-11	3.9E-12	4.E-07	8.E-08	0.0000005
	Total DDT	6.5E+00	ug/kg	3.4E-01	3.4E-01	2.5E-12	1.6E-12	8.E-13	6.E-13	1.E-12	5.0E-04	5.0E-04	1.9E-11	1.3E-11	4.E-08	3.E-08	0.0000001
Exposure Point Total										9.E-09							0.003
RM 8 East	**Metals**																
	Arsenic	6.2E+00	mg/kg	1.5E+00	1.5E+00	2.4E-09	1.5E-09	4.E-09	2.E-09	6.E-09	3.0E-04	3.0E-04	1.8E-08	1.2E-08	6.E-05	4.E-05	0.0001
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	3.0E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.3E-10	0.E+00	2.E-06	0.000002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	2.7E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.1E-07	0.E+00	3.E-03	0.003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: Diver in Wet Suit Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	2.4E+03	ug/kg	--	--	3.0E-09	6.0E-10	--	--	--	3.0E-04	3.0E-04	2.4E-08	4.7E-09	8.E-05	2.E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.7E+02	ug/kg	7.3E-01	7.3E-01	2.8E-10	4.2E-11	2.E-10	3.E-11	2.E-10	--	--	2.2E-09	3.3E-10	--	--	--
	Benzo(a)pyrene	1.7E+02	ug/kg	7.3E+00	7.3E+00	2.9E-10	4.4E-11	2.E-09	3.E-10	2.E-09	--	--	2.3E-09	3.4E-10	--	--	--
	Benzo(b)fluoranthene	2.0E+02	ug/kg	7.3E-01	7.3E-01	3.3E-10	5.0E-11	2.E-10	4.E-11	3.E-10	--	--	2.5E-09	3.9E-10	--	--	--
	Benzo(k)fluoranthene	1.3E+02	ug/kg	7.3E-02	7.3E-02	2.1E-10	3.2E-11	2.E-11	2.E-12	2.E-11	--	--	1.7E-09	2.5E-10	--	--	--
	Dibenzo(a,h)anthracene	2.6E+01	ug/kg	7.3E+00	7.3E+00	4.3E-11	6.5E-12	3.E-10	5.E-11	4.E-10	--	--	3.3E-10	5.0E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	2.0E-10	3.1E-11	1.E-10	2.E-11	2.E-10	--	--	1.6E-09	2.4E-10	--	--	--
	Naphthalene	1.6E+01	ug/kg	--	--	2.7E-11	4.1E-12	--	--	--	2.0E-02	2.0E-02	2.1E-10	3.2E-11	1.E-08	2.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.7E+02	ug/kg	1.4E-02	1.4E-02	9.9E-10	1.9E-10	1.E-11	3.E-12	2.E-11	2.0E-02	2.0E-02	7.7E-09	1.5E-09	4.E-07	8.E-08	0.0000005
	Phenols																
	Pentachlorophenol	1.3E+01	ug/kg	4.0E-01	4.0E-01	4.2E-11	3.3E-12	2.E-11	1.E-12	2.E-11	5.0E-03	5.0E-03	3.3E-10	2.6E-11	7.E-08	5.E-09	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+02	ug/kg	2.0E+00	2.0E+00	3.1E-10	4.3E-11	6.E-10	9.E-11	7.E-10	2.0E-05	2.0E-05	2.4E-09	3.4E-10	1.E-04	2.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.3E-01	pg/g	1.3E+05	1.3E+05	3.6E-16	2.3E-16	5.E-11	3.E-11	8.E-11	1.0E-09	1.0E-09	2.8E-15	1.8E-15	3.E-06	2.E-06	0.000005
	Total PCB TEQ	5.8E+00	pg/g	1.3E+05	1.3E+05	1.0E-14	1.5E-15	1.E-09	2.E-10	2.E-09	1.0E-09	1.0E-09	8.1E-14	1.1E-14	8.E-05	1.E-05	0.0001
	Pesticides																
	Aldrin	1.1E-01	ug/kg	1.7E+01	1.7E+01	1.5E-13	2.9E-14	2.E-12	5.E-13	3.E-12	3.0E-05	3.0E-05	1.1E-12	2.2E-13	4.E-08	7.E-09	0.00000005
	Dieldrin	7.9E-01	ug/kg	1.6E+01	1.6E+01	1.0E-12	2.0E-13	2.E-11	3.E-12	2.E-11	5.0E-05	5.0E-05	7.8E-12	1.5E-12	2.E-07	3.E-08	0.0000002
	Total DDT	1.1E+01	ug/kg	3.4E-01	3.4E-01	4.1E-12	2.7E-12	1.E-12	9.E-13	2.E-12	5.0E-04	5.0E-04	3.2E-11	2.1E-11	6.E-08	4.E-08	0.0000001
Exposure Point Total										**1.E-08**							**0.003**
RM 8 SIL	**Metals**																
	Arsenic	5.4E+00	mg/kg	1.5E+00	1.5E+00	2.1E-09	1.4E-09	3.E-09	2.E-09	5.E-09	3.0E-04	3.0E-04	1.6E-08	1.1E-08	5.E-05	4.E-05	0.0001
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	2.9E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.3E-10	0.E+00	2.E-06	0.000002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	2.7E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.1E-07	0.E+00	3.E-03	0.003
	Butyltins																
	Tributyltin ion	2.2E+03	ug/kg	--	--	2.8E-09	5.6E-10	--	--	--	3.0E-04	3.0E-04	2.2E-08	4.4E-09	7.E-05	1.E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.4E+02	ug/kg	7.3E-01	7.3E-01	4.0E-10	6.0E-11	3.E-10	4.E-11	3.E-10	--	--	3.1E-09	4.7E-10	--	--	--
	Benzo(a)pyrene	2.0E+02	ug/kg	7.3E+00	7.3E+00	3.3E-10	4.9E-11	2.E-09	4.E-10	3.E-09	--	--	2.5E-09	3.8E-10	--	--	--
	Benzo(b)fluoranthene	3.8E+02	ug/kg	7.3E-01	7.3E-01	6.3E-10	9.5E-11	5.E-10	7.E-11	5.E-10	--	--	4.9E-09	7.4E-10	--	--	--
	Benzo(k)fluoranthene	2.1E+02	ug/kg	7.3E-02	7.3E-02	3.4E-10	5.2E-11	3.E-11	4.E-12	3.E-11	--	--	2.7E-09	4.0E-10	--	--	--
	Dibenzo(a,h)anthracene	3.6E+01	ug/kg	7.3E+00	7.3E+00	5.9E-11	8.9E-12	4.E-10	7.E-11	5.E-10	--	--	4.6E-10	6.9E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	2.1E-10	3.1E-11	2.E-10	2.E-11	2.E-10	--	--	1.6E-09	2.4E-10	--	--	--
	Naphthalene	2.5E+01	ug/kg	--	--	4.2E-11	6.4E-12	--	--	--	2.0E-02	2.0E-02	3.3E-10	4.9E-11	2.E-08	2.E-09	0.00000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Diver in Wet Suit   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.1E+03	ug/kg	1.4E-02	1.4E-02	1.0E-08	2.0E-09	1.E-10	3.E-11	2.E-10	2.0E-02	2.0E-02	8.1E-08	1.6E-08	4.E-06	8.E-07	0.000005
	Phenols																
	Pentachlorophenol	3.9E+01	ug/kg	4.0E-01	4.0E-01	1.3E-10	9.9E-12	5.E-11	4.E-12	5.E-11	5.0E-03	5.0E-03	9.8E-10	7.7E-11	2.E-07	2.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	2.8E+02	ug/kg	2.0E+00	2.0E+00	5.0E-10	7.1E-11	1.E-09	1.E-10	1.E-09	2.0E-05	2.0E-05	3.9E-09	5.5E-10	2.E-04	3.E-05	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.3E+00	pg/g	1.3E+05	1.3E+05	2.4E-15	1.6E-15	3.E-10	2.E-10	5.E-10	1.0E-09	1.0E-09	1.9E-14	1.2E-14	2.E-05	1.E-05	0.00003
	Total PCB TEQ	1.2E+01	pg/g	1.3E+05	1.3E+05	2.2E-14	3.0E-15	3.E-09	4.E-10	3.E-09	1.0E-09	1.0E-09	1.7E-13	2.4E-14	2.E-04	2.E-05	0.0002
	Pesticides																
	Aldrin	6.2E-01	ug/kg	1.7E+01	1.7E+01	7.9E-13	1.6E-13	1.E-11	3.E-12	2.E-11	3.0E-05	3.0E-05	6.1E-12	1.2E-12	2.E-07	4.E-08	0.0000002
	Dieldrin	1.4E+00	ug/kg	1.6E+01	1.6E+01	1.8E-12	3.5E-13	3.E-11	6.E-12	3.E-11	5.0E-05	5.0E-05	1.4E-11	2.7E-12	3.E-07	5.E-08	0.0000003
	Total DDT	5.2E+00	ug/kg	3.4E-01	3.4E-01	2.0E-12	1.3E-12	7.E-13	4.E-13	1.E-12	5.0E-04	5.0E-04	1.6E-11	1.0E-11	3.E-08	2.E-08	0.0000001
Exposure Point Total										1.E-08							0.004
RM 8.5 West	**Metals**																
	Arsenic	6.7E+00	mg/kg	1.5E+00	1.5E+00	2.6E-09	1.7E-09	4.E-09	3.E-09	6.E-09	3.0E-04	3.0E-04	2.0E-08	1.3E-08	7.E-05	4.E-05	0.0001
	Mercury	2.0E-01	mg/kg	--	--	0.0E+00	5.1E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.9E-10	0.E+00	4.E-06	0.000004
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	2.5E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.0E-07	0.E+00	3.E-03	0.003
	Butyltins																
	Tributyltin ion	1.3E+01	ug/kg	--	--	1.6E-11	3.2E-12	--	--	--	3.0E-04	3.0E-04	1.3E-10	2.5E-11	4.E-07	8.E-08	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.4E+01	ug/kg	7.3E-01	7.3E-01	1.6E-10	2.4E-11	1.E-10	2.E-11	1.E-10	--	--	1.2E-09	1.8E-10	--	--	--
	Benzo(a)pyrene	9.1E+01	ug/kg	7.3E+00	7.3E+00	1.5E-10	2.3E-11	1.E-09	2.E-10	1.E-09	--	--	1.2E-09	1.8E-10	--	--	--
	Benzo(b)fluoranthene	1.3E+02	ug/kg	7.3E-01	7.3E-01	2.2E-10	3.3E-11	2.E-10	2.E-11	2.E-10	--	--	1.7E-09	2.6E-10	--	--	--
	Benzo(k)fluoranthene	5.5E+01	ug/kg	7.3E-02	7.3E-02	9.2E-11	1.4E-11	7.E-12	1.E-12	8.E-12	--	--	7.2E-10	1.1E-10	--	--	--
	Dibenzo(a,h)anthracene	1.1E+01	ug/kg	7.3E+00	7.3E+00	1.9E-11	2.9E-12	1.E-10	2.E-11	2.E-10	--	--	1.5E-10	2.2E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	5.2E+01	ug/kg	7.3E-01	7.3E-01	8.6E-11	1.3E-11	6.E-11	1.E-11	7.E-11	--	--	6.7E-10	1.0E-10	--	--	--
	Naphthalene	2.4E+01	ug/kg	--	--	4.1E-11	6.2E-12	--	--	--	2.0E-02	2.0E-02	3.2E-10	4.8E-11	2.E-08	2.E-09	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.3E+02	ug/kg	1.4E-02	1.4E-02	8.1E-10	1.6E-10	1.E-11	2.E-12	1.E-11	2.0E-02	2.0E-02	6.3E-09	1.2E-09	3.E-07	6.E-08	0.0000004
	Phenols																
	Pentachlorophenol	2.8E+00	ug/kg	4.0E-01	4.0E-01	8.8E-12	6.9E-13	4.E-12	3.E-13	4.E-12	5.0E-03	5.0E-03	6.9E-11	5.4E-12	1.E-08	1.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.4E+03	ug/kg	2.0E+00	2.0E+00	2.5E-09	3.5E-10	5.E-09	7.E-10	6.E-09	2.0E-05	2.0E-05	1.9E-08	2.7E-09	1.E-03	1.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.0E+00	pg/g	1.3E+05	1.3E+05	1.9E-15	1.3E-15	2.E-10	2.E-10	4.E-10	1.0E-09	1.0E-09	1.5E-14	9.8E-15	1.E-05	1.E-05	0.00002
	Total PCB TEQ	3.3E+01	pg/g	1.3E+05	1.3E+05	5.9E-14	8.3E-15	8.E-09	1.E-09	9.E-09	1.0E-09	1.0E-09	4.6E-13	6.4E-14	5.E-04	6.E-05	0.0005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	1.1E+01	ug/kg	1.7E+01	1.7E+01	1.4E-11	2.7E-12	2.E-10	5.E-11	3.E-10	3.0E-05	3.0E-05	1.1E-10	2.1E-11	4.E-06	7.E-07	0.000004
	Dieldrin	1.5E+01	ug/kg	1.6E+01	1.6E+01	1.9E-11	3.7E-12	3.E-10	6.E-11	4.E-10	5.0E-05	5.0E-05	1.5E-10	2.9E-11	3.E-06	6.E-07	0.000004
	Total DDT	6.0E+00	ug/kg	3.4E-01	3.4E-01	2.3E-12	1.5E-12	8.E-13	5.E-13	1.E-12	5.0E-04	5.0E-04	1.8E-11	1.2E-11	4.E-08	2.E-08	0.0000001
Exposure Point Total										2.E-08							0.005
RM 8.5 East	**Metals**																
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	1.8E-09	1.2E-09	3.E-09	2.E-09	4.E-09	3.0E-04	3.0E-04	1.4E-08	9.2E-09	5.E-05	3.E-05	0.0001
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	3.1E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.4E-10	0.E+00	2.E-06	0.000002
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	2.5E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.0E-07	0.E+00	3.E-03	0.003
	Butyltins																
	Tributyltin ion	2.3E+01	ug/kg	--	--	3.0E-11	5.9E-12	--	--	--	3.0E-04	3.0E-04	2.3E-10	4.6E-11	8.E-07	2.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.1E+01	ug/kg	7.3E-01	7.3E-01	6.9E-11	1.0E-11	5.E-11	8.E-12	6.E-11	--	--	5.4E-10	8.1E-11	--	--	--
	Benzo(a)pyrene	4.6E+01	ug/kg	7.3E+00	7.3E+00	7.7E-11	1.2E-11	6.E-10	8.E-11	6.E-10	--	--	6.0E-10	9.0E-11	--	--	--
	Benzo(b)fluoranthene	7.1E+01	ug/kg	7.3E-01	7.3E-01	1.2E-10	1.8E-11	9.E-11	1.E-11	1.E-10	--	--	9.1E-10	1.4E-10	--	--	--
	Benzo(k)fluoranthene	3.6E+01	ug/kg	7.3E-02	7.3E-02	5.9E-11	8.9E-12	4.E-12	7.E-13	5.E-12	--	--	4.6E-10	7.0E-11	--	--	--
	Dibenzo(a,h)anthracene	8.3E+00	ug/kg	7.3E+00	7.3E+00	1.4E-11	2.1E-12	1.E-10	2.E-11	1.E-10	--	--	1.1E-10	1.6E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	3.9E+01	ug/kg	7.3E-01	7.3E-01	6.5E-11	9.9E-12	5.E-11	7.E-12	6.E-11	--	--	5.1E-10	7.7E-11	--	--	--
	Naphthalene	2.0E+01	ug/kg	--	--	3.3E-11	4.9E-12	--	--	--	2.0E-02	2.0E-02	2.5E-10	3.8E-11	1.E-08	2.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.5E+02	ug/kg	1.4E-02	1.4E-02	5.8E-10	1.1E-10	8.E-12	2.E-12	1.E-11	2.0E-02	2.0E-02	4.5E-09	8.8E-10	2.E-07	4.E-08	0.0000003
	Polychlorinated Biphenyls																
	Total Aroclors	4.6E+01	ug/kg	2.0E+00	2.0E+00	8.3E-11	1.2E-11	2.E-10	2.E-11	2.E-10	2.0E-05	2.0E-05	6.4E-10	9.0E-11	3.E-05	5.E-06	0.00004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.3E-01	pg/g	1.3E+05	1.3E+05	2.4E-16	1.6E-16	3.E-11	2.E-11	5.E-11	1.0E-09	1.0E-09	1.9E-15	1.2E-15	2.E-06	1.E-06	0.000003
	Total PCB TEQ	4.2E-01	pg/g	1.3E+05	1.3E+05	7.6E-16	1.1E-16	1.E-10	1.E-11	1.E-10	1.0E-09	1.0E-09	5.9E-15	8.3E-16	6.E-06	8.E-07	0.00001
	Pesticides																
	Aldrin	3.2E-02	ug/kg	1.7E+01	1.7E+01	4.1E-14	8.1E-15	7.E-13	1.E-13	8.E-13	3.0E-05	3.0E-05	3.2E-13	6.3E-14	1.E-08	2.E-09	0.00000001
	Dieldrin	1.3E-01	ug/kg	1.6E+01	1.6E+01	1.7E-13	3.4E-14	3.E-12	5.E-13	3.E-12	5.0E-05	5.0E-05	1.3E-12	2.6E-13	3.E-08	5.E-09	0.00000003
	Total DDT	1.5E+00	ug/kg	3.4E-01	3.4E-01	5.8E-13	3.8E-13	2.E-13	1.E-13	3.E-13	5.0E-04	5.0E-04	4.5E-12	2.9E-12	9.E-09	6.E-09	0.00000001
Exposure Point Total										6.E-09							0.003
RM 9 West	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	1.6E-09	1.0E-09	2.E-09	2.E-09	4.E-09	3.0E-04	3.0E-04	1.2E-08	8.1E-09	4.E-05	3.E-05	0.0001
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	3.1E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.4E-10	0.E+00	2.E-06	0.000002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	2.7E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.1E-07	0.E+00	3.E-03	0.003
	Butyltins																
	Tributyltin ion	9.9E+00	ug/kg	--	--	1.3E-11	2.5E-12	--	--	--	3.0E-04	3.0E-04	9.8E-11	1.9E-11	3.E-07	6.E-08	0.0000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.5E+02	ug/kg	7.3E-01	7.3E-01	2.6E-10	3.9E-11	2.E-10	3.E-11	2.E-10	--	--	2.0E-09	3.0E-10	--	--	--
	Benzo(a)pyrene	1.0E+02	ug/kg	7.3E+00	7.3E+00	1.7E-10	2.6E-11	1.E-09	2.E-10	1.E-09	--	--	1.3E-09	2.0E-10	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(b)fluoranthene	1.6E+02	ug/kg	7.3E-01	7.3E-01	2.7E-10	4.0E-11	2.E-10	3.E-11	2.E-10	--	--	2.1E-09	3.1E-10	--	--	--
	Benzo(k)fluoranthene	6.2E+01	ug/kg	7.3E-02	7.3E-02	1.0E-10	1.5E-11	7.E-12	1.E-12	9.E-12	--	--	8.0E-10	1.2E-10	--	--	--
	Dibenzo(a,h)anthracene	1.8E+01	ug/kg	7.3E+00	7.3E+00	2.9E-11	4.4E-12	2.E-10	3.E-11	2.E-10	--	--	2.3E-10	3.5E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	6.7E+01	ug/kg	7.3E-01	7.3E-01	1.1E-10	1.7E-11	8.E-11	1.E-11	9.E-11	--	--	8.6E-10	1.3E-10	--	--	--
	Naphthalene	1.7E+01	ug/kg	--	--	2.8E-11	4.2E-12	--	--	--	2.0E-02	2.0E-02	2.2E-10	3.3E-11	1.E-08	2.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.7E+02	ug/kg	1.4E-02	1.4E-02	2.2E-10	4.4E-11	3.E-12	6.E-13	4.E-12	2.0E-02	2.0E-02	1.7E-09	3.4E-10	9.E-08	2.E-08	0.0000001
	Phenols																
	Pentachlorophenol	4.7E+00	ug/kg	4.0E-01	4.0E-01	1.5E-11	1.2E-12	6.E-12	5.E-13	6.E-12	5.0E-03	5.0E-03	1.2E-10	9.1E-12	2.E-08	2.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	4.5E+02	ug/kg	2.0E+00	2.0E+00	8.1E-10	1.1E-10	2.E-09	2.E-10	2.E-09	2.0E-05	2.0E-05	6.3E-09	8.9E-10	3.E-04	4.E-05	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.9E+00	pg/g	1.3E+05	1.3E+05	1.5E-15	9.9E-16	2.E-10	1.E-10	3.E-10	1.0E-09	1.0E-09	1.2E-14	7.7E-15	1.E-05	8.E-06	0.00002
	Total PCB TEQ	1.6E+01	pg/g	1.3E+05	1.3E+05	2.8E-14	3.9E-15	4.E-09	5.E-10	4.E-09	1.0E-09	1.0E-09	2.2E-13	3.1E-14	2.E-04	3.E-05	0.0002
	Pesticides																
	Aldrin	2.2E-01	ug/kg	1.7E+01	1.7E+01	2.9E-13	5.6E-14	5.E-12	1.E-12	6.E-12	3.0E-05	3.0E-05	2.2E-12	4.4E-13	7.E-08	1.E-08	0.0000001
	Dieldrin	2.0E-01	ug/kg	1.6E+01	1.6E+01	2.6E-13	5.1E-14	4.E-12	8.E-13	5.E-12	5.0E-05	5.0E-05	2.0E-12	4.0E-13	4.E-08	8.E-09	0.00000005
	Total DDT	4.4E+00	ug/kg	3.4E-01	3.4E-01	1.7E-12	1.1E-12	6.E-13	4.E-13	9.E-13	5.0E-04	5.0E-04	1.3E-11	8.6E-12	3.E-08	2.E-08	0.00000004
Exposure Point Total										1.E-08							0.004
RM 9 East	**Metals**																
	Arsenic	3.8E+00	mg/kg	1.5E+00	1.5E+00	1.5E-09	9.6E-10	2.E-09	1.E-09	4.E-09	3.0E-04	3.0E-04	1.1E-08	7.4E-09	4.E-05	2.E-05	0.0001
	Mercury	5.0E-02	mg/kg	--	--	0.0E+00	1.3E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.8E-11	0.E+00	1.E-06	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.0E+01	ug/kg	7.3E-01	7.3E-01	1.7E-11	2.6E-12	1.E-11	2.E-12	1.E-11	--	--	1.3E-10	2.0E-11	--	--	--
	Benzo(a)pyrene	1.3E+01	ug/kg	7.3E+00	7.3E+00	2.1E-11	3.2E-12	2.E-10	2.E-11	2.E-10	--	--	1.6E-10	2.5E-11	--	--	--
	Benzo(b)fluoranthene	1.8E+01	ug/kg	7.3E-01	7.3E-01	3.0E-11	4.6E-12	2.E-11	3.E-12	3.E-11	--	--	2.3E-10	3.5E-11	--	--	--
	Benzo(k)fluoranthene	8.3E+00	ug/kg	7.3E-02	7.3E-02	1.4E-11	2.1E-12	1.E-12	2.E-13	1.E-12	--	--	1.1E-10	1.6E-11	--	--	--
	Dibenzo(a,h)anthracene	2.1E+00	ug/kg	7.3E+00	7.3E+00	3.6E-12	5.4E-13	3.E-11	4.E-12	3.E-11	--	--	2.8E-11	4.2E-12	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+01	ug/kg	7.3E-01	7.3E-01	1.8E-11	2.7E-12	1.E-11	2.E-12	1.E-11	--	--	1.4E-10	2.1E-11	--	--	--
	Naphthalene	2.7E+00	ug/kg	--	--	4.5E-12	6.8E-13	--	--	--	2.0E-02	2.0E-02	3.5E-11	5.3E-12	2.E-09	3.E-10	0.000000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.6E+02	ug/kg	1.4E-02	1.4E-02	4.6E-10	9.0E-11	6.E-12	1.E-12	8.E-12	2.0E-02	2.0E-02	3.6E-09	7.0E-10	2.E-07	4.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	5.2E+01	ug/kg	2.0E+00	2.0E+00	9.3E-11	1.3E-11	2.E-10	3.E-11	2.E-10	2.0E-05	2.0E-05	7.3E-10	1.0E-10	4.E-05	5.E-06	0.00004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.2E-01	pg/g	1.3E+05	1.3E+05	8.3E-17	5.4E-17	1.E-11	7.E-12	2.E-11	1.0E-09	1.0E-09	6.4E-16	4.2E-16	6.E-07	4.E-07	0.000001
	Total PCB TEQ	6.3E-01	pg/g	1.3E+05	1.3E+05	1.1E-15	1.6E-16	1.E-10	2.E-11	2.E-10	1.0E-09	1.0E-09	8.8E-15	1.2E-15	9.E-06	1.E-06	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Dieldrin	8.8E-02	ug/kg	1.6E+01	1.6E+01	1.1E-13	2.2E-14	2.E-12	4.E-13	2.E-12	5.0E-05	5.0E-05	8.7E-13	1.7E-13	2.E-08	3.E-09	0.00000002
	Total DDT	1.4E+00	ug/kg	3.4E-01	3.4E-01	5.5E-13	3.6E-13	2.E-13	1.E-13	3.E-13	5.0E-04	5.0E-04	4.3E-12	2.8E-12	9.E-09	6.E-09	0.00000001
Exposure Point Total										4.E-09							0.0001
RM 9.5 West	**Metals**																
	Arsenic	3.8E+00	mg/kg	1.5E+00	1.5E+00	1.4E-09	9.5E-10	2.E-09	1.E-09	4.E-09	3.0E-04	3.0E-04	1.1E-08	7.4E-09	4.E-05	2.E-05	0.0001
	Mercury	6.2E-02	mg/kg	--	--	0.0E+00	1.6E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.2E-10	0.E+00	1.E-06	0.000001
	Butyltins																
	Tributyltin ion	1.0E+01	ug/kg	--	--	1.3E-11	2.5E-12	--	--	--	3.0E-04	3.0E-04	9.9E-11	2.0E-11	3.E-07	7.E-08	0.0000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E+02	ug/kg	7.3E-01	7.3E-01	2.0E-10	3.0E-11	1.E-10	2.E-11	2.E-10	--	--	1.6E-09	2.4E-10	--	--	--
	Benzo(a)pyrene	1.7E+02	ug/kg	7.3E+00	7.3E+00	2.8E-10	4.2E-11	2.E-09	3.E-10	2.E-09	--	--	2.1E-09	3.2E-10	--	--	--
	Benzo(b)fluoranthene	2.3E+02	ug/kg	7.3E-01	7.3E-01	3.8E-10	5.8E-11	3.E-10	4.E-11	3.E-10	--	--	3.0E-09	4.5E-10	--	--	--
	Benzo(k)fluoranthene	1.0E+02	ug/kg	7.3E-02	7.3E-02	1.7E-10	2.6E-11	1.E-11	2.E-12	1.E-11	--	--	1.3E-09	2.0E-10	--	--	--
	Dibenzo(a,h)anthracene	3.2E+01	ug/kg	7.3E+00	7.3E+00	5.3E-11	8.0E-12	4.E-10	6.E-11	4.E-10	--	--	4.1E-10	6.2E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+02	ug/kg	7.3E-01	7.3E-01	2.3E-10	3.5E-11	2.E-10	3.E-11	2.E-10	--	--	1.8E-09	2.7E-10	--	--	--
	Naphthalene	4.1E+01	ug/kg	--	--	6.8E-11	1.0E-11	--	--	--	2.0E-02	2.0E-02	5.3E-10	8.0E-11	3.E-08	4.E-09	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.6E+02	ug/kg	1.4E-02	1.4E-02	1.1E-09	2.2E-10	2.E-11	3.E-12	2.E-11	2.0E-02	2.0E-02	8.5E-09	1.7E-09	4.E-07	8.E-08	0.000001
	Phenols																
	Pentachlorophenol	1.1E+01	ug/kg	4.0E-01	4.0E-01	3.6E-11	2.8E-12	1.E-11	1.E-12	2.E-11	5.0E-03	5.0E-03	2.8E-10	2.2E-11	6.E-08	4.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.1E+02	ug/kg	2.0E+00	2.0E+00	3.8E-10	5.3E-11	8.E-10	1.E-10	9.E-10	2.0E-05	2.0E-05	2.9E-09	4.1E-10	1.E-04	2.E-05	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.6E+00	pg/g	1.3E+05	1.3E+05	3.3E-15	2.2E-15	4.E-10	3.E-10	7.E-10	1.0E-09	1.0E-09	2.6E-14	1.7E-14	3.E-05	2.E-05	0.00004
	Total PCB TEQ	3.6E+00	pg/g	1.3E+05	1.3E+05	6.5E-15	9.2E-16	8.E-10	1.E-10	1.E-09	1.0E-09	1.0E-09	5.1E-14	7.1E-15	5.E-05	7.E-06	0.0001
	Pesticides																
	Aldrin	5.8E-01	ug/kg	1.7E+01	1.7E+01	7.5E-13	1.5E-13	1.E-11	3.E-12	2.E-11	3.0E-05	3.0E-05	5.8E-12	1.1E-12	2.E-07	4.E-08	0.0000002
	Dieldrin	6.1E-01	ug/kg	1.6E+01	1.6E+01	7.8E-13	1.5E-13	1.E-11	2.E-12	1.E-11	5.0E-05	5.0E-05	6.0E-12	1.2E-12	1.E-07	2.E-08	0.0000001
	Total DDT	3.1E+00	ug/kg	3.4E-01	3.4E-01	1.2E-12	7.7E-13	4.E-13	3.E-13	7.E-13	5.0E-04	5.0E-04	9.1E-12	6.0E-12	2.E-08	1.E-08	0.00000003
Exposure Point Total										1.E-08							0.0003
RM 9.5 East	**Metals**																
	Arsenic	3.3E+00	mg/kg	1.5E+00	1.5E+00	1.3E-09	8.3E-10	2.E-09	1.E-09	3.E-09	3.0E-04	3.0E-04	9.8E-09	6.4E-09	3.E-05	2.E-05	0.0001
	Mercury	6.3E-02	mg/kg	--	--	0.0E+00	1.6E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.2E-10	0.E+00	1.E-06	0.000001
	Butyltins																
	Tributyltin ion	2.6E+00	ug/kg	--	--	3.3E-12	6.4E-13	--	--	--	3.0E-04	3.0E-04	2.5E-11	5.0E-12	8.E-08	2.E-08	0.0000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.2E+01	ug/kg	7.3E-01	7.3E-01	3.6E-11	5.5E-12	3.E-11	4.E-12	3.E-11	--	--	2.8E-10	4.3E-11	--	--	--
	Benzo(a)pyrene	2.5E+01	ug/kg	7.3E+00	7.3E+00	4.1E-11	6.2E-12	3.E-10	5.E-11	3.E-10	--	--	3.2E-10	4.8E-11	--	--	--
	Benzo(b)fluoranthene	2.9E+01	ug/kg	7.3E-01	7.3E-01	4.9E-11	7.4E-12	4.E-11	5.E-12	4.E-11	--	--	3.8E-10	5.7E-11	--	--	--
	Benzo(k)fluoranthene	1.7E+01	ug/kg	7.3E-02	7.3E-02	2.8E-11	4.3E-12	2.E-12	3.E-13	2.E-12	--	--	2.2E-10	3.3E-11	--	--	--
	Dibenzo(a,h)anthracene	4.4E+00	ug/kg	7.3E+00	7.3E+00	7.3E-12	1.1E-12	5.E-11	8.E-12	6.E-11	--	--	5.6E-11	8.5E-12	--	--	--
	Indeno(1,2,3-cd)pyrene	2.0E+01	ug/kg	7.3E-01	7.3E-01	3.3E-11	5.0E-12	2.E-11	4.E-12	3.E-11	--	--	2.6E-10	3.9E-11	--	--	--
	Naphthalene	3.4E+00	ug/kg	--	--	5.6E-12	8.5E-13	--	--	--	2.0E-02	2.0E-02	4.4E-11	6.6E-12	2.E-09	3.E-10	0.000000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.6E+02	ug/kg	1.4E-02	1.4E-02	2.1E-10	4.1E-11	3.E-12	6.E-13	4.E-12	2.0E-02	2.0E-02	1.6E-09	3.2E-10	8.E-08	2.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.1E+00	ug/kg	4.0E-01	4.0E-01	3.6E-12	2.8E-13	1.E-12	1.E-13	2.E-12	5.0E-03	5.0E-03	2.8E-11	2.2E-12	6.E-09	4.E-10	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	4.0E+01	ug/kg	2.0E+00	2.0E+00	7.2E-11	1.0E-11	1.E-10	2.E-11	2.E-10	2.0E-05	2.0E-05	5.6E-10	7.9E-11	3.E-05	4.E-06	0.00003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.9E-01	pg/g	1.3E+05	1.3E+05	3.4E-16	2.2E-16	4.E-11	3.E-11	7.E-11	1.0E-09	1.0E-09	2.6E-15	1.7E-15	3.E-06	2.E-06	0.000004
	Total PCB TEQ	2.6E-01	pg/g	1.3E+05	1.3E+05	4.7E-16	6.5E-17	6.E-11	9.E-12	7.E-11	1.0E-09	1.0E-09	3.6E-15	5.1E-16	4.E-06	5.E-07	0.000004
	Pesticides																
	Aldrin	9.1E-02	ug/kg	1.7E+01	1.7E+01	1.2E-13	2.3E-14	2.E-12	4.E-13	2.E-12	3.0E-05	3.0E-05	9.1E-13	1.8E-13	3.E-08	6.E-09	0.00000004
	Dieldrin	3.0E-02	ug/kg	1.6E+01	1.6E+01	3.8E-14	7.4E-15	6.E-13	1.E-13	7.E-13	5.0E-05	5.0E-05	2.9E-13	5.8E-14	6.E-09	1.E-09	0.00000001
	Total DDT	1.1E+00	ug/kg	3.4E-01	3.4E-01	4.4E-13	2.9E-13	1.E-13	1.E-13	2.E-13	5.0E-04	5.0E-04	3.4E-12	2.2E-12	7.E-09	4.E-09	0.00000001
Exposure Point Total										4.E-09							0.0001
RM 10 West	**Metals**																
	Arsenic	1.0E+01	mg/kg	1.5E+00	1.5E+00	3.9E-09	2.6E-09	6.E-09	4.E-09	1.E-08	3.0E-04	3.0E-04	3.0E-08	2.0E-08	1.E-04	7.E-05	0.0002
	Mercury	9.0E-02	mg/kg	--	--	0.0E+00	2.3E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.8E-10	0.E+00	2.E-06	0.000002
	Butyltins																
	Tributyltin ion	2.4E+00	ug/kg	--	--	3.1E-12	6.1E-13	--	--	--	3.0E-04	3.0E-04	2.4E-11	4.8E-12	8.E-08	2.E-08	0.0000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+02	ug/kg	7.3E-01	7.3E-01	2.3E-10	3.5E-11	2.E-10	3.E-11	2.E-10	--	--	1.8E-09	2.8E-10	--	--	--
	Benzo(a)pyrene	1.5E+02	ug/kg	7.3E+00	7.3E+00	2.5E-10	3.8E-11	2.E-09	3.E-10	2.E-09	--	--	1.9E-09	2.9E-10	--	--	--
	Benzo(b)fluoranthene	1.9E+02	ug/kg	7.3E-01	7.3E-01	3.1E-10	4.7E-11	2.E-10	3.E-11	3.E-10	--	--	2.4E-09	3.7E-10	--	--	--
	Benzo(k)fluoranthene	7.9E+01	ug/kg	7.3E-02	7.3E-02	1.3E-10	2.0E-11	1.E-11	1.E-12	1.E-11	--	--	1.0E-09	1.5E-10	--	--	--
	Dibenzo(a,h)anthracene	3.5E+01	ug/kg	7.3E+00	7.3E+00	5.9E-11	8.9E-12	4.E-10	7.E-11	5.E-10	--	--	4.6E-10	6.9E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+02	ug/kg	7.3E-01	7.3E-01	2.3E-10	3.5E-11	2.E-10	3.E-11	2.E-10	--	--	1.8E-09	2.7E-10	--	--	--
	Naphthalene	2.0E+01	ug/kg	--	--	3.3E-11	4.9E-12	--	--	--	2.0E-02	2.0E-02	2.5E-10	3.8E-11	1.E-08	2.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.2E+02	ug/kg	1.4E-02	1.4E-02	1.5E-10	3.0E-11	2.E-12	4.E-13	3.E-12	2.0E-02	2.0E-02	1.2E-09	2.4E-10	6.E-08	1.E-08	0.0000001
	Phenols																
	Pentachlorophenol	3.0E+00	ug/kg	4.0E-01	4.0E-01	9.6E-12	7.5E-13	4.E-12	3.E-13	4.E-12	5.0E-03	5.0E-03	7.4E-11	5.8E-12	1.E-08	1.E-09	0.00000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure

Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+02	ug/kg	2.0E+00	2.0E+00	3.3E-10	4.6E-11	7.E-10	9.E-11	7.E-10	2.0E-05	2.0E-05	2.5E-09	3.6E-10	1.E-04	2.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.1E+00	pg/g	1.3E+05	1.3E+05	2.0E-15	1.3E-15	3.E-10	2.E-10	4.E-10	1.0E-09	1.0E-09	1.5E-14	1.0E-14	2.E-05	1.E-05	0.00003
	Total PCB TEQ	1.8E+00	pg/g	1.3E+05	1.3E+05	3.3E-15	4.6E-16	4.E-10	6.E-11	5.E-10	1.0E-09	1.0E-09	2.5E-14	3.6E-15	3.E-05	4.E-06	0.00003
	Pesticides																
	Aldrin	1.5E-01	ug/kg	1.7E+01	1.7E+01	1.9E-13	3.7E-14	3.E-12	6.E-13	4.E-12	3.0E-05	3.0E-05	1.5E-12	2.9E-13	5.E-08	1.E-08	0.0000001
	Total DDT	4.7E+00	ug/kg	3.4E-01	3.4E-01	1.8E-12	1.2E-12	6.E-13	4.E-13	1.E-12	5.0E-04	5.0E-04	1.4E-11	9.2E-12	3.E-08	2.E-08	0.00000005
Exposure Point Total										1.E-08							0.0004
RM 10 East	**Metals**																
	Arsenic	3.0E+00	mg/kg	1.5E+00	1.5E+00	1.2E-09	7.7E-10	2.E-09	1.E-09	3.E-09	3.0E-04	3.0E-04	9.1E-09	6.0E-09	3.E-05	2.E-05	0.0001
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	1.7E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-10	0.E+00	1.E-06	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E+02	ug/kg	7.3E-01	7.3E-01	1.9E-10	2.9E-11	1.E-10	2.E-11	2.E-10	--	--	1.5E-09	2.3E-10	--	--	--
	Benzo(a)pyrene	1.4E+02	ug/kg	7.3E+00	7.3E+00	2.4E-10	3.6E-11	2.E-09	3.E-10	2.E-09	--	--	1.9E-09	2.8E-10	--	--	--
	Benzo(b)fluoranthene	1.7E+02	ug/kg	7.3E-01	7.3E-01	2.9E-10	4.4E-11	2.E-10	3.E-11	2.E-10	--	--	2.2E-09	3.4E-10	--	--	--
	Benzo(k)fluoranthene	6.3E+01	ug/kg	7.3E-02	7.3E-02	1.0E-10	1.6E-11	8.E-12	1.E-12	9.E-12	--	--	8.1E-10	1.2E-10	--	--	--
	Dibenzo(a,h)anthracene	2.3E+01	ug/kg	7.3E+00	7.3E+00	3.9E-11	5.9E-12	3.E-10	4.E-11	3.E-10	--	--	3.0E-10	4.6E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	2.0E-10	3.0E-11	1.E-10	2.E-11	2.E-10	--	--	1.5E-09	2.3E-10	--	--	--
	Naphthalene	1.2E+01	ug/kg	--	--	2.1E-11	3.1E-12	--	--	--	2.0E-02	2.0E-02	1.6E-10	2.4E-11	8.E-09	1.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+02	ug/kg	1.4E-02	1.4E-02	1.6E-10	3.2E-11	2.E-12	5.E-13	3.E-12	2.0E-02	2.0E-02	1.3E-09	2.5E-10	6.E-08	1.E-08	0.0000001
	Phenols																
	Pentachlorophenol	2.6E+00	ug/kg	4.0E-01	4.0E-01	8.4E-12	6.6E-13	3.E-12	3.E-13	4.E-12	5.0E-03	5.0E-03	6.5E-11	5.1E-12	1.E-08	1.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.4E+01	ug/kg	2.0E+00	2.0E+00	6.1E-11	8.6E-12	1.E-10	2.E-11	1.E-10	2.0E-05	2.0E-05	4.8E-10	6.7E-11	2.E-05	3.E-06	0.00003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.4E-01	pg/g	1.3E+05	1.3E+05	2.1E-16	1.4E-16	3.E-11	2.E-11	4.E-11	1.0E-09	1.0E-09	1.6E-15	1.1E-15	2.E-06	1.E-06	0.000003
	Total PCB TEQ	6.9E-01	pg/g	1.3E+05	1.3E+05	1.2E-15	1.7E-16	2.E-10	2.E-11	2.E-10	1.0E-09	1.0E-09	9.6E-15	1.3E-15	1.E-05	1.E-06	0.00001
	Pesticides																
	Aldrin	4.0E-02	ug/kg	1.7E+01	1.7E+01	5.1E-14	1.0E-14	9.E-13	2.E-13	1.E-12	3.0E-05	3.0E-05	4.0E-13	7.9E-14	1.E-08	3.E-09	0.00000002
	Dieldrin	4.7E-02	ug/kg	1.6E+01	1.6E+01	6.0E-14	1.2E-14	1.E-12	2.E-13	1.E-12	5.0E-05	5.0E-05	4.7E-13	9.2E-14	9.E-09	2.E-09	0.00000001
	Total DDT	5.3E-01	ug/kg	3.4E-01	3.4E-01	2.0E-13	1.3E-13	7.E-14	5.E-14	1.E-13	5.0E-04	5.0E-04	1.6E-12	1.0E-12	3.E-09	2.E-09	0.00000001
Exposure Point Total										6.E-09							0.0001
RM 10.5 West	**Metals**																
	Arsenic	4.0E+00	mg/kg	1.5E+00	1.5E+00	1.5E-09	1.0E-09	2.E-09	1.E-09	4.E-09	3.0E-04	3.0E-04	1.2E-08	7.8E-09	4.E-05	3.E-05	0.0001
	Mercury	6.9E-02	mg/kg	--	--	0.0E+00	1.7E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-10	0.E+00	1.E-06	0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure

Central Tendency Exposure

Scenario Timeframe: Current/Future Medium: Sediment

Receptor Population: Diver in Wet Suit Exposure Medium: In-water Sediment

Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.8E+01	ug/kg	7.3E-01	7.3E-01	4.6E-11	6.9E-12	3.E-11	5.E-12	4.E-11	--	--	3.6E-10	5.4E-11	--	--	--
	Benzo(a)pyrene	2.6E+01	ug/kg	7.3E+00	7.3E+00	4.4E-11	6.6E-12	3.E-10	5.E-11	4.E-10	--	--	3.4E-10	5.2E-11	--	--	--
	Benzo(b)fluoranthene	3.5E+01	ug/kg	7.3E-01	7.3E-01	5.9E-11	8.9E-12	4.E-11	7.E-12	5.E-11	--	--	4.6E-10	6.9E-11	--	--	--
	Benzo(k)fluoranthene	1.3E+01	ug/kg	7.3E-02	7.3E-02	2.1E-11	3.2E-12	2.E-12	2.E-13	2.E-12	--	--	1.7E-10	2.5E-11	--	--	--
	Dibenzo(a,h)anthracene	4.4E+00	ug/kg	7.3E+00	7.3E+00	7.3E-12	1.1E-12	5.E-11	8.E-12	6.E-11	--	--	5.7E-11	8.6E-12	--	--	--
	Indeno(1,2,3-cd)pyrene	2.2E+01	ug/kg	7.3E-01	7.3E-01	3.6E-11	5.4E-12	3.E-11	4.E-12	3.E-11	--	--	2.8E-10	4.2E-11	--	--	--
	Naphthalene	2.7E+01	ug/kg	--	--	4.5E-11	6.8E-12	--	--	--	2.0E-02	2.0E-02	3.5E-10	5.3E-11	2.E-08	3.E-09	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.4E+02	ug/kg	1.4E-02	1.4E-02	1.7E-10	3.4E-11	2.E-12	5.E-13	3.E-12	2.0E-02	2.0E-02	1.4E-09	2.7E-10	7.E-08	1.E-08	0.0000001
	Phenols																
	Pentachlorophenol	8.6E+00	ug/kg	4.0E-01	4.0E-01	2.7E-11	2.2E-12	1.E-11	9.E-13	1.E-11	5.0E-03	5.0E-03	2.1E-10	1.7E-11	4.E-08	3.E-09	0.00000005
	Polychlorinated Biphenyls																
	Total Aroclors	3.2E+01	ug/kg	2.0E+00	2.0E+00	5.7E-11	8.0E-12	1.E-10	2.E-11	1.E-10	2.0E-05	2.0E-05	4.4E-10	6.2E-11	2.E-05	3.E-06	0.00003
	Dioxin/Furan																
	Total PCB TEQ	6.9E-01	pg/g	1.3E+05	1.3E+05	1.2E-15	1.7E-16	2.E-10	2.E-11	2.E-10	1.0E-09	1.0E-09	9.6E-15	1.3E-15	1.E-05	1.E-06	0.00001
	Pesticides																
	Aldrin	2.0E-01	ug/kg	1.7E+01	1.7E+01	2.6E-13	5.1E-14	4.E-12	9.E-13	5.E-12	3.0E-05	3.0E-05	2.0E-12	3.9E-13	7.E-08	1.E-08	0.0000001
	Total DDT	1.7E+00	ug/kg	3.4E-01	3.4E-01	6.4E-13	4.2E-13	2.E-13	1.E-13	4.E-13	5.0E-04	5.0E-04	5.0E-12	3.3E-12	1.E-08	7.E-09	0.00000002
Exposure Point Total										5.E-09							0.0001
RM 10.5 East	**Metals**																
	Arsenic	3.1E+00	mg/kg	1.5E+00	1.5E+00	1.2E-09	7.8E-10	2.E-09	1.E-09	3.E-09	3.0E-04	3.0E-04	9.2E-09	6.0E-09	3.E-05	2.E-05	0.0001
	Mercury	6.1E-02	mg/kg	--	--	0.0E+00	1.5E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.2E-10	0.E+00	1.E-06	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.9E+01	ug/kg	7.3E-01	7.3E-01	6.4E-11	9.7E-12	5.E-11	7.E-12	5.E-11	--	--	5.0E-10	7.6E-11	--	--	--
	Benzo(a)pyrene	3.4E+01	ug/kg	7.3E+00	7.3E+00	5.6E-11	8.5E-12	4.E-10	6.E-11	5.E-10	--	--	4.4E-10	6.6E-11	--	--	--
	Benzo(b)fluoranthene	5.0E+01	ug/kg	7.3E-01	7.3E-01	8.3E-11	1.3E-11	6.E-11	9.E-12	7.E-11	--	--	6.5E-10	9.8E-11	--	--	--
	Benzo(k)fluoranthene	2.5E+01	ug/kg	7.3E-02	7.3E-02	4.2E-11	6.3E-12	3.E-12	5.E-13	4.E-12	--	--	3.3E-10	4.9E-11	--	--	--
	Dibenzo(a,h)anthracene	5.5E+00	ug/kg	7.3E+00	7.3E+00	9.1E-12	1.4E-12	7.E-11	1.E-11	8.E-11	--	--	7.1E-11	1.1E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	2.7E+01	ug/kg	7.3E-01	7.3E-01	4.6E-11	6.9E-12	3.E-11	5.E-12	4.E-11	--	--	3.6E-10	5.4E-11	--	--	--
	Naphthalene	3.5E+00	ug/kg	--	--	5.9E-12	8.9E-13	--	--	--	2.0E-02	2.0E-02	4.6E-11	6.9E-12	2.E-09	3.E-10	0.000000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.6E+01	ug/kg	1.4E-02	1.4E-02	5.9E-11	1.2E-11	8.E-13	2.E-13	1.E-12	2.0E-02	2.0E-02	4.6E-10	9.0E-11	2.E-08	4.E-09	0.00000003
	Phenols																
	Pentachlorophenol	3.2E+00	ug/kg	4.0E-01	4.0E-01	1.0E-11	8.0E-13	4.E-12	3.E-13	4.E-12	5.0E-03	5.0E-03	7.9E-11	6.2E-12	2.E-08	1.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	5.2E+01	ug/kg	2.0E+00	2.0E+00	9.2E-11	1.3E-11	2.E-10	3.E-11	2.E-10	2.0E-05	2.0E-05	7.2E-10	1.0E-10	4.E-05	5.E-06	0.00004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total PCB TEQ	3.5E-01	pg/g	1.3E+05	1.3E+05	6.4E-16	8.9E-17	8.E-11	1.E-11	9.E-11	1.0E-09	1.0E-09	4.9E-15	6.9E-16	5.E-06	7.E-07	0.00001
	Pesticides																
	Total DDT	2.8E+00	ug/kg	3.4E-01	3.4E-01	1.1E-12	7.0E-13	4.E-13	2.E-13	6.E-13	5.0E-04	5.0E-04	8.3E-12	5.5E-12	2.E-08	1.E-08	0.00000003
Exposure Point Total										4.E-09							0.0001
RM 11 West	**Metals**																
	Arsenic	3.4E+00	mg/kg	1.5E+00	1.5E+00	1.3E-09	8.6E-10	2.E-09	1.E-09	3.E-09	3.0E-04	3.0E-04	1.0E-08	6.7E-09	3.E-05	2.E-05	0.0001
	Mercury	5.6E-02	mg/kg	--	--	0.0E+00	1.4E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-10	0.E+00	1.E-06	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.2E+01	ug/kg	7.3E-01	7.3E-01	1.0E-10	1.6E-11	8.E-11	1.E-11	9.E-11	--	--	8.1E-10	1.2E-10	--	--	--
	Benzo(a)pyrene	6.6E+01	ug/kg	7.3E+00	7.3E+00	1.1E-10	1.7E-11	8.E-10	1.E-10	9.E-10	--	--	8.6E-10	1.3E-10	--	--	--
	Benzo(b)fluoranthene	4.0E+01	ug/kg	7.3E-01	7.3E-01	6.6E-11	1.0E-11	5.E-11	7.E-12	6.E-11	--	--	5.2E-10	7.8E-11	--	--	--
	Benzo(k)fluoranthene	3.7E+01	ug/kg	7.3E-02	7.3E-02	6.1E-11	9.3E-12	4.E-12	7.E-13	5.E-12	--	--	4.8E-10	7.2E-11	--	--	--
	Dibenzo(a,h)anthracene	8.8E+00	ug/kg	7.3E+00	7.3E+00	1.5E-11	2.2E-12	1.E-10	2.E-11	1.E-10	--	--	1.1E-10	1.7E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	4.0E+01	ug/kg	7.3E-01	7.3E-01	6.7E-11	1.0E-11	5.E-11	7.E-12	6.E-11	--	--	5.2E-10	7.9E-11	--	--	--
	Naphthalene	5.4E+01	ug/kg	--	--	9.0E-11	1.4E-11	--	--	--	2.0E-02	2.0E-02	7.0E-10	1.1E-10	3.E-08	5.E-09	0.00000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.7E+02	ug/kg	1.4E-02	1.4E-02	4.8E-10	9.4E-11	7.E-12	1.E-12	8.E-12	2.0E-02	2.0E-02	3.7E-09	7.3E-10	2.E-07	4.E-08	0.0000002
	Phenols																
	Pentachlorophenol	9.8E-01	ug/kg	4.0E-01	4.0E-01	3.1E-12	2.5E-13	1.E-12	1.E-13	1.E-12	5.0E-03	5.0E-03	2.4E-11	1.9E-12	5.E-09	4.E-10	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.8E+01	ug/kg	2.0E+00	2.0E+00	5.0E-11	7.0E-12	1.E-10	1.E-11	1.E-10	2.0E-05	2.0E-05	3.9E-10	5.4E-11	2.E-05	3.E-06	0.00002
	Pesticides																
	Dieldrin	5.7E-01	ug/kg	1.6E+01	1.6E+01	7.2E-13	1.4E-13	1.E-11	2.E-12	1.E-11	5.0E-05	5.0E-05	5.6E-12	1.1E-12	1.E-07	2.E-08	0.0000001
	Total DDT	1.3E+00	ug/kg	3.4E-01	3.4E-01	5.0E-13	3.3E-13	2.E-13	1.E-13	3.E-13	5.0E-04	5.0E-04	3.9E-12	2.6E-12	8.E-09	5.E-09	0.00000001
Exposure Point Total										5.E-09							0.0001
RM 11 East	**Metals**																
	Arsenic	2.7E+00	mg/kg	1.5E+00	1.5E+00	1.0E-09	6.8E-10	2.E-09	1.E-09	3.E-09	3.0E-04	3.0E-04	8.1E-09	5.3E-09	3.E-05	2.E-05	0.00004
	Mercury	7.0E-02	mg/kg	--	--	0.0E+00	1.8E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-10	0.E+00	1.E-06	0.000001
	Butyltins																
	Tributyltin ion	4.0E+00	ug/kg	--	--	5.1E-12	1.0E-12	--	--	--	3.0E-04	3.0E-04	4.0E-11	7.8E-12	1.E-07	3.E-08	0.0000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	8.3E+01	ug/kg	7.3E-01	7.3E-01	1.4E-10	2.1E-11	1.E-10	2.E-11	1.E-10	--	--	1.1E-09	1.6E-10	--	--	--
	Benzo(a)pyrene	5.5E+01	ug/kg	7.3E+00	7.3E+00	9.2E-11	1.4E-11	7.E-10	1.E-10	8.E-10	--	--	7.2E-10	1.1E-10	--	--	--
	Benzo(b)fluoranthene	1.3E+02	ug/kg	7.3E-01	7.3E-01	2.1E-10	3.2E-11	2.E-10	2.E-11	2.E-10	--	--	1.7E-09	2.5E-10	--	--	--
	Benzo(k)fluoranthene	3.7E+01	ug/kg	7.3E-02	7.3E-02	6.1E-11	9.2E-12	4.E-12	7.E-13	5.E-12	--	--	4.8E-10	7.2E-11	--	--	--
	Dibenzo(a,h)anthracene	1.2E+01	ug/kg	7.3E+00	7.3E+00	2.0E-11	3.0E-12	1.E-10	2.E-11	2.E-10	--	--	1.6E-10	2.4E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	3.8E+01	ug/kg	7.3E-01	7.3E-01	6.3E-11	9.6E-12	5.E-11	7.E-12	5.E-11	--	--	4.9E-10	7.5E-11	--	--	--
	Naphthalene	1.2E+01	ug/kg	--	--	2.0E-11	3.0E-12	--	--	--	2.0E-02	2.0E-02	1.5E-10	2.3E-11	8.E-09	1.E-09	0.00000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.4E+01	ug/kg	1.4E-02	1.4E-02	1.2E-10	2.4E-11	2.E-12	3.E-13	2.E-12	2.0E-02	2.0E-02	9.3E-10	1.8E-10	5.E-08	9.E-09	0.0000001
	Phenols																
	Pentachlorophenol	2.7E+00	ug/kg	4.0E-01	4.0E-01	8.5E-12	6.7E-13	3.E-12	3.E-13	4.E-12	5.0E-03	5.0E-03	6.6E-11	5.2E-12	1.E-08	1.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.1E+03	ug/kg	2.0E+00	2.0E+00	2.0E-09	2.8E-10	4.E-09	6.E-10	5.E-09	2.0E-05	2.0E-05	1.6E-08	2.2E-09	8.E-04	1.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.0E+00	pg/g	1.3E+05	1.3E+05	7.8E-16	5.1E-16	1.E-10	7.E-11	2.E-10	1.0E-09	1.0E-09	6.1E-15	4.0E-15	6.E-06	4.E-06	0.00001
	Total PCB TEQ	1.2E+01	pg/g	1.3E+05	1.3E+05	2.2E-14	3.1E-15	3.E-09	4.E-10	3.E-09	1.0E-09	1.0E-09	1.7E-13	2.4E-14	2.E-04	2.E-05	0.0002
	Pesticides																
	Total DDT	9.9E+01	ug/kg	3.4E-01	3.4E-01	3.8E-11	2.5E-11	1.E-11	8.E-12	2.E-11	5.0E-04	5.0E-04	3.0E-10	1.9E-10	6.E-07	4.E-07	0.000001
Exposure Point Total										1.E-08							0.001
RM 11.5 West	**Metals**																
	Arsenic	3.0E+00	mg/kg	1.5E+00	1.5E+00	1.1E-09	7.5E-10	2.E-09	1.E-09	3.E-09	3.0E-04	3.0E-04	8.9E-09	5.8E-09	3.E-05	2.E-05	0.00005
	Mercury	3.0E-02	mg/kg	--	--	0.0E+00	7.6E-12	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.9E-11	0.E+00	6.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.5E+00	ug/kg	7.3E-01	7.3E-01	1.6E-11	2.4E-12	1.E-11	2.E-12	1.E-11	--	--	1.2E-10	1.9E-11	--	--	--
	Benzo(a)pyrene	1.1E+01	ug/kg	7.3E+00	7.3E+00	1.7E-11	2.6E-12	1.E-10	2.E-11	1.E-10	--	--	1.4E-10	2.1E-11	--	--	--
	Benzo(b)fluoranthene	9.7E+00	ug/kg	7.3E-01	7.3E-01	1.6E-11	2.4E-12	1.E-11	2.E-12	1.E-11	--	--	1.3E-10	1.9E-11	--	--	--
	Benzo(k)fluoranthene	6.4E+00	ug/kg	7.3E-02	7.3E-02	1.1E-11	1.6E-12	8.E-13	1.E-13	9.E-13	--	--	8.3E-11	1.3E-11	--	--	--
	Dibenzo(a,h)anthracene	1.2E+00	ug/kg	7.3E+00	7.3E+00	1.9E-12	2.9E-13	1.E-11	2.E-12	2.E-11	--	--	1.5E-11	2.3E-12	--	--	--
	Indeno(1,2,3-cd)pyrene	7.4E+00	ug/kg	7.3E-01	7.3E-01	1.2E-11	1.9E-12	9.E-12	1.E-12	1.E-11	--	--	9.6E-11	1.4E-11	--	--	--
	Naphthalene	3.3E+00	ug/kg	--	--	5.5E-12	8.4E-13	--	--	--	2.0E-02	2.0E-02	4.3E-11	6.5E-12	2.E-09	3.E-10	0.000000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+02	ug/kg	1.4E-02	1.4E-02	2.3E-10	4.6E-11	3.E-12	6.E-13	4.E-12	2.0E-02	2.0E-02	1.8E-09	3.5E-10	9.E-08	2.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.2E+01	ug/kg	2.0E+00	2.0E+00	2.2E-11	3.1E-12	4.E-11	6.E-12	5.E-11	2.0E-05	2.0E-05	1.7E-10	2.4E-11	9.E-06	1.E-06	0.00001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.8E-01	pg/g	1.3E+05	1.3E+05	6.8E-17	4.4E-17	9.E-12	6.E-12	1.E-11	1.0E-09	1.0E-09	5.3E-16	3.5E-16	5.E-07	3.E-07	0.000001
	Total PCB TEQ	2.9E-01	pg/g	1.3E+05	1.3E+05	5.3E-16	7.4E-17	7.E-11	1.E-11	8.E-11	1.0E-09	1.0E-09	4.1E-15	5.8E-16	4.E-06	6.E-07	0.000005
	Pesticides																
	Dieldrin	9.0E-02	ug/kg	1.6E+01	1.6E+01	1.2E-13	2.3E-14	2.E-12	4.E-13	2.E-12	5.0E-05	5.0E-05	9.0E-13	1.8E-13	2.E-08	4.E-09	0.00000002
	Total DDT	9.8E-01	ug/kg	3.4E-01	3.4E-01	3.7E-13	2.5E-13	1.E-13	8.E-14	2.E-13	5.0E-04	5.0E-04	2.9E-12	1.9E-12	6.E-09	4.E-09	0.00000001
Exposure Point Total										3.E-09							0.0001
RM 12 West	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	1.2E-09	7.9E-10	2.E-09	1.E-09	3.E-09	3.0E-04	3.0E-04	9.4E-09	6.2E-09	3.E-05	2.E-05	0.0001
	Mercury	2.9E-01	mg/kg	--	--	0.0E+00	7.3E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.7E-10	0.E+00	6.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+02	ug/kg	7.3E-01	7.3E-01	4.3E-10	6.5E-11	3.E-10	5.E-11	4.E-10	--	--	3.3E-09	5.1E-10	--	--	--
	Benzo(a)pyrene	4.1E+02	ug/kg	7.3E+00	7.3E+00	6.8E-10	1.0E-10	5.E-09	8.E-10	6.E-09	--	--	5.3E-09	8.0E-10	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(b)fluoranthene	3.5E+02	ug/kg	7.3E-01	7.3E-01	5.8E-10	8.8E-11	4.E-10	6.E-11	5.E-10	--	--	4.5E-09	6.9E-10	--	--	--
	Benzo(k)fluoranthene	1.2E+02	ug/kg	7.3E-02	7.3E-02	2.0E-10	3.0E-11	1.E-11	2.E-12	2.E-11	--	--	1.5E-09	2.3E-10	--	--	--
	Dibenzo(a,h)anthracene	3.2E+01	ug/kg	7.3E+00	7.3E+00	5.4E-11	8.2E-12	4.E-10	6.E-11	5.E-10	--	--	4.2E-10	6.4E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	3.4E+02	ug/kg	7.3E-01	7.3E-01	5.6E-10	8.4E-11	4.E-10	6.E-11	5.E-10	--	--	4.3E-09	6.6E-10	--	--	--
	Naphthalene	4.5E+01	ug/kg	--	--	7.5E-11	1.1E-11	--	--	--	2.0E-02	2.0E-02	5.8E-10	8.8E-11	3.E-08	4.E-09	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.0E+01	ug/kg	1.4E-02	1.4E-02	1.0E-10	2.0E-11	1.E-12	3.E-13	2.E-12	2.0E-02	2.0E-02	7.9E-10	1.6E-10	4.E-08	8.E-09	0.00000005
	Phenols																
	Pentachlorophenol	3.4E+00	ug/kg	4.0E-01	4.0E-01	1.1E-11	8.5E-13	4.E-12	3.E-13	5.E-12	5.0E-03	5.0E-03	8.4E-11	6.6E-12	2.E-08	1.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	7.0E+01	ug/kg	2.0E+00	2.0E+00	1.3E-10	1.8E-11	3.E-10	4.E-11	3.E-10	2.0E-05	2.0E-05	9.8E-10	1.4E-10	5.E-05	7.E-06	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E-01	pg/g	1.3E+05	1.3E+05	6.4E-17	4.2E-17	8.E-12	5.E-12	1.E-11	1.0E-09	1.0E-09	5.0E-16	3.3E-16	5.E-07	3.E-07	0.000001
	Total PCB TEQ	4.5E-01	pg/g	1.3E+05	1.3E+05	8.1E-16	1.1E-16	1.E-10	1.E-11	1.E-10	1.0E-09	1.0E-09	6.3E-15	8.9E-16	6.E-06	9.E-07	0.00001
	Pesticides																
	Aldrin	3.2E-01	ug/kg	1.7E+01	1.7E+01	4.1E-13	8.1E-14	7.E-12	1.E-12	8.E-12	3.0E-05	3.0E-05	3.2E-12	6.3E-13	1.E-07	2.E-08	0.0000001
	Total DDT	5.9E+00	ug/kg	3.4E-01	3.4E-01	2.3E-12	1.5E-12	8.E-13	5.E-13	1.E-12	5.0E-04	5.0E-04	1.8E-11	1.2E-11	4.E-08	2.E-08	0.0000001
Exposure Point Total										1.E-08							0.0001
RM 12 East	**Metals**																
	Arsenic	2.3E+00	mg/kg	1.5E+00	1.5E+00	8.7E-10	5.7E-10	1.E-09	9.E-10	2.E-09	3.0E-04	3.0E-04	6.8E-09	4.4E-09	2.E-05	1.E-05	0.00004
	Mercury	4.5E-02	mg/kg	--	--	0.0E+00	1.1E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.7E-11	0.E+00	9.E-07	0.000001
	Butyltins																
	Tributyltin ion	4.0E+00	ug/kg	--	--	5.1E-12	9.9E-13	--	--	--	3.0E-04	3.0E-04	3.9E-11	7.7E-12	1.E-07	3.E-08	0.0000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+01	ug/kg	7.3E-01	7.3E-01	3.0E-11	4.5E-12	2.E-11	3.E-12	3.E-11	--	--	2.3E-10	3.5E-11	--	--	--
	Benzo(a)pyrene	1.9E+01	ug/kg	7.3E+00	7.3E+00	3.1E-11	4.7E-12	2.E-10	3.E-11	3.E-10	--	--	2.4E-10	3.6E-11	--	--	--
	Benzo(b)fluoranthene	2.7E+01	ug/kg	7.3E-01	7.3E-01	4.4E-11	6.7E-12	3.E-11	5.E-12	4.E-11	--	--	3.4E-10	5.2E-11	--	--	--
	Benzo(k)fluoranthene	7.8E+00	ug/kg	7.3E-02	7.3E-02	1.3E-11	1.9E-12	9.E-13	1.E-13	1.E-12	--	--	1.0E-10	1.5E-11	--	--	--
	Dibenzo(a,h)anthracene	4.0E+00	ug/kg	7.3E+00	7.3E+00	6.6E-12	9.9E-13	5.E-11	7.E-12	6.E-11	--	--	5.1E-11	7.7E-12	--	--	--
	Indeno(1,2,3-cd)pyrene	1.6E+01	ug/kg	7.3E-01	7.3E-01	2.7E-11	4.0E-12	2.E-11	3.E-12	2.E-11	--	--	2.1E-10	3.1E-11	--	--	--
	Naphthalene	2.6E+01	ug/kg	--	--	4.3E-11	6.5E-12	--	--	--	2.0E-02	2.0E-02	3.3E-10	5.0E-11	2.E-08	3.E-09	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.2E+03	ug/kg	1.4E-02	1.4E-02	1.2E-08	2.3E-09	2.E-10	3.E-11	2.E-10	2.0E-02	2.0E-02	9.1E-08	1.8E-08	5.E-06	9.E-07	0.00001
	Phenols																
	Pentachlorophenol	1.7E+00	ug/kg	4.0E-01	4.0E-01	5.3E-12	4.2E-13	2.E-12	2.E-13	2.E-12	5.0E-03	5.0E-03	4.1E-11	3.2E-12	8.E-09	6.E-10	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.6E+02	ug/kg	2.0E+00	2.0E+00	2.8E-10	4.0E-11	6.E-10	8.E-11	6.E-10	2.0E-05	2.0E-05	2.2E-09	3.1E-10	1.E-04	2.E-05	0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	1.3E+05	1.3E+05	6.7E-16	4.4E-16	9.E-11	6.E-11	1.E-10	1.0E-09	1.0E-09	5.2E-15	3.4E-15	5.E-06	3.E-06	0.00001
	Total PCB TEQ	3.9E+00	pg/g	1.3E+05	1.3E+05	6.9E-15	9.8E-16	9.E-10	1.E-10	1.E-09	1.0E-09	1.0E-09	5.4E-14	7.6E-15	5.E-05	8.E-06	0.0001
	Pesticides																
	Total DDT	9.4E+00	ug/kg	3.4E-01	3.4E-01	3.6E-12	2.4E-12	1.E-12	8.E-13	2.E-12	5.0E-04	5.0E-04	2.8E-11	1.8E-11	6.E-08	4.E-08	0.0000001
Exposure Point Total										5.E-09							0.0002
Study Area-wide[c]	**Metals**																
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	1.8E-09	1.2E-09	3.E-09	2.E-09	4.E-09	3.0E-04	3.0E-04	1.4E-08	9.2E-09	5.E-05	3.E-05	0.0001
	Mercury	1.7E-01	mg/kg	--	--	0.0E+00	4.2E-11	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.3E-10	0.E+00	3.E-06	0.000003
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	2.6E-08	--	--	--	1.8E-06	7.0E-05	0.0E+00	2.0E-07	0.E+00	3.E-03	0.003
	Butyltins																
	Tributyltin ion	6.1E+02	ug/kg	--	--	7.8E-10	1.5E-10	--	--	--	3.0E-04	3.0E-04	6.0E-09	1.2E-09	2.E-05	4.E-06	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+03	ug/kg	7.3E-01	7.3E-01	2.4E-09	3.6E-10	2.E-09	3.E-10	2.E-09	--	--	1.8E-08	2.8E-09	--	--	--
	Benzo(a)pyrene	1.8E+03	ug/kg	7.3E+00	7.3E+00	2.9E-09	4.4E-10	2.E-08	3.E-09	2.E-08	--	--	2.3E-08	3.4E-09	--	--	--
	Benzo(b)fluoranthene	1.4E+03	ug/kg	7.3E-01	7.3E-01	2.4E-09	3.6E-10	2.E-09	3.E-10	2.E-09	--	--	1.8E-08	2.8E-09	--	--	--
	Benzo(k)fluoranthene	9.3E+02	ug/kg	7.3E-02	7.3E-02	1.6E-09	2.3E-10	1.E-10	2.E-11	1.E-10	--	--	1.2E-08	1.8E-09	--	--	--
	Dibenzo(a,h)anthracene	1.9E+02	ug/kg	7.3E+00	7.3E+00	3.2E-10	4.8E-11	2.E-09	4.E-10	3.E-09	--	--	2.5E-09	3.7E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+03	ug/kg	7.3E-01	7.3E-01	2.0E-09	3.1E-10	1.E-09	2.E-10	2.E-09	--	--	1.6E-08	2.4E-09	--	--	--
	Naphthalene	5.0E+02	ug/kg	--	--	8.4E-10	1.3E-10	--	--	--	2.0E-02	2.0E-02	6.5E-09	9.9E-10	3.E-07	5.E-08	0.0000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.6E+02	ug/kg	1.4E-02	1.4E-02	1.2E-09	2.4E-10	2.E-11	3.E-12	2.E-11	2.0E-02	2.0E-02	9.6E-09	1.9E-09	5.E-07	9.E-08	0.000001
	Phenols																
	Pentachlorophenol	3.2E+01	ug/kg	4.0E-01	4.0E-01	1.0E-10	8.1E-12	4.E-11	3.E-12	4.E-11	5.0E-03	5.0E-03	8.0E-10	6.3E-11	2.E-07	1.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.9E+02	ug/kg	2.0E+00	2.0E+00	3.4E-10	4.7E-11	7.E-10	9.E-11	8.E-10	2.0E-05	2.0E-05	2.6E-09	3.7E-10	1.E-04	2.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.0E+02	pg/g	1.3E+05	1.3E+05	3.9E-14	2.5E-14	5.E-09	3.E-09	8.E-09	1.0E-09	1.0E-09	3.0E-13	2.0E-13	3.E-04	2.E-04	0.0005
	Total PCB TEQ	6.6E+00	pg/g	1.3E+05	1.3E+05	1.2E-14	1.7E-15	2.E-09	2.E-10	2.E-09	1.0E-09	1.0E-09	9.1E-14	1.3E-14	9.E-05	1.E-05	0.0001
	Pesticides																
	Aldrin	2.4E+00	ug/kg	1.7E+01	1.7E+01	3.1E-12	6.2E-13	5.E-11	1.E-11	6.E-11	3.0E-05	3.0E-05	2.4E-11	4.8E-12	8.E-07	2.E-07	0.000001
	Dieldrin	2.1E+00	ug/kg	1.6E+01	1.6E+01	2.7E-12	5.4E-13	4.E-11	9.E-12	5.E-11	5.0E-05	5.0E-05	2.1E-11	4.2E-12	4.E-07	8.E-08	0.000001
	Total DDT	1.4E+02	ug/kg	3.4E-01	3.4E-01	5.3E-11	3.5E-11	2.E-11	1.E-11	3.E-11	5.0E-04	5.0E-04	4.1E-10	2.7E-10	8.E-07	5.E-07	0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-30.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Cancer Risk Calculations[a]							Noncancer Hazard Calculations[a]						
		Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Conventionals																
	Perchlorate	4.9E+04	ug/kg	--	--	0.0E+00	1.2E-08	--	--	--	7.0E-04	7.0E-04	0.0E+00	9.6E-08	0.E+00	1.E-04	0.0001
Exposure Point Total		4.9E+04								5.E-08							0.004

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Cumulative risk sums calculated using PCB Aroclor data.

c Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
LADI = Lifetime Average Daily Intake.
mg/kg = Milligrams per kilogram.

PCB = Polychlorinated Biphenyls.
pg/g = Picograms per gram.
RfD = Reference dose.
RM = River mile.
TEQ = Toxic equivalents.
ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Diver in Dry Suit   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 1 West	**Metals**																
	Arsenic	5.3E+00	mg/kg	1.5E+00	1.5E+00	8.3E-09	1.8E-08	1.E-08	3.E-08	4.E-08	3.0E-04	3.0E-04	2.3E-08	5.2E-08	8.E-05	2.E-04	0.0003
	Mercury	7.5E-02	mg/kg	--	--	0.0E+00	2.6E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.4E-10	0.E+00	7.E-06	0.00001
	Butyltins																
	Tributyltin ion	8.4E-01	ug/kg	--	--	4.4E-12	2.9E-12	--	--	--	3.0E-04	3.0E-04	1.2E-11	8.2E-12	4.E-08	3.E-08	0.0000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.5E+02	ug/kg	7.3E-01	7.3E-01	1.0E-09	5.2E-10	7.E-10	4.E-10	1.E-09	--	--	2.9E-09	1.5E-09	--	--	--
	Benzo(a)pyrene	2.4E+02	ug/kg	7.3E+00	7.3E+00	1.6E-09	8.4E-10	1.E-08	6.E-09	2.E-08	--	--	4.6E-09	2.3E-09	--	--	--
	Benzo(b)fluoranthene	2.3E+02	ug/kg	7.3E-01	7.3E-01	1.6E-09	8.0E-10	1.E-09	6.E-10	2.E-09	--	--	4.4E-09	2.3E-09	--	--	--
	Benzo(k)fluoranthene	7.7E+01	ug/kg	7.3E-02	7.3E-02	5.3E-10	2.7E-10	4.E-11	2.E-11	6.E-11	--	--	1.5E-09	7.5E-10	--	--	--
	Dibenzo(a,h)anthracene	2.4E+01	ug/kg	7.3E+00	7.3E+00	1.7E-10	8.6E-11	1.E-09	6.E-10	2.E-09	--	--	4.7E-10	2.4E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.0E+02	ug/kg	7.3E-01	7.3E-01	1.4E-09	7.0E-10	1.E-09	5.E-10	2.E-09	--	--	3.8E-09	2.0E-09	--	--	--
	Naphthalene	2.9E+01	ug/kg	--	--	2.0E-10	1.0E-10	--	--	--	2.0E-02	2.0E-02	5.5E-10	2.8E-10	3.E-08	1.E-08	0.00000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.4E+01	ug/kg	1.4E-02	1.4E-02	2.3E-10	1.5E-10	3.E-12	2.E-12	5.E-12	2.0E-02	2.0E-02	6.5E-10	4.3E-10	3.E-08	2.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.2E+00	ug/kg	4.0E-01	4.0E-01	1.6E-11	4.2E-12	6.E-12	2.E-12	8.E-12	5.0E-03	5.0E-03	4.4E-11	1.2E-11	9.E-09	2.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+01	ug/kg	2.0E+00	2.0E+00	1.3E-10	5.9E-11	3.E-10	1.E-10	4.E-10	2.0E-05	2.0E-05	3.5E-10	1.7E-10	2.E-05	8.E-06	0.00003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.7E+00	pg/g	1.3E+05	1.3E+05	4.2E-15	9.3E-15	5.E-10	1.E-09	2.E-09	1.0E-09	1.0E-09	1.2E-14	2.6E-14	1.E-05	3.E-05	0.00004
	Total PCB TEQ	3.2E-01	pg/g	1.3E+05	1.3E+05	2.3E-15	1.1E-15	3.E-10	1.E-10	4.E-10	1.0E-09	1.0E-09	6.5E-15	3.1E-15	7.E-06	3.E-06	0.00001
	Pesticides																
	Aldrin	3.7E-01	ug/kg	1.7E+01	1.7E+01	1.9E-12	1.3E-12	3.E-11	2.E-11	6.E-11	3.0E-05	3.0E-05	5.5E-12	3.6E-12	2.E-07	1.E-07	0.0000003
	Total DDT	4.6E+00	ug/kg	3.4E-01	3.4E-01	7.2E-12	1.6E-11	2.E-12	5.E-12	8.E-12	5.0E-04	5.0E-04	2.0E-11	4.5E-11	4.E-08	9.E-08	0.0000001
Exposure Point Total[b]										7.E-08							0.0003
RM 1 East	**Metals**																
	Arsenic	5.7E+00	mg/kg	1.5E+00	1.5E+00	9.0E-09	2.0E-08	1.E-08	3.E-08	4.E-08	3.0E-04	3.0E-04	2.5E-08	5.6E-08	8.E-05	2.E-04	0.0003
	Mercury	7.1E+00	mg/kg	--	--	0.0E+00	2.5E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.0E-08	0.E+00	7.E-04	0.001
	Butyltins																
	Tributyltin ion	1.2E+00	ug/kg	--	--	6.3E-12	4.2E-12	--	--	--	3.0E-04	3.0E-04	1.8E-11	1.2E-11	6.E-08	4.E-08	0.0000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.3E+01	ug/kg	7.3E-01	7.3E-01	3.6E-10	1.8E-10	3.E-10	1.E-10	4.E-10	--	--	1.0E-09	5.2E-10	--	--	--
	Benzo(a)pyrene	8.1E+01	ug/kg	7.3E+00	7.3E+00	5.5E-10	2.8E-10	4.E-09	2.E-09	6.E-09	--	--	1.6E-09	7.9E-10	--	--	--
	Benzo(b)fluoranthene	6.9E+01	ug/kg	7.3E-01	7.3E-01	4.7E-10	2.4E-10	3.E-10	2.E-10	5.E-10	--	--	1.3E-09	6.8E-10	--	--	--
	Benzo(k)fluoranthene	4.8E+01	ug/kg	7.3E-02	7.3E-02	3.3E-10	1.7E-10	2.E-11	1.E-11	4.E-11	--	--	9.1E-10	4.7E-10	--	--	--
	Dibenzo(a,h)anthracene	9.1E+00	ug/kg	7.3E+00	7.3E+00	6.2E-11	3.2E-11	5.E-10	2.E-10	7.E-10	--	--	1.7E-10	8.9E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	5.6E+01	ug/kg	7.3E-01	7.3E-01	3.9E-10	2.0E-10	3.E-10	1.E-10	4.E-10	--	--	1.1E-09	5.5E-10	--	--	--
	Naphthalene	2.3E+01	ug/kg	--	--	1.6E-10	8.0E-11	--	--	--	2.0E-02	2.0E-02	4.4E-10	2.3E-10	2.E-08	1.E-08	0.00000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	EPC Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.1E+01	ug/kg	1.4E-02	1.4E-02	3.7E-10	2.5E-10	5.E-12	3.E-12	9.E-12	2.0E-02	2.0E-02	1.0E-09	6.9E-10	5.E-08	3.E-08	0.0000001
	Phenols																
	Pentachlorophenol	2.5E+00	ug/kg	4.0E-01	4.0E-01	3.3E-11	8.7E-12	1.E-11	3.E-12	2.E-11	5.0E-03	5.0E-03	9.2E-11	2.4E-11	2.E-08	5.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	5.1E+02	ug/kg	2.0E+00	2.0E+00	3.7E-09	1.8E-09	7.E-09	4.E-09	1.E-08	2.0E-05	2.0E-05	1.0E-08	5.0E-09	5.E-04	2.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	7.5E-01	pg/g	1.3E+05	1.3E+05	1.2E-15	2.6E-15	2.E-10	3.E-10	5.E-10	1.0E-09	1.0E-09	3.3E-15	7.3E-15	3.E-06	7.E-06	0.00001
	Total PCB TEQ	2.7E-01	pg/g	1.3E+05	1.3E+05	2.0E-15	9.5E-16	3.E-10	1.E-10	4.E-10	1.0E-09	1.0E-09	5.6E-15	2.7E-15	6.E-06	3.E-06	0.00001
	Pesticides																
	Total DDT	4.0E+00	ug/kg	3.4E-01	3.4E-01	6.3E-12	1.4E-11	2.E-12	5.E-12	7.E-12	5.0E-04	5.0E-04	1.8E-11	3.9E-11	4.E-08	8.E-08	0.0000001
Exposure Point Total										6.E-08							0.002
RM 1.5 West	**Metals**																
	Arsenic	4.4E+00	mg/kg	1.5E+00	1.5E+00	6.9E-09	1.5E-08	1.E-08	2.E-08	3.E-08	3.0E-04	3.0E-04	1.9E-08	4.3E-08	6.E-05	1.E-04	0.0002
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	2.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.7E-10	0.E+00	7.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.3E+01	ug/kg	7.3E-01	7.3E-01	2.3E-10	1.2E-10	2.E-10	8.E-11	2.E-10	--	--	6.3E-10	3.2E-10	--	--	--
	Benzo(a)pyrene	4.8E+01	ug/kg	7.3E+00	7.3E+00	3.3E-10	1.7E-10	2.E-09	1.E-09	4.E-09	--	--	9.2E-10	4.7E-10	--	--	--
	Benzo(b)fluoranthene	4.1E+01	ug/kg	7.3E-01	7.3E-01	2.8E-10	1.4E-10	2.E-10	1.E-10	3.E-10	--	--	7.9E-10	4.0E-10	--	--	--
	Benzo(k)fluoranthene	3.4E+01	ug/kg	7.3E-02	7.3E-02	2.3E-10	1.2E-10	2.E-11	9.E-12	3.E-11	--	--	6.5E-10	3.3E-10	--	--	--
	Dibenzo(a,h)anthracene	5.9E+00	ug/kg	7.3E+00	7.3E+00	4.0E-11	2.1E-11	3.E-10	2.E-10	4.E-10	--	--	1.1E-10	5.8E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	3.7E+01	ug/kg	7.3E-01	7.3E-01	2.5E-10	1.3E-10	2.E-10	9.E-11	3.E-10	--	--	7.1E-10	3.6E-10	--	--	--
	Naphthalene	9.6E+00	ug/kg	--	--	6.6E-11	3.4E-11	--	--	--	2.0E-02	2.0E-02	1.8E-10	9.4E-11	9.E-09	5.E-09	0.00000001
	Phenols																
	Pentachlorophenol	1.5E+00	ug/kg	4.0E-01	4.0E-01	2.0E-11	5.2E-12	8.E-12	2.E-12	1.E-11	5.0E-03	5.0E-03	5.5E-11	1.5E-11	1.E-08	3.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.2E+01	ug/kg	2.0E+00	2.0E+00	1.6E-10	7.6E-11	3.E-10	2.E-10	5.E-10	2.0E-05	2.0E-05	4.5E-10	2.1E-10	2.E-05	1.E-05	0.00003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.4E-02	pg/g	1.3E+05	1.3E+05	1.5E-16	3.3E-16	2.E-11	4.E-11	6.E-11	1.0E-09	1.0E-09	4.2E-16	9.2E-16	4.E-07	9.E-07	0.000001
	Pesticides																
	Total DDT	1.1E+00	ug/kg	3.4E-01	3.4E-01	1.7E-12	3.8E-12	6.E-13	1.E-12	2.E-12	5.0E-04	5.0E-04	4.8E-12	1.1E-11	1.E-08	2.E-08	0.00000003
Exposure Point Total										4.E-08							0.0002
RM 1.5 East	**Metals**																
	Arsenic	5.4E+00	mg/kg	1.5E+00	1.5E+00	8.5E-09	1.9E-08	1.E-08	3.E-08	4.E-08	3.0E-04	3.0E-04	2.4E-08	5.3E-08	8.E-05	2.E-04	0.0003
	Mercury	1.3E-01	mg/kg	--	--	0.0E+00	4.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.2E-09	0.E+00	1.E-05	0.00001
	Butyltins																
	Tributyltin ion	3.7E-01	ug/kg	--	--	1.9E-12	1.3E-12	--	--	--	3.0E-04	3.0E-04	5.5E-12	3.6E-12	2.E-08	1.E-08	0.00000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.4E+02	ug/kg	7.3E-01	7.3E-01	6.4E-09	3.3E-09	5.E-09	2.E-09	7.E-09	--	--	1.8E-08	9.2E-09	--	--	--
	Benzo(a)pyrene	1.4E+03	ug/kg	7.3E+00	7.3E+00	9.6E-09	4.9E-09	7.E-08	4.E-08	1.E-07	--	--	2.7E-08	1.4E-08	--	--	--
	Benzo(b)fluoranthene	8.2E+02	ug/kg	7.3E-01	7.3E-01	5.6E-09	2.9E-09	4.E-09	2.E-09	6.E-09	--	--	1.6E-08	8.0E-09	--	--	--
	Benzo(k)fluoranthene	8.2E+02	ug/kg	7.3E-02	7.3E-02	5.6E-09	2.9E-09	4.E-10	2.E-10	6.E-10	--	--	1.6E-08	8.0E-09	--	--	--
	Dibenzo(a,h)anthracene	1.4E+02	ug/kg	7.3E+00	7.3E+00	9.6E-10	4.9E-10	7.E-09	4.E-09	1.E-08	--	--	2.7E-09	1.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.0E+03	ug/kg	7.3E-01	7.3E-01	6.8E-09	3.5E-09	5.E-09	3.E-09	8.E-09	--	--	1.9E-08	9.8E-09	--	--	--
	Naphthalene	3.7E+02	ug/kg	--	--	2.5E-09	1.3E-09	--	--	--	2.0E-02	2.0E-02	7.1E-09	3.6E-09	4.E-07	2.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.7E+02	ug/kg	1.4E-02	1.4E-02	8.9E-10	5.9E-10	1.E-11	8.E-12	2.E-11	2.0E-02	2.0E-02	2.5E-09	1.7E-09	1.E-07	8.E-08	0.0000002
	Phenols																
	Pentachlorophenol	4.1E+00	ug/kg	4.0E-01	4.0E-01	5.4E-11	1.4E-11	2.E-11	6.E-12	3.E-11	5.0E-03	5.0E-03	1.5E-10	4.0E-11	3.E-08	8.E-09	0.00000004
	Polychlorinated Biphenyls																
	Total Aroclors	4.1E+01	ug/kg	2.0E+00	2.0E+00	3.0E-10	1.4E-10	6.E-10	3.E-10	9.E-10	2.0E-05	2.0E-05	8.4E-10	4.0E-10	4.E-05	2.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.8E+00	pg/g	1.3E+05	1.3E+05	2.9E-15	6.3E-15	4.E-10	8.E-10	1.E-09	1.0E-09	1.0E-09	8.0E-15	1.8E-14	8.E-06	2.E-05	0.00003
	Total PCB TEQ	1.1E-01	pg/g	1.3E+05	1.3E+05	7.8E-16	3.7E-16	1.E-10	5.E-11	1.E-10	1.0E-09	1.0E-09	2.2E-15	1.0E-15	2.E-06	1.E-06	0.000003
	Pesticides																
	Dieldrin	6.9E-02	ug/kg	1.6E+01	1.6E+01	3.6E-13	2.4E-13	6.E-12	4.E-12	1.E-11	5.0E-05	5.0E-05	1.0E-12	6.8E-13	2.E-08	1.E-08	0.00000003
	Total DDT	2.2E+01	ug/kg	3.4E-01	3.4E-01	3.4E-11	7.6E-11	1.E-11	3.E-11	4.E-11	5.0E-04	5.0E-04	9.6E-11	2.1E-10	2.E-07	4.E-07	0.000001
Exposure Point Total										2.E-07							0.0004
RM 2 West	**Metals**																
	Arsenic	3.8E+00	mg/kg	1.5E+00	1.5E+00	6.1E-09	1.3E-08	9.E-09	2.E-08	3.E-08	3.0E-04	3.0E-04	1.7E-08	3.8E-08	6.E-05	1.E-04	0.0002
	Mercury	7.8E-02	mg/kg	--	--	0.0E+00	2.7E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.6E-10	0.E+00	8.E-06	0.00001
	Butyltins																
	Tributyltin ion	2.1E+00	ug/kg	--	--	1.1E-11	7.3E-12	--	--	--	3.0E-04	3.0E-04	3.1E-11	2.1E-11	1.E-07	7.E-08	0.0000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.5E+01	ug/kg	7.3E-01	7.3E-01	3.7E-10	1.9E-10	3.E-10	1.E-10	4.E-10	--	--	1.0E-09	5.3E-10	--	--	--
	Benzo(a)pyrene	9.8E+01	ug/kg	7.3E+00	7.3E+00	6.7E-10	3.4E-10	5.E-09	3.E-09	7.E-09	--	--	1.9E-09	9.6E-10	--	--	--
	Benzo(b)fluoranthene	9.8E+01	ug/kg	7.3E-01	7.3E-01	6.7E-10	3.4E-10	5.E-10	2.E-10	7.E-10	--	--	1.9E-09	9.6E-10	--	--	--
	Benzo(k)fluoranthene	3.2E+01	ug/kg	7.3E-02	7.3E-02	2.2E-10	1.1E-10	2.E-11	8.E-12	2.E-11	--	--	6.1E-10	3.1E-10	--	--	--
	Dibenzo(a,h)anthracene	1.0E+01	ug/kg	7.3E+00	7.3E+00	7.1E-11	3.6E-11	5.E-10	3.E-10	8.E-10	--	--	2.0E-10	1.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	8.1E+01	ug/kg	7.3E-01	7.3E-01	5.6E-10	2.8E-10	4.E-10	2.E-10	6.E-10	--	--	1.6E-09	7.9E-10	--	--	--
	Naphthalene	1.0E+01	ug/kg	--	--	6.8E-11	3.5E-11	--	--	--	2.0E-02	2.0E-02	1.9E-10	9.8E-11	1.E-08	5.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.8E+01	ug/kg	1.4E-02	1.4E-02	2.5E-10	1.7E-10	4.E-12	2.E-12	6.E-12	2.0E-02	2.0E-02	7.1E-10	4.7E-10	4.E-08	2.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+01	ug/kg	2.0E+00	2.0E+00	1.3E-10	6.4E-11	3.E-10	1.E-10	4.E-10	2.0E-05	2.0E-05	3.8E-10	1.8E-10	2.E-05	9.E-06	0.00003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.2E+00	pg/g	1.3E+05	1.3E+05	3.4E-15	7.6E-15	4.E-10	1.E-09	1.E-09	1.0E-09	1.0E-09	9.6E-15	2.1E-14	1.E-05	2.E-05	0.00003
	Total PCB TEQ	3.5E-01	pg/g	1.3E+05	1.3E+05	2.6E-15	1.2E-15	3.E-10	2.E-10	5.E-10	1.0E-09	1.0E-09	7.3E-15	3.5E-15	7.E-06	3.E-06	0.00001
	Pesticides																
	Aldrin	3.6E-01	ug/kg	1.7E+01	1.7E+01	1.9E-12	1.3E-12	3.E-11	2.E-11	5.E-11	3.0E-05	3.0E-05	5.3E-12	3.5E-12	2.E-07	1.E-07	0.0000003
	Dieldrin	2.7E-01	ug/kg	1.6E+01	1.6E+01	1.4E-12	9.4E-13	2.E-11	2.E-11	4.E-11	5.0E-05	5.0E-05	4.0E-12	2.6E-12	8.E-08	5.E-08	0.0000001
	Total DDT	3.2E+00	ug/kg	3.4E-01	3.4E-01	5.0E-12	1.1E-11	2.E-12	4.E-12	5.E-12	5.0E-04	5.0E-04	1.4E-11	3.1E-11	3.E-08	6.E-08	0.0000001
Exposure Point Total										4.E-08							0.0003
RM 2 East	**Metals**																
	Arsenic	4.3E+00	mg/kg	1.5E+00	1.5E+00	6.8E-09	1.5E-08	1.E-08	2.E-08	3.E-08	3.0E-04	3.0E-04	1.9E-08	4.2E-08	6.E-05	1.E-04	0.0002
	Mercury	9.1E-02	mg/kg	--	--	0.0E+00	3.2E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.9E-10	0.E+00	9.E-06	0.00001
	Butyltins																
	Tributyltin ion	3.7E+00	ug/kg	--	--	1.9E-11	1.3E-11	--	--	--	3.0E-04	3.0E-04	5.5E-11	3.6E-11	2.E-07	1.E-07	0.0000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.7E+01	ug/kg	7.3E-01	7.3E-01	6.6E-10	3.4E-10	5.E-10	2.E-10	7.E-10	--	--	1.9E-09	9.5E-10	--	--	--
	Benzo(a)pyrene	1.2E+02	ug/kg	7.3E+00	7.3E+00	8.2E-10	4.2E-10	6.E-09	3.E-09	9.E-09	--	--	2.3E-09	1.2E-09	--	--	--
	Benzo(b)fluoranthene	1.3E+02	ug/kg	7.3E-01	7.3E-01	9.0E-10	4.6E-10	7.E-10	3.E-10	1.E-09	--	--	2.5E-09	1.3E-09	--	--	--
	Benzo(k)fluoranthene	7.7E+01	ug/kg	7.3E-02	7.3E-02	5.3E-10	2.7E-10	4.E-11	2.E-11	6.E-11	--	--	1.5E-09	7.6E-10	--	--	--
	Dibenzo(a,h)anthracene	2.4E+01	ug/kg	7.3E+00	7.3E+00	1.6E-10	8.2E-11	1.E-09	6.E-10	2.E-09	--	--	4.5E-10	2.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+02	ug/kg	7.3E-01	7.3E-01	7.3E-10	3.7E-10	5.E-10	3.E-10	8.E-10	--	--	2.0E-09	1.0E-09	--	--	--
	Naphthalene	2.1E+01	ug/kg	--	--	1.4E-10	7.3E-11	--	--	--	2.0E-02	2.0E-02	4.0E-10	2.1E-10	2.E-08	1.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.2E+02	ug/kg	1.4E-02	1.4E-02	6.3E-10	4.2E-10	9.E-12	6.E-12	1.E-11	2.0E-02	2.0E-02	1.8E-09	1.2E-09	9.E-08	6.E-08	0.0000001
	Phenols																
	Pentachlorophenol	2.2E+00	ug/kg	4.0E-01	4.0E-01	2.9E-11	7.7E-12	1.E-11	3.E-12	1.E-11	5.0E-03	5.0E-03	8.1E-11	2.2E-11	2.E-08	4.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.5E+03	ug/kg	2.0E+00	2.0E+00	1.1E-08	5.3E-09	2.E-08	1.E-08	3.E-08	2.0E-05	2.0E-05	3.2E-08	1.5E-08	2.E-03	7.E-04	0.002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.0E+00	pg/g	1.3E+05	1.3E+05	6.3E-15	1.4E-14	8.E-10	2.E-09	3.E-09	1.0E-09	1.0E-09	1.8E-14	3.9E-14	2.E-05	4.E-05	0.0001
	Total PCB TEQ	8.5E+01	pg/g	1.3E+05	1.3E+05	6.2E-13	3.0E-13	8.E-08	4.E-08	1.E-07	1.0E-09	1.0E-09	1.7E-12	8.3E-13	2.E-03	8.E-04	0.003
	Pesticides																
	Aldrin	7.0E-01	ug/kg	1.7E+01	1.7E+01	3.7E-12	2.4E-12	6.E-11	4.E-11	1.E-10	3.0E-05	3.0E-05	1.0E-11	6.8E-12	3.E-07	2.E-07	0.000001
	Dieldrin	1.2E+00	ug/kg	1.6E+01	1.6E+01	6.6E-12	4.4E-12	1.E-10	7.E-11	2.E-10	5.0E-05	5.0E-05	1.8E-11	1.2E-11	4.E-07	2.E-07	0.000001
	Total DDT	4.2E+00	ug/kg	3.4E-01	3.4E-01	6.6E-12	1.5E-11	2.E-12	5.E-12	7.E-12	5.0E-04	5.0E-04	1.9E-11	4.1E-11	4.E-08	8.E-08	0.0000001
Exposure Point Total										2.E-07							0.01
RM 2.5 West	**Metals**																
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	7.4E-09	1.6E-08	1.E-08	2.E-08	4.E-08	3.0E-04	3.0E-04	2.1E-08	4.6E-08	7.E-05	2.E-04	0.0002
	Mercury	9.1E-02	mg/kg	--	--	0.0E+00	3.2E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.9E-10	0.E+00	9.E-06	0.00001
	Butyltins																
	Tributyltin ion	2.3E+00	ug/kg	--	--	1.2E-11	8.0E-12	--	--	--	3.0E-04	3.0E-04	3.4E-11	2.3E-11	1.E-07	8.E-08	0.0000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+02	ug/kg	7.3E-01	7.3E-01	2.1E-09	1.1E-09	2.E-09	8.E-10	2.E-09	--	--	5.9E-09	3.0E-09	--	--	--
	Benzo(a)pyrene	5.5E+02	ug/kg	7.3E+00	7.3E+00	3.7E-09	1.9E-09	3.E-08	1.E-08	4.E-08	--	--	1.0E-08	5.3E-09	--	--	--
	Benzo(b)fluoranthene	4.0E+02	ug/kg	7.3E-01	7.3E-01	2.7E-09	1.4E-09	2.E-09	1.E-09	3.E-09	--	--	7.6E-09	3.9E-09	--	--	--
	Benzo(k)fluoranthene	2.5E+02	ug/kg	7.3E-02	7.3E-02	1.7E-09	8.9E-10	1.E-10	6.E-11	2.E-10	--	--	4.9E-09	2.5E-09	--	--	--
	Dibenzo(a,h)anthracene	6.4E+01	ug/kg	7.3E+00	7.3E+00	4.4E-10	2.2E-10	3.E-09	2.E-09	5.E-09	--	--	1.2E-09	6.2E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+02	ug/kg	7.3E-01	7.3E-01	3.2E-09	1.6E-09	2.E-09	1.E-09	4.E-09	--	--	9.0E-09	4.6E-09	--	--	--
	Naphthalene	7.6E+01	ug/kg	--	--	5.2E-10	2.7E-10	--	--	--	2.0E-02	2.0E-02	1.5E-09	7.4E-10	7.E-08	4.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.3E+01	ug/kg	1.4E-02	1.4E-02	2.3E-10	1.5E-10	3.E-12	2.E-12	5.E-12	2.0E-02	2.0E-02	6.3E-10	4.2E-10	3.E-08	2.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.2E+00	ug/kg	4.0E-01	4.0E-01	1.6E-11	4.2E-12	6.E-12	2.E-12	8.E-12	5.0E-03	5.0E-03	4.4E-11	1.2E-11	9.E-09	2.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.1E+01	ug/kg	2.0E+00	2.0E+00	1.6E-10	7.5E-11	3.E-10	1.E-10	5.E-10	2.0E-05	2.0E-05	4.4E-10	2.1E-10	2.E-05	1.E-05	0.00003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.1E-01	pg/g	1.3E+05	1.3E+05	6.5E-16	1.4E-15	8.E-11	2.E-10	3.E-10	1.0E-09	1.0E-09	1.8E-15	4.0E-15	2.E-06	4.E-06	0.00001
	Total PCB TEQ	2.1E-01	pg/g	1.3E+05	1.3E+05	1.5E-15	7.2E-16	2.E-10	9.E-11	3.E-10	1.0E-09	1.0E-09	4.3E-15	2.0E-15	4.E-06	2.E-06	0.00001
	Pesticides																
	Aldrin	2.6E-01	ug/kg	1.7E+01	1.7E+01	1.4E-12	9.0E-13	2.E-11	2.E-11	4.E-11	3.0E-05	3.0E-05	3.8E-12	2.5E-12	1.E-07	8.E-08	0.0000002
	Dieldrin	2.2E-01	ug/kg	1.6E+01	1.6E+01	1.2E-12	7.7E-13	2.E-11	1.E-11	3.E-11	5.0E-05	5.0E-05	3.2E-12	2.2E-12	6.E-08	4.E-08	0.0000001
	Total DDT	3.4E+00	ug/kg	3.4E-01	3.4E-01	5.4E-12	1.2E-11	2.E-12	4.E-12	6.E-12	5.0E-04	5.0E-04	1.5E-11	3.3E-11	3.E-08	7.E-08	0.0000001
Exposure Point Total										9.E-08							0.0003
RM 2.5 East	**Metals**																
	Arsenic	4.8E+00	mg/kg	1.5E+00	1.5E+00	7.6E-09	1.7E-08	1.E-08	3.E-08	4.E-08	3.0E-04	3.0E-04	2.1E-08	4.7E-08	7.E-05	2.E-04	0.0002
	Mercury	9.1E-02	mg/kg	--	--	0.0E+00	3.2E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.9E-10	0.E+00	9.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.8E+03	ug/kg	7.3E-01	7.3E-01	4.0E-08	2.0E-08	3.E-08	1.E-08	4.E-08	--	--	1.1E-07	5.7E-08	--	--	--
	Benzo(a)pyrene	4.5E+03	ug/kg	7.3E+00	7.3E+00	3.1E-08	1.6E-08	2.E-07	1.E-07	3.E-07	--	--	8.7E-08	4.4E-08	--	--	--
	Benzo(b)fluoranthene	3.9E+03	ug/kg	7.3E-01	7.3E-01	2.7E-08	1.4E-08	2.E-08	1.E-08	3.E-08	--	--	7.5E-08	3.8E-08	--	--	--
	Benzo(k)fluoranthene	1.2E+03	ug/kg	7.3E-02	7.3E-02	8.4E-09	4.3E-09	6.E-10	3.E-10	9.E-10	--	--	2.3E-08	1.2E-08	--	--	--
	Dibenzo(a,h)anthracene	4.5E+02	ug/kg	7.3E+00	7.3E+00	3.1E-09	1.6E-09	2.E-08	1.E-08	3.E-08	--	--	8.6E-09	4.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.6E+03	ug/kg	7.3E-01	7.3E-01	1.8E-08	9.0E-09	1.E-08	7.E-09	2.E-08	--	--	4.9E-08	2.5E-08	--	--	--
	Naphthalene	2.8E+02	ug/kg	--	--	1.9E-09	9.7E-10	--	--	--	2.0E-02	2.0E-02	5.3E-09	2.7E-09	3.E-07	1.E-07	0.0000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.1E+02	ug/kg	1.4E-02	1.4E-02	5.6E-10	3.7E-10	8.E-12	5.E-12	1.E-11	2.0E-02	2.0E-02	1.6E-09	1.0E-09	8.E-08	5.E-08	0.0000001
	Phenols																
	Pentachlorophenol	5.7E+01	ug/kg	4.0E-01	4.0E-01	7.5E-10	2.0E-10	3.E-10	8.E-11	4.E-10	5.0E-03	5.0E-03	2.1E-09	5.6E-10	4.E-07	1.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	7.7E+01	ug/kg	2.0E+00	2.0E+00	5.7E-10	2.7E-10	1.E-09	5.E-10	2.E-09	2.0E-05	2.0E-05	1.6E-09	7.6E-10	8.E-05	4.E-05	0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.1E+00	pg/g	1.3E+05	1.3E+05	1.7E-15	3.7E-15	2.E-10	5.E-10	7.E-10	1.0E-09	1.0E-09	4.7E-15	1.0E-14	5.E-06	1.E-05	0.00002
	Total PCB TEQ	3.3E+00	pg/g	1.3E+05	1.3E+05	2.4E-14	1.2E-14	3.E-09	2.E-09	5.E-09	1.0E-09	1.0E-09	6.8E-14	3.2E-14	7.E-05	3.E-05	0.0001
	Pesticides																
	Aldrin	7.5E-01	ug/kg	1.7E+01	1.7E+01	4.0E-12	2.6E-12	7.E-11	4.E-11	1.E-10	3.0E-05	3.0E-05	1.1E-11	7.4E-12	4.E-07	2.E-07	0.000001
	Dieldrin	3.3E-01	ug/kg	1.6E+01	1.6E+01	1.7E-12	1.1E-12	3.E-11	2.E-11	5.E-11	5.0E-05	5.0E-05	4.8E-12	3.2E-12	1.E-07	6.E-08	0.0000002
	Total DDT	1.1E+01	ug/kg	3.4E-01	3.4E-01	1.8E-11	3.9E-11	6.E-12	1.E-11	2.E-11	5.0E-04	5.0E-04	4.9E-11	1.1E-10	1.E-07	2.E-07	0.0000003
Exposure Point Total										5.E-07							0.0005
RM 2.5 MC	**Metals**																
	Arsenic	4.8E+00	mg/kg	1.5E+00	1.5E+00	7.5E-09	1.7E-08	1.E-08	2.E-08	4.E-08	3.0E-04	3.0E-04	2.1E-08	4.7E-08	7.E-05	2.E-04	0.0002
	Mercury	1.3E-01	mg/kg	--	--	0.0E+00	4.5E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-09	0.E+00	1.E-05	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+02	ug/kg	7.3E-01	7.3E-01	2.1E-09	1.1E-09	2.E-09	8.E-10	2.E-09	--	--	5.9E-09	3.0E-09	--	--	--
	Benzo(a)pyrene	4.9E+02	ug/kg	7.3E+00	7.3E+00	3.3E-09	1.7E-09	2.E-08	1.E-08	4.E-08	--	--	9.4E-09	4.8E-09	--	--	--
	Benzo(b)fluoranthene	4.5E+02	ug/kg	7.3E-01	7.3E-01	3.1E-09	1.6E-09	2.E-09	1.E-09	3.E-09	--	--	8.6E-09	4.4E-09	--	--	--
	Benzo(k)fluoranthene	1.4E+02	ug/kg	7.3E-02	7.3E-02	9.8E-10	5.0E-10	7.E-11	4.E-11	1.E-10	--	--	2.8E-09	1.4E-09	--	--	--
	Dibenzo(a,h)anthracene	4.7E+01	ug/kg	7.3E+00	7.3E+00	3.2E-10	1.6E-10	2.E-09	1.E-09	4.E-09	--	--	9.0E-10	4.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.8E+02	ug/kg	7.3E-01	7.3E-01	2.6E-09	1.3E-09	2.E-09	1.E-09	3.E-09	--	--	7.2E-09	3.7E-09	--	--	--
	Naphthalene	9.9E+01	ug/kg	--	--	6.8E-10	3.5E-10	--	--	--	2.0E-02	2.0E-02	1.9E-09	9.7E-10	1.E-07	5.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.3E+01	ug/kg	1.4E-02	1.4E-02	4.9E-10	3.3E-10	7.E-12	5.E-12	1.E-11	2.0E-02	2.0E-02	1.4E-09	9.1E-10	7.E-08	5.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.6E+00	ug/kg	4.0E-01	4.0E-01	2.1E-11	5.6E-12	8.E-12	2.E-12	1.E-11	5.0E-03	5.0E-03	5.9E-11	1.6E-11	1.E-08	3.E-09	0.00000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.9E+01	ug/kg	2.0E+00	2.0E+00	2.8E-10	1.4E-10	6.E-10	3.E-10	8.E-10	2.0E-05	2.0E-05	8.0E-10	3.8E-10	4.E-05	2.E-05	0.0001
	Pesticides																
	Aldrin	6.5E-01	ug/kg	1.7E+01	1.7E+01	3.4E-12	2.3E-12	6.E-11	4.E-11	1.E-10	3.0E-05	3.0E-05	9.6E-12	6.4E-12	3.E-07	2.E-07	0.000001
	Dieldrin	9.7E-01	ug/kg	1.6E+01	1.6E+01	5.1E-12	3.4E-12	8.E-11	5.E-11	1.E-10	5.0E-05	5.0E-05	1.4E-11	9.5E-12	3.E-07	2.E-07	0.0000005
	Total DDT	1.1E+01	ug/kg	3.4E-01	3.4E-01	1.7E-11	3.8E-11	6.E-12	1.E-11	2.E-11	5.0E-04	5.0E-04	4.8E-11	1.1E-10	1.E-07	2.E-07	0.0000003
Exposure Point Total										9.E-08							0.0003
RM 3 West	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	6.4E-09	1.4E-08	1.E-08	2.E-08	3.E-08	3.0E-04	3.0E-04	1.8E-08	4.0E-08	6.E-05	1.E-04	0.0002
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	3.7E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.0E-09	0.E+00	1.E-05	0.0000
	Vanadium	9.3E+01	mg/kg	--	--	0.0E+00	3.2E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	9.1E-07	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	1.8E+01	ug/kg	--	--	9.5E-11	6.3E-11	--	--	--	3.0E-04	3.0E-04	2.7E-10	1.8E-10	9.E-07	6.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.7E+02	ug/kg	7.3E-01	7.3E-01	3.2E-09	1.6E-09	2.E-09	1.E-09	4.E-09	--	--	8.9E-09	4.6E-09	--	--	--
	Benzo(a)pyrene	7.1E+02	ug/kg	7.3E+00	7.3E+00	4.8E-09	2.5E-09	4.E-08	2.E-08	5.E-08	--	--	1.4E-08	6.9E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(b)fluoranthene	6.0E+02	ug/kg	7.3E-01	7.3E-01	4.1E-09	2.1E-09	3.E-09	2.E-09	5.E-09	--	--	1.2E-08	5.9E-09	--	--	--
	Benzo(k)fluoranthene	4.0E+02	ug/kg	7.3E-02	7.3E-02	2.7E-09	1.4E-09	2.E-10	1.E-10	3.E-10	--	--	7.6E-09	3.9E-09	--	--	--
	Dibenzo(a,h)anthracene	8.2E+01	ug/kg	7.3E+00	7.3E+00	5.6E-10	2.9E-10	4.E-09	2.E-09	6.E-09	--	--	1.6E-09	8.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	4.8E+02	ug/kg	7.3E-01	7.3E-01	3.3E-09	1.7E-09	2.E-09	1.E-09	4.E-09	--	--	9.1E-09	4.7E-09	--	--	--
	Naphthalene	2.2E+02	ug/kg	--	--	1.5E-09	7.8E-10	--	--	--	2.0E-02	2.0E-02	4.3E-09	2.2E-09	2.E-07	1.E-07	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	5.8E+01	ug/kg	1.4E-02	1.4E-02	3.0E-10	2.0E-10	4.E-12	3.E-12	7.E-12	2.0E-02	2.0E-02	8.5E-10	5.6E-10	4.E-08	3.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.1E+02	ug/kg	4.0E-01	4.0E-01	1.4E-09	3.8E-10	6.E-10	2.E-10	7.E-10	5.0E-03	5.0E-03	4.1E-09	1.1E-09	8.E-07	2.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+01	ug/kg	2.0E+00	2.0E+00	1.3E-10	6.2E-11	3.E-10	1.E-10	4.E-10	2.0E-05	2.0E-05	3.6E-10	1.7E-10	2.E-05	9.E-06	0.00003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	1.3E+05	1.3E+05	2.6E-15	5.8E-15	3.E-10	8.E-10	1.E-09	1.0E-09	1.0E-09	7.3E-15	1.6E-14	7.E-06	2.E-05	0.00002
	Total PCB TEQ	4.4E-01	pg/g	1.3E+05	1.3E+05	3.3E-15	1.5E-15	4.E-10	2.E-10	6.E-10	1.0E-09	1.0E-09	9.1E-15	4.3E-15	9.E-06	4.E-06	0.00001
	Pesticides																
	Aldrin	5.2E-01	ug/kg	1.7E+01	1.7E+01	2.7E-12	1.8E-12	5.E-11	3.E-11	8.E-11	3.0E-05	3.0E-05	7.7E-12	5.1E-12	3.E-07	2.E-07	0.0000004
	Dieldrin	1.3E+00	ug/kg	1.6E+01	1.6E+01	6.9E-12	4.6E-12	1.E-10	7.E-11	2.E-10	5.0E-05	5.0E-05	1.9E-11	1.3E-11	4.E-07	3.E-07	0.000001
	Total DDT	2.1E+02	ug/kg	3.4E-01	3.4E-01	3.3E-10	7.4E-10	1.E-10	3.E-10	4.E-10	5.0E-04	5.0E-04	9.4E-10	2.1E-09	2.E-06	4.E-06	0.00001
Exposure Point Total										1.E-07							0.01
RM 3 East	**Metals**																
	Arsenic	5.5E+00	mg/kg	1.5E+00	1.5E+00	8.6E-09	1.9E-08	1.E-08	3.E-08	4.E-08	3.0E-04	3.0E-04	2.4E-08	5.3E-08	8.E-05	2.E-04	0.0003
	Mercury	7.5E-02	mg/kg	--	--	0.0E+00	2.6E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.3E-10	0.E+00	7.E-06	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.7E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.0E-06	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	1.6E+01	ug/kg	--	--	8.4E-11	5.6E-11	--	--	--	3.0E-04	3.0E-04	2.4E-10	1.6E-10	8.E-07	5.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+02	ug/kg	7.3E-01	7.3E-01	9.9E-10	5.1E-10	7.E-10	4.E-10	1.E-09	--	--	2.8E-09	1.4E-09	--	--	--
	Benzo(a)pyrene	1.4E+02	ug/kg	7.3E+00	7.3E+00	9.2E-10	4.7E-10	7.E-09	3.E-09	1.E-08	--	--	2.6E-09	1.3E-09	--	--	--
	Benzo(b)fluoranthene	1.6E+02	ug/kg	7.3E-01	7.3E-01	1.1E-09	5.5E-10	8.E-10	4.E-10	1.E-09	--	--	3.0E-09	1.5E-09	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	7.6E-10	3.9E-10	6.E-11	3.E-11	8.E-11	--	--	2.1E-09	1.1E-09	--	--	--
	Dibenzo(a,h)anthracene	1.7E+01	ug/kg	7.3E+00	7.3E+00	1.2E-10	5.9E-11	8.E-10	4.E-10	1.E-09	--	--	3.2E-10	1.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	8.3E+01	ug/kg	7.3E-01	7.3E-01	5.7E-10	2.9E-10	4.E-10	2.E-10	6.E-10	--	--	1.6E-09	8.1E-10	--	--	--
	Naphthalene	1.7E+01	ug/kg	--	--	1.2E-10	5.9E-11	--	--	--	2.0E-02	2.0E-02	3.2E-10	1.6E-10	2.E-08	8.E-09	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.8E+01	ug/kg	1.4E-02	1.4E-02	4.6E-10	3.1E-10	6.E-12	4.E-12	1.E-11	2.0E-02	2.0E-02	1.3E-09	8.6E-10	6.E-08	4.E-08	0.0000001
	Phenols																
	Pentachlorophenol	4.6E+00	ug/kg	4.0E-01	4.0E-01	6.1E-11	1.6E-11	2.E-11	6.E-12	3.E-11	5.0E-03	5.0E-03	1.7E-10	4.5E-11	3.E-08	9.E-09	0.00000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Diver in Dry Suit   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polychlorinated Biphenyls																
	Total Aroclors	2.3E+01	ug/kg	2.0E+00	2.0E+00	1.7E-10	8.0E-11	3.E-10	2.E-10	5.E-10	2.0E-05	2.0E-05	4.7E-10	2.2E-10	2.E-05	1.E-05	0.00003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.4E+00	pg/g	1.3E+05	1.3E+05	8.5E-15	1.9E-14	1.E-09	2.E-09	4.E-09	1.0E-09	1.0E-09	2.4E-14	5.3E-14	2.E-05	5.E-05	0.0001
	Total PCB TEQ	1.0E-01	pg/g	1.3E+05	1.3E+05	7.5E-16	3.5E-16	1.E-10	5.E-11	1.E-10	1.0E-09	1.0E-09	2.1E-15	9.9E-16	2.E-06	1.E-06	0.000003
	Pesticides																
	Aldrin	4.0E-01	ug/kg	1.7E+01	1.7E+01	2.1E-12	1.4E-12	4.E-11	2.E-11	6.E-11	3.0E-05	3.0E-05	5.9E-12	3.9E-12	2.E-07	1.E-07	0.0000003
	Dieldrin	2.0E-01	ug/kg	1.6E+01	1.6E+01	1.0E-12	6.8E-13	2.E-11	1.E-11	3.E-11	5.0E-05	5.0E-05	2.9E-12	1.9E-12	6.E-08	4.E-08	0.0000001
	Total DDT	3.8E+00	ug/kg	3.4E-01	3.4E-01	6.0E-12	1.3E-11	2.E-12	5.E-12	7.E-12	5.0E-04	5.0E-04	1.7E-11	3.7E-11	3.E-08	7.E-08	0.0000001
Exposure Point Total										**6.E-08**							**0.02**
RM 3.5 West	**Metals**																
	Arsenic	1.0E+01	mg/kg	1.5E+00	1.5E+00	1.7E-08	3.7E-08	2.E-08	5.E-08	8.E-08	3.0E-04	3.0E-04	4.6E-08	1.0E-07	2.E-04	3.E-04	0.0005
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	4.1E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.2E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	3.5E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	9.7E-07	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	8.1E+01	ug/kg	--	--	4.3E-10	2.8E-10	--	--	--	3.0E-04	3.0E-04	1.2E-09	7.9E-10	4.E-06	3.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+03	ug/kg	7.3E-01	7.3E-01	1.2E-08	6.2E-09	9.E-09	5.E-09	1.E-08	--	--	3.4E-08	1.7E-08	--	--	--
	Benzo(a)pyrene	2.6E+03	ug/kg	7.3E+00	7.3E+00	1.7E-08	8.9E-09	1.E-07	7.E-08	2.E-07	--	--	4.9E-08	2.5E-08	--	--	--
	Benzo(b)fluoranthene	2.3E+03	ug/kg	7.3E-01	7.3E-01	1.6E-08	7.9E-09	1.E-08	6.E-09	2.E-08	--	--	4.3E-08	2.2E-08	--	--	--
	Benzo(k)fluoranthene	8.0E+02	ug/kg	7.3E-02	7.3E-02	5.5E-09	2.8E-09	4.E-10	2.E-10	6.E-10	--	--	1.5E-08	7.8E-09	--	--	--
	Dibenzo(a,h)anthracene	7.5E+01	ug/kg	7.3E+00	7.3E+00	5.1E-10	2.6E-10	4.E-09	2.E-09	6.E-09	--	--	1.4E-09	7.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.1E+03	ug/kg	7.3E-01	7.3E-01	1.4E-08	7.2E-09	1.E-08	5.E-09	2.E-08	--	--	3.9E-08	2.0E-08	--	--	--
	Naphthalene	5.2E+02	ug/kg	--	--	3.6E-09	1.8E-09	--	--	--	2.0E-02	2.0E-02	1.0E-08	5.1E-09	5.E-07	3.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	8.2E+01	ug/kg	1.4E-02	1.4E-02	4.3E-10	2.9E-10	6.E-12	4.E-12	1.E-11	2.0E-02	2.0E-02	1.2E-09	8.1E-10	6.E-08	4.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.5E+01	ug/kg	4.0E-01	4.0E-01	1.9E-10	5.1E-11	8.E-11	2.E-11	1.E-10	5.0E-03	5.0E-03	5.4E-10	1.4E-10	1.E-07	3.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.7E+01	ug/kg	2.0E+00	2.0E+00	2.0E-10	9.3E-11	4.E-10	2.E-10	6.E-10	2.0E-05	2.0E-05	5.5E-10	2.6E-10	3.E-05	1.E-05	0.00004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.6E+00	pg/g	1.3E+05	1.3E+05	2.5E-15	5.6E-15	3.E-10	7.E-10	1.E-09	1.0E-09	1.0E-09	7.1E-15	1.6E-14	7.E-06	2.E-05	0.00002
	Total PCB TEQ	7.7E-01	pg/g	1.3E+05	1.3E+05	5.7E-15	2.7E-15	7.E-10	4.E-10	1.E-09	1.0E-09	1.0E-09	1.6E-14	7.6E-15	2.E-05	8.E-06	0.00002
	Pesticides																
	Aldrin	4.9E-01	ug/kg	1.7E+01	1.7E+01	2.6E-12	1.7E-12	4.E-11	3.E-11	7.E-11	3.0E-05	3.0E-05	7.2E-12	4.8E-12	2.E-07	2.E-07	0.0000004
	Dieldrin	1.8E-01	ug/kg	1.6E+01	1.6E+01	9.6E-13	6.4E-13	2.E-11	1.E-11	3.E-11	5.0E-05	5.0E-05	2.7E-12	1.8E-12	5.E-08	4.E-08	0.0000001
	Total DDT	2.1E+01	ug/kg	3.4E-01	3.4E-01	3.3E-11	7.3E-11	1.E-11	2.E-11	4.E-11	5.0E-04	5.0E-04	9.2E-11	2.0E-10	2.E-07	4.E-07	0.000001
Exposure Point Total										**3.E-07**							**0.01**

LWG
Lower Willamette Group

TABLE 5-31.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 3.5 East	**Metals**																
	Arsenic	4.8E+00	mg/kg	1.5E+00	1.5E+00	7.6E-09	1.7E-08	1.E-08	3.E-08	4.E-08	3.0E-04	3.0E-04	2.1E-08	4.7E-08	7.E-05	2.E-04	0.0002
	Mercury	1.3E-01	mg/kg	--	--	0.0E+00	4.5E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.9E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	1.9E+04	ug/kg	--	--	1.0E-07	6.7E-08	--	--	--	3.0E-04	3.0E-04	2.8E-07	1.9E-07	9.E-04	6.E-04	0.002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E+03	ug/kg	7.3E-01	7.3E-01	8.5E-09	4.4E-09	6.E-09	3.E-09	9.E-09	--	--	2.4E-08	1.2E-08	--	--	--
	Benzo(a)pyrene	8.7E+02	ug/kg	7.3E+00	7.3E+00	6.0E-09	3.1E-09	4.E-08	2.E-08	7.E-08	--	--	1.7E-08	8.6E-09	--	--	--
	Benzo(b)fluoranthene	1.3E+03	ug/kg	7.3E-01	7.3E-01	9.0E-09	4.6E-09	7.E-09	3.E-09	1.E-08	--	--	2.5E-08	1.3E-08	--	--	--
	Benzo(k)fluoranthene	7.1E+02	ug/kg	7.3E-02	7.3E-02	4.8E-09	2.5E-09	4.E-10	2.E-10	5.E-10	--	--	1.4E-08	6.9E-09	--	--	--
	Dibenzo(a,h)anthracene	1.3E+02	ug/kg	7.3E+00	7.3E+00	8.9E-10	4.6E-10	7.E-09	3.E-09	1.E-08	--	--	2.5E-09	1.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.3E+02	ug/kg	7.3E-01	7.3E-01	2.3E-09	1.2E-09	2.E-09	8.E-10	2.E-09	--	--	6.3E-09	3.2E-09	--	--	--
	Naphthalene	1.8E+01	ug/kg	--	--	1.2E-10	6.3E-11	--	--	--	2.0E-02	2.0E-02	3.5E-10	1.8E-10	2.E-08	9.E-09	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	6.9E+03	ug/kg	1.4E-02	1.4E-02	3.6E-08	2.4E-08	5.E-10	3.E-10	8.E-10	2.0E-02	2.0E-02	1.0E-07	6.8E-08	5.E-06	3.E-06	0.00001
	Phenols																
	Pentachlorophenol	2.5E+00	ug/kg	4.0E-01	4.0E-01	3.3E-11	8.7E-12	1.E-11	3.E-12	2.E-11	5.0E-03	5.0E-03	9.2E-11	2.4E-11	2.E-08	5.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.7E+03	ug/kg	2.0E+00	2.0E+00	1.2E-08	5.8E-09	2.E-08	1.E-08	4.E-08	2.0E-05	2.0E-05	3.4E-08	1.6E-08	2.E-03	8.E-04	0.003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.1E+01	pg/g	1.3E+05	1.3E+05	1.8E-14	3.9E-14	2.E-09	5.E-09	7.E-09	1.0E-09	1.0E-09	4.9E-14	1.1E-13	5.E-05	1.E-04	0.0002
	Total PCB TEQ	1.1E+02	pg/g	1.3E+05	1.3E+05	8.4E-13	4.0E-13	1.E-07	5.E-08	2.E-07	1.0E-09	1.0E-09	2.4E-12	1.1E-12	2.E-03	1.E-03	0.003
	Pesticides																
	Aldrin	5.0E-01	ug/kg	1.7E+01	1.7E+01	2.6E-12	1.7E-12	4.E-11	3.E-11	7.E-11	3.0E-05	3.0E-05	7.3E-12	4.9E-12	2.E-07	2.E-07	0.0000004
	Dieldrin	1.5E-01	ug/kg	1.6E+01	1.6E+01	7.8E-13	5.2E-13	1.E-11	8.E-12	2.E-11	5.0E-05	5.0E-05	2.2E-12	1.4E-12	4.E-08	3.E-08	0.0000001
	Total DDT	2.7E+01	ug/kg	3.4E-01	3.4E-01	4.3E-11	9.5E-11	1.E-11	3.E-11	5.E-11	5.0E-04	5.0E-04	1.2E-10	2.7E-10	2.E-07	5.E-07	0.000001
Exposure Point Total										**3.E-07**							**0.02**
RM 4 West	**Metals**																
	Arsenic	4.4E+00	mg/kg	1.5E+00	1.5E+00	6.9E-09	1.5E-08	1.E-08	2.E-08	3.E-08	3.0E-04	3.0E-04	1.9E-08	4.3E-08	6.E-05	1.E-04	0.0002
	Mercury	1.4E-01	mg/kg	--	--	0.0E+00	4.9E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.7E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.0E-06	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	8.2E+00	ug/kg	--	--	4.3E-11	2.9E-11	--	--	--	3.0E-04	3.0E-04	1.2E-10	8.0E-11	4.E-07	3.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.0E+02	ug/kg	7.3E-01	7.3E-01	6.2E-09	3.1E-09	4.E-09	2.E-09	7.E-09	--	--	1.7E-08	8.8E-09	--	--	--
	Benzo(a)pyrene	5.8E+02	ug/kg	7.3E+00	7.3E+00	4.0E-09	2.0E-09	3.E-08	1.E-08	4.E-08	--	--	1.1E-08	5.7E-09	--	--	--
	Benzo(b)fluoranthene	5.2E+02	ug/kg	7.3E-01	7.3E-01	3.5E-09	1.8E-09	3.E-09	1.E-09	4.E-09	--	--	9.9E-09	5.1E-09	--	--	--
	Benzo(k)fluoranthene	3.2E+02	ug/kg	7.3E-02	7.3E-02	2.2E-09	1.1E-09	2.E-10	8.E-11	2.E-10	--	--	6.1E-09	3.1E-09	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dibenzo(a,h)anthracene	8.9E+01	ug/kg	7.3E+00	7.3E+00	6.1E-10	3.1E-10	4.E-09	2.E-09	7.E-09	--	--	1.7E-09	8.7E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	4.6E+02	ug/kg	7.3E-01	7.3E-01	3.2E-09	1.6E-09	2.E-09	1.E-09	3.E-09	--	--	8.9E-09	4.5E-09	--	--	--
	Naphthalene	1.9E+02	ug/kg	--	--	1.3E-09	6.7E-10	--	--	--	2.0E-02	2.0E-02	3.7E-09	1.9E-09	2.E-07	9.E-08	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.1E+01	ug/kg	1.4E-02	1.4E-02	3.8E-10	2.5E-10	5.E-12	3.E-12	9.E-12	2.0E-02	2.0E-02	1.1E-09	7.0E-10	5.E-08	3.E-08	0.0000001
	Phenols																
	Pentachlorophenol	6.7E+00	ug/kg	4.0E-01	4.0E-01	8.8E-11	2.3E-11	4.E-11	9.E-12	4.E-11	5.0E-03	5.0E-03	2.5E-10	6.5E-11	5.E-08	1.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.6E+01	ug/kg	2.0E+00	2.0E+00	2.0E-10	9.3E-11	4.E-10	2.E-10	6.E-10	2.0E-05	2.0E-05	5.5E-10	2.6E-10	3.E-05	1.E-05	0.00004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.3E+00	pg/g	1.3E+05	1.3E+05	5.1E-15	1.1E-14	7.E-10	1.E-09	2.E-09	1.0E-09	1.0E-09	1.4E-14	3.2E-14	1.E-05	3.E-05	0.00005
	Total PCB TEQ	6.5E-01	pg/g	1.3E+05	1.3E+05	4.8E-15	2.3E-15	6.E-10	3.E-10	9.E-10	1.0E-09	1.0E-09	1.3E-14	6.4E-15	1.E-05	6.E-06	0.00002
	Pesticides																
	Aldrin	4.9E-01	ug/kg	1.7E+01	1.7E+01	2.6E-12	1.7E-12	4.E-11	3.E-11	7.E-11	3.0E-05	3.0E-05	7.2E-12	4.8E-12	2.E-07	2.E-07	0.0000004
	Dieldrin	2.8E-01	ug/kg	1.6E+01	1.6E+01	1.5E-12	9.8E-13	2.E-11	2.E-11	4.E-11	5.0E-05	5.0E-05	4.1E-12	2.7E-12	8.E-08	5.E-08	0.0000001
	Total DDT	5.6E+01	ug/kg	3.4E-01	3.4E-01	8.8E-11	1.9E-10	3.E-11	7.E-11	1.E-10	5.0E-04	5.0E-04	2.5E-10	5.4E-10	5.E-07	1.E-06	0.000002
Exposure Point Total										1.E-07							0.02
RM 4 East	**Metals**																
	Arsenic	5.6E+00	mg/kg	1.5E+00	1.5E+00	8.9E-09	2.0E-08	1.E-08	3.E-08	4.E-08	3.0E-04	3.0E-04	2.5E-08	5.5E-08	8.E-05	2.E-04	0.0003
	Mercury	9.6E-02	mg/kg	--	--	0.0E+00	3.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.4E-10	0.E+00	9.E-06	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.9E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	3.6E+01	ug/kg	--	--	1.9E-10	1.3E-10	--	--	--	3.0E-04	3.0E-04	5.4E-10	3.6E-10	2.E-06	1.E-06	0.000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E+03	ug/kg	7.3E-01	7.3E-01	1.1E-08	5.4E-09	8.E-09	4.E-09	1.E-08	--	--	3.0E-08	1.5E-08	--	--	--
	Benzo(a)pyrene	2.2E+03	ug/kg	7.3E+00	7.3E+00	1.5E-08	7.8E-09	1.E-07	6.E-08	2.E-07	--	--	4.3E-08	2.2E-08	--	--	--
	Benzo(b)fluoranthene	2.3E+03	ug/kg	7.3E-01	7.3E-01	1.6E-08	8.0E-09	1.E-08	6.E-09	2.E-08	--	--	4.4E-08	2.2E-08	--	--	--
	Benzo(k)fluoranthene	1.8E+03	ug/kg	7.3E-02	7.3E-02	1.3E-08	6.4E-09	9.E-10	5.E-10	1.E-09	--	--	3.5E-08	1.8E-08	--	--	--
	Dibenzo(a,h)anthracene	3.7E+02	ug/kg	7.3E+00	7.3E+00	2.5E-08	1.3E-08	2.E-08	9.E-08	3.E-08	--	--	7.0E-08	3.6E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	1.7E+03	ug/kg	7.3E-01	7.3E-01	1.1E-08	5.9E-09	8.E-09	4.E-09	1.E-08	--	--	3.2E-08	1.6E-08	--	--	--
	Naphthalene	7.4E+01	ug/kg	--	--	5.1E-10	2.6E-10	--	--	--	2.0E-02	2.0E-02	1.4E-09	7.2E-10	7.E-08	4.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.3E+03	ug/kg	1.4E-02	1.4E-02	1.7E-08	1.1E-08	2.E-10	2.E-10	4.E-10	2.0E-02	2.0E-02	4.8E-08	3.2E-08	2.E-06	2.E-06	0.000004
	Phenols																
	Pentachlorophenol	4.3E+03	ug/kg	4.0E-01	4.0E-01	5.7E-08	1.5E-08	2.E-08	6.E-09	3.E-08	5.0E-03	5.0E-03	1.6E-07	4.2E-08	3.E-05	8.E-06	0.00004
	Polychlorinated Biphenyls																
	Total Aroclors	3.6E+02	ug/kg	2.0E+00	2.0E+00	2.7E-09	1.3E-09	5.E-09	3.E-09	8.E-09	2.0E-05	2.0E-05	7.4E-09	3.5E-09	4.E-04	2.E-04	0.0005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: Diver in Dry Suit Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.9E+00	pg/g	1.3E+05	1.3E+05	1.1E-14	2.4E-14	1.E-09	3.E-09	5.E-09	1.0E-09	1.0E-09	3.1E-14	6.8E-14	3.E-05	7.E-05	0.0001
	Total PCB TEQ	3.4E+00	pg/g	1.3E+05	1.3E+05	2.5E-14	1.2E-14	3.E-09	2.E-09	5.E-09	1.0E-09	1.0E-09	6.9E-14	3.3E-14	7.E-05	3.E-05	0.0001
	Pesticides																
	Aldrin	7.9E-01	ug/kg	1.7E+01	1.7E+01	4.1E-12	2.7E-12	7.E-11	5.E-11	1.E-10	3.0E-05	3.0E-05	1.2E-11	7.7E-12	4.E-07	3.E-07	0.000001
	Dieldrin	1.6E-01	ug/kg	1.6E+01	1.6E+01	8.2E-13	5.5E-13	1.E-11	9.E-12	2.E-11	5.0E-05	5.0E-05	2.3E-12	1.5E-12	5.E-08	3.E-08	0.0000001
	Total DDT	1.2E+01	ug/kg	3.4E-01	3.4E-01	1.9E-11	4.1E-11	6.E-12	1.E-11	2.E-11	5.0E-04	5.0E-04	5.2E-11	1.2E-10	1.E-07	2.E-07	0.0000003
Exposure Point Total										3.E-07							0.02
RM 4.5 West	**Metals**																
	Arsenic	4.9E+00	mg/kg	1.5E+00	1.5E+00	7.7E-09	1.7E-08	1.E-08	3.E-08	4.E-08	3.0E-04	3.0E-04	2.2E-08	4.8E-08	7.E-05	2.E-04	0.0002
	Mercury	1.7E-01	mg/kg	--	--	0.0E+00	6.0E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.7E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.8E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	1.4E+01	ug/kg	--	--	7.4E-11	4.9E-11	--	--	--	3.0E-04	3.0E-04	2.1E-10	1.4E-10	7.E-07	5.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E+03	ug/kg	7.3E-01	7.3E-01	1.1E-08	5.4E-09	8.E-09	4.E-09	1.E-08	--	--	3.0E-08	1.5E-08	--	--	--
	Benzo(a)pyrene	2.2E+03	ug/kg	7.3E+00	7.3E+00	1.5E-08	7.5E-09	1.E-07	6.E-08	2.E-07	--	--	4.1E-08	2.1E-08	--	--	--
	Benzo(b)fluoranthene	1.5E+03	ug/kg	7.3E-01	7.3E-01	1.0E-08	5.2E-09	7.E-09	4.E-09	1.E-08	--	--	2.9E-08	1.5E-08	--	--	--
	Benzo(k)fluoranthene	6.2E+02	ug/kg	7.3E-02	7.3E-02	4.3E-09	2.2E-09	3.E-10	2.E-10	5.E-10	--	--	1.2E-08	6.1E-09	--	--	--
	Dibenzo(a,h)anthracene	2.3E+02	ug/kg	7.3E+00	7.3E+00	1.6E-09	8.1E-10	1.E-08	6.E-09	2.E-08	--	--	4.4E-09	2.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.7E+03	ug/kg	7.3E-01	7.3E-01	1.1E-08	5.8E-09	8.E-09	4.E-09	1.E-08	--	--	3.2E-08	1.6E-08	--	--	--
	Naphthalene	3.9E+02	ug/kg	--	--	2.7E-09	1.4E-09	--	--	--	2.0E-02	2.0E-02	7.5E-09	3.8E-09	4.E-07	2.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	7.0E+01	ug/kg	1.4E-02	1.4E-02	3.7E-10	2.4E-10	5.E-12	3.E-12	9.E-12	2.0E-02	2.0E-02	1.0E-09	6.8E-10	5.E-08	3.E-08	0.0000001
	Phenols																
	Pentachlorophenol	2.3E+00	ug/kg	4.0E-01	4.0E-01	3.0E-11	7.9E-12	1.E-11	3.E-12	2.E-11	5.0E-03	5.0E-03	8.3E-11	2.2E-11	2.E-08	4.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	3.8E+01	ug/kg	2.0E+00	2.0E+00	2.8E-10	1.3E-10	6.E-10	3.E-10	8.E-10	2.0E-05	2.0E-05	7.9E-10	3.8E-10	4.E-05	2.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.8E+00	pg/g	1.3E+05	1.3E+05	1.1E-14	2.4E-14	1.E-09	3.E-09	4.E-09	1.0E-09	1.0E-09	3.0E-14	6.7E-14	3.E-05	7.E-05	0.0001
	Total PCB TEQ	2.5E+00	pg/g	1.3E+05	1.3E+05	1.8E-14	8.7E-15	2.E-09	1.E-09	4.E-09	1.0E-09	1.0E-09	5.1E-14	2.4E-14	5.E-05	2.E-05	0.0001
	Pesticides																
	Aldrin	1.2E+00	ug/kg	1.7E+01	1.7E+01	6.3E-12	4.2E-12	1.E-10	7.E-11	2.E-10	3.0E-05	3.0E-05	1.8E-11	1.2E-11	6.E-07	4.E-07	0.000001
	Dieldrin	1.8E-01	ug/kg	1.6E+01	1.6E+01	9.7E-13	6.4E-13	2.E-11	1.E-11	3.E-11	5.0E-05	5.0E-05	2.7E-12	1.8E-12	5.E-08	4.E-08	0.0000001
	Total DDT	2.7E+01	ug/kg	3.4E-01	3.4E-01	4.3E-11	9.6E-11	1.E-11	3.E-11	5.E-11	5.0E-04	5.0E-04	1.2E-10	2.7E-10	2.E-07	5.E-07	0.000001
Exposure Point Total										3.E-07							0.02
RM 4.5 East	**Metals**																
	Arsenic	4.9E+00	mg/kg	1.5E+00	1.5E+00	7.8E-09	1.7E-08	1.E-08	3.E-08	4.E-08	3.0E-04	3.0E-04	2.2E-08	4.8E-08	7.E-05	2.E-04	0.0002
	Mercury	7.3E-02	mg/kg	--	--	0.0E+00	2.6E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.1E-10	0.E+00	7.E-06	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.8E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	7.2E+01	ug/kg	--	--	3.8E-10	2.5E-10	--	--	--	3.0E-04	3.0E-04	1.1E-09	7.0E-10	4.E-06	2.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.0E+04	ug/kg	7.3E-01	7.3E-01	1.4E-07	6.9E-08	1.E-07	5.E-08	1.E-07	--	--	3.8E-07	1.9E-07	--	--	---
	Benzo(a)pyrene	8.7E+03	ug/kg	7.3E+00	7.3E+00	5.9E-08	3.0E-08	4.E-07	2.E-07	7.E-07	--	--	1.7E-07	8.5E-08	--	--	---
	Benzo(b)fluoranthene	7.5E+03	ug/kg	7.3E-01	7.3E-01	5.1E-08	2.6E-08	4.E-08	2.E-08	6.E-08	--	--	1.4E-07	7.4E-08	--	--	---
	Benzo(k)fluoranthene	6.9E+03	ug/kg	7.3E-02	7.3E-02	4.7E-08	2.4E-08	3.E-09	2.E-09	5.E-09	--	--	1.3E-07	6.8E-08	--	--	---
	Dibenzo(a,h)anthracene	1.4E+03	ug/kg	7.3E+00	7.3E+00	9.8E-09	5.0E-09	7.E-08	4.E-08	1.E-07	--	--	2.7E-08	1.4E-08	--	--	---
	Indeno(1,2,3-cd)pyrene	6.1E+03	ug/kg	7.3E-01	7.3E-01	4.2E-08	2.1E-08	3.E-08	2.E-08	5.E-08	--	--	1.2E-07	5.9E-08	--	--	---
	Naphthalene	4.4E+02	ug/kg	--	--	3.0E-09	1.5E-09	--	--	--	2.0E-02	2.0E-02	8.4E-09	4.3E-09	4.E-07	2.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.2E+02	ug/kg	1.4E-02	1.4E-02	6.5E-10	4.3E-10	9.E-12	6.E-12	2.E-11	2.0E-02	2.0E-02	1.8E-09	1.2E-09	9.E-08	6.E-08	0.0000002
	Phenols																
	Pentachlorophenol	3.2E+00	ug/kg	4.0E-01	4.0E-01	4.2E-11	1.1E-11	2.E-11	4.E-12	2.E-11	5.0E-03	5.0E-03	1.2E-10	3.1E-11	2.E-08	6.E-09	0.00000003
	Polychlorinated Biphenyls																
	Total Aroclors	4.4E+01	ug/kg	2.0E+00	2.0E+00	3.2E-10	1.5E-10	6.E-10	3.E-10	1.E-09	2.0E-05	2.0E-05	9.1E-10	4.3E-10	5.E-05	2.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.8E-01	pg/g	1.3E+05	1.3E+05	4.4E-16	9.6E-16	6.E-11	1.E-10	2.E-10	1.0E-09	1.0E-09	1.2E-15	2.7E-15	1.E-06	3.E-06	0.000004
	Total PCB TEQ	3.4E-01	pg/g	1.3E+05	1.3E+05	2.5E-15	1.2E-15	3.E-10	2.E-10	5.E-10	1.0E-09	1.0E-09	7.0E-15	3.3E-15	7.E-06	3.E-06	0.00001
	Pesticides																
	Aldrin	1.5E-01	ug/kg	1.7E+01	1.7E+01	8.0E-13	5.3E-13	1.E-11	9.E-12	2.E-11	3.0E-05	3.0E-05	2.2E-12	1.5E-12	7.E-08	5.E-08	0.0000001
	Dieldrin	8.4E-02	ug/kg	1.6E+01	1.6E+01	4.4E-13	2.9E-13	7.E-12	5.E-12	1.E-11	5.0E-05	5.0E-05	1.2E-12	8.2E-13	2.E-08	2.E-08	0.00000004
	Total DDT	8.7E+00	ug/kg	3.4E-01	3.4E-01	1.4E-11	3.0E-11	5.E-12	1.E-11	1.E-11	5.0E-04	5.0E-04	3.8E-11	8.5E-11	8.E-08	2.E-07	0.0000002
Exposure Point Total										**1.E-06**							**0.02**
RM 5 West	**Metals**																
	Arsenic	3.8E+00	mg/kg	1.5E+00	1.5E+00	6.0E-09	1.3E-08	9.E-09	2.E-08	3.E-08	3.0E-04	3.0E-04	1.7E-08	3.7E-08	6.E-05	1.E-04	0.0002
	Mercury	6.0E-02	mg/kg	--	--	0.0E+00	2.1E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	5.9E-10	0.E+00	6.E-06	0.00001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	3.6E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.0E-06	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	2.1E+01	ug/kg	--	--	1.1E-10	7.3E-11	--	--	--	3.0E-04	3.0E-04	3.1E-10	2.1E-10	1.E-06	7.E-07	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.4E+03	ug/kg	7.3E-01	7.3E-01	2.3E-08	1.2E-08	2.E-08	9.E-09	3.E-08	--	--	6.6E-08	3.4E-08	--	--	---
	Benzo(a)pyrene	4.5E+03	ug/kg	7.3E+00	7.3E+00	3.1E-08	1.6E-08	2.E-07	1.E-07	3.E-07	--	--	8.6E-08	4.4E-08	--	--	---
	Benzo(b)fluoranthene	3.0E+03	ug/kg	7.3E-01	7.3E-01	2.0E-08	1.0E-08	1.E-08	8.E-09	2.E-08	--	--	5.7E-08	2.9E-08	--	--	---
	Benzo(k)fluoranthene	5.7E+02	ug/kg	7.3E-02	7.3E-02	3.9E-09	2.0E-09	3.E-10	1.E-10	4.E-10	--	--	1.1E-08	5.6E-09	--	--	---
	Dibenzo(a,h)anthracene	2.3E+02	ug/kg	7.3E+00	7.3E+00	1.6E-09	8.0E-10	1.E-08	6.E-09	2.E-08	--	--	4.4E-09	2.2E-09	--	--	---
	Indeno(1,2,3-cd)pyrene	3.3E+03	ug/kg	7.3E-01	7.3E-01	2.2E-08	1.1E-08	2.E-08	8.E-09	2.E-08	--	--	6.3E-08	3.2E-08	--	--	---
	Naphthalene	4.2E+02	ug/kg	--	--	2.9E-09	1.5E-09	--	--	--	2.0E-02	2.0E-02	8.1E-09	4.1E-09	4.E-07	2.E-07	0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure

Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.1E+01	ug/kg	1.4E-02	1.4E-02	4.8E-10	3.2E-10	7.E-12	4.E-12	1.E-11	2.0E-02	2.0E-02	1.3E-09	8.9E-10	7.E-08	4.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.8E+01	ug/kg	4.0E-01	4.0E-01	2.4E-10	6.4E-11	1.E-10	3.E-11	1.E-10	5.0E-03	5.0E-03	6.7E-10	1.8E-10	1.E-07	4.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+01	ug/kg	2.0E+00	2.0E+00	1.9E-10	8.8E-11	4.E-10	2.E-10	5.E-10	2.0E-05	2.0E-05	5.2E-10	2.5E-10	3.E-05	1.E-05	0.00004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.4E+00	pg/g	1.3E+05	1.3E+05	8.6E-15	1.9E-14	1.E-09	2.E-09	4.E-09	1.0E-09	1.0E-09	2.4E-14	5.3E-14	2.E-05	5.E-05	0.0001
	Total PCB TEQ	2.1E+00	pg/g	1.3E+05	1.3E+05	1.5E-14	7.3E-15	2.E-09	9.E-10	3.E-09	1.0E-09	1.0E-09	4.3E-14	2.0E-14	4.E-05	2.E-05	0.0001
	Pesticides																
	Aldrin	1.9E+00	ug/kg	1.7E+01	1.7E+01	1.0E-11	6.6E-12	2.E-10	1.E-10	3.E-10	3.0E-05	3.0E-05	2.8E-11	1.9E-11	9.E-07	6.E-07	0.000002
	Dieldrin	7.8E-01	ug/kg	1.6E+01	1.6E+01	4.1E-12	2.7E-12	7.E-11	4.E-11	1.E-10	5.0E-05	5.0E-05	1.1E-11	7.6E-12	2.E-07	2.E-07	0.0000004
	Total DDT	8.2E+01	ug/kg	3.4E-01	3.4E-01	1.3E-10	2.9E-10	4.E-11	1.E-10	1.E-10	5.0E-04	5.0E-04	3.6E-10	8.0E-10	7.E-07	2.E-06	0.000002
Exposure Point Total										5.E-07							0.01
RM 5 East	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	5.8E-09	1.3E-08	9.E-09	2.E-08	3.E-08	3.0E-04	3.0E-04	1.6E-08	3.6E-08	5.E-05	1.E-04	0.0002
	Mercury	8.6E-02	mg/kg	--	--	0.0E+00	3.0E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.4E-10	0.E+00	8.E-06	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.8E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	1.2E+02	ug/kg	--	--	6.3E-10	4.2E-10	--	--	--	3.0E-04	3.0E-04	1.8E-09	1.2E-09	6.E-06	4.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.3E+02	ug/kg	7.3E-01	7.3E-01	2.3E-09	1.2E-09	2.E-09	8.E-10	2.E-09	--	--	6.3E-09	3.2E-09	--	--	--
	Benzo(a)pyrene	4.7E+02	ug/kg	7.3E+00	7.3E+00	3.2E-09	1.7E-09	2.E-08	1.E-08	4.E-08	--	--	9.1E-09	4.6E-09	--	--	--
	Benzo(b)fluoranthene	6.7E+02	ug/kg	7.3E-01	7.3E-01	4.6E-09	2.3E-09	3.E-09	2.E-09	5.E-09	--	--	1.3E-08	6.5E-09	--	--	--
	Benzo(k)fluoranthene	3.0E+02	ug/kg	7.3E-02	7.3E-02	2.1E-09	1.1E-09	2.E-10	8.E-11	2.E-10	--	--	5.8E-09	3.0E-09	--	--	--
	Dibenzo(a,h)anthracene	9.1E+01	ug/kg	7.3E+00	7.3E+00	6.2E-10	3.2E-10	5.E-09	2.E-09	7.E-09	--	--	1.7E-09	8.9E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	4.8E+02	ug/kg	7.3E-01	7.3E-01	3.3E-09	1.7E-09	2.E-09	1.E-09	4.E-09	--	--	9.3E-09	4.7E-09	--	--	--
	Naphthalene	1.3E+02	ug/kg	--	--	9.2E-10	4.7E-10	--	--	--	2.0E-02	2.0E-02	2.6E-09	1.3E-09	1.E-07	7.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+02	ug/kg	1.4E-02	1.4E-02	6.9E-10	4.6E-10	1.E-11	6.E-12	2.E-11	2.0E-02	2.0E-02	1.9E-09	1.3E-09	1.E-07	6.E-08	0.0000002
	Phenols																
	Pentachlorophenol	1.3E+01	ug/kg	4.0E-01	4.0E-01	1.8E-10	4.7E-11	7.E-11	2.E-11	9.E-11	5.0E-03	5.0E-03	5.0E-10	1.3E-10	1.E-07	3.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+01	ug/kg	2.0E+00	2.0E+00	1.9E-10	8.9E-11	4.E-10	2.E-10	6.E-10	2.0E-05	2.0E-05	5.2E-10	2.5E-10	3.E-05	1.E-05	0.00004
	Pesticides																
	Aldrin	8.0E-01	ug/kg	1.7E+01	1.7E+01	4.2E-12	2.8E-12	7.E-11	5.E-11	1.E-10	3.0E-05	3.0E-05	1.2E-11	7.8E-12	4.E-07	3.E-07	0.000001
	Dieldrin	7.9E-01	ug/kg	1.6E+01	1.6E+01	4.2E-12	2.8E-12	7.E-11	4.E-11	1.E-10	5.0E-05	5.0E-05	1.2E-11	7.7E-12	2.E-07	2.E-07	0.0000004
	Total DDT	1.9E+00	ug/kg	3.4E-01	3.4E-01	3.0E-12	6.5E-12	1.E-12	2.E-12	3.E-12	5.0E-04	5.0E-04	8.3E-12	1.8E-11	2.E-08	4.E-08	0.0000001
Exposure Point Total										8.E-08							0.02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
RM 5.5 West	**Metals**																
	Arsenic	6.1E+00	mg/kg	1.5E+00	1.5E+00	9.6E-09	2.1E-08	1.E-08	3.E-08	5.E-08	3.0E-04	3.0E-04	2.7E-08	6.0E-08	9.E-05	2.E-04	0.0003
	Mercury	8.0E-02	mg/kg	--	--	0.0E+00	2.8E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.9E-10	0.E+00	8.E-06	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.7E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.0E-06	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	4.3E+01	ug/kg	--	--	2.3E-10	1.5E-10	--	--	--	3.0E-04	3.0E-04	6.4E-10	4.2E-10	2.E-06	1.E-06	0.000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.0E+03	ug/kg	7.3E-01	7.3E-01	2.1E-08	1.1E-08	2.E-08	8.E-09	2.E-08	--	--	5.8E-08	3.0E-08	--	--	--
	Benzo(a)pyrene	4.3E+03	ug/kg	7.3E+00	7.3E+00	3.0E-08	1.5E-08	2.E-07	1.E-07	3.E-07	--	--	8.3E-08	4.2E-08	--	--	--
	Benzo(b)fluoranthene	3.1E+03	ug/kg	7.3E-01	7.3E-01	2.1E-08	1.1E-08	2.E-08	8.E-09	2.E-08	--	--	5.9E-08	3.0E-08	--	--	--
	Benzo(k)fluoranthene	2.0E+03	ug/kg	7.3E-02	7.3E-02	1.4E-08	7.1E-09	1.E-09	5.E-10	2.E-09	--	--	3.9E-08	2.0E-08	--	--	--
	Dibenzo(a,h)anthracene	3.5E+02	ug/kg	7.3E+00	7.3E+00	2.4E-09	1.2E-09	2.E-08	9.E-09	3.E-08	--	--	6.7E-09	3.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.5E+03	ug/kg	7.3E-01	7.3E-01	2.4E-08	1.2E-08	2.E-08	9.E-09	3.E-08	--	--	6.7E-08	3.4E-08	--	--	--
	Naphthalene	3.3E+02	ug/kg	--	--	2.3E-09	1.2E-09	--	--	--	2.0E-02	2.0E-02	6.3E-09	3.2E-09	3.E-07	2.E-07	0.0000005
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+01	ug/kg	1.4E-02	1.4E-02	9.5E-11	6.3E-11	1.E-12	9.E-13	2.E-12	2.0E-02	2.0E-02	2.7E-10	1.8E-10	1.E-08	9.E-09	0.00000002
	Phenols																
	Pentachlorophenol	1.8E+01	ug/kg	4.0E-01	4.0E-01	2.4E-10	6.3E-11	9.E-11	3.E-11	1.E-10	5.0E-03	5.0E-03	6.6E-10	1.8E-10	1.E-07	4.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	5.1E+01	ug/kg	2.0E+00	2.0E+00	3.8E-10	1.8E-10	8.E-10	4.E-10	1.E-09	2.0E-05	2.0E-05	1.1E-09	5.0E-10	5.E-05	3.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.3E+00	pg/g	1.3E+05	1.3E+05	3.7E-15	8.2E-15	5.E-10	1.E-09	2.E-09	1.0E-09	1.0E-09	1.0E-14	2.3E-14	1.E-05	2.E-05	0.00003
	Total PCB TEQ	1.1E+00	pg/g	1.3E+05	1.3E+05	8.0E-15	3.8E-15	1.E-09	5.E-10	2.E-09	1.0E-09	1.0E-09	2.2E-14	1.1E-14	2.E-05	1.E-05	0.00003
	Pesticides																
	Aldrin	6.7E-01	ug/kg	1.7E+01	1.7E+01	3.5E-12	2.3E-12	6.E-11	4.E-11	1.E-10	3.0E-05	3.0E-05	9.9E-12	6.6E-12	3.E-07	2.E-07	0.000001
	Dieldrin	4.1E-01	ug/kg	1.6E+01	1.6E+01	2.1E-12	1.4E-12	3.E-11	2.E-11	6.E-11	5.0E-05	5.0E-05	6.0E-12	4.0E-12	1.E-07	8.E-08	0.0000002
	Total DDT	6.2E+01	ug/kg	3.4E-01	3.4E-01	9.7E-11	2.1E-10	3.E-11	7.E-11	1.E-10	5.0E-04	5.0E-04	2.7E-10	6.0E-10	5.E-07	1.E-06	0.000002
Exposure Point Total										5.E-07							0.02
RM 5.5 East	**Metals**																
	Arsenic	8.9E+00	mg/kg	1.5E+00	1.5E+00	1.4E-08	3.1E-08	2.E-08	5.E-08	7.E-08	3.0E-04	3.0E-04	3.9E-08	8.7E-08	1.E-04	3.E-04	0.0004
	Mercury	6.7E-01	mg/kg	--	--	0.0E+00	2.3E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.5E-09	0.E+00	7.E-05	0.0001
	Vanadium	9.1E+01	mg/kg	--	--	0.0E+00	3.2E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	8.9E-07	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	3.2E+02	ug/kg	--	--	1.7E-09	1.1E-09	--	--	--	3.0E-04	3.0E-04	4.7E-09	3.1E-09	2.E-05	1.E-05	0.00003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.7E+02	ug/kg	7.3E-01	7.3E-01	3.9E-09	2.0E-09	3.E-09	1.E-09	4.E-09	--	--	1.1E-08	5.6E-09	--	--	--
	Benzo(a)pyrene	7.0E+02	ug/kg	7.3E+00	7.3E+00	4.8E-09	2.4E-09	3.E-08	2.E-08	5.E-08	--	--	1.3E-08	6.8E-09	--	--	--
	Benzo(b)fluoranthene	8.4E+02	ug/kg	7.3E-01	7.3E-01	5.7E-09	2.9E-09	4.E-09	2.E-09	6.E-09	--	--	1.6E-08	8.2E-09	--	--	--
	Benzo(k)fluoranthene	4.4E+02	ug/kg	7.3E-02	7.3E-02	3.0E-09	1.5E-09	2.E-10	1.E-10	3.E-10	--	--	8.5E-09	4.3E-09	--	--	--

LWG
Lower Willamette Group

TABLE 5-31.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dibenzo(a,h)anthracene	1.4E+02	ug/kg	7.3E+00	7.3E+00	9.6E-10	4.9E-10	7.E-09	4.E-09	1.E-08	--	--	2.7E-09	1.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	5.3E+02	ug/kg	7.3E-01	7.3E-01	3.6E-09	1.8E-09	3.E-09	1.E-09	4.E-09	--	--	1.0E-08	5.2E-09	--	--	--
	Naphthalene	3.5E+02	ug/kg	--	--	2.4E-09	1.2E-09	--	--	--	2.0E-02	2.0E-02	6.7E-09	3.4E-09	3.E-07	2.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.3E+02	ug/kg	1.4E-02	1.4E-02	1.7E-09	1.2E-09	2.E-11	2.E-11	4.E-11	2.0E-02	2.0E-02	4.9E-09	3.2E-09	2.E-07	2.E-07	0.0000004
	Phenols																
	Pentachlorophenol	1.8E+01	ug/kg	4.0E-01	4.0E-01	2.3E-10	6.1E-11	9.E-11	2.E-11	1.E-10	5.0E-03	5.0E-03	6.5E-10	1.7E-10	1.E-07	3.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+02	ug/kg	2.0E+00	2.0E+00	1.3E-09	6.3E-10	3.E-09	1.E-09	4.E-09	2.0E-05	2.0E-05	3.7E-09	1.8E-09	2.E-04	9.E-05	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.9E+00	pg/g	1.3E+05	1.3E+05	1.4E-14	3.1E-14	2.E-09	4.E-09	6.E-09	1.0E-09	1.0E-09	3.9E-14	8.7E-14	4.E-05	9.E-05	0.0001
	Total PCB TEQ	5.8E+00	pg/g	1.3E+05	1.3E+05	4.3E-14	2.0E-14	6.E-09	3.E-09	8.E-09	1.0E-09	1.0E-09	1.2E-13	5.7E-14	1.E-04	6.E-05	0.0002
	Pesticides																
	Aldrin	4.0E-01	ug/kg	1.7E+01	1.7E+01	2.1E-12	1.4E-12	4.E-11	2.E-11	6.E-11	3.0E-05	3.0E-05	5.9E-12	3.9E-12	2.E-07	1.E-07	0.0000003
	Dieldrin	6.0E-01	ug/kg	1.6E+01	1.6E+01	3.1E-12	2.1E-12	5.E-11	3.E-11	8.E-11	5.0E-05	5.0E-05	8.8E-12	5.9E-12	2.E-07	1.E-07	0.0000003
	Total DDT	2.0E+01	ug/kg	3.4E-01	3.4E-01	3.1E-11	6.9E-11	1.E-11	2.E-11	3.E-11	5.0E-04	5.0E-04	8.7E-11	1.9E-10	2.E-07	4.E-07	0.000001
Exposure Point Total										2.E-07							0.01
RM 6 West	**Metals**																
	Arsenic	4.1E+00	mg/kg	1.5E+00	1.5E+00	6.5E-09	1.4E-08	1.E-08	2.E-08	3.E-08	3.0E-04	3.0E-04	1.8E-08	4.0E-08	6.E-05	1.E-04	0.0002
	Mercury	1.4E-01	mg/kg	--	--	0.0E+00	4.8E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.3E+02	mg/kg	--	--	0.0E+00	4.4E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.2E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	2.0E+01	ug/kg	--	--	1.0E-10	6.9E-11	--	--	--	3.0E-04	3.0E-04	2.9E-10	1.9E-10	1.E-06	6.E-07	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.8E+04	ug/kg	7.3E-01	7.3E-01	3.3E-07	1.7E-07	2.E-07	1.E-07	4.E-07	--	--	9.1E-07	4.7E-07	--	--	--
	Benzo(a)pyrene	5.8E+04	ug/kg	7.3E+00	7.3E+00	3.9E-07	2.0E-07	3.E-06	1.E-06	4.E-06	--	--	1.1E-06	5.6E-07	--	--	--
	Benzo(b)fluoranthene	4.3E+04	ug/kg	7.3E-01	7.3E-01	2.9E-07	1.5E-07	2.E-07	1.E-07	3.E-07	--	--	8.2E-07	4.2E-07	--	--	--
	Benzo(k)fluoranthene	2.7E+04	ug/kg	7.3E-02	7.3E-02	1.8E-07	9.4E-08	1.E-08	7.E-09	2.E-08	--	--	5.2E-07	2.6E-07	--	--	--
	Dibenzo(a,h)anthracene	5.4E+03	ug/kg	7.3E+00	7.3E+00	3.7E-08	1.9E-08	3.E-07	1.E-07	4.E-07	--	--	1.0E-07	5.2E-08	--	--	--
	Indeno(1,2,3-cd)pyrene	4.0E+04	ug/kg	7.3E-01	7.3E-01	2.7E-07	1.4E-07	2.E-07	1.E-07	3.E-07	--	--	7.7E-07	3.9E-07	--	--	--
	Naphthalene	4.4E+04	ug/kg	--	--	3.0E-07	1.6E-07	--	--	--	2.0E-02	2.0E-02	8.5E-07	4.3E-07	4.E-05	2.E-05	0.0001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.8E+02	ug/kg	1.4E-02	1.4E-02	2.0E-09	1.3E-09	3.E-11	2.E-11	5.E-11	2.0E-02	2.0E-02	5.5E-09	3.7E-09	3.E-07	2.E-07	0.0000005
	Phenols																
	Pentachlorophenol	3.5E+01	ug/kg	4.0E-01	4.0E-01	4.6E-10	1.2E-10	2.E-10	5.E-11	2.E-10	5.0E-03	5.0E-03	1.3E-09	3.4E-10	3.E-07	7.E-08	0.0000003
	Polychlorinated Biphenyls																
	Total Aroclors	6.1E+01	ug/kg	2.0E+00	2.0E+00	4.5E-10	2.1E-10	9.E-10	4.E-10	1.E-09	2.0E-05	2.0E-05	1.3E-09	6.0E-10	6.E-05	3.E-05	0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: Diver in Dry Suit Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	1.3E+05	1.3E+05	2.4E-15	5.3E-15	3.E-10	7.E-10	1.E-09	1.0E-09	1.0E-09	6.7E-15	1.5E-14	7.E-06	1.E-05	0.00002
	Total PCB TEQ	2.8E+00	pg/g	1.3E+05	1.3E+05	2.1E-14	9.9E-15	3.E-09	1.E-09	4.E-09	1.0E-09	1.0E-09	5.8E-14	2.8E-14	6.E-05	3.E-05	0.0001
	Pesticides																
	Aldrin	2.3E+00	ug/kg	1.7E+01	1.7E+01	1.2E-11	8.2E-12	2.E-10	1.E-10	3.E-10	3.0E-05	3.0E-05	3.4E-11	2.3E-11	1.E-06	8.E-07	0.000002
	Dieldrin	1.8E+00	ug/kg	1.6E+01	1.6E+01	9.6E-12	6.4E-12	2.E-10	1.E-10	3.E-10	5.0E-05	5.0E-05	2.7E-11	1.8E-11	5.E-07	4.E-07	0.000001
	Total DDT	8.1E+01	ug/kg	3.4E-01	3.4E-01	1.3E-10	2.8E-10	4.E-11	1.E-10	1.E-10	5.0E-04	5.0E-04	3.6E-10	8.0E-10	7.E-07	2.E-06	0.000002
Exposure Point Total										**6.E-06**							**0.02**
RM 6 East	**Metals**																
	Arsenic	4.4E+00	mg/kg	1.5E+00	1.5E+00	6.9E-09	1.5E-08	1.E-08	2.E-08	3.E-08	3.0E-04	3.0E-04	1.9E-08	4.3E-08	6.E-05	1.E-04	0.0002
	Mercury	4.0E-01	mg/kg	--	--	0.0E+00	1.4E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.9E-09	0.E+00	4.E-05	0.00004
	Vanadium	9.8E+01	mg/kg	--	--	0.0E+00	3.4E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	9.6E-07	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	3.5E+02	ug/kg	--	--	1.8E-09	1.2E-09	--	--	--	3.0E-04	3.0E-04	5.2E-09	3.4E-09	2.E-05	1.E-05	0.00003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.3E+03	ug/kg	7.3E-01	7.3E-01	9.2E-09	4.7E-09	7.E-09	3.E-09	1.E-08	--	--	2.6E-08	1.3E-08	--	--	--
	Benzo(a)pyrene	1.9E+03	ug/kg	7.3E+00	7.3E+00	1.3E-08	6.7E-09	1.E-07	5.E-08	1.E-07	--	--	3.7E-08	1.9E-08	--	--	--
	Benzo(b)fluoranthene	3.3E+03	ug/kg	7.3E-01	7.3E-01	2.2E-08	1.1E-08	2.E-08	8.E-09	2.E-08	--	--	6.2E-08	3.2E-08	--	--	--
	Benzo(k)fluoranthene	2.5E+03	ug/kg	7.3E-02	7.3E-02	1.7E-08	8.8E-09	1.E-09	6.E-10	2.E-09	--	--	4.8E-08	2.5E-08	--	--	--
	Dibenzo(a,h)anthracene	2.7E+02	ug/kg	7.3E+00	7.3E+00	1.8E-09	9.4E-10	1.E-08	7.E-09	2.E-08	--	--	5.2E-09	2.6E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E+03	ug/kg	7.3E-01	7.3E-01	7.7E-09	3.9E-09	6.E-09	3.E-09	9.E-09	--	--	2.2E-08	1.1E-08	--	--	--
	Naphthalene	8.4E+02	ug/kg	--	--	5.7E-09	2.9E-09	--	--	--	2.0E-02	2.0E-02	1.6E-08	8.2E-09	8.E-07	4.E-07	0.000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.4E+02	ug/kg	1.4E-02	1.4E-02	7.4E-10	4.9E-10	1.E-11	7.E-12	2.E-11	2.0E-02	2.0E-02	2.1E-09	1.4E-09	1.E-07	7.E-08	0.0000002
	Phenols																
	Pentachlorophenol	4.4E+01	ug/kg	4.0E-01	4.0E-01	5.8E-10	1.5E-10	2.E-10	6.E-11	3.E-10	5.0E-03	5.0E-03	1.6E-09	4.3E-10	3.E-07	9.E-08	0.0000004
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+02	ug/kg	2.0E+00	2.0E+00	1.3E-09	6.1E-10	3.E-09	1.E-09	4.E-09	2.0E-05	2.0E-05	3.6E-09	1.7E-09	2.E-04	9.E-05	0.0003
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.1E+00	pg/g	1.3E+05	1.3E+05	6.5E-15	1.4E-14	8.E-10	2.E-09	3.E-09	1.0E-09	1.0E-09	1.8E-14	4.0E-14	2.E-05	4.E-05	0.0001
	Total PCB TEQ	3.4E+00	pg/g	1.3E+05	1.3E+05	2.5E-14	1.2E-14	3.E-09	2.E-09	5.E-09	1.0E-09	1.0E-09	7.0E-14	3.3E-14	7.E-05	3.E-05	0.0001
	Pesticides																
	Aldrin	6.4E-01	ug/kg	1.7E+01	1.7E+01	3.4E-12	2.2E-12	6.E-11	4.E-11	9.E-11	3.0E-05	3.0E-05	9.4E-12	6.2E-12	3.E-07	2.E-07	0.000001
	Dieldrin	1.0E-01	ug/kg	1.6E+01	1.6E+01	5.3E-13	3.5E-13	8.E-12	6.E-12	1.E-11	5.0E-05	5.0E-05	1.5E-12	9.8E-13	3.E-08	2.E-08	0.00000005
	Total DDT	4.2E+00	ug/kg	3.4E-01	3.4E-01	6.7E-12	1.5E-11	2.E-12	5.E-12	7.E-12	5.0E-04	5.0E-04	1.9E-11	4.2E-11	4.E-08	8.E-08	0.0000001
Exposure Point Total										**3.E-07**							**0.01**
RM 6.5 West	**Metals**																
	Arsenic	1.4E+01	mg/kg	1.5E+00	1.5E+00	2.2E-08	4.9E-08	3.E-08	7.E-08	1.E-07	3.0E-04	3.0E-04	6.2E-08	1.4E-07	2.E-04	5.E-04	0.001
	Mercury	2.0E-01	mg/kg	--	--	0.0E+00	7.1E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.0E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.4E+02	mg/kg	--	--	0.0E+00	4.9E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.4E-06	0.E+00	2.E-02	0.02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	4.6E+01	ug/kg	--	--	2.4E-10	1.6E-10	--	--	--	3.0E-04	3.0E-04	6.8E-10	4.5E-10	2.E-06	2.E-06	0.000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.0E+03	ug/kg	7.3E-01	7.3E-01	6.9E-09	3.5E-09	5.E-09	3.E-09	8.E-09	--	--	1.9E-08	9.9E-09	--	--	--
	Benzo(a)pyrene	1.2E+03	ug/kg	7.3E+00	7.3E+00	8.4E-09	4.3E-09	6.E-08	3.E-08	9.E-08	--	--	2.3E-08	1.2E-08	--	--	--
	Benzo(b)fluoranthene	1.4E+03	ug/kg	7.3E-01	7.3E-01	9.5E-09	4.8E-09	7.E-09	4.E-09	1.E-08	--	--	2.7E-08	1.4E-08	--	--	--
	Benzo(k)fluoranthene	6.6E+02	ug/kg	7.3E-02	7.3E-02	4.5E-09	2.3E-09	3.E-10	2.E-10	5.E-10	--	--	1.3E-08	6.4E-09	--	--	--
	Dibenzo(a,h)anthracene	4.2E+02	ug/kg	7.3E+00	7.3E+00	2.9E-09	1.5E-09	2.E-08	1.E-08	3.E-08	--	--	8.1E-09	4.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	8.3E+02	ug/kg	7.3E-01	7.3E-01	5.7E-09	2.9E-09	4.E-09	2.E-09	6.E-09	--	--	1.6E-08	8.1E-09	--	--	--
	Naphthalene	1.4E+02	ug/kg	--	--	9.5E-10	4.9E-10	--	--	--	2.0E-02	2.0E-02	2.7E-09	1.4E-09	1.E-07	7.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.1E+02	ug/kg	1.4E-02	1.4E-02	5.6E-10	3.7E-10	8.E-12	5.E-12	1.E-11	2.0E-02	2.0E-02	1.6E-09	1.0E-09	8.E-08	5.E-08	0.0000001
	Phenols																
	Pentachlorophenol	2.4E+00	ug/kg	4.0E-01	4.0E-01	3.2E-11	8.4E-12	1.E-11	3.E-12	2.E-11	5.0E-03	5.0E-03	8.8E-11	2.3E-11	2.E-08	5.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	9.1E+01	ug/kg	2.0E+00	2.0E+00	6.7E-10	3.2E-10	1.E-09	6.E-10	2.E-09	2.0E-05	2.0E-05	1.9E-09	8.9E-10	9.E-05	4.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.1E+02	pg/g	1.3E+05	1.3E+05	1.8E-13	4.0E-13	2.E-08	5.E-08	7.E-08	1.0E-09	1.0E-09	5.0E-13	1.1E-12	5.E-04	1.E-03	0.002
	Total PCB TEQ	3.0E+00	pg/g	1.3E+05	1.3E+05	2.2E-14	1.0E-14	3.E-09	1.E-09	4.E-09	1.0E-09	1.0E-09	6.1E-14	2.9E-14	6.E-05	3.E-05	0.0001
	Pesticides																
	Aldrin	2.5E+00	ug/kg	1.7E+01	1.7E+01	1.3E-11	8.7E-12	2.E-10	1.E-10	4.E-10	3.0E-05	3.0E-05	3.7E-11	2.4E-11	1.E-06	8.E-07	0.000002
	Dieldrin	5.9E-01	ug/kg	1.6E+01	1.6E+01	3.1E-12	2.1E-12	5.E-11	3.E-11	8.E-11	5.0E-05	5.0E-05	8.7E-12	5.8E-12	2.E-07	1.E-07	0.0000003
	Total DDT	1.7E+02	ug/kg	3.4E-01	3.4E-01	2.7E-10	5.9E-10	9.E-11	2.E-10	3.E-10	5.0E-04	5.0E-04	7.4E-10	1.6E-09	1.E-06	3.E-06	0.000005
Exposure Point Total										3.E-07							0.02
RM 6.5 East	**Metals**																
	Arsenic	5.8E+00	mg/kg	1.5E+00	1.5E+00	9.2E-09	2.0E-08	1.E-08	3.E-08	4.E-08	3.0E-04	3.0E-04	2.6E-08	5.7E-08	9.E-05	2.E-04	0.0003
	Mercury	1.4E+01	mg/kg	--	--	0.0E+00	5.1E-08	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-07	0.E+00	1.E-03	0.001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.9E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	1.1E+02	ug/kg	--	--	5.5E-10	3.7E-10	--	--	--	3.0E-04	3.0E-04	1.5E-09	1.0E-09	5.E-06	3.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.3E+02	ug/kg	7.3E-01	7.3E-01	1.6E-09	8.2E-10	1.E-09	6.E-10	2.E-09	--	--	4.5E-09	2.3E-09	--	--	--
	Benzo(a)pyrene	1.5E+02	ug/kg	7.3E+00	7.3E+00	1.0E-09	5.2E-10	7.E-09	4.E-09	1.E-08	--	--	2.8E-09	1.4E-09	--	--	--
	Benzo(b)fluoranthene	2.3E+02	ug/kg	7.3E-01	7.3E-01	1.6E-09	8.2E-10	6.E-10	6.E-10	2.E-09	--	--	4.5E-09	2.3E-09	--	--	--
	Benzo(k)fluoranthene	1.5E+02	ug/kg	7.3E-02	7.3E-02	1.0E-09	5.1E-10	7.E-11	4.E-11	1.E-10	--	--	2.8E-09	1.4E-09	--	--	--
	Dibenzo(a,h)anthracene	1.9E+01	ug/kg	7.3E+00	7.3E+00	1.3E-10	6.6E-11	9.E-10	5.E-10	1.E-09	--	--	3.6E-10	1.9E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.0E+02	ug/kg	7.3E-01	7.3E-01	7.0E-10	3.6E-10	5.E-10	3.E-10	8.E-10	--	--	2.0E-09	1.0E-09	--	--	--
	Naphthalene	1.2E+02	ug/kg	--	--	8.4E-10	4.3E-10	--	--	--	2.0E-02	2.0E-02	2.4E-09	1.2E-09	1.E-07	6.E-08	0.0000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Diver in Dry Suit   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.2E+02	ug/kg	1.4E-02	1.4E-02	6.5E-10	4.3E-10	9.E-12	6.E-12	2.E-11	2.0E-02	2.0E-02	1.8E-09	1.2E-09	9.E-08	6.E-08	0.0000002
	Phenols																
	Pentachlorophenol	4.9E+00	ug/kg	4.0E-01	4.0E-01	6.5E-11	1.7E-11	3.E-11	7.E-12	3.E-11	5.0E-03	5.0E-03	1.8E-10	4.8E-11	4.E-08	1.E-08	0.00000005
	Polychlorinated Biphenyls																
	Total Aroclors	1.3E+03	ug/kg	2.0E+00	2.0E+00	9.7E-09	4.6E-09	2.E-08	9.E-09	3.E-08	2.0E-05	2.0E-05	2.7E-08	1.3E-08	1.E-03	6.E-04	0.002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	8.9E+01	pg/g	1.3E+05	1.3E+05	1.4E-13	3.1E-13	2.E-08	4.E-08	6.E-08	1.0E-09	1.0E-09	3.9E-13	8.7E-13	4.E-04	9.E-04	0.001
	Total PCB TEQ	1.3E+01	pg/g	1.3E+05	1.3E+05	9.8E-14	4.7E-14	1.E-08	6.E-09	2.E-08	1.0E-09	1.0E-09	2.7E-13	1.3E-13	3.E-04	1.E-04	0.0004
	Pesticides																
	Aldrin	2.9E-01	ug/kg	1.7E+01	1.7E+01	1.5E-12	1.0E-12	3.E-11	2.E-11	4.E-11	3.0E-05	3.0E-05	4.3E-12	2.8E-12	1.E-07	9.E-08	0.0000002
	Dieldrin	2.0E-01	ug/kg	1.6E+01	1.6E+01	1.0E-12	6.8E-13	2.E-11	1.E-11	3.E-11	5.0E-05	5.0E-05	2.9E-12	1.9E-12	6.E-08	4.E-08	0.0000001
	Total DDT	1.3E+02	ug/kg	3.4E-01	3.4E-01	2.0E-10	4.5E-10	7.E-11	2.E-10	2.E-10	5.0E-04	5.0E-04	5.7E-10	1.3E-09	1.E-06	3.E-06	0.000004
Exposure Point Total										2.E-07							0.02
RM 7 West	**Metals**																
	Arsenic	5.3E+00	mg/kg	1.5E+00	1.5E+00	8.3E-09	1.8E-08	1.E-08	3.E-08	4.E-08	3.0E-04	3.0E-04	2.3E-08	5.2E-08	8.E-05	2.E-04	0.0003
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	3.9E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	3.6E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.0E-06	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	6.4E+00	ug/kg	--	--	3.4E-11	2.2E-11	--	--	--	3.0E-04	3.0E-04	9.4E-11	6.3E-11	3.E-07	2.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.2E+03	ug/kg	7.3E-01	7.3E-01	1.5E-08	7.7E-09	1.E-08	6.E-09	2.E-08	--	--	4.2E-08	2.2E-08	--	--	--
	Benzo(a)pyrene	1.7E+03	ug/kg	7.3E+00	7.3E+00	1.2E-08	6.0E-09	9.E-08	4.E-08	1.E-07	--	--	3.3E-08	1.7E-08	--	--	--
	Benzo(b)fluoranthene	4.5E+03	ug/kg	7.3E-01	7.3E-01	3.1E-08	1.6E-08	2.E-08	1.E-08	3.E-08	--	--	8.6E-08	4.4E-08	--	--	--
	Benzo(k)fluoranthene	1.4E+03	ug/kg	7.3E-02	7.3E-02	9.8E-09	5.0E-09	7.E-10	4.E-10	1.E-09	--	--	2.7E-08	1.4E-08	--	--	--
	Dibenzo(a,h)anthracene	7.1E+02	ug/kg	7.3E+00	7.3E+00	4.9E-09	2.5E-09	4.E-08	2.E-08	5.E-08	--	--	1.4E-08	6.9E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+03	ug/kg	7.3E-01	7.3E-01	9.5E-09	4.9E-09	7.E-09	4.E-09	1.E-08	--	--	2.7E-08	1.4E-08	--	--	--
	Naphthalene	1.1E+01	ug/kg	--	--	7.5E-11	3.8E-11	--	--	--	2.0E-02	2.0E-02	2.1E-10	1.1E-10	1.E-08	5.E-09	0.00000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.7E+02	ug/kg	1.4E-02	1.4E-02	1.4E-09	9.6E-10	2.E-11	1.E-11	3.E-11	2.0E-02	2.0E-02	4.0E-09	2.7E-09	2.E-07	1.E-07	0.0000003
	Phenols																
	Pentachlorophenol	4.4E+01	ug/kg	4.0E-01	4.0E-01	5.8E-10	1.5E-10	2.E-10	6.E-11	3.E-10	5.0E-03	5.0E-03	1.6E-09	4.3E-10	3.E-07	9.E-08	0.0000004
	Polychlorinated Biphenyls																
	Total Aroclors	9.3E+01	ug/kg	2.0E+00	2.0E+00	6.8E-10	3.2E-10	1.E-09	6.E-10	2.E-09	2.0E-05	2.0E-05	1.9E-09	9.1E-10	1.E-04	5.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.4E+04	pg/g	1.3E+05	1.3E+05	2.2E-11	4.9E-11	3.E-06	6.E-06	9.E-06	1.0E-09	1.0E-09	6.2E-11	1.4E-10	6.E-02	1.E-01	0.2
	Total PCB TEQ	2.7E+01	pg/g	1.3E+05	1.3E+05	2.0E-13	9.3E-14	3.E-08	1.E-08	4.E-08	1.0E-09	1.0E-09	5.5E-13	2.6E-13	5.E-04	3.E-04	0.001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	1.9E+02	ug/kg	1.7E+01	1.7E+01	1.0E-09	6.7E-10	2.E-08	1.E-08	3.E-08	3.0E-05	3.0E-05	2.8E-09	1.9E-09	9.E-05	6.E-05	0.0002
	Dieldrin	2.0E+00	ug/kg	1.6E+01	1.6E+01	1.1E-11	7.1E-12	2.E-10	1.E-10	3.E-10	5.0E-05	5.0E-05	3.0E-11	2.0E-11	6.E-07	4.E-07	0.000001
	Total DDT	6.3E+03	ug/kg	3.4E-01	3.4E-01	9.9E-09	2.2E-08	3.E-09	7.E-09	1.E-08	5.0E-04	5.0E-04	2.8E-08	6.2E-08	6.E-05	1.E-04	0.0002
	Conventionals																
	Perchlorate	2.7E+05	ug/kg	--	--	0.0E+00	9.6E-07	--	--	--	7.0E-04	7.0E-04	0.0E+00	2.7E-06	0.E+00	4.E-03	0.004
Exposure Point Total										1.E-05							0.2
RM 7 East	**Metals**																
	Arsenic	1.5E+01	mg/kg	1.5E+00	1.5E+00	2.3E-08	5.2E-08	3.E-08	8.E-08	1.E-07	3.0E-04	3.0E-04	6.5E-08	1.4E-07	2.E-04	5.E-04	0.001
	Mercury	6.8E-02	mg/kg	--	--	0.0E+00	2.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.6E-10	0.E+00	7.E-06	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.8E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	1.0E+03	ug/kg	--	--	5.5E-09	3.6E-09	--	--	--	3.0E-04	3.0E-04	1.5E-08	1.0E-08	5.E-05	3.E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.2E+02	ug/kg	7.3E-01	7.3E-01	2.9E-09	1.5E-09	2.E-09	1.E-09	3.E-09	--	--	8.0E-09	4.1E-09	--	--	--
	Benzo(a)pyrene	5.8E+02	ug/kg	7.3E+00	7.3E+00	4.0E-09	2.0E-09	3.E-08	1.E-08	4.E-08	--	--	1.1E-08	5.7E-09	--	--	--
	Benzo(b)fluoranthene	6.7E+02	ug/kg	7.3E-01	7.3E-01	4.6E-09	2.3E-09	3.E-09	2.E-09	5.E-09	--	--	1.3E-08	6.5E-09	--	--	--
	Benzo(k)fluoranthene	6.5E+02	ug/kg	7.3E-02	7.3E-02	4.4E-09	2.3E-09	3.E-10	2.E-10	5.E-10	--	--	1.2E-08	6.3E-09	--	--	--
	Dibenzo(a,h)anthracene	1.9E+02	ug/kg	7.3E+00	7.3E+00	1.3E-09	6.5E-10	9.E-09	5.E-09	1.E-08	--	--	3.6E-09	1.8E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.9E+02	ug/kg	7.3E-01	7.3E-01	2.7E-09	1.4E-09	2.E-09	1.E-09	3.E-09	--	--	7.5E-09	3.8E-09	--	--	--
	Naphthalene	4.5E+01	ug/kg	--	--	3.1E-10	1.6E-10	--	--	--	2.0E-02	2.0E-02	8.6E-10	4.4E-10	4.E-08	2.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+03	ug/kg	1.4E-02	1.4E-02	6.9E-09	4.6E-09	1.E-10	6.E-11	2.E-10	2.0E-02	2.0E-02	1.9E-08	1.3E-08	1.E-06	6.E-07	0.000002
	Phenols																
	Pentachlorophenol	1.2E+02	ug/kg	4.0E-01	4.0E-01	1.5E-09	4.1E-10	6.E-10	2.E-10	8.E-10	5.0E-03	5.0E-03	4.3E-09	1.2E-09	9.E-07	2.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	7.0E+01	ug/kg	2.0E+00	2.0E+00	5.2E-10	2.5E-10	1.E-09	5.E-10	2.E-09	2.0E-05	2.0E-05	1.5E-09	6.9E-10	7.E-05	3.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.0E+01	pg/g	1.3E+05	1.3E+05	6.3E-14	1.4E-13	8.E-09	2.E-08	3.E-08	1.0E-09	1.0E-09	1.8E-13	3.9E-13	2.E-04	4.E-04	0.001
	Total PCB TEQ	7.4E-01	pg/g	1.3E+05	1.3E+05	5.5E-15	2.6E-15	7.E-10	3.E-10	1.E-09	1.0E-09	1.0E-09	1.5E-14	7.2E-15	2.E-05	7.E-06	0.00002
	Pesticides																
	Aldrin	4.6E-01	ug/kg	1.7E+01	1.7E+01	2.4E-12	1.6E-12	4.E-11	3.E-11	7.E-11	3.0E-05	3.0E-05	6.8E-12	4.5E-12	2.E-07	2.E-07	0.0000004
	Dieldrin	1.2E-01	ug/kg	1.6E+01	1.6E+01	6.1E-13	4.0E-13	1.E-11	6.E-12	2.E-11	5.0E-05	5.0E-05	1.7E-12	1.1E-12	3.E-08	2.E-08	0.0000001
	Total DDT	1.3E+01	ug/kg	3.4E-01	3.4E-01	2.0E-11	4.5E-11	7.E-12	2.E-11	2.E-11	5.0E-04	5.0E-04	5.7E-11	1.3E-10	1.E-07	3.E-07	0.0000004
Exposure Point Total										2.E-07							0.02
RM 7.5 West	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	5.8E-09	1.3E-08	9.E-09	2.E-08	3.E-08	3.0E-04	3.0E-04	1.6E-08	3.6E-08	5.E-05	1.E-04	0.0002
	Mercury	1.3E-01	mg/kg	--	--	0.0E+00	4.6E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.3E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	3.6E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.0E-06	0.E+00	1.E-02	0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Diver in Dry Suit   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	9.7E+00	ug/kg	--	--	5.1E-11	3.4E-11	--	--	--	3.0E-04	3.0E-04	1.4E-10	9.5E-11	5.E-07	3.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.3E+02	ug/kg	7.3E-01	7.3E-01	3.0E-09	1.5E-09	2.E-09	1.E-09	3.E-09	--	--	8.3E-09	4.2E-09	--	--	--
	Benzo(a)pyrene	3.4E+02	ug/kg	7.3E+00	7.3E+00	2.3E-09	1.2E-09	2.E-08	9.E-09	3.E-08	--	--	6.6E-09	3.3E-09	--	--	--
	Benzo(b)fluoranthene	4.6E+02	ug/kg	7.3E-01	7.3E-01	3.2E-09	1.6E-09	2.E-09	1.E-09	3.E-09	--	--	8.9E-09	4.5E-09	--	--	--
	Benzo(k)fluoranthene	1.3E+02	ug/kg	7.3E-02	7.3E-02	8.9E-10	4.5E-10	6.E-11	3.E-11	1.E-10	--	--	2.5E-09	1.3E-09	--	--	--
	Dibenzo(a,h)anthracene	5.0E+01	ug/kg	7.3E+00	7.3E+00	3.4E-10	1.7E-10	2.E-09	1.E-09	4.E-09	--	--	9.5E-10	4.9E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.9E+02	ug/kg	7.3E-01	7.3E-01	1.3E-09	6.6E-10	9.E-10	5.E-10	1.E-09	--	--	3.6E-09	1.9E-09	--	--	--
	Naphthalene	3.3E+01	ug/kg	--	--	2.3E-10	1.2E-10	--	--	--	2.0E-02	2.0E-02	6.3E-10	3.2E-10	3.E-08	2.E-08	0.00000005
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+02	ug/kg	1.4E-02	1.4E-02	9.7E-10	6.4E-10	1.E-11	9.E-12	2.E-11	2.0E-02	2.0E-02	2.7E-09	1.8E-09	1.E-07	9.E-08	0.0000002
	Phenols																
	Pentachlorophenol	2.1E+00	ug/kg	4.0E-01	4.0E-01	2.7E-11	7.2E-12	1.E-11	3.E-12	1.E-11	5.0E-03	5.0E-03	7.6E-11	2.0E-11	2.E-08	4.E-09	0.00000002
	Polychlorinated Biphenyls																
	Total Aroclors	2.5E+02	ug/kg	2.0E+00	2.0E+00	1.8E-09	8.7E-10	4.E-09	2.E-09	5.E-09	2.0E-05	2.0E-05	5.2E-09	2.4E-09	3.E-04	1.E-04	0.0004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.6E+00	pg/g	1.3E+05	1.3E+05	4.1E-15	9.1E-15	5.E-10	1.E-09	2.E-09	1.0E-09	1.0E-09	1.2E-14	2.6E-14	1.E-05	3.E-05	0.00004
	Total PCB TEQ	9.2E-01	pg/g	1.3E+05	1.3E+05	6.8E-15	3.2E-15	9.E-10	4.E-10	1.E-09	1.0E-09	1.0E-09	1.9E-14	9.0E-15	2.E-05	9.E-06	0.00003
	Pesticides																
	Aldrin	2.9E-01	ug/kg	1.7E+01	1.7E+01	1.5E-12	1.0E-12	3.E-11	2.E-11	4.E-11	3.0E-05	3.0E-05	4.2E-12	2.8E-12	1.E-07	9.E-08	0.0000002
	Dieldrin	7.7E-01	ug/kg	1.6E+01	1.6E+01	4.0E-12	2.7E-12	6.E-11	4.E-11	1.E-10	5.0E-05	5.0E-05	1.1E-11	7.5E-12	2.E-07	2.E-07	0.0000004
	Total DDT	1.3E+02	ug/kg	3.4E-01	3.4E-01	2.0E-10	4.5E-10	7.E-11	2.E-10	2.E-10	5.0E-04	5.0E-04	5.7E-10	1.3E-09	1.E-06	3.E-06	0.000004
Exposure Point Total										7.E-08							0.02
RM 7.5 East	**Metals**																
	Arsenic	4.2E+00	mg/kg	1.5E+00	1.5E+00	6.6E-09	1.5E-08	1.E-08	2.E-08	3.E-08	3.0E-04	3.0E-04	1.9E-08	4.1E-08	6.E-05	1.E-04	0.0002
	Mercury	1.0E-01	mg/kg	--	--	0.0E+00	3.5E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	9.8E-10	0.E+00	1.E-05	0.00001
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.8E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	2.3E+02	ug/kg	--	--	1.2E-09	8.0E-10	--	--	--	3.0E-04	3.0E-04	3.4E-09	2.2E-09	1.E-05	7.E-06	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.0E+01	ug/kg	7.3E-01	7.3E-01	2.7E-10	1.4E-10	2.E-10	1.E-10	3.E-10	--	--	7.6E-10	3.9E-10	--	--	--
	Benzo(a)pyrene	3.5E+01	ug/kg	7.3E+00	7.3E+00	2.4E-10	1.2E-10	2.E-09	9.E-10	3.E-09	--	--	6.7E-10	3.4E-10	--	--	--
	Benzo(b)fluoranthene	4.4E+01	ug/kg	7.3E-01	7.3E-01	3.0E-10	1.5E-10	2.E-10	1.E-10	3.E-10	--	--	8.5E-10	4.3E-10	--	--	--
	Benzo(k)fluoranthene	3.1E+01	ug/kg	7.3E-02	7.3E-02	2.1E-10	1.1E-10	2.E-11	8.E-12	2.E-11	--	--	5.9E-10	3.0E-10	--	--	--
	Dibenzo(a,h)anthracene	1.1E+01	ug/kg	7.3E+00	7.3E+00	7.5E-11	3.8E-11	5.E-10	3.E-10	8.E-10	--	--	2.1E-10	1.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.4E+01	ug/kg	7.3E-01	7.3E-01	1.6E-10	8.3E-11	1.E-10	6.E-11	2.E-10	--	--	4.6E-10	2.3E-10	--	--	--
	Naphthalene	1.1E+01	ug/kg	--	--	7.5E-11	3.8E-11	--	--	--	2.0E-02	2.0E-02	2.1E-10	1.1E-10	1.E-08	5.E-09	0.00000002

header
LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.7E+03	ug/kg	1.4E-02	1.4E-02	1.9E-08	1.3E-08	3.E-10	2.E-10	4.E-10	2.0E-02	2.0E-02	5.4E-08	3.6E-08	3.E-06	2.E-06	0.000004
	Polychlorinated Biphenyls																
	Total Aroclors	4.5E+01	ug/kg	2.0E+00	2.0E+00	3.3E-10	1.6E-10	7.E-10	3.E-10	1.E-09	2.0E-05	2.0E-05	9.3E-10	4.4E-10	5.E-05	2.E-05	0.0001
	Pesticides																
	Dieldrin	3.4E-01	ug/kg	1.6E+01	1.6E+01	1.8E-12	1.2E-12	3.E-11	2.E-11	5.E-11	5.0E-05	5.0E-05	5.0E-12	3.3E-12	1.E-07	7.E-08	0.0000002
	Total DDT	3.3E+00	ug/kg	3.4E-01	3.4E-01	5.3E-12	1.2E-11	2.E-12	4.E-12	6.E-12	5.0E-04	5.0E-04	1.5E-11	3.3E-11	3.E-08	7.E-08	0.0000001
Exposure Point Total										4.E-08							0.02
RM 8 West	**Metals**																
	Arsenic	8.0E+00	mg/kg	1.5E+00	1.5E+00	1.3E-08	2.8E-08	2.E-08	4.E-08	6.E-08	3.0E-04	3.0E-04	3.5E-08	7.8E-08	1.E-04	3.E-04	0.0004
	Mercury	3.3E-01	mg/kg	--	--	0.0E+00	1.1E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.2E-09	0.E+00	3.E-05	0.00003
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	3.6E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.0E-06	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	2.5E+01	ug/kg	--	--	1.3E-10	8.6E-11	--	--	--	3.0E-04	3.0E-04	3.6E-10	2.4E-10	1.E-06	8.E-07	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.5E+02	ug/kg	7.3E-01	7.3E-01	3.8E-09	1.9E-09	3.E-09	1.E-09	4.E-09	--	--	1.1E-08	5.4E-09	--	--	--
	Benzo(a)pyrene	4.9E+02	ug/kg	7.3E+00	7.3E+00	3.3E-09	1.7E-09	2.E-08	1.E-08	4.E-08	--	--	9.4E-09	4.8E-09	--	--	--
	Benzo(b)fluoranthene	6.9E+02	ug/kg	7.3E-01	7.3E-01	4.7E-09	2.4E-09	3.E-09	2.E-09	5.E-09	--	--	1.3E-08	6.7E-09	--	--	--
	Benzo(k)fluoranthene	1.2E+02	ug/kg	7.3E-02	7.3E-02	8.4E-10	4.3E-10	6.E-11	3.E-11	9.E-11	--	--	2.4E-09	1.2E-09	--	--	--
	Dibenzo(a,h)anthracene	1.4E+02	ug/kg	7.3E+00	7.3E+00	9.4E-10	4.8E-10	7.E-09	4.E-09	1.E-08	--	--	2.6E-09	1.4E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.2E+02	ug/kg	7.3E-01	7.3E-01	2.2E-09	1.1E-09	2.E-09	8.E-10	2.E-09	--	--	6.0E-09	3.1E-09	--	--	--
	Naphthalene	8.1E+01	ug/kg	--	--	5.5E-10	2.8E-10	--	--	--	2.0E-02	2.0E-02	1.5E-09	7.9E-10	8.E-08	4.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	3.0E+03	ug/kg	1.4E-02	1.4E-02	1.6E-08	1.1E-08	2.E-10	1.E-10	4.E-10	2.0E-02	2.0E-02	4.4E-08	2.9E-08	2.E-06	1.E-06	0.000004
	Phenols																
	Pentachlorophenol	1.5E+01	ug/kg	4.0E-01	4.0E-01	2.0E-10	5.3E-11	8.E-11	2.E-11	1.E-10	5.0E-03	5.0E-03	5.6E-10	1.5E-10	1.E-07	3.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	4.0E+02	ug/kg	2.0E+00	2.0E+00	3.0E-09	1.4E-09	6.E-09	3.E-09	9.E-09	2.0E-05	2.0E-05	8.3E-09	3.9E-09	4.E-04	2.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	4.3E-01	pg/g	1.3E+05	1.3E+05	6.7E-16	1.5E-15	9.E-11	2.E-10	3.E-10	1.0E-09	1.0E-09	1.9E-15	4.2E-15	2.E-06	4.E-06	0.00001
	Total PCB TEQ	6.1E+00	pg/g	1.3E+05	1.3E+05	4.5E-14	2.1E-14	6.E-09	3.E-09	9.E-09	1.0E-09	1.0E-09	1.2E-13	5.9E-14	1.E-04	6.E-05	0.0002
	Pesticides																
	Aldrin	1.2E-01	ug/kg	1.7E+01	1.7E+01	6.1E-13	4.0E-13	1.E-11	7.E-12	2.E-11	3.0E-05	3.0E-05	1.7E-12	1.1E-12	6.E-08	4.E-08	0.0000001
	Dieldrin	4.6E+00	ug/kg	1.6E+01	1.6E+01	2.4E-11	1.6E-11	4.E-10	3.E-10	6.E-10	5.0E-05	5.0E-05	6.7E-11	4.5E-11	1.E-06	9.E-07	0.000002
	Total DDT	2.1E+01	ug/kg	3.4E-01	3.4E-01	3.3E-11	7.4E-11	1.E-11	3.E-11	4.E-11	5.0E-04	5.0E-04	9.4E-11	2.1E-10	2.E-07	4.E-07	0.000001
Exposure Point Total										1.E-07							0.02
RM 8 East	**Metals**																
	Arsenic	9.1E+00	mg/kg	1.5E+00	1.5E+00	1.4E-08	3.2E-08	2.E-08	5.E-08	7.E-08	3.0E-04	3.0E-04	4.0E-08	8.9E-08	1.E-04	3.E-04	0.0004
	Mercury	2.2E-01	mg/kg	--	--	0.0E+00	7.8E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.2E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.8E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Butyltins																
	Tributyltin ion	5.8E+03	ug/kg	--	--	3.0E-08	2.0E-08	--	--	--	3.0E-04	3.0E-04	8.5E-08	5.7E-08	3.E-04	2.E-04	0.0005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.0E+02	ug/kg	7.3E-01	7.3E-01	3.4E-09	1.7E-09	2.E-09	1.E-09	4.E-09	--	--	9.5E-09	4.9E-09	--	--	--
	Benzo(a)pyrene	5.3E+02	ug/kg	7.3E+00	7.3E+00	3.6E-09	1.8E-09	3.E-08	1.E-08	4.E-08	--	--	1.0E-08	5.2E-09	--	--	--
	Benzo(b)fluoranthene	5.5E+02	ug/kg	7.3E-01	7.3E-01	3.8E-09	1.9E-09	3.E-09	1.E-09	4.E-09	--	--	1.1E-08	5.4E-09	--	--	--
	Benzo(k)fluoranthene	3.7E+02	ug/kg	7.3E-02	7.3E-02	2.5E-09	1.3E-09	2.E-10	9.E-11	3.E-10	--	--	7.1E-09	3.6E-09	--	--	--
	Dibenzo(a,h)anthracene	4.0E+01	ug/kg	7.3E+00	7.3E+00	2.8E-10	1.4E-10	2.E-09	1.E-09	3.E-09	--	--	7.7E-10	3.9E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.7E+02	ug/kg	7.3E-01	7.3E-01	2.5E-09	1.3E-09	2.E-09	9.E-10	3.E-09	--	--	7.0E-09	3.6E-09	--	--	--
	Naphthalene	2.2E+01	ug/kg	--	--	1.5E-10	7.6E-11	--	--	--	2.0E-02	2.0E-02	4.2E-10	2.1E-10	2.E-08	1.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.3E+03	ug/kg	1.4E-02	1.4E-02	6.9E-09	4.6E-09	1.E-10	6.E-11	2.E-10	2.0E-02	2.0E-02	1.9E-08	1.3E-08	1.E-06	6.E-07	0.000002
	Phenols																
	Pentachlorophenol	2.7E+01	ug/kg	4.0E-01	4.0E-01	3.5E-10	9.4E-11	1.E-10	4.E-11	2.E-10	5.0E-03	5.0E-03	9.9E-10	2.6E-10	2.E-07	5.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	5.8E+02	ug/kg	2.0E+00	2.0E+00	4.3E-09	2.0E-09	9.E-09	4.E-09	1.E-08	2.0E-05	2.0E-05	1.2E-08	5.7E-09	6.E-04	3.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.1E+00	pg/g	1.3E+05	1.3E+05	3.3E-15	7.3E-15	4.E-10	9.E-10	1.E-09	1.0E-09	1.0E-09	9.2E-15	2.0E-14	9.E-06	2.E-05	0.00003
	Total PCB TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	1.3E-13	6.1E-14	2.E-08	8.E-09	2.E-08	1.0E-09	1.0E-09	3.6E-13	1.7E-13	4.E-04	2.E-04	0.001
	Pesticides																
	Aldrin	4.4E-01	ug/kg	1.7E+01	1.7E+01	2.3E-12	1.6E-12	4.E-11	3.E-11	7.E-11	3.0E-05	3.0E-05	6.5E-12	4.3E-12	2.E-07	1.E-07	0.0000004
	Dieldrin	4.7E+00	ug/kg	1.6E+01	1.6E+01	2.4E-11	1.6E-11	4.E-10	3.E-10	7.E-10	5.0E-05	5.0E-05	6.9E-11	4.6E-11	1.E-06	9.E-07	0.000002
	Total DDT	9.4E+01	ug/kg	3.4E-01	3.4E-01	1.5E-10	3.3E-10	5.E-11	1.E-10	2.E-10	5.0E-04	5.0E-04	4.1E-10	9.2E-10	8.E-07	2.E-06	0.000003
Exposure Point Total										2.E-07							0.02
RM 8 SIL	**Metals**																
	Arsenic	5.9E+00	mg/kg	1.5E+00	1.5E+00	9.4E-09	2.1E-08	1.E-08	3.E-08	5.E-08	3.0E-04	3.0E-04	2.6E-08	5.8E-08	9.E-05	2.E-04	0.0003
	Mercury	1.4E-01	mg/kg	--	--	0.0E+00	4.9E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.4E-09	0.E+00	1.E-05	0.00001
	Vanadium	1.2E+02	mg/kg	--	--	0.0E+00	4.3E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.2E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	2.1E+04	ug/kg	--	--	1.1E-07	7.4E-08	--	--	--	3.0E-04	3.0E-04	3.1E-07	2.1E-07	1.E-03	7.E-04	0.002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.4E+02	ug/kg	7.3E-01	7.3E-01	3.7E-09	1.9E-09	3.E-09	1.E-09	4.E-09	--	--	1.0E-08	5.2E-09	--	--	--
	Benzo(a)pyrene	3.6E+02	ug/kg	7.3E+00	7.3E+00	2.5E-09	1.3E-09	2.E-08	9.E-09	3.E-08	--	--	6.9E-09	3.5E-09	--	--	--
	Benzo(b)fluoranthene	7.0E+02	ug/kg	7.3E-01	7.3E-01	4.8E-09	2.4E-09	3.E-09	2.E-09	5.E-09	--	--	1.3E-08	6.8E-09	--	--	--
	Benzo(k)fluoranthene	3.5E+02	ug/kg	7.3E-02	7.3E-02	2.4E-09	1.2E-09	2.E-10	9.E-11	3.E-10	--	--	6.6E-09	3.4E-09	--	--	--
	Dibenzo(a,h)anthracene	7.1E+01	ug/kg	7.3E+00	7.3E+00	4.9E-10	2.5E-10	4.E-09	2.E-09	5.E-09	--	--	1.4E-09	7.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.1E+02	ug/kg	7.3E-01	7.3E-01	1.4E-09	7.3E-10	1.E-09	5.E-10	2.E-09	--	--	4.0E-09	2.0E-09	--	--	--
	Naphthalene	3.0E+01	ug/kg	--	--	2.1E-10	1.1E-10	--	--	--	2.0E-02	2.0E-02	5.8E-10	3.0E-10	3.E-08	1.E-08	0.00000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: Diver in Dry Suit Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.1E+04	ug/kg	1.4E-02	1.4E-02	2.2E-07	1.4E-07	3.E-09	2.E-09	5.E-09	2.0E-02	2.0E-02	6.0E-07	4.0E-07	3.E-05	2.E-05	0.0001
	Phenols																
	Pentachlorophenol	3.3E+01	ug/kg	4.0E-01	4.0E-01	4.3E-10	1.1E-10	2.E-10	5.E-11	2.E-10	5.0E-03	5.0E-03	1.2E-09	3.2E-10	2.E-07	6.E-08	0.0000003
	Polychlorinated Biphenyls																
	Total Aroclors	5.3E+02	ug/kg	2.0E+00	2.0E+00	3.9E-09	1.8E-09	8.E-09	4.E-09	1.E-08	2.0E-05	2.0E-05	1.1E-08	5.2E-09	5.E-04	3.E-04	0.001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.3E+01	pg/g	1.3E+05	1.3E+05	5.2E-14	1.2E-13	7.E-09	2.E-08	2.E-08	1.0E-09	1.0E-09	1.5E-13	3.2E-13	1.E-04	3.E-04	0.0005
	Total PCB TEQ	8.8E+01	pg/g	1.3E+05	1.3E+05	6.5E-13	3.1E-13	8.E-08	4.E-08	1.E-07	1.0E-09	1.0E-09	1.8E-12	8.6E-13	2.E-03	9.E-04	0.003
	Pesticides																
	Aldrin	3.6E-01	ug/kg	1.7E+01	1.7E+01	1.9E-12	1.2E-12	3.E-11	2.E-11	5.E-11	3.0E-05	3.0E-05	5.2E-12	3.5E-12	2.E-07	1.E-07	0.0000003
	Dieldrin	1.4E+00	ug/kg	1.6E+01	1.6E+01	7.5E-12	5.0E-12	1.E-10	8.E-11	2.E-10	5.0E-05	5.0E-05	2.1E-11	1.4E-11	4.E-07	3.E-07	0.000001
	Total DDT	1.2E+01	ug/kg	3.4E-01	3.4E-01	1.9E-11	4.2E-11	6.E-12	1.E-11	2.E-11	5.0E-04	5.0E-04	5.3E-11	1.2E-10	1.E-07	2.E-07	0.0000003
Exposure Point Total										3.E-07							0.02
RM 8.5 West	**Metals**																
	Arsenic	1.2E+01	mg/kg	1.5E+00	1.5E+00	1.8E-08	4.1E-08	3.E-08	6.E-08	9.E-08	3.0E-04	3.0E-04	5.1E-08	1.1E-07	2.E-04	4.E-04	0.001
	Mercury	4.7E-01	mg/kg	--	--	0.0E+00	1.6E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	4.6E-09	0.E+00	5.E-05	0.00005
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.8E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	1.7E+01	ug/kg	--	--	8.7E-11	5.8E-11	--	--	--	3.0E-04	3.0E-04	2.4E-10	1.6E-10	8.E-07	5.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+02	ug/kg	7.3E-01	7.3E-01	1.2E-09	6.2E-10	9.E-10	5.E-10	1.E-09	--	--	3.4E-09	1.7E-09	--	--	--
	Benzo(a)pyrene	2.2E+02	ug/kg	7.3E+00	7.3E+00	1.5E-09	7.8E-10	1.E-08	6.E-09	2.E-08	--	--	4.3E-09	2.2E-09	--	--	--
	Benzo(b)fluoranthene	1.8E+02	ug/kg	7.3E-01	7.3E-01	1.2E-09	6.4E-10	9.E-10	5.E-10	1.E-09	--	--	3.5E-09	1.8E-09	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	7.7E-10	3.9E-10	6.E-11	3.E-11	8.E-11	--	--	2.1E-09	1.1E-09	--	--	--
	Dibenzo(a,h)anthracene	1.7E+01	ug/kg	7.3E+00	7.3E+00	1.1E-10	5.8E-11	8.E-10	4.E-10	1.E-09	--	--	3.2E-10	1.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	7.6E+01	ug/kg	7.3E-01	7.3E-01	5.2E-10	2.6E-10	4.E-10	2.E-10	6.E-10	--	--	1.5E-09	7.4E-10	--	--	--
	Naphthalene	3.7E+01	ug/kg	--	--	2.5E-10	1.3E-10	--	--	--	2.0E-02	2.0E-02	7.0E-10	3.6E-10	4.E-08	2.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.7E+03	ug/kg	1.4E-02	1.4E-02	9.1E-09	6.1E-09	1.E-10	8.E-11	2.E-10	2.0E-02	2.0E-02	2.6E-08	1.7E-08	1.E-06	8.E-07	0.000002
	Phenols																
	Pentachlorophenol	3.9E+00	ug/kg	4.0E-01	4.0E-01	5.1E-11	1.4E-11	2.E-11	5.E-12	3.E-11	5.0E-03	5.0E-03	1.4E-10	3.8E-11	3.E-08	8.E-09	0.00000004
	Polychlorinated Biphenyls																
	Total Aroclors	8.5E+03	ug/kg	2.0E+00	2.0E+00	6.2E-08	3.0E-08	1.E-07	6.E-08	2.E-07	2.0E-05	2.0E-05	1.7E-07	8.3E-08	9.E-03	4.E-03	0.01
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.8E+01	pg/g	1.3E+05	1.3E+05	2.9E-14	6.4E-14	4.E-09	8.E-09	1.E-08	1.0E-09	1.0E-09	8.0E-14	1.8E-13	8.E-05	2.E-04	0.0003
	Total PCB TEQ	2.4E+02	pg/g	1.3E+05	1.3E+05	1.8E-12	8.4E-13	2.E-07	1.E-07	3.E-07	1.0E-09	1.0E-09	4.9E-12	2.3E-12	5.E-03	2.E-03	0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Pesticides																
	Aldrin	3.2E+01	ug/kg	1.7E+01	1.7E+01	1.7E-10	1.1E-10	3.E-09	2.E-09	5.E-09	3.0E-05	3.0E-05	4.8E-10	3.2E-10	2.E-05	1.E-05	0.00003
	Dieldrin	3.9E+01	ug/kg	1.6E+01	1.6E+01	2.0E-10	1.3E-10	3.E-09	2.E-09	5.E-09	5.0E-05	5.0E-05	5.7E-10	3.8E-10	1.E-05	8.E-06	0.00002
	Total DDT	2.2E+01	ug/kg	3.4E-01	3.4E-01	3.5E-11	7.7E-11	1.E-11	3.E-11	4.E-11	5.0E-04	5.0E-04	9.8E-11	2.2E-10	2.E-07	4.E-07	0.000001
Exposure Point Total										**7.E-07**							**0.04**
RM 8.5 East	**Metals**																
	Arsenic	9.0E+00	mg/kg	1.5E+00	1.5E+00	1.4E-08	3.2E-08	2.E-08	5.E-08	7.E-08	3.0E-04	3.0E-04	4.0E-08	8.9E-08	1.E-04	3.E-04	0.0004
	Mercury	1.8E-01	mg/kg	--	--	0.0E+00	6.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.8E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.7E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.0E-06	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	3.1E+01	ug/kg	--	--	1.6E-10	1.1E-10	--	--	--	3.0E-04	3.0E-04	4.5E-10	3.0E-10	1.E-06	1.E-06	0.000002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	9.7E+01	ug/kg	7.3E-01	7.3E-01	6.7E-10	3.4E-10	5.E-10	2.E-10	7.E-10	--	--	1.9E-09	9.5E-10	--	--	--
	Benzo(a)pyrene	1.0E+02	ug/kg	7.3E+00	7.3E+00	6.9E-10	3.5E-10	5.E-09	3.E-09	8.E-09	--	--	1.9E-09	9.9E-10	--	--	--
	Benzo(b)fluoranthene	1.4E+02	ug/kg	7.3E-01	7.3E-01	9.3E-10	4.7E-10	7.E-10	3.E-10	1.E-09	--	--	2.6E-09	1.3E-09	--	--	--
	Benzo(k)fluoranthene	9.8E+01	ug/kg	7.3E-02	7.3E-02	6.7E-10	3.4E-10	5.E-11	2.E-11	7.E-11	--	--	1.9E-09	9.6E-10	--	--	--
	Dibenzo(a,h)anthracene	1.2E+01	ug/kg	7.3E+00	7.3E+00	7.9E-11	4.0E-11	6.E-10	3.E-10	9.E-10	--	--	2.2E-10	1.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	8.0E+01	ug/kg	7.3E-01	7.3E-01	5.5E-10	2.8E-10	4.E-10	2.E-10	6.E-10	--	--	1.5E-09	7.9E-10	--	--	--
	Naphthalene	1.5E+02	ug/kg	--	--	1.0E-09	5.2E-10	--	--	--	2.0E-02	2.0E-02	2.8E-09	1.4E-09	1.E-07	7.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	9.2E+02	ug/kg	1.4E-02	1.4E-02	4.9E-09	3.2E-09	7.E-11	5.E-11	1.E-10	2.0E-02	2.0E-02	1.4E-08	9.0E-09	7.E-07	5.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	7.2E+01	ug/kg	2.0E+00	2.0E+00	5.3E-10	2.5E-10	1.E-09	5.E-10	2.E-09	2.0E-05	2.0E-05	1.5E-09	7.1E-10	7.E-05	4.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.4E-01	pg/g	1.3E+05	1.3E+05	1.5E-15	3.3E-15	2.E-10	4.E-10	6.E-10	1.0E-09	1.0E-09	4.2E-15	9.2E-15	4.E-06	9.E-06	0.00001
	Total PCB TEQ	5.9E-01	pg/g	1.3E+05	1.3E+05	4.4E-15	2.1E-15	6.E-10	3.E-10	8.E-10	1.0E-09	1.0E-09	1.2E-14	5.8E-15	1.E-05	6.E-06	0.00002
	Pesticides																
	Aldrin	4.1E-02	ug/kg	1.7E+01	1.7E+01	2.2E-13	1.4E-13	4.E-12	2.E-12	6.E-12	3.0E-05	3.0E-05	6.1E-13	4.0E-13	2.E-08	1.E-08	0.00000003
	Dieldrin	4.4E-01	ug/kg	1.6E+01	1.6E+01	2.3E-12	1.5E-12	4.E-11	2.E-11	6.E-11	5.0E-05	5.0E-05	6.5E-12	4.3E-12	1.E-07	9.E-08	0.0000002
	Total DDT	2.3E+00	ug/kg	3.4E-01	3.4E-01	3.6E-12	8.0E-12	1.E-12	3.E-12	4.E-12	5.0E-04	5.0E-04	1.0E-11	2.2E-11	2.E-08	4.E-08	0.0000001
Exposure Point Total										**8.E-08**							**0.02**
RM 9 West	**Metals**																
	Arsenic	5.0E+00	mg/kg	1.5E+00	1.5E+00	7.8E-09	1.7E-08	1.E-08	3.E-08	4.E-08	3.0E-04	3.0E-04	2.2E-08	4.9E-08	7.E-05	2.E-04	0.0002
	Mercury	2.3E-01	mg/kg	--	--	0.0E+00	8.2E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.3E-09	0.E+00	2.E-05	0.00002
	Vanadium	1.1E+02	mg/kg	--	--	0.0E+00	3.9E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.1E-06	0.E+00	2.E-02	0.02
	Butyltins																
	Tributyltin ion	1.7E+01	ug/kg	--	--	8.8E-11	5.8E-11	--	--	--	3.0E-04	3.0E-04	2.5E-10	1.6E-10	8.E-07	5.E-07	0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Diver in Dry Suit   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.2E+02	ug/kg	7.3E-01	7.3E-01	2.2E-09	1.1E-09	2.E-09	8.E-10	2.E-09	--	--	6.1E-09	3.1E-09	--	--	--
	Benzo(a)pyrene	1.9E+02	ug/kg	7.3E+00	7.3E+00	1.3E-09	6.7E-10	1.E-08	5.E-09	1.E-08	--	--	3.7E-09	1.9E-09	--	--	--
	Benzo(b)fluoranthene	3.0E+02	ug/kg	7.3E-01	7.3E-01	2.1E-09	1.1E-09	2.E-09	8.E-10	2.E-09	--	--	5.8E-09	3.0E-09	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	7.8E-10	4.0E-10	6.E-11	3.E-11	9.E-11	--	--	2.2E-09	1.1E-09	--	--	--
	Dibenzo(a,h)anthracene	4.8E+01	ug/kg	7.3E+00	7.3E+00	3.3E-10	1.7E-10	2.E-09	1.E-09	4.E-09	--	--	9.1E-10	4.7E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	8.1E-10	4.2E-10	6.E-10	3.E-10	9.E-10	--	--	2.3E-09	1.2E-09	--	--	--
	Naphthalene	2.5E+01	ug/kg	--	--	1.7E-10	8.7E-11	--	--	--	2.0E-02	2.0E-02	4.8E-10	2.4E-10	2.E-08	1.E-08	0.00000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	4.4E+02	ug/kg	1.4E-02	1.4E-02	2.3E-09	1.6E-09	3.E-11	2.E-11	5.E-11	2.0E-02	2.0E-02	6.5E-09	4.3E-09	3.E-07	2.E-07	0.000001
	Phenols																
	Pentachlorophenol	4.5E+01	ug/kg	4.0E-01	4.0E-01	5.9E-10	1.6E-10	2.E-10	6.E-11	3.E-10	5.0E-03	5.0E-03	1.7E-09	4.4E-10	3.E-07	9.E-08	0.0000004
	Polychlorinated Biphenyls																
	Total Aroclors	2.3E+03	ug/kg	2.0E+00	2.0E+00	1.7E-08	8.1E-09	3.E-08	2.E-08	5.E-08	2.0E-05	2.0E-05	4.8E-08	2.3E-08	2.E-03	1.E-03	0.004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.0E+00	pg/g	1.3E+05	1.3E+05	9.4E-15	2.1E-14	1.E-09	3.E-09	4.E-09	1.0E-09	1.0E-09	2.6E-14	5.8E-14	3.E-05	6.E-05	0.0001
	Total PCB TEQ	3.2E+01	pg/g	1.3E+05	1.3E+05	2.4E-13	1.1E-13	3.E-08	1.E-08	5.E-08	1.0E-09	1.0E-09	6.6E-13	3.1E-13	7.E-04	3.E-04	0.001
	Pesticides																
	Aldrin	1.4E+00	ug/kg	1.7E+01	1.7E+01	7.5E-12	5.0E-12	1.E-10	8.E-11	2.E-10	3.0E-05	3.0E-05	2.1E-11	1.4E-11	7.E-07	5.E-07	0.000001
	Dieldrin	6.3E-01	ug/kg	1.6E+01	1.6E+01	3.3E-12	2.2E-12	5.E-11	4.E-11	9.E-11	5.0E-05	5.0E-05	9.2E-12	6.1E-12	2.E-07	1.E-07	0.0000003
	Total DDT	9.9E+00	ug/kg	3.4E-01	3.4E-01	1.6E-11	3.5E-11	5.E-12	1.E-11	2.E-11	5.0E-04	5.0E-04	4.4E-11	9.7E-11	9.E-08	2.E-07	0.0000003
Exposure Point Total										**2.E-07**							**0.02**
RM 9 East	**Metals**																
	Arsenic	4.8E+00	mg/kg	1.5E+00	1.5E+00	7.6E-09	1.7E-08	1.E-08	3.E-08	4.E-08	3.0E-04	3.0E-04	2.1E-08	4.7E-08	7.E-05	2.E-04	0.0002
	Mercury	6.1E-02	mg/kg	--	--	0.0E+00	2.1E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.0E-10	0.E+00	6.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E+01	ug/kg	7.3E-01	7.3E-01	9.5E-11	4.9E-11	7.E-11	4.E-11	1.E-10	--	--	2.7E-10	1.4E-10	--	--	--
	Benzo(a)pyrene	1.7E+01	ug/kg	7.3E+00	7.3E+00	1.2E-10	6.1E-11	9.E-10	4.E-10	1.E-09	--	--	3.3E-10	1.7E-10	--	--	--
	Benzo(b)fluoranthene	2.4E+01	ug/kg	7.3E-01	7.3E-01	1.6E-10	8.3E-11	1.E-10	6.E-11	2.E-10	--	--	4.5E-10	2.3E-10	--	--	--
	Benzo(k)fluoranthene	1.1E+01	ug/kg	7.3E-02	7.3E-02	7.2E-11	3.7E-11	5.E-12	3.E-12	8.E-12	--	--	2.0E-10	1.0E-10	--	--	--
	Dibenzo(a,h)anthracene	2.9E+00	ug/kg	7.3E+00	7.3E+00	2.0E-11	1.0E-11	1.E-10	7.E-11	2.E-10	--	--	5.6E-11	2.8E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+01	ug/kg	7.3E-01	7.3E-01	9.8E-11	5.0E-11	7.E-11	4.E-11	1.E-10	--	--	2.8E-10	1.4E-10	--	--	--
	Naphthalene	8.9E+00	ug/kg	--	--	6.1E-11	3.1E-11	--	--	--	2.0E-02	2.0E-02	1.7E-10	8.7E-11	9.E-09	4.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.0E+03	ug/kg	1.4E-02	1.4E-02	1.0E-08	6.9E-09	1.E-10	1.E-10	2.E-10	2.0E-02	2.0E-02	2.9E-08	1.9E-08	1.E-06	1.E-06	0.000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.0E+02	ug/kg	2.0E+00	2.0E+00	7.4E-10	3.5E-10	1.E-09	7.E-10	2.E-09	2.0E-05	2.0E-05	2.1E-09	9.8E-10	1.E-04	5.E-05	0.0002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Diver in Dry Suit   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	2.2E-01	pg/g	1.3E+05	1.3E+05	3.4E-16	7.5E-16	4.E-11	1.E-10	1.E-10	1.0E-09	1.0E-09	9.5E-16	2.1E-15	1.E-06	2.E-06	0.000003
	Total PCB TEQ	6.3E-01	pg/g	1.3E+05	1.3E+05	4.6E-15	2.2E-15	6.E-10	3.E-10	9.E-10	1.0E-09	1.0E-09	1.3E-14	6.2E-15	1.E-05	6.E-06	0.00002
	Pesticides																
	Dieldrin	2.6E-01	ug/kg	1.6E+01	1.6E+01	1.4E-12	9.1E-13	2.E-11	1.E-11	4.E-11	5.0E-05	5.0E-05	3.8E-12	2.6E-12	8.E-08	5.E-08	0.0000001
	Total DDT	1.9E+00	ug/kg	3.4E-01	3.4E-01	3.1E-12	6.8E-12	1.E-12	2.E-12	3.E-12	5.0E-04	5.0E-04	8.6E-12	1.9E-11	2.E-08	4.E-08	0.0000001
Exposure Point Total										4.E-08							0.0004
RM 9.5 West	**Metals**																
	Arsenic	4.5E+00	mg/kg	1.5E+00	1.5E+00	7.1E-09	1.6E-08	1.E-08	2.E-08	3.E-08	3.0E-04	3.0E-04	2.0E-08	4.4E-08	7.E-05	1.E-04	0.0002
	Mercury	7.5E-02	mg/kg	--	--	0.0E+00	2.6E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.3E-10	0.E+00	7.E-06	0.00001
	Butyltins																
	Tributyltin ion	1.0E+01	ug/kg	--	--	5.3E-11	3.5E-11	--	--	--	3.0E-04	3.0E-04	1.5E-10	9.8E-11	5.E-07	3.E-07	0.000001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E+02	ug/kg	7.3E-01	7.3E-01	1.7E-09	8.9E-10	1.E-09	7.E-10	2.E-09	--	--	4.9E-09	2.5E-09	--	--	--
	Benzo(a)pyrene	3.6E+02	ug/kg	7.3E+00	7.3E+00	2.5E-09	1.3E-09	2.E-08	9.E-09	3.E-08	--	--	6.9E-09	3.5E-09	--	--	--
	Benzo(b)fluoranthene	5.3E+02	ug/kg	7.3E-01	7.3E-01	3.6E-09	1.8E-09	3.E-09	1.E-09	4.E-09	--	--	1.0E-08	5.2E-09	--	--	--
	Benzo(k)fluoranthene	2.4E+02	ug/kg	7.3E-02	7.3E-02	1.6E-09	8.3E-10	1.E-10	6.E-11	2.E-10	--	--	4.5E-09	2.3E-09	--	--	--
	Dibenzo(a,h)anthracene	1.3E+02	ug/kg	7.3E+00	7.3E+00	8.9E-10	4.5E-10	6.E-09	3.E-09	1.E-08	--	--	2.5E-09	1.3E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	3.0E+02	ug/kg	7.3E-01	7.3E-01	2.0E-09	1.0E-09	1.E-09	8.E-10	2.E-09	--	--	5.7E-09	2.9E-09	--	--	--
	Naphthalene	2.2E+02	ug/kg	--	--	1.5E-09	7.8E-10	--	--	--	2.0E-02	2.0E-02	4.3E-09	2.2E-09	2.E-07	1.E-07	0.0000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.4E+03	ug/kg	1.4E-02	1.4E-02	1.2E-08	8.2E-09	2.E-10	1.E-10	3.E-10	2.0E-02	2.0E-02	3.5E-08	2.3E-08	2.E-06	1.E-06	0.000003
	Phenols																
	Pentachlorophenol	9.8E+01	ug/kg	4.0E-01	4.0E-01	1.3E-09	3.4E-10	5.E-10	1.E-10	7.E-10	5.0E-03	5.0E-03	3.6E-09	9.6E-10	7.E-07	2.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.0E+02	ug/kg	2.0E+00	2.0E+00	2.2E-09	1.1E-09	4.E-09	2.E-09	7.E-09	2.0E-05	2.0E-05	6.2E-09	2.9E-09	3.E-04	1.E-04	0.0005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	2.6E-14	5.8E-14	3.E-09	8.E-09	1.E-08	1.0E-09	1.0E-09	7.3E-14	1.6E-13	7.E-05	2.E-04	0.0002
	Total PCB TEQ	4.8E+00	pg/g	1.3E+05	1.3E+05	3.5E-14	1.7E-14	5.E-09	2.E-09	7.E-09	1.0E-09	1.0E-09	9.9E-14	4.7E-14	1.E-04	5.E-05	0.0001
	Pesticides																
	Aldrin	2.8E+00	ug/kg	1.7E+01	1.7E+01	1.5E-11	9.7E-12	2.E-10	2.E-10	4.E-10	3.0E-05	3.0E-05	4.1E-11	2.7E-11	1.E-06	9.E-07	0.000002
	Dieldrin	4.9E+00	ug/kg	1.6E+01	1.6E+01	2.6E-11	1.7E-11	4.E-10	3.E-10	7.E-10	5.0E-05	5.0E-05	7.1E-11	4.7E-11	1.E-06	9.E-07	0.000002
	Total DDT	4.5E+00	ug/kg	3.4E-01	3.4E-01	7.1E-12	1.6E-11	2.E-12	5.E-12	8.E-12	5.0E-04	5.0E-04	2.0E-11	4.4E-11	4.E-08	9.E-08	0.0000001
Exposure Point Total										1.E-07							0.001
RM 9.5 East	**Metals**																
	Arsenic	3.7E+00	mg/kg	1.5E+00	1.5E+00	5.8E-09	1.3E-08	9.E-09	2.E-08	3.E-08	3.0E-04	3.0E-04	1.6E-08	3.6E-08	5.E-05	1.E-04	0.0002
	Mercury	1.2E-01	mg/kg	--	--	0.0E+00	4.3E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.2E-09	0.E+00	1.E-05	0.00001
	Butyltins																
	Tributyltin ion	3.6E+00	ug/kg	--	--	1.9E-11	1.3E-11	--	--	--	3.0E-04	3.0E-04	5.3E-11	3.5E-11	2.E-07	1.E-07	0.0000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future Medium: Sediment
Receptor Population: Diver in Dry Suit Exposure Medium: In-water Sediment
Population Age: Adult Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.0E+01	ug/kg	7.3E-01	7.3E-01	2.1E-10	1.1E-10	2.E-10	8.E-11	2.E-10	--	--	5.8E-10	2.9E-10	--	--	--
	Benzo(a)pyrene	3.4E+01	ug/kg	7.3E+00	7.3E+00	2.4E-10	1.2E-10	2.E-09	9.E-10	3.E-09	--	--	6.6E-10	3.4E-10	--	--	--
	Benzo(b)fluoranthene	4.0E+01	ug/kg	7.3E-01	7.3E-01	2.7E-10	1.4E-10	2.E-10	1.E-10	3.E-10	--	--	7.6E-10	3.9E-10	--	--	--
	Benzo(k)fluoranthene	2.4E+01	ug/kg	7.3E-02	7.3E-02	1.6E-10	8.4E-11	1.E-11	6.E-12	2.E-11	--	--	4.6E-10	2.3E-10	--	--	--
	Dibenzo(a,h)anthracene	9.2E+00	ug/kg	7.3E+00	7.3E+00	6.3E-11	3.2E-11	5.E-10	2.E-10	7.E-10	--	--	1.8E-10	9.0E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	2.7E+01	ug/kg	7.3E-01	7.3E-01	1.9E-10	9.5E-11	1.E-10	7.E-11	2.E-10	--	--	5.2E-10	2.7E-10	--	--	--
	Naphthalene	4.8E+00	ug/kg	--	--	3.3E-11	1.7E-11	--	--	--	2.0E-02	2.0E-02	9.2E-11	4.7E-11	5.E-09	2.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.6E+02	ug/kg	1.4E-02	1.4E-02	1.4E-09	9.0E-10	2.E-11	1.E-11	3.E-11	2.0E-02	2.0E-02	3.8E-09	2.5E-09	2.E-07	1.E-07	0.0000003
	Phenols																
	Pentachlorophenol	3.4E+00	ug/kg	4.0E-01	4.0E-01	4.5E-11	1.2E-11	2.E-11	5.E-12	2.E-11	5.0E-03	5.0E-03	1.3E-10	3.3E-11	3.E-08	7.E-09	0.00000003
	Polychlorinated Biphenyls																
	Total Aroclors	5.6E+01	ug/kg	2.0E+00	2.0E+00	4.1E-10	2.0E-10	8.E-10	4.E-10	1.E-09	2.0E-05	2.0E-05	1.2E-09	5.5E-10	6.E-05	3.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.1E+00	pg/g	1.3E+05	1.3E+05	1.8E-15	4.0E-15	2.E-10	5.E-10	8.E-10	1.0E-09	1.0E-09	5.1E-15	1.1E-14	5.E-06	1.E-05	0.00002
	Total PCB TEQ	3.3E-01	pg/g	1.3E+05	1.3E+05	2.4E-15	1.1E-15	3.E-10	1.E-10	5.E-10	1.0E-09	1.0E-09	6.7E-15	3.2E-15	7.E-06	3.E-06	0.00001
	Pesticides																
	Aldrin	4.7E-01	ug/kg	1.7E+01	1.7E+01	2.5E-12	1.6E-12	4.E-11	3.E-11	7.E-11	3.0E-05	3.0E-05	6.9E-12	4.6E-12	2.E-07	2.E-07	0.0000004
	Dieldrin	4.3E-02	ug/kg	1.6E+01	1.6E+01	2.3E-13	1.5E-13	4.E-12	2.E-12	6.E-12	5.0E-05	5.0E-05	6.3E-13	4.2E-13	1.E-08	8.E-09	0.00000002
	Total DDT	1.6E+00	ug/kg	3.4E-01	3.4E-01	2.5E-12	5.4E-12	8.E-13	2.E-12	3.E-12	5.0E-04	5.0E-04	6.9E-12	1.5E-11	1.E-08	3.E-08	0.00000004
Exposure Point Total										**3.E-08**							**0.0003**
RM 10 West	**Metals**																
	Arsenic	2.9E+01	mg/kg	1.5E+00	1.5E+00	4.6E-08	1.0E-07	7.E-08	2.E-07	2.E-07	3.0E-04	3.0E-04	1.3E-07	2.8E-07	4.E-04	9.E-04	0.001
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	3.8E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-09	0.E+00	1.E-05	0.00001
	Butyltins																
	Tributyltin ion	3.4E+00	ug/kg	--	--	1.8E-11	1.2E-11	--	--	--	3.0E-04	3.0E-04	5.0E-11	3.3E-11	2.E-07	1.E-07	0.0000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.2E+02	ug/kg	7.3E-01	7.3E-01	2.2E-09	1.1E-09	2.E-09	8.E-10	2.E-09	--	--	6.2E-09	3.1E-09	--	--	--
	Benzo(a)pyrene	3.4E+02	ug/kg	7.3E+00	7.3E+00	2.3E-09	1.2E-09	2.E-08	9.E-09	3.E-08	--	--	6.5E-09	3.3E-09	--	--	--
	Benzo(b)fluoranthene	4.3E+02	ug/kg	7.3E-01	7.3E-01	3.0E-09	1.5E-09	2.E-09	1.E-09	3.E-09	--	--	8.3E-09	4.2E-09	--	--	--
	Benzo(k)fluoranthene	1.8E+02	ug/kg	7.3E-02	7.3E-02	1.3E-09	6.4E-10	9.E-11	5.E-11	1.E-10	--	--	3.5E-09	1.8E-09	--	--	--
	Dibenzo(a,h)anthracene	7.5E+01	ug/kg	7.3E+00	7.3E+00	5.1E-10	2.6E-10	4.E-09	2.E-09	6.E-09	--	--	1.4E-09	7.3E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	3.0E+02	ug/kg	7.3E-01	7.3E-01	2.1E-09	1.1E-09	2.E-09	8.E-10	2.E-09	--	--	5.8E-09	3.0E-09	--	--	--
	Naphthalene	5.9E+01	ug/kg	--	--	4.0E-10	2.0E-10	--	--	--	2.0E-02	2.0E-02	1.1E-09	5.7E-10	6.E-08	3.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+02	ug/kg	1.4E-02	1.4E-02	9.6E-10	6.4E-10	1.E-11	9.E-12	2.E-11	2.0E-02	2.0E-02	2.7E-09	1.8E-09	1.E-07	9.E-08	0.0000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Sediment
Receptor Population: Diver in Dry Suit   Exposure Medium: In-water Sediment
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phenols																
	Pentachlorophenol	7.5E+00	ug/kg	4.0E-01	4.0E-01	9.9E-11	2.6E-11	4.E-11	1.E-11	5.E-11	5.0E-03	5.0E-03	2.8E-10	7.3E-11	6.E-08	1.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	4.4E+02	ug/kg	2.0E+00	2.0E+00	3.3E-09	1.5E-09	7.E-09	3.E-09	1.E-08	2.0E-05	2.0E-05	9.1E-09	4.3E-09	5.E-04	2.E-04	0.0007
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	9.9E+00	pg/g	1.3E+05	1.3E+05	1.6E-14	3.5E-14	2.E-09	4.E-09	7.E-09	1.0E-09	1.0E-09	4.4E-14	9.7E-14	4.E-05	1.E-04	0.0001
	Total PCB TEQ	3.0E+00	pg/g	1.3E+05	1.3E+05	2.2E-14	1.0E-14	3.E-09	1.E-09	4.E-09	1.0E-09	1.0E-09	6.1E-14	2.9E-14	6.E-05	3.E-05	0.0001
	Pesticides																
	Aldrin	5.0E-01	ug/kg	1.7E+01	1.7E+01	2.7E-12	1.8E-12	5.E-11	3.E-11	8.E-11	3.0E-05	3.0E-05	7.4E-12	4.9E-12	2.E-07	2.E-07	0.0000004
	Total DDT	6.7E+00	ug/kg	3.4E-01	3.4E-01	1.1E-11	2.3E-11	4.E-12	8.E-12	1.E-11	5.0E-04	5.0E-04	3.0E-11	6.5E-11	6.E-08	1.E-07	0.0000002
Exposure Point Total										3.E-07							0.002
RM 10 East	**Metals**																
	Arsenic	3.5E+00	mg/kg	1.5E+00	1.5E+00	5.5E-09	1.2E-08	8.E-09	2.E-08	3.E-08	3.0E-04	3.0E-04	1.5E-08	3.4E-08	5.E-05	1.E-04	0.0002
	Mercury	9.0E-02	mg/kg	--	--	0.0E+00	3.1E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	8.8E-10	0.E+00	9.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.7E+02	ug/kg	7.3E-01	7.3E-01	1.9E-09	9.6E-10	1.E-09	7.E-10	2.E-09	--	--	5.2E-09	2.7E-09	--	--	--
	Benzo(a)pyrene	3.5E+02	ug/kg	7.3E+00	7.3E+00	2.4E-09	1.2E-09	2.E-08	9.E-09	3.E-08	--	--	6.7E-09	3.4E-09	--	--	--
	Benzo(b)fluoranthene	4.0E+02	ug/kg	7.3E-01	7.3E-01	2.8E-09	1.4E-09	2.E-09	1.E-09	3.E-09	--	--	7.7E-09	3.9E-09	--	--	--
	Benzo(k)fluoranthene	1.0E+02	ug/kg	7.3E-02	7.3E-02	7.0E-10	3.6E-10	5.E-11	3.E-11	8.E-11	--	--	2.0E-09	1.0E-09	--	--	--
	Dibenzo(a,h)anthracene	5.2E+01	ug/kg	7.3E+00	7.3E+00	3.6E-10	1.8E-10	3.E-09	1.E-09	4.E-09	--	--	1.0E-09	5.1E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	2.8E+02	ug/kg	7.3E-01	7.3E-01	1.9E-09	9.7E-10	1.E-09	7.E-10	2.E-09	--	--	5.3E-09	2.7E-09	--	--	--
	Naphthalene	2.2E+01	ug/kg	--	--	1.5E-10	7.8E-11	--	--	--	2.0E-02	2.0E-02	4.3E-10	2.2E-10	2.E-08	1.E-08	0.00000003
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.9E+02	ug/kg	1.4E-02	1.4E-02	1.0E-09	6.7E-10	1.E-11	9.E-12	2.E-11	2.0E-02	2.0E-02	2.8E-09	1.9E-09	1.E-07	9.E-08	0.0000002
	Phenols																
	Pentachlorophenol	3.3E+00	ug/kg	4.0E-01	4.0E-01	4.3E-11	1.2E-11	2.E-11	5.E-12	2.E-11	5.0E-03	5.0E-03	1.2E-10	3.2E-11	2.E-08	6.E-09	0.00000003
	Polychlorinated Biphenyls																
	Total Aroclors	4.8E+01	ug/kg	2.0E+00	2.0E+00	3.6E-10	1.7E-10	7.E-10	3.E-10	1.E-09	2.0E-05	2.0E-05	9.9E-10	4.7E-10	5.E-05	2.E-05	0.0001
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	5.4E-01	pg/g	1.3E+05	1.3E+05	8.6E-16	1.9E-15	1.E-10	2.E-10	4.E-10	1.0E-09	1.0E-09	2.4E-15	5.3E-15	2.E-06	5.E-06	0.00001
	Total PCB TEQ	8.0E-01	pg/g	1.3E+05	1.3E+05	5.9E-15	2.8E-15	8.E-10	4.E-10	1.E-09	1.0E-09	1.0E-09	1.7E-14	7.9E-15	2.E-05	8.E-06	0.00002
	Pesticides																
	Aldrin	8.3E-02	ug/kg	1.7E+01	1.7E+01	4.4E-13	2.9E-13	7.E-12	5.E-12	1.E-11	3.0E-05	3.0E-05	1.2E-12	8.1E-13	4.E-08	3.E-08	0.0000001
	Dieldrin	9.4E-02	ug/kg	1.6E+01	1.6E+01	4.9E-13	3.3E-13	8.E-12	5.E-12	1.E-11	5.0E-05	5.0E-05	1.4E-12	9.2E-13	3.E-08	2.E-08	0.00000005
	Total DDT	7.7E-01	ug/kg	3.4E-01	3.4E-01	1.2E-12	2.7E-12	4.E-13	9.E-13	1.E-12	5.0E-04	5.0E-04	3.4E-12	7.6E-12	7.E-09	2.E-08	0.00000002
Exposure Point Total										7.E-08							0.0003
RM 10.5 West	**Metals**																
	Arsenic	4.7E+00	mg/kg	1.5E+00	1.5E+00	7.4E-09	1.6E-08	1.E-08	2.E-08	4.E-08	3.0E-04	3.0E-04	2.1E-08	4.6E-08	7.E-05	2.E-04	0.0002
	Mercury	7.7E-02	mg/kg	--	--	0.0E+00	2.7E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.5E-10	0.E+00	8.E-06	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

		EPC		Cancer Risk Calculations[a]							Noncancer Hazard Calculations[a]						
Exposure Point	Chemical of Potential Concern	Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.1E+01	ug/kg	7.3E-01	7.3E-01	4.2E-10	2.1E-10	3.E-10	2.E-10	5.E-10	--	--	1.2E-09	5.9E-10	--	--	--
	Benzo(a)pyrene	4.8E+01	ug/kg	7.3E+00	7.3E+00	3.3E-10	1.7E-10	2.E-09	1.E-09	4.E-09	--	--	9.2E-10	4.7E-10	--	--	--
	Benzo(b)fluoranthene	6.8E+01	ug/kg	7.3E-01	7.3E-01	4.6E-10	2.4E-10	3.E-10	2.E-10	5.E-10	--	--	1.3E-09	6.6E-10	--	--	--
	Benzo(k)fluoranthene	2.0E+01	ug/kg	7.3E-02	7.3E-02	1.4E-10	7.1E-11	1.E-11	5.E-12	2.E-11	--	--	3.9E-10	2.0E-10	--	--	--
	Dibenzo(a,h)anthracene	7.9E+00	ug/kg	7.3E+00	7.3E+00	5.4E-11	2.8E-11	4.E-10	2.E-10	6.E-10	--	--	1.5E-10	7.7E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	3.7E+01	ug/kg	7.3E-01	7.3E-01	2.6E-10	1.3E-10	2.E-10	1.E-10	3.E-10	--	--	7.2E-10	3.7E-10	--	--	--
	Naphthalene	2.6E+02	ug/kg	--	--	1.8E-09	9.1E-10	--	--	--	2.0E-02	2.0E-02	5.0E-09	2.5E-09	2.E-07	1.E-07	0.0000004
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.5E+02	ug/kg	1.4E-02	1.4E-02	1.3E-09	8.6E-10	2.E-11	1.E-11	3.E-11	2.0E-02	2.0E-02	3.6E-09	2.4E-09	2.E-07	1.E-07	0.0000003
	Phenols																
	Pentachlorophenol	3.8E+01	ug/kg	4.0E-01	4.0E-01	5.0E-10	1.3E-10	2.E-10	5.E-11	3.E-10	5.0E-03	5.0E-03	1.4E-09	3.7E-10	3.E-07	7.E-08	0.0000004
	Polychlorinated Biphenyls																
	Total Aroclors	3.9E+01	ug/kg	2.0E+00	2.0E+00	2.9E-10	1.4E-10	6.E-10	3.E-10	8.E-10	2.0E-05	2.0E-05	8.0E-10	3.8E-10	4.E-05	2.E-05	0.0001
	Dioxin/Furan																
	Total PCB TEQ	6.9E-01	pg/g	1.3E+05	1.3E+05	5.1E-15	2.4E-15	7.E-10	3.E-10	1.E-09	1.0E-09	1.0E-09	1.4E-14	6.7E-15	1.E-05	7.E-06	0.00002
	Pesticides																
	Aldrin	9.3E-01	ug/kg	1.7E+01	1.7E+01	4.9E-12	3.2E-12	8.E-11	6.E-11	1.E-10	3.0E-05	3.0E-05	1.4E-11	9.1E-12	5.E-07	3.E-07	0.000001
	Total DDT	2.7E+00	ug/kg	3.4E-01	3.4E-01	4.2E-12	9.3E-12	1.E-12	3.E-12	5.E-12	5.0E-04	5.0E-04	1.2E-11	2.6E-11	2.E-08	5.E-08	0.0000001
Exposure Point Total										4.E-08							0.0003
RM 10.5 East	**Metals**																
	Arsenic	3.3E+00	mg/kg	1.5E+00	1.5E+00	5.3E-09	1.2E-08	8.E-09	2.E-08	3.E-08	3.0E-04	3.0E-04	1.5E-08	3.3E-08	5.E-05	1.E-04	0.0002
	Mercury	7.4E-02	mg/kg	--	--	0.0E+00	2.6E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.2E-10	0.E+00	7.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.0E+02	ug/kg	7.3E-01	7.3E-01	6.9E-10	3.5E-10	5.E-10	3.E-10	8.E-10	--	--	1.9E-09	9.9E-10	--	--	--
	Benzo(a)pyrene	7.1E+01	ug/kg	7.3E+00	7.3E+00	4.8E-10	2.5E-10	4.E-09	2.E-09	5.E-09	--	--	1.4E-09	6.9E-10	--	--	--
	Benzo(b)fluoranthene	1.1E+02	ug/kg	7.3E-01	7.3E-01	7.6E-10	3.9E-10	6.E-10	3.E-10	8.E-10	--	--	2.1E-09	1.1E-09	--	--	--
	Benzo(k)fluoranthene	7.2E+01	ug/kg	7.3E-02	7.3E-02	4.9E-10	2.5E-10	4.E-11	2.E-11	5.E-11	--	--	1.4E-09	7.0E-10	--	--	--
	Dibenzo(a,h)anthracene	9.2E+00	ug/kg	7.3E+00	7.3E+00	6.3E-11	3.2E-11	5.E-10	2.E-10	7.E-10	--	--	1.8E-10	9.0E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	4.7E+01	ug/kg	7.3E-01	7.3E-01	3.2E-10	1.6E-10	2.E-10	1.E-10	4.E-10	--	--	8.9E-10	4.6E-10	--	--	--
	Naphthalene	5.2E+00	ug/kg	--	--	3.6E-11	1.8E-11	--	--	--	2.0E-02	2.0E-02	1.0E-10	5.1E-11	5.E-09	3.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.1E+02	ug/kg	1.4E-02	1.4E-02	5.8E-10	3.8E-10	8.E-12	5.E-12	1.E-11	2.0E-02	2.0E-02	1.6E-09	1.1E-09	8.E-08	5.E-08	0.0000001
	Phenols																
	Pentachlorophenol	1.1E+01	ug/kg	4.0E-01	4.0E-01	1.4E-10	3.8E-11	6.E-11	2.E-11	7.E-11	5.0E-03	5.0E-03	4.1E-10	1.1E-10	8.E-08	2.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	1.5E+02	ug/kg	2.0E+00	2.0E+00	1.1E-09	5.4E-10	2.E-09	1.E-09	3.E-09	2.0E-05	2.0E-05	3.2E-09	1.5E-09	2.E-04	8.E-05	0.0002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total PCB TEQ	3.9E-01	pg/g	1.3E+05	1.3E+05	2.9E-15	1.4E-15	4.E-10	2.E-10	5.E-10	1.0E-09	1.0E-09	8.0E-15	3.8E-15	8.E-06	4.E-06	0.00001
	Pesticides																
	Total DDT	1.2E+01	ug/kg	3.4E-01	3.4E-01	1.9E-11	4.2E-11	6.E-12	1.E-11	2.E-11	5.0E-04	5.0E-04	5.3E-11	1.2E-10	1.E-07	2.E-07	0.0000003
Exposure Point Total										**4.E-08**							**0.0004**
RM 11 West	**Metals**																
	Arsenic	3.6E+00	mg/kg	1.5E+00	1.5E+00	5.7E-09	1.3E-08	9.E-09	2.E-08	3.E-08	3.0E-04	3.0E-04	1.6E-08	3.6E-08	5.E-05	1.E-04	0.0002
	Mercury	6.9E-02	mg/kg	--	--	0.0E+00	2.4E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.7E-10	0.E+00	7.E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.0E+02	ug/kg	7.3E-01	7.3E-01	1.4E-09	6.9E-10	1.E-09	5.E-10	2.E-09	--	--	3.8E-09	1.9E-09	--	--	--
	Benzo(a)pyrene	2.2E+02	ug/kg	7.3E+00	7.3E+00	1.5E-09	7.6E-10	1.E-08	6.E-09	2.E-08	--	--	4.2E-09	2.1E-09	--	--	--
	Benzo(b)fluoranthene	1.0E+02	ug/kg	7.3E-01	7.3E-01	6.9E-10	3.5E-10	5.E-10	3.E-10	8.E-10	--	--	1.9E-09	9.9E-10	--	--	--
	Benzo(k)fluoranthene	1.1E+02	ug/kg	7.3E-02	7.3E-02	7.2E-10	3.7E-10	5.E-11	3.E-11	8.E-11	--	--	2.0E-09	1.0E-09	--	--	--
	Dibenzo(a,h)anthracene	2.7E+01	ug/kg	7.3E+00	7.3E+00	1.8E-10	9.4E-11	1.E-09	7.E-10	2.E-09	--	--	5.1E-10	2.6E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E+02	ug/kg	7.3E-01	7.3E-01	8.0E-10	4.1E-10	6.E-10	3.E-10	9.E-10	--	--	2.2E-09	1.1E-09	--	--	--
	Naphthalene	3.2E+02	ug/kg	--	--	2.2E-09	1.1E-09	--	--	--	2.0E-02	2.0E-02	6.1E-09	3.1E-09	3.E-07	2.E-07	0.0000005
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.0E+03	ug/kg	1.4E-02	1.4E-02	5.4E-09	3.6E-09	8.E-11	5.E-11	1.E-10	2.0E-02	2.0E-02	1.5E-08	1.0E-08	8.E-07	5.E-07	0.000001
	Phenols																
	Pentachlorophenol	3.1E+00	ug/kg	4.0E-01	4.0E-01	4.1E-11	1.1E-11	2.E-11	4.E-12	2.E-11	5.0E-03	5.0E-03	1.1E-10	3.0E-11	2.E-08	6.E-09	0.00000003
	Polychlorinated Biphenyls																
	Total Aroclors	3.5E+01	ug/kg	2.0E+00	2.0E+00	2.5E-10	1.2E-10	5.E-10	2.E-10	8.E-10	2.0E-05	2.0E-05	7.1E-10	3.4E-10	4.E-05	2.E-05	0.0001
	Pesticides																
	Dieldrin	2.5E+00	ug/kg	1.6E+01	1.6E+01	1.3E-11	8.7E-12	2.E-10	1.E-10	4.E-10	5.0E-05	5.0E-05	3.7E-11	2.4E-11	7.E-07	5.E-07	0.000001
	Total DDT	2.1E+00	ug/kg	3.4E-01	3.4E-01	3.3E-12	7.3E-12	1.E-12	2.E-12	4.E-12	5.0E-04	5.0E-04	9.2E-12	2.0E-11	2.E-08	4.E-08	0.0000001
Exposure Point Total										**5.E-08**							**0.0002**
RM 11 East	**Metals**																
	Arsenic	3.2E+00	mg/kg	1.5E+00	1.5E+00	5.1E-09	1.1E-08	8.E-09	2.E-08	2.E-08	3.0E-04	3.0E-04	1.4E-08	3.1E-08	5.E-05	1.E-04	0.0002
	Mercury	1.1E-01	mg/kg	--	--	0.0E+00	3.8E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	1.1E-09	0.E+00	1.E-05	0.00001
	Butyltins																
	Tributyltin ion	5.8E+00	ug/kg	--	--	3.1E-11	2.0E-11	--	--	--	3.0E-04	3.0E-04	8.5E-11	5.7E-11	3.E-07	2.E-07	0.0000005
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E+02	ug/kg	7.3E-01	7.3E-01	1.1E-09	5.6E-10	8.E-10	4.E-10	1.E-09	--	--	3.0E-09	1.6E-09	--	--	--
	Benzo(a)pyrene	1.2E+02	ug/kg	7.3E+00	7.3E+00	8.2E-10	4.2E-10	6.E-09	3.E-09	9.E-09	--	--	2.3E-09	1.2E-09	--	--	--
	Benzo(b)fluoranthene	2.5E+02	ug/kg	7.3E-01	7.3E-01	1.7E-09	8.7E-10	1.E-09	6.E-10	2.E-09	--	--	4.8E-09	2.4E-09	--	--	--
	Benzo(k)fluoranthene	9.4E+01	ug/kg	7.3E-02	7.3E-02	6.4E-10	3.3E-10	5.E-11	2.E-11	7.E-11	--	--	1.8E-09	9.2E-10	--	--	--
	Dibenzo(a,h)anthracene	2.0E+01	ug/kg	7.3E+00	7.3E+00	1.4E-10	7.0E-11	1.E-09	5.E-10	2.E-09	--	--	3.8E-10	2.0E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	5.3E+01	ug/kg	7.3E-01	7.3E-01	3.6E-10	1.9E-10	3.E-10	1.E-10	4.E-10	--	--	1.0E-09	5.2E-10	--	--	--
	Naphthalene	3.0E+01	ug/kg	--	--	2.1E-10	1.0E-10	--	--	--	2.0E-02	2.0E-02	5.7E-10	2.9E-10	3.E-08	1.E-08	0.00000004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	EPC Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.4E+02	ug/kg	1.4E-02	1.4E-02	7.4E-10	4.9E-10	1.E-11	7.E-12	2.E-11	2.0E-02	2.0E-02	2.1E-09	1.4E-09	1.E-07	7.E-08	0.0000002
	Phenols																
	Pentachlorophenol	8.7E+00	ug/kg	4.0E-01	4.0E-01	1.1E-10	3.0E-11	5.E-11	1.E-11	6.E-11	5.0E-03	5.0E-03	3.2E-10	8.5E-11	6.E-08	2.E-08	0.0000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.8E+03	ug/kg	2.0E+00	2.0E+00	2.8E-08	1.3E-08	6.E-08	3.E-08	8.E-08	2.0E-05	2.0E-05	7.9E-08	3.8E-08	4.E-03	2.E-03	0.006
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	3.0E+00	pg/g	1.3E+05	1.3E+05	4.8E-15	1.1E-14	6.E-10	1.E-09	2.E-09	1.0E-09	1.0E-09	1.3E-14	2.9E-14	1.E-05	3.E-05	0.0000
	Total PCB TEQ	3.1E+01	pg/g	1.3E+05	1.3E+05	2.3E-13	1.1E-13	3.E-08	1.E-08	4.E-08	1.0E-09	1.0E-09	6.4E-13	3.0E-13	6.E-04	3.E-04	0.0009
	Pesticides																
	Total DDT	3.8E+02	ug/kg	3.4E-01	3.4E-01	6.0E-10	1.3E-09	2.E-10	5.E-10	7.E-10	5.0E-04	5.0E-04	1.7E-09	3.7E-09	3.E-06	7.E-06	0.00001
Exposure Point Total										2.E-07							0.007
RM 11.5 West	**Metals**																
	Arsenic	3.5E+00	mg/kg	1.5E+00	1.5E+00	5.5E-09	1.2E-08	8.E-09	2.E-08	3.E-08	3.0E-04	3.0E-04	1.6E-08	3.4E-08	5.E-05	1.E-04	0.0002
	Mercury	3.1E-02	mg/kg	--	--	0.0E+00	1.1E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	3.0E-10	0.E+00	3.E-06	0.000003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E+01	ug/kg	7.3E-01	7.3E-01	1.1E-10	5.6E-11	8.E-11	4.E-11	1.E-10	--	--	3.1E-10	1.6E-10	--	--	--
	Benzo(a)pyrene	1.8E+01	ug/kg	7.3E+00	7.3E+00	1.2E-10	6.3E-11	9.E-10	5.E-10	1.E-09	--	--	3.4E-10	1.8E-10	--	--	--
	Benzo(b)fluoranthene	1.7E+01	ug/kg	7.3E-01	7.3E-01	1.2E-10	5.9E-11	8.E-11	4.E-11	1.E-10	--	--	3.3E-10	1.7E-10	--	--	--
	Benzo(k)fluoranthene	1.4E+01	ug/kg	7.3E-02	7.3E-02	9.6E-11	4.9E-11	7.E-12	4.E-12	1.E-11	--	--	2.7E-10	1.4E-10	--	--	--
	Dibenzo(a,h)anthracene	2.9E+00	ug/kg	7.3E+00	7.3E+00	2.0E-11	1.0E-11	1.E-10	7.E-11	2.E-10	--	--	5.6E-11	2.8E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E+01	ug/kg	7.3E-01	7.3E-01	9.6E-11	4.9E-11	7.E-11	4.E-11	1.E-10	--	--	2.7E-10	1.4E-10	--	--	--
	Naphthalene	6.4E+00	ug/kg	--	--	4.4E-11	2.2E-11	--	--	--	2.0E-02	2.0E-02	1.2E-10	6.3E-11	6.E-09	3.E-09	0.00000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	5.2E+02	ug/kg	1.4E-02	1.4E-02	2.7E-09	1.8E-09	4.E-11	3.E-11	6.E-11	2.0E-02	2.0E-02	7.7E-09	5.1E-09	4.E-07	3.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	2.4E+01	ug/kg	2.0E+00	2.0E+00	1.8E-10	8.3E-11	4.E-10	2.E-10	5.E-10	2.0E-05	2.0E-05	4.9E-10	2.3E-10	2.E-05	1.E-05	0.00004
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.8E-01	pg/g	1.3E+05	1.3E+05	2.8E-16	6.2E-16	4.E-11	8.E-11	1.E-10	1.0E-09	1.0E-09	7.8E-16	1.7E-15	8.E-07	2.E-06	0.000003
	Total PCB TEQ	2.9E-01	pg/g	1.3E+05	1.3E+05	2.2E-15	1.0E-15	3.E-10	1.E-10	4.E-10	1.0E-09	1.0E-09	6.1E-15	2.9E-15	6.E-06	3.E-06	0.00001
	Pesticides																
	Dieldrin	9.0E-02	ug/kg	1.6E+01	1.6E+01	4.7E-13	3.1E-13	8.E-12	5.E-12	1.E-11	5.0E-05	5.0E-05	1.3E-12	8.8E-13	3.E-08	2.E-08	0.00000004
	Total DDT	1.9E+00	ug/kg	3.4E-01	3.4E-01	3.0E-12	6.7E-12	1.E-12	2.E-12	3.E-12	5.0E-04	5.0E-04	8.5E-12	1.9E-11	2.E-08	4.E-08	0.0000001
Exposure Point Total										3.E-08							0.0002
RM 12 West	**Metals**																
	Arsenic	3.9E+00	mg/kg	1.5E+00	1.5E+00	6.1E-09	1.3E-08	9.E-09	2.E-08	3.E-08	3.0E-04	3.0E-04	1.7E-08	3.8E-08	6.E-05	1.E-04	0.0002
	Mercury	7.4E-01	mg/kg	--	--	0.0E+00	2.6E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	7.2E-09	0.E+00	7.E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.1E+03	ug/kg	7.3E-01	7.3E-01	7.6E-09	3.9E-09	6.E-09	3.E-09	8.E-09	--	--	2.1E-08	1.1E-08	--	--	--
	Benzo(a)pyrene	1.8E+03	ug/kg	7.3E+00	7.3E+00	1.2E-08	6.3E-09	9.E-08	5.E-08	1.E-07	--	--	3.5E-08	1.8E-08	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Benzo(b)fluoranthene	1.4E+03	ug/kg	7.3E-01	7.3E-01	9.7E-09	5.0E-09	7.E-09	4.E-09	1.E-08	--	--	2.7E-08	1.4E-08	--	--	--
	Benzo(k)fluoranthene	5.9E+02	ug/kg	7.3E-02	7.3E-02	4.1E-09	2.1E-09	3.E-10	2.E-10	4.E-10	--	--	1.1E-08	5.8E-09	--	--	--
	Dibenzo(a,h)anthracene	2.1E+02	ug/kg	7.3E+00	7.3E+00	1.4E-09	7.3E-10	1.E-08	5.E-09	2.E-08	--	--	4.0E-09	2.1E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	1.5E+03	ug/kg	7.3E-01	7.3E-01	1.0E-08	5.1E-09	7.E-09	4.E-09	1.E-08	--	--	2.8E-08	1.4E-08	--	--	--
	Naphthalene	1.5E+02	ug/kg	--	--	1.0E-09	5.2E-10	--	--	--	2.0E-02	2.0E-02	2.8E-09	1.4E-09	1.E-07	7.E-08	0.0000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.9E+02	ug/kg	1.4E-02	1.4E-02	1.0E-09	6.6E-10	1.E-11	9.E-12	2.E-11	2.0E-02	2.0E-02	2.8E-09	1.9E-09	1.E-07	9.E-08	0.0000002
	Phenols																
	Pentachlorophenol	2.0E+01	ug/kg	4.0E-01	4.0E-01	2.6E-10	7.0E-11	1.E-10	3.E-11	1.E-10	5.0E-03	5.0E-03	7.4E-10	2.0E-10	1.E-07	4.E-08	0.0000002
	Polychlorinated Biphenyls																
	Total Aroclors	1.2E+02	ug/kg	2.0E+00	2.0E+00	8.9E-10	4.2E-10	2.E-09	8.E-10	3.E-09	2.0E-05	2.0E-05	2.5E-09	1.2E-09	1.E-04	6.E-05	0.0002
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E-01	pg/g	1.3E+05	1.3E+05	2.6E-16	5.8E-16	3.E-11	8.E-11	1.E-10	1.0E-09	1.0E-09	7.3E-16	1.6E-15	7.E-07	2.E-06	0.000002
	Total PCB TEQ	4.5E-01	pg/g	1.3E+05	1.3E+05	3.3E-15	1.6E-15	4.E-10	2.E-10	6.E-10	1.0E-09	1.0E-09	9.3E-15	4.4E-15	9.E-06	4.E-06	0.00001
	Pesticides																
	Aldrin	7.0E-01	ug/kg	1.7E+01	1.7E+01	3.7E-12	2.4E-12	6.E-11	4.E-11	1.E-10	3.0E-05	3.0E-05	1.0E-11	6.8E-12	3.E-07	2.E-07	0.000001
	Total DDT	9.5E+00	ug/kg	3.4E-01	3.4E-01	1.5E-11	3.3E-11	5.E-12	1.E-11	2.E-11	5.0E-04	5.0E-04	4.2E-11	9.3E-11	8.E-08	2.E-07	0.0000003
Exposure Point Total										2.E-07							0.0005
RM 12 East	**Metals**																
	Arsenic	2.6E+00	mg/kg	1.5E+00	1.5E+00	4.2E-09	9.2E-09	6.E-09	1.E-08	2.E-08	3.0E-04	3.0E-04	1.2E-08	2.6E-08	4.E-05	9.E-05	0.0001
	Mercury	6.5E-02	mg/kg	--	--	0.0E+00	2.3E-10	--	--	--	1.0E-04	1.0E-04	0.0E+00	6.4E-10	0.E+00	6.E-06	0.00001
	Butyltins																
	Tributyltin ion	4.8E+00	ug/kg	--	--	2.5E-11	1.7E-11	--	--	--	3.0E-04	3.0E-04	7.1E-11	4.7E-11	2.E-07	2.E-07	0.0000004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.8E+01	ug/kg	7.3E-01	7.3E-01	1.2E-10	6.3E-11	9.E-11	5.E-11	1.E-10	--	--	3.4E-10	1.8E-10	--	--	--
	Benzo(a)pyrene	1.9E+01	ug/kg	7.3E+00	7.3E+00	1.3E-10	6.6E-11	9.E-10	5.E-10	1.E-09	--	--	3.6E-10	1.9E-10	--	--	--
	Benzo(b)fluoranthene	2.7E+01	ug/kg	7.3E-01	7.3E-01	1.8E-10	9.4E-11	1.E-10	7.E-11	2.E-10	--	--	5.2E-10	2.6E-10	--	--	--
	Benzo(k)fluoranthene	8.4E+00	ug/kg	7.3E-02	7.3E-02	5.7E-11	2.9E-11	4.E-12	2.E-12	6.E-12	--	--	1.6E-10	8.2E-11	--	--	--
	Dibenzo(a,h)anthracene	4.5E+00	ug/kg	7.3E+00	7.3E+00	3.1E-11	1.6E-11	2.E-10	1.E-10	3.E-10	--	--	8.6E-11	4.4E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.7E+01	ug/kg	7.3E-01	7.3E-01	1.2E-10	5.9E-11	8.E-11	4.E-11	1.E-10	--	--	3.3E-10	1.7E-10	--	--	--
	Naphthalene	4.2E+01	ug/kg	--	--	2.9E-10	1.5E-10	--	--	--	2.0E-02	2.0E-02	8.0E-10	4.1E-10	4.E-08	2.E-08	0.0000001
	Phthalates																
	Bis(2-ethylhexyl) phthalate	1.8E+04	ug/kg	1.4E-02	1.4E-02	9.5E-08	6.3E-08	1.E-09	9.E-10	2.E-09	2.0E-02	2.0E-02	2.7E-07	1.8E-07	1.E-05	9.E-06	0.00002
	Phenols																
	Pentachlorophenol	3.2E+00	ug/kg	4.0E-01	4.0E-01	4.2E-11	1.1E-11	2.E-11	4.E-12	2.E-11	5.0E-03	5.0E-03	1.2E-10	3.1E-11	2.E-08	6.E-09	0.00000003
	Polychlorinated Biphenyls																
	Total Aroclors	1.8E+02	ug/kg	2.0E+00	2.0E+00	1.3E-09	6.3E-10	3.E-09	1.E-09	4.E-09	2.0E-05	2.0E-05	3.7E-09	1.8E-09	2.E-04	9.E-05	0.0003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.

Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	1.3E+05	1.3E+05	2.8E-15	6.1E-15	4.E-10	8.E-10	1.E-09	1.0E-09	1.0E-09	7.7E-15	1.7E-14	8.E-06	2.E-05	0.00002
	Total PCB TEQ	4.6E+00	pg/g	1.3E+05	1.3E+05	3.4E-14	1.6E-14	4.E-09	2.E-09	6.E-09	1.0E-09	1.0E-09	9.4E-14	4.5E-14	9.E-05	4.E-05	0.0001
	Pesticides																
	Total DDT	9.4E+00	ug/kg	3.4E-01	3.4E-01	1.5E-11	3.3E-11	5.E-12	1.E-11	2.E-11	5.0E-04	5.0E-04	4.2E-11	9.2E-11	8.E-08	2.E-07	0.0000003
Exposure Point Total										4.E-08							0.001
Study Area-wide[c]	**Metals**																
	Arsenic	5.0E+00	mg/kg	1.5E+00	1.5E+00	8.0E-09	1.8E-08	1.E-08	3.E-08	4.E-08	3.0E-04	3.0E-04	2.2E-08	4.9E-08	7.E-05	2.E-04	0.0002
	Mercury	3.0E-01	mg/kg	--	--	0.0E+00	1.1E-09	--	--	--	1.0E-04	1.0E-04	0.0E+00	2.9E-09	0.E+00	3.E-05	0.00003
	Vanadium	1.0E+02	mg/kg	--	--	0.0E+00	3.6E-07	--	--	--	1.8E-06	7.0E-05	0.0E+00	1.0E-06	0.E+00	1.E-02	0.01
	Butyltins																
	Tributyltin ion	2.4E+03	ug/kg	--	--	1.2E-08	8.3E-09	--	--	--	3.0E-04	3.0E-04	3.5E-08	2.3E-08	1.E-04	8.E-05	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E+03	ug/kg	7.3E-01	7.3E-01	2.1E-08	1.1E-08	2.E-08	8.E-09	2.E-08	--	--	5.9E-08	3.0E-08	--	--	--
	Benzo(a)pyrene	3.7E+03	ug/kg	7.3E+00	7.3E+00	2.6E-08	1.3E-08	2.E-07	1.E-07	3.E-07	--	--	7.2E-08	3.7E-08	--	--	--
	Benzo(b)fluoranthene	2.9E+03	ug/kg	7.3E-01	7.3E-01	2.0E-08	1.0E-08	1.E-08	7.E-09	2.E-08	--	--	5.6E-08	2.9E-08	--	--	--
	Benzo(k)fluoranthene	2.0E+03	ug/kg	7.3E-02	7.3E-02	1.4E-08	7.0E-09	1.E-09	5.E-10	2.E-09	--	--	3.8E-08	2.0E-08	--	--	--
	Dibenzo(a,h)anthracene	3.8E+02	ug/kg	7.3E+00	7.3E+00	2.6E-09	1.3E-09	2.E-08	1.E-08	3.E-08	--	--	7.3E-09	3.7E-09	--	--	--
	Indeno(1,2,3-cd)pyrene	2.6E+03	ug/kg	7.3E-01	7.3E-01	1.8E-08	9.1E-09	1.E-08	7.E-09	2.E-08	--	--	5.0E-08	2.6E-08	--	--	--
	Naphthalene	1.5E+03	ug/kg	--	--	1.0E-08	5.1E-09	--	--	--	2.0E-02	2.0E-02	2.8E-08	1.4E-08	1.E-06	7.E-07	0.000002
	Phthalates																
	Bis(2-ethylhexyl) phthalate	2.9E+03	ug/kg	1.4E-02	1.4E-02	1.5E-08	1.0E-08	2.E-10	1.E-10	4.E-10	2.0E-02	2.0E-02	4.2E-08	2.8E-08	2.E-06	1.E-06	0.000004
	Phenols																
	Pentachlorophenol	5.6E+01	ug/kg	4.0E-01	4.0E-01	7.4E-10	2.0E-10	3.E-10	8.E-11	4.E-10	5.0E-03	5.0E-03	2.1E-09	5.5E-10	4.E-07	1.E-07	0.000001
	Polychlorinated Biphenyls																
	Total Aroclors	3.6E+02	ug/kg	2.0E+00	2.0E+00	2.6E-09	1.3E-09	5.E-09	3.E-09	8.E-09	2.0E-05	2.0E-05	7.4E-09	3.5E-09	4.E-04	2.E-04	0.0005
	Dioxin/Furan																
	Total Dioxin/Furan TEQ	6.6E+02	pg/g	1.3E+05	1.3E+05	1.0E-12	2.3E-12	1.E-07	3.E-07	4.E-07	1.0E-09	1.0E-09	2.9E-12	6.4E-12	3.E-03	6.E-03	0.009
	Total PCB TEQ	1.7E+01	pg/g	1.3E+05	1.3E+05	1.2E-13	5.9E-14	2.E-08	8.E-09	2.E-08	1.0E-09	1.0E-09	3.5E-13	1.6E-13	3.E-04	2.E-04	0.0005
	Pesticides																
	Aldrin	5.8E+00	ug/kg	1.7E+01	1.7E+01	3.1E-11	2.0E-11	5.E-10	3.E-10	9.E-10	3.0E-05	3.0E-05	8.5E-11	5.7E-11	3.E-06	2.E-06	0.000005
	Dieldrin	2.8E+00	ug/kg	1.6E+01	1.6E+01	1.5E-11	9.8E-12	2.E-10	2.E-10	4.E-10	5.0E-05	5.0E-05	4.1E-11	2.7E-11	8.E-07	5.E-07	0.000001
	Total DDT	3.7E+02	ug/kg	3.4E-01	3.4E-01	5.9E-10	1.3E-09	2.E-10	4.E-10	6.E-10	5.0E-04	5.0E-04	1.7E-09	3.7E-09	3.E-06	7.E-06	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-31.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Dry Suit, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Sediment
Exposure Medium: In-water Sediment
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk[b]	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ[b]
	Conventionals																
	Perchlorate	2.7E+05	ug/kg	--	--	0.0E+00	9.6E-07	--	--	--	7.0E-04	7.0E-04	0.0E+00	2.7E-06	0.E+00	4.E-03	0.004
Exposure Point Total										9.E-07							0.03

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

c Cumulative risk sums calculated using PCB Aroclor data.

d Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
LADI = Lifetime Average Daily Intake.
mg/kg = Milligrams per kilogram.

PCB = Polychlorinated Biphenyls.
pg/g = Picograms per gram.
RfD = Reference dose.
RM = River mile.
TEQ = Toxic equivalents.
ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-32.
Calculation of Noncancer Hazards - Breastfeeding Infant of In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC Value	EPC Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 1 East	Total Aroclors	5.1E+02	ug/kg	25	0.0029	0.07
	Total Dioxin/Furan TEQ	7.5E-01	pg/g	2	0.0001	0.0001
	Total PCB TEQ	2.7E-01	pg/g	2	0.00003	0.0001
	Total DDT	4.0E+00	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.07
RM 1 West	Total Aroclors	1.7E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	2.7E+00	pg/g	2	0.0002	0.0005
	Total PCB TEQ	3.2E-01	pg/g	2	0.00004	0.0001
	Total DDT	4.6E+00	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.003
RM 1.5 East	Total Aroclors	4.1E+01	ug/kg	25	0.0002	0.01
	Total Dioxin/Furan TEQ	1.8E+00	pg/g	2	0.0002	0.0003
	Total PCB TEQ	1.1E-01	pg/g	2	0.00001	0.00002
	Total DDT	2.2E+01	ug/kg	2	0.000004	0.00001
Exposure Point Total						0.01
RM 1.5 West	Total Aroclors	2.2E+01	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	9.4E-02	pg/g	2	0.00001	0.00002
	Total DDT	1.1E+00	ug/kg	2	0.0000002	0.0000004
Exposure Point Total						0.003
RM 2 East	Total Aroclors	1.5E+03	ug/kg	25	0.009	0.2
	Total Dioxin/Furan TEQ	4.0E+00	pg/g	2	0.0003	0.001
	Total PCB TEQ	8.5E+01	pg/g	2	0.01	0.02
	Total DDT	4.2E+00	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.2
RM 2 West	Total Aroclors	1.8E+01	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	2.2E+00	pg/g	2	0.0002	0.0004
	Total PCB TEQ	3.5E-01	pg/g	2	0.00004	0.0001
	Total DDT	3.2E+00	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.003
RM 2.5 East	Total Aroclors	7.7E+01	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	1.1E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	3.3E+00	pg/g	2	0.0004	0.001
	Total DDT	1.1E+01	ug/kg	2	0.000002	0.000004
Exposure Point Total						0.01
RM 2.5 MC	Total Aroclors	3.9E+01	ug/kg	25	0.0002	0.01
	Total DDT	1.1E+01	ug/kg	2	0.000002	0.000004
Exposure Point Total						0.01
RM 2.5 West	Total Aroclors	2.1E+01	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	4.1E-01	pg/g	2	0.00004	0.0001
	Total PCB TEQ	2.1E-01	pg/g	2	0.00002	0.00005
	Total DDT	3.4E+00	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.003
RM 3 East	Total Aroclors	2.3E+01	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	5.4E+00	pg/g	2	0.0005	0.001
	Total PCB TEQ	1.0E-01	pg/g	2	0.00001	0.00002
	Total DDT	3.8E+00	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.004
RM 3 West	Total Aroclors	1.8E+01	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	2	0.0001	0.0003
	Total PCB TEQ	4.4E-01	pg/g	2	0.0001	0.0001
	Total DDT	2.1E+02	ug/kg	2	0.00004	0.0001
Exposure Point Total						0.003
RM 3.5 East	Total Aroclors	1.7E+03	ug/kg	25	0.01	0.2
	Total Dioxin/Furan TEQ	1.1E+01	pg/g	2	0.001	0.002
	Total PCB TEQ	1.1E+02	pg/g	2	0.01	0.03
	Total DDT	2.7E+01	ug/kg	2	0.000005	0.00001
Exposure Point Total						0.3
RM 3.5 West	Total Aroclors	2.7E+01	ug/kg	25	0.0002	0.004
	Total Dioxin/Furan TEQ	1.6E+00	pg/g	2	0.0001	0.0003
	Total PCB TEQ	7.7E-01	pg/g	2	0.0001	0.0002
	Total DDT	2.1E+01	ug/kg	2	0.0000	0.00001
Exposure Point Total						0.004
RM 4 East	Total Aroclors	3.6E+02	ug/kg	25	0.002	0.05
	Total Dioxin/Furan TEQ	6.9E+00	pg/g	2	0.0006	0.001
	Total PCB TEQ	3.4E+00	pg/g	2	0.0004	0.001
	Total DDT	1.2E+01	ug/kg	2	0.000002	0.000004
Exposure Point Total						0.05
RM 4 West	Total Aroclors	2.6E+01	ug/kg	25	0.0002	0.004
	Total Dioxin/Furan TEQ	3.3E+00	pg/g	2	0.0003	0.001
	Total PCB TEQ	6.5E-01	pg/g	2	0.0001	0.0001
	Total DDT	5.6E+01	ug/kg	2	0.00001	0.00002
Exposure Point Total						0.005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-32.
Calculation of Noncancer Hazards - Breastfeeding Infant of In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC Value	EPC Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 4.5 East	Total Aroclors	4.4E+01	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	2.8E-01	pg/g	2	0.00002	0.00005
	Total PCB TEQ	3.4E-01	pg/g	2	0.00004	0.0001
	Total DDT	8.7E+00	ug/kg	2	0.000001	0.000003
Exposure Point Total						0.01
RM 4.5 West	Total Aroclors	3.8E+01	ug/kg	25	0.0002	0.01
	Total Dioxin/Furan TEQ	6.8E+00	pg/g	2	0.0006	0.001
	Total PCB TEQ	2.5E+00	pg/g	2	0.0003	0.001
	Total DDT	2.7E+01	ug/kg	2	0.000005	0.00001
Exposure Point Total						0.01
RM 5 East	Total Aroclors	2.5E+01	ug/kg	25	0.0001	0.004
	Total DDT	1.9E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.004
RM 5 West	Total Aroclors	2.5E+01	ug/kg	25	0.0001	0.004
	Total Dioxin/Furan TEQ	5.4E+00	pg/g	2	0.0005	0.001
	Total PCB TEQ	2.1E+00	pg/g	2	0.0002	0.0005
	Total DDT	8.2E+01	ug/kg	2	0.00001	0.00003
Exposure Point Total						0.01
RM 5.5 East	Total Aroclors	1.8E+02	ug/kg	25	0.001	0.03
	Total Dioxin/Furan TEQ	8.9E+00	pg/g	2	0.0008	0.002
	Total PCB TEQ	5.8E+00	pg/g	2	0.0007	0.001
	Total DDT	2.0E+01	ug/kg	2	0.000003	0.00001
Exposure Point Total						0.03
RM 5.5 West	Total Aroclors	5.1E+01	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	2.3E+00	pg/g	2	0.0002	0.0004
	Total PCB TEQ	1.1E+00	pg/g	2	0.0001	0.0002
	Total DDT	6.2E+01	ug/kg	2	0.00001	0.00002
Exposure Point Total						0.01
RM 6 East	Total Aroclors	1.8E+02	ug/kg	25	0.001	0.03
	Total Dioxin/Furan TEQ	4.1E+00	pg/g	2	0.0004	0.001
	Total PCB TEQ	3.4E+00	pg/g	2	0.0004	0.001
	Total DDT	4.2E+00	ug/kg	2	0.0000	0.000001
Exposure Point Total						0.03
RM 6 West	Total Aroclors	6.1E+01	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	2	0.0001	0.0003
	Total PCB TEQ	2.8E+00	pg/g	2	0.0003	0.001
	Total DDT	8.1E+01	ug/kg	2	0.00001	0.00003
Exposure Point Total						0.01
RM 6.5 East	Total Aroclors	1.3E+03	ug/kg	25	0.008	0.2
	Total Dioxin/Furan TEQ	8.9E+01	pg/g	2	0.008	0.02
	Total PCB TEQ	1.3E+01	pg/g	2	0.002	0.003
	Total DDT	1.3E+02	ug/kg	2	0.00002	0.00004
Exposure Point Total						0.2
RM 6.5 West	Total Aroclors	9.1E+01	ug/kg	25	0.0005	0.01
	Total Dioxin/Furan TEQ	1.1E+02	pg/g	2	0.01	0.02
	Total PCB TEQ	3.0E+00	pg/g	2	0.0003	0.001
	Total DDT	1.7E+02	ug/kg	2	0.00003	0.0001
Exposure Point Total						0.03
RM 7 East	Total Aroclors	7.0E+01	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	4.0E+01	pg/g	2	0.003	0.01
	Total PCB TEQ	7.4E-01	pg/g	2	0.0001	0.0002
	Total DDT	1.3E+01	ug/kg	2	0.000002	0.000004
Exposure Point Total						0.02
RM 7 West	Total Aroclors	9.3E+01	ug/kg	25	0.0005	0.01
	Total Dioxin/Furan TEQ	1.4E+04	pg/g	2	1	2
	Total PCB TEQ	2.7E+01	pg/g	2	0.003	0.01
	Total DDT	6.3E+03	ug/kg	2	0.001	0.002
Exposure Point Total						2
RM 7.5 East	Total Aroclors	4.5E+01	ug/kg	25	0.0003	0.01
	Total DDT	3.3E+00	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.01
RM 7.5 West	Total Aroclors	2.5E+02	ug/kg	25	0.001	0.04
	Total Dioxin/Furan TEQ	2.6E+00	pg/g	2	0.0002	0.0004
	Total PCB TEQ	9.2E-01	pg/g	2	0.0001	0.0002
	Total DDT	1.3E+02	ug/kg	2	0.00002	0.00004
Exposure Point Total						0.04
RM 8 East	Total Aroclors	5.8E+02	ug/kg	25	0.003	0.08
	Total Dioxin/Furan TEQ	2.1E+00	pg/g	2	0.0002	0.0004
	Total PCB TEQ	1.7E+01	pg/g	2	0.002	0.004
	Total DDT	9.4E+01	ug/kg	2	0.00002	0.00003
Exposure Point Total						0.09

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-32.
Calculation of Noncancer Hazards - Breastfeeding Infant of In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

| Exposure Point | Chemical of Potential Concern | EPC | | Noncancer Hazard Calculations[a] | | |
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 8 SIL	Total Aroclors	5.3E+02	ug/kg	25	0.003	0.08
	Total Dioxin/Furan TEQ	3.3E+01	pg/g	2	0.003	0.01
	Total PCB TEQ	8.8E+01	pg/g	2	0.01	0.02
	Total DDT	1.2E+01	ug/kg	2	0.000002	0.000004
Exposure Point Total						0.1
RM 8 West	Total Aroclors	4.0E+02	ug/kg	25	0.002	0.06
	Total Dioxin/Furan TEQ	4.3E-01	pg/g	2	0.00004	0.00
	Total PCB TEQ	6.1E+00	pg/g	2	0.0007	0.00
	Total DDT	2.1E+01	ug/kg	2	0.000004	0.00
Exposure Point Total						0.06
RM 8.5 East	Total Aroclors	7.2E+01	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	9.4E-01	pg/g	2	0.0001	0.0002
	Total PCB TEQ	5.9E-01	pg/g	2	0.0001	0.0001
	Total DDT	2.3E+00	ug/kg	2	0.0000004	0.000001
Exposure Point Total						0.01
RM 8.5 West	Total Aroclors	8.5E+03	ug/kg	25	0.05	1
	Total Dioxin/Furan TEQ	1.8E+01	pg/g	2	0.002	0.00
	Total PCB TEQ	2.4E+02	pg/g	2	0.03	0.05
	Total DDT	2.2E+01	ug/kg	2	0.000004	0.00001
Exposure Point Total						1
RM 9 East	Total Aroclors	1.0E+02	ug/kg	25	0.0006	0.01
	Total Dioxin/Furan TEQ	2.2E-01	pg/g	2	0.00002	0.00004
	Total PCB TEQ	6.3E-01	pg/g	2	0.0001	0.0001
	Total DDT	1.9E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.01
RM 9 West	Total Aroclors	2.3E+03	ug/kg	25	0.01	0.3
	Total Dioxin/Furan TEQ	6.0E+00	pg/g	2	0.0005	0.001
	Total PCB TEQ	3.2E+01	pg/g	2	0.004	0.01
	Total DDT	9.9E+00	ug/kg	2	0.000002	0.000003
Exposure Point Total						0.3
RM 9.5 East	Total Aroclors	5.6E+01	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	1.1E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	3.3E-01	pg/g	2	0.00004	0.0001
	Total DDT	1.6E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.01
RM 9.5 West	Total Aroclors	3.0E+02	ug/kg	25	0.002	0.04
	Total Dioxin/Furan TEQ	1.7E+01	pg/g	2	0.001	0.003
	Total PCB TEQ	4.8E+00	pg/g	2	0.0005	0.001
	Total DDT	4.5E+00	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.05
RM 10 East	Total Aroclors	4.8E+01	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	5.4E-01	pg/g	2	0.00005	0.0001
	Total PCB TEQ	8.0E-01	pg/g	2	0.0001	0.0002
	Total DDT	7.7E-01	ug/kg	2	0.0000001	0.0000003
Exposure Point Total						0.01
RM 10 West	Total Aroclors	4.4E+02	ug/kg	25	0.003	0.06
	Total Dioxin/Furan TEQ	9.9E+00	pg/g	2	0.001	0.002
	Total PCB TEQ	3.0E+00	pg/g	2	0.0003	0.001
	Total DDT	6.7E+00	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.07
RM 10.5 East	Total Aroclors	1.5E+02	ug/kg	25	0.001	0.02
	Total PCB TEQ	3.9E-01	pg/g	2	0.00004	0.0001
	Total DDT	1.2E+01	ug/kg	2	0.000002	0.000004
Exposure Point Total						0.02
RM 10.5 West	Total Aroclors	3.9E+01	ug/kg	25	0.0002	0.01
	Total PCB TEQ	6.9E-01	pg/g	2	0.0001	0.0002
	Total DDT	2.7E+00	ug/kg	2	0.0000005	0.000001
Exposure Point Total						0.01
RM 11 East	Total Aroclors	3.8E+03	ug/kg	25	0.02	0.6
	Total Dioxin/Furan TEQ	3.0E+00	pg/g	2	0.0003	0.001
	Total PCB TEQ	3.1E+01	pg/g	2	0.004	0.01
	Total DDT	3.8E+02	ug/kg	2	0.0001	0.0001
Exposure Point Total						0.6
RM 11 West	Total Aroclors	3.5E+01	ug/kg	25	0.0002	0.005
	Total DDT	2.1E+00	ug/kg	2	0.0000004	0.000001
Exposure Point Total						0.005
RM 11.5 West	Total Aroclors	2.4E+01	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	1.8E-01	pg/g	2	0.00002	0.00003
	Total PCB TEQ	2.9E-01	pg/g	2	0.00003	0.0001
	Total DDT	1.9E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-32.
Calculation of Noncancer Hazards - Breastfeeding Infant of In-water Worker, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC Value	EPC Units	Noncancer Hazard Calculations[a] IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 12 East	Total Aroclors	1.8E+02	ug/kg	25	0.001	0.03
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	2	0.0002	0.0003
	Total PCB TEQ	4.6E+00	pg/g	2	0.0005	0.001
	Total DDT	9.4E+00	ug/kg	2	0.000002	0.000003
Exposure Point Total						0.03
RM 12 West	Total Aroclors	1.2E+02	ug/kg	25	0.0007	0.02
	Total Dioxin/Furan TEQ	1.7E-01	pg/g	2	0.00001	0.00003
	Total PCB TEQ	4.5E-01	pg/g	2	0.0001	0.0001
	Total DDT	9.5E+00	ug/kg	2	0.000002	0.00000
Exposure Point Total						0.02
Study Area-wide[b]	Total Aroclors	3.6E+02	ug/kg	25	0.002	0.05
	Total Dioxin/Furan TEQ	6.6E+02	pg/g	2	0.06	0.1
	Total PCB TEQ	1.7E+01	pg/g	2	0.002	0.004
	Total DDT	3.7E+02	ug/kg	2	0.0001	0.00013
Exposure Point Total						0.2

Notes:
a Numbers presented are rounded values. Sums calculated before rounding.
b Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:
-- = Not Applicable.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor
PCB = Polychlorinated Biphenyls.
pg/g = Picograms per gram.
RM = River mile.
TEQ = Toxic equivalents.
ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-33.
Calculation of Noncancer Hazards - Breastfeeding Infant of In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC		Noncancer Hazard Calculations[a]		
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 1 East	Total Aroclors	1.0E+02	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	4.7E-01	pg/g	2	0.00001	0.00002
	Total PCB TEQ	2.7E-01	pg/g	2	0.00001	0.00001
	Total DDT	1.8E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.003
RM 1 West	Total Aroclors	1.1E+01	ug/kg	25	0.00001	0.0003
	Total Dioxin/Furan TEQ	7.6E-01	pg/g	2	0.00002	0.00003
	Total PCB TEQ	3.2E-01	pg/g	2	0.00001	0.00001
	Total DDT	2.5E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.0004
RM 1.5 East	Total Aroclors	2.2E+01	ug/kg	25	0.00003	0.0006
	Total Dioxin/Furan TEQ	5.7E-01	pg/g	2	0.00001	0.00002
	Total PCB TEQ	1.1E-01	pg/g	2	0.000002	0.000005
	Total DDT	6.8E+00	ug/kg	2	0.000000	0.000001
Exposure Point Total						0.001
RM 1.5 West	Total Aroclors	1.2E+01	ug/kg	25	0.00001	0.0003
	Total Dioxin/Furan TEQ	8.5E-02	pg/g	2	0.000002	0.000003
	Total DDT	7.9E-01	ug/kg	2	0.00000003	0.0000001
Exposure Point Total						0.0003
RM 2 East	Total Aroclors	4.3E+02	ug/kg	25	0.001	0.01
	Total Dioxin/Furan TEQ	1.2E+00	pg/g	2	0.00002	0.00005
	Total PCB TEQ	1.3E+01	pg/g	2	0.0003	0.001
	Total DDT	2.6E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.01
RM 2 West	Total Aroclors	1.3E+01	ug/kg	25	0.00002	0.0004
	Total Dioxin/Furan TEQ	8.2E-01	pg/g	2	0.00002	0.00003
	Total PCB TEQ	2.5E-01	pg/g	2	0.00001	0.00001
	Total DDT	1.4E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.0004
RM 2.5 East	Total Aroclors	5.6E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	6.6E-01	pg/g	2	0.00001	0.00003
	Total PCB TEQ	1.3E+00	pg/g	2	0.00003	0.0001
	Total DDT	2.4E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.002
RM 2.5 MC	Total Aroclors	2.5E+01	ug/kg	25	0.00003	0.001
	Total DDT	3.7E+00	ug/kg	2	0.0000002	0.0000003
Exposure Point Total						0.001
RM 2.5 West	Total Aroclors	1.1E+01	ug/kg	25	0.00001	0.0003
	Total Dioxin/Furan TEQ	2.7E-01	pg/g	2	0.00001	0.00001
	Total PCB TEQ	2.1E-01	pg/g	2	0.000005	0.00001
	Total DDT	1.4E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.0003
RM 3 East	Total Aroclors	1.9E+01	ug/kg	25	0.00002	0.001
	Total Dioxin/Furan TEQ	2.9E+00	pg/g	2	0.0001	0.0001
	Total PCB TEQ	7.7E-02	pg/g	2	0.000002	0.000004
	Total DDT	1.6E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.001
RM 3 West	Total Aroclors	1.1E+01	ug/kg	25	0.00001	0.0003
	Total Dioxin/Furan TEQ	6.1E-01	pg/g	2	0.00001	0.00002
	Total PCB TEQ	4.1E-01	pg/g	2	0.00001	0.00002
	Total DDT	2.8E+01	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.0004
RM 3.5 East	Total Aroclors	3.8E+02	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	3.3E+00	pg/g	2	0.0001	0.0001
	Total PCB TEQ	1.7E+01	pg/g	2	0.0004	0.001
	Total DDT	6.2E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.01
RM 3.5 West	Total Aroclors	2.3E+01	ug/kg	25	0.00003	0.001
	Total Dioxin/Furan TEQ	9.1E-01	pg/g	2	0.00002	0.00004
	Total PCB TEQ	5.1E-01	pg/g	2	0.00001	0.00002
	Total DDT	5.8E+00	ug/kg	2	0.0000002	0.0000005
Exposure Point Total						0.001
RM 4 East	Total Aroclors	1.5E+02	ug/kg	25	0.0002	0.004
	Total Dioxin/Furan TEQ	4.1E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	1.9E+00	pg/g	2	0.00004	0.0001
	Total DDT	5.4E+00	ug/kg	2	0.0000002	0.0000004
Exposure Point Total						0.005
RM 4 West	Total Aroclors	2.1E+01	ug/kg	25	0.00002	0.001
	Total Dioxin/Furan TEQ	1.6E+00	pg/g	2	0.00003	0.0001
	Total PCB TEQ	4.7E-01	pg/g	2	0.00001	0.00002
	Total DDT	1.9E+01	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-33.
Calculation of Noncancer Hazards - Breastfeeding Infant of In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 4.5 East	Total Aroclors	3.5E+01	ug/kg	25	0.00004	0.001
	Total Dioxin/Furan TEQ	2.8E-01	pg/g	2	0.00001	0.00001
	Total PCB TEQ	3.2E-01	pg/g	2	0.00001	0.00001
	Total DDT	4.9E+00	ug/kg	2	0.0000002	0.0000004
Exposure Point Total						0.001
RM 4.5 West	Total Aroclors	2.5E+01	ug/kg	25	0.00003	0.001
	Total Dioxin/Furan TEQ	2.6E+00	pg/g	2	0.00005	0.0001
	Total PCB TEQ	1.4E+00	pg/g	2	0.00003	0.0001
	Total DDT	4.5E+00	ug/kg	2	0.0000002	0.0000004
Exposure Point Total						0.001
RM 5 East	Total Aroclors	2.0E+01	ug/kg	25	0.00002	0.001
	Total DDT	1.4E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.001
RM 5 West	Total Aroclors	1.7E+01	ug/kg	25	0.00002	0.0005
	Total Dioxin/Furan TEQ	3.5E+00	pg/g	2	0.0001	0.0001
	Total PCB TEQ	1.2E+00	pg/g	2	0.00003	0.0001
	Total DDT	1.2E+01	ug/kg	2	0.0000005	0.000001
Exposure Point Total						0.001
RM 5.5 East	Total Aroclors	1.1E+02	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	4.4E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	2.0E+00	pg/g	2	0.00005	0.0001
	Total DDT	8.2E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.003
RM 5.5 West	Total Aroclors	3.2E+01	ug/kg	25	0.00004	0.001
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	2	0.00003	0.0001
	Total PCB TEQ	5.8E-01	pg/g	2	0.00001	0.00003
	Total DDT	1.9E+01	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.001
RM 6 East	Total Aroclors	7.7E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	3.2E+00	pg/g	2	0.0001	0.0001
	Total PCB TEQ	1.2E+00	pg/g	2	0.00003	0.0001
	Total DDT	2.9E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.002
RM 6 West	Total Aroclors	4.3E+01	ug/kg	25	0.00005	0.001
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	2	0.00003	0.0001
	Total PCB TEQ	1.4E+00	pg/g	2	0.00003	0.0001
	Total DDT	3.6E+01	ug/kg	2	0.000001	0.000003
Exposure Point Total						0.001
RM 6.5 East	Total Aroclors	2.0E+02	ug/kg	25	0.0002	0.01
	Total Dioxin/Furan TEQ	2.0E+01	pg/g	2	0.0004	0.001
	Total PCB TEQ	3.0E+00	pg/g	2	0.0001	0.0001
	Total DDT	1.5E+01	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.01
RM 6.5 West	Total Aroclors	6.4E+01	ug/kg	25	0.00007	0.002
	Total Dioxin/Furan TEQ	2.1E+01	pg/g	2	0.0004	0.001
	Total PCB TEQ	1.8E+00	pg/g	2	0.00004	0.0001
	Total DDT	9.2E+01	ug/kg	2	0.000004	0.00001
Exposure Point Total						0.003
RM 7 East	Total Aroclors	4.2E+01	ug/kg	25	0.00005	0.001
	Total Dioxin/Furan TEQ	1.7E+01	pg/g	2	0.0003	0.0007
	Total PCB TEQ	5.5E-01	pg/g	2	0.00001	0.00003
	Total DDT	3.6E+00	ug/kg	2	0.0000001	0.0000003
Exposure Point Total						0.002
RM 7 West	Total Aroclors	7.1E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	1.7E+03	pg/g	2	0.03	0.1
	Total PCB TEQ	7.7E+00	pg/g	2	0.0002	0.0004
	Total DDT	2.3E+03	ug/kg	2	0.0001	0.0002
Exposure Point Total						0.1
RM 7.5 East	Total Aroclors	3.2E+01	ug/kg	25	0.00004	0.001
	Total DDT	1.1E+00	ug/kg	2	0.00000004	0.0000001
Exposure Point Total						0.001
RM 7.5 West	Total Aroclors	8.6E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	9.3E-01	pg/g	2	0.00002	0.00004
	Total PCB TEQ	6.6E-01	pg/g	2	0.00002	0.00003
	Total DDT	2.1E+01	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.003
RM 8 East	Total Aroclors	1.7E+02	ug/kg	25	0.0002	0.005
	Total Dioxin/Furan TEQ	9.3E-01	pg/g	2	0.00002	0.00004
	Total PCB TEQ	5.8E+00	pg/g	2	0.0001	0.0003
	Total DDT	1.1E+01	ug/kg	2	0.0000004	0.000001
Exposure Point Total						0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-33.
Calculation of Noncancer Hazards - Breastfeeding Infant of In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC		Noncancer Hazard Calculations[a]		
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 8 SIL	Total Aroclors	2.8E+02	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	6.3E+00	pg/g	2	0.0001	0.0003
	Total PCB TEQ	1.2E+01	pg/g	2	0.0003	0.0006
	Total DDT	5.2E+00	ug/kg	2	0.0000002	0.0000004
Exposure Point Total						0.009
RM 8 West	Total Aroclors	1.2E+02	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	2.6E-01	pg/g	2	0.00001	0.00001
	Total PCB TEQ	3.6E+00	pg/g	2	0.0001	0.0002
	Total DDT	6.5E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.004
RM 8.5 East	Total Aroclors	4.6E+01	ug/kg	25	0.00005	0.001
	Total Dioxin/Furan TEQ	6.3E-01	pg/g	2	0.00001	0.00003
	Total PCB TEQ	4.2E-01	pg/g	2	0.00001	0.00002
	Total DDT	1.5E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.001
RM 8.5 West	Total Aroclors	1.4E+03	ug/kg	25	0.002	0.04
	Total Dioxin/Furan TEQ	5.0E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	3.3E+01	pg/g	2	0.0008	0.002
	Total DDT	6.0E+00	ug/kg	2	0.0000002	0.0000005
Exposure Point Total						0.04
RM 9 East	Total Aroclors	5.2E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	2.2E-01	pg/g	2	0.000004	0.00001
	Total PCB TEQ	6.3E-01	pg/g	2	0.00001	0.00003
	Total DDT	1.4E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.002
RM 9 West	Total Aroclors	4.5E+02	ug/kg	25	0.0005	0.01
	Total Dioxin/Furan TEQ	3.9E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	1.6E+01	pg/g	2	0.0004	0.0007
	Total DDT	4.4E+00	ug/kg	2	0.0000002	0.0000004
Exposure Point Total						0.01
RM 9.5 East	Total Aroclors	4.0E+01	ug/kg	25	0.00005	0.001
	Total Dioxin/Furan TEQ	8.9E-01	pg/g	2	0.00002	0.00004
	Total PCB TEQ	2.6E-01	pg/g	2	0.00001	0.00001
	Total DDT	1.1E+00	ug/kg	2	0.00000005	0.0000001
Exposure Point Total						0.001
RM 9.5 West	Total Aroclors	2.1E+02	ug/kg	25	0.0002	0.0061
	Total Dioxin/Furan TEQ	8.6E+00	pg/g	2	0.0002	0.0003
	Total PCB TEQ	3.6E+00	pg/g	2	0.0001	0.0002
	Total DDT	3.1E+00	ug/kg	2	0.0000001	0.0000
Exposure Point Total						0.01
RM 10 East	Total Aroclors	3.4E+01	ug/kg	25	0.00004	0.001
	Total Dioxin/Furan TEQ	5.4E-01	pg/g	2	0.00001	0.00002
	Total PCB TEQ	6.9E-01	pg/g	2	0.00002	0.00003
	Total DDT	5.3E-01	ug/kg	2	0.00000002	0.00000004
Exposure Point Total						0.001
RM 10 West	Total Aroclors	1.8E+02	ug/kg	25	0.0002	0.01
	Total Dioxin/Furan TEQ	5.1E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	1.8E+00	pg/g	2	0.00004	0.0001
	Total DDT	4.7E+00	ug/kg	2	0.0000002	0.0000004
Exposure Point Total						0.01
RM 10.5 East	Total Aroclors	5.2E+01	ug/kg	25	0.0001	0.001
	Total PCB TEQ	3.5E-01	pg/g	2	0.00001	0.00002
	Total DDT	2.8E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.002
RM 10.5 West	Total Aroclors	3.2E+01	ug/kg	25	0.00004	0.001
	Total PCB TEQ	6.9E-01	pg/g	2	0.00002	0.00003
	Total DDT	1.7E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.001
RM 11 East	Total Aroclors	1.1E+03	ug/kg	25	0.001	0.03
	Total Dioxin/Furan TEQ	2.0E+00	pg/g	2	0.00004	0.0001
	Total PCB TEQ	1.2E+01	pg/g	2	0.0003	0.001
	Total DDT	9.9E+01	ug/kg	2	0.000004	0.00001
Exposure Point Total						0.03
RM 11 West	Total Aroclors	2.8E+01	ug/kg	25	0.00003	0.001
	Total DDT	1.3E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.001
RM 11.5 West	Total Aroclors	1.2E+01	ug/kg	25	0.00001	0.0004
	Total Dioxin/Furan TEQ	1.8E-01	pg/g	2	0.000004	0.00001
	Total PCB TEQ	2.9E-01	pg/g	2	0.00001	0.00001
	Total DDT	9.8E-01	ug/kg	2	0.00000004	0.0000001
Exposure Point Total						0.0004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-33.
Calculation of Noncancer Hazards - Breastfeeding Infant of In-water Worker, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC		Noncancer Hazard Calculations[a]		
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 12 East	Total Aroclors	1.6E+02	ug/kg	25	0.0002	0.005
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	2	0.00004	0.0001
	Total PCB TEQ	3.9E+00	pg/g	2	0.0001	0.0002
	Total DDT	9.4E+00	ug/kg	2	0.0000004	0.000001
Exposure Point Total						0.005
RM 12 West	Total Aroclors	7.0E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	1.7E-01	pg/g	2	0.000003	0.00001
	Total PCB TEQ	4.5E-01	pg/g	2	0.00001	0.00002
	Total DDT	5.9E+00	ug/kg	2	0.0000002	0.0000005
Exposure Point Total						0.002
Study Area-wide[b]	Total Aroclors	1.9E+02	ug/kg	25	0.0002	0.01
	Total Dioxin/Furan TEQ	1.0E+02	pg/g	2	0.002	0.004
	Total PCB TEQ	6.6E+00	pg/g	2	0.0002	0.0003
	Total DDT	1.4E+02	ug/kg	2	0.00001	0.00001
Exposure Point Total						0.01

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor
PCB = Polychlorinated Biphenyls.
pg/g = Picograms per gram.
RM = River mile.
TEQ = Toxic equivalents.
ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-34.
Calculation of Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 1 East	Total Aroclors	5.1E+02	ug/kg	25	0.009	0.2
	Total Dioxin/Furan TEQ	7.5E-01	pg/g	2	0.0001	0.0003
	Total PCB TEQ	2.7E-01	pg/g	2	0.0001	0.0002
	Total DDT	4.0E+00	ug/kg	2	0.000001	0.000003
Exposure Point Total						0.2
RM 1 West	Total Aroclors	1.7E+01	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	2.7E+00	pg/g	2	0.0005	0.001
	Total PCB TEQ	3.2E-01	pg/g	2	0.0001	0.0002
	Total DDT	4.6E+00	ug/kg	2	0.000002	0.000003
Exposure Point Total						0.01
RM 1.5 East	Total Aroclors	4.1E+01	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	1.8E+00	pg/g	2	0.0003	0.001
	Total PCB TEQ	1.1E-01	pg/g	2	0.00004	0.0001
	Total DDT	2.2E+01	ug/kg	2	0.00001	0.00002
Exposure Point Total						0.02
RM 1.5 West	Total Aroclors	2.2E+01	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	9.4E-02	pg/g	2	0.00002	0.00003
	Total DDT	1.1E+00	ug/kg	2	0.0000004	0.000001
Exposure Point Total						0.01
RM 2 East	Total Aroclors	1.5E+03	ug/kg	25	0.03	0.6
	Total Dioxin/Furan TEQ	4.0E+00	pg/g	2	0.00069	0.001
	Total PCB TEQ	8.5E+01	pg/g	2	0.03	0.1
	Total DDT	4.2E+00	ug/kg	2	0.000001	0.000003
Exposure Point Total						0.7
RM 2 West	Total Aroclors	1.8E+01	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	2.2E+00	pg/g	2	0.0004	0.001
	Total PCB TEQ	3.5E-01	pg/g	2	0.0001	0.0002
	Total DDT	3.2E+00	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.01
RM 2.5 East	Total Aroclors	7.7E+01	ug/kg	25	0.001	0.03
	Total Dioxin/Furan TEQ	1.1E+00	pg/g	2	0.0002	0.0004
	Total PCB TEQ	3.3E+00	pg/g	2	0.001	0.002
	Total DDT	1.1E+01	ug/kg	2	0.000004	0.00001
Exposure Point Total						0.04
RM 2.5 MC	Total Aroclors	3.9E+01	ug/kg	25	0.001	0.02
	Total DDT	1.1E+01	ug/kg	2	0.000004	0.00001
Exposure Point Total						0.02
RM 2.5 West	Total Aroclors	2.1E+01	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	4.1E-01	pg/g	2	0.0001	0.0001
	Total PCB TEQ	2.1E-01	pg/g	2	0.0001	0.0001
	Total DDT	3.4E+00	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.01
RM 3 East	Total Aroclors	2.3E+01	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	5.4E+00	pg/g	2	0.001	0.002
	Total PCB TEQ	1.0E-01	pg/g	2	0.00003	0.0001
	Total DDT	3.8E+00	ug/kg	2	0.000001	0.000003
Exposure Point Total						0.01
RM 3 West	Total Aroclors	1.8E+01	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	2	0.0003	0.001
	Total PCB TEQ	4.4E-01	pg/g	2	0.0002	0.0003
	Total DDT	2.1E+02	ug/kg	2	0.0001	0.0001
Exposure Point Total						0.01
RM 3.5 East	Total Aroclors	1.7E+03	ug/kg	25	0.03	0.7
	Total Dioxin/Furan TEQ	1.1E+01	pg/g	2	0.002	0.004
	Total PCB TEQ	1.1E+02	pg/g	2	0.04	0.1
	Total DDT	2.7E+01	ug/kg	2	0.00001	0.00002
Exposure Point Total						0.8
RM 3.5 West	Total Aroclors	2.7E+01	ug/kg	25	0.0005	0.01
	Total Dioxin/Furan TEQ	1.6E+00	pg/g	2	0.0003	0.001
	Total PCB TEQ	7.7E-01	pg/g	2	0.0003	0.001
	Total DDT	2.1E+01	ug/kg	2	0.00001	0.00001
Exposure Point Total						0.01
RM 4 East	Total Aroclors	3.6E+02	ug/kg	25	0.01	0.2
	Total Dioxin/Furan TEQ	6.9E+00	pg/g	2	0.001	0.002
	Total PCB TEQ	3.4E+00	pg/g	2	0.001	0.002
	Total DDT	1.2E+01	ug/kg	2	0.000004	0.00001
Exposure Point Total						0.2
RM 4 West	Total Aroclors	2.6E+01	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	3.3E+00	pg/g	2	0.001	0.001
	Total PCB TEQ	6.5E-01	pg/g	2	0.0002	0.0004
	Total DDT	5.6E+01	ug/kg	2	0.00002	0.00004
Exposure Point Total						0.01

Noncancer Hazard Calculations[a]

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-34.
Calculation of Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future Medium: In-water Sediment
Receptor Population: Infant Exposure Medium: Breastmilk
Population Age: Infant Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ[a]
RM 4.5 East	Total Aroclors	4.4E+01	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	2.8E-01	pg/g	2	0.00005	0.0001
	Total PCB TEQ	3.4E-01	pg/g	2	0.0001	0.0002
	Total DDT	8.7E+00	ug/kg	2	0.000003	0.00001
Exposure Point Total						0.02
RM 4.5 West	Total Aroclors	3.8E+01	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	6.8E+00	pg/g	2	0.001	0.002
	Total PCB TEQ	2.5E+00	pg/g	2	0.001	0.002
	Total DDT	2.7E+01	ug/kg	2	0.00001	0.00002
Exposure Point Total						0.02
RM 5 East	Total Aroclors	2.5E+01	ug/kg	25	0.0004	0.01
	Total DDT	1.9E+00	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.01
RM 5 West	Total Aroclors	2.5E+01	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	5.4E+00	pg/g	2	0.001	0.002
	Total PCB TEQ	2.1E+00	pg/g	2	0.001	0.001
	Total DDT	8.2E+01	ug/kg	2	0.00003	0.0001
Exposure Point Total						0.01
RM 5.5 East	Total Aroclors	1.8E+02	ug/kg	25	0.003	0.1
	Total Dioxin/Furan TEQ	8.9E+00	pg/g	2	0.002	0.003
	Total PCB TEQ	5.8E+00	pg/g	2	0.002	0.004
	Total DDT	2.0E+01	ug/kg	2	0.00001	0.00001
Exposure Point Total						0.1
RM 5.5 West	Total Aroclors	5.1E+01	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	2.3E+00	pg/g	2	0.0004	0.001
	Total PCB TEQ	1.1E+00	pg/g	2	0.0004	0.001
	Total DDT	6.2E+01	ug/kg	2	0.00002	0.00004
Exposure Point Total						0.02
RM 6 East	Total Aroclors	1.8E+02	ug/kg	25	0.003	0.1
	Total Dioxin/Furan TEQ	4.1E+00	pg/g	2	0.001	0.001
	Total PCB TEQ	3.4E+00	pg/g	2	0.001	0.002
	Total DDT	4.2E+00	ug/kg	2	0.000001	0.000003
Exposure Point Total						0.1
RM 6 West	Total Aroclors	6.1E+01	ug/kg	25	0.001	0.03
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	2	0.0003	0.001
	Total PCB TEQ	2.8E+00	pg/g	2	0.001	0.002
	Total DDT	8.1E+01	ug/kg	2	0.00003	0.0001
Exposure Point Total						0.03
RM 6.5 East	Total Aroclors	1.3E+03	ug/kg	25	0.02	0.6
	Total Dioxin/Furan TEQ	8.9E+01	pg/g	2	0.02	0.03
	Total PCB TEQ	1.3E+01	pg/g	2	0.005	0.01
	Total DDT	1.3E+02	ug/kg	2	0.00004	0.0001
Exposure Point Total						0.6
RM 6.5 West	Total Aroclors	9.1E+01	ug/kg	25	0.002	0.04
	Total Dioxin/Furan TEQ	1.1E+02	pg/g	2	0.02	0.04
	Total PCB TEQ	3.0E+00	pg/g	2	0.001	0.002
	Total DDT	1.7E+02	ug/kg	2	0.0001	0.0001
Exposure Point Total						0.1
RM 7 East	Total Aroclors	7.0E+01	ug/kg	25	0.001	0.03
	Total Dioxin/Furan TEQ	4.0E+01	pg/g	2	0.01	0.01
	Total PCB TEQ	7.4E-01	pg/g	2	0.0003	0.001
	Total DDT	1.3E+01	ug/kg	2	0.000004	0.00001
Exposure Point Total						0.04
RM 7 West	Total Aroclors	9.3E+01	ug/kg	25	0.002	0.04
	Total Dioxin/Furan TEQ	1.4E+04	pg/g	2	2	5
	Total PCB TEQ	2.7E+01	pg/g	2	0.009	0.02
	Total DDT	6.3E+03	ug/kg	2	0.002	0.004
Exposure Point Total						5
RM 7.5 East	Total Aroclors	4.5E+01	ug/kg	25	0.0008	0.02
	Total DDT	3.3E+00	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.02
RM 7.5 West	Total Aroclors	2.5E+02	ug/kg	25	0.004	0.1
	Total Dioxin/Furan TEQ	2.6E+00	pg/g	2	0.0005	0.001
	Total PCB TEQ	9.2E-01	pg/g	2	0.0003	0.001
	Total DDT	1.3E+02	ug/kg	2	0.00004	0.0001
Exposure Point Total						0.1
RM 8 East	Total Aroclors	5.8E+02	ug/kg	25	0.01	0.2
	Total Dioxin/Furan TEQ	2.1E+00	pg/g	2	0.0004	0.001
	Total PCB TEQ	1.7E+01	pg/g	2	0.01	0.01
	Total DDT	9.4E+01	ug/kg	2	0.00003	0.0001
Exposure Point Total						0.3

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-34.
Calculation of Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC		Noncancer Hazard Calculations[a]		
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 8 SIL	Total Aroclors	5.3E+02	ug/kg	25	0.01	0.2
	Total Dioxin/Furan TEQ	3.3E+01	pg/g	2	0.01	0.01
	Total PCB TEQ	8.8E+01	pg/g	2	0.03	0.1
	Total DDT	1.2E+01	ug/kg	2	0.000004	0.00001
Exposure Point Total						0.3
RM 8 West	Total Aroclors	4.0E+02	ug/kg	25	0.01	0.2
	Total Dioxin/Furan TEQ	4.3E-01	pg/g	2	0.0001	0.0001
	Total PCB TEQ	6.1E+00	pg/g	2	0.002	0.004
	Total DDT	2.1E+01	ug/kg	2	0.00001	0.00001
Exposure Point Total						0.2
RM 8.5 East	Total Aroclors	7.2E+01	ug/kg	25	0.001	0.03
	Total Dioxin/Furan TEQ	9.4E-01	pg/g	2	0.0002	0.0003
	Total PCB TEQ	5.9E-01	pg/g	2	0.0002	0.0004
	Total DDT	2.3E+00	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.03
RM 8.5 West	Total Aroclors	8.5E+03	ug/kg	25	0.1	4
	Total Dioxin/Furan TEQ	1.8E+01	pg/g	2	0.003	0.01
	Total PCB TEQ	2.4E+02	pg/g	2	0.1	0.2
	Total DDT	2.2E+01	ug/kg	2	0.00001	0.00002
Exposure Point Total						4
RM 9 East	Total Aroclors	1.0E+02	ug/kg	25	0.002	0.04
	Total Dioxin/Furan TEQ	2.2E-01	pg/g	2	0.00004	0.0001
	Total PCB TEQ	6.3E-01	pg/g	2	0.0002	0.0004
	Total DDT	1.9E+00	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.04
RM 9 West	Total Aroclors	2.3E+03	ug/kg	25	0.04	1.0
	Total Dioxin/Furan TEQ	6.0E+00	pg/g	2	0.001	0.002
	Total PCB TEQ	3.2E+01	pg/g	2	0.01	0.02
	Total DDT	9.9E+00	ug/kg	2	0.000003	0.00001
Exposure Point Total						1
RM 9.5 East	Total Aroclors	5.6E+01	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	1.1E+00	pg/g	2	0.0002	0.0004
	Total PCB TEQ	3.3E-01	pg/g	2	0.0001	0.0002
	Total DDT	1.6E+00	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.02
RM 9.5 West	Total Aroclors	3.0E+02	ug/kg	25	0.005	0.1
	Total Dioxin/Furan TEQ	1.7E+01	pg/g	2	0.003	0.01
	Total PCB TEQ	4.8E+00	pg/g	2	0.002	0.003
	Total DDT	4.5E+00	ug/kg	2	0.000002	0.000003
Exposure Point Total						0.1
RM 10 East	Total Aroclors	4.8E+01	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	5.4E-01	pg/g	2	0.0001	0.0002
	Total PCB TEQ	8.0E-01	pg/g	2	0.0003	0.001
	Total DDT	7.7E-01	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.02
RM 10 West	Total Aroclors	4.4E+02	ug/kg	25	0.01	0.2
	Total Dioxin/Furan TEQ	9.9E+00	pg/g	2	0.002	0.003
	Total PCB TEQ	3.0E+00	pg/g	2	0.001	0.002
	Total DDT	6.7E+00	ug/kg	2	0.000002	0.000005
Exposure Point Total						0.2
RM 10.5 East	Total Aroclors	1.5E+02	ug/kg	25	0.003	0.1
	Total PCB TEQ	3.9E-01	pg/g	2	0.0001	0.0003
	Total DDT	1.2E+01	ug/kg	2	0.000004	0.00001
Exposure Point Total						0.1
RM 10.5 West	Total Aroclors	3.9E+01	ug/kg	25	0.001	0.02
	Total PCB TEQ	6.9E-01	pg/g	2	0.0002	0.0005
	Total DDT	2.7E+00	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.02
RM 11 East	Total Aroclors	3.8E+03	ug/kg	25	0.07	2
	Total Dioxin/Furan TEQ	3.0E+00	pg/g	2	0.001	0.001
	Total PCB TEQ	3.1E+01	pg/g	2	0.01	0.02
	Total DDT	3.8E+02	ug/kg	2	0.0001	0.0003
Exposure Point Total						2
RM 11 West	Total Aroclors	3.5E+01	ug/kg	25	0.001	0.01
	Total DDT	2.1E+00	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.01
RM 11.5 West	Total Aroclors	2.4E+01	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	1.8E-01	pg/g	2	0.00003	0.0001
	Total PCB TEQ	2.9E-01	pg/g	2	0.0001	0.0002
	Total DDT	1.9E+00	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-34.
Calculation of Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, In-water Sediment Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC		Noncancer Hazard Calculations[a]		
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 12 East	Total Aroclors	1.8E+02	ug/kg	25	0.003	0.08
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	2	0.0003	0.001
	Total PCB TEQ	4.6E+00	pg/g	2	0.002	0.003
	Total DDT	9.4E+00	ug/kg	2	0.000003	0.00001
Exposure Point Total						0.1
RM 12 West	Total Aroclors	1.2E+02	ug/kg	25	0.002	0.05
	Total Dioxin/Furan TEQ	1.7E-01	pg/g	2	0.00003	0.0001
	Total PCB TEQ	4.5E-01	pg/g	2	0.0002	0.0003
	Total DDT	9.5E+00	ug/kg	2	0.000003	0.00001
Exposure Point Total						0.05
Study Area-wide[b]	Total Aroclors	3.6E+02	ug/kg	25	0.01	0.2
	Total Dioxin/Furan TEQ	6.6E+02	pg/g	2	0.1	0.2
	Total PCB TEQ	1.7E+01	pg/g	2	0.01	0.01
	Total DDT	3.7E+02	ug/kg	2	0.0001	0.0003
Exposure Point Total						0.4

Notes:
a Numbers presented are rounded values. Sums calculated before rounding.
b Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:
-- = Not Applicable.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor
PCB = Polychlorinated Biphenyls.
pg/g = Picograms per gram.
RM = River mile.
TEQ = Toxic equivalents.
ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-35.
Calculation of Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

| Exposure Point | Chemical of Potential Concern | EPC | | Noncancer Hazard Calculations[a] | | |
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 1 East	Total Aroclors	1.0E+02	ug/kg	25	0.0002	0.006
	Total Dioxin/Furan TEQ	4.7E-01	pg/g	2	0.00001	0.00003
	Total PCB TEQ	2.7E-01	pg/g	2	0.00001	0.00002
	Total DDT	1.8E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.01
RM 1 West	Total Aroclors	1.1E+01	ug/kg	25	0.00003	0.0006
	Total Dioxin/Furan TEQ	7.6E-01	pg/g	2	0.00002	0.00004
	Total PCB TEQ	3.2E-01	pg/g	2	0.00001	0.00003
	Total DDT	2.5E+00	ug/kg	2	0.0000001	0.0000003
Exposure Point Total						0.0007
RM 1.5 East	Total Aroclors	2.2E+01	ug/kg	25	0.00005	0.0012
	Total Dioxin/Furan TEQ	5.7E-01	pg/g	2	0.00002	0.0000
	Total PCB TEQ	1.1E-01	pg/g	2	0.000005	0.0000
	Total DDT	6.8E+00	ug/kg	2	0.0000004	0.0000
Exposure Point Total						0.001
RM 1.5 West	Total Aroclors	1.2E+01	ug/kg	25	0.0000	0.0007
	Total Dioxin/Furan TEQ	8.5E-02	pg/g	2	0.0000	0.00001
	Total DDT	7.9E-01	ug/kg	2	0.0000	0.0000001
Exposure Point Total						0.001
RM 2 East	Total Aroclors	4.3E+02	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	1.2E+00	pg/g	2	0.00004	0.0001
	Total PCB TEQ	1.3E+01	pg/g	2	0.0006	0.001
	Total DDT	2.6E+00	ug/kg	2	0.0000002	0.0000003
Exposure Point Total						0.03
RM 2 West	Total Aroclors	1.3E+01	ug/kg	25	0.00003	0.001
	Total Dioxin/Furan TEQ	8.2E-01	pg/g	2	0.00002	0.00005
	Total PCB TEQ	2.5E-01	pg/g	2	0.00001	0.00002
	Total DDT	1.4E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.0008
RM 2.5 East	Total Aroclors	5.6E+01	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	6.6E-01	pg/g	2	0.00002	0.00004
	Total PCB TEQ	1.3E+00	pg/g	2	0.0001	0.0001
	Total DDT	2.4E+00	ug/kg	2	0.0000001	0.0000003
Exposure Point Total						0.003
RM 2.5 MC	Total Aroclors	2.5E+01	ug/kg	25	0.0001	0.001
	Total DDT	3.7E+00	ug/kg	2	0.0000002	0.0000004
Exposure Point Total						0.001
RM 2.5 West	Total Aroclors	1.1E+01	ug/kg	25	0.00002	0.0006
	Total Dioxin/Furan TEQ	2.7E-01	pg/g	2	0.00001	0.0000
	Total PCB TEQ	2.1E-01	pg/g	2	0.00001	0.0000
	Total DDT	1.4E+00	ug/kg	2	0.0000001	0.0000
Exposure Point Total						0.0006
RM 3 East	Total Aroclors	1.9E+01	ug/kg	25	0.00004	0.001
	Total Dioxin/Furan TEQ	2.9E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	7.7E-02	pg/g	2	0.000003	0.00001
	Total DDT	1.6E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.001
RM 3 West	Total Aroclors	1.1E+01	ug/kg	25	0.00003	0.001
	Total Dioxin/Furan TEQ	6.1E-01	pg/g	2	0.00002	0.00004
	Total PCB TEQ	4.1E-01	pg/g	2	0.00002	0.00004
	Total DDT	2.8E+01	ug/kg	2	0.000002	0.000003
Exposure Point Total						0.001
RM 3.5 East	Total Aroclors	3.8E+02	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	3.3E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	1.7E+01	pg/g	2	0.001	0.002
	Total DDT	6.2E+00	ug/kg	2	0.0000004	0.000001
Exposure Point Total						0.02
RM 3.5 West	Total Aroclors	2.3E+01	ug/kg	25	0.0001	0.001
	Total Dioxin/Furan TEQ	9.1E-01	pg/g	2	0.00003	0.0001
	Total PCB TEQ	5.1E-01	pg/g	2	0.00002	0.00005
	Total DDT	5.8E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.001
RM 4 East	Total Aroclors	1.5E+02	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	4.1E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	1.9E+00	pg/g	2	0.0001	0.0002
	Total DDT	5.4E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.01
RM 4 West	Total Aroclors	2.1E+01	ug/kg	25	0.00005	0.001
	Total Dioxin/Furan TEQ	1.6E+00	pg/g	2	0.00005	0.0001
	Total PCB TEQ	4.7E-01	pg/g	2	0.00002	0.00004
	Total DDT	1.9E+01	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-35.
Calculation of Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future Medium: In-water Sediment
Receptor Population: Infant Exposure Medium: Breastmilk
Population Age: Infant Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 4.5 East	Total Aroclors	3.5E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	2.8E-01	pg/g	2	0.00001	0.00002
	Total PCB TEQ	3.2E-01	pg/g	2	0.00001	0.00003
	Total DDT	4.9E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.002
RM 4.5 West	Total Aroclors	2.5E+01	ug/kg	25	0.0001	0.001
	Total Dioxin/Furan TEQ	2.6E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	1.4E+00	pg/g	2	0.0001	0.0001
	Total DDT	4.5E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.002
RM 5 East	Total Aroclors	2.0E+01	ug/kg	25	0.00004	0.001
	Total DDT	1.4E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.001
RM 5 West	Total Aroclors	1.7E+01	ug/kg	25	0.00004	0.001
	Total Dioxin/Furan TEQ	3.5E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	1.2E+00	pg/g	2	0.0001	0.0001
	Total DDT	1.2E+01	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.001
RM 5.5 East	Total Aroclors	1.1E+02	ug/kg	25	0.0002	0.01
	Total Dioxin/Furan TEQ	4.4E+00	pg/g	2	0.0001	0.0003
	Total PCB TEQ	2.0E+00	pg/g	2	0.0001	0.0002
	Total DDT	8.2E+00	ug/kg	2	0.0000005	0.000001
Exposure Point Total						0.01
RM 5.5 West	Total Aroclors	3.2E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	2	0.00004	0.0001
	Total PCB TEQ	5.8E-01	pg/g	2	0.00003	0.0001
	Total DDT	1.9E+01	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.002
RM 6 East	Total Aroclors	7.7E+01	ug/kg	25	0.0002	0.004
	Total Dioxin/Furan TEQ	3.2E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	1.2E+00	pg/g	2	0.0001	0.0001
	Total DDT	2.9E+00	ug/kg	2	0.0000002	0.0000003
Exposure Point Total						0.005
RM 6 West	Total Aroclors	4.3E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	2	0.00005	0.0001
	Total PCB TEQ	1.4E+00	pg/g	2	0.0001	0.0001
	Total DDT	3.6E+01	ug/kg	2	0.000002	0.000004
Exposure Point Total						0.003
RM 6.5 East	Total Aroclors	2.0E+02	ug/kg	25	0.0005	0.01
	Total Dioxin/Furan TEQ	2.0E+01	pg/g	2	0.001	0.001
	Total PCB TEQ	3.0E+00	pg/g	2	0.0001	0.0003
	Total DDT	1.5E+01	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.01
RM 6.5 West	Total Aroclors	6.4E+01	ug/kg	25	0.0001	0.004
	Total Dioxin/Furan TEQ	2.1E+01	pg/g	2	0.001	0.001
	Total PCB TEQ	1.8E+00	pg/g	2	0.0001	0.0002
	Total DDT	9.2E+01	ug/kg	2	0.00001	0.00001
Exposure Point Total						0.005
RM 7 East	Total Aroclors	4.2E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	1.7E+01	pg/g	2	0.0005	0.001
	Total PCB TEQ	5.5E-01	pg/g	2	0.00002	0.00005
	Total DDT	3.6E+00	ug/kg	2	0.0000002	0.0000004
Exposure Point Total						0.003
RM 7 West	Total Aroclors	7.1E+01	ug/kg	25	0.0002	0.004
	Total Dioxin/Furan TEQ	1.7E+03	pg/g	2	0.05	0.1
	Total PCB TEQ	7.7E+00	pg/g	2	0.0003	0.001
	Total DDT	2.3E+03	ug/kg	2	0.0001	0.0003
Exposure Point Total						0.1
RM 7.5 East	Total Aroclors	3.2E+01	ug/kg	25	0.0001	0.002
	Total DDT	1.1E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.002
RM 7.5 West	Total Aroclors	8.6E+01	ug/kg	25	0.0002	0.005
	Total Dioxin/Furan TEQ	9.3E-01	pg/g	2	0.00003	0.0001
	Total PCB TEQ	6.6E-01	pg/g	2	0.00003	0.0001
	Total DDT	2.1E+01	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.005
RM 8 East	Total Aroclors	1.7E+02	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	9.3E-01	pg/g	2	0.00003	0.0001
	Total PCB TEQ	5.8E+00	pg/g	2	0.0003	0.001
	Total DDT	1.1E+01	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-35.
Calculation of Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC Value	EPC Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 8 SIL	Total Aroclors	2.8E+02	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	6.3E+00	pg/g	2	0.0002	0.0004
	Total PCB TEQ	1.2E+01	pg/g	2	0.001	0.001
	Total DDT	5.2E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.02
RM 8 West	Total Aroclors	1.2E+02	ug/kg	25	0.0003	0.007
	Total Dioxin/Furan TEQ	2.6E-01	pg/g	2	0.00001	0.00002
	Total PCB TEQ	3.6E+00	pg/g	2	0.0002	0.0003
	Total DDT	6.5E+00	ug/kg	2	0.0000004	0.000001
Exposure Point Total						0.007
RM 8.5 East	Total Aroclors	4.6E+01	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	6.3E-01	pg/g	2	0.00002	0.00004
	Total PCB TEQ	4.2E-01	pg/g	2	0.00002	0.00004
	Total DDT	1.5E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.003
RM 8.5 West	Total Aroclors	1.4E+03	ug/kg	25	0.003	0.1
	Total Dioxin/Furan TEQ	5.0E+00	pg/g	2	0.0001	0.0003
	Total PCB TEQ	3.3E+01	pg/g	2	0.001	0.003
	Total DDT	6.0E+00	ug/kg	2	0.0000004	0.000001
Exposure Point Total						0.1
RM 9 East	Total Aroclors	5.2E+01	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	2.2E-01	pg/g	2	0.00001	0.00001
	Total PCB TEQ	6.3E-01	pg/g	2	0.00003	0.0001
	Total DDT	1.4E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.003
RM 9 West	Total Aroclors	4.5E+02	ug/kg	25	0.001	0.03
	Total Dioxin/Furan TEQ	3.9E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	1.6E+01	pg/g	2	0.0007	0.001
	Total DDT	4.4E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.03
RM 9.5 East	Total Aroclors	4.0E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	8.9E-01	pg/g	2	0.00003	0.0001
	Total PCB TEQ	2.6E-01	pg/g	2	0.00001	0.00002
	Total DDT	1.1E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.002
RM 9.5 West	Total Aroclors	2.1E+02	ug/kg	25	0.0005	0.01
	Total Dioxin/Furan TEQ	8.6E+00	pg/g	2	0.0003	0.0005
	Total PCB TEQ	3.6E+00	pg/g	2	0.0002	0.0003
	Total DDT	3.1E+00	ug/kg	2	0.0000002	0.0000004
Exposure Point Total						0.01
RM 10 East	Total Aroclors	3.4E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	5.4E-01	pg/g	2	0.00002	0.00003
	Total PCB TEQ	6.9E-01	pg/g	2	0.00003	0.0001
	Total DDT	5.3E-01	ug/kg	2	0.00000003	0.0000001
Exposure Point Total						0.002
RM 10 West	Total Aroclors	1.8E+02	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	5.1E+00	pg/g	2	0.0002	0.0003
	Total PCB TEQ	1.8E+00	pg/g	2	0.0001	0.0002
	Total DDT	4.7E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.01
RM 10.5 East	Total Aroclors	5.2E+01	ug/kg	25	0.0001	0.003
	Total PCB TEQ	3.5E-01	pg/g	2	0.00002	0.00003
	Total DDT	2.8E+00	ug/kg	2	0.0000002	0.0000003
Exposure Point Total						0.003
RM 10.5 West	Total Aroclors	3.2E+01	ug/kg	25	0.0001	0.002
	Total PCB TEQ	6.9E-01	pg/g	2	0.00003	0.0001
	Total DDT	1.7E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.002
RM 11 East	Total Aroclors	1.1E+03	ug/kg	25	0.003	0.1
	Total Dioxin/Furan TEQ	2.0E+00	pg/g	2	0.0001	0.0001
	Total PCB TEQ	1.2E+01	pg/g	2	0.001	0.001
	Total DDT	9.9E+01	ug/kg	2	0.00001	0.00001
Exposure Point Total						0.1
RM 11 West	Total Aroclors	2.8E+01	ug/kg	25	0.0001	0.002
	Total DDT	1.3E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.002
RM 11.5 West	Total Aroclors	1.2E+01	ug/kg	25	0.00003	0.001
	Total Dioxin/Furan TEQ	1.8E-01	pg/g	2	0.00001	0.00001
	Total PCB TEQ	2.9E-01	pg/g	2	0.00001	0.00003
	Total DDT	9.8E-01	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-35.
Calculation of Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, In-water Sediment Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

| Exposure Point | Chemical of Potential Concern | EPC | | Noncancer Hazard Calculations[a] | | |
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 12 East	Total Aroclors	1.6E+02	ug/kg	25	0.0004	0.009
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	2	0.0001	0.0001
	Total PCB TEQ	3.9E+00	pg/g	2	0.0002	0.0004
	Total DDT	9.4E+00	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.01
RM 12 West	Total Aroclors	7.0E+01	ug/kg	25	0.0002	0.004
	Total Dioxin/Furan TEQ	1.7E-01	pg/g	2	0.000005	0.00001
	Total PCB TEQ	4.5E-01	pg/g	2	0.00002	0.00004
	Total DDT	5.9E+00	ug/kg	2	0.0000004	0.000001
Exposure Point Total						0.004
Study Area-wide[b]	Total Aroclors	1.9E+02	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	1.0E+02	pg/g	2	0.003	0.01
	Total PCB TEQ	6.6E+00	pg/g	2	0.0003	0.001
	Total DDT	1.4E+02	ug/kg	2	0.00001	0.00002
Exposure Point Total						0.02

Notes:
a Numbers presented are rounded values. Sums calculated before rounding.
b Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:
-- = Not Applicable.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor
PCB = Polychlorinated Biphenyls.
pg/g = Picograms per gram.
RM = River mile.
TEQ = Toxic equivalents.
ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-36.
Calculation of Noncancer Hazards - Breastfeeding Infant of High-Frequency Fisher, In-water Sediment Exposu
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

| Exposure Point | Chemical of Potential Concern | EPC | | Noncancer Hazard Calculations[a] | | |
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 1 East	Total Aroclors	5.1E+02	ug/kg	25	0.01	0.1
	Total Dioxin/Furan TEQ	7.5E-01	pg/g	2	0.0001	0.0002
	Total PCB TEQ	2.7E-01	pg/g	2	0.0001	0.0001
	Total DDT	4.0E+00	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.1
RM 1 West	Total Aroclors	1.7E+01	ug/kg	25	0.0002	0.004
	Total Dioxin/Furan TEQ	2.7E+00	pg/g	2	0.0003	0.001
	Total PCB TEQ	3.2E-01	pg/g	2	0.0001	0.0001
	Total DDT	4.6E+00	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.005
RM 1.5 East	Total Aroclors	4.1E+01	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	1.8E+00	pg/g	2	0.0002	0.0004
	Total PCB TEQ	1.1E-01	pg/g	2	0.00002	0.00004
	Total DDT	2.2E+01	ug/kg	2	0.000005	0.00001
Exposure Point Total						0.01
RM 1.5 West	Total Aroclors	2.2E+01	ug/kg	25	0.0002	0.01
	Total Dioxin/Furan TEQ	9.4E-02	pg/g	2	0.00001	0.00002
	Total DDT	1.1E+00	ug/kg	2	0.0000002	0.0000004
Exposure Point Total						0.01
RM 2 East	Total Aroclors	1.5E+03	ug/kg	25	0.02	0.4
	Total Dioxin/Furan TEQ	4.0E+00	pg/g	2	0.0004	0.001
	Total PCB TEQ	8.5E+01	pg/g	2	0.02	0.03
	Total DDT	4.2E+00	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.4
RM 2 West	Total Aroclors	1.8E+01	ug/kg	25	0.0002	0.005
	Total Dioxin/Furan TEQ	2.2E+00	pg/g	2	0.0002	0.0005
	Total PCB TEQ	3.5E-01	pg/g	2	0.0001	0.0001
	Total DDT	3.2E+00	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.01
RM 2.5 East	Total Aroclors	7.7E+01	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	1.1E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	3.3E+00	pg/g	2	0.001	0.001
	Total DDT	1.1E+01	ug/kg	2	0.000002	0.000005
Exposure Point Total						0.02
RM 2.5 MC	Total Aroclors	3.9E+01	ug/kg	25	0.0004	0.01
	Total DDT	1.1E+01	ug/kg	2	0.000002	0.000005
Exposure Point Total						0.01
RM 2.5 West	Total Aroclors	2.1E+01	ug/kg	25	0.0002	0.005
	Total Dioxin/Furan TEQ	4.1E-01	pg/g	2	0.00004	0.0001
	Total PCB TEQ	2.1E-01	pg/g	2	0.00004	0.0001
	Total DDT	3.4E+00	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.01
RM 3 East	Total Aroclors	2.3E+01	ug/kg	25	0.0002	0.01
	Total Dioxin/Furan TEQ	5.4E+00	pg/g	2	0.001	0.001
	Total PCB TEQ	1.0E-01	pg/g	2	0.00002	0.00004
	Total DDT	3.8E+00	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.01
RM 3 West	Total Aroclors	1.8E+01	ug/kg	25	0.0002	0.004
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	2	0.0002	0.0003
	Total PCB TEQ	4.4E-01	pg/g	2	0.0001	0.0002
	Total DDT	2.1E+02	ug/kg	2	0.00004	0.0001
Exposure Point Total						0.01
RM 3.5 East	Total Aroclors	1.7E+03	ug/kg	25	0.02	0.4
	Total Dioxin/Furan TEQ	1.1E+01	pg/g	2	0.001	0.002
	Total PCB TEQ	1.1E+02	pg/g	2	0.02	0.05
	Total DDT	2.7E+01	ug/kg	2	0.00001	0.00001
Exposure Point Total						0.5
RM 3.5 West	Total Aroclors	2.7E+01	ug/kg	25	0.0003	0.007
	Total Dioxin/Furan TEQ	1.6E+00	pg/g	2	0.0002	0.000
	Total PCB TEQ	7.7E-01	pg/g	2	0.0002	0.000
	Total DDT	2.1E+01	ug/kg	2	0.0000	0.000
Exposure Point Total						0.007
RM 4 East	Total Aroclors	3.6E+02	ug/kg	25	0.004	0.1
	Total Dioxin/Furan TEQ	6.9E+00	pg/g	2	0.001	0.001
	Total PCB TEQ	3.4E+00	pg/g	2	0.001	0.001
	Total DDT	1.2E+01	ug/kg	2	0.000002	0.000005
Exposure Point Total						0.1
RM 4 West	Total Aroclors	2.6E+01	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	3.3E+00	pg/g	2	0.0003	0.001
	Total PCB TEQ	6.5E-01	pg/g	2	0.0001	0.0003
	Total DDT	5.6E+01	ug/kg	2	0.0000	0.00002
Exposure Point Total						0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-36.
Calculation of Noncancer Hazards - Breastfeeding Infant of High-Frequency Fisher, In-water Sediment Exposu
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC Value	EPC Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 4.5 East	Total Aroclors	4.4E+01	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	2.8E-01	pg/g	2	0.00003	0.0001
	Total PCB TEQ	3.4E-01	pg/g	2	0.0001	0.0001
	Total DDT	8.7E+00	ug/kg	2	0.000002	0.000004
Exposure Point Total						0.01
RM 4.5 West	Total Aroclors	3.8E+01	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	6.8E+00	pg/g	2	0.001	0.001
	Total PCB TEQ	2.5E+00	pg/g	2	0.001	0.001
	Total DDT	2.7E+01	ug/kg	2	0.00001	0.00001
Exposure Point Total						0.01
RM 5 East	Total Aroclors	2.5E+01	ug/kg	25	0.0003	0.01
	Total DDT	1.9E+00	ug/kg	2	0.0000004	0.000001
Exposure Point Total						0.01
RM 5 West	Total Aroclors	2.5E+01	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	5.4E+00	pg/g	2	0.001	0.001
	Total PCB TEQ	2.1E+00	pg/g	2	0.0004	0.001
	Total DDT	8.2E+01	ug/kg	2	0.00002	0.00003
Exposure Point Total						0.01
RM 5.5 East	Total Aroclors	1.8E+02	ug/kg	25	0.002	0.05
	Total Dioxin/Furan TEQ	8.9E+00	pg/g	2	0.001	0.002
	Total PCB TEQ	5.8E+00	pg/g	2	0.001	0.002
	Total DDT	2.0E+01	ug/kg	2	0.000004	0.00001
Exposure Point Total						0.05
RM 5.5 West	Total Aroclors	5.1E+01	ug/kg	25	0.001	0.01
	Total Dioxin/Furan TEQ	2.3E+00	pg/g	2	0.0002	0.0005
	Total PCB TEQ	1.1E+00	pg/g	2	0.0002	0.0004
	Total DDT	6.2E+01	ug/kg	2	0.00001	0.00003
Exposure Point Total						0.01
RM 6 East	Total Aroclors	1.8E+02	ug/kg	25	0.002	0.04
	Total Dioxin/Furan TEQ	4.1E+00	pg/g	2	0.0004	0.001
	Total PCB TEQ	3.4E+00	pg/g	2	0.001	0.001
	Total DDT	4.2E+00	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.05
RM 6 West	Total Aroclors	6.1E+01	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	2	0.0002	0.0003
	Total PCB TEQ	2.8E+00	pg/g	2	0.001	0.001
	Total DDT	8.1E+01	ug/kg	2	0.00002	0.00003
Exposure Point Total						0.02
RM 6.5 East	Total Aroclors	1.3E+03	ug/kg	25	0.01	0.3
	Total Dioxin/Furan TEQ	8.9E+01	pg/g	2	0.01	0.02
	Total PCB TEQ	1.3E+01	pg/g	2	0.003	0.01
	Total DDT	1.3E+02	ug/kg	2	0.00003	0.0001
Exposure Point Total						0.4
RM 6.5 West	Total Aroclors	9.1E+01	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	1.1E+02	pg/g	2	0.01	0.02
	Total PCB TEQ	3.0E+00	pg/g	2	0.001	0.001
	Total DDT	1.7E+02	ug/kg	2	0.00003	0.0001
Exposure Point Total						0.05
RM 7 East	Total Aroclors	7.0E+01	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	4.0E+01	pg/g	2	0.004	0.01
	Total PCB TEQ	7.4E-01	pg/g	2	0.0002	0.0003
	Total DDT	1.3E+01	ug/kg	2	0.000003	0.00001
Exposure Point Total						0.03
RM 7 West	Total Aroclors	9.3E+01	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	1.4E+04	pg/g	2	1	3
	Total PCB TEQ	2.7E+01	pg/g	2	0.005	0.01
	Total DDT	6.3E+03	ug/kg	2	0.001	0.003
Exposure Point Total						3
RM 7.5 East	Total Aroclors	4.5E+01	ug/kg	25	0.0005	0.01
	Total DDT	3.3E+00	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.01
RM 7.5 West	Total Aroclors	2.5E+02	ug/kg	25	0.003	0.06
	Total Dioxin/Furan TEQ	2.6E+00	pg/g	2	0.0003	0.001
	Total PCB TEQ	9.2E-01	pg/g	2	0.0002	0.0004
	Total DDT	1.3E+02	ug/kg	2	0.00003	0.0001
Exposure Point Total						0.1
RM 8 East	Total Aroclors	5.8E+02	ug/kg	25	0.01	0.1
	Total Dioxin/Furan TEQ	2.1E+00	pg/g	2	0.0002	0.0004
	Total PCB TEQ	1.7E+01	pg/g	2	0.004	0.01
	Total DDT	9.4E+01	ug/kg	2	0.00002	0.00004
Exposure Point Total						0.2

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-36.
Calculation of Noncancer Hazards - Breastfeeding Infant of High-Frequency Fisher, In-water Sediment Exposu
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

| Exposure Point | Chemical of Potential Concern | EPC | | Noncancer Hazard Calculations[a] | | |
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 8 SIL	Total Aroclors	5.3E+02	ug/kg	25	0.005	0.1
	Total Dioxin/Furan TEQ	3.3E+01	pg/g	2	0.003	0.01
	Total PCB TEQ	8.8E+01	pg/g	2	0.02	0.04
	Total DDT	1.2E+01	ug/kg	2	0.000002	0.000005
Exposure Point Total						0.2
RM 8 West	Total Aroclors	4.0E+02	ug/kg	25	0.004	0.1
	Total Dioxin/Furan TEQ	4.3E-01	pg/g	2	0.00004	0.0001
	Total PCB TEQ	6.1E+00	pg/g	2	0.001	0.002
	Total DDT	2.1E+01	ug/kg	2	0.000004	0.00001
Exposure Point Total						0.1
RM 8.5 East	Total Aroclors	7.2E+01	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	9.4E-01	pg/g	2	0.0001	0.0002
	Total PCB TEQ	5.9E-01	pg/g	2	0.0001	0.0002
	Total DDT	2.3E+00	ug/kg	2	0.0000005	0.000001
Exposure Point Total						0.02
RM 8.5 West	Total Aroclors	8.5E+03	ug/kg	25	0.1	2
	Total Dioxin/Furan TEQ	1.8E+01	pg/g	2	0.002	0.004
	Total PCB TEQ	2.4E+02	pg/g	2	0.05	0.10
	Total DDT	2.2E+01	ug/kg	2	0.0000	0.00001
Exposure Point Total						2
RM 9 East	Total Aroclors	1.0E+02	ug/kg	25	0.001	0.03
	Total Dioxin/Furan TEQ	2.2E-01	pg/g	2	0.00002	0.00004
	Total PCB TEQ	6.3E-01	pg/g	2	0.0001	0.0003
	Total DDT	1.9E+00	ug/kg	2	0.0000004	0.000001
Exposure Point Total						0.03
RM 9 West	Total Aroclors	2.3E+03	ug/kg	25	0.02	0.6
	Total Dioxin/Furan TEQ	6.0E+00	pg/g	2	0.001	0.001
	Total PCB TEQ	3.2E+01	pg/g	2	0.01	0.01
	Total DDT	9.9E+00	ug/kg	2	0.000002	0.000004
Exposure Point Total						0.6
RM 9.5 East	Total Aroclors	5.6E+01	ug/kg	25	0.001	0.01
	Total Dioxin/Furan TEQ	1.1E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	3.3E-01	pg/g	2	0.0001	0.0001
	Total DDT	1.6E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.01
RM 9.5 West	Total Aroclors	3.0E+02	ug/kg	25	0.003	0.1
	Total Dioxin/Furan TEQ	1.7E+01	pg/g	2	0.002	0.003
	Total PCB TEQ	4.8E+00	pg/g	2	0.001	0.002
	Total DDT	4.5E+00	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.1
RM 10 East	Total Aroclors	4.8E+01	ug/kg	25	0.0005	0.01
	Total Dioxin/Furan TEQ	5.4E-01	pg/g	2	0.0001	0.0001
	Total PCB TEQ	8.0E-01	pg/g	2	0.0002	0.0003
	Total DDT	7.7E-01	ug/kg	2	0.0000002	0.0000003
Exposure Point Total						0.01
RM 10 West	Total Aroclors	4.4E+02	ug/kg	25	0.005	0.1
	Total Dioxin/Furan TEQ	9.9E+00	pg/g	2	0.001	0.002
	Total PCB TEQ	3.0E+00	pg/g	2	0.001	0.001
	Total DDT	6.7E+00	ug/kg	2	0.000001	0.000003
Exposure Point Total						0.1
RM 10.5 East	Total Aroclors	1.5E+02	ug/kg	25	0.002	0.04
	Total PCB TEQ	3.9E-01	pg/g	2	0.0001	0.0002
	Total DDT	1.2E+01	ug/kg	2	0.000002	0.000005
Exposure Point Total						0.04
RM 10.5 West	Total Aroclors	3.9E+01	ug/kg	25	0.0004	0.01
	Total PCB TEQ	6.9E-01	pg/g	2	0.0001	0.0003
	Total DDT	2.7E+00	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.01
RM 11 East	Total Aroclors	3.8E+03	ug/kg	25	0.04	1
	Total Dioxin/Furan TEQ	3.0E+00	pg/g	2	0.0003	0.001
	Total PCB TEQ	3.1E+01	pg/g	2	0.01	0.01
	Total DDT	3.8E+02	ug/kg	2	0.0001	0.0002
Exposure Point Total						1
RM 11 West	Total Aroclors	3.5E+01	ug/kg	25	0.0004	0.01
	Total DDT	2.1E+00	ug/kg	2	0.0000004	0.000001
Exposure Point Total						0.01
RM 11.5 West	Total Aroclors	2.4E+01	ug/kg	25	0.0002	0.006
	Total Dioxin/Furan TEQ	1.8E-01	pg/g	2	0.00002	0.00004
	Total PCB TEQ	2.9E-01	pg/g	2	0.0001	0.0001
	Total DDT	1.9E+00	ug/kg	2	0.0000004	0.000001
Exposure Point Total						0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-36.
Calculation of Noncancer Hazards - Breastfeeding Infant of High-Frequency Fisher, In-water Sediment Exposu
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future Medium: In-water Sediment
Receptor Population: Infant Exposure Medium: Breastmilk
Population Age: Infant Exposure Route: Ingestion

| Exposure Point | Chemical of Potential Concern | EPC | | Noncancer Hazard Calculations[a] | | |
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 12 East	Total Aroclors	1.8E+02	ug/kg	25	0.002	0.05
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	2	0.0002	0.0004
	Total PCB TEQ	4.6E+00	pg/g	2	0.001	0.002
	Total DDT	9.4E+00	ug/kg	2	0.000002	0.000004
Exposure Point Total						0.05
RM 12 West	Total Aroclors	1.2E+02	ug/kg	25	0.001	0.03
	Total Dioxin/Furan TEQ	1.7E-01	pg/g	2	0.00002	0.00003
	Total PCB TEQ	4.5E-01	pg/g	2	0.0001	0.0002
	Total DDT	9.5E+00	ug/kg	2	0.000002	0.000004
Exposure Point Total						0.03
Study Area-wide[b]	Total Aroclors	3.6E+02	ug/kg	25	0.004	0.1
	Total Dioxin/Furan TEQ	6.6E+02	pg/g	2	0.1	0.1
	Total PCB TEQ	1.7E+01	pg/g	2	0.003	0.01
	Total DDT	3.7E+02	ug/kg	2	0.0001	0.0002
Exposure Point Total						0.2

Notes:
a Numbers presented are rounded values. Sums calculated before rounding.
b Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of
the navigation channel and excluding Multnomah Channel.

Abbreviations:
-- = Not Applicable.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor
PCB = Polychlorinated Biphenyls.
pg/g = Picograms per gram.
RM = River mile.
TEQ = Toxic equivalents.
ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-37.
Calculation of Noncancer Hazards - Breastfeeding Infant of High-Frequency Fisher, In-water Sediment Exposu
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

| Exposure Point | Chemical of Potential Concern | EPC | | Noncancer Hazard Calculations[a] | | |
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 1 East	Total Aroclors	1.0E+02	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	4.7E-01	pg/g	2	0.00001	0.00001
	Total PCB TEQ	2.7E-01	pg/g	2	0.00001	0.00001
	Total DDT	1.8E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.003
RM 1 West	Total Aroclors	1.1E+01	ug/kg	25	0.00001	0.0003
	Total Dioxin/Furan TEQ	7.6E-01	pg/g	2	0.00001	0.00002
	Total PCB TEQ	3.2E-01	pg/g	2	0.00001	0.00001
	Total DDT	2.5E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.0004
RM 1.5 East	Total Aroclors	2.2E+01	ug/kg	25	0.00002	0.0006
	Total Dioxin/Furan TEQ	5.7E-01	pg/g	2	0.00001	0.00002
	Total PCB TEQ	1.1E-01	pg/g	2	0.000002	0.000005
	Total DDT	6.8E+00	ug/kg	2	0.0000002	0.0000004
Exposure Point Total						0.0006
RM 1.5 West	Total Aroclors	1.2E+01	ug/kg	25	0.00001	0.0003
	Total Dioxin/Furan TEQ	8.5E-02	pg/g	2	0.000001	0.000003
	Total DDT	7.9E-01	ug/kg	2	0.00000002	0.00000005
Exposure Point Total						0.0003
RM 2 East	Total Aroclors	4.3E+02	ug/kg	25	0.0005	0.01
	Total Dioxin/Furan TEQ	1.2E+00	pg/g	2	0.00002	0.00004
	Total PCB TEQ	1.3E+01	pg/g	2	0.0003	0.0006
	Total DDT	2.6E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.01
RM 2 West	Total Aroclors	1.3E+01	ug/kg	25	0.00001	0.0004
	Total Dioxin/Furan TEQ	8.2E-01	pg/g	2	0.00001	0.00002
	Total PCB TEQ	2.5E-01	pg/g	2	0.00001	0.00001
	Total DDT	1.4E+00	ug/kg	2	0.00000004	0.0000001
Exposure Point Total						0.0004
RM 2.5 East	Total Aroclors	5.6E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	6.6E-01	pg/g	2	0.00001	0.00002
	Total PCB TEQ	1.3E+00	pg/g	2	0.00003	0.00006
	Total DDT	2.4E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.002
RM 2.5 MC	Total Aroclors	2.5E+01	ug/kg	25	0.00003	0.0007
	Total DDT	3.7E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.001
RM 2.5 West	Total Aroclors	1.1E+01	ug/kg	25	0.00001	0.0003
	Total Dioxin/Furan TEQ	2.7E-01	pg/g	2	0.000004	0.00001
	Total PCB TEQ	2.1E-01	pg/g	2	0.000005	0.00001
	Total DDT	1.4E+00	ug/kg	2	0.00000004	0.0000001
Exposure Point Total						0.0003
RM 3 East	Total Aroclors	1.9E+01	ug/kg	25	0.00002	0.001
	Total Dioxin/Furan TEQ	2.9E+00	pg/g	2	0.00004	0.0001
	Total PCB TEQ	7.7E-02	pg/g	2	0.000002	0.000003
	Total DDT	1.6E+00	ug/kg	2	0.00000005	0.0000001
Exposure Point Total						0.001
RM 3 West	Total Aroclors	1.1E+01	ug/kg	25	0.00001	0.0003
	Total Dioxin/Furan TEQ	6.1E-01	pg/g	2	0.00001	0.00002
	Total PCB TEQ	4.1E-01	pg/g	2	0.00001	0.00002
	Total DDT	2.8E+01	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.0004
RM 3.5 East	Total Aroclors	3.8E+02	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	3.3E+00	pg/g	2	0.00005	0.0001
	Total PCB TEQ	1.7E+01	pg/g	2	0.0004	0.001
	Total DDT	6.2E+00	ug/kg	2	0.0000002	0.0000004
Exposure Point Total						0.01
RM 3.5 West	Total Aroclors	2.3E+01	ug/kg	25	0.00003	0.001
	Total Dioxin/Furan TEQ	9.1E-01	pg/g	2	0.00001	0.00003
	Total PCB TEQ	5.1E-01	pg/g	2	0.00001	0.00002
	Total DDT	5.8E+00	ug/kg	2	0.00000	0.0000003
Exposure Point Total						0.001
RM 4 East	Total Aroclors	1.5E+02	ug/kg	25	0.0002	0.004
	Total Dioxin/Furan TEQ	4.1E+00	pg/g	2	0.0001	0.0001
	Total PCB TEQ	1.9E+00	pg/g	2	0.00004	0.0001
	Total DDT	5.4E+00	ug/kg	2	0.0000002	0.0000003
Exposure Point Total						0.004
RM 4 West	Total Aroclors	2.1E+01	ug/kg	25	0.00002	0.0006
	Total Dioxin/Furan TEQ	1.6E+00	pg/g	2	0.00002	0.00005
	Total PCB TEQ	4.7E-01	pg/g	2	0.00001	0.00002
	Total DDT	1.9E+01	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-37.
Calculation of Noncancer Hazards - Breastfeeding Infant of High-Frequency Fisher, In-water Sediment Exposu
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 4.5 East	Total Aroclors	3.5E+01	ug/kg	25	0.00004	0.001
	Total Dioxin/Furan TEQ	2.8E-01	pg/g	2	0.00000	0.00001
	Total PCB TEQ	3.2E-01	pg/g	2	0.0001	0.00001
	Total DDT	4.9E+00	ug/kg	2	0.0000001	0.0000003
Exposure Point Total						0.001
RM 4.5 West	Total Aroclors	2.5E+01	ug/kg	25	0.00003	0.001
	Total Dioxin/Furan TEQ	2.6E+00	pg/g	2	0.00004	0.0001
	Total PCB TEQ	1.4E+00	pg/g	2	0.00003	0.0001
	Total DDT	4.5E+00	ug/kg	2	0.0000001	0.0000003
Exposure Point Total						0.001
RM 5 East	Total Aroclors	2.0E+01	ug/kg	25	0.00002	0.001
	Total DDT	1.4E+00	ug/kg	2	0.00000004	0.0000001
Exposure Point Total						0.001
RM 5 West	Total Aroclors	1.7E+01	ug/kg	25	0.00002	0.0005
	Total Dioxin/Furan TEQ	3.5E+00	pg/g	2	0.0001	0.0001
	Total PCB TEQ	1.2E+00	pg/g	2	0.00003	0.0001
	Total DDT	1.2E+01	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.001
RM 5.5 East	Total Aroclors	1.1E+02	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	4.4E+00	pg/g	2	0.0001	0.0001
	Total PCB TEQ	2.0E+00	pg/g	2	0.00005	0.0001
	Total DDT	8.2E+00	ug/kg	2	0.0000002	0.0000005
Exposure Point Total						0.003
RM 5.5 West	Total Aroclors	3.2E+01	ug/kg	25	0.00004	0.001
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	2	0.00002	0.00004
	Total PCB TEQ	5.8E-01	pg/g	2	0.00001	0.00003
	Total DDT	1.9E+01	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.001
RM 6 East	Total Aroclors	7.7E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	3.2E+00	pg/g	2	0.00005	0.0001
	Total PCB TEQ	1.2E+00	pg/g	2	0.00003	0.0001
	Total DDT	2.9E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.002
RM 6 West	Total Aroclors	4.3E+01	ug/kg	25	0.00005	0.001
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	2	0.00002	0.00005
	Total PCB TEQ	1.4E+00	pg/g	2	0.00003	0.0001
	Total DDT	3.6E+01	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.001
RM 6.5 East	Total Aroclors	2.0E+02	ug/kg	25	0.0002	0.01
	Total Dioxin/Furan TEQ	2.0E+01	pg/g	2	0.0003	0.001
	Total PCB TEQ	3.0E+00	pg/g	2	0.0001	0.0001
	Total DDT	1.5E+01	ug/kg	2	0.0000004	0.000001
Exposure Point Total						0.01
RM 6.5 West	Total Aroclors	6.4E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	2.1E+01	pg/g	2	0.0003	0.001
	Total PCB TEQ	1.8E+00	pg/g	2	0.00004	0.0001
	Total DDT	9.2E+01	ug/kg	2	0.000003	0.00001
Exposure Point Total						0.002
RM 7 East	Total Aroclors	4.2E+01	ug/kg	25	0.00005	0.001
	Total Dioxin/Furan TEQ	1.7E+01	pg/g	2	0.0002	0.0005
	Total PCB TEQ	5.5E-01	pg/g	2	0.00001	0.00002
	Total DDT	3.6E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.002
RM 7 West	Total Aroclors	7.1E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	1.7E+03	pg/g	2	0.02	0.05
	Total PCB TEQ	7.7E+00	pg/g	2	0.0002	0.0003
	Total DDT	2.3E+03	ug/kg	2	0.0001	0.0001
Exposure Point Total						0.05
RM 7.5 East	Total Aroclors	3.2E+01	ug/kg	25	0.00004	0.0009
	Total DDT	1.1E+00	ug/kg	2	0.00000003	0.0000001
Exposure Point Total						0.001
RM 7.5 West	Total Aroclors	8.6E+01	ug/kg	25	0.00010	0.002
	Total Dioxin/Furan TEQ	9.3E-01	pg/g	2	0.00001	0.00003
	Total PCB TEQ	6.6E-01	pg/g	2	0.00002	0.00003
	Total DDT	2.1E+01	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.002
RM 8 East	Total Aroclors	1.7E+02	ug/kg	25	0.0002	0.005
	Total Dioxin/Furan TEQ	9.3E-01	pg/g	2	0.00001	0.00003
	Total PCB TEQ	5.8E+00	pg/g	2	0.0001	0.0003
	Total DDT	1.1E+01	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-37.
Calculation of Noncancer Hazards - Breastfeeding Infant of High-Frequency Fisher, In-water Sediment Exposu
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC		Noncancer Hazard Calculations[a]		
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 8 SIL	Total Aroclors	2.8E+02	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	6.3E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	1.2E+01	pg/g	2	0.0003	0.0005
	Total DDT	5.2E+00	ug/kg	2	0.0000002	0.0000003
Exposure Point Total						0.01
RM 8 West	Total Aroclors	1.2E+02	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	2.6E-01	pg/g	2	0.000004	0.00001
	Total PCB TEQ	3.6E+00	pg/g	2	0.0001	0.0002
	Total DDT	6.5E+00	ug/kg	2	0.0000002	0.0000004
Exposure Point Total						0.004
RM 8.5 East	Total Aroclors	4.6E+01	ug/kg	25	0.0001	0.001
	Total Dioxin/Furan TEQ	6.3E-01	pg/g	2	0.00001	0.00002
	Total PCB TEQ	4.2E-01	pg/g	2	0.00001	0.00002
	Total DDT	1.5E+00	ug/kg	2	0.00000004	0.0000001
Exposure Point Total						0.001
RM 8.5 West	Total Aroclors	1.4E+03	ug/kg	25	0.002	0.04
	Total Dioxin/Furan TEQ	5.0E+00	pg/g	2	0.0001	0.0001
	Total PCB TEQ	3.3E+01	pg/g	2	0.001	0.001
	Total DDT	6.0E+00	ug/kg	2	0.0000002	0.0000004
Exposure Point Total						0.04
RM 9 East	Total Aroclors	5.2E+01	ug/kg	25	0.0001	0.001
	Total Dioxin/Furan TEQ	2.2E-01	pg/g	2	0.000003	0.00001
	Total PCB TEQ	6.3E-01	pg/g	2	0.00001	0.00003
	Total DDT	1.4E+00	ug/kg	2	0.00000004	0.0000001
Exposure Point Total						0.002
RM 9 West	Total Aroclors	4.5E+02	ug/kg	25	0.0005	0.01
	Total Dioxin/Furan TEQ	3.9E+00	pg/g	2	0.0001	0.0001
	Total PCB TEQ	1.6E+01	pg/g	2	0.0004	0.001
	Total DDT	4.4E+00	ug/kg	2	0.0000001	0.0000003
Exposure Point Total						0.01
RM 9.5 East	Total Aroclors	4.0E+01	ug/kg	25	0.00005	0.001
	Total Dioxin/Furan TEQ	8.9E-01	pg/g	2	0.00001	0.00003
	Total PCB TEQ	2.6E-01	pg/g	2	0.00001	0.00001
	Total DDT	1.1E+00	ug/kg	2	0.00000003	0.0000001
Exposure Point Total						0.001
RM 9.5 West	Total Aroclors	2.1E+02	ug/kg	25	0.0002	0.01
	Total Dioxin/Furan TEQ	8.6E+00	pg/g	2	0.0001	0.0003
	Total PCB TEQ	3.6E+00	pg/g	2	0.0001	0.0002
	Total DDT	3.1E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.006
RM 10 East	Total Aroclors	3.4E+01	ug/kg	25	0.00004	0.001
	Total Dioxin/Furan TEQ	5.4E-01	pg/g	2	0.00001	0.00002
	Total PCB TEQ	6.9E-01	pg/g	2	0.00002	0.00003
	Total DDT	5.3E-01	ug/kg	2	0.00000002	0.00000003
Exposure Point Total						0.001
RM 10 West	Total Aroclors	1.8E+02	ug/kg	25	0.0002	0.01
	Total Dioxin/Furan TEQ	5.1E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	1.8E+00	pg/g	2	0.00004	0.0001
	Total DDT	4.7E+00	ug/kg	2	0.0000001	0.0000003
Exposure Point Total						0.01
RM 10.5 East	Total Aroclors	5.2E+01	ug/kg	25	0.0001	0.001
	Total PCB TEQ	3.5E-01	pg/g	2	0.00001	0.00002
	Total DDT	2.8E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.001
RM 10.5 West	Total Aroclors	3.2E+01	ug/kg	25	0.00004	0.001
	Total PCB TEQ	6.9E-01	pg/g	2	0.00002	0.00003
	Total DDT	1.7E+00	ug/kg	2	0.00000005	0.0000001
Exposure Point Total						0.001
RM 11 East	Total Aroclors	1.1E+03	ug/kg	25	0.001	0.03
	Total Dioxin/Furan TEQ	2.0E+00	pg/g	2	0.00003	0.0001
	Total PCB TEQ	1.2E+01	pg/g	2	0.0003	0.001
	Total DDT	9.9E+01	ug/kg	2	0.000003	0.00001
Exposure Point Total						0.03
RM 11 West	Total Aroclors	2.8E+01	ug/kg	25	0.00003	0.001
	Total DDT	1.3E+00	ug/kg	2	0.00000004	0.0000001
Exposure Point Total						0.001
RM 11.5 West	Total Aroclors	1.2E+01	ug/kg	25	0.00001	0.0003
	Total Dioxin/Furan TEQ	1.8E-01	pg/g	2	0.000003	0.00001
	Total PCB TEQ	2.9E-01	pg/g	2	0.00001	0.00001
	Total DDT	9.8E-01	ug/kg	2	0.00000003	0.0000001
Exposure Point Total						0.0004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-37.

Calculation of Noncancer Hazards - Breastfeeding Infant of High-Frequency Fisher, In-water Sediment Exposu
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC Value	EPC Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 12 East	Total Aroclors	1.6E+02	ug/kg	25	0.0002	0.004
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	2	0.00003	0.0001
	Total PCB TEQ	3.9E+00	pg/g	2	0.0001	0.0002
	Total DDT	9.4E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.005
RM 12 West	Total Aroclors	7.0E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	1.7E-01	pg/g	2	0.000002	0.000005
	Total PCB TEQ	4.5E-01	pg/g	2	0.00001	0.00002
	Total DDT	5.9E+00	ug/kg	2	0.0000002	0.0000004
Exposure Point Total						0.002
Study Area-wide[b]	Total Aroclors	1.9E+02	ug/kg	25	0.0002	0.01
	Total Dioxin/Furan TEQ	1.0E+02	pg/g	2	0.002	0.003
	Total PCB TEQ	6.6E+00	pg/g	2	0.0001	0.0003
	Total DDT	1.4E+02	ug/kg	2	0.000004	0.00001
Exposure Point Total						0.01

Notes:

a   Numbers presented are rounded values. Sums calculated before rounding.
b   Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor
PCB = Polychlorinated Biphenyls.
pg/g = Picograms per gram.
RM = River mile.
TEQ = Toxic equivalents.
ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2012

TABLE 5-38.
Calculation of Noncancer Hazards - Breastfeeding Infant of Low-Frequency Fisher, In-water Sediment Exposu
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

| Exposure Point | Chemical of Potential Concern | EPC | | Noncancer Hazard Calculations[a] | | |
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 1 East	Total Aroclors	5.1E+02	ug/kg	25	0.003	0.1
	Total Dioxin/Furan TEQ	7.5E-01	pg/g	2	0.0001	0.0001
	Total PCB TEQ	2.7E-01	pg/g	2	0.00004	0.0001
	Total DDT	4.0E+00	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.1
RM 1 West	Total Aroclors	1.7E+01	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	2.7E+00	pg/g	2	0.0002	0.0004
	Total PCB TEQ	3.2E-01	pg/g	2	0.00004	0.0001
	Total DDT	4.6E+00	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.003
RM 1.5 East	Total Aroclors	4.1E+01	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	1.8E+00	pg/g	2	0.0001	0.0003
	Total PCB TEQ	1.1E-01	pg/g	2	0.00001	0.00003
	Total DDT	2.2E+01	ug/kg	2	0.000003	0.00001
Exposure Point Total						0.01
RM 1.5 West	Total Aroclors	2.2E+01	ug/kg	25	0.0001	0.004
	Total Dioxin/Furan TEQ	9.4E-02	pg/g	2	0.00001	0.00001
	Total DDT	1.1E+00	ug/kg	2	0.0000001	0.0000003
Exposure Point Total						0.004
RM 2 East	Total Aroclors	1.5E+03	ug/kg	25	0.01	0.3
	Total Dioxin/Furan TEQ	4.0E+00	pg/g	2	0.00028	0.001
	Total PCB TEQ	8.5E+01	pg/g	2	0.01	0.02
	Total DDT	4.2E+00	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.3
RM 2 West	Total Aroclors	1.8E+01	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	2.2E+00	pg/g	2	0.0002	0.0003
	Total PCB TEQ	3.5E-01	pg/g	2	0.00005	0.0001
	Total DDT	3.2E+00	ug/kg	2	0.0000004	0.000001
Exposure Point Total						0.003
RM 2.5 East	Total Aroclors	7.7E+01	ug/kg	25	0.001	0.01
	Total Dioxin/Furan TEQ	1.1E+00	pg/g	2	0.0001	0.0001
	Total PCB TEQ	3.3E+00	pg/g	2	0.0004	0.0009
	Total DDT	1.1E+01	ug/kg	2	0.000002	0.000003
Exposure Point Total						0.01
RM 2.5 MC	Total Aroclors	3.9E+01	ug/kg	25	0.0003	0.01
	Total DDT	1.1E+01	ug/kg	2	0.000002	0.000003
Exposure Point Total						0.01
RM 2.5 West	Total Aroclors	2.1E+01	ug/kg	25	0.0001	0.004
	Total Dioxin/Furan TEQ	4.1E-01	pg/g	2	0.00003	0.0001
	Total PCB TEQ	2.1E-01	pg/g	2	0.00003	0.0001
	Total DDT	3.4E+00	ug/kg	2	0.0000005	0.000001
Exposure Point Total						0.004
RM 3 East	Total Aroclors	2.3E+01	ug/kg	25	0.0002	0.004
	Total Dioxin/Furan TEQ	5.4E+00	pg/g	2	0.0004	0.001
	Total PCB TEQ	1.0E-01	pg/g	2	0.00001	0.00003
	Total DDT	3.8E+00	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.005
RM 3 West	Total Aroclors	1.8E+01	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	4.4E-01	pg/g	2	0.0001	0.0001
	Total DDT	2.1E+02	ug/kg	2	0.00003	0.0001
Exposure Point Total						0.003
RM 3.5 East	Total Aroclors	1.7E+03	ug/kg	25	0.01	0.3
	Total Dioxin/Furan TEQ	1.1E+01	pg/g	2	0.001	0.002
	Total PCB TEQ	1.1E+02	pg/g	2	0.02	0.03
	Total DDT	2.7E+01	ug/kg	2	0.000004	0.00001
Exposure Point Total						0.3
RM 3.5 West	Total Aroclors	2.7E+01	ug/kg	25	0.0002	0.005
	Total Dioxin/Furan TEQ	1.6E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	7.7E-01	pg/g	2	0.0001	0.0002
	Total DDT	2.1E+01	ug/kg	2	0.000003	0.00001
Exposure Point Total						0.005
RM 4 East	Total Aroclors	3.6E+02	ug/kg	25	0.002	0.1
	Total Dioxin/Furan TEQ	6.9E+00	pg/g	2	0.0005	0.001
	Total PCB TEQ	3.4E+00	pg/g	2	0.0005	0.001
	Total DDT	1.2E+01	ug/kg	2	0.000002	0.000003
Exposure Point Total						0.06
RM 4 West	Total Aroclors	2.6E+01	ug/kg	25	0.0002	0.004
	Total Dioxin/Furan TEQ	3.3E+00	pg/g	2	0.0002	0.0004
	Total PCB TEQ	6.5E-01	pg/g	2	0.0001	0.0002
	Total DDT	5.6E+01	ug/kg	2	0.00001	0.00002
Exposure Point Total						0.005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2012

TABLE 5-38.
Calculation of Noncancer Hazards - Breastfeeding Infant of Low-Frequency Fisher, In-water Sediment Exposu
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC		Noncancer Hazard Calculations[a]		
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 4.5 East	Total Aroclors	4.4E+01	ug/kg	25	0.0003	0.007
	Total Dioxin/Furan TEQ	2.8E-01	pg/g	2	0.00002	0.00004
	Total PCB TEQ	3.4E-01	pg/g	2	0.00005	0.0001
	Total DDT	8.7E+00	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.01
RM 4.5 West	Total Aroclors	3.8E+01	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	6.8E+00	pg/g	2	0.0005	0.001
	Total PCB TEQ	2.5E+00	pg/g	2	0.0003	0.001
	Total DDT	2.7E+01	ug/kg	2	0.000004	0.00001
Exposure Point Total						0.01
RM 5 East	Total Aroclors	2.5E+01	ug/kg	25	0.0002	0.004
	Total DDT	1.9E+00	ug/kg	2	0.0000003	0.0000005
Exposure Point Total						0.004
RM 5 West	Total Aroclors	2.5E+01	ug/kg	25	0.0002	0.004
	Total Dioxin/Furan TEQ	5.4E+00	pg/g	2	0.0004	0.001
	Total PCB TEQ	2.1E+00	pg/g	2	0.0003	0.001
	Total DDT	8.2E+01	ug/kg	2	0.00001	0.00002
Exposure Point Total						0.01
RM 5.5 East	Total Aroclors	1.8E+02	ug/kg	25	0.001	0.03
	Total Dioxin/Furan TEQ	8.9E+00	pg/g	2	0.001	0.001
	Total PCB TEQ	5.8E+00	pg/g	2	0.001	0.002
	Total DDT	2.0E+01	ug/kg	2	0.000003	0.00001
Exposure Point Total						0.03
RM 5.5 West	Total Aroclors	5.1E+01	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	2.3E+00	pg/g	2	0.0002	0.0003
	Total PCB TEQ	1.1E+00	pg/g	2	0.0001	0.0003
	Total DDT	6.2E+01	ug/kg	2	0.00001	0.00002
Exposure Point Total						0.01
RM 6 East	Total Aroclors	1.8E+02	ug/kg	25	0.001	0.03
	Total Dioxin/Furan TEQ	4.1E+00	pg/g	2	0.0003	0.001
	Total PCB TEQ	3.4E+00	pg/g	2	0.0005	0.001
	Total DDT	4.2E+00	ug/kg	2	0.000001	0.00000117
Exposure Point Total						0.03
RM 6 West	Total Aroclors	6.1E+01	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	2.8E+00	pg/g	2	0.0004	0.001
	Total DDT	8.1E+01	ug/kg	2	0.00001	0.00002
Exposure Point Total						0.01
RM 6.5 East	Total Aroclors	1.3E+03	ug/kg	25	0.009	0.2
	Total Dioxin/Furan TEQ	8.9E+01	pg/g	2	0.01	0.01
	Total PCB TEQ	1.3E+01	pg/g	2	0.002	0.004
	Total DDT	1.3E+02	ug/kg	2	0.00002	0.00004
Exposure Point Total						0.2
RM 6.5 West	Total Aroclors	9.1E+01	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	1.1E+02	pg/g	2	0.01	0.02
	Total PCB TEQ	3.0E+00	pg/g	2	0.0004	0.001
	Total DDT	1.7E+02	ug/kg	2	0.00002	0.00005
Exposure Point Total						0.03
RM 7 East	Total Aroclors	7.0E+01	ug/kg	25	0.0005	0.01
	Total Dioxin/Furan TEQ	4.0E+01	pg/g	2	0.003	0.01
	Total PCB TEQ	7.4E-01	pg/g	2	0.0001	0.0002
	Total DDT	1.3E+01	ug/kg	2	0.000002	0.000004
Exposure Point Total						0.02
RM 7 West	Total Aroclors	9.3E+01	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	1.4E+04	pg/g	2	1	2
	Total PCB TEQ	2.7E+01	pg/g	2	0.004	0.01
	Total DDT	6.3E+03	ug/kg	2	0.001	0.002
Exposure Point Total						2
RM 7.5 East	Total Aroclors	4.5E+01	ug/kg	25	0.0003	0.01
	Total DDT	3.3E+00	ug/kg	2	0.0000005	0.000001
Exposure Point Total						0.01
RM 7.5 West	Total Aroclors	2.5E+02	ug/kg	25	0.002	0.04
	Total Dioxin/Furan TEQ	2.6E+00	pg/g	2	0.0002	0.0004
	Total PCB TEQ	9.2E-01	pg/g	2	0.0001	0.0002
	Total DDT	1.3E+02	ug/kg	2	0.00002	0.00004
Exposure Point Total						0.04
RM 8 East	Total Aroclors	5.8E+02	ug/kg	25	0.004	0.1
	Total Dioxin/Furan TEQ	2.1E+00	pg/g	2	0.0001	0.0003
	Total PCB TEQ	1.7E+01	pg/g	2	0.00	0.005
	Total DDT	9.4E+01	ug/kg	2	0.00001	0.00003
Exposure Point Total						0.1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2012

TABLE 5-38.
Calculation of Noncancer Hazards - Breastfeeding Infant of Low-Frequency Fisher, In-water Sediment Exposur
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

| Exposure Point | Chemical of Potential Concern | EPC | | Noncancer Hazard Calculations[a] | | |
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 8 SIL	Total Aroclors	5.3E+02	ug/kg	25	0.004	0.1
	Total Dioxin/Furan TEQ	3.3E+01	pg/g	2	0.002	0.005
	Total PCB TEQ	8.8E+01	pg/g	2	0.01	0.02
	Total DDT	1.2E+01	ug/kg	2	0.000002	0.000003
Exposure Point Total						0.1
RM 8 West	Total Aroclors	4.0E+02	ug/kg	25	0.003	0.1
	Total Dioxin/Furan TEQ	4.3E-01	pg/g	2	0.00003	0.00006
	Total PCB TEQ	6.1E+00	pg/g	2	0.001	0.002
	Total DDT	2.1E+01	ug/kg	2	0.000003	0.00001
Exposure Point Total						0.07
RM 8.5 East	Total Aroclors	7.2E+01	ug/kg	25	0.0005	0.01
	Total Dioxin/Furan TEQ	9.4E-01	pg/g	2	0.0001	0.0001
	Total PCB TEQ	5.9E-01	pg/g	2	0.0001	0.0002
	Total DDT	2.3E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.01
RM 8.5 West	Total Aroclors	8.5E+03	ug/kg	25	0.1	1
	Total Dioxin/Furan TEQ	1.8E+01	pg/g	2	0.001	0.003
	Total PCB TEQ	2.4E+02	pg/g	2	0.03	0.1
	Total DDT	2.2E+01	ug/kg	2	0.000003	0.000006
Exposure Point Total						2
RM 9 East	Total Aroclors	1.0E+02	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	2.2E-01	pg/g	2	0.00001	0.00003
	Total PCB TEQ	6.3E-01	pg/g	2	0.0001	0.0002
	Total DDT	1.9E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.02
RM 9 West	Total Aroclors	2.3E+03	ug/kg	25	0.02	0.4
	Total Dioxin/Furan TEQ	6.0E+00	pg/g	2	0.0004	0.001
	Total PCB TEQ	3.2E+01	pg/g	2	0.004	0.01
	Total DDT	9.9E+00	ug/kg	2	0.000001	0.000003
Exposure Point Total						0.4
RM 9.5 East	Total Aroclors	5.6E+01	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	1.1E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	3.3E-01	pg/g	2	0.00004	0.0001
	Total DDT	1.6E+00	ug/kg	2	0.0000002	0.0000004
Exposure Point Total						0.01
RM 9.5 West	Total Aroclors	3.0E+02	ug/kg	25	0.002	0.05
	Total Dioxin/Furan TEQ	1.7E+01	pg/g	2	0.001	0.002
	Total PCB TEQ	4.8E+00	pg/g	2	0.001	0.001
	Total DDT	4.5E+00	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.1
RM 10 East	Total Aroclors	4.8E+01	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	5.4E-01	pg/g	2	0.00004	0.0001
	Total PCB TEQ	8.0E-01	pg/g	2	0.0001	0.0002
	Total DDT	7.7E-01	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.01
RM 10 West	Total Aroclors	4.4E+02	ug/kg	25	0.003	0.1
	Total Dioxin/Furan TEQ	9.9E+00	pg/g	2	0.001	0.001
	Total PCB TEQ	3.0E+00	pg/g	2	0.0004	0.001
	Total DDT	6.7E+00	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.1
RM 10.5 East	Total Aroclors	1.5E+02	ug/kg	25	0.001	0.03
	Total PCB TEQ	3.9E-01	pg/g	2	0.00005	0.0001
	Total DDT	1.2E+01	ug/kg	2	0.000002	0.000003
Exposure Point Total						0.03
RM 10.5 West	Total Aroclors	3.9E+01	ug/kg	25	0.0003	0.01
	Total PCB TEQ	6.9E-01	pg/g	2	0.0001	0.0002
	Total DDT	2.7E+00	ug/kg	2	0.0000004	0.000001
Exposure Point Total						0.01
RM 11 East	Total Aroclors	3.8E+03	ug/kg	25	0.03	0.7
	Total Dioxin/Furan TEQ	3.0E+00	pg/g	2	0.0002	0.0004
	Total PCB TEQ	3.1E+01	pg/g	2	0.004	0.01
	Total DDT	3.8E+02	ug/kg	2	0.0001	0.0001
Exposure Point Total						0.7
RM 11 West	Total Aroclors	3.5E+01	ug/kg	25	0.0002	0.01
	Total DDT	2.1E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.01
RM 11.5 West	Total Aroclors	2.4E+01	ug/kg	25	0.0002	0.004
	Total Dioxin/Furan TEQ	1.8E-01	pg/g	2	0.00001	0.00002
	Total PCB TEQ	2.9E-01	pg/g	2	0.00004	0.00008
	Total DDT	1.9E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2012

TABLE 5-38.
Calculation of Noncancer Hazards - Breastfeeding Infant of Low-Frequency Fisher, In-water Sediment Exposur
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

| Exposure Point | Chemical of Potential Concern | EPC | | Noncancer Hazard Calculations[a] | | |
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 12 East	Total Aroclors	1.8E+02	ug/kg	25	0.001	0.03
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	4.6E+00	pg/g	2	0.001	0.001
	Total DDT	9.4E+00	ug/kg	2	0.000001	0.000003
Exposure Point Total						0.03
RM 12 West	Total Aroclors	1.2E+02	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	1.7E-01	pg/g	2	0.00001	0.00002
	Total PCB TEQ	4.5E-01	pg/g	2	0.0001	0.0001
	Total DDT	9.5E+00	ug/kg	2	0.000001	0.000003
Exposure Point Total						0.02
Study Area-wide[b]	Total Aroclors	3.6E+02	ug/kg	25	0.002	0.1
	Total Dioxin/Furan TEQ	6.6E+02	pg/g	2	0.05	0.1
	Total PCB TEQ	1.7E+01	pg/g	2	0.002	0.005
	Total DDT	3.7E+02	ug/kg	2	0.0001	0.0001
Exposure Point Total						0.2

Notes:
a   Numbers presented are rounded values. Sums calculated before rounding.
b   Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of
    the navigation channel and excluding Multnomah Channel.

Abbreviations:
-- = Not Applicable.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor
PCB = Polychlorinated Biphenyls.
pg/g = Picograms per gram.
RM = River mile.
TEQ = Toxic equivalents.
ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-39.
Calculation of Noncancer Hazards - Breastfeeding Infant of Low-Frequency Fisher, In-water Sediment Exposu
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

| Exposure Point | Chemical of Potential Concern | EPC | | Noncancer Hazard Calculations[a] | | |
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 1 East	Total Aroclors	1.0E+02	ug/kg	25	0.00006	0.001
	Total Dioxin/Furan TEQ	4.7E-01	pg/g	2	0.000003	0.00001
	Total PCB TEQ	2.7E-01	pg/g	2	0.000003	0.00001
	Total DDT	1.8E+00	ug/kg	2	0.00000003	0.0000001
Exposure Point Total						0.001
RM 1 West	Total Aroclors	1.1E+01	ug/kg	25	0.00001	0.0002
	Total Dioxin/Furan TEQ	7.6E-01	pg/g	2	0.00001	0.00001
	Total PCB TEQ	3.2E-01	pg/g	2	0.000004	0.00001
	Total DDT	2.5E+00	ug/kg	2	0.00000004	0.0000001
Exposure Point Total						0.0002
RM 1.5 East	Total Aroclors	2.2E+01	ug/kg	25	0.00001	0.0003
	Total Dioxin/Furan TEQ	5.7E-01	pg/g	2	0.000004	0.00001
	Total PCB TEQ	1.1E-01	pg/g	2	0.000001	0.000002
	Total DDT	6.8E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.0003
RM 1.5 West	Total Aroclors	1.2E+01	ug/kg	25	0.00001	0.0002
	Total Dioxin/Furan TEQ	8.5E-02	pg/g	2	0.000001	0.000001
	Total DDT	7.9E-01	ug/kg	2	0.00000001	0.00000002
Exposure Point Total						0.0002
RM 2 East	Total Aroclors	4.3E+02	ug/kg	25	0.0002	0.01
	Total Dioxin/Furan TEQ	1.2E+00	pg/g	2	0.00001	0.00002
	Total PCB TEQ	1.3E+01	pg/g	2	0.0002	0.0003
	Total DDT	2.6E+00	ug/kg	2	0.00000004	0.0000001
Exposure Point Total						0.01
RM 2 West	Total Aroclors	1.3E+01	ug/kg	25	0.00001	0.0002
	Total Dioxin/Furan TEQ	8.2E-01	pg/g	2	0.00001	0.00001
	Total PCB TEQ	2.5E-01	pg/g	2	0.000003	0.00001
	Total DDT	1.4E+00	ug/kg	2	0.00000002	0.00000004
Exposure Point Total						0.0002
RM 2.5 East	Total Aroclors	5.6E+01	ug/kg	25	0.00003	0.001
	Total Dioxin/Furan TEQ	6.6E-01	pg/g	2	0.000005	0.00001
	Total PCB TEQ	1.3E+00	pg/g	2	0.00002	0.00003
	Total DDT	2.4E+00	ug/kg	2	0.00000004	0.0000001
Exposure Point Total						0.001
RM 2.5 MC	Total Aroclors	2.5E+01	ug/kg	25	0.00001	0.0004
	Total DDT	3.7E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.0004
RM 2.5 West	Total Aroclors	1.1E+01	ug/kg	25	0.00001	0.0002
	Total Dioxin/Furan TEQ	2.7E-01	pg/g	2	0.000002	0.000004
	Total PCB TEQ	2.1E-01	pg/g	2	0.000002	0.000005
	Total DDT	1.4E+00	ug/kg	2	0.00000002	0.00000004
Exposure Point Total						0.0002
RM 3 East	Total Aroclors	1.9E+01	ug/kg	25	0.00001	0.0003
	Total Dioxin/Furan TEQ	2.9E+00	pg/g	2	0.00002	0.00004
	Total PCB TEQ	7.7E-02	pg/g	2	0.000001	0.000002
	Total DDT	1.6E+00	ug/kg	2	0.00000002	0.00000005
Exposure Point Total						0.0003
RM 3 West	Total Aroclors	1.1E+01	ug/kg	25	0.00001	0.0002
	Total Dioxin/Furan TEQ	6.1E-01	pg/g	2	0.000004	0.00001
	Total PCB TEQ	4.1E-01	pg/g	2	0.000005	0.00001
	Total DDT	2.8E+01	ug/kg	2	0.0000004	0.000001
Exposure Point Total						0.0002
RM 3.5 East	Total Aroclors	3.8E+02	ug/kg	25	0.0002	0.01
	Total Dioxin/Furan TEQ	3.3E+00	pg/g	2	0.00002	0.00005
	Total PCB TEQ	1.7E+01	pg/g	2	0.0002	0.0004
	Total DDT	6.2E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.01
RM 3.5 West	Total Aroclors	2.3E+01	ug/kg	25	0.00001	0.0003
	Total Dioxin/Furan TEQ	9.1E-01	pg/g	2	0.00001	0.00001
	Total PCB TEQ	5.1E-01	pg/g	2	0.00001	0.00001
	Total DDT	5.8E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.0003
RM 4 East	Total Aroclors	1.5E+02	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	4.1E+00	pg/g	2	0.00003	0.0001
	Total PCB TEQ	1.9E+00	pg/g	2	0.00002	0.00004
	Total DDT	5.4E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.002
RM 4 West	Total Aroclors	2.1E+01	ug/kg	25	0.00001	0.0003
	Total Dioxin/Furan TEQ	1.6E+00	pg/g	2	0.00001	0.00002
	Total PCB TEQ	4.7E-01	pg/g	2	0.00001	0.00001
	Total DDT	1.9E+01	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.0003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-39.
Calculation of Noncancer Hazards - Breastfeeding Infant of Low-Frequency Fisher, In-water Sediment Exposu
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 4.5 East	Total Aroclors	3.5E+01	ug/kg	25	0.00002	0.0005
	Total Dioxin/Furan TEQ	2.8E-01	pg/g	2	0.000002	0.000004
	Total PCB TEQ	3.2E-01	pg/g	2	0.000004	0.00001
	Total DDT	4.9E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.0005
RM 4.5 West	Total Aroclors	2.5E+01	ug/kg	25	0.00001	0.0003
	Total Dioxin/Furan TEQ	2.6E+00	pg/g	2	0.00002	0.00004
	Total PCB TEQ	1.4E+00	pg/g	2	0.00002	0.00003
	Total DDT	4.5E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.0004
RM 5 East	Total Aroclors	2.0E+01	ug/kg	25	0.00001	0.0003
	Total DDT	1.4E+00	ug/kg	2	0.00000002	0.00000004
Exposure Point Total						0.0003
RM 5 West	Total Aroclors	1.7E+01	ug/kg	25	0.00001	0.0002
	Total Dioxin/Furan TEQ	3.5E+00	pg/g	2	0.00003	0.0001
	Total PCB TEQ	1.2E+00	pg/g	2	0.00001	0.00003
	Total DDT	1.2E+01	ug/kg	2	0.0000002	0.0000003
Exposure Point Total						0.0003
RM 5.5 East	Total Aroclors	1.1E+02	ug/kg	25	0.0001	0.001
	Total Dioxin/Furan TEQ	4.4E+00	pg/g	2	0.00003	0.0001
	Total PCB TEQ	2.0E+00	pg/g	2	0.00002	0.00005
	Total DDT	8.2E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.002
RM 5.5 West	Total Aroclors	3.2E+01	ug/kg	25	0.00002	0.0005
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	2	0.00001	0.00002
	Total PCB TEQ	5.8E-01	pg/g	2	0.00001	0.00001
	Total DDT	1.9E+01	ug/kg	2	0.0000003	0.0000006
Exposure Point Total						0.0005
RM 6 East	Total Aroclors	7.7E+01	ug/kg	25	0.00004	0.001
	Total Dioxin/Furan TEQ	3.2E+00	pg/g	2	0.00002	0.00005
	Total PCB TEQ	1.2E+00	pg/g	2	0.00001	0.00003
	Total DDT	2.9E+00	ug/kg	2	0.00000004	0.0000001
Exposure Point Total						0.001
RM 6 West	Total Aroclors	4.3E+01	ug/kg	25	0.00002	0.0006
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	2	0.00001	0.00002
	Total PCB TEQ	1.4E+00	pg/g	2	0.00002	0.00003
	Total DDT	3.6E+01	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.001
RM 6.5 East	Total Aroclors	2.0E+02	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	2.0E+01	pg/g	2	0.0001	0.0003
	Total PCB TEQ	3.0E+00	pg/g	2	0.00003	0.0001
	Total DDT	1.5E+01	ug/kg	2	0.0000002	0.0000004
Exposure Point Total						0.003
RM 6.5 West	Total Aroclors	6.4E+01	ug/kg	25	0.00004	0.001
	Total Dioxin/Furan TEQ	2.1E+01	pg/g	2	0.0002	0.0003
	Total PCB TEQ	1.8E+00	pg/g	2	0.00002	0.00004
	Total DDT	9.2E+01	ug/kg	2	0.000001	0.000003
Exposure Point Total						0.001
RM 7 East	Total Aroclors	4.2E+01	ug/kg	25	0.00002	0.001
	Total Dioxin/Furan TEQ	1.7E+01	pg/g	2	0.0001	0.0002
	Total PCB TEQ	5.5E-01	pg/g	2	0.00001	0.00001
	Total DDT	3.6E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.001
RM 7 West	Total Aroclors	7.1E+01	ug/kg	25	0.00004	0.001
	Total Dioxin/Furan TEQ	1.7E+03	pg/g	2	0.01	0.02
	Total PCB TEQ	7.7E+00	pg/g	2	0.0001	0.0002
	Total DDT	2.3E+03	ug/kg	2	0.00003	0.0001
Exposure Point Total						0.03
RM 7.5 East	Total Aroclors	3.2E+01	ug/kg	25	0.00002	0.0004
	Total DDT	1.1E+00	ug/kg	2	0.00000002	0.00000003
Exposure Point Total						0.0004
RM 7.5 West	Total Aroclors	8.6E+01	ug/kg	25	0.00005	0.001
	Total Dioxin/Furan TEQ	9.3E-01	pg/g	2	0.00001	0.00001
	Total PCB TEQ	6.6E-01	pg/g	2	0.00001	0.00002
	Total DDT	2.1E+01	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.001
RM 8 East	Total Aroclors	1.7E+02	ug/kg	25	0.00010	0.002
	Total Dioxin/Furan TEQ	9.3E-01	pg/g	2	0.00001	0.00001
	Total PCB TEQ	5.8E+00	pg/g	2	0.0001	0.0001
	Total DDT	1.1E+01	ug/kg	2	0.0000002	0.0000003
Exposure Point Total						0.003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-39.
Calculation of Noncancer Hazards - Breastfeeding Infant of Low-Frequency Fisher, In-water Sediment Exposu
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC		Noncancer Hazard Calculations[a]		
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 8 SIL	Total Aroclors	2.8E+02	ug/kg	25	0.0002	0.004
	Total Dioxin/Furan TEQ	6.3E+00	pg/g	2	0.00005	0.0001
	Total PCB TEQ	1.2E+01	pg/g	2	0.0001	0.0003
	Total DDT	5.2E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.004
RM 8 West	Total Aroclors	1.2E+02	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	2.6E-01	pg/g	2	0.000002	0.000004
	Total PCB TEQ	3.6E+00	pg/g	2	0.00004	0.0001
	Total DDT	6.5E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.002
RM 8.5 East	Total Aroclors	4.6E+01	ug/kg	25	0.00003	0.001
	Total Dioxin/Furan TEQ	6.3E-01	pg/g	2	0.000005	0.00001
	Total PCB TEQ	4.2E-01	pg/g	2	0.000005	0.00001
	Total DDT	1.5E+00	ug/kg	2	0.00000002	0.00000004
Exposure Point Total						0.001
RM 8.5 West	Total Aroclors	1.4E+03	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	5.0E+00	pg/g	2	0.00004	0.0001
	Total PCB TEQ	3.3E+01	pg/g	2	0.0004	0.001
	Total DDT	6.0E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.02
RM 9 East	Total Aroclors	5.2E+01	ug/kg	25	0.00003	0.001
	Total Dioxin/Furan TEQ	2.2E-01	pg/g	2	0.000002	0.000003
	Total PCB TEQ	6.3E-01	pg/g	2	0.00001	0.00001
	Total DDT	1.4E+00	ug/kg	2	0.00000002	0.00000004
Exposure Point Total						0.001
RM 9 West	Total Aroclors	4.5E+02	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	3.9E+00	pg/g	2	0.00003	0.0001
	Total PCB TEQ	1.6E+01	pg/g	2	0.0002	0.0004
	Total DDT	4.4E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.007
RM 9.5 East	Total Aroclors	4.0E+01	ug/kg	25	0.00002	0.001
	Total Dioxin/Furan TEQ	8.9E-01	pg/g	2	0.00001	0.00001
	Total PCB TEQ	2.6E-01	pg/g	2	0.000003	0.00001
	Total DDT	1.1E+00	ug/kg	2	0.00000002	0.00000003
Exposure Point Total						0.001
RM 9.5 West	Total Aroclors	2.1E+02	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	8.6E+00	pg/g	2	0.0001	0.0001
	Total PCB TEQ	3.6E+00	pg/g	2	0.00004	0.0001
	Total DDT	3.1E+00	ug/kg	2	0.00000005	0.0000001
Exposure Point Total						0.003
RM 10 East	Total Aroclors	3.4E+01	ug/kg	25	0.00002	0.0005
	Total Dioxin/Furan TEQ	5.4E-01	pg/g	2	0.000004	0.00001
	Total PCB TEQ	6.9E-01	pg/g	2	0.00001	0.00002
	Total DDT	5.3E-01	ug/kg	2	0.00000001	0.00000002
Exposure Point Total						0.001
RM 10 West	Total Aroclors	1.8E+02	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	5.1E+00	pg/g	2	0.00004	0.0001
	Total PCB TEQ	1.8E+00	pg/g	2	0.00002	0.00004
	Total DDT	4.7E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.003
RM 10.5 East	Total Aroclors	5.2E+01	ug/kg	25	0.00003	0.0007
	Total PCB TEQ	3.5E-01	pg/g	2	0.000004	0.00001
	Total DDT	2.8E+00	ug/kg	2	0.00000004	0.0000001
Exposure Point Total						0.001
RM 10.5 West	Total Aroclors	3.2E+01	ug/kg	25	0.00002	0.0004
	Total PCB TEQ	6.9E-01	pg/g	2	0.00001	0.00002
	Total DDT	1.7E+00	ug/kg	2	0.00000002	0.00000005
Exposure Point Total						0.0005
RM 11 East	Total Aroclors	1.1E+03	ug/kg	25	0.0006	0.02
	Total Dioxin/Furan TEQ	2.0E+00	pg/g	2	0.00002	0.00003
	Total PCB TEQ	1.2E+01	pg/g	2	0.0001	0.0003
	Total DDT	9.9E+01	ug/kg	2	0.000001	0.000003
Exposure Point Total						0.02
RM 11 West	Total Aroclors	2.8E+01	ug/kg	25	0.00002	0.0004
	Total DDT	1.3E+00	ug/kg	2	0.00000002	0.00000004
Exposure Point Total						0.0004
RM 11.5 West	Total Aroclors	1.2E+01	ug/kg	25	0.00001	0.0002
	Total Dioxin/Furan TEQ	1.8E-01	pg/g	2	0.000001	0.000003
	Total PCB TEQ	2.9E-01	pg/g	2	0.000003	0.00001
	Total DDT	9.8E-01	ug/kg	2	0.00000001	0.00000003
Exposure Point Total						0.0002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-39.

Calculation of Noncancer Hazards - Breastfeeding Infant of Low-Frequency Fisher, In-water Sediment Exposure

Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

| Exposure Point | Chemical of Potential Concern | EPC | | Noncancer Hazard Calculations[a] | | |
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 12 East	Total Aroclors	1.6E+02	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	2	0.00001	0.00003
	Total PCB TEQ	3.9E+00	pg/g	2	0.00004	0.0001
	Total DDT	9.4E+00	ug/kg	2	0.0000001	0.0000003
Exposure Point Total						0.002
RM 12 West	Total Aroclors	7.0E+01	ug/kg	25	0.00004	0.001
	Total Dioxin/Furan TEQ	1.7E-01	pg/g	2	0.000001	0.000002
	Total PCB TEQ	4.5E-01	pg/g	2	0.00001	0.00001
	Total DDT	5.9E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.001
Study Area-wide[b]	Total Aroclors	1.9E+02	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	1.0E+02	pg/g	2	0.001	0.002
	Total PCB TEQ	6.6E+00	pg/g	2	0.0001	0.0001
	Total DDT	1.4E+02	ug/kg	2	0.000002	0.000004
Exposure Point Total						0.004

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.

EPC = Exposure Point Concentration.

HQ = Hazard Quotient.

IRAF = Infant Risk Adjustment Factor

PCB = Polychlorinated Biphenyls.

pg/g = Picograms per gram.

RM = River mile.

TEQ = Toxic equivalents.

ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-40.
Calculation of Noncancer Hazards - Breastfeeding Infant of Commercial Diver in Wet Suit, In-water Sediment
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC		Noncancer Hazard Calculations[a]		
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 1 East	Total Aroclors	5.1E+02	ug/kg	25	0.004	0.1
	Total Dioxin/Furan TEQ	7.5E-01	pg/g	2	0.00003	0.0001
	Total PCB TEQ	2.7E-01	pg/g	2	0.00004	0.0001
	Total DDT	4.0E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.1
RM 1 West	Total Aroclors	1.7E+01	ug/kg	25	0.0001	0.00
	Total Dioxin/Furan TEQ	2.7E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	3.2E-01	pg/g	2	0.0001	0.0001
	Total DDT	4.6E+00	ug/kg	2	0.0000004	0.000001
Exposure Point Total						0.004
RM 1.5 East	Total Aroclors	4.1E+01	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	1.8E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	1.1E-01	pg/g	2	0.00002	0.00003
	Total DDT	2.2E+01	ug/kg	2	0.000002	0.000004
Exposure Point Total						0.01
RM 1.5 West	Total Aroclors	2.2E+01	ug/kg	25	0.0002	0.004
	Total Dioxin/Furan TEQ	9.4E-02	pg/g	2	0.000004	0.00001
	Total DDT	1.1E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.004
RM 2 East	Total Aroclors	1.5E+03	ug/kg	25	0.01	0.3
	Total Dioxin/Furan TEQ	4.0E+00	pg/g	2	0.0002	0.0003
	Total PCB TEQ	8.5E+01	pg/g	2	0.01	0.03
	Total DDT	4.2E+00	ug/kg	2	0.0000004	0.000001
Exposure Point Total						0.3
RM 2 West	Total Aroclors	1.8E+01	ug/kg	25	0.0001	0.004
	Total Dioxin/Furan TEQ	2.2E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	3.5E-01	pg/g	2	0.0001	0.0001
	Total DDT	3.2E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.004
RM 2.5 East	Total Aroclors	7.7E+01	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	1.1E+00	pg/g	2	0.00004	0.0001
	Total PCB TEQ	3.3E+00	pg/g	2	0.001	0.001
	Total DDT	1.1E+01	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.02
RM 2.5 MC	Total Aroclors	3.9E+01	ug/kg	25	0.0003	0.01
	Total DDT	1.1E+01	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.01
RM 2.5 West	Total Aroclors	2.1E+01	ug/kg	25	0.0002	0.004
	Total Dioxin/Furan TEQ	4.1E-01	pg/g	2	0.00002	0.00003
	Total PCB TEQ	2.1E-01	pg/g	2	0.00003	0.0001
	Total DDT	3.4E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.004
RM 3 East	Total Aroclors	2.3E+01	ug/kg	25	0.0002	0.005
	Total Dioxin/Furan TEQ	5.4E+00	pg/g	2	0.00022	0.0004
	Total PCB TEQ	1.0E-01	pg/g	2	0.00002	0.00003
	Total DDT	3.8E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.005
RM 3 West	Total Aroclors	1.8E+01	ug/kg	25	0.0001	0.004
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	2	0.0001	0.0001
	Total PCB TEQ	4.4E-01	pg/g	2	0.0001	0.0001
	Total DDT	2.1E+02	ug/kg	2	0.00002	0.00004
Exposure Point Total						0.004
RM 3.5 East	Total Aroclors	1.7E+03	ug/kg	25	0.01	0.3
	Total Dioxin/Furan TEQ	1.1E+01	pg/g	2	0.0005	0.001
	Total PCB TEQ	1.1E+02	pg/g	2	0.02	0.04
	Total DDT	2.7E+01	ug/kg	2	0.000002	0.000005
Exposure Point Total						0.4
RM 3.5 West	Total Aroclors	2.7E+01	ug/kg	25	0.0002	0.01
	Total Dioxin/Furan TEQ	1.6E+00	pg/g	2	0.0001	0.0001
	Total PCB TEQ	7.7E-01	pg/g	2	0.0001	0.0002
	Total DDT	2.1E+01	ug/kg	2	0.000002	0.000003
Exposure Point Total						0.01
RM 4 East	Total Aroclors	3.6E+02	ug/kg	25	0.003	0.1
	Total Dioxin/Furan TEQ	6.9E+00	pg/g	2	0.0003	0.001
	Total PCB TEQ	3.4E+00	pg/g	2	0.001	0.001
	Total DDT	1.2E+01	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.1
RM 4 West	Total Aroclors	2.6E+01	ug/kg	25	0.0002	0.01
	Total Dioxin/Furan TEQ	3.3E+00	pg/g	2	0.0001	0.0003
	Total PCB TEQ	6.5E-01	pg/g	2	0.0001	0.0002
	Total DDT	5.6E+01	ug/kg	2	0.000005	0.00001
Exposure Point Total						0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-40.
Calculation of Noncancer Hazards - Breastfeeding Infant of Commercial Diver in Wet Suit, In-water Sediment
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

| Exposure Point | Chemical of Potential Concern | EPC | | Noncancer Hazard Calculations[a] | | |
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 4.5 East	Total Aroclors	4.4E+01	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	2.8E-01	pg/g	2	0.00001	0.00002
	Total PCB TEQ	3.4E-01	pg/g	2	0.0001	0.0001
	Total DDT	8.7E+00	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.01
RM 4.5 West	Total Aroclors	3.8E+01	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	6.8E+00	pg/g	2	0.0003	0.001
	Total PCB TEQ	2.5E+00	pg/g	2	0.0004	0.001
	Total DDT	2.7E+01	ug/kg	2	0.000002	0.000005
Exposure Point Total						0.01
RM 5 East	Total Aroclors	2.5E+01	ug/kg	25	0.0002	0.005
	Total DDT	1.9E+00	ug/kg	2	0.0000002	0.0000003
Exposure Point Total						0.01
RM 5 West	Total Aroclors	2.5E+01	ug/kg	25	0.0002	0.01
	Total Dioxin/Furan TEQ	5.4E+00	pg/g	2	0.0002	0.0005
	Total PCB TEQ	2.1E+00	pg/g	2	0.0003	0.001
	Total DDT	8.2E+01	ug/kg	2	0.00001	0.00001
Exposure Point Total						0.01
RM 5.5 East	Total Aroclors	1.8E+02	ug/kg	25	0.001	0.04
	Total Dioxin/Furan TEQ	8.9E+00	pg/g	2	0.0004	0.001
	Total PCB TEQ	5.8E+00	pg/g	2	0.001	0.002
	Total DDT	2.0E+01	ug/kg	2	0.000002	0.000003
Exposure Point Total						0.04
RM 5.5 West	Total Aroclors	5.1E+01	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	2.3E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	1.1E+00	pg/g	2	0.0002	0.0003
	Total DDT	6.2E+01	ug/kg	2	0.00001	0.00001
Exposure Point Total						0.01
RM 6 East	Total Aroclors	1.8E+02	ug/kg	25	0.001	0.03
	Total Dioxin/Furan TEQ	4.1E+00	pg/g	2	0.0002	0.0003
	Total PCB TEQ	3.4E+00	pg/g	2	0.001	0.001
	Total DDT	4.2E+00	ug/kg	2	0.0000004	0.000001
Exposure Point Total						0.04
RM 6 West	Total Aroclors	6.1E+01	ug/kg	25	0.0005	0.01
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	2	0.0001	0.0001
	Total PCB TEQ	2.8E+00	pg/g	2	0.0004	0.001
	Total DDT	8.1E+01	ug/kg	2	0.00001	0.00001
Exposure Point Total						0.01
RM 6.5 East	Total Aroclors	1.3E+03	ug/kg	25	0.01	0.3
	Total Dioxin/Furan TEQ	8.9E+01	pg/g	2	0.004	0.01
	Total PCB TEQ	1.3E+01	pg/g	2	0.002	0.004
	Total DDT	1.3E+02	ug/kg	2	0.00001	0.00002
Exposure Point Total						0.3
RM 6.5 West	Total Aroclors	9.1E+01	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	1.1E+02	pg/g	2	0.005	0.01
	Total PCB TEQ	3.0E+00	pg/g	2	0.0005	0.001
	Total DDT	1.7E+02	ug/kg	2	0.00001	0.00003
Exposure Point Total						0.03
RM 7 East	Total Aroclors	7.0E+01	ug/kg	25	0.001	0.01
	Total Dioxin/Furan TEQ	4.0E+01	pg/g	2	0.002	0.003
	Total PCB TEQ	7.4E-01	pg/g	2	0.0001	0.0002
	Total DDT	1.3E+01	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.02
RM 7 West	Total Aroclors	9.3E+01	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	1.4E+04	pg/g	2	0.6	1
	Total PCB TEQ	2.7E+01	pg/g	2	0.004	0.01
	Total DDT	6.3E+03	ug/kg	2	0.001	0.001
Exposure Point Total						1
RM 7.5 East	Total Aroclors	4.5E+01	ug/kg	25	0.0004	0.01
	Total DDT	3.3E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.009
RM 7.5 West	Total Aroclors	2.5E+02	ug/kg	25	0.002	0.05
	Total Dioxin/Furan TEQ	2.6E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	9.2E-01	pg/g	2	0.0001	0.0003
	Total DDT	1.3E+02	ug/kg	2	0.00001	0.00002
Exposure Point Total						0.05
RM 8 East	Total Aroclors	5.8E+02	ug/kg	25	0.005	0.1
	Total Dioxin/Furan TEQ	2.1E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	1.7E+01	pg/g	2	0.003	0.01
	Total DDT	9.4E+01	ug/kg	2	0.00001	0.00002
Exposure Point Total						0.1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-40.
Calculation of Noncancer Hazards - Breastfeeding Infant of Commercial Diver in Wet Suit, In-water Sediment I
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

| Exposure Point | Chemical of Potential Concern | EPC | | Noncancer Hazard Calculations[a] | | |
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 8 SIL	Total Aroclors	5.3E+02	ug/kg	25	0.004	0.10
	Total Dioxin/Furan TEQ	3.3E+01	pg/g	2	0.001	0.003
	Total PCB TEQ	8.8E+01	pg/g	2	0.01	0.03
	Total DDT	1.2E+01	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.1
RM 8 West	Total Aroclors	4.0E+02	ug/kg	25	0.003	0.1
	Total Dioxin/Furan TEQ	4.3E-01	pg/g	2	0.00002	0.00004
	Total PCB TEQ	6.1E+00	pg/g	2	0.001	0.002
	Total DDT	2.1E+01	ug/kg	2	0.000002	0.000004
Exposure Point Total						0.1
RM 8.5 East	Total Aroclors	7.2E+01	ug/kg	25	0.001	0.01
	Total Dioxin/Furan TEQ	9.4E-01	pg/g	2	0.00004	0.0001
	Total PCB TEQ	5.9E-01	pg/g	2	0.0001	0.0002
	Total DDT	2.3E+00	ug/kg	2	0.0000002	0.0000004
Exposure Point Total						0.01
RM 8.5 West	Total Aroclors	8.5E+03	ug/kg	25	0.1	2
	Total Dioxin/Furan TEQ	1.8E+01	pg/g	2	0.001	0.002
	Total PCB TEQ	2.4E+02	pg/g	2	0.04	0.1
	Total DDT	2.2E+01	ug/kg	2	0.000002	0.000004
Exposure Point Total						2
RM 9 East	Total Aroclors	1.0E+02	ug/kg	25	0.0008	0.02
	Total Dioxin/Furan TEQ	2.2E-01	pg/g	2	0.00001	0.00002
	Total PCB TEQ	6.3E-01	pg/g	2	0.0001	0.0002
	Total DDT	1.9E+00	ug/kg	2	0.0000002	0.0000003
Exposure Point Total						0.02
RM 9 West	Total Aroclors	2.3E+03	ug/kg	25	0.02	0.5
	Total Dioxin/Furan TEQ	6.0E+00	pg/g	2	0.0002	0.0005
	Total PCB TEQ	3.2E+01	pg/g	2	0.005	0.01
	Total DDT	9.9E+00	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.5
RM 9.5 East	Total Aroclors	5.6E+01	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	1.1E+00	pg/g	2	0.00005	0.0001
	Total PCB TEQ	3.3E-01	pg/g	2	0.00005	0.0001
	Total DDT	1.6E+00	ug/kg	2	0.0000001	0.0000003
Exposure Point Total						0.01
RM 9.5 West	Total Aroclors	3.0E+02	ug/kg	25	0.002	0.1
	Total Dioxin/Furan TEQ	1.7E+01	pg/g	2	0.001	0.001
	Total PCB TEQ	4.8E+00	pg/g	2	0.001	0.002
	Total DDT	4.5E+00	ug/kg	2	0.0000004	0.000001
Exposure Point Total						0.1
RM 10 East	Total Aroclors	4.8E+01	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	5.4E-01	pg/g	2	0.00002	0.00005
	Total PCB TEQ	8.0E-01	pg/g	2	0.0001	0.0003
	Total DDT	7.7E-01	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.01
RM 10 West	Total Aroclors	4.4E+02	ug/kg	25	0.004	0.1
	Total Dioxin/Furan TEQ	9.9E+00	pg/g	2	0.0004	0.001
	Total PCB TEQ	3.0E+00	pg/g	2	0.0005	0.001
	Total DDT	6.7E+00	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.1
RM 10.5 East	Total Aroclors	1.5E+02	ug/kg	25	0.001	0.03
	Total PCB TEQ	3.9E-01	pg/g	2	0.00006	0.00012
	Total DDT	1.2E+01	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.03
RM 10.5 West	Total Aroclors	3.9E+01	ug/kg	25	0.0003	0.01
	Total PCB TEQ	6.9E-01	pg/g	2	0.0001	0.0002
	Total DDT	2.7E+00	ug/kg	2	0.0000002	0.0000004
Exposure Point Total						0.01
RM 11 East	Total Aroclors	3.8E+03	ug/kg	25	0.03	0.8
	Total Dioxin/Furan TEQ	3.0E+00	pg/g	2	0.0001	0.0003
	Total PCB TEQ	3.1E+01	pg/g	2	0.005	0.01
	Total DDT	3.8E+02	ug/kg	2	0.00003	0.0001
Exposure Point Total						0.8
RM 11 West	Total Aroclors	3.5E+01	ug/kg	25	0.0003	0.01
	Total DDT	2.1E+00	ug/kg	2	0.0000002	0.0000003
Exposure Point Total						0.01
RM 11.5 West	Total Aroclors	2.4E+01	ug/kg	25	0.0002	0.005
	Total Dioxin/Furan TEQ	1.8E-01	pg/g	2	0.00001	0.00001
	Total PCB TEQ	2.9E-01	pg/g	2	0.00005	0.0001
	Total DDT	1.9E+00	ug/kg	2	0.0000002	0.0000003
Exposure Point Total						0.005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-40.
Calculation of Noncancer Hazards - Breastfeeding Infant of Commercial Diver in Wet Suit, In-water Sediment I
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

| Exposure Point | Chemical of Potential Concern | EPC | | Noncancer Hazard Calculations[a] | | |
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 12 East	Total Aroclors	1.8E+02	ug/kg	25	0.001	0.04
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	2	0.0001	0.0001
	Total PCB TEQ	4.6E+00	pg/g	2	0.001	0.001
	Total DDT	9.4E+00	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.04
RM 12 West	Total Aroclors	1.2E+02	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	1.7E-01	pg/g	2	0.00001	0.00001
	Total PCB TEQ	4.5E-01	pg/g	2	0.0001	0.0001
	Total DDT	9.5E+00	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.02
Study Area-wide[b]	Total Aroclors	3.6E+02	ug/kg	25	0.003	0.1
	Total Dioxin/Furan TEQ	6.6E+02	pg/g	2	0.03	0.1
	Total PCB TEQ	1.7E+01	pg/g	2	0.003	0.01
	Total DDT	3.7E+02	ug/kg	2	0.00003	0.0001
Exposure Point Total						0.1

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor
PCB = Polychlorinated Biphenyls.
pg/g = Picograms per gram.
RM = River mile.
TEQ = Toxic equivalents.
ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-41.
Calculation of Noncancer Hazards - Breastfeeding Infant of Commercial Diver in Wet Suit, In-water Sediment
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC		Noncancer Hazard Calculations[a]		
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 1 East	Total Aroclors	1.0E+02	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	4.7E-01	pg/g	2	0.000002	0.000005
	Total PCB TEQ	2.7E-01	pg/g	2	0.000004	0.000008
	Total DDT	1.8E+00	ug/kg	2	0.00000002	0.00000004
Exposure Point Total						0.002
RM 1 West	Total Aroclors	1.1E+01	ug/kg	25	0.00001	0.0002
	Total Dioxin/Furan TEQ	7.6E-01	pg/g	2	0.000004	0.00001
	Total PCB TEQ	3.2E-01	pg/g	2	0.000005	0.00001
	Total DDT	2.5E+00	ug/kg	2	0.00000002	0.00000005
Exposure Point Total						0.0002
RM 1.5 East	Total Aroclors	2.2E+01	ug/kg	25	0.00002	0.0004
	Total Dioxin/Furan TEQ	5.7E-01	pg/g	2	0.000003	0.00001
	Total PCB TEQ	1.1E-01	pg/g	2	0.000002	0.000003
	Total DDT	6.8E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.0004
RM 1.5 West	Total Aroclors	1.2E+01	ug/kg	25	0.00001	0.0002
	Total Dioxin/Furan TEQ	8.5E-02	pg/g	2	0.0000004	0.000001
	Total DDT	7.9E-01	ug/kg	2	0.00000001	0.00000002
Exposure Point Total						0.0002
RM 2 East	Total Aroclors	4.3E+02	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	1.2E+00	pg/g	2	0.00001	0.00001
	Total PCB TEQ	1.3E+01	pg/g	2	0.0002	0.0004
	Total DDT	2.6E+00	ug/kg	2	0.00000003	0.0000001
Exposure Point Total						0.01
RM 2 West	Total Aroclors	1.3E+01	ug/kg	25	0.00001	0.0003
	Total Dioxin/Furan TEQ	8.2E-01	pg/g	2	0.000004	0.00001
	Total PCB TEQ	2.5E-01	pg/g	2	0.000004	0.00001
	Total DDT	1.4E+00	ug/kg	2	0.00000001	0.00000003
Exposure Point Total						0.0003
RM 2.5 East	Total Aroclors	5.6E+01	ug/kg	25	0.00004	0.001
	Total Dioxin/Furan TEQ	6.6E-01	pg/g	2	0.000003	0.00001
	Total PCB TEQ	1.3E+00	pg/g	2	0.00002	0.00004
	Total DDT	2.4E+00	ug/kg	2	0.00000002	0.00000005
Exposure Point Total						0.001
RM 2.5 MC	Total Aroclors	2.5E+01	ug/kg	25	0.00002	0.0005
	Total DDT	3.7E+00	ug/kg	2	0.00000004	0.0000001
Exposure Point Total						0.0005
RM 2.5 West	Total Aroclors	1.1E+01	ug/kg	25	0.00001	0.0002
	Total Dioxin/Furan TEQ	2.7E-01	pg/g	2	0.000001	0.000003
	Total PCB TEQ	2.1E-01	pg/g	2	0.000003	0.000007
	Total DDT	1.4E+00	ug/kg	2	0.00000001	0.00000003
Exposure Point Total						0.0002
RM 3 East	Total Aroclors	1.9E+01	ug/kg	25	0.00002	0.0004
	Total Dioxin/Furan TEQ	2.9E+00	pg/g	2	0.00001	0.00003
	Total PCB TEQ	7.7E-02	pg/g	2	0.000001	0.000002
	Total DDT	1.6E+00	ug/kg	2	0.00000002	0.00000003
Exposure Point Total						0.0004
RM 3 West	Total Aroclors	1.1E+01	ug/kg	25	0.00001	0.0002
	Total Dioxin/Furan TEQ	6.1E-01	pg/g	2	0.000003	0.00001
	Total PCB TEQ	4.1E-01	pg/g	2	0.000007	0.00001
	Total DDT	2.8E+01	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.0002
RM 3.5 East	Total Aroclors	3.8E+02	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	3.3E+00	pg/g	2	0.00002	0.00003
	Total PCB TEQ	1.7E+01	pg/g	2	0.0003	0.0006
	Total DDT	6.2E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.01
RM 3.5 West	Total Aroclors	2.3E+01	ug/kg	25	0.00002	0.0004
	Total Dioxin/Furan TEQ	9.1E-01	pg/g	2	0.000004	0.00001
	Total PCB TEQ	5.1E-01	pg/g	2	0.000008	0.00002
	Total DDT	5.8E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.0005
RM 4 East	Total Aroclors	1.5E+02	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	4.1E+00	pg/g	2	0.00002	0.00004
	Total PCB TEQ	1.9E+00	pg/g	2	0.00003	0.00006
	Total DDT	5.4E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.003
RM 4 West	Total Aroclors	2.1E+01	ug/kg	25	0.00002	0.0004
	Total Dioxin/Furan TEQ	1.6E+00	pg/g	2	0.00001	0.00002
	Total PCB TEQ	4.7E-01	pg/g	2	0.00001	0.00001
	Total DDT	1.9E+01	ug/kg	2	0.0000002	0.0000004
Exposure Point Total						0.0005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-41.

Calculation of Noncancer Hazards - Breastfeeding Infant of Commercial Diver in Wet Suit, In-water Sediment

Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: In-water Sediment
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 4.5 East	Total Aroclors	3.5E+01	ug/kg	25	0.00003	0.001
	Total Dioxin/Furan TEQ	2.8E-01	pg/g	2	0.000001	0.000003
	Total PCB TEQ	3.2E-01	pg/g	2	0.000005	0.00001
	Total DDT	4.9E+00	ug/kg	2	0.00000005	0.0000001
Exposure Point Total						0.001
RM 4.5 West	Total Aroclors	2.5E+01	ug/kg	25	0.00002	0.0005
	Total Dioxin/Furan TEQ	2.6E+00	pg/g	2	0.00001	0.00003
	Total PCB TEQ	1.4E+00	pg/g	2	0.00002	0.00004
	Total DDT	4.5E+00	ug/kg	2	0.00000004	0.0000001
Exposure Point Total						0.001
RM 5 East	Total Aroclors	2.0E+01	ug/kg	25	0.00002	0.0004
	Total DDT	1.4E+00	ug/kg	2	0.00000001	0.00000003
Exposure Point Total						0.0004
RM 5 West	Total Aroclors	1.7E+01	ug/kg	25	0.00001	0.0003
	Total Dioxin/Furan TEQ	3.5E+00	pg/g	2	0.00002	0.00003
	Total PCB TEQ	1.2E+00	pg/g	2	0.00002	0.00004
	Total DDT	1.2E+01	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.0004
RM 5.5 East	Total Aroclors	1.1E+02	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	4.4E+00	pg/g	2	0.00002	0.00004
	Total PCB TEQ	2.0E+00	pg/g	2	0.00003	0.00006
	Total DDT	8.2E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.002
RM 5.5 West	Total Aroclors	3.2E+01	ug/kg	25	0.00003	0.001
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	2	0.00001	0.00001
	Total PCB TEQ	5.8E-01	pg/g	2	0.00001	0.00002
	Total DDT	1.9E+01	ug/kg	2	0.0000002	0.0000004
Exposure Point Total						0.001
RM 6 East	Total Aroclors	7.7E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	3.2E+00	pg/g	2	0.00002	0.00003
	Total PCB TEQ	1.2E+00	pg/g	2	0.00002	0.00004
	Total DDT	2.9E+00	ug/kg	2	0.00000003	0.0000001
Exposure Point Total						0.002
RM 6 West	Total Aroclors	4.3E+01	ug/kg	25	0.00003	0.001
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	2	0.00001	0.00002
	Total PCB TEQ	1.4E+00	pg/g	2	0.00002	0.00005
	Total DDT	3.6E+01	ug/kg	2	0.0000004	0.000001
Exposure Point Total						0.001
RM 6.5 East	Total Aroclors	2.0E+02	ug/kg	25	0.0002	0.004
	Total Dioxin/Furan TEQ	2.0E+01	pg/g	2	0.0001	0.0002
	Total PCB TEQ	3.0E+00	pg/g	2	0.00005	0.0001
	Total DDT	1.5E+01	ug/kg	2	0.0000001	0.0000003
Exposure Point Total						0.004
RM 6.5 West	Total Aroclors	6.4E+01	ug/kg	25	0.0001	0.001
	Total Dioxin/Furan TEQ	2.1E+01	pg/g	2	0.0001	0.0002
	Total PCB TEQ	1.8E+00	pg/g	2	0.00003	0.0001
	Total DDT	9.2E+01	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.002
RM 7 East	Total Aroclors	4.2E+01	ug/kg	25	0.00003	0.001
	Total Dioxin/Furan TEQ	1.7E+01	pg/g	2	0.0001	0.0002
	Total PCB TEQ	5.5E-01	pg/g	2	0.00001	0.00002
	Total DDT	3.6E+00	ug/kg	2	0.00000004	0.0000001
Exposure Point Total						0.001
RM 7 West	Total Aroclors	7.1E+01	ug/kg	25	0.0001	0.001
	Total Dioxin/Furan TEQ	1.7E+03	pg/g	2	0.01	0.02
	Total PCB TEQ	7.7E+00	pg/g	2	0.0001	0.0002
	Total DDT	2.3E+03	ug/kg	2	0.00002	0.00005
Exposure Point Total						0.02
RM 7.5 East	Total Aroclors	3.2E+01	ug/kg	25	0.00003	0.001
	Total DDT	1.1E+00	ug/kg	2	0.00000001	0.00000002
Exposure Point Total						0.001
RM 7.5 West	Total Aroclors	8.6E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	9.3E-01	pg/g	2	0.000005	0.00001
	Total PCB TEQ	6.6E-01	pg/g	2	0.000011	0.00002
	Total DDT	2.1E+01	ug/kg	2	0.0000002	0.0000004
Exposure Point Total						0.002
RM 8 East	Total Aroclors	1.7E+02	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	9.3E-01	pg/g	2	0.000005	0.00001
	Total PCB TEQ	5.8E+00	pg/g	2	0.00009	0.0002
	Total DDT	1.1E+01	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-41.
Calculation of Noncancer Hazards - Breastfeeding Infant of Commercial Diver in Wet Suit, In-water Sediment
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

| Exposure Point | Chemical of Potential Concern | EPC | | Noncancer Hazard Calculations[a] | | |
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 8 SIL	Total Aroclors	2.8E+02	ug/kg	25	0.0002	0.01
	Total Dioxin/Furan TEQ	6.3E+00	pg/g	2	0.00003	0.0001
	Total PCB TEQ	1.2E+01	pg/g	2	0.0002	0.0004
	Total DDT	5.2E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.01
RM 8 West	Total Aroclors	1.2E+02	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	2.6E-01	pg/g	2	0.000001	0.000003
	Total PCB TEQ	3.6E+00	pg/g	2	0.00006	0.0001
	Total DDT	6.5E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.002
RM 8.5 East	Total Aroclors	4.6E+01	ug/kg	25	0.00004	0.001
	Total Dioxin/Furan TEQ	6.3E-01	pg/g	2	0.000003	0.00001
	Total PCB TEQ	4.2E-01	pg/g	2	0.000007	0.00001
	Total DDT	1.5E+00	ug/kg	2	0.00000001	0.00000003
Exposure Point Total						0.001
RM 8.5 West	Total Aroclors	1.4E+03	ug/kg	25	0.001	0.03
	Total Dioxin/Furan TEQ	5.0E+00	pg/g	2	0.00002	0.00005
	Total PCB TEQ	3.3E+01	pg/g	2	0.0005	0.001
	Total DDT	6.0E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.03
RM 9 East	Total Aroclors	5.2E+01	ug/kg	25	0.00004	0.001
	Total Dioxin/Furan TEQ	2.2E-01	pg/g	2	0.000001	0.000002
	Total PCB TEQ	6.3E-01	pg/g	2	0.00001	0.00002
	Total DDT	1.4E+00	ug/kg	2	0.00000001	0.00000003
Exposure Point Total						0.001
RM 9 West	Total Aroclors	4.5E+02	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	3.9E+00	pg/g	2	0.00002	0.00004
	Total PCB TEQ	1.6E+01	pg/g	2	0.0002	0.0005
	Total DDT	4.4E+00	ug/kg	2	0.0000	0.0000001
Exposure Point Total						0.01
RM 9.5 East	Total Aroclors	4.0E+01	ug/kg	25	0.00003	0.001
	Total Dioxin/Furan TEQ	8.9E-01	pg/g	2	0.000004	0.00001
	Total PCB TEQ	2.6E-01	pg/g	2	0.000004	0.00001
	Total DDT	1.1E+00	ug/kg	2	0.00000001	0.00000002
Exposure Point Total						0.001
RM 9.5 West	Total Aroclors	2.1E+02	ug/kg	25	0.0002	0.004
	Total Dioxin/Furan TEQ	8.6E+00	pg/g	2	0.00004	0.0001
	Total PCB TEQ	3.6E+00	pg/g	2	0.00006	0.0001
	Total DDT	3.1E+00	ug/kg	2	0.00000003	0.0000001
Exposure Point Total						0.004
RM 10 East	Total Aroclors	3.4E+01	ug/kg	25	0.00003	0.001
	Total Dioxin/Furan TEQ	5.4E-01	pg/g	2	0.000003	0.00001
	Total PCB TEQ	6.9E-01	pg/g	2	0.00001	0.00002
	Total DDT	5.3E-01	ug/kg	2	0.00000001	0.00000001
Exposure Point Total						0.001
RM 10 West	Total Aroclors	1.8E+02	ug/kg	25	0.0001	0.004
	Total Dioxin/Furan TEQ	5.1E+00	pg/g	2	0.00003	0.0001
	Total PCB TEQ	1.8E+00	pg/g	2	0.00003	0.0001
	Total DDT	4.7E+00	ug/kg	2	0.00000005	0.0000001
Exposure Point Total						0.004
RM 10.5 East	Total Aroclors	5.2E+01	ug/kg	25	0.00004	0.001
	Total PCB TEQ	3.5E-01	pg/g	2	0.00001	0.00001
	Total DDT	2.8E+00	ug/kg	2	0.00000003	0.0000001
Exposure Point Total						0.001
RM 10.5 West	Total Aroclors	3.2E+01	ug/kg	25	0.00003	0.001
	Total PCB TEQ	6.9E-01	pg/g	2	0.00001	0.00002
	Total DDT	1.7E+00	ug/kg	2	0.00000002	0.00000003
Exposure Point Total						0.001
RM 11 East	Total Aroclors	1.1E+03	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	2.0E+00	pg/g	2	0.00001	0.00002
	Total PCB TEQ	1.2E+01	pg/g	2	0.0002	0.0004
	Total DDT	9.9E+01	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.02
RM 11 West	Total Aroclors	2.8E+01	ug/kg	25	0.00002	0.001
	Total DDT	1.3E+00	ug/kg	2	0.00000001	0.00000003
Exposure Point Total						0.001
RM 11.5 West	Total Aroclors	1.2E+01	ug/kg	25	0.00001	0.0002
	Total Dioxin/Furan TEQ	1.8E-01	pg/g	2	0.000001	0.000002
	Total PCB TEQ	2.9E-01	pg/g	2	0.000005	0.000009
	Total DDT	9.8E-01	ug/kg	2	0.00000001	0.00000002
Exposure Point Total						0.0003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-41.

Calculation of Noncancer Hazards - Breastfeeding Infant of Commercial Diver in Wet Suit, In-water Sediment |
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

| Exposure Point | Chemical of Potential Concern | EPC | | Noncancer Hazard Calculations[a] | | |
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 12 East	Total Aroclors	1.6E+02	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	2	0.00001	0.00002
	Total PCB TEQ	3.9E+00	pg/g	2	0.00006	0.0001
	Total DDT	9.4E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.003
RM 12 West	Total Aroclors	7.0E+01	ug/kg	25	0.0001	0.001
	Total Dioxin/Furan TEQ	1.7E-01	pg/g	2	0.000001	0.000002
	Total PCB TEQ	4.5E-01	pg/g	2	0.000007	0.00001
	Total DDT	5.9E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.001
Study Area-wide[b]	Total Aroclors	1.9E+02	ug/kg	25	0.0001	0.004
	Total Dioxin/Furan TEQ	1.0E+02	pg/g	2	0.001	0.001
	Total PCB TEQ	6.6E+00	pg/g	2	0.0001	0.0002
	Total DDT	1.4E+02	ug/kg	2	0.000001	0.000003
Exposure Point Total						0.005

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor
PCB = Polychlorinated Biphenyls.
pg/g = Picograms per gram.
RM = River mile.
TEQ = Toxic equivalents.
ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-42.
Calculation of Noncancer Hazards - Breastfeeding Infant of Commercial Diver in Dry Suit, In-water Sediment I
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

| Exposure Point | Chemical of Potential Concern | EPC | | Noncancer Hazard Calculations[a] | | |
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 1 East	Total Aroclors	5.1E+02	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	7.5E-01	pg/g	2	0.00001	0.00002
	Total PCB TEQ	2.7E-01	pg/g	2	0.00001	0.00002
	Total DDT	4.0E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.02
RM 1 West	Total Aroclors	1.7E+01	ug/kg	25	0.00003	0.001
	Total Dioxin/Furan TEQ	2.7E+00	pg/g	2	0.00004	0.0001
	Total PCB TEQ	3.2E-01	pg/g	2	0.00001	0.00002
	Total DDT	4.6E+00	ug/kg	2	0.0000001	0.0000003
Exposure Point Total						0.001
RM 1.5 East	Total Aroclors	4.1E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	1.8E+00	pg/g	2	0.00003	0.0001
	Total PCB TEQ	1.1E-01	pg/g	2	0.000003	0.00001
	Total DDT	2.2E+01	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.002
RM 1.5 West	Total Aroclors	2.2E+01	ug/kg	25	0.00003	0.001
	Total Dioxin/Furan TEQ	9.4E-02	pg/g	2	0.000001	0.000003
	Total DDT	1.1E+00	ug/kg	2	0.00000003	0.0000001
Exposure Point Total						0.001
RM 2 East	Total Aroclors	1.5E+03	ug/kg	25	0.002	0.1
	Total Dioxin/Furan TEQ	4.0E+00	pg/g	2	0.0001	0.0001
	Total PCB TEQ	8.5E+01	pg/g	2	0.003	0.01
	Total DDT	4.2E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.1
RM 2 West	Total Aroclors	1.8E+01	ug/kg	25	0.00003	0.0007
	Total Dioxin/Furan TEQ	2.2E+00	pg/g	2	0.00003	0.0001
	Total PCB TEQ	3.5E-01	pg/g	2	0.00001	0.00002
	Total DDT	3.2E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.001
RM 2.5 East	Total Aroclors	7.7E+01	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	1.1E+00	pg/g	2	0.00002	0.00003
	Total PCB TEQ	3.3E+00	pg/g	2	0.0001	0.0002
	Total DDT	1.1E+01	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.003
RM 2.5 MC	Total Aroclors	3.9E+01	ug/kg	25	0.0001	0.001
	Total DDT	1.1E+01	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.001
RM 2.5 West	Total Aroclors	2.1E+01	ug/kg	25	0.00003	0.001
	Total Dioxin/Furan TEQ	4.1E-01	pg/g	2	0.00001	0.00001
	Total PCB TEQ	2.1E-01	pg/g	2	0.00001	0.00001
	Total DDT	3.4E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.001
RM 3 East	Total Aroclors	2.3E+01	ug/kg	25	0.00003	0.001
	Total Dioxin/Furan TEQ	5.4E+00	pg/g	2	0.00008	0.0002
	Total PCB TEQ	1.0E-01	pg/g	2	0.000003	0.00001
	Total DDT	3.8E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.001
RM 3 West	Total Aroclors	1.8E+01	ug/kg	25	0.00003	0.001
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	2	0.00002	0.00005
	Total PCB TEQ	4.4E-01	pg/g	2	0.00001	0.00003
	Total DDT	2.1E+02	ug/kg	2	0.00001	0.00001
Exposure Point Total						0.001
RM 3.5 East	Total Aroclors	1.7E+03	ug/kg	25	0.003	0.1
	Total Dioxin/Furan TEQ	1.1E+01	pg/g	2	0.0002	0.0003
	Total PCB TEQ	1.1E+02	pg/g	2	0.003	0.01
	Total DDT	2.7E+01	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.1
RM 3.5 West	Total Aroclors	2.7E+01	ug/kg	25	0.00004	0.001
	Total Dioxin/Furan TEQ	1.6E+00	pg/g	2	0.00002	0.00005
	Total PCB TEQ	7.7E-01	pg/g	2	0.00002	0.00005
	Total DDT	2.1E+01	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.001
RM 4 East	Total Aroclors	3.6E+02	ug/kg	25	0.001	0.01
	Total Dioxin/Furan TEQ	6.9E+00	pg/g	2	0.00010	0.0002
	Total PCB TEQ	3.4E+00	pg/g	2	0.00010	0.0002
	Total DDT	1.2E+01	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.01
RM 4 West	Total Aroclors	2.6E+01	ug/kg	25	0.00004	0.001
	Total Dioxin/Furan TEQ	3.3E+00	pg/g	2	0.00005	0.0001
	Total PCB TEQ	6.5E-01	pg/g	2	0.00002	0.00004
	Total DDT	5.6E+01	ug/kg	2	0.000002	0.000003
Exposure Point Total						0.001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-42.
Calculation of Noncancer Hazards - Breastfeeding Infant of Commercial Diver in Dry Suit, In-water Sediment I
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

| Exposure Point | Chemical of Potential Concern | EPC | | Noncancer Hazard Calculations[a] | | |
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 4.5 East	Total Aroclors	4.4E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	2.8E-01	pg/g	2	0.000004	0.00001
	Total PCB TEQ	3.4E-01	pg/g	2	0.00001	0.00002
	Total DDT	8.7E+00	ug/kg	2	0.0000002	0.0000005
Exposure Point Total						0.002
RM 4.5 West	Total Aroclors	3.8E+01	ug/kg	25	0.00006	0.001
	Total Dioxin/Furan TEQ	6.8E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	2.5E+00	pg/g	2	0.0001	0.0002
	Total DDT	2.7E+01	ug/kg	2	0.000001	0.000002
Exposure Point Total						0.002
RM 5 East	Total Aroclors	2.5E+01	ug/kg	25	0.00004	0.001
	Total DDT	1.9E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.001
RM 5 West	Total Aroclors	2.5E+01	ug/kg	25	0.00004	0.001
	Total Dioxin/Furan TEQ	5.4E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	2.1E+00	pg/g	2	0.0001	0.0001
	Total DDT	8.2E+01	ug/kg	2	0.000002	0.000005
Exposure Point Total						0.001
RM 5.5 East	Total Aroclors	1.8E+02	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	8.9E+00	pg/g	2	0.0001	0.0003
	Total PCB TEQ	5.8E+00	pg/g	2	0.0002	0.0004
	Total DDT	2.0E+01	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.01
RM 5.5 West	Total Aroclors	5.1E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	2.3E+00	pg/g	2	0.00003	0.0001
	Total PCB TEQ	1.1E+00	pg/g	2	0.00003	0.0001
	Total DDT	6.2E+01	ug/kg	2	0.000002	0.000003
Exposure Point Total						0.002
RM 6 East	Total Aroclors	1.8E+02	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	4.1E+00	pg/g	2	0.0001	0.0001
	Total PCB TEQ	3.4E+00	pg/g	2	0.0001	0.0002
	Total DDT	4.2E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.01
RM 6 West	Total Aroclors	6.1E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	1.5E+00	pg/g	2	0.00002	0.00004
	Total PCB TEQ	2.8E+00	pg/g	2	0.0001	0.0002
	Total DDT	8.1E+01	ug/kg	2	0.000002	0.000005
Exposure Point Total						0.003
RM 6.5 East	Total Aroclors	1.3E+03	ug/kg	25	0.002	0.1
	Total Dioxin/Furan TEQ	8.9E+01	pg/g	2	0.001	0.003
	Total PCB TEQ	1.3E+01	pg/g	2	0.0004	0.001
	Total DDT	1.3E+02	ug/kg	2	0.000004	0.00001
Exposure Point Total						0.1
RM 6.5 West	Total Aroclors	9.1E+01	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	1.1E+02	pg/g	2	0.002	0.003
	Total PCB TEQ	3.0E+00	pg/g	2	0.0001	0.0002
	Total DDT	1.7E+02	ug/kg	2	0.000005	0.00001
Exposure Point Total						0.01
RM 7 East	Total Aroclors	7.0E+01	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	4.0E+01	pg/g	2	0.001	0.001
	Total PCB TEQ	7.4E-01	pg/g	2	0.00002	0.00005
	Total DDT	1.3E+01	ug/kg	2	0.0000004	0.000001
Exposure Point Total						0.004
RM 7 West	Total Aroclors	9.3E+01	ug/kg	25	0.0001	0.004
	Total Dioxin/Furan TEQ	1.4E+04	pg/g	2	0.2	0.4
	Total PCB TEQ	2.7E+01	pg/g	2	0.001	0.002
	Total DDT	6.3E+03	ug/kg	2	0.0002	0.0004
Exposure Point Total						0.4
RM 7.5 East	Total Aroclors	4.5E+01	ug/kg	25	0.0001	0.002
	Total DDT	3.3E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.002
RM 7.5 West	Total Aroclors	2.5E+02	ug/kg	25	0.0004	0.01
	Total Dioxin/Furan TEQ	2.6E+00	pg/g	2	0.00004	0.0001
	Total PCB TEQ	9.2E-01	pg/g	2	0.00003	0.0001
	Total DDT	1.3E+02	ug/kg	2	0.000004	0.00001
Exposure Point Total						0.01
RM 8 East	Total Aroclors	5.8E+02	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	2.1E+00	pg/g	2	0.00003	0.0001
	Total PCB TEQ	1.7E+01	pg/g	2	0.001	0.001
	Total DDT	9.4E+01	ug/kg	2	0.000003	0.00001
Exposure Point Total						0.02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-42.
Calculation of Noncancer Hazards - Breastfeeding Infant of Commercial Diver in Dry Suit, In-water Sediment I
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

Exposure Point	Chemical of Potential Concern	EPC		Noncancer Hazard Calculations[a]		
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 8 SIL	Total Aroclors	5.3E+02	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	3.3E+01	pg/g	2	0.0005	0.001
	Total PCB TEQ	8.8E+01	pg/g	2	0.003	0.01
	Total DDT	1.2E+01	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.03
RM 8 West	Total Aroclors	4.0E+02	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	4.3E-01	pg/g	2	0.00001	0.00001
	Total PCB TEQ	6.1E+00	pg/g	2	0.0002	0.0004
	Total DDT	2.1E+01	ug/kg	2	0.0000006	0.000001
Exposure Point Total						0.02
RM 8.5 East	Total Aroclors	7.2E+01	ug/kg	25	0.0001	0.003
	Total Dioxin/Furan TEQ	9.4E-01	pg/g	2	0.00001	0.00003
	Total PCB TEQ	5.9E-01	pg/g	2	0.00002	0.00004
	Total DDT	2.3E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.003
RM 8.5 West	Total Aroclors	8.5E+03	ug/kg	25	0.01	0.3
	Total Dioxin/Furan TEQ	1.8E+01	pg/g	2	0.0003	0.001
	Total PCB TEQ	2.4E+02	pg/g	2	0.01	0.01
	Total DDT	2.2E+01	ug/kg	2	0.000001	0.000001
Exposure Point Total						0.3
RM 9 East	Total Aroclors	1.0E+02	ug/kg	25	0.0002	0.004
	Total Dioxin/Furan TEQ	2.2E-01	pg/g	2	0.000003	0.00001
	Total PCB TEQ	6.3E-01	pg/g	2	0.00002	0.00004
	Total DDT	1.9E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.004
RM 9 West	Total Aroclors	2.3E+03	ug/kg	25	0.004	0.1
	Total Dioxin/Furan TEQ	6.0E+00	pg/g	2	0.0001	0.0002
	Total PCB TEQ	3.2E+01	pg/g	2	0.001	0.002
	Total DDT	9.9E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.1
RM 9.5 East	Total Aroclors	5.6E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	1.1E+00	pg/g	2	0.00002	0.00003
	Total PCB TEQ	3.3E-01	pg/g	2	0.00001	0.00002
	Total DDT	1.6E+00	ug/kg	2	0.00000004	0.0000001
Exposure Point Total						0.002
RM 9.5 West	Total Aroclors	3.0E+02	ug/kg	25	0.0005	0.01
	Total Dioxin/Furan TEQ	1.7E+01	pg/g	2	0.0002	0.0005
	Total PCB TEQ	4.8E+00	pg/g	2	0.0001	0.0003
	Total DDT	4.5E+00	ug/kg	2	0.0000001	0.0000003
Exposure Point Total						0.01
RM 10 East	Total Aroclors	4.8E+01	ug/kg	25	0.0001	0.002
	Total Dioxin/Furan TEQ	5.4E-01	pg/g	2	0.00001	0.00002
	Total PCB TEQ	8.0E-01	pg/g	2	0.00002	0.00005
	Total DDT	7.7E-01	ug/kg	2	0.00000002	0.00000004
Exposure Point Total						0.002
RM 10 West	Total Aroclors	4.4E+02	ug/kg	25	0.001	0.02
	Total Dioxin/Furan TEQ	9.9E+00	pg/g	2	0.0001	0.0003
	Total PCB TEQ	3.0E+00	pg/g	2	0.0001	0.0002
	Total DDT	6.7E+00	ug/kg	2	0.0000002	0.0000004
Exposure Point Total						0.02
RM 10.5 East	Total Aroclors	1.5E+02	ug/kg	25	0.00024	0.006
	Total PCB TEQ	3.9E-01	pg/g	2	0.00001	0.00002
	Total DDT	1.2E+01	ug/kg	2	0.00000	0.00000
Exposure Point Total						0.006
RM 10.5 West	Total Aroclors	3.9E+01	ug/kg	25	0.0001	0.001
	Total PCB TEQ	6.9E-01	pg/g	2	0.00002	0.00004
	Total DDT	2.7E+00	ug/kg	2	0.0000001	0.0000002
Exposure Point Total						0.002
RM 11 East	Total Aroclors	3.8E+03	ug/kg	25	0.01	0.1
	Total Dioxin/Furan TEQ	3.0E+00	pg/g	2	0.00004	0.0001
	Total PCB TEQ	3.1E+01	pg/g	2	0.001	0.002
	Total DDT	3.8E+02	ug/kg	2	0.00001	0.00002
Exposure Point Total						0.1
RM 11 West	Total Aroclors	3.5E+01	ug/kg	25	0.00005	0.001
	Total DDT	2.1E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.001
RM 11.5 West	Total Aroclors	2.4E+01	ug/kg	25	0.00004	0.001
	Total Dioxin/Furan TEQ	1.8E-01	pg/g	2	0.000003	0.00001
	Total PCB TEQ	2.9E-01	pg/g	2	0.00001	0.00002
	Total DDT	1.9E+00	ug/kg	2	0.0000001	0.0000001
Exposure Point Total						0.001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-42.

Calculation of Noncancer Hazards - Breastfeeding Infant of Commercial Diver in Dry Suit, In-water Sediment I
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: In-water Sediment
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

| Exposure Point | Chemical of Potential Concern | EPC | | Noncancer Hazard Calculations[a] | | |
		Value	Units	IRAF	Adult (Mother) Total Noncancer HQ	Breastfeeding Infant Noncancer HQ
RM 12 East	Total Aroclors	1.8E+02	ug/kg	25	0.0003	0.01
	Total Dioxin/Furan TEQ	1.7E+00	pg/g	2	0.00002	0.00005
	Total PCB TEQ	4.6E+00	pg/g	2	0.0001	0.0003
	Total DDT	9.4E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.01
RM 12 West	Total Aroclors	1.2E+02	ug/kg	25	0.0002	0.005
	Total Dioxin/Furan TEQ	1.7E-01	pg/g	2	0.000002	0.000005
	Total PCB TEQ	4.5E-01	pg/g	2	0.00001	0.00003
	Total DDT	9.5E+00	ug/kg	2	0.0000003	0.000001
Exposure Point Total						0.005
Study Area-wide[b]	Total Aroclors	3.6E+02	ug/kg	25	0.001	0.01
	Total Dioxin/Furan TEQ	6.6E+02	pg/g	2	0.01	0.02
	Total PCB TEQ	1.7E+01	pg/g	2	0.001	0.001
	Total DDT	3.7E+02	ug/kg	2	0.00001	0.00002
Exposure Point Total						0.03

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Study Area-wide dataset includes human health in-water sediment samples from RM 1.9 - 11.8 outside of the navigation channel and excluding Multnomah Channel.

Abbreviations:

-- = Not Applicable.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor
PCB = Polychlorinated Biphenyls.
pg/g = Picograms per gram.
RM = River mile.
TEQ = Toxic equivalents.
ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-43. Summary of Risks From Exposures to In-water Sediment[a]

Exposure Point	In-water Worker	Tribal Fisher	High Frequency Fisher	Low Frequency Fisher	Diver in Wet Suit	Diver in Dry Suit	Breastfeeding Infant of In-water Worker[b]	Breastfeeding Infant of Tribal Fisher[b]	Breastfeeding Infant of High Frequency Fisher[b]	Breastfeeding Infant of Low Frequency Fisher[b]	Breastfeeding Infant of Diver in Wet Suit[b]	Breastfeeding Infant of Diver in Dry Suit[b]
RM 1 West	--	2E-06	--	--	--	--	--	--	--	--	--	--
RM 1 East	--	2E-06	--	--	--	--	--	--	--	--	--	--
RM 1.5 West	--	--	--	--	--	--	--	--	--	--	--	--
RM 1.5 East	--	6E-06	--	--	--	--	--	--	--	--	--	--
RM 2 West	--	--	--	--	--	--	--	--	--	--	--	--
RM 2 East	--	6E-06	2E-06	--	--	--	--	--	--	--	--	--
RM 2.5 West	--	3E-06	--	--	--	--	--	--	--	--	--	--
RM 2.5 East	--	2E-05	4E-06	3E-06	3E-06	--	--	--	--	--	--	--
RM 2.5 MC	--	3E-06	--	--	--	--	--	--	--	--	--	--
RM 3 West	--	3E-06	--	--	--	--	--	--	--	--	--	--
RM 3 East	--	2E-06	--	--	--	--	--	--	--	--	--	--
RM 3.5 West	--	1E-05	3E-06	2E-06	2E-06	--	--	--	--	--	--	--
RM 3.5 East	--	1E-05	3E-06	2E-06	2E-06	--	--	--	--	--	--	--
RM 4 West	--	3E-06	--	--	--	--	--	--	--	--	--	--
RM 4 East	--	1E-05	3E-06	2E-06	2E-06	--	--	--	--	--	--	--
RM 4.5 West	--	8E-06	2E-06	--	--	--	--	--	--	--	--	--
RM 4.5 East	2E-06	3E-05	9E-06	6E-06	5E-06	--	--	--	--	--	--	--
RM 5 West	--	1E-05	4E-06	3E-06	2E-06	--	--	--	--	--	--	--
RM 5 East	--	3E-06	--	--	--	--	--	--	--	--	--	--
RM 5.5 West	--	2E-05	4E-06	3E-06	2E-06	--	--	--	--	--	--	--
RM 5.5 East	--	5E-06	--	--	--	--	--	--	--	--	--	--
RM 6 West	9E-06	2E-04	5E-05	3E-05	3E-05	6E-06	--	--	--	--	--	--
RM 6 East	--	8E-06	2E-06	--	--	--	--	--	--	--	--	--
RM 6.5 West	--	1E-05	3E-06	2E-06	--	--	--	--	--	--	--	--
RM 6.5 East	--	6E-06	--	--	--	--	--	--	--	--	--	--
RM 7 West	2E-05	3E-04 (3)	8E-05 (2)	6E-05	3E-05	1E-05	2	5	3	2	--	--
RM 7 East	--	7E-06	2E-06	--	--	--	--	--	--	--	--	--
RM 7.5 West	--	2E-06	--	--	--	--	--	--	--	--	--	--
RM 7.5 East	--	--	--	--	--	--	--	--	--	--	--	--
RM 8 West	--	5E-06	--	--	--	--	--	--	--	--	--	--
RM 8 East	--	5E-06	--	--	--	--	--	--	--	--	--	--
RM 8 SIL	--	8E-06	2E-06	--	--	--	--	--	--	--	--	--
RM 8.5 West	--	2E-05	5E-06	4E-06	3E-06	--	--	4	2	2	2	--
RM 8.5 East	--	3E-06	--	--	--	--	--	--	--	--	--	--
RM 9 West	--	5E-06	--	--	--	--	--	--	--	--	--	--
RM 9 East	--	--	--	--	--	--	--	--	--	--	--	--
RM 9.5 West	--	3E-06	--	--	--	--	--	--	--	--	--	--
RM 9.5 East	--	--	--	--	--	--	--	--	--	--	--	--
RM 10 West	--	9E-06	2E-06	2E-06	--	--	--	--	--	--	--	--
RM 10 East	--	2E-06	--	--	--	--	--	--	--	--	--	--
RM 10.5 West	--	--	--	--	--	--	--	--	--	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-43. Summary of Risks From Exposures to In-water Sediment[a]

Exposure Point	In-water Worker	Tribal Fisher	High Frequency Fisher	Low Frequency Fisher	Diver in Wet Suit	Diver in Dry Suit	Breastfeeding Infant of In-water Worker[b]	Breastfeeding Infant of Tribal Fisher[b]	Breastfeeding Infant of High Frequency Fisher[b]	Breastfeeding Infant of Low Frequency Fisher[b]	Breastfeeding Infant of Diver in Wet Suit[b]	Breastfeeding Infant of Diver in Dry Suit[b]
RM 10.5 East	--	--	--	--	--	--	--	--	--	--	--	--
RM 11 West	--	2E-06	--	--	--	--	--	--	--	--	--	--
RM 11 East	--	5E-06	--	--	--	--	--	2	--	--	--	--
RM 11.5 West	--	--	--	--	--	--	--	--	--	--	--	--
RM 12 West	--	7E-06	2E-06	--	--	--	--	--	--	--	--	--
RM 12 East	--	--	--	--	--	--	--	--	--	--	--	--
Study Area-wide	2E-06	3E-05	7E-06	5E-06	4E-06	--	--	--	--	--	--	--

Notes:

a Table presents cumulative risk (or cumulative hazard indices) per exposure area for reasonable maximum exposure scenarios, per exposure area and per receptor

b Only hazard indices values are presented for breast feeding infant exposure scenarios.

Abbreviations:

-- Exposure area does not result in risk greater than 1×10^{-6} or hazard index greater than 1.

MC Multnomah Channel

SIL Swan Island Lagoon

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-44.

Calculation of Cancer Risks and Noncancer Hazards - Transients, Surface Water Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Transient
Population Age: Adult

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
Willamette Cove W014	**Metals** Arsenic, total	5.2E-01	ug/l	1.5E+00	1.5E+00	2.7E-10	4.2E-07	4.1E-10	6.4E-07	6.E-07	3.0E-04	3.0E-04	9.5E-09	1.5E-05	3.2E-05	5.0E-02	0.05
Exposure Point Total[b]										6.E-07							0.05
Transect, RM 3.9 W005	**Metals** Arsenic, total	5.2E-01	ug/l	1.5E+00	1.5E+00	2.7E-10	4.2E-07	4.1E-10	6.3E-07	6.E-07	3.0E-04	3.0E-04	9.5E-09	1.5E-05	3.2E-05	4.9E-02	0.05
	Herbicides MCPP	9.1E+00	ug/l	--	--	3.9E-07	7.4E-06	--	--	--	1.0E-03	1.0E-03	1.4E-05	2.6E-04	1.4E-02	2.6E-01	0.3
Exposure Point Total										6.E-07							0.3
Transect, RM 6.3 W011	**Metals** Arsenic, total	4.7E-01	ug/l	1.5E+00	1.5E+00	2.4E-10	3.8E-07	3.7E-10	5.7E-07	6.E-07	3.0E-04	3.0E-04	8.5E-09	1.3E-05	2.8E-05	4.4E-02	0.04
	Chromium, hexavalent	9.0E-01	ug/l	1.3E-02	5.0E-01	4.7E-10	7.3E-07	5.9E-12	3.7E-07	4.E-07	7.5E-05	3.0E-03	1.6E-08	2.6E-05	2.2E-04	8.6E-03	0.01
Exposure Point Total										9.E-07							0.05
Transect, RM 11 W023	**Metals** Arsenic, total	4.7E-01	ug/l	1.5E+00	1.5E+00	2.4E-10	3.8E-07	3.7E-10	5.7E-07	6.E-07	3.0E-04	3.0E-04	8.5E-09	1.3E-05	2.8E-05	4.4E-02	0.04
	Herbicides MCPP	8.0E+00	ug/l	--	--	3.5E-07	6.5E-06	--	--	--	1.0E-03	1.0E-03	1.2E-05	2.3E-04	1.2E-02	2.3E-01	0.2
Exposure Point Total										6.E-07							0.3
Transect, RM 2 W025	**Metals** Arsenic, total	6.0E-01	ug/l	1.5E+00	1.5E+00	3.2E-10	4.9E-07	4.7E-10	7.4E-07	7.E-07	3.0E-04	3.0E-04	1.1E-08	1.7E-05	3.7E-05	5.7E-02	0.06
Exposure Point Total										7.E-07							0.06

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-44.

Calculation of Cancer Risks and Noncancer Hazards - Transients, Surface Water Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Transient
Population Age: Adult

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Cancer Risk Calculations[a]							Noncancer Risk Calculations[a]						
		Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
Transect, MC W027	**Metals**																
	Arsenic, total	5.0E-01	ug/l	1.5E+00	1.5E+00	2.6E-10	4.0E-07	3.9E-10	6.1E-07	6.E-07	3.0E-04	3.0E-04	9.1E-09	1.4E-05	3.0E-05	4.7E-02	0.05
	Herbicides																
	MCPP	1.3E+01	ug/l	--	--	5.4E-07	1.0E-05	--	--	--	1.0E-03	1.0E-03	1.9E-05	3.6E-04	1.9E-02	3.6E-01	0.4
Exposure Point Total										6.E-07							0.4
Study Area-wide Transects	**Metals**																
	Arsenic, total	4.5E-01	ug/l	1.5E+00	1.5E+00	2.4E-10	3.7E-07	3.5E-10	5.5E-07	6.E-07	3.0E-04	3.0E-04	8.2E-09	1.3E-05	2.7E-05	4.3E-02	0.04
	Chromium, hexavalent	9.0E-01	ug/l	1.3E-02	5.0E-01	4.7E-10	7.3E-07	5.9E-12	3.7E-07	4.E-07	7.5E-05	3.0E-03	1.6E-08	2.6E-05	2.2E-04	8.6E-03	0.01
	Herbicides																
	MCPP	9.1E+00	ug/l	--	--	3.9E-07	7.4E-06	--	--	--	1.0E-03	1.0E-03	1.4E-05	2.6E-04	1.4E-02	2.6E-01	0.3
Exposure Point Total										9.E-07							0.3

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Cumulative cancer risks include total metals only.

Abbreviations:

-- = Not applicable.

CDI = Chronic Daily Intake.

EPC = Exposure Point Concentration.

HQ = Hazard Quotient.

kg = kilogram.

l = liter.

LADI = Lifetime Average Daily Intake.

MC = Multnomah Channel

MCPP = 2-(2-Methyl-4-chlorophenoxy)propionic acid.

mg = milligram.

RfD = Reference dose.

ug = microgram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-45.

Calculation of Cancer Risks and Noncancer Hazards - Transients, Surface Water Exposure

Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Transient
Population Age: Adult

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
Willamette Cove W014	**Metals** Arsenic, total	4.4E-01	ug/l	1.5E+00	1.5E+00	3.7E-11	6.3E-08	5.5E-11	9.5E-08	9.E-08	3.0E-04	3.0E-04	2.6E-09	4.4E-06	8.6E-06	1.5E-02	0.01
Exposure Point Total[b]										9.E-08							0.01
Transect, RM 3.9 W005	**Metals** Arsenic, total	4.6E-01	ug/l	1.5E+00	1.5E+00	3.8E-11	6.5E-08	5.7E-11	9.8E-08	1.E-07	3.0E-04	3.0E-04	2.7E-09	4.6E-06	8.9E-06	1.5E-02	0.02
	Herbicides MCPP	4.7E+00	ug/l	--	--	4.0E-08	6.7E-07	--	--	--	1.0E-03	1.0E-03	2.8E-06	4.7E-05	2.8E-03	4.7E-02	0.05
Exposure Point Total										1.E-07							0.06
Transect, RM 6.3 W011	**Metals** Arsenic, total	3.9E-01	ug/l	1.5E+00	1.5E+00	3.2E-11	5.5E-08	4.9E-11	8.3E-08	8.E-08	3.0E-04	3.0E-04	2.3E-09	3.9E-06	7.6E-06	1.3E-02	0.01
	Chromium, hexavalent	6.0E-01	ug/l	1.3E-02	5.0E-01	5.0E-11	8.6E-08	6.3E-13	4.3E-08	4.E-08	7.5E-05	3.0E-03	3.5E-09	6.0E-06	4.7E-05	2.0E-03	0.002
Exposure Point Total										1.E-07							0.01
Transect, RM 11 W023	**Metals** Arsenic, total	4.0E-01	ug/l	1.5E+00	1.5E+00	3.3E-11	5.7E-08	5.0E-11	8.5E-08	9.E-08	3.0E-04	3.0E-04	2.3E-09	4.0E-06	7.8E-06	1.3E-02	0.01
	Herbicides MCPP	4.2E+00	ug/l	--	--	3.7E-08	6.1E-07	--	--	--	1.0E-03	1.0E-03	2.6E-06	4.3E-05	2.6E-03	4.3E-02	0.05
Exposure Point Total										9.E-08							0.06
Transect, RM 2 W025	**Metals** Arsenic, total	3.5E-01	ug/l	1.5E+00	1.5E+00	2.9E-11	5.0E-08	4.4E-11	7.5E-08	7.E-08	3.0E-04	3.0E-04	2.0E-09	3.5E-06	6.8E-06	1.2E-02	0.01
Exposure Point Total										7.E-08							0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-45.

Calculation of Cancer Risks and Noncancer Hazards - Transients, Surface Water Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Transient
Population Age: Adult

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(\text{mg/kg-day})^{-1}$	Oral Cancer Slope Factor $(\text{mg/kg-day})^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
Transect, MC W027	**Metals**																
	Arsenic, total	4.4E-01	ug/l	1.5E+00	1.5E+00	3.7E-11	6.3E-08	5.5E-11	9.5E-08	9.E-08	3.0E-04	3.0E-04	2.6E-09	4.4E-06	8.6E-06	1.5E-02	0.01
	Herbicides																
	MCPP	6.3E+00	ug/l	--	--	5.4E-08	9.0E-07	--	--	--	1.0E-03	1.0E-03	3.8E-06	6.3E-05	3.8E-03	6.3E-02	0.07
Exposure Point Total										9.E-08							0.08
Study Area-wide Transects	**Metals**																
	Arsenic, total	4.0E-01	ug/l	1.5E+00	1.5E+00	3.4E-11	5.8E-08	5.1E-11	8.7E-08	9.E-08	3.0E-04	3.0E-04	2.4E-09	4.0E-06	7.9E-06	1.3E-02	0.01
	Chromium, hexavalent	6.0E-01	ug/l	1.3E-02	5.0E-01	5.0E-11	8.6E-08	6.3E-13	4.3E-08	4.E-08	7.5E-05	3.0E-03	3.5E-09	6.0E-06	4.7E-05	2.0E-03	0.002
	Herbicides																
	MCPP	4.0E+00	ug/l	--	--	3.4E-08	5.7E-07	--	--	--	1.0E-03	1.0E-03	2.4E-06	4.0E-05	2.4E-03	4.0E-02	0.04
Exposure Point Total										1.E-07							0.06

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Cumulative cancer risks include total metals only.

Abbreviations:

-- = Not applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
kg = kilogram.
l = liter.
LADI = Lifetime Average Daily Intake.
MC = Multnomah Channel
MCPP = 2-(2-Methyl-4-chlorophenoxy)propionic acid.
mg = milligram.
RfD = Reference dose.
ug = microgram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-46.
Calculation of Noncancer Hazards - Child Recreational Beach User, Surface Water Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Child Recreational Beach User
Population Age: Child

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Noncancer Risk Calculations[a]						
		Value	Units	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
Cathedral Park W010	**Metals** Arsenic, total	5.4E-01	ug/l	3.0E-04	3.0E-04	4.2E-08	3.2E-07	1.4E-04	1.1E-03	0.001
Exposure Point Total[b]										0.001
Willamette Cove W014	**Metals** Arsenic, total	5.2E-01	ug/l	3.0E-04	3.0E-04	4.1E-08	3.1E-07	1.4E-04	1.0E-03	0.001
Exposure Point Total										0.001
Swan Island Lagoon W020	**Metals** Arsenic, total	4.7E-01	ug/l	3.0E-04	3.0E-04	3.7E-08	2.8E-07	1.2E-04	9.3E-04	0.001
Exposure Point Total										0.001
Study Area-wide Transects	**Metals** Arsenic, total	5.5E-01	ug/l	3.0E-04	3.0E-04	4.3E-08	3.3E-07	1.4E-04	1.1E-03	0.001
Exposure Point Total										0.001

Notes:
a Numbers presented are rounded values. Sums calculated before rounding.
b Cumulative noncancer hazards include total metals only.

Abbreviations:

-- = Not applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
kg = kilogram.
l = liter.

LADI = Lifetime Average Daily Intake.
MCPP = 2-(2-Methyl-4-chlorophenoxy)propionic acid.
mg = milligram.
RfD = Reference dose.
ug = microgram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-47.

Calculation of Noncancer Hazards - Child Recreational Beach User, Surface Water Exposure

Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Child Recreational Beach User
Population Age: Child

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Noncancer Risk Calculations[a]						
		Value	Units	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
Cathedral Park W010	**Metals** Arsenic, total	5.4E-01	ug/l	3.0E-04	3.0E-04	8.5E-09	6.4E-08	2.8E-05	2.1E-04	0.0002
Exposure Point Total[b]										0.0002
Willamette Cove W014	**Metals** Arsenic, total	5.2E-01	ug/l	3.0E-04	3.0E-04	8.1E-09	6.2E-08	2.7E-05	2.1E-04	0.0002
Exposure Point Total										0.0002
Swan Island Lagoon W020	**Metals** Arsenic, total	4.7E-01	ug/l	3.0E-04	3.0E-04	7.4E-09	5.6E-08	2.5E-05	1.9E-04	0.0002
Exposure Point Total										0.0002
Study Area-wide Transects	**Metals** Arsenic, total	5.1E-01	ug/l	3.0E-04	3.0E-04	8.0E-09	6.1E-08	2.7E-05	2.0E-04	0.0002
Exposure Point Total										0.0002

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Cumulative noncancer hazards include total metals only.

Abbreviations:

-- = Not applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
kg = kilogram.
l = liter.

LADI = Lifetime Average Daily Intake.
MCPP = 2-(2-Methyl-4-chlorophenoxy)propionic acid.
mg = milligram.
RfD = Reference dose.
ug = microgram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-48.
Calculation of Cancer Risks - Combined Child and Adult Recreational Beach User, Surface Water Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Child & Adult Recreational Beach User
Population Age: Child and Adult

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Adult Total Cancer Risk[a]	Child Total Cancer Risk[a]	Combined Adult and Child Cancer Risk[a,b]
		Value	Units			
Cathedral Park W010	**Metals** Arsenic, total	5.4E-01	ug/l	2.E-08	5.E-08	7.E-08
Exposure Point Total[b]				2.E-08	5.E-08	7.E-08
Willamette Cove W014	**Metals** Arsenic, total	5.2E-01	ug/l	2.E-08	4.E-08	6.E-08
Exposure Point Total				2.E-08	4.E-08	6.E-08
Swan Island Lagoon W020	**Metals** Arsenic, total	4.7E-01	ug/l	2.E-08	4.E-08	6.E-08
Exposure Point Total				2.E-08	4.E-08	6.E-08
Study Area-wide Transects	**Metals** Arsenic, total	5.5E-01	ug/l	2.E-08	5.E-08	7.E-08
Exposure Point Total				2.E-08	5.E-08	7.E-08

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Cumulative cancer risks include total metals only. Combined adult and child cancer risks calculated based on child exposure of 6 years and weighted adult exposure of 24 years for a recreational beach user.

Abbreviations:

-- = Not applicable.
EPC = Exposure Point Concentration.
l = liter.
ug = microgram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-49.
Calculation of Cancer Risks - Combined Child and Adult Recreational Beach User, Surface Water Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Child & Adult Recreational Beach User
Population Age: Child and Adult

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Adult Total Cancer Risk[a]	Child Total Cancer Risk[a]	Combined Adult and Child Cancer Risk[a,b]
Cathedral Park W010	**Metals** Arsenic, total	5.4E-01	ug/l	2.E-09	9.E-09	1.E-08
Exposure Point Total[b]				2.E-09	9.E-09	1.E-08
Willamette Cove W014	**Metals** Arsenic, total	5.2E-01	ug/l	2.E-09	9.E-09	1.E-08
Exposure Point Total				2.E-09	9.E-09	1.E-08
Swan Island Lagoon W020	**Metals** Arsenic, total	4.7E-01	ug/l	2.E-09	8.E-09	9.E-09
Exposure Point Total				2.E-09	8.E-09	9.E-09
Study Area-wide Transects	**Metals** Arsenic, total	5.1E-01	ug/l	2.E-09	9.E-09	1.E-08
Exposure Point Total				2.E-09	9.E-09	1.E-08

Notes:
a Numbers presented are rounded values. Sums calculated before rounding.
b Cumulative cancer risks include total metals only. Combined adult and child cancer risks are calculated based on sum of child exposure of 6 years and adult CT exposure of 9 years.

Abbreviations: -- = Not applicable.
CT = Central tendency
EPC = Exposure Point Concentration.
l = liter.
ug = microgram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-50.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, Surface Water Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point[a]	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
Single Point Samples																	
RM 2.0 E	**Metals**																
	Arsenic, total	6.2E-01	ug/l	1.5E+00	1.5E+00	3.2E-09	8.7E-09	4.7E-09	1.3E-08	2.E-08	3.0E-04	3.0E-04	8.8E-09	2.4E-08	2.9E-05	8.1E-05	0.0001
	Naphthalene	6.5E-03	ug/l	--	--	1.8E-09	9.1E-11	--	--	--	2.0E-02	2.0E-02	5.0E-09	2.5E-10	2.5E-07	1.3E-08	0.0000003
	Herbicides																
	MCPP	5.2E+00	ug/l	--	--	5.5E-07	7.3E-08	--	--	--	1.0E-03	1.0E-03	1.5E-06	2.0E-07	1.5E-03	2.0E-04	0.002
	Exposure Point Total[c]									2.E-08							0.002
RM 2.0 W	**Metals**																
	Arsenic, total	6.9E-01	ug/l	1.5E+00	1.5E+00	3.5E-09	9.6E-09	5.2E-09	1.4E-08	2.E-08	3.0E-04	3.0E-04	9.8E-09	2.7E-08	3.3E-05	9.0E-05	0.0001
	Exposure Point Total									2.E-08							0.0001
RM 3.0 W	**Metals**																
	Arsenic, total	4.9E-01	ug/l	1.5E+00	1.5E+00	2.5E-09	6.8E-09	3.7E-09	1.0E-08	1.E-08	3.0E-04	3.0E-04	7.0E-09	1.9E-08	2.3E-05	6.4E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.0E-03	ug/l	7.3E-01	7.3E-01	1.4E-08	4.2E-11	1.0E-08	3.1E-11	1.E-08	--	--	4.0E-08	1.2E-10	--	--	--
	Benzo(a)pyrene	2.7E-03	ug/l	7.3E+00	7.3E+00	2.2E-08	3.8E-11	1.6E-07	2.8E-10	2.E-07	--	--	6.1E-08	1.1E-10	--	--	--
	Benzo(b)fluoranthene	2.8E-03	ug/l	7.3E-01	7.3E-01	2.3E-08	3.9E-11	1.7E-08	2.9E-11	2.E-08	--	--	6.4E-08	1.1E-10	--	--	--
	Exposure Point Total									2.E-07							0.0001
RM 3.5 E	**Metals**																
	Arsenic, total	4.9E-01	ug/l	1.5E+00	1.5E+00	2.5E-09	6.8E-09	3.7E-09	1.0E-08	1.E-08	3.0E-04	3.0E-04	6.9E-09	1.9E-08	2.3E-05	6.4E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E-02	ug/l	7.3E-01	7.3E-01	5.7E-08	1.7E-10	4.1E-08	1.2E-10	4.E-08	--	--	1.6E-07	4.7E-10	--	--	--
	Benzo(b)fluoranthene	9.0E-03	ug/l	7.3E-01	7.3E-01	7.4E-08	1.3E-10	5.4E-08	9.2E-11	5.E-08	--	--	2.1E-07	3.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	5.5E-03	ug/l	7.3E-01	7.3E-01	4.5E-08	7.7E-11	3.3E-08	5.6E-11	3.E-08	--	--	1.3E-07	2.2E-10	--	--	--
	Exposure Point Total									1.E-07							0.0001
RM 4.0 E	**Metals**																
	Arsenic, total	4.8E-01	ug/l	1.5E+00	1.5E+00	2.4E-09	6.7E-09	3.7E-09	1.0E-08	1.E-08	3.0E-04	3.0E-04	6.8E-09	1.9E-08	2.3E-05	6.3E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.5E-03	ug/l	7.3E-01	7.3E-01	3.1E-08	9.1E-11	2.2E-08	6.6E-11	2.E-08	--	--	8.6E-08	2.5E-10	--	--	--
	Benzo(a)pyrene	4.0E-03	ug/l	7.3E+00	7.3E+00	3.2E-08	5.6E-11	2.4E-07	4.1E-10	2.E-07	--	--	9.0E-08	1.6E-10	--	--	--
	Benzo(b)fluoranthene	4.0E-03	ug/l	7.3E-01	7.3E-01	3.3E-08	5.6E-11	2.4E-08	4.1E-11	2.E-08	--	--	9.2E-08	1.6E-10	--	--	--
	Exposure Point Total									3.E-07							0.0001
RM 4.0 W	**Metals**																
	Arsenic, total	4.9E-01	ug/l	1.5E+00	1.5E+00	2.5E-09	6.8E-09	3.7E-09	1.0E-08	1.E-08	3.0E-04	3.0E-04	7.0E-09	1.9E-08	2.3E-05	6.4E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.9E-03	ug/l	7.3E-01	7.3E-01	2.8E-08	8.2E-11	2.0E-08	6.0E-11	2.E-08	--	--	7.8E-08	2.3E-10	--	--	--
	Exposure Point Total									3.E-08							0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-50.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, Surface Water Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point[a]	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 4.5 E	**Metals**																
	Arsenic, total	4.8E-01	ug/l	1.5E+00	1.5E+00	2.4E-09	6.7E-09	3.7E-09	1.0E-08	1.E-08	3.0E-04	3.0E-04	6.8E-09	1.9E-08	2.3E-05	6.3E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.8E-03	ug/l	7.3E-01	7.3E-01	3.7E-08	1.1E-10	2.7E-08	8.0E-11	3.E-08	--	--	1.0E-07	3.1E-10	--	--	--
	Benzo(a)pyrene	7.5E-03	ug/l	7.3E+00	7.3E+00	6.1E-08	1.0E-10	4.4E-07	7.7E-10	4.E-07	--	--	1.7E-07	2.9E-10	--	--	--
	Benzo(b)fluoranthene	8.0E-03	ug/l	7.3E-01	7.3E-01	6.6E-08	1.1E-10	4.8E-08	8.2E-11	5.E-08	--	--	1.8E-07	3.1E-10	--	--	--
	Dibenzo(a,h)anthracene	4.4E-03	ug/l	7.3E+00	7.3E+00	5.5E-08	6.2E-11	4.0E-07	4.5E-10	4.E-07	--	--	1.5E-07	1.7E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	5.7E-03	ug/l	7.3E-01	7.3E-01	4.7E-08	8.0E-11	3.4E-08	5.8E-11	3.E-08	--	--	1.3E-07	2.2E-10	--	--	--
	Exposure Point Total									1.E-06							0.0001
RM 5.5 E	**Metals**																
	Arsenic, total	5.0E-01	ug/l	1.5E+00	1.5E+00	2.5E-09	6.9E-09	3.8E-09	1.0E-08	1.E-08	3.0E-04	3.0E-04	7.1E-09	1.9E-08	2.4E-05	6.5E-05	0.0001
	Pesticides																
	Aldrin	4.1E-03	ug/l	1.7E+01	1.7E+01	1.4E-10	5.7E-11	2.3E-09	9.6E-10	3.E-09	3.0E-05	3.0E-05	3.8E-10	1.6E-10	1.3E-05	5.3E-06	0.00002
	Exposure Point Total									2.E-08							0.0001
RM 5.5 W	**Metals**																
	Arsenic, total	5.0E-01	ug/l	1.5E+00	1.5E+00	2.5E-09	7.0E-09	3.8E-09	1.0E-08	1.E-08	3.0E-04	3.0E-04	7.1E-09	2.0E-08	2.4E-05	6.5E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.3E-03	ug/l	7.3E-01	7.3E-01	2.0E-08	6.0E-11	1.5E-08	4.4E-11	1.E-08	--	--	5.7E-08	1.7E-10	--	--	--
	Exposure Point Total									3.E-08							0.0001
RM 6.0 W	**Metals**																
	Arsenic, total	5.2E-01	ug/l	1.5E+00	1.5E+00	2.6E-09	7.2E-09	3.9E-09	1.1E-08	1.E-08	3.0E-04	3.0E-04	7.3E-09	2.0E-08	2.4E-05	6.7E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E-01	ug/l	7.3E-01	7.3E-01	6.5E-07	1.9E-09	4.7E-07	1.4E-09	5.E-07	--	--	1.8E-06	5.4E-09	--	--	--
	Benzo(a)pyrene	1.5E-01	ug/l	7.3E+00	7.3E+00	1.2E-06	2.1E-09	8.8E-06	1.5E-08	9.E-06	--	--	3.4E-06	5.9E-09	--	--	--
	Benzo(b)fluoranthene	1.1E-01	ug/l	7.3E-01	7.3E-01	9.0E-07	1.5E-09	6.6E-07	1.1E-09	7.E-07	--	--	2.5E-06	4.3E-09	--	--	--
	Dibenzo(a,h)anthracene	1.4E-02	ug/l	7.3E+00	7.3E+00	1.7E-07	1.9E-10	1.3E-06	1.4E-09	1.E-06	--	--	4.8E-07	5.4E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E-01	ug/l	7.3E-01	7.3E-01	9.0E-07	1.5E-09	6.6E-07	1.1E-09	7.E-07	--	--	2.5E-06	4.3E-09	--	--	--
	Naphthalene	7.7E-01	ug/l	--	--	2.1E-07	1.1E-08	--	--	--	2.0E-02	2.0E-02	5.9E-07	3.0E-08	3.0E-05	1.5E-06	0.00003
	Pesticides																
	Aldrin	2.1E-06	ug/l	1.7E+01	1.7E+01	7.3E-14	3.0E-14	1.2E-12	5.1E-13	2.E-12	3.0E-05	3.0E-05	2.0E-13	8.4E-14	6.8E-09	2.8E-09	0.00000001
	Exposure Point Total									1.E-05							0.0001
RM 6.5 E	**Metals**																
	Arsenic, total	4.2E-01	ug/l	1.5E+00	1.5E+00	2.2E-09	5.9E-09	3.2E-09	8.9E-09	1.E-08	3.0E-04	3.0E-04	6.0E-09	1.7E-08	2.0E-05	5.5E-05	0.0001
	Chromium, hexavalent	7.0E-01	ug/l	1.3E-02	5.0E-01	3.6E-09	9.8E-09	4.4E-11	4.9E-09	5.E-09	7.5E-05	3.0E-03	9.9E-09	2.7E-08	1.3E-04	9.1E-06	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E-03	ug/l	7.3E-01	7.3E-01	5.4E-09	1.6E-11	4.0E-09	1.2E-11	4.E-09	--	--	1.5E-08	4.5E-11	--	--	--
	Benzo(a)pyrene	9.4E-04	ug/l	7.3E+00	7.3E+00	7.6E-09	1.3E-11	5.5E-08	9.6E-11	6.E-08	--	--	2.1E-08	3.7E-11	--	--	--
	Benzo(b)fluoranthene	7.2E-04	ug/l	7.3E-01	7.3E-01	5.9E-09	1.0E-11	4.3E-09	7.4E-12	4.E-09	--	--	1.7E-08	2.8E-11	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-50.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, Surface Water Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point[a]	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Dibenzo(a,h)anthracene	8.8E-04	ug/l	7.3E+00	7.3E+00	1.1E-08	1.2E-11	8.0E-08	9.0E-11	8.E-08	--	--	3.1E-08	3.4E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	4.5E-04	ug/l	7.3E-01	7.3E-01	3.7E-09	6.4E-12	2.7E-09	4.6E-12	3.E-09	--	--	1.0E-08	1.8E-11	--	--	--
	Naphthalene	1.7E-02	ug/l	--	--	4.7E-09	2.4E-10	--	--	--	2.0E-02	2.0E-02	1.3E-08	6.6E-10	6.5E-07	3.3E-08	0.000001
	Pesticides																
	Aldrin	2.1E-06	ug/l	1.7E+01	1.7E+01	7.2E-14	3.0E-14	1.2E-12	5.1E-13	2.E-12	3.0E-05	3.0E-05	2.0E-13	8.3E-14	6.7E-09	2.8E-09	0.00000001
	Exposure Point Total									2.E-07							0.0002
RM 6.5 W	**Metals**																
	Arsenic, total	5.2E-01	ug/l	1.5E+00	1.5E+00	2.6E-09	7.3E-09	4.0E-09	1.1E-08	1.E-08	3.0E-04	3.0E-04	7.4E-09	2.0E-08	2.5E-05	6.8E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.1E-03	ug/l	7.3E-01	7.3E-01	2.9E-08	8.6E-11	2.1E-08	6.3E-11	2.E-08	--	--	8.1E-08	2.4E-10	--	--	--
	Benzo(a)pyrene	6.6E-03	ug/l	7.3E+00	7.3E+00	5.4E-08	9.3E-11	3.9E-07	6.8E-10	4.E-07	--	--	1.5E-07	2.6E-10	--	--	--
	Benzo(b)fluoranthene	6.8E-03	ug/l	7.3E-01	7.3E-01	5.5E-08	9.5E-11	4.0E-08	6.9E-11	4.E-08	--	--	1.6E-07	2.6E-10	--	--	--
	Dibenzo(a,h)anthracene	8.7E-04	ug/l	7.3E+00	7.3E+00	1.1E-08	1.2E-11	7.9E-08	8.8E-11	8.E-08	--	--	3.0E-08	3.4E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	6.1E-03	ug/l	7.3E-01	7.3E-01	5.0E-08	8.5E-11	3.6E-08	6.2E-11	4.E-08	--	--	1.4E-07	2.4E-10	--	--	--
	Naphthalene	2.9E-02	ug/l	--	--	7.9E-09	4.0E-10	--	--	--	2.0E-02	2.0E-02	2.2E-08	1.1E-09	1.1E-06	5.6E-08	0.000001
	Pesticides																
	Aldrin	1.6E-05	ug/l	1.7E+01	1.7E+01	5.5E-13	2.3E-13	9.4E-12	3.9E-12	1.E-11	3.0E-05	3.0E-05	1.5E-12	6.4E-13	5.2E-08	2.1E-08	0.0000001
	Exposure Point Total									6.E-07							0.0001
RM 7.0 W	**Metals**																
	Arsenic, total	4.5E-01	ug/l	1.5E+00	1.5E+00	2.3E-09	6.3E-09	3.4E-09	9.5E-09	1.E-08	3.0E-04	3.0E-04	6.4E-09	1.8E-08	2.1E-05	5.9E-05	0.0001
	Chromium, hexavalent	9.0E-01	ug/l	1.3E-02	5.0E-01	4.6E-09	1.3E-08	5.7E-11	6.3E-09	6.E-09	7.5E-05	3.0E-03	1.3E-08	3.5E-08	1.7E-04	1.2E-05	0.0002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.4E-03	ug/l	7.3E-01	7.3E-01	1.6E-08	4.8E-11	1.2E-08	3.5E-11	1.E-08	--	--	4.5E-08	1.3E-10	--	--	--
	Benzo(a)pyrene	2.9E-03	ug/l	7.3E+00	7.3E+00	2.3E-08	4.0E-11	1.7E-07	2.9E-10	2.E-07	--	--	6.5E-08	1.1E-10	--	--	--
	Benzo(b)fluoranthene	2.4E-03	ug/l	7.3E-01	7.3E-01	1.9E-08	3.3E-11	1.4E-08	2.4E-11	1.E-08	--	--	5.4E-08	9.2E-11	--	--	--
	Dibenzo(a,h)anthracene	5.4E-04	ug/l	7.3E+00	7.3E+00	6.8E-09	7.6E-12	4.9E-08	5.5E-11	5.E-08	--	--	1.9E-08	2.1E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	2.8E-03	ug/l	7.3E-01	7.3E-01	2.3E-08	3.9E-11	1.7E-08	2.9E-11	2.E-08	--	--	6.4E-08	1.1E-10	--	--	--
	Naphthalene	7.4E-04	ug/l	--	--	2.0E-10	1.0E-11	--	--	--	2.0E-02	2.0E-02	5.7E-10	2.9E-11	2.9E-08	1.5E-09	0.00000003
	Pesticides																
	Aldrin	3.3E-06	ug/l	1.7E+01	1.7E+01	1.1E-13	4.6E-14	1.9E-12	7.9E-13	3.E-12	3.0E-05	3.0E-05	3.1E-13	1.3E-13	1.0E-08	4.3E-09	0.00000001
	Herbicides																
	MCPP	6.2E+00	ug/l	--	--	6.5E-07	8.6E-08	--	--	--	1.0E-03	1.0E-03	1.8E-06	2.4E-07	1.8E-03	2.4E-04	0.002
	Conventionals																
	Perchlorate	7.0E+00	ug/l	--	--	2.5E-12	9.8E-08	--	--	--	7.0E-04	7.0E-04	7.1E-12	2.7E-07	1.0E-08	3.9E-04	0.0004
	Exposure Point Total									3.E-07							0.003
RM 7.5 W	**Metals**																
	Arsenic, total	5.4E-01	ug/l	1.5E+00	1.5E+00	2.8E-09	7.6E-09	4.1E-09	1.1E-08	2.E-08	3.0E-04	3.0E-04	7.7E-09	2.1E-08	2.6E-05	7.1E-05	0.0001
	Pesticides																
	Aldrin	8.7E-07	ug/l	1.7E+01	1.7E+01	3.0E-14	1.2E-14	5.0E-13	2.1E-13	7.E-13	3.0E-05	3.0E-05	8.3E-14	3.4E-14	2.8E-09	1.1E-09	0.000000004
	Exposure Point Total									2.E-08							0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-50.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, Surface Water Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point[a]	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 8 SIL	**Metals**																
	Arsenic, total	4.4E-01	ug/l	1.5E+00	1.5E+00	2.2E-09	6.2E-09	3.4E-09	9.3E-09	1.E-08	3.0E-04	3.0E-04	6.3E-09	1.7E-08	2.1E-05	5.8E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.9E-03	ug/l	7.3E-01	7.3E-01	1.4E-08	4.1E-11	1.0E-08	3.0E-11	1.E-08	--	--	3.9E-08	1.1E-10	--	--	--
	Benzo(a)pyrene	4.8E-03	ug/l	7.3E+00	7.3E+00	3.9E-08	6.8E-11	2.9E-07	4.9E-10	3.E-07	--	--	1.1E-07	1.9E-10	--	--	--
	Benzo(b)fluoranthene	2.6E-03	ug/l	7.3E-01	7.3E-01	2.1E-08	3.6E-11	1.5E-08	2.6E-11	2.E-08	--	--	5.9E-08	1.0E-10	--	--	--
	Dibenzo(a,h)anthracene	7.8E-04	ug/l	7.3E+00	7.3E+00	9.7E-09	1.1E-11	7.1E-08	8.0E-11	7.E-08	--	--	2.7E-08	3.1E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.9E-03	ug/l	7.3E-01	7.3E-01	1.6E-08	2.7E-11	1.1E-08	1.9E-11	1.E-08	--	--	4.4E-08	7.5E-11	--	--	--
	Naphthalene	6.9E-03	ug/l	--	--	1.9E-09	9.6E-11	--	--	--	2.0E-02	2.0E-02	5.3E-09	2.7E-10	2.6E-07	1.3E-08	0.0000003
	Pesticides																
	Aldrin	4.0E-06	ug/l	1.7E+01	1.7E+01	1.3E-13	5.6E-14	2.3E-12	9.4E-13	3.E-12	3.0E-05	3.0E-05	3.8E-13	1.6E-13	1.3E-08	5.2E-09	0.00000002
	Herbicides																
	MCPP	1.9E+01	ug/l	--	--	2.0E-06	2.6E-07	--	--	--	1.0E-03	1.0E-03	5.5E-06	7.3E-07	5.5E-03	7.3E-04	0.006
	Exposure Point Total									4.E-07							0.006
RM 8.5 W	**Metals**																
	Arsenic, total	5.0E-01	ug/l	1.5E+00	1.5E+00	2.5E-09	7.0E-09	3.8E-09	1.1E-08	1.E-08	3.0E-04	3.0E-04	7.1E-09	2.0E-08	2.4E-05	6.5E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Indeno(1,2,3-cd)pyrene	5.1E-03	ug/l	7.3E-01	7.3E-01	4.2E-08	7.1E-11	3.0E-08	5.2E-11	3.E-08	--	--	1.2E-07	2.0E-10	--	--	--
	Naphthalene	8.3E-02	ug/l	--	--	2.3E-08	1.2E-09	--	--	--	2.0E-02	2.0E-02	6.4E-08	3.3E-09	3.2E-06	1.6E-07	0.000003
	Exposure Point Total									4.E-08							0.0001
RM 9.5 E	**Metals**																
	Arsenic, total	5.2E-01	ug/l	1.5E+00	1.5E+00	2.6E-09	7.3E-09	4.0E-09	1.1E-08	1.E-08	3.0E-04	3.0E-04	7.4E-09	2.0E-08	2.5E-05	6.8E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Naphthalene	2.0E-02	ug/l	--	--	5.6E-09	2.8E-10	--	--	--	2.0E-02	2.0E-02	1.6E-08	7.9E-10	7.8E-07	4.0E-08	0.000001
	Exposure Point Total									1.E-08							0.0001
RM 9.5 W	**Metals**																
	Arsenic, total	6.1E-01	ug/l	1.5E+00	1.5E+00	3.1E-09	8.5E-09	4.6E-09	1.3E-08	2.E-08	3.0E-04	3.0E-04	8.7E-09	2.4E-08	2.9E-05	7.9E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Dibenzo(a,h)anthracene	7.2E-03	ug/l	7.3E+00	7.3E+00	9.0E-08	1.0E-10	6.6E-07	7.3E-10	7.E-07	--	--	2.5E-07	2.8E-10	--	--	--
	Exposure Point Total									7.E-07							0.0001
Transect Samples																	
Transect W025, RM 2	**Metals**																
	Arsenic, total	6.0E-01	ug/l	1.5E+00	1.5E+00	3.1E-09	8.4E-09	4.6E-09	1.3E-08	2.E-08	3.0E-04	3.0E-04	8.6E-09	2.4E-08	2.9E-05	7.9E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.2E-04	ug/l	7.3E-01	7.3E-01	2.9E-09	8.7E-12	2.1E-09	6.3E-12	2.E-09	--	--	8.2E-09	2.4E-11	--	--	--
	Benzo(a)pyrene	5.1E-04	ug/l	7.3E+00	7.3E+00	4.1E-09	7.1E-12	3.0E-08	5.2E-11	3.E-08	--	--	1.1E-08	2.0E-11	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-50.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, Surface Water Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point[a]	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg-day)^{-1}$	Oral Cancer Slope Factor $(mg/kg-day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Benzo(b)fluoranthene	6.2E-04	ug/l	7.3E-01	7.3E-01	5.1E-09	8.7E-12	3.7E-09	6.3E-12	4.E-09	--	--	1.4E-08	2.4E-11	--	--	--
	Dibenzo(a,h)anthracene	1.5E-04	ug/l	7.3E+00	7.3E+00	1.9E-09	2.1E-12	1.4E-08	1.5E-11	1.E-08	--	--	5.2E-09	5.8E-12	--	--	--
	Indeno(1,2,3-cd)pyrene	1.9E-04	ug/l	7.3E-01	7.3E-01	1.6E-09	2.7E-12	1.1E-09	2.0E-12	1.E-09	--	--	4.4E-09	7.5E-12	--	--	--
	Pesticides																
	Aldrin	4.0E-06	ug/l	1.7E+01	1.7E+01	1.4E-13	5.6E-14	2.3E-12	9.5E-13	3.E-12	3.0E-05	3.0E-05	3.8E-13	1.6E-13	1.3E-08	5.2E-09	0.00000002
	Exposure Point Total									7.E-08							0.0001
Transect W027, MC	**Metals**																
	Arsenic, total	5.0E-01	ug/l	1.5E+00	1.5E+00	2.5E-09	6.9E-09	3.8E-09	1.0E-08	1.E-08	3.0E-04	3.0E-04	7.0E-09	1.9E-08	2.3E-05	6.5E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.9E-03	ug/l	7.3E-01	7.3E-01	2.8E-08	8.2E-11	2.0E-08	6.0E-11	2.E-08	--	--	7.8E-08	2.3E-10	--	--	--
	Benzo(a)pyrene	1.7E-03	ug/l	7.3E+00	7.3E+00	1.4E-08	2.4E-11	1.0E-07	1.8E-10	1.E-07	--	--	3.9E-08	6.7E-11	--	--	--
	Benzo(b)fluoranthene	8.3E-03	ug/l	7.3E-01	7.3E-01	6.8E-08	1.2E-10	5.0E-08	8.5E-11	5.E-08	--	--	1.9E-07	3.2E-10	--	--	--
	Dibenzo(a,h)anthracene	5.6E-03	ug/l	7.3E+00	7.3E+00	7.0E-08	7.8E-11	5.1E-07	5.7E-10	5.E-07	--	--	2.0E-07	2.2E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E-03	ug/l	7.3E-01	7.3E-01	9.5E-09	1.6E-11	6.9E-09	1.2E-11	7.E-09	--	--	2.7E-08	4.5E-11	--	--	--
	Naphthalene	8.6E-03	ug/l	--	--	2.4E-09	1.2E-10	--	--	--	2.0E-02	2.0E-02	6.6E-09	3.4E-10	3.3E-07	1.7E-08	0.0000003
	Pesticides																
	Aldrin	4.5E-06	ug/l	1.7E+01	1.7E+01	1.5E-13	6.3E-14	2.6E-12	1.1E-12	4.E-12	3.0E-05	3.0E-05	4.3E-13	1.8E-13	1.4E-08	5.9E-09	0.00000002
	Herbicides																
	MCPP	1.3E+01	ug/l	--	--	1.3E-06	1.7E-07	--	--	--	1.0E-03	1.0E-03	3.7E-06	4.9E-07	3.7E-03	4.9E-04	0.004
	Exposure Point Total									7.E-07							0.004
Transect W005, RM 3.9	**Metals**																
	Arsenic, total	5.2E-01	ug/l	1.5E+00	1.5E+00	2.6E-09	7.2E-09	3.9E-09	1.1E-08	1.E-08	3.0E-04	3.0E-04	7.3E-09	2.0E-08	2.4E-05	6.7E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E-03	ug/l	7.3E-01	7.3E-01	7.6E-09	2.3E-11	5.6E-09	1.6E-11	6.E-09	--	--	2.1E-08	6.3E-11	--	--	--
	Benzo(a)pyrene	1.4E-03	ug/l	7.3E+00	7.3E+00	1.1E-08	1.9E-11	8.1E-08	1.4E-10	8.E-08	--	--	3.1E-08	5.4E-11	--	--	--
	Benzo(b)fluoranthene	1.5E-03	ug/l	7.3E-01	7.3E-01	1.2E-08	2.0E-11	8.7E-09	1.5E-11	9.E-09	--	--	3.4E-08	5.7E-11	--	--	--
	Dibenzo(a,h)anthracene	2.2E-04	ug/l	7.3E+00	7.3E+00	2.7E-09	3.0E-12	2.0E-08	2.2E-11	2.E-08	--	--	7.6E-09	8.5E-12	--	--	--
	Indeno(1,2,3-cd)pyrene	9.8E-04	ug/l	7.3E-01	7.3E-01	8.0E-09	1.4E-11	5.8E-09	1.0E-11	6.E-09	--	--	2.2E-08	3.8E-11	--	--	--
	Naphthalene	2.4E-02	ug/l	--	--	6.5E-09	3.3E-10	--	--	--	2.0E-02	2.0E-02	1.8E-08	9.3E-10	9.1E-07	4.6E-08	0.000001
	Pesticides																
	Aldrin	3.8E-06	ug/l	1.7E+01	1.7E+01	1.3E-13	5.3E-14	2.2E-12	9.0E-13	3.E-12	3.0E-05	3.0E-05	3.6E-13	1.5E-13	1.2E-08	4.9E-09	0.00000002
	Herbicides																
	MCPP	9.1E+00	ug/l	--	--	9.5E-07	1.3E-07	--	--	--	1.0E-03	1.0E-03	2.7E-06	3.6E-07	2.7E-03	3.6E-04	0.003
	Exposure Point Total									1.E-07							0.003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-50.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, Surface Water Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point[a]	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
Transect W011, RM 6.3	**Metals**																
	Arsenic, total	4.7E-01	ug/l	1.5E+00	1.5E+00	2.4E-09	6.5E-09	3.5E-09	9.8E-09	1.E-08	3.0E-04	3.0E-04	6.6E-09	1.8E-08	2.2E-05	6.1E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E-03	ug/l	7.3E-01	7.3E-01	1.5E-08	4.3E-11	1.1E-08	3.2E-11	1.E-08	--	--	4.1E-08	1.2E-10	--	--	--
	Benzo(a)pyrene	1.4E-03	ug/l	7.3E+00	7.3E+00	1.1E-08	1.9E-11	8.0E-08	1.4E-10	8.E-08	--	--	3.1E-08	5.3E-11	--	--	--
	Benzo(b)fluoranthene	1.2E-03	ug/l	7.3E-01	7.3E-01	9.4E-09	1.6E-11	6.9E-09	1.2E-11	7.E-09	--	--	2.6E-08	4.5E-11	--	--	--
	Dibenzo(a,h)anthracene	2.1E-04	ug/l	7.3E+00	7.3E+00	2.6E-09	2.9E-12	1.9E-08	2.2E-11	2.E-08	--	--	7.4E-09	8.3E-12	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E-03	ug/l	7.3E-01	7.3E-01	8.8E-09	1.5E-11	6.4E-09	1.1E-11	6.E-09	--	--	2.5E-08	4.2E-11	--	--	--
	Naphthalene	1.5E-02	ug/l	--	--	4.2E-09	2.1E-10	--	--	--	2.0E-02	2.0E-02	1.2E-08	6.0E-10	5.9E-07	3.0E-08	0.000001
	Pesticides																
	Aldrin	3.4E-06	ug/l	1.7E+01	1.7E+01	1.1E-13	4.7E-14	1.9E-12	8.0E-13	3.E-12	3.0E-05	3.0E-05	3.2E-13	1.3E-13	1.1E-08	4.4E-09	0.00000001
	Exposure Point Total									**1.E-07**							**0.0001**
Transect W023, RM 11	**Metals**																
	Arsenic, total	4.7E-01	ug/l	1.5E+00	1.5E+00	2.4E-09	6.5E-09	3.5E-09	9.8E-09	1.E-08	3.0E-04	3.0E-04	6.6E-09	1.8E-08	2.2E-05	6.1E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.4E-03	ug/l	7.3E-01	7.3E-01	1.6E-08	4.8E-11	1.2E-08	3.5E-11	1.E-08	--	--	4.5E-08	1.3E-10	--	--	--
	Benzo(a)pyrene	4.1E-04	ug/l	7.3E+00	7.3E+00	3.3E-09	5.8E-12	2.4E-08	4.2E-11	2.E-08	--	--	9.3E-09	1.6E-11	--	--	--
	Benzo(b)fluoranthene	5.2E-04	ug/l	7.3E-01	7.3E-01	4.2E-09	7.2E-12	3.1E-09	5.3E-12	3.E-09	--	--	1.2E-08	2.0E-11	--	--	--
	Dibenzo(a,h)anthracene	4.5E-04	ug/l	7.3E+00	7.3E+00	5.6E-09	6.3E-12	4.1E-08	4.6E-11	4.E-08	--	--	1.6E-08	1.8E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.7E-03	ug/l	7.3E-01	7.3E-01	1.4E-08	2.4E-11	1.0E-08	1.7E-11	1.E-08	--	--	3.9E-08	6.7E-11	--	--	--
	Naphthalene	3.5E-02	ug/l	--	--	9.5E-09	4.8E-10	--	--	--	2.0E-02	2.0E-02	2.7E-08	1.4E-09	1.3E-06	6.8E-08	0.000001
	Pesticides																
	Aldrin	2.8E-06	ug/l	1.7E+01	1.7E+01	9.6E-14	4.0E-14	1.6E-12	6.8E-13	2.E-12	3.0E-05	3.0E-05	2.7E-13	1.1E-13	9.0E-09	3.7E-09	0.00000001
	Herbicides																
	MCPP	8.0E+00	ug/l	--	--	8.4E-07	1.1E-07	--	--	--	1.0E-03	1.0E-03	2.4E-06	3.1E-07	2.4E-03	3.1E-04	0.003
	Exposure Point Total									**1.E-07**							**0.003**

Notes:

a Exposure areas for divers are ½ - mile reaches per side of river throughout the Study Area, where single point samples from RM 2.0 - 2.4 are in exposure area 2.0, samples from RM 2.5 - 2.9 are in exposure area 2.5, etc.
 Each transect sample represents its own exposure area, and is listed individually. River mile segments not listed indicate there are no human health surface water samples from that river reach. Swan Island Lagoon and Multnomah Channel are their own exposure areas.

b Numbers presented are rounded values. Sums calculated before rounding.

c Cumulative cancer risks include total metals only.

Abbreviations: -- = Not applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
kg = kilogram.
l = liter.

LADI = Lifetime Average Daily Intake.
MCPP = 2-(2-Methyl-4-chlorophenoxy)propionic acid.
mg = milligram.
RfD = Reference dose.
ug = microgram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-51.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, Surface Water Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point[a]	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
Single Point Samples																	
RM 2.0 E	**Metals**																
	Arsenic, total	4.6E-01	ug/l	1.5E+00	1.5E+00	1.7E-10	4.6E-10	2.5E-10	6.9E-10	9.E-10	3.0E-04	3.0E-04	1.3E-09	3.6E-09	4.3E-06	1.2E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Naphthalene	4.1E-03	ug/l	--	--	1.0E-10	4.1E-12	--	--	--	2.0E-02	2.0E-02	8.0E-10	3.2E-11	4.0E-08	1.6E-09	0.00000004
	Herbicides																
	MCPP	5.2E+00	ug/l	--	--	5.6E-08	5.3E-09	--	--	--	1.0E-03	1.0E-03	4.3E-07	4.1E-08	4.3E-04	4.1E-05	0.0005
	Exposure Point Total[c]									9.E-10							0.0005
RM 2.0 W	**Metals**																
	Arsenic, total	5.6E-01	ug/l	1.5E+00	1.5E+00	2.0E-10	5.6E-10	3.1E-10	8.4E-10	1.E-09	3.0E-04	3.0E-04	1.6E-09	4.4E-09	5.3E-06	1.5E-05	0.00002
	Exposure Point Total									1.E-09							0.00002
RM 3.0 W	**Metals**																
	Arsenic, total	4.3E-01	ug/l	1.5E+00	1.5E+00	1.6E-10	4.3E-10	2.3E-10	6.5E-10	9.E-10	3.0E-04	3.0E-04	1.2E-09	3.3E-09	4.0E-06	1.1E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.0E-03	ug/l	7.3E-01	7.3E-01	1.4E-09	3.0E-12	1.1E-09	2.2E-12	1.E-09	--	--	1.1E-08	2.3E-11	--	--	--
	Benzo(a)pyrene	2.7E-03	ug/l	7.3E+00	7.3E+00	2.2E-09	2.7E-12	1.6E-08	2.0E-11	2.E-08	--	--	1.7E-08	2.1E-11	--	--	--
	Benzo(b)fluoranthene	2.8E-03	ug/l	7.3E-01	7.3E-01	2.3E-09	2.8E-12	1.7E-09	2.1E-12	2.E-09	--	--	1.8E-08	2.2E-11	--	--	--
	Exposure Point Total									2.E-08							0.00002
RM 3.5 E	**Metals**																
	Arsenic, total	4.3E-01	ug/l	1.5E+00	1.5E+00	1.6E-10	4.3E-10	2.3E-10	6.5E-10	9.E-10	3.0E-04	3.0E-04	1.2E-09	3.3E-09	4.1E-06	1.1E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.6E-03	ug/l	7.3E-01	7.3E-01	2.2E-09	4.7E-12	1.6E-09	3.4E-12	2.E-09	--	--	1.7E-08	3.6E-11	--	--	--
	Benzo(b)fluoranthene	4.6E-03	ug/l	7.3E-01	7.3E-01	3.9E-09	4.7E-12	2.8E-09	3.4E-12	3.E-09	--	--	3.0E-08	3.6E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	3.3E-03	ug/l	7.3E-01	7.3E-01	2.7E-09	3.3E-12	2.0E-09	2.4E-12	2.E-09	--	--	2.1E-08	2.6E-11	--	--	--
	Exposure Point Total									7.E-09							0.00002
RM 4.0 E	**Metals**																
	Arsenic, total	4.4E-01	ug/l	1.5E+00	1.5E+00	1.6E-10	4.4E-10	2.4E-10	6.6E-10	9.E-10	3.0E-04	3.0E-04	1.2E-09	3.4E-09	4.1E-06	1.1E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.6E-03	ug/l	7.3E-01	7.3E-01	1.7E-09	3.6E-12	1.3E-09	2.6E-12	1.E-09	--	--	1.3E-08	2.8E-11	--	--	--
	Benzo(a)pyrene	2.4E-03	ug/l	7.3E+00	7.3E+00	2.0E-09	2.4E-12	1.4E-08	1.8E-11	1.E-08	--	--	1.5E-08	1.9E-11	--	--	--
	Benzo(b)fluoranthene	2.6E-03	ug/l	7.3E-01	7.3E-01	2.2E-09	2.7E-12	1.6E-09	1.9E-12	2.E-09	--	--	1.7E-08	2.1E-11	--	--	--
	Exposure Point Total									2.E-08							0.00002
RM 4.0 W	**Metals**																
	Arsenic, total	3.7E-01	ug/l	1.5E+00	1.5E+00	1.4E-10	3.8E-10	2.0E-10	5.6E-10	8.E-10	3.0E-04	3.0E-04	1.1E-09	2.9E-09	3.5E-06	9.8E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.4E-03	ug/l	7.3E-01	7.3E-01	1.6E-09	3.4E-12	1.2E-09	2.5E-12	1.E-09	--	--	1.3E-08	2.6E-11	--	--	--
	Exposure Point Total									2.E-09							0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-51.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, Surface Water Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point[a]	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)[-1]	Oral Cancer Slope Factor (mg/kg-day)[-1]	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 4.5 E	**Metals**																
	Arsenic, total	4.3E-01	ug/l	1.5E+00	1.5E+00	1.6E-10	4.3E-10	2.3E-10	6.5E-10	9.E-10	3.0E-04	3.0E-04	1.2E-09	3.4E-09	4.1E-06	1.1E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.8E-03	ug/l	7.3E-01	7.3E-01	2.3E-09	4.9E-12	1.7E-09	3.6E-12	2.E-09	--	--	1.8E-08	3.8E-11	--	--	--
	Benzo(a)pyrene	4.1E-03	ug/l	7.3E+00	7.3E+00	3.4E-09	4.2E-12	2.5E-08	3.0E-11	2.E-08	--	--	2.6E-08	3.2E-11	--	--	--
	Benzo(b)fluoranthene	4.7E-03	ug/l	7.3E-01	7.3E-01	3.9E-09	4.7E-12	2.8E-09	3.4E-12	3.E-09	--	--	3.0E-08	3.6E-11	--	--	--
	Dibenzo(a,h)anthracene	2.6E-03	ug/l	7.3E+00	7.3E+00	3.3E-09	2.6E-12	2.4E-08	1.9E-11	2.E-08	--	--	2.5E-08	2.0E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	3.3E-03	ug/l	7.3E-01	7.3E-01	2.7E-09	3.3E-12	2.0E-09	2.4E-12	2.E-09	--	--	2.1E-08	2.6E-11	--	--	--
	Exposure Point Total									6.E-08							0.00002
RM 5.5 E	**Metals**																
	Arsenic, total	4.2E-01	ug/l	1.5E+00	1.5E+00	1.5E-10	4.2E-10	2.3E-10	6.3E-10	9.E-10	3.0E-04	3.0E-04	1.2E-09	3.3E-09	4.0E-06	1.1E-05	0.00001
	Pesticides																
	Aldrin	9.8E-04	ug/l	1.7E+01	1.7E+01	3.4E-12	9.9E-13	5.8E-11	1.7E-11	7.E-11	3.0E-05	3.0E-05	2.6E-11	7.7E-12	8.8E-07	2.6E-07	0.000001
	Exposure Point Total									9.E-10							0.00002
RM 5.5 W	**Metals**																
	Arsenic, total	4.3E-01	ug/l	1.5E+00	1.5E+00	1.6E-10	4.3E-10	2.4E-10	6.5E-10	9.E-10	3.0E-04	3.0E-04	1.2E-09	3.4E-09	4.1E-06	1.1E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.8E-03	ug/l	7.3E-01	7.3E-01	1.4E-09	2.9E-12	1.0E-09	2.1E-12	1.E-09	--	--	1.1E-08	2.2E-11	--	--	--
	Exposure Point Total									2.E-09							0.00002
RM 6.0 W	**Metals**																
	Arsenic, total	4.4E-01	ug/l	1.5E+00	1.5E+00	1.6E-10	4.4E-10	2.4E-10	6.7E-10	9.E-10	3.0E-04	3.0E-04	1.3E-09	3.5E-09	4.2E-06	1.2E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.5E-02	ug/l	7.3E-01	7.3E-01	2.6E-08	5.5E-11	1.9E-08	4.0E-11	2.E-08	--	--	2.0E-07	4.3E-10	--	--	--
	Benzo(a)pyrene	5.5E-02	ug/l	7.3E+00	7.3E+00	4.5E-08	5.5E-11	3.3E-07	4.0E-10	3.E-07	--	--	3.5E-07	4.3E-10	--	--	--
	Benzo(b)fluoranthene	4.1E-02	ug/l	7.3E-01	7.3E-01	3.4E-08	4.2E-11	2.5E-08	3.0E-11	3.E-08	--	--	2.7E-07	3.2E-10	--	--	--
	Dibenzo(a,h)anthracene	6.3E-03	ug/l	7.3E+00	7.3E+00	8.1E-09	6.4E-12	5.9E-08	4.7E-11	6.E-08	--	--	6.3E-08	5.0E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	4.1E-02	ug/l	7.3E-01	7.3E-01	3.4E-08	4.1E-11	2.5E-08	3.0E-11	2.E-08	--	--	2.6E-07	3.2E-10	--	--	--
	Naphthalene	1.9E-01	ug/l	--	--	5.0E-09	2.0E-10	--	--	--	2.0E-02	2.0E-02	3.9E-08	1.5E-09	1.9E-06	7.6E-08	0.000002
	Pesticides																
	Aldrin	1.6E-06	ug/l	1.7E+01	1.7E+01	5.7E-15	1.7E-15	9.6E-14	2.8E-14	1.E-13	3.0E-05	3.0E-05	4.4E-14	1.3E-14	1.5E-09	4.3E-10	0.000000002
	Exposure Point Total									5.E-07							0.00002
RM 6.5 E	**Metals**																
	Arsenic, total	3.9E-01	ug/l	1.5E+00	1.5E+00	1.4E-10	3.9E-10	2.1E-10	5.9E-10	8.E-10	3.0E-04	3.0E-04	1.1E-09	3.1E-09	3.7E-06	1.0E-05	0.00001
	Chromium, hexavalent	5.0E-01	ug/l	1.3E-02	5.0E-01	1.8E-10	5.0E-10	2.3E-12	2.5E-10	3.E-10	7.5E-05	3.0E-03	1.4E-09	3.9E-09	1.9E-05	1.3E-06	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	8.0E-04	ug/l	7.3E-01	7.3E-01	3.9E-10	8.1E-13	2.8E-10	5.9E-13	3.E-10	--	--	3.0E-09	6.3E-12	--	--	--
	Benzo(a)pyrene	6.3E-04	ug/l	7.3E+00	7.3E+00	5.2E-10	6.4E-13	3.8E-09	4.6E-12	4.E-09	--	--	4.0E-09	4.9E-12	--	--	--
	Benzo(b)fluoranthene	5.1E-04	ug/l	7.3E-01	7.3E-01	4.2E-10	5.1E-13	3.1E-10	3.7E-13	3.E-10	--	--	3.3E-09	4.0E-12	--	--	--
	Dibenzo(a,h)anthracene	1.6E-04	ug/l	7.3E+00	7.3E+00	2.1E-10	1.6E-13	1.5E-09	1.2E-12	2.E-09	--	--	1.6E-09	1.3E-12	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-51.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, Surface Water Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future   Medium: Surface Water
Receptor Population: Diver in Wet Suit   Exposure Medium: Surface Water
Population Age: Adult   Exposure Route: Direct Contact

Exposure Point[a]	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Indeno(1,2,3-cd)pyrene	3.5E-04	ug/l	7.3E-01	7.3E-01	2.9E-10	3.5E-13	2.1E-10	2.6E-13	2.E-10	--	--	2.3E-09	2.7E-12	--	--	--
	Naphthalene	6.5E-03	ug/l	--	--	1.7E-10	6.5E-12	--	--	--	2.0E-02	2.0E-02	1.3E-09	5.1E-11	6.4E-08	2.5E-09	0.0000001
	Pesticides																
	Aldrin	1.6E-06	ug/l	1.7E+01	1.7E+01	5.4E-15	1.6E-15	9.2E-14	2.7E-14	1.E-13	3.0E-05	3.0E-05	4.2E-14	1.2E-14	1.4E-09	4.1E-10	0.000000002
	Exposure Point Total									7.E-09							0.00003
RM 6.5 W	**Metals**																
	Arsenic, total	4.5E-01	ug/l	1.5E+00	1.5E+00	1.6E-10	4.5E-10	2.5E-10	6.8E-10	9.E-10	3.0E-04	3.0E-04	1.3E-09	3.5E-09	4.3E-06	1.2E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.9E-03	ug/l	7.3E-01	7.3E-01	1.4E-09	2.9E-12	1.0E-09	2.1E-12	1.E-09	--	--	1.1E-08	2.3E-11	--	--	--
	Benzo(a)pyrene	2.7E-03	ug/l	7.3E+00	7.3E+00	2.2E-09	2.7E-12	1.6E-08	2.0E-11	2.E-08	--	--	1.7E-08	2.1E-11	--	--	--
	Benzo(b)fluoranthene	3.0E-03	ug/l	7.3E-01	7.3E-01	2.5E-09	3.0E-12	1.8E-09	2.2E-12	2.E-09	--	--	2.0E-08	2.4E-11	--	--	--
	Dibenzo(a,h)anthracene	5.0E-04	ug/l	7.3E+00	7.3E+00	6.4E-10	5.0E-13	4.6E-09	3.7E-12	5.E-09	--	--	4.9E-09	3.9E-12	--	--	--
	Indeno(1,2,3-cd)pyrene	3.2E-03	ug/l	7.3E-01	7.3E-01	2.6E-09	3.2E-12	1.9E-09	2.3E-12	2.E-09	--	--	2.1E-08	2.5E-11	--	--	--
	Naphthalene	1.2E-02	ug/l	--	--	3.0E-10	1.2E-11	--	--	--	2.0E-02	2.0E-02	2.3E-09	9.2E-11	1.2E-07	4.6E-09	0.0000001
	Pesticides																
	Aldrin	6.9E-06	ug/l	1.7E+01	1.7E+01	2.4E-14	7.0E-15	4.1E-13	1.2E-13	5.E-13	3.0E-05	3.0E-05	1.9E-13	5.4E-14	6.2E-09	1.8E-09	0.00000001
	Exposure Point Total									3.E-08							0.00002
RM 7.0 W	**Metals**																
	Arsenic, total	3.5E-01	ug/l	1.5E+00	1.5E+00	1.3E-10	3.5E-10	1.9E-10	5.3E-10	7.E-10	3.0E-04	3.0E-04	9.9E-10	2.7E-09	3.3E-06	9.1E-06	0.00001
	Chromium, hexavalent	5.0E-01	ug/l	1.3E-02	5.0E-01	1.8E-10	5.0E-10	2.3E-12	2.5E-10	3.E-10	7.5E-05	3.0E-03	1.4E-09	3.9E-09	1.9E-05	1.3E-06	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.2E-03	ug/l	7.3E-01	7.3E-01	1.0E-09	2.2E-12	7.7E-10	1.6E-12	8.E-10	--	--	8.2E-09	1.7E-11	--	--	--
	Benzo(a)pyrene	2.0E-03	ug/l	7.3E+00	7.3E+00	1.6E-09	2.0E-12	1.2E-08	1.4E-11	1.E-08	--	--	1.3E-08	1.5E-11	--	--	--
	Benzo(b)fluoranthene	1.9E-03	ug/l	7.3E-01	7.3E-01	1.5E-09	1.9E-12	1.1E-09	1.4E-12	1.E-09	--	--	1.2E-08	1.5E-11	--	--	--
	Dibenzo(a,h)anthracene	2.7E-04	ug/l	7.3E+00	7.3E+00	3.4E-10	2.7E-13	2.5E-09	2.0E-12	2.E-09	--	--	2.7E-09	2.1E-12	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E-03	ug/l	7.3E-01	7.3E-01	9.2E-10	1.1E-12	6.7E-10	8.1E-13	7.E-10	--	--	7.2E-09	8.6E-12	--	--	--
	Naphthalene	7.4E-04	ug/l	--	--	1.9E-11	7.5E-13	--	--	--	2.0E-02	2.0E-02	1.5E-10	5.8E-12	7.4E-09	2.9E-10	0.00000001
	Pesticides																
	Aldrin	2.3E-06	ug/l	1.7E+01	1.7E+01	8.1E-15	2.4E-15	1.4E-13	4.0E-14	2.E-13	3.0E-05	3.0E-05	6.3E-14	1.8E-14	2.1E-09	6.1E-10	0.000000003
	Herbicides																
	MCPP	4.6E+00	ug/l	--	--	4.9E-08	4.6E-09	--	--	--	1.0E-03	1.0E-03	3.8E-07	3.6E-08	3.8E-04	3.6E-05	0.0004
	Conventionals																
	Perchlorate	2.7E+00	ug/l	--	--	8.1E-14	2.7E-09	--	--	--	7.0E-04	7.0E-04	6.3E-13	2.1E-08	9.0E-10	3.0E-05	0.00003
	Exposure Point Total									2.E-08							0.0005
RM 7.5 W	**Metals**																
	Arsenic, total	4.8E-01	ug/l	1.5E+00	1.5E+00	1.8E-10	4.9E-10	2.7E-10	7.3E-10	1.E-09	3.0E-04	3.0E-04	1.4E-09	3.8E-09	4.6E-06	1.3E-05	0.00002
	Pesticides																
	Aldrin	8.7E-07	ug/l	1.7E+01	1.7E+01	3.0E-15	8.8E-16	5.1E-14	1.5E-14	7.E-14	3.0E-05	3.0E-05	2.3E-14	6.8E-15	7.8E-10	2.3E-10	0.000000001
	Exposure Point Total									1.E-09							0.00002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-51.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, Surface Water Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point[a]	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 8 SIL	**Metals**																
	Arsenic, total	4.1E-01	ug/l	1.5E+00	1.5E+00	1.5E-10	4.2E-10	2.3E-10	6.3E-10	9.E-10	3.0E-04	3.0E-04	1.2E-09	3.2E-09	3.9E-06	1.1E-05	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.6E-03	ug/l	7.3E-01	7.3E-01	1.3E-09	2.6E-12	9.3E-10	1.9E-12	9.E-10	--	--	9.9E-09	2.1E-11	--	--	--
	Benzo(a)pyrene	1.5E-03	ug/l	7.3E+00	7.3E+00	1.2E-09	1.5E-12	8.9E-09	1.1E-11	9.E-09	--	--	9.4E-09	1.2E-11	--	--	--
	Benzo(b)fluoranthene	1.5E-03	ug/l	7.3E-01	7.3E-01	1.2E-09	1.5E-12	9.0E-10	1.1E-12	9.E-10	--	--	9.5E-09	1.2E-11	--	--	--
	Dibenzo(a,h)anthracene	3.1E-04	ug/l	7.3E+00	7.3E+00	4.0E-10	3.1E-13	2.9E-09	2.3E-12	3.E-09	--	--	3.1E-09	2.4E-12	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E-03	ug/l	7.3E-01	7.3E-01	9.1E-10	1.1E-12	6.6E-10	8.0E-13	7.E-10	--	--	7.1E-09	8.5E-12	--	--	--
	Naphthalene	3.5E-03	ug/l	--	--	8.9E-11	3.5E-12	--	--	--	2.0E-02	2.0E-02	6.9E-10	2.7E-11	3.5E-08	1.4E-09	0.00000004
	Pesticides																
	Aldrin	2.2E-06	ug/l	1.7E+01	1.7E+01	7.7E-15	2.3E-15	1.3E-13	3.8E-14	2.E-13	3.0E-05	3.0E-05	6.0E-14	1.8E-14	2.0E-09	5.8E-10	0.000000003
	Herbicides																
	MCPP	7.2E+00	ug/l	--	--	7.7E-08	7.3E-09	--	--	--	1.0E-03	1.0E-03	6.0E-07	5.7E-08	6.0E-04	5.7E-05	0.001
	Exposure Point Total									**2.E-08**							**0.0007**
RM 8.5 W	**Metals**																
	Arsenic, total	4.3E-01	ug/l	1.5E+00	1.5E+00	1.6E-10	4.4E-10	2.4E-10	6.6E-10	9.E-10	3.0E-04	3.0E-04	1.2E-09	3.4E-09	4.1E-06	1.1E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Indeno(1,2,3-cd)pyrene	2.9E-03	ug/l	7.3E-01	7.3E-01	2.4E-09	2.9E-12	1.7E-09	2.1E-12	2.E-09	--	--	1.8E-08	2.2E-11	--	--	--
	Naphthalene	2.1E-02	ug/l	--	--	5.3E-10	2.1E-11	--	--	--	2.0E-02	2.0E-02	4.1E-09	1.6E-10	2.1E-07	8.1E-09	0.0000002
	Exposure Point Total									**3.E-09**							**0.00002**
RM 9.5 E	**Metals**																
	Arsenic, total	4.1E-01	ug/l	1.5E+00	1.5E+00	1.5E-10	4.1E-10	2.3E-10	6.2E-10	8.E-10	3.0E-04	3.0E-04	1.2E-09	3.2E-09	3.9E-06	1.1E-05	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Naphthalene	1.3E-02	ug/l	--	--	3.4E-10	1.3E-11	--	--	--	2.0E-02	2.0E-02	2.7E-09	1.0E-10	1.3E-07	5.2E-09	0.0000001
	Exposure Point Total									**8.E-10**							**0.00001**
RM 9.5 W	**Metals**																
	Arsenic, total	4.9E-01	ug/l	1.5E+00	1.5E+00	1.8E-10	5.0E-10	2.7E-10	7.5E-10	1.E-09	3.0E-04	3.0E-04	1.4E-09	3.9E-09	4.7E-06	1.3E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Dibenzo(a,h)anthracene	3.5E-03	ug/l	7.3E+00	7.3E+00	4.5E-09	3.6E-12	3.3E-08	2.6E-11	3.E-08	--	--	3.5E-08	2.8E-11	--	--	--
	Exposure Point Total									**3.E-08**							**0.00002**
Transect Samples																	
Transect W025, RM 2	**Metals**																
	Arsenic, total	3.5E-01	ug/l	1.5E+00	1.5E+00	1.3E-10	3.5E-10	1.9E-10	5.2E-10	7.E-10	3.0E-04	3.0E-04	9.9E-10	2.7E-09	3.3E-06	9.1E-06	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.7E-04	ug/l	7.3E-01	7.3E-01	1.8E-10	3.7E-13	1.3E-10	2.7E-13	1.E-10	--	--	1.4E-09	2.9E-12	--	--	--
	Benzo(a)pyrene	2.5E-04	ug/l	7.3E+00	7.3E+00	2.1E-10	2.5E-13	1.5E-09	1.8E-12	2.E-09	--	--	1.6E-09	2.0E-12	--	--	--
	Benzo(b)fluoranthene	3.1E-04	ug/l	7.3E-01	7.3E-01	2.6E-10	3.1E-13	1.9E-10	2.2E-13	2.E-10	--	--	2.0E-09	2.4E-12	--	--	--
	Dibenzo(a,h)anthracene	1.5E-04	ug/l	7.3E+00	7.3E+00	1.9E-10	1.5E-13	1.4E-09	1.1E-12	1.E-09	--	--	1.5E-09	1.2E-12	--	--	--
	Indeno(1,2,3-cd)pyrene	1.4E-04	ug/l	7.3E-01	7.3E-01	1.2E-10	1.4E-13	8.7E-11	1.0E-13	9.E-11	--	--	9.2E-10	1.1E-12	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-51.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, Surface Water Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point[a]	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Pesticides																
	Aldrin	2.6E-06	ug/l	1.7E+01	1.7E+01	9.1E-15	2.6E-15	1.5E-13	4.5E-14	2.E-13	3.0E-05	3.0E-05	7.1E-14	2.1E-14	2.4E-09	6.9E-10	0.000000003
	Exposure Point Total									4.E-09							0.00001
Transect W027, MC	**Metals**																
	Arsenic, total	4.4E-01	ug/l	1.5E+00	1.5E+00	1.6E-10	4.4E-10	2.4E-10	6.6E-10	9.E-10	3.0E-04	3.0E-04	1.3E-09	3.4E-09	4.2E-06	1.1E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.2E-03	ug/l	7.3E-01	7.3E-01	1.1E-09	2.2E-12	7.8E-10	1.6E-12	8.E-10	--	--	8.3E-09	1.7E-11	--	--	--
	Benzo(a)pyrene	1.1E-03	ug/l	7.3E+00	7.3E+00	9.1E-10	1.1E-12	6.7E-09	8.2E-12	7.E-09	--	--	7.1E-09	8.7E-12	--	--	--
	Benzo(b)fluoranthene	2.8E-03	ug/l	7.3E-01	7.3E-01	2.3E-09	2.8E-12	1.7E-09	2.0E-12	2.E-09	--	--	1.8E-08	2.2E-11	--	--	--
	Dibenzo(a,h)anthracene	1.7E-03	ug/l	7.3E+00	7.3E+00	2.2E-09	1.7E-12	1.6E-08	1.3E-11	2.E-08	--	--	1.7E-08	1.4E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	8.1E-04	ug/l	7.3E-01	7.3E-01	6.7E-10	8.1E-13	4.9E-10	5.9E-13	5.E-10	--	--	5.2E-09	6.3E-12	--	--	--
	Naphthalene	8.6E-03	ug/l	--	--	2.2E-10	8.6E-12	--	--	--	2.0E-02	2.0E-02	1.7E-09	6.7E-11	8.5E-08	3.4E-09	0.0000001
	Pesticides																
	Aldrin	4.3E-06	ug/l	1.7E+01	1.7E+01	1.5E-14	4.3E-15	2.5E-13	7.3E-14	3.E-13	3.0E-05	3.0E-05	1.1E-13	3.3E-14	3.8E-09	1.1E-09	0.000000005
	Herbicides																
	MCPP	6.3E+00	ug/l	--	--	6.7E-08	6.3E-09	--	--	--	1.0E-03	1.0E-03	5.2E-07	4.9E-08	5.2E-04	4.9E-05	0.001
	Exposure Point Total									3.E-08							0.0006
Transect W005, RM 3.9	**Metals**																
	Arsenic, total	4.6E-01	ug/l	1.5E+00	1.5E+00	1.7E-10	4.6E-10	2.5E-10	6.9E-10	9.E-10	3.0E-04	3.0E-04	1.3E-09	3.6E-09	4.3E-06	1.2E-05	0.00002
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.1E-03	ug/l	7.3E-01	7.3E-01	5.5E-10	1.2E-12	4.0E-10	8.4E-13	4.E-10	--	--	4.3E-09	9.0E-12	--	--	--
	Benzo(a)pyrene	9.8E-04	ug/l	7.3E+00	7.3E+00	8.1E-10	9.9E-13	5.9E-09	7.2E-12	6.E-09	--	--	6.3E-09	7.7E-12	--	--	--
	Benzo(b)fluoranthene	1.1E-03	ug/l	7.3E-01	7.3E-01	9.0E-10	1.1E-12	6.6E-10	7.9E-13	7.E-10	--	--	7.0E-09	8.4E-12	--	--	--
	Dibenzo(a,h)anthracene	1.3E-04	ug/l	7.3E+00	7.3E+00	1.6E-10	1.3E-13	1.2E-09	9.3E-13	1.E-09	--	--	1.2E-09	9.9E-13	--	--	--
	Indeno(1,2,3-cd)pyrene	6.7E-04	ug/l	7.3E-01	7.3E-01	5.6E-10	6.7E-13	4.1E-10	4.9E-13	4.E-10	--	--	4.3E-09	5.2E-12	--	--	--
	Naphthalene	7.7E-03	ug/l	--	--	2.0E-10	7.7E-12	--	--	--	2.0E-02	2.0E-02	1.5E-09	6.0E-11	7.6E-08	3.0E-09	0.0000001
	Pesticides																
	Aldrin	2.7E-06	ug/l	1.7E+01	1.7E+01	9.3E-15	2.7E-15	1.6E-13	4.6E-14	2.E-13	3.0E-05	3.0E-05	7.3E-14	2.1E-14	2.4E-09	7.1E-10	0.000000003
	Herbicides																
	MCPP	4.7E+00	ug/l	--	--	5.0E-08	4.7E-09	--	--	--	1.0E-03	1.0E-03	3.9E-07	3.7E-08	3.9E-04	3.7E-05	0.0004
	Exposure Point Total									9.E-09							0.0004
Transect W011, RM 6.3	**Metals**																
	Arsenic, total	3.9E-01	ug/l	1.5E+00	1.5E+00	1.4E-10	3.9E-10	2.1E-10	5.8E-10	8.E-10	3.0E-04	3.0E-04	1.1E-09	3.0E-09	3.7E-06	1.0E-05	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.5E-03	ug/l	7.3E-01	7.3E-01	1.2E-09	2.5E-12	8.9E-10	1.9E-12	9.E-10	--	--	9.5E-09	2.0E-11	--	--	--
	Benzo(a)pyrene	8.5E-04	ug/l	7.3E+00	7.3E+00	6.9E-10	8.5E-13	5.1E-09	6.2E-12	5.E-09	--	--	5.4E-09	6.6E-12	--	--	--
	Benzo(b)fluoranthene	8.0E-04	ug/l	7.3E-01	7.3E-01	6.7E-10	8.0E-13	4.9E-10	5.9E-13	5.E-10	--	--	5.2E-09	6.2E-12	--	--	--
	Dibenzo(a,h)anthracene	1.0E-04	ug/l	7.3E+00	7.3E+00	1.3E-10	1.0E-13	9.4E-10	7.5E-13	9.E-10	--	--	1.0E-09	7.9E-13	--	--	--
	Indeno(1,2,3-cd)pyrene	6.5E-04	ug/l	7.3E-01	7.3E-01	5.4E-10	6.5E-13	3.9E-10	4.7E-13	4.E-10	--	--	4.2E-09	5.1E-12	--	--	--
	Naphthalene	6.0E-03	ug/l	--	--	1.5E-10	6.0E-12	--	--	--	2.0E-02	2.0E-02	1.2E-09	4.7E-11	5.9E-08	2.3E-09	0.0000001
	Pesticides																
	Aldrin	2.3E-06	ug/l	1.7E+01	1.7E+01	7.9E-15	2.3E-15	1.3E-13	3.9E-14	2.E-13	3.0E-05	3.0E-05	6.1E-14	1.8E-14	2.0E-09	6.0E-10	0.000000003
	Exposure Point Total									9.E-09							0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-51.
Calculation of Cancer Risks and Noncancer Hazards - Commercial Diver in Wet Suit, Surface Water Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Wet Suit
Population Age: Adult

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point[a]	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
Transect W023, RM 11	**Metals**																
	Arsenic, total	4.0E-01	ug/l	1.5E+00	1.5E+00	1.5E-10	4.0E-10	2.2E-10	6.0E-10	8.E-10	3.0E-04	3.0E-04	1.1E-09	3.1E-09	3.8E-06	1.0E-05	0.00001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.0E-03	ug/l	7.3E-01	7.3E-01	9.6E-10	2.0E-12	7.0E-10	1.5E-12	7.E-10	--	--	7.5E-09	1.6E-11	--	--	--
	Benzo(a)pyrene	2.8E-04	ug/l	7.3E+00	7.3E+00	2.3E-10	2.8E-13	1.7E-09	2.1E-12	2.E-09	--	--	1.8E-09	2.2E-12	--	--	--
	Benzo(b)fluoranthene	3.6E-04	ug/l	7.3E-01	7.3E-01	3.0E-10	3.7E-13	2.2E-10	2.7E-13	2.E-10	--	--	2.4E-09	2.8E-12	--	--	--
	Dibenzo(a,h)anthracene	1.3E-04	ug/l	7.3E+00	7.3E+00	1.6E-10	1.3E-13	1.2E-09	9.3E-13	1.E-09	--	--	1.3E-09	9.9E-13	--	--	--
	Indeno(1,2,3-cd)pyrene	1.8E-03	ug/l	7.3E-01	7.3E-01	1.5E-09	1.8E-12	1.1E-09	1.3E-12	1.E-09	--	--	1.2E-08	1.4E-11	--	--	--
	Naphthalene	9.0E-03	ug/l	--	--	2.3E-10	9.1E-12	--	--	--	2.0E-02	2.0E-02	1.8E-09	7.0E-11	8.9E-08	3.5E-09	0.0000001
	Pesticides																
	Aldrin	2.0E-06	ug/l	1.7E+01	1.7E+01	6.9E-15	2.0E-15	1.2E-13	3.4E-14	2.E-13	3.0E-05	3.0E-05	5.4E-14	1.6E-14	1.8E-09	5.2E-10	0.000000002
	Herbicides																
	MCPP	4.2E+00	ug/l	--	--	4.5E-08	4.3E-09	--	--	--	1.0E-03	1.0E-03	3.5E-07	3.3E-08	3.5E-04	3.3E-05	0.0004
	Exposure Point Total									6.E-09							0.0004

Notes:

a Exposure areas for divers are ½ - mile reaches per side of river throughout the Study Area, where single point samples from RM 2.0 - 2.4 are in exposure area 2.0, samples from RM 2.5 - 2.9 are in exposure area 2.5, etc. Each transect sample represents its own exposure area, and is listed individually. River mile segments not listed indicate there are no human health surface water samples from that river reach. Swan Island Lagoon and Multnomah Channel are their own exposure areas.

b Numbers presented are rounded values. Sums calculated before rounding.

c Cumulative cancer risks include total metals only.

Abbreviations: -- = Not applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
kg = kilogram.
l = liter.

LADI = Lifetime Average Daily Intake.
MCPP = 2-(2-Methyl-4-chlorophenoxy)propionic acid.
mg = milligram.
RfD = Reference dose.
ug = microgram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-52.
Calculation of Cancer Risks and Noncancer Hazards - Commerical Diver in Dry Suit, Surface Water Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point[a]	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
Single Point Samples																	
RM 2.0 E	**Metals**																
	Arsenic, total	6.2E-01	ug/l	1.5E+00	1.5E+00	4.4E-10	8.7E-09	6.5E-10	1.3E-08	1.E-08	3.0E-04	3.0E-04	1.2E-09	2.4E-08	4.1E-06	8.1E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Naphthalene	6.5E-03	ug/l	--	--	2.5E-10	9.1E-11	--	--	--	2.0E-02	2.0E-02	6.9E-10	2.5E-10	3.5E-08	1.3E-08	0.00000005
	Herbicides																
	MCPP	5.2E+00	ug/l	--	--	7.6E-08	7.3E-08	--	--	--	1.0E-03	1.0E-03	2.1E-07	2.0E-07	2.1E-04	2.0E-04	0.0004
	Exposure Point Total[c]										1.E-08							0.0005
RM 2.0 W	**Metals**																
	Arsenic, total	6.9E-01	ug/l	1.5E+00	1.5E+00	4.8E-10	9.6E-09	7.2E-10	1.4E-08	2.E-08	3.0E-04	3.0E-04	1.3E-09	2.7E-08	4.5E-06	9.0E-05	0.0001
	Exposure Point Total										2.E-08							0.0001
RM 3.0 W	**Metals**																
	Arsenic, total	4.9E-01	ug/l	1.5E+00	1.5E+00	3.4E-10	6.8E-09	5.2E-10	1.0E-08	1.E-08	3.0E-04	3.0E-04	9.6E-10	1.9E-08	3.2E-06	6.4E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.0E-03	ug/l	7.3E-01	7.3E-01	2.0E-09	4.2E-11	1.4E-09	3.1E-11	1.E-09	--	--	5.5E-09	1.2E-10	--	--	--
	Benzo(a)pyrene	2.7E-03	ug/l	7.3E+00	7.3E+00	3.0E-09	3.8E-11	2.2E-08	2.8E-10	2.E-08	--	--	8.4E-09	1.1E-10	--	--	--
	Benzo(b)fluoranthene	2.8E-03	ug/l	7.3E-01	7.3E-01	3.2E-09	3.9E-11	2.3E-09	2.9E-11	2.E-09	--	--	8.9E-09	1.1E-10	--	--	--
	Exposure Point Total										4.E-08							0.0001
RM 3.5 E	**Metals**																
	Arsenic, total	4.9E-01	ug/l	1.5E+00	1.5E+00	3.4E-10	6.8E-09	5.1E-10	1.0E-08	1.E-08	3.0E-04	3.0E-04	9.6E-10	1.9E-08	3.2E-06	6.4E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E-02	ug/l	7.3E-01	7.3E-01	7.9E-09	1.7E-10	5.7E-09	1.2E-10	6.E-09	--	--	2.2E-08	4.7E-10	--	--	--
	Benzo(b)fluoranthene	9.0E-03	ug/l	7.3E-01	7.3E-01	1.0E-08	1.3E-10	7.4E-09	9.2E-11	8.E-09	--	--	2.9E-08	3.5E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	5.5E-03	ug/l	7.3E-01	7.3E-01	6.2E-09	7.7E-11	4.5E-09	5.6E-11	5.E-09	--	--	1.7E-08	2.2E-10	--	--	--
	Exposure Point Total										3.E-08							0.0001
RM 4.0 E	**Metals**																
	Arsenic, total	4.8E-01	ug/l	1.5E+00	1.5E+00	3.4E-10	6.7E-09	5.1E-10	1.0E-08	1.E-08	3.0E-04	3.0E-04	9.4E-10	1.9E-08	3.1E-06	6.3E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.5E-03	ug/l	7.3E-01	7.3E-01	4.3E-09	9.1E-11	3.1E-09	6.6E-11	3.E-09	--	--	1.2E-08	2.5E-10	--	--	--
	Benzo(a)pyrene	4.0E-03	ug/l	7.3E+00	7.3E+00	4.5E-09	5.6E-11	3.3E-08	4.1E-10	3.E-08	--	--	1.3E-08	1.6E-10	--	--	--
	Benzo(b)fluoranthene	4.0E-03	ug/l	7.3E-01	7.3E-01	4.5E-09	5.6E-11	3.3E-09	4.1E-11	3.E-09	--	--	1.3E-08	1.6E-10	--	--	--
	Exposure Point Total										5.E-08							0.0001
RM 4.0 W	**Metals**																
	Arsenic, total	4.9E-01	ug/l	1.5E+00	1.5E+00	3.4E-10	6.8E-09	5.2E-10	1.0E-08	1.E-08	3.0E-04	3.0E-04	9.6E-10	1.9E-08	3.2E-06	6.4E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.9E-03	ug/l	7.3E-01	7.3E-01	3.9E-09	8.2E-11	2.8E-09	6.0E-11	3.E-09	--	--	1.1E-08	2.3E-10	--	--	--
	Exposure Point Total										1.E-08							0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-52.
Calculation of Cancer Risks and Noncancer Hazards - Commerical Diver in Dry Suit, Surface Water Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point[a]	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 4.5 E	**Metals**																
	Arsenic, total	4.8E-01	ug/l	1.5E+00	1.5E+00	3.4E-10	6.7E-09	5.1E-10	1.0E-08	1.E-08	3.0E-04	3.0E-04	9.4E-10	1.9E-08	3.1E-06	6.3E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	7.8E-03	ug/l	7.3E-01	7.3E-01	5.1E-09	1.1E-10	3.7E-09	8.0E-11	4.E-09	--	--	1.4E-08	3.1E-10	--	--	--
	Benzo(a)pyrene	7.5E-03	ug/l	7.3E+00	7.3E+00	8.4E-09	1.0E-10	6.1E-08	7.7E-10	6.E-08	--	--	2.3E-08	2.9E-10	--	--	--
	Benzo(b)fluoranthene	8.0E-03	ug/l	7.3E-01	7.3E-01	9.1E-09	1.1E-10	6.6E-09	8.2E-11	7.E-09	--	--	2.5E-08	3.1E-10	--	--	--
	Dibenzo(a,h)anthracene	4.4E-03	ug/l	7.3E+00	7.3E+00	7.6E-09	6.2E-11	5.6E-08	4.5E-10	6.E-08	--	--	2.1E-08	1.7E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	5.7E-03	ug/l	7.3E-01	7.3E-01	6.4E-09	8.0E-11	4.7E-09	5.8E-11	5.E-09	--	--	1.8E-08	2.2E-10	--	--	--
	Exposure Point Total									1.E-07							0.0001
RM 5.5 E	**Metals**																
	Arsenic, total	5.0E-01	ug/l	1.5E+00	1.5E+00	3.5E-10	6.9E-09	5.2E-10	1.0E-08	1.E-08	3.0E-04	3.0E-04	9.8E-10	1.9E-08	3.3E-06	6.5E-05	0.0001
	Pesticides																
	Aldrin	4.1E-03	ug/l	1.7E+01	1.7E+01	1.9E-11	5.7E-11	3.2E-10	9.6E-10	1.E-09	3.0E-05	3.0E-05	5.3E-11	1.6E-10	1.8E-06	5.3E-06	0.00001
	Exposure Point Total									1.E-08							0.0001
RM 5.5 W	**Metals**																
	Arsenic, total	5.0E-01	ug/l	1.5E+00	1.5E+00	3.5E-10	7.0E-09	5.3E-10	1.0E-08	1.E-08	3.0E-04	3.0E-04	9.8E-10	2.0E-08	3.3E-06	6.5E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	4.3E-03	ug/l	7.3E-01	7.3E-01	2.8E-09	6.0E-11	2.1E-09	4.4E-11	2.E-09	--	--	7.9E-09	1.7E-10	--	--	--
	Exposure Point Total									1.E-08							0.0001
RM 6.0 W	**Metals**																
	Arsenic, total	5.2E-01	ug/l	1.5E+00	1.5E+00	3.6E-10	7.2E-09	5.4E-10	1.1E-08	1.E-08	3.0E-04	3.0E-04	1.0E-09	2.0E-08	3.4E-06	6.7E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.4E-01	ug/l	7.3E-01	7.3E-01	9.0E-08	1.9E-09	6.5E-08	1.4E-09	7.E-08	--	--	2.5E-07	5.4E-09	--	--	--
	Benzo(a)pyrene	1.5E-01	ug/l	7.3E+00	7.3E+00	1.7E-07	2.1E-09	1.2E-06	1.5E-08	1.E-06	--	--	4.7E-07	5.9E-09	--	--	--
	Benzo(b)fluoranthene	1.1E-01	ug/l	7.3E-01	7.3E-01	1.2E-07	1.5E-09	9.1E-08	1.1E-09	9.E-08	--	--	3.5E-07	4.3E-09	--	--	--
	Dibenzo(a,h)anthracene	1.4E-02	ug/l	7.3E+00	7.3E+00	2.4E-08	1.9E-10	1.7E-07	1.4E-09	2.E-07	--	--	6.7E-08	5.4E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E-01	ug/l	7.3E-01	7.3E-01	1.2E-07	1.5E-09	9.1E-08	1.1E-09	9.E-08	--	--	3.5E-07	4.3E-09	--	--	--
	Naphthalene	7.7E-01	ug/l	--	--	2.9E-08	1.1E-08	--	--	--	2.0E-02	2.0E-02	8.2E-08	3.0E-08	4.1E-06	1.5E-06	0.00001
	Pesticides																
	Aldrin	2.1E-06	ug/l	1.7E+01	1.7E+01	1.0E-14	3.0E-14	1.7E-13	5.1E-13	7.E-13	3.0E-05	3.0E-05	2.8E-14	8.4E-14	9.4E-10	2.8E-09	0.000000004
	Exposure Point Total									2.E-06							0.0001
RM 6.5 E	**Metals**																
	Arsenic, total	4.2E-01	ug/l	1.5E+00	1.5E+00	3.0E-10	5.9E-09	4.5E-10	8.9E-09	9.E-09	3.0E-04	3.0E-04	8.3E-10	1.7E-08	2.8E-06	5.5E-05	0.0001
	Chromium, hexavalent	7.0E-01	ug/l	1.3E-02	5.0E-01	4.9E-10	9.8E-09	6.1E-12	4.9E-09	5.E-09	7.5E-05	3.0E-03	1.4E-09	2.7E-08	1.8E-05	9.1E-06	0.00003
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.2E-03	ug/l	7.3E-01	7.3E-01	7.5E-10	1.6E-11	5.5E-10	1.2E-11	6.E-10	--	--	2.1E-09	4.5E-11	--	--	--
	Benzo(a)pyrene	9.4E-04	ug/l	7.3E+00	7.3E+00	1.1E-09	1.3E-11	7.7E-09	9.6E-11	8.E-09	--	--	2.9E-09	3.7E-11	--	--	--
	Benzo(b)fluoranthene	7.2E-04	ug/l	7.3E-01	7.3E-01	8.2E-10	1.0E-11	6.0E-10	7.4E-12	6.E-10	--	--	2.3E-09	2.8E-11	--	--	--
	Dibenzo(a,h)anthracene	8.8E-04	ug/l	7.3E+00	7.3E+00	1.5E-09	1.2E-11	1.1E-08	9.0E-11	1.E-08	--	--	4.3E-09	3.4E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	4.5E-04	ug/l	7.3E-01	7.3E-01	5.1E-10	6.4E-12	3.8E-10	4.6E-12	4.E-10	--	--	1.4E-09	1.8E-11	--	--	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-52.
Calculation of Cancer Risks and Noncancer Hazards - Commerical Diver in Dry Suit, Surface Water Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point[a]	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
	Naphthalene	1.7E-02	ug/l	--	--	6.4E-10	2.4E-10	--	--	--	2.0E-02	2.0E-02	1.8E-09	6.6E-10	9.0E-08	3.3E-08	0.0000001
	Pesticides																
	Aldrin	2.1E-06	ug/l	1.7E+01	1.7E+01	1.0E-14	3.0E-14	1.7E-13	5.1E-13	7.E-13	3.0E-05	3.0E-05	2.8E-14	8.3E-14	9.3E-10	2.8E-09	0.000000004
	Exposure Point Total									3.E-08							0.0001
RM 6.5 W	**Metals**																
	Arsenic, total	5.2E-01	ug/l	1.5E+00	1.5E+00	3.6E-10	7.3E-09	5.5E-10	1.1E-08	1.E-08	3.0E-04	3.0E-04	1.0E-09	2.0E-08	3.4E-06	6.8E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.1E-03	ug/l	7.3E-01	7.3E-01	4.0E-09	8.6E-11	2.9E-09	6.3E-11	3.E-09	--	--	1.1E-08	2.4E-10	--	--	--
	Benzo(a)pyrene	6.6E-03	ug/l	7.3E+00	7.3E+00	7.4E-09	9.3E-11	5.4E-08	6.8E-10	5.E-08	--	--	2.1E-08	2.6E-10	--	--	--
	Benzo(b)fluoranthene	6.8E-03	ug/l	7.3E-01	7.3E-01	7.7E-09	9.5E-11	5.6E-09	6.9E-11	6.E-09	--	--	2.1E-08	2.6E-10	--	--	--
	Dibenzo(a,h)anthracene	8.7E-04	ug/l	7.3E+00	7.3E+00	1.5E-09	1.2E-11	1.1E-08	8.8E-11	1.E-08	--	--	4.2E-09	3.4E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	6.1E-03	ug/l	7.3E-01	7.3E-01	6.9E-09	8.5E-11	5.0E-09	6.2E-11	5.E-09	--	--	1.9E-08	2.4E-10	--	--	--
	Naphthalene	2.9E-02	ug/l	--	--	1.1E-09	4.0E-10	--	--	--	2.0E-02	2.0E-02	3.0E-09	1.1E-09	1.5E-07	5.6E-08	0.0000002
	Pesticides																
	Aldrin	1.6E-05	ug/l	1.7E+01	1.7E+01	7.6E-14	2.3E-13	1.3E-12	3.9E-12	5.E-12	3.0E-05	3.0E-05	2.1E-13	6.4E-13	7.1E-09	2.1E-08	0.00000003
	Exposure Point Total									9.E-08							0.0001
RM 7.0 W	**Metals**																
	Arsenic, total	4.5E-01	ug/l	1.5E+00	1.5E+00	3.2E-10	6.3E-09	4.7E-10	9.5E-09	1.E-08	3.0E-04	3.0E-04	8.9E-10	1.8E-08	3.0E-06	5.9E-05	0.0001
	Chromium, hexavalent	9.0E-01	ug/l	1.3E-02	5.0E-01	6.3E-10	1.3E-08	7.9E-12	6.3E-09	6.E-09	7.5E-05	3.0E-03	1.8E-09	3.5E-08	2.4E-05	1.2E-05	0.00004
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.4E-03	ug/l	7.3E-01	7.3E-01	2.2E-09	4.8E-11	1.6E-09	3.5E-11	2.E-09	--	--	6.3E-09	1.3E-10	--	--	--
	Benzo(a)pyrene	2.9E-03	ug/l	7.3E+00	7.3E+00	3.2E-09	4.0E-11	2.3E-08	2.9E-10	2.E-08	--	--	9.0E-09	1.1E-10	--	--	--
	Benzo(b)fluoranthene	2.4E-03	ug/l	7.3E-01	7.3E-01	2.7E-09	3.3E-11	1.9E-09	2.4E-11	2.E-09	--	--	7.5E-09	9.2E-11	--	--	--
	Dibenzo(a,h)anthracene	5.4E-04	ug/l	7.3E+00	7.3E+00	9.4E-10	7.6E-12	6.8E-09	5.5E-11	7.E-09	--	--	2.6E-09	2.1E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	2.8E-03	ug/l	7.3E-01	7.3E-01	3.2E-09	3.9E-11	2.3E-09	2.9E-11	2.E-09	--	--	8.9E-09	1.1E-10	--	--	--
	Naphthalene	7.4E-04	ug/l	--	--	2.8E-11	1.0E-11	--	--	--	2.0E-02	2.0E-02	7.9E-11	2.9E-11	4.0E-09	1.5E-09	0.00000001
	Pesticides																
	Aldrin	3.3E-06	ug/l	1.7E+01	1.7E+01	1.6E-14	4.6E-14	2.6E-13	7.9E-13	1.E-12	3.0E-05	3.0E-05	4.4E-14	1.3E-13	1.5E-09	4.3E-09	0.00000001
	Herbicides																
	MCPP	6.2E+00	ug/l	--	--	9.0E-08	8.6E-08	--	--	--	1.0E-03	1.0E-03	2.5E-07	2.4E-07	2.5E-04	2.4E-04	0.0005
	Conventionals																
	Perchlorate	7.0E+00	ug/l	--	--	3.5E-13	9.8E-08	--	--	--	7.0E-04	7.0E-04	9.9E-13	2.7E-07	1.4E-09	3.9E-04	0.0004
	Exposure Point Total									5.E-08							0.001
RM 7.5 W	**Metals**																
	Arsenic, total	5.4E-01	ug/l	1.5E+00	1.5E+00	3.8E-10	7.6E-09	5.7E-10	1.1E-08	1.E-08	3.0E-04	3.0E-04	1.1E-09	2.1E-08	3.5E-06	7.1E-05	0.0001
	Pesticides																
	Aldrin	8.7E-07	ug/l	1.7E+01	1.7E+01	4.1E-15	1.2E-14	7.0E-14	2.1E-13	3.E-13	3.0E-05	3.0E-05	1.1E-14	3.4E-14	3.8E-10	1.1E-09	0.000000002
	Exposure Point Total									1.E-08							0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-52.
Calculation of Cancer Risks and Noncancer Hazards - Commerical Diver in Dry Suit, Surface Water Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point[a]	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 8 SIL	**Metals**																
	Arsenic, total	4.4E-01	ug/l	1.5E+00	1.5E+00	3.1E-10	6.2E-09	4.7E-10	9.3E-09	1.E-08	3.0E-04	3.0E-04	8.7E-10	1.7E-08	2.9E-06	5.8E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	2.9E-03	ug/l	7.3E-01	7.3E-01	1.9E-09	4.1E-11	1.4E-09	3.0E-11	1.E-09	--	--	5.4E-09	1.1E-10	--	--	--
	Benzo(a)pyrene	4.8E-03	ug/l	7.3E+00	7.3E+00	5.4E-09	6.8E-11	4.0E-08	4.9E-10	4.E-08	--	--	1.5E-08	1.9E-10	--	--	--
	Benzo(b)fluoranthene	2.6E-03	ug/l	7.3E-01	7.3E-01	2.9E-09	3.6E-11	2.1E-09	2.6E-11	2.E-09	--	--	8.2E-09	1.0E-10	--	--	--
	Dibenzo(a,h)anthracene	7.8E-04	ug/l	7.3E+00	7.3E+00	1.3E-09	1.1E-11	9.8E-09	8.0E-11	1.E-08	--	--	3.8E-09	3.1E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.9E-03	ug/l	7.3E-01	7.3E-01	2.2E-09	2.7E-11	1.6E-09	1.9E-11	2.E-09	--	--	6.0E-09	7.5E-11	--	--	--
	Naphthalene	6.9E-03	ug/l	--	--	2.6E-10	9.6E-11	--	--	--	2.0E-02	2.0E-02	7.3E-10	2.7E-10	3.7E-08	1.3E-08	0.00000005
	Pesticides																
	Aldrin	4.0E-06	ug/l	1.7E+01	1.7E+01	1.9E-14	5.6E-14	3.2E-13	9.4E-13	1.E-12	3.0E-05	3.0E-05	5.2E-14	1.6E-13	1.7E-09	5.2E-09	0.00000001
	Herbicides																
	MCPP	1.9E+01	ug/l	--	--	2.7E-07	2.6E-07	--	--	--	1.0E-03	1.0E-03	7.6E-07	7.3E-07	7.6E-04	7.3E-04	0.001
	Exposure Point Total									6.E-08							0.002
RM 8.5 W	**Metals**																
	Arsenic, total	5.0E-01	ug/l	1.5E+00	1.5E+00	3.5E-10	7.0E-09	5.3E-10	1.1E-08	1.E-08	3.0E-04	3.0E-04	9.9E-10	2.0E-08	3.3E-06	6.5E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Indeno(1,2,3-cd)pyrene	5.1E-03	ug/l	7.3E-01	7.3E-01	5.8E-09	7.1E-11	4.2E-09	5.2E-11	4.E-09	--	--	1.6E-08	2.0E-10	--	--	--
	Naphthalene	8.3E-02	ug/l	--	--	3.2E-09	1.2E-09	--	--	--	2.0E-02	2.0E-02	8.9E-09	3.3E-09	4.4E-07	1.6E-07	0.000001
	Exposure Point Total									2.E-08							0.0001
RM 9.5 E	**Metals**																
	Arsenic, total	5.2E-01	ug/l	1.5E+00	1.5E+00	3.6E-10	7.3E-09	5.5E-10	1.1E-08	1.E-08	3.0E-04	3.0E-04	1.0E-09	2.0E-08	3.4E-06	6.8E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Naphthalene	2.0E-02	ug/l	--	--	7.7E-10	2.8E-10	--	--	--	2.0E-02	2.0E-02	2.2E-09	7.9E-10	1.1E-07	4.0E-08	0.0000001
	Exposure Point Total									1.E-08							0.0001
RM 9.5 W	**Metals**																
	Arsenic, total	6.1E-01	ug/l	1.5E+00	1.5E+00	4.3E-10	8.5E-09	6.4E-10	1.3E-08	1.E-08	3.0E-04	3.0E-04	1.2E-09	2.4E-08	4.0E-06	7.9E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Dibenzo(a,h)anthracene	7.2E-03	ug/l	7.3E+00	7.3E+00	1.2E-08	1.0E-10	9.1E-08	7.3E-10	9.E-08	--	--	3.5E-08	2.8E-10	--	--	--
	Pesticides																
	Aldrin	ND	ug/l	1.7E+01	1.7E+01	ND	ND	ND	ND	ND	3.0E-05	3.0E-05	ND	ND	ND	ND	ND
	Herbicides																
	MCPP	ND	ug/l	--	--	ND	ND	ND	ND	ND	1.0E-03	1.0E-03	ND	ND	ND	ND	ND
	Conventionals																
	Perchlorate	NA	NA	--	--	NA	NA	NA	NA	NA	7.0E-04	7.0E-04	NA	NA	NA	NA	NA
	Exposure Point Total									1.E-07							0.0001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-52.
Calculation of Cancer Risks and Noncancer Hazards - Commerical Diver in Dry Suit, Surface Water Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point[a]	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)⁻¹	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
Transect Samples																	
Transect W025, RM 2	**Metals**																
	Arsenic, total	6.0E-01	ug/l	1.5E+00	1.5E+00	4.2E-10	8.4E-09	6.4E-10	1.3E-08	1.E-08	3.0E-04	3.0E-04	1.2E-09	2.4E-08	4.0E-06	7.9E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	6.2E-04	ug/l	7.3E-01	7.3E-01	4.1E-10	8.7E-12	3.0E-10	6.3E-12	3.E-10	--	--	1.1E-09	2.4E-11	--	--	--
	Benzo(a)pyrene	5.1E-04	ug/l	7.3E+00	7.3E+00	5.7E-10	7.1E-12	4.1E-09	5.2E-11	4.E-09	--	--	1.6E-09	2.0E-11	--	--	--
	Benzo(b)fluoranthene	6.2E-04	ug/l	7.3E-01	7.3E-01	7.0E-10	8.7E-12	5.1E-10	6.3E-12	5.E-10	--	--	2.0E-09	2.4E-11	--	--	--
	Dibenzo(a,h)anthracene	1.5E-04	ug/l	7.3E+00	7.3E+00	2.6E-10	2.1E-12	1.9E-09	1.5E-11	2.E-09	--	--	7.2E-10	5.8E-12	--	--	--
	Indeno(1,2,3-cd)pyrene	1.9E-04	ug/l	7.3E-01	7.3E-01	2.2E-10	2.7E-12	1.6E-10	2.0E-12	2.E-10	--	--	6.1E-10	7.5E-12	--	--	--
	Naphthalene	ND	ug/l	--	--	ND	ND	ND	ND	ND	2.0E-02	2.0E-02	ND	ND	ND	ND	ND
	Pesticides																
	Aldrin	4.0E-06	ug/l	1.7E+01	1.7E+01	1.9E-14	5.6E-14	3.2E-13	9.5E-13	1.E-12	3.0E-05	3.0E-05	5.2E-14	1.6E-13	1.7E-09	5.2E-09	0.00000001
	Exposure Point Total									2.E-08							0.0001
Transect W027, MC	**Metals**																
	Arsenic, total	5.0E-01	ug/l	1.5E+00	1.5E+00	3.5E-10	6.9E-09	5.2E-10	1.0E-08	1.E-08	3.0E-04	3.0E-04	9.7E-10	1.9E-08	3.2E-06	6.5E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	5.9E-03	ug/l	7.3E-01	7.3E-01	3.9E-09	8.2E-11	2.8E-09	6.0E-11	3.E-09	--	--	1.1E-08	2.3E-10	--	--	--
	Benzo(a)pyrene	1.7E-03	ug/l	7.3E+00	7.3E+00	1.9E-09	2.4E-11	1.4E-08	1.8E-10	1.E-08	--	--	5.4E-09	6.7E-11	--	--	--
	Benzo(b)fluoranthene	8.3E-03	ug/l	7.3E-01	7.3E-01	9.4E-09	1.2E-10	6.9E-09	8.5E-11	7.E-09	--	--	2.6E-08	3.2E-10	--	--	--
	Dibenzo(a,h)anthracene	5.6E-03	ug/l	7.3E+00	7.3E+00	9.7E-09	7.8E-11	7.1E-08	5.7E-10	7.E-08	--	--	2.7E-08	2.2E-10	--	--	--
	Indeno(1,2,3-cd)pyrene	1.2E-03	ug/l	7.3E-01	7.3E-01	1.3E-09	1.6E-11	9.6E-10	1.2E-11	1.E-09	--	--	3.7E-09	4.5E-11	--	--	--
	Naphthalene	8.6E-03	ug/l	--	--	3.3E-10	1.2E-10	--	--	--	2.0E-02	2.0E-02	9.1E-10	3.4E-10	4.6E-08	1.7E-08	0.0000001
	Pesticides																
	Aldrin	4.5E-06	ug/l	1.7E+01	1.7E+01	2.1E-14	6.3E-14	3.6E-13	1.1E-12	1.E-12	3.0E-05	3.0E-05	5.9E-14	1.8E-13	2.0E-09	5.9E-09	0.00000001
	Herbicides																
	MCPP	1.3E+01	ug/l	--	--	1.8E-07	1.7E-07	--	--	--	1.0E-03	1.0E-03	5.1E-07	4.9E-07	5.1E-04	4.9E-04	0.001
	Exposure Point Total									1.E-07							0.001
Transect W005, RM 3.9	**Metals**																
	Arsenic, total	5.2E-01	ug/l	1.5E+00	1.5E+00	3.6E-10	7.2E-09	5.4E-10	1.1E-08	1.E-08	3.0E-04	3.0E-04	1.0E-09	2.0E-08	3.4E-06	6.7E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	1.6E-03	ug/l	7.3E-01	7.3E-01	1.1E-09	2.3E-11	7.7E-10	1.6E-11	8.E-10	--	--	3.0E-09	6.3E-11	--	--	--
	Benzo(a)pyrene	1.4E-03	ug/l	7.3E+00	7.3E+00	1.5E-09	1.9E-11	1.1E-08	1.4E-10	1.E-08	--	--	4.3E-09	5.4E-11	--	--	--
	Benzo(b)fluoranthene	1.5E-03	ug/l	7.3E-01	7.3E-01	1.7E-09	2.0E-11	1.2E-09	1.5E-11	1.E-09	--	--	4.6E-09	5.7E-11	--	--	--
	Dibenzo(a,h)anthracene	2.2E-04	ug/l	7.3E+00	7.3E+00	3.8E-10	3.0E-12	2.8E-09	2.2E-11	3.E-09	--	--	1.1E-09	8.5E-12	--	--	--
	Indeno(1,2,3-cd)pyrene	9.8E-04	ug/l	7.3E-01	7.3E-01	1.1E-09	1.4E-11	8.1E-10	1.0E-11	8.E-10	--	--	3.1E-09	3.8E-11	--	--	--
	Naphthalene	2.4E-02	ug/l	--	--	9.0E-10	3.3E-10	--	--	--	2.0E-02	2.0E-02	2.5E-09	9.3E-10	1.3E-07	4.6E-08	0.0000002
	Pesticides																
	Aldrin	3.8E-06	ug/l	1.7E+01	1.7E+01	1.8E-14	5.3E-14	3.0E-13	9.0E-13	1.E-12	3.0E-05	3.0E-05	5.0E-14	1.5E-13	1.7E-09	4.9E-09	0.00000001
	Herbicides																
	MCPP	9.1E+00	ug/l	--	--	1.3E-07	1.3E-07	--	--	--	1.0E-03	1.0E-03	3.7E-07	3.6E-07	3.7E-04	3.6E-04	0.0007
	Exposure Point Total									3.E-08							0.0008

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-52.
Calculation of Cancer Risks and Noncancer Hazards - Commerical Diver in Dry Suit, Surface Water Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Diver in Dry Suit
Population Age: Adult

Medium: Surface Water
Exposure Medium: Surface Water
Exposure Route: Direct Contact

Exposure Point[a]	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
Transect W011, RM 6.3	**Metals**																
	Arsenic, total	4.7E-01	ug/l	1.5E+00	1.5E+00	3.3E-10	6.5E-09	4.9E-10	9.8E-09	1.E-08	3.0E-04	3.0E-04	9.2E-10	1.8E-08	3.1E-06	6.1E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.1E-03	ug/l	7.3E-01	7.3E-01	2.0E-09	4.3E-11	1.5E-09	3.2E-11	2.E-09	--	--	5.7E-09	1.2E-10	--	--	--
	Benzo(a)pyrene	1.4E-03	ug/l	7.3E+00	7.3E+00	1.5E-09	1.9E-11	1.1E-08	1.4E-10	1.E-08	--	--	4.3E-09	5.3E-11	--	--	--
	Benzo(b)fluoranthene	1.2E-03	ug/l	7.3E-01	7.3E-01	1.3E-09	1.6E-11	9.5E-10	1.2E-11	1.E-09	--	--	3.6E-09	4.5E-11	--	--	--
	Dibenzo(a,h)anthracene	2.1E-04	ug/l	7.3E+00	7.3E+00	3.6E-10	2.9E-12	2.7E-09	2.2E-11	3.E-09	--	--	1.0E-09	8.3E-12	--	--	--
	Indeno(1,2,3-cd)pyrene	1.1E-03	ug/l	7.3E-01	7.3E-01	1.2E-09	1.5E-11	8.8E-10	1.1E-11	9.E-10	--	--	3.4E-09	4.2E-11	--	--	--
	Naphthalene	1.5E-02	ug/l	--	--	5.8E-10	2.1E-10	--	--	--	2.0E-02	2.0E-02	1.6E-09	6.0E-10	8.2E-08	3.0E-08	0.0000001
	Pesticides																
	Aldrin	3.4E-06	ug/l	1.7E+01	1.7E+01	1.6E-14	4.7E-14	2.7E-13	8.0E-13	1.E-12	3.0E-05	3.0E-05	4.4E-14	1.3E-13	1.5E-09	4.4E-09	0.00000001
	Exposure Point Total									3.E-08							0.0001
Transect W023, RM 11	**Metals**																
	Arsenic, total	4.7E-01	ug/l	1.5E+00	1.5E+00	3.3E-10	6.5E-09	4.9E-10	9.8E-09	1.E-08	3.0E-04	3.0E-04	9.2E-10	1.8E-08	3.1E-06	6.1E-05	0.0001
	Polynuclear Aromatic Hydrocarbons																
	Benzo(a)anthracene	3.4E-03	ug/l	7.3E-01	7.3E-01	2.2E-09	4.8E-11	1.6E-09	3.5E-11	2.E-09	--	--	6.2E-09	1.3E-10	--	--	--
	Benzo(a)pyrene	4.1E-04	ug/l	7.3E+00	7.3E+00	4.6E-10	5.8E-12	3.4E-09	4.2E-11	3.E-09	--	--	1.3E-09	1.6E-11	--	--	--
	Benzo(b)fluoranthene	5.2E-04	ug/l	7.3E-01	7.3E-01	5.8E-10	7.2E-12	4.3E-10	5.3E-12	4.E-10	--	--	1.6E-09	2.0E-11	--	--	--
	Dibenzo(a,h)anthracene	4.5E-04	ug/l	7.3E+00	7.3E+00	7.8E-10	6.3E-12	5.7E-09	4.6E-11	6.E-09	--	--	2.2E-09	1.8E-11	--	--	--
	Indeno(1,2,3-cd)pyrene	1.7E-03	ug/l	7.3E-01	7.3E-01	1.9E-09	2.4E-11	1.4E-09	1.7E-11	1.E-09	--	--	5.4E-09	6.7E-11	--	--	--
	Naphthalene	3.5E-02	ug/l	--	--	1.3E-09	4.8E-10	--	--	--	2.0E-02	2.0E-02	3.7E-09	1.4E-09	1.8E-07	6.8E-08	0.0000003
	Pesticides																
	Aldrin	2.8E-06	ug/l	1.7E+01	1.7E+01	1.3E-14	4.0E-14	2.3E-13	6.8E-13	9.E-13	3.0E-05	3.0E-05	3.7E-14	1.1E-13	1.2E-09	3.7E-09	0.000000005
	Herbicides																
	MCPP	8.0E+00	ug/l	--	--	1.2E-07	1.1E-07	--	--	--	1.0E-03	1.0E-03	3.3E-07	3.1E-07	3.3E-04	3.1E-04	0.0006
	Exposure Point Total									2.E-08							0.0007

Notes:

a Exposure areas for divers are ½ - mile reaches per side of river throughout the Study Area, where single point samples from RM 2.0 - 2.4 are in exposure area 2.0, samples from RM 2.5 - 2.9 are in exposure area 2.5, etc. Each transect sample represents its own exposure area, and is listed individually. River mile segments not listed indicate there are no human health surface water samples from that river reach. Swan Island Lagoon and Multnomah Channel are their own exposure areas.

b Numbers presented are rounded values. Sums calculated before rounding.

c Cumulative cancer risks include total metals only.

Abbreviations: -- = Not applicable.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
kg = kilogram.
l = liter.

LADI = Lifetime Average Daily Intake.
MCPP = 2-(2-Methyl-4-chlorophenoxy)propionic acid.
mg = milligram.
RfD = Reference dose.
ug = microgram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-53.
Calculation of Noncancer Hazards - Child Resident, Potential Future Domestic Water Use
Reasonable Maximum Exposure

Scenario Timeframe: Future
Receptor Population: Child Resident
Population Age: Child

Medium: Surface Water
Exposure Medium: Surface Water, Potential Future Domestic Water Source
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
Transects										
Transect, RM 2 W025	**Metals** Arsenic, total	6.0E-01	ug/l	3.0E-04	3.0E-04	2.5E-07	5.8E-05	8E-04	2E-01	0.2
	Pesticides Aldrin	4.0E-06	ug/l	3.0E-05	3.0E-05	2.2E-11	3.8E-10	7E-07	1E-05	0.00001
	Exposure Point Total[b]									0.2
Transect, RM 3.9 W005	**Metals** Arsenic, total	5.2E-01	ug/l	3.0E-04	3.0E-04	2.2E-07	5.0E-05	7E-04	2E-01	0.2
	Pesticides Aldrin	3.8E-06	ug/l	3.0E-05	3.0E-05	2.1E-11	3.6E-10	7E-07	1E-05	0.00001
	Herbicides MCPP	9.1E+00	ug/l	1.0E-03	1.0E-03	1.6E-04	8.7E-04	2E-01	9E-01	1
	Exposure Point Total									1
Cathedral Park, RM 5.7 W010	**Metals** Arsenic, total	5.4E-01	ug/l	3.0E-04	3.0E-04	2.3E-07	5.2E-05	8E-04	2E-01	0.2
	Exposure Point Total									0.2
Transect, RM 6.3 W011	**Metals** Arsenic, total	4.7E-01	ug/l	3.0E-04	3.0E-04	2.0E-07	4.5E-05	7E-04	1E-01	0.1
	Pesticides Aldrin	3.4E-06	ug/l	3.0E-05	3.0E-05	1.9E-11	3.2E-10	6E-07	1E-05	0.00001
	Exposure Point Total									0.1
Willamette Cove, RM 6.9 W014	**Metals** Arsenic, total	5.2E-01	ug/l	3.0E-04	3.0E-04	2.2E-07	5.0E-05	7E-04	2E-01	0.2
	Exposure Point Total									0.2
Swan Island Lagoon, RM 9.1 W020	**Metals** Arsenic, total	4.7E-01	ug/l	3.0E-04	3.0E-04	2.0E-07	4.5E-05	7E-04	2E-01	0.2
	Exposure Point Total									0.2
Transect, RM 11 W023	**Metals** Arsenic, total	3.7E-01	ug/l	3.0E-04	3.0E-04	1.6E-07	3.5E-05	5E-04	1E-01	0.1
	Pesticides Aldrin	2.9E-06	ug/l	3.0E-05	3.0E-05	1.6E-11	2.8E-10	5E-07	9E-06	0.00001
	Herbicides MCPP	8.0E+00	ug/l	1.0E-03	1.0E-03	1.4E-04	7.7E-04	1E-01	8E-01	0.9
	Exposure Point Total									1
Single Point Stations										
RM 2.1 W026	**Metals** Arsenic, total	4.7E-01	ug/l	3.0E-04	3.0E-04	2.0E-07	4.5E-05	7E-04	2E-01	0.2
	Herbicides MCPP	5.2E+00	ug/l	1.0E-03	1.0E-03	9.1E-05	5.0E-04	9E-02	5E-01	0.6
	Exposure Point Total									0.7

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-53.
Calculation of Noncancer Hazards - Child Resident, Potential Future Domestic Water Use
Reasonable Maximum Exposure

Scenario Timeframe: Future
Receptor Population: Child Resident
Population Age: Child

Medium: Surface Water
Exposure Medium: Surface Water, Potential Future Domestic Water Source
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 2.9 (Multnomah Channel) W027	**Metals**									
	Arsenic, total	5.0E-01	ug/l	3.0E-04	3.0E-04	2.1E-07	4.7E-05	7E-04	2E-01	0.2
	Pesticides									
	Aldrin	4.5E-06	ug/l	3.0E-05	3.0E-05	2.5E-11	4.3E-10	8E-07	1E-05	0.00002
	Herbicides									
	MCPP	1.3E+01	ug/l	1.0E-03	1.0E-03	2.2E-04	1.2E-03	2E-01	1E+00	1
	Exposure Point Total									2
RM 3.6 W028	**Metals**									
	Arsenic, total	4.6E-01	ug/l	3.0E-04	3.0E-04	1.9E-07	4.4E-05	6E-04	1E-01	0.1
	Exposure Point Total									0.1
RM 4.4 W029	**Metals**									
	Arsenic, total	3.2E-01	ug/l	3.0E-04	3.0E-04	1.4E-07	3.1E-05	5E-04	1E-01	0.1
	Exposure Point Total									0.1
RM 5.5 W030	**Metals**									
	Arsenic, total	4.4E-01	ug/l	3.0E-04	3.0E-04	1.9E-07	4.2E-05	6E-04	1E-01	0.1
	Pesticides									
	Aldrin	4.1E-03	ug/l	3.0E-05	3.0E-05	2.3E-08	3.9E-07	8E-04	1E-02	0.01
	Exposure Point Total									0.2
RM 6.1 W031	**Metals**									
	Arsenic, total	4.5E-01	ug/l	3.0E-04	3.0E-04	1.9E-07	4.4E-05	6E-04	1E-01	0.1
	Pesticides									
	Aldrin	2.1E-06	ug/l	3.0E-05	3.0E-05	1.2E-11	2.1E-10	4E-07	7E-06	0.00001
	Exposure Point Total									0.1
RM 6.7 W032	**Metals**									
	Arsenic, total	3.4E-01	ug/l	3.0E-04	3.0E-04	1.4E-07	3.3E-05	5E-04	1E-01	0.1
	Pesticides									
	Aldrin	2.4E-06	ug/l	3.0E-05	3.0E-05	1.4E-11	2.3E-10	5E-07	8E-06	0.00001
	Exposure Point Total									0.1
RM 7.0 W033	**Metals**									
	Arsenic, total	3.4E-01	ug/l	3.0E-04	3.0E-04	1.4E-07	3.2E-05	5E-04	1E-01	0.1
	Chromium hexavalent	8.5E-01	ug/l	7.5E-05	3.0E-03	3.6E-07	8.2E-05	5E-03	3E-02	0.03
	Pesticides									
	Aldrin	4.0E-06	ug/l	3.0E-05	3.0E-05	2.2E-11	3.8E-10	7E-07	1E-05	0.00001
	Herbicides									
	MCPP	6.2E+00	ug/l	1.0E-03	1.0E-03	1.1E-04	5.9E-04	1E-01	6E-01	0.7
	Exposure Point Total									0.8
RM 7.5 W034	**Metals**									
	Arsenic, total	4.9E-01	ug/l	3.0E-04	3.0E-04	2.1E-07	4.7E-05	7E-04	2E-01	0.2
	Pesticides									
	Aldrin	8.7E-07	ug/l	3.0E-05	3.0E-05	4.9E-12	8.4E-11	2E-07	3E-06	0.000003
	Exposure Point Total									0.2

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-53.
Calculation of Noncancer Hazards - Child Resident, Potential Future Domestic Water Use
Reasonable Maximum Exposure

Scenario Timeframe: Future
Receptor Population: Child Resident
Population Age: Child

Medium: Surface Water
Exposure Medium: Surface Water, Potential Future Domestic Water Source
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 8.5 W035	**Metals**									
	Arsenic, total	4.6E-01	ug/l	3.0E-04	3.0E-04	1.9E-07	4.4E-05	6E-04	1E-01	0.1
	Pesticides									
	Aldrin	4.9E-06	ug/l	3.0E-05	3.0E-05	2.8E-11	4.7E-10	9E-07	2E-05	0.00002
	Herbicides									
	MCPP	1.9E+01	ug/l	1.0E-03	1.0E-03	3.2E-04	1.8E-03	3E-01	2E+00	2
	Exposure Point Total									2
RM 8.6 W036	**Metals**									
	Arsenic, total	4.5E-01	ug/l	3.0E-04	3.0E-04	1.9E-07	4.3E-05	6E-04	1E-01	0.1
	Exposure Point Total									0.1
RM 9.6 W037	**Metals**									
	Arsenic, total	4.8E-01	ug/l	3.0E-04	3.0E-04	2.0E-07	4.6E-05	7E-04	2E-01	0.2
	Exposure Point Total									0.2
RM 9.9 W038	**Metals**									
	Arsenic, total	5.2E-01	ug/l	3.0E-04	3.0E-04	2.2E-07	5.0E-05	7E-04	2E-01	0.2
	Exposure Point Total									0.2
Study Area-wide	**Metals**									
	Arsenic, total	4.3E-01	ug/l	3.0E-04	3.0E-04	1.8E-07	4.1E-05	6E-04	1E-01	0.1
	Chromium hexavalent	9.0E-01	ug/l	7.5E-05	3.0E-03	3.8E-07	8.6E-05	5E-03	3E-02	0.03
	Pesticides									
	Aldrin	3.6E-04	ug/l	3.0E-05	3.0E-05	2.0E-09	3.5E-08	7E-05	1E-03	0.001
	Herbicides									
	MCPP	6.4E+00	ug/l	1.0E-03	1.0E-03	1.1E-04	6.1E-04	1E-01	6E-01	0.7
	Exposure Point Total									0.9

Notes:
a Numbers presented are rounded values. Sums calculated before rounding.
b Cumulative cancer risks include total metals only.

Abbreviations:
-- = Not Applicable. Chemical not evaluated for toxicity endpoint.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
kg = kilogram.
l = liter.
LADI = Lifetime Average Daily Intake.
MCPP = 2-(2-Methyl-4-chlorophenoxy)propionic acid.
mg = milligram.
RfD = Reference Dose.
RM = River mile.
ug = microgram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-54.
Calculation of Noncancer Hazards - Child Resident, Potential Future Domestic Water Use
Central Tendency Exposure

Scenario Timeframe: Future
Receptor Population: Child Resident
Population Age: Child

Medium: Surface Water
Exposure Medium: Surface Water, Potential Future Domestic Water Source
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Noncancer Risk Calculations[a]						
		Value	Units	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
Transects										
Transect, RM 2 W025	**Metals**									
	Arsenic, total	3.5E-01	ug/l	3.0E-04	3.0E-04	4.8E-08	2.0E-05	2E-04	7E-02	0.07
	Pesticides									
	Aldrin	2.6E-06	ug/l	3.0E-05	3.0E-05	8.5E-12	1.5E-10	3E-07	5E-06	0.00001
	Exposure Point Total[b]									0.07
Transect, RM 3.9 W005	**Metals**									
	Arsenic, total	4.6E-01	ug/l	3.0E-04	3.0E-04	6.4E-08	2.6E-05	2E-04	9E-02	0.09
	Pesticides									
	Aldrin	2.7E-06	ug/l	3.0E-05	3.0E-05	8.8E-12	1.6E-10	3E-07	5E-06	0.000005
	Herbicides									
	MCPP	5.9E+00	ug/l	1.0E-03	1.0E-03	6.0E-05	3.4E-04	6E-02	3E-01	0.4
	Exposure Point Total									0.5
Cathedral Park, RM 5.7 W010	**Metals**									
	Arsenic, total	4.5E-01	ug/l	3.0E-04	3.0E-04	6.2E-08	2.6E-05	2E-04	9E-02	0.09
	Exposure Point Total									0.09
Transect, RM 6.3 W011	**Metals**									
	Arsenic, total	3.9E-01	ug/l	3.0E-04	3.0E-04	5.4E-08	2.2E-05	2E-04	7E-02	0.07
	Pesticides									
	Aldrin	2.3E-06	ug/l	3.0E-05	3.0E-05	7.4E-12	1.3E-10	2E-07	4E-06	0.000005
	Exposure Point Total									0.07
Willamette Cove, RM 6.9 W014	**Metals**									
	Arsenic, total	4.4E-01	ug/l	3.0E-04	3.0E-04	6.1E-08	2.5E-05	2E-04	8E-02	0.08
	Exposure Point Total									0.08
Swan Island Lagoon, RM 9.1 W020	**Metals**									
	Arsenic, total	4.2E-01	ug/l	3.0E-04	3.0E-04	5.9E-08	2.4E-05	2E-04	8E-02	0.08
	Exposure Point Total									0.08
Transect, RM 11 W023	**Metals**									
	Arsenic, total	4.0E-01	ug/l	3.0E-04	3.0E-04	5.5E-08	2.3E-05	2E-04	8E-02	0.08
	Pesticides									
	Aldrin	2.0E-06	ug/l	3.0E-05	3.0E-05	6.5E-12	1.1E-10	2E-07	4E-06	0.000004
	Herbicides									
	MCPP	5.6E+00	ug/l	1.0E-03	1.0E-03	5.6E-05	3.2E-04	6E-02	3E-01	0.4
	Exposure Point Total									0.5

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-54.
Calculation of Noncancer Hazards - Child Resident, Potential Future Domestic Water Use
Central Tendency Exposure

Scenario Timeframe: Future
Receptor Population: Child Resident
Population Age: Child

Medium: Surface Water
Exposure Medium: Surface Water, Potential Future Domestic Water Source
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
Single Point Stations										
RM 2.1 W026	**Metals**									
	Arsenic, total	3.9E-01	ug/l	3.0E-04	3.0E-04	5.5E-08	2.3E-05	2E-04	8E-02	0.08
	Herbicides									
	MCPP	4.2E+00	ug/l	1.0E-03	1.0E-03	4.3E-05	2.4E-04	4E-02	2E-01	0.3
	Exposure Point Total									0.4
RM 2.9 (Multnomah Channel) W027	**Metals**									
	Arsenic, total	4.4E-01	ug/l	3.0E-04	3.0E-04	6.1E-08	2.5E-05	2E-04	8E-02	0.08
	Pesticides									
	Aldrin	4.3E-06	ug/l	3.0E-05	3.0E-05	1.4E-11	2.5E-10	5E-07	8E-06	0.00001
	Herbicides									
	MCPP	6.3E+00	ug/l	1.0E-03	1.0E-03	6.3E-05	3.6E-04	6E-02	4E-01	0.4
	Exposure Point Total									0.5
RM 3.6 W028	**Metals**									
	Arsenic, total	3.9E-01	ug/l	3.0E-04	3.0E-04	5.4E-08	2.2E-05	2E-04	7E-02	0.07
	Exposure Point Total									0.07
RM 4.4 W029	**Metals**									
	Arsenic, total	2.8E-01	ug/l	3.0E-04	3.0E-04	3.8E-08	1.6E-05	1E-04	5E-02	0.05
	Exposure Point Total									0.05
RM 5.5 W030	**Metals**									
	Arsenic, total	3.8E-01	ug/l	3.0E-04	3.0E-04	5.3E-08	2.2E-05	2E-04	7E-02	0.07
	Pesticides									
	Aldrin	2.1E-03	ug/l	3.0E-05	3.0E-05	6.8E-09	1.2E-07	2E-04	4E-03	0.004
	Exposure Point Total									0.08
RM 6.1 W031	**Metals**									
	Arsenic, total	4.3E-01	ug/l	3.0E-04	3.0E-04	6.0E-08	2.5E-05	2E-04	8E-02	0.08
	Pesticides									
	Aldrin	1.6E-06	ug/l	3.0E-05	3.0E-05	5.3E-12	9.5E-11	2E-07	3E-06	0.000003
	Exposure Point Total									0.08
RM 6.7 W032	**Metals**									
	Arsenic, total	3.3E-01	ug/l	3.0E-04	3.0E-04	4.6E-08	1.9E-05	2E-04	6E-02	0.06
	Pesticides									
	Aldrin	2.3E-06	ug/l	3.0E-05	3.0E-05	7.4E-12	1.3E-10	2E-07	4E-06	0.000005
	Exposure Point Total									0.06

Noncancer Risk Calculations[a]

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-54.
Calculation of Noncancer Hazards - Child Resident, Potential Future Domestic Water Use
Central Tendency Exposure

Scenario Timeframe: Future
Receptor Population: Child Resident
Population Age: Child

Medium: Surface Water
Exposure Medium: Surface Water, Potential Future Domestic Water Source
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
RM 7.0 W033	**Metals**									
	Arsenic, total	2.8E-01	ug/l	3.0E-04	3.0E-04	3.8E-08	1.6E-05	1E-04	5E-02	0.05
	Chromium hexavalent	5.0E-01	ug/l	7.5E-05	3.0E-03	7.0E-08	2.9E-05	9E-04	1E-02	0.01
	Pesticides									
	Aldrin	3.5E-06	ug/l	3.0E-05	3.0E-05	1.1E-11	2.0E-10	4E-07	7E-06	0.00001
	Herbicides									
	MCPP	4.2E+00	ug/l	1.0E-03	1.0E-03	4.2E-05	2.4E-04	4E-02	2E-01	0.3
	Exposure Point Total									0.3
RM 7.5 W034	**Metals**									
	Arsenic, total	4.7E-01	ug/l	3.0E-04	3.0E-04	6.5E-08	2.7E-05	2E-04	9E-02	0.09
	Pesticides									
	Aldrin	1.3E-06	ug/l	3.0E-05	3.0E-05	4.4E-12	7.7E-11	1E-07	3E-06	0.000003
	Exposure Point Total									0.09
RM 8.5 W035	**Metals**									
	Arsenic, total	4.1E-01	ug/l	3.0E-04	3.0E-04	5.8E-08	2.4E-05	2E-04	8E-02	0.08
	Pesticides									
	Aldrin	4.1E-06	ug/l	3.0E-05	3.0E-05	1.3E-11	2.3E-10	4E-07	8E-06	0.00001
	Herbicides									
	MCPP	1.1E+01	ug/l	1.0E-03	1.0E-03	1.1E-04	6.2E-04	1E-01	6E-01	0.7
	Exposure Point Total									0.8
RM 8.6 W036	**Metals**									
	Arsenic, total	4.1E-01	ug/l	3.0E-04	3.0E-04	5.7E-08	2.4E-05	2E-04	8E-02	0.08
	Exposure Point Total									0.08
RM 9.6 W037	**Metals**									
	Arsenic, total	4.1E-01	ug/l	3.0E-04	3.0E-04	5.7E-08	2.3E-05	2E-04	8E-02	0.08
	Exposure Point Total									0.08
RM 9.9 W038	**Metals**									
	Arsenic, total	4.1E-01	ug/l	3.0E-04	3.0E-04	5.7E-08	2.4E-05	2E-04	8E-02	0.08
	Exposure Point Total									0.08

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-54.
Calculation of Noncancer Hazards - Child Resident, Potential Future Domestic Water Use
Central Tendency Exposure

Scenario Timeframe: Future
Receptor Population: Child Resident
Population Age: Child

Medium: Surface Water
Exposure Medium: Surface Water, Potential Future Domestic Water Source
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Noncancer Risk Calculations[a]						
		Value	Units	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
Study Area-wide	**Metals**									
	Arsenic, total	4.0E-01	ug/l	3.0E-04	3.0E-04	5.5E-08	2.3E-05	2E-04	8E-02	0.08
	Chromium hexavalent	9.0E-01	ug/l	7.5E-05	3.0E-03	1.3E-07	5.2E-05	2E-03	2E-02	0.02
	Pesticides									
	Aldrin	1.6E-04	ug/l	3.0E-05	3.0E-05	5.3E-10	9.4E-09	2E-05	3E-04	0.0003
	Herbicides									
	MCPP	7.7E+00	ug/l	1.0E-03	1.0E-03	7.8E-05	4.5E-04	8E-02	4E-01	0.5
	Exposure Point Total									0.6

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Cumulative cancer risks include total metals only.

Abbreviations:

-- = Not Applicable. Chemical not evaluated for toxicity endpoint.

CDI = Chronic Daily Intake.

EPC = Exposure Point Concentration.

HQ = Hazard Quotient.

kg = kilogram.

l = liter.

LADI = Lifetime Average Daily Intake.

MCPP = 2-(2-Methyl-4-chlorophenoxy)propionic acid.

mg = milligram.

RfD = Reference Dose.

RM = River mile.

ug = microgram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-55.

Calculation of Cancer Risks - Combined Child and Adult Resident, Potential Future Domestic Water Use

Reasonable Maximum Exposure

Scenario Timeframe: Future
Receptor Population: Combined Child/Adult Resident
Population Age: Combined Child/Adult

Medium: Surface Water
Exposure Medium: Surface Water, Potential Future Domestic Water Source
Exposure Route: Direct Contact

| Exposure Point | Chemical of Potential Concern | EPC | | Cancer Risk Calculations[a] | | | | |
		Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Adult Total Cancer Risk	Child Total Cancer Risk	Combined Adult and Child Cancer Risk
Transects								
Transect, RM 2	**Metals**							
W025	Arsenic, total	6.0E-01	ug/l	1.5E+00	1.5E+00	1E-05	7E-06	2E-05
	Polynuclear Aromatic Hydrocarbons							
	Benzo(a)anthracene	6.2E-04	ug/l	7.3E-01	7.3E-01	7E-08	2E-07	3E-07
	Benzo(a)pyrene	5.1E-04	ug/l	7.3E+00	7.3E+00	1E-06	2E-06	3E-06
	Benzo(b)fluoranthene	6.2E-04	ug/l	7.3E-01	7.3E-01	1E-07	3E-07	4E-07
	Dibenzo(a,h)anthracene	1.5E-04	ug/l	7.3E+00	7.3E+00	3E-07	7E-07	1E-06
	Indeno(1,2,3-cd)pyrene	1.9E-04	ug/l	7.3E-01	7.3E-01	6E-08	1E-07	2E-07
	Pesticides							
	Aldrin	4.0E-06	ug/l	1.7E+01	1.7E+01	9E-10	6E-10	1E-09
	Exposure Point Total[b]					1E-05	1E-05	2E-05
Transect, RM 3.9	**Metals**							
W005	Arsenic, total	5.2E-01	ug/l	1.5E+00	1.5E+00	9E-06	6E-06	1E-05
	Polynuclear Aromatic Hydrocarbons							
	Benzo(a)anthracene	1.6E-03	ug/l	7.3E-01	7.3E-01	2E-07	5E-07	7E-07
	Benzo(a)pyrene	1.4E-03	ug/l	7.3E+00	7.3E+00	3E-06	7E-06	9E-06
	Benzo(b)fluoranthene	1.5E-03	ug/l	7.3E-01	7.3E-01	3E-07	7E-07	1E-06
	Dibenzo(a,h)anthracene	2.2E-04	ug/l	7.3E+00	7.3E+00	4E-07	1E-06	1E-06
	Indeno(1,2,3-cd)pyrene	9.8E-04	ug/l	7.3E-01	7.3E-01	3E-07	7E-07	1E-06
	Pesticides							
	Aldrin	3.8E-06	ug/l	1.7E+01	1.7E+01	8E-10	6E-10	1E-09
	Herbicides							
	MCPP	9.1E+00	ug/l	--	--	--	--	--
	Exposure Point Total					1E-05	2E-05	3E-05
Cathedral Park, RM 5.7	**Metals**							
W010	Arsenic, total	5.4E-01	ug/l	1.5E+00	1.5E+00	1E-05	7E-06	1E-05
	Exposure Point Total					1E-05	7E-06	1E-05

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-55.
Calculation of Cancer Risks - Combined Child and Adult Resident, Potential Future Domestic Water Use
Reasonable Maximum Exposure

Scenario Timeframe: Future   Medium: Surface Water
Receptor Population: Combined Child/Adult Resident   Exposure Medium: Surface Water, Potential Future Domestic Water Source
Population Age: Combined Child/Adult   Exposure Route: Direct Contact

| Exposure Point | Chemical of Potential Concern | EPC | | Cancer Risk Calculations[a] | | | | |
		Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Adult Total Cancer Risk	Child Total Cancer Risk	Combined Adult and Child Cancer Risk
Transect, RM 6.3	**Metals**							
W011	Arsenic, total	4.7E-01	ug/l	1.5E+00	1.5E+00	8E-06	6E-06	1E-05
	Polynuclear Aromatic Hydrocarbons							
	Benzo(a)anthracene	2.5E-03	ug/l	7.3E-01	7.3E-01	3E-07	7E-07	1E-06
	Benzo(a)pyrene	1.4E-03	ug/l	7.3E+00	7.3E+00	3E-06	7E-06	9E-06
	Benzo(b)fluoranthene	1.2E-03	ug/l	7.3E-01	7.3E-01	2E-07	6E-07	8E-07
	Dibenzo(a,h)anthracene	2.1E-04	ug/l	7.3E+00	7.3E+00	4E-07	1E-06	1E-06
	Indeno(1,2,3-cd)pyrene	1.1E-03	ug/l	7.3E-01	7.3E-01	3E-07	8E-07	1E-06
	Pesticides							
	Aldrin	3.4E-06	ug/l	1.7E+01	1.7E+01	7E-10	5E-10	1E-09
	Exposure Point Total					1E-05	2E-05	3E-05
Willamette Cove, RM 6.9	**Metals**							
W014	Arsenic, total	5.2E-01	ug/l	1.5E+00	1.5E+00	9E-06	6E-06	1E-05
	Exposure Point Total					9E-06	6E-06	1E-05
Swan Island Lagoon, RM 9.1	**Metals**							
W020	Arsenic, total	4.7E-01	ug/l	1.5E+00	1.5E+00	8E-06	6E-06	1E-05
	Exposure Point Total					8E-06	6E-06	1E-05
Transect, RM 11	**Metals**							
W023	Arsenic, total	3.7E-01	ug/l	1.5E+00	1.5E+00	7E-06	5E-06	1E-05
	Polynuclear Aromatic Hydrocarbons							
	Benzo(a)anthracene	3.0E-03	ug/l	7.3E-01	7.3E-01	4E-07	9E-07	1E-06
	Benzo(a)pyrene	6.3E-04	ug/l	7.3E+00	7.3E+00	1E-06	3E-06	4E-06
	Benzo(b)fluoranthene	5.5E-04	ug/l	7.3E-01	7.3E-01	1E-07	3E-07	4E-07
	Dibenzo(a,h)anthracene	4.5E-04	ug/l	7.3E+00	7.3E+00	9E-07	2E-06	3E-06
	Indeno(1,2,3-cd)pyrene	2.5E-04	ug/l	7.3E-01	7.3E-01	7E-08	2E-07	2E-07
	Pesticides							
	Aldrin	2.9E-06	ug/l	1.7E+01	1.7E+01	6E-10	4E-10	9E-10
	Herbicides							
	MCPP	8.0E+00	ug/l	--	--	--	--	--
	Exposure Point Total					9E-06	1E-05	2E-05

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-55.

Calculation of Cancer Risks - Combined Child and Adult Resident, Potential Future Domestic Water Use
Reasonable Maximum Exposure

Scenario Timeframe: Future
Receptor Population: Combined Child/Adult Resident
Population Age: Combined Child/Adult

Medium: Surface Water
Exposure Medium: Surface Water, Potential Future Domestic Water Source
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Adult Total Cancer Risk	Child Total Cancer Risk	Combined Adult and Child Cancer Risk
Single Point Stations								
RM 2.1	**Metals**							
W026	Arsenic, total	4.7E-01	ug/l	1.5E+00	1.5E+00	8E-06	6E-06	1E-05
	Herbicides							
	MCPP	5.2E+00	ug/l	--	--	--	--	--
	Exposure Point Total					8E-06	6E-06	1E-05
RM 2.9 (Multnomah Channel)	**Metals**							
W027	Arsenic, total	5.0E-01	ug/l	1.5E+00	1.5E+00	9E-06	6E-06	1E-05
	Polynuclear Aromatic Hydrocarbons							
	Benzo(a)anthracene	5.9E-03	ug/l	7.3E-01	7.3E-01	7E-07	2E-06	2E-06
	Benzo(a)pyrene	1.7E-03	ug/l	7.3E+00	7.3E+00	3E-06	8E-06	1E-05
	Benzo(b)fluoranthene	8.3E-03	ug/l	7.3E-01	7.3E-01	2E-06	4E-06	6E-06
	Dibenzo(a,h)anthracene	5.6E-03	ug/l	7.3E+00	7.3E+00	1E-05	3E-05	4E-05
	Indeno(1,2,3-cd)pyrene	1.2E-03	ug/l	7.3E-01	7.3E-01	3E-07	8E-07	1E-06
	Pesticides							
	Aldrin	4.5E-06	ug/l	1.7E+01	1.7E+01	1E-09	7E-10	1E-09
	Herbicides							
	MCPP	1.3E+01	ug/l	--	--	--	--	--
	Exposure Point Total					3E-05	5E-05	7E-05
RM 3.6	**Metals**							
W028	Arsenic, total	4.6E-01	ug/l	1.5E+00	1.5E+00	8E-06	6E-06	1E-05
	Exposure Point Total					8E-06	6E-06	1E-05
RM 4.4	**Metals**							
W029	Arsenic, total	3.2E-01	ug/l	1.5E+00	1.5E+00	6E-06	4E-06	9E-06
	Exposure Point Total					6E-06	4E-06	9E-06
RM 5.5	**Metals**							
W030	Arsenic, total	4.4E-01	ug/l	1.5E+00	1.5E+00	8E-06	5E-06	1E-05
	Pesticides							
	Aldrin	4.1E-03	ug/l	1.7E+01	1.7E+01	9E-07	6E-07	1E-06
	Exposure Point Total					9E-06	6E-06	1E-05

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-55.

Calculation of Cancer Risks - Combined Child and Adult Resident, Potential Future Domestic Water Use
Reasonable Maximum Exposure

Scenario Timeframe: Future

Receptor Population: Combined Child/Adult Resident

Population Age: Combined Child/Adult

Medium: Surface Water

Exposure Medium: Surface Water, Potential Future Domestic Water Source

Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Cancer Risk Calculations[a]				
		Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Adult Total Cancer Risk	Child Total Cancer Risk	Combined Adult and Child Cancer Risk
RM 6.1	**Metals**							
W031	Arsenic, total	4.5E-01	ug/l	1.5E+00	1.5E+00	8E-06	6E-06	1E-05
	Polynuclear Aromatic Hydrocarbons							
	Benzo(a)anthracene	1.4E-01	ug/l	7.3E-01	7.3E-01	2E-05	4E-05	6E-05
	Benzo(a)pyrene	9.7E-02	ug/l	7.3E+00	7.3E+00	2E-04	5E-04	6E-04
	Benzo(b)fluoranthene	6.7E-02	ug/l	7.3E-01	7.3E-01	1E-05	3E-05	5E-05
	Dibenzo(a,h)anthracene	1.4E-02	ug/l	7.3E+00	7.3E+00	3E-05	7E-05	9E-05
	Indeno(1,2,3-cd)pyrene	6.2E-02	ug/l	7.3E-01	7.3E-01	2E-05	4E-05	6E-05
	Pesticides							
	Aldrin	2.1E-06	ug/l	1.7E+01	1.7E+01	5E-10	3E-10	7E-10
	Exposure Point Total					3E-04	7E-04	9E-04
RM 6.7	**Metals**							
W032	Arsenic, total	3.4E-01	ug/l	1.5E+00	1.5E+00	6E-06	4E-06	9E-06
	Arsenic, dissolved	3.9E-01	ug/l	1.5E+00	1.5E+00	7E-06	5E-06	1E-05
	Polynuclear Aromatic Hydrocarbons							
	Benzo(a)anthracene	3.2E-04	ug/l	7.3E-01	7.3E-01	4E-08	9E-08	1E-07
	Benzo(a)pyrene	3.3E-04	ug/l	7.3E+00	7.3E+00	7E-07	2E-06	2E-06
	Benzo(b)fluoranthene	4.9E-04	ug/l	7.3E-01	7.3E-01	1E-07	2E-07	3E-07
	Dibenzo(a,h)anthracene	8.8E-04	ug/l	7.3E+00	7.3E+00	2E-06	4E-06	6E-06
	Indeno(1,2,3-cd)pyrene	2.6E-04	ug/l	7.3E-01	7.3E-01	8E-08	2E-07	3E-07
	Pesticides							
	Aldrin	2.4E-06	ug/l	1.7E+01	1.7E+01	5E-10	4E-10	8E-10
	Exposure Point Total					9E-06	1E-05	2E-05
RM 7.0	**Metals**							
W033	Arsenic, total	3.4E-01	ug/l	1.5E+00	1.5E+00	6E-06	4E-06	9E-06
	Arsenic, dissolved	2.6E-01	ug/l	1.5E+00	1.5E+00	5E-06	3E-06	7E-06
	Chromium hexavalent	8.5E-01	ug/l	1.3E-02	5.0E-01	5E-06	3E-06	7E-06

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-55.

Calculation of Cancer Risks - Combined Child and Adult Resident, Potential Future Domestic Water Use
Reasonable Maximum Exposure

Scenario Timeframe: Future
Receptor Population: Combined Child/Adult Resident
Population Age: Combined Child/Adult

Medium: Surface Water
Exposure Medium: Surface Water, Potential Future Domestic Water Source
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Cancer Risk Calculations[a]				
		Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Adult Total Cancer Risk	Child Total Cancer Risk	Combined Adult and Child Cancer Risk
	Polynuclear Aromatic Hydrocarbons							
	Benzo(a)anthracene	7.0E-03	ug/l	7.3E-01	7.3E-01	8E-07	2E-06	3E-06
	Benzo(a)pyrene	6.6E-03	ug/l	7.3E+00	7.3E+00	1E-05	3E-05	4E-05
	Benzo(b)fluoranthene	2.0E-03	ug/l	7.3E-01	7.3E-01	4E-07	1E-06	1E-06
	Dibenzo(a,h)anthracene	4.6E-04	ug/l	7.3E+00	7.3E+00	9E-07	2E-06	3E-06
	Indeno(1,2,3-cd)pyrene	1.5E-03	ug/l	7.3E-01	7.3E-01	4E-07	1E-06	1E-06
	Pesticides							
	Aldrin	4.0E-06	ug/l	1.7E+01	1.7E+01	9E-10	6E-10	1E-09
	Herbicides							
	MCPP	6.2E+00	ug/l	--	--	--	--	--
	Exposure Point Total					3E-05	5E-05	7E-05
RM 7.5 W034	**Metals**							
	Arsenic, total	4.9E-01	ug/l	1.5E+00	1.5E+00	9E-06	6E-06	1E-05
	Pesticides							
	Aldrin	8.7E-07	ug/l	1.7E+01	1.7E+01	2E-10	1E-10	3E-10
	Exposure Point Total					9E-06	6E-06	1E-05
RM 8.5 W035	**Metals**							
	Arsenic, total	4.6E-01	ug/l	1.5E+00	1.5E+00	8E-06	6E-06	1E-05
	Polynuclear Aromatic Hydrocarbons							
	Benzo(a)anthracene	1.1E-02	ug/l	7.3E-01	7.3E-01	1E-06	3E-06	4E-06
	Benzo(a)pyrene	4.8E-03	ug/l	7.3E+00	7.3E+00	9E-06	2E-05	3E-05
	Benzo(b)fluoranthene	3.8E-03	ug/l	7.3E-01	7.3E-01	8E-07	2E-06	3E-06
	Dibenzo(a,h)anthracene	7.8E-04	ug/l	7.3E+00	7.3E+00	2E-06	4E-06	5E-06
	Indeno(1,2,3-cd)pyrene	2.9E-03	ug/l	7.3E-01	7.3E-01	9E-07	2E-06	3E-06
	Pesticides							
	Aldrin	4.9E-06	ug/l	1.7E+01	1.7E+01	1E-09	7E-10	2E-09
	Herbicides							
	MCPP	1.9E+01	ug/l	--	--	--	--	--
	Exposure Point Total					2E-05	4E-05	6E-05

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-55.

Calculation of Cancer Risks - Combined Child and Adult Resident, Potential Future Domestic Water Use
Reasonable Maximum Exposure

Scenario Timeframe: Future
Receptor Population: Combined Child/Adult Resident
Population Age: Combined Child/Adult

Medium: Surface Water
Exposure Medium: Surface Water, Potential Future Domestic Water Source
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Cancer Risk Calculations[a]				
		Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Adult Total Cancer Risk	Child Total Cancer Risk	Combined Adult and Child Cancer Risk
RM 8.6 W036	**Metals**							
	Arsenic, total	4.5E-01	ug/l	1.5E+00	1.5E+00	8E-06	6E-06	1E-05
	Polynuclear Aromatic Hydrocarbons							
	Indeno(1,2,3-cd)pyrene	5.1E-03	ug/l	7.3E-01	7.3E-01	2E-06	4E-06	5E-06
	Exposure Point Total					9E-06	9E-06	2E-05
RM 9.6 W037	**Metals**							
	Arsenic, total	4.8E-01	ug/l	1.5E+00	1.5E+00	8E-06	6E-06	1E-05
	Exposure Point Total					8E-06	6E-06	1E-05
RM 9.9 W038	**Metals**							
	Arsenic, total	5.2E-01	ug/l	1.5E+00	1.5E+00	9E-06	6E-06	1E-05
	Exposure Point Total					9E-06	6E-06	1E-05
Study Area-wide	**Metals**							
	Arsenic, total	4.3E-01	ug/l	1.5E+00	1.5E+00	8E-06	5E-06	1E-05
	Chromium hexavalent	9.0E-01	ug/l	1.3E-02	5.0E-01	5E-06	4E-06	8E-06
	Polynuclear Aromatic Hydrocarbons							
	Benzo(a)anthracene	9.1E-03	ug/l	7.3E-01	7.3E-01	1E-06	3E-06	4E-06
	Benzo(a)pyrene	6.5E-03	ug/l	7.3E+00	7.3E+00	1E-05	3E-05	4E-05
	Benzo(b)fluoranthene	3.0E-03	ug/l	7.3E-01	7.3E-01	6E-07	1E-06	2E-06
	Dibenzo(a,h)anthracene	6.7E-04	ug/l	7.3E+00	7.3E+00	1E-06	3E-06	4E-06
	Indeno(1,2,3-cd)pyrene	2.6E-03	ug/l	7.3E-01	7.3E-01	8E-07	2E-06	3E-06
	Pesticides							
	Aldrin	3.6E-04	ug/l	1.7E+01	1.7E+01	8E-08	5E-08	1E-07

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-55.

Calculation of Cancer Risks - Combined Child and Adult Resident, Potential Future Domestic Water Use

Reasonable Maximum Exposure

Scenario Timeframe: Future
Receptor Population: Combined Child/Adult Resident
Population Age: Combined Child/Adult

Medium: Surface Water
Exposure Medium: Surface Water, Potential Future Domestic Water Source
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Cancer Risk Calculations[a] Dermal Cancer Slope Factor $(mg/kg-day)^{-1}$	Oral Cancer Slope Factor $(mg/kg-day)^{-1}$	Adult Total Cancer Risk	Child Total Cancer Risk	Combined Adult and Child Cancer Risk
	Herbicides							
	MCPP	6.4E+00	ug/l	--	--	--	--	--
	Exposure Point Total					3E-05	5E-05	8E-05

Notes:

a Numbers presented are rounded values. Sums calculated before rounding. For carcinogenic polynuclear aromatic hydrocarbons (benzo[a]anthracene, benzo[a]pyrene, benzo[b]fluoranthene dibenzo[a,h]anthracene, and indeno[1,2,3-cd]pyrene), early life exposure was considered and mutagenic age dependent adjustment factors were applied to the exposure parameters as described in EPA's Supplemental Guidance for Assessing Susceptibility from Early-Life Exposure to Carcinogens, Risk Assessment Forum, March 2005, EPA/630/R-03/003F.

b Cumulative cancer risks include total metals only.

Abbreviations:

-- = Not Applicable. Chemical not evaluated for toxicity endpoint.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
kg = kilogram.
l = liter.

LADI = Lifetime Average Daily Intake.
MCPP = 2-(2-Methyl-4-chlorophenoxy)propionic acid.
mg = milligram.
RfD = Reference Dose.
RM = River mile.
ug = microgram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-56.

Calculation of Cancer Risks - Combined Child and Adult Resident, Potential Future Domestic Water Use
Central Tendency Exposure

Scenario Timeframe: Future
Receptor Population: Combined Child/Adult Resident
Population Age: Combined Child/Adult

Medium: Surface Water
Exposure Medium: Surface Water, Potential Future Domestic Water Source
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Adult Total Cancer Risk	Child Total Cancer Risk	Combined Adult and Child Cancer Risk
Transects								
Transect, RM 2 W025	**Metals**							
	Arsenic, total	3.5E-01	ug/l	1.5E+00	1.5E+00	1E-06	3E-06	4E-06
	Polynuclear Aromatic Hydrocarbons							
	Benzo(a)anthracene	2.1E-03	ug/l	7.3E-01	7.3E-01	5E-08	4E-07	4E-07
	Benzo(a)pyrene	2.3E-03	ug/l	7.3E+00	7.3E+00	9E-07	6E-06	6E-06
	Benzo(b)fluoranthene	2.5E-03	ug/l	7.3E-01	7.3E-01	1E-07	7E-07	7E-07
	Dibenzo(a,h)anthracene	2.0E-03	ug/l	7.3E+00	7.3E+00	8E-07	6E-06	6E-06
	Indeno(1,2,3-cd)pyrene	1.8E-03	ug/l	7.3E-01	7.3E-01	1E-07	8E-07	8E-07
	Pesticides							
	Aldrin	2.6E-06	ug/l	1.7E+01	1.7E+01	1E-10	2E-10	3E-10
	Exposure Point Total[b]					3E-06	2E-05	2E-05
Transect, RM 3.9 W005	**Metals**							
	Arsenic, total	4.6E-01	ug/l	1.5E+00	1.5E+00	2E-06	3E-06	5E-06
	Polynuclear Aromatic Hydrocarbons							
	Benzo(a)anthracene	1.9E-03	ug/l	7.3E-01	7.3E-01	4E-08	3E-07	3E-07
	Benzo(a)pyrene	1.7E-03	ug/l	7.3E+00	7.3E+00	7E-07	5E-06	5E-06
	Benzo(b)fluoranthene	1.9E-03	ug/l	7.3E-01	7.3E-01	8E-08	5E-07	6E-07
	Dibenzo(a,h)anthracene	1.2E-03	ug/l	7.3E+00	7.3E+00	5E-07	3E-06	4E-06
	Indeno(1,2,3-cd)pyrene	1.5E-03	ug/l	7.3E-01	7.3E-01	9E-08	6E-07	6E-07
	Pesticides							
	Aldrin	2.7E-06	ug/l	1.7E+01	1.7E+01	1E-10	2E-10	3E-10
	Herbicides							
	MCPP	5.9E+00	ug/l	--	--	--	--	--
	Exposure Point Total					3E-06	1E-05	1E-05
Cathedral Park, RM 5.7 W010	**Metals**							
	Arsenic, total	4.5E-01	ug/l	1.5E+00	1.5E+00	2E-06	3E-06	5E-06
	Exposure Point Total					2E-06	3E-06	5E-06

Cancer Risk Calculations[a]

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-56.

Calculation of Cancer Risks - Combined Child and Adult Resident, Potential Future Domestic Water Use
Central Tendency Exposure

Scenario Timeframe: Future
Receptor Population: Combined Child/Adult Resident
Population Age: Combined Child/Adult

Medium: Surface Water
Exposure Medium: Surface Water, Potential Future Domestic Water Source
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg-day)^{-1}$	Oral Cancer Slope Factor $(mg/kg-day)^{-1}$	Adult Total Cancer Risk	Child Total Cancer Risk	Combined Adult and Child Cancer Risk
Transect, RM 6.3	**Metals**							
W011	Arsenic, total	3.9E-01	ug/l	1.5E+00	1.5E+00	1E-06	3E-06	4E-06
	Polynuclear Aromatic Hydrocarbons							
	Benzo(a)anthracene	2.5E-03	ug/l	7.3E-01	7.3E-01	6E-08	4E-07	4E-07
	Benzo(a)pyrene	2.0E-03	ug/l	7.3E+00	7.3E+00	8E-07	6E-06	6E-06
	Benzo(b)fluoranthene	2.2E-03	ug/l	7.3E-01	7.3E-01	9E-08	6E-07	6E-07
	Dibenzo(a,h)anthracene	1.6E-03	ug/l	7.3E+00	7.3E+00	6E-07	4E-06	4E-06
	Indeno(1,2,3-cd)pyrene	1.9E-03	ug/l	7.3E-01	7.3E-01	1E-07	8E-07	8E-07
	Pesticides							
	Aldrin	2.3E-06	ug/l	1.7E+01	1.7E+01	1E-10	2E-10	3E-10
	Exposure Point Total					3E-06	1E-05	2E-05
Willamette Cove, RM 6.9	**Metals**							
W014	Arsenic, total	4.4E-01	ug/l	1.5E+00	1.5E+00	2E-06	3E-06	5E-06
	Exposure Point Total					2E-06	3E-06	5E-06
Swan Island Lagoon, RM 9.1	**Metals**							
W020	Arsenic, total	4.2E-01	ug/l	1.5E+00	1.5E+00	2E-06	3E-06	4E-06
	Exposure Point Total					2E-06	3E-06	4E-06
Transect, RM 11	**Metals**							
W023	Arsenic, total	4.0E-01	ug/l	1.5E+00	1.5E+00	1E-06	3E-06	4E-06
	Polynuclear Aromatic Hydrocarbons							
	Benzo(a)anthracene	2.0E-03	ug/l	7.3E-01	7.3E-01	5E-08	3E-07	3E-07
	Benzo(a)pyrene	1.6E-03	ug/l	7.3E+00	7.3E+00	6E-07	4E-06	5E-06
	Benzo(b)fluoranthene	1.8E-03	ug/l	7.3E-01	7.3E-01	7E-08	5E-07	5E-07
	Dibenzo(a,h)anthracene	1.4E-03	ug/l	7.3E+00	7.3E+00	5E-07	4E-06	4E-06
	Indeno(1,2,3-cd)pyrene	1.8E-03	ug/l	7.3E-01	7.3E-01	1E-07	8E-07	8E-07
	Pesticides							
	Aldrin	2.0E-06	ug/l	1.7E+01	1.7E+01	9E-11	2E-10	2E-10
	Herbicides							
	MCPP	5.6E+00	ug/l	--	--	--	--	--
	Exposure Point Total					3E-06	1E-05	1E-05

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-56.

Calculation of Cancer Risks - Combined Child and Adult Resident, Potential Future Domestic Water Use
Central Tendency Exposure

Scenario Timeframe: Future
Receptor Population: Combined Child/Adult Resident
Population Age: Combined Child/Adult

Medium: Surface Water
Exposure Medium: Surface Water, Potential Future Domestic Water Source
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC		Cancer Risk Calculations[a]				
		Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Adult Total Cancer Risk	Child Total Cancer Risk	Combined Adult and Child Cancer Risk
Single Point Stations								
RM 2.1	**Metals**							
W026	Arsenic, total	3.9E-01	ug/l	1.5E+00	1.5E+00	1E-06	3E-06	4E-06
	Herbicides							
	MCPP	4.2E+00	ug/l	--	--	--	--	--
	Exposure Point Total					1E-06	3E-06	4E-06
RM 2.9 (Multnomah Channel)	**Metals**							
W027	Arsenic, total	4.4E-01	ug/l	1.5E+00	1.5E+00	2E-06	3E-06	5E-06
	Polynuclear Aromatic Hydrocarbons							
	Benzo(a)anthracene	2.8E-03	ug/l	7.3E-01	7.3E-01	6E-08	5E-07	5E-07
	Benzo(a)pyrene	2.5E-03	ug/l	7.3E+00	7.3E+00	1E-06	7E-06	7E-06
	Benzo(b)fluoranthene	3.4E-03	ug/l	7.3E-01	7.3E-01	1E-07	1E-06	1E-06
	Dibenzo(a,h)anthracene	2.4E-03	ug/l	7.3E+00	7.3E+00	9E-07	7E-06	7E-06
	Indeno(1,2,3-cd)pyrene	2.1E-03	ug/l	7.3E-01	7.3E-01	1E-07	9E-07	9E-07
	Pesticides							
	Aldrin	4.3E-06	ug/l	1.7E+01	1.7E+01	2E-10	4E-10	5E-10
	Herbicides							
	MCPP	6.3E+00	ug/l	--	--	--	--	--
	Exposure Point Total					4E-06	2E-05	2E-05
RM 3.6	**Metals**							
W028	Arsenic, total	3.9E-01	ug/l	1.5E+00	1.5E+00	1E-06	3E-06	4E-06
	Exposure Point Total					1E-06	3E-06	4E-06
RM 4.4	**Metals**							
W029	Arsenic, total	2.8E-01	ug/l	1.5E+00	1.5E+00	1E-06	2E-06	3E-06
	Exposure Point Total					1E-06	2E-06	3E-06
RM 5.5	**Metals**							
W030	Arsenic, total	3.8E-01	ug/l	1.5E+00	1.5E+00	1E-06	3E-06	4E-06
	Pesticides							
	Aldrin	2.1E-03	ug/l	1.7E+01	1.7E+01	1E-07	2E-07	3E-07
	Exposure Point Total					2E-06	3E-06	4E-06

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-56.
Calculation of Cancer Risks - Combined Child and Adult Resident, Potential Future Domestic Water Use
Central Tendency Exposure

Scenario Timeframe: Future
Receptor Population: Combined Child/Adult Resident
Population Age: Combined Child/Adult

Medium: Surface Water
Exposure Medium: Surface Water, Potential Future Domestic Water Source
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Adult Total Cancer Risk	Child Total Cancer Risk	Combined Adult and Child Cancer Risk
RM 6.1	**Metals**							
W031	Arsenic, total	4.3E-01	ug/l	1.5E+00	1.5E+00	2E-06	3E-06	4E-06
	Polynuclear Aromatic Hydrocarbons							
	Benzo(a)anthracene	7.0E-02	ug/l	7.3E-01	7.3E-01	2E-06	1E-05	1E-05
	Benzo(a)pyrene	5.1E-02	ug/l	7.3E+00	7.3E+00	2E-05	1E-04	1E-04
	Benzo(b)fluoranthene	3.6E-02	ug/l	7.3E-01	7.3E-01	1E-06	1E-05	1E-05
	Dibenzo(a,h)anthracene	8.7E-03	ug/l	7.3E+00	7.3E+00	3E-06	2E-05	2E-05
	Indeno(1,2,3-cd)pyrene	3.2E-02	ug/l	7.3E-01	7.3E-01	2E-06	1E-05	1E-05
	Pesticides							
	Aldrin	1.6E-06	ug/l	1.7E+01	1.7E+01	7E-11	1E-10	2E-10
	Exposure Point Total					3E-05	2E-04	2E-04
RM 6.7	**Metals**							
W032	Arsenic, total	3.3E-01	ug/l	1.5E+00	1.5E+00	1E-06	2E-06	3E-06
	Polynuclear Aromatic Hydrocarbons							
	Benzo(a)anthracene	1.8E-03	ug/l	7.3E-01	7.3E-01	4E-08	3E-07	3E-07
	Benzo(a)pyrene	2.0E-03	ug/l	7.3E+00	7.3E+00	8E-07	6E-06	6E-06
	Benzo(b)fluoranthene	2.2E-03	ug/l	7.3E-01	7.3E-01	9E-08	6E-07	6E-07
	Dibenzo(a,h)anthracene	1.8E-03	ug/l	7.3E+00	7.3E+00	7E-07	5E-06	5E-06
	Indeno(1,2,3-cd)pyrene	1.6E-03	ug/l	7.3E-01	7.3E-01	9E-08	7E-07	7E-07
	Pesticides							
	Aldrin	2.3E-06	ug/l	1.7E+01	1.7E+01	1E-10	2E-10	3E-10
	Exposure Point Total					3E-06	1E-05	2E-05
RM 7.0	**Metals**							
W033	Arsenic, total	2.8E-01	ug/l	1.5E+00	1.5E+00	1E-06	2E-06	3E-06
	Polynuclear Aromatic Hydrocarbons							
	Benzo(a)anthracene	3.1E-03	ug/l	7.3E-01	7.3E-01	7E-08	5E-07	5E-07
	Benzo(a)pyrene	3.4E-03	ug/l	7.3E+00	7.3E+00	1E-06	9E-06	1E-05
	Benzo(b)fluoranthene	3.1E-03	ug/l	7.3E-01	7.3E-01	1E-07	9E-07	9E-07
	Dibenzo(a,h)anthracene	2.2E-03	ug/l	7.3E+00	7.3E+00	9E-07	6E-06	6E-06

Cancer Risk Calculations[a]

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-56.
Calculation of Cancer Risks - Combined Child and Adult Resident, Potential Future Domestic Water Use
Central Tendency Exposure

Scenario Timeframe: Future
Receptor Population: Combined Child/Adult Resident
Population Age: Combined Child/Adult

Medium: Surface Water
Exposure Medium: Surface Water, Potential Future Domestic Water Source
Exposure Route: Direct Contact

| Exposure Point | Chemical of Potential Concern | EPC | | Cancer Risk Calculations[a] | | | | |
		Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Adult Total Cancer Risk	Child Total Cancer Risk	Combined Adult and Child Cancer Risk
	Indeno(1,2,3-cd)pyrene	2.2E-03	ug/l	7.3E-01	7.3E-01	1E-07	9E-07	1E-06
	Pesticides							
	Aldrin	3.5E-06	ug/l	1.7E+01	1.7E+01	2E-10	3E-10	4E-10
	Herbicides							
	MCPP	4.2E+00	ug/l	--	--	--	--	--
	Exposure Point Total					4E-06	2E-05	2E-05
RM 7.5	**Metals**							
W034	Arsenic, total	4.7E-01	ug/l	1.5E+00	1.5E+00	2E-06	3E-06	5E-06
	Pesticides							
	Aldrin	1.3E-06	ug/l	1.7E+01	1.7E+01	6E-11	1E-10	2E-10
	Exposure Point Total					2E-06	3E-06	5E-06
RM 8.5	**Metals**							
W035	Arsenic, total	4.1E-01	ug/l	1.5E+00	1.5E+00	2E-06	3E-06	4E-06
	Polynuclear Aromatic Hydrocarbons							
	Benzo(a)anthracene	5.0E-03	ug/l	7.3E-01	7.3E-01	1E-07	9E-07	9E-07
	Benzo(a)pyrene	3.4E-03	ug/l	7.3E+00	7.3E+00	1E-06	1E-05	1E-05
	Benzo(b)fluoranthene	3.5E-03	ug/l	7.3E-01	7.3E-01	1E-07	1E-06	1E-06
	Dibenzo(a,h)anthracene	2.1E-03	ug/l	7.3E+00	7.3E+00	8E-07	6E-06	6E-06
	Indeno(1,2,3-cd)pyrene	2.5E-03	ug/l	7.3E-01	7.3E-01	1E-07	1E-06	1E-06
	Pesticides							
	Aldrin	4.1E-06	ug/l	1.7E+01	1.7E+01	2E-10	4E-10	5E-10
	Herbicides							
	MCPP	1.1E+01	ug/l	--	--	--	--	--
	Exposure Point Total					4E-06	2E-05	2E-05
RM 8.6	**Metals**							
W036	Arsenic, total	4.1E-01	ug/l	1.5E+00	1.5E+00	2E-06	3E-06	4E-06
	Polynuclear Aromatic Hydrocarbons							
	Indeno(1,2,3-cd)pyrene	4.2E-03	ug/l	7.3E-01	7.3E-01	2E-07	2E-06	2E-06
	Exposure Point Total					2E-06	5E-06	6E-06

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-56.

Calculation of Cancer Risks - Combined Child and Adult Resident, Potential Future Domestic Water Use
Central Tendency Exposure

Scenario Timeframe: Future
Receptor Population: Combined Child/Adult Resident
Population Age: Combined Child/Adult

Medium: Surface Water
Exposure Medium: Surface Water, Potential Future Domestic Water Source
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern	EPC Value	Units	Dermal Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Adult Total Cancer Risk	Child Total Cancer Risk	Combined Adult and Child Cancer Risk
RM 9.6 W037	**Metals**							
	Arsenic, total	4.1E-01	ug/l	1.5E+00	1.5E+00	2E-06	3E-06	4E-06
	Exposure Point Total					2E-06	3E-06	4E-06
RM 9.9 W038	**Metals**							
	Arsenic, total	4.1E-01	ug/l	1.5E+00	1.5E+00	2E-06	3E-06	4E-06
	Exposure Point Total					2E-06	3E-06	4E-06
Study Area-wide	**Metals**							
	Arsenic, total	4.0E-01	ug/l	1.5E+00	1.5E+00	1E-06	3E-06	4E-06
	Chromium hexavalent	9.0E-01	ug/l	1.3E-02	5.0E-01	1E-06	2E-06	3E-06
	Polynuclear Aromatic Hydrocarbons							
	Benzo(a)anthracene	4.0E-03	ug/l	7.3E-01	7.3E-01	9E-08	7E-07	7E-07
	Benzo(a)pyrene	3.4E-03	ug/l	7.3E+00	7.3E+00	1E-06	1E-05	1E-05
	Benzo(b)fluoranthene	3.4E-03	ug/l	7.3E-01	7.3E-01	1E-07	9E-07	1E-06
	Dibenzo(a,h)anthracene	2.1E-03	ug/l	7.3E+00	7.3E+00	8E-07	6E-06	6E-06
	Indeno(1,2,3-cd)pyrene	2.8E-03	ug/l	7.3E-01	7.3E-01	2E-07	1E-06	1E-06
	Pesticides							
	Aldrin	1.6E-04	ug/l	1.7E+01	1.7E+01	7E-09	1E-08	2E-08
	Herbicides							
	MCPP	7.7E+00	ug/l	--	--	--	--	--
	Exposure Point Total					5E-06	2E-05	3E-05

Notes:

a Numbers presented are rounded values. Sums calculated before rounding. For carcinogenic polynuclear aromatic hydrocarbons (benzo[a]anthracene, benzo[a]pyrene, benzo[b]fluoranthene dibenzo[a,h]anthracene, and indeno[1,2,3-cd]pyrene), early life exposure was considered and mutagenic age dependent adjustment factors were applied to the exposure parameters as described in EPA's Supplemental Guidance for Assessing Susceptibility from Early-Life Exposure to Carcinogens, Risk Assessment Forum, March 2005, EPA/630/R-03/003F.

b Cumulative cancer risks include total metals only.

Abbreviations:

-- = Not Applicable. Chemical not evaluated for toxicity endpoint.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
kg = kilogram.
l = liter.

LADI = Lifetime Average Daily Intake.
MCPP = 2-(2-Methyl-4-chlorophenoxy)propionic acid.
mg = milligram.
RfD = Reference Dose.
RM = River mile.
ug = microgram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-57. Summary of Risks From Exposures to Surface Water[a]

Exposure Areas	Transients	Child Recreational Beach User[b]	Combined Adult and Child Recreational Beach User	Diver in Wet Suit	Diver in Dry Suit	Future Child (Potential Future Domestic Use)[b]	Combined Future Adult and Child (Potential Future Domestic Use)
W025	--	NA	NA	--	--	--	2E-05
W005	--	NA	NA	--	--	--	3E-05
W010, Cathedral Park	NA	--	--	NA	NA	--	1E-05
W011	--	NA	NA	--	--	--	3E-05
W014, Willamette Cove	--	--	--	NA	NA	--	1E-05
W020, SIL	NA	--	--	NA	NA	--	1E-05
W023	--	NA	NA	--	--	--	2E-05
W026	NA	NA	NA	NA	NA	--	1E-05
W027 MC	--	NA	NA	--	--	2	7E-05
W028	NA	NA	NA	NA	NA	--	1E-05
W029	NA	NA	NA	NA	NA	--	9E-06
W030	NA	NA	NA	NA	NA	--	1E-05
W031	NA	NA	NA	NA	NA	--	9E-04
W032	NA	NA	NA	NA	NA	--	2E-05
W033	NA	NA	NA	NA	NA	--	7E-05
W034	NA	NA	NA	NA	NA	--	1E-05
W035	NA	NA	NA	NA	NA	2	6E-05
W036	NA	NA	NA	NA	NA	--	2E-05
W037	NA	NA	NA	NA	NA	--	1E-05
W038	NA	NA	NA	NA	NA	--	1E-05
RM 2.0 E	NA	NA	NA	--	--	NA	NA
RM 2.0 W	NA	NA	NA	--	--	NA	NA
RM 3.0 W	NA	NA	NA	--	--	NA	NA
RM 3.5 E	NA	NA	NA	--	--	NA	NA
RM 4.0 E	NA	NA	NA	--	--	NA	NA
RM 4.0 W	NA	NA	NA	--	--	NA	NA
RM 4.5 E	NA	NA	NA	--	--	NA	NA
RM 5.5 E	NA	NA	NA	--	--	NA	NA
RM 5.5 W	NA	NA	NA	--	--	NA	NA
RM 6.0 W	NA	NA	NA	1E-05	2.E-06	NA	NA
RM 6.5 E	NA	NA	NA	--	--	NA	NA
RM 6.5 W	NA	NA	NA	--	--	NA	NA
RM 7.0 W	NA	NA	NA	--	--	NA	NA
RM 7.5 W	NA	NA	NA	--	--	NA	NA
SIL	NA	NA	NA	--	--	NA	NA
RM 8.5 W	NA	NA	NA	--	--	NA	NA
RM 9.5 E	NA	NA	NA	--	--	NA	NA
RM 9.5 W	NA	NA	NA	--	--	NA	NA
Study-area Wide	--	--	--	NA	NA	--	8E-05

Notes:

a Table presents cumulative risks greater than 1×10^{-6} (and cumulative hazard indices greater than 1) per exposure area and per receptor for reasonable maximum exposure scenarios.

b Only hazard indices values are presented for child exposure scenarios.

Abbreviations:

-- Exposure area does not result in risk greater than 1×10^{-6} or hazard index greater than 1.

E East

NA Exposure area does not coincide with use by a given receptor

MC Multnomah Channel

RM River Mile

SIL Swan Island Lagoon

W West

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-58.

Calculation of Cancer Risks and Noncancer Hazards - Transients, Groundwater Seep Exposure
Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Transient
Population Age: Adult

Medium: Groundwater
Exposure Medium: Groundwater Seep
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
Outfall 22B	**Metals**																
	Arsenic, total	8.1E+00	ug/l	1.5E+00	1.5E+00	1.1E-10	9.4E-10	1.6E-10	1.4E-09	2.E-09	3.0E-04	3.0E-04	3.8E-09	3.3E-08	1.3E-05	1.1E-04	0.0001
	Arsenic, dissolved	5.5E+00	ug/l	1.5E+00	1.5E+00	7.3E-11	6.4E-10	1.1E-10	9.6E-10	1.E-09	3.0E-04	3.0E-04	2.5E-09	2.2E-08	8.5E-06	7.4E-05	0.0001
	Boron	1.4E+03	ug/l	--	--	1.8E-08	1.6E-07	--	--	--	2.0E-01	2.0E-01	6.3E-07	5.5E-06	3.1E-06	2.7E-05	0.00003
	Iron	1.6E+04	ug/l	--	--	2.1E-07	1.9E-06	--	--	--	7.0E-01	7.0E-01	7.4E-06	6.5E-05	1.1E-05	9.3E-05	0.0001
	Manganese	2.4E+03	ug/l	--	--	3.2E-08	2.8E-07	--	--	--	5.6E-03	1.4E-01	1.1E-06	9.9E-06	2.0E-04	7.1E-05	0.0003
	Molybdenum	2.4E+03	ug/l	--	--	3.2E-08	2.8E-07	--	--	--	5.0E-03	5.0E-03	1.1E-06	9.9E-06	2.3E-04	2.0E-03	0.002
	Vanadium, total	8.9E+00	ug/l	--	--	1.2E-10	1.0E-09	--	--	--	1.8E-06	7.0E-05	4.1E-09	3.6E-08	2.3E-03	5.2E-04	0.003
	Vanadium, dissolved	2.3E+00	ug/l	--	--	3.0E-11	2.7E-10	--	--	--	1.8E-06	7.0E-05	1.1E-09	9.4E-09	5.9E-04	1.3E-04	0.001
	SVOCs																
	1,4-Dichlorobenzene	1.2E+00	ug/l	5.4E-03	5.4E-03	5.7E-09	1.4E-10	3.1E-11	7.8E-13	3.E-11	7.0E-02	7.0E-02	2.0E-07	5.0E-09	2.8E-06	7.2E-08	0.000003
	Phenols																
	2,4-Dichlorophenol	1.6E+01	ug/l	--	--	4.1E-08	1.9E-09	--	--	--	3.0E-03	3.0E-03	1.4E-06	6.5E-08	4.7E-04	2.2E-05	0.0005
	4-Nitrophenol	5.7E-01	ug/l	--	--	2.8E-10	6.6E-11	--	--	--	5.0E-03	5.0E-03	1.0E-08	2.3E-09	2.0E-06	4.6E-07	0.000002
	Pesticides																
	Aldrin	4.1E-03	ug/l	1.7E+01	1.7E+01	2.5E-12	4.7E-13	4.3E-11	8.0E-12	5.E-11	3.0E-05	3.0E-05	8.9E-11	1.7E-11	3.0E-06	5.5E-07	0.000004
	VOCs																
	Chlorobenzene	9.2E+00	ug/l	--	--	2.3E-08	1.1E-09	--	--	--	2.0E-02	2.0E-02	7.9E-07	3.7E-08	4.0E-05	1.9E-06	0.00004
	Tetrachloroethene	6.4E-01	ug/l	5.4E-01	5.4E-01	2.6E-09	7.4E-11	1.4E-09	4.0E-11	1.E-09	1.0E-02	1.0E-02	9.1E-08	2.6E-09	9.1E-06	2.6E-07	0.00001
	Trichloroethene	3.4E-01	ug/l	8.9E-02	8.9E-02	3.9E-10	4.0E-11	3.4E-11	3.5E-12	4.E-11	--	--	1.4E-08	1.4E-09	--	--	--
Exposure Point Total										3.E-09							0.006

Notes:

a When available, both total and dissolved fractions of each metal of potential concern are provided. The total fraction is quoted if no further definition is provided. Cumulative cancer risks and HQs include total metals only.

b Numbers presented are rounded values. Sums calculated before rounding.

Abbreviations:

-- = Not Applicable. Chemical not evaluated for toxicity endpoint.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
kg = kilogram.
l = liter.
LADI = Lifetime Average Daily Intake.
mg = milligram.
RfD = Reference Dose.
SVOCs = Semi-Volatile Organic Compounds.
ug = microgram.
VOCs = Volatile Organic Compounds.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-59.

Calculation of Cancer Risks and Noncancer Hazards - Transients, Groundwater Seep Exposure
Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Transient
Population Age: Adult

Medium: Groundwater
Exposure Medium: Groundwater Seep
Exposure Route: Direct Contact

Exposure Point	Chemical of Potential Concern[a]	EPC		Cancer Risk Calculations[b]							Noncancer Risk Calculations[b]						
		Value	Units	Dermal Cancer Slope Factor (mg/kg-day)$^{-1}$	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Dermal LADI (mg/kg-day)	Oral LADI (mg/kg-day)	Cancer Risk from Dermal Contact	Cancer Risk from Ingestion	Total Cancer Risk	Dermal RfD (mg/kg-day)	Oral RfD (mg/kg-day)	Dermal CDI (mg/kg-day)	Oral CDI (mg/kg-day)	Noncancer HQ from Dermal Contact	Noncancer HQ from Ingestion	Total Noncancer HQ
Outfall 22B	**Metals**																
	Arsenic, total	6.9E+00	ug/l	1.5E+00	1.5E+00	1.1E-11	1.0E-10	1.7E-11	1.5E-10	2.E-10	3.0E-04	3.0E-04	8.0E-10	7.1E-09	2.7E-06	2.4E-05	0.00003
	Arsenic, dissolved	5.5E+00	ug/l	1.5E+00	1.5E+00	9.1E-12	8.0E-11	1.4E-11	1.2E-10	1.E-10	3.0E-04	3.0E-04	6.4E-10	5.6E-09	2.1E-06	1.9E-05	0.00002
	Boron	1.4E+03	ug/l	--	--	2.2E-09	2.0E-08	--	--	--	2.0E-01	2.0E-01	1.6E-07	1.4E-06	7.8E-07	6.9E-06	0.00001
	Iron	1.6E+04	ug/l	--	--	2.7E-08	2.3E-07	--	--	--	7.0E-01	7.0E-01	1.9E-06	1.6E-05	2.7E-06	2.3E-05	0.00003
	Manganese	2.4E+03	ug/l	--	--	4.0E-08	3.5E-08	--	--	--	5.6E-03	1.4E-01	2.8E-07	2.5E-06	5.1E-05	1.8E-05	0.0001
	Molybdenum	6.9E+02	ug/l	--	--	1.1E-09	1.0E-08	--	--	--	5.0E-03	5.0E-03	8.0E-08	7.0E-07	1.6E-05	1.4E-04	0.0002
	Vanadium, total	7.5E+00	ug/l	--	--	1.2E-11	1.1E-10	--	--	--	1.8E-06	7.0E-05	8.7E-10	7.7E-09	4.8E-04	1.1E-04	0.001
	Vanadium, dissolved	2.3E+00	ug/l	--	--	3.8E-12	3.3E-11	--	--	--	1.8E-06	7.0E-05	2.7E-10	2.3E-09	1.5E-04	3.3E-05	0.0002
	SVOCs																
	1,4-Dichlorobenzene	1.1E+00	ug/l	5.4E-03	5.4E-03	1.3E-09	1.6E-11	6.8E-12	8.6E-14	7.E-12	7.0E-02	7.0E-02	8.8E-08	1.1E-09	1.3E-06	1.6E-08	0.000001
	Phenols																
	2,4-Dichlorophenol	1.3E+01	ug/l	--	--	8.5E-09	1.9E-10	--	--	--	3.0E-03	3.0E-03	5.9E-07	1.4E-08	2.0E-04	4.5E-06	0.0002
	4-Nitrophenol	5.7E-01	ug/l	--	--	7.1E-11	8.3E-12	--	--	--	5.0E-03	5.0E-03	5.0E-09	5.8E-10	1.0E-06	1.2E-07	0.000001
	Pesticides																
	Aldrin	4.1E-03	ug/l	1.7E+01	1.7E+01	6.4E-13	5.9E-14	1.1E-11	1.0E-12	1.E-11	3.0E-05	3.0E-05	4.5E-11	4.1E-12	1.5E-06	1.4E-07	0.000002
	VOCs																
	Chlorobenzene	8.8E+00	ug/l	--	--	5.4E-09	1.3E-10	--	--	--	2.0E-02	2.0E-02	3.8E-07	9.0E-09	1.9E-05	4.5E-07	0.00002
	Tetrachloroethene	4.5E-01	ug/l	5.4E-01	5.4E-01	4.5E-10	6.5E-12	2.4E-10	3.5E-12	2.E-10	1.0E-02	1.0E-02	3.1E-08	4.5E-10	3.1E-06	4.5E-08	0.000003
	Trichloroethene	3.4E-01	ug/l	8.9E-02	8.9E-02	9.7E-11	4.9E-12	8.6E-12	4.4E-13	9.E-12	--	--	6.8E-09	3.5E-10	--	--	--
Exposure Point Total										4.E-10							0.001

Notes:

a When available, both total and dissolved fractions of each metal of potential concern are provided. The total fraction is quoted if no further definition is provided. Cumulative cancer risks and HQs include total metals only.

b Numbers presented are rounded values. Sums calculated before rounding.

Abbreviations:

-- = Not Applicable. Chemical not evaluated for toxicity endpoint.
CDI = Chronic Daily Intake.
EPC = Exposure Point Concentration.
HQ = Hazard Quotient.
kg = kilogram.
l = liter.
LADI = Lifetime Average Daily Intake.
mg = milligram.
RfD = Reference Dose.
SVOCs = Semi-Volatile Organic Compounds.
ug = microgram.
VOCs = Volatile Organic Compounds.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-60. Summary of Risks From Exposures to Groundwater Seep[a]

Seep Location	Transients
Outfall 22B	No cancer risks above 10^{-6} No noncancer hazards above 1

Notes:

a   Table presents cumulative risk (or cumulative hazard indices) per exposure area for reasonable maximum exposure scenarios.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-61.
Calculation of Noncancer Hazards - Child Tribal Fish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Multi-Species Fish Tissue
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC for mixed diet[b]		Noncancer Hazard Calculations[c]		
					Oral RfD mg/kg-day	ConsumptionRate: 73 g/day	
			Value	Units		CDI mg/kg-day	Noncancer Hazard Quotient
WB tissue[d]	Study Area-wide	**Metals**					
		Aluminum	2.6E+01	mg/kg	1.E+00	1.3E-01	0.1
		Antimony	3.2E-01	mg/kg	4.E-04	1.5E-03	4
		Arsenic, inorganic	5.3E-02	mg/kg	3.E-04	2.6E-04	0.9
		Cadmium	2.0E-02	mg/kg	1.E-03	9.9E-05	0.1
		Chromium[e]	6.3E-01	mg/kg	2.E+00	3.1E-03	0.002
		Copper	1.4E+00	mg/kg	4.E-02	6.8E-03	0.2
		Manganese	3.1E+00	mg/kg	1.E-01	1.5E-02	0.1
		Mercury	8.1E-02	mg/kg	1.E-04	4.0E-04	4
		Nickel	3.4E-01	mg/kg	2.E-02	1.7E-03	0.1
		Selenium	4.8E-01	mg/kg	5.E-03	2.3E-03	0.5
		Silver	1.5E-02	mg/kg	5.E-03	7.5E-05	0.02
		Zinc	3.4E+01	mg/kg	3.E-01	1.6E-01	0.5
		Butyltins					
		Butyltin ion	2.8E-03	mg/kg	3.E-04	1.3E-05	0.04
		Dibutyltin ion	5.8E-04	mg/kg	3.E-04	2.8E-06	0.01
		Tributyltin ion	1.1E-03	mg/kg	3.E-04	5.1E-06	0.02
		PAHs					
		1-Methylnaphthalene	3.7E-03	mg/kg	7.E-02	1.8E-05	0.0003
		2-Methylnaphthalene	8.9E-03	mg/kg	4.E-03	4.3E-05	0.01
		Acenaphthene	1.1E-02	mg/kg	6.E-02	5.4E-05	0.001
		Acenaphthylene	6.5E-04	mg/kg	6.E-02	3.2E-06	0.0001
		Anthracene	1.3E-03	mg/kg	3.E-01	6.2E-06	0.00002
		Benzo(g,h,i)perylene	1.5E-04	mg/kg	3.E-02	7.2E-07	0.00002
		Dibenzothiophene	2.0E-03	mg/kg	4.E-02	9.9E-06	0.0002
		Fluoranthene	8.5E-03	mg/kg	4.E-02	4.1E-05	0.001
		Fluorene	5.2E-03	mg/kg	4.E-02	2.5E-05	0.001
		Naphthalene	6.5E-03	mg/kg	2.E-02	3.2E-05	0.002
		Phenanthrene	1.2E-02	mg/kg	3.E-02	5.9E-05	0.002
		Pyrene	2.0E-03	mg/kg	3.E-02	9.6E-06	0.0003
		Phthalates					
		Bis(2-ethylhexyl) phthalate	1.5E+00	mg/kg	2.E-02	7.3E-03	0.4
		Dibutyl phthalate	4.6E-03	mg/kg	1.E-01	2.2E-05	0.0002
		Diethyl phthalate	1.2E-03	mg/kg	8.E-01	6.0E-06	0.00001
		Di-n-octyl phthalate	2.6E-01	mg/kg	1.E-01	1.3E-03	0.01
		SVOCs					
		Benzoic acid	1.1E-01	mg/kg	4.E+00	5.6E-04	0.0001
		Benzyl alcohol	1.3E-02	mg/kg	1.E-01	6.2E-05	0.001
		Bis(2-chloroethoxy) methane	4.6E-03	mg/kg	3.E-03	2.2E-05	0.01
		Dibenzofuran	3.6E-03	mg/kg	1.E-03	1.8E-05	0.02
		Hexachlorobenzene	3.6E-03	mg/kg	8.E-04	1.8E-05	0.02
		Hexachlorobutadiene	3.4E-04	mg/kg	1.E-03	1.7E-06	0.002
		Isophorone	7.3E-04	mg/kg	2.E-01	3.6E-06	0.00002
		Phenols					
		4-Methylphenol	1.6E-03	mg/kg	5.E-03	7.8E-06	0.002
		4-Nitrophenol	2.3E-03	mg/kg	5.E-03	1.1E-05	0.002
		Phenol	3.9E-02	mg/kg	3.E-01	1.9E-04	0.001
		Polychlorinated Biphenyls					
		Total PCBs, Adjusted	2.9E+00	mg/kg	2.E-05	1.4E-02	700
		Dioxin/Furan					
		Total Dioxin/Furan TEQ	2.6E-06	mg/kg	1.E-09	1.3E-08	10
		Total PCB TEQ	5.6E-06	mg/kg	1.E-09	2.7E-08	30
		Pesticides					
		Aldrin	2.1E-05	mg/kg	3.E-05	1.0E-07	0.003
		alpha-Hexachlorocyclohexane	1.8E-04	mg/kg	8.E-03	8.9E-07	0.0001
		beta-Hexachlorocyclohexane	6.2E-06	mg/kg	6.E-04	3.0E-08	0.0001
		Dieldrin	2.1E-03	mg/kg	5.E-05	1.0E-05	0.2
		Endrin	7.2E-06	mg/kg	3.E-04	3.5E-08	0.0001
		Endrin aldehyde	1.7E-06	mg/kg	3.E-04	8.2E-09	0.00003
		Endrin ketone	3.8E-06	mg/kg	3.E-04	1.8E-08	0.0001
		gamma-Hexachlorocyclohexane	2.4E-04	mg/kg	3.E-04	1.2E-06	0.004
		Heptachlor	8.8E-04	mg/kg	5.E-04	4.3E-06	0.01
		Heptachlor epoxide	3.6E-05	mg/kg	1.E-05	1.8E-07	0.01
		Methoxychlor	2.3E-03	mg/kg	5.E-03	1.1E-05	0.002
		Total Chlordanes	1.4E-02	mg/kg	5.E-04	6.7E-05	0.1
		Total DDD	2.8E-02	mg/kg	5.E-04	1.4E-04	0.3
		Total DDE	6.2E-02	mg/kg	5.E-04	3.0E-04	0.6
		Total DDT	3.3E-02	mg/kg	5.E-04	1.6E-04	0.3
		Total Endosulfan	2.5E-03	mg/kg	6.E-03	1.2E-05	0.002
Exposure Area Total[f]							800

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-61.
Calculation of Noncancer Hazards - Child Tribal Fish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Multi-Species Fish Tissue
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC for mixed diet[b]		Noncancer Hazard Calculations[c]		
					Oral RfD mg/kg-day	ConsumptionRate: 73 g/day	
			Value	Units		CDI mg/kg-day	Noncancer Hazard Quotient
Fillet[g]	Study Area-wide	**Metals**					
		Aluminum	2.6E+00	mg/kg	1.E+00	1.3E-02	0.01
		Antimony	1.4E-01	mg/kg	4.E-04	7.0E-04	2
		Arsenic, inorganic	5.9E-02	mg/kg	3.E-04	2.9E-04	1
		Cadmium	5.5E-03	mg/kg	1.E-03	2.7E-05	0.03
		Chromium	6.5E-01	mg/kg	2.E+00	3.2E-03	0.002
		Copper	7.3E-01	mg/kg	4.E-02	3.6E-03	0.1
		Manganese	8.9E-01	mg/kg	1.E-01	4.3E-03	0.03
		Mercury	9.4E-02	mg/kg	1.E-04	4.6E-04	5
		Nickel	1.2E-01	mg/kg	2.E-02	5.9E-04	0.03
		Selenium	7.9E-01	mg/kg	5.E-03	3.8E-03	0.8
		Silver	6.4E-03	mg/kg	5.E-03	3.1E-05	0.01
		Zinc	9.7E+00	mg/kg	3.E-01	4.7E-02	0.2
		Butyltins					
		Butyltin ion	1.5E-04	mg/kg	3.E-04	7.2E-07	0.002
		Dibutyltin ion	9.8E-04	mg/kg	3.E-04	4.7E-06	0.02
		Tributyltin ion	9.6E-04	mg/kg	3.E-04	4.7E-06	0.02
		PAHs					
		1-Methylnaphthalene	1.9E-03	mg/kg	7.E-02	9.2E-06	0.0001
		2-Methylnaphthalene	4.6E-03	mg/kg	4.E-03	2.3E-05	0.01
		Acenaphthene	6.6E-03	mg/kg	6.E-02	3.2E-05	0.001
		Acenaphthylene	5.4E-04	mg/kg	6.E-02	2.6E-06	0.00004
		Anthracene	1.2E-03	mg/kg	3.E-01	6.0E-06	0.00002
		Benzo(g,h,i)perylene	9.8E-05	mg/kg	3.E-02	4.8E-07	0.00002
		Dibenzothiophene	3.1E-04	mg/kg	4.E-02	1.5E-06	0.00004
		Fluoranthene	1.5E-02	mg/kg	4.E-02	7.5E-05	0.002
		Fluorene	2.6E-03	mg/kg	4.E-02	1.3E-05	0.0003
		Naphthalene	2.1E-03	mg/kg	2.E-02	1.0E-05	0.001
		Phenanthrene	2.0E-02	mg/kg	3.E-02	9.7E-05	0.003
		Pyrene	2.2E-03	mg/kg	3.E-02	1.1E-05	0.0004
		Phthalates					
		Bis(2-ethylhexyl) phthalate	2.9E-02	mg/kg	2.E-02	1.4E-04	0.01
		Dibutyl phthalate	5.3E-03	mg/kg	1.E-01	2.6E-05	0.0003
		Diethyl phthalate	2.1E-03	mg/kg	8.E-01	1.0E-05	0.00001
		SVOCs					
		Benzyl alcohol	6.9E-03	mg/kg	1.E-01	3.4E-05	0.0003
		Dibenzofuran	6.8E-04	mg/kg	1.E-03	3.3E-06	0.003
		Hexachlorobenzene	9.5E-03	mg/kg	8.E-04	4.6E-05	0.1
		Hexachlorobutadiene	2.2E-05	mg/kg	1.E-03	1.1E-07	0.0001
		Isophorone	1.2E-03	mg/kg	2.E-01	5.9E-06	0.00003
		Phenols					
		4-Nitrophenol	3.5E-03	mg/kg	5.E-03	1.7E-05	0.003
		Polychlorinated Biphenyls					
		Total PCBs, Adjusted	2.5E+00	mg/kg	2.E-05	1.2E-02	600
		Dioxin/Furan					
		Total Dioxin/Furan TEQ	9.5E-07	mg/kg	1.E-09	4.6E-09	5
		Total PCB TEQ	1.6E-06	mg/kg	1.E-09	8.0E-09	8
		Pesticides					
		Aldrin	1.3E-05	mg/kg	3.E-05	6.6E-08	0.002
		alpha-Hexachlorocyclohexane	4.2E-06	mg/kg	8.E-03	2.0E-08	0.000003
		beta-Hexachlorocyclohexane	5.6E-04	mg/kg	6.E-04	2.7E-06	0.005
		Dieldrin	1.5E-03	mg/kg	5.E-05	7.2E-06	0.1
		Endrin	3.2E-06	mg/kg	3.E-04	1.5E-08	0.0001
		Endrin aldehyde	2.5E-04	mg/kg	3.E-04	1.2E-06	0.004
		Endrin ketone	2.2E-06	mg/kg	3.E-04	1.1E-08	0.00004
		gamma-Hexachlorocyclohexane	4.3E-06	mg/kg	3.E-04	2.1E-08	0.0001
		Heptachlor	6.2E-07	mg/kg	5.E-04	3.0E-09	0.00001
		Heptachlor epoxide	1.8E-05	mg/kg	1.E-05	8.7E-08	0.01
		Methoxychlor	1.1E-03	mg/kg	5.E-03	5.4E-06	0.001
		Total Chlordanes	2.4E-03	mg/kg	5.E-04	1.2E-05	0.02
		Total DDD	1.6E-02	mg/kg	5.E-04	7.9E-05	0.2
		Total DDE	2.8E-02	mg/kg	5.E-04	1.4E-04	0.3

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-61.

Calculation of Noncancer Hazards - Child Tribal Fish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Multi-Species Fish Tissue
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC for mixed diet[b]		Noncancer Hazard Calculations[c]		
					Oral RfD mg/kg-day	ConsumptionRate: 73 g/day	
			Value	Units		CDI mg/kg-day	Noncancer Hazard Quotient
		Total DDT	1.2E-02	mg/kg	5.E-04	6.1E-05	0.1
		Total Endosulfan	8.2E-04	mg/kg	6.E-03	4.0E-06	0.001
Exposure Area Total							600

Notes:

a Chemicals listed for whole body exposure are analytes detected Study Area-wide in whole body tissue samples resident species (smallmouth bass, black crappie, common carp, brown bullhead). Chemicals listed for fillet exposure are analytes detected in Study Area-wide fillet tissue samples of resident species.

b The Tribal multi-species fish diet EPCs were calculated assuming different consumptionrates for each of seven fish species, which can also be represented by that species' percent of total fish diet. The EPCs shown in the table are the weighted sums of the EPCs for the individual species based on the following percentages:
   (38.4% x Salmon EPC)
+ (7.0% x Lamprey EPC)
+ (4.9% x Sturgeon EPC)
+ (12.4% x Smallmouth Bass EPC)
+ (12.4% x Black Crappie EPC)
+ (12.4% x Common Carp EPC)
+ (12.4% x Brown Bullhead EPC)
100% Tribal fish tissue diet EPC

These percentages are the consumptionrates for each species as discussed in the Portland Harbor RI/FS Programmatic Work Plan, Appendix C: Human Health Risk Assessment Approach, LWG, 2004.

c Numbers presented are rounded values. Sums calculated before rounding.
d Whole Body Tissue EPCs are based on Study Area-wide whole body EPCs for each of the target resident species (smallmouth bass, black crappie, common carp, brown bullhead), and the available tissue data from the ODHS sampling effort, which are: whole body Chinook salmon, whole body lamprey, and fillet tissue (no
e Toxicity values for trivalent chromium used for total chromium.
f Cumulative hazard sums calculated using PCB congener data.
g Fillet Tissue EPCs are based on Study Area-wide fillet tissue EPCs for each of the target resident species (smallmouth bass, black crappie, common carp, brown bullhead), and the available tissue data from the ODHS sampling effort, which are: fillet (with skin) Chinook salmon, whole body lamprey, and fillet (no skin) sturgeon.

Abbreviations:

-- = Not applicable.
CDI = Chronic Daily Intake.
DDD = Dichlorodiphenyldichloroethane.
DDE = Dichlorodiphenyldichloroethylene.
DDT = Dichlorodiphenyltrichloroethane.

EPC = Exposure Point Concentration.
g/day = grams per day.
LADI = Lifetime Average Daily Intake.
mg/kg = milligrams per kilogram.
NL = Not listed.

PAHs = Polycyclic Aromatic Hydrocarbons.
PCB = Polychlorinated Biphenyls.
RfD = Reference Dose.
TEQ = Toxic Equivalents.
WB = Whole body.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-62.

Calculation of Endpoint-Specific Hazard Indices - Child Tribal Fish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Multi-Species Fish Tissue
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer HQ[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
WB tissue	Study Area-wide	**Metals**																
		Aluminum	0.1					0.1										
		Antimony	4	4														
		Arsenic, inorganic	0.9	0.9	0.9													
		Cadmium	0.1			0.1												
		Copper	0.2				0.2											
		Manganese	0.1					0.1										
		Mercury	4					4										
		Nickel	0.08						0.08									
		Selenium	0.5						0.5									
		Silver	0.02		0.02													
		Zinc	0.5	0.5														
		Butyltins																
		Butyltin ion	0.04								0.04							
		Dibutyltin ion	0.01								0.01							
		Tributyltin ion	0.02								0.02							
		PAHs																
		2-Methylnaphthalene	0.01									0.01						
		Acenaphthene	0.001							0.001								
		Acenaphthylene	0.0001							0.0001								
		Benzo(g,h,i)perylene	0.00002			0.00002												
		Dibenzothiophene	0.0002	0.0002														
		Fluoranthene	0.001	0.001		0.001				0.001								
		Fluorene	0.001	0.001														
		Naphthalene	0.002						0.002						0.002			
		Phenanthrene	0.002			0.002												
		Pyrene	0.0003			0.0003												

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-62.

Calculation of Endpoint-Specific Hazard Indices - Child Tribal Fish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Multi-Species Fish Tissue
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer HQ[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Phthalates																
		Bis(2-ethylhexyl) phthalate	0.4							0.4								
		Dibutyl phthalate	0.0002						0.0002									
		Diethyl phthalate	0.00001						0.00001							0.00001		
		Di-n-octyl phthalate	0.01							0.01								
		SVOCs																
		Benzyl alcohol	0.001				0.001											
		Bis(2-chloroethoxy) methane	0.01							0.01								
		Dibenzofuran	0.02		0.02													
		Hexachlorobenzene	0.02							0.02								
		Hexachlorobutadiene	0.002			0.002												
		Isophorone	0.00002			0.00002												
		Phenols																
		4-Methylphenol	0.002					0.002	0.002									
		4-Nitrophenol	0.002					0.002	0.002									
		Phenol	0.001						0.001									
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	700		700						700							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	10											10				
		Total PCB TEQ	30											30				
		Pesticides																
		Aldrin	0.003							0.003								
		alpha-Hexachlorocyclohexane	0.0001							0.0001								
		beta-Hexachlorocyclohexane	0.0001							0.0001								
		Dieldrin	0.2							0.2								
		Endrin	0.0001							0.0001								
		Endrin aldehyde	0.00003							0.00003								
		Endrin ketone	0.0001							0.0001								

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-62.

Calculation of Endpoint-Specific Hazard Indices - Child Tribal Fish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Multi-Species Fish Tissue
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer HQ[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		gamma-Hexachlorocyclohexane	0.004			0.004				0.004								
		Heptachlor	0.01							0.01								
		Heptachlor epoxide	0.01							0.01								
		Methoxychlor	0.002											0.002				0.002
		Total Chlordanes	0.1							0.1								
		Total DDD	0.3							0.3								
		Total DDE	0.6							0.6								
		Total DDT	0.3							0.3								
		Total Endosulfan	0.002	0.002				0.002	0.002									
Exposure Area Total[b]				5	700	0.1	0.2	4	0.6	2.0	700	0.01		40	0.002	0.00001		0.002
Fillet	Study Area-wide	**Metals**																
		Aluminum	0.01					0.01										
		Antimony	2	2														
		Arsenic, inorganic	1	1		1												
		Cadmium	0.03				0.03											
		Copper	0.09						0.09									
		Manganese	0.03					0.03										
		Mercury	5					5										
		Nickel	0.03							0.03								
		Selenium	0.8							0.8								
		Silver	0.01			0.01												
		Zinc	0.2	0.2														
		Butyltins																
		Butyltin ion	0.002								0.002							
		Dibutyltin ion	0.02								0.02							
		Tributyltin ion	0.02								0.02							

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-62.

Calculation of Endpoint-Specific Hazard Indices - Child Tribal Fish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Multi-Species Fish Tissue
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer HQ[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		PAHs																
		2-Methylnaphthalene	0.01									0.01						
		Acenaphthene	0.001							0.001								
		Acenaphthylene	0.00004							0.00004								
		Anthracene	0.00002															
		Benzo(g,h,i)perylene	0.00002			0.00002												
		Dibenzothiophene	0.00004	0.00004														
		Fluoranthene	0.002	0.002		0.002				0.002								
		Fluorene	0.0003	0.0003														
		Naphthalene	0.001						0.001						0.001			
		Phenanthrene	0.003			0.003												
		Pyrene	0.0004			0.0004												
		Phthalates																
		Bis(2-ethylhexyl) phthalate	0.01							0.01								
		Dibutyl phthalate	0.0003						0.0003									
		Diethyl phthalate	0.00001						0.00001							0.00001		
		SVOCs																
		Benzyl alcohol	0.0003				0.0003											
		Dibenzofuran	0.003		0.003													
		Hexachlorobenzene	0.06							0.06								
		Hexachlorobutadiene	0.0001			0.0001												
		Isophorone	0.00003			0.00003												
		Phenols																
		4-Nitrophenol	0.003					0.003	0.003									
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	600		600						600							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	5											5				
		Total PCB TEQ	8											8				

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-62.

Calculation of Endpoint-Specific Hazard Indices - Child Tribal Fish Consumption

Scenario Timeframe: Current/Future   Medium: Tissue
Receptor Population: Tribal Fisher   Exposure Medium: Multi-Species Fish Tissue
Population Age: Child   Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer HQ[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Pesticides																
		Aldrin	0.002							0.002								
		alpha-Hexachlorocyclohexane	0.000003							0.000003								
		beta-Hexachlorocyclohexane	0.005							0.005								
		Dieldrin	0.1							0.1								
		Endrin	0.0001							0.0001								
		Endrin aldehyde	0.004							0.004								
		Endrin ketone	0.00004							0.00004								
		gamma-Hexachlorocyclohexane	0.0001			0.0001				0.0001								
		Heptachlor	0.00001							0.00001								
		Heptachlor epoxide	0.01							0.01								
		Methoxychlor	0.00											0.001				0.001
		Total Chlordanes	0.02							0.02								
		Total DDD	0.2							0.2								
		Total DDE	0.3							0.3								
		Total DDT	0.1							0.1								
		Total Endosulfan	0.001	0.001				0.001	0.001									
Exposure Area Total				3	600	0.03	0.09	5	0.8	0.8	600	0.01		10	0.001	0.00001		0.001

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.
b Cumulative risk sums calculated using PCB congener data.

Abbreviations:

-- = Not applicable.   PAHs = Polynuclear Aromatic Hydrocarbons.
DDD = Dichlorodiphenyldichloroethane.   PCB = Polychlorinated Biphenyls.
DDE = Dichlorodiphenyldichloroethylene. TEQ = Toxic Equivalents.
DDT = Dichlorodiphenyltrichloroethane. WB = Whole body.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-63.
Calculation of Cancer Risks - Combined Tribal Child and Adult, Fish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Combined Child/Adult

Medium: Tissue
Exposure Medium: Multi-Species Fish Tissue
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	EPC for mixed diet		Cancer Risk Calculations[a]		Combined Adult/Child Cancer Risk[a,b] Adult Consumption Rate: 175 g/day Child Consumption Rate: 73 g/day
			Value	Units	Tribal Adult Cancer Risk	Tribal Child Cancer Risk	
WB tissue	Study Area-wide	**Metals**					
		Arsenic, inorganic	5.3E-02	mg/kg	2.E-04	3.E-05	2E-04
		PAHs					
		1-Methylnaphthalene	3.7E-03	mg/kg	3.E-07	4.E-08	3E-07
		Benzo(a)anthracene	9.2E-05	mg/kg	2.E-07	1.E-07	4E-07
		Benzo(a)pyrene	1.2E-04	mg/kg	2.E-06	2.E-06	5E-06
		Benzo(b)fluoranthene	1.7E-04	mg/kg	3.E-07	3.E-07	6E-07
		Benzo(k)fluoranthene	8.8E-05	mg/kg	2.E-08	1.E-08	3E-08
		Chrysene	8.0E-05	mg/kg	1.E-09	1.E-09	3E-09
		Dibenzo(a,h)anthracene	5.1E-05	mg/kg	9.E-07	8.E-07	2E-06
		Indeno(1,2,3-cd)pyrene	1.4E-04	mg/kg	3.E-07	2.E-07	5E-07
		Phthalates					
		Bis(2-ethylhexyl) phthalate	1.5E+00	mg/kg	5.E-05	9.E-06	6E-05
		SVOCs					
		Hexachlorobenzene	3.6E-03	mg/kg	1.E-05	2.E-06	2E-05
		Hexachlorobutadiene	3.4E-04	mg/kg	7.E-08	1.E-08	7E-08
		Isophorone	7.3E-04	mg/kg	2.E-09	3.E-10	2E-09
		Polychlorinated Biphenyls					
		Total PCBs, Adjusted	2.9E+00	mg/kg	1.E-02	2.E-03	2E-02
		Dioxin/Furan					
		Total Dioxin/Furan TEQ	2.6E-06	mg/kg	9.E-04	1.E-04	9E-04
		Total PCB TEQ	5.6E-06	mg/kg	2.E-03	3.E-04	2E-03
		Pesticides					
		Aldrin	2.1E-05	mg/kg	9.E-07	1.E-07	1E-06
		alpha-Hexachlorocyclohexane	1.8E-04	mg/kg	3.E-06	5.E-07	3E-06
		beta-Hexachlorocyclohexane	6.2E-06	mg/kg	3.E-08	5.E-09	3E-08
		Dieldrin	2.1E-03	mg/kg	8.E-05	1.E-05	9E-05
		gamma-Hexachlorocyclohexane	2.4E-04	mg/kg	7.E-07	1.E-07	7E-07
		Heptachlor	8.8E-04	mg/kg	1.E-05	2.E-06	1E-05
		Heptachlor epoxide	3.6E-05	mg/kg	8.E-07	1.E-07	9E-07
		Total Chlordanes	1.4E-02	mg/kg	1.E-05	2.E-06	1E-05
		Total DDD	2.8E-02	mg/kg	2.E-05	3.E-06	2E-05
		Total DDE	6.2E-02	mg/kg	5.E-05	9.E-06	6E-05
		Total DDT	3.3E-02	mg/kg	3.E-05	5.E-06	3E-05
Exposure Area Total					2.E-02	3.E-03	2.E-02
Fillet	Study Area-wide	**Metals**					
		Arsenic, inorganic	5.9E-02	mg/kg	2.E-04	4.E-05	2E-04
		PAHs					
		1-Methylnaphthalene	1.9E-03	mg/kg	1.E-07	2.E-08	1E-07
		Benzo(a)anthracene	1.3E-04	mg/kg	2.E-07	2.E-07	5E-07
		Benzo(a)pyrene	8.6E-05	mg/kg	2.E-06	1.E-06	3E-06
		Benzo(b)fluoranthene	1.1E-04	mg/kg	2.E-07	2.E-07	4E-07
		Benzo(k)fluoranthene	7.7E-05	mg/kg	1.E-08	1.E-08	3E-08
		Chrysene	1.8E-04	mg/kg	3.E-09	3.E-09	7E-09
		Dibenzo(a,h)anthracene	3.9E-05	mg/kg	7.E-07	6.E-07	1E-06
		Indeno(1,2,3-cd)pyrene	8.6E-05	mg/kg	2.E-07	1.E-07	3E-07
		Phthalates					
		Bis(2-ethylhexyl) phthalate	2.9E-02	mg/kg	1.E-06	2.E-07	1E-06
		SVOCs					
		Hexachlorobenzene	9.5E-03	mg/kg	4.E-05	6.E-06	4E-05
		Hexachlorobutadiene	2.2E-05	mg/kg	4.E-09	7.E-10	5E-09
		Isophorone	1.2E-03	mg/kg	3.E-09	5.E-10	3E-09
		Polychlorinated Biphenyls					
		Total PCBs, Adjusted	2.5E+00	mg/kg	1.E-02	2.E-03	1E-02
		Dioxin/Furan					
		Total Dioxin/Furan TEQ	9.5E-07	mg/kg	3.E-04	5.E-05	3E-04
		Total PCB TEQ	1.6E-06	mg/kg	5.E-04	9.E-05	6E-04
		Pesticides					
		Aldrin	1.3E-05	mg/kg	6.E-07	1.E-07	6E-07
		alpha-Hexachlorocyclohexane	4.2E-06	mg/kg	7.E-08	1.E-08	7E-08
		beta-Hexachlorocyclohexane	5.6E-04	mg/kg	3.E-06	4.E-07	3E-06
		Dieldrin	1.5E-03	mg/kg	6.E-05	1.E-05	6E-05
		gamma-Hexachlorocyclohexane	4.3E-06	mg/kg	1.E-08	2.E-09	1E-08
		Heptachlor	6.2E-07	mg/kg	7.E-09	1.E-09	8E-09
		Heptachlor epoxide	1.8E-05	mg/kg	4.E-07	7.E-08	4E-07
		Total Chlordanes	2.4E-03	mg/kg	2.E-06	4.E-07	2E-06
		Total DDD	1.6E-02	mg/kg	1.E-05	2.E-06	1E-05
		Total DDE	2.8E-02	mg/kg	2.E-05	4.E-06	3E-05

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-63.

Calculation of Cancer Risks - Combined Tribal Child and Adult, Fish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher
Population Age: Combined Child/Adult

Medium: Tissue
Exposure Medium: Multi-Species Fish Tissue
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	EPC for mixed diet		Cancer Risk Calculations[a]		Combined Adult/Child Cancer Risk[a,b]
			Value	Units	Tribal Adult Cancer Risk	Tribal Child Cancer Risk	Adult Consumption Rate: 175 g/day Child Consumption Rate: 73 g/day
		Total DDT	1.2E-02	mg/kg	1.E-05	2.E-06	1E-05
Exposure Area Total					1.E-02	2.E-03	1.E-02

Notes:

a   Numbers presented are rounded values. Sums calculated before rounding.

b   For carcinogenic PAHs (benzo[a]anthracene, benzo[a]pyrene, benzo[b]fluoranthene, benzo[k]fluoranthene, chrysene, dibenzo[a,h]anthracene, and indeno[1,2,3-cd]pyrene), early life exposure was considered and age dependent adjustment factors were applied to the exposure parameters as described in EPA's Supplemental Guidance for Assessing Susceptibility from Early-Life Exposure to Carcinogens, Risk Assessment Forum, March 2005, EPA/630/R-03/003F.

Abbreviations:

-- = Not applicable.
CDI = Chronic Daily Intake.
DDD = Dichlorodiphenyldichloroethane.
DDE = Dichlorodiphenyldichloroethylene.
DDT = Dichlorodiphenyltrichloroethane.
EPC = Exposure Point Concentration.
g/day = grams per day.

mg/kg = milligrams per kilogram.
PAHs = Polycyclic Aromatic Hydrocarbons.
PCB = Polychlorinated Biphenyls.
RfD = Reference Dose.
TEQ = Toxic Equivalents.
WB = Whole body.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE - 5-64.
Calculation of Noncancer Hazards -Breastfeeding Infant of Tribal Adult Fish Consumer

Scenario Timeframe: Current/Future Medium: Fish Tissue (Tribal, multi-species diet)
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	EPC for mixed diet[a]		Noncancer Hazard Risk Calculations[b]		
						Consumption Rate: 175 g/day	
			Value	Units	IRAF	Adult (Mother) Noncancer HQ	Breastfeeding Infant Noncancer HQ
WB tissue	Study Area-wide	Total PCBs, Adjusted	2.9E+00	mg/kg	25	400	9000
		Total Dioxin/Furan TEQ	2.6E-06	mg/kg	2	7	10
		Total PCB TEQ	5.6E-06	mg/kg	2	10	30
		Total DDX	--		2	1	1
	Exposure Point Total					400	9000
Fillet	Study Area-wide	Total PCBs, Adjusted	2.5E+00	mg/kg	25	300	8000
		Total Dioxin/Furan TEQ	9.5E-07	mg/kg	2	2	5
		Total PCB TEQ	1.6E-06	mg/kg	2	4	8
		Total DDX	--		2	0.3	1
	Exposure Point Total					300	8000

Notes:

a EPCs not calculated for Total DDX in the Baseline Human Health Risk Assessment. Risks to breastfeeing infant are based on cumulative risks to mother from Total DDT, Total DDD, and Total DDE.

b Numbers presented are rounded values. Sums calculated before rounding.

Abbreviations:

-- = Not applicable.
EPC = Exposure Point Concentration.
g/day = grams per day.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor.
mg/kg = milligrams per kilogram.
PCB = Polychlorinated Biphenyls.
TEQ = Toxic Equivalents.
WB = Whole body.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-65. Summary of Risks From Fish Consumption - Tribal Fishers[a]

Study Area-wide Exposure, Adult Consumption Rate: 175 g/day Child Consumption Rate: 73 g/day	Tribal Child Fisher Hazard Index	Combined Tribal Child and Adult Fisher Cancer Risk	Breastfeeding Infant of Tribal Adult Fisher Hazard Index
Whole Body Tissue	800	2×10^{-2}	9000
Fillet Tissue	600	1×10^{-2}	8000

Notes:

a Table presents cumulative risk (or cumulative hazard indices) per tissue type. Fish consumption by a Tribal Fisher was assessed for Study Area-wide exposure only.

b Combined adult and child cancer risks calculated based on child exposure of 6 years and weighted adult exposure of 64 years for a tribal fisher. For carcinogenic PAHs, early life exposure was considered and age dependent adjustment factors were applied to the exposure parameters as described in EPA's Supplemental Guidance for Assessing Susceptibility from Early-Life Exposure to Carcinogens, Risk Assessment Forum, March 2005, EPA/630/R-03/003F.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-66.

Calculation of Noncancer Hazards - Child, Fish Consumption, River Mile Basis[a]

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[b]	EPC Value	Units	Oral RfD mg/kg-day	Recreational Fisher Consumption Rate: 20.5 g/day CDI mg/kg-day	Consumption Rate: 20.5 g/day Noncancer Hazard Quotient	Consumption Rate: 7 g/day CDI mg/kg-day	Consumption Rate: 7 g/day Noncancer Hazard Quotient
F	RM 2	**Metals**							
		Aluminum	1.6E+00	mg/kg	1.0E+00	2.1E-03	0.002	7.3E-04	0.0007
		Arsenic, inorganic	3.4E-02	mg/kg	3.0E-04	4.6E-05	0.2	1.6E-05	0.05
		Chromium	2.0E-01	mg/kg	1.5E+00	2.7E-04	0.0002	9.3E-05	0.0001
		Copper	3.8E-01	mg/kg	4.0E-02	5.2E-04	0.01	1.8E-04	0.004
		Manganese	5.0E-01	mg/kg	1.4E-01	6.9E-04	0.005	2.3E-04	0.002
		Mercury	6.3E-02	mg/kg	1.0E-04	8.6E-05	0.9	2.9E-05	0.3
		Nickel	1.3E-01	mg/kg	2.0E-02	1.8E-04	0.009	6.2E-05	0.003
		Silver	2.0E-03	mg/kg	5.0E-03	2.7E-06	0.0005	9.3E-07	0.0002
		Zinc	7.8E+00	mg/kg	3.0E-01	1.1E-02	0.04	3.7E-03	0.01
		Butyltins							
		Dibutyltin ion	2.9E-01	ug/kg	3.0E-04	4.0E-07	0.001	1.4E-07	0.0005
		PAHs							
		1-Methylnaphthalene	1.2E+00	ug/kg	7.0E-02	1.6E-06	0.00002	5.6E-07	0.00001
		2-Methylnaphthalene	1.3E+00	ug/kg	4.0E-03	1.8E-06	0.0004	6.1E-07	0.0002
		Acenaphthylene	2.6E-01	ug/kg	6.0E-02	3.6E-07	0.00001	1.2E-07	0.000002
		Anthracene	5.8E-01	ug/kg	3.0E-01	7.9E-07	0.000003	2.7E-07	0.000001
		Dibenzothiophene	2.6E-01	ug/kg	4.0E-02	3.6E-07	0.00001	1.2E-07	0.000003
		Fluoranthene	1.5E+00	ug/kg	4.0E-02	2.1E-06	0.0001	7.0E-07	0.00002
		Naphthalene	7.9E-01	ug/kg	2.0E-02	1.1E-06	0.0001	3.7E-07	0.00002
		Semi-Volatile Organic Compounds							
		Hexachlorobenzene	3.4E-01	ug/kg	8.0E-04	4.6E-07	0.0006	1.6E-07	0.0002
		Polychlorinated Biphenyls							
		Total PCBs, Adjusted	1.8E+05	pg/g	2.0E-05	2.4E-04	10	8.2E-05	4
		Dioxin/Furans							
		Total Dioxin/Furan TEQ	2.2E-01	pg/g	1.0E-09	3.0E-10	0.3	1.0E-10	0.1
		Total PCB TEQ	1.8E+00	pg/g	1.0E-09	2.5E-09	2	8.4E-10	0.8
		Pesticides							
		Aldrin	6.9E-03	ug/kg	3.0E-05	9.4E-09	0.0003	3.2E-09	0.0001
		alpha-Hexachlorocyclohexane	5.2E-03	ug/kg	8.0E-03	7.1E-09	0.000001	2.4E-09	0.0000003
		Dieldrin	4.2E-01	ug/kg	5.0E-05	5.8E-07	0.01	2.0E-07	0.004
		Endrin	7.1E-03	ug/kg	3.0E-04	9.7E-09	0.00003	3.3E-09	0.00001
		Heptachlor epoxide	2.7E-02	ug/kg	1.3E-05	3.7E-08	0.003	1.3E-08	0.001
		Total Chlordanes	1.5E+00	ug/kg	5.0E-04	2.1E-06	0.004	7.0E-07	0.001
		Total DDD	2.9E+00	ug/kg	5.0E-04	4.0E-06	0.008	1.4E-06	0.003
		Total DDE	1.1E+01	ug/kg	5.0E-04	1.5E-05	0.03	5.2E-06	0.01
		Total DDT	7.2E-01	ug/kg	5.0E-04	9.9E-07	0.002	3.4E-07	0.0007
		Total Endosulfan	1.1E-01	ug/kg	6.0E-03	1.5E-07	0.00002	5.1E-08	0.00001
	Exposure Point Total						**10**		**5**
F	RM 3	**Metals**							
		Aluminum	3.4E+00	mg/kg	1.0E+00	4.6E-03	0.005	1.6E-03	0.002
		Arsenic, inorganic	2.9E-02	mg/kg	3.0E-04	4.0E-05	0.1	1.4E-05	0.05
		Copper	9.4E-01	mg/kg	4.0E-02	1.3E-03	0.03	4.4E-04	0.01
		Manganese	4.1E-01	mg/kg	1.4E-01	5.6E-04	0.004	1.9E-04	0.001
		Mercury	1.8E-01	mg/kg	1.0E-04	2.4E-04	2	8.4E-05	0.8
		Nickel	1.2E-01	mg/kg	2.0E-02	1.7E-04	0.008	5.8E-05	0.003
		Zinc	9.0E+00	mg/kg	3.0E-01	1.2E-02	0.04	4.2E-03	0.01
		Butyltins							
		Dibutyltin ion	4.1E-01	ug/kg	3.0E-04	5.6E-07	0.002	1.9E-07	0.0006
		Tributyltin ion	5.8E-01	ug/kg	3.0E-04	7.9E-07	0.003	2.7E-07	0.0009
		PAHs							
		1-Methylnaphthalene	2.4E+00	ug/kg	7.0E-02	3.3E-06	0.00005	1.1E-06	0.00002
		2-Methylnaphthalene	2.9E+00	ug/kg	4.0E-03	4.0E-06	0.001	1.4E-06	0.0003
		Acenaphthylene	1.6E-01	ug/kg	6.0E-02	2.2E-07	0.000004	7.5E-08	0.000001
		Anthracene	6.8E-01	ug/kg	3.0E-01	9.3E-07	0.000003	3.2E-07	0.000001
		Dibenzothiophene	4.0E-01	ug/kg	4.0E-02	5.5E-07	0.00001	1.9E-07	0.000005
		Fluoranthene	5.5E+00	ug/kg	4.0E-02	7.5E-06	0.0002	2.6E-06	0.0001
		Naphthalene	9.5E-01	ug/kg	2.0E-02	1.3E-06	0.0001	4.4E-07	0.00002
		Phenanthrene	2.7E+00	ug/kg	3.0E-02	3.7E-06	0.0001	1.3E-06	0.00004
		Pyrene	4.2E+00	ug/kg	3.0E-02	5.7E-06	0.0002	2.0E-06	0.0001
		Semi-Volatile Organic Compounds							
		Hexachlorobenzene	4.3E-01	ug/kg	8.0E-04	5.9E-07	0.0007	2.0E-07	0.0003
		Hexachlorobutadiene	2.2E-02	ug/kg	1.0E-03	3.1E-08	0.00003	1.0E-08	0.00001
		Polychlorinated Biphenyls							
		Total PCBs, Adjusted	3.8E+04	pg/g	2.0E-05	5.1E-05	3	1.8E-05	0.9
		Dioxin/Furans							
		Total Dioxin/Furan TEQ	2.6E-01	pg/g	1.0E-09	3.5E-10	0.4	1.2E-10	0.1
		Total PCB TEQ	4.9E-01	pg/g	1.0E-09	6.7E-10	0.7	2.3E-10	0.2
		Pesticides							
		Aldrin	5.2E-03	ug/kg	3.0E-05	7.1E-09	0.0002	2.4E-09	0.0001
		alpha-Hexachlorocyclohexane	4.3E-03	ug/kg	8.0E-03	5.8E-09	0.000001	2.0E-09	0.0000002
		beta-Hexachlorocyclohexane	4.5E+00	ug/kg	6.0E-04	6.2E-06	0.01	2.1E-06	0.004
		Dieldrin	3.3E+00	ug/kg	5.0E-05	4.5E-06	0.09	1.5E-06	0.03
		Endrin aldehyde	2.0E+00	ug/kg	3.0E-04	2.7E-06	0.009	9.3E-07	0.003
		Heptachlor epoxide	2.4E-02	ug/kg	1.3E-05	3.3E-08	0.003	1.1E-08	0.0009
		Total Chlordanes	7.8E+00	ug/kg	5.0E-04	1.1E-05	0.02	3.6E-06	0.007
		Total DDD	4.7E+00	ug/kg	5.0E-04	6.4E-06	0.01	2.2E-06	0.004
		Total DDE	2.6E+01	ug/kg	5.0E-04	3.5E-05	0.07	1.2E-05	0.02
		Total DDT	1.3E+01	ug/kg	5.0E-04	1.8E-05	0.04	6.0E-06	0.01
	Exposure Point Total						**7**		**2**
F	RM 4	**Metals**							
		Aluminum	1.4E+00	mg/kg	1.0E+00	1.9E-03	0.002	6.5E-04	0.0007
		Arsenic, inorganic	2.2E-02	mg/kg	3.0E-04	3.0E-05	0.1	1.0E-05	0.03
		Copper	3.3E-01	mg/kg	4.0E-02	4.6E-04	0.01	1.6E-04	0.004
		Manganese	5.3E-01	mg/kg	1.4E-01	7.3E-04	0.005	2.5E-04	0.002
		Mercury	2.4E-01	mg/kg	1.0E-04	3.2E-04	3	1.1E-04	1
		Nickel	7.1E-02	mg/kg	2.0E-02	9.7E-05	0.005	3.3E-05	0.002
		Zinc	8.6E+00	mg/kg	3.0E-01	1.2E-02	0.04	4.0E-03	0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-66.

Calculation of Noncancer Hazards - Child, Fish Consumption, River Mile Basis[a]

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[b]	EPC Value	Units	Oral RfD mg/kg-day	Consumption Rate: 20.5 g/day CDI mg/kg-day	Consumption Rate: 20.5 g/day Noncancer Hazard Quotient	Consumption Rate: 7 g/day CDI mg/kg-day	Consumption Rate: 7 g/day Noncancer Hazard Quotient
		Butyltins							
		Dibutyltin ion	7.2E-01	ug/kg	3.0E-04	9.8E-07	0.003	3.4E-07	0.001
		Tributyltin ion	9.2E-01	ug/kg	3.0E-04	1.3E-06	0.004	4.3E-07	0.001
		PAHs							
		1-Methylnaphthalene	5.9E-01	ug/kg	7.0E-02	8.1E-07	0.00001	2.8E-07	0.000004
		2-Methylnaphthalene	8.2E-01	ug/kg	4.0E-03	1.1E-06	0.0003	3.8E-07	0.0001
		Acenaphthylene	2.9E-01	ug/kg	6.0E-02	4.0E-07	0.00001	1.4E-07	0.000002
		Anthracene	6.3E-01	ug/kg	3.0E-01	8.6E-07	0.000003	2.9E-07	0.000001
		Benzo(g,h,i)perylene	3.4E-01	ug/kg	3.0E-02	4.6E-07	0.00002	1.6E-07	0.00001
		Dibenzothiophene	5.9E-01	ug/kg	4.0E-02	8.1E-07	0.00002	2.8E-07	0.00001
		Fluoranthene	2.5E+00	ug/kg	4.0E-02	3.4E-06	0.0001	1.2E-06	0.00003
		Naphthalene	1.2E+00	ug/kg	2.0E-02	1.6E-06	0.0001	5.6E-07	0.00003
		Phenanthrene	4.3E+00	ug/kg	3.0E-02	5.9E-06	0.0002	2.0E-06	0.0001
		Phthalates							
		Dibutyl phthalate	4.3E+01	ug/kg	1.0E-01	5.9E-05	0.0006	2.0E-05	0.0002
		Diethyl phthalate	1.7E+01	ug/kg	8.0E-01	2.3E-05	0.00003	7.9E-06	0.00001
		Semi-Volatile Organic Compounds							
		Benzyl alcohol	2.4E+01	ug/kg	1.0E-01	3.3E-05	0.0003	1.1E-05	0.0001
		Hexachlorobenzene	4.6E-01	ug/kg	8.0E-04	6.2E-07	0.0008	2.1E-07	0.0003
		Hexachlorobutadiene	1.3E-02	ug/kg	1.0E-03	1.8E-08	0.00002	6.1E-09	0.00001
		Phenols							
		4-Nitrophenol	1.3E+01	ug/kg	5.0E-03	1.8E-05	0.004	6.1E-06	0.001
		Polychlorinated Biphenyls							
		Total PCBs, Adjusted	2.2E+05	pg/g	2.0E-05	3.0E-04	10	1.0E-04	5
		Dioxin/Furans							
		Total Dioxin/Furan TEQ	3.6E-01	pg/g	1.0E-09	4.9E-10	0.5	1.7E-10	0.2
		Total PCB TEQ	1.3E+00	pg/g	1.0E-09	1.8E-09	2	6.3E-10	0.6
		Pesticides							
		Aldrin	5.8E-03	ug/kg	3.0E-05	7.9E-09	0.0003	2.7E-09	0.0001
		alpha-Hexachlorocyclohexane	3.9E-03	ug/kg	8.0E-03	5.4E-09	0.000001	1.8E-09	0.0000002
		beta-Hexachlorocyclohexane	2.8E-03	ug/kg	6.0E-04	3.8E-09	0.00001	1.3E-09	0.000002
		Dieldrin	3.8E-01	ug/kg	5.0E-05	5.1E-07	0.01	1.8E-07	0.004
		Heptachlor epoxide	2.2E-02	ug/kg	1.3E-05	3.0E-08	0.002	1.0E-08	0.0008
		Total Chlordanes	2.3E+00	ug/kg	5.0E-04	3.1E-06	0.006	1.1E-06	0.002
		Total DDD	4.4E+00	ug/kg	5.0E-04	6.0E-06	0.01	2.0E-06	0.004
		Total DDE	1.2E+01	ug/kg	5.0E-04	1.7E-05	0.03	5.8E-06	0.01
		Total DDT	2.0E+00	ug/kg	5.0E-04	2.7E-06	0.005	9.3E-07	0.002
		Total Endosulfan	9.2E-02	ug/kg	6.0E-03	1.3E-07	0.00002	4.3E-08	0.00001
	Exposure Point Total						20		7
F	RM 5	**Metals**							
		Aluminum	3.8E+00	mg/kg	1.0E+00	5.2E-03	0.005	1.8E-03	0.002
		Arsenic, inorganic	2.0E-02	mg/kg	3.0E-04	2.7E-05	0.09	9.3E-06	0.03
		Copper	1.1E+00	mg/kg	4.0E-02	1.5E-03	0.04	5.2E-04	0.01
		Manganese	3.9E-01	mg/kg	1.4E-01	5.3E-04	0.004	1.8E-04	0.001
		Mercury	2.1E-01	mg/kg	1.0E-04	2.9E-04	3	9.8E-05	1
		Nickel	2.2E-01	mg/kg	2.0E-02	3.1E-04	0.02	1.0E-04	0.005
		Zinc	1.1E+01	mg/kg	3.0E-01	1.5E-02	0.05	5.1E-03	0.02
		Butyltins							
		Dibutyltin ion	7.7E-01	ug/kg	3.0E-04	1.1E-06	0.004	3.6E-07	0.001
		PAHs							
		1-Methylnaphthalene	5.4E-01	ug/kg	7.0E-02	7.4E-07	0.00001	2.5E-07	0.000004
		2-Methylnaphthalene	9.1E-01	ug/kg	4.0E-03	1.2E-06	0.0003	4.2E-07	0.0001
		Acenaphthylene	1.4E+00	ug/kg	6.0E-02	1.9E-06	0.00003	6.5E-07	0.00001
		Anthracene	2.0E+00	ug/kg	3.0E-01	2.7E-06	0.00001	9.3E-07	0.000003
		Benzo(g,h,i)perylene	2.0E+00	ug/kg	3.0E-02	2.7E-06	0.0001	9.3E-07	0.00003
		Dibenzothiophene	1.5E+00	ug/kg	4.0E-02	2.1E-06	0.0001	7.0E-07	0.00002
		Fluoranthene	8.0E+00	ug/kg	4.0E-02	1.1E-05	0.0003	3.7E-06	0.0001
		Fluorene	1.8E+00	ug/kg	4.0E-02	2.5E-06	0.0001	8.4E-07	0.00002
		Naphthalene	2.9E+00	ug/kg	2.0E-02	4.0E-06	0.0002	1.4E-06	0.0001
		Phenanthrene	1.2E+01	ug/kg	3.0E-02	1.6E-05	0.0005	5.6E-06	0.0002
		Pyrene	8.6E+00	ug/kg	3.0E-02	1.2E-05	0.0004	4.0E-06	0.0001
		Semi-Volatile Organic Compounds							
		Benzyl alcohol	2.3E+01	ug/kg	1.0E-01	3.1E-05	0.0003	1.1E-05	0.0001
		Hexachlorobenzene	3.9E-01	ug/kg	8.0E-04	5.4E-07	0.0007	1.8E-07	0.0002
		Polychlorinated Biphenyls							
		Total PCBs, Adjusted	3.1E+04	pg/g	2.0E-05	4.3E-05	2	1.5E-05	0.7
		Dioxin/Furans							
		Total Dioxin/Furan TEQ	2.5E-01	pg/g	1.0E-09	3.4E-10	0.3	1.2E-10	0.1
		Total PCB TEQ	3.2E-01	pg/g	1.0E-09	4.4E-10	0.4	1.5E-10	0.2
		Pesticides							
		Dieldrin	3.7E-01	ug/kg	5.0E-05	5.0E-07	0.01	1.7E-07	0.003
		Endrin aldehyde	1.5E+00	ug/kg	3.0E-04	2.1E-06	0.007	7.0E-07	0.002
		gamma-Hexachlorocyclohexane	9.0E-03	ug/kg	3.0E-04	1.2E-08	0.00004	4.2E-09	0.00001
		Heptachlor epoxide	2.0E-02	ug/kg	1.3E-05	2.7E-08	0.002	9.3E-09	0.0007
		Total Chlordanes	1.7E+00	ug/kg	5.0E-04	2.3E-06	0.005	8.0E-07	0.002
		Total DDD	4.8E+00	ug/kg	5.0E-04	6.5E-06	0.01	2.2E-06	0.004
		Total DDE	1.5E+01	ug/kg	5.0E-04	2.0E-05	0.04	6.8E-06	0.01
		Total DDT	9.5E+00	ug/kg	5.0E-04	1.3E-05	0.03	4.4E-06	0.009
		Total Endosulfan	1.1E-01	ug/kg	6.0E-03	1.5E-07	0.00003	5.1E-08	0.00001
	Exposure Point Total						6		2
F	RM 6	**Metals**							
		Aluminum	7.2E+00	mg/kg	1.0E+00	9.8E-03	0.01	3.3E-03	0.003
		Arsenic, inorganic	2.0E-02	mg/kg	3.0E-04	2.7E-05	0.09	9.3E-06	0.03
		Cadmium	1.0E-03	mg/kg	1.0E-03	1.4E-06	0.001	4.7E-07	0.0005
		Copper	3.8E-01	mg/kg	4.0E-02	5.2E-04	0.01	1.8E-04	0.004
		Manganese	5.0E-01	mg/kg	1.4E-01	6.8E-04	0.005	2.3E-04	0.002
		Mercury	1.5E-01	mg/kg	1.0E-04	2.0E-04	2	6.9E-05	0.7
		Nickel	5.6E-02	mg/kg	2.0E-02	7.7E-05	0.004	2.6E-05	0.001
		Zinc	9.6E+00	mg/kg	3.0E-01	1.3E-02	0.04	4.5E-03	0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-66.

Calculation of Noncancer Hazards - Child, Fish Consumption, River Mile Basis[a]

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[b]	EPC Value	Units	Oral RfD mg/kg-day	Recreational Fisher Consumption Rate: 20.5 g/day CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 7 g/day CDI mg/kg-day	Noncancer Hazard Quotient
		Butyltins							
		Dibutyltin ion	9.2E-01	ug/kg	3.0E-04	1.3E-06	0.004	4.3E-07	0.001
		Tributyltin ion	7.4E-01	ug/kg	3.0E-04	1.0E-06	0.003	3.5E-07	0.001
		PAHs							
		1-Methylnaphthalene	1.2E+00	ug/kg	7.0E-02	1.6E-06	0.00002	5.6E-07	0.00001
		2-Methylnaphthalene	1.4E+00	ug/kg	4.0E-03	1.9E-06	0.0005	6.5E-07	0.0002
		Acenaphthene	5.4E+00	ug/kg	6.0E-02	7.4E-06	0.0001	2.5E-06	0.00004
		Acenaphthylene	4.0E-01	ug/kg	6.0E-02	5.5E-07	0.00001	1.9E-07	0.000003
		Anthracene	1.2E+00	ug/kg	3.0E-01	1.6E-06	0.00001	5.6E-07	0.000002
		Benzo(g,h,i)perylene	8.4E-02	ug/kg	3.0E-02	1.1E-07	0.000004	3.9E-08	0.000001
		Dibenzothiophene	1.7E+00	ug/kg	4.0E-02	2.3E-06	0.0001	7.9E-07	0.00002
		Fluoranthene	1.4E+00	ug/kg	4.0E-02	1.9E-06	0.00005	6.5E-07	0.00002
		Fluorene	2.8E+00	ug/kg	4.0E-02	3.8E-06	0.0001	1.3E-06	0.00003
		Naphthalene	2.7E+00	ug/kg	2.0E-02	3.7E-06	0.0002	1.3E-06	0.0001
		Phenanthrene	7.0E+00	ug/kg	3.0E-02	9.6E-06	0.0003	3.3E-06	0.0001
		Phthalates							
		Bis(2-ethylhexyl) phthalate	9.3E+01	ug/kg	2.0E-02	1.3E-04	0.006	4.3E-05	0.002
		Semi-Volatile Organic Compounds							
		Hexachlorobenzene	3.6E-01	ug/kg	8.0E-04	4.9E-07	0.0006	1.7E-07	0.0002
		Polychlorinated Biphenyls							
		Total PCBs, Adjusted	7.8E+04	pg/g	2.0E-05	1.1E-04	5	3.6E-05	2
		Dioxin/Furans							
		Total Dioxin/Furan TEQ	3.5E-01	pg/g	1.0E-09	4.8E-10	0.5	1.6E-10	0.2
		Total PCB TEQ	3.9E-01	pg/g	1.0E-09	5.4E-10	0.5	1.8E-10	0.2
		Pesticides							
		Dieldrin	3.6E-01	ug/kg	5.0E-05	5.0E-07	0.01	1.7E-07	0.003
		Endrin	3.0E-03	ug/kg	3.0E-04	4.1E-09	0.00001	1.4E-09	0.000005
		gamma-Hexachlorocyclohexane	4.0E-03	ug/kg	3.0E-04	5.5E-09	0.00002	1.9E-09	0.00001
		Heptachlor epoxide	1.8E-02	ug/kg	1.3E-05	2.5E-08	0.002	8.4E-09	0.0006
		Total Chlordanes	4.5E+00	ug/kg	5.0E-04	6.2E-06	0.01	2.1E-06	0.004
		Total DDD	8.5E+00	ug/kg	5.0E-04	1.2E-05	0.02	3.9E-06	0.008
		Total DDE	1.3E+01	ug/kg	5.0E-04	1.7E-05	0.03	5.8E-06	0.01
		Total DDT	7.6E+00	ug/kg	5.0E-04	1.0E-05	0.02	3.5E-06	0.007
		Total Endosulfan	8.5E-02	ug/kg	6.0E-03	1.2E-07	0.00002	4.0E-08	0.00001
	Exposure Point Total						9		3
F	RM 7	**Metals**							
		Aluminum	1.3E+00	mg/kg	1.0E+00	1.8E-03	0.002	6.1E-04	0.0006
		Arsenic, inorganic	1.9E-02	mg/kg	3.0E-04	2.6E-05	0.09	8.9E-06	0.03
		Copper	4.9E-01	mg/kg	4.0E-02	6.6E-04	0.02	2.3E-04	0.006
		Manganese	5.5E-01	mg/kg	1.4E-01	7.5E-04	0.005	2.5E-04	0.002
		Mercury	2.5E-01	mg/kg	1.0E-04	3.3E-04	3	1.1E-04	1
		Nickel	5.8E-02	mg/kg	2.0E-02	7.9E-05	0.004	2.7E-05	0.001
		Zinc	9.3E+00	mg/kg	3.0E-01	1.3E-02	0.04	4.3E-03	0.01
		Butyltins							
		Dibutyltin ion	8.8E-01	ug/kg	3.0E-04	1.2E-06	0.004	4.1E-07	0.001
		Tributyltin ion	4.8E-01	ug/kg	3.0E-04	6.6E-07	0.002	2.2E-07	0.0007
		PAHs							
		1-Methylnaphthalene	3.1E-01	ug/kg	7.0E-02	4.2E-07	0.00001	1.4E-07	0.000002
		2-Methylnaphthalene	7.7E-01	ug/kg	4.0E-03	1.1E-06	0.0003	3.6E-07	0.0001
		Acenaphthene	2.6E+00	ug/kg	6.0E-02	3.6E-06	0.0001	1.2E-06	0.00002
		Acenaphthylene	2.9E-01	ug/kg	6.0E-02	4.0E-07	0.00001	1.4E-07	0.000002
		Anthracene	8.2E-01	ug/kg	3.0E-01	1.1E-06	0.000004	3.8E-07	0.000001
		Benzo(g,h,i)perylene	9.3E-02	ug/kg	3.0E-02	1.3E-07	0.000004	4.3E-08	0.000001
		Dibenzothiophene	1.0E+00	ug/kg	4.0E-02	1.4E-06	0.00003	4.7E-07	0.00001
		Fluoranthene	1.6E+00	ug/kg	4.0E-02	2.2E-06	0.0001	7.5E-07	0.00002
		Fluorene	1.6E+00	ug/kg	4.0E-02	2.2E-06	0.0001	7.5E-07	0.00002
		Naphthalene	1.4E+00	ug/kg	2.0E-02	1.9E-06	0.0001	6.5E-07	0.00003
		Phenanthrene	5.2E+00	ug/kg	3.0E-02	7.1E-06	0.0002	2.4E-06	0.0001
		Semi-Volatile Organic Compounds							
		Benzyl alcohol	2.9E+01	ug/kg	1.0E-01	4.0E-05	0.0004	1.4E-05	0.0001
		Hexachlorobenzene	8.8E-01	ug/kg	8.0E-04	1.2E-06	0.001	4.1E-07	0.0005
		Hexachlorobutadiene	1.7E-01	ug/kg	1.0E-03	2.3E-07	0.0002	7.8E-08	0.0001
		Polychlorinated Biphenyls							
		Total PCBs, Adjusted	2.0E+05	pg/g	2.0E-05	2.8E-04	10	9.6E-05	5
		Dioxin/Furans							
		Total Dioxin/Furan TEQ	8.7E+00	pg/g	1.0E-09	1.2E-08	10	4.1E-09	4
		Total PCB TEQ	7.0E-01	pg/g	1.0E-09	9.6E-10	1	3.3E-10	0.3
		Pesticides							
		beta-Hexachlorocyclohexane	5.0E-03	ug/kg	6.0E-04	6.8E-09	0.00001	2.3E-09	0.000004
		Dieldrin	3.1E-01	ug/kg	5.0E-05	4.3E-07	0.009	1.5E-07	0.003
		Endrin	4.0E-03	ug/kg	3.0E-04	5.5E-09	0.00002	1.9E-09	0.00001
		Heptachlor epoxide	1.4E-02	ug/kg	1.3E-05	1.9E-08	0.001	6.5E-09	0.0005
		Total Chlordanes	1.5E+00	ug/kg	5.0E-04	2.1E-06	0.004	7.1E-07	0.001
		Total DDD	6.3E+01	ug/kg	5.0E-04	8.6E-05	0.2	2.9E-05	0.06
		Total DDE	5.9E+01	ug/kg	5.0E-04	8.0E-05	0.2	2.7E-05	0.05
		Total DDT	5.9E+01	ug/kg	5.0E-04	8.1E-05	0.2	2.8E-05	0.06
	Exposure Point Total						20		10
F	RM 8	**Metals**							
		Aluminum	3.5E+00	mg/kg	1.0E+00	4.8E-03	0.005	1.6E-03	0.002
		Arsenic, inorganic	1.8E-02	mg/kg	3.0E-04	2.5E-05	0.08	8.4E-06	0.03
		Cadmium	1.0E-03	mg/kg	1.0E-03	1.4E-06	0.001	4.7E-07	0.0005
		Copper	3.6E-01	mg/kg	4.0E-02	4.9E-04	0.01	1.7E-04	0.004
		Manganese	3.8E-01	mg/kg	1.4E-01	5.2E-04	0.004	1.8E-04	0.001
		Mercury	1.1E-01	mg/kg	1.0E-04	1.5E-04	2	5.3E-05	0.5
		Nickel	6.4E-02	mg/kg	2.0E-02	8.7E-05	0.004	3.0E-05	0.001
		Zinc	9.2E+00	mg/kg	3.0E-01	1.3E-02	0.04	4.3E-03	0.01
		Butyltins							
		Dibutyltin ion	5.0E-01	ug/kg	3.0E-04	6.8E-07	0.002	2.3E-07	0.0008

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-66.

Calculation of Noncancer Hazards - Child, Fish Consumption, River Mile Basis[a]

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[b]	EPC Value	Units	Oral RfD mg/kg-day	Recreational Fisher Consumption Rate: 20.5 g/day CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 7 g/day CDI mg/kg-day	Noncancer Hazard Quotient
		PAHs							
		1-Methylnaphthalene	1.0E+00	ug/kg	7.0E-02	1.4E-06	0.00002	4.7E-07	0.00001
		2-Methylnaphthalene	1.8E+00	ug/kg	4.0E-03	2.5E-06	0.0006	8.4E-07	0.0002
		Acenaphthylene	2.5E+00	ug/kg	6.0E-02	3.4E-06	0.0001	1.2E-06	0.00002
		Anthracene	3.6E+00	ug/kg	3.0E-01	4.9E-06	0.00002	1.7E-06	0.00001
		Benzo(g,h,i)perylene	2.0E+00	ug/kg	3.0E-02	2.7E-06	0.0001	9.3E-07	0.0000
		Dibenzothiophene	2.1E+00	ug/kg	4.0E-02	2.9E-06	0.0001	9.8E-07	0.00002
		Fluoranthene	1.2E+01	ug/kg	4.0E-02	1.6E-05	0.0004	5.6E-06	0.0001
		Fluorene	2.5E+00	ug/kg	4.0E-02	3.4E-06	0.0001	1.2E-06	0.00003
		Naphthalene	1.1E+01	ug/kg	2.0E-02	1.5E-05	0.0008	5.1E-06	0.0003
		Phenanthrene	2.2E+01	ug/kg	3.0E-02	3.0E-05	0.001	1.0E-05	0.0003
		Pyrene	1.3E+01	ug/kg	3.0E-02	1.8E-05	0.0006	6.1E-06	0.0002
		Semi-Volatile Organic Compounds							
		Benzyl alcohol	2.6E+01	ug/kg	1.0E-01	3.6E-05	0.0004	1.2E-05	0.0001
		Hexachlorobenzene	3.5E-01	ug/kg	8.0E-04	4.8E-07	0.0006	1.6E-07	0.0002
		Polychlorinated Biphenyls							
		Total PCBs, Adjusted	4.7E+04	pg/g	2.0E-05	6.4E-05	3	2.2E-05	1
		Dioxin/Furans							
		Total Dioxin/Furan TEQ	6.2E-01	pg/g	1.0E-09	8.4E-10	0.8	2.9E-10	0.3
		Total PCB TEQ	4.0E-01	pg/g	1.0E-09	5.5E-10	0.6	1.9E-10	0.2
		Pesticides							
		Aldrin	5.0E-03	ug/kg	3.0E-05	6.8E-09	0.0002	2.3E-09	0.0001
		Dieldrin	1.4E+00	ug/kg	5.0E-05	1.9E-06	0.04	6.5E-07	0.01
		gamma-Hexachlorocyclohexane	3.0E-03	ug/kg	3.0E-04	4.1E-09	0.00001	1.4E-09	0.000005
		Heptachlor epoxide	1.6E-02	ug/kg	1.3E-05	2.2E-08	0.002	7.5E-09	0.0006
		Total Chlordanes	5.4E+00	ug/kg	5.0E-04	7.4E-06	0.01	2.5E-06	0.005
		Total DDD	1.3E+01	ug/kg	5.0E-04	1.7E-05	0.03	5.9E-06	0.01
		Total DDE	2.2E+01	ug/kg	5.0E-04	3.0E-05	0.06	1.0E-05	0.02
		Total DDT	1.5E+01	ug/kg	5.0E-04	2.1E-05	0.04	7.1E-06	0.01
		Total Endosulfan	7.7E-02	ug/kg	6.0E-03	1.1E-07	0.00002	3.6E-08	0.00001
	Exposure Point Total						**7**		**2**
F	RM 8 SIL[c]	**Metals**							
		Aluminum	3.0E+00	mg/kg	1.0E+00	4.1E-03	0.004	1.4E-03	0.001
		Arsenic, inorganic	1.6E-02	mg/kg	3.0E-04	2.1E-05	0.07	7.3E-06	0.02
		Cadmium	5.6E-04	mg/kg	1.0E-03	7.6E-07	0.0008	2.6E-07	0.0003
		Chromium	3.6E-01	mg/kg	1.5E+00	4.9E-04	0.0003	1.7E-04	0.0001
		Copper	4.7E-01	mg/kg	4.0E-02	6.4E-04	0.02	2.2E-04	0.005
		Manganese	3.7E-01	mg/kg	1.4E-01	5.0E-04	0.004	1.7E-04	0.001
		Mercury	1.3E-01	mg/kg	1.0E-04	1.7E-04	2	5.9E-05	0.6
		Zinc	9.5E+00	mg/kg	3.0E-01	1.3E-02	0.04	4.4E-03	0.01
		PAHs							
		2-Methylnaphthalene	3.3E+00	ug/kg	4.0E-03	4.5E-06	0.001	1.5E-06	0.0004
		Acenaphthene	1.9E+00	ug/kg	6.0E-02	2.6E-06	0.00004	8.9E-07	0.00001
		Polychlorinated Biphenyls							
		Total PCBs, Adjusted	7.0E+05	pg/g	2.0E-05	9.6E-04	50	3.3E-04	20
		Dioxin/Furans							
		Total Dioxin/Furan TEQ	7.5E-01	pg/g	1.0E-09	1.0E-09	1	3.5E-10	0.4
		Total PCB TEQ	1.2E+00	pg/g	1.0E-09	1.6E-09	2	5.5E-10	0.6
		Pesticides							
		Total DDD	3.5E+00	ug/kg	5.0E-04	4.8E-06	0.01	1.6E-06	0.003
		Total DDE	1.1E+01	ug/kg	5.0E-04	1.5E-05	0.03	5.2E-06	0.01
		Total DDT	1.9E+00	ug/kg	5.0E-04	2.6E-06	0.005	8.7E-07	0.002
		Total Endosulfan	8.8E-01	ug/kg	6.0E-03	1.2E-06	0.0002	4.1E-07	0.0001
	Exposure Point Total						**50**		**20**
F	RM 9	**Metals**							
		Aluminum	3.4E+00	mg/kg	1.0E+00	4.6E-03	0.005	1.6E-03	0.002
		Antimony	5.0E-03	mg/kg	4.0E-04	6.8E-06	0.02	2.3E-06	0.006
		Arsenic, inorganic	1.9E-02	mg/kg	3.0E-04	2.6E-05	0.09	8.9E-06	0.03
		Chromium	9.0E-01	mg/kg	1.5E+00	1.2E-03	0.0008	4.2E-04	0.0003
		Copper	3.9E-01	mg/kg	4.0E-02	5.4E-04	0.01	1.8E-04	0.005
		Manganese	4.6E-01	mg/kg	1.4E-01	6.3E-04	0.005	2.2E-04	0.002
		Mercury	3.5E-01	mg/kg	1.0E-04	4.8E-04	5	1.6E-04	2
		Nickel	7.4E-02	mg/kg	2.0E-02	1.0E-04	0.005	3.5E-05	0.002
		Zinc	9.6E+00	mg/kg	3.0E-01	1.3E-02	0.04	4.5E-03	0.01
		Butyltins							
		Dibutyltin ion	5.6E-01	ug/kg	3.0E-04	7.7E-07	0.003	2.6E-07	0.0009
		PAHs							
		1-Methylnaphthalene	3.5E-01	ug/kg	7.0E-02	4.8E-07	0.00001	1.6E-07	0.000002
		2-Methylnaphthalene	9.5E-01	ug/kg	4.0E-03	1.3E-06	0.0003	4.4E-07	0.0001
		Acenaphthylene	5.3E-01	ug/kg	6.0E-02	7.2E-07	0.00001	2.5E-07	0.000004
		Anthracene	5.5E-01	ug/kg	3.0E-01	7.5E-07	0.000003	2.6E-07	0.000001
		Benzo(g,h,i)perylene	7.2E-01	ug/kg	3.0E-02	9.8E-07	0.00003	3.4E-07	0.00001
		Dibenzothiophene	4.3E-01	ug/kg	4.0E-02	5.9E-07	0.00001	2.0E-07	0.00001
		Fluoranthene	2.5E+00	ug/kg	4.0E-02	3.4E-06	0.0001	1.2E-06	0.00003
		Naphthalene	1.8E+00	ug/kg	2.0E-02	2.5E-06	0.0001	8.4E-07	0.00004
		Phenanthrene	4.4E+00	ug/kg	3.0E-02	6.0E-06	0.0002	2.1E-06	0.0001
		Pyrene	2.8E+00	ug/kg	3.0E-02	3.8E-06	0.0001	1.3E-06	0.00004
		Phthalates							
		Bis(2-ethylhexyl) phthalate	1.3E+02	ug/kg	2.0E-02	1.8E-04	0.009	6.1E-05	0.003
		Semi-Volatile Organic Compounds							
		Benzyl alcohol	2.8E+01	ug/kg	1.0E-01	3.8E-05	0.0004	1.3E-05	0.0001
		Hexachlorobenzene	5.2E-01	ug/kg	8.0E-04	7.1E-07	0.0009	2.4E-07	0.0003
		Polychlorinated Biphenyls							
		Total PCBs, Adjusted	9.6E+04	pg/g	2.0E-05	1.3E-04	7	4.5E-05	2
		Dioxin/Furans							
		Total Dioxin/Furan TEQ	4.5E-01	pg/g	1.0E-09	6.2E-10	0.6	2.1E-10	0.2
		Total PCB TEQ	1.0E+00	pg/g	1.0E-09	1.4E-09	1	4.8E-10	0.5

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-66.

Calculation of Noncancer Hazards - Child, Fish Consumption, River Mile Basis[a]

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[b]	EPC Value	Units	Oral RfD mg/kg-day	Recreational Fisher — Consumption Rate: 20.5 g/day CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 7 g/day CDI mg/kg-day	Noncancer Hazard Quotient
		Pesticides							
		Aldrin	1.1E-02	ug/kg	3.0E-05	1.5E-08	0.0005	5.1E-09	0.0002
		alpha-Hexachlorocyclohexane	6.0E-03	ug/kg	8.0E-03	8.2E-09	0.000001	2.8E-09	0.0000004
		Dieldrin	1.0E+00	ug/kg	5.0E-05	1.4E-06	0.03	4.7E-07	0.009
		Endrin	5.0E-03	ug/kg	3.0E-04	6.8E-09	0.00002	2.3E-09	0.00001
		gamma-Hexachlorocyclohexane	5.0E-03	ug/kg	3.0E-04	6.8E-09	0.00002	2.3E-09	0.00001
		Heptachlor epoxide	2.4E-02	ug/kg	1.3E-05	3.3E-08	0.003	1.1E-08	0.0009
		Total Chlordanes	2.5E+00	ug/kg	5.0E-04	3.5E-06	0.007	1.2E-06	0.002
		Total DDD	3.2E+00	ug/kg	5.0E-04	4.4E-06	0.009	1.5E-06	0.003
		Total DDE	1.6E+01	ug/kg	5.0E-04	2.2E-05	0.04	7.4E-06	0.01
		Total DDT	9.3E+00	ug/kg	5.0E-04	1.3E-05	0.03	4.3E-06	0.009
		Total Endosulfan	9.8E-02	ug/kg	6.0E-03	1.3E-07	0.00002	4.6E-08	0.00001
	Exposure Point Total						**10**		**5**
F	RM 10	**Metals**							
		Aluminum	4.1E+00	mg/kg	1.0E+00	5.6E-03	0.006	1.9E-03	0.002
		Arsenic, inorganic	1.5E-02	mg/kg	3.0E-04	2.1E-05	0.07	7.0E-06	0.02
		Copper	3.5E-01	mg/kg	4.0E-02	4.7E-04	0.01	1.6E-04	0.004
		Manganese	4.7E-01	mg/kg	1.4E-01	6.4E-04	0.005	2.2E-04	0.002
		Mercury	2.4E-01	mg/kg	1.0E-04	3.2E-04	3	1.1E-04	1
		Nickel	4.5E-02	mg/kg	2.0E-02	6.2E-05	0.003	2.1E-05	0.001
		Zinc	7.9E+00	mg/kg	3.0E-01	1.1E-02	0.04	3.7E-03	0.01
		Butyltins							
		Dibutyltin ion	4.4E-01	ug/kg	3.0E-04	6.0E-07	0.002	2.1E-07	0.0007
		PAHs							
		1-Methylnaphthalene	7.3E-01	ug/kg	7.0E-02	1.0E-06	0.00001	3.4E-07	0.00000
		2-Methylnaphthalene	6.5E-01	ug/kg	4.0E-03	8.9E-07	0.0002	3.0E-07	0.0001
		Acenaphthylene	1.8E-01	ug/kg	6.0E-02	2.5E-07	0.000004	8.4E-08	0.000001
		Naphthalene	6.7E-01	ug/kg	2.0E-02	9.2E-07	0.00005	3.1E-07	0.00002
		Phthalates							
		Bis(2-ethylhexyl) phthalate	6.9E+01	ug/kg	2.0E-02	9.4E-05	0.005	3.2E-05	0.002
		Semi-Volatile Organic Compounds							
		Hexachlorobenzene	3.3E-01	ug/kg	8.0E-04	4.5E-07	0.0006	1.5E-07	0.0002
		Hexachlorobutadiene	6.0E-03	ug/kg	1.0E-03	8.2E-09	0.00001	2.8E-09	0.000003
		Polychlorinated Biphenyls							
		Total PCBs, Adjusted	1.2E+05	pg/g	2.0E-05	1.6E-04	8	5.5E-05	3
		Dioxin/Furans							
		Total Dioxin/Furan TEQ	4.3E-01	pg/g	1.0E-09	5.9E-10	0.6	2.0E-10	0.2
		Total PCB TEQ	6.1E-01	pg/g	1.0E-09	8.4E-10	0.8	2.9E-10	0.3
		Pesticides							
		alpha-Hexachlorocyclohexane	5.0E-03	ug/kg	8.0E-03	6.8E-09	0.000001	2.3E-09	0.0000003
		Dieldrin	2.8E-01	ug/kg	5.0E-05	3.9E-07	0.008	1.3E-07	0.003
		Endrin	4.5E-03	ug/kg	3.0E-04	6.2E-09	0.00002	2.1E-09	0.00001
		Endrin ketone	1.1E-02	ug/kg	3.0E-04	1.5E-08	0.00005	5.0E-09	0.00002
		gamma-Hexachlorocyclohexane	1.1E-02	ug/kg	3.0E-04	1.5E-08	0.0001	5.1E-09	0.00002
		Heptachlor epoxide	1.6E-02	ug/kg	1.3E-05	2.2E-08	0.002	7.5E-09	0.0006
		Total Chlordanes	1.3E+00	ug/kg	5.0E-04	1.8E-06	0.004	6.2E-07	0.001
		Total DDD	3.0E+00	ug/kg	5.0E-04	4.1E-06	0.008	1.4E-06	0.003
		Total DDE	8.6E+00	ug/kg	5.0E-04	1.2E-05	0.02	4.0E-06	0.008
		Total DDT	3.9E+00	ug/kg	5.0E-04	5.4E-06	0.01	1.8E-06	0.004
		Total Endosulfan	6.6E-02	ug/kg	6.0E-03	9.0E-08	0.00001	3.1E-08	0.00001
	Exposure Point Total						**10**		**4**
F	RM 11	**Metals**							
		Aluminum	1.3E+00	mg/kg	1.0E+00	1.7E-03	0.002	5.8E-04	0.0006
		Arsenic, inorganic	1.6E-02	mg/kg	3.0E-04	2.2E-05	0.07	7.5E-06	0.02
		Copper	4.0E-01	mg/kg	4.0E-02	5.5E-04	0.01	1.9E-04	0.005
		Manganese	4.4E-01	mg/kg	1.4E-01	6.1E-04	0.004	2.1E-04	0.001
		Mercury	1.9E-01	mg/kg	1.0E-04	2.6E-04	3	8.8E-05	1
		Nickel	5.5E-02	mg/kg	2.0E-02	7.5E-05	0.004	2.6E-05	0.001
		Selenium	4.5E+00	mg/kg	5.0E-03	6.2E-03	1	2.1E-03	0.4
		Zinc	9.2E+00	mg/kg	3.0E-01	1.3E-02	0.04	4.3E-03	0.01
		Butyltins							
		Dibutyltin ion	2.8E-01	ug/kg	3.0E-04	3.8E-07	0.001	1.3E-07	0.0004
		PAHs							
		1-Methylnaphthalene	4.1E-01	ug/kg	7.0E-02	5.6E-07	0.00001	1.9E-07	0.000003
		2-Methylnaphthalene	5.2E-01	ug/kg	4.0E-03	7.1E-07	0.0002	2.4E-07	0.0001
		Acenaphthylene	1.4E-01	ug/kg	6.0E-02	1.9E-07	0.000003	6.5E-08	0.000001
		Dibenzothiophene	1.5E-01	ug/kg	4.0E-02	2.1E-07	0.00001	7.0E-08	0.000002
		Naphthalene	7.9E-01	ug/kg	2.0E-02	1.1E-06	0.0001	3.7E-07	0.00002
		Phthalates							
		Dibutyl phthalate	3.9E+01	ug/kg	1.0E-01	5.3E-05	0.0005	1.8E-05	0.0002
		Semi-Volatile Organic Compounds							
		Benzyl alcohol	2.5E+01	ug/kg	1.0E-01	3.4E-05	0.0003	1.2E-05	0.0001
		Hexachlorobenzene	3.7E-01	ug/kg	8.0E-04	5.1E-07	0.0006	1.7E-07	0.0002
		Polychlorinated Biphenyls							
		Total PCBs, Adjusted	1.5E+06	pg/g	2.0E-05	2.0E-03	100	6.8E-04	30
		Dioxin/Furans							
		Total Dioxin/Furan TEQ	4.7E-01	pg/g	1.0E-09	6.4E-10	0.6	2.2E-10	0.2
		Total PCB TEQ	2.1E+00	pg/g	1.0E-09	2.8E-09	3	9.6E-10	1
		Pesticides							
		beta-Hexachlorocyclohexane	5.0E-03	ug/kg	6.0E-04	6.8E-09	0.00001	2.3E-09	0.000004
		Dieldrin	3.3E-01	ug/kg	5.0E-05	4.4E-07	0.009	1.5E-07	0.003
		Endrin	1.1E-02	ug/kg	3.0E-04	1.5E-08	0.0001	5.1E-09	0.00002
		gamma-Hexachlorocyclohexane	6.0E-03	ug/kg	3.0E-04	8.2E-09	0.00003	2.8E-09	0.00001
		Heptachlor	5.0E-03	ug/kg	5.0E-04	6.8E-09	0.00001	2.3E-09	0.000005
		Heptachlor epoxide	1.8E-02	ug/kg	1.3E-05	2.5E-08	0.002	8.4E-09	0.0006
		Total Chlordanes	1.4E+00	ug/kg	5.0E-04	2.0E-06	0.004	6.7E-07	0.001
		Total DDD	7.5E-01	ug/kg	5.0E-04	1.0E-06	0.002	3.5E-07	0.0007
		Total DDE	5.8E+00	ug/kg	5.0E-04	7.9E-06	0.02	2.7E-06	0.005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-66.

Calculation of Noncancer Hazards - Child, Fish Consumption, River Mile Basis[a]

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[b]	EPC Value	Units	Oral RfD mg/kg-day	Recreational Fisher Consumption Rate: 20.5 g/day CDI mg/kg-day	Consumption Rate: 20.5 g/day Noncancer Hazard Quotient	Consumption Rate: 7 g/day CDI mg/kg-day	Consumption Rate: 7 g/day Noncancer Hazard Quotient
		Total DDT	8.1E-01	ug/kg	5.0E-04	1.1E-06	0.002	3.8E-07	0.0008
		Total Endosulfan	7.6E-02	ug/kg	6.0E-03	1.0E-07	0.00002	3.5E-08	0.00001
Exposure Point Total							100		30

Notes:

a Smallmouth bass data were used as a surrogate for a multi-species diet on a river mile basis.
b Chemicals listed are analytes detected in Study Area-Wide fillet smallmouth bass tissue samples from RM 0-12.
c Numbers presented are rounded values. Sums calculated before rounding.
d Toxicity values for trivalent Chromium used to assess total Chromium.
e Swan Island Lagoon fillet tissue EPCs derived using Study area-wide ratios of fillet to whole body tissue.

Abbreviations:

CDI = Chronic Daily Intake.
DDD = Dichlorodiphenyldichloroethane.
DDE = Dichlorodiphenyldichloroethylene.
DDT = Dichlorodiphenyltrichloroethane.
EPC = Exposure Point Concentration.

F= Fillet.
g/day = grams per day.
mg/kg = milligrams per kilogram.
ug/kg = micrograms per kilogram.
PAHs = Polynuclear aromatic hydrocarbons.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-67.
Calculation of Noncancer Hazards - Child, Fish Consumption, Study Area-Wide Basis

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Multi-Species Fish Tissue
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC for mixed diet[b] Value	Units	Oral RfD mg/kg-day	Noncancer Hazard Calculations[c]					
						Subsistence Fisher Consumption Rate: 60 g/day		Recreational Fisher Consumption Rate: 20.5 g/day		Consumption Rate: 7 g/day	
						CDI mg/kg-day	Noncancer Hazard Quotient	CDI mg/kg-day	Noncancer Hazard Quotient	CDI mg/kg-day	Noncancer Hazard Quotient
Fillet	Study Area-wide	**Metals**									
		Aluminum	5.0E+00	mg/kg	1.0E+00	2.0E-02	0.02	6.8E-03	0.01	2.3E-03	0.002
		Antimony	1.3E-03	mg/kg	4.0E-04	5.0E-06	0.01	1.7E-06	0.004	5.8E-07	0.001
		Arsenic, inorganic	1.3E-02	mg/kg	3.0E-04	5.3E-05	0.2	1.8E-05	0.06	6.2E-06	0.02
		Cadmium	2.0E-03	mg/kg	1.0E-03	7.8E-06	0.01	2.7E-06	0.003	9.1E-07	0.001
		Chromium	7.3E-01	mg/kg	1.5E+00	2.9E-03	0.00	9.9E-04	0.001	3.4E-04	0.0002
		Copper	3.6E-01	mg/kg	4.0E-02	1.4E-03	0.04	4.9E-04	0.01	1.7E-04	0.004
		Manganese	9.0E-01	mg/kg	1.4E-01	3.6E-03	0.03	1.2E-03	0.01	4.2E-04	0.003
		Mercury	1.3E-01	mg/kg	1.0E-04	5.3E-04	5	1.8E-04	2	6.2E-05	0.6
		Nickel	9.4E-02	mg/kg	2.0E-02	3.7E-04	0.02	1.3E-04	0.01	4.4E-05	0.002
		Selenium	1.2E+00	mg/kg	5.0E-03	4.8E-03	1	1.6E-03	0.3	5.6E-04	0.1
		Silver	5.0E-04	mg/kg	5.0E-03	2.0E-06	0.0004	6.8E-07	0.0001	2.3E-07	0.00005
		Zinc	1.3E+01	mg/kg	3.0E-01	5.2E-02	0.2	1.8E-02	0.06	6.0E-03	0.02
		Butyltins									
		Butyltin ion	3.0E-04	mg/kg	3.0E-04	1.2E-06	0.004	4.1E-07	0.001	1.4E-07	0.0005
		Dibutyltin ion	2.0E-03	mg/kg	3.0E-04	7.9E-06	0.03	2.7E-06	0.01	9.2E-07	0.003
		Tributyltin ion	1.9E-03	mg/kg	3.0E-04	7.7E-06	0.03	2.6E-06	0.01	9.0E-07	0.003
		Polynuclear Aromatic Hydrocarbons									
		1-Methylnaphthalene	1.3E-03	mg/kg	7.0E-02	5.3E-06	0.0001	1.8E-06	0.00003	6.2E-07	0.00001
		2-Methylnaphthalene	1.1E-03	mg/kg	4.0E-03	4.3E-06	0.001	1.5E-06	0.0004	5.0E-07	0.0001
		Acenaphthene	1.2E-02	mg/kg	6.0E-02	4.8E-05	0.001	1.6E-05	0.0003	5.6E-06	0.0001
		Acenaphthylene	8.5E-04	mg/kg	6.0E-02	3.4E-06	0.0001	1.2E-06	0.00002	4.0E-07	0.00001
		Anthracene	1.7E-03	mg/kg	3.0E-01	6.9E-06	0.00002	2.4E-06	0.00001	8.1E-07	0.000003
		Benzo(g,h,i)perylene	2.0E-04	mg/kg	3.0E-02	7.9E-07	0.00003	2.7E-07	0.00001	9.2E-08	0.000003
		Dibenzothiophene	6.2E-04	mg/kg	4.0E-02	2.5E-06	0.0001	8.4E-07	0.00002	2.9E-07	0.00001
		Fluoranthene	3.0E-02	mg/kg	4.0E-02	1.2E-04	0.003	4.0E-05	0.001	1.4E-05	0.0003
		Fluorene	2.7E-03	mg/kg	4.0E-02	1.1E-05	0.0003	3.6E-06	0.0001	1.2E-06	0.00003
		Naphthalene	2.7E-03	mg/kg	2.0E-02	1.1E-05	0.001	3.7E-06	0.0002	1.3E-06	0.0001
		Phenanthrene	3.9E-02	mg/kg	3.0E-02	1.6E-04	0.01	5.3E-05	0.002	1.8E-05	0.001
		Pyrene	4.1E-03	mg/kg	3.0E-02	1.6E-05	0.001	5.6E-06	0.0002	1.9E-06	0.0001
		Phthalates									
		Bis(2-ethylhexyl) phthalate	5.8E-02	mg/kg	2.0E-02	2.3E-04	0.01	7.9E-05	0.004	2.7E-05	0.001
		Dibutyl phthalate	1.1E-02	mg/kg	1.0E-01	4.3E-05	0.0004	1.5E-05	0.0001	5.0E-06	0.0001
		Diethyl phthalate	4.3E-03	mg/kg	8.0E-01	1.7E-05	0.00002	5.8E-06	0.00001	2.0E-06	0.000002
		SVOCs									
		Benzyl alcohol	1.4E-02	mg/kg	1.0E-01	5.6E-05	0.001	1.9E-05	0.0002	6.5E-06	0.0001
		Dibenzofuran	6.1E-04	mg/kg	1.0E-03	2.4E-06	0.002	8.4E-07	0.001	2.9E-07	0.0003
		Hexachlorobenzene	1.8E-02	mg/kg	8.0E-04	7.0E-05	0.09	2.4E-05	0.03	8.2E-06	0.01
		Hexachlorobutadiene	4.5E-05	mg/kg	1.0E-03	1.8E-07	0.0002	6.2E-08	0.0001	2.1E-08	0.00002
		Isophorone	2.5E-03	mg/kg	2.0E-01	9.8E-06	0.00005	3.3E-06	0.00002	1.1E-06	0.00001
		Phenols									
		4-Nitrophenol	7.1E-03	mg/kg	5.0E-03	2.8E-05	0.01	9.7E-06	0.002	3.3E-06	0.0007

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-67.

Calculation of Noncancer Hazards - Child, Fish Consumption, Study Area-Wide Basis

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Multi-Species Fish Tissue
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC for mixed diet[b]		Oral RfD mg/kg-day	Noncancer Hazard Calculations[c]					
						Subsistence Fisher		Recreational Fisher			
						Consumption Rate: 60 g/day		Consumption Rate: 20.5 g/day		Consumption Rate: 7 g/day	
			Value	Units		CDI mg/kg-day	Noncancer Hazard Quotient	CDI mg/kg-day	Noncancer Hazard Quotient	CDI mg/kg-day	Noncancer Hazard Quotient
		Polychlorinated Biphenyls									
		Total PCBs, Adjusted	5.0E+00	mg/kg	2.0E-05	2.0E-02	1000	6.8E-03	300	2.3E-03	100
		Dioxin/Furan									
		Total Dioxin/Furan TEQ	1.6E-06	mg/kg	1.0E-09	6.5E-09	7	2.2E-09	2	7.6E-10	0.8
		Total PCB TEQ	2.9E-06	mg/kg	1.0E-09	1.2E-08	10	4.0E-09	4	1.4E-09	1
		Pesticides									
		Aldrin	2.7E-05	mg/kg	3.0E-05	1.1E-07	0.004	3.7E-08	0.001	1.3E-08	0.0004
		alpha-Hexachlorocyclohexane	8.4E-06	mg/kg	8.0E-03	3.4E-08	0.000004	1.2E-08	0.000001	3.9E-09	0.0000005
		beta-Hexachlorocyclohexane	1.1E-03	mg/kg	6.0E-04	4.5E-06	0.01	1.5E-06	0.003	5.3E-07	0.001
		Dieldrin	1.3E-03	mg/kg	5.0E-05	5.1E-06	0.1	1.8E-06	0.04	6.0E-07	0.01
		Endrin	6.4E-06	mg/kg	3.0E-04	2.6E-08	0.0001	8.8E-09	0.00003	3.0E-09	0.00001
		Endrin aldehyde	5.0E-04	mg/kg	3.0E-04	2.0E-06	0.01	6.8E-07	0.002	2.3E-07	0.001
		Endrin ketone	4.4E-06	mg/kg	3.0E-04	1.7E-08	0.0001	6.0E-09	0.00002	2.0E-09	0.00001
		gamma-Hexachlorocyclohexane	8.6E-06	mg/kg	3.0E-04	3.4E-08	0.0001	1.2E-08	0.00004	4.0E-09	0.00001
		Heptachlor	1.3E-06	mg/kg	5.0E-04	5.0E-09	0.00001	1.7E-09	0.000003	5.8E-10	0.000001
		Heptachlor epoxide	3.6E-05	mg/kg	1.3E-05	1.4E-07	0.01	4.9E-08	0.004	1.7E-08	0.001
		Methoxychlor	1.8E-03	mg/kg	5.0E-03	7.2E-06	0.001	2.5E-06	0.0005	8.4E-07	0.0002
		Total Chlordanes	4.3E-03	mg/kg	5.0E-04	1.7E-05	0.03	5.9E-06	0.01	2.0E-06	0.004
		Total DDD	3.3E-02	mg/kg	5.0E-04	1.3E-04	0.3	4.5E-05	0.09	1.5E-05	0.03
		Total DDE	4.0E-02	mg/kg	5.0E-04	1.6E-04	0.3	5.5E-05	0.1	1.9E-05	0.04
		Total DDT	1.6E-02	mg/kg	5.0E-04	6.5E-05	0.1	2.2E-05	0.04	7.6E-06	0.02
		Total Endosulfan	6.1E-04	mg/kg	6.0E-03	2.4E-06	0.0004	8.3E-07	0.0001	2.8E-07	0.00005
Exposure Area Total[e]							1000		300		100

Notes:

a Chemical list includes analytes detected in any of the four human health target fish species for each tissue type.

b EPCs for the multi-species diet were calculated assuming each of the four target fish species (smallmouth bass, black crappie, common carp, and brown bullhead) represent 1/4 of a person's diet, according to the Portland Harbor RI/FS Programmatic Work Plan

c Numbers presented are rounded values. Sums calculated before rounding.

d Toxicity Values for trivalent Chromium used to assess total Chromium.

e Cumulative hazard sums calculated using PCB congener data.

Abbreviations:

CDI = Chronic Daily Intake.
DDD = Dichlorodiphenyldichloroethane.
DDE = Dichlorodiphenyldichloroethylene.
DDT = Dichlorodiphenyltrichloroethane.
EPC = Exposure Point Concentration.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-68.

Calculation of Endpoint-Specific Hazard Indices - Child Recreational Fish Consumption, River-Mile Basis, Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
F	RM 2	**Metals**																
		Aluminum	0.001					0.001										
		Arsenic, inorganic	0.05	0.05	0.05													
		Copper	0.004				0.004											
		Manganese	0.002					0.002										
		Mercury	0.3					0.3										
		Nickel	0.003						0.003									
		Silver	0.0002		0.0002													
		Zinc	0.01	0.01														
		Butyltins																
		Dibutyltin ion	0.0005								0.0005							
		PAHs																
		2-Methylnaphthalene	0.0002									0.0002						
		Acenaphthylene	0.000002							0.000002								
		Dibenzothiophene	0.000003	0.000003														
		Fluoranthene	0.00002	0.00002		0.00002				0.00002								
		Naphthalene	0.00002						0.00002						0.00002			
		Semi-Volatile Organic Compounds																
		Hexachlorobenzene	0.0002							0.0002								
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	4		4						4							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.1											0.1				
		Total PCB TEQ	0.8											0.8				
		Pesticides																
		Aldrin	0.0001							0.0001								
		alpha-Hexachlorocyclohexane	0.0000003							0.0000003								
		Dieldrin	0.004							0.004								
		Endrin	0.00001							0.00001								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.001							0.001								
		Total DDD	0.003							0.003								
		Total DDE	0.01							0.01								
		Total DDT	0.001							0.001								
		Total Endosulfan	0.00001	0.00001				0.00001	0.00001									
	Exposure Point Total			0.07	4	0.00002	0.004	0.3	0.003	0.02	4	0.0002		0.9	0.00002			

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-68.

Calculation of Endpoint-Specific Hazard Indices - Child Recreational Fish Consumption, River-Mile Basis, Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
F	RM 3	**Metals**																
		Aluminum	0.002					0.002										
		Arsenic, inorganic	0.05	0.05	0.05													
		Copper	0.01				0.01											
		Manganese	0.001					0.001										
		Mercury	0.8					0.8										
		Nickel	0.003						0.003									
		Zinc	0.01	0.01														
		Butyltins																
		Dibutyltin ion	0.001								0.001							
		Tributyltin ion	0.001								0.001							
		PAHs																
		2-Methylnaphthalene	0.0003									0.0003						
		Acenaphthylene	0.000001							0.000001								
		Dibenzothiophene	0.000005	0.000005														
		Fluoranthene	0.0001	0.0001		0.0001				0.0001								
		Naphthalene	0.00002						0.00002						0.00002			
		Phenanthrene	0.00004			0.00004												
		Pyrene	0.0001			0.0001												
		Semi-Volatile Organic Compounds																
		Hexachlorobenzene	0.0003							0.0003								
		Hexachlorobutadiene	0.00001			0.00001												
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	0.9		0.9						0.9							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.1											0.1				
		Total PCB TEQ	0.2											0.2				
		Pesticides																
		Aldrin	0.0001							0.0001								
		alpha-Hexachlorocyclohexane	0.0000002							0.0000002								
		beta-Hexachlorocyclohexane	0.004							0.004								
		Dieldrin	0.03							0.03								
		Endrin aldehyde	0.003							0.003								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.007							0.007								
		Total DDD	0.004							0.004								
		Total DDE	0.02							0.02								
		Total DDT	0.01							0.01								
	Exposure Point Total			0.06	0.9	0.0002	0.01	0.8	0.003	0.09	0.9	0.0003		0.4	0.00002			

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-68.

Calculation of Endpoint-Specific Hazard Indices - Child Recreational Fish Consumption, River-Mile Basis, Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
F	RM 4	**Metals**																
		Aluminum	0.001					0.001										
		Arsenic, inorganic	0.03	0.03	0.03													
		Copper	0.004				0.004											
		Manganese	0.002					0.002										
		Mercury	1					1										
		Nickel	0.002						0.002									
		Zinc	0.01	0.01														
		Butyltins																
		Dibutyltin ion	0.001								0.001							
		Tributyltin ion	0.001								0.001							
		PAHs																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthylene	0.000002							0.000002								
		Benzo(g,h,i)perylene	0.00001			0.00001												
		Dibenzothiophene	0.00001	0.00001														
		Fluoranthene	0.00003	0.00003		0.00003				0.00003								
		Naphthalene	0.00003						0.00003						0.00003			
		Phenanthrene	0.0001			0.0001												
		Phthalates																
		Dibutyl phthalate	0.0002						0.0002									
		Diethyl phthalate	0.00001						0.00001							0.00001		
		Semi-Volatile Organic Compounds																
		Benzyl alcohol	0.0001				0.0001											
		Hexachlorobenzene	0.0003							0.0003								
		Hexachlorobutadiene	0.00001			0.00001												
		Phenols																
		4-Nitrophenol	0.001					0.001	0.001									
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	5		5						5							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.2											0.2				
		Total PCB TEQ	0.6											0.6				
		Pesticides																
		Aldrin	0.0001							0.0001								
		alpha-Hexachlorocyclohexane	0.0000002							0.0000002								
		beta-Hexachlorocyclohexane	0.000002							0.000002								
		Dieldrin	0.004							0.004								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.002							0.002								
		Total DDD	0.004							0.004								
		Total DDE	0.01							0.01								
		Total DDT	0.002							0.002								
		Total Endosulfan	0.00001	0.00001				0.00001	0.00001									
	Exposure Point Total			0.05	5	0.0001	0.004	1	0.003	0.02	5	0.0001		0.8	0.00003	0.00001		

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-68.

Calculation of Endpoint-Specific Hazard Indices - Child Recreational Fish Consumption, River-Mile Basis, Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
F	RM 5	**Metals**																
		Aluminum	0.002					0.002										
		Arsenic, inorganic	0.03	0.03	0.03													
		Copper	0.01				0.01											
		Manganese	0.001					0.001										
		Mercury	1					1										
		Nickel	0.005						0.005									
		Zinc	0.02	0.02														
		Butyltins																
		Dibutyltin ion	0.001								0.001							
		PAHs																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthylene	0.00001							0.00001								
		Benzo(g,h,i)perylene	0.00003			0.00003												
		Dibenzothiophene	0.00002	0.00002														
		Fluoranthene	0.0001	0.0001		0.0001				0.0001								
		Fluorene	0.00002	0.00002														
		Naphthalene	0.0001						0.0001									
		Phenanthrene	0.0002			0.0002												
		Pyrene	0.0001			0.0001												
		Semi-Volatile Organic Compounds																
		Benzyl alcohol	0.0001				0.0001											
		Hexachlorobenzene	0.0002							0.0002								
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	0.7		0.7					0.7								
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.1											0.1				
		Total PCB TEQ	0.2											0.2				
		Pesticides																
		Dieldrin	0.003							0.003								
		Endrin aldehyde	0.002							0.002								
		gamma-Hexachlorocyclohexane	0.00001			0.00001				0.00001								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.002							0.002								
		Total DDD	0.004							0.004								
		Total DDE	0.01							0.01								
		Total DDT	0.009							0.009								
		Total Endosulfan	0.000	0.00001				0.00001	0.00001									
	Exposure Point Total			0.05	0.8	0.0005	0.01	1	0.005	0.04	0.7	0.0001		0.3	0.0001			

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-68.

Calculation of Endpoint-Specific Hazard Indices - Child Recreational Fish Consumption, River-Mile Basis, Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
F	RM 6	**Metals**																
		Aluminum	0.003					0.003										
		Arsenic, inorganic	0.03	0.03	0.03													
		Cadmium	0.0005			0.0005												
		Copper	0.004				0.004											
		Manganese	0.002					0.002										
		Mercury	0.7					0.7										
		Nickel	0.001						0.001									
		Zinc	0.01	0.01														
		Butyltins																
		Dibutyltin ion	0.001								0.001							
		Tributyltin ion	0.001								0.001							
		PAHs																
		2-Methylnaphthalene	0.0002									0.0002						
		Acenaphthene	0.00004							0.00004								
		Acenaphthylene	0.000003							0.000003								
		Benzo(g,h,i)perylene	0.000001			0.000001												
		Dibenzothiophene	0.00002	0.00002														
		Fluoranthene	0.00002	0.00002		0.00002				0.00002								
		Fluorene	0.00003	0.00003														
		Naphthalene	0.00006						0.00006						0.00006			
		Phenanthrene	0.0001			0.0001												
		Phthalates																
		Bis(2-ethylhexyl) phthalate	0.002							0.002								
		Semi-Volatile Organic Compounds																
		Hexachlorobenzene	0.0002							0.0002								
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	2		2						2							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.2											0.2				
		Total PCB TEQ	0.2											0.2				
		Pesticides																
		Dieldrin	0.003							0.003								
		Endrin	0.000005							0.000005								
		gamma-Hexachlorocyclohexane	0.00001			0.00001				0.00001								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.004							0.004								
		Total DDD	0.008							0.008								
		Total DDE	0.01							0.01								
		Total DDT	0.007							0.007								
		Total Endosulfan	0.00001	0.00001				0.00001	0.00001									
	Exposure Point Total			0.05	2	0.001	0.004	0.7	0.001	0.04	2	0.0002		0.3	0.00006			

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-68.

Calculation of Endpoint-Specific Hazard Indices - Child Recreational Fish Consumption, River-Mile Basis, Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
F	RM 7	**Metals**																
		Aluminum	0.001					0.001										
		Arsenic, inorganic	0.03	0.03	0.03													
		Copper	0.006				0.006											
		Manganese	0.002					0.002										
		Mercury	1					1										
		Nickel	0.001						0.001									
		Zinc	0.01	0.01														
		Butyltins																
		Dibutyltin ion	0.001								0.001							
		Tributyltin ion	0.001								0.001							
		PAHs																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthene	0.00002							0.00002								
		Acenaphthylene	0.000002							0.000002								
		Benzo(g,h,i)perylene	0.000001			0.000001												
		Dibenzothiophene	0.00001	0.00001														
		Fluoranthene	0.00002	0.00002		0.00002				0.00002								
		Fluorene	0.00002	0.00002														
		Naphthalene	0.00003						0.00003						0.00003			
		Phenanthrene	0.00008			0.00008												
		Semi-Volatile Organic Compounds																
		Benzyl alcohol	0.0001					0.0001										
		Hexachlorobenzene	0.001							0.001								
		Hexachlorobutadiene	0.0001			0.0001												
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	5		5						5							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	4											4				
		Total PCB TEQ	0.3											0.3				
		Pesticides																
		beta-Hexachlorocyclohexane	0.000004							0.000004								
		Dieldrin	0.003							0.003								
		Endrin	0.00001							0.00001								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.001							0.001								
		Total DDD	0.06							0.06								
		Total DDE	0.05							0.05								
		Total DDT	0.06							0.06								
	Exposure Point Total			0.04	5	0.0002	0.006	1	0.001	0.2	5	0.00009		4	0.00003			

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-68.

Calculation of Endpoint-Specific Hazard Indices - Child Recreational Fish Consumption, River-Mile Basis, Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
F	RM 8	**Metals**																
		Aluminum	0.002					0.002										
		Arsenic, inorganic	0.03	0.03	0.03													
		Cadmium	0.0005			0.0005												
		Copper	0.004				0.004											
		Manganese	0.001					0.001										
		Mercury	0.5					0.5										
		Nickel	0.001						0.001									
		Zinc	0.01	0.01														
		Butyltins																
		Dibutyltin ion	0.001								0.001							
		PAHs																
		2-Methylnaphthalene	0.0002									0.0002						
		Acenaphthylene	0.00002							0.00002								
		Benzo(g,h,i)perylene	0.00003			0.00003												
		Dibenzothiophene	0.00002	0.00002														
		Fluoranthene	0.0001	0.0001		0.0001				0.0001								
		Fluorene	0.00003	0.00003														
		Naphthalene	0.0003						0.0003						0.0003			
		Phenanthrene	0.0003			0.0003												
		Pyrene	0.0002			0.0002												
		Semi-Volatile Organic Compounds																
		Benzyl alcohol	0.0001					0.0001										
		Hexachlorobenzene	0.0002							0.0002								
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	1		1						1							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.3											0.3				
		Total PCB TEQ	0.2											0.2				
		Pesticides																
		Aldrin	0.0001							0.0001								
		Dieldrin	0.01							0.01								
		gamma-Hexachlorocyclohexane	0.000005			0.000005				0.000005								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.005							0.005								
		Total DDD	0.01							0.01								
		Total DDE	0.02							0.02								
		Total DDT	0.01							0.01								
		Total Endosulfan	0.00001	0.00001				0.00001	0.00001									
	Exposure Point Total			0.04	1	0.001	0.004	0.5	0.002	0.07	1	0.0002		0.5	0.0003			

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-68.

Calculation of Endpoint-Specific Hazard Indices - Child Recreational Fish Consumption, River-Mile Basis, Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
F	RM 8 SIL	**Metals**																
		Aluminum	0.001					0.001										
		Arsenic, inorganic	0.02	0.02	0.02													
		Cadmium	0.0003			0.0003												
		Copper	0.005					0.005										
		Manganese	0.001					0.001										
		Mercury	0.6					0.6										
		Zinc	0.01	0.01														
		PAHs																
		2-Methylnaphthalene	0.0004									0.0004						
		Acenaphthene	0.00001								0.00001							
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	20		20						20							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.4											0.4				
		Total PCB TEQ	0.6											0.6				
		Pesticides																
		Total DDD	0.003							0.003								
		Total DDE	0.01							0.01								
		Total DDT	0.002							0.002								
		Total Endosulfan	0.0001	0.0001				0.0001	0.0001									
	Exposure Point Total			0.04	20	0.0003	0.005	0.6	0.0001	0.02	20	0.0004		0.9				
F	RM 9	**Metals**																
		Aluminum	0.002					0.002										
		Antimony	0.006	0.006														
		Arsenic, inorganic	0.03	0.03	0.03													
		Copper	0.005					0.005										
		Manganese	0.002					0.002										
		Mercury	2					2										
		Nickel	0.002						0.002									
		Zinc	0.01	0.01														
		Butyltins																
		Dibutyltin ion	0.001								0.001							
		PAHs																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthylene	0.000004							0.000004								
		Benzo(g,h,i)perylene	0.00001			0.00001												
		Dibenzothiophene	0.00001	0.00001														
		Fluoranthene	0.00003	0.00003		0.00003				0.00003								
		Naphthalene	0.00004						0.00004						0.00004			
		Phenanthrene	0.0001			0.0001												
		Pyrene	0.00004			0.00004												

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-68.

Calculation of Endpoint-Specific Hazard Indices - Child Recreational Fish Consumption, River-Mile Basis, Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Phthalates																
		Bis(2-ethylhexyl) phthalate	0.003							0.003								
		Semi-Volatile Organic Compounds																
		Benzyl alcohol	0.0001				0.0001											
		Hexachlorobenzene	0.0003							0.0003								
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	2		2						2							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.2											0.2				
		Total PCB TEQ	0.5											0.5				
		Pesticides																
		Aldrin	0.0002							0.0002								
		alpha-Hexachlorocyclohexane	0.0000004							0.0000004								
		Dieldrin	0.009							0.009								
		Endrin	0.00001							0.00001								
		gamma-Hexachlorocyclohexane	0.00001			0.00001				0.00001								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.002							0.002								
		Total DDD	0.003							0.003								
		Total DDE	0.01							0.01								
		Total DDT	0.009							0.009								
		Total Endosulfan	0.00001	0.00001				0.00001	0.00001									
	Exposure Point Total			0.05	2	0.0002	0.005	2	0.002	0.04	2	0.0001		0.7	0.00004			
F	RM 10	**Metals**																
		Aluminum	0.002						0.002									
		Arsenic, inorganic	0.02	0.02	0.02													
		Copper	0.004					0.004										
		Manganese	0.002					0.002										
		Mercury	1					1										
		Nickel	0.001						0.001									
		Zinc	0.01	0.01														
		Butyltins																
		Dibutyltin ion	0.001								0.001							
		PAHs																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthylene	0.000001							0.000001								
		Naphthalene	0.00002						0.00002						0.00002			
		Phthalates																
		Bis(2-ethylhexyl) phthalate	0.002							0.002								
		Semi-Volatile Organic Compounds																
		Hexachlorobenzene	0.0002							0.0002								
		Hexachlorobutadiene	0.000003			0.000003												

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-68.

Calculation of Endpoint-Specific Hazard Indices - Child Recreational Fish Consumption, River-Mile Basis, Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	3		3						3							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.2											0.2				
		Total PCB TEQ	0.3											0.3				
		Total TEQ	0.5											0.5				
		Pesticides																
		alpha-Hexachlorocyclohexane	0.0000003							0.0000003								
		Dieldrin	0.003							0.003								
		Endrin	0.00001							0.00001								
		Endrin ketone	0.00002							0.00002								
		gamma-Hexachlorocyclohexane	0.00002				0.00002			0.00002								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.001							0.001								
		Total DDD	0.003							0.003								
		Total DDE	0.008							0.008								
		Total DDT	0.004							0.004								
		Total Endosulfan	0.00001	0.00001				0.00001	0.00001									
	Exposure Point Total			0.04	3	0.00002	0.004	1	0.001	0.02	3	0.0001		0.5	0.00002			
F	RM 11	**Metals**																
		Aluminum	0.001					0.001										
		Arsenic, inorganic	0.02	0.02	0.02													
		Copper	0.005					0.005										
		Manganese	0.001					0.001										
		Mercury	0.9					0.9										
		Nickel	0.001						0.001									
		Selenium	0.4						0.4									
		Zinc	0.01	0.01														
		Butyltins																
		Dibutyltin ion	0.0004								0.0004							
		PAHs																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthylene	0.000001							0.000001								
		Dibenzothiophene	0.00000	0.00000														
		Naphthalene	0.00002						0.00002						0.00002			
		Phthalates																
		Dibutyl phthalate	0.0002						0.0002									
		Semi-Volatile Organic Compounds																
		Benzyl alcohol	0.0001				0.0001											
		Hexachlorobenzene	0.0002							0.0002								
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	30		30						30							

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-68.

Calculation of Endpoint-Specific Hazard Indices - Child Recreational Fish Consumption, River-Mile Basis, Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.2											0.2				
		Total PCB TEQ	1											1				
		Pesticides																
		beta-Hexachlorocyclohexane	0.000004							0.000004								
		Dieldrin	0.003							0.003								
		Endrin	0.00002							0.00002								
		gamma-Hexachlorocyclohexane	0.00001			0.00001				0.00001								
		Heptachlor	0.000005							0.000005								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.001							0.001								
		Total DDD	0.001							0.001								
		Total DDE	0.005							0.005								
		Total DDT	0.001							0.001								
		Total Endosulfan	0.00001	0.00001				0.00001	0.00001									
	Exposure Point Total			0.04	30	0.00001	0.005	0.9	0.4	0.01	30	0.0001		1	0.00002			

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Sums calculated using PCB congener data when available, and PCB Aroclors data when congener data not available for a given exposure area.

Abbreviations:

DDD = Dichlorodiphenyldichloroethane.
DDE = Dichlorodiphenyldichloroethylene.
DDT = Dichlorodiphenyltrichloroethane.
F = Fillet.
g/day = grams per day.
PAHs = Polynuclear Aromatic Hydrocarbons.
PCB = Polychlorinated Biphenyls.
SIL = Swan Island Lagoon.
TEQ = Toxic Equivalents.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-69.

Calculation of Endpoint-Specific Hazard Indices - Child Recreational Fish Consumption, River-Mile Basis, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
F	RM 2	**Metals**																
		Aluminum	0.002					0.002										
		Arsenic, inorganic	0.2	0.2	0.2													
		Copper	0.01				0.01											
		Manganese	0.005					0.005										
		Mercury	0.9					0.9										
		Nickel	0.009						0.009									
		Silver	0.0005		0.001													
		Zinc	0.04	0.04														
		Butyltins																
		Dibutyltin ion	0.001								0.001							
		PAHs																
		2-Methylnaphthalene	0.0004									0.0004						
		Acenaphthylene	0.00001							0.00001								
		Dibenzothiophene	0.00001	0.00001														
		Fluoranthene	0.0001	0.0001		0.0001				0.0001								
		Naphthalene	0.0001						0.0001						0.0001			
		Semi-Volatile Organic Compounds																
		Hexachlorobenzene	0.0006							0.001								
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	10		10						10							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.3											0.3				
		Total PCB TEQ	2											2				
		Pesticides																
		Aldrin	0.0003							0.0003								
		alpha-Hexachlorocyclohexane	0.000001							0.000001								
		Dieldrin	0.01							0.01								
		Endrin	0.00003							0.00003								
		Heptachlor epoxide	0.003							0.003								
		Total Chlordanes	0.004							0.004								
		Total DDD	0.008							0.008								
		Total DDE	0.03							0.03								
		Total DDT	0.002							0.002								
		Total Endosulfan	0.00002	0.00002				0.00002	0.00002									
	Exposure Point Total			0.2	10	0.0001	0.01	0.9	0.009	0.06	10	0.0004		3	0.0001			

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-69.

Calculation of Endpoint-Specific Hazard Indices - Child Recreational Fish Consumption, River-Mile Basis, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
F	RM 3	**Metals**																
		Aluminum	0.005					0.005										
		Arsenic, inorganic	0.1	0.1	0.1													
		Copper	0.03				0.03											
		Manganese	0.004					0.004										
		Mercury	2					2										
		Nickel	0.008						0.008									
		Zinc	0.04	0.04														
		Butyltins																
		Dibutyltin ion	0.002								0.002							
		Tributyltin ion	0.003								0.003							
		PAHs																
		2-Methylnaphthalene	0.001									0.001						
		Acenaphthylene	0.000004							0.000004								
		Dibenzothiophene	0.00001	0.00001														
		Fluoranthene	0.0002	0.0002		0.0002				0.0002								
		Naphthalene	0.0001						0.0001						0.0001			
		Phenanthrene	0.0001			0.0001												
		Pyrene	0.0002			0.0002												
		Semi-Volatile Organic Compounds																
		Hexachlorobenzene	0.0007							0.0007								
		Hexachlorobutadiene	0.00003			0.00003												
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	3		3					3								
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.4											0.4				
		Total PCB TEQ	1											1				
		Pesticides																
		Aldrin	0.0002							0.0002								
		alpha-Hexachlorocyclohexane	0.000001							0.000001								
		beta-Hexachlorocyclohexane	0.01							0.01								
		Dieldrin	0.09							0.09								
		Endrin aldehyde	0.009							0.009								
		Heptachlor epoxide	0.003							0.003								
		Total Chlordanes	0.02							0.02								
		Total DDD	0.01							0.01								
		Total DDE	0.07							0.07								
		Total DDT	0.04							0.04								
	Exposure Point Total			0.2	3	0.0005	0.03	2	0.009	0.3	3	0.001		1	0.0001			

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-69.

Calculation of Endpoint-Specific Hazard Indices - Child Recreational Fish Consumption, River-Mile Basis, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Endpoint-Specific Hazard Indices																
F	RM 4	**Metals**																
		Aluminum	0.002					0.002										
		Arsenic, inorganic	0.1	0.1	0.1													
		Copper	0.01				0.01											
		Manganese	0.005					0.005										
		Mercury	3					3										
		Nickel	0.005						0.005									
		Zinc	0.04	0.04														
		Butyltins																
		Dibutyltin ion	0.003								0.003							
		Tributyltin ion	0.004								0.004							
		PAHs																
		2-Methylnaphthalene	0.0003									0.0003						
		Acenaphthylene	0.00001							0.00001								
		Benzo(g,h,i)perylene	0.00002			0.00002												
		Dibenzothiophene	0.00002	0.00002														
		Fluoranthene	0.0001	0.0001		0.0001				0.0001								
		Naphthalene	0.0001						0.0001						0.0001			
		Phenanthrene	0.0002			0.0002												
		Phthalates																
		Dibutyl phthalate	0.0006						0.0006									
		Diethyl phthalate	0.00003						0.00003							0.00003		
		Semi-Volatile Organic Compounds																
		Benzyl alcohol	0.0003				0.0003											
		Hexachlorobenzene	0.0008							0.0008								
		Hexachlorobutadiene	0.00002			0.00002												
		Phenols																
		4-Nitrophenol	0.004					0.004	0.004									
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	10		10						10							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.5											0.5				
		Total PCB TEQ	2											2				
		Pesticides																
		Aldrin	0.0003							0.0003								
		alpha-Hexachlorocyclohexane	0.000001							0.000001								
		beta-Hexachlorocyclohexane	0.00001							0.00001								
		Dieldrin	0.01							0.01								
		Heptachlor epoxide	0.002							0.002								
		Total Chlordanes	0.006							0.006								
		Total DDD	0.01							0.01								

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-69.

Calculation of Endpoint-Specific Hazard Indices - Child Recreational Fish Consumption, River-Mile Basis, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Total DDE	0.03							0.03								
		Total DDT	0.005							0.005								
		Total Endosulfan	0.00002	0.00002				0.00002	0.00002									
	Exposure Point Total			0.1	10	0.0003	0.01	3	0.009	0.07	10	0.0003		2	0.0001	0.00003		
F	RM 5	**Metals**																
		Aluminum	0.005					0.005										
		Arsenic, inorganic	0.09	0.09	0.09													
		Copper	0.04				0.04											
		Manganese	0.004					0.004										
		Mercury	3					3										
		Nickel	0.02						0.02									
		Zinc	0.05	0.05														
		Butyltins																
		Dibutyltin ion	0.004								0.004							
		PAHs																
		2-Methylnaphthalene	0.0003									0.0003						
		Acenaphthylene	0.00003							0.00003								
		Benzo(g,h,i)perylene	0.0001			0.0001												
		Dibenzothiophene	0.0001	0.0001														
		Fluoranthene	0.0003	0.0003		0.0003				0.0003								
		Fluorene	0.0001	0.0001														
		Naphthalene	0.0002						0.0002						0.0002			
		Phenanthrene	0.0005			0.0005												
		Pyrene	0.0004			0.0004												
		Semi-Volatile Organic Compounds																
		Benzyl alcohol	0.0003					0.0003										
		Hexachlorobenzene	0.0007							0.0007								
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	2		2						2							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.3											0.3				
		Total PCB TEQ	0.4											0.4				
		Pesticides																
		Dieldrin	0.01							0.01								
		Endrin aldehyde	0.007							0.007								
		gamma-Hexachlorocyclohexane	0.00004			0.00004				0.00004								
		Heptachlor epoxide	0.002							0.002								
		Total Chlordanes	0.005							0.005								
		Total DDD	0.01							0.01								
		Total DDE	0.04							0.04								
		Total DDT	0.03							0.03								
		Total Endosulfan	0.00003	0.00003				0.00003	0.00003									
	Exposure Point Total			0.1	2	0.001	0.04	3	0.02	0.1	2	0.0003		0.8	0.0002			

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-69.

Calculation of Endpoint-Specific Hazard Indices - Child Recreational Fish Consumption, River-Mile Basis, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Endpoint-Specific Hazard Indices																
F	RM 6	**Metals**																
		Aluminum	0.01					0.01										
		Arsenic, inorganic	0.09	0.09	0.09													
		Cadmium	0.001			0.001												
		Copper	0.01				0.01											
		Manganese	0.005					0.005										
		Mercury	2					2										
		Nickel	0.004						0.004									
		Zinc	0.04	0.04														
		Butyltins																
		Dibutyltin ion	0.004								0.004							
		Tributyltin ion	0.003								0.003							
		PAHs																
		2-Methylnaphthalene	0.0005									0.0005						
		Acenaphthene	0.0001							0.0001								
		Acenaphthylene	0.00001							0.00001								
		Benzo(g,h,i)perylene	0.000004			0.000004												
		Dibenzothiophene	0.0001	0.0001														
		Fluoranthene	0.00005	0.00005		0.00005				0.00005								
		Fluorene	0.0001	0.0001														
		Naphthalene	0.0002						0.0002						0.0002			
		Phenanthrene	0.0003			0.0003												
		Phthalates																
		Bis(2-ethylhexyl) phthalate	0.006							0.006								
		Semi-Volatile Organic Compounds																
		Hexachlorobenzene	0.0006							0.0006								
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	5		5					5								
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.5											0.5				
		Total PCB TEQ	0.5											0.5				
		Pesticides																
		Dieldrin	0.01							0.01								
		Endrin	0.00001							0.00001								
		gamma-Hexachlorocyclohexane	0.00002			0.00002				0.00002								
		Heptachlor epoxide	0.002							0.002								
		Total Chlordanes	0.01							0.01								
		Total DDD	0.02							0.02								
		Total DDE	0.03							0.03								
		Total DDT	0.02							0.02								
		Total Endosulfan	0.00002	0.00002				0.00002	0.00002									
	Exposure Point Total			0.1	5	0.002	0.01	2	0.004	0.1	5	0.0005		1	0.0002			

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-69.

Calculation of Endpoint-Specific Hazard Indices - Child Recreational Fish Consumption, River-Mile Basis, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
F	RM 7	**Metals**																
		Aluminum	0.002					0.002										
		Arsenic, inorganic	0.09	0.09	0.09													
		Copper	0.02				0.02											
		Manganese	0.005					0.005										
		Mercury	3					3										
		Nickel	0.004						0.004									
		Zinc	0.04	0.04														
		Butyltins																
		Dibutyltin ion	0.004								0.004							
		Tributyltin ion	0.002								0.002							
		PAHs																
		2-Methylnaphthalene	0.0003									0.0003						
		Acenaphthene	0.0001							0.0001								
		Acenaphthylene	0.00001							0.00001								
		Benzo(g,h,i)perylene	0.000004			0.000004												
		Dibenzothiophene	0.00003	0.00003														
		Fluoranthene	0.0001	0.0001		0.0001				0.0001								
		Fluorene	0.0001	0.0001														
		Naphthalene	0.0001						0.0001						0.0001			
		Phenanthrene	0.0002			0.0002												
		Semi-Volatile Organic Compounds																
		Benzyl alcohol	0.0004				0.0004											
		Hexachlorobenzene	0.001							0.001								
		Hexachlorobutadiene	0.0002			0.0002												
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	10		10						10							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	10											10				
		Total PCB TEQ	1											1				
		Pesticides																
		beta-Hexachlorocyclohexane	0.00001							0.00001								
		Dieldrin	0.009							0.009								
		Endrin	0.00002							0.00002								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.004							0.004								
		Total DDD	0.2							0.2								
		Total DDE	0.2							0.2								
		Total DDT	0.2							0.2								
	Exposure Point Total			0.1	10	0.0005	0.02	3	0.004	0.5	10	0.0003		10	0.0001			

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-69.

Calculation of Endpoint-Specific Hazard Indices - Child Recreational Fish Consumption, River-Mile Basis, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Endpoint-Specific Hazard Indices																
F	RM 8	**Metals**																
		Aluminum	0.005					0.005										
		Arsenic, inorganic	0.08	0.08	0.08													
		Cadmium	0.001			0.001												
		Copper	0.01				0.01											
		Manganese	0.004					0.004										
		Mercury	2					2										
		Nickel	0.004						0.004									
		Zinc	0.04	0.04														
		Butyltins																
		Dibutyltin ion	0.002								0.002							
		PAHs																
		2-Methylnaphthalene	0.0006									0.0006						
		Acenaphthylene	0.0001							0.0001								
		Benzo(g,h,i)perylene	0.0001			0.0001												
		Dibenzothiophene	0.0001	0.0001														
		Fluoranthene	0.0004	0.0004		0.0004				0.000								
		Fluorene	0.0001	0.0001														
		Naphthalene	0.0008						0.0008						0.0008			
		Phenanthrene	0.001			0.001												
		Pyrene	0.0006			0.0006												
		Semi-Volatile Organic Compounds																
		Benzyl alcohol	0.0004					0.0004										
		Hexachlorobenzene	0.0006							0.0006								
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	3		3						3							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.8											0.8				
		Total PCB TEQ	0.6											0.6				
		Pesticides																
		Aldrin	0.0002							0.0002								
		Dieldrin	0.04							0.04								
		gamma-Hexachlorocyclohexane	0.00001			0.00001				0.00001								
		Heptachlor epoxide	0.002							0.002								
		Total Chlordanes	0.01							0.01								
		Total DDD	0.03							0.03								
		Total DDE	0.06							0.06								
		Total DDT	0.04							0.04								
		Total Endosulfan	0.00002	0.00002				0.00002	0.00002									
	Exposure Point Total			0.1	3	0.003	0.01	2	0.005	0.2	3	0.0006		1	0.0008			

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-69.

Calculation of Endpoint-Specific Hazard Indices - Child Recreational Fish Consumption, River-Mile Basis, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
F	RM 8 SIL	**Metals**																
		Aluminum	0.004					0.004										
		Arsenic, inorganic	0.07	0.07	0.07													
		Cadmium	0.0008			0.0008												
		Copper	0.02				0.02											
		Manganese	0.004					0.004										
		Mercury	2					2										
		Zinc	0.04	0.04														
		PAHs																
		2-Methylnaphthalene	0.001									0.001						
		Acenaphthene	0.00004							0.000								
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	50		50						50							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	1											1				
		Total PCB TEQ	2											2				
		Pesticides																
		Total DDD	0.01							0.01								
		Total DDE	0.03							0.03								
		Total DDT	0.005							0.005								
		Total Endosulfan	0.0002	0.0002				0.0002	0.0002									
	Exposure Point Total			0.1	50	0.0008	0.02	2	0.0002	0.05	50	0.001		3				
F	RM 9	**Metals**																
		Aluminum	0.005					0.005										
		Antimony	0.02	0.02														
		Arsenic, inorganic	0.09	0.09	0.09													
		Copper	0.01				0.01											
		Manganese	0.005					0.005										
		Mercury	5					5										
		Nickel	0.005							0.005								
		Zinc	0.04	0.04														
		Butyltins																
		Dibutyltin ion	0.003								0.003							
		PAHs																
		2-Methylnaphthalene	0.0003									0.0003						
		Acenaphthylene	0.00001								0.00001							
		Benzo(g,h,i)perylene	0.00003			0.00003												
		Dibenzothiophene	0.00001	0.00001														
		Fluoranthene	0.0001	0.0001		0.0001				0.0001								
		Naphthalene	0.0001						0.0001						0.0001			
		Phenanthrene	0.0002			0.0002												
		Pyrene	0.0001			0.0001												

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-69.

Calculation of Endpoint-Specific Hazard Indices - Child Recreational Fish Consumption, River-Mile Basis, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Phthalates																
		Bis(2-ethylhexyl) phthalate	0.009							0.009								
		Semi-Volatile Organic Compounds																
		Benzyl alcohol	0.0004				0.0004											
		Hexachlorobenzene	0.0009							0.0009								
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	7		7						7							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.6											0.6				
		Total PCB TEQ	1											1				
		Pesticides																
		Aldrin	0.0005							0.0005								
		alpha-Hexachlorocyclohexane	0.000001							0.000001								
		Dieldrin	0.03							0.03								
		Endrin	0.00002							0.00002								
		gamma-Hexachlorocyclohexane	0.00002				0.00002			0.00002								
		Heptachlor epoxide	0.003							0.003								
		Total Chlordanes	0.007							0.007								
		Total DDD	0.009							0.009								
		Total DDE	0.04							0.04								
		Total DDT	0.03							0.03								
		Total Endosulfan	0.00002	0.00002				0.00002	0.00002									
	Exposure Point Total			0.1	7	0.0005	0.01	5	0.005	0.1	7	0.0003		2	0.0001			
F	RM 10	**Metals**																
		Aluminum	0.006						0.006									
		Arsenic, inorganic	0.07	0.07		0.07												
		Copper	0.01				0.01											
		Manganese	0.005					0.005										
		Mercury	3					3										
		Nickel	0.003						0.003									
		Zinc	0.04	0.04														
		Butyltins																
		Dibutyltin ion	0.002								0.002							
		PAHs																
		2-Methylnaphthalene	0.0002									0.0002						
		Acenaphthylene	0.000004							0.000004								
		Naphthalene	0.00005						0.00005						0.00005			
		Phthalates																
		Bis(2-ethylhexyl) phthalate	0.005							0.005								

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-69.

Calculation of Endpoint-Specific Hazard Indices - Child Recreational Fish Consumption, River-Mile Basis, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Semi-Volatile Organic Compounds																
		Hexachlorobenzene	0.0006							0.0006								
		Hexachlorobutadiene	0.00001			0.00001												
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	8		8					8								
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.6											0.6				
		Total PCB TEQ	0.8											0.8				
		Pesticides																
		alpha-Hexachlorocyclohexane	0.000001							0.000001								
		Dieldrin	0.008							0.008								
		Endrin	0.00002							0.00002								
		Endrin ketone	0.00005							0.00005								
		gamma-Hexachlorocyclohexane	0.0001			0.0001				0.0001								
		Heptachlor epoxide	0.002							0.002								
		Total Chlordanes	0.004							0.004								
		Total DDD	0.008							0.008								
		Total DDE	0.02							0.02								
		Total DDT	0.01							0.01								
		Total Endosulfan	0.00001	0.00001				0.00001	0.00001									
	Exposure Point Total			0.1	8	0.0001	0.01	3	0.003	0.06	8	0.0002		1	0.00005			
F	RM 11	**Metals**																
		Aluminum	0.002					0.002										
		Arsenic, inorganic	0.07	0.07	0.07													
		Copper	0.01				0.01											
		Manganese	0.004					0.004										
		Mercury	3					3										
		Nickel	0.004						0.004									
		Selenium	1						1									
		Zinc	0.04		0.04													
		Butyltins																
		Dibutyltin ion	0.001								0.001							
		PAHs																
		2-Methylnaphthalene	0.0002									0.0002						
		Acenaphthylene	0.000003							0.000003								
		Dibenzothiophene	0.00001	0.00001														
		Naphthalene	0.0001						0.0001						0.0001			
		Phthalates																
		Dibutyl phthalate	0.0005						0.0005									

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-69.

Calculation of Endpoint-Specific Hazard Indices - Child Recreational Fish Consumption, River-Mile Basis, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Semi-Volatile Organic Compounds																
		Benzyl alcohol	0.0003				0.0003											
		Hexachlorobenzene	0.0006							0.0006								
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	100		100						100							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.6											0.6				
		Total PCB TEQ	3											3				
		Pesticides																
		beta-Hexachlorocyclohexane	0.00001							0.00001								
		Dieldrin	0.009							0.009								
		Endrin	0.0001							0.0001								
		gamma-Hexachlorocyclohexane	0.00003			0.00003				0.00003								
		Heptachlor	0.00001							0.00001								
		Heptachlor epoxide	0.002							0.002								
		Total Chlordanes	0.004							0.004								
		Total DDD	0.002							0.002								
		Total DDE	0.02							0.02								
		Total DDT	0.002							0.002								
		Total Endosulfan	0.00002	0.00002				0.00002	0.00002									
	Exposure Point Total			0.1	100	0.00003	0.01	3	1	0.04	100	0.0002		3	0.0001			

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Sums calculated using PCB congener data when available, and PCB Aroclors data when congener data not available for a given exposure area.

Abbreviations:

DDD = Dichlorodiphenyldichloroethane.
DDE = Dichlorodiphenyldichloroethylene.
DDT = Dichlorodiphenyltrichloroethane.
F = Fillet.
g/day = grams per day.
PAHs = Polynuclear Aromatic Hydrocarbons.
PCB = Polychlorinated Biphenyls.
SIL = Swan Island Lagoon.
TEQ = Toxic Equivalents.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-70.

Calculation of Endpoint-Specific Hazard Indices – Child Recreational Fish Consumption, Study Area-Wide Basis, Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Multi-Species Fish Tissue
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
Fillet	Study Area-wide	**Metals**																
		Aluminum	0.002					0.002										
		Antimony	0.001	0.001														
		Arsenic, inorganic	0.02	0.02	0.02													
		Cadmium	0.001			0.001												
		Copper	0.004				0.004											
		Manganese	0.003					0.003										
		Mercury	0.6					0.6										
		Nickel	0.002						0.002									
		Selenium	0.1						0.1									
		Silver	0.00005		0.00005													
		Zinc	0.02	0.02														
		Butyltins																
		Butyltin ion	0.0005								0.0005							
		Dibutyltin ion	0.003								0.003							
		Tributyltin ion	0.003								0.003							
		Polynuclear Aromatic Hydrocarbons																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthene	0.0001							0.0001								
		Acenaphthylene	0.00001							0.00001								
		Benzo(g,h,i)perylene	0.000003			0.000003												
		Dibenzothiophene	0.00001		0.00001													
		Fluoranthene	0.0003		0.0003	0.0003				0.0003								
		Fluorene	0.00003		0.00003													
		Naphthalene	0.00006						0.00006						0.00006			
		Phenanthrene	0.001			0.001												
		Pyrene	0.0001			0.0001												
		Phthalates																
		Bis(2-ethylhexyl) phthalate	0.001							0.001								
		Dibutyl phthalate	0.0001						0.0001									
		Diethyl phthalate	0.000002						0.000002							0.000002		
		SVOCs																
		Benzyl alcohol	0.0001				0.0001											
		Dibenzofuran	0.0003		0.0003													
		Hexachlorobenzene	0.01							0.01								
		Hexachlorobutadiene	0.00002			0.00002												
		Isophorone	0.00001			0.00001												

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-70.

Calculation of Endpoint-Specific Hazard Indices – Child Recreational Fish Consumption, Study Area-Wide Basis, Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Multi-Species Fish Tissue
Exposure Route: Ingestion

| Tissue Type | Exposure Point | Chemical of Potential Concern | Noncancer Hazard Quotient[a] | Endpoint-Specific Hazard Indices | | | | | | | | | | | | | | |
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Phenols																
		4-Nitrophenol	0.001					0.001	0.001									
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	100		100						100							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.8											0.8				
		Total PCB TEQ	1											1				
		Pesticides																
		Aldrin	0.0004							0.0004								
		alpha-Hexachlorocyclohexane	0.0000005							0.0000005								
		beta-Hexachlorocyclohexane	0.001							0.001								
		Dieldrin	0.01							0.01								
		Endrin	0.00001							0.00001								
		Endrin aldehyde	0.001							0.001								
		Endrin ketone	0.00001							0.00001								
		gamma-Hexachlorocyclohexane	0.00001			0.00001				0.00001								
		Heptachlor	0.000001							0.000001								
		Heptachlor epoxide	0.001							0.001								
		Methoxychlor	0.0002											0.0002				0.0002
		Total Chlordanes	0.004							0.004								
		Total DDD	0.03							0.03								
		Total DDE	0.04							0.04								
		Total DDT	0.02							0.02								
		Total Endosulfan	0.00005	0.00005				0.00005	0.00005									
Exposure Area Total				0.04	100	0.002	0.004	0.6	0.1	0.1	100	0.0001		2	0.0001	0.000002		0.0002

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Sums calculated using PCB congener data.

Abbreviations:

DDD = Dichlorodiphenyldichloroethane.
DDE = Dichlorodiphenyldichloroethylene.
DDT = Dichlorodiphenyltrichloroethane.
g/day = grams per day.
PAHs = Polynuclear Aromatic Hydrocarbons.
PCB = Polychlorinated Biphenyls.
TEQ = Toxic Equivalents.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
February 11, 2013

TABLE 5-71.

Calculation of Endpoint-Specific Hazard Indices – Child Recreational Fish Consumption, Study Area-Wide Basis, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Multi-Species Fish Tissue
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
Fillet	Study Area-wide	**Metals**																
		Aluminum	0.01					0.01										
		Antimony	0.004	0.004														
		Arsenic, inorganic	0.06	0.06	0.06													
		Cadmium	0.003			0.003												
		Copper	0.01				0.01											
		Manganese	0.01					0.01										
		Mercury	2					2										
		Nickel	0.01						0.01									
		Selenium	0.3						0.3									
		Silver	0.0001			0.0001												
		Zinc	0.06		0.06													
		Butyltins																
		Butyltin ion	0.001								0.001							
		Dibutyltin ion	0.01								0.01							
		Tributyltin ion	0.01								0.01							
		Polynuclear Aromatic Hydrocarbons																
		2-Methylnaphthalene	0.0004									0.0004						
		Acenaphthene	0.0003								0.0003							
		Acenaphthylene	0.00002								0.00002							
		Benzo(g,h,i)perylene	0.00001			0.00001												
		Dibenzothiophene	0.00002	0.00002														
		Fluoranthene	0.001	0.001		0.001					0.001							
		Fluorene	0.0001	0.0001														
		Naphthalene	0.0002						0.0002						0.0002			
		Phenanthrene	0.002				0.002											
		Pyrene	0.0002				0.0002											
		Phthalates																
		Bis(2-ethylhexyl) phthalate	0.004							0.004								
		Dibutyl phthalate	0.0001						0.0001									
		Diethyl phthalate	0.000007						0.000007							0.000007		
		SVOCs																
		Benzyl alcohol	0.0002					0.0002										
		Dibenzofuran	0.001		0.001													
		Hexachlorobenzene	0.03							0.03								
		Hexachlorobutadiene	0.0001			0.0001												
		Isophorone	0.00002			0.00002												
		Phenols																
		4-Nitrophenol	0.002					0.002	0.002									

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
February 11, 2013

TABLE 5-71.

Calculation of Endpoint-Specific Hazard Indices – Child Recreational Fish Consumption, Study Area-Wide Basis, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Multi-Species Fish Tissue
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	300		300						300							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	2											2				
		Total PCB TEQ	4											4				
		Pesticides																
		Aldrin	0.001							0.001								
		alpha-Hexachlorocyclohexane	0.000001							0.000001								
		beta-Hexachlorocyclohexane	0.003							0.003								
		Dieldrin	0.04							0.04								
		Endrin	0.00003							0.00003								
		Endrin aldehyde	0.002							0.002								
		Endrin ketone	0.00002							0.00002								
		gamma-Hexachlorocyclohexane	0.00004			0.00004				0.00004								
		Heptachlor	0.000003							0.000003								
		Heptachlor epoxide	0.004							0.004								
		Methoxychlor	0.0005											0.0005				0.0005
		Total Chlordanes	0.01							0.01								
		Total DDD	0.09							0.09								
		Total DDE	0.1							0.1								
		Total DDT	0.04							0.04								
		Total Endosulfan	0.0001	0.0001				0.0001	0.0001									
Exposure Area Total				0.1	300	0.01	0.01	2	0.3	0.3	300	0.0004		6	0.0002	0.000007		0.0005

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Sums calculated using PCB congener data.

Abbreviations:

DDD = Dichlorodiphenyldichloroethane.
DDE = Dichlorodiphenyldichloroethylene.
DDT = Dichlorodiphenyltrichloroethane.
g/day = grams per day.
PAHs = Polynuclear Aromatic Hydrocarbons.
PCB = Polychlorinated Biphenyls.
TEQ = Toxic Equivalents.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-72.

Calculation of Endpoint-Specific Hazard Indices – Child Subsistence Fish Consumption, Study Area-Wide Basis, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Multi-Species Fish Tissue
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
Fillet	Study Area-wide	**Metals**																
		Aluminum	0.02					0.02										
		Antimony	0.01	0.01														
		Arsenic, inorganic	0.2	0.2	0.2													
		Cadmium	0.01			0.01												
		Copper	0.04				0.04											
		Manganese	0.03					0.03										
		Mercury	5					5										
		Nickel	0.02						0.02									
		Selenium	1						1									
		Silver	0.0004			0.0004												
		Zinc	0.2	0.2														
		Butyltins																
		Butyltin ion	0.004								0.004							
		Dibutyltin ion	0.03								0.03							
		Tributyltin ion	0.03								0.03							
		Polynuclear Aromatic Hydrocarbons																
		2-Methylnaphthalene	0.001									0.001						
		Acenaphthene	0.001							0.001								
		Acenaphthylene	0.0001							0.0001								
		Benzo(g,h,i)perylene	0.00003			0.00003												
		Dibenzothiophene	0.0001	0.0001														
		Fluoranthene	0.003	0.003		0.003				0.003								
		Fluorene	0.0003	0.0003														
		Naphthalene	0.001						0.001						0.001			
		Phenanthrene	0.01			0.01												
		Pyrene	0.001			0.001												
		Phthalates																
		Bis(2-ethylhexyl) phthalate	0.01							0.01								
		Dibutyl phthalate	0.0004						0.0004									
		Diethyl phthalate	0.00002						0.00002							0.00002		

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-72.

Calculation of Endpoint-Specific Hazard Indices – Child Subsistence Fish Consumption, Study Area-Wide Basis, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Multi-Species Fish Tissue
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		SVOCs																
		Benzyl alcohol	0.001				0.001											
		Dibenzofuran	0.002	0.002														
		Hexachlorobenzene	0.09							0.09								
		Hexachlorobutadiene	0.0002			0.0002												
		Isophorone	0.00005			0.00005												
		Phenols																
		4-Nitrophenol	0.01					0.01	0.01									
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	1000		1000						1000							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	7												7				
		Total PCB TEQ	10												10				
		Pesticides																
		Aldrin	0.004							0.004								
		alpha-Hexachlorocyclohexane	0.000004							0.000004								
		beta-Hexachlorocyclohexane	0.01							0.01								
		Dieldrin	0.1							0.1								
		Endrin	0.0001							0.0001								
		Endrin aldehyde	0.01							0.01								
		Endrin ketone	0.0001							0.0001								
		gamma-Hexachlorocyclohexane	0.0001			0.0001				0.0001								
		Heptachlor	0.00001							0.00001								
		Heptachlor epoxide	0.01							0.01								
		Methoxychlor	0.00											0.001				0.001
		Total Chlordanes	0.03							0.03								
		Total DDD	0.3							0.3								
		Total DDE	0.3							0.3								

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-72.

Calculation of Endpoint-Specific Hazard Indices – Child Subsistence Fish Consumption, Study Area-Wide Basis, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Child

Medium: Tissue
Exposure Medium: Multi-Species Fish Tissue
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Total DDT	0.1							0.1								
		Total Endosulfan	0.0004	0.0004				0.0004	0.0004									
Exposure Area Total				0.4	1000	0.02	0.04	5	1	1	1000	0.001		20	0.001	0.00002		0.001

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Sums calculated using PCB congener data.

Abbreviations:

DDD = Dichlorodiphenyldichloroethane.
DDE = Dichlorodiphenyldichloroethylene.
DDT = Dichlorodiphenyltrichloroethane.
g/day = grams per day.
PAHs = Polynuclear Aromatic Hydrocarbons.
PCB = Polychlorinated Biphenyls.
TEQ = Toxic Equivalents.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-73.

Calculation of Cancer Risks - Combined Child and Adult Fish Consumption, River Mile Basis[a]

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Combined Child/Adult

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	EPC Value	EPC Units	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Combined Adult and Child Cancer Risk[b,c] Recreational Fisher — Adult Consumption Rate: 48.9 g/day Child Consumption Rate: 20.5 g/day	Combined Adult and Child Cancer Risk[b,c] Recreational Fisher — Adult Consumption Rate: 17.5 g/day Child Consumption Rate: 7 g/day
F	RM 2	**Metals**					
		Arsenic, inorganic	3.4E-02	mg/kg	2E+00	2E-05	6E-06
		PAHs					
		1-Methylnaphthalene	1.2E+00	ug/kg	3E-02	1E-08	4E-09
		Semi-Volatile Organic Compounds					
		Hexachlorobenzene	3.4E-01	ug/kg	2E+00	2E-07	7E-08
		Polychlorinated Biphenyls					
		Total PCBs, Adjusted	1.8E+05	pg/g	2E+00	1E-04	4E-05
		Dioxin/Furans					
		Total Dioxin/Furan TEQ	2.2E-01	pg/g	1E+05	1E-05	4E-06
		Total PCB TEQ	1.8E+00	pg/g	1E+05	8E-05	3E-05
		Pesticides					
		Aldrin	6.9E-03	ug/kg	2E+01	4E-08	1E-08
		alpha-Hexachlorocyclohexane	5.2E-03	ug/kg	6E+00	1E-08	4E-09
		Dieldrin	4.2E-01	ug/kg	2E+01	2E-06	9E-07
		Heptachlor epoxide	2.7E-02	ug/kg	9E+00	9E-08	3E-08
		Total Chlordanes	1.5E+00	ug/kg	4E-01	2E-07	7E-08
		Total DDD	2.9E+00	ug/kg	2E-01	3E-07	9E-08
		Total DDE	1.1E+01	ug/kg	3E-01	1E-06	5E-07
		Total DDT	7.2E-01	ug/kg	3E-01	9E-08	3E-08
	Exposure Point Total					**2E-04**	**9E-05**
F	RM 3	**Metals**					
		Arsenic, inorganic	2.9E-02	mg/kg	2E+00	2E-05	5E-06
		PAHs					
		1-Methylnaphthalene	2.4E+00	ug/kg	3E-02	2E-08	9E-09
		Benzo(a)anthracene	8.8E-01	ug/kg	7E-01	7E-07	2E-07
		Chrysene	6.2E+00	ug/kg	7E-03	5E-08	2E-08
		Semi-Volatile Organic Compounds					
		Hexachlorobenzene	4.3E-01	ug/kg	2E+00	2E-07	9E-08
		Hexachlorobutadiene	2.2E-02	ug/kg	8E-02	6E-10	2E-10
		Polychlorinated Biphenyls					
		Total PCBs, Adjusted	3.8E+04	pg/g	2E+00	3E-05	9E-06
		Dioxin/Furans					
		Total Dioxin/Furan TEQ	2.6E-01	pg/g	1E+05	1E-05	4E-06
		Total PCB TEQ	4.9E-01	pg/g	1E+05	2E-05	8E-06
		Pesticides					
		Aldrin	5.2E-03	ug/kg	2E+01	3E-08	1E-08
		alpha-Hexachlorocyclohexane	4.3E-03	ug/kg	6E+00	1E-08	3E-09
		beta-Hexachlorocyclohexane	4.5E+00	ug/kg	2E+00	3E-06	1E-06
		Dieldrin	3.3E+00	ug/kg	2E+01	2E-05	7E-06
		Heptachlor epoxide	2.4E-02	ug/kg	9E+00	8E-08	3E-08
		Total Chlordanes	7.8E+00	ug/kg	4E-01	1E-06	3E-07
		Total DDD	4.7E+00	ug/kg	2E-01	4E-07	1E-07
		Total DDE	2.6E+01	ug/kg	3E-01	3E-06	1E-06
		Total DDT	1.3E+01	ug/kg	3E-01	2E-06	6E-07
	Exposure Point Total					**1E-04**	**4E-05**
F	RM 4	**Metals**					
		Arsenic, inorganic	2.2E-02	mg/kg	2E+00	1E-05	4E-06
		PAHs					
		1-Methylnaphthalene	5.9E-01	ug/kg	3E-02	6E-09	2E-09
		Benzo(a)anthracene	3.6E-01	ug/kg	7E-01	3E-07	1E-07
		Benzo(a)pyrene	2.3E-01	ug/kg	7E+00	2E-06	6E-07
		Benzo(b)fluoranthene	1.0E+00	ug/kg	7E-01	8E-07	3E-07
		Benzo(k)fluoranthene	3.7E-01	ug/kg	7E-02	3E-08	1E-08
		Chrysene	6.1E-01	ug/kg	7E-03	5E-09	2E-09
		Dibenzo(a,h)anthracene	1.5E-01	ug/kg	7E+00	1E-06	4E-07
		Indeno(1,2,3-cd)pyrene	3.5E-01	ug/kg	7E-01	3E-07	9E-08
		Semi-Volatile Organic Compounds					
		Hexachlorobenzene	4.6E-01	ug/kg	2E+00	3E-07	9E-08
		Hexachlorobutadiene	1.3E-02	ug/kg	8E-02	4E-10	1E-10
		Polychlorinated Biphenyls					
		Total PCBs, Adjusted	2.2E+05	pg/g	2E+00	2E-04	5E-05
		Dioxin/Furans					
		Total Dioxin/Furan TEQ	3.6E-01	pg/g	1E+05	2E-05	6E-06
		Total PCB TEQ	1.3E+00	pg/g	1E+05	6E-05	2E-05
		Pesticides					
		Aldrin	5.8E-03	ug/kg	2E+01	3E-08	1E-08
		alpha-Hexachlorocyclohexane	3.9E-03	ug/kg	6E+00	9E-09	3E-09
		beta-Hexachlorocyclohexane	2.8E-03	ug/kg	2E+00	2E-09	6E-10
		Dieldrin	3.8E-01	ug/kg	2E+01	2E-06	8E-07
		Heptachlor epoxide	2.2E-02	ug/kg	9E+00	7E-08	3E-08
		Total Chlordanes	2.3E+00	ug/kg	4E-01	3E-07	1E-07
		Total DDD	4.4E+00	ug/kg	2E-01	4E-07	1E-07
		Total DDE	1.2E+01	ug/kg	3E-01	2E-06	5E-07
		Total DDT	2.0E+00	ug/kg	3E-01	2E-07	9E-08
		Total Endosulfan	9.2E-02	ug/kg	--	--	--
	Exposure Point Total					**3E-04**	**9E-05**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-73.

Calculation of Cancer Risks - Combined Child and Adult Fish Consumption, River Mile Basis[a]

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Combined Child/Adult

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	EPC Value	EPC Units	Oral Cancer Slope Factor $(\text{mg/kg-day})^{-1}$	Combined Adult and Child Cancer Risk[b,c] Recreational Fisher Adult Consumption Rate: 48.9 g/day Child Consumption Rate: 20.5 g/day	Adult Consumption Rate: 17.5 g/day Child Consumption Rate: 7 g/day
F	RM 5	**Metals**					
		Arsenic, inorganic	2.0E-02	mg/kg	2E+00	1E-05	4E-06
		PAHs					
		1-Methylnaphthalene	5.4E-01	ug/kg	3E-02	6E-09	2E-09
		Benzo(a)anthracene	1.9E+00	ug/kg	7E-01	1E-06	5E-07
		Benzo(a)pyrene	2.2E+00	ug/kg	7E+00	2E-05	6E-06
		Benzo(b)fluoranthene	1.4E+00	ug/kg	7E-01	1E-06	4E-07
		Benzo(k)fluoranthene	1.2E+00	ug/kg	7E-02	9E-08	3E-08
		Chrysene	2.3E+00	ug/kg	7E-03	2E-08	6E-09
		Dibenzo(a,h)anthracene	1.8E-01	ug/kg	7E+00	1E-06	5E-07
		Indeno(1,2,3-cd)pyrene	1.7E+00	ug/kg	7E-01	1E-06	5E-07
		Semi-Volatile Organic Compounds					
		Hexachlorobenzene	3.9E-01	ug/kg	2E+00	2E-07	8E-08
		Polychlorinated Biphenyls					
		Total PCBs, Adjusted	3.1E+04	pg/g	2E+00	2E-05	8E-06
		Dioxin/Furans					
		Total Dioxin/Furan TEQ	2.5E-01	pg/g	1E+05	1E-05	4E-06
		Total PCB TEQ	3.2E-01	pg/g	1E+05	2E-05	5E-06
		Pesticides					
		Dieldrin	3.7E-01	ug/kg	2E+01	2E-06	7E-07
		gamma-Hexachlorocyclohexane	9.0E-03	ug/kg	1E+00	4E-09	1E-09
		Heptachlor epoxide	2.0E-02	ug/kg	9E+00	6E-08	2E-08
		Total Chlordanes	1.7E+00	ug/kg	4E-01	2E-07	8E-08
		Total DDD	4.8E+00	ug/kg	2E-01	4E-07	1E-07
		Total DDE	1.5E+01	ug/kg	3E-01	2E-06	6E-07
		Total DDT	9.5E+00	ug/kg	3E-01	1E-06	4E-07
	Exposure Point Total					**9E-05**	**3E-05**
F	RM 6	**Metals**					
		Arsenic, inorganic	2.0E-02	mg/kg	2E+00	1E-05	4E-06
		PAHs					
		1-Methylnaphthalene	1.2E+00	ug/kg	3E-02	1E-08	4E-09
		Benzo(a)anthracene	2.0E-01	ug/kg	7E-01	2E-07	5E-08
		Benzo(a)pyrene	9.1E-02	ug/kg	7E+00	7E-07	2E-07
		Benzo(b)fluoranthene	1.5E-01	ug/kg	7E-01	1E-07	4E-08
		Benzo(k)fluoranthene	9.6E-02	ug/kg	7E-02	7E-09	3E-09
		Chrysene	3.0E-01	ug/kg	7E-03	2E-09	8E-10
		Indeno(1,2,3-cd)pyrene	8.0E-02	ug/kg	7E-01	6E-08	2E-08
		Phthalates					
		Bis(2-ethylhexyl) phthalate	9.3E+01	ug/kg	1E-02	5E-07	2E-07
		Semi-Volatile Organic Compounds					
		Hexachlorobenzene	3.6E-01	ug/kg	2E+00	2E-07	7E-08
		Polychlorinated Biphenyls					
		Total Aroclors	3.9E+01	ug/kg	2E+00	3E-05	1E-05
		Total PCB Congeners	8.2E+04	pg/g	NA	--	--
		Total PCBs, Adjusted	7.8E+04	pg/g	2E+00	6E-05	2E-05
		Dioxin/Furans					
		Total Dioxin/Furan TEQ	3.5E-01	pg/g	1E+05	2E-05	6E-06
		Total PCB TEQ	3.9E-01	pg/g	1E+05	2E-05	6E-06
		Pesticides					
		Dieldrin	3.6E-01	ug/kg	2E+01	2E-06	7E-07
		gamma-Hexachlorocyclohexane	4.0E-03	ug/kg	1E+00	2E-09	6E-10
		Heptachlor epoxide	1.8E-02	ug/kg	9E+00	6E-08	2E-08
		Total Chlordanes	4.5E+00	ug/kg	4E-01	6E-07	2E-07
		Total DDD	8.5E+00	ug/kg	2E-01	7E-07	3E-07
		Total DDE	1.3E+01	ug/kg	3E-01	2E-06	5E-07
		Total DDT	7.6E+00	ug/kg	3E-01	9E-07	3E-07
	Exposure Point Total					**1E-04**	**4E-05**
F	RM 7	**Metals**					
		Arsenic, inorganic	1.9E-02	mg/kg	2E+00	1E-05	4E-06
		PAHs					
		1-Methylnaphthalene	3.1E-01	ug/kg	3E-02	3E-09	1E-09
		Benzo(a)anthracene	1.9E-01	ug/kg	7E-01	1E-07	5E-08
		Benzo(b)fluoranthene	1.3E-01	ug/kg	7E-01	1E-07	4E-08
		Benzo(k)fluoranthene	1.0E-01	ug/kg	7E-02	8E-09	3E-09
		Chrysene	2.7E-01	ug/kg	7E-03	2E-09	7E-10
		Indeno(1,2,3-cd)pyrene	1.1E-01	ug/kg	7E-01	9E-08	3E-08
		Semi-Volatile Organic Compounds					
		Hexachlorobenzene	8.8E-01	ug/kg	2E+00	5E-07	2E-07
		Hexachlorobutadiene	1.7E-01	ug/kg	8E-02	5E-09	2E-09
		Polychlorinated Biphenyls					
		Total PCBs, Adjusted	2.0E+05	pg/g	2E+00	1E-04	5E-05
		Dioxin/Furans					
		Total Dioxin/Furan TEQ	8.7E+00	pg/g	1E+05	4E-04	1E-04
		Total PCB TEQ	7.0E-01	pg/g	1E+05	3E-05	1E-05
		Pesticides					
		beta-Hexachlorocyclohexane	5.0E-03	ug/kg	2E+00	3E-09	1E-09
		Dieldrin	3.1E-01	ug/kg	2E+01	2E-06	6E-07
		Heptachlor epoxide	1.4E-02	ug/kg	9E+00	5E-08	2E-08
		Total Chlordanes	1.5E+00	ug/kg	4E-01	2E-07	7E-08
		Total DDD	6.3E+01	ug/kg	2E-01	5E-06	2E-06
		Total DDE	5.9E+01	ug/kg	3E-01	7E-06	3E-06
		Total DDT	5.9E+01	ug/kg	3E-01	7E-06	3E-06
	Exposure Point Total					**6E-04**	**2E-04**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-73.

Calculation of Cancer Risks - Combined Child and Adult Fish Consumption, River Mile Basis[a]

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Combined Child/Adult

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	EPC Value	EPC Units	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Combined Adult and Child Cancer Risk[b,c] Recreational Fisher — Adult Consumption Rate: 48.9 g/day Child Consumption Rate: 20.5 g/day	Combined Adult and Child Cancer Risk[b,c] Recreational Fisher — Adult Consumption Rate: 17.5 g/day Child Consumption Rate: 7 g/day
F	RM 8	**Metals**					
		Arsenic, inorganic	1.8E-02	mg/kg	2E+00	1E-05	3E-06
		PAHs					
		1-Methylnaphthalene	1.0E+00	ug/kg	3E-02	1E-08	4E-09
		Benzo(a)anthracene	2.6E+00	ug/kg	7E-01	2E-06	7E-07
		Benzo(a)pyrene	2.5E+00	ug/kg	7E+00	2E-05	7E-06
		Benzo(b)fluoranthene	1.7E+00	ug/kg	7E-01	1E-06	5E-07
		Benzo(k)fluoranthene	1.4E+00	ug/kg	7E-02	1E-07	4E-08
		Chrysene	2.9E+00	ug/kg	7E-03	2E-08	8E-09
		Dibenzo(a,h)anthracene	2.4E-01	ug/kg	7E+00	2E-06	6E-07
		Indeno(1,2,3-cd)pyrene	1.9E+00	ug/kg	7E-01	1E-06	5E-07
		Semi-Volatile Organic Compounds					
		Hexachlorobenzene	3.5E-01	ug/kg	2E+00	2E-07	7E-08
		Polychlorinated Biphenyls					
		Total PCBs, Adjusted	4.7E+04	pg/g	2E+00	3E-05	1E-05
		Dioxin/Furans					
		Total Dioxin/Furan TEQ	6.2E-01	pg/g	1E+05	3E-05	1E-05
		Total PCB TEQ	4.0E-01	pg/g	1E+05	2E-05	7E-06
		Pesticides					
		Aldrin	5.0E-03	ug/kg	2E+01	3E-08	1E-08
		Dieldrin	1.4E+00	ug/kg	2E+01	8E-06	3E-06
		gamma-Hexachlorocyclohexane	3.0E-03	ug/kg	1E+00	1E-09	4E-10
		Heptachlor epoxide	1.6E-02	ug/kg	9E+00	5E-08	2E-08
		Total Chlordanes	5.4E+00	ug/kg	4E-01	7E-07	2E-07
		Total DDD	1.3E+01	ug/kg	2E-01	1E-06	4E-07
		Total DDE	2.2E+01	ug/kg	3E-01	3E-06	9E-07
		Total DDT	1.5E+01	ug/kg	3E-01	2E-06	6E-07
	Exposure Point Total					**1E-04**	**5E-05**
F	RM 8 SIL[d]	**Metals**					
		Arsenic, inorganic	1.6E-02	mg/kg	2E+00	8E-06	3E-06
		Polychlorinated Biphenyls					
		Total PCBs, Adjusted	7.0E+05	pg/g	2E+00	5E-04	2E-04
		Dioxin/Furans					
		Total Dioxin/Furan TEQ	7.5E-01	pg/g	1E+05	3E-05	1E-05
		Total PCB TEQ	1.2E+00	pg/g	1E+05	5E-05	2E-05
		Pesticides					
		Total DDD	3.5E+00	ug/kg	2E-01	3E-07	1E-07
		Total DDE	1.1E+01	ug/kg	3E-01	1E-06	5E-07
		Total DDT	1.9E+00	ug/kg	3E-01	2E-07	8E-08
	Exposure Point Total					**6E-04**	**2E-04**
F	RM 9	**Metals**					
		Arsenic, inorganic	1.9E-02	mg/kg	2E+00	1E-05	4E-06
		PAHs					
		1-Methylnaphthalene	3.5E-01	ug/kg	3E-02	4E-09	1E-09
		Benzo(a)anthracene	7.3E-01	ug/kg	7E-01	6E-07	2E-07
		Benzo(a)pyrene	4.8E-01	ug/kg	7E+00	4E-06	1E-06
		Benzo(b)fluoranthene	3.0E-01	ug/kg	7E-01	2E-07	8E-08
		Benzo(k)fluoranthene	4.7E-01	ug/kg	7E-02	4E-08	1E-08
		Chrysene	7.2E-01	ug/kg	7E-03	6E-09	2E-09
		Indeno(1,2,3-cd)pyrene	8.7E-01	ug/kg	7E-01	7E-07	2E-07
		Phthalates					
		Bis(2-ethylhexyl) phthalate	1.3E+02	ug/kg	1E-02	6E-07	2E-07
		Semi-Volatile Organic Compounds					
		Hexachlorobenzene	5.2E-01	ug/kg	2E+00	3E-07	1E-07
		Polychlorinated Biphenyls					
		Total PCBs, Adjusted	9.6E+04	pg/g	2E+00	7E-05	2E-05
		Dioxin/Furans					
		Total Dioxin/Furan TEQ	4.5E-01	pg/g	1E+05	2E-05	7E-06
		Total PCB TEQ	1.0E+00	pg/g	1E+05	5E-05	2E-05
		Pesticides					
		Aldrin	1.1E-02	ug/kg	2E+01	7E-08	2E-08
		alpha-Hexachlorocyclohexane	6.0E-03	ug/kg	6E+00	1E-08	5E-09
		Dieldrin	1.0E+00	ug/kg	2E+01	6E-06	2E-06
		gamma-Hexachlorocyclohexane	5.0E-03	ug/kg	1E+00	2E-09	7E-10
		Heptachlor epoxide	2.4E-02	ug/kg	9E+00	8E-08	3E-08
		Total Chlordanes	2.5E+00	ug/kg	4E-01	3E-07	1E-07
		Total DDD	3.2E+00	ug/kg	2E-01	3E-07	1E-07
		Total DDE	1.6E+01	ug/kg	3E-01	2E-06	7E-07
		Total DDT	9.3E+00	ug/kg	3E-01	1E-06	4E-07
	Exposure Point Total					**2E-04**	**6E-05**
F	RM 10	**Metals**					
		Arsenic, inorganic	1.5E-02	mg/kg	2E+00	8E-06	3E-06
		PAHs					
		1-Methylnaphthalene	7.3E-01	ug/kg	3E-02	8E-09	3E-09
		Phthalates					
		Bis(2-ethylhexyl) phthalate	6.9E+01	ug/kg	1E-02	3E-07	1E-07
		Semi-Volatile Organic Compounds					
		Hexachlorobenzene	3.3E-01	ug/kg	2E+00	2E-07	7E-08
		Hexachlorobutadiene	6.0E-03	ug/kg	8E-02	2E-10	6E-11
		Polychlorinated Biphenyls					
		Total PCBs, Adjusted	1.2E+05	pg/g	2E+00	8E-05	3E-05
		Dioxin/Furans					
		Total Dioxin/Furan TEQ	4.3E-01	pg/g	1E+05	2E-05	7E-06
		Total PCB TEQ	6.1E-01	pg/g	1E+05	3E-05	1E-05

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-73.

Calculation of Cancer Risks - Combined Child and Adult Fish Consumption, River Mile Basis[a]

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Combined Child/Adult

Medium: Tissue
Exposure Medium: Smallmouth Bass Tissue (Fillet)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	EPC Value	EPC Units	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Combined Adult and Child Cancer Risk[b,c] Recreational Fisher Adult Consumption Rate: 48.9 g/day Child Consumption Rate: 20.5 g/day	Combined Adult and Child Cancer Risk[b,c] Recreational Fisher Adult Consumption Rate: 17.5 g/day Child Consumption Rate: 7 g/day
		Pesticides					
		alpha-Hexachlorocyclohexane	5.0E-03	ug/kg	6E+00	1E-08	4E-09
		Dieldrin	2.8E-01	ug/kg	2E+01	2E-06	6E-07
		gamma-Hexachlorocyclohexane	1.1E-02	ug/kg	1E+00	4E-09	2E-09
		Heptachlor epoxide	1.6E-02	ug/kg	9E+00	5E-08	2E-08
		Total Chlordanes	1.3E+00	ug/kg	4E-01	2E-07	6E-08
		Total DDD	3.0E+00	ug/kg	2E-01	3E-07	9E-08
		Total DDE	8.6E+00	ug/kg	3E-01	1E-06	4E-07
		Total DDT	3.9E+00	ug/kg	3E-01	5E-07	2E-07
	Exposure Point Total					**1E-04**	**5E-05**
F	RM 11	**Metals**					
		Arsenic, inorganic	1.6E-02	mg/kg	2E+00	9E-06	3E-06
		PAHs					
		1-Methylnaphthalene	4.1E-01	ug/kg	3E-02	4E-09	1E-09
		Semi-Volatile Organic Compounds					
		Hexachlorobenzene	3.7E-01	ug/kg	2E+00	2E-07	7E-08
		Polychlorinated Biphenyls					
		Total PCBs, Adjusted	1.5E+06	pg/g	2E+00	1E-03	4E-04
		Dioxin/Furans					
		Total Dioxin/Furan TEQ	4.7E-01	pg/g	1E+05	2E-05	8E-06
		Total PCB TEQ	2.1E+00	pg/g	1E+05	1E-04	3E-05
		Pesticides					
		beta-Hexachlorocyclohexane	5.0E-03	ug/kg	2E+00	3E-09	1E-09
		Dieldrin	3.3E-01	ug/kg	2E+01	2E-06	7E-07
		gamma-Hexachlorocyclohexane	6.0E-03	ug/kg	1E+00	2E-09	8E-10
		Heptachlor	5.0E-03	ug/kg	5E+00	8E-09	3E-09
		Heptachlor epoxide	1.8E-02	ug/kg	9E+00	6E-08	2E-08
		Total Chlordanes	1.4E+00	ug/kg	4E-01	2E-07	6E-08
		Total DDD	7.5E-01	ug/kg	2E-01	6E-08	2E-08
		Total DDE	5.8E+00	ug/kg	3E-01	7E-07	2E-07
		Total DDT	8.1E-01	ug/kg	3E-01	1E-07	3E-08
	Exposure Point Total					**1E-03**	**4E-04**

Notes:

a Smallmouth bass data were used as a surrogate for a multi-species diet on a river mile basis.

b Numbers presented are rounded values. Sums calculated before rounding.

c For carcinogenic polynuclear aromatic hydrocarbons (benzo[a]anthracene, benzo[a]pyrene, benzo[b]fluoranthene, benzo[k]fluoranthene, chrysene, dibenzo[a,h]anthracene, and indeno[1,2,3-cd]pyrene), early life exposure was considered and age dependent adjustment factors were applied to the exposure parameters as described in EPA's Supplemental Guidance for Assessing Susceptibility from Early-Life Exposure to Carcinogens, Risk Assessment Forum, March 2005, EPA/630/R-03/003F.

d Swan Island Lagoon fillet tissue EPCs derived using Study area-wide ratios of fillet to whole body tissue.

Abbreviations:

-- = Not applicable.
DDD = Dichlorodiphenyldichloroethane.
DDE = Dichlorodiphenyldichloroethylene.
DDT = Dichlorodiphenyltrichloroethane.
EPC = Exposure Point Concentration.
F = Fillet tissue.
g/day = grams per day.
LADI = Lifetime Average Daily Intake.
mg/kg = milligrams per kilogram.
PAHs = Polynuclear aromatic hydrocarbons.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-74

Calculation of Cancer Risks - Combined Child and Adult Fish Consumption, Study Area-Wide Basis

Scenario Timeframe: Current/Future
Receptor Population: Nontribal Fisher
Population Age: Combined Child and Adult

Medium: Tissue
Exposure Medium: Multi-Species Fish Tissue
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	EPC for mixed diet Value	Units	Adult Cancer Risk Calculations[a]			Child Cancer Risk Calculations[a]			Combined Adult and Child Cancer Risk[a,b]		
					Subsistence Fisher Consumption Rate: 142 g/day Cancer Risk	Recreational Fisher Consumption Rate: 48.9 g/day Cancer Risk	Consumption Rate: 17.5 g/day Cancer Risk	Subsistence Fisher Consumption Rate: 60 g/day Cancer Risk	Recreational Fisher Consumption Rate: 20.5 g/day Cancer Risk	Consumption Rate: 7 g/day Cancer Risk	Subsistence Fisher Adult Consumption Rate: 142 g/day Child Consumption Rate: 60 g/day	Recreational Fisher Adult Consumption Rate: 48.9 g/day Child Consumption Rate: 20.5 g/day	Adult Consumption Rate: 17.5 g/day Child Consumption Rate: 7 g/day
Fillet	Study Area-wide	**Metals**											
		Arsenic, inorganic	1.3E-02	mg/kg	2E-05	6E-06	2E-06	7E-06	2E-06	8E-07	2E-05	7E-06	3E-06
		PAHs											
		1-Methylnaphthalene	1.3E-03	mg/kg	3E-08	1E-08	4E-09	1E-08	5E-09	2E-09	4E-08	1E-08	5E-09
		Benzo(a)anthracene	2.6E-04	mg/kg	2E-07	6E-08	2E-08	3E-07	1E-07	4E-08	6E-07	2E-07	7E-08
		Benzo(a)pyrene	1.7E-04	mg/kg	1E-06	4E-07	1E-07	2E-06	8E-07	3E-07	4E-06	1E-06	5E-07
		Benzo(b)fluoranthene	2.2E-04	mg/kg	1E-07	5E-08	2E-08	3E-07	1E-07	3E-08	5E-07	2E-07	6E-08
		Benzo(k)fluoranthene	1.5E-04	mg/kg	1E-08	3E-09	1E-09	2E-08	7E-09	2E-09	3E-08	1E-08	4E-09
		Chrysene	3.7E-04	mg/kg	2E-09	8E-10	3E-10	5E-09	2E-09	6E-10	8E-09	3E-09	1E-09
		Dibenzo(a,h)anthracene	7.9E-05	mg/kg	5E-07	2E-07	6E-08	1E-06	4E-07	1E-07	2E-06	6E-07	2E-07
		Indeno(1,2,3-cd)pyrene	1.7E-04	mg/kg	1E-07	4E-08	1E-08	2E-07	8E-08	3E-08	4E-07	1E-07	5E-08
		Phthalates											
		Bis(2-ethylhexyl) phthalate	5.8E-02	mg/kg	7E-07	2E-07	9E-08	3E-07	9E-08	3E-08	8E-07	3E-07	1E-07
		SVOCs											
		Hexachlorobenzene	1.8E-02	mg/kg	2E-05	8E-06	3E-06	1E-05	3E-06	1E-06	3E-05	1E-05	4E-06
		Hexachlorobutadiene	4.5E-05	mg/kg	3E-09	1E-09	4E-10	1E-09	4E-10	1E-10	4E-09	1E-09	4E-10
		Isophorone	2.5E-03	mg/kg	2E-09	7E-10	2E-10	8E-10	3E-10	9E-11	2E-09	8E-10	3E-10
		Polychlorinated Biphenyls											
		Total PCBs, Adjusted	5.0E+00	mg/kg	9E-03	3E-03	1E-03	3E-03	1E-03	4E-04	1E-02	4E-03	1E-03
		Dioxin/Furan											
		Total Dioxin/Furan TEQ	1.6E-06	mg/kg	2E-04	6E-05	2E-05	7E-05	2E-05	8E-06	2E-04	8E-05	3E-05
		Total PCB TEQ	2.9E-06	mg/kg	3E-04	1E-04	4E-05	1E-04	4E-05	2E-05	4E-04	1E-04	5E-05
		Pesticides											
		Aldrin	2.7E-05	mg/kg	4E-07	1E-07	5E-08	2E-07	5E-08	2E-08	5E-07	2E-07	6E-08
		alpha-Hexachlorocyclohexane	8.4E-06	mg/kg	5E-08	2E-08	6E-09	2E-08	6E-09	2E-09	6E-08	2E-08	7E-09
		beta-Hexachlorocyclohexane	1.1E-03	mg/kg	2E-06	6E-07	2E-07	7E-07	2E-07	8E-08	2E-06	7E-07	3E-07
		Dieldrin	1.3E-03	mg/kg	2E-05	6E-06	2E-06	7E-06	2E-06	8E-07	2E-05	7E-06	3E-06
		gamma-Hexachlorocyclohexane	8.6E-06	mg/kg	8E-09	3E-09	1E-09	3E-09	1E-09	4E-10	1E-08	3E-09	1E-09
		Heptachlor	1.3E-06	mg/kg	5E-09	2E-09	6E-10	2E-09	7E-10	2E-10	6E-09	2E-09	7E-10
		Heptachlor epoxide	3.6E-05	mg/kg	3E-07	1E-07	4E-08	1E-07	4E-08	1E-08	3E-07	1E-07	4E-08
		Total Chlordanes	4.3E-03	mg/kg	1E-06	4E-07	2E-07	5E-07	2E-07	6E-08	2E-06	5E-07	2E-07
		Total DDD	3.3E-02	mg/kg	7E-06	2E-06	8E-07	3E-06	9E-07	3E-07	8E-06	3E-06	1E-06
		Total DDE	4.0E-02	mg/kg	1E-05	4E-06	1E-06	5E-06	2E-06	5E-07	1E-05	5E-06	2E-06
		Total DDT	1.6E-02	mg/kg	5E-06	2E-06	6E-07	2E-06	6E-07	2E-07	6E-06	2E-06	7E-07
Exposure Area Total					9E-03	3E-03	1E-03	4E-03	1E-03	4E-04	1E-02	4E-03	1E-03

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b For carcinogenic PAHs (benzo[a]anthracene, benzo[a]pyrene, benzo[b]fluoranthene, benzo[k]fluoranthene, chrysene, dibenzo[a,h]anthracene, and indeno[1,2,3-cd]pyrene), early life exposure was considered and age dependent adjustment factors were applied to the exposure parameters as described in EPA's Supplemental Guidance for Assessing Susceptibility from Early-Life Exposure to Carcinogens, Risk Assessment Forum, March 2005, EPA/630/R-03/003F.

Abbreviations:

-- = Not applicable.
DDD = Dichlorodiphenyldichloroethane.
DDE = Dichlorodiphenyldichloroethylene.
DDT = Dichlorodiphenyltrichloroethane.
EPC = Exposure Point Concentration.
g/day = grams per day.

LADI = Lifetime Average Daily Intake.
mg/kg = milligrams per kilogram.
PAHs = Polycyclic Aromatic Hydrocarbons.
PCB = Polychlorinated Biphenyls.
TEQ = Toxic Equivalents.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-75.

Calculation of Noncancer Hazards - Breastfeeding Infant of Adult Consuming Fish, River Mile Basis[a]

Scenario Timeframe: Current/Future
Receptor Population: Infant of Adult Consumer of Fish
Population Age: Infant

Medium: Smallmouth Bass Tissue (Fillet)
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[b]	IRAF	Noncancer Hazard Calculations[c]			
				Recreational Fisher			
				Consumption Rate: 48.9 g/day		Consumption Rate: 17.5 g/day	
				Adult (Mother) Noncancer HQ	Infant Noncancer HQ	Adult (Mother) Noncancer HQ	Infant NoncancerHQ
F	RM 2	Total PCBs, Adjusted	25	6	200	2	50
		Total Dioxin/Furan TEQ	2	0.2	0.3	0.1	0.1
		Total PCB TEQ	2	1	3	0.5	1
		Total DDX	2	0.02	0.04	0.01	0.01
					200		50
F	RM 3	Total PCBs, Adjusted	25	1	30	0.5	10
		Total Dioxin/Furan TEQ	2	0.2	0.4	0.1	0.1
		Total PCB TEQ	2	0.3	1	0.1	0.2
		Total DDX	2	0.1	0.1	0.02	0.04
					30		10
F	RM 4	Total PCBs, Adjusted	25	8	200	3	70
		Total Dioxin/Furan TEQ	2	0.2	0.5	0.1	0.2
		Total PCB TEQ	2	1	2	0.3	1
		Total DDX	2	0.03	0.1	0.01	0.02
					200		70
F	RM 5	Total PCBs, Adjusted	25	1	30	0.4	10
		Total Dioxin/Furan TEQ	2	0.2	0.3	0.1	0.1
		Total PCB TEQ	2	0.2	0.5	0.1	0.2
		Total DDX	2	0.04	0.1	0.01	0.03
					30		10
F	RM 6	Total PCBs, Adjusted	25	3	70	1	20
		Total Dioxin/Furan TEQ	2	0.2	0.5	0.1	0.2
		Total PCB TEQ	2	0.3	1	0.1	0.2
		Total DDX	2	0.04	0.1	0.01	0.03
					70		20
F	RM 7	Total PCBs, Adjusted	25	7	200	3	60
		Total Dioxin/Furan TEQ	2	6	10	2	4
		Total PCB TEQ	2	0.5	1	0.2	0.4
		Total DDX	2	0.3	1	0.1	0.2
					200		60
F	RM 8	Total PCBs, Adjusted	25	2	40	1	10
		Total Dioxin/Furan TEQ	2	0.4	1	0.2	0.3
		Total PCB TEQ	2	0.3	1	0.1	0.2
		Total DDX	2	0.1	0.1	0.02	0.05
					40		10
F	RM 8 SIL[d]	Total PCBs, Adjusted	25	24	600	9	200
		Total Dioxin/Furan TEQ	2	1	1	0.2	0.4
		Total PCB TEQ	2	1	2	0.3	1
		Total DDX	2	0.02	0.05	0.01	0.02
					600		200
F	RM 9	Total PCBs, Adjusted	25	3	80	1	30
		Total Dioxin/Furan TEQ	2	0.3	1	0.1	0.2
		Total PCB TEQ	2	1	1	0.3	1
		Total DDX	2	0.04	0.1	0.01	0.03
					80		30
F	RM 10	Total PCBs, Adjusted	25	4	100	1	40
		Total Dioxin/Furan TEQ	2	0.3	1	0.1	0.2
		Total PCB TEQ	2	0.4	1	0.2	0.3
		Total DDX	2	0.02	0.04	0.01	0.02
					100		40
F	RM 11	Total PCBs, Adjusted	25	51	1000	18	500
		Total Dioxin/Furan TEQ	2	0.3	1	0.1	0.2
		Total PCB TEQ	2	1	3	1	1
		Total DDX	2	0.01	0.02	0.004	0.01
					1000		500

Notes:

a Smallmouth bass data were used as a surrogate for a multi-species diet on a river mile basis.

b EPCs not calculated for Total DDX in the Baseline Human Health Risk Assessment. Risks to breastfeeding infant are based on cumulative risks to mother from Total DDT, Total DDD, and Total DDE.

c Numbers presented are rounded values. Sums calculated before rounding.

d Swan Island Lagoon fillet tissue EPCs derived using Study area-wide ratios of fillet to whole body tissue.

Abbreviations:

F = Fillet tissue.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor.
PCB = Polychlorinated Biphenyls.
TEQ = Toxic equivalents.
ug/kg = Micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-76.

Calculation of Noncancer Hazards -Breastfeeding Infant of Adult Consuming Fish, Study Area-Wide Basis

Scenario Timeframe: Current/Future   Medium: Fish Tissue (Nontribal, multi-species diet)
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	EPC for mixed diet[a] Value	Units	IRAF	Subsistence Fisher — Consumption Rate: 142 g/day — Adult (Mother) Noncancer HQ	Subsistence Fisher — Consumption Rate: 142 g/day — Breastfeeding Infant Noncancer HQ	Recreational Fisher — Consumption Rate: 48.9 g/day — Adult (Mother) Noncancer HQ	Recreational Fisher — Consumption Rate: 48.9 g/day — Breastfeeding Infant Noncancer HQ	Recreational Fisher — Consumption Rate: 17.5 g/day — Adult (Mother) Noncancer HQ	Recreational Fisher — Consumption Rate: 17.5 g/day — Breastfeeding Infant Noncancer HQ
Fillet	Study Area-wide	Total PCBs, Adjusted	5.0E+00	mg/kg	25	500	10000	200	4000	60	2000
		Total Dioxin/Furan TEQ	1.6E-06	mg/kg	2	3	7	1	2	0.4	1
		Total PCB TEQ	2.9E-06	mg/kg	2	6	10	2	4	1	1
		Total DDX	--		2	0.4	1	0.1	0.2	0.04	0.1
Exposure Point Total							10000		4000		2000

Notes:

a EPCs not calculated for Total DDX in the Baseline Human Health Risk Assessment. Risks to breastfeeding infant are based on cumulative risks to mother from Total DDT, Total DDD, and Total DDE.

b Numbers presented are rounded values. Sums calculated before rounding.

Abbreviations:

-- = Not applicable.
EPC = Exposure Point Concentration.
g/day = grams per day.
HQ = Hazard Quotient.
IRAF = Infant Risk Adjustment Factor.
mg/kg = milligrams per kilogram.
PCB = Polychlorinated Biphenyls.
TEQ = Toxic Equivalents.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-77. Summary of Risks From Fish Consumption - Recreational/Subsistence Fishers

Exposure Scale	Receptor: Consumption Rate/ Exposure Area	Child Fish Consumption Hazard Index			Combined Child and Adult Fish Consumption Cancer Risk			Breastfeeding Infant of Adult Consuming Fish Hazard Index		
		Subsistence	Recreational		Subsistence	Recreational		Subsistence	Recreational	
		60 g/day	20.5 g/day	7 g/day	Adult: 142 g/day Child: 60 g/day	Adult: 48.9 g/day Child: 20.5 g/day	Adult: 17.5 g/day Child: 7 g/day	Adult: 142 g/day	Adult: 48.9 g/day	Adult: 17.5 g/day
River mile basis[b]	RM 2	NA	10	5	NA	2E-04	9E-05	NA	200	50
	RM 3	NA	7	2	NA	1E-04	4E-05	NA	30	10
	RM 4	NA	20	7	NA	3E-04	9E-05	NA	200	70
	RM 5	NA	6	2	NA	9E-05	3E-05	NA	30	10
	RM 6	NA	9	3	NA	1E-04	4E-05	NA	70	20
	RM 7	NA	20	10	NA	6E-04	2E-04	NA	200	60
	RM 8	NA	7	2	NA	1E-04	5E-05	NA	40	10
	RM 8 SIL	NA	50	20	NA	6E-04	2E-04	NA	600	200
	RM 9	NA	10	5	NA	2E-04	6E-05	NA	80	30
	RM 10	NA	10	4	NA	1E-04	5E-05	NA	100	40
	RM 11	NA	100	30	NA	1E-03	4E-04	NA	1000	500
Study Area-wide basis	Study Area-wide	1000	300	100	1E-02	4E-03	1E-03	10000	4000	2000

Notes:

a Table presents cumulative risk (and cumulative hazard indices) per exposure area for recreational and subsistence fish consumption. Results are presented per receptor and consumption rate.

b Smallmouth bass data were used as a surrogate for a multi-species diet on a river mile basis.

Abbreviations:

g/day grams per day

NA Exposure area not applicable for a given receptor

RM river mile

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Cancer Risk Calculations[b] Consumption Rate: 18 g/day LADI (mg/kg-day)	Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	Noncancer Hazard Quotient Calculations[b] Consumption Rate: 18 g/day CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Noncancer Hazard Quotient
UD	RM 1 East	**Metals**												
		Aluminum	7.6E+01	mg/kg	--	8.3E-03	--	1.5E-03	--	1.0E+00	1.9E-02	0.02	3.6E-03	0.004
		Arsenic, inorganic	1.1E-01	mg/kg	1.5E+00	1.2E-05	2.E-05	2.2E-06	3.E-06	3.0E-04	2.8E-05	0.09	5.0E-06	0.02
		Cadmium	1.1E-01	mg/kg	--	1.2E-05	--	2.1E-06	--	1.0E-03	2.7E-05	0.03	5.0E-06	0.005
		Chromium[c]	5.0E-01	mg/kg	--	5.5E-05	--	1.0E-05	--	1.5E+00	1.3E-04	0.0001	2.4E-05	0.00002
		Copper	8.2E+00	mg/kg	--	9.1E-04	--	1.7E-04	--	4.0E-02	2.1E-03	0.05	3.9E-04	0.01
		Manganese	5.2E+00	mg/kg	--	5.7E-04	--	1.0E-04	--	1.4E-01	1.3E-03	0.009	2.4E-04	0.002
		Mercury	1.2E-02	mg/kg	--	1.4E-06	--	2.5E-07	--	1.0E-04	3.2E-06	0.03	5.8E-07	0.006
		Nickel	1.8E-01	mg/kg	--	2.0E-05	--	3.6E-06	--	2.0E-02	4.6E-05	0.002	8.4E-06	0.0004
		Selenium	2.2E-01	mg/kg	--	2.4E-05	--	4.4E-06	--	5.0E-03	5.7E-05	0.01	1.0E-05	0.002
		Silver	2.5E-02	mg/kg	--	2.7E-06	--	5.0E-07	--	5.0E-03	6.4E-06	0.001	1.2E-06	0.0002
		Zinc	2.5E+01	mg/kg	--	2.8E-03	--	5.1E-04	--	3.0E-01	6.5E-03	0.02	1.2E-03	0.004
		Butyltins												
		Butyltin ion	2.9E+00	ug/kg	--	3.2E-07	--	5.9E-08	--	3.0E-04	7.5E-07	0.002	1.4E-07	0.0005
		Dibutyltin ion	3.4E+00	ug/kg	--	3.7E-07	--	6.9E-08	--	3.0E-04	8.7E-07	0.003	1.6E-07	0.001
		PAHs												
		1-Methylnaphthalene	8.2E-01	ug/kg	2.9E-02	9.0E-08	3.E-09	1.7E-08	5.E-10	7.0E-02	2.1E-07		3.9E-08	0.000001
		2-Methylnaphthalene	1.2E+00	ug/kg	--	1.3E-07	--	2.4E-08	--	4.0E-03	3.1E-07	0.0001	5.7E-08	0.00001
		Acenaphthene	7.3E-01	ug/kg	--	8.0E-08	--	1.5E-08	--	6.0E-02	1.9E-07	0.000003	3.4E-08	0.000001
		Acenaphthylene	3.1E-01	ug/kg	--	3.4E-08	--	6.3E-09	--	6.0E-02	8.0E-08	0.000001	1.5E-08	0.0000002
		Anthracene	1.9E+00	ug/kg	--	2.1E-07	--	3.8E-08	--	3.0E-01	4.9E-07	0.000002	9.0E-08	0.0000003
		Benzo(a)anthracene	5.5E+00	ug/kg	7.3E-01	6.1E-07	4.E-07	1.1E-07	8.E-08	--	1.4E-06	--	2.6E-07	--
		Benzo(a)pyrene	8.8E-01	ug/kg	7.3E+00	9.7E-08	7.E-07	1.8E-08	1.E-07	--	2.3E-07	--	4.1E-08	--
		Benzo(b)fluoranthene	1.5E+00	ug/kg	7.3E-01	1.7E-07	1.E-07	3.0E-08	2.E-08	--	3.9E-07	--	7.1E-08	--
		Benzo(e)pyrene	2.9E+00	ug/kg	--	3.2E-07	--	5.9E-08	--	3.0E-02	7.5E-07	0.00002	1.4E-07	0.000005
		Benzo(g,h,i)perylene	1.2E+00	ug/kg	--	1.3E-07	--	2.4E-08	--	3.0E-02	3.1E-07	0.00001	5.7E-08	0.000002
		Benzo(k)fluoranthene	9.7E-01	ug/kg	7.3E-02	1.1E-07	8.E-09	2.0E-08	1.E-09	--	2.5E-07	--	4.6E-08	--
		Chrysene	1.1E+01	ug/kg	7.3E-03	1.2E-06	9.E-09	2.2E-07	2.E-09	--	2.8E-06	--	5.2E-07	--
		Dibenzo(a,h)anthracene	8.7E-01	ug/kg	7.3E+00	9.6E-08	7.E-07	1.8E-08	1.E-07	--	2.2E-07	--	4.1E-08	--
		Dibenzothiophene	7.0E-01	ug/kg	--	7.7E-08	--	1.4E-08	--	4.0E-02	1.8E-07	0.000005	3.3E-08	0.000001
		Fluoranthene	3.1E+01	ug/kg	--	3.4E-06	--	6.3E-07	--	4.0E-02	8.0E-06	0.0002	1.5E-06	0.00004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)[-1]	Cancer Risk Calculations[b] Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Noncancer Hazard Quotient Calculations[b] Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Fluorene	1.7E+00	ug/kg	--	1.9E-07	--	3.4E-08	--	4.0E-02	4.4E-07	0.00001	8.0E-08	0.000002
		Indeno(1,2,3-cd)pyrene	5.5E-01	ug/kg	7.3E-01	6.1E-08	4.E-08	1.1E-08	8.E-09	--	1.4E-07	--	2.6E-08	--
		Perylene	2.7E-01	ug/kg	--	3.0E-08	--	5.5E-09	--	3.0E-02	6.9E-08	0.000002	1.3E-08	0.0000004
		Phenanthrene	8.5E+00	ug/kg	--	9.4E-07	--	1.7E-07	--	3.0E-02	2.2E-06	0.0001	4.0E-07	0.00001
		Pyrene	2.7E+01	ug/kg	--	3.0E-06	--	5.5E-07	--	3.0E-02	6.9E-06	0.0002	1.3E-06	0.00004
		Semivolatile Organic Compounds												
		Benzoic acid	2.8E+03	ug/kg	--	3.1E-04	--	5.7E-05	--	4.0E+00	7.2E-04	0.0002	1.3E-04	0.00003
		Benzyl alcohol	2.6E+01	ug/kg	--	2.9E-06	--	5.3E-07	--	1.0E-01	6.7E-06	0.0001	1.2E-06	0.00001
		Dibenzofuran	8.1E-01	ug/kg	--	8.9E-08	--	1.6E-08	--	1.0E-03	2.1E-07	0.0002	3.8E-08	0.00004
		Hexachlorobenzene	5.8E-01	ug/kg	1.6E+00	6.4E-08	1.E-07	1.2E-08	2.E-08	8.0E-04	1.5E-07	0.0002	2.7E-08	0.00003
		Hexachlorobutadiene	9.3E-03	ug/kg	7.8E-02	1.0E-09	8.E-11	1.9E-10	1.E-11	1.0E-03	2.4E-09	0.000002	4.4E-10	0.0000004
		Nitrobenzene	3.2E+02	ug/kg	--	3.5E-05	--	6.5E-06	--	2.0E-03	8.2E-05	0.04	1.5E-05	0.008
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted[d]	1.2E+05	pg/g	2.0E+00	1.3E-05	3.E-05	2.4E-06	5.E-06	2.0E-05	3.0E-05	2	5.5E-06	0.3
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	5.1E-01	pg/g	1.3E+05	5.6E-11	7.E-06	1.0E-11	1.E-06	1.0E-09	1.3E-10	0.1	2.4E-11	0.02
		Total PCB TEQ	1.4E+00	pg/g	1.3E+05	1.5E-10	2.E-05	2.8E-11	4.E-06	1.0E-09	3.6E-10	0.4	6.6E-11	0.07
		Pesticides												
		Aldrin	2.3E-01	ug/kg	1.7E+01	2.5E-08	4.E-07	4.6E-09	8.E-08	3.0E-05	5.9E-08	0.002	1.1E-08	0.0004
		Dieldrin	5.9E-01	ug/kg	1.6E+01	6.5E-08	1.E-06	1.2E-08	2.E-07	5.0E-05	1.5E-07	0.003	2.8E-08	0.001
		gamma-Hexachlorocyclohexane	3.6E-02	ug/kg	1.1E+00	4.0E-09	4.E-09	7.3E-10	8.E-10	3.0E-04	9.3E-09	0.00003	1.7E-09	0.00001
		Heptachlor epoxide	4.9E-02	ug/kg	9.1E+00	5.4E-09	5.E-08	9.9E-10	9.E-09	1.3E-05	1.3E-08	0.001	2.3E-09	0.0002
		Total Chlordanes	3.0E+00	ug/kg	3.5E-01	3.3E-07	1.E-07	6.1E-08	2.E-08	5.0E-04	7.8E-07	0.002	1.4E-07	0.0003
		Total DDD	1.0E+01	ug/kg	2.4E-01	1.1E-06	3.E-07	2.1E-07	5.E-08	5.0E-04	2.6E-06	0.005	4.8E-07	0.001
		Total DDE	1.7E+01	ug/kg	3.4E-01	1.8E-06	6.E-07	3.3E-07	1.E-07	5.0E-04	4.2E-06	0.008	7.8E-07	0.002
		Total DDT	1.8E+00	ug/kg	3.4E-01	2.0E-07	7.E-08	3.6E-08	1.E-08	5.0E-04	4.6E-07	0.001	8.4E-08	0.0002
		Total Endosulfan	6.0E-01	ug/kg	--	6.6E-08	--	1.2E-08	--	6.0E-03	1.5E-07	0.00003	2.8E-08	0.000005
	Exposure Point Total						8.E-05		1.E-05			2		0.4
UD	RM 2 East	**Metals**												
		Aluminum	4.8E+01	mg/kg	--	5.3E-03	--	9.8E-04	--	1.0E+00	1.2E-02	0.01	2.3E-03	0.002
		Antimony	2.0E-03	mg/kg	--	2.2E-07	--	4.0E-08	--	4.0E-04	5.1E-07	0.001	9.4E-08	0.0002
		Arsenic, inorganic	1.3E-01	mg/kg	1.5E+00	1.4E-05	2.E-05	2.5E-06	4.E-06	3.0E-04	3.2E-05	0.1	5.9E-06	0.02
		Cadmium	2.2E-01	mg/kg	--	2.4E-05	--	4.4E-06	--	1.0E-03	5.6E-05	0.06	1.0E-05	0.01
		Chromium	7.9E-01	mg/kg	--	8.7E-05	--	1.6E-05	--	1.5E+00	2.0E-04	0.0001	3.7E-05	0.00002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Cancer Risk Calculations[b] — Consumption Rate: 18 g/day — LADI (mg/kg-day)	Cancer Risk	Cancer Risk Calculations[b] — Consumption Rate: 3.3 g/day — LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	Noncancer Hazard Quotient Calculations[b] — Consumption Rate: 18 g/day — CDI mg/kg-day	Noncancer Hazard Quotient	Noncancer Hazard Quotient Calculations[b] — Consumption Rate: 3.3 g/day — CDI mg/kg-day	Noncancer Hazard Quotient
		Copper	1.1E+01	mg/kg	--	1.2E-03	--	2.2E-04	--	4.0E-02	2.9E-03	0.07	5.2E-04	0.01
		Mercury	8.0E-03	mg/kg	--	8.8E-07	--	1.6E-07	--	1.0E-04	2.1E-06	0.02	3.8E-07	0.004
		Nickel	2.9E-01	mg/kg	--	3.2E-05	--	5.9E-06	--	2.0E-02	7.5E-05	0.004	1.4E-05	0.001
		Selenium	1.7E-01	mg/kg	--	1.9E-05	--	3.5E-06	--	5.0E-03	4.5E-05	0.009	8.2E-06	0.002
		Silver	5.2E-02	mg/kg	--	5.7E-06	--	1.1E-06	--	5.0E-03	1.3E-05	0.003	2.5E-06	0.0005
		Zinc	4.0E+01	mg/kg	--	4.4E-03	--	8.1E-04	--	3.0E-01	1.0E-02	0.03	1.9E-03	0.006
		Butyltins												
		Butyltin ion	4.5E+00	ug/kg	--	5.0E-07	--	9.1E-08	--	3.0E-04	1.2E-06	0.004	2.1E-07	0.001
		Dibutyltin ion	5.4E+00	ug/kg	--	6.0E-07	--	1.1E-07	--	3.0E-04	1.4E-06	0.005	2.5E-07	0.001
		Tributyltin ion	6.7E+00	ug/kg	--	7.4E-07	--	1.4E-07	--	3.0E-04	1.7E-06	0.006	3.2E-07	0.001
		PAHs												
		2-Methylnaphthalene	1.5E+00	ug/kg	--	1.7E-07	--	3.0E-08	--	4.0E-03	3.9E-07	0.0001	7.1E-08	0.00002
		Acenaphthene	1.3E+00	ug/kg	--	1.4E-07	--	2.6E-08	--	6.0E-02	3.3E-07	0.00001	6.1E-08	0.000001
		Acenaphthylene	2.0E+00	ug/kg	--	2.2E-07	--	4.0E-08	--	6.0E-02	5.1E-07	0.00001	9.4E-08	0.000002
		Anthracene	7.0E+00	ug/kg	--	7.7E-07	--	1.4E-07	--	3.0E-01	1.8E-06	0.00001	3.3E-07	0.000001
		Benzo(g,h,i)perylene	3.2E+00	ug/kg	--	3.5E-07	--	6.5E-08	--	3.0E-02	8.2E-07	0.00003	1.5E-07	0.00001
		Benzo(k)fluoranthene	5.4E+00	ug/kg	7.3E-02	6.0E-07	4.E-08	1.1E-07	8.E-09	--	1.4E-06	--	2.5E-07	--
		Chrysene	5.4E+01	ug/kg	7.3E-03	6.0E-06	4.E-08	1.1E-06	8.E-09	--	1.4E-05	--	2.5E-06	--
		Fluoranthene	8.3E+01	ug/kg	--	9.1E-06	--	1.7E-06	--	4.0E-02	2.1E-05	0.001	3.9E-06	0.0001
		Fluorene	2.4E+00	ug/kg	--	2.6E-07	--	4.8E-08	--	4.0E-02	6.2E-07	0.00002	1.1E-07	0.000003
		Indeno(1,2,3-cd)pyrene	2.0E+00	ug/kg	7.3E-01	2.2E-07	2.E-07	4.0E-08	3.E-08	--	5.1E-07	--	9.4E-08	--
		Phenanthrene	2.1E+01	ug/kg	--	2.3E-06	--	4.2E-07	--	3.0E-02	5.4E-06	0.0002	9.9E-07	0.00003
		Pyrene	1.0E+02	ug/kg	--	1.1E-05	--	2.0E-06	--	3.0E-02	2.6E-05	0.001	4.7E-06	0.0002
		Semivolatile Organic Compounds												
		Benzyl alcohol	1.1E+01	ug/kg	--	1.2E-06	--	2.2E-07	--	1.0E-01	2.8E-06	0.00003	5.2E-07	0.00001
		Hexachlorobenzene	6.3E-01	ug/kg	1.6E+00	6.9E-08	1.E-07	1.3E-08	2.E-08	8.0E-04	1.6E-07	0.0002	3.0E-08	0.00004
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	3.0E+05	pg/g	2.0E+00	3.3E-05	7.E-05	6.0E-06	1.E-05	2.0E-05	7.7E-05	4	1.4E-05	0.7
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	5.9E-01	pg/g	1.3E+05	6.5E-11	9.E-06	1.2E-11	2.E-06	1.0E-09	1.5E-10	0.2	2.8E-11	0.03
		Total PCB TEQ	3.3E+00	pg/g	1.3E+05	3.6E-10	5.E-05	6.6E-11	9.E-06	1.0E-09	8.4E-10	0.8	1.5E-10	0.2

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Cancer Risk — Consumption Rate: 18 g/day — LADI (mg/kg-day)	Cancer Risk — Consumption Rate: 18 g/day — Cancer Risk	Cancer Risk — Consumption Rate: 3.3 g/day — LADI (mg/kg-day)	Cancer Risk — Consumption Rate: 3.3 g/day — Cancer Risk	Oral RfD mg/kg-day	Noncancer — Consumption Rate: 18 g/day — CDI mg/kg-day	Noncancer — Consumption Rate: 18 g/day — Hazard Quotient	Noncancer — Consumption Rate: 3.3 g/day — CDI mg/kg-day	Noncancer — Consumption Rate: 3.3 g/day — Hazard Quotient
		Pesticides												
		Aldrin	2.2E-01	ug/kg	1.7E+01	2.5E-08	4.E-07	4.5E-09	8.E-08	3.0E-05	5.7E-08	0.002	1.1E-08	0.0004
		Dieldrin	9.4E-01	ug/kg	1.6E+01	1.0E-07	2.E-06	1.9E-08	3.E-07	5.0E-05	2.4E-07	0.005	4.4E-08	0.001
		Endrin	8.2E-03	ug/kg	--	9.0E-10	--	1.6E-10	--	3.0E-04	2.1E-09	0.00001	3.8E-10	0.000001
		gamma-Hexachlorocyclohexane	6.6E-02	ug/kg	1.1E+00	7.3E-09	8.E-09	1.3E-09	1.E-09	3.0E-04	1.7E-08	0.0001	3.1E-09	0.00001
		Heptachlor	1.2E-02	ug/kg	4.5E+00	1.3E-09	6.E-09	2.4E-10	1.E-09	5.0E-04	3.1E-09	0.00001	5.7E-10	0.000001
		Heptachlor epoxide	6.7E-02	ug/kg	9.1E+00	7.4E-09	7.E-08	1.3E-09	1.E-08	1.3E-05	1.7E-08	0.001	3.1E-09	0.0002
		Total Chlordanes	3.5E+00	ug/kg	3.5E-01	3.9E-07	1.E-07	7.1E-08	2.E-08	5.0E-04	9.0E-07	0.002	1.7E-07	0.0003
		Total DDD	1.2E+01	ug/kg	2.4E-01	1.3E-06	3.E-07	2.3E-07	6.E-08	5.0E-04	3.0E-06	0.006	5.5E-07	0.001
		Total DDE	1.5E+01	ug/kg	3.4E-01	1.6E-06	5.E-07	2.9E-07	1.E-07	5.0E-04	3.7E-06	0.007	6.9E-07	0.001
		Total DDT	2.2E+00	ug/kg	3.4E-01	2.5E-07	8.E-08	4.5E-08	2.E-08	5.0E-04	5.7E-07	0.001	1.0E-07	0.0002
		Total Endosulfan	1.1E+00	ug/kg	--	1.2E-07	--	2.3E-08	--	6.0E-03	2.9E-07	0.00005	5.3E-08	0.00001
	Exposure Point Total						2.E-04		3.E-05			5		1
UD	RM 2 West	**Metals**												
		Aluminum	6.5E+01	mg/kg	--	7.1E-03	--	1.3E-03	--	1.0E+00	1.7E-02	0.02	3.1E-03	0.003
		Arsenic, inorganic	1.0E-01	mg/kg	1.5E+00	1.1E-05	2.E-05	2.1E-06	3.E-06	3.0E-04	2.6E-05	0.09	4.9E-06	0.02
		Cadmium	1.0E-01	mg/kg	--	1.1E-05	--	2.1E-06	--	1.0E-03	2.7E-05	0.03	4.9E-06	0.005
		Chromium	6.2E-01	mg/kg	--	6.8E-05	--	1.3E-05	--	1.5E+00	1.6E-04	0.0001	2.9E-05	0.00002
		Copper	9.4E+00	mg/kg	--	1.0E-03	--	1.9E-04	--	4.0E-02	2.4E-03	0.06	4.4E-04	0.01
		Manganese	3.9E+00	mg/kg	--	4.3E-04	--	7.9E-05	--	1.4E-01	1.0E-03	0.007	1.8E-04	0.001
		Mercury	1.0E-02	mg/kg	--	1.1E-06	--	2.1E-07	--	1.0E-04	2.7E-06	0.03	4.9E-07	0.005
		Nickel	2.6E-01	mg/kg	--	2.8E-05	--	5.2E-06	--	2.0E-02	6.6E-05	0.003	1.2E-05	0.001
		Selenium	1.9E-01	mg/kg	--	2.1E-05	--	3.8E-06	--	5.0E-03	4.9E-05	0.01	9.0E-06	0.002
		Silver	5.0E-02	mg/kg	--	5.5E-06	--	1.0E-06	--	5.0E-03	1.3E-05	0.003	2.4E-06	0.0005
		Zinc	3.1E+01	mg/kg	--	3.4E-03	--	6.2E-04	--	3.0E-01	7.8E-03	0.03	1.4E-03	0.005
		Butyltins												
		Butyltin ion	1.4E+00	ug/kg	--	1.5E-07	--	2.8E-08	--	3.0E-04	3.6E-07	0.001	6.6E-08	0.0002
		Dibutyltin ion	3.7E+00	ug/kg	--	4.1E-07	--	7.5E-08	--	3.0E-04	9.5E-07	0.003	1.7E-07	0.001
		Tributyltin ion	4.7E+00	ug/kg	--	5.2E-07	--	9.5E-08	--	3.0E-04	1.2E-06	0.004	2.2E-07	0.001
		PAHs												
		1-Methylnaphthalene	1.2E+00	ug/kg	2.9E-02	1.3E-07	4.E-09	2.4E-08	7.E-10	7.0E-02	3.1E-07	0.000004	5.7E-08	0.000001
		2-Methylnaphthalene	1.8E+00	ug/kg	--	2.0E-07	--	3.6E-08	--	4.0E-03	4.6E-07	0.0001	8.5E-08	0.00002
		Acenaphthene	3.3E+00	ug/kg	--	3.6E-07	--	6.7E-08	--	6.0E-02	8.5E-07	0.00001	1.6E-07	0.000003
		Acenaphthylene	1.8E+00	ug/kg	--	2.0E-07	--	3.6E-08	--	6.0E-02	4.6E-07	0.00001	8.5E-08	0.000001
		Anthracene	1.7E+01	ug/kg	--	1.9E-06	--	3.4E-07	--	3.0E-01	4.4E-06	0.00001	8.0E-07	0.000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Benzo(a)anthracene	6.0E+01	ug/kg	7.3E-01	6.6E-06	5.E-06	1.2E-06	9.E-07	--	1.5E-05	--	2.8E-06	--
		Benzo(a)pyrene	1.3E+01	ug/kg	7.3E+00	1.4E-06	1.E-05	2.6E-07	2.E-06	--	3.3E-06	--	6.1E-07	--
		Benzo(b)fluoranthene	1.5E+01	ug/kg	7.3E-01	1.7E-06	1.E-06	3.0E-07	2.E-07	--	3.9E-06	--	7.1E-07	--
		Benzo(e)pyrene	3.5E+00	ug/kg	--	3.9E-07	--	7.1E-08	--	3.0E-02	9.0E-07	0.00003	1.7E-07	0.00001
		Benzo(g,h,i)perylene	6.1E+00	ug/kg	--	6.7E-07	--	1.2E-07	--	3.0E-02	1.6E-06	0.00005	2.9E-07	0.00001
		Benzo(k)fluoranthene	7.7E+00	ug/kg	7.3E-02	8.5E-07	6.E-08	1.6E-07	1.E-08	--	2.0E-06	--	3.6E-07	--
		Chrysene	6.1E+01	ug/kg	7.3E-03	6.7E-06	5.E-08	1.2E-06	9.E-09	--	1.6E-05	--	2.9E-06	--
		Dibenzothiophene	1.4E+00	ug/kg	--	1.5E-07	--	2.8E-08	--	4.0E-02	3.6E-07	0.000009	6.6E-08	0.000002
		Fluoranthene	1.5E+02	ug/kg	--	1.7E-05	--	3.0E-06	--	4.0E-02	3.9E-05	0.001	7.1E-06	0.0002
		Fluorene	3.9E+00	ug/kg	--	4.3E-07	--	7.9E-08	--	4.0E-02	1.0E-06	0.00003	1.8E-07	0.000005
		Indeno(1,2,3-cd)pyrene	3.9E+00	ug/kg	7.3E-01	4.3E-07	3.E-07	7.9E-08	6.E-08	--	1.0E-06	--	1.8E-07	--
		Perylene	6.0E-01	ug/kg	--	6.6E-08	--	1.2E-08	--	3.0E-02	1.5E-07	0.00001	2.8E-08	0.000001
		Phenanthrene	5.9E+01	ug/kg	--	6.5E-06	--	1.2E-06	--	3.0E-02	1.5E-05	0.001	2.8E-06	0.00009
		Pyrene	1.5E+02	ug/kg	--	1.7E-05	--	3.0E-06	--	3.0E-02	3.9E-05	0.001	7.1E-06	0.0002
		Semivolatile Organic Compounds												
		Benzoic acid	1.9E+03	ug/kg	--	2.1E-04	--	3.8E-05	--	4.0E+00	4.9E-04	0.0001	9.0E-05	0.00002
		Benzyl alcohol	1.2E+01	ug/kg	--	1.3E-06	--	2.4E-07	--	1.0E-01	3.1E-06	0.00003	5.7E-07	0.00001
		Dibenzofuran	1.1E+00	ug/kg	--	1.2E-07	--	2.2E-08	--	1.0E-03	2.8E-07	0.0003	5.2E-08	0.0001
		Hexachlorobenzene	6.1E-01	ug/kg	1.6E+00	6.7E-08	1.E-07	1.2E-08	2.E-08	8.0E-04	1.6E-07	0.0002	2.9E-08	0.00004
		Nitrobenzene	2.8E+02	ug/kg	--	3.1E-05	--	5.7E-06	--	2.0E-03	7.2E-05	0.04	1.3E-05	0.007
		Phenols												
		4-Nitrophenol	1.9E+01	ug/kg	--	2.1E-06	--	3.8E-07	--	5.0E-03	4.9E-06	0.001	9.0E-07	0.0002
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	7.8E+04	pg/g	2.0E+00	8.6E-06	2.E-05	1.6E-06	3.E-06	2.0E-05	2.0E-05	1	3.7E-06	0.2
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	5.6E-01	pg/g	1.3E+05	6.2E-11	8.E-06	1.1E-11	1.E-06	1.0E-09	1.4E-10	0.1	2.6E-11	0.03
		Total PCB TEQ	9.0E-01	pg/g	1.3E+05	9.9E-11	1.E-05	1.8E-11	2.E-06	1.0E-09	2.3E-10	0.2	4.2E-11	0.04
		Pesticides												
		Aldrin	2.9E-01	ug/kg	1.7E+01	3.2E-08	5.E-07	5.9E-09	1.E-07	3.0E-05	7.5E-08	0.002	1.4E-08	0.0005
		Dieldrin	6.5E-01	ug/kg	1.6E+01	7.2E-08	1.E-06	1.3E-08	2.E-07	5.0E-05	1.7E-07	0.003	3.1E-08	0.001
		Endrin	5.7E-03	ug/kg	--	6.3E-10	--	1.1E-10	--	3.0E-04	1.5E-09	0.000005	2.7E-10	0.000001
		gamma-Hexachlorocyclohexane	5.5E-02	ug/kg	1.1E+00	6.0E-09	7.E-09	1.1E-09	1.E-09	3.0E-04	1.4E-08	0.00005	2.6E-09	0.00001
		Heptachlor	7.3E-03	ug/kg	4.5E+00	8.0E-10	4.E-09	1.5E-10	7.E-10	5.0E-04	1.9E-09	0.000004	3.4E-10	0.000001
		Heptachlor epoxide	5.0E-02	ug/kg	9.1E+00	5.5E-09	5.E-08	1.0E-09	9.E-09	1.3E-05	1.3E-08	0.001	2.4E-09	0.0002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC		Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Cancer Risk Calculations[b]				Oral RfD mg/kg-day	Noncancer Hazard Quotient Calculations[b]			
						Consumption Rate: 18 g/day		Consumption Rate: 3.3 g/day			Consumption Rate: 18 g/day		Consumption Rate: 3.3 g/day	
			Value	Units		LADI (mg/kg-day)	Cancer Risk	LADI (mg/kg-day)	Cancer Risk		CDI mg/kg-day	Noncancer Hazard Quotient	CDI mg/kg-day	Noncancer Hazard Quotient
		Total Chlordanes	3.3E+00	ug/kg	3.5E-01	3.6E-07	1.E-07	6.6E-08	2.E-08	5.0E-04	8.4E-07	0.002	1.5E-07	0.0003
		Total DDD	1.2E+01	ug/kg	2.4E-01	1.3E-06	3.E-07	2.4E-07	6.E-08	5.0E-04	3.0E-06	0.006	5.6E-07	0.001
		Total DDE	1.6E+01	ug/kg	3.4E-01	1.8E-06	6.E-07	3.3E-07	1.E-07	5.0E-04	4.2E-06	0.008	7.7E-07	0.002
		Total DDT	1.9E+00	ug/kg	3.4E-01	2.1E-07	7.E-08	3.9E-08	1.E-08	5.0E-04	4.9E-07	0.001	9.0E-08	0.0002
		Total Endosulfan	7.2E-01	ug/kg	--	7.9E-08	--	1.4E-08	--	6.0E-03	1.8E-07	0.00003	3.4E-08	0.00001
	Exposure Point Total						8.E-05		1.E-05			2		0.3
UD	RM 3 East	**Metals**												
		Aluminum	8.0E+01	mg/kg	--	8.8E-03	--	1.6E-03	--	1.0E+00	2.1E-02	0.02	3.8E-03	0.004
		Antimony	2.8E-03	mg/kg	--	3.0E-07	--	5.6E-08	--	4.0E-04	7.1E-07	0.002	1.3E-07	0.0003
		Arsenic, inorganic	9.6E-02	mg/kg	1.5E+00	1.1E-05	2.E-05	1.9E-06	3.E-06	3.0E-04	2.5E-05	0.08	4.5E-06	0.02
		Cadmium	1.7E-01	mg/kg	--	1.9E-05	--	3.4E-06	--	1.0E-03	4.4E-05	0.04	8.0E-06	0.008
		Chromium	1.1E+00	mg/kg	--	1.2E-04	--	2.1E-05	--	1.5E-04	2.7E-04	0.0002	5.0E-05	0.00003
		Copper	1.0E+01	mg/kg	--	1.1E-03	--	2.1E-04	--	4.0E-02	2.7E-03	0.07	4.9E-04	0.01
		Mercury	8.0E-03	mg/kg	--	8.8E-07	--	1.6E-07	--	1.0E-04	2.1E-06	0.02	3.8E-07	0.004
		Nickel	3.1E-01	mg/kg	--	3.4E-05	--	6.3E-06	--	2.0E-02	8.0E-05	0.004	1.5E-05	0.001
		Selenium	1.2E-01	mg/kg	--	1.4E-05	--	2.5E-06	--	5.0E-03	3.2E-05	0.006	5.8E-06	0.001
		Silver	5.6E-02	mg/kg	--	6.1E-06	--	1.1E-06	--	5.0E-03	1.4E-05	0.003	2.6E-06	0.001
		Zinc	4.8E+01	mg/kg	--	5.3E-03	--	9.7E-04	--	3.0E-01	1.2E-02	0.04	2.3E-03	0.008
		Butyltins												
		Butyltin ion	3.7E+00	ug/kg	--	4.0E-07	--	7.4E-08	--	3.0E-04	9.4E-07	0.003	1.7E-07	0.001
		Dibutyltin ion	5.4E+01	ug/kg	--	6.0E-06	--	1.1E-06	--	3.0E-04	1.4E-05	0.05	2.5E-06	0.008
		Tributyltin ion	6.3E+01	ug/kg	--	6.9E-06	--	1.3E-06	--	3.0E-04	1.6E-05	0.05	3.0E-06	0.01
		PAHs												
		2-Methylnaphthalene	2.0E+00	ug/kg	--	2.2E-07	--	4.0E-08	--	4.0E-03	5.1E-07	0.0001	9.4E-08	0.00002
		Acenaphthene	1.7E+00	ug/kg	--	1.9E-07	--	3.4E-08	--	6.0E-02	4.4E-07	0.00001	8.0E-08	0.000001
		Acenaphthylene	1.8E+00	ug/kg	--	2.0E-07	--	3.6E-08	--	6.0E-02	4.6E-07	0.00001	8.5E-08	0.000001
		Anthracene	1.0E+01	ug/kg	--	1.1E-06	--	2.0E-07	--	3.0E-01	2.6E-06	0.00001	4.7E-07	0.000002
		Benzo(a)anthracene	6.7E+01	ug/kg	7.3E-01	7.4E-06	5.E-06	1.4E-06	1.E-06	--	1.7E-05	--	3.2E-06	--
		Benzo(a)pyrene	1.6E+01	ug/kg	7.3E+00	1.8E-06	1.E-05	3.2E-07	2.E-06	--	4.1E-06	--	7.5E-07	--
		Benzo(b)fluoranthene	3.9E+01	ug/kg	7.3E-01	4.2E-06	3.E-06	7.8E-07	6.E-07	--	9.9E-06	--	1.8E-06	--
		Benzo(g,h,i)perylene	9.6E+00	ug/kg	--	1.1E-06	--	1.9E-07	--	3.0E-02	2.5E-06	0.0001	4.5E-07	0.00002
		Benzo(k)fluoranthene	1.5E+01	ug/kg	7.3E-02	1.7E-06	1.E-07	3.0E-07	2.E-08	--	3.9E-06	--	7.1E-07	--
		Chrysene	1.1E+02	ug/kg	7.3E-03	1.2E-05	9.E-08	2.2E-06	2.E-08	--	2.8E-05	--	5.2E-06	--
		Dibenzo(a,h)anthracene	2.8E+00	ug/kg	7.3E+00	3.1E-07	2.E-06	5.7E-08	4.E-07	--	7.2E-07	--	1.3E-07	--
		Fluoranthene	9.3E+01	ug/kg	--	1.0E-05	--	1.9E-06	--	4.0E-02	2.4E-05	0.001	4.4E-06	0.0001
		Fluorene	4.7E+00	ug/kg	--	5.2E-07	--	9.5E-08	--	4.0E-02	1.2E-06	0.00003	2.2E-07	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Indeno(1,2,3-cd)pyrene	5.7E+00	ug/kg	7.3E-01	6.3E-07	5.E-07	1.2E-07	8.E-08	--	1.5E-06	--	2.7E-07	--
		Phenanthrene	3.0E+01	ug/kg	--	3.3E-06	--	6.1E-07	--	3.0E-02	7.7E-06	0.0003	1.4E-06	0.00005
		Pyrene	1.5E+02	ug/kg	--	1.6E-05	--	2.9E-06	--	3.0E-02	3.7E-05	0.001	6.8E-06	0.0002
		Semivolatile Organic Compounds												
		Benzyl alcohol	1.7E+01	ug/kg	--	1.9E-06	--	3.4E-07	--	1.0E-01	4.4E-06	0.00004	8.0E-07	0.00001
		Dibenzofuran	2.1E+00	ug/kg	--	2.3E-07	--	4.2E-08	--	1.0E-03	5.4E-07	0.001	9.9E-08	0.0001
		Hexachlorobenzene	5.6E-01	ug/kg	1.6E+00	6.2E-08	1.E-07	1.1E-08	2.E-08	8.0E-04	1.5E-07	0.0002	2.7E-08	0.00003
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	4.7E+05	pg/g	2.0E+00	5.1E-05	1.E-04	9.4E-06	2.E-05	2.0E-05	1.2E-04	6	2.2E-05	1
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	8.4E-01	pg/g	1.3E+05	9.2E-11	1.E-05	1.7E-11	2.E-06	1.0E-09	2.1E-10	0.2	3.9E-11	0.04
		Total PCB TEQ	5.4E+00	pg/g	1.3E+05	6.0E-10	8.E-05	1.1E-10	1.E-05	1.0E-09	1.4E-09	1	2.6E-10	0.3
		Pesticides												
		Aldrin	1.9E-01	ug/kg	1.7E+01	2.1E-08	4.E-07	3.8E-09	6.E-08	3.0E-05	4.8E-08	0.002	8.8E-09	0.0003
		alpha-Hexachlorocyclohexane	5.7E-03	ug/kg	6.3E+00	6.3E-10	4.E-09	1.1E-10	7.E-10	8.0E-03	1.5E-09	0.0000002	2.7E-10	0.00000003
		Dieldrin	8.9E-01	ug/kg	1.6E+01	9.9E-08	2.E-06	1.8E-08	3.E-07	5.0E-05	2.3E-07	0.005	4.2E-08	0.001
		Endrin	1.0E-02	ug/kg	--	1.1E-09	--	2.0E-10	--	3.0E-04	2.6E-09	0.00001	4.8E-10	0.000002
		Endrin ketone	3.0E-03	ug/kg	--	3.4E-10	--	6.1E-11	--	3.0E-04	7.8E-10	0.000003	1.4E-10	0.0000005
		gamma-Hexachlorocyclohexane	5.4E-02	ug/kg	1.1E+00	5.9E-09	6.E-09	1.1E-09	1.E-09	3.0E-04	1.4E-08	0.00005	2.5E-09	0.00001
		Heptachlor	2.0E-02	ug/kg	4.5E+00	2.1E-09	1.E-08	3.9E-10	2.E-09	5.0E-04	5.0E-09	0.00001	9.2E-10	0.000002
		Heptachlor epoxide	6.1E-02	ug/kg	9.1E+00	6.7E-09	6.E-08	1.2E-09	1.E-08	1.3E-05	1.6E-08	0.001	2.9E-09	0.0002
		Total Chlordanes	3.1E+00	ug/kg	3.5E-01	3.5E-07	1.E-07	6.4E-08	2.E-08	5.0E-04	8.1E-07	0.002	1.5E-07	0.0003
		Total DDD	1.1E+01	ug/kg	2.4E-01	1.3E-06	3.E-07	2.3E-07	6.E-08	5.0E-04	2.9E-06	0.006	5.4E-07	0.001
		Total DDE	1.2E+01	ug/kg	3.4E-01	1.4E-06	5.E-07	2.5E-07	8.E-08	5.0E-04	3.2E-06	0.006	5.8E-07	0.001
		Total DDT	3.4E+00	ug/kg	3.4E-01	3.7E-07	1.E-07	6.9E-08	2.E-08	5.0E-04	8.7E-07	0.002	1.6E-07	0.0003
		Total Endosulfan	9.3E-01	ug/kg	--	1.0E-07	--	1.9E-08	--	6.0E-03	2.4E-07	0.00004	4.4E-08	0.00001
	Exposure Point Total						2.E-04		4.E-05			8		1
UD	RM 3 West	**Metals**												
		Aluminum	2.0E+02	mg/kg	--	2.2E-02	--	4.0E-03	--	1.0E+00	5.1E-02	0.05	9.4E-03	0.009
		Arsenic, inorganic	8.9E-02	mg/kg	1.5E+00	9.8E-06	1.E-05	1.8E-06	3.E-06	3.0E-04	2.3E-05	0.08	4.2E-06	0.01
		Cadmium	6.1E-02	mg/kg	--	6.7E-06	--	1.2E-06	--	1.0E-03	1.6E-05	0.02	2.9E-06	0.003
		Chromium	6.0E-01	mg/kg	--	6.6E-05	--	1.2E-05	--	1.5E+00	1.5E-04	0.0001	2.8E-05	0.00002
		Copper	7.7E+00	mg/kg	--	8.5E-04	--	1.6E-04	--	4.0E-02	2.0E-03	0.05	3.6E-04	0.009

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Cancer Risk Calculations[b] Consumption Rate: 18 g/day LADI (mg/kg-day)	Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	Noncancer Hazard Quotient Calculations[b] Consumption Rate: 18 g/day CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Noncancer Hazard Quotient
		Manganese	7.8E+00	mg/kg	--	8.6E-04	--	1.6E-04	--	1.4E-01	2.0E-03	0.01	3.7E-04	0.003
		Mercury	1.6E-02	mg/kg	--	1.8E-06	--	3.3E-07	--	1.0E-04	4.2E-06	0.04	7.7E-07	0.008
		Nickel	2.5E-01	mg/kg	--	2.8E-05	--	5.1E-06	--	2.0E-02	6.5E-05	0.003	1.2E-05	0.001
		Selenium	2.2E-01	mg/kg	--	2.4E-05	--	4.4E-06	--	5.0E-03	5.7E-05	0.01	1.0E-05	0.002
		Silver	3.5E-02	mg/kg	--	3.9E-06	--	7.1E-07	--	5.0E-03	9.0E-06	0.002	1.7E-06	0.0003
		Zinc	3.3E+01	mg/kg	--	3.6E-03	--	6.7E-04	--	3.0E-01	8.5E-03	0.03	1.6E-03	0.005
		PAHs												
		1-Methylnaphthalene	1.5E+00	ug/kg	2.9E-02	1.7E-07	5.E-09	3.0E-08	9.E-10	7.0E-02	3.9E-07	0.00001	7.1E-08	0.000001
		2-Methylnaphthalene	2.0E+00	ug/kg	--	2.2E-07	--	4.0E-08	--	4.0E-03	5.1E-07	0.0001	9.4E-08	0.00002
		Acenaphthene	1.5E+00	ug/kg	--	1.7E-07	--	3.0E-08	--	6.0E-02	3.9E-07	0.00001	7.1E-08	0.000001
		Acenaphthylene	5.5E-01	ug/kg	--	6.1E-08	--	1.1E-08	--	6.0E-02	1.4E-07	0.000002	2.6E-08	0.0000004
		Anthracene	3.2E+00	ug/kg	--	3.5E-07	--	6.5E-08	--	3.0E-01	8.2E-07	0.000003	1.5E-07	0.000001
		Benzo(a)anthracene	1.1E+01	ug/kg	7.3E-01	1.2E-06	9.E-07	2.2E-07	2.E-07	--	2.8E-06	--	5.2E-07	--
		Benzo(a)pyrene	1.5E+00	ug/kg	7.3E+00	1.7E-07	1.E-06	3.0E-08	2.E-07	--	3.9E-07	--	7.1E-08	--
		Benzo(b)fluoranthene	2.5E+00	ug/kg	7.3E-01	2.8E-07	2.E-07	5.1E-08	4.E-08	--	6.4E-07	--	1.2E-07	--
		Benzo(e)pyrene	6.0E+00	ug/kg	--	6.6E-07	--	1.2E-07	--	3.0E-02	1.5E-06	0.0001	2.8E-07	0.00001
		Benzo(g,h,i)perylene	1.8E+00	ug/kg	--	2.0E-07	--	3.6E-08	--	3.0E-02	4.6E-07	0.00002	8.5E-08	0.000003
		Benzo(k)fluoranthene	9.6E-01	ug/kg	7.3E-02	1.1E-07	8.E-09	1.9E-08	1.E-09	--	2.5E-07	--	4.5E-08	--
		Chrysene	1.8E+01	ug/kg	7.3E-03	2.0E-06	1.E-08	3.6E-07	3.E-09	--	4.6E-06	--	8.5E-07	--
		Dibenzothiophene	1.3E+00	ug/kg	--	1.4E-07	--	2.6E-08	--	4.0E-02	3.3E-07	0.00001	6.1E-08	0.000002
		Fluoranthene	4.2E+01	ug/kg	--	4.6E-06	--	8.5E-07	--	4.0E-02	1.1E-05	0.0003	2.0E-06	0.00005
		Fluorene	2.5E+00	ug/kg	--	2.8E-07	--	5.1E-08	--	4.0E-02	6.4E-07	0.00002	1.2E-07	0.000003
		Indeno(1,2,3-cd)pyrene	9.0E-01	ug/kg	7.3E-01	9.9E-08	7.E-08	1.8E-08	1.E-08	--	2.3E-07	--	4.2E-08	--
		Perylene	5.9E-01	ug/kg	--	6.5E-08	--	1.2E-08	--	3.0E-02	1.5E-07	0.00001	2.8E-08	0.000001
		Phenanthrene	1.4E+01	ug/kg	--	1.5E-06	--	2.8E-07	--	3.0E-02	3.6E-06	0.0001	6.6E-07	0.00002
		Pyrene	4.7E+01	ug/kg	--	5.2E-06	--	9.5E-07	--	3.0E-02	1.2E-05	0.0004	2.2E-06	0.0001
		Phthalates												
		Bis(2-ethylhexyl) phthalate	9.9E+01	ug/kg	1.4E-02	1.1E-05	2.E-07	2.0E-06	3.E-08	2.0E-02	2.5E-05	0.001	4.7E-06	0.0002
		Semivolatile Organic Compounds												
		Benzoic acid	5.9E+03	ug/kg	--	6.5E-04	--	1.2E-04	--	4.0E+00	1.5E-03	0.0004	2.8E-04	0.0001
		Benzyl alcohol	2.9E+01	ug/kg	--	3.2E-06	--	5.9E-07	--	1.0E-01	7.5E-06	0.0001	1.4E-06	0.00001
		Bis(2-chloroethoxy) methane	4.6E+01	ug/kg	--	5.1E-06	--	9.3E-07	--	3.0E-03	1.2E-05	0.004	2.2E-06	0.001
		Dibenzofuran	1.0E+01	ug/kg	--	1.1E-07	--	2.0E-08	--	1.0E-03	2.6E-07	0.0003	4.7E-08	0.00005
		Hexachlorobenzene	7.9E-01	ug/kg	1.6E+00	8.7E-08	1.E-07	1.6E-08	3.E-08	8.0E-04	2.0E-07	0.0003	3.7E-08	0.00005
		Nitrobenzene	5.2E+02	ug/kg	--	5.7E-05	--	1.1E-05	--	2.0E-03	1.3E-04	0.07	2.5E-05	0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)^-1	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	9.4E+04	pg/g	2.0E+00	1.0E-05	2.E-05	1.9E-06	4.E-06	2.0E-05	2.4E-05	1	4.4E-06	0.2
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	8.6E-01	pg/g	1.3E+05	9.5E-11	1.E-05	1.7E-11	2.E-06	1.0E-09	2.2E-10	0.2	4.1E-11	0.04
		Total PCB TEQ	9.8E-01	pg/g	1.3E+05	1.1E-10	1.E-05	2.0E-11	3.E-06	1.0E-09	2.5E-10	0.3	4.6E-11	0.05
		Pesticides												
		Aldrin	3.8E-01	ug/kg	1.7E+01	4.2E-08	7.E-07	7.6E-09	1.E-07	3.0E-05	9.7E-08	0.003	1.8E-08	0.001
		Dieldrin	6.7E-01	ug/kg	1.6E+01	7.3E-08	1.E-06	1.3E-08	2.E-07	5.0E-05	1.7E-07	0.003	3.1E-08	0.001
		Total Chlordanes	3.8E+00	ug/kg	3.5E-01	4.1E-07	1.E-07	7.6E-08	3.E-08	5.0E-04	9.7E-07	0.002	1.8E-07	0.0004
		Total DDD	1.7E+01	ug/kg	2.4E-01	1.9E-06	5.E-07	3.5E-07	8.E-08	5.0E-04	4.5E-06	0.009	8.2E-07	0.002
		Total DDE	1.7E+01	ug/kg	3.4E-01	1.9E-06	6.E-07	3.5E-07	1.E-07	5.0E-04	4.4E-06	0.009	8.1E-07	0.002
		Total DDT	3.0E+00	ug/kg	3.4E-01	3.3E-07	1.E-07	6.1E-08	2.E-08	5.0E-04	7.7E-07	0.002	1.4E-07	0.0003
		Total Endosulfan	6.9E-01	ug/kg	--	7.6E-08	--	1.4E-08	--	6.0E-03	1.8E-07	0.00003	3.3E-08	0.00001
	Exposure Point Total						7.E-05		1.E-05			2		0.4
UD	RM 4 East	**Metals**												
		Aluminum	7.3E+01	mg/kg	--	8.1E-03	--	1.5E-03	--	1.0E+00	1.9E-02	0.02	3.5E-03	0.003
		Antimony	2.0E-03	mg/kg	--	2.2E-07	--	4.0E-08	--	4.0E-04	5.1E-07	0.001	9.4E-08	0.0002
		Arsenic, inorganic	9.5E-02	mg/kg	1.5E+00	1.0E-05	2.E-05	1.9E-06	3.E-06	3.0E-04	2.4E-05	0.08	4.5E-06	0.01
		Cadmium	1.5E-01	mg/kg	--	1.7E-05	--	3.1E-06	--	1.0E-03	4.0E-05	0.04	7.3E-06	0.007
		Chromium	7.3E-01	mg/kg	--	8.0E-05	--	1.5E-05	--	1.5E+00	1.9E-04	0.0001	3.4E-05	0.00002
		Copper	1.1E+01	mg/kg	--	1.2E-03	--	2.1E-04	--	4.0E-02	2.7E-03	0.07	5.0E-04	0.01
		Mercury	1.1E-02	mg/kg	--	1.2E-06	--	2.2E-07	--	1.0E-04	2.8E-06	0.03	5.2E-07	0.005
		Nickel	4.6E-01	mg/kg	--	5.1E-05	--	9.4E-06	--	2.0E-02	1.2E-04	0.006	2.2E-05	0.001
		Selenium	9.8E-02	mg/kg	--	1.1E-05	--	2.0E-06	--	5.0E-03	2.5E-05	0.005	4.6E-06	0.001
		Silver	5.8E-02	mg/kg	--	6.3E-06	--	1.2E-06	--	5.0E-03	1.5E-05	0.003	2.7E-06	0.001
		Zinc	3.4E+01	mg/kg	--	3.7E-03	--	6.8E-04	--	3.0E-01	8.6E-03	0.03	1.6E-03	0.005
		Butyltins												
		Butyltin ion	5.7E+00	ug/kg	--	6.3E-07	--	1.2E-07	--	3.0E-04	1.5E-06	0.005	2.7E-07	0.001
		Dibutyltin ion	5.9E+00	ug/kg	--	6.5E-07	--	1.2E-07	--	3.0E-04	1.5E-06	0.005	2.8E-07	0.001
		Tributyltin ion	8.7E+00	ug/kg	--	9.6E-07	--	1.8E-07	--	3.0E-04	2.2E-06	0.007	4.1E-07	0.001
		PAHs												
		2-Methylnaphthalene	1.8E+00	ug/kg	--	2.0E-07	--	3.6E-08	--	4.0E-03	4.6E-07	0.0001	8.5E-08	0.00002
		Acenaphthene	3.0E+00	ug/kg	--	3.3E-07	--	6.1E-08	--	6.0E-02	7.7E-07	0.00001	1.4E-07	0.000002
		Acenaphthylene	1.9E+00	ug/kg	--	2.1E-07	--	3.8E-08	--	6.0E-02	4.9E-07	0.00001	9.0E-08	0.000001
		Anthracene	8.9E+00	ug/kg	--	9.8E-07	--	1.8E-07	--	3.0E-01	2.3E-06	0.00001	4.2E-07	0.000001
		Benzo(a)anthracene	4.4E+01	ug/kg	7.3E-01	4.8E-06	4.E-06	8.9E-07	6.E-07	--	1.1E-05	--	2.1E-06	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)^-1	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Benzo(a)pyrene	9.8E+00	ug/kg	7.3E+00	1.1E-06	8.E-06	2.0E-07	1.E-06	--	2.5E-06	--	4.6E-07	--
		Benzo(b)fluoranthene	2.0E+01	ug/kg	7.3E-01	2.2E-06	2.E-06	4.0E-07	3.E-07	--	5.1E-06	--	9.4E-07	--
		Benzo(g,h,i)perylene	4.1E+00	ug/kg	--	4.5E-07	--	8.3E-08	--	3.0E-02	1.1E-06	0.00004	1.9E-07	0.00001
		Benzo(k)fluoranthene	8.7E+00	ug/kg	7.3E-02	9.6E-07	7.E-08	1.8E-07	1.E-08	--	2.2E-06	--	4.1E-07	--
		Chrysene	5.4E+01	ug/kg	7.3E-03	6.0E-06	4.E-08	1.1E-06	8.E-09	--	1.4E-05	--	2.5E-06	--
		Dibenzo(a,h)anthracene	1.3E+00	ug/kg	7.3E+00	1.4E-07	1.E-06	2.6E-08	2.E-07	--	3.3E-07	--	6.1E-08	--
		Fluoranthene	6.7E+01	ug/kg	--	7.4E-06	--	1.4E-06	--	4.0E-02	1.7E-05	0.0004	3.2E-06	0.0001
		Fluorene	2.4E+00	ug/kg	--	2.6E-07	--	4.8E-08	--	4.0E-02	6.2E-07	0.00002	1.1E-07	0.000003
		Indeno(1,2,3-cd)pyrene	3.3E+00	ug/kg	7.3E-01	3.6E-07	3.E-07	6.7E-08	5.E-08	--	8.5E-07	--	1.6E-07	--
		Phenanthrene	2.4E+01	ug/kg	--	2.6E-06	--	4.8E-07	--	3.0E-02	6.2E-06	0.0002	1.1E-06	0.00004
		Pyrene	6.9E+01	ug/kg	--	7.6E-06	--	1.4E-06	--	3.0E-02	1.8E-05	0.0006	3.3E-06	0.0001
		Semivolatile Organic Compounds												
		Benzyl alcohol	1.1E+01	ug/kg	--	1.2E-06	--	2.2E-07	--	1.0E-01	2.8E-06	0.00003	5.2E-07	0.00001
		Dibenzofuran	1.1E+00	ug/kg	--	1.2E-07	--	2.2E-08	--	1.0E-03	2.8E-07	0.0003	5.2E-08	0.0001
		Hexachlorobenzene	4.7E-01	ug/kg	1.6E+00	5.1E-08	8.E-08	9.4E-09	2.E-08	8.0E-04	1.2E-07	0.0001	2.2E-08	0.00003
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	1.0E+05	pg/g	2.0E+00	1.1E-05	2.E-05	2.1E-06	4.E-06	2.0E-05	2.6E-05	1	4.8E-06	0.2
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	3.3E+00	pg/g	1.3E+05	3.6E-10	5.E-05	6.7E-11	9.E-06	1.0E-09	8.5E-10	0.9	1.6E-10	0.2
		Total PCB TEQ	1.4E+00	pg/g	1.3E+05	1.5E-10	2.E-05	2.8E-11	4.E-06	1.0E-09	3.6E-10	0.4	6.6E-11	0.07
		Pesticides												
		Aldrin	1.7E-01	ug/kg	1.7E+01	1.9E-08	3.E-07	3.4E-09	6.E-08	3.0E-05	4.3E-08	0.001	8.0E-09	0.0003
		alpha-Hexachlorocyclohexane	6.1E-03	ug/kg	6.3E+00	6.7E-10	4.E-09	1.2E-10	8.E-10	8.0E-03	1.6E-09	0.0000002	2.9E-10	0.00000004
		Dieldrin	6.9E-01	ug/kg	1.6E+01	7.5E-08	1.E-06	1.4E-08	2.E-07	5.0E-05	1.8E-07	0.004	3.2E-08	0.001
		Endrin	6.9E-03	ug/kg	--	7.6E-10	--	1.4E-10	--	3.0E-04	1.8E-09	0.00001	3.3E-10	0.000001
		gamma-Hexachlorocyclohexane	6.4E-02	ug/kg	1.1E+00	7.1E-09	8.E-09	1.3E-09	1.E-09	3.0E-04	1.6E-08	0.0001	3.0E-09	0.00001
		Heptachlor epoxide	4.8E-02	ug/kg	9.1E+00	5.3E-09	5.E-08	9.8E-10	9.E-09	1.3E-05	1.2E-08	0.001	2.3E-09	0.0002
		Total Chlordanes	2.7E+00	ug/kg	3.5E-01	2.9E-07	1.E-07	5.4E-08	2.E-08	5.0E-04	6.9E-07	0.001	1.3E-07	0.0003
		Total DDD	7.4E+00	ug/kg	2.4E-01	8.1E-07	2.E-07	1.5E-07	4.E-08	5.0E-04	1.9E-06	0.004	3.5E-07	0.001
		Total DDE	9.7E+00	ug/kg	3.4E-01	1.1E-06	4.E-07	2.0E-07	7.E-08	5.0E-04	2.5E-06	0.005	4.6E-07	0.001
		Total DDT	2.2E+00	ug/kg	3.4E-01	2.4E-07	8.E-08	4.4E-08	2.E-08	5.0E-04	5.6E-07	0.001	1.0E-07	0.0002
		Total Endosulfan	8.0E-01	ug/kg	--	8.8E-08	--	1.6E-08	--	6.0E-03	2.0E-07	0.00003	3.7E-08	0.00001
	Exposure Point Total						1.E-04		2.E-05			3		0.5

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC		Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Cancer Risk Calculations[b]				Oral RfD mg/kg-day	Noncancer Hazard Quotient Calculations[b]			
						Consumption Rate: 18 g/day		Consumption Rate: 3.3 g/day			Consumption Rate: 18 g/day		Consumption Rate: 3.3 g/day	
			Value	Units		LADI (mg/kg-day)	Cancer Risk	LADI (mg/kg-day)	Cancer Risk		CDI mg/kg-day	Noncancer Hazard Quotient	CDI mg/kg-day	Noncancer Hazard Quotient
UD	RM 4 West	**Metals**												
		Aluminum	7.2E+01	mg/kg	--	8.0E-03	--	1.5E-03	--	1.0E+00	1.9E-02	0.02	3.4E-03	0.003
		Arsenic, inorganic	1.0E-01	mg/kg	1.5E+00	1.1E-05	2.E-05	2.1E-06	3.E-06	3.0E-04	2.6E-05	0.09	4.8E-06	0.02
		Cadmium	7.6E-02	mg/kg	--	8.4E-06	--	1.5E-06	--	1.0E-03	2.0E-05	0.02	3.6E-06	0.004
		Chromium	6.3E-01	mg/kg	--	6.9E-05	--	1.3E-05	--	1.5E+00	1.6E-04	0.0001	3.0E-05	0.00002
		Copper	9.5E+00	mg/kg	--	1.1E-03	--	1.9E-04	--	4.0E-02	2.5E-03	0.06	4.5E-04	0.01
		Manganese	5.3E+00	mg/kg	--	5.9E-04	--	1.1E-04	--	1.4E-01	1.4E-03	0.01	2.5E-04	0.002
		Mercury	1.3E-02	mg/kg	--	1.4E-06	--	2.5E-07	--	1.0E-04	3.2E-06	0.03	5.9E-07	0.006
		Nickel	2.9E-01	mg/kg	--	3.2E-05	--	5.9E-06	--	2.0E-02	7.6E-05	0.004	1.4E-05	0.001
		Selenium	1.8E-01	mg/kg	--	2.0E-05	--	3.6E-06	--	5.0E-03	4.6E-05	0.009	8.5E-06	0.002
		Silver	6.7E-02	mg/kg	--	7.3E-06	--	1.3E-06	--	5.0E-03	1.7E-05	0.003	3.1E-06	0.001
		Zinc	3.8E+01	mg/kg	--	4.2E-03	--	7.7E-04	--	3.0E-01	9.8E-03	0.03	1.8E-03	0.006
		Butyltins												
		Butyltin ion	1.3E+00	ug/kg	--	1.4E-07	--	2.6E-08	--	3.0E-04	3.3E-07	0.001	6.1E-08	0.0002
		Dibutyltin ion	2.4E+00	ug/kg	--	2.6E-07	--	4.8E-08	--	3.0E-04	6.2E-07	0.002	1.1E-07	0.0004
		Tributyltin ion	4.0E+00	ug/kg	--	4.4E-07	--	8.1E-08	--	3.0E-04	1.0E-06	0.003	1.9E-07	0.001
		PAHs												
		1-Methylnaphthalene	1.7E+00	ug/kg	2.9E-02	1.9E-07	5.E-09	3.4E-08	1.E-09	7.0E-02	4.4E-07	0.00001	8.0E-08	0.000001
		2-Methylnaphthalene	2.4E+00	ug/kg	--	2.6E-07	--	4.8E-08	--	4.0E-03	6.2E-07	0.0002	1.1E-07	0.00003
		Acenaphthene	4.6E+00	ug/kg	--	5.1E-07	--	9.3E-08	--	6.0E-02	1.2E-06	0.00002	2.2E-07	0.000004
		Acenaphthylene	3.8E+00	ug/kg	--	4.2E-07	--	7.7E-08	--	6.0E-02	9.8E-07	0.00002	1.8E-07	0.000003
		Anthracene	3.0E+01	ug/kg	--	3.3E-06	--	6.1E-07	--	3.0E-01	7.7E-06	0.00003	1.4E-06	0.000005
		Benzo(a)anthracene	1.5E+02	ug/kg	7.3E-01	1.7E-05	1.E-05	3.0E-06	2.E-06	--	3.9E-05	--	7.1E-06	--
		Benzo(a)pyrene	3.9E+01	ug/kg	7.3E+00	4.3E-06	3.E-05	7.9E-07	6.E-06	--	1.0E-05	--	1.8E-06	--
		Benzo(b)fluoranthene	4.3E+01	ug/kg	7.3E-01	4.7E-06	3.E-06	8.7E-07	6.E-07	--	1.1E-05	--	2.0E-06	--
		Benzo(e)pyrene	9.1E+00	ug/kg	--	1.0E-06	--	1.8E-07	--	3.0E-02	2.3E-06	0.00008	4.3E-07	0.00001
		Benzo(g,h,i)perylene	1.6E+01	ug/kg	--	1.8E-06	--	3.2E-07	--	3.0E-02	4.1E-06	0.0001	7.5E-07	0.00003
		Benzo(k)fluoranthene	2.8E+01	ug/kg	7.3E-02	3.1E-06	2.E-07	5.7E-07	4.E-08	--	7.2E-06	--	1.3E-06	--
		Chrysene	1.5E+02	ug/kg	7.3E-03	1.7E-05	1.E-07	3.0E-06	2.E-08	--	3.9E-05	--	7.1E-06	--
		Dibenzo(a,h)anthracene	3.8E+00	ug/kg	7.3E+00	4.2E-07	3.E-06	7.7E-08	6.E-07	--	9.8E-07	--	1.8E-07	--
		Dibenzothiophene	3.2E+00	ug/kg	--	3.5E-07	--	6.5E-08	--	4.0E-02	8.2E-07	0.00002	1.5E-07	0.000004
		Fluoranthene	2.2E+02	ug/kg	--	2.4E-05	--	4.4E-06	--	4.0E-02	5.7E-05	0.001	1.0E-05	0.0003
		Fluorene	9.2E+00	ug/kg	--	1.0E-06	--	1.9E-07	--	4.0E-02	2.4E-06	0.0001	4.3E-07	0.00001
		Indeno(1,2,3-cd)pyrene	9.6E+00	ug/kg	7.3E-01	1.1E-06	8.E-07	1.9E-07	1.E-07	--	2.5E-06	--	4.5E-07	--
		Perylene	1.3E+00	ug/kg	--	1.4E-07	--	2.6E-08	--	3.0E-02	3.3E-07	0.00001	6.1E-08	0.000002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Cancer Risk Calculations[b] Consumption Rate: 18 g/day LADI (mg/kg-day)	Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	Noncancer Hazard Quotient Calculations[b] Consumption Rate: 18 g/day CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Noncancer Hazard Quotient
		Phenanthrene	6.6E+01	ug/kg	--	7.3E-06	--	1.3E-06	--	3.0E-02	1.7E-05	0.001	3.1E-06	0.0001
		Pyrene	2.4E+02	ug/kg	--	2.6E-05	--	4.8E-06	--	3.0E-02	6.2E-05	0.002	1.1E-05	0.0004
		Phthalates												
		Bis(2-ethylhexyl) phthalate	8.5E+01	ug/kg	1.4E-02	9.4E-06	1.E-07	1.7E-06	2.E-08	2.0E-02	2.2E-05	0.001	4.0E-06	0.0002
		Semivolatile Organic Compounds												
		Benzoic acid	3.7E+03	ug/kg	--	4.1E-04	--	7.5E-05	--	4.0E+00	9.5E-04	0.0002	1.7E-04	0.00004
		Benzyl alcohol	1.1E+02	ug/kg	--	1.2E-05	--	2.2E-06	--	1.0E-01	2.8E-05	0.0003	5.2E-06	0.0001
		Dibenzofuran	1.2E+00	ug/kg	--	1.3E-07	--	2.4E-08	--	1.0E-03	3.1E-07	0.0003	5.7E-08	0.0001
		Hexachlorobenzene	6.4E-01	ug/kg	1.6E+00	7.1E-08	1.E-07	1.3E-08	2.E-08	8.0E-04	1.6E-07	0.0002	3.0E-08	0.00004
		Nitrobenzene	1.9E+02	ug/kg	--	2.1E-05	--	3.8E-06	--	2.0E-03	4.9E-05	0.024	9.0E-06	0.004
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	1.2E+05	pg/g	2.0E+00	1.3E-05	3.E-05	2.4E-06	5.E-06	2.0E-05	3.1E-05	2	5.6E-06	0.3
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	9.5E-01	pg/g	1.3E+05	1.0E-10	1.E-05	1.9E-11	2.E-06	1.0E-09	2.4E-10	0.2	4.5E-11	0.04
		Total PCB TEQ	1.6E+00	pg/g	1.3E+05	1.7E-10	2.E-05	3.2E-11	4.E-06	1.0E-09	4.0E-10	0.4	7.4E-11	0.07
		Pesticides												
		Aldrin	2.5E-01	ug/kg	1.7E+01	2.8E-08	5.E-07	5.1E-09	9.E-08	3.0E-05	6.4E-08	0.002	1.2E-08	0.0004
		alpha-Hexachlorocyclohexane	1.4E-02	ug/kg	6.3E+00	1.5E-09	9.E-09	2.7E-10	2.E-09	8.0E-03	3.5E-09	0.0000004	6.4E-10	0.0000001
		Dieldrin	9.4E-01	ug/kg	1.6E+01	1.0E-07	2.E-06	1.9E-08	3.E-07	5.0E-05	2.4E-07	0.005	4.4E-08	0.001
		Endrin	1.7E-02	ug/kg	--	1.9E-09	--	3.4E-10	--	3.0E-04	4.4E-09	0.00001	8.0E-10	0.000003
		gamma-Hexachlorocyclohexane	6.8E-02	ug/kg	1.1E+00	7.4E-09	8.E-09	1.4E-09	2.E-09	3.0E-04	1.7E-08	0.0001	3.2E-09	0.00001
		Heptachlor	1.4E-02	ug/kg	4.5E+00	1.5E-09	7.E-09	2.8E-10	1.E-09	5.0E-04	3.6E-09	0.00001	6.6E-10	0.000001
		Heptachlor epoxide	6.7E-02	ug/kg	9.1E+00	7.4E-09	7.E-08	1.4E-09	1.E-08	1.3E-05	1.7E-08	0.001	3.2E-09	0.0002
		Methoxychlor	3.2E-01	ug/kg	--	3.6E-08	--	6.5E-09	--	5.0E-03	8.3E-08	0.000	1.5E-08	0.000003
		Total Chlordanes	3.4E+00	ug/kg	3.5E-01	3.8E-07	1.E-07	6.9E-08	2.E-08	5.0E-04	8.8E-07	0.002	1.6E-07	0.0003
		Total DDD	1.8E+01	ug/kg	2.4E-01	1.9E-06	5.E-07	3.5E-07	9.E-08	5.0E-04	4.5E-06	0.009	8.3E-07	0.002
		Total DDE	1.5E+01	ug/kg	3.4E-01	1.7E-06	6.E-07	3.1E-07	1.E-07	5.0E-04	3.9E-06	0.008	7.2E-07	0.001
		Total DDT	4.1E+00	ug/kg	3.4E-01	4.6E-07	2.E-07	8.3E-08	3.E-08	5.0E-04	1.1E-06	0.002	1.9E-07	0.0004
		Total Endosulfan	1.2E+00	ug/kg	--	1.3E-07	--	2.4E-08	--	6.0E-03	3.0E-07	0.00005	5.6E-08	0.00001
	Exposure Point Total						1.E-04		2.E-05			3		0.5
UD	RM 5 East	**Metals**												
		Aluminum	1.2E+02	mg/kg	--	1.3E-02	--	2.4E-03	--	1.0E+00	3.1E-02	0.03	5.6E-03	0.006
		Arsenic, inorganic	8.3E-02	mg/kg	1.5E+00	9.1E-06	1.E-05	1.7E-06	3.E-06	3.0E-04	2.1E-05	0.07	3.9E-06	0.01
		Cadmium	6.9E-02	mg/kg	--	7.5E-06	--	1.4E-06	--	1.0E-03	1.8E-05	0.02	3.2E-06	0.003
		Chromium	5.1E-01	mg/kg	--	5.6E-05	--	1.0E-05	--	1.5E+00	1.3E-04	0.0001	2.4E-05	0.00002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Copper	9.1E+00	mg/kg	--	1.0E-03	--	1.8E-04	--	4.0E-02	2.4E-03	0.06	4.3E-04	0.01
		Manganese	6.6E+00	mg/kg	--	7.3E-04	--	1.3E-04	--	1.4E-01	1.7E-03	0.01	3.1E-04	0.002
		Mercury	1.9E-02	mg/kg	--	2.1E-06	--	3.8E-07	--	1.0E-04	4.8E-06	0.05	8.9E-07	0.009
		Nickel	3.6E-01	mg/kg	--	3.9E-05	--	7.2E-06	--	2.0E-02	9.2E-05	0.005	1.7E-05	0.001
		Selenium	1.7E-01	mg/kg	--	1.9E-05	--	3.4E-06	--	5.0E-03	4.4E-05	0.009	8.0E-06	0.002
		Silver	6.2E-02	mg/kg	--	6.9E-06	--	1.3E-06	--	5.0E-03	1.6E-05	0.003	2.9E-06	0.001
		Zinc	3.2E+01	mg/kg	--	3.5E-03	--	6.4E-04	--	3.0E-01	8.2E-03	0.03	1.5E-03	0.005
		Butyltins												
		Butyltin ion	2.4E+00	ug/kg	--	2.6E-07	--	4.8E-08	--	3.0E-04	6.2E-07	0.002	1.1E-07	0.0004
		Dibutyltin ion	3.6E+00	ug/kg	--	4.0E-07	--	7.3E-08	--	3.0E-04	9.3E-07	0.003	1.7E-07	0.001
		Tributyltin ion	8.9E+00	ug/kg	--	9.8E-07	--	1.8E-07	--	3.0E-04	2.3E-06	0.008	4.2E-07	0.001
		PAHs												
		1-Methylnaphthalene	1.2E+00	ug/kg	2.9E-02	1.3E-07	4.E-09	2.4E-08	7.E-10	7.0E-02	3.1E-07	0.000004	5.7E-08	0.000001
		2-Methylnaphthalene	2.3E+00	ug/kg	--	2.5E-07	--	4.6E-08	--	4.0E-03	5.9E-07	0.0001	1.1E-07	0.00003
		Acenaphthene	1.3E+00	ug/kg	--	1.4E-07	--	2.6E-08	--	6.0E-02	3.3E-07	0.00001	6.1E-08	0.000001
		Acenaphthylene	1.4E+00	ug/kg	--	1.5E-07	--	2.8E-08	--	6.0E-02	3.6E-07	0.00001	6.6E-08	0.000001
		Anthracene	5.6E+00	ug/kg	--	6.2E-07	--	1.1E-07	--	3.0E-01	1.4E-06	0.000005	2.6E-07	0.000001
		Benzo(a)anthracene	2.2E+01	ug/kg	7.3E-01	2.4E-06	2.E-06	4.4E-07	3.E-07	--	5.7E-06	--	1.0E-06	--
		Benzo(a)pyrene	4.6E+00	ug/kg	7.3E+00	5.1E-07	4.E-06	9.3E-08	7.E-07	--	1.2E-06	--	2.2E-07	--
		Benzo(b)fluoranthene	4.7E+00	ug/kg	7.3E-01	5.2E-07	4.E-07	9.5E-08	7.E-08	--	1.2E-06	--	2.2E-07	--
		Benzo(e)pyrene	3.1E+00	ug/kg	--	3.4E-07	--	6.3E-08	--	3.0E-02	8.0E-07	0.00003	1.5E-07	0.000005
		Benzo(g,h,i)perylene	1.6E+00	ug/kg	--	1.8E-07	--	3.2E-08	--	3.0E-02	4.1E-07	0.00001	7.5E-08	0.000003
		Benzo(k)fluoranthene	3.3E+00	ug/kg	7.3E-02	3.6E-07	3.E-08	6.7E-08	5.E-09	--	8.5E-07	--	1.6E-07	--
		Chrysene	2.4E+01	ug/kg	7.3E-03	2.6E-06	2.E-08	4.8E-07	4.E-09	--	6.2E-06	--	1.1E-06	--
		Dibenzo(a,h)anthracene	5.0E-01	ug/kg	7.3E+00	5.5E-08	4.E-07	1.0E-08	7.E-08	--	1.3E-07	--	2.4E-08	--
		Fluoranthene	3.7E+01	ug/kg	--	4.1E-06	--	7.5E-07	--	4.0E-02	9.5E-06	0.0002	1.7E-06	0.00004
		Fluorene	3.0E+00	ug/kg	--	3.3E-07	--	6.1E-08	--	4.0E-02	7.7E-07	0.00002	1.4E-07	0.000004
		Indeno(1,2,3-cd)pyrene	9.5E-01	ug/kg	7.3E-01	1.0E-07	8.E-08	1.9E-08	1.E-08	--	2.4E-07	--	4.5E-08	--
		Perylene	2.6E-01	ug/kg	--	2.9E-08	--	5.3E-09	--	3.0E-02	6.7E-08	0.000002	1.2E-08	0.0000004
		Phenanthrene	1.6E+01	ug/kg	--	1.8E-06	--	3.2E-07	--	3.0E-02	4.1E-06	0.0001	7.5E-07	0.00003
		Pyrene	3.6E+01	ug/kg	--	4.0E-06	--	7.3E-07	--	3.0E-02	9.3E-06	0.0003	1.7E-06	0.00006
		Phthalates												
		Bis(2-ethylhexyl) phthalate	7.7E+01	ug/kg	1.4E-02	8.5E-06	1.E-07	1.6E-06	2.E-08	2.0E-02	2.0E-05	0.001	3.6E-06	0.0002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Cancer Risk Calculations[b] Consumption Rate: 18 g/day LADI (mg/kg-day)	Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	Noncancer Hazard Quotient Calculations[b] Consumption Rate: 18 g/day CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Noncancer Hazard Quotient
		Semivolatile Organic Compounds												
		Benzoic acid	3.9E+03	ug/kg	--	4.3E-04	--	7.9E-05	--	4.0E+00	1.0E-03	0.0003	1.8E-04	0.00005
		Benzyl alcohol	7.2E+01	ug/kg	--	7.9E-06	--	1.5E-06	--	1.0E-01	1.9E-05	0.0002	3.4E-06	0.00003
		Dibenzofuran	1.4E+00	ug/kg	--	1.5E-07	--	2.8E-08	--	1.0E-03	3.6E-07	0.0004	6.6E-08	0.00007
		Hexachlorobenzene	7.4E-01	ug/kg	1.6E+00	8.1E-08	1.E-07	1.5E-08	2.E-08	8.0E-04	1.9E-07	0.0002	3.5E-08	0.00004
		Hexachlorobutadiene	5.3E-03	ug/kg	7.8E-02	5.8E-10	5.E-11	1.1E-10	8.E-12	1.0E-03	1.4E-09	0.000	2.5E-10	0.000
		Nitrobenzene	4.1E+02	ug/kg	--	4.5E-05	--	8.3E-06	--	2.0E-03	1.1E-04	0.1	1.9E-05	0.01
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	1.5E+05	pg/g	2.0E+00	1.6E-05	3.E-05	2.9E-06	6.E-06	2.0E-05	3.7E-05	2	6.9E-06	0.3
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	6.1E-01	pg/g	1.3E+05	6.7E-11	9.E-06	1.2E-11	2.E-06	1.0E-09	1.6E-10	0.2	2.9E-11	0.03
		Total PCB TEQ	1.5E+00	pg/g	1.3E+05	1.6E-10	2.E-05	3.0E-11	4.E-06	1.0E-09	3.8E-10	0.4	7.0E-11	0.07
		Pesticides												
		Aldrin	3.8E-01	ug/kg	1.7E+01	4.2E-08	7.E-07	7.7E-09	1.E-07	3.0E-05	9.8E-08	0.003	1.8E-08	0.001
		Dieldrin	7.2E-01	ug/kg	1.6E+01	7.9E-08	1.E-06	1.4E-08	2.E-07	5.0E-05	1.8E-07	0.004	3.4E-08	0.001
		gamma-Hexachlorocyclohexane	3.8E-02	ug/kg	1.1E+00	4.2E-09	5.E-09	7.6E-10	8.E-10	3.0E-04	9.7E-09	0.00003	1.8E-09	0.00001
		Heptachlor	1.1E-02	ug/kg	4.5E+00	1.2E-09	5.E-09	2.1E-10	1.E-09	5.0E-04	2.7E-09	0.00001	5.0E-10	0.000001
		Heptachlor epoxide	5.1E-02	ug/kg	9.1E+00	5.6E-09	5.E-08	1.0E-09	9.E-09	1.3E-05	1.3E-08	0.001	2.4E-09	0.0002
		Total Chlordanes	4.6E+00	ug/kg	3.5E-01	5.0E-07	2.E-07	9.3E-08	3.E-08	5.0E-04	1.2E-06	0.002	2.2E-07	0.0004
		Total DDD	1.1E+01	ug/kg	2.4E-01	1.2E-06	3.E-07	2.3E-07	5.E-08	5.0E-04	2.9E-06	0.006	5.3E-07	0.001
		Total DDE	1.5E+01	ug/kg	3.4E-01	1.7E-06	6.E-07	3.1E-07	1.E-07	5.0E-04	4.0E-06	0.008	7.3E-07	0.001
		Total DDT	2.3E+00	ug/kg	3.4E-01	2.5E-07	9.E-08	4.6E-08	2.E-08	5.0E-04	5.8E-07	0.001	1.1E-07	0.0002
		Total Endosulfan	7.4E-01	ug/kg	--	8.2E-08	--	1.5E-08	--	6.0E-03	1.9E-07	0.00003	3.5E-08	0.00001
	Exposure Point Total						9.E-05		2.E-05			3		0.5
UD	RM 5 West	**Metals**												
		Aluminum	1.3E+02	mg/kg	--	1.4E-02	--	2.5E-03	--	1.0E+00	3.2E-02	0.03	5.9E-03	0.006
		Arsenic, inorganic	1.1E-01	mg/kg	1.5E+00	1.2E-05	2.E-05	2.2E-06	3.E-06	3.0E-04	2.8E-05	0.09	5.0E-06	0.02
		Cadmium	7.7E-02	mg/kg	--	8.5E-06	--	1.6E-06	--	1.0E-03	2.0E-05	0.02	3.6E-06	0.004
		Chromium	7.5E-01	mg/kg	--	8.3E-05	--	1.5E-05	--	1.5E+00	1.9E-04	0.0001	3.5E-05	0.00002
		Copper	1.2E+01	mg/kg	--	1.3E-03	--	2.3E-04	--	4.0E-02	3.0E-03	0.07	5.5E-04	0.01
		Manganese	7.4E+00	mg/kg	--	8.1E-04	--	1.5E-04	--	1.4E-01	1.9E-03	0.01	3.5E-04	0.002
		Mercury	2.6E-02	mg/kg	--	2.8E-06	--	5.2E-07	--	1.0E-04	6.6E-06	0.07	1.2E-06	0.01
		Nickel	3.1E-01	mg/kg	--	3.4E-05	--	6.2E-06	--	2.0E-02	7.9E-05	0.004	1.4E-05	0.001
		Selenium	1.9E-01	mg/kg	--	2.1E-05	--	3.8E-06	--	5.0E-03	4.9E-05	0.01	9.0E-06	0.002
		Silver	8.3E-02	mg/kg	--	9.2E-06	--	1.7E-06	--	5.0E-03	2.1E-05	0.004	3.9E-06	0.001
		Zinc	3.1E+01	mg/kg	--	3.4E-03	--	6.2E-04	--	3.0E-01	7.9E-03	0.03	1.5E-03	0.005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Butyltins												
		Butyltin ion	2.9E+00	ug/kg	--	3.2E-07	--	5.9E-08	--	3.0E-04	7.5E-07	0.002	1.4E-07	0.0005
		Dibutyltin ion	2.5E+00	ug/kg	--	2.8E-07	--	5.1E-08	--	3.0E-04	6.4E-07	0.002	1.2E-07	0.0004
		PAHs												
		1-Methylnaphthalene	1.7E+00	ug/kg	2.9E-02	1.9E-07	5.E-09	3.4E-08	1.E-09	7.0E-02	4.4E-07	0.00001	8.0E-08	0.000001
		2-Methylnaphthalene	2.3E+00	ug/kg	--	2.5E-07	--	4.6E-08	--	4.0E-03	5.9E-07	0.0001	1.1E-07	0.00003
		Acenaphthene	2.1E+01	ug/kg	--	2.3E-06	--	4.2E-07	--	6.0E-02	5.4E-06	0.0001	9.9E-07	0.00002
		Acenaphthylene	1.4E+01	ug/kg	--	1.5E-06	--	2.8E-07	--	6.0E-02	3.6E-06	0.0001	6.6E-07	0.00001
		Anthracene	6.5E+01	ug/kg	--	7.2E-06	--	1.3E-06	--	3.0E-01	1.7E-05	0.0001	3.1E-06	0.00001
		Benzo(a)anthracene	6.7E+02	ug/kg	7.3E-01	7.4E-05	5.E-05	1.4E-05	1.E-05	--	1.7E-04	--	3.2E-05	--
		Benzo(a)pyrene	4.6E+02	ug/kg	7.3E+00	5.1E-05	4.E-04	9.3E-06	7.E-05	--	1.2E-04	--	2.2E-05	--
		Benzo(b)fluoranthene	4.3E+02	ug/kg	7.3E-01	4.7E-05	3.E-05	8.7E-06	6.E-06	--	1.1E-04	--	2.0E-05	--
		Benzo(e)pyrene	1.1E+01	ug/kg	--	1.2E-06	--	2.2E-07	--	3.0E-02	2.8E-06	0.0001	5.2E-07	0.00002
		Benzo(g,h,i)perylene	2.3E+02	ug/kg	--	2.5E-05	--	4.6E-06	--	3.0E-02	5.9E-05	0.002	1.1E-05	0.0004
		Benzo(k)fluoranthene	2.8E+02	ug/kg	7.3E-02	3.1E-05	2.E-06	5.7E-06	4.E-07	--	7.2E-05	--	1.3E-05	--
		Chrysene	5.6E+02	ug/kg	7.3E-03	6.2E-05	5.E-07	1.1E-05	8.E-08	--	1.4E-04	--	2.6E-05	--
		Dibenzo(a,h)anthracene	3.7E+01	ug/kg	7.3E+00	4.1E-06	3.E-05	7.5E-07	5.E-06	--	9.5E-06	--	1.7E-06	--
		Dibenzothiophene	2.4E+00	ug/kg	--	2.6E-07	--	4.8E-08	--	4.0E-02	6.2E-07	0.00002	1.1E-07	0.000003
		Fluoranthene	7.7E+02	ug/kg	--	8.5E-05	--	1.6E-05	--	4.0E-02	2.0E-04	0.005	3.6E-05	0.001
		Fluorene	1.6E+01	ug/kg	--	1.8E-06	--	3.2E-07	--	4.0E-02	4.1E-06	0.0001	7.5E-07	0.00002
		Indeno(1,2,3-cd)pyrene	1.6E+02	ug/kg	7.3E-01	1.8E-05	1.E-05	3.2E-06	2.E-06	--	4.1E-05	--	7.5E-06	--
		Naphthalene	3.0E+00	ug/kg	--	3.3E-07	--	6.1E-08	--	2.0E-02	7.7E-07	0.00004	1.4E-07	0.00001
		Perylene	1.0E+00	ug/kg	--	1.1E-07	--	2.0E-08	--	3.0E-02	2.6E-07	0.00001	4.7E-08	0.000002
		Phenanthrene	1.9E+02	ug/kg	--	2.1E-05	--	3.8E-06	--	3.0E-02	4.9E-05	0.002	9.0E-06	0.0003
		Pyrene	8.5E+02	ug/kg	--	9.4E-05	--	1.7E-05	--	3.0E-02	2.2E-04	0.007	4.0E-05	0.001
		Phthalates												
		Bis(2-ethylhexyl) phthalate	1.5E+02	ug/kg	1.4E-02	1.7E-05	2.E-07	3.0E-06	4.E-08	2.0E-02	3.9E-05	0.002	7.1E-06	0.0004
		Semivolatile Organic Compounds												
		Benzoic acid	4.7E+03	ug/kg	--	5.2E-04	--	9.5E-05	--	4.0E+00	1.2E-03	0.0003	2.2E-04	0.0001
		Benzyl alcohol	9.4E+00	ug/kg	--	1.0E-06	--	1.9E-07	--	1.0E-01	2.4E-06	0.00002	4.4E-07	0.000004
		Dibenzofuran	1.3E+00	ug/kg	--	1.4E-07	--	2.6E-08	--	1.0E-03	3.3E-07	0.0003	6.1E-08	0.0001
		Hexachlorobenzene	6.8E-01	ug/kg	1.6E+00	7.5E-08	1.E-07	1.4E-08	2.E-08	8.0E-04	1.7E-07	0.0002	3.2E-08	0.00004
		Hexachlorobutadiene	2.5E-02	ug/kg	7.8E-02	2.8E-09	2.E-10	5.1E-10	4.E-11	1.0E-03	6.4E-09	0.00001	1.2E-09	0.000001
		Nitrobenzene	1.9E+02	ug/kg	--	2.1E-05	--	3.8E-06	--	2.0E-03	4.9E-05	0.02	9.0E-06	0.004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future

Receptor Population: Fisher

Population Age: Adult

Medium: Tissue

Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)

Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Cancer Risk Calculations[b] Consumption Rate: 18 g/day LADI (mg/kg-day)	Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	Noncancer Hazard Quotient Calculations[b] Consumption Rate: 18 g/day CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Noncancer Hazard Quotient
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	7.5E+04	pg/g	2.0E+00	8.3E-06	2.E-05	1.5E-06	3.E-06	2.0E-05	1.9E-05	1	3.5E-06	0.2
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	1.5E+00	pg/g	1.3E+05	1.6E-10	2.E-05	3.0E-11	4.E-06	1.0E-09	3.8E-10	0.4	7.0E-11	0.07
		Total PCB TEQ	9.6E-01	pg/g	1.3E+05	1.1E-10	1.E-05	1.9E-11	3.E-06	1.0E-09	2.5E-10	0.2	4.5E-11	0.05
		Pesticides												
		Aldrin	2.5E-01	ug/kg	1.7E+01	2.7E-08	5.E-07	5.0E-09	8.E-08	3.0E-05	6.3E-08	0.002	1.2E-08	0.0004
		Dieldrin	8.7E-01	ug/kg	1.6E+01	9.6E-08	2.E-06	1.8E-08	3.E-07	5.0E-05	2.2E-07	0.004	4.1E-08	0.001
		gamma-Hexachlorocyclohexane	6.5E-02	ug/kg	1.1E+00	7.1E-09	8.E-09	1.3E-09	1.E-09	3.0E-04	1.7E-08	0.0001	3.0E-09	0.00001
		Heptachlor	3.8E-02	ug/kg	4.5E+00	4.2E-09	2.E-08	7.6E-10	3.E-09	5.0E-04	9.7E-09	0.00002	1.8E-09	0.000004
		Heptachlor epoxide	6.1E-02	ug/kg	9.1E+00	6.7E-09	6.E-08	1.2E-09	1.E-08	1.3E-05	1.6E-08	0.001	2.9E-09	0.0002
		Total Chlordanes	3.3E+00	ug/kg	3.5E-01	3.6E-07	1.E-07	6.6E-08	2.E-08	5.0E-04	8.4E-07	0.002	1.5E-07	0.0003
		Total DDD	2.4E+01	ug/kg	2.4E-01	2.6E-06	6.E-07	4.8E-07	1.E-07	5.0E-04	6.1E-06	0.01	1.1E-06	0.002
		Total DDE	1.7E+01	ug/kg	3.4E-01	1.9E-06	7.E-07	3.5E-07	1.E-07	5.0E-04	4.5E-06	0.009	8.2E-07	0.002
		Total DDT	6.8E+00	ug/kg	3.4E-01	7.5E-07	3.E-07	1.4E-07	5.E-08	5.0E-04	1.8E-06	0.004	3.2E-07	0.001
		Total Endosulfan	8.9E-01	ug/kg	--	9.8E-08	--	1.8E-08	--	6.0E-03	2.3E-07	0.00004	4.2E-08	0.00001
	Exposure Point Total						6.E-04		1.E-04			2		0.4
UD	RM 6 East	**Metals**												
		Aluminum	9.7E+01	mg/kg	--	1.1E-02	--	2.0E-03	--	1.0E+00	2.5E-02	0.03	4.6E-03	0.005
		Antimony	1.0E-03	mg/kg	--	1.1E-07	--	2.0E-08	--	4.0E-04	2.6E-07	0.001	4.7E-08	0.0001
		Arsenic, inorganic	9.7E-02	mg/kg	1.5E+00	1.1E-05	2.E-05	1.9E-06	3.E-06	3.0E-04	2.5E-05	0.08	4.5E-06	0.02
		Cadmium	5.8E-02	mg/kg	--	6.4E-06	--	1.2E-06	--	1.0E-03	1.5E-05	0.01	2.7E-06	0.003
		Chromium	5.9E-01	mg/kg	--	6.5E-05	--	1.2E-05	--	1.5E+00	1.5E-04	0.0001	2.8E-05	0.00002
		Copper	1.1E+01	mg/kg	--	1.2E-03	--	2.2E-04	--	4.0E-02	2.8E-03	0.07	5.2E-04	0.01
		Manganese	4.2E+00	mg/kg	--	4.6E-04	--	8.4E-05	--	1.4E-01	1.1E-03	0.008	2.0E-04	0.001
		Mercury	1.2E-02	mg/kg	--	1.3E-06	--	2.4E-07	--	1.0E-04	3.1E-06	0.03	5.7E-07	0.006
		Nickel	3.0E-01	mg/kg	--	3.4E-05	--	6.1E-06	--	2.0E-02	7.8E-05	0.004	1.4E-05	0.001
		Selenium	1.2E-01	mg/kg	--	1.3E-05	--	2.4E-06	--	5.0E-03	3.1E-05	0.006	5.7E-06	0.001
		Silver	5.0E-02	mg/kg	--	5.5E-06	--	1.0E-06	--	5.0E-03	1.3E-05	0.003	2.3E-06	0.0005
		Zinc	2.7E+01	mg/kg	--	3.0E-03	--	5.4E-04	--	3.0E-01	6.9E-03	0.02	1.3E-03	0.004
		Butyltins												
		Butyltin ion	3.7E+00	ug/kg	--	4.1E-07	--	7.5E-08	--	3.0E-04	9.5E-07	0.003	1.7E-07	0.001
		Dibutyltin ion	7.9E+00	ug/kg	--	8.7E-07	--	1.6E-07	--	3.0E-04	2.0E-06	0.007	3.7E-07	0.001
		Tributyltin ion	7.6E+00	ug/kg	--	8.4E-07	--	1.5E-07	--	3.0E-04	2.0E-06	0.007	3.6E-07	0.001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		PAHs												
		2-Methylnaphthalene	1.8E+00	ug/kg	--	2.0E-07	--	3.6E-08	--	4.0E-03	4.6E-07	0.0001	8.5E-08	0.00002
		Acenaphthene	9.7E-01	ug/kg	--	1.1E-07	--	2.0E-08	--	6.0E-02	2.5E-07	0.000004	4.6E-08	0.000001
		Acenaphthylene	1.2E+00	ug/kg	--	1.3E-07	--	2.4E-08	--	6.0E-02	3.1E-07	0.00001	5.7E-08	0.000001
		Anthracene	5.5E+00	ug/kg	--	6.1E-07	--	1.1E-07	--	3.0E-01	1.4E-06	0.000005	2.6E-07	0.000001
		Benzo(a)anthracene	1.8E+01	ug/kg	7.3E-01	2.0E-06	1.E-06	3.6E-07	3.E-07	--	4.6E-06	--	8.5E-07	--
		Benzo(a)pyrene	3.8E+00	ug/kg	7.3E+00	4.2E-07	3.E-06	7.7E-08	6.E-07	--	9.8E-07	--	1.8E-07	--
		Benzo(b)fluoranthene	4.2E+00	ug/kg	7.3E-01	4.6E-07	3.E-07	8.5E-08	6.E-08	--	1.1E-06	--	2.0E-07	--
		Benzo(g,h,i)perylene	1.5E+00	ug/kg	--	1.7E-07	--	3.0E-08	--	3.0E-02	3.9E-07	0.00001	7.1E-08	0.000002
		Benzo(k)fluoranthene	2.8E+00	ug/kg	7.3E-02	3.1E-07	2.E-08	5.7E-08	4.E-09	--	7.2E-07	--	1.3E-07	--
		Chrysene	2.2E+01	ug/kg	7.3E-03	2.4E-06	2.E-08	4.4E-07	3.E-09	--	5.7E-06	--	1.0E-06	--
		Fluoranthene	4.2E+01	ug/kg	--	4.6E-06	--	8.5E-07	--	4.0E-02	1.1E-05	0.0003	2.0E-06	0.00005
		Fluorene	2.4E+00	ug/kg	--	2.6E-07	--	4.8E-08	--	4.0E-02	6.2E-07	0.0000	1.1E-07	0.000003
		Indeno(1,2,3-cd)pyrene	1.2E+00	ug/kg	7.3E-01	1.3E-07	1.E-07	2.4E-08	2.E-08	--	3.1E-07	--	5.7E-08	--
		Phenanthrene	1.6E+01	ug/kg	--	1.8E-06	--	3.2E-07	--	3.0E-02	4.1E-06	0.0001	7.5E-07	0.00003
		Pyrene	4.2E+01	ug/kg	--	4.6E-06	--	8.5E-07	--	3.0E-02	1.1E-05	0.0004	2.0E-06	0.0001
		Semivolatile Organic Compounds												
		Benzyl alcohol	2.7E+01	ug/kg	--	3.0E-06	--	5.5E-07	--	1.0E-01	6.9E-06	0.0001	1.3E-06	0.00001
		Dibenzofuran	1.1E+00	ug/kg	--	1.2E-07	--	2.2E-08	--	1.0E-03	2.8E-07	0.0003	5.2E-08	0.0001
		Hexachlorobenzene	5.5E-01	ug/kg	1.6E+00	6.0E-08	1.E-07	1.1E-08	2.E-08	8.0E-04	1.4E-07	0.0002	2.6E-08	0.00003
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	2.6E+06	pg/g	2.0E+00	2.9E-04	6.E-04	5.3E-05	1.E-04	2.0E-05	6.7E-04	30	1.2E-04	6
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	7.0E-01	pg/g	1.3E+05	7.8E-11	1.E-05	1.4E-11	2.E-06	1.0E-09	1.8E-10	0.2	3.3E-11	0.03
		Total PCB TEQ	8.6E+00	pg/g	1.3E+05	9.4E-10	1.E-04	1.7E-10	2.E-05	1.0E-09	2.2E-09	2	4.0E-10	0.4
		Pesticides												
		Aldrin	2.1E-01	ug/kg	1.7E+01	2.3E-08	4.E-07	4.2E-09	7.E-08	3.0E-05	5.3E-08	0.002	9.8E-09	0.0003
		alpha-Hexachlorocyclohexane	1.1E-02	ug/kg	6.3E+00	1.2E-09	7.E-09	2.2E-10	1.E-09	8.0E-03	2.8E-09	0.0000003	5.1E-10	0.0000001
		beta-Hexachlorocyclohexane	1.2E+00	ug/kg	1.8E+00	1.3E-07	2.E-07	2.4E-08	4.E-08	6.0E-04	3.1E-07	0.001	5.7E-08	0.0001
		Dieldrin	7.7E-01	ug/kg	1.6E+01	8.4E-08	1.E-06	1.5E-08	2.E-07	5.0E-05	2.0E-07	0.004	3.6E-08	0.001
		gamma-Hexachlorocyclohexane	7.1E-02	ug/kg	1.1E+00	7.8E-09	9.E-09	1.4E-09	2.E-09	3.0E-04	1.8E-08	0.0001	3.3E-09	0.00001
		Heptachlor	8.3E-03	ug/kg	4.5E+00	9.2E-10	4.E-09	1.7E-10	8.E-10	5.0E-04	2.1E-09	0.000004	3.9E-10	0.000001
		Heptachlor epoxide	2.1E+00	ug/kg	9.1E+00	2.3E-07	2.E-06	4.2E-08	4.E-07	1.3E-05	5.4E-07	0.04	9.9E-08	0.008

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Total Chlordanes	6.1E+00	ug/kg	3.5E-01	6.7E-07	2.E-07	1.2E-07	4.E-08	5.0E-04	1.6E-06	0.003	2.9E-07	0.001
		Total DDD	6.4E+00	ug/kg	2.4E-01	7.1E-07	2.E-07	1.3E-07	3.E-08	5.0E-04	1.7E-06	0.003	3.0E-07	0.001
		Total DDE	9.4E+00	ug/kg	3.4E-01	1.0E-06	4.E-07	1.9E-07	6.E-08	5.0E-04	2.4E-06	0.005	4.5E-07	0.001
		Total DDT	1.6E+00	ug/kg	3.4E-01	1.8E-07	6.E-08	3.2E-08	1.E-08	5.0E-04	4.1E-07	0.001	7.6E-08	0.0002
		Total Endosulfan	1.0E+00	ug/kg	--	1.1E-07	--	2.1E-08	--	6.0E-03	2.6E-07	0.00004	4.8E-08	0.00001
	Exposure Point Total						7.E-04		1.E-04			30		7
UD	RM 6 West	**Metals**												
		Aluminum	8.0E+01	mg/kg	--	8.8E-03	--	1.6E-03	--	1.0E+00	2.1E-02	0.02	3.8E-03	0.004
		Arsenic, inorganic	1.1E-01	mg/kg	1.5E+00	1.2E-05	2.E-05	2.1E-06	3.E-06	3.0E-04	2.7E-05	0.09	5.0E-06	0.02
		Cadmium	7.8E-02	mg/kg	--	8.5E-06	--	1.6E-06	--	1.0E-03	2.0E-05	0.02	3.7E-06	0.004
		Chromium	7.3E-01	mg/kg	--	8.0E-05	--	1.5E-05	--	1.5E+00	1.9E-04	0.0001	3.4E-05	0.00002
		Copper	1.2E+01	mg/kg	--	1.3E-03	--	2.3E-04	--	4.0E-02	3.0E-03	0.07	5.5E-04	0.01
		Mercury	1.3E-02	mg/kg	--	1.4E-06	--	2.6E-07	--	1.0E-04	3.3E-06	0.03	6.1E-07	0.006
		Nickel	4.4E-01	mg/kg	--	4.9E-05	--	8.9E-06	--	2.0E-02	1.1E-04	0.006	2.1E-05	0.001
		Selenium	1.4E-01	mg/kg	--	1.5E-05	--	2.8E-06	--	5.0E-03	3.6E-05	0.007	6.6E-06	0.001
		Silver	7.5E-02	mg/kg	--	8.3E-06	--	1.5E-06	--	5.0E-03	1.9E-05	0.004	3.5E-06	0.001
		Zinc	3.8E+01	mg/kg	--	4.2E-03	--	7.7E-04	--	3.0E-01	9.7E-03	0.03	1.8E-03	0.006
		Butyltins												
		Butyltin ion	3.5E+00	ug/kg	--	3.9E-07	--	7.1E-08	--	3.0E-04	9.0E-07	0.003	1.7E-07	0.001
		Dibutyltin ion	2.9E+00	ug/kg	--	3.2E-07	--	5.9E-08	--	3.0E-04	7.5E-07	0.002	1.4E-07	0.0005
		PAHs												
		2-Methylnaphthalene	2.0E+01	ug/kg	--	2.2E-06	--	4.0E-07	--	4.0E-03	5.1E-06	0.001	9.4E-07	0.0002
		Acenaphthene	6.1E+01	ug/kg	--	6.7E-06	--	1.2E-06	--	6.0E-02	1.6E-05	0.0003	2.9E-06	0.00005
		Acenaphthylene	1.4E+01	ug/kg	--	1.5E-06	--	2.8E-07	--	6.0E-02	3.6E-06	0.0001	6.6E-07	0.00001
		Anthracene	7.8E+01	ug/kg	--	8.6E-06	--	1.6E-06	--	3.0E-01	2.0E-05	0.0001	3.7E-06	0.00001
		Benzo(a)anthracene	6.3E+02	ug/kg	7.3E-01	6.9E-05	5.E-05	1.3E-05	9.E-06	--	1.6E-04	--	3.0E-05	--
		Benzo(a)pyrene	4.9E+02	ug/kg	7.3E+00	5.4E-05	4.E-04	9.9E-06	7.E-05	--	1.3E-04	--	2.3E-05	--
		Benzo(b)fluoranthene	4.6E+02	ug/kg	7.3E-01	5.1E-05	4.E-05	9.3E-06	7.E-06	--	1.2E-04	--	2.2E-05	--
		Benzo(g,h,i)perylene	2.3E+02	ug/kg	--	2.5E-05	--	4.6E-06	--	3.0E-02	5.9E-05	0.002	1.1E-05	0.0004
		Benzo(k)fluoranthene	3.1E+02	ug/kg	7.3E-02	3.4E-05	2.E-06	6.3E-06	5.E-07	--	8.0E-05	--	1.5E-05	--
		Chrysene	5.6E+02	ug/kg	7.3E-03	6.2E-05	5.E-07	1.1E-05	8.E-08	--	1.4E-04	--	2.6E-05	--
		Dibenzo(a,h)anthracene	4.3E+01	ug/kg	7.3E+00	4.7E-06	3.E-05	8.7E-07	6.E-06	--	1.1E-05	--	2.0E-06	--
		Fluoranthene	7.2E+02	ug/kg	--	7.9E-05	--	1.5E-05	--	4.0E-02	1.9E-04	0.005	3.4E-05	0.001
		Fluorene	3.6E+01	ug/kg	--	4.0E-06	--	7.3E-07	--	4.0E-02	9.3E-06	0.0002	1.7E-06	0.00004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Indeno(1,2,3-cd)pyrene	1.7E+02	ug/kg	7.3E-01	1.9E-05	1.E-05	3.4E-06	3.E-06	--	4.4E-05	--	8.0E-06	--
		Naphthalene	3.3E+01	ug/kg	--	3.6E-06	--	6.7E-07	--	2.0E-02	8.5E-06	0.0004	1.6E-06	0.0001
		Phenanthrene	3.0E+02	ug/kg	--	3.3E-05	--	6.1E-06	--	3.0E-02	7.7E-05	0.003	1.4E-05	0.0005
		Pyrene	8.2E+02	ug/kg	--	9.0E-05	--	1.7E-05	--	3.0E-02	2.1E-04	0.007	3.9E-05	0.001
		Semivolatile Organic Compounds												
		Benzyl alcohol	3.5E+01	ug/kg	--	3.9E-06	--	7.1E-07	--	1.0E-01	9.0E-06	0.0001	1.7E-06	0.00002
		Dibenzofuran	5.2E+00	ug/kg	--	5.7E-07	--	1.1E-07	--	1.0E-03	1.3E-06	0.001	2.5E-07	0.0002
		Hexachlorobenzene	1.1E+00	ug/kg	1.6E+00	1.2E-07	2.E-07	2.2E-08	3.E-08	8.0E-04	2.8E-07	0.000	5.0E-08	0.0001
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	1.0E+05	pg/g	2.0E+00	1.1E-05	2.E-05	2.1E-06	4.E-06	2.0E-05	2.7E-05	1	4.9E-06	0.2
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	4.0E+00	pg/g	1.3E+05	4.4E-10	6.E-05	8.1E-11	1.E-05	1.0E-09	1.0E-09	1	1.9E-10	0.2
		Total PCB TEQ	1.4E+00	pg/g	1.3E+05	1.6E-10	2.E-05	2.9E-11	4.E-06	1.0E-09	3.7E-10	0.4	6.8E-11	0.07
		Pesticides												
		Aldrin	3.6E-01	ug/kg	1.7E+01	4.0E-08	7.E-07	7.3E-09	1.E-07	3.0E-05	9.3E-08	0.003	1.7E-08	0.001
		alpha-Hexachlorocyclohexane	1.1E-02	ug/kg	6.3E+00	1.2E-09	7.E-09	2.1E-10	1.E-09	8.0E-03	2.7E-09	0.0000003	5.0E-10	0.0000001
		Dieldrin	1.3E+00	ug/kg	1.6E+01	1.4E-07	2.E-06	2.6E-08	4.E-07	5.0E-05	3.3E-07	0.007	6.1E-08	0.001
		Endrin	4.4E-02	ug/kg	--	4.8E-09	--	8.8E-10	--	3.0E-04	1.1E-08	0.00004	2.1E-09	0.00001
		Endrin ketone	8.6E-03	ug/kg	--	9.4E-10	--	1.7E-10	--	3.0E-04	2.2E-09	0.00001	4.0E-10	0.000001
		gamma-Hexachlorocyclohexane	8.4E-02	ug/kg	1.1E+00	9.2E-09	1.E-08	1.7E-09	2.E-09	3.0E-04	2.2E-08	0.0001	3.9E-09	0.00001
		Heptachlor	4.2E-01	ug/kg	4.5E+00	4.6E-08	2.E-07	8.5E-09	4.E-08	5.0E-04	1.1E-07	0.0002	2.0E-08	0.00004
		Heptachlor epoxide	1.1E-01	ug/kg	9.1E+00	1.2E-08	1.E-07	2.2E-09	2.E-08	1.3E-05	2.8E-08	0.002	5.2E-09	0.0004
		Methoxychlor	9.4E-02	ug/kg	--	1.0E-08	--	1.9E-09	--	5.0E-03	2.4E-08	0.000005	4.4E-09	0.000001
		Total Chlordanes	9.9E+00	ug/kg	3.5E-01	1.1E-06	4.E-07	2.0E-07	7.E-08	5.0E-04	2.5E-06	0.005	4.6E-07	0.001
		Total DDD	2.0E+02	ug/kg	2.4E-01	2.2E-05	5.E-06	4.0E-06	1.E-06	5.0E-04	5.0E-05	0.1	9.2E-06	0.02
		Total DDE	6.3E+01	ug/kg	3.4E-01	7.0E-06	2.E-06	1.3E-06	4.E-07	5.0E-04	1.6E-05	0.03	3.0E-06	0.006
		Total DDT	4.4E+01	ug/kg	3.4E-01	4.9E-06	2.E-06	9.0E-07	3.E-07	5.0E-04	1.1E-05	0.02	2.1E-06	0.004
		Total Endosulfan	1.4E+00	ug/kg	--	1.5E-07	--	2.7E-08	--	6.0E-03	3.5E-07	0.0001	6.4E-08	0.00001
	Exposure Point Total						7.E-04		1.E-04			3		0.6
UD	RM 7 East	**Metals**												
		Aluminum	1.1E+02	mg/kg	--	1.2E-02	--	2.2E-03	--	1.0E+00	2.8E-02	0.03	5.2E-03	0.005
		Arsenic, inorganic	9.1E-02	mg/kg	1.5E+00	1.0E-05	2.E-05	1.8E-06	3.E-06	3.0E-04	2.3E-05	0.08	4.3E-06	0.01
		Cadmium	7.5E-02	mg/kg	--	8.2E-06	--	1.5E-06	--	1.0E-03	1.9E-05	0.02	3.5E-06	0.004
		Chromium	9.0E-01	mg/kg	--	9.9E-05	--	1.8E-05	--	1.5E+00	2.3E-04	0.0002	4.2E-05	0.00003
		Copper	1.0E+01	mg/kg	--	1.1E-03	--	2.1E-04	--	4.0E-02	2.6E-03	0.07	4.9E-04	0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Mercury	1.1E-02	mg/kg	--	1.2E-06	--	2.2E-07	--	1.0E-04	2.8E-06	0.03	5.2E-07	0.005
		Nickel	4.4E-01	mg/kg	--	4.8E-05	--	8.8E-06	--	2.0E-02	1.1E-04	0.006	2.1E-05	0.001
		Selenium	1.4E-01	mg/kg	--	1.5E-05	--	2.8E-06	--	5.0E-03	3.6E-05	0.007	6.6E-06	0.001
		Silver	5.9E-02	mg/kg	--	6.5E-06	--	1.2E-06	--	5.0E-03	1.5E-05	0.003	2.8E-06	0.001
		Zinc	2.8E+01	mg/kg	--	3.1E-03	--	5.7E-04	--	3.0E-01	7.3E-03	0.02	1.3E-03	0.004
		Butyltins												
		Butyltin ion	8.4E+00	ug/kg	--	9.3E-07	--	1.7E-07	--	3.0E-04	2.2E-06	0.007	4.0E-07	0.001
		Dibutyltin ion	8.1E+00	ug/kg	--	8.9E-07	--	1.6E-07	--	3.0E-04	2.1E-06	0.007	3.8E-07	0.001
		Tributyltin ion	1.7E+01	ug/kg	--	1.9E-06	--	3.4E-07	--	3.0E-04	4.4E-06	0.01	8.0E-07	0.003
		PAHs												
		2-Methylnaphthalene	2.1E+00	ug/kg	--	2.3E-07	--	4.2E-08	--	4.0E-03	5.4E-07	0.0001	9.9E-08	0.00002
		Acenaphthene	1.7E+00	ug/kg	--	1.9E-07	--	3.4E-08	--	6.0E-02	4.4E-07	0.00001	8.0E-08	0.000001
		Acenaphthylene	7.9E-01	ug/kg	--	8.7E-08	--	1.6E-08	--	6.0E-02	2.0E-07	0.000003	3.7E-08	0.000001
		Anthracene	3.4E+00	ug/kg	--	3.7E-07	--	6.9E-08	--	3.0E-01	8.7E-07	0.000003	1.6E-07	0.000001
		Benzo(a)anthracene	1.2E+01	ug/kg	7.3E-01	1.3E-06	1.E-06	2.4E-07	2.E-07	--	3.1E-06	--	5.7E-07	--
		Benzo(a)pyrene	2.4E+00	ug/kg	7.3E+00	2.6E-07	2.E-06	4.8E-08	4.E-07	--	6.2E-07	--	1.1E-07	--
		Benzo(b)fluoranthene	3.6E+00	ug/kg	7.3E-01	4.0E-07	3.E-07	7.3E-08	5.E-08	--	9.3E-07	--	1.7E-07	--
		Benzo(g,h,i)perylene	1.2E+00	ug/kg	--	1.3E-07	--	2.4E-08	--	3.0E-02	3.1E-07	0.00001	5.7E-08	0.000002
		Benzo(k)fluoranthene	2.0E+00	ug/kg	7.3E-02	2.2E-07	2.E-08	4.0E-08	3.E-09	--	5.1E-07	--	9.4E-08	--
		Chrysene	1.9E+01	ug/kg	7.3E-03	2.1E-06	2.E-08	3.8E-07	3.E-09	--	4.9E-06	--	9.0E-07	--
		Fluoranthene	4.1E+01	ug/kg	--	4.5E-06	--	8.3E-07	--	4.0E-02	1.1E-05	0.0003	1.9E-06	0.00005
		Fluorene	2.9E+00	ug/kg	--	3.2E-07	--	5.9E-08	--	4.0E-02	7.5E-07	0.00002	1.4E-07	0.000003
		Phenanthrene	1.6E+01	ug/kg	--	1.8E-06	--	3.2E-07	--	3.0E-02	4.1E-06	0.0001	7.5E-07	0.00003
		Pyrene	3.3E+01	ug/kg	--	3.6E-06	--	6.7E-07	--	3.0E-02	8.5E-06	0.0003	1.6E-06	0.0001
		Semivolatile Organic Compounds												
		Benzyl alcohol	9.5E+01	ug/kg	--	1.0E-05	--	1.9E-06	--	1.0E-01	2.4E-05	0.0002	4.5E-06	0.00004
		Dibenzofuran	1.9E+00	ug/kg	--	2.1E-07	--	3.8E-08	--	1.0E-03	4.9E-07	0.0005	9.0E-08	0.0001
		Hexachlorobenzene	5.2E-01	ug/kg	1.6E+00	5.7E-08	9.E-08	1.0E-08	2.E-08	8.0E-04	1.3E-07	0.0002	2.4E-08	0.00003
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	9.2E+04	pg/g	2.0E+00	1.0E-05	2.E-05	1.9E-06	4.E-06	2.0E-05	2.4E-05	1	4.3E-06	0.2
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	1.0E+00	pg/g	1.3E+05	1.1E-10	1.E-05	2.1E-11	3.E-06	1.0E-09	2.7E-10	0.3	4.9E-11	0.05
		Total PCB TEQ	8.7E-01	pg/g	1.3E+05	9.6E-11	1.E-05	1.8E-11	2.E-06	1.0E-09	2.2E-10	0.2	4.1E-11	0.04

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Pesticides												
		Aldrin	1.9E-01	ug/kg	1.7E+01	2.1E-08	4.E-07	3.9E-09	7.E-08	3.0E-05	5.0E-08	0.002	9.1E-09	0.0003
		Dieldrin	7.3E-01	ug/kg	1.6E+01	8.1E-08	1.E-06	1.5E-08	2.E-07	5.0E-05	1.9E-07	0.004	3.5E-08	0.001
		Endrin ketone	2.4E-03	ug/kg	--	2.7E-10	--	4.9E-11	--	3.0E-04	6.2E-10	0.000002	1.1E-10	0.0000004
		gamma-Hexachlorocyclohexane	6.5E-02	ug/kg	1.1E+00	7.2E-09	8.E-09	1.3E-09	1.E-09	3.0E-04	1.7E-08	0.0001	3.1E-09	0.00001
		Heptachlor epoxide	5.2E-02	ug/kg	9.1E+00	5.8E-09	5.E-08	1.1E-09	1.E-08	1.3E-05	1.3E-08	0.001	2.5E-09	0.0002
		Total Chlordanes	2.9E+00	ug/kg	3.5E-01	3.2E-07	1.E-07	6.0E-08	2.E-08	5.0E-04	7.6E-07	0.002	1.4E-07	0.0003
		Total DDD	4.5E+00	ug/kg	2.4E-01	4.9E-07	1.E-07	9.0E-08	2.E-08	5.0E-04	1.1E-06	0.002	2.1E-07	0.0004
		Total DDE	8.5E+00	ug/kg	3.4E-01	9.4E-07	3.E-07	1.7E-07	6.E-08	5.0E-04	2.2E-06	0.004	4.0E-07	0.001
		Total DDT	1.3E+00	ug/kg	3.4E-01	1.4E-07	5.E-08	2.6E-08	9.E-09	5.0E-04	3.3E-07	0.001	6.1E-08	0.0001
		Total Endosulfan	9.5E-01	ug/kg	--	1.1E-07	--	1.9E-08	--	6.0E-03	2.5E-07	0.00004	4.5E-08	0.00001
	Exposure Point Total						7.E-05		1.E-05			2		0.4
UD	RM 7 West	**Metals**												
		Aluminum	1.7E+02	mg/kg	--	1.8E-02	--	3.4E-03	--	1.0E+00	4.3E-02	0.04	7.9E-03	0.008
		Antimony	2.0E-03	mg/kg	--	2.2E-07	--	4.0E-08	--	4.0E-04	5.1E-07	0.001	9.4E-08	0.0002
		Arsenic, inorganic	9.5E-02	mg/kg	1.5E+00	1.0E-05	2.E-05	1.9E-06	3.E-06	3.0E-04	2.4E-05	0.08	4.5E-06	0.01
		Cadmium	7.6E-02	mg/kg	--	8.4E-06	--	1.5E-06	--	1.0E-03	2.0E-05	0.02	3.6E-06	0.004
		Chromium	6.5E-01	mg/kg	--	7.2E-05	--	1.3E-05	--	1.5E+00	1.7E-04	0.0001	3.1E-05	0.00002
		Copper	9.5E+00	mg/kg	--	1.0E-03	--	1.9E-04	--	4.0E-02	2.4E-03	0.06	4.5E-04	0.01
		Manganese	7.6E+00	mg/kg	--	8.3E-04	--	1.5E-04	--	1.4E-01	1.9E-03	0.01	3.6E-04	0.003
		Mercury	1.1E-02	mg/kg	--	1.2E-06	--	2.2E-07	--	1.0E-04	2.8E-06	0.03	5.2E-07	0.005
		Nickel	3.4E-01	mg/kg	--	3.7E-05	--	6.8E-06	--	2.0E-02	8.6E-05	0.004	1.6E-05	0.001
		Selenium	1.7E-01	mg/kg	--	1.9E-05	--	3.4E-06	--	5.0E-03	4.3E-05	0.009	8.0E-06	0.002
		Silver	5.6E-02	mg/kg	--	6.1E-06	--	1.1E-06	--	5.0E-03	1.4E-05	0.003	2.6E-06	0.001
		Zinc	4.0E+01	mg/kg	--	4.4E-03	--	8.1E-04	--	3.0E-01	1.0E-02	0.03	1.9E-03	0.006
		Butyltins												
		Butyltin ion	2.9E+00	ug/kg	--	3.2E-07	--	5.9E-08	--	3.0E-04	7.5E-07	0.002	1.4E-07	0.000
		Dibutyltin ion	5.6E+00	ug/kg	--	6.2E-07	--	1.1E-07	--	3.0E-04	1.4E-06	0.005	2.6E-07	0.001
		Tributyltin ion	4.4E+00	ug/kg	--	4.8E-07	--	8.9E-08	--	3.0E-04	1.1E-06	0.004	2.1E-07	0.001
		PAHs												
		2-Methylnaphthalene	3.3E+00	ug/kg	--	3.6E-07	--	6.7E-08	--	4.0E-03	8.5E-07	0.0002	1.6E-07	0.00004
		Acenaphthene	4.7E+00	ug/kg	--	5.2E-07	--	9.5E-08	--	6.0E-02	1.2E-06	0.00002	2.2E-07	0.000004
		Acenaphthylene	2.4E+00	ug/kg	--	2.6E-07	--	4.8E-08	--	6.0E-02	6.2E-07	0.00001	1.1E-07	0.000002
		Anthracene	8.6E+00	ug/kg	--	9.5E-07	--	1.7E-07	--	3.0E-01	2.2E-06	0.00001	4.1E-07	0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Benzo(a)anthracene	8.2E+01	ug/kg	7.3E-01	9.0E-06	7.E-06	1.7E-06	1.E-06	--	2.1E-05	--	3.9E-06	--
		Benzo(a)pyrene	1.9E+01	ug/kg	7.3E+00	2.1E-06	2.E-05	3.8E-07	3.E-06	--	4.9E-06	--	9.0E-07	--
		Benzo(b)fluoranthene	3.0E+01	ug/kg	7.3E-01	3.3E-06	2.E-06	6.1E-07	4.E-07	--	7.7E-06	--	1.4E-06	--
		Benzo(g,h,i)perylene	7.3E+00	ug/kg	--	8.0E-07	--	1.5E-07	--	3.0E-02	1.9E-06	0.0001	3.4E-07	0.00001
		Benzo(k)fluoranthene	2.0E+01	ug/kg	7.3E-02	2.2E-06	2.E-07	4.0E-07	3.E-08	--	5.1E-06	--	9.4E-07	--
		Chrysene	6.6E+01	ug/kg	7.3E-03	7.3E-06	5.E-08	1.3E-06	1.E-08	--	1.7E-05	--	3.1E-06	--
		Fluoranthene	1.1E+02	ug/kg	--	1.2E-05	--	2.3E-06	--	4.0E-02	2.9E-05	0.001	5.3E-06	0.0001
		Fluorene	5.2E+00	ug/kg	--	5.7E-07	--	1.1E-07	--	4.0E-02	1.3E-06	0.00003	2.5E-07	0.00001
		Indeno(1,2,3-cd)pyrene	6.8E+00	ug/kg	7.3E-01	7.5E-07	5.E-07	1.4E-07	1.E-07	--	1.7E-06	--	3.2E-07	--
		Naphthalene	2.6E+00	ug/kg	--	2.9E-07	--	5.3E-08	--	2.0E-02	6.7E-07	0.00003	1.2E-07	0.00001
		Phenanthrene	3.6E+01	ug/kg	--	4.0E-06	--	7.3E-07	--	3.0E-02	9.3E-06	0.0003	1.7E-06	0.0001
		Pyrene	1.2E+02	ug/kg	--	1.3E-05	--	2.4E-06	--	3.0E-02	3.0E-05	0.001	5.6E-06	0.0002
		Semivolatile Organic Compounds												
		Benzyl alcohol	1.3E+03	ug/kg	--	1.4E-04	--	2.6E-05	--	1.0E-01	3.3E-04	0.003	6.1E-05	0.001
		Dibenzofuran	2.5E+00	ug/kg	--	2.8E-07	--	5.1E-08	--	1.0E-03	6.4E-07	0.001	1.2E-07	0.0001
		Hexachlorobenzene	7.9E-01	ug/kg	1.6E+00	8.7E-08	1.E-07	1.6E-08	3.E-08	8.0E-04	2.0E-07	0.0003	3.7E-08	0.00005
		Phenols												
		Phenol	2.6E+03	ug/kg	--	2.9E-04	--	5.3E-05	--	3.0E-01	6.7E-04	0.002	1.2E-04	0.0004
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	9.3E+04	pg/g	2.0E+00	1.0E-05	2.E-05	1.9E-06	4.E-06	2.0E-05	2.4E-05	1	4.4E-06	0.2
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	5.6E+00	pg/g	1.3E+05	6.2E-10	8.E-05	1.1E-10	1.E-05	1.0E-09	1.4E-09	1	2.7E-10	0.3
		Total PCB TEQ	1.2E+00	pg/g	1.3E+05	1.3E-10	2.E-05	2.3E-11	3.E-06	1.0E-09	3.0E-10	0.3	5.4E-11	0.05
		Pesticides												
		Aldrin	4.0E-01	ug/kg	1.7E+01	4.4E-08	7.E-07	8.1E-09	1.E-07	3.0E-05	1.0E-07	0.003	1.9E-08	0.001
		Dieldrin	1.2E+00	ug/kg	1.6E+01	1.3E-07	2.E-06	2.4E-08	4.E-07	5.0E-05	3.1E-07	0.006	5.6E-08	0.001
		Endrin	4.9E-02	ug/kg	--	5.3E-09	--	9.8E-10	--	3.0E-04	1.2E-08	0.00004	2.3E-09	0.0000
		Endrin aldehyde	3.9E-01	ug/kg	--	4.3E-08	--	7.9E-09	--	3.0E-04	1.0E-07	0.0003	1.8E-08	0.0001
		Endrin ketone	1.4E-02	ug/kg	--	1.5E-09	--	2.7E-10	--	3.0E-04	3.5E-09	0.00001	6.4E-10	0.000002
		gamma-Hexachlorocyclohexane	6.4E-02	ug/kg	1.1E+00	7.0E-09	8.E-09	1.3E-09	1.E-09	3.0E-04	1.6E-08	0.0001	3.0E-09	0.00001
		Heptachlor	2.4E-02	ug/kg	4.5E+00	2.7E-09	1.E-08	4.9E-10	2.E-09	5.0E-04	6.2E-09	0.00001	1.1E-09	0.000002
		Heptachlor epoxide	1.3E+00	ug/kg	9.1E+00	1.4E-07	1.E-06	2.6E-08	2.E-07	1.3E-05	3.3E-07	0.03	6.1E-08	0.005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Cancer Risk Calculations[b] Consumption Rate: 18 g/day LADI (mg/kg-day)	Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	Noncancer Hazard Quotient Calculations[b] Consumption Rate: 18 g/day CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Noncancer Hazard Quotient
		Total Chlordanes	7.8E+00	ug/kg	3.5E-01	8.6E-07	3.E-07	1.6E-07	5.E-08	5.0E-04	2.0E-06	0.004	3.7E-07	0.001
		Total DDD	1.8E+02	ug/kg	2.4E-01	2.0E-05	5.E-06	3.6E-06	9.E-07	5.0E-04	4.6E-05	0.09	8.4E-06	0.02
		Total DDE	7.8E+01	ug/kg	3.4E-01	8.6E-06	3.E-06	1.6E-06	5.E-07	5.0E-04	2.0E-05	0.04	3.7E-06	0.007
		Total DDT	8.9E+01	ug/kg	3.4E-01	9.8E-06	3.E-06	1.8E-06	6.E-07	5.0E-04	2.3E-05	0.05	4.2E-06	0.008
		Total Endosulfan	1.4E+00	ug/kg	--	1.5E-07	--	2.7E-08	--	6.0E-03	3.5E-07	0.0001	6.4E-08	0.00001
	Exposure Point Total						2.E-04		3.E-05			3		0.6
UD	RM 8 East	**Metals**												
		Aluminum	1.5E+02	mg/kg	--	1.6E-02	--	3.0E-03	--	1.0E+00	3.8E-02	0.04	7.0E-03	0.007
		Antimony	1.0E-03	mg/kg	--	1.1E-07	--	2.0E-08	--	4.0E-04	2.6E-07	0.001	4.7E-08	0.0001
		Arsenic, inorganic	8.7E-02	mg/kg	1.5E+00	9.6E-06	1.E-05	1.8E-06	3.E-06	3.0E-04	2.2E-05	0.07	4.1E-06	0.01
		Cadmium	8.4E-02	mg/kg	--	9.3E-06	--	1.7E-06	--	1.0E-03	2.2E-05	0.02	4.0E-06	0.004
		Chromium	7.1E-01	mg/kg	--	7.8E-05	--	1.4E-05	--	1.5E+00	1.8E-04	0.0001	3.3E-05	0.000
		Copper	1.4E+01	mg/kg	--	1.5E-03	--	2.7E-04	--	4.0E-02	3.5E-03	0.09	6.4E-04	0.02
		Mercury	8.0E-03	mg/kg	--	8.8E-07	--	1.6E-07	--	1.0E-04	2.1E-06	0.02	3.8E-07	0.004
		Nickel	3.9E-01	mg/kg	--	4.3E-05	--	7.9E-06	--	2.0E-02	1.0E-04	0.005	1.8E-05	0.001
		Selenium	1.9E-01	mg/kg	--	2.1E-05	--	3.8E-06	--	5.0E-03	4.9E-05	0.010	9.0E-06	0.002
		Silver	7.9E-02	mg/kg	--	8.7E-06	--	1.6E-06	--	5.0E-03	2.0E-05	0.004	3.7E-06	0.001
		Zinc	5.4E+01	mg/kg	--	6.0E-03	--	1.1E-03	--	3.0E-01	1.4E-02	0.05	2.5E-03	0.008
		Butyltins												
		Butyltin ion	9.7E+01	ug/kg	--	1.1E-05	--	2.0E-06	--	3.0E-04	2.5E-05	0.08	4.6E-06	0.02
		Dibutyltin ion	5.6E+02	ug/kg	--	6.2E-05	--	1.1E-05	--	3.0E-04	1.4E-04	0.5	2.6E-05	0.09
		Tributyltin ion	5.3E+02	ug/kg	--	5.8E-05	--	1.1E-05	--	3.0E-04	1.4E-04	0.5	2.5E-05	0.08
		PAHs												
		2-Methylnaphthalene	1.3E+00	ug/kg	--	1.4E-07	--	2.6E-08	--	4.0E-03	3.3E-07	0.0001	6.1E-08	0.00002
		Acenaphthene	2.2E-01	ug/kg	--	2.4E-08	--	4.4E-09	--	6.0E-02	5.7E-08	0.000001	1.0E-08	0.0000002
		Acenaphthylene	2.8E-01	ug/kg	--	3.1E-08	--	5.7E-09	--	6.0E-02	7.2E-08	0.000001	1.3E-08	0.0000002
		Anthracene	1.3E+00	ug/kg	--	1.4E-07	--	2.5E-08	--	3.0E-01	3.2E-07	0.000001	5.9E-08	0.0000002
		Benzo(a)anthracene	3.0E+00	ug/kg	7.3E-01	3.3E-07	2.E-07	6.0E-08	4.E-08	--	7.6E-07	--	1.4E-07	--
		Benzo(a)pyrene	1.4E+00	ug/kg	7.3E+00	1.5E-07	1.E-06	2.8E-08	2.E-07	--	3.6E-07	--	6.6E-08	--
		Benzo(b)fluoranthene	9.6E-01	ug/kg	7.3E-01	1.1E-07	8.E-08	1.9E-08	1.E-08	--	2.5E-07	--	4.5E-08	--
		Benzo(g,h,i)perylene	4.9E-01	ug/kg	--	5.3E-08	--	9.8E-09	--	3.0E-02	1.2E-07	0.000004	2.3E-08	0.000001
		Benzo(k)fluoranthene	4.7E-01	ug/kg	7.3E-02	5.2E-08	4.E-09	9.5E-09	7.E-10	--	1.2E-07	--	2.2E-08	--
		Chrysene	5.1E+00	ug/kg	7.3E-03	5.6E-07	4.E-09	1.0E-07	8.E-10	--	1.3E-06	--	2.4E-07	--
		Fluoranthene	7.9E+00	ug/kg	--	8.7E-07	--	1.6E-07	--	4.0E-02	2.0E-06	0.0001	3.7E-07	0.00001
		Fluorene	9.7E-01	ug/kg	--	1.1E-07	--	1.9E-08	--	4.0E-02	2.5E-07	0.00001	4.5E-08	0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Phenanthrene	4.1E+00	ug/kg	--	4.5E-07	--	8.3E-08	--	3.0E-02	1.1E-06	0.00004	1.9E-07	0.00001
		Pyrene	6.9E+00	ug/kg	--	7.6E-07	--	1.4E-07	--	3.0E-02	1.8E-06	0.0001	3.3E-07	0.00001
		Semivolatile Organic Compounds												
		Benzyl alcohol	1.4E+01	ug/kg	--	1.5E-06	--	2.7E-07	--	1.0E-01	3.5E-06	0.00003	6.4E-07	0.00001
		Dibenzofuran	5.0E-01	ug/kg	--	5.5E-08	--	1.0E-08	--	1.0E-03	1.3E-07	0.0001	2.4E-08	0.00002
		Hexachlorobenzene	4.4E-01	ug/kg	1.6E+00	4.8E-08	8.E-08	8.8E-09	1.E-08	8.0E-04	1.1E-07	0.0001	2.1E-08	0.00003
		Hexachlorobutadiene	3.4E-03	ug/kg	7.8E-02	3.8E-10	3.E-11	7.0E-11	5.E-12	1.0E-03	8.8E-10	0.000001	1.6E-10	0.0000002
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	8.2E+04	pg/g	2.0E+00	9.0E-06	2.E-05	1.6E-06	3.E-06	2.0E-05	2.1E-05	1	3.8E-06	0.2
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	4.3E-01	pg/g	1.3E+05	4.8E-11	6.E-06	8.8E-12	1.E-06	1.0E-09	1.1E-10	0.1	2.0E-11	0.02
		Total PCB TEQ	6.3E-01	pg/g	1.3E+05	7.0E-11	9.E-06	1.3E-11	2.E-06	1.0E-09	1.6E-10	0.2	3.0E-11	0.03
		Pesticides												
		Aldrin	1.4E-01	ug/kg	1.7E+01	1.5E-08	3.E-07	2.7E-09	5.E-08	3.0E-05	3.5E-08	0.001	6.4E-09	0.0002
		alpha-Hexachlorocyclohexane	6.8E-03	ug/kg	6.3E+00	7.5E-10	5.E-09	1.4E-10	9.E-10	8.0E-03	1.8E-09	0.0000002	3.2E-10	0.00000004
		Dieldrin	6.2E-01	ug/kg	1.6E+01	6.8E-08	1.E-06	1.2E-08	2.E-07	5.0E-05	1.6E-07	0.003	2.9E-08	0.001
		Endrin	6.5E-03	ug/kg	--	7.1E-10	--	1.3E-10	--	3.0E-04	1.7E-09	0.00001	3.0E-10	0.000001
		Endrin ketone	1.8E-03	ug/kg	--	2.0E-10	--	3.7E-11	--	3.0E-04	4.7E-10	0.000002	8.6E-11	0.0000003
		gamma-Hexachlorocyclohexane	5.0E-02	ug/kg	1.1E+00	5.5E-09	6.E-09	1.0E-09	1.E-09	3.0E-04	1.3E-08	0.00004	2.3E-09	0.00001
		Heptachlor	9.3E-03	ug/kg	4.5E+00	1.0E-09	5.E-09	1.9E-10	8.E-10	5.0E-04	2.4E-09	0.000005	4.4E-10	0.000001
		Heptachlor epoxide	4.5E-02	ug/kg	9.1E+00	4.9E-09	4.E-08	9.0E-10	8.E-09	1.3E-05	1.1E-08	0.001	2.1E-09	0.0002
		Total Chlordanes	2.5E+00	ug/kg	3.5E-01	2.7E-07	1.E-07	5.0E-08	2.E-08	5.0E-04	6.3E-07	0.001	1.2E-07	0.0002
		Total DDD	2.7E+00	ug/kg	2.4E-01	3.0E-07	7.E-08	5.5E-08	1.E-08	5.0E-04	7.0E-07	0.001	1.3E-07	0.0003
		Total DDE	6.3E+00	ug/kg	3.4E-01	6.9E-07	2.E-07	1.3E-07	4.E-08	5.0E-04	1.6E-06	0.003	3.0E-07	0.001
		Total DDT	8.1E-01	ug/kg	3.4E-01	8.9E-08	3.E-08	1.6E-08	6.E-09	5.0E-04	2.1E-07	0.0004	3.8E-08	0.0001
		Total Endosulfan	8.3E-01	ug/kg	--	9.1E-08	--	1.7E-08	--	6.0E-03	2.1E-07	0.00004	3.9E-08	0.00001
	Exposure Point Total						5.E-05		9.E-06			3		0.5
UD	RM 8 West	**Metals**												
		Aluminum	1.2E+02	mg/kg	--	1.3E-02	--	2.4E-03	--	1.0E+00	3.1E-02	0.03	5.7E-03	0.006
		Antimony	3.0E-03	mg/kg	--	3.3E-07	--	6.1E-08	--	4.0E-04	7.7E-07	0.002	1.4E-07	0.0004
		Arsenic, inorganic	9.6E-02	mg/kg	1.5E+00	1.1E-05	2.E-05	1.9E-06	3.E-06	3.0E-04	2.5E-05	0.08	4.5E-06	0.02
		Cadmium	1.1E-01	mg/kg	--	1.2E-05	--	2.3E-06	--	1.0E-03	2.9E-05	0.03	5.3E-06	0.005
		Chromium	6.7E-01	mg/kg	--	7.4E-05	--	1.4E-05	--	1.5E+00	1.7E-04	0.0001	3.2E-05	0.00002
		Copper	9.3E+00	mg/kg	--	1.0E-03	--	1.9E-04	--	4.0E-02	2.4E-03	0.06	4.4E-04	0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC		Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Cancer Risk Calculations[b]				Oral RfD mg/kg-day	Noncancer Hazard Quotient Calculations[b]			
						Consumption Rate: 18 g/day		Consumption Rate: 3.3 g/day			Consumption Rate: 18 g/day		Consumption Rate: 3.3 g/day	
			Value	Units		LADI (mg/kg-day)	Cancer Risk	LADI (mg/kg-day)	Cancer Risk		CDI mg/kg-day	Noncancer Hazard Quotient	CDI mg/kg-day	Noncancer Hazard Quotient
		Mercury	1.1E-02	mg/kg	--	1.2E-06	--	2.2E-07	--	1.0E-04	2.8E-06	0.03	5.2E-07	0.005
		Nickel	3.0E-01	mg/kg	--	3.3E-05	--	6.1E-06	--	2.0E-02	7.8E-05	0.004	1.4E-05	0.001
		Selenium	1.5E-01	mg/kg	--	1.6E-05	--	2.9E-06	--	5.0E-03	3.8E-05	0.008	6.9E-06	0.001
		Silver	7.8E-02	mg/kg	--	8.6E-06	--	1.6E-06	--	5.0E-03	2.0E-05	0.004	3.7E-06	0.001
		Zinc	4.7E+01	mg/kg	--	5.2E-03	--	9.5E-04	--	3.0E-01	1.2E-02	0.04	2.2E-03	0.007
		Butyltins												
		Butyltin ion	1.4E+00	ug/kg	--	1.5E-07	--	2.8E-08	--	3.0E-04	3.6E-07	0.001	6.6E-08	0.0002
		Dibutyltin ion	2.3E+00	ug/kg	--	2.5E-07	--	4.6E-08	--	3.0E-04	5.9E-07	0.002	1.1E-07	0.0004
		Tributyltin ion	3.1E+00	ug/kg	--	3.4E-07	--	6.3E-08	--	3.0E-04	8.0E-07	0.003	1.5E-07	0.0005
		PAHs												
		2-Methylnaphthalene	2.2E+01	ug/kg	--	2.4E-06	--	4.4E-07	--	4.0E-03	5.7E-06	0.001	1.0E-06	0.0003
		Acenaphthene	2.1E+01	ug/kg	--	2.3E-06	--	4.2E-07	--	6.0E-02	5.4E-06	0.0001	9.9E-07	0.00002
		Acenaphthylene	3.1E+00	ug/kg	--	3.4E-07	--	6.3E-08	--	6.0E-02	8.0E-07	0.00001	1.5E-07	0.000002
		Anthracene	5.0E+00	ug/kg	--	5.5E-07	--	1.0E-07	--	3.0E-01	1.3E-06	0.000004	2.4E-07	0.000001
		Benzo(a)anthracene	1.7E+01	ug/kg	7.3E-01	1.9E-06	1.E-06	3.4E-07	3.E-07	--	4.4E-06	--	8.0E-07	--
		Benzo(a)pyrene	5.0E+00	ug/kg	7.3E+00	5.5E-07	4.E-06	1.0E-07	7.E-07	--	1.3E-06	--	2.4E-07	--
		Benzo(b)fluoranthene	1.8E+01	ug/kg	7.3E-01	2.0E-06	1.E-06	3.6E-07	3.E-07	--	4.6E-06	--	8.5E-07	--
		Benzo(g,h,i)perylene	3.3E+00	ug/kg	--	3.6E-07	--	6.7E-08	--	3.0E-02	8.5E-07	0.00003	1.6E-07	0.00001
		Benzo(k)fluoranthene	1.3E+01	ug/kg	7.3E-02	1.4E-06	1.E-07	2.6E-07	2.E-08	--	3.3E-06	--	6.1E-07	--
		Chrysene	4.7E+01	ug/kg	7.3E-03	5.2E-06	4.E-08	9.5E-07	7.E-09	--	1.2E-05	--	2.2E-06	--
		Fluoranthene	2.4E+02	ug/kg	--	2.6E-05	--	4.8E-06	--	4.0E-02	6.2E-05	0.002	1.1E-05	0.0003
		Fluorene	2.0E+01	ug/kg	--	2.2E-06	--	4.0E-07	--	4.0E-02	5.1E-06	0.0001	9.4E-07	0.00002
		Indeno(1,2,3-cd)pyrene	6.8E+00	ug/kg	7.3E-01	7.5E-07	5.E-07	1.4E-07	1.E-07	--	1.7E-06	--	3.2E-07	--
		Naphthalene	9.0E+00	ug/kg	--	9.9E-07	--	1.8E-07	--	2.0E-02	2.3E-06	0.0001	4.2E-07	0.00002
		Phenanthrene	1.6E+02	ug/kg	--	1.8E-05	--	3.2E-06	--	3.0E-02	4.1E-05	0.001	7.5E-06	0.0003
		Pyrene	1.3E+02	ug/kg	--	1.4E-05	--	2.6E-06	--	3.0E-02	3.3E-05	0.001	6.1E-06	0.0002
		Semivolatile Organic Compounds												
		Benzyl alcohol	2.3E+01	ug/kg	--	2.5E-06	--	4.6E-07	--	1.0E-01	5.9E-06	0.0001	1.1E-06	0.00001
		Dibenzofuran	1.7E+01	ug/kg	--	1.9E-06	--	3.4E-07	--	1.0E-03	4.4E-06	0.004	8.0E-07	0.001
		Hexachlorobenzene	8.4E-01	ug/kg	1.6E+00	9.3E-08	1.E-07	1.7E-08	3.E-08	8.0E-04	2.2E-07	0.0003	4.0E-08	0.00005
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	4.0E+05	pg/g	2.0E+00	4.4E-05	9.E-05	8.0E-06	2.E-05	2.0E-05	1.0E-04	5	1.9E-05	0.9
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	1.4E+00	pg/g	1.3E+05	1.5E-10	2.E-05	2.8E-11	4.E-06	1.0E-09	3.6E-10	0.4	6.6E-11	0.07
		Total PCB TEQ	3.6E+00	pg/g	1.3E+05	4.0E-10	5.E-05	7.3E-11	9.E-06	1.0E-09	9.3E-10	0.9	1.7E-10	0.2

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Pesticides												
		Aldrin	5.1E+00	ug/kg	1.7E+01	5.6E-07	9.E-06	1.0E-07	2.E-06	3.0E-05	1.3E-06	0.04	2.4E-07	0.008
		alpha-Hexachlorocyclohexane	1.8E-02	ug/kg	6.3E+00	2.0E-09	1.E-08	3.6E-10	2.E-09	8.0E-03	4.6E-09	0.000001	8.5E-10	0.0000001
		Dieldrin	2.6E+00	ug/kg	1.6E+01	2.9E-07	5.E-06	5.3E-08	8.E-07	5.0E-05	6.7E-07	0.01	1.2E-07	0.002
		Endrin	6.4E-02	ug/kg	--	7.0E-09	--	1.3E-09	--	3.0E-04	1.6E-08	0.0001	3.0E-09	0.00001
		Endrin ketone	4.6E-03	ug/kg	--	5.1E-10	--	9.4E-11	--	3.0E-04	1.2E-09	0.000004	2.2E-10	0.000001
		gamma-Hexachlorocyclohexane	8.1E-02	ug/kg	1.1E+00	8.9E-09	1.E-08	1.6E-09	2.E-09	3.0E-04	2.1E-08	0.0001	3.8E-09	0.00001
		Heptachlor	5.3E-02	ug/kg	4.5E+00	5.9E-09	3.E-08	1.1E-09	5.E-09	5.0E-04	1.4E-08	0.00003	2.5E-09	0.00001
		Heptachlor epoxide	8.6E-02	ug/kg	9.1E+00	9.5E-09	9.E-08	1.7E-09	2.E-08	1.3E-05	2.2E-08	0.002	4.0E-09	0.0003
		Total Chlordanes	1.6E+01	ug/kg	3.5E-01	1.8E-06	6.E-07	3.2E-07	1.E-07	5.0E-04	4.1E-06	0.008	7.6E-07	0.002
		Total DDD	3.0E+01	ug/kg	2.4E-01	3.3E-06	8.E-07	6.0E-07	1.E-07	5.0E-04	7.6E-06	0.02	1.4E-06	0.003
		Total DDE	6.7E+01	ug/kg	3.4E-01	7.4E-06	3.E-06	1.3E-06	5.E-07	5.0E-04	1.7E-05	0.03	3.1E-06	0.006
		Total DDT	2.1E+00	ug/kg	3.4E-01	2.3E-07	8.E-08	4.1E-08	1.E-08	5.0E-04	5.3E-07	0.001	9.7E-08	0.0002
		Total Endosulfan	1.5E+00	ug/kg	--	1.6E-07	--	3.0E-08	--	6.0E-03	3.8E-07	0.00006	6.9E-08	0.00001
	Exposure Point Total						2.E-04		4.E-05			7		1
UD	RM 8 SIL	**Metals**												
		Aluminum	2.0E+02	mg/kg	--	2.2E-02	--	4.1E-03	--	1.0E+00	5.2E-02	0.05	9.5E-03	0.01
		Antimony	4.0E-03	mg/kg	--	4.4E-07	--	8.1E-08	--	4.0E-04	1.0E-06	0.003	1.9E-07	0.0005
		Arsenic, inorganic	9.2E-02	mg/kg	1.5E+00	1.0E-05	2.E-05	1.9E-06	3.E-06	3.0E-04	2.4E-05	0.08	4.3E-06	0.01
		Cadmium	1.4E-01	mg/kg	--	1.6E-05	--	2.9E-06	--	1.0E-03	3.7E-05	0.04	6.8E-06	0.007
		Chromium	5.7E-01	mg/kg	--	6.3E-05	--	1.2E-05	--	1.5E+00	1.5E-04	0.0001	2.7E-05	0.00002
		Copper	9.4E+00	mg/kg	--	1.0E-03	--	1.9E-04	--	4.0E-02	2.4E-03	0.06	4.4E-04	0.01
		Mercury	1.1E-02	mg/kg	--	1.2E-06	--	2.2E-07	--	1.0E-04	2.8E-06	0.03	5.2E-07	0.005
		Nickel	3.9E-01	mg/kg	--	4.3E-05	--	7.8E-06	--	2.0E-02	9.9E-05	0.005	1.8E-05	0.001
		Selenium	2.1E-01	mg/kg	--	2.3E-05	--	4.2E-06	--	5.0E-03	5.4E-05	0.01	9.9E-06	0.002
		Silver	4.4E-02	mg/kg	--	4.8E-06	--	8.8E-07	--	5.0E-03	1.1E-05	0.002	2.1E-06	0.000
		Zinc	4.2E+01	mg/kg	--	4.7E-03	--	8.6E-04	--	3.0E-01	1.1E-02	0.04	2.0E-03	0.007
		Butyltins												
		Butyltin ion	7.3E+00	ug/kg	--	8.0E-07	--	1.5E-07	--	3.0E-04	1.9E-06	0.006	3.4E-07	0.001
		Dibutyltin ion	1.2E+01	ug/kg	--	1.3E-06	--	2.4E-07	--	3.0E-04	3.1E-06	0.01	5.7E-07	0.002
		Tributyltin ion	3.3E+01	ug/kg	--	3.6E-06	--	6.7E-07	--	3.0E-04	8.5E-06	0.03	1.6E-06	0.005
		PAHs												
		2-Methylnaphthalene	3.0E+00	ug/kg	--	3.3E-07	--	6.1E-08	--	4.0E-03	7.7E-07	0.0002	1.4E-07	0.00004
		Acenaphthene	1.2E+00	ug/kg	--	1.3E-07	--	2.4E-08	--	6.0E-02	3.1E-07	0.00001	5.7E-08	0.000001
		Acenaphthylene	1.4E+00	ug/kg	--	1.5E-07	--	2.8E-08	--	6.0E-02	3.6E-07	0.00001	6.6E-08	0.000001
		Anthracene	6.8E+00	ug/kg	--	7.5E-07	--	1.4E-07	--	3.0E-01	1.7E-06	0.00001	3.2E-07	0.000001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)^-1	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Benzo(a)anthracene	2.0E+01	ug/kg	7.3E-01	2.2E-06	2.E-06	4.0E-07	3.E-07	--	5.1E-06	--	9.4E-07	--
		Benzo(a)pyrene	3.9E+00	ug/kg	7.3E+00	4.3E-07	3.E-06	7.9E-08	6.E-07	--	1.0E-06	--	1.8E-07	--
		Benzo(b)fluoranthene	8.8E+00	ug/kg	7.3E-01	9.7E-07	7.E-07	1.8E-07	1.E-07	--	2.3E-06	--	4.1E-07	--
		Benzo(g,h,i)perylene	2.7E+00	ug/kg	--	3.0E-07	--	5.5E-08	--	3.0E-02	6.9E-07	0.00002	1.3E-07	0.000004
		Benzo(k)fluoranthene	4.2E+00	ug/kg	7.3E-02	4.6E-07	3.E-08	8.5E-08	6.E-09	--	1.1E-06	--	2.0E-07	--
		Chrysene	4.5E+01	ug/kg	7.3E-03	5.0E-06	4.E-08	9.1E-07	7.E-09	--	1.2E-05	--	2.1E-06	--
		Fluoranthene	5.6E+01	ug/kg	--	6.2E-06	--	1.1E-06	--	4.0E-02	1.4E-05	0.0004	2.6E-06	0.0001
		Fluorene	3.6E+00	ug/kg	--	4.0E-07	--	7.3E-08	--	4.0E-02	9.3E-07	0.00002	1.7E-07	0.000004
		Indeno(1,2,3-cd)pyrene	3.1E+00	ug/kg	7.3E-01	3.4E-07	2.E-07	6.3E-08	5.E-08	--	8.0E-07	--	1.5E-07	--
		Phenanthrene	1.6E+01	ug/kg	--	1.8E-06	--	3.2E-07	--	3.0E-02	4.1E-06	0.0001	7.5E-07	0.00003
		Pyrene	7.1E+01	ug/kg	--	7.8E-06	--	1.4E-06	--	3.0E-02	1.8E-05	0.001	3.3E-06	0.0001
		Phthalates												
		Bis(2-ethylhexyl) phthalate	1.4E+02	ug/kg	1.4E-02	1.5E-05	2.E-07	2.8E-06	4.E-08	2.0E-02	3.6E-05	0.002	6.6E-06	0.0003
		Dibutyl phthalate	1.3E+03	ug/kg	--	1.4E-04	--	2.6E-05	--	1.0E-01	3.3E-04	0.003	6.1E-05	0.001
		Semivolatile Organic Compounds												
		Benzyl alcohol	1.2E+02	ug/kg	--	1.3E-05	--	2.4E-06	--	1.0E-01	3.1E-05	0.0003	5.7E-06	0.0001
		Dibenzofuran	1.5E+00	ug/kg	--	1.7E-07	--	3.0E-08	--	1.0E-03	3.9E-07	0.0004	7.1E-08	0.0001
		Hexachlorobenzene	7.6E-01	ug/kg	1.6E+00	8.4E-08	1.E-07	1.5E-08	2.E-08	8.0E-04	1.9E-07	0.0002	3.6E-08	0.00004
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	3.7E+05	pg/g	2.0E+00	4.1E-05	8.E-05	7.5E-06	2.E-05	2.0E-05	9.6E-05	5	1.8E-05	0.9
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	1.3E+00	pg/g	1.3E+05	1.4E-10	2.E-05	2.6E-11	3.E-06	1.0E-09	3.3E-10	0.3	6.1E-11	0.06
		Total PCB TEQ	3.4E+00	pg/g	1.3E+05	3.7E-10	5.E-05	6.8E-11	9.E-06	1.0E-09	8.7E-10	0.9	1.6E-10	0.2
		Pesticides												
		Aldrin	3.8E-01	ug/kg	1.7E+01	4.2E-08	7.E-07	7.6E-09	1.E-07	3.0E-05	9.7E-08	0.003	1.8E-08	0.001
		alpha-Hexachlorocyclohexane	2.1E-02	ug/kg	6.3E+00	2.3E-09	1.E-08	4.1E-10	3.E-09	8.0E-03	5.3E-09	0.000001	9.7E-10	0.0000001
		Dieldrin	1.1E+00	ug/kg	1.6E+01	1.2E-07	2.E-06	2.2E-08	4.E-07	5.0E-05	2.9E-07	0.006	5.2E-08	0.001
		Endrin	2.0E-02	ug/kg	--	2.1E-09	--	3.9E-10	--	3.0E-04	5.0E-09	0.00002	9.2E-10	0.000003
		Endrin ketone	3.9E-03	ug/kg	--	4.3E-10	--	7.8E-11	--	3.0E-04	9.9E-10	0.000003	1.8E-10	0.000001
		gamma-Hexachlorocyclohexane	7.8E-02	ug/kg	1.1E+00	8.6E-09	1.E-08	1.6E-09	2.E-09	3.0E-04	2.0E-08	0.0001	3.7E-09	0.00001
		Heptachlor epoxide	8.2E-02	ug/kg	9.1E+00	9.0E-09	8.E-08	1.7E-09	2.E-08	1.3E-05	2.1E-08	0.002	3.9E-09	0.0003
		Total Chlordanes	6.3E+00	ug/kg	3.5E-01	7.0E-07	2.E-07	1.3E-07	4.E-08	5.0E-04	1.6E-06	0.003	3.0E-07	0.001
		Total DDD	8.1E+00	ug/kg	2.4E-01	8.9E-07	2.E-07	1.6E-07	4.E-08	5.0E-04	2.1E-06	0.004	3.8E-07	0.001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Cancer Risk Calculations[b] Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Noncancer Hazard Quotient Calculations[b] Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Total DDE	1.3E+01	ug/kg	3.4E-01	1.5E-06	5.E-07	2.7E-07	9.E-08	5.0E-04	3.4E-06	0.007	6.3E-07	0.001
		Total DDT	2.4E+00	ug/kg	3.4E-01	2.7E-07	9.E-08	4.9E-08	2.E-08	5.0E-04	6.2E-07	0.001	1.1E-07	0.0002
		Total Endosulfan	1.4E+00	ug/kg	--	1.5E-07	--	2.8E-08	--	6.0E-03	3.6E-07	0.0001	6.6E-08	0.00001
	Exposure Point Total						2.E-04		3.E-05			6		1
UD	RM 9 East	**Metals**												
		Aluminum	1.4E+02	mg/kg	--	1.6E-02	--	2.9E-03	--	1.0E+00	3.7E-02	0.04	6.7E-03	0.007
		Antimony	2.0E-03	mg/kg	--	2.2E-07	--	4.0E-08	--	4.0E-04	5.1E-07	0.001	9.4E-08	0.000
		Arsenic, inorganic	1.0E-01	mg/kg	1.5E+00	1.1E-05	2.E-05	2.1E-06	3.E-06	3.0E-04	2.6E-05	0.09	4.8E-06	0.02
		Cadmium	6.6E-02	mg/kg	--	7.3E-06	--	1.3E-06	--	1.0E-03	1.7E-05	0.02	3.1E-06	0.003
		Chromium	9.4E-01	mg/kg	--	1.0E-04	--	1.9E-05	--	1.5E+00	2.4E-04	0.0002	4.4E-05	0.00003
		Copper	9.5E+00	mg/kg	--	1.0E-03	--	1.9E-04	--	4.0E-02	2.4E-03	0.06	4.5E-04	0.01
		Mercury	1.2E-02	mg/kg	--	1.3E-06	--	2.4E-07	--	1.0E-04	3.1E-06	0.03	5.7E-07	0.006
		Nickel	3.4E-01	mg/kg	--	3.7E-05	--	6.8E-06	--	2.0E-02	8.6E-05	0.004	1.6E-05	0.001
		Selenium	8.8E-02	mg/kg	--	9.7E-06	--	1.8E-06	--	5.0E-03	2.3E-05	0.005	4.1E-06	0.001
		Silver	1.0E-01	mg/kg	--	1.1E-05	--	2.0E-06	--	5.0E-03	2.6E-05	0.005	4.8E-06	0.001
		Zinc	3.8E+01	mg/kg	--	4.2E-03	--	7.7E-04	--	3.0E-01	9.8E-03	0.03	1.8E-03	0.006
		Butyltins												
		Dibutyltin ion	1.5E+00	ug/kg	--	1.7E-07	--	3.0E-08	--	3.0E-04	3.9E-07	0.001	7.1E-08	0.0002
		PAHs												
		2-Methylnaphthalene	1.7E+00	ug/kg	--	1.9E-07	--	3.4E-08	--	4.0E-03	4.4E-07	0.0001	8.0E-08	0.00002
		Acenaphthene	1.1E+00	ug/kg	--	1.2E-07	--	2.2E-08	--	6.0E-02	2.8E-07	0.000005	5.2E-08	0.000001
		Anthracene	1.7E+00	ug/kg	--	1.9E-07	--	3.4E-08	--	3.0E-01	4.4E-07	0.000001	8.0E-08	0.0000003
		Benzo(a)anthracene	5.9E+00	ug/kg	7.3E-01	6.5E-07	5.E-07	1.2E-07	9.E-08	--	1.5E-06	--	2.8E-07	--
		Benzo(a)pyrene	1.8E+00	ug/kg	7.3E+00	2.0E-07	1.E-06	3.6E-08	3.E-07	--	4.6E-07	--	8.5E-08	--
		Benzo(b)fluoranthene	2.3E+00	ug/kg	7.3E-01	2.5E-07	2.E-07	4.6E-08	3.E-08	--	5.9E-07	--	1.1E-07	--
		Benzo(g,h,i)perylene	8.0E-01	ug/kg	--	8.8E-08	--	1.6E-08	--	3.0E-02	2.1E-07	0.00001	3.8E-08	0.000001
		Benzo(k)fluoranthene	1.3E+00	ug/kg	7.3E-02	1.4E-07	1.E-08	2.6E-08	2.E-09	--	3.3E-07	--	6.1E-08	--
		Chrysene	1.0E+01	ug/kg	7.3E-03	1.1E-06	8.E-09	2.0E-07	1.E-09	--	2.6E-06	--	4.7E-07	--
		Fluoranthene	1.3E+01	ug/kg	--	1.4E-06	--	2.6E-07	--	4.0E-02	3.3E-06	0.0001	6.1E-07	0.00002
		Fluorene	1.7E+00	ug/kg	--	1.9E-07	--	3.4E-08	--	4.0E-02	4.4E-07	0.00001	8.0E-08	0.000002
		Phenanthrene	6.0E+00	ug/kg	--	6.6E-07	--	1.2E-07	--	3.0E-02	1.5E-06	0.0001	2.8E-07	0.00001
		Pyrene	1.2E+01	ug/kg	--	1.3E-06	--	2.4E-07	--	3.0E-02	3.1E-06	0.0001	5.7E-07	0.00002
		Semivolatile Organic Compounds												
		Benzyl alcohol	1.8E+01	ug/kg	--	2.0E-06	--	3.6E-07	--	1.0E-01	4.6E-06	0.00005	8.5E-07	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Cancer Risk Calculations[b] Consumption Rate: 18 g/day LADI (mg/kg-day)	Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	Noncancer Hazard Quotient Calculations[b] Consumption Rate: 18 g/day CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Noncancer Hazard Quotient
		Dibenzofuran	1.2E+00	ug/kg	--	1.3E-07	--	2.4E-08	--	1.0E-03	3.1E-07	0.0003	5.7E-08	0.0001
		Hexachlorobenzene	6.0E-01	ug/kg	1.6E+00	6.6E-08	1.E-07	1.2E-08	2.E-08	8.0E-04	1.5E-07	0.0002	2.8E-08	0.00004
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	5.7E+04	pg/g	2.0E+00	6.3E-06	1.E-05	1.2E-06	2.E-06	2.0E-05	1.5E-05	0.7	2.7E-06	0.1
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	5.4E-01	pg/g	1.3E+05	5.9E-11	8.E-06	1.1E-11	1.E-06	1.0E-09	1.4E-10	0.1	2.5E-11	0.03
		Total PCB TEQ	7.8E-01	pg/g	1.3E+05	8.6E-11	1.E-05	1.6E-11	2.E-06	1.0E-09	2.0E-10	0.2	3.7E-11	0.04
		Pesticides												
		Aldrin	1.7E-01	ug/kg	1.7E+01	1.9E-08	3.E-07	3.5E-09	6.E-08	3.0E-05	4.4E-08	0.001	8.1E-09	0.0003
		alpha-Hexachlorocyclohexane	7.4E-03	ug/kg	6.3E+00	8.2E-10	5.E-09	1.5E-10	9.E-10	8.0E-03	1.9E-09	0.0000002	3.5E-10	0.00000004
		Dieldrin	8.8E-01	ug/kg	1.6E+01	9.6E-08	2.E-06	1.8E-08	3.E-07	5.0E-05	2.3E-07	0.005	4.1E-08	0.001
		Endrin	8.2E-03	ug/kg	--	9.0E-10	--	1.7E-10	--	3.0E-04	2.1E-09	0.00001	3.9E-10	0.000001
		gamma-Hexachlorocyclohexane	7.5E-02	ug/kg	1.1E+00	8.2E-09	9.E-09	1.5E-09	2.E-09	3.0E-04	1.9E-08	0.00006	3.5E-09	0.00001
		Heptachlor epoxide	6.1E-02	ug/kg	9.1E+00	6.7E-09	6.E-08	1.2E-09	1.E-08	1.3E-05	1.6E-08	0.001	2.9E-09	0.0002
		Total Chlordanes	3.2E+00	ug/kg	3.5E-01	3.5E-07	1.E-07	6.4E-08	2.E-08	5.0E-04	8.2E-07	0.002	1.5E-07	0.0003
		Total DDD	3.0E+00	ug/kg	2.4E-01	3.3E-07	8.E-08	6.0E-08	1.E-08	5.0E-04	7.7E-07	0.002	1.4E-07	0.0003
		Total DDE	8.0E+00	ug/kg	3.4E-01	8.8E-07	3.E-07	1.6E-07	5.E-08	5.0E-04	2.1E-06	0.004	3.8E-07	0.001
		Total DDT	1.3E+00	ug/kg	3.4E-01	1.4E-07	5.E-08	2.5E-08	9.E-09	5.0E-04	3.2E-07	0.001	5.9E-08	0.0001
		Total Endosulfan	1.1E+00	ug/kg	--	1.3E-07	--	2.3E-08	--	6.0E-03	2.9E-07	0.00005	5.4E-08	0.00001
	Exposure Point Total						5.E-05		1.E-05			1		0.3
UD	RM 9 West	**Metals**												
		Aluminum	1.7E+02	mg/kg	--	1.9E-02	--	3.5E-03	--	1.0E+00	4.4E-02	0.04	8.1E-03	0.008
		Antimony	3.0E-03	mg/kg	--	3.3E-07	--	6.1E-08	--	4.0E-04	7.7E-07	0.002	1.4E-07	0.0004
		Arsenic, inorganic	9.0E-02	mg/kg	1.5E+00	9.9E-06	1.E-05	1.8E-06	3.E-06	3.0E-04	2.3E-05	0.08	4.3E-06	0.01
		Cadmium	6.4E-02	mg/kg	--	7.1E-06	--	1.3E-06	--	1.0E-03	1.6E-05	0.02	3.0E-06	0.003
		Chromium	9.2E-01	mg/kg	--	1.0E-04	--	1.9E-05	--	1.5E+00	2.4E-04	0.0002	4.3E-05	0.00003
		Copper	9.0E+00	mg/kg	--	1.0E-03	--	1.8E-04	--	4.0E-02	2.3E-03	0.06	4.3E-04	0.01
		Mercury	9.0E-03	mg/kg	--	9.9E-07	--	1.8E-07	--	1.0E-04	2.3E-06	0.02	4.2E-07	0.004
		Nickel	4.9E-01	mg/kg	--	5.3E-05	--	9.8E-06	--	2.0E-02	1.2E-04	0.006	2.3E-05	0.001
		Selenium	1.1E-01	mg/kg	--	1.2E-05	--	2.2E-06	--	5.0E-03	2.8E-05	0.006	5.2E-06	0.001
		Silver	6.8E-02	mg/kg	--	7.5E-06	--	1.4E-06	--	5.0E-03	1.8E-05	0.004	3.2E-06	0.001
		Zinc	4.0E+01	mg/kg	--	4.4E-03	--	8.0E-04	--	3.0E-01	1.0E-02	0.03	1.9E-03	0.006
		Butyltins												
		Dibutyltin ion	1.1E+00	ug/kg	--	1.2E-07	--	2.2E-08	--	3.0E-04	2.8E-07	0.001	5.2E-08	0.0002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Cons. Rate: 18 g/day LADI (mg/kg-day)	Cons. Rate: 18 g/day Cancer Risk	Cons. Rate: 3.3 g/day LADI (mg/kg-day)	Cons. Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Cons. Rate: 18 g/day CDI mg/kg-day	Cons. Rate: 18 g/day Noncancer Hazard Quotient	Cons. Rate: 3.3 g/day CDI mg/kg-day	Cons. Rate: 3.3 g/day Noncancer Hazard Quotient
		PAHs												
		2-Methylnaphthalene	1.8E+00	ug/kg	--	2.0E-07	--	3.6E-08	--	4.0E-03	4.6E-07	0.0001	8.5E-08	0.00002
		Acenaphthene	3.4E+00	ug/kg	--	3.7E-07	--	6.9E-08	--	6.0E-02	8.7E-07	0.00001	1.6E-07	0.000003
		Acenaphthylene	8.9E-01	ug/kg	--	9.8E-08	--	1.8E-08	--	6.0E-02	2.3E-07	0.000004	4.2E-08	0.000001
		Anthracene	4.1E+00	ug/kg	--	4.5E-07	--	8.3E-08	--	3.0E-01	1.1E-06	0.000004	1.9E-07	0.000001
		Benzo(a)anthracene	8.4E+00	ug/kg	7.3E-01	9.3E-07	7.E-07	1.7E-07	1.E-07	--	2.2E-06	--	4.0E-07	--
		Benzo(a)pyrene	1.9E+00	ug/kg	7.3E+00	2.1E-07	2.E-06	3.8E-08	3.E-07	--	4.9E-07	--	9.0E-08	--
		Benzo(b)fluoranthene	2.0E+00	ug/kg	7.3E-01	2.2E-07	2.E-07	4.0E-08	3.E-08	--	5.1E-07	--	9.4E-08	--
		Benzo(g,h,i)perylene	7.1E-01	ug/kg	--	7.8E-08	--	1.4E-08	--	3.0E-02	1.8E-07	0.00001	3.3E-08	0.000001
		Benzo(k)fluoranthene	1.0E+00	ug/kg	7.3E-02	1.1E-07	8.E-09	2.0E-08	1.E-09	--	2.6E-07	--	4.7E-08	--
		Chrysene	1.2E+01	ug/kg	7.3E-03	1.3E-06	1.E-08	2.4E-07	2.E-09	--	3.1E-06	--	5.7E-07	--
		Fluoranthene	2.9E+01	ug/kg	--	3.2E-06	--	5.9E-07	--	4.0E-02	7.5E-06	0.0002	1.4E-06	0.00003
		Fluorene	5.2E+00	ug/kg	--	5.7E-07	--	1.1E-07	--	4.0E-02	1.3E-06	0.00003	2.5E-07	0.00001
		Phenanthrene	1.9E+01	ug/kg	--	2.1E-06	--	3.8E-07	--	3.0E-02	4.9E-06	0.0002	9.0E-07	0.00003
		Pyrene	2.1E+01	ug/kg	--	2.3E-06	--	4.2E-07	--	3.0E-02	5.4E-06	0.0002	9.9E-07	0.00003
		Semivolatile Organic Compounds												
		Benzyl alcohol	1.8E+01	ug/kg	--	2.0E-06	--	3.6E-07	--	1.0E-01	4.6E-06	0.00005	8.5E-07	0.00001
		Dibenzofuran	2.5E+00	ug/kg	--	2.8E-07	--	5.1E-08	--	1.0E-03	6.4E-07	0.001	1.2E-07	0.0001
		Hexachlorobenzene	8.4E-01	ug/kg	1.6E+00	9.2E-08	1.E-07	1.7E-08	3.E-08	8.0E-04	2.2E-07	0.000	4.0E-08	0.00005
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	4.5E+05	pg/g	2.0E+00	4.9E-05	1.E-04	9.0E-06	2.E-05	2.0E-05	1.2E-04	6	2.1E-05	1
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	2.7E+00	pg/g	1.3E+05	3.0E-10	4.E-05	5.5E-11	7.E-06	1.0E-09	7.0E-10	0.7	1.3E-10	0.1
		Total PCB TEQ	3.9E+00	pg/g	1.3E+05	4.3E-10	6.E-05	7.8E-11	1.E-05	1.0E-09	9.9E-10	1	1.8E-10	0.2
		Pesticides												
		Aldrin	3.7E-01	ug/kg	1.7E+01	4.1E-08	7.E-07	7.5E-09	1.E-07	3.0E-05	9.5E-08	0.003	1.7E-08	0.001
		alpha-Hexachlorocyclohexane	1.5E-02	ug/kg	6.3E+00	1.7E-09	1.E-08	3.1E-10	2.E-09	8.0E-03	3.9E-09	0.0000005	7.2E-10	0.0000001
		Dieldrin	1.1E+00	ug/kg	1.6E+01	1.2E-07	2.E-06	2.3E-08	4.E-07	5.0E-05	2.9E-07	0.006	5.3E-08	0.001
		Endrin	5.5E-02	ug/kg	--	6.0E-09	--	1.1E-09	--	3.0E-04	1.4E-08	0.0000	2.6E-09	0.00001
		gamma-Hexachlorocyclohexane	6.6E-02	ug/kg	1.1E+00	7.3E-09	8.E-09	1.3E-09	1.E-09	3.0E-04	1.7E-08	0.0001	3.1E-09	0.00001
		Heptachlor	1.6E-02	ug/kg	4.5E+00	1.8E-09	8.E-09	3.3E-10	1.E-09	5.0E-04	4.2E-09	0.000008	7.6E-10	0.000002
		Heptachlor epoxide	8.9E-02	ug/kg	9.1E+00	9.8E-09	9.E-08	1.8E-09	2.E-08	1.3E-05	2.3E-08	0.002	4.2E-09	0.0003
		Total Chlordanes	6.3E+00	ug/kg	3.5E-01	7.0E-07	2.E-07	1.3E-07	4.E-08	5.0E-04	1.6E-06	0.003	3.0E-07	0.001
		Total DDD	5.8E+00	ug/kg	2.4E-01	6.4E-07	2.E-07	1.2E-07	3.E-08	5.0E-04	1.5E-06	0.003	2.8E-07	0.001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)^-1	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Total DDE	1.3E+01	ug/kg	3.4E-01	1.4E-06	5.E-07	2.6E-07	9.E-08	5.0E-04	3.3E-06	0.007	6.0E-07	0.001
		Total DDT	2.3E+00	ug/kg	3.4E-01	2.5E-07	8.E-08	4.6E-08	2.E-08	5.0E-04	5.8E-07	0.001	1.1E-07	0.0002
		Total Endosulfan	1.4E+00	ug/kg	--	1.5E-07	--	2.8E-08	--	6.0E-03	3.6E-07	0.00006	6.6E-08	0.00001
	Exposure Point Total						2.E-04		4.E-05			8		1
UD	RM 10 West	**Metals**												
		Aluminum	5.3E+01	mg/kg	--	5.8E-03	--	1.1E-03	--	1.0E+00	1.4E-02	0.01	2.5E-03	0.002
		Arsenic, inorganic	6.5E-02	mg/kg	1.5E+00	7.2E-06	1.E-05	1.3E-06	2.E-06	3.0E-04	1.7E-05	0.06	3.1E-06	0.01
		Cadmium	4.0E-02	mg/kg	--	4.4E-06	--	8.1E-07	--	1.0E-03	1.0E-05	0.01	1.9E-06	0.002
		Chromium	4.0E-01	mg/kg	--	4.4E-05	--	8.1E-06	--	1.5E+00	1.0E-04	0.00007	1.9E-05	0.00001
		Copper	6.3E+00	mg/kg	--	6.9E-04	--	1.3E-04	--	4.0E-02	1.6E-03	0.04	3.0E-04	0.007
		Manganese	4.0E+00	mg/kg	--	4.4E-04	--	8.0E-05	--	1.4E-01	1.0E-03	0.007	1.9E-04	0.001
		Mercury	2.0E-02	mg/kg	--	2.2E-06	--	4.1E-07	--	1.0E-04	5.2E-06	0.052	9.6E-07	0.01
		Nickel	1.5E-01	mg/kg	--	1.7E-05	--	3.1E-06	--	2.0E-02	3.9E-05	0.002	7.1E-06	0.0004
		Selenium	1.0E-01	mg/kg	--	1.1E-05	--	2.0E-06	--	5.0E-03	2.6E-05	0.005	4.7E-06	0.001
		Silver	4.4E-02	mg/kg	--	4.8E-06	--	8.8E-07	--	5.0E-03	1.1E-05	0.002	2.1E-06	0.000
		Zinc	2.0E+01	mg/kg	--	2.2E-03	--	4.0E-04	--	3.0E-01	5.0E-03	0.02	9.2E-04	0.003
		PAHs												
		1-Methylnaphthalene	9.0E-01	ug/kg	2.9E-02	9.9E-08	3.E-09	1.8E-08	5.E-10	7.0E-02	2.3E-07	0.000003	4.2E-08	0.000001
		2-Methylnaphthalene	1.3E+00	ug/kg	--	1.4E-07	--	2.6E-08	--	4.0E-03	3.3E-07	0.0001	6.1E-08	0.00002
		Acenaphthene	5.1E-01	ug/kg	--	5.6E-08	--	1.0E-08	--	6.0E-02	1.3E-07	0.000002	2.4E-08	0.0000004
		Anthracene	1.1E+00	ug/kg	--	1.2E-07	--	2.2E-08	--	3.0E-01	2.8E-07	0.000001	5.2E-08	0.0000002
		Benzo(a)anthracene	2.5E+00	ug/kg	7.3E-01	2.8E-07	2.E-07	5.1E-08	4.E-08	--	6.4E-07	--	1.2E-07	--
		Benzo(e)pyrene	1.3E+00	ug/kg	--	1.4E-07	--	2.6E-08	--	3.0E-02	3.3E-07	0.00001	6.1E-08	0.000002
		Chrysene	4.1E+00	ug/kg	7.3E-03	4.5E-07	3.E-09	8.3E-08	6.E-10	--	1.1E-06	--	1.9E-07	--
		Fluoranthene	8.5E+00	ug/kg	--	9.4E-07	--	1.7E-07	--	4.0E-02	2.2E-06	0.0001	4.0E-07	0.00001
		Fluorene	7.6E-01	ug/kg	--	8.4E-08	--	1.5E-08	--	4.0E-02	2.0E-07	0.000005	3.6E-08	0.000001
		Indeno(1,2,3-cd)pyrene	1.9E-01	ug/kg	7.3E-01	2.1E-08	2.E-08	3.8E-09	3.E-09	--	4.9E-08	--	9.0E-09	--
		Phenanthrene	3.8E+00	ug/kg	--	4.2E-07	--	7.7E-08	--	3.0E-02	9.8E-07	0.00003	1.8E-07	0.00001
		Pyrene	7.4E+00	ug/kg	--	8.2E-07	--	1.5E-07	--	3.0E-02	1.9E-06	0.0001	3.5E-07	0.00001
		Semivolatile Organic Compounds												
		Benzoic acid	2.5E+03	ug/kg	--	2.8E-04	--	5.1E-05	--	4.0E+00	6.4E-04	0.0002	1.2E-04	0.00003
		Dibenzofuran	5.5E-01	ug/kg	--	6.1E-08	--	1.1E-08	--	1.0E-03	1.4E-07	0.0001	2.6E-08	0.00003
		Hexachlorobenzene	4.4E-01	ug/kg	1.6E+00	4.8E-08	8.E-08	8.8E-09	1.E-08	8.0E-04	1.1E-07	0.0001	2.1E-08	0.00003
		Nitrobenzene	8.3E+01	ug/kg	--	9.1E-06	--	1.7E-06	--	2.0E-03	2.1E-05	0.01	3.9E-06	0.002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	7.8E+04	pg/g	2.0E+00	8.6E-06	2.E-05	1.6E-06	3.E-06	2.0E-05	2.0E-05	1	3.7E-06	0.2
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	3.9E-01	pg/g	1.3E+05	4.3E-11	6.E-06	7.8E-12	1.E-06	1.0E-09	9.9E-11	0.1	1.8E-11	0.02
		Total PCB TEQ	6.9E-01	pg/g	1.3E+05	7.6E-11	1.E-05	1.4E-11	2.E-06	1.0E-09	1.8E-10	0.2	3.3E-11	0.03
		Pesticides												
		Aldrin	1.3E-01	ug/kg	1.7E+01	1.5E-08	2.E-07	2.7E-09	5.E-08	3.0E-05	3.4E-08	0.001	6.2E-09	0.0002
		Dieldrin	3.4E-01	ug/kg	1.6E+01	3.7E-08	6.E-07	6.8E-09	1.E-07	5.0E-05	8.7E-08	0.002	1.6E-08	0.0003
		Total Chlordanes	1.6E+00	ug/kg	3.5E-01	1.8E-07	6.E-08	3.3E-08	1.E-08	5.0E-04	4.1E-07	0.001	7.6E-08	0.0002
		Total DDD	1.7E+00	ug/kg	2.4E-01	1.9E-07	5.E-08	3.5E-08	8.E-09	5.0E-04	4.4E-07	0.001	8.2E-08	0.0002
		Total DDE	5.3E+00	ug/kg	3.4E-01	5.8E-07	2.E-07	1.1E-07	4.E-08	5.0E-04	1.4E-06	0.003	2.5E-07	0.0005
		Total DDT	4.6E-01	ug/kg	3.4E-01	5.1E-08	2.E-08	9.4E-09	3.E-09	5.0E-04	1.2E-07	0.0002	2.2E-08	0.00004
	Exposure Point Total						4.E-05		8.E-06			2		0.3
UD	RM 11 East	**Metals**												
		Aluminum	2.0E+02	mg/kg	--	2.1E-02	--	3.9E-03	--	1.0E+00	5.0E-02	0.05	9.2E-03	0.009
		Arsenic, inorganic	7.7E-02	mg/kg	1.5E+00	8.5E-06	1.E-05	1.6E-06	2.E-06	3.0E-04	2.0E-05	0.07	3.6E-06	0.01
		Cadmium	7.8E-02	mg/kg	--	8.6E-06	--	1.6E-06	--	1.0E-03	2.0E-05	0.02	3.7E-06	0.004
		Chromium	7.0E-01	mg/kg	--	7.7E-05	--	1.4E-05	--	1.5E+00	1.8E-04	0.0001	3.3E-05	0.00002
		Copper	6.6E+00	mg/kg	--	7.2E-04	--	1.3E-04	--	4.0E-02	1.7E-03	0.04	3.1E-04	0.008
		Manganese	7.5E+00	mg/kg	--	8.3E-04	--	1.5E-04	--	1.4E-01	1.9E-03	0.01	3.5E-04	0.003
		Mercury	2.6E-02	mg/kg	--	2.9E-06	--	5.3E-07	--	1.0E-04	6.8E-06	0.07	1.2E-06	0.01
		Nickel	3.2E-01	mg/kg	--	3.6E-05	--	6.5E-06	--	2.0E-02	8.3E-05	0.004	1.5E-05	0.001
		Selenium	1.4E-01	mg/kg	--	1.5E-05	--	2.8E-06	--	5.0E-03	3.6E-05	0.007	6.6E-06	0.001
		Silver	5.6E-02	mg/kg	--	6.2E-06	--	1.1E-06	--	5.0E-03	1.5E-05	0.003	2.7E-06	0.001
		Zinc	2.6E+01	mg/kg	--	2.8E-03	--	5.2E-04	--	3.0E-01	6.6E-03	0.02	1.2E-03	0.004
		Butyltins												
		Butyltin ion	2.1E+00	ug/kg	--	2.3E-07	--	4.2E-08	--	3.0E-04	5.4E-07	0.002	9.9E-08	0.0003
		PAHs												
		1-Methylnaphthalene	9.3E-01	ug/kg	2.9E-02	1.0E-07	3.E-09	1.9E-08	5.E-10	7.0E-02	2.4E-07	0.000003	4.4E-08	0.000001
		2-Methylnaphthalene	1.3E+00	ug/kg	--	1.4E-07	--	2.6E-08	--	4.0E-03	3.3E-07	0.0001	6.1E-08	0.00002
		Acenaphthene	3.0E-01	ug/kg	--	3.3E-08	--	6.1E-09	--	6.0E-02	7.7E-08	0.000001	1.4E-08	0.0000002
		Anthracene	1.2E+00	ug/kg	--	1.3E-07	--	2.4E-08	--	3.0E-01	3.1E-07	0.000001	5.7E-08	0.0000002
		Benzo(a)anthracene	1.9E+00	ug/kg	7.3E-01	2.1E-07	2.E-07	3.8E-08	3.E-08	--	4.9E-07	--	9.0E-08	--
		Benzo(e)pyrene	1.2E+00	ug/kg	--	1.3E-07	--	2.4E-08	--	3.0E-02	3.1E-07	0.00001	5.7E-08	0.000002
		Chrysene	3.8E+00	ug/kg	7.3E-03	4.2E-07	3.E-09	7.7E-08	6.E-10	--	9.8E-07	--	1.8E-07	--
		Fluoranthene	5.5E+00	ug/kg	--	6.1E-07	--	1.1E-07	--	4.0E-02	1.4E-06	0.00004	2.6E-07	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Cancer Risk — 18 g/day LADI (mg/kg-day)	Cancer Risk — 18 g/day Cancer Risk	Cancer Risk — 3.3 g/day LADI (mg/kg-day)	Cancer Risk — 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Noncancer — 18 g/day CDI mg/kg-day	Noncancer — 18 g/day Hazard Quotient	Noncancer — 3.3 g/day CDI mg/kg-day	Noncancer — 3.3 g/day Hazard Quotient
		Fluorene	6.3E-01	ug/kg	--	6.9E-08	--	1.3E-08	--	4.0E-02	1.6E-07	0.000004	3.0E-08	0.000001
		Phenanthrene	2.7E+00	ug/kg	--	3.0E-07	--	5.5E-08	--	3.0E-02	6.9E-07	0.00002	1.3E-07	0.000004
		Pyrene	5.5E+00	ug/kg	--	6.1E-07	--	1.1E-07	--	3.0E-02	1.4E-06	0.00005	2.6E-07	0.00001
		Semivolatile Organic Compounds												
		Benzoic acid	4.0E+03	ug/kg	--	4.4E-04	--	8.1E-05	--	4.0E+00	1.0E-03	0.0003	1.9E-04	0.00005
		Benzyl alcohol	2.3E+01	ug/kg	--	2.5E-06	--	4.6E-07	--	1.0E-01	5.9E-06	0.0001	1.1E-06	0.00001
		Dibenzofuran	5.1E-01	ug/kg	--	5.6E-08	--	1.0E-08	--	1.0E-03	1.3E-07	0.0001	2.4E-08	0.00002
		Hexachlorobenzene	5.5E-01	ug/kg	1.6E+00	6.0E-08	1.E-07	1.1E-08	2.E-08	8.0E-04	1.4E-07	0.0002	2.6E-08	0.00003
		Nitrobenzene	7.8E+01	ug/kg	--	8.6E-06	--	1.6E-06	--	2.0E-03	2.0E-05	0.01	3.7E-06	0.002
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	8.4E+05	pg/g	2.0E+00	9.2E-05	2.E-04	1.7E-05	3.E-05	2.0E-05	2.2E-04	10	4.0E-05	2
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	5.3E-01	pg/g	1.3E+05	5.8E-11	8.E-06	1.1E-11	1.E-06	1.0E-09	1.4E-10	0.1	2.5E-11	0.02
		Total PCB TEQ	1.7E+00	pg/g	1.3E+05	1.9E-10	2.E-05	3.5E-11	5.E-06	1.0E-09	4.4E-10	0.4	8.1E-11	0.08
		Pesticides												
		Dieldrin	4.5E-01	ug/kg	1.6E+01	5.0E-08	8.E-07	9.1E-09	1.E-07	5.0E-05	1.2E-07	0.002	2.1E-08	0.0004
		gamma-Hexachlorocyclohexane	2.6E-02	ug/kg	1.1E+00	2.8E-09	3.E-09	5.2E-10	6.E-10	3.0E-04	6.6E-09	0.00002	1.2E-09	0.000004
		Heptachlor epoxide	3.3E-02	ug/kg	9.1E+00	3.6E-09	3.E-08	6.7E-10	6.E-09	1.3E-05	8.5E-09	0.001	1.6E-09	0.0001
		Total Chlordanes	1.8E+00	ug/kg	3.5E-01	2.0E-07	7.E-08	3.7E-08	1.E-08	5.0E-04	4.7E-07	0.001	8.7E-08	0.0002
		Total DDD	1.7E+00	ug/kg	2.4E-01	1.9E-07	5.E-08	3.5E-08	8.E-09	5.0E-04	4.4E-07	0.001	8.1E-08	0.0002
		Total DDE	5.4E+00	ug/kg	3.4E-01	5.9E-07	2.E-07	1.1E-07	4.E-08	5.0E-04	1.4E-06	0.003	2.5E-07	0.001
		Total DDT	7.6E-01	ug/kg	3.4E-01	8.4E-08	3.E-08	1.5E-08	5.E-09	5.0E-04	2.0E-07	0.0004	3.6E-08	0.0001
		Total Endosulfan	4.5E-01	ug/kg	--	5.0E-08	--	9.2E-09	--	6.0E-03	1.2E-07	0.00002	2.1E-08	0.000004
	Exposure Point Total						2.E-04		4.E-05			10		2
UD	RM 11 West	**Metals**												
		Aluminum	1.5E+02	mg/kg	--	1.6E-02	--	3.0E-03	--	1.0E+00	3.8E-02	0.04	6.9E-03	0.007
		Arsenic, inorganic	6.2E-02	mg/kg	1.5E+00	6.8E-06	1.E-05	1.2E-06	2.E-06	3.0E-04	1.6E-05	0.05	2.9E-06	0.01
		Cadmium	3.5E-02	mg/kg	--	3.9E-06	--	7.1E-07	--	1.0E-03	9.0E-06	0.009	1.7E-06	0.002
		Chromium	5.0E-01	mg/kg	--	5.5E-05	--	1.0E-05	--	1.5E+00	1.3E-04	0.000	2.4E-05	0.000
		Copper	4.6E+00	mg/kg	--	5.0E-04	--	9.2E-05	--	4.0E-02	1.2E-03	0.03	2.2E-04	0.005
		Manganese	7.8E+00	mg/kg	--	8.6E-04	--	1.6E-04	--	1.4E-01	2.0E-03	0.01	3.7E-04	0.003
		Mercury	2.0E-02	mg/kg	--	2.2E-06	--	4.0E-07	--	1.0E-04	5.1E-06	0.05	9.4E-07	0.009
		Nickel	2.5E-01	mg/kg	--	2.8E-05	--	5.1E-06	--	2.0E-02	6.4E-05	0.003	1.2E-05	0.001
		Selenium	1.4E-01	mg/kg	--	1.5E-05	--	2.8E-06	--	5.0E-03	3.6E-05	0.007	6.6E-06	0.001
		Silver	4.4E-02	mg/kg	--	4.8E-06	--	8.8E-07	--	5.0E-03	1.1E-05	0.002	2.1E-06	0.0004
		Zinc	2.8E+01	mg/kg	--	3.1E-03	--	5.6E-04	--	3.0E-01	7.1E-03	0.02	1.3E-03	0.004

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)[-1]	Cancer Risk 18 g/day LADI (mg/kg-day)	Cancer Risk 18 g/day Cancer Risk	Cancer Risk 3.3 g/day LADI (mg/kg-day)	Cancer Risk 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Noncancer 18 g/day CDI mg/kg-day	Noncancer 18 g/day Hazard Quotient	Noncancer 3.3 g/day CDI mg/kg-day	Noncancer 3.3 g/day Hazard Quotient
		PAHs												
		Acenaphthene	4.0E-01	ug/kg	--	4.4E-08	--	8.1E-09	--	6.0E-02	1.0E-07	0.000002	1.9E-08	0.0000003
		Anthracene	1.4E+00	ug/kg	--	1.5E-07	--	2.8E-08	--	3.0E-01	3.6E-07	0.000001	6.6E-08	0.0000002
		Benzo(a)anthracene	2.1E+00	ug/kg	7.3E-01	2.3E-07	2.E-07	4.2E-08	3.E-08	--	5.4E-07	--	9.9E-08	--
		Benzo(a)pyrene	3.2E-01	ug/kg	7.3E+00	3.5E-08	3.E-07	6.5E-09	5.E-08	--	8.2E-08	--	1.5E-08	--
		Benzo(e)pyrene	1.2E+00	ug/kg	--	1.3E-07	--	2.4E-08	--	3.0E-02	3.1E-07	0.00001	5.7E-08	0.000002
		Chrysene	3.2E+00	ug/kg	7.3E-03	3.5E-07	3.E-09	6.5E-08	5.E-10	--	8.2E-07	--	1.5E-07	--
		Fluoranthene	5.6E+00	ug/kg	--	6.2E-07	--	1.1E-07	--	4.0E-02	1.4E-06	0.00004	2.6E-07	0.00001
		Fluorene	8.2E-01	ug/kg	--	9.0E-08	--	1.7E-08	--	4.0E-02	2.1E-07	0.00001	3.9E-08	0.000001
		Indeno(1,2,3-cd)pyrene	1.5E-01	ug/kg	7.3E-01	1.7E-08	1.E-08	3.0E-09	2.E-09	--	3.9E-08	--	7.1E-09	--
		Phenanthrene	3.6E+00	ug/kg	--	4.0E-07	--	7.3E-08	--	3.0E-02	9.3E-07	0.00003	1.7E-07	0.00001
		Pyrene	4.9E+00	ug/kg	--	5.4E-07	--	9.9E-08	--	3.0E-02	1.3E-06	0.00004	2.3E-07	0.00001
		Semivolatile Organic Compounds												
		Benzoic acid	5.2E+03	ug/kg	--	5.7E-04	--	1.1E-04	--	4.0E+00	1.3E-03	0.0003	2.5E-04	0.0001
		Benzyl alcohol	2.3E+01	ug/kg	--	2.5E-06	--	4.6E-07	--	1.0E-01	5.9E-06	0.0001	1.1E-06	0.00001
		Dibenzofuran	6.1E-01	ug/kg	--	6.7E-08	--	1.2E-08	--	1.0E-03	1.6E-07	0.0002	2.9E-08	0.00003
		Hexachlorobenzene	6.7E-01	ug/kg	1.6E+00	7.4E-08	1.E-07	1.4E-08	2.E-08	8.0E-04	1.7E-07	0.0002	3.2E-08	0.00004
		Nitrobenzene	2.3E+02	ug/kg	--	2.5E-05	--	4.6E-06	--	2.0E-03	5.9E-05	0.03	1.1E-05	0.005
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	3.6E+04	pg/g	2.0E+00	3.9E-06	8.E-06	7.2E-07	1.E-06	2.0E-05	9.1E-06	0.5	1.7E-06	0.08
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	5.8E-01	pg/g	1.3E+05	6.4E-11	8.E-06	1.2E-11	2.E-06	1.0E-09	1.5E-10	0.1	2.7E-11	0.03
		Total PCB TEQ	4.9E-01	pg/g	1.3E+05	5.4E-11	7.E-06	9.9E-12	1.E-06	1.0E-09	1.3E-10	0.1	2.3E-11	0.02
		Pesticides												
		Aldrin	1.3E-01	ug/kg	1.7E+01	1.4E-08	2.E-07	2.6E-09	4.E-08	3.0E-05	3.3E-08	0.001	6.1E-09	0.0002
		Dieldrin	5.0E-01	ug/kg	1.6E+01	5.5E-08	9.E-07	1.0E-08	2.E-07	5.0E-05	1.3E-07	0.003	2.3E-08	0.0005
		gamma-Hexachlorocyclohexane	1.8E-02	ug/kg	1.1E+00	2.0E-09	2.E-09	3.6E-10	4.E-10	3.0E-04	4.6E-09	0.00002	8.5E-10	0.000003
		Heptachlor epoxide	4.7E-02	ug/kg	9.1E+00	5.2E-09	5.E-08	9.5E-10	9.E-09	1.3E-05	1.2E-08	0.001	2.2E-09	0.0002
		Total Chlordanes	2.0E+00	ug/kg	3.5E-01	2.2E-07	8.E-08	4.0E-08	1.E-08	5.0E-04	5.1E-07	0.001	9.4E-08	0.0002
		Total DDD	1.6E+00	ug/kg	2.4E-01	1.8E-07	4.E-08	3.3E-08	8.E-09	5.0E-04	4.2E-07	0.001	7.7E-08	0.0002
		Total DDE	6.0E+00	ug/kg	3.4E-01	6.7E-07	2.E-07	1.2E-07	4.E-08	5.0E-04	1.6E-06	0.003	2.8E-07	0.001
		Total DDT	9.8E-01	ug/kg	3.4E-01	1.1E-07	4.E-08	2.0E-08	7.E-09	5.0E-04	2.5E-07	0.001	4.6E-08	0.0001
		Total Endosulfan	2.4E-01	ug/kg	--	2.7E-08	--	4.9E-09	--	6.0E-03	6.3E-08	0.00001	1.2E-08	0.000002
Exposure Point Total							4.E-05		6.E-06			1		0.2

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
UD	RM 12 East	**Metals**												
		Aluminum	1.1E+02	mg/kg	--	1.2E-02	--	2.2E-03	--	1.0E+00	2.8E-02	0.03	5.1E-03	0.005
		Arsenic, inorganic	8.0E-02	mg/kg	1.5E+00	8.8E-06	1.E-05	1.6E-06	2.E-06	3.0E-04	2.1E-05	0.07	3.8E-06	0.01
		Cadmium	5.3E-02	mg/kg	--	5.8E-06	--	1.1E-06	--	1.0E-03	1.4E-05	0.01	2.5E-06	0.002
		Chromium	7.0E-01	mg/kg	--	7.7E-05	--	1.4E-05	--	1.5E+00	1.8E-04	0.0001	3.3E-05	0.00002
		Copper	7.0E+00	mg/kg	--	7.7E-04	--	1.4E-04	--	4.0E-02	1.8E-03	0.04	3.3E-04	0.008
		Manganese	6.5E+00	mg/kg	--	7.2E-04	--	1.3E-04	--	1.4E-01	1.7E-03	0.01	3.1E-04	0.002
		Mercury	2.5E-02	mg/kg	--	2.7E-06	--	5.0E-07	--	1.0E-04	6.3E-06	0.06	1.2E-06	0.01
		Nickel	2.2E-01	mg/kg	--	2.4E-05	--	4.4E-06	--	2.0E-02	5.6E-05	0.003	1.0E-05	0.001
		Selenium	1.4E-01	mg/kg	--	1.5E-05	--	2.8E-06	--	5.0E-03	3.6E-05	0.007	6.6E-06	0.001
		Silver	6.4E-02	mg/kg	--	7.0E-06	--	1.3E-06	--	5.0E-03	1.6E-05	0.003	3.0E-06	0.001
		Zinc	3.0E+01	mg/kg	--	3.4E-03	--	6.1E-04	--	3.0E-01	7.8E-03	0.03	1.4E-03	0.005
		PAHs												
		1-Methylnaphthalene	8.1E-01	ug/kg	2.9E-02	8.9E-08	3.E-09	1.6E-08	5.E-10	7.0E-02	2.1E-07	0.000003	3.8E-08	0.000001
		2-Methylnaphthalene	1.7E+00	ug/kg	--	1.9E-07	--	3.4E-08	--	4.0E-03	4.4E-07	0.0001	8.0E-08	0.00002
		Acenaphthene	7.3E-01	ug/kg	--	8.0E-08	--	1.5E-08	--	6.0E-02	1.9E-07	0.000003	3.4E-08	0.000001
		Anthracene	1.8E+00	ug/kg	--	2.0E-07	--	3.6E-08	--	3.0E-01	4.6E-07	0.000002	8.5E-08	0.0000003
		Benzo(a)anthracene	2.6E+00	ug/kg	7.3E-01	2.9E-07	2.E-07	5.3E-08	4.E-08	--	6.7E-07	--	1.2E-07	--
		Benzo(e)pyrene	2.3E+00	ug/kg	--	2.5E-07	--	4.6E-08	--	3.0E-02	5.9E-07	0.00002	1.1E-07	0.000004
		Chrysene	6.3E+00	ug/kg	7.3E-03	6.9E-07	5.E-09	1.3E-07	9.E-10	--	1.6E-06	--	3.0E-07	--
		Fluoranthene	7.8E+00	ug/kg	--	8.6E-07	--	1.6E-07	--	4.0E-02	2.0E-06	0.0001	3.7E-07	0.00001
		Fluorene	9.6E-01	ug/kg	--	1.1E-07	--	1.9E-08	--	4.0E-02	2.5E-07	0.00001	4.5E-08	0.000001
		Naphthalene	7.8E+01	ug/kg	--	8.6E-06	--	1.6E-06	--	2.0E-02	2.0E-05	0.001	3.7E-06	0.0002
		Phenanthrene	4.2E+00	ug/kg	--	4.6E-07	--	8.5E-08	--	3.0E-02	1.1E-06	0.00004	2.0E-07	0.00001
		Pyrene	8.9E+00	ug/kg	--	9.8E-07	--	1.8E-07	--	3.0E-02	2.3E-06	0.0001	4.2E-07	0.00001
		Phthalates												
		Bis(2-ethylhexyl) phthalate	1.5E+02	ug/kg	1.4E-02	1.7E-05	2.E-07	3.0E-06	4.E-08	2.0E-02	3.9E-05	0.002	7.1E-06	0.0004
		Semivolatile Organic Compounds												
		Benzoic acid	3.4E+03	ug/kg	--	3.7E-04	--	6.9E-05	--	4.0E+00	8.7E-04	0.0002	1.6E-04	0.00004
		Dibenzofuran	6.3E-01	ug/kg	--	6.9E-08	--	1.3E-08	--	1.0E-03	1.6E-07	0.0002	3.0E-08	0.00003
		Hexachlorobenzene	7.8E-01	ug/kg	1.6E+00	8.6E-08	1.E-07	1.6E-08	3.E-08	8.0E-04	2.0E-07	0.0003	3.7E-08	0.00005
		Hexachlorobutadiene	4.0E-03	ug/kg	7.8E-02	4.4E-10	3.E-11	8.1E-11	6.E-12	1.0E-03	1.0E-09	0.000001	1.9E-10	0.0000002
		Nitrobenzene	1.7E+02	ug/kg	--	1.9E-05	--	3.4E-06	--	2.0E-03	4.4E-05	0.02	8.0E-06	0.004
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	1.4E+05	pg/g	2.0E+00	1.5E-05	3.E-05	2.7E-06	5.E-06	2.0E-05	3.5E-05	2	6.4E-06	0.3

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern [a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)^{-1}	Cancer Risk — 18 g/day LADI (mg/kg-day)	Cancer Risk — 18 g/day Cancer Risk	Cancer Risk — 3.3 g/day LADI (mg/kg-day)	Cancer Risk — 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Noncancer — 18 g/day CDI mg/kg-day	Noncancer — 18 g/day Hazard Quotient	Noncancer — 3.3 g/day CDI mg/kg-day	Noncancer — 3.3 g/day Hazard Quotient
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	6.8E-01	pg/g	1.3E+05	7.4E-11	1.E-05	1.4E-11	2.E-06	1.0E-09	1.7E-10	0.2	3.2E-11	0.03
		Total PCB TEQ	9.2E-01	pg/g	1.3E+05	1.0E-10	1.E-05	1.9E-11	2.E-06	1.0E-09	2.4E-10	0.2	4.3E-11	0.04
		Pesticides												
		Aldrin	1.1E-01	ug/kg	1.7E+01	1.2E-08	2.E-07	2.2E-09	4.E-08	3.0E-05	2.8E-08	0.001	5.2E-09	0.0002
		Dieldrin	6.1E-01	ug/kg	1.6E+01	6.7E-08	1.E-06	1.2E-08	2.E-07	5.0E-05	1.6E-07	0.003	2.9E-08	0.001
		gamma-Hexachlorocyclohexane	3.6E-02	ug/kg	1.1E+00	3.9E-09	4.E-09	7.2E-10	8.E-10	3.0E-04	9.2E-09	0.00003	1.7E-09	0.00001
		Total Chlordanes	2.5E+00	ug/kg	3.5E-01	2.8E-07	1.E-07	5.1E-08	2.E-08	5.0E-04	6.5E-07	0.001	1.2E-07	0.0002
		Total DDD	2.0E+00	ug/kg	2.4E-01	2.2E-07	5.E-08	4.0E-08	1.E-08	5.0E-04	5.2E-07	0.001	9.4E-08	0.0002
		Total DDE	6.3E+00	ug/kg	3.4E-01	6.9E-07	2.E-07	1.3E-07	4.E-08	5.0E-04	1.6E-06	0.003	3.0E-07	0.001
		Total DDT	1.1E+00	ug/kg	3.4E-01	1.2E-07	4.E-08	2.1E-08	7.E-09	5.0E-04	2.7E-07	0.001	5.0E-08	0.0001
		Total Endosulfan	4.4E-01	ug/kg	--	4.8E-08	--	8.8E-09	--	6.0E-03	1.1E-07	0.00002	2.1E-08	0.000003
	Exposure Point Total						7.E-05		1.E-05			2		0.4
UD	Study Area-wide	**Metals**												
		Aluminum	1.0E+02	mg/kg	--	1.1E-02	--	2.1E-03	--	1.0E+00	2.7E-02	0.03	4.9E-03	0.005
		Antimony	1.7E-03	mg/kg	--	1.9E-07	--	3.4E-08	--	4.0E-04	4.3E-07	0.001	7.9E-08	0.0002
		Arsenic, inorganic	9.4E-02	mg/kg	1.5E+00	1.0E-05	2.E-05	1.9E-06	3.E-06	3.0E-04	2.4E-05	0.08	4.4E-06	0.01
		Cadmium	1.1E-01	mg/kg	--	1.3E-05	--	2.3E-06	--	1.0E-03	2.9E-05	0.03	5.4E-06	0.005
		Chromium	6.6E-01	mg/kg	--	7.3E-05	--	1.3E-05	--	1.5E+00	1.7E-04	0.0001	3.1E-05	0.00002
		Copper	9.6E+00	mg/kg	--	1.1E-03	--	1.9E-04	--	4.0E-02	2.5E-03	0.06	4.5E-04	0.01
		Manganese	6.9E+00	mg/kg	--	7.6E-04	--	1.4E-04	--	1.4E-01	1.8E-03	0.01	3.2E-04	0.002
		Mercury	1.5E-02	mg/kg	--	1.6E-06	--	3.0E-07	--	1.0E-04	3.8E-06	0.04	7.0E-07	0.007
		Nickel	3.2E-01	mg/kg	--	3.6E-05	--	6.5E-06	--	2.0E-02	8.3E-05	0.004	1.5E-05	0.001
		Selenium	1.6E-01	mg/kg	--	1.7E-05	--	3.1E-06	--	5.0E-03	4.0E-05	0.008	7.3E-06	0.001
		Silver	5.7E-02	mg/kg	--	6.3E-06	--	1.1E-06	--	5.0E-03	1.5E-05	0.003	2.7E-06	0.001
		Zinc	3.6E+01	mg/kg	--	3.9E-03	--	7.2E-04	--	3.0E-01	9.2E-03	0.03	1.7E-03	0.006
		Butyltins												
		Butyltin ion	1.1E+01	ug/kg	--	1.2E-06	--	2.2E-07	--	3.0E-04	2.8E-06	0.009	5.2E-07	0.002
		Dibutyltin ion	1.2E+02	ug/kg	--	1.4E-05	--	2.5E-06	--	3.0E-04	3.2E-05	0.1	5.9E-06	0.02
		Tributyltin ion	1.2E+02	ug/kg	--	1.3E-05	--	2.4E-06	--	3.0E-04	3.1E-05	0.1	5.7E-06	0.02
		PAHs												
		1-Methylnaphthalene	1.6E+00	ug/kg	2.9E-02	1.7E-07	5.E-09	3.1E-08	9.E-10	7.0E-02	4.0E-07	0.00001	7.3E-08	0.000001
		2-Methylnaphthalene	6.2E+00	ug/kg	--	6.8E-07	--	1.2E-07	--	4.0E-03	1.6E-06	0.0004	2.9E-07	0.0001
		Acenaphthene	1.5E+01	ug/kg	--	1.6E-06	--	3.0E-07	--	6.0E-02	3.8E-06	0.0001	6.9E-07	0.00001
		Acenaphthylene	4.3E+00	ug/kg	--	4.8E-07	--	8.8E-08	--	6.0E-02	1.1E-06	0.00002	2.0E-07	0.000003
		Anthracene	2.1E+01	ug/kg	--	2.3E-06	--	4.2E-07	--	3.0E-01	5.4E-06	0.00002	9.9E-07	0.000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Oral Cancer Slope Factor (mg/kg-day)^-1	LADI (mg/kg-day) [18 g/day]	Cancer Risk [18 g/day]	LADI (mg/kg-day) [3.3 g/day]	Cancer Risk [3.3 g/day]	Oral RfD mg/kg-day	CDI mg/kg-day [18 g/day]	Noncancer Hazard Quotient [18 g/day]	CDI mg/kg-day [3.3 g/day]	Noncancer Hazard Quotient [3.3 g/day]
		Benzo(a)anthracene	2.1E+02	ug/kg	7.3E-01	2.3E-05	2.E-05	4.2E-06	3.E-06	--	5.3E-05	--	9.7E-06	--
		Benzo(a)pyrene	1.4E+02	ug/kg	7.3E+00	1.5E-05	1.E-04	2.8E-06	2.E-05	--	3.5E-05	--	6.5E-06	--
		Benzo(b)fluoranthene	1.3E+02	ug/kg	7.3E-01	1.4E-05	1.E-05	2.7E-06	2.E-06	--	3.4E-05	--	6.2E-06	--
		Benzo(e)pyrene	7.8E+00	ug/kg	--	8.6E-07	--	1.6E-07	--	3.0E-02	2.0E-06	0.0001	3.7E-07	0.00001
		Benzo(g,h,i)perylene	6.6E+01	ug/kg	--	7.3E-06	--	1.3E-06	--	3.0E-02	1.7E-05	0.001	3.1E-06	0.0001
		Benzo(k)fluoranthene	1.3E+02	ug/kg	7.3E-02	1.4E-05	1.E-06	2.5E-06	2.E-07	--	3.2E-05	--	5.9E-06	--
		Chrysene	1.9E+02	ug/kg	7.3E-03	2.1E-05	2.E-07	3.8E-06	3.E-08	--	4.8E-05	--	8.8E-06	--
		Dibenzo(a,h)anthracene	5.4E+00	ug/kg	7.3E+00	5.9E-07	4.E-06	1.1E-07	8.E-07	--	1.4E-06	--	2.5E-07	--
		Dibenzothiophene	3.2E+00	ug/kg	--	3.5E-07	--	6.5E-08	--	4.0E-02	8.2E-07	0.00002	1.5E-07	0.000004
		Fluoranthene	2.6E+02	ug/kg	--	2.9E-05	--	5.3E-06	--	4.0E-02	6.8E-05	0.002	1.2E-05	0.0003
		Fluorene	9.3E+00	ug/kg	--	1.0E-06	--	1.9E-07	--	4.0E-02	2.4E-06	0.0001	4.4E-07	0.00001
		Indeno(1,2,3-cd)pyrene	6.9E+01	ug/kg	7.3E-01	7.6E-06	6.E-06	1.4E-06	1.E-06	--	1.8E-05	--	3.3E-06	--
		Naphthalene	3.3E+01	ug/kg	--	3.6E-06	--	6.7E-07	--	2.0E-02	8.5E-06	0.0004	1.6E-06	0.00008
		Perylene	9.2E-01	ug/kg	--	1.0E-07	--	1.9E-08	--	3.0E-02	2.4E-07	0.00001	4.3E-08	0.000001
		Phenanthrene	9.4E+01	ug/kg	--	1.0E-05	--	1.9E-06	--	3.0E-02	2.4E-05	0.001	4.4E-06	0.0001
		Pyrene	2.9E+02	ug/kg	--	3.2E-05	--	5.9E-06	--	3.0E-02	7.5E-05	0.002	1.4E-05	0.0005
		Phthalates												
		Bis(2-ethylhexyl) phthalate	8.8E+01	ug/kg	1.4E-02	9.7E-06	1.E-07	1.8E-06	3.E-08	2.0E-02	2.3E-05	0.001	4.2E-06	0.0002
		Dibutyl phthalate	1.3E+03	ug/kg	--	1.4E-04	--	2.6E-05	--	1.0E-01	3.3E-04	0.003	6.1E-05	0.001
		Semivolatile Organic Compounds												
		Benzoic acid	4.8E+03	ug/kg	--	5.3E-04	--	9.6E-05	--	4.0E+00	1.2E-03	0.0003	2.3E-04	0.0001
		Benzyl alcohol	2.7E+02	ug/kg	--	3.0E-05	--	5.5E-06	--	1.0E-01	7.0E-05	0.001	1.3E-05	0.0001
		Bis(2-chloroethoxy) methane	4.6E+01	ug/kg	--	5.1E-06	--	9.3E-07	--	3.0E-03	1.2E-05	0.004	2.2E-06	0.001
		Dibenzofuran	3.7E+00	ug/kg	--	4.1E-07	--	7.4E-08	--	1.0E-03	9.5E-07	0.001	1.7E-07	0.0002
		Hexachlorobenzene	6.5E-01	ug/kg	1.6E+00	7.1E-08	1.E-07	1.3E-08	2.E-08	8.0E-04	1.7E-07	0.0002	3.1E-08	0.00004
		Hexachlorobutadiene	2.5E-02	ug/kg	7.8E-02	2.8E-09	2.E-10	5.1E-10	4.E-11	1.0E-03	6.4E-09	0.00001	1.2E-09	0.000001
		Nitrobenzene	2.9E+02	ug/kg	--	3.2E-05	--	5.9E-06	--	2.0E-03	7.5E-05	0.04	1.4E-05	0.007
		Phenols												
		4-Nitrophenol	1.9E+01	ug/kg	--	2.1E-06	--	3.8E-07	--	5.0E-03	4.9E-06	0.001	9.0E-07	0.0002
		Phenol	2.6E+03	ug/kg	--	2.9E-04	--	5.3E-05	--	3.0E-01	6.7E-04	0.002	1.2E-04	0.0004
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	5.4E+05	pg/g	2.0E+00	5.9E-05	1.E-04	1.1E-05	2.E-05	2.0E-05	1.4E-04	7	2.5E-05	1
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	1.9E+00	pg/g	1.3E+05	2.1E-10	3.E-05	3.9E-11	5.E-06	1.0E-09	5.0E-10	0.5	9.2E-11	0.09
		Total PCB TEQ	2.9E+00	pg/g	1.3E+05	3.2E-10	4.E-05	5.8E-11	8.E-06	1.0E-09	7.4E-10	0.7	1.3E-10	0.1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)^-1	Cancer Risk Calculations[b] — Consumption Rate: 18 g/day — LADI (mg/kg-day)	Cancer Risk	Cancer Risk Calculations[b] — Consumption Rate: 3.3 g/day — LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	Noncancer HQ — Consumption Rate: 18 g/day — CDI mg/kg-day	Noncancer Hazard Quotient	Noncancer HQ — Consumption Rate: 3.3 g/day — CDI mg/kg-day	Noncancer Hazard Quotient
		Pesticides												
		Aldrin	8.8E-01	ug/kg	1.7E+01	9.7E-08	2.E-06	1.8E-08	3.E-07	3.0E-05	2.3E-07	0.008	4.1E-08	0.001
		alpha-Hexachlorocyclohexane	1.0E-02	ug/kg	6.3E+00	1.1E-09	7.E-09	2.1E-10	1.E-09	8.0E-03	2.6E-09	0.0000003	4.8E-10	0.0000001
		beta-Hexachlorocyclohexane	1.2E+00	ug/kg	1.8E+00	1.3E-07	2.E-07	2.4E-08	4.E-08	6.0E-04	3.1E-07	0.001	5.7E-08	0.0001
		Dieldrin	1.1E+00	ug/kg	1.6E+01	1.2E-07	2.E-06	2.2E-08	3.E-07	5.0E-05	2.8E-07	0.006	5.1E-08	0.001
		Endrin	1.7E-02	ug/kg	--	1.9E-09	--	3.4E-10	--	3.0E-04	4.3E-09	0.0000	7.9E-10	0.0000
		Endrin aldehyde	3.9E-01	ug/kg	--	4.3E-08	--	7.9E-09	--	3.0E-04	1.0E-07	0.0003	1.8E-08	0.0001
		Endrin ketone	4.0E-03	ug/kg	--	4.4E-10	--	8.1E-11	--	3.0E-04	1.0E-09	0.000003	1.9E-10	0.000001
		gamma-Hexachlorocyclohexane	6.9E-02	ug/kg	1.1E+00	7.6E-09	8.E-09	1.4E-09	2.E-09	3.0E-04	1.8E-08	0.0001	3.2E-09	0.00001
		Heptachlor	4.3E-02	ug/kg	4.5E+00	4.8E-09	2.E-08	8.7E-10	4.E-09	5.0E-04	1.1E-08	0.00002	2.0E-09	0.000004
		Heptachlor epoxide	4.0E-01	ug/kg	9.1E+00	4.4E-08	4.E-07	8.0E-09	7.E-08	1.3E-05	1.0E-07	0.008	1.9E-08	0.001
		Methoxychlor	3.2E-01	ug/kg	--	3.6E-08	--	6.5E-09	--	5.0E-03	8.3E-08	0.00002	1.5E-08	0.000003
		Total Chlordanes	5.9E+00	ug/kg	3.5E-01	6.5E-07	2.E-07	1.2E-07	4.E-08	5.0E-04	1.5E-06	0.003	2.8E-07	0.001
		Total DDD	5.8E+01	ug/kg	2.4E-01	6.4E-06	2.E-06	1.2E-06	3.E-07	5.0E-04	1.5E-05	0.03	2.7E-06	0.005
		Total DDE	3.1E+01	ug/kg	3.4E-01	3.4E-06	1.E-06	6.3E-07	2.E-07	5.0E-04	8.0E-06	0.02	1.5E-06	0.003
		Total DDT	2.3E+01	ug/kg	3.4E-01	2.5E-06	9.E-07	4.6E-07	2.E-07	5.0E-04	5.9E-06	0.01	1.1E-06	0.002
		Total Endosulfan	1.0E+00	ug/kg	--	1.1E-07	--	2.0E-08	--	6.0E-03	2.6E-07	0.00004	4.7E-08	0.00001
	Exposure Point Total						4.E-04		7.E-05			9		2
D	RM 1 East	**Metals**												
		Aluminum	2.1E+01	mg/kg	--	2.3E-03	--	4.3E-04	--	1.0E+00	5.5E-03	0.005	1.0E-03	0.001
		Arsenic, inorganic	1.0E-01	mg/kg	1.5E+00	1.1E-05	2.E-05	2.1E-06	3.E-06	3.0E-04	2.6E-05	0.09	4.8E-06	0.02
		Cadmium	1.0E-01	mg/kg	--	1.1E-05	--	2.1E-06	--	1.0E-03	2.7E-05	0.03	4.9E-06	0.005
		Chromium	4.0E-01	mg/kg	--	4.4E-05	--	8.1E-06	--	1.5E+00	1.0E-04	0.00007	1.9E-05	0.00001
		Copper	7.6E+00	mg/kg	--	8.4E-04	--	1.5E-04	--	4.0E-02	2.0E-03	0.05	3.6E-04	0.009
		Manganese	4.1E+00	mg/kg	--	4.5E-04	--	8.2E-05	--	1.4E-01	1.0E-03	0.007	1.9E-04	0.001
		Mercury	1.6E-02	mg/kg	--	1.7E-06	--	3.2E-07	--	1.0E-04	4.0E-06	0.04	7.4E-07	0.007
		Nickel	1.2E-01	mg/kg	--	1.3E-05	--	2.4E-06	--	2.0E-02	3.1E-05	0.002	5.7E-06	0.0003
		Selenium	1.6E-01	mg/kg	--	1.8E-05	--	3.2E-06	--	5.0E-03	4.1E-05	0.008	7.5E-06	0.002
		Silver	2.1E-02	mg/kg	--	2.3E-06	--	4.3E-07	--	5.0E-03	5.4E-06	0.001	9.9E-07	0.0002
		Zinc	2.1E+01	mg/kg	--	2.3E-03	--	4.3E-04	--	3.0E-01	5.5E-03	0.02	1.0E-03	0.003
		Butyltins												
		Butyltin ion	2.8E+00	ug/kg	--	3.1E-07	--	5.7E-08	--	3.0E-04	7.2E-07	0.002	1.3E-07	0.0004
		PAHs												
		2-Methylnaphthalene	9.7E-01	ug/kg	--	1.1E-07	--	2.0E-08	--	4.0E-03	2.5E-07	0.0001	4.6E-08	0.00001
		Acenaphthene	6.8E-01	ug/kg	--	7.5E-08	--	1.4E-08	--	6.0E-02	1.7E-07	0.000003	3.2E-08	0.000001
		Anthracene	1.8E+00	ug/kg	--	2.0E-07	--	3.6E-08	--	3.0E-01	4.6E-07	0.000002	8.5E-08	0.0000003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Benzo(a)anthracene	4.3E+00	ug/kg	7.3E-01	4.7E-07	3.E-07	8.7E-08	6.E-08	--	1.1E-06	--	2.0E-07	--
		Benzo(a)pyrene	4.3E-01	ug/kg	7.3E+00	4.7E-08	3.E-07	8.7E-09	6.E-08	--	1.1E-07	--	2.0E-08	--
		Benzo(b)fluoranthene	9.0E-01	ug/kg	7.3E-01	9.9E-08	7.E-08	1.8E-08	1.E-08	--	2.3E-07	--	4.2E-08	--
		Benzo(e)pyrene	2.4E+00	ug/kg	--	2.6E-07	--	4.8E-08	--	3.0E-02	6.2E-07	0.00002	1.1E-07	0.000004
		Chrysene	8.2E+00	ug/kg	7.3E-03	9.0E-07	7.E-09	1.7E-07	1.E-09	--	2.1E-06	--	3.9E-07	--
		Fluoranthene	2.8E+01	ug/kg	--	3.1E-06	--	5.7E-07	--	4.0E-02	7.2E-06	0.0002	1.3E-06	0.00003
		Fluorene	1.5E+00	ug/kg	--	1.7E-07	--	3.0E-08	--	4.0E-02	3.9E-07	0.00001	7.1E-08	0.000002
		Phenanthrene	7.6E+00	ug/kg	--	8.4E-07	--	1.5E-07	--	3.0E-02	2.0E-06	0.0001	3.6E-07	0.00001
		Pyrene	2.2E+01	ug/kg	--	2.4E-06	--	4.4E-07	--	3.0E-02	5.7E-06	0.0002	1.0E-06	0.00003
		Semivolatile Organic Compounds												
		Benzoic acid	3.0E+03	ug/kg	--	3.3E-04	--	6.1E-05	--	4.0E+00	7.7E-04	0.0002	1.4E-04	0.00004
		Dibenzofuran	6.6E-01	ug/kg	--	7.3E-08	--	1.3E-08	--	1.0E-03	1.7E-07	0.0002	3.1E-08	0.00003
		Hexachlorobenzene	4.8E-01	ug/kg	1.6E+00	5.3E-08	8.E-08	9.7E-09	2.E-08	8.0E-04	1.2E-07	0.0002	2.3E-08	0.00003
		Nitrobenzene	2.9E+02	ug/kg	--	3.2E-05	--	5.9E-06	--	2.0E-03	7.5E-05	0.04	1.4E-05	0.007
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	1.0E+05	pg/g	2.0E+00	1.1E-05	2.E-05	2.1E-06	4.E-06	2.0E-05	2.6E-05	1	4.8E-06	0.2
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	2.9E-01	pg/g	1.3E+05	3.2E-11	4.E-06	5.8E-12	8.E-07	1.0E-09	7.4E-11	0.07	1.4E-11	0.01
		Total PCB TEQ	1.2E+00	pg/g	1.3E+05	1.3E-10	2.E-05	2.4E-11	3.E-06	1.0E-09	3.1E-10	0.3	5.7E-11	0.06
		Pesticides												
		Aldrin	1.9E-01	ug/kg	1.7E+01	2.1E-08	4.E-07	3.8E-09	6.E-08	3.0E-05	4.8E-08	0.002	8.8E-09	0.0003
		Dieldrin	5.0E-01	ug/kg	1.6E+01	5.6E-08	9.E-07	1.0E-08	2.E-07	5.0E-05	1.3E-07	0.003	2.4E-08	0.0005
		gamma-Hexachlorocyclohexane	2.9E-02	ug/kg	1.1E+00	3.2E-09	4.E-09	5.9E-10	7.E-10	3.0E-04	7.5E-09	0.00003	1.4E-09	0.000005
		Heptachlor epoxide	4.3E-02	ug/kg	9.1E+00	4.7E-09	4.E-08	8.7E-10	8.E-09	1.3E-05	1.1E-08	0.001	2.0E-09	0.0002
		Total Chlordanes	2.5E+00	ug/kg	3.5E-01	2.7E-07	9.E-08	5.0E-08	2.E-08	5.0E-04	6.3E-07	0.001	1.2E-07	0.0002
		Total DDD	8.2E+00	ug/kg	2.4E-01	9.0E-07	2.E-07	1.7E-07	4.E-08	5.0E-04	2.1E-06	0.004	3.9E-07	0.001
		Total DDE	1.4E+01	ug/kg	3.4E-01	1.5E-06	5.E-07	2.7E-07	9.E-08	5.0E-04	3.5E-06	0.007	6.4E-07	0.001
		Total DDT	1.4E+00	ug/kg	3.4E-01	1.6E-07	5.E-08	2.9E-08	1.E-08	5.0E-04	3.7E-07	0.001	6.7E-08	0.0001
		Total Endosulfan	4.3E-01	ug/kg	--	4.8E-08	--	8.8E-09	--	6.0E-03	1.1E-07	0.00002	2.0E-08	0.000003
	Exposure Point Total						6.E-05		1.E-05			2		0.4
D	RM 2 West	**Metals**												
		Aluminum	2.1E+01	mg/kg	--	2.4E-03	--	4.3E-04	--	1.0E+00	5.5E-03	0.006	1.0E-03	0.001
		Arsenic, inorganic	1.4E-01	mg/kg	1.5E+00	1.5E-05	2.E-05	2.7E-06	4.E-06	3.0E-04	3.5E-05	0.1	6.4E-06	0.02
		Cadmium	9.0E-02	mg/kg	--	9.9E-06	--	1.8E-06	--	1.0E-03	2.3E-05	0.02	4.2E-06	0.004
		Chromium	5.0E-01	mg/kg	--	5.5E-05	--	1.0E-05	--	1.5E+00	1.3E-04	0.0001	2.4E-05	0.00002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Copper	9.0E+00	mg/kg	--	1.0E-03	--	1.8E-04	--	4.0E-02	2.3E-03	0.06	4.3E-04	0.01
		Manganese	4.3E+00	mg/kg	--	4.7E-04	--	8.6E-05	--	1.4E-01	1.1E-03	0.008	2.0E-04	0.001
		Mercury	2.2E-02	mg/kg	--	2.5E-06	--	4.5E-07	--	1.0E-04	5.7E-06	0.06	1.1E-06	0.01
		Nickel	1.8E-01	mg/kg	--	2.0E-05	--	3.6E-06	--	2.0E-02	4.6E-05	0.002	8.4E-06	0.0004
		Selenium	1.5E-01	mg/kg	--	1.7E-05	--	3.0E-06	--	5.0E-03	3.9E-05	0.008	7.1E-06	0.001
		Silver	2.5E-02	mg/kg	--	2.8E-06	--	5.1E-07	--	5.0E-03	6.5E-06	0.001	1.2E-06	0.0002
		Zinc	2.2E+01	mg/kg	--	2.5E-03	--	4.5E-04	--	3.0E-01	5.8E-03	0.02	1.1E-03	0.004
		PAHs												
		1-Methylnaphthalene	1.0E+00	ug/kg	2.9E-02	1.1E-07	3.E-09	2.0E-08	6.E-10	7.0E-02	2.6E-07	0.000004	4.7E-08	0.000001
		2-Methylnaphthalene	1.6E+00	ug/kg	--	1.8E-07	--	3.2E-08	--	4.0E-03	4.1E-07	0.0001	7.5E-08	0.00002
		Acenaphthene	4.8E+00	ug/kg	--	5.3E-07	--	9.7E-08	--	6.0E-02	1.2E-06	0.00002	2.3E-07	0.000004
		Acenaphthylene	6.2E-01	ug/kg	--	6.8E-08	--	1.3E-08	--	6.0E-02	1.6E-07	0.000003	2.9E-08	0.0000005
		Anthracene	4.4E+00	ug/kg	--	4.8E-07	--	8.9E-08	--	3.0E-01	1.1E-06	0.000004	2.1E-07	0.000001
		Benzo(a)anthracene	8.2E+00	ug/kg	7.3E-01	9.0E-07	7.E-07	1.7E-07	1.E-07	--	2.1E-06	--	3.9E-07	--
		Benzo(b)fluoranthene	1.8E+00	ug/kg	7.3E-01	2.0E-07	1.E-07	3.6E-08	3.E-08	--	4.6E-07	--	8.5E-08	--
		Benzo(e)pyrene	4.6E+00	ug/kg	--	5.1E-07	--	9.3E-08	--	3.0E-02	1.2E-06	0.00004	2.2E-07	0.00001
		Benzo(g,h,i)perylene	8.6E-01	ug/kg	--	9.5E-08	--	1.7E-08	--	3.0E-02	2.2E-07	0.00001	4.1E-08	0.000001
		Chrysene	1.6E+01	ug/kg	7.3E-03	1.8E-06	1.E-08	3.2E-07	2.E-09	--	4.1E-06	--	7.5E-07	--
		Dibenzothiophene	2.1E+00	ug/kg	--	2.3E-07	--	4.2E-08	--	4.0E-02	5.4E-07	0.00001	9.9E-08	0.000002
		Fluoranthene	8.4E+01	ug/kg	--	9.3E-06	--	1.7E-06	--	4.0E-02	2.2E-05	0.0005	4.0E-06	0.0001
		Fluorene	4.7E+00	ug/kg	--	5.2E-07	--	9.5E-08	--	4.0E-02	1.2E-06	0.00003	2.2E-07	0.00001
		Indeno(1,2,3-cd)pyrene	3.0E-01	ug/kg	7.3E-01	3.3E-08	2.E-08	6.1E-09	4.E-09	--	7.7E-08	--	1.4E-08	--
		Perylene	9.1E-01	ug/kg	--	1.0E-07	--	1.8E-08	--	3.0E-02	2.3E-07	0.00001	4.3E-08	0.000001
		Phenanthrene	2.5E+01	ug/kg	--	2.8E-06	--	5.1E-07	--	3.0E-02	6.4E-06	0.0002	1.2E-06	0.00004
		Pyrene	6.8E+01	ug/kg	--	7.5E-06	--	1.4E-06	--	3.0E-02	1.7E-05	0.001	3.2E-06	0.0001
		Semivolatile Organic Compounds												
		Benzoic acid	3.2E+03	ug/kg	--	3.5E-04	--	6.5E-05	--	4.0E+00	8.2E-04	0.0002	1.5E-04	0.00004
		Dibenzofuran	1.3E+00	ug/kg	--	1.4E-07	--	2.6E-08	--	1.0E-03	3.3E-07	0.0003	6.1E-08	0.0001
		Hexachlorobenzene	5.5E-01	ug/kg	1.6E+00	6.1E-08	1.E-07	1.1E-08	2.E-08	8.0E-04	1.4E-07	0.0002	2.6E-08	0.00003
		Hexachlorobutadiene	9.8E-03	ug/kg	7.8E-02	1.1E-09	8.E-11	2.0E-10	2.E-11	1.0E-03	2.5E-09	0.000003	4.6E-10	0.0000005
		Nitrobenzene	6.0E+01	ug/kg	--	6.6E-06	--	1.2E-06	--	2.0E-03	1.5E-05	0.008	2.8E-06	0.001
		Phenols												
		2-Methylphenol	9.7E+00	ug/kg	--	1.1E-06	--	2.0E-07	--	5.0E-02	2.5E-06	0.00005	4.6E-07	0.00001
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	7.7E+04	pg/g	2.0E+00	8.5E-06	2.E-05	1.6E-06	3.E-06	2.0E-05	2.0E-05	1	3.6E-06	0.2

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Consumption Rate: 18 g/day LADI (mg/kg-day)	Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Noncancer Hazard Quotient
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	3.7E-01	pg/g	1.3E+05	4.1E-11	5.E-06	7.5E-12	1.E-06	1.0E-09	9.6E-11	0.1	1.8E-11	0.02
		Total PCB TEQ	8.6E-01	pg/g	1.3E+05	9.4E-11	1.E-05	1.7E-11	2.E-06	1.0E-09	2.2E-10	0.2	4.0E-11	0.04
		Pesticides												
		Aldrin	2.8E-01	ug/kg	1.7E+01	3.1E-08	5.E-07	5.6E-09	1.E-07	3.0E-05	7.1E-08	0.002	1.3E-08	0.0004
		Dieldrin	5.9E-01	ug/kg	1.6E+01	6.5E-08	1.E-06	1.2E-08	2.E-07	5.0E-05	1.5E-07	0.003	2.8E-08	0.001
		gamma-Hexachlorocyclohexane	3.3E-02	ug/kg	1.1E+00	3.6E-09	4.E-09	6.6E-10	7.E-10	3.0E-04	8.4E-09	0.00003	1.5E-09	0.00001
		Heptachlor epoxide	4.5E-02	ug/kg	9.1E+00	5.0E-09	5.E-08	9.1E-10	8.E-09	1.3E-05	1.2E-08	0.001	2.1E-09	0.0002
		Total Chlordanes	3.1E+00	ug/kg	3.5E-01	3.4E-07	1.E-07	6.3E-08	2.E-08	5.0E-04	8.0E-07	0.002	1.5E-07	0.0003
		Total DDD	1.1E+01	ug/kg	2.4E-01	1.2E-06	3.E-07	2.2E-07	5.E-08	5.0E-04	2.8E-06	0.006	5.1E-07	0.001
		Total DDE	1.5E+01	ug/kg	3.4E-01	1.7E-06	6.E-07	3.1E-07	1.E-07	5.0E-04	3.9E-06	0.008	7.2E-07	0.001
		Total DDT	1.7E+00	ug/kg	3.4E-01	1.9E-07	6.E-08	3.4E-08	1.E-08	5.0E-04	4.4E-07	0.001	8.0E-08	0.0002
		Total Endosulfan	5.1E-01	ug/kg	--	5.7E-08	--	1.0E-08	--	6.0E-03	1.3E-07	0.00002	2.4E-08	0.000004
	Exposure Point Total						6.E-05		1.E-05			2		0.3
D	RM 10 West	**Metals**												
		Aluminum	4.7E+01	mg/kg	--	5.2E-03	--	9.6E-04	--	1.0E+00	1.2E-02	0.01	2.2E-03	0.002
		Arsenic, inorganic	8.0E-02	mg/kg	1.5E+00	8.8E-06	1.E-05	1.6E-06	2.E-06	3.0E-04	2.1E-05	0.07	3.8E-06	0.01
		Cadmium	5.2E-02	mg/kg	--	5.7E-06	--	1.1E-06	--	1.0E-03	1.3E-05	0.01	2.5E-06	0.002
		Chromium	5.0E-01	mg/kg	--	5.5E-05	--	1.0E-05	--	1.5E+00	1.3E-04	0.0001	2.4E-05	0.00002
		Copper	6.9E+00	mg/kg	--	7.5E-04	--	1.4E-04	--	4.0E-02	1.8E-03	0.04	3.2E-04	0.008
		Manganese	5.1E+00	mg/kg	--	5.6E-04	--	1.0E-04	--	1.4E-01	1.3E-03	0.009	2.4E-04	0.002
		Nickel	2.0E-01	mg/kg	--	2.2E-05	--	4.1E-06	--	2.0E-02	5.2E-05	0.003	9.6E-06	0.0005
		Selenium	1.8E-01	mg/kg	--	2.0E-05	--	3.6E-06	--	5.0E-03	4.6E-05	0.009	8.5E-06	0.002
		Silver	5.6E-02	mg/kg	--	6.2E-06	--	1.1E-06	--	5.0E-03	1.4E-05	0.003	2.6E-06	0.001
		Zinc	2.8E+01	mg/kg	--	3.1E-03	--	5.6E-04	--	3.0E-01	7.2E-03	0.02	1.3E-03	0.004
		PAHs												
		1-Methylnaphthalene	7.7E-01	ug/kg	2.9E-02	8.5E-08	2.E-09	1.6E-08	5.E-10	7.0E-02	2.0E-07	0.000003	3.6E-08	0.000001
		2-Methylnaphthalene	1.2E+00	ug/kg	--	1.3E-07	--	2.4E-08	--	4.0E-03	3.1E-07	0.0001	5.7E-08	0.00001
		Acenaphthene	4.3E-01	ug/kg	--	4.7E-08	--	8.7E-09	--	6.0E-02	1.1E-07	0.000002	2.0E-08	0.0000003
		Acenaphthylene	1.7E-01	ug/kg	--	1.9E-08	--	3.4E-09	--	6.0E-02	4.4E-08	0.000001	8.0E-09	0.0000001
		Anthracene	1.2E+00	ug/kg	--	1.3E-07	--	2.4E-08	--	3.0E-01	3.1E-07	0.000001	5.7E-08	0.0000002
		Benzo(a)anthracene	2.9E+00	ug/kg	7.3E-01	3.2E-07	2.E-07	5.9E-08	4.E-08	--	7.5E-07	--	1.4E-07	--
		Benzo(e)pyrene	1.3E+00	ug/kg	--	1.4E-07	--	2.6E-08	--	3.0E-02	3.3E-07	0.00001	6.1E-08	0.000002
		Chrysene	4.2E+00	ug/kg	7.3E-03	4.6E-07	3.E-09	8.5E-08	6.E-10	--	1.1E-06	--	2.0E-07	--
		Dibenzothiophene	3.4E-01	ug/kg	--	3.7E-08	--	6.9E-09	--	4.0E-02	8.7E-08	0.000002	1.6E-08	0.0000004
		Fluoranthene	8.4E+00	ug/kg	--	9.3E-07	--	1.7E-07	--	4.0E-02	2.2E-06	0.0001	4.0E-07	0.00001
		Fluorene	8.0E-01	ug/kg	--	8.8E-08	--	1.6E-08	--	4.0E-02	2.1E-07	0.00001	3.8E-08	0.000001

LWG
Lower Willamette Group

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)^-1	Cancer Risk Calculations[b] — Consumption Rate: 18 g/day LADI (mg/kg-day)	Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	Noncancer Hazard Quotient Calculations[b] — Consumption Rate: 18 g/day CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Noncancer Hazard Quotient
		Phenanthrene	4.2E+00	ug/kg	--	4.6E-07	--	8.5E-08	--	3.0E-02	1.1E-06	0.00004	2.0E-07	0.00001
		Pyrene	6.9E+00	ug/kg	--	7.6E-07	--	1.4E-07	--	3.0E-02	1.8E-06	0.0001	3.3E-07	0.00001
		Semivolatile Organic Compounds												
		Dibenzofuran	5.7E-01	ug/kg	--	6.3E-08	--	1.2E-08	--	1.0E-03	1.5E-07	0.0001	2.7E-08	0.00003
		Hexachlorobenzene	6.6E-01	ug/kg	1.6E+00	7.3E-08	1.E-07	1.3E-08	2.E-08	8.0E-04	1.7E-07	0.0002	3.1E-08	0.00004
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	1.4E+05	pg/g	2.0E+00	1.6E-05	3.E-05	2.9E-06	6.E-06	2.0E-05	3.7E-05	2	6.7E-06	0.3
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	3.1E-01	pg/g	1.3E+05	3.4E-11	4.E-06	6.2E-12	8.E-07	1.0E-09	7.9E-11	0.08	1.4E-11	0.01
		Total PCB TEQ	7.1E-01	pg/g	1.3E+05	7.8E-11	1.E-05	1.4E-11	2.E-06	1.0E-09	1.8E-10	0.2	3.3E-11	0.03
		Pesticides												
		Aldrin	1.7E-01	ug/kg	1.7E+01	1.9E-08	3.E-07	3.5E-09	6.E-08	3.0E-05	4.4E-08	0.001	8.2E-09	0.000
		Dieldrin	5.9E-01	ug/kg	1.6E+01	6.5E-08	1.E-06	1.2E-08	2.E-07	5.0E-05	1.5E-07	0.003	2.8E-08	0.001
		gamma-Hexachlorocyclohexane	3.7E-02	ug/kg	1.1E+00	4.0E-09	4.E-09	7.4E-10	8.E-10	3.0E-04	9.4E-09	0.00003	1.7E-09	0.00001
		Heptachlor epoxide	3.5E-02	ug/kg	9.1E+00	3.9E-09	4.E-08	7.1E-10	6.E-09	1.3E-05	9.0E-09	0.001	1.7E-09	0.0001
		Total Chlordanes	2.5E+00	ug/kg	3.5E-01	2.7E-07	1.E-07	5.0E-08	2.E-08	5.0E-04	6.3E-07	0.001	1.2E-07	0.0002
		Total DDD	2.5E+00	ug/kg	2.4E-01	2.8E-07	7.E-08	5.1E-08	1.E-08	5.0E-04	6.5E-07	0.001	1.2E-07	0.0002
		Total DDE	8.2E+00	ug/kg	3.4E-01	9.0E-07	3.E-07	1.7E-07	6.E-08	5.0E-04	2.1E-06	0.004	3.9E-07	0.001
		Total DDT	7.3E-01	ug/kg	3.4E-01	8.1E-08	3.E-08	1.5E-08	5.E-09	5.0E-04	1.9E-07	0.0004	3.5E-08	0.0001
		Total Endosulfan	3.4E-01	ug/kg	--	3.8E-08	--	7.0E-09	--	6.0E-03	8.8E-08	0.00001	1.6E-08	0.000003
	Exposure Point Total						6.E-05		1.E-05			2		0.4
D	RM 11 East	**Metals**												
		Aluminum	3.2E+01	mg/kg	--	3.6E-03	--	6.5E-04	--	1.0E+00	8.3E-03	0.008	1.5E-03	0.002
		Arsenic, inorganic	8.2E-02	mg/kg	1.5E+00	9.0E-06	1.E-05	1.7E-06	2.E-06	3.0E-04	2.1E-05	0.07	3.9E-06	0.01
		Cadmium	1.0E-01	mg/kg	--	1.1E-05	--	2.0E-06	--	1.0E-03	2.6E-05	0.03	4.8E-06	0.005
		Chromium	4.0E-01	mg/kg	--	4.4E-05	--	8.1E-06	--	1.5E+00	1.0E-04	0.0001	1.9E-05	0.00001
		Copper	7.1E+00	mg/kg	--	7.8E-04	--	1.4E-04	--	4.0E-02	1.8E-03	0.05	3.3E-04	0.008
		Manganese	4.5E+00	mg/kg	--	4.9E-04	--	9.1E-05	--	1.4E-01	1.2E-03	0.008	2.1E-04	0.002
		Mercury	2.0E-02	mg/kg	--	2.1E-06	--	3.9E-07	--	1.0E-04	5.0E-06	0.05	9.2E-07	0.009
		Nickel	2.0E-01	mg/kg	--	2.1E-05	--	3.9E-06	--	2.0E-02	5.0E-05	0.003	9.2E-06	0.0005
		Selenium	1.2E-01	mg/kg	--	1.3E-05	--	2.4E-06	--	5.0E-03	3.1E-05	0.006	5.7E-06	0.001
		Silver	6.2E-02	mg/kg	--	6.8E-06	--	1.3E-06	--	5.0E-03	1.6E-05	0.003	2.9E-06	0.001
		Zinc	1.9E+01	mg/kg	--	2.1E-03	--	3.9E-04	--	3.0E-01	5.0E-03	0.017	9.1E-04	0.003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)^-1	Cancer Risk Calculations[b] — Consumption Rate: 18 g/day — LADI (mg/kg-day)	Cancer Risk	Consumption Rate: 3.3 g/day — LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	Noncancer Hazard Quotient Calculations[b] — Consumption Rate: 18 g/day — CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day — CDI mg/kg-day	Noncancer Hazard Quotient
		Butyltins												
		Butyltin ion	1.5E+00	ug/kg	--	1.7E-07	--	3.0E-08	--	3.0E-04	3.9E-07	0.001	7.1E-08	0.0002
		PAHs												
		Acenaphthene	3.6E-01	ug/kg	--	4.0E-08	--	7.3E-09	--	6.0E-02	9.3E-08	0.000002	1.7E-08	0.0000003
		Anthracene	1.3E+00	ug/kg	--	1.4E-07	--	2.6E-08	--	3.0E-01	3.3E-07	0.000001	6.1E-08	0.0000002
		Benzo(a)anthracene	1.6E+00	ug/kg	7.3E-01	1.8E-07	1.E-07	3.2E-08	2.E-08	--	4.1E-07	--	7.5E-08	--
		Benzo(a)pyrene	4.3E-01	ug/kg	7.3E+00	4.7E-08	3.E-07	8.7E-09	6.E-08	--	1.1E-07	--	2.0E-08	--
		Benzo(b)fluoranthene	9.7E-01	ug/kg	7.3E-01	1.1E-07	8.E-08	2.0E-08	1.E-08	--	2.5E-07	--	4.6E-08	--
		Benzo(e)pyrene	1.3E+00	ug/kg	--	1.4E-07	--	2.6E-08	--	3.0E-02	3.3E-07	0.00001	6.1E-08	0.000002
		Chrysene	3.7E+00	ug/kg	7.3E-03	4.1E-07	3.E-09	7.5E-08	5.E-10	--	9.5E-07	--	1.7E-07	--
		Dibenzothiophene	3.6E-01	ug/kg	--	4.0E-08	--	7.3E-09	--	4.0E-02	9.3E-08	0.000002	1.7E-08	0.0000004
		Fluoranthene	9.9E+00	ug/kg	--	1.1E-06	--	2.0E-07	--	4.0E-02	2.5E-06	0.0001	4.7E-07	0.00001
		Fluorene	8.2E-01	ug/kg	--	9.0E-08	--	1.7E-08	--	4.0E-02	2.1E-07	0.00001	3.9E-08	0.000001
		Phenanthrene	4.2E+00	ug/kg	--	4.6E-07	--	8.5E-08	--	3.0E-02	1.1E-06	0.00004	2.0E-07	0.00001
		Pyrene	7.0E+00	ug/kg	--	7.7E-07	--	1.4E-07	--	3.0E-02	1.8E-06	0.0001	3.3E-07	0.00001
		Semivolatile Organic Compounds												
		Benzoic acid	1.9E+03	ug/kg	--	2.1E-04	--	3.8E-05	--	4.0E+00	4.9E-04	0.0001	9.0E-05	0.00002
		Dibenzofuran	4.3E-01	ug/kg	--	4.7E-08	--	8.7E-09	--	1.0E-03	1.1E-07	0.0001	2.0E-08	0.00002
		Hexachlorobenzene	4.3E-01	ug/kg	1.6E+00	4.7E-08	8.E-08	8.6E-09	1.E-08	8.0E-04	1.1E-07	0.0001	2.0E-08	0.00003
		Nitrobenzene	8.6E+01	ug/kg	--	9.5E-06	--	1.7E-06	--	2.0E-03	2.2E-05	0.01	4.1E-06	0.002
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	4.7E+05	pg/g	2.0E+00	5.2E-05	1.E-04	9.5E-06	2.E-05	2.0E-05	1.2E-04	6	2.2E-05	1
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	2.0E-01	pg/g	1.3E+05	2.2E-11	3.E-06	4.1E-12	5.E-07	1.0E-09	5.2E-11	0.05	9.5E-12	0.009
		Total PCB TEQ	6.5E-01	pg/g	1.3E+05	7.1E-11	9.E-06	1.3E-11	2.E-06	1.0E-09	1.7E-10	0.2	3.1E-11	0.03
		Pesticides												
		Dieldrin	3.4E-01	ug/kg	1.6E+01	3.7E-08	6.E-07	6.8E-09	1.E-07	5.0E-05	8.7E-08	0.002	1.6E-08	0.0003
		Heptachlor epoxide	2.5E-02	ug/kg	9.1E+00	2.8E-09	3.E-08	5.1E-10	5.E-09	1.3E-05	6.4E-09	0.0005	1.2E-09	0.0001
		Total Chlordanes	1.4E+00	ug/kg	3.5E-01	1.5E-07	5.E-08	2.8E-08	1.E-08	5.0E-04	3.5E-07	0.001	6.4E-08	0.0001
		Total DDD	1.3E+00	ug/kg	2.4E-01	1.4E-07	3.E-08	2.6E-08	6.E-09	5.0E-04	3.3E-07	0.001	6.0E-08	0.0001
		Total DDE	4.1E+00	ug/kg	3.4E-01	4.6E-07	2.E-07	8.4E-08	3.E-08	5.0E-04	1.1E-06	0.002	2.0E-07	0.0004
		Total DDT	6.3E-01	ug/kg	3.4E-01	7.0E-08	2.E-08	1.3E-08	4.E-09	5.0E-04	1.6E-07	0.0003	3.0E-08	0.0001
		Total Endosulfan	3.6E-01	ug/kg	--	4.0E-08	--	7.3E-09	--	6.0E-03	9.2E-08	0.00002	1.7E-08	0.000003
	Exposure Point Total						1.E-04		2.E-05			7		1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Cancer Risk Calculations[b] Consumption Rate: 18 g/day LADI (mg/kg-day)	Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	Noncancer Hazard Quotient Calculations[b] Consumption Rate: 18 g/day CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Noncancer Hazard Quotient
D	RM 12 East	**Metals**												
		Aluminum	6.2E+01	mg/kg	--	6.8E-03	--	1.2E-03	--	1.0E+00	1.6E-02	0.02	2.9E-03	0.003
		Arsenic, inorganic	7.6E-02	mg/kg	1.5E+00	8.4E-06	1.E-05	1.5E-06	2.E-06	3.0E-04	2.0E-05	0.07	3.6E-06	0.01
		Cadmium	5.8E-02	mg/kg	--	6.4E-06	--	1.2E-06	--	1.0E-03	1.5E-05	0.01	2.7E-06	0.003
		Chromium	5.0E-01	mg/kg	--	5.5E-05	--	1.0E-05	--	1.5E+00	1.3E-04	0.0001	2.4E-05	0.00002
		Copper	7.6E+00	mg/kg	--	8.4E-04	--	1.5E-04	--	4.0E-02	2.0E-03	0.05	3.6E-04	0.009
		Manganese	5.0E+00	mg/kg	--	5.5E-04	--	1.0E-04	--	1.4E-01	1.3E-03	0.009	2.4E-04	0.002
		Mercury	2.2E-02	mg/kg	--	2.5E-06	--	4.5E-07	--	1.0E-04	5.7E-06	0.06	1.1E-06	0.01
		Nickel	1.9E-01	mg/kg	--	2.1E-05	--	3.9E-06	--	2.0E-02	5.0E-05	0.002	9.1E-06	0.0005
		Selenium	1.2E-01	mg/kg	--	1.3E-05	--	2.4E-06	--	5.0E-03	3.1E-05	0.006	5.7E-06	0.001
		Silver	7.5E-02	mg/kg	--	8.3E-06	--	1.5E-06	--	5.0E-03	1.9E-05	0.004	3.5E-06	0.001
		Zinc	2.4E+01	mg/kg	--	2.6E-03	--	4.8E-04	--	3.0E-01	6.1E-03	0.02	1.1E-03	0.004
		PAHs												
		Acenaphthylene	2.3E-01	ug/kg	--	2.5E-08	--	4.6E-09	--	6.0E-02	5.9E-08	0.000001	1.1E-08	0.0000002
		Anthracene	1.2E+00	ug/kg	--	1.3E-07	--	2.4E-08	--	3.0E-01	3.1E-07	0.000001	5.7E-08	0.0000002
		Benzo(a)anthracene	1.7E+00	ug/kg	7.3E-01	1.9E-07	1.E-07	3.4E-08	3.E-08	--	4.4E-07	--	8.0E-08	--
		Benzo(a)pyrene	3.1E-01	ug/kg	7.3E+00	3.4E-08	2.E-07	6.3E-09	5.E-08	--	8.0E-08	--	1.5E-08	--
		Benzo(e)pyrene	1.6E+00	ug/kg	--	1.8E-07	--	3.2E-08	--	3.0E-02	4.1E-07	0.00001	7.5E-08	0.000003
		Chrysene	4.2E+00	ug/kg	7.3E-03	4.6E-07	3.E-09	8.5E-08	6.E-10	--	1.1E-06	--	2.0E-07	--
		Fluoranthene	5.9E+00	ug/kg	--	6.5E-07	--	1.2E-07	--	4.0E-02	1.5E-06	0.00004	2.8E-07	0.00001
		Fluorene	6.0E-01	ug/kg	--	6.6E-08	--	1.2E-08	--	4.0E-02	1.5E-07	0.000004	2.8E-08	0.000001
		Phenanthrene	2.6E+00	ug/kg	--	2.9E-07	--	5.3E-08	--	3.0E-02	6.7E-07	0.00002	1.2E-07	0.000004
		Pyrene	5.9E+00	ug/kg	--	6.5E-07	--	1.2E-07	--	3.0E-02	1.5E-06	0.0001	2.8E-07	0.00001
		Semivolatile Organic Compounds												
		Benzoic acid	2.7E+03	ug/kg	--	3.0E-04	--	5.5E-05	--	4.0E+00	6.9E-04	0.0002	1.3E-04	0.00003
		Dibenzofuran	4.6E-01	ug/kg	--	5.1E-08	--	9.3E-09	--	1.0E-03	1.2E-07	0.0001	2.2E-08	0.00002
		Hexachlorobenzene	5.5E-01	ug/kg	1.6E+00	6.0E-08	1.E-07	1.1E-08	2.E-08	8.0E-04	1.4E-07	0.0002	2.6E-08	0.00003
		Nitrobenzene	9.6E+01	ug/kg	--	1.1E-05	--	1.9E-06	--	2.0E-03	2.5E-05	0.01	4.5E-06	0.002
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	8.3E+04	pg/g	2.0E+00	9.2E-06	2.E-05	1.7E-06	3.E-06	2.0E-05	2.1E-05	1	3.9E-06	0.2
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	2.6E-01	pg/g	1.3E+05	2.8E-11	4.E-06	5.2E-12	7.E-07	1.0E-09	6.6E-11	0.07	1.2E-11	0.01
		Total PCB TEQ	5.2E-01	pg/g	1.3E+05	5.7E-11	7.E-06	1.1E-11	1.E-06	1.0E-09	1.3E-10	0.1	2.5E-11	0.02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Cancer Risk Calculations[b] Consumption Rate: 18 g/day LADI (mg/kg-day)	Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	Noncancer Hazard Quotient Calculations[b] Consumption Rate: 18 g/day CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Noncancer Hazard Quotient
		Pesticides												
		Dieldrin	4.3E-01	ug/kg	1.6E+01	4.7E-08	7.E-07	8.6E-09	1.E-07	5.0E-05	1.1E-07	0.002	2.0E-08	0.0004
		gamma-Hexachlorocyclohexane	2.2E-02	ug/kg	1.1E+00	2.5E-09	3.E-09	4.5E-10	5.E-10	3.0E-04	5.8E-09	0.00002	1.1E-09	0.000004
		Heptachlor epoxide	3.7E-02	ug/kg	9.1E+00	4.1E-09	4.E-08	7.5E-10	7.E-09	1.3E-05	9.5E-09	0.001	1.7E-09	0.0001
		Total Chlordanes	1.9E+00	ug/kg	3.5E-01	2.1E-07	7.E-08	3.8E-08	1.E-08	5.0E-04	4.9E-07	0.001	9.0E-08	0.0002
		Total DDD	1.5E+00	ug/kg	2.4E-01	1.6E-07	4.E-08	3.0E-08	7.E-09	5.0E-04	3.8E-07	0.001	6.9E-08	0.0001
		Total DDE	4.8E+00	ug/kg	3.4E-01	5.2E-07	2.E-07	9.6E-08	3.E-08	5.0E-04	1.2E-06	0.002	2.2E-07	0.0004
		Total DDT	7.9E-01	ug/kg	3.4E-01	8.7E-08	3.E-08	1.6E-08	5.E-09	5.0E-04	2.0E-07	0.0004	3.7E-08	0.0001
		Total Endosulfan	5.0E-01	ug/kg	--	5.5E-08	--	1.0E-08	--	6.0E-03	1.3E-07	0.00002	2.4E-08	0.000004
	Exposure Point Total						4.E-05		8.E-06			2		0.3
D	Study Area-wide	**Metals**												
		Aluminum	4.7E+01	mg/kg	--	5.2E-03	--	9.6E-04	--	1.0E+00	1.2E-02	0.01	2.2E-03	0.002
		Arsenic, inorganic	1.4E-01	mg/kg	1.5E+00	1.5E-05	2.E-05	2.7E-06	4.E-06	3.0E-04	3.5E-05	0.1	6.4E-06	0.02
		Cadmium	1.0E-01	mg/kg	--	1.1E-05	--	2.0E-06	--	1.0E-03	2.6E-05	0.03	4.8E-06	0.005
		Chromium	5.0E-01	mg/kg	--	5.5E-05	--	1.0E-05	--	1.5E+00	1.3E-04	0.0001	2.4E-05	0.00002
		Copper	9.0E+00	mg/kg	--	1.0E-03	--	1.8E-04	--	4.0E-02	2.3E-03	0.06	4.3E-04	0.01
		Manganese	5.1E+00	mg/kg	--	5.6E-04	--	1.0E-04	--	1.4E-03	1.3E-03	0.009	2.4E-04	0.002
		Mercury	2.2E-02	mg/kg	--	2.5E-06	--	4.5E-07	--	1.0E-04	5.7E-06	0.06	1.1E-06	0.01
		Nickel	2.0E-01	mg/kg	--	2.2E-05	--	4.1E-06	--	2.0E-02	5.2E-05	0.003	9.6E-06	0.0005
		Selenium	1.8E-01	mg/kg	--	2.0E-05	--	3.6E-06	--	5.0E-03	4.6E-05	0.009	8.5E-06	0.002
		Silver	6.2E-02	mg/kg	--	6.8E-06	--	1.3E-06	--	5.0E-03	1.6E-05	0.003	2.9E-06	0.001
		Zinc	2.8E+01	mg/kg	--	3.1E-03	--	5.6E-04	--	3.0E-01	7.2E-03	0.02	1.3E-03	0.004
		Butyltins												
		Butyltin ion	1.5E+00	ug/kg	--	1.7E-07	--	3.0E-08	--	3.0E-04	3.9E-07	0.001	7.1E-08	0.0002
		PAHs												
		1-Methylnaphthalene	1.0E+00	ug/kg	2.9E-02	1.1E-07	3.E-09	2.0E-08	6.E-10	7.0E-02	2.6E-07	0.000004	4.7E-08	0.000001
		2-Methylnaphthalene	1.6E+00	ug/kg	--	1.8E-07	--	3.2E-08	--	4.0E-03	4.1E-07	0.0001	7.5E-08	0.00002
		Acenaphthene	4.8E+00	ug/kg	--	5.3E-07	--	9.7E-08	--	6.0E-02	1.2E-06	0.00002	2.3E-07	0.000004
		Acenaphthylene	6.2E-01	ug/kg	--	6.8E-08	--	1.3E-08	--	6.0E-02	1.6E-07	0.000003	2.9E-08	0.0000005
		Anthracene	4.4E+00	ug/kg	--	4.8E-07	--	8.9E-08	--	3.0E-01	1.1E-06	0.000004	2.1E-07	0.000001
		Benzo(a)anthracene	8.2E+00	ug/kg	7.3E-01	9.0E-07	7.E-07	1.7E-07	1.E-07	--	2.1E-06	--	3.9E-07	--
		Benzo(a)pyrene	4.3E-01	ug/kg	7.3E+00	4.7E-08	3.E-07	8.7E-09	6.E-08	--	1.1E-07	--	2.0E-08	--
		Benzo(b)fluoranthene	1.8E+00	ug/kg	7.3E-01	2.0E-07	1.E-07	3.6E-08	3.E-08	--	4.6E-07	--	8.5E-08	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Benzo(e)pyrene	4.6E+00	ug/kg	--	5.1E-07	--	9.3E-08	--	3.0E-02	1.2E-06	0.00004	2.2E-07	0.00001
		Benzo(g,h,i)perylene	8.6E-01	ug/kg	--	9.5E-08	--	1.7E-08	--	3.0E-02	2.2E-07	0.00001	4.1E-08	0.000001
		Chrysene	1.6E+01	ug/kg	7.3E-03	1.8E-06	1.E-08	3.2E-07	2.E-09	--	4.1E-06	--	7.5E-07	--
		Dibenzothiophene	2.1E+00	ug/kg	--	2.3E-07	--	4.2E-08	--	4.0E-02	5.4E-07	0.00001	9.9E-08	0.000002
		Fluoranthene	8.4E+01	ug/kg	--	9.3E-06	--	1.7E-06	--	4.0E-02	2.2E-05	0.001	4.0E-06	0.0001
		Fluorene	4.7E+00	ug/kg	--	5.2E-07	--	9.5E-08	--	4.0E-02	1.2E-06	0.00003	2.2E-07	0.00001
		Indeno(1,2,3-cd)pyrene	3.0E-01	ug/kg	7.3E-01	3.3E-08	2.E-08	6.1E-09	4.E-09	--	7.7E-08	--	1.4E-08	--
		Perylene	9.1E-01	ug/kg	--	1.0E-07	--	1.8E-08	--	3.0E-02	2.3E-07	0.00001	4.3E-08	0.000001
		Phenanthrene	2.5E+01	ug/kg	--	2.8E-06	--	5.1E-07	--	3.0E-02	6.4E-06	0.0002	1.2E-06	0.00004
		Pyrene	6.8E+01	ug/kg	--	7.5E-06	--	1.4E-06	--	3.0E-02	1.7E-05	0.001	3.2E-06	0.0001
		Semivolatile Organic Compounds												
		Benzoic acid	3.2E+03	ug/kg	--	3.5E-04	--	6.5E-05	--	4.0E+00	8.2E-04	0.0002	1.5E-04	0.00004
		Dibenzofuran	1.3E+00	ug/kg	--	1.4E-07	--	2.6E-08	--	1.0E-03	3.3E-07	0.0003	6.1E-08	0.0001
		Hexachlorobenzene	6.6E-01	ug/kg	1.6E+00	7.3E-08	1.E-07	1.3E-08	2.E-08	8.0E-04	1.7E-07	0.0002	3.1E-08	0.00004
		Hexachlorobutadiene	9.8E-03	ug/kg	7.8E-02	1.1E-09	8.E-11	2.0E-10	2.E-11	1.0E-03	2.5E-09	0.000003	4.6E-10	0.0000005
		Nitrobenzene	8.6E+01	ug/kg	--	9.5E-06	--	1.7E-06	--	2.0E-03	2.2E-05	0.01	4.1E-06	0.002
		Phenols												
		2-Methylphenol	9.7E+00	ug/kg	--	1.1E-06	--	2.0E-07	--	5.0E-02	2.5E-06	0.00005	4.6E-07	0.00001
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	4.7E+05	pg/g	2.0E+00	5.2E-05	1.E-04	9.5E-06	2.E-05	2.0E-05	1.2E-04	6	2.2E-05	1
		Dioxin/Furan												
		Total Dioxin/Furan TEQ	3.7E-01	pg/g	1.3E+05	4.1E-11	5.E-06	7.5E-12	1.E-06	1.0E-09	9.6E-11	0.1	1.8E-11	0.02
		Total PCB TEQ	8.6E-01	pg/g	1.3E+05	9.4E-11	1.E-05	1.7E-11	2.E-06	1.0E-09	2.2E-10	0.2	4.0E-11	0.04
		Pesticides												
		Aldrin	2.8E-01	ug/kg	1.7E+01	3.1E-08	5.E-07	5.6E-09	1.E-07	3.0E-05	7.1E-08	0.002	1.3E-08	0.0004
		Dieldrin	5.9E-01	ug/kg	1.6E+01	6.5E-08	1.E-06	1.2E-08	2.E-07	5.0E-05	1.5E-07	0.003	2.8E-08	0.001
		gamma-Hexachlorocyclohexane	3.7E-02	ug/kg	1.1E+00	4.0E-09	4.E-09	7.4E-10	8.E-10	3.0E-04	9.4E-09	0.00003	1.7E-09	0.00001
		Heptachlor epoxide	4.5E-02	ug/kg	9.1E+00	5.0E-09	5.E-08	9.1E-10	8.E-09	1.3E-05	1.2E-08	0.001	2.1E-09	0.0002
		Total Chlordanes	3.1E+00	ug/kg	3.5E-01	3.4E-07	1.E-07	6.3E-08	2.E-08	5.0E-04	8.0E-07	0.002	1.5E-07	0.0003
		Total DDD	1.1E+01	ug/kg	2.4E-01	1.2E-06	3.E-07	2.2E-07	5.E-08	5.0E-04	2.8E-06	0.006	5.1E-07	0.001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-78.

Calculation of Cancer Risks and Noncancer Hazards - Clam Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor $(mg/kg\text{-}day)^{-1}$	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Total DDE	1.5E+01	ug/kg	3.4E-01	1.7E-06	6.E-07	3.1E-07	1.E-07	5.0E-04	3.9E-06	0.008	7.2E-07	0.001
		Total DDT	1.7E+00	ug/kg	3.4E-01	1.9E-07	6.E-08	3.4E-08	1.E-08	5.0E-04	4.4E-07	0.001	8.0E-08	0.0002
		Total Endosulfan	5.1E-01	ug/kg	--	5.7E-08	--	1.0E-08	--	6.0E-03	1.3E-07	0.00002	2.4E-08	0.000004
	Exposure Point Total						1.E-04		3.E-05			7		1

Notes:

a Chemicals listed are anaytes detected in clam tissue at least once within the study area (RM 1.9-11.8).

b Numbers presented are rounded values. Sums calculated before rounding.

c Toxicity values for trivalent chromium used to assess total chromium.

d Total PCBs, Adjusted equal Total PCB Congeners minus Total dioxin-like PCBs.

Abbreviations:

-- = Not applicable.
CDI = Chronic Daily Intake.
D = Depurated clam.
DDD = Dichlorodiphenyldichloroethane.
DDE = Dichlorodiphenyldichloroethylene.
DDT = Dichlorodiphenyltrichloroethane.
EPC = Exposure Point Concentration.
g/day = grams per day.
LADI = Lifetime Average Daily Intake.

mg/kg = milligrams per kilogram.
PAHs = Polynuclear Aromatic Hydrocarbons.
PCB = Polychlorinated Biphenyls.
pg/g = picograms per gram.
RfD = Reference Dose.
RM = River mile.
TEQ = Toxic Equivalents.
UD = Undepurated clam.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-79.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Central Tendancy Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
UD	RM 6 East	**Metals**																
		Aluminum	0.005					0.005										
		Antimony	0.0001	0.0001														
		Arsenic, inorganic	0.02	0.02	0.02													
		Cadmium	0.003			0.003												
		Copper	0.01				0.01											
		Manganese	0.001					0.001										
		Mercury	0.01					0.01										
		Nickel	0.001						0.001									
		Selenium	0.001						0.001									
		Silver	0.0005			0.0005												
		Zinc	0.004		0.004													
		Butyltins																
		Butyltin ion	0.001								0.001							
		Dibutyltin ion	0.001								0.001							
		Tributyltin ion	0.001								0.001							
		PAHs																
		2-Methylnaphthalene	0.00002									0.00002						
		Acenaphthene	0.000001							0.000001								
		Acenaphthylene	0.000001							0.000001								
		Benzo(g,h,i)perylene	0.000002				0.000002											
		Fluoranthene	0.00005		0.00005		0.00005			0.00005								
		Fluorene	0.000003	0.000003														
		Phenanthrene	0.00003				0.00003											
		Pyrene	0.0001				0.0001											
		Semivolatile Organic Compounds																
		Benzyl alcohol	0.00001					0.00001										
		Dibenzofuran	0.0001		0.0001													
		Hexachlorobenzene	0.00003							0.00003								
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	6			6					6							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.03											0.03				
		Total PCB TEQ	0.4											0.4				

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-79.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Central Tendancy Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Pesticides																
		Aldrin	0.0003							0.0003								
		alpha-Hexachlorocyclohexane	0.0000001							0.0000001								
		beta-Hexachlorocyclohexane	0.0001							0.0001								
		Dieldrin	0.001							0.001								
		gamma-Hexachlorocyclohexane	0.00001			0.00001				0.00001								
		Heptachlor	0.000001							0.000001								
		Heptachlor epoxide	0.01							0.01								
		Total Chlordanes	0.001							0.001								
		Total DDD	0.001							0.001								
		Total DDE	0.001							0.001								
		Total DDT	0.0002							0.0002								
		Total Endosulfan	0.00001	0.00001				0.00001	0.00001									
	Exposure Point Total			0.02	6	0.003	0.01	0.01	0.002	0.01	6	0.00002		0.4				
UD	RM 11 East	**Metals**																
		Aluminum	0.01					0.01										
		Arsenic, inorganic	0.01		0.01	0.01												
		Cadmium	0.004				0.004											
		Copper	0.01					0.01										
		Manganese	0.003					0.003										
		Mercury	0.01					0.01										
		Nickel	0.001						0.001									
		Selenium	0.001						0.001									
		Silver	0.001			0.001												
		Zinc	0.004	0.004														
		Butyltins																
		Butyltin ion	0.0003								0.0003							
		PAHs																
		2-Methylnaphthalene	0.00002									0.00002						
		Acenaphthene	0.0000002							0.0000002								
		Benzo(e)pyrene	0.000002				0.000002											
		Fluoranthene	0.00001		0.00001		0.00001			0.00001								
		Fluorene	0.000001		0.000001													
		Phenanthrene	0.000004				0.000004											

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-79.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Central Tendancy Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Pyrene	0.00001			0.00001												
		Semivolatile Organic Compounds																
		Benzyl alcohol	0.00001				0.00001											
		Dibenzofuran	0.00002	0.00002														
		Hexachlorobenzene	0.00003							0.00003								
		Nitrobenzene	0.002	0.002														
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	2		2						2							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.02											0.02				
		Total PCB TEQ	0.08											0.08				
		Pesticides																
		Dieldrin	0.0004							0.0004								
		gamma-Hexachlorocyclohexane	0.000004			0.000004				0.000004								
		Heptachlor epoxide	0.0001							0.0001								
		Total Chlordanes	0.0002							0.0002								
		Total DDD	0.0002							0.0002								
		Total DDE	0.001							0.001								
		Total DDT	0.0001							0.0001								
		Total Endosulfan	0.000004	0.000004				0.000004	0.000004									
	Exposure Point Total			0.02	2	0.004	0.01	0.02	0.002	0.002	2	0.00002		0.1				
UD	Study Area-wide	**Metals**																
		Aluminum	0.005					0.005										
		Antimony	0.0002	0.0002														
		Arsenic, inorganic	0.01	0.01	0.01													
		Cadmium	0.01			0.01												
		Copper	0.01				0.01											
		Manganese	0.002					0.002										
		Mercury	0.01					0.01										
		Nickel	0.001						0.001									
		Selenium	0.001						0.001									
		Silver	0.001		0.001													
		Zinc	0.01	0.01														

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-79.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Central Tendancy Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Butyltins																
		Butyltin ion	0.002								0.002							
		Dibutyltin ion	0.02								0.02							
		Tributyltin ion	0.02								0.02							
		PAHs																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthene	0.00001							0.00001								
		Acenaphthylene	0.000003							0.000003								
		Benzo(e)pyrene	0.00001			0.00001												
		Benzo(g,h,i)perylene	0.0001			0.0001												
		Dibenzothiophene	0.000004	0.000004														
		Fluoranthene	0.0003		0.0003	0.0003				0.0003								
		Fluorene	0.00001		0.00001													
		Naphthalene	0.0001						0.0001						0.0001			
		Perylene	0.000001			0.000001												
		Phenanthrene	0.0001			0.0001												
		Pyrene	0.0005			0.0005												
		Phthalates																
		Bis(2-ethylhexyl) phthalate	0.0002							0.0002								
		Dibutyl phthalate	0.001						0.001									
		Semivolatile Organic Compounds																
		Benzoic acid	0.0001															
		Benzyl alcohol	0.0001					0.0001										
		Bis(2-chloroethoxy) methane	0.001							0.001								
		Dibenzofuran	0.0002		0.0002													
		Hexachlorobenzene	0.00004							0.00004								
		Hexachlorobutadiene	0.000001			0.000001												
		Nitrobenzene	0.007		0.007													
		Phenols																
		4-Nitrophenol	0.0002					0.0002	0.0002									
		Phenol	0.0004						0.0004									
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	1		1						1							

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-79.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Central Tendancy Exposure

Scenario Timeframe: Current/Future

Receptor Population: Fisher

Population Age: Adult

Medium: Tissue

Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)

Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.09											0.09				
		Total PCB TEQ	0.1											0.1				
		Pesticides																
		Aldrin	0.001							0.001								
		alpha-Hexachlorocyclohexane	0.0000001							0.0000001								
		beta-Hexachlorocyclohexane	0.0001							0.0001								
		Dieldrin	0.001							0.001								
		Endrin	0.000003							0.000003								
		Endrin aldehyde	0.0001							0.0001								
		Endrin ketone	0.000001							0.000001								
		gamma-Hexachlorocyclohexane	0.00001			0.00001				0.00001								
		Heptachlor	0.000004							0.000004								
		Heptachlor epoxide	0.001							0.001								
		Methoxychlor	0.000003											0.000003				0.000003
		Total Chlordanes	0.001							0.001								
		Total DDD	0.005							0.005								
		Total DDE	0.003							0.003								
		Total DDT	0.002							0.002								
		Total Endosulfan	0.00001	0.00001				0.00001	0.00001									
	Exposure Point Total			0.03	1	0.01	0.01	0.01	0.00	0.02	1	0.0001		0.2	0.0001			0.000003

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Endpoint-specific hazard indices only calculated for those exposure areas where the cumulative hazard index is greater than 1.

Abbreviations:

D = Depurated clam.

DDD = Dichlorodiphenyldichloroethane.

DDE = Dichlorodiphenyldichloroethylene.

DDT = Dichlorodiphenyltrichloroethane.

PAHs = Polynuclear Aromatic Hydrocarbons.

PCB = Polychlorinated Biphenyls.

RM = River mile.

TEQ = Toxic Equivalents.

UD = Undepurated clam.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
UD	RM 1 East	**Metals**																
		Aluminum	0.02					0.02										
		Arsenic, inorganic	0.09	0.09	0.09													
		Cadmium	0.03			0.03												
		Copper	0.05				0.05											
		Manganese	0.01					0.01										
		Mercury	0.03					0.03										
		Nickel	0.002						0.002									
		Selenium	0.01						0.01									
		Silver	0.001			0.001												
		Zinc	0.02		0.02													
		Butyltins																
		Butyltin ion	0.002								0.002							
		Dibutyltin ion	0.003								0.003							
		PAHs																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthene	0.000003							0.000003								
		Acenaphthylene	0.000001							0.000001								
		Anthracene	0.000002															
		Benzo(e)pyrene	0.00002			0.00002												
		Benzo(g,h,i)perylene	0.00001			0.00001												
		Dibenzothiophene	0.000005	0.000005														
		Fluoranthene	0.0002	0.0002		0.0002				0.0002								
		Fluorene	0.00001	0.00001														
		Perylene	0.000002			0.000002												
		Phenanthrene	0.0001			0.0001												
		Pyrene	0.0002			0.0002												
		Semivolatile Organic Compounds																
		Benzyl alcohol	0.0001					0.0001										
		Dibenzofuran	0.0002		0.0002													
		Hexachlorobenzene	0.0002							0.0002								
		Hexachlorobutadiene	0.000002			0.000002												
		Nitrobenzene	0.04		0.04													
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	2			2					2							

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.1											0.1				
		Total PCB TEQ	0.4											0.4				
		Pesticides																
		Aldrin	0.002							0.002								
		Dieldrin	0.003							0.003								
		gamma-Hexachlorocyclohexane	0.00003			0.00003				0.00003								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.002							0.002								
		Total DDD	0.01							0.01								
		Total DDE	0.01							0.01								
		Total DDT	0.0009							0.0009								
		Total Endosulfan	0.00003	0.00003				0.00003	0.00003									
	Exposure Point Total[b]			0.2	2	0.03	0.05	0.06	0.01	0.02	2	0.0001		0.5				
UD	RM 2 East	**Metals**																
		Aluminum	0.01					0.01										
		Antimony	0.001		0.001													
		Arsenic, inorganic	0.1		0.1	0.1												
		Cadmium	0.06				0.06											
		Copper	0.07					0.07										
		Mercury	0.02					0.02										
		Nickel	0.004						0.004									
		Selenium	0.01						0.01									
		Silver	0.003		0.003													
		Zinc	0.03		0.03													
		Butyltins																
		Butyltin ion	0.004								0.004							
		Dibutyltin ion	0.005								0.005							
		Tributyltin ion	0.01								0.01							
		PAHs																
		2-Methylnaphthalene	0.0001											0.0001				
		Acenaphthene	0.00001							0.00001								
		Acenaphthylene	0.00001							0.00001								
		Benzo(g,h,i)perylene	0.00003			0.00003												
		Fluoranthene	0.001	0.001		0.001				0.001								

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
														Endpoint-Specific Hazard Indices				
		Fluorene	0.00002	0.00002														
		Phenanthrene	0.0002			0.0002												
		Pyrene	0.001			0.001												
		Semivolatile Organic Compounds																
		Benzyl alcohol	0.00003				0.00003											
		Hexachlorobenzene	0.0002							0.0002								
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	4		4						4							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.2											0.2				
		Total PCB TEQ	0.8											0.8				
		Pesticides																
		Aldrin	0.002							0.002								
		Dieldrin	0.005							0.005								
		Endrin	0.00001							0.00001								
		gamma-Hexachlorocyclohexane	0.0001			0.0001				0.0001								
		Heptachlor	0.00001							0.00001								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.002							0.002								
		Total DDD	0.01							0.01								
		Total DDE	0.01							0.01								
		Total DDT	0.001							0.001								
		Total Endosulfan	0.00005	0.00005				0.00005	0.00005									
	Exposure Point Total			0.1	4	0.06	0.07	0.03	0.01	0.03	4	0.0001		1				
UD	RM 2 West	**Metals**																
		Aluminum	0.02					0.02										
		Arsenic, inorganic	0.09	0.09		0.09												
		Cadmium	0.03			0.03												
		Copper	0.06				0.06											
		Manganese	0.01					0.01										
		Mercury	0.03					0.03										
		Nickel	0.003						0.003									
		Selenium	0.01						0.01									
		Silver	0.003			0.003												
		Zinc	0.03	0.03														

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Butyltins																
		Butyltin ion	0.001								0.001							
		Dibutyltin ion	0.003								0.003							
		Tributyltin ion	0.004								0.004							
		PAHs																
		1-Methylnaphthalene	0.000004															
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthene	0.00001							0.00001								
		Acenaphthylene	0.00001							0.00001								
		Benzo(e)pyrene	0.00003			0.00003												
		Benzo(g,h,i)perylene	0.0001			0.0001												
		Dibenzothiophene	0.00001	0.00001														
		Fluoranthene	0.001	0.001		0.001				0.001								
		Fluorene	0.00003	0.00003														
		Perylene	0.00001			0.00001												
		Phenanthrene	0.001			0.001												
		Pyrene	0.001			0.001												
		Semivolatile Organic Compounds																
		Benzoic acid	0.0001															
		Benzyl alcohol	0.00003				0.00003											
		Dibenzofuran	0.0003		0.0003													
		Hexachlorobenzene	0.0002							0.0002								
		Nitrobenzene	0.04		0.04													
		Phenols																
		4-Nitrophenol	0.001					0.001	0.001									
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	1		1						1							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.1											0.1				
		Total PCB TEQ	0.2											0.2				
		Pesticides																
		Aldrin	0.002							0.002								
		Dieldrin	0.003							0.003								
		Endrin	0.000005							0.000005								
		gamma-Hexachlorocyclohexane	0.00005			0.00005				0.00005								

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Heptachlor	0.000004							0.000004								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.002							0.002								
		Total DDD	0.01							0.01								
		Total DDE	0.01							0.01								
		Total DDT	0.001							0.001								
		Total Endosulfan	0.00003	0.00003				0.00003	0.00003								
	Exposure Point Total			0.2	1	0.03	0.06	0.05	0.01	0.03	1	0.0001		0.4				
UD	RM 3 East	**Metals**															
		Aluminum	0.02					0.02									
		Antimony	0.002	0.002													
		Arsenic, inorganic	0.08	0.08		0.08											
		Cadmium	0.04			0.04											
		Copper	0.07				0.07										
		Mercury	0.02					0.02									
		Nickel	0.004						0.004								
		Selenium	0.01						0.01								
		Silver	0.003			0.003											
		Zinc	0.04	0.04													
		Butyltins															
		Butyltin ion	0.003								0.003						
		Dibutyltin ion	0.05								0.05						
		Tributyltin ion	0.05								0.05						
		PAHs															
		2-Methylnaphthalene	0.0001									0.0001					
		Acenaphthene	0.00001							0.00001							
		Acenaphthylene	0.00001							0.00001							
		Benzo(g,h,i)perylene	0.0001				0.0001										
		Fluoranthene	0.001	0.001			0.001			0.001							
		Fluorene	0.00003	0.00003													
		Phenanthrene	0.0003				0.0003										
		Pyrene	0.001				0.001										
		Semivolatile Organic Compounds															
		Benzyl alcohol	0.00004				0.00004										

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future

Receptor Population: Fisher

Population Age: Adult

Medium: Tissue

Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)

Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Dibenzofuran	0.001	0.001														
		Hexachlorobenzene	0.0002							0.0002								
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	6		6						6							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.2											0.2				
		Total PCB TEQ	1											1				
		Pesticides																
		Aldrin	0.002							0.002								
		alpha-Hexachlorocyclohexane	0.0000002							0.0000002								
		Dieldrin	0.005							0.005								
		Endrin	0.00001							0.00001								
		Endrin ketone	0.000003							0.000003								
		gamma-Hexachlorocyclohexane	0.00005			0.00005				0.00005								
		Heptachlor	0.00001							0.00001								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.002							0.002								
		Total DDD	0.01							0.01								
		Total DDE	0.01							0.01								
		Total DDT	0.002							0.002								
		Total Endosulfan	0.00004	0.00004				0.00004	0.00004									
	Exposure Point Total			0.1	6	0.05	0.07	0.04	0.01	0.02	6		0.0001	2				
UD	RM 3 West	**Metals**																
		Aluminum	0.05					0.05										
		Arsenic, inorganic	0.08	0.08	0.08													
		Cadmium	0.02			0.02												
		Copper	0.05					0.05										
		Manganese	0.01					0.01										
		Mercury	0.04					0.04										
		Nickel	0.003						0.003									
		Selenium	0.01						0.01									
		Silver	0.002			0.002												
		Zinc	0.03	0.03														

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		PAHs																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthene	0.00001							0.00001								
		Acenaphthylene	0.000002							0.000002								
		Benzo(e)pyrene	0.0001			0.0001												
		Benzo(g,h,i)perylene	0.00002			0.00002												
		Dibenzothiophene	0.00001	0.00001														
		Fluoranthene	0.0003	0.0003		0.0003				0.0003								
		Fluorene	0.00002	0.00002														
		Perylene	0.00001			0.00001												
		Phenanthrene	0.0001			0.0001												
		Pyrene	0.0004			0.0004												
		Phthalates																
		Bis(2-ethylhexyl) phthalate	0.001							0.001								
		Semivolatile Organic Compounds																
		Benzyl alcohol	0.0001					0.0001										
		Bis(2-chloroethoxy) methane	0.004							0.004								
		Dibenzofuran	0.0003	0.0003														
		Hexachlorobenzene	0.0003							0.0003								
		Nitrobenzene	0.07	0.07														
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	1		1						1							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.2											0.2				
		Total PCB TEQ	0.3											0.3				
		Pesticides																
		Aldrin	0.003							0.003								
		Dieldrin	0.003							0.003								
		Total Chlordanes	0.002							0.002								
		Total DDD	0.01							0.01								
		Total DDE	0.01							0.01								
		Total DDT	0.002							0.002								
		Total Endosulfan	0.00003	0.00003				0.00003	0.00003									
	Exposure Point Total			0.2	1	0.02	0.05	0.1	0.01	0.03	1	0.0001		0.5				

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
UD	RM 4 East	**Metals**																
		Aluminum	0.02					0.02										
		Antimony	0.00	0.00														
		Arsenic, inorganic	0.08	0.08	0.08													
		Cadmium	0.04			0.04												
		Copper	0.07				0.07											
		Mercury	0.03					0.03										
		Nickel	0.01						0.01									
		Selenium	0.01						0.01									
		Silver	0.00		0.00													
		Zinc	0.03	0.03														
		Butyltins																
		Butyltin ion	0.005								0.005							
		Dibutyltin ion	0.01								0.01							
		Tributyltin ion	0.01								0.01							
		PAHs																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthene	0.00001							0.00001								
		Acenaphthylene	0.00001							0.00001								
		Benzo(g,h,i)perylene	0.00004			0.00004												
		Fluoranthene	0.0004	0.0004		0.0004				0.0004								
		Fluorene	0.00002	0.00002														
		Phenanthrene	0.0002			0.0002												
		Pyrene	0.001			0.001												
		Semivolatile Organic Compounds																
		Benzyl alcohol	0.00003				0.00003											
		Dibenzofuran	0.0003		0.0003													
		Hexachlorobenzene	0.0001							0.0001								
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	1		1						1							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.9											0.9				
		Total PCB TEQ	0.4											0.4				

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Pesticides																
		Aldrin	0.001							0.001								
		alpha-Hexachlorocyclohexane	0.0000002							0.0000002								
		Dieldrin	0.004							0.004								
		Endrin	0.00001							0.00001								
		gamma-Hexachlorocyclohexane	0.0001			0.0001				0.0001								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.001							0.001								
		Total DDD	0.004							0.004								
		Total DDE	0.005							0.005								
		Total DDT	0.001							0.001								
		Total Endosulfan	0.00003	0.00003				0.00003	0.00003									
	Exposure Point Total			0.1	1	0.04	0.07	0.05	0.01	0.02	1	0.0001		1				
UD	RM 4 West	**Metals**																
		Aluminum	0.02						0.02									
		Arsenic, inorganic	0.09	0.09	0.09													
		Cadmium	0.02			0.02												
		Copper	0.06				0.06											
		Manganese	0.01					0.01										
		Mercury	0.03					0.03										
		Nickel	0.004						0.004									
		Selenium	0.01						0.01									
		Silver	0.00		0.00													
		Zinc	0.03	0.03														
		Butyltins																
		Butyltin ion	0.001								0.001							
		Dibutyltin ion	0.002								0.002							
		Tributyltin ion	0.003								0.003							
		PAHs																
		2-Methylnaphthalene	0.0002										0.0002					
		Acenaphthene	0.00002							0.00002								
		Acenaphthylene	0.00002							0.00002								
		Benzo(e)pyrene	0.0001			0.0001												
		Benzo(g,h,i)perylene	0.0001			0.0001												

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Dibenzothiophene	0.00002	0.00002														
		Fluoranthene	0.001	0.001		0.001				0.001								
		Fluorene	0.00006	0.00006														
		Perylene	0.00001			0.00001												
		Phenanthrene	0.001			0.001												
		Pyrene	0.002			0.002												
		Phthalates																
		Bis(2-ethylhexyl) phthalate	0.001							0.001								
		Semivolatile Organic Compounds																
		Benzyl alcohol	0.0003				0.0003											
		Dibenzofuran	0.0003	0.0003														
		Hexachlorobenzene	0.0002							0.0002								
		Nitrobenzene	0.02	0.02														
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	2		2						2							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.2											0.2				
		Total PCB TEQ	0.4											0.4				
		Pesticides																
		Aldrin	0.002							0.002								
		alpha-Hexachlorocyclohexane	0.0000004							0.0000004								
		Dieldrin	0.005							0.005								
		Endrin	0.00001							0.00001								
		gamma-Hexachlorocyclohexane	0.0001			0.0001				0.0001								
		Heptachlor	0.00001							0.00001								
		Heptachlor epoxide	0.001							0.001								
		Methoxychlor	0.00002											0.00002				0.00002
		Total Chlordanes	0.002							0.002								
		Total DDD	0.01							0.01								
		Total DDE	0.01							0.01								
		Total DDT	0.002							0.002								
		Total Endosulfan	0.0001	0.0001				0.0001	0.0001									
	Exposure Point Total			0.1	2	0.02	0.06	0.06	0.01	0.03	2	0.0002		0.6				0.00002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
UD	RM 5 East	**Metals**																
		Aluminum	0.03					0.03										
		Arsenic, inorganic	0.07	0.07	0.07													
		Cadmium	0.02			0.02												
		Copper	0.06				0.06											
		Manganese	0.01					0.01										
		Mercury	0.05					0.05										
		Nickel	0.005						0.005									
		Selenium	0.01						0.01									
		Silver	0.003			0.003												
		Zinc	0.03		0.03													
		Butyltins																
		Butyltin ion	0.002								0.002							
		Dibutyltin ion	0.003								0.003							
		Tributyltin ion	0.01								0.01							
		PAHs																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthene	0.00001							0.00001								
		Acenaphthylene	0.00001							0.00001								
		Benzo(e)pyrene	0.00003			0.00003												
		Benzo(g,h,i)perylene	0.00001			0.00001												
		Fluoranthene	0.0002	0.0002		0.0002				0.0002								
		Fluorene	0.00002	0.00002														
		Perylene	0.000002			0.000002												
		Phenanthrene	0.0001			0.0001												
		Pyrene	0.0003			0.0003												
		Phthalates																
		Bis(2-ethylhexyl) phthalate	0.001							0.001								
		Semivolatile Organic Compounds																
		Benzyl alcohol	0.0002				0.0002											
		Dibenzofuran	0.0004	0.0004														
		Hexachlorobenzene	0.0002							0.0002								
		Hexachlorobutadiene	0.0000			0.0000												
		Nitrobenzene	0.05	0.05														

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	2		2						2							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.2											0.2				
		Total PCB TEQ	0.4											0.4				
		Pesticides																
		Aldrin	0.003							0.003								
		Dieldrin	0.004							0.004								
		gamma-Hexachlorocyclohexane	0.00003			0.00003				0.00003								
		Heptachlor	0.00001							0.00001								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.002							0.002								
		Total DDD	0.01							0.01								
		Total DDE	0.01							0.01								
		Total DDT	0.001							0.001								
		Total Endosulfan	0.00003	0.00003				0.00003	0.00003									
	Exposure Point Total			0.2	2	0.02	0.06	0.09	0.01	0.03	2	0.0001		0.5				
UD	RM 5 West	**Metals**																
		Aluminum	0.03					0.03										
		Arsenic, inorganic	0.09	0.09		0.09												
		Cadmium	0.02			0.02												
		Copper	0.07				0.07											
		Manganese	0.01					0.01										
		Mercury	0.07					0.07										
		Nickel	0.004						0.004									
		Selenium	0.01						0.01									
		Silver	0.004			0.004												
		Zinc	0.03	0.03														
		Butyltins																
		Butyltin ion	0.002								0.002							
		Dibutyltin ion	0.002								0.002							
		PAHs																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthene	0.0001							0.0001								
		Acenaphthylene	0.0001							0.0001								

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Benzo(e)pyrene	0.0001			0.0001												
		Benzo(g,h,i)perylene	0.002			0.002												
		Dibenzothiophene	0.00002	0.00002														
		Fluoranthene	0.005	0.005		0.005				0.005								
		Fluorene	0.0001	0.0001														
		Naphthalene	0.00004						0.00004						0.00004			
		Perylene	0.00001			0.00001												
		Phenanthrene	0.002			0.002												
		Pyrene	0.01			0.01												
		Phthalates																
		Bis(2-ethylhexyl) phthalate	0.002							0.002								
		Semivolatile Organic Compounds																
		Benzyl alcohol	0.00002					0.00002										
		Dibenzofuran	0.0003	0.0003														
		Hexachlorobenzene	0.0002							0.0002								
		Hexachlorobutadiene	0.00001			0.00001												
		Nitrobenzene	0.02	0.02														
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	1		1						1							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.4											0.4				
		Total PCB TEQ	0.2											0.2				
		Pesticides																
		Aldrin	0.002							0.002								
		Dieldrin	0.004							0.004								
		gamma-Hexachlorocyclohexane	0.0001			0.0001				0.0001								
		Heptachlor	0.00002							0.00002								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.002							0.002								
		Total DDD	0.01							0.01								
		Total DDE	0.01							0.01								
		Total DDT	0.004							0.004								
		Total Endosulfan	0.00004	0.00004				0.00004	0.00004									
	Exposure Point Total			0.1	1	0.04	0.07	0.1	0.01	0.04	1	0.0001		0.6	0.00004			

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
UD	RM 6 East	**Metals**																
		Aluminum	0.03					0.03										
		Antimony	0.001	0.001														
		Arsenic, inorganic	0.08	0.08	0.08													
		Cadmium	0.01			0.01												
		Copper	0.07				0.07											
		Manganese	0.01					0.01										
		Mercury	0.03					0.03										
		Nickel	0.004						0.004									
		Selenium	0.01						0.01									
		Silver	0.003			0.003												
		Zinc	0.02	0.02														
		Butyltins																
		Butyltin ion	0.003								0.003							
		Dibutyltin ion	0.01								0.01							
		Tributyltin ion	0.01								0.01							
		PAHs																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthene	0.000004							0.000004								
		Acenaphthylene	0.00001							0.00001								
		Benzo(g,h,i)perylene	0.00001			0.00001												
		Fluoranthene	0.0003	0.0003		0.0003				0.0003								
		Fluorene	0.00002	0.00002														
		Phenanthrene	0.0001			0.0001												
		Pyrene	0.0004			0.0004												
		Semivolatile Organic Compounds																
		Benzyl alcohol	0.0001				0.0001											
		Dibenzofuran	0.0003	0.0003														
		Hexachlorobenzene	0.0002							0.0002								
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	34		34						34							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.2											0.2				
		Total PCB TEQ	2											2				

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Pesticides																
		Aldrin	0.002							0.002								
		alpha-Hexachlorocyclohexane	0.0000003							0.0000003								
		beta-Hexachlorocyclohexane	0.001							0.001								
		Dieldrin	0.004							0.004								
		gamma-Hexachlorocyclohexane	0.0001			0.0001				0.0001								
		Heptachlor	0.000004							0.000004								
		Heptachlor epoxide	0.04							0.04								
		Total Chlordanes	0.003							0.003								
		Total DDD	0.003							0.003								
		Total DDE	0.005							0.005								
		Total DDT	0.001							0.001								
		Total Endosulfan	0.00004	0.00004				0.00004	0.00004									
	Exposure Point Total			0.1	34	0.02	0.07	0.06	0.01	0.06	34	0.0001		2				
UD	RM 6 West	**Metals**																
		Aluminum	0.02					0.02										
		Arsenic, inorganic	0.09	0.09		0.09												
		Cadmium	0.02			0.02												
		Copper	0.07				0.07											
		Mercury	0.03					0.03										
		Nickel	0.01						0.01									
		Selenium	0.01						0.01									
		Silver	0.004			0.004												
		Zinc	0.03	0.03														
		Butyltins																
		Butyltin ion	0.003							0.003								
		Dibutyltin ion	0.002							0.002								
		PAHs																
		2-Methylnaphthalene	0.001									0.001						
		Acenaphthene	0.0003							0.0003								
		Acenaphthylene	0.0001							0.0001								
		Benzo(g,h,i)perylene	0.002			0.002												
		Fluoranthene	0.005	0.005		0.005				0.005								
		Fluorene	0.0002	0.0002														
		Naphthalene	0.0004						0.0004						0.0004			

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Phenanthrene	0.003			0.003												
		Pyrene	0.01			0.01												
		Semivolatile Organic Compounds																
		Benzyl alcohol	0.0001				0.0001											
		Dibenzofuran	0.001	0.001														
		Hexachlorobenzene	0.0003							0.0003								
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	1		1						1							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	1											1				
		Total PCB TEQ	0.4											0.4				
		Pesticides																
		Aldrin	0.003							0.003								
		alpha-Hexachlorocyclohexane	0.0000003							0.0000003								
		Dieldrin	0.01							0.01								
		Endrin	0.00004							0.00004								
		Endrin ketone	0.00001							0.00001								
		gamma-Hexachlorocyclohexane	0.0001			0.0001				0.0001								
		Heptachlor	0.0002							0.0002								
		Heptachlor epoxide	0.002							0.002								
		Methoxychlor	0.000005											0.000005				0.000005
		Total Chlordanes	0.01							0.01								
		Total DDD	0.1							0.1								
		Total DDE	0.03							0.03								
		Total DDT	0.02							0.02								
		Total Endosulfan	0.0001	0.0001				0.0001	0.0001									
	Exposure Point Total			0.1	1	0.04	0.07	0.05	0.01	0.2	1	0.001		1	0.0004			0.000005
UD	RM 7 East	**Metals**																
		Aluminum	0.03					0.03										
		Arsenic, inorganic	0.08	0.08	0.08													
		Cadmium	0.02			0.02												
		Copper	0.07				0.07											
		Mercury	0.03					0.03										
		Nickel	0.01						0.01									
		Selenium	0.01						0.01									

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Silver	0.003		0.003													
		Zinc	0.02	0.02														
		Butyltins																
		Butyltin ion	0.01								0.01							
		Dibutyltin ion	0.01								0.01							
		Tributyltin ion	0.01								0.01							
		PAHs																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthene	0.00001							0.00001								
		Acenaphthylene	0.000003							0.000003								
		Benzo(g,h,i)perylene	0.00001			0.00001												
		Fluoranthene	0.0003	0.0003		0.0003				0.0003								
		Fluorene	0.00002	0.00002														
		Phenanthrene	0.0001			0.0001												
		Pyrene	0.0003			0.0003												
		Semivolatile Organic Compounds																
		Benzyl alcohol	0.0002				0.0002											
		Dibenzofuran	0.0005	0.0005														
		Hexachlorobenzene	0.0002							0.0002								
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	1			1					1							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.3											0.3				
		Total PCB TEQ	0.2											0.2				
		Pesticides																
		Aldrin	0.002							0.002								
		Dieldrin	0.004							0.004								
		Endrin ketone	0.000002							0.000002								
		gamma-Hexachlorocyclohexane	0.0001			0.0001				0.0001								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.002							0.002								
		Total DDD	0.002							0.002								
		Total DDE	0.004							0.004								

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future   Medium: Tissue
Receptor Population: Fisher   Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Population Age: Adult   Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Total DDT	0.001							0.001								
		Total Endosulfan	0.00004	0.00004				0.00004	0.00004									
	Exposure Point Total			0.1	1	0.02	0.07	0.06	0.01	0.02	1	0.0001		0.5				
UD	RM 7 West	**Metals**																
		Aluminum	0.04					0.04										
		Antimony	0.001	0.001														
		Arsenic, inorganic	0.08	0.08	0.08													
		Cadmium	0.02			0.02												
		Copper	0.06				0.06											
		Manganese	0.01					0.01										
		Mercury	0.03					0.03										
		Nickel	0.004						0.004									
		Selenium	0.01						0.01									
		Silver	0.003		0.003													
		Zinc	0.03	0.03														
		Butyltins																
		Butyltin ion	0.002								0.002							
		Dibutyltin ion	0.005								0.005							
		Tributyltin ion	0.004								0.004							
		PAHs																
		2-Methylnaphthalene	0.0002									0.0002						
		Acenaphthene	0.00002							0.00002								
		Acenaphthylene	0.00001							0.00001								
		Benzo(g,h,i)perylene	0.0001			0.0001												
		Fluoranthene	0.001	0.001		0.001				0.001								
		Fluorene	0.00003	0.00003														
		Naphthalene	0.00003						0.00003						0.00003			
		Phenanthrene	0.0003			0.0003												
		Pyrene	0.001			0.001												
		Semivolatile Organic Compounds																
		Benzyl alcohol	0.003					0.003										
		Dibenzofuran	0.001	0.001														
		Hexachlorobenzene	0.0003							0.0003								
		Phenols																
		Phenol	0.002						0.002									

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	1		1						1							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	1											1				
		Total PCB TEQ	0.3											0.3				
		Pesticides																
		Aldrin	0.003							0.003								
		Dieldrin	0.01							0.01								
		Endrin	0.00004							0.00004								
		Endrin aldehyde	0.0003							0.0003								
		Endrin ketone	0.00001							0.00001								
		gamma-Hexachlorocyclohexane	0.0001			0.0001				0.0001								
		Heptachlor	0.00001							0.00001								
		Heptachlor epoxide	0.03							0.03								
		Total Chlordanes	0.004							0.004								
		Total DDD	0.09							0.09								
		Total DDE	0.04							0.04								
		Total DDT	0.05							0.05								
		Total Endosulfan	0.0001	0.0001				0.0001	0.0001									
	Exposure Point Total			0.1	1	0.02	0.06	0.09	0.02	0.2	1	0.0002		2	0.00003			
UD	RM 8 East	**Metals**																
		Aluminum	0.04					0.04										
		Antimony	0.001	0.001														
		Arsenic, inorganic	0.07	0.07		0.07												
		Cadmium	0.02			0.02												
		Copper	0.09				0.09											
		Mercury	0.02					0.02										
		Nickel	0.01						0.01									
		Selenium	0.01						0.01									
		Silver	0.004			0.004												
		Zinc	0.05	0.05														
		Butyltins																
		Butyltin ion	0.08							0.08								
		Dibutyltin ion	0.5							0.5								
		Tributyltin ion	0.5							0.5								

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		PAHs																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthene	0.000001							0.000001								
		Acenaphthylene	0.000001							0.000001								
		Benzo(g,h,i)perylene	0.000004			0.000004												
		Fluoranthene	0.0001	0.0001		0.0001				0.0001								
		Fluorene	0.000006	0.000006														
		Phenanthrene	0.00004			0.00004												
		Pyrene	0.0001			0.0001												
		Semivolatile Organic Compounds																
		Benzyl alcohol	0.00003				0.00003											
		Dibenzofuran	0.0001	0.0001														
		Hexachlorobenzene	0.0001							0.0001								
		Hexachlorobutadiene	0.000001			0.000001												
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	1		1						1							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.1											0.1				
		Total PCB TEQ	0.2											0.2				
		Pesticides																
		Aldrin	0.001							0.001								
		alpha-Hexachlorocyclohexane	0.0000002							0.0000002								
		Dieldrin	0.003							0.003								
		Endrin	0.00001							0.00001								
		Endrin ketone	0.000002							0.000002								
		gamma-Hexachlorocyclohexane	0.00004			0.00004				0.00004								
		Heptachlor	0.000005							0.000005								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.001							0.001								
		Total DDD	0.001							0.001								
		Total DDE	0.003							0.003								
		Total DDT	0.0004							0.0004								
		Total Endosulfan	0.00004	0.00004				0.00004	0.00004									
	Exposure Point Total			0.1	1	0.02	0.09	0.06	0.01	0.01	2	0.0001		0.3				

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
UD	RM 8 West	**Metals**																
		Aluminum	0.03					0.03										
		Antimony	0.002	0.002														
		Arsenic, inorganic	0.08	0.08	0.08													
		Cadmium	0.03			0.03												
		Copper	0.06				0.06											
		Mercury	0.03					0.03										
		Nickel	0.004						0.004									
		Selenium	0.01						0.01									
		Silver	0.004			0.004												
		Zinc	0.04		0.04													
		Butyltins																
		Butyltin ion	0.001								0.001							
		Dibutyltin ion	0.002								0.002							
		Tributyltin ion	0.003								0.003							
		PAHs																
		2-Methylnaphthalene	0.001									0.001						
		Acenaphthene	0.0001							0.0001								
		Acenaphthylene	0.00001							0.00001								
		Benzo(g,h,i)perylene	0.00003			0.00003												
		Fluoranthene	0.002	0.002		0.002				0.002								
		Fluorene	0.0001	0.0001														
		Naphthalene	0.0001						0.0001						0.0001			
		Phenanthrene	0.001			0.001												
		Pyrene	0.001			0.001												
		Semivolatile Organic Compounds																
		Benzyl alcohol	0.000				0.000											
		Dibenzofuran	0.004	0.004														
		Hexachlorobenzene	0.0003							0.0003								
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	5		5						5							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.4												0.4			
		Total PCB TEQ	0.9												0.9			

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Pesticides																
		Aldrin	0.04							0.04								
		alpha-Hexachlorocyclohexane	0.000001							0.000001								
		Dieldrin	0.01							0.01								
		Endrin	0.0001							0.0001								
		Endrin ketone	0.000004							0.000004								
		gamma-Hexachlorocyclohexane	0.0001			0.0001				0.0001								
		Heptachlor	0.00003							0.00003								
		Heptachlor epoxide	0.002							0.002								
		Total Chlordanes	0.01							0.01								
		Total DDD	0.02							0.02								
		Total DDE	0.03							0.03								
		Total DDT	0.001							0.001								
		Total Endosulfan	0.0001	0.0001				0.0001	0.0001									
	Exposure Point Total			0.1	5	0.03	0.06	0.06	0.01	0.1	5	0.001		1	0.0001			
UD	RM 8 SIL	**Metals**																
		Aluminum	0.05					0.05										
		Antimony	0.003	0.003														
		Arsenic, inorganic	0.08	0.08		0.08												
		Cadmium	0.04			0.04												
		Copper	0.06				0.06											
		Mercury	0.03					0.03										
		Nickel	0.005						0.005									
		Selenium	0.01						0.01									
		Silver	0.002		0.002													
		Zinc	0.04	0.04														
		Butyltins																
		Butyltin ion	0.01								0.01							
		Dibutyltin ion	0.01								0.01							
		Tributyltin ion	0.03								0.03							
		PAHs																
		2-Methylnaphthalene	0.0002									0.0002						
		Acenaphthene	0.00001							0.00001								
		Acenaphthylene	0.00001							0.00001								
		Benzo(g,h,i)perylene	0.00002				0.00002											

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Fluoranthene	0.0004	0.0004		0.0004				0.0004								
		Fluorene	0.00002	0.00002														
		Phenanthrene	0.0001			0.0001												
		Pyrene	0.001			0.001												
		Phthalates																
		Bis(2-ethylhexyl) phthalate	0.002							0.002								
		Dibutyl phthalate	0.003						0.003									
		Semivolatile Organic Compounds																
		Benzyl alcohol	0.0003					0.0003										
		Dibenzofuran	0.0004		0.0004													
		Hexachlorobenzene	0.0002							0.0002								
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	5		5						5							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.3											0.3				
		Total PCB TEQ	0.9											0.9				
		Pesticides																
		Aldrin	0.003							0.003								
		alpha-Hexachlorocyclohexane	0.000001							0.000001								
		Dieldrin	0.01							0.01								
		Endrin	0.00002							0.00002								
		Endrin ketone	0.000003							0.000003								
		gamma-Hexachlorocyclohexane	0.0001				0.0001			0.0001								
		Heptachlor epoxide	0.002							0.002								
		Total Chlordanes	0.003							0.003								
		Total DDD	0.004							0.004								
		Total DDE	0.01							0.01								
		Total DDT	0.001							0.001								
		Total Endosulfan	0.0001	0.0001				0.0001	0.0001									
	Exposure Point Total			0.1	5	0.04	0.06	0.08	0.02	0.03	5	0.0002		1				
UD	RM 9 West	**Metals**																
		Aluminum	0.04					0.04										
		Antimony	0.002		0.002													
		Arsenic, inorganic	0.08		0.08	0.08												
		Cadmium	0.02			0.02												

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Copper	0.06				0.06											
		Mercury	0.02					0.02										
		Nickel	0.01						0.01									
		Selenium	0.01						0.01									
		Silver	0.004			0.004												
		Zinc	0.03	0.03														
		Butyltins																
		Dibutyltin ion	0.001								0.001							
		PAHs																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthene	0.00001							0.00001								
		Acenaphthylene	0.000004							0.000004								
		Benzo(g,h,i)perylene	0.00001			0.00001												
		Fluoranthene	0.0002	0.0002		0.0002				0.0002								
		Fluorene	0.00003	0.00003														
		Phenanthrene	0.0002			0.0002												
		Pyrene	0.0002			0.0002												
		Semivolatile Organic Compounds																
		Benzyl alcohol	0.00005				0.00005											
		Dibenzofuran	0.001		0.001													
		Hexachlorobenzene	0.0003							0.0003								
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	6		6						6							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	1													1		
		Total PCB TEQ	1													1		
		Pesticides																
		Aldrin	0.003							0.003								
		alpha-Hexachlorocyclohexane	0.0000005							0.0000005								
		Dieldrin	0.01							0.01								
		Endrin	0.00005							0.00005								
		gamma-Hexachlorocyclohexane	0.0001			0.0001				0.0001								
		Heptachlor	0.00001							0.00001								
		Heptachlor epoxide	0.002							0.002								
		Total Chlordanes	0.003							0.003								

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Total DDD	0.003							0.003								
		Total DDE	0.01							0.01								
		Total DDT	0.001							0.001								
		Total Endosulfan	0.0001	0.0001				0.0001	0.0001									
	Exposure Point Total			0.1	6	0.02	0.06	0.07	0.01	0.03	6	0.0001		2				
UD	RM 10 West	**Metals**																
		Aluminum	0.01					0.01										
		Arsenic, inorganic	0.06		0.06	0.06												
		Cadmium	0.01			0.01												
		Copper	0.04				0.04											
		Manganese	0.01					0.01										
		Mercury	0.05					0.05										
		Nickel	0.002						0.002									
		Selenium	0.01						0.01									
		Silver	0.002			0.002												
		Zinc	0.02		0.02													
		PAHs																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthene	0.000002							0.000002								
		Benzo(e)pyrene	0.00001				0.00001											
		Fluoranthene	0.0001		0.0001		0.0001			0.0001								
		Fluorene	0.000005		0.000005													
		Phenanthrene	0.00003				0.00003											
		Pyrene	0.0001				0.0001											
		Semivolatile Organic Compounds																
		Dibenzofuran	0.0001		0.0001													
		Hexachlorobenzene	0.0001							0.0001								
		Nitrobenzene	0.01		0.01													
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	1			1					1							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.1											0.1				
		Total PCB TEQ	0.2											0.2				

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Pesticides																
		Aldrin	0.001							0.001								
		Dieldrin	0.002							0.002								
		Total Chlordanes	0.001							0.001								
		Total DDD	0.001							0.001								
		Total DDE	0.003							0.003								
		Total DDT	0.0002							0.0002								
	Exposure Point Total			0.08	1	0.01	0.04	0.07	0.01	0.01	1	0.00		0.3				
UD	RM 11 East	**Metals**																
		Aluminum	0.05					0.05										
		Arsenic, inorganic	0.07		0.07	0.07												
		Cadmium	0.02				0.02											
		Copper	0.04					0.04										
		Manganese	0.01						0.01									
		Mercury	0.07						0.07									
		Nickel	0.004							0.004								
		Selenium	0.01							0.01								
		Silver	0.003			0.003												
		Zinc	0.02		0.02													
		Butyltins																
		Butyltin ion	0.002								0.002							
		PAHs																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthene	0.000001							0.000001								
		Benzo(e)pyrene	0.00001				0.00001											
		Fluoranthene	0.00004		0.00004		0.00004			0.00004								
		Fluorene	0.000004		0.000004													
		Phenanthrene	0.00002				0.00002											
		Pyrene	0.00005				0.00005											
		Semivolatile Organic Compounds																
		Benzyl alcohol	0.0001					0.0001										
		Dibenzofuran	0.0001		0.0001													
		Hexachlorobenzene	0.0002							0.0002								
		Nitrobenzene	0.01		0.01													

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	10		10						10							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.1											0.1				
		Total PCB TEQ	0.4											0.4				
		Pesticides																
		Dieldrin	0.002							0.002								
		gamma-Hexachlorocyclohexane	0.00002			0.00002				0.00002								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.001							0.001								
		Total DDD	0.001							0.001								
		Total DDE	0.003							0.003								
		Total DDT	0.0004							0.0004								
		Total Endosulfan	0.00002	0.00002				0.00002	0.00002									
	Exposure Point Total			0.1	10	0.02	0.04	0.1	0.01	0.01	10	0.0001		0.6				
UD	RM 12 East	**Metals**																
		Aluminum	0.03						0.03									
		Arsenic, inorganic	0.07		0.07	0.07												
		Cadmium	0.01			0.01												
		Copper	0.04				0.04											
		Manganese	0.01					0.01										
		Mercury	0.06					0.06										
		Nickel	0.003						0.003									
		Selenium	0.01						0.01									
		Silver	0.003			0.003												
		Zinc	0.03		0.03													
		PAHs																
		2-Methylnaphthalene	0.0001											0.0001				
		Acenaphthene	0.000003							0.000003								
		Benzo(e)pyrene	0.00002				0.00002											
		Fluoranthene	0.0001				0.0001			0.0001								
		Fluorene	0.00001	0.00001														
		Naphthalene	0.001						0.001						0.001			
		Phenanthrene	0.00004				0.00004											
		Pyrene	0.0001				0.0001											

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Phthalates																
		Bis(2-ethylhexyl) phthalate	0.002							0.002								
		Semivolatile Organic Compounds																
		Dibenzofuran	0.0002	0.0002														
		Hexachlorobenzene	0.0003							0.0003								
		Hexachlorobutadiene	0.000001			0.000001												
		Nitrobenzene	0.02	0.02														
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	2			2					2							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.2											0.2				
		Total PCB TEQ	0.2											0.2				
		Pesticides																
		Aldrin	0.001							0.001								
		Dieldrin	0.003							0.003								
		gamma-Hexachlorocyclohexane	0.00003			0.00003				0.00003								
		Total Chlordanes	0.001							0.001								
		Total DDD	0.001							0.001								
		Total DDE	0.003							0.003								
		Total DDT	0.001							0.001								
		Total Endosulfan	0.00002	0.00002				0.00002	0.00002									
	Exposure Point Total			0.1	2	0.01	0.04	0.1	0.01	0.01	2	0.0001		0.4	0.001			
UD	Study Area-wide	**Metals**																
		Aluminum	0.03					0.03										
		Antimony	0.001		0.001													
		Arsenic, inorganic	0.08		0.08	0.08												
		Cadmium	0.03			0.03												
		Copper	0.06				0.06											
		Manganese	0.01					0.01										
		Mercury	0.04					0.04										
		Nickel	0.004						0.004									
		Selenium	0.01						0.01									
		Silver	0.003			0.003												
		Zinc	0.03	0.03														

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Butyltins																
		Butyltin ion	0.01								0.01							
		Dibutyltin ion	0.1								0.1							
		Tributyltin ion	0.1								0.1							
		PAHs																
		2-Methylnaphthalene	0.0004									0.0004						
		Acenaphthene	0.0001							0.0001								
		Acenaphthylene	0.00002							0.00002								
		Benzo(e)pyrene	0.0001			0.0001												
		Benzo(g,h,i)perylene	0.001			0.001												
		Dibenzothiophene	0.00002		0.00002													
		Fluoranthene	0.002		0.002	0.002				0.002								
		Fluorene	0.0001		0.0001													
		Naphthalene	0.0004						0.0004						0.000			
		Perylene	0.000			0.000												
		Phenanthrene	0.001			0.001												
		Pyrene	0.002			0.002												
		Phthalates																
		Bis(2-ethylhexyl) phthalate	0.001							0.001								
		Dibutyl phthalate	0.003						0.003									
		Semivolatile Organic Compounds																
		Benzyl alcohol	0.001				0.001											
		Bis(2-chloroethoxy) methane	0.004							0.004								
		Dibenzofuran	0.001		0.001													
		Hexachlorobenzene	0.0002							0.0002								
		Hexachlorobutadiene	0.00001			0.00001												
		Nitrobenzene	0.04		0.04													
		Phenols																
		4-Nitrophenol	0.00					0.00	0.00									
		Phenol	0.00						0.00									
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	7		7						7							

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.5											0.5				
		Total PCB TEQ	0.7											0.7				
		Pesticides																
		Aldrin	0.01							0.01								
		alpha-Hexachlorocyclohexane	0.0000003							0.0000003								
		beta-Hexachlorocyclohexane	0.001							0.001								
		Dieldrin	0.01							0.01								
		Endrin	0.00001							0.00001								
		Endrin aldehyde	0.0003							0.0003								
		Endrin ketone	0.000003							0.000003								
		gamma-Hexachlorocyclohexane	0.0001			0.0001				0.0001								
		Heptachlor	0.00002							0.00002								
		Heptachlor epoxide	0.01							0.01								
		Methoxychlor	0.00002											0.00002				0.00002
		Total Chlordanes	0.003							0.003								
		Total DDD	0.03							0.03								
		Total DDE	0.02							0.02								
		Total DDT	0.01							0.01								
		Total Endosulfan	0.00004	0.00004				0.00004	0.00004									
	Exposure Point Total			0.2	7	0.04	0.06	0.08	0.02	0.09	7	0.0004		1	0.0004			0.00002
D	RM 1 East	**Metals**																
		Aluminum	0.01						0.01									
		Arsenic, inorganic	0.09	0.09	0.09													
		Cadmium	0.03			0.03												
		Copper	0.05				0.05											
		Manganese	0.01					0.01										
		Mercury	0.04					0.04										
		Nickel	0.002						0.002									
		Selenium	0.01						0.01									
		Silver	0.001			0.001												
		Zinc	0.02	0.02														
		Butyltins																
		Butyltin ion	0.002							0.002								

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		PAHs																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthene	0.000003							0.000003								
		Benzo(e)pyrene	0.00002			0.00002												
		Fluoranthene	0.0002	0.0002		0.0002				0.0002								
		Fluorene	0.00001	0.00001														
		Phenanthrene	0.0001			0.0001												
		Pyrene	0.0002			0.0002												
		Semivolatile Organic Compounds																
		Dibenzofuran	0.0002	0.0002														
		Hexachlorobenzene	0.0002							0.0002								
		Nitrobenzene	0.04	0.04														
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	1		1						1							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.07											0.07				
		Total PCB TEQ	0.3											0.3				
		Pesticides																
		Aldrin	0.002							0.002								
		Dieldrin	0.003							0.003								
		gamma-Hexachlorocyclohexane	0.00003			0.00003				0.00003								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.001							0.001								
		Total DDD	0.004							0.004								
		Total DDE	0.01							0.01								
		Total DDT	0.0007							0.0007								
		Total Endosulfan	0.00002	0.00002				0.00002	0.00002									
	Exposure Point Total			0.1	1	0.03	0.05	0.05	0.01	0.02	1	0.0001		0.4				
D	RM 2 West	**Metals**																
		Aluminum	0.01					0.01										
		Arsenic, inorganic	0.1	0.1	0.1													
		Cadmium	0.02			0.02												
		Copper	0.06				0.06											
		Manganese	0.01					0.01										
		Mercury	0.06					0.06										

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Nickel	0.002						0.002									
		Selenium	0.01						0.01									
		Silver	0.001			0.001												
		Zinc	0.02		0.02													
		PAHs																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthene	0.00002							0.00002								
		Acenaphthylene	0.000003							0.000003								
		Benzo(e)pyrene	0.00004			0.00004												
		Benzo(g,h,i)perylene	0.00001			0.00001												
		Dibenzothiophene	0.00001		0.00001													
		Fluoranthene	0.0005		0.0005	0.0005				0.0005								
		Fluorene	0.00003		0.00003													
		Perylene	0.00001			0.00001												
		Phenanthrene	0.0002			0.0002												
		Pyrene	0.0006			0.0006												
		Semivolatile Organic Compounds																
		Dibenzofuran	0.0003		0.0003													
		Hexachlorobenzene	0.0002							0.0002								
		Hexachlorobutadiene	0.000003			0.000003												
		Nitrobenzene	0.01		0.01													
		Phenols																
		2-Methylphenol	0.00005					0.00005							0.00005			
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	1		1						1							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.1											0.1				
		Total PCB TEQ	0.2											0.2				
		Pesticides																
		Aldrin	0.002							0.002								
		Dieldrin	0.003							0.003								
		gamma-Hexachlorocyclohexane	0.00003			0.00003				0.00003								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.002							0.002								

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Total DDD	0.01							0.01								
		Total DDE	0.01							0.01								
		Total DDT	0.001							0.001								
		Total Endosulfan	0.00002	0.00002				0.00002	0.00002									
	Exposure Point Total			0.1	1	0.02	0.06	0.07	0.01	0.02	1	0.0001		0.3	0.00005			
D	RM 10 West	**Metals**																
		Aluminum	0.01					0.01										
		Arsenic, inorganic	0.07	0.07	0.07													
		Cadmium	0.01			0.01												
		Copper	0.04				0.04											
		Manganese	0.01					0.01										
		Nickel	0.003						0.003									
		Selenium	0.01						0.01									
		Silver	0.003			0.003												
		Zinc	0.02	0.02														
		PAHs																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthene	0.000002							0.000002								
		Acenaphthylene	0.000001							0.000001								
		Benzo(e)pyrene	0.00001			0.00001												
		Dibenzothiophene	0.000002		0.000002													
		Fluoranthene	0.0001		0.0001	0.0001				0.0001								
		Fluorene	0.00001		0.00001													
		Phenanthrene	0.00004			0.0000												
		Pyrene	0.0001			0.0001												
		Semivolatile Organic Compounds																
		Dibenzofuran	0.0001		0.0001													
		Hexachlorobenzene	0.0002							0.0002								
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	2			2								2				
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.08											0.08				
		Total PCB TEQ	0.2											0.2				

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future

Receptor Population: Fisher

Population Age: Adult

Medium: Tissue

Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)

Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Pesticides																
		Aldrin	0.001							0.001								
		Dieldrin	0.003							0.003								
		gamma-Hexachlorocyclohexane	0.00003			0.00003				0.00003								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.001							0.001								
		Total DDD	0.001							0.001								
		Total DDE	0.004							0.004								
		Total DDT	0.0004							0.0004								
		Total Endosulfan	0.00001	0.00001				0.00001	0.00001								
	Exposure Point Total			0.09	2	0.01	0.04	0.02	0.01	0.01	2		0.0001	0.3				
D	RM 11 East	**Metals**																
		Aluminum	0.01					0.01									
		Arsenic, inorganic	0.07		0.07	0.07											
		Cadmium	0.03			0.03											
		Copper	0.05					0.05									
		Manganese	0.01					0.01									
		Mercury	0.05					0.05									
		Nickel	0.003						0.003								
		Selenium	0.01						0.01								
		Silver	0.003			0.003											
		Zinc	0.02		0.02												
		Butyltins															
		Butyltin ion	0.001								0.001						
		PAHs															
		Acenaphthene	0.000002							0.000002							
		Benzo(e)pyrene	0.00001			0.00001											
		Dibenzothiophene	0.000002		0.000002												
		Fluoranthene	0.0001		0.0001	0.0001				0.0001							
		Fluorene	0.00001		0.00001												
		Phenanthrene	0.00004			0.00004											
		Pyrene	0.0001			0.0001											

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Semivolatile Organic Compounds																
		Dibenzofuran	0.0001	0.0001														
		Hexachlorobenzene	0.0001							0.0001								
		Nitrobenzene	0.01	0.01														
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	6		6						6							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.05											0.05				
		Total PCB TEQ	0.2											0.2				
		Pesticides																
		Dieldrin	0.002							0.002								
		Heptachlor epoxide	0.0005							0.0005								
		Total Chlordanes	0.001							0.001								
		Total DDD	0.001							0.001								
		Total DDE	0.002							0.002								
		Total DDT	0.0003							0.0003								
		Total Endosulfan	0.00002	0.00002				0.00002	0.00002									
	Exposure Point Total			0.1	6	0.03	0.05	0.07	0.01	0.01	6			0.2				
D	RM 12 East	**Metals**																
		Aluminum	0.02					0.02										
		Arsenic, inorganic	0.07		0.07	0.07												
		Cadmium	0.01			0.01												
		Copper	0.05				0.05											
		Manganese	0.01					0.01										
		Mercury	0.06					0.06										
		Nickel	0.002						0.002									
		Selenium	0.01						0.01									
		Silver	0.004			0.004												
		Zinc	0.02	0.02														
		PAHs																
		Acenaphthylene	0.000001							0.000001								
		Benzo(e)pyrene	0.00001			0.00001												
		Fluoranthene	0.00004	0.00004		0.00004				0.00004								
		Fluorene	0.000004	0.000004														

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

| Tissue Type | Exposure Point | Chemical of Potential Concern | Noncancer Hazard Quotient[a] | Endpoint-Specific Hazard Indices | | | | | | | | | | | | | |
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Phenanthrene	0.00002			0.00002												
		Pyrene	0.0001			0.0001												
		Semivolatile Organic Compounds																
		Dibenzofuran	0.0001	0.0001														
		Hexachlorobenzene	0.0002							0.0002								
		Nitrobenzene	0.01	0.01														
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	1		1						1							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.07											0.07				
		Total PCB TEQ	0.1											0.1				
		Pesticides																
		Dieldrin	0.002							0.002								
		gamma-Hexachlorocyclohexane	0.00002			0.00002				0.00002								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.001							0.001								
		Total DDD	0.001							0.001								
		Total DDE	0.002							0.002								
		Total DDT	0.0004							0.0004								
		Total Endosulfan	0.00002	0.00002				0.00002	0.00002									
	Exposure Point Total			0.1	1	0.02	0.05	0.08	0.01	0.01	1			0.2				
D	Study Area-wide	**Metals**																
		Aluminum	0.01					0.01										
		Arsenic, inorganic	0.1	0.1	0.1													
		Cadmium	0.03			0.03												
		Copper	0.06				0.06											
		Manganese	0.01					0.01										
		Mercury	0.06					0.06										
		Nickel	0.003						0.003									
		Selenium	0.01						0.01									
		Silver	0.003		0.003													
		Zinc	0.02	0.02														
		Butyltins																
		Butyltin ion	0.001							0.001								

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		PAHs																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthene	0.00002							0.00002								
		Acenaphthylene	0.000003							0.000003								
		Benzo(e)pyrene	0.00004			0.00004												
		Benzo(g,h,i)perylene	0.00001			0.00001												
		Dibenzothiophene	0.00001	0.00001														
		Fluoranthene	0.001	0.001		0.001				0.001								
		Fluorene	0.00003	0.00003														
		Perylene	0.00001			0.00001												
		Phenanthrene	0.0002			0.0002												
		Pyrene	0.001			0.001												
		Semivolatile Organic Compounds																
		Dibenzofuran	0.0003		0.0003													
		Hexachlorobenzene	0.0002							0.0002								
		Hexachlorobutadiene	0.000003			0.000003												
		Nitrobenzene	0.01		0.01													
		Phenols																
		2-Methylphenol	0.00005					0.00005							0.00005			
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	6		6						6							
		Dioxin/Furan																
		Total Dioxin/Furan TEQ	0.1											0.1				
		Total PCB TEQ	0.2											0.2				
		Pesticides																
		Aldrin	0.002							0.002								
		Dieldrin	0.003							0.003								
		gamma-Hexachlorocyclohexane	0.00003			0.00003				0.00003								
		Heptachlor epoxide	0.001							0.001								
		Total Chlordanes	0.002							0.002								
		Total DDD	0.01							0.01								
		Total DDE	0.01							0.01								

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-80.

Calculation of Endpoint-Specific Hazard Indices - Clam Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Clam Tissue (Whole Body, without shell, Depurated and Undepurated)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Total DDT	0.0009							0.0009								
		Total Endosulfan	0.00002	0.00002				0.00002	0.00002									
	Exposure Point Total			0.2	6	0.03	0.06	0.08	0.01	0.02	6	0.0001		0.3	0.00005			

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Endpoint-specific hazard indices only calculated for those exposure areas where the cumulative hazard index is greater than 1.

Abbreviations:

D = Depurated clam.
DDD = Dichlorodiphenyldichloroethane.
DDE = Dichlorodiphenyldichloroethylene.
DDT = Dichlorodiphenyltrichloroethane.
PAHs = Polynuclear Aromatic Hydrocarbons.
PCB = Polychlorinated Biphenyls.
RM = River mile.
TEQ = Toxic Equivalents.
UD = Undepurated clam.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-81.

Calculation of Cancer Risks and Noncancer Hazards - Crayfish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Cancer Risk Calculations[b] — 18 g/day LADI (mg/kg-day)	Cancer Risk	3.3 g/day LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	Noncancer HQ Calc[b] — 18 g/day CDI mg/kg-day	Noncancer Hazard Quotient	3.3 g/day CDI mg/kg-day	Noncancer Hazard Quotient
Body Without Shell	RM 1, Station: CR01EA	**Metals**												
		Aluminum	5.0E+01	mg/kg	--	5.5E-03	--	1.0E-03	--	1.0E+00	1.3E-02	0.01	2.4E-03	0.002
		Arsenic, inorganic	3.4E-02	mg/kg	1.5E+00	3.7E-06	6.E-06	6.9E-07	1.E-06	3.0E-04	8.7E-06	0.03	1.6E-06	0.01
		Cadmium	2.4E-02	mg/kg	--	2.6E-06	--	4.8E-07	--	1.0E-03	6.2E-06	0.01	1.1E-06	0.001
		Chromium[c]	2.0E-01	mg/kg	--	2.2E-05	--	4.0E-06	--	1.5E+00	5.1E-05	0.00003	9.4E-06	0.00001
		Copper	1.6E+01	mg/kg	--	1.7E-03	--	3.1E-04	--	4.0E-02	4.0E-03	0.1	7.3E-04	0.02
		Manganese	2.5E+01	mg/kg	--	2.7E-03	--	5.0E-04	--	1.4E-01	6.4E-03	0.05	1.2E-03	0.01
		Mercury	1.9E-02	mg/kg	--	2.1E-06	--	3.8E-07	--	1.0E-04	4.9E-06	0.05	8.9E-07	0.01
		Nickel	2.4E-01	mg/kg	--	2.6E-05	--	4.8E-06	--	2.0E-02	6.1E-05	0.003	1.1E-05	0.001
		Zinc	1.5E+01	mg/kg	--	1.7E-03	--	3.1E-04	--	3.0E-01	3.9E-03	0.01	7.2E-04	0.002
		Butyltins												
		Butyltin ion	2.8E-01	ug/kg	--	3.1E-08	--	5.7E-09	--	3.0E-04	7.2E-08	0.0002	1.3E-08	0.0000
		Dibutyltin ion	9.2E-01	ug/kg	--	1.0E-07	--	1.9E-08	--	3.0E-04	2.4E-07	0.001	4.3E-08	0.0001
		Tributyltin ion	1.3E+00	ug/kg	--	1.4E-07	--	2.6E-08	--	3.0E-04	3.3E-07	0.001	6.1E-08	0.0002
		Polynuclear Aromatic Hydrocarbons												
		2-Methylnaphthalene	5.0E-01	ug/kg	--	5.5E-08	--	1.0E-08	--	4.0E-03	1.3E-07	0.00003	2.4E-08	0.00001
		Acenaphthene	9.4E-01	ug/kg	--	1.0E-07	--	1.9E-08	--	6.0E-02	2.4E-07	0.000004	4.4E-08	0.000001
		Acenaphthylene	1.4E-01	ug/kg	--	1.5E-08	--	2.8E-09	--	6.0E-02	3.6E-08	0.000001	6.6E-09	0.0000001
		Anthracene	2.9E-01	ug/kg	--	3.2E-08	--	5.9E-09	--	3.0E-01	7.5E-08	0.0000002	1.4E-08	0.00000005
		Benzo(a)pyrene	3.2E-01	ug/kg	7.3E+00	3.5E-08	3.E-07	6.5E-09	5.E-08	--	8.2E-08	--	1.5E-08	--
		Fluorene	6.7E-01	ug/kg	--	7.4E-08	--	1.4E-08	--	4.0E-02	1.7E-07	0.000004	3.2E-08	0.000001
		Naphthalene	6.4E-01	ug/kg	--	7.1E-08	--	1.3E-08	--	2.0E-02	1.6E-07	0.00001	3.0E-08	0.000002
		Semi-Volatile Organic Compounds												
		Dibenzofuran	3.8E-01	ug/kg	--	4.2E-08	--	7.7E-09	--	1.0E-03	9.8E-08	0.0001	1.8E-08	0.00002
		Hexachlorobenzene	3.6E-02	ug/kg	1.6E+00	3.9E-09	6.E-09	7.2E-10	1.E-09	8.0E-04	9.2E-09	0.00001	1.7E-09	0.000002
		Hexachlorobutadiene	2.1E-03	ug/kg	7.8E-02	2.3E-10	2.E-11	4.2E-11	3.E-12	1.0E-03	5.4E-10	0.000001	9.9E-11	0.0000001
		Phenols												
		Phenol	5.0E+01	ug/kg	--	5.5E-06	--	1.0E-06	--	3.0E-01	1.3E-05	0.00004	2.4E-06	0.00001
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted[d]	6.2E+03	pg/g	2.0E+00	6.8E-07	1.E-06	1.3E-07	3.E-07	2.0E-05	1.6E-06	0.08	2.9E-07	0.01
		Dioxin/Furans												
		Total Dioxin/Furan TEQ	2.5E-01	pg/g	1.3E+05	2.7E-11	4.E-06	5.0E-12	7.E-07	1.0E-09	6.4E-11	0.06	1.2E-11	0.01
		Total PCB TEQ	3.1E-01	pg/g	1.3E+05	3.4E-11	4.E-06	6.3E-12	8.E-07	1.0E-09	8.0E-11	0.08	1.5E-11	0.01
		Pesticides												
		Heptachlor epoxide	8.4E-04	ug/kg	9.1E+00	9.3E-11	8.E-10	1.7E-11	2.E-10	1.3E-05	2.2E-10	0.00002	4.0E-11	0.000003
		Total DDD	1.7E-01	ug/kg	2.4E-01	1.9E-08	5.E-09	3.5E-09	8.E-10	5.0E-04	4.4E-08	0.0001	8.1E-09	0.00002
		Total DDE	3.0E+00	ug/kg	3.4E-01	3.3E-07	1.E-07	6.1E-08	2.E-08	5.0E-04	7.7E-07	0.002	1.4E-07	0.0003
		Total Chlordane	2.1E-01	ug/kg	3.5E-01	2.3E-08	8.E-09	4.2E-09	1.E-09	5.0E-04	5.4E-08	0.0001	9.8E-09	0.00002
	Exposure Point Total[e]						2.E-05		3.E-06			0.5		0.09
Body Without Shell	RM 1, Station: CR01W	**Metals**												
		Aluminum	8.0E+01	mg/kg	--	8.9E-03	--	1.6E-03	--	1.0E+00	2.1E-02	0.02	3.8E-03	0.004
		Arsenic, inorganic	4.0E-02	mg/kg	1.5E+00	4.4E-06	7.E-06	8.1E-07	1.E-06	3.0E-04	1.0E-05	0.03	1.9E-06	0.01
		Cadmium	1.8E-02	mg/kg	--	1.9E-06	--	3.5E-07	--	1.0E-03	4.5E-06	0.005	8.3E-07	0.001
		Chromium	4.0E-01	mg/kg	--	4.4E-05	--	8.1E-06	--	1.5E+00	1.0E-04	0.0001	1.9E-05	0.00001
		Copper	1.4E+01	mg/kg	--	1.6E-03	--	2.9E-04	--	4.0E-02	3.7E-03	0.09	6.7E-04	0.02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-81.

Calculation of Cancer Risks and Noncancer Hazards - Crayfish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Oral Cancer Slope Factor $(mg/kg-day)^{-1}$	Cancer Risk Calculations[b] Consumption Rate: 18 g/day LADI (mg/kg-day)	Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	Noncancer Hazard Quotient Calculations[b] Consumption Rate: 18 g/day CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Noncancer Hazard Quotient
		Manganese	3.1E+01	mg/kg	--	3.4E-03	--	6.3E-04	--	1.4E-01	8.0E-03	0.06	1.5E-03	0.01
		Mercury	2.1E-02	mg/kg	--	2.3E-07	--	4.2E-07	--	1.0E-04	5.4E-06	0.05	9.9E-07	0.01
		Nickel	3.4E-01	mg/kg	--	3.8E-05	--	6.9E-06	--	2.0E-02	8.8E-05	0.00	1.6E-05	0.001
		Zinc	1.6E+01	mg/kg	--	1.8E-03	--	3.2E-04	--	3.0E-01	4.1E-03	0.01	7.5E-04	0.002
		Polynuclear Aromatic Hydrocarbons												
		Anthracene	9.5E-02	ug/kg	--	1.0E-08	--	1.9E-09	--	3.0E-01	2.4E-08	0.0000001	4.5E-09	0.00000001
		Benzo(a)pyrene	1.2E-01	ug/kg	7.3E+00	1.3E-08	1.E-07	2.4E-09	2.E-08	--	3.1E-08	--	5.7E-09	--
		Fluorene	1.6E-01	ug/kg	--	1.8E-08	--	3.2E-09	--	4.0E-02	4.1E-08	0.000001	7.5E-09	0.0000002
		Naphthalene	6.1E-01	ug/kg	--	6.7E-08	--	1.2E-08	--	2.0E-02	1.6E-07	0.00001	2.9E-08	0.000001
		Semi-Volatile Organic Compounds												
		Dibenzofuran	1.5E-01	ug/kg	--	1.7E-08	--	3.0E-09	--	1.0E-03	3.9E-08	0.00004	7.1E-09	0.00001
		Hexachlorobenzene	4.9E-02	ug/kg	1.6E+00	5.4E-09	9.E-09	9.9E-10	2.E-09	8.0E-04	1.3E-08	0.00002	2.3E-09	0.000003
		Phenols												
		Phenol	7.4E+01	ug/kg	--	8.2E-06	--	1.5E-06	--	3.0E-01	1.9E-05	0.00006	3.5E-06	0.00001
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	6.1E+03	pg/g	2.0E+00	6.7E-07	1.E-06	1.2E-07	2.E-07	2.0E-05	1.6E-06	0.08	2.9E-07	0.01
		Dioxin/Furans												
		Total Dioxin/Furan TEQ	3.3E-01	pg/g	1.3E+05	3.6E-11	5.E-06	6.6E-12	9.E-07	1.0E-09	8.4E-11	0.08	1.5E-11	0.02
		Total PCB TEQ	1.8E-01	pg/g	1.3E+05	2.0E-11	3.E-06	3.7E-12	5.E-07	1.0E-09	4.7E-11	0.05	8.6E-12	0.01
		Pesticides												
		Dieldrin	1.3E-02	ug/kg	1.6E+01	1.5E-09	2.E-08	2.7E-10	4.E-09	5.0E-05	3.4E-09	0.0001	6.3E-10	0.00001
		Total DDD	1.8E-01	ug/kg	2.4E-01	2.0E-08	5.E-09	3.6E-09	9.E-10	5.0E-04	4.6E-08	0.0001	8.4E-09	0.00002
		Total DDE	2.4E+00	ug/kg	3.4E-01	2.7E-07	9.E-08	4.9E-08	2.E-08	5.0E-04	6.3E-07	0.001	1.2E-07	0.0002
		Total Chlordane	2.1E-01	ug/kg	3.5E-01	2.3E-08	8.E-09	4.3E-09	1.E-09	5.0E-04	5.5E-08	0.0001	1.0E-08	0.00002
		Total Endosulfan	1.4E-01	ug/kg	--	1.5E-08	--	2.8E-09	--	6.0E-03	3.6E-08	0.00001	6.6E-09	0.000001
	Exposure Point Total						2.E-05		3.E-06			0.5		0.09
Body Without Shell	RM 2, Station: 02R001	**Metals**												
		Aluminum	1.0E+02	mg/kg	--	1.1E-02	--	2.0E-03	--	1.0E+00	2.6E-02	0.03	4.8E-03	0.005
		Antimony	7.0E-03	mg/kg	--	7.7E-07	--	1.4E-07	--	4.0E-04	1.8E-06	0.005	3.3E-07	0.001
		Arsenic, inorganic	3.7E-02	mg/kg	1.5E+00	4.1E-06	6.E-06	7.5E-07	1.E-06	3.0E-04	9.5E-06	0.03	1.7E-06	0.01
		Cadmium	2.8E-02	mg/kg	--	3.1E-06	--	5.7E-07	--	1.0E-03	7.2E-06	0.01	1.3E-06	0.001
		Chromium	9.0E-01	mg/kg	--	9.9E-05	--	1.8E-05	--	1.5E+00	2.3E-04	0.0002	4.2E-05	0.00003
		Copper	1.3E+01	mg/kg	--	1.4E-03	--	2.5E-04	--	4.0E-02	3.2E-03	0.08	5.9E-04	0.01
		Manganese	1.5E+02	mg/kg	--	1.7E-02	--	3.1E-03	--	1.4E-01	4.0E-02	0.3	7.3E-03	0.05
		Mercury	2.4E-02	mg/kg	--	2.6E-06	--	4.8E-07	--	1.0E-04	6.2E-06	0.06	1.1E-06	0.01
		Nickel	5.4E-01	mg/kg	--	6.0E-05	--	1.1E-05	--	2.0E-02	1.4E-04	0.01	2.5E-05	0.001
		Silver	2.7E-02	mg/kg	--	3.0E-06	--	5.5E-07	--	5.0E-03	7.0E-06	0.001	1.3E-06	0.0003
		Zinc	1.7E+01	mg/kg	--	1.8E-03	--	3.4E-04	--	3.0E-01	4.3E-03	0.01	7.8E-04	0.003
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	4.6E+04	pg/g	2.0E+00	5.0E-06	1.E-05	9.2E-07	2.E-06	2.0E-05	1.2E-05	0.6	2.2E-06	0.1
		Dioxin/Furans												
		Total Dioxin/Furan TEQ	4.2E-01	pg/g	1.3E+05	4.7E-11	6.E-06	8.5E-12	1.E-06	1.0E-09	1.1E-10	0.1	2.0E-11	0.02
		Total PCB TEQ	3.1E+00	pg/g	1.3E+05	3.4E-10	4.E-05	6.3E-11	8.E-06	1.0E-09	8.0E-10	0.8	1.5E-10	0.1
		Pesticides												
		Total DDE	3.4E+00	ug/kg	3.4E-01	3.7E-07	1.E-07	6.9E-08	2.E-08	5.0E-04	8.7E-07	0.002	1.6E-07	0.0003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-81.

Calculation of Cancer Risks and Noncancer Hazards - Crayfish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)[-1]	Cancer Risk Calculations[b] Consumption Rate: 18 g/day LADI (mg/kg-day)	Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	Noncancer Hazard Quotient Calculations[b] Consumption Rate: 18 g/day CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Noncancer Hazard Quotient
		Total DDT	8.2E+00	ug/kg	3.4E-01	9.0E-07	3.E-07	1.6E-07	6.E-08	5.0E-04	2.1E-06	0.004	3.8E-07	0.001
		Total Chlordane	3.1E+00	ug/kg	3.5E-01	3.4E-07	1.E-07	6.3E-08	2.E-08	5.0E-04	8.0E-07	0.002	1.5E-07	0.0003
	Exposure Point Total						7.E-05		1.E-05			2		0.4
Body Without Shell	RM 2, Station: 02R015	**Metals**												
		Aluminum	9.0E+01	mg/kg	--	9.9E-03	--	1.8E-03	--	1.0E+00	2.3E-02	0.02	4.2E-03	0.004
		Antimony	9.0E-03	mg/kg	--	9.9E-07	--	1.8E-07	--	4.0E-04	2.3E-06	0.01	4.2E-07	0.001
		Arsenic, inorganic	4.0E-02	mg/kg	1.5E+00	4.4E-06	7.E-06	8.1E-07	1.E-06	3.0E-04	1.0E-05	0.03	1.9E-06	0.01
		Cadmium	1.7E-02	mg/kg	--	1.9E-06	--	3.4E-07	--	1.0E-03	4.4E-06	0.004	8.0E-07	0.001
		Chromium	7.0E-01	mg/kg	--	7.7E-05	--	1.4E-05	--	1.5E+00	1.8E-04	0.0001	3.3E-05	0.00002
		Copper	1.1E+01	mg/kg	--	1.2E-03	--	2.3E-04	--	4.0E-02	2.9E-03	0.07	5.3E-04	0.01
		Manganese	1.8E+02	mg/kg	--	2.0E-02	--	3.7E-03	--	1.4E-01	4.7E-02	0.3	8.6E-03	0.06
		Mercury	2.3E-02	mg/kg	--	2.5E-06	--	4.6E-07	--	1.0E-04	5.9E-06	0.06	1.1E-06	0.01
		Nickel	4.7E-01	mg/kg	--	5.2E-05	--	9.5E-06	--	2.0E-02	1.2E-04	0.01	2.2E-05	0.001
		Silver	2.6E-02	mg/kg	--	2.9E-06	--	5.3E-07	--	5.0E-03	6.8E-06	0.001	1.2E-06	0.0002
		Zinc	1.6E+01	mg/kg	--	1.8E-03	--	3.2E-04	--	3.0E-01	4.1E-03	0.01	7.5E-04	0.002
		Polychlorinated Biphenyls												
		Total Aroclors	2.8E+01	ug/kg	2.0E+00	3.1E-06	6.E-06	5.7E-07	1.E-06	2.0E-05	7.2E-06	0.4	1.3E-06	0.07
		Pesticides												
		Endrin	1.8E+00	ug/kg	--	2.0E-07	--	3.6E-08	--	3.0E-04	4.6E-07	0.002	8.5E-08	0.0003
		Total DDE	4.6E+00	ug/kg	3.4E-01	5.1E-07	2.E-07	9.3E-08	3.E-08	5.0E-04	1.2E-06	0.002	2.2E-07	0.0004
		Total DDT	1.0E+01	ug/kg	3.4E-01	1.1E-06	4.E-07	2.0E-07	7.E-08	5.0E-04	2.6E-06	0.01	4.7E-07	0.001
		Total Chlordane	3.3E+00	ug/kg	3.5E-01	3.6E-07	1.E-07	6.7E-08	2.E-08	5.0E-04	8.5E-07	0.002	1.6E-07	0.0003
	Exposure Point Total						1.E-05		2.E-06			0.9		0.2
Body Without Shell	RM: 3, Station: 03R001	**Metals**												
		Aluminum	1.0E+02	mg/kg	--	1.1E-02	--	2.1E-03	--	1.0E+00	2.6E-02	0.03	4.8E-03	0.005
		Antimony	7.0E-03	mg/kg	--	7.7E-07	--	1.4E-07	--	4.0E-04	1.8E-06	0.005	3.3E-07	0.001
		Arsenic, inorganic	3.5E-02	mg/kg	1.5E+00	3.9E-06	6.E-06	7.1E-07	1.E-06	3.0E-04	9.0E-06	0.03	1.7E-06	0.01
		Cadmium	1.6E-02	mg/kg	--	1.8E-06	--	3.2E-07	--	1.0E-03	4.1E-06	0.004	7.5E-07	0.001
		Chromium	4.0E-01	mg/kg	--	4.4E-05	--	8.1E-06	--	1.5E+00	1.0E-04	0.0001	1.9E-05	0.00001
		Copper	1.2E+01	mg/kg	--	1.4E-03	--	2.5E-04	--	4.0E-02	3.2E-03	0.08	5.8E-04	0.01
		Manganese	1.4E+02	mg/kg	--	1.5E-02	--	2.8E-03	--	1.4E-01	3.5E-02	0.3	6.5E-03	0.05
		Mercury	2.4E-02	mg/kg	--	2.6E-06	--	4.8E-07	--	1.0E-04	6.2E-06	0.06	1.1E-06	0.01
		Nickel	3.0E-01	mg/kg	--	3.3E-05	--	6.1E-06	--	2.0E-02	7.7E-05	0.004	1.4E-05	0.001
		Silver	2.9E-02	mg/kg	--	3.2E-06	--	5.9E-07	--	5.0E-03	7.5E-06	0.001	1.4E-06	0.0003
		Zinc	1.8E+01	mg/kg	--	1.9E-03	--	3.6E-04	--	3.0E-01	4.5E-03	0.02	8.3E-04	0.003
		Pesticides												
		Total DDE	5.3E+00	ug/kg	3.4E-01	5.8E-07	2.E-07	1.1E-07	4.E-08	5.0E-04	1.4E-06	0.003	2.5E-07	0.0005
		Total DDT	2.7E+00	ug/kg	3.4E-01	3.0E-07	1.E-07	5.5E-08	2.E-08	5.0E-04	6.9E-07	0.001	1.3E-07	0.0003
		Total Endosulfan	1.0E+00	ug/kg	--	1.1E-07	--	2.0E-08	--	6.0E-03	2.6E-07	0.00004	4.7E-08	0.00001
	Exposure Point Total						6.E-06		1.E-06			0.5		0.09
Body Without Shell	RM: 3, Station: 03R002	**Metals**												
		Aluminum	9.3E+01	mg/kg	--	1.0E-02	--	1.9E-03	--	1.0E+00	2.4E-02	0.02	4.4E-03	0.004
		Antimony	6.0E-03	mg/kg	--	6.6E-07	--	1.2E-07	--	4.0E-04	1.5E-06	0.00	2.8E-07	0.001
		Arsenic, inorganic	4.1E-02	mg/kg	1.5E+00	4.5E-06	7.E-06	8.3E-07	1.E-06	3.0E-04	1.1E-05	0.04	1.9E-06	0.01
		Cadmium	1.8E-02	mg/kg	--	2.0E-06	--	3.6E-07	--	1.0E-03	4.6E-06	0.00	8.5E-07	0.001
		Chromium	4.0E-01	mg/kg	--	4.4E-05	--	8.1E-06	--	1.5E+00	1.0E-04	0.00	1.9E-05	0.00001
		Copper	1.5E+01	mg/kg	--	1.6E-03	--	3.0E-04	--	4.0E-02	3.8E-03	0.09	6.9E-04	0.02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-81.

Calculation of Cancer Risks and Noncancer Hazards - Crayfish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Consumption Rate: 18 g/day LADI (mg/kg-day)	Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Noncancer Hazard Quotient
						Cancer Risk Calculations[b]				**Noncancer Hazard Quotient Calculations[b]**				
		Manganese	1.6E+02	mg/kg	--	1.7E-02	--	3.2E-03	--	1.4E-01	4.0E-02	0.3	7.4E-03	0.05
		Mercury	2.7E-02	mg/kg	--	3.0E-06	--	5.5E-07	--	1.0E-04	6.9E-06	0.07	1.3E-06	0.01
		Nickel	3.6E-01	mg/kg	--	4.0E-05	--	7.3E-06	--	2.0E-02	9.3E-05	0.005	1.7E-05	0.001
		Silver	2.9E-02	mg/kg	--	3.2E-06	--	5.9E-07	--	5.0E-03	7.5E-06	0.002	1.4E-06	0.0003
		Zinc	1.8E+01	mg/kg	--	1.9E-03	--	3.5E-04	--	3.0E-01	4.5E-03	0.02	8.3E-04	0.003
		Pesticides												
		Endrin	1.3E+00	ug/kg	--	1.4E-07	--	2.6E-08	--	3.0E-04	3.3E-07	0.001	6.1E-08	0.0002
		Total DDE	4.3E+00	ug/kg	3.4E-01	4.7E-07	2.E-07	8.7E-08	3.E-08	5.0E-04	1.1E-06	0.002	2.0E-07	0.0004
		Total DDT	2.6E+00	ug/kg	3.4E-01	2.9E-07	1.E-07	5.3E-08	2.E-08	5.0E-04	6.7E-07	0.001	1.2E-07	0.0002
		Total Endosulfan	1.4E+00	ug/kg	--	1.5E-07	--	2.8E-08	--	6.0E-03	3.6E-07	0.0001	6.6E-08	0.00001
	Exposure Point Total						7.E-06		1.E-06			0.5		0.1
Body Without Shell	RM: 3, Station: 03R003	**Metals**												
		Aluminum	1.5E+02	mg/kg	--	1.7E-02	--	3.1E-03	--	1.0E+00	3.9E-02	0.04	7.1E-03	0.01
		Antimony	6.0E-03	mg/kg	--	6.6E-07	--	1.2E-07	--	4.0E-04	1.5E-06	0.004	2.8E-07	0.001
		Arsenic, inorganic	3.8E-02	mg/kg	1.5E+00	4.2E-06	6.E-06	7.7E-07	1.E-06	3.0E-04	9.8E-06	0.03	1.8E-06	0.01
		Cadmium	2.9E-02	mg/kg	--	3.2E-06	--	5.9E-07	--	1.0E-03	7.5E-06	0.01	1.4E-06	0.001
		Chromium	5.0E-01	mg/kg	--	5.5E-05	--	1.0E-05	--	1.5E+00	1.3E-04	0.0001	2.4E-05	0.00002
		Copper	1.7E+01	mg/kg	--	1.9E-03	--	3.4E-04	--	4.0E-02	4.4E-03	0.1	8.0E-04	0.02
		Manganese	1.6E+02	mg/kg	--	1.7E-02	--	3.2E-03	--	1.4E-01	4.1E-02	0.3	7.4E-03	0.05
		Mercury	2.9E-02	mg/kg	--	3.2E-06	--	5.9E-07	--	1.0E-04	7.5E-06	0.07	1.4E-06	0.01
		Nickel	4.2E-01	mg/kg	--	4.6E-05	--	8.5E-06	--	2.0E-02	1.1E-04	0.01	2.0E-05	0.001
		Silver	4.2E-02	mg/kg	--	4.7E-06	--	8.5E-07	--	5.0E-03	1.1E-05	0.002	2.0E-06	0.0004
		Zinc	2.0E+01	mg/kg	--	2.2E-03	--	4.0E-04	--	3.0E-01	5.1E-03	0.02	9.3E-04	0.003
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	7.0E+04	pg/g	2.0E+00	7.7E-06	2.E-05	1.4E-06	3.E-06	2.0E-05	1.8E-05	0.9	3.3E-06	0.2
		Dioxin/Furans												
		Total Dioxin/Furan TEQ	6.1E-01	pg/g	1.3E+05	6.8E-11	9.E-06	1.2E-11	2.E-06	1.0E-09	1.6E-10	0.2	2.9E-11	0.03
		Total PCB TEQ	1.2E+00	pg/g	1.3E+05	1.3E-10	2.E-05	2.4E-11	3.E-06	1.0E-09	3.0E-10	0.3	5.6E-11	0.06
		Pesticides												
		Endrin	1.1E+00	ug/kg	--	1.2E-07	--	2.2E-08	--	3.0E-04	2.8E-07	0.001	5.2E-08	0.0002
		Total DDE	4.0E+00	ug/kg	3.4E-01	4.4E-07	1.E-07	8.1E-08	3.E-08	5.0E-04	1.0E-06	0.002	1.9E-07	0.0004
		Total DDT	6.9E+00	ug/kg	3.4E-01	7.6E-07	3.E-07	1.4E-07	5.E-08	5.0E-04	1.8E-06	0.004	3.3E-07	0.001
		Total Endosulfan	1.1E+00	ug/kg	--	1.2E-07	--	2.2E-08	--	6.0E-03	2.8E-07	0.00005	5.2E-08	0.00001
	Exposure Point Total						5.E-05		9.E-06			2		0.4
Body Without Shell	RM: 3, Station: 03R004	**Metals**												
		Aluminum	1.1E+02	mg/kg	--	1.2E-02	--	2.2E-03	--	1.0E+00	2.8E-02	0.03	5.1E-03	0.01
		Antimony	1.4E-02	mg/kg	--	1.5E-06	--	2.8E-07	--	4.0E-04	3.6E-06	0.01	6.6E-07	0.002
		Arsenic, inorganic	3.6E-02	mg/kg	1.5E+00	4.0E-06	6.E-06	7.3E-07	1.E-06	3.0E-04	9.3E-06	0.03	1.7E-06	0.01
		Cadmium	2.0E-02	mg/kg	--	2.2E-06	--	4.0E-07	--	1.0E-03	5.1E-06	0.01	9.4E-07	0.001
		Chromium	6.0E-01	mg/kg	--	6.6E-05	--	1.2E-05	--	1.5E+00	1.5E-04	0.0001	2.8E-05	0.00002
		Copper	1.6E+01	mg/kg	--	1.7E-03	--	3.2E-04	--	4.0E-02	4.1E-03	0.1	7.4E-04	0.02
		Manganese	9.0E+01	mg/kg	--	9.9E-03	--	1.8E-03	--	1.4E-01	2.3E-02	0.2	4.2E-03	0.03
		Mercury	2.5E-02	mg/kg	--	2.8E-06	--	5.1E-07	--	1.0E-04	6.4E-06	0.06	1.2E-06	0.01
		Nickel	4.0E-01	mg/kg	--	4.4E-05	--	8.1E-06	--	2.0E-02	1.0E-04	0.01	1.9E-05	0.001
		Silver	4.6E-02	mg/kg	--	5.0E-06	--	9.2E-07	--	5.0E-03	1.2E-05	0.002	2.1E-06	0.0004
		Zinc	1.8E+01	mg/kg	--	2.0E-03	--	3.7E-04	--	3.0E-01	4.7E-03	0.02	8.6E-04	0.003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-81.

Calculation of Cancer Risks and Noncancer Hazards - Crayfish Consumption

Scenario Timeframe: Current/Future

Receptor Population: Fisher

Population Age: Adult

Medium: Tissue

Exposure Medium: Crayfish Tissue (whole body, without shell)

Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Consumption Rate: 18 g/day LADI (mg/kg-day)	Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Noncancer Hazard Quotient
		Phenols												
		4-Methylphenol	1.9E+02	ug/kg	--	2.1E-05	--	3.8E-06	--	5.0E-03	4.9E-05	0.01	9.0E-06	0.002
		Phenol	5.2E+02	ug/kg	--	5.7E-05	--	1.1E-05	--	3.0E-01	1.3E-04	0.0004	2.5E-05	0.0001
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	2.7E+04	pg/g	2.0E+00	2.9E-06	6.E-06	5.4E-07	1.E-06	2.0E-05	6.9E-06	0.3	1.3E-06	0.06
		Dioxin/Furans												
		Total Dioxin/Furan TEQ	6.1E-01	pg/g	1.3E+05	6.7E-11	9.E-06	1.2E-11	2.E-06	1.0E-09	1.6E-10	0.2	2.9E-11	0.03
		Total PCB TEQ	1.1E+00	pg/g	1.3E+05	1.2E-10	2.E-05	2.2E-11	3.E-06	1.0E-09	2.8E-10	0.3	5.1E-11	0.05
		Pesticides												
		Total DDE	4.2E+00	ug/kg	3.4E-01	4.6E-07	2.E-07	8.5E-08	3.E-08	5.0E-04	1.1E-06	0.002	2.0E-07	0.0004
		Total DDT	5.2E+00	ug/kg	3.4E-01	5.7E-07	2.E-07	1.1E-07	4.E-08	5.0E-04	1.3E-06	0.003	2.5E-07	0.0005
		Total Endosulfan	3.1E+00	ug/kg	--	3.4E-07	--	6.3E-08	--	6.0E-03	8.0E-07	0.0001	1.5E-07	0.00002
	Exposure Point Total						4.E-05		7.E-06			1		0.2
Body Without Shell	RM: 3, Station: 03R005	**Metals**												
		Aluminum	6.6E+01	mg/kg	--	7.3E-03	--	1.3E-03	--	1.0E+00	1.7E-02	0.02	3.1E-03	0.003
		Antimony	1.5E-02	mg/kg	--	1.7E-06	--	3.0E-07	--	4.0E-04	3.9E-06	0.01	7.1E-07	0.002
		Arsenic, inorganic	3.0E-02	mg/kg	1.5E+00	3.3E-06	5.E-06	6.1E-07	9.E-07	3.0E-04	7.7E-06	0.03	1.4E-06	0.005
		Cadmium	3.0E-02	mg/kg	--	3.3E-06	--	6.1E-07	--	1.0E-03	7.7E-06	0.01	1.4E-06	0.001
		Chromium	3.0E-01	mg/kg	--	3.3E-05	--	6.1E-06	--	1.5E+00	7.7E-05	0.0001	1.4E-05	0.00001
		Copper	1.2E+01	mg/kg	--	1.3E-03	--	2.4E-04	--	4.0E-02	3.0E-03	0.08	5.6E-04	0.01
		Manganese	1.9E+02	mg/kg	--	2.1E-02	--	3.8E-03	--	1.4E-01	4.9E-02	0.3	9.0E-03	0.06
		Mercury	2.2E-02	mg/kg	--	2.4E-06	--	4.4E-07	--	1.0E-04	5.7E-06	0.06	1.0E-06	0.01
		Nickel	3.0E-01	mg/kg	--	3.3E-05	--	6.1E-06	--	2.0E-02	7.7E-05	0.004	1.4E-05	0.001
		Silver	1.5E-02	mg/kg	--	1.7E-06	--	3.1E-07	--	5.0E-03	4.0E-06	0.001	7.3E-07	0.0001
		Zinc	1.5E+01	mg/kg	--	1.6E-03	--	3.0E-04	--	3.0E-01	3.8E-03	0.01	7.0E-04	0.002
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	1.9E+05	pg/g	2.0E+00	2.1E-05	4.E-05	3.9E-06	8.E-06	2.0E-05	5.0E-05	2	9.1E-06	0.5
		Dioxin/Furans												
		Total Dioxin/Furan TEQ	5.9E-01	pg/g	1.3E+05	6.5E-11	8.E-06	1.2E-11	2.E-06	1.0E-09	1.5E-10	0.2	2.8E-11	0.03
		Total PCB TEQ	2.7E+00	pg/g	1.3E+05	3.0E-10	4.E-05	5.5E-11	7.E-06	1.0E-09	7.0E-10	0.7	1.3E-10	0.1
		Pesticides												
		Endrin	2.8E+00	ug/kg	--	3.1E-07	--	5.7E-08	--	3.0E-04	7.2E-07	0.002	1.3E-07	0.0004
		Total DDE	4.0E+00	ug/kg	3.4E-01	4.4E-07	1.E-07	8.1E-08	3.E-08	5.0E-04	1.0E-06	0.002	1.9E-07	0.0004
		Total Chlordane	3.0E+00	ug/kg	3.5E-01	3.3E-07	1.E-07	6.1E-08	2.E-08	5.0E-04	7.7E-07	0.002	1.4E-07	0.0003
		Total Endosulfan	1.6E+00	ug/kg	--	1.8E-07	--	3.2E-08	--	6.0E-03	4.1E-07	0.0001	7.5E-08	0.00001
	Exposure Point Total						9.E-05		2.E-05			4		0.7
Body Without Shell	RM: 3, Station: 03R032	**Metals**												
		Aluminum	5.9E+01	mg/kg	--	6.5E-03	--	1.2E-03	--	1.0E+00	1.5E-02	0.02	2.8E-03	0.003
		Antimony	6.0E-03	mg/kg	--	6.6E-07	--	1.2E-07	--	4.0E-04	1.5E-06	0.004	2.8E-07	0.001
		Arsenic, inorganic	4.5E-02	mg/kg	1.5E+00	5.0E-06	7.E-06	9.1E-07	1.E-06	3.0E-04	1.2E-05	0.04	2.1E-06	0.01
		Cadmium	1.2E-02	mg/kg	--	1.3E-06	--	2.4E-07	--	1.0E-03	3.1E-06	0.003	5.7E-07	0.001
		Chromium	5.0E-01	mg/kg	--	5.5E-05	--	1.0E-05	--	1.5E+00	1.3E-04	0.0001	2.4E-05	0.00002
		Copper	1.3E+01	mg/kg	--	1.4E-03	--	2.6E-04	--	4.0E-02	3.4E-03	0.08	6.2E-04	0.02
		Manganese	1.3E+02	mg/kg	--	1.5E-02	--	2.7E-03	--	1.4E-01	3.4E-02	0.2	6.2E-03	0.04
		Mercury	2.8E-02	mg/kg	--	3.1E-06	--	5.7E-07	--	1.0E-04	7.2E-06	0.07	1.3E-06	0.01
		Nickel	3.8E-01	mg/kg	--	4.2E-05	--	7.7E-06	--	2.0E-02	9.8E-05	0.005	1.8E-05	0.001
		Silver	3.5E-02	mg/kg	--	3.8E-06	--	7.0E-07	--	5.0E-03	8.9E-06	0.002	1.6E-06	0.0003
		Zinc	1.7E+01	mg/kg	--	1.9E-03	--	3.5E-04	--	3.0E-01	4.5E-03	0.01	8.2E-04	0.003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-81.

Calculation of Cancer Risks and Noncancer Hazards - Crayfish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Oral Cancer Slope Factor (mg/kg-day)[-1]	Cancer Risk Calculations[b] — Consumption Rate: 18 g/day — LADI (mg/kg-day)	Cancer Risk	Consumption Rate: 3.3 g/day — LADI (mg/kg-day)	Cancer Risk	Noncancer Hazard Quotient Calculations[b] — Oral RfD mg/kg-day	Consumption Rate: 18 g/day — CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day — CDI mg/kg-day	Noncancer Hazard Quotient
		Pesticides												
		Total DDE	3.9E+00	ug/kg	3.4E-01	4.3E-07	1.E-07	7.9E-08	3.E-08	5.0E-04	1.0E-06	0.002	1.8E-07	0.0004
		Total DDT	3.6E+00	ug/kg	3.4E-01	4.0E-07	1.E-07	7.3E-08	2.E-08	5.0E-04	9.3E-07	0.002	1.7E-07	0.0003
	Exposure Point Total						8.E-06		1.E-06			0.5		0.09
Body Without Shell	RM: 4, Station: 04R002	**Metals**												
		Aluminum	8.6E+01	mg/kg	--	9.5E-03	--	1.7E-03	--	1.0E+00	2.2E-02	0.02	4.1E-03	0.004
		Antimony	9.0E-03	mg/kg	--	9.9E-07	--	1.8E-07	--	4.0E-04	2.3E-06	0.01	4.2E-07	0.001
		Arsenic, inorganic	3.9E-02	mg/kg	1.5E+00	4.3E-06	6.E-06	7.9E-07	1.E-06	3.0E-04	1.0E-05	0.03	1.8E-06	0.01
		Cadmium	2.2E-02	mg/kg	--	2.4E-06	--	4.4E-07	--	1.0E-03	5.7E-06	0.01	1.0E-06	0.001
		Chromium	2.0E-01	mg/kg	--	2.2E-05	--	4.0E-06	--	1.5E+00	5.1E-05	0.00003	9.4E-06	0.00001
		Copper	1.5E+01	mg/kg	--	1.7E-03	--	3.1E-04	--	4.0E-02	4.0E-03	0.1	7.3E-04	0.02
		Manganese	1.2E+02	mg/kg	--	1.3E-02	--	2.4E-03	--	1.4E-01	3.0E-02	0.2	5.6E-03	0.04
		Mercury	3.5E-02	mg/kg	--	3.8E-06	--	7.0E-07	--	1.0E-04	8.9E-06	0.09	1.6E-06	0.02
		Nickel	2.8E-01	mg/kg	--	3.0E-05	--	5.6E-06	--	2.0E-02	7.1E-05	0.004	1.3E-05	0.001
		Silver	4.3E-02	mg/kg	--	4.8E-06	--	8.8E-07	--	5.0E-03	1.1E-05	0.002	2.0E-06	0.0004
		Zinc	1.7E+01	mg/kg	--	1.9E-03	--	3.4E-04	--	3.0E-01	4.4E-03	0.01	8.0E-04	0.003
		Pesticides												
		Total DDE	4.5E+00	ug/kg	3.4E-01	5.0E-07	2.E-07	9.1E-08	3.E-08	5.0E-04	1.2E-06	0.002	2.1E-07	0.0004
		Total DDT	2.4E+00	ug/kg	3.4E-01	2.6E-07	9.E-08	4.8E-08	2.E-08	5.0E-04	6.2E-07	0.001	1.1E-07	0.0002
	Exposure Point Total						7.E-06		1.E-06			0.5		0.09
Body Without Shell	RM: 4, Station: 04R003	**Metals**												
		Aluminum	6.3E+01	mg/kg	--	6.9E-03	--	1.3E-03	--	1.0E+00	1.6E-02	0.02	3.0E-03	0.003
		Antimony	1.0E-02	mg/kg	--	1.1E-06	--	2.0E-07	--	4.0E-04	2.6E-06	0.01	4.7E-07	0.001
		Arsenic, inorganic	3.7E-02	mg/kg	1.5E+00	4.1E-06	6.E-06	7.5E-07	1.E-06	3.0E-04	9.5E-06	0.03	1.7E-06	0.01
		Cadmium	2.5E-02	mg/kg	--	2.8E-06	--	5.1E-07	--	1.0E-03	6.4E-06	0.01	1.2E-06	0.001
		Chromium	2.0E-01	mg/kg	--	2.2E-05	--	4.0E-06	--	1.5E+00	5.1E-05	0.00003	9.4E-06	0.00001
		Copper	1.5E+01	mg/kg	--	1.7E-03	--	3.1E-04	--	4.0E-02	4.0E-03	0.1	7.3E-04	0.02
		Manganese	1.1E+02	mg/kg	--	1.2E-02	--	2.3E-03	--	1.4E-01	2.9E-02	0.2	5.3E-03	0.04
		Mercury	2.2E-02	mg/kg	--	2.4E-06	--	4.4E-07	--	1.0E-04	5.7E-06	0.06	1.0E-06	0.01
		Silver	4.7E-02	mg/kg	--	5.2E-06	--	9.5E-07	--	5.0E-03	1.2E-05	0.002	2.2E-06	0.0004
		Zinc	1.7E+01	mg/kg	--	1.9E-03	--	3.4E-04	--	3.0E-01	4.4E-03	0.01	8.0E-04	0.003
		Polynuclear Aromatic Hydrocarbons												
		Fluoranthene	9.3E+01	ug/kg	--	1.0E-05	--	1.9E-06	--	4.0E-02	2.4E-05	0.001	4.4E-06	0.0001
		Pesticides												
		Total DDD	1.7E+00	ug/kg	2.4E-01	1.9E-07	4.E-08	3.4E-08	8.E-09	5.0E-04	4.4E-07	0.001	8.0E-08	0.0002
		Total DDE	7.2E+00	ug/kg	3.4E-01	7.9E-07	3.E-07	1.5E-07	5.E-08	5.0E-04	1.9E-06	0.004	3.4E-07	0.001
		Total DDT	1.2E+01	ug/kg	3.4E-01	1.4E-06	5.E-07	2.5E-07	8.E-08	5.0E-04	3.2E-06	0.01	5.8E-07	0.001
		Total Endosulfan	1.6E+00	ug/kg	--	1.8E-07	--	3.2E-08	--	6.0E-03	4.1E-07	0.0001	7.5E-08	0.00001
	Exposure Point Total						7.E-06		1.E-06			0.5		0.08
Body Without Shell	RM: 4, Station: 04R004	**Metals**												
		Aluminum	1.3E+02	mg/kg	--	1.4E-02	--	2.6E-03	--	1.0E+00	3.4E-02	0.03	6.2E-03	0.01
		Antimony	1.0E-02	mg/kg	--	1.1E-06	--	2.0E-07	--	4.0E-04	2.6E-06	0.01	4.7E-07	0.001
		Arsenic, inorganic	3.9E-02	mg/kg	1.5E+00	4.3E-06	6.E-06	7.9E-07	1.E-06	3.0E-04	1.0E-05	0.03	1.8E-06	0.01
		Cadmium	1.3E-02	mg/kg	--	1.4E-06	--	2.6E-07	--	1.0E-03	3.3E-06	0.003	6.1E-07	0.001
		Chromium	4.0E-01	mg/kg	--	4.4E-05	--	8.1E-06	--	1.5E+00	1.0E-04	0.0001	1.9E-05	0.00001
		Copper	1.2E+01	mg/kg	--	1.3E-03	--	2.4E-04	--	4.0E-02	3.1E-03	0.08	5.6E-04	0.01
		Manganese	1.7E+02	mg/kg	--	1.8E-02	--	3.3E-03	--	1.4E-01	4.2E-02	0.3	7.8E-03	0.06

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-81.

Calculation of Cancer Risks and Noncancer Hazards - Crayfish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Oral Cancer Slope Factor (mg/kg-day)^-1	Cancer Risk — Consumption Rate: 18 g/day — LADI (mg/kg-day)	Cancer Risk — Consumption Rate: 18 g/day — Cancer Risk	Cancer Risk — Consumption Rate: 3.3 g/day — LADI (mg/kg-day)	Cancer Risk — Consumption Rate: 3.3 g/day — Cancer Risk	Oral RfD mg/kg-day	Noncancer — Consumption Rate: 18 g/day — CDI mg/kg-day	Noncancer — Consumption Rate: 18 g/day — Noncancer Hazard Quotient	Noncancer — Consumption Rate: 3.3 g/day — CDI mg/kg-day	Noncancer — Consumption Rate: 3.3 g/day — Noncancer Hazard Quotient
		Mercury	3.7E-02	mg/kg	--	4.1E-06	--	7.5E-07	--	1.0E-04	9.5E-06	0.1	1.7E-06	0.02
		Nickel	3.9E-01	mg/kg	--	4.3E-05	--	7.9E-06	--	2.0E-02	1.0E-04	0.01	1.8E-05	0.001
		Silver	3.2E-02	mg/kg	--	3.5E-06	--	6.4E-07	--	5.0E-03	8.1E-06	0.002	1.5E-06	0.0003
		Zinc	1.6E+01	mg/kg	--	1.7E-03	--	3.2E-04	--	3.0E-01	4.0E-03	0.01	7.4E-04	0.002
		Polynuclear Aromatic Hydrocarbons												
		Fluoranthene	1.1E+02	ug/kg	--	1.2E-05	--	2.2E-06	--	4.0E-02	2.8E-05	0.001	5.2E-06	0.0001
		Pyrene	6.0E+01	ug/kg	--	6.6E-06	--	1.2E-06	--	3.0E-02	1.5E-05	0.001	2.8E-06	0.0001
		Pesticides												
		Total DDE	7.4E+00	ug/kg	3.4E-01	8.2E-07	3.E-07	1.5E-07	5.E-08	5.0E-04	1.9E-06	0.004	3.5E-07	0.001
		Total DDT	2.6E+00	ug/kg	3.4E-01	2.9E-07	1.E-07	5.3E-08	2.E-08	5.0E-04	6.7E-07	0.001	1.2E-07	0.0002
		Total Chlordane	4.7E+00	ug/kg	3.5E-01	5.2E-07	2.E-07	9.5E-08	3.E-08	5.0E-04	1.2E-06	0.002	2.2E-07	0.0004
	Exposure Point Total						7.E-06		1.E-06			0.6		0.1
Body Without Shell	RM: 5, Station: 05R001	**Metals**												
		Aluminum	8.9E+01	mg/kg	--	9.8E-03	--	1.8E-03	--	1.0E+00	2.3E-02	0.02	4.2E-03	0.004
		Antimony	6.0E-03	mg/kg	--	6.6E-07	--	1.2E-07	--	4.0E-04	1.5E-06	0.004	2.8E-07	0.001
		Arsenic, inorganic	3.5E-02	mg/kg	1.5E+00	3.9E-06	6.E-06	7.1E-07	1.E-06	3.0E-04	9.0E-06	0.03	1.7E-06	0.01
		Cadmium	9.0E-03	mg/kg	--	9.9E-07	--	1.8E-07	--	1.0E-03	2.3E-06	0.002	4.2E-07	0.0004
		Chromium	4.0E-01	mg/kg	--	4.4E-05	--	8.1E-06	--	1.5E+00	1.0E-04	0.0001	1.9E-05	0.00001
		Copper	1.3E+01	mg/kg	--	1.4E-03	--	2.6E-04	--	4.0E-02	3.4E-03	0.08	6.2E-04	0.02
		Lead	8.3E-02	mg/kg	NL	9.1E-06	--	1.7E-06	--	--	2.1E-05	--	3.9E-06	--
		Manganese	1.1E+02	mg/kg	--	1.2E-02	--	2.2E-03	--	1.4E-01	2.8E-02	0.2	5.2E-03	0.04
		Mercury	3.1E-02	mg/kg	--	3.4E-06	--	6.3E-07	--	1.0E-04	8.0E-06	0.08	1.5E-06	0.01
		Nickel	2.9E-01	mg/kg	--	3.2E-05	--	5.9E-06	--	2.0E-02	7.5E-05	0.004	1.4E-05	0.001
		Silver	2.8E-02	mg/kg	--	3.1E-06	--	5.7E-07	--	5.0E-03	7.2E-06	0.001	1.3E-06	0.0003
		Thallium	2.5E-03	mg/kg	NL	2.8E-07	--	5.1E-08	--	NL	6.4E-07	--	1.2E-07	--
		Zinc	1.6E+01	mg/kg	--	1.8E-03	--	3.2E-04	--	3.0E-01	4.1E-03	0.01	7.5E-04	0.002
		Pesticides												
		Total DDE	5.7E+00	ug/kg	3.4E-01	6.3E-07	2.E-07	1.2E-07	4.E-08	5.0E-04	1.5E-06	0.003	2.7E-07	0.001
		Total DDT	2.2E+00	ug/kg	3.4E-01	2.4E-07	8.E-08	4.4E-08	2.E-08	5.0E-04	5.7E-07	0.001	1.0E-07	0.0002
		Total Chlordane	3.9E+00	ug/kg	3.5E-01	4.3E-07	2.E-07	7.9E-08	3.E-08	5.0E-04	1.0E-06	0.002	1.8E-07	0.0004
		Total Endosulfan	1.7E+00	ug/kg	--	1.9E-07	--	3.4E-08	--	6.0E-03	4.4E-07	0.0001	8.0E-08	0.00001
	Exposure Point Total						6.E-06		1.E-06			0.5		0.08
Body Without Shell	RM: 5, Station: 05R003	**Metals**												
		Aluminum	9.7E+01	mg/kg	--	1.1E-02	--	2.0E-03	--	1.0E+00	2.5E-02	0.02	4.6E-03	0.005
		Antimony	2.0E-02	mg/kg	--	2.2E-06	--	4.0E-07	--	4.0E-04	5.1E-06	0.01	9.4E-07	0.002
		Arsenic, inorganic	3.5E-02	mg/kg	1.5E+00	3.9E-06	6.E-06	7.1E-07	1.E-06	3.0E-04	9.0E-06	0.03	1.7E-06	0.01
		Cadmium	3.6E-02	mg/kg	--	4.0E-06	--	7.3E-07	--	1.0E-03	9.3E-06	0.01	1.7E-06	0.002
		Chromium	9.0E-01	mg/kg	--	9.9E-05	--	1.8E-05	--	1.5E+00	2.3E-04	0.0002	4.2E-05	0.00003
		Copper	1.7E+01	mg/kg	--	1.9E-03	--	3.4E-04	--	4.0E-02	4.3E-03	0.1	8.0E-04	0.02
		Manganese	1.1E+02	mg/kg	--	1.2E-02	--	2.3E-03	--	1.4E-01	2.9E-02	0.2	5.3E-03	0.04
		Mercury	3.9E-02	mg/kg	--	4.3E-06	--	7.9E-07	--	1.0E-04	1.0E-05	0.1	1.8E-06	0.02
		Nickel	5.9E-01	mg/kg	--	6.5E-05	--	1.2E-05	--	2.0E-02	1.5E-04	0.01	2.8E-05	0.001
		Silver	2.4E-02	mg/kg	--	2.6E-06	--	4.8E-07	--	5.0E-03	6.1E-06	0.001	1.1E-06	0.0002
		Zinc	1.9E+01	mg/kg	--	2.1E-03	--	3.8E-04	--	3.0E-01	4.9E-03	0.02	8.9E-04	0.003
		Polychlorinated Biphenyls												
		Total Aroclors	2.7E+01	ug/kg	2.0E+00	3.0E-06	6.E-06	5.5E-07	1.E-06	2.0E-05	6.9E-06	0.3	1.3E-06	0.06

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-81.

Calculation of Cancer Risks and Noncancer Hazards - Crayfish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Cancer Risk Calculations[b] Consumption Rate: 18 g/day LADI (mg/kg-day)	Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	Noncancer Hazard Quotient Calculations[b] Consumption Rate: 18 g/day CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Noncancer Hazard Quotient
		Pesticides												
		Endrin	1.2E+00	ug/kg	--	1.3E-07	--	2.4E-08	--	3.0E-04	3.1E-07	0.001	5.7E-08	0.0002
		Total DDE	8.0E+00	ug/kg	3.4E-01	8.8E-07	3.E-07	1.6E-07	5.E-08	5.0E-04	2.1E-06	0.004	3.8E-07	0.001
		Total Endosulfan	1.3E+00	ug/kg	--	1.4E-07	--	2.6E-08	--	6.0E-03	3.3E-07	0.0001	6.1E-08	0.00001
	Exposure Point Total						1.E-05		2.E-06			0.9		0.2
Body Without Shell	RM: 5, Station: CR05W	**Metals**												
		Aluminum	8.1E+01	mg/kg	--	9.0E-03	--	1.6E-03	--	1.0E+00	2.1E-02	0.02	3.8E-03	0.004
		Arsenic, inorganic	3.0E-02	mg/kg	1.5E+00	3.3E-06	5.E-06	6.1E-07	9.E-07	3.0E-04	7.7E-06	0.03	1.4E-06	0.005
		Cadmium	1.9E-02	mg/kg	--	2.1E-06	--	3.8E-07	--	1.0E-03	4.9E-06	0.005	9.0E-07	0.001
		Chromium	2.0E-01	mg/kg	--	2.2E-05	--	4.0E-06	--	1.5E+00	5.1E-05	0.00003	9.4E-06	0.00001
		Copper	1.8E+01	mg/kg	--	2.0E-03	--	3.6E-04	--	4.0E-02	4.6E-03	0.1	8.4E-04	0.02
		Manganese	9.3E+01	mg/kg	--	1.0E-02	--	1.9E-03	--	1.4E-01	2.4E-02	0.2	4.4E-03	0.03
		Mercury	3.4E-02	mg/kg	--	3.7E-06	--	6.9E-07	--	1.0E-04	8.7E-06	0.09	1.6E-06	0.02
		Nickel	2.9E-01	mg/kg	--	3.2E-05	--	5.9E-06	--	2.0E-02	7.5E-05	0.00	1.4E-05	0.001
		Selenium	2.1E-01	mg/kg	--	2.3E-05	--	4.2E-06	--	5.0E-03	5.4E-05	0.01	9.9E-06	0.002
		Zinc	1.8E+01	mg/kg	--	2.0E-03	--	3.7E-04	--	3.0E-01	4.7E-03	0.02	8.5E-04	0.003
		Butyltins												
		Butyltin ion	3.6E-01	ug/kg	--	4.0E-08	--	7.3E-09	--	3.0E-04	9.3E-08	0.0003	1.7E-08	0.0001
		Dibutyltin ion	3.9E-01	ug/kg	--	4.3E-08	--	7.9E-09	--	3.0E-04	1.0E-07	0.0003	1.8E-08	0.0001
		Tributyltin ion	7.0E-01	ug/kg	--	7.7E-08	--	1.4E-08	--	3.0E-04	1.8E-07	0.001	3.3E-08	0.0001
		Polynuclear Aromatic Hydrocarbons												
		Acenaphthene	3.2E-01	ug/kg	--	3.5E-08	--	6.5E-09	--	6.0E-02	8.2E-08	0.000001	1.5E-08	0.0000003
		Anthracene	1.8E-01	ug/kg	--	2.0E-08	--	3.6E-09	--	3.0E-01	4.6E-08	0.0000002	8.5E-09	0.0000000
		Benzo(a)pyrene	5.4E-01	ug/kg	7.3E+00	6.0E-08	4.E-07	1.1E-08	8.E-08	--	1.4E-07	--	2.5E-08	--
		Fluorene	2.1E-01	ug/kg	--	2.3E-08	--	4.2E-09	--	4.0E-02	5.4E-08	0.000001	9.9E-09	0.0000002
		Naphthalene	6.0E-01	ug/kg	--	6.6E-08	--	1.2E-08	--	2.0E-02	1.5E-07	0.00001	2.8E-08	0.000001
		Phthalates												
		Butylbenzyl phthalate	1.5E+01	ug/kg	1.9E-03	1.7E-06	3.E-09	3.0E-07	6.E-10	2.0E-01	3.9E-06	0.00002	7.1E-07	0.000004
		Semi-Volatile Organic Compounds												
		Dibenzofuran	1.3E-01	ug/kg	--	1.4E-08	--	2.6E-09	--	1.0E-03	3.3E-08	0.00003	6.1E-09	0.00001
		Hexachlorobenzene	4.2E-02	ug/kg	1.6E+00	4.7E-09	7.E-09	8.5E-10	1.E-09	8.0E-04	1.1E-08	0.00001	2.0E-09	0.000002
		Phenols												
		Phenol	4.5E+01	ug/kg	--	5.0E-06	--	9.1E-07	--	3.0E-01	1.2E-05	0.00004	2.1E-06	0.00001
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	7.4E+03	pg/g	2.0E+00	8.2E-07	2.E-06	1.5E-07	3.E-07	2.0E-05	1.9E-06	0.1	3.5E-07	0.02
		Dioxin/Furans												
		Total Dioxin/Furan TEQ	2.1E-01	pg/g	1.3E+05	2.3E-11	3.E-06	4.2E-12	5.E-07	1.0E-09	5.3E-11	0.05	9.8E-12	0.01
		Total PCB TEQ	3.3E-01	pg/g	1.3E+05	3.6E-11	5.E-06	6.7E-12	9.E-07	1.0E-09	8.5E-11	0.08	1.6E-11	0.02
		Pesticides												
		Dieldrin	1.4E-02	ug/kg	1.6E+01	1.6E-09	3.E-08	2.9E-10	5.E-09	5.0E-05	3.7E-09	0.0001	6.7E-10	0.00001
		Total DDD	2.9E-01	ug/kg	2.4E-01	3.2E-08	8.E-09	5.8E-09	1.E-09	5.0E-04	7.4E-08	0.0001	1.4E-08	0.00003
		Total DDE	1.6E+00	ug/kg	3.4E-01	1.8E-07	6.E-08	3.3E-08	1.E-08	5.0E-04	4.2E-07	0.001	7.8E-08	0.0002
		Total Chlordane	2.6E-01	ug/kg	3.5E-01	2.8E-08	1.E-08	5.2E-09	2.E-09	5.0E-04	6.6E-08	0.0001	1.2E-08	0.00002
	Exposure Point Total						1.E-05		3.E-06			0.7		0.1
Body Without Shell	RM: 6, Station: 06R001	**Metals**												
		Aluminum	1.1E+02	mg/kg	--	1.2E-02	--	2.2E-03	--	1.0E+00	2.8E-02	0.03	5.0E-03	0.01
		Arsenic, inorganic	3.2E-02	mg/kg	1.5E+00	3.5E-06	5.E-06	6.5E-07	1.E-06	3.0E-04	8.2E-06	0.03	1.5E-06	0.01
		Cadmium	1.1E-02	mg/kg	--	1.2E-06	--	2.2E-07	--	1.0E-03	2.8E-06	0.003	5.2E-07	0.001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-81.

Calculation of Cancer Risks and Noncancer Hazards - Crayfish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Oral Cancer Slope Factor $(mg/kg-day)^{-1}$	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Chromium	9.0E-01	mg/kg	--	9.9E-05	--	1.8E-05	--	1.5E+00	2.3E-04	0.0002	4.2E-05	0.00003
		Copper	1.5E+01	mg/kg	--	1.6E-03	--	3.0E-04	--	4.0E-02	3.8E-03	0.1	7.0E-04	0.02
		Manganese	1.2E+02	mg/kg	--	1.3E-02	--	2.3E-03	--	1.4E-01	3.0E-02	0.2	5.4E-03	0.04
		Mercury	4.1E-02	mg/kg	--	4.5E-06	--	8.3E-07	--	1.0E-04	1.1E-05	0.1	1.9E-06	0.02
		Nickel	5.1E-01	mg/kg	--	5.6E-05	--	1.0E-05	--	2.0E-02	1.3E-04	0.01	2.4E-05	0.001
		Silver	3.2E-02	mg/kg	--	3.5E-06	--	6.4E-07	--	5.0E-03	8.2E-06	0.002	1.5E-06	0.0003
		Zinc	1.5E+01	mg/kg	--	1.7E-03	--	3.0E-04	--	3.0E-01	3.9E-03	0.01	7.1E-04	0.002
		Pesticides												
		Total DDE	5.1E+00	ug/kg	3.4E-01	5.6E-07	2.E-07	1.0E-07	4.E-08	5.0E-04	1.3E-06	0.003	2.4E-07	0.0005
		Total DDT	1.8E+00	ug/kg	3.4E-01	1.9E-07	7.E-08	3.5E-08	1.E-08	5.0E-04	4.5E-07	0.001	8.3E-08	0.0002
		Total Endosulfan	2.1E+00	ug/kg	--	2.3E-07	--	4.2E-08	--	6.0E-03	5.4E-07	0.00009	9.9E-08	0.00002
	Exposure Point Total						6.E-06		1.E-06			0.5		0.09
Body Without Shell	RM: 6, Station: 06R004	**Metals**												
		Aluminum	1.5E+02	mg/kg	--	1.6E-02	--	2.9E-03	--	1.0E+00	3.7E-02	0.04	6.8E-03	0.01
		Antimony	6.0E-03	mg/kg	--	6.6E-07	--	1.2E-07	--	4.0E-04	1.5E-06	0.004	2.8E-07	0.001
		Arsenic, inorganic	3.8E-02	mg/kg	1.5E+00	4.2E-06	6.E-06	7.7E-07	1.E-06	3.0E-04	9.8E-06	0.03	1.8E-06	0.01
		Cadmium	2.0E-02	mg/kg	--	2.2E-06	--	4.0E-07	--	1.0E-03	5.1E-06	0.01	9.4E-07	0.001
		Chromium	8.0E-01	mg/kg	--	8.8E-05	--	1.6E-05	--	1.5E+00	2.1E-04	0.0001	3.8E-05	0.00003
		Copper	1.6E+01	mg/kg	--	1.8E-03	--	3.3E-04	--	4.0E-02	4.2E-03	0.1	7.7E-04	0.02
		Manganese	2.1E+02	mg/kg	--	2.3E-02	--	4.3E-03	--	1.4E-01	5.5E-02	0.4	1.0E-02	0.07
		Mercury	3.4E-02	mg/kg	--	3.7E-06	--	6.9E-07	--	1.0E-04	8.7E-06	0.09	1.6E-06	0.02
		Nickel	5.0E-01	mg/kg	--	5.5E-05	--	1.0E-05	--	2.0E-02	1.3E-04	0.01	2.4E-05	0.001
		Silver	3.1E-02	mg/kg	--	3.4E-06	--	6.2E-07	--	5.0E-03	7.9E-06	0.002	1.4E-06	0.0003
		Zinc	2.0E+01	mg/kg	--	2.2E-03	--	4.1E-04	--	3.0E-01	5.2E-03	0.02	9.6E-04	0.003
		Polynuclear Aromatic Hydrocarbons												
		Benzo(a)anthracene	8.0E+01	ug/kg	7.3E-01	8.8E-06	6.E-06	1.6E-06	1.E-06	--	2.1E-05	--	3.8E-06	--
		Chrysene	8.7E+01	ug/kg	7.3E-03	9.6E-06	7.E-08	1.8E-06	1.E-08	--	2.2E-05	--	4.1E-06	--
		Fluoranthene	1.3E+02	ug/kg	--	1.4E-05	--	2.6E-06	--	4.0E-02	3.3E-05	0.001	6.1E-06	0.0002
		Phenanthrene	9.7E+01	ug/kg	--	1.1E-05	--	2.0E-06	--	3.0E-02	2.5E-05	0.001	4.6E-06	0.0002
		Pyrene	8.3E+01	ug/kg	--	9.1E-06	--	1.7E-06	--	3.0E-02	2.1E-05	0.001	3.9E-06	0.0001
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	1.5E+04	pg/g	2.0E+00	1.7E-06	3.E-06	3.1E-07	6.E-07	2.0E-05	3.9E-06	0.2	7.2E-07	0.04
		Dioxin/Furans												
		Total Dioxin/Furan TEQ	1.4E+00	pg/g	1.3E+05	1.6E-10	2.E-05	2.9E-11	4.E-06	1.0E-09	3.6E-10	0.4	6.7E-11	0.07
		Total PCB TEQ	3.5E-01	pg/g	1.3E+05	3.9E-11	5.E-06	7.2E-12	9.E-07	1.0E-09	9.1E-11	0.09	1.7E-11	0.02
		Pesticides												
		Total DDD	1.0E+01	ug/kg	2.4E-01	1.1E-06	3.E-07	2.0E-07	5.E-08	5.0E-04	2.6E-06	0.01	4.8E-07	0.001
		Total DDE	9.3E+00	ug/kg	3.4E-01	1.0E-06	3.E-07	1.9E-07	6.E-08	5.0E-04	2.4E-06	0.005	4.4E-07	0.001
		Total DDT	3.1E+00	ug/kg	3.4E-01	3.4E-07	1.E-07	6.3E-08	2.E-08	5.0E-04	8.0E-07	0.002	1.5E-07	0.0003
	Exposure Point Total						4.E-05		8.E-06			1		0.2
Body Without Shell	RM: 6, Station: CR06W	**Metals**												
		Aluminum	1.4E+02	mg/kg	--	1.5E-02	--	2.8E-03	--	1.0E+00	3.6E-02	0.04	6.6E-03	0.01
		Arsenic, inorganic	3.4E-02	mg/kg	1.5E+00	3.7E-06	6.E-06	6.9E-07	1.E-06	3.0E-04	8.7E-06	0.03	1.6E-06	0.01
		Cadmium	9.0E-03	mg/kg	--	9.9E-07	--	1.8E-07	--	1.0E-03	2.3E-06	0.002	4.2E-07	0.0004
		Chromium	4.0E-01	mg/kg	--	4.4E-05	--	8.1E-06	--	1.5E+00	1.0E-04	0.0001	1.9E-05	0.00001
		Copper	1.5E+01	mg/kg	--	1.7E-03	--	3.1E-04	--	4.0E-02	4.0E-03	0.1	7.3E-04	0.02

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-81.

Calculation of Cancer Risks and Noncancer Hazards - Crayfish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Oral Cancer Slope Factor (mg/kg-day)^-1	Cancer Risk Calc — 18 g/day LADI (mg/kg-day)	Cancer Risk Calc — 18 g/day Cancer Risk	Cancer Risk Calc — 3.3 g/day LADI (mg/kg-day)	Cancer Risk Calc — 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Noncancer — 18 g/day CDI mg/kg-day	Noncancer — 18 g/day Noncancer Hazard Quotient	Noncancer — 3.3 g/day CDI mg/kg-day	Noncancer — 3.3 g/day Noncancer Hazard Quotient
		Manganese	1.7E+02	mg/kg	--	1.8E-02	--	3.4E-03	--	1.4E-01	4.3E-02	0.3	7.9E-03	0.06
		Mercury	3.9E-02	mg/kg	--	4.3E-06	--	7.9E-07	--	1.0E-04	1.0E-05	0.1	1.9E-06	0.02
		Nickel	4.8E-01	mg/kg	--	5.2E-05	--	9.6E-06	--	2.0E-02	1.2E-04	0.01	2.2E-05	0.001
		Zinc	1.8E+01	mg/kg	--	2.0E-03	--	3.6E-04	--	3.0E-01	4.6E-03	0.02	8.5E-04	0.003
		Butyltins												
		Butyltin ion	4.6E+00	ug/kg	--	5.1E-07	--	9.3E-08	--	3.0E-04	1.2E-06	0.004	2.2E-07	0.001
		Dibutyltin ion	3.3E+02	ug/kg	--	3.6E-05	--	6.7E-06	--	3.0E-04	8.5E-05	0.3	1.6E-05	0.05
		Tributyltin ion	2.3E+00	ug/kg	--	2.5E-07	--	4.6E-08	--	3.0E-04	5.9E-07	0.002	1.1E-07	0.0004
		Polynuclear Aromatic Hydrocarbons												
		2-Methylnaphthalene	1.1E+00	ug/kg	--	1.2E-07	--	2.2E-08	--	4.0E-03	2.8E-07	0.0001	5.2E-08	0.00001
		Acenaphthene	4.2E+00	ug/kg	--	4.6E-07	--	8.5E-08	--	6.0E-02	1.1E-06	0.00002	2.0E-07	0.000003
		Acenaphthylene	1.1E+00	ug/kg	--	1.2E-07	--	2.2E-08	--	6.0E-02	2.8E-07	0.000005	5.2E-08	0.000001
		Anthracene	2.9E+00	ug/kg	--	3.2E-07	--	5.9E-08	--	3.0E-01	7.5E-07	0.000002	1.4E-07	0.0000005
		Benzo(a)anthracene	7.5E+00	ug/kg	7.3E-01	8.3E-07	6.E-07	1.5E-07	1.E-07	--	1.9E-06	--	3.5E-07	--
		Benzo(a)pyrene	7.5E+00	ug/kg	7.3E+00	8.3E-07	6.E-06	1.5E-07	1.E-06	--	1.9E-06	--	3.5E-07	--
		Benzo(b)fluoranthene	5.3E+00	ug/kg	7.3E-01	5.8E-07	4.E-07	1.1E-07	8.E-08	--	1.4E-06	--	2.5E-07	--
		Benzo(g,h,i)perylene	5.6E+00	ug/kg	--	6.2E-07	--	1.1E-07	--	3.0E-02	1.4E-06	0.00005	2.6E-07	0.00001
		Benzo(k)fluoranthene	5.0E+00	ug/kg	7.3E-02	5.5E-07	4.E-08	1.0E-07	7.E-09	--	1.3E-06	--	2.4E-07	--
		Chrysene	1.2E+01	ug/kg	7.3E-03	1.3E-06	1.E-08	2.4E-07	2.E-09	--	3.1E-06	--	5.7E-07	--
		Dibenzo(a,h)anthracene	7.1E-01	ug/kg	7.3E+00	7.8E-08	6.E-07	1.4E-08	1.E-07	--	1.8E-07	--	3.3E-08	--
		Fluoranthene	1.2E+01	ug/kg	--	1.3E-06	--	2.4E-07	--	4.0E-02	3.1E-06	0.0001	5.7E-07	0.00001
		Fluorene	1.8E+00	ug/kg	--	2.0E-07	--	3.6E-08	--	4.0E-02	4.6E-07	0.00001	8.5E-08	0.000002
		Indeno(1,2,3-cd)pyrene	5.3E+00	ug/kg	7.3E-01	5.8E-07	4.E-07	1.1E-07	8.E-08	--	1.4E-06	--	2.5E-07	--
		Naphthalene	2.9E+00	ug/kg	--	3.2E-07	--	5.9E-08	--	2.0E-02	7.5E-07	0.00004	1.4E-07	0.00001
		Phenanthrene	7.6E+00	ug/kg	--	8.4E-07	--	1.5E-07	--	3.0E-02	2.0E-06	0.0001	3.6E-07	0.00001
		Pyrene	1.5E+01	ug/kg	--	1.7E-06	--	3.0E-07	--	3.0E-02	3.9E-06	0.0001	7.1E-07	0.00002
		Semi-Volatile Organic Compounds												
		Dibenzofuran	3.5E-01	ug/kg	--	3.9E-08	--	7.1E-09	--	1.0E-03	9.0E-08	0.0001	1.7E-08	0.00002
		Hexachlorobenzene	5.1E-02	ug/kg	1.6E+00	5.6E-09	9.E-09	1.0E-09	2.E-09	8.0E-04	1.3E-08	0.00002	2.4E-09	0.000003
		Phenols												
		Phenol	6.1E+01	ug/kg	--	6.7E-06	--	1.2E-06	--	3.0E-01	1.6E-05	0.0001	2.9E-06	0.00001
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	4.2E+04	pg/g	2.0E+00	4.7E-06	9.E-06	8.6E-07	2.E-06	2.0E-05	1.1E-05	0.5	2.0E-06	0.1
		Dioxin/Furans												
		Total Dioxin/Furan TEQ	5.5E-01	pg/g	1.3E+05	6.1E-11	8.E-06	1.1E-11	1.E-06	1.0E-09	1.4E-10	0.1	2.6E-11	0.03
		Total PCB TEQ	3.2E-01	pg/g	1.3E+05	3.5E-11	5.E-06	6.4E-12	8.E-07	1.0E-09	8.2E-11	0.08	1.5E-11	0.01
		Pesticides												
		Dieldrin	1.5E-02	ug/kg	1.6E+01	1.6E-09	3.E-08	3.0E-10	5.E-09	5.0E-05	3.8E-09	0.0001	7.0E-10	0.00001
		Total DDD	7.4E-01	ug/kg	2.4E-01	8.2E-08	2.E-08	1.5E-08	4.E-09	5.0E-04	1.9E-07	0.0004	3.5E-08	0.0001
		Total DDE	2.1E+00	ug/kg	3.4E-01	2.3E-07	8.E-08	4.2E-08	1.E-08	5.0E-04	5.3E-07	0.001	9.8E-08	0.0002
		Total DDT	1.2E-01	ug/kg	3.4E-01	1.3E-08	4.E-09	2.3E-09	8.E-10	5.0E-04	3.0E-08	0.0001	5.4E-09	0.00001
		Total Chlordane	1.7E-01	ug/kg	3.5E-01	1.9E-08	7.E-09	3.4E-09	1.E-09	5.0E-04	4.4E-08	0.0001	8.0E-09	0.00002
	Exposure Point Total						4.E-05		7.E-06			2		0.3
Body Without Shell	RM: 7, Station: 07R003	**Metals**												
		Aluminum	9.8E+01	mg/kg	--	1.1E-02	--	2.0E-03	--	1.0E+00	2.5E-02	0.03	4.6E-03	0.005
		Arsenic, inorganic	3.0E-02	mg/kg	1.5E+00	3.3E-06	5.E-06	6.1E-07	9.E-07	3.0E-04	7.7E-06	0.03	1.4E-06	0.005
		Cadmium	1.5E-02	mg/kg	--	1.7E-06	--	3.0E-07	--	1.0E-03	3.9E-06	0.004	7.1E-07	0.001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-81.

Calculation of Cancer Risks and Noncancer Hazards - Crayfish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)^-1	Cancer Risk Calculations[b] Consumption Rate: 18 g/day LADI (mg/kg-day)	Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	Noncancer Hazard Quotient Calculations[b] Consumption Rate: 18 g/day CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Noncancer Hazard Quotient
		Chromium	3.0E-01	mg/kg	--	3.3E-05	--	6.1E-06	--	1.5E+00	7.7E-05	0.0001	1.4E-05	0.00001
		Copper	1.4E+01	mg/kg	--	1.5E-03	--	2.8E-04	--	4.0E-02	3.5E-03	0.09	6.5E-04	0.02
		Manganese	1.2E+02	mg/kg	--	1.3E-02	--	2.4E-03	--	1.4E-01	3.0E-02	0.2	5.5E-03	0.04
		Mercury	3.0E-02	mg/kg	--	3.3E-06	--	6.1E-07	--	1.0E-04	7.7E-06	0.08	1.4E-06	0.01
		Nickel	3.0E-01	mg/kg	--	3.3E-05	--	6.1E-06	--	2.0E-02	7.7E-05	0.004	1.4E-05	0.001
		Silver	1.9E-02	mg/kg	--	2.1E-06	--	3.8E-07	--	5.0E-03	4.9E-06	0.001	9.0E-07	0.0002
		Zinc	1.6E+01	mg/kg	--	1.8E-03	--	3.2E-04	--	3.0E-01	4.1E-03	0.01	7.5E-04	0.003
		Polychlorinated Biphenyls												
		Total Aroclors	3.9E+01	ug/kg	2.0E+00	4.3E-06	9.E-06	7.9E-07	2.E-06	2.0E-05	1.0E-05	0.5	1.8E-06	0.09
		Pesticides												
		Total DDD	4.1E+00	ug/kg	2.4E-01	4.5E-07	1.E-07	8.3E-08	2.E-08	5.0E-04	1.1E-06	0.002	1.9E-07	0.0004
		Total DDE	1.6E+01	ug/kg	3.4E-01	1.8E-06	6.E-07	3.2E-07	1.E-07	5.0E-04	4.1E-06	0.01	7.5E-07	0.002
		Total DDT	1.8E+01	ug/kg	3.4E-01	1.9E-06	7.E-07	3.5E-07	1.E-07	5.0E-04	4.5E-06	0.01	8.3E-07	0.002
	Exposure Point Total						1.E-05		3.E-06			1		0.2
Body Without Shell	RM: 7, Station: 07R004	**Metals**												
		Aluminum	2.0E+02	mg/kg	--	2.2E-02	--	4.1E-03	--	1.0E+00	5.2E-02	0.05	9.6E-03	0.01
		Antimony	9.0E-03	mg/kg	--	9.9E-07	--	1.8E-07	--	4.0E-04	2.3E-06	0.01	4.2E-07	0.001
		Arsenic, inorganic	5.0E-02	mg/kg	1.5E+00	5.5E-06	8.E-06	1.0E-06	2.E-06	3.0E-04	1.3E-05	0.04	2.4E-06	0.01
		Cadmium	1.6E-02	mg/kg	--	1.8E-06	--	3.2E-07	--	1.0E-03	4.1E-06	0.004	7.5E-07	0.001
		Chromium	9.0E-01	mg/kg	--	9.9E-05	--	1.8E-05	--	1.5E+00	2.3E-04	0.0002	4.2E-05	0.00003
		Copper	1.8E+01	mg/kg	--	1.9E-03	--	3.6E-04	--	4.0E-02	4.5E-03	0.1	8.3E-04	0.02
		Manganese	1.7E+02	mg/kg	--	1.9E-02	--	3.5E-03	--	1.4E-01	4.4E-02	0.3	8.1E-03	0.06
		Mercury	3.6E-02	mg/kg	--	4.0E-06	--	7.3E-07	--	1.0E-04	9.3E-06	0.09	1.7E-06	0.02
		Nickel	5.5E-01	mg/kg	--	6.1E-05	--	1.1E-05	--	2.0E-02	1.4E-04	0.01	2.6E-05	0.001
		Silver	3.9E-02	mg/kg	--	4.3E-06	--	7.9E-07	--	5.0E-03	1.0E-05	0.002	1.8E-06	0.0004
		Zinc	1.9E+01	mg/kg	--	2.1E-03	--	3.9E-04	--	3.0E-01	4.9E-03	0.02	9.0E-04	0.003
		Pesticides												
		Total DDE	6.9E+00	ug/kg	3.4E-01	7.6E-07	3.E-07	1.4E-07	5.E-08	5.0E-04	1.8E-06	0.004	3.3E-07	0.001
		Total DDT	2.0E+00	ug/kg	3.4E-01	2.2E-07	7.E-08	4.0E-08	1.E-08	5.0E-04	5.1E-07	0.001	9.4E-08	0.0002
		Total Endosulfan	2.2E+00	ug/kg	--	2.4E-07	--	4.4E-08	--	6.0E-03	5.7E-07	0.0001	1.0E-07	0.00002
	Exposure Point Total						9.E-06		2.E-06			0.7		0.1
Body Without Shell	RM: 7, Station: 07R006	**Metals**												
		Aluminum	5.9E+01	mg/kg	--	6.5E-03	--	1.2E-03	--	1.0E+00	1.5E-02	0.02	2.8E-03	0.003
		Antimony	6.0E-03	mg/kg	--	6.6E-07	--	1.2E-07	--	4.0E-04	1.5E-06	0.004	2.8E-07	0.001
		Arsenic, inorganic	3.2E-02	mg/kg	1.5E+00	3.5E-06	5.E-06	6.5E-07	1.E-06	3.0E-04	8.2E-06	0.03	1.5E-06	0.01
		Cadmium	9.0E-03	mg/kg	--	9.9E-07	--	1.8E-07	--	1.0E-03	2.3E-06	0.002	4.2E-07	0.0004
		Chromium	5.4E-01	mg/kg	--	6.0E-05	--	1.1E-05	--	1.5E+00	1.4E-04	0.0001	2.5E-05	0.00002
		Copper	1.3E+01	mg/kg	--	1.4E-03	--	2.6E-04	--	4.0E-02	3.3E-03	0.08	6.0E-04	0.02
		Manganese	1.3E+02	mg/kg	--	1.4E-02	--	2.6E-03	--	1.4E-01	3.3E-02	0.2	6.1E-03	0.04
		Mercury	2.4E-02	mg/kg	--	2.6E-06	--	4.8E-07	--	1.0E-04	6.2E-06	0.06	1.1E-06	0.01
		Nickel	8.3E-01	mg/kg	--	9.1E-05	--	1.7E-05	--	2.0E-02	2.1E-04	0.01	3.9E-05	0.002
		Silver	3.2E-02	mg/kg	--	3.5E-06	--	6.4E-07	--	5.0E-03	8.1E-06	0.002	1.5E-06	0.0003
		Zinc	1.6E+01	mg/kg	--	1.7E-03	--	3.1E-04	--	3.0E-01	4.0E-03	0.01	7.3E-04	0.002
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	2.5E+04	pg/g	2.0E+00	2.7E-06	5.E-06	5.0E-07	1.E-06	2.0E-05	6.3E-06	0.3	1.2E-06	0.06
		Dioxin/Furans												
		Total Dioxin/Furan TEQ	1.8E+01	pg/g	1.3E+05	2.0E-09	3.E-04	3.7E-10	5.E-05	1.0E-09	4.7E-09	5	8.6E-10	0.9
		Total PCB TEQ	7.5E-01	pg/g	1.3E+05	8.3E-11	1.E-05	1.5E-11	2.E-06	1.0E-09	1.9E-10	0.2	3.5E-11	0.04

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-81.

Calculation of Cancer Risks and Noncancer Hazards - Crayfish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Oral Cancer Slope Factor (mg/kg-day)[-1]	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Pesticides												
		Total DDD	2.1E+01	ug/kg	2.4E-01	2.3E-06	6.E-07	4.3E-07	1.E-07	5.0E-04	5.5E-06	0.01	1.0E-06	0.002
		Total DDE	5.2E+01	ug/kg	3.4E-01	5.7E-06	2.E-06	1.0E-06	4.E-07	5.0E-04	1.3E-05	0.03	2.4E-06	0.005
		Total DDT	1.3E+01	ug/kg	3.4E-01	1.4E-06	5.E-07	2.5E-07	9.E-08	5.0E-04	3.2E-06	0.01	5.9E-07	0.001
	Exposure Point Total						3.E-04		5.E-05			6		1
Body Without Shell	RM: 8, Station: 08R001	**Metals**												
		Aluminum	6.8E+01	mg/kg	--	7.5E-03	--	1.4E-03	--	1.0E+00	1.8E-02	0.02	3.2E-03	0.003
		Antimony	7.0E-03	mg/kg	--	7.7E-07	--	1.4E-07	--	4.0E-04	1.8E-06	0.00	3.3E-07	0.001
		Arsenic, inorganic	3.5E-02	mg/kg	1.5E+00	3.9E-06	6.E-06	7.1E-07	1.E-06	3.0E-04	9.0E-06	0.03	1.7E-06	0.01
		Cadmium	1.3E-02	mg/kg	--	1.4E-06	--	2.6E-07	--	1.0E-03	3.3E-06	0.003	6.1E-07	0.001
		Chromium	2.8E-01	mg/kg	--	3.1E-05	--	5.7E-06	--	1.5E+00	7.2E-05	0.00005	1.3E-05	0.00001
		Copper	1.5E+01	mg/kg	--	1.7E-03	--	3.0E-04	--	4.0E-02	3.9E-03	0.1	7.1E-04	0.02
		Manganese	1.2E+02	mg/kg	--	1.4E-02	--	2.5E-03	--	1.4E-01	3.2E-02	0.2	5.8E-03	0.04
		Mercury	2.2E-02	mg/kg	--	2.4E-06	--	4.4E-07	--	1.0E-04	5.7E-06	0.06	1.0E-06	0.01
		Nickel	2.8E-01	mg/kg	--	3.1E-05	--	5.7E-06	--	2.0E-02	7.2E-05	0.004	1.3E-05	0.001
		Silver	2.4E-02	mg/kg	--	2.7E-06	--	4.9E-07	--	5.0E-03	6.2E-06	0.001	1.1E-06	0.0002
		Zinc	1.5E+01	mg/kg	--	1.7E-03	--	3.1E-04	--	3.0E-01	3.9E-03	0.01	7.2E-04	0.002
		Phenols												
		4-Methylphenol	3.3E+01	ug/kg	--	3.6E-06	--	6.7E-07	--	5.0E-03	8.5E-06	0.002	1.6E-06	0.0003
		Polychlorinated Biphenyls												
		Total Aroclors	5.9E+01	ug/kg	2.0E+00	6.5E-06	1.E-05	1.2E-06	2.E-06	2.0E-05	1.5E-05	0.8	2.8E-06	0.1
		Pesticides												
		Total DDE	6.8E+00	ug/kg	3.4E-01	7.5E-07	3.E-07	1.4E-07	5.E-08	5.0E-04	1.7E-06	0.003	3.2E-07	0.001
		Total DDT	8.7E+00	ug/kg	3.4E-01	9.5E-07	3.E-07	1.7E-07	6.E-08	5.0E-04	2.2E-06	0.004	4.1E-07	0.001
	Exposure Point Total						2.E-05		4.E-06			1		0.2
Body Without Shell	RM: 8, Station: 08R002	**Metals**												
		Aluminum	8.7E+01	mg/kg	--	9.6E-03	--	1.8E-03	--	1.0E+00	2.2E-02	0.02	4.1E-03	0.004
		Antimony	5.0E-03	mg/kg	--	5.5E-07	--	1.0E-07	--	4.0E-04	1.3E-06	0.003	2.4E-07	0.001
		Arsenic, inorganic	2.8E-02	mg/kg	1.5E+00	3.1E-06	5.E-06	5.7E-07	8.E-07	3.0E-04	7.2E-06	0.02	1.3E-06	0.004
		Cadmium	1.3E-02	mg/kg	--	1.4E-06	--	2.6E-07	--	1.0E-03	3.3E-06	0.003	6.1E-07	0.001
		Chromium	3.8E-01	mg/kg	--	4.2E-05	--	7.7E-06	--	1.5E+00	9.8E-05	0.0001	1.8E-05	0.00001
		Copper	1.0E+01	mg/kg	--	1.1E-03	--	2.1E-04	--	4.0E-02	2.7E-03	0.07	4.9E-04	0.01
		Manganese	1.6E+02	mg/kg	--	1.8E-02	--	3.2E-03	--	1.4E-01	4.1E-02	0.3	7.5E-03	0.05
		Mercury	3.3E-02	mg/kg	--	3.6E-06	--	6.7E-07	--	1.0E-04	8.5E-06	0.08	1.6E-06	0.02
		Nickel	3.2E-01	mg/kg	--	3.5E-05	--	6.5E-06	--	2.0E-02	8.2E-05	0.004	1.5E-05	0.001
		Zinc	1.4E+01	mg/kg	--	1.5E-03	--	2.8E-04	--	3.0E-01	3.6E-03	0.01	6.6E-04	0.002
		Polychlorinated Biphenyls												
		Total Aroclors	1.6E+01	ug/kg	2.0E+00	1.8E-06	4.E-06	3.2E-07	6.E-07	2.0E-05	4.1E-06	0.2	7.5E-07	0.04
		Pesticides												
		Total DDE	3.5E+00	ug/kg	3.4E-01	3.9E-07	1.E-07	7.1E-08	2.E-08	5.0E-04	9.0E-07	0.002	1.7E-07	0.0003
		Total DDT	3.4E+00	ug/kg	3.4E-01	3.7E-07	1.E-07	6.9E-08	2.E-08	5.0E-04	8.7E-07	0.002	1.6E-07	0.0003
	Exposure Point Total						8.E-06		2.E-06			0.7		0.1
Body Without Shell	RM: 8, Station: 08R003	**Metals**												
		Aluminum	6.7E+01	mg/kg	--	7.4E-03	--	1.4E-03	--	1.0E+00	1.7E-02	0.02	3.2E-03	0.003
		Antimony	5.0E-03	mg/kg	--	5.5E-07	--	1.0E-07	--	4.0E-04	1.3E-06	0.003	2.4E-07	0.001
		Arsenic, inorganic	2.8E-02	mg/kg	1.5E+00	3.1E-06	5.E-06	5.7E-07	8.E-07	3.0E-04	7.2E-06	0.02	1.3E-06	0.004
		Cadmium	1.6E-02	mg/kg	--	1.8E-06	--	3.2E-07	--	1.0E-03	4.1E-06	0.004	7.5E-07	0.001
		Chromium	4.1E-01	mg/kg	--	4.5E-05	--	8.3E-06	--	1.5E+00	1.1E-04	0.0001	1.9E-05	0.00001

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-81.

Calculation of Cancer Risks and Noncancer Hazards - Crayfish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Oral Cancer Slope Factor (mg/kg-day)[-1]	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Copper	1.7E+01	mg/kg	--	1.9E-03	--	3.4E-04	--	4.0E-02	4.4E-03	0.1	8.0E-04	0.02
		Manganese	7.2E+01	mg/kg	--	7.9E-03	--	1.5E-03	--	1.4E-01	1.8E-02	0.1	3.4E-03	0.02
		Mercury	2.2E-02	mg/kg	--	2.4E-06	--	4.4E-07	--	1.0E-04	5.7E-06	0.06	1.0E-06	0.01
		Nickel	2.7E-01	mg/kg	--	3.0E-05	--	5.5E-06	--	2.0E-02	6.9E-05	0.003	1.3E-05	0.001
		Silver	2.2E-02	mg/kg	--	2.4E-06	--	4.4E-07	--	5.0E-03	5.6E-06	0.001	1.0E-06	0.0002
		Zinc	1.6E+01	mg/kg	--	1.7E-03	--	3.2E-04	--	3.0E-01	4.0E-03	0.01	7.4E-04	0.002
		Phenols												
		Pentachlorophenol	1.3E+02	ug/kg	4.0E-01	1.4E-05	6.E-06	2.6E-06	1.E-06	5.0E-03	3.3E-05	0.01	6.1E-06	0.001
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	3.6E+04	pg/g	2.0E+00	3.9E-06	8.E-06	7.2E-07	1.E-06	2.0E-05	9.2E-06	0.5	1.7E-06	0.08
		Dioxin/Furans												
		Total Dioxin/Furan TEQ	9.6E-01	pg/g	1.3E+05	1.1E-10	1.E-05	1.9E-11	3.E-06	1.0E-09	2.5E-10	0.2	4.5E-11	0.05
		Total PCB TEQ	6.9E-01	pg/g	1.3E+05	7.6E-11	1.E-05	1.4E-11	2.E-06	1.0E-09	1.8E-10	0.2	3.2E-11	0.03
		Pesticides												
		Total DDE	3.9E+00	ug/kg	3.4E-01	4.3E-07	1.E-07	7.9E-08	3.E-08	5.0E-04	1.0E-06	0.002	1.8E-07	0.0004
	Exposure Point Total						4.E-05		8.E-06			1		0.2
Body Without Shell	RM: 8, Station: CR08W	**Metals**												
		Aluminum	1.4E+02	mg/kg	--	1.6E-02	--	2.9E-03	--	1.0E+00	3.7E-02	0.04	6.8E-03	0.01
		Antimony	6.0E-03	mg/kg	--	6.6E-07	--	1.2E-07	--	4.0E-04	1.5E-06	0.004	2.8E-07	0.001
		Cadmium	1.2E-02	mg/kg	--	1.3E-06	--	2.4E-07	--	1.0E-03	3.1E-06	0.003	5.7E-07	0.001
		Chromium	4.0E-01	mg/kg	--	4.4E-05	--	8.1E-06	--	1.5E+00	1.0E-04	0.0001	1.9E-05	0.00001
		Copper	1.6E+01	mg/kg	--	1.8E-03	--	3.3E-04	--	4.0E-02	4.2E-03	0.1	7.6E-04	0.02
		Manganese	1.4E+02	mg/kg	--	1.6E-02	--	2.9E-03	--	1.4E-01	3.7E-02	0.3	6.8E-03	0.05
		Mercury	2.4E-02	mg/kg	--	2.7E-06	--	4.9E-07	--	1.0E-04	6.2E-06	0.06	1.1E-06	0.01
		Nickel	3.7E-01	mg/kg	--	4.1E-05	--	7.5E-06	--	2.0E-02	9.5E-05	0.005	1.7E-05	0.001
		Selenium	3.9E-01	mg/kg	--	4.3E-05	--	7.9E-06	--	5.0E-03	1.0E-04	0.02	1.8E-05	0.004
		Zinc	1.7E+01	mg/kg	--	1.9E-03	--	3.4E-04	--	3.0E-01	4.4E-03	0.01	8.0E-04	0.003
		Butyltins												
		Butyltin ion	2.8E-01	ug/kg	--	3.1E-08	--	5.7E-09	--	3.0E-04	7.2E-08	0.0002	1.3E-08	0.00004
		Dibutyltin ion	3.3E-01	ug/kg	--	3.6E-08	--	6.7E-09	--	3.0E-04	8.5E-08	0.0003	1.6E-08	0.0001
		Tributyltin ion	5.6E-01	ug/kg	--	6.2E-08	--	1.1E-08	--	3.0E-04	1.4E-07	0.0005	2.6E-08	0.0001
		Polynuclear Aromatic Hydrocarbons												
		2-Methylnaphthalene	4.7E-01	ug/kg	--	5.2E-08	--	9.5E-09	--	4.0E-03	1.2E-07	0.00003	2.2E-08	0.00001
		Acenaphthene	9.9E-01	ug/kg	--	1.1E-07	--	2.0E-08	--	6.0E-02	2.5E-07	0.000004	4.7E-08	0.000001
		Acenaphthylene	2.0E-01	ug/kg	--	2.2E-08	--	4.0E-09	--	6.0E-02	5.1E-08	0.000001	9.4E-09	0.0000002
		Anthracene	4.3E-01	ug/kg	--	4.7E-08	--	8.7E-09	--	3.0E-01	1.1E-07	0.0000004	2.0E-08	0.0000001
		Benzo(a)pyrene	2.8E-01	ug/kg	7.3E+00	3.1E-08	2.E-07	5.7E-09	4.E-08	--	7.2E-08	--	1.3E-08	--
		Fluorene	8.1E-01	ug/kg	--	8.9E-08	--	1.6E-08	--	4.0E-02	2.1E-07	0.00001	3.8E-08	0.000001
		Naphthalene	6.1E-01	ug/kg	--	6.7E-08	--	1.2E-08	--	2.0E-02	1.6E-07	0.00001	2.9E-08	0.000001
		Semi-Volatile Organic Compounds												
		Dibenzofuran	4.8E-01	ug/kg	--	5.3E-08	--	9.7E-09	--	1.0E-03	1.2E-07	0.0001	2.3E-08	0.00002
		Hexachlorobenzene	6.6E-02	ug/kg	1.6E+00	7.2E-09	1.E-08	1.3E-09	2.E-09	8.0E-04	1.7E-08	0.0000	3.1E-09	0.000004
		Phenols												
		Phenol	9.4E+01	ug/kg	--	1.0E-05	--	1.9E-06	--	3.0E-01	2.4E-05	0.0001	4.4E-06	0.00001
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	2.7E+04	pg/g	2.0E+00	3.0E-06	6.E-06	5.5E-07	1.E-06	2.0E-05	7.0E-06	0.3	1.3E-06	0.06

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-81.

Calculation of Cancer Risks and Noncancer Hazards - Crayfish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Oral Cancer Slope Factor (mg/kg-day)[-1]	Consumption Rate: 18 g/day LADI (mg/kg-day)	Consumption Rate: 18 g/day Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Consumption Rate: 3.3 g/day Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Consumption Rate: 18 g/day Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Consumption Rate: 3.3 g/day Noncancer Hazard Quotient
		Dioxin/Furans												
		Total Dioxin/Furan TEQ	4.9E-01	pg/g	1.3E+05	5.4E-11	7.E-06	1.0E-11	1.E-06	1.0E-09	1.3E-10	0.1	2.3E-11	0.02
		Total PCB TEQ	4.6E-01	pg/g	1.3E+05	5.1E-11	7.E-06	9.4E-12	1.E-06	1.0E-09	1.2E-10	0.1	2.2E-11	0.02
		Pesticides												
		Aldrin	3.7E-02	ug/kg	1.7E+01	4.1E-09	7.E-08	7.5E-10	1.E-08	3.0E-05	9.5E-09	0.0003	1.7E-09	0.0001
		alpha-Hexachlorocyclohexane	2.5E-03	ug/kg	6.3E+00	2.8E-10	2.E-09	5.1E-11	3.E-10	8.0E-03	6.5E-10	0.0000001	1.2E-10	0.00000001
		Dieldrin	4.7E-02	ug/kg	1.6E+01	5.2E-09	8.E-08	9.5E-10	2.E-08	5.0E-05	1.2E-08	0.0002	2.2E-09	0.00004
		Endrin	1.2E-03	ug/kg	--	1.3E-10	--	2.4E-11	--	3.0E-04	3.1E-10	0.000001	5.7E-11	0.0000002
		Heptachlor epoxide	1.8E-03	ug/kg	9.1E+00	1.9E-10	2.E-09	3.6E-11	3.E-10	1.3E-05	4.5E-10	0.00003	8.3E-11	0.00001
		Total DDD	2.8E-01	ug/kg	2.4E-01	3.1E-08	7.E-09	5.6E-09	1.E-09	5.0E-04	7.1E-08	0.0001	1.3E-08	0.00003
		Total DDE	4.4E+00	ug/kg	3.4E-01	4.9E-07	2.E-07	8.9E-08	3.E-08	5.0E-04	1.1E-06	0.002	2.1E-07	0.0004
		Total Chlordane	5.6E-01	ug/kg	3.5E-01	6.2E-08	2.E-08	1.1E-08	4.E-09	5.0E-04	1.4E-07	0.0003	2.6E-08	0.0001
	Exposure Point Total						2.E-05		4.E-06			1		0.2
Body Without Shell	RM: 9, Station: 09R001	**Metals**												
		Aluminum	6.8E+01	mg/kg	--	7.5E-03	--	1.4E-03	--	1.0E+00	1.7E-02	0.02	3.2E-03	0.003
		Antimony	7.0E-03	mg/kg	--	7.7E-07	--	1.4E-07	--	4.0E-04	1.8E-06	0.005	3.3E-07	0.001
		Arsenic, inorganic	3.4E-02	mg/kg	1.5E+00	3.7E-06	6.E-06	6.9E-07	1.E-06	3.0E-04	8.7E-06	0.03	1.6E-06	0.01
		Cadmium	2.3E-02	mg/kg	--	2.5E-06	--	4.6E-07	--	1.0E-03	5.9E-06	0.01	1.1E-06	0.001
		Chromium	1.6E-01	mg/kg	--	1.8E-05	--	3.2E-06	--	1.5E+00	4.1E-05	0.00003	7.5E-06	0.00001
		Copper	1.8E+01	mg/kg	--	1.9E-03	--	3.6E-04	--	4.0E-02	4.5E-03	0.1	8.3E-04	0.02
		Manganese	6.1E+01	mg/kg	--	6.7E-03	--	1.2E-03	--	1.4E-01	1.6E-02	0.1	2.9E-03	0.02
		Mercury	2.3E-02	mg/kg	--	2.5E-06	--	4.6E-07	--	1.0E-04	5.9E-06	0.06	1.1E-06	0.01
		Nickel	2.2E-01	mg/kg	--	2.4E-05	--	4.4E-06	--	2.0E-02	5.7E-05	0.003	1.0E-05	0.001
		Silver	3.1E-02	mg/kg	--	3.4E-06	--	6.3E-07	--	5.0E-03	8.0E-06	0.002	1.5E-06	0.0003
		Zinc	1.7E+01	mg/kg	--	1.9E-03	--	3.4E-04	--	3.0E-01	4.4E-03	0.01	8.0E-04	0.003
		Polychlorinated Biphenyls												
		Total Aroclors	4.9E+01	ug/kg	2.0E+00	5.4E-06	1.E-05	9.9E-07	2.E-06	2.0E-05	1.3E-05	0.6	2.3E-06	0.1
		Pesticides												
		Total DDE	2.4E+00	ug/kg	3.4E-01	2.6E-07	9.E-08	4.8E-08	2.E-08	5.0E-04	6.2E-07	0.001	1.1E-07	0.0002
	Exposure Point Total						2.E-05		3.E-06			1		0.2
Body Without Shell	RM: 9, Station: 09R002	**Metals**												
		Aluminum	6.6E+01	mg/kg	--	7.3E-03	--	1.3E-03	--	1.0E+00	1.7E-02	0.02	3.1E-03	0.003
		Antimony	8.0E-03	mg/kg	--	8.8E-07	--	1.6E-07	--	4.0E-04	2.1E-06	0.01	3.8E-07	0.001
		Arsenic, inorganic	3.5E-02	mg/kg	1.5E+00	3.9E-06	6.E-06	7.1E-07	1.E-06	3.0E-04	9.0E-06	0.03	1.7E-06	0.01
		Cadmium	1.1E-02	mg/kg	--	1.2E-06	--	2.2E-07	--	1.0E-03	2.8E-06	0.003	5.2E-07	0.001
		Chromium	2.6E-01	mg/kg	--	2.9E-05	--	5.3E-06	--	1.5E+00	6.7E-05	0.00004	1.2E-05	0.00001
		Copper	1.4E+01	mg/kg	--	1.5E-03	--	2.7E-04	--	4.0E-02	3.5E-03	0.09	6.4E-04	0.02
		Manganese	1.5E+02	mg/kg	--	1.7E-02	--	3.1E-03	--	1.4E-01	3.9E-02	0.3	7.1E-03	0.05
		Mercury	3.0E-02	mg/kg	--	3.3E-06	--	6.1E-07	--	1.0E-04	7.7E-06	0.08	1.4E-06	0.01
		Nickel	4.0E-01	mg/kg	--	4.4E-05	--	8.1E-06	--	2.0E-02	1.0E-04	0.01	1.9E-05	0.001
		Silver	3.5E-02	mg/kg	--	3.8E-06	--	7.1E-07	--	5.0E-03	9.0E-06	0.002	1.6E-06	0.0003
		Zinc	1.9E+01	mg/kg	--	2.1E-03	--	3.8E-04	--	3.0E-01	4.9E-03	0.02	9.0E-04	0.003
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	7.9E+04	pg/g	2.0E+00	8.7E-06	2.E-05	1.6E-06	3.E-06	2.0E-05	2.0E-05	1	3.7E-06	0.2
		Dioxin/Furans												
		Total Dioxin/Furan TEQ	7.5E-01	pg/g	1.3E+05	8.2E-11	1.E-05	1.5E-11	2.E-06	1.0E-09	1.9E-10	0.2	3.5E-11	0.04
		Total PCB TEQ	9.1E-01	pg/g	1.3E+05	1.0E-10	1.E-05	1.8E-11	2.E-06	1.0E-09	2.3E-10	0.2	4.3E-11	0.04

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-81.

Calculation of Cancer Risks and Noncancer Hazards - Crayfish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	EPC Units	Oral Cancer Slope Factor (mg/kg-day)⁻¹	Cancer Risk Calculations[b] Consumption Rate: 18 g/day LADI (mg/kg-day)	Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	Noncancer Hazard Quotient Calculations[b] Consumption Rate: 18 g/day CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Noncancer Hazard Quotient
		Pesticides												
		Total DDE	3.0E+00	ug/kg	3.4E-01	3.3E-07	1.E-07	6.1E-08	2.E-08	5.0E-04	7.7E-07	0.002	1.4E-07	0.0003
	Exposure Point Total						5.E-05		9.E-06			2		0.4
Body Without Shell	RM: 10, Station: CR10W	**Metals**												
		Aluminum	7.2E+01	mg/kg	--	8.0E-03	--	1.5E-03	--	1.0E+00	1.9E-02	0.02	3.4E-03	0.003
		Arsenic, inorganic	3.4E-02	mg/kg	1.5E+00	3.7E-06	6.E-06	6.9E-07	1.E-06	3.0E-04	8.7E-06	0.03	1.6E-06	0.01
		Cadmium	1.1E-02	mg/kg	--	1.2E-06	--	2.2E-07	--	1.0E-03	2.8E-06	0.003	5.2E-07	0.001
		Chromium	2.0E-01	mg/kg	--	2.2E-05	--	4.0E-06	--	1.5E+00	5.1E-05	0.00003	9.4E-06	0.00001
		Copper	1.7E+01	mg/kg	--	1.9E-03	--	3.5E-04	--	4.0E-02	4.4E-03	0.1	8.2E-04	0.02
		Manganese	9.9E+01	mg/kg	--	1.1E-02	--	2.0E-03	--	1.4E-01	2.5E-02	0.2	4.7E-03	0.03
		Mercury	3.3E-02	mg/kg	--	3.6E-06	--	6.7E-07	--	1.0E-04	8.5E-06	0.09	1.6E-06	0.02
		Nickel	3.1E-01	mg/kg	--	3.4E-05	--	6.2E-06	--	2.0E-02	7.8E-05	0.00	1.4E-05	0.001
		Zinc	2.0E+01	mg/kg	--	2.2E-03	--	4.0E-04	--	3.0E-01	5.1E-03	0.02	9.3E-04	0.003
		Butyltins												
		Butyltin ion	2.1E-01	ug/kg	--	2.3E-08	--	4.2E-09	--	3.0E-04	5.4E-08	0.0002	9.9E-09	0.00003
		Polynuclear Aromatic Hydrocarbons												
		Acenaphthene	3.5E-01	ug/kg	--	3.9E-08	--	7.1E-09	--	6.0E-02	9.0E-08	0.000002	1.7E-08	0.0000003
		Anthracene	1.5E-01	ug/kg	--	1.7E-08	--	3.0E-09	--	3.0E-01	3.9E-08	0.0000001	7.1E-09	0.00000002
		Benzo(a)pyrene	2.5E-01	ug/kg	7.3E+00	2.8E-08	2.E-07	5.1E-09	4.E-08	--	6.4E-08	--	1.2E-08	--
		Fluorene	3.6E-01	ug/kg	--	4.0E-08	--	7.3E-09	--	4.0E-02	9.3E-08	0.000002	1.7E-08	0.0000004
		Naphthalene	5.0E-01	ug/kg	--	5.5E-08	--	1.0E-08	--	2.0E-02	1.3E-07	0.00001	2.4E-08	0.000001
		Semi-Volatile Organic Compounds												
		Dibenzofuran	1.9E-01	ug/kg	--	2.1E-08	--	3.8E-09	--	1.0E-03	4.9E-08	0.00005	9.0E-09	0.00001
		Hexachlorobenzene	3.6E-02	ug/kg	1.6E+00	3.9E-09	6.E-09	7.2E-10	1.E-09	8.0E-04	9.2E-09	0.00001	1.7E-09	0.000002
		Hexachlorobutadiene	1.9E-03	ug/kg	7.8E-02	2.1E-10	2.E-11	3.8E-11	3.E-12	1.0E-03	4.9E-10	0.0000005	8.9E-11	0.0000001
		Phenols												
		Phenol	5.6E+01	ug/kg	--	6.2E-06	--	1.1E-06	--	3.0E-01	1.4E-05	0.00005	2.6E-06	0.000009
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	4.2E+04	pg/g	2.0E+00	4.7E-06	9.E-06	8.6E-07	2.E-06	2.0E-05	1.1E-05	0.5	2.0E-06	0.1
		Dioxin/Furans												
		Total Dioxin/Furan TEQ	2.3E-01	pg/g	1.3E+05	2.5E-11	3.E-06	4.7E-12	6.E-07	1.0E-09	5.9E-11	0.06	1.1E-11	0.01
		Total PCB TEQ	7.1E-01	pg/g	1.3E+05	7.8E-11	1.E-05	1.4E-11	2.E-06	1.0E-09	1.8E-10	0.2	3.3E-11	0.03
		Pesticides												
		alpha-Hexachlorocyclohexane	2.8E-03	ug/kg	6.3E+00	3.1E-10	2.E-09	5.7E-11	4.E-10	8.0E-03	7.3E-10	0.0000001	1.3E-10	0.00000002
		Dieldrin	1.5E-02	ug/kg	1.6E+01	1.7E-09	3.E-08	3.1E-10	5.E-09	5.0E-05	3.9E-09	0.0001	7.2E-10	0.00001
		Total DDD	6.5E-02	ug/kg	2.4E-01	7.1E-09	2.E-09	1.3E-09	3.E-10	5.0E-04	1.7E-08	0.00003	3.0E-09	0.00001
		Total DDE	1.1E+00	ug/kg	3.4E-01	1.2E-07	4.E-08	2.1E-08	7.E-09	5.0E-04	2.7E-07	0.001	5.0E-08	0.0001
		Total Chlordane	1.7E-01	ug/kg	3.5E-01	1.9E-08	6.E-09	3.4E-09	1.E-09	5.0E-04	4.3E-08	0.0001	7.9E-09	0.00002
	Exposure Point Total						3.E-05		5.E-06			1		0.2
Body Without Shell	RM: 11, Station: CR11E	**Metals**												
		Aluminum	4.1E+01	mg/kg	--	4.5E-03	--	8.2E-04	--	1.0E+00	1.0E-02	0.01	1.9E-03	0.002
		Arsenic, inorganic	2.4E-02	mg/kg	1.5E+00	2.6E-06	4.E-06	4.7E-07	7.E-07	3.0E-04	6.0E-06	0.02	1.1E-06	0.004
		Cadmium	2.2E-02	mg/kg	--	2.4E-06	--	4.4E-07	--	1.0E-03	5.7E-06	0.01	1.0E-06	0.001
		Chromium	1.5E-01	mg/kg	--	1.7E-05	--	3.0E-06	--	1.5E+00	3.9E-05	0.00003	7.1E-06	0.000005
		Copper	2.0E+01	mg/kg	--	2.2E-03	--	4.1E-04	--	4.0E-02	5.2E-03	0.1	9.5E-04	0.02
		Manganese	3.9E+01	mg/kg	--	4.2E-03	--	7.8E-04	--	1.4E-01	9.9E-03	0.07	1.8E-03	0.01

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-81.

Calculation of Cancer Risks and Noncancer Hazards - Crayfish Consumption

Scenario Timeframe: Current/Future

Receptor Population: Fisher

Population Age: Adult

Medium: Tissue

Exposure Medium: Crayfish Tissue (whole body, without shell)

Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Consumption Rate: 18 g/day LADI (mg/kg-day)	Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Noncancer Hazard Quotient
		Mercury	2.4E-02	mg/kg	--	2.6E-06	--	4.8E-07	--	1.0E-04	6.1E-06	0.06	1.1E-06	0.01
		Nickel	2.4E-01	mg/kg	--	2.6E-05	--	4.8E-06	--	2.0E-02	6.1E-05	0.003	1.1E-05	0.001
		Zinc	2.0E+01	mg/kg	--	2.2E-03	--	4.0E-04	--	3.0E-01	5.1E-03	0.02	9.4E-04	0.003
		Butyltins												
		Butyltin ion	2.2E-01	ug/kg	--	2.4E-08	--	4.4E-09	--	3.0E-04	5.7E-08	0.0002	1.0E-08	0.00003
		Dibutyltin ion	3.5E-01	ug/kg	--	3.9E-08	--	7.1E-09	--	3.0E-04	9.0E-08	0.0003	1.7E-08	0.0001
		Polynuclear Aromatic Hydrocarbons												
		Acenaphthene	1.5E-01	ug/kg	--	1.7E-08	--	3.0E-09	--	6.0E-02	3.9E-08	0.000001	7.1E-09	0.0000001
		Anthracene	1.1E-01	ug/kg	--	1.2E-08	--	2.2E-09	--	3.0E-01	2.8E-08	0.0000001	5.2E-09	0.00000002
		Benzo(a)pyrene	2.2E-01	ug/kg	7.3E+00	2.4E-08	2.E-07	4.4E-09	3.E-08	--	5.7E-08	--	1.0E-08	--
		Fluorene	2.3E-01	ug/kg	--	2.5E-08	--	4.6E-09	--	4.0E-02	5.9E-08	0.000001	1.1E-08	0.0000003
		Naphthalene	4.7E-01	ug/kg	--	5.2E-08	--	9.5E-09	--	2.0E-02	1.2E-07	0.00001	2.2E-08	0.000001
		Phthalates												
		Butylbenzyl phthalate	7.1E+01	ug/kg	1.9E-03	7.8E-06	1.E-08	1.4E-06	3.E-09	2.0E-01	1.8E-05	0.0001	3.3E-06	0.00002
		Semi-Volatile Organic Compounds												
		Dibenzofuran	2.2E-01	ug/kg	--	2.4E-08	--	4.4E-09	--	1.0E-03	5.7E-08	0.0001	1.0E-08	0.00001
		Hexachlorobenzene	5.7E-02	ug/kg	1.6E+00	6.2E-09	1.E-08	1.1E-09	2.E-09	8.0E-04	1.5E-08	0.00002	2.7E-09	0.000003
		Phenols												
		Phenol	4.7E+01	ug/kg	--	5.2E-06	--	9.5E-07	--	3.0E-01	1.2E-05	0.00004	2.2E-06	0.00001
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	1.1E+06	pg/g	2.0E+00	1.3E-04	3.E-04	2.3E-05	5.E-05	2.0E-05	2.9E-04	10	5.4E-05	3
		Dioxin/Furans												
		Total Dioxin/Furan TEQ	6.1E-01	pg/g	1.3E+05	6.7E-11	9.E-06	1.2E-11	2.E-06	1.0E-09	1.6E-10	0.2	2.9E-11	0.03
		Total PCB TEQ	5.1E+00	pg/g	1.3E+05	5.6E-10	7.E-05	1.0E-10	1.E-05	1.0E-09	1.3E-09	1	2.4E-10	0.2
		Pesticides												
		Dieldrin	9.4E-03	ug/kg	1.6E+01	1.0E-09	2.E-08	1.9E-10	3.E-09	5.0E-05	2.4E-09	0.00005	4.4E-10	0.00001
		Heptachlor epoxide	5.9E-04	ug/kg	9.1E+00	6.5E-11	6.E-10	1.2E-11	1.E-10	1.3E-05	1.5E-10	0.00001	2.8E-11	0.000002
		Total DDD	3.7E-02	ug/kg	2.4E-01	4.0E-09	1.E-09	7.4E-10	2.E-10	5.0E-04	9.4E-09	0.00002	1.7E-09	0.000003
		Total DDE	1.8E+00	ug/kg	3.4E-01	2.0E-07	7.E-08	3.7E-08	1.E-08	5.0E-04	4.7E-07	0.001	8.6E-08	0.0002
		Total Chlordane	3.4E-01	ug/kg	3.5E-01	3.7E-08	1.E-08	6.8E-09	2.E-09	5.0E-04	8.6E-08	0.0002	1.6E-08	0.00003
	Exposure Point Total						3.E-04		6.E-05			10		3
Body Without Shell	RM: 12, Station: CR12W	**Metals**												
		Aluminum	6.9E+01	mg/kg	--	7.6E-03	--	1.4E-03	--	1.0E+00	1.8E-02	0.02	3.2E-03	0.003
		Arsenic, inorganic	2.9E-02	mg/kg	1.5E+00	3.2E-06	5.E-06	5.9E-07	9.E-07	3.0E-04	7.5E-06	0.02	1.4E-06	0.005
		Cadmium	1.0E-02	mg/kg	--	1.1E-06	--	2.0E-07	--	1.0E-03	2.6E-06	0.003	4.7E-07	0.0005
		Chromium	3.0E-01	mg/kg	--	3.3E-05	--	6.1E-06	--	1.5E+00	7.7E-05	0.0001	1.4E-05	0.00001
		Copper	1.8E+01	mg/kg	--	2.0E-03	--	3.6E-04	--	4.0E-02	4.6E-03	0.1	8.5E-04	0.02
		Lead	7.9E-02	mg/kg	NL	8.7E-06	--	1.6E-06	--	--	2.0E-05	--	3.7E-06	--
		Manganese	6.9E+01	mg/kg	--	7.6E-03	--	1.4E-03	--	1.4E-01	1.8E-02	0.1	3.2E-03	0.02
		Mercury	2.7E-02	mg/kg	--	3.0E-06	--	5.4E-07	--	1.0E-04	6.9E-06	0.07	1.3E-06	0.01
		Nickel	2.7E-01	mg/kg	--	3.0E-05	--	5.5E-06	--	2.0E-02	7.0E-05	0.003	1.3E-05	0.001
		Zinc	1.9E+01	mg/kg	--	2.1E-03	--	3.9E-04	--	3.0E-01	5.0E-03	0.02	9.1E-04	0.003
		Butyltins												
		Butyltin ion	5.5E-01	ug/kg	--	6.1E-08	--	1.1E-08	--	3.0E-04	1.4E-07	0.0005	2.6E-08	0.0001
		Dibutyltin ion	5.6E-01	ug/kg	--	6.2E-08	--	1.1E-08	--	3.0E-04	1.4E-07	0.0005	2.6E-08	0.0001
		Tributyltin ion	1.6E+00	ug/kg	--	1.8E-07	--	3.2E-08	--	3.0E-04	4.1E-07	0.001	7.5E-08	0.0003

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-81.

Calculation of Cancer Risks and Noncancer Hazards - Crayfish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Oral Cancer Slope Factor (mg/kg-day)[-1]	Cancer Risk Calculations[b]				Noncancer Hazard Quotient Calculations[b]				
						Consumption Rate: 18 g/day		Consumption Rate: 3.3 g/day		Oral RfD mg/kg-day	Consumption Rate: 18 g/day		Consumption Rate: 3.3 g/day	
						LADI (mg/kg-day)	Cancer Risk	LADI (mg/kg-day)	Cancer Risk		CDI mg/kg-day	Noncancer Hazard Quotient	CDI mg/kg-day	Noncancer Hazard Quotient
		Polynuclear Aromatic Hydrocarbons												
		Acenaphthene	2.3E-01	ug/kg	--	2.5E-08	--	4.6E-09	--	6.0E-02	5.9E-08	0.000001	1.1E-08	0.0000002
		Anthracene	1.7E-01	ug/kg	--	1.9E-08	--	3.4E-09	--	3.0E-01	4.4E-08	0.0000001	8.0E-09	0.00000003
		Benzo(a)pyrene	1.4E-01	ug/kg	7.3E+00	1.5E-08	1.E-07	2.8E-09	2.E-08	--	3.6E-08	--	6.6E-09	--
		Fluorene	1.9E-01	ug/kg	--	2.1E-08	--	3.8E-09	--	4.0E-02	4.9E-08	0.000001	9.0E-09	0.0000002
		Naphthalene	5.4E-01	ug/kg	--	6.0E-08	--	1.1E-08	--	2.0E-02	1.4E-07	0.00001	2.5E-08	0.000001
		Semi-Volatile Organic Compounds												
		Dibenzofuran	1.3E-01	ug/kg	--	1.4E-08	--	2.6E-09	--	1.0E-03	3.3E-08	0.00003	6.1E-09	0.00001
		Hexachlorobenzene	9.1E-02	ug/kg	1.6E+00	1.0E-08	2.E-08	1.8E-09	3.E-09	8.0E-04	2.3E-08	0.00003	4.3E-09	0.00001
		Hexachlorobutadiene	1.7E-03	ug/kg	7.8E-02	1.9E-10	1.E-11	3.4E-11	3.E-12	1.0E-03	4.4E-10	0.0000004	8.0E-11	0.0000001
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	6.5E+03	pg/g	2.0E+00	7.1E-07	1.E-06	1.3E-07	3.E-07	2.0E-05	1.7E-06	0.08	3.1E-07	0.02
		Dioxin/Furans												
		Total Dioxin/Furan TEQ	2.9E-01	pg/g	1.3E+05	3.2E-11	4.E-06	5.8E-12	8.E-07	1.0E-09	7.4E-11	0.07	1.4E-11	0.01
		Total PCB TEQ	2.0E-01	pg/g	1.3E+05	2.2E-11	3.E-06	4.1E-12	5.E-07	1.0E-09	5.2E-11	0.05	9.5E-12	0.01
		Pesticides												
		alpha-Hexachlorocyclohexane	2.0E-03	ug/kg	6.3E+00	2.2E-10	1.E-09	4.1E-11	3.E-10	8.0E-03	5.2E-10	0.0000001	9.5E-11	0.00000001
		Dieldrin	1.6E-02	ug/kg	1.6E+01	1.8E-09	3.E-08	3.3E-10	5.E-09	5.0E-05	4.2E-09	0.0001	7.7E-10	0.00002
		Heptachlor epoxide	1.5E-03	ug/kg	9.1E+00	1.6E-10	1.E-09	2.9E-11	3.E-10	1.3E-05	3.8E-10	0.00003	6.9E-11	0.00001
		Total DDD	6.3E-02	ug/kg	2.4E-01	6.9E-09	2.E-09	1.3E-09	3.E-10	5.0E-04	1.6E-08	0.00003	3.0E-09	0.00001
		Total DDE	1.7E+00	ug/kg	3.4E-01	1.9E-07	6.E-08	3.4E-08	1.E-08	5.0E-04	4.3E-07	0.0009	7.9E-08	0.0002
		Total Chlordane	2.4E-01	ug/kg	3.5E-01	2.6E-08	9.E-09	4.8E-09	2.E-09	5.0E-04	6.1E-08	0.0001	1.1E-08	0.00002
	Exposure Point Total						1.E-05		2.E-06			0.6		0.1
Body Without Shell	RM: 12, Station: CR12E	**Metals**												
		Aluminum	5.6E+01	mg/kg	--	6.1E-03	--	1.1E-03	--	1.0E+00	1.4E-02	0.01	2.6E-03	0.003
		Arsenic, inorganic	2.9E-02	mg/kg	1.5E+00	3.2E-06	5.E-06	5.9E-07	9.E-07	3.0E-04	7.5E-06	0.02	1.4E-06	0.005
		Cadmium	1.1E-02	mg/kg	--	1.2E-06	--	2.2E-07	--	1.0E-03	2.8E-06	0.003	5.2E-07	0.001
		Chromium	4.0E-01	mg/kg	--	4.4E-05	--	8.1E-06	--	1.5E+00	1.0E-04	0.0001	1.9E-05	0.00001
		Copper	1.7E+01	mg/kg	--	1.9E-03	--	3.4E-04	--	4.0E-02	4.4E-03	0.1	8.0E-04	0.02
		Lead	1.4E-01	mg/kg	NL	1.5E-05	--	2.7E-06	--	--	3.5E-05	--	6.4E-06	--
		Manganese	8.2E+01	mg/kg	--	9.1E-03	--	1.7E-03	--	1.4E-01	2.1E-02	0.2	3.9E-03	0.03
		Mercury	2.7E-02	mg/kg	--	3.0E-06	--	5.4E-07	--	1.0E-04	6.9E-06	0.07	1.3E-06	0.01
		Nickel	3.2E-01	mg/kg	--	3.5E-05	--	6.4E-06	--	2.0E-02	8.2E-05	0.004	1.5E-05	0.001
		Zinc	1.9E+01	mg/kg	--	2.1E-03	--	3.8E-04	--	3.0E-01	4.9E-03	0.02	8.9E-04	0.003
		Butyltins												
		Butyltin ion	2.0E-01	ug/kg	--	2.2E-08	--	4.0E-09	--	3.0E-04	5.1E-08	0.0002	9.4E-09	0.00003
		Polynuclear Aromatic Hydrocarbons												
		Anthracene	1.2E-01	ug/kg	--	1.3E-08	--	2.4E-09	--	3.0E-01	3.1E-08	0.0000001	5.7E-09	0.00000002
		Benzo(a)pyrene	3.0E-01	ug/kg	7.3E+00	3.3E-08	2.E-07	6.1E-09	4.E-08	--	7.7E-08	--	1.4E-08	--
		Benzo(k)fluoranthene	5.7E-01	ug/kg	7.3E-02	6.3E-08	5.E-09	1.2E-08	8.E-10	--	1.5E-07	--	2.7E-08	--
		Fluorene	1.6E-01	ug/kg	--	1.8E-08	--	3.2E-09	--	4.0E-02	4.1E-08	0.000001	7.5E-09	0.0000002
		Naphthalene	5.2E-01	ug/kg	--	5.7E-08	--	1.1E-08	--	2.0E-02	1.3E-07	0.00001	2.5E-08	0.000001
		Phthalates												
		Butylbenzyl phthalate	2.7E+01	ug/kg	1.9E-03	3.0E-06	6.E-09	5.5E-07	1.E-09	2.0E-01	6.9E-06	0.00003	1.3E-06	0.00001
		Semi-Volatile Organic Compounds												
		Hexachlorobenzene	8.5E-02	ug/kg	1.6E+00	9.3E-09	1.E-08	1.7E-09	3.E-09	8.0E-04	2.2E-08	0.00003	4.0E-09	0.000005

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-81.

Calculation of Cancer Risks and Noncancer Hazards - Crayfish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Oral Cancer Slope Factor (mg/kg-day)$^{-1}$	Consumption Rate: 18 g/day LADI (mg/kg-day)	Cancer Risk	Consumption Rate: 3.3 g/day LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	Consumption Rate: 18 g/day CDI mg/kg-day	Noncancer Hazard Quotient	Consumption Rate: 3.3 g/day CDI mg/kg-day	Noncancer Hazard Quotient
		Phenols												
		Phenol	7.4E+01	ug/kg	--	8.2E-06	--	1.5E-06	--	3.0E-01	1.9E-05	0.0001	3.5E-06	0.00001
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	1.8E+04	pg/g	2.0E+00	1.9E-06	4.E-06	3.6E-07	7.E-07	2.0E-05	4.5E-06	0.2	8.3E-07	0.04
		Dioxin/Furans												
		Total Dioxin/Furan TEQ	4.9E-01	pg/g	1.3E+05	5.3E-11	7.E-06	9.8E-12	1.E-06	1.0E-09	1.2E-10	0.1	2.3E-11	0.02
		Total PCB TEQ	5.1E-01	pg/g	1.3E+05	5.6E-11	7.E-06	1.0E-11	1.E-06	1.0E-09	1.3E-10	0.1	2.4E-11	0.02
		Pesticides												
		Dieldrin	1.1E-02	ug/kg	1.6E+01	1.2E-09	2.E-08	2.1E-10	3.E-09	5.0E-05	2.7E-09	0.0001	5.0E-10	0.00001
		Total DDD	5.5E-02	ug/kg	2.4E-01	6.1E-09	1.E-09	1.1E-09	3.E-10	5.0E-04	1.4E-08	0.00003	2.6E-09	0.00001
		Total DDE	2.4E+00	ug/kg	3.4E-01	2.7E-07	9.E-08	4.9E-08	2.E-08	5.0E-04	6.2E-07	0.001	1.1E-07	0.0002
		Total Chlordane	4.0E-01	ug/kg	3.5E-01	4.4E-08	2.E-08	8.0E-09	3.E-09	5.0E-04	1.0E-07	0.0002	1.9E-08	0.00004
	Exposure Point Total						2.E-05		4.E-06			0.9		0.2
Body Without Shell	Study Area-wide	**Metals**												
		Aluminum	1.1E+02	mg/kg	--	1.2E-02	--	2.1E-03	--	1.0E+00	2.7E-02	0.03	5.0E-03	0.005
		Antimony	1.0E-02	mg/kg	--	1.1E-06	--	2.0E-07	--	4.0E-04	2.6E-06	0.01	4.8E-07	0.001
		Arsenic, inorganic	3.6E-02	mg/kg	1.5E+00	4.0E-06	6.E-06	7.4E-07	1.E-06	3.0E-04	9.4E-06	0.03	1.7E-06	0.01
		Cadmium	2.0E-02	mg/kg	--	2.2E-06	--	4.0E-07	--	1.0E-03	5.1E-06	0.01	9.3E-07	0.001
		Chromium	5.2E-01	mg/kg	--	5.7E-05	--	1.1E-05	--	1.5E+00	1.3E-04	0.0001	2.5E-05	0.00002
		Copper	1.5E+01	mg/kg	--	1.7E-03	--	3.1E-04	--	4.0E-02	4.0E-03	0.1	7.3E-04	0.02
		Manganese	1.4E+02	mg/kg	--	1.6E-02	--	2.9E-03	--	1.4E-01	3.7E-02	0.3	6.8E-03	0.05
		Mercury	3.1E-02	mg/kg	--	3.4E-06	--	6.2E-07	--	1.0E-04	7.8E-06	0.08	1.4E-06	0.01
		Nickel	4.2E-01	mg/kg	--	4.6E-05	--	8.4E-06	--	2.0E-02	1.1E-04	0.01	2.0E-05	0.001
		Selenium	3.9E-01	mg/kg	--	4.3E-05	--	7.9E-06	--	5.0E-03	1.0E-04	0.02	1.8E-05	0.004
		Silver	3.2E-02	mg/kg	--	3.5E-06	--	6.4E-07	--	5.0E-03	8.1E-06	0.002	1.5E-06	0.0003
		Zinc	1.8E+01	mg/kg	--	1.9E-03	--	3.6E-04	--	3.0E-01	4.5E-03	0.02	8.3E-04	0.003
		Butyltins												
		Butyltin ion	4.6E+00	ug/kg	--	5.1E-07	--	9.3E-08	--	3.0E-04	1.2E-06	0.004	2.2E-07	0.001
		Dibutyltin ion	3.3E+02	ug/kg	--	3.6E-05	--	6.7E-06	--	3.0E-04	8.5E-05	0.3	1.6E-05	0.05
		Tributyltin ion	2.3E+00	ug/kg	--	2.5E-07	--	4.6E-08	--	3.0E-04	5.9E-07	0.002	1.1E-07	0.0004
		Polynuclear Aromatic Hydrocarbons												
		2-Methylnaphthalene	1.1E+00	ug/kg	--	1.2E-07	--	2.2E-08	--	4.0E-03	2.8E-07	0.0001	5.2E-08	0.00001
		Acenaphthene	4.2E+00	ug/kg	--	4.6E-07	--	8.5E-08	--	6.0E-02	1.1E-06	0.00002	2.0E-07	0.000003
		Acenaphthylene	1.1E+00	ug/kg	--	1.2E-07	--	2.2E-08	--	6.0E-02	2.8E-07	0.000005	5.2E-08	0.000001
		Anthracene	2.9E+00	ug/kg	--	3.2E-07	--	5.9E-08	--	3.0E-01	7.5E-07	0.000002	1.4E-07	0.0000005
		Benzo(a)anthracene	8.0E+01	ug/kg	7.3E-01	8.8E-06	6.E-06	1.6E-06	1.E-06	--	2.1E-05	--	3.8E-06	--
		Benzo(a)pyrene	7.5E+00	ug/kg	7.3E+00	8.3E-07	6.E-06	1.5E-07	1.E-06	--	1.9E-06	--	3.5E-07	--
		Benzo(b)fluoranthene	5.3E+00	ug/kg	7.3E-01	5.8E-07	4.E-07	1.1E-07	8.E-08	--	1.4E-06	--	2.5E-07	--
		Benzo(g,h,i)perylene	5.6E+00	ug/kg	--	6.2E-07	--	1.1E-07	--	3.0E-02	1.4E-06	0.00005	2.6E-07	0.00001
		Benzo(k)fluoranthene	5.0E+00	ug/kg	7.3E-02	5.5E-07	4.E-08	1.0E-07	7.E-09	--	1.3E-06	--	2.4E-07	--
		Chrysene	8.7E+01	ug/kg	7.3E-03	9.6E-06	7.E-08	1.8E-06	1.E-08	--	2.2E-05	--	4.1E-06	--
		Dibenzo(a,h)anthracene	7.1E+00	ug/kg	7.3E+00	7.8E-07	6.E-07	1.4E-07	1.E-07	--	1.8E-06	--	3.3E-08	--
		Fluoranthene	1.3E+02	ug/kg	--	1.4E-05	--	2.6E-06	--	4.0E-02	3.3E-05	0.001	6.1E-06	0.0002
		Fluorene	1.3E+00	ug/kg	--	1.5E-07	--	2.7E-08	--	4.0E-02	3.4E-07	0.00001	6.2E-08	0.000002
		Indeno(1,2,3-cd)pyrene	5.3E+00	ug/kg	7.3E-01	5.8E-07	4.E-07	1.1E-07	8.E-08	--	1.4E-06	--	2.5E-07	--
		Naphthalene	2.9E+00	ug/kg	--	3.2E-07	--	5.9E-08	--	2.0E-02	7.5E-07	0.00004	1.4E-07	0.000007
		Phenanthrene	9.7E+01	ug/kg	--	1.1E-05	--	2.0E-06	--	3.0E-02	2.5E-05	0.001	4.6E-06	0.0002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-81.

Calculation of Cancer Risks and Noncancer Hazards - Crayfish Consumption

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	Oral Cancer Slope Factor (mg/kg-day)[-1]	LADI (mg/kg-day)	Cancer Risk	LADI (mg/kg-day)	Cancer Risk	Oral RfD mg/kg-day	CDI mg/kg-day	Noncancer Hazard Quotient	CDI mg/kg-day	Noncancer Hazard Quotient
						Cancer Risk Calculations[b]				**Noncancer Hazard Quotient Calculations[b]**				
						Consumption Rate: 18 g/day		Consumption Rate: 3.3 g/day			Consumption Rate: 18 g/day		Consumption Rate: 3.3 g/day	
		Pyrene	8.3E+01	ug/kg	--	9.1E-06	--	1.7E-06	--	3.0E-02	2.1E-05	0.001	3.9E-06	0.0001
		Phthalates												
		Butylbenzyl phthalate	7.1E+01	ug/kg	1.9E-03	7.8E-06	1.E-08	1.4E-06	3.E-09	2.0E-01	1.8E-05	0.0001	3.3E-06	0.00002
		Semi-Volatile Organic Compounds												
		Dibenzofuran	4.1E-01	ug/kg	--	4.5E-08	--	8.2E-09	--	1.0E-03	1.0E-07	0.0001	1.9E-08	0.00002
		Hexachlorobenzene	6.2E-02	ug/kg	1.6E+00	6.8E-09	1.E-08	1.2E-09	2.E-09	8.0E-04	1.6E-08	0.00002	2.9E-09	0.000004
		Hexachlorobutadiene	1.9E-03	ug/kg	7.8E-02	2.1E-10	2.E-11	3.8E-11	3.E-12	1.0E-03	4.9E-10	0.0000005	8.9E-11	0.0000001
		Phenols												
		4-Methylphenol	1.9E+02	ug/kg	--	2.1E-05	--	3.8E-06	--	5.0E-03	4.9E-05	0.01	9.0E-06	0.002
		Pentachlorophenol	1.3E+02	ug/kg	4.0E-01	1.4E-05	6.E-06	2.6E-06	1.E-06	5.0E-03	3.3E-05	0.01	6.1E-06	0.001
		Phenol	1.1E+02	ug/kg	--	1.2E-05	--	2.1E-06	--	3.0E-01	2.7E-05	0.0001	5.0E-06	0.00002
		Polychlorinated Biphenyls												
		Total PCBs, Adjusted	6.2E+05	pg/g	2.0E+00	6.8E-05	1.E-04	1.2E-05	2.E-05	2.0E-05	1.6E-04	8	2.9E-05	1
		Dioxin/Furans												
		Total Dioxin/Furan TEQ	9.8E+00	pg/g	1.3E+05	1.1E-09	1.E-04	2.0E-10	3.E-05	1.0E-09	2.5E-09	3	4.6E-10	0.5
		Total PCB TEQ	2.9E+00	pg/g	1.3E+05	3.2E-10	4.E-05	5.9E-11	8.E-06	1.0E-09	7.5E-10	0.7	1.4E-10	0.1
		Pesticides												
		Aldrin	3.7E-02	ug/kg	1.7E+01	4.1E-09	7.E-08	7.5E-10	1.E-08	3.0E-05	9.5E-09	0.0003	1.7E-09	0.0001
		alpha-Hexachlorocyclohexane	2.8E-03	ug/kg	6.3E+00	3.1E-10	2.E-09	5.7E-11	4.E-10	8.0E-03	7.3E-10	0.0000001	1.3E-10	0.00000002
		Dieldrin	4.7E-02	ug/kg	1.6E+01	5.2E-09	8.E-08	9.5E-10	2.E-08	5.0E-05	1.2E-08	0.0002	2.2E-09	0.00004
		Endrin	5.0E-01	ug/kg	--	5.5E-08	--	1.0E-08	--	3.0E-04	1.3E-07	0.0004	2.3E-08	0.0001
		Heptachlor epoxide	1.8E-03	ug/kg	9.1E+00	1.9E-10	2.E-09	3.6E-11	3.E-10	1.3E-05	4.5E-10	0.00003	8.3E-11	0.00001
		Total DDD	2.9E+00	ug/kg	2.4E-01	3.2E-07	8.E-08	5.8E-08	1.E-08	5.0E-04	7.4E-07	0.001	1.4E-07	0.0003
		Total DDE	1.3E+01	ug/kg	3.4E-01	1.5E-06	5.E-07	2.7E-07	9.E-08	5.0E-04	3.4E-06	0.01	6.2E-07	0.001
		Total DDT	5.3E+00	ug/kg	3.4E-01	5.9E-07	2.E-07	1.1E-07	4.E-08	5.0E-04	1.4E-06	0.003	2.5E-07	0.0005
		Total Chlordane	1.3E+00	ug/kg	3.5E-01	1.4E-07	5.E-08	2.6E-08	9.E-09	5.0E-04	3.3E-07	0.001	6.0E-08	0.0001
		Total Endosulfan	1.4E+00	ug/kg	--	1.5E-07	--	2.8E-08	--	6.0E-03	3.6E-07	0.0001	6.5E-08	0.00001
	Exposure Point Total						3.E-04		6.E-05			10		2

Notes:

a Chemicals listed are anaytes detected in crayfish tissue at least once within the study area (RM 1.9-11.8).

b Numbers presented are rounded values. Sums calculated before rounding.

c Toxicity values for trivalent chromium used to assess total chromium.

d Total PCBs, Adjusted equal Total PCB Congeners minus Total dioxin-like PCBs.

e Cumulative risk sums calculated using PCB congener data when available. When congener data not available, PCB Aroclor data were used in sums.

Abbreviations: -- = Not applicable.
  CDI = Chronic Daily Intake.
  DDD = Dichlorodiphenyldichloroethane.
  DDE = Dichlorodiphenyldichloroethylene.
  DDT = Dichlorodiphenyltrichloroethane.
  EPC = Exposure Point Concentration.
  g/day = grams per day.

LADI = Lifetime Average Daily Intake.
mg/kg = milligrams per kilogram.
PCB = Polychlorinated Biphenyls.
pg/g = picograms per gram.
RfD = Reference Dose.
RM = River mile.

TEQ = Toxic Equivalents.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-82.

Calculation of Endpoint-Specific Hazard Indices - Crayfish Consumption, Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Endpoint-Specific Hazard Indices

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
Body Without Shell	RM: 11, Station: CR11E	**Metals**																
		Aluminum	0.002					0.002										
		Arsenic, inorganic	0.004	0.004	0.004													
		Cadmium	0.001			0.001												
		Copper	0.02				0.02											
		Manganese	0.01					0.01										
		Mercury	0.01					0.01										
		Nickel	0.001						0.001									
		Zinc	0.003	0.003														
		Butyltins																
		Butyltin ion	0.00003								0.00003							
		Dibutyltin ion	0.0001								0.0001							
		Polynuclear Aromatic Hydrocarbons																
		Acenaphthene	0.0000001							0.0000001								
		Fluorene	0.0000003	0.0000003														
		Naphthalene	0.000001						0.000001						0.000001			
		Phthalates																
		Butylbenzyl phthalate	0.00002							0.00002								
		Semi-Volatile Organic Compounds																
		Dibenzofuran	0.00001	0.00001														
		Hexachlorobenzene	0.000003							0.000003								
		Phenols																
		Phenol	0.00001						0.00001									
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	3		3						3							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.03											0.03				
		Total PCB TEQ	0.2											0.2				
		Pesticides																
		Dieldrin	0.00001							0.00001								
		Heptachlor epoxide	0.000002							0.000002								
		Total DDD	0.000003							0.000003								
		Total DDE	0.0002							0.0002								
		Total Chlordane	0.00003							0.00003								
	Exposure Point Total			0.01	3	0.001	0.02	0.03	0.001	0.0002	3			0.3	0.000001			
Body Without Shell	Study Area-wide	**Metals**																
		Aluminum	0.005					0.005										
		Antimony	0.001	0.001														
		Arsenic, inorganic	0.01	0.01	0.01													
		Cadmium	0.001			0.001												
		Copper	0.02				0.02											
		Manganese	0.05					0.05										
		Mercury	0.01					0.01										
		Nickel	0.001						0.001									
		Selenium	0.004						0.004									
		Silver	0.0003			0.0003												
		Zinc	0.003	0.003														

LWG
Lower Willamette Group

TABLE 5-82.

Calculation of Endpoint-Specific Hazard Indices - Crayfish Consumption, Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Butyltins																
		Butyltin ion	0.001								0.001							
		Dibutyltin ion	0.05								0.05							
		Tributyltin ion	0.0004								0.0004							
		Polynuclear Aromatic Hydrocarbons																
		2-Methylnaphthalene	0.00001									0.00001						
		Acenaphthene	0.000003							0.000003								
		Acenaphthylene	0.000001							0.000001								
		Benzo(g,h,i)perylene	0.00001			0.00001												
		Fluoranthene	0.0002	0.0002		0.0002				0.0002								
		Fluorene	0.000002	0.000002														
		Naphthalene	0.00001						0.00001						0.00001			
		Phenanthrene	0.0002			0.0002												
		Pyrene	0.0001			0.0001												
		Phthalates																
		Butylbenzyl phthalate	0.00002							0.00002								
		Semi-Volatile Organic Compounds																
		Dibenzofuran	0.00002	0.00002														
		Hexachlorobenzene	0.000004							0.000004								
		Hexachlorobutadiene	0.0000001			0.0000001												
		Phenols																
		4-Methylphenol	0.002					0.002	0.002									
		Pentachlorophenol	0.001			0.001				0.001								
		Phenol	0.00002						0.00002									
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	1		1						1							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.5											0.5				
		Total PCB TEQ	0.1											0.1				
		Pesticides																
		Aldrin	0.0001							0.0001								
		alpha-Hexachlorocyclohexane	0.00000002							0.00000002								
		Dieldrin	0.00004							0.00004								
		Endrin	0.0001							0.0001								
		Heptachlor epoxide	0.00001							0.00001								
		Total DDD	0.0003							0.0003								
		Total DDE	0.0012							0.0012								

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-82.

Calculation of Endpoint-Specific Hazard Indices - Crayfish Consumption, Central Tendency Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Total DDT	0.001							0.001								
		Total Chlordane	0.0001							0.0001								
		Total Endosulfan	0.00001	0.00001				0.00001	0.00001									
	Exposure Point Total			0.01	1	0.003	0.02	0.07	0.01	0.004	2	0.00001		0.6	0.00001			

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Endpoint-specific hazard indices only calculated for those exposure areas where the cumulative hazard index is greater than 1.

Abbreviations:

DDD = Dichlorodiphenyldichloroethane.
DDE = Dichlorodiphenyldichloroethylene.
DDT = Dichlorodiphenyltrichloroethane.
HQ = Hazard Quotient.
PAHs = Polynuclear Aromatic Hydrocarbons.
PCB = Polychlorinated Biphenyls.
RM = River mile.
TEQ = Toxic Equivalents.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-83.

Calculation of Endpoint-Specific Hazard Indices - Crayfish Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
Body Without Shell	RM 2, Station: 02R001	**Metals**																
		Aluminum	0.03					0.03										
		Antimony	0.005	0.005														
		Arsenic, inorganic	0.03	0.03	0.03													
		Cadmium	0.01			0.01												
		Copper	0.08				0.08											
		Manganese	0.3					0.3										
		Mercury	0.06					0.06										
		Nickel	0.01							0.01								
		Silver	0.001		0.001													
		Zinc	0.01	0.01														
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	0.6		0.6						0.6							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.1											0.1				
		Total PCB TEQ	0.8											0.8				
		Pesticides																
		Total DDE	0.002							0.002								
		Total DDT	0.004							0.004								
		Total Chlordane	0.002							0.002								
	Exposure Point Total			0.05	0.6	0.01	0.08	0.4	0.01	0.01	0.6			0.9				
Body Without Shell	RM: 3, Station: 03R003	**Metals**																
		Aluminum	0.04					0.04										
		Antimony	0.004	0.004														
		Arsenic, inorganic	0.03	0.03	0.03													
		Cadmium	0.01			0.01												
		Copper	0.1				0.1											
		Manganese	0.3					0.3										
		Mercury	0.07					0.07										
		Nickel	0.01							0.01								
		Silver	0.002		0.002													
		Zinc	0.02	0.02														
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	0.9		0.9						0.9							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.2											0.2				
		Total PCB TEQ	0.3											0.3				
		Pesticides																
		Endrin	0.001							0.001								
		Total DDE	0.002							0.002								
		Total DDT	0.004							0.004								
		Total Endosulfan	0.00005	0.00005				0.00005	0.00005									
	Exposure Point Total			0.05	0.9	0.01	0.1	0.4	0.01	0.01	0.9			0.5				
Body Without Shell	RM: 3, Station: 03R005	**Metals**																
		Aluminum	0.02					0.02										
		Antimony	0.01	0.01														
		Arsenic, inorganic	0.03	0.03	0.03													
		Cadmium	0.01			0.01												

LWG
Lower Willamette Group

TABLE 5-83.

Calculation of Endpoint-Specific Hazard Indices - Crayfish Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Copper	0.08				0.08											
		Manganese	0.3					0.3										
		Mercury	0.06					0.06										
		Nickel	0.004							0.004								
		Silver	0.001			0.001												
		Zinc	0.01	0.01														
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	2		2						2							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.2											0.2				
		Total PCB TEQ	0.7											0.7				
		Pesticides																
		Endrin	0.002							0.002								
		Total DDE	0.002							0.002								
		Total Chlordane	0.002							0.002								
		Total Endosulfan	0.0001	0.0001				0.0001		0.0001								
	Exposure Point Total			0.05	3	0.01	0.08	0.4	0.004	0.01	2			0.8				
Body Without Shell	RM: 6, Station: CR06W	**Metals**																
		Aluminum	0.04					0.04										
		Arsenic, inorganic	0.03		0.03	0.03												
		Cadmium	0.002			0.002												
		Copper	0.1				0.1											
		Manganese	0.3					0.3										
		Mercury	0.1					0.1										
		Nickel	0.01							0.01								
		Zinc	0.02	0.02														
		Butyltins																
		Butyltin ion	0.004								0.004							
		Dibutyltin ion	0.3								0.3							
		Tributyltin ion	0.002								0.002							
		Polynuclear Aromatic Hydrocarbons																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthene	0.00002							0.00002								
		Acenaphthylene	0.000005							0.000005								
		Benzo(g,h,i)perylene	0.00005				0.00005											
		Fluoranthene	0.0001		0.0001		0.0001			0.0001								
		Fluorene	0.00001	0.00001														
		Naphthalene	0.00004							0.00004					0.00004			
		Phenanthrene	0.0001				0.0001											
		Pyrene	0.0001				0.0001											
		Semi-Volatile Organic Compounds																
		Dibenzofuran	0.0001		0.0001													
		Hexachlorobenzene	0.00002							0.00002								
		Phenols																
		Phenol	0.0001						0.0001									
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	0.5		0.5						0.5							

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-83.

Calculation of Endpoint-Specific Hazard Indices - Crayfish Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.1											0.1				
		Total PCB TEQ	0.08											0.08				
		Pesticides																
		Dieldrin	0.0001							0.0001								
		Total DDD	0.0004							0.0004								
		Total DDE	0.001							0.001								
		Total DDT	0.0001							0.0001								
		Total Chlordane	0.0001							0.0001								
	Exposure Point Total			0.04	0.6	0.003	0.1	0.4	0.01	0.002	0.8	0.0001		0.2	0.00004			
Body Without Shell	RM: 7, Station: 07R006	**Metals**																
		Aluminum	0.02					0.02										
		Antimony	0.004	0.004														
		Arsenic, inorganic	0.03	0.03	0.03													
		Cadmium	0.002			0.002												
		Copper	0.08				0.08											
		Manganese	0.2					0.2										
		Mercury	0.06					0.06										
		Nickel	0.01						0.01									
		Silver	0.002		0.002													
		Zinc	0.01	0.01														
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	0.3		0.3						0.3							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	5											5				
		Total PCB TEQ	0.2											0.2				
		Pesticides																
		Total DDD	0.01							0.01								
		Total DDE	0.03							0.03								
		Total DDT	0.01							0.01								
	Exposure Point Total			0.04	0.3	0.002	0.08	0.3	0.01	0.04	0.3			5				
Body Without Shell	RM: 9, Station: 09R002	**Metals**																
		Aluminum	0.02					0.02										
		Antimony	0.01	0.01														
		Arsenic, inorganic	0.03	0.03	0.03													
		Cadmium	0.003			0.003												
		Copper	0.09				0.09											
		Manganese	0.3					0.3										
		Mercury	0.08					0.08										
		Nickel	0.01						0.01									
		Silver	0.002		0.002													
		Zinc	0.02	0.02														
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	1		1						1							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.2											0.2				
		Total PCB TEQ	0.2											0.2				

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-83.

Calculation of Endpoint-Specific Hazard Indices - Crayfish Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Pesticides																
		Total DDE	0.002							0.002								
	Exposure Point Total			0.05	1	0.003	0.09	0.4	0.01	0.002	1			0.4				
Body Without Shell	RM: 11, Station: CR11E	**Metals**																
		Aluminum	0.01					0.01										
		Arsenic, inorganic	0.02	0.02	0.02													
		Cadmium	0.01			0.01												
		Copper	0.1				0.1											
		Manganese	0.07					0.07										
		Mercury	0.06					0.06										
		Nickel	0.003						0.003									
		Zinc	0.02	0.02														
		Butyltins																
		Butyltin ion	0.0002								0.0002							
		Dibutyltin ion	0.0003								0.0003							
		Polynuclear Aromatic Hydrocarbons																
		Acenaphthene	0.000001							0.000001								
		Fluorene	0.000001	0.000001														
		Naphthalene	0.00001						0.00001							0.00001		
		Phthalates																
		Butylbenzyl phthalate	0.0001							0.0001								
		Semi-Volatile Organic Compounds																
		Dibenzofuran	0.0001	0.0001														
		Hexachlorobenzene	0.00002							0.00002								
		Phenols																
		Phenol	0.00004						0.00004									
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	15		15						15							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	0.2											0.2				
		Total PCB TEQ	1											1				
		Pesticides																
		Dieldrin	0.00005							0.00005								
		Heptachlor epoxide	0.00001							0.00001								
		Total DDD	0.00002							0.00002								
		Total DDE	0.001							0.001								
		Total Chlordane	0.0002							0.0002								
	Exposure Point Total			0.04	15	0.01	0.1	0.1	0.003	0.001	15			1	0.00001			
Body Without Shell	Study Area-wide	**Metals**																
		Aluminum	0.03					0.03										
		Antimony	0.01	0.01														
		Arsenic, inorganic	0.03	0.03	0.03													
		Cadmium	0.01			0.01												
		Copper	0.1				0.1											
		Manganese	0.3					0.3										
		Mercury	0.08					0.08										
		Nickel	0.01						0.01									

LWG
Lower Willamette Group

TABLE 5-83.

Calculation of Endpoint-Specific Hazard Indices - Crayfish Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Selenium	0.02						0.02									
		Silver	0.002			0.002												
		Zinc	0.02	0.02														
		Butyltins																
		Butyltin ion	0.004								0.004							
		Dibutyltin ion	0.3								0.3							
		Tributyltin ion	0.002								0.002							
		Polynuclear Aromatic Hydrocarbons																
		2-Methylnaphthalene	0.0001									0.0001						
		Acenaphthene	0.00002							0.00002								
		Acenaphthylene	0.000005							0.000005								
		Benzo(g,h,i)perylene	0.00005			0.00005												
		Fluoranthene	0.001		0.001	0.001				0.001								
		Fluorene	0.00001	0.00001														
		Naphthalene	0.00004						0.00004						0.00004			
		Phenanthrene	0.001			0.001												
		Pyrene	0.001			0.001												
		Phthalates																
		Butylbenzyl phthalate	0.0001							0.0001								
		Semi-Volatile Organic Compounds																
		Dibenzofuran	0.0001		0.0001													
		Hexachlorobenzene	0.00002							0.00002								
		Hexachlorobutadiene	0.0000005			0.0000005												
		Phenols																
		4-Methylphenol	0.01					0.01	0.01									
		Pentachlorophenol	0.01			0.01				0.01								
		Phenol	0.0001						0.0001									
		Polychlorinated Biphenyls																
		Total PCBs, Adjusted	8		8						8							
		Dioxin/Furans																
		Total Dioxin/Furan TEQ	3											3				
		Total PCB TEQ	0.7											0.7				
		Pesticides																
		Aldrin	0.0003							0.0003								
		alpha-Hexachlorocyclohexane	0.0000001							0.0000001								
		Dieldrin	0.0002							0.0002								
		Endrin	0.0004							0.0004								
		Heptachlor epoxide	0.00003							0.00003								
		Total DDD	0.001							0.001								
		Total DDE	0.01							0.01								
		Total DDT	0.003							0.003								

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-83.

Calculation of Endpoint-Specific Hazard Indices - Crayfish Consumption, Reasonable Maximum Exposure

Scenario Timeframe: Current/Future
Receptor Population: Fisher
Population Age: Adult

Medium: Tissue
Exposure Medium: Crayfish Tissue (whole body, without shell)
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern	Noncancer Hazard Quotient[a]	Endpoint-Specific Hazard Indices														
				Blood	Skin	Kidney	Gastrointestinal	CNS	Whole Body	Liver	Immunological	Lungs	Decreased Hypersensitivity Response	Reproduction	Weight Change	Fetus	Lethargy	Endocrine
		Total Chlordane	0.001							0.001								
		Total Endosulfan	0.0001	0.0001				0.0001	0.0001									
	Exposure Point Total			0.05	8	0.01	0.1	0.4	0.04	0.02	8	0.0001		3	0.00004			

Notes:

a Numbers presented are rounded values. Sums calculated before rounding.

b Endpoint-specific hazard indices only calculated for those exposure areas where the cumulative hazard index is greater than 1.

Abbreviations:

DDD = Dichlorodiphenyldichloroethane.
DDE = Dichlorodiphenyldichloroethylene.
DDT = Dichlorodiphenyltrichloroethane.
HQ = Hazard Quotient.
PAHs = Polynuclear Aromatic Hydrocarbons.
PCB = Polychlorinated Biphenyls.
RM = River mile.
TEQ = Toxic Equivalents.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-84.
Calculation of Noncancer Hazards - Breastfeeding Infant of Adult Clam Consumer

Scenario Timeframe: Current/Future
Receptor Population: Infant
Population Age: Infant

Medium: Shellfish
Exposure Medium: Breastmilk
Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	IRAF	Consumption Rate: 18 g/day Adult (Mother) HQ	Breastfeeding Infant HQ	Consumption Rate: 3.3 g/day Adult (Mother) HQ	Breastfeeding Infant HQ
UD	RM 1 East	Total PCBs, Adjusted[c]	1.2E+05	pg/g	25	2	40	0.3	7
		Total Dioxin/Furan TEQ	5.1E-01	pg/g	2	0.1	0.3	0.02	0.05
		Total PCB TEQ	1.4E+00	pg/g	2	0.4	0.7	0.07	0.1
		Total DDX			2	0.01	0.03	0.003	0.01
	Exposure Point Total						40		7
UD	RM 2 East	Total PCBs, Adjusted	3.0E+05	pg/g	25	4	100	0.7	20
		Total Dioxin/Furan TEQ	5.9E-01	pg/g	2	0.2	0.3	0.03	0.1
		Total PCB TEQ	3.3E+00	pg/g	2	0.8	2	0.2	0.3
		Total DDX			2	0.01	0.03	0.003	0.01
	Exposure Point Total						100		20
UD	RM 2 West	Total PCBs, Adjusted	7.8E+04	pg/g	25	1	30	0.2	5
		Total Dioxin/Furan TEQ	5.6E-01	pg/g	2	0.1	0.3	0.03	0.1
		Total PCB TEQ	9.0E-01	pg/g	2	0.2	0.5	0.04	0.1
		Total DDX			2	0.02	0.03	0.003	0.01
	Exposure Point Total						30		5
UD	RM 3 East	Total PCBs, Adjusted	4.7E+05	pg/g	25	6	200	1	30
		Total Dioxin/Furan TEQ	8.4E-01	pg/g	2	0.2	0.4	0.04	0.1
		Total PCB TEQ	5.4E+00	pg/g	2	1.4	3	0.3	0.5
		Total DDX			2	0.01	0.03	0.003	0.01
	Exposure Point Total						200		30
UD	RM 3 West	Total PCBs, Adjusted	9.4E+04	pg/g	25	1	30	0.2	6
		Total Dioxin/Furan TEQ	8.6E-01	pg/g	2	0.2	0.4	0.04	0.1
		Total PCB TEQ	9.8E-01	pg/g	2	0.3	0.5	0.05	0.1
		Total DDX			2	0.02	0.04	0.004	0.01
	Exposure Point Total						30		6
UD	RM 4 East	Total PCBs, Adjusted	1.0E+05	pg/g	25	1	30	0.2	6
		Total Dioxin/Furan TEQ	3.3E+00	pg/g	2	0.9	2	0.2	0.3
		Total PCB TEQ	1.4E+00	pg/g	2	0.4	0.7	0.07	0.1
		Total DDX			2	0.01	0.02	0.002	0.004
	Exposure Point Total						30		6
UD	RM 4 West	Total PCBs, Adjusted	1.2E+05	pg/g	25	2	40	0.3	7
		Total Dioxin/Furan TEQ	9.5E-01	pg/g	2	0.2	0.5	0.04	0.1
		Total PCB TEQ	1.6E+00	pg/g	2	0.4	0.8	0.07	0.1
		Total DDX			2	0.02	0.04	0.003	0.01
	Exposure Point Total						40		7
UD	RM 5 East	Total PCBs, Adjusted	1.5E+05	pg/g	25	2	50	0.3	9
		Total Dioxin/Furan TEQ	6.1E-01	pg/g	2	0.2	0.3	0.03	0.1
		Total PCB TEQ	1.5E+00	pg/g	2	0.4	0.8	0.07	0.1
		Total DDX			2	0.01	0.03	0.003	0.01
	Exposure Point Total						50		9
UD	RM 5 West	Total PCBs, Adjusted	7.5E+04	pg/g	25	1	20	0.2	4
		Total Dioxin/Furan TEQ	1.5E+00	pg/g	2	0.4	0.8	0.07	0.1
		Total PCB TEQ	9.6E-01	pg/g	2	0.2	0.5	0.05	0.1
		Total DDX			2	0.02	0.05	0.005	0.01
	Exposure Point Total						20		5
UD	RM 6 East	Total PCBs, Adjusted	2.6E+06	pg/g	25	34	800	6	200
		Total Dioxin/Furan TEQ	7.0E-01	pg/g	2	0.2	0.4	0.03	0.1
		Total PCB TEQ	8.6E+00	pg/g	2	2	4	0.4	0.8
		Total DDX			2	0.009	0.02	0.002	0.003
	Exposure Point Total						800		200
UD	RM 6 West	Total PCBs, Adjusted	1.0E+05	pg/g	25	1	30	0.2	6
		Total Dioxin/Furan TEQ	4.0E+00	pg/g	2	1	2	0.2	0.4
		Total PCB TEQ	1.4E+00	pg/g	2	0.4	0.7	0.07	0.1
		Total DDX			2	0.2	0.3	0.03	0.1
	Exposure Point Total						30		7
UD	RM 7 East	Total PCBs, Adjusted	9.2E+04	pg/g	25	1	30	0.2	5
		Total Dioxin/Furan TEQ	1.0E+00	pg/g	2	0.3	0.5	0.05	0.1
		Total PCB TEQ	8.7E-01	pg/g	2	0.2	0.4	0.04	0.1
		Total DDX			2	0.01	0.01	0.001	0.003
	Exposure Point Total						30		6
UD	RM 7 West	Total PCBs, Adjusted	9.3E+04	pg/g	25	1	30	0.2	5
		Total Dioxin/Furan TEQ	5.6E+00	pg/g	2	1	3	0.3	0.5
		Total PCB TEQ	1.2E+00	pg/g	2	0.3	0.6	0.05	0.1
		Total DDX			2	0.2	0.4	0.03	0.1
	Exposure Point Total						30		6
UD	RM 8 East	Total PCBs, Adjusted	8.2E+04	pg/g	25	1	30	0.2	5
		Total Dioxin/Furan TEQ	4.3E-01	pg/g	2	0.1	0.2	0.02	0.04
		Total PCB TEQ	6.3E-01	pg/g	2	0.2	0.3	0.03	0.1
		Total DDX			2	0.01	0.01	0.001	0.002
	Exposure Point Total						30		5

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-84.
Calculation of Noncancer Hazards - Breastfeeding Infant of Adult Clam Consumer

Scenario Timeframe: Current/Future   Medium: Shellfish
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	IRAF	Consumption Rate: 18 g/day Adult (Mother) HQ	Consumption Rate: 18 g/day Breastfeeding Infant HQ	Consumption Rate: 3.3 g/day Adult (Mother) HQ	Consumption Rate: 3.3 g/day Breastfeeding Infant HQ
UD	RM 8 West	Total PCBs, Adjusted	4.0E+05	pg/g	25	5	100	0.9	20
		Total Dioxin/Furan TEQ	1.4E+00	pg/g	2	0.4	0.7	0.07	0.1
		Total PCB TEQ	3.6E+00	pg/g	2	0.9	2	0.2	0.3
		Total DDX			2	0.05	0.1	0.01	0.02
	Exposure Point Total						100		20
UD	RM 8 SIL	Total PCBs, Adjusted	3.7E+05	pg/g	25	4.8	100	0.9	20
		Total Dioxin/Furan TEQ	1.3E+00	pg/g	2	0.3	0.7	0.06	0.1
		Total PCB TEQ	3.4E+00	pg/g	2	0.9	2	0.2	0.3
		Total DDX			2	0.01	0.02	0.002	0.005
	Exposure Point Total						100		20
UD	RM 9 East	Total PCBs, Adjusted	5.7E+04	pg/g	25	0.7	20	0.1	3
		Total Dioxin/Furan TEQ	5.4E-01	pg/g	2	0.1	0.3	0.03	0.1
		Total PCB TEQ	7.8E-01	pg/g	2	0.2	0.4	0.04	0.1
		Total DDX			2	0.01	0.01	0.001	0.002
	Exposure Point Total						20		3
UD	RM 9 West	Total PCBs, Adjusted	4.5E+05	pg/g	25	6	100	1	30
		Total Dioxin/Furan TEQ	2.7E+00	pg/g	2	0.7	1	0.1	0.3
		Total PCB TEQ	3.9E+00	pg/g	2	1	2	0.2	0.4
		Total DDX			2	0.01	0.02	0.002	0.004
	Exposure Point Total						100		30
UD	RM 10 West	Total PCBs, Adjusted	7.8E+04	pg/g	25	1	30	0.2	5
		Total Dioxin/Furan TEQ	3.9E-01	pg/g	2	0.1	0.2	0.02	0.04
		Total PCB TEQ	6.9E-01	pg/g	2	0.2	0.4	0.03	0.1
		Total DDX			2	0.004	0.01	0.001	0.001
	Exposure Point Total						30		5
UD	RM 11 East	Total PCBs, Adjusted	8.4E+05	pg/g	25	11	300	2	50
		Total Dioxin/Furan TEQ	5.3E-01	pg/g	2	0.1	0.3	0.02	0.05
		Total PCB TEQ	1.7E+00	pg/g	2	0.4	0.9	0.08	0.2
		Total DDX			2	0.004	0.01	0.001	0.001
	Exposure Point Total						300		50
UD	RM 11 West	Total PCBs, Adjusted	3.6E+04	pg/g	25	0.5	10	0.08	2
		Total Dioxin/Furan TEQ	5.8E-01	pg/g	2	0.1	0.3	0.03	0.1
		Total PCB TEQ	4.9E-01	pg/g	2	0.1	0.3	0.02	0.05
		Total DDX			2	0.004	0.01	0.001	0.002
	Exposure Point Total						10		2
UD	RM 12 East	Total PCBs, Adjusted	1.4E+05	pg/g	25	2	40	0.3	8
		Total Dioxin/Furan TEQ	6.8E-01	pg/g	2	0.2	0.3	0.03	0.1
		Total PCB TEQ	9.2E-01	pg/g	2	0.2	0.5	0.04	0.1
		Total DDX			2	0.005	0.01	0.001	0.002
	Exposure Point Total						40		8
UD	Study Area-wide	Total PCBs, Adjusted	5.4E+05	pg/g	25	7	200	1	30
		Total Dioxin/Furan TEQ	1.9E+00	pg/g	2	0.5	1	0.09	0.2
		Total PCB TEQ	2.9E+00	pg/g	2	0.7	1	0.1	0.3
		Total DDX			2	0.06	0.1	0.01	0.02
	Exposure Point Total						200		30
D	RM 1 East	Total PCBs, Adjusted	1.0E+05	pg/g	25	1	30	0.2	6
		Total Dioxin/Furan TEQ	2.9E-01	pg/g	2	0.07	0.1	0.01	0.03
		Total PCB TEQ	1.2E+00	pg/g	2	0.3	0.6	0.06	0.1
		Total DDX			2	0.01	0.02	0.002	0.004
	Exposure Point Total						30		6
D	RM 2 West	Total PCBs, Adjusted	7.7E+04	pg/g	25	1	20	0.2	5
		Total Dioxin/Furan TEQ	3.7E-01	pg/g	2	0.1	0.2	0.02	0.04
		Total PCB TEQ	8.6E-01	pg/g	2	0.2	0.4	0.04	0.1
		Total DDX			2	0.01	0.03	0.003	0.01
	Exposure Point Total						20		5
D	RM 10 West	Total PCBs, Adjusted	1.4E+05	pg/g	25	2	50	0.3	8
		Total Dioxin/Furan TEQ	3.1E-01	pg/g	2	0.08	0.2	0.01	0.03
		Total PCB TEQ	7.1E-01	pg/g	2	0.2	0.4	0.03	0.1
		Total DDX			2	0.01	0.01	0.001	0.002
	Exposure Point Total						50		8
D	RM 11 East	Total PCBs, Adjusted	4.7E+05	pg/g	25	6	200	1	30
		Total Dioxin/Furan TEQ	2.0E-01	pg/g	2	0.05	0.1	0.01	0.02
		Total PCB TEQ	6.5E-01	pg/g	2	0.2	0.3	0.03	0.1
		Total DDX			2	0.003	0.01	0.001	0.001
	Exposure Point Total						200		30
D	RM 12 East	Total PCBs, Adjusted	8.3E+04	pg/g	25	1	30	0.2	5
		Total Dioxin/Furan TEQ	2.6E-01	pg/g	2	0.07	0.1	0.01	0.02
		Total PCB TEQ	5.2E-01	pg/g	2	0.1	0.3	0.02	0.05
		Total DDX			2	0.004	0.01	0.001	0.001
	Exposure Point Total						30		5

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-84.

Calculation of Noncancer Hazards - Breastfeeding Infant of Adult Clam Consumer

Scenario Timeframe: Current/Future   Medium: Shellfish
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	IRAF	Consumption Rate: 18 g/day Adult (Mother) HQ	Consumption Rate: 18 g/day Breastfeeding Infant HQ	Consumption Rate: 3.3 g/day Adult (Mother) HQ	Consumption Rate: 3.3 g/day Breastfeeding Infant HQ
D	Study Area-wide	Total PCBs, Adjusted	4.7E+05	pg/g	25	6	200	1	30
		Total Dioxin/Furan TEQ	3.7E-01	pg/g	2	0.1	0.2	0.02	0.04
		Total PCB TEQ	8.6E-01	pg/g	2	0.2	0.4	0.04	0.1
		Total DDX			2	0.01	0.03	0.003	0.01
	Exposure Point Total						200		30

Noncancer Hazard Quotient Calculations[b]

Notes:

a Chemicals listed are anaytes detected in clam tissue at least once within the study area (RM 1.9-11.8).

b Numbers presented are rounded values. Sums calculated before rounding.

c Total PCBs, Adjusted equal Total PCB Congeners minus Total dioxin-like PCBs.

Abbreviations:

-- = Not applicable.
CDI = Chronic Daily Intake.
D = Depurated clam.
DDD = Dichlorodiphenyldichloroethane.
DDE = Dichlorodiphenyldichloroethylene.
DDT = Dichlorodiphenyltrichloroethane.
EPC = Exposure Point Concentration.
g/day = grams per day.
LADI = Lifetime Average Daily Intake.
mg/kg = milligrams per kilogram.
PCB = Polychlorinated Biphenyls.
pg/g = picograms per gram.
RfD = Reference Dose.
RM = River mile.
TEQ = Toxic Equivalents.
UD = Undepurated clam.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-85.

Calculation of Noncancer Hazards - Breastfeeding Infant of Adult Crayfish Consumer

Scenario Timeframe: Current/Future Medium: Shellfish
Receptor Population: Infant Exposure Medium: Breastmilk
Population Age: Infant Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	IRAF	Consumption Rate: 18 g/day Adult (Mother) HQ	Consumption Rate: 18 g/day Breastfeeding Infant HQ	Consumption Rate: 3.3 g/day Adult (Mother) HQ	Consumption Rate: 3.3 g/day Breastfeeding Infant HQ
Body without Shell	RM 1, Station: CR01EA	Total PCBs, Adjusted[c]	6.2E+03	pg/g	25	0.08	2	0.01	0.4
		Total Dioxin/Furan TEQ	2.5E-01	pg/g	2	0.06	0.1	0.01	0.02
		Total PCB TEQ	3.1E-01	pg/g	2	0.08	0.2	0.01	0.03
		Total DDX			2	0.002	0.003	0.0003	0.001
	Exposure Point Total						2		0.4
Body without Shell	RM 1, Station: CR01W	Total PCBs, Adjusted	6.1E+03	pg/g	25	0.08	2	0.01	0.4
		Total Dioxin/Furan TEQ	3.3E-01	pg/g	2	0.08	0.2	0.02	0.03
		Total PCB TEQ	1.8E-01	pg/g	2	0.05	0.09	0.01	0.02
		Total DDX			2	0.001	0.003	0.0002	0.0005
	Exposure Point Total						2		0.4
Body without Shell	RM 2, Station: 02R001	Total PCBs, Adjusted	4.6E+04	pg/g	25	0.6	10	0.1	3
		Total Dioxin/Furan TEQ	4.2E-01	pg/g	2	0.1	0.2	0.02	0.04
		Total PCB TEQ	3.1E+00	pg/g	2	0.8	2	0.1	0.3
		Total DDX			2	0.01	0.01	0.001	0.002
	Exposure Point Total						10		3
Body without Shell	RM 2, Station: 02R015	Total Aroclors	2.8E+01	ug/kg	25	0.4	9	0.07	2
		Total DDX			2	0.01	0.02	0.001	0.003
	Exposure Point Total						9		2
Body without Shell	RM: 3, Station: 03R001	Total DDX			2	0.004	0.008	0.001	0.002
	Exposure Point Total						0.008		0.002
Body without Shell	RM: 3, Station: 03R002	Total DDX			2	0.004	0.01	0.0007	0.001
	Exposure Point Total						0.01		0.001
Body without Shell	RM: 3, Station: 03R003	Total PCBs, Adjusted	7.0E+04	pg/g	25	0.9	20	0.2	4
		Total Dioxin/Furan TEQ	6.1E-01	pg/g	2	0.2	0.3	0.03	0.06
		Total PCB TEQ	1.2E+00	pg/g	2	0.3	0.6	0.06	0.1
		Total DDX			2	0.01	0.01	0.001	0.002
	Exposure Point Total						20		4
Body without Shell	RM: 3, Station: 03R004	Total PCBs, Adjusted	2.7E+04	pg/g	25	0.3	9	0.06	2
		Total Dioxin/Furan TEQ	6.1E-01	pg/g	2	0.2	0.3	0.03	0.06
		Total PCB TEQ	1.1E+00	pg/g	2	0.3	0.6	0.05	0.1
		Total DDX			2	0.005	0.01	0.001	0.002
	Exposure Point Total						9		2
Body without Shell	RM: 3, Station: 03R005	Total PCBs, Adjusted	1.9E+05	pg/g	25	2	60	0.5	10
		Total Dioxin/Furan TEQ	5.9E-01	pg/g	2	0.2	0.3	0.03	0.06
		Total PCB TEQ	2.7E+00	pg/g	2	0.7	1.4	0.1	0.3
		Total DDX			2	0.002	0.004	0.0004	0.001
	Exposure Point Total						60		10
Body without Shell	RM: 3, Station: 03R032	Total DDX			2	0.004	0.01	0.0007	0.001
	Exposure Point Total						0.01		0.001
Body without Shell	RM: 4, Station: 04R002	Total DDX			2	0.004	0.01	0.0007	0.001
	Exposure Point Total						0.01		0.001
Body without Shell	RM: 4, Station: 04R003	Total DDX			2	0.01	0.02	0.002	0.004
	Exposure Point Total						0.02		0.004
Body without Shell	RM: 4, Station: 04R004	Total DDX			2	0.01	0.01	0.001	0.002
	Exposure Point Total						0.01		0.002
Body without Shell	RM: 5, Station: 05R001	Total DDX			2	0.004	0.01	0.0007	0.001
	Exposure Point Total						0.01		0.001
Body without Shell	RM: 5, Station: 05R003	Total Aroclors	2.7E+01	ug/kg	25	0.3	9	0.06	2
		Total DDX			2	0.004	0.008	0.001	0.002
	Exposure Point Total						9		2
Body without Shell	RM: 5, Station: CR05W	Total PCBs, Adjusted	7.4E+03	pg/g	25	0.1	2	0.02	0.4
		Total Dioxin/Furan TEQ	2.1E-01	pg/g	2	0.05	0.1	0.01	0.02
		Total PCB TEQ	3.3E-01	pg/g	2	0.08	0.2	0.02	0.03
		Total DDX			2	0.001	0.002	0.0002	0.0004
	Exposure Point Total						3		0.5
Body without Shell	RM: 6, Station: 06R001	Total DDX			2	0.004	0.01	0.001	0.001
	Exposure Point Total						0.01		0.001
Body without Shell	RM: 6, Station: 06R004	Total PCBs, Adjusted	1.5E+04	pg/g	25	0.2	5	0.04	0.9
		Total Dioxin/Furan TEQ	1.4E+00	pg/g	2	0.4	0.7	0.07	0.1
		Total PCB TEQ	3.5E-01	pg/g	2	0.09	0.2	0.02	0.03
		Total DDX			2	0.01	0.02	0.002	0.004
	Exposure Point Total						6		1
Body without Shell	RM: 6, Station: CR06W	Total PCBs, Adjusted	4.2E+04	pg/g	25	0.5	10	0.1	3
		Total Dioxin/Furan TEQ	5.5E-01	pg/g	2	0.1	0.3	0.03	0.05
		Total PCB TEQ	3.2E-01	pg/g	2	0.08	0.2	0.01	0.03
		Total DDX			2	0.002	0.003	0.0003	0.001
	Exposure Point Total						10		3
Body without Shell	RM: 7, Station: 07R003	Total Aroclors	3.9E+01	ug/kg	25	0.5	10	0.09	2
		Total DDX			2	0.02	0.04	0.004	0.01
	Exposure Point Total						10		2
Body without Shell	RM: 7, Station: 07R004	Total DDX			2	0.005	0.01	0.001	0.002
	Exposure Point Total						0.01		0.002

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-85.
Calculation of Noncancer Hazards - Breastfeeding Infant of Adult Crayfish Consumer

Scenario Timeframe: Current/Future   Medium: Shellfish
Receptor Population: Infant   Exposure Medium: Breastmilk
Population Age: Infant   Exposure Route: Ingestion

Tissue Type	Exposure Point	Chemical of Potential Concern[a]	EPC Value	Units	IRAF	Noncancer Hazard Calculations[b]			
						Consumption Rate: 18 g/day		Consumption Rate: 3.3 g/day	
						Adult (Mother) HQ	Breastfeeding Infant HQ	Adult (Mother) HQ	Breastfeeding Infant HQ
Body without Shell	RM: 7, Station: 07R006	Total PCBs, Adjusted	2.5E+04	pg/g	25	0.3	8	0.06	1
		Total Dioxin/Furan TEQ	1.8E+01	pg/g	2	5	9	0.9	2
		Total PCB TEQ	7.5E-01	pg/g	2	0.2	0.4	0.04	0.07
		Total DDX			2	0.04	0.09	0.01	0.02
	Exposure Point Total						20		3
Body without Shell	RM: 8, Station: 08R001	Total Aroclors	5.9E+01	ug/kg	25	0.8	20	0.1	3
		Total DDX			2	0.01	0.02	0.001	0.003
	Exposure Point Total						20		3
Body without Shell	RM: 8, Station: 08R002	Total Aroclors	1.6E+01	ug/kg	25	0.2	5	0.04	1
		Total DDX			2	0.004	0.01	0.001	0.001
	Exposure Point Total						5		1
Body without Shell	RM: 8, Station: 08R003	Total PCBs, Adjusted	3.6E+04	pg/g	25	0.5	10	0.08	2
		Total Dioxin/Furan TEQ	9.6E-01	pg/g	2	0.2	0.5	0.05	0.09
		Total PCB TEQ	6.9E-01	pg/g	2	0.2	0.4	0.03	0.06
		Total DDX			2	0.002	0.004	0.0004	0.0007
	Exposure Point Total						10		2
Body without Shell	RM: 8, Station: CR08W	Total PCBs, Adjusted	2.7E+04	pg/g	25	0.3	9	0.06	2
		Total Dioxin/Furan TEQ	4.9E-01	pg/g	2	0.1	0.3	0.02	0.05
		Total PCB TEQ	4.6E-01	pg/g	2	0.1	0.2	0.02	0.04
		Total DDX			2	0.002	0.005	0.0004	0.001
	Exposure Point Total						9		2
Body without Shell	RM: 9, Station: 09R001	Total Aroclors	4.9E+01	ug/kg	25	0.6	20	0.1	3
		Total DDX			2	0.001	0.002	0.0002	0.0005
	Exposure Point Total						20		3
Body without Shell	RM: 9, Station: 09R002	Total PCBs, Adjusted	7.9E+04	pg/g	25	1	30	0.2	5
		Total Dioxin/Furan TEQ	7.5E-01	pg/g	2	0.2	0.4	0.04	0.07
		Total PCB TEQ	9.1E-01	pg/g	2	0.2	0.5	0.04	0.09
		Total DDX			2	0.002	0.003	0.0003	0.0006
	Exposure Point Total						30		5
Body without Shell	RM: 10, Station: CR10W	Total PCBs, Adjusted	4.2E+04	pg/g	25	0.5	10	0.10	2
		Total Dioxin/Furan TEQ	2.3E-01	pg/g	2	0.06	0.1	0.01	0.02
		Total PCB TEQ	7.1E-01	pg/g	2	0.2	0.4	0.03	0.07
		Total DDX			2	0.001	0.001	0.0001	0.0002
	Exposure Point Total						10		3
Body without Shell	RM: 11, Station: CR11E	Total PCBs, Adjusted	1.1E+06	pg/g	25	15	400	3	70
		Total Dioxin/Furan TEQ	6.1E-01	pg/g	2	0.2	0.3	0.03	0.06
		Total PCB TEQ	5.1E+00	pg/g	2	1	3	0.2	0.5
		Total DDX			2	0.001	0.002	0.0002	0.0004
	Exposure Point Total						400		70
Body without Shell	RM: 12, Station: CR12W	Total PCBs, Adjusted	6.5E+03	pg/g	25	0.08	2	0.02	0.4
		Total Dioxin/Furan TEQ	2.9E-01	pg/g	2	0.07	0.1	0.01	0.03
		Total PCB TEQ	2.0E-01	pg/g	2	0.05	0.1	0.01	0.02
		Total DDX			2	0.001	0.002	0.0002	0.0003
	Exposure Point Total						2		0.4
Body without Shell	RM: 12, Station: CR12E	Total PCBs, Adjusted	1.8E+04	pg/g	25	0.2	6	0.04	1
		Total Dioxin/Furan TEQ	4.9E-01	pg/g	2	0.1	0.2	0.02	0.05
		Total PCB TEQ	5.1E-01	pg/g	2	0.1	0.3	0.02	0.05
		Total DDX			2	0.001	0.003	0.0002	0.0005
	Exposure Point Total						6		1
Body without Shell	Study Area-wide	Total PCBs, Adjusted	6.2E+05	pg/g	25	8	200	1	40
		Total Dioxin/Furan TEQ	9.8E+00	pg/g	2	3	5	0.5	0.9
		Total PCB TEQ	2.9E+00	pg/g	2	0.7	1	0.1	0.3
		Total DDX			2	0.01	0.02	0.002	0.004
	Exposure Point Total						200		40

Notes:

a   Chemicals listed are anaytes detected in clam tissue at least once within the study area (RM 1.9-11.8).

b   Numbers presented are rounded values. Sums calculated before rounding.

c   Total PCBs, Adjusted equal Total PCB Congeners minus Total dioxin-like PCBs. Cumulative hazard sums calculated using PCB congener data when available. When congener data not available, PCB Aroclor data were used in sums.

Abbreviations:

-- = Not applicable.
CDI = Chronic Daily Intake.
D = Depurated clam.
DDD = Dichlorodiphenyldichloroethane.
DDE = Dichlorodiphenyldichloroethylene.
DDT = Dichlorodiphenyltrichloroethane.
EPC = Exposure Point Concentration.
g/day = grams per day.
LADI = Lifetime Average Daily Intake.
mg/kg = milligrams per kilogram.
PCB = Polychlorinated Biphenyls.
pg/g = picograms per gram.
RfD = Reference Dose.
RM = River mile.
TEQ = Toxic Equivalents.
UD = Undepurated clam.
ug/kg = micrograms per kilogram.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

TABLE 5-86. Summary of Risks From Consumption of Shellfish[a]

Species, Tissue Type	Receptor: Consumption Rate/ Exposure Area	Adult Fisher Cancer Risk (Hazard Index)		Breastfeeding Infant of Fisher Hazard Index	
		18 g/day	3.3 g/day	18 g/day	3.3 g/day
Clam, undepurated	RM 1 East	8E-05 (2)	1E-05 (--)	40	7
	RM 2 East	2E-04 (5)	3E-05 (--)	100	20
	RM 2 West	8E-05 (2)	1E-05 (--)	30	5
	RM 3 East	2E-04 (8)	4E-05 (--)	200	30
	RM 3 West	7E-05 (2)	1E-05 (--)	30	6
	RM 4 East	1E-04 (3)	2E-05 (--)	30	6
	RM 4 West	1E-04 (3)	2E-05 (--)	40	7
	RM 5 East	9E-05 (3)	2E-05 (--)	50	9
	RM 5 West	6E-04 (2)	1E-04 (--)	20	5
	RM 6 East	7E-04 (30)	1E-04 (7)	800	200
	RM 6 West	7E-04 (3)	1E-04 (--)	30	7
	RM 7 East	7E-05 (2)	1E-05 (--)	30	6
	RM 7 West	2E-04 (3)	3E-05 (--)	30	6
	RM 8 East	5E-05 (3)	9E-06 (--)	30	5
	RM 8 West	2E-04 (7)	4E-05 (--)	100	20
	RM 8 SIL	2E-04 (6)	3E-05 (--)	100	20
	RM 9 East	5E-05 (--)	1E-05 (--)	20	3
	RM 9 West	2E-04 (8)	4E-05 (--)	100	30
	RM 10 West	4E-05 (2)	8E-06 (--)	30	5
	RM 11 East	2E-04 (10)	4E-05 (2)	300	50
	RM 11 West	4E-05 (--)	6E-06 (--)	10	2
	RM 12 East	7E-05 (2)	1E-05 (--)	40	8
	Study Area-wide	4E-04 (9)	7E-05 (2)	200	30
Clam, depurated	RM 1 East	6E-05 (2)	1E-05 (--)	30	6
	RM 2 West	6E-05 (2)	1E-05 (--)	20	5
	RM 10 West	6E-05 (2)	1E-05 (--)	50	8
	RM 11 East	1E-04 (7)	2E-05 (1)	200	30
	RM 12 East	4E-05 (2)	8E-06 (--)	30	5
	Study Area-wide	1E-04 (7)	3E-05 (1)	200	30
Crayfish, whole body	RM 1, Station: CR01EA	2E-05 (--)	3E-06 (--)	2	--
	RM 1, Station: CR01W	2E-05 (--)	3E-06 (--)	2	--
	RM 2, Station: 02R001	7E-05 (3)	1E-05 (--)	10	3
	RM 2, Station: 02R015	1E-05 (--)	2E-06 (--)	9	2
	RM: 3, Station: 03R001	6E-06 (--)	-- (--)	--	--
	RM: 3, Station: 03R002	7E-06 (--)	-- (--)	--	--
	RM: 3, Station: 03R003	5E-05 (2)	9E-06 (--)	20	4
	RM: 3, Station: 03R004	4E-05 (--)	7E-06 (--)	9	2
	RM: 3, Station: 03R005	9E-05 (4)	2E-05 (--)	60	10
	RM: 3, Station: 03R032	8E-06 (--)	-- (--)	--	--
	RM: 4, Station: 04R002	7E-06 (--)	-- (--)	--	--
	RM: 4, Station: 04R003	7E-06 (--)	-- (--)	--	--
	RM: 4, Station: 04R004	7E-06 (--)	-- (--)	--	--
	RM: 5, Station: 05R001	6E-06 (--)	-- (--)	--	--
	RM: 5, Station: 05R003	1E-05 (--)	2E-06 (--)	9	2
	RM: 5, Station: CR05W	1E-05 (--)	3E-06 (--)	3	--
	RM: 6, Station: 06R001	6E-06 (--)	-- (--)	--	--
	RM: 6, Station: 06R004	4E-05 (--)	8E-06 (--)	6	--
	RM: 6, Station: CR06W	4E-05 (2)	7E-06 (--)	10	3
	RM: 7, Station: 07R003	1E-05 (--)	3E-06 (--)	10	2
	RM: 7, Station: 07R004	9E-06 (--)	2E-06 (--)	--	--
	RM: 7, Station: 07R006	3E-04 (6)	5E-05 (--)	20	3
	RM: 8, Station: 08R001	2E-05 (--)	4E-06 (--)	20	3
	RM: 8, Station: 08R002	8E-06 (--)	2E-06 (--)	5	--
	RM: 8, Station: 08R003	4E-05 (--)	8E-06 (--)	10	2
	RM: 8, Station: CR08W	2E-05 (--)	4E-06 (--)	9	2
	RM: 9, Station: 09R001	2E-05 (--)	3E-06 (--)	20	3
	RM: 9, Station: 09R002	5E-05 (2)	9E-06 (--)	30	5
	RM: 10, Station: CR10W	3E-05 (--)	5E-06 (--)	10	3
	RM: 11, Station: CR11E	3E-04 (10)	6E-05 (3)	400	70
	RM: 12, Station: CR12W	1E-05 (--)	2E-06 (--)	2	--
	RM: 12, Station: CR12E	2E-05 (--)	4E-06 (--)	6	--
	Study Area-wide	3E-04 (10)	6E-05 (2)	200	40

Notes:

a Table presents cumulative risk (and cumulative hazard indices) per exposure area. Results are presented per receptor and consumption rate.

Abbreviations:

-- Exposure area does not result in risk greater than 1 x 10^{-6} or hazard index greater than 1.

g/day grams per day

RM river mile

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-87 Risk Characterization Summary, Cancer Risks and Noncancer Hazards - Dockside Worker, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future Receptor Population: Dockside Worker Receptor Age: Adult							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact					
		RM 1.5 East (B002)				**Total Risk =**	7E-07
		RM 2 East (B004)	Arsenic	4E-07	RNA	6E-08	5E-07
			cPAHs	1E-07	RNA	5E-08	2E-07
			Total PCBs	4E-07	RNA	2E-07	6E-07
			Total PCB TEQ	6E-07	RNA	3E-07	9E-07
						Total Risk =	2E-06
		RM 2.5 East (B006)				**Total Risk =**	6E-07
		RM 5 East (05B019)				**Total Risk =**	7E-07
		RM 6 West (06B025)	Arsenic	5E-07	RNA	5E-08	6E-07
			cPAHs	6E-05	RNA	3E-05	9E-05
			Total PCBs	1E-08	RNA	6E-09	2E-08
			Total PCB TEQ	1E-08	RNA	6E-09	2E-08
						Total Risk =	9E-05
		RM 6.5 West (06B029)	Arsenic	4E-07	RNA	4E-08	4E-07
			cPAHs	5E-07	RNA	2E-07	7E-07
			Total PCBs	ND	RNA	ND	ND
			Total PCB TEQ	NA	RNA	NA	NA
						Total Risk =	1E-06
		RM 7.5 West (07B022)				**Total Risk =**	5E-07
		SIL (08B032)				**Total Risk =**	6E-07

Key

--	Toxicity criteria are not available to quantitatively address this route of exposure.
NA	Not Analyzed
ND	Not Detected
SIL	Swan Islan Lagoon
RNA	Route of exposure is not applicable to this medium.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-87 Risk Characterization Summary, Cancer Risks and Noncancer Hazards - Dockside Worker, Reasonable Maximum Exposure								
Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe: Current/Future Receptor Population: Dockside Worker Receptor Age: Adult								
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact						
		RM 1.5 East (B002)			**Receptor Hazard Index =**			< 1
		RM 2 East (B004)			**Receptor Hazard Index =**			< 1
		RM 2.5 East (B006)			**Receptor Hazard Index =**			< 1
		RM 5 East (05B019)			**Receptor Hazard Index =**			< 1
		RM 6 West (06B025)			**Receptor Hazard Index =**			< 1
		RM 6.5 West (06B029)			**Receptor Hazard Index =**			< 1
		RM 7.5 West (07B022)			**Receptor Hazard Index =**			< 1
		SIL (08B032)			**Receptor Hazard Index =**			< 1

Key

--	Toxicity criteria are not available to quantitatively address this route of exposure.
NA	Not Analyzed
ND	Not Detected
SIL	Swan Islan Lagoon
RNA	Route of exposure is not applicable to this medium.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-88 Risk Characterization Summary, Cancer Risks and Noncancer Hazards - Transients, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Transient						
Receptor Age:	Adult						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion	Inhalation	Dermal	Exposure Routes Total
Water	Surface Water	Surface Water On-site Direct Contact RM 2 Transect (W025)				**Total Risk =**	7E-07
Water	Surface Water	Surface Water On-site Direct Contact MC Transect (W027)				**Total Risk =**	6E-07
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 3 East (03B030)				Sediment Total Risk =	3E-07
Water	Surface Water	Surface Water On-site Direct Contact RM 3.9 Transect (W005)				Surface Water Total Risk =	6E-07
						Total Risk =	9E-07
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 3 West (03B031)				Sediment Total Risk =	6E-07
Water	Surface Water	Surface Water On-site Direct Contact RM 3.9 Transect (W005)				Surface Water Total Risk =	6E-07
						Total Risk =	1E-06
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 6.5 East (06B022)				Sediment Total Risk =	4E-07
Water	Surface Water	Surface Water On-site Direct Contact RM 6.5 East (W014)				Surface Water Total Risk =	6E-07
						Total Risk =	1E-06
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact SIL (07B023)				**Total Risk =**	1E-07
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 7 West (07B024)				Sediment Total Risk =	3E-07
Water	Surface Water	Surface Water On-site Direct Contact RM 6.3 Transect (W011)				Surface Water Total Risk =	6E-07
Water	Ground Water	Surface Water Seep On-site Direct Contact RM 6.8 West (OF22B)				Ground Water Total Risk =	3E-09
						Total Risk =	9E-07
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 9 East (09B026)				**Total Risk =**	4E-07
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 9.5 East (09B027)				**Total Risk =**	2E-07
Water	Surface Water	Surface Water On-site Direct Contact RM 11 Transect (W023)				**Total Risk =**	6E-07

Key

SIL	Swan Island Lagoon
RM	River Mile
MC	Multnomah Channel

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-88 Risk Characterization Summary, Cancer Risks and Noncancer Hazards - Transients, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Transient
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Water	Surface Water	Surface Water On-site Direct Contact RM 2 Transect (W025)						
						Receptor Hazard Index =		< 1
Water	Surface Water	Surface Water On-site Direct Contact MC Transect (W027)						
						Receptor Hazard Index =		< 1
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 3 East (03B030)						
						Sediment Hazard Index Total =		< 1
Water	Surface Water	Surface Water On-site Direct Contact RM 3.9 Transect (W005)						
						Surface Water Hazard Index Total =		< 1
						Receptor Hazard Index =		< 1
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 3 West (03B031)						
						Sediment Hazard Index Total =		< 1
Water	Surface Water	Surface Water On-site Direct Contact RM 3.9 Transect (W005)						
						Surface Water Hazard Index Total =		< 1
						Receptor Hazard Index =		< 1
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 6.5 East (06B022)						
						Sediment Hazard Index Total =		< 1
Water	Surface Water	Surface Water On-site Direct Contact RM 6.5 East (W014)						
						Surface Water Hazard Index Total =		< 1
						Receptor Hazard Index =		< 1
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact SIL (07B023)						
						Receptor Hazard Index =		< 1
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 7 West (07B024)						
						Sediment Hazard Index Total =		< 1
Water	Surface Water	Surface Water On-site Direct Contact RM 6.3 Transect (W011)						
						Surface Water Hazard Index Total =		< 1
Water	Ground Water	Surface Water Seep On-site Direct Contact RM 6.8 West (OF22B)						
						Ground Water Hazard Index Total =		< 1
						Receptor Hazard Index =		< 1
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 9 East (09B026)						
						Receptor Hazard Index =		< 1
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 9.5 East (09B027)						
						Receptor Hazard Index =		< 1
Water	Surface Water	Surface Water On-site Direct Contact RM 11 Transect (W023)						
						Receptor Hazard Index =		< 1

Key
SIL   Swan Island Lagoon
RM   River Mile
MC   Multnomah Channel

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-89 Risk Characterization Summary, Cancer Risks - Recreational Beach User, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Recreational Beach User						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 2 West (B001)					
			Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	3E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-06
						Total Risk =	5E-06
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 2.5 West (B003)					
			Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	3E-06
			cPAHs	NC[1]	RNA	NC[1]	4E-05
						Total Risk =	4E-05
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 2.5 West (B005)					
			Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	4E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-05
						Total Risk =	2E-05
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 3 West (03B031)					
			Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	4E-06
			cPAHs	NC[1]	RNA	NC[1]	6E-06
						Total Risk =	1E-05
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 3.5 West (03B033)					
			Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	5E-06
			cPAHs	NC[1]	RNA	NC[1]	6E-07
						Total Risk =	6E-06
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 4 West (04B024)					
			Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	6E-06
			cPAHs	NC[1]	RNA	NC[1]	4E-05
						Total Risk =	5E-05
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 4.5 West (04B023)					
			Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	4E-06
			cPAHs	NC[1]	RNA	NC[1]	6E-06
						Total Risk =	1E-05
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 5 East (05B018)					
			Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	3E-06
			cPAHs	NC[1]	RNA	NC[1]	4E-05
					Sediment Total Risk =		4E-05

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-89 Risk Characterization Summary, Cancer Risks - Recreational Beach User, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Recreational Beach User						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion	Inhalation	Dermal	Exposure Routes Total
Water	Surface Water	Surface Water On-site Direct Contact RM 5.5 East (W010)					
						Surface Water Total Risk =	7E-08
						Total Risk =	4E-05
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 6 East (06B030)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-05
			cPAHs	NC[1]	RNA	NC[1]	8E-06
						Sediment Total Risk =	2E-05
Water	Surface Water	Surface Water On-site Direct Contact RM 5.5 East (W014)					
						Surface Water Total Risk =	6E-08
						Total Risk =	2E-05
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 6 East (06B026)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	2E-06
			cPAHs	NC[1]	RNA	NC[1]	8E-07
						Sediment Total Risk =	3E-06
Water	Surface Water	Surface Water On-site Direct Contact RM 5.5 East (W014)					
						Surface Water Total Risk =	6E-08
						Total Risk =	3E-06
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 6.5 East (06B022)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	4E-06
			cPAHs	NC[1]	RNA	NC[1]	5E-07
						Sediment Total Risk =	5E-06
Water	Surface Water	Surface Water On-site Direct Contact RM 7 East (W014)					
						Surface Water Total Risk =	6E-08
						Total Risk =	5E-06
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact SIL (09B024)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	2E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-06
						Sediment Total Risk =	4E-06
Water	Surface Water	Surface Water On-site Direct Contact SIL (W020)					
						Surface Water Total Risk =	6E-08
						Total Risk =	4E-06
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact SIL (09B028)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	2E-06
			cPAHs	NC[1]	RNA	NC[1]	5E-07
						Sediment Total Risk =	3E-06
Water	Surface Water	Surface Water On-site Direct Contact SIL (W020)					
						Surface Water Total Risk =	6E-08
						Total Risk =	3E-06
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 9 East (09B026)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	3E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-08
						Total Risk =	3E-06

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-89 Risk Characterization Summary, Cancer Risks - Recreational Beach User, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Recreational Beach User						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 9.5 East (09B027)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	2E-06
			cPAHs	NC[1]	RNA	NC[1]	1E-06
						Total Risk =	3E-06

Key
NC	Not Calculated
SIL	Swan Island Lagoon
RM	River Mile
--	Toxicity criteria are not available to quantitatively address this route of exposure.
RNA	Route of exposure is not applicable to this medium.
Note 1	Pathway specific integrated risks were not calculated.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-90 Risk Characterization Summary, Noncancer Hazards - Recreational Beach User, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe:	Current/Future							
Receptor Population:	Recreational Beach User							
Receptor Age:	Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 2 West (B001)						
						Receptor Hazard Index =		< 1
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 2.5 West (B003)						
						Receptor Hazard Index =		< 1
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 2.5 West (B005)						
						Receptor Hazard Index =		< 1
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 3 West (03B031)						
						Receptor Hazard Index =		< 1
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 3.5 West (03B033)						
						Receptor Hazard Index =		< 1
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 4 West (04B024)						
						Receptor Hazard Index =		< 1
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 4.5 West (04B023)						
						Receptor Hazard Index =		< 1
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 5 East (05B018)						
						Sediment Hazard Index Total =		< 1
Water	Surface Water	Surface Water On-site Direct Contact RM 5.5 East (W010)						
						Surface Water Hazard Index Total =		< 1
						Receptor Hazard Index =		< 1
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 6 East (06B030)						
						Sediment Hazard Index Total =		< 1
Water	Surface Water	Surface Water On-site Direct Contact RM 5.5 East (W014)						
						Surface Water Hazard Index Total =		< 1
						Receptor Hazard Index =		< 1
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 6 East (06B026)						
						Sediment Hazard Index Total =		< 1
Water	Surface Water	Surface Water On-site Direct Contact RM 5.5 East (W014)						
						Surface Water Hazard Index Total =		< 1
						Receptor Hazard Index =		< 1
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 6.5 East (06B022)						
						Sediment Hazard Index Total =		< 1
Water	Surface Water	Surface Water On-site Direct Contact RM 7 East (W014)						
						Surface Water Hazard Index Total =		< 1
						Receptor Hazard Index =		
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact SIL (09B024)						
						Sediment Hazard Index Total =		< 1
Water	Surface Water	Surface Water On-site Direct Contact SIL (W020)						
						Surface Water Hazard Index Total =		< 1
						Receptor Hazard Index =		< 1
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact SIL (09B028)						
						Sediment Hazard Index Total =		< 1
Water	Surface Water	Surface Water On-site Direct Contact SIL (W020)						
						Surface Water Hazard Index Total =		< 1
						Total Risk =		< 1
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 9 East (09B026)						
						Receptor Hazard Index =		< 1
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 9.5 East (09B027)						
						Receptor Hazard Index =		< 1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-91 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Beach, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Beach)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact					
		RM 2 West (B001)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	5E-06
			cPAHs	NC[1]	RNA	NC[1]	5E-07
						Sediment Total Risk =	6E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact					
		RM 2.5 West (B003)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	6E-06
			cPAHs	NC[1]	RNA	NC[1]	1E-05
						Sediment Total Risk =	2E-05
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-91 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Beach, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Beach)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact					
		RM 2.5 West (B005)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	8E-06
			cPAHs	NC[1]	RNA	NC[1]	5E-06
						Sediment Total Risk =	1E-05
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact					
		RM 3 East (03B030)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	4E-06
			cPAHs	NC[1]	RNA	NC[1]	3E-07
						Sediment Total Risk =	4E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-91 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Beach, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Beach)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact					
		RM 3 West (03B031)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	7E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-06
						Sediment Total Risk =	9E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact					
		RM 3.5 West (03B033)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	9E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-07
						Sediment Total Risk =	9E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-91 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Beach, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Beach)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact					
		RM 4 West (04B024)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-05
			cPAHs	NC[1]	RNA	NC[1]	1E-05
						Sediment Total Risk =	2E-05
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact					
		RM 4.5 West (04B023)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	6E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-06
						Sediment Total Risk =	8E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-91 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Beach, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Beach)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact					
		RM 5 East (05B018)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	6E-06
			cPAHs	NC[1]	RNA	NC[1]	3E-06
						Sediment Total Risk =	9E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact					
		RM 6 East (06B030)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	2E-05
			cPAHs	NC[1]	RNA	NC[1]	2E-06
						Sediment Total Risk =	2E-05
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-91 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Beach, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Beach)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact					
		RM 6 East (06B026)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	4E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-07
						Sediment Total Risk =	4E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact					
		RM 6.5 East (06B022)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	6E-06
			cPAHs	NC[1]	RNA	NC[1]	1E-07
						Sediment Total Risk =	6E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-91 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Beach, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Beach)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact					
		RM 7 West (07B024)	Antimony	--	--	--	--
			Arsenic	2E-06	RNA	9E-07	3E-06
			cPAHs	2E-07	RNA	3E-07	5E-07
						Sediment Total Risk =	3E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact					
		SIL (07B023)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	2E-06
			cPAHs	NC[1]	RNA	NC[1]	5E-07
						Sediment Total Risk =	3E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-91 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Beach, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Beach)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact					
		SIL (09B024)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	3E-06
			cPAHs	NC[1]	RNA	NC[1]	5E-07
						Sediment Total Risk =	4E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact					
		SIL (09B028)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	3E-06
			cPAHs	NC[1]	RNA	NC[1]	1E-07
						Sediment Total Risk =	3E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-91 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Beach, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Beach)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact					
		RM 9 East (09B026)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	6E-06
			cPAHs	NC[1]	RNA	NC[1]	5E-09
						Sediment Total Risk =	6E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact					
		RM 9.5 East (09B027)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	3E-06
			cPAHs	NC[1]	RNA	NC[1]	3E-07
						Sediment Total Risk =	3E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

Key
NC	Not Calclulated
SIL	Swan Island Lagoon
RM	River Mile
--	Toxicity criteria are not available to quantitatively address this route of exposure.
RNA	Route of exposure is not applicable to this medium.
Note 1	Pathway specific integrated risks were not calculated.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-91 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Beach, Reasonable Maximum Exposure

			Risk Characterization Summary - Carcinogens				
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Beach)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 2 West (B001)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	5E-06
			cPAHs	NC[1]	RNA	NC[1]	5E-07
						Sediment Total Risk =	6E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 2.5 West (B003)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	6E-06
			cPAHs	NC[1]	RNA	NC[1]	1E-05
						Sediment Total Risk =	2E-05
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-91 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Beach, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens						
Scenario Timeframe:	Current/Future					
Receptor Population:	Tribal Fisher (Beach)					
Receptor Age:	Adult/Child					
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk		
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 2.5 West (B005)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	8E-06
			cPAHs	NC[1]	RNA	NC[1]	5E-06
						Sediment Total Risk =	1E-05
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)	Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 3 East (03B030)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	4E-06
			cPAHs	NC[1]	RNA	NC[1]	3E-07
						Sediment Total Risk =	4E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)	Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-91 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Beach, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Beach)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 3 West (03B031)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	7E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-06
						Sediment Total Risk =	9E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 3.5 West (03B033)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	9E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-07
						Sediment Total Risk =	9E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-91 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Beach, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Beach)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 4 West (04B024)					
			Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-05
			cPAHs	NC[1]	RNA	NC[1]	1E-05
						Sediment Total Risk =	2E-05
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 4.5 West (04B023)					
			Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	6E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-06
						Sediment Total Risk =	8E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-91 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Beach, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Beach)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 5 East (05B018)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	6E-06
			cPAHs	NC[1]	RNA	NC[1]	3E-06
						Sediment Total Risk =	9E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)	Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 6 East (06B030)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	2E-05
			cPAHs	NC[1]	RNA	NC[1]	2E-06
						Sediment Total Risk =	2E-05
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)	Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-91 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Beach, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Beach)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 6 East (06B026)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	4E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-07
						Sediment Total Risk =	4E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)	Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 6.5 East (06B022)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	6E-06
			cPAHs	NC[1]	RNA	NC[1]	1E-07
						Sediment Total Risk =	6E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)	Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-91 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Beach, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Beach)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 7 West (07B024)	Antimony	--	--	--	--
			Arsenic	2E-06	RNA	9E-07	3E-06
			cPAHs	2E-07	RNA	3E-07	5E-07
			Sediment Total Risk =				3E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
			Fish Tissue Total Risk =				1E-02
			Total Risk =				**1E-02**
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact SIL (07B023)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	2E-06
			cPAHs	NC[1]	RNA	NC[1]	5E-07
			Sediment Total Risk =				3E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
			Fish Tissue Total Risk =				1E-02
			Total Risk =				**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-91 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Beach, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Beach)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact					
		SIL (09B024)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	3E-06
			cPAHs	NC[1]	RNA	NC[1]	5E-07
						Sediment Total Risk =	4E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact					
		SIL (09B028)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	3E-06
			cPAHs	NC[1]	RNA	NC[1]	1E-07
						Sediment Total Risk =	3E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-91 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Beach, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Beach)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 9 East (09B026)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	6E-06
			cPAHs	NC[1]	RNA	NC[1]	5E-09
						Sediment Total Risk =	6E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)	Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**
Sediment	Beach Sediment	Beach Sediment On-site Direct Contact RM 9.5 East (09B027)	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	3E-06
			cPAHs	NC[1]	RNA	NC[1]	3E-07
						Sediment Total Risk =	3E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)	Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

Key	
NC	Not Calclulated
SIL	Swan Island Lagoon
RM	River Mile
--	Toxicity criteria are not available to quantitatively address this route of exposure.
RNA	Route of exposure is not applicable to this medium.
Note 1	Pathway specific integrated risks were not calculated.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

				Risk Characterization Summary - Carcinogens			

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher (Boat)
Receptor Age: Adult/Child

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 1 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	8E-07
			Total PCBs	NC[1]	RNA	NC[1]	1E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	6E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-08
						Sediment Total Risk =	2E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 1.5 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-07
			Total PCBs	NC[1]	RNA	NC[1]	2E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	3E-09
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-08
						Sediment Total Risk =	1E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

				Risk Characterization Summary - Carcinogens			

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher (Boat)
Receptor Age: Adult/Child

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 2 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	3E-07
			Total PCBs	NC[1]	RNA	NC[1]	1E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	5E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	2E-08
						Sediment Total Risk =	1E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 2.5 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-06
			Total PCBs	NC[1]	RNA	NC[1]	1E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	9E-09
			Total PCB TEQ	NC[1]	RNA	NC[1]	5E-09
						Sediment Total Risk =	3E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens						
Scenario Timeframe:	Current/Future					
Receptor Population:	Tribal Fisher (Boat)					
Receptor Age:	Adult/Child					
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk		
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact				
		RM 3 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-06
			Total PCBs	NC[1]	RNA	NC[1]	1E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	4E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	2E-08
					Sediment Total Risk =		3E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)				
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
					Fish Tissue Total Risk =		2E-02
					Total Risk =		**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 4 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-06
			Total PCBs	NC[1]	RNA	NC[1]	2E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	7E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	3E-08
						Sediment Total Risk =	3E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 4.5 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	7E-06
			Total PCBs	NC[1]	RNA	NC[1]	3E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	1E-07
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-07
						Sediment Total Risk =	8E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 5 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	1E-05
			Total PCBs	NC[1]	RNA	NC[1]	2E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	1E-07
			Total PCB TEQ	NC[1]	RNA	NC[1]	9E-08
						Sediment Total Risk =	1E-05
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 5.5 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	1E-05
			Total PCBs	NC[1]	RNA	NC[1]	3E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	5E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	5E-08
						Sediment Total Risk =	1E-05
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 6 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-04
			Total PCBs	NC[1]	RNA	NC[1]	5E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	4E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-07
						Sediment Total Risk =	2E-04
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 6.5 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	4E-06
			cPAHs	NC[1]	RNA	NC[1]	5E-06
			Total PCBs	NC[1]	RNA	NC[1]	6E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	3E-06
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-07
						Sediment Total Risk =	1E-05
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 7 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	8E-06
			Total PCBs	NC[1]	RNA	NC[1]	6E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	3E-04
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-06
						Sediment Total Risk =	3E-04
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 7.5 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	9E-07
			cPAHs	NC[1]	RNA	NC[1]	1E-06
			Total PCBs	NC[1]	RNA	NC[1]	2E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	6E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	6E-08
						Sediment Total Risk =	2E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 8 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	3E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-06
			Total PCBs	NC[1]	RNA	NC[1]	3E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	1E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	3E-07
						Sediment Total Risk =	6E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 8.5 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	3E-06
			cPAHs	NC[1]	RNA	NC[1]	7E-07
			Total PCBs	NC[1]	RNA	NC[1]	6E-06
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	4E-07
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-05
						Sediment Total Risk =	2E-05
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 9 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	8E-07
			Total PCBs	NC[1]	RNA	NC[1]	2E-06
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	1E-07
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-06
						Sediment Total Risk =	5E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 9.5 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-06
			Total PCBs	NC[1]	RNA	NC[1]	2E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	4E-07
			Total PCB TEQ	NC[1]	RNA	NC[1]	2E-07
						Sediment Total Risk =	4E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 10 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	8E-06
			cPAHs	NC[1]	RNA	NC[1]	1E-06
			Total PCBs	NC[1]	RNA	NC[1]	3E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	3E-07
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-07
						Sediment Total Risk =	1E-05
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 10.5 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-07
			Total PCBs	NC[1]	RNA	NC[1]	3E-08
			Total Dioxin/Furan TEQ	NA	RNA	NA	NA
			Total PCB TEQ	NC[1]	RNA	NC[1]	3E-08
						Sediment Total Risk =	1E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 11 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	9E-07
			cPAHs	NC[1]	RNA	NC[1]	7E-07
			Total PCBs	NC[1]	RNA	NC[1]	2E-08
			Total Dioxin/Furan TEQ	NA	RNA	NA	NA
			Total PCB TEQ	NA	RNA	NA	NA
						Sediment Total Risk =	2E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 11.5 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	9E-07
			cPAHs	NC[1]	RNA	NC[1]	6E-08
			Total PCBs	NC[1]	RNA	NC[1]	2E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	4E-09
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-08
						Sediment Total Risk =	1E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 12 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	5E-06
			Total PCBs	NC[1]	RNA	NC[1]	8E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	4E-09
			Total PCB TEQ	NC[1]	RNA	NC[1]	2E-08
						Sediment Total Risk =	6E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 1 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	3E-07
			Total PCBs	NC[1]	RNA	NC[1]	3E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	1E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-08
						Sediment Total Risk =	2E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 1.5 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	5E-06
			Total PCBs	NC[1]	RNA	NC[1]	3E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	4E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	5E-09
						Sediment Total Risk =	6E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 2 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	5E-07
			Total PCBs	NC[1]	RNA	NC[1]	1E-06
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	9E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	3E-06
						Sediment Total Risk =	6E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 2.5 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-05
			Total PCBs	NC[1]	RNA	NC[1]	5E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	3E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-07
						Sediment Total Risk =	2E-05
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 3 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	5E-07
			Total PCBs	NC[1]	RNA	NC[1]	2E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	1E-07
			Total PCB TEQ	NC[1]	RNA	NC[1]	5E-09
						Sediment Total Risk =	2E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

				Risk Characterization Summary - Carcinogens			

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher (Boat)
Receptor Age: Adult/Child

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 3.5 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	3E-06
			Total PCBs	NC[1]	RNA	NC[1]	1E-06
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	3E-07
			Total PCB TEQ	NC[1]	RNA	NC[1]	5E-06
						Sediment Total Risk =	1E-05
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 4 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	8E-06
			Total PCBs	NC[1]	RNA	NC[1]	8E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	1E-07
			Total PCB TEQ	NC[1]	RNA	NC[1]	2E-07
						Sediment Total Risk =	1E-05
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 4.5 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	3E-05
			Total PCBs	NC[1]	RNA	NC[1]	3E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	7E-09
			Total PCB TEQ	NC[1]	RNA	NC[1]	2E-08
						Sediment Total Risk =	3E-05
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 5 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	9E-07
			cPAHs	NC[1]	RNA	NC[1]	2E-06
			Total PCBs	NC[1]	RNA	NC[1]	2E-08
			Total Dioxin/Furan TEQ	NA	RNA	NA	NA
			Total PCB TEQ	NA	RNA	NA	NA
						Sediment Total Risk =	3E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future Receptor Population: Tribal Fisher (Boat) Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 5.5 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	3E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-06
			Total PCBs	NC[1]	RNA	NC[1]	1E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	2E-07
			Total PCB TEQ	NC[1]	RNA	NC[1]	3E-07
						Sediment Total Risk =	6E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 6 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	7E-06
			Total PCBs	NC[1]	RNA	NC[1]	1E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	9E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	2E-07
						Sediment Total Risk =	8E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher (Boat)
Receptor Age: Adult/Child

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 6.5 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	5E-07
			Total PCBs	NC[1]	RNA	NC[1]	9E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	2E-06
			Total PCB TEQ	NC[1]	RNA	NC[1]	6E-07
						Sediment Total Risk =	5E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 7 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	4E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-06
			Total PCBs	NC[1]	RNA	NC[1]	5E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	9E-07
			Total PCB TEQ	NC[1]	RNA	NC[1]	3E-08
						Sediment Total Risk =	7E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 7.5 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	1E-07
			Total PCBs	NC[1]	RNA	NC[1]	8E-08
			Total Dioxin/Furan TEQ	NA	RNA	NA	NA
			Total PCB TEQ	NA	RNA	NA	NA
						Sediment Total Risk =	1E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 8 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	3E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-06
			Total PCBs	NC[1]	RNA	NC[1]	3E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	4E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	8E-07
						Sediment Total Risk =	6E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
			SIL Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	1E-06
			Total PCBs	NC[1]	RNA	NC[1]	3E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	7E-07
			Total PCB TEQ	NC[1]	RNA	NC[1]	3E-06
						Sediment Total Risk =	6E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 8.5 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	3E-06
			cPAHs	NC[1]	RNA	NC[1]	3E-07
			Total PCBs	NC[1]	RNA	NC[1]	5E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	3E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	3E-08
						Sediment Total Risk =	3E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 9 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	6E-08
			Total PCBs	NC[1]	RNA	NC[1]	7E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	5E-09
			Total PCB TEQ	NC[1]	RNA	NC[1]	3E-08
						Sediment Total Risk =	1E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future Receptor Population: Tribal Fisher (Boat) Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 9.5 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	9E-07
			cPAHs	NC[1]	RNA	NC[1]	1E-07
			Total PCBs	NC[1]	RNA	NC[1]	3E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	3E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-08
						Sediment Total Risk =	1E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 10 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	9E-07
			cPAHs	NC[1]	RNA	NC[1]	1E-06
			Total PCBs	NC[1]	RNA	NC[1]	3E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	1E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	3E-08
						Sediment Total Risk =	2E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 10.5 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	8E-07
			cPAHs	NC[1]	RNA	NC[1]	3E-07
			Total PCBs	NC[1]	RNA	NC[1]	1E-07
			Total Dioxin/Furan TEQ	NA	RNA	NA	NA
			Total PCB TEQ	NC[1]	RNA	NC[1]	2E-08
			Sediment Total Risk =				1E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
			Fish Tissue Total Risk =				2E-02
			Total Risk =				**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 11 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	8E-07
			cPAHs	NC[1]	RNA	NC[1]	5E-07
			Total PCBs	NC[1]	RNA	NC[1]	3E-06
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	7E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-06
						Sediment Total Risk =	5E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 11.5 East	Antimony	--	--	--	--
			Arsenic	NA	RNA	NA	NA
			cPAHs	NA	RNA	NA	NA
			Total PCBs	NA	RNA	NA	NA
			Total Dioxin/Furan TEQ	NA	RNA	NA	NA
			Total PCB TEQ	NA	RNA	NA	NA
						Sediment Total Risk =	NA
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 12 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	7E-07
			cPAHs	NC[1]	RNA	NC[1]	7E-08
			Total PCBs	NC[1]	RNA	NC[1]	1E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	4E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	2E-07
						Sediment Total Risk =	1E-06
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher (Boat)
Receptor Age: Adult/Child

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		Study Area-wide	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	1E-05
			Total PCBs	NC[1]	RNA	NC[1]	3E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	1E-05
			Total PCB TEQ	NC[1]	RNA	NC[1]	8E-07
						Sediment Total Risk =	2E-05
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	8E-06	RNA	RNA	8E-06
			Bis(2-ethylhexyl)phthalate	6E-05	RNA	RNA	6E-05
			Hexachlorobenzene	2E-05	RNA	RNA	2E-05
			Total PCBs	2E-02	RNA	RNA	2E-02
			Total Dioxin/Furan TEQ	9E-04	RNA	RNA	9E-04
			Total PCB TEQ	2E-03	RNA	RNA	2E-03
			Aldrin	1E-06	RNA	RNA	1E-06
			alpha-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			beta-Hexachlorocyclohexane	3E-08	RNA	RNA	3E-08
			Dieldrin	9E-05	RNA	RNA	9E-05
			Heptachlor	1E-05	RNA	RNA	1E-05
			Heptachlor Epoxide	9E-07	RNA	RNA	9E-07
			Total Chlordanes	1E-05	RNA	RNA	1E-05
			Total DDx	1E-04	RNA	RNA	1E-04
						Fish Tissue Total Risk =	2E-02
						Total Risk =	**2E-02**

Key
NC   Not Calclulated
SIL   Swan Island Lagoon
RM   River Mile
--   Toxicity criteria are not available to quantitatively address this route of exposure.
RNA   Route of exposure is not applicable to this medium.
Note 1   Pathway specific integrated risks were not calculated.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure								
Risk Characterization Summary - Carcinogens								
Scenario Timeframe: Current/Future								
Receptor Population: Tribal Fisher (Boat)								
Receptor Age: Adult/Child								
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 1 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	8E-07
			Total PCBs	NC[1]	RNA	NC[1]	1E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	6E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-08
						Sediment Total Risk =	2E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 1.5 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-07
			Total PCBs	NC[1]	RNA	NC[1]	2E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	3E-09
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-08
						Sediment Total Risk =	1E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 2 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	3E-07
			Total PCBs	NC[1]	RNA	NC[1]	1E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	5E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	2E-08
						Sediment Total Risk =	1E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 2.5 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-06
			Total PCBs	NC[1]	RNA	NC[1]	1E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	9E-09
			Total PCB TEQ	NC[1]	RNA	NC[1]	5E-09
						Sediment Total Risk =	3E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher (Boat)
Receptor Age: Adult/Child

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 3 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-06
			Total PCBs	NC[1]	RNA	NC[1]	1E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	4E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	2E-08
			Sediment Total Risk =				3E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
			Fish Tissue Total Risk =				1E-02
			Total Risk =				**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

				Risk Characterization Summary - Carcinogens			

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher (Boat)
Receptor Age: Adult/Child

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 3.5 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	3E-06
			cPAHs	NC[1]	RNA	NC[1]	8E-06
			Total PCBs	NC[1]	RNA	NC[1]	2E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	4E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	3E-08
						Sediment Total Risk =	1E-05
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher (Boat)
Receptor Age: Adult/Child

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 4 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-06
			Total PCBs	NC[1]	RNA	NC[1]	2E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	7E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	3E-08
			Sediment Total Risk =				3E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
			Fish Tissue Total Risk =				1E-02
			Total Risk =				**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 4.5 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	7E-06
			Total PCBs	NC[1]	RNA	NC[1]	3E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	1E-07
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-07
			Sediment Total Risk =				8E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
			Fish Tissue Total Risk =				1E-02
			Total Risk =				**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

				Risk Characterization Summary - Carcinogens			

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher (Boat)
Receptor Age: Adult/Child

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 5 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	1E-05
			Total PCBs	NC[1]	RNA	NC[1]	2E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	1E-07
			Total PCB TEQ	NC[1]	RNA	NC[1]	9E-08
						Sediment Total Risk =	1E-05
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens								
Scenario Timeframe:	Current/Future							
Receptor Population:	Tribal Fisher (Boat)							
Receptor Age:	Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 5.5 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	1E-05
			Total PCBs	NC[1]	RNA	NC[1]	3E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	5E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	5E-08
			Sediment Total Risk =				1E-05
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
			Fish Tissue Total Risk =				1E-02
			Total Risk =				**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 6 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-04
			Total PCBs	NC[1]	RNA	NC[1]	5E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	4E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-07
						Sediment Total Risk =	2E-04
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure								
Risk Characterization Summary - Carcinogens								
Scenario Timeframe: Current/Future								
Receptor Population: Tribal Fisher (Boat)								
Receptor Age: Adult/Child								
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 6.5 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	4E-06
			cPAHs	NC[1]	RNA	NC[1]	5E-06
			Total PCBs	NC[1]	RNA	NC[1]	6E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	3E-06
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-07
						Sediment Total Risk =	1E-05
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure								
Risk Characterization Summary - Carcinogens								
Scenario Timeframe: Current/Future								
Receptor Population: Tribal Fisher (Boat)								
Receptor Age: Adult/Child								
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 7 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	8E-06
			Total PCBs	NC[1]	RNA	NC[1]	6E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	3E-04
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-06
						Sediment Total Risk =	3E-04
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 7.5 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	9E-07
			cPAHs	NC[1]	RNA	NC[1]	1E-06
			Total PCBs	NC[1]	RNA	NC[1]	2E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	6E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	6E-08
						Sediment Total Risk =	2E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure								
Risk Characterization Summary - Carcinogens								
Scenario Timeframe: Current/Future								
Receptor Population: Tribal Fisher (Boat)								
Receptor Age: Adult/Child								
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 8 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	3E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-06
			Total PCBs	NC[1]	RNA	NC[1]	3E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	1E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	3E-07
						Sediment Total Risk =	6E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure								
Risk Characterization Summary - Carcinogens								
Scenario Timeframe: Current/Future								
Receptor Population: Tribal Fisher (Boat)								
Receptor Age: Adult/Child								
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 8.5 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	3E-06
			cPAHs	NC[1]	RNA	NC[1]	7E-07
			Total PCBs	NC[1]	RNA	NC[1]	6E-06
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	4E-07
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-05
						Sediment Total Risk =	2E-05
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure								
Risk Characterization Summary - Carcinogens								
Scenario Timeframe: Current/Future								
Receptor Population: Tribal Fisher (Boat)								
Receptor Age: Adult/Child								
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk				
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total	
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact						
		RM 9 West	Antimony	--	--	--	--	
			Arsenic	NC[1]	RNA	NC[1]	1E-06	
			cPAHs	NC[1]	RNA	NC[1]	8E-07	
			Total PCBs	NC[1]	RNA	NC[1]	2E-06	
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	1E-07	
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-06	
						Sediment Total Risk =	5E-06	
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)						
			Antimony	--	--	--	--	
			Arsenic	2E-04	RNA	RNA	2E-04	
			Chromium	--	--	--	--	
			Mercury	--	--	--	--	
			cPAHs	6E-06	RNA	RNA	6E-06	
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06	
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05	
			Total PCBs	1E-02	RNA	RNA	1E-02	
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04	
			Total PCB TEQ	6E-04	RNA	RNA	6E-04	
			Aldrin	6E-07	RNA	RNA	6E-07	
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08	
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06	
			Dieldrin	6E-05	RNA	RNA	6E-05	
			Heptachlor	8E-09	RNA	RNA	8E-09	
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07	
			Total Chlordanes	2E-06	RNA	RNA	2E-06	
			Total DDx	5E-05	RNA	RNA	5E-05	
						Fish Tissue Total Risk =	1E-02	
						Total Risk =	**1E-02**	

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 9.5 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-06
			Total PCBs	NC[1]	RNA	NC[1]	2E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	4E-07
			Total PCB TEQ	NC[1]	RNA	NC[1]	2E-07
						Sediment Total Risk =	4E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure								
Risk Characterization Summary - Carcinogens								
Scenario Timeframe:	Current/Future							
Receptor Population:	Tribal Fisher (Boat)							
Receptor Age:	Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 10 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	8E-06
			cPAHs	NC[1]	RNA	NC[1]	1E-06
			Total PCBs	NC[1]	RNA	NC[1]	3E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	3E-07
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-07
						Sediment Total Risk =	1E-05
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens								
Scenario Timeframe:	Current/Future							
Receptor Population:	Tribal Fisher (Boat)							
Receptor Age:	Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 10.5 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-07
			Total PCBs	NC[1]	RNA	NC[1]	3E-08
			Total Dioxin/Furan TEQ	NA	RNA	NA	NA
			Total PCB TEQ	NC[1]	RNA	NC[1]	3E-08
						Sediment Total Risk =	1E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 11 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	9E-07
			cPAHs	NC[1]	RNA	NC[1]	7E-07
			Total PCBs	NC[1]	RNA	NC[1]	2E-08
			Total Dioxin/Furan TEQ	NA	RNA	NA	NA
			Total PCB TEQ	NA	RNA	NA	NA
						Sediment Total Risk =	2E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 11.5 West	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	9E-07
			cPAHs	NC[1]	RNA	NC[1]	6E-08
			Total PCBs	NC[1]	RNA	NC[1]	2E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	4E-09
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-08
						Sediment Total Risk =	1E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure								
Risk Characterization Summary - Carcinogens								
Scenario Timeframe: Current/Future								
Receptor Population: Tribal Fisher (Boat)								
Receptor Age: Adult/Child								
Medium	Exposure Medium	Exposure Point		Chemical of Concern	Carcinogenic Risk			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact						
		RM 12 West	Antimony		--	--	--	--
			Arsenic		NC[1]	RNA	NC[1]	1E-06
			cPAHs		NC[1]	RNA	NC[1]	5E-06
			Total PCBs		NC[1]	RNA	NC[1]	8E-08
			Total Dioxin/Furan TEQ		NC[1]	RNA	NC[1]	4E-09
			Total PCB TEQ		NC[1]	RNA	NC[1]	2E-08
							Sediment Total Risk =	6E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)						
			Antimony		--	--	--	--
			Arsenic		2E-04	RNA	RNA	2E-04
			Chromium		--	--	--	--
			Mercury		--	--	--	--
			cPAHs		6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate		1E-06	RNA	RNA	1E-06
			Hexachlorobenzene		4E-05	RNA	RNA	4E-05
			Total PCBs		1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ		3E-04	RNA	RNA	3E-04
			Total PCB TEQ		6E-04	RNA	RNA	6E-04
			Aldrin		6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane		7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane		3E-06	RNA	RNA	3E-06
			Dieldrin		6E-05	RNA	RNA	6E-05
			Heptachlor		8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide		4E-07	RNA	RNA	4E-07
			Total Chlordanes		2E-06	RNA	RNA	2E-06
			Total DDx		5E-05	RNA	RNA	5E-05
							Fish Tissue Total Risk =	1E-02
							Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future Receptor Population: Tribal Fisher (Boat) Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 1 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	3E-07
			Total PCBs	NC[1]	RNA	NC[1]	3E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	1E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-08
						Sediment Total Risk =	2E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure								
Risk Characterization Summary - Carcinogens								
Scenario Timeframe: Current/Future								
Receptor Population: Tribal Fisher (Boat)								
Receptor Age: Adult/Child								
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk				
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total	
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact						
		RM 1.5 East	Antimony	--	--	--	--	
			Arsenic	NC[1]	RNA	NC[1]	1E-06	
			cPAHs	NC[1]	RNA	NC[1]	5E-06	
			Total PCBs	NC[1]	RNA	NC[1]	3E-08	
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	4E-08	
			Total PCB TEQ	NC[1]	RNA	NC[1]	5E-09	
						Sediment Total Risk =	6E-06	
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)						
			Antimony	--	--	--	--	
			Arsenic	2E-04	RNA	RNA	2E-04	
			Chromium	--	--	--	--	
			Mercury	--	--	--	--	
			cPAHs	6E-06	RNA	RNA	6E-06	
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06	
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05	
			Total PCBs	1E-02	RNA	RNA	1E-02	
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04	
			Total PCB TEQ	6E-04	RNA	RNA	6E-04	
			Aldrin	6E-07	RNA	RNA	6E-07	
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08	
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06	
			Dieldrin	6E-05	RNA	RNA	6E-05	
			Heptachlor	8E-09	RNA	RNA	8E-09	
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07	
			Total Chlordanes	2E-06	RNA	RNA	2E-06	
			Total DDx	5E-05	RNA	RNA	5E-05	
						Fish Tissue Total Risk =	1E-02	
						Total Risk =	**1E-02**	

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 2 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	5E-07
			Total PCBs	NC[1]	RNA	NC[1]	1E-06
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	9E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	3E-06
						Sediment Total Risk =	6E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 2.5 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-05
			Total PCBs	NC[1]	RNA	NC[1]	5E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	3E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-07
						Sediment Total Risk =	2E-05
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure								
Risk Characterization Summary - Carcinogens								
Scenario Timeframe: Current/Future								
Receptor Population: Tribal Fisher (Boat)								
Receptor Age: Adult/Child								
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 3 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	5E-07
			Total PCBs	NC[1]	RNA	NC[1]	2E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	1E-07
			Total PCB TEQ	NC[1]	RNA	NC[1]	5E-09
						Sediment Total Risk =	2E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 3.5 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	3E-06
			Total PCBs	NC[1]	RNA	NC[1]	1E-06
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	3E-07
			Total PCB TEQ	NC[1]	RNA	NC[1]	5E-06
						Sediment Total Risk =	1E-05
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 4 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	8E-06
			Total PCBs	NC[1]	RNA	NC[1]	8E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	1E-07
			Total PCB TEQ	NC[1]	RNA	NC[1]	2E-07
						Sediment Total Risk =	1E-05
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 4.5 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	3E-05
			Total PCBs	NC[1]	RNA	NC[1]	3E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	7E-09
			Total PCB TEQ	NC[1]	RNA	NC[1]	2E-08
						Sediment Total Risk =	3E-05
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher (Boat)
Receptor Age: Adult/Child

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 5 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	9E-07
			cPAHs	NC[1]	RNA	NC[1]	2E-06
			Total PCBs	NC[1]	RNA	NC[1]	2E-08
			Total Dioxin/Furan TEQ	NA	RNA	NA	NA
			Total PCB TEQ	NA	RNA	NA	NA
						Sediment Total Risk =	3E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure								
Risk Characterization Summary - Carcinogens								
Scenario Timeframe: Current/Future								
Receptor Population: Tribal Fisher (Boat)								
Receptor Age: Adult/Child								
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk				
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total	
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact						
		RM 5.5 East	Antimony	--	--	--	--	
			Arsenic	NC[1]	RNA	NC[1]	3E-06	
			cPAHs	NC[1]	RNA	NC[1]	2E-06	
			Total PCBs	NC[1]	RNA	NC[1]	1E-07	
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	2E-07	
			Total PCB TEQ	NC[1]	RNA	NC[1]	3E-07	
						Sediment Total Risk =	6E-06	
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)						
			Antimony	--	--	--	--	
			Arsenic	2E-04	RNA	RNA	2E-04	
			Chromium	--	--	--	--	
			Mercury	--	--	--	--	
			cPAHs	6E-06	RNA	RNA	6E-06	
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06	
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05	
			Total PCBs	1E-02	RNA	RNA	1E-02	
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04	
			Total PCB TEQ	6E-04	RNA	RNA	6E-04	
			Aldrin	6E-07	RNA	RNA	6E-07	
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08	
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06	
			Dieldrin	6E-05	RNA	RNA	6E-05	
			Heptachlor	8E-09	RNA	RNA	8E-09	
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07	
			Total Chlordanes	2E-06	RNA	RNA	2E-06	
			Total DDx	5E-05	RNA	RNA	5E-05	
						Fish Tissue Total Risk =	1E-02	
						Total Risk =	**1E-02**	

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 6 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	7E-06
			Total PCBs	NC[1]	RNA	NC[1]	1E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	9E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	2E-07
						Sediment Total Risk =	8E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal Fisher (Boat)
Receptor Age: Adult/Child

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 6.5 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	5E-07
			Total PCBs	NC[1]	RNA	NC[1]	9E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	2E-06
			Total PCB TEQ	NC[1]	RNA	NC[1]	6E-07
						Sediment Total Risk =	5E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 7 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	4E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-06
			Total PCBs	NC[1]	RNA	NC[1]	5E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	9E-07
			Total PCB TEQ	NC[1]	RNA	NC[1]	3E-08
						Sediment Total Risk =	7E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 7.5 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	1E-07
			Total PCBs	NC[1]	RNA	NC[1]	8E-08
			Total Dioxin/Furan TEQ	NA	RNA	NA	NA
			Total PCB TEQ	NA	RNA	NA	NA
						Sediment Total Risk =	1E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 8 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	3E-06
			cPAHs	NC[1]	RNA	NC[1]	2E-06
			Total PCBs	NC[1]	RNA	NC[1]	3E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	4E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	8E-07
						Sediment Total Risk =	6E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
			SIL Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	1E-06
			Total PCBs	NC[1]	RNA	NC[1]	3E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	7E-07
			Total PCB TEQ	NC[1]	RNA	NC[1]	3E-06
						Sediment Total Risk =	6E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethlhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 9 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	6E-08
			Total PCBs	NC[1]	RNA	NC[1]	7E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	5E-09
			Total PCB TEQ	NC[1]	RNA	NC[1]	3E-08
						Sediment Total Risk =	1E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 9.5 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	9E-07
			cPAHs	NC[1]	RNA	NC[1]	1E-07
			Total PCBs	NC[1]	RNA	NC[1]	3E-08
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	3E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-08
						Sediment Total Risk =	1E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure								
Risk Characterization Summary - Carcinogens								
Scenario Timeframe: Current/Future								
Receptor Population: Tribal Fisher (Boat)								
Receptor Age: Adult/Child								
Medium	Exposure Medium	Exposure Point		Chemical of Concern	Carcinogenic Risk			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact						
		RM 10 East	Antimony		--	--	--	--
			Arsenic		NC[1]	RNA	NC[1]	9E-07
			cPAHs		NC[1]	RNA	NC[1]	1E-06
			Total PCBs		NC[1]	RNA	NC[1]	3E-08
			Total Dioxin/Furan TEQ		NC[1]	RNA	NC[1]	1E-08
			Total PCB TEQ		NC[1]	RNA	NC[1]	3E-08
							Sediment Total Risk =	2E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)						
			Antimony		--	--	--	--
			Arsenic		2E-04	RNA	RNA	2E-04
			Chromium		--	--	--	--
			Mercury		--	--	--	--
			cPAHs		6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate		1E-06	RNA	RNA	1E-06
			Hexachlorobenzene		4E-05	RNA	RNA	4E-05
			Total PCBs		1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ		3E-04	RNA	RNA	3E-04
			Total PCB TEQ		6E-04	RNA	RNA	6E-04
			Aldrin		6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane		7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane		3E-06	RNA	RNA	3E-06
			Dieldrin		6E-05	RNA	RNA	6E-05
			Heptachlor		8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide		4E-07	RNA	RNA	4E-07
			Total Chlordanes		2E-06	RNA	RNA	2E-06
			Total DDx		5E-05	RNA	RNA	5E-05
							Fish Tissue Total Risk =	1E-02
							Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure								
Risk Characterization Summary - Carcinogens								
Scenario Timeframe: Current/Future								
Receptor Population: Tribal Fisher (Boat)								
Receptor Age: Adult/Child								
Medium	Exposure Medium	Exposure Point		Chemical of Concern	Carcinogenic Risk			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact						
		RM 10.5 East		Antimony	--	--	--	--
				Arsenic	NC[1]	RNA	NC[1]	8E-07
				cPAHs	NC[1]	RNA	NC[1]	3E-07
				Total PCBs	NC[1]	RNA	NC[1]	1E-07
				Total Dioxin/Furan TEQ	NA	RNA	NA	NA
				Total PCB TEQ	NC[1]	RNA	NC[1]	2E-08
							Sediment Total Risk =	1E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)						
				Antimony	--	--	--	--
				Arsenic	2E-04	RNA	RNA	2E-04
				Chromium	--	--	--	--
				Mercury	--	--	--	--
				cPAHs	6E-06	RNA	RNA	6E-06
				Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
				Hexachlorobenzene	4E-05	RNA	RNA	4E-05
				Total PCBs	1E-02	RNA	RNA	1E-02
				Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
				Total PCB TEQ	6E-04	RNA	RNA	6E-04
				Aldrin	6E-07	RNA	RNA	6E-07
				alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
				beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
				Dieldrin	6E-05	RNA	RNA	6E-05
				Heptachlor	8E-09	RNA	RNA	8E-09
				Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
				Total Chlordanes	2E-06	RNA	RNA	2E-06
				Total DDx	5E-05	RNA	RNA	5E-05
							Fish Tissue Total Risk =	1E-02
							Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point		Chemical of Concern	Carcinogenic Risk		
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 11 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	8E-07
			cPAHs	NC[1]	RNA	NC[1]	5E-07
			Total PCBs	NC[1]	RNA	NC[1]	3E-06
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	7E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	1E-06
						Sediment Total Risk =	5E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure								
Risk Characterization Summary - Carcinogens								
Scenario Timeframe:	Current/Future							
Receptor Population:	Tribal Fisher (Boat)							
Receptor Age:	Adult/Child							
Medium	Exposure Medium	Exposure Point		Chemical of Concern	Carcinogenic Risk			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact						
		RM 11.5 East	Antimony		--	--	--	--
			Arsenic		NA	RNA	NA	NA
			cPAHs		NA	RNA	NA	NA
			Total PCBs		NA	RNA	NA	NA
			Total Dioxin/Furan TEQ		NA	RNA	NA	NA
			Total PCB TEQ		NA	RNA	NA	NA
							Sediment Total Risk =	NA
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)						
			Antimony		--	--	--	--
			Arsenic		2E-04	RNA	RNA	2E-04
			Chromium		--	--	--	--
			Mercury		--	--	--	--
			cPAHs		6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate		1E-06	RNA	RNA	1E-06
			Hexachlorobenzene		4E-05	RNA	RNA	4E-05
			Total PCBs		1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ		3E-04	RNA	RNA	3E-04
			Total PCB TEQ		6E-04	RNA	RNA	6E-04
			Aldrin		6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane		7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane		3E-06	RNA	RNA	3E-06
			Dieldrin		6E-05	RNA	RNA	6E-05
			Heptachlor		8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide		4E-07	RNA	RNA	4E-07
			Total Chlordanes		2E-06	RNA	RNA	2E-06
			Total DDx		5E-05	RNA	RNA	5E-05
							Fish Tissue Total Risk =	1E-02
							Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Tribal Fisher (Boat)							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		RM 12 East	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	7E-07
			cPAHs	NC[1]	RNA	NC[1]	7E-08
			Total PCBs	NC[1]	RNA	NC[1]	1E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	4E-08
			Total PCB TEQ	NC[1]	RNA	NC[1]	2E-07
						Sediment Total Risk =	1E-06
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-92 Risk Characterization Summary, Cancer Risks - Tribal Fisher, Boat, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Tribal Fisher (Boat)						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	In-river Sediment	In-river Sediment On-site Direct Contact					
		Study Area-wide	Antimony	--	--	--	--
			Arsenic	NC[1]	RNA	NC[1]	1E-06
			cPAHs	NC[1]	RNA	NC[1]	1E-05
			Total PCBs	NC[1]	RNA	NC[1]	3E-07
			Total Dioxin/Furan TEQ	NC[1]	RNA	NC[1]	1E-05
			Total PCB TEQ	NC[1]	RNA	NC[1]	8E-07
						Sediment Total Risk =	2E-05
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (175:73 g/day)					
			Antimony	--	--	--	--
			Arsenic	2E-04	RNA	RNA	2E-04
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-06	RNA	RNA	6E-06
			Bis(2-ethylhexyl)phthalate	1E-06	RNA	RNA	1E-06
			Hexachlorobenzene	4E-05	RNA	RNA	4E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	3E-04	RNA	RNA	3E-04
			Total PCB TEQ	6E-04	RNA	RNA	6E-04
			Aldrin	6E-07	RNA	RNA	6E-07
			alpha-Hexachlorocyclohexane	7E-08	RNA	RNA	7E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	6E-05	RNA	RNA	6E-05
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	4E-07	RNA	RNA	4E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	5E-05	RNA	RNA	5E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

Key
NC   Not Calclulated
SIL   Swan Island Lagoon
RM   River Mile
--   Toxicity criteria are not available to quantitatively address this route of exposure.
RNA   Route of exposure is not applicable to this medium.
Note 1 Pathway specific integrated risks were not calculated.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-93 Risk Characterization Summary, Noncancer Hazards - Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Child

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Fish Tissue	Multiple Species Tissue	Whole body Fish Tissue On-site Consumption (73 g/day)						
			Antimony	Blood	4	RNA	RNA	4
			Arsenic	Skin/Blood	0.9	RNA	RNA	0.9
			Chromium		<1	RNA	RNA	0
			Mercury	CNS	4	RNA	RNA	4
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	0.4	RNA	RNA	0.4
			Hexachlorobenzene	Liver	<1	RNA	RNA	0
			Total PCBs	Skin/Immunological	700	RNA	RNA	700
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	<1	RNA	RNA	0
			alpha-Hexachlorocyclohexane	Liver	<1	RNA	RNA	0
			beta-Hexachlorocyclohexane	Liver	<1	RNA	RNA	0
			Dieldrin	Liver	0.2	RNA	RNA	0.2
			Heptachlor	Liver	<1	RNA	RNA	0
			Heptachlor Epoxide	Liver	<1	RNA	RNA	0
			Total Chlordanes	Liver	0	RNA	RNA	0
			Total DDx	Liver	1	RNA	RNA	1
						Fish Tissue Hazard Index Total =		800
						Receptor Hazard Index =		800
						Blood Hazard Index =		5
						Skin Hazard Index =		700
						CNS Hazard Index =		4
						Whole Body Hazard Index =		<1
						Liver Hazard Index =		2
						Immulogical Hazard Index =		700
						Reproduction Hazard Index =		40
						Kidney Hazard Index =		<1

Key
SIL — Swan Island Lagoon
RM — River Mile
CNS — Central Nervous System
-- — Toxicity criteria are not available to quantitatively address this route of exposure.
RNA — Route of exposure is not applicable to this medium.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-93 Risk Characterization Summary, Noncancer Hazards - Tribal Fisher, Reasonable Maximum Exposure								
Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe: Current/Future								
Receptor Population: Tribal								
Receptor Age: Child								
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (73 g/day)						
			Antimony	Blood	2	RNA	RNA	2
			Arsenic	Skin/Blood	1	RNA	RNA	1
			Chromium		<1	RNA	RNA	0
			Mercury	CNS	5	RNA	RNA	5
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	<1	RNA	RNA	0
			Hexachlorobenzene	Liver	<1	RNA	RNA	0
			Total PCBs	Skin/Immunological	600	RNA	RNA	600
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	<1	RNA	RNA	0
			alpha-Hexachlorocyclohexane	Liver	<1	RNA	RNA	0
			beta-Hexachlorocyclohexane	Liver	<1	RNA	RNA	0
			Dieldrin	Liver	0.1	RNA	RNA	0.1
			Heptachlor	Liver	<1	RNA	RNA	0
			Heptachlor Epoxide	Liver	<1	RNA	RNA	0
			Total Chlordanes	Liver	<1	RNA	RNA	0
			Total DDx	Liver	0.6	RNA	RNA	0.6
							Fish Tissue Hazard Index Total =	600
							Receptor Hazard Index =	600
							Blood Hazard Index =	3
							Skin Hazard Index =	600
							CNS Hazard Index =	5
							Whole Body Hazard Index =	<1
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	600
							Reproduction Hazard Index =	10
							Kidney Hazard Index =	<1

Key

SIL	Swan Island Lagoon
RM	River Mile
CNS	Central Nervous System
--	Toxicity criteria are not available to quantitatively address this route of exposure.
RNA	Route of exposure is not applicable to this medium.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 1 West					Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	1
							Fish Tissue Hazard Index Total =	9000
							Receptor Hazard Index =	9000
							Blood Hazard Index =	--
							Skin Hazard Index =	9000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	1
							Immulogical Hazard Index =	9000
							Reproduction Hazard Index =	--
							Kidney Hazard Index =	--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 1.5 West					Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
							Fish Tissue Hazard Index Total =	9000
							Receptor Hazard Index =	9000
							Blood Hazard Index =	--
							Skin Hazard Index =	9000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	9000
							Reproduction Hazard Index =	--
							Kidney Hazard Index =	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens								

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 2 West						
						Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
						Fish Tissue Hazard Index Total =		9000
						Receptor Hazard Index =		9000
						Blood Hazard Index =		--
						Skin Hazard Index =		9000
						CNS Hazard Index =		--
						Whole Body Hazard Index =		--
						Liver Hazard Index =		--
						Immulogical Hazard Index =		9000
						Reproduction Hazard Index =		--
						Kidney Hazard Index =		--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 2.5 West						
						Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
						Fish Tissue Hazard Index Total =		9000
						Receptor Hazard Index =		9000
						Blood Hazard Index =		--
						Skin Hazard Index =		9000
						CNS Hazard Index =		--
						Whole Body Hazard Index =		--
						Liver Hazard Index =		--
						Immulogical Hazard Index =		9000
						Reproduction Hazard Index =		--
						Kidney Hazard Index =		--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe:	Current/Future							
Receptor Population:	Tribal							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 3 West						
						Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
				Fish Tissue Hazard Index Total =				9000
				Receptor Hazard Index =				9000
				Blood Hazard Index =				--
				Skin Hazard Index =				9000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				9000
				Reproduction Hazard Index =				--
				Kidney Hazard Index =				--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 3.5 West						
						Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
				Fish Tissue Hazard Index Total =				9000
				Receptor Hazard Index =				9000
				Blood Hazard Index =				--
				Skin Hazard Index =				9000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				9000
				Reproduction Hazard Index =				--
				Kidney Hazard Index =				--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 4 West						
						Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
				Fish Tissue Hazard Index Total =				9000
				Receptor Hazard Index =				9000
				Blood Hazard Index =				--
				Skin Hazard Index =				9000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				9000
				Reproduction Hazard Index =				--
				Kidney Hazard Index =				--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 4.5 West						
						Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
				Fish Tissue Hazard Index Total =				9000
				Receptor Hazard Index =				9000
				Blood Hazard Index =				--
				Skin Hazard Index =				9000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				9000
				Reproduction Hazard Index =				--
				Kidney Hazard Index =				--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

				Risk Characterization Summary - Non-Carcinogens				

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 5 West						
						Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
					Fish Tissue Hazard Index Total =			9000
					Receptor Hazard Index =			9000
					Blood Hazard Index =			--
					Skin Hazard Index =			9000
					CNS Hazard Index =			--
					Whole Body Hazard Index =			--
					Liver Hazard Index =			--
					Immulogical Hazard Index =			9000
					Reproduction Hazard Index =			--
					Kidney Hazard Index =			--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 5.5 West						
						Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
					Fish Tissue Hazard Index Total =			9000
					Receptor Hazard Index =			9000
					Blood Hazard Index =			--
					Skin Hazard Index =			9000
					CNS Hazard Index =			--
					Whole Body Hazard Index =			--
					Liver Hazard Index =			--
					Immulogical Hazard Index =			9000
					Reproduction Hazard Index =			--
					Kidney Hazard Index =			--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

			Risk Characterization Summary - Non-Carcinogens					

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 6 West						
							Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
							Fish Tissue Hazard Index Total =	9000
							Receptor Hazard Index =	9000
							Blood Hazard Index =	--
							Skin Hazard Index =	9000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	9000
							Reproduction Hazard Index =	--
							Kidney Hazard Index =	--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 6.5 West						
							Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
							Fish Tissue Hazard Index Total =	9000
							Receptor Hazard Index =	9000
							Blood Hazard Index =	--
							Skin Hazard Index =	9000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	9000
							Reproduction Hazard Index =	--
							Kidney Hazard Index =	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Ingestion	Inhalation	Dermal	Exposure Routes Total
					\multicolumn{4}{Non-Carcinogens Hazard Quotient}			
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 7 West	Antimony	Blood	NA	RNA	RNA	0
			Arsenic	Skin/Blood	--	--	--	--
			cPAHs		--	--	--	--
			Total PCBs	Skin/Immunological	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	<1	RNA	RNA	0
				Sediment Hazard Index Total =				5
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
				Fish Tissue Hazard Index Total =				9000
				Receptor Hazard Index =				9000
				Blood Hazard Index =				--
				Skin Hazard Index =				9000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				9000
				Reproduction Hazard Index =				--
				Kidney Hazard Index =				--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 7.5 West		Sediment Hazard Index Total =				< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
				Fish Tissue Hazard Index Total =				9000
				Receptor Hazard Index =				9000
				Blood Hazard Index =				--
				Skin Hazard Index =				9000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				9000
				Reproduction Hazard Index =				--
				Kidney Hazard Index =				--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

					Risk Characterization Summary - Non-Carcinogens			

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 8 West						
							Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
							Fish Tissue Hazard Index Total =	9000
							Receptor Hazard Index =	9000
							Blood Hazard Index =	--
							Skin Hazard Index =	9000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	9000
							Reproduction Hazard Index =	--
							Kidney Hazard Index =	--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 8.5 West						
			Antimony	Blood	NA	RNA	RNA	0
			Arsenic	Skin/Blood	--	--	--	--
			cPAHs		--	--	--	--
			Total PCBs	Skin/Immunological	4	RNA	RNA	4
			Total Dioxin/Furan TEQ	Reproduction	<1	RNA	RNA	0
			Total PCB TEQ	Reproduction	<1	RNA	RNA	0
							Sediment Hazard Index Total =	4
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
							Fish Tissue Hazard Index Total =	9000
							Receptor Hazard Index =	9000
							Blood Hazard Index =	--
							Skin Hazard Index =	9000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	9000
							Reproduction Hazard Index =	--
							Kidney Hazard Index =	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 9 West	Antimony	Blood	NA	RNA	RNA	0
			Arsenic	Skin/Blood	--	--	--	--
			cPAHs		--	--	--	--
			Total PCBs	Skin/Immunological	1	RNA	RNA	1
			Total Dioxin/Furan TEQ	Reproduction	<1	RNA	RNA	0
			Total PCB TEQ	Reproduction	<1	RNA	RNA	0
				Sediment Hazard Index Total =				1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
				Fish Tissue Hazard Index Total =				9000
				Receptor Hazard Index =				9000
				Blood Hazard Index =				--
				Skin Hazard Index =				9000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				9000
				Reproduction Hazard Index =				--
				Kidney Hazard Index =				--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 9.5 West		Sediment Hazard Index Total =				< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
				Fish Tissue Hazard Index Total =				9000
				Receptor Hazard Index =				9000
				Blood Hazard Index =				--
				Skin Hazard Index =				9000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				9000
				Reproduction Hazard Index =				--
				Kidney Hazard Index =				--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 10 West					Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
							Fish Tissue Hazard Index Total =	9000
							Receptor Hazard Index =	9000
							Blood Hazard Index =	--
							Skin Hazard Index =	9000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	9000
							Reproduction Hazard Index =	--
							Kidney Hazard Index =	--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 10.5 West					Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
							Fish Tissue Hazard Index Total =	9000
							Receptor Hazard Index =	9000
							Blood Hazard Index =	--
							Skin Hazard Index =	9000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	9000
							Reproduction Hazard Index =	--
							Kidney Hazard Index =	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe:	Current/Future							
Receptor Population:	Tribal							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 11 West						
							Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
				Fish Tissue Hazard Index Total =				9000
				Receptor Hazard Index =				9000
				Blood Hazard Index =				--
				Skin Hazard Index =				9000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				9000
				Reproduction Hazard Index =				--
				Kidney Hazard Index =				--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 11.5 West						
							Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
				Fish Tissue Hazard Index Total =				9000
				Receptor Hazard Index =				9000
				Blood Hazard Index =				--
				Skin Hazard Index =				9000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				9000
				Reproduction Hazard Index =				--
				Kidney Hazard Index =				--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe:	Current/Future							
Receptor Population:	Tribal							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 12 West						
							Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
							Fish Tissue Hazard Index Total =	9000
							Receptor Hazard Index =	9000
							Blood Hazard Index =	--
							Skin Hazard Index =	9000
							CNS Hazard Index =	
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	9000
							Reproduction Hazard Index =	--
							Kidney Hazard Index =	--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 1 East						
							Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
							Fish Tissue Hazard Index Total =	9000
							Receptor Hazard Index =	9000
							Blood Hazard Index =	--
							Skin Hazard Index =	9000
							CNS Hazard Index =	
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	9000
							Reproduction Hazard Index =	--
							Kidney Hazard Index =	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 1.5 East					Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
							Fish Tissue Hazard Index Total =	9000
							Receptor Hazard Index =	9000
							Blood Hazard Index =	--
							Skin Hazard Index =	9000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	9000
							Reproduction Hazard Index =	--
							Kidney Hazard Index =	--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 2 East					Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
							Fish Tissue Hazard Index Total =	9000
							Receptor Hazard Index =	9000
							Blood Hazard Index =	--
							Skin Hazard Index =	9000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	9000
							Reproduction Hazard Index =	--
							Kidney Hazard Index =	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 2.5 East						
						Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
				Fish Tissue Hazard Index Total =				9000
				Receptor Hazard Index =				9000
				Blood Hazard Index =				--
				Skin Hazard Index =				9000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				9000
				Reproduction Hazard Index =				--
				Kidney Hazard Index =				--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 3 East						
						Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
				Fish Tissue Hazard Index Total =				9000
				Receptor Hazard Index =				9000
				Blood Hazard Index =				--
				Skin Hazard Index =				9000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				9000
				Reproduction Hazard Index =				--
				Kidney Hazard Index =				--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 3.5 East						
					Sediment Hazard Index Total =			< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
				Fish Tissue Hazard Index Total =				9000
				Receptor Hazard Index =				9000
				Blood Hazard Index =				--
				Skin Hazard Index =				9000
				CNS Hazard Index =				
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				9000
				Reproduction Hazard Index =				--
				Kidney Hazard Index =				--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 4 East						
					Sediment Hazard Index Total =			< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
				Fish Tissue Hazard Index Total =				9000
				Receptor Hazard Index =				9000
				Blood Hazard Index =				--
				Skin Hazard Index =				9000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				9000
				Reproduction Hazard Index =				--
				Kidney Hazard Index =				--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

					Risk Characterization Summary - Non-Carcinogens			

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 4.5 East						
							Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
				Fish Tissue Hazard Index Total =				9000
				Receptor Hazard Index =				9000
				Blood Hazard Index =				--
				Skin Hazard Index =				9000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				9000
				Reproduction Hazard Index =				--
				Kidney Hazard Index =				--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 5 East						
							Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
				Fish Tissue Hazard Index Total =				9000
				Receptor Hazard Index =				9000
				Blood Hazard Index =				--
				Skin Hazard Index =				9000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				9000
				Reproduction Hazard Index =				--
				Kidney Hazard Index =				--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 5.5 East					Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
							Fish Tissue Hazard Index Total =	9000
							Receptor Hazard Index =	9000
							Blood Hazard Index =	--
							Skin Hazard Index =	9000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	9000
							Reproduction Hazard Index =	--
							Kidney Hazard Index =	--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 6 East					Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
							Fish Tissue Hazard Index Total =	9000
							Receptor Hazard Index =	9000
							Blood Hazard Index =	--
							Skin Hazard Index =	9000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	9000
							Reproduction Hazard Index =	--
							Kidney Hazard Index =	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 6.5 East						
						Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
				Fish Tissue Hazard Index Total =				9000
				Receptor Hazard Index =				9000
				Blood Hazard Index =				--
				Skin Hazard Index =				9000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				9000
				Reproduction Hazard Index =				--
				Kidney Hazard Index =				--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 7 East						
						Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
				Fish Tissue Hazard Index Total =				9000
				Receptor Hazard Index =				9000
				Blood Hazard Index =				--
				Skin Hazard Index =				9000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				9000
				Reproduction Hazard Index =				--
				Kidney Hazard Index =				--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe:	Current/Future							
Receptor Population:	Tribal							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 7.5 East					Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
				Fish Tissue Hazard Index Total =				9000
				Receptor Hazard Index =				9000
				Blood Hazard Index =				--
				Skin Hazard Index =				9000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				9000
				Reproduction Hazard Index =				--
				Kidney Hazard Index =				--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 8 East					Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
				Fish Tissue Hazard Index Total =				9000
				Receptor Hazard Index =				9000
				Blood Hazard Index =				--
				Skin Hazard Index =				9000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				9000
				Reproduction Hazard Index =				--
				Kidney Hazard Index =				--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion SIL						
							Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
							Fish Tissue Hazard Index Total =	9000
							Receptor Hazard Index =	9000
							Blood Hazard Index =	--
							Skin Hazard Index =	9000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	9000
							Reproduction Hazard Index =	--
							Kidney Hazard Index =	--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 8.5 East						
							Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
							Fish Tissue Hazard Index Total =	9000
							Receptor Hazard Index =	9000
							Blood Hazard Index =	--
							Skin Hazard Index =	9000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	9000
							Reproduction Hazard Index =	--
							Kidney Hazard Index =	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe:	Current/Future							
Receptor Population:	Tribal							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 9 East						
							Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
						Fish Tissue Hazard Index Total =		9000
						Receptor Hazard Index =		9000
						Blood Hazard Index =		--
						Skin Hazard Index =		9000
						CNS Hazard Index =		
						Whole Body Hazard Index =		--
						Liver Hazard Index =		--
						Immulogical Hazard Index =		9000
						Reproduction Hazard Index =		--
						Kidney Hazard Index =		--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 9.5 East						
							Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
						Fish Tissue Hazard Index Total =		9000
						Receptor Hazard Index =		9000
						Blood Hazard Index =		--
						Skin Hazard Index =		9000
						CNS Hazard Index =		
						Whole Body Hazard Index =		--
						Liver Hazard Index =		--
						Immulogical Hazard Index =		9000
						Reproduction Hazard Index =		--
						Kidney Hazard Index =		--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

			Risk Characterization Summary - Non-Carcinogens					

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 10 East						
						Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
				Fish Tissue Hazard Index Total =				9000
				Receptor Hazard Index =				9000
				Blood Hazard Index =				--
				Skin Hazard Index =				9000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				9000
				Reproduction Hazard Index =				--
				Kidney Hazard Index =				--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 10.5 East						
						Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
				Fish Tissue Hazard Index Total =				9000
				Receptor Hazard Index =				9000
				Blood Hazard Index =				--
				Skin Hazard Index =				9000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				9000
				Reproduction Hazard Index =				--
				Kidney Hazard Index =				--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

					Risk Characterization Summary - Non-Carcinogens			

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 11 East Antimony	Blood	NA	RNA	RNA	0
			Arsenic	Skin/Blood	--	--	--	--
			cPAHs		--	--	--	--
			Total PCBs	Skin/Immunological	2	RNA	RNA	2
			Total Dioxin/Furan TEQ	Reproduction	<1	RNA	RNA	0
			Total PCB TEQ	Reproduction	<1	RNA	RNA	0
							Sediment Hazard Index Total =	2
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
							Fish Tissue Hazard Index Total =	9000
							Receptor Hazard Index =	9000
							Blood Hazard Index =	--
							Skin Hazard Index =	9000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	9000
							Reproduction Hazard Index =	--
							Kidney Hazard Index =	--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 11.5 East					Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
							Fish Tissue Hazard Index Total =	9000
							Receptor Hazard Index =	9000
							Blood Hazard Index =	--
							Skin Hazard Index =	9000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	9000
							Reproduction Hazard Index =	--
							Kidney Hazard Index =	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 12 East						
						Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
				Fish Tissue Hazard Index Total =				9000
				Receptor Hazard Index =				9000
				Blood Hazard Index =				--
				Skin Hazard Index =				9000
				CNS Hazard Index =				
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				9000
				Reproduction Hazard Index =				--
				Kidney Hazard Index =				--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion Study Area-wide						
						Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Whole body Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	9000	RNA	RNA	9000
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	30	RNA	RNA	30
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	1	RNA	RNA	--
				Fish Tissue Hazard Index Total =				9000
				Receptor Hazard Index =				9000
				Blood Hazard Index =				--
				Skin Hazard Index =				9000
				CNS Hazard Index =				
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				9000
				Reproduction Hazard Index =				--
				Kidney Hazard Index =				--

Key
SIL   Swan Island Lagoon
RM   River Mile
CNS   Central Nervous System
--   Toxicity criteria are not available to quantitatively address this route of exposure.
RNA   Route of exposure is not applicable to this medium.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 1 West					Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
						Fish Tissue Hazard Index Total =		8000
						Receptor Hazard Index =		8000
						Blood Hazard Index =		--
						Skin Hazard Index =		8000
						CNS Hazard Index =		--
						Whole Body Hazard Index =		--
						Liver Hazard Index =		--
						Immulogical Hazard Index =		8000
						Reproduction Hazard Index =		10
						Kidney Hazard Index =		--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 1.5 West					Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
						Fish Tissue Hazard Index Total =		8000
						Receptor Hazard Index =		8000
						Blood Hazard Index =		--
						Skin Hazard Index =		8000
						CNS Hazard Index =		--
						Whole Body Hazard Index =		--
						Liver Hazard Index =		--
						Immulogical Hazard Index =		8000
						Reproduction Hazard Index =		10
						Kidney Hazard Index =		--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 2 West						
						Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
				Fish Tissue Hazard Index Total =				8000
				Receptor Hazard Index =				8000
				Blood Hazard Index =				--
				Skin Hazard Index =				8000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				8000
				Reproduction Hazard Index =				10
				Kidney Hazard Index =				--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 2.5 West						
						Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
				Fish Tissue Hazard Index Total =				8000
				Receptor Hazard Index =				8000
				Blood Hazard Index =				--
				Skin Hazard Index =				8000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				8000
				Reproduction Hazard Index =				10
				Kidney Hazard Index =				--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 3 West						
					Sediment Hazard Index Total =			< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
				Fish Tissue Hazard Index Total =				8000
				Receptor Hazard Index =				8000
				Blood Hazard Index =				--
				Skin Hazard Index =				8000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				8000
				Reproduction Hazard Index =				10
				Kidney Hazard Index =				--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 3.5 West						
					Sediment Hazard Index Total =			< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
				Fish Tissue Hazard Index Total =				8000
				Receptor Hazard Index =				8000
				Blood Hazard Index =				--
				Skin Hazard Index =				8000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				8000
				Reproduction Hazard Index =				10
				Kidney Hazard Index =				--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 4 West					Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
						Fish Tissue Hazard Index Total =		8000
						Receptor Hazard Index =		8000
						Blood Hazard Index =		--
						Skin Hazard Index =		8000
						CNS Hazard Index =		--
						Whole Body Hazard Index =		--
						Liver Hazard Index =		--
						Immulogical Hazard Index =		8000
						Reproduction Hazard Index =		10
						Kidney Hazard Index =		--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 4.5 West					Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
						Fish Tissue Hazard Index Total =		8000
						Receptor Hazard Index =		8000
						Blood Hazard Index =		--
						Skin Hazard Index =		8000
						CNS Hazard Index =		--
						Whole Body Hazard Index =		--
						Liver Hazard Index =		--
						Immulogical Hazard Index =		8000
						Reproduction Hazard Index =		10
						Kidney Hazard Index =		--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 5 West				Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
					Fish Tissue Hazard Index Total =			8000
					Receptor Hazard Index =			8000
					Blood Hazard Index =			--
					Skin Hazard Index =			8000
					CNS Hazard Index =			--
					Whole Body Hazard Index =			--
					Liver Hazard Index =			--
					Immulogical Hazard Index =			8000
					Reproduction Hazard Index =			10
					Kidney Hazard Index =			--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 5.5 West				Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
					Fish Tissue Hazard Index Total =			8000
					Receptor Hazard Index =			8000
					Blood Hazard Index =			--
					Skin Hazard Index =			8000
					CNS Hazard Index =			--
					Whole Body Hazard Index =			--
					Liver Hazard Index =			--
					Immulogical Hazard Index =			8000
					Reproduction Hazard Index =			10
					Kidney Hazard Index =			--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

					\multicolumn{4}{c}{Risk Characterization Summary - Non-Carcinogens}

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 6 West						
							Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
							Fish Tissue Hazard Index Total =	8000
							Receptor Hazard Index =	8000
							Blood Hazard Index =	--
							Skin Hazard Index =	8000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	8000
							Reproduction Hazard Index =	10
							Kidney Hazard Index =	--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 6.5 West						
							Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
							Fish Tissue Hazard Index Total =	8000
							Receptor Hazard Index =	8000
							Blood Hazard Index =	--
							Skin Hazard Index =	8000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	8000
							Reproduction Hazard Index =	10
							Kidney Hazard Index =	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe:	Current/Future							
Receptor Population:	Tribal							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 7 West	Antimony	Blood	NA	RNA	RNA	0
			Arsenic	Skin/Blood	--	--	--	--
			cPAHs		--	--	--	--
			Total PCBs	Skin/Immunological	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	<1	RNA	RNA	0
				Sediment Hazard Index Total =				5
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
				Fish Tissue Hazard Index Total =				8000
				Receptor Hazard Index =				8000
				Blood Hazard Index =				--
				Skin Hazard Index =				8000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				8000
				Reproduction Hazard Index =				10
				Kidney Hazard Index =				--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 7.5 West		Sediment Hazard Index Total =				< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
				Fish Tissue Hazard Index Total =				8000
				Receptor Hazard Index =				8000
				Blood Hazard Index =				--
				Skin Hazard Index =				8000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				8000
				Reproduction Hazard Index =				10
				Kidney Hazard Index =				--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 8 West						
						Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
				Fish Tissue Hazard Index Total =				8000
				Receptor Hazard Index =				8000
				Blood Hazard Index =				--
				Skin Hazard Index =				8000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				8000
				Reproduction Hazard Index =				10
				Kidney Hazard Index =				--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 8.5 West	Antimony	Blood	NA	RNA	RNA	0
			Arsenic	Skin/Blood	--	--	--	--
			cPAHs		--	--	--	--
			Total PCBs	Skin/Immunological	4	RNA	RNA	4
			Total Dioxin/Furan TEQ	Reproduction	<1	RNA	RNA	0
			Total PCB TEQ	Reproduction	<1	RNA	RNA	0
				Sediment Hazard Index Total =				4
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
				Fish Tissue Hazard Index Total =				8000
				Receptor Hazard Index =				8000
				Blood Hazard Index =				--
				Skin Hazard Index =				8000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				8000
				Reproduction Hazard Index =				10
				Kidney Hazard Index =				--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 9 West	Antimony	Blood	NA	RNA	RNA	0
			Arsenic	Skin/Blood	--	--	--	--
			cPAHs		--	--	--	--
			Total PCBs	Skin/Immunological	1	RNA	RNA	1
			Total Dioxin/Furan TEQ	Reproduction	<1	RNA	RNA	0
			Total PCB TEQ	Reproduction	<1	RNA	RNA	0
							Sediment Hazard Index Total =	1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
							Fish Tissue Hazard Index Total =	8000
							Receptor Hazard Index =	8000
							Blood Hazard Index =	--
							Skin Hazard Index =	8000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	8000
							Reproduction Hazard Index =	10
							Kidney Hazard Index =	--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 9.5 West					Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
							Fish Tissue Hazard Index Total =	8000
							Receptor Hazard Index =	8000
							Blood Hazard Index =	--
							Skin Hazard Index =	8000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	8000
							Reproduction Hazard Index =	10
							Kidney Hazard Index =	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 10 West						
						Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
					Fish Tissue Hazard Index Total =			8000
					Receptor Hazard Index =			8000
					Blood Hazard Index =			--
					Skin Hazard Index =			8000
					CNS Hazard Index =			--
					Whole Body Hazard Index =			--
					Liver Hazard Index =			--
					Immulogical Hazard Index =			8000
					Reproduction Hazard Index =			10
					Kidney Hazard Index =			--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 10.5 West						
						Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
					Fish Tissue Hazard Index Total =			8000
					Receptor Hazard Index =			8000
					Blood Hazard Index =			--
					Skin Hazard Index =			8000
					CNS Hazard Index =			--
					Whole Body Hazard Index =			--
					Liver Hazard Index =			--
					Immulogical Hazard Index =			8000
					Reproduction Hazard Index =			10
					Kidney Hazard Index =			--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 11 West						
							Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
				Fish Tissue Hazard Index Total =				8000
				Receptor Hazard Index =				8000
				Blood Hazard Index =				--
				Skin Hazard Index =				8000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				8000
				Reproduction Hazard Index =				10
				Kidney Hazard Index =				--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 11.5 West						
							Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
				Fish Tissue Hazard Index Total =				8000
				Receptor Hazard Index =				8000
				Blood Hazard Index =				--
				Skin Hazard Index =				8000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				8000
				Reproduction Hazard Index =				10
				Kidney Hazard Index =				--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 12 West						
						Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
					Fish Tissue Hazard Index Total =			8000
					Receptor Hazard Index =			8000
					Blood Hazard Index =			--
					Skin Hazard Index =			8000
					CNS Hazard Index =			--
					Whole Body Hazard Index =			--
					Liver Hazard Index =			--
					Immulogical Hazard Index =			8000
					Reproduction Hazard Index =			10
					Kidney Hazard Index =			--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 1 East						
						Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
					Fish Tissue Hazard Index Total =			8000
					Receptor Hazard Index =			8000
					Blood Hazard Index =			--
					Skin Hazard Index =			8000
					CNS Hazard Index =			--
					Whole Body Hazard Index =			--
					Liver Hazard Index =			--
					Immulogical Hazard Index =			8000
					Reproduction Hazard Index =			10
					Kidney Hazard Index =			--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 1.5 East					Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
							Fish Tissue Hazard Index Total =	8000
							Receptor Hazard Index =	8000
							Blood Hazard Index =	--
							Skin Hazard Index =	8000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	8000
							Reproduction Hazard Index =	10
							Kidney Hazard Index =	--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 2 East					Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
							Fish Tissue Hazard Index Total =	8000
							Receptor Hazard Index =	8000
							Blood Hazard Index =	--
							Skin Hazard Index =	8000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	8000
							Reproduction Hazard Index =	10
							Kidney Hazard Index =	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 2.5 East				Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
				Fish Tissue Hazard Index Total =				8000
				Receptor Hazard Index =				8000
				Blood Hazard Index =				--
				Skin Hazard Index =				8000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				8000
				Reproduction Hazard Index =				10
				Kidney Hazard Index =				--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 3 East				Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
				Fish Tissue Hazard Index Total =				8000
				Receptor Hazard Index =				8000
				Blood Hazard Index =				--
				Skin Hazard Index =				8000
				CNS Hazard Index =				--
				Whole Body Hazard Index =				--
				Liver Hazard Index =				--
				Immulogical Hazard Index =				8000
				Reproduction Hazard Index =				10
				Kidney Hazard Index =				--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

					Risk Characterization Summary - Non-Carcinogens			

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 3.5 East				Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
						Fish Tissue Hazard Index Total =		8000
						Receptor Hazard Index =		8000
						Blood Hazard Index =		--
						Skin Hazard Index =		8000
						CNS Hazard Index =		--
						Whole Body Hazard Index =		--
						Liver Hazard Index =		--
						Immulogical Hazard Index =		8000
						Reproduction Hazard Index =		10
						Kidney Hazard Index =		--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 4 East				Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
						Fish Tissue Hazard Index Total =		8000
						Receptor Hazard Index =		8000
						Blood Hazard Index =		--
						Skin Hazard Index =		8000
						CNS Hazard Index =		--
						Whole Body Hazard Index =		--
						Liver Hazard Index =		--
						Immulogical Hazard Index =		8000
						Reproduction Hazard Index =		10
						Kidney Hazard Index =		--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 4.5 East						
							Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
							Fish Tissue Hazard Index Total =	8000
							Receptor Hazard Index =	8000
							Blood Hazard Index =	--
							Skin Hazard Index =	8000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	8000
							Reproduction Hazard Index =	10
							Kidney Hazard Index =	--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 5 East						
							Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
							Fish Tissue Hazard Index Total =	8000
							Receptor Hazard Index =	8000
							Blood Hazard Index =	--
							Skin Hazard Index =	8000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	8000
							Reproduction Hazard Index =	10
							Kidney Hazard Index =	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

					Risk Characterization Summary - Non-Carcinogens			
Scenario Timeframe:	Current/Future							
Receptor Population:	Tribal							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 5.5 East				Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
					Fish Tissue Hazard Index Total =			8000
					Receptor Hazard Index =			8000
					Blood Hazard Index =			--
					Skin Hazard Index =			8000
					CNS Hazard Index =			--
					Whole Body Hazard Index =			--
					Liver Hazard Index =			--
					Immulogical Hazard Index =			8000
					Reproduction Hazard Index =			10
					Kidney Hazard Index =			--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 6 East				Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
					Fish Tissue Hazard Index Total =			8000
					Receptor Hazard Index =			8000
					Blood Hazard Index =			--
					Skin Hazard Index =			8000
					CNS Hazard Index =			--
					Whole Body Hazard Index =			--
					Liver Hazard Index =			--
					Immulogical Hazard Index =			8000
					Reproduction Hazard Index =			10
					Kidney Hazard Index =			--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 6.5 East				Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
						Fish Tissue Hazard Index Total =		8000
						Receptor Hazard Index =		8000
						Blood Hazard Index =		--
						Skin Hazard Index =		8000
						CNS Hazard Index =		--
						Whole Body Hazard Index =		--
						Liver Hazard Index =		--
						Immulogical Hazard Index =		8000
						Reproduction Hazard Index =		10
						Kidney Hazard Index =		--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 7 East				Sediment Hazard Index Total =		< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
						Fish Tissue Hazard Index Total =		8000
						Receptor Hazard Index =		8000
						Blood Hazard Index =		--
						Skin Hazard Index =		8000
						CNS Hazard Index =		--
						Whole Body Hazard Index =		--
						Liver Hazard Index =		--
						Immulogical Hazard Index =		8000
						Reproduction Hazard Index =		10
						Kidney Hazard Index =		--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 7.5 East					Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
						Fish Tissue Hazard Index Total =		8000
						Receptor Hazard Index =		8000
						Blood Hazard Index =		--
						Skin Hazard Index =		8000
						CNS Hazard Index =		--
						Whole Body Hazard Index =		--
						Liver Hazard Index =		--
						Immulogical Hazard Index =		8000
						Reproduction Hazard Index =		10
						Kidney Hazard Index =		--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 8 East					Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
						Fish Tissue Hazard Index Total =		8000
						Receptor Hazard Index =		8000
						Blood Hazard Index =		--
						Skin Hazard Index =		8000
						CNS Hazard Index =		--
						Whole Body Hazard Index =		--
						Liver Hazard Index =		--
						Immulogical Hazard Index =		8000
						Reproduction Hazard Index =		10
						Kidney Hazard Index =		--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe:	Current/Future							
Receptor Population:	Tribal							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion SIL						
							Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
							Fish Tissue Hazard Index Total =	8000
							Receptor Hazard Index =	8000
							Blood Hazard Index =	--
							Skin Hazard Index =	8000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	8000
							Reproduction Hazard Index =	10
							Kidney Hazard Index =	--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 8.5 East						
							Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
							Fish Tissue Hazard Index Total =	8000
							Receptor Hazard Index =	8000
							Blood Hazard Index =	--
							Skin Hazard Index =	8000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	8000
							Reproduction Hazard Index =	10
							Kidney Hazard Index =	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe:	Current/Future							
Receptor Population:	Tribal							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 9 East			Sediment Hazard Index Total =			< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
					Fish Tissue Hazard Index Total =			8000
					Receptor Hazard Index =			8000
					Blood Hazard Index =			--
					Skin Hazard Index =			8000
					CNS Hazard Index =			--
					Whole Body Hazard Index =			--
					Liver Hazard Index =			--
					Immulogical Hazard Index =			8000
					Reproduction Hazard Index =			10
					Kidney Hazard Index =			--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 9.5 East			Sediment Hazard Index Total =			< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
					Fish Tissue Hazard Index Total =			8000
					Receptor Hazard Index =			8000
					Blood Hazard Index =			--
					Skin Hazard Index =			8000
					CNS Hazard Index =			--
					Whole Body Hazard Index =			--
					Liver Hazard Index =			--
					Immulogical Hazard Index =			8000
					Reproduction Hazard Index =			10
					Kidney Hazard Index =			--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

					\multicolumn{4}{c}{Risk Characterization Summary - Non-Carcinogens}

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 10 East						
							Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
						Fish Tissue Hazard Index Total =		8000
						Receptor Hazard Index =		8000
						Blood Hazard Index =		--
						Skin Hazard Index =		8000
						CNS Hazard Index =		--
						Whole Body Hazard Index =		--
						Liver Hazard Index =		--
						Immulogical Hazard Index =		8000
						Reproduction Hazard Index =		10
						Kidney Hazard Index =		--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 10.5 East						
							Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
						Fish Tissue Hazard Index Total =		8000
						Receptor Hazard Index =		8000
						Blood Hazard Index =		--
						Skin Hazard Index =		8000
						CNS Hazard Index =		--
						Whole Body Hazard Index =		--
						Liver Hazard Index =		--
						Immulogical Hazard Index =		8000
						Reproduction Hazard Index =		10
						Kidney Hazard Index =		--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 11 East	Antimony	Blood	NA	RNA	RNA	0
			Arsenic	Skin/Blood	--	--	--	--
			cPAHs		--	--	--	--
			Total PCBs	Skin/Immunological	2	RNA	RNA	2
			Total Dioxin/Furan TEQ	Reproduction	<1	RNA	RNA	0
			Total PCB TEQ	Reproduction	<1	RNA	RNA	0
							Sediment Hazard Index Total =	2
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
							Fish Tissue Hazard Index Total =	8000
							Receptor Hazard Index =	8000
							Blood Hazard Index =	--
							Skin Hazard Index =	8000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	8000
							Reproduction Hazard Index =	10
							Kidney Hazard Index =	--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 11.5 East					Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
							Fish Tissue Hazard Index Total =	8000
							Receptor Hazard Index =	8000
							Blood Hazard Index =	--
							Skin Hazard Index =	8000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	8000
							Reproduction Hazard Index =	10
							Kidney Hazard Index =	--

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-94 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Tribal Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Tribal
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion RM 12 East					Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
							Fish Tissue Hazard Index Total =	8000
							Receptor Hazard Index =	8000
							Blood Hazard Index =	--
							Skin Hazard Index =	8000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	8000
							Reproduction Hazard Index =	10
							Kidney Hazard Index =	--
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion Study Area-wide					Sediment Hazard Index Total =	< 1
Fish Tissue	Breast Milk	Breastfeeding from Adult consumption of Fillet Fish Tissue On-site (175 g/day) Ingestion						
			Antimony	Blood	--	RNA	RNA	--
			Arsenic	Skin/Blood	--	RNA	RNA	--
			Chromium		--	RNA	RNA	--
			Mercury	CNS	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	--	RNA	RNA	--
			Hexachlorobenzene	Liver	--	RNA	RNA	--
			Total PCBs	Skin/Immunological	8000	RNA	RNA	8000
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	8	RNA	RNA	8
			Aldrin	Liver	--	RNA	RNA	--
			alpha-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			beta-Hexachlorocyclohexane	Liver	--	RNA	RNA	--
			Dieldrin	Liver	--	RNA	RNA	--
			Heptachlor	Liver	--	RNA	RNA	--
			Heptachlor Epoxide	Liver	--	RNA	RNA	--
			Total Chlordanes	Liver	--	RNA	RNA	--
			Total DDx	Liver	0.6	RNA	RNA	0.6
							Fish Tissue Hazard Index Total =	8000
							Receptor Hazard Index =	8000
							Blood Hazard Index =	--
							Skin Hazard Index =	8000
							CNS Hazard Index =	--
							Whole Body Hazard Index =	--
							Liver Hazard Index =	--
							Immulogical Hazard Index =	8000
							Reproduction Hazard Index =	10
							Kidney Hazard Index =	--

Key

SIL	Swan Island Lagoon
RM	River Mile
CNS	Central Nervous System
--	Toxicity criteria are not available to quantitatively address this route of exposure.
RNA	Route of exposure is not applicable to this medium.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-95 Risk Characterization Summary, Cancer Risks and Noncancer Hazards - In-Water Worker, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	In-Water Worker						
Receptor Age:	Adult						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 1 West				**Total Risk =**	1E-07
		RM 1.5 West				**Total Risk =**	9E-08
		RM 2 West				**Total Risk =**	9E-08
		RM 2.5 West				**Total Risk =**	2E-07
		RM 3 West				**Total Risk =**	2E-07
		RM 3.5 West				**Total Risk =**	6E-07
		RM 4 West				**Total Risk =**	2E-07
		RM 4.5 West				**Total Risk =**	4E-07
		RM 5 West				**Total Risk =**	7E-07
		RM 5.5 West				**Total Risk =**	8E-07
		RM 6 West	Arsenic	7E-08	RNA	7E-09	8E-08
			cPAHs	6E-06	RNA	3E-06	9E-06
			Total PCBs	6E-10	RNA	1E-09	2E-09
			Total Dioxin/Furan TEQ	4E-09	RNA	2E-09	6E-09
			Total PCB TEQ	4E-09	RNA	2E-09	6E-09
						Total Risk =	9E-06
		RM 6.5 West				**Total Risk =**	7E-07
		RM 7 West	Arsenic	9E-08	RNA	9E-09	1E-07
			cPAHs	3E-07	RNA	1E-07	4E-07
			Total PCBs	2E-09	RNA	1E-09	3E-09
			Total Dioxin/Furan TEQ	2E-05	RNA	2E-06	2E-05
			Total PCB TEQ	4E-08	RNA	2E-08	6E-08
						Total Risk =	2E-05
		RM 7.5 West				**Total Risk =**	1E-07
		RM 8 West				**Total Risk =**	3E-07
		RM 8.5 West				**Total Risk =**	1E-06
		RM 9 West				**Total Risk =**	3E-07
		RM 9.5 West				**Total Risk =**	2E-07
		RM 10 West				**Total Risk =**	6E-07
		RM 10.5 West				**Total Risk =**	1E-07
		RM 11 West				**Total Risk =**	1E-07
		RM 11.5 West				**Total Risk =**	7E-08
		RM 12 West				**Total Risk =**	4E-07
		RM 1 East				**Total Risk =**	1E-07
		RM 1.5 East				**Total Risk =**	3E-07
		RM 2 East				**Total Risk =**	3E-07
		RM 2.5 East				**Total Risk =**	8E-07
		RM 3 East				**Total Risk =**	1E-07
		RM 3.5 East				**Total Risk =**	6E-07
		RM 4 East				**Total Risk =**	5E-07
		RM 4.5 East	Arsenic	8E-08	RNA	8E-09	9E-08
			cPAHs	1E-06	RNA	5E-07	2E-06
			Total PCBs	1E-09	RNA	5E-10	2E-09
			Total Dioxin/Furan TEQ	4E-10	RNA	4E-11	4E-10
			Total PCB TEQ	5E-10	RNA	2E-10	7E-10
						Total Risk =	2E-06
		RM 5 East				**Total Risk =**	2E-07
		RM 5.5 East				**Total Risk =**	3E-07
		RM 6 East				**Total Risk =**	4E-07
		RM 6.5 East				**Total Risk =**	3E-07
		RM 7 East				**Total Risk =**	4E-07
		RM 7.5 East				**Total Risk =**	9E-08
		RM 8 East				**Total Risk =**	3E-07
		SIL				**Total Risk =**	4E-07
		RM 8.5 East				**Total Risk =**	2E-07
		RM 9 East				**Total Risk =**	1E-07
		RM 9.5 East				**Total Risk =**	8E-08
		RM 10 East				**Total Risk =**	1E-07
		RM 10.5 East				**Total Risk =**	8E-08
		RM 11 East				**Total Risk =**	3E-07
		RM 11.5 East				**Total Risk =**	NA
		RM 12 East				**Total Risk =**	7E-08
		Study Area-wide	Arsenic	8E-08	RNA	8E-09	9E-08
			cPAHs	4E-07	RNA	2E-07	6E-07
			Total PCBs	8E-09	RNA	4E-09	1E-08
			Total Dioxin/Furan TEQ	1E-06	RNA	9E-08	1E-06
			Total PCB TEQ	2E-08	RNA	1E-08	3E-08
						Total Risk =	2E-06

Key

--	Toxicity criteria are not available to quantitatively address this route of exposure.
NA	Not Analyzed
ND	Not Detected
SIL	Swan Islan Lagoon
RNA	Route of exposure is not applicable to this medium.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-96 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of In-Water Worker, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe: Current/Future								
Receptor Population: In-Water Worker								
Receptor Age: Infant								
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 1 West			**Receptor Hazard Index =**			< 1
		RM 1.5 West			**Receptor Hazard Index =**			< 1
		RM 2 West			**Receptor Hazard Index =**			< 1
		RM 2.5 West			**Receptor Hazard Index =**			< 1
		RM 3 West			**Receptor Hazard Index =**			< 1
		RM 3.5 West			**Receptor Hazard Index =**			< 1
		RM 4 West			**Receptor Hazard Index =**			< 1
		RM 4.5 West			**Receptor Hazard Index =**			< 1
		RM 5 West			**Receptor Hazard Index =**			< 1
		RM 5.5 West			**Receptor Hazard Index =**			< 1
		RM 6 West			**Receptor Hazard Index =**			< 1
		RM 6.5 West			**Receptor Hazard Index =**			< 1
		RM 7 West	Arsenic	Skin/Blood	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Total PCBs	Skin/Immunological	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	2	RNA	RNA	2
			Total PCB TEQ	Reproduction	<1	RNA	RNA	0
					Receptor Hazard Index =			2
					Skin/Blood =			--
					Skin/Immunological =			--
					Reproduction Hazard Index =			2
		RM 7.5 West			**Receptor Hazard Index =**			< 1
		RM 8 West			**Receptor Hazard Index =**			< 1
		RM 8.5 West			**Receptor Hazard Index =**			< 1
		RM 9 West			**Receptor Hazard Index =**			< 1
		RM 9.5 West			**Receptor Hazard Index =**			< 1
		RM 10 West			**Receptor Hazard Index =**			< 1
		RM 10.5 West			**Receptor Hazard Index =**			< 1
		RM 11 West			**Receptor Hazard Index =**			< 1
		RM 11.5 West			**Receptor Hazard Index =**			< 1
		RM 12 West			**Receptor Hazard Index =**			< 1
		RM 1 East			**Receptor Hazard Index =**			< 1
		RM 1.5 East			**Receptor Hazard Index =**			< 1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-96 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of In-Water Worker, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe: Current/Future								
Receptor Population: In-Water Worker								
Receptor Age: Infant								
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	RM 2 East			**Receptor Hazard Index =**			< 1
		RM 2.5 East			**Receptor Hazard Index =**			< 1
		RM 3 East			**Receptor Hazard Index =**			< 1
		RM 3.5 East			**Receptor Hazard Index =**			< 1
		RM 4 East			**Receptor Hazard Index =**			< 1
		RM 4.5 East			**Receptor Hazard Index =**			< 1
		RM 5 East			**Receptor Hazard Index =**			< 1
		RM 5.5 East			**Receptor Hazard Index =**			< 1
		RM 6 East			**Receptor Hazard Index =**			< 1
		RM 6.5 East			**Receptor Hazard Index =**			< 1
		RM 7 East			**Receptor Hazard Index =**			< 1
		RM 7.5 East			**Receptor Hazard Index =**			< 1
		RM 8 East			**Receptor Hazard Index =**			< 1
		SIL			**Receptor Hazard Index =**			< 1
		RM 8.5 East			**Receptor Hazard Index =**			< 1
		RM 9 East			**Receptor Hazard Index =**			< 1
		RM 9.5 East			**Receptor Hazard Index =**			< 1
		RM 10 East			**Receptor Hazard Index =**			< 1
		RM 10.5 East			**Receptor Hazard Index =**			< 1
		RM 11 East			**Receptor Hazard Index =**			< 1
		RM 11.5 East			**Receptor Hazard Index =**			< 1
		RM 12 East			**Receptor Hazard Index =**			< 1
		Study Area-wide			**Receptor Hazard Index =**			< 1

Key

--	Toxicity criteria are not available to quantitatively address this route of exposure.
NA	Not Analyzed
ND	Not Detected
SIL	Swan Islan Lagoon
RNA	Route of exposure is not applicable to this medium.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-97 Risk Characterization Summary, Cancer Risks and Noncancer Hazards - Commercial Diver, Wet Suit, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Commercial Diver (wet suit)						
Receptor Age:	Adult						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 1 West				**Total Risk =**	3E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 1.5 West				**Total Risk =**	1E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 2 West				Total Sediment Risk =	1E-06
Water	River Water	River Water On-site Direct Contact					
		RM 2 West				Total Water Risk =	2E-08
						Total Risk =	1E-06
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 2.5 West				**Total Risk =**	4E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 3 West				Total Sediment Risk =	5E-07
Water	River Water	River Water On-site Direct Contact					
		RM 3 West				Total Water Risk =	2E-07
						Total Risk =	7E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 3.5 West				**Total Risk =**	1E-06
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 4 West				Total Sediment Risk =	4E-07
Water	River Water	River Water On-site Direct Contact					
		RM 4 West				Total Water Risk =	3E-08
						Total Risk =	4E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 4.5 West				**Total Risk =**	1E-06
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 5 West	Arsenic	2E-08	RNA	6E-08	8E-08
			cPAHs	1E-07	RNA	2E-06	2E-06
			Total PCBs	2E-10	RNA	3E-09	3E-09
			Total Dioxin/Furan TEQ	2E-09	RNA	8E-09	1E-08
			Total PCB TEQ	9E-10	RNA	1E-08	1E-08
						Total Risk =	2E-06
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 5.5 West	Arsenic	3E-08	RNA	1E-07	1E-07
			cPAHs	1E-07	RNA	2E-06	2E-06
			Total PCBs	4E-10	RNA	5E-09	5E-09
			Total Dioxin/Furan TEQ	1E-09	RNA	3E-09	4E-09
			Total PCB TEQ	5E-10	RNA	8E-09	9E-09
						Total Sediment Risk =	2E-06
Water	River Water	River Water On-site Direct Contact					
		RM 5.5 West				Total Water Risk =	3E-08
						Total Risk =	2E-06
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 6 West	Arsenic	2E-08	RNA	7E-08	9E-08
			cPAHs	2E-06	RNA	3E-05	3E-05
			Total PCBs	4E-10	RNA	7E-09	7E-09
			Total Dioxin/Furan TEQ	7E-10	RNA	2E-09	3E-09
			Total PCB TEQ	1E-09	RNA	2E-08	2E-08
						Total Sediment Risk =	3E-05
Water	River Water	River Water On-site Direct Contact					
		RM 6 West	cPAHs	1E-05	RNA	2E-08	1E-05
						Total Water Risk =	1E-05
						Total Risk =	4E-05
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 6.5 West				Total Sediment Risk =	1E-06
Water	River Water	River Water On-site Direct Contact					
		RM 6.5 West				Total Water Risk =	6E-07
						Total Risk =	2E-06

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-97 Risk Characterization Summary, Cancer Risks and Noncancer Hazards - Commercial Diver, Wet Suit, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Commercial Diver (wet suit)						
Receptor Age:	Adult						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 7 West	Arsenic	3E-08	RNA	9E-08	1E-07
			cPAHs	8E-08	RNA	1E-06	1E-06
			Total PCBs	6E-10	RNA	1E-08	1E-08
			Total Dioxin/Furan TEQ	6E-06	RNA	2E-05	3E-05
			Total PCB TEQ	1E-08	RNA	2E-07	2E-07
						Total Sediment Risk =	3E-05
Water	River Water	River Water On-site Direct Contact					
		RM 7 West				Total Water Risk =	3E-07
						Total Risk =	3E-05
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 7.5 West				Total Sediment Risk =	3E-07
Water	River Water	River Water On-site Direct Contact					
		RM 7.5 West				Total Water Risk =	2E-08
						Total Risk =	3E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 8 West				**Total Risk =**	6E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 8.5 West	Arsenic	6E-08	RNA	2E-07	3E-07
			cPAHs	7E-09	RNA	1E-07	1E-07
			Total PCBs	6E-08	RNA	9E-07	1E-06
			Total Dioxin/Furan TEQ	8E-09	RNA	3E-08	4E-08
			Total PCB TEQ	1E-07	RNA	2E-06	2E-06
						Total Sediment Risk =	3E-06
Water	River Water	River Water On-site Direct Contact					
		RM 8.5 West				Total Water Risk =	4E-08
						Total Risk =	4E-06
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 9 West				**Total Risk =**	7E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 9.5 West				Total Sediment Risk =	4E-07
Water	River Water	River Water On-site Direct Contact					
		RM 9.5 West				Total Water Risk =	4E-08
						Total Risk =	4E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 10 West				**Total Risk =**	9E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 10.5 West				**Total Risk =**	1E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 11 West				Total Sediment Risk =	2E-07
Water	River Water	River Water On-site Direct Contact					
		RM 11 Transect (W023)				Total Water Risk =	1E-07
						Total Risk =	3E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 11.5 West				**Total Risk =**	9E-08
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 12 West				**Total Risk =**	1E-06
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 1 East				**Total Risk =**	2E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 1.5 East				**Total Risk =**	8E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 2 East				Total Sediment Risk =	1E-06
Water	River Water	River Water On-site Direct Contact					
		RM 2 East				Total Water Risk =	2E-08
						Total Risk =	1E-06

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-97 Risk Characterization Summary, Cancer Risks and Noncancer Hazards - Commercial Diver, Wet Suit, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Commercial Diver (wet suit)
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 2.5 East	Arsenic	3E-08	RNA	8E-08	1E-07
			cPAHs	2E-07	RNA	2E-06	2E-06
			Total PCBs	5E-10	RNA	8E-09	9E-09
			Total Dioxin/Furan TEQ	5E-10	RNA	2E-09	3E-09
			Total PCB TEQ	2E-09	RNA	2E-08	2E-08
						Total Risk =	2E-06
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 3 East				**Total Risk =**	2E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 3.5 East	Arsenic	3E-08	RNA	8E-08	1E-07
			cPAHs	3E-08	RNA	5E-07	5E-07
			Total PCBs	1E-08	RNA	2E-07	2E-07
			Total Dioxin/Furan TEQ	5E-09	RNA	2E-08	3E-08
			Total PCB TEQ	5E-08	RNA	8E-07	9E-07
						Total Sediment Risk =	2E-06
Water	River Water	River Water On-site Direct Contact					
		RM 3.5 East				Total Water Risk =	1E-07
						Total Risk =	2E-06
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 4 East				Total Sediment Risk =	1E-06
Water	River Water	River Water On-site Direct Contact					
		RM 4 East				Total Water Risk =	3E-07
						Total Risk =	1E-06
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 4.5 East	Arsenic	3E-08	RNA	8E-08	1E-07
			cPAHs	3E-07	RNA	5E-06	5E-06
			Total PCBs	3E-10	RNA	5E-09	5E-09
			Total Dioxin/Furan TEQ	1E-10	RNA	4E-10	5E-10
			Total PCB TEQ	2E-10	RNA	2E-09	2E-09
						Total Sediment Risk =	5E-06
Water	River Water	River Water On-site Direct Contact					
		RM 4.5 East				Total Water Risk =	1E-06
						Total Risk =	6E-06
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 5 East				**Total Risk =**	4E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 5.5 East				Total Sediment Risk =	7E-07
Water	River Water	River Water On-site Direct Contact					
		RM 5.5 East				Total Water Risk =	2E-08
						Total Risk =	7E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 6 East				Total Sediment Risk =	1E-06
Water	River Water	River Water On-site Direct Contact					
		RM 6.3 Transect (W011)				Total Water Risk =	1E-07
						Total Risk =	1E-06
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 6.5 East				Total Sediment Risk =	6E-07
Water	River Water	River Water On-site Direct Contact					
		RM 6.5 East				Total Water Risk =	2E-07
						Total Risk =	8E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 7 East				**Total Risk =**	8E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 7.5 East				**Total Risk =**	1E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 8 East				**Total Risk =**	7E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		SIL				Total Sediment Risk =	1E-06
Water	River Water	River Water On-site Direct Contact					
		SIL				Total Water Risk =	4E-07
						Total Risk =	1E-06

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-97 Risk Characterization Summary, Cancer Risks and Noncancer Hazards - Commercial Diver, Wet Suit, Reasonable Maximum Exposure							
Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Commercial Diver (wet suit)						
Receptor Age:	Adult						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 8.5 East				**Total Risk =**	3E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 9 East				**Total Risk =**	1E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 9.5 East				Total Sediment Risk =	1E-07
Water	River Water	River Water On-site Direct Contact					
		RM 9.5 East				Total Water Risk =	1E-08
						Total Risk =	1E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 10 East				**Total Risk =**	3E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 10.5 East				**Total Risk =**	1E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 11 East				Total Sediment Risk =	8E-07
Water	River Water	River Water On-site Direct Contact					
		RM 11 Transect (W023)				Total Water Risk =	1E-07
						Total Risk =	9E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 11.5 East				**Total Risk =**	NA
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 12 East				**Total Risk =**	1E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		Study Area-wide	Arsenic	3E-08	RNA	9E-08	1E-07
			cPAHs	1E-07	RNA	2E-06	2E-06
			Total PCBs	3E-09	RNA	4E-08	4E-08
			Total Dioxin/Furan TEQ	3E-07	RNA	1E-06	1E-06
			Total PCB TEQ	3E-09	RNA	1E-07	1E-07
						Total Risk =	4E-06

Key

	--	Toxicity criteria are not available to quantitatively address this route of exposure.
NA		Not Analyzed
ND		Not Detected
SIL		Swan Islan Lagoon
RNA		Route of exposure is not applicable to this medium.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-98 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Commercial Diver, Wet Suit, Reasonable Maximum Exposure								
Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe:	Current/Future								
Receptor Population:	Commercial Diver (wet suit)								
Receptor Age:	Infant								
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 1 West					Receptor Hazard Index =	< 1
		RM 1.5 West					Receptor Hazard Index =	< 1
		RM 2 West					Receptor Hazard Index =	< 1
		RM 2.5 West					Receptor Hazard Index =	< 1
		RM 3 West					Receptor Hazard Index =	< 1
		RM 3.5 West					Receptor Hazard Index =	< 1
		RM 4 West					Receptor Hazard Index =	< 1
		RM 4.5 West					Receptor Hazard Index =	< 1
		RM 5 West					Receptor Hazard Index =	< 1
		RM 5.5 West					Receptor Hazard Index =	< 1
		RM 6 West					Receptor Hazard Index =	< 1
		RM 6.5 West					Receptor Hazard Index =	< 1
		RM 7 West	Arsenic	Skin/Blood	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Total PCBs	Skin/Immunological	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	1	RNA	RNA	1
			Total PCB TEQ	Reproduction	<1	RNA	RNA	0
							Receptor Hazard Index =	1
		RM 7.5 West					Receptor Hazard Index =	< 1
		RM 8 West					Receptor Hazard Index =	< 1
		RM 8.5 West	Arsenic	Skin/Blood	--	RNA	RNA	--
			cPAHs		--	--	--	--
			Total PCBs	Skin/Immunological	2	RNA	RNA	2
			Total Dioxin/Furan TEQ	Reproduction	<1	RNA	RNA	0
			Total PCB TEQ	Reproduction	<1	RNA	RNA	0
							Receptor Hazard Index =	2
		RM 9 West					Receptor Hazard Index =	< 1
		RM 9.5 West					Receptor Hazard Index =	< 1
		RM 10 West					Receptor Hazard Index =	< 1
		RM 10.5 West					Receptor Hazard Index =	< 1
		RM 11 West					Receptor Hazard Index =	< 1
		RM 11.5 West					Receptor Hazard Index =	< 1
		RM 12 West					Receptor Hazard Index =	< 1
		RM 1 East					Receptor Hazard Index =	< 1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-98 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Commercial Diver, Wet Suit, Reasonable Maximum Exposure

					Risk Characterization Summary - Non-Carcinogens			
Scenario Timeframe:	Current/Future							
Receptor Population:	Commercial Diver (wet suit)							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	RM 1.5 East			**Receptor Hazard Index =**			< 1
		RM 2 East			**Receptor Hazard Index =**			< 1
		RM 2.5 East			**Receptor Hazard Index =**			< 1
		RM 3 East			**Receptor Hazard Index =**			< 1
		RM 3.5 East			**Receptor Hazard Index =**			< 1
		RM 4 East			**Receptor Hazard Index =**			< 1
		RM 4.5 East			**Receptor Hazard Index =**			< 1
		RM 5 East			**Receptor Hazard Index =**			< 1
		RM 5.5 East			**Receptor Hazard Index =**			< 1
		RM 6 East			**Receptor Hazard Index =**			< 1
		RM 6.5 East			**Receptor Hazard Index =**			< 1
		RM 7 East			**Receptor Hazard Index =**			< 1
		RM 7.5 East			**Receptor Hazard Index =**			< 1
		RM 8 East			**Receptor Hazard Index =**			< 1
		SIL			**Receptor Hazard Index =**			< 1
		RM 8.5 East			**Receptor Hazard Index =**			< 1
		RM 9 East			**Receptor Hazard Index =**			< 1
		RM 9.5 East			**Receptor Hazard Index =**			< 1
		RM 10 East			**Receptor Hazard Index =**			< 1
		RM 10.5 East			**Receptor Hazard Index =**			< 1
		RM 11 East			**Receptor Hazard Index =**			< 1
		RM 11.5 East			**Receptor Hazard Index =**			< 1
		RM 12 East			**Receptor Hazard Index =**			< 1
		Study Area-wide			**Receptor Hazard Index =**			< 1

Key

--	Toxicity criteria are not available to quantitatively address this route of exposure.
NA	Not Analyzed
ND	Not Detected
SIL	Swan Islan Lagoon
RNA	Route of exposure is not applicable to this medium.

LWG
Lower Willamette Group

Table 5-99 Risk Characterization Summary, Cancer Risks and Noncancer Hazards - Commercial Diver, Dry Suit, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Commercial Diver dry suit)						
Receptor Age:	Adult						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 1 West				Total Risk =	7E-08
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 1.5 West				Total Risk =	4E-08
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 2 West				Total Sediment Risk =	4E-08
Water	River Water	River Water On-site Direct Contact					
		RM 2 West				Total Water Risk =	2E-08
						Total Risk =	6E-08
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 2.5 West				Total Risk =	9E-08
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 3 West				Total Sediment Risk =	1E-07
Water	River Water	River Water On-site Direct Contact					
		RM 3 West				Total Water Risk =	4E-08
						Total Risk =	1E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 3.5 West				Total Risk =	3E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 4 West				Total Sediment Risk =	1E-07
Water	River Water	River Water On-site Direct Contact					
		RM 4 West				Total Water Risk =	1E-08
						Total Risk =	1E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 4.5 West				Total Risk =	3E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 5 West				Total Risk =	5E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 5.5 West				Total Sediment Risk =	5E-07
Water	River Water	River Water On-site Direct Contact					
		RM 5.5 West				Total Water Risk =	1E-08
						Total Risk =	5E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 6 West	Arsenic	1E-08	RNA	5E-10	1E-08
			cPAHs	2E-08	RNA	4E-06	4E-06
			Total PCBs	4E-10	RNA	9E-10	1E-09
			Total Dioxin/Furan TEQ	7E-10	RNA	3E-10	1E-09
			Total PCB TEQ	1E-09	RNA	3E-09	4E-09
		RM 6 West				Total Sediment Risk =	4E-06
Water	River Water	River Water On-site Direct Contact					
		RM 6 West					1E-06
						Total Water Risk =	1E-06
						Total Risk =	5E-06
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 6.5 West				Total Sediment Risk =	3E-07
Water	River Water	River Water On-site Direct Contact					
		RM 6.5 West				Total Water Risk =	9E-08
						Total Risk =	4E-07
Sediment	River Sediment	River Sediment On-site Direct Contact					
		RM 7 West	Arsenic	3E-08	RNA	1E-08	4E-08
			cPAHs	8E-08	RNA	2E-07	3E-07
			Total PCBs	6E-10	RNA	1E-09	2E-09
			Total Dioxin/Furan TEQ	6E-06	RNA	3E-06	9E-06
			Total PCB TEQ	1E-08	RNA	3E-08	4E-08
						Total Sediment Risk =	9E-06
Water	River Water	River Water On-site Direct Contact					
		RM 7 West				Total Water Risk =	5E-07
						Total Risk =	1E-05

LWG
Lower Willamette Group

Table 5-99 Risk Characterization Summary, Cancer Risks and Noncancer Hazards - Commercial Diver, Dry Suit, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens					
Scenario Timeframe:	Current/Future				
Receptor Population:	Commercial Diver dry suit)				
Receptor Age:	Adult				
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 7.5 West		Total Sediment Risk =	7E-08
Water	River Water	River Water On-site Direct Contact			
		RM 7.5 West		Total Water Risk =	1E-07
				Total Risk =	**2E-07**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 8 West		**Total Risk =**	**1E-07**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 8.5 West		Total Sediment Risk =	7E-07
Water	River Water	River Water On-site Direct Contact			
		RM 8.5 West		Total Water Risk =	2E-08
				Total Risk =	**7E-07**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 9 West		**Total Risk =**	**2E-07**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 9.5 West		Total Sediment Risk =	1E-07
Water	River Water	River Water On-site Direct Contact			
		RM 9.5 West		Total Water Risk =	1E-07
				Total Risk =	**2E-07**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 10 West		**Total Risk =**	**3E-07**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 10.5 West		**Total Risk =**	**4E-08**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 11 West		Total Sediment Risk =	5E-08
Water	River Water	River Water On-site Direct Contact			
		RM 11 Transect (W023)		Total Water Risk =	2E-08
				Total Risk =	**7E-08**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 11.5 West		**Total Risk =**	**3E-08**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 12 West		**Total Risk =**	**2E-07**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 1 East		**Total Risk =**	**6E-08**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 1.5 East		**Total Risk =**	**2E-07**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 2 East		Total Sediment Risk =	2E-07
Water	River Water	River Water On-site Direct Contact			
		RM 2 East		Total Water Risk =	1E-08
				Total Risk =	**2E-07**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 2.5 East		**Total Risk =**	**5E-07**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 3 East		**Total Risk =**	**6E-08**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 3.5 East		Total Sediment Risk =	3E-07
Water	River Water	River Water On-site Direct Contact			
		RM 3.5 East		Total Water Risk =	2E-08
				Total Risk =	**3E-07**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 4 East		Total Sediment Risk =	3E-07
Water	River Water	River Water On-site Direct Contact			
		RM 4 East		Total Water Risk =	5E-08
				Total Risk =	**4E-07**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 4.5 East		Total Sediment Risk =	1E-06

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-99 Risk Characterization Summary, Cancer Risks and Noncancer Hazards - Commercial Diver, Dry Suit, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens					
Scenario Timeframe:	Current/Future				
Receptor Population:	Commercial Diver dry suit)				
Receptor Age:	Adult				
Water	River Water	River Water On-site Direct Contact			
		RM 4.5 East		Total Water Risk =	1E-07
				Total Risk =	**1E-06**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 5 East		**Total Risk =**	**8E-08**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 5.5 East		Total Sediment Risk =	2E-07
Water	River Water	River Water On-site Direct Contact			
		RM 5.5 East		Total Water Risk =	1E-08
				Total Risk =	**2E-07**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 6 East		Total Sediment Risk =	3E-07
Water	River Water	River Water On-site Direct Contact			
		RM 6.3 Transect (W011)		Total Water Risk =	3E-08
				Total Risk =	**3E-07**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 6.5 East		Total Sediment Risk =	2E-07
Water	River Water	River Water On-site Direct Contact			
		RM 6.5 East		Total Water Risk =	3E-08
				Total Risk =	**2E-07**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 7 East		**Total Risk =**	**2E-07**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 7.5 East		**Total Risk =**	**4E-08**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 8 East		**Total Risk =**	**2E-07**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		SIL		Total Sediment Risk =	3E-07
Water	River Water	River Water On-site Direct Contact			
		SIL		Total Water Risk =	6E-08
				Total Risk =	**4E-07**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 8.5 East		**Total Risk =**	**8E-08**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 9 East		**Total Risk =**	**4E-08**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 9.5 East		Total Sediment Risk =	3E-08
Water	River Water	River Water On-site Direct Contact			
		RM 9.5 East		Total Water Risk =	1E-08
				Total Risk =	**4E-08**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 10 East		**Total Risk =**	**4E-08**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 10.5 East		**Total Risk =**	**1E-07**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 11 East		Total Sediment Risk =	2E-07
Water	River Water	River Water On-site Direct Contact			
		RM 11 Transect (W023)		Total Water Risk =	2E-08
				Total Risk =	**2E-07**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 11.5 East		**Total Risk =**	**NA**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		RM 12 East		**Total Risk =**	**4E-08**
Sediment	River Sediment	River Sediment On-site Direct Contact			
		Study Area-wide		**Total Risk =**	**9E-07**

Key

--	Toxicity criteria are not available to quantitatively address this route of exposure.
NA	Not Analyzed
ND	Not Detected
SIL	Swan Islan Lagoon
RNA	Route of exposure is not applicable to this medium.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-100 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Commercial Diver, Dry Suit, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe:	Current/Future							
Receptor Population:	Commercial Diver (wet suit)							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of on-site sediment Ingestion						
		RM 1 West			**Receptor Hazard Index =**			< 1
		RM 1.5 West			**Receptor Hazard Index =**			< 1
		RM 2 West			**Receptor Hazard Index =**			< 1
		RM 2.5 West			**Receptor Hazard Index =**			< 1
		RM 3 West			**Receptor Hazard Index =**			< 1
		RM 3.5 West			**Receptor Hazard Index =**			< 1
		RM 4 West			**Receptor Hazard Index =**			< 1
		RM 4.5 West			**Receptor Hazard Index =**			< 1
		RM 5 West			**Receptor Hazard Index =**			< 1
		RM 5.5 West			**Receptor Hazard Index =**			< 1
		RM 6 West			**Receptor Hazard Index =**			< 1
		RM 6.5 West			**Receptor Hazard Index =**			< 1
		RM 7 West			**Receptor Hazard Index =**			< 1
		RM 7.5 West			**Receptor Hazard Index =**			< 1
		RM 8 West			**Receptor Hazard Index =**			< 1
		RM 8.5 West			**Receptor Hazard Index =**			< 1
		RM 9 West			**Receptor Hazard Index =**			< 1
		RM 9.5 West			**Receptor Hazard Index =**			< 1
		RM 10 West			**Receptor Hazard Index =**			< 1
		RM 10.5 West			**Receptor Hazard Index =**			< 1
		RM 11 West			**Receptor Hazard Index =**			< 1
		RM 11.5 West			**Receptor Hazard Index =**			< 1
		RM 12 West			**Receptor Hazard Index =**			< 1
		RM 1 East			**Receptor Hazard Index =**			< 1
		RM 1.5 East			**Receptor Hazard Index =**			< 1
		RM 2 East			**Receptor Hazard Index =**			< 1
		RM 2.5 East			**Receptor Hazard Index =**			< 1
		RM 3 East			**Receptor Hazard Index =**			< 1
		RM 3.5 East			**Receptor Hazard Index =**			< 1
		RM 4 East			**Receptor Hazard Index =**			< 1
		RM 4.5 East			**Receptor Hazard Index =**			< 1
		RM 5 East			**Receptor Hazard Index =**			< 1
		RM 5.5 East			**Receptor Hazard Index =**			< 1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-100 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Commercial Diver, Dry Suit, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens				
Scenario Timeframe:	Current/Future			
Receptor Population:	Commercial Diver (wet suit)			
Receptor Age:	Infant			
Sediment	Breast Milk	RM 6 East	**Receptor Hazard Index =**	< 1
		RM 6.5 East	**Receptor Hazard Index =**	< 1
		RM 7 East	**Receptor Hazard Index =**	< 1
		RM 7.5 East	**Receptor Hazard Index =**	< 1
		RM 8 East	**Receptor Hazard Index =**	< 1
		SIL	**Receptor Hazard Index =**	< 1
		RM 8.5 East	**Receptor Hazard Index =**	< 1
		RM 9 East	**Receptor Hazard Index =**	< 1
		RM 9.5 East	**Receptor Hazard Index =**	< 1
		RM 10 East	**Receptor Hazard Index =**	< 1
		RM 10.5 East	**Receptor Hazard Index =**	< 1
		RM 11 East	**Receptor Hazard Index =**	< 1
		RM 11.5 East	**Receptor Hazard Index =**	< 1
		RM 12 East	**Receptor Hazard Index =**	< 1
		Study Area-wide	**Receptor Hazard Index =**	< 1

Key

--	Toxicity criteria are not available to quantitatively address this route of exposure.
NA	Not Analyzed
ND	Not Detected
SIL	Swan Islan Lagoon
RNA	Route of exposure is not applicable to this medium.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-101 Risk Characterization Summary, Cancer Risks - Domestic Water Use, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Future						
Receptor Population:	Domestic Water User						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion	Inhalation	Dermal	Exposure Routes Total
Water	River Water	River Water On-site Direct Contact					
		RM 2 Transect (W025)	Arsenic, total	NC[1]	RNA	NC[1]	2E-05
			Chromium VI	ND	RNA	ND	0E+00
			Total cPAHs	NC[1]	RNA	NC[1]	5E-06
			MCPP	---	---	---	---
						Total Risk =	3E-05
		RM 2.1 E (W026)	Arsenic, total	NC[1]	RNA	NC[1]	1E-05
			Chromium VI	ND	RNA	ND	0E+00
			Total cPAHs	ND	RNA	ND	0E+00
			MCPP	---	---	---	---
						Total Risk =	1E-05
		RM 2.9 W (W027)	Arsenic, total	NC[1]	RNA	NC[1]	1E-05
			Chromium VI	ND	RNA	ND	0E+00
			Total cPAHs	NC[1]	RNA	NC[1]	2E-05
			MCPP	---	---	---	---
						Total Risk =	3E-05
		RM 3.6 E (W028)	Arsenic, total	NC[1]	RNA	NC[1]	1E-05
			Chromium VI	ND	RNA	ND	0E+00
			Total cPAHs	ND	RNA	ND	0E+00
			MCPP	---	---	---	---
						Total Risk =	1E-05
		RM 3.9 Transect (W005)	Arsenic, total	NC[1]	RNA	NC[1]	1E-05
			Chromium VI	ND	RNA	ND	0E+00
			Total cPAHs	NC[1]	RNA	NC[1]	5E-06
			MCPP	---	---	---	---
						Total Risk =	2E-05
		RM 4.4 W (W029)	Arsenic, total	NC[1]	RNA	NC[1]	9E-06
			Chromium VI	ND	RNA	ND	0E+00
			Total cPAHs	ND	RNA	ND	0E+00
			MCPP	---	---	---	---
						Total Risk =	9E-06

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-101 Risk Characterization Summary, Cancer Risks - Domestic Water Use, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Future						
Receptor Population:	Domestic Water User						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion	Inhalation	Dermal	Exposure Routes Total
Water	River Water	RM 5.5 E (W030)	Arsenic, total	NC[1]	RNA	NC[1]	1E-05
			Chromium VI	ND	RNA	ND	0E+00
			Total cPAHs	ND	RNA	ND	0E+00
			MCPP	---	---	---	---
			Total Risk =				1E-05
		RM 5.7 E (W010)	Arsenic, total	NC[1]	RNA	NC[1]	1E-05
			Chromium VI	ND	RNA	ND	0E+00
			Total cPAHs	ND	RNA	ND	0E+00
			MCPP	---	---	---	---
			Total Risk =				1E-05
		RM 6.1 W (W031)	Arsenic, total	NC[1]	RNA	NC[1]	1E-05
			Chromium VI	ND	RNA	ND	0E+00
			Total cPAHs	NC[1]	RNA	NC[1]	4E-04
			MCPP	---	---	---	---
			Total Risk =				4E-04
		RM 6.3 Transect (W011)	Arsenic, total	NC[1]	RNA	NC[1]	1E-05
			Chromium VI	ND	RNA	ND	0E+00
			Total cPAHs	NC[1]	RNA	NC[1]	4E-06
			MCPP	---	---	---	---
			Total Risk =				1E-05
		RM 6.7 E (W032)	Arsenic, total	NC[1]	RNA	NC[1]	9E-06
			Chromium VI	ND	RNA	ND	0E+00
			Total cPAHs	NC[1]	RNA	NC[1]	2E-06
			MCPP	---	---	---	---
			Total Risk =				1E-05
		RM 6.9 E (W014)	Arsenic, total	NC[1]	RNA	NC[1]	1E-05
			Chromium VI	ND	RNA	ND	0E+00
			Total cPAHs	ND	RNA	ND	0E+00
			MCPP	---	---	---	---
			Total Risk =				1E-05
		RM 7 W (W033)	Arsenic, total	NC[1]	RNA	NC[1]	9E-06
			Chromium VI	NC[1]	RNA	NC[1]	7E-06
			Total cPAHs	NC[1]	RNA	NC[1]	1E-06
			MCPP	---	---	---	---
			Total Risk =				2E-05
		RM 7.5 W (W034)	Arsenic, total	NC[1]	RNA	NC[1]	1E-05
			Chromium VI	ND	RNA	ND	0E+00
			Total cPAHs	ND	RNA	ND	0E+00
			MCPP	---	---	---	---
			Total Risk =				1E-05

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-101 Risk Characterization Summary, Cancer Risks - Domestic Water Use, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Future						
Receptor Population:	Domestic Water User						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion	Inhalation	Dermal	Exposure Routes Total
Water	River Water	SIL RM 8.5 (W035)	Arsenic, total	NC[1]	RNA	NC[1]	1E-05
			Chromium VI	ND	RNA	ND	0E+00
			Total cPAHs	NC[1]	RNA	NC[1]	2E-05
			MCPP	---	---	---	---
						Total Risk =	3E-05
		SIL RM 9.1 (W020)	Arsenic, total	NC[1]	RNA	NC[1]	1E-05
			Chromium VI	ND	RNA	ND	0E+00
			Total cPAHs	ND	RNA	ND	0E+00
			MCPP	---	---	---	---
						Total Risk =	1E-05
		RM 8.6 W (W036)	Arsenic, total	NC[1]	RNA	NC[1]	1E-05
			Chromium VI	ND	RNA	ND	0E+00
			Total cPAHs	NC[1]	RNA	NC[1]	7E-06
			MCPP	---	---	---	---
						Total Risk =	2E-05
		RM 9.6 W (W037)	Arsenic, total	NC[1]	RNA	NC[1]	1E-05
			Chromium VI	ND	RNA	ND	0E+00
			Total cPAHs	ND	RNA	ND	0E+00
			MCPP	---	---	---	---
						Total Risk =	1E-05
		RM 9.9 E (W038)	Arsenic, total	NC[1]	RNA	NC[1]	1E-05
			Chromium VI	ND	RNA	ND	0E+00
			Total cPAHs	ND	RNA	ND	0E+00
			MCPP	---	---	---	---
						Total Risk =	1E-05
		RM 11 Transect (W023)	Arsenic, total	NC[1]	RNA	NC[1]	1E-05
			Chromium VI	ND	RNA	ND	0E+00
			Total cPAHs	NC[1]	RNA	NC[1]	4E-06
			MCPP	---	---	---	---
						Total Risk =	1E-05

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-101 Risk Characterization Summary, Cancer Risks - Domestic Water Use, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Future						
Receptor Population:	Domestic Water User						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion	Inhalation	Dermal	Exposure Routes Total
Water	River Water	Study Area-wide	Arsenic, total	NC[1]	RNA	NC[1]	1E-05
			Chromium VI	NC[1]	RNA	NC[1]	8E-06
			Total cPAHs	NC[1]	RNA	NC[1]	2E-05
			MCPP	---	---	---	---
						Total Risk =	4E-05

Key	
--	Toxicity criteria are not available to quantitatively address this route of exposure.
MCPP	2-(2-Methyl-4-chlorophenoxy)propionic acid
NA	Not Analyzed
NC	Not Calculated
ND	Not Detected
SIL	Swan Islan Lagoon
RNA	Route of exposure is not applicable to this medium.
Note 1	Pathway specific integrated risks were not calculated.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-102 Risk Characterization Summary, Noncancer Hazards - Domestic Water Use, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe: Future								
Receptor Population: Domestic Water User								
Receptor Age: Child								
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion	Inhalation	Dermal	Exposure Routes Total
Water	River Water	River Water On-site Direct Contact						
		RM 2 Transect (W025)			Receptor Hazard Index =			< 1
		RM 2.1 E (W026)			Receptor Hazard Index =			< 1
		RM 2.9 W (W027)	MCPP	Kidney	1	RNA	RNA	1
					Receptor Hazard Index =			1
					Kidney Hazard Index =			1
		RM 3.6 E (W028)			Receptor Hazard Index =			< 1
		RM 3.9 Transect (W005)	MCPP	Kidney	1	RNA	RNA	1
					Receptor Hazard Index =			1
					Kidney Hazard Index =			1
		RM 4.4 W (W029)			Receptor Hazard Index =			< 1
		RM 5.5 E (W030)			Receptor Hazard Index =			< 1
		RM 5.7 E (W010)			Receptor Hazard Index =			< 1
		RM 6.1 W (W031)			Receptor Hazard Index =			< 1
		RM 6.3 Transect (W011)			Receptor Hazard Index =			< 1
		RM 6.7 E (W032)			Receptor Hazard Index =			< 1
		RM 6.9 E (W014)			Receptor Hazard Index =			< 1
		RM 7 W (W033)			Receptor Hazard Index =			< 1
		RM 7.5 W (W034)			Receptor Hazard Index =			< 1
		SIL RM 8.5 (W035)	MCPP	Kidney	2	RNA	RNA	2
					Receptor Hazard Index =			2
					Kidney Hazard Index =			2
		SIL RM 9.1 (W020)			Receptor Hazard Index =			< 1
		RM 8.6 W (W036)			Receptor Hazard Index =			< 1
		RM 9.6 W (W037)			Receptor Hazard Index =			< 1
		RM 9.9 E (W038)			Receptor Hazard Index =			< 1
		RM 11 Transect (W023)			Receptor Hazard Index =			< 1
		Study Area-wide			Receptor Hazard Index =			< 1

Key

--	Toxicity criteria are not available to quantitatively address this route of exposure.
MCPP	2-(2-Methyl-4-chlorophenoxy)propionic acid
NA	Not Analyzed
ND	Not Detected
SIL	Swan Islan Lagoon
RNA	Route of exposure is not applicable to this medium.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-103 Risk Characterization Summary, Cancer Risks - Subsistence Fisher, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe: Current/Future							
Receptor Population: Subsistence Fisher							
Receptor Age: Adult/Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (142-60 g/day)					
		Study Area-wide	Antimony	--	--	--	--
			Arsenic	2E-05	RNA	RNA	2E-05
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	2E-06	RNA	RNA	2E-06
			Bis(2-ethylhexyl)phthalate	8E-07	RNA	RNA	8E-07
			Hexachlorobenzene	3E-05	RNA	RNA	3E-05
			Total PCBs	1E-02	RNA	RNA	1E-02
			Total Dioxin/Furan TEQ	2E-04	RNA	RNA	2E-04
			Total PCB TEQ	4E-04	RNA	RNA	4E-04
			Aldrin	5E-07	RNA	RNA	5E-07
			alpha-Hexachlorocyclohexane	6E-08	RNA	RNA	6E-08
			beta-Hexachlorocyclohexane	2E-06	RNA	RNA	2E-06
			Dieldrin	2E-05	RNA	RNA	2E-05
			Heptachlor	6E-09	RNA	RNA	6E-09
			Heptachlor Epoxide	3E-07	RNA	RNA	3E-07
			Total Chlordanes	2E-06	RNA	RNA	2E-06
			Total DDx	2E-05	RNA	RNA	2E-05
						Fish Tissue Total Risk =	1E-02
						Total Risk =	**1E-02**

Key	
SIL	Swan Island Lagoon
NA	Not Analyzed
ND	Not Detected
RM	River Mile
--	Toxicity criteria are not available to quantitatively address this route of exposure.
RNA	Route of exposure is not applicable to this medium.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-104 Risk Characterization Summary, Noncancer Hazards - Subsistence Fisher, Reasonable Maximum Exposure

			Risk Characterization Summary - Non-Carcinogens					

Scenario Timeframe: Current/Future
Receptor Population: Subsistence Fisher
Receptor Age: Child

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (60 g/day)						
		Study Area-wide	Antimony	Blood	<1	RNA	RNA	0
			Arsenic	Skin/Blood	0.2	RNA	RNA	0.2
			Chromium		<1	RNA	RNA	0
			Mercury	CNS	5	RNA	RNA	5
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	<1	RNA	RNA	0
			Hexachlorobenzene	Liver	<1	RNA	RNA	0
			Total PCBs	Skin/Immunological	1000	RNA	RNA	1000
			Total Dioxin/Furan TEQ	Reproduction	7	RNA	RNA	7
			Total PCB TEQ	Reproduction	10	RNA	RNA	10
			Aldrin	Liver	<1	RNA	RNA	0
			alpha-Hexachlorocyclohexane	Liver	<1	RNA	RNA	0
			beta-Hexachlorocyclohexane	Liver	<1	RNA	RNA	0
			Dieldrin	Liver	0.1	RNA	RNA	0.1
			Heptachlor	Liver	<1	RNA	RNA	0
			Heptachlor Epoxide	Liver	<1	RNA	RNA	0
			Total Chlordanes	Liver	<1	RNA	RNA	0
			Total DDx	Liver	0.7	RNA	RNA	0.7
							Fish Tissue Hazard Index Total =	1000

Receptor Hazard Index =	1000
Blood Hazard Index =	<1
Skin Hazard Index =	1000
CNS Hazard Index =	5
Whole Body Hazard Index =	1
Liver Hazard Index =	<1
Immulogical Hazard Index =	1000
Reproduction Hazard Index =	20
Kidney Hazard Index =	<1

Key
SIL	Swan Island Lagoon
ND	Not Detected
NA	Not Analyzed
RM	River Mile
CNS	Central Nervous System
--	Toxicity criteria are not available to quantitatively address this route of exposure.
RNA	Route of exposure is not applicable to this medium.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-105 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Subsistence Fisher, Reasonable Maximum Exposure

			Risk Characterization Summary - Non-Carcinogens					

Scenario Timeframe: Current/Future
Receptor Population: Subsistence Fisher (Boat)
Receptor Age: Infant

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		Study Area-wide					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Multi-Species Fish Tissue On-site (142-60 g/day) Ingestion						
		Study Area-wide	Total PCBs	Skin/Immunological	10000	RNA	RNA	10000
			Total Dioxin/Furan TEQ	Reproduction	7	RNA	RNA	7
			Total PCB TEQ	Reproduction	10	RNA	RNA	10
			Total DDx	Liver	0.7	RNA	RNA	0.7
							Fish Tissue Hazard Index Total =	10000
Shellfish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Clam Tissue On-site (18 g/day) Ingestion						
		Study Area-wide	Total PCBs	Skin/Immunological	200	RNA	RNA	200
			Total Dioxin/Furan TEQ	Reproduction	1	RNA	RNA	1
			Total PCB TEQ	Reproduction	1	RNA	RNA	1
			Total DDx	Liver	0.1	RNA	RNA	0.1
							Clam Tissue Hazard Index Total =	200
	Breast Milk	Breastfeeding from Adult Consumer of Crayfish Tissue On-site (18 g/day) Ingestion						
		Study Area-wide	Total PCBs	Skin/Immunological	200	RNA	RNA	200
			Total Dioxin/Furan TEQ	Reproduction	5	RNA	RNA	5
			Total PCB TEQ	Reproduction	1	RNA	RNA	1
			Total DDx	Liver	<1	RNA	RNA	0
							Crayfish Tissue Hazard Index Total =	200
							Shellfish Tissue Hazard Index Total =	400
							Receptor Hazard Index =	10000
							Skin Hazard Index =	10000
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	10000
							Reproduction Hazard Index =	30

Key
SIL — Swan Island Lagoon
ND — Not Detected
NA — Not Analyzed
RM — River Mile
CNS — Central Nervous System
-- — Toxicity criteria are not available to quantitatively address this route of exposure.
RNA — Route of exposure is not applicable to this medium.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-106 Risk Characterization Summary, Cancer Risks - Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Subsistence Fisher						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Fish Tissue	Smallmouth Bass Tissue	Fillet Fish Tissue On-site Consumption (48.9-20.5 g/day) RM 2	Antimony	--	--	--	--
			Arsenic	2E-05	RNA	RNA	2E-05
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	ND	RNA	RNA	0E+00
			Bis(2-ethylhexyl)phthalate	ND	RNA	RNA	0E+00
			Hexachlorobenzene	2E-07	RNA	RNA	2E-07
			Total PCBs	1E-04	RNA	RNA	1E-04
			Total Dioxin/Furan TEQ	1E-05	RNA	RNA	1E-05
			Total PCB TEQ	8E-05	RNA	RNA	8E-05
			Aldrin	4E-08	RNA	RNA	4E-08
			alpha-Hexachlorocyclohexane	1E-08	RNA	RNA	1E-08
			beta-Hexachlorocyclohexane	ND	RNA	RNA	0E+00
			Dieldrin	2E-06	RNA	RNA	2E-06
			Heptachlor	ND	RNA	RNA	0E+00
			Heptachlor Epoxide	9E-08	RNA	RNA	9E-08
			Total Chlordanes	2E-07	RNA	RNA	2E-07
			Total DDx	2E-06	RNA	RNA	2E-06
			Fish Tissue Total Risk =				2E-04
			Total Risk =				**2E-04**
Fish Tissue	Smallmouth Bass Tissue	Fillet Fish Tissue On-site Consumption (48.9-20.5 g/day) RM 3	Antimony	--	--	--	--
			Arsenic	2E-05	RNA	RNA	2E-05
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	6E-07	RNA	RNA	6E-07
			Bis(2-ethylhexyl)phthalate	ND	RNA	RNA	0E+00
			Hexachlorobenzene	2E-07	RNA	RNA	2E-07
			Total PCBs	3E-05	RNA	RNA	3E-05
			Total Dioxin/Furan TEQ	1E-05	RNA	RNA	1E-05
			Total PCB TEQ	2E-05	RNA	RNA	2E-05
			Aldrin	3E-08	RNA	RNA	3E-08
			alpha-Hexachlorocyclohexane	1E-08	RNA	RNA	1E-08
			beta-Hexachlorocyclohexane	3E-06	RNA	RNA	3E-06
			Dieldrin	2E-05	RNA	RNA	2E-05
			Heptachlor	ND	RNA	RNA	0E+00
			Heptachlor Epoxide	8E-08	RNA	RNA	8E-08
			Total Chlordanes	1E-06	RNA	RNA	1E-06
			Total DDx	5E-06	RNA	RNA	5E-06
			Fish Tissue Total Risk =				1E-04
			Total Risk =				**1E-04**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-106 Risk Characterization Summary, Cancer Risks - Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Subsistence Fisher						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Fish Tissue	Smallmouth Bass Tissue	Fillet Fish Tissue On-site Consumption (48.9-20.5 g/day) RM 4	Antimony	--	--	--	--
			Arsenic	1E-05	RNA	RNA	1E-05
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	4E-06	RNA	RNA	4E-06
			Bis(2-ethylhexyl)phthalate	ND	RNA	RNA	0E+00
			Hexachlorobenzene	3E-07	RNA	RNA	3E-07
			Total PCBs	2E-04	RNA	RNA	2E-04
			Total Dioxin/Furan TEQ	2E-05	RNA	RNA	2E-05
			Total PCB TEQ	6E-05	RNA	RNA	6E-05
			Aldrin	3E-08	RNA	RNA	3E-08
			alpha-Hexachlorocyclohexane	9E-09	RNA	RNA	9E-09
			beta-Hexachlorocyclohexane	2E-09	RNA	RNA	2E-09
			Dieldrin	2E-06	RNA	RNA	2E-06
			Heptachlor	ND	RNA	RNA	0E+00
			Heptachlor Epoxide	7E-08	RNA	RNA	7E-08
			Total Chlordanes	3E-07	RNA	RNA	3E-07
			Total DDx	2E-06	RNA	RNA	2E-06
						Fish Tissue Total Risk =	3E-04
						Total Risk =	**3E-04**
Fish Tissue	Smallmouth Bass Tissue	Fillet Fish Tissue On-site Consumption (48.9-20.5 g/day) RM 5	Antimony	--	--	--	--
			Arsenic	1E-05	RNA	RNA	1E-05
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	2E-05	RNA	RNA	2E-05
			Bis(2-ethylhexyl)phthalate	ND	RNA	RNA	0E+00
			Hexachlorobenzene	2E-07	RNA	RNA	2E-07
			Total PCBs	2E-05	RNA	RNA	2E-05
			Total Dioxin/Furan TEQ	1E-05	RNA	RNA	1E-05
			Total PCB TEQ	2E-05	RNA	RNA	2E-05
			Aldrin	ND	RNA	RNA	0E+00
			alpha-Hexachlorocyclohexane	ND	RNA	RNA	0E+00
			beta-Hexachlorocyclohexane	ND	RNA	RNA	0E+00
			Dieldrin	2E-06	RNA	RNA	2E-06
			Heptachlor	ND	RNA	RNA	0E+00
			Heptachlor Epoxide	6E-08	RNA	RNA	6E-08
			Total Chlordanes	2E-07	RNA	RNA	2E-07
			Total DDx	3E-06	RNA	RNA	3E-06
						Fish Tissue Total Risk =	9E-05
						Total Risk =	**9E-05**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-106 Risk Characterization Summary, Cancer Risks - Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Subsistence Fisher						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Fish Tissue	Smallmouth Bass Tissue	Fillet Fish Tissue On-site Consumption (48.9-20.5 g/day)					
		RM 6	Antimony	--	--	--	--
			Arsenic	1E-05	RNA	RNA	1E-05
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	9E-07	RNA	RNA	9E-07
			Bis(2-ethylhexyl)phthalate	5E-07	RNA	RNA	5E-07
			Hexachlorobenzene	2E-07	RNA	RNA	2E-07
			Total PCBs	6E-05	RNA	RNA	6E-05
			Total Dioxin/Furan TEQ	2E-05	RNA	RNA	2E-05
			Total PCB TEQ	2E-05	RNA	RNA	2E-05
			Aldrin	ND	RNA	RNA	0E+00
			alpha-Hexachlorocyclohexane	ND	RNA	RNA	0E+00
			beta-Hexachlorocyclohexane	ND	RNA	RNA	0E+00
			Dieldrin	2E-06	RNA	RNA	2E-06
			Heptachlor	ND	RNA	RNA	0E+00
			Heptachlor Epoxide	6E-08	RNA	RNA	6E-08
			Total Chlordanes	6E-07	RNA	RNA	6E-07
			Total DDx	3E-06	RNA	RNA	3E-06
						Fish Tissue Total Risk =	1E-04
						Total Risk =	**1E-04**
Fish Tissue	Smallmouth Bass Tissue	Fillet Fish Tissue On-site Consumption (48.9-20.5 g/day)					
		RM 7	Antimony	--	--	--	--
			Arsenic	1E-05	RNA	RNA	1E-05
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	3E-07	RNA	RNA	3E-07
			Bis(2-ethylhexyl)phthalate	ND	RNA	RNA	0E+00
			Hexachlorobenzene	5E-07	RNA	RNA	5E-07
			Total PCBs	1E-04	RNA	RNA	1E-04
			Total Dioxin/Furan TEQ	4E-04	RNA	RNA	4E-04
			Total PCB TEQ	3E-05	RNA	RNA	3E-05
			Aldrin	ND	RNA	RNA	0E+00
			alpha-Hexachlorocyclohexane	ND	RNA	RNA	0E+00
			beta-Hexachlorocyclohexane	3E-09	RNA	RNA	3E-09
			Dieldrin	2E-06	RNA	RNA	2E-06
			Heptachlor	ND	RNA	RNA	0E+00
			Heptachlor Epoxide	5E-08	RNA	RNA	5E-08
			Total Chlordanes	2E-07	RNA	RNA	2E-07
			Total DDx	2E-05	RNA	RNA	2E-05
						Fish Tissue Total Risk =	6E-04
						Total Risk =	**6E-04**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-106 Risk Characterization Summary, Cancer Risks - Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Subsistence Fisher						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Fish Tissue	Smallmouth Bass Tissue	Fillet Fish Tissue On-site Consumption (48.9-20.5 g/day) RM 8	Antimony	--	--	--	--
			Arsenic	1E-05	RNA	RNA	1E-05
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	2E-05	RNA	RNA	2E-05
			Bis(2-ethylhexyl)phthalate	ND	RNA	RNA	0E+00
			Hexachlorobenzene	2E-07	RNA	RNA	2E-07
			Total PCBs	3E-05	RNA	RNA	3E-05
			Total Dioxin/Furan TEQ	3E-05	RNA	RNA	3E-05
			Total PCB TEQ	2E-05	RNA	RNA	2E-05
			Aldrin	3E-08	RNA	RNA	3E-08
			alpha-Hexachlorocyclohexane	ND	RNA	RNA	0E+00
			beta-Hexachlorocyclohexane	ND	RNA	RNA	0E+00
			Dieldrin	8E-06	RNA	RNA	8E-06
			Heptachlor	ND	RNA	RNA	0E+00
			Heptachlor Epoxide	5E-08	RNA	RNA	5E-08
			Total Chlordanes	7E-07	RNA	RNA	7E-07
			Total DDx	6E-06	RNA	RNA	6E-06
						Fish Tissue Total Risk =	1E-04
						Total Risk =	**1E-04**
Fish Tissue	Smallmouth Bass Tissue	Fillet Fish Tissue On-site Consumption (48.9-20.5 g/day) SIL RM 8	Antimony	--	--	--	--
			Arsenic	8E-06	RNA	RNA	8E-06
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	ND	RNA	RNA	0E+00
			Bis(2-ethylhexyl)phthalate	ND	RNA	RNA	0E+00
			Hexachlorobenzene	ND	RNA	RNA	0E+00
			Total PCBs	5E-04	RNA	RNA	5E-04
			Total Dioxin/Furan TEQ	3E-05	RNA	RNA	3E-05
			Total PCB TEQ	5E-05	RNA	RNA	5E-05
			Aldrin	ND	RNA	RNA	0E+00
			alpha-Hexachlorocyclohexane	ND	RNA	RNA	0E+00
			beta-Hexachlorocyclohexane	ND	RNA	RNA	0E+00
			Dieldrin	ND	RNA	RNA	0E+00
			Heptachlor	ND	RNA	RNA	0E+00
			Heptachlor Epoxide	ND	RNA	RNA	0E+00
			Total Chlordanes	ND	RNA	RNA	0E+00
			Total DDx	2E-06	RNA	RNA	2E-06
						Fish Tissue Total Risk =	6E-04
						Total Risk =	**6E-04**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-106 Risk Characterization Summary, Cancer Risks - Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

			Risk Characterization Summary - Carcinogens				
Scenario Timeframe:	Current/Future						
Receptor Population:	Subsistence Fisher						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Fish Tissue	Smallmouth Bass Tissue	Fillet Fish Tissue On-site Consumption (48.9-20.5 g/day) RM 9	Antimony	--	--	--	--
			Arsenic	1E-05	RNA	RNA	1E-05
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	4E-06	RNA	RNA	4E-06
			Bis(2-ethylhexyl)phthalate	6E-07	RNA	RNA	6E-07
			Hexachlorobenzene	3E-07	RNA	RNA	3E-07
			Total PCBs	7E-05	RNA	RNA	7E-05
			Total Dioxin/Furan TEQ	2E-05	RNA	RNA	2E-05
			Total PCB TEQ	5E-05	RNA	RNA	5E-05
			Aldrin	7E-08	RNA	RNA	7E-08
			alpha-Hexachlorocyclohexane	1E-08	RNA	RNA	1E-08
			beta-Hexachlorocyclohexane	ND	RNA	RNA	0E+00
			Dieldrin	6E-06	RNA	RNA	6E-06
			Heptachlor	ND	RNA	RNA	0E+00
			Heptachlor Epoxide	8E-08	RNA	RNA	8E-08
			Total Chlordanes	3E-07	RNA	RNA	3E-07
			Total DDx	3E-06	RNA	RNA	3E-06
						Fish Tissue Total Risk =	2E-04
						Total Risk =	**2E-04**
Fish Tissue	Smallmouth Bass Tissue	Fillet Fish Tissue On-site Consumption (48.9-20.5 g/day) RM 10	Antimony	--	--	--	--
			Arsenic	8E-06	RNA	RNA	8E-06
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	ND	RNA	RNA	0E+00
			Bis(2-ethylhexyl)phthalate	3E-07	RNA	RNA	3E-07
			Hexachlorobenzene	2E-07	RNA	RNA	2E-07
			Total PCBs	8E-05	RNA	RNA	8E-05
			Total Dioxin/Furan TEQ	2E-05	RNA	RNA	2E-05
			Total PCB TEQ	3E-05	RNA	RNA	3E-05
			Aldrin	ND	RNA	RNA	0E+00
			alpha-Hexachlorocyclohexane	1E-08	RNA	RNA	1E-08
			beta-Hexachlorocyclohexane	ND	RNA	RNA	0E+00
			Dieldrin	2E-06	RNA	RNA	2E-06
			Heptachlor	ND	RNA	RNA	0E+00
			Heptachlor Epoxide	5E-08	RNA	RNA	5E-08
			Total Chlordanes	2E-07	RNA	RNA	2E-07
			Total DDx	2E-06	RNA	RNA	2E-06
						Fish Tissue Total Risk =	1E-04
						Total Risk =	**1E-04**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-106 Risk Characterization Summary, Cancer Risks - Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Subsistence Fisher						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Fish Tissue	Smallmouth Bass Tissue	Fillet Fish Tissue On-site Consumption (48.9-20.5 g/day)					
		RM 11	Antimony	--	--	--	--
			Arsenic	9E-06	RNA	RNA	9E-06
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	ND	RNA	RNA	0E+00
			Bis(2-ethylhexyl)phthalate	ND	RNA	RNA	0E+00
			Hexachlorobenzene	2E-07	RNA	RNA	2E-07
			Total PCBs	1E-03	RNA	RNA	1E-03
			Total Dioxin/Furan TEQ	2E-05	RNA	RNA	2E-05
			Total PCB TEQ	1E-04	RNA	RNA	1E-04
			Aldrin	ND	RNA	RNA	0E+00
			alpha-Hexachlorocyclohexane	ND	RNA	RNA	0E+00
			beta-Hexachlorocyclohexane	3E-09	RNA	RNA	3E-09
			Dieldrin	2E-06	RNA	RNA	2E-06
			Heptachlor	8E-09	RNA	RNA	8E-09
			Heptachlor Epoxide	6E-08	RNA	RNA	6E-08
			Total Chlordanes	2E-07	RNA	RNA	2E-07
			Total DDx	9E-07	RNA	RNA	9E-07
						Fish Tissue Total Risk =	1E-03
						Total Risk =	**1E-03**

Key	
SIL	Swan Island Lagoon
NA	Not Analyzed
ND	Not Detected
RM	River Mile
--	Toxicity criteria are not available to quantitatively address this route of exposure.
RNA	Route of exposure is not applicable to this medium.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-107 Risk Characterization Summary, Noncancer Hazards - Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

					Risk Characterization Summary - Non-Carcinogens			

Scenario Timeframe: Current/Future
Receptor Population: Subsistence Fisher
Receptor Age: Child

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Fish Tissue	Smallmouth Bass Tissue	Fillet Fish Tissue On-site Consumption (20.5 g/day) RM 2	Antimony	Blood	ND	RNA	RNA	0
			Arsenic	Skin/Blood	0.2	RNA	RNA	0.2
			Chromium		<1	RNA	RNA	0
			Mercury	CNS	1	RNA	RNA	1
			Selenium	Whole Body	ND	RNA	RNA	0
			Zinc	Blood	<1	RNA	RNA	0
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	ND	RNA	RNA	0
			Hexachlorobenzene	Liver	ND	RNA	RNA	0
			Total PCBs	Skin/Immunological	10	RNA	RNA	10
			Total PBDEs	CNS	ND	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	0.3	RNA	RNA	0.3
			Total PCB TEQ	Reproduction	2	RNA	RNA	2
			Aldrin	Liver	<1	RNA	RNA	0
			alpha-Hexachlorocyclohexane	Liver	<1	RNA	RNA	0
			beta-Hexachlorocyclohexane	Liver	ND	RNA	RNA	0
			gamma-Hexachlorocyclohexane	Kidney/Liver	ND	RNA	RNA	0
			Dieldrin	Liver	<1	RNA	RNA	0
			Heptachlor	Liver	ND	RNA	RNA	0
			Heptachlor Epoxide	Liver	<1	RNA	RNA	0
			Total Chlordanes	Liver	<1	RNA	RNA	0
			Total DDx	Liver	<1	RNA	RNA	0
						Fish Tissue Hazard Index Total =		10

Receptor Hazard Index = 10
Blood Hazard Index = <1
Skin Hazard Index = 10
CNS Hazard Index = 1
Whole Body Hazard Index = <1
Liver Hazard Index = <1
Immulogical Hazard Index = 10
Reproduction Hazard Index = 2
Kidney Hazard Index = <1

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Fish Tissue	Smallmouth Bass Tissue	Fillet Fish Tissue On-site Consumption (20.5 g/day) RM 3	Antimony	Blood	ND	RNA	RNA	0
			Arsenic	Skin/Blood	0.1	RNA	RNA	0.1
			Chromium		ND	RNA	RNA	0
			Mercury	CNS	2	RNA	RNA	2
			Selenium	Whole Body	ND	RNA	RNA	0
			Zinc	Blood	<1	RNA	RNA	0
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	ND	RNA	RNA	0
			Hexachlorobenzene	Liver	<1	RNA	RNA	0
			Total PCBs	Skin/Immunological	3	RNA	RNA	3
			Total PBDEs	CNS	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	0.4	RNA	RNA	0.4
			Total PCB TEQ	Reproduction	0.7	RNA	RNA	1
			Aldrin	Liver	<1	RNA	RNA	0
			alpha-Hexachlorocyclohexane	Liver	<1	RNA	RNA	0
			beta-Hexachlorocyclohexane	Liver	<1	RNA	RNA	0
			gamma-Hexachlorocyclohexane	Kidney/Liver	ND	RNA	RNA	0
			Dieldrin	Liver	<1	RNA	RNA	0
			Heptachlor	Liver	ND	RNA	RNA	0
			Heptachlor Epoxide	Liver	<1	RNA	RNA	0
			Total Chlordanes	Liver	<1	RNA	RNA	0
			Total DDx	Liver	0.1	RNA	RNA	0.1
						Fish Tissue Hazard Index Total =		6

Receptor Hazard Index = 6
Blood Hazard Index = <1
Skin Hazard Index = 3
CNS Hazard Index = 2
Whole Body Hazard Index = <1
Liver Hazard Index = <1
Immulogical Hazard Index = 3
Reproduction Hazard Index = 1
Kidney Hazard Index = <1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-107 Risk Characterization Summary, Noncancer Hazards - Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe:	Current/Future							
Receptor Population:	Subsistence Fisher							
Receptor Age:	Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Fish Tissue	Smallmouth Bass Tissue	Fillet Fish Tissue On-site Consumption (20.5 g/day)						
		RM 4	Antimony	Blood	ND	RNA	RNA	0
			Arsenic	Skin/Blood	0.1	RNA	RNA	0.1
			Chromium		ND	RNA	RNA	0
			Mercury	CNS	3	RNA	RNA	3
			Selenium	Whole Body	ND	RNA	RNA	0
			Zinc	Blood	<1	RNA	RNA	0
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	ND	RNA	RNA	0
			Hexachlorobenzene	Liver	<1	RNA	RNA	0
			Total PCBs	Skin/Immunological	10	RNA	RNA	10
			Total PBDEs	CNS	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	0.5	RNA	RNA	0.5
			Total PCB TEQ	Reproduction	2	RNA	RNA	2
			Aldrin	Liver	<1	RNA	RNA	0
			alpha-Hexachlorocyclohexane	Liver	<1	RNA	RNA	0
			beta-Hexachlorocyclohexane	Liver	<1	RNA	RNA	0
			gamma-Hexachlorocyclohexane	Kidney/Liver	ND	RNA	RNA	0
			Dieldrin	Liver	<1	RNA	RNA	0
			Heptachlor	Liver	ND	RNA	RNA	0
			Heptachlor Epoxide	Liver	<1	RNA	RNA	0
			Total Chlordanes	Liver	<1	RNA	RNA	0
			Total DDx	Liver	<1	RNA	RNA	0
						Fish Tissue Hazard Index Total =		20
						Receptor Hazard Index =		20
						Blood Hazard Index =		<1
						Skin Hazard Index =		10
						CNS Hazard Index =		3
						Whole Body Hazard Index =		<1
						Liver Hazard Index =		<1
						Immulogical Hazard Index =		10
						Reproduction Hazard Index =		3
						Kidney Hazard Index =		<1
Fish Tissue	Smallmouth Bass Tissue	Fillet Fish Tissue On-site Consumption (20.5 g/day)						
		RM 5	Antimony	Blood	ND	RNA	RNA	0
			Arsenic	Skin/Blood	<1	RNA	RNA	0
			Chromium		ND	RNA	RNA	0
			Mercury	CNS	3	RNA	RNA	3
			Selenium	Whole Body	ND	RNA	RNA	0
			Zinc	Blood	<1	RNA	RNA	0
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	ND	RNA	RNA	0
			Hexachlorobenzene	Liver	<1	RNA	RNA	0
			Total PCBs	Skin/Immunological	2	RNA	RNA	2
			Total PBDEs	CNS	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	0.3	RNA	RNA	0.3
			Total PCB TEQ	Reproduction	0.4	RNA	RNA	0.4
			Aldrin	Liver	ND	RNA	RNA	0
			alpha-Hexachlorocyclohexane	Liver	ND	RNA	RNA	0
			beta-Hexachlorocyclohexane	Liver	ND	RNA	RNA	0
			gamma-Hexachlorocyclohexane	Kidney/Liver	<1	RNA	RNA	0
			Dieldrin	Liver	<1	RNA	RNA	0
			Heptachlor	Liver	ND	RNA	RNA	0
			Heptachlor Epoxide	Liver	<1	RNA	RNA	0
			Total Chlordanes	Liver	<1	RNA	RNA	0
			Total DDx	Liver	<1	RNA	RNA	0
						Fish Tissue Hazard Index Total =		6
						Receptor Hazard Index =		6
						Blood Hazard Index =		<1
						Skin Hazard Index =		2
						CNS Hazard Index =		3
						Whole Body Hazard Index =		<1
						Liver Hazard Index =		<1
						Immulogical Hazard Index =		2
						Reproduction Hazard Index =		1
						Kidney Hazard Index =		<1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-107 Risk Characterization Summary, Noncancer Hazards - Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Subsistence Fisher
Receptor Age: Child

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Fish Tissue	Smallmouth Bass Tissue	Fillet Fish Tissue On-site Consumption (20.5 g/day)						
		RM 6	Antimony	Blood	ND	RNA	RNA	0
			Arsenic	Skin/Blood	<1	RNA	RNA	0
			Chromium		ND	RNA	RNA	0
			Mercury	CNS	2	RNA	RNA	2
			Selenium	Whole Body	ND	RNA	RNA	0
			Zinc	Blood	<1	RNA	RNA	0
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	<1	RNA	RNA	0
			Hexachlorobenzene	Liver	<1	RNA	RNA	0
			Total PCBs	Skin/Immunological	5	RNA	RNA	5
			Total PBDEs	CNS	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	0.5	RNA	RNA	0.5
			Total PCB TEQ	Reproduction	0.5	RNA	RNA	0.5
			Aldrin	Liver	ND	RNA	RNA	0
			alpha-Hexachlorocyclohexane	Liver	ND	RNA	RNA	0
			beta-Hexachlorocyclohexane	Liver	ND	RNA	RNA	0
			gamma-Hexachlorocyclohexane	Kidney/Liver	<1	RNA	RNA	0
			Dieldrin	Liver	<1	RNA	RNA	0
			Heptachlor	Liver	ND	RNA	RNA	0
			Heptachlor Epoxide	Liver	<1	RNA	RNA	0
			Total Chlordanes	Liver	<1	RNA	RNA	0
			Total DDx	Liver	<1	RNA	RNA	0
				Fish Tissue Hazard Index Total =				8

Receptor Hazard Index =	8
Blood Hazard Index =	<1
Skin Hazard Index =	5
CNS Hazard Index =	2
Whole Body Hazard Index =	<1
Liver Hazard Index =	<1
Immulogical Hazard Index =	5
Reproduction Hazard Index =	1
Kidney Hazard Index =	<1

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Fish Tissue	Smallmouth Bass Tissue	Fillet Fish Tissue On-site Consumption (20.5 g/day)						
		RM 7	Antimony	Blood	ND	RNA	RNA	0
			Arsenic	Skin/Blood	<1	RNA	RNA	0
			Chromium		ND	RNA	RNA	0
			Mercury	CNS	3	RNA	RNA	3
			Selenium	Whole Body	ND	RNA	RNA	0
			Zinc	Blood	<1	RNA	RNA	0
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	ND	RNA	RNA	0
			Hexachlorobenzene	Liver	<1	RNA	RNA	0
			Total PCBs	Skin/Immunological	10	RNA	RNA	10
			Total PBDEs	CNS	ND	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	1	RNA	RNA	1
			Aldrin	Liver	ND	RNA	RNA	0
			alpha-Hexachlorocyclohexane	Liver	ND	RNA	RNA	0
			beta-Hexachlorocyclohexane	Liver	<1	RNA	RNA	0
			gamma-Hexachlorocyclohexane	Kidney/Liver	ND	RNA	RNA	0
			Dieldrin	Liver	<1	RNA	RNA	0
			Heptachlor	Liver	ND	RNA	RNA	0
			Heptachlor Epoxide	Liver	<1	RNA	RNA	0
			Total Chlordanes	Liver	<1	RNA	RNA	0
			Total DDx	Liver	0.6	RNA	RNA	0.6
				Fish Tissue Hazard Index Total =				20

Receptor Hazard Index =	20
Blood Hazard Index =	<1
Skin Hazard Index =	10
CNS Hazard Index =	3
Whole Body Hazard Index =	<1
Liver Hazard Index =	<1
Immulogical Hazard Index =	10
Reproduction Hazard Index =	10
Kidney Hazard Index =	<1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-107 Risk Characterization Summary, Noncancer Hazards - Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens

Scenario Timeframe: Current/Future
Receptor Population: Subsistence Fisher
Receptor Age: Child

Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Fish Tissue	Smallmouth Bass Tissue	Fillet Fish Tissue On-site Consumption (20.5 g/day)						
		RM 8	Antimony	Blood	ND	RNA	RNA	0
			Arsenic	Skin/Blood	<1	RNA	RNA	0
			Chromium		ND	RNA	RNA	0
			Mercury	CNS	2	RNA	RNA	2
			Selenium	Whole Body	ND	RNA	RNA	0
			Zinc	Blood	<1	RNA	RNA	0
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	ND	RNA	RNA	0
			Hexachlorobenzene	Liver	<1	RNA	RNA	0
			Total PCBs	Skin/Immunological	3	RNA	RNA	3
			Total PBDEs	CNS	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	0.8	RNA	RNA	1
			Total PCB TEQ	Reproduction	0.6	RNA	RNA	0.6
			Aldrin	Liver	<1	RNA	RNA	0
			alpha-Hexachlorocyclohexane	Liver	ND	RNA	RNA	0
			beta-Hexachlorocyclohexane	Liver	ND	RNA	RNA	0
			gamma-Hexachlorocyclohexane	Kidney/Liver	<1	RNA	RNA	0
			Dieldrin	Liver	<1	RNA	RNA	0
			Heptachlor	Liver	ND	RNA	RNA	0
			Heptachlor Epoxide	Liver	<1	RNA	RNA	0
			Total Chlordanes	Liver	<1	RNA	RNA	0
			Total DDx	Liver	0.1	RNA	RNA	0.1
						Fish Tissue Hazard Index Total =		7
						Receptor Hazard Index =		7
						Blood Hazard Index =		<1
						Skin Hazard Index =		3
						CNS Hazard Index =		2
						Whole Body Hazard Index =		<1
						Liver Hazard Index =		<1
						Immulogical Hazard Index =		3
						Reproduction Hazard Index =		1
						Kidney Hazard Index =		<1
Fish Tissue	Smallmouth Bass Tissue	Fillet Fish Tissue On-site Consumption (20.5 g/day)						
		SIL RM 8	Antimony	Blood	ND	RNA	RNA	0
			Arsenic	Skin/Blood	<1	RNA	RNA	0
			Chromium		<1	RNA	RNA	0
			Mercury	CNS	2	RNA	RNA	2
			Selenium	Whole Body	ND	RNA	RNA	0
			Zinc	Blood	<1	RNA	RNA	0
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	ND	RNA	RNA	0
			Hexachlorobenzene	Liver	ND	RNA	RNA	0
			Total PCBs	Skin/Immunological	50	RNA	RNA	50
			Total PBDEs	CNS	ND	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	1	RNA	RNA	1
			Total PCB TEQ	Reproduction	2	RNA	RNA	2
			Aldrin	Liver	ND	RNA	RNA	0
			alpha-Hexachlorocyclohexane	Liver	ND	RNA	RNA	0
			beta-Hexachlorocyclohexane	Liver	ND	RNA	RNA	0
			gamma-Hexachlorocyclohexane	Kidney/Liver	ND	RNA	RNA	0
			Dieldrin	Liver	ND	RNA	RNA	0
			Heptachlor	Liver	ND	RNA	RNA	0
			Heptachlor Epoxide	Liver	ND	RNA	RNA	0
			Total Chlordanes	Liver	ND	RNA	RNA	0
			Total DDx	Liver	<1	RNA	RNA	0
						Fish Tissue Hazard Index Total =		50
						Receptor Hazard Index =		50
						Blood Hazard Index =		<1
						Skin Hazard Index =		50
						CNS Hazard Index =		2
						Whole Body Hazard Index =		<1
						Liver Hazard Index =		<1
						Immulogical Hazard Index =		50
						Reproduction Hazard Index =		3
						Kidney Hazard Index =		<1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-107 Risk Characterization Summary, Noncancer Hazards - Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe:	Current/Future							
Receptor Population:	Subsistence Fisher							
Receptor Age:	Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Fish Tissue	Smallmouth Bass Tissue	Fillet Fish Tissue On-site Consumption (20.5 g/day)						
		RM 9	Antimony	Blood	<1	RNA	RNA	0
			Arsenic	Skin/Blood	<1	RNA	RNA	0.0
			Chromium		<1	RNA	RNA	0
			Mercury	CNS	5	RNA	RNA	5
			Selenium	Whole Body	ND	RNA	RNA	0
			Zinc	Blood	<1	RNA	RNA	0
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	<1	RNA	RNA	0
			Hexachlorobenzene	Liver	<1	RNA	RNA	0
			Total PCBs	Skin/Immunological	7	RNA	RNA	7
			Total PBDEs	CNS	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	0.6	RNA	RNA	0.6
			Total PCB TEQ	Reproduction	1	RNA	RNA	1
			Aldrin	Liver	<1	RNA	RNA	0
			alpha-Hexachlorocyclohexane	Liver	<1	RNA	RNA	0
			beta-Hexachlorocyclohexane	Liver	ND	RNA	RNA	0
			gamma-Hexachlorocyclohexane	Kidney/Liver	<1	RNA	RNA	0
			Dieldrin	Liver	<1	RNA	RNA	0
			Heptachlor	Liver	ND	RNA	RNA	0
			Heptachlor Epoxide	Liver	<1	RNA	RNA	0
			Total Chlordanes	Liver	<1	RNA	RNA	0
			Total DDx	Liver	0.1	RNA	RNA	0.1
							Fish Tissue Hazard Index Total =	10
							Receptor Hazard Index =	10
							Blood Hazard Index =	<1
							Skin Hazard Index =	7
							CNS Hazard Index =	5
							Whole Body Hazard Index =	<1
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	7
							Reproduction Hazard Index =	2
							Kidney Hazard Index =	<1
Fish Tissue	Smallmouth Bass Tissue	Fillet Fish Tissue On-site Consumption (20.5 g/day)						
		RM 10	Antimony	Blood	ND	RNA	RNA	0
			Arsenic	Skin/Blood	<1	RNA	RNA	0.0
			Chromium		ND	RNA	RNA	0
			Mercury	CNS	3	RNA	RNA	3
			Selenium	Whole Body	ND	RNA	RNA	0
			Zinc	Blood	<1	RNA	RNA	0
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	<1	RNA	RNA	0
			Hexachlorobenzene	Liver	<1	RNA	RNA	0
			Total PCBs	Skin/Immunological	8	RNA	RNA	8
			Total PBDEs	CNS	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	0.6	RNA	RNA	0.6
			Total PCB TEQ	Reproduction	0.8	RNA	RNA	1
			Aldrin	Liver	ND	RNA	RNA	0
			alpha-Hexachlorocyclohexane	Liver	<1	RNA	RNA	0
			beta-Hexachlorocyclohexane	Liver	ND	RNA	RNA	0
			gamma-Hexachlorocyclohexane	Kidney/Liver	<1	RNA	RNA	0
			Dieldrin	Liver	<1	RNA	RNA	0
			Heptachlor	Liver	ND	RNA	RNA	0
			Heptachlor Epoxide	Liver	<1	RNA	RNA	0
			Total Chlordanes	Liver	<1	RNA	RNA	0
			Total DDx	Liver	<1	RNA	RNA	0
							Fish Tissue Hazard Index Total =	10
							Receptor Hazard Index =	10
							Blood Hazard Index =	<1
							Skin Hazard Index =	8
							CNS Hazard Index =	3
							Whole Body Hazard Index =	<1
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	8
							Reproduction Hazard Index =	1
							Kidney Hazard Index =	<1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-107 Risk Characterization Summary, Noncancer Hazards - Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure								
Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe:	Current/Future							
Receptor Population:	Subsistence Fisher							
Receptor Age:	Child							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Fish Tissue	Smallmouth Bass Tissue	Fillet Fish Tissue On-site Consumption (20.5 g/day)						
		RM 11	Antimony	Blood	ND	RNA	RNA	0
			Arsenic	Skin/Blood	<1	RNA	RNA	0.0
			Chromium		ND	RNA	RNA	0
			Mercury	CNS	3	RNA	RNA	3
			Selenium	Whole Body	1	RNA	RNA	1
			Zinc	Blood	<1	RNA	RNA	0
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	ND	RNA	RNA	0
			Hexachlorobenzene	Liver	<1	RNA	RNA	0
			Total PCBs	Skin/Immunological	100	RNA	RNA	100
			Total PBDEs	CNS	1	RNA	RNA	1
			Total Dioxin/Furan TEQ	Reproduction	0.6	RNA	RNA	1
			Total PCB TEQ	Reproduction	3	RNA	RNA	3
			Aldrin	Liver	ND	RNA	RNA	0
			alpha-Hexachlorocyclohexane	Liver	ND	RNA	RNA	0
			beta-Hexachlorocyclohexane	Liver	<1	RNA	RNA	0
			gamma-Hexachlorocyclohexane	Kidney/Liver	<1	RNA	RNA	0
			Dieldrin	Liver	<1	RNA	RNA	0
			Heptachlor	Liver	<1	RNA	RNA	0
			Heptachlor Epoxide	Liver	<1	RNA	RNA	0
			Total Chlordanes	Liver	<1	RNA	RNA	0
			Total DDx	Liver	<1	RNA	RNA	0
						Fish Tissue Hazard Index Total =		100
						Receptor Hazard Index =		100
						Blood Hazard Index =		<1
						Skin Hazard Index =		100
						CNS Hazard Index =		4
						Whole Body Hazard Index =		1
						Liver Hazard Index =		<1
						Immulogical Hazard Index =		100
						Reproduction Hazard Index =		4
						Kidney Hazard Index =		<1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-108 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

					Risk Characterization Summary - Non-Carcinogens			
Scenario Timeframe:	Current/Future							
Receptor Population:	Recreational Fisher (Boat)							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 2 West					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 2	Total PCBs	Skin/Immunological	200	RNA	RNA	200
			Total PBDEs	CNS	ND	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	0.3	RNA	RNA	0.3
			Total PCB TEQ	Reproduction	3	RNA	RNA	3
			Total DDx	Liver	<1	RNA	RNA	0
							Fish Tissue Hazard Index Total =	200
							Receptor Hazard Index =	200
							CNS Hazard Index =	0
							Skin Hazard Index =	200
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	200
							Reproduction Hazard Index =	3
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 2.5 West					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 2	Total PCBs	Skin/Immunological	200	RNA	RNA	200
			Total PBDEs	CNS	ND	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	0.3	RNA	RNA	0.3
			Total PCB TEQ	Reproduction	3	RNA	RNA	3
			Total DDx	Liver	<1	RNA	RNA	0
							Fish Tissue Hazard Index Total =	200
							Receptor Hazard Index =	200
							CNS Hazard Index =	0
							Skin Hazard Index =	200
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	200
							Reproduction Hazard Index =	3
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 3 West					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 3	Total PCBs	Skin/Immunological	30	RNA	RNA	30
			Total PBDEs	CNS	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	0.4	RNA	RNA	0.4
			Total PCB TEQ	Reproduction	1	RNA	RNA	1
			Total DDx	Liver	0.1	RNA	RNA	0.1
							Fish Tissue Hazard Index Total =	30
							Receptor Hazard Index =	30
							CNS Hazard Index =	0
							Skin Hazard Index =	30
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	30
							Reproduction Hazard Index =	1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-108 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

					Risk Characterization Summary - Non-Carcinogens			
Scenario Timeframe:	Current/Future							
Receptor Population:	Recreational Fisher (Boat)							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 3.5 West					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 3	Total PCBs	Skin/Immunological	30	RNA	RNA	30
			Total PBDEs	CNS	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	0.4	RNA	RNA	0.4
			Total PCB TEQ	Reproduction	1	RNA	RNA	1
			Total DDx	Liver	0.1	RNA	RNA	0.1
							Fish Tissue Hazard Index Total =	30
							Receptor Hazard Index =	30
							CNS Hazard Index =	0
							Skin Hazard Index =	30
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	30
							Reproduction Hazard Index =	1
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 4 West					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 4	Total PCBs	Skin/Immunological	200	RNA	RNA	200
			Total PBDEs	CNS	2	RNA	RNA	2
			Total Dioxin/Furan TEQ	Reproduction	0.5	RNA	RNA	0.5
			Total PCB TEQ	Reproduction	2	RNA	RNA	2
			Total DDx	Liver	<1	RNA	RNA	0
							Fish Tissue Hazard Index Total =	200
							Receptor Hazard Index =	200
							CNS Hazard Index =	2
							Skin Hazard Index =	200
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	200
							Reproduction Hazard Index =	2
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 4.5 West					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 4	Total PCBs	Skin/Immunological	200	RNA	RNA	200
			Total PBDEs	CNS	2	RNA	RNA	2
			Total Dioxin/Furan TEQ	Reproduction	0.5	RNA	RNA	0.5
			Total PCB TEQ	Reproduction	2	RNA	RNA	2
			Total DDx	Liver	<1	RNA	RNA	0
							Fish Tissue Hazard Index Total =	200
							Receptor Hazard Index =	200
							CNS Hazard Index =	2
							Skin Hazard Index =	200
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	200
							Reproduction Hazard Index =	2

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-108 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

				Risk Characterization Summary - Non-Carcinogens				
Scenario Timeframe:	Current/Future							
Receptor Population:	Recreational Fisher (Boat)							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 5 West					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 5	Total PCBs	Skin/Immunological	30	RNA	RNA	30
			Total PBDEs	CNS	0.9	RNA	RNA	0.9
			Total Dioxin/Furan TEQ	Reproduction	0.3	RNA	RNA	0.3
			Total PCB TEQ	Reproduction	0.5	RNA	RNA	0.5
			Total DDx	Liver	0.1	RNA	RNA	0.1
							Fish Tissue Hazard Index Total =	30
							Receptor Hazard Index =	30
							CNS Hazard Index =	1
							Skin Hazard Index =	30
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	30
							Reproduction Hazard Index =	1
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 5.5 West					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 5	Total PCBs	Skin/Immunological	30	RNA	RNA	30
			Total PBDEs	CNS	0.9	RNA	RNA	0.9
			Total Dioxin/Furan TEQ	Reproduction	0.3	RNA	RNA	0.3
			Total PCB TEQ	Reproduction	0.5	RNA	RNA	0.5
			Total DDx	Liver	0.1	RNA	RNA	0.1
							Fish Tissue Hazard Index Total =	30
							Receptor Hazard Index =	30
							CNS Hazard Index =	1
							Skin Hazard Index =	30
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	30
							Reproduction Hazard Index =	1
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 6 West					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 6	Total PCBs	Skin/Immunological	70	RNA	RNA	70
			Total PBDEs	CNS	0.8	RNA	RNA	0.8
			Total Dioxin/Furan TEQ	Reproduction	0.5	RNA	RNA	0.5
			Total PCB TEQ	Reproduction	0.5	RNA	RNA	0.5
			Total DDx	Liver	0.1	RNA	RNA	0.1
							Fish Tissue Hazard Index Total =	70
							Receptor Hazard Index =	70
							CNS Hazard Index =	1
							Skin Hazard Index =	70
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	70
							Reproduction Hazard Index =	1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-108 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

					Risk Characterization Summary - Non-Carcinogens			
Scenario Timeframe:	Current/Future							
Receptor Population:	Recreational Fisher (Boat)							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 6.5 West					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 6	Total PCBs	Skin/Immunological	70	RNA	RNA	70
			Total PBDEs	CNS	0.8	RNA	RNA	0.8
			Total Dioxin/Furan TEQ	Reproduction	0.5	RNA	RNA	0.5
			Total PCB TEQ	Reproduction	0.5	RNA	RNA	0.5
			Total DDx	Liver	0.1	RNA	RNA	0.1
							Fish Tissue Hazard Index Total =	70
							Receptor Hazard Index =	70
							CNS Hazard Index =	1
							Skin Hazard Index =	70
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	70
							Reproduction Hazard Index =	1
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 7 West	Total PCBs	Skin/Immunological	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	2	RNA	RNA	2
			Total PCB TEQ	Reproduction	<1	RNA	RNA	0
							Sediment Hazard Index Total =	2
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 7	Total PCBs	Skin/Immunological	200	RNA	RNA	200
			Total PBDEs	CNS	ND	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	1	RNA	RNA	1
			Total DDx	Liver	0.5	RNA	RNA	0.5
							Fish Tissue Hazard Index Total =	200
							Receptor Hazard Index =	200
							CNS Hazard Index =	0
							Skin Hazard Index =	200
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	200
							Reproduction Hazard Index =	10
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 7.5 West					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 7	Total PCBs	Skin/Immunological	200	RNA	RNA	200
			Total PBDEs	CNS	ND	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	1	RNA	RNA	1
			Total DDx	Liver	0.5	RNA	RNA	0.5
							Fish Tissue Hazard Index Total =	200
							Receptor Hazard Index =	200
							CNS Hazard Index =	0
							Skin Hazard Index =	200
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	200
							Reproduction Hazard Index =	10

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-108 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

					Risk Characterization Summary - Non-Carcinogens			
Scenario Timeframe:	Current/Future							
Receptor Population:	Recreational Fisher (Boat)							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 8 West					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 8	Total PCBs	Skin/Immunological	40	RNA	RNA	40
			PBDEs	CNS	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	1	RNA	RNA	1
			Total PCB TEQ	Reproduction	0.6	RNA	RNA	0.6
			Total DDx	Liver	0.1	RNA	RNA	0.1
							Fish Tissue Hazard Index Total =	40
							Receptor Hazard Index =	40
							CNS Hazard Index =	0
							Skin Hazard Index =	40
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	40
							Reproduction Hazard Index =	1
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 8.5 West	Total PCBs	Skin/Immunological	1	RNA	RNA	1
			Total Dioxin/Furan TEQ	Reproduction	<1	RNA	RNA	0
			Total PCB TEQ	Reproduction	<1	RNA	RNA	0
							Sediment Hazard Index Total =	1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 8	Total PCBs	Skin/Immunological	40	RNA	RNA	40
			PBDEs	CNS	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	1	RNA	RNA	1
			Total PCB TEQ	Reproduction	0.6	RNA	RNA	0.6
			Total DDx	Liver	0.1	RNA	RNA	0.1
							Fish Tissue Hazard Index Total =	40
							Receptor Hazard Index =	40
							CNS Hazard Index =	0
							Skin Hazard Index =	40
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	40
							Reproduction Hazard Index =	1
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 9 West					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 9	Total PCBs	Skin/Immunological	80	RNA	RNA	80
			PBDEs	CNS	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	0.6	RNA	RNA	0.6
			Total PCB TEQ	Reproduction	1	RNA	RNA	1
			Total DDx	Liver	0.1	RNA	RNA	0.1
							Fish Tissue Hazard Index Total =	80
							Receptor Hazard Index =	80
							CNS Hazard Index =	0
							Skin Hazard Index =	80
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	80
							Reproduction Hazard Index =	2

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-108 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe:	Current/Future							
Receptor Population:	Recreational Fisher (Boat)							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 9.5 West					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 9	Total PCBs	Skin/Immunological	80	RNA	RNA	80
			PBDEs	CNS	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	0.6	RNA	RNA	0.6
			Total PCB TEQ	Reproduction	1	RNA	RNA	1
			Total DDx	Liver	0.1	RNA	RNA	0.1
							Fish Tissue Hazard Index Total =	80
							Receptor Hazard Index =	80
							CNS Hazard Index =	0
							Skin Hazard Index =	80
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	80
							Reproduction Hazard Index =	2
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 10 West					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 10	Total PCBs	Skin/Immunological	100	RNA	RNA	100
			PBDEs	CNS	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	0.6	RNA	RNA	0.6
			Total PCB TEQ	Reproduction	1	RNA	RNA	1
			Total DDx	Liver	<1	RNA	RNA	0
							Fish Tissue Hazard Index Total =	100
							Receptor Hazard Index =	100
							CNS Hazard Index =	0
							Skin Hazard Index =	100
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	100
							Reproduction Hazard Index =	1
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 10.5 West					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 10	Total PCBs	Skin/Immunological	100	RNA	RNA	100
			PBDEs	CNS	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	0.6	RNA	RNA	0.6
			Total PCB TEQ	Reproduction	1	RNA	RNA	1
			Total DDx	Liver	<1	RNA	RNA	0
							Fish Tissue Hazard Index Total =	100
							Receptor Hazard Index =	100
							CNS Hazard Index =	0
							Skin Hazard Index =	100
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	100
							Reproduction Hazard Index =	1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-108 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe:	Current/Future							
Receptor Population:	Recreational Fisher (Boat)							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 11 West					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 11	Total PCBs	Skin/Immunological	1000	RNA	RNA	1000
			PBDEs	CNS	1	RNA	RNA	1
			Total Dioxin/Furan TEQ	Reproduction	1	RNA	RNA	1
			Total PCB TEQ	Reproduction	3	RNA	RNA	3
			Total DDx	Liver	<1	RNA	RNA	0
							Fish Tissue Hazard Index Total =	1000
							Receptor Hazard Index =	1000
							CNS Hazard Index =	1
							Skin Hazard Index =	1000
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	1000
							Reproduction Hazard Index =	4
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 11.5 West					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 11	Total PCBs	Skin/Immunological	1000	RNA	RNA	1000
			PBDEs	CNS	1	RNA	RNA	1
			Total Dioxin/Furan TEQ	Reproduction	1	RNA	RNA	1
			Total PCB TEQ	Reproduction	3	RNA	RNA	3
			Total DDx	Liver	<1	RNA	RNA	0
							Fish Tissue Hazard Index Total =	1000
							Receptor Hazard Index =	1000
							CNS Hazard Index =	1
							Skin Hazard Index =	1000
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	1000
							Reproduction Hazard Index =	4
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 2 East					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 2	Total PCBs	Skin/Immunological	200	RNA	RNA	200
			PBDEs	CNS	ND	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	0.3	RNA	RNA	0.3
			Total PCB TEQ	Reproduction	3	RNA	RNA	3
			Total DDx	Liver	<1	RNA	RNA	0
							Fish Tissue Hazard Index Total =	200
							Receptor Hazard Index =	200
							CNS Hazard Index =	0
							Skin Hazard Index =	200
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	200
							Reproduction Hazard Index =	3

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-108 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

					Risk Characterization Summary - Non-Carcinogens			
Scenario Timeframe:	Current/Future							
Receptor Population:	Recreational Fisher (Boat)							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 2.5 East					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 2	Total PCBs	Skin/Immunological	200	RNA	RNA	200
			PBDEs	CNS	ND	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	0.3	RNA	RNA	0.3
			Total PCB TEQ	Reproduction	3	RNA	RNA	3
			Total DDx	Liver	<1	RNA	RNA	0
							Fish Tissue Hazard Index Total =	200
							Receptor Hazard Index =	200
							CNS Hazard Index =	0
							Skin Hazard Index =	200
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	200
							Reproduction Hazard Index =	3
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 3 East					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 3	Total PCBs	Skin/Immunological	30	RNA	RNA	30
			PBDEs	CNS	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	0.4	RNA	RNA	0.4
			Total PCB TEQ	Reproduction	1	RNA	RNA	1
			Total DDx	Liver	0.2	RNA	RNA	0.2
							Fish Tissue Hazard Index Total =	30
							Receptor Hazard Index =	30
							CNS Hazard Index =	0
							Skin Hazard Index =	30
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	30
							Reproduction Hazard Index =	1
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 3.5 East					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 3	Total PCBs	Skin/Immunological	30	RNA	RNA	30
			PBDEs	CNS	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	0.4	RNA	RNA	0.4
			Total PCB TEQ	Reproduction	1	RNA	RNA	1
			Total DDx	Liver	0.2	RNA	RNA	0.2
							Fish Tissue Hazard Index Total =	30
							Receptor Hazard Index =	30
							CNS Hazard Index =	0
							Skin Hazard Index =	30
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	30
							Reproduction Hazard Index =	1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-108 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe:	Current/Future							
Receptor Population:	Recreational Fisher (Boat)							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 4 East					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 4	Total PCBs	Skin/Immunological	200	RNA	RNA	200
			PBDEs	CNS	2	RNA	RNA	2
			Total Dioxin/Furan TEQ	Reproduction	0.5	RNA	RNA	0.5
			Total PCB TEQ	Reproduction	2	RNA	RNA	2
			Total DDx	Liver	<1	RNA	RNA	0
							Fish Tissue Hazard Index Total =	200
							Receptor Hazard Index =	200
							CNS Hazard Index =	2
							Skin Hazard Index =	200
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	200
							Reproduction Hazard Index =	2
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 4.5 East					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 4	Total PCBs	Skin/Immunological	200	RNA	RNA	200
			PBDEs	CNS	2	RNA	RNA	2
			Total Dioxin/Furan TEQ	Reproduction	0.5	RNA	RNA	0.5
			Total PCB TEQ	Reproduction	2	RNA	RNA	2
			Total DDx	Liver	<1	RNA	RNA	0
							Fish Tissue Hazard Index Total =	200
							Receptor Hazard Index =	200
							CNS Hazard Index =	2
							Skin Hazard Index =	200
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	200
							Reproduction Hazard Index =	2
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 5 East					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 5	Total PCBs	Skin/Immunological	30	RNA	RNA	30
			PBDEs	CNS	0.9	RNA	RNA	1
			Total Dioxin/Furan TEQ	Reproduction	0.3	RNA	RNA	0.3
			Total PCB TEQ	Reproduction	0.5	RNA	RNA	0.5
			Total DDx	Liver	0.1	RNA	RNA	0.1
							Fish Tissue Hazard Index Total =	30
							Receptor Hazard Index =	30
							CNS Hazard Index =	1
							Skin Hazard Index =	30
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	30
							Reproduction Hazard Index =	1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-108 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe:	Current/Future							
Receptor Population:	Recreational Fisher (Boat)							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 5.5 East					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 5	Total PCBs	Skin/Immunological	30	RNA	RNA	30
			PBDEs	CNS	0.9	RNA	RNA	1
			Total Dioxin/Furan TEQ	Reproduction	0.3	RNA	RNA	0.3
			Total PCB TEQ	Reproduction	0.5	RNA	RNA	0.5
			Total DDx	Liver	0.1	RNA	RNA	0.1
							Fish Tissue Hazard Index Total =	30
							Receptor Hazard Index =	30
							CNS Hazard Index =	1
							Skin Hazard Index =	30
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	30
							Reproduction Hazard Index =	1
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 6 East					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 6	Total PCBs	Skin/Immunological	70	RNA	RNA	70
			PBDEs	CNS	0.8	RNA	RNA	1
			Total Dioxin/Furan TEQ	Reproduction	0.5	RNA	RNA	0.5
			Total PCB TEQ	Reproduction	0.5	RNA	RNA	0.5
			Total DDx	Liver	0.1	RNA	RNA	0.1
							Fish Tissue Hazard Index Total =	70
							Receptor Hazard Index =	70
							CNS Hazard Index =	1
							Skin Hazard Index =	70
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	70
							Reproduction Hazard Index =	1
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 6.5 East					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 6	Total PCBs	Skin/Immunological	70	RNA	RNA	70
			PBDEs	CNS	0.8	RNA	RNA	1
			Total Dioxin/Furan TEQ	Reproduction	0.5	RNA	RNA	0.5
			Total PCB TEQ	Reproduction	0.5	RNA	RNA	0.5
			Total DDx	Liver	0.1	RNA	RNA	0.1
							Fish Tissue Hazard Index Total =	70
							Receptor Hazard Index =	70
							CNS Hazard Index =	1
							Skin Hazard Index =	70
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	70
							Reproduction Hazard Index =	1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-108 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe:	Current/Future							
Receptor Population:	Recreational Fisher (Boat)							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 7 East					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 7	Total PCBs	Skin/Immunological	200	RNA	RNA	200
			PBDEs	CNS	ND	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	1	RNA	RNA	1
			Total DDx	Liver	0.8	RNA	RNA	0.8
							Fish Tissue Hazard Index Total =	200
							Receptor Hazard Index =	200
							CNS Hazard Index =	0
							Skin Hazard Index =	200
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	200
							Reproduction Hazard Index =	10
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 7.5 East					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 7	Total PCBs	Skin/Immunological	200	RNA	RNA	200
			PBDEs	CNS	ND	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	10	RNA	RNA	10
			Total PCB TEQ	Reproduction	1	RNA	RNA	1
			Total DDx	Liver	0.8	RNA	RNA	0.8
							Fish Tissue Hazard Index Total =	200
							Receptor Hazard Index =	200
							CNS Hazard Index =	0
							Skin Hazard Index =	200
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	200
							Reproduction Hazard Index =	10
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 8 East					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 8	Total PCBs	Skin/Immunological	40	RNA	RNA	40
			PBDEs	CNS	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	1	RNA	RNA	1
			Total PCB TEQ	Reproduction	0.6	RNA	RNA	0.6
			Total DDx	Liver	0.1	RNA	RNA	0.1
							Fish Tissue Hazard Index Total =	40
							Receptor Hazard Index =	40
							CNS Hazard Index =	0
							Skin Hazard Index =	40
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	40
							Reproduction Hazard Index =	1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-108 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

					Risk Characterization Summary - Non-Carcinogens			
Scenario Timeframe:	Current/Future							
Receptor Population:	Recreational Fisher (Boat)							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		SIL					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		SIL RM 8	Total PCBs	Skin/Immunological	600	RNA	RNA	600
			PBDEs	CNS	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	1	RNA	RNA	1
			Total PCB TEQ	Reproduction	2	RNA	RNA	2
			Total DDx	Liver	<1	RNA	RNA	0
							Fish Tissue Hazard Index Total =	600
							Receptor Hazard Index =	1
							CNS Hazard Index =	0
							Skin Hazard Index =	2
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	600
							Reproduction Hazard Index =	1
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 8.5 East					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 8	Total PCBs	Skin/Immunological	40	RNA	RNA	40
			PBDEs	CNS	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	1	RNA	RNA	1
			Total PCB TEQ	Reproduction	0.6	RNA	RNA	0.6
			Total DDx	Liver	0.1	RNA	RNA	0.1
							Fish Tissue Hazard Index Total =	40
							Receptor Hazard Index =	40
							CNS Hazard Index =	0
							Skin Hazard Index =	40
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	40
							Reproduction Hazard Index =	1
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 9 East					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 9	Total PCBs	Skin/Immunological	80	RNA	RNA	80
			PBDEs	CNS	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	0.6	RNA	RNA	0.6
			Total PCB TEQ	Reproduction	1	RNA	RNA	1
			Total DDx	Liver	0.1	RNA	RNA	0.1
							Fish Tissue Hazard Index Total =	80
							Receptor Hazard Index =	80
							CNS Hazard Index =	0
							Skin Hazard Index =	80
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	80
							Reproduction Hazard Index =	2

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-108 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

					Risk Characterization Summary - Non-Carcinogens			
Scenario Timeframe:	Current/Future							
Receptor Population:	Recreational Fisher (Boat)							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 9.5 East					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 9	Total PCBs	Skin/Immunological	80	RNA	RNA	80
			PBDEs	CNS	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	0.6	RNA	RNA	0.6
			Total PCB TEQ	Reproduction	1	RNA	RNA	1
			Total DDx	Liver	0.1	RNA	RNA	0.1
							Fish Tissue Hazard Index Total =	80
							Receptor Hazard Index =	80
							CNS Hazard Index =	0
							Skin Hazard Index =	80
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	80
							Reproduction Hazard Index =	2
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 10 East					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 10	Total PCBs	Skin/Immunological	100	RNA	RNA	100
			PBDEs	CNS	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	0.6	RNA	RNA	0.6
			Total PCB TEQ	Reproduction	1	RNA	RNA	1
			Total DDx	Liver	<1	RNA	RNA	0
							Fish Tissue Hazard Index Total =	100
							Receptor Hazard Index =	100
							CNS Hazard Index =	0
							Skin Hazard Index =	100
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	100
							Reproduction Hazard Index =	1
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 10.5 East					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 10	Total PCBs	Skin/Immunological	100	RNA	RNA	100
			PBDEs	CNS	<1	RNA	RNA	0
			Total Dioxin/Furan TEQ	Reproduction	0.6	RNA	RNA	0.6
			Total PCB TEQ	Reproduction	1	RNA	RNA	1
			Total DDx	Liver	<1	RNA	RNA	0
							Fish Tissue Hazard Index Total =	100
							Receptor Hazard Index =	100
							CNS Hazard Index =	0
							Skin Hazard Index =	100
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	100
							Reproduction Hazard Index =	1

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-108 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Recreational Fisher, River-Mile Basis, Reasonable Maximum Exposure

					Risk Characterization Summary - Non-Carcinogens			
Scenario Timeframe:	Current/Future							
Receptor Population:	Recreational Fisher (Boat)							
Receptor Age:	Infant							
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 11 East					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 11	Total PCBs	Skin/Immunological	1000	RNA	RNA	1000
			PBDEs	CNS	1	RNA	RNA	1
			Total Dioxin/Furan TEQ	Reproduction	1	RNA	RNA	1
			Total PCB TEQ	Reproduction	3	RNA	RNA	3
			Total DDx	Liver	<1	RNA	RNA	0
							Fish Tissue Hazard Index Total =	1000
							Receptor Hazard Index =	1000
							CNS Hazard Index =	1
							Skin Hazard Index =	1000
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	1000
							Reproduction Hazard Index =	4
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		RM 11.5 East					Sediment Hazard Index Total =	NA
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Smallmouth Bass Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		RM 11	Total PCBs	Skin/Immunological	1000	RNA	RNA	1000
			PBDEs	CNS	1	RNA	RNA	1
			Total Dioxin/Furan TEQ	Reproduction	1	RNA	RNA	1
			Total PCB TEQ	Reproduction	3	RNA	RNA	3
			Total DDx	Liver	<1	RNA	RNA	0
							Fish Tissue Hazard Index Total =	1000
							Receptor Hazard Index =	1000
							CNS Hazard Index =	1
							Skin Hazard Index =	1000
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	1000
							Reproduction Hazard Index =	4

Key	
SIL	Swan Island Lagoon
ND	Not Detected
NA	Not Analyzed
RM	River Mile
CNS	Central Nervous System
--	Toxicity criteria are not available to quantitatively address this route of exposure.
RNA	Route of exposure is not applicable to this medium.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-109 Risk Characterization Summary, Cancer Risks - Recreational Fisher, Study Area-Wide Basis, Reasonable Maximum Exposure

Risk Characterization Summary - Carcinogens							
Scenario Timeframe:	Current/Future						
Receptor Population:	Subsistence Fisher						
Receptor Age:	Adult/Child						
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Carcinogenic Risk			
				Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (48.9-20.5 g/day)					
		Study Area-wide	Antimony	--	--	--	--
			Arsenic	7E-06	RNA	RNA	7E-06
			Chromium	--	--	--	--
			Mercury	--	--	--	--
			cPAHs	2E-06	RNA	RNA	2E-06
			Bis(2-ethylhexyl)phthalate	3E-07	RNA	RNA	3E-07
			Hexachlorobenzene	1E-05	RNA	RNA	1E-05
			Total PCBs	4E-03	RNA	RNA	4E-03
			Total Dioxin/Furan TEQ	8E-05	RNA	RNA	8E-05
			Total PCB TEQ	1E-04	RNA	RNA	1E-04
			Aldrin	2E-07	RNA	RNA	2E-07
			alpha-Hexachlorocyclohexane	2E-08	RNA	RNA	2E-08
			beta-Hexachlorocyclohexane	7E-07	RNA	RNA	7E-07
			Dieldrin	7E-06	RNA	RNA	7E-06
			Heptachlor	2E-09	RNA	RNA	2E-09
			Heptachlor Epoxide	1E-07	RNA	RNA	1E-07
			Total Chlordanes	5E-07	RNA	RNA	5E-07
			Total DDx	1E-05	RNA	RNA	1E-05
						Fish Tissue Total Risk =	4E-03
						Total Risk =	**4E-03**

Key	
SIL	Swan Island Lagoon
NA	Not Analyzed
ND	Not Detected
RM	River Mile
--	Toxicity criteria are not available to quantitatively address this route of exposure.
RNA	Route of exposure is not applicable to this medium.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-110 Risk Characterization Summary, Noncancer Hazards - Recreational Fisher, Study Area-Wide Basis, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe: Current/Future								
Receptor Population: Subsistence Fisher								
Receptor Age: Child								
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Fish Tissue	Multiple Species Tissue	Fillet Fish Tissue On-site Consumption (20.5 g/day)						
		Study Area-wide	Antimony	Blood	<1	RNA	RNA	0
			Arsenic	Skin/Blood	<1	RNA	RNA	0
			Chromium		<1	RNA	RNA	0
			Mercury	CNS	2	RNA	RNA	2
			Selenium	Whole Body	0.3	RNA	RNA	0.3
			Zinc	Blood	<1	RNA	RNA	0
			cPAHs		--	--	--	--
			Bis(2-ethylhexyl)phthalate	Liver	<1	RNA	RNA	0
			Hexachlorobenzene	Liver	<1	RNA	RNA	0
			Total PCBs	Skin/Immunological	300	RNA	RNA	300
			Total Dioxin/Furan TEQ	Reproduction	2	RNA	RNA	2
			Total PCB TEQ	Reproduction	4	RNA	RNA	4
			Aldrin	Liver	<1	RNA	RNA	0
			alpha-Hexachlorocyclohexane	Liver	<1	RNA	RNA	0
			beta-Hexachlorocyclohexane	Liver	<1	RNA	RNA	0
			gamma-Hexachlorocyclohexane	Kidney/Liver	<1	RNA	RNA	0
			Dieldrin	Liver	<1	RNA	RNA	0
			Heptachlor	Liver	<1	RNA	RNA	0
			Heptachlor Epoxide	Liver	<1	RNA	RNA	0
			Total Chlordanes	Liver	<1	RNA	RNA	0
			Total DDx	Liver	0.2	RNA	RNA	0.2
						Fish Tissue Hazard Index Total =		300
						Receptor Hazard Index =		300
						Blood Hazard Index =		<1
						Skin Hazard Index =		300
						CNS Hazard Index =		2
						Whole Body Hazard Index =		<1
						Liver Hazard Index =		<1
						Immulogical Hazard Index =		300
						Reproduction Hazard Index =		6
						Kidney Hazard Index =		<1

Key	
SIL	Swan Island Lagoon
ND	Not Detected
NA	Not Analyzed
RM	River Mile
CNS	Central Nervous System
--	Toxicity criteria are not available to quantitatively address this route of exposure.
RNA	Route of exposure is not applicable to this medium.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-111 Risk Characterization Summary, Noncancer Hazards - Breastfeeding Infant of Recreational Fisher, Study Area-Wide Basis, Reasonable Maximum Exposure

Risk Characterization Summary - Non-Carcinogens								
Scenario Timeframe: Current/Future								
Receptor Population: Recreational Fisher (Boat)								
Receptor Age: Infant								
Medium	Exposure Medium	Exposure Point	Chemical of Concern	Primary Target Organ	Non-Carcinogens Hazard Quotient			
					Ingestion/Consumption	Inhalation	Dermal	Exposure Routes Total
Sediment	Breast Milk	Breastfeeding from Adult with Direct Contact of On-site Sediment Ingestion						
		Study Area-wide					Sediment Hazard Index Total =	<1
Fish Tissue	Breast Milk	Breastfeeding from Adult Consumer of Fillet Mulitple Species Fish Tissue On-site (48.9-20.5 g/day) Ingestion						
		Study Area-wide	Total PCBs	Skin/Immunological	4000	RNA	RNA	4000
			Total Dioxin/Furan TEQ	Reproduction	2	RNA	RNA	2
			Total PCB TEQ	Reproduction	4	RNA	RNA	4
			Total DDx	Liver	0.2	RNA	RNA	0.2
							Fish Tissue Hazard Index Total =	4000
							Receptor Hazard Index =	4000
							Skin Hazard Index =	4000
							Liver Hazard Index =	<1
							Immulogical Hazard Index =	4000
							Reproduction Hazard Index =	6
Key								
SIL	Swan Island Lagoon							
ND	Not Detected							
NA	Not Analyzed							
RM	River Mile							
CNS	Central Nervous System							
--	Toxicity criteria are not available to quantitatively address this route of exposure.							
RNA	Route of exposure is not applicable to this medium.							

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-112. Chemicals Potentially Posing Unacceptable Risk

Chemical of Concern	BS: Recreational Beach User	BS: Dockside Worker	BS: Low-Frequency Fisher	BS: High-Frequency Fisher	BS: Tribal Fisher	BS: Transients	BS: Ingestion of Human Milk (Dockside Worker)	SW: Recreational Beach User	SW: Transients	SW: Diver in Wet Suit	SW: Diver in Dry Suit	SW: Potential Future Domestic Water Use	IWS: In-Water Worker	IWS: Low Frequency Fisher	IWS: High Frequency Fisher	IWS: Tribal Fisher	IWS: Diver in Wet Suit	IWS: Diver in Dry Suit	IWS: Ingestion of Human Milk (In-Water Worker)	IWS: Ingestion of Human Milk (Low Frequency Fisher)	IWS: Ingestion of Human Milk (High Frequency Fisher)	IWS: Ingestion of Human Milk (Tribal Fisher)	IWS: Ingestion of Human Milk (Diver in Wet Suit)	IWS: Ingestion of Human Milk (Diver in Dry Suit)	Fish Consumption, River Mile Basis	Fish Consumption, Study Area-Wide	Tribal Fish Consumption	Ingestion of Human Milk (Non-tribal Consumption)	Ingestion of Human Milk (Tribal Consumption)	Shellfish: Adult Consumption	Shellfish: Ingestion of Human Milk (Non-tribal Consumption)
Metals																															
Antimony																										+					
Arsenic	X[b]		X[b]	X[b]	O							X		X[a,b]	X[b]										O	O	#			O	
Chromium, hexavalent												X[a]																			
Lead[d]																														X	
Mercury																									+	+	+				
PAHs																															
Benzo(a)anthracene	X[a,b]	X[a,b]										O		X[a,b]	X[a,b]	X[a,b]	X[a,b]								X[a,b]					O	
Benzo(a)pyrene	O[b]	O[a]	X[a,b]	X[b]						X[a,b]		#	X[a,b]	O[b]	O[b]	O	O[b]	X[a,b]							O	X[c]	X			#	
Benzo(b)fluoranthene	X[a,b]	X[a,b]										O		X[a,b]	X[a,b]	X[a,b]	X[a,b]													O	
Benzo(k)fluoranthene																														X[a]	
Dibenzo(a,h)anthracene	X[b]	X[a,b]										O		X[a,b]	X[a,b]	X[a,b]	X[a,b]								X[a,b]	X[c]	X			O	
Indeno(1,2,3-cd)pyrene	X[a,b]	X[a,b]										O		X[a,b]	X[a,b]	X[a,b]	X[a,b]													X	
Total Carcinogenic PAHs	O	O[a]	X[a,b]	X[a,b]	X[b]					X[a,b]	X[a,b]	#	X[a,b]	O[b]	O[b]	#	O[b]	X[a,b]							O	X	X			#	
Phthalates																															
Bis(2-ethylhexyl)phthalate																														O	
SVOCs																															
Hexachlorobenzene																											O			O	
Phenols																															
Pentachlorophenol																														X[a]	
Polychlorinated Biphenyls																															
Total PCBs														X[a,b]	X[a,b]	O[b]	X[a,b]		+[a,b]	+[a,b]	+[a,b]				#	#	#	+	+	#	+
Total PCB TEQ														X[a,b]	X[a,b]	X[b]	X[a,b]								O	#	#	+[b]	+	O	+[b]
Dioxin/Furan																															
Total Dioxin TEQ													O[a,b]	O[a,b]	O[a,b]	#	O[a,b]	X[a,b]	+[a,b]	+[a,b]	+[a,b]	+[a,b]			#	#	#	+	+	#	+[b]
Pesticides																															
Aldrin																														X[a]	
Dieldrin																									O	O	O			X	
Heptachlor																														X[e]	
Heptachlor Epoxide																														X[a,b,e]	
Alpha-Hexachlorocyclohexane																														X[e]	
Beta-Hexachlorocyclohexane																									X[a,b,e]	X[c,e]	X[e]				
Total Chlordane																										X[c]	X				

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 5-112. Chemicals Potentially Posing Unacceptable Risk

Chemical of Concern	Beach Sediment: Recreational Beach User	Dockside Worker	Low-Frequency Fisher	High-Frequency Fisher	Tribal Fisher	Transients	Ingestion of Human Milk (Dockside Worker)	Surface Water: Recreational Beach User	Transients	Diver in Wet Suit	Diver in Dry Suit	Potential Future Domestic Water Use	In-Water Sediment: In-Water Worker	Low Frequency Fisher	High Frequency Fisher	Tribal Fisher	Diver in Wet Suit	Diver in Dry Suit	Ingestion of Human Milk (In-Water Worker)	Ingestion of Human Milk (Low Frequency Fisher)	Ingestion of Human Milk (High Frequency Fisher)	Ingestion of Human Milk (Tribal Fisher)	Ingestion of Human Milk (Diver in Wet Suit)	Ingestion of Human Milk (Diver in Dry Suit)	Fish Tissue: Fish Consumption, River Mile Basis	Fish Consumption, Study Area-Wide	Tribal Fish Consumption	Ingestion of Human Milk (Non-tribal Consumption)	Ingestion of Human Milk (Tribal Consumption)	Shellfish: Adult Consumption	Ingestion of Human Milk (Non-tribal Consumption)
Total DDD																									X[a]	X	O			X	
Total DDE																									X	X	O			X	
Total DDT			X[a]																						X	X	O			X[a]	
Total DDX																															
Herbicides																															
MCPP												+[ab]																			
Polybrominated Diphenyl Ethers																															+[ab]

Notes:
Groundwater seep exposure resulted in no cancer or noncancer exceedances of target risk levels.

Abbreviations:
X Chemical exceeds cancer risk of 10^{-6} or a hazard quotient of 1 for at least one BHHRA scenario.
O Chemical exceeds cancer risk of 10^{-5} or a hazard quotient of 1 for at least one BHHRA scenario.
Chemical exceeds cancer risk of 10^{-4} or a hazard quotient of 1 for at least one BHHRA scenario.
+ Chemical exceeds a hazard quotient of 1 for at least one BHHRA scenario, but does not exceed a cancer risk of 10^{-6}.
a Status is result of target risk or hazard exceedance for two or fewer exposure points.
b Status is result of target risk or hazard exceedance for RME scenario only.
c Status is result of target risk or hazard exceedance only for subsistence fish consumption.
d Status for lead is based on results of predicted blood lead levels.
e Chemical status is result of target risk or hazard exceedance based on N-qualified data.

Shading indicates an exceedance of a hazard quotient of 1 for at least one BHHRA scenario.

PORTLAND HARBOR RI/FS
FINAL REMEDIAL INVESTIGATION REPORT

APPENDIX F

BASELINE HUMAN HEALTH RISK ASSESSMENT

SECTION 6 TABLES

March 28, 2013

Produced for
The Lower Willamette Group and
United States Environmental Protection Agency

Produced by
Kennedy/Jenks Consultants

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 6-1. Uncertainties Evaluated in the Baseline Human Health Risk Assessment

Uncertainty	Magnitude/ Severity of Uncertainty	Significance to Risk Management Decisions	More Likely to Result in Over- or Under-Estimation of Risk?
Data Evaluation			
Use of target species to represent all types of biota consumed	Medium	Low	Over
Source of chemicals for anadromous and wide-ranging fish species	Medium	Low	Over
Use of only whole body or only fillet samples to represent all fish consumption	Medium	Low	Over
Use of undepurated tissue to represent clam consumption	Medium	Medium	Over
Use of different tissue types to assess the same chemical	Low	Low	Either
Detection limits that are above analytical concentration goals (ACGs)	Medium	Low	Under
Removal of Non-Detected Results Greater Than the Maximum Detected Concentration for a Given Exposure Area	Medium	Low	Either
Using N-qualified data	Medium	Low	Over
Using one-half the detection limit for non-detect results in summed analytes	Low	Low	Either
Chemicals that were not analyzed in certain samples	Medium	Low	Either
Chemicals that were not included as analytes	Low	Low	Under
Chemicals that were analyzed but not included in the BHHRA	Low	Low	Under
Data Not Included in BHHRA due to Collection Date	Medium	Low	Either
Compositing methods for biota and beach sediment sampling	Low	Low	Either
Mislabeling of smallmouth bass fish sample	Low	Low	Neither
Use of DEQ RBCs for petroleum hydrocarbon screening values	Low	Low	Under
Selection of Tissue COPCs based on detection of an analyte	Medium	Medium	Over
Exposure Assessment			
Model applicability	Medium	Low	Over
Subsurface sediment exposure	Medium	Low	Under
Exposure Scenarios			
Human Milk Consumption	Medium	High	Neither
Shellfish consumption	High	High	Over
Wet suit divers	High	High	Over
Domestic Water Use	High	High	Over
Potentially Complete and Insiginificant Exposure Pathways	Low	Low	Under
Exposure Factors			
Exposure parameters for sediment exposure scenarios	High	Medium/Low	Over
Exposure parameters for surface water and groundwater seep exposure scenarios	High	Low	Over
Exposure parameters for tissue ingestion scenarios	High	High	Over
Assumptions about a multiple-species diet	Medium	Low	Neither
Exposure Point Concentrations			
Using 5-10 samples to calculate the 95% UCL on the mean	Medium	Low	Under
Nondetects greater than the maximum detected concentrations	High	Low	Over
Using the maximum concentration to represent exposure	High	High	Over
Possible effects of preparation and cooking methods	Medium	Medium	Over
Assumptions about arsenic speciation	Low	Low	Under
Polychlorinated biphenyls (Aroclor vs. Congener analysis)	Low	Medium	Neither
Bioavailability of Chemicals	Medium	Low	Over
Smallmouth bass exposure areas	Low	Low	Neither
Surface water EPCs	Low	Low	Neither
Toxicity Assessment			
Early life exposure to carcinogens	Low	Low	Under
Lack of toxicity values for delta-hexachlorocyclohexane and titanium	High	Low	Under
Use of toxicity values from surrogate chemicals for some chemicals that lack toxicity values	Medium	Low	Either
Toxicity values for chromium	Medium	Low	Neither
Toxicity values for polychlorinated biphenyls and applicability to environmental data	Medium	Low	Over
Risk Characterization			
Risks from cumulative or overlapping scenarios	Medium	Low	Over
Risks from background	Medium	High	Over
Risks from lead exposure	Medium	Medium	Over
Future risks	Medium/High	Low	Either

Note:

a The determination of the range of magnitude of uncertainty is provided in BHHRA Attachment F6: Supporting Documentation for the Uncertainty Analysis.
Magnitude of uncertainties that are not quanitified are based on best professional judgement.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 6-2.
Comparison of Concentrations in Chinook Salmon Tissue Samples.

Parameter	Units	Tissue Sample Results by River Collected			
		Chehalis	**Queets**	**Quinault**	**Lower Willamette**
Total PCB Aroclors	ug/kg	5.00	5.60	6.30	2.0E+01
Total PCB congeners	pg/g	5.1E+03	4.7E+03	4.4E+03	1.5E+04
Total DDT	ug/kg	2.63	2.56	3.53	2.0E+00
2, 3, 7, 8-TCDD TEQ	pg/g	0.09	0.23	0.22	1.9E-01
Mercury	mg/kg	0.049	0.041	0.030	1.0E-01

Notes:

Tissue concentrations are for Chinook samples, fillet with skin.
Tissue concentrations for the Lower Willamette are the maximum detected concentrations.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table F6-3. Mercury Concentrations in Fillet Tissue With and Without Skin For Samples Collected Within the Study Area

Location	Species	Tissue Type	Concentration	Units
CP0004	Common Carp	fillet with skin	6.2E-02	mg/kg
CP0004	Common Carp	fillet with skin	7.5E-02	mg/kg
CP0004	Common Carp	fillet with skin	6.2E-02	mg/kg
CP0408	Common Carp	fillet with skin	7.3E-02	mg/kg
CP0408	Common Carp	fillet with skin	5.4E-02	mg/kg
CP0408	Common Carp	fillet with skin	7.2E-02	mg/kg
CP0812	Common Carp	fillet with skin	4.9E-02	mg/kg
CP0812	Common Carp	fillet with skin	4.1E-02	mg/kg
CP0812	Common Carp	fillet with skin	5.9E-02	mg/kg
FZ0306	Common Carp	fillet without skin	1.9E-01	mg/kg
FZ0306	Common Carp	fillet without skin	1.3E-01	mg/kg
FZ0609	Common Carp	fillet without skin	9.8E-02	mg/kg
FZ0609	Common Carp	fillet without skin	8.4E-02	mg/kg
FZ0609	Common Carp	fillet without skin	7.4E-02	mg/kg
Average fillet with skin concentration			**6.1E-02**	**mg/kg**
Average fillet without skin concentration			**1.2E-01**	**mg/kg**
LW3-SB010W-C00	Smallmouth Bass	fillet with skin	1.1E-01	mg/kg
LW3-SB011E-C00	Smallmouth Bass	fillet with skin	1.8E-01	mg/kg
LW3-SB010E-C00	Smallmouth Bass	fillet with skin	2.4E-01	mg/kg
LW3-SB011W-C00	Smallmouth Bass	fillet with skin	1.9E-01	mg/kg
LW3-SB02E-C00	Smallmouth Bass	fillet with skin	6.3E-02	mg/kg
LW3-SB03E-C00	Smallmouth Bass	fillet with skin	1.6E-01	mg/kg
LW3-SB03W-C00	Smallmouth Bass	fillet with skin	1.8E-01	mg/kg
LW3-SB04E-C00	Smallmouth Bass	fillet with skin	2.4E-01	mg/kg
LW3-SB04W-C00	Smallmouth Bass	fillet with skin	1.7E-01	mg/kg
LW3-SB05W-C00	Smallmouth Bass	fillet with skin	2.1E-01	mg/kg
LW3-SB06E-C00	Smallmouth Bass	fillet with skin	1.5E-01	mg/kg
LW3-SB06W-C00	Smallmouth Bass	fillet with skin	9.6E-02	mg/kg
LW3-SB07E-C00	Smallmouth Bass	fillet with skin	2.5E-01	mg/kg
LW3-SB07W-C00	Smallmouth Bass	fillet with skin	1.9E-01	mg/kg
LW3-SB08E-C00	Smallmouth Bass	fillet with skin	9.8E-02	mg/kg
LW3-SB08W-C00	Smallmouth Bass	fillet with skin	5.9E-02	mg/kg
LW3-SB09E-C00	Smallmouth Bass	fillet with skin	1.5E-01	mg/kg
LW3-SB09W-C00	Smallmouth Bass	fillet with skin	3.5E-01	mg/kg
LWG0103R014Zone	Smallmouth Bass	fillet without skin	1.3E-01	mg/kg
LWG0105R006Zone	Smallmouth Bass	fillet without skin	8.7E-02	mg/kg
LWG0106R024Zone	Smallmouth Bass	fillet without skin	7.3E-02	mg/kg
LWG0108R032Zone	Smallmouth Bass	fillet without skin	1.1E-01	mg/kg
LWG0109R006Zone	Smallmouth Bass	fillet without skin	7.1E-02	mg/kg
Average fillet with skin concentration			**1.7E-01**	**mg/kg**
Average fillet without skin concentration			**9.5E-02**	**mg/kg**

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 6-4. Comparison of Detection Limits of Undetected Analytes in Sediment to LWG Analytical Concentration Goals.

Analyte	Maximum Detection Limit (ug/kg)	Minimum Detection Limit (ug/kg)	ACG (ug/kg)	MRL (ug/kg)	Max DL>ACG?	Max DL>MRL?
Semi-Volatile Organic Compounds						
N-Nitrosodimethylamine	10,800	6.1	0.0073	100	Y	Y
N-Nitrosodipropylamine	2,150	2.4	0.053	20	Y	Y
Phenols						
2,3,4,6-Tetrachlorophenol	2,150	9.63	157	100	Y	Y
Pesticides						
Toxaphene	9,900	3.4	0.0059	20	Y	Y

Notes:

sediment samples for the human health data set (RM 1.9-

Abbreviations:

ACG = Analytical Concentration Goal.
DL = Detection Limit.
LWG = Lower Willamette Group.
Max = Maximum.
MRL = Method Reporting Limit.
ug/kg = microgram per kilogram.
Y = Yes.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 6-5. Comparison of Detection Limits of Undetected Analytes in Fish and Shellfish Tissue to LWG Analytical Concentration Goals.

Analyte[a]	Maximum Detection Limit (ug/kg)	Minimum Detection Limit (ug/kg)	ACG (ug/kg)	MRL (ug/kg)	Max DL>ACG?	Max DL>MRL?
Semi-Volatile Organic Compounds						
1,2-Dichlorobenzene	96	11	1,620	12.5	N	--
1,4-Dichlorobenzene	66	11	17	12.5	Y	Y
Carbazole	37	17	21	12.5	Y	Y
Hexachloroethane	37	1	18	12.5	Y	Y
Phenols						
2,4,5-Trichlorophenol	1,600	14	1,800	40[b]	N	--
2,4,6-Trichlorophenol	37	9.1	117	40[b]	N	--
2,4-Dichlorophenol	37	9.5	54	40[b]	N	--
2-Chlorophenol	67	7.5	90	40[b]	N	--
Polychlorinated Biphenyls						
Aroclor 1016	470	0.95	0.21	2	Y	Y
Aroclor 1221	390	0.95	0.21	4	Y	Y
Aroclor 1242	630	0.95	0.21	2	Y	Y
Aroclor 1262	190	0.95	0.21	2	Y	Y
Aroclor 1268	190	0.95	0.21	2	Y	Y

Notes:

a Chemicals listed are those analyzed for but never detected in human health tissue samples (includes all tissue types and species used in BHHRA: smallmouth bass, clam, crayfish, carp, brown bullhead, black crappie, sturgeon, lamprey, chinook salmon), and for which an ACG was established in the Round 1 QAPP (LWG 2002, Table A7-5).

b MRLs presented for phenols are from Round 2 QAPP Addendum 9 (LWG 2007, Table A6-5).

Abbreviations:

-- = Not applicable. DL compared to MRL only if maximum DL exceeds ACG.
ACG = Analytical Concentration Goal.
DL = Detection Limit.
LWG = Lower Willamette Group.
Max = Maximum.
MRL = Method Reporting Limit.
N = No.
NE = Not established.
QAPP = Quality Assurance Project Plan.
ug/kg = microgram per kilogram.
Y = Yes.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 6-6. Comparison of Detection Limits of Undetected Analytes in the Groundwater Seep to LWG Analytical Concentration Goals.

Analyte	Maximum Detection Limit (ug/l)	Minimum Detection Limit (ug/l)	ACG (ug/l)	MRL (ug/l)	Max DL>ACG?	Max DL > MRL?
Metals						
Chromium hexavalent	4.55	4.55	2	0.5	Y	Y
Polynuclear Aromatic Hydrocarbons						
Anthracene	0.05	0.0149	0.09	0.02	N	--
Benzo(a)anthracene	0.05	0.0436	0.65	0.02	N	--
Benzo(a)pyrene	0.05	0.0465	0.3	0.02	N	--
Pesticides						
4,4'-DDD	0.05	0.00479	1.69	0.01	N	--
4,4'-DDT	0.05	0.00508	0.001	0.01	Y	Y
Volatile Organic Compounds						
1,1,1-Trichloroethane 79-34-5	0.5	0.0859	3493	0.5	N	--
1,1,2-Trichloroethane	0.5	0.301	9400	0.5	N	--
1,1-Dichloroethane	0.5	0.157	14680	0.5	N	--
1,1-Dichloroethene	0.5	0.197	>2800	0.5	N	--
1,2-Dichloroethane	0.5	0.142	15200	0.5	N	--
Carbon disulfide	0.5	0.233	244	0.5	N	--
Carbon tetrachloride	0.5	0.14	1970	0.5	N	--
cis-1,3-Dichloropropene	0.5	0.128	244	0.5	N	--
Chloroform	0.5	0.143	1240	0.5	N	--
Ethylbenzene	0.5	0.11	>440	0.5	N	--
m,p-Xylene	1	0.295	62308	0.5	N	--
o-Xylene	0.5	0.187	62308	0.5	N	--
Toluene	0.5	0.155	1269	0.5	N	--
trans-1,2-Dichloroethene	0.5	0.175	9538	0.5	N	--
trans-1,3-Dichloropropene	0.5	0.152	244	0.5	N	--

Notes:

Chemicals listed are those analyzed for but never detected in human health groundwater seep samples from Outfall 22B, and for which an ACG was established in the Round 2 Quality Assurance Project Plan Addendum 3, Table A6-2.

Abbreviations:
-- = Not applicable. DL compared to MRL only if maximum DL exceeds ACG.
ACG = Analytical Concentration Goal.
DL = Detection Limit.
LWG = Lower Willamette Group.
Max = Maximum.
MRL = Method Reporting Limit.
N = No.
NE = Not established.
ug/l = microgram per liter.
Y = Yes.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 6-7. Comparison of Detection Limits of Undetected Analytes in Human Health Surface Water Samples to LWG Analytical Concentration Goals.

Analyte[a]	Maximum Detection Limit[b] (ug/l)	Minimum Detection Limit[b] (ug/l)	ACG[c] (ug/l)	MRL-peristaltic pump (ug/l)	MRL-XAD (ug/l)	Max DL>ACG?	Max DL > MRL-perist?	Max DL > MRL-XAD?
Semi-Volatile Organic Compounds								
1,2,4-Trichlorobenzene	0.018	0.016	50	0.2	NA	N	--	--
1,2-Dichlorobenzene	0.017	0.015	14	0.2	NA	N	--	--
1,3-Dichlorobenzene	0.013	0.011	5.5	0.2	NA	N	--	--
2,4-Dinitrotoluene	0.023	0.02	3.4	0.2	NA	N	--	--
2,6-Dinitrotoluene	0.011	0.0088	36	0.2	NA	N	--	--
2-Chloronaphthalene	0.018	0.016	490	0.2	NA	N	--	--
2-Nitroaniline	0.018	0.015	1	0.2	NA	N	--	--
3,3'-Dichlorobenzidine	0.51	0.43	0.028	2	NA	Y	N	N
4-Bromophenyl phenyl ether	0.021	0.018	1.5	0.2	NA	N	--	--
Benzyl alcohol	1.2	0.98	8.6	5	NA	N	--	--
111-91-1								
Bis(2-chloroethyl) ether	0.017	0.015	0.0098	0.2	NA	Y	N	N
Hexachlorocyclopentadiene	0.048	0.041	5.2	1	NA	N	--	--
Hexachloroethane	0.022	0.000472	303	0.2	NA	N	--	--
Nitrobenzene	0.0088	0.0074	3.4	0.2	NA	N	--	--
N-Nitrosodimethylamine	0.5	0.42	0.0013	0.002	NA	Y	Y	N
N-Nitrosodiphenylamine	0.033	0.028	6	0.2	NA	N	--	--
N-Nitrosodipropylamine	0.038	0.033	0.0096	0.2	NA	Y	N	N
Phenols								
2,3,4,6-Tetrachlorophenol	1.2	1	1100	NA	NA	N	--	--
2,4,5-Trichlorophenol	0.03	0.026	63	0.5	NA	N	--	--
2,4,6-Trichlorophenol	0.044	0.037	2.4	0.5	NA	N	--	--
2,4-Dichlorophenol	0.028	0.024	110	0.5	NA	N	--	--
2,4-Dimethylphenol	0.38	0.32	730	2	NA	N	--	--
2,4-Dinitrophenol	0.63	0.53	73	4	NA	N	--	--
2-Chlorophenol	0.018	0.015	30	0.5	NA	N	--	--
2-Methylphenol	0.07	0.06	13	0.5	NA	N	--	--
4,6-Dinitro-2-methylphenol	0.016	0.013	280	2	NA	N	--	--
4-Methylphenol	0.06	0.051	180	0.5	NA	N	--	--
4-Nitrophenol	0.63	0.54	150	2	NA	N	--	--
Pentachlorophenol	0.061	0.029	0.56	1	NA	N	--	--
Pesticides								
Toxaphene	0.134	0.0085	0.0002	0.025	NA	Y	Y	N
Herbicides								
2,4,5-T	0.21	0.042	360	0.2	NA	N	--	--
Dicamba	0.43	0.059	1100	0.4	NA	N	--	--
Dinoseb	0.23	0.045	36	0.2	NA	N	--	--
Silvex	0.21	0.042	290	0.2	NA	N	--	--

Notes:

a   Chemicals listed are those analyzed for but never detected in human health surface water samples, and for which an ACG was established in the Round 2 Quality Assurance Project Plan Addendum 1, Table A6-2.

b   Maximum and Minimum Detection Limits are for the combined data set of both peristaltic and XAD surface water samples.

c   Level 2 ACG used for screening: the lowest of the EPA Region 9 PRGs for Tap Water (EPA 2004b), NRWQC freshwater aquatic life criteria and human health criteria (EPA 2006a), ORNL values (Suter and Tsao 1996), and the fish consumption criteria from the Revised Human Health Water Quality Criteria (EPA 2003a).

Abbreviations:

-- = Not applicable. DL compared to MRL only if maximum DL exceeds ACG.
ACG = Analytical Concentration Goal.
DL = Detection Limit.
LWG = Lower Willamette Group.
Max = Maximum.

MRL = Method Reporting Limit.
N = No.
NA = Not available.
ug/l = microgram per liter.
Y = Yes.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 6-8. Clam Samples Missing Analytes.

Sample ID	Butyltins	Metals	PAHs	Pesticides	Phenols	Phthalates	SVOCs	Total Aroclors	Chlordanes	DDD	DDE	DDT	Dioxin/Furan TEQ	Endosulfans	PCB Congeners
LW2-BTFC001								NA							
LW2-BTFC002								NA							
LW2-BTFC003								NA							
LW2-BTFC004								NA							
LW2-BTFC005								NA							
LW2-BTFC006 Rep 1								NA							
LW2-BTFC007								NA							
LW2-BTFC008								NA							
LW2-BTFC009				NA				NA	NA	NA	NA	NA		NA	NA
LW2-BTFC010								NA							
LW2-BTFC011	NA	NA	NA				NA (dibenzofuran)[a]	NA							
LW2-BTFC012								NA							
LW2-BTFC013								NA							
LW2-BTFC014								NA							
LW2-BTFC015	NA	NA (mercury)						NA							
LW2-BTFC016	NA							NA							
LW2-BTFC017								NA							
LW2-BTFC018	NA	NA			NA	NA	NA (benzyl alcohol)	NA							
LW2-BTFC019								NA							
LW2-BTFC020								NA							
LW2-BTFC021								NA					NA		
LW2-BTFC022								NA					NA		
LW2-BTFC023		NA (mercury)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
LW2-BTFC024								NA							
LW2-BTFC025								NA							
LW2-BTFC026	NA							NA							
LW2-BTFC027 Rep 1								NA							
LW2-BTFC028								NA							
LW2-BTFC029	NA	NA	NA		NA	NA	NA	NA							
LW2-BTFC030								NA							
LW2-BTFC031								NA							
LW2-BTFC032	NA	NA	NA		NA	NA	NA	NA							
LW2-BTFC033	NA	NA			NA	NA	NA	NA							

Abbreviations:
DDD = Dichlorodiphenyldichloroethane.
DDE = Dichlorodiphenyldichloroethylene.
DDT = Dichlorodiphenyltrichloroethane.
PAHs = Polynuclear Aromatic Hydrocarbons.
PCBs = Polychlorinated Biphenyls.
SVOCs = Semivolatile Organic Compounds.
TEQ = Toxic equivalents.
NA = Not Applicable. Chemical group was not analyzed for a particular clam sample.

LWG
Lower Willamette Group

PORTLAND HARBOR RI/FS

FINAL REMEDIAL INVESTIGATION REPORT

APPENDIX F

BASELINE HUMAN HEALTH RISK ASSESSMENT

SECTION 7 TABLE

March 28, 2013

Produced for
The Lower Willamette Group and
United States Environmental Protection Agency

Produced by
Kennedy/Jenks Consultants

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 7-1. Chemicals Potentially Posing Unacceptable Risks for Human Health

Chemical of Concern	Beach Sediment: Recreational Beach User	Dockside Worker	Low-Frequency Fisher	High-Frequency Fisher	Tribal Fisher	Transients	Ingestion of Human Milk (Dockside Worker)	Surface Water: Recreational Beach User	Transients	Diver in Wet Suit	Diver in Dry Suit	Potential Future Domestic Water Use	In-Water Sediment: In-Water Worker	Low Frequency Fisher	High Frequency Fisher	Tribal Fisher	Diver in Wet Suit	Diver in Dry Suit	Ingestion of Human Milk (In-Water Worker)	Ingestion of Human Milk (Low Frequency Fisher)	Ingestion of Human Milk (High Frequency Fisher)	Ingestion of Human Milk (Tribal Fisher)	Ingestion of Human Milk (Diver in Wet Suit)	Ingestion of Human Milk (Diver in Dry Suit)	Fish Tissue: Fish Consumption, River Mile Basis	Fish Consumption, Study Area-Wide	Tribal Fish Consumption	Ingestion of Human Milk (Non-tribal Consumption)	Ingestion of Human Milk (Tribal Consumption)	Shellfish: Adult Consumption	Ingestion of Human Milk (Non-tribal Consumption)
Metals																															
Antimony																											+				
Arsenic	X^b		X^b	X^b	O							X		X^{ab}	X^b										O	O	#			O	
Chromium, hexavalent												X^a																			
Lead[d]																											X				
Mercury																									+	+	+				
PAHs																															
Benzo(a)anthracene	X^{ab}	X^{ab}										O		X^{ab}	X^{ab}	X^{ab}	X^{ab}								X^{ab}					O	
Benzo(a)pyrene	O^b	O^a		X^{ab}	X^b					X^{ab}		#	X^{ab}	O^b	O^b	O	O^b	X^{ab}							O	X^c	X			#	
Benzo(b)fluoranthene	X^{ab}	X^{ab}										O		X^{ab}	X^{ab}	X^{ab}	X^{ab}													O	
Benzo(k)fluoranthene	X^a																														
Dibenzo(a,h)anthracene	X^b	X^{ab}										O		X^{ab}	X^{ab}	X^{ab}	X^{ab}								X^{ab}	X^c	X			O	
Indeno(1,2,3-cd)pyrene	X^{ab}	X^{ab}										O		X^{ab}	X^{ab}	X^{ab}	X^{ab}													X	
Total Carcinogenic PAHs	O	O^a	X^{ab}	X^{ab}	X^b					X^{ab}	X^{ab}	#	X^{ab}	O^b	O^b	#	O^b	X^{ab}							O	X	X			#	
Phthalates																															
Bis(2-ethylhexyl)phthalate																														O	
SVOCs																											O			O	
Hexachlorobenzene																											O			O	
Phenols																															
Pentachlorophenol																														X^a	
Polychlorinated Biphenyls																															
Total PCBs														X^{ab}	X^{ab}	O^b	X^{ab}			$+^{ab}$	$+^{ab}$	$+^{ab}$			#	#	#	+	+	#	+
Total PCB TEQ														X^{ab}	X^{ab}	X^b	X^{ab}								O	#	#	$+^b$	+	O	$+^b$
Dioxin/Furan																															
Total Dioxin TEQ													O^{ab}	O^{ab}	O^{ab}	#	O^{ab}	X^{ab}	$+^{ab}$	$+^{ab}$	$+^{ab}$	$+^{ab}$			#	#	#	+	+	#	$+^b$
Pesticides																															
Aldrin																														X^a	
Dieldrin																									O	O	O			X	
Total Chlordane																										X^c	X				

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Table 7-1. Chemicals Potentially Posing Unacceptable Risks for Human Health

Chemical of Concern	Beach Sediment: Recreational Beach User	Dockside Worker	Low-Frequency Fisher	High-Frequency Fisher	Tribal Fisher	Transients	Ingestion of Human Milk (Dockside Worker)	Surface Water: Recreational Beach User	Transients	Diver in Wet Suit	Diver in Dry Suit	Potential Future Domestic Water Use	In-Water Sediment: In-Water Worker	Low Frequency Fisher	High Frequency Fisher	Tribal Fisher	Diver in Wet Suit	Diver in Dry Suit	Ingestion of Human Milk (In-Water Worker)	Ingestion of Human Milk (Low Frequency Fisher)	Ingestion of Human Milk (High Frequency Fisher)	Ingestion of Human Milk (Tribal Fisher)	Ingestion of Human Milk (Diver in Wet Suit)	Ingestion of Human Milk (Diver in Dry Suit)	Fish Tissue: Fish Consumption, River Mile Basis	Fish Consumption, Study Area-Wide	Tribal Fish Consumption	Ingestion of Human Milk (Non-tribal Consumption)	Ingestion of Human Milk (Tribal Consumption)	Shellfish: Adult Consumption	Ingestion of Human Milk (Non-tribal Consumption)
Total DDD																									X[a]	X	O			X	
Total DDE																									X	X	O			X	
Total DDT																									X	X	O			X[a]	
Total DDX																															
Herbicides																															
MCPP												$+^{ab}$																			
Polybrominated Diphenyl Ethers																												$+^{ab}$			

Notes:
Groundwater seep exposure resulted in no cancer or noncancer exceedances of target risk levels.

Abbreviations:
X Chemical exceeds cancer risk of 10^{-6} or a hazard quotient of 1 for at least one BHHRA scenario.
O Chemical exceeds cancer risk of 10^{-5} or a hazard quotient of 1 for at least one BHHRA scenario.
Chemical exceeds cancer risk of 10^{-4} or a hazard quotient of 1 for at least one BHHRA scenario.
+ Chemical exceeds a hazard quotient of 1 for at least one BHHRA scenario, but does not exceed a cancer risk of 10^{-6}.
a Status is result of target risk or hazard exceedance for two or fewer exposure points.
b Status is result of target risk or hazard exceedance for RME scenario only.
c Status is result of target risk or hazard exceedance only for subsistence fish consumption.
d Status for lead is based on results of predicted blood lead levels.

Shading indicates an exceedance of a hazard quotient of 1 for at least one BHHRA scenario.

LWG
LOWER WILLAMETTE GROUP

PORTLAND HARBOR RI/FS
FINAL REMEDIAL INVESTIGATION REPORT

APPENDIX F
BASELINE HUMAN HEALTH RISK ASSESSMENT

FIGURES

March 28, 2013

Produced for
The Lower Willamette Group and
United States Environmental Protection Agency

Produced by
Kennedy/Jenks Consultants

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

SOURCE — **INTERMEDIATE RELEASE MECHANISM** — **FINAL RELEASE MECHANISM (LOADING TERMS)** — **EXPOSURE MEDIA(a) POPULATION** — **EXPOSURE ROUTE** — **HUMAN RECEPTOR**

Sources:
- Global, regional, and local emissions
- Upriver sources
- Upland discharges, spills, and leaks to soil
- Industrial process wastewater
- Sediment scour and resuspension
- Overwater releases
- Submerged structures/surfaces
- Subsurface sediment

Intermediate Release Mechanism:
- Atmospheric deposition to upland watershed
- Leaching to groundwater

Final Release Mechanism (Loading Terms):
- Atmospheric deposition to study area surface water
- Surface water inflow into study area
- Sediment transport into study area
- Study area stormwater discharges and runoff
- Groundwater transport (dissolved/NAPL, particulate, colloidal)
- Industrial discharges
- Soil/riverbank erosion
- Leaching to water column
- Partitioning to pore water/advection

Exposure Media Population:
- Beach sediment
- River sediment(d)
- Surface water
- Transition zone water
- Shoreline seeps
- Fish/shellfish

Exposure Media	Exposure Route	Current and Future							Future
		Dockside Workers(b)	In-water Workers(b)	Transients	Divers(b)	Recreational Beach Users	Tribal Fishers(b)	Fishers(b,c)	Domestic Water Users
Beach sediment	Ingestion	●	x	●	x	●	●	●	x
	Dermal Absorption	●	x	●	x	●	●	●	x
River sediment(d)	Ingestion	x	●	x	●	x	●	●	x
	Dermal Absorption	x	●	x	●	x	●	●	x
Surface water	Inhalation	○	○	○	○	○	○	○	●
	Ingestion	○	○	●	●	●	○	○	●
	Dermal Absorption	○	○	●	●	●	○	○	●
Shoreline seeps	Ingestion	x	x	●	x	x	x	x	x
	Dermal Absorption	x	x	●	x	x	x	x	x
Fish/shellfish	Ingestion	#	#	#	#	#	●	●	x

Notes:

(a) This CSM includes exposure to media considered a part of the Portland Harbor RI/FS. It does not include media that will be evaluated as a part of the specific upland site evaluations and risk assessments.

(b) Infant consumption of human milk evaluated as a potentially complete pathway for all adult receptors where PCBs, dioxins, or DDX are COPCs.

(c) Fishers include three different fish ingestion rates, two different shellfish ingestion rates, and two different fishing frequencies.

(d) River sediments evaluated in the BHHRA as an exposure media for ingestion and dermal absorption exposure routes include sediments collected at depths less than 30.5 centimeters.

Legend

● = Potentially complete pathway.

x = Incomplete pathway

= Potentially complete pathway but evaluated under a different receptor category in the BHHRA.

○ = Potentially complete pathway but not evaluated in the BHHRA because exposure is expected to be insignificant.

——— Solid lines indicate potential pathways for COPCs to the study area.

- - - - - Dashed lines indicated potential transport pathways for COPCs between exposure media within the study area

Acronyms

BHHRA (Baseline Human Health Risk Assessment)
COPCs (Chemicals of Potential Concern)
CSM (Conceptual Site Model)
NAPL (Non-Aqueous Phase Liquid)
RI/FS = Remedial Investigation/Feasibility Study

Kennedy/Jenks Consultants
Engineers & Scientists

LWG
LOWER WILLAMETTE GROUP

Figure 3-1
Human Health Risk Assessment Conceptual Site Model

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Figure 6-1
Concentration Ratios For Smallmouth Bass Collected
at East and West Sides of River

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Figure 7-1
Ranges of Cancer Risk, by Medium, RME

Note: Ranges presented include all human receptors and scenarios evaluated for exposure to the given medium.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Figure 7-2
**Ranges of Hazard Indexes, by Medium, RME**

Note: Ranges presented include all human receptors and scenarios evaluated for exposure to the given medium.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Figure 7-3. Relative Contribution of Individual Analytes to Cumulative Study Area-Wide Risk, Subsistence Fish Consumption

Fillet Fish Tissue Consumption

Total PCBs, Adjusted,
cancer risk = 1E-02, 93%

Total PCB TEQ,
cancer risk = 4.E-04, 4%

Total Dioxin/Furan TEQ,
cancer risk = 2.E-04, 2%

Other Chemicals,
cancer risk = 1E-04, 1%

Cumulative Cancer
Risk = 1×10^{-2}

Exposure Scenario Presented:
Subsistence Fisher
Multi-species Diet
142 g/day Consumption Rate, Adult
60 g/day Consumption Rate, Child
Study Area-Wide Exposure

Note: Total PCBs, adjusted includes total PCB congeners
minus dioxin-like PCB congeners. Total PCB TEQ includes
dioxin-like PCB congeners. Percentages calculated before
rounding.

LWG
Lower Willamette Group

Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Figure 7-4. Relative Contribution of Individual Analytes to Cumulative Study Area-Wide Risk, Tribal Fish Consumption

Whole Body Fish Tissue Consumption

Total PCB TEQ, cancer risk = 2.E-03, 10%

Total Dioxin/Furan TEQ, cancer risk = 9.E-04, 5%

Other Chemicals, cancer risk = 5.E-04, 3%

Total PCBs, Adjusted, cancer risk = 2.E-02, 82%

Cumulative Cancer Risk = 2 x 10^{-2}

Fillet Fish Tissue Consumption

Total PCB TEQ, cancer risk = 6.E-04, 4%

Total Dioxin/Furan TEQ, cancer risk = 3.E-04, 2%

Other Chemicals, cancer risk = 4E-04, 3%

Total PCBs, Adjusted, cancer risk = 1.E-02, 91%

Cumulative Cancer Risk = 1 x 10^{-2}

Exposure Scenario Presented:
Tribal Fisher
Multi-species Diet
175 g/day Consumption Rate, Adult
73 g/day Consumption Rate, Child
Study Area-Wide Exposure

Note: Total PCBs, adjusted includes total PCB congeners minus dioxin-like PCB congeners. Total PCB TEQ includes dioxin-like PCB congeners. Percentages calculated before rounding.

LWG
LOWER WILLAMETTE GROUP

PORTLAND HARBOR RI/FS
**FINAL REMEDIAL INVESTIGATION REPORT**

APPENDIX F
BASELINE HUMAN HEALTH RISK ASSESSMENT

MAPS

March 28, 2013

Produced for
The Lower Willamette Group and
United States Environmental Protection Agency

Produced by
Kennedy/Jenks Consultants

Map Features

River Miles — red dashed line

Navigation Channel — purple dashed line

River Edge +13 ft NAVD — blue line

Study Area — green line

Outfalls
- Outfall
- Dock Drain
- Roof Drain

Bridges

Docks and Structures

Waterfront Taxlots

Upland ECSI Sites (2008)

FEATURE SOURCES:
Transportation, Property, or Boundaries: Metro RLIS.
Channel & River Miles: US Army Corps of Engineers.
Bathymetric Information: David Evans and Associates, Inc.

0   1,000   2,000 Feet

Kennedy/Jenks Consultants
Engineers & Scientists

LWG LOWER WILLAMETTE GROUP

Path: I:\Projects\LWG\Events\20130116_BHHRA_Figure_Updates_Final\MXD\Map1_1.mxd

Map 1-1
Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Study Area Boundary for Baseline Human Health Risk Assessment

Legend

Receptors

- Dockside Worker
- Recreational Beach User
- Transient
- Recreational Beach User, Transient

Note: All beaches classified as potential recreational and/or transient use areas are also potential fisher use beaches for the purposes of the baseline human health risk assessment.

Kennedy/Jenks Consultants
Engineers & Scientists

LWG
Lower Willamette Group

FEATURE SOURCES:
Transportation, Property, or Boundaries: Metro RLIS.
Channel & River Miles: US Army Corps of Engineers.
Bathymetric Information: David Evans and Associates, Inc.

0   1,000   2,000 Feet

Map Features

- River Miles
- Navigation Channel
- River Edge +13 ft NAVD
- Study Area

Outfalls
- Outfall
- Dock Drain
- Roof Drain

- Bridges
- Docks and Structures
- Waterfront Taxlots
- Upland ECSI Sites (2008)

Map 2-1
Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Designated Potential Human Use Areas and
Associated Beach Sediment Sample Locations

Path: I:\Projects\LWG\Events\20130116_BHHRA_Figure_Updates_Final\MXD\Map2_1.mxd

Image courtesy of USGS © 2013 Microsoft Corporation

Legend

- In-Water Sediment Sample Locations

Map Features

- **River Miles** (red dashed line)
- **Navigation Channel** (purple dashed line)
- **River Edge +13 ft NAVD** (blue line)
- **Study Area** (green line)

Outfalls
- Outfall
- Dock Drain
- Roof Drain

- Bridges
- Docks and Structures
- Waterfront Taxlots
- Upland ECSI Sites (2008)

FEATURE SOURCES:
Transportation, Property, or Boundaries: Metro RLIS.
Channel & River Miles: US Army Corps of Engineers.
Bathymetric Information: David Evans and Associates, Inc.

0   1,000   2,000 Feet

Kennedy/Jenks Consultants
Engineers & Scientists

LWG LOWER WILLAMETTE GROUP

Map 2-2
Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Sample Locations - In-Water Sediment

Path: I:\Projects\LWG\Events\20130116_BHHRA_Figure_Updates_FinalMXD\Map2_2.mxd

Map 2-3
Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Sample Locations - Surface Water,
Transients and Recreational Beach Users

Legend

- ● Direct Contact with Surface Water by Divers, Single Point Sample Locations
  (Peristaltic pump and XAD-2 Infiltrex™ 300 system collection methods were used)
- ■ Direct Contact with Surface Water by Divers, Single Point Sample Locations
  (Peristaltic pump collection method only)
- ▬ Direct Contact with Surface Water by Divers, Transect Sample Locations
  (Peristaltic pump and XAD-2 Infiltrex™ 300 system collection methods were used)

Kennedy/Jenks Consultants
Engineers & Scientists

LWG
Lower Willamette Group

FEATURE SOURCES:
Transportation, Property, or Boundaries: Metro RLIS.
Channel & River Miles: US Army Corps of Engineers.
Bathymetric Information: David Evans and Associates, Inc.

Map Features

River Miles
Navigation Channel
River Edge +13 ft NAVD
Study Area

Outfalls
Outfall
Dock Drain
Roof Drain

Bridges
Docks and Structures
Waterfront Taxlots
Upland ECSI Sites (2008)

0   1,000   2,000 Feet

Path: I:\Projects\LWGEvents\20130116_BHHRA_Figure_Updates_FinalMXD\Map2_4.mxd

Legend

🟠 Groundwater Seep Location
Rhône-Poulenc Outfall 22B

Map Features

- - - River Miles
- - - Navigation Channel
── River Edge +13 ft NAVD
── Study Area

Outfalls
⊙ Outfall
⊙ Dock Drain
⊙ Roof Drain

▦ Bridges
▢ Docks and Structures
▢ Waterfront Taxlots
▢ Upland ECSI Sites (2008)

FEATURE SOURCES:
Transportation, Property, or Boundaries: Metro RLIS.
Channel & River Miles: US Army Corps of Engineers.
Bathymetric Information: David Evans and Associates, Inc.

0   1,000   2,000 Feet

Map 2-5
Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Sample Locations - Groundwater Seep

Path: I:\Projects\LWGEvents\20130116_BHHRA_Figure_Updates_FinalMXD\Map2_5.mxd

Legend

- ⬤ (yellow) Smallmouth Bass Fillet
- ⬛ (yellow) Smallmouth Bass Whole Body
- ⬤ (orange) Carp Fillet
- ⬛ (orange) Carp Whole Body

Note:
Sample locations shown are the approximate center point for the locations of the individual fish collected for each composite sample used in the BHHRA. Each sample location may represent more than one composite sample. See Remedial Investigation Report text or Section 2 of the BHHRA (Baseline Human Health Risk Assessment) for a description of the tissue compositing schemes.

Kennedy/Jenks Consultants
Engineers & Scientists

LWG
Lower Willamette Group

FEATURE SOURCES:
Transportation, Property, or Boundaries: Metro RLIS.
Channel & River Miles: US Army Corps of Engineers.
Bathymetric Information: David Evans and Associates, Inc.

Map Features

- – – River Miles
- – – Navigation Channel
- ——— River Edge +13 ft NAVD
- ——— Study Area

Outfalls
- ◉ Outfall
- ◉ Dock Drain
- ◉ Roof Drain

- ▨ Bridges
- ▭ Docks and Structures
- ▭ Waterfront Taxlots
- ▭ Upland ECSI Sites (2008)

0   1,000   2,000 Feet

Map 2-6
Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Sample Locations - Smallmouth Bass and Carp

Path: I:\Projects\LWG\Events\20130116_BHHRA_Figure_Updates_FinalMXD\Map2_6.mxd

Map 2-7
Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Sample Locations - Shellfish

Legend

- ■ Future Domestic Use, Single Point Sample Locations (Peristaltic pump collection method only)
- ● Future Domestic Use, Single Point Sample Locations (Peristaltic pump and XAD-2 Infiltrex™ 300 system collection methods were used)
- ▬ Future Domestic Use, Transect Sample Locations (Peristaltic pump and XAD-2 Infiltrex™ 300 system collection methods were used)

Kennedy/Jenks Consultants
Engineers & Scientists

LWG Lower Willamette Group

FEATURE SOURCES:
Transportation, Property, or Boundaries: Metro RLIS.
Channel & River Miles: US Army Corps of Engineers.
Bathymetric Information: David Evans and Associates, Inc.

Map Features
- ‑ ‑ ‑ River Miles
- ‑ ‑ ‑ Navigation Channel
- ▬ River Edge +13 ft NAVD
- ▬ Study Area

Outfalls
- ◉ Outfall
- ◉ Dock Drain
- ◉ Roof Drain

- Bridges
- Docks and Structures
- Waterfront Taxlots
- Upland ECSI Sites (2008)

0   1,000   2,000 Feet

Path: I:\Projects\LWG\Events\20130116_BHHRA_Figure_Updates_FinalMXD\Map2_8.mxd

Map 2-8
Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Sample Locations – Surface Water,
Potential Future Domestic Use

Risks from Direct Contact with Beach Sediment, RME Evaluations

Legend

Receptors

- ![green] Dockside Worker
- ![violet] Tribal Fisher
- ![dark brown] Child Recreational Beach User, High Frequency Fisher
- ![yellow] Child Recreational Beach User, Tribal Fisher
- ![orange] Child Recreational Beach User, High Frequency Fisher, Tribal Fisher
- ![navy] Child Recreational Beach User, High Frequency Fisher, Tribal Fisher, Low Frequency Fisher
- ![red] Child Recreational Beach User, Adult Recreational Beach User, High Frequency Fisher, Tribal Fisher, Low Frequency Fisher
- ![gray] No Exceedances

Label	Beaches with Cancer Risks Greater than 1E-05
Label	Beaches with Cancer Risks Greater than 1E-06
Label	Beaches with No Risks Greater than 1E-06

Notes:
1 - Risks shown are the highest result for any receptor at each beach.
2 - Reasonable Maximum Exposure (RME) scenarios are based on RME values and the maximum exposure point concentrations.
3 - Hazard quotients are not greater than one.

RME Evaluations

Map labels:
- 09B028 Risk = 3E-06
- 08B032
- 09B024 Risk = 3E-06
- 07B023 Risk = 2E-06
- 09B027 Risk = 4E-06
- 09B026 Risk = 6E-06
- 07B022
- B002
- B004 Risk = 2E-06
- B006
- B001 Risk = 6E-06
- B003 Risk = 2E-05
- B005 Risk = 1E-05
- 03B030 Risk = 5E-06
- 03B031 Risk = 9E-06
- 03B033 Risk = 9E-06
- 04B024 Risk = 2E-05
- 04B023 Risk = 8E-06
- 06B025 Risk = 9E-05
- 06B030 Risk = 2E-05
- 06B026 Risk = 4E-06
- 05B018 Risk = 9E-06
- 05B019
- 06B029
- 06B022 Risk = 6E-06
- 07B024 Risk = 5E-06
- 07B022

River miles: RM 1 through RM 12

Swan Island Lagoon, Multnomah Channel

Kennedy/Jenks Consultants
Engineers & Scientists

LWG
Lower Willamette Group

FEATURE SOURCES:
Transportation, Property, or Boundaries: Metro RLIS.
Channel & River Miles: US Army Corps of Engineers.
Bathymetric Information: David Evans and Associates, Inc.

Map Features
- River Miles
- Navigation Channel
- River Edge +13 ft NAVD
- Study Area

Outfalls
- Outfall
- Dock Drain
- Roof Drain

- Bridges
- Docks and Structures
- Waterfront Taxlots
- Upland ECSI Sites (2008)

0   1,000   2,000 Feet

Map 5-1-1
Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Path: I:\Projects\LWG\Events\20130116_BHHRA_Figure_Updates_FinalMXD\Map5-1-1.mxd

Legend

Receptors

- ■ (green) Dockside Worker
- ■ (magenta) Tribal Fisher
- ■ (gray) No Exceedances

Label (green)	Beaches with Cancer Risks Greater than 1E-06
Label (white)	Beaches with No Risks Greater than 1E-06

CT Evaluations

Notes:
1 - Risks shown are the highest result for any receptor at each beach.
2 - Central Tendency (CT) scenarios are based on CT values and the mean exposure point concentrations.
3 - Hazard quotients are not greater than one.

Labeled beaches include: B001, B002, B003, B004, B005, B006, 03B030, 03B031, 03B033, 04B023, 04B024, 05B018, 05B019, 06B022, 06B026, 06B029, 07B022, 07B023, 07B024, 08B032, 09B024, 09B026, 09B027, 09B028

06B030 Risk = 2E-06

06B025 Risk = 6E-06

River Miles: RM 1 through RM 12

Swan Island Lagoon

Multnomah Channel

Kennedy/Jenks Consultants
Engineers & Scientists

LWG Lower Willamette Group

FEATURE SOURCES:
Transportation, Property, or Boundaries: Metro RLIS.
Channel & River Miles: US Army Corps of Engineers.
Bathymetric Information: David Evans and Associates, Inc.

Map Features
- - - - River Miles
- - - - Navigation Channel
———— River Edge +13 ft NAVD
———— Study Area

Outfalls
- ◉ Outfall
- ◉ Dock Drain
- ◉ Roof Drain

- Bridges
- Docks and Structures
- Waterfront Taxlots
- Upland ECSI Sites (2008)

0   1,000   2,000 Feet

Path: I:\Projects\LWG\Events\20130116_BHHRA_Figure_Updates_FinalMXD\Map5-1-2.mxd

Map 5-1-2
Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Risks from Direct Contact with Beach Sediment, CT Evaluations

Map 5-2-1
Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Risks from Direct Contact With In-Water Sediment, RME Evaluations

Map Labels (river miles):

RM 1, RM 1 West, RM 1 East, RM 1.5 West, RM 1.5 East, RM 2, RM 2 West, RM 2 East, RM 2.5 West, RM 2.5 East, RM 3, RM 3 West, RM 3 East, RM 3.5 West, RM 3.5 East, RM 4, RM 4 West, RM 4 East, RM 4.5 West, RM 4.5 East, RM 5, RM 5 West, RM 5 East, RM 5.5 West, RM 5.5 East, RM 6, **RM 6 West Risk = 6E-06**, RM 6 East, RM 6.5 West, RM 6.5 East, RM 7, **RM 7 West Risk = 3E-06**, RM 7 East, RM 7.5 West, RM 7.5 East, RM 8, RM 8 West, RM 8 East, RM 8.5 West, RM 8.5 East, RM 9, RM 9 West, RM 9 East, RM 9.5 West, RM 9.5 East, RM 10, RM 10 West, RM 10 East, RM 10.5 West, RM 10.5 East, RM 11, RM 11 West, RM 11 East, RM 11.5 West, RM 12, RM 12 West, RM 12 East, RM 7.5 West, RM 7.5 East

Swan Island Lagoon

Multnomah Channel

Legend

Receptors

☐ Tribal Fisher

Receptors with Exceedances from Study Area-Wide Exposure
None

Label — River Mile with Cancer Risks Greater than 1E-06

CT Evaluations

Notes:
1 - Risks shown are the highest results for any receptor at each river mile.
2 - Central Tendency (CT) scenarios are based on CT values and the mean exposure point concentrations.
3 - Hazard quotients are not greater than one.

Map Features

River Miles
Navigation Channel
River Edge +13 ft NAVD
Study Area

Outfalls
◉ Outfall
◉ Dock Drain
◉ Roof Drain

☐ Bridges
☐ Docks and Structures
☐ Waterfront Taxlots
☐ Upland ECSI Sites (2008)

0   1,000   2,000 Feet

Kennedy/Jenks Consultants
Engineers & Scientists

LWG Lower Willamette Group

FEATURE SOURCES:
Transportation, Property, or Boundaries: Metro RLIS.
Channel & River Miles: US Army Corps of Engineers.
Bathymetric Information: David Evans and Associates, Inc.

Path: I:\Projects\LWG\Events\20130116_BHHRA_Figure_Updates_FinalMXD\Map5-2-2.mxd

Map 5-2-2
Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Risks from Direct Contact With In-Water Sediment, CT Evaluations

Swan Island Lagoon
Risk = 6E-04
HI = 50
Infant HI = 600

RM 11
Risk = 1E-03
HI = 100
Infant HI = 1000

RM 10
Risk = 1E-04
HI = 10
Infant HI = 100

RM 9
Risk = 2E-04
HI = 10
Infant HI = 80

RM 8
Risk = 1E-04
HI = 7
Infant HI = 40

Legend

Total Cancer Risk

1E-02	(pink)
1E-03	(orange)
1E-04	(yellow)
1E-05	(blue)
1E-06	(green)

Consumption Rate of 48.9 g/day for Adult and 20.5 g/day for Child

Notes:
1. Smallmouth bass data used as a surrogate for multi-species diet on a river mile basis
2. Cancer risks are for combined adult/child fish consumption
3. Hazard indices are for child fish consumption
4. Infant hazard indices are for indirect exposures to infants via breastfeeding

RM 2
Risk = 2E-04
HI = 10
Infant HI = 200

RM 3
Risk = 1E-04
HI = 7
Infant HI = 30

RM 6
Risk = 1E-04
HI = 9
Infant HI = 70

RM 7
Risk = 6E-04
HI = 20
Infant HI = 200

RM 4
Risk = 3E-04
HI = 20
Infant HI = 200

RM 5
Risk = 9E-05
HI = 6
Infant HI = 30

Multnomah Channel

Swan Island Lagoon

Kennedy/Jenks Consultants
Engineers & Scientists

LWG
Lower Willamette Group

Path: I:\Projects\LWG\Events\20130116_BHHRA_Figure_Updates_FinalMXD\Map5-3-1.mxd

FEATURE SOURCES:
Transportation, Property, or Boundaries: Metro RLIS.
Channel & River Miles: US Army Corps of Engineers.
Bathymetric Information: David Evans and Associates, Inc.

Map Features

River Miles
Navigation Channel
River Edge +13 ft NAVD
Study Area

Outfalls
Outfall
Dock Drain
Roof Drain

Bridges
Docks and Structures
Waterfront Taxlots
Upland ECSI Sites (2008)

0   1,000   2,000 Feet

Map 5-3-1
Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Risks from Recreational Fish Consumption, River Mile Basis, RME

Legend

Total Cancer Risk

1E-02	(pink)
1E-03	(orange)
1E-04	(yellow)
1E-05	(blue)
1E-06	(green)

Consumption Rate of 17.5 g/day for Adult and 7 g/day for Child

Notes:
1. Smallmouth bass data used as a surrogate for multi-species diet on a river mile basis
2. Cancer risks are for combined adult/child fish consumption
3. Hazard indices are for child fish consumption
4. Infant hazard indices are for indirect exposures to infants via breastfeeding

Swan Island Lagoon
Risk = 2E-04
HI = 20
Infant HI = 200

RM 11
Risk = 4E-04
HI = 30
Infant HI = 500

RM 10
Risk = 5E-05
HI = 4
Infant HI = 40

RM 9
Risk = 6E-05
HI = 5
Infant HI = 30

RM 8
Risk = 5E-05
HI = 2
Infant HI = 10

RM 7
Risk = 2E-04
HI = 10
Infant HI = 60

RM 6
Risk = 4E-05
HI = 3
Infant HI = 20

RM 5
Risk = 3E-05
HI = 2
Infant HI = 10

RM 4
Risk = 9E-05
HI = 7
Infant HI = 70

RM 3
Risk = 4E-05
HI = 2
Infant HI = 10

RM 2
Risk = 9E-05
HI = 5
Infant HI = 50

Path: I:\Projects\LWG\Events\20130116_BHHRA_Figure_Updates_FinalMXD\Map5-3-2.mxd

Kennedy/Jenks Consultants
Engineers & Scientists

LWG
Lower Willamette Group

FEATURE SOURCES:
Transportation, Property, or Boundaries: Metro RLIS.
Channel & River Miles: US Army Corps of Engineers.
Bathymetric Information: David Evans and Associates, Inc.

Map Features

River Miles
Navigation Channel
River Edge +13 ft NAVD
Study Area

Outfalls
Outfall
Dock Drain
Roof Drain

Bridges
Docks and Structures
Waterfront Taxlots
Upland ECSI Sites (2008)

0   1,000   2,000 Feet

Map 5-3-2
Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Risks from Recreational Fish Consumption, River Mile Basis, CT

Legend

Total Cancer Risk

1E-03	(orange)
1E-04	(yellow)
1E-05	(blue)
1E-06	(green)
1E-07	(purple)

18 g/day Consumption Rate

Notes:
1 - Exposure areas for clam are per river mile and per side of river, as well as Study Area-wide.
2 - Except where shown, hazard quotients are not greater than one.

Swan Island Lagoon
Risk = 2E-04
HI = 6

RM 9 East
Risk = 5E-05

RM 11 East
Risk = 2E-04
HI = 10

RM 12 East
Risk = 7E-05
HI = 2

RM 8 East
Risk = 5E-05
HI = 3

RM 9 West
Risk = 2E-04
HI = 8

RM 10 West
Risk = 4E-05
HI = 2

RM 11 West
Risk = 4E-05

RM 8 West
Risk = 2E-04
HI = 7

RM 1 East
Risk = 8E-05
HI = 2

RM 2 East
Risk = 2E-04
HI = 5

RM 2 West
Risk = 8E-05
HI = 2

RM 3 East
Risk = 2E-04
HI = 8

RM 3 West
Risk = 7E-05
HI = 2

RM 4 East
Risk = 1E-04
HI = 3

RM 5 East
Risk = 9E-05
HI = 3

RM 6 East
Risk = 7E-04
HI = 30

RM 7 East
Risk = 7E-05
HI = 2

RM 4 West
Risk = 1E-04
HI = 3

RM 5 West
Risk = 6E-04
HI = 2

RM 6 West
Risk = 7E-04
HI = 3

RM 7 West
Risk = 2E-04
HI = 3

Swan Island Lagoon
Multnomah Channel

RM 1, RM 2, RM 3, RM 4, RM 5, RM 6, RM 7, RM 8, RM 9, RM 10, RM 11, RM 12

Kennedy/Jenks Consultants
Engineers & Scientists

LWG
Lower Willamette Group

FEATURE SOURCES:
Transportation, Property, or Boundaries: Metro RLIS.
Channel & River Miles: US Army Corps of Engineers.
Bathymetric Information: David Evans and Associates, Inc.

Map Features
River Miles
Navigation Channel
River Edge +13 ft NAVD
Study Area

Outfalls
Outfall
Dock Drain
Roof Drain

Bridges
Docks and Structures
Waterfront Taxlots
Upland ECSI Sites (2008)

0   1,000   2,000 Feet

Path: f:\Projects\LWG\Events\20130116_BHHRA_Figure_Updates_FinalMXD\Map5-4-1.mxd

Map 5-4-1
Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Risks from Clam Consumption, RME

Map labels

Swan Island Lagoon Risk = 3E-05

RM 7 East Risk = 1E-05

RM 9 East Risk = 1E-05

RM 11 East Risk = 4E-05 HI = 2

RM 12 East Risk = 1E-05

RM 8 East Risk = 9E-06

RM 7 West Risk = 3E-05

RM 9 West Risk = 4E-05

RM 10 West Risk = 8E-06

RM 11 West Risk = 6E-06

RM 1 East Risk = 1E-05

RM 8 West Risk = 4E-05

RM 2 East Risk = 3E-05

RM 2 West Risk = 1E-05

RM 3 East Risk = 4E-05

RM 7 East Risk = 1E-05

RM 6 East Risk = 1E-04 HI = 7

RM 4 East Risk = 2E-05

RM 5 East Risk = 2E-05

RM 3 West Risk = 1E-05

RM 4 West Risk = 2E-05

RM 5 West Risk = 1E-04

RM 6 West Risk = 1E-04

RM 7 West Risk = 3E-05

1170019

Legend

Total Cancer Risk

- 1E-03
- 1E-04
- 1E-05
- 1E-06
- 1E-07

3.3 g/day Consumption Rate

Notes:
1 - Exposure areas for clam are per river mile and per side of river, as well as Study Area-wide.
2 - Except where shown, hazard quotients are not greater than one.

Map Features

- River Miles
- Navigation Channel
- River Edge +13 ft NAVD
- Study Area

Outfalls
- Outfall
- Dock Drain
- Roof Drain

- Bridges
- Docks and Structures
- Waterfront Taxlots
- Upland ECSI Sites (2008)

FEATURE SOURCES:
Transportation, Property, or Boundaries: Metro RLIS.
Channel & River Miles: US Army Corps of Engineers.
Bathymetric Information: David Evans and Associates, Inc.

0   1,000   2,000 Feet

Kennedy/Jenks Consultants
Engineers & Scientists

LWG Lower Willamette Group

Path: I:\Projects\LWGEvents\20130116_BHHRA_Figure_Updates_FinalMXD\Map5-4-2.mxd

Map 5-4-2
Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Risks from Clam Consumption, CT

Figure labels (risk callout boxes):

- CR01EA — Risk = 2E-05
- CR01W — Risk = 2E-05
- 08R003 — Risk = 4E-05
- 09R001 — Risk = 2E-05
- CR11E — Risk = 3E-04, HI = 10
- CR12E — Risk = 2E-05
- CR12W — Risk = 1E-05
- 07R003 — Risk = 1E-06
- 09R002 — Risk = 5E-05, HI = 2
- CR10W — Risk = 3E-05
- CR08W — Risk = 2E-05
- 08R002 — Risk = 8E-06
- 08R001 — Risk = 2E-05
- 02R015 — Risk = 1E-05
- 02R001 — Risk = 7E-05, HI = 2
- 03R001 — Risk = 6E-06
- 03R005 — Risk = 9E-05, HI = 4
- 03R003 — Risk = 5E-05, HI = 2
- 03R004 — Risk = 4E-05
- 04R003 — Risk = 7E-06
- 04R002 — Risk = 7E-06
- 07R004 — Risk = 9E-06
- 05R001 — Risk = 6E-06
- 05R003 — Risk = 1E-05
- 07R003 — Risk = 1E-05
- 03R002 — Risk = 7E-06
- 03R032 — Risk = 8E-06
- 04R004 — Risk = 7E-06
- 06R004 — Risk = 4E-05
- CR05W — Risk = 1E-05
- 06R001 — Risk = 6E-06
- CR06W — Risk = 4E-05, HI = 2
- 07R006 — Risk = 3E-04, HI = 6

River Miles: RM 1, RM 2, RM 3, RM 4, RM 5, RM 6, RM 7, RM 8, RM 9, RM 10, RM 11, RM 12

Map labels: Swan Island Lagoon, Multnomah Channel, Freightliner Corp. (TMP), USA, University of Portland, Portland Shipyard LLC, Gunderson LLC, Oregon Washington Railroad & Navigation Co., Portland Terminal RR Co. (B N S F Lake Yard), Tanker Basin LLC, Chevron USA Inc, Metco Inc., P.O.P. (leased), P.O.P. (leased) Auto Storage, Metro, NuStar, Northwest Natural Gas Co., Siltronic Corp., Arkema, University of Portland, Chevron USA Inc

Legend

Total Cancer Risk

1E-03	
1E-04	
1E-05	
1E-06	
1E-07	

18 g/day Consumption Rate

Notes:
1 - Exposure areas for Crayfish are per sampling station, as well as Study Area-wide.
2 - Except where shown, hazard quotients are not greater than one.

Path: I:\Projects\LWG\Events\20130116_BHHRA_Figure_Updates_FinalMXD\Map5-5-1.mxd

Kennedy/Jenks Consultants
Engineers & Scientists

LWG
Lower Willamette Group

FEATURE SOURCES:
Transportation, Property, or Boundaries: Metro RLIS.
Channel & River Miles: US Army Corps of Engineers.
Bathymetric Information: David Evans and Associates, Inc.

Map Features

- River Miles
- Navigation Channel
- River Edge +13 ft NAVD
- Study Area

Outfalls
- Outfall
- Dock Drain
- Roof Drain

- Bridges
- Docks and Structures
- Waterfront Taxlots
- Upland ECSI Sites (2008)

0   1,000   2,000 Feet

Map 5-5-1
Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Risks from Crayfish Consumption, RME

Map 5-6-1
Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Risks from Potential Future Domestic Water Use, RME

Legend

🔴 Drinking Water Assessment Location

Note: Hazard quotients are not greater than one.

W035
Risk = 2E-05

W020
Risk = 4E-06

W038
Risk = 4E-06

Swan Island Lagoon

RM 9

RM 10

RM 11

RM 12

RM 8

W023
Risk = 1E-05

W037
Risk = 4E-06

W036
Risk = 6E-06

W034
Risk = 5E-06

RM 1

RM 2

W025
Risk = 2E-05

W026
Risk = 4E-06

RM 3

W028
Risk = 4E-06

RM 4

W027
Risk = 2E-05

Multnomah Channel

W005
Risk = 1E-05

RM 5

W029
Risk = 3E-06

W030
Risk = 4E-06

W010
Risk = 5E-06

RM 6

W031
Risk = 2E-04

W032
Risk = 2E-05

W014
Risk = 5E-06

W034
Risk = 5E-06

RM 7

RM 8

W011
Risk = 2E-05

W033
Risk = 2E-05

Path: I:\Projects\LWG\Events\20130116_BHHRA_Figure_Updates_FinalMXD\Map5-6-2.mxd

FEATURE SOURCES:
Transportation, Property, or Boundaries: Metro RLIS.
Channel & River Miles: US Army Corps of Engineers.
Bathymetric Information: David Evans and Associates, Inc.

Map Features

River Miles
Navigation Channel
River Edge +13 ft NAVD
Study Area

Outfalls
⊙ Outfall
⊙ Dock Drain
⊙ Roof Drain

Bridges
Docks and Structures
Waterfront Taxlots
Upland ECSI Sites (2008)

0   1,000   2,000 Feet

Map 5-6-2
Portland Harbor RI/FS
Final Remedial Investigation Report
Appendix F: BHHRA
March 28, 2013

Risks from Potential Future Domestic Water Use, CT